## Week 47 Nov 16-22, 2014

2014 Season

2013/



epidemiology surveillance Public Health Manitoba 🐆

### In Summary

• There were 2 laboratory-confirmed cases of influenza A and no cases of influenza B reported last week.

# Surveillance Measures

#### 1. Laboratory Surveillance

Reports of influenza nucleic acid detection, culture isolation, and enzyme immunoassay (EIA) detections are received from Cadham Provincial Laboratory (CPL) and occasionally other laboratories, and are forwarded to the Public Health Surveillance (PHS) Unit within 24 hours of confirmation.

CPL performs testing for other respiratory viruses including parainfluenza, RSV, adenovirus, rhinovirus, coronavirus, enterovirus, and bocavirus. The total number of other respiratory viruses detected is reported to PHS on a weekly basis.

#### This week, there were:

- 2cases of influenza A reported;
- 0 cases of influenza B reported.


Since the beginning of this season, there have been:

- 8 cases of influenza A reported;
- 1 case of influenza B reported.

#### 2. Outpatient ILI (Sentinel Physicians)

The proportion of patients seen for an ILI this week was lower than last week (1.5% from 3.6%). The proportion is lower than observed at the same time last season. Manitoba Health participates in the National *FluWatch* Program coordinated by PHAC. In addition to laboratory-confirmation of influenza, this program relies on weekly reports of ILI as reported by 27 current Manitoban sentinel physicians in all five RHAs (Northern, Southern, Prairie Mountain, Interlake-Eastern, and Winnipeg).

Manitoba Health receives weekly reports from PHAC presenting the provincial ILI rate and the specific data for each of the participating sentinel physicians. The graph below depicts the proportion of total patients who were seen for an ILI. **These numbers should be interpreted with caution as the number of sentinel physicians reporting to** *FluWatch* **varies from week to week and may not be representative of ILI activity across the province.** 



**Figure 1**. Proportion of patients seen for influenza-like illness as reported by *FluWatch* sentinel physicians by week for the 2013/14 and 2014/15 influenza seasons, Manitoba

#### Health Links – Info Santé (HL-IS)

HL-IS is a 24-hour, 7-days a week telephone information service staffed by registered nurses with the knowledge to provide answers over the phone to health care questions and guidance to appropriate care. When a caller phones HL-IS and selects the Influenza Service, they are given an option to select information on (1) the groups of individuals who are at an increased risk of serious illness, (2) how to arrange a flu shot, (3) the annual influenza immunization campaign, or (4) the management of flu and its potential complications.

This week there were 28 calls, which was higher than the previous week (25 calls). The weekly total is lower than the total observed at the same time last season.




Figure 2. The number of calls to Health Links – Info Santé in the 2013/14 and 2014/15 influenza seasons, Manitoba

#### Severity (Clinically Severe Cases)

This season, PHAC is requesting provinces and territories to report the number of hospitalizations, ICU admissions, and deaths associated with a lab-confirmed report of influenza. The reason for hospitalization, ICU admission, or death does not have to be attributable to the influenza diagnosis in order to be included in this count. These data are collected in order to continue with the surveillance system implemented during the 2009 H1N1 pandemic to help monitor the severity/burden of illness during the influenza season.

This week there was:

- 1 hospitalization, of which
- 0 resulted in an ICU admission; and
- 1 hospitalization, of which
- 0 resulted in an ICU admission; and

\*Since the beginning of the season, there has been:

0 deaths.<sup>1</sup>

0 deaths.<sup>1</sup>

\*Hospitalized cases are reported based on laboratory report date.

<sup>&</sup>lt;sup>1</sup> The reason for hospitalization, ICU admission, or death does not have to be attributable to the influenza diagnosis in order to be included in this count.

#### Institutional Outbreaks


Outbreaks of influenza must be accompanied by a positive influenza lab report to be counted. The outbreakrelated cases reflected on tables and figures within this report are lab-confirmed. However, most outbreak-related cases will not be lab-confirmed.

This week there were:

- 0 outbreaks of influenza A;
- 0 outbreaks of influenza B.
- From the beginning of the season until Nov. 22, 2014 there has been:
  - 1 outbreak of influenza A;
  - 0 outbreaks of influenza B.

#### Syndromic Surveillance

<u>Google Flu Trends</u> uses aggregated Google search data to estimate influenza activity. As of November 24, 2014 Manitoba's influenza activity is **moderate**.



#### Abbreviations

ACF = acute care facility CPL = Cadham Provincial Laboratory HL-IS = Health Links – Info Santé PHAC = Public Health Agency of Canada ICU = intensive care unit ILI = influenza-like-illness LTCF = long term care facility NML = National Microbiology Laboratory PHS = Public Health Surveillance RHA = Regional Health Authority WRHA = Winnipeg Regional Health Authority

#### **Explanatory Notes and Definitions**

#### Cumulative data:

Cumulative data includes updates to previous weeks; due to reporting delays or amendments, the sum of weekly report totals may not add up to cumulative totals.

#### Data extraction date:

Manitoba-specific information contained within this update is based on data confirmed in Manitoba's PHS Unit databases on or before **Nov 28, 2014**, the date of data extraction.

#### ILI in the general population:

Acute onset of respiratory illness with fever and cough and with one or more of the following – sore throat, arthralgia, myalgia, or prostration, which is likely due to influenza. In children under 5, gastrointestinal symptoms may also be present. In patients under 5 or 65 and older, fever may not be prominent.

#### ILI outbreaks:

Schools: Greater than 10% absenteeism (or absenteeism that is higher (e.g. >5-10%) than expected level as determined by school or public health authority) which is likely due to ILI.

Hospitals and residential institutions: Two or more cases of ILI within a seven-day period, including at least one laboratory confirmed case.

Other settings: Two or more cases of ILI within a seven-day period, including at least one laboratory confirmed case; i.e. workplace, closed communities.

#### Specimen collection date:

The date the laboratory specimen is taken is used to assign cases to the appropriate week in this report. However, hospitalized/ICU cases are reported based on laboratory report date.

> For other Epidemiology and Surveillance reports, please view the Manitoba Health internet website: <u>http://www.gov.mb.ca/health/publichealth/surveillance/index.html</u>

> > For national surveillance data, refer to: http://www.phac-aspc.gc.ca/fluwatch/index-eng.php