

Diamondback Moth Adults Captured in Pheromone Baited Traps in Manitoba - 2009

Note - Pest Management decisions for diamondback moth need to be made based on counts of larvae; data from adult monitoring provides an early indication of regions where larvae may need to be monitored more intensively.

		Moth Count								
Go Teams	Nearest Town	May 18-24	May 25-31	June 1-7	June 8-14	June 15-21	June 22-28	June 29 July 5	Total	
Valleys North										
	The Pas 1				0	4	7		11	
	The Pas 2				0	5	2		7	
	The Pas 3				0	3	21		24	
	Swan River 1			0	0	4	5		9	
	Bowsman			0	0	8	10		18	
	Minitonas 1			0	0	0	3		3	
	Minitonas 2			0	0	0	2		2	
	Benito 1			0	0	0	0		0	
	Benito 2			0	0	0	3		3	
	Swan River 2			0	0	12	6		18	
North Parkland										
	Mink Creek		0	4	0	0	0	0	4	
	Ethelbert		0	2	2	0	0	1	5	
	Fork River		0	3	1	1	0	2	7	
	Gil. Plains		0	3	0	0	1	0	4	
	Roblin	0	0	2	1	0			3	
	Shortdale	0	0	1	0	2			3	
	San Clara								0	
	Keld		0	1	0	0	0	0	1	
	Ste. Amelie		0	0	0	0	0		0	
	Methley		0	0	0	0			0	
South Parkland										
	Shoal Lake 1						0	0	0	
	Shoal Lake 2						0	0	0	
	Shoal Lake 3						0	0	0	
	Shoal Lake 4						0	0	0	
	Shoal Lake 5						0	0	0	
	Hamiota 1						0	0	0	
	Hamiota 2						0	0	0	
	Hamiota 3						0	0	0	
	Hamiota 4						0	0	0	
	Miniota 1						2	2	4	
	Miniota 2						0	2	2	
	McCauley 1						0	1	1	
	McCauley 2						0	9	9	
	Hargrave / Kola 1						1	3	4	
	Hargrave / Kola 2						0	0	0	
	Elkhorn 1						3	4	7	
	Elkhorn 2						1	0	1	
	Neepwa 1						0	0	0	
	Neepwa 2						0	0	0	
	Neepwa 3						0	0	0	
	Neepwa 4						0	0	0	
	Neepwa 5						0	0	0	
	Neepwa 6						1	0	1	
Southwest										
	Forrest			0	0	0	1		1	
	Brandon					0	0	0	0	

Diamondback Moth Adults Captured in Pheromone Baited Traps in Manitoba - 2009

Note - Pest Management decisions for diamondback moth need to be made based on counts of larvae; data from adult monitoring provides an early indication of regions where larvae may need to be monitored more intensively.

		Moth Count							
Go Teams	Nearest Town	May 18-24	May 25-31	June 1-7	June 8-14	June 15-21	June 22-28	June 29 July 5	Total
	Virден					0	0	0	0
	Souris							0	0
	Hartney							0	0
Central Plains									
	Portage				0	1			1
	Austin				0	1			1
	Gladstone				0	0			0
	Treherne				0	1			1
	Holland				0	1			1
Pembina									
	Somerset	0	0	0	0	0	0		0
	Snow Flake	0		0	0	0	0		0
	Pilot Mound	0	1	0	0	0	0		1
	Glenboro		0	0	0	0	0		0
	Cartwright	0	0	0	0	1	0	0	1
	Turtle Mtn	0	0	0	0	0	0	0	0
	Riverside	0	0	0	0	0	0	0	0
	Strathcona	0	0	0	0	0	0	0	0
Red River									
	Plum Coulee	1	1	2	3	9	0		16
	Rosenfeld	2	1	2	1	3	0		9
	St. Adolphe		0	3	3				6
	Morris			2	3				5
	Emerson								0
	St. Jean				13	10			23
	Lowe Farm					26			26
	Letellier								0
	Ste. Elizabeth				9	11			20
									0
North Interlake									
									0
									0
South Interlake									
									0
	Teulon east HK	0	0	0	0	0	1		1
	Wpg Beach	0	0	0	1	1	3		5
	Gimli	0	1	0	0	1	1		3
	Petersfield	0	0	0	0	0	0		0
	Selkirk	0	1	0	0	6	6		13
	East Selkirk	0	0	1	1	2	6		10
	Teulon west KM	0	0	0	0	0	0		0
	Dugald			0	0				0
									0
Eastman									
	Steinbach								0
	Carey					30			30
	Ridgeville				0	1	1		2
	D. City				0	0	2		2
	Niverville				8	6			14
	Ste Anne				1	7			8

Diamondback Moth Adults Captured in Pheromone Baited Traps in Manitoba - 2009

Note - Pest Management decisions for diamondback moth need to be made based on counts of larvae; data from adult monitoring provides an early indication of regions where larvae may need to be monitored more intensively.

		Moth Count							
Go Teams	Nearest Town	May 18-24	May 25-31	June 1-7	June 8-14	June 15-21	June 22-28	June 29 July 5	Total
	Landmark				13	13	4		30
	St. Pierre					5	3		8

June 29 - Counts of adult diamondback moths have increased in the Eastman, Red River and Valleys North regions. Farmers and agronomists in the areas are advised to monitor canola for the presence of larvae.