



Sustainable Development

Environmental Stewardship Division
Environmental Approvals Branch
123 Main Street, Suite 160, Winnipeg, Manitoba, Canada R3C 1A5
T 204 945-8321 F 204-945-5229
www.gov.mb.ca/sd/ea

File : 5435.10

June 15, 2017

Ms. Jolene Bird
Chief Administrative Officer
Rural Municipality of Montcalm
Box 300
Letellier, MB R0G 1C0
cao@rmofmontcalm.com

Dear Ms. Bird:

Re: RM of Montcalm – St. Jean Baptiste Wastewater Treatment Lagoon – Alteration Environment Act Licence No. 3108

This is in response to a letter of May 4, 2017 from David Kelly of JR Cousin Consultants Ltd. concerning three proposed alterations to the new St. Jean Baptiste wastewater treatment lagoon. The three alterations involve:

1. An increase in the size of the cells, facilitating an increase in the organic loading capacity of the facility from 65.15 kg/day of BOD₅ to 68.91 kg/day, and a hydraulic capacity increase from 73,375 m³ to 79,068 m³;
2. Use of the south municipal road right-of-way as part of the buffer distance to adjacent property; and
3. An extension in the time in the revocation clause (Clause B) of the above licence beyond June 18, 2017.

As the environmental effects of these alterations is insignificant, the alterations are hereby approved pursuant to Section 14(2) of The Environment Act. Clause B is extended one year to June 18, 2018.

Should you have questions concerning this matter, please contact Bruce Webb of this office at Bruce.Webb@gov.mb.ca.

Yours sincerely,



Tracey Braun, M.Sc.
Director

- c. David Kelly, JR Cousin Consultants Ltd.
Don Labossiere/Donna Smiley/Tyler Kneeshaw/Dupe Ige, Environmental Compliance
and Enforcement
Public Registries