

Conservation and Water Stewardship

Environmental Stewardship Division
Environmental Approvals Branch
123 Main Street, Suite 160, Winnipeg, Manitoba R3C 1A5
T 204 945-8321 F 204 945-5229
www.gov.mb.ca/conservation/eal

CLIENT FILE NO.: 5788.00

October 19, 2015

Dale Overton Overton Environmental Enterprises Inc. 13- 601 Bowman Ave. Winnipeg MB R2K 1P7

Dear Mr. Overton:

Enclosed is **Environment Act Licence No. 3155** dated Octobe 19, 2015 issted to **Överton Environmental Enterprises Inc.** for the re-establishment and operation of the Development being a composting facility to be known as the Giroux Compost and alk Marial Candling Facility located in the Rural Municipality of Ste. Anne, Manitoba in accordance with the Possal filed under *The Environment Act* on July 27, 2015, and additional hours.

In addition to the enclosed Licence requirements, lease to informed that all other applicable federal, provincial and municipal regulations and the two that the complied with. A Notice of Alteration must be filed with the Director for approval prior to any alteration to the Development as licensed.

For further information on the administration and application of the Licence, please feel free to contact. Diane Oertel, Environment Office at 2, 345-145.

Pursuant to Section 27 of the English and Act, this licensing decision may be appealed by any person who is affected by the issue of this I cence to the Minister of Conservation and Water Stewardship within 30 days of the date of the Licent.

Yours truly
"or anal signed by"
Trace raun, M.Sc.
Director Environme Act

c: Don Labossiere, Donna Smiley, Environmental Compliance and Enforcement - via email Public Registries

NOTE: Confirmation of Receipt of this Licence No. 3155 (by the Licencee only) is required by the Director of Environmental Approvals. Please acknowledge receipt by signing in the space provided below and faxing a copy (letter only) to the Department by October 30, 2015.

On behalf of Overton Environmental Enterprises Inc.	Date

THE ENVIRONMENT ACT LOI SUR L'ENVIRONNEMENT



LICENCE

Licence No. / Licence n°

3155

Issue Date / Date de délivrance

October 19, 2015

In accordance with *The Environment Act* (C.C.S.M. c. E125) / Conformément à *la Loi sur l'environnement* (C.P.L.M. c. E125)

Pursuant to Section 10(1) / Conformément au Paragraphe 11(1)

THIS LICENCE IS ISSUED TO: / CETTE LICENCE EST JON THE

OVERTON ENVIRONMENTAL NTL PRISE INC.: "the Licencee"

for the re-establishment and operation of the revelopment being a composting facility to be known as the Giroux Compost and Box Materials Handling Facility located on NW ¼ 25-7-7 EPM and legal subdivisions 3, 5 and 6 of 25-7-7 EPM in the Rural Municipality of Ste. Anne, Montoba in accertaince with the Proposal filed under *The Environment Act* on July 27, 015, and additional information provided on August 24, 2015, and subject to the following specifications, limits, terms and conditions:

DEFINITIONS

In this Lice &

"accredite of conda (CC), or accredited by another accrediting agency recognized by anitob Conser and Mater Stewardship to be equivalent to the SCC, or be able to be some conservation and Water Stewardship to be equivalent to the SCC, or be able to be produced in place equivalent to accreditation based on the international standard ISO (C 17025, or otherwise approved by the Director;

"affected area" means a geographical area, excluding the property of the Development;

[&]quot;approved" means approved by the Director or assigned Environment Officer in writing;

[&]quot;CCME" means Canadian Council of Ministers of the Environment:

[&]quot;compost" means solid mature product resulting from composting;

Overton Environmental Enterprises - Giroux Licence No. 3155 Page 2 of 12

"composting" means a managed process of bio-oxidation of a solid heterogeneous organic substrate including a thermophilic phase;

"Director" means an employee so designated pursuant to *The Environment Act*;

"engineer(s)" means an engineer or engineers registered with Engineers Geoscientists Manitoba;

"Environment Officer" means an employee so designated pursuant to Telenvironment Act:

"green waste" means leaf, grass, garden waste, prunings, shrubg small banches wother yard wastes, or other larger branches which are chipped or used to corpost bulking;

"groundwater" means water below the ground surface it a zon of sate of on

"hydraulic conductivity" means the quantity of war, that will flow through a unit cross-sectional area of a porous material per unit time under hydraulic gradient of 1.0;

"monitoring well" means a well drated to measure groundwater levels and collect groundwater samples for the purpose or physical, chemical or biological analysis to determine the concentration of groundwater ansitte arts;

"noise nuisance" means an inwanted stand, in an affected area, which is annoying, troublesome, or disagreeable to person:

- a) residing is an affected was
- b) working n an accordance; or
- c) present at location an affected area which is normally open to members of e public;

if the unanted said

- d) the subject of at least 5 written complaints, received by the Director in a for satisfactory to the Director and within a 90-day period, from 5 different person falling within clauses a), b) or c), who do not live in the same should; or
- is the subject of at least one written complaint, received by the Director in a form satisfactory to the Director, from a person falling within clauses a), b) or c) and the Director is of the opinion that if the unwanted sound had occurred in a more densely populated area there would have been at least 5 written complaints received within a 90-day period, from 5 different persons who do not live in the same household;

Overton Environmental Enterprises - Giroux Licence No. 3155 Page 3 of 12

"odour nuisance" means a continuous or repeated odour, smell or aroma, in an affected area, which is offensive, obnoxious, troublesome, annoying, unpleasant or disagreeable to a person:

- a) residing in an affected area;
- b) working in an affected area; or
- c) present at a location in an affected area which is normally open to members of the public;

if the odour, smell or aroma

- d) is the subject of at least 5 written complaints, received by the Director in a form satisfactory to the Director and within a 90-day period, from different persons falling within clauses a), b) or c), who do not like in the same household; or
- e) is the subject of at least one written complaint acceived by the larector in a form satisfactory to the Director, from a poson fallow with clauses a), b), or c) and the Director is of the opinion the if the odor, smell or aroma had occurred in a more densely populated trea here would have been at least 5 written complaints received within a 90-by per degree 5 different persons who do not live in the same how.

"particulate matter" means any finely ivided liquid or solid matter other than water droplets;

"particulate residue" means that part of portion of an atmospheric emission which is deposited onto a surface:

"point source" means any point of emission from a Development where pollutants are emitted to the atmost converse of a stack;

"pollutar mean pollutar as defined in *The Environment Act*;

"site" mean the arg both permanent and temporary which is required for the construction and appraction of the Development;

Standard Linds for the Examination of Water and Wastewater" means the most recent edition of Standard Methods for the Examination of Water and Wastewater public and jointly by the American Public Health Association, the American Water Works Association and the Water Environment Federation; and

"wood waste" means clean, not treated, dimensional or manufactured wood products or natural trees or parts thereof, that are chipped or shredded for use in the composting process.

GENERAL TERMS AND CONDITIONS

This Section of the Licence contains terms and conditions intended to provide guidance to the Licencee in implementing practices to ensure that the environment is maintained in such a manner as to sustain a high quality of life, including social and economic development, recreation and leisure for present and future Manitobans.

General Terms

1. The Licencee shall reduce the production and dissemination of waster by initiating and maintaining waste reduction and waste recycling program at the De Topmak.

Reporting Format

- 2. The Licencee shall submit all information required vide e Director or en and ele Environment Officer under this Licence, in wa ronic format, in such ntent as n form (including number of copies) and of such y be required by the Director or Environment Officer, and each st shall e clearly labelled with missi vith t the Licence Number and File Number associated icence.
- 3. The Licencee shall carry out any remet al measures, modifications, or alterations, as deemed necessary by the Director, in spect to matters authorized under this Licence.

Future Sampling

- 4. In addition to a south he its, terms and conditions specified in this Licence, the Licencee shall upon the request of the Director:
 - sample, moreof, analyze and/or investigate specific areas of concern recarding any segment, component or aspect of pollutant storage, ontainment, and ent, handling, disposal or emission systems, for such pollutants or ambient quality, aquatic toxicity, leachate characteristics and marge or emission rates, for such duration and at such frequencies as may be secifed;
 - b) determine the environmental impact associated with the release of any tants from the Development; or
 - provide the Director, within such time as may be specified, with such reports, drawings, specifications, analytical data, descriptions of sampling and analytical procedures being used, bioassay data, flow rate measurements and such other information as may from time to time be requested.

Sampling Methods

- 5. The Licencee shall, unless otherwise specified in this Licence:
 - a) carry out all preservations and analyses on liquid samples in accordance with the methods prescribed in the most current edition of Standard Methods for

Overton Environmental Enterprises - Giroux Licence No. 3155 Page 5 of 12

- the Examination of Water and Wastewater or in accordance with equivalent preservation and analytical methodologies approved by the Director;
- b) carry out all sampling of, and preservation and analyses on soil, compost and air samples in accordance with methodologies approved by the Director;
- c) have all analytical determinations undertaken by an accredited laboratory; and
- d) report the results to the Director, in writing and in an electronic format acceptable to the Director, within sixty (60) days of the samples being taken, or within another timeframe as specified by the Director.

Equipment Operation

6. The Licencee shall implement a high standard of equipmer maintenance a good housekeeping and operational practices with respect to a D elopment, at all times.

Fire Reporting

7. The Licencee shall in the event of a fire which concinues a excess of thirty (30) minutes, or requires fire suppression assistant from ersonnel outside of the Development (e.g., fire department) to the fine by calling (204) 944-4888 (toll free 1-855-944-4888), identifying the type of materials involved and the location of the fire.

Approvals and Permits

- 8. The Licencee shall locate fuel storage and equipment servicing areas established for the construction and operation the Development in compliance with the requirements Manitolia Regulation 188/2001 respecting Storage and Handling of Petroleum Product and A jed Products or any future amendments thereof.
- 9. The Vicence shall all approval in writing from the Director for any proposed alto tion to the Development before proceeding with the alteration.

SECIFICATIONS, LIMITS, TERMS AND CONDITIONS

Out ars and Air Emissions

- 10. The Licencee shall not burn waste or combustible materials, or allow the burning of waste or combustible materials at the Development unless approved by the Director.
- 11. The Licencee shall not cause or permit an odour nuisance to be created as a result of the construction, operation, or alteration of the Development, and shall take such steps as the Director may require to eliminate or mitigate an odour nuisance.

- 12. The Licencee, upon written request of and in a timeframe stipulated by the Director, shall comply with any air emission or ambient air quality criteria specified by the Director for any pollutant of concern to the Director which has been identified pursuant to Clauses 4 or 13 of this Licence.
- 13. The Licencee shall not emit particulate matter from the Development such that:
 - a) particulate matter:
 - i) exceeds 0.23 grams per dry standard cubic metre calcula d at 2 degrees Celsius and 760 millimetres of mercury, corrected to 12 percent carbon dioxide for processes involving combusion, from any point source of the Development;
 - ii) exhibits a visible plume with an opacity of greater than percent any point beyond the property line of the Development, or
 - iii) results in the deposition of visible particulate reque at x y time beyond the property line of the Development;
 - b) opacity from any point source of the Development equals or exceeds:
 - i) 20 percent as the average of Lev 24 consecutive opacity observations taken at 15 second hervals
 - ii) 20 percent for more than 16 indivit al op. 7 observations within any 1 hour period; or
 - iii) 40 percent for any in vidua spacity observation.

Noise

14. The Licencee shall not cluse or period a noise nuisance to be created as a result of the construction, operation, or alteration of the Development, and shall take such steps as the Director hay it wire to liminate or mitigate a noise nuisance.

Responsible Party

- 15. The Acence shall regard an engineer(s) or a qualified person(s) to be responsible for the condition of the Development and any required remediation action in accordance with the plans, specifications and design report(s) submitted in support or his Lange
- 6. Lie wee shall designate an employee, within sixty (60) days of the date of issuance of this Licence, as the Licencee's Environmental Coordinator, whose job escription will include assisting the Licencee in complying with the limits, terms and conditions in this Licence and assisting Senior Management of the Licencee to manage environmental issues at the Development. The name of the Environmental Coordinator shall be submitted in writing to the Director within fourteen (14) days of appointment and any subsequent appointment.

Site Preparation

17. The Licencee shall, prior to any new construction of any component of the Development, remove all top soil to a minimum depth of 150 mm and store this top soil at a suitable location for future use.

Mitigating Erosion and Runoff

18. The Licencee shall with respect to on-site earthen construction work construct a maintain silt fences in the drainage routes transporting surface 1 off off to property of the Development until vegetation has been destablished on the disturbed areas.

Pest Control

19. The Licencee shall institute a pest control program at the De elopment in a manner acceptable to the Director.

Chemical Storage and Spill Containment

- 20. The Licencee shall provide containment for all vesses containing chemicals and in each area of the Development when the cemicals are stored, loaded, transferred, used or otherwise handled complete with the National Fire Code of Canada (2010), or any future am adment thereos such that any product leakage or spillage and any contaminated build generated is contained within the Development and contamination of ground ater and surface water is prevented.
- 21. The Licencee hall, in a manner approved by the Director, remove and dispose of all spilled dan rougood.

Construct in

- 22. The Locace shall prior to initiating any construction at the Development, submit two papersopies and one electronic copy of final engineering design plans, sealed by an engineering details of component and the location of each new component with respect to other components.
- 23. The Licencee shall construct the Development in accordance with the design plans submitted to the Director pursuant to Clause 22 of this Licence.
- 24. The Licencee shall, to facilitate inspection of the Development during construction and operation, provide such access as the Director deems necessary, to an Environment Officer throughout the duration of construction and operation of the Development.

Operating Plan

- 25. The Licencee shall develop and submit to the Director, within six (6) months of the date of issuance of this Licence, the Operating Plan which is to include information regarding all aspects of the Development, to include but not be limited to:
 - a) dust, litter and odour control procedures;
 - b) vector control procedures;
 - c) identification of operational records to be maintained; and
 - d) methodologies and processes for all sampling of groundwate surface wat; soil, and compost.
- 26. The Licencee shall implement the Operating Plan submitted pursuant to Care 25 of this Licence, and subject to any terms and conditions by the Director in the acknowledgement.

Site Security

27. The Licencee shall secure the Development states are provided to control all access locations to the site.

Future Construction/Expansion

- 28. The Licencee shall submit the frector at least sixty (60) days prior to construction, design plant, sealed by an argineer(s) or qualified professional, which address construction specifications for any alterations to the composting facility and includes, but are not limited to the for owing:
 - a) design with specific construction of any future composting facility components;
 - specification with respect to construction of a compost pad, designed with a maximum of 0.5-retre thick compacted clay liner with a hydraulic onductivity greater than 1×10^{-7} cm/sec or equivalent as approved by the Diector;
 - c) cocation I all weather road(s) to the composting area;
 - det is of ne compost facility drainage system and integration into the surface water system for the Development or isolated compost leachate collection in (if applicable); and
 - specifications with respect to construction of the onsite compost leachate pond (if applicable) designed with a minimum one (1) metre thick compacted clay liner with a hydraulic conductivity of 1 x 10⁻⁷ cm/s or less; or equivalent liner as approved by the Director.
- 29. The Licencee shall alter the composting facility in accordance with the design plans submitted pursuant to Clause 28 of this Licence and subject to any terms and conditions set by the Director.

Composting Pad

- 30. The Licencee shall only conduct composting activities on the Compost Pad identified as 'Section A' of Appendix 'A' or on a compost pad that consists of a minimum 0.5 metre thick compacted clay liner with a hydraulic conductivity of $1x10^{-7}$ cm/s or less or a compost pad approved by the Director.
- 31. The Licencee shall arrange with the designated Environment Office a mix lly acceptable time and date for any required soil sampling between e 15th day of May and the 15th day of October of any year, unless otherwise approved by the Environment Officer.
- 32. The Licencee shall take and test undisturbed soil samples, it accordance with Appendix 'B' attached to this Licence, from:
 - a) the clay of any new compost pad(s) and are new tempos leginate pond, if applicable; and
 - b) any clay component of the Development requiring testing by the Director.

The number and location of samples and termeth is all be specified by the designated Environment Officer up to a maximum of two ty (20) samples per pond, compost pad or clay component of the every

33. The Licencee shall, prior to operate of the area tested in accordance with Clause 32, receive the approval of the Environment Officer for the results of the tests carried out pursuant to Clause 32 of this L. ence.

Operation

- 34. The Licencee shall gray a cept and use green waste, feed mill waste, wood waste, straw, mature and bedding waste as compost feedstock for the Development. The Licence shall obtain writen approval from an Environment Officer prior to the use or exaction of any other feedstock materials.
- at the Lie oce skew not sell or make available, to any third party, compost generated at the Lie opment that does not achieve the quality requirements and so diffications as contained in the most recent edition of the CCME publication entitled *Guidelines for Compost Quality PN 1340*" or equivalent standard approved by the Director.
- 36. The Licencee shall, upon receiving a written request from an Environment Officer, cover compost windrows undergoing active composting, with a material acceptable to the Environment Officer.

GROUNDWATER

Monitoring and Reporting – Groundwater

- 37. The Licencee shall install at minimum three (3) groundwater monitoring wells within eight (8) months of the date of issuance of this Licence.
- 38. Groundwater monitoring well samples shall be collected, stored and ar syzed a ing approved field and laboratory techniques for dissolved analysis. The enalytical results shall be retained in a format acceptable to Manitoba Conservation and Wat Stewardship and must show previous results and analytical treats.
- 39. The Operator shall sample the groundwater monitoring well one per year in late summer for those parameters identified in Appendix 'C' or set, sed parameters and frequency, as approved by the Director.
- 40. The Operator shall submit an annual report, in a remat acceptable to the Director, detailing the results of groundwater sampling ample with revious results and trends. The report shall be submitted to the designated parameter of later than December 31 annually.
- 41. As a result of the operation of the Development, the Licencee shall not cause the concentration values of the same same list. In Appendix 'C', attached to this Licence, to exceed backgound levels in coundwater at the compliance boundary.

SUR ACE Y ATER MANAGEMENT

Surface Water Manager and

- 42. The Acencee shall see ge surface water, both impacted and non-impacted, at the Development to prevent uncontrolled release from the Development. The Licencee shall be dischard compost leachate from the on-site compost leachate pond whout hor approval from the Director.
- 3. Development to the onsite compost leachate generated from composting at the Development to the onsite compost leachate pond.

Construction – Surface Water Management System

44. The Licencee shall obtain a Water Rights Licence from the Water Resources Branch, Conservation and Water Stewardship, if required, for drainage works that cause water to leave the Development. The Licencee shall provide to the Director, a copy of the Water Rights Licence at minimum ten (10) days prior to any construction identified within that Licence.

RECORDS AND ANNUAL REPORT

Operation and Monitoring Records

- The Licencee shall have available for inspection by an Environment Officer or the 45. Director upon request, records of all operational activities, monitoring and analytical results, reports and documents identified in this Licence or the Operating Plan of Clause 25.
- The Licencee shall keep for inspection, operating and monitoring ords at t Development site office including:
 - as-built drawings showing the location and deve pment of an construction;
 - records of annual tonnage received and removed from the levelor b)
 - monitoring results (including temperature hal compost c) quality); and
 - complaints received and actions taken d)

Annual Report

- The Licencee shall, unless otherwise proved by the Director, on or before the 47. 15th day of April of each year and ginn, in 2017, prepare an annual report with respect to all activities at omen conducted pursuant to this Licence during the previous cale dar year. The armat of the report shall be approved by the Director and contain t minimum

 a) a summary of any construction ctivities which occurred at the Development;

 - type feed sck received; b)
 - the mas of material that was removed from the Development; c)
 - he mo itoring report results; d)
 - mary report of puse or odour complaints received; and e)
 - any fires within the development requiring notification as ammary ren f) per 🛭 use 7.

EMERGENCY RESPONSE PLAN

- The Licencee shall maintain an Emergency Response Plan, in accordance with the anadian Centre for Occupational Health and Safety emergency planning gadelines or other document acceptable to the Director, outlining procedures to be used in the event of leak, spill, fire, flood or other hazardous condition at the Development, or if compost functions are disrupted.
- 49. The Licencee shall have available for inspection by an Environment Officer, upon request, records of the details of all incidents requiring the implementation of the Emergency Response Plan at the Development site office.

SITE SAFETY PLAN

50. The Licencee shall maintain a Site Safety Plan in the Operating Procedures in accordance with Provincial and City requirements.

DECOMISSIONING

51. The Licencee shall submit to the Director, not less than six (6) onths prior of decommissioning of the Development, a plan for the removal of aterials a closure of the Development.

REVIEW AND REVOCATION

- A. If, in the opinion of the Director, the Licencee's exceeded r is exceeding or has or is failing to meet the specifications, limits, to us, or conditions set out in this Licence, the Director may, temporarily or pell anents revolutions.
- B. If, in the opinion of the Director and evidence warrants a change in the specifications, limits, terms or condition of this Lieunce, the Director may require the filing of a new proposal pursual to Section 10 of *The Environment Act*.

"original signed by"

Tracey Braun, M.Sc. Director Environment Act

File No.: **788.0**

Appendix 'A' to Environment Act Licence No. 3155

Site Plan pursuant to Clause #30



Appendix 'B' to Environment Act Licence No. 3155

Liner sampling and testing requirements pursuant to Clause #32

Soil Sampling:

- 1. The Licencee shall provide a drilling rig, acceptable to the designated Environment Officer, to extract soil samples from the liner which is not placed or found at the surface of the compost pad or leachate pond structure. This includes all infrastructure constructed with clay cutoffs at the interior base of the dyke or with a clay cutoff in the centre of the dyke. The drill rig shall have the capacity to drill to the maximum depth of the clay cutoff plus an additional 2 metres. The drill rig shall be equipped with both standard and bollow stem augers. The minimum hole diameter shall be 5 inches.
- 2. For liners placed or found at the surface of the leachate pond structure, the licencee ship provide a machine, acceptable to the designated Environment Office, capable of press go a sampling tube into the liner in a straight line motion along the centre axis is the sample tube and without sideways movement.
- 3. Soil samples shall be collected and shipped in accordance in the A. W. Str. dard D 1587 (Standard Practice for Thin-Walled Tube Sampling Soils), 4226 Sandard Practice for Preserving and Transporting Soil Samples) and 2 3550 (Standard Practice for Ring-Lines Barrel Sampling of Soils). Thin-walled tubes hall meet be stated requirements including length, inside clearance ratio and correction projection, an adequate venting area shall be provided through the sampling head.
- 4. At the time of sample collection, the d gnateu nment Officer shall advise the Licencee as to the soil testing method at be used on each sample. The oedometer that h method may be used for a sample when the Engronment Officer determines that the soil sample is taken from an und arroed clay which has not been remoulded and which is homogeneous and unweatl red. The triaxial st shall be used for all samples taken from disturbed and remoulded ils or from on homogenous and weathered soils. The rigidwall, compaction-mold per ameter tes shall be used on soil-bentonite mixtures that have annot be sampled without the use of additional elevated moistur containment de ces.
- 5. The Lice see shart provided report on the collection of soil samples to the designated Environment Officer and to the laboratory technician which includes but is not limited to the allowing a plot plan indicating all drill holes, onsite visual observations, sample locate of the plan indicating all drill holes, onsite visual observations, sample locate of the plan of sample, length of advance of the sample tube, length of soil caple to tained on the tube after its advancement, the soil test method specified by the Engronme. Concer for each soil sample and all necessary instructions from the site er meer to the laboratory technician.
- 6. All drill and sample holes shall be sealed with bentonite pellets after the field drilling and appling has been completed.

...2

1. Triaxial Test Method

- a) The soil samples shall be tested for hydraulic conductivity using ASTM D 5084 (Standard Test Method for Measurement of Hydraulic Conductivity of Saturated Porous Materials Using a Flexible Wall Permeameter).
- b) Soil specimens shall have a minimum diameter of 70 mm (2.75 inches) and a minimum height of 70 mm (2.75 inches). The soil specimens shall be selected from a section of the soil sample which contains the most porous material based on a visual inspection. The hydraulic gradient shall not exceed 30 during sample preparation and testing. Swelling of the soil specimen should be controlled to adjust for the amount of compaction measured during sample collection and extraction from the tube and the depth or elevation of the sample. The effective stress used during saturation of consolidation of the sample shall not exceed 40 kPa (5.7 psi) or the specific stress level, that is expected in the field location were the sample was taken, whether is greater.
- c) The complete laboratory report, as outlined in ASTM D 50 1 hall be applied for each soil sample collected in the field.

2. Oedometer Test Method

- a) The soil samples shall be tested for hydraulic conductivit using ASTM D 2435 (Standard Test Method for One-Dimensional Consol lation Loperties of Soils).
- b) Soil specimens shall have a minimum diameter of 50 (2) inches) and a minimum height of 20 mm (0.8 inches). The process whall be selected from a section of the soil sample which contains the material based on a visual inspection. The soil specimen shall be taken from a fundisturbed soil sample. The soil specimen shall be completely saturated.
- c) The complete laborator report, as or fined in ASTM D 2435, shall be supplied for each soil sample collected in the field.

3. Rigid-Wall, Compaction-Mad Permean ter Test Method

- a) The soil scapies shall be tend for hydraulic conductivity with a rigid-wall, compactic permeanater using ASTM D 5856. The rigid wall permeameter shall be equipped the ariable pressure loading plate at the top of the rigid wall pressure cell
- b) So specimens shall have a minimum diameter of 70 mm (2.75 inches) and a minimum height of 60 mm (2.36 inches). The soil specimens shall be selected from a source of the ample that contains the most porous material based on a visual instration. The hydraulic gradient shall not exceed 30 during sample preparation. The specimens shall be fully saturated with water prior to commencing the test. The effective stress used during saturation of the sample shall not exceed 40 kPa (5.7 psi) or a specific stress level that is expected in the field location where the sample was taken, whichever is greater. The vertical stress during the test shall not exceed the stress level that is expected in the field location where the sample was taken.
- Additional bentonite shall not be used to coat the inside of the permeameter.
- d) The complete laboratory report, as outlined in ASTM 5856 95, shall be supplied for each soil sample collected in the field.

APPENDIX 'C' TO ENVIRONMENT ACT LICENCE NO. 3155 Clauses 39 and 41

Ground Water Chemistry Parameters

Chemical Parameters	nemistry 1 arameters	
Inorganics		
Alkalinity – Total	Magnesium – Dissolved	
Ammonia – Total	Manganese – Dissolved	
Arsenic – Total	Mercury – Dissolved	
Barium – Dissolved	Nitrate - Reported as N	
Boron – Dissolved	Nitrite - Reported as	
Cadmium – Dissolved	Total Kjeldahl Arrogen Reported N	
Calcium – Dissolved	pH	
Calcium Carbonate	Total Prosphore	
Chloride	Potas ium – Dissolved	
Chromium – Dissolved	S icon — issoly	
Conductivity	Sodib. – Discrived	
Copper – Dissolved	Totar D.s. Jived Solids (TDS)	
Iron – Dissolved	Uphate	
Lead – Dissolved	Uranium – Dissolved	
	Zinc – Dissolved	
olat. Organ Compounds (VOC's)		
BTEX		
Other Organics		
Biological Caygen Daman (Daman)	Chemical Oxygen Demand (COD)	
Dissolved Carbon (DOC)		
Field 1	Parameters	
₫H	Groundwater Elevation	
Cactivity	Dissolved Oxygen	
Temper ture		

Note: All metals (except Arsenic) are to be sampled for dissolved analysis. Dissolved samples should be filtered in the field and preserved in the field at time of sampling. If dissolved samples are not to be filtered and preserved in the field then Conservation and Water Stewardship and the Laboratory must be notified prior to sampling.