

Health Protection Report Establishment Closures

Name and Address	Type of Establishment	Closure date	Re-open date	Reasons for closure
POPOCHA TEA HOUSE 2-2677 Pembina Hwy Winnipeg	Food Service Establishment	May 9/18	May 10/18	As an operator, fail to ensure in washing utensils that the required 3 compartment sink method is followed due to no hot water and missing sink drain plugs.
CATHAY HOUSE 1631 Regent Ave W Winnipeg	Food Service Establishment	May 3/18	May 7/18	Failed to ensure the mechanical dishwasher is capable of sanitizing all utensils and tableware; Operate a food handling establishment with poor general sanitation.
PAL PIZZA 1437 Arlington St Winnipeg	Food Service Establishment	May 3/18		Operate a food handling establishment with lack of sanitizing, inoperative triple sink, lack of proper hand hygiene, untrained food handler.
BAMBOO GARDEN RESTAURANT 440 Mountain Ave Neepawa	Food Service Establishment	Apr 5/18	Apr 10/18	1) Fail to register before commencing operation of a food handling establishment; 2) Operate a food handling establishment without a permit; 3) As the operator of a food service or processing establishment, fail, when using a dish washer, to ensure that the machine is capable of sanitizing satisfactorily & failed to provide approved sinks for use in manual washing and sanitizing.
99 CENT PIZZA 870 Main St Winnipeg	Food Service Establishment	Mar 14/18	Mar 15/18	Operate a food handling establishment with inadequate equipment and ventilation maintenance, lack of sanitizing, garbage, lack of proper hand hygiene.
NIAKWA PIZZA 1-921 McLeod Ave Winnipeg	Food Service Establishment	Mar 13/18	Mar 15/18	Operate a food handling establishment with poor general sanitation namely the establishment is not maintained in good repair; food contact surfaces and equipment not thoroughly cleaned and sanitized; staff washroom not maintained in a sanitary condition.
RUSSELL INN (OUTDOOR WHIRLPOOL) Hwy 16 & Hwy 83 Russel	Swimming Pool	Feb 15/18		Operate a whirlpool without a permit.
PEAK PERFORMANCE & ATHLETICS 863 10 th St Brandon	Swimming Pool	Feb 12/18		Operate whirlpool with inadequate water recirculation and quality specifically treatment & recirculation equipment not maintained causing low free chlorine residual, high combined chlorine. Water does not meet clarity requirements. The kit not operable.

Name and Address	Type of Establishment	Closure date	Re-open date	Reasons for closure
GIZZY'S RESTAURANT & LOUNGE O-3025 Ness Ave Winnipeg	Food Service Establishment	Feb 8/18	Feb 12/18	Operate a food handling establishment with poor general sanitation namely failed to ensure that adequate supply of hot potable water is provided for hand washing and for cleaning. As operator of a food service establishment failed to properly sanitize utensils after cleaning.
AFRICAN FOOD GENERAL 245 Notre Dame Ave Winnipeg	Food Service Establishment	Feb 5/18	Feb 6/18	Operate a food handling establishment without a permit. Handle and sell food under insanitary conditions. Fail to ensure that potentially hazardous foods originate from an approved source. As the owner, allow meat that has not been inspected and approved in a food handling establishment.
RIVERTON MOTOR INN RESTAURANT 83 Main St Riverton	Food Service Establishment	Feb 2/18	Feb 2/18	Operate a food handling establishment with poor general sanitation, namely the establishment is not maintained in good repair and kept clean.
FOUR POINTS BY SHERATON WINNIPEG SOUTH SEMI-PUBLIC WHIRLPOOL 2935 Pembina Hwy Winnipeg	Swimming Pool	Jan 31/18	Feb 1/18	Operate a whirlpool with inadequate water quality.
FOUR POINTS BY SHERATON WINNIPEG SOUTH SEMI-PUBLIC SWIMMING POOL 2935 Pembina Hwy Winnipeg	Swimming Pool	Jan 31/18	Feb 1/18	Operate a swimming pool with inadequate water quality.
AIRPORT MOTOR HOTEL WHIRLPOOL 1800 Ellice Ave Winnipeg	Swimming Pool	Jan 30/18		Operate a pool with inadequate water recirculation or quality.
DAYS INN POOL 695 Berry St Winnipeg	Swimming Pool	Jan 23/18	Jan 25/18	Operate a pool with inadequate water recirculation or quality.
DAYS INN WHIRLPOOL 695 Berry St Winnipeg	Swimming Pool	Jan 23/18	Jan 25/18	Operate a pool with inadequate water recirculation or quality.

Name and Address	Type of Establishment	Closure date	Re-open date	Reasons for closure
DAKOTA COMMUNITY CENTER-FIELDHOUSE 1188 Dakota St Winnipeg	Food Service Establishment	Jan 15/18	Jan 19/18	Operate a food handling establishment without a permit.
BEST WESTERN SEMI-PUBLIC SWIMMING POOL 414 Portage Ave Headingley	Swimming Pool	Jan 5/18	Jan 11/18	The automatic disinfection system failed to operate. Operator failed to ensure that the free available chlorine level in the pool was maintained within the required range of 1.0 mg/l to 5.0mg/l.
ROCKY MOUNTAIN CHOCOLATE FACTORY 555 Sterling Lyon Parkway Winnipeg	Food Service Establishment	Jan 2/18	Jan 3/18	Failed to register before commencing operation of a food handling establishment. Operated a food handling establishment without a permit.
WESTMINSTER COURT 2945 Pembina Hwy Winnipeg	Swimming Pool	Dec 11/17		Operating a pool with inadequate water quality.
KYU SLICE 1011 Pembina Hwy Winnipeg	Food Service Establishment	Dec 8/17	Dec 11/17	Failed to ensure the mechanical dishwasher is capable of sanitizing all utensils and tableware; Operate a food handling establishment with poor general sanitation.
GOLDEN LAKE RESTAURANT 349 1 st Ave Arborg	Food Service Establishment	Dec 5/17	Dec 8/17	Handle and sell food under insanitary conditions.
ISLAM/IQBAL RESIDENCE 98 Acadia Bay Winnipeg	Food Service Establishment	Nov 23/17		Fail to register before commencing operation of a food handling establishment and operate a food handling establishment without a permit.
DHALIWAL RESIDENCE 23 Petriw Bay Winnipeg	Food Service Establishment	Nov 17/17		Operating without a permit, failing to register.
MEGABOT 1440 Logan Ave Winnipeg	Body Modification Establishment	Oct 27/17		Operating without a permit.
BEST WESTERN PLUS PEMBINA INN & SUITES 1714 Pembina Hwy Winnipeg	Swimming Pool	Oct 20/17	Oct 24/17	Operating a whirlpool with inadequate water quality.

Name and Address	Type of Establishment	Closure date	Re-open date	Reasons for closure
KATRINA'S BAKESHOP 577 Ellice Ave Winnipeg	Food Service Establishment	Oct 11/17		Operating a food handling establishment without a permit.
SEVEN EVERGREEN 7 Evergreen Place Winnipeg	Swimming Pool	Oct 10/17	Oct 13/17	Operating a whirlpool with inadequate water quality.
HALLA LAUNDROMAT & CONVENIENCE 533 Selkirk Ave Winnipeg	Food Service Establishment	Oct 10/17	Oct 23/17	No water, general disrepair, inadequate lighting.
ZENG RESIDENCE 3-160 4 th Street Brandon	Food Service Establishment	Oct 6/17		Operating a food handling establishment without a permit.
SHARMA RESIDENCE 31 Petriw Bay Winnipeg	Food Service Establishment	Sep 28/17		Fail to register as a food handling establishment, operate without a permit.
CANADINNS DESTINATION CENTRE TRANSCONA 826 Regent Ave W Winnipeg	Swimming Pool	Sep 28/17	Sep 29/17	Operating a pool with inadequate water quality.
CANADINNS DESTINATION CENTRE TRANSCONA 826 Regent Ave W Winnipeg	Swimming Pool	Sep 28/17	Sep 29/17	Operate a wading pool with inadequate water quality.
CANADINNS DESTINATION CENTRE TRANSCONA 826 Regent Ave W Winnipeg	Swimming Pool	Sep 28/17	Sep 29/17	Operate a whirlpool with inadequate water quality.
THERMEA BY NORDIK SPA-NATURE GESER	Swimming Pool or Other Water Recreational Facility	Sep 19/17	Sep 21/17	Operate a pool with inadequate water quality.

Name and Address	Type of Establishment	Closure date	Re-open date	Reasons for closure
TERRACES OF TUXEDO 120 Portsmouth Blvd Winnipeg	Swimming Pool	Aug 26/17		Operate a whirlpool with inadequate water quality.
TRI IT KITCHEN 455 Settee Ave The Pas	Food Service Establishment	Aug 22/17		Temperature abuse of foods, inadequate protection of food from potential contamination, fail to store utensils in sanitary manner, inoperative plumbing and failure to provide handwashing facilities in the unit at all times of operation.
FOXWOOD SQUARE 200 Victor Lewis Dr Winnipeg	Swimming Pool	Aug 22/17	Aug 23/17	Operate a swimming pool with inadequate water quality, namely excessive chlorine.
GEORGETOWN PARK 1699 Pembina Hwy Winnipeg	Swimming Pool	Aug 11/17	Aug 15/17	Operate a pool with inadequate water quality.
ARMADALE HOLLOWS 1750 Pembina Hwy Winnipeg	Swimming Pool	Aug 11/17	Aug 15/17	Operate a pool with inadequate water quality.
SOUTHVIEW PLAZA 2080 Pembina Hwy Winnipeg	Swimming Pool	Aug 11/17	Aug 17/17	Operate a pool with inadequate water quality.
LIAN XING 6970 Henderson Hwy Lockport	Food Service Establishment	Aug 3/17	Aug 4/17	Failed to register for permit. Operating without a permit. Temperature abuse of potentially hazardous foods.
SUMMERLAND SWIMMING POOL 77 University Cres Winnipeg	Swimming Pool	Aug 2/17	Aug 4/17	Operate a pool with inadequate water quality.
MORGAN MANOR SWIMMING POOL 1205 Grant Ave Winnipeg	Swimming Pool	Aug 1/17	Aug 2/17	As an operator, fail to obtain Public Health Inspector approval prior to alterations.
MAINSTAY SUITES 670 King Edward St Winnipeg	Swimming Pool	Jul 21/17	Jul 27/17	Operate a pool with inadequate water recirculation or quality.

Name and Address	Type of Establishment	Closure date	Re-open date	Reasons for closure
DOWON RESTAURANT A-1480 Pembina Hwy Winnipeg	Food Service Establishment	Jul 19/17	Aug 4/17	Operate a food handling establishment with poor general sanitation, failed to take effective measures against the entry of pests, failed to ensure mechanical dishwasher is capable of sanitizing utensils and tableware, and served food that was prepared under insanitary conditions.
WESTON PARK 299 Lock St Winnipeg	Swimming Pool	Jul 18/17	Jul 18/17	Operate a pool with inadequate water recirculation of quality.
KENASTON VILLAGE SWIMMING POOL & WADING POOL 516 Kenaston Blvd Winnipeg	Swimming Pool	Jul 14/17	Jul 17/17	Operate a swimming pool and wading pool with inadequate water, namely excessive chlorine and infrequent water quality testing.
WILLIAM OSLER PARK WADING POOL 787 Brock St Winnipeg	Swimming Pool	Jul 10/17	Jul 17/17	Operate a pool with a malfunctioning automatic disinfection system resulting in inadequate disinfectant.
DENMAN PLACE SWIMMING POOL 650-662 Kenaston Blvd Winnipeg	Swimming Pool	Jul 10/17	Jul 11/17	Operate a pool with inadequate water quality, namely insufficient quantity of disinfectant.
BIMI JAPANESE RESTAURANT 1893 Grant Ave Winnipeg	Food Service Establishment	Jul 4/17	Jul 6/2017	Poor general sanitation, namely food contact surfaces of equipment not thoroughly cleaned and sanitized.
COCONUT ISLAND THAI CUISINE 1607 Pembina Hwy Winnipeg	Food Service Establishment	Jun 28/17	Jul 13/17	Poor general sanitation; failed to take effective measures against entry of pests.
WINKLER AQUATIC CENTRE 185 Main St Winkler	Swimming Pool	Jun 2/17	Jun 13/17	Bacteriological quality, positive for pseudomonas.
ERIKSDALE INN AKA THE HEALTHY CHEF Lot 1 Plan 37745 Hwy #6 Eriksdale	Food Service Establishment	May 19/17	May 29/17	Rodent infestation, insanitary conditions.

Name and Address	Type of Establishment	Closure date	Re-open date	Reasons for closure
FOUR POINTS BY SHERATON WINNIPEG SOUTH 2935 Pembina Hwy Winnipeg	Swimming Pool	May 30/17	May 31/17	Operate a pool with inadequate water quality.