# Manitoba Production
## 1950 To 1975

Licence ***15*** Well Name ***Enerplus Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-18-010-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **203.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **131.3** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **135.1** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **203.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **131.3** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **135.1** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **203.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **131.3** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **135.1** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **203.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **131.3** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **135.1** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **203.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **131.3** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **135.1** |
| DAY | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **203.0** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **131.3** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **135.1** |
| DAY | 1951 | 0.0 | 28.0 | 31.0 | 30.0 | 0.0 | 22.0 | 31.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | **203.0** |
| H2O | 1951 | 0.0 | 23.5 | 83.9 | 11.9 | 0.0 | 8.7 | 0.0 | 1.0 | 1.7 | 0.6 | 0.0 | 0.0 | **131.3** |
| OIL | 1951 | 0.0 | 14.9 | 38.8 | 4.8 | 0.0 | 3.5 | 21.0 | 30.2 | 20.2 | 1.7 | 0.0 | 0.0 | **135.1** |

Licence ***16*** Well Name ***Enerplus Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-18-010-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **148.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **17.3** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **213.7** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **148.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **17.3** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **213.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **148.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **17.3** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **213.7** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **148.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **17.3** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **213.7** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **148.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **17.3** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **213.7** |
| DAY | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **148.0** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **17.3** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **213.7** |
| DAY | 1951 | 0.0 | 0.0 | 0.0 | 28.0 | 30.0 | 0.0 | 30.0 | 30.0 | 30.0 | 0.0 | 0.0 | 0.0 | **148.0** |
| H2O | 1951 | 0.0 | 0.0 | 0.0 | 6.8 | 4.6 | 4.8 | 0.2 | 0.5 | 0.2 | 0.2 | 0.0 | 0.0 | **17.3** |
| OIL | 1951 | 0.0 | 0.0 | 0.0 | 31.6 | 33.1 | 0.0 | 66.7 | 47.5 | 32.9 | 1.9 | 0.0 | 0.0 | **213.7** |

Licence ***18*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 26.0 | 31.0 | 25.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **8,763.0** |

# Manitoba Production
## 1950 To 1975

Licence ***18*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1975 | 66.4 | 53.4 | 64.4 | 56.9 | 68.8 | 64.2 | 61.3 | 68.3 | 64.2 | 65.6 | 69.9 | 74.4 | **23,530.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **8,406.0** |
| H2O | 1974 | 4.9 | 4.4 | 4.9 | 9.2 | 9.9 | 9.4 | 9.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **682.9** |
| OIL | 1974 | 70.1 | 63.2 | 69.3 | 56.1 | 57.8 | 54.5 | 63.2 | 65.6 | 67.1 | 68.5 | 64.2 | 64.5 | **22,752.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **8,041.0** |
| H2O | 1973 | 5.6 | 5.1 | 5.4 | 5.4 | 5.9 | 5.9 | 4.9 | 4.9 | 4.8 | 4.9 | 4.8 | 4.8 | **630.5** |
| OIL | 1973 | 69.3 | 61.5 | 68.3 | 68.5 | 69.3 | 65.6 | 77.5 | 68.3 | 75.0 | 74.7 | 69.4 | 70.9 | **21,988.7** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,676.0** |
| H2O | 1972 | 5.9 | 5.2 | 5.4 | 5.2 | 5.4 | 5.4 | 5.4 | 5.4 | 5.4 | 5.7 | 5.2 | 5.4 | **568.1** |
| OIL | 1972 | 73.3 | 67.2 | 71.5 | 70.6 | 72.0 | 69.3 | 69.4 | 70.4 | 69.1 | 71.2 | 68.3 | 69.3 | **21,150.4** |
| DAY | 1971 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,310.0** |
| H2O | 1971 | 4.6 | 4.6 | 7.8 | 8.1 | 9.4 | 4.0 | 5.7 | 5.9 | 6.2 | 6.0 | 5.6 | 5.6 | **503.1** |
| OIL | 1971 | 69.9 | 65.6 | 73.3 | 70.9 | 73.9 | 69.6 | 71.4 | 75.2 | 71.4 | 75.0 | 72.0 | 73.9 | **20,308.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **6,946.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.3 | 3.8 | 3.2 | 3.0 | 3.3 | 3.0 | **429.6** |
| OIL | 1970 | 79.9 | 71.2 | 78.5 | 75.2 | 64.2 | 87.1 | 67.7 | 75.8 | 67.1 | 72.9 | 70.9 | 62.9 | **19,446.7** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,590.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.9 | 15.7 | 0.0 | **410.0** |
| OIL | 1969 | 73.7 | 69.0 | 74.2 | 72.5 | 72.5 | 73.7 | 75.5 | 71.2 | 72.8 | 163.8 | 158.4 | 78.8 | **18,573.3** |
| DAY | 1968 | 25.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,226.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 3.7 | 3.0 | 0.0 | 0.0 | **378.4** |
| OIL | 1968 | 62.6 | 75.3 | 78.2 | 73.3 | 75.5 | 68.6 | 72.0 | 76.3 | 73.7 | 75.5 | 72.0 | 72.5 | **17,517.2** |
| DAY | 1967 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,866.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 0.0 | 0.0 | 1.3 | 0.0 | 0.0 | 0.0 | **367.7** |
| OIL | 1967 | 95.7 | 87.7 | 86.4 | 89.6 | 85.3 | 83.9 | 90.3 | 81.4 | 78.3 | 79.0 | 71.8 | 73.1 | **16,641.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,502.0** |
| H2O | 1966 | 0.0 | 1.3 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 4.1 | 0.0 | 0.0 | 0.0 | 0.0 | **365.1** |
| OIL | 1966 | 80.1 | 71.4 | 80.2 | 74.5 | 86.3 | 75.8 | 9.4 | 128.1 | 92.2 | 93.9 | 84.1 | 85.7 | **15,639.2** |
| DAY | 1965 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,137.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **358.4** |
| OIL | 1965 | 78.2 | 73.3 | 88.7 | 86.0 | 85.0 | 84.7 | 88.0 | 40.8 | 83.3 | 86.6 | 81.0 | 108.9 | **14,677.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,775.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 0.0 | 5.1 | 2.4 | 5.7 | 2.5 | 0.0 | 0.0 | **357.3** |
| OIL | 1964 | 89.0 | 80.6 | 88.7 | 84.5 | 89.0 | 87.2 | 76.1 | 90.4 | 84.1 | 91.7 | 89.6 | 89.8 | **13,693.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,409.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 1.1 | **340.3** |
| OIL | 1963 | 81.7 | 80.7 | 82.6 | 90.3 | 93.8 | 91.2 | 86.3 | 79.8 | 85.3 | 88.7 | 82.5 | 83.0 | **12,652.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 23.0 | 31.0 | **4,045.0** |
| H2O | 1962 | 1.1 | 2.1 | 0.0 | 0.0 | 2.7 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **337.9** |
| OIL | 1962 | 89.3 | 86.4 | 98.8 | 89.0 | 94.7 | 89.6 | 90.6 | 97.1 | 92.3 | 91.8 | 65.0 | 82.2 | **11,626.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,687.0** |
| H2O | 1961 | 0.0 | 1.1 | 0.0 | 0.0 | 5.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | **330.9** |
| OIL | 1961 | 100.3 | 88.0 | 96.1 | 95.2 | 90.3 | 92.2 | 99.6 | 100.9 | 96.9 | 99.6 | 88.8 | 91.4 | **10,559.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,322.0** |
| H2O | 1960 | 4.5 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 1.4 | 0.0 | 0.0 | 0.5 | 0.0 | 0.0 | **323.1** |
| OIL | 1960 | 68.6 | 67.9 | 80.9 | 92.5 | 84.5 | 86.3 | 86.8 | 89.6 | 91.5 | 89.8 | 84.2 | 88.7 | **9,420.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **2,956.0** |
| H2O | 1959 | 1.3 | 0.0 | 4.6 | 8.7 | 3.3 | 1.3 | 0.0 | 1.0 | 0.0 | 1.1 | 0.0 | 3.8 | **315.4** |
| OIL | 1959 | 73.3 | 58.8 | 73.4 | 62.6 | 70.4 | 68.0 | 62.3 | 66.3 | 63.7 | 59.1 | 64.5 | 52.0 | **8,409.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,595.0** |
| H2O | 1958 | 0.2 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.9 | **290.3** |
| OIL | 1958 | 82.3 | 66.9 | 93.3 | 63.9 | 75.5 | 69.6 | 72.0 | 72.5 | 64.0 | 64.4 | 72.8 | 62.8 | **7,634.6** |

# Manitoba Production
## 1950 To 1975

Licence ***18*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,230.0** |
| H2O | 1957 | 1.3 | 1.9 | 0.8 | 2.2 | 10.3 | 3.3 | 0.3 | 5.6 | 0.2 | 8.3 | 0.3 | 0.3 | **286.6** |
| OIL | 1957 | 66.1 | 62.1 | 83.0 | 82.6 | 70.7 | 62.6 | 74.1 | 73.6 | 70.4 | 83.4 | 67.7 | 64.7 | **6,774.6** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,866.0** |
| H2O | 1956 | 0.2 | 1.9 | 2.5 | 1.4 | 6.0 | 7.2 | 4.0 | 4.6 | 2.1 | 0.2 | 0.2 | 0.2 | **251.8** |
| OIL | 1956 | 91.5 | 87.6 | 89.6 | 91.4 | 87.9 | 88.2 | 79.9 | 82.0 | 69.1 | 74.1 | 63.7 | 67.4 | **5,913.6** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,500.0** |
| H2O | 1955 | 7.3 | 5.1 | 2.1 | 3.3 | 3.7 | 1.6 | 4.8 | 3.8 | 7.9 | 20.3 | 18.6 | 0.2 | **221.3** |
| OIL | 1955 | 78.8 | 72.1 | 78.8 | 83.0 | 84.7 | 65.3 | 74.4 | 101.4 | 109.3 | 110.6 | 64.7 | 64.7 | **4,941.2** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,136.0** |
| H2O | 1954 | 4.3 | 3.0 | 2.2 | 0.8 | 1.0 | 1.0 | 2.9 | 3.3 | 3.2 | 2.1 | 8.6 | 2.1 | **142.6** |
| OIL | 1954 | 62.8 | 56.1 | 55.0 | 32.3 | 36.5 | 35.4 | 55.1 | 65.2 | 73.9 | 77.2 | 74.8 | 79.3 | **3,953.4** |
| DAY | 1953 | 31.0 | 28.0 | 31.0 | 27.0 | 30.0 | 29.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **773.0** |
| H2O | 1953 | 1.6 | 3.8 | 11.9 | 7.3 | 7.2 | 7.5 | 3.7 | 6.7 | 4.0 | 4.6 | 4.6 | 3.0 | **108.1** |
| OIL | 1953 | 160.2 | 185.1 | 187.5 | 114.3 | 113.1 | 117.1 | 117.6 | 130.3 | 102.2 | 101.1 | 93.3 | 72.8 | **3,249.8** |
| DAY | 1952 | 31.0 | 29.0 | 31.0 | 23.0 | 21.0 | 26.0 | 0.0 | 4.0 | 16.0 | 30.0 | 27.0 | 31.0 | **416.0** |
| H2O | 1952 | 0.2 | 0.2 | 0.2 | 0.6 | 1.6 | 5.2 | 0.0 | 0.0 | 6.4 | 13.4 | 6.2 | 5.7 | **42.2** |
| OIL | 1952 | 84.5 | 77.1 | 75.0 | 47.8 | 112.7 | 139.2 | 0.0 | 29.1 | 113.8 | 149.9 | 133.8 | 183.2 | **1,755.2** |
| DAY | 1951 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 31.0 | 13.0 | 29.0 | 30.0 | 31.0 | **147.0** |
| H2O | 1951 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 0.5 | 0.0 | 0.3 | 0.2 | 0.2 | **2.5** |
| OIL | 1951 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 59.1 | 100.4 | 97.6 | 154.3 | 104.9 | 92.8 | **609.1** |

Licence ***36*** Well Name ***Daly Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 405.1 | 334.4 | 384.5 | 349.7 | 262.8 | 415.6 | 295.4 | 310.7 | 457.7 | 389.1 | 344.5 | 412.0 | **189,310.9** |
| WIN | 1974 | 395.0 | 364.6 | 411.0 | 388.9 | 356.1 | 312.2 | 371.3 | 319.2 | 361.1 | 317.8 | 367.5 | 290.2 | **184,949.4** |
| WIN | 1973 | 427.3 | 388.6 | 422.8 | 386.8 | 379.1 | 339.2 | 401.9 | 377.0 | 371.0 | 396.5 | 378.7 | 339.8 | **180,694.5** |
| WIN | 1972 | 422.8 | 410.2 | 329.5 | 363.5 | 365.0 | 376.2 | 374.2 | 188.1 | 336.2 | 408.5 | 469.6 | 310.8 | **176,085.8** |
| WIN | 1971 | 524.9 | 546.8 | 548.9 | 470.6 | 444.0 | 186.2 | 437.2 | 165.3 | 171.8 | 306.8 | 364.2 | 428.3 | **171,731.2** |
| WIN | 1970 | 533.6 | 525.7 | 533.5 | 518.9 | 540.8 | 485.5 | 454.4 | 350.2 | 519.4 | 532.7 | 495.6 | 532.7 | **167,136.2** |
| WIN | 1969 | 586.3 | 631.9 | 725.3 | 580.1 | 630.5 | 565.1 | 567.2 | 452.1 | 462.5 | 638.1 | 518.9 | 692.6 | **161,113.2** |
| WIN | 1968 | 398.4 | 371.2 | 420.2 | 433.5 | 398.1 | 408.3 | 415.8 | 396.7 | 389.5 | 888.9 | 509.4 | 489.4 | **154,062.6** |
| WIN | 1967 | 549.2 | 458.0 | 527.6 | 483.5 | 504.0 | 491.7 | 515.1 | 523.0 | 507.6 | 527.7 | 378.7 | 313.5 | **148,543.2** |
| WIN | 1966 | 352.6 | 332.2 | 574.3 | 363.9 | 504.7 | 520.6 | 514.6 | 536.0 | 516.8 | 534.3 | 506.7 | 523.8 | **142,763.6** |
| WIN | 1965 | 545.4 | 414.5 | 540.3 | 476.7 | 454.5 | 505.7 | 467.2 | 459.0 | 466.8 | 454.4 | 444.8 | 507.8 | **136,983.1** |
| WIN | 1964 | 709.1 | 588.7 | 636.7 | 559.7 | 608.9 | 728.1 | 677.3 | 568.9 | 493.7 | 511.4 | 529.6 | 441.3 | **131,246.0** |
| WIN | 1963 | 481.6 | 0.0 | 0.0 | 0.0 | 1215.5 | 1128.9 | 862.5 | 796.9 | 715.9 | 914.2 | 697.5 | 635.7 | **124,192.6** |
| WIN | 1962 | 592.2 | 566.9 | 629.5 | 553.2 | 765.0 | 871.0 | 718.4 | 788.8 | 1492.2 | 2357.1 | 2139.9 | 2236.6 | **116,743.9** |
| WIN | 1961 | 689.4 | 611.3 | 678.9 | 646.5 | 679.4 | 641.9 | 660.5 | 615.8 | 616.7 | 644.2 | 582.1 | 580.8 | **103,033.1** |
| WIN | 1960 | 777.0 | 709.2 | 650.5 | 604.5 | 677.0 | 668.6 | 673.4 | 478.5 | 718.6 | 697.0 | 779.1 | 726.5 | **95,385.6** |
| WIN | 1959 | 797.0 | 857.5 | 978.3 | 831.9 | 825.8 | 715.9 | 880.5 | 832.9 | 822.5 | 796.4 | 746.4 | 813.7 | **87,225.7** |
| WIN | 1958 | 1088.3 | 822.5 | 1126.1 | 1113.7 | 877.5 | 1342.8 | 900.7 | 1025.8 | 854.7 | 937.3 | 649.1 | 907.3 | **77,326.9** |
| WIN | 1957 | 0.0 | 0.0 | 1060.6 | 1606.3 | 1408.5 | 1314.2 | 1070.6 | 1263.8 | 986.4 | 1059.0 | 1038.5 | 1166.8 | **65,681.1** |
| WIN | 1956 | 893.7 | 1222.5 | 999.6 | 1765.2 | 1691.4 | 2004.6 | 2143.1 | 1859.8 | 1648.0 | 1949.9 | 1350.6 | 52.6 | **53,706.4** |
| WIN | 1955 | 889.1 | 847.7 | 899.0 | 860.4 | 874.2 | 764.8 | 800.2 | 849.6 | 932.2 | 0.0 | 0.0 | 345.9 | **36,125.4** |
| WIN | 1954 | 1581.5 | 1294.7 | 1260.4 | 1349.0 | 1778.2 | 1816.5 | 1482.0 | 1235.0 | 1673.0 | 1679.4 | 908.3 | 691.5 | **28,062.3** |
| DAY | 1953 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **637.0** |
| H2O | 1953 | 1.6 | 1.0 | 1.6 | 1.4 | 5.7 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **46.3** |
| OIL | 1953 | 151.0 | 92.2 | 162.4 | 143.7 | 158.0 | 60.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,380.7** |
| WIN | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3014.0 | 2725.6 | 2371.9 | 1817.3 | 1384.0 | **11,312.8** |

# Manitoba Production
## 1950 To 1975

Licence ***36*** Well Name ***Daly Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1952 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 0.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **457.0** |
| H2O | 1952 | 0.5 | 0.3 | 0.3 | 0.0 | 0.3 | 0.0 | 0.5 | 0.0 | 5.7 | 18.9 | 4.3 | 1.9 | **33.7** |
| OIL | 1952 | 164.9 | 145.7 | 147.2 | 90.7 | 64.7 | 0.0 | 150.3 | 37.0 | 259.2 | 335.0 | 172.7 | 190.4 | **2,612.9** |
| DAY | 1951 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | **122.0** |
| H2O | 1951 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 0.3 | 0.2 | **1.0** |
| OIL | 1951 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 281.0 | 208.5 | 188.6 | 177.0 | **855.1** |

Licence ***45*** Well Name ***Enerplus West Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.08-29-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole E*** Field Code ***1*** Pool Code ***59E*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1951 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | **92.0** |
| H2O | 1951 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.2 | 0.1 | **0.5** |
| OIL | 1951 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.6 | 11.4 | 18.8 | **40.8** |

Licence ***68*** Well Name ***Enerplus Hargrave Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.15-16-011-27W1.00*** Field Name ***Other Areas*** Pool Name ***Lodgepole A*** Field Code ***99*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **29.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **0.2** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **15.0** |
| DAY | 1952 | 0.0 | 29.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **29.0** |
| H2O | 1952 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **0.2** |
| OIL | 1952 | 0.0 | 15.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **15.0** |

Licence ***77*** Well Name ***Daly Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 357.8 | 384.0 | 342.5 | 316.5 | 266.5 | 340.0 | 252.4 | 282.1 | 390.5 | 337.0 | 305.2 | 360.3 | **89,964.5** |
| WIN | 1974 | 352.0 | 327.1 | 357.6 | 327.3 | 356.8 | 309.4 | 351.6 | 309.2 | 358.4 | 313.5 | 341.3 | 240.9 | **86,029.7** |
| WIN | 1973 | 363.2 | 322.0 | 362.0 | 357.6 | 347.3 | 307.2 | 326.0 | 310.5 | 315.4 | 348.3 | 349.9 | 315.4 | **82,084.6** |
| WIN | 1972 | 407.4 | 384.5 | 351.9 | 316.0 | 327.4 | 336.0 | 323.5 | 330.6 | 313.5 | 353.6 | 326.2 | 289.6 | **78,059.8** |
| WIN | 1971 | 398.9 | 404.3 | 425.0 | 379.4 | 353.1 | 309.2 | 365.2 | 361.7 | 384.0 | 369.4 | 378.4 | 393.8 | **73,999.6** |
| WIN | 1970 | 402.4 | 421.0 | 408.0 | 387.8 | 427.1 | 379.8 | 358.5 | 308.4 | 393.2 | 410.7 | 369.2 | 404.5 | **69,477.2** |
| WIN | 1969 | 401.9 | 429.3 | 493.9 | 419.9 | 467.0 | 401.9 | 426.9 | 359.7 | 355.8 | 466.2 | 398.9 | 372.9 | **64,806.6** |
| WIN | 1968 | 356.2 | 313.9 | 340.2 | 341.1 | 336.3 | 318.9 | 332.9 | 325.4 | 299.1 | 347.2 | 325.9 | 365.4 | **59,812.3** |
| WIN | 1967 | 384.1 | 341.0 | 382.2 | 367.6 | 371.6 | 359.5 | 370.3 | 379.2 | 363.6 | 363.0 | 1238.3 | 254.4 | **55,809.8** |
| WIN | 1966 | 384.6 | 367.9 | 390.2 | 392.4 | 390.5 | 388.4 | 387.8 | 391.5 | 378.1 | 384.8 | 363.2 | 375.7 | **50,635.0** |
| WIN | 1965 | 472.7 | 445.0 | 471.9 | 474.8 | 446.4 | 471.1 | 453.8 | 437.4 | 430.4 | 432.0 | 418.3 | 459.5 | **46,039.9** |
| WIN | 1964 | 568.9 | 501.3 | 530.4 | 480.7 | 508.6 | 480.0 | 505.1 | 497.5 | 494.5 | 494.8 | 484.2 | 499.9 | **40,626.6** |
| WIN | 1963 | 538.0 | 475.3 | 521.6 | 500.1 | 584.6 | 499.9 | 380.2 | 14.8 | 728.0 | 638.2 | 558.9 | 551.8 | **34,580.7** |
| WIN | 1962 | 575.9 | 560.4 | 616.0 | 546.4 | 555.6 | 548.5 | 558.8 | 530.1 | 701.3 | 378.3 | 504.2 | 556.6 | **28,589.3** |
| WIN | 1961 | 445.9 | 476.7 | 652.5 | 564.9 | 598.2 | 639.6 | 698.0 | 626.9 | 623.6 | 633.3 | 590.5 | 600.5 | **21,957.2** |
| WIN | 1960 | 1382.8 | 1171.1 | 931.7 | 911.3 | 835.2 | 782.1 | 688.7 | 609.9 | 532.8 | 449.4 | 499.4 | 475.1 | **14,806.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,538.0** |
| H2O | 1959 | 5.1 | 4.8 | 4.3 | 4.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **494.6** |
| OIL | 1959 | 14.0 | 12.6 | 14.6 | 13.7 | 9.5 | 1.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,705.4** |
| WIN | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1235.1 | 2238.1 | 2063.9 | **5,537.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,380.0** |
| H2O | 1958 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.9 | **476.1** |
| OIL | 1958 | 13.5 | 12.9 | 13.5 | 13.3 | 13.8 | 13.5 | 13.8 | 14.0 | 14.1 | 14.1 | 13.7 | 12.1 | **2,639.1** |

# Manitoba Production
## 1950 To 1975

Licence ***77*** Well Name ***Daly Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,015.0** |
| H2O | 1957 | 2.5 | 2.5 | 4.5 | 5.9 | 4.9 | 4.1 | 0.2 | 0.2 | 0.2 | 5.4 | 4.8 | 5.6 | **473.0** |
| OIL | 1957 | 15.3 | 13.7 | 14.8 | 14.9 | 15.1 | 15.7 | 14.8 | 18.4 | 21.5 | 9.4 | 9.2 | 9.4 | **2,476.8** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 18.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,650.0** |
| H2O | 1956 | 10.3 | 11.3 | 9.2 | 11.3 | 12.4 | 9.2 | 2.9 | 3.2 | 3.5 | 3.3 | 4.5 | 2.5 | **432.2** |
| OIL | 1956 | 28.8 | 27.3 | 31.9 | 30.4 | 30.4 | 30.5 | 14.6 | 17.2 | 17.3 | 17.0 | 16.7 | 18.8 | **2,304.6** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,297.0** |
| H2O | 1955 | 7.6 | 0.6 | 1.9 | 2.5 | 2.9 | 7.9 | 3.7 | 7.3 | 4.6 | 8.7 | 8.4 | 7.8 | **348.6** |
| OIL | 1955 | 30.7 | 27.5 | 31.0 | 32.7 | 33.8 | 32.1 | 36.1 | 31.3 | 20.0 | 35.1 | 27.8 | 25.1 | **2,023.7** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **932.0** |
| H2O | 1954 | 5.2 | 5.6 | 7.6 | 4.5 | 4.9 | 5.1 | 5.2 | 2.7 | 4.3 | 2.2 | 5.9 | 11.3 | **284.7** |
| OIL | 1954 | 34.6 | 31.1 | 30.2 | 29.4 | 32.4 | 26.5 | 26.4 | 26.4 | 30.7 | 35.6 | 35.0 | 35.9 | **1,660.5** |
| DAY | 1953 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **570.0** |
| H2O | 1953 | 22.6 | 17.3 | 15.3 | 21.9 | 18.9 | 6.7 | 6.8 | 14.1 | 19.7 | 9.4 | 7.6 | 9.4 | **220.2** |
| OIL | 1953 | 90.4 | 68.6 | 61.2 | 62.3 | 53.7 | 59.4 | 61.3 | 56.7 | 56.1 | 49.6 | 40.0 | 38.0 | **1,286.3** |
| DAY | 1952 | 0.0 | 28.0 | 31.0 | 30.0 | 30.0 | 0.0 | 0.0 | 27.0 | 0.0 | 0.0 | 30.0 | 30.0 | **206.0** |
| H2O | 1952 | 0.0 | 3.3 | 3.3 | 0.8 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.5 | 29.1 | **50.5** |
| OIL | 1952 | 0.0 | 79.3 | 128.5 | 52.1 | 33.1 | 0.0 | 0.0 | 13.0 | 0.0 | 0.0 | 167.5 | 115.5 | **589.0** |

Licence ***91*** Well Name ***Enerplus Linklater*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-21-007-28W1.00*** Field Name ***Sinclair*** Pool Name ***Lodgepole B*** Field Code ***16*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **18.1** |
| OIL | 1952 | 0.0 | 0.0 | 18.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **18.1** |

Licence ***137*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 22.0 | 30.0 | 31.0 | **7,775.0** |
| H2O | 1975 | 548.2 | 446.9 | 641.8 | 498.7 | 492.3 | 458.8 | 516.9 | 526.1 | 605.3 | 373.9 | 502.5 | 455.1 | **27,355.2** |
| OIL | 1975 | 91.3 | 71.2 | 92.4 | 96.8 | 94.1 | 110.7 | 84.3 | 85.7 | 91.9 | 168.3 | 83.9 | 86.6 | **38,751.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | 15.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,419.0** |
| H2O | 1974 | 509.5 | 450.3 | 457.7 | 458.9 | 492.8 | 451.2 | 339.1 | 268.1 | 571.8 | 579.4 | 502.1 | 548.1 | **21,288.7** |
| OIL | 1974 | 146.0 | 131.4 | 104.7 | 124.9 | 117.2 | 100.4 | 83.8 | 23.4 | 73.0 | 75.8 | 94.9 | 91.6 | **37,594.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,076.0** |
| H2O | 1973 | 317.0 | 754.9 | 806.1 | 546.0 | 577.8 | 517.4 | 406.7 | 699.4 | 483.7 | 486.8 | 455.9 | 490.6 | **15,659.7** |
| OIL | 1973 | 661.0 | 225.5 | 223.3 | 238.2 | 220.3 | 237.0 | 216.3 | 139.0 | 139.6 | 140.0 | 137.6 | 150.2 | **36,427.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,712.0** |
| H2O | 1972 | 19.9 | 8.3 | 18.8 | 24.3 | 24.0 | 0.0 | 24.0 | 9.2 | 96.1 | 271.9 | 248.8 | 261.4 | **9,117.4** |
| OIL | 1972 | 151.8 | 135.7 | 143.7 | 96.5 | 96.5 | 105.9 | 105.5 | 355.9 | 298.3 | 493.7 | 575.9 | 661.5 | **33,699.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **6,346.0** |
| H2O | 1971 | 44.4 | 39.9 | 44.4 | 37.0 | 83.5 | 85.4 | 83.9 | 57.2 | 64.7 | 66.1 | 104.6 | 23.5 | **8,110.7** |
| OIL | 1971 | 83.6 | 75.4 | 84.1 | 65.2 | 88.2 | 88.9 | 98.6 | 79.7 | 73.8 | 76.5 | 76.3 | 149.4 | **30,478.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,985.0** |
| H2O | 1970 | 29.3 | 26.7 | 29.3 | 28.1 | 29.6 | 28.9 | 35.8 | 29.1 | 28.0 | 31.5 | 40.4 | 43.2 | **7,376.1** |
| OIL | 1970 | 78.7 | 71.9 | 80.9 | 80.9 | 85.2 | 86.3 | 93.2 | 97.6 | 115.3 | 127.2 | 134.2 | 76.3 | **29,438.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,620.0** |
| H2O | 1969 | 51.5 | 46.7 | 55.2 | 52.1 | 38.2 | 32.4 | 41.2 | 30.5 | 28.5 | 29.6 | 28.5 | 29.6 | **6,996.2** |
| OIL | 1969 | 60.1 | 59.1 | 64.8 | 65.0 | 69.6 | 75.3 | 77.9 | 74.8 | 74.4 | 77.7 | 76.6 | 79.5 | **28,310.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,255.0** |
| H2O | 1968 | 61.7 | 55.3 | 55.3 | 56.4 | 72.2 | 60.7 | 59.8 | 66.0 | 73.1 | 60.7 | 49.6 | 50.9 | **6,532.2** |

# Manitoba Production
## 1950 To 1975

Licence ***137*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1968 | 78.5 | 76.8 | 82.2 | 76.4 | 86.8 | 107.9 | 102.2 | 111.9 | 104.7 | 71.0 | 65.3 | 63.4 | **27,456.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,889.0** |
| H2O | 1967 | 20.7 | 21.5 | 24.5 | 23.1 | 55.0 | 51.7 | 53.7 | 43.1 | 59.8 | 59.5 | 43.6 | 64.1 | **5,810.5** |
| OIL | 1967 | 89.8 | 83.4 | 90.1 | 88.0 | 83.3 | 82.0 | 86.1 | 86.9 | 84.1 | 86.8 | 83.6 | 80.4 | **26,428.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,524.0** |
| H2O | 1966 | 73.3 | 62.8 | 69.5 | 68.4 | 64.7 | 63.0 | 64.4 | 20.3 | 20.0 | 20.7 | 14.5 | 9.4 | **5,290.2** |
| OIL | 1966 | 78.5 | 69.8 | 78.5 | 76.8 | 85.2 | 87.1 | 85.7 | 78.0 | 96.6 | 96.5 | 86.8 | 90.6 | **25,404.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,159.0** |
| H2O | 1965 | 61.7 | 54.7 | 60.1 | 64.1 | 66.6 | 48.6 | 65.0 | 63.9 | 64.2 | 66.6 | 64.7 | 60.9 | **4,739.2** |
| OIL | 1965 | 79.9 | 72.9 | 79.1 | 85.2 | 91.4 | 82.0 | 86.6 | 83.6 | 82.3 | 82.3 | 79.5 | 79.6 | **24,394.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,794.0** |
| H2O | 1964 | 44.4 | 42.4 | 46.7 | 46.9 | 40.9 | 52.6 | 41.7 | 49.1 | 53.6 | 57.1 | 56.9 | 56.4 | **3,998.1** |
| OIL | 1964 | 107.6 | 102.7 | 114.7 | 110.6 | 115.8 | 80.6 | 88.8 | 82.3 | 83.1 | 83.7 | 81.0 | 81.4 | **23,409.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,428.0** |
| H2O | 1963 | 46.4 | 38.2 | 31.0 | 23.5 | 43.1 | 46.4 | 41.8 | 28.9 | 28.6 | 39.9 | 45.0 | 67.1 | **3,409.4** |
| OIL | 1963 | 114.3 | 108.5 | 118.9 | 111.7 | 127.9 | 134.8 | 138.9 | 134.8 | 124.9 | 138.1 | 118.5 | 115.7 | **22,277.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,063.0** |
| H2O | 1962 | 44.2 | 40.1 | 31.3 | 26.1 | 34.3 | 23.1 | 27.7 | 20.2 | 28.9 | 21.6 | 22.1 | 21.8 | **2,929.5** |
| OIL | 1962 | 118.7 | 119.7 | 127.6 | 117.1 | 127.6 | 128.4 | 126.8 | 114.4 | 122.4 | 116.3 | 107.3 | 116.8 | **20,790.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,698.0** |
| H2O | 1961 | 29.4 | 19.6 | 23.1 | 19.2 | 19.6 | 28.3 | 78.7 | 25.9 | 36.6 | 33.9 | 25.1 | 26.7 | **2,588.1** |
| OIL | 1961 | 169.9 | 150.7 | 174.2 | 159.2 | 159.2 | 142.2 | 145.0 | 130.1 | 123.9 | 117.6 | 115.7 | 114.7 | **19,347.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,333.0** |
| H2O | 1960 | 44.4 | 32.4 | 25.8 | 6.4 | 13.0 | 9.2 | 15.3 | 18.1 | 51.7 | 28.9 | 50.1 | 34.3 | **2,222.0** |
| OIL | 1960 | 264.7 | 200.1 | 203.2 | 172.6 | 172.7 | 160.0 | 212.1 | 194.5 | 182.0 | 189.9 | 177.7 | 177.3 | **17,645.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,967.0** |
| H2O | 1959 | 26.7 | 25.9 | 24.2 | 13.5 | 11.8 | 7.8 | 7.8 | 49.9 | 65.7 | 25.6 | 21.3 | 38.3 | **1,892.4** |
| OIL | 1959 | 97.9 | 91.5 | 97.9 | 90.7 | 94.4 | 122.7 | 77.9 | 85.0 | 247.9 | 264.4 | 302.7 | 308.6 | **15,338.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,610.0** |
| H2O | 1958 | 16.5 | 13.0 | 25.8 | 40.9 | 31.6 | 22.6 | 15.3 | 53.9 | 36.9 | 22.9 | 33.2 | 29.1 | **1,573.9** |
| OIL | 1958 | 124.3 | 135.2 | 132.5 | 75.2 | 99.5 | 101.5 | 128.4 | 120.6 | 122.8 | 110.8 | 88.4 | 102.2 | **13,456.7** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,246.0** |
| H2O | 1957 | 15.9 | 7.3 | 14.8 | 10.0 | 10.3 | 29.7 | 11.0 | 14.0 | 25.3 | 30.5 | 28.0 | 31.8 | **1,232.2** |
| OIL | 1957 | 123.8 | 113.0 | 133.2 | 124.3 | 121.7 | 96.0 | 140.2 | 112.2 | 107.7 | 110.3 | 119.8 | 130.6 | **12,115.3** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **883.0** |
| H2O | 1956 | 19.2 | 19.4 | 17.0 | 29.4 | 27.3 | 16.7 | 7.3 | 41.7 | 17.2 | 32.9 | 25.9 | 23.5 | **1,003.6** |
| OIL | 1956 | 165.4 | 137.0 | 133.5 | 128.6 | 132.4 | 121.7 | 122.2 | 130.1 | 126.3 | 149.6 | 128.9 | 123.8 | **10,682.5** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **518.0** |
| H2O | 1955 | 21.9 | 16.5 | 10.7 | 132.1 | 70.4 | 38.0 | 16.9 | 19.7 | 10.3 | 22.3 | 14.9 | 16.2 | **726.1** |
| OIL | 1955 | 136.8 | 123.2 | 229.5 | 45.1 | 190.9 | 176.2 | 156.3 | 155.5 | 181.3 | 177.3 | 160.0 | 162.2 | **9,083.0** |
| H2O | 1954 | 1.3 | 1.9 | 6.7 | 5.6 | 14.1 | 62.3 | 29.3 | 52.5 | 44.5 | 13.8 | 14.9 | 20.7 | **336.2** |
| OIL | 1954 | 55.8 | 123.5 | 118.2 | 95.2 | 251.2 | 311.7 | 486.0 | 437.1 | 370.4 | 346.1 | 249.8 | 257.4 | **7,188.7** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **153.0** |
| H2O | 1953 | 5.7 | 6.5 | 3.3 | 3.5 | 4.0 | 6.4 | 5.7 | 4.9 | 3.8 | 9.5 | 4.9 | 4.5 | **68.6** |
| OIL | 1953 | 379.8 | 445.8 | 183.5 | 197.8 | 218.5 | 211.8 | 190.4 | 191.5 | 133.5 | 191.2 | 166.2 | 148.0 | **4,086.3** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.2 | 0.3 | 0.3 | 0.3 | 1.0 | 2.1 | 1.4 | **5.9** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 81.4 | 112.2 | 247.6 | 148.7 | 178.6 | 311.3 | 208.2 | 140.3 | **1,428.3** |

Licence ***153*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-01-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***153*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-01-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **8,495.0** |
| H2O | 1975 | 39.4 | 21.8 | 27.8 | 28.9 | 29.6 | 27.7 | 14.0 | 14.1 | 13.8 | 15.4 | 13.8 | 12.1 | **1,241.6** |
| OIL | 1975 | 114.3 | 104.9 | 117.9 | 117.4 | 118.1 | 112.8 | 111.2 | 106.3 | 105.2 | 106.5 | 96.5 | 106.3 | **43,215.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **8,130.0** |
| H2O | 1974 | 19.2 | 15.9 | 18.9 | 21.5 | 20.3 | 19.4 | 13.2 | 13.0 | 14.0 | 19.6 | 27.2 | 24.2 | **983.2** |
| OIL | 1974 | 102.7 | 89.5 | 101.5 | 97.6 | 98.2 | 92.0 | 94.1 | 107.6 | 93.0 | 95.7 | 112.5 | 107.9 | **41,897.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 26.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,765.0** |
| H2O | 1973 | 19.1 | 17.0 | 18.4 | 7.6 | 20.5 | 10.3 | 21.0 | 22.3 | 18.1 | 21.0 | 20.7 | 18.4 | **756.8** |
| OIL | 1973 | 100.7 | 89.8 | 101.4 | 74.4 | 107.7 | 107.6 | 96.9 | 107.9 | 99.0 | 100.1 | 95.5 | 99.3 | **40,705.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,407.0** |
| H2O | 1972 | 11.3 | 13.0 | 13.2 | 15.7 | 7.9 | 6.2 | 2.2 | 3.2 | 16.5 | 16.1 | 13.8 | 18.1 | **542.4** |
| OIL | 1972 | 100.6 | 95.8 | 120.9 | 101.7 | 93.9 | 102.3 | 103.1 | 101.9 | 95.0 | 99.5 | 95.3 | 97.1 | **39,525.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,046.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.2 | 16.7 | 17.0 | 16.2 | 13.0 | 8.1 | **405.2** |
| OIL | 1971 | 118.1 | 108.1 | 120.0 | 128.1 | 129.2 | 118.9 | 106.5 | 110.1 | 99.3 | 104.2 | 100.1 | 101.7 | **38,318.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,681.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 4.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **329.0** |
| OIL | 1970 | 118.9 | 107.1 | 118.4 | 113.3 | 133.6 | 127.3 | 130.0 | 125.5 | 111.2 | 120.9 | 112.2 | 119.3 | **36,973.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,317.0** |
| H2O | 1969 | 5.7 | 2.7 | 4.3 | 3.0 | 2.7 | 12.7 | 4.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **324.9** |
| OIL | 1969 | 115.7 | 106.5 | 118.5 | 113.5 | 104.9 | 108.1 | 117.9 | 128.9 | 127.8 | 128.9 | 114.7 | 119.8 | **35,536.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,952.0** |
| H2O | 1968 | 2.9 | 3.7 | 4.6 | 7.0 | 8.3 | 10.0 | 11.9 | 9.2 | 6.8 | 2.5 | 3.7 | 4.1 | **289.7** |
| OIL | 1968 | 142.2 | 128.6 | 139.7 | 123.5 | 126.2 | 124.3 | 128.2 | 124.4 | 120.3 | 122.2 | 113.8 | 116.0 | **34,130.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,586.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 3.7 | 4.6 | 2.1 | 1.6 | 11.1 | 5.7 | 4.8 | 5.9 | **215.0** |
| OIL | 1967 | 149.5 | 136.2 | 149.4 | 146.4 | 153.2 | 144.4 | 145.7 | 137.9 | 144.0 | 160.8 | 123.2 | 139.5 | **32,621.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,223.0** |
| H2O | 1966 | 0.3 | 3.8 | 3.8 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **175.5** |
| OIL | 1966 | 166.5 | 152.1 | 170.4 | 161.0 | 161.8 | 151.6 | 160.0 | 169.2 | 156.8 | 157.0 | 149.2 | 153.2 | **30,891.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **4,858.0** |
| H2O | 1965 | 4.3 | 1.7 | 2.9 | 3.5 | 3.2 | 3.5 | 3.3 | 4.0 | 3.2 | 3.7 | 11.4 | 6.0 | **166.3** |
| OIL | 1965 | 158.3 | 144.9 | 159.4 | 155.6 | 160.5 | 154.8 | 164.6 | 160.0 | 158.1 | 188.8 | 312.7 | 181.8 | **28,982.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,495.0** |
| H2O | 1964 | 0.0 | 0.0 | 3.0 | 3.5 | 2.2 | 2.4 | 2.4 | 3.2 | 0.8 | 2.4 | 1.9 | 2.9 | **115.6** |
| OIL | 1964 | 171.8 | 165.7 | 174.8 | 172.6 | 174.0 | 168.0 | 182.6 | 169.2 | 168.1 | 168.8 | 155.9 | 161.8 | **26,883.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,129.0** |
| H2O | 1963 | 3.0 | 2.9 | 4.0 | 3.3 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **90.9** |
| OIL | 1963 | 183.4 | 171.6 | 183.5 | 177.5 | 161.9 | 164.5 | 171.8 | 174.0 | 171.0 | 182.3 | 165.6 | 170.8 | **24,849.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,764.0** |
| H2O | 1962 | 1.0 | 0.0 | 1.3 | 1.6 | 1.9 | 0.8 | 0.8 | 0.3 | 1.0 | 1.1 | 3.5 | 2.9 | **75.3** |
| OIL | 1962 | 201.0 | 176.5 | 193.7 | 186.6 | 210.6 | 212.6 | 196.9 | 220.9 | 188.9 | 187.8 | 179.6 | 187.0 | **22,771.8** |
| DAY | 1961 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,400.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 1.3 | 0.3 | 0.0 | 1.4 | 1.3 | **59.1** |
| OIL | 1961 | 167.8 | 166.9 | 184.3 | 193.9 | 196.9 | 186.2 | 332.4 | 283.0 | 236.5 | 231.1 | 217.2 | 212.6 | **20,429.7** |
| DAY | 1960 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,036.0** |
| OIL | 1960 | 179.7 | 174.3 | 191.6 | 188.5 | 192.1 | 181.6 | 191.3 | 194.8 | 192.6 | 193.9 | 182.6 | 171.0 | **17,820.9** |
| DAY | 1959 | 30.0 | 27.0 | 29.0 | 30.0 | 31.0 | 30.0 | 29.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,672.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.6 | 1.1 | 0.0 | 0.2 | 1.3 | 1.3 | 0.0 | **54.0** |
| OIL | 1959 | 199.9 | 175.1 | 198.5 | 213.3 | 212.1 | 202.3 | 191.5 | 198.5 | 190.2 | 203.1 | 189.9 | 195.5 | **15,586.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,316.0** |
| H2O | 1958 | 0.8 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 0.5 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | **49.2** |

# Manitoba Production
## 1950 To 1975

Licence ***153*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-01-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1958 | 206.7 | 205.2 | 207.7 | 202.3 | 186.9 | 207.1 | 211.0 | 199.0 | 197.5 | 202.3 | 196.9 | 202.5 | **13,217.0** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,955.0** |
| H2O | 1957 | 1.7 | 2.2 | 1.1 | 0.8 | 1.1 | 0.6 | 0.3 | 0.3 | 0.2 | 0.3 | 0.3 | 1.1 | **47.4** |
| OIL | 1957 | 173.2 | 162.1 | 173.8 | 168.1 | 177.7 | 176.4 | 183.7 | 187.8 | 189.9 | 194.5 | 193.1 | 217.5 | **10,791.9** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,594.0** |
| H2O | 1956 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 2.9 | 1.0 | 2.9 | 3.5 | 2.4 | **37.4** |
| OIL | 1956 | 182.6 | 172.9 | 183.5 | 179.1 | 175.1 | 204.2 | 206.1 | 202.3 | 176.9 | 183.7 | 187.7 | 185.0 | **8,594.1** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 20.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **1,230.0** |
| H2O | 1955 | 0.2 | 0.2 | 0.2 | 0.6 | 0.2 | 0.5 | 0.6 | 0.6 | 0.5 | 0.0 | 0.0 | 0.2 | **23.3** |
| OIL | 1955 | 189.3 | 151.9 | 173.8 | 185.9 | 147.6 | 210.9 | 201.2 | 198.8 | 182.9 | 201.2 | 185.9 | 188.0 | **6,355.0** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **881.0** |
| H2O | 1954 | 0.3 | 0.2 | 0.5 | 0.3 | 0.2 | 0.5 | 0.2 | 0.6 | 0.3 | 0.3 | 0.3 | 0.3 | **19.5** |
| OIL | 1954 | 154.5 | 150.3 | 166.4 | 129.5 | 179.1 | 174.6 | 185.8 | 187.2 | 178.0 | 181.8 | 180.7 | 190.4 | **4,137.6** |
| DAY | 1953 | 31.0 | 8.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **516.0** |
| H2O | 1953 | 0.3 | 0.0 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.5 | 2.4 | 0.2 | 0.2 | 0.3 | **15.5** |
| OIL | 1953 | 134.1 | 32.3 | 93.1 | 86.6 | 56.4 | 50.9 | 48.5 | 75.5 | 105.0 | 129.0 | 135.7 | 147.8 | **2,079.3** |
| DAY | 1952 | 0.0 | 0.0 | 0.0 | 30.0 | 19.0 | 26.0 | 0.0 | 0.0 | 16.0 | 26.0 | 27.0 | 31.0 | **175.0** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.3 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 5.4 | 4.3 | 0.3 | **10.6** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 66.6 | 199.0 | 197.2 | 0.0 | 0.0 | 136.2 | 145.7 | 105.4 | 134.3 | **984.4** |

Licence ***167*** Well Name ***Daly Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 842.6 | 741.3 | 857.3 | 782.4 | 538.5 | 718.4 | 509.8 | 580.6 | 774.4 | 720.3 | 643.1 | 684.6 | **150,753.0** |
| WIN | 1974 | 698.9 | 765.5 | 865.5 | 851.9 | 885.4 | 787.0 | 782.7 | 836.8 | 735.8 | 760.2 | 757.2 | 630.5 | **142,359.7** |
| WIN | 1973 | 819.7 | 780.5 | 865.2 | 835.8 | 848.8 | 774.5 | 817.5 | 787.2 | 697.6 | 739.3 | 728.7 | 632.3 | **133,002.3** |
| WIN | 1972 | 738.7 | 472.6 | 612.8 | 803.8 | 638.9 | 717.0 | 793.6 | 768.3 | 734.2 | 804.8 | 780.8 | 750.2 | **123,675.2** |
| WIN | 1971 | 979.1 | 975.8 | 1061.2 | 960.2 | 954.5 | 827.7 | 926.0 | 405.2 | 703.5 | 805.2 | 888.3 | 909.9 | **115,059.5** |
| WIN | 1970 | 933.3 | 997.3 | 965.0 | 929.3 | 1000.0 | 752.9 | 889.7 | 760.2 | 883.2 | 955.4 | 887.2 | 910.1 | **104,662.9** |
| WIN | 1969 | 751.1 | 836.0 | 954.5 | 933.5 | 974.2 | 866.3 | 969.6 | 872.5 | 776.4 | 1042.8 | 954.0 | 1020.0 | **93,799.3** |
| WIN | 1968 | 668.1 | 666.2 | 724.3 | 716.2 | 713.5 | 660.7 | 518.1 | 658.1 | 605.6 | 672.9 | 641.5 | 699.0 | **82,848.4** |
| WIN | 1967 | 829.3 | 727.2 | 819.4 | 785.6 | 803.3 | 777.5 | 809.4 | 822.7 | 814.1 | 850.3 | 585.0 | 593.7 | **74,904.2** |
| WIN | 1966 | 778.0 | 716.5 | 773.6 | 773.2 | 784.8 | 782.1 | 788.9 | 796.5 | 774.5 | 808.9 | 769.1 | 809.5 | **65,686.7** |
| WIN | 1965 | 728.7 | 671.5 | 762.3 | 729.8 | 712.2 | 778.4 | 743.6 | 742.1 | 724.3 | 779.9 | 714.9 | 779.2 | **56,331.1** |
| WIN | 1964 | 672.6 | 600.5 | 665.1 | 621.5 | 679.8 | 652.7 | 689.7 | 685.2 | 674.2 | 650.2 | 669.1 | 735.5 | **47,464.2** |
| WIN | 1963 | 579.9 | 492.4 | 623.3 | 595.2 | 594.9 | 594.2 | 433.5 | 675.0 | 648.7 | 641.2 | 620.2 | 619.3 | **39,468.1** |
| WIN | 1962 | 570.8 | 530.0 | 600.5 | 525.4 | 548.7 | 524.3 | 492.6 | 522.9 | 559.0 | 524.8 | 555.5 | 508.9 | **32,350.3** |
| WIN | 1961 | 750.2 | 633.5 | 650.8 | 621.5 | 640.4 | 607.5 | 621.4 | 581.2 | 570.3 | 590.9 | 568.8 | 573.8 | **25,886.9** |
| WIN | 1960 | 2183.0 | 1866.3 | 1192.4 | 1226.5 | 1086.4 | 916.1 | 889.7 | 869.8 | 760.7 | 669.2 | 875.1 | 706.6 | **18,476.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 4.0 | 0.0 | 0.0 | **2,455.0** |
| H2O | 1959 | 5.6 | 7.3 | 10.2 | 8.1 | 5.7 | 8.9 | 2.4 | 5.4 | 4.9 | 3.0 | 0.0 | 0.0 | **443.1** |
| OIL | 1959 | 45.8 | 44.3 | 45.9 | 50.4 | 44.3 | 41.3 | 49.1 | 45.9 | 46.4 | 6.3 | 0.0 | 0.0 | **4,170.9** |
| WIN | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 505.2 | 2180.6 | 2549.0 | **5,234.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **2,178.0** |
| H2O | 1958 | 7.2 | 2.4 | 3.2 | 1.7 | 4.0 | 3.7 | 4.3 | 3.5 | 4.8 | 2.7 | 2.9 | 4.8 | **381.6** |
| OIL | 1958 | 45.3 | 42.1 | 42.0 | 18.6 | 45.0 | 30.7 | 44.5 | 45.8 | 45.8 | 48.5 | 41.8 | 50.4 | **3,751.2** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,817.0** |
| H2O | 1957 | 3.0 | 1.9 | 2.9 | 2.1 | 6.4 | 4.9 | 5.7 | 1.7 | 4.9 | 5.2 | 4.8 | 6.4 | **336.4** |
| OIL | 1957 | 49.4 | 44.5 | 50.5 | 44.3 | 65.3 | 30.0 | 46.7 | 45.6 | 48.0 | 47.5 | 30.7 | 45.0 | **3,250.7** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,452.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 11.1 | 5.2 | 6.0 | 5.6 | 4.9 | 4.8 | 2.4 | **286.5** |

# Manitoba Production
## 1950 To 1975

Licence ***167*** Well Name ***Daly Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 60.4 | 59.8 | 55.1 | 54.0 | 49.4 | 37.3 | 50.5 | 48.9 | **2,703.2** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,216.0** |
| H2O | 1955 | 4.0 | 4.0 | 4.3 | 7.6 | 8.7 | 7.9 | 9.5 | 5.7 | 1.9 | 1.7 | 1.6 | 1.3 | **239.5** |
| OIL | 1955 | 47.8 | 43.5 | 47.8 | 50.4 | 48.8 | 44.3 | 47.7 | 47.5 | 45.9 | 46.9 | 45.9 | 36.5 | **2,287.8** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **851.0** |
| H2O | 1954 | 15.9 | 18.6 | 16.2 | 4.3 | 1.9 | 2.4 | 2.2 | 2.9 | 5.7 | 15.1 | 6.2 | 6.2 | **181.3** |
| OIL | 1954 | 63.6 | 74.2 | 67.5 | 61.2 | 28.0 | 59.6 | 54.3 | 56.6 | 56.7 | 50.2 | 51.5 | 51.8 | **1,734.8** |
| DAY | 1953 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 3.0 | 30.0 | 27.0 | **486.0** |
| H2O | 1953 | 0.3 | 3.8 | 6.7 | 4.8 | 7.8 | 6.0 | 5.4 | 4.3 | 3.8 | 0.5 | 21.3 | 8.6 | **83.7** |
| OIL | 1953 | 24.6 | 74.2 | 94.2 | 48.0 | 77.1 | 66.7 | 59.3 | 53.4 | 54.5 | 4.8 | 106.2 | 84.4 | **1,059.6** |
| DAY | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **153.0** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 1.9 | 0.5 | 3.0 | 1.0 | **10.4** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 87.6 | 62.0 | 16.7 | 101.4 | 44.5 | **312.2** |

Licence ***168*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-02-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **8,101.0** |
| OIL | 1975 | 48.1 | 41.2 | 47.8 | 45.9 | 48.0 | 44.2 | 43.7 | 38.0 | 35.6 | 38.5 | 35.9 | 39.6 | **13,528.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,737.0** |
| OIL | 1974 | 36.4 | 32.6 | 37.8 | 35.4 | 34.2 | 34.2 | 32.3 | 44.3 | 42.3 | 46.1 | 43.2 | 50.9 | **13,021.7** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **7,374.0** |
| OIL | 1973 | 42.1 | 32.7 | 35.9 | 37.7 | 32.6 | 35.6 | 36.5 | 34.2 | 31.9 | 32.6 | 35.6 | 37.5 | **12,552.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,010.0** |
| OIL | 1972 | 48.5 | 46.1 | 46.9 | 45.1 | 43.2 | 39.6 | 37.5 | 36.7 | 41.0 | 40.4 | 39.7 | 39.3 | **12,127.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,646.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,082.3** |
| OIL | 1971 | 42.9 | 42.1 | 47.0 | 47.7 | 40.7 | 42.4 | 30.8 | 49.6 | 49.9 | 48.5 | 48.1 | 49.9 | **11,623.1** |
| DAY | 1970 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,281.0** |
| OIL | 1970 | 41.5 | 44.7 | 45.1 | 39.4 | 45.9 | 42.9 | 41.8 | 46.7 | 43.4 | 45.3 | 44.3 | 45.3 | **11,083.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,917.0** |
| OIL | 1969 | 43.1 | 38.6 | 44.8 | 38.9 | 41.3 | 48.1 | 49.6 | 51.0 | 44.5 | 50.4 | 43.2 | 49.4 | **10,557.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,554.0** |
| H2O | 1968 | 4.8 | 1.7 | 1.7 | 1.7 | 0.0 | 5.7 | 0.0 | 0.0 | 5.6 | 6.5 | 0.0 | 0.0 | **1,071.3** |
| OIL | 1968 | 46.1 | 47.2 | 48.5 | 46.4 | 50.5 | 48.6 | 46.1 | 45.9 | 44.5 | 45.0 | 46.6 | 43.5 | **10,014.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,188.0** |
| H2O | 1967 | 0.0 | 4.3 | 4.8 | 2.9 | 4.3 | 4.0 | 0.0 | 2.7 | 2.7 | 5.1 | 5.2 | 0.0 | **1,043.6** |
| OIL | 1967 | 53.4 | 44.7 | 45.0 | 46.6 | 49.7 | 43.1 | 45.4 | 47.7 | 46.4 | 53.4 | 46.6 | 46.1 | **9,455.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **4,823.0** |
| H2O | 1966 | 0.0 | 3.8 | 4.9 | 6.4 | 0.0 | 2.1 | 4.0 | 1.7 | 5.9 | 0.0 | 6.4 | 1.4 | **1,007.6** |
| OIL | 1966 | 71.0 | 44.5 | 54.3 | 53.7 | 47.8 | 45.8 | 47.4 | 49.4 | 43.7 | 46.4 | 40.5 | 45.9 | **8,887.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,462.0** |
| H2O | 1965 | 1.4 | 1.4 | 0.0 | 0.0 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 2.2 | 2.9 | 0.0 | **971.0** |
| OIL | 1965 | 40.5 | 44.7 | 46.1 | 50.7 | 52.1 | 48.5 | 52.3 | 46.4 | 52.1 | 53.6 | 46.9 | 52.9 | **8,296.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,097.0** |
| H2O | 1964 | 4.3 | 1.4 | 1.4 | 4.9 | 4.6 | 0.0 | 0.0 | 0.0 | 1.3 | 0.0 | 0.0 | 0.0 | **961.8** |
| OIL | 1964 | 49.9 | 46.6 | 46.7 | 47.7 | 48.8 | 55.3 | 53.7 | 60.9 | 54.8 | 50.4 | 50.5 | 53.1 | **7,710.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,732.0** |
| H2O | 1963 | 3.3 | 1.7 | 1.6 | 1.9 | 0.0 | 1.4 | 0.0 | 1.9 | 6.2 | 5.6 | 3.8 | 1.3 | **943.9** |
| OIL | 1963 | 47.0 | 42.1 | 48.9 | 49.4 | 48.5 | 41.6 | 51.0 | 48.1 | 51.2 | 46.2 | 45.1 | 51.2 | **7,091.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,367.0** |

# Manitoba Production
## 1950 To 1975

Licence ***168*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-02-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1962 | 3.7 | 2.7 | 3.2 | 0.0 | 2.7 | 0.0 | 0.0 | 7.3 | 4.3 | 4.1 | 3.7 | 4.6 | **915.2** |
| OIL | 1962 | 53.2 | 45.6 | 47.8 | 44.8 | 51.3 | 50.7 | 58.0 | 55.8 | 50.7 | 52.3 | 49.1 | 49.6 | **6,521.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,002.0** |
| H2O | 1961 | 3.7 | 2.9 | 0.0 | 6.8 | 3.3 | 2.9 | 1.6 | 3.3 | 3.2 | 3.0 | 3.0 | 3.0 | **878.9** |
| OIL | 1961 | 48.0 | 46.4 | 34.3 | 41.6 | 45.0 | 47.4 | 54.8 | 51.0 | 50.9 | 46.9 | 46.4 | 51.8 | **5,912.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,638.0** |
| H2O | 1960 | 4.3 | 1.9 | 2.9 | 0.0 | 1.6 | 3.0 | 2.9 | 2.7 | 2.9 | 3.3 | 3.5 | 7.0 | **842.2** |
| OIL | 1960 | 38.0 | 36.2 | 25.1 | 28.6 | 37.0 | 46.2 | 44.3 | 52.3 | 44.3 | 47.0 | 46.9 | 48.0 | **5,348.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 27.0 | 26.0 | 26.0 | 30.0 | 31.0 | 14.0 | 10.0 | **2,272.0** |
| H2O | 1959 | 1.7 | 2.1 | 2.7 | 5.4 | 5.6 | 2.2 | 4.8 | 1.7 | 2.7 | 2.4 | 4.3 | 0.0 | **806.2** |
| OIL | 1959 | 38.9 | 36.4 | 38.6 | 34.5 | 31.8 | 31.3 | 29.7 | 23.4 | 26.1 | 27.3 | 12.4 | 21.8 | **4,854.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 27.0 | 26.0 | **1,960.0** |
| H2O | 1958 | 1.6 | 1.3 | 0.6 | 1.9 | 1.1 | 8.3 | 7.2 | 4.5 | 5.4 | 0.0 | 4.5 | 2.9 | **770.6** |
| OIL | 1958 | 42.9 | 40.7 | 54.8 | 61.7 | 28.6 | 86.6 | 89.6 | 80.7 | 75.6 | 36.5 | 31.8 | 37.7 | **4,501.9** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,607.0** |
| H2O | 1957 | 3.7 | 2.7 | 3.2 | 3.8 | 3.5 | 6.2 | 0.3 | 0.2 | 24.8 | 6.7 | 5.1 | 4.0 | **731.3** |
| OIL | 1957 | 17.5 | 19.2 | 21.5 | 52.9 | 40.0 | 45.6 | 56.9 | 40.0 | 40.0 | 55.3 | 43.9 | 41.5 | **3,834.7** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,242.0** |
| H2O | 1956 | 10.8 | 10.0 | 5.2 | 11.0 | 8.6 | 9.2 | 8.7 | 13.0 | 8.6 | 7.9 | 3.2 | 4.9 | **667.1** |
| OIL | 1956 | 46.2 | 42.6 | 45.9 | 41.6 | 45.3 | 43.1 | 42.6 | 56.7 | 42.3 | 45.9 | 21.6 | 21.9 | **3,360.4** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | **876.0** |
| H2O | 1955 | 9.9 | 9.1 | 7.0 | 17.5 | 16.5 | 16.1 | 17.2 | 23.8 | 21.3 | 17.0 | 16.2 | 14.5 | **566.0** |
| OIL | 1955 | 59.1 | 53.6 | 52.1 | 56.6 | 56.3 | 50.5 | 51.2 | 54.3 | 61.3 | 49.6 | 48.9 | 48.6 | **2,864.7** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **518.0** |
| H2O | 1954 | 27.3 | 10.7 | 11.8 | 22.6 | 19.1 | 14.1 | 25.1 | 24.0 | 19.7 | 20.2 | 16.9 | 11.4 | **379.9** |
| OIL | 1954 | 78.0 | 66.9 | 46.6 | 64.4 | 63.4 | 47.2 | 83.9 | 79.9 | 70.4 | 68.8 | 57.4 | 63.4 | **2,222.6** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **153.0** |
| H2O | 1953 | 5.9 | 4.9 | 12.9 | 5.6 | 4.5 | 3.5 | 2.9 | 5.7 | 5.4 | 32.1 | 38.6 | 26.7 | **157.0** |
| OIL | 1953 | 119.0 | 93.9 | 91.5 | 69.8 | 61.3 | 57.2 | 46.9 | 104.6 | 53.7 | 86.6 | 91.8 | 83.6 | **1,432.3** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 0.5 | 4.9 | 1.9 | 0.8 | **8.3** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.4 | 30.0 | 122.4 | 164.2 | 45.9 | 79.5 | **472.4** |

Licence ***169*** Well Name ***Daly Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-01-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1966 | 201.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **24,424.6** |
| WIN | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 136.1 | 271.9 | **24,223.2** |
| WIN | 1964 | 50.0 | 80.2 | 106.7 | 104.9 | 107.5 | 104.6 | 110.2 | 121.9 | 0.0 | 0.0 | 0.0 | 0.0 | **23,815.2** |
| WIN | 1963 | 86.0 | 119.2 | 133.4 | 145.0 | 94.5 | 121.1 | 112.3 | 118.4 | 110.0 | 109.2 | 103.2 | 166.6 | **23,029.2** |
| WIN | 1962 | 106.5 | 109.7 | 116.4 | 103.3 | 101.9 | 144.2 | 132.3 | 93.2 | 94.5 | 67.3 | 109.5 | 127.2 | **21,610.3** |
| WIN | 1961 | 127.7 | 111.9 | 125.1 | 116.4 | 102.4 | 106.2 | 119.0 | 114.7 | 114.1 | 116.2 | 107.0 | 109.9 | **20,304.3** |
| WIN | 1960 | 123.2 | 127.5 | 203.0 | 677.0 | 307.9 | 191.3 | 162.4 | 155.0 | 129.5 | 126.0 | 142.0 | 134.6 | **18,933.7** |
| WIN | 1959 | 135.9 | 139.3 | 154.2 | 138.0 | 131.8 | 114.2 | 124.5 | 135.1 | 144.7 | 130.7 | 121.1 | 130.7 | **16,454.3** |
| WIN | 1958 | 195.1 | 144.3 | 186.4 | 187.2 | 50.5 | 0.0 | 63.2 | 243.0 | 163.6 | 170.4 | 139.3 | 155.3 | **14,854.1** |
| WIN | 1957 | 0.0 | 0.0 | 127.9 | 207.5 | 186.6 | 182.9 | 158.3 | 187.5 | 185.1 | 160.1 | 155.0 | 180.9 | **13,155.8** |
| WIN | 1956 | 94.8 | 88.2 | 80.7 | 192.9 | 245.8 | 217.1 | 222.5 | 207.5 | 184.8 | 183.7 | 169.3 | 54.5 | **11,424.0** |
| WIN | 1955 | 203.3 | 175.1 | 188.3 | 164.3 | 148.7 | 129.9 | 108.9 | 148.7 | 91.2 | 0.0 | 0.0 | 188.3 | **9,482.2** |
| WIN | 1954 | 400.0 | 326.2 | 281.0 | 268.9 | 322.3 | 341.1 | 275.0 | 342.7 | 235.5 | 208.3 | 163.2 | 148.7 | **7,935.5** |
| DAY | 1953 | 31.0 | 28.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **90.0** |
| H2O | 1953 | 9.5 | 6.4 | 4.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **75.8** |
| OIL | 1953 | 70.1 | 56.3 | 41.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **546.8** |

# Manitoba Production
## 1950 To 1975

Licence ***169*** Well Name ***Daly Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-01-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1953 | 0.0 | 0.0 | 0.0 | 164.6 | 0.0 | 0.0 | 0.0 | 1820.6 | 963.5 | 702.8 | 536.2 | 434.9 | **4,622.6** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 23.4 | 15.6 | 9.4 | **55.4** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.4 | 78.5 | 133.3 | 86.0 | 68.5 | **378.7** |

Licence ***176*** Well Name ***Daly Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-01-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 356.4 | 288.4 | 337.4 | 307.3 | 230.3 | 328.3 | 243.3 | 235.4 | 336.6 | 285.3 | 257.5 | 314.1 | **116,805.4** |
| WIN | 1974 | 311.2 | 308.5 | 340.2 | 316.7 | 315.5 | 297.1 | 332.1 | 278.5 | 339.9 | 283.9 | 320.8 | 253.8 | **113,285.1** |
| WIN | 1973 | 324.0 | 312.4 | 352.7 | 328.1 | 313.0 | 308.9 | 318.4 | 315.1 | 317.0 | 321.1 | 319.7 | 254.9 | **109,586.9** |
| WIN | 1972 | 300.3 | 206.1 | 219.3 | 316.2 | 322.7 | 334.5 | 319.2 | 330.2 | 282.9 | 369.1 | 342.9 | 326.5 | **105,801.6** |
| WIN | 1971 | 125.7 | 116.2 | 516.7 | 1279.0 | 1309.7 | 1174.1 | 1793.9 | 1697.3 | 1256.6 | 97.6 | 248.6 | 297.3 | **102,131.7** |
| WIN | 1970 | 212.4 | 213.1 | 216.7 | 203.5 | 213.7 | 195.1 | 183.8 | 159.7 | 173.2 | 153.6 | 97.6 | 119.7 | **92,219.0** |
| WIN | 1969 | 225.5 | 265.1 | 305.4 | 253.3 | 277.0 | 256.4 | 237.8 | 204.0 | 197.5 | 271.8 | 212.4 | 237.0 | **90,076.9** |
| WIN | 1968 | 175.9 | 164.9 | 186.2 | 192.2 | 192.1 | 182.4 | 192.4 | 182.2 | 164.9 | 198.9 | 186.2 | 200.8 | **87,133.7** |
| WIN | 1967 | 229.5 | 237.3 | 258.7 | 247.8 | 244.8 | 237.6 | 247.5 | 250.2 | 228.6 | 234.9 | 1393.1 | 130.6 | **84,914.6** |
| WIN | 1966 | 257.2 | 229.7 | 247.0 | 252.1 | 247.8 | 252.7 | 249.7 | 255.2 | 247.2 | 254.6 | 238.1 | 241.3 | **80,974.0** |
| WIN | 1965 | 278.2 | 262.7 | 289.6 | 268.3 | 259.2 | 288.8 | 272.6 | 259.5 | 256.7 | 256.7 | 239.4 | 263.5 | **78,001.4** |
| WIN | 1964 | 349.8 | 307.3 | 324.8 | 222.6 | 307.0 | 226.4 | 332.7 | 306.3 | 278.3 | 300.9 | 291.7 | 298.7 | **74,806.2** |
| WIN | 1963 | 304.7 | 262.6 | 295.8 | 283.4 | 349.6 | 267.8 | 374.2 | 350.7 | 319.7 | 247.0 | 353.4 | 329.2 | **71,259.7** |
| WIN | 1962 | 290.4 | 306.0 | 320.3 | 280.6 | 275.8 | 286.1 | 291.9 | 259.7 | 287.4 | 268.4 | 261.0 | 303.9 | **67,521.6** |
| WIN | 1961 | 374.5 | 321.6 | 363.9 | 340.4 | 352.7 | 326.0 | 334.0 | 313.6 | 316.2 | 324.4 | 296.8 | 300.0 | **64,090.1** |
| WIN | 1960 | 427.3 | 433.8 | 383.9 | 417.7 | 417.6 | 400.4 | 405.5 | 418.2 | 395.5 | 364.5 | 422.2 | 397.4 | **60,126.0** |
| WIN | 1959 | 485.1 | 505.7 | 547.0 | 490.2 | 468.2 | 451.4 | 489.4 | 479.4 | 471.4 | 459.8 | 422.0 | 447.0 | **55,242.0** |
| WIN | 1958 | 754.7 | 529.5 | 686.2 | 684.3 | 549.9 | 565.6 | 561.8 | 650.9 | 550.5 | 592.0 | 499.6 | 542.1 | **49,525.4** |
| WIN | 1957 | 0.0 | 0.0 | 0.0 | 90.1 | 88.7 | 80.9 | 1269.1 | 1393.4 | 940.2 | 877.4 | 766.1 | 867.1 | **42,358.3** |
| WIN | 1956 | 756.0 | 861.3 | 937.7 | 640.4 | 701.1 | 62.4 | 22.1 | 8.6 | 12.7 | 199.9 | 98.8 | 30.8 | **35,985.3** |
| WIN | 1955 | 943.2 | 602.1 | 839.6 | 798.1 | 795.1 | 659.6 | 676.6 | 790.1 | 834.9 | 0.0 | 0.0 | 987.7 | **31,653.5** |
| WIN | 1954 | 1062.0 | 1159.8 | 1382.7 | 1385.9 | 1629.6 | 1677.6 | 1234.5 | 1284.1 | 1194.7 | 1185.2 | 1099.4 | 933.4 | **23,726.5** |
| DAY | 1953 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **334.0** |
| H2O | 1953 | 4.9 | 4.3 | 4.3 | 3.8 | 5.7 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **75.2** |
| OIL | 1953 | 160.3 | 137.8 | 137.9 | 147.3 | 135.6 | 71.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,782.8** |
| WIN | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2370.6 | 1916.5 | 1733.2 | 1385.9 | 1091.4 | **8,497.6** |
| DAY | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | **153.0** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.5 | 20.4 | 15.1 | 4.9 | **49.9** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 164.9 | 0.0 | 190.2 | 262.7 | 215.3 | 159.5 | **992.6** |

Licence ***180*** Well Name ***Kiwi Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 0.0 | 27.0 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,555.0** |
| H2O | 1975 | 0.0 | 345.6 | 388.5 | 322.2 | 331.1 | 320.0 | 354.8 | 359.6 | 367.9 | 309.8 | 292.2 | 300.0 | **26,194.6** |
| OIL | 1975 | 0.0 | 7.8 | 11.8 | 15.3 | 18.3 | 13.3 | 7.3 | 5.7 | 5.4 | 8.7 | 6.4 | 7.3 | **9,002.6** |
| DAY | 1974 | 31.0 | 28.0 | 0.0 | 0.0 | 31.0 | 22.0 | 0.0 | 31.0 | 30.0 | 22.0 | 0.0 | 0.0 | **6,225.0** |
| H2O | 1974 | 281.8 | 229.2 | 158.7 | 0.0 | 304.7 | 174.3 | 247.0 | 212.9 | 238.5 | 200.6 | 0.0 | 0.0 | **22,502.9** |
| OIL | 1974 | 23.2 | 17.6 | 10.2 | 0.0 | 21.8 | 15.9 | 17.2 | 19.5 | 19.1 | 14.0 | 0.0 | 0.0 | **8,895.3** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 30.0 | 0.0 | 19.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | **6,030.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 369.4 | 375.8 | 218.1 | 0.0 | 0.0 | 0.0 | 351.3 | 347.0 | 309.8 | **20,455.2** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 21.0 | 20.2 | 8.3 | 0.0 | 0.0 | 0.0 | 25.3 | 21.5 | 22.7 | **8,736.8** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 26.0 | 22.0 | 30.0 | 30.0 | 31.0 | 30.0 | 0.0 | **5,889.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 19.4 | 30.4 | 192.4 | 246.9 | 219.4 | 205.1 | 181.4 | 0.0 | **18,483.8** |

# Manitoba Production
## 1950 To 1975

Licence ***180*** Well Name ***Kiwi Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 13.7 | 15.4 | 12.9 | 30.2 | 25.7 | 29.1 | 24.3 | 0.0 | **8,617.8** |
| DAY | 1971 | 0.0 | 28.0 | 31.0 | 30.0 | 0.0 | 29.0 | 30.0 | 31.0 | 25.0 | 31.0 | 30.0 | 13.0 | **5,705.0** |
| H2O | 1971 | 11.9 | 11.9 | 11.9 | 11.9 | 11.9 | 11.9 | 11.9 | 11.9 | 11.9 | 14.3 | 25.4 | 5.9 | **17,388.8** |
| OIL | 1971 | 11.1 | 14.3 | 19.1 | 16.7 | 15.7 | 15.4 | 16.7 | 16.7 | 10.3 | 10.3 | 11.9 | 4.8 | **8,466.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | 28.0 | 31.0 | **5,427.0** |
| H2O | 1970 | 13.2 | 13.0 | 14.3 | 13.0 | 16.2 | 14.3 | 14.0 | 13.5 | 14.2 | 15.1 | 11.1 | 11.3 | **17,236.1** |
| OIL | 1970 | 13.2 | 13.0 | 14.3 | 13.0 | 16.2 | 14.3 | 14.0 | 13.5 | 14.1 | 15.1 | 11.1 | 11.3 | **8,303.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,068.0** |
| H2O | 1969 | 35.0 | 14.3 | 14.3 | 14.3 | 12.7 | 14.3 | 12.7 | 11.9 | 14.3 | 14.3 | 14.3 | 14.3 | **17,072.9** |
| OIL | 1969 | 23.0 | 13.8 | 19.5 | 24.8 | 16.5 | 20.3 | 17.8 | 16.7 | 20.3 | 19.1 | 14.1 | 14.0 | **8,140.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | **4,706.0** |
| H2O | 1968 | 79.5 | 79.5 | 79.5 | 79.5 | 63.6 | 63.6 | 63.6 | 63.6 | 54.0 | 49.3 | 60.4 | 55.6 | **16,886.2** |
| OIL | 1968 | 22.9 | 22.2 | 19.1 | 22.2 | 17.5 | 17.5 | 17.5 | 17.2 | 14.8 | 19.1 | 20.7 | 25.4 | **7,920.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,354.0** |
| H2O | 1967 | 148.5 | 56.7 | 83.7 | 90.6 | 93.6 | 90.6 | 93.6 | 93.6 | 87.6 | 93.6 | 87.6 | 87.4 | **16,094.5** |
| OIL | 1967 | 28.4 | 21.9 | 24.6 | 23.8 | 24.6 | 23.8 | 24.6 | 24.6 | 23.0 | 8.6 | 23.0 | 22.9 | **7,684.4** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,990.0** |
| H2O | 1966 | 159.3 | 144.7 | 164.3 | 146.9 | 171.7 | 153.4 | 144.7 | 168.7 | 164.6 | 170.1 | 155.4 | 160.1 | **14,987.4** |
| OIL | 1966 | 24.9 | 23.0 | 24.5 | 22.1 | 19.1 | 20.5 | 17.3 | 25.6 | 19.4 | 25.9 | 18.9 | 21.8 | **7,410.6** |
| DAY | 1965 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,627.0** |
| H2O | 1965 | 160.6 | 125.3 | 165.0 | 142.8 | 147.4 | 150.0 | 120.9 | 112.9 | 144.2 | 161.1 | 149.2 | 126.4 | **13,083.5** |
| OIL | 1965 | 31.5 | 30.2 | 31.6 | 31.0 | 30.8 | 27.8 | 27.0 | 23.2 | 27.0 | 27.5 | 23.4 | 30.5 | **7,147.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | **3,268.0** |
| H2O | 1964 | 88.2 | 115.6 | 106.5 | 91.7 | 116.1 | 104.3 | 108.3 | 107.8 | 110.2 | 126.1 | 125.3 | 125.3 | **11,377.7** |
| OIL | 1964 | 29.1 | 28.4 | 28.4 | 32.7 | 25.7 | 21.1 | 23.5 | 23.4 | 26.9 | 23.4 | 20.8 | 29.4 | **6,806.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,906.0** |
| H2O | 1963 | 123.8 | 99.7 | 113.4 | 109.7 | 96.0 | 92.8 | 94.0 | 89.7 | 84.9 | 70.6 | 66.5 | 27.8 | **10,052.3** |
| OIL | 1963 | 37.0 | 24.5 | 32.3 | 29.9 | 25.1 | 26.7 | 29.1 | 29.1 | 28.9 | 32.7 | 37.3 | 24.5 | **6,493.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,544.0** |
| H2O | 1962 | 119.7 | 93.6 | 101.6 | 130.5 | 143.4 | 136.2 | 142.9 | 118.6 | 122.7 | 127.5 | 116.2 | 106.0 | **8,983.4** |
| OIL | 1962 | 35.3 | 30.8 | 34.3 | 34.0 | 35.6 | 37.2 | 40.4 | 39.3 | 39.9 | 29.4 | 34.3 | 34.5 | **6,136.2** |
| DAY | 1961 | 29.0 | 27.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,180.0** |
| H2O | 1961 | 74.9 | 101.6 | 133.7 | 115.4 | 138.6 | 100.2 | 131.8 | 121.3 | 115.7 | 80.0 | 121.0 | 117.8 | **7,524.5** |
| OIL | 1961 | 55.5 | 51.3 | 54.0 | 48.1 | 61.0 | 31.6 | 49.1 | 48.6 | 40.7 | 37.5 | 34.0 | 36.4 | **5,711.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,821.0** |
| H2O | 1960 | 99.8 | 93.2 | 101.7 | 92.8 | 99.8 | 117.8 | 92.0 | 96.8 | 110.0 | 116.9 | 93.0 | 97.0 | **6,172.5** |
| OIL | 1960 | 51.6 | 52.4 | 48.9 | 34.2 | 56.6 | 48.6 | 46.1 | 55.6 | 57.4 | 60.4 | 58.6 | 50.2 | **5,163.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,457.0** |
| H2O | 1959 | 140.2 | 128.5 | 126.1 | 126.1 | 135.8 | 127.7 | 118.3 | 128.9 | 112.6 | 113.7 | 106.7 | 109.2 | **4,961.7** |
| OIL | 1959 | 83.3 | 72.3 | 78.2 | 72.1 | 75.2 | 65.2 | 63.9 | 66.7 | 63.7 | 60.1 | 57.4 | 55.9 | **4,542.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,095.0** |
| H2O | 1958 | 154.7 | 133.9 | 129.3 | 124.0 | 93.2 | 126.5 | 220.0 | 133.4 | 124.8 | 141.5 | 141.3 | 140.9 | **3,487.9** |
| OIL | 1958 | 57.8 | 58.2 | 65.0 | 62.3 | 47.2 | 36.2 | 104.6 | 106.8 | 103.0 | 103.0 | 91.7 | 77.1 | **3,728.8** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | **730.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 106.3 | **1,824.4** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 18.0 | 0.0 | 0.0 | 0.0 | 10.0 | 0.0 | 0.0 | **715.0** |
| H2O | 1956 | 76.5 | 72.3 | 78.5 | 72.0 | 73.8 | 47.5 | 0.0 | 0.0 | 0.0 | 21.5 | 0.0 | 0.0 | **1,718.1** |
| OIL | 1956 | 7.8 | 5.9 | 5.6 | 5.4 | 6.8 | 2.5 | 0.0 | 0.0 | 0.0 | 4.3 | 0.0 | 0.0 | **2,815.9** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 20.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 31.0 | 30.0 | 31.0 | **535.0** |
| H2O | 1955 | 84.3 | 89.5 | 96.0 | 59.0 | 0.0 | 0.0 | 0.0 | 0.0 | 38.3 | 80.9 | 66.8 | 73.4 | **1,276.0** |
| OIL | 1955 | 8.6 | 9.5 | 9.9 | 5.9 | 0.0 | 0.0 | 0.0 | 0.0 | 6.2 | 16.2 | 18.6 | 11.6 | **2,777.6** |
| DAY | 1954 | 0.0 | 0.0 | 15.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **321.0** |

# Manitoba Production
## 1950 To 1975

Licence ***180*** Well Name ***Kiwi Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1954 | 0.0 | 0.0 | 9.2 | 43.7 | 38.6 | 28.0 | 52.9 | 47.2 | 57.8 | 71.2 | 44.0 | 71.4 | **687.8** |
| OIL | 1954 | 0.0 | 0.0 | 28.3 | 25.3 | 23.2 | 21.6 | 19.9 | 21.0 | 16.5 | 18.6 | 12.6 | 16.2 | **2,691.1** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 1.0 | **31.0** |
| H2O | 1953 | 0.0 | 22.1 | 29.3 | 1.7 | 0.0 | 6.0 | 16.4 | 4.3 | 9.4 | 4.3 | 98.9 | 1.9 | **223.8** |
| OIL | 1953 | 188.0 | 191.6 | 195.9 | 203.7 | 212.8 | 204.4 | 177.5 | 146.7 | 144.6 | 146.8 | 146.2 | 1.9 | **2,487.9** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.0 | 9.2 | 0.0 | 20.0 | **29.5** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 167.7 | 88.5 | 11.0 | 137.8 | 122.8 | **527.8** |

Licence ***181*** Well Name ***Owen Tilston Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-32-005-29W1.00*** Field Name ***Tilston*** Pool Name ***Mission Canyon 1 A*** Field Code ***2*** Pool Code ***44A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **271.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **22,963.1** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,049.0** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **271.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **22,963.1** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,049.0** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **271.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **22,963.1** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,049.0** |
| DAY | 1956 | 16.0 | 5.0 | 0.0 | 5.0 | 9.0 | 30.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **271.0** |
| H2O | 1956 | 26.7 | 7.0 | 0.0 | 10.3 | 31.3 | 163.0 | 379.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **22,963.1** |
| OIL | 1956 | 16.4 | 11.3 | 0.0 | 9.7 | 38.3 | 91.2 | 64.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,049.0** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 17.0 | 0.0 | 0.0 | 22.0 | 29.0 | 30.0 | 29.0 | 28.0 | 20.0 | **175.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 6.7 | 0.0 | 0.0 | 10.2 | 19.7 | 5.7 | 22.1 | 19.7 | 14.1 | **22,344.9** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 104.5 | 0.0 | 0.0 | 117.0 | 96.7 | 88.4 | 88.4 | 71.9 | 33.1 | **2,817.6** |
| H2O | 1953 | 731.2 | 1029.8 | 1332.2 | 1168.3 | 2092.2 | 2053.2 | 1704.0 | 2142.0 | 2017.9 | 2246.2 | 2596.3 | 2122.3 | **22,246.7** |
| OIL | 1953 | 243.6 | 179.9 | 147.9 | 174.5 | 181.8 | 154.5 | 138.1 | 136.7 | 106.2 | 95.8 | 110.1 | 71.0 | **2,217.6** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 48.3 | 272.5 | 276.6 | 351.2 | 62.5 | **1,011.1** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 119.5 | 144.1 | 87.1 | 107.1 | 19.7 | **477.5** |

Licence ***183*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 27.0 | 29.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **8,467.0** |
| H2O | 1975 | 125.3 | 94.1 | 107.5 | 123.8 | 126.1 | 86.5 | 87.1 | 83.9 | 89.5 | 86.8 | 102.9 | 92.8 | **20,516.3** |
| OIL | 1975 | 101.1 | 79.3 | 90.7 | 87.7 | 104.7 | 97.6 | 103.6 | 103.8 | 97.7 | 99.6 | 106.2 | 113.1 | **80,092.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **8,109.0** |
| H2O | 1974 | 120.3 | 107.0 | 119.7 | 114.5 | 121.0 | 116.1 | 134.3 | 142.1 | 150.7 | 150.7 | 149.0 | 152.9 | **19,310.0** |
| OIL | 1974 | 126.5 | 114.1 | 123.0 | 125.2 | 129.4 | 122.0 | 112.0 | 99.8 | 101.9 | 104.1 | 97.7 | 98.0 | **78,907.4** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,744.0** |
| H2O | 1973 | 135.0 | 123.5 | 132.1 | 133.7 | 143.4 | 142.3 | 121.9 | 119.6 | 117.0 | 120.5 | 116.1 | 116.9 | **17,731.7** |
| OIL | 1973 | 125.2 | 111.1 | 123.2 | 123.6 | 125.2 | 118.7 | 139.8 | 123.2 | 135.2 | 134.9 | 125.5 | 128.1 | **77,553.7** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,379.0** |
| H2O | 1972 | 143.7 | 134.7 | 136.4 | 128.9 | 130.7 | 131.6 | 136.4 | 137.8 | 132.0 | 140.2 | 128.6 | 133.2 | **16,209.7** |
| OIL | 1972 | 132.2 | 124.4 | 131.9 | 127.3 | 130.0 | 125.1 | 128.6 | 129.2 | 124.9 | 128.6 | 123.5 | 125.1 | **76,040.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,013.0** |
| H2O | 1971 | 66.9 | 65.7 | 110.2 | 116.7 | 132.7 | 130.8 | 140.2 | 144.8 | 151.3 | 144.5 | 135.8 | 136.1 | **14,595.5** |
| OIL | 1971 | 124.3 | 112.3 | 116.0 | 112.2 | 116.5 | 132.2 | 136.8 | 135.6 | 128.7 | 132.7 | 130.1 | 133.3 | **74,509.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,648.0** |
| H2O | 1970 | 62.8 | 61.5 | 71.9 | 56.3 | 104.8 | 146.6 | 83.6 | 79.8 | 68.4 | 60.3 | 47.5 | 49.3 | **13,119.8** |

# Manitoba Production
## 1950 To 1975

Licence ***183*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1970 | 119.2 | 106.3 | 117.0 | 112.2 | 104.1 | 162.4 | 134.1 | 150.3 | 141.1 | 144.3 | 121.6 | 124.9 | **72,998.5** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 22.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,287.0** |
| H2O | 1969 | 80.1 | 67.6 | 64.5 | 37.5 | 105.4 | 56.3 | 71.4 | 75.5 | 64.2 | 53.3 | 43.6 | 60.1 | **12,227.0** |
| OIL | 1969 | 126.2 | 118.4 | 127.1 | 124.1 | 125.7 | 91.8 | 121.6 | 123.9 | 124.6 | 98.8 | 88.5 | 114.4 | **71,461.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,933.0** |
| H2O | 1968 | 91.9 | 87.9 | 100.3 | 73.8 | 83.6 | 92.4 | 97.9 | 86.0 | 77.9 | 63.9 | 75.7 | 84.3 | **11,447.5** |
| OIL | 1968 | 151.8 | 139.4 | 152.4 | 144.9 | 149.5 | 136.0 | 142.7 | 147.2 | 142.2 | 145.4 | 123.2 | 127.0 | **70,075.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 27.0 | **5,567.0** |
| H2O | 1967 | 87.6 | 75.7 | 99.5 | 87.9 | 87.4 | 92.5 | 84.7 | 82.0 | 79.2 | 83.8 | 104.0 | 112.9 | **10,431.9** |
| OIL | 1967 | 155.3 | 142.4 | 146.7 | 154.0 | 153.5 | 156.7 | 166.5 | 145.4 | 142.2 | 148.4 | 186.2 | 173.2 | **68,374.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,208.0** |
| H2O | 1966 | 99.8 | 97.9 | 104.8 | 100.2 | 116.2 | 93.2 | 85.1 | 92.5 | 214.0 | 90.0 | 102.5 | 86.0 | **9,354.7** |
| OIL | 1966 | 166.5 | 158.4 | 189.6 | 187.7 | 189.7 | 168.9 | 192.1 | 170.5 | 165.3 | 172.6 | 162.4 | 166.4 | **66,503.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,843.0** |
| H2O | 1965 | 121.0 | 170.3 | 90.1 | 94.8 | 96.8 | 110.3 | 104.8 | 102.9 | 126.9 | 128.1 | 119.4 | 96.0 | **8,072.5** |
| OIL | 1965 | 202.5 | 196.7 | 216.3 | 209.9 | 209.9 | 192.4 | 194.7 | 223.1 | 195.3 | 200.1 | 193.1 | 236.6 | **64,413.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **4,480.0** |
| H2O | 1964 | 73.0 | 75.5 | 90.5 | 96.0 | 103.8 | 87.0 | 97.5 | 95.2 | 100.0 | 94.0 | 90.5 | 105.9 | **6,711.1** |
| OIL | 1964 | 259.0 | 234.9 | 245.7 | 235.8 | 233.9 | 227.6 | 226.8 | 226.3 | 230.9 | 240.4 | 192.6 | 221.5 | **61,943.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,117.0** |
| H2O | 1963 | 13.5 | 72.5 | 72.8 | 71.2 | 61.7 | 44.8 | 59.5 | 70.4 | 56.9 | 68.0 | 84.3 | 81.4 | **5,602.2** |
| OIL | 1963 | 289.5 | 287.6 | 293.8 | 284.4 | 276.7 | 270.5 | 274.9 | 254.7 | 240.9 | 266.2 | 243.8 | 245.0 | **59,167.6** |
| DAY | 1962 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,754.0** |
| H2O | 1962 | 99.5 | 80.3 | 74.9 | 71.2 | 74.1 | 69.0 | 98.6 | 44.4 | 13.7 | 66.6 | 48.6 | 0.0 | **4,845.2** |
| OIL | 1962 | 377.3 | 329.9 | 327.7 | 338.2 | 344.0 | 317.3 | 335.9 | 318.0 | 318.1 | 319.9 | 297.8 | 313.4 | **55,939.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,391.0** |
| H2O | 1961 | 69.5 | 60.1 | 66.0 | 60.7 | 66.3 | 65.7 | 55.5 | 46.9 | 45.2 | 66.6 | 69.6 | 78.4 | **4,104.3** |
| OIL | 1961 | 397.3 | 370.4 | 380.7 | 373.4 | 364.5 | 339.3 | 356.8 | 352.9 | 319.6 | 323.1 | 302.6 | 317.5 | **52,002.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,026.0** |
| H2O | 1960 | 66.1 | 53.6 | 69.3 | 80.0 | 73.0 | 63.1 | 54.4 | 49.8 | 53.4 | 15.4 | 66.1 | 46.3 | **3,353.8** |
| OIL | 1960 | 445.6 | 425.1 | 443.2 | 412.1 | 436.0 | 431.1 | 437.8 | 423.8 | 415.9 | 423.2 | 393.5 | 396.5 | **47,804.0** |
| DAY | 1959 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **2,660.0** |
| H2O | 1959 | 57.7 | 52.5 | 70.3 | 61.7 | 81.1 | 54.8 | 51.4 | 40.2 | 67.4 | 53.3 | 49.8 | 61.4 | **2,663.3** |
| OIL | 1959 | 475.1 | 440.2 | 507.4 | 483.6 | 471.0 | 467.0 | 474.5 | 465.6 | 458.0 | 470.9 | 462.1 | 474.7 | **42,720.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,301.0** |
| H2O | 1958 | 55.0 | 53.3 | 63.4 | 62.2 | 64.4 | 64.5 | 57.2 | 50.7 | 53.3 | 66.0 | 103.3 | 64.4 | **1,961.7** |
| OIL | 1958 | 503.6 | 477.5 | 494.5 | 533.8 | 550.3 | 526.5 | 515.2 | 488.6 | 441.6 | 450.4 | 471.8 | 482.1 | **37,070.1** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,938.0** |
| H2O | 1957 | 25.8 | 17.2 | 15.3 | 14.0 | 9.7 | 43.6 | 31.2 | 50.2 | 52.3 | 49.1 | 48.6 | 56.9 | **1,204.0** |
| OIL | 1957 | 379.5 | 311.1 | 311.0 | 323.2 | 388.5 | 377.9 | 351.7 | 394.6 | 419.8 | 422.7 | 404.6 | 455.3 | **31,134.2** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,575.0** |
| H2O | 1956 | 15.9 | 17.5 | 24.6 | 23.8 | 36.6 | 24.8 | 19.2 | 18.4 | 28.1 | 25.8 | 24.6 | 23.2 | **790.1** |
| OIL | 1956 | 410.0 | 492.5 | 582.9 | 663.1 | 745.6 | 754.5 | 779.3 | 710.0 | 613.1 | 562.2 | 424.4 | 326.6 | **26,594.3** |
| DAY | 1955 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 29.0 | 30.0 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,210.0** |
| H2O | 1955 | 9.4 | 7.6 | 6.4 | 4.5 | 6.8 | 7.3 | 1.0 | 2.2 | 20.0 | 48.5 | 59.3 | 1.6 | **507.6** |
| OIL | 1955 | 413.5 | 440.7 | 523.1 | 545.7 | 681.2 | 797.9 | 695.7 | 608.9 | 632.6 | 596.9 | 470.7 | 418.3 | **19,530.1** |
| DAY | 1954 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **855.0** |
| H2O | 1954 | 8.3 | 4.9 | 9.5 | 15.6 | 5.1 | 5.1 | 7.2 | 10.2 | 21.1 | 12.6 | 32.9 | 9.2 | **333.0** |
| OIL | 1954 | 525.7 | 458.9 | 518.4 | 518.8 | 551.4 | 557.0 | 553.5 | 524.6 | 480.5 | 463.2 | 440.5 | 453.8 | **12,704.9** |
| DAY | 1953 | 31.0 | 28.0 | 31.0 | 27.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **491.0** |
| H2O | 1953 | 9.1 | 11.0 | 9.2 | 7.9 | 12.4 | 10.7 | 15.4 | 8.1 | 14.1 | 6.4 | 7.9 | 6.5 | **191.3** |
| OIL | 1953 | 446.5 | 352.1 | 300.7 | 257.6 | 297.2 | 304.6 | 292.6 | 316.9 | 380.4 | 495.0 | 568.7 | 551.7 | **6,658.6** |

# Manitoba Production
## 1950 To 1975

Licence ***183*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 15.0 | 11.0 | 21.0 | 25.0 | 30.0 | **132.0** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.1 | 5.6 | 27.5 | 20.8 | 14.6 | **72.6** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.9 | 262.8 | 196.1 | 573.5 | 490.6 | 544.7 | **2,094.6** |

Licence ***184*** Well Name ***Enerplus Waskada*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-13-001-26W1.00*** Field Name ***Waskada*** Pool Name ***Mission Canyon 1 B*** Field Code ***3*** Pool Code ***44B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1953 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 26.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **176.0** |
| H2O | 1953 | 548.3 | 511.9 | 552.8 | 523.9 | 616.2 | 196.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,795.3** |
| OIL | 1953 | 49.2 | 53.8 | 47.0 | 39.4 | 53.6 | 12.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **636.3** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 65.5 | 399.7 | 680.3 | 699.9 | **1,845.4** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 59.1 | 154.0 | 103.1 | 64.5 | **380.7** |

Licence ***189*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 24.0 | 25.0 | **8,418.0** |
| H2O | 1975 | 23.4 | 19.7 | 21.6 | 28.0 | 23.5 | 15.9 | 16.2 | 15.7 | 16.7 | 15.1 | 15.4 | 14.0 | **15,834.1** |
| OIL | 1975 | 175.9 | 154.9 | 170.0 | 184.3 | 182.1 | 167.2 | 180.0 | 180.8 | 170.0 | 162.2 | 147.8 | 158.9 | **72,348.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **8,067.0** |
| H2O | 1974 | 39.7 | 35.3 | 40.4 | 37.8 | 39.3 | 38.5 | 25.0 | 26.4 | 28.0 | 28.1 | 27.7 | 28.5 | **15,608.9** |
| OIL | 1974 | 178.8 | 161.5 | 176.7 | 177.0 | 179.3 | 172.6 | 194.8 | 173.8 | 177.3 | 181.0 | 170.0 | 170.7 | **70,314.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,702.0** |
| H2O | 1973 | 5.4 | 4.9 | 5.4 | 5.4 | 5.7 | 5.7 | 40.4 | 39.6 | 38.6 | 39.9 | 38.3 | 38.8 | **15,214.2** |
| OIL | 1973 | 202.6 | 179.9 | 199.7 | 200.4 | 202.6 | 192.1 | 197.7 | 174.2 | 191.2 | 190.5 | 177.2 | 181.0 | **68,200.7** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,337.0** |
| H2O | 1972 | 5.7 | 5.4 | 5.6 | 5.2 | 5.2 | 5.2 | 5.6 | 5.6 | 5.2 | 5.7 | 5.2 | 5.4 | **14,946.1** |
| OIL | 1972 | 214.2 | 201.3 | 213.7 | 206.3 | 210.9 | 202.8 | 208.3 | 209.3 | 202.3 | 208.2 | 199.9 | 202.3 | **65,911.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,971.0** |
| H2O | 1971 | 53.1 | 52.0 | 7.6 | 8.1 | 9.2 | 3.8 | 5.7 | 5.9 | 6.0 | 5.9 | 5.4 | 5.6 | **14,881.1** |
| OIL | 1971 | 225.3 | 203.9 | 227.4 | 219.8 | 229.3 | 221.7 | 221.4 | 219.6 | 206.6 | 219.3 | 210.6 | 215.8 | **63,432.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,606.0** |
| H2O | 1970 | 35.0 | 35.1 | 41.0 | 32.3 | 5.7 | 6.0 | 38.3 | 41.3 | 37.8 | 33.4 | 37.7 | 39.1 | **14,712.8** |
| OIL | 1970 | 218.7 | 199.7 | 220.1 | 211.2 | 243.1 | 254.6 | 209.3 | 219.8 | 221.4 | 226.4 | 220.2 | 226.6 | **60,811.4** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,241.0** |
| H2O | 1969 | 69.8 | 55.5 | 56.1 | 32.7 | 69.0 | 54.5 | 53.6 | 52.8 | 43.4 | 37.4 | 37.5 | 35.3 | **14,330.1** |
| OIL | 1969 | 228.7 | 203.6 | 230.9 | 225.2 | 229.8 | 233.8 | 239.2 | 227.9 | 220.1 | 182.0 | 177.0 | 221.2 | **58,140.3** |
| DAY | 1968 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,878.0** |
| H2O | 1968 | 71.4 | 73.8 | 66.3 | 52.1 | 59.3 | 63.6 | 66.6 | 59.8 | 66.5 | 54.5 | 65.7 | 73.3 | **13,732.5** |
| OIL | 1968 | 228.8 | 226.8 | 236.8 | 241.2 | 249.0 | 221.8 | 230.3 | 225.3 | 220.2 | 225.3 | 223.3 | 230.1 | **55,520.9** |
| DAY | 1967 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,515.0** |
| H2O | 1967 | 113.7 | 102.4 | 134.7 | 108.1 | 112.9 | 99.7 | 92.5 | 92.5 | 100.2 | 87.6 | 63.6 | 75.5 | **12,959.6** |
| OIL | 1967 | 247.1 | 236.5 | 243.5 | 259.5 | 242.0 | 246.5 | 255.5 | 229.9 | 240.6 | 255.5 | 223.6 | 227.7 | **52,762.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,152.0** |
| H2O | 1966 | 106.7 | 104.8 | 111.9 | 93.0 | 99.2 | 98.7 | 113.5 | 120.5 | 271.9 | 111.9 | 98.4 | 116.5 | **11,776.2** |
| OIL | 1966 | 240.4 | 228.7 | 264.9 | 238.2 | 266.8 | 244.7 | 254.6 | 256.8 | 240.6 | 248.9 | 221.5 | 276.2 | **49,854.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,788.0** |
| H2O | 1965 | 156.4 | 215.3 | 121.8 | 116.7 | 120.8 | 112.9 | 115.7 | 108.9 | 147.1 | 138.3 | 104.1 | 92.7 | **10,329.2** |
| OIL | 1965 | 262.7 | 250.1 | 274.4 | 269.8 | 274.9 | 268.2 | 279.2 | 274.4 | 278.7 | 265.7 | 254.4 | 296.4 | **46,871.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,423.0** |
| H2O | 1964 | 126.9 | 131.5 | 123.1 | 136.4 | 128.6 | 121.0 | 144.4 | 125.4 | 121.5 | 129.9 | 125.6 | 137.2 | **8,778.5** |

# Manitoba Production
## 1950 To 1975

Licence ***189*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1964 | 298.6 | 270.8 | 285.7 | 273.5 | 283.0 | 285.7 | 279.7 | 284.6 | 266.5 | 292.1 | 268.4 | 287.5 | **43,622.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,058.0** |
| H2O | 1963 | 198.7 | 130.0 | 151.8 | 132.1 | 147.5 | 158.7 | 134.8 | 140.2 | 117.0 | 125.3 | 147.1 | 142.6 | **7,227.0** |
| OIL | 1963 | 282.5 | 274.9 | 363.4 | 312.1 | 316.1 | 290.6 | 294.0 | 315.9 | 308.4 | 306.4 | 293.0 | 295.3 | **40,246.8** |
| DAY | 1962 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,697.0** |
| H2O | 1962 | 131.0 | 114.3 | 131.6 | 118.3 | 117.2 | 131.3 | 74.1 | 152.3 | 180.6 | 135.3 | 133.5 | 228.1 | **5,501.2** |
| OIL | 1962 | 372.5 | 330.1 | 345.3 | 310.5 | 317.3 | 317.3 | 328.1 | 311.6 | 284.1 | 281.7 | 271.9 | 284.0 | **36,594.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,335.0** |
| H2O | 1961 | 150.4 | 147.5 | 152.1 | 137.5 | 131.8 | 107.9 | 82.5 | 105.7 | 103.7 | 125.6 | 111.4 | 113.4 | **3,853.6** |
| OIL | 1961 | 328.5 | 307.2 | 348.8 | 317.5 | 338.8 | 313.8 | 320.7 | 326.6 | 286.7 | 289.4 | 337.0 | 351.5 | **32,839.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,971.0** |
| H2O | 1960 | 72.8 | 107.2 | 106.8 | 124.3 | 126.1 | 119.7 | 104.6 | 109.7 | 127.5 | 64.1 | 180.3 | 192.7 | **2,384.1** |
| OIL | 1960 | 408.4 | 359.9 | 370.9 | 369.5 | 382.2 | 339.9 | 395.7 | 370.7 | 331.6 | 369.3 | 356.9 | 356.8 | **28,973.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,608.0** |
| H2O | 1959 | 17.8 | 31.6 | 55.8 | 50.6 | 52.5 | 64.4 | 69.2 | 75.5 | 74.7 | 76.5 | 72.3 | 80.1 | **948.3** |
| OIL | 1959 | 448.1 | 404.1 | 438.8 | 429.2 | 428.9 | 391.6 | 422.5 | 420.0 | 403.5 | 400.1 | 396.3 | 389.3 | **24,561.5** |
| DAY | 1958 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **2,243.0** |
| H2O | 1958 | 3.0 | 1.1 | 1.4 | 6.2 | 1.6 | 1.7 | 3.5 | 1.9 | 0.0 | 0.0 | 6.2 | 14.1 | **227.3** |
| OIL | 1958 | 437.5 | 444.2 | 494.1 | 474.7 | 515.3 | 488.3 | 484.8 | 448.8 | 393.6 | 431.4 | 425.4 | 445.9 | **19,589.1** |
| DAY | 1957 | 31.0 | 26.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,881.0** |
| H2O | 1957 | 2.1 | 2.7 | 2.9 | 2.4 | 2.5 | 1.9 | 1.6 | 0.8 | 5.6 | 4.6 | 1.9 | 1.0 | **186.6** |
| OIL | 1957 | 262.0 | 227.4 | 240.4 | 251.1 | 268.1 | 280.0 | 276.7 | 270.0 | 263.2 | 274.6 | 233.0 | 338.6 | **14,105.1** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,523.0** |
| H2O | 1956 | 0.3 | 0.6 | 0.8 | 2.2 | 2.9 | 1.6 | 1.9 | 1.0 | 1.4 | 3.2 | 1.9 | 0.6 | **156.6** |
| OIL | 1956 | 230.3 | 229.0 | 259.3 | 271.3 | 293.7 | 301.5 | 321.0 | 325.1 | 313.5 | 322.3 | 309.4 | 306.7 | **10,920.0** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,157.0** |
| H2O | 1955 | 2.1 | 2.4 | 2.1 | 1.3 | 2.7 | 2.4 | 1.9 | 1.6 | 1.4 | 0.0 | 0.0 | 1.3 | **138.2** |
| OIL | 1955 | 150.2 | 144.9 | 175.3 | 187.7 | 224.1 | 216.6 | 244.2 | 253.9 | 249.6 | 256.6 | 231.1 | 229.1 | **7,436.9** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 30.0 | **792.0** |
| H2O | 1954 | 3.2 | 2.2 | 2.9 | 3.0 | 6.0 | 5.9 | 3.3 | 3.5 | 6.2 | 4.6 | 14.3 | 0.3 | **119.0** |
| OIL | 1954 | 156.5 | 141.9 | 158.4 | 155.7 | 165.1 | 162.2 | 148.6 | 154.5 | 140.2 | 125.1 | 130.0 | 141.1 | **4,873.6** |
| DAY | 1953 | 24.0 | 27.0 | 31.0 | 26.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **432.0** |
| H2O | 1953 | 2.7 | 6.5 | 5.2 | 1.9 | 2.1 | 6.2 | 6.0 | 4.6 | 3.0 | 2.5 | 2.1 | 2.2 | **63.6** |
| OIL | 1953 | 274.1 | 315.4 | 257.1 | 191.0 | 209.9 | 199.3 | 196.3 | 192.6 | 159.2 | 173.1 | 161.3 | 160.5 | **3,094.3** |
| DAY | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 26.0 | 31.0 | **84.0** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.9 | 2.4 | 11.3 | **18.6** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 147.5 | 91.2 | 365.2 | **604.5** |

Licence ***190*** Well Name ***Recovery Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 12.0 | 12.0 | 31.0 | 17.0 | 25.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,924.0** |
| H2O | 1958 | 41.3 | 50.9 | 90.5 | 196.8 | 242.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,789.8** |
| OIL | 1958 | 3.3 | 4.0 | 5.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,977.8** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,827.0** |
| H2O | 1957 | 40.4 | 68.2 | 52.1 | 41.3 | 79.8 | 101.9 | 79.5 | 91.9 | 103.3 | 104.0 | 90.1 | 108.4 | **3,168.0** |
| OIL | 1957 | 7.2 | 5.9 | 6.7 | 7.2 | 9.4 | 9.2 | 9.5 | 8.1 | 7.0 | 6.2 | 7.6 | 7.2 | **1,964.7** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,465.0** |
| H2O | 1956 | 70.6 | 68.0 | 74.1 | 77.6 | 71.5 | 68.8 | 75.2 | 42.4 | 42.4 | 42.3 | 47.4 | 43.1 | **2,207.1** |
| OIL | 1956 | 10.5 | 9.2 | 7.5 | 4.6 | 5.9 | 8.1 | 12.6 | 13.0 | 12.7 | 9.9 | 8.3 | 6.8 | **1,873.5** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,101.0** |

# Manitoba Production
## 1950 To 1975

Licence ***190*** Well Name ***Recovery Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1955 | 68.4 | 86.5 | 95.7 | 79.2 | 45.9 | 47.4 | 65.7 | 81.7 | 76.0 | 57.1 | 46.7 | 63.6 | **1,483.7** |
| OIL | 1955 | 39.9 | 29.7 | 28.9 | 24.2 | 20.7 | 14.1 | 10.8 | 8.3 | 12.2 | 11.4 | 14.9 | 13.2 | **1,764.4** |
| DAY | 1954 | 23.0 | 25.0 | 25.0 | 27.0 | 21.0 | 25.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **738.0** |
| H2O | 1954 | 21.1 | 16.7 | 40.1 | 27.5 | 14.6 | 41.5 | 32.0 | 44.2 | 50.2 | 52.8 | 34.0 | 55.5 | **669.8** |
| OIL | 1954 | 36.5 | 39.1 | 41.2 | 48.5 | 35.1 | 37.0 | 44.5 | 42.1 | 44.0 | 49.3 | 46.7 | 50.2 | **1,536.1** |
| DAY | 1953 | 31.0 | 28.0 | 5.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **408.0** |
| H2O | 1953 | 16.7 | 7.9 | 1.9 | 9.4 | 31.0 | 30.0 | 20.3 | 26.5 | 7.8 | 1.6 | 29.4 | 44.7 | **239.6** |
| OIL | 1953 | 71.4 | 65.2 | 12.1 | 69.8 | 121.2 | 144.6 | 100.9 | 75.6 | 90.3 | 79.1 | 73.9 | 47.2 | **1,021.9** |
| DAY | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 0.0 | 30.0 | 12.0 | **69.0** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 0.0 | 0.0 | 11.1 | **12.4** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.7 | 0.0 | 30.5 | 12.4 | **70.6** |

Licence ***191*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-01-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **8,335.0** |
| H2O | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 14.5 | 13.8 | 15.4 | 13.7 | 12.1 | **1,082.5** |
| OIL | 1975 | 118.2 | 108.9 | 122.2 | 121.7 | 122.5 | 117.1 | 124.3 | 128.6 | 123.6 | 124.9 | 113.3 | 124.7 | **40,331.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,972.0** |
| H2O | 1974 | 7.5 | 6.2 | 7.3 | 8.4 | 8.1 | 7.5 | 4.6 | 5.1 | 5.4 | 7.6 | 0.0 | 0.0 | **1,000.0** |
| OIL | 1974 | 149.4 | 130.0 | 147.6 | 141.9 | 146.0 | 133.8 | 123.8 | 156.4 | 135.2 | 141.3 | 116.6 | 111.9 | **38,881.7** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,609.0** |
| H2O | 1973 | 7.5 | 6.5 | 7.2 | 3.5 | 8.7 | 4.0 | 8.3 | 8.4 | 7.2 | 8.6 | 7.9 | 7.2 | **932.3** |
| OIL | 1973 | 146.4 | 130.5 | 147.3 | 128.9 | 173.7 | 156.5 | 141.0 | 152.7 | 144.0 | 150.8 | 138.7 | 144.3 | **37,247.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,244.0** |
| H2O | 1972 | 4.3 | 4.9 | 5.1 | 6.2 | 3.7 | 2.4 | 0.8 | 1.1 | 6.5 | 6.4 | 5.6 | 7.3 | **847.3** |
| OIL | 1972 | 146.4 | 139.2 | 176.1 | 147.9 | 165.1 | 148.7 | 146.5 | 148.1 | 138.3 | 149.5 | 142.1 | 145.2 | **35,493.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,878.0** |
| H2O | 1971 | 4.9 | 4.9 | 7.6 | 10.0 | 18.4 | 14.5 | 2.1 | 6.4 | 6.7 | 6.2 | 4.9 | 3.0 | **793.0** |
| OIL | 1971 | 138.7 | 127.1 | 124.1 | 133.0 | 133.5 | 136.0 | 158.3 | 158.6 | 145.7 | 151.6 | 145.6 | 148.1 | **33,699.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,513.0** |
| H2O | 1970 | 4.1 | 4.6 | 4.9 | 4.6 | 0.0 | 3.5 | 11.9 | 8.9 | 4.0 | 1.4 | 2.5 | 8.3 | **703.4** |
| OIL | 1970 | 151.6 | 136.7 | 151.1 | 145.9 | 128.7 | 149.5 | 151.1 | 147.8 | 130.5 | 142.2 | 129.0 | 140.2 | **31,999.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,152.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.4 | 0.0 | 1.1 | 0.0 | 3.8 | **644.7** |
| OIL | 1969 | 141.0 | 128.7 | 144.4 | 138.3 | 139.5 | 144.9 | 160.7 | 164.0 | 163.0 | 164.5 | 146.4 | 152.7 | **30,295.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,787.0** |
| H2O | 1968 | 2.9 | 3.7 | 4.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **638.4** |
| OIL | 1968 | 149.5 | 135.2 | 146.8 | 152.2 | 155.6 | 146.5 | 151.1 | 153.5 | 147.3 | 148.9 | 138.9 | 141.6 | **28,507.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,421.0** |
| H2O | 1967 | 4.3 | 4.5 | 5.2 | 7.5 | 3.5 | 4.5 | 1.9 | 1.4 | 11.1 | 5.7 | 4.8 | 5.7 | **627.3** |
| OIL | 1967 | 160.0 | 143.3 | 155.6 | 146.2 | 161.1 | 152.1 | 153.7 | 155.3 | 151.6 | 169.2 | 129.4 | 147.6 | **26,740.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,057.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 0.2 | 0.2 | 1.1 | 4.3 | **567.2** |
| OIL | 1966 | 169.6 | 157.0 | 176.1 | 166.2 | 170.8 | 164.3 | 173.5 | 183.4 | 167.2 | 170.4 | 155.6 | 159.7 | **24,915.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,692.0** |
| H2O | 1965 | 4.3 | 1.7 | 2.7 | 3.5 | 3.2 | 3.3 | 3.3 | 4.0 | 3.2 | 3.5 | 0.0 | 0.0 | **560.8** |
| OIL | 1965 | 166.9 | 152.6 | 168.1 | 164.0 | 169.1 | 146.2 | 155.6 | 151.3 | 149.5 | 178.1 | 63.4 | 185.1 | **22,901.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,327.0** |
| H2O | 1964 | 4.6 | 5.6 | 1.3 | 1.6 | 2.1 | 2.2 | 2.1 | 3.2 | 0.6 | 2.2 | 1.9 | 2.7 | **528.1** |
| OIL | 1964 | 176.2 | 170.2 | 179.6 | 177.2 | 183.4 | 176.9 | 168.6 | 174.8 | 177.0 | 177.8 | 161.1 | 170.5 | **21,051.3** |

# Manitoba Production
## 1950 To 1975

Licence ***191*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-01-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,965.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.9 | 3.5 | 2.4 | 1.9 | 4.1 | 4.5 | 5.2 | **498.0** |
| OIL | 1963 | 181.2 | 169.6 | 181.5 | 174.6 | 190.5 | 176.7 | 184.7 | 177.5 | 175.8 | 175.8 | 169.9 | 175.4 | **18,958.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,602.0** |
| H2O | 1962 | 0.8 | 3.0 | 1.3 | 1.6 | 1.6 | 0.8 | 0.8 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | **473.5** |
| OIL | 1962 | 184.0 | 161.5 | 181.0 | 170.7 | 191.8 | 162.6 | 155.9 | 170.8 | 194.5 | 185.6 | 177.3 | 184.8 | **16,824.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,237.0** |
| H2O | 1961 | 2.4 | 0.6 | 1.9 | 2.5 | 1.4 | 0.2 | 0.6 | 1.1 | 0.2 | 2.2 | 1.4 | 1.3 | **463.4** |
| OIL | 1961 | 197.4 | 186.9 | 206.3 | 189.1 | 192.1 | 192.4 | 198.3 | 186.1 | 202.8 | 201.2 | 189.7 | 185.8 | **14,704.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,875.0** |
| H2O | 1960 | 2.1 | 3.5 | 3.5 | 2.5 | 1.7 | 2.4 | 3.3 | 0.3 | 0.0 | 0.8 | 1.7 | 4.1 | **447.6** |
| OIL | 1960 | 195.5 | 180.5 | 202.6 | 194.8 | 201.2 | 203.4 | 203.7 | 207.4 | 211.5 | 213.1 | 200.7 | 200.7 | **12,376.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 29.0 | 31.0 | 29.0 | 25.0 | 30.0 | 31.0 | **2,509.0** |
| H2O | 1959 | 3.7 | 1.7 | 2.2 | 1.7 | 0.0 | 0.5 | 0.0 | 0.0 | 0.0 | 0.5 | 1.4 | 1.4 | **421.7** |
| OIL | 1959 | 181.6 | 159.5 | 183.9 | 165.6 | 171.8 | 168.9 | 176.2 | 186.4 | 175.6 | 155.4 | 177.7 | 203.6 | **9,961.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,155.0** |
| H2O | 1958 | 0.6 | 0.0 | 0.0 | 0.0 | 0.2 | 1.6 | 0.5 | 0.3 | 1.1 | 2.1 | 3.8 | 1.6 | **408.6** |
| OIL | 1958 | 125.7 | 126.3 | 151.4 | 141.7 | 216.6 | 196.9 | 181.8 | 169.2 | 152.2 | 183.9 | 175.4 | 180.5 | **7,854.9** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 27.0 | 27.0 | 30.0 | 29.0 | 31.0 | **1,790.0** |
| H2O | 1957 | 0.8 | 1.1 | 0.5 | 0.5 | 0.5 | 0.5 | 1.4 | 1.4 | 0.0 | 0.3 | 0.8 | 0.3 | **396.8** |
| OIL | 1957 | 78.3 | 72.3 | 76.9 | 62.3 | 66.1 | 67.7 | 78.5 | 67.7 | 73.9 | 80.2 | 68.8 | 91.5 | **5,853.3** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,438.0** |
| H2O | 1956 | 2.1 | 2.5 | 2.2 | 3.2 | 4.8 | 1.6 | 2.9 | 0.6 | 0.5 | 0.3 | 1.0 | 0.6 | **388.7** |
| OIL | 1956 | 88.7 | 83.0 | 88.7 | 84.9 | 81.7 | 84.7 | 81.7 | 57.2 | 77.5 | 89.1 | 81.8 | 88.0 | **4,969.1** |
| DAY | 1955 | 31.0 | 28.0 | 30.0 | 30.0 | 20.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,075.0** |
| H2O | 1955 | 3.0 | 2.2 | 3.0 | 6.0 | 4.8 | 38.0 | 19.4 | 25.9 | 6.7 | 1.4 | 1.3 | 2.4 | **366.4** |
| OIL | 1955 | 99.3 | 80.4 | 89.3 | 94.7 | 63.9 | 88.7 | 88.2 | 118.2 | 94.7 | 98.5 | 89.0 | 81.7 | **3,982.1** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 21.0 | **722.0** |
| H2O | 1954 | 8.1 | 2.1 | 3.2 | 7.8 | 5.7 | 5.6 | 4.8 | 4.5 | 4.9 | 15.7 | 2.4 | 18.6 | **252.3** |
| OIL | 1954 | 102.5 | 122.7 | 129.7 | 97.1 | 83.3 | 114.4 | 121.4 | 112.7 | 107.9 | 105.4 | 99.0 | 103.5 | **2,895.5** |
| DAY | 1953 | 28.0 | 25.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **370.0** |
| H2O | 1953 | 3.8 | 42.1 | 16.1 | 12.9 | 14.0 | 16.1 | 12.9 | 11.4 | 11.3 | 9.7 | 8.4 | 8.3 | **168.9** |
| OIL | 1953 | 183.7 | 167.0 | 144.9 | 115.5 | 126.3 | 117.3 | 115.2 | 103.6 | 103.8 | 109.5 | 107.6 | 109.0 | **1,595.9** |
| DAY | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | **14.0** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.9 | **1.9** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 92.5 | **92.5** |

Licence ***193*** Well Name ***Daly Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.08-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 261.6 | 213.1 | 239.0 | 206.3 | 151.2 | 239.3 | 135.0 | 174.8 | 232.7 | 197.7 | 179.6 | 222.7 | **82,787.2** |
| WIN | 1974 | 221.7 | 210.1 | 234.4 | 217.7 | 224.9 | 204.7 | 224.6 | 199.8 | 222.5 | 200.7 | 222.3 | 205.3 | **80,334.2** |
| WIN | 1973 | 148.6 | 159.4 | 181.8 | 238.2 | 226.9 | 208.5 | 227.7 | 212.8 | 220.6 | 239.6 | 232.7 | 204.8 | **77,745.5** |
| WIN | 1972 | 258.1 | 241.5 | 212.6 | 285.9 | 235.9 | 225.5 | 218.4 | 227.6 | 208.5 | 233.0 | 225.8 | 182.9 | **75,243.9** |
| WIN | 1971 | 236.4 | 243.1 | 249.9 | 224.9 | 218.5 | 192.0 | 234.8 | 237.9 | 252.1 | 238.7 | 249.6 | 253.1 | **72,488.2** |
| WIN | 1970 | 271.0 | 274.8 | 273.7 | 264.8 | 278.9 | 252.9 | 239.8 | 199.3 | 219.2 | 218.2 | 151.6 | 245.2 | **69,657.2** |
| WIN | 1969 | 298.2 | 300.9 | 345.4 | 285.4 | 315.5 | 277.2 | 292.4 | 239.8 | 250.2 | 330.9 | 265.6 | 302.0 | **66,767.8** |
| WIN | 1968 | 241.0 | 218.5 | 237.7 | 244.7 | 241.8 | 219.3 | 274.2 | 167.2 | 210.7 | 256.2 | 237.1 | 262.1 | **63,264.3** |
| WIN | 1967 | 271.8 | 234.5 | 265.9 | 246.4 | 257.5 | 254.5 | 265.5 | 266.4 | 258.9 | 261.0 | 175.9 | 180.8 | **60,453.8** |
| WIN | 1966 | 656.8 | 242.5 | 246.3 | 235.3 | 230.9 | 234.8 | 229.0 | 395.4 | 249.6 | 258.3 | 251.3 | 262.1 | **57,514.7** |
| WIN | 1965 | 277.5 | 266.1 | 287.5 | 272.8 | 268.2 | 290.4 | 274.5 | 263.6 | 268.8 | 268.5 | 255.1 | 281.3 | **54,022.4** |

# Manitoba Production
## 1950 To 1975

Licence ***193*** Well Name ***Daly Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.08-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1964 | 330.9 | 294.2 | 317.1 | 281.5 | 306.8 | 296.4 | 301.7 | 299.3 | 295.9 | 291.8 | 290.2 | 295.6 | **50,748.1** |
| WIN | 1963 | 256.1 | 259.3 | 333.6 | 236.7 | 97.4 | 341.0 | 261.0 | 289.1 | 270.5 | 275.5 | 265.8 | 262.1 | **47,146.7** |
| WIN | 1962 | 186.9 | 188.5 | 442.6 | 276.3 | 322.8 | 311.5 | 304.6 | 282.1 | 279.2 | 270.7 | 249.9 | 259.3 | **43,998.6** |
| WIN | 1961 | 298.5 | 267.7 | 259.1 | 224.6 | 226.0 | 186.4 | 188.5 | 177.2 | 192.8 | 193.9 | 182.9 | 191.7 | **40,624.2** |
| WIN | 1960 | 317.0 | 366.2 | 291.5 | 303.8 | 304.6 | 274.0 | 347.0 | 332.4 | 203.7 | 249.1 | 312.0 | 283.7 | **38,034.9** |
| WIN | 1959 | 393.7 | 413.4 | 438.9 | 406.7 | 391.8 | 381.4 | 419.0 | 409.1 | 383.5 | 372.4 | 348.3 | 361.9 | **34,449.9** |
| WIN | 1958 | 525.5 | 375.1 | 510.4 | 471.8 | 395.6 | 402.4 | 463.7 | 529.4 | 430.6 | 471.8 | 415.0 | 443.1 | **29,729.8** |
| WIN | 1957 | 0.0 | 0.0 | 0.0 | 1167.2 | 695.1 | 583.9 | 532.9 | 569.8 | 468.5 | 488.5 | 443.4 | 549.1 | **24,295.4** |
| WIN | 1956 | 667.8 | 627.5 | 657.5 | 532.0 | 741.9 | 658.9 | 651.7 | 567.6 | 524.3 | 553.6 | 479.0 | 170.7 | **18,797.0** |
| WIN | 1955 | 1085.9 | 1025.4 | 1234.1 | 1289.9 | 1293.4 | 1027.0 | 814.3 | 740.2 | 812.4 | 0.0 | 0.0 | 913.7 | **11,964.5** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 18.0 | 0.0 | **769.0** |
| H2O | 1954 | 6.5 | 7.5 | 13.0 | 6.4 | 8.1 | 8.3 | 6.4 | 4.0 | 7.2 | 8.4 | 5.1 | 0.0 | **202.1** |
| OIL | 1954 | 98.7 | 87.6 | 75.6 | 70.7 | 74.8 | 70.2 | 69.0 | 68.2 | 70.1 | 76.6 | 42.2 | 0.0 | **2,818.6** |
| WIN | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1728.2 | **1,728.2** |
| DAY | 1953 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **447.0** |
| H2O | 1953 | 7.9 | 6.0 | 6.0 | 1.4 | 4.9 | 5.6 | 5.1 | 4.8 | 21.0 | 11.8 | 7.0 | 11.8 | **121.2** |
| OIL | 1953 | 189.4 | 145.7 | 143.3 | 143.0 | 120.0 | 126.5 | 123.2 | 113.3 | 110.3 | 108.1 | 103.0 | 107.7 | **2,014.9** |
| DAY | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 30.0 | 31.0 | **82.0** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.8 | 11.6 | 9.5 | **27.9** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.9 | 239.3 | 227.2 | **481.4** |

Licence ***196*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-09-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 21.0 | 24.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **8,226.0** |
| H2O | 1975 | 28.6 | 34.3 | 29.4 | 20.2 | 46.4 | 54.5 | 95.4 | 88.9 | 83.0 | 91.7 | 79.2 | 73.0 | **4,439.3** |
| OIL | 1975 | 48.5 | 40.4 | 29.3 | 19.2 | 21.6 | 23.2 | 24.5 | 19.4 | 18.3 | 19.7 | 42.6 | 48.5 | **23,148.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 7.0 | 19.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,878.0** |
| H2O | 1974 | 20.7 | 18.0 | 39.6 | 36.7 | 31.3 | 29.1 | 43.4 | 14.1 | 20.0 | 25.4 | 24.0 | 28.6 | **3,714.7** |
| OIL | 1974 | 67.7 | 51.4 | 49.9 | 46.4 | 8.3 | 29.4 | 30.2 | 31.2 | 19.6 | 30.0 | 39.7 | 48.7 | **22,793.1** |
| DAY | 1973 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,550.0** |
| H2O | 1973 | 27.5 | 3.5 | 0.0 | 0.0 | 9.4 | 4.4 | 49.3 | 0.0 | 38.3 | 30.4 | 27.0 | 19.9 | **3,383.8** |
| OIL | 1973 | 24.6 | 25.7 | 23.4 | 29.7 | 23.0 | 23.0 | 47.2 | 55.3 | 51.3 | 73.6 | 72.9 | 80.4 | **22,340.6** |
| DAY | 1972 | 31.0 | 29.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,187.0** |
| H2O | 1972 | 19.9 | 13.5 | 14.5 | 15.1 | 9.2 | 9.4 | 8.7 | 14.3 | 8.7 | 9.5 | 22.4 | 25.3 | **3,174.1** |
| OIL | 1972 | 58.8 | 46.4 | 48.1 | 45.9 | 48.6 | 50.9 | 48.9 | 44.7 | 47.0 | 49.3 | 23.2 | 24.5 | **21,810.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **6,853.0** |
| H2O | 1971 | 12.7 | 10.0 | 11.4 | 13.5 | 11.8 | 13.8 | 9.2 | 9.2 | 9.4 | 8.7 | 8.4 | 23.5 | **3,003.6** |
| OIL | 1971 | 57.2 | 45.6 | 55.1 | 53.7 | 55.9 | 54.8 | 69.9 | 59.4 | 57.0 | 50.9 | 58.8 | 58.0 | **21,274.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,490.0** |
| H2O | 1970 | 23.7 | 15.3 | 16.2 | 23.0 | 19.7 | 18.1 | 18.3 | 12.9 | 13.3 | 15.1 | 12.4 | 12.7 | **2,862.0** |
| OIL | 1970 | 45.3 | 48.8 | 52.6 | 51.3 | 53.4 | 51.6 | 57.5 | 61.0 | 59.4 | 60.5 | 59.0 | 58.3 | **20,597.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,125.0** |
| H2O | 1969 | 13.2 | 12.2 | 18.8 | 20.3 | 15.3 | 49.6 | 34.6 | 22.6 | 17.5 | 24.8 | 19.7 | 18.6 | **2,661.3** |
| OIL | 1969 | 67.9 | 63.7 | 67.7 | 68.2 | 69.6 | 61.5 | 61.8 | 61.3 | 58.3 | 54.8 | 53.2 | 51.3 | **19,939.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,760.0** |
| H2O | 1968 | 3.3 | 3.3 | 3.7 | 2.7 | 2.7 | 2.9 | 2.9 | 3.7 | 3.0 | 4.1 | 16.2 | 17.3 | **2,394.1** |
| OIL | 1968 | 72.0 | 65.9 | 71.8 | 68.5 | 70.9 | 69.8 | 70.7 | 74.4 | 71.2 | 79.8 | 68.2 | 72.1 | **19,199.9** |
| DAY | 1967 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **5,395.0** |
| H2O | 1967 | 0.8 | 0.6 | 0.8 | 0.8 | 1.0 | 0.0 | 0.0 | 0.0 | 3.2 | 4.0 | 2.5 | 3.5 | **2,328.3** |
| OIL | 1967 | 69.8 | 63.2 | 58.6 | 69.9 | 71.2 | 92.5 | 100.1 | 104.2 | 65.3 | 72.8 | 70.2 | 72.5 | **18,344.6** |

# Manitoba Production
## 1950 To 1975

Licence ***196*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-09-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,037.0** |
| H2O | 1966 | 1.0 | 1.1 | 0.8 | 1.1 | 1.1 | 2.9 | 0.8 | 1.1 | 1.0 | 1.0 | 0.8 | 0.6 | **2,311.1** |
| OIL | 1966 | 62.5 | 53.6 | 46.2 | 66.7 | 54.2 | 68.0 | 67.2 | 65.5 | 66.7 | 70.6 | 70.2 | 71.8 | **17,434.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,678.0** |
| H2O | 1965 | 1.1 | 0.6 | 0.8 | 1.0 | 0.8 | 1.1 | 1.1 | 1.1 | 1.7 | 1.1 | 1.0 | 1.1 | **2,297.8** |
| OIL | 1965 | 71.2 | 62.1 | 68.5 | 69.3 | 64.5 | 70.1 | 73.3 | 71.8 | 69.9 | 69.9 | 69.0 | 69.3 | **16,671.1** |
| DAY | 1964 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 26.0 | 31.0 | 24.0 | 31.0 | **4,318.0** |
| H2O | 1964 | 18.0 | 15.1 | 20.2 | 16.2 | 14.0 | 12.1 | 15.1 | 17.6 | 0.6 | 1.3 | 1.0 | 0.6 | **2,285.3** |
| OIL | 1964 | 83.9 | 81.7 | 89.0 | 90.1 | 92.6 | 78.2 | 93.8 | 91.4 | 62.0 | 90.1 | 55.6 | 75.5 | **15,842.2** |
| DAY | 1963 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **3,967.0** |
| H2O | 1963 | 9.5 | 6.8 | 12.7 | 6.2 | 13.4 | 11.3 | 12.1 | 10.3 | 9.1 | 9.2 | 16.7 | 16.7 | **2,153.5** |
| OIL | 1963 | 72.0 | 56.7 | 68.8 | 66.7 | 94.9 | 93.8 | 94.4 | 93.9 | 85.2 | 93.9 | 89.8 | 91.7 | **14,858.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 28.0 | 31.0 | 28.0 | 30.0 | 27.0 | 30.0 | 28.0 | **3,608.0** |
| H2O | 1962 | 24.2 | 21.1 | 23.1 | 17.2 | 13.5 | 23.5 | 16.4 | 12.4 | 11.6 | 10.5 | 18.9 | 11.0 | **2,019.5** |
| OIL | 1962 | 88.5 | 78.7 | 85.0 | 79.1 | 86.8 | 111.6 | 112.7 | 77.5 | 76.0 | 56.9 | 75.2 | 62.5 | **13,856.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,260.0** |
| H2O | 1961 | 19.2 | 17.0 | 18.6 | 19.1 | 19.7 | 25.8 | 28.5 | 20.0 | 26.7 | 27.0 | 21.8 | 28.9 | **1,816.1** |
| OIL | 1961 | 107.7 | 102.3 | 117.8 | 111.4 | 112.8 | 92.6 | 108.1 | 94.7 | 95.3 | 95.2 | 86.9 | 91.7 | **12,866.0** |
| DAY | 1960 | 28.0 | 29.0 | 31.0 | 13.0 | 23.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,900.0** |
| H2O | 1960 | 24.3 | 21.5 | 21.8 | 9.9 | 19.6 | 20.7 | 17.6 | 18.3 | 18.3 | 19.1 | 18.4 | 19.4 | **1,543.8** |
| OIL | 1960 | 71.5 | 58.2 | 74.1 | 51.6 | 118.1 | 122.8 | 125.5 | 120.0 | 116.3 | 121.9 | 111.9 | 124.1 | **11,649.5** |
| DAY | 1959 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 25.0 | 16.0 | **2,562.0** |
| H2O | 1959 | 6.0 | 5.9 | 6.0 | 6.8 | 7.0 | 30.8 | 34.0 | 28.3 | 30.4 | 25.9 | 22.9 | 18.0 | **1,314.9** |
| OIL | 1959 | 121.9 | 110.3 | 116.8 | 113.5 | 115.2 | 110.6 | 115.8 | 105.5 | 106.9 | 105.5 | 74.4 | 61.7 | **10,433.5** |
| DAY | 1958 | 31.0 | 27.0 | 31.0 | 27.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,220.0** |
| H2O | 1958 | 18.6 | 12.9 | 14.9 | 13.7 | 13.4 | 13.8 | 22.1 | 10.7 | 13.5 | 10.3 | 6.5 | 7.2 | **1,092.9** |
| OIL | 1958 | 165.9 | 122.8 | 133.3 | 109.3 | 134.4 | 150.2 | 157.2 | 166.9 | 131.7 | 129.0 | 106.3 | 120.6 | **9,175.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,862.0** |
| H2O | 1957 | 31.2 | 23.2 | 32.4 | 53.9 | 48.8 | 39.9 | 54.8 | 26.5 | 21.5 | 24.2 | 18.9 | 20.5 | **935.3** |
| OIL | 1957 | 190.9 | 161.6 | 151.3 | 193.3 | 174.9 | 185.3 | 191.2 | 154.5 | 157.6 | 158.9 | 151.0 | 151.6 | **7,547.8** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 21.0 | 23.0 | 29.0 | **1,501.0** |
| H2O | 1956 | 3.7 | 3.5 | 3.7 | 2.7 | 1.6 | 2.1 | 3.2 | 3.2 | 3.0 | 4.1 | 17.8 | 20.2 | **539.5** |
| OIL | 1956 | 57.5 | 59.3 | 64.5 | 61.2 | 55.8 | 60.2 | 62.3 | 58.5 | 61.0 | 42.3 | 121.4 | 146.7 | **5,525.7** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,158.0** |
| H2O | 1955 | 6.8 | 9.1 | 10.2 | 9.4 | 6.4 | 14.1 | 8.7 | 5.7 | 3.8 | 4.5 | 2.7 | 4.1 | **470.7** |
| OIL | 1955 | 86.9 | 75.0 | 86.9 | 84.7 | 85.0 | 102.2 | 100.3 | 73.3 | 69.3 | 68.6 | 60.2 | 63.4 | **4,675.0** |
| DAY | 1954 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **794.0** |
| H2O | 1954 | 25.8 | 19.7 | 16.1 | 17.3 | 10.5 | 9.5 | 10.5 | 8.1 | 15.1 | 5.9 | 17.3 | 21.9 | **385.2** |
| OIL | 1954 | 100.6 | 79.3 | 93.9 | 73.9 | 109.5 | 99.0 | 106.8 | 104.4 | 93.0 | 96.6 | 77.5 | 96.9 | **3,719.2** |
| DAY | 1953 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 29.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **433.0** |
| H2O | 1953 | 7.2 | 7.9 | 21.1 | 9.4 | 7.8 | 14.9 | 7.0 | 16.7 | 8.7 | 21.6 | 21.3 | 20.3 | **207.5** |
| OIL | 1953 | 229.4 | 187.7 | 190.1 | 177.1 | 148.9 | 134.4 | 133.2 | 149.5 | 136.3 | 140.3 | 133.5 | 113.0 | **2,587.8** |
| DAY | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 4.0 | 30.0 | 30.0 | **76.0** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.6 | 4.5 | 19.4 | 11.1 | **43.6** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 46.7 | 59.0 | 342.5 | 266.2 | **714.4** |

Licence ***198*** Well Name ***Recovery Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 10.0 | 24.0 | 0.0 | 0.0 | 0.0 | **3,122.0** |
| H2O | 1963 | 7.0 | 11.9 | 47.1 | 47.4 | 41.3 | 25.1 | 20.2 | 22.7 | 15.2 | 0.0 | 0.0 | 0.0 | **2,000.3** |

# Manitoba Production
## 1950 To 1975

Licence ***198*** Well Name ***Recovery Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1963 | 17.0 | 23.6 | 17.5 | 21.5 | 17.6 | 20.0 | 18.3 | 5.9 | 4.8 | 0.0 | 0.0 | 0.0 | **2,482.5** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | **2,882.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | **1,762.4** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.2 | **2,336.3** |
| DAY | 1961 | 28.0 | 26.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 26.0 | 4.0 | 0.0 | 0.0 | **2,862.0** |
| H2O | 1961 | 8.6 | 8.9 | 8.1 | 5.7 | 7.0 | 4.6 | 4.9 | 4.6 | 3.3 | 0.6 | 0.0 | 0.0 | **1,735.4** |
| OIL | 1961 | 7.6 | 10.2 | 8.6 | 7.0 | 6.8 | 5.2 | 6.4 | 4.1 | 3.7 | 0.5 | 0.0 | 0.0 | **2,329.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 11.0 | 21.0 | 31.0 | 29.0 | 31.0 | **2,598.0** |
| H2O | 1960 | 14.1 | 13.8 | 14.3 | 13.5 | 13.5 | 12.6 | 12.2 | 4.6 | 9.7 | 11.6 | 10.7 | 11.3 | **1,679.1** |
| OIL | 1960 | 12.1 | 9.7 | 9.2 | 9.2 | 10.5 | 9.9 | 8.1 | 3.3 | 8.7 | 9.5 | 8.6 | 9.7 | **2,269.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,262.0** |
| H2O | 1959 | 14.8 | 13.4 | 14.0 | 14.1 | 14.6 | 14.1 | 13.8 | 14.3 | 14.0 | 14.0 | 14.3 | 14.8 | **1,537.2** |
| OIL | 1959 | 14.9 | 13.3 | 13.8 | 14.0 | 14.6 | 13.8 | 13.3 | 14.0 | 14.0 | 13.8 | 14.1 | 14.8 | **2,160.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,900.0** |
| H2O | 1958 | 17.5 | 13.0 | 14.6 | 11.1 | 13.4 | 14.0 | 14.6 | 14.1 | 14.0 | 14.1 | 14.3 | 14.8 | **1,367.0** |
| OIL | 1958 | 13.2 | 12.4 | 14.6 | 14.1 | 12.4 | 14.1 | 14.6 | 14.1 | 14.0 | 14.1 | 14.3 | 14.8 | **1,992.1** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **1,535.0** |
| H2O | 1957 | 4.8 | 5.9 | 4.6 | 3.0 | 1.6 | 1.9 | 8.4 | 12.4 | 23.5 | 8.4 | 11.0 | 17.6 | **1,197.5** |
| OIL | 1957 | 18.3 | 14.8 | 19.7 | 18.6 | 17.0 | 12.1 | 14.9 | 13.8 | 21.0 | 13.0 | 11.3 | 12.4 | **1,825.4** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,172.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 10.8 | 10.2 | 5.1 | 4.8 | 4.6 | 4.8 | 5.4 | **1,094.4** |
| OIL | 1956 | 41.6 | 37.0 | 39.7 | 40.0 | 38.6 | 28.1 | 18.3 | 18.9 | 20.2 | 19.7 | 18.8 | 19.5 | **1,638.5** |
| DAY | 1955 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **811.0** |
| H2O | 1955 | 3.5 | 15.4 | 20.7 | 19.4 | 21.0 | 21.8 | 20.3 | 6.7 | 1.3 | 0.0 | 0.0 | 0.0 | **1,047.7** |
| OIL | 1955 | 24.6 | 22.2 | 24.6 | 22.2 | 21.9 | 20.3 | 19.4 | 23.5 | 41.2 | 41.2 | 43.4 | 42.0 | **1,298.1** |
| DAY | 1954 | 31.0 | 28.0 | 2.0 | 26.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **448.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 8.7 | 9.2 | 11.9 | 19.6 | 5.2 | 17.5 | 11.0 | 6.4 | 13.0 | **917.6** |
| OIL | 1954 | 24.6 | 22.2 | 1.6 | 97.7 | 66.6 | 46.9 | 47.0 | 31.5 | 34.3 | 25.1 | 30.4 | 24.6 | **951.6** |
| DAY | 1953 | 31.0 | 10.0 | 8.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 16.0 | 8.0 | 7.0 | 8.0 | **118.0** |
| H2O | 1953 | 37.2 | 340.7 | 386.8 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 17.6 | 7.2 | 0.0 | 0.0 | **815.1** |
| OIL | 1953 | 126.5 | 41.5 | 30.7 | 0.0 | 0.0 | 0.0 | 0.0 | 34.2 | 65.8 | 33.4 | 28.4 | 32.3 | **499.1** |
| DAY | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 14.0 | 5.0 | **22.0** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.7 | 5.9 | **22.6** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.3 | 68.2 | 23.8 | **106.3** |

Licence ***201*** Well Name ***Interlake Daly SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1954 | 24.0 | 26.0 | 1.0 | 26.0 | 31.0 | 25.0 | 31.0 | 31.0 | 30.0 | 13.0 | 0.0 | 0.0 | **501.0** |
| H2O | 1954 | 3.2 | 0.0 | 0.0 | 3.8 | 2.2 | 151.5 | 805.6 | 959.9 | 997.9 | 396.3 | 0.0 | 0.0 | **5,172.6** |
| OIL | 1954 | 24.3 | 21.1 | 0.5 | 24.2 | 23.8 | 20.2 | 31.3 | 41.8 | 27.5 | 13.3 | 0.0 | 0.0 | **1,356.3** |
| DAY | 1953 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 0.0 | 2.0 | 0.0 | 1.0 | 25.0 | 29.0 | 0.0 | **263.0** |
| H2O | 1953 | 23.5 | 70.7 | 171.4 | 238.9 | 134.2 | 0.0 | 169.3 | 0.0 | 23.2 | 446.3 | 541.8 | 0.0 | **1,852.2** |
| OIL | 1953 | 95.2 | 208.0 | 202.3 | 214.5 | 189.9 | 0.0 | 7.8 | 0.0 | 0.8 | 31.0 | 35.6 | 0.0 | **1,128.3** |
| DAY | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 26.0 | 0.0 | **55.0** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.2 | 16.7 | 0.0 | **32.9** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 75.0 | 68.2 | 0.0 | **143.2** |

UWI ***100.15-03-010-28W1.02*** Field Name ***Daly*** Pool Name ***Melita Formation*** Field Code ***1*** Pool Code ***19*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1974 | 330.5 | 272.8 | 193.0 | 10.2 | 349.9 | 215.4 | 292.1 | 262.2 | 286.2 | 249.2 | 0.0 | 0.0 | **161,218.3** |

# Manitoba Production
## 1950 To 1975

Licence ***201*** Well Name ***Interlake Daly SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-03-010-28W1.02*** Field Name ***Daly*** Pool Name ***Melita Formation*** Field Code ***1*** Pool Code ***19*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 478.6 | 401.1 | 254.7 | 0.0 | 0.0 | 433.4 | 393.8 | 356.9 | **158,756.8** |
| WIN | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 100.8 | 118.1 | 317.3 | 374.4 | 333.2 | 311.6 | 275.7 | 0.0 | **156,438.3** |
| WIN | 1971 | 463.3 | 407.5 | 407.5 | 525.1 | 543.4 | 506.1 | 507.7 | 468.2 | 372.5 | 284.9 | 55.6 | 14.3 | **154,607.2** |
| WIN | 1970 | 781.9 | 704.2 | 754.6 | 751.9 | 694.2 | 474.3 | 394.3 | 270.8 | 477.8 | 428.0 | 320.4 | 479.4 | **150,051.1** |
| WIN | 1969 | 685.6 | 389.2 | 667.4 | 758.4 | 654.9 | 732.6 | 647.4 | 743.9 | 685.2 | 841.3 | 737.7 | 710.8 | **143,519.3** |
| WIN | 1968 | 863.2 | 838.7 | 847.3 | 795.8 | 633.1 | 912.0 | 821.4 | 842.2 | 761.2 | 640.9 | 1017.9 | 563.0 | **135,264.9** |
| WIN | 1967 | 1190.9 | 1149.7 | 1284.9 | 1103.9 | 1091.4 | 1049.9 | 989.3 | 897.6 | 1049.7 | 545.0 | 1078.2 | 967.2 | **125,728.2** |
| WIN | 1966 | 1406.3 | 1367.2 | 1475.5 | 1316.0 | 1307.3 | 1298.4 | 1353.4 | 1338.3 | 1182.9 | 953.7 | 1256.6 | 1176.3 | **113,330.5** |
| WIN | 1965 | 471.6 | 435.0 | 501.8 | 565.2 | 763.6 | 910.3 | 848.9 | 1193.8 | 998.4 | 1640.4 | 1858.7 | 1837.8 | **97,898.6** |
| WIN | 1964 | 936.8 | 1026.3 | 1063.2 | 1052.3 | 1090.9 | 1187.1 | 981.3 | 1142.6 | 778.9 | 1251.8 | 620.7 | 459.3 | **85,873.1** |
| WIN | 1963 | 163.8 | 369.8 | 1015.7 | 866.2 | 828.6 | 643.0 | 989.0 | 1056.2 | 894.4 | 1020.6 | 1023.0 | 928.9 | **74,281.9** |
| WIN | 1962 | 119.7 | 140.4 | 101.6 | 130.5 | 820.1 | 403.0 | 157.7 | 118.6 | 122.7 | 185.7 | 244.4 | 331.8 | **64,482.7** |
| WIN | 1961 | 760.4 | 848.6 | 936.7 | 680.0 | 499.9 | 413.4 | 1416.2 | 1079.7 | 952.9 | 745.1 | 129.7 | 43.8 | **61,606.5** |
| WIN | 1960 | 929.7 | 963.5 | 847.0 | 498.1 | 785.1 | 788.9 | 905.5 | 552.3 | 830.0 | 1174.2 | 904.4 | 647.2 | **53,100.1** |
| WIN | 1959 | 704.6 | 704.6 | 694.8 | 922.8 | 883.1 | 753.6 | 912.5 | 974.3 | 969.3 | 877.7 | 975.9 | 1000.3 | **43,274.2** |
| WIN | 1958 | 470.0 | 429.0 | 509.4 | 518.0 | 566.0 | 343.4 | 487.8 | 692.2 | 653.1 | 756.3 | 684.6 | 800.6 | **32,900.7** |
| WIN | 1957 | 1700.6 | 1522.1 | 1502.5 | 370.3 | 861.8 | 1246.1 | 1257.2 | 1243.2 | 1199.5 | 1104.7 | 509.9 | 497.5 | **25,990.3** |
| WIN | 1956 | 623.9 | 630.7 | 689.2 | 462.8 | 621.5 | 634.2 | 743.1 | 1281.5 | 1263.1 | 1240.0 | 1211.4 | 1242.7 | **12,974.9** |
| WIN | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 178.7 | 362.0 | 663.3 | 601.8 | 525.0 | **2,330.8** |

Licence ***207*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-09-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **8,308.0** |
| H2O | 1975 | 9.1 | 8.4 | 9.4 | 9.2 | 9.1 | 14.3 | 15.3 | 15.6 | 14.9 | 9.9 | 9.5 | 14.3 | **5,145.8** |
| OIL | 1975 | 9.2 | 8.6 | 9.4 | 8.9 | 9.2 | 8.9 | 9.7 | 8.4 | 9.1 | 15.1 | 14.6 | 15.1 | **11,775.0** |
| DAY | 1974 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,943.0** |
| H2O | 1974 | 4.9 | 3.7 | 4.8 | 4.4 | 0.0 | 4.4 | 0.0 | 4.4 | 4.8 | 4.9 | 9.2 | 9.2 | **5,006.8** |
| OIL | 1974 | 19.7 | 15.6 | 20.2 | 18.8 | 14.6 | 14.9 | 8.6 | 18.1 | 19.5 | 20.3 | 9.7 | 9.4 | **11,648.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,581.0** |
| H2O | 1973 | 10.6 | 7.6 | 18.6 | 18.4 | 9.4 | 9.1 | 9.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,952.1** |
| OIL | 1973 | 34.0 | 32.9 | 36.9 | 45.3 | 8.9 | 8.9 | 9.1 | 14.3 | 14.6 | 15.3 | 18.6 | 20.3 | **11,459.4** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,216.0** |
| H2O | 1972 | 34.0 | 25.9 | 23.4 | 24.3 | 19.4 | 15.1 | 14.5 | 9.2 | 8.7 | 9.5 | 8.6 | 9.7 | **4,868.9** |
| OIL | 1972 | 54.0 | 55.5 | 52.9 | 50.4 | 48.6 | 46.4 | 44.7 | 46.6 | 42.9 | 49.3 | 32.1 | 33.8 | **11,200.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **6,850.0** |
| H2O | 1971 | 12.7 | 10.0 | 11.4 | 13.7 | 11.8 | 13.5 | 14.8 | 14.9 | 15.1 | 15.9 | 17.6 | 22.1 | **4,666.6** |
| OIL | 1971 | 53.4 | 42.6 | 51.3 | 50.1 | 52.1 | 49.9 | 50.5 | 49.9 | 48.0 | 52.4 | 54.2 | 45.6 | **10,643.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,487.0** |
| H2O | 1970 | 23.8 | 15.4 | 16.4 | 23.1 | 19.7 | 18.1 | 18.3 | 12.9 | 14.0 | 15.1 | 12.6 | 12.7 | **4,493.1** |
| OIL | 1970 | 45.3 | 48.8 | 52.8 | 51.3 | 53.6 | 51.6 | 53.6 | 56.9 | 57.7 | 56.6 | 55.0 | 54.3 | **10,043.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,122.0** |
| H2O | 1969 | 29.9 | 27.7 | 42.4 | 45.9 | 34.3 | 111.6 | 69.5 | 22.4 | 17.5 | 25.0 | 19.7 | 18.6 | **4,291.0** |
| OIL | 1969 | 44.5 | 41.6 | 44.5 | 44.8 | 45.6 | 40.5 | 36.2 | 60.4 | 58.5 | 55.0 | 53.4 | 51.5 | **9,405.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,760.0** |
| H2O | 1968 | 0.8 | 1.0 | 1.0 | 0.8 | 0.6 | 3.0 | 2.9 | 3.8 | 3.0 | 40.2 | 36.6 | 38.8 | **3,826.5** |
| OIL | 1968 | 82.6 | 75.6 | 82.5 | 78.5 | 81.4 | 80.4 | 78.8 | 83.0 | 79.5 | 42.9 | 44.8 | 47.4 | **8,829.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,395.0** |
| H2O | 1967 | 20.7 | 17.2 | 21.5 | 18.8 | 24.6 | 19.4 | 19.1 | 19.1 | 1.0 | 1.0 | 0.6 | 1.0 | **3,694.0** |
| OIL | 1967 | 52.6 | 47.7 | 49.7 | 52.8 | 53.9 | 45.4 | 50.7 | 51.3 | 86.3 | 83.7 | 80.6 | 83.1 | **7,971.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,030.0** |

# Manitoba Production
## 1950 To 1975

Licence ***207*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-09-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1966 | 28.1 | 25.0 | 22.4 | 29.4 | 28.0 | 64.4 | 19.1 | 28.3 | 23.4 | 25.0 | 20.8 | 19.1 | **3,530.0** |
| OIL | 1966 | 36.5 | 32.4 | 27.0 | 39.1 | 32.9 | 46.2 | 50.9 | 49.4 | 50.4 | 53.2 | 52.9 | 54.0 | **7,233.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,674.0** |
| H2O | 1965 | 32.6 | 15.3 | 25.0 | 24.8 | 22.4 | 29.4 | 28.5 | 29.3 | 46.7 | 27.8 | 25.9 | 30.5 | **3,197.0** |
| OIL | 1965 | 41.8 | 36.4 | 40.0 | 40.7 | 37.8 | 41.2 | 42.9 | 43.9 | 41.0 | 38.3 | 40.5 | 40.5 | **6,709.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 25.0 | 31.0 | 24.0 | 31.0 | **4,315.0** |
| H2O | 1964 | 26.7 | 21.9 | 29.3 | 23.4 | 20.2 | 17.5 | 21.8 | 25.8 | 17.3 | 32.1 | 29.7 | 20.3 | **2,858.8** |
| OIL | 1964 | 35.1 | 33.1 | 36.1 | 36.5 | 37.5 | 31.6 | 38.0 | 37.0 | 33.8 | 52.8 | 32.7 | 44.3 | **6,224.0** |
| DAY | 1963 | 31.0 | 25.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **3,964.0** |
| H2O | 1963 | 15.4 | 11.3 | 20.7 | 35.8 | 49.0 | 40.2 | 44.2 | 38.0 | 33.1 | 33.7 | 24.2 | 24.2 | **2,572.8** |
| OIL | 1963 | 70.6 | 55.8 | 67.5 | 42.4 | 43.5 | 42.0 | 43.2 | 42.7 | 39.1 | 43.1 | 36.4 | 37.0 | **5,775.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 28.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 28.0 | **3,608.0** |
| H2O | 1962 | 15.7 | 13.7 | 14.9 | 11.3 | 8.7 | 14.9 | 12.4 | 40.2 | 33.9 | 34.7 | 40.5 | 24.0 | **2,203.0** |
| OIL | 1962 | 24.2 | 21.3 | 23.0 | 21.5 | 23.5 | 30.2 | 35.3 | 82.2 | 72.8 | 59.9 | 69.8 | 57.8 | **5,212.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,258.0** |
| H2O | 1961 | 11.1 | 9.9 | 10.7 | 11.3 | 11.4 | 14.9 | 16.5 | 11.9 | 17.3 | 17.5 | 14.6 | 18.4 | **1,938.1** |
| OIL | 1961 | 26.4 | 24.8 | 28.6 | 27.5 | 27.5 | 22.7 | 26.1 | 23.7 | 25.9 | 25.9 | 24.8 | 24.8 | **4,690.7** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,896.0** |
| H2O | 1960 | 22.3 | 18.3 | 18.1 | 18.9 | 22.3 | 17.6 | 16.9 | 10.5 | 10.5 | 11.1 | 11.0 | 11.1 | **1,772.6** |
| OIL | 1960 | 21.0 | 15.7 | 19.7 | 31.8 | 43.2 | 33.5 | 27.5 | 29.1 | 28.1 | 29.6 | 27.5 | 30.2 | **4,382.0** |
| DAY | 1959 | 31.0 | 28.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 28.0 | 31.0 | **2,534.0** |
| H2O | 1959 | 39.1 | 39.1 | 39.7 | 45.3 | 42.6 | 26.1 | 27.5 | 22.7 | 25.1 | 21.0 | 21.0 | 28.9 | **1,584.0** |
| OIL | 1959 | 79.9 | 72.5 | 76.8 | 74.5 | 72.6 | 55.6 | 30.2 | 27.3 | 28.4 | 27.3 | 21.8 | 31.9 | **4,045.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | **2,177.0** |
| H2O | 1958 | 105.4 | 75.8 | 84.1 | 85.4 | 56.8 | 54.1 | 45.3 | 39.7 | 49.9 | 62.8 | 43.2 | 45.2 | **1,205.9** |
| OIL | 1958 | 161.1 | 123.8 | 129.4 | 117.0 | 58.3 | 60.4 | 85.7 | 50.5 | 78.7 | 79.8 | 72.0 | 76.8 | **3,446.3** |
| DAY | 1957 | 20.0 | 28.0 | 31.0 | 23.0 | 29.0 | 27.0 | 27.0 | 28.0 | 27.0 | 4.0 | 26.0 | 31.0 | **1,815.0** |
| H2O | 1957 | 2.2 | 2.4 | 2.7 | 4.0 | 4.0 | 3.8 | 4.9 | 4.6 | 4.5 | 0.8 | 98.2 | 117.6 | **458.2** |
| OIL | 1957 | 14.5 | 18.9 | 17.8 | 16.7 | 18.0 | 18.6 | 19.9 | 18.6 | 22.7 | 2.9 | 133.0 | 147.3 | **2,352.8** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | **1,514.0** |
| H2O | 1956 | 1.3 | 1.3 | 1.1 | 1.0 | 0.6 | 0.8 | 1.1 | 1.1 | 1.0 | 1.9 | 4.3 | 3.0 | **208.5** |
| OIL | 1956 | 19.1 | 19.7 | 21.5 | 20.5 | 18.6 | 20.0 | 20.8 | 21.0 | 19.4 | 19.5 | 28.9 | 21.5 | **1,903.9** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,152.0** |
| H2O | 1955 | 1.1 | 1.4 | 1.0 | 3.2 | 4.1 | 2.1 | 1.1 | 1.9 | 1.3 | 1.6 | 1.0 | 1.4 | **190.0** |
| OIL | 1955 | 18.8 | 16.5 | 16.7 | 16.7 | 17.5 | 11.3 | 11.3 | 24.5 | 23.2 | 23.0 | 20.2 | 21.1 | **1,653.4** |
| DAY | 1954 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **788.0** |
| H2O | 1954 | 1.9 | 2.9 | 2.7 | 3.5 | 5.2 | 3.2 | 4.0 | 2.9 | 3.0 | 2.4 | 5.9 | 3.8 | **168.8** |
| OIL | 1954 | 19.2 | 14.9 | 19.2 | 16.4 | 20.7 | 18.0 | 19.7 | 17.3 | 16.2 | 15.1 | 15.6 | 19.9 | **1,432.6** |
| DAY | 1953 | 29.0 | 28.0 | 29.0 | 29.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **425.0** |
| H2O | 1953 | 5.4 | 15.6 | 14.1 | 8.6 | 11.4 | 14.9 | 9.9 | 3.2 | 3.5 | 4.6 | 3.8 | 3.7 | **127.4** |
| OIL | 1953 | 103.9 | 87.2 | 80.6 | 76.8 | 103.0 | 91.8 | 89.3 | 62.0 | 55.6 | 57.4 | 45.0 | 26.5 | **1,220.4** |
| DAY | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 29.0 | 31.0 | **68.0** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.9 | 12.2 | 14.6 | **28.7** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.1 | 179.1 | 131.1 | **341.3** |

Licence ***211*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **8,105.0** |
| H2O | 1975 | 953.4 | 867.9 | 979.4 | 881.3 | 913.5 | 894.5 | 882.7 | 1099.5 | 1059.4 | 916.6 | 1064.3 | 909.1 | **60,042.0** |
| OIL | 1975 | 95.9 | 88.2 | 97.1 | 93.8 | 89.5 | 97.5 | 87.8 | 110.2 | 92.7 | 154.5 | 102.9 | 96.0 | **15,159.3** |

# Manitoba Production
## 1950 To 1975

Licence ***211*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **7,741.0** |
| H2O | 1974 | 815.0 | 742.3 | 950.7 | 833.1 | 881.7 | 834.2 | 858.2 | 815.8 | 865.4 | 1037.3 | 954.9 | 958.2 | **48,620.4** |
| OIL | 1974 | 97.0 | 80.0 | 84.4 | 78.4 | 80.0 | 93.3 | 95.7 | 89.0 | 84.3 | 95.7 | 99.7 | 130.0 | **13,953.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **7,382.0** |
| H2O | 1973 | 546.4 | 412.7 | 587.9 | 833.4 | 818.0 | 784.9 | 843.1 | 885.1 | 769.0 | 810.8 | 725.0 | 731.8 | **38,073.6** |
| OIL | 1973 | 97.6 | 97.6 | 101.3 | 114.2 | 95.7 | 76.5 | 78.7 | 90.9 | 79.3 | 83.3 | 78.2 | 93.0 | **12,845.7** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **7,025.0** |
| H2O | 1972 | 392.1 | 341.2 | 370.1 | 363.9 | 386.3 | 386.7 | 428.5 | 464.7 | 436.4 | 484.4 | 429.1 | 502.4 | **29,325.5** |
| OIL | 1972 | 87.6 | 77.6 | 81.7 | 52.9 | 53.4 | 55.3 | 63.8 | 69.8 | 64.5 | 63.4 | 80.1 | 97.0 | **11,759.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | **6,661.0** |
| H2O | 1971 | 359.6 | 301.9 | 328.5 | 318.9 | 324.2 | 331.6 | 336.7 | 356.6 | 393.5 | 446.5 | 351.0 | 469.6 | **24,339.7** |
| OIL | 1971 | 116.8 | 116.0 | 135.5 | 78.7 | 66.9 | 67.2 | 69.9 | 62.3 | 73.6 | 76.1 | 70.9 | 86.9 | **10,912.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 24.0 | 28.0 | 31.0 | 30.0 | 31.0 | **6,301.0** |
| H2O | 1970 | 367.8 | 309.3 | 335.0 | 323.6 | 324.7 | 306.7 | 306.1 | 267.5 | 390.2 | 376.0 | 310.6 | 354.3 | **20,021.1** |
| OIL | 1970 | 23.4 | 38.1 | 48.3 | 53.9 | 62.9 | 49.6 | 50.7 | 24.2 | 41.8 | 65.0 | 84.4 | 94.6 | **9,891.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 13.0 | 21.0 | 26.0 | 27.0 | 25.0 | 31.0 | 30.0 | 29.0 | **5,945.0** |
| H2O | 1969 | 176.0 | 159.5 | 187.9 | 177.3 | 85.0 | 315.3 | 309.4 | 340.4 | 345.4 | 398.7 | 371.9 | 358.5 | **16,049.3** |
| OIL | 1969 | 18.1 | 17.6 | 19.2 | 19.2 | 8.4 | 9.9 | 17.3 | 12.6 | 11.9 | 19.1 | 19.4 | 19.2 | **9,254.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,623.0** |
| H2O | 1968 | 246.1 | 221.0 | 221.1 | 225.6 | 288.8 | 222.9 | 219.2 | 242.1 | 267.9 | 209.4 | 170.5 | 174.4 | **12,824.0** |
| OIL | 1968 | 13.8 | 13.5 | 14.5 | 13.5 | 15.3 | 19.5 | 18.4 | 20.2 | 18.8 | 21.8 | 19.9 | 19.2 | **9,062.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,257.0** |
| H2O | 1967 | 180.1 | 187.1 | 212.7 | 199.5 | 220.0 | 206.7 | 215.4 | 172.2 | 238.8 | 237.4 | 174.1 | 255.8 | **10,115.0** |
| OIL | 1967 | 19.7 | 18.3 | 19.7 | 19.2 | 19.2 | 18.9 | 19.9 | 15.4 | 14.9 | 15.4 | 14.8 | 14.1 | **8,854.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,892.0** |
| H2O | 1966 | 58.3 | 49.9 | 55.1 | 54.3 | 55.8 | 54.2 | 55.3 | 176.0 | 173.9 | 179.0 | 125.0 | 81.4 | **7,615.2** |
| OIL | 1966 | 23.7 | 21.0 | 23.7 | 23.0 | 23.2 | 23.7 | 23.2 | 17.0 | 21.1 | 21.1 | 19.1 | 19.9 | **8,644.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,527.0** |
| H2O | 1965 | 49.3 | 43.7 | 48.2 | 51.4 | 53.4 | 39.0 | 52.1 | 51.2 | 51.4 | 53.3 | 51.7 | 48.5 | **6,497.0** |
| OIL | 1965 | 24.0 | 21.9 | 23.8 | 25.7 | 27.7 | 24.8 | 26.2 | 25.3 | 24.8 | 24.8 | 23.8 | 24.0 | **8,385.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,162.0** |
| H2O | 1964 | 55.5 | 52.9 | 58.3 | 58.5 | 50.9 | 42.3 | 33.4 | 39.4 | 43.1 | 45.8 | 45.6 | 45.2 | **5,903.8** |
| OIL | 1964 | 22.4 | 21.5 | 24.0 | 23.2 | 24.3 | 24.2 | 26.7 | 24.8 | 24.9 | 25.1 | 24.3 | 24.5 | **8,088.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,796.0** |
| H2O | 1963 | 44.7 | 36.6 | 29.6 | 22.4 | 49.8 | 53.6 | 48.2 | 33.2 | 35.6 | 49.8 | 56.3 | 83.8 | **5,332.9** |
| OIL | 1963 | 17.6 | 16.7 | 18.3 | 17.2 | 22.9 | 24.2 | 24.9 | 24.2 | 24.0 | 26.5 | 24.6 | 24.0 | **7,798.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,431.0** |
| H2O | 1962 | 27.5 | 28.0 | 27.0 | 37.7 | 45.9 | 35.8 | 29.9 | 44.5 | 33.7 | 40.7 | 38.5 | 42.4 | **4,789.3** |
| OIL | 1962 | 16.0 | 14.8 | 16.0 | 17.5 | 22.9 | 18.1 | 18.4 | 18.3 | 16.8 | 18.3 | 18.4 | 18.3 | **7,533.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,066.0** |
| H2O | 1961 | 76.5 | 21.1 | 25.1 | 21.0 | 21.5 | 30.0 | 87.3 | 32.4 | 27.2 | 25.8 | 31.2 | 33.7 | **4,357.7** |
| OIL | 1961 | 32.4 | 21.5 | 24.9 | 22.7 | 22.7 | 20.3 | 20.0 | 18.0 | 21.3 | 20.3 | 15.9 | 15.9 | **7,319.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,701.0** |
| H2O | 1960 | 20.5 | 24.3 | 22.6 | 6.4 | 13.7 | 9.9 | 19.2 | 51.7 | 29.6 | 74.7 | 130.0 | 89.2 | **3,924.9** |
| OIL | 1960 | 21.1 | 17.2 | 20.3 | 23.4 | 22.1 | 20.5 | 22.6 | 36.2 | 23.4 | 36.2 | 33.8 | 33.8 | **7,063.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,335.0** |
| H2O | 1959 | 45.0 | 31.8 | 29.7 | 30.4 | 26.9 | 14.8 | 27.5 | 28.8 | 1.7 | 23.5 | 21.5 | 18.1 | **3,433.1** |
| OIL | 1959 | 26.7 | 18.3 | 19.5 | 27.2 | 28.3 | 30.7 | 36.4 | 18.9 | 18.1 | 13.2 | 24.8 | 24.5 | **6,753.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,972.0** |
| H2O | 1958 | 59.3 | 51.5 | 59.5 | 18.4 | 17.5 | 22.3 | 18.1 | 10.0 | 30.2 | 55.2 | 31.2 | 6.8 | **3,133.4** |
| OIL | 1958 | 44.8 | 48.8 | 47.8 | 11.9 | 15.4 | 25.3 | 19.1 | 13.3 | 21.3 | 30.2 | 18.6 | 28.0 | **6,466.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,609.0** |

# Manitoba Production
## 1950 To 1975

Licence ***211*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1957 | 51.4 | 71.9 | 68.2 | 47.9 | 58.0 | 27.7 | 59.6 | 30.5 | 38.5 | 37.2 | 25.1 | 36.7 | **2,753.4** |
| OIL | 1957 | 79.5 | 72.5 | 85.3 | 79.5 | 77.9 | 111.4 | 109.0 | 48.6 | 42.1 | 34.6 | 43.1 | 47.0 | **6,141.9** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **1,244.0** |
| H2O | 1956 | 75.8 | 80.3 | 31.6 | 113.2 | 56.8 | 17.5 | 49.1 | 57.1 | 116.5 | 66.8 | 83.3 | 75.2 | **2,200.7** |
| OIL | 1956 | 137.2 | 95.2 | 92.6 | 89.3 | 92.0 | 84.7 | 85.2 | 133.9 | 86.8 | 43.4 | 82.6 | 79.5 | **5,311.4** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **883.0** |
| H2O | 1955 | 22.7 | 73.6 | 55.5 | 151.7 | 74.9 | 57.2 | 96.3 | 72.0 | 64.7 | 54.4 | 61.4 | 66.6 | **1,377.5** |
| OIL | 1955 | 137.8 | 123.9 | 118.9 | 131.2 | 120.8 | 115.1 | 163.4 | 162.5 | 102.5 | 94.6 | 132.4 | 134.5 | **4,209.0** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **518.0** |
| H2O | 1954 | 31.2 | 20.3 | 28.5 | 16.7 | 5.9 | 1.4 | 49.9 | 35.9 | 30.4 | 42.6 | 30.7 | 48.5 | **526.5** |
| OIL | 1954 | 111.4 | 61.7 | 59.1 | 47.7 | 59.0 | 73.1 | 199.1 | 179.1 | 151.8 | 141.8 | 102.3 | 105.5 | **2,671.4** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **153.0** |
| H2O | 1953 | 22.7 | 10.3 | 16.4 | 13.2 | 13.5 | 8.9 | 7.9 | 7.3 | 12.9 | 20.7 | 24.5 | 20.0 | **184.5** |
| OIL | 1953 | 267.8 | 133.7 | 116.8 | 94.2 | 103.1 | 35.3 | 31.8 | 31.9 | 51.6 | 74.1 | 64.2 | 57.2 | **1,379.8** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 5.4 | 0.5 | **6.2** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 86.8 | 179.7 | 51.6 | **318.1** |

Licence ***213*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-09-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **8,304.0** |
| H2O | 1975 | 48.0 | 52.1 | 58.8 | 168.0 | 0.0 | 4.5 | 4.6 | 4.8 | 9.2 | 9.9 | 4.8 | 4.5 | **2,543.1** |
| OIL | 1975 | 91.7 | 84.1 | 78.2 | 82.4 | 85.1 | 87.6 | 91.6 | 90.3 | 83.8 | 77.7 | 70.6 | 77.4 | **31,891.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,939.0** |
| H2O | 1974 | 4.8 | 153.3 | 50.1 | 46.6 | 88.6 | 75.5 | 33.2 | 23.7 | 24.8 | 35.1 | 62.0 | 61.8 | **2,173.9** |
| OIL | 1974 | 254.5 | 184.1 | 208.1 | 152.6 | 164.6 | 133.4 | 115.3 | 73.5 | 86.8 | 90.3 | 80.3 | 87.0 | **30,890.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **7,576.0** |
| H2O | 1973 | 5.2 | 3.8 | 4.5 | 4.5 | 0.0 | 4.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,514.4** |
| OIL | 1973 | 78.7 | 75.7 | 102.7 | 109.5 | 241.3 | 353.0 | 329.1 | 332.1 | 308.0 | 335.5 | 272.2 | 259.5 | **29,260.1** |
| DAY | 1972 | 31.0 | 29.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,213.0** |
| H2O | 1972 | 9.4 | 8.4 | 8.9 | 9.4 | 14.9 | 15.1 | 4.5 | 14.8 | 8.7 | 0.0 | 4.3 | 4.9 | **1,491.8** |
| OIL | 1972 | 49.4 | 46.6 | 48.2 | 45.9 | 48.7 | 50.9 | 41.2 | 46.6 | 47.1 | 73.9 | 69.8 | 78.2 | **26,462.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,878.0** |
| H2O | 1971 | 16.2 | 12.9 | 14.6 | 17.8 | 14.9 | 17.6 | 19.2 | 19.4 | 19.6 | 25.6 | 26.1 | 29.3 | **1,388.5** |
| OIL | 1971 | 57.4 | 44.8 | 55.1 | 53.9 | 55.9 | 53.4 | 70.1 | 64.2 | 57.1 | 57.1 | 54.2 | 53.4 | **25,816.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,513.0** |
| H2O | 1970 | 11.3 | 7.2 | 7.8 | 11.0 | 9.2 | 8.6 | 11.1 | 16.7 | 18.1 | 19.6 | 16.2 | 16.5 | **1,155.3** |
| OIL | 1970 | 48.6 | 52.3 | 56.7 | 55.1 | 57.4 | 55.5 | 57.4 | 61.0 | 62.1 | 60.7 | 59.0 | 58.3 | **25,139.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,148.0** |
| H2O | 1969 | 6.4 | 5.9 | 9.1 | 9.7 | 7.3 | 23.7 | 16.4 | 10.7 | 8.3 | 11.8 | 9.4 | 8.7 | **1,002.0** |
| OIL | 1969 | 68.0 | 63.4 | 67.9 | 68.0 | 69.4 | 61.7 | 61.8 | 65.8 | 62.6 | 59.1 | 57.4 | 55.3 | **24,455.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,783.0** |
| H2O | 1968 | 0.8 | 0.8 | 0.8 | 0.8 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 8.6 | 7.8 | 8.3 | **874.6** |
| OIL | 1968 | 75.3 | 68.8 | 75.0 | 71.5 | 74.1 | 64.0 | 60.2 | 66.1 | 63.4 | 65.2 | 68.0 | 72.1 | **23,695.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,418.0** |
| H2O | 1967 | 3.2 | 2.9 | 3.5 | 3.0 | 4.0 | 3.2 | 0.0 | 0.6 | 1.0 | 0.8 | 0.6 | 1.0 | **846.2** |
| OIL | 1967 | 92.5 | 85.5 | 89.1 | 94.7 | 96.6 | 81.4 | 70.2 | 75.3 | 78.5 | 76.1 | 73.1 | 75.6 | **22,871.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,053.0** |
| H2O | 1966 | 11.8 | 10.5 | 1.9 | 4.6 | 5.4 | 11.4 | 3.0 | 4.6 | 3.7 | 3.8 | 3.3 | 3.2 | **822.4** |
| OIL | 1966 | 84.9 | 75.8 | 138.7 | 90.6 | 94.1 | 92.2 | 91.1 | 88.5 | 90.3 | 92.3 | 95.0 | 97.1 | **21,882.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 26.0 | 29.0 | 30.0 | 29.0 | 27.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,689.0** |

# Manitoba Production
## 1950 To 1975

Licence ***213*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-09-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1965 | 13.8 | 6.4 | 10.7 | 8.6 | 10.2 | 12.4 | 10.5 | 10.8 | 19.7 | 11.8 | 11.0 | 12.9 | **755.2** |
| OIL | 1965 | 97.4 | 85.2 | 93.8 | 79.6 | 94.9 | 96.0 | 88.5 | 88.7 | 95.7 | 89.5 | 94.7 | 94.7 | **20,752.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 28.0 | 30.0 | 28.0 | **4,338.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 4.8 | 4.8 | 4.6 | 4.9 | 6.0 | 4.5 | 6.5 | 16.4 | 7.8 | **616.4** |
| OIL | 1964 | 65.6 | 61.8 | 67.4 | 46.7 | 53.2 | 53.2 | 52.6 | 52.4 | 53.6 | 66.7 | 99.8 | 93.4 | **19,653.6** |
| DAY | 1963 | 28.0 | 28.0 | 28.0 | 30.0 | 28.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,984.0** |
| H2O | 1963 | 10.7 | 9.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **556.1** |
| OIL | 1963 | 67.1 | 65.5 | 76.3 | 82.2 | 68.3 | 73.1 | 68.0 | 75.0 | 71.4 | 70.9 | 75.0 | 69.1 | **18,887.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | **3,631.0** |
| H2O | 1962 | 2.1 | 1.0 | 1.0 | 0.6 | 2.1 | 2.9 | 4.5 | 4.6 | 3.0 | 3.5 | 5.4 | 3.8 | **535.9** |
| OIL | 1962 | 99.6 | 87.1 | 90.1 | 85.7 | 131.7 | 89.6 | 88.2 | 85.7 | 80.6 | 93.6 | 71.0 | 70.1 | **18,025.3** |
| DAY | 1961 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,270.0** |
| H2O | 1961 | 2.9 | 2.5 | 3.0 | 3.0 | 3.3 | 4.0 | 3.3 | 1.3 | 34.5 | 3.2 | 2.1 | 2.4 | **501.4** |
| OIL | 1961 | 87.2 | 93.0 | 96.8 | 90.3 | 87.1 | 100.3 | 100.6 | 88.8 | 102.5 | 130.8 | 109.0 | 109.6 | **16,952.3** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,911.0** |
| H2O | 1960 | 3.0 | 2.7 | 1.7 | 2.2 | 2.7 | 4.3 | 4.9 | 4.3 | 1.0 | 3.8 | 3.7 | 3.3 | **435.9** |
| OIL | 1960 | 111.7 | 104.9 | 111.6 | 102.8 | 106.6 | 101.1 | 103.1 | 98.8 | 98.7 | 100.4 | 95.8 | 97.1 | **15,756.3** |
| DAY | 1959 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **2,546.0** |
| H2O | 1959 | 1.7 | 1.3 | 2.4 | 2.4 | 2.7 | 3.2 | 3.8 | 3.8 | 3.3 | 3.3 | 1.1 | 2.7 | **398.3** |
| OIL | 1959 | 122.5 | 115.1 | 132.4 | 129.4 | 128.4 | 121.4 | 121.2 | 119.3 | 114.6 | 116.8 | 106.8 | 113.5 | **14,523.7** |
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,185.0** |
| H2O | 1958 | 6.5 | 5.4 | 6.0 | 6.0 | 5.1 | 4.9 | 1.9 | 5.4 | 2.2 | 3.8 | 2.7 | 2.2 | **366.6** |
| OIL | 1958 | 161.1 | 143.2 | 154.0 | 143.8 | 152.9 | 141.7 | 157.8 | 145.9 | 144.3 | 145.2 | 138.1 | 137.1 | **13,082.3** |
| DAY | 1957 | 29.0 | 27.0 | 29.0 | 26.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,822.0** |
| H2O | 1957 | 2.2 | 9.9 | 2.4 | 1.6 | 4.6 | 5.1 | 10.5 | 7.2 | 4.0 | 8.3 | 5.6 | 5.7 | **314.5** |
| OIL | 1957 | 208.5 | 249.8 | 229.0 | 257.4 | 264.1 | 211.0 | 207.5 | 193.1 | 186.1 | 174.8 | 156.8 | 165.1 | **11,317.2** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 19.0 | 23.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | **1,471.0** |
| H2O | 1956 | 0.3 | 0.8 | 1.3 | 2.7 | 5.9 | 1.7 | 8.7 | 8.9 | 16.1 | 3.3 | 10.7 | 5.6 | **247.4** |
| OIL | 1956 | 90.9 | 95.7 | 81.5 | 82.8 | 92.0 | 60.1 | 245.2 | 374.6 | 356.6 | 343.7 | 272.4 | 215.0 | **8,814.0** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,126.0** |
| H2O | 1955 | 21.8 | 1.0 | 1.3 | 1.9 | 0.2 | 2.2 | 2.4 | 2.9 | 2.7 | 2.7 | 2.5 | 3.0 | **181.4** |
| OIL | 1955 | 85.0 | 93.9 | 115.7 | 109.5 | 86.6 | 84.9 | 84.5 | 95.7 | 93.4 | 91.2 | 87.6 | 88.7 | **6,503.5** |
| DAY | 1954 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **763.0** |
| H2O | 1954 | 2.9 | 2.1 | 1.6 | 3.7 | 1.6 | 1.6 | 1.6 | 1.7 | 2.2 | 3.7 | 5.1 | 2.2 | **136.8** |
| OIL | 1954 | 163.4 | 145.1 | 133.8 | 121.1 | 110.6 | 112.7 | 114.9 | 118.7 | 110.1 | 114.1 | 102.3 | 105.4 | **5,386.8** |
| DAY | 1953 | 30.0 | 28.0 | 28.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **405.0** |
| H2O | 1953 | 9.5 | 7.5 | 6.0 | 19.4 | 5.4 | 10.8 | 10.2 | 4.8 | 11.4 | 1.7 | 2.1 | 3.2 | **106.8** |
| OIL | 1953 | 468.5 | 364.4 | 297.2 | 303.2 | 266.3 | 247.1 | 245.5 | 230.1 | 218.2 | 209.8 | 185.1 | 174.0 | **3,934.6** |
| DAY | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 24.0 | **47.0** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.6 | 10.2 | **14.8** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 225.7 | 499.5 | **725.2** |

Licence ***214*** Well Name ***Daly Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 207.5 | 161.5 | 199.0 | 165.2 | 157.7 | 190.9 | 148.2 | 179.3 | 217.0 | 176.3 | 154.7 | 101.8 | **82,311.4** |
| WIN | 1974 | 211.7 | 185.4 | 201.9 | 192.8 | 197.6 | 186.6 | 212.5 | 186.9 | 215.2 | 190.1 | 183.0 | 169.3 | **80,252.3** |
| WIN | 1973 | 219.5 | 193.5 | 236.9 | 215.6 | 201.4 | 147.9 | 175.2 | 149.3 | 168.5 | 166.8 | 168.8 | 185.5 | **77,919.3** |
| WIN | 1972 | 203.3 | 176.3 | 234.2 | 199.3 | 200.3 | 205.5 | 30.4 | 314.5 | 237.0 | 222.2 | 213.2 | 192.5 | **75,690.4** |
| WIN | 1971 | 269.3 | 378.6 | 262.5 | 238.6 | 232.9 | 199.8 | 233.0 | 223.5 | 224.8 | 218.9 | 222.7 | 242.3 | **73,261.7** |
| WIN | 1970 | 230.2 | 243.9 | 245.4 | 236.7 | 257.1 | 228.0 | 209.7 | 177.1 | 105.3 | 394.6 | 332.4 | 327.4 | **70,314.8** |

# Manitoba Production
## 1950 To 1975

Licence ***214*** Well Name ***Daly Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1969 | 246.6 | 254.8 | 296.0 | 256.1 | 273.1 | 243.5 | 253.7 | 219.4 | 210.9 | 277.6 | 229.1 | 255.9 | **67,327.0** |
| WIN | 1968 | 169.1 | 185.5 | 213.3 | 187.3 | 206.0 | 185.0 | 203.6 | 180.4 | 181.5 | 209.5 | 196.0 | 217.8 | **64,310.3** |
| WIN | 1967 | 229.9 | 197.4 | 230.3 | 215.9 | 218.9 | 212.1 | 217.3 | 230.0 | 211.1 | 219.2 | 164.5 | 180.1 | **61,975.3** |
| WIN | 1966 | 253.2 | 229.5 | 246.9 | 242.1 | 241.8 | 211.9 | 249.4 | 247.8 | 240.4 | 217.1 | 208.2 | 221.9 | **59,448.6** |
| WIN | 1965 | 236.7 | 214.8 | 249.9 | 221.3 | 213.7 | 239.4 | 209.0 | 253.6 | 230.8 | 264.8 | 233.7 | 257.2 | **56,638.4** |
| WIN | 1964 | 325.5 | 204.3 | 296.2 | 253.2 | 286.6 | 255.8 | 279.8 | 274.4 | 259.1 | 222.4 | 209.7 | 248.6 | **53,813.5** |
| WIN | 1963 | 247.0 | 240.2 | 259.0 | 272.3 | 79.0 | 509.5 | 300.2 | 341.1 | 298.1 | 273.3 | 272.6 | 276.4 | **50,697.9** |
| WIN | 1962 | 300.6 | 267.9 | 302.8 | 266.3 | 282.5 | 287.4 | 272.8 | 259.9 | 261.7 | 276.3 | 270.9 | 283.0 | **47,329.2** |
| WIN | 1961 | 335.4 | 307.1 | 330.6 | 315.0 | 326.6 | 310.3 | 317.9 | 303.4 | 298.4 | 311.7 | 295.2 | 303.3 | **43,997.1** |
| WIN | 1960 | 374.7 | 386.5 | 336.6 | 356.9 | 355.3 | 341.3 | 332.5 | 338.2 | 291.4 | 318.4 | 367.6 | 331.2 | **40,242.2** |
| WIN | 1959 | 438.5 | 432.3 | 566.8 | 461.7 | 453.0 | 426.6 | 469.6 | 451.5 | 441.7 | 428.9 | 398.9 | 412.6 | **36,111.6** |
| WIN | 1958 | 567.8 | 424.1 | 500.3 | 490.5 | 434.4 | 519.0 | 498.6 | 502.5 | 433.1 | 484.3 | 422.5 | 472.0 | **30,729.5** |
| WIN | 1957 | 0.0 | 0.0 | 598.6 | 880.2 | 715.4 | 667.1 | 526.2 | 584.8 | 507.7 | 505.2 | 513.0 | 577.6 | **24,980.4** |
| WIN | 1956 | 522.8 | 785.3 | 1001.0 | 1184.2 | 978.6 | 1168.6 | 1008.5 | 869.3 | 809.6 | 812.2 | 638.7 | 33.5 | **18,904.6** |
| WIN | 1955 | 1286.0 | 1206.6 | 940.7 | 837.1 | 791.0 | 670.1 | 618.3 | 638.1 | 622.6 | 0.0 | 0.0 | 0.0 | **9,092.3** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 19.0 | 0.0 | **717.0** |
| H2O | 1954 | 2.3 | 1.8 | 1.1 | 1.7 | 2.2 | 2.1 | 1.3 | 3.2 | 7.0 | 6.0 | 1.1 | 0.0 | **89.5** |
| OIL | 1954 | 41.2 | 38.3 | 37.2 | 32.6 | 38.1 | 35.1 | 39.1 | 38.1 | 35.3 | 35.3 | 19.7 | 0.0 | **1,341.4** |
| WIN | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1481.8 | **1,481.8** |
| DAY | 1953 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **395.0** |
| H2O | 1953 | 3.3 | 1.7 | 2.5 | 2.2 | 2.5 | 7.2 | 4.9 | 6.4 | 12.6 | 3.0 | 2.5 | 4.5 | **59.7** |
| OIL | 1953 | 107.6 | 57.5 | 81.4 | 66.6 | 83.6 | 77.4 | 77.1 | 57.4 | 53.6 | 48.6 | 44.7 | 43.7 | **951.4** |
| DAY | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | **30.0** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.4 | **6.4** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 152.2 | **152.2** |

Licence ***216*** Well Name ***Daly Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-02-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 30.0 | 28.0 | 31.0 | 25.0 | 28.0 | 29.0 | 13.0 | 18.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,250.0** |
| H2O | 1974 | 383.5 | 316.5 | 362.3 | 335.7 | 359.5 | 384.7 | 557.8 | 314.6 | 0.0 | 0.0 | 0.0 | 0.0 | **57,117.4** |
| OIL | 1974 | 57.2 | 43.2 | 46.4 | 24.0 | 26.1 | 26.1 | 16.2 | 9.6 | 0.0 | 0.0 | 0.0 | 0.0 | **32,120.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,048.0** |
| H2O | 1973 | 332.7 | 297.4 | 333.4 | 331.6 | 348.2 | 356.0 | 369.2 | 371.9 | 375.1 | 384.8 | 369.0 | 337.9 | **54,102.8** |
| OIL | 1973 | 55.0 | 45.6 | 52.6 | 51.6 | 54.0 | 48.9 | 50.5 | 49.4 | 49.1 | 51.2 | 41.3 | 46.7 | **31,871.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | **6,683.0** |
| H2O | 1972 | 263.8 | 248.5 | 258.7 | 254.5 | 270.3 | 268.7 | 249.6 | 277.4 | 261.2 | 259.2 | 261.7 | 345.2 | **49,895.6** |
| OIL | 1972 | 79.9 | 75.6 | 80.2 | 64.8 | 65.0 | 62.3 | 58.3 | 58.0 | 52.4 | 34.0 | 31.5 | 53.4 | **31,275.3** |
| DAY | 1971 | 27.0 | 26.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,322.0** |
| H2O | 1971 | 193.7 | 206.7 | 257.1 | 242.3 | 229.1 | 219.7 | 225.6 | 236.9 | 233.7 | 257.4 | 248.5 | 260.6 | **46,676.8** |
| OIL | 1971 | 56.1 | 20.2 | 33.8 | 36.4 | 33.2 | 36.9 | 39.4 | 41.0 | 106.3 | 114.3 | 107.7 | 82.2 | **30,559.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 28.0 | 27.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **5,965.0** |
| H2O | 1970 | 290.4 | 273.0 | 286.3 | 300.2 | 243.6 | 229.2 | 202.0 | 227.2 | 213.6 | 232.0 | 260.1 | 245.9 | **43,865.5** |
| OIL | 1970 | 73.9 | 73.6 | 71.2 | 82.8 | 74.8 | 80.9 | 72.9 | 72.9 | 65.2 | 70.4 | 86.3 | 83.4 | **29,852.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **5,612.0** |
| H2O | 1969 | 191.8 | 167.1 | 182.9 | 216.1 | 237.0 | 200.1 | 151.6 | 303.5 | 250.2 | 226.4 | 242.4 | 267.9 | **40,862.0** |
| OIL | 1969 | 98.4 | 104.1 | 113.1 | 92.6 | 82.8 | 85.7 | 89.9 | 90.1 | 88.2 | 73.6 | 78.2 | 86.1 | **28,944.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 0.0 | 24.0 | 31.0 | 24.0 | 30.0 | 28.0 | 30.0 | 31.0 | **5,255.0** |
| H2O | 1968 | 372.5 | 362.5 | 363.6 | 372.2 | 209.1 | 258.5 | 187.8 | 293.6 | 241.6 | 221.1 | 194.0 | 186.7 | **38,225.0** |
| OIL | 1968 | 144.4 | 133.8 | 140.6 | 133.3 | 57.4 | 78.8 | 59.4 | 63.9 | 137.0 | 129.7 | 117.4 | 105.2 | **27,861.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 21.0 | 29.0 | 29.0 | 19.0 | 19.0 | 30.0 | 27.0 | 30.0 | 31.0 | **4,936.0** |

# Manitoba Production
## 1950 To 1975

Licence ***216*** Well Name ***Daly Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-02-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1967 | 384.1 | 347.3 | 384.1 | 275.5 | 336.9 | 327.3 | 316.5 | 326.8 | 349.7 | 320.3 | 357.9 | 367.9 | **34,961.8** |
| OIL | 1967 | 180.8 | 164.5 | 179.7 | 106.6 | 136.8 | 132.1 | 61.5 | 54.3 | 115.7 | 129.0 | 151.9 | 152.4 | **26,560.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 28.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 29.0 | **4,611.0** |
| H2O | 1966 | 182.1 | 164.4 | 179.4 | 176.2 | 274.1 | 298.0 | 330.0 | 308.8 | 318.4 | 350.2 | 371.7 | 359.5 | **30,867.5** |
| OIL | 1966 | 81.2 | 96.1 | 92.3 | 101.4 | 92.0 | 103.3 | 110.9 | 94.2 | 157.5 | 174.8 | 181.6 | 168.3 | **24,995.1** |
| DAY | 1965 | 31.0 | 26.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 28.0 | 29.0 | 27.0 | 30.0 | 31.0 | **4,257.0** |
| H2O | 1965 | 266.1 | 223.2 | 266.1 | 257.5 | 206.7 | 211.8 | 218.9 | 197.7 | 205.3 | 162.4 | 176.2 | 182.1 | **27,554.7** |
| OIL | 1965 | 150.2 | 85.8 | 109.0 | 109.6 | 86.0 | 89.5 | 112.2 | 89.8 | 102.5 | 88.8 | 106.0 | 98.8 | **23,541.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 28.0 | 25.0 | 30.0 | 26.0 | 30.0 | 29.0 | 30.0 | **3,906.0** |
| H2O | 1964 | 232.3 | 207.2 | 231.2 | 244.7 | 224.0 | 80.3 | 175.4 | 238.2 | 206.3 | 255.5 | 249.0 | 257.5 | **24,980.7** |
| OIL | 1964 | 92.2 | 88.0 | 94.4 | 90.6 | 83.3 | 100.1 | 70.9 | 165.9 | 136.8 | 154.5 | 133.3 | 125.9 | **22,313.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 30.0 | 26.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | **3,557.0** |
| H2O | 1963 | 191.6 | 193.4 | 198.9 | 180.3 | 150.0 | 165.2 | 213.9 | 150.0 | 164.1 | 192.6 | 185.6 | 212.9 | **22,379.1** |
| OIL | 1963 | 57.0 | 67.4 | 72.8 | 66.7 | 72.1 | 168.8 | 63.7 | 121.6 | 120.8 | 112.0 | 109.6 | 70.1 | **20,977.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 15.0 | 31.0 | 26.0 | 28.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | **3,203.0** |
| H2O | 1962 | 103.4 | 160.0 | 166.4 | 116.0 | 167.8 | 322.5 | 288.8 | 207.5 | 200.5 | 153.6 | 201.6 | 207.2 | **20,180.6** |
| OIL | 1962 | 121.1 | 83.6 | 104.7 | 43.2 | 69.6 | 21.8 | 71.5 | 78.0 | 74.4 | 73.1 | 69.4 | 63.2 | **19,874.8** |
| DAY | 1961 | 31.0 | 28.0 | 30.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,864.0** |
| H2O | 1961 | 180.3 | 163.0 | 153.0 | 162.9 | 164.9 | 158.2 | 173.2 | 181.5 | 165.7 | 194.8 | 174.8 | 173.8 | **17,885.3** |
| OIL | 1961 | 144.0 | 133.8 | 148.4 | 142.5 | 123.8 | 151.0 | 160.5 | 149.1 | 110.1 | 192.4 | 145.1 | 146.0 | **19,001.2** |
| DAY | 1960 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,508.0** |
| H2O | 1960 | 163.6 | 151.6 | 169.8 | 134.3 | 158.2 | 146.5 | 149.2 | 129.4 | 107.6 | 191.9 | 172.9 | 156.7 | **15,839.2** |
| OIL | 1960 | 120.3 | 121.1 | 190.1 | 154.5 | 165.9 | 148.3 | 130.1 | 157.5 | 143.3 | 176.2 | 103.1 | 160.5 | **17,254.5** |
| DAY | 1959 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **2,149.0** |
| H2O | 1959 | 250.7 | 231.5 | 233.4 | 215.4 | 222.7 | 182.9 | 188.0 | 195.6 | 181.0 | 181.8 | 160.3 | 183.2 | **14,007.5** |
| OIL | 1959 | 177.2 | 179.6 | 199.0 | 166.5 | 185.3 | 156.5 | 176.1 | 174.0 | 171.8 | 167.7 | 143.8 | 139.5 | **15,483.6** |
| DAY | 1958 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 31.0 | 28.0 | 31.0 | **1,789.0** |
| H2O | 1958 | 248.3 | 216.2 | 245.8 | 260.4 | 238.6 | 225.3 | 170.5 | 216.8 | 246.4 | 262.8 | 254.7 | 250.7 | **11,581.0** |
| OIL | 1958 | 215.6 | 187.0 | 220.7 | 206.6 | 201.0 | 249.6 | 242.5 | 246.9 | 223.6 | 216.9 | 169.2 | 185.8 | **13,446.6** |
| DAY | 1957 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 22.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,430.0** |
| H2O | 1957 | 329.8 | 267.2 | 108.2 | 251.5 | 258.8 | 222.6 | 267.6 | 249.8 | 256.8 | 264.5 | 244.4 | 257.7 | **8,744.5** |
| OIL | 1957 | 215.0 | 198.5 | 188.3 | 269.0 | 282.7 | 182.7 | 268.7 | 240.9 | 252.5 | 271.7 | 209.1 | 222.5 | **10,881.2** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 29.0 | 30.0 | 30.0 | 30.0 | 27.0 | 22.0 | **1,077.0** |
| H2O | 1956 | 205.1 | 198.3 | 234.7 | 326.0 | 342.2 | 253.1 | 301.3 | 341.2 | 392.1 | 317.5 | 292.0 | 226.1 | **5,765.6** |
| OIL | 1956 | 265.7 | 243.0 | 281.6 | 216.3 | 200.5 | 191.6 | 203.9 | 214.7 | 171.3 | 210.1 | 184.3 | 110.6 | **8,079.6** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **730.0** |
| H2O | 1955 | 13.5 | 13.0 | 17.6 | 25.0 | 16.7 | 8.1 | 343.3 | 366.1 | 360.8 | 311.6 | 249.7 | 182.1 | **2,336.0** |
| OIL | 1955 | 191.8 | 100.9 | 70.1 | 142.4 | 134.1 | 116.0 | 99.2 | 194.0 | 203.2 | 237.1 | 196.6 | 215.6 | **5,586.0** |
| DAY | 1954 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 26.0 | 16.0 | **371.0** |
| H2O | 1954 | 26.2 | 31.5 | 26.5 | 26.2 | 32.4 | 18.0 | 5.9 | 16.4 | 9.5 | 3.8 | 13.0 | 14.6 | **428.5** |
| OIL | 1954 | 188.5 | 178.9 | 205.3 | 179.6 | 207.2 | 158.6 | 175.6 | 154.9 | 164.5 | 163.2 | 96.6 | 70.6 | **3,685.0** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | **31.0** |
| H2O | 1953 | 0.2 | 5.4 | 17.8 | 10.8 | 0.0 | 0.2 | 1.7 | 13.0 | 48.5 | 39.6 | 28.5 | 38.8 | **204.5** |
| OIL | 1953 | 133.5 | 134.8 | 107.6 | 109.8 | 21.0 | 48.9 | 74.4 | 79.3 | 216.9 | 256.5 | 243.0 | 211.8 | **1,741.5** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 60.1 | 43.9 | **104.0** |

Licence ***219*** Well Name ***Enerplus Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 16.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,408.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 258.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **46,057.6** |

# Manitoba Production
## 1950 To 1975

Licence ***219*** Well Name ***Enerplus Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 19.0 | 17.0 | 11.0 | 25.0 | 0.0 | 0.0 | **4,392.0** |
| H2O | 1965 | 347.5 | 361.8 | 397.1 | 391.2 | 413.0 | 437.8 | 240.9 | 203.3 | 150.6 | 414.0 | 0.0 | 0.0 | **45,798.7** |
| OIL | 1965 | 36.9 | 38.8 | 43.7 | 41.3 | 39.3 | 58.5 | 29.1 | 17.6 | 14.9 | 31.1 | 0.0 | 0.0 | **8,649.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,141.0** |
| H2O | 1964 | 343.9 | 323.4 | 980.4 | 272.7 | 236.2 | 328.9 | 295.9 | 360.2 | 355.5 | 346.3 | 344.4 | 364.5 | **42,441.5** |
| OIL | 1964 | 72.5 | 62.6 | 64.1 | 55.6 | 35.6 | 57.7 | 44.2 | 49.1 | 41.2 | 43.7 | 40.5 | 41.8 | **8,298.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,781.0** |
| H2O | 1963 | 352.1 | 316.1 | 357.1 | 340.2 | 350.2 | 361.5 | 359.0 | 350.2 | 332.1 | 345.6 | 344.0 | 340.7 | **37,889.2** |
| OIL | 1963 | 57.8 | 55.3 | 60.2 | 57.2 | 63.7 | 68.9 | 58.3 | 65.3 | 65.9 | 69.5 | 65.4 | 71.8 | **7,689.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 21.0 | 29.0 | 31.0 | 30.0 | 28.0 | **3,418.0** |
| H2O | 1962 | 294.4 | 265.8 | 290.9 | 284.7 | 308.1 | 307.9 | 316.5 | 211.8 | 368.2 | 347.7 | 318.6 | 310.2 | **33,740.4** |
| OIL | 1962 | 25.7 | 22.6 | 25.1 | 24.3 | 24.9 | 22.7 | 57.8 | 40.5 | 52.9 | 64.0 | 62.1 | 52.9 | **6,930.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,068.0** |
| H2O | 1961 | 341.5 | 290.5 | 318.4 | 310.2 | 311.0 | 262.5 | 294.4 | 296.7 | 292.8 | 300.0 | 298.2 | 304.3 | **30,115.6** |
| OIL | 1961 | 69.5 | 61.3 | 61.7 | 56.1 | 53.4 | 27.2 | 31.1 | 28.9 | 28.9 | 28.6 | 26.1 | 26.1 | **6,454.6** |
| DAY | 1960 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 28.0 | 30.0 | 26.0 | 26.0 | 31.0 | **2,707.0** |
| H2O | 1960 | 364.5 | 317.0 | 334.3 | 322.9 | 336.2 | 314.3 | 349.9 | 355.3 | 341.5 | 284.3 | 334.0 | 345.1 | **26,495.1** |
| OIL | 1960 | 83.1 | 83.6 | 89.2 | 82.6 | 85.2 | 74.7 | 71.4 | 75.5 | 77.9 | 64.3 | 61.5 | 70.3 | **5,955.7** |
| DAY | 1959 | 14.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,359.0** |
| H2O | 1959 | 105.1 | 194.1 | 251.8 | 242.4 | 251.8 | 211.6 | 197.0 | 217.6 | 375.8 | 385.4 | 353.9 | 368.5 | **22,495.8** |
| OIL | 1959 | 12.7 | 24.6 | 33.8 | 34.6 | 17.2 | 35.1 | 44.0 | 25.3 | 129.8 | 134.3 | 125.2 | 117.8 | **5,036.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 22.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **2,015.0** |
| H2O | 1958 | 310.5 | 267.2 | 285.7 | 199.5 | 159.3 | 258.2 | 250.2 | 250.2 | 220.0 | 228.1 | 202.7 | 217.2 | **19,340.8** |
| OIL | 1958 | 59.4 | 51.0 | 56.7 | 38.0 | 30.5 | 50.1 | 54.0 | 40.8 | 35.6 | 40.5 | 36.4 | 38.9 | **4,302.0** |
| DAY | 1957 | 0.0 | 20.0 | 31.0 | 30.0 | 31.0 | 25.0 | 22.0 | 29.0 | 27.0 | 26.0 | 30.0 | 30.0 | **1,661.0** |
| H2O | 1957 | 0.0 | 254.4 | 401.3 | 371.4 | 392.5 | 298.9 | 209.7 | 287.3 | 326.9 | 307.1 | 342.6 | 326.5 | **16,492.0** |
| OIL | 1957 | 0.0 | 7.6 | 60.7 | 60.5 | 42.6 | 46.4 | 3.8 | 23.2 | 57.8 | 46.4 | 61.5 | 57.0 | **3,770.1** |
| DAY | 1956 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 21.0 | 28.0 | 30.0 | 31.0 | 26.0 | 6.0 | **1,360.0** |
| H2O | 1956 | 300.2 | 266.5 | 319.1 | 349.4 | 371.4 | 351.0 | 274.9 | 414.8 | 405.7 | 539.9 | 318.8 | 101.3 | **12,973.4** |
| OIL | 1956 | 75.5 | 40.7 | 66.7 | 63.5 | 71.8 | 66.0 | 45.3 | 48.6 | 63.0 | 64.1 | 54.8 | 17.2 | **3,302.6** |
| DAY | 1955 | 31.0 | 28.0 | 28.0 | 17.0 | 18.0 | 30.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,042.0** |
| H2O | 1955 | 349.8 | 625.1 | 496.3 | 180.6 | 159.3 | 125.6 | 245.0 | 303.0 | 297.5 | 336.2 | 329.2 | 341.8 | **8,960.4** |
| OIL | 1955 | 87.3 | 77.2 | 71.0 | 45.1 | 18.8 | 79.3 | 73.6 | 81.4 | 78.3 | 79.6 | 80.2 | 80.6 | **2,625.4** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 21.0 | 29.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **710.0** |
| H2O | 1954 | 339.6 | 291.3 | 210.6 | 185.5 | 244.7 | 391.6 | 337.0 | 437.2 | 227.7 | 216.5 | 186.3 | 153.3 | **5,171.0** |
| OIL | 1954 | 71.5 | 61.3 | 90.2 | 79.5 | 32.3 | 51.8 | 49.4 | 79.5 | 95.2 | 99.9 | 94.5 | 85.2 | **1,773.0** |
| DAY | 1953 | 2.0 | 0.0 | 29.0 | 29.0 | 30.0 | 27.0 | 29.0 | 19.0 | 30.0 | 31.0 | 30.0 | 31.0 | **365.0** |
| H2O | 1953 | 26.1 | 0.0 | 0.5 | 0.5 | 1.3 | 1.3 | 1.0 | 170.9 | 246.6 | 394.7 | 377.7 | 387.3 | **1,949.7** |
| OIL | 1953 | 17.3 | 0.0 | 47.4 | 42.6 | 31.9 | 31.1 | 28.6 | 27.5 | 86.5 | 97.9 | 102.1 | 80.6 | **882.7** |
| DAY | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 30.0 | 18.0 | **78.0** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 341.8 | **341.8** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.7 | 45.8 | 227.7 | **289.2** |

Licence ***220*** Well Name ***Rundle Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-10-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 27.0 | 15.0 | 0.0 | 0.0 | **6,585.0** |
| H2O | 1971 | 447.4 | 391.6 | 391.6 | 458.4 | 489.2 | 451.5 | 491.8 | 452.3 | 430.5 | 263.0 | 0.0 | 0.0 | **60,332.3** |
| OIL | 1971 | 7.2 | 9.5 | 12.7 | 12.2 | 11.4 | 11.1 | 11.9 | 11.9 | 10.3 | 6.9 | 0.0 | 0.0 | **9,703.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 27.0 | 29.0 | 31.0 | 23.0 | 31.0 | **6,303.0** |
| H2O | 1970 | 423.7 | 380.8 | 426.4 | 401.1 | 418.8 | 428.6 | 406.9 | 357.7 | 426.1 | 435.6 | 300.5 | 463.5 | **56,065.0** |

# Manitoba Production
## 1950 To 1975

Licence ***220*** Well Name ***Rundle Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-10-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1970 | 13.0 | 12.9 | 14.3 | 12.4 | 15.6 | 11.9 | 11.6 | 10.6 | 11.1 | 11.8 | 7.2 | 7.3 | **9,598.1** |
| DAY | 1969 | 31.0 | 18.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,952.0** |
| H2O | 1969 | 490.3 | 250.6 | 474.1 | 439.4 | 446.8 | 518.6 | 463.9 | 312.1 | 493.7 | 474.6 | 437.1 | 438.0 | **51,195.3** |
| OIL | 1969 | 14.3 | 7.2 | 11.9 | 15.1 | 10.3 | 13.0 | 12.2 | 7.9 | 11.9 | 14.3 | 14.3 | 13.8 | **9,458.4** |
| DAY | 1968 | 31.0 | 25.0 | 31.0 | 30.0 | 25.0 | 27.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **5,605.0** |
| H2O | 1968 | 492.8 | 476.9 | 476.9 | 476.9 | 349.8 | 465.7 | 563.9 | 521.5 | 513.2 | 392.2 | 549.6 | 347.1 | **45,956.1** |
| OIL | 1968 | 4.8 | 9.5 | 6.4 | 9.5 | 6.4 | 6.4 | 6.4 | 6.4 | 6.0 | 12.9 | 13.5 | 15.1 | **9,312.2** |
| DAY | 1967 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 0.0 | 30.0 | 31.0 | **5,256.0** |
| H2O | 1967 | 474.4 | 423.5 | 492.8 | 476.9 | 492.8 | 476.9 | 492.8 | 492.8 | 461.0 | 0.0 | 461.0 | 492.8 | **40,329.6** |
| OIL | 1967 | 13.5 | 9.1 | 6.2 | 7.8 | 9.2 | 9.5 | 9.9 | 4.9 | 4.6 | 0.0 | 4.6 | 4.8 | **9,208.9** |
| DAY | 1966 | 31.0 | 27.0 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,925.0** |
| H2O | 1966 | 558.0 | 530.7 | 535.8 | 480.3 | 557.1 | 498.4 | 502.7 | 512.6 | 490.0 | 518.8 | 454.8 | 462.3 | **35,091.9** |
| OIL | 1966 | 16.2 | 17.5 | 18.9 | 15.1 | 12.7 | 10.8 | 11.9 | 13.2 | 13.8 | 15.3 | 13.5 | 12.2 | **9,124.8** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 4.0 | 31.0 | 28.0 | 31.0 | 31.0 | 18.0 | 17.0 | 10.0 | 17.0 | **4,567.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 13.7 | 191.4 | 171.9 | 175.7 | 162.6 | 74.9 | 423.8 | 218.3 | 386.3 | **28,990.4** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 4.3 | 11.6 | 11.1 | 13.5 | 11.4 | 2.9 | 13.8 | 4.1 | 7.5 | **8,953.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 20.0 | 0.0 | **4,380.0** |
| H2O | 1964 | 271.2 | 211.8 | 236.6 | 239.1 | 275.0 | 197.9 | 173.8 | 151.2 | 138.5 | 160.3 | 41.0 | 0.0 | **27,171.8** |
| OIL | 1964 | 41.2 | 31.0 | 26.2 | 22.6 | 21.9 | 12.1 | 13.7 | 11.6 | 12.1 | 26.2 | 16.4 | 0.0 | **8,873.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,055.0** |
| H2O | 1963 | 194.6 | 206.0 | 225.6 | 192.2 | 208.4 | 209.7 | 209.5 | 156.3 | 296.8 | 321.3 | 251.5 | 232.0 | **25,075.4** |
| OIL | 1963 | 14.5 | 17.3 | 18.6 | 23.5 | 14.3 | 16.8 | 2.7 | 10.6 | 19.1 | 33.5 | 33.1 | 17.8 | **8,638.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,690.0** |
| H2O | 1962 | 128.8 | 127.8 | 135.0 | 151.0 | 150.9 | 147.2 | 170.9 | 147.2 | 172.2 | 135.1 | 132.0 | 158.5 | **22,371.5** |
| OIL | 1962 | 25.9 | 22.4 | 26.1 | 27.5 | 24.6 | 25.1 | 12.6 | 33.1 | 22.7 | 21.0 | 14.3 | 14.9 | **8,416.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,325.0** |
| H2O | 1961 | 401.7 | 139.9 | 133.7 | 130.4 | 147.7 | 151.8 | 152.6 | 149.9 | 150.1 | 157.2 | 118.8 | 126.9 | **20,614.9** |
| OIL | 1961 | 25.7 | 22.6 | 25.3 | 22.4 | 25.1 | 26.2 | 26.4 | 20.3 | 20.2 | 17.5 | 26.4 | 23.8 | **8,146.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,960.0** |
| H2O | 1960 | 258.7 | 236.7 | 173.6 | 164.4 | 174.9 | 160.7 | 160.9 | 254.2 | 331.6 | 518.0 | 323.7 | 357.7 | **18,654.2** |
| OIL | 1960 | 25.7 | 20.5 | 26.7 | 19.2 | 26.1 | 23.5 | 27.3 | 50.2 | 17.2 | 20.7 | 22.9 | 25.4 | **7,864.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 10.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,597.0** |
| H2O | 1959 | 251.7 | 234.3 | 233.7 | 185.2 | 212.2 | 192.8 | 356.0 | 85.2 | 95.4 | 186.3 | 185.8 | 192.2 | **15,539.1** |
| OIL | 1959 | 28.3 | 19.7 | 59.8 | 5.4 | 26.4 | 28.4 | 52.9 | 12.9 | 11.4 | 18.6 | 20.2 | 24.6 | **7,559.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,252.0** |
| H2O | 1958 | 480.0 | 484.6 | 540.5 | 530.0 | 299.2 | 179.8 | 158.7 | 95.2 | 257.7 | 270.7 | 380.1 | 256.8 | **13,128.3** |
| OIL | 1958 | 75.3 | 73.1 | 79.1 | 70.2 | 40.0 | 23.2 | 22.2 | 17.0 | 34.2 | 29.1 | 47.2 | 32.3 | **7,250.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,887.0** |
| H2O | 1957 | 258.0 | 259.0 | 235.9 | 178.4 | 235.3 | 402.9 | 137.5 | 237.2 | 227.5 | 227.5 | 243.4 | 178.1 | **9,195.0** |
| OIL | 1957 | 54.5 | 48.0 | 55.6 | 47.7 | 38.0 | 32.6 | 24.5 | 45.6 | 42.6 | 27.7 | 35.8 | 18.6 | **6,707.7** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,522.0** |
| H2O | 1956 | 205.1 | 157.2 | 153.9 | 175.8 | 186.6 | 255.8 | 302.7 | 299.7 | 398.1 | 315.7 | 376.9 | 205.9 | **6,374.3** |
| OIL | 1956 | 55.6 | 22.6 | 44.5 | 46.6 | 31.1 | 45.0 | 55.5 | 52.8 | 53.2 | 82.8 | 65.6 | 52.8 | **6,236.5** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,156.0** |
| H2O | 1955 | 183.5 | 104.6 | 74.9 | 155.5 | 184.9 | 210.6 | 206.4 | 192.0 | 241.2 | 251.8 | 178.2 | 198.7 | **3,340.9** |
| OIL | 1955 | 89.6 | 66.1 | 84.9 | 84.1 | 83.0 | 76.8 | 75.2 | 73.6 | 66.1 | 71.0 | 65.9 | 61.5 | **5,628.4** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **791.0** |
| H2O | 1954 | 63.9 | 80.1 | 67.1 | 59.5 | 36.7 | 1.4 | 15.7 | 3.3 | 3.8 | 16.5 | 32.1 | 184.6 | **1,158.6** |
| OIL | 1954 | 212.6 | 200.1 | 192.0 | 170.2 | 174.5 | 51.8 | 142.5 | 111.7 | 125.5 | 110.4 | 99.0 | 98.5 | **4,730.6** |
| DAY | 1953 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **426.0** |
| H2O | 1953 | 24.3 | 32.6 | 36.2 | 27.5 | 24.6 | 51.5 | 43.2 | 69.0 | 76.8 | 76.8 | 68.2 | 61.2 | **593.9** |
| OIL | 1953 | 242.7 | 323.7 | 330.1 | 250.1 | 224.1 | 257.8 | 227.6 | 230.1 | 191.8 | 192.1 | 227.2 | 203.9 | **3,041.8** |

# Manitoba Production
## 1950 To 1975

Licence ***220*** Well Name ***Rundle Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-10-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | **61.0** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 1.0 | **2.0** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 47.5 | 93.1 | **140.6** |

Licence ***221*** Well Name ***Rundle Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-10-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 27.0 | 4.0 | **4,320.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 48.0 | 204.7 | 15.1 | **41,365.2** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 10.7 | 0.5 | **9,072.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | **4,286.0** |
| H2O | 1964 | 355.5 | 277.4 | 309.9 | 313.3 | 360.6 | 259.5 | 227.8 | 198.2 | 181.7 | 0.0 | 0.0 | 0.0 | **41,097.4** |
| OIL | 1964 | 47.2 | 35.4 | 30.0 | 25.9 | 25.1 | 13.8 | 15.6 | 13.2 | 13.8 | 0.0 | 0.0 | 0.0 | **9,059.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,012.0** |
| H2O | 1963 | 353.3 | 374.2 | 409.7 | 349.1 | 464.1 | 466.8 | 466.3 | 347.8 | 401.7 | 435.0 | 329.4 | 304.0 | **38,613.5** |
| OIL | 1963 | 26.4 | 31.5 | 33.7 | 42.7 | 28.6 | 33.5 | 5.2 | 20.7 | 23.0 | 40.7 | 37.7 | 20.3 | **8,839.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,647.0** |
| H2O | 1962 | 290.5 | 288.5 | 304.9 | 345.3 | 345.0 | 337.0 | 392.7 | 338.3 | 395.9 | 310.5 | 239.6 | 287.8 | **33,912.1** |
| OIL | 1962 | 51.6 | 45.0 | 52.1 | 64.4 | 57.5 | 58.8 | 29.4 | 77.5 | 53.6 | 49.6 | 26.1 | 27.2 | **8,495.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,282.0** |
| H2O | 1961 | 82.4 | 309.1 | 295.2 | 286.2 | 326.1 | 335.1 | 336.7 | 312.6 | 408.9 | 432.6 | 266.3 | 284.4 | **30,036.1** |
| OIL | 1961 | 51.5 | 49.9 | 54.3 | 49.1 | 55.5 | 58.2 | 58.5 | 40.8 | 60.5 | 52.6 | 52.6 | 47.5 | **7,902.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,917.0** |
| H2O | 1960 | 576.6 | 506.4 | 371.2 | 351.7 | 379.6 | 370.3 | 345.3 | 218.0 | 69.8 | 104.4 | 66.3 | 73.3 | **26,360.5** |
| OIL | 1960 | 56.7 | 45.0 | 58.6 | 42.4 | 57.2 | 61.3 | 59.1 | 29.7 | 34.5 | 41.2 | 45.8 | 51.0 | **7,271.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 12.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 20.0 | 30.0 | 31.0 | **2,553.0** |
| H2O | 1959 | 418.3 | 392.7 | 388.4 | 446.9 | 415.3 | 420.8 | 256.4 | 482.5 | 540.1 | 334.2 | 458.2 | 411.8 | **22,927.6** |
| OIL | 1959 | 44.3 | 31.0 | 93.9 | 12.4 | 48.1 | 52.1 | 28.8 | 76.9 | 68.8 | 31.0 | 48.5 | 54.2 | **6,688.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,217.0** |
| H2O | 1958 | 97.6 | 72.5 | 88.2 | 82.5 | 307.9 | 459.3 | 468.2 | 580.1 | 394.3 | 414.3 | 246.3 | 408.3 | **17,962.0** |
| OIL | 1958 | 15.1 | 14.6 | 15.7 | 14.0 | 35.6 | 55.8 | 66.4 | 58.2 | 55.6 | 47.4 | 34.3 | 52.6 | **6,098.7** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,852.0** |
| H2O | 1957 | 334.7 | 303.5 | 365.5 | 297.9 | 401.3 | 756.4 | 442.9 | 375.2 | 407.1 | 405.7 | 386.0 | 455.2 | **14,342.5** |
| OIL | 1957 | 59.8 | 52.8 | 61.2 | 79.6 | 57.7 | 49.6 | 104.1 | 65.8 | 81.0 | 52.4 | 53.6 | 46.2 | **5,633.4** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,490.0** |
| H2O | 1956 | 327.7 | 316.8 | 412.9 | 316.7 | 373.3 | 498.7 | 413.2 | 338.5 | 330.7 | 314.8 | 151.5 | 377.1 | **9,411.1** |
| OIL | 1956 | 69.4 | 28.3 | 55.8 | 58.5 | 39.1 | 56.3 | 69.3 | 65.8 | 66.3 | 55.1 | 71.8 | 57.8 | **4,869.6** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,125.0** |
| H2O | 1955 | 367.9 | 209.9 | 474.6 | 438.9 | 432.9 | 382.8 | 392.5 | 378.8 | 315.3 | 329.2 | 303.0 | 337.7 | **5,239.2** |
| OIL | 1955 | 112.0 | 82.6 | 106.0 | 105.0 | 103.8 | 96.1 | 94.2 | 92.2 | 83.0 | 88.4 | 82.2 | 76.6 | **4,176.1** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **760.0** |
| H2O | 1954 | 32.9 | 14.5 | 24.2 | 20.2 | 18.9 | 5.9 | 46.3 | 9.9 | 31.5 | 33.1 | 64.4 | 370.3 | **875.7** |
| OIL | 1954 | 76.6 | 72.0 | 69.1 | 61.3 | 62.9 | 64.7 | 178.1 | 139.8 | 157.3 | 137.9 | 123.6 | 123.0 | **3,054.0** |
| DAY | 1953 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **395.0** |
| H2O | 1953 | 5.7 | 4.3 | 8.9 | 6.4 | 7.8 | 3.3 | 3.0 | 2.5 | 2.4 | 48.8 | 57.7 | 51.7 | **203.6** |
| OIL | 1953 | 287.2 | 215.8 | 148.3 | 107.1 | 105.5 | 95.3 | 84.1 | 85.2 | 78.3 | 162.7 | 192.4 | 172.4 | **1,787.7** |
| DAY | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 0.0 | **30.0** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 0.0 | **1.1** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 53.4 | 0.0 | **53.4** |

Licence ***222*** Well Name ***GLCC Coulter SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***222*** Well Name ***GLCC Coulter SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-21-001-27W1.00*** Field Name ***Coulter*** Pool Name ***Mission Canyon 3 A*** Field Code ***11*** Pool Code ***41A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1960 | 417.5 | 404.0 | 430.2 | 273.0 | 412.0 | 360.3 | 343.4 | 368.5 | 281.4 | 167.3 | 0.0 | 0.0 | **9,968.5** |
| WIN | 1959 | 464.6 | 390.8 | 134.2 | 224.7 | 279.5 | 291.9 | 454.9 | 390.2 | 452.5 | 285.5 | 435.6 | 463.9 | **6,510.9** |
| WIN | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 411.0 | 465.5 | 434.4 | 425.5 | 506.2 | **2,242.6** |
| DAY | 1955 | 31.0 | 22.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **719.0** |
| H2O | 1955 | 173.0 | 119.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **12,178.2** |
| OIL | 1955 | 52.7 | 40.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,606.9** |
| DAY | 1954 | 15.0 | 23.0 | 28.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **666.0** |
| H2O | 1954 | 395.1 | 518.6 | 625.9 | 247.1 | 225.0 | 181.4 | 184.3 | 183.6 | 178.5 | 182.5 | 163.6 | 174.1 | **11,886.0** |
| OIL | 1954 | 33.7 | 29.3 | 42.1 | 35.3 | 51.5 | 54.3 | 49.6 | 54.8 | 53.6 | 50.9 | 49.6 | 50.4 | **1,513.4** |
| DAY | 1953 | 31.0 | 28.0 | 20.0 | 19.0 | 15.0 | 26.0 | 31.0 | 14.0 | 28.0 | 31.0 | 30.0 | 28.0 | **326.0** |
| H2O | 1953 | 313.5 | 444.4 | 413.9 | 184.6 | 343.7 | 712.1 | 1203.9 | 1071.3 | 965.1 | 1039.2 | 1005.6 | 872.1 | **8,626.3** |
| OIL | 1953 | 99.8 | 89.8 | 63.1 | 59.9 | 32.4 | 56.7 | 95.8 | 68.6 | 59.6 | 63.4 | 59.1 | 60.4 | **958.3** |
| DAY | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 10.0 | **25.0** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.9 | 31.0 | **56.9** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 101.2 | 48.5 | **149.7** |

Licence ***223*** Well Name ***Daly Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 326.4 | 280.8 | 318.1 | 296.5 | 269.1 | 304.1 | 245.7 | 264.1 | 329.5 | 309.0 | 279.5 | 310.9 | **104,522.0** |
| WIN | 1974 | 314.4 | 283.5 | 313.9 | 306.1 | 317.7 | 298.1 | 311.7 | 290.5 | 307.4 | 289.0 | 298.4 | 248.2 | **100,988.3** |
| WIN | 1973 | 273.4 | 263.8 | 246.5 | 262.4 | 288.4 | 299.4 | 244.7 | 308.8 | 305.0 | 321.2 | 312.2 | 305.7 | **97,409.4** |
| WIN | 1972 | 328.0 | 310.6 | 302.3 | 299.2 | 294.1 | 289.8 | 138.2 | 132.5 | 264.6 | 294.9 | 291.4 | 261.1 | **93,977.9** |
| WIN | 1971 | 323.3 | 293.6 | 367.2 | 327.5 | 323.5 | 293.2 | 313.3 | 308.2 | 309.3 | 305.5 | 303.6 | 318.4 | **90,771.2** |
| WIN | 1970 | 300.9 | 353.8 | 345.1 | 320.9 | 344.8 | 385.4 | 306.0 | 272.9 | 314.1 | 341.4 | 306.1 | 333.6 | **86,984.6** |
| WIN | 1969 | 373.5 | 370.4 | 438.5 | 391.3 | 396.2 | 308.4 | 384.6 | 334.6 | 305.8 | 417.8 | 343.0 | 380.6 | **83,059.6** |
| WIN | 1968 | 333.1 | 290.3 | 318.9 | 316.8 | 316.0 | 297.6 | 307.9 | 310.8 | 284.9 | 337.5 | 307.9 | 348.4 | **78,614.9** |
| WIN | 1967 | 372.0 | 327.4 | 362.3 | 349.9 | 354.2 | 340.3 | 353.8 | 359.1 | 347.8 | 353.8 | 246.8 | 257.1 | **74,844.8** |
| WIN | 1966 | 572.2 | 338.6 | 372.0 | 370.7 | 372.4 | 368.1 | 371.8 | 377.0 | 364.2 | 371.6 | 355.4 | 365.4 | **70,820.3** |
| WIN | 1965 | 429.7 | 402.9 | 439.6 | 411.2 | 401.0 | 430.5 | 421.7 | 406.2 | 402.4 | 406.6 | 388.8 | 413.7 | **66,220.9** |
| WIN | 1964 | 490.7 | 447.4 | 474.9 | 442.7 | 458.5 | 429.4 | 452.0 | 454.0 | 428.3 | 439.6 | 432.9 | 446.6 | **61,266.6** |
| WIN | 1963 | 505.8 | 438.6 | 477.5 | 489.7 | 431.8 | 373.1 | 473.3 | 481.6 | 445.3 | 446.9 | 428.9 | 438.8 | **55,869.6** |
| WIN | 1962 | 407.7 | 364.8 | 620.4 | 506.0 | 536.3 | 513.8 | 732.8 | 215.2 | 509.7 | 522.7 | 490.9 | 546.2 | **50,438.3** |
| WIN | 1961 | 570.0 | 530.9 | 565.4 | 533.6 | 540.4 | 448.8 | 501.2 | 455.6 | 508.5 | 487.7 | 442.9 | 459.4 | **44,471.8** |
| WIN | 1960 | 710.6 | 705.2 | 622.1 | 666.4 | 650.0 | 618.0 | 626.1 | 632.1 | 561.9 | 555.2 | 647.0 | 616.7 | **38,427.4** |
| WIN | 1959 | 1098.0 | 1068.3 | 1129.1 | 1034.6 | 963.3 | 901.8 | 921.2 | 893.5 | 836.5 | 815.9 | 746.8 | 759.2 | **30,816.1** |
| WIN | 1958 | 2379.3 | 1153.4 | 1615.2 | 1464.2 | 1415.9 | 1070.9 | 0.0 | 0.0 | 1325.6 | 1870.1 | 1304.8 | 1277.2 | **19,647.9** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 4.0 | 0.0 | **1,819.0** |
| H2O | 1957 | 4.1 | 6.0 | 20.7 | 18.9 | 0.8 | 0.3 | 20.0 | 15.7 | 44.7 | 16.7 | 2.8 | 0.0 | **592.4** |
| OIL | 1957 | 195.0 | 183.1 | 164.8 | 171.3 | 189.9 | 183.2 | 165.4 | 178.3 | 176.7 | 169.1 | 23.3 | 0.0 | **17,382.4** |
| WIN | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1788.0 | 2983.3 | **4,771.3** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,516.0** |
| H2O | 1956 | 0.6 | 5.1 | 7.8 | 8.1 | 6.8 | 8.3 | 6.7 | 26.7 | 33.7 | 3.0 | 3.5 | 4.1 | **441.7** |
| OIL | 1956 | 232.8 | 228.0 | 267.9 | 249.2 | 269.5 | 273.8 | 302.9 | 286.4 | 281.7 | 276.7 | 220.4 | 210.7 | **15,582.3** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | **1,153.0** |
| H2O | 1955 | 11.4 | 5.6 | 5.2 | 4.8 | 7.2 | 30.5 | 2.7 | 6.8 | 11.1 | 3.5 | 4.0 | 5.9 | **327.3** |
| OIL | 1955 | 291.4 | 273.6 | 284.9 | 274.9 | 305.7 | 293.7 | 292.4 | 312.9 | 281.6 | 297.2 | 247.7 | 224.5 | **12,482.3** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **790.0** |
| H2O | 1954 | 7.5 | 8.1 | 11.0 | 9.9 | 7.3 | 6.5 | 5.9 | 5.1 | 13.2 | 12.6 | 25.1 | 7.0 | **228.6** |
| OIL | 1954 | 371.2 | 324.7 | 355.6 | 344.7 | 375.8 | 332.4 | 352.6 | 344.4 | 303.8 | 309.6 | 286.8 | 294.3 | **9,101.8** |
| DAY | 1953 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **425.0** |

# Manitoba Production
## 1950 To 1975

Licence ***223*** Well Name ***Daly Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1953 | 12.4 | 9.1 | 5.6 | 4.5 | 13.0 | 10.5 | 14.8 | 8.1 | 6.7 | 6.5 | 3.7 | 9.2 | **109.4** |
| OIL | 1953 | 604.2 | 438.0 | 272.4 | 335.1 | 311.6 | 339.7 | 354.5 | 362.6 | 373.0 | 411.6 | 425.1 | 391.7 | **5,105.9** |
| DAY | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 31.0 | **60.0** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 4.5 | **5.3** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 53.7 | 432.7 | **486.4** |

Licence ***224*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **8,359.0** |
| H2O | 1975 | 5.1 | 3.7 | 4.8 | 4.6 | 2.9 | 2.1 | 2.9 | 2.5 | 1.1 | 3.0 | 3.0 | 3.5 | **782.1** |
| OIL | 1975 | 100.4 | 89.3 | 100.4 | 97.6 | 99.3 | 97.3 | 104.6 | 103.9 | 100.3 | 101.2 | 92.5 | 95.0 | **34,834.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,994.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.7 | 2.7 | 2.7 | 3.0 | 4.0 | 4.8 | **742.9** |
| OIL | 1974 | 98.4 | 87.2 | 97.7 | 91.8 | 96.0 | 88.4 | 106.6 | 102.7 | 99.5 | 100.9 | 97.1 | 95.8 | **33,652.4** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,629.0** |
| OIL | 1973 | 98.5 | 89.1 | 98.8 | 90.1 | 103.3 | 96.3 | 102.5 | 100.6 | 97.9 | 99.5 | 93.0 | 96.5 | **32,490.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,264.0** |
| OIL | 1972 | 98.5 | 83.6 | 106.0 | 102.2 | 104.9 | 101.2 | 95.0 | 104.7 | 98.5 | 100.7 | 95.7 | 97.4 | **31,324.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,898.0** |
| H2O | 1971 | 6.4 | 5.1 | 5.4 | 2.9 | 2.9 | 3.8 | 25.8 | 4.3 | 0.0 | 0.0 | 0.0 | 0.0 | **723.0** |
| OIL | 1971 | 116.5 | 96.6 | 105.4 | 101.5 | 104.2 | 103.1 | 105.0 | 103.3 | 105.8 | 104.7 | 99.5 | 101.2 | **30,135.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,533.0** |
| H2O | 1970 | 14.9 | 6.2 | 5.1 | 5.6 | 13.5 | 10.5 | 4.5 | 4.0 | 4.3 | 6.0 | 5.1 | 7.0 | **666.4** |
| OIL | 1970 | 117.3 | 103.1 | 118.9 | 113.8 | 116.0 | 118.7 | 113.5 | 113.6 | 110.3 | 114.1 | 102.3 | 111.4 | **28,889.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **6,169.0** |
| H2O | 1969 | 3.7 | 2.4 | 3.5 | 2.5 | 2.1 | 2.9 | 3.3 | 3.0 | 6.4 | 34.3 | 5.6 | 12.9 | **579.7** |
| OIL | 1969 | 114.3 | 102.5 | 114.1 | 112.5 | 113.0 | 120.5 | 122.4 | 121.4 | 114.9 | 121.4 | 115.1 | 115.4 | **27,536.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,806.0** |
| H2O | 1968 | 4.5 | 4.1 | 5.7 | 3.2 | 1.7 | 1.4 | 1.6 | 3.2 | 12.9 | 3.0 | 2.5 | 7.6 | **497.1** |
| OIL | 1968 | 120.3 | 110.9 | 119.2 | 120.9 | 128.1 | 123.6 | 123.2 | 123.2 | 117.9 | 119.0 | 114.3 | 115.8 | **26,148.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,441.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 4.6 | 3.7 | 3.5 | 4.3 | 2.1 | 8.7 | 3.8 | 3.8 | **445.7** |
| OIL | 1967 | 132.4 | 120.1 | 135.9 | 128.9 | 127.1 | 120.3 | 127.1 | 124.9 | 117.6 | 123.6 | 117.3 | 119.0 | **24,712.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,076.0** |
| H2O | 1966 | 5.9 | 3.5 | 3.3 | 2.2 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **411.2** |
| OIL | 1966 | 160.0 | 140.3 | 156.4 | 151.1 | 147.8 | 137.3 | 140.6 | 95.2 | 135.7 | 137.8 | 130.6 | 135.4 | **23,217.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,713.0** |
| H2O | 1965 | 1.3 | 0.5 | 2.4 | 2.1 | 1.9 | 0.5 | 0.0 | 0.0 | 1.4 | 1.1 | 0.0 | 14.6 | **393.1** |
| OIL | 1965 | 126.3 | 123.9 | 141.0 | 136.0 | 140.6 | 134.4 | 122.0 | 136.7 | 131.6 | 134.9 | 133.6 | 175.4 | **21,549.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,351.0** |
| H2O | 1964 | 2.5 | 1.0 | 7.0 | 1.3 | 1.9 | 1.9 | 1.6 | 1.6 | 1.4 | 1.3 | 1.3 | 1.4 | **367.3** |
| OIL | 1964 | 158.3 | 148.6 | 157.6 | 154.6 | 158.6 | 151.4 | 159.5 | 156.0 | 138.1 | 149.9 | 138.7 | 154.0 | **19,913.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,988.0** |
| H2O | 1963 | 2.9 | 12.1 | 3.0 | 3.2 | 2.9 | 1.3 | 2.2 | 0.6 | 0.8 | 1.0 | 3.0 | 2.1 | **343.1** |
| OIL | 1963 | 153.5 | 137.5 | 153.7 | 151.1 | 154.1 | 149.7 | 161.1 | 156.5 | 155.4 | 156.0 | 154.9 | 158.8 | **18,088.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,626.0** |
| H2O | 1962 | 3.2 | 4.6 | 5.1 | 3.3 | 4.6 | 3.5 | 3.5 | 1.6 | 2.1 | 3.5 | 4.3 | 16.4 | **308.0** |
| OIL | 1962 | 169.4 | 147.9 | 171.3 | 161.0 | 169.4 | 160.5 | 159.2 | 152.6 | 156.0 | 160.3 | 147.5 | 155.3 | **16,245.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,262.0** |
| H2O | 1961 | 1.1 | 4.6 | 4.5 | 4.8 | 0.0 | 3.0 | 0.0 | 2.1 | 4.6 | 5.2 | 4.5 | 4.8 | **252.3** |

# Manitoba Production
## 1950 To 1975

Licence ***224*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1961 | 192.6 | 173.8 | 189.7 | 183.5 | 187.7 | 172.3 | 165.4 | 180.7 | 179.3 | 176.2 | 165.9 | 170.0 | **14,335.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,900.0** |
| H2O | 1960 | 0.8 | 2.7 | 4.1 | 1.6 | 0.0 | 1.1 | 0.0 | 0.0 | 1.6 | 3.5 | 0.0 | 0.0 | **213.1** |
| OIL | 1960 | 169.4 | 186.6 | 205.0 | 196.6 | 202.1 | 212.8 | 188.9 | 196.3 | 203.2 | 187.4 | 175.9 | 193.9 | **12,198.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,534.0** |
| H2O | 1959 | 0.0 | 0.0 | 1.4 | 1.3 | 0.0 | 1.4 | 0.0 | 1.3 | 1.0 | 1.6 | 1.9 | 1.1 | **197.7** |
| OIL | 1959 | 111.7 | 99.3 | 129.7 | 123.5 | 141.3 | 138.1 | 136.2 | 133.2 | 119.5 | 137.6 | 119.0 | 164.6 | **9,880.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,169.0** |
| H2O | 1958 | 0.2 | 2.4 | 1.6 | 0.0 | 0.0 | 4.1 | 10.3 | 0.6 | 3.3 | 5.9 | 0.0 | 0.0 | **186.7** |
| OIL | 1958 | 136.2 | 101.2 | 137.1 | 136.2 | 127.4 | 137.8 | 136.0 | 134.1 | 129.7 | 131.3 | 119.3 | 119.7 | **8,326.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,804.0** |
| H2O | 1957 | 0.8 | 1.1 | 2.1 | 2.1 | 2.5 | 1.1 | 2.7 | 2.5 | 2.4 | 0.8 | 2.7 | 3.0 | **158.3** |
| OIL | 1957 | 92.5 | 88.4 | 101.7 | 110.9 | 157.0 | 104.7 | 139.4 | 163.8 | 139.8 | 133.8 | 169.4 | 131.1 | **6,780.4** |
| DAY | 1956 | 31.0 | 29.0 | 30.0 | 23.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,442.0** |
| H2O | 1956 | 1.6 | 1.7 | 4.1 | 1.1 | 2.7 | 2.2 | 2.7 | 2.7 | 1.6 | 1.6 | 2.4 | 2.1 | **134.5** |
| OIL | 1956 | 93.6 | 80.2 | 82.8 | 87.2 | 130.9 | 125.7 | 114.4 | 126.5 | 112.7 | 120.3 | 115.7 | 103.3 | **5,247.9** |
| DAY | 1955 | 31.0 | 27.0 | 31.0 | 30.0 | 29.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,088.0** |
| H2O | 1955 | 1.3 | 1.7 | 2.2 | 0.3 | 0.5 | 1.1 | 2.2 | 2.5 | 2.2 | 2.1 | 1.6 | 1.9 | **108.0** |
| OIL | 1955 | 67.5 | 65.9 | 79.6 | 83.3 | 85.7 | 99.5 | 112.5 | 105.7 | 101.9 | 100.3 | 89.6 | 92.8 | **3,954.6** |
| DAY | 1954 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **729.0** |
| H2O | 1954 | 3.3 | 2.5 | 1.1 | 1.7 | 1.9 | 1.7 | 1.0 | 2.4 | 2.1 | 1.9 | 2.7 | 5.4 | **88.4** |
| OIL | 1954 | 99.5 | 95.0 | 90.4 | 80.4 | 94.6 | 88.5 | 87.7 | 86.0 | 78.0 | 76.8 | 76.8 | 76.0 | **2,870.3** |
| DAY | 1953 | 25.0 | 28.0 | 31.0 | 28.0 | 29.0 | 28.0 | 29.0 | 31.0 | 30.0 | 24.0 | 29.0 | 31.0 | **366.0** |
| H2O | 1953 | 1.9 | 6.5 | 6.2 | 6.8 | 5.4 | 2.9 | 1.1 | 5.2 | 6.5 | 4.1 | 5.4 | 3.8 | **60.7** |
| OIL | 1953 | 194.5 | 210.6 | 198.6 | 162.6 | 129.5 | 117.9 | 110.8 | 127.8 | 111.7 | 106.6 | 104.7 | 104.2 | **1,840.6** |
| DAY | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | **23.0** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.9 | **4.9** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 161.1 | **161.1** |

Licence ***225*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-02-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **7,734.0** |
| H2O | 1975 | 3.3 | 1.7 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,717.8** |
| OIL | 1975 | 30.2 | 26.7 | 31.9 | 50.2 | 53.7 | 52.6 | 52.9 | 59.5 | 56.9 | 62.0 | 59.3 | 64.5 | **18,599.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,371.0** |
| H2O | 1974 | 14.5 | 11.6 | 13.3 | 5.2 | 4.9 | 5.1 | 16.2 | 3.7 | 0.3 | 8.3 | 1.0 | 1.6 | **3,711.1** |
| OIL | 1974 | 69.4 | 50.5 | 54.2 | 40.7 | 35.1 | 33.4 | 46.9 | 42.4 | 55.1 | 47.2 | 30.4 | 31.1 | **17,999.4** |
| DAY | 1973 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,013.0** |
| H2O | 1973 | 12.2 | 9.2 | 12.2 | 12.1 | 12.7 | 12.6 | 13.5 | 13.8 | 13.8 | 14.1 | 13.5 | 12.7 | **3,625.4** |
| OIL | 1973 | 64.4 | 45.6 | 61.2 | 60.4 | 62.9 | 55.3 | 58.9 | 58.8 | 57.5 | 59.5 | 48.3 | 56.1 | **17,463.0** |
| DAY | 1972 | 28.0 | 29.0 | 29.0 | 30.0 | 24.0 | 30.0 | 30.0 | 29.0 | 30.0 | 25.0 | 30.0 | 31.0 | **6,652.0** |
| H2O | 1972 | 5.1 | 5.1 | 5.1 | 4.8 | 3.8 | 4.9 | 4.1 | 4.8 | 5.4 | 4.0 | 11.6 | 12.7 | **3,473.0** |
| OIL | 1972 | 36.5 | 37.8 | 38.0 | 50.5 | 39.3 | 48.3 | 41.6 | 42.1 | 45.8 | 21.1 | 44.3 | 62.5 | **16,774.1** |
| DAY | 1971 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,307.0** |
| H2O | 1971 | 4.6 | 5.1 | 6.4 | 5.9 | 6.0 | 5.4 | 5.6 | 5.7 | 11.4 | 12.6 | 12.1 | 5.6 | **3,401.6** |
| OIL | 1971 | 49.4 | 39.9 | 68.1 | 72.9 | 71.3 | 72.9 | 79.0 | 81.8 | 27.8 | 25.1 | 23.5 | 41.6 | **16,266.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 28.0 | 27.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **5,946.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 1.7 | 4.5 | 3.8 | 4.5 | 4.3 | 4.1 | 4.0 | 4.3 | **3,315.2** |
| OIL | 1970 | 71.4 | 69.1 | 68.9 | 75.0 | 65.5 | 64.5 | 57.7 | 60.3 | 54.2 | 55.8 | 64.4 | 64.4 | **15,613.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **5,593.0** |

# Manitoba Production
## 1950 To 1975

Licence ***225*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-02-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1969 | 14.6 | 12.7 | 14.0 | 16.7 | 7.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | **3,284.0** |
| OIL | 1969 | 60.1 | 63.7 | 69.4 | 57.7 | 64.8 | 71.8 | 75.6 | 75.6 | 72.6 | 63.9 | 73.7 | 80.9 | **14,841.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 0.0 | 24.0 | 25.0 | 29.0 | 0.0 | 29.0 | 30.0 | 31.0 | **5,236.0** |
| H2O | 1968 | 24.2 | 23.7 | 23.7 | 24.3 | 16.2 | 15.7 | 9.2 | 21.9 | 65.4 | 69.7 | 14.8 | 14.3 | **3,218.2** |
| OIL | 1968 | 42.7 | 39.4 | 41.5 | 39.3 | 25.9 | 32.1 | 19.4 | 32.1 | 58.2 | 72.6 | 72.0 | 64.4 | **14,012.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 26.0 | 29.0 | 29.0 | 29.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **4,947.0** |
| H2O | 1967 | 20.0 | 18.0 | 20.0 | 17.8 | 18.4 | 18.6 | 27.5 | 29.9 | 19.9 | 21.0 | 23.4 | 24.0 | **2,895.1** |
| OIL | 1967 | 45.0 | 40.4 | 44.3 | 32.6 | 50.9 | 56.1 | 39.7 | 37.0 | 49.1 | 44.3 | 44.8 | 45.1 | **13,472.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 29.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 29.0 | **4,595.0** |
| H2O | 1966 | 34.3 | 31.0 | 33.7 | 33.2 | 20.8 | 18.6 | 20.0 | 19.2 | 19.7 | 18.9 | 19.4 | 18.6 | **2,636.6** |
| OIL | 1966 | 55.5 | 65.6 | 63.1 | 69.4 | 44.2 | 46.6 | 48.5 | 42.4 | 70.7 | 53.2 | 49.4 | 45.8 | **12,943.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 28.0 | 30.0 | 27.0 | 30.0 | 31.0 | **4,239.0** |
| H2O | 1965 | 4.8 | 4.3 | 4.8 | 4.6 | 4.9 | 7.5 | 7.8 | 7.0 | 7.5 | 25.0 | 33.2 | 34.3 | **2,349.2** |
| OIL | 1965 | 75.0 | 46.1 | 54.3 | 54.7 | 50.2 | 65.3 | 82.0 | 65.5 | 77.5 | 61.6 | 72.3 | 67.5 | **12,288.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 28.0 | 31.0 | 29.0 | 26.0 | 28.0 | 29.0 | 30.0 | **3,885.0** |
| H2O | 1964 | 9.1 | 7.9 | 8.9 | 9.5 | 7.9 | 5.1 | 14.9 | 14.3 | 12.9 | 6.4 | 4.5 | 4.6 | **2,203.5** |
| OIL | 1964 | 51.5 | 49.1 | 52.6 | 50.5 | 43.4 | 17.8 | 16.7 | 27.8 | 23.5 | 63.4 | 66.6 | 62.9 | **11,516.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,535.0** |
| H2O | 1963 | 13.7 | 13.0 | 13.5 | 12.6 | 10.2 | 26.2 | 36.4 | 24.8 | 25.9 | 53.7 | 7.2 | 8.6 | **2,097.5** |
| OIL | 1963 | 70.1 | 78.5 | 84.7 | 80.6 | 84.2 | 65.6 | 26.7 | 49.3 | 47.2 | 62.6 | 61.2 | 40.4 | **10,990.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 16.0 | 27.0 | 26.0 | 29.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | **3,176.0** |
| H2O | 1962 | 7.6 | 12.7 | 12.4 | 9.5 | 10.0 | 18.6 | 12.9 | 0.0 | 0.0 | 0.0 | 13.7 | 14.0 | **1,851.7** |
| OIL | 1962 | 35.4 | 26.1 | 30.7 | 14.3 | 36.4 | 18.6 | 76.9 | 98.8 | 95.2 | 87.4 | 82.0 | 73.9 | **10,239.8** |
| DAY | 1961 | 31.0 | 28.0 | 30.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,839.0** |
| H2O | 1961 | 13.5 | 12.1 | 11.4 | 11.6 | 12.2 | 11.8 | 12.9 | 13.5 | 11.9 | 14.5 | 13.0 | 12.9 | **1,740.3** |
| OIL | 1961 | 42.1 | 39.1 | 43.4 | 40.2 | 36.1 | 44.2 | 46.9 | 43.5 | 31.0 | 56.3 | 42.4 | 42.7 | **9,564.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,483.0** |
| H2O | 1960 | 11.1 | 11.0 | 11.4 | 9.1 | 10.8 | 10.6 | 10.3 | 9.5 | 7.9 | 14.3 | 12.9 | 11.8 | **1,589.0** |
| OIL | 1960 | 35.1 | 38.0 | 55.6 | 45.1 | 48.9 | 46.4 | 35.6 | 46.1 | 41.8 | 51.5 | 30.2 | 46.9 | **9,056.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,122.0** |
| H2O | 1959 | 23.7 | 20.5 | 20.5 | 19.1 | 19.5 | 16.2 | 16.5 | 14.9 | 12.4 | 12.4 | 12.1 | 12.4 | **1,458.3** |
| OIL | 1959 | 63.6 | 60.2 | 66.7 | 55.9 | 62.1 | 52.4 | 59.0 | 55.8 | 50.2 | 49.1 | 46.7 | 40.8 | **8,535.0** |
| DAY | 1958 | 31.0 | 28.0 | 25.0 | 0.0 | 21.0 | 30.0 | 31.0 | 29.0 | 26.0 | 31.0 | 30.0 | 31.0 | **1,758.0** |
| H2O | 1958 | 30.8 | 26.9 | 25.6 | 0.0 | 17.2 | 32.9 | 28.8 | 25.1 | 23.4 | 23.2 | 24.8 | 22.1 | **1,258.1** |
| OIL | 1958 | 56.3 | 48.8 | 48.5 | 0.0 | 37.7 | 60.4 | 66.9 | 58.6 | 41.2 | 67.7 | 62.5 | 62.3 | **7,872.5** |
| DAY | 1957 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,445.0** |
| H2O | 1957 | 26.2 | 22.9 | 9.4 | 23.1 | 23.8 | 25.1 | 24.6 | 23.2 | 23.2 | 32.9 | 30.4 | 32.0 | **977.3** |
| OIL | 1957 | 118.2 | 105.7 | 95.5 | 118.7 | 124.9 | 99.0 | 118.7 | 105.7 | 65.8 | 70.9 | 54.5 | 58.0 | **7,261.6** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 27.0 | 31.0 | **1,088.0** |
| H2O | 1956 | 14.9 | 14.5 | 15.9 | 11.9 | 20.3 | 15.7 | 24.2 | 24.6 | 7.6 | 15.6 | 21.8 | 22.9 | **680.5** |
| OIL | 1956 | 72.9 | 62.0 | 73.6 | 110.6 | 116.8 | 108.4 | 131.9 | 137.1 | 103.3 | 110.9 | 98.7 | 106.3 | **6,126.0** |
| DAY | 1955 | 31.0 | 18.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **727.0** |
| H2O | 1955 | 6.5 | 10.8 | 36.2 | 11.3 | 12.1 | 27.7 | 21.5 | 20.5 | 21.3 | 25.4 | 17.2 | 12.9 | **470.6** |
| OIL | 1955 | 25.6 | 120.1 | 219.0 | 168.8 | 292.1 | 319.9 | 151.3 | 171.6 | 193.4 | 168.9 | 119.7 | 82.8 | **4,893.5** |
| DAY | 1954 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 28.0 | 28.0 | 28.0 | 31.0 | **376.0** |
| H2O | 1954 | 0.5 | 3.8 | 4.6 | 4.5 | 2.1 | 18.0 | 28.6 | 1.7 | 2.1 | 10.0 | 14.8 | 27.8 | **247.2** |
| OIL | 1954 | 121.1 | 75.8 | 120.9 | 127.0 | 89.6 | 65.3 | 102.2 | 86.3 | 80.7 | 77.9 | 51.6 | 36.5 | **2,860.3** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | **22.0** |
| H2O | 1953 | 0.2 | 8.1 | 34.5 | 16.9 | 1.7 | 1.3 | 7.2 | 20.8 | 1.0 | 3.3 | 0.5 | 9.5 | **128.7** |
| OIL | 1953 | 106.5 | 200.2 | 207.9 | 171.5 | 155.4 | 139.2 | 158.0 | 155.7 | 123.3 | 112.7 | 117.1 | 63.2 | **1,825.4** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.7 | **23.7** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 36.5 | 78.2 | **114.7** |

# Manitoba Production
## 1950 To 1975

Licence ***228*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-09-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1953 | 31.0 | 28.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **90.0** |
| H2O | 1953 | 67.9 | 301.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **413.3** |
| OIL | 1953 | 271.3 | 199.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **645.3** |
| DAY | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | **31.0** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 43.7 | **43.7** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 174.8 | **174.8** |

Licence ***230*** Well Name ***Daly Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-02-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 349.5 | 308.3 | 334.1 | 291.3 | 249.6 | 348.4 | 266.5 | 220.9 | 361.2 | 343.1 | 307.3 | 340.6 | **113,985.8** |
| WIN | 1974 | 374.6 | 321.2 | 365.9 | 340.7 | 364.4 | 341.7 | 360.9 | 339.0 | 386.9 | 351.4 | 367.9 | 273.0 | **110,265.0** |
| WIN | 1973 | 393.8 | 370.8 | 402.0 | 390.3 | 383.6 | 355.5 | 386.9 | 371.9 | 358.2 | 377.2 | 368.4 | 339.8 | **106,077.4** |
| WIN | 1972 | 461.8 | 433.1 | 342.8 | 407.8 | 399.2 | 397.0 | 294.0 | 124.6 | 221.9 | 380.4 | 358.5 | 328.3 | **101,579.0** |
| WIN | 1971 | 400.1 | 516.8 | 503.3 | 436.3 | 431.4 | 364.1 | 424.7 | 399.8 | 437.1 | 433.8 | 434.4 | 449.6 | **97,429.6** |
| WIN | 1970 | 481.8 | 492.3 | 446.1 | 469.4 | 494.7 | 553.4 | 431.4 | 357.6 | 446.1 | 471.8 | 446.6 | 439.4 | **92,198.2** |
| WIN | 1969 | 352.8 | 500.6 | 691.4 | 558.0 | 578.2 | 508.7 | 539.2 | 456.7 | 431.2 | 581.2 | 486.0 | 525.6 | **86,667.6** |
| WIN | 1968 | 398.9 | 373.0 | 412.1 | 411.4 | 397.6 | 378.7 | 396.3 | 394.4 | 355.4 | 404.0 | 385.4 | 419.0 | **80,458.0** |
| WIN | 1967 | 527.0 | 460.2 | 515.2 | 498.1 | 493.9 | 481.2 | 498.7 | 507.8 | 484.1 | 492.3 | 344.9 | 296.5 | **75,731.8** |
| WIN | 1966 | 540.2 | 484.1 | 519.2 | 521.7 | 520.5 | 518.2 | 519.5 | 503.1 | 507.6 | 523.6 | 495.8 | 514.4 | **70,131.9** |
| WIN | 1965 | 557.8 | 535.6 | 579.5 | 551.5 | 541.9 | 573.0 | 509.2 | 468.3 | 514.9 | 516.7 | 484.9 | 544.3 | **63,964.0** |
| WIN | 1964 | 622.5 | 559.3 | 592.2 | 551.2 | 575.4 | 540.7 | 554.7 | 545.1 | 545.9 | 546.7 | 533.5 | 529.4 | **57,586.4** |
| WIN | 1963 | 567.3 | 525.6 | 607.3 | 576.1 | 534.3 | 482.5 | 69.4 | 826.0 | 657.8 | 624.4 | 586.9 | 588.3 | **50,889.8** |
| WIN | 1962 | 765.0 | 733.8 | 774.7 | 695.8 | 684.9 | 701.7 | 621.4 | 681.3 | 675.6 | 681.3 | 645.4 | 522.4 | **44,243.9** |
| WIN | 1961 | 746.5 | 818.8 | 929.5 | 766.3 | 834.5 | 906.3 | 1022.2 | 866.6 | 831.2 | 846.7 | 776.9 | 797.1 | **36,060.6** |
| WIN | 1960 | 3038.7 | 3058.9 | 1981.1 | 1712.8 | 1818.9 | 1631.6 | 1187.1 | 1119.6 | 971.1 | 833.6 | 809.0 | 890.7 | **25,918.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 24.0 | 29.0 | 25.0 | 30.0 | 2.0 | 0.0 | 0.0 | **2,331.0** |
| H2O | 1959 | 3.5 | 4.3 | 5.2 | 11.0 | 12.4 | 3.8 | 10.3 | 8.3 | 13.3 | 0.5 | 0.0 | 0.0 | **1,111.6** |
| OIL | 1959 | 87.2 | 81.4 | 86.8 | 77.4 | 78.7 | 62.6 | 76.9 | 72.0 | 83.2 | 5.6 | 0.0 | 0.0 | **5,085.1** |
| WIN | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1432.6 | 2687.8 | 2744.5 | **6,864.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 25.0 | 26.0 | **2,070.0** |
| H2O | 1958 | 5.6 | 3.5 | 3.2 | 3.3 | 8.3 | 1.1 | 0.5 | 0.5 | 1.4 | 8.9 | 8.3 | 5.6 | **1,039.0** |
| OIL | 1958 | 33.2 | 31.6 | 42.6 | 47.2 | 73.4 | 30.7 | 31.8 | 31.3 | 28.4 | 85.3 | 67.1 | 84.1 | **4,373.3** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,718.0** |
| H2O | 1957 | 14.9 | 10.5 | 6.2 | 2.4 | 9.9 | 4.9 | 2.7 | 0.3 | 27.2 | 6.0 | 5.2 | 4.0 | **988.8** |
| OIL | 1957 | 52.6 | 57.7 | 64.5 | 31.8 | 46.9 | 37.3 | 25.3 | 44.3 | 31.1 | 29.6 | 34.0 | 32.1 | **3,786.6** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,353.0** |
| H2O | 1956 | 14.3 | 13.4 | 20.0 | 13.5 | 14.8 | 11.6 | 13.0 | 2.4 | 8.7 | 10.3 | 17.5 | 15.1 | **894.6** |
| OIL | 1956 | 58.2 | 53.6 | 57.7 | 52.1 | 56.7 | 53.9 | 53.2 | 38.3 | 44.7 | 46.1 | 64.7 | 65.6 | **3,299.4** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **989.0** |
| H2O | 1955 | 18.9 | 17.2 | 13.0 | 21.3 | 23.4 | 20.8 | 16.2 | 24.3 | 21.8 | 17.3 | 15.3 | 13.7 | **740.0** |
| OIL | 1955 | 62.5 | 56.4 | 55.0 | 59.8 | 59.3 | 56.6 | 57.4 | 55.5 | 62.8 | 62.1 | 61.3 | 61.0 | **2,654.6** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **624.0** |
| H2O | 1954 | 28.8 | 20.7 | 10.0 | 20.5 | 18.1 | 10.0 | 25.8 | 24.5 | 22.3 | 20.8 | 17.3 | 21.8 | **516.8** |
| OIL | 1954 | 79.9 | 68.6 | 47.7 | 65.9 | 67.2 | 50.1 | 88.8 | 84.5 | 74.5 | 72.8 | 60.7 | 67.1 | **1,944.9** |
| DAY | 1953 | 5.0 | 17.0 | 15.0 | 12.0 | 10.0 | 18.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **259.0** |
| H2O | 1953 | 6.2 | 5.2 | 12.1 | 6.5 | 4.8 | 38.2 | 40.7 | 47.1 | 27.7 | 28.5 | 31.0 | 28.0 | **276.2** |
| OIL | 1953 | 29.2 | 93.8 | 81.0 | 64.4 | 56.6 | 99.8 | 140.5 | 170.0 | 92.0 | 88.7 | 94.1 | 85.7 | **1,117.1** |
| DAY | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | **4.0** |
| H2O | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | **0.2** |
| OIL | 1952 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.3 | **21.3** |

# Manitoba Production
## 1950 To 1975

Licence ***233*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **8,115.0** |
| H2O | 1975 | 24.0 | 21.9 | 24.6 | 19.6 | 28.1 | 27.2 | 24.6 | 39.4 | 33.2 | 46.4 | 24.8 | 14.1 | **7,539.6** |
| OIL | 1975 | 168.6 | 155.1 | 170.7 | 151.6 | 179.1 | 166.0 | 158.9 | 152.1 | 154.0 | 169.5 | 139.8 | 164.0 | **38,007.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,750.0** |
| H2O | 1974 | 4.9 | 4.3 | 4.8 | 8.9 | 4.8 | 4.6 | 4.6 | 4.5 | 4.8 | 19.7 | 33.2 | 24.0 | **7,211.7** |
| OIL | 1974 | 150.5 | 131.4 | 173.5 | 170.2 | 164.5 | 166.4 | 168.1 | 156.2 | 168.7 | 159.0 | 175.1 | 169.2 | **36,077.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,416.0** |
| H2O | 1973 | 10.3 | 12.9 | 8.9 | 0.0 | 4.6 | 14.8 | 9.5 | 9.7 | 4.6 | 9.9 | 18.6 | 4.8 | **7,088.6** |
| OIL | 1973 | 170.5 | 156.2 | 148.6 | 164.5 | 174.0 | 162.4 | 164.5 | 162.4 | 172.1 | 171.3 | 174.0 | 180.2 | **34,124.8** |
| DAY | 1972 | 31.0 | 29.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,051.0** |
| H2O | 1972 | 24.5 | 4.1 | 4.5 | 24.3 | 4.6 | 15.1 | 0.0 | 4.5 | 4.5 | 4.8 | 8.6 | 15.7 | **6,980.0** |
| OIL | 1972 | 127.1 | 133.9 | 134.4 | 82.2 | 145.1 | 124.9 | 151.6 | 143.0 | 127.7 | 151.3 | 161.4 | 170.3 | **32,124.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **6,716.0** |
| H2O | 1971 | 31.2 | 31.2 | 34.5 | 36.4 | 45.5 | 47.4 | 47.7 | 23.8 | 23.5 | 25.6 | 105.0 | 29.3 | **6,864.8** |
| OIL | 1971 | 66.6 | 62.8 | 69.2 | 78.7 | 87.4 | 88.9 | 100.2 | 133.3 | 133.3 | 138.1 | 137.4 | 125.0 | **30,471.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,353.0** |
| H2O | 1970 | 20.8 | 25.4 | 29.3 | 28.3 | 22.7 | 28.8 | 33.5 | 31.2 | 28.9 | 31.6 | 39.1 | 23.8 | **6,383.7** |
| OIL | 1970 | 79.8 | 72.0 | 80.9 | 80.9 | 84.7 | 76.8 | 82.8 | 98.4 | 115.3 | 127.7 | 133.6 | 62.0 | **29,250.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,991.0** |
| H2O | 1969 | 18.3 | 16.5 | 19.6 | 18.4 | 19.7 | 18.4 | 20.7 | 19.1 | 18.9 | 19.7 | 19.1 | 19.7 | **6,040.3** |
| OIL | 1969 | 69.0 | 67.7 | 74.1 | 74.2 | 78.2 | 78.0 | 70.1 | 74.1 | 72.8 | 77.7 | 76.4 | 79.6 | **28,155.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,626.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.3 | 20.0 | 22.1 | 24.5 | 21.9 | 17.8 | 18.1 | **5,812.2** |
| OIL | 1968 | 87.6 | 85.7 | 91.5 | 85.2 | 96.6 | 88.2 | 83.4 | 91.4 | 85.5 | 82.0 | 75.2 | 72.8 | **27,263.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,260.0** |
| H2O | 1967 | 27.8 | 28.9 | 32.9 | 30.8 | 11.0 | 10.3 | 10.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,667.5** |
| OIL | 1967 | 85.8 | 79.6 | 86.0 | 84.1 | 109.0 | 107.3 | 112.5 | 97.1 | 93.8 | 96.8 | 93.1 | 89.6 | **26,238.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,895.0** |
| H2O | 1966 | 67.4 | 57.7 | 63.9 | 62.9 | 70.2 | 68.3 | 69.8 | 27.0 | 26.7 | 27.5 | 19.2 | 12.6 | **5,515.0** |
| OIL | 1966 | 86.1 | 76.6 | 86.3 | 84.4 | 77.5 | 79.1 | 77.9 | 74.7 | 92.5 | 92.3 | 83.0 | 86.6 | **25,103.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,530.0** |
| H2O | 1965 | 56.7 | 50.2 | 55.3 | 59.0 | 61.3 | 44.8 | 59.9 | 58.8 | 59.1 | 61.3 | 59.6 | 56.1 | **4,941.8** |
| OIL | 1965 | 87.9 | 80.1 | 86.9 | 93.6 | 100.4 | 90.1 | 95.2 | 91.8 | 90.4 | 90.3 | 87.1 | 87.2 | **24,106.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,165.0** |
| H2O | 1964 | 43.4 | 41.5 | 45.8 | 45.9 | 39.9 | 48.5 | 38.3 | 45.3 | 49.4 | 52.6 | 52.4 | 52.0 | **4,259.7** |
| OIL | 1964 | 98.5 | 94.1 | 105.0 | 101.2 | 106.0 | 88.7 | 97.7 | 90.6 | 91.4 | 92.2 | 89.1 | 89.5 | **23,025.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,799.0** |
| H2O | 1963 | 45.8 | 37.5 | 30.4 | 22.9 | 39.1 | 42.1 | 37.8 | 26.2 | 28.0 | 39.1 | 44.0 | 65.6 | **3,704.7** |
| OIL | 1963 | 105.7 | 100.3 | 109.8 | 103.3 | 100.4 | 105.8 | 109.0 | 105.7 | 105.7 | 117.0 | 108.5 | 105.8 | **21,881.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,434.0** |
| H2O | 1962 | 42.7 | 43.5 | 42.1 | 38.9 | 38.9 | 36.9 | 30.8 | 45.8 | 34.8 | 42.0 | 39.6 | 43.5 | **3,246.2** |
| OIL | 1962 | 120.9 | 110.9 | 120.5 | 113.6 | 118.9 | 117.8 | 119.3 | 118.5 | 108.9 | 118.4 | 110.6 | 109.8 | **20,604.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,069.0** |
| H2O | 1961 | 53.1 | 28.6 | 33.5 | 28.3 | 28.8 | 41.0 | 131.1 | 50.4 | 47.2 | 43.9 | 48.8 | 52.1 | **2,766.7** |
| OIL | 1961 | 153.7 | 137.6 | 159.2 | 145.6 | 145.6 | 130.1 | 159.7 | 143.3 | 136.7 | 129.7 | 119.7 | 118.7 | **19,216.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,704.0** |
| H2O | 1960 | 62.2 | 33.5 | 52.0 | 18.8 | 19.9 | 14.0 | 14.6 | 37.7 | 64.1 | 52.1 | 90.8 | 62.0 | **2,179.9** |
| OIL | 1960 | 285.9 | 206.9 | 247.7 | 256.5 | 216.9 | 200.9 | 135.4 | 176.4 | 153.8 | 171.8 | 160.7 | 160.5 | **17,537.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | **2,338.0** |
| H2O | 1959 | 17.8 | 19.7 | 18.4 | 26.9 | 17.8 | 12.4 | 14.9 | 21.0 | 12.2 | 23.4 | 15.7 | 58.0 | **1,658.2** |
| OIL | 1959 | 93.4 | 100.6 | 107.6 | 99.8 | 94.4 | 128.9 | 99.3 | 79.1 | 70.7 | 150.8 | 89.3 | 333.4 | **15,163.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,978.0** |

# Manitoba Production
## 1950 To 1975

Licence ***233*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 7.6 | 11.9 | 20.3 | 10.7 | 14.6 | 10.8 | 20.5 | 14.0 | 12.1 | 21.8 | 21.8 | 28.0 | **1,400.0** |
| OIL | 1958 | 134.6 | 146.5 | 143.7 | 98.8 | 143.7 | 121.7 | 123.6 | 134.0 | 101.5 | 105.8 | 116.3 | 97.6 | **13,716.3** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,613.0** |
| H2O | 1957 | 24.8 | 9.9 | 9.4 | 15.4 | 14.6 | 27.2 | 5.6 | 19.7 | 18.3 | 20.5 | 11.9 | 12.2 | **1,205.9** |
| OIL | 1957 | 128.2 | 117.1 | 137.9 | 128.7 | 126.3 | 96.8 | 101.1 | 146.0 | 126.7 | 134.0 | 129.5 | 141.3 | **12,248.5** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,248.0** |
| H2O | 1956 | 21.1 | 29.3 | 18.4 | 45.9 | 7.9 | 17.8 | 2.9 | 28.1 | 13.7 | 20.3 | 16.2 | 19.6 | **1,016.4** |
| OIL | 1956 | 165.3 | 166.5 | 162.2 | 156.4 | 161.3 | 148.4 | 149.1 | 130.1 | 118.9 | 154.3 | 133.5 | 128.2 | **10,734.9** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **883.0** |
| H2O | 1955 | 35.5 | 35.8 | 16.2 | 81.2 | 24.3 | 10.8 | 12.1 | 14.6 | 15.1 | 12.1 | 14.9 | 16.2 | **775.2** |
| OIL | 1955 | 295.6 | 265.7 | 216.6 | 172.3 | 167.5 | 164.8 | 167.3 | 166.4 | 153.7 | 161.6 | 159.9 | 162.1 | **8,960.7** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **518.0** |
| H2O | 1954 | 13.8 | 16.1 | 19.7 | 11.4 | 13.4 | 34.3 | 31.0 | 27.8 | 27.0 | 31.5 | 27.2 | 35.1 | **486.4** |
| OIL | 1954 | 180.5 | 199.4 | 191.0 | 153.8 | 145.9 | 180.8 | 442.2 | 397.8 | 337.2 | 315.0 | 227.1 | 234.1 | **6,707.2** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **153.0** |
| H2O | 1953 | 7.6 | 9.5 | 21.3 | 10.5 | 11.1 | 13.7 | 12.2 | 10.8 | 9.7 | 17.3 | 45.0 | 29.4 | **198.1** |
| OIL | 1953 | 200.1 | 312.3 | 533.9 | 262.2 | 285.4 | 340.4 | 306.9 | 308.3 | 241.1 | 345.3 | 299.5 | 267.0 | **3,702.4** |

Licence ***235*** Well Name ***Chevron Haskett Daly SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-02-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1974 | 398.0 | 327.8 | 375.7 | 340.7 | 364.4 | 389.8 | 574.7 | 317.9 | 0.0 | 0.0 | 0.0 | 0.0 | **15,641.6** |
| WIN | 1973 | 344.7 | 306.5 | 345.3 | 343.4 | 360.7 | 368.5 | 382.7 | 385.7 | 388.9 | 399.1 | 382.5 | 350.4 | **12,552.6** |
| WIN | 1972 | 268.9 | 253.6 | 263.8 | 259.3 | 274.1 | 273.6 | 253.7 | 282.2 | 239.3 | 263.1 | 273.3 | 357.7 | **8,194.2** |
| WIN | 1971 | 220.2 | 236.1 | 302.1 | 283.6 | 271.7 | 258.7 | 261.5 | 266.8 | 245.2 | 270.0 | 260.6 | 266.1 | **4,931.6** |
| WIN | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 240.7 | 230.2 | 261.1 | 245.0 | 256.8 | 281.3 | 273.9 | **1,789.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **607.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 23.0 | 10.0 | 0.0 | 0.0 | 0.0 | **1,505.0** |
| H2O | 1958 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 13.9 | 5.7 | 1.7 | 1.6 | 0.0 | 0.0 | 0.0 | **607.5** |
| OIL | 1958 | 51.6 | 44.8 | 55.1 | 49.4 | 40.8 | 15.7 | 8.7 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,020.0** |
| DAY | 1957 | 16.0 | 14.0 | 15.0 | 22.0 | 30.0 | 27.0 | 31.0 | 30.0 | 26.0 | 10.0 | 29.0 | 31.0 | **1,260.0** |
| H2O | 1957 | 2.2 | 1.9 | 0.8 | 3.5 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.2 | **583.6** |
| OIL | 1957 | 18.3 | 15.3 | 14.3 | 30.4 | 23.8 | 9.5 | 11.6 | 10.5 | 9.1 | 10.6 | 52.0 | 53.2 | **1,751.9** |
| DAY | 1956 | 16.0 | 20.0 | 31.0 | 2.0 | 0.0 | 23.0 | 21.0 | 15.0 | 15.0 | 15.0 | 14.0 | 15.0 | **979.0** |
| H2O | 1956 | 11.9 | 23.1 | 41.3 | 3.5 | 0.0 | 36.6 | 28.3 | 15.3 | 6.2 | 3.5 | 4.0 | 4.1 | **573.1** |
| OIL | 1956 | 13.5 | 18.9 | 36.7 | 1.7 | 0.0 | 22.6 | 18.4 | 15.3 | 19.9 | 16.8 | 7.0 | 7.8 | **1,493.3** |
| DAY | 1955 | 28.0 | 11.0 | 13.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 16.0 | 15.0 | 14.0 | **792.0** |
| H2O | 1955 | 11.9 | 4.3 | 11.8 | 13.7 | 16.5 | 3.7 | 16.5 | 21.8 | 19.2 | 11.3 | 9.5 | 7.5 | **395.3** |
| OIL | 1955 | 24.8 | 11.8 | 14.3 | 27.0 | 56.3 | 24.8 | 14.9 | 19.5 | 15.1 | 19.1 | 15.6 | 18.6 | **1,314.7** |
| DAY | 1954 | 27.0 | 28.0 | 31.0 | 3.0 | 6.0 | 29.0 | 30.0 | 31.0 | 26.0 | 26.0 | 17.0 | 28.0 | **605.0** |
| H2O | 1954 | 0.2 | 0.8 | 0.6 | 0.5 | 1.0 | 18.0 | 0.0 | 29.1 | 13.0 | 4.1 | 1.9 | 3.0 | **247.6** |
| OIL | 1954 | 49.4 | 42.6 | 45.3 | 37.7 | 32.4 | 21.0 | 31.6 | 43.1 | 39.4 | 34.2 | 16.5 | 30.5 | **1,052.9** |
| DAY | 1953 | 21.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 8.0 | 30.0 | 31.0 | 30.0 | 31.0 | **323.0** |
| H2O | 1953 | 0.0 | 1.6 | 11.0 | 5.6 | 24.0 | 16.5 | 26.7 | 38.5 | 18.0 | 13.7 | 10.3 | 9.5 | **175.4** |
| OIL | 1953 | 40.2 | 45.1 | 66.4 | 54.8 | 61.8 | 52.9 | 49.3 | 15.1 | 62.1 | 71.2 | 65.6 | 44.7 | **629.2** |

Licence ***236*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-10-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 22.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 7.0 | 0.0 | 0.0 | **6,569.0** |
| H2O | 1971 | 12.4 | 12.9 | 6.4 | 8.3 | 10.5 | 3.0 | 17.8 | 12.4 | 17.3 | 2.7 | 0.0 | 0.0 | **904.3** |

# Manitoba Production
## 1950 To 1975

Licence ***236*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-10-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1971 | 13.7 | 17.8 | 25.9 | 24.8 | 25.7 | 24.2 | 30.8 | 29.6 | 30.1 | 6.7 | 0.0 | 0.0 | **8,572.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 16.0 | **6,301.0** |
| H2O | 1970 | 9.5 | 6.0 | 6.2 | 6.0 | 1.3 | 45.0 | 10.3 | 8.9 | 9.1 | 4.8 | 3.8 | 3.2 | **800.6** |
| OIL | 1970 | 21.5 | 18.8 | 19.2 | 18.8 | 5.2 | 31.0 | 29.6 | 31.6 | 25.4 | 25.1 | 22.9 | 10.5 | **8,343.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,952.0** |
| H2O | 1969 | 8.7 | 3.8 | 12.4 | 0.6 | 2.1 | 1.6 | 0.6 | 1.1 | 3.5 | 7.0 | 11.0 | 8.7 | **686.5** |
| OIL | 1969 | 48.1 | 42.6 | 46.9 | 41.6 | 47.2 | 44.8 | 47.5 | 24.2 | 21.0 | 23.2 | 24.3 | 19.1 | **8,084.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,588.0** |
| H2O | 1968 | 3.8 | 1.7 | 1.4 | 2.2 | 1.9 | 3.5 | 3.2 | 4.3 | 2.5 | 8.1 | 5.6 | 6.8 | **625.4** |
| OIL | 1968 | 38.0 | 35.1 | 36.7 | 33.7 | 32.3 | 34.3 | 42.0 | 40.5 | 38.9 | 46.4 | 42.6 | 47.5 | **7,653.5** |
| DAY | 1967 | 24.0 | 28.0 | 27.0 | 21.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 28.0 | 27.0 | **5,223.0** |
| H2O | 1967 | 1.1 | 0.8 | 0.5 | 0.8 | 1.6 | 1.0 | 1.0 | 2.2 | 1.3 | 1.7 | 3.3 | 2.1 | **580.4** |
| OIL | 1967 | 36.1 | 38.0 | 35.1 | 31.3 | 40.8 | 37.3 | 40.2 | 35.9 | 34.2 | 34.2 | 32.3 | 32.1 | **7,185.5** |
| DAY | 1966 | 31.0 | 28.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,885.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.7 | 1.1 | 2.2 | 1.7 | **563.0** |
| OIL | 1966 | 27.5 | 23.0 | 21.1 | 21.8 | 31.6 | 25.7 | 24.6 | 23.8 | 48.3 | 47.8 | 47.5 | 48.0 | **6,758.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **4,523.0** |
| OIL | 1965 | 26.9 | 24.2 | 26.7 | 27.2 | 24.3 | 24.5 | 20.7 | 22.4 | 21.6 | 21.0 | 21.9 | 30.5 | **6,367.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,163.0** |
| OIL | 1964 | 22.6 | 21.1 | 22.2 | 25.4 | 24.9 | 26.2 | 22.2 | 26.2 | 24.8 | 25.9 | 25.3 | 29.2 | **6,075.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 25.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,802.0** |
| OIL | 1963 | 24.9 | 22.4 | 23.0 | 21.6 | 23.2 | 21.0 | 28.3 | 26.4 | 25.6 | 24.8 | 23.7 | 24.0 | **5,779.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 25.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,444.0** |
| H2O | 1962 | 1.6 | 1.4 | 1.6 | 1.6 | 2.1 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **556.3** |
| OIL | 1962 | 35.9 | 31.1 | 33.4 | 31.8 | 34.0 | 32.9 | 26.1 | 19.5 | 21.8 | 26.5 | 24.3 | 24.5 | **5,490.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 20.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,086.0** |
| H2O | 1961 | 6.8 | 5.4 | 6.5 | 13.2 | 7.5 | 2.1 | 3.2 | 2.1 | 2.1 | 1.6 | 1.4 | 1.6 | **546.3** |
| OIL | 1961 | 38.6 | 34.6 | 36.7 | 21.9 | 35.4 | 36.9 | 36.7 | 39.6 | 37.5 | 36.5 | 34.2 | 33.5 | **5,148.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 23.0 | 26.0 | 30.0 | 31.0 | **2,734.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.5 | 19.7 | 21.9 | 6.5 | **492.8** |
| OIL | 1960 | 26.4 | 26.4 | 27.5 | 26.2 | 28.1 | 25.9 | 29.4 | 35.1 | 30.0 | 34.0 | 38.5 | 39.4 | **4,726.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 25.0 | 31.0 | 27.0 | 24.0 | 30.0 | 31.0 | **2,382.0** |
| H2O | 1959 | 0.5 | 0.5 | 0.3 | 0.5 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **428.2** |
| OIL | 1959 | 33.2 | 29.2 | 31.1 | 29.9 | 28.1 | 23.5 | 21.9 | 32.7 | 26.7 | 23.4 | 27.0 | 27.8 | **4,359.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,034.0** |
| H2O | 1958 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.8 | 0.6 | 0.6 | 0.5 | 0.3 | **425.4** |
| OIL | 1958 | 19.4 | 16.8 | 16.4 | 17.2 | 20.7 | 20.2 | 29.2 | 27.3 | 26.9 | 29.7 | 34.8 | 33.7 | **4,025.2** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,672.0** |
| H2O | 1957 | 1.1 | 1.1 | 1.4 | 1.4 | 1.6 | 0.6 | 5.4 | 0.5 | 0.6 | 1.7 | 0.6 | 0.8 | **421.0** |
| OIL | 1957 | 26.9 | 26.2 | 29.6 | 27.8 | 32.1 | 39.9 | 43.5 | 59.6 | 29.9 | 19.2 | 17.6 | 19.2 | **3,732.9** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,307.0** |
| H2O | 1956 | 5.2 | 5.4 | 5.9 | 6.2 | 7.8 | 7.2 | 6.4 | 8.4 | 1.1 | 0.8 | 1.0 | 1.0 | **404.2** |
| OIL | 1956 | 26.5 | 23.2 | 28.1 | 32.9 | 30.0 | 27.8 | 25.9 | 25.1 | 18.4 | 26.1 | 25.7 | 29.9 | **3,361.4** |
| DAY | 1955 | 26.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **944.0** |
| H2O | 1955 | 3.2 | 3.2 | 8.6 | 10.5 | 11.0 | 14.1 | 8.6 | 10.2 | 3.7 | 4.0 | 5.4 | 6.2 | **347.8** |
| OIL | 1955 | 53.7 | 55.5 | 58.2 | 55.0 | 61.8 | 49.4 | 46.4 | 51.5 | 39.6 | 37.0 | 33.4 | 31.5 | **3,041.8** |
| DAY | 1954 | 31.0 | 27.0 | 30.0 | 27.0 | 30.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **587.0** |
| H2O | 1954 | 16.5 | 15.1 | 20.0 | 22.1 | 13.2 | 10.0 | 3.7 | 10.3 | 5.9 | 4.8 | 8.1 | 8.1 | **259.1** |
| OIL | 1954 | 163.4 | 118.2 | 104.9 | 99.2 | 106.5 | 86.9 | 75.5 | 75.3 | 79.1 | 89.9 | 71.4 | 65.8 | **2,468.8** |
| DAY | 1953 | 11.0 | 24.0 | 17.0 | 0.0 | 0.0 | 4.0 | 29.0 | 31.0 | 29.0 | 27.0 | 29.0 | 31.0 | **232.0** |
| H2O | 1953 | 2.4 | 3.5 | 2.4 | 0.0 | 0.0 | 0.5 | 5.6 | 15.6 | 32.0 | 18.6 | 19.9 | 20.8 | **121.3** |
| OIL | 1953 | 115.5 | 171.8 | 116.2 | 0.0 | 0.0 | 23.8 | 178.6 | 178.5 | 156.2 | 141.9 | 122.0 | 128.2 | **1,332.7** |

# Manitoba Production
## 1950 To 1975

Licence ***237*** Well Name ***Fawn Lulu Lake Prov. Dual*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.16-14-001-21W1.00*** Field Name ***Lulu Lake*** Pool Name ***Lodgepole WL A*** Field Code ***4*** Pool Code ***52A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 31.0 | 21.0 | 30.0 | 18.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **635.0** |
| H2O | 1957 | 25.0 | 23.5 | 73.9 | 16.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,406.7** |
| OIL | 1957 | 44.1 | 12.3 | 20.7 | 10.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,616.6** |
| DAY | 1956 | 22.0 | 27.0 | 30.0 | 16.0 | 13.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **535.0** |
| H2O | 1956 | 47.8 | 51.9 | 39.3 | 20.7 | 17.7 | 45.7 | 56.5 | 49.7 | 43.3 | 54.3 | 58.8 | 32.6 | **1,267.8** |
| OIL | 1956 | 60.2 | 80.5 | 80.2 | 35.2 | 33.0 | 67.6 | 82.3 | 79.4 | 65.4 | 65.9 | 55.9 | 55.5 | **1,528.9** |
| DAY | 1955 | 0.0 | 8.0 | 7.0 | 0.0 | 0.0 | 0.0 | 19.0 | 31.0 | 24.0 | 31.0 | 20.0 | 30.0 | **215.0** |
| H2O | 1955 | 0.0 | 9.0 | 3.4 | 0.0 | 0.0 | 0.0 | 63.3 | 85.9 | 85.1 | 102.3 | 87.3 | 75.9 | **749.5** |
| OIL | 1955 | 0.0 | 17.5 | 9.8 | 0.0 | 0.0 | 0.0 | 81.5 | 133.0 | 85.1 | 86.2 | 41.4 | 77.6 | **767.8** |
| DAY | 1953 | 15.0 | 15.0 | 15.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **45.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 237.3 | **237.3** |
| OIL | 1953 | 118.0 | 74.5 | 43.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **235.7** |

UWI ***100.16-14-001-21W1.02*** Field Name ***Lulu Lake*** Pool Name ***Lodgepole WL A*** Field Code ***4*** Pool Code ***52A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 26.0 | 31.0 | **3,402.0** |
| H2O | 1975 | 167.9 | 178.1 | 186.5 | 192.1 | 173.6 | 139.6 | 139.0 | 173.5 | 159.1 | 156.9 | 163.9 | 215.0 | **15,842.3** |
| OIL | 1975 | 30.5 | 28.5 | 39.0 | 36.7 | 34.7 | 34.7 | 38.0 | 40.9 | 37.0 | 40.1 | 31.6 | 26.9 | **7,757.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,045.0** |
| H2O | 1974 | 175.0 | 158.4 | 171.7 | 162.6 | 146.0 | 65.8 | 65.3 | 89.8 | 76.2 | 78.9 | 67.4 | 138.3 | **13,797.1** |
| OIL | 1974 | 74.4 | 66.6 | 73.3 | 64.4 | 69.3 | 36.9 | 32.9 | 41.0 | 32.4 | 40.1 | 34.0 | 35.1 | **7,339.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 28.0 | 23.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,684.0** |
| H2O | 1973 | 119.2 | 107.5 | 142.9 | 132.0 | 120.7 | 153.6 | 165.3 | 179.7 | 176.5 | 160.4 | 170.0 | 175.5 | **12,401.7** |
| OIL | 1973 | 63.3 | 57.6 | 70.3 | 53.6 | 40.4 | 62.8 | 67.1 | 73.5 | 72.3 | 75.0 | 72.5 | 75.0 | **6,738.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,329.0** |
| H2O | 1972 | 180.9 | 146.9 | 137.4 | 123.9 | 118.1 | 110.7 | 94.3 | 121.5 | 126.1 | 122.3 | 119.6 | 119.1 | **10,598.4** |
| OIL | 1972 | 70.6 | 60.9 | 62.6 | 60.7 | 58.5 | 56.8 | 69.2 | 67.4 | 70.1 | 63.6 | 62.2 | 64.7 | **5,955.4** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 7.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,963.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 18.1 | 3.2 | 7.8 | 0.0 | 220.7 | 183.5 | 175.2 | 180.9 | **9,077.6** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 22.3 | 7.5 | 8.9 | 0.0 | 111.0 | 71.2 | 68.2 | 71.4 | **5,188.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 7.0 | **1,829.0** |
| H2O | 1970 | 157.4 | 142.1 | 153.4 | 149.0 | 127.2 | 133.9 | 143.2 | 28.3 | 26.1 | 23.1 | 155.2 | 31.3 | **8,288.2** |
| OIL | 1970 | 70.7 | 62.3 | 67.4 | 63.0 | 59.0 | 62.2 | 62.6 | 57.1 | 60.3 | 58.5 | 58.7 | 11.9 | **4,827.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | 30.0 | 17.0 | 31.0 | 30.0 | 31.0 | **1,493.0** |
| H2O | 1969 | 184.3 | 166.9 | 181.6 | 167.9 | 163.3 | 172.2 | 142.0 | 171.1 | 138.2 | 165.8 | 159.5 | 158.7 | **7,018.0** |
| OIL | 1969 | 85.5 | 73.3 | 80.8 | 75.8 | 77.6 | 75.2 | 62.8 | 79.8 | 66.5 | 77.1 | 73.1 | 70.4 | **4,133.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,148.0** |
| H2O | 1968 | 73.9 | 65.7 | 66.5 | 55.5 | 64.2 | 57.1 | 91.1 | 382.4 | 82.8 | 197.3 | 191.4 | 191.7 | **5,046.5** |
| OIL | 1968 | 68.1 | 58.1 | 61.5 | 51.4 | 58.8 | 47.7 | 70.6 | 105.9 | 65.7 | 90.0 | 87.1 | 89.0 | **3,236.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **785.0** |
| H2O | 1967 | 176.8 | 82.2 | 117.5 | 91.4 | 92.4 | 96.5 | 100.0 | 129.9 | 110.3 | 104.5 | 97.6 | 77.4 | **3,526.9** |
| OIL | 1967 | 110.7 | 121.0 | 119.8 | 75.4 | 75.7 | 72.2 | 76.4 | 90.2 | 88.9 | 80.8 | 76.1 | 69.9 | **2,382.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 22.0 | 29.0 | **424.0** |
| H2O | 1966 | 164.6 | 91.1 | 112.4 | 142.8 | 152.2 | 108.7 | 130.8 | 151.8 | 157.9 | 135.8 | 102.5 | 122.1 | **2,250.4** |
| OIL | 1966 | 137.4 | 118.7 | 126.1 | 113.6 | 115.0 | 76.4 | 101.8 | 65.9 | 60.5 | 53.2 | 41.6 | 157.6 | **1,325.0** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 26.0 | 15.0 | 31.0 | **73.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.5 | 361.2 | 257.9 | 49.1 | **677.7** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.8 | 57.8 | 34.4 | 62.2 | **157.2** |

UWI ***100.16-14-001-21W1.03*** Field Name ***Lulu Lake*** Pool Name ***Lodgepole Virden*** Field Code ***4*** Pool Code ***53*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 572.7 | 542.5 | 565.8 | 573.8 | 532.6 | 275.8 | 579.2 | 822.5 | 803.0 | 797.2 | 787.2 | 892.8 | **63,556.0** |

# Manitoba Production
## 1950 To 1975

Licence ***237*** Well Name ***Fawn Lulu Lake Prov. Dual*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.16-14-001-21W1.03*** Field Name ***Lulu Lake*** Pool Name ***Lodgepole Virden*** Field Code ***4*** Pool Code ***53*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1974 | 708.1 | 684.5 | 790.3 | 715.6 | 673.0 | 634.8 | 658.7 | 684.5 | 655.7 | 676.2 | 514.3 | 592.4 | **55,810.9** |
| WIN | 1973 | 232.0 | 209.2 | 278.2 | 257.6 | 229.4 | 260.6 | 307.8 | 731.0 | 794.5 | 790.0 | 765.2 | 762.4 | **47,822.8** |
| WIN | 1972 | 502.7 | 408.1 | 381.6 | 316.4 | 328.2 | 276.0 | 187.3 | 238.3 | 233.7 | 242.6 | 237.4 | 231.6 | **42,204.9** |
| WIN | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 336.6 | 253.6 | 122.7 | 0.0 | 636.1 | 509.7 | 486.5 | 502.7 | **38,621.0** |
| WIN | 1970 | 570.8 | 516.4 | 553.8 | 500.3 | 462.3 | 489.8 | 520.4 | 450.3 | 332.3 | 293.5 | 343.4 | 69.5 | **35,773.1** |
| WIN | 1969 | 718.6 | 505.6 | 708.1 | 639.5 | 637.1 | 616.3 | 515.4 | 620.5 | 502.7 | 602.1 | 575.1 | 576.5 | **30,670.3** |
| WIN | 1968 | 398.6 | 353.8 | 358.2 | 299.9 | 295.4 | 249.6 | 194.8 | 833.6 | 663.9 | 769.8 | 747.1 | 747.7 | **23,452.8** |
| WIN | 1967 | 679.5 | 435.5 | 627.4 | 636.4 | 611.3 | 643.8 | 643.1 | 620.4 | 526.9 | 497.2 | 463.8 | 417.3 | **17,540.4** |
| WIN | 1966 | 741.8 | 620.7 | 656.3 | 754.6 | 801.8 | 725.5 | 664.7 | 718.8 | 672.5 | 579.7 | 563.1 | 639.9 | **10,737.8** |
| WIN | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 190.3 | 925.0 | 787.8 | 695.3 | **2,598.4** |

Licence ***242*** Well Name ***Imperial Haskett Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-02-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 16.0 | 20.0 | 8.0 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **636.0** |
| H2O | 1956 | 8.9 | 13.2 | 6.0 | 6.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **257.3** |
| OIL | 1956 | 3.3 | 4.5 | 2.5 | 1.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **864.2** |
| DAY | 1955 | 27.0 | 11.0 | 13.0 | 15.0 | 15.0 | 15.0 | 15.0 | 14.0 | 15.0 | 15.0 | 15.0 | 14.0 | **585.0** |
| H2O | 1955 | 0.2 | 9.1 | 7.6 | 6.5 | 3.8 | 2.4 | 28.3 | 29.4 | 11.4 | 10.5 | 7.6 | 5.9 | **223.2** |
| OIL | 1955 | 16.0 | 11.6 | 18.3 | 33.4 | 21.0 | 15.7 | 20.3 | 33.2 | 2.7 | 2.5 | 2.7 | 2.2 | **852.7** |
| DAY | 1954 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 9.0 | 0.0 | 29.0 | **401.0** |
| H2O | 1954 | 4.1 | 0.0 | 0.0 | 0.3 | 0.0 | 17.8 | 1.1 | 0.3 | 0.6 | 0.5 | 0.0 | 0.5 | **100.5** |
| OIL | 1954 | 33.4 | 28.6 | 22.2 | 23.7 | 28.1 | 16.5 | 17.2 | 17.2 | 20.0 | 5.4 | 0.0 | 14.6 | **673.1** |
| DAY | 1953 | 0.0 | 18.0 | 20.0 | 13.0 | 9.0 | 8.0 | 8.0 | 2.0 | 4.0 | 4.0 | 4.0 | 4.0 | **94.0** |
| H2O | 1953 | 0.0 | 3.2 | 15.9 | 5.9 | 11.1 | 5.9 | 10.8 | 12.1 | 0.3 | 0.6 | 0.0 | 9.5 | **75.3** |
| OIL | 1953 | 0.0 | 80.7 | 96.6 | 60.1 | 43.1 | 38.5 | 37.7 | 12.2 | 17.6 | 20.8 | 21.3 | 17.6 | **446.2** |

Licence ***257*** Well Name ***Recovery Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-08-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1962 | 27.0 | 27.0 | 31.0 | 30.0 | 26.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 24.0 | 17.0 | **3,022.0** |
| OIL | 1962 | 4.3 | 4.3 | 5.1 | 5.2 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | 3.8 | 3.7 | 2.6 | **1,171.1** |
| DAY | 1961 | 21.0 | 26.0 | 31.0 | 30.0 | 31.0 | 29.0 | 20.0 | 29.0 | 30.0 | 31.0 | 30.0 | 15.0 | **2,816.0** |
| OIL | 1961 | 4.4 | 9.9 | 4.8 | 4.6 | 4.9 | 11.4 | 4.4 | 5.2 | 4.8 | 4.9 | 4.8 | 2.7 | **1,138.4** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 30.0 | 30.0 | 31.0 | 25.0 | 26.0 | 28.0 | 6.0 | **2,493.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | **42.4** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 8.1 | 4.8 | 4.8 | 4.9 | 4.0 | 4.1 | 5.1 | 1.0 | **1,071.6** |
| DAY | 1959 | 31.0 | 8.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 26.0 | 15.0 | 0.0 | **2,288.0** |
| H2O | 1959 | 0.3 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.0 | **40.8** |
| OIL | 1959 | 4.9 | 2.7 | 4.4 | 4.3 | 4.6 | 4.6 | 4.9 | 4.3 | 4.1 | 5.7 | 2.4 | 0.0 | **1,034.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **1,997.0** |
| H2O | 1958 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | **38.3** |
| OIL | 1958 | 6.8 | 5.2 | 4.8 | 4.4 | 3.7 | 4.8 | 4.8 | 3.8 | 4.8 | 4.9 | 4.6 | 4.3 | **987.9** |
| DAY | 1957 | 27.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,637.0** |
| H2O | 1957 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | **34.7** |
| OIL | 1957 | 8.1 | 7.9 | 8.3 | 7.8 | 6.4 | 6.4 | 7.2 | 6.7 | 9.5 | 7.5 | 5.4 | 6.7 | **931.0** |
| DAY | 1956 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **1,280.0** |
| H2O | 1956 | 0.6 | 0.5 | 0.5 | 1.1 | 1.3 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | **32.3** |
| OIL | 1956 | 13.0 | 12.7 | 10.6 | 12.6 | 12.7 | 7.9 | 9.1 | 13.7 | 9.5 | 10.0 | 8.6 | 8.7 | **843.1** |
| DAY | 1955 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **919.0** |
| H2O | 1955 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.3 | 0.8 | 1.0 | 0.5 | **26.4** |

# Manitoba Production
## 1950 To 1975

Licence ***257*** Well Name ***Recovery Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-08-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1955 | 16.5 | 15.9 | 18.3 | 16.0 | 18.0 | 16.5 | 17.2 | 15.1 | 12.9 | 13.2 | 10.0 | 11.0 | **714.0** |
| DAY | 1954 | 31.0 | 27.0 | 30.0 | 24.0 | 10.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | **557.0** |
| H2O | 1954 | 4.9 | 1.6 | 1.0 | 1.0 | 1.9 | 1.0 | 0.8 | 0.5 | 0.5 | 0.6 | 0.5 | 0.5 | **21.3** |
| OIL | 1954 | 9.1 | 31.8 | 32.1 | 28.0 | 14.3 | 32.3 | 27.0 | 18.9 | 17.2 | 18.6 | 17.8 | 16.0 | **533.4** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **224.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 1.1 | 2.2 | 0.2 | 0.2 | 0.2 | 2.1 | **6.5** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 7.6 | 6.4 | 23.0 | 91.2 | 43.7 | 38.3 | 31.5 | 28.6 | **270.3** |

Licence ***260*** Well Name ***Kiwi Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,171.0** |
| OIL | 1975 | 11.1 | 13.0 | 13.8 | 13.3 | 18.1 | 19.5 | 23.8 | 24.2 | 21.5 | 16.0 | 16.8 | 17.0 | **3,419.3** |
| DAY | 1974 | 31.0 | 28.0 | 0.0 | 30.0 | 6.0 | 2.0 | 0.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **6,809.0** |
| OIL | 1974 | 15.3 | 11.9 | 13.7 | 12.1 | 1.9 | 4.0 | 19.1 | 18.9 | 18.0 | 15.1 | 11.1 | 10.6 | **3,211.2** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 30.0 | 0.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **6,563.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 26.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **213.2** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 18.6 | 15.6 | 12.2 | 15.1 | 14.3 | 13.7 | 15.3 | 14.0 | 14.6 | **3,059.5** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 27.0 | 29.0 | 30.0 | 22.0 | 0.0 | 0.0 | 0.0 | **6,321.0** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 19.1 | 16.0 | 17.0 | 19.2 | 12.6 | 0.0 | 0.0 | 0.0 | **2,926.1** |
| DAY | 1971 | 0.0 | 28.0 | 31.0 | 30.0 | 0.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 13.0 | **6,192.0** |
| OIL | 1971 | 10.3 | 11.0 | 14.8 | 14.3 | 13.7 | 13.3 | 14.6 | 14.6 | 13.3 | 12.1 | 11.1 | 3.3 | **2,842.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | 20.0 | 31.0 | **5,908.0** |
| OIL | 1970 | 16.5 | 16.4 | 18.3 | 14.9 | 19.5 | 18.1 | 17.2 | 16.0 | 18.1 | 19.4 | 10.5 | 10.6 | **2,695.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,557.0** |
| OIL | 1969 | 9.9 | 8.4 | 9.5 | 10.3 | 7.2 | 8.4 | 7.9 | 8.3 | 9.5 | 19.1 | 19.1 | 18.9 | **2,500.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,195.0** |
| OIL | 1968 | 4.8 | 4.8 | 4.0 | 4.8 | 3.2 | 4.0 | 11.9 | 11.9 | 11.3 | 8.1 | 8.1 | 10.3 | **2,363.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 28.0 | 0.0 | 30.0 | 30.0 | **4,836.0** |
| OIL | 1967 | 9.9 | 8.7 | 9.9 | 9.5 | 9.9 | 9.5 | 9.9 | 4.1 | 4.4 | 0.0 | 4.4 | 4.8 | **2,276.6** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **4,510.0** |
| OIL | 1966 | 9.7 | 9.1 | 9.7 | 9.5 | 9.5 | 9.5 | 9.9 | 9.9 | 9.5 | 9.5 | 9.7 | 9.5 | **2,191.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,147.0** |
| OIL | 1965 | 9.9 | 7.5 | 9.9 | 9.4 | 10.2 | 9.7 | 8.9 | 9.5 | 9.5 | 10.3 | 9.5 | 9.9 | **2,076.6** |
| DAY | 1964 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,782.0** |
| OIL | 1964 | 9.7 | 8.6 | 9.9 | 9.7 | 9.9 | 8.9 | 9.5 | 10.0 | 9.4 | 9.9 | 9.5 | 10.3 | **1,962.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **3,418.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | **187.1** |
| OIL | 1963 | 11.9 | 10.3 | 9.9 | 9.5 | 9.7 | 9.5 | 10.2 | 9.2 | 7.6 | 9.5 | 9.1 | 9.9 | **1,847.1** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 13.0 | 31.0 | 30.0 | 31.0 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | **3,058.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.3 | 0.2 | **186.9** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 7.9 | 16.2 | 9.2 | 9.2 | 3.7 | 6.0 | 12.7 | 7.9 | 10.6 | **1,730.8** |
| DAY | 1961 | 4.0 | 2.0 | 22.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 9.0 | **2,809.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **185.6** |
| OIL | 1961 | 3.8 | 0.6 | 13.0 | 14.0 | 14.8 | 12.2 | 11.0 | 14.6 | 14.3 | 14.6 | 14.0 | 4.3 | **1,647.4** |
| DAY | 1960 | 31.0 | 25.0 | 31.0 | 27.0 | 27.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 21.0 | **2,528.0** |
| H2O | 1960 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | **184.8** |
| OIL | 1960 | 5.2 | 4.9 | 5.6 | 5.1 | 4.3 | 4.8 | 5.9 | 4.8 | 8.9 | 5.9 | 5.6 | 3.3 | **1,516.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,184.0** |
| H2O | 1959 | 1.6 | 1.4 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | **165.6** |
| OIL | 1959 | 4.9 | 4.8 | 4.9 | 4.4 | 4.8 | 4.8 | 4.9 | 4.0 | 12.7 | 8.1 | 6.0 | 4.3 | **1,451.9** |

# Manitoba Production
## 1950 To 1975

Licence ***260*** Well Name ***Kiwi Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,819.0** |
| H2O | 1958 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | **146.6** |
| OIL | 1958 | 6.4 | 5.1 | 4.4 | 6.2 | 4.8 | 4.8 | 4.8 | 5.1 | 5.7 | 5.4 | 5.4 | 5.4 | **1,383.3** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,456.0** |
| H2O | 1957 | 1.3 | 1.3 | 1.4 | 1.4 | 1.6 | 1.6 | 1.6 | 1.6 | 2.7 | 2.4 | 2.2 | 2.4 | **127.4** |
| OIL | 1957 | 5.2 | 5.1 | 6.4 | 5.7 | 5.7 | 6.8 | 5.7 | 6.4 | 10.0 | 7.0 | 6.0 | 6.4 | **1,319.8** |
| DAY | 1956 | 30.0 | 29.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,095.0** |
| H2O | 1956 | 4.6 | 4.5 | 5.2 | 3.8 | 5.2 | 5.1 | 4.6 | 4.8 | 2.1 | 1.9 | 2.5 | 1.6 | **105.9** |
| OIL | 1956 | 28.1 | 28.4 | 26.4 | 21.8 | 26.9 | 26.2 | 23.4 | 21.8 | 12.1 | 10.5 | 13.2 | 7.8 | **1,243.4** |
| DAY | 1955 | 26.0 | 24.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **734.0** |
| H2O | 1955 | 1.4 | 1.4 | 1.4 | 1.3 | 1.4 | 1.4 | 1.6 | 1.6 | 1.9 | 5.9 | 4.6 | 5.1 | **60.0** |
| OIL | 1955 | 21.9 | 21.5 | 21.3 | 19.9 | 21.8 | 20.8 | 23.8 | 23.0 | 28.3 | 32.3 | 26.5 | 30.2 | **996.8** |
| DAY | 1954 | 31.0 | 25.0 | 27.0 | 18.0 | 16.0 | 26.0 | 27.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **382.0** |
| H2O | 1954 | 3.5 | 0.6 | 3.0 | 2.1 | 3.5 | 2.5 | 1.9 | 1.7 | 2.1 | 1.9 | 1.7 | 1.6 | **31.0** |
| OIL | 1954 | 20.2 | 38.0 | 31.8 | 25.6 | 26.2 | 31.6 | 24.2 | 25.9 | 31.3 | 29.1 | 27.5 | 22.6 | **705.5** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | **61.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.5 | 0.3 | 0.2 | 0.2 | 0.2 | 0.5 | **4.9** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 37.3 | 83.1 | 51.8 | 63.6 | 52.8 | 41.6 | 41.3 | **371.5** |

Licence ***261*** Well Name ***Kiwi Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-34-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,528.0** |
| OIL | 1975 | 4.0 | 4.4 | 5.1 | 4.3 | 4.9 | 4.8 | 4.9 | 4.9 | 5.4 | 9.1 | 9.1 | 10.0 | **3,151.4** |
| DAY | 1974 | 31.0 | 28.0 | 0.0 | 30.0 | 31.0 | 30.0 | 0.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **7,167.0** |
| OIL | 1974 | 5.4 | 4.3 | 4.9 | 4.8 | 5.1 | 5.4 | 5.4 | 5.1 | 4.9 | 5.2 | 5.1 | 4.9 | **3,080.5** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 30.0 | 0.0 | 30.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | **6,866.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 7.5 | 0.0 | 4.3 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **204.9** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 14.6 | 10.5 | 14.1 | 10.6 | 10.0 | 7.0 | 5.9 | 5.2 | 4.9 | **3,020.0** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 27.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | **6,626.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 13.5 | 15.7 | 22.4 | 22.6 | 16.8 | 15.7 | 14.0 | 0.0 | **189.9** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 9.5 | 7.9 | 8.4 | 10.0 | 8.6 | 9.9 | 8.3 | 0.0 | **2,937.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 0.0 | 30.0 | 30.0 | 10.0 | 26.0 | 31.0 | 30.0 | 13.0 | **6,427.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.4 | 1.6 | **69.2** |
| OIL | 1971 | 9.2 | 8.9 | 9.7 | 8.7 | 8.1 | 7.8 | 9.5 | 6.4 | 7.2 | 7.9 | 3.3 | 1.6 | **2,874.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | 28.0 | 31.0 | **6,137.0** |
| OIL | 1970 | 9.5 | 9.5 | 10.6 | 9.7 | 12.6 | 10.0 | 9.9 | 9.7 | 9.7 | 10.6 | 9.4 | 9.5 | **2,786.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,778.0** |
| OIL | 1969 | 7.2 | 6.5 | 7.2 | 9.2 | 6.7 | 7.5 | 7.0 | 5.9 | 10.3 | 9.5 | 9.5 | 9.5 | **2,665.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,416.0** |
| OIL | 1968 | 9.5 | 9.5 | 6.4 | 9.5 | 6.4 | 6.4 | 6.4 | 6.4 | 6.0 | 5.1 | 5.1 | 7.6 | **2,569.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,057.0** |
| OIL | 1967 | 9.9 | 8.7 | 9.9 | 9.5 | 9.9 | 9.5 | 9.9 | 9.9 | 9.5 | 9.9 | 9.5 | 9.5 | **2,485.3** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **4,692.0** |
| OIL | 1966 | 7.0 | 8.4 | 9.1 | 8.3 | 7.0 | 7.5 | 5.1 | 5.4 | 6.4 | 8.9 | 7.2 | 6.4 | **2,369.7** |
| DAY | 1965 | 3.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,329.0** |
| OIL | 1965 | 8.9 | 6.7 | 7.5 | 8.6 | 7.5 | 7.5 | 8.7 | 8.6 | 8.7 | 8.7 | 7.2 | 7.3 | **2,283.0** |
| DAY | 1964 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,992.0** |
| OIL | 1964 | 9.7 | 8.4 | 9.9 | 9.5 | 9.9 | 8.9 | 9.5 | 9.4 | 7.3 | 7.3 | 7.9 | 9.4 | **2,187.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,628.0** |
| OIL | 1963 | 14.5 | 13.8 | 13.0 | 14.0 | 14.0 | 12.7 | 14.6 | 11.3 | 9.5 | 9.7 | 9.5 | 9.5 | **2,080.0** |

# Manitoba Production
## 1950 To 1975

Licence ***261*** Well Name ***Kiwi Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-34-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 21.0 | 18.0 | 30.0 | 31.0 | **3,267.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.2 | 0.2 | **61.2** |
| OIL | 1962 | 9.7 | 9.1 | 9.2 | 10.2 | 10.0 | 9.1 | 9.9 | 5.2 | 6.7 | 3.2 | 9.5 | 13.5 | **1,933.9** |
| DAY | 1961 | 31.0 | 24.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,925.0** |
| OIL | 1961 | 10.8 | 10.0 | 10.5 | 10.2 | 9.9 | 8.6 | 10.0 | 9.9 | 9.7 | 10.2 | 9.9 | 10.5 | **1,828.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **2,571.0** |
| H2O | 1960 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | **60.0** |
| OIL | 1960 | 11.4 | 10.5 | 12.7 | 10.3 | 11.4 | 11.8 | 11.9 | 11.1 | 9.2 | 10.2 | 10.5 | 8.9 | **1,708.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,210.0** |
| H2O | 1959 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | **56.4** |
| OIL | 1959 | 12.4 | 12.9 | 13.8 | 12.7 | 13.3 | 12.2 | 16.8 | 12.7 | 12.2 | 11.9 | 11.1 | 11.9 | **1,578.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 24.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,849.0** |
| H2O | 1958 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | **52.8** |
| OIL | 1958 | 15.1 | 12.9 | 14.8 | 13.7 | 14.3 | 13.5 | 14.6 | 14.5 | 12.9 | 13.8 | 12.1 | 14.0 | **1,424.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,495.0** |
| H2O | 1957 | 0.3 | 0.5 | 0.3 | 0.5 | 0.5 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | **49.2** |
| OIL | 1957 | 14.9 | 13.8 | 16.0 | 16.2 | 18.0 | 15.3 | 14.3 | 15.9 | 12.6 | 12.6 | 14.3 | 14.3 | **1,258.4** |
| DAY | 1956 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,133.0** |
| H2O | 1956 | 0.5 | 0.5 | 0.6 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.3 | 0.5 | 0.3 | 0.3 | **45.0** |
| OIL | 1956 | 19.2 | 19.4 | 21.5 | 19.5 | 20.3 | 17.8 | 17.6 | 18.8 | 18.1 | 18.1 | 16.4 | 15.9 | **1,080.2** |
| DAY | 1955 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **770.0** |
| H2O | 1955 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.6 | 0.6 | 0.5 | 0.5 | 0.5 | **39.5** |
| OIL | 1955 | 17.6 | 15.1 | 16.7 | 18.9 | 17.3 | 18.8 | 20.8 | 27.3 | 25.7 | 19.2 | 19.4 | 21.5 | **857.6** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 28.0 | 18.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **408.0** |
| H2O | 1954 | 10.0 | 0.6 | 2.1 | 1.7 | 1.6 | 1.3 | 1.3 | 0.6 | 0.5 | 0.5 | 0.5 | 0.5 | **33.3** |
| OIL | 1954 | 26.1 | 35.0 | 39.9 | 35.9 | 27.2 | 24.5 | 26.2 | 24.2 | 20.8 | 19.1 | 19.5 | 16.8 | **619.3** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | **61.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.7 | 0.2 | 0.2 | 0.2 | 0.8 | **12.1** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.8 | 85.7 | 64.7 | 48.8 | 39.6 | 36.5 | **304.1** |

Licence ***263*** Well Name ***Daly Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 200.3 | 170.8 | 187.9 | 164.1 | 145.4 | 225.7 | 138.0 | 141.8 | 127.2 | 242.0 | 150.9 | 173.8 | **93,113.6** |
| WIN | 1974 | 190.9 | 164.6 | 177.1 | 170.1 | 170.8 | 154.7 | 170.6 | 151.1 | 154.4 | 156.6 | 156.2 | 145.4 | **91,045.7** |
| WIN | 1973 | 224.6 | 184.7 | 211.6 | 187.9 | 165.5 | 164.7 | 176.9 | 162.4 | 168.7 | 177.6 | 170.5 | 153.6 | **89,083.2** |
| WIN | 1972 | 193.3 | 103.0 | 175.3 | 225.7 | 136.4 | 179.5 | 165.4 | 161.7 | 143.5 | 0.0 | 0.0 | 350.2 | **86,934.5** |
| WIN | 1971 | 215.6 | 219.4 | 224.9 | 202.0 | 191.9 | 149.4 | 184.9 | 170.1 | 166.5 | 152.5 | 167.0 | 197.4 | **85,100.5** |
| WIN | 1970 | 218.7 | 230.9 | 234.9 | 222.6 | 237.9 | 248.4 | 209.2 | 184.7 | 240.0 | 242.8 | 218.6 | 233.0 | **82,858.9** |
| WIN | 1969 | 242.2 | 259.6 | 301.7 | 260.7 | 275.9 | 238.9 | 249.7 | 215.9 | 206.5 | 236.2 | 252.3 | 239.7 | **80,137.2** |
| WIN | 1968 | 217.5 | 201.3 | 231.6 | 211.6 | 531.6 | 200.1 | 211.4 | 204.6 | 187.7 | 209.7 | 197.1 | 217.5 | **77,157.9** |
| WIN | 1967 | 259.3 | 225.1 | 252.9 | 244.8 | 243.8 | 237.3 | 244.0 | 238.9 | 230.6 | 243.5 | 169.7 | 188.1 | **74,336.2** |
| WIN | 1966 | 269.1 | 241.3 | 260.1 | 259.9 | 255.9 | 263.3 | 262.1 | 259.6 | 252.9 | 261.0 | 1838.5 | 253.6 | **71,558.2** |
| WIN | 1965 | 283.5 | 260.2 | 291.2 | 267.4 | 265.6 | 290.4 | 270.4 | 270.7 | 259.9 | 278.0 | 251.3 | 274.1 | **66,880.9** |
| WIN | 1964 | 347.6 | 300.2 | 334.7 | 282.1 | 322.0 | 296.3 | 314.1 | 310.9 | 295.9 | 277.0 | 284.7 | 298.0 | **63,618.2** |
| WIN | 1963 | 262.6 | 325.6 | 441.4 | 326.4 | 67.1 | 386.4 | 371.8 | 381.5 | 335.8 | 294.4 | 328.6 | 308.3 | **59,954.7** |
| WIN | 1962 | 340.6 | 336.6 | 348.0 | 313.6 | 298.8 | 219.2 | 280.2 | 303.7 | 288.0 | 313.7 | 395.2 | 271.4 | **56,124.8** |
| WIN | 1961 | 292.0 | 323.9 | 335.2 | 310.1 | 304.2 | 287.8 | 301.7 | 296.6 | 266.0 | 501.8 | 402.2 | 378.7 | **52,415.8** |
| WIN | 1960 | 375.4 | 250.7 | 369.2 | 363.8 | 346.9 | 321.9 | 310.1 | 325.6 | 289.4 | 285.3 | 320.6 | 295.5 | **48,415.6** |
| WIN | 1959 | 425.8 | 429.9 | 445.0 | 381.5 | 385.5 | 382.3 | 403.0 | 337.4 | 331.0 | 363.0 | 347.9 | 383.9 | **44,561.2** |
| WIN | 1958 | 706.6 | 504.3 | 567.5 | 528.0 | 434.9 | 429.0 | 474.2 | 517.7 | 463.7 | 502.1 | 425.4 | 450.5 | **39,945.0** |

# Manitoba Production
## 1950 To 1975

Licence ***263*** Well Name ***Daly Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1957 | 0.0 | 0.0 | 901.6 | 1133.6 | 947.0 | 872.6 | 707.5 | 731.9 | 656.2 | 656.5 | 597.9 | 663.4 | **33,941.1** |
| WIN | 1956 | 653.4 | 1374.9 | 1383.4 | 1851.0 | 1805.2 | 1803.6 | 1644.5 | 1232.3 | 951.7 | 948.6 | 733.0 | 44.5 | **26,072.9** |
| WIN | 1955 | 987.1 | 1114.4 | 1036.5 | 1432.9 | 1430.5 | 1337.3 | 986.3 | 937.0 | 955.2 | 1084.9 | 0.0 | 344.7 | **11,646.8** |
| DAY | 1954 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 21.0 | 2.0 | **536.0** |
| OIL | 1954 | 104.7 | 95.0 | 89.9 | 81.5 | 87.4 | 88.8 | 94.6 | 88.8 | 78.2 | 74.2 | 41.6 | 8.2 | **1,787.3** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **211.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.8 | 2.2 | 3.2 | 1.6 | 2.2 | 1.7 | **39.7** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.3 | 26.2 | 226.4 | 202.8 | 144.3 | 124.6 | 112.8 | **854.4** |

Licence ***264*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-05-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **8,148.0** |
| H2O | 1975 | 4.6 | 3.8 | 4.8 | 4.6 | 4.4 | 27.2 | 4.8 | 4.8 | 4.6 | 4.9 | 9.5 | 8.6 | **13,669.0** |
| OIL | 1975 | 95.8 | 82.0 | 97.1 | 91.2 | 85.0 | 101.9 | 99.2 | 94.9 | 83.7 | 87.1 | 107.4 | 94.4 | **22,112.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | **7,785.0** |
| H2O | 1974 | 9.9 | 8.7 | 4.8 | 8.9 | 9.5 | 8.6 | 4.6 | 4.1 | 4.8 | 4.6 | 4.4 | 4.6 | **13,582.4** |
| OIL | 1974 | 96.9 | 87.2 | 98.7 | 91.8 | 93.6 | 90.1 | 95.7 | 85.0 | 96.0 | 95.7 | 95.7 | 96.3 | **20,992.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **7,424.0** |
| H2O | 1973 | 5.2 | 3.7 | 4.4 | 4.4 | 4.4 | 9.1 | 9.5 | 4.8 | 7.5 | 9.5 | 8.7 | 9.5 | **13,504.9** |
| OIL | 1973 | 96.9 | 112.2 | 102.7 | 89.3 | 87.7 | 101.1 | 103.6 | 92.5 | 73.7 | 95.0 | 101.2 | 99.8 | **19,869.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,064.0** |
| H2O | 1972 | 49.0 | 43.6 | 46.6 | 48.5 | 4.6 | 4.3 | 4.6 | 9.2 | 0.0 | 4.5 | 4.3 | 4.9 | **13,424.2** |
| OIL | 1972 | 49.4 | 46.4 | 48.2 | 45.9 | 48.7 | 56.6 | 63.8 | 59.8 | 68.5 | 65.2 | 91.9 | 112.1 | **18,714.2** |
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **6,700.0** |
| H2O | 1971 | 54.2 | 49.0 | 52.5 | 52.5 | 48.3 | 38.2 | 47.7 | 47.9 | 48.5 | 51.4 | 43.7 | 52.6 | **13,200.1** |
| OIL | 1971 | 47.9 | 44.8 | 48.0 | 47.5 | 45.3 | 44.8 | 55.5 | 54.7 | 57.1 | 56.9 | 49.4 | 43.9 | **17,957.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,341.0** |
| H2O | 1970 | 57.6 | 50.1 | 52.5 | 45.8 | 48.8 | 49.6 | 60.1 | 60.7 | 55.2 | 53.6 | 50.9 | 54.2 | **12,613.6** |
| OIL | 1970 | 52.6 | 45.6 | 54.2 | 48.5 | 49.4 | 49.9 | 57.9 | 56.0 | 51.2 | 51.0 | 47.1 | 49.8 | **17,361.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 18.0 | 28.0 | 30.0 | 31.0 | 28.0 | 31.0 | **5,976.0** |
| H2O | 1969 | 31.5 | 29.3 | 41.8 | 47.7 | 34.5 | 33.4 | 13.5 | 71.7 | 71.9 | 79.7 | 67.6 | 52.0 | **11,974.5** |
| OIL | 1969 | 34.2 | 29.3 | 38.2 | 37.7 | 34.5 | 33.2 | 17.0 | 47.4 | 47.4 | 42.9 | 40.7 | 44.8 | **16,748.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,629.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 47.9 | 46.1 | 43.9 | **11,399.9** |
| OIL | 1968 | 44.3 | 41.3 | 42.6 | 47.5 | 47.4 | 45.6 | 45.1 | 56.1 | 56.9 | 33.7 | 33.4 | 35.6 | **16,301.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,263.0** |
| H2O | 1967 | 61.5 | 54.2 | 58.7 | 59.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **11,262.0** |
| OIL | 1967 | 50.4 | 45.8 | 49.4 | 49.3 | 41.3 | 43.9 | 45.1 | 45.3 | 42.9 | 45.0 | 39.6 | 46.6 | **15,771.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,898.0** |
| H2O | 1966 | 118.8 | 121.1 | 159.6 | 165.0 | 174.4 | 169.2 | 174.1 | 24.8 | 37.7 | 50.2 | 61.7 | 63.3 | **11,028.1** |
| OIL | 1966 | 28.0 | 26.1 | 28.6 | 28.3 | 28.9 | 28.0 | 28.0 | 50.5 | 52.0 | 52.6 | 48.3 | 51.8 | **15,227.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,533.0** |
| H2O | 1965 | 183.0 | 165.7 | 157.9 | 179.0 | 192.7 | 178.5 | 179.5 | 188.4 | 179.2 | 183.0 | 169.2 | 180.1 | **9,708.2** |
| OIL | 1965 | 31.5 | 28.0 | 32.4 | 32.3 | 32.6 | 28.9 | 33.1 | 32.4 | 30.7 | 31.1 | 28.9 | 31.3 | **14,776.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,168.0** |
| H2O | 1964 | 174.1 | 158.2 | 168.2 | 160.4 | 123.7 | 172.3 | 180.1 | 165.2 | 162.6 | 177.9 | 176.5 | 193.2 | **7,572.0** |
| OIL | 1964 | 72.5 | 65.8 | 69.0 | 68.0 | 97.3 | 22.1 | 35.3 | 35.0 | 32.9 | 33.2 | 33.1 | 33.5 | **14,403.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,802.0** |
| H2O | 1963 | 85.7 | 75.7 | 84.4 | 80.6 | 111.9 | 128.1 | 133.5 | 132.6 | 145.8 | 147.9 | 163.7 | 173.3 | **5,559.6** |
| OIL | 1963 | 80.7 | 75.5 | 81.4 | 79.3 | 75.2 | 78.3 | 76.1 | 76.9 | 72.1 | 73.7 | 71.4 | 71.5 | **13,805.3** |

# Manitoba Production
## 1950 To 1975

Licence ***264*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-05-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,437.0** |
| H2O | 1962 | 100.6 | 93.3 | 94.4 | 151.7 | 82.0 | 91.7 | 89.5 | 97.6 | 54.5 | 92.4 | 87.8 | 91.4 | **4,096.4** |
| OIL | 1962 | 91.5 | 79.0 | 84.2 | 69.6 | 114.3 | 105.4 | 103.0 | 87.6 | 105.0 | 98.4 | 75.0 | 91.5 | **12,893.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,072.0** |
| H2O | 1961 | 58.0 | 43.6 | 46.4 | 43.2 | 31.2 | 14.1 | 105.6 | 128.1 | 114.3 | 76.3 | 104.3 | 68.8 | **2,969.5** |
| OIL | 1961 | 92.8 | 76.9 | 82.2 | 79.0 | 72.9 | 83.3 | 87.1 | 109.8 | 85.5 | 80.7 | 90.3 | 78.3 | **11,788.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,707.0** |
| H2O | 1960 | 86.8 | 60.7 | 41.7 | 93.8 | 44.0 | 45.2 | 82.4 | 56.0 | 76.9 | 225.8 | 106.0 | 70.7 | **2,135.6** |
| OIL | 1960 | 272.9 | 237.0 | 196.2 | 160.3 | 183.1 | 266.1 | 206.6 | 164.0 | 117.1 | 104.9 | 91.8 | 95.7 | **10,769.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **2,341.0** |
| H2O | 1959 | 9.1 | 9.5 | 9.9 | 13.2 | 5.2 | 14.8 | 3.7 | 14.0 | 14.3 | 15.7 | 7.0 | 38.5 | **1,145.6** |
| OIL | 1959 | 80.2 | 69.8 | 79.3 | 62.0 | 62.0 | 57.2 | 46.7 | 55.6 | 77.4 | 55.0 | 35.4 | 316.6 | **8,674.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,979.0** |
| H2O | 1958 | 11.4 | 23.7 | 23.1 | 8.7 | 6.7 | 4.6 | 11.9 | 6.8 | 3.5 | 8.6 | 8.3 | 9.7 | **990.7** |
| OIL | 1958 | 98.5 | 85.8 | 93.0 | 78.5 | 84.7 | 59.8 | 66.9 | 50.5 | 39.1 | 82.8 | 59.8 | 81.4 | **7,677.0** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,614.0** |
| H2O | 1957 | 10.5 | 9.1 | 10.7 | 27.5 | 5.1 | 11.4 | 8.7 | 5.9 | 7.0 | 9.5 | 14.5 | 12.2 | **863.7** |
| OIL | 1957 | 74.8 | 65.0 | 71.2 | 59.6 | 75.6 | 70.2 | 83.0 | 74.8 | 85.2 | 91.8 | 84.7 | 103.9 | **6,796.2** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,249.0** |
| H2O | 1956 | 25.4 | 17.8 | 8.3 | 16.2 | 15.4 | 11.0 | 1.6 | 10.2 | 9.9 | 13.0 | 13.7 | 12.6 | **731.6** |
| OIL | 1956 | 105.0 | 92.0 | 97.4 | 91.7 | 97.4 | 107.6 | 97.9 | 82.3 | 75.8 | 93.6 | 74.8 | 74.5 | **5,856.4** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **883.0** |
| H2O | 1955 | 24.8 | 16.1 | 7.8 | 13.8 | 20.0 | 16.5 | 49.0 | 47.7 | 19.4 | 36.9 | 18.8 | 18.1 | **576.5** |
| OIL | 1955 | 156.2 | 139.4 | 105.5 | 130.3 | 140.5 | 137.3 | 148.1 | 142.9 | 130.9 | 183.8 | 105.2 | 104.9 | **4,766.4** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **518.0** |
| H2O | 1954 | 11.0 | 8.9 | 10.0 | 6.4 | 15.1 | 7.2 | 18.1 | 36.1 | 22.9 | 30.8 | 30.4 | 22.4 | **287.6** |
| OIL | 1954 | 182.2 | 177.4 | 167.9 | 159.1 | 151.0 | 142.4 | 165.3 | 171.7 | 146.7 | 146.7 | 131.7 | 187.1 | **3,141.4** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **153.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 15.4 | 4.1 | 6.0 | 11.6 | 14.6 | 14.5 | **68.3** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.1 | 309.1 | 202.7 | 173.9 | 145.2 | 182.5 | 180.7 | **1,212.2** |

Licence ***266*** Well Name ***Enerplus Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 24.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,401.0** |
| H2O | 1957 | 17.5 | 24.8 | 23.4 | 22.7 | 16.4 | 17.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,504.1** |
| OIL | 1957 | 3.5 | 3.3 | 3.5 | 3.5 | 11.1 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **991.3** |
| DAY | 1956 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **1,230.0** |
| H2O | 1956 | 18.1 | 21.1 | 19.4 | 21.5 | 22.7 | 21.5 | 17.5 | 27.3 | 24.0 | 32.7 | 20.7 | 32.0 | **1,381.9** |
| OIL | 1956 | 4.3 | 3.0 | 3.8 | 3.7 | 4.1 | 3.8 | 2.7 | 3.0 | 3.5 | 3.7 | 3.3 | 5.1 | **963.8** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **872.0** |
| H2O | 1955 | 43.9 | 35.6 | 30.5 | 32.0 | 8.9 | 52.1 | 25.0 | 17.3 | 18.6 | 20.8 | 20.0 | 20.8 | **1,103.4** |
| OIL | 1955 | 11.0 | 8.9 | 15.7 | 17.2 | 8.9 | 7.8 | 7.3 | 4.8 | 4.6 | 4.6 | 4.6 | 4.6 | **919.8** |
| DAY | 1954 | 31.0 | 23.0 | 7.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **510.0** |
| H2O | 1954 | 6.5 | 4.5 | 12.9 | 61.5 | 25.6 | 21.9 | 19.6 | 21.5 | 146.7 | 174.6 | 161.7 | 49.6 | **777.9** |
| OIL | 1954 | 73.6 | 49.3 | 4.3 | 20.5 | 21.0 | 18.4 | 19.4 | 19.7 | 9.5 | 9.9 | 9.2 | 8.7 | **819.8** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 11.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **176.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 15.4 | 18.8 | 20.0 | 9.9 | 7.0 | **71.3** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.9 | 17.0 | 176.5 | 101.4 | 86.0 | 72.8 | 73.7 | **556.3** |

Licence ***267*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***267*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **8,052.0** |
| H2O | 1975 | 33.2 | 43.7 | 49.3 | 95.7 | 93.3 | 90.4 | 108.2 | 96.1 | 162.5 | 152.8 | 123.1 | 113.6 | **4,854.9** |
| OIL | 1975 | 361.8 | 310.4 | 301.6 | 306.5 | 316.1 | 299.9 | 323.7 | 324.7 | 231.8 | 281.0 | 256.3 | 275.1 | **34,754.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,687.0** |
| H2O | 1974 | 9.9 | 45.3 | 149.3 | 167.7 | 275.4 | 234.6 | 196.4 | 158.8 | 127.9 | 100.4 | 120.9 | 95.0 | **3,693.0** |
| OIL | 1974 | 413.0 | 359.6 | 396.0 | 351.7 | 347.2 | 332.9 | 307.6 | 339.3 | 337.7 | 351.4 | 342.6 | 338.3 | **31,165.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 0.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 25.0 | **7,324.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.6 | 0.0 | 0.0 | 0.0 | 0.0 | 54.7 | 38.6 | **2,011.4** |
| OIL | 1973 | 166.7 | 241.1 | 634.1 | 680.0 | 433.3 | 436.0 | 572.6 | 417.3 | 355.5 | 415.4 | 399.7 | 347.4 | **26,947.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,996.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.4 | 4.8 | 0.0 | 0.0 | **1,913.5** |
| OIL | 1972 | 74.2 | 69.8 | 66.7 | 61.0 | 62.8 | 44.3 | 39.4 | 40.2 | 72.6 | 88.0 | 69.8 | 141.3 | **21,848.7** |
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 26.0 | 31.0 | 28.0 | 0.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,635.0** |
| H2O | 1971 | 0.0 | 0.0 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,904.3** |
| OIL | 1971 | 108.4 | 98.8 | 104.1 | 60.5 | 77.1 | 65.2 | 0.0 | 64.2 | 61.7 | 61.7 | 60.9 | 73.1 | **21,018.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,309.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 59.0 | 13.7 | 9.7 | 0.0 | 0.0 | 0.0 | 0.0 | **1,902.6** |
| OIL | 1970 | 107.3 | 93.9 | 96.1 | 93.6 | 87.7 | 56.9 | 55.9 | 49.7 | 121.6 | 125.5 | 114.3 | 114.9 | **20,182.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,947.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,820.2** |
| OIL | 1969 | 112.5 | 99.6 | 109.5 | 97.4 | 110.3 | 104.9 | 107.6 | 116.8 | 83.1 | 92.6 | 96.8 | 76.3 | **19,065.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **5,585.0** |
| H2O | 1968 | 5.9 | 4.9 | 4.4 | 4.4 | 3.2 | 3.0 | 3.2 | 2.2 | 3.2 | 0.0 | 0.0 | 0.0 | **1,818.1** |
| OIL | 1968 | 140.8 | 135.7 | 141.9 | 135.2 | 140.0 | 134.9 | 135.6 | 135.6 | 129.2 | 99.5 | 96.3 | 110.9 | **17,858.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,223.0** |
| H2O | 1967 | 1.6 | 1.9 | 3.8 | 2.2 | 1.1 | 1.4 | 2.4 | 1.9 | 1.4 | 3.8 | 7.9 | 0.6 | **1,783.7** |
| OIL | 1967 | 136.8 | 138.1 | 152.9 | 150.0 | 161.8 | 155.3 | 156.4 | 154.8 | 144.0 | 162.7 | 139.2 | 149.4 | **16,322.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,858.0** |
| H2O | 1966 | 17.5 | 2.5 | 9.1 | 1.1 | 10.0 | 8.7 | 9.7 | 12.1 | 12.2 | 11.3 | 6.2 | 5.1 | **1,753.7** |
| OIL | 1966 | 149.9 | 88.4 | 213.4 | 161.0 | 179.4 | 162.2 | 163.4 | 155.4 | 158.6 | 163.0 | 145.1 | 166.5 | **14,521.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,496.0** |
| H2O | 1965 | 10.5 | 10.0 | 11.1 | 10.8 | 11.8 | 11.9 | 38.6 | 39.7 | 22.9 | 25.1 | 10.8 | 2.5 | **1,648.2** |
| OIL | 1965 | 43.2 | 42.3 | 47.5 | 45.1 | 43.9 | 63.4 | 339.4 | 252.5 | 178.6 | 144.1 | 167.3 | 146.0 | **12,614.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,133.0** |
| H2O | 1964 | 19.2 | 18.0 | 54.3 | 15.1 | 12.7 | 18.3 | 9.1 | 9.9 | 8.9 | 9.7 | 9.5 | 10.2 | **1,442.5** |
| OIL | 1964 | 51.0 | 43.9 | 45.1 | 39.1 | 24.3 | 40.7 | 42.7 | 42.4 | 40.2 | 47.7 | 44.2 | 45.4 | **11,101.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,770.0** |
| H2O | 1963 | 29.1 | 25.9 | 29.6 | 28.3 | 18.4 | 19.2 | 19.6 | 19.7 | 21.6 | 18.8 | 19.1 | 18.9 | **1,247.6** |
| OIL | 1963 | 58.0 | 55.3 | 60.1 | 57.7 | 47.5 | 52.1 | 45.1 | 52.0 | 50.7 | 53.7 | 45.9 | 50.7 | **10,594.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 21.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,408.0** |
| H2O | 1962 | 2.7 | 2.2 | 2.5 | 2.5 | 2.7 | 2.7 | 25.7 | 18.3 | 31.3 | 28.6 | 26.2 | 28.6 | **979.4** |
| OIL | 1962 | 111.2 | 96.1 | 106.8 | 103.6 | 107.3 | 95.0 | 57.0 | 42.3 | 54.7 | 63.9 | 62.1 | 59.3 | **9,966.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,055.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.2 | 2.9 | 2.7 | 2.5 | 2.7 | 2.7 | 2.7 | **805.4** |
| OIL | 1961 | 167.5 | 125.2 | 121.7 | 116.8 | 105.0 | 116.0 | 141.6 | 131.1 | 123.0 | 121.6 | 111.4 | 111.1 | **9,006.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 19.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,692.0** |
| H2O | 1960 | 7.0 | 5.7 | 6.0 | 5.7 | 5.9 | 5.7 | 18.9 | 47.2 | 40.2 | 33.1 | 0.0 | 0.0 | **787.0** |
| OIL | 1960 | 34.8 | 33.7 | 35.1 | 32.4 | 33.4 | 30.4 | 120.1 | 312.1 | 285.4 | 238.0 | 162.2 | 169.6 | **7,514.7** |
| DAY | 1959 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,338.0** |
| H2O | 1959 | 10.2 | 10.6 | 13.2 | 12.7 | 0.0 | 0.0 | 17.3 | 0.0 | 7.2 | 7.5 | 6.7 | 7.0 | **611.6** |
| OIL | 1959 | 25.9 | 28.6 | 37.2 | 37.7 | 35.4 | 36.9 | 33.4 | 41.6 | 30.2 | 31.3 | 29.1 | 27.5 | **6,027.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | **1,975.0** |

# Manitoba Production
## 1950 To 1975

Licence ***267*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 23.0 | 19.9 | 21.1 | 14.8 | 16.8 | 19.2 | 10.5 | 13.0 | 11.9 | 11.9 | 10.5 | 10.5 | **519.2** |
| OIL | 1958 | 59.3 | 51.2 | 56.6 | 38.0 | 43.7 | 49.9 | 42.9 | 44.5 | 40.2 | 43.9 | 39.4 | 39.6 | **5,632.7** |
| DAY | 1957 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 30.0 | 27.0 | 30.0 | 29.0 | 31.0 | **1,613.0** |
| H2O | 1957 | 0.5 | 0.6 | 0.5 | 0.5 | 0.6 | 0.3 | 30.5 | 22.2 | 10.5 | 27.3 | 25.3 | 25.9 | **336.1** |
| OIL | 1957 | 68.0 | 68.0 | 69.4 | 69.0 | 52.4 | 44.5 | 58.6 | 58.0 | 44.2 | 53.6 | 59.1 | 58.6 | **5,083.5** |
| DAY | 1956 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **1,263.0** |
| H2O | 1956 | 0.5 | 0.5 | 0.5 | 0.5 | 0.6 | 0.5 | 0.5 | 0.8 | 0.5 | 0.8 | 0.5 | 0.8 | **191.4** |
| OIL | 1956 | 86.3 | 59.1 | 76.1 | 72.5 | 82.0 | 75.3 | 54.2 | 61.3 | 71.8 | 72.9 | 65.0 | 100.9 | **4,380.1** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **905.0** |
| H2O | 1955 | 1.0 | 1.6 | 9.1 | 0.2 | 0.8 | 4.3 | 2.2 | 0.5 | 4.9 | 0.5 | 0.5 | 0.5 | **184.4** |
| OIL | 1955 | 95.0 | 73.7 | 91.8 | 86.6 | 89.1 | 90.6 | 83.9 | 94.7 | 92.2 | 91.1 | 91.8 | 92.2 | **3,502.7** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | **543.0** |
| H2O | 1954 | 4.8 | 4.1 | 2.5 | 2.5 | 2.1 | 3.7 | 6.0 | 3.8 | 14.1 | 13.2 | 19.1 | 45.6 | **158.3** |
| OIL | 1954 | 139.2 | 120.3 | 121.7 | 121.1 | 130.5 | 120.5 | 116.6 | 121.9 | 109.5 | 109.5 | 102.2 | 89.8 | **2,430.0** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | **182.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.8 | 5.7 | 7.6 | 12.2 | 5.1 | 5.2 | **36.8** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 75.8 | 252.8 | 204.5 | 176.5 | 153.2 | 146.4 | **1,027.2** |

Licence ***268*** Well Name ***Scurry Skelton Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-10-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 31.0 | 27.0 | 0.0 | 24.0 | 28.0 | 26.0 | 16.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,590.0** |
| H2O | 1963 | 245.9 | 222.6 | 0.0 | 186.3 | 264.9 | 220.3 | 176.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **24,079.6** |
| OIL | 1963 | 37.7 | 33.2 | 0.0 | 20.7 | 26.1 | 26.4 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,500.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,438.0** |
| H2O | 1962 | 207.0 | 186.6 | 191.9 | 214.5 | 244.0 | 216.4 | 238.5 | 232.9 | 155.0 | 223.8 | 216.4 | 240.7 | **22,763.1** |
| OIL | 1962 | 41.3 | 32.1 | 43.1 | 40.5 | 24.5 | 35.1 | 38.6 | 38.9 | 31.1 | 35.6 | 35.6 | 37.7 | **7,354.3** |
| DAY | 1961 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,074.0** |
| H2O | 1961 | 194.6 | 175.7 | 174.9 | 190.5 | 205.6 | 195.1 | 191.6 | 196.8 | 201.9 | 199.0 | 195.7 | 206.5 | **20,195.4** |
| OIL | 1961 | 41.3 | 33.7 | 43.5 | 41.6 | 45.3 | 41.3 | 44.7 | 44.5 | 42.4 | 38.8 | 39.7 | 42.0 | **6,920.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,711.0** |
| H2O | 1960 | 219.7 | 195.4 | 202.2 | 195.5 | 214.0 | 207.3 | 209.5 | 207.3 | 170.6 | 211.0 | 192.8 | 197.1 | **17,867.5** |
| OIL | 1960 | 45.3 | 43.2 | 45.3 | 44.2 | 47.4 | 44.5 | 46.4 | 45.8 | 26.7 | 38.0 | 42.0 | 43.9 | **6,421.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,347.0** |
| H2O | 1959 | 233.2 | 204.0 | 227.5 | 219.1 | 224.8 | 207.3 | 220.5 | 223.0 | 222.7 | 224.6 | 206.2 | 224.0 | **15,445.1** |
| OIL | 1959 | 48.0 | 42.7 | 48.3 | 47.2 | 47.4 | 43.2 | 48.0 | 47.5 | 47.5 | 48.3 | 45.1 | 47.4 | **5,908.7** |
| DAY | 1958 | 30.0 | 27.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 28.0 | 31.0 | **1,984.0** |
| H2O | 1958 | 228.5 | 198.4 | 202.2 | 223.8 | 198.6 | 190.3 | 203.2 | 175.8 | 217.2 | 242.4 | 215.1 | 235.3 | **12,808.2** |
| OIL | 1958 | 43.1 | 42.1 | 49.3 | 49.7 | 41.0 | 45.6 | 47.0 | 41.6 | 45.4 | 47.2 | 43.1 | 48.8 | **5,348.1** |
| DAY | 1957 | 30.0 | 28.0 | 29.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 27.0 | 30.0 | **1,629.0** |
| H2O | 1957 | 183.9 | 192.8 | 174.7 | 183.1 | 252.6 | 244.5 | 297.1 | 233.5 | 189.7 | 232.3 | 223.4 | 233.2 | **10,277.4** |
| OIL | 1957 | 42.7 | 43.1 | 42.1 | 38.8 | 40.0 | 23.2 | 42.3 | 49.9 | 50.4 | 52.8 | 33.2 | 47.0 | **4,804.2** |
| DAY | 1956 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,279.0** |
| H2O | 1956 | 213.2 | 235.0 | 352.1 | 298.1 | 268.7 | 241.0 | 254.4 | 278.2 | 280.3 | 292.0 | 249.9 | 235.0 | **7,636.6** |
| OIL | 1956 | 42.9 | 33.8 | 36.1 | 53.1 | 59.9 | 48.6 | 45.4 | 20.5 | 25.1 | 45.4 | 46.1 | 39.9 | **4,298.7** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **915.0** |
| H2O | 1955 | 266.1 | 176.0 | 173.0 | 189.2 | 345.0 | 237.8 | 205.9 | 108.9 | 0.3 | 183.0 | 188.6 | 194.8 | **4,438.7** |
| OIL | 1955 | 91.8 | 69.1 | 66.6 | 62.6 | 78.7 | 57.0 | 55.6 | 67.4 | 59.6 | 52.8 | 45.8 | 47.2 | **3,801.9** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **555.0** |
| H2O | 1954 | 117.8 | 140.2 | 146.9 | 186.2 | 156.0 | 135.6 | 100.8 | 42.0 | 40.1 | 147.5 | 153.3 | 221.0 | **2,170.1** |
| OIL | 1954 | 127.6 | 134.8 | 162.1 | 314.8 | 242.5 | 201.8 | 219.9 | 120.1 | 116.5 | 106.3 | 84.4 | 89.6 | **3,047.7** |

# Manitoba Production
## 1950 To 1975

Licence ***268*** Well Name ***Scurry Skelton Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-10-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 31.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | **190.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 4.5 | 9.4 | 4.0 | 0.3 | 252.6 | 311.3 | **582.7** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.6 | 124.6 | 323.1 | 184.0 | 146.8 | 168.3 | 168.9 | **1,127.3** |

Licence ***269*** Well Name ***Daly Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-10-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **8,073.0** |
| OIL | 1975 | 48.5 | 44.7 | 49.0 | 44.5 | 47.5 | 46.4 | 50.0 | 47.9 | 46.7 | 48.8 | 46.9 | 48.5 | **10,173.7** |
| DAY | 1974 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | 13.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,709.0** |
| OIL | 1974 | 41.5 | 44.2 | 49.3 | 46.4 | 47.2 | 47.9 | 38.3 | 54.0 | 48.5 | 50.5 | 50.3 | 48.7 | **9,604.3** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 23.0 | 30.0 | 31.0 | **7,372.0** |
| OIL | 1973 | 54.0 | 47.7 | 83.6 | 89.2 | 59.4 | 46.7 | 47.2 | 46.7 | 46.9 | 36.2 | 46.3 | 50.3 | **9,037.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,015.0** |
| OIL | 1972 | 44.8 | 42.0 | 43.7 | 41.7 | 29.0 | 27.6 | 27.4 | 42.1 | 39.0 | 49.3 | 46.4 | 53.6 | **8,383.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,680.0** |
| OIL | 1971 | 36.4 | 33.1 | 43.5 | 28.7 | 29.8 | 27.9 | 35.0 | 39.3 | 37.8 | 37.7 | 38.8 | 44.2 | **7,896.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,315.0** |
| H2O | 1970 | 4.8 | 3.0 | 3.0 | 2.9 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **810.7** |
| OIL | 1970 | 42.9 | 37.5 | 38.5 | 37.5 | 49.9 | 52.3 | 52.6 | 52.8 | 42.4 | 42.1 | 38.3 | 38.6 | **7,464.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,950.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 5.1 | 13.7 | 13.0 | 5.4 | 6.0 | 1.7 | 3.5 | 5.4 | 4.3 | **795.7** |
| OIL | 1969 | 20.2 | 17.8 | 19.5 | 24.2 | 22.9 | 26.1 | 27.7 | 3.8 | 41.6 | 46.2 | 48.5 | 38.3 | **6,939.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,591.0** |
| OIL | 1968 | 21.6 | 20.0 | 21.0 | 19.2 | 19.2 | 14.5 | 15.9 | 17.0 | 16.2 | 19.4 | 17.8 | 20.0 | **6,602.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,228.0** |
| H2O | 1967 | 4.1 | 2.4 | 1.6 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **737.6** |
| OIL | 1967 | 24.2 | 19.5 | 20.7 | 21.1 | 20.8 | 19.1 | 20.5 | 20.5 | 19.5 | 20.3 | 20.0 | 21.0 | **6,380.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,863.0** |
| H2O | 1966 | 0.8 | 0.8 | 0.3 | 0.3 | 0.8 | 1.4 | 0.8 | 1.1 | 5.6 | 3.5 | 6.8 | 5.7 | **725.8** |
| OIL | 1966 | 21.0 | 17.6 | 18.0 | 16.5 | 25.1 | 25.7 | 24.8 | 23.7 | 24.6 | 24.5 | 24.2 | 24.3 | **6,133.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,498.0** |
| H2O | 1965 | 2.9 | 1.7 | 3.0 | 3.5 | 2.2 | 2.2 | 0.8 | 0.6 | 1.3 | 1.0 | 1.6 | 0.5 | **697.9** |
| OIL | 1965 | 22.2 | 20.0 | 22.1 | 22.6 | 20.0 | 20.3 | 15.6 | 16.0 | 19.5 | 16.0 | 16.7 | 23.2 | **5,863.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,134.0** |
| H2O | 1964 | 5.4 | 2.1 | 3.8 | 3.5 | 3.5 | 11.1 | 7.3 | 5.9 | 5.9 | 3.2 | 3.0 | 2.7 | **676.6** |
| OIL | 1964 | 14.6 | 13.8 | 14.6 | 16.7 | 16.4 | 17.2 | 16.4 | 17.2 | 17.3 | 21.3 | 21.0 | 24.3 | **5,629.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,768.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.3 | 5.1 | 4.3 | 14.0 | 7.9 | 0.0 | 3.3 | **619.2** |
| OIL | 1963 | 24.0 | 21.0 | 22.2 | 20.8 | 24.5 | 16.8 | 18.6 | 17.2 | 16.8 | 16.2 | 18.0 | 15.6 | **5,418.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,403.0** |
| H2O | 1962 | 2.4 | 2.2 | 2.4 | 2.4 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **581.3** |
| OIL | 1962 | 21.8 | 18.9 | 20.3 | 19.4 | 20.7 | 20.0 | 25.1 | 25.7 | 22.4 | 24.2 | 23.5 | 23.5 | **5,186.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,039.0** |
| H2O | 1961 | 1.0 | 0.8 | 0.8 | 2.9 | 1.0 | 3.5 | 3.2 | 3.0 | 3.0 | 2.5 | 2.4 | 2.2 | **568.9** |
| OIL | 1961 | 25.7 | 23.0 | 24.5 | 23.2 | 23.7 | 24.9 | 22.2 | 24.0 | 22.9 | 22.2 | 20.8 | 20.3 | **4,921.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,674.0** |
| H2O | 1960 | 1.4 | 1.4 | 2.1 | 0.8 | 12.2 | 9.1 | 3.2 | 3.5 | 3.2 | 3.2 | 3.0 | 1.0 | **542.6** |
| OIL | 1960 | 17.6 | 17.5 | 18.3 | 17.3 | 18.8 | 17.3 | 26.9 | 29.6 | 28.1 | 27.0 | 25.7 | 26.2 | **4,643.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,308.0** |
| H2O | 1959 | 8.7 | 7.2 | 6.5 | 7.8 | 3.2 | 4.8 | 3.0 | 4.1 | 11.0 | 10.3 | 6.8 | 1.3 | **498.5** |

# Manitoba Production
## 1950 To 1975

Licence ***269*** Well Name ***Daly Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-10-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1959 | 44.5 | 39.3 | 41.6 | 40.0 | 84.9 | 84.9 | 95.8 | 23.5 | 19.5 | 17.6 | 18.0 | 18.6 | **4,373.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,948.0** |
| H2O | 1958 | 13.5 | 13.4 | 10.7 | 13.0 | 6.2 | 2.9 | 2.1 | 4.6 | 3.7 | 7.6 | 8.6 | 6.8 | **423.8** |
| OIL | 1958 | 54.8 | 47.7 | 46.4 | 51.8 | 58.3 | 57.4 | 54.5 | 56.1 | 58.6 | 39.7 | 46.7 | 45.1 | **3,845.2** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,585.0** |
| H2O | 1957 | 4.9 | 4.8 | 5.6 | 6.0 | 7.2 | 12.4 | 13.4 | 0.2 | 0.2 | 18.4 | 12.4 | 15.7 | **330.7** |
| OIL | 1957 | 36.4 | 35.4 | 39.9 | 35.1 | 43.4 | 27.0 | 22.2 | 44.5 | 35.8 | 54.7 | 50.2 | 54.7 | **3,228.1** |
| DAY | 1956 | 29.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,222.0** |
| H2O | 1956 | 3.0 | 3.3 | 3.7 | 3.7 | 4.9 | 4.8 | 4.0 | 5.6 | 5.2 | 3.5 | 3.8 | 4.0 | **229.5** |
| OIL | 1956 | 24.8 | 23.2 | 27.8 | 31.8 | 30.0 | 27.8 | 25.9 | 25.1 | 24.5 | 35.3 | 34.6 | 40.5 | **2,748.8** |
| DAY | 1955 | 28.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **862.0** |
| H2O | 1955 | 4.3 | 2.7 | 6.8 | 29.1 | 4.8 | 5.4 | 6.8 | 6.5 | 2.4 | 2.5 | 4.9 | 3.8 | **180.0** |
| OIL | 1955 | 72.6 | 60.9 | 70.7 | 67.9 | 75.3 | 59.1 | 58.8 | 51.3 | 39.6 | 37.0 | 33.4 | 31.5 | **2,397.5** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **502.0** |
| H2O | 1954 | 5.2 | 7.5 | 9.2 | 7.6 | 4.8 | 5.1 | 1.7 | 5.1 | 4.5 | 2.7 | 6.7 | 2.9 | **100.0** |
| OIL | 1954 | 104.9 | 82.6 | 74.1 | 73.1 | 73.4 | 72.9 | 69.1 | 68.5 | 51.0 | 51.5 | 71.4 | 76.1 | **1,739.4** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 29.0 | 27.0 | 29.0 | 31.0 | **140.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.7 | 11.9 | 7.0 | 4.8 | 4.6 | **37.0** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 247.6 | 212.5 | 168.6 | 122.4 | 119.7 | **870.8** |

Licence ***270*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-02-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **8,082.0** |
| OIL | 1975 | 57.5 | 54.8 | 60.7 | 63.4 | 58.0 | 56.9 | 57.5 | 57.8 | 55.1 | 57.7 | 55.1 | 51.6 | **17,162.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,719.0** |
| OIL | 1974 | 54.8 | 56.3 | 61.8 | 59.6 | 82.5 | 59.3 | 59.3 | 60.5 | 58.3 | 59.9 | 53.2 | 55.8 | **16,476.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 28.0 | 31.0 | **7,356.0** |
| OIL | 1973 | 75.6 | 67.9 | 76.8 | 73.4 | 75.0 | 71.5 | 73.1 | 73.4 | 70.1 | 71.7 | 63.2 | 55.3 | **15,754.9** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,995.0** |
| OIL | 1972 | 76.0 | 70.2 | 72.5 | 72.9 | 75.5 | 72.9 | 73.7 | 76.1 | 72.3 | 74.8 | 65.2 | 66.6 | **14,907.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,631.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 41.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **529.1** |
| OIL | 1971 | 77.9 | 71.7 | 78.3 | 72.3 | 77.4 | 75.5 | 79.3 | 77.2 | 74.8 | 77.5 | 74.5 | 77.4 | **14,039.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,268.0** |
| OIL | 1970 | 79.0 | 70.4 | 78.2 | 76.0 | 78.3 | 74.5 | 73.6 | 77.9 | 75.0 | 71.8 | 61.7 | 79.0 | **13,125.4** |
| DAY | 1969 | 31.0 | 24.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,905.0** |
| OIL | 1969 | 96.1 | 55.8 | 69.6 | 74.7 | 72.3 | 75.5 | 76.4 | 77.1 | 77.7 | 78.2 | 76.3 | 62.8 | **12,230.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,546.0** |
| OIL | 1968 | 76.3 | 71.7 | 75.5 | 72.6 | 75.5 | 72.1 | 78.8 | 73.3 | 72.8 | 56.9 | 72.0 | 49.7 | **11,337.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,180.0** |
| OIL | 1967 | 67.4 | 66.4 | 80.7 | 64.8 | 73.7 | 72.0 | 78.3 | 78.8 | 74.7 | 77.2 | 74.4 | 74.1 | **10,490.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,820.0** |
| OIL | 1966 | 81.7 | 73.6 | 80.6 | 79.0 | 79.3 | 79.1 | 76.6 | 74.8 | 73.3 | 69.8 | 71.8 | 74.5 | **9,607.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,456.0** |
| OIL | 1965 | 82.2 | 73.1 | 84.2 | 80.1 | 85.5 | 80.2 | 86.9 | 87.2 | 84.5 | 70.1 | 79.8 | 82.2 | **8,693.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,091.0** |
| OIL | 1964 | 84.5 | 81.7 | 83.3 | 85.3 | 90.3 | 80.1 | 93.1 | 92.2 | 79.8 | 87.4 | 89.6 | 85.7 | **7,717.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,725.0** |
| OIL | 1963 | 79.9 | 73.7 | 85.7 | 83.7 | 87.9 | 80.1 | 86.8 | 86.0 | 82.8 | 84.4 | 84.1 | 86.3 | **6,684.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,360.0** |

# Manitoba Production
## 1950 To 1975

Licence ***270*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-02-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 67.9 | 66.1 | 69.8 | 69.8 | 72.3 | 79.3 | 85.5 | 84.9 | 80.2 | 85.0 | 86.1 | 85.5 | **5,683.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,997.0** |
| OIL | 1961 | 60.1 | 54.7 | 62.0 | 60.4 | 64.0 | 62.0 | 64.8 | 65.3 | 65.2 | 60.9 | 61.5 | 68.2 | **4,750.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,632.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 2.4 | 1.6 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | 4.9 | 0.0 | **488.1** |
| OIL | 1960 | 28.0 | 19.2 | 30.7 | 32.6 | 36.2 | 37.7 | 38.5 | 41.5 | 42.6 | 35.1 | 55.6 | 57.2 | **4,001.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **2,267.0** |
| OIL | 1959 | 29.7 | 21.3 | 31.5 | 29.1 | 29.9 | 29.2 | 28.6 | 28.6 | 26.9 | 24.6 | 26.7 | 27.2 | **3,546.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,907.0** |
| H2O | 1958 | 1.6 | 1.6 | 1.9 | 1.9 | 2.1 | 2.1 | 2.1 | 2.4 | 2.2 | 2.2 | 1.9 | 1.9 | **475.5** |
| OIL | 1958 | 30.8 | 30.7 | 35.8 | 34.6 | 34.5 | 32.7 | 33.4 | 36.5 | 34.3 | 34.8 | 29.4 | 31.0 | **3,213.6** |
| DAY | 1957 | 30.0 | 27.0 | 30.0 | 29.0 | 29.0 | 17.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **1,542.0** |
| H2O | 1957 | 4.8 | 4.1 | 4.5 | 4.5 | 4.6 | 3.0 | 1.6 | 1.6 | 2.9 | 5.6 | 5.1 | 1.7 | **451.6** |
| OIL | 1957 | 30.0 | 27.7 | 18.9 | 26.5 | 31.0 | 21.1 | 39.7 | 36.1 | 29.1 | 36.7 | 33.8 | 32.6 | **2,815.1** |
| DAY | 1956 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 29.0 | 29.0 | 30.0 | 29.0 | 31.0 | 29.0 | 30.0 | **1,199.0** |
| H2O | 1956 | 3.0 | 4.8 | 4.8 | 4.9 | 3.5 | 4.0 | 4.6 | 4.6 | 4.8 | 5.1 | 4.6 | 4.6 | **407.6** |
| OIL | 1956 | 48.5 | 45.1 | 46.7 | 43.4 | 38.0 | 39.9 | 45.0 | 44.2 | 43.2 | 38.5 | 34.2 | 31.1 | **2,451.9** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 28.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | **842.0** |
| H2O | 1955 | 15.1 | 13.5 | 14.3 | 3.3 | 4.5 | 0.0 | 8.4 | 4.1 | 2.7 | 1.6 | 1.0 | 1.4 | **354.3** |
| OIL | 1955 | 49.6 | 40.8 | 48.5 | 54.0 | 36.4 | 44.3 | 51.0 | 55.0 | 45.3 | 46.4 | 45.3 | 45.4 | **1,954.1** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **486.0** |
| H2O | 1954 | 18.6 | 7.8 | 11.0 | 5.7 | 5.9 | 5.7 | 0.2 | 31.0 | 23.7 | 104.1 | 14.9 | 15.4 | **284.4** |
| OIL | 1954 | 67.1 | 69.6 | 75.0 | 51.2 | 42.1 | 40.2 | 42.0 | 84.5 | 64.5 | 81.5 | 55.3 | 52.3 | **1,392.1** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 31.0 | 30.0 | 31.0 | **121.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 6.0 | 6.7 | 3.7 | 8.4 | 15.4 | **40.4** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 53.2 | 186.9 | 130.5 | 106.8 | 97.7 | 91.7 | **666.8** |

Licence ***271*** Well Name ***Scurry Skelton Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-10-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 16.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,627.0** |
| H2O | 1963 | 689.2 | 646.7 | 770.4 | 657.5 | 815.7 | 617.8 | 495.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **61,528.6** |
| OIL | 1963 | 48.5 | 41.2 | 49.3 | 30.8 | 34.0 | 31.0 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **10,888.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,434.0** |
| H2O | 1962 | 580.1 | 523.4 | 537.7 | 600.8 | 567.4 | 606.0 | 668.0 | 652.9 | 434.3 | 627.0 | 623.5 | 674.6 | **56,836.3** |
| OIL | 1962 | 53.4 | 41.2 | 55.5 | 52.3 | 25.9 | 45.1 | 49.4 | 50.1 | 40.0 | 45.8 | 47.2 | 48.5 | **10,651.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,075.0** |
| H2O | 1961 | 568.4 | 510.5 | 490.1 | 531.9 | 576.0 | 546.9 | 537.0 | 551.5 | 565.8 | 557.9 | 548.5 | 578.7 | **49,740.6** |
| OIL | 1961 | 55.3 | 44.8 | 55.9 | 53.6 | 58.5 | 53.1 | 57.4 | 57.0 | 54.5 | 49.9 | 51.3 | 54.0 | **10,096.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,710.0** |
| H2O | 1960 | 615.6 | 547.7 | 566.9 | 548.0 | 599.8 | 580.8 | 587.6 | 581.2 | 478.1 | 590.9 | 540.5 | 552.1 | **43,177.4** |
| OIL | 1960 | 58.3 | 55.6 | 58.2 | 56.9 | 60.7 | 57.2 | 59.8 | 59.0 | 34.5 | 48.8 | 54.2 | 56.4 | **9,451.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,346.0** |
| H2O | 1959 | 717.8 | 629.2 | 701.9 | 676.0 | 693.6 | 662.8 | 680.1 | 669.1 | 624.2 | 629.7 | 578.1 | 627.5 | **36,388.2** |
| OIL | 1959 | 66.3 | 59.0 | 67.1 | 65.3 | 65.5 | 61.8 | 66.6 | 64.8 | 61.2 | 62.1 | 58.3 | 60.9 | **8,791.9** |
| DAY | 1958 | 30.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,982.0** |
| H2O | 1958 | 644.0 | 562.8 | 599.5 | 573.1 | 633.1 | 635.3 | 665.0 | 710.0 | 650.9 | 682.7 | 717.0 | 725.7 | **28,498.2** |
| OIL | 1958 | 70.6 | 69.8 | 73.4 | 74.4 | 66.9 | 75.2 | 75.6 | 78.0 | 71.0 | 72.9 | 64.4 | 67.5 | **8,033.0** |
| DAY | 1957 | 31.0 | 27.0 | 30.0 | 28.0 | 30.0 | 28.0 | 30.0 | 30.0 | 29.0 | 30.0 | 27.0 | 30.0 | **1,623.0** |
| H2O | 1957 | 658.0 | 544.3 | 559.3 | 428.3 | 525.6 | 510.6 | 531.6 | 589.5 | 487.8 | 613.8 | 595.1 | 647.7 | **20,699.1** |
| OIL | 1957 | 108.2 | 79.6 | 94.2 | 93.8 | 92.6 | 87.4 | 77.1 | 91.1 | 83.9 | 86.0 | 54.3 | 79.9 | **7,173.3** |

# Manitoba Production
## 1950 To 1975

Licence ***271*** Well Name ***Scurry Skelton Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-10-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,273.0** |
| H2O | 1956 | 466.8 | 477.7 | 470.9 | 543.6 | 589.2 | 584.4 | 637.5 | 624.0 | 646.9 | 663.6 | 647.7 | 658.3 | **14,007.5** |
| OIL | 1956 | 119.5 | 119.2 | 126.5 | 109.5 | 98.7 | 95.8 | 114.9 | 125.9 | 101.7 | 110.4 | 104.4 | 112.2 | **6,145.2** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **908.0** |
| H2O | 1955 | 429.6 | 459.1 | 478.8 | 470.4 | 335.6 | 439.4 | 494.0 | 280.9 | 0.6 | 447.5 | 446.4 | 454.4 | **6,996.9** |
| OIL | 1955 | 162.9 | 149.9 | 140.5 | 140.8 | 129.5 | 136.0 | 141.3 | 127.6 | 132.7 | 139.2 | 132.2 | 135.6 | **4,806.5** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **544.0** |
| H2O | 1954 | 122.6 | 267.1 | 231.0 | 44.4 | 49.9 | 40.9 | 58.0 | 150.7 | 137.8 | 197.5 | 312.2 | 268.4 | **2,260.2** |
| OIL | 1954 | 143.8 | 178.6 | 243.0 | 118.5 | 126.0 | 98.7 | 114.3 | 189.3 | 171.0 | 170.0 | 187.8 | 174.5 | **3,138.3** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 29.0 | 28.0 | 30.0 | 31.0 | **179.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.7 | 4.1 | 3.8 | 0.5 | 148.8 | 213.8 | **379.7** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 241.7 | 145.1 | 177.5 | 244.7 | 223.1 | 190.7 | **1,222.8** |

Licence ***272*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-02-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 27.0 | 25.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **8,007.0** |
| OIL | 1975 | 29.9 | 27.5 | 25.6 | 25.7 | 31.1 | 30.7 | 31.0 | 31.1 | 29.7 | 28.9 | 29.7 | 27.8 | **7,694.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,655.0** |
| OIL | 1974 | 27.5 | 28.1 | 30.8 | 29.7 | 41.3 | 29.7 | 31.0 | 30.2 | 29.1 | 30.0 | 26.5 | 27.8 | **7,345.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | **7,291.0** |
| OIL | 1973 | 20.3 | 18.3 | 20.7 | 19.7 | 20.2 | 19.2 | 19.7 | 19.9 | 18.8 | 20.5 | 26.7 | 27.7 | **6,984.1** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,932.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **444.3** |
| OIL | 1972 | 20.5 | 18.9 | 19.5 | 19.5 | 20.3 | 18.8 | 20.7 | 20.5 | 19.4 | 20.0 | 17.5 | 18.0 | **6,732.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,567.0** |
| OIL | 1971 | 21.0 | 19.4 | 21.1 | 19.5 | 20.8 | 20.7 | 21.8 | 22.7 | 20.3 | 20.8 | 20.0 | 20.8 | **6,498.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,202.0** |
| OIL | 1970 | 21.1 | 18.9 | 21.0 | 20.3 | 21.0 | 20.0 | 21.6 | 21.0 | 19.9 | 19.4 | 16.5 | 21.1 | **6,249.9** |
| DAY | 1969 | 31.0 | 24.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,837.0** |
| OIL | 1969 | 35.9 | 20.8 | 26.2 | 28.0 | 27.0 | 20.3 | 20.7 | 20.8 | 20.8 | 21.1 | 20.5 | 16.8 | **6,008.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,477.0** |
| OIL | 1968 | 28.4 | 26.7 | 28.1 | 27.2 | 28.1 | 26.9 | 29.4 | 28.1 | 27.2 | 21.3 | 26.9 | 18.6 | **5,729.2** |
| DAY | 1967 | 31.0 | 28.0 | 21.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **5,111.0** |
| OIL | 1967 | 33.4 | 32.7 | 26.7 | 38.1 | 36.4 | 35.4 | 29.2 | 29.4 | 28.0 | 28.8 | 27.8 | 24.9 | **5,412.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,759.0** |
| OIL | 1966 | 34.2 | 30.8 | 33.7 | 33.1 | 35.4 | 31.3 | 37.8 | 36.9 | 36.1 | 34.3 | 35.4 | 36.9 | **5,041.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,395.0** |
| OIL | 1965 | 34.5 | 30.5 | 35.3 | 33.7 | 35.8 | 33.5 | 36.4 | 36.4 | 35.4 | 28.3 | 33.4 | 34.5 | **4,625.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 21.0 | 31.0 | 24.0 | 27.0 | 30.0 | 31.0 | **4,031.0** |
| OIL | 1964 | 35.4 | 34.2 | 37.7 | 35.8 | 37.7 | 34.3 | 23.0 | 38.5 | 25.6 | 21.9 | 37.5 | 35.8 | **4,217.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 24.0 | 31.0 | 30.0 | 31.0 | **3,685.0** |
| OIL | 1963 | 33.4 | 30.8 | 35.8 | 35.0 | 35.4 | 33.5 | 36.2 | 34.8 | 28.4 | 35.3 | 35.1 | 36.1 | **3,820.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,328.0** |
| OIL | 1962 | 41.6 | 32.4 | 42.7 | 42.7 | 44.2 | 33.2 | 35.8 | 35.9 | 34.0 | 35.6 | 32.7 | 35.8 | **3,410.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,965.0** |
| OIL | 1961 | 36.9 | 33.5 | 37.8 | 37.2 | 39.1 | 38.6 | 39.6 | 40.7 | 39.7 | 37.3 | 37.5 | 41.6 | **2,964.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | **2,600.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.8 | 0.8 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **444.3** |
| OIL | 1960 | 16.4 | 11.1 | 18.1 | 18.9 | 21.3 | 23.4 | 33.4 | 36.1 | 36.9 | 31.5 | 32.9 | 35.1 | **2,504.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,238.0** |

# Manitoba Production
## 1950 To 1975

Licence ***272*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-02-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1959 | 15.4 | 11.0 | 16.5 | 15.1 | 15.6 | 15.3 | 14.9 | 16.4 | 15.7 | 17.2 | 15.6 | 15.9 | **2,189.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,873.0** |
| H2O | 1958 | 0.3 | 0.5 | 0.5 | 0.5 | 0.6 | 0.5 | 0.6 | 0.3 | 0.5 | 0.3 | 0.2 | 0.5 | **440.6** |
| OIL | 1958 | 12.1 | 13.2 | 14.6 | 13.7 | 15.1 | 14.6 | 15.1 | 11.6 | 12.2 | 12.4 | 15.4 | 16.0 | **2,004.9** |
| DAY | 1957 | 30.0 | 27.0 | 30.0 | 29.0 | 29.0 | 0.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **1,508.0** |
| H2O | 1957 | 2.4 | 2.1 | 2.2 | 2.2 | 3.3 | 0.0 | 0.6 | 0.6 | 2.1 | 1.9 | 1.7 | 0.5 | **435.3** |
| OIL | 1957 | 30.0 | 25.9 | 21.1 | 28.6 | 23.4 | 0.0 | 16.8 | 16.4 | 23.4 | 15.7 | 14.0 | 13.2 | **1,838.9** |
| DAY | 1956 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 29.0 | 30.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | **1,181.0** |
| H2O | 1956 | 3.3 | 1.9 | 4.8 | 4.3 | 2.7 | 2.4 | 4.0 | 3.3 | 3.0 | 2.4 | 2.2 | 2.4 | **415.7** |
| OIL | 1956 | 23.0 | 19.1 | 18.8 | 21.8 | 17.3 | 16.4 | 18.9 | 18.8 | 17.5 | 24.6 | 24.0 | 27.8 | **1,610.4** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 29.0 | 26.0 | 29.0 | 30.0 | 29.0 | 29.0 | 30.0 | 29.0 | 31.0 | **824.0** |
| H2O | 1955 | 9.4 | 8.3 | 8.7 | 4.5 | 3.8 | 5.7 | 6.4 | 7.3 | 7.5 | 6.4 | 1.7 | 1.9 | **379.0** |
| OIL | 1955 | 44.8 | 36.9 | 38.1 | 31.9 | 21.9 | 30.5 | 33.4 | 21.0 | 26.9 | 27.7 | 26.1 | 24.6 | **1,362.4** |
| DAY | 1954 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 23.0 | 30.0 | 31.0 | 30.0 | 31.0 | **472.0** |
| H2O | 1954 | 25.1 | 36.2 | 21.8 | 26.7 | 31.3 | 31.3 | 26.2 | 1.1 | 2.2 | 3.5 | 9.2 | 9.5 | **307.4** |
| OIL | 1954 | 37.7 | 37.5 | 49.9 | 62.9 | 59.1 | 57.8 | 60.5 | 15.1 | 28.0 | 15.6 | 45.6 | 43.1 | **998.6** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 31.0 | 30.0 | 31.0 | **119.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 3.3 | 3.3 | 2.2 | 32.7 | 41.5 | **83.3** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 159.7 | 100.6 | 62.3 | 62.8 | 48.9 | 51.5 | **485.8** |

Licence ***273*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,942.0** |
| H2O | 1975 | 24.0 | 21.9 | 24.6 | 24.2 | 23.5 | 22.9 | 24.3 | 25.0 | 24.0 | 25.6 | 24.8 | 22.9 | **3,149.8** |
| OIL | 1975 | 28.9 | 26.6 | 29.3 | 27.5 | 28.3 | 27.7 | 29.4 | 28.6 | 28.0 | 29.1 | 28.0 | 28.9 | **27,342.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,577.0** |
| H2O | 1974 | 4.9 | 22.6 | 25.1 | 23.4 | 24.8 | 22.9 | 24.0 | 22.7 | 24.8 | 25.4 | 24.0 | 24.0 | **2,862.1** |
| OIL | 1974 | 24.5 | 26.2 | 29.7 | 27.7 | 28.1 | 27.5 | 28.8 | 26.7 | 28.9 | 30.0 | 30.0 | 28.9 | **27,001.8** |
| DAY | 1973 | 0.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **7,213.0** |
| H2O | 1973 | 0.0 | 0.0 | 4.5 | 4.5 | 4.6 | 4.5 | 4.8 | 45.2 | 19.6 | 25.6 | 22.1 | 19.9 | **2,593.5** |
| OIL | 1973 | 24.5 | 24.5 | 36.9 | 45.3 | 36.4 | 27.0 | 103.7 | 69.5 | 27.7 | 29.4 | 30.7 | 30.0 | **26,664.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,881.0** |
| H2O | 1972 | 4.8 | 4.1 | 4.5 | 9.4 | 4.6 | 4.6 | 4.6 | 9.1 | 8.7 | 0.0 | 0.0 | 0.0 | **2,438.2** |
| OIL | 1972 | 54.1 | 51.0 | 52.9 | 59.1 | 62.8 | 55.3 | 55.0 | 23.2 | 21.5 | 19.9 | 27.7 | 29.3 | **26,179.2** |
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 27.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **6,515.0** |
| H2O | 1971 | 11.1 | 10.7 | 11.6 | 11.0 | 0.0 | 0.0 | 13.8 | 14.9 | 4.6 | 9.9 | 4.0 | 5.6 | **2,383.8** |
| OIL | 1971 | 69.2 | 77.4 | 85.2 | 80.0 | 73.5 | 37.8 | 71.1 | 75.0 | 72.0 | 72.0 | 59.3 | 62.6 | **25,667.4** |
| DAY | 1970 | 30.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 25.0 | 31.0 | **6,158.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.1 | 8.6 | 10.3 | 6.8 | 3.7 | 5.7 | 13.2 | **2,286.6** |
| OIL | 1970 | 9.9 | 11.0 | 11.1 | 7.9 | 8.3 | 93.8 | 107.8 | 99.8 | 80.4 | 56.4 | 59.0 | 104.3 | **24,832.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,805.0** |
| H2O | 1969 | 9.1 | 7.6 | 12.7 | 12.9 | 18.0 | 12.2 | 21.3 | 10.0 | 9.7 | 7.0 | 0.0 | 0.0 | **2,220.2** |
| OIL | 1969 | 101.4 | 97.3 | 113.6 | 101.1 | 107.1 | 101.5 | 59.9 | 62.0 | 53.4 | 47.5 | 10.0 | 12.9 | **24,182.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 25.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,440.0** |
| H2O | 1968 | 6.0 | 4.9 | 5.2 | 5.1 | 6.7 | 8.9 | 5.7 | 7.8 | 6.7 | 6.7 | 8.1 | 9.2 | **2,099.7** |
| OIL | 1968 | 53.1 | 47.0 | 44.8 | 41.0 | 107.1 | 116.8 | 81.5 | 111.1 | 105.0 | 94.6 | 102.2 | 111.1 | **23,314.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,082.0** |
| H2O | 1967 | 8.4 | 6.4 | 8.3 | 12.1 | 7.8 | 7.3 | 2.1 | 9.9 | 5.6 | 11.9 | 3.8 | 6.4 | **2,018.7** |
| OIL | 1967 | 75.2 | 68.3 | 77.4 | 78.7 | 79.1 | 74.5 | 30.5 | 64.4 | 56.1 | 54.8 | 55.1 | 55.1 | **22,299.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **4,719.0** |

# Manitoba Production
## 1950 To 1975

Licence ***273*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1966 | 11.8 | 10.5 | 12.4 | 4.8 | 4.9 | 5.2 | 5.2 | 7.3 | 5.4 | 5.7 | 1.0 | 3.3 | **1,928.7** |
| OIL | 1966 | 88.4 | 85.0 | 93.6 | 95.0 | 99.8 | 91.4 | 79.8 | 84.7 | 76.0 | 86.0 | 64.0 | 80.4 | **21,530.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 22.0 | 19.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,359.0** |
| H2O | 1965 | 4.8 | 3.3 | 4.0 | 2.2 | 3.0 | 8.7 | 14.1 | 13.4 | 15.4 | 12.6 | 12.6 | 11.3 | **1,851.2** |
| OIL | 1965 | 96.3 | 73.3 | 80.9 | 63.9 | 111.6 | 90.3 | 72.9 | 68.3 | 101.5 | 97.1 | 99.2 | 87.2 | **20,506.3** |
| DAY | 1964 | 31.0 | 29.0 | 30.0 | 24.0 | 28.0 | 27.0 | 28.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,015.0** |
| H2O | 1964 | 15.3 | 14.1 | 14.3 | 7.0 | 8.7 | 14.0 | 0.0 | 10.0 | 4.6 | 10.2 | 4.8 | 4.9 | **1,745.8** |
| OIL | 1964 | 114.1 | 103.0 | 107.3 | 89.5 | 115.2 | 83.7 | 97.6 | 89.3 | 99.0 | 102.5 | 89.1 | 87.9 | **19,463.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 27.0 | 28.0 | 28.0 | 27.0 | 28.0 | 30.0 | 31.0 | **3,669.0** |
| H2O | 1963 | 16.2 | 13.0 | 15.3 | 15.7 | 23.4 | 10.0 | 8.6 | 10.5 | 20.0 | 16.1 | 17.6 | 17.5 | **1,637.9** |
| OIL | 1963 | 122.2 | 105.5 | 120.5 | 116.0 | 102.3 | 106.0 | 126.2 | 110.6 | 106.9 | 115.4 | 116.5 | 115.7 | **18,285.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 29.0 | 28.0 | 28.0 | 27.0 | 28.0 | 27.0 | 31.0 | **3,325.0** |
| H2O | 1962 | 17.8 | 15.7 | 17.8 | 14.3 | 17.0 | 19.6 | 18.0 | 23.7 | 15.1 | 22.1 | 15.6 | 16.4 | **1,454.0** |
| OIL | 1962 | 157.8 | 136.7 | 152.4 | 126.5 | 153.8 | 120.6 | 138.3 | 144.0 | 127.4 | 127.4 | 122.2 | 123.5 | **16,921.8** |
| DAY | 1961 | 30.0 | 28.0 | 28.0 | 30.0 | 29.0 | 30.0 | 29.0 | 27.0 | 28.0 | 28.0 | 28.0 | 30.0 | **2,979.0** |
| H2O | 1961 | 18.8 | 16.4 | 19.1 | 22.1 | 9.2 | 10.8 | 9.5 | 8.7 | 14.1 | 21.1 | 15.4 | 18.0 | **1,240.9** |
| OIL | 1961 | 218.2 | 187.8 | 207.1 | 186.4 | 117.6 | 109.8 | 173.7 | 154.5 | 174.0 | 151.3 | 156.0 | 160.2 | **15,291.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 24.0 | 30.0 | 29.0 | 31.0 | **2,634.0** |
| H2O | 1960 | 11.0 | 11.0 | 11.1 | 10.2 | 10.3 | 10.5 | 19.7 | 21.3 | 16.2 | 32.7 | 29.1 | 27.0 | **1,057.7** |
| OIL | 1960 | 82.3 | 76.8 | 81.0 | 77.9 | 80.9 | 104.6 | 484.3 | 416.8 | 273.9 | 340.7 | 236.6 | 228.0 | **13,294.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,278.0** |
| H2O | 1959 | 12.2 | 10.7 | 11.6 | 11.4 | 11.4 | 11.6 | 11.9 | 12.4 | 12.1 | 12.6 | 9.5 | 9.7 | **847.6** |
| OIL | 1959 | 89.0 | 80.7 | 89.3 | 88.0 | 89.6 | 86.0 | 87.4 | 86.0 | 83.6 | 83.9 | 80.4 | 82.0 | **10,810.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,913.0** |
| H2O | 1958 | 12.1 | 8.4 | 7.6 | 8.3 | 10.2 | 10.2 | 9.4 | 10.0 | 10.0 | 11.6 | 11.1 | 11.3 | **710.5** |
| OIL | 1958 | 94.6 | 87.1 | 96.9 | 90.3 | 90.1 | 86.8 | 89.5 | 86.8 | 76.6 | 109.2 | 92.0 | 92.2 | **9,784.9** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | **1,548.0** |
| H2O | 1957 | 11.9 | 11.1 | 11.9 | 11.3 | 11.4 | 4.9 | 8.4 | 11.1 | 5.6 | 4.1 | 5.6 | 8.3 | **590.3** |
| OIL | 1957 | 104.2 | 87.7 | 93.9 | 92.0 | 90.6 | 80.7 | 102.5 | 98.2 | 98.8 | 93.8 | 95.0 | 95.2 | **8,692.8** |
| DAY | 1956 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | **1,189.0** |
| H2O | 1956 | 10.0 | 7.8 | 8.7 | 9.4 | 10.5 | 8.1 | 9.2 | 9.7 | 11.1 | 12.9 | 11.1 | 11.4 | **484.7** |
| OIL | 1956 | 138.9 | 128.7 | 122.2 | 118.2 | 118.9 | 119.8 | 117.8 | 103.0 | 116.3 | 111.9 | 90.7 | 108.1 | **7,560.2** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 25.0 | 30.0 | **828.0** |
| H2O | 1955 | 10.3 | 9.5 | 10.8 | 6.8 | 11.4 | 8.9 | 9.1 | 9.4 | 9.5 | 8.3 | 8.3 | 10.8 | **364.8** |
| OIL | 1955 | 129.7 | 113.0 | 121.9 | 156.4 | 158.9 | 150.6 | 153.3 | 148.4 | 143.3 | 138.7 | 150.3 | 146.5 | **6,165.7** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **474.0** |
| H2O | 1954 | 14.5 | 11.8 | 13.5 | 25.8 | 21.6 | 15.9 | 17.3 | 8.6 | 8.7 | 18.3 | 28.5 | 29.3 | **251.7** |
| OIL | 1954 | 276.1 | 336.7 | 228.7 | 206.6 | 185.3 | 156.5 | 322.5 | 309.5 | 312.1 | 203.9 | 178.3 | 136.3 | **4,454.7** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 29.0 | 27.0 | 31.0 | **115.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 11.9 | 0.2 | 14.5 | 11.1 | **37.9** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 183.5 | 421.1 | 185.3 | 465.4 | 346.9 | **1,602.2** |

Licence ***274*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,939.0** |
| H2O | 1975 | 3345.5 | 2098.0 | 3661.5 | 3170.0 | 3928.0 | 3783.2 | 3729.3 | 3657.1 | 4056.4 | 4816.8 | 4202.1 | 3794.1 | **116,843.0** |
| OIL | 1975 | 509.9 | 247.3 | 334.3 | 356.3 | 486.1 | 431.4 | 417.3 | 380.4 | 405.1 | 440.2 | 395.5 | 333.6 | **48,769.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,574.0** |
| H2O | 1974 | 3070.8 | 2975.2 | 3188.7 | 3868.2 | 4343.5 | 4116.5 | 3710.9 | 4310.2 | 2849.0 | 3526.9 | 4031.2 | 3983.8 | **72,601.0** |
| OIL | 1974 | 413.0 | 510.1 | 850.3 | 747.3 | 751.4 | 670.4 | 643.1 | 629.4 | 438.8 | 508.6 | 585.4 | 581.6 | **44,032.4** |

# Manitoba Production
## 1950 To 1975

Licence ***274*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 0.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,209.0** |
| H2O | 1973 | 1358.3 | 1004.5 | 1481.4 | 1466.0 | 1696.7 | 1882.3 | 1861.2 | 1644.5 | 1614.4 | 3066.7 | 2774.9 | 3008.7 | **28,626.1** |
| OIL | 1973 | 102.8 | 96.8 | 383.8 | 282.9 | 298.9 | 207.7 | 324.7 | 417.3 | 433.7 | 198.0 | 412.8 | 450.5 | **36,703.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **6,877.0** |
| H2O | 1972 | 4.6 | 8.4 | 4.4 | 4.6 | 4.6 | 9.4 | 76.4 | 172.7 | 286.1 | 514.1 | 800.7 | 1135.0 | **5,766.5** |
| OIL | 1972 | 53.1 | 51.0 | 52.9 | 54.7 | 62.5 | 50.9 | 69.3 | 46.6 | 93.1 | 97.4 | 101.7 | 96.9 | **33,093.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **6,513.0** |
| H2O | 1971 | 8.6 | 8.1 | 8.9 | 8.4 | 0.0 | 0.0 | 4.6 | 4.6 | 4.6 | 4.9 | 4.0 | 5.6 | **2,745.5** |
| OIL | 1971 | 47.2 | 52.9 | 58.2 | 54.7 | 33.5 | 32.7 | 76.0 | 75.0 | 66.3 | 61.7 | 54.3 | 57.8 | **32,263.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,151.0** |
| H2O | 1970 | 8.9 | 8.3 | 12.9 | 10.7 | 14.0 | 11.1 | 4.3 | 5.2 | 3.8 | 12.1 | 12.9 | 10.2 | **2,683.2** |
| OIL | 1970 | 81.7 | 86.5 | 92.2 | 66.1 | 79.8 | 68.2 | 83.2 | 77.3 | 70.7 | 66.3 | 47.9 | 71.4 | **31,592.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,786.0** |
| H2O | 1969 | 14.6 | 12.4 | 20.5 | 20.8 | 28.8 | 19.4 | 28.1 | 12.9 | 12.6 | 9.2 | 8.1 | 11.0 | **2,568.8** |
| OIL | 1969 | 81.1 | 77.6 | 90.8 | 80.8 | 85.7 | 79.7 | 104.8 | 106.8 | 92.2 | 82.0 | 77.4 | 103.8 | **30,701.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,421.0** |
| H2O | 1968 | 9.9 | 7.8 | 8.4 | 8.4 | 11.4 | 14.3 | 12.2 | 12.9 | 10.7 | 11.3 | 13.0 | 14.9 | **2,370.4** |
| OIL | 1968 | 84.1 | 74.5 | 70.9 | 64.8 | 72.1 | 93.1 | 86.9 | 89.8 | 83.9 | 77.1 | 81.5 | 88.7 | **29,638.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 23.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | **5,055.0** |
| H2O | 1967 | 13.7 | 10.3 | 13.2 | 17.8 | 12.6 | 11.9 | 6.4 | 15.9 | 12.1 | 19.2 | 4.6 | 10.3 | **2,235.2** |
| OIL | 1967 | 88.0 | 79.9 | 90.6 | 84.9 | 92.5 | 87.2 | 54.0 | 102.0 | 88.7 | 86.8 | 66.4 | 87.2 | **28,671.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,706.0** |
| H2O | 1966 | 4.0 | 3.7 | 4.3 | 1.6 | 1.7 | 1.7 | 7.9 | 11.8 | 8.9 | 9.2 | 1.7 | 5.4 | **2,087.2** |
| OIL | 1966 | 69.4 | 66.9 | 73.6 | 74.7 | 78.5 | 71.8 | 86.6 | 99.3 | 88.8 | 100.6 | 81.2 | 94.1 | **27,663.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,346.0** |
| H2O | 1965 | 15.1 | 11.0 | 12.9 | 7.8 | 9.2 | 10.8 | 6.8 | 7.6 | 5.2 | 4.3 | 4.3 | 4.0 | **2,025.3** |
| OIL | 1965 | 106.6 | 81.2 | 89.6 | 70.9 | 94.4 | 90.3 | 81.8 | 90.6 | 79.8 | 76.3 | 78.0 | 71.0 | **26,677.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 23.0 | 28.0 | 27.0 | 28.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | **3,981.0** |
| H2O | 1964 | 11.6 | 11.0 | 11.6 | 10.8 | 14.1 | 7.0 | 17.2 | 16.7 | 9.1 | 10.2 | 15.6 | 16.2 | **1,926.3** |
| OIL | 1964 | 134.4 | 121.4 | 134.1 | 104.6 | 130.0 | 126.7 | 125.9 | 121.7 | 103.0 | 111.7 | 98.7 | 97.3 | **25,667.1** |
| DAY | 1963 | 31.0 | 28.0 | 29.0 | 30.0 | 26.0 | 27.0 | 28.0 | 28.0 | 27.0 | 28.0 | 30.0 | 31.0 | **3,635.0** |
| H2O | 1963 | 12.6 | 10.0 | 10.5 | 12.1 | 14.1 | 16.2 | 18.6 | 10.5 | 19.9 | 12.2 | 13.5 | 13.4 | **1,775.2** |
| OIL | 1963 | 164.6 | 142.2 | 146.2 | 156.4 | 134.3 | 136.7 | 134.8 | 130.3 | 111.2 | 136.2 | 137.5 | 136.3 | **24,257.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 25.0 | 16.0 | 27.0 | 28.0 | 28.0 | 27.0 | 28.0 | 27.0 | 31.0 | **3,292.0** |
| H2O | 1962 | 5.6 | 4.9 | 5.6 | 9.9 | 0.0 | 0.0 | 8.4 | 23.7 | 9.2 | 8.6 | 11.9 | 12.2 | **1,611.6** |
| OIL | 1962 | 102.3 | 88.7 | 99.0 | 91.5 | 95.3 | 172.1 | 178.9 | 163.0 | 180.2 | 172.1 | 164.6 | 166.4 | **22,590.9** |
| DAY | 1961 | 30.0 | 28.0 | 29.0 | 29.0 | 28.0 | 30.0 | 28.0 | 27.0 | 28.0 | 28.0 | 28.0 | 30.0 | **2,965.0** |
| H2O | 1961 | 14.5 | 12.4 | 14.8 | 13.4 | 14.0 | 17.5 | 14.8 | 14.1 | 14.1 | 5.1 | 4.9 | 5.7 | **1,511.6** |
| OIL | 1961 | 104.6 | 89.9 | 104.9 | 101.2 | 128.9 | 124.7 | 111.7 | 88.2 | 99.5 | 94.9 | 101.4 | 104.1 | **20,916.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **2,622.0** |
| H2O | 1960 | 10.8 | 10.5 | 11.1 | 10.2 | 10.3 | 10.5 | 25.6 | 23.7 | 21.3 | 20.7 | 19.4 | 17.3 | **1,366.3** |
| OIL | 1960 | 114.1 | 103.8 | 112.3 | 108.1 | 112.0 | 116.6 | 94.1 | 98.2 | 103.3 | 97.7 | 117.4 | 109.2 | **19,662.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,258.0** |
| H2O | 1959 | 12.1 | 10.7 | 11.6 | 11.4 | 11.6 | 11.6 | 12.1 | 12.2 | 12.1 | 12.7 | 9.5 | 9.7 | **1,174.9** |
| OIL | 1959 | 134.0 | 121.4 | 134.3 | 132.7 | 134.9 | 129.4 | 131.6 | 128.7 | 115.8 | 116.3 | 111.6 | 113.8 | **18,376.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,893.0** |
| H2O | 1958 | 12.1 | 8.6 | 11.0 | 10.2 | 10.2 | 10.2 | 9.4 | 7.2 | 9.2 | 11.8 | 11.1 | 11.3 | **1,037.6** |
| OIL | 1958 | 142.2 | 130.9 | 142.1 | 135.4 | 139.5 | 133.5 | 137.1 | 134.8 | 106.9 | 137.0 | 138.4 | 138.7 | **16,871.5** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,530.0** |
| H2O | 1957 | 6.0 | 5.4 | 7.6 | 7.6 | 7.8 | 9.7 | 7.0 | 12.4 | 11.4 | 13.4 | 10.7 | 8.3 | **915.3** |
| OIL | 1957 | 173.7 | 147.6 | 178.8 | 175.1 | 174.6 | 160.3 | 146.2 | 177.2 | 158.1 | 150.0 | 143.0 | 141.0 | **15,255.0** |
| DAY | 1956 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,167.0** |

# Manitoba Production
## 1950 To 1975

Licence ***274*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1956 | 7.6 | 8.4 | 9.9 | 9.4 | 9.5 | 8.3 | 9.2 | 10.0 | 7.2 | 5.2 | 5.7 | 5.9 | **808.0** |
| OIL | 1956 | 212.0 | 197.4 | 213.3 | 181.3 | 182.0 | 187.5 | 192.3 | 175.6 | 191.8 | 195.1 | 168.9 | 176.5 | **13,329.4** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 29.0 | **802.0** |
| H2O | 1955 | 21.9 | 20.2 | 22.9 | 20.3 | 25.4 | 15.9 | 11.9 | 9.7 | 9.7 | 10.0 | 8.4 | 7.9 | **711.7** |
| OIL | 1955 | 319.6 | 257.0 | 268.6 | 222.0 | 243.1 | 232.2 | 236.0 | 235.3 | 226.8 | 223.1 | 184.3 | 214.5 | **11,055.7** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 21.0 | 28.0 | 31.0 | 30.0 | 31.0 | **442.0** |
| H2O | 1954 | 69.5 | 35.5 | 40.2 | 26.9 | 49.4 | 36.6 | 28.9 | 4.1 | 4.5 | 6.5 | 62.2 | 44.5 | **527.5** |
| OIL | 1954 | 561.1 | 343.2 | 511.3 | 358.7 | 420.0 | 355.6 | 262.0 | 229.8 | 241.4 | 247.1 | 310.5 | 290.8 | **8,193.2** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 30.0 | 30.0 | 0.0 | **89.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.2 | 18.3 | 1.0 | 34.7 | 64.2 | **118.7** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 165.9 | 734.0 | 666.0 | 857.0 | 816.3 | 822.5 | **4,061.7** |

Licence ***275*** Well Name ***Scurry Cruickshank Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 31.0 | 28.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,885.0** |
| H2O | 1965 | 8.7 | 6.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,377.7** |
| OIL | 1965 | 36.9 | 27.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,239.9** |
| DAY | 1964 | 31.0 | 29.0 | 28.0 | 30.0 | 29.0 | 29.0 | 27.0 | 29.0 | 28.0 | 29.0 | 29.0 | 31.0 | **3,826.0** |
| H2O | 1964 | 4.0 | 8.3 | 3.8 | 15.6 | 12.2 | 11.4 | 10.0 | 11.1 | 12.2 | 9.9 | 11.0 | 8.7 | **1,362.9** |
| OIL | 1964 | 9.2 | 25.3 | 22.2 | 28.6 | 34.0 | 37.3 | 34.6 | 35.1 | 32.7 | 28.9 | 34.5 | 37.3 | **5,176.0** |
| DAY | 1963 | 30.0 | 28.0 | 31.0 | 30.0 | 29.0 | 28.0 | 25.0 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | **3,477.0** |
| H2O | 1963 | 13.5 | 14.6 | 18.3 | 15.9 | 18.3 | 18.3 | 14.8 | 12.6 | 4.0 | 5.4 | 4.6 | 3.8 | **1,244.7** |
| OIL | 1963 | 39.3 | 39.6 | 38.5 | 42.4 | 42.9 | 59.0 | 20.2 | 26.4 | 9.2 | 11.0 | 9.5 | 9.5 | **4,816.3** |
| DAY | 1962 | 29.0 | 28.0 | 31.0 | 28.0 | 29.0 | 30.0 | 28.0 | 29.0 | 20.0 | 14.0 | 28.0 | 26.0 | **3,128.0** |
| H2O | 1962 | 22.1 | 18.3 | 21.3 | 18.1 | 12.6 | 14.5 | 18.0 | 15.7 | 7.6 | 7.6 | 16.7 | 13.4 | **1,100.6** |
| OIL | 1962 | 34.5 | 32.6 | 35.1 | 36.4 | 38.1 | 37.0 | 39.9 | 37.8 | 10.8 | 21.5 | 32.9 | 34.6 | **4,468.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 28.0 | 29.0 | 30.0 | 29.0 | 29.0 | 29.0 | 28.0 | 28.0 | 29.0 | **2,808.0** |
| H2O | 1961 | 23.4 | 18.9 | 22.4 | 25.0 | 17.5 | 16.2 | 18.0 | 16.5 | 24.0 | 19.9 | 15.4 | 24.8 | **914.7** |
| OIL | 1961 | 76.8 | 68.2 | 71.0 | 71.0 | 60.2 | 55.1 | 53.7 | 50.1 | 52.6 | 40.7 | 49.4 | 47.0 | **4,077.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | 31.0 | 27.0 | 31.0 | 27.0 | 31.0 | **2,459.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.6 | 0.0 | 0.0 | 45.2 | 22.7 | 23.8 | 28.9 | **672.7** |
| OIL | 1960 | 23.5 | 21.6 | 23.2 | 22.4 | 23.4 | 22.4 | 17.3 | 211.7 | 139.8 | 151.4 | 97.4 | 88.5 | **3,381.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,105.0** |
| OIL | 1959 | 30.2 | 27.7 | 31.5 | 29.1 | 29.2 | 29.1 | 29.2 | 25.4 | 22.7 | 24.2 | 22.6 | 24.2 | **2,539.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,741.0** |
| H2O | 1958 | 5.6 | 4.1 | 4.6 | 3.0 | 4.8 | 3.7 | 4.1 | 3.3 | 3.8 | 4.5 | 4.1 | 5.2 | **547.5** |
| OIL | 1958 | 31.3 | 23.4 | 30.8 | 27.5 | 35.0 | 33.2 | 32.9 | 30.4 | 29.2 | 30.0 | 30.4 | 31.5 | **2,214.1** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 27.0 | 30.0 | 31.0 | 30.0 | 28.0 | 29.0 | 31.0 | **1,376.0** |
| H2O | 1957 | 2.2 | 2.1 | 2.4 | 2.2 | 2.5 | 4.0 | 1.9 | 1.6 | 4.6 | 4.9 | 5.4 | 5.7 | **496.7** |
| OIL | 1957 | 18.4 | 14.9 | 17.5 | 19.7 | 18.9 | 16.8 | 49.3 | 43.9 | 30.7 | 32.7 | 36.2 | 30.7 | **1,848.5** |
| DAY | 1956 | 16.0 | 14.0 | 21.0 | 15.0 | 22.0 | 24.0 | 27.0 | 25.0 | 29.0 | 29.0 | 30.0 | 31.0 | **1,020.0** |
| H2O | 1956 | 1.0 | 0.6 | 2.2 | 2.1 | 2.2 | 4.0 | 2.7 | 2.5 | 2.9 | 2.4 | 2.2 | 2.5 | **457.2** |
| OIL | 1956 | 21.6 | 19.4 | 31.1 | 23.2 | 21.6 | 15.3 | 25.9 | 13.2 | 17.8 | 17.5 | 20.8 | 16.8 | **1,518.8** |
| DAY | 1955 | 31.0 | 24.0 | 30.0 | 22.0 | 18.0 | 14.0 | 17.0 | 16.0 | 29.0 | 21.0 | 17.0 | 16.0 | **737.0** |
| H2O | 1955 | 29.4 | 23.8 | 29.3 | 12.6 | 11.4 | 1.6 | 4.5 | 5.2 | 6.7 | 2.2 | 1.1 | 0.6 | **429.9** |
| OIL | 1955 | 35.9 | 27.3 | 28.4 | 26.1 | 29.1 | 23.5 | 28.6 | 37.0 | 38.1 | 25.4 | 20.3 | 19.9 | **1,274.6** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 18.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **482.0** |
| H2O | 1954 | 15.1 | 10.3 | 7.8 | 3.5 | 1.3 | 0.8 | 6.5 | 18.1 | 18.3 | 3.7 | 47.1 | 39.6 | **301.5** |
| OIL | 1954 | 38.6 | 51.5 | 51.8 | 44.7 | 12.9 | 10.0 | 63.4 | 85.3 | 72.9 | 44.7 | 46.2 | 32.1 | **935.0** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 29.0 | 30.0 | 30.0 | 31.0 | **132.0** |

# Manitoba Production
## 1950 To 1975

Licence ***275*** Well Name ***Scurry Cruickshank Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.3 | 38.5 | 6.5 | 17.3 | 63.8 | **129.4** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 47.7 | 111.7 | 90.6 | 69.1 | 61.8 | **380.9** |

Licence ***277*** Well Name ***Recovery Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 0.0 | 0.0 | 27.0 | 29.0 | 31.0 | 6.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,426.0** |
| H2O | 1963 | 0.0 | 0.0 | 173.0 | 142.4 | 128.8 | 57.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **19,448.5** |
| OIL | 1963 | 0.0 | 0.0 | 28.9 | 9.1 | 4.9 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,219.2** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,333.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 133.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **18,947.2** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,175.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 17.0 | 31.0 | 30.0 | 27.0 | 17.0 | 30.0 | 31.0 | 29.0 | 11.0 | **2,319.0** |
| H2O | 1960 | 234.2 | 228.6 | 221.5 | 130.4 | 231.6 | 210.3 | 172.7 | 89.7 | 238.9 | 256.3 | 231.2 | 74.7 | **18,813.3** |
| OIL | 1960 | 22.9 | 17.2 | 15.9 | 2.7 | 16.8 | 17.6 | 13.7 | 8.7 | 13.0 | 13.3 | 10.2 | 4.1 | **3,173.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,005.0** |
| H2O | 1959 | 258.3 | 245.5 | 240.5 | 245.1 | 258.3 | 248.3 | 237.8 | 226.4 | 254.8 | 263.0 | 241.0 | 241.6 | **16,493.2** |
| OIL | 1959 | 29.2 | 27.2 | 29.6 | 26.2 | 28.1 | 28.6 | 27.8 | 25.7 | 28.6 | 28.4 | 26.1 | 27.2 | **3,017.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,643.0** |
| H2O | 1958 | 205.9 | 187.6 | 253.1 | 167.9 | 201.7 | 186.6 | 232.1 | 273.4 | 272.8 | 268.5 | 257.5 | 262.8 | **13,532.6** |
| OIL | 1958 | 36.5 | 28.9 | 34.6 | 50.5 | 27.0 | 26.1 | 30.0 | 30.5 | 30.2 | 30.5 | 29.2 | 27.8 | **2,684.6** |
| DAY | 1957 | 26.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,278.0** |
| H2O | 1957 | 245.6 | 249.4 | 311.6 | 287.4 | 257.1 | 225.3 | 242.8 | 240.2 | 202.4 | 211.3 | 158.5 | 196.3 | **10,762.7** |
| OIL | 1957 | 38.9 | 32.9 | 47.8 | 44.2 | 43.9 | 37.2 | 46.4 | 46.4 | 50.7 | 38.6 | 48.9 | 39.7 | **2,302.8** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **924.0** |
| H2O | 1956 | 257.2 | 264.7 | 295.4 | 265.7 | 305.4 | 253.6 | 242.3 | 280.0 | 301.3 | 228.6 | 319.1 | 289.2 | **7,934.8** |
| OIL | 1956 | 48.0 | 46.6 | 49.4 | 44.5 | 63.4 | 48.0 | 50.5 | 58.5 | 64.2 | 44.5 | 47.4 | 45.8 | **1,787.2** |
| DAY | 1955 | 17.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 31.0 | 30.0 | 19.0 | **559.0** |
| H2O | 1955 | 174.7 | 0.0 | 0.0 | 0.0 | 0.0 | 12.7 | 12.6 | 10.8 | 138.9 | 346.4 | 329.7 | 204.1 | **4,632.3** |
| OIL | 1955 | 6.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.6 | 29.6 | 27.3 | 22.1 | **1,176.4** |
| DAY | 1954 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 9.0 | 19.0 | 31.0 | 30.0 | 31.0 | 16.0 | 13.0 | **449.0** |
| H2O | 1954 | 94.0 | 145.1 | 272.8 | 288.1 | 310.3 | 66.6 | 161.7 | 256.8 | 257.5 | 254.8 | 155.3 | 137.7 | **3,402.4** |
| OIL | 1954 | 31.6 | 58.0 | 50.4 | 21.3 | 20.7 | 20.2 | 60.7 | 108.2 | 76.1 | 99.3 | 11.3 | 18.6 | **1,076.6** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **153.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 154.4 | 182.8 | 200.0 | 240.5 | 224.0 | **1,001.7** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 142.1 | 122.8 | 107.7 | 60.2 | 67.4 | **500.2** |

Licence ***278*** Well Name ***Kiwi Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,356.0** |
| H2O | 1975 | 9.9 | 8.6 | 10.5 | 12.3 | 9.9 | 6.2 | 5.1 | 8.1 | 7.2 | 4.9 | 4.8 | 4.9 | **2,563.1** |
| OIL | 1975 | 9.4 | 12.2 | 13.5 | 13.3 | 15.1 | 9.2 | 5.4 | 7.9 | 6.4 | 11.0 | 9.5 | 8.9 | **7,206.2** |
| DAY | 1974 | 31.0 | 28.0 | 0.0 | 30.0 | 31.0 | 30.0 | 0.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **6,995.0** |
| H2O | 1974 | 19.4 | 17.3 | 18.8 | 15.6 | 14.8 | 13.0 | 13.3 | 14.8 | 14.3 | 14.8 | 12.9 | 13.5 | **2,470.7** |
| OIL | 1974 | 21.0 | 18.0 | 14.9 | 13.2 | 17.2 | 18.8 | 18.3 | 18.1 | 18.6 | 17.6 | 10.6 | 11.4 | **7,084.4** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 30.0 | 0.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,694.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 24.2 | 8.7 | 6.4 | 16.2 | 17.6 | 15.6 | 17.5 | 18.8 | 18.8 | **2,288.2** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 26.1 | 21.3 | 14.8 | 21.9 | 21.3 | 20.7 | 23.4 | 20.3 | 21.9 | **6,886.7** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 24.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 0.0 | **6,451.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 27.4 | 28.3 | 40.0 | 41.8 | 38.0 | 35.5 | 31.6 | 0.0 | **2,144.4** |

# Manitoba Production
## 1950 To 1975

Licence ***278*** Well Name ***Kiwi Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 19.2 | 14.1 | 15.7 | 19.1 | 17.2 | 19.5 | 16.4 | 0.0 | **6,695.0** |
| DAY | 1971 | 0.0 | 28.0 | 31.0 | 30.0 | 0.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 13.0 | **6,258.0** |
| H2O | 1971 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 3.2 | 7.9 | 3.2 | **1,901.8** |
| OIL | 1971 | 9.9 | 13.5 | 18.3 | 16.2 | 15.3 | 14.9 | 16.2 | 16.2 | 15.7 | 14.9 | 15.1 | 4.8 | **6,573.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 29.0 | 30.0 | 29.0 | 31.0 | 28.0 | 31.0 | **5,975.0** |
| H2O | 1970 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 1.6 | 1.6 | **1,873.1** |
| OIL | 1970 | 18.4 | 18.3 | 20.3 | 16.8 | 21.3 | 15.1 | 14.8 | 14.0 | 14.1 | 15.6 | 10.0 | 10.2 | **6,402.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 25.0 | 19.0 | 31.0 | 30.0 | 31.0 | **5,619.0** |
| H2O | 1969 | 3.2 | 3.2 | 3.2 | 3.2 | 2.4 | 2.9 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | **1,845.9** |
| OIL | 1969 | 22.2 | 13.0 | 19.4 | 23.4 | 15.6 | 20.8 | 18.4 | 15.9 | 20.7 | 19.1 | 22.2 | 21.9 | **6,213.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 21.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,274.0** |
| H2O | 1968 | 4.8 | 4.8 | 4.8 | 4.8 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | **1,813.4** |
| OIL | 1968 | 35.5 | 28.6 | 22.2 | 28.6 | 23.8 | 15.9 | 24.6 | 24.0 | 16.0 | 14.3 | 14.3 | 23.8 | **5,981.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 0.0 | 18.0 | 30.0 | 31.0 | 31.0 | 28.0 | 0.0 | 30.0 | 31.0 | **4,921.0** |
| H2O | 1967 | 9.9 | 8.9 | 9.9 | 0.0 | 2.9 | 4.8 | 4.9 | 4.9 | 4.5 | 0.0 | 4.5 | 4.8 | **1,768.6** |
| OIL | 1967 | 20.2 | 13.2 | 14.8 | 0.0 | 9.2 | 14.3 | 14.8 | 14.8 | 13.3 | 0.0 | 13.3 | 35.5 | **5,709.7** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | **4,632.0** |
| H2O | 1966 | 9.5 | 9.1 | 10.1 | 9.4 | 10.0 | 9.2 | 9.2 | 9.7 | 9.9 | 10.9 | 9.9 | 9.5 | **1,708.6** |
| OIL | 1966 | 14.6 | 13.8 | 14.6 | 14.1 | 12.2 | 11.8 | 11.3 | 12.9 | 14.0 | 14.3 | 13.8 | 9.1 | **5,546.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,274.0** |
| H2O | 1965 | 7.9 | 9.4 | 10.9 | 9.7 | 11.3 | 10.6 | 11.0 | 10.7 | 9.5 | 9.7 | 10.1 | 9.2 | **1,592.2** |
| OIL | 1965 | 22.2 | 19.1 | 18.8 | 18.4 | 19.5 | 19.2 | 16.5 | 16.8 | 17.5 | 17.5 | 14.5 | 17.0 | **5,389.8** |
| DAY | 1964 | 31.0 | 25.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 27.0 | **3,912.0** |
| H2O | 1964 | 2.7 | 4.8 | 7.2 | 7.0 | 9.9 | 7.2 | 7.5 | 6.7 | 5.6 | 7.9 | 11.5 | 9.1 | **1,472.2** |
| OIL | 1964 | 17.8 | 8.4 | 17.8 | 42.2 | 30.4 | 18.9 | 14.1 | 13.7 | 22.7 | 19.9 | 17.8 | 14.9 | **5,172.8** |
| DAY | 1963 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,558.0** |
| H2O | 1963 | 8.7 | 4.9 | 39.6 | 38.0 | 33.9 | 29.0 | 22.1 | 19.4 | 18.9 | 17.3 | 13.0 | 3.7 | **1,385.1** |
| OIL | 1963 | 17.6 | 13.2 | 15.3 | 21.9 | 17.3 | 21.3 | 21.0 | 23.2 | 23.4 | 25.6 | 25.7 | 19.7 | **4,934.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 16.0 | 0.0 | 21.0 | **3,198.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.9 | **1,136.6** |
| OIL | 1962 | 15.3 | 12.7 | 15.3 | 15.3 | 13.3 | 11.0 | 8.4 | 7.6 | 7.9 | 3.7 | 0.0 | 10.0 | **4,689.0** |
| DAY | 1961 | 29.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,889.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,104.7** |
| OIL | 1961 | 16.2 | 18.9 | 21.3 | 21.0 | 25.3 | 16.8 | 25.1 | 19.9 | 21.6 | 20.3 | 13.3 | 13.3 | **4,568.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 27.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,527.0** |
| H2O | 1960 | 4.9 | 4.6 | 4.8 | 4.9 | 2.7 | 2.4 | 1.3 | 1.7 | 0.0 | 0.3 | 0.0 | 0.0 | **1,104.2** |
| OIL | 1960 | 27.8 | 23.5 | 23.7 | 7.0 | 26.4 | 26.1 | 22.4 | 29.1 | 24.6 | 27.7 | 23.5 | 26.9 | **4,335.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,167.0** |
| H2O | 1959 | 4.9 | 4.4 | 4.8 | 4.8 | 4.8 | 4.8 | 4.6 | 4.8 | 4.6 | 4.8 | 4.8 | 4.9 | **1,076.6** |
| OIL | 1959 | 31.5 | 27.2 | 28.6 | 28.6 | 28.8 | 28.1 | 27.5 | 28.0 | 28.0 | 28.8 | 27.5 | 29.6 | **4,046.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,805.0** |
| H2O | 1958 | 42.6 | 33.0 | 4.9 | 3.8 | 4.8 | 4.6 | 4.8 | 4.9 | 4.6 | 4.6 | 4.8 | 4.9 | **1,019.6** |
| OIL | 1958 | 39.2 | 33.8 | 37.4 | 35.1 | 29.4 | 28.1 | 29.4 | 29.7 | 28.3 | 28.0 | 28.3 | 28.8 | **3,704.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,440.0** |
| H2O | 1957 | 31.7 | 30.9 | 24.8 | 20.0 | 19.5 | 13.3 | 21.3 | 22.6 | 30.2 | 42.4 | 31.6 | 38.5 | **897.3** |
| OIL | 1957 | 57.3 | 45.4 | 57.9 | 54.5 | 49.4 | 43.6 | 46.8 | 41.6 | 49.5 | 38.1 | 38.7 | 42.2 | **3,329.1** |
| DAY | 1956 | 31.0 | 29.0 | 27.0 | 17.0 | 4.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,077.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.6 | 3.5 | 16.8 | 29.4 | 36.9 | 38.0 | 35.5 | 37.2 | 33.9 | **570.5** |
| OIL | 1956 | 45.2 | 43.8 | 30.5 | 6.2 | 22.1 | 86.8 | 77.8 | 68.5 | 71.6 | 67.6 | 63.0 | 58.5 | **2,764.1** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 5.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **755.0** |
| H2O | 1955 | 34.2 | 10.4 | 10.9 | 1.9 | 20.8 | 12.1 | 4.6 | 2.5 | 0.6 | 0.0 | 0.0 | 0.0 | **338.7** |
| OIL | 1955 | 94.3 | 87.5 | 88.6 | 17.2 | 91.7 | 79.7 | 77.1 | 79.0 | 53.7 | 51.4 | 54.6 | 48.6 | **2,122.5** |

# Manitoba Production
## 1950 To 1975

Licence ***278*** Well Name ***Kiwi Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 25.0 | 28.0 | 28.0 | **415.0** |
| H2O | 1954 | 11.0 | 10.0 | 12.9 | 16.4 | 8.4 | 10.9 | 27.5 | 22.4 | 1.9 | 3.0 | 1.6 | 38.9 | **240.7** |
| OIL | 1954 | 68.7 | 56.5 | 49.4 | 48.7 | 45.2 | 37.9 | 39.0 | 27.8 | 18.1 | 84.0 | 127.5 | 118.5 | **1,299.1** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | **61.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.6 | 3.5 | 4.1 | 33.9 | 25.7 | **75.8** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.5 | 189.1 | 109.0 | 106.1 | 85.2 | 78.9 | **577.8** |

Licence ***279*** Well Name ***Daly Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-01-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 175.0 | 157.5 | 191.2 | 175.0 | 144.0 | 192.3 | 131.6 | 153.6 | 204.5 | 174.5 | 178.5 | 189.3 | **176,304.1** |
| WIN | 1974 | 160.3 | 162.0 | 179.0 | 184.5 | 180.2 | 180.7 | 196.3 | 167.8 | 192.9 | 169.3 | 182.8 | 282.2 | **174,237.1** |
| WIN | 1973 | 210.7 | 226.7 | 219.1 | 228.3 | 223.2 | 205.4 | 221.2 | 259.0 | 203.1 | 217.2 | 208.5 | 173.4 | **171,999.1** |
| WIN | 1972 | 202.6 | 226.4 | 328.4 | 286.6 | 289.8 | 131.6 | 330.3 | 239.0 | 220.9 | 239.9 | 228.0 | 188.3 | **169,403.3** |
| WIN | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 912.7 | 599.3 | 450.5 | 382.0 | 373.5 | 371.3 | **166,491.5** |
| WIN | 1970 | 512.7 | 974.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **163,402.2** |
| WIN | 1969 | 1094.1 | 1639.6 | 1070.6 | 234.7 | 1388.4 | 1442.2 | 1568.2 | 2684.4 | 847.9 | 1374.7 | 869.4 | 1323.1 | **161,915.2** |
| WIN | 1968 | 253.4 | 1159.0 | 1611.7 | 2233.8 | 1949.2 | 2035.0 | 631.2 | 1065.3 | 1390.1 | 1024.0 | 1907.4 | 1166.3 | **146,377.9** |
| WIN | 1967 | 2049.3 | 1809.2 | 2322.1 | 2247.6 | 2472.6 | 2501.7 | 2364.5 | 3642.8 | 4935.3 | 4513.4 | 1224.7 | 906.1 | **129,951.5** |
| WIN | 1966 | 1528.6 | 1902.8 | 1773.5 | 1927.9 | 2272.4 | 2002.1 | 2279.8 | 1794.5 | 2027.9 | 1808.5 | 1561.5 | 2268.7 | **98,962.2** |
| WIN | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2741.3 | 1896.2 | 1123.5 | **75,814.0** |
| WIN | 1964 | 1398.9 | 1246.0 | 1317.8 | 3057.6 | 3415.1 | 4262.3 | 4509.9 | 4527.7 | 2625.7 | 0.0 | 157.2 | 0.0 | **70,053.0** |
| WIN | 1963 | 194.4 | 122.3 | 159.1 | 197.4 | 153.4 | 219.3 | 200.7 | 204.2 | 1086.3 | 1475.3 | 1370.9 | 1405.5 | **43,534.8** |
| WIN | 1962 | 349.4 | 343.0 | 411.7 | 376.2 | 294.9 | 266.3 | 206.4 | 173.2 | 189.9 | 176.1 | 150.1 | 257.8 | **36,746.0** |
| WIN | 1961 | 208.1 | 204.8 | 242.8 | 178.0 | 212.8 | 161.5 | 124.3 | 98.7 | 130.4 | 313.2 | 386.4 | 375.3 | **33,551.0** |
| WIN | 1960 | 235.8 | 250.5 | 208.8 | 237.1 | 231.5 | 221.7 | 237.4 | 240.6 | 210.7 | 212.9 | 232.9 | 181.8 | **30,914.7** |
| WIN | 1959 | 250.1 | 256.6 | 284.4 | 247.9 | 246.3 | 236.0 | 259.0 | 248.2 | 236.6 | 245.0 | 217.4 | 228.5 | **28,213.0** |
| WIN | 1958 | 322.2 | 197.7 | 314.8 | 305.1 | 94.4 | 0.0 | 90.1 | 447.3 | 296.8 | 308.4 | 249.6 | 289.2 | **25,257.0** |
| WIN | 1957 | 0.0 | 0.0 | 282.2 | 377.5 | 323.7 | 324.0 | 258.2 | 313.5 | 250.7 | 272.3 | 267.5 | 303.5 | **22,341.4** |
| WIN | 1956 | 241.4 | 282.0 | 290.1 | 370.0 | 391.6 | 383.9 | 402.3 | 366.5 | 340.1 | 364.5 | 302.2 | 99.7 | **19,368.3** |
| WIN | 1955 | 389.7 | 338.7 | 305.9 | 276.9 | 301.9 | 273.1 | 253.2 | 297.6 | 331.0 | 0.0 | 0.0 | 396.3 | **15,534.0** |
| WIN | 1954 | 692.3 | 540.8 | 539.4 | 622.3 | 840.3 | 622.3 | 465.3 | 411.0 | 464.6 | 539.4 | 393.1 | 317.3 | **12,369.7** |
| WIN | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1242.8 | 1678.9 | 1863.7 | 1136.2 | **5,921.6** |

Licence ***280*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-10-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 17.0 | 0.0 | 0.0 | 0.0 | **1,485.0** |
| H2O | 1957 | 1.6 | 1.7 | 1.9 | 2.4 | 2.4 | 1.1 | 1.3 | 3.0 | 175.8 | 49.4 | 0.0 | 0.0 | **558.7** |
| OIL | 1957 | 28.4 | 27.7 | 31.1 | 29.4 | 33.8 | 28.1 | 22.9 | 23.2 | 4.2 | 0.0 | 0.0 | 0.0 | **2,492.5** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,225.0** |
| H2O | 1956 | 1.3 | 1.3 | 1.3 | 1.3 | 1.7 | 1.6 | 1.4 | 1.7 | 1.7 | 1.1 | 1.3 | 1.3 | **318.1** |
| OIL | 1956 | 20.7 | 18.1 | 21.8 | 25.7 | 23.5 | 21.6 | 20.2 | 19.5 | 19.1 | 27.5 | 27.0 | 31.6 | **2,263.7** |
| DAY | 1955 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **862.0** |
| H2O | 1955 | 5.7 | 2.2 | 3.5 | 1.3 | 10.0 | 0.2 | 2.1 | 2.2 | 0.8 | 0.8 | 1.1 | 1.1 | **301.1** |
| OIL | 1955 | 45.9 | 40.5 | 41.8 | 39.4 | 45.6 | 39.4 | 39.1 | 40.0 | 31.0 | 28.9 | 26.1 | 24.5 | **1,987.4** |
| DAY | 1954 | 30.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **501.0** |
| H2O | 1954 | 15.7 | 14.6 | 13.7 | 14.5 | 7.9 | 6.8 | 2.4 | 7.2 | 3.0 | 3.5 | 4.1 | 4.0 | **270.1** |
| OIL | 1954 | 92.0 | 77.9 | 71.4 | 73.1 | 72.6 | 72.3 | 69.8 | 68.5 | 57.5 | 65.2 | 49.4 | 45.3 | **1,545.2** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 29.0 | 27.0 | 29.0 | 31.0 | **139.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 39.0 | 56.0 | 25.1 | 26.1 | 26.5 | **172.7** |

# Manitoba Production
## 1950 To 1975

Licence ***280*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-10-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 220.9 | 168.0 | 131.6 | 103.9 | 105.8 | **730.2** |

Licence ***281*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **8,098.0** |
| H2O | 1975 | 10.7 | 9.5 | 11.0 | 10.2 | 9.5 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,046.1** |
| OIL | 1975 | 68.8 | 58.6 | 67.9 | 65.5 | 68.2 | 62.8 | 67.9 | 69.1 | 64.8 | 67.5 | 63.4 | 69.4 | **22,198.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **7,733.0** |
| H2O | 1974 | 12.9 | 10.8 | 11.8 | 9.9 | 9.2 | 8.7 | 8.7 | 13.5 | 7.5 | 7.9 | 6.8 | 10.0 | **988.2** |
| OIL | 1974 | 14.3 | 12.7 | 14.9 | 59.9 | 55.9 | 55.9 | 56.9 | 63.2 | 60.1 | 65.6 | 55.3 | 72.3 | **21,405.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **7,371.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 9.9 | 11.9 | 9.4 | 9.7 | 11.3 | 8.7 | 9.2 | 9.4 | 11.6 | **870.5** |
| OIL | 1973 | 55.3 | 49.6 | 54.3 | 14.8 | 12.9 | 14.1 | 14.5 | 14.3 | 12.7 | 13.2 | 13.8 | 14.8 | **20,818.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,007.0** |
| OIL | 1972 | 73.1 | 69.3 | 70.7 | 68.0 | 56.9 | 52.0 | 52.9 | 49.3 | 54.0 | 53.2 | 52.3 | 51.6 | **20,533.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,641.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **779.4** |
| OIL | 1971 | 71.4 | 69.9 | 66.9 | 61.5 | 64.2 | 68.8 | 77.9 | 74.7 | 75.0 | 73.1 | 72.5 | 75.2 | **19,830.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,277.0** |
| H2O | 1970 | 7.3 | 0.0 | 0.0 | 0.0 | 7.2 | 5.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **776.9** |
| OIL | 1970 | 89.6 | 82.8 | 89.1 | 70.6 | 63.9 | 68.8 | 73.7 | 75.5 | 83.1 | 75.2 | 73.4 | 75.2 | **18,979.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 28.0 | 18.0 | 30.0 | 23.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **5,912.0** |
| H2O | 1969 | 4.9 | 8.9 | 5.6 | 5.2 | 19.1 | 5.1 | 4.9 | 6.5 | 4.9 | 0.0 | 0.0 | 0.0 | **757.0** |
| OIL | 1969 | 76.0 | 68.2 | 79.1 | 63.7 | 28.1 | 72.5 | 51.3 | 76.8 | 68.8 | 90.1 | 80.7 | 83.7 | **18,058.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,572.0** |
| H2O | 1968 | 3.3 | 3.8 | 0.0 | 0.0 | 0.0 | 5.9 | 5.4 | 6.0 | 5.7 | 0.0 | 6.4 | 5.1 | **691.9** |
| OIL | 1968 | 86.6 | 82.6 | 84.7 | 80.9 | 82.6 | 82.3 | 86.1 | 86.0 | 83.1 | 74.8 | 74.5 | 76.6 | **17,219.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,206.0** |
| H2O | 1967 | 3.3 | 2.9 | 3.3 | 3.0 | 3.0 | 9.1 | 5.1 | 4.1 | 4.5 | 7.0 | 5.4 | 8.6 | **650.3** |
| OIL | 1967 | 96.8 | 86.3 | 88.8 | 90.1 | 86.9 | 81.5 | 91.7 | 93.0 | 92.6 | 85.0 | 90.9 | 81.7 | **16,238.6** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,844.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.9 | 7.8 | 3.3 | 3.2 | 3.5 | **591.0** |
| OIL | 1966 | 59.1 | 56.1 | 57.4 | 69.3 | 60.2 | 57.5 | 101.7 | 100.1 | 91.1 | 96.5 | 73.4 | 99.6 | **15,173.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,480.0** |
| H2O | 1965 | 1.4 | 1.4 | 2.7 | 0.0 | 0.0 | 0.0 | 2.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **565.3** |
| OIL | 1965 | 90.4 | 82.2 | 81.7 | 85.0 | 77.4 | 76.1 | 76.3 | 82.0 | 78.3 | 80.4 | 51.8 | 55.3 | **14,251.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,116.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.4 | **556.9** |
| OIL | 1964 | 89.6 | 79.3 | 83.0 | 83.3 | 82.8 | 78.7 | 72.0 | 83.1 | 78.3 | 81.5 | 78.0 | 91.5 | **13,334.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,750.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.5 | 1.3 | **555.5** |
| OIL | 1963 | 84.4 | 83.4 | 87.7 | 96.3 | 87.1 | 82.5 | 98.5 | 87.1 | 83.9 | 86.4 | 84.9 | 93.1 | **12,353.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,387.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **551.7** |
| OIL | 1962 | 88.4 | 95.7 | 101.2 | 91.5 | 96.9 | 95.7 | 98.0 | 100.7 | 89.3 | 84.9 | 87.7 | 88.2 | **11,298.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,022.0** |
| H2O | 1961 | 3.7 | 2.9 | 0.0 | 0.0 | 3.2 | 6.0 | 0.0 | 3.3 | 0.0 | 3.0 | 0.0 | 6.2 | **547.4** |
| OIL | 1961 | 110.9 | 101.1 | 106.5 | 100.6 | 95.3 | 96.8 | 107.7 | 105.8 | 101.7 | 109.0 | 96.3 | 105.2 | **10,179.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,657.0** |
| H2O | 1960 | 0.0 | 2.7 | 8.4 | 0.0 | 3.2 | 0.0 | 3.2 | 0.0 | 2.9 | 0.0 | 3.2 | 3.5 | **519.1** |

# Manitoba Production
## 1950 To 1975

Licence ***281*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1960 | 124.3 | 120.6 | 110.6 | 107.9 | 118.5 | 124.3 | 114.6 | 114.3 | 105.8 | 112.8 | 103.3 | 107.3 | **8,942.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | **2,292.0** |
| H2O | 1959 | 10.5 | 6.4 | 8.7 | 5.4 | 8.4 | 12.6 | 17.2 | 9.9 | 7.0 | 7.3 | 7.3 | 5.4 | **492.0** |
| OIL | 1959 | 151.6 | 134.9 | 148.4 | 139.0 | 119.7 | 138.9 | 153.8 | 134.6 | 120.1 | 124.6 | 126.8 | 119.8 | **7,578.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,930.0** |
| H2O | 1958 | 20.0 | 13.5 | 21.3 | 12.6 | 13.8 | 15.6 | 24.8 | 26.2 | 12.2 | 5.4 | 5.6 | 11.4 | **385.9** |
| OIL | 1958 | 205.3 | 193.1 | 202.5 | 187.2 | 189.9 | 188.1 | 185.6 | 175.6 | 172.1 | 167.5 | 162.4 | 151.3 | **5,966.4** |
| DAY | 1957 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 19.0 | 24.0 | 29.0 | 30.0 | **1,566.0** |
| H2O | 1957 | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 30.7 | 18.1 | 22.7 | **203.5** |
| OIL | 1957 | 37.2 | 33.1 | 36.5 | 37.2 | 37.7 | 37.0 | 37.3 | 36.1 | 21.3 | 189.1 | 210.1 | 208.3 | **3,785.8** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,224.0** |
| H2O | 1956 | 5.9 | 6.4 | 5.2 | 6.5 | 7.2 | 5.4 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | **130.0** |
| OIL | 1956 | 47.7 | 45.3 | 53.2 | 50.5 | 50.4 | 50.9 | 45.3 | 40.4 | 42.0 | 41.6 | 40.5 | 44.5 | **2,864.9** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **859.0** |
| H2O | 1955 | 2.4 | 0.6 | 0.5 | 0.5 | 3.5 | 6.5 | 2.4 | 4.3 | 2.5 | 4.9 | 4.8 | 4.5 | **92.2** |
| OIL | 1955 | 51.0 | 43.1 | 50.2 | 54.2 | 59.9 | 64.0 | 68.2 | 51.2 | 33.2 | 55.3 | 46.4 | 41.8 | **2,312.6** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **496.0** |
| H2O | 1954 | 3.5 | 5.1 | 3.3 | 1.7 | 2.2 | 1.6 | 1.7 | 3.3 | 6.2 | 3.0 | 2.1 | 2.5 | **54.8** |
| OIL | 1954 | 108.2 | 92.2 | 86.4 | 80.6 | 79.6 | 70.7 | 73.1 | 72.9 | 56.9 | 59.4 | 55.9 | 58.8 | **1,694.1** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 30.0 | 31.0 | 30.0 | 31.0 | **132.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.7 | 3.7 | 4.1 | 3.5 | 4.6 | **18.6** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 131.9 | 226.1 | 184.5 | 134.9 | 122.0 | **799.4** |

Licence ***282*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 21.0 | 31.0 | **8,134.0** |
| OIL | 1975 | 26.7 | 22.7 | 26.4 | 25.4 | 26.5 | 24.5 | 24.3 | 24.2 | 22.7 | 24.5 | 16.0 | 25.1 | **11,320.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,779.0** |
| OIL | 1974 | 23.0 | 20.8 | 24.0 | 14.6 | 13.5 | 13.5 | 13.7 | 15.1 | 23.2 | 25.4 | 23.8 | 28.0 | **11,031.4** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **7,414.0** |
| OIL | 1973 | 23.4 | 20.8 | 22.9 | 24.0 | 20.7 | 22.7 | 23.2 | 21.9 | 20.3 | 21.3 | 22.7 | 23.8 | **10,792.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,050.0** |
| OIL | 1972 | 38.3 | 36.2 | 37.0 | 35.6 | 27.7 | 26.1 | 26.5 | 24.3 | 26.9 | 22.2 | 21.9 | 21.6 | **10,525.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,685.0** |
| OIL | 1971 | 37.3 | 36.5 | 40.8 | 23.8 | 31.6 | 38.1 | 40.8 | 39.1 | 39.4 | 38.3 | 38.0 | 39.6 | **10,180.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,324.0** |
| H2O | 1970 | 7.6 | 8.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **301.0** |
| OIL | 1970 | 34.0 | 32.1 | 39.3 | 31.1 | 36.2 | 33.8 | 36.5 | 37.2 | 33.8 | 39.4 | 38.6 | 39.4 | **9,737.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,959.0** |
| OIL | 1969 | 43.2 | 38.8 | 44.8 | 38.9 | 34.0 | 33.2 | 34.3 | 35.3 | 34.2 | 39.6 | 37.7 | 38.9 | **9,306.1** |
| DAY | 1968 | 31.0 | 29.0 | 22.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,594.0** |
| H2O | 1968 | 0.0 | 0.0 | 8.1 | 11.6 | 10.3 | 0.0 | 0.0 | 19.6 | 18.3 | 0.0 | 0.0 | 0.0 | **285.3** |
| OIL | 1968 | 28.8 | 27.7 | 36.4 | 49.6 | 50.7 | 38.3 | 40.0 | 35.1 | 34.0 | 49.7 | 46.7 | 43.5 | **8,853.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,237.0** |
| OIL | 1967 | 37.2 | 33.2 | 41.3 | 32.3 | 38.3 | 32.1 | 35.1 | 35.6 | 34.3 | 36.1 | 26.9 | 33.4 | **8,372.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,872.0** |
| OIL | 1966 | 36.2 | 34.2 | 35.6 | 42.4 | 36.9 | 35.3 | 39.1 | 39.1 | 32.6 | 36.1 | 32.7 | 39.6 | **7,956.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,507.0** |
| OIL | 1965 | 39.1 | 35.6 | 40.7 | 38.8 | 41.5 | 38.6 | 39.9 | 40.7 | 39.9 | 40.8 | 38.9 | 35.9 | **7,517.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,142.0** |

# Manitoba Production
## 1950 To 1975

Licence ***282*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1964 | 40.5 | 41.2 | 29.2 | 37.5 | 43.2 | 40.8 | 43.2 | 38.6 | 36.4 | 38.0 | 38.5 | 39.6 | **7,046.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | **3,776.0** |
| H2O | 1963 | 3.7 | 3.5 | 0.0 | 0.0 | 3.8 | 0.0 | 0.0 | 0.0 | 1.9 | 0.0 | 0.0 | 2.7 | **217.4** |
| OIL | 1963 | 39.4 | 36.9 | 40.8 | 40.5 | 45.3 | 41.8 | 23.0 | 48.8 | 33.4 | 40.4 | 35.3 | 37.0 | **6,580.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,414.0** |
| H2O | 1962 | 0.0 | 0.0 | 9.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.2 | **201.8** |
| OIL | 1962 | 46.1 | 41.3 | 47.8 | 37.3 | 42.9 | 43.9 | 39.9 | 48.6 | 34.2 | 41.8 | 44.5 | 44.8 | **6,117.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,049.0** |
| H2O | 1961 | 0.0 | 0.0 | 7.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **189.2** |
| OIL | 1961 | 45.8 | 41.6 | 39.1 | 41.5 | 45.0 | 45.1 | 45.4 | 38.8 | 34.6 | 43.4 | 45.3 | 41.6 | **5,604.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,684.0** |
| OIL | 1960 | 41.0 | 46.9 | 37.8 | 41.0 | 40.5 | 35.6 | 48.9 | 41.6 | 44.5 | 51.6 | 42.7 | 81.0 | **5,097.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,319.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.3 | 7.0 | 0.0 | 0.0 | 0.0 | **181.9** |
| OIL | 1959 | 38.8 | 34.5 | 38.1 | 40.2 | 34.0 | 31.8 | 39.9 | 34.0 | 31.8 | 33.8 | 31.0 | 38.6 | **4,544.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,955.0** |
| H2O | 1958 | 2.9 | 2.5 | 0.0 | 0.0 | 2.9 | 3.0 | 3.2 | 3.3 | 0.0 | 2.9 | 2.7 | 5.7 | **167.6** |
| OIL | 1958 | 45.4 | 41.6 | 43.1 | 44.8 | 44.2 | 42.9 | 42.9 | 43.2 | 47.2 | 41.3 | 37.8 | 37.5 | **4,117.5** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **1,590.0** |
| H2O | 1957 | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | 3.0 | 5.6 | 23.4 | 27.8 | **138.5** |
| OIL | 1957 | 53.6 | 45.8 | 49.9 | 49.9 | 45.3 | 50.2 | 52.0 | 50.2 | 38.9 | 33.7 | 45.3 | 46.9 | **3,605.6** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,228.0** |
| H2O | 1956 | 1.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | **76.9** |
| OIL | 1956 | 57.4 | 45.3 | 53.2 | 50.5 | 50.4 | 50.7 | 50.5 | 57.0 | 60.5 | 60.1 | 58.5 | 64.0 | **3,043.9** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **863.0** |
| H2O | 1955 | 3.0 | 0.2 | 0.8 | 0.2 | 1.6 | 0.8 | 0.3 | 0.6 | 0.5 | 1.0 | 1.0 | 0.8 | **73.6** |
| OIL | 1955 | 61.5 | 52.4 | 63.6 | 65.0 | 63.1 | 53.4 | 58.6 | 62.6 | 39.9 | 66.3 | 55.6 | 50.2 | **2,385.8** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **499.0** |
| H2O | 1954 | 4.1 | 4.8 | 4.8 | 2.9 | 4.6 | 3.5 | 3.7 | 3.2 | 2.4 | 1.9 | 2.2 | 2.4 | **62.8** |
| OIL | 1954 | 101.1 | 84.5 | 77.2 | 72.1 | 70.9 | 72.0 | 72.9 | 72.9 | 57.0 | 59.6 | 62.5 | 71.5 | **1,693.6** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 30.0 | 31.0 | 24.0 | 31.0 | **134.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 4.9 | 5.1 | 3.8 | 4.5 | **22.3** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 198.1 | 194.5 | 182.6 | 130.4 | 113.8 | **819.4** |

Licence ***291*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **8,018.0** |
| H2O | 1975 | 75.2 | 75.2 | 67.9 | 53.1 | 75.2 | 81.6 | 75.2 | 67.9 | 75.2 | 82.0 | 68.4 | 75.2 | **8,055.3** |
| OIL | 1975 | 93.9 | 83.3 | 93.8 | 93.0 | 93.8 | 91.5 | 96.1 | 96.0 | 92.2 | 93.9 | 85.0 | 93.9 | **25,404.4** |
| DAY | 1974 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,653.0** |
| H2O | 1974 | 71.2 | 74.1 | 82.0 | 75.2 | 82.0 | 75.2 | 82.0 | 82.0 | 88.9 | 95.7 | 75.2 | 82.0 | **7,183.2** |
| OIL | 1974 | 86.0 | 87.6 | 100.7 | 93.8 | 97.3 | 93.8 | 95.7 | 96.0 | 92.8 | 87.9 | 83.7 | 95.3 | **24,298.0** |
| DAY | 1973 | 20.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **7,290.0** |
| H2O | 1973 | 47.9 | 75.2 | 82.0 | 82.0 | 82.0 | 75.2 | 75.2 | 82.0 | 75.2 | 130.0 | 68.2 | 75.2 | **6,217.7** |
| OIL | 1973 | 31.0 | 86.3 | 99.6 | 98.0 | 75.3 | 111.4 | 108.1 | 103.9 | 99.2 | 100.3 | 95.8 | 94.4 | **23,187.4** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,939.0** |
| H2O | 1972 | 54.7 | 52.6 | 54.7 | 47.9 | 61.0 | 61.5 | 61.5 | 54.7 | 61.5 | 68.4 | 61.5 | 68.4 | **5,267.6** |
| OIL | 1972 | 98.0 | 89.3 | 106.6 | 101.5 | 105.0 | 92.2 | 89.6 | 81.4 | 101.9 | 103.8 | 99.3 | 100.1 | **22,084.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,579.0** |
| H2O | 1971 | 50.9 | 41.0 | 41.0 | 40.7 | 54.7 | 68.4 | 61.5 | 54.7 | 60.6 | 75.2 | 54.2 | 62.3 | **4,559.2** |

# Manitoba Production
## 1950 To 1975

Licence ***291*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1971 | 104.9 | 94.7 | 101.4 | 101.4 | 103.3 | 100.7 | 99.0 | 102.2 | 98.7 | 101.9 | 98.8 | 98.0 | **20,915.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,214.0** |
| H2O | 1970 | 41.0 | 41.0 | 34.2 | 41.0 | 47.9 | 34.2 | 47.9 | 34.2 | 34.2 | 41.0 | 34.2 | 34.2 | **3,894.0** |
| OIL | 1970 | 113.9 | 100.7 | 109.5 | 106.9 | 110.1 | 104.4 | 108.2 | 104.2 | 100.0 | 102.7 | 80.6 | 105.4 | **19,710.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,849.0** |
| H2O | 1969 | 27.3 | 21.9 | 28.8 | 28.8 | 27.3 | 28.8 | 34.2 | 27.3 | 23.4 | 37.0 | 45.3 | 39.9 | **3,429.0** |
| OIL | 1969 | 106.2 | 94.9 | 104.7 | 102.0 | 102.7 | 95.7 | 102.7 | 78.2 | 99.8 | 106.2 | 103.0 | 119.7 | **18,463.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | **5,484.0** |
| H2O | 1968 | 20.5 | 27.3 | 27.3 | 27.3 | 27.3 | 30.2 | 20.5 | 31.6 | 23.4 | 21.9 | 19.9 | 27.3 | **3,059.0** |
| OIL | 1968 | 110.1 | 100.4 | 106.2 | 104.4 | 103.1 | 94.7 | 100.7 | 105.7 | 102.5 | 85.7 | 101.9 | 101.5 | **17,248.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,122.0** |
| H2O | 1967 | 27.3 | 27.3 | 34.2 | 27.3 | 27.3 | 27.3 | 27.3 | 34.2 | 27.3 | 13.7 | 27.3 | 27.3 | **2,754.5** |
| OIL | 1967 | 111.6 | 104.6 | 111.1 | 104.4 | 113.1 | 107.4 | 109.0 | 109.5 | 104.9 | 105.5 | 104.7 | 106.6 | **16,031.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 19.0 | 31.0 | 30.0 | 31.0 | **4,757.0** |
| H2O | 1966 | 27.3 | 34.2 | 34.2 | 34.2 | 34.2 | 34.2 | 27.2 | 28.8 | 14.3 | 35.6 | 27.3 | 33.9 | **2,426.7** |
| OIL | 1966 | 118.7 | 100.7 | 115.8 | 111.7 | 114.4 | 103.3 | 112.0 | 110.4 | 78.7 | 119.7 | 109.5 | 111.7 | **14,738.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 23.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **4,403.0** |
| H2O | 1965 | 27.3 | 33.4 | 27.3 | 27.3 | 34.2 | 25.6 | 40.5 | 19.9 | 35.3 | 68.4 | 27.3 | 34.2 | **2,061.3** |
| OIL | 1965 | 114.1 | 101.5 | 109.8 | 114.7 | 84.2 | 129.8 | 119.0 | 113.6 | 113.6 | 97.1 | 98.2 | 110.1 | **13,432.1** |
| DAY | 1964 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 29.0 | 28.0 | 31.0 | **4,049.0** |
| H2O | 1964 | 29.1 | 34.8 | 30.0 | 30.7 | 26.1 | 33.7 | 27.2 | 27.3 | 20.5 | 13.5 | 36.9 | 27.3 | **1,660.6** |
| OIL | 1964 | 113.1 | 110.1 | 105.8 | 103.6 | 103.9 | 118.9 | 117.0 | 108.9 | 112.2 | 103.6 | 113.0 | 114.4 | **12,126.4** |
| DAY | 1963 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,697.0** |
| H2O | 1963 | 0.0 | 0.0 | 23.4 | 26.1 | 47.4 | 26.7 | 25.3 | 25.3 | 21.6 | 27.8 | 27.8 | 28.6 | **1,323.5** |
| OIL | 1963 | 81.7 | 103.1 | 118.1 | 116.3 | 121.2 | 113.5 | 116.6 | 116.6 | 113.9 | 113.6 | 113.9 | 109.6 | **10,801.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,334.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.8 | **1,043.5** |
| OIL | 1962 | 101.4 | 95.8 | 108.7 | 106.2 | 110.8 | 109.2 | 113.0 | 110.4 | 98.5 | 119.5 | 112.3 | 121.7 | **9,463.8** |
| DAY | 1961 | 31.0 | 27.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **2,971.0** |
| OIL | 1961 | 93.8 | 85.2 | 82.5 | 100.1 | 101.7 | 99.3 | 102.3 | 103.0 | 99.3 | 89.9 | 100.1 | 91.1 | **8,156.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,613.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 4.1 | 4.6 | 4.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,036.7** |
| OIL | 1960 | 52.6 | 47.4 | 49.3 | 65.2 | 73.1 | 60.9 | 86.8 | 85.3 | 85.5 | 80.4 | 89.3 | 91.4 | **7,008.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,248.0** |
| OIL | 1959 | 49.7 | 48.8 | 52.6 | 50.2 | 52.9 | 49.6 | 50.4 | 51.3 | 47.2 | 43.2 | 43.4 | 50.2 | **6,140.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,885.0** |
| H2O | 1958 | 8.7 | 3.8 | 6.4 | 5.4 | 4.6 | 6.0 | 6.2 | 6.0 | 5.1 | 5.2 | 5.1 | 4.6 | **1,023.4** |
| OIL | 1958 | 48.0 | 50.4 | 57.7 | 54.3 | 47.4 | 54.5 | 55.1 | 54.0 | 51.0 | 53.1 | 50.7 | 53.6 | **5,551.3** |
| DAY | 1957 | 27.0 | 28.0 | 31.0 | 22.0 | 28.0 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **1,520.0** |
| H2O | 1957 | 8.4 | 8.6 | 9.5 | 6.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.4 | **956.3** |
| OIL | 1957 | 60.1 | 48.8 | 52.0 | 44.2 | 71.8 | 57.2 | 63.9 | 61.8 | 57.8 | 56.6 | 52.9 | 57.2 | **4,921.5** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | **1,174.0** |
| H2O | 1956 | 10.0 | 9.4 | 10.0 | 8.7 | 10.2 | 12.1 | 15.1 | 14.9 | 14.5 | 14.6 | 14.3 | 9.9 | **916.7** |
| OIL | 1956 | 75.6 | 72.6 | 76.4 | 72.9 | 63.9 | 65.9 | 74.5 | 71.2 | 67.4 | 66.7 | 62.9 | 55.5 | **4,237.2** |
| DAY | 1955 | 21.0 | 25.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **815.0** |
| H2O | 1955 | 4.8 | 6.5 | 7.9 | 9.9 | 51.5 | 0.3 | 25.6 | 24.6 | 20.0 | 16.9 | 10.5 | 10.3 | **773.0** |
| OIL | 1955 | 91.4 | 94.2 | 114.9 | 94.4 | 87.2 | 93.4 | 95.0 | 90.6 | 84.9 | 84.9 | 73.1 | 77.9 | **3,411.7** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 23.0 | 30.0 | 31.0 | 30.0 | 31.0 | **467.0** |
| H2O | 1954 | 71.5 | 62.0 | 29.1 | 17.0 | 20.2 | 18.4 | 26.5 | 45.2 | 31.0 | 9.1 | 8.6 | 7.6 | **584.2** |
| OIL | 1954 | 94.7 | 103.1 | 149.4 | 95.3 | 94.6 | 82.3 | 118.9 | 226.0 | 155.1 | 140.5 | 129.8 | 117.4 | **2,329.8** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 28.0 | 30.0 | 31.0 | **114.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 1.6 | 1.4 | 75.2 | 158.5 | **238.0** |

# Manitoba Production
## 1950 To 1975

Licence ***291*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 182.4 | 173.1 | 207.9 | 139.5 | 119.8 | **822.7** |

Licence ***293*** Well Name ***Scurry Cruickshank Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 14.0 | 2.0 | 2.0 | 8.0 | 9.0 | 15.0 | 6.0 | 6.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,123.0** |
| H2O | 1963 | 1.7 | 0.3 | 0.3 | 0.5 | 1.7 | 2.9 | 0.8 | 5.9 | 0.0 | 0.0 | 0.0 | 0.0 | **675.8** |
| OIL | 1963 | 4.4 | 0.6 | 0.5 | 2.5 | 3.2 | 7.8 | 2.4 | 4.8 | 0.0 | 0.0 | 0.0 | 0.0 | **1,403.9** |
| DAY | 1962 | 29.0 | 28.0 | 31.0 | 28.0 | 29.0 | 30.0 | 28.0 | 29.0 | 23.0 | 29.0 | 28.0 | 26.0 | **3,061.0** |
| H2O | 1962 | 6.8 | 5.7 | 6.7 | 5.6 | 4.0 | 4.5 | 5.6 | 5.1 | 5.9 | 5.1 | 5.2 | 4.1 | **661.7** |
| OIL | 1962 | 8.4 | 7.9 | 8.6 | 8.9 | 9.2 | 9.2 | 9.7 | 9.4 | 6.4 | 8.4 | 7.9 | 8.3 | **1,377.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 27.0 | 28.0 | 30.0 | 29.0 | 29.0 | 29.0 | 29.0 | 28.0 | 29.0 | **2,723.0** |
| H2O | 1961 | 3.8 | 3.0 | 3.7 | 3.8 | 4.9 | 4.9 | 5.6 | 4.9 | 7.3 | 6.7 | 4.8 | 7.6 | **597.4** |
| OIL | 1961 | 6.7 | 6.0 | 6.2 | 6.0 | 9.7 | 8.9 | 8.6 | 8.1 | 8.4 | 7.0 | 7.9 | 7.5 | **1,275.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 25.0 | 31.0 | **2,375.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.7 | 0.0 | 0.0 | 7.2 | 7.3 | 4.8 | 2.5 | **536.4** |
| OIL | 1960 | 7.5 | 7.0 | 7.5 | 7.2 | 7.6 | 7.3 | 7.2 | 7.6 | 5.6 | 9.4 | 7.8 | 7.8 | **1,184.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,016.0** |
| OIL | 1959 | 4.9 | 4.4 | 5.1 | 4.6 | 4.8 | 4.4 | 4.6 | 6.0 | 7.3 | 7.8 | 7.3 | 7.8 | **1,094.9** |
| DAY | 1958 | 30.0 | 28.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | **1,654.0** |
| H2O | 1958 | 2.4 | 1.1 | 1.1 | 3.2 | 3.2 | 4.0 | 4.1 | 2.2 | 2.7 | 3.5 | 4.1 | 4.5 | **508.9** |
| OIL | 1958 | 11.1 | 6.5 | 6.7 | 3.5 | 3.5 | 4.1 | 4.6 | 4.6 | 4.4 | 4.3 | 4.8 | 5.1 | **1,025.9** |
| DAY | 1957 | 30.0 | 27.0 | 30.0 | 29.0 | 29.0 | 25.0 | 29.0 | 25.0 | 30.0 | 30.0 | 28.0 | 30.0 | **1,297.0** |
| H2O | 1957 | 2.5 | 2.1 | 2.2 | 2.2 | 2.7 | 3.8 | 2.1 | 2.1 | 2.7 | 1.4 | 1.3 | 4.0 | **472.8** |
| OIL | 1957 | 12.2 | 10.2 | 11.4 | 11.9 | 12.4 | 23.2 | 13.3 | 14.1 | 14.1 | 7.3 | 6.7 | 1.9 | **962.7** |
| DAY | 1956 | 15.0 | 13.0 | 13.0 | 16.0 | 22.0 | 25.0 | 27.0 | 24.0 | 30.0 | 30.0 | 29.0 | 30.0 | **955.0** |
| H2O | 1956 | 1.7 | 1.1 | 1.1 | 1.7 | 2.2 | 3.3 | 1.3 | 2.7 | 3.8 | 4.8 | 2.4 | 2.4 | **443.7** |
| OIL | 1956 | 10.3 | 7.6 | 7.3 | 9.2 | 9.1 | 4.0 | 10.8 | 12.6 | 8.7 | 9.4 | 9.4 | 9.5 | **824.0** |
| DAY | 1955 | 31.0 | 24.0 | 30.0 | 22.0 | 21.0 | 15.0 | 16.0 | 15.0 | 15.0 | 20.0 | 15.0 | 14.0 | **681.0** |
| H2O | 1955 | 9.5 | 7.6 | 9.4 | 8.6 | 25.8 | 0.2 | 0.0 | 3.7 | 4.5 | 5.1 | 1.3 | 1.7 | **415.2** |
| OIL | 1955 | 18.8 | 18.6 | 19.1 | 17.5 | 17.5 | 21.9 | 21.1 | 11.4 | 6.8 | 11.4 | 8.3 | 9.1 | **716.1** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **443.0** |
| H2O | 1954 | 55.5 | 33.9 | 19.2 | 9.1 | 41.8 | 37.7 | 23.7 | 9.9 | 5.6 | 5.9 | 39.0 | 15.6 | **337.8** |
| OIL | 1954 | 40.2 | 41.2 | 41.0 | 34.2 | 68.2 | 79.3 | 34.2 | 14.3 | 12.2 | 11.6 | 21.1 | 24.3 | **534.6** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 30.0 | 31.0 | **81.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.2 | 34.5 | 3.2 | **40.9** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 50.5 | 34.5 | 27.8 | **112.8** |

Licence ***296*** Well Name ***Scurry Cruickshank Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 29.0 | 28.0 | 2.0 | 8.0 | 9.0 | 8.0 | 13.0 | 6.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,089.0** |
| H2O | 1963 | 4.1 | 4.5 | 0.5 | 0.3 | 1.7 | 1.7 | 5.9 | 6.7 | 0.0 | 0.0 | 0.0 | 0.0 | **758.3** |
| OIL | 1963 | 8.1 | 8.4 | 0.5 | 2.4 | 2.9 | 3.5 | 8.1 | 12.4 | 0.0 | 0.0 | 0.0 | 0.0 | **1,309.6** |
| DAY | 1962 | 29.0 | 28.0 | 31.0 | 28.0 | 29.0 | 27.0 | 29.0 | 25.0 | 23.0 | 29.0 | 28.0 | 26.0 | **2,986.0** |
| H2O | 1962 | 7.0 | 5.7 | 6.7 | 5.6 | 3.8 | 4.3 | 5.6 | 4.3 | 5.9 | 5.1 | 5.1 | 4.0 | **732.9** |
| OIL | 1962 | 7.5 | 6.8 | 7.5 | 7.8 | 8.1 | 7.6 | 8.6 | 7.2 | 5.6 | 9.7 | 7.0 | 7.5 | **1,263.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 29.0 | 28.0 | 30.0 | 29.0 | 29.0 | 28.0 | 29.0 | 28.0 | 29.0 | **2,654.0** |
| H2O | 1961 | 3.8 | 3.0 | 3.5 | 4.0 | 4.9 | 5.1 | 5.6 | 5.1 | 7.2 | 6.7 | 4.8 | 7.6 | **669.8** |
| OIL | 1961 | 6.8 | 6.0 | 5.9 | 5.4 | 7.9 | 7.6 | 7.6 | 7.0 | 7.2 | 6.2 | 7.0 | 6.7 | **1,172.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | **2,305.0** |

# Manitoba Production
## 1950 To 1975

Licence ***296*** Well Name ***Scurry Cruickshank Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.2 | 0.0 | 0.0 | 4.6 | 3.7 | 4.8 | 2.5 | **608.5** |
| OIL | 1960 | 7.6 | 7.0 | 7.5 | 7.2 | 7.5 | 7.3 | 7.2 | 8.4 | 5.4 | 9.4 | 7.8 | 7.8 | **1,091.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,944.0** |
| OIL | 1959 | 4.9 | 4.4 | 3.5 | 4.6 | 4.6 | 4.6 | 4.8 | 7.0 | 7.3 | 7.8 | 7.3 | 7.8 | **1,001.0** |
| DAY | 1958 | 30.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **1,580.0** |
| H2O | 1958 | 4.1 | 2.5 | 3.3 | 3.2 | 4.1 | 4.0 | 4.1 | 4.3 | 4.3 | 2.9 | 4.0 | 4.0 | **587.7** |
| OIL | 1958 | 4.1 | 3.2 | 4.1 | 3.5 | 4.4 | 4.4 | 4.6 | 4.6 | 4.4 | 4.3 | 4.8 | 5.1 | **932.4** |
| DAY | 1957 | 30.0 | 27.0 | 30.0 | 29.0 | 29.0 | 28.0 | 30.0 | 30.0 | 28.0 | 31.0 | 28.0 | 30.0 | **1,220.0** |
| H2O | 1957 | 4.6 | 4.0 | 4.5 | 4.3 | 4.3 | 4.1 | 3.8 | 1.9 | 1.6 | 1.7 | 1.0 | 3.5 | **542.9** |
| OIL | 1957 | 15.3 | 13.3 | 15.1 | 15.3 | 15.7 | 17.8 | 16.7 | 10.5 | 7.0 | 8.1 | 4.3 | 6.7 | **880.9** |
| DAY | 1956 | 31.0 | 27.0 | 21.0 | 27.0 | 29.0 | 24.0 | 29.0 | 21.0 | 28.0 | 31.0 | 29.0 | 30.0 | **870.0** |
| H2O | 1956 | 5.7 | 4.5 | 3.3 | 3.8 | 4.0 | 4.0 | 6.4 | 4.3 | 4.6 | 5.1 | 4.6 | 4.8 | **503.6** |
| OIL | 1956 | 39.6 | 31.8 | 21.6 | 24.3 | 20.2 | 8.1 | 15.6 | 14.1 | 17.2 | 19.2 | 18.8 | 14.8 | **735.1** |
| DAY | 1955 | 17.0 | 23.0 | 30.0 | 17.0 | 13.0 | 18.0 | 12.0 | 16.0 | 25.0 | 28.0 | 29.0 | 30.0 | **543.0** |
| H2O | 1955 | 43.2 | 30.2 | 38.3 | 19.2 | 3.0 | 0.2 | 18.8 | 6.5 | 12.1 | 14.1 | 13.2 | 6.4 | **448.5** |
| OIL | 1955 | 13.5 | 8.4 | 9.1 | 6.0 | 6.2 | 7.8 | 11.8 | 14.0 | 30.5 | 46.6 | 42.3 | 42.1 | **489.8** |
| DAY | 1954 | 13.0 | 28.0 | 31.0 | 30.0 | 29.0 | 2.0 | 0.0 | 0.0 | 0.0 | 10.0 | 9.0 | 16.0 | **285.0** |
| H2O | 1954 | 0.6 | 1.6 | 7.2 | 4.8 | 0.3 | 0.3 | 0.0 | 0.0 | 0.0 | 38.0 | 37.2 | 51.4 | **243.3** |
| OIL | 1954 | 5.2 | 10.3 | 15.1 | 13.3 | 7.6 | 8.1 | 0.0 | 0.0 | 0.0 | 25.7 | 9.1 | 10.6 | **251.5** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 12.0 | 29.0 | 30.0 | 31.0 | **117.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.4 | 8.9 | 3.8 | 60.4 | 26.4 | **101.9** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 32.1 | 25.4 | 46.1 | 25.9 | 17.0 | **146.5** |

Licence ***297*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 17.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,240.0** |
| H2O | 1975 | 19.4 | 9.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,109.9** |
| OIL | 1975 | 15.1 | 8.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **9,036.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,192.0** |
| H2O | 1974 | 20.7 | 18.3 | 20.2 | 23.2 | 20.0 | 9.1 | 14.9 | 14.1 | 20.0 | 20.5 | 19.4 | 19.4 | **2,080.6** |
| OIL | 1974 | 9.4 | 13.7 | 15.6 | 18.8 | 14.6 | 14.9 | 15.1 | 14.0 | 15.1 | 15.7 | 15.7 | 15.1 | **9,013.1** |
| DAY | 1973 | 31.0 | 22.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 30.0 | **6,827.0** |
| H2O | 1973 | 42.9 | 16.1 | 13.8 | 14.3 | 15.1 | 14.8 | 19.9 | 20.2 | 19.6 | 22.4 | 18.6 | 19.1 | **1,860.8** |
| OIL | 1973 | 19.9 | 7.3 | 18.3 | 20.2 | 18.6 | 8.9 | 14.6 | 18.8 | 23.2 | 21.5 | 18.6 | 19.6 | **8,835.4** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 16.0 | **6,474.0** |
| H2O | 1972 | 9.1 | 8.4 | 8.9 | 9.4 | 9.2 | 9.4 | 9.1 | 9.1 | 4.5 | 4.8 | 8.6 | 4.8 | **1,624.0** |
| OIL | 1972 | 9.2 | 8.9 | 9.2 | 8.7 | 9.4 | 8.9 | 8.7 | 8.7 | 4.1 | 4.8 | 8.9 | 4.6 | **8,625.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,123.0** |
| H2O | 1971 | 5.4 | 4.9 | 5.7 | 5.1 | 15.4 | 8.6 | 9.2 | 9.2 | 9.4 | 9.7 | 8.4 | 11.3 | **1,528.7** |
| OIL | 1971 | 25.4 | 28.5 | 31.3 | 29.3 | 14.8 | 8.9 | 9.7 | 9.5 | 9.2 | 9.1 | 9.5 | 9.4 | **8,531.8** |
| DAY | 1970 | 31.0 | 28.0 | 29.0 | 30.0 | 29.0 | 29.0 | 22.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,759.0** |
| H2O | 1970 | 11.3 | 10.8 | 3.7 | 3.3 | 4.0 | 10.8 | 12.9 | 10.3 | 7.8 | 3.7 | 8.1 | 6.4 | **1,426.4** |
| OIL | 1970 | 32.1 | 34.3 | 10.3 | 7.9 | 8.6 | 49.3 | 17.2 | 31.5 | 28.9 | 17.8 | 25.8 | 38.3 | **8,337.2** |
| DAY | 1969 | 31.0 | 25.0 | 26.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | **5,409.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.4 | 12.9 | 12.1 | 9.1 | 10.5 | 13.8 | **1,333.3** |
| OIL | 1969 | 12.7 | 10.8 | 11.8 | 12.7 | 13.4 | 12.7 | 24.5 | 26.7 | 22.3 | 20.5 | 30.2 | 39.7 | **8,035.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 23.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,057.0** |
| H2O | 1968 | 3.0 | 2.4 | 2.5 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,248.5** |
| OIL | 1968 | 35.0 | 30.8 | 29.4 | 26.9 | 11.0 | 11.3 | 10.5 | 14.1 | 13.2 | 12.1 | 12.9 | 14.1 | **7,797.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,706.0** |

# Manitoba Production
## 1950 To 1975

Licence ***297*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1967 | 4.3 | 3.3 | 4.1 | 6.0 | 3.8 | 3.8 | 1.0 | 4.8 | 3.7 | 6.0 | 1.9 | 3.2 | **1,238.1** |
| OIL | 1967 | 35.1 | 31.8 | 36.1 | 36.5 | 36.9 | 34.8 | 17.3 | 40.8 | 36.7 | 35.9 | 36.1 | 36.1 | **7,575.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,345.0** |
| H2O | 1966 | 4.9 | 4.3 | 5.2 | 2.1 | 2.1 | 2.2 | 2.7 | 3.7 | 2.9 | 2.9 | 0.6 | 1.6 | **1,192.2** |
| OIL | 1966 | 31.6 | 30.5 | 33.7 | 34.2 | 35.8 | 32.7 | 38.5 | 39.6 | 35.3 | 40.0 | 32.3 | 37.5 | **7,161.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 27.0 | 29.0 | 29.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,982.0** |
| H2O | 1965 | 9.4 | 6.8 | 8.1 | 7.0 | 8.7 | 6.5 | 8.4 | 8.7 | 6.5 | 5.2 | 5.2 | 4.9 | **1,157.0** |
| OIL | 1965 | 33.7 | 25.6 | 28.3 | 22.9 | 33.2 | 28.1 | 37.3 | 37.8 | 36.4 | 34.8 | 35.6 | 32.4 | **6,740.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 25.0 | 28.0 | 27.0 | 28.0 | 31.0 | 27.0 | 30.0 | 29.0 | 31.0 | **3,625.0** |
| H2O | 1964 | 7.3 | 6.7 | 7.2 | 7.3 | 14.1 | 7.0 | 8.6 | 5.4 | 4.6 | 9.9 | 9.4 | 10.0 | **1,071.6** |
| OIL | 1964 | 37.0 | 33.5 | 37.0 | 31.9 | 33.4 | 47.5 | 40.8 | 50.7 | 43.9 | 37.2 | 30.2 | 30.7 | **6,354.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 28.0 | 28.0 | 28.0 | 27.0 | 28.0 | 30.0 | 31.0 | **3,278.0** |
| H2O | 1963 | 7.8 | 6.2 | 7.2 | 7.5 | 3.7 | 0.0 | 4.5 | 17.0 | 0.0 | 7.6 | 8.4 | 8.3 | **974.1** |
| OIL | 1963 | 33.4 | 28.8 | 32.9 | 31.8 | 34.6 | 49.1 | 40.8 | 45.1 | 62.1 | 37.5 | 38.0 | 37.5 | **5,900.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 27.0 | 30.0 | 28.0 | 28.0 | 28.0 | 27.0 | 29.0 | 27.0 | 31.0 | **2,932.0** |
| H2O | 1962 | 11.1 | 9.9 | 11.1 | 3.5 | 4.0 | 4.8 | 13.7 | 11.3 | 23.5 | 13.8 | 7.3 | 7.8 | **895.9** |
| OIL | 1962 | 55.3 | 48.0 | 53.4 | 59.1 | 69.1 | 61.8 | 35.4 | 46.9 | 22.1 | 35.9 | 33.4 | 33.7 | **5,428.6** |
| DAY | 1961 | 30.0 | 20.0 | 26.0 | 29.0 | 29.0 | 30.0 | 29.0 | 28.0 | 28.0 | 28.0 | 28.0 | 31.0 | **2,587.0** |
| H2O | 1961 | 7.3 | 4.3 | 15.4 | 20.2 | 23.5 | 28.3 | 25.0 | 23.1 | 23.1 | 20.5 | 15.4 | 11.4 | **774.1** |
| OIL | 1961 | 25.1 | 14.6 | 173.8 | 177.3 | 144.3 | 134.6 | 96.0 | 114.7 | 78.5 | 69.6 | 63.9 | 58.2 | **4,874.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,251.0** |
| H2O | 1960 | 5.4 | 5.4 | 5.6 | 5.1 | 5.2 | 5.2 | 12.9 | 11.9 | 10.7 | 5.2 | 4.8 | 4.3 | **556.6** |
| OIL | 1960 | 27.3 | 25.6 | 27.0 | 25.9 | 27.0 | 28.1 | 22.6 | 23.5 | 24.8 | 24.0 | 27.2 | 26.2 | **3,723.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,886.0** |
| H2O | 1959 | 6.0 | 5.4 | 5.9 | 5.6 | 5.9 | 5.9 | 6.0 | 5.9 | 6.0 | 6.4 | 4.8 | 4.8 | **474.9** |
| OIL | 1959 | 26.7 | 24.3 | 26.9 | 26.5 | 27.0 | 25.9 | 26.4 | 27.8 | 27.8 | 28.0 | 26.9 | 27.3 | **3,414.7** |
| DAY | 1958 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | **1,522.0** |
| H2O | 1958 | 5.9 | 4.3 | 5.2 | 4.9 | 5.1 | 4.9 | 4.8 | 4.8 | 5.1 | 5.1 | 5.4 | 5.6 | **406.3** |
| OIL | 1958 | 31.9 | 30.4 | 36.5 | 33.1 | 32.1 | 27.2 | 28.3 | 27.0 | 25.6 | 29.4 | 26.9 | 27.8 | **3,093.2** |
| DAY | 1957 | 30.0 | 27.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 27.0 | 30.0 | 30.0 | 30.0 | **1,164.0** |
| H2O | 1957 | 5.6 | 5.4 | 7.6 | 7.3 | 7.2 | 2.9 | 4.5 | 4.1 | 3.5 | 4.3 | 3.7 | 4.0 | **345.2** |
| OIL | 1957 | 34.0 | 29.7 | 38.0 | 35.4 | 34.2 | 19.2 | 37.0 | 33.2 | 30.7 | 30.5 | 29.4 | 31.1 | **2,737.0** |
| DAY | 1956 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 28.0 | 26.0 | 30.0 | 30.0 | **809.0** |
| H2O | 1956 | 9.5 | 9.2 | 9.7 | 9.7 | 10.3 | 7.5 | 6.7 | 5.1 | 6.4 | 4.5 | 5.7 | 5.6 | **285.1** |
| OIL | 1956 | 45.0 | 36.2 | 41.0 | 48.1 | 46.9 | 39.9 | 42.6 | 43.2 | 43.1 | 36.2 | 39.4 | 37.5 | **2,354.6** |
| DAY | 1955 | 31.0 | 27.0 | 31.0 | 30.0 | 29.0 | 29.0 | 26.0 | 30.0 | 29.0 | 28.0 | 29.0 | 30.0 | **456.0** |
| H2O | 1955 | 10.3 | 9.4 | 10.8 | 1.1 | 5.6 | 4.3 | 6.0 | 7.2 | 5.9 | 8.6 | 2.4 | 5.1 | **195.2** |
| OIL | 1955 | 150.2 | 123.3 | 121.9 | 86.4 | 84.1 | 76.4 | 64.5 | 66.6 | 59.3 | 57.7 | 53.2 | 54.7 | **1,855.5** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 31.0 | 30.0 | 31.0 | **107.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.9 | 36.6 | 33.7 | 29.3 | **118.5** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 194.5 | 328.3 | 188.5 | 145.9 | **857.2** |

Licence ***298*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,892.0** |
| OIL | 1975 | 46.9 | 44.4 | 49.0 | 46.1 | 42.4 | 46.4 | 59.1 | 57.1 | 55.8 | 58.0 | 56.0 | 57.9 | **16,079.6** |
| DAY | 1974 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 23.0 | 25.0 | 13.0 | 30.0 | 31.0 | 30.0 | 25.0 | **7,531.0** |
| OIL | 1974 | 52.3 | 61.1 | 59.5 | 55.3 | 56.4 | 43.7 | 42.9 | 14.3 | 48.5 | 50.6 | 50.4 | 39.3 | **15,460.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,206.0** |
| H2O | 1973 | 10.3 | 45.2 | 46.1 | 45.8 | 46.9 | 8.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,032.5** |

# Manitoba Production
## 1950 To 1975

Licence ***298*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1973 | 53.7 | 53.7 | 55.8 | 59.6 | 61.7 | 38.6 | 65.5 | 63.9 | 55.5 | 49.3 | 62.0 | 69.8 | **14,886.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **6,844.0** |
| H2O | 1972 | 9.1 | 4.1 | 4.5 | 4.6 | 4.6 | 9.4 | 9.1 | 4.5 | 4.5 | 4.8 | 4.3 | 4.8 | **2,829.9** |
| OIL | 1972 | 48.2 | 46.4 | 52.9 | 50.4 | 53.4 | 50.9 | 50.6 | 46.6 | 33.9 | 49.3 | 46.4 | 47.4 | **14,197.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,479.0** |
| H2O | 1971 | 8.6 | 8.1 | 8.9 | 8.4 | 15.4 | 8.6 | 9.2 | 9.2 | 4.6 | 4.8 | 4.1 | 5.6 | **2,761.6** |
| OIL | 1971 | 36.7 | 41.2 | 45.2 | 42.4 | 71.2 | 43.2 | 60.3 | 59.5 | 57.1 | 52.0 | 54.2 | 53.4 | **13,620.7** |
| DAY | 1970 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | **6,115.0** |
| H2O | 1970 | 8.7 | 8.3 | 7.6 | 6.7 | 8.7 | 5.4 | 13.5 | 15.1 | 12.7 | 11.8 | 13.0 | 9.7 | **2,666.1** |
| OIL | 1970 | 42.9 | 45.5 | 38.6 | 28.8 | 34.8 | 41.3 | 28.1 | 24.6 | 25.0 | 49.9 | 37.7 | 52.9 | **13,004.3** |
| DAY | 1969 | 31.0 | 25.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 26.0 | 30.0 | 30.0 | 30.0 | 30.0 | **5,758.0** |
| H2O | 1969 | 28.1 | 21.3 | 37.7 | 39.7 | 55.5 | 37.8 | 13.0 | 4.9 | 5.9 | 4.3 | 13.2 | 10.7 | **2,544.9** |
| OIL | 1969 | 52.6 | 45.0 | 56.8 | 52.5 | 55.6 | 52.8 | 38.6 | 32.6 | 35.1 | 30.7 | 62.5 | 52.6 | **12,554.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 23.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,405.0** |
| H2O | 1968 | 25.0 | 20.0 | 21.3 | 20.5 | 21.3 | 21.0 | 23.4 | 24.5 | 20.5 | 21.6 | 25.0 | 28.5 | **2,272.8** |
| OIL | 1968 | 98.8 | 87.7 | 83.4 | 73.6 | 45.4 | 46.4 | 56.6 | 58.3 | 54.5 | 50.1 | 53.1 | 57.7 | **11,986.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | **5,048.0** |
| H2O | 1967 | 4.1 | 3.2 | 4.1 | 6.0 | 3.7 | 3.8 | 15.6 | 39.1 | 30.7 | 45.3 | 15.6 | 26.2 | **2,000.2** |
| OIL | 1967 | 4.3 | 4.0 | 4.3 | 4.4 | 4.4 | 4.3 | 82.0 | 116.0 | 104.2 | 94.7 | 102.5 | 102.7 | **11,221.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,686.0** |
| H2O | 1966 | 4.0 | 3.7 | 4.1 | 1.6 | 1.6 | 1.7 | 2.7 | 0.5 | 2.7 | 2.7 | 3.7 | 1.6 | **1,802.8** |
| OIL | 1966 | 24.9 | 24.0 | 26.4 | 26.9 | 28.3 | 25.7 | 4.6 | 4.0 | 4.9 | 4.3 | 4.8 | 4.6 | **10,593.4** |
| DAY | 1965 | 24.0 | 27.0 | 28.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,324.0** |
| H2O | 1965 | 7.2 | 6.5 | 7.0 | 7.8 | 12.1 | 8.4 | 6.5 | 7.6 | 5.2 | 4.3 | 4.3 | 4.0 | **1,772.2** |
| OIL | 1965 | 45.0 | 42.0 | 43.5 | 29.2 | 35.4 | 31.9 | 28.4 | 32.6 | 28.6 | 27.5 | 28.1 | 25.4 | **10,410.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 21.0 | 28.0 | 27.0 | 28.0 | 30.0 | 27.0 | 30.0 | 29.0 | 31.0 | **3,972.0** |
| H2O | 1964 | 11.6 | 10.8 | 11.6 | 10.0 | 8.7 | 14.0 | 17.2 | 10.3 | 14.8 | 9.7 | 9.4 | 10.0 | **1,691.3** |
| OIL | 1964 | 61.3 | 55.5 | 61.2 | 51.5 | 62.3 | 55.3 | 56.6 | 58.5 | 51.5 | 65.5 | 52.0 | 78.8 | **10,012.4** |
| DAY | 1963 | 31.0 | 27.0 | 31.0 | 30.0 | 26.0 | 27.0 | 28.0 | 27.0 | 28.0 | 30.0 | 30.0 | 30.0 | **3,630.0** |
| H2O | 1963 | 16.4 | 12.6 | 15.3 | 15.7 | 3.3 | 16.2 | 18.6 | 10.5 | 10.0 | 12.2 | 13.5 | 13.4 | **1,553.2** |
| OIL | 1963 | 83.9 | 69.4 | 82.6 | 79.6 | 74.4 | 65.6 | 72.1 | 69.6 | 67.4 | 62.1 | 62.8 | 62.3 | **9,302.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 27.0 | 30.0 | 27.0 | 28.0 | 28.0 | 27.0 | 28.0 | 27.0 | 31.0 | **3,285.0** |
| H2O | 1962 | 18.0 | 15.7 | 17.8 | 17.6 | 21.1 | 24.2 | 18.0 | 0.0 | 9.2 | 8.4 | 15.6 | 16.4 | **1,395.5** |
| OIL | 1962 | 123.9 | 107.4 | 119.7 | 86.3 | 105.0 | 90.6 | 94.4 | 83.7 | 87.6 | 86.0 | 83.9 | 84.9 | **8,450.6** |
| DAY | 1961 | 31.0 | 28.0 | 29.0 | 28.0 | 29.0 | 30.0 | 29.0 | 27.0 | 28.0 | 28.0 | 28.0 | 30.0 | **2,942.0** |
| H2O | 1961 | 34.8 | 29.4 | 32.3 | 16.9 | 13.5 | 16.1 | 14.3 | 13.0 | 4.5 | 5.1 | 15.4 | 18.4 | **1,213.5** |
| OIL | 1961 | 244.3 | 198.0 | 220.7 | 162.1 | 194.8 | 175.8 | 135.4 | 138.4 | 120.3 | 115.8 | 122.5 | 130.1 | **7,297.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **2,597.0** |
| H2O | 1960 | 5.4 | 5.4 | 5.6 | 5.1 | 5.2 | 5.2 | 12.9 | 11.9 | 10.7 | 5.1 | 17.3 | 43.9 | **999.8** |
| OIL | 1960 | 27.3 | 25.6 | 27.0 | 25.9 | 27.0 | 28.1 | 22.6 | 23.7 | 24.9 | 23.2 | 178.0 | 334.9 | **5,339.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,233.0** |
| H2O | 1959 | 6.0 | 5.4 | 5.9 | 5.6 | 5.9 | 5.6 | 6.0 | 5.9 | 6.0 | 6.4 | 4.8 | 4.9 | **866.1** |
| OIL | 1959 | 26.7 | 24.3 | 26.9 | 26.5 | 27.0 | 25.1 | 26.4 | 27.8 | 27.8 | 28.0 | 26.9 | 27.3 | **4,570.8** |
| DAY | 1958 | 30.0 | 28.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **1,870.0** |
| H2O | 1958 | 5.9 | 4.3 | 5.4 | 4.9 | 5.1 | 5.1 | 4.8 | 5.1 | 5.1 | 5.1 | 5.4 | 5.6 | **797.7** |
| OIL | 1958 | 29.7 | 26.2 | 28.3 | 29.7 | 31.9 | 33.8 | 37.3 | 36.1 | 29.6 | 34.0 | 26.7 | 27.8 | **4,250.1** |
| DAY | 1957 | 30.0 | 27.0 | 30.0 | 29.0 | 29.0 | 28.0 | 30.0 | 29.0 | 28.0 | 30.0 | 30.0 | 30.0 | **1,512.0** |
| H2O | 1957 | 5.7 | 5.4 | 7.6 | 9.9 | 7.2 | 2.7 | 9.2 | 8.9 | 6.0 | 4.3 | 3.7 | 4.0 | **735.9** |
| OIL | 1957 | 40.8 | 34.3 | 41.2 | 44.3 | 48.3 | 22.9 | 32.3 | 31.1 | 31.6 | 30.5 | 29.4 | 31.1 | **3,879.0** |
| DAY | 1956 | 30.0 | 29.0 | 30.0 | 30.0 | 29.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 29.0 | 30.0 | **1,162.0** |
| H2O | 1956 | 12.2 | 8.9 | 9.7 | 11.9 | 8.7 | 6.2 | 8.7 | 9.7 | 11.8 | 8.7 | 10.7 | 8.6 | **661.3** |
| OIL | 1956 | 42.0 | 39.3 | 41.0 | 47.8 | 45.1 | 47.0 | 50.7 | 47.8 | 48.1 | 39.1 | 34.0 | 39.7 | **3,461.2** |

# Manitoba Production
## 1950 To 1975

Licence ***298*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1955 | 30.0 | 28.0 | 31.0 | 29.0 | 30.0 | 28.0 | 30.0 | 30.0 | 29.0 | 29.0 | 29.0 | 28.0 | **806.0** |
| H2O | 1955 | 10.0 | 9.5 | 5.2 | 23.1 | 15.6 | 16.4 | 19.4 | 18.6 | 17.0 | 14.3 | 18.9 | 15.4 | **545.5** |
| OIL | 1955 | 72.8 | 65.9 | 56.7 | 63.6 | 65.3 | 50.9 | 53.6 | 48.1 | 39.7 | 32.1 | 44.5 | 42.6 | **2,939.6** |
| DAY | 1954 | 12.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **455.0** |
| H2O | 1954 | 5.9 | 29.9 | 21.5 | 34.7 | 30.8 | 23.7 | 34.5 | 26.7 | 27.0 | 53.3 | 10.8 | 15.1 | **362.1** |
| OIL | 1954 | 42.9 | 343.0 | 196.5 | 202.2 | 132.5 | 116.8 | 156.4 | 160.2 | 159.7 | 150.3 | 71.2 | 75.0 | **2,303.8** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 29.0 | 30.0 | 31.0 | **113.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.7 | 0.2 | 32.9 | 13.4 | **48.2** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 64.2 | 201.2 | 116.0 | 115.7 | **497.1** |

Licence ***301*** Well Name ***Recovery Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 3.0 | 0.0 | 0.0 | 26.0 | 9.0 | 0.0 | 0.0 | **1,099.0** |
| H2O | 1957 | 19.1 | 16.5 | 18.0 | 13.7 | 7.2 | 0.6 | 0.0 | 0.0 | 14.4 | 6.0 | 0.0 | 0.0 | **361.2** |
| OIL | 1957 | 8.6 | 6.8 | 9.9 | 9.2 | 9.1 | 0.8 | 0.0 | 0.0 | 14.6 | 2.2 | 0.0 | 0.0 | **817.8** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **910.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 20.7 | 18.8 | 19.1 | 19.6 | 20.5 | 18.9 | **265.7** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.5 | 20.2 | 9.9 | 9.5 | 9.7 | 9.1 | 8.9 | **756.6** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 25.0 | 0.0 | 0.0 | 0.0 | 0.0 | **711.0** |
| H2O | 1955 | 9.9 | 2.7 | 0.0 | 0.0 | 0.8 | 0.0 | 2.5 | 9.1 | 0.0 | 0.0 | 0.0 | 0.0 | **130.1** |
| OIL | 1955 | 21.9 | 22.1 | 24.6 | 21.6 | 21.1 | 19.1 | 17.0 | 6.4 | 0.0 | 0.0 | 0.0 | 0.0 | **667.8** |
| DAY | 1954 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 6.0 | 31.0 | **474.0** |
| H2O | 1954 | 0.0 | 0.0 | 1.6 | 0.0 | 1.6 | 12.2 | 1.9 | 15.9 | 28.3 | 6.4 | 7.0 | 15.9 | **105.1** |
| OIL | 1954 | 24.6 | 22.2 | 19.1 | 21.8 | 24.0 | 57.4 | 45.6 | 36.2 | 28.8 | 24.6 | 3.7 | 24.6 | **514.0** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 23.0 | 23.0 | 31.0 | **138.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.8 | 7.5 | 0.0 | 0.0 | 0.0 | **14.3** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 49.1 | 56.4 | 25.4 | 25.7 | 24.8 | **181.4** |

Licence ***302*** Well Name ***Kiwi Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 27.0 | 31.0 | 26.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,694.0** |
| H2O | 1975 | 9.9 | 8.6 | 5.7 | 8.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,737.2** |
| OIL | 1975 | 12.1 | 14.3 | 15.4 | 11.3 | 17.8 | 15.7 | 20.0 | 20.0 | 19.9 | 22.4 | 17.8 | 15.4 | **4,623.9** |
| DAY | 1974 | 31.0 | 28.0 | 0.0 | 30.0 | 31.0 | 30.0 | 0.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **6,335.0** |
| H2O | 1974 | 14.6 | 12.9 | 14.3 | 14.0 | 14.6 | 12.9 | 14.0 | 14.8 | 14.3 | 14.8 | 10.8 | 10.5 | **3,704.7** |
| OIL | 1974 | 17.2 | 14.9 | 12.9 | 11.0 | 18.6 | 19.9 | 19.4 | 18.8 | 18.6 | 17.5 | 14.0 | 15.6 | **4,421.8** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 30.0 | 0.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,034.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 35.8 | 16.7 | 20.5 | 31.5 | 18.8 | 17.8 | 14.9 | 14.3 | 14.0 | **3,542.2** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 27.3 | 24.9 | 20.2 | 18.8 | 18.3 | 18.3 | 19.5 | 18.8 | 18.3 | **4,223.4** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 25.0 | 27.0 | 29.0 | 30.0 | 31.0 | 30.0 | 0.0 | **5,791.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 40.7 | 43.9 | 62.5 | 63.1 | 59.0 | 55.1 | 48.8 | 0.0 | **3,357.9** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 28.8 | 22.2 | 23.7 | 28.0 | 25.9 | 29.2 | 24.6 | 0.0 | **4,039.0** |
| DAY | 1971 | 31.0 | 28.0 | 25.0 | 25.0 | 0.0 | 29.0 | 30.0 | 31.0 | 22.0 | 25.0 | 27.0 | 13.0 | **5,598.0** |
| H2O | 1971 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 4.0 | 15.9 | 3.7 | **2,984.8** |
| OIL | 1971 | 11.0 | 11.8 | 19.9 | 15.6 | 14.6 | 14.3 | 16.0 | 16.0 | 9.5 | 12.4 | 13.5 | 5.7 | **3,856.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | 29.0 | 23.0 | 31.0 | **5,312.0** |
| H2O | 1970 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 2.4 | 2.4 | **2,939.6** |
| OIL | 1970 | 19.4 | 19.2 | 21.1 | 17.8 | 21.8 | 19.2 | 18.1 | 17.0 | 20.3 | 20.3 | 11.1 | 11.3 | **3,696.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,960.0** |

# Manitoba Production
## 1950 To 1975

Licence ***302*** Well Name ***Kiwi Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1969 | 4.8 | 4.8 | 4.8 | 4.8 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | **2,902.8** |
| OIL | 1969 | 7.6 | 6.5 | 6.8 | 8.4 | 5.6 | 6.5 | 7.9 | 7.2 | 7.2 | 8.3 | 22.2 | 22.1 | **3,479.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,598.0** |
| H2O | 1968 | 14.3 | 14.3 | 14.3 | 14.3 | 9.5 | 9.5 | 9.5 | 9.5 | 9.5 | 7.9 | 7.9 | 4.8 | **2,858.0** |
| OIL | 1968 | 9.2 | 7.9 | 6.4 | 7.9 | 6.4 | 6.4 | 6.8 | 6.8 | 6.7 | 5.2 | 5.2 | 7.9 | **3,363.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,239.0** |
| H2O | 1967 | 19.2 | 13.4 | 14.8 | 14.3 | 14.8 | 14.3 | 14.8 | 14.8 | 14.3 | 14.8 | 14.3 | 14.3 | **2,732.7** |
| OIL | 1967 | 17.8 | 13.2 | 14.8 | 14.3 | 14.8 | 14.3 | 14.8 | 9.9 | 9.5 | 9.9 | 9.5 | 9.2 | **3,280.6** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 20.0 | **3,874.0** |
| H2O | 1966 | 14.8 | 13.4 | 14.1 | 14.0 | 14.6 | 13.4 | 13.8 | 14.6 | 13.8 | 13.5 | 13.2 | 1.3 | **2,554.6** |
| OIL | 1966 | 10.0 | 9.2 | 9.2 | 9.5 | 9.5 | 8.3 | 9.2 | 9.9 | 8.3 | 9.7 | 8.4 | 1.4 | **3,128.6** |
| DAY | 1965 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,522.0** |
| H2O | 1965 | 12.6 | 14.1 | 15.3 | 13.7 | 13.4 | 13.8 | 11.9 | 13.8 | 14.3 | 14.5 | 13.4 | 13.2 | **2,400.1** |
| OIL | 1965 | 15.9 | 14.3 | 14.0 | 10.5 | 14.1 | 12.2 | 10.5 | 10.8 | 11.8 | 11.3 | 9.4 | 10.5 | **3,026.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,162.0** |
| H2O | 1964 | 16.4 | 20.7 | 15.1 | 11.9 | 14.0 | 12.9 | 11.1 | 11.9 | 10.3 | 13.4 | 11.6 | 13.8 | **2,236.1** |
| OIL | 1964 | 16.4 | 17.8 | 19.4 | 27.8 | 17.8 | 14.3 | 11.9 | 12.1 | 19.2 | 14.9 | 11.6 | 11.4 | **2,880.7** |
| DAY | 1963 | 0.0 | 0.0 | 17.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,799.0** |
| H2O | 1963 | 0.0 | 0.0 | 26.7 | 42.0 | 40.4 | 26.4 | 16.2 | 17.6 | 16.1 | 17.3 | 17.5 | 10.7 | **2,073.0** |
| OIL | 1963 | 0.0 | 0.0 | 15.4 | 17.2 | 11.8 | 15.7 | 16.0 | 18.9 | 17.5 | 21.6 | 18.9 | 16.7 | **2,686.1** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | **2,511.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.7 | **1,842.1** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.5 | **2,516.4** |
| DAY | 1961 | 21.0 | 26.0 | 31.0 | 29.0 | 18.0 | 14.0 | 18.0 | 10.0 | 15.0 | 14.0 | 6.0 | 4.0 | **2,480.0** |
| H2O | 1961 | 7.0 | 8.9 | 8.1 | 5.7 | 3.8 | 2.2 | 3.5 | 1.6 | 2.7 | 1.3 | 0.5 | 1.0 | **1,821.4** |
| OIL | 1961 | 6.7 | 9.9 | 8.6 | 7.0 | 4.3 | 5.6 | 5.9 | 3.5 | 5.2 | 4.1 | 0.6 | 1.6 | **2,513.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 18.0 | 7.0 | 12.0 | 23.0 | 15.0 | 30.0 | 5.0 | 16.0 | 29.0 | **2,274.0** |
| H2O | 1960 | 14.1 | 13.8 | 14.3 | 7.6 | 23.2 | 7.9 | 8.4 | 5.6 | 13.7 | 1.4 | 7.2 | 10.5 | **1,775.1** |
| OIL | 1960 | 12.1 | 9.7 | 9.2 | 5.7 | 7.8 | 10.8 | 7.6 | 6.5 | 12.9 | 4.3 | 11.8 | 11.0 | **2,450.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,028.0** |
| H2O | 1959 | 14.1 | 13.4 | 14.0 | 14.1 | 14.6 | 14.3 | 13.8 | 14.3 | 14.0 | 14.0 | 12.9 | 14.8 | **1,647.4** |
| OIL | 1959 | 14.3 | 13.3 | 13.7 | 14.0 | 14.6 | 14.0 | 13.3 | 14.0 | 14.0 | 14.0 | 14.1 | 14.8 | **2,341.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,666.0** |
| H2O | 1958 | 17.5 | 13.0 | 14.6 | 11.1 | 13.4 | 14.0 | 14.6 | 14.3 | 14.0 | 13.8 | 14.3 | 14.8 | **1,479.1** |
| OIL | 1958 | 13.3 | 12.4 | 14.5 | 14.1 | 12.2 | 14.1 | 14.6 | 14.3 | 14.0 | 13.8 | 14.3 | 14.8 | **2,173.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **1,301.0** |
| H2O | 1957 | 29.3 | 28.8 | 24.0 | 20.8 | 18.6 | 14.5 | 10.7 | 13.0 | 17.3 | 21.6 | 13.7 | 19.1 | **1,309.7** |
| OIL | 1957 | 31.8 | 26.1 | 31.5 | 31.3 | 27.0 | 22.7 | 28.0 | 25.3 | 19.2 | 15.9 | 11.8 | 13.7 | **2,007.0** |
| DAY | 1956 | 31.0 | 14.0 | 0.0 | 0.0 | 3.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **938.0** |
| H2O | 1956 | 20.5 | 8.1 | 0.0 | 0.0 | 7.2 | 42.4 | 35.5 | 32.0 | 33.4 | 33.7 | 34.5 | 33.7 | **1,078.3** |
| OIL | 1956 | 34.0 | 11.8 | 0.0 | 0.0 | 14.9 | 59.8 | 35.6 | 33.5 | 34.6 | 31.0 | 29.1 | 32.1 | **1,722.7** |
| DAY | 1955 | 21.0 | 14.0 | 31.0 | 7.0 | 18.0 | 26.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **676.0** |
| H2O | 1955 | 34.7 | 19.4 | 23.5 | 3.7 | 9.5 | 9.7 | 13.2 | 20.5 | 27.7 | 26.1 | 21.5 | 22.4 | **797.3** |
| OIL | 1955 | 31.0 | 32.6 | 47.8 | 7.8 | 33.2 | 36.4 | 41.3 | 28.8 | 36.2 | 35.3 | 36.7 | 35.8 | **1,406.3** |
| DAY | 1954 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 14.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **376.0** |
| H2O | 1954 | 15.6 | 17.3 | 23.8 | 14.6 | 14.5 | 12.2 | 56.9 | 42.1 | 28.1 | 50.1 | 36.2 | 59.3 | **565.4** |
| OIL | 1954 | 50.9 | 52.3 | 52.3 | 38.1 | 55.0 | 52.9 | 65.6 | 48.5 | 58.3 | 47.0 | 37.5 | 46.4 | **1,003.4** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 0.0 | **30.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.3 | 67.2 | 70.0 | 37.5 | 15.7 | **194.7** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.9 | 127.9 | 96.3 | 84.5 | 75.0 | **398.6** |

Licence ***303*** Well Name ***Centoba Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***303*** Well Name ***Centoba Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-28-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,734.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **17,117.2** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **15,970.3** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 3.0 | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,723.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 6.4 | 7.9 | 0.0 | 9.5 | 0.0 | 0.0 | 0.0 | 0.0 | **17,116.1** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.5 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | **15,970.0** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 2.0 | 2.0 | 9.0 | 0.0 | 0.0 | **2,716.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.9 | 7.9 | 7.9 | 31.5 | 0.0 | 0.0 | **17,092.3** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.3 | 1.0 | 1.3 | 2.0 | 0.0 | 0.0 | **15,967.7** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 23.0 | 14.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,698.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 103.3 | 91.4 | 55.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **17,025.1** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 12.1 | 4.9 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **15,959.1** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 14.0 | 28.0 | 25.0 | 3.0 | 0.0 | 1.0 | 26.0 | 0.0 | 0.0 | **2,635.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 248.0 | 47.7 | 1.6 | 0.0 | 0.0 | 7.9 | 413.4 | 0.0 | 0.0 | **16,774.8** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 3.5 | 4.5 | 4.0 | 0.5 | 0.0 | 1.3 | 9.1 | 0.0 | 0.0 | **15,939.9** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 17.0 | 20.0 | 16.0 | 25.0 | 3.0 | 0.0 | 0.0 | **2,538.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 88.9 | 430.1 | 654.2 | 263.9 | 337.1 | 42.9 | 0.0 | 0.0 | **16,056.2** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 10.2 | 12.6 | 7.6 | 5.1 | 7.9 | 0.5 | 0.0 | 0.0 | **15,917.0** |
| DAY | 1961 | 0.0 | 0.0 | 27.0 | 11.0 | 15.0 | 30.0 | 18.0 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,445.0** |
| H2O | 1961 | 0.0 | 0.0 | 548.8 | 235.1 | 305.6 | 495.2 | 325.4 | 76.3 | 0.0 | 0.0 | 0.0 | 0.0 | **14,239.1** |
| OIL | 1961 | 0.0 | 0.0 | 15.9 | 5.2 | 6.7 | 15.4 | 10.2 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | **15,873.1** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 26.0 | 31.0 | 30.0 | 29.0 | 24.0 | 26.0 | 31.0 | 30.0 | 2.0 | **2,340.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 392.4 | 528.6 | 499.9 | 484.4 | 418.8 | 455.5 | 603.8 | 615.9 | 48.5 | **12,252.7** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 15.7 | 26.1 | 21.8 | 20.2 | 13.0 | 17.0 | 14.0 | 28.0 | 1.7 | **15,817.2** |
| DAY | 1959 | 15.0 | 0.0 | 0.0 | 21.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 27.0 | **2,111.0** |
| H2O | 1959 | 119.2 | 0.0 | 0.0 | 75.0 | 139.9 | 157.4 | 162.2 | 171.7 | 166.9 | 190.8 | 216.2 | 198.7 | **8,204.9** |
| OIL | 1959 | 20.2 | 0.0 | 0.0 | 37.4 | 37.4 | 23.8 | 23.8 | 24.5 | 22.3 | 20.4 | 23.2 | 21.3 | **15,659.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 28.0 | 18.0 | **1,839.0** |
| H2O | 1958 | 238.5 | 222.6 | 246.4 | 238.5 | 246.4 | 238.5 | 246.4 | 230.5 | 238.5 | 246.4 | 238.5 | 158.2 | **6,606.9** |
| OIL | 1958 | 35.3 | 34.3 | 27.3 | 24.2 | 30.2 | 25.3 | 29.4 | 27.2 | 26.1 | 27.3 | 24.6 | 23.1 | **15,405.4** |
| DAY | 1957 | 31.0 | 28.0 | 24.0 | 18.0 | 28.0 | 30.0 | 30.0 | 30.0 | 21.0 | 25.0 | 30.0 | 31.0 | **1,491.0** |
| H2O | 1957 | 226.6 | 214.6 | 185.1 | 86.8 | 174.9 | 192.4 | 192.4 | 182.7 | 127.2 | 198.7 | 228.9 | 230.5 | **3,817.5** |
| OIL | 1957 | 95.8 | 63.1 | 69.1 | 46.9 | 62.3 | 48.6 | 47.7 | 49.3 | 38.9 | 57.7 | 42.9 | 42.9 | **15,071.1** |
| DAY | 1956 | 31.0 | 29.0 | 25.0 | 28.0 | 30.0 | 30.0 | 31.0 | 31.0 | 24.0 | 26.0 | 27.0 | 31.0 | **1,165.0** |
| H2O | 1956 | 12.7 | 8.9 | 22.9 | 33.4 | 96.5 | 183.9 | 229.7 | 238.5 | 168.5 | 181.6 | 176.2 | 197.1 | **1,576.7** |
| OIL | 1956 | 286.4 | 237.6 | 105.2 | 251.6 | 278.4 | 290.5 | 297.6 | 265.4 | 96.1 | 82.3 | 84.5 | 95.2 | **14,405.9** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 29.0 | 31.0 | **822.0** |
| H2O | 1955 | 0.6 | 0.5 | 0.5 | 0.5 | 0.6 | 1.0 | 0.8 | 1.0 | 0.6 | 0.6 | 0.8 | 0.8 | **26.8** |
| OIL | 1955 | 366.0 | 328.5 | 358.3 | 333.6 | 355.3 | 337.5 | 344.7 | 353.6 | 345.9 | 339.7 | 323.7 | 300.3 | **12,035.1** |
| DAY | 1954 | 27.0 | 24.0 | 30.0 | 26.0 | 18.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **461.0** |
| H2O | 1954 | 0.8 | 1.7 | 1.6 | 1.0 | 0.8 | 1.0 | 1.1 | 1.1 | 0.8 | 1.1 | 0.6 | 1.1 | **18.5** |
| OIL | 1954 | 301.6 | 332.4 | 482.1 | 423.2 | 328.1 | 523.4 | 508.7 | 524.1 | 466.5 | 536.0 | 363.3 | 347.9 | **7,948.0** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | **122.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 0.8 | 1.0 | 1.3 | 0.6 | **5.8** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 546.3 | 612.0 | 642.3 | 653.4 | 356.7 | **2,810.7** |

Licence ***304*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.01-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **8,135.0** |
| H2O | 1975 | 151.5 | 137.5 | 156.0 | 145.6 | 77.9 | 57.4 | 62.6 | 86.3 | 76.5 | 89.0 | 88.4 | 93.6 | **9,769.6** |

# Manitoba Production
## 1950 To 1975

Licence ***304*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.01-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1975 | 127.3 | 108.5 | 125.9 | 121.1 | 116.0 | 107.1 | 107.6 | 109.5 | 102.7 | 106.9 | 100.3 | 110.1 | **53,708.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **7,770.0** |
| H2O | 1974 | 225.2 | 190.7 | 205.0 | 91.9 | 88.4 | 83.1 | 82.8 | 126.4 | 123.1 | 99.2 | 110.0 | 144.7 | **8,547.3** |
| OIL | 1974 | 169.7 | 152.2 | 173.4 | 111.1 | 103.5 | 103.6 | 105.4 | 117.0 | 102.2 | 105.8 | 113.8 | 133.8 | **52,365.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **7,409.0** |
| H2O | 1973 | 77.7 | 149.4 | 78.1 | 173.4 | 209.3 | 165.3 | 172.9 | 190.7 | 152.8 | 158.0 | 167.0 | 199.0 | **6,976.8** |
| OIL | 1973 | 170.7 | 153.0 | 167.7 | 175.8 | 151.8 | 166.5 | 170.8 | 161.8 | 146.7 | 153.5 | 166.1 | 171.0 | **50,873.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **7,046.0** |
| H2O | 1972 | 81.7 | 65.3 | 69.6 | 105.5 | 62.3 | 32.4 | 29.7 | 104.9 | 191.7 | 96.2 | 85.4 | 101.8 | **5,083.2** |
| OIL | 1972 | 102.0 | 96.6 | 98.7 | 95.0 | 100.1 | 96.8 | 101.4 | 146.4 | 160.8 | 163.8 | 161.1 | 159.1 | **48,918.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,682.0** |
| H2O | 1971 | 60.9 | 63.3 | 56.6 | 56.4 | 31.8 | 50.9 | 86.2 | 60.1 | 83.0 | 59.6 | 75.2 | 74.9 | **4,056.7** |
| OIL | 1971 | 104.1 | 102.0 | 118.7 | 113.9 | 110.4 | 102.0 | 108.7 | 104.2 | 104.7 | 102.0 | 101.1 | 105.0 | **47,436.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,317.0** |
| H2O | 1970 | 62.3 | 45.0 | 94.0 | 101.7 | 109.5 | 65.8 | 83.8 | 51.4 | 80.4 | 104.4 | 59.0 | 56.6 | **3,297.8** |
| OIL | 1970 | 117.3 | 91.7 | 128.6 | 101.7 | 114.4 | 102.7 | 119.2 | 111.4 | 112.3 | 128.6 | 107.1 | 109.5 | **46,159.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,952.0** |
| H2O | 1969 | 72.2 | 127.0 | 81.9 | 76.5 | 39.1 | 58.3 | 78.7 | 73.9 | 57.1 | 72.2 | 68.0 | 67.2 | **2,383.9** |
| OIL | 1969 | 113.6 | 102.0 | 118.2 | 110.6 | 126.8 | 110.3 | 113.5 | 116.6 | 107.6 | 129.8 | 123.0 | 127.4 | **44,815.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,588.0** |
| H2O | 1968 | 6.8 | 1.9 | 1.9 | 1.9 | 7.0 | 72.2 | 69.5 | 80.9 | 76.0 | 68.5 | 66.3 | 72.8 | **1,511.8** |
| OIL | 1968 | 130.5 | 119.0 | 134.4 | 128.6 | 117.8 | 125.4 | 128.6 | 130.9 | 126.3 | 123.3 | 116.0 | 114.6 | **43,415.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,222.0** |
| H2O | 1967 | 0.0 | 5.9 | 6.7 | 32.3 | 9.1 | 2.4 | 0.0 | 26.7 | 0.0 | 0.0 | 3.3 | 0.0 | **986.1** |
| OIL | 1967 | 136.2 | 119.3 | 145.4 | 120.1 | 140.0 | 129.4 | 132.2 | 128.9 | 141.1 | 135.7 | 128.1 | 134.6 | **41,920.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,857.0** |
| H2O | 1966 | 25.1 | 0.0 | 2.2 | 0.0 | 0.0 | 17.8 | 14.0 | 25.6 | 27.7 | 41.8 | 13.0 | 31.6 | **899.7** |
| OIL | 1966 | 180.5 | 146.7 | 158.8 | 173.2 | 143.8 | 156.7 | 156.0 | 152.1 | 133.8 | 145.4 | 139.2 | 144.8 | **40,329.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,492.0** |
| H2O | 1965 | 6.0 | 5.4 | 14.0 | 2.5 | 0.0 | 5.4 | 51.5 | 49.0 | 0.0 | 14.8 | 21.3 | 0.0 | **700.9** |
| OIL | 1965 | 206.4 | 187.4 | 194.2 | 174.8 | 173.4 | 202.1 | 165.3 | 181.5 | 208.0 | 161.3 | 148.1 | 146.5 | **38,498.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,127.0** |
| H2O | 1964 | 2.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.7 | 3.2 | 0.0 | 3.0 | **531.0** |
| OIL | 1964 | 248.1 | 226.0 | 243.5 | 232.2 | 234.2 | 228.5 | 233.6 | 222.3 | 216.6 | 239.6 | 222.0 | 199.9 | **36,349.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,761.0** |
| H2O | 1963 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.4 | **519.2** |
| OIL | 1963 | 277.0 | 251.2 | 281.0 | 278.4 | 273.3 | 245.0 | 289.7 | 285.7 | 262.5 | 256.8 | 245.4 | 268.4 | **33,602.7** |
| DAY | 1962 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,397.0** |
| H2O | 1962 | 3.5 | 2.5 | 2.9 | 3.5 | 3.0 | 3.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **510.1** |
| OIL | 1962 | 348.8 | 301.5 | 313.4 | 299.4 | 291.6 | 312.1 | 320.7 | 315.4 | 294.3 | 308.1 | 297.2 | 298.9 | **30,388.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,033.0** |
| H2O | 1961 | 0.0 | 1.6 | 2.9 | 9.7 | 3.2 | 3.0 | 3.0 | 0.0 | 49.1 | 19.1 | 6.2 | 3.2 | **491.4** |
| OIL | 1961 | 291.6 | 268.2 | 289.5 | 324.7 | 310.8 | 308.4 | 298.0 | 372.3 | 430.5 | 362.8 | 330.5 | 337.7 | **26,686.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,671.0** |
| H2O | 1960 | 5.7 | 0.0 | 2.9 | 0.0 | 3.2 | 0.0 | 6.2 | 10.3 | 8.7 | 5.9 | 10.0 | 3.5 | **390.4** |
| OIL | 1960 | 406.7 | 390.6 | 358.8 | 381.7 | 365.3 | 353.7 | 379.8 | 376.5 | 316.5 | 349.3 | 339.4 | 328.6 | **22,761.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,306.0** |
| H2O | 1959 | 7.0 | 0.0 | 0.0 | 0.0 | 3.5 | 12.6 | 2.7 | 0.0 | 0.0 | 7.3 | 0.0 | 2.7 | **334.0** |
| OIL | 1959 | 401.9 | 361.7 | 369.0 | 370.6 | 416.7 | 330.7 | 331.8 | 333.2 | 282.1 | 302.4 | 312.3 | 381.4 | **18,415.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,945.0** |
| H2O | 1958 | 8.7 | 5.4 | 3.3 | 2.7 | 2.9 | 9.2 | 2.1 | 2.2 | 4.9 | 5.7 | 10.7 | 5.7 | **298.2** |
| OIL | 1958 | 139.5 | 137.8 | 148.1 | 197.8 | 384.9 | 457.5 | 461.6 | 380.4 | 367.7 | 442.7 | 438.0 | 439.2 | **14,221.2** |

# Manitoba Production
## 1950 To 1975

Licence ***304*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.01-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,581.0** |
| H2O | 1957 | 0.3 | 0.3 | 0.5 | 0.6 | 0.5 | 0.5 | 6.0 | 0.2 | 0.2 | 0.3 | 0.3 | 2.9 | **234.7** |
| OIL | 1957 | 141.9 | 126.5 | 134.6 | 131.9 | 133.6 | 135.4 | 134.1 | 109.2 | 112.3 | 127.8 | 135.1 | 128.6 | **10,226.0** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,218.0** |
| H2O | 1956 | 4.9 | 5.2 | 4.1 | 5.6 | 6.0 | 4.3 | 4.6 | 4.5 | 4.8 | 2.5 | 3.2 | 1.9 | **222.1** |
| OIL | 1956 | 174.3 | 164.3 | 163.0 | 163.5 | 167.7 | 154.5 | 173.7 | 170.4 | 170.2 | 165.7 | 155.1 | 187.2 | **8,675.0** |
| DAY | 1955 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **853.0** |
| H2O | 1955 | 8.9 | 1.7 | 2.2 | 2.2 | 2.9 | 0.3 | 1.6 | 1.1 | 3.7 | 4.5 | 4.1 | 6.2 | **170.5** |
| OIL | 1955 | 155.3 | 137.0 | 158.8 | 170.5 | 216.6 | 224.2 | 225.5 | 229.6 | 199.4 | 176.4 | 176.1 | 178.0 | **6,665.4** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **489.0** |
| H2O | 1954 | 8.1 | 7.9 | 7.2 | 4.9 | 5.6 | 5.7 | 6.2 | 7.3 | 10.5 | 11.4 | 6.0 | 6.0 | **131.1** |
| OIL | 1954 | 318.6 | 271.6 | 275.1 | 249.3 | 265.4 | 247.1 | 256.8 | 209.8 | 180.4 | 217.2 | 193.6 | 176.5 | **4,418.0** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 30.0 | 31.0 | 30.0 | 31.0 | **128.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.4 | 16.7 | 5.9 | 9.2 | 11.1 | **44.3** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 68.6 | 398.9 | 388.7 | 348.6 | 351.8 | **1,556.6** |

Licence ***305*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-09-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 25.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,825.0** |
| H2O | 1975 | 28.6 | 30.2 | 34.2 | 27.8 | 16.1 | 27.2 | 29.4 | 49.9 | 48.0 | 51.2 | 59.1 | 54.5 | **12,429.4** |
| OIL | 1975 | 9.2 | 8.6 | 9.4 | 7.3 | 7.6 | 8.9 | 9.7 | 9.2 | 9.1 | 9.4 | 9.1 | 9.4 | **7,826.1** |
| DAY | 1974 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 9.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,470.0** |
| H2O | 1974 | 25.6 | 17.0 | 39.6 | 36.7 | 49.6 | 28.1 | 15.3 | 5.2 | 20.0 | 20.5 | 24.0 | 28.6 | **11,973.2** |
| OIL | 1974 | 19.7 | 16.5 | 20.2 | 18.8 | 14.6 | 14.9 | 7.3 | 2.4 | 9.4 | 9.7 | 9.7 | 9.4 | **7,719.2** |
| DAY | 1973 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,132.0** |
| H2O | 1973 | 60.3 | 36.9 | 46.1 | 44.7 | 38.2 | 32.8 | 29.4 | 0.0 | 28.9 | 30.5 | 22.9 | 24.6 | **11,663.0** |
| OIL | 1973 | 9.5 | 8.4 | 18.9 | 19.7 | 8.9 | 8.9 | 14.8 | 14.3 | 14.6 | 15.3 | 18.6 | 20.4 | **7,566.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,769.0** |
| H2O | 1972 | 44.5 | 47.9 | 55.6 | 51.5 | 43.4 | 29.1 | 41.8 | 37.8 | 8.7 | 39.3 | 44.8 | 50.6 | **11,267.7** |
| OIL | 1972 | 24.6 | 23.2 | 24.2 | 16.5 | 24.3 | 27.7 | 26.6 | 27.8 | 42.9 | 29.3 | 8.9 | 9.4 | **7,394.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,406.0** |
| H2O | 1971 | 40.4 | 32.3 | 36.4 | 44.0 | 37.2 | 43.6 | 23.8 | 23.7 | 33.5 | 30.5 | 26.1 | 33.7 | **10,772.7** |
| OIL | 1971 | 24.8 | 19.5 | 23.7 | 23.2 | 24.0 | 22.9 | 9.7 | 9.4 | 9.2 | 9.2 | 9.5 | 9.1 | **7,108.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 23.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 28.0 | **6,041.0** |
| H2O | 1970 | 70.0 | 45.0 | 47.9 | 52.0 | 43.1 | 53.4 | 53.1 | 37.2 | 38.6 | 43.9 | 33.9 | 36.7 | **10,367.5** |
| OIL | 1970 | 17.6 | 19.1 | 20.5 | 15.4 | 15.4 | 20.0 | 13.0 | 13.7 | 13.2 | 13.7 | 12.2 | 22.6 | **6,914.7** |
| DAY | 1969 | 31.0 | 28.0 | 7.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 23.0 | 25.0 | 31.0 | **5,695.0** |
| H2O | 1969 | 33.1 | 30.4 | 10.7 | 49.9 | 37.7 | 122.9 | 85.7 | 70.9 | 55.5 | 54.4 | 47.9 | 54.7 | **9,812.7** |
| OIL | 1969 | 15.3 | 14.1 | 3.5 | 15.1 | 15.6 | 13.8 | 14.0 | 4.4 | 4.3 | 15.9 | 17.2 | 20.0 | **6,718.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,367.0** |
| H2O | 1968 | 105.2 | 104.4 | 117.0 | 87.9 | 83.6 | 93.2 | 87.6 | 114.9 | 93.0 | 44.4 | 40.4 | 42.9 | **9,158.9** |
| OIL | 1968 | 15.6 | 14.1 | 15.6 | 14.6 | 15.6 | 17.3 | 16.8 | 17.6 | 17.0 | 14.6 | 15.3 | 16.0 | **6,565.1** |
| DAY | 1967 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 18.0 | 31.0 | 30.0 | 31.0 | **5,002.0** |
| H2O | 1967 | 112.2 | 84.6 | 109.9 | 96.3 | 127.2 | 92.7 | 97.8 | 97.9 | 67.9 | 125.0 | 83.9 | 115.4 | **8,144.4** |
| OIL | 1967 | 16.2 | 14.0 | 15.3 | 16.0 | 16.5 | 12.9 | 15.6 | 15.7 | 9.4 | 15.7 | 15.3 | 15.7 | **6,375.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 21.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,652.0** |
| H2O | 1966 | 70.6 | 62.3 | 56.9 | 73.4 | 2.7 | 48.0 | 18.9 | 28.1 | 23.4 | 135.1 | 112.6 | 102.7 | **6,933.6** |
| OIL | 1966 | 36.4 | 32.3 | 27.5 | 39.1 | 31.0 | 2.9 | 4.1 | 4.0 | 4.1 | 16.2 | 16.2 | 16.5 | **6,196.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 26.0 | 27.0 | 30.0 | 31.0 | **4,296.0** |
| H2O | 1965 | 81.6 | 38.0 | 62.3 | 61.7 | 56.1 | 73.4 | 70.9 | 69.3 | 98.1 | 64.5 | 64.4 | 76.3 | **6,198.9** |

# Manitoba Production
## 1950 To 1975

Licence ***305*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-09-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1965 | 41.6 | 36.4 | 40.0 | 40.5 | 37.7 | 41.0 | 42.9 | 41.5 | 34.3 | 35.6 | 40.5 | 40.5 | **5,966.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 29.0 | 24.0 | 25.0 | **3,943.0** |
| H2O | 1964 | 50.4 | 41.3 | 55.0 | 43.7 | 38.2 | 61.5 | 65.5 | 76.9 | 53.6 | 74.6 | 74.1 | 41.2 | **5,382.3** |
| OIL | 1964 | 38.8 | 36.5 | 39.9 | 40.4 | 41.3 | 59.1 | 59.8 | 58.2 | 55.1 | 48.8 | 32.6 | 35.6 | **5,493.9** |
| DAY | 1963 | 31.0 | 25.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **3,596.0** |
| H2O | 1963 | 36.7 | 26.7 | 49.1 | 24.2 | 40.1 | 36.7 | 41.7 | 35.8 | 31.2 | 31.6 | 45.3 | 45.5 | **4,706.3** |
| OIL | 1963 | 55.5 | 43.7 | 53.1 | 51.5 | 36.9 | 39.6 | 42.3 | 42.0 | 38.0 | 42.0 | 39.9 | 40.8 | **4,947.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 28.0 | 30.0 | 29.0 | 30.0 | 28.0 | **3,241.0** |
| H2O | 1962 | 19.9 | 17.5 | 19.1 | 14.1 | 22.7 | 99.4 | 76.0 | 64.1 | 59.6 | 61.4 | 76.8 | 45.2 | **4,261.7** |
| OIL | 1962 | 24.9 | 22.2 | 24.0 | 22.4 | 0.0 | 72.8 | 79.0 | 60.2 | 59.1 | 48.3 | 58.8 | 48.8 | **4,422.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,887.0** |
| H2O | 1961 | 38.8 | 34.0 | 37.0 | 38.5 | 39.3 | 21.0 | 21.0 | 15.3 | 21.9 | 22.3 | 18.8 | 23.8 | **3,685.9** |
| OIL | 1961 | 18.9 | 18.0 | 20.5 | 19.4 | 19.7 | 26.2 | 27.3 | 24.5 | 26.9 | 26.9 | 25.7 | 25.9 | **3,902.0** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 30.0 | 18.0 | 23.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,522.0** |
| H2O | 1960 | 29.9 | 24.3 | 24.3 | 32.4 | 22.3 | 17.3 | 32.0 | 36.4 | 36.6 | 38.2 | 37.8 | 38.8 | **3,354.2** |
| OIL | 1960 | 37.5 | 28.1 | 35.4 | 23.8 | 18.8 | 18.9 | 19.9 | 21.0 | 20.3 | 21.3 | 19.9 | 21.6 | **3,622.1** |
| DAY | 1959 | 31.0 | 27.0 | 29.0 | 30.0 | 31.0 | 25.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,180.0** |
| H2O | 1959 | 54.2 | 52.5 | 55.0 | 62.5 | 61.8 | 41.2 | 37.8 | 31.5 | 33.4 | 28.9 | 30.2 | 38.8 | **2,983.9** |
| OIL | 1959 | 45.1 | 39.6 | 43.4 | 42.0 | 42.7 | 42.7 | 55.3 | 50.5 | 50.7 | 50.5 | 41.8 | 57.0 | **3,335.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 25.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,823.0** |
| H2O | 1958 | 84.7 | 60.9 | 67.6 | 68.7 | 57.9 | 51.0 | 73.4 | 64.5 | 72.8 | 92.2 | 59.9 | 64.7 | **2,456.1** |
| OIL | 1958 | 77.7 | 59.6 | 62.5 | 56.4 | 59.4 | 57.4 | 48.6 | 60.4 | 44.3 | 47.8 | 40.5 | 44.7 | **2,774.3** |
| DAY | 1957 | 20.0 | 28.0 | 14.0 | 23.0 | 21.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,467.0** |
| H2O | 1957 | 9.4 | 10.7 | 77.1 | 149.4 | 120.0 | 168.8 | 139.3 | 105.4 | 97.8 | 110.3 | 85.5 | 93.6 | **1,637.8** |
| OIL | 1957 | 12.4 | 16.2 | 6.7 | 98.7 | 79.1 | 141.4 | 98.8 | 106.6 | 73.7 | 74.4 | 69.9 | 71.0 | **2,115.0** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | **1,152.0** |
| H2O | 1956 | 5.7 | 7.0 | 6.0 | 4.3 | 2.7 | 3.3 | 5.1 | 5.1 | 4.3 | 8.6 | 19.2 | 13.2 | **470.5** |
| OIL | 1956 | 16.2 | 16.7 | 18.3 | 17.3 | 15.9 | 17.0 | 17.6 | 17.6 | 16.5 | 16.7 | 24.5 | 18.3 | **1,266.1** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **790.0** |
| H2O | 1955 | 8.1 | 3.7 | 4.8 | 23.8 | 26.1 | 2.1 | 4.3 | 4.9 | 5.9 | 6.4 | 4.1 | 6.4 | **386.0** |
| OIL | 1955 | 28.3 | 21.9 | 24.8 | 23.8 | 20.5 | 8.9 | 8.6 | 19.9 | 19.1 | 19.4 | 17.0 | 18.0 | **1,053.5** |
| DAY | 1954 | 5.0 | 28.0 | 30.0 | 24.0 | 31.0 | 21.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **428.0** |
| H2O | 1954 | 4.8 | 25.8 | 16.7 | 12.4 | 38.2 | 25.4 | 11.4 | 10.0 | 11.4 | 6.8 | 11.6 | 9.5 | **285.4** |
| OIL | 1954 | 8.4 | 66.7 | 79.5 | 45.0 | 57.2 | 38.1 | 49.7 | 49.6 | 45.1 | 45.4 | 26.7 | 28.0 | **823.3** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 31.0 | 30.0 | 31.0 | **110.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.2 | 34.2 | 21.9 | 18.1 | **101.4** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 86.1 | 86.3 | 55.6 | 55.9 | **283.9** |

Licence ***306*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-09-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 0.0 | 4.0 | 30.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,177.0** |
| H2O | 1957 | 0.0 | 0.0 | 20.5 | 132.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **642.1** |
| DAY | 1956 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 18.0 | 13.0 | 0.0 | 0.0 | **1,143.0** |
| H2O | 1956 | 0.5 | 1.0 | 1.4 | 3.2 | 6.5 | 6.2 | 3.7 | 2.7 | 123.6 | 243.3 | 0.0 | 0.0 | **489.2** |
| OIL | 1956 | 85.7 | 95.7 | 79.0 | 82.8 | 92.0 | 78.2 | 79.3 | 89.6 | 181.6 | 64.5 | 0.0 | 0.0 | **4,883.8** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **871.0** |
| H2O | 1955 | 19.4 | 1.7 | 0.5 | 1.4 | 0.3 | 2.7 | 4.0 | 4.1 | 3.0 | 3.0 | 2.9 | 3.2 | **97.1** |
| OIL | 1955 | 78.7 | 87.6 | 108.4 | 100.6 | 124.9 | 117.8 | 122.0 | 92.2 | 93.9 | 96.0 | 87.6 | 86.3 | **3,955.4** |
| DAY | 1954 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **509.0** |
| H2O | 1954 | 2.4 | 2.9 | 2.1 | 4.0 | 3.8 | 6.8 | 1.6 | 1.4 | 1.1 | 1.4 | 5.6 | 2.5 | **50.9** |

# Manitoba Production
## 1950 To 1975

Licence ***306*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-09-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1954 | 163.8 | 151.1 | 147.3 | 126.0 | 131.9 | 193.1 | 153.3 | 144.8 | 133.8 | 140.8 | 130.1 | 115.2 | **2,759.4** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 23.0 | 31.0 | 30.0 | 31.0 | **145.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.9 | 2.1 | 2.4 | 2.9 | **15.3** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 62.5 | 257.8 | 306.5 | 215.3 | 186.1 | **1,028.2** |

Licence ***307*** Well Name ***Centoba Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-28-010-26W1.02*** Field Name ***Virden*** Pool Name ***Ashville*** Field Code ***5*** Pool Code ***11*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 377.3 | 519.3 | 529.3 | 511.2 | 509.4 | 489.1 | 0.0 | 0.0 | **41,154.0** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 226.1 | 230.2 | 242.1 | 249.3 | 206.7 | 317.3 | 0.0 | 0.0 | **38,218.4** |
| WIN | 1966 | 0.0 | 0.0 | 0.0 | 356.9 | 449.9 | 429.3 | 364.9 | 329.9 | 310.0 | 289.7 | 0.0 | 0.0 | **36,746.7** |
| WIN | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 119.2 | 108.1 | 389.5 | 377.6 | 365.7 | 401.4 | 0.0 | 0.0 | **34,216.1** |
| WIN | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 516.7 | 512.7 | 516.7 | 461.1 | 445.2 | 413.4 | 0.0 | 0.0 | **32,454.6** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 599.4 | 429.3 | 390.3 | 418.9 | 377.6 | 311.3 | 826.6 | 54.1 | 0.0 | **29,588.8** |
| WIN | 1962 | 0.0 | 0.0 | 0.0 | 111.3 | 416.4 | 748.8 | 1044.5 | 658.2 | 680.5 | 424.5 | 155.5 | 237.7 | **26,181.3** |
| WIN | 1961 | 379.4 | 257.9 | 889.0 | 581.4 | 646.5 | 762.5 | 628.0 | 395.9 | 333.9 | 222.6 | 55.6 | 0.0 | **21,703.9** |
| WIN | 1960 | 0.0 | 0.0 | 0.0 | 501.8 | 618.9 | 585.2 | 567.1 | 493.2 | 701.5 | 929.7 | 948.4 | 429.1 | **16,551.2** |
| WIN | 1959 | 246.3 | 0.0 | 0.0 | 191.3 | 316.7 | 365.7 | 380.0 | 364.6 | 356.1 | 414.5 | 498.4 | 453.1 | **10,776.3** |
| WIN | 1958 | 442.9 | 401.9 | 439.9 | 471.9 | 540.2 | 524.3 | 540.4 | 506.7 | 525.9 | 541.0 | 504.8 | 317.5 | **7,189.6** |
| WIN | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 63.6 | 350.7 | 486.4 | 531.5 | **1,432.2** |

Licence ***308*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-05-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 24.0 | 9.0 | 6.0 | 0.0 | 0.0 | **7,942.0** |
| H2O | 1975 | 2146.1 | 1987.9 | 1871.3 | 2039.1 | 2479.9 | 2024.3 | 1461.9 | 1880.7 | 614.8 | 190.9 | 0.0 | 0.0 | **85,283.4** |
| OIL | 1975 | 95.8 | 88.2 | 85.8 | 69.3 | 75.6 | 59.8 | 24.8 | 21.4 | 0.0 | 0.0 | 0.0 | 0.0 | **26,983.5** |
| DAY | 1974 | 29.0 | 25.0 | 31.0 | 26.0 | 0.0 | 3.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,694.0** |
| H2O | 1974 | 2472.1 | 2562.4 | 2364.0 | 1905.0 | 0.0 | 217.3 | 2308.2 | 1471.3 | 2378.2 | 2357.7 | 2741.4 | 2293.0 | **68,586.5** |
| OIL | 1974 | 80.2 | 161.3 | 114.2 | 103.6 | 0.0 | 19.5 | 95.7 | 87.6 | 96.1 | 96.1 | 73.3 | 96.3 | **26,462.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,397.0** |
| H2O | 1973 | 54.0 | 1160.2 | 1622.9 | 1592.2 | 1631.0 | 1789.8 | 2267.9 | 2198.7 | 2281.4 | 2191.4 | 2050.0 | 2132.5 | **45,515.9** |
| OIL | 1973 | 48.5 | 47.0 | 169.6 | 128.7 | 69.1 | 114.5 | 121.8 | 115.8 | 120.9 | 78.5 | 82.5 | 80.4 | **25,438.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 18.0 | **7,032.0** |
| H2O | 1972 | 48.9 | 43.5 | 46.6 | 48.6 | 47.8 | 48.0 | 300.5 | 311.8 | 400.4 | 450.2 | 471.9 | 292.0 | **24,543.9** |
| OIL | 1972 | 49.4 | 46.4 | 48.1 | 31.8 | 38.5 | 45.8 | 114.5 | 106.6 | 90.1 | 73.9 | 8.9 | 13.5 | **24,261.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,681.0** |
| H2O | 1971 | 54.2 | 48.9 | 54.2 | 52.4 | 51.2 | 69.8 | 71.5 | 72.0 | 48.5 | 51.3 | 43.7 | 45.6 | **22,033.7** |
| OIL | 1971 | 47.8 | 44.8 | 49.6 | 47.5 | 46.7 | 45.3 | 50.5 | 49.9 | 48.0 | 47.8 | 49.4 | 48.5 | **23,594.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,317.0** |
| H2O | 1970 | 47.5 | 45.1 | 51.5 | 42.9 | 44.5 | 46.6 | 51.6 | 50.1 | 50.4 | 52.8 | 50.9 | 54.2 | **21,370.4** |
| OIL | 1970 | 50.1 | 44.0 | 50.5 | 48.5 | 49.3 | 47.2 | 48.9 | 47.8 | 47.5 | 48.3 | 47.4 | 49.7 | **23,018.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,952.0** |
| H2O | 1969 | 53.6 | 49.6 | 71.7 | 81.5 | 64.2 | 62.0 | 52.6 | 97.6 | 72.8 | 70.1 | 62.5 | 54.2 | **20,782.3** |
| OIL | 1969 | 24.3 | 20.8 | 27.2 | 27.0 | 21.1 | 21.3 | 11.1 | 48.8 | 44.8 | 42.1 | 42.6 | 45.1 | **22,439.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,588.0** |
| H2O | 1968 | 5.4 | 4.6 | 4.8 | 6.0 | 8.3 | 16.0 | 13.7 | 20.0 | 27.5 | 40.8 | 79.0 | 75.0 | **19,989.9** |
| OIL | 1968 | 57.7 | 53.7 | 55.3 | 48.9 | 48.8 | 54.8 | 54.2 | 67.4 | 68.2 | 67.2 | 23.7 | 25.1 | **22,062.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,222.0** |
| H2O | 1967 | 209.1 | 184.4 | 199.7 | 202.2 | 2.5 | 3.7 | 4.6 | 5.1 | 4.6 | 5.6 | 3.8 | 6.0 | **19,688.8** |
| OIL | 1967 | 45.8 | 41.6 | 45.0 | 44.8 | 53.7 | 57.0 | 58.8 | 59.0 | 55.8 | 58.5 | 51.5 | 60.7 | **21,437.9** |

# Manitoba Production
## 1950 To 1975

Licence ***308*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-05-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,857.0** |
| H2O | 1966 | 122.8 | 125.3 | 165.0 | 170.8 | 180.6 | 175.2 | 180.3 | 84.2 | 128.2 | 170.9 | 209.7 | 215.3 | **18,857.5** |
| OIL | 1966 | 56.4 | 52.6 | 57.7 | 56.9 | 58.2 | 56.1 | 56.3 | 45.9 | 47.2 | 47.8 | 43.9 | 47.0 | **20,805.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,492.0** |
| H2O | 1965 | 189.0 | 171.1 | 163.1 | 185.1 | 199.2 | 184.6 | 185.5 | 194.8 | 185.2 | 189.2 | 174.9 | 186.3 | **16,929.2** |
| OIL | 1965 | 62.6 | 55.5 | 64.5 | 64.2 | 64.8 | 57.7 | 65.9 | 64.7 | 61.3 | 62.5 | 58.0 | 62.9 | **20,179.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,127.0** |
| H2O | 1964 | 182.5 | 166.0 | 176.5 | 168.2 | 82.6 | 177.6 | 185.5 | 170.3 | 167.8 | 183.6 | 182.2 | 199.5 | **14,721.2** |
| OIL | 1964 | 67.5 | 61.3 | 64.4 | 63.4 | 103.9 | 44.3 | 70.7 | 70.1 | 66.1 | 66.6 | 66.1 | 66.9 | **19,435.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,761.0** |
| H2O | 1963 | 194.6 | 171.7 | 191.7 | 183.2 | 232.6 | 193.3 | 201.6 | 200.2 | 193.3 | 196.2 | 171.7 | 181.7 | **12,678.9** |
| OIL | 1963 | 71.7 | 67.1 | 72.3 | 70.6 | 75.2 | 83.3 | 81.0 | 82.0 | 72.1 | 73.7 | 66.6 | 66.7 | **18,623.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,396.0** |
| H2O | 1962 | 203.8 | 189.7 | 191.3 | 359.0 | 189.0 | 218.0 | 212.2 | 231.8 | 129.6 | 219.6 | 199.2 | 207.5 | **10,367.1** |
| OIL | 1962 | 74.1 | 63.9 | 68.2 | 62.0 | 84.2 | 93.8 | 91.5 | 77.5 | 93.1 | 87.1 | 66.7 | 81.4 | **17,741.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,031.0** |
| H2O | 1961 | 53.6 | 18.1 | 48.1 | 44.5 | 32.4 | 23.7 | 234.3 | 243.7 | 217.3 | 144.1 | 210.3 | 139.8 | **7,816.4** |
| OIL | 1961 | 86.0 | 57.7 | 61.7 | 59.3 | 54.8 | 111.0 | 70.6 | 89.0 | 73.3 | 69.1 | 73.1 | 63.4 | **16,798.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,666.0** |
| H2O | 1960 | 91.4 | 60.4 | 67.9 | 77.4 | 72.1 | 116.4 | 101.3 | 57.8 | 50.1 | 147.9 | 98.0 | 65.5 | **6,406.5** |
| OIL | 1960 | 101.0 | 86.3 | 53.6 | 66.3 | 49.9 | 79.8 | 66.1 | 66.3 | 82.8 | 74.4 | 85.2 | 88.7 | **15,929.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,301.0** |
| H2O | 1959 | 69.0 | 68.8 | 71.4 | 75.0 | 59.6 | 88.7 | 99.0 | 59.0 | 60.5 | 69.1 | 78.8 | 94.1 | **5,400.3** |
| OIL | 1959 | 113.4 | 96.0 | 109.3 | 70.7 | 71.0 | 79.3 | 84.2 | 55.6 | 77.4 | 62.8 | 98.8 | 117.1 | **15,028.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,937.0** |
| H2O | 1958 | 41.2 | 33.4 | 80.2 | 61.0 | 46.4 | 71.4 | 81.4 | 76.3 | 41.3 | 77.7 | 57.7 | 86.1 | **4,507.3** |
| OIL | 1958 | 137.9 | 120.2 | 130.0 | 89.8 | 79.1 | 127.8 | 123.6 | 135.9 | 117.5 | 117.1 | 105.8 | 115.0 | **13,993.0** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,573.0** |
| H2O | 1957 | 57.8 | 43.4 | 81.8 | 51.3 | 41.0 | 57.2 | 50.4 | 62.6 | 42.3 | 47.7 | 31.8 | 86.1 | **3,753.2** |
| OIL | 1957 | 139.7 | 121.3 | 132.5 | 111.2 | 123.1 | 114.2 | 143.7 | 112.3 | 151.6 | 71.5 | 65.9 | 145.6 | **12,593.3** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,208.0** |
| H2O | 1956 | 124.7 | 76.3 | 39.6 | 101.0 | 79.0 | 83.3 | 12.6 | 59.6 | 72.0 | 58.5 | 45.9 | 39.3 | **3,099.8** |
| OIL | 1956 | 241.4 | 210.9 | 223.1 | 209.4 | 222.2 | 245.0 | 222.6 | 226.0 | 208.2 | 166.5 | 139.4 | 138.7 | **11,160.7** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **843.0** |
| H2O | 1955 | 99.6 | 81.0 | 126.6 | 67.1 | 125.5 | 130.4 | 91.2 | 126.0 | 112.0 | 78.2 | 90.6 | 87.1 | **2,308.0** |
| OIL | 1955 | 329.2 | 293.3 | 295.2 | 263.4 | 300.6 | 278.2 | 259.0 | 249.9 | 233.3 | 235.2 | 241.5 | 240.9 | **8,707.3** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **478.0** |
| H2O | 1954 | 80.4 | 90.7 | 65.5 | 72.5 | 55.0 | 52.0 | 87.2 | 59.4 | 13.3 | 64.0 | 72.0 | 68.2 | **1,092.7** |
| OIL | 1954 | 354.0 | 323.8 | 306.1 | 289.7 | 274.7 | 259.5 | 300.9 | 312.6 | 266.8 | 266.6 | 240.0 | 227.4 | **5,487.6** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 31.0 | 30.0 | 31.0 | **113.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 32.9 | 92.3 | 98.5 | 88.8 | **312.5** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 548.1 | 369.4 | 703.9 | 444.1 | **2,065.5** |

Licence ***310*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **8,135.0** |
| H2O | 1975 | 1516.5 | 1536.7 | 1661.0 | 1631.4 | 1629.2 | 1584.0 | 1632.2 | 1712.6 | 1632.1 | 1781.8 | 1680.7 | 1391.2 | **67,340.8** |
| OIL | 1975 | 291.5 | 288.1 | 287.5 | 274.5 | 264.0 | 263.4 | 278.4 | 257.0 | 242.0 | 241.7 | 214.9 | 226.5 | **60,932.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,770.0** |
| H2O | 1974 | 1482.3 | 1282.5 | 1419.7 | 1369.4 | 1570.7 | 1503.4 | 1573.4 | 1432.2 | 1568.5 | 1587.2 | 1527.9 | 1616.6 | **47,951.4** |

# Manitoba Production
## 1950 To 1975

Licence ***310*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1974 | 388.5 | 350.2 | 389.6 | 312.9 | 380.9 | 379.8 | 403.3 | 356.6 | 342.3 | 288.0 | 300.1 | 294.5 | **57,802.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,405.0** |
| H2O | 1973 | 1376.1 | 1027.6 | 1163.5 | 1041.7 | 1107.2 | 921.5 | 1180.4 | 975.2 | 1246.8 | 1314.6 | 1526.2 | 1617.3 | **30,017.6** |
| OIL | 1973 | 548.6 | 514.4 | 511.3 | 471.5 | 436.1 | 438.1 | 427.2 | 436.1 | 517.5 | 528.1 | 421.6 | 400.1 | **53,616.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,040.0** |
| H2O | 1972 | 342.3 | 281.7 | 301.1 | 362.5 | 314.2 | 314.5 | 471.7 | 441.7 | 805.1 | 588.9 | 1159.6 | 1274.8 | **15,519.5** |
| OIL | 1972 | 474.1 | 355.5 | 369.0 | 469.8 | 357.7 | 308.3 | 407.9 | 371.8 | 524.6 | 410.6 | 527.8 | 563.9 | **47,965.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,677.0** |
| H2O | 1971 | 19.7 | 32.1 | 52.8 | 57.2 | 72.3 | 92.5 | 85.4 | 185.5 | 199.7 | 244.8 | 411.6 | 463.6 | **8,861.4** |
| OIL | 1971 | 532.9 | 527.8 | 648.8 | 706.4 | 710.7 | 778.2 | 803.8 | 914.9 | 877.5 | 870.9 | 713.9 | 576.0 | **42,824.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,313.0** |
| H2O | 1970 | 22.3 | 30.5 | 33.2 | 30.7 | 45.0 | 69.0 | 66.0 | 51.5 | 37.7 | 39.7 | 42.1 | 18.6 | **6,944.2** |
| OIL | 1970 | 70.7 | 87.3 | 74.7 | 92.5 | 125.3 | 164.0 | 198.0 | 201.0 | 203.6 | 222.3 | 241.9 | 483.6 | **34,162.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,949.0** |
| H2O | 1969 | 27.8 | 25.3 | 29.7 | 28.0 | 23.1 | 18.3 | 19.4 | 18.4 | 18.4 | 19.7 | 18.9 | 19.7 | **6,457.9** |
| OIL | 1969 | 110.4 | 108.5 | 118.8 | 118.9 | 111.1 | 119.1 | 119.7 | 115.3 | 109.5 | 115.8 | 112.2 | 104.8 | **31,997.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,584.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 33.1 | 26.9 | 27.5 | **6,191.2** |
| OIL | 1968 | 96.8 | 94.6 | 101.1 | 94.2 | 106.8 | 78.3 | 74.2 | 81.2 | 76.1 | 131.1 | 120.3 | 116.6 | **30,633.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,218.0** |
| H2O | 1967 | 27.8 | 28.9 | 32.9 | 30.8 | 11.0 | 10.3 | 10.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,103.7** |
| OIL | 1967 | 109.3 | 101.5 | 109.8 | 107.4 | 102.5 | 100.9 | 106.0 | 107.4 | 103.8 | 107.1 | 103.1 | 99.2 | **29,462.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,853.0** |
| H2O | 1966 | 68.8 | 59.0 | 65.3 | 64.2 | 66.0 | 64.1 | 65.5 | 27.0 | 26.7 | 27.5 | 19.2 | 12.6 | **5,951.2** |
| OIL | 1966 | 148.1 | 131.7 | 148.4 | 145.1 | 146.5 | 149.7 | 147.2 | 95.0 | 117.8 | 117.6 | 105.7 | 110.3 | **28,204.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,488.0** |
| H2O | 1965 | 58.0 | 51.5 | 56.6 | 60.3 | 62.6 | 45.6 | 61.0 | 59.9 | 60.3 | 62.6 | 60.9 | 57.2 | **5,385.3** |
| OIL | 1965 | 151.4 | 138.3 | 150.0 | 161.6 | 173.4 | 155.4 | 164.0 | 158.0 | 155.4 | 155.3 | 149.7 | 150.0 | **26,641.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,123.0** |
| H2O | 1964 | 48.0 | 45.9 | 50.6 | 50.7 | 44.2 | 49.8 | 39.3 | 46.4 | 50.6 | 53.7 | 53.6 | 53.1 | **4,688.8** |
| OIL | 1964 | 125.4 | 119.7 | 133.6 | 128.7 | 134.9 | 153.0 | 168.6 | 156.4 | 157.8 | 159.1 | 153.8 | 154.3 | **24,778.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,757.0** |
| H2O | 1963 | 46.7 | 38.3 | 31.0 | 23.5 | 42.3 | 45.6 | 41.0 | 28.3 | 30.8 | 43.1 | 48.8 | 72.7 | **4,102.9** |
| OIL | 1963 | 167.2 | 158.8 | 173.7 | 163.2 | 137.0 | 144.3 | 148.7 | 144.3 | 134.4 | 148.7 | 138.3 | 134.8 | **23,033.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,392.0** |
| H2O | 1962 | 37.7 | 38.3 | 37.2 | 40.7 | 53.1 | 38.3 | 32.1 | 47.7 | 36.2 | 43.7 | 40.4 | 44.5 | **3,610.8** |
| OIL | 1962 | 201.5 | 185.0 | 200.5 | 192.1 | 210.4 | 199.1 | 202.0 | 200.5 | 184.2 | 200.4 | 175.0 | 173.7 | **21,240.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,027.0** |
| H2O | 1961 | 13.8 | 105.6 | 124.5 | 104.3 | 105.9 | 60.1 | 125.3 | 53.1 | 43.9 | 40.9 | 43.1 | 46.1 | **3,120.9** |
| OIL | 1961 | 194.2 | 189.4 | 219.0 | 200.1 | 200.1 | 203.4 | 229.6 | 241.9 | 230.6 | 219.0 | 199.4 | 198.0 | **18,915.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,662.0** |
| H2O | 1960 | 51.0 | 22.3 | 37.5 | 13.0 | 31.0 | 23.4 | 9.4 | 29.4 | 29.9 | 13.0 | 23.4 | 16.1 | **2,254.3** |
| OIL | 1960 | 277.4 | 206.9 | 243.8 | 298.4 | 287.8 | 282.9 | 261.6 | 248.7 | 256.5 | 217.1 | 203.1 | 202.8 | **16,391.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,296.0** |
| H2O | 1959 | 18.4 | 18.8 | 17.6 | 16.4 | 14.1 | 23.7 | 16.5 | 48.3 | 40.4 | 94.6 | 100.8 | 44.2 | **1,954.9** |
| OIL | 1959 | 124.6 | 123.5 | 132.1 | 108.9 | 113.1 | 184.0 | 82.2 | 113.1 | 254.8 | 253.4 | 342.6 | 323.5 | **13,404.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,932.0** |
| H2O | 1958 | 16.9 | 15.7 | 20.3 | 18.1 | 15.7 | 17.3 | 12.7 | 16.5 | 25.0 | 29.4 | 21.8 | 37.7 | **1,501.1** |
| OIL | 1958 | 89.6 | 97.6 | 95.7 | 126.7 | 154.6 | 141.9 | 133.2 | 111.6 | 149.7 | 141.1 | 130.1 | 130.1 | **11,248.3** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,567.0** |
| H2O | 1957 | 28.8 | 7.3 | 18.4 | 18.6 | 20.7 | 23.7 | 9.1 | 10.0 | 14.1 | 17.5 | 11.6 | 13.2 | **1,254.0** |
| OIL | 1957 | 123.8 | 113.0 | 133.2 | 124.3 | 121.7 | 126.8 | 97.3 | 136.3 | 135.9 | 143.8 | 86.3 | 94.1 | **9,746.4** |

# Manitoba Production
## 1950 To 1975

Licence ***310*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,202.0** |
| H2O | 1956 | 17.2 | 25.6 | 58.8 | 59.5 | 12.9 | 22.4 | 20.8 | 30.5 | 2.9 | 42.0 | 25.9 | 35.1 | **1,061.0** |
| OIL | 1956 | 121.1 | 162.6 | 158.3 | 152.4 | 157.2 | 144.6 | 145.2 | 114.9 | 137.5 | 159.1 | 128.9 | 123.8 | **8,309.9** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **836.0** |
| H2O | 1955 | 20.8 | 26.4 | 34.7 | 47.7 | 19.9 | 32.6 | 9.4 | 15.7 | 25.0 | 22.7 | 15.1 | 16.4 | **707.4** |
| OIL | 1955 | 231.5 | 208.2 | 195.3 | 188.6 | 167.5 | 172.6 | 156.2 | 155.4 | 177.3 | 165.4 | 117.1 | 118.7 | **6,604.3** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **471.0** |
| H2O | 1954 | 34.5 | 19.1 | 25.3 | 18.9 | 23.4 | 22.6 | 28.0 | 36.7 | 31.2 | 23.1 | 29.1 | 30.0 | **421.0** |
| OIL | 1954 | 246.0 | 272.1 | 260.7 | 210.1 | 259.9 | 322.4 | 215.2 | 193.6 | 164.0 | 153.2 | 224.1 | 231.1 | **4,550.5** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 31.0 | 30.0 | 31.0 | **106.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.2 | 26.4 | 32.0 | 28.5 | **99.1** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 408.9 | 526.0 | 456.4 | 406.8 | **1,798.1** |

Licence ***311*** Well Name ***Centoba Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-28-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 29.0 | 31.0 | 30.0 | 30.0 | 29.0 | 0.0 | 0.0 | **4,008.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 377.3 | 519.1 | 529.1 | 510.9 | 510.1 | 490.2 | 0.0 | 0.0 | **29,160.3** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 32.9 | 50.9 | 43.7 | 32.3 | 31.0 | 32.2 | 0.0 | 0.0 | **17,267.9** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 30.0 | 29.0 | 31.0 | 26.0 | 31.0 | 0.0 | 0.0 | **3,837.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 228.1 | 238.5 | 233.9 | 249.3 | 206.7 | 317.3 | 0.0 | 0.0 | **26,223.6** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 19.9 | 61.7 | 49.0 | 42.4 | 28.9 | 37.7 | 0.0 | 0.0 | **17,044.9** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 23.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 0.0 | 0.0 | **3,670.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 356.9 | 443.5 | 421.2 | 364.9 | 320.4 | 310.0 | 289.7 | 0.0 | 0.0 | **24,749.8** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 43.9 | 73.3 | 51.7 | 45.5 | 44.4 | 42.9 | 33.2 | 0.0 | 0.0 | **16,805.3** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 24.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **3,465.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 119.2 | 108.1 | 369.6 | 369.6 | 357.7 | 369.6 | 0.0 | 0.0 | **22,243.2** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 53.4 | 46.1 | 77.6 | 45.3 | 42.9 | 44.4 | 0.0 | 0.0 | **16,470.4** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 27.0 | 29.0 | 29.0 | 28.0 | 26.0 | 0.0 | 0.0 | **3,287.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 413.4 | 421.2 | 461.0 | 461.0 | 461.0 | 413.4 | 0.0 | 0.0 | **20,549.4** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 69.5 | 57.2 | 58.5 | 39.4 | 21.8 | 9.5 | 0.0 | 0.0 | **16,160.7** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 4.0 | 0.0 | **3,122.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 351.4 | 381.6 | 388.7 | 418.8 | 377.6 | 303.3 | 413.4 | 54.1 | 0.0 | **17,918.4** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 62.6 | 76.9 | 57.7 | 49.6 | 44.7 | 46.4 | 54.2 | 6.2 | 0.0 | **15,904.8** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 10.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 21.0 | **2,907.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 111.3 | 311.6 | 318.8 | 390.3 | 394.3 | 343.4 | 381.6 | 155.5 | 237.7 | **15,229.5** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 42.1 | 78.2 | 66.5 | 58.7 | 55.3 | 48.7 | 36.7 | 38.5 | 24.5 | **15,506.5** |
| DAY | 1961 | 31.0 | 19.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 21.0 | 5.0 | 0.0 | **2,663.0** |
| H2O | 1961 | 379.3 | 257.9 | 340.2 | 346.3 | 340.9 | 267.3 | 302.6 | 319.6 | 333.9 | 222.6 | 55.6 | 0.0 | **12,585.0** |
| OIL | 1961 | 71.2 | 52.5 | 66.9 | 52.1 | 50.2 | 39.1 | 45.0 | 53.4 | 51.5 | 39.1 | 10.3 | 0.0 | **15,057.3** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 26.0 | 31.0 | 30.0 | 29.0 | 25.0 | 26.0 | 31.0 | 30.0 | 29.0 | **2,373.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 66.9 | 90.3 | 85.4 | 82.7 | 74.4 | 246.0 | 325.9 | 332.6 | 380.6 | **9,418.8** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 36.7 | 60.4 | 50.7 | 46.9 | 31.6 | 164.7 | 135.9 | 88.7 | 90.5 | **14,526.0** |
| DAY | 1959 | 20.0 | 0.0 | 0.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 27.0 | **2,116.0** |
| H2O | 1959 | 127.2 | 0.0 | 0.0 | 78.9 | 132.0 | 147.9 | 151.0 | 147.9 | 142.3 | 181.2 | 197.1 | 168.5 | **7,734.0** |
| OIL | 1959 | 44.5 | 0.0 | 0.0 | 80.3 | 65.2 | 53.3 | 54.1 | 52.5 | 49.3 | 38.2 | 48.2 | 39.7 | **13,819.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 28.0 | 18.0 | **1,831.0** |
| H2O | 1958 | 206.7 | 178.1 | 197.1 | 190.8 | 197.1 | 190.8 | 197.1 | 184.4 | 190.8 | 197.1 | 178.1 | 128.0 | **6,260.0** |
| OIL | 1958 | 74.7 | 60.3 | 41.3 | 51.2 | 55.6 | 50.9 | 60.4 | 53.3 | 56.1 | 57.2 | 50.9 | 39.4 | **13,294.6** |
| DAY | 1957 | 31.0 | 28.0 | 22.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 21.0 | 30.0 | 30.0 | 31.0 | **1,483.0** |
| H2O | 1957 | 177.3 | 170.1 | 123.4 | 79.5 | 143.1 | 146.3 | 193.3 | 186.7 | 130.2 | 190.8 | 184.4 | 200.3 | **4,023.9** |

# Manitoba Production
## 1950 To 1975

Licence ***311*** Well Name ***Centoba Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-28-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1957 | 128.7 | 87.7 | 102.5 | 96.3 | 93.3 | 97.3 | 99.5 | 94.3 | 69.9 | 112.8 | 74.7 | 80.2 | **12,643.3** |
| DAY | 1956 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,140.0** |
| H2O | 1956 | 139.9 | 74.7 | 77.4 | 70.7 | 98.6 | 161.2 | 186.0 | 190.0 | 205.1 | 183.9 | 163.3 | 168.5 | **2,098.5** |
| OIL | 1956 | 182.6 | 133.5 | 182.3 | 202.2 | 189.1 | 179.4 | 204.1 | 166.0 | 141.4 | 120.3 | 103.3 | 124.6 | **11,506.1** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **775.0** |
| H2O | 1955 | 0.6 | 0.5 | 0.6 | 1.1 | 1.4 | 2.5 | 2.2 | 3.0 | 4.8 | 93.2 | 111.3 | 145.3 | **379.2** |
| OIL | 1955 | 367.6 | 334.7 | 352.8 | 338.2 | 357.6 | 335.0 | 343.6 | 345.7 | 332.0 | 278.8 | 257.1 | 270.8 | **9,577.3** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 25.0 | 16.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | **411.0** |
| H2O | 1954 | 0.8 | 1.7 | 1.1 | 0.8 | 0.6 | 1.0 | 1.1 | 1.1 | 0.8 | 1.0 | 0.6 | 0.6 | **12.7** |
| OIL | 1954 | 328.2 | 317.4 | 390.5 | 380.5 | 294.4 | 516.5 | 517.3 | 505.1 | 450.4 | 526.7 | 345.7 | 250.2 | **5,663.4** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 28.0 | 31.0 | **74.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.8 | 0.5 | **1.5** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 109.7 | 384.8 | 346.0 | **840.5** |

Licence ***312*** Well Name ***Tundra Whitewater*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-16-003-21W1.00*** Field Name ***Whitewater*** Pool Name ***Lodgepole WL A*** Field Code ***6*** Pool Code ***52A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 18.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 22.0 | **7,648.0** |
| H2O | 1975 | 14.6 | 11.1 | 10.2 | 15.7 | 12.7 | 8.7 | 42.1 | 22.6 | 20.7 | 22.3 | 16.2 | 7.6 | **461.5** |
| OIL | 1975 | 47.7 | 38.5 | 37.8 | 76.6 | 63.3 | 19.9 | 86.8 | 57.7 | 54.4 | 56.1 | 53.3 | 46.9 | **15,940.2** |
| DAY | 1974 | 31.0 | 22.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,305.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 7.2 | 9.2 | 3.3 | 6.5 | 5.9 | 6.2 | 4.9 | 8.6 | 30.8 | **257.0** |
| OIL | 1974 | 103.2 | 84.9 | 111.8 | 62.5 | 61.5 | 68.5 | 73.1 | 59.5 | 70.9 | 54.5 | 59.6 | 76.9 | **15,301.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,949.0** |
| OIL | 1973 | 45.3 | 52.6 | 69.0 | 73.5 | 96.7 | 108.1 | 97.3 | 95.2 | 94.0 | 84.4 | 118.1 | 107.8 | **14,414.3** |
| DAY | 1972 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,585.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 5.9 | 4.8 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **174.4** |
| OIL | 1972 | 43.7 | 41.2 | 43.4 | 40.4 | 42.6 | 37.8 | 39.6 | 39.7 | 37.0 | 36.2 | 27.3 | 41.0 | **13,372.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 28.0 | **6,221.0** |
| OIL | 1971 | 43.2 | 39.4 | 45.6 | 42.4 | 44.2 | 41.8 | 49.4 | 42.3 | 39.6 | 33.5 | 43.1 | 33.7 | **12,902.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,860.0** |
| H2O | 1970 | 3.2 | 1.6 | 1.1 | 1.0 | 0.0 | 1.9 | 0.0 | 0.0 | 0.0 | 2.4 | 1.9 | 0.0 | **160.5** |
| OIL | 1970 | 44.2 | 38.5 | 46.1 | 42.6 | 49.3 | 44.7 | 45.8 | 45.2 | 42.9 | 43.7 | 33.1 | 44.0 | **12,404.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,496.0** |
| OIL | 1969 | 49.6 | 48.2 | 51.7 | 50.2 | 51.2 | 47.7 | 52.3 | 49.4 | 46.9 | 50.1 | 46.9 | 45.9 | **11,884.1** |
| DAY | 1968 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,131.0** |
| OIL | 1968 | 52.3 | 49.6 | 56.1 | 50.4 | 52.5 | 49.9 | 51.4 | 52.6 | 48.7 | 48.7 | 48.5 | 47.9 | **11,294.0** |
| DAY | 1967 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **4,829.0** |
| OIL | 1967 | 54.9 | 46.6 | 56.8 | 52.1 | 55.2 | 50.4 | 55.6 | 51.5 | 51.7 | 53.1 | 47.4 | 53.3 | **10,685.4** |
| DAY | 1966 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,524.0** |
| H2O | 1966 | 1.4 | 0.0 | 7.8 | 1.0 | 1.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.9 | 0.0 | **147.4** |
| OIL | 1966 | 45.9 | 64.1 | 54.9 | 56.9 | 56.9 | 55.3 | 55.0 | 53.1 | 54.9 | 53.6 | 49.1 | 58.5 | **10,056.8** |
| DAY | 1965 | 29.0 | 27.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 22.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,161.0** |
| H2O | 1965 | 4.1 | 15.7 | 4.5 | 1.6 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | **133.9** |
| OIL | 1965 | 28.8 | 45.6 | 43.4 | 63.1 | 53.6 | 51.7 | 50.6 | 30.8 | 82.2 | 67.4 | 58.0 | 64.5 | **9,398.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 6.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | **3,812.0** |
| H2O | 1964 | 1.4 | 6.2 | 3.8 | 0.0 | 0.0 | 2.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | **107.1** |
| OIL | 1964 | 58.0 | 49.1 | 53.9 | 55.5 | 9.5 | 65.5 | 51.5 | 59.3 | 51.5 | 53.3 | 45.9 | 61.2 | **8,758.9** |
| DAY | 1963 | 17.0 | 0.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,481.0** |
| H2O | 1963 | 0.0 | 0.0 | 7.6 | 0.5 | 0.0 | 0.0 | 3.3 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | **92.5** |
| OIL | 1963 | 32.8 | 0.0 | 61.7 | 78.1 | 57.4 | 55.2 | 53.1 | 55.0 | 54.2 | 55.2 | 45.6 | 48.0 | **8,144.7** |

# Manitoba Production
## 1950 To 1975

Licence ***312*** Well Name ***Tundra Whitewater*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-16-003-21W1.00*** Field Name ***Whitewater*** Pool Name ***Lodgepole WL A*** Field Code ***6*** Pool Code ***52A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1962 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | **3,164.0** |
| H2O | 1962 | 0.0 | 5.7 | 0.8 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **79.8** |
| OIL | 1962 | 62.2 | 51.2 | 61.7 | 56.1 | 60.6 | 55.0 | 50.9 | 54.4 | 53.3 | 52.1 | 52.8 | 49.1 | **7,548.4** |
| DAY | 1961 | 29.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,805.0** |
| H2O | 1961 | 1.0 | 0.0 | 0.0 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.4 | **70.9** |
| OIL | 1961 | 53.2 | 53.2 | 59.0 | 57.8 | 49.5 | 61.6 | 66.0 | 60.8 | 56.9 | 57.1 | 53.4 | 31.5 | **6,889.0** |
| DAY | 1960 | 18.0 | 8.0 | 31.0 | 30.0 | 15.0 | 21.0 | 31.0 | 31.0 | 30.0 | 24.0 | 30.0 | 30.0 | **2,443.0** |
| H2O | 1960 | 0.6 | 0.0 | 11.0 | 3.8 | 5.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **68.2** |
| OIL | 1960 | 41.2 | 7.7 | 43.5 | 60.0 | 22.0 | 41.6 | 54.1 | 59.7 | 62.1 | 39.8 | 55.2 | 58.9 | **6,229.0** |
| DAY | 1959 | 29.0 | 27.0 | 30.0 | 27.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 16.0 | 28.0 | 30.0 | **2,144.0** |
| H2O | 1959 | 0.2 | 0.3 | 0.6 | 0.3 | 0.3 | 0.3 | 0.5 | 0.2 | 0.2 | 0.0 | 0.0 | 0.0 | **47.2** |
| OIL | 1959 | 54.1 | 46.6 | 57.5 | 52.4 | 54.6 | 49.3 | 57.0 | 54.0 | 53.8 | 32.0 | 55.9 | 57.8 | **5,683.2** |
| DAY | 1958 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | **1,807.0** |
| H2O | 1958 | 1.0 | 1.4 | 1.9 | 0.5 | 1.4 | 0.5 | 0.5 | 0.3 | 0.3 | 0.5 | 0.2 | 0.2 | **44.3** |
| OIL | 1958 | 61.0 | 49.7 | 58.7 | 54.8 | 56.3 | 53.0 | 57.5 | 57.3 | 54.8 | 57.0 | 48.7 | 53.3 | **5,058.2** |
| DAY | 1957 | 30.0 | 26.0 | 31.0 | 28.0 | 30.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **1,447.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 4.5 | 0.0 | 0.0 | 0.0 | 0.6 | 0.8 | 1.0 | 0.8 | 0.8 | **35.6** |
| OIL | 1957 | 67.2 | 51.1 | 59.8 | 60.6 | 63.7 | 56.3 | 61.4 | 59.5 | 58.6 | 60.6 | 57.3 | 55.1 | **4,396.1** |
| DAY | 1956 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | **1,094.0** |
| H2O | 1956 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **27.1** |
| OIL | 1956 | 78.6 | 70.2 | 67.2 | 68.6 | 68.6 | 61.7 | 63.5 | 66.8 | 61.7 | 64.3 | 63.8 | 57.0 | **3,684.9** |
| DAY | 1955 | 30.0 | 24.0 | 31.0 | 26.0 | 0.0 | 22.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 30.0 | **733.0** |
| H2O | 1955 | 0.2 | 0.6 | 0.8 | 0.5 | 0.0 | 0.2 | 0.2 | 0.2 | 0.2 | 0.0 | 0.3 | 0.2 | **25.5** |
| OIL | 1955 | 83.1 | 75.3 | 92.3 | 65.6 | 0.0 | 113.1 | 95.0 | 80.2 | 78.3 | 69.7 | 66.7 | 68.6 | **2,892.9** |
| DAY | 1954 | 18.0 | 28.0 | 30.0 | 30.0 | 13.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **420.0** |
| H2O | 1954 | 2.0 | 2.1 | 1.6 | 1.3 | 0.3 | 0.6 | 0.3 | 0.3 | 0.2 | 1.0 | 0.6 | 1.3 | **22.1** |
| OIL | 1954 | 115.8 | 142.4 | 127.2 | 120.4 | 70.6 | 118.5 | 108.2 | 109.9 | 98.5 | 100.4 | 98.8 | 91.8 | **2,005.0** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 28.0 | **89.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.7 | 3.7 | 2.1 | **10.5** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 336.2 | 198.0 | 168.3 | **702.5** |

Licence ***314*** Well Name ***Kiwi Mustang Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-33-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 17.0 | 0.0 | 0.0 | 0.0 | **5,522.0** |
| H2O | 1969 | 3.2 | 1.6 | 4.8 | 4.8 | 4.0 | 4.8 | 4.0 | 3.2 | 4.3 | 0.0 | 0.0 | 0.0 | **691.1** |
| OIL | 1969 | 21.9 | 11.9 | 20.0 | 23.5 | 16.4 | 19.9 | 17.5 | 7.9 | 7.8 | 0.0 | 0.0 | 0.0 | **4,996.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,265.0** |
| H2O | 1968 | 9.5 | 9.5 | 9.5 | 9.5 | 6.4 | 6.4 | 6.4 | 6.4 | 6.4 | 4.8 | 4.8 | 3.2 | **656.4** |
| OIL | 1968 | 47.7 | 42.9 | 35.8 | 42.9 | 36.5 | 35.8 | 35.8 | 34.6 | 31.5 | 20.3 | 20.3 | 23.5 | **4,849.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,905.0** |
| H2O | 1967 | 8.7 | 8.9 | 9.9 | 9.5 | 9.9 | 9.5 | 9.9 | 8.3 | 9.5 | 9.9 | 9.5 | 9.5 | **573.6** |
| OIL | 1967 | 24.6 | 17.8 | 4.4 | 19.1 | 19.7 | 19.1 | 5.2 | 41.3 | 47.7 | 39.4 | 47.7 | 47.7 | **4,441.9** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **4,545.0** |
| H2O | 1966 | 5.4 | 5.4 | 5.1 | 3.5 | 3.3 | 2.1 | 1.9 | 3.0 | 2.7 | 3.2 | 2.4 | 3.0 | **460.6** |
| OIL | 1966 | 20.0 | 18.9 | 23.5 | 21.3 | 17.6 | 16.4 | 16.4 | 19.1 | 19.2 | 23.2 | 18.6 | 19.1 | **4,108.2** |
| DAY | 1965 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 10.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,182.0** |
| H2O | 1965 | 1.9 | 1.4 | 2.7 | 2.7 | 2.7 | 1.0 | 6.4 | 3.8 | 4.1 | 4.3 | 6.0 | 6.2 | **419.6** |
| OIL | 1965 | 17.0 | 11.9 | 16.2 | 18.3 | 18.3 | 0.6 | 8.7 | 11.6 | 19.1 | 19.9 | 20.3 | 20.7 | **3,874.9** |
| DAY | 1964 | 30.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,842.0** |
| H2O | 1964 | 0.8 | 0.8 | 5.1 | 3.0 | 2.9 | 3.8 | 3.2 | 3.0 | 3.7 | 3.2 | 2.9 | 1.7 | **376.4** |

# Manitoba Production
## 1950 To 1975

Licence ***314*** Well Name ***Kiwi Mustang Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-33-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1964 | 21.9 | 17.2 | 14.0 | 12.4 | 11.4 | 11.0 | 10.3 | 11.8 | 16.7 | 14.0 | 11.6 | 13.5 | **3,692.3** |
| DAY | 1963 | 18.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 2.0 | 31.0 | **3,480.0** |
| H2O | 1963 | 0.0 | 4.0 | 4.1 | 5.6 | 6.4 | 9.5 | 5.4 | 7.6 | 7.6 | 4.6 | 0.8 | 4.0 | **342.3** |
| OIL | 1963 | 31.0 | 28.6 | 11.1 | 14.1 | 12.1 | 11.1 | 16.2 | 4.0 | 22.7 | 13.8 | 2.4 | 29.9 | **3,526.5** |
| DAY | 1962 | 27.0 | 26.0 | 16.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 21.0 | 31.0 | 30.0 | 13.0 | **3,165.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.3 | 0.0 | **282.7** |
| OIL | 1962 | 15.3 | 14.3 | 11.1 | 27.7 | 20.3 | 17.2 | 20.3 | 18.0 | 13.3 | 19.7 | 19.1 | 8.3 | **3,329.5** |
| DAY | 1961 | 31.0 | 19.0 | 27.0 | 30.0 | 5.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,850.0** |
| OIL | 1961 | 22.9 | 12.9 | 21.9 | 20.3 | 19.2 | 19.9 | 19.5 | 22.2 | 19.5 | 17.3 | 17.6 | 18.3 | **3,124.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,530.0** |
| H2O | 1960 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | **281.6** |
| OIL | 1960 | 22.1 | 21.6 | 23.4 | 21.9 | 21.3 | 20.7 | 22.1 | 21.6 | 19.9 | 20.3 | 19.2 | 21.6 | **2,893.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,168.0** |
| H2O | 1959 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | **255.2** |
| OIL | 1959 | 24.0 | 23.2 | 24.9 | 23.5 | 24.2 | 23.4 | 24.2 | 21.8 | 22.4 | 23.4 | 22.9 | 22.6 | **2,637.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,804.0** |
| H2O | 1958 | 2.2 | 2.1 | 2.2 | 2.1 | 2.1 | 2.2 | 2.1 | 2.1 | 2.1 | 2.2 | 2.2 | 2.4 | **228.8** |
| OIL | 1958 | 26.5 | 23.8 | 26.9 | 23.2 | 23.2 | 26.2 | 22.9 | 24.2 | 25.4 | 24.6 | 21.1 | 25.3 | **2,357.2** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,439.0** |
| H2O | 1957 | 3.0 | 2.5 | 2.5 | 2.5 | 2.2 | 2.2 | 2.1 | 2.2 | 2.1 | 1.9 | 1.9 | 1.9 | **202.8** |
| OIL | 1957 | 37.0 | 29.9 | 31.8 | 28.3 | 27.7 | 28.0 | 25.7 | 29.9 | 26.5 | 27.3 | 25.7 | 27.7 | **2,063.9** |
| DAY | 1956 | 30.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 8.0 | **1,079.0** |
| H2O | 1956 | 3.3 | 2.4 | 2.9 | 2.7 | 2.7 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 0.8 | **175.8** |
| OIL | 1956 | 40.7 | 29.7 | 34.8 | 32.1 | 32.4 | 30.2 | 31.9 | 31.8 | 30.5 | 30.2 | 30.7 | 9.9 | **1,718.4** |
| DAY | 1955 | 26.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 25.0 | **742.0** |
| H2O | 1955 | 3.3 | 3.3 | 4.1 | 3.0 | 2.5 | 3.5 | 3.3 | 3.2 | 3.0 | 3.0 | 2.5 | 3.8 | **146.0** |
| OIL | 1955 | 41.2 | 39.3 | 50.7 | 35.4 | 31.5 | 42.9 | 39.1 | 37.5 | 35.9 | 36.4 | 30.2 | 45.1 | **1,353.5** |
| DAY | 1954 | 31.0 | 23.0 | 28.0 | 23.0 | 17.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **393.0** |
| H2O | 1954 | 7.8 | 7.9 | 6.2 | 2.4 | 7.6 | 4.1 | 3.8 | 4.1 | 3.8 | 3.7 | 3.7 | 4.0 | **107.5** |
| OIL | 1954 | 29.7 | 84.2 | 74.1 | 50.7 | 54.2 | 63.1 | 58.5 | 49.7 | 46.2 | 42.0 | 44.2 | 48.5 | **888.3** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | **61.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.3 | 28.1 | **48.4** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 35.4 | 129.5 | 78.3 | **243.2** |

Licence ***315*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-02-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 27.0 | 31.0 | 31.0 | 17.0 | 19.0 | 0.0 | 0.0 | **5,051.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 40.5 | 39.9 | 40.2 | 40.5 | 17.5 | 36.0 | 0.0 | 0.0 | **1,985.8** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 18.0 | 22.2 | 21.0 | 12.4 | 13.9 | 0.0 | 0.0 | **3,147.4** |
| DAY | 1968 | 30.0 | 7.0 | 13.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,907.0** |
| H2O | 1968 | 14.6 | 7.2 | 15.1 | 30.7 | 28.1 | 30.7 | 19.9 | 21.0 | 30.7 | 28.1 | 31.0 | 14.0 | **1,771.2** |
| OIL | 1968 | 16.8 | 5.4 | 10.8 | 23.0 | 23.2 | 20.2 | 20.7 | 21.1 | 20.2 | 21.1 | 19.4 | 19.2 | **3,045.9** |
| DAY | 1967 | 31.0 | 26.0 | 31.0 | 30.0 | 24.0 | 20.0 | 23.0 | 26.0 | 29.0 | 27.0 | 30.0 | 31.0 | **4,585.0** |
| H2O | 1967 | 18.4 | 14.1 | 15.6 | 8.4 | 4.9 | 3.2 | 33.2 | 24.5 | 16.1 | 23.8 | 19.9 | 13.5 | **1,500.1** |
| OIL | 1967 | 18.6 | 16.2 | 19.4 | 18.0 | 12.4 | 11.1 | 13.5 | 7.6 | 8.4 | 14.9 | 16.8 | 18.0 | **2,824.8** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 29.0 | 31.0 | **4,257.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 54.8 | 36.7 | 24.8 | **1,304.5** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.1 | 18.1 | 18.3 | **2,649.9** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 0.0 | 0.0 | **4,170.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 25.8 | 13.7 | 12.6 | 12.1 | 12.6 | 11.1 | 10.7 | 0.0 | 0.0 | **1,188.2** |

# Manitoba Production
## 1950 To 1975

Licence ***315*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-02-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 7.3 | 7.9 | 6.8 | 8.1 | 8.3 | 7.2 | 4.9 | 0.0 | 0.0 | **2,601.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 27.0 | 31.0 | 27.0 | 0.0 | **3,961.0** |
| H2O | 1964 | 22.6 | 14.9 | 26.2 | 14.6 | 15.1 | 12.1 | 12.4 | 14.5 | 11.0 | 14.5 | 12.7 | 0.0 | **1,089.6** |
| OIL | 1964 | 4.4 | 5.1 | 5.4 | 5.2 | 5.6 | 5.2 | 5.4 | 5.1 | 5.7 | 6.4 | 4.9 | 0.0 | **2,550.9** |
| DAY | 1963 | 16.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,635.0** |
| H2O | 1963 | 15.9 | 13.0 | 11.8 | 8.7 | 15.4 | 10.7 | 13.5 | 9.4 | 17.3 | 14.3 | 11.0 | 26.7 | **919.0** |
| OIL | 1963 | 4.1 | 7.6 | 10.0 | 9.5 | 10.5 | 9.5 | 10.3 | 10.2 | 10.0 | 11.0 | 5.4 | 5.1 | **2,492.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,293.0** |
| H2O | 1962 | 9.7 | 9.2 | 5.2 | 3.2 | 7.8 | 9.5 | 11.8 | 11.0 | 6.4 | 8.9 | 10.5 | 9.7 | **751.3** |
| OIL | 1962 | 3.0 | 3.0 | 2.5 | 2.7 | 2.9 | 3.0 | 5.2 | 8.6 | 8.1 | 7.9 | 9.2 | 9.2 | **2,389.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,936.0** |
| H2O | 1961 | 11.3 | 7.2 | 7.8 | 13.7 | 8.4 | 14.3 | 13.8 | 3.3 | 9.4 | 20.2 | 15.9 | 16.5 | **648.4** |
| OIL | 1961 | 25.4 | 21.9 | 25.6 | 25.1 | 22.9 | 4.8 | 4.6 | 4.4 | 4.8 | 4.8 | 4.4 | 4.0 | **2,324.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,572.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.6 | 31.5 | 27.0 | 24.0 | 21.3 | 14.1 | 7.9 | **506.6** |
| OIL | 1960 | 7.2 | 10.0 | 10.3 | 9.4 | 10.8 | 47.5 | 35.1 | 31.6 | 29.1 | 30.0 | 26.1 | 24.3 | **2,171.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,206.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **362.2** |
| OIL | 1959 | 16.8 | 13.8 | 18.0 | 12.9 | 16.4 | 21.3 | 16.8 | 7.2 | 6.5 | 7.9 | 6.4 | 6.5 | **1,899.9** |
| DAY | 1958 | 31.0 | 28.0 | 21.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,842.0** |
| H2O | 1958 | 2.7 | 1.3 | 1.3 | 1.1 | 0.0 | 1.1 | 2.5 | 2.5 | 2.2 | 0.0 | 0.0 | 0.0 | **361.9** |
| OIL | 1958 | 8.1 | 6.2 | 6.2 | 7.3 | 21.3 | 17.6 | 18.1 | 14.1 | 15.9 | 20.3 | 17.8 | 17.8 | **1,749.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 28.0 | 29.0 | 27.0 | 29.0 | 26.0 | 31.0 | **1,487.0** |
| H2O | 1957 | 5.4 | 3.0 | 4.5 | 3.0 | 2.7 | 4.1 | 0.2 | 4.8 | 2.7 | 2.7 | 2.9 | 3.5 | **347.2** |
| OIL | 1957 | 29.6 | 25.4 | 27.7 | 28.9 | 16.8 | 27.3 | 19.7 | 24.6 | 7.6 | 9.7 | 8.4 | 10.5 | **1,578.7** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,142.0** |
| H2O | 1956 | 7.3 | 4.1 | 10.5 | 4.1 | 4.5 | 7.2 | 9.4 | 6.5 | 6.5 | 6.7 | 5.7 | 5.6 | **307.7** |
| OIL | 1956 | 21.8 | 19.7 | 19.9 | 18.3 | 18.8 | 18.9 | 18.9 | 34.2 | 31.1 | 30.2 | 24.8 | 25.7 | **1,342.5** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **778.0** |
| H2O | 1955 | 9.4 | 0.5 | 1.3 | 5.1 | 10.0 | 6.0 | 11.6 | 12.4 | 10.2 | 11.9 | 9.1 | 5.6 | **229.6** |
| OIL | 1955 | 20.7 | 22.4 | 24.2 | 20.5 | 23.5 | 24.0 | 24.5 | 23.5 | 23.7 | 23.0 | 21.1 | 14.5 | **1,060.2** |
| DAY | 1954 | 19.0 | 28.0 | 28.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **413.0** |
| H2O | 1954 | 9.7 | 6.2 | 8.1 | 9.9 | 8.7 | 7.3 | 5.2 | 6.8 | 3.3 | 7.6 | 2.4 | 0.8 | **136.5** |
| OIL | 1954 | 38.6 | 58.4 | 57.3 | 59.9 | 57.1 | 42.7 | 51.3 | 57.8 | 37.8 | 39.9 | 27.8 | 23.4 | **794.6** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 29.0 | 31.0 | **66.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.3 | 28.1 | 18.1 | **60.5** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 57.6 | 112.4 | 72.6 | **242.6** |

Licence ***316*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-02-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 19.0 | 10.0 | 31.0 | **7,977.0** |
| H2O | 1975 | 5.6 | 14.8 | 4.5 | 43.4 | 25.9 | 9.5 | 10.2 | 0.0 | 4.9 | 10.2 | 0.0 | 16.5 | **1,244.0** |
| OIL | 1975 | 75.6 | 116.6 | 81.2 | 60.9 | 73.1 | 80.2 | 69.0 | 100.0 | 83.4 | 46.9 | 50.9 | 98.8 | **20,237.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | **7,645.0** |
| H2O | 1974 | 7.2 | 3.8 | 15.9 | 14.0 | 11.8 | 0.0 | 0.0 | 0.0 | 4.6 | 7.9 | 3.5 | 1.0 | **1,098.5** |
| OIL | 1974 | 92.6 | 72.3 | 77.4 | 81.5 | 84.1 | 84.2 | 81.8 | 89.3 | 65.8 | 83.3 | 80.7 | 36.5 | **19,300.7** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **7,287.0** |
| H2O | 1973 | 23.8 | 12.1 | 19.9 | 12.1 | 7.2 | 6.4 | 6.0 | 0.0 | 0.0 | 0.0 | 3.8 | 17.3 | **1,028.8** |
| OIL | 1973 | 78.0 | 71.4 | 62.1 | 81.8 | 93.8 | 87.6 | 93.6 | 84.9 | 81.5 | 78.2 | 92.6 | 62.1 | **18,371.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,924.0** |

# Manitoba Production
## 1950 To 1975

Licence ***316*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-02-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1972 | 0.0 | 0.0 | 1.6 | 2.9 | 0.0 | 0.0 | 0.0 | 0.0 | 1.7 | 2.2 | 0.8 | 0.0 | **920.2** |
| OIL | 1972 | 88.4 | 81.2 | 88.2 | 75.8 | 96.0 | 83.1 | 69.3 | 85.2 | 82.5 | 92.8 | 88.5 | 91.1 | **17,403.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,558.0** |
| H2O | 1971 | 1.7 | 1.7 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **911.0** |
| OIL | 1971 | 89.3 | 78.3 | 93.9 | 87.9 | 89.0 | 87.7 | 87.4 | 89.0 | 82.0 | 87.7 | 71.5 | 79.6 | **16,381.5** |
| DAY | 1970 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,194.0** |
| H2O | 1970 | 4.3 | 4.9 | 3.2 | 2.4 | 3.0 | 8.6 | 4.3 | 3.8 | 8.6 | 0.0 | 8.6 | 0.0 | **907.3** |
| OIL | 1970 | 72.5 | 83.7 | 80.1 | 106.8 | 89.1 | 92.3 | 87.9 | 89.3 | 86.0 | 92.6 | 90.6 | 93.0 | **15,358.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,835.0** |
| H2O | 1969 | 5.6 | 1.7 | 2.5 | 4.1 | 9.9 | 6.2 | 5.7 | 5.4 | 4.3 | 8.3 | 6.4 | 4.1 | **855.6** |
| OIL | 1969 | 91.8 | 76.3 | 92.3 | 100.1 | 73.1 | 79.1 | 88.2 | 81.8 | 86.6 | 91.4 | 89.0 | 90.7 | **14,294.3** |
| DAY | 1968 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,471.0** |
| H2O | 1968 | 3.0 | 6.4 | 6.2 | 5.6 | 5.6 | 6.4 | 3.8 | 4.1 | 6.2 | 5.6 | 6.0 | 2.7 | **791.4** |
| OIL | 1968 | 76.8 | 105.0 | 100.9 | 95.2 | 100.1 | 90.1 | 86.9 | 88.2 | 86.8 | 89.0 | 81.4 | 80.9 | **13,253.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,107.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 4.1 | 2.4 | 5.4 | 4.0 | 2.7 | **729.8** |
| OIL | 1967 | 77.9 | 72.8 | 80.7 | 74.4 | 66.9 | 72.0 | 78.0 | 82.5 | 80.9 | 74.1 | 72.5 | 77.2 | **12,172.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,742.0** |
| H2O | 1966 | 7.0 | 6.2 | 7.0 | 6.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **707.2** |
| OIL | 1966 | 76.4 | 67.7 | 76.6 | 72.6 | 71.2 | 84.2 | 74.1 | 73.9 | 85.5 | 81.2 | 81.2 | 75.6 | **11,262.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,377.0** |
| H2O | 1965 | 6.8 | 5.9 | 8.3 | 13.7 | 6.7 | 6.0 | 5.6 | 6.0 | 5.4 | 5.4 | 5.9 | 7.3 | **680.6** |
| OIL | 1965 | 85.3 | 73.3 | 77.4 | 73.1 | 71.2 | 61.8 | 66.9 | 74.2 | 64.5 | 47.0 | 102.8 | 75.6 | **10,342.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,014.0** |
| H2O | 1964 | 4.0 | 2.7 | 4.6 | 2.7 | 2.7 | 2.2 | 2.4 | 2.9 | 2.2 | 2.5 | 2.7 | 8.6 | **597.6** |
| OIL | 1964 | 71.4 | 79.3 | 86.6 | 81.8 | 87.2 | 81.8 | 85.7 | 88.8 | 82.5 | 82.0 | 70.4 | 80.9 | **9,469.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,648.0** |
| H2O | 1963 | 5.6 | 2.7 | 1.9 | 1.4 | 2.5 | 1.6 | 1.7 | 1.3 | 2.5 | 2.1 | 2.1 | 4.8 | **557.4** |
| OIL | 1963 | 61.5 | 68.8 | 70.9 | 67.7 | 74.5 | 72.5 | 78.5 | 80.7 | 81.0 | 83.6 | 85.3 | 80.4 | **8,491.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,283.0** |
| H2O | 1962 | 1.4 | 1.4 | 0.8 | 0.5 | 1.1 | 1.4 | 2.1 | 1.9 | 1.1 | 1.4 | 1.7 | 1.6 | **527.2** |
| OIL | 1962 | 44.3 | 39.7 | 34.8 | 37.3 | 39.1 | 41.3 | 40.2 | 65.0 | 57.7 | 56.1 | 65.6 | 66.3 | **7,585.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,924.0** |
| H2O | 1961 | 2.4 | 1.6 | 1.6 | 2.9 | 1.7 | 2.2 | 1.9 | 0.5 | 1.4 | 3.0 | 2.4 | 2.5 | **510.8** |
| OIL | 1961 | 47.2 | 41.0 | 47.7 | 46.4 | 42.6 | 62.9 | 62.6 | 60.9 | 64.0 | 64.5 | 61.2 | 56.7 | **6,998.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,559.0** |
| H2O | 1960 | 4.1 | 3.8 | 5.2 | 6.4 | 14.1 | 2.9 | 4.3 | 3.8 | 3.3 | 2.7 | 1.9 | 1.6 | **486.7** |
| OIL | 1960 | 78.3 | 110.8 | 115.1 | 104.2 | 114.1 | 67.2 | 65.8 | 59.4 | 54.5 | 50.7 | 48.9 | 45.3 | **6,340.5** |
| DAY | 1959 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 25.0 | 28.0 | 30.0 | 26.0 | **2,195.0** |
| H2O | 1959 | 3.7 | 2.5 | 3.8 | 2.1 | 1.4 | 2.1 | 5.6 | 6.5 | 3.5 | 6.4 | 3.7 | 2.7 | **432.6** |
| OIL | 1959 | 80.2 | 62.5 | 88.7 | 63.1 | 62.8 | 65.5 | 77.4 | 81.2 | 59.6 | 80.2 | 71.8 | 60.4 | **5,426.2** |
| DAY | 1958 | 31.0 | 27.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 26.0 | **1,847.0** |
| H2O | 1958 | 14.3 | 6.8 | 13.2 | 7.6 | 7.5 | 6.4 | 4.6 | 4.9 | 7.3 | 6.8 | 5.6 | 3.0 | **388.6** |
| OIL | 1958 | 134.3 | 99.5 | 127.0 | 103.5 | 107.9 | 112.5 | 88.4 | 67.9 | 114.3 | 100.4 | 87.7 | 73.1 | **4,572.8** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 30.0 | 27.0 | 28.0 | 29.0 | 28.0 | 31.0 | **1,494.0** |
| H2O | 1957 | 1.7 | 1.0 | 1.4 | 1.0 | 1.0 | 1.3 | 6.5 | 0.3 | 39.1 | 40.9 | 18.1 | 21.8 | **300.6** |
| OIL | 1957 | 30.5 | 26.2 | 28.4 | 29.9 | 35.8 | 28.3 | 27.3 | 22.9 | 187.5 | 231.4 | 147.3 | 172.9 | **3,356.3** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,146.0** |
| H2O | 1956 | 1.3 | 0.8 | 1.7 | 0.8 | 0.8 | 1.3 | 1.6 | 1.9 | 2.1 | 2.1 | 1.9 | 1.9 | **166.5** |
| OIL | 1956 | 58.2 | 52.4 | 53.2 | 48.9 | 50.1 | 50.2 | 50.4 | 31.8 | 32.1 | 31.5 | 25.6 | 26.7 | **2,387.9** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **785.0** |
| H2O | 1955 | 10.2 | 12.1 | 38.0 | 1.4 | 0.8 | 1.9 | 2.2 | 2.1 | 1.6 | 2.1 | 1.4 | 1.0 | **148.3** |

# Manitoba Production
## 1950 To 1975

Licence ***316*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-02-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1955 | 50.5 | 49.3 | 51.5 | 50.7 | 56.7 | 63.4 | 65.5 | 62.6 | 62.3 | 59.1 | 56.1 | 38.6 | **1,876.8** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **420.0** |
| H2O | 1954 | 2.4 | 3.0 | 2.4 | 2.1 | 3.0 | 2.1 | 2.1 | 3.5 | 4.6 | 7.9 | 7.5 | 25.1 | **73.5** |
| OIL | 1954 | 116.3 | 87.4 | 85.0 | 69.3 | 64.4 | 63.2 | 58.3 | 57.8 | 37.0 | 54.3 | 65.8 | 51.2 | **1,210.5** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 29.0 | 29.0 | **60.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.8 | 3.0 | **7.8** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.6 | 225.7 | 149.2 | **400.5** |

Licence ***317*** Well Name ***Kiwi Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-28-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 24.0 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,881.0** |
| H2O | 1973 | 2439.5 | 2361.8 | 2776.3 | 2168.3 | 2152.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **117,329.8** |
| OIL | 1973 | 16.7 | 13.8 | 14.0 | 16.2 | 14.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **11,552.1** |
| DAY | 1972 | 31.0 | 29.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 0.0 | 30.0 | 31.0 | **1,733.0** |
| H2O | 1972 | 2647.4 | 2407.4 | 2003.1 | 2517.5 | 2637.0 | 2497.7 | 2572.5 | 2637.7 | 2499.3 | 1893.9 | 2402.0 | 2399.4 | **105,431.3** |
| OIL | 1972 | 22.6 | 22.7 | 17.6 | 22.7 | 21.8 | 12.6 | 13.4 | 20.5 | 23.7 | 17.6 | 17.8 | 17.3 | **11,477.3** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,405.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 187.9 | 1929.2 | 1586.2 | 1503.1 | 922.3 | 1075.4 | 1090.5 | **76,316.4** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.7 | 44.0 | 32.9 | 32.8 | 20.8 | 25.4 | 24.8 | **11,247.0** |
| H2O | 1970 | 1342.3 | 1514.7 | 1482.1 | 1107.4 | 1857.1 | 1602.0 | 1522.5 | 1567.9 | 1663.8 | 1044.9 | 0.0 | 0.0 | **68,021.8** |
| OIL | 1970 | 23.1 | 28.6 | 30.7 | 23.8 | 34.7 | 29.9 | 28.5 | 34.2 | 43.7 | 28.1 | 0.0 | 0.0 | **11,060.6** |
| DAY | 1969 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,217.0** |
| H2O | 1969 | 1311.7 | 2986.7 | 3239.8 | 2843.4 | 1908.0 | 2534.2 | 2226.3 | 1602.1 | 1716.7 | 2019.9 | 1590.4 | 1415.6 | **53,317.1** |
| OIL | 1969 | 21.0 | 42.9 | 61.5 | 53.9 | 40.4 | 50.7 | 45.6 | 26.1 | 29.3 | 37.2 | 28.8 | 24.0 | **10,755.3** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 7.0 | 30.0 | 30.0 | 28.0 | 28.0 | 28.0 | 22.0 | 30.0 | 31.0 | **1,213.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 47.5 | 1923.8 | 1907.9 | 1780.7 | 1780.7 | 3894.8 | 2659.3 | 4034.9 | 4272.1 | **27,922.3** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 5.1 | 64.7 | 55.5 | 42.1 | 49.1 | 50.9 | 45.3 | 49.1 | 54.9 | **10,293.9** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 30.0 | 11.0 | 0.0 | 0.0 | **979.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 272.8 | 213.7 | 73.5 | 0.0 | 0.0 | **5,620.6** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.3 | 0.0 | 0.0 | 0.0 | 0.0 | **9,877.2** |
| DAY | 1956 | 15.0 | 29.0 | 29.0 | 7.0 | 23.0 | 26.0 | 28.0 | 31.0 | 1.0 | 11.0 | 28.0 | 21.0 | **912.0** |
| H2O | 1956 | 94.4 | 162.8 | 368.9 | 210.5 | 618.6 | 532.4 | 596.7 | 632.5 | 25.6 | 259.1 | 679.5 | 425.5 | **5,060.6** |
| OIL | 1956 | 63.6 | 69.0 | 97.6 | 21.9 | 52.8 | 16.7 | 17.8 | 24.0 | 0.5 | 13.5 | 43.1 | 41.0 | **9,862.9** |
| DAY | 1955 | 0.0 | 25.0 | 27.0 | 26.0 | 29.0 | 28.0 | 29.0 | 31.0 | 30.0 | 28.0 | 19.0 | 9.0 | **663.0** |
| H2O | 1955 | 0.8 | 1.0 | 0.6 | 0.6 | 0.5 | 8.7 | 25.4 | 8.1 | 143.6 | 132.4 | 48.5 | 64.9 | **454.1** |
| OIL | 1955 | 331.1 | 318.1 | 335.1 | 322.2 | 262.7 | 317.9 | 317.0 | 320.8 | 244.4 | 136.0 | 56.9 | 39.9 | **9,401.4** |
| DAY | 1954 | 28.0 | 27.0 | 30.0 | 23.0 | 15.0 | 24.0 | 26.0 | 26.0 | 27.0 | 30.0 | 26.0 | 31.0 | **382.0** |
| H2O | 1954 | 0.6 | 0.6 | 0.8 | 0.6 | 0.8 | 6.8 | 1.0 | 1.0 | 0.8 | 1.1 | 0.6 | 1.0 | **19.0** |
| OIL | 1954 | 356.7 | 318.3 | 472.8 | 373.9 | 296.7 | 458.2 | 477.4 | 489.6 | 463.6 | 495.5 | 287.5 | 364.7 | **6,399.3** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 30.0 | 27.0 | **69.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 1.0 | 1.3 | **3.3** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 618.3 | 593.2 | 332.9 | **1,544.4** |

Licence ***318*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-05-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 26.0 | 28.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **8,083.0** |
| H2O | 1975 | 334.4 | 273.9 | 309.1 | 305.9 | 328.0 | 427.0 | 393.7 | 466.8 | 420.4 | 509.5 | 497.9 | 499.9 | **26,974.1** |
| OIL | 1975 | 217.1 | 159.7 | 175.7 | 223.9 | 207.4 | 193.7 | 168.4 | 166.7 | 162.9 | 145.2 | 176.9 | 192.9 | **33,943.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 28.0 | 31.0 | **7,726.0** |

# Manitoba Production
## 1950 To 1975

Licence ***318*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-05-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1974 | 254.2 | 270.0 | 273.6 | 283.3 | 270.8 | 258.4 | 281.4 | 175.7 | 273.0 | 302.4 | 363.6 | 358.2 | **22,207.6** |
| OIL | 1974 | 242.8 | 218.8 | 198.5 | 216.4 | 244.6 | 190.4 | 189.3 | 172.9 | 200.4 | 201.0 | 206.7 | 241.1 | **31,753.4** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **7,367.0** |
| H2O | 1973 | 10.3 | 16.2 | 8.9 | 100.4 | 96.0 | 105.0 | 108.2 | 110.4 | 95.0 | 110.5 | 227.5 | 221.1 | **18,843.0** |
| OIL | 1973 | 155.4 | 170.2 | 148.6 | 337.0 | 311.7 | 269.2 | 272.7 | 278.1 | 251.6 | 239.5 | 284.0 | 300.3 | **29,230.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,003.0** |
| H2O | 1972 | 48.9 | 43.5 | 46.6 | 48.6 | 14.9 | 4.6 | 4.6 | 0.0 | 8.7 | 15.4 | 14.0 | 9.7 | **17,633.5** |
| OIL | 1972 | 49.4 | 46.4 | 48.1 | 45.9 | 48.6 | 50.9 | 50.5 | 102.0 | 98.0 | 156.0 | 147.2 | 170.4 | **26,212.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,637.0** |
| H2O | 1971 | 49.3 | 44.5 | 49.3 | 47.4 | 47.0 | 21.9 | 23.8 | 24.0 | 24.3 | 25.6 | 21.8 | 58.3 | **17,374.0** |
| OIL | 1971 | 47.0 | 46.7 | 54.5 | 47.0 | 46.7 | 45.6 | 50.5 | 49.9 | 48.0 | 47.8 | 49.4 | 48.6 | **25,198.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **6,273.0** |
| H2O | 1970 | 47.2 | 43.1 | 45.6 | 42.6 | 43.4 | 43.2 | 45.3 | 44.4 | 45.9 | 46.4 | 49.3 | 49.3 | **16,936.8** |
| OIL | 1970 | 76.0 | 53.1 | 58.3 | 53.4 | 53.7 | 52.9 | 58.3 | 58.7 | 56.1 | 46.9 | 48.3 | 49.8 | **24,617.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,911.0** |
| H2O | 1969 | 9.1 | 8.3 | 11.9 | 13.5 | 12.1 | 19.4 | 21.5 | 31.3 | 33.4 | 32.4 | 32.4 | 37.5 | **16,391.1** |
| OIL | 1969 | 68.2 | 58.3 | 76.3 | 75.2 | 70.1 | 69.8 | 56.6 | 67.1 | 63.6 | 60.9 | 34.5 | 35.6 | **23,951.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,547.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.2 | 12.6 | **16,128.3** |
| OIL | 1968 | 66.3 | 61.7 | 63.6 | 66.3 | 66.1 | 68.5 | 67.7 | 84.1 | 85.0 | 72.1 | 66.4 | 70.7 | **23,215.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,181.0** |
| H2O | 1967 | 36.7 | 32.4 | 35.1 | 35.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **16,102.5** |
| OIL | 1967 | 59.6 | 54.2 | 58.5 | 58.2 | 62.1 | 65.9 | 68.0 | 68.2 | 64.4 | 67.4 | 59.3 | 69.8 | **22,376.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,816.0** |
| H2O | 1966 | 136.1 | 138.8 | 182.8 | 189.0 | 199.8 | 194.0 | 199.7 | 14.8 | 22.6 | 30.0 | 36.9 | 37.8 | **15,962.7** |
| OIL | 1966 | 64.7 | 60.2 | 66.1 | 65.2 | 66.6 | 64.4 | 64.5 | 59.8 | 61.3 | 62.1 | 57.0 | 61.2 | **21,621.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,451.0** |
| H2O | 1965 | 209.2 | 189.4 | 180.6 | 204.9 | 220.5 | 204.3 | 205.4 | 215.6 | 205.1 | 209.5 | 193.8 | 206.5 | **14,580.4** |
| OIL | 1965 | 71.5 | 63.4 | 73.7 | 73.4 | 74.2 | 66.1 | 75.6 | 74.2 | 70.4 | 71.7 | 66.6 | 72.1 | **20,868.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,086.0** |
| H2O | 1964 | 227.0 | 206.4 | 219.6 | 209.4 | 162.3 | 197.1 | 206.0 | 189.0 | 186.2 | 203.7 | 201.9 | 221.0 | **12,135.6** |
| OIL | 1964 | 82.0 | 74.5 | 78.2 | 77.1 | 110.3 | 50.5 | 80.6 | 79.9 | 75.3 | 75.8 | 75.3 | 76.3 | **20,015.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,720.0** |
| H2O | 1963 | 203.5 | 179.6 | 200.6 | 191.7 | 191.4 | 220.5 | 229.9 | 228.1 | 218.1 | 221.3 | 213.7 | 226.1 | **9,706.0** |
| OIL | 1963 | 98.7 | 92.3 | 99.6 | 97.1 | 93.9 | 97.9 | 95.2 | 96.3 | 81.2 | 83.0 | 80.7 | 81.0 | **19,079.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,355.0** |
| H2O | 1962 | 191.6 | 178.4 | 179.8 | 339.6 | 160.1 | 205.6 | 200.2 | 218.6 | 122.1 | 207.0 | 208.4 | 217.0 | **7,181.5** |
| OIL | 1962 | 108.9 | 93.9 | 100.3 | 85.2 | 102.3 | 128.7 | 125.9 | 106.6 | 128.1 | 119.8 | 91.7 | 111.9 | **17,982.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,990.0** |
| H2O | 1961 | 37.5 | 50.7 | 54.0 | 40.2 | 36.1 | 48.8 | 203.4 | 255.7 | 240.7 | 158.9 | 198.3 | 131.5 | **4,753.1** |
| OIL | 1961 | 150.8 | 161.5 | 172.4 | 132.7 | 153.2 | 143.3 | 112.0 | 141.3 | 110.0 | 103.8 | 107.6 | 93.3 | **16,679.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,631.0** |
| H2O | 1960 | 37.8 | 60.7 | 25.4 | 16.7 | 27.2 | 32.6 | 72.3 | 81.9 | 35.3 | 104.0 | 68.7 | 45.8 | **3,297.3** |
| OIL | 1960 | 277.5 | 237.1 | 240.9 | 287.3 | 224.7 | 257.3 | 210.9 | 144.4 | 224.4 | 201.2 | 149.2 | 155.4 | **15,097.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,265.0** |
| H2O | 1959 | 36.2 | 37.4 | 38.8 | 26.9 | 33.9 | 32.9 | 23.1 | 40.1 | 41.3 | 66.5 | 84.3 | 97.1 | **2,688.9** |
| OIL | 1959 | 85.0 | 74.2 | 84.4 | 101.7 | 93.1 | 70.4 | 98.2 | 83.4 | 116.0 | 352.8 | 248.9 | 321.5 | **12,487.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,900.0** |
| H2O | 1958 | 6.7 | 14.0 | 13.0 | 42.0 | 31.5 | 14.3 | 46.1 | 38.5 | 20.5 | 36.6 | 26.2 | 40.7 | **2,130.4** |
| OIL | 1958 | 39.4 | 34.3 | 37.2 | 123.3 | 107.3 | 64.0 | 92.5 | 95.7 | 88.2 | 87.7 | 96.5 | 86.1 | **10,757.5** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,535.0** |
| H2O | 1957 | 27.3 | 7.6 | 20.5 | 27.5 | 10.7 | 22.1 | 34.7 | 39.0 | 25.3 | 43.2 | 32.6 | 12.2 | **1,800.3** |

# Manitoba Production
## 1950 To 1975

Licence ***318*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-05-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1957 | 124.4 | 108.1 | 118.1 | 99.0 | 118.2 | 109.6 | 99.5 | 145.1 | 108.9 | 132.8 | 122.7 | 41.6 | **9,805.3** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,170.0** |
| H2O | 1956 | 33.1 | 49.3 | 18.4 | 35.0 | 22.4 | 22.3 | 3.7 | 23.8 | 20.8 | 40.9 | 18.1 | 18.8 | **1,497.6** |
| OIL | 1956 | 175.4 | 134.3 | 142.1 | 133.3 | 141.4 | 156.2 | 141.9 | 209.3 | 192.9 | 78.2 | 124.3 | 123.8 | **8,477.3** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **805.0** |
| H2O | 1955 | 32.7 | 31.5 | 13.4 | 34.0 | 42.0 | 38.3 | 45.8 | 36.7 | 64.9 | 74.9 | 50.1 | 48.2 | **1,191.0** |
| OIL | 1955 | 164.6 | 146.7 | 181.5 | 160.5 | 212.5 | 179.3 | 189.3 | 182.6 | 196.4 | 187.5 | 175.3 | 174.8 | **6,724.2** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **440.0** |
| H2O | 1954 | 30.7 | 6.0 | 35.1 | 53.6 | 15.3 | 11.9 | 64.1 | 43.4 | 56.8 | 66.6 | 66.6 | 88.7 | **678.5** |
| OIL | 1954 | 320.2 | 298.9 | 282.7 | 267.6 | 253.9 | 240.0 | 278.1 | 288.9 | 246.6 | 246.6 | 221.8 | 246.3 | **4,573.2** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 30.0 | 31.0 | **75.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 55.8 | 36.5 | 47.4 | **139.7** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 464.7 | 521.5 | 395.4 | **1,381.6** |

Licence ***319*** Well Name ***Zargon Virden*** Dev ***V*** Mineral Rights ***PORTIONAL***

UWI ***100.12-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 18.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,625.0** |
| H2O | 1975 | 3722.3 | 3374.7 | 3500.2 | 3773.8 | 3943.9 | 3774.8 | 2122.4 | 3950.1 | 3759.8 | 3846.9 | 3600.5 | 3940.6 | **391,173.2** |
| OIL | 1975 | 54.7 | 52.1 | 50.2 | 57.4 | 66.6 | 65.2 | 44.7 | 66.4 | 60.5 | 58.8 | 61.5 | 66.3 | **23,138.5** |
| DAY | 1974 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,276.0** |
| H2O | 1974 | 3614.8 | 3323.4 | 3673.5 | 3567.4 | 3647.8 | 3556.6 | 3354.6 | 3696.7 | 3580.6 | 3697.1 | 3562.7 | 3746.0 | **347,863.2** |
| OIL | 1974 | 41.2 | 49.4 | 54.8 | 52.8 | 54.5 | 57.2 | 59.3 | 54.8 | 53.2 | 58.2 | 58.3 | 61.2 | **22,434.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 29.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,915.0** |
| H2O | 1973 | 3953.1 | 3575.6 | 3872.3 | 3776.9 | 3883.2 | 3674.9 | 3937.5 | 3884.3 | 3776.1 | 3874.3 | 3823.3 | 3613.5 | **304,842.0** |
| OIL | 1973 | 52.9 | 45.4 | 54.3 | 48.6 | 50.1 | 49.7 | 53.9 | 50.2 | 53.2 | 54.8 | 52.4 | 50.5 | **21,779.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 26.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | **6,555.0** |
| H2O | 1972 | 3666.1 | 3715.3 | 3779.8 | 3794.1 | 4005.4 | 3850.8 | 3828.6 | 3890.2 | 3852.9 | 3933.6 | 3440.2 | 3747.8 | **259,197.0** |
| OIL | 1972 | 56.9 | 60.2 | 60.2 | 52.1 | 65.6 | 47.5 | 49.1 | 61.3 | 52.1 | 55.0 | 40.7 | 52.8 | **21,163.2** |
| DAY | 1971 | 31.0 | 27.0 | 29.0 | 29.0 | 28.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,201.0** |
| H2O | 1971 | 3466.2 | 3103.1 | 3392.5 | 3290.4 | 3306.9 | 3459.2 | 3537.3 | 3149.0 | 2878.5 | 3546.7 | 3594.1 | 3597.9 | **213,692.2** |
| OIL | 1971 | 105.4 | 89.3 | 90.6 | 100.6 | 92.3 | 95.0 | 81.5 | 69.4 | 73.7 | 48.3 | 57.4 | 56.4 | **20,509.7** |
| DAY | 1970 | 31.0 | 28.0 | 25.0 | 25.0 | 28.0 | 22.0 | 29.0 | 26.0 | 30.0 | 30.0 | 27.0 | 26.0 | **5,846.0** |
| H2O | 1970 | 4991.2 | 4079.1 | 3645.1 | 2730.4 | 2676.9 | 2491.9 | 3210.1 | 2747.7 | 3246.1 | 3531.0 | 3145.4 | 3321.9 | **173,370.4** |
| OIL | 1970 | 139.5 | 123.5 | 106.8 | 96.5 | 99.3 | 82.3 | 102.3 | 94.2 | 110.0 | 117.6 | 99.0 | 90.6 | **19,549.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 23.0 | 30.0 | 29.0 | 27.0 | 29.0 | 21.0 | 31.0 | 27.0 | 28.0 | **5,519.0** |
| H2O | 1969 | 2136.0 | 1657.0 | 2134.0 | 3124.2 | 2426.2 | 2740.9 | 2118.8 | 2346.9 | 3497.6 | 4755.9 | 3442.5 | 4396.5 | **133,553.6** |
| OIL | 1969 | 99.8 | 86.4 | 103.8 | 72.5 | 95.5 | 94.2 | 71.0 | 84.2 | 118.5 | 167.2 | 134.0 | 137.0 | **18,288.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,184.0** |
| H2O | 1968 | 1798.4 | 1883.1 | 2208.1 | 2326.2 | 2062.6 | 1957.5 | 2255.9 | 2519.5 | 1974.2 | 2340.3 | 2272.9 | 2474.2 | **98,777.1** |
| OIL | 1968 | 121.7 | 114.9 | 123.8 | 118.7 | 121.1 | 113.9 | 107.3 | 103.6 | 103.0 | 109.3 | 108.7 | 110.8 | **17,024.1** |
| DAY | 1967 | 31.0 | 28.0 | 26.0 | 27.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,819.0** |
| H2O | 1967 | 685.7 | 1945.0 | 1886.0 | 2229.5 | 2427.3 | 1991.1 | 2074.8 | 2127.3 | 2335.9 | 2132.7 | 2121.6 | 2163.6 | **72,704.2** |
| OIL | 1967 | 79.1 | 253.1 | 181.6 | 183.7 | 195.6 | 137.9 | 163.2 | 150.5 | 143.7 | 144.3 | 133.0 | 123.9 | **15,667.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,465.0** |
| H2O | 1966 | 428.8 | 333.2 | 390.1 | 307.5 | 443.9 | 469.0 | 465.8 | 452.1 | 366.6 | 435.3 | 438.1 | 377.7 | **48,583.7** |
| OIL | 1966 | 36.5 | 23.2 | 30.2 | 33.4 | 33.8 | 37.5 | 36.2 | 43.7 | 33.1 | 41.2 | 27.7 | 29.6 | **13,777.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,106.0** |
| H2O | 1965 | 429.2 | 361.8 | 383.9 | 293.5 | 352.3 | 453.9 | 440.7 | 554.7 | 398.9 | 400.5 | 431.2 | 416.4 | **43,675.6** |
| OIL | 1965 | 50.4 | 41.2 | 45.3 | 52.0 | 37.3 | 29.9 | 41.6 | 41.8 | 40.4 | 41.6 | 48.9 | 47.7 | **13,371.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,741.0** |

# Manitoba Production
## 1950 To 1975

Licence ***319*** Well Name ***Zargon Virden*** Dev ***V*** Mineral Rights ***PORTIONAL***

UWI ***100.12-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1964 | 418.3 | 391.1 | 420.5 | 427.0 | 448.2 | 436.7 | 452.3 | 416.7 | 458.7 | 487.1 | 406.4 | 447.8 | **38,758.6** |
| OIL | 1964 | 50.7 | 46.6 | 49.7 | 56.9 | 58.2 | 46.6 | 43.2 | 46.9 | 40.2 | 48.0 | 38.0 | 48.6 | **12,853.5** |
| DAY | 1963 | 11.0 | 0.0 | 2.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | **3,375.0** |
| H2O | 1963 | 78.1 | 0.0 | 26.4 | 382.8 | 355.8 | 425.9 | 466.1 | 453.9 | 450.7 | 407.3 | 423.2 | 469.0 | **33,547.8** |
| OIL | 1963 | 20.5 | 0.0 | 5.2 | 81.4 | 65.3 | 51.2 | 46.7 | 46.1 | 45.1 | 57.4 | 55.0 | 51.2 | **12,279.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,092.0** |
| H2O | 1962 | 400.5 | 327.5 | 344.4 | 279.3 | 288.9 | 296.8 | 410.8 | 388.9 | 214.8 | 482.3 | 451.5 | 483.9 | **29,608.6** |
| OIL | 1962 | 47.4 | 47.0 | 43.4 | 28.3 | 22.2 | 15.1 | 42.7 | 41.3 | 47.0 | 53.7 | 62.0 | 68.8 | **11,754.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,727.0** |
| H2O | 1961 | 469.1 | 360.1 | 342.3 | 336.7 | 296.0 | 211.8 | 209.1 | 346.6 | 423.5 | 466.8 | 447.1 | 440.1 | **25,239.0** |
| OIL | 1961 | 38.3 | 35.1 | 39.3 | 37.7 | 41.2 | 24.2 | 27.0 | 45.0 | 41.6 | 53.4 | 50.1 | 51.8 | **11,235.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,362.0** |
| H2O | 1960 | 396.5 | 351.7 | 382.2 | 430.7 | 415.3 | 452.3 | 500.2 | 498.7 | 479.3 | 476.9 | 419.5 | 447.2 | **20,889.8** |
| OIL | 1960 | 56.9 | 57.0 | 65.2 | 65.6 | 60.9 | 48.1 | 54.2 | 64.7 | 59.6 | 68.0 | 41.5 | 34.3 | **10,751.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,996.0** |
| H2O | 1959 | 406.2 | 382.0 | 379.2 | 336.6 | 351.3 | 333.2 | 345.8 | 348.2 | 404.0 | 369.6 | 390.9 | 403.8 | **15,639.3** |
| OIL | 1959 | 72.1 | 58.0 | 67.1 | 52.9 | 49.3 | 48.5 | 49.4 | 54.2 | 51.8 | 45.8 | 47.2 | 62.1 | **10,075.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 25.0 | 26.0 | 31.0 | 30.0 | 31.0 | **1,631.0** |
| H2O | 1958 | 192.5 | 173.9 | 192.4 | 301.9 | 352.1 | 342.6 | 352.3 | 282.7 | 283.0 | 342.6 | 397.6 | 401.7 | **11,188.5** |
| OIL | 1958 | 82.3 | 76.0 | 83.7 | 49.6 | 35.9 | 34.5 | 32.4 | 23.5 | 74.5 | 100.7 | 82.5 | 88.2 | **9,416.8** |
| DAY | 1957 | 29.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,276.0** |
| H2O | 1957 | 259.0 | 250.1 | 280.9 | 297.3 | 294.4 | 315.4 | 265.7 | 192.7 | 182.2 | 192.7 | 186.3 | 186.3 | **7,573.2** |
| OIL | 1957 | 110.6 | 106.8 | 115.7 | 105.0 | 96.9 | 104.1 | 96.1 | 82.8 | 78.7 | 83.4 | 81.2 | 80.1 | **8,653.0** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 19.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **917.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 123.7 | 261.2 | 236.9 | 239.4 | 245.6 | 296.1 | 286.6 | 282.5 | 286.5 | **4,670.2** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 43.2 | 72.9 | 88.8 | 117.3 | 117.3 | 112.8 | 106.8 | 117.6 | 123.5 | **7,511.6** |
| DAY | 1955 | 0.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 16.0 | **658.0** |
| H2O | 1955 | 111.7 | 94.6 | 94.4 | 90.9 | 87.2 | 75.3 | 132.9 | 81.7 | 155.5 | 186.5 | 235.4 | 171.9 | **2,411.7** |
| OIL | 1955 | 278.3 | 225.2 | 220.2 | 210.4 | 196.7 | 165.3 | 213.4 | 66.6 | 150.5 | 154.3 | 70.6 | 31.8 | **6,611.4** |
| DAY | 1954 | 31.0 | 27.0 | 27.0 | 0.0 | 0.0 | 26.0 | 22.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **339.0** |
| H2O | 1954 | 40.4 | 9.9 | 67.2 | 56.4 | 66.6 | 126.4 | 70.6 | 72.5 | 72.8 | 85.7 | 89.0 | 101.7 | **893.7** |
| OIL | 1954 | 393.3 | 317.8 | 427.2 | 318.1 | 234.6 | 448.1 | 205.6 | 252.2 | 224.2 | 251.4 | 264.4 | 295.3 | **4,628.1** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 22.0 | 29.0 | **55.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 9.5 | **34.5** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 143.8 | 556.5 | 295.6 | **995.9** |

Licence ***321*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-05-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,954.0** |
| H2O | 1975 | 188.1 | 130.2 | 171.4 | 167.9 | 164.1 | 172.1 | 147.1 | 123.9 | 119.1 | 127.2 | 147.9 | 113.5 | **41,277.4** |
| OIL | 1975 | 94.4 | 79.8 | 97.1 | 91.3 | 94.1 | 83.0 | 80.0 | 94.9 | 83.8 | 96.5 | 70.6 | 96.0 | **38,712.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,590.0** |
| H2O | 1974 | 305.7 | 247.2 | 277.9 | 267.0 | 295.5 | 282.0 | 286.1 | 272.0 | 296.1 | 302.5 | 215.6 | 228.8 | **39,504.9** |
| OIL | 1974 | 194.8 | 175.6 | 184.8 | 177.5 | 188.1 | 190.4 | 192.3 | 178.8 | 193.1 | 201.0 | 105.6 | 96.3 | **37,650.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **7,225.0** |
| H2O | 1973 | 445.7 | 336.7 | 366.2 | 390.8 | 355.5 | 338.2 | 391.5 | 398.8 | 286.1 | 305.8 | 253.7 | 318.9 | **36,228.5** |
| OIL | 1973 | 219.6 | 212.1 | 279.1 | 139.2 | 180.7 | 144.6 | 188.1 | 185.6 | 167.0 | 195.9 | 170.7 | 200.5 | **35,572.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,864.0** |
| H2O | 1972 | 161.4 | 151.8 | 162.2 | 86.0 | 280.7 | 183.5 | 171.3 | 311.9 | 295.7 | 410.7 | 347.5 | 391.5 | **32,040.6** |
| OIL | 1972 | 97.8 | 101.8 | 95.6 | 61.8 | 124.9 | 110.4 | 109.9 | 147.4 | 149.2 | 156.0 | 180.7 | 194.8 | **33,289.5** |

# Manitoba Production
## 1950 To 1975

Licence ***321*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-05-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **6,501.0** |
| H2O | 1971 | 172.4 | 155.8 | 172.4 | 165.8 | 163.9 | 161.5 | 166.0 | 166.8 | 144.4 | 152.6 | 130.2 | 139.4 | **29,086.4** |
| OIL | 1971 | 92.5 | 91.9 | 108.6 | 102.8 | 103.1 | 95.1 | 110.7 | 109.3 | 104.8 | 104.7 | 97.6 | 92.7 | **31,759.2** |
| DAY | 1970 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,138.0** |
| H2O | 1970 | 147.9 | 178.3 | 189.8 | 164.2 | 172.4 | 166.8 | 175.3 | 170.3 | 164.1 | 169.9 | 165.3 | 172.4 | **27,195.2** |
| OIL | 1970 | 69.5 | 93.0 | 97.9 | 93.8 | 98.4 | 97.8 | 109.4 | 100.1 | 97.5 | 95.9 | 95.4 | 97.9 | **30,545.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,774.0** |
| H2O | 1969 | 205.9 | 190.5 | 274.7 | 312.7 | 220.4 | 214.6 | 212.1 | 219.4 | 201.9 | 217.8 | 212.2 | 173.7 | **25,158.5** |
| OIL | 1969 | 107.0 | 91.4 | 119.7 | 118.3 | 123.7 | 119.7 | 113.4 | 120.0 | 114.6 | 114.5 | 113.7 | 94.3 | **29,398.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | **5,409.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 313.8 | 303.0 | 287.4 | **22,502.6** |
| OIL | 1968 | 8.9 | 8.3 | 8.6 | 30.2 | 30.2 | 0.0 | 0.0 | 0.0 | 0.0 | 105.7 | 104.4 | 110.9 | **28,048.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,165.0** |
| H2O | 1967 | 73.6 | 64.9 | 70.3 | 71.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **21,598.4** |
| OIL | 1967 | 23.0 | 21.0 | 22.6 | 22.4 | 8.3 | 8.7 | 9.1 | 9.1 | 8.6 | 9.1 | 7.9 | 9.4 | **27,641.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,800.0** |
| H2O | 1966 | 122.6 | 125.0 | 164.7 | 170.2 | 180.0 | 174.5 | 179.6 | 29.7 | 45.2 | 60.3 | 73.9 | 75.8 | **21,318.5** |
| OIL | 1966 | 40.2 | 37.5 | 41.2 | 40.5 | 41.5 | 40.0 | 40.2 | 22.9 | 23.7 | 24.0 | 22.1 | 23.7 | **27,482.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,435.0** |
| H2O | 1965 | 188.7 | 170.6 | 162.8 | 184.7 | 198.9 | 184.3 | 185.2 | 194.3 | 184.9 | 188.9 | 174.5 | 186.0 | **19,917.0** |
| OIL | 1965 | 44.8 | 39.7 | 46.1 | 45.9 | 46.4 | 41.3 | 47.2 | 46.2 | 43.9 | 44.7 | 41.5 | 45.0 | **27,084.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,070.0** |
| H2O | 1964 | 181.4 | 164.9 | 175.3 | 167.1 | 20.8 | 177.5 | 185.5 | 170.2 | 167.6 | 183.6 | 182.0 | 199.2 | **17,713.2** |
| OIL | 1964 | 48.3 | 43.9 | 46.1 | 45.4 | 25.9 | 31.6 | 50.4 | 50.1 | 47.2 | 47.5 | 47.2 | 47.8 | **26,551.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,704.0** |
| H2O | 1963 | 333.5 | 294.5 | 328.7 | 314.1 | 268.1 | 144.5 | 150.7 | 149.6 | 157.7 | 160.1 | 170.5 | 180.6 | **15,738.1** |
| OIL | 1963 | 89.6 | 83.7 | 90.3 | 88.0 | 65.6 | 44.0 | 42.7 | 43.2 | 45.1 | 46.1 | 47.5 | 47.7 | **26,020.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,339.0** |
| H2O | 1962 | 359.5 | 335.0 | 337.2 | 571.8 | 192.4 | 201.1 | 195.9 | 214.0 | 119.6 | 202.7 | 341.6 | 355.6 | **13,085.5** |
| OIL | 1962 | 130.6 | 112.7 | 120.3 | 77.5 | 64.0 | 58.5 | 57.0 | 48.3 | 58.0 | 54.3 | 83.4 | 101.7 | **25,287.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,975.0** |
| H2O | 1961 | 110.5 | 134.8 | 144.0 | 133.5 | 96.7 | 50.4 | 189.2 | 161.2 | 151.2 | 100.8 | 371.0 | 246.3 | **9,659.1** |
| OIL | 1961 | 108.1 | 123.0 | 131.4 | 126.3 | 116.8 | 148.1 | 112.0 | 115.1 | 89.6 | 84.5 | 129.0 | 112.0 | **24,320.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **2,610.0** |
| H2O | 1960 | 119.1 | 120.5 | 193.6 | 176.2 | 56.3 | 121.5 | 311.2 | 229.6 | 197.5 | 580.0 | 201.9 | 134.8 | **7,769.5** |
| OIL | 1960 | 210.2 | 172.4 | 169.6 | 226.6 | 58.3 | 168.6 | 165.6 | 163.8 | 170.8 | 153.0 | 106.8 | 111.4 | **22,924.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 18.0 | 30.0 | 31.0 | **2,247.0** |
| H2O | 1959 | 124.3 | 121.9 | 126.1 | 111.3 | 73.8 | 111.0 | 126.2 | 110.7 | 113.8 | 109.1 | 100.2 | 122.7 | **5,327.3** |
| OIL | 1959 | 236.3 | 196.3 | 223.1 | 252.0 | 204.2 | 237.7 | 257.3 | 229.9 | 320.5 | 185.8 | 209.4 | 243.6 | **21,047.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,895.0** |
| H2O | 1958 | 85.2 | 246.3 | 127.8 | 128.8 | 115.7 | 102.7 | 144.8 | 132.1 | 80.9 | 132.0 | 97.3 | 146.3 | **3,976.2** |
| OIL | 1958 | 256.0 | 222.8 | 241.2 | 252.3 | 237.3 | 183.4 | 282.9 | 246.6 | 249.6 | 243.6 | 229.8 | 239.5 | **18,251.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,530.0** |
| H2O | 1957 | 100.3 | 52.3 | 99.7 | 83.5 | 69.3 | 58.2 | 104.6 | 123.4 | 117.0 | 124.6 | 125.0 | 120.2 | **2,436.3** |
| OIL | 1957 | 303.2 | 263.3 | 287.8 | 241.1 | 208.2 | 193.1 | 331.5 | 276.0 | 250.9 | 281.0 | 259.0 | 270.1 | **15,366.6** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,171.0** |
| H2O | 1956 | 37.5 | 56.3 | 160.9 | 35.0 | 33.5 | 46.7 | 11.8 | 70.7 | 64.1 | 97.0 | 83.0 | 96.7 | **1,258.2** |
| OIL | 1956 | 272.7 | 268.4 | 283.7 | 266.3 | 282.4 | 311.5 | 282.9 | 268.1 | 247.1 | 322.6 | 303.0 | 301.8 | **12,201.4** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **806.0** |
| H2O | 1955 | 40.4 | 21.8 | 38.6 | 24.2 | 23.1 | 22.9 | 33.9 | 5.1 | 22.9 | 13.8 | 16.5 | 15.9 | **465.0** |
| OIL | 1955 | 444.5 | 356.0 | 316.7 | 286.5 | 300.7 | 286.0 | 308.6 | 297.6 | 286.5 | 257.3 | 272.7 | 272.2 | **8,790.9** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **441.0** |

# Manitoba Production
## 1950 To 1975

Licence ***321*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-05-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1954 | 8.4 | 6.7 | 16.7 | 17.8 | 8.4 | 5.4 | 18.4 | 16.1 | 4.6 | 4.6 | 20.8 | 37.2 | **185.9** |
| OIL | 1954 | 373.7 | 331.5 | 313.6 | 296.7 | 281.5 | 265.8 | 308.0 | 320.1 | 273.4 | 273.2 | 245.7 | 232.7 | **5,105.6** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 30.0 | 31.0 | **76.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.9 | 3.5 | 15.4 | **20.8** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 244.8 | 573.4 | 771.5 | **1,589.7** |

Licence ***322*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-05-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **8,056.0** |
| H2O | 1975 | 563.3 | 477.2 | 563.2 | 537.7 | 532.3 | 580.8 | 562.7 | 521.7 | 477.6 | 585.4 | 581.9 | 505.8 | **34,925.6** |
| OIL | 1975 | 264.2 | 230.6 | 249.0 | 206.6 | 233.1 | 193.7 | 190.8 | 214.9 | 209.9 | 183.5 | 186.7 | 173.0 | **34,581.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,695.0** |
| H2O | 1974 | 254.2 | 269.9 | 273.6 | 277.7 | 270.7 | 272.8 | 243.1 | 121.3 | 148.0 | 201.9 | 506.7 | 548.2 | **28,436.0** |
| OIL | 1974 | 219.5 | 218.8 | 223.6 | 230.0 | 234.6 | 237.3 | 203.7 | 159.5 | 193.1 | 210.7 | 225.7 | 241.1 | **32,045.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,337.0** |
| H2O | 1973 | 54.9 | 31.2 | 46.1 | 254.5 | 292.4 | 294.1 | 294.0 | 299.9 | 260.9 | 275.2 | 245.5 | 294.1 | **25,047.9** |
| OIL | 1973 | 165.9 | 149.3 | 186.4 | 253.7 | 242.5 | 227.1 | 249.0 | 245.9 | 251.3 | 264.0 | 247.1 | 270.2 | **29,448.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,972.0** |
| H2O | 1972 | 49.0 | 43.6 | 46.6 | 125.1 | 123.5 | 105.9 | 118.9 | 172.7 | 154.9 | 52.1 | 57.7 | 50.6 | **22,405.1** |
| OIL | 1972 | 49.4 | 46.4 | 48.1 | 86.6 | 91.7 | 132.5 | 110.0 | 185.3 | 170.7 | 144.4 | 133.8 | 155.3 | **26,695.9** |
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 26.0 | 22.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,607.0** |
| H2O | 1971 | 49.3 | 44.5 | 47.1 | 41.3 | 39.1 | 85.5 | 85.2 | 85.7 | 86.8 | 81.7 | 43.7 | 5.6 | **21,304.5** |
| OIL | 1971 | 52.6 | 49.4 | 52.3 | 44.0 | 15.7 | 45.3 | 50.6 | 49.9 | 48.0 | 47.9 | 49.4 | 24.2 | **25,341.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,256.0** |
| H2O | 1970 | 40.0 | 39.9 | 44.0 | 47.2 | 42.0 | 44.5 | 51.2 | 46.6 | 44.0 | 52.9 | 47.0 | 49.3 | **20,609.0** |
| OIL | 1970 | 60.1 | 53.6 | 58.7 | 53.1 | 51.4 | 53.7 | 62.2 | 62.6 | 56.3 | 60.3 | 52.5 | 54.9 | **24,812.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,892.0** |
| H2O | 1969 | 31.3 | 28.9 | 41.8 | 47.7 | 34.5 | 33.4 | 28.8 | 35.3 | 33.4 | 34.2 | 33.1 | 37.0 | **20,060.4** |
| OIL | 1969 | 63.1 | 53.9 | 70.7 | 69.8 | 65.2 | 66.8 | 62.0 | 62.6 | 61.4 | 62.6 | 56.9 | 58.0 | **24,133.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,527.0** |
| H2O | 1968 | 33.1 | 28.0 | 28.5 | 4.5 | 6.2 | 16.1 | 13.8 | 20.3 | 27.8 | 47.7 | 46.1 | 43.7 | **19,641.0** |
| OIL | 1968 | 66.4 | 61.8 | 63.7 | 66.1 | 65.9 | 73.1 | 72.3 | 89.8 | 90.7 | 62.5 | 61.8 | 65.8 | **23,380.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,161.0** |
| H2O | 1967 | 111.0 | 97.9 | 106.1 | 107.4 | 14.9 | 21.6 | 27.5 | 30.5 | 27.3 | 32.9 | 23.1 | 37.0 | **19,325.2** |
| OIL | 1967 | 59.6 | 54.2 | 58.5 | 58.2 | 62.0 | 65.8 | 67.7 | 67.9 | 64.2 | 67.2 | 59.3 | 69.8 | **22,540.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,796.0** |
| H2O | 1966 | 160.4 | 163.6 | 215.6 | 222.9 | 235.6 | 228.6 | 235.3 | 44.5 | 67.9 | 90.6 | 111.3 | 114.1 | **18,688.0** |
| OIL | 1966 | 88.7 | 82.6 | 90.7 | 89.5 | 91.5 | 88.4 | 88.5 | 59.8 | 61.3 | 62.1 | 57.0 | 61.2 | **21,785.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,431.0** |
| H2O | 1965 | 247.2 | 223.7 | 213.4 | 242.0 | 260.4 | 241.2 | 242.4 | 254.4 | 242.0 | 247.2 | 228.6 | 243.6 | **16,797.6** |
| OIL | 1965 | 98.5 | 87.2 | 101.4 | 100.9 | 102.0 | 90.7 | 103.8 | 101.9 | 96.6 | 98.4 | 91.2 | 99.0 | **20,864.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,066.0** |
| H2O | 1964 | 217.5 | 197.6 | 210.2 | 200.3 | 405.9 | 232.6 | 243.1 | 223.0 | 219.7 | 240.4 | 238.5 | 261.0 | **13,911.5** |
| OIL | 1964 | 116.0 | 105.4 | 110.4 | 108.9 | 123.2 | 69.6 | 111.1 | 110.1 | 103.8 | 104.6 | 103.9 | 105.2 | **19,692.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,700.0** |
| H2O | 1963 | 206.7 | 182.4 | 203.7 | 194.6 | 211.0 | 242.4 | 252.8 | 250.9 | 184.9 | 187.6 | 204.6 | 216.5 | **11,021.7** |
| OIL | 1963 | 116.6 | 109.0 | 117.6 | 114.7 | 103.3 | 107.6 | 104.6 | 105.7 | 112.8 | 115.2 | 114.1 | 114.6 | **18,420.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,335.0** |
| H2O | 1962 | 193.3 | 180.1 | 180.6 | 406.9 | 203.0 | 319.6 | 311.3 | 340.1 | 190.0 | 322.0 | 211.6 | 220.3 | **8,483.6** |
| OIL | 1962 | 135.1 | 116.5 | 124.3 | 108.5 | 126.3 | 134.6 | 131.4 | 111.4 | 133.8 | 125.2 | 108.4 | 132.2 | **17,084.8** |

# Manitoba Production
## 1950 To 1975

Licence ***322*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-05-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,970.0** |
| H2O | 1961 | 93.6 | 108.4 | 63.8 | 59.1 | 42.8 | 42.6 | 209.4 | 254.8 | 239.7 | 159.0 | 199.4 | 132.1 | **5,404.8** |
| OIL | 1961 | 187.7 | 138.3 | 147.9 | 142.1 | 131.3 | 143.3 | 157.6 | 198.6 | 154.8 | 146.0 | 133.2 | 115.7 | **15,597.1** |
| DAY | 1960 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,605.0** |
| H2O | 1960 | 30.5 | 22.7 | 205.4 | 271.4 | 400.0 | 268.2 | 105.9 | 239.7 | 75.2 | 220.3 | 171.2 | 114.4 | **3,800.1** |
| OIL | 1960 | 67.2 | 60.4 | 215.6 | 331.5 | 395.5 | 301.5 | 169.6 | 210.7 | 190.4 | 170.5 | 185.8 | 193.6 | **13,800.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,242.0** |
| H2O | 1959 | 7.3 | 7.9 | 8.4 | 28.0 | 25.4 | 26.7 | 33.1 | 24.8 | 25.6 | 28.1 | 28.3 | 31.3 | **1,675.2** |
| OIL | 1959 | 89.8 | 82.8 | 94.1 | 79.6 | 79.9 | 79.3 | 84.2 | 71.5 | 99.5 | 70.9 | 71.2 | 77.9 | **11,308.3** |
| DAY | 1958 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,877.0** |
| H2O | 1958 | 12.4 | 71.0 | 19.7 | 32.1 | 23.8 | 83.6 | 6.7 | 10.2 | 7.3 | 11.4 | 12.6 | 12.6 | **1,400.3** |
| OIL | 1958 | 147.6 | 128.6 | 139.2 | 117.6 | 101.7 | 149.2 | 92.5 | 125.9 | 88.2 | 92.5 | 114.9 | 91.1 | **10,327.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,514.0** |
| H2O | 1957 | 14.9 | 31.0 | 16.8 | 16.5 | 9.7 | 30.2 | 22.7 | 11.9 | 21.0 | 17.6 | 17.8 | 23.0 | **1,096.9** |
| OIL | 1957 | 179.1 | 155.6 | 170.0 | 142.5 | 146.8 | 136.2 | 143.7 | 154.3 | 127.9 | 132.8 | 122.5 | 155.9 | **8,938.6** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,149.0** |
| H2O | 1956 | 4.9 | 7.8 | 9.2 | 6.2 | 116.2 | 41.2 | 6.8 | 39.6 | 60.6 | 17.5 | 13.0 | 25.1 | **863.8** |
| OIL | 1956 | 58.3 | 72.9 | 77.2 | 72.5 | 220.4 | 243.1 | 220.9 | 224.9 | 207.2 | 218.7 | 178.8 | 178.1 | **7,171.3** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **787.0** |
| H2O | 1955 | 0.6 | 0.8 | 7.3 | 4.8 | 13.0 | 7.5 | 7.2 | 1.1 | 2.7 | 5.2 | 17.6 | 17.0 | **515.7** |
| OIL | 1955 | 32.9 | 29.2 | 33.7 | 34.3 | 59.8 | 61.0 | 65.8 | 63.4 | 57.4 | 48.1 | 58.5 | 58.3 | **5,198.3** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **422.0** |
| H2O | 1954 | 9.9 | 26.5 | 39.7 | 17.8 | 22.6 | 47.9 | 58.5 | 28.8 | 81.9 | 21.8 | 34.3 | 14.0 | **430.9** |
| OIL | 1954 | 364.0 | 331.2 | 313.3 | 296.4 | 281.2 | 265.4 | 307.7 | 319.6 | 272.9 | 272.7 | 245.4 | 232.5 | **4,595.9** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 31.0 | **57.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 16.2 | **27.2** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 551.4 | 542.2 | **1,093.6** |

Licence ***323*** Well Name ***Daly Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-01-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 293.4 | 245.5 | 247.0 | 279.3 | 197.7 | 277.4 | 189.5 | 174.3 | 260.7 | 206.0 | 199.0 | 236.5 | **68,242.2** |
| WIN | 1974 | 271.5 | 251.2 | 263.9 | 245.1 | 253.7 | 233.4 | 260.4 | 218.3 | 254.9 | 213.7 | 256.1 | 150.4 | **65,435.9** |
| WIN | 1973 | 285.4 | 255.0 | 293.4 | 275.4 | 265.2 | 273.6 | 503.7 | 279.7 | 267.3 | 279.8 | 273.6 | 242.2 | **62,563.3** |
| WIN | 1972 | 198.7 | 180.9 | 273.3 | 280.4 | 275.7 | 282.5 | 272.2 | 309.3 | 200.1 | 299.6 | 256.1 | 182.4 | **59,069.0** |
| WIN | 1971 | 296.3 | 420.1 | 249.0 | 0.0 | 57.7 | 677.9 | 405.0 | 277.9 | 403.0 | 398.7 | 398.7 | 477.6 | **56,057.8** |
| WIN | 1970 | 344.1 | 335.8 | 298.8 | 281.1 | 313.6 | 362.4 | 273.0 | 212.8 | 331.7 | 339.5 | 320.1 | 358.2 | **51,995.9** |
| WIN | 1969 | 387.9 | 392.1 | 455.8 | 350.1 | 417.5 | 357.6 | 369.7 | 306.9 | 320.7 | 427.7 | 323.9 | 384.8 | **48,224.8** |
| WIN | 1968 | 293.6 | 270.0 | 297.4 | 306.1 | 287.6 | 284.7 | 299.3 | 280.0 | 266.5 | 301.5 | 286.5 | 314.0 | **43,730.1** |
| WIN | 1967 | 362.5 | 302.3 | 346.8 | 328.7 | 336.0 | 324.2 | 347.7 | 359.0 | 357.6 | 361.2 | 262.8 | 225.5 | **40,242.9** |
| WIN | 1966 | 365.9 | 270.9 | 319.8 | 318.3 | 315.0 | 330.7 | 324.5 | 336.9 | 326.6 | 316.4 | 251.8 | 356.2 | **36,328.6** |
| WIN | 1965 | 384.6 | 330.9 | 394.5 | 371.3 | 388.9 | 377.4 | 376.5 | 362.8 | 364.6 | 347.6 | 341.5 | 364.6 | **32,495.6** |
| WIN | 1964 | 524.6 | 432.8 | 474.8 | 427.0 | 461.4 | 420.2 | 493.1 | 391.0 | 399.4 | 402.4 | 392.7 | 418.5 | **28,090.4** |
| WIN | 1963 | 485.3 | 554.3 | 568.2 | 549.5 | 526.2 | 514.9 | 526.2 | 549.1 | 489.1 | 495.3 | 488.1 | 445.6 | **22,852.5** |
| WIN | 1962 | 1009.2 | 905.9 | 917.7 | 746.5 | 736.8 | 688.9 | 677.8 | 629.3 | 616.7 | 612.3 | 547.8 | 590.2 | **16,660.7** |
| WIN | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 387.5 | 2323.3 | 2495.2 | 1667.0 | 1108.6 | **7,981.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 8.0 | 0.0 | **2,499.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 0.0 | 1.7 | 0.6 | 0.0 | **82.8** |
| OIL | 1960 | 30.8 | 28.6 | 31.9 | 30.8 | 31.8 | 28.1 | 31.3 | 19.2 | 19.1 | 19.4 | 5.0 | 0.0 | **3,312.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 29.0 | 25.0 | 30.0 | 31.0 | **2,189.0** |
| H2O | 1959 | 1.1 | 0.6 | 0.6 | 0.5 | 0.2 | 0.5 | 0.0 | 1.9 | 0.0 | 0.3 | 1.4 | 0.0 | **78.4** |

# Manitoba Production
## 1950 To 1975

Licence ***323*** Well Name ***Daly Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-01-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1959 | 30.2 | 26.7 | 30.5 | 30.4 | 30.5 | 24.9 | 20.8 | 23.0 | 30.7 | 27.2 | 31.1 | 32.1 | **3,036.2** |
| DAY | 1958 | 31.0 | 25.0 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,834.0** |
| H2O | 1958 | 0.3 | 1.0 | 1.3 | 0.0 | 0.2 | 0.0 | 0.3 | 0.2 | 1.1 | 0.8 | 1.3 | 0.5 | **71.3** |
| OIL | 1958 | 31.1 | 28.0 | 29.7 | 28.3 | 46.7 | 25.1 | 30.8 | 28.8 | 28.6 | 30.7 | 29.2 | 30.0 | **2,698.1** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 28.0 | 30.0 | 30.0 | 30.0 | **1,478.0** |
| H2O | 1957 | 0.0 | 0.5 | 0.5 | 0.5 | 0.5 | 0.2 | 1.4 | 1.6 | 0.0 | 0.2 | 0.5 | 0.3 | **64.3** |
| OIL | 1957 | 36.7 | 33.8 | 35.9 | 29.1 | 29.6 | 31.6 | 32.4 | 30.5 | 29.6 | 31.3 | 34.0 | 30.8 | **2,331.1** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,120.0** |
| H2O | 1956 | 0.3 | 0.3 | 0.3 | 0.5 | 0.8 | 0.3 | 0.8 | 0.6 | 0.5 | 0.3 | 0.0 | 0.6 | **58.1** |
| OIL | 1956 | 39.6 | 35.4 | 38.5 | 38.3 | 47.0 | 44.0 | 40.5 | 62.1 | 37.3 | 41.6 | 37.2 | 41.2 | **1,945.8** |
| DAY | 1955 | 31.0 | 28.0 | 30.0 | 30.0 | 20.0 | 30.0 | 31.0 | 28.0 | 27.0 | 31.0 | 30.0 | 31.0 | **760.0** |
| H2O | 1955 | 0.2 | 0.8 | 1.7 | 0.6 | 1.6 | 4.1 | 6.4 | 2.4 | 3.3 | 0.2 | 0.2 | 0.3 | **52.8** |
| OIL | 1955 | 46.9 | 38.6 | 43.5 | 45.3 | 31.0 | 44.3 | 44.8 | 32.9 | 47.0 | 37.2 | 17.6 | 38.0 | **1,443.1** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **413.0** |
| H2O | 1954 | 3.2 | 2.1 | 1.1 | 2.7 | 2.5 | 3.2 | 1.3 | 1.1 | 1.1 | 2.4 | 0.3 | 2.4 | **31.0** |
| OIL | 1954 | 102.5 | 83.4 | 64.7 | 54.7 | 55.5 | 69.8 | 58.5 | 55.5 | 51.5 | 51.6 | 48.3 | 51.3 | **976.0** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 31.0 | **48.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.1 | 3.5 | **7.6** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 114.1 | 114.6 | **228.7** |

Licence ***324*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.09-10-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,501.0** |
| OIL | 1975 | 21.6 | 18.3 | 21.3 | 20.7 | 19.2 | 17.2 | 24.5 | 24.9 | 23.5 | 24.3 | 22.9 | 25.1 | **7,670.2** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 25.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 30.0 | **7,143.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 9.2 | 7.2 | 8.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **207.9** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 95.0 | 79.5 | 96.8 | 15.3 | 16.2 | 20.7 | 19.2 | 21.8 | **7,406.7** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **6,908.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.7 | 8.7 | 0.0 | 0.0 | **182.6** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 12.4 | 14.1 | 14.5 | 14.1 | 89.1 | 91.4 | 0.0 | 0.0 | **7,042.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **6,725.0** |
| OIL | 1972 | 15.3 | 14.1 | 14.6 | 14.1 | 14.8 | 13.5 | 13.7 | 12.9 | 14.1 | 13.8 | 0.0 | 0.0 | **6,806.6** |
| DAY | 1971 | 29.0 | 17.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 24.0 | 20.0 | 29.0 | **6,420.0** |
| OIL | 1971 | 10.0 | 5.9 | 12.4 | 12.9 | 13.5 | 12.1 | 16.1 | 15.4 | 13.3 | 11.6 | 9.9 | 14.5 | **6,665.7** |
| DAY | 1970 | 31.0 | 18.0 | 28.0 | 29.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,093.0** |
| OIL | 1970 | 28.4 | 15.7 | 21.5 | 24.0 | 34.3 | 16.2 | 16.4 | 16.0 | 12.9 | 13.2 | 11.9 | 12.1 | **6,518.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 28.0 | **5,748.0** |
| OIL | 1969 | 31.8 | 28.3 | 31.0 | 27.7 | 31.1 | 29.7 | 31.5 | 31.9 | 29.4 | 30.7 | 29.1 | 22.6 | **6,295.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **5,388.0** |
| H2O | 1968 | 4.0 | 1.7 | 1.4 | 2.2 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **165.2** |
| OIL | 1968 | 26.2 | 24.3 | 25.4 | 23.4 | 23.2 | 22.7 | 27.7 | 26.9 | 25.6 | 30.5 | 28.1 | 30.2 | **5,940.7** |
| DAY | 1967 | 31.0 | 28.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **5,023.0** |
| H2O | 1967 | 1.3 | 0.8 | 0.5 | 1.0 | 1.6 | 1.0 | 1.0 | 2.2 | 1.4 | 1.7 | 2.9 | 2.4 | **153.8** |
| OIL | 1967 | 32.7 | 25.7 | 26.2 | 25.6 | 28.3 | 26.1 | 28.0 | 24.8 | 23.7 | 24.8 | 21.8 | 25.4 | **5,626.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 28.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,664.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 1.6 | 4.6 | 2.5 | 1.7 | 0.3 | 1.7 | 1.1 | 2.2 | 1.9 | **136.0** |
| OIL | 1966 | 14.3 | 11.9 | 11.9 | 29.9 | 40.2 | 38.3 | 39.6 | 32.1 | 33.5 | 30.8 | 32.9 | 33.1 | **5,313.4** |
| DAY | 1965 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | **4,306.0** |
| OIL | 1965 | 14.0 | 12.1 | 13.8 | 14.1 | 12.6 | 12.7 | 10.6 | 11.3 | 12.4 | 11.0 | 10.6 | 15.7 | **4,964.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,946.0** |

# Manitoba Production
## 1950 To 1975

Licence ***324*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.09-10-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1964 | 26.4 | 25.1 | 26.1 | 29.9 | 29.4 | 30.5 | 29.6 | 13.5 | 13.8 | 12.7 | 13.0 | 15.1 | **4,814.0** |
| DAY | 1963 | 26.0 | 28.0 | 31.0 | 30.0 | 26.0 | 27.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,581.0** |
| OIL | 1963 | 20.8 | 21.1 | 22.2 | 20.8 | 19.2 | 21.6 | 27.3 | 24.6 | 24.8 | 24.0 | 27.8 | 28.1 | **4,548.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 27.0 | 26.0 | 30.0 | 26.0 | 30.0 | 31.0 | **3,230.0** |
| OIL | 1962 | 6.4 | 5.4 | 5.9 | 5.6 | 6.0 | 4.8 | 21.8 | 19.4 | 22.4 | 21.5 | 22.9 | 23.5 | **4,266.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 13.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,883.0** |
| OIL | 1961 | 11.9 | 10.6 | 11.4 | 10.6 | 11.0 | 6.5 | 2.5 | 4.6 | 6.4 | 6.4 | 6.0 | 5.9 | **4,101.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 25.0 | 26.0 | 30.0 | 31.0 | **2,540.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.5 | 2.9 | 3.5 | 0.0 | 0.0 | 0.0 | 0.0 | **118.4** |
| OIL | 1960 | 20.0 | 20.0 | 20.8 | 19.9 | 21.3 | 28.9 | 32.1 | 39.3 | 10.2 | 10.5 | 11.9 | 12.2 | **4,007.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 25.0 | 31.0 | 30.0 | 22.0 | 30.0 | 31.0 | **2,186.0** |
| OIL | 1959 | 21.9 | 19.2 | 20.5 | 19.7 | 18.4 | 16.0 | 16.7 | 24.8 | 22.2 | 15.9 | 20.3 | 21.0 | **3,760.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,840.0** |
| OIL | 1958 | 25.3 | 17.5 | 13.2 | 18.3 | 20.7 | 20.2 | 17.3 | 18.0 | 17.6 | 19.5 | 22.9 | 22.2 | **3,523.5** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 21.0 | 29.0 | 29.0 | 29.0 | 31.0 | **1,479.0** |
| H2O | 1957 | 0.0 | 0.0 | 1.1 | 0.2 | 3.0 | 1.0 | 3.8 | 1.4 | 0.2 | 0.3 | 0.2 | 0.5 | **109.5** |
| OIL | 1957 | 43.7 | 38.5 | 38.6 | 31.9 | 32.1 | 31.9 | 34.6 | 19.5 | 26.2 | 26.9 | 25.7 | 19.7 | **3,290.8** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,132.0** |
| H2O | 1956 | 0.2 | 0.3 | 0.3 | 1.7 | 0.5 | 0.5 | 0.8 | 1.1 | 1.7 | 1.7 | 0.0 | 0.5 | **97.8** |
| OIL | 1956 | 36.7 | 43.2 | 54.5 | 56.7 | 49.9 | 46.9 | 49.6 | 48.8 | 49.4 | 44.0 | 45.4 | 36.5 | **2,921.5** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **771.0** |
| H2O | 1955 | 7.8 | 1.7 | 1.7 | 2.4 | 1.7 | 7.5 | 0.8 | 0.6 | 0.5 | 0.8 | 0.5 | 0.5 | **88.5** |
| OIL | 1955 | 63.2 | 70.9 | 76.0 | 70.7 | 68.5 | 70.2 | 70.6 | 55.8 | 53.9 | 53.4 | 49.1 | 48.5 | **2,359.9** |
| DAY | 1954 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **407.0** |
| H2O | 1954 | 7.3 | 7.5 | 6.2 | 3.7 | 1.6 | 3.8 | 4.1 | 2.1 | 1.7 | 2.7 | 3.2 | 1.4 | **62.0** |
| OIL | 1954 | 156.0 | 122.2 | 124.4 | 94.4 | 107.4 | 103.0 | 99.2 | 97.3 | 89.5 | 86.9 | 83.3 | 82.2 | **1,609.1** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 31.0 | **45.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.7 | 6.0 | **16.7** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 166.4 | 196.9 | **363.3** |

Licence ***325*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.10-10-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,942.0** |
| OIL | 1975 | 50.4 | 45.6 | 52.8 | 50.7 | 52.9 | 48.8 | 49.1 | 49.9 | 46.9 | 48.8 | 45.8 | 50.1 | **11,092.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,578.0** |
| OIL | 1974 | 36.4 | 32.7 | 37.8 | 36.7 | 34.2 | 34.3 | 34.8 | 38.8 | 46.7 | 50.9 | 47.8 | 56.1 | **10,500.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **7,213.0** |
| OIL | 1973 | 36.5 | 32.7 | 35.9 | 37.7 | 32.6 | 35.8 | 36.7 | 35.1 | 32.1 | 33.5 | 35.6 | 37.5 | **10,013.4** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,850.0** |
| H2O | 1972 | 10.3 | 8.3 | 8.7 | 13.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **641.5** |
| OIL | 1972 | 28.9 | 27.5 | 28.1 | 26.9 | 37.7 | 34.3 | 35.0 | 32.6 | 35.6 | 35.3 | 34.5 | 34.2 | **9,591.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | **6,484.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 7.6 | 10.5 | 7.6 | 7.8 | 9.5 | **600.8** |
| OIL | 1971 | 36.4 | 33.4 | 43.5 | 41.6 | 43.2 | 39.4 | 30.8 | 29.6 | 29.9 | 29.1 | 24.0 | 29.9 | **9,201.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 28.0 | 16.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,124.0** |
| OIL | 1970 | 24.9 | 21.9 | 22.4 | 19.7 | 19.7 | 36.1 | 36.4 | 35.9 | 28.4 | 29.2 | 38.5 | 38.6 | **8,790.3** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,776.0** |
| H2O | 1969 | 8.7 | 3.8 | 12.2 | 0.8 | 2.1 | 1.6 | 0.8 | 0.5 | 2.1 | 3.7 | 0.0 | 0.0 | **546.8** |
| OIL | 1969 | 60.9 | 53.7 | 56.7 | 52.6 | 59.6 | 56.6 | 27.7 | 26.1 | 26.1 | 27.0 | 28.1 | 22.2 | **8,438.6** |
| DAY | 1968 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,414.0** |

# Manitoba Production
## 1950 To 1975

Licence ***325*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.10-10-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1968 | 4.0 | 1.7 | 1.4 | 2.2 | 2.1 | 3.7 | 3.2 | 4.3 | 2.5 | 8.3 | 5.7 | 7.0 | **510.5** |
| OIL | 1968 | 45.6 | 45.1 | 47.2 | 43.4 | 43.1 | 43.5 | 52.9 | 51.2 | 49.1 | 58.5 | 53.9 | 59.8 | **7,941.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,050.0** |
| H2O | 1967 | 1.4 | 1.0 | 0.6 | 1.3 | 1.6 | 1.0 | 1.0 | 2.2 | 1.4 | 1.9 | 3.3 | 2.5 | **464.4** |
| OIL | 1967 | 60.7 | 48.9 | 52.1 | 53.2 | 52.6 | 48.1 | 51.6 | 46.2 | 44.0 | 46.1 | 43.2 | 47.2 | **7,348.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 28.0 | 28.0 | 28.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,686.0** |
| H2O | 1966 | 0.8 | 1.0 | 0.3 | 0.3 | 1.0 | 0.5 | 0.3 | 0.5 | 1.7 | 1.3 | 2.2 | 1.9 | **445.2** |
| OIL | 1966 | 30.4 | 25.6 | 25.6 | 22.4 | 32.1 | 30.8 | 31.5 | 59.9 | 62.1 | 57.4 | 61.2 | 61.7 | **6,754.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **4,330.0** |
| OIL | 1965 | 31.5 | 28.3 | 31.3 | 31.9 | 28.4 | 28.8 | 24.2 | 26.2 | 25.3 | 24.6 | 25.7 | 35.0 | **6,253.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,970.0** |
| OIL | 1964 | 24.9 | 23.5 | 24.6 | 28.0 | 27.7 | 28.9 | 28.0 | 30.8 | 31.3 | 28.9 | 29.7 | 34.3 | **5,912.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 29.0 | 25.0 | 27.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,605.0** |
| OIL | 1963 | 25.7 | 22.6 | 23.8 | 21.6 | 19.7 | 23.0 | 29.2 | 26.5 | 26.5 | 25.6 | 26.1 | 26.5 | **5,571.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 27.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,251.0** |
| OIL | 1962 | 31.3 | 27.2 | 29.1 | 27.7 | 29.6 | 19.2 | 22.7 | 21.6 | 24.0 | 27.5 | 25.1 | 25.3 | **5,274.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **2,898.0** |
| OIL | 1961 | 36.7 | 32.9 | 35.3 | 33.1 | 33.8 | 28.6 | 31.9 | 34.5 | 32.6 | 31.8 | 29.7 | 27.0 | **4,964.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 22.0 | 31.0 | 30.0 | 31.0 | **2,540.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.2 | 0.0 | 1.1 | 0.8 | 9.5 | 1.1 | 0.8 | 0.0 | 0.0 | 0.0 | **433.4** |
| OIL | 1960 | 30.2 | 30.2 | 31.5 | 30.4 | 32.4 | 29.9 | 32.9 | 40.4 | 25.9 | 38.6 | 37.0 | 37.5 | **4,576.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 27.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | **2,184.0** |
| H2O | 1959 | 1.0 | 0.8 | 0.8 | 0.8 | 2.1 | 2.9 | 0.8 | 1.1 | 1.0 | 0.8 | 0.6 | 0.2 | **419.9** |
| OIL | 1959 | 36.7 | 32.3 | 34.3 | 33.1 | 30.8 | 28.0 | 27.3 | 37.8 | 34.0 | 26.9 | 31.0 | 31.8 | **4,179.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,833.0** |
| H2O | 1958 | 2.4 | 2.5 | 6.5 | 8.3 | 4.3 | 1.9 | 1.3 | 1.3 | 1.0 | 0.8 | 1.1 | 0.8 | **407.0** |
| OIL | 1958 | 42.4 | 29.4 | 22.1 | 30.5 | 34.8 | 33.8 | 29.1 | 30.4 | 29.9 | 32.7 | 37.0 | 37.2 | **3,795.7** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 28.0 | 28.0 | 29.0 | 30.0 | 31.0 | **1,473.0** |
| H2O | 1957 | 0.0 | 0.3 | 4.9 | 1.0 | 0.3 | 4.1 | 3.7 | 1.6 | 2.9 | 3.8 | 1.0 | 4.1 | **374.8** |
| OIL | 1957 | 39.9 | 35.0 | 35.1 | 29.1 | 36.9 | 28.8 | 30.2 | 50.2 | 45.8 | 45.0 | 44.2 | 33.1 | **3,406.4** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,119.0** |
| H2O | 1956 | 1.7 | 3.5 | 2.7 | 10.3 | 2.7 | 2.2 | 4.3 | 5.1 | 8.1 | 8.1 | 0.0 | 3.5 | **347.1** |
| OIL | 1956 | 36.7 | 43.2 | 54.7 | 40.7 | 38.3 | 47.5 | 45.3 | 44.8 | 45.1 | 38.6 | 41.5 | 33.4 | **2,953.1** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **757.0** |
| H2O | 1955 | 8.3 | 5.6 | 2.7 | 7.2 | 6.5 | 1.0 | 5.6 | 6.5 | 4.1 | 6.2 | 4.0 | 4.1 | **294.9** |
| OIL | 1955 | 55.6 | 64.4 | 68.3 | 64.0 | 67.4 | 58.3 | 58.6 | 55.8 | 53.4 | 53.4 | 49.1 | 48.5 | **2,443.3** |
| DAY | 1954 | 29.0 | 27.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **393.0** |
| H2O | 1954 | 49.6 | 22.7 | 23.8 | 11.6 | 8.7 | 9.9 | 12.7 | 15.6 | 12.6 | 12.7 | 9.1 | 7.0 | **233.1** |
| OIL | 1954 | 198.5 | 156.7 | 155.6 | 120.5 | 116.5 | 104.9 | 101.2 | 96.9 | 89.5 | 86.9 | 79.3 | 74.5 | **1,746.5** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 28.0 | **33.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.2 | 33.9 | **37.1** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 61.2 | 304.3 | **365.5** |

Licence ***326*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 1.0 | 26.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,554.0** |
| H2O | 1966 | 18.3 | 579.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **22,305.2** |
| OIL | 1966 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,598.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 9.0 | 12.0 | 0.0 | 4.0 | 0.0 | 0.0 | **3,527.0** |
| H2O | 1965 | 517.3 | 466.9 | 483.5 | 446.6 | 561.2 | 530.2 | 290.9 | 257.4 | 0.0 | 87.9 | 0.0 | 0.0 | **21,707.3** |

# Manitoba Production
## 1950 To 1975

Licence ***326*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1965 | 31.1 | 28.4 | 32.6 | 31.0 | 24.9 | 23.2 | 5.7 | 8.7 | 0.0 | 2.2 | 0.0 | 0.0 | **6,597.6** |
| DAY | 1964 | 7.0 | 0.0 | 0.0 | 0.0 | 9.0 | 30.0 | 31.0 | 27.0 | 29.0 | 27.0 | 23.0 | 31.0 | **3,321.0** |
| H2O | 1964 | 38.2 | 0.0 | 0.0 | 0.0 | 60.9 | 491.1 | 447.4 | 367.1 | 487.3 | 432.3 | 391.1 | 520.2 | **18,065.4** |
| OIL | 1964 | 1.6 | 0.0 | 0.0 | 0.0 | 2.4 | 18.9 | 30.7 | 29.1 | 29.6 | 25.4 | 23.5 | 31.5 | **6,409.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 0.0 | 0.0 | 0.0 | 29.0 | 30.0 | 30.0 | 31.0 | **3,107.0** |
| H2O | 1963 | 399.8 | 331.2 | 248.5 | 263.7 | 173.4 | 0.0 | 0.0 | 0.0 | 171.4 | 157.4 | 171.1 | 176.6 | **14,829.8** |
| OIL | 1963 | 23.7 | 13.7 | 8.3 | 7.8 | 4.3 | 0.0 | 0.0 | 0.0 | 4.4 | 4.3 | 7.8 | 8.1 | **6,217.1** |
| DAY | 1962 | 30.0 | 28.0 | 31.0 | 30.0 | 27.0 | 25.0 | 16.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,838.0** |
| H2O | 1962 | 252.3 | 264.9 | 304.0 | 332.4 | 275.8 | 374.9 | 286.2 | 371.2 | 386.8 | 247.1 | 201.3 | 352.8 | **12,736.7** |
| OIL | 1962 | 21.9 | 33.7 | 37.0 | 24.5 | 23.4 | 22.4 | 14.5 | 20.5 | 29.7 | 9.5 | 4.8 | 24.5 | **6,134.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 28.0 | 30.0 | 29.0 | **2,498.0** |
| H2O | 1961 | 328.3 | 275.8 | 321.9 | 265.8 | 287.6 | 282.3 | 264.9 | 276.1 | 274.2 | 230.8 | 273.3 | 264.7 | **9,087.0** |
| OIL | 1961 | 31.8 | 29.6 | 34.3 | 32.1 | 31.8 | 30.4 | 36.9 | 37.5 | 32.7 | 27.5 | 31.3 | 18.8 | **5,868.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | **2,144.0** |
| H2O | 1960 | 296.8 | 279.2 | 289.2 | 277.4 | 297.6 | 306.0 | 286.6 | 263.9 | 290.1 | 294.9 | 312.4 | 282.0 | **5,741.3** |
| OIL | 1960 | 34.0 | 34.6 | 31.5 | 31.6 | 40.5 | 35.6 | 36.2 | 31.3 | 33.5 | 31.1 | 35.6 | 28.4 | **5,493.6** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,781.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 275.0 | 223.4 | 220.8 | 223.8 | 244.8 | 276.5 | **2,265.2** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.9 | 39.7 | 38.3 | 30.5 | 38.1 | 38.6 | **5,089.7** |
| DAY | 1958 | 31.0 | 28.0 | 23.0 | 30.0 | 30.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,603.0** |
| H2O | 1958 | 5.9 | 0.0 | 38.2 | 314.3 | 85.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **800.9** |
| OIL | 1958 | 63.6 | 62.0 | 48.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,884.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | **1,461.0** |
| H2O | 1957 | 1.9 | 1.9 | 3.3 | 0.3 | 2.5 | 0.3 | 0.3 | 4.5 | 2.9 | 8.4 | 7.2 | 8.6 | **356.7** |
| OIL | 1957 | 73.1 | 65.2 | 71.0 | 61.8 | 64.7 | 62.6 | 69.0 | 71.0 | 57.2 | 60.4 | 57.2 | 59.1 | **4,710.4** |
| DAY | 1956 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,100.0** |
| H2O | 1956 | 19.2 | 1.9 | 1.4 | 1.9 | 2.1 | 1.6 | 2.4 | 2.1 | 2.2 | 2.4 | 2.9 | 1.7 | **314.6** |
| OIL | 1956 | 64.2 | 66.6 | 75.3 | 72.0 | 75.2 | 73.7 | 75.5 | 69.8 | 73.9 | 75.5 | 72.5 | 87.7 | **3,938.1** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **738.0** |
| H2O | 1955 | 7.2 | 1.3 | 3.5 | 4.5 | 6.4 | 9.9 | 6.8 | 13.8 | 8.9 | 17.2 | 16.2 | 18.1 | **272.8** |
| OIL | 1955 | 81.5 | 71.0 | 80.6 | 84.5 | 81.7 | 74.7 | 81.8 | 71.7 | 46.6 | 77.2 | 64.8 | 69.6 | **3,056.2** |
| DAY | 1954 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 22.0 | 29.0 | 29.0 | 30.0 | 31.0 | **375.0** |
| H2O | 1954 | 10.5 | 16.9 | 24.0 | 15.7 | 15.1 | 17.3 | 12.2 | 7.3 | 6.8 | 9.4 | 4.6 | 3.5 | **159.0** |
| OIL | 1954 | 238.0 | 220.1 | 210.1 | 188.3 | 176.2 | 135.4 | 132.8 | 99.6 | 127.1 | 132.7 | 112.0 | 92.5 | **2,170.5** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 25.0 | **26.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.7 | **15.7** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.5 | 292.2 | **305.7** |

Licence ***327*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-05-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,694.0** |
| H2O | 1975 | 2194.2 | 1845.1 | 2106.5 | 1919.4 | 2106.6 | 1929.4 | 1470.1 | 1831.6 | 1680.1 | 1435.9 | 1375.7 | 2905.9 | **234,981.4** |
| OIL | 1975 | 86.5 | 88.1 | 97.0 | 69.3 | 71.4 | 64.2 | 59.8 | 94.8 | 55.8 | 58.0 | 70.6 | 72.8 | **20,291.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,329.0** |
| H2O | 1974 | 2240.0 | 2141.0 | 2533.3 | 2587.5 | 2388.6 | 2297.9 | 2418.0 | 1513.9 | 2392.6 | 2409.6 | 2340.8 | 2121.3 | **212,180.9** |
| OIL | 1974 | 49.0 | 52.6 | 49.9 | 53.3 | 56.4 | 43.4 | 48.3 | 45.0 | 67.3 | 58.2 | 50.4 | 86.9 | **19,403.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,968.0** |
| H2O | 1973 | 2558.5 | 1913.8 | 2021.3 | 1934.0 | 1808.4 | 1826.3 | 2013.2 | 1974.4 | 2149.2 | 2312.8 | 2163.7 | 2083.0 | **184,796.4** |
| OIL | 1973 | 146.0 | 140.4 | 154.1 | 148.9 | 91.0 | 114.1 | 107.9 | 111.2 | 112.3 | 67.3 | 63.9 | 80.4 | **18,742.5** |
| DAY | 1972 | 27.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,603.0** |

# Manitoba Production
# 1950 To 1975

Licence ***327*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-05-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1972 | 2855.4 | 2715.5 | 2986.4 | 3020.5 | 3076.1 | 3112.7 | 3109.4 | 2858.2 | 2400.1 | 2562.0 | 1985.0 | 2329.2 | **160,037.8** |
| OIL | 1972 | 50.9 | 68.8 | 62.2 | 54.7 | 87.0 | 113.9 | 149.2 | 104.7 | 102.1 | 49.3 | 172.6 | 145.9 | **17,405.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 24.0 | 1.0 | **6,241.0** |
| H2O | 1971 | 2739.8 | 2465.6 | 2763.5 | 2702.6 | 2689.7 | 2723.1 | 2484.5 | 2730.7 | 2577.9 | 2704.2 | 1787.6 | 49.6 | **127,027.3** |
| OIL | 1971 | 57.9 | 59.3 | 69.3 | 51.2 | 63.0 | 55.6 | 59.5 | 64.2 | 55.5 | 56.1 | 45.2 | 1.1 | **16,243.7** |
| DAY | 1970 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 18.0 | 6.0 | 22.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,913.0** |
| H2O | 1970 | 1879.9 | 1903.3 | 2237.2 | 2116.5 | 1948.0 | 1055.9 | 162.3 | 2269.0 | 2834.7 | 2830.1 | 2615.0 | 2851.4 | **98,608.5** |
| OIL | 1970 | 49.1 | 51.8 | 50.7 | 44.8 | 40.7 | 24.3 | 4.9 | 51.0 | 67.4 | 64.7 | 62.3 | 69.8 | **15,605.8** |
| DAY | 1969 | 0.0 | 0.0 | 11.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | **5,596.0** |
| H2O | 1969 | 0.0 | 0.0 | 497.7 | 1597.0 | 1743.5 | 1749.1 | 1798.2 | 1794.4 | 1673.7 | 1779.1 | 1758.1 | 1620.1 | **73,905.2** |
| OIL | 1969 | 0.0 | 0.0 | 11.6 | 32.3 | 44.0 | 45.5 | 36.2 | 47.9 | 41.7 | 38.2 | 42.1 | 40.4 | **15,024.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,313.0** |
| H2O | 1968 | 1585.7 | 1341.7 | 1367.5 | 1034.7 | 1426.6 | 1230.4 | 1054.0 | 1548.0 | 2116.6 | 1602.7 | 1547.7 | 1468.8 | **57,894.3** |
| OIL | 1968 | 35.4 | 32.9 | 33.8 | 21.6 | 21.6 | 22.9 | 22.6 | 28.0 | 28.3 | 28.8 | 28.4 | 30.4 | **14,644.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,947.0** |
| H2O | 1967 | 1034.4 | 912.4 | 987.6 | 1000.2 | 722.1 | 1040.0 | 1321.9 | 1465.9 | 1313.9 | 1577.6 | 1106.1 | 1777.8 | **40,569.9** |
| OIL | 1967 | 22.2 | 20.2 | 21.8 | 21.6 | 33.1 | 35.0 | 36.1 | 36.2 | 34.2 | 35.9 | 31.6 | 37.2 | **14,309.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,582.0** |
| H2O | 1966 | 188.6 | 192.4 | 253.4 | 262.2 | 277.1 | 268.8 | 276.6 | 1243.5 | 633.9 | 845.5 | 1037.8 | 1064.9 | **26,310.0** |
| OIL | 1966 | 32.6 | 30.4 | 33.4 | 32.9 | 33.5 | 32.4 | 32.6 | 41.3 | 22.9 | 23.2 | 21.3 | 22.9 | **13,944.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,218.0** |
| H2O | 1965 | 290.6 | 263.0 | 250.7 | 284.4 | 306.0 | 283.5 | 285.1 | 299.0 | 284.6 | 290.6 | 268.7 | 286.2 | **19,765.3** |
| OIL | 1965 | 36.1 | 31.9 | 37.2 | 37.0 | 37.5 | 33.4 | 38.1 | 37.3 | 35.4 | 36.1 | 33.5 | 36.4 | **13,585.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,853.0** |
| H2O | 1964 | 280.3 | 254.7 | 270.9 | 258.2 | 342.2 | 273.4 | 285.8 | 262.3 | 258.3 | 282.7 | 280.3 | 306.8 | **16,372.9** |
| OIL | 1964 | 38.6 | 35.1 | 36.9 | 36.2 | 90.7 | 25.3 | 40.4 | 40.0 | 37.8 | 38.1 | 38.0 | 38.5 | **13,155.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,487.0** |
| H2O | 1963 | 253.9 | 224.2 | 250.2 | 239.1 | 277.7 | 321.6 | 335.5 | 333.1 | 323.7 | 328.5 | 263.7 | 279.2 | **13,017.0** |
| OIL | 1963 | 45.0 | 42.1 | 45.4 | 44.3 | 46.9 | 48.9 | 47.7 | 48.1 | 45.1 | 46.1 | 38.0 | 38.1 | **12,659.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,122.0** |
| H2O | 1962 | 230.2 | 215.1 | 215.3 | 449.1 | 204.4 | 271.9 | 264.9 | 289.3 | 161.7 | 274.1 | 260.1 | 270.7 | **9,586.6** |
| OIL | 1962 | 43.5 | 37.7 | 40.0 | 38.8 | 50.4 | 58.5 | 57.0 | 48.3 | 58.0 | 54.3 | 41.8 | 51.0 | **12,124.0** |
| DAY | 1961 | 0.0 | 0.0 | 31.0 | 0.0 | 0.0 | 25.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,762.0** |
| H2O | 1961 | 0.0 | 0.0 | 24.0 | 0.0 | 0.0 | 755.2 | 258.3 | 347.6 | 280.0 | 185.7 | 237.5 | 157.5 | **6,479.8** |
| OIL | 1961 | 0.0 | 0.0 | 12.4 | 0.0 | 0.0 | 11.6 | 45.0 | 62.8 | 101.9 | 96.0 | 43.1 | 37.3 | **11,544.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 23.0 | 31.0 | 30.0 | 31.0 | 23.0 | 0.0 | **2,525.0** |
| H2O | 1960 | 27.7 | 12.4 | 28.3 | 32.1 | 30.0 | 15.1 | 248.6 | 630.2 | 1089.7 | 110.9 | 106.1 | 0.0 | **4,234.0** |
| OIL | 1960 | 42.1 | 51.9 | 53.7 | 65.9 | 50.0 | 51.6 | 0.0 | 0.0 | 0.0 | 10.6 | 23.5 | 0.0 | **11,134.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 10.0 | 30.0 | 31.0 | **2,206.0** |
| H2O | 1959 | 30.4 | 31.1 | 32.3 | 32.7 | 72.0 | 37.0 | 48.3 | 30.2 | 31.1 | 18.6 | 20.7 | 24.6 | **1,902.9** |
| OIL | 1959 | 80.2 | 69.8 | 79.3 | 62.0 | 142.1 | 66.1 | 74.8 | 71.5 | 99.5 | 14.1 | 31.6 | 48.8 | **10,785.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,862.0** |
| H2O | 1958 | 15.6 | 33.8 | 37.0 | 31.8 | 31.5 | 28.6 | 27.0 | 24.3 | 20.3 | 33.4 | 24.5 | 36.9 | **1,493.9** |
| OIL | 1958 | 93.3 | 81.2 | 87.7 | 56.1 | 107.3 | 85.3 | 92.5 | 90.6 | 78.3 | 82.8 | 78.2 | 81.4 | **9,945.5** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,497.0** |
| H2O | 1957 | 30.2 | 9.5 | 18.1 | 20.3 | 7.8 | 22.1 | 24.5 | 19.7 | 31.8 | 36.2 | 18.3 | 49.7 | **1,149.2** |
| OIL | 1957 | 109.5 | 95.0 | 103.9 | 87.1 | 118.2 | 109.6 | 127.1 | 98.2 | 80.6 | 81.7 | 75.3 | 98.5 | **8,930.8** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,132.0** |
| H2O | 1956 | 28.1 | 24.2 | 29.2 | 24.2 | 23.0 | 49.7 | 5.9 | 27.7 | 25.1 | 25.3 | 25.9 | 24.6 | **861.0** |
| OIL | 1956 | 148.3 | 138.1 | 146.0 | 137.1 | 145.4 | 160.3 | 145.6 | 125.5 | 115.7 | 140.5 | 109.3 | 109.0 | **7,746.1** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **767.0** |
| H2O | 1955 | 16.2 | 9.7 | 16.7 | 16.2 | 20.0 | 20.3 | 18.9 | 35.4 | 14.0 | 31.3 | 35.6 | 34.3 | **548.1** |

# Manitoba Production
## 1950 To 1975

Licence ***327*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-05-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1955 | 119.3 | 106.3 | 151.9 | 152.9 | 152.4 | 152.6 | 156.4 | 150.8 | 135.1 | 147.0 | 147.9 | 147.6 | **6,125.3** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **402.0** |
| H2O | 1954 | 13.4 | 2.7 | 6.0 | 18.0 | 20.0 | 5.4 | 37.5 | 39.0 | 27.7 | 30.5 | 27.3 | 33.1 | **279.5** |
| OIL | 1954 | 432.7 | 335.6 | 317.3 | 300.3 | 284.9 | 269.2 | 312.1 | 324.3 | 277.0 | 276.8 | 249.0 | 235.8 | **4,405.1** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 31.0 | **37.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 18.1 | **18.9** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 187.7 | 602.4 | **790.1** |

Licence ***328*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-05-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,746.0** |
| H2O | 1975 | 167.0 | 152.1 | 165.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **24,538.0** |
| OIL | 1975 | 4.6 | 4.3 | 4.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **20,030.4** |
| DAY | 1974 | 28.0 | 22.0 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 13.0 | 30.0 | 30.0 | 29.0 | 31.0 | **7,657.0** |
| H2O | 1974 | 182.2 | 140.1 | 224.8 | 192.2 | 246.1 | 282.0 | 224.8 | 74.8 | 222.7 | 243.7 | 206.0 | 166.9 | **24,053.0** |
| OIL | 1974 | 8.3 | 6.5 | 9.5 | 4.0 | 9.1 | 9.2 | 7.3 | 3.2 | 9.4 | 4.6 | 9.2 | 4.6 | **20,016.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,329.0** |
| H2O | 1973 | 200.9 | 139.6 | 160.6 | 222.8 | 210.4 | 259.1 | 269.4 | 279.8 | 263.5 | 275.0 | 250.5 | 221.3 | **21,646.7** |
| OIL | 1973 | 49.1 | 47.7 | 46.9 | 54.7 | 44.7 | 46.4 | 47.2 | 46.7 | 46.6 | 48.5 | 46.2 | 15.7 | **19,932.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **6,965.0** |
| H2O | 1972 | 53.7 | 60.4 | 70.2 | 73.0 | 4.6 | 131.3 | 119.0 | 101.2 | 90.7 | 118.0 | 133.3 | 150.5 | **18,893.8** |
| OIL | 1972 | 24.6 | 23.2 | 19.5 | 18.6 | 48.6 | 27.7 | 46.2 | 14.3 | 13.3 | 38.5 | 36.5 | 46.1 | **19,391.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,600.0** |
| H2O | 1971 | 54.2 | 48.9 | 54.2 | 52.4 | 45.6 | 146.7 | 127.3 | 133.6 | 135.2 | 131.7 | 112.6 | 58.3 | **17,787.9** |
| OIL | 1971 | 57.4 | 47.0 | 54.5 | 47.7 | 38.6 | 21.8 | 24.2 | 24.9 | 24.0 | 24.0 | 29.4 | 24.3 | **19,034.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,240.0** |
| H2O | 1970 | 53.7 | 50.2 | 54.5 | 48.0 | 47.8 | 49.4 | 58.5 | 60.1 | 54.7 | 53.6 | 52.4 | 54.2 | **16,687.2** |
| OIL | 1970 | 50.1 | 46.1 | 54.2 | 48.1 | 49.4 | 48.1 | 52.9 | 54.8 | 51.3 | 51.3 | 52.8 | 54.7 | **18,616.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,875.0** |
| H2O | 1969 | 49.1 | 45.4 | 65.7 | 74.8 | 54.8 | 49.3 | 48.6 | 59.1 | 59.8 | 68.1 | 62.7 | 53.1 | **16,050.1** |
| OIL | 1969 | 38.8 | 33.2 | 43.5 | 43.1 | 44.2 | 42.9 | 46.7 | 48.1 | 47.4 | 45.8 | 45.4 | 48.8 | **18,002.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,510.0** |
| H2O | 1968 | 54.7 | 46.2 | 47.2 | 0.0 | 0.0 | 21.1 | 18.1 | 26.7 | 36.5 | 75.1 | 72.6 | 68.7 | **15,359.6** |
| OIL | 1968 | 66.3 | 61.7 | 63.6 | 40.4 | 40.4 | 36.5 | 36.1 | 44.8 | 45.3 | 38.5 | 38.0 | 40.4 | **17,475.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,144.0** |
| H2O | 1967 | 49.3 | 43.5 | 47.0 | 47.7 | 24.9 | 35.9 | 45.6 | 50.5 | 45.3 | 54.3 | 38.1 | 61.3 | **14,892.7** |
| OIL | 1967 | 91.7 | 83.4 | 90.1 | 89.8 | 62.1 | 65.9 | 67.9 | 68.0 | 64.4 | 67.4 | 59.3 | 69.8 | **16,923.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,779.0** |
| H2O | 1966 | 147.2 | 150.2 | 197.9 | 204.8 | 216.5 | 210.2 | 216.4 | 19.9 | 30.2 | 40.2 | 49.4 | 50.7 | **14,349.3** |
| OIL | 1966 | 60.7 | 56.6 | 62.1 | 61.3 | 62.8 | 60.7 | 60.9 | 91.8 | 94.4 | 95.7 | 87.9 | 94.2 | **16,043.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,414.0** |
| H2O | 1965 | 226.5 | 205.1 | 195.6 | 221.8 | 238.6 | 221.1 | 222.4 | 233.4 | 222.1 | 226.9 | 209.7 | 223.4 | **12,815.7** |
| OIL | 1965 | 67.1 | 59.4 | 69.1 | 68.8 | 69.6 | 62.0 | 70.9 | 69.6 | 65.9 | 67.2 | 62.5 | 67.7 | **15,154.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,049.0** |
| H2O | 1964 | 217.5 | 197.6 | 210.2 | 200.3 | 41.0 | 213.2 | 222.9 | 204.5 | 201.4 | 220.3 | 218.6 | 239.3 | **10,169.1** |
| OIL | 1964 | 72.6 | 65.9 | 69.1 | 68.0 | 25.9 | 47.5 | 75.8 | 75.2 | 70.9 | 71.4 | 70.9 | 71.7 | **14,354.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,683.0** |
| H2O | 1963 | 170.2 | 150.2 | 167.7 | 160.2 | 153.0 | 177.0 | 184.7 | 183.2 | 205.1 | 208.1 | 204.6 | 216.5 | **7,782.3** |
| OIL | 1963 | 62.9 | 58.8 | 63.4 | 61.8 | 75.2 | 78.3 | 76.1 | 76.9 | 72.1 | 73.7 | 71.4 | 71.7 | **13,569.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,318.0** |

# Manitoba Production
## 1950 To 1975

Licence ***328*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-05-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1962 | 180.2 | 167.8 | 168.9 | 308.9 | 168.1 | 187.0 | 182.1 | 199.1 | 111.2 | 188.4 | 174.3 | 181.5 | **5,601.8** |
| OIL | 1962 | 69.8 | 60.1 | 64.2 | 58.2 | 90.3 | 87.9 | 85.8 | 72.8 | 87.4 | 81.8 | 58.5 | 71.4 | **12,727.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,953.0** |
| H2O | 1961 | 64.0 | 59.8 | 63.8 | 59.1 | 42.6 | 22.4 | 180.4 | 229.9 | 216.2 | 143.2 | 186.4 | 65.6 | **3,384.3** |
| OIL | 1961 | 150.6 | 138.4 | 147.9 | 142.1 | 131.3 | 87.9 | 66.4 | 83.7 | 65.2 | 61.5 | 68.8 | 113.0 | **11,838.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,588.0** |
| H2O | 1960 | 7.9 | 6.4 | 8.4 | 14.0 | 9.1 | 8.4 | 217.0 | 100.7 | 85.0 | 249.0 | 117.1 | 78.1 | **2,050.9** |
| OIL | 1960 | 25.3 | 34.5 | 66.7 | 71.8 | 62.5 | 66.6 | 173.7 | 156.0 | 190.4 | 170.5 | 149.2 | 155.4 | **10,582.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,222.0** |
| H2O | 1959 | 6.5 | 7.2 | 7.3 | 11.0 | 5.2 | 14.0 | 3.2 | 6.7 | 7.0 | 7.3 | 3.5 | 8.9 | **1,149.8** |
| OIL | 1959 | 66.1 | 61.0 | 69.4 | 62.0 | 62.1 | 61.7 | 51.5 | 43.7 | 60.7 | 43.4 | 35.4 | 29.2 | **9,259.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,857.0** |
| H2O | 1958 | 5.1 | 17.2 | 14.9 | 10.6 | 6.2 | 9.5 | 12.4 | 7.0 | 9.5 | 8.3 | 7.0 | 9.4 | **1,062.0** |
| OIL | 1958 | 88.7 | 77.1 | 83.4 | 78.5 | 79.0 | 85.3 | 72.0 | 65.5 | 102.8 | 68.2 | 64.4 | 67.1 | **8,613.3** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,492.0** |
| H2O | 1957 | 15.3 | 14.5 | 13.2 | 7.6 | 70.2 | 52.1 | 18.4 | 27.2 | 10.3 | 14.3 | 40.4 | 12.6 | **944.9** |
| OIL | 1957 | 139.5 | 121.2 | 132.5 | 111.1 | 175.3 | 162.6 | 104.9 | 60.9 | 99.5 | 107.3 | 98.8 | 93.6 | **7,681.3** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 12.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,127.0** |
| H2O | 1956 | 15.1 | 6.8 | 3.0 | 9.4 | 6.7 | 6.7 | 2.2 | 28.4 | 16.8 | 18.9 | 8.9 | 13.0 | **648.8** |
| OIL | 1956 | 97.1 | 80.6 | 85.3 | 80.1 | 84.9 | 93.6 | 85.2 | 129.7 | 119.5 | 135.4 | 139.4 | 138.7 | **6,274.1** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **780.0** |
| H2O | 1955 | 14.0 | 2.9 | 17.2 | 67.8 | 15.6 | 13.2 | 11.9 | 15.6 | 18.1 | 23.8 | 27.7 | 26.7 | **512.9** |
| OIL | 1955 | 205.8 | 183.4 | 278.6 | 236.8 | 128.4 | 122.2 | 119.3 | 115.2 | 118.5 | 99.3 | 97.4 | 97.1 | **5,004.6** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **415.0** |
| H2O | 1954 | 17.8 | 3.3 | 22.7 | 31.6 | 12.1 | 5.7 | 21.9 | 27.3 | 23.4 | 17.5 | 17.5 | 11.4 | **258.4** |
| OIL | 1954 | 266.0 | 235.8 | 223.0 | 211.0 | 200.2 | 189.1 | 219.1 | 227.6 | 194.3 | 194.3 | 174.8 | 142.9 | **3,202.6** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 31.0 | **50.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.7 | 19.5 | **46.2** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 445.9 | 278.6 | **724.5** |

Licence ***331*** Well Name ***Centoba Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-28-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 9.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,845.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 42.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,233.0** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 27.0 | **1,836.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 36.2 | 46.9 | 60.4 | 66.8 | 47.7 | 46.1 | 42.9 | 85.9 | 85.9 | **3,190.8** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 13.7 | 9.2 | 7.2 | 6.7 | 6.4 | 5.2 | 5.1 | 6.0 | 6.2 | **5,393.6** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 15.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 28.0 | 10.0 | **1,573.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 47.7 | 98.6 | 95.4 | 98.6 | 92.2 | 95.4 | 98.6 | 89.0 | 31.8 | **2,672.0** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 9.7 | 6.2 | 9.2 | 7.5 | 6.8 | 7.5 | 7.6 | 5.9 | 1.6 | **5,327.9** |
| DAY | 1957 | 15.0 | 0.0 | 0.0 | 25.0 | 30.0 | 30.0 | 28.0 | 28.0 | 9.0 | 26.0 | 30.0 | 31.0 | **1,338.0** |
| H2O | 1957 | 32.1 | 0.0 | 0.0 | 54.4 | 96.5 | 80.9 | 77.9 | 76.0 | 22.6 | 82.7 | 89.0 | 92.2 | **1,924.7** |
| OIL | 1957 | 4.8 | 0.0 | 0.0 | 12.2 | 7.2 | 6.2 | 4.6 | 6.7 | 2.9 | 8.9 | 5.7 | 5.9 | **5,265.9** |
| DAY | 1956 | 31.0 | 29.0 | 26.0 | 30.0 | 25.0 | 26.0 | 31.0 | 30.0 | 14.0 | 29.0 | 30.0 | 31.0 | **1,086.0** |
| H2O | 1956 | 69.2 | 57.9 | 55.8 | 70.7 | 79.5 | 85.7 | 95.4 | 92.2 | 70.9 | 91.1 | 83.0 | 79.5 | **1,220.4** |
| OIL | 1956 | 14.8 | 14.3 | 18.4 | 32.8 | 15.7 | 14.3 | 22.1 | 15.1 | 10.3 | 15.6 | 13.2 | 12.1 | **5,200.8** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **754.0** |
| H2O | 1955 | 0.8 | 1.3 | 1.3 | 1.4 | 1.7 | 5.2 | 6.4 | 5.6 | 3.3 | 44.2 | 109.4 | 100.5 | **289.5** |
| OIL | 1955 | 212.0 | 181.1 | 178.4 | 180.4 | 187.0 | 184.0 | 177.0 | 179.9 | 121.0 | 60.7 | 34.2 | 30.2 | **5,002.1** |
| DAY | 1954 | 30.0 | 28.0 | 28.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 23.0 | **391.0** |

# Manitoba Production
## 1950 To 1975

Licence ***331*** Well Name ***Centoba Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-28-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1954 | 0.8 | 1.9 | 0.6 | 0.8 | 0.5 | 0.6 | 0.5 | 0.5 | 0.3 | 0.3 | 0.5 | 0.3 | **8.4** |
| OIL | 1954 | 327.2 | 317.5 | 285.4 | 308.6 | 262.4 | 243.2 | 192.4 | 191.0 | 156.3 | 195.5 | 193.1 | 142.7 | **3,276.2** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 31.0 | **42.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.5 | **0.8** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 117.2 | 343.7 | **460.9** |

Licence ***332*** Well Name ***Can-Tex Grose Virden*** Dev ***V*** Mineral Rights ***PORTIONAL***

UWI ***100.11-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,643.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 357.9 | 50.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **23,845.3** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 0.0 | **2,635.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 501.7 | 0.0 | **23,436.7** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.2 | 0.0 | **8,641.7** |
| DAY | 1961 | 26.0 | 28.0 | 31.0 | 30.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,624.0** |
| H2O | 1961 | 397.9 | 469.6 | 512.6 | 511.9 | 23.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **22,935.0** |
| OIL | 1961 | 20.3 | 16.0 | 27.0 | 24.2 | 5.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **8,639.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,507.0** |
| H2O | 1960 | 435.6 | 389.8 | 407.1 | 533.4 | 534.3 | 507.3 | 509.5 | 475.5 | 476.3 | 489.0 | 444.0 | 465.5 | **21,019.6** |
| OIL | 1960 | 27.2 | 28.0 | 31.8 | 28.1 | 31.5 | 23.7 | 21.5 | 14.5 | 14.1 | 14.8 | 19.9 | 28.9 | **8,546.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,142.0** |
| H2O | 1959 | 412.2 | 380.8 | 376.0 | 371.2 | 392.8 | 375.2 | 424.5 | 474.4 | 475.2 | 484.4 | 465.5 | 459.0 | **15,352.3** |
| OIL | 1959 | 32.7 | 29.1 | 33.8 | 32.1 | 34.2 | 33.2 | 33.5 | 28.9 | 28.1 | 31.3 | 28.3 | 30.0 | **8,262.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,777.0** |
| H2O | 1958 | 197.5 | 178.4 | 197.5 | 127.3 | 109.5 | 267.4 | 358.3 | 358.2 | 343.9 | 369.6 | 387.9 | 417.8 | **10,261.1** |
| OIL | 1958 | 33.8 | 31.3 | 34.5 | 27.0 | 27.3 | 34.3 | 38.9 | 38.9 | 37.8 | 39.1 | 36.1 | 34.5 | **7,887.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,412.0** |
| H2O | 1957 | 128.6 | 113.4 | 136.1 | 140.5 | 115.9 | 124.3 | 152.9 | 197.6 | 187.0 | 197.6 | 191.3 | 197.6 | **6,947.8** |
| OIL | 1957 | 58.0 | 52.1 | 54.0 | 44.3 | 48.5 | 52.1 | 46.7 | 34.2 | 32.6 | 34.3 | 33.4 | 34.0 | **7,474.1** |
| DAY | 1956 | 29.0 | 29.0 | 31.0 | 20.0 | 0.0 | 25.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,050.0** |
| H2O | 1956 | 274.4 | 233.9 | 247.5 | 90.0 | 0.0 | 156.9 | 186.6 | 236.7 | 229.4 | 221.8 | 156.0 | 128.5 | **5,065.0** |
| OIL | 1956 | 52.9 | 59.0 | 63.9 | 41.8 | 0.0 | 47.0 | 58.8 | 58.0 | 54.7 | 53.4 | 53.7 | 54.3 | **6,949.9** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 20.0 | **734.0** |
| H2O | 1955 | 150.4 | 112.2 | 114.5 | 110.2 | 86.0 | 51.2 | 36.7 | 266.0 | 320.2 | 391.7 | 269.9 | 257.4 | **2,903.3** |
| OIL | 1955 | 374.9 | 267.4 | 266.8 | 260.9 | 189.3 | 106.9 | 97.4 | 66.6 | 56.7 | 58.3 | 57.2 | 33.7 | **6,352.4** |
| DAY | 1954 | 24.0 | 28.0 | 27.0 | 30.0 | 31.0 | 26.0 | 30.0 | 30.0 | 27.0 | 30.0 | 28.0 | 28.0 | **380.0** |
| H2O | 1954 | 0.3 | 10.2 | 74.9 | 34.5 | 31.2 | 54.5 | 62.3 | 58.3 | 68.8 | 110.8 | 99.8 | 129.7 | **736.9** |
| OIL | 1954 | 133.3 | 329.7 | 448.1 | 251.6 | 222.2 | 399.5 | 447.0 | 416.8 | 314.5 | 433.3 | 313.5 | 365.2 | **4,516.3** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 31.0 | **41.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 0.3 | **1.6** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 149.5 | 292.1 | **441.6** |

Licence ***333*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-32-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 28.0 | 28.0 | 20.0 | 19.0 | 18.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,992.0** |
| H2O | 1971 | 425.1 | 471.4 | 922.7 | 584.0 | 543.5 | 375.8 | 37.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **221,279.8** |
| OIL | 1971 | 12.4 | 11.9 | 13.7 | 13.8 | 11.9 | 8.0 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **17,963.5** |
| DAY | 1970 | 21.0 | 26.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,845.0** |
| H2O | 1970 | 641.0 | 785.4 | 876.0 | 930.0 | 971.0 | 953.9 | 934.8 | 953.9 | 935.6 | 974.0 | 942.3 | 1014.8 | **217,920.1** |
| OIL | 1970 | 11.6 | 14.0 | 16.2 | 16.2 | 16.8 | 14.9 | 15.4 | 15.4 | 14.8 | 14.3 | 14.0 | 15.7 | **17,891.3** |

# Manitoba Production
# 1950 To 1975

Licence ***333*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-32-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 28.0 | 26.0 | 12.0 | 30.0 | 31.0 | 30.0 | 31.0 | 17.0 | 30.0 | 31.0 | 28.0 | 31.0 | **5,496.0** |
| H2O | 1969 | 943.7 | 890.3 | 759.0 | 1049.3 | 1182.9 | 1087.4 | 1084.3 | 567.6 | 1049.3 | 1074.4 | 979.4 | 1035.0 | **207,007.4** |
| OIL | 1969 | 19.5 | 17.5 | 14.1 | 14.6 | 19.2 | 17.6 | 20.3 | 13.7 | 22.2 | 27.5 | 16.8 | 18.1 | **17,712.0** |
| DAY | 1968 | 0.0 | 4.0 | 0.0 | 27.0 | 26.0 | 30.0 | 31.0 | 20.0 | 25.0 | 16.0 | 0.0 | 29.0 | **5,171.0** |
| H2O | 1968 | 0.0 | 95.4 | 1444.8 | 1287.7 | 1271.8 | 1295.7 | 1330.7 | 858.5 | 810.8 | 518.3 | 0.0 | 993.6 | **195,304.8** |
| OIL | 1968 | 0.0 | 3.8 | 33.4 | 18.9 | 18.4 | 20.7 | 21.6 | 13.5 | 23.2 | 15.3 | 0.0 | 17.2 | **17,490.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | 0.0 | 6.0 | 31.0 | **4,963.0** |
| H2O | 1967 | 1494.7 | 1290.1 | 1474.4 | 1452.9 | 1619.4 | 897.1 | 301.9 | 0.0 | 0.0 | 0.0 | 286.2 | 1656.6 | **185,397.5** |
| OIL | 1967 | 33.5 | 29.4 | 30.4 | 33.8 | 28.9 | 21.5 | 20.2 | 0.0 | 0.0 | 0.0 | 12.7 | 34.5 | **17,304.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 8.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,714.0** |
| H2O | 1966 | 1431.1 | 1249.4 | 1404.7 | 1393.3 | 1363.4 | 1312.4 | 1368.3 | 440.1 | 1503.3 | 1418.1 | 1401.6 | 1457.7 | **174,924.2** |
| OIL | 1966 | 42.9 | 37.3 | 43.5 | 42.1 | 42.1 | 38.0 | 40.4 | 5.7 | 25.7 | 24.6 | 20.5 | 27.5 | **17,060.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,372.0** |
| H2O | 1965 | 1425.3 | 1851.8 | 1973.7 | 1819.8 | 1856.7 | 1848.1 | 1830.7 | 1466.0 | 1586.0 | 1602.5 | 1660.7 | 1581.1 | **159,180.8** |
| OIL | 1965 | 40.0 | 51.5 | 51.5 | 48.0 | 44.5 | 46.6 | 40.8 | 40.4 | 39.7 | 38.3 | 40.0 | 43.9 | **16,669.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,007.0** |
| H2O | 1964 | 1948.0 | 1830.7 | 1831.8 | 1685.0 | 1459.0 | 1575.5 | 786.2 | 1378.4 | 1515.2 | 1934.3 | 1725.4 | 1442.7 | **138,678.4** |
| OIL | 1964 | 26.9 | 48.8 | 47.2 | 49.9 | 36.4 | 32.9 | 15.9 | 32.3 | 34.6 | 46.1 | 41.0 | 38.5 | **16,144.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,641.0** |
| H2O | 1963 | 1921.9 | 1737.8 | 1942.1 | 1910.5 | 1564.8 | 1518.6 | 1551.0 | 1655.0 | 2095.0 | 2023.8 | 1881.5 | 2179.9 | **119,566.2** |
| OIL | 1963 | 58.5 | 57.7 | 64.4 | 55.9 | 48.8 | 43.9 | 48.9 | 46.1 | 56.9 | 57.8 | 90.7 | 26.2 | **15,694.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,276.0** |
| H2O | 1962 | 1306.2 | 1126.5 | 1457.2 | 1630.8 | 1543.7 | 1546.6 | 1371.2 | 1626.2 | 1435.6 | 1971.8 | 1872.8 | 1941.0 | **97,584.3** |
| OIL | 1962 | 50.2 | 38.5 | 75.6 | 62.5 | 60.2 | 52.3 | 42.6 | 52.0 | 44.8 | 67.9 | 64.4 | 60.9 | **15,038.2** |
| DAY | 1961 | 31.0 | 25.0 | 31.0 | 30.0 | 20.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,911.0** |
| H2O | 1961 | 1154.7 | 713.3 | 1671.2 | 1387.4 | 951.3 | 1129.4 | 1137.5 | 1791.9 | 1492.3 | 1680.4 | 1560.7 | 1357.4 | **78,754.7** |
| OIL | 1961 | 50.1 | 38.6 | 61.8 | 79.1 | 28.4 | 65.6 | 56.6 | 64.8 | 52.9 | 68.8 | 60.9 | 49.3 | **14,366.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,560.0** |
| H2O | 1960 | 1584.7 | 1414.3 | 1564.0 | 1545.0 | 1525.7 | 1260.7 | 1256.7 | 1517.6 | 1223.7 | 1635.0 | 1624.0 | 1263.4 | **62,727.2** |
| OIL | 1960 | 62.6 | 58.2 | 75.8 | 37.0 | 62.0 | 71.4 | 48.8 | 51.8 | 56.7 | 68.0 | 65.0 | 68.3 | **13,689.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,195.0** |
| H2O | 1959 | 768.2 | 606.7 | 620.0 | 864.9 | 1173.0 | 1480.6 | 1769.4 | 1565.8 | 1427.8 | 1424.9 | 1292.3 | 1189.5 | **45,312.4** |
| OIL | 1959 | 42.4 | 38.5 | 30.2 | 51.3 | 48.9 | 88.4 | 70.1 | 88.5 | 78.5 | 68.3 | 63.9 | 67.2 | **12,963.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,831.0** |
| H2O | 1958 | 545.1 | 485.2 | 936.6 | 1066.8 | 970.7 | 1001.3 | 1045.0 | 1079.5 | 884.1 | 1056.3 | 831.9 | 799.2 | **31,129.3** |
| OIL | 1958 | 26.2 | 50.9 | 49.3 | 66.3 | 65.9 | 95.7 | 60.5 | 51.5 | 67.2 | 99.2 | 18.9 | 35.6 | **12,227.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,466.0** |
| H2O | 1957 | 236.4 | 86.2 | 226.1 | 176.1 | 326.4 | 424.5 | 829.4 | 799.7 | 1254.8 | 1178.4 | 1169.3 | 408.4 | **20,427.6** |
| OIL | 1957 | 48.6 | 45.3 | 45.3 | 45.6 | 47.0 | 62.8 | 116.8 | 108.5 | 143.3 | 118.5 | 102.7 | 46.1 | **11,540.4** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,101.0** |
| H2O | 1956 | 400.3 | 356.3 | 486.8 | 453.1 | 520.3 | 112.4 | 350.2 | 372.5 | 261.4 | 235.3 | 242.0 | 205.1 | **13,311.9** |
| OIL | 1956 | 102.0 | 91.5 | 95.0 | 90.3 | 80.6 | 73.4 | 81.8 | 72.6 | 63.4 | 62.9 | 37.7 | 49.7 | **10,609.9** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **735.0** |
| H2O | 1955 | 386.8 | 482.8 | 766.4 | 916.7 | 704.0 | 769.9 | 849.6 | 880.7 | 759.0 | 798.7 | 719.5 | 510.3 | **9,316.2** |
| OIL | 1955 | 246.2 | 261.1 | 258.1 | 213.6 | 195.6 | 188.9 | 207.9 | 182.7 | 149.7 | 139.5 | 124.7 | 119.2 | **9,709.0** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **370.0** |
| H2O | 1954 | 7.5 | 3.2 | 10.0 | 13.4 | 7.6 | 28.3 | 11.8 | 45.8 | 34.0 | 32.3 | 149.1 | 428.0 | **771.8** |
| OIL | 1954 | 833.6 | 403.6 | 523.1 | 579.1 | 585.3 | 565.6 | 588.0 | 571.8 | 568.6 | 588.9 | 496.6 | 390.6 | **7,421.8** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | **5.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | **0.8** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 727.0 | **727.0** |

# Manitoba Production
## 1950 To 1975

Licence ***334*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-32-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 28.0 | 29.0 | 30.0 | 31.0 | **7,430.0** |
| H2O | 1975 | 2146.1 | 1736.6 | 1959.4 | 1919.4 | 1676.2 | 2019.8 | 1960.2 | 1793.2 | 1825.5 | 1912.9 | 1926.6 | 1791.6 | **233,685.7** |
| OIL | 1975 | 4.6 | 4.3 | 4.8 | 4.4 | 23.7 | 23.2 | 25.1 | 38.3 | 34.3 | 22.6 | 28.0 | 24.2 | **19,404.8** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 31.0 | **7,073.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1854.2 | 2064.5 | **211,018.2** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.6 | 4.4 | **19,167.3** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 4.0 | **7,013.0** |
| H2O | 1973 | 2320.8 | 1805.9 | 1937.4 | 1728.7 | 1974.1 | 1776.0 | 2024.7 | 1898.8 | 2126.1 | 1912.6 | 1957.0 | 232.4 | **207,099.5** |
| OIL | 1973 | 24.6 | 83.4 | 76.9 | 20.2 | 8.9 | 8.9 | 14.8 | 4.4 | 4.4 | 4.4 | 4.4 | 0.5 | **19,158.3** |
| DAY | 1972 | 0.0 | 0.0 | 12.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,676.0** |
| H2O | 1972 | 0.0 | 0.0 | 127.0 | 291.2 | 1371.2 | 1333.7 | 2018.2 | 1989.1 | 1823.1 | 2077.5 | 1866.7 | 2133.9 | **185,405.0** |
| OIL | 1972 | 0.0 | 0.0 | 1.6 | 35.8 | 9.4 | 4.3 | 27.5 | 23.2 | 24.6 | 24.6 | 22.9 | 24.5 | **18,902.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 20.0 | 0.0 | 0.0 | **6,391.0** |
| H2O | 1971 | 368.6 | 298.1 | 573.4 | 697.1 | 559.0 | 342.2 | 154.0 | 289.2 | 265.2 | 174.2 | 0.0 | 0.0 | **170,373.4** |
| OIL | 1971 | 25.6 | 22.9 | 32.3 | 32.9 | 28.4 | 22.2 | 30.2 | 34.5 | 27.8 | 21.3 | 0.0 | 0.0 | **18,704.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **6,098.0** |
| H2O | 1970 | 492.8 | 427.5 | 443.6 | 438.8 | 448.5 | 419.8 | 434.1 | 429.4 | 402.8 | 436.0 | 426.8 | 443.6 | **166,652.4** |
| OIL | 1970 | 40.5 | 34.0 | 39.3 | 39.6 | 41.3 | 38.0 | 38.0 | 38.0 | 35.1 | 37.5 | 34.0 | 35.9 | **18,426.0** |
| DAY | 1969 | 31.0 | 18.0 | 11.0 | 30.0 | 31.0 | 30.0 | 26.0 | 19.0 | 29.0 | 28.0 | 30.0 | 26.0 | **5,737.0** |
| H2O | 1969 | 625.7 | 286.0 | 170.1 | 715.2 | 744.0 | 619.7 | 727.9 | 350.2 | 414.9 | 422.8 | 467.2 | 405.0 | **161,408.7** |
| OIL | 1969 | 29.7 | 16.4 | 11.3 | 27.0 | 50.5 | 37.0 | 29.1 | 18.8 | 25.9 | 27.7 | 38.0 | 35.1 | **17,974.8** |
| DAY | 1968 | 27.0 | 22.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 28.0 | 30.0 | 29.0 | 0.0 | 29.0 | **5,428.0** |
| H2O | 1968 | 302.6 | 281.1 | 238.5 | 238.5 | 254.4 | 258.3 | 268.7 | 240.1 | 257.5 | 249.6 | 0.0 | 508.8 | **155,460.0** |
| OIL | 1968 | 27.2 | 25.3 | 36.2 | 28.6 | 28.6 | 31.1 | 31.9 | 31.1 | 28.3 | 32.3 | 0.0 | 19.1 | **17,628.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,112.0** |
| H2O | 1967 | 314.8 | 271.7 | 310.6 | 306.1 | 272.7 | 151.1 | 50.9 | 322.1 | 289.2 | 312.3 | 324.3 | 322.7 | **152,361.9** |
| OIL | 1967 | 41.6 | 36.5 | 37.7 | 42.1 | 29.1 | 21.5 | 20.3 | 26.1 | 12.6 | 30.8 | 38.1 | 45.8 | **17,308.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 10.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,747.0** |
| H2O | 1966 | 1270.4 | 1109.0 | 1246.8 | 1236.8 | 1210.3 | 1165.0 | 1214.7 | 92.6 | 316.7 | 298.7 | 295.2 | 307.1 | **149,113.4** |
| OIL | 1966 | 42.4 | 37.2 | 43.4 | 42.0 | 42.0 | 37.8 | 40.2 | 7.2 | 32.3 | 30.8 | 25.6 | 34.2 | **16,926.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,403.0** |
| H2O | 1965 | 1264.9 | 1643.7 | 1751.6 | 1615.1 | 1648.0 | 1640.5 | 1624.9 | 1301.4 | 1407.9 | 1422.6 | 1474.0 | 1403.5 | **139,350.1** |
| OIL | 1965 | 40.0 | 51.5 | 51.6 | 48.1 | 44.7 | 46.7 | 41.0 | 40.5 | 39.7 | 38.3 | 40.0 | 43.7 | **16,511.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,038.0** |
| H2O | 1964 | 1728.5 | 1624.4 | 1625.7 | 1495.4 | 1294.8 | 1398.3 | 697.8 | 1223.4 | 1345.0 | 1716.8 | 1531.4 | 1280.5 | **121,152.0** |
| OIL | 1964 | 26.7 | 48.6 | 47.2 | 49.9 | 36.5 | 32.9 | 15.9 | 32.3 | 34.5 | 45.9 | 41.0 | 38.5 | **15,985.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,672.0** |
| H2O | 1963 | 1563.3 | 1413.8 | 1579.8 | 1554.1 | 1159.6 | 1125.1 | 1149.3 | 1226.3 | 1859.4 | 1796.4 | 1669.7 | 1934.5 | **104,190.0** |
| OIL | 1963 | 53.4 | 52.6 | 58.6 | 50.9 | 38.9 | 35.0 | 39.1 | 36.9 | 56.9 | 57.8 | 90.7 | 26.1 | **15,535.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,307.0** |
| H2O | 1962 | 1062.1 | 916.4 | 1185.2 | 1326.2 | 1255.7 | 1257.9 | 1115.3 | 1322.7 | 1167.9 | 1603.9 | 1523.5 | 1578.8 | **86,158.7** |
| OIL | 1962 | 45.9 | 35.1 | 69.1 | 57.0 | 55.0 | 47.7 | 38.8 | 47.2 | 40.7 | 61.8 | 58.6 | 55.6 | **14,938.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,942.0** |
| H2O | 1961 | 1069.9 | 661.0 | 1548.6 | 1285.1 | 881.3 | 1046.3 | 1053.8 | 1457.1 | 1213.7 | 1366.7 | 1269.5 | 1103.8 | **70,843.1** |
| OIL | 1961 | 50.4 | 38.9 | 62.0 | 79.5 | 28.6 | 65.9 | 56.7 | 59.4 | 48.5 | 63.1 | 55.8 | 45.1 | **14,326.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,584.0** |
| H2O | 1960 | 1468.9 | 1310.8 | 1449.5 | 1431.9 | 1414.0 | 1168.4 | 1164.6 | 1406.0 | 1133.9 | 1514.9 | 1504.7 | 1170.8 | **56,886.3** |
| OIL | 1960 | 62.6 | 58.2 | 76.0 | 37.3 | 62.3 | 71.7 | 48.9 | 51.8 | 56.7 | 68.2 | 65.3 | 68.6 | **13,672.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,219.0** |
| H2O | 1959 | 1139.6 | 896.1 | 921.2 | 1420.5 | 1267.2 | 1591.2 | 1313.4 | 1165.5 | 1064.7 | 1062.5 | 963.7 | 1102.5 | **40,747.9** |
| OIL | 1959 | 60.2 | 54.5 | 42.9 | 96.1 | 61.2 | 93.1 | 58.3 | 73.7 | 65.5 | 57.0 | 53.4 | 67.1 | **12,944.7** |
| DAY | 1958 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,855.0** |

# Manitoba Production
## 1950 To 1975

Licence ***334*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-32-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 441.0 | 416.3 | 675.8 | 748.9 | 931.0 | 957.2 | 1047.8 | 1079.5 | 884.2 | 1056.0 | 794.8 | 1183.2 | **26,839.8** |
| OIL | 1958 | 28.9 | 56.1 | 38.0 | 55.1 | 69.9 | 101.2 | 64.0 | 51.5 | 67.2 | 99.2 | 18.9 | 50.5 | **12,161.7** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,491.0** |
| H2O | 1957 | 452.1 | 316.1 | 718.7 | 431.3 | 385.6 | 381.7 | 564.9 | 624.2 | 672.9 | 631.9 | 887.7 | 406.9 | **16,624.1** |
| OIL | 1957 | 127.1 | 118.5 | 118.4 | 119.2 | 74.1 | 67.5 | 84.2 | 95.3 | 78.7 | 65.0 | 85.5 | 50.9 | **11,461.2** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,126.0** |
| H2O | 1956 | 365.2 | 401.5 | 378.3 | 401.5 | 383.2 | 81.5 | 218.6 | 172.4 | 477.7 | 518.4 | 554.1 | 449.1 | **10,150.1** |
| OIL | 1956 | 85.2 | 76.4 | 79.3 | 75.3 | 67.2 | 61.2 | 68.2 | 60.4 | 132.4 | 163.7 | 98.2 | 130.0 | **10,376.8** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **760.0** |
| H2O | 1955 | 53.9 | 335.3 | 410.1 | 477.7 | 413.0 | 382.3 | 422.0 | 437.4 | 377.2 | 397.1 | 357.5 | 253.6 | **5,748.6** |
| OIL | 1955 | 205.2 | 217.5 | 215.0 | 178.0 | 163.0 | 157.3 | 173.1 | 152.2 | 124.7 | 116.5 | 104.2 | 99.5 | **9,279.3** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **395.0** |
| H2O | 1954 | 47.1 | 36.4 | 78.8 | 130.9 | 133.8 | 131.3 | 161.3 | 139.5 | 173.4 | 167.0 | 20.7 | 119.7 | **1,431.5** |
| OIL | 1954 | 522.5 | 405.1 | 525.0 | 581.5 | 593.7 | 573.8 | 596.5 | 580.5 | 577.3 | 587.0 | 413.6 | 325.4 | **7,373.1** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | **30.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 91.6 | **91.6** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1091.2 | **1,091.2** |

Licence ***335*** Well Name ***Zargon Virden*** Dev ***V*** Mineral Rights ***PORTIONAL***

UWI ***100.05-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 18.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,700.0** |
| H2O | 1975 | 2565.2 | 2322.5 | 2408.9 | 2597.4 | 2714.4 | 2597.9 | 1460.6 | 2718.7 | 2587.7 | 2647.6 | 2477.9 | 2712.0 | **323,010.5** |
| OIL | 1975 | 104.9 | 78.3 | 83.0 | 93.3 | 106.2 | 88.7 | 49.4 | 95.0 | 91.2 | 91.7 | 86.9 | 94.2 | **29,140.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,348.0** |
| H2O | 1974 | 2491.1 | 2290.1 | 2531.5 | 2458.2 | 2513.7 | 2450.9 | 2311.6 | 2547.3 | 2467.4 | 2547.6 | 2455.1 | 2581.5 | **293,199.7** |
| OIL | 1974 | 40.0 | 35.9 | 40.7 | 38.3 | 58.8 | 55.3 | 58.2 | 56.9 | 57.8 | 58.3 | 62.0 | 109.3 | **28,077.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **6,983.0** |
| H2O | 1973 | 2724.1 | 2463.9 | 2668.4 | 2602.7 | 2675.8 | 2532.3 | 2713.3 | 2676.7 | 2602.0 | 2669.9 | 2634.6 | 2489.9 | **263,553.7** |
| OIL | 1973 | 54.8 | 50.1 | 49.6 | 45.4 | 48.5 | 41.3 | 43.2 | 42.7 | 38.8 | 38.8 | 38.0 | 37.0 | **27,406.0** |
| DAY | 1972 | 30.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **6,619.0** |
| H2O | 1972 | 2526.2 | 2562.0 | 2604.6 | 2614.5 | 2759.9 | 2653.6 | 2638.3 | 2680.9 | 2654.8 | 2710.5 | 2370.6 | 2582.5 | **232,100.1** |
| OIL | 1972 | 41.5 | 41.8 | 38.9 | 45.9 | 50.5 | 49.1 | 43.5 | 47.7 | 61.2 | 60.7 | 56.1 | 52.0 | **26,877.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,259.0** |
| H2O | 1971 | 2388.4 | 2138.3 | 2337.7 | 2267.4 | 2278.7 | 2383.8 | 2437.5 | 2170.0 | 1983.5 | 2443.9 | 2476.6 | 2479.3 | **200,741.7** |
| OIL | 1971 | 32.3 | 27.7 | 28.4 | 27.5 | 31.6 | 35.1 | 57.4 | 46.2 | 46.7 | 40.7 | 42.3 | 43.1 | **26,288.9** |
| DAY | 1970 | 30.0 | 28.0 | 29.0 | 30.0 | 31.0 | 22.0 | 29.0 | 30.0 | 30.0 | 30.0 | 28.0 | 31.0 | **5,898.0** |
| H2O | 1970 | 3253.3 | 3223.0 | 3431.7 | 3698.7 | 1212.7 | 2168.5 | 2357.1 | 2849.9 | 2135.5 | 2429.9 | 2164.4 | 2289.0 | **172,956.6** |
| OIL | 1970 | 53.2 | 48.5 | 50.7 | 49.1 | 53.6 | 40.0 | 51.8 | 54.7 | 34.8 | 34.3 | 32.4 | 39.3 | **25,829.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,550.0** |
| H2O | 1969 | 1465.1 | 1465.1 | 1480.9 | 1175.8 | 1491.1 | 1514.2 | 3180.1 | 3225.6 | 3100.1 | 3603.9 | 3348.1 | 3228.2 | **141,742.9** |
| OIL | 1969 | 59.6 | 52.4 | 54.7 | 48.5 | 50.1 | 62.1 | 89.8 | 86.9 | 77.9 | 62.0 | 56.4 | 55.1 | **25,287.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,187.0** |
| H2O | 1968 | 1584.9 | 909.7 | 1040.0 | 1167.2 | 893.9 | 876.0 | 792.4 | 564.7 | 1391.4 | 1536.4 | 1547.5 | 1513.0 | **113,464.7** |
| OIL | 1968 | 94.4 | 85.7 | 61.8 | 71.8 | 67.5 | 52.6 | 55.0 | 38.1 | 92.5 | 69.1 | 62.8 | 62.5 | **24,532.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | 29.0 | 31.0 | 23.0 | 31.0 | **4,821.0** |
| H2O | 1967 | 921.8 | 751.8 | 892.0 | 671.1 | 734.3 | 772.6 | 662.9 | 844.0 | 1180.6 | 3050.7 | 1070.9 | 1620.3 | **99,647.6** |
| OIL | 1967 | 51.0 | 46.1 | 48.3 | 62.1 | 67.2 | 60.7 | 67.7 | 67.5 | 82.0 | 96.5 | 57.5 | 99.9 | **23,718.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 26.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,468.0** |
| H2O | 1966 | 895.9 | 815.1 | 904.4 | 838.5 | 874.5 | 841.2 | 874.7 | 867.4 | 794.9 | 801.7 | 845.9 | 880.9 | **86,474.6** |
| OIL | 1966 | 71.2 | 73.9 | 85.0 | 64.0 | 88.2 | 82.3 | 84.2 | 81.0 | 60.2 | 85.2 | 55.9 | 53.9 | **22,911.7** |

# Manitoba Production
## 1950 To 1975

Licence ***335*** Well Name ***Zargon Virden*** Dev ***V*** Mineral Rights ***PORTIONAL***

UWI ***100.05-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,113.0** |
| H2O | 1965 | 533.4 | 401.7 | 516.5 | 834.8 | 865.8 | 800.8 | 848.2 | 849.6 | 822.9 | 874.4 | 853.1 | 882.2 | **76,239.5** |
| OIL | 1965 | 55.0 | 44.7 | 58.6 | 73.6 | 74.8 | 71.2 | 73.4 | 73.4 | 69.9 | 74.1 | 70.9 | 74.2 | **22,026.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,748.0** |
| H2O | 1964 | 743.2 | 695.2 | 743.1 | 710.8 | 741.8 | 710.6 | 695.5 | 743.2 | 700.6 | 697.6 | 616.4 | 596.2 | **67,156.1** |
| OIL | 1964 | 71.8 | 69.3 | 71.5 | 70.2 | 71.4 | 69.9 | 68.6 | 71.5 | 66.7 | 68.2 | 60.5 | 60.5 | **21,212.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,382.0** |
| H2O | 1963 | 753.1 | 787.6 | 874.5 | 837.6 | 858.0 | 817.9 | 836.8 | 803.0 | 784.5 | 801.9 | 760.9 | 762.0 | **58,761.9** |
| OIL | 1963 | 77.1 | 83.9 | 90.4 | 87.7 | 87.7 | 83.1 | 84.2 | 80.4 | 78.0 | 79.5 | 74.7 | 74.5 | **20,392.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **3,017.0** |
| H2O | 1962 | 840.2 | 760.9 | 828.4 | 765.6 | 473.3 | 252.6 | 227.2 | 616.5 | 796.0 | 855.6 | 805.1 | 841.6 | **49,084.1** |
| OIL | 1962 | 98.4 | 87.7 | 95.8 | 87.1 | 60.1 | 46.6 | 48.9 | 95.3 | 90.9 | 95.5 | 86.9 | 88.7 | **19,411.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,655.0** |
| H2O | 1961 | 890.9 | 815.1 | 901.1 | 848.2 | 892.5 | 863.4 | 896.0 | 858.8 | 839.9 | 783.1 | 777.1 | 901.4 | **41,021.1** |
| OIL | 1961 | 136.0 | 119.5 | 129.0 | 119.5 | 118.5 | 111.6 | 114.1 | 109.8 | 105.2 | 100.1 | 93.9 | 106.5 | **18,429.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,291.0** |
| H2O | 1960 | 732.6 | 685.7 | 731.6 | 708.7 | 730.4 | 645.5 | 345.8 | 327.3 | 381.7 | 613.3 | 884.1 | 893.3 | **30,753.6** |
| OIL | 1960 | 97.3 | 96.8 | 103.8 | 103.1 | 106.6 | 96.1 | 140.8 | 120.9 | 122.5 | 146.7 | 146.0 | 138.4 | **17,066.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 27.0 | 31.0 | 31.0 | 30.0 | 23.0 | 30.0 | 31.0 | **1,927.0** |
| H2O | 1959 | 708.6 | 625.9 | 720.5 | 712.9 | 635.4 | 603.0 | 740.5 | 744.2 | 725.4 | 506.7 | 702.4 | 709.5 | **23,073.6** |
| OIL | 1959 | 114.6 | 104.1 | 109.2 | 109.0 | 101.4 | 91.1 | 108.5 | 107.4 | 101.7 | 77.9 | 103.3 | 104.4 | **15,647.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 17.0 | 4.0 | 31.0 | 30.0 | 31.0 | **1,576.0** |
| H2O | 1958 | 545.3 | 499.4 | 564.9 | 564.7 | 572.5 | 517.0 | 572.6 | 318.1 | 69.6 | 660.2 | 655.2 | 708.6 | **14,938.6** |
| OIL | 1958 | 114.4 | 101.2 | 113.1 | 95.3 | 101.9 | 91.8 | 104.7 | 54.3 | 8.9 | 130.9 | 109.0 | 112.0 | **14,414.4** |
| DAY | 1957 | 31.0 | 28.0 | 28.0 | 0.0 | 23.0 | 30.0 | 31.0 | 25.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,254.0** |
| H2O | 1957 | 556.3 | 510.2 | 503.5 | 0.0 | 385.7 | 540.8 | 538.9 | 413.3 | 467.6 | 514.5 | 522.2 | 530.0 | **8,690.5** |
| OIL | 1957 | 159.2 | 128.2 | 116.3 | 0.0 | 102.5 | 122.4 | 123.2 | 92.8 | 93.4 | 125.7 | 105.2 | 109.5 | **13,276.9** |
| DAY | 1956 | 26.0 | 22.0 | 29.0 | 28.0 | 24.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **939.0** |
| H2O | 1956 | 61.5 | 20.2 | 15.1 | 34.2 | 64.7 | 303.0 | 453.9 | 412.7 | 367.4 | 410.8 | 486.2 | 525.4 | **3,207.5** |
| OIL | 1956 | 292.6 | 235.3 | 327.2 | 313.4 | 261.2 | 266.5 | 234.9 | 179.7 | 160.8 | 123.6 | 146.0 | 135.4 | **11,998.5** |
| DAY | 1955 | 28.0 | 21.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 30.0 | 27.0 | 27.0 | 23.0 | 21.0 | **597.0** |
| H2O | 1955 | 0.8 | 1.0 | 1.0 | 1.3 | 2.9 | 3.5 | 1.3 | 7.5 | 9.5 | 1.0 | 5.7 | 4.9 | **52.4** |
| OIL | 1955 | 349.8 | 244.6 | 415.2 | 397.6 | 387.1 | 385.2 | 411.1 | 382.2 | 307.0 | 355.5 | 296.7 | 206.1 | **9,321.9** |
| DAY | 1954 | 31.0 | 28.0 | 18.0 | 0.0 | 14.0 | 20.0 | 23.0 | 29.0 | 18.0 | 21.0 | 26.0 | 31.0 | **270.0** |
| H2O | 1954 | 1.1 | 1.0 | 0.8 | 0.6 | 0.6 | 0.6 | 1.0 | 1.0 | 0.6 | 1.0 | 0.6 | 1.3 | **12.0** |
| OIL | 1954 | 374.4 | 298.1 | 317.8 | 284.0 | 254.3 | 341.7 | 436.5 | 506.6 | 329.1 | 368.8 | 324.8 | 488.3 | **5,183.8** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 3.0 | **11.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 0.5 | **1.8** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 583.7 | 275.7 | **859.4** |

Licence ***336*** Well Name ***Kiwi Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-28-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 26.0 | 28.0 | **3,173.0** |
| H2O | 1975 | 1081.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1769.5 | 3720.3 | 4318.1 | **172,403.0** |
| OIL | 1975 | 8.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 83.2 | 44.5 | **11,999.6** |
| DAY | 1974 | 30.0 | 28.0 | 14.0 | 0.0 | 0.0 | 13.0 | 25.0 | 23.0 | 22.0 | 30.0 | 30.0 | 31.0 | **3,099.0** |
| H2O | 1974 | 3451.5 | 3256.0 | 1669.3 | 0.0 | 0.0 | 1685.2 | 2980.9 | 2833.9 | 2623.2 | 3354.6 | 2521.5 | 2547.0 | **161,514.0** |
| OIL | 1974 | 37.0 | 28.0 | 16.1 | 0.0 | 0.0 | 46.1 | 26.4 | 31.0 | 28.0 | 35.0 | 11.0 | 19.7 | **11,838.5** |
| DAY | 1973 | 29.0 | 26.0 | 31.0 | 29.0 | 24.0 | 11.0 | 26.0 | 25.0 | 29.0 | 27.0 | 24.0 | 30.0 | **2,853.0** |
| H2O | 1973 | 2857.2 | 2745.6 | 3476.5 | 2624.1 | 2695.7 | 1364.0 | 2889.0 | 2740.8 | 3354.5 | 3248.0 | 2747.2 | 3515.3 | **134,590.9** |

# Manitoba Production
## 1950 To 1975

Licence ***336*** Well Name ***Kiwi Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-28-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1973 | 23.1 | 22.3 | 27.5 | 26.6 | 37.4 | 20.7 | 49.6 | 41.5 | 37.7 | 38.5 | 30.4 | 38.2 | **11,560.2** |
| DAY | 1972 | 31.0 | 29.0 | 24.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 26.0 | **2,542.0** |
| H2O | 1972 | 3314.9 | 3014.1 | 2507.8 | 3152.3 | 2982.5 | 2650.2 | 3221.3 | 3303.0 | 3129.1 | 2371.0 | 3007.3 | 2519.5 | **100,333.0** |
| OIL | 1972 | 39.3 | 35.6 | 30.2 | 41.3 | 39.7 | 21.1 | 20.8 | 27.3 | 28.9 | 26.2 | 24.5 | 21.5 | **11,166.7** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 22.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,193.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 1395.3 | 1699.2 | 2073.3 | 2851.3 | 3137.4 | 2890.8 | 2877.4 | 2662.9 | 1959.1 | **65,160.0** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 46.7 | 50.1 | 43.1 | 43.9 | 43.4 | 42.3 | 43.2 | 42.0 | 29.7 | **10,810.3** |
| DAY | 1970 | 12.0 | 17.0 | 17.0 | 14.0 | 19.0 | 16.0 | 16.0 | 16.0 | 24.0 | 16.0 | 28.0 | 16.0 | **1,928.0** |
| H2O | 1970 | 655.4 | 775.1 | 748.9 | 726.6 | 878.5 | 758.3 | 731.4 | 748.9 | 811.2 | 511.4 | 928.1 | 1247.2 | **43,613.3** |
| OIL | 1970 | 10.8 | 14.6 | 15.1 | 12.4 | 16.4 | 14.1 | 13.7 | 14.1 | 21.1 | 13.8 | 31.6 | 19.4 | **10,425.9** |
| DAY | 1969 | 31.0 | 24.0 | 31.0 | 30.0 | 23.0 | 25.0 | 28.0 | 14.0 | 16.0 | 23.0 | 17.0 | 14.0 | **1,717.0** |
| H2O | 1969 | 2169.0 | 1478.5 | 4308.5 | 1518.4 | 1024.7 | 1107.6 | 1179.7 | 947.8 | 990.6 | 1014.2 | 820.3 | 775.0 | **34,092.3** |
| OIL | 1969 | 27.1 | 21.3 | 30.7 | 27.3 | 20.2 | 22.1 | 24.3 | 12.6 | 14.1 | 20.5 | 14.5 | 12.6 | **10,228.8** |
| DAY | 1968 | 0.0 | 0.0 | 25.0 | 30.0 | 30.0 | 30.0 | 28.0 | 31.0 | 28.0 | 22.0 | 30.0 | 31.0 | **1,441.0** |
| H2O | 1968 | 0.0 | 0.0 | 544.4 | 641.4 | 572.3 | 524.6 | 534.1 | 591.3 | 1144.6 | 1383.1 | 1146.2 | 1144.6 | **16,758.0** |
| OIL | 1968 | 0.0 | 0.0 | 55.7 | 48.1 | 34.9 | 27.2 | 21.4 | 19.6 | 25.3 | 22.2 | 25.8 | 21.7 | **9,981.5** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,156.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 56.7 | 0.0 | 0.0 | 0.0 | 0.0 | **8,531.4** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 | **9,679.6** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 0.0 | 5.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,154.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 265.4 | 0.0 | 110.4 | 113.6 | 0.0 | 0.0 | 0.0 | 0.0 | **8,474.7** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 25.7 | 0.0 | 4.8 | 4.4 | 0.0 | 0.0 | 0.0 | 0.0 | **9,677.0** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 14.0 | 10.0 | 0.0 | 3.0 | 4.0 | 2.0 | 3.0 | 2.0 | 0.0 | **1,132.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 193.9 | 120.6 | 0.0 | 55.7 | 65.4 | 31.5 | 65.7 | 42.8 | 0.0 | **7,985.3** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 31.1 | 15.2 | 0.0 | 4.8 | 6.6 | 3.4 | 2.9 | 1.6 | 0.0 | **9,642.1** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 7.0 | 0.0 | **1,094.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 477.2 | 409.6 | 408.3 | 407.4 | 380.7 | 379.2 | 91.6 | 0.0 | **7,409.7** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 9.9 | 30.9 | 34.6 | 31.9 | 30.7 | 33.0 | 9.0 | 0.0 | **9,576.5** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 30.0 | 31.0 | 3.0 | 0.0 | **909.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 417.6 | 650.0 | 629.3 | 64.3 | 0.0 | **4,855.7** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.4 | 13.9 | 13.3 | 1.2 | 0.0 | **9,396.5** |
| DAY | 1956 | 25.0 | 18.0 | 15.0 | 6.0 | 24.0 | 27.0 | 30.0 | 28.0 | 5.0 | 0.0 | 0.0 | 0.0 | **820.0** |
| H2O | 1956 | 269.2 | 136.3 | 178.3 | 79.2 | 357.6 | 516.5 | 574.0 | 559.9 | 117.2 | 0.0 | 0.0 | 0.0 | **3,094.5** |
| OIL | 1956 | 160.2 | 69.1 | 56.2 | 21.2 | 106.9 | 92.0 | 82.4 | 8.5 | 3.9 | 0.0 | 0.0 | 0.0 | **9,351.7** |
| DAY | 1955 | 29.0 | 25.0 | 29.0 | 25.0 | 26.0 | 26.0 | 28.0 | 29.0 | 28.0 | 30.0 | 29.0 | 24.0 | **642.0** |
| H2O | 1955 | 0.9 | 0.5 | 0.7 | 0.5 | 0.9 | 7.1 | 1.8 | 0.5 | 5.5 | 1.6 | 70.8 | 206.1 | **306.3** |
| OIL | 1955 | 344.7 | 313.4 | 357.5 | 330.6 | 356.4 | 305.6 | 327.9 | 310.6 | 316.3 | 337.7 | 239.8 | 178.3 | **8,751.3** |
| DAY | 1954 | 29.0 | 27.0 | 30.0 | 23.0 | 14.0 | 22.0 | 27.0 | 26.0 | 25.0 | 29.0 | 26.0 | 29.0 | **314.0** |
| H2O | 1954 | 0.5 | 0.5 | 0.9 | 0.5 | 0.2 | 0.7 | 1.0 | 0.9 | 0.9 | 0.9 | 0.5 | 0.9 | **9.4** |
| OIL | 1954 | 353.0 | 323.3 | 471.3 | 355.1 | 227.3 | 404.7 | 486.4 | 501.7 | 457.8 | 490.2 | 345.7 | 342.0 | **5,032.5** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | **7.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | **1.0** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 274.0 | **274.0** |

Licence ***337*** Well Name ***B.A. Union Grose Virden*** Dev ***V*** Mineral Rights ***PORTIONAL***

UWI ***100.13-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1954 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **26.0** |
| H2O | 1954 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3.0** |
| OIL | 1954 | 3.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **13.8** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | **19.0** |

# Manitoba Production
## 1950 To 1975

Licence ***337*** Well Name ***B.A. Union Grose Virden*** Dev ***V*** Mineral Rights ***PORTIONAL***

UWI ***100.13-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.2 | **2.2** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.9 | **9.9** |

Licence ***338*** Well Name ***B.A. Union Grose Virden*** Dev ***V*** Mineral Rights ***PORTIONAL***

UWI ***100.14-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 9.0 | 0.0 | **1,172.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 5.9 | 0.0 | **1,824.6** |
| DAY | 1958 | 31.0 | 0.0 | 0.0 | 0.0 | 23.0 | 30.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,159.0** |
| H2O | 1958 | 29.6 | 0.0 | 0.0 | 0.0 | 42.5 | 46.5 | 12.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,815.7** |
| OIL | 1958 | 29.3 | 0.0 | 0.0 | 0.0 | 30.8 | 31.9 | 9.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,743.2** |
| DAY | 1957 | 23.0 | 10.0 | 5.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | **1,065.0** |
| H2O | 1957 | 40.5 | 15.9 | 30.2 | 181.6 | 169.5 | 188.6 | 197.5 | 194.3 | 100.3 | 29.6 | 28.6 | 30.5 | **1,684.4** |
| OIL | 1957 | 140.5 | 31.8 | 1.6 | 9.5 | 13.0 | 38.5 | 48.8 | 47.8 | 28.4 | 29.4 | 28.6 | 29.2 | **3,641.8** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 31.0 | 30.0 | 29.0 | 14.0 | 0.0 | **764.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 47.9 | 47.7 | 46.3 | 19.2 | 0.0 | **477.3** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.4 | 27.0 | 28.1 | 26.1 | 9.5 | 0.0 | **3,194.7** |
| DAY | 1955 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 19.0 | **649.0** |
| H2O | 1955 | 27.2 | 17.5 | 18.0 | 25.3 | 26.7 | 18.8 | 15.4 | 17.6 | 16.1 | 17.5 | 12.4 | 12.7 | **315.2** |
| OIL | 1955 | 216.3 | 139.2 | 140.2 | 141.6 | 148.1 | 100.7 | 64.5 | 38.1 | 26.7 | 24.3 | 24.6 | 15.9 | **3,087.6** |
| DAY | 1954 | 0.0 | 25.0 | 31.0 | 30.0 | 13.0 | 26.0 | 28.0 | 27.0 | 28.0 | 29.0 | 29.0 | 31.0 | **297.0** |
| H2O | 1954 | 0.0 | 10.2 | 11.1 | 2.1 | 1.7 | 3.8 | 3.7 | 4.1 | 4.5 | 4.8 | 17.6 | 26.4 | **90.0** |
| OIL | 1954 | 0.0 | 435.1 | 199.9 | 82.0 | 60.9 | 148.9 | 139.0 | 149.9 | 161.6 | 172.3 | 210.1 | 247.7 | **2,007.4** |

Licence ***339*** Well Name ***Kiwi Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-28-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 2273.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4014.2 | 8267.0 | 9640.6 | **552,236.5** |
| WIN | 1974 | 6785.3 | 6371.9 | 3219.3 | 0.0 | 0.0 | 3235.2 | 6319.5 | 3787.7 | 5723.2 | 6931.6 | 6184.3 | 5488.0 | **528,041.2** |
| WIN | 1973 | 8466.8 | 8176.0 | 9861.1 | 7609.7 | 6713.9 | 2756.7 | 5833.3 | 5523.0 | 6581.8 | 6364.0 | 5418.1 | 6903.1 | **473,995.2** |
| WIN | 1972 | 9403.2 | 8549.7 | 7872.8 | 8941.8 | 8604.8 | 8762.3 | 9029.6 | 9369.0 | 8767.7 | 6725.7 | 8530.4 | 8530.4 | **393,787.7** |
| WIN | 1971 | 0.0 | 0.0 | 0.0 | 4345.9 | 5021.2 | 6314.2 | 10546.7 | 11068.3 | 10239.9 | 9619.2 | 9123.7 | 8930.7 | **290,700.3** |
| WIN | 1970 | 3398.2 | 3943.4 | 3775.0 | 3252.3 | 4518.8 | 3791.7 | 3657.4 | 3814.9 | 4085.7 | 2589.3 | 2803.0 | 3768.0 | **215,490.5** |
| WIN | 1969 | 3480.6 | 7403.3 | 10761.3 | 7063.5 | 4823.6 | 6195.1 | 3469.6 | 4564.6 | 4363.5 | 4937.8 | 3996.1 | 3748.1 | **172,092.8** |
| WIN | 1968 | 0.0 | 0.0 | 2178.1 | 2613.6 | 4785.3 | 4674.0 | 4451.4 | 4737.6 | 9618.3 | 6812.2 | 9187.6 | 9709.4 | **107,285.7** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 123.5 | 417.7 | 1686.0 | 2288.2 | 2928.1 | 6.7 | 0.0 | 0.0 | 0.0 | **48,518.2** |
| WIN | 1966 | 0.0 | 0.0 | 151.4 | 367.6 | 886.4 | 583.8 | 410.8 | 680.5 | 302.7 | 547.1 | 17.6 | 17.6 | **41,068.0** |
| WIN | 1965 | 0.0 | 20.8 | 0.0 | 437.4 | 647.1 | 648.7 | 648.7 | 670.3 | 648.7 | 605.4 | 648.7 | 302.7 | **37,102.5** |
| WIN | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 363.5 | 587.3 | 697.8 | 698.0 | 548.0 | 604.0 | 624.8 | 0.0 | **31,824.0** |
| WIN | 1963 | 0.0 | 0.0 | 83.6 | 723.9 | 466.8 | 530.1 | 579.2 | 647.6 | 598.6 | 609.2 | 573.0 | 539.0 | **27,700.6** |
| WIN | 1962 | 311.6 | 302.1 | 254.5 | 151.8 | 491.9 | 222.4 | 517.4 | 603.5 | 578.9 | 589.2 | 499.2 | 255.0 | **22,349.6** |
| WIN | 1961 | 431.8 | 385.6 | 419.1 | 431.2 | 374.9 | 460.6 | 483.6 | 484.0 | 374.6 | 503.5 | 463.8 | 476.0 | **17,572.1** |
| WIN | 1960 | 373.3 | 442.3 | 436.6 | 470.6 | 860.0 | 850.0 | 877.4 | 875.1 | 817.6 | 814.9 | 543.0 | 450.1 | **12,283.4** |
| WIN | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 975.3 | 1380.4 | 1126.2 | 497.3 | 493.3 | **4,472.5** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 30.0 | 31.0 | 28.0 | 28.0 | 29.0 | 29.0 | 21.0 | **850.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 1.7 | 57.6 | 106.0 | 109.7 | 149.0 | 154.2 | 138.8 | 78.9 | **1,642.1** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 56.5 | 95.9 | 35.8 | 12.1 | 13.3 | 24.9 | 14.1 | 7.9 | **8,178.1** |
| DAY | 1955 | 27.0 | 27.0 | 29.0 | 27.0 | 31.0 | 20.0 | 31.0 | 28.0 | 29.0 | 26.0 | 19.0 | 0.0 | **634.0** |
| H2O | 1955 | 1.0 | 1.0 | 0.6 | 0.6 | 1.0 | 7.2 | 1.9 | 166.1 | 241.0 | 247.1 | 161.2 | 0.0 | **846.2** |
| OIL | 1955 | 325.3 | 326.7 | 341.8 | 319.3 | 377.1 | 277.0 | 256.6 | 169.4 | 113.6 | 40.0 | 33.4 | 0.0 | **7,917.6** |
| DAY | 1954 | 28.0 | 25.0 | 28.0 | 23.0 | 15.0 | 26.0 | 27.0 | 26.0 | 27.0 | 30.0 | 28.0 | 26.0 | **340.0** |

# Manitoba Production
## 1950 To 1975

Licence ***339*** Well Name ***Kiwi Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-28-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1954 | 0.6 | 0.6 | 1.1 | 0.8 | 0.5 | 6.8 | 1.1 | 1.0 | 0.8 | 1.0 | 0.8 | 0.8 | **17.5** |
| OIL | 1954 | 361.4 | 319.3 | 457.2 | 386.0 | 286.8 | 468.1 | 497.4 | 480.7 | 456.5 | 475.0 | 373.4 | 325.6 | **5,337.4** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 27.0 | **31.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 1.4 | **1.6** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 88.0 | 362.0 | **450.0** |

Licence ***340*** Well Name ***Landa et al Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-33-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1955 | 27.0 | 14.0 | 1.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 12.0 | 31.0 | 1.0 | 0.0 | **544.0** |
| H2O | 1955 | 251.3 | 130.7 | 9.5 | 281.1 | 290.3 | 280.1 | 272.3 | 289.7 | 115.3 | 286.0 | 9.4 | 0.0 | **3,105.1** |
| OIL | 1955 | 47.1 | 23.3 | 3.5 | 57.8 | 50.2 | 49.7 | 47.8 | 42.7 | 12.9 | 39.4 | 0.3 | 0.0 | **1,142.7** |
| DAY | 1954 | 12.0 | 27.0 | 31.0 | 30.0 | 13.0 | 0.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | **306.0** |
| H2O | 1954 | 96.3 | 92.2 | 0.0 | 36.7 | 1.0 | 0.0 | 247.4 | 33.4 | 0.5 | 0.0 | 55.6 | 190.8 | **889.4** |
| OIL | 1954 | 26.7 | 72.8 | 82.5 | 70.6 | 28.4 | 0.0 | 72.3 | 81.0 | 71.8 | 67.1 | 62.8 | 43.2 | **768.0** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | **23.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 135.5 | **135.5** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 88.8 | **88.8** |

Licence ***342*** Well Name ***Zargon Virden SWD*** Dev ***V*** Mineral Rights ***PORTIONAL***

UWI ***100.06-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 14169.7 | 12831.9 | 13309.0 | 14349.1 | 14996.3 | 14352.6 | 8069.2 | 15019.5 | 14296.4 | 14627.3 | 13690.0 | 14983.3 | **1,322,657.9** |
| WIN | 1974 | 15189.1 | 13963.7 | 14123.1 | 13715.5 | 14024.4 | 13548.4 | 12770.4 | 14071.8 | 13630.9 | 14073.5 | 13562.9 | 14260.2 | **1,157,963.6** |
| WIN | 1973 | 16609.6 | 15023.8 | 16270.2 | 15869.1 | 16316.3 | 15440.1 | 16544.0 | 16320.9 | 15865.2 | 16279.3 | 16064.1 | 15182.2 | **991,029.7** |
| WIN | 1972 | 15403.5 | 15480.5 | 15881.3 | 15941.6 | 16829.3 | 16179.9 | 16086.6 | 16345.9 | 16188.3 | 16527.0 | 14454.6 | 15747.0 | **799,244.9** |
| WIN | 1971 | 14563.4 | 13038.0 | 14254.3 | 13825.3 | 13894.2 | 14534.6 | 14862.4 | 13231.0 | 12094.0 | 14901.9 | 15100.8 | 15117.7 | **608,179.4** |
| WIN | 1970 | 16899.2 | 15636.0 | 15954.0 | 15361.9 | 14855.1 | 11661.9 | 13755.4 | 14238.6 | 13835.7 | 14814.7 | 13196.5 | 13957.2 | **438,761.8** |
| WIN | 1969 | 13250.2 | 12331.1 | 13518.5 | 12496.0 | 13497.0 | 13569.4 | 16013.7 | 14982.6 | 14753.5 | 15881.3 | 15614.0 | 16433.8 | **264,595.6** |
| WIN | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11549.3 | 12069.4 | 12027.9 | 12071.2 | 13338.5 | 13139.2 | 13514.7 | **92,254.5** |
| DAY | 1967 | 0.0 | 4.0 | 31.0 | 11.0 | 13.0 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,136.0** |
| H2O | 1967 | 0.0 | 7.8 | 1137.0 | 456.7 | 553.7 | 365.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **29,911.6** |
| OIL | 1967 | 0.0 | 2.0 | 33.2 | 10.1 | 19.6 | 4.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **8,458.9** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4544.3 | 0.0 | 0.0 | **4,544.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 5.0 | 0.0 | **3,070.0** |
| H2O | 1963 | 347.5 | 308.1 | 323.8 | 275.8 | 315.9 | 218.4 | 192.0 | 159.8 | 146.6 | 143.7 | 7.0 | 0.0 | **27,390.7** |
| OIL | 1963 | 9.4 | 8.1 | 9.7 | 9.7 | 12.2 | 5.2 | 5.6 | 4.9 | 4.9 | 1.4 | 0.0 | 0.0 | **8,389.2** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,761.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.9 | 421.6 | 435.8 | 400.9 | 363.1 | 403.5 | 393.0 | **24,952.1** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.6 | 19.2 | 15.6 | 13.2 | 11.9 | 9.9 | **8,318.1** |
| DAY | 1961 | 26.0 | 28.0 | 31.0 | 30.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,577.0** |
| H2O | 1961 | 192.8 | 184.7 | 249.1 | 193.0 | 7.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **22,532.3** |
| OIL | 1961 | 5.2 | 10.2 | 9.1 | 13.7 | 6.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **8,218.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,460.0** |
| H2O | 1960 | 428.8 | 401.3 | 339.4 | 215.4 | 290.5 | 351.5 | 295.5 | 135.9 | 195.5 | 204.3 | 176.9 | 217.2 | **21,705.4** |
| OIL | 1960 | 21.6 | 23.2 | 21.1 | 14.3 | 14.9 | 14.1 | 14.5 | 14.0 | 12.7 | 6.0 | 4.8 | 4.9 | **8,174.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 17.0 | 30.0 | 31.0 | **2,095.0** |
| H2O | 1959 | 405.6 | 376.9 | 369.5 | 414.6 | 434.2 | 417.6 | 320.5 | 145.0 | 142.9 | 156.1 | 395.5 | 432.4 | **18,453.2** |
| OIL | 1959 | 38.9 | 35.8 | 37.2 | 29.4 | 29.1 | 28.3 | 25.3 | 23.7 | 28.1 | 20.3 | 30.5 | 20.3 | **8,007.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,744.0** |
| H2O | 1958 | 355.3 | 320.8 | 355.5 | 310.2 | 320.8 | 314.6 | 351.5 | 343.9 | 339.1 | 346.6 | 400.3 | 438.0 | **14,442.4** |

# Manitoba Production
## 1950 To 1975

Licence ***342*** Well Name ***Zargon Virden SWD*** Dev ***V*** Mineral Rights ***PORTIONAL***

UWI ***100.06-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1958 | 38.8 | 35.8 | 39.6 | 36.9 | 39.1 | 41.6 | 39.6 | 34.2 | 33.1 | 34.3 | 37.0 | 38.9 | **7,661.0** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,380.0** |
| H2O | 1957 | 120.5 | 267.9 | 307.8 | 344.0 | 321.1 | 344.0 | 355.5 | 356.9 | 344.2 | 355.6 | 344.2 | 355.6 | **10,245.8** |
| OIL | 1957 | 76.6 | 89.0 | 86.8 | 40.4 | 39.7 | 42.6 | 40.2 | 39.9 | 37.8 | 39.3 | 38.1 | 38.9 | **7,212.1** |
| DAY | 1956 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,018.0** |
| H2O | 1956 | 330.7 | 241.6 | 249.1 | 291.9 | 307.6 | 245.6 | 247.8 | 325.6 | 331.3 | 339.4 | 126.2 | 59.3 | **6,428.5** |
| OIL | 1956 | 137.0 | 139.8 | 148.3 | 144.4 | 145.9 | 141.7 | 147.0 | 146.5 | 121.7 | 93.4 | 57.8 | 69.1 | **6,602.8** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 18.0 | **657.0** |
| H2O | 1955 | 96.3 | 87.4 | 94.3 | 79.0 | 76.8 | 61.7 | 120.7 | 523.7 | 425.1 | 520.7 | 358.8 | 281.7 | **3,332.4** |
| OIL | 1955 | 278.9 | 233.6 | 236.1 | 201.3 | 185.4 | 141.6 | 145.2 | 175.3 | 165.7 | 170.2 | 166.5 | 81.0 | **5,110.2** |
| DAY | 1954 | 7.0 | 28.0 | 30.0 | 30.0 | 17.0 | 14.0 | 30.0 | 31.0 | 29.0 | 29.0 | 29.0 | 31.0 | **305.0** |
| H2O | 1954 | 5.4 | 6.5 | 79.2 | 54.7 | 53.7 | 38.5 | 48.5 | 48.5 | 49.3 | 59.6 | 61.5 | 100.8 | **606.2** |
| OIL | 1954 | 98.4 | 315.7 | 471.6 | 309.4 | 212.8 | 171.1 | 189.7 | 192.8 | 190.5 | 233.3 | 243.8 | 300.3 | **2,929.4** |

Licence ***343*** Well Name ***Johnson Canart Woodville*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-16-011-29W1.00*** Field Name ***Other Areas*** Pool Name ***Lodgepole B*** Field Code ***99*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **109.0** |
| H2O | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4.8** |
| OIL | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **77.5** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **109.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4.8** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **77.5** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **109.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4.8** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **77.5** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **109.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4.8** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **77.5** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **109.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4.8** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **77.5** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **109.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4.8** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **77.5** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **109.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4.8** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **77.5** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **109.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4.8** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **77.5** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **109.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4.8** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **77.5** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **109.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4.8** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **77.5** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **109.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4.8** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **77.5** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **109.0** |

# Manitoba Production
## 1950 To 1975

Licence ***343*** Well Name ***Johnson Canart Woodville*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-16-011-29W1.00*** Field Name ***Other Areas*** Pool Name ***Lodgepole B*** Field Code ***99*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4.8** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **77.5** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **109.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4.8** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **77.5** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **109.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4.8** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **77.5** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **109.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4.8** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **77.5** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **109.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4.8** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **77.5** |
| DAY | 1959 | 0.0 | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **109.0** |
| OIL | 1959 | 0.0 | 0.0 | 5.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **77.5** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 0.0 | 9.0 | 3.0 | 0.0 | 0.0 | **107.0** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 39.4 | 0.0 | 8.7 | 3.7 | 0.0 | 0.0 | **71.8** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 30.0 | 6.0 | 16.0 | 8.0 | 0.0 | 0.0 | 0.0 | **64.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.9 | 1.9 | 1.0 | 0.0 | 0.0 | 0.0 | **4.8** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 5.9 | 4.4 | 1.9 | 5.9 | 1.9 | 0.0 | 0.0 | 0.0 | **20.0** |

Licence ***345*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-11-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,834.0** |
| H2O | 1975 | 4.8 | 4.1 | 4.9 | 4.8 | 4.9 | 4.5 | 153.4 | 163.3 | 160.6 | 172.7 | 173.1 | 176.3 | **6,792.8** |
| OIL | 1975 | 48.0 | 41.0 | 46.7 | 44.3 | 45.1 | 42.9 | 29.9 | 32.6 | 31.6 | 32.7 | 31.8 | 32.1 | **16,987.2** |
| DAY | 1974 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,472.0** |
| H2O | 1974 | 29.3 | 27.2 | 29.3 | 29.6 | 30.5 | 30.7 | 31.0 | 4.6 | 4.6 | 4.6 | 4.8 | 4.8 | **5,765.4** |
| OIL | 1974 | 40.7 | 35.4 | 38.9 | 38.6 | 40.4 | 38.9 | 40.2 | 48.5 | 46.6 | 47.4 | 46.7 | 48.3 | **16,528.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **7,109.0** |
| H2O | 1973 | 15.6 | 15.1 | 5.1 | 4.9 | 5.1 | 4.9 | 4.9 | 5.4 | 5.1 | 30.4 | 30.2 | 29.3 | **5,534.4** |
| OIL | 1973 | 61.0 | 54.0 | 47.0 | 46.1 | 48.0 | 46.6 | 48.1 | 51.6 | 49.1 | 38.8 | 39.1 | 39.6 | **16,017.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 0.0 | 28.0 | 31.0 | **6,746.0** |
| H2O | 1972 | 4.1 | 49.9 | 27.5 | 27.3 | 31.5 | 35.5 | 45.3 | 42.9 | 43.1 | 0.0 | 14.8 | 16.2 | **5,378.4** |
| OIL | 1972 | 55.9 | 80.4 | 52.6 | 40.7 | 44.5 | 47.0 | 48.5 | 49.6 | 47.0 | 0.0 | 55.6 | 62.1 | **15,448.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,414.0** |
| H2O | 1971 | 145.3 | 132.0 | 151.7 | 152.1 | 152.5 | 151.8 | 150.4 | 145.0 | 129.9 | 16.4 | 15.7 | 18.6 | **5,040.3** |
| OIL | 1971 | 86.3 | 76.3 | 84.5 | 80.2 | 82.0 | 79.6 | 81.7 | 80.1 | 79.0 | 59.1 | 55.8 | 57.0 | **14,865.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 28.0 | 26.0 | 31.0 | **6,049.0** |
| H2O | 1970 | 18.3 | 17.0 | 18.0 | 7.8 | 8.1 | 17.2 | 16.1 | 18.1 | 15.4 | 133.7 | 121.6 | 156.9 | **3,678.9** |
| OIL | 1970 | 70.4 | 62.9 | 69.1 | 66.9 | 68.8 | 61.0 | 64.7 | 63.6 | 55.1 | 71.4 | 68.2 | 83.1 | **13,963.4** |
| DAY | 1969 | 28.0 | 27.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,693.0** |
| H2O | 1969 | 17.0 | 16.5 | 16.2 | 11.4 | 14.0 | 13.5 | 14.5 | 14.6 | 26.4 | 28.8 | 25.6 | 19.1 | **3,130.7** |
| OIL | 1969 | 72.3 | 68.6 | 79.1 | 69.3 | 79.1 | 77.5 | 89.8 | 80.2 | 73.7 | 77.1 | 73.9 | 72.8 | **13,158.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,335.0** |
| H2O | 1968 | 1.0 | 0.0 | 1.0 | 1.0 | 1.1 | 1.1 | 0.0 | 0.0 | 17.5 | 18.4 | 17.2 | 18.1 | **2,913.1** |
| OIL | 1968 | 78.5 | 72.3 | 78.0 | 75.3 | 77.9 | 76.4 | 81.0 | 81.0 | 78.2 | 82.2 | 78.5 | 81.0 | **12,244.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | **4,969.0** |
| H2O | 1967 | 10.5 | 8.6 | 3.8 | 3.3 | 0.0 | 0.0 | 3.7 | 4.8 | 1.0 | 1.1 | 0.8 | 1.0 | **2,836.7** |

# Manitoba Production
## 1950 To 1975

Licence ***345*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-11-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1967 | 100.4 | 89.3 | 82.6 | 75.8 | 85.8 | 82.3 | 81.8 | 78.8 | 75.0 | 79.0 | 64.4 | 75.5 | **11,304.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 23.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,610.0** |
| H2O | 1966 | 1.1 | 1.0 | 1.1 | 1.3 | 1.3 | 0.8 | 15.4 | 15.3 | 8.7 | 9.1 | 8.7 | 10.7 | **2,798.1** |
| OIL | 1966 | 79.3 | 69.9 | 77.4 | 75.6 | 75.8 | 56.1 | 97.1 | 96.0 | 79.1 | 81.8 | 80.4 | 98.4 | **10,333.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,253.0** |
| H2O | 1965 | 10.7 | 9.4 | 10.8 | 9.5 | 8.4 | 7.9 | 7.9 | 7.8 | 15.3 | 15.1 | 0.0 | 1.1 | **2,723.6** |
| OIL | 1965 | 86.8 | 79.0 | 76.0 | 73.3 | 73.9 | 73.9 | 76.9 | 74.4 | 79.1 | 82.2 | 78.3 | 80.2 | **9,366.9** |
| DAY | 1964 | 31.0 | 29.0 | 27.0 | 30.0 | 31.0 | 28.0 | 18.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | **3,888.0** |
| H2O | 1964 | 8.9 | 7.9 | 7.5 | 0.0 | 0.0 | 4.6 | 2.9 | 4.9 | 4.9 | 4.1 | 21.1 | 14.6 | **2,619.7** |
| OIL | 1964 | 61.0 | 57.7 | 98.5 | 60.9 | 62.8 | 52.3 | 55.0 | 94.1 | 93.9 | 83.1 | 104.1 | 99.3 | **8,432.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,545.0** |
| H2O | 1963 | 4.6 | 6.0 | 6.0 | 5.9 | 8.6 | 9.2 | 11.4 | 12.4 | 13.4 | 7.3 | 4.8 | 8.7 | **2,538.3** |
| OIL | 1963 | 21.8 | 18.0 | 23.7 | 23.5 | 46.2 | 50.2 | 52.9 | 49.1 | 54.5 | 52.0 | 48.0 | 58.3 | **7,510.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,181.0** |
| H2O | 1962 | 24.5 | 21.6 | 23.7 | 22.4 | 27.8 | 19.1 | 25.4 | 27.7 | 17.5 | 23.8 | 23.2 | 7.5 | **2,440.0** |
| OIL | 1962 | 58.2 | 51.2 | 56.1 | 54.8 | 57.5 | 38.0 | 37.8 | 38.9 | 34.3 | 45.9 | 47.5 | 23.4 | **7,012.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,816.0** |
| H2O | 1961 | 40.1 | 34.8 | 36.4 | 34.8 | 30.5 | 22.9 | 41.8 | 36.9 | 24.5 | 26.1 | 25.3 | 25.4 | **2,175.8** |
| OIL | 1961 | 56.6 | 47.0 | 52.1 | 50.7 | 45.1 | 41.0 | 41.0 | 49.1 | 63.2 | 60.9 | 53.2 | 57.5 | **6,468.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 13.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,454.0** |
| H2O | 1960 | 23.2 | 23.8 | 25.1 | 7.0 | 25.8 | 25.8 | 27.8 | 26.2 | 23.8 | 35.0 | 47.4 | 41.0 | **1,796.3** |
| OIL | 1960 | 45.4 | 39.1 | 43.5 | 22.9 | 90.6 | 87.4 | 80.4 | 74.1 | 69.9 | 48.9 | 53.1 | 55.9 | **5,851.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 12.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **2,109.0** |
| H2O | 1959 | 5.6 | 8.4 | 8.7 | 9.2 | 34.3 | 28.9 | 18.0 | 19.7 | 20.2 | 11.6 | 15.7 | 22.3 | **1,464.4** |
| OIL | 1959 | 29.9 | 27.0 | 25.4 | 34.8 | 87.9 | 76.0 | 40.0 | 42.7 | 44.2 | 29.7 | 30.5 | 35.3 | **5,139.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,767.0** |
| H2O | 1958 | 28.9 | 22.7 | 27.5 | 25.8 | 27.7 | 2.4 | 2.5 | 17.2 | 17.6 | 16.4 | 12.9 | 6.2 | **1,261.8** |
| OIL | 1958 | 54.2 | 49.7 | 51.8 | 51.2 | 53.1 | 45.0 | 48.1 | 45.6 | 44.0 | 43.9 | 36.4 | 32.4 | **4,636.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,403.0** |
| H2O | 1957 | 6.5 | 5.6 | 5.6 | 5.1 | 9.9 | 9.1 | 19.9 | 13.7 | 14.8 | 38.5 | 32.3 | 34.5 | **1,054.0** |
| OIL | 1957 | 43.7 | 38.8 | 42.4 | 59.0 | 70.6 | 63.4 | 67.1 | 75.8 | 73.1 | 63.6 | 57.8 | 59.6 | **4,081.0** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 15.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,046.0** |
| H2O | 1956 | 5.1 | 5.1 | 5.4 | 17.5 | 20.2 | 15.9 | 15.9 | 12.7 | 7.6 | 7.2 | 7.0 | 7.6 | **858.5** |
| OIL | 1956 | 95.7 | 86.3 | 88.8 | 49.9 | 112.5 | 109.0 | 110.8 | 101.4 | 46.1 | 50.9 | 46.1 | 48.0 | **3,366.1** |
| DAY | 1955 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **700.0** |
| H2O | 1955 | 12.7 | 13.2 | 14.9 | 14.6 | 14.0 | 14.5 | 21.6 | 22.6 | 0.5 | 8.7 | 5.1 | 3.8 | **731.3** |
| OIL | 1955 | 38.1 | 33.8 | 38.5 | 37.5 | 35.8 | 98.0 | 99.0 | 91.2 | 99.8 | 102.7 | 95.2 | 92.0 | **2,420.6** |
| DAY | 1954 | 29.0 | 27.0 | 29.0 | 26.0 | 16.0 | 30.0 | 25.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **336.0** |
| H2O | 1954 | 85.5 | 95.1 | 20.8 | 43.9 | 31.8 | 45.6 | 43.1 | 50.9 | 40.5 | 83.1 | 39.7 | 5.1 | **585.1** |
| OIL | 1954 | 342.1 | 233.0 | 137.6 | 85.2 | 61.8 | 88.7 | 83.6 | 144.8 | 115.4 | 105.7 | 44.8 | 45.1 | **1,559.0** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | **5.0** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 71.2 | **71.2** |

Licence ***348*** Well Name ***Bralorne Thomson Daly SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-32-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1971 | 912.9 | 885.0 | 1617.1 | 1396.8 | 1214.7 | 822.8 | 230.0 | 230.0 | 230.0 | 230.6 | 0.0 | 0.0 | **460,604.1** |
| WIN | 1970 | 1133.8 | 1317.3 | 1434.9 | 1483.3 | 1531.6 | 1484.5 | 1486.5 | 1506.2 | 1448.5 | 1527.6 | 1489.0 | 1571.4 | **452,834.2** |
| WIN | 1969 | 3713.8 | 2399.3 | 1600.0 | 2285.5 | 2060.1 | 1831.0 | 1948.0 | 1063.4 | 1602.5 | 1722.7 | 1562.8 | 1589.6 | **435,419.6** |
| WIN | 1968 | 302.6 | 586.4 | 3304.9 | 2769.4 | 2785.3 | 2819.5 | 2495.1 | 1993.5 | 1987.6 | 1388.8 | 7.9 | 4134.2 | **412,040.9** |
| WIN | 1967 | 3462.1 | 2988.2 | 3414.9 | 3365.3 | 1864.7 | 1048.1 | 352.8 | 322.1 | 275.5 | 312.3 | 1493.8 | 3610.1 | **387,465.7** |

# Manitoba Production
## 1950 To 1975

Licence ***348*** Well Name ***Bralorne Thomson Daly SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-32-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1966 | 3422.5 | 2987.9 | 3359.3 | 3332.1 | 3226.5 | 3084.0 | 3245.3 | 995.8 | 3473.6 | 3169.1 | 3246.2 | 3376.3 | **364,955.8** |
| WIN | 1965 | 3360.4 | 4428.4 | 4719.8 | 4344.9 | 4433.1 | 4392.3 | 4364.3 | 3478.5 | 3793.0 | 3627.5 | 3964.7 | 3781.2 | **328,037.2** |
| WIN | 1964 | 4657.5 | 4377.0 | 4199.3 | 4029.0 | 3488.5 | 3767.1 | 1880.0 | 3296.0 | 3623.5 | 4625.5 | 4098.5 | 3284.1 | **279,349.1** |
| WIN | 1963 | 4592.1 | 4152.4 | 4640.5 | 4564.8 | 4580.4 | 4444.7 | 4539.5 | 4844.0 | 4905.5 | 4771.1 | 4498.8 | 4714.5 | **234,023.1** |
| WIN | 1962 | 3120.3 | 2691.3 | 3481.4 | 3896.2 | 3688.4 | 3675.0 | 3276.1 | 3885.5 | 3430.2 | 4711.5 | 4474.8 | 4637.8 | **178,774.8** |
| WIN | 1961 | 3193.8 | 1973.0 | 4622.5 | 3836.7 | 2630.9 | 3123.5 | 3145.9 | 4280.7 | 3565.5 | 4014.8 | 3728.9 | 3204.2 | **133,806.3** |
| WIN | 1960 | 4321.2 | 3911.6 | 4325.8 | 4273.2 | 4219.8 | 3486.8 | 3475.6 | 4196.9 | 3384.2 | 4521.7 | 4491.5 | 3494.4 | **92,485.9** |
| WIN | 1959 | 3130.0 | 2526.3 | 2423.1 | 3145.1 | 3383.9 | 3573.4 | 3731.3 | 4063.8 | 3775.7 | 3767.9 | 3417.1 | 3289.9 | **44,383.2** |
| DAY | 1958 | 12.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 24.0 | 0.0 | 0.0 | **1,207.0** |
| H2O | 1958 | 440.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 625.6 | 748.7 | 0.0 | 0.0 | **22,353.4** |
| OIL | 1958 | 28.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 43.9 | 64.7 | 0.0 | 0.0 | **10,661.6** |
| WIN | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 970.9 | 3184.8 | **4,155.7** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,143.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 304.3 | 135.9 | 650.0 | 432.8 | 445.6 | **20,538.6** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 39.1 | 13.8 | 61.2 | 42.7 | 50.9 | **10,524.2** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 24.0 | 9.0 | 0.0 | 0.0 | 0.0 | **990.0** |
| H2O | 1956 | 613.4 | 635.2 | 711.2 | 772.2 | 617.5 | 166.5 | 492.9 | 48.0 | 23.7 | 0.0 | 0.0 | 0.0 | **18,570.0** |
| OIL | 1956 | 117.8 | 105.7 | 109.6 | 104.1 | 92.8 | 84.5 | 94.1 | 83.4 | 4.9 | 0.0 | 0.0 | 0.0 | **10,316.5** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **744.0** |
| H2O | 1955 | 482.4 | 694.6 | 1336.9 | 1055.7 | 1336.2 | 1288.1 | 1421.2 | 1473.5 | 1269.9 | 1336.2 | 1203.7 | 853.8 | **14,489.4** |
| OIL | 1955 | 283.5 | 300.7 | 297.3 | 246.0 | 225.3 | 217.7 | 239.3 | 210.4 | 172.3 | 160.7 | 143.8 | 137.5 | **9,519.6** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **379.0** |
| H2O | 1954 | 5.4 | 1.6 | 18.6 | 24.6 | 19.1 | 16.9 | 17.5 | 8.4 | 3.3 | 4.5 | 171.6 | 445.2 | **737.2** |
| OIL | 1954 | 544.4 | 400.0 | 518.4 | 573.8 | 580.0 | 560.5 | 582.7 | 566.5 | 563.5 | 588.1 | 571.8 | 449.7 | **6,885.1** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | **14.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | **0.5** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 385.7 | **385.7** |

Licence ***349*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-32-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 23.0 | 27.0 | 12.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,647.0** |
| H2O | 1969 | 2011.1 | 1159.0 | 534.2 | 375.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **140,277.8** |
| OIL | 1969 | 28.0 | 29.6 | 12.2 | 5.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **11,636.0** |
| DAY | 1968 | 0.0 | 4.0 | 30.0 | 23.0 | 26.0 | 30.0 | 20.0 | 18.0 | 12.0 | 8.0 | 0.0 | 29.0 | **4,575.0** |
| H2O | 1968 | 0.0 | 209.9 | 1621.6 | 1243.3 | 1259.2 | 1265.5 | 852.1 | 772.6 | 798.0 | 521.4 | 0.0 | 2448.3 | **136,198.3** |
| OIL | 1968 | 0.0 | 4.5 | 33.4 | 18.4 | 17.6 | 19.9 | 12.1 | 11.4 | 26.2 | 16.5 | 0.0 | 33.9 | **11,560.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 31.0 | **4,375.0** |
| H2O | 1967 | 1652.6 | 1426.4 | 1630.0 | 1606.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 763.0 | 1630.8 | **125,206.4** |
| OIL | 1967 | 20.0 | 17.5 | 18.1 | 20.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.7 | 24.6 | **11,366.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 10.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,208.0** |
| H2O | 1966 | 721.1 | 629.5 | 707.7 | 702.0 | 687.0 | 661.4 | 689.6 | 486.5 | 1661.8 | 1567.7 | 1549.4 | 1611.6 | **116,497.3** |
| OIL | 1966 | 21.3 | 18.6 | 21.6 | 20.8 | 20.8 | 18.9 | 20.0 | 3.5 | 15.7 | 14.9 | 12.4 | 16.5 | **11,253.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,864.0** |
| H2O | 1965 | 718.0 | 933.0 | 994.4 | 916.8 | 935.4 | 931.1 | 922.3 | 738.6 | 799.1 | 807.6 | 836.8 | 796.7 | **104,822.0** |
| OIL | 1965 | 19.7 | 25.3 | 25.3 | 23.5 | 21.8 | 22.7 | 20.0 | 19.9 | 19.6 | 18.9 | 19.9 | 21.8 | **11,048.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,499.0** |
| H2O | 1964 | 980.9 | 921.9 | 922.5 | 848.6 | 734.7 | 793.4 | 396.0 | 694.2 | 763.2 | 974.3 | 869.1 | 726.8 | **94,492.2** |
| OIL | 1964 | 13.4 | 24.2 | 23.4 | 24.8 | 18.1 | 16.4 | 7.8 | 15.7 | 16.9 | 22.4 | 20.0 | 18.9 | **10,790.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,133.0** |
| H2O | 1963 | 1107.0 | 1001.0 | 1118.6 | 1100.4 | 1856.1 | 1801.1 | 1839.4 | 1962.8 | 984.2 | 950.8 | 947.5 | 1097.8 | **84,866.6** |

# Manitoba Production
## 1950 To 1975

Licence ***349*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-32-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1963 | 34.2 | 33.7 | 37.5 | 32.6 | 58.5 | 52.6 | 58.7 | 55.2 | 26.2 | 26.5 | 45.3 | 13.0 | **10,568.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,768.0** |
| H2O | 1962 | 751.9 | 648.6 | 839.0 | 939.0 | 889.0 | 890.5 | 789.6 | 936.5 | 826.8 | 1135.8 | 1078.7 | 1118.0 | **69,099.9** |
| OIL | 1962 | 29.4 | 22.6 | 44.3 | 36.5 | 35.3 | 30.7 | 24.9 | 30.4 | 26.2 | 39.7 | 37.7 | 35.6 | **10,094.2** |
| DAY | 1961 | 31.0 | 14.0 | 31.0 | 30.0 | 20.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,403.0** |
| H2O | 1961 | 969.1 | 598.6 | 1402.9 | 1164.3 | 798.3 | 947.8 | 954.6 | 1031.8 | 859.4 | 967.7 | 898.7 | 781.5 | **58,256.5** |
| OIL | 1961 | 43.0 | 33.0 | 52.6 | 67.4 | 24.3 | 56.1 | 48.3 | 37.8 | 30.8 | 40.1 | 35.5 | 28.8 | **9,700.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,063.0** |
| H2O | 1960 | 1329.8 | 1186.7 | 1312.4 | 1296.5 | 1280.3 | 1057.9 | 1054.6 | 1273.5 | 1026.9 | 1372.1 | 1363.0 | 1060.5 | **46,881.8** |
| OIL | 1960 | 53.7 | 49.7 | 64.8 | 31.8 | 53.2 | 61.3 | 42.0 | 44.5 | 48.7 | 58.3 | 55.8 | 58.6 | **9,203.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,697.0** |
| H2O | 1959 | 1222.5 | 962.7 | 989.8 | 817.9 | 957.2 | 581.5 | 669.4 | 1332.8 | 1283.2 | 1280.5 | 1161.2 | 998.0 | **32,267.6** |
| OIL | 1959 | 63.9 | 57.8 | 45.6 | 49.6 | 40.8 | 39.3 | 62.3 | 78.7 | 69.8 | 60.9 | 57.0 | 57.5 | **8,580.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 22.0 | 31.0 | 27.0 | 16.0 | 31.0 | 30.0 | 30.0 | **1,334.0** |
| H2O | 1958 | 1465.4 | 1796.3 | 1228.7 | 1247.3 | 816.3 | 840.6 | 721.5 | 698.3 | 898.0 | 1072.9 | 757.6 | 1266.0 | **20,010.9** |
| OIL | 1958 | 89.3 | 172.8 | 64.0 | 77.4 | 54.3 | 78.7 | 49.7 | 42.9 | 64.7 | 95.7 | 20.3 | 53.6 | **7,897.6** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | **996.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1153.1 | **7,202.0** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 157.1 | **7,034.2** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 9.0 | 0.0 | 0.0 | 0.0 | **965.0** |
| H2O | 1956 | 186.0 | 120.2 | 249.3 | 261.5 | 147.9 | 56.4 | 131.8 | 103.2 | 27.8 | 0.0 | 0.0 | 0.0 | **6,048.9** |
| OIL | 1956 | 44.2 | 39.6 | 41.0 | 39.0 | 34.7 | 31.6 | 35.1 | 31.2 | 5.7 | 0.0 | 0.0 | 0.0 | **6,877.1** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **716.0** |
| H2O | 1955 | 371.9 | 217.3 | 356.5 | 447.2 | 457.4 | 290.5 | 320.5 | 332.3 | 286.5 | 301.8 | 271.9 | 192.9 | **4,764.8** |
| OIL | 1955 | 106.4 | 112.9 | 111.6 | 92.5 | 84.7 | 81.9 | 90.0 | 79.2 | 64.9 | 60.4 | 54.1 | 51.7 | **6,575.0** |
| DAY | 1954 | 17.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **351.0** |
| H2O | 1954 | 1.4 | 14.0 | 22.9 | 66.1 | 23.1 | 22.3 | 40.4 | 29.7 | 44.7 | 47.9 | 15.1 | 590.5 | **918.1** |
| OIL | 1954 | 290.0 | 400.6 | 519.2 | 574.8 | 574.8 | 555.4 | 577.5 | 561.5 | 558.4 | 589.3 | 214.5 | 168.7 | **5,584.7** |

Licence ***350*** Well Name ***Kiwi Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-28-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 26.0 | 28.0 | **5,475.0** |
| H2O | 1975 | 1192.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2244.9 | 4547.0 | 5322.9 | **280,484.8** |
| OIL | 1975 | 15.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.8 | 101.4 | 54.1 | **21,465.6** |
| DAY | 1974 | 30.0 | 28.0 | 13.0 | 0.0 | 0.0 | 13.0 | 28.0 | 8.0 | 26.0 | 30.0 | 30.0 | 31.0 | **5,401.0** |
| H2O | 1974 | 3334.0 | 3116.2 | 1550.1 | 0.0 | 0.0 | 1550.1 | 3338.7 | 953.9 | 3100.3 | 3577.2 | 3663.1 | 2941.3 | **267,177.6** |
| OIL | 1974 | 32.4 | 26.7 | 12.1 | 0.0 | 0.0 | 28.6 | 38.2 | 10.2 | 33.1 | 39.6 | 17.5 | 30.2 | **21,262.4** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 16.0 | 12.0 | 27.0 | 25.0 | 29.0 | 28.0 | 24.0 | 30.0 | **5,164.0** |
| H2O | 1973 | 3170.3 | 3068.8 | 3608.1 | 2817.5 | 1865.1 | 1392.6 | 2944.3 | 2782.3 | 3227.4 | 3116.2 | 2671.0 | 3388.0 | **240,052.7** |
| OIL | 1973 | 52.1 | 48.3 | 42.6 | 45.9 | 23.4 | 15.3 | 44.4 | 35.8 | 36.9 | 35.6 | 26.7 | 33.5 | **20,993.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 27.0 | 29.0 | 30.0 | 31.0 | 29.0 | 0.0 | 30.0 | 30.0 | **4,853.0** |
| H2O | 1972 | 3440.7 | 3128.3 | 3362.2 | 3271.9 | 2985.1 | 3137.7 | 3235.6 | 3428.1 | 3139.6 | 2460.9 | 3121.3 | 3017.5 | **206,001.1** |
| OIL | 1972 | 42.6 | 39.4 | 40.5 | 37.5 | 31.6 | 60.6 | 62.3 | 64.7 | 61.1 | 53.3 | 56.6 | 52.0 | **20,553.3** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 23.0 | 29.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **4,526.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 2950.6 | 3322.1 | 4053.1 | 5766.5 | 6345.1 | 5846.3 | 5819.8 | 5385.6 | 5881.3 | **168,272.2** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 71.5 | 48.7 | 53.7 | 48.2 | 46.7 | 42.4 | 43.7 | 40.7 | 42.8 | **19,951.1** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 16.0 | **4,264.0** |
| H2O | 1970 | 1305.0 | 1550.2 | 1440.6 | 1306.9 | 1711.1 | 1431.4 | 1403.4 | 1498.0 | 1610.8 | 1033.0 | 1874.8 | 2520.8 | **122,901.8** |
| OIL | 1970 | 20.2 | 34.2 | 31.2 | 25.6 | 31.5 | 26.7 | 26.2 | 27.2 | 41.5 | 26.2 | 27.7 | 13.0 | **19,512.7** |
| H2O | 1969 | 0.0 | 2938.0 | 3213.0 | 2701.4 | 1890.9 | 2553.1 | 0.0 | 1927.3 | 1616.5 | 1903.3 | 1585.2 | 1462.1 | **104,215.8** |

# Manitoba Production
## 1950 To 1975

Licence ***350*** Well Name ***Kiwi Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-28-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1969 | 0.0 | 42.9 | 61.5 | 55.8 | 39.6 | 51.0 | 0.0 | 31.5 | 28.1 | 36.7 | 27.3 | 24.6 | **19,181.5** |
| DAY | 1968 | 0.0 | 0.0 | 25.0 | 30.0 | 30.0 | 30.0 | 28.0 | 31.0 | 28.0 | 22.0 | 30.0 | 23.0 | **4,221.0** |
| H2O | 1968 | 0.0 | 0.0 | 1633.5 | 1924.6 | 2289.3 | 2241.6 | 2136.7 | 2365.6 | 4578.7 | 2769.5 | 4006.4 | 4292.6 | **82,425.0** |
| OIL | 1968 | 0.0 | 0.0 | 102.4 | 88.1 | 65.2 | 55.3 | 42.4 | 54.1 | 52.5 | 44.5 | 50.1 | 43.9 | **18,782.5** |
| DAY | 1967 | 0.0 | 1.0 | 1.0 | 7.0 | 18.0 | 28.0 | 31.0 | 30.0 | 12.0 | 10.0 | 0.0 | 0.0 | **3,944.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 123.4 | 417.6 | 1686.0 | 2288.2 | 2928.1 | 6.6 | 0.0 | 0.0 | 0.0 | **54,186.5** |
| OIL | 1967 | 1.7 | 1.7 | 1.7 | 18.4 | 55.2 | 97.8 | 84.3 | 87.8 | 7.5 | 0.5 | 0.0 | 0.0 | **18,184.0** |
| DAY | 1966 | 0.0 | 0.0 | 7.0 | 17.0 | 31.0 | 27.0 | 19.0 | 29.0 | 30.0 | 31.0 | 1.0 | 1.0 | **3,806.0** |
| H2O | 1966 | 0.0 | 0.0 | 151.3 | 367.5 | 886.4 | 583.7 | 410.7 | 623.6 | 302.6 | 547.0 | 17.5 | 17.5 | **46,736.6** |
| OIL | 1966 | 0.0 | 0.0 | 19.2 | 39.4 | 61.4 | 49.9 | 43.4 | 54.2 | 48.8 | 43.6 | 1.0 | 2.2 | **17,827.4** |
| DAY | 1965 | 0.0 | 1.0 | 0.0 | 21.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 14.0 | **3,613.0** |
| H2O | 1965 | 0.0 | 20.7 | 0.0 | 437.3 | 647.0 | 648.6 | 648.6 | 670.2 | 648.6 | 605.3 | 648.6 | 302.6 | **42,828.8** |
| OIL | 1965 | 2.2 | 3.7 | 0.0 | 93.3 | 75.2 | 66.3 | 59.8 | 60.1 | 45.9 | 51.8 | 38.2 | 21.0 | **17,464.3** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 30.0 | 30.0 | 29.0 | 28.0 | 29.0 | 30.0 | 0.0 | **3,367.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 97.8 | 587.2 | 587.2 | 584.2 | 547.9 | 603.9 | 624.7 | 0.0 | **37,551.3** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 23.1 | 30.8 | 69.2 | 60.4 | 45.5 | 33.5 | 45.2 | 0.0 | **16,946.8** |
| DAY | 1963 | 0.0 | 0.0 | 5.0 | 28.0 | 21.0 | 30.0 | 22.0 | 28.0 | 28.0 | 28.0 | 28.0 | 28.0 | **3,186.0** |
| H2O | 1963 | 0.0 | 0.0 | 83.5 | 529.8 | 346.0 | 530.0 | 523.3 | 582.0 | 566.8 | 543.3 | 530.0 | 538.9 | **33,918.4** |
| OIL | 1963 | 0.0 | 0.0 | 27.2 | 75.3 | 39.0 | 80.3 | 43.6 | 57.5 | 59.0 | 61.7 | 52.1 | 38.6 | **16,639.1** |
| DAY | 1962 | 20.0 | 26.0 | 16.0 | 10.0 | 26.0 | 12.0 | 30.0 | 31.0 | 30.0 | 20.0 | 26.0 | 14.0 | **2,940.0** |
| H2O | 1962 | 311.5 | 302.0 | 254.4 | 151.7 | 491.8 | 222.3 | 517.2 | 603.4 | 578.8 | 589.1 | 499.1 | 254.9 | **29,144.8** |
| OIL | 1962 | 72.2 | 40.8 | 3.7 | 25.5 | 34.6 | 23.4 | 63.2 | 62.7 | 57.6 | 55.2 | 48.9 | 27.4 | **16,104.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,679.0** |
| H2O | 1961 | 431.7 | 386.1 | 419.2 | 431.1 | 375.0 | 461.3 | 483.7 | 483.9 | 374.8 | 503.6 | 463.7 | 475.9 | **24,368.6** |
| OIL | 1961 | 83.1 | 71.8 | 73.5 | 87.0 | 76.2 | 79.1 | 85.0 | 82.9 | 77.8 | 82.9 | 76.8 | 80.7 | **15,589.6** |
| DAY | 1960 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,322.0** |
| H2O | 1960 | 376.7 | 442.7 | 436.8 | 470.5 | 383.1 | 440.6 | 468.9 | 467.8 | 437.1 | 435.5 | 451.6 | 450.6 | **19,078.6** |
| OIL | 1960 | 83.2 | 90.0 | 103.7 | 104.4 | 95.3 | 63.3 | 61.0 | 56.0 | 54.1 | 57.9 | 68.7 | 76.7 | **14,632.8** |
| DAY | 1959 | 0.0 | 0.0 | 10.0 | 29.0 | 31.0 | 26.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,960.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 353.0 | 362.4 | 276.2 | 368.3 | 314.4 | 437.4 | 423.6 | 433.0 | 493.4 | **13,816.7** |
| OIL | 1959 | 0.0 | 0.0 | 21.8 | 127.6 | 88.0 | 121.8 | 112.3 | 93.2 | 111.4 | 106.7 | 107.1 | 57.5 | **13,718.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 17.0 | 0.0 | **1,682.0** |
| H2O | 1958 | 0.1 | 0.0 | 0.0 | 53.6 | 329.5 | 357.8 | 540.3 | 368.4 | 313.3 | 346.5 | 201.7 | 0.0 | **10,355.0** |
| OIL | 1958 | 5.6 | 6.3 | 0.1 | 107.7 | 136.5 | 116.6 | 83.8 | 84.2 | 72.1 | 86.2 | 52.7 | 0.0 | **12,771.1** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,365.0** |
| H2O | 1957 | 389.6 | 363.2 | 399.4 | 421.9 | 304.8 | 371.3 | 386.2 | 420.6 | 399.1 | 410.6 | 179.7 | 0.0 | **7,843.8** |
| OIL | 1957 | 116.9 | 100.2 | 136.8 | 123.3 | 152.1 | 126.8 | 115.2 | 127.9 | 121.7 | 107.4 | 55.9 | 11.2 | **12,019.3** |
| DAY | 1956 | 31.0 | 27.0 | 28.0 | 23.0 | 29.0 | 28.0 | 31.0 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | **1,003.0** |
| H2O | 1956 | 217.1 | 192.0 | 254.1 | 250.1 | 324.4 | 266.5 | 281.3 | 192.4 | 282.7 | 307.9 | 320.4 | 392.4 | **3,797.4** |
| OIL | 1956 | 189.6 | 202.3 | 249.2 | 179.4 | 268.0 | 184.6 | 158.1 | 269.4 | 93.1 | 136.2 | 112.0 | 131.5 | **10,723.9** |
| DAY | 1955 | 30.0 | 26.0 | 29.0 | 28.0 | 28.0 | 26.0 | 29.0 | 31.0 | 30.0 | 28.0 | 28.0 | 29.0 | **657.0** |
| H2O | 1955 | 0.7 | 0.9 | 0.7 | 0.5 | 0.9 | 8.6 | 6.7 | 0.5 | 11.7 | 103.2 | 141.4 | 230.8 | **516.1** |
| OIL | 1955 | 349.8 | 309.3 | 329.6 | 331.2 | 367.0 | 292.3 | 311.2 | 302.8 | 232.7 | 292.9 | 236.8 | 256.5 | **8,550.5** |
| DAY | 1954 | 27.0 | 25.0 | 28.0 | 23.0 | 14.0 | 22.0 | 26.0 | 26.0 | 26.0 | 28.0 | 26.0 | 31.0 | **315.0** |
| H2O | 1954 | 0.5 | 0.7 | 0.9 | 0.5 | 0.5 | 0.7 | 1.0 | 1.0 | 0.7 | 0.9 | 0.5 | 0.9 | **9.5** |
| OIL | 1954 | 339.5 | 336.3 | 469.7 | 364.1 | 255.4 | 405.2 | 490.2 | 500.6 | 461.0 | 497.1 | 343.5 | 337.7 | **4,938.4** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | **13.0** |
| H2O | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | **0.7** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 138.1 | **138.1** |

Licence ***351*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-08-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

# Manitoba Production
## 1950 To 1975

Licence ***351*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-08-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 11.0 | 24.0 | 31.0 | 25.0 | 8.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 31.0 | **6,418.0** |
| H2O | 1975 | 10.2 | 18.8 | 29.4 | 20.2 | 6.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.4 | 22.9 | **2,371.1** |
| OIL | 1975 | 8.6 | 15.4 | 24.5 | 15.6 | 5.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 24.2 | **9,262.8** |
| DAY | 1974 | 31.0 | 28.0 | 27.0 | 23.0 | 0.0 | 22.0 | 31.0 | 29.0 | 30.0 | 30.0 | 29.0 | 31.0 | **6,261.0** |
| H2O | 1974 | 25.6 | 22.7 | 21.3 | 14.5 | 0.0 | 23.7 | 23.7 | 21.0 | 24.8 | 28.9 | 27.5 | 28.6 | **2,236.7** |
| OIL | 1974 | 15.3 | 13.7 | 17.2 | 11.0 | 0.0 | 14.0 | 19.2 | 16.7 | 15.1 | 24.3 | 24.2 | 19.7 | **9,147.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 25.0 | 30.0 | 29.0 | 30.0 | 30.0 | **5,950.0** |
| H2O | 1973 | 32.6 | 23.8 | 27.5 | 27.3 | 28.9 | 25.4 | 29.4 | 22.9 | 28.9 | 19.4 | 22.9 | 23.2 | **1,974.4** |
| OIL | 1973 | 24.5 | 23.7 | 23.4 | 25.0 | 23.1 | 20.8 | 23.7 | 17.8 | 23.4 | 18.6 | 18.6 | 19.2 | **8,957.5** |
| DAY | 1972 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 27.0 | 19.0 | **5,596.0** |
| H2O | 1972 | 29.3 | 21.8 | 17.5 | 24.3 | 28.5 | 29.1 | 28.6 | 28.8 | 28.8 | 29.7 | 23.8 | 18.3 | **1,662.2** |
| OIL | 1972 | 19.9 | 18.8 | 18.1 | 27.3 | 24.3 | 23.2 | 23.1 | 23.2 | 23.2 | 19.9 | 20.8 | 17.8 | **8,695.7** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 13.0 | 24.0 | 25.0 | 0.0 | 27.0 | 28.0 | 31.0 | 30.0 | 30.0 | **5,249.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 51.0 | 38.4 | 38.7 | 0.0 | 51.1 | 31.3 | 35.7 | 26.1 | 33.8 | **1,353.7** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 25.4 | 36.7 | 27.5 | 0.0 | 44.5 | 31.0 | 28.6 | 29.4 | 23.1 | **8,436.1** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 28.0 | 28.0 | 25.0 | 25.0 | 5.0 | 0.0 | **5,041.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.4 | 51.6 | 37.0 | 31.8 | 17.6 | 4.0 | 0.0 | **1,047.6** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.6 | 31.8 | 29.1 | 21.8 | 19.1 | 3.2 | 0.0 | **8,189.9** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 0.0 | 31.0 | 30.0 | 31.0 | 20.0 | 0.0 | **4,923.0** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.5 | 29.1 | 21.0 | 7.2 | 14.6 | 11.8 | 0.0 | **8,062.3** |
| DAY | 1968 | 0.0 | 0.0 | 30.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | **4,781.0** |
| OIL | 1968 | 0.0 | 0.0 | 40.2 | 28.6 | 29.9 | 29.2 | 17.0 | 23.2 | 20.8 | 21.0 | 19.4 | 0.0 | **7,947.1** |
| DAY | 1967 | 31.0 | 16.0 | 31.0 | 18.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 20.0 | **4,511.0** |
| H2O | 1967 | 15.9 | 23.8 | 9.9 | 4.6 | 31.8 | 15.9 | 7.9 | 15.9 | 17.2 | 17.2 | 0.0 | 0.0 | **886.2** |
| OIL | 1967 | 25.9 | 18.3 | 25.9 | 12.2 | 29.4 | 25.4 | 22.9 | 21.6 | 22.2 | 18.9 | 27.7 | 13.7 | **7,717.8** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 25.0 | 31.0 | 23.0 | 31.0 | 31.0 | 30.0 | 26.0 | 27.0 | 31.0 | **4,181.0** |
| H2O | 1966 | 17.6 | 15.9 | 15.3 | 8.9 | 11.6 | 7.9 | 12.1 | 9.7 | 10.8 | 8.4 | 11.6 | 10.8 | **726.1** |
| OIL | 1966 | 27.0 | 26.2 | 27.8 | 20.8 | 31.0 | 20.2 | 31.1 | 29.9 | 26.2 | 22.2 | 22.2 | 29.6 | **7,453.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | **3,837.0** |
| H2O | 1965 | 6.5 | 8.6 | 6.2 | 7.6 | 8.9 | 13.4 | 9.9 | 15.3 | 8.6 | 16.2 | 18.1 | 18.6 | **585.5** |
| OIL | 1965 | 24.3 | 21.9 | 24.0 | 24.5 | 28.6 | 27.8 | 12.1 | 25.7 | 22.9 | 32.6 | 27.7 | 28.8 | **7,139.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,478.0** |
| H2O | 1964 | 13.7 | 11.6 | 11.1 | 12.2 | 12.7 | 10.3 | 5.2 | 10.2 | 11.0 | 9.5 | 5.6 | 5.6 | **447.6** |
| OIL | 1964 | 28.1 | 25.7 | 27.8 | 25.9 | 26.7 | 22.9 | 26.2 | 29.9 | 25.1 | 25.4 | 24.2 | 21.6 | **6,838.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | **3,112.0** |
| H2O | 1963 | 3.3 | 4.8 | 6.4 | 7.6 | 6.4 | 6.0 | 10.8 | 8.6 | 1.1 | 3.7 | 7.9 | 11.8 | **328.9** |
| OIL | 1963 | 51.3 | 34.3 | 31.5 | 35.0 | 32.6 | 24.6 | 25.7 | 26.7 | 27.7 | 28.8 | 25.7 | 32.1 | **6,529.1** |
| DAY | 1962 | 27.0 | 27.0 | 31.0 | 30.0 | 31.0 | 10.0 | 28.0 | 31.0 | 30.0 | 25.0 | 24.0 | 31.0 | **2,756.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.1 | 23.7 | 2.9 | **250.5** |
| OIL | 1962 | 37.2 | 33.2 | 38.9 | 40.5 | 38.1 | 11.8 | 50.7 | 38.5 | 44.2 | 38.9 | 37.7 | 43.9 | **6,153.1** |
| DAY | 1961 | 13.0 | 26.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 28.0 | 27.0 | 31.0 | 30.0 | 28.0 | **2,431.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.2 | 2.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **208.8** |
| OIL | 1961 | 9.4 | 26.2 | 31.5 | 14.6 | 8.6 | 111.0 | 94.4 | 68.6 | 57.5 | 49.1 | 54.5 | 46.1 | **5,699.5** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 29.0 | 27.0 | 29.0 | 24.0 | 26.0 | 28.0 | 6.0 | **2,097.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | **189.7** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 12.9 | 8.1 | 6.7 | 4.9 | 3.8 | 6.4 | 13.0 | 2.2 | **5,128.0** |
| DAY | 1959 | 26.0 | 8.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 23.0 | 30.0 | 15.0 | 0.0 | **1,899.0** |
| H2O | 1959 | 1.3 | 1.4 | 1.3 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.6 | 1.6 | 0.8 | 0.0 | **184.9** |
| OIL | 1959 | 14.3 | 15.3 | 27.0 | 40.0 | 19.4 | 9.9 | 7.6 | 12.7 | 6.4 | 7.0 | 3.8 | 0.0 | **5,070.0** |
| DAY | 1958 | 21.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,613.0** |
| H2O | 1958 | 1.0 | 1.3 | 1.3 | 1.3 | 1.6 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | **167.4** |
| OIL | 1958 | 23.2 | 33.4 | 34.2 | 29.4 | 37.3 | 32.4 | 26.1 | 23.5 | 20.7 | 24.5 | 20.7 | 18.8 | **4,906.6** |

# Manitoba Production
## 1950 To 1975

Licence ***351*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-08-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 31.0 | 11.0 | 29.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | **1,258.0** |
| H2O | 1957 | 1.4 | 1.1 | 1.4 | 1.4 | 1.6 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | **151.8** |
| OIL | 1957 | 40.5 | 25.9 | 67.4 | 52.3 | 50.1 | 43.7 | 48.9 | 43.9 | 35.6 | 37.7 | 37.5 | 31.0 | **4,582.4** |
| DAY | 1956 | 21.0 | 21.0 | 23.0 | 8.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **920.0** |
| H2O | 1956 | 3.8 | 2.4 | 2.9 | 3.2 | 3.2 | 1.6 | 1.6 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | **135.1** |
| OIL | 1956 | 74.1 | 70.1 | 71.5 | 35.3 | 86.6 | 73.9 | 70.4 | 63.6 | 64.8 | 64.2 | 62.6 | 56.1 | **4,067.9** |
| DAY | 1955 | 31.0 | 25.0 | 22.0 | 14.0 | 23.0 | 30.0 | 30.0 | 26.0 | 30.0 | 31.0 | 30.0 | 25.0 | **602.0** |
| H2O | 1955 | 4.1 | 3.0 | 2.9 | 2.2 | 3.3 | 3.0 | 2.9 | 2.5 | 2.9 | 4.6 | 3.3 | 3.2 | **109.4** |
| OIL | 1955 | 140.7 | 108.0 | 101.9 | 80.2 | 112.4 | 104.8 | 96.8 | 89.5 | 101.3 | 92.0 | 76.9 | 72.5 | **3,274.7** |
| DAY | 1954 | 0.0 | 23.0 | 23.0 | 21.0 | 10.0 | 29.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | **285.0** |
| H2O | 1954 | 0.0 | 1.4 | 4.8 | 6.7 | 11.4 | 9.1 | 9.9 | 7.9 | 5.7 | 5.6 | 4.9 | 4.1 | **71.5** |
| OIL | 1954 | 0.0 | 59.6 | 160.9 | 196.5 | 92.3 | 300.0 | 327.3 | 268.8 | 195.2 | 191.4 | 170.4 | 135.3 | **2,097.7** |

Licence ***352*** Well Name ***Kiwi Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 27.0 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 23.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,672.0** |
| H2O | 1975 | 9.9 | 8.6 | 11.3 | 10.2 | 12.4 | 6.4 | 4.8 | 3.8 | 5.7 | 4.9 | 4.8 | 5.1 | **689.3** |
| OIL | 1975 | 9.5 | 12.7 | 13.8 | 13.0 | 17.2 | 15.7 | 7.6 | 6.2 | 8.7 | 13.3 | 9.5 | 9.2 | **3,308.4** |
| DAY | 1974 | 31.0 | 28.0 | 0.0 | 22.0 | 26.0 | 30.0 | 0.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **6,319.0** |
| H2O | 1974 | 14.6 | 13.3 | 14.9 | 7.9 | 15.7 | 15.3 | 17.6 | 19.7 | 19.1 | 19.5 | 11.1 | 12.9 | **601.4** |
| OIL | 1974 | 14.3 | 13.0 | 12.6 | 6.2 | 11.8 | 14.5 | 15.4 | 14.5 | 14.8 | 14.6 | 12.2 | 14.6 | **3,172.0** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 30.0 | 0.0 | 30.0 | 31.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | **6,033.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 15.7 | 0.0 | 0.0 | 19.2 | 14.9 | 14.1 | 15.1 | 13.8 | 14.3 | **419.8** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 19.9 | 15.9 | 14.3 | 18.0 | 22.1 | 18.4 | 16.4 | 14.5 | 15.1 | **3,013.5** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 30.0 | 0.0 | **5,793.0** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.6 | 12.1 | 10.3 | 0.0 | **2,858.9** |
| DAY | 1971 | 0.0 | 28.0 | 31.0 | 30.0 | 0.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 0.0 | 13.0 | **5,702.0** |
| OIL | 1971 | 6.7 | 11.8 | 19.1 | 17.8 | 17.0 | 16.5 | 17.8 | 17.8 | 16.4 | 14.3 | 11.9 | 4.8 | **2,825.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 24.0 | 29.0 | 29.0 | 25.0 | 31.0 | 20.0 | 31.0 | **5,448.0** |
| OIL | 1970 | 16.8 | 16.7 | 18.6 | 15.3 | 19.7 | 14.8 | 14.6 | 14.0 | 12.9 | 13.8 | 6.7 | 6.8 | **2,654.0** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 3.0 | 17.0 | 30.0 | 31.0 | 26.0 | 18.0 | 31.0 | 30.0 | 31.0 | **5,108.0** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 3.2 | 3.2 | 9.5 | 9.5 | 9.5 | 11.4 | 14.3 | 18.3 | 18.3 | **2,483.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | **4,891.0** |
| OIL | 1968 | 19.4 | 15.9 | 14.3 | 15.9 | 12.7 | 9.5 | 9.5 | 9.5 | 8.7 | 7.2 | 7.2 | 0.0 | **2,386.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 0.0 | 18.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | **4,563.0** |
| OIL | 1967 | 9.4 | 8.6 | 3.8 | 0.0 | 6.5 | 9.5 | 24.3 | 22.1 | 19.7 | 19.5 | 19.7 | 19.4 | **2,256.3** |
| DAY | 1966 | 31.0 | 28.0 | 8.0 | 17.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **4,244.0** |
| OIL | 1966 | 9.1 | 8.4 | 2.9 | 5.1 | 7.0 | 7.3 | 6.5 | 6.5 | 5.6 | 7.9 | 7.8 | 6.7 | **2,093.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,916.0** |
| OIL | 1965 | 9.9 | 7.6 | 8.4 | 8.3 | 8.1 | 8.4 | 7.6 | 7.6 | 8.6 | 9.5 | 8.4 | 9.5 | **2,013.0** |
| DAY | 1964 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **3,551.0** |
| OIL | 1964 | 9.5 | 8.3 | 9.5 | 9.7 | 9.5 | 8.6 | 9.1 | 9.9 | 8.9 | 8.3 | 9.5 | 9.7 | **1,911.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,189.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | **312.7** |
| OIL | 1963 | 9.5 | 10.0 | 9.7 | 9.5 | 9.4 | 9.5 | 9.9 | 9.7 | 9.5 | 8.6 | 5.1 | 9.1 | **1,800.6** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 12.0 | 28.0 | 22.0 | 31.0 | 31.0 | 21.0 | 28.0 | 30.0 | 31.0 | **2,824.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.5 | 0.2 | **312.5** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 9.7 | 13.3 | 15.3 | 12.6 | 4.9 | 8.3 | 8.9 | 11.1 | 8.3 | **1,691.1** |
| DAY | 1961 | 22.0 | 0.0 | 0.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 9.0 | **2,590.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **311.0** |

# Manitoba Production
## 1950 To 1975

Licence ***352*** Well Name ***Kiwi Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1961 | 8.7 | 0.0 | 0.0 | 27.8 | 19.5 | 12.7 | 8.4 | 14.8 | 14.1 | 14.6 | 14.0 | 3.7 | **1,598.7** |
| DAY | 1960 | 31.0 | 22.0 | 28.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,317.0** |
| H2O | 1960 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | **309.4** |
| OIL | 1960 | 13.8 | 9.4 | 15.6 | 13.8 | 11.9 | 12.1 | 11.4 | 12.2 | 11.9 | 13.2 | 13.0 | 10.5 | **1,460.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,965.0** |
| H2O | 1959 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | **251.8** |
| OIL | 1959 | 16.4 | 14.6 | 16.0 | 13.8 | 15.1 | 15.1 | 13.7 | 9.5 | 7.8 | 9.7 | 15.1 | 15.4 | **1,311.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,600.0** |
| H2O | 1958 | 4.6 | 4.6 | 4.6 | 4.6 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | **194.2** |
| OIL | 1958 | 19.7 | 16.5 | 18.8 | 15.3 | 17.0 | 15.9 | 16.0 | 15.9 | 14.9 | 16.4 | 15.9 | 15.9 | **1,149.4** |
| DAY | 1957 | 30.0 | 28.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,239.0** |
| H2O | 1957 | 5.2 | 4.6 | 5.4 | 5.1 | 5.2 | 5.2 | 5.2 | 4.0 | 3.5 | 3.7 | 3.7 | 3.8 | **137.4** |
| OIL | 1957 | 22.6 | 19.2 | 23.4 | 18.8 | 20.3 | 19.4 | 18.1 | 15.6 | 13.0 | 18.4 | 18.1 | 19.4 | **951.2** |
| DAY | 1956 | 29.0 | 29.0 | 31.0 | 13.0 | 31.0 | 30.0 | 26.0 | 22.0 | 30.0 | 31.0 | 30.0 | 31.0 | **880.0** |
| H2O | 1956 | 2.4 | 2.4 | 2.2 | 1.3 | 2.4 | 2.4 | 3.0 | 3.8 | 4.9 | 4.8 | 4.1 | 5.1 | **82.8** |
| OIL | 1956 | 13.8 | 13.2 | 11.3 | 7.5 | 13.2 | 12.2 | 14.3 | 17.6 | 28.4 | 24.8 | 20.7 | 25.3 | **724.9** |
| DAY | 1955 | 26.0 | 18.0 | 31.0 | 30.0 | 28.0 | 30.0 | 24.0 | 30.0 | 29.0 | 31.0 | 28.0 | 31.0 | **547.0** |
| H2O | 1955 | 1.7 | 1.3 | 1.7 | 1.4 | 1.3 | 1.1 | 1.0 | 0.8 | 0.8 | 2.5 | 2.5 | 2.4 | **44.0** |
| OIL | 1955 | 26.1 | 19.7 | 22.9 | 21.3 | 18.3 | 17.8 | 14.8 | 12.6 | 12.2 | 13.7 | 12.7 | 14.1 | **522.6** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 16.0 | 11.0 | 20.0 | 24.0 | 25.0 | 27.0 | 28.0 | 29.0 | 31.0 | **211.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 3.5 | 5.7 | 4.1 | 3.2 | 1.7 | 2.1 | 1.7 | 1.9 | 1.6 | **25.5** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 44.2 | 43.7 | 51.0 | 40.0 | 26.2 | 31.0 | 26.9 | 28.6 | 24.8 | **316.4** |

Licence ***354*** Well Name ***Tundra Pierson Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-11-003-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a C*** Field Code ***7*** Pool Code ***43C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 28.0 | 31.0 | 30.0 | 30.0 | 27.0 | 28.0 | 31.0 | **7,159.0** |
| H2O | 1975 | 50.2 | 66.8 | 144.4 | 152.4 | 98.7 | 106.0 | 134.5 | 129.1 | 128.1 | 134.5 | 133.1 | 140.2 | **19,448.3** |
| OIL | 1975 | 64.0 | 53.9 | 65.8 | 63.1 | 56.1 | 56.3 | 63.2 | 61.0 | 62.1 | 56.3 | 57.2 | 70.6 | **18,391.9** |
| DAY | 1974 | 29.0 | 24.0 | 29.0 | 30.0 | 29.0 | 30.0 | 31.0 | 15.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,807.0** |
| H2O | 1974 | 101.4 | 99.5 | 124.4 | 103.1 | 102.7 | 103.3 | 111.0 | 142.7 | 144.3 | 172.7 | 98.5 | 49.3 | **18,030.3** |
| OIL | 1974 | 64.5 | 48.3 | 55.3 | 56.4 | 64.5 | 66.7 | 66.4 | 73.9 | 70.4 | 72.5 | 59.9 | 63.1 | **17,662.3** |
| DAY | 1973 | 24.0 | 28.0 | 28.0 | 27.0 | 29.0 | 30.0 | 30.0 | 31.0 | 26.0 | 30.0 | 29.0 | 24.0 | **6,468.0** |
| H2O | 1973 | 95.5 | 79.8 | 154.5 | 150.0 | 124.4 | 153.2 | 119.2 | 134.4 | 132.7 | 130.1 | 106.2 | 61.4 | **16,677.4** |
| OIL | 1973 | 56.3 | 62.3 | 64.7 | 60.1 | 64.5 | 65.2 | 65.3 | 65.8 | 53.7 | 66.7 | 61.8 | 54.5 | **16,900.4** |
| DAY | 1972 | 31.0 | 25.0 | 31.0 | 29.0 | 30.0 | 24.0 | 26.0 | 31.0 | 30.0 | 31.0 | 21.0 | 24.0 | **6,132.0** |
| H2O | 1972 | 85.5 | 72.0 | 89.3 | 93.8 | 96.3 | 93.3 | 183.8 | 185.2 | 194.4 | 159.8 | 127.8 | 107.8 | **15,236.0** |
| OIL | 1972 | 70.6 | 60.0 | 71.2 | 65.8 | 66.7 | 49.7 | 64.7 | 69.1 | 62.0 | 68.8 | 44.0 | 60.9 | **16,159.5** |
| DAY | 1971 | 30.0 | 27.0 | 31.0 | 27.0 | 31.0 | 29.0 | 25.0 | 29.0 | 19.0 | 25.0 | 30.0 | 31.0 | **5,799.0** |
| H2O | 1971 | 143.6 | 136.1 | 138.2 | 135.8 | 142.6 | 115.3 | 157.4 | 115.3 | 114.9 | 107.9 | 97.8 | 64.7 | **13,747.0** |
| OIL | 1971 | 75.2 | 67.5 | 78.7 | 75.5 | 77.2 | 74.2 | 69.0 | 72.5 | 62.3 | 68.0 | 75.8 | 73.7 | **15,406.0** |
| DAY | 1970 | 31.0 | 27.0 | 28.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 29.0 | 28.0 | 30.0 | 29.0 | **5,465.0** |
| H2O | 1970 | 118.3 | 102.1 | 106.8 | 98.6 | 90.1 | 124.0 | 105.6 | 105.6 | 99.8 | 164.9 | 214.6 | 207.5 | **12,277.4** |
| OIL | 1970 | 60.2 | 63.2 | 62.3 | 63.4 | 60.1 | 66.7 | 64.4 | 65.0 | 61.2 | 91.8 | 81.0 | 75.8 | **14,536.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,114.0** |
| H2O | 1969 | 113.8 | 99.4 | 61.0 | 93.0 | 103.0 | 101.6 | 110.3 | 133.4 | 115.7 | 105.4 | 106.0 | 127.0 | **10,739.5** |
| OIL | 1969 | 63.4 | 59.3 | 39.9 | 75.6 | 59.3 | 57.7 | 57.0 | 73.9 | 71.5 | 66.3 | 69.9 | 71.7 | **13,721.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **4,780.0** |
| H2O | 1968 | 75.4 | 73.1 | 85.4 | 104.0 | 113.2 | 95.6 | 79.0 | 120.2 | 77.3 | 85.9 | 67.3 | 76.0 | **9,469.9** |
| OIL | 1968 | 66.6 | 63.9 | 64.4 | 60.2 | 63.9 | 59.0 | 60.2 | 66.6 | 54.2 | 59.9 | 64.2 | 54.7 | **12,955.8** |
| DAY | 1967 | 27.0 | 28.0 | 23.0 | 30.0 | 31.0 | 30.0 | 31.0 | 20.0 | 30.0 | 24.0 | 25.0 | 31.0 | **4,419.0** |

# Manitoba Production
## 1950 To 1975

Licence ***354*** Well Name ***Tundra Pierson Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-11-003-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a C*** Field Code ***7*** Pool Code ***43C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1967 | 57.6 | 72.3 | 70.6 | 97.3 | 95.4 | 35.9 | 33.1 | 34.3 | 76.2 | 60.7 | 75.5 | 87.1 | **8,417.5** |
| OIL | 1967 | 37.7 | 50.7 | 36.1 | 48.0 | 47.5 | 71.5 | 61.5 | 75.8 | 66.9 | 43.5 | 66.4 | 68.6 | **12,218.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | 31.0 | 20.0 | 31.0 | 30.0 | 31.0 | **4,089.0** |
| H2O | 1966 | 14.0 | 9.7 | 11.0 | 11.3 | 4.3 | 8.3 | 9.4 | 25.1 | 14.6 | 72.7 | 61.7 | 69.0 | **7,621.5** |
| OIL | 1966 | 36.9 | 32.4 | 33.2 | 34.8 | 13.2 | 23.2 | 31.2 | 59.3 | 30.7 | 45.5 | 43.7 | 45.0 | **11,543.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **3,738.0** |
| H2O | 1965 | 45.3 | 37.7 | 52.9 | 49.3 | 53.7 | 72.3 | 73.3 | 69.2 | 55.8 | 11.8 | 13.4 | 13.2 | **7,310.4** |
| OIL | 1965 | 35.6 | 30.8 | 41.5 | 41.6 | 38.6 | 35.0 | 42.3 | 38.0 | 36.4 | 35.0 | 33.5 | 33.7 | **11,114.7** |
| DAY | 1964 | 31.0 | 29.0 | 30.0 | 30.0 | 13.0 | 26.0 | 31.0 | 31.0 | 28.0 | 25.0 | 30.0 | 31.0 | **3,378.0** |
| H2O | 1964 | 104.8 | 97.5 | 98.1 | 91.3 | 40.5 | 4.5 | 49.4 | 45.5 | 36.9 | 22.6 | 32.7 | 50.4 | **6,762.5** |
| OIL | 1964 | 42.6 | 39.4 | 37.7 | 36.1 | 16.2 | 42.9 | 42.4 | 46.9 | 46.9 | 33.1 | 43.2 | 40.7 | **10,672.7** |
| DAY | 1963 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **3,043.0** |
| H2O | 1963 | 46.7 | 0.0 | 0.0 | 0.0 | 0.0 | 45.6 | 51.8 | 48.8 | 69.0 | 55.5 | 80.9 | 93.2 | **6,088.3** |
| OIL | 1963 | 46.7 | 0.0 | 0.0 | 0.0 | 0.0 | 57.2 | 65.8 | 61.3 | 46.7 | 35.4 | 38.0 | 42.4 | **10,204.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 6.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,806.0** |
| H2O | 1962 | 92.4 | 71.4 | 94.9 | 81.1 | 21.9 | 93.0 | 237.1 | 176.3 | 156.0 | 151.8 | 61.1 | 52.5 | **5,596.8** |
| OIL | 1962 | 46.2 | 38.0 | 44.7 | 38.9 | 8.4 | 49.1 | 56.3 | 55.8 | 55.5 | 51.0 | 54.0 | 52.0 | **9,811.1** |
| DAY | 1961 | 31.0 | 25.0 | 28.0 | 13.0 | 7.0 | 26.0 | 30.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **2,469.0** |
| H2O | 1961 | 41.0 | 32.4 | 36.2 | 16.1 | 10.5 | 37.0 | 57.7 | 65.2 | 82.4 | 77.4 | 86.2 | 101.3 | **4,307.3** |
| OIL | 1961 | 66.3 | 56.6 | 62.2 | 27.7 | 15.7 | 72.5 | 46.6 | 51.4 | 45.0 | 41.5 | 48.2 | 51.5 | **9,261.2** |
| DAY | 1960 | 30.0 | 28.0 | 31.0 | 21.0 | 0.0 | 25.0 | 31.0 | 29.0 | 30.0 | 30.0 | 24.0 | 31.0 | **2,161.0** |
| H2O | 1960 | 36.9 | 39.0 | 42.1 | 37.0 | 0.0 | 36.2 | 38.5 | 39.9 | 33.5 | 37.0 | 31.2 | 40.9 | **3,663.9** |
| OIL | 1960 | 52.6 | 56.9 | 60.4 | 64.0 | 0.0 | 62.1 | 65.6 | 66.4 | 64.4 | 65.8 | 53.1 | 66.1 | **8,676.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 22.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,851.0** |
| H2O | 1959 | 44.4 | 34.8 | 45.8 | 33.7 | 50.2 | 34.5 | 35.0 | 36.7 | 39.3 | 40.2 | 38.6 | 40.2 | **3,251.7** |
| OIL | 1959 | 73.8 | 62.0 | 63.8 | 51.7 | 71.4 | 71.1 | 63.3 | 55.5 | 70.7 | 64.5 | 54.9 | 55.5 | **7,998.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,498.0** |
| H2O | 1958 | 154.2 | 162.2 | 196.5 | 181.9 | 133.1 | 141.3 | 183.8 | 187.4 | 202.6 | 102.5 | 36.1 | 44.2 | **2,778.3** |
| OIL | 1958 | 79.1 | 72.0 | 76.4 | 71.5 | 71.5 | 75.0 | 78.7 | 75.8 | 71.2 | 73.9 | 64.4 | 66.3 | **7,240.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,138.0** |
| H2O | 1957 | 44.5 | 35.0 | 41.8 | 29.1 | 32.4 | 27.8 | 25.4 | 26.1 | 31.8 | 31.8 | 151.7 | 170.7 | **1,052.5** |
| OIL | 1957 | 145.7 | 120.6 | 141.4 | 130.4 | 129.5 | 110.9 | 104.8 | 102.4 | 92.2 | 89.8 | 84.7 | 83.0 | **6,364.6** |
| DAY | 1956 | 30.0 | 2.0 | 23.0 | 20.0 | 0.0 | 12.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **773.0** |
| H2O | 1956 | 5.7 | 0.5 | 18.1 | 9.9 | 0.0 | 68.4 | 38.5 | 44.4 | 46.1 | 49.3 | 45.8 | 25.9 | **404.4** |
| OIL | 1956 | 208.1 | 12.2 | 139.0 | 98.2 | 0.0 | 70.7 | 155.9 | 152.4 | 143.5 | 146.5 | 140.0 | 147.3 | **5,029.2** |
| DAY | 1955 | 31.0 | 25.0 | 25.0 | 8.0 | 0.0 | 9.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | **502.0** |
| H2O | 1955 | 1.3 | 0.0 | 1.9 | 0.6 | 0.0 | 2.4 | 0.8 | 2.5 | 3.3 | 1.9 | 1.6 | 5.7 | **51.8** |
| OIL | 1955 | 260.9 | 204.6 | 198.5 | 67.4 | 0.0 | 57.5 | 214.0 | 203.0 | 193.9 | 187.3 | 150.6 | 145.6 | **3,615.4** |
| DAY | 1954 | 0.0 | 10.0 | 31.0 | 30.0 | 13.0 | 0.0 | 18.0 | 31.0 | 13.0 | 21.0 | 27.0 | 31.0 | **225.0** |
| H2O | 1954 | 0.0 | 0.3 | 4.8 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 3.2 | 5.1 | 13.5 | 2.7 | **29.8** |
| OIL | 1954 | 0.0 | 40.2 | 181.4 | 141.0 | 65.3 | 0.0 | 96.3 | 317.8 | 160.8 | 196.6 | 249.4 | 283.3 | **1,732.1** |

Licence ***357*** Well Name ***Zargon Virden*** Dev ***V*** Mineral Rights ***PORTIONAL***

UWI ***100.04-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 24.0 | 29.0 | 31.0 | 30.0 | 18.0 | 31.0 | 30.0 | 31.0 | 19.0 | 31.0 | **7,571.0** |
| H2O | 1975 | 1032.3 | 936.7 | 971.5 | 1047.6 | 1094.8 | 1047.7 | 589.1 | 1096.5 | 1043.7 | 1067.9 | 999.3 | 1093.8 | **152,159.4** |
| OIL | 1975 | 66.7 | 57.2 | 42.7 | 124.1 | 107.7 | 88.8 | 50.2 | 93.8 | 89.6 | 91.4 | 55.9 | 92.0 | **34,042.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,238.0** |
| H2O | 1974 | 1002.6 | 921.6 | 1018.8 | 989.3 | 1011.6 | 986.3 | 930.3 | 1025.2 | 993.0 | 1025.2 | 988.0 | 1038.8 | **140,138.5** |
| OIL | 1974 | 78.7 | 63.4 | 67.1 | 57.5 | 43.1 | 57.8 | 62.6 | 63.1 | 61.5 | 63.7 | 58.5 | 62.0 | **33,082.5** |

# Manitoba Production
## 1950 To 1975

Licence ***357*** Well Name ***Zargon Virden*** Dev ***V*** Mineral Rights ***PORTIONAL***

UWI ***100.04-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,873.0** |
| H2O | 1973 | 1096.2 | 991.6 | 1074.0 | 1047.4 | 1077.0 | 1019.1 | 1091.9 | 1077.3 | 1047.1 | 1074.5 | 1060.3 | 1002.1 | **128,207.8** |
| OIL | 1973 | 99.0 | 89.3 | 98.4 | 85.2 | 86.1 | 68.5 | 80.4 | 82.5 | 77.9 | 81.4 | 80.6 | 79.0 | **32,343.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,509.0** |
| H2O | 1972 | 1016.7 | 1031.0 | 1048.2 | 1052.2 | 1110.8 | 1067.9 | 1061.7 | 1078.9 | 1068.5 | 1090.8 | 954.0 | 1039.3 | **115,549.3** |
| OIL | 1972 | 114.1 | 111.2 | 116.8 | 106.9 | 105.0 | 102.5 | 99.5 | 95.3 | 94.7 | 98.8 | 95.7 | 96.6 | **31,335.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,143.0** |
| H2O | 1971 | 961.2 | 860.6 | 940.8 | 912.5 | 917.0 | 959.3 | 980.9 | 873.3 | 798.3 | 983.4 | 996.6 | 997.7 | **102,929.3** |
| OIL | 1971 | 91.1 | 84.5 | 93.3 | 90.1 | 91.2 | 86.9 | 86.0 | 80.1 | 58.0 | 147.9 | 141.4 | 125.1 | **30,098.1** |
| DAY | 1970 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 22.0 | 29.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **5,781.0** |
| H2O | 1970 | 944.6 | 750.8 | 766.9 | 1196.6 | 3833.3 | 757.0 | 949.3 | 965.3 | 958.0 | 982.8 | 875.5 | 921.1 | **91,747.7** |
| OIL | 1970 | 51.6 | 42.3 | 42.0 | 44.8 | 61.0 | 46.2 | 70.9 | 80.7 | 87.7 | 93.0 | 86.3 | 93.0 | **28,922.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **5,430.0** |
| H2O | 1969 | 1097.1 | 938.1 | 950.8 | 693.3 | 949.4 | 724.8 | 719.5 | 675.2 | 2060.4 | 893.8 | 720.2 | 871.4 | **77,846.5** |
| OIL | 1969 | 89.3 | 83.6 | 92.3 | 85.2 | 87.9 | 84.1 | 79.8 | 82.6 | 79.6 | 89.0 | 80.4 | 76.6 | **28,123.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,068.0** |
| H2O | 1968 | 1306.5 | 841.4 | 877.9 | 434.0 | 681.4 | 882.4 | 803.4 | 869.8 | 907.9 | 850.9 | 898.7 | 994.1 | **66,552.5** |
| OIL | 1968 | 110.4 | 98.7 | 105.2 | 91.5 | 91.8 | 87.6 | 102.8 | 95.3 | 92.6 | 88.2 | 90.3 | 92.5 | **27,112.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 19.0 | 24.0 | 28.0 | 30.0 | 19.0 | 26.0 | 31.0 | 30.0 | 31.0 | **4,702.0** |
| H2O | 1967 | 300.6 | 315.9 | 300.6 | 162.2 | 948.3 | 2740.8 | 3244.9 | 1751.2 | 372.2 | 559.8 | 1338.8 | 1116.5 | **56,204.1** |
| OIL | 1967 | 87.4 | 78.7 | 81.2 | 26.7 | 134.3 | 178.6 | 165.4 | 68.5 | 70.6 | 95.2 | 106.8 | 111.7 | **25,965.7** |
| DAY | 1966 | 24.0 | 0.0 | 19.0 | 27.0 | 25.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,374.0** |
| H2O | 1966 | 154.4 | 0.0 | 135.2 | 266.6 | 278.7 | 291.2 | 310.3 | 305.7 | 286.9 | 289.6 | 290.3 | 306.3 | **43,052.3** |
| OIL | 1966 | 63.6 | 0.0 | 81.5 | 81.8 | 115.4 | 103.0 | 99.2 | 97.7 | 76.3 | 94.1 | 100.4 | 93.3 | **24,760.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,066.0** |
| H2O | 1965 | 308.9 | 263.3 | 302.0 | 291.2 | 301.6 | 291.7 | 303.1 | 302.5 | 304.9 | 217.6 | 218.8 | 232.3 | **40,137.1** |
| OIL | 1965 | 102.7 | 85.0 | 89.5 | 94.1 | 97.3 | 94.9 | 98.0 | 96.9 | 93.4 | 86.0 | 87.7 | 91.7 | **23,754.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,701.0** |
| H2O | 1964 | 303.8 | 286.1 | 306.0 | 292.0 | 323.3 | 311.2 | 325.1 | 324.0 | 310.9 | 321.9 | 315.2 | 314.6 | **36,799.2** |
| OIL | 1964 | 114.4 | 105.0 | 109.3 | 106.2 | 100.6 | 97.7 | 106.8 | 106.3 | 102.7 | 104.6 | 99.6 | 101.7 | **22,637.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,335.0** |
| H2O | 1963 | 281.8 | 255.2 | 272.2 | 271.5 | 288.5 | 276.6 | 283.3 | 283.8 | 288.5 | 300.1 | 290.3 | 302.3 | **33,065.1** |
| OIL | 1963 | 162.6 | 96.9 | 127.8 | 125.5 | 122.8 | 122.7 | 124.4 | 120.0 | 117.1 | 117.3 | 113.3 | 115.4 | **21,382.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,970.0** |
| H2O | 1962 | 245.6 | 225.8 | 246.0 | 246.8 | 246.8 | 248.8 | 263.1 | 260.6 | 262.7 | 306.4 | 270.8 | 280.6 | **29,671.0** |
| OIL | 1962 | 167.3 | 148.7 | 161.1 | 153.2 | 152.6 | 148.6 | 150.3 | 144.3 | 136.3 | 134.0 | 127.3 | 101.9 | **19,916.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,606.0** |
| H2O | 1961 | 184.9 | 177.6 | 202.7 | 205.9 | 316.0 | 311.4 | 200.8 | 179.0 | 211.1 | 224.2 | 233.2 | 242.9 | **26,567.0** |
| OIL | 1961 | 227.9 | 202.1 | 220.1 | 206.6 | 230.7 | 189.3 | 180.0 | 185.6 | 176.7 | 180.4 | 161.8 | 166.9 | **18,190.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 10.0 | 3.0 | 27.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,243.0** |
| H2O | 1960 | 965.0 | 891.2 | 987.5 | 310.5 | 37.5 | 87.2 | 92.0 | 88.2 | 131.0 | 158.5 | 196.4 | 223.7 | **23,877.3** |
| OIL | 1960 | 62.5 | 54.7 | 60.1 | 13.7 | 0.0 | 256.6 | 293.7 | 261.7 | 277.8 | 266.7 | 263.9 | 251.6 | **15,862.7** |
| DAY | 1959 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 24.0 | 30.0 | 31.0 | **1,929.0** |
| H2O | 1959 | 508.7 | 423.9 | 427.5 | 434.8 | 428.3 | 408.4 | 411.5 | 324.0 | 914.1 | 750.8 | 964.8 | 989.3 | **19,708.6** |
| OIL | 1959 | 72.6 | 68.3 | 65.9 | 48.5 | 30.5 | 28.1 | 29.6 | 24.0 | 60.9 | 48.5 | 63.4 | 62.1 | **13,799.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 17.0 | 9.0 | 31.0 | 29.0 | 31.0 | **1,577.0** |
| H2O | 1958 | 483.1 | 437.5 | 509.0 | 500.8 | 533.2 | 469.1 | 540.7 | 286.3 | 148.4 | 519.8 | 489.5 | 529.2 | **12,722.5** |
| OIL | 1958 | 49.9 | 44.2 | 57.8 | 59.9 | 58.3 | 59.0 | 66.3 | 47.7 | 20.0 | 79.8 | 70.4 | 78.5 | **13,197.3** |
| DAY | 1957 | 13.0 | 18.0 | 26.0 | 0.0 | 23.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,251.0** |
| H2O | 1957 | 231.6 | 299.5 | 425.1 | 0.0 | 355.2 | 486.6 | 476.0 | 444.0 | 459.8 | 467.4 | 467.6 | 475.5 | **7,275.9** |
| OIL | 1957 | 35.6 | 61.2 | 66.6 | 0.0 | 42.7 | 84.4 | 64.4 | 55.5 | 51.8 | 52.3 | 48.6 | 54.5 | **12,505.5** |
| DAY | 1956 | 25.0 | 27.0 | 29.0 | 29.0 | 30.0 | 25.0 | 30.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | **959.0** |

# Manitoba Production
## 1950 To 1975

Licence ***357*** Well Name ***Zargon Virden*** Dev ***V*** Mineral Rights ***PORTIONAL***

UWI ***100.04-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1956 | 3.2 | 7.0 | 24.5 | 7.0 | 76.0 | 135.2 | 296.8 | 321.4 | 386.2 | 439.7 | 439.1 | 520.6 | **2,687.6** |
| OIL | 1956 | 272.5 | 296.2 | 323.5 | 316.1 | 286.2 | 227.9 | 298.3 | 220.6 | 198.5 | 171.6 | 122.4 | 115.1 | **11,887.9** |
| DAY | 1955 | 28.0 | 19.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 24.0 | 28.0 | **614.0** |
| H2O | 1955 | 1.0 | 0.6 | 1.1 | 0.8 | 0.6 | 1.4 | 1.1 | 1.7 | 6.8 | 3.3 | 0.8 | 1.1 | **30.9** |
| OIL | 1955 | 350.1 | 230.1 | 412.4 | 400.9 | 413.0 | 398.9 | 410.1 | 390.0 | 336.7 | 403.9 | 305.6 | 307.6 | **9,039.0** |
| DAY | 1954 | 31.0 | 28.0 | 21.0 | 0.0 | 14.0 | 27.0 | 24.0 | 28.0 | 18.0 | 19.0 | 26.0 | 31.0 | **273.0** |
| H2O | 1954 | 1.0 | 1.1 | 1.0 | 0.8 | 0.5 | 0.8 | 1.0 | 0.8 | 0.6 | 1.0 | 0.6 | 1.4 | **10.6** |
| OIL | 1954 | 368.4 | 352.0 | 367.4 | 390.1 | 242.3 | 460.5 | 452.9 | 490.1 | 329.7 | 352.1 | 320.8 | 491.7 | **4,679.7** |
| DAY | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | **6.0** |
| OIL | 1953 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 61.7 | **61.7** |

Licence ***358*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 14.0 | 0.0 | 18.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,580.0** |
| H2O | 1975 | 132.7 | 119.6 | 63.1 | 0.0 | 81.6 | 132.6 | 132.0 | 138.2 | 99.5 | 89.5 | 89.2 | 91.4 | **45,811.6** |
| OIL | 1975 | 27.8 | 25.3 | 12.7 | 0.0 | 15.1 | 25.7 | 27.0 | 27.7 | 42.6 | 41.0 | 42.0 | 43.2 | **15,262.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **7,276.0** |
| H2O | 1974 | 200.6 | 172.7 | 210.0 | 191.0 | 150.6 | 163.5 | 134.5 | 134.4 | 118.0 | 139.9 | 122.0 | 133.9 | **44,642.2** |
| OIL | 1974 | 25.1 | 24.8 | 27.7 | 26.7 | 27.2 | 26.2 | 28.3 | 28.1 | 23.2 | 27.5 | 26.1 | 27.7 | **14,932.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 24.0 | 26.0 | 31.0 | **6,915.0** |
| H2O | 1973 | 222.1 | 201.3 | 64.8 | 65.2 | 67.2 | 69.4 | 63.7 | 47.7 | 47.8 | 39.1 | 142.3 | 193.2 | **42,771.1** |
| OIL | 1973 | 92.6 | 81.5 | 27.5 | 27.5 | 27.2 | 26.2 | 28.1 | 18.0 | 17.5 | 14.0 | 21.8 | 24.5 | **14,613.5** |
| DAY | 1972 | 31.0 | 6.0 | 7.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 20.0 | 30.0 | 31.0 | **6,561.0** |
| H2O | 1972 | 47.4 | 9.7 | 11.0 | 38.8 | 37.8 | 34.8 | 35.1 | 39.7 | 38.0 | 133.7 | 201.0 | 185.4 | **41,547.3** |
| OIL | 1972 | 27.8 | 5.4 | 6.5 | 26.5 | 18.8 | 18.3 | 18.6 | 18.0 | 17.8 | 58.8 | 91.7 | 93.1 | **14,207.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,253.0** |
| H2O | 1971 | 55.0 | 54.7 | 58.3 | 46.9 | 48.9 | 40.4 | 42.6 | 47.2 | 42.4 | 46.4 | 40.7 | 43.9 | **40,734.9** |
| OIL | 1971 | 32.6 | 29.6 | 32.7 | 27.0 | 27.2 | 26.2 | 28.0 | 27.5 | 26.2 | 27.3 | 25.1 | 28.1 | **13,805.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,889.0** |
| H2O | 1970 | 293.4 | 278.2 | 339.5 | 54.8 | 57.8 | 60.4 | 55.1 | 53.7 | 58.3 | 58.6 | 50.4 | 46.6 | **40,167.5** |
| OIL | 1970 | 69.3 | 61.3 | 67.9 | 34.6 | 36.2 | 29.6 | 31.0 | 31.0 | 30.5 | 31.5 | 30.7 | 32.4 | **13,468.3** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 20.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **5,524.0** |
| H2O | 1969 | 171.9 | 140.6 | 163.8 | 170.6 | 99.0 | 62.3 | 79.9 | 72.5 | 60.7 | 72.9 | 306.0 | 328.1 | **38,760.7** |
| OIL | 1969 | 59.4 | 51.0 | 55.0 | 59.6 | 35.6 | 23.0 | 41.5 | 41.3 | 34.3 | 41.0 | 63.1 | 69.1 | **12,982.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,173.0** |
| H2O | 1968 | 313.2 | 313.5 | 364.4 | 174.2 | 166.8 | 147.7 | 155.3 | 160.1 | 146.3 | 160.6 | 159.6 | 172.7 | **37,032.4** |
| OIL | 1968 | 62.3 | 56.4 | 62.9 | 64.2 | 63.7 | 61.5 | 63.9 | 64.2 | 56.6 | 58.3 | 56.9 | 59.6 | **12,408.4** |
| DAY | 1967 | 31.0 | 27.0 | 28.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 18.0 | 30.0 | 31.0 | **4,807.0** |
| H2O | 1967 | 499.8 | 418.4 | 448.3 | 432.4 | 496.0 | 457.7 | 427.3 | 481.2 | 507.0 | 280.6 | 508.8 | 335.3 | **34,598.0** |
| OIL | 1967 | 104.7 | 89.3 | 95.3 | 93.1 | 102.7 | 93.3 | 95.8 | 96.3 | 100.7 | 58.5 | 102.0 | 64.2 | **11,677.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 20.0 | 29.0 | 30.0 | 26.0 | **4,463.0** |
| H2O | 1966 | 442.1 | 423.7 | 423.8 | 332.7 | 512.4 | 554.2 | 527.2 | 619.7 | 361.8 | 480.0 | 492.7 | 435.6 | **29,305.2** |
| OIL | 1966 | 82.8 | 74.5 | 92.3 | 66.4 | 102.2 | 97.4 | 97.6 | 96.1 | 65.9 | 93.9 | 94.7 | 88.8 | **10,582.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,118.0** |
| H2O | 1965 | 369.6 | 325.3 | 345.0 | 320.3 | 306.8 | 286.2 | 330.8 | 359.8 | 301.7 | 328.8 | 336.7 | 365.7 | **23,699.3** |
| OIL | 1965 | 68.0 | 58.3 | 63.9 | 57.5 | 55.6 | 56.6 | 58.0 | 57.8 | 49.1 | 51.0 | 54.0 | 65.9 | **9,529.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,753.0** |
| H2O | 1964 | 275.4 | 255.5 | 310.2 | 333.9 | 314.0 | 310.0 | 320.3 | 320.3 | 310.0 | 347.2 | 361.0 | 367.4 | **19,722.6** |
| OIL | 1964 | 72.1 | 65.0 | 78.0 | 79.5 | 71.4 | 69.9 | 72.9 | 73.3 | 70.9 | 73.1 | 69.9 | 68.5 | **8,833.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,388.0** |

# Manitoba Production
## 1950 To 1975

Licence ***358*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1963 | 385.0 | 337.8 | 381.9 | 325.6 | 335.1 | 306.2 | 295.7 | 302.5 | 301.9 | 295.7 | 286.2 | 295.7 | **15,897.4** |
| OIL | 1963 | 72.8 | 68.2 | 75.6 | 73.1 | 75.0 | 71.0 | 68.2 | 68.5 | 69.1 | 73.1 | 71.2 | 73.9 | **7,969.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,023.0** |
| H2O | 1962 | 123.2 | 111.3 | 120.8 | 104.9 | 98.6 | 197.8 | 453.7 | 431.8 | 401.6 | 387.4 | 370.6 | 417.6 | **12,048.1** |
| OIL | 1962 | 71.4 | 67.1 | 73.9 | 69.0 | 55.6 | 10.5 | 59.4 | 76.6 | 77.4 | 80.9 | 80.1 | 74.2 | **7,109.5** |
| DAY | 1961 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,663.0** |
| H2O | 1961 | 197.1 | 178.1 | 191.4 | 184.4 | 183.6 | 192.2 | 199.8 | 197.1 | 167.7 | 173.3 | 132.0 | 120.8 | **8,828.8** |
| OIL | 1961 | 49.4 | 48.6 | 53.7 | 46.9 | 48.8 | 29.1 | 75.2 | 80.9 | 76.1 | 75.2 | 62.0 | 49.9 | **6,313.4** |
| DAY | 1960 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,301.0** |
| H2O | 1960 | 286.2 | 267.1 | 295.7 | 286.2 | 295.7 | 163.0 | 144.7 | 146.9 | 151.0 | 191.6 | 190.8 | 197.1 | **6,711.3** |
| OIL | 1960 | 95.7 | 89.0 | 99.2 | 95.3 | 101.7 | 75.3 | 55.5 | 48.8 | 57.2 | 63.7 | 53.9 | 50.4 | **5,617.6** |
| DAY | 1959 | 23.0 | 28.0 | 31.0 | 28.0 | 28.0 | 27.0 | 31.0 | 30.0 | 30.0 | 24.0 | 30.0 | 31.0 | **1,940.0** |
| H2O | 1959 | 47.7 | 152.6 | 186.0 | 200.3 | 230.5 | 301.3 | 345.0 | 334.0 | 333.9 | 267.1 | 333.9 | 310.8 | **4,095.3** |
| OIL | 1959 | 58.6 | 102.7 | 110.1 | 93.6 | 85.0 | 81.7 | 93.8 | 88.0 | 85.0 | 74.1 | 84.9 | 95.7 | **4,731.9** |
| DAY | 1958 | 31.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,599.0** |
| H2O | 1958 | 71.5 | 47.7 | 79.5 | 63.6 | 63.6 | 55.6 | 55.6 | 55.6 | 55.6 | 47.7 | 47.7 | 55.6 | **1,052.2** |
| OIL | 1958 | 137.5 | 96.8 | 137.8 | 119.0 | 121.7 | 113.8 | 114.3 | 106.0 | 101.1 | 97.1 | 86.4 | 73.1 | **3,678.7** |
| DAY | 1957 | 3.0 | 13.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 19.0 | 30.0 | 31.0 | **1,241.0** |
| H2O | 1957 | 1.0 | 8.3 | 10.3 | 9.5 | 9.5 | 9.5 | 9.5 | 9.5 | 8.9 | 9.5 | 71.5 | 71.5 | **352.9** |
| OIL | 1957 | 1.9 | 16.7 | 21.8 | 19.9 | 19.9 | 20.3 | 22.2 | 21.5 | 19.7 | 20.3 | 179.4 | 150.8 | **2,374.1** |
| DAY | 1956 | 0.0 | 0.0 | 22.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 13.0 | 31.0 | **931.0** |
| H2O | 1956 | 0.0 | 0.0 | 11.4 | 25.8 | 14.0 | 11.9 | 9.9 | 9.2 | 8.6 | 9.9 | 5.7 | 10.8 | **124.4** |
| OIL | 1956 | 0.0 | 0.0 | 28.9 | 14.6 | 30.4 | 24.8 | 28.8 | 26.7 | 24.3 | 20.8 | 12.6 | 21.6 | **1,859.7** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 16.0 | **657.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7.2** |
| OIL | 1955 | 59.1 | 50.4 | 52.1 | 51.3 | 45.1 | 42.0 | 42.1 | 39.4 | 35.9 | 34.6 | 30.7 | 16.2 | **1,626.2** |
| DAY | 1954 | 8.0 | 18.0 | 28.0 | 26.0 | 20.0 | 26.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **307.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.3 | 0.0 | 0.0 | 1.9 | 0.0 | 0.0 | **2.4** |
| OIL | 1954 | 95.7 | 119.3 | 155.3 | 117.1 | 84.5 | 87.6 | 102.7 | 82.5 | 76.3 | 75.6 | 67.1 | 63.6 | **1,127.3** |

Licence ***359*** Well Name ***Cdn. Sup. Skinner Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-28-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 5.0 | 6.0 | 10.0 | 24.0 | 1.0 | 30.0 | 31.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | **716.0** |
| H2O | 1957 | 11.5 | 14.7 | 14.6 | 6.8 | 15.9 | 11.8 | 73.1 | 43.9 | 75.4 | 0.0 | 0.0 | 0.0 | **1,007.8** |
| OIL | 1957 | 5.5 | 3.8 | 11.9 | 21.0 | 0.6 | 37.5 | 10.2 | 25.4 | 19.7 | 0.0 | 0.0 | 0.0 | **1,528.6** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 20.0 | 6.0 | **548.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 15.1 | 63.1 | 71.5 | 71.5 | 29.1 | 22.7 | 29.3 | 14.6 | **740.1** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 11.8 | 54.7 | 48.9 | 52.3 | 36.9 | 37.8 | 15.4 | 10.5 | **1,393.0** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **365.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 72.8 | 77.7 | 61.4 | 18.9 | 0.0 | 0.0 | **423.2** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 126.5 | 141.3 | 111.6 | 34.3 | 0.0 | 0.0 | **1,124.7** |
| DAY | 1954 | 0.0 | 28.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | **242.0** |
| H2O | 1954 | 0.0 | 10.8 | 22.1 | 17.6 | 2.4 | 0.0 | 0.0 | 44.4 | 40.1 | 39.6 | 15.4 | 0.0 | **192.4** |
| OIL | 1954 | 0.0 | 13.5 | 73.7 | 58.5 | 7.8 | 0.0 | 0.0 | 177.2 | 160.2 | 158.4 | 61.7 | 0.0 | **711.0** |

Licence ***361*** Well Name ***Kiwi Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 28.0 | 28.0 | 30.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,953.0** |
| H2O | 1975 | 0.0 | 0.0 | 9.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **652.3** |

# Manitoba Production
## 1950 To 1975

Licence ***361*** Well Name ***Kiwi Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1975 | 14.3 | 15.9 | 13.0 | 14.1 | 19.4 | 15.9 | 22.4 | 22.7 | 21.1 | 14.1 | 18.4 | 16.2 | **3,770.8** |
| DAY | 1974 | 31.0 | 28.0 | 0.0 | 30.0 | 31.0 | 30.0 | 0.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **5,598.0** |
| OIL | 1974 | 24.5 | 21.5 | 20.7 | 15.9 | 24.0 | 23.0 | 23.4 | 23.8 | 23.0 | 21.1 | 16.2 | 19.2 | **3,563.3** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,299.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **643.1** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.1 | 24.3 | 22.9 | 22.6 | 23.7 | 23.8 | 24.5 | **3,307.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,095.0** |
| H2O | 1969 | 3.2 | 3.2 | 3.2 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **638.2** |
| OIL | 1969 | 8.4 | 6.7 | 7.9 | 4.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,150.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,975.0** |
| H2O | 1968 | 4.8 | 4.8 | 4.8 | 4.8 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | **625.4** |
| OIL | 1968 | 9.2 | 7.9 | 6.4 | 7.9 | 6.4 | 6.4 | 7.2 | 7.2 | 7.0 | 6.4 | 6.4 | 8.7 | **3,122.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 20.0 | 30.0 | **4,616.0** |
| H2O | 1967 | 4.9 | 4.5 | 4.9 | 4.8 | 4.9 | 4.8 | 4.9 | 4.9 | 4.5 | 4.9 | 4.5 | 4.8 | **580.6** |
| OIL | 1967 | 9.9 | 8.7 | 9.9 | 9.5 | 9.9 | 9.5 | 9.9 | 9.9 | 8.9 | 9.9 | 8.9 | 9.2 | **3,035.3** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | **4,264.0** |
| H2O | 1966 | 7.0 | 5.7 | 5.2 | 3.5 | 3.3 | 2.1 | 1.9 | 2.9 | 2.7 | 3.2 | 2.4 | 3.0 | **523.3** |
| OIL | 1966 | 10.2 | 10.0 | 9.7 | 9.4 | 9.5 | 9.4 | 9.5 | 9.9 | 8.9 | 9.7 | 9.5 | 9.5 | **2,921.2** |
| DAY | 1965 | 31.0 | 28.0 | 24.0 | 0.0 | 0.0 | 0.0 | 21.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **3,902.0** |
| H2O | 1965 | 2.1 | 1.4 | 1.1 | 0.0 | 0.0 | 0.0 | 13.2 | 4.9 | 7.6 | 9.4 | 7.9 | 6.7 | **480.4** |
| OIL | 1965 | 14.8 | 12.2 | 5.7 | 0.0 | 0.0 | 0.0 | 5.4 | 12.4 | 7.2 | 10.8 | 9.5 | 9.9 | **2,806.0** |
| DAY | 1964 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **3,650.0** |
| H2O | 1964 | 0.6 | 0.5 | 3.5 | 2.4 | 2.1 | 3.5 | 4.1 | 3.2 | 3.3 | 2.9 | 2.9 | 2.2 | **426.1** |
| OIL | 1964 | 14.5 | 13.0 | 14.8 | 14.3 | 14.8 | 13.0 | 13.3 | 13.5 | 14.1 | 14.8 | 14.3 | 14.1 | **2,718.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,287.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 2.2 | 3.5 | 6.4 | 2.7 | **394.9** |
| OIL | 1963 | 9.7 | 9.7 | 12.1 | 14.0 | 14.6 | 11.1 | 14.0 | 13.8 | 13.3 | 14.5 | 13.0 | 14.6 | **2,549.6** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 11.0 | 31.0 | 30.0 | 31.0 | 31.0 | 21.0 | 29.0 | 30.0 | 31.0 | **2,927.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.3 | 0.2 | **378.8** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 11.1 | 15.9 | 10.0 | 9.1 | 3.0 | 8.4 | 11.4 | 9.5 | 8.9 | **2,395.2** |
| DAY | 1961 | 23.0 | 1.0 | 23.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 9.0 | **2,682.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **377.5** |
| OIL | 1961 | 13.2 | 0.3 | 14.9 | 15.3 | 15.1 | 13.3 | 14.8 | 19.5 | 14.8 | 14.5 | 12.6 | 3.5 | **2,307.9** |
| DAY | 1960 | 31.0 | 29.0 | 28.0 | 30.0 | 25.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,384.0** |
| H2O | 1960 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | **375.9** |
| OIL | 1960 | 19.2 | 16.4 | 19.1 | 15.7 | 13.2 | 14.1 | 14.1 | 16.4 | 11.9 | 15.7 | 16.2 | 12.7 | **2,156.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,029.0** |
| H2O | 1959 | 4.8 | 4.6 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | **318.3** |
| OIL | 1959 | 19.7 | 16.4 | 19.1 | 16.7 | 17.8 | 17.5 | 19.1 | 16.0 | 13.5 | 15.9 | 18.6 | 19.7 | **1,971.4** |
| DAY | 1958 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,664.0** |
| H2O | 1958 | 5.1 | 4.5 | 4.6 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | **260.9** |
| OIL | 1958 | 22.2 | 15.4 | 19.7 | 20.0 | 21.0 | 19.4 | 20.7 | 20.7 | 17.0 | 20.7 | 20.0 | 20.7 | **1,761.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,301.0** |
| H2O | 1957 | 5.9 | 5.2 | 5.4 | 5.4 | 5.4 | 5.4 | 5.4 | 6.7 | 5.6 | 5.9 | 5.9 | 5.7 | **203.5** |
| OIL | 1957 | 25.4 | 21.9 | 23.2 | 21.0 | 24.9 | 23.8 | 25.4 | 25.3 | 20.7 | 23.7 | 23.4 | 21.8 | **1,523.9** |
| DAY | 1956 | 30.0 | 29.0 | 31.0 | 20.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | **941.0** |
| H2O | 1956 | 4.3 | 4.1 | 4.1 | 2.4 | 4.0 | 3.7 | 3.7 | 3.8 | 4.9 | 5.6 | 5.2 | 5.6 | **135.6** |
| OIL | 1956 | 25.4 | 23.0 | 21.0 | 13.2 | 21.5 | 19.7 | 18.1 | 18.4 | 28.6 | 29.6 | 28.1 | 26.7 | **1,243.4** |
| DAY | 1955 | 23.0 | 18.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **588.0** |
| H2O | 1955 | 2.1 | 1.6 | 2.7 | 2.1 | 2.4 | 2.4 | 2.2 | 2.4 | 1.9 | 4.5 | 4.1 | 4.1 | **84.2** |
| OIL | 1955 | 30.8 | 23.8 | 41.2 | 28.3 | 36.5 | 34.6 | 33.8 | 36.4 | 28.0 | 25.4 | 24.8 | 25.3 | **970.1** |
| DAY | 1954 | 0.0 | 0.0 | 10.0 | 18.0 | 15.0 | 25.0 | 26.0 | 28.0 | 30.0 | 31.0 | 29.0 | 31.0 | **243.0** |

# Manitoba Production
## 1950 To 1975

Licence ***361*** Well Name ***Kiwi Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1954 | 0.0 | 0.0 | 7.0 | 7.5 | 8.6 | 6.7 | 5.4 | 4.1 | 4.0 | 3.0 | 2.9 | 2.5 | **51.7** |
| OIL | 1954 | 0.0 | 0.0 | 50.4 | 89.0 | 66.3 | 83.3 | 67.1 | 61.0 | 58.6 | 45.4 | 43.2 | 36.9 | **601.2** |

Licence ***362*** Well Name ***Kiwi Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-34-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,952.0** |
| OIL | 1975 | 6.2 | 4.8 | 6.0 | 4.4 | 4.8 | 4.8 | 4.9 | 4.9 | 5.2 | 7.3 | 8.9 | 9.4 | **3,457.4** |
| DAY | 1974 | 31.0 | 28.0 | 0.0 | 30.0 | 0.0 | 25.0 | 0.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **6,591.0** |
| OIL | 1974 | 5.6 | 4.1 | 4.9 | 4.1 | 0.0 | 17.3 | 14.1 | 9.9 | 8.4 | 8.6 | 5.7 | 6.2 | **3,385.8** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,326.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **61.3** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.5 | 13.2 | 13.3 | 11.3 | 7.8 | 6.5 | 5.4 | **3,296.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 0.0 | 30.0 | 30.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,122.0** |
| OIL | 1971 | 8.7 | 9.1 | 9.9 | 8.9 | 8.3 | 7.9 | 9.5 | 9.5 | 0.0 | 0.0 | 0.0 | 0.0 | **3,228.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | 28.0 | 31.0 | **5,911.0** |
| OIL | 1970 | 9.5 | 9.5 | 10.3 | 9.9 | 12.1 | 9.7 | 9.7 | 9.7 | 9.7 | 10.8 | 8.9 | 8.9 | **3,157.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 18.0 | 31.0 | 30.0 | 31.0 | **5,552.0** |
| OIL | 1969 | 6.7 | 5.9 | 6.7 | 8.7 | 6.2 | 6.7 | 6.4 | 5.1 | 10.3 | 9.5 | 9.5 | 9.5 | **3,038.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,202.0** |
| OIL | 1968 | 9.5 | 9.5 | 6.4 | 9.5 | 6.5 | 6.5 | 6.5 | 6.5 | 6.2 | 5.4 | 5.4 | 7.2 | **2,947.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,843.0** |
| OIL | 1967 | 9.9 | 8.7 | 9.9 | 9.5 | 9.9 | 9.5 | 9.9 | 9.9 | 9.5 | 9.9 | 9.5 | 9.5 | **2,862.1** |
| DAY | 1966 | 31.0 | 28.0 | 8.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | **4,478.0** |
| OIL | 1966 | 13.5 | 12.9 | 3.7 | 10.8 | 11.1 | 10.3 | 9.7 | 11.6 | 9.4 | 11.0 | 10.2 | 10.2 | **2,746.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,143.0** |
| OIL | 1965 | 14.6 | 11.9 | 14.1 | 14.3 | 12.7 | 13.0 | 12.2 | 14.8 | 14.1 | 14.3 | 13.0 | 14.3 | **2,622.1** |
| DAY | 1964 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,779.0** |
| OIL | 1964 | 14.5 | 12.7 | 14.8 | 14.3 | 14.5 | 13.2 | 13.3 | 13.3 | 14.5 | 14.8 | 14.3 | 14.6 | **2,458.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,417.0** |
| OIL | 1963 | 9.5 | 9.5 | 12.7 | 14.1 | 14.1 | 11.1 | 13.8 | 9.2 | 13.2 | 14.5 | 13.3 | 14.5 | **2,290.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 27.0 | 31.0 | 31.0 | 21.0 | 20.0 | 30.0 | 31.0 | **3,061.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.3 | 0.2 | **60.8** |
| OIL | 1962 | 11.8 | 11.4 | 11.9 | 10.3 | 9.2 | 11.8 | 12.2 | 6.0 | 8.4 | 4.8 | 14.3 | 9.1 | **2,140.5** |
| DAY | 1961 | 31.0 | 22.0 | 24.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,725.0** |
| OIL | 1961 | 12.4 | 9.2 | 15.1 | 13.0 | 13.0 | 9.7 | 12.2 | 13.0 | 12.2 | 13.3 | 11.6 | 11.9 | **2,019.3** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 28.0 | 30.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **2,374.0** |
| H2O | 1960 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | **59.5** |
| OIL | 1960 | 13.2 | 12.9 | 14.3 | 12.7 | 13.3 | 13.2 | 13.5 | 13.2 | 14.1 | 13.3 | 13.5 | 10.8 | **1,872.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,019.0** |
| H2O | 1959 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | **55.9** |
| OIL | 1959 | 13.3 | 13.3 | 15.9 | 14.0 | 15.3 | 13.0 | 11.3 | 14.1 | 14.3 | 14.6 | 14.3 | 13.3 | **1,714.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 24.0 | 24.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **1,658.0** |
| H2O | 1958 | 0.5 | 0.5 | 0.5 | 0.3 | 0.3 | 0.3 | 0.3 | 0.5 | 0.3 | 0.3 | 0.3 | 0.3 | **52.3** |
| OIL | 1958 | 16.7 | 14.8 | 17.5 | 14.1 | 16.4 | 10.6 | 15.1 | 16.2 | 15.3 | 16.0 | 12.7 | 16.8 | **1,548.0** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,313.0** |
| H2O | 1957 | 0.5 | 0.5 | 0.5 | 0.5 | 0.3 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | **47.9** |
| OIL | 1957 | 17.8 | 15.6 | 18.6 | 18.6 | 15.4 | 18.3 | 18.1 | 18.3 | 20.7 | 20.7 | 16.7 | 17.2 | **1,365.8** |
| DAY | 1956 | 30.0 | 12.0 | 16.0 | 11.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **949.0** |
| H2O | 1956 | 0.5 | 0.5 | 0.3 | 0.3 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.5 | 0.5 | 0.5 | **42.1** |
| OIL | 1956 | 21.5 | 14.9 | 14.9 | 15.4 | 29.4 | 24.8 | 23.8 | 23.2 | 20.7 | 21.5 | 18.3 | 17.8 | **1,149.8** |

# Manitoba Production
## 1950 To 1975

Licence ***362*** Well Name ***Kiwi Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-34-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1955 | 31.0 | 26.0 | 26.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **635.0** |
| H2O | 1955 | 1.0 | 7.3 | 0.8 | 1.0 | 1.0 | 0.8 | 0.6 | 0.5 | 0.5 | 0.6 | 0.5 | 0.5 | **36.0** |
| OIL | 1955 | 41.2 | 30.8 | 36.1 | 35.9 | 33.1 | 30.7 | 27.3 | 19.9 | 19.1 | 22.9 | 20.5 | 22.7 | **903.6** |
| DAY | 1954 | 0.0 | 21.0 | 28.0 | 27.0 | 16.0 | 11.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **279.0** |
| H2O | 1954 | 0.0 | 1.3 | 4.3 | 2.7 | 2.9 | 0.8 | 3.3 | 1.4 | 1.3 | 1.1 | 1.0 | 0.8 | **20.9** |
| OIL | 1954 | 0.0 | 71.4 | 84.4 | 55.1 | 43.2 | 15.7 | 65.6 | 58.3 | 49.7 | 45.0 | 39.6 | 35.4 | **563.4** |

Licence ***363*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-05-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 11.0 | 0.0 | 0.0 | 18.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,648.0** |
| H2O | 1975 | 0.0 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,270.0** |
| OIL | 1975 | 19.5 | 7.2 | 0.0 | 0.0 | 13.8 | 23.2 | 25.1 | 24.0 | 18.9 | 24.3 | 23.5 | 24.2 | **7,153.7** |
| DAY | 1974 | 31.0 | 21.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,374.0** |
| H2O | 1974 | 4.9 | 3.2 | 4.8 | 0.0 | 4.8 | 4.6 | 4.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,268.3** |
| OIL | 1974 | 19.7 | 10.3 | 20.2 | 13.8 | 19.1 | 14.9 | 19.5 | 18.1 | 24.3 | 24.5 | 25.1 | 24.3 | **6,950.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 23.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **7,018.0** |
| H2O | 1973 | 0.0 | 3.8 | 4.4 | 0.0 | 3.3 | 4.4 | 0.0 | 4.6 | 0.0 | 0.0 | 4.4 | 4.8 | **1,241.4** |
| OIL | 1973 | 24.5 | 23.5 | 23.4 | 24.9 | 16.4 | 23.0 | 22.9 | 23.2 | 23.4 | 22.7 | 23.0 | 20.3 | **6,716.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **6,664.0** |
| H2O | 1972 | 4.8 | 4.1 | 4.4 | 4.6 | 4.6 | 0.0 | 0.0 | 4.4 | 4.4 | 4.4 | 4.1 | 0.0 | **1,211.7** |
| OIL | 1972 | 19.9 | 23.2 | 19.5 | 18.6 | 24.3 | 23.0 | 22.7 | 23.2 | 21.5 | 23.5 | 22.4 | 24.5 | **6,445.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 14.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **6,300.0** |
| H2O | 1971 | 10.5 | 9.7 | 9.9 | 9.5 | 9.2 | 8.3 | 1.4 | 4.6 | 4.1 | 4.9 | 4.1 | 5.6 | **1,171.9** |
| OIL | 1971 | 18.4 | 15.4 | 17.3 | 17.6 | 14.1 | 10.8 | 10.5 | 29.7 | 21.5 | 19.4 | 20.0 | 19.7 | **6,178.7** |
| DAY | 1970 | 31.0 | 0.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 27.0 | 23.0 | 31.0 | 30.0 | 31.0 | **5,955.0** |
| H2O | 1970 | 5.9 | 8.9 | 9.9 | 9.5 | 9.5 | 9.5 | 9.5 | 9.9 | 7.4 | 9.9 | 9.5 | 10.2 | **1,090.1** |
| OIL | 1970 | 21.0 | 23.5 | 25.3 | 24.8 | 22.6 | 21.8 | 23.7 | 24.2 | 19.5 | 22.7 | 23.2 | 15.4 | **5,964.3** |
| DAY | 1969 | 20.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,631.0** |
| H2O | 1969 | 3.2 | 4.4 | 4.9 | 23.9 | 4.9 | 4.8 | 3.3 | 4.9 | 9.5 | 9.9 | 9.5 | 9.9 | **980.5** |
| OIL | 1969 | 15.9 | 21.3 | 27.2 | 26.4 | 20.8 | 25.7 | 16.5 | 24.8 | 25.4 | 25.3 | 24.3 | 24.8 | **5,696.6** |
| DAY | 1968 | 21.0 | 26.0 | 25.0 | 28.0 | 28.0 | 27.0 | 24.0 | 31.0 | 26.0 | 30.0 | 20.0 | 31.0 | **5,289.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.4 | 2.5 | 3.5 | 3.8 | 3.2 | 4.9 | **887.4** |
| OIL | 1968 | 16.7 | 21.0 | 21.6 | 24.0 | 24.0 | 22.2 | 23.4 | 23.8 | 16.7 | 19.4 | 13.3 | 23.8 | **5,418.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 31.0 | **4,972.0** |
| H2O | 1967 | 4.9 | 4.5 | 4.9 | 4.8 | 4.9 | 4.8 | 4.9 | 4.9 | 4.8 | 4.9 | 0.0 | 0.0 | **858.1** |
| OIL | 1967 | 18.8 | 24.2 | 26.5 | 17.6 | 26.7 | 18.6 | 26.5 | 19.1 | 25.3 | 26.7 | 25.3 | 25.9 | **5,168.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,637.0** |
| H2O | 1966 | 4.9 | 4.5 | 4.9 | 4.8 | 4.9 | 4.8 | 4.9 | 4.9 | 4.8 | 4.9 | 4.8 | 4.9 | **809.8** |
| OIL | 1966 | 15.6 | 23.2 | 18.6 | 24.2 | 19.7 | 25.7 | 17.6 | 36.9 | 10.5 | 24.0 | 24.9 | 19.7 | **4,887.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,272.0** |
| H2O | 1965 | 4.9 | 4.5 | 4.9 | 4.8 | 4.9 | 4.8 | 4.9 | 4.9 | 4.8 | 4.9 | 4.8 | 4.9 | **751.8** |
| OIL | 1965 | 22.2 | 9.5 | 26.5 | 18.0 | 26.7 | 16.8 | 26.7 | 26.7 | 13.2 | 26.7 | 18.9 | 25.7 | **4,626.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,907.0** |
| H2O | 1964 | 4.9 | 4.6 | 4.9 | 4.8 | 4.9 | 4.8 | 4.9 | 4.9 | 4.8 | 4.9 | 4.8 | 4.9 | **693.8** |
| OIL | 1964 | 26.5 | 17.0 | 25.7 | 17.6 | 26.5 | 25.9 | 26.2 | 24.9 | 26.7 | 26.7 | 12.2 | 26.7 | **4,368.9** |
| DAY | 1963 | 31.0 | 3.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,541.0** |
| H2O | 1963 | 4.9 | 0.5 | 4.9 | 4.8 | 4.9 | 4.8 | 4.9 | 4.9 | 4.8 | 4.9 | 4.8 | 4.9 | **635.7** |
| OIL | 1963 | 13.8 | 5.1 | 23.4 | 25.7 | 26.7 | 24.9 | 19.7 | 6.0 | 24.2 | 35.8 | 27.5 | 19.5 | **4,086.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,201.0** |
| H2O | 1962 | 4.9 | 4.5 | 4.9 | 4.8 | 4.9 | 4.8 | 4.9 | 4.9 | 4.8 | 4.9 | 4.8 | 4.9 | **581.7** |

# Manitoba Production
## 1950 To 1975

Licence ***363*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-05-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 25.7 | 19.5 | 26.5 | 25.9 | 16.4 | 24.9 | 26.7 | 26.9 | 26.9 | 27.5 | 12.9 | 25.7 | **3,834.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,836.0** |
| H2O | 1961 | 4.9 | 5.0 | 5.6 | 4.8 | 4.8 | 4.8 | 4.9 | 4.8 | 4.8 | 4.9 | 4.8 | 4.9 | **523.7** |
| OIL | 1961 | 26.5 | 19.4 | 30.5 | 27.0 | 17.0 | 24.6 | 26.1 | 31.6 | 22.4 | 31.9 | 18.0 | 24.0 | **3,548.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,471.0** |
| H2O | 1960 | 5.0 | 4.6 | 4.9 | 4.8 | 4.9 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.9 | **464.7** |
| OIL | 1960 | 33.2 | 29.7 | 30.2 | 30.4 | 27.0 | 32.1 | 26.4 | 29.7 | 30.2 | 17.6 | 26.1 | 27.0 | **3,249.5** |
| DAY | 1959 | 30.0 | 0.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,107.0** |
| H2O | 1959 | 1.0 | 0.0 | 0.5 | 1.1 | 0.5 | 4.8 | 4.9 | 4.9 | 4.8 | 4.9 | 4.9 | 4.8 | **406.8** |
| OIL | 1959 | 30.0 | 0.0 | 20.7 | 32.7 | 28.8 | 25.9 | 28.1 | 29.1 | 46.9 | 64.7 | 30.5 | 32.6 | **2,909.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,773.0** |
| H2O | 1958 | 3.2 | 4.1 | 3.8 | 4.5 | 1.0 | 0.3 | 2.9 | 4.3 | 3.7 | 3.3 | 0.6 | 0.6 | **369.7** |
| OIL | 1958 | 28.6 | 25.6 | 31.0 | 30.5 | 31.0 | 17.0 | 21.6 | 21.1 | 23.2 | 25.7 | 27.8 | 29.1 | **2,539.9** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,408.0** |
| H2O | 1957 | 4.0 | 1.0 | 7.0 | 8.4 | 6.8 | 7.6 | 1.0 | 0.3 | 1.6 | 2.5 | 1.4 | 2.4 | **337.4** |
| OIL | 1957 | 35.8 | 33.4 | 37.7 | 37.8 | 35.0 | 31.0 | 41.5 | 33.8 | 27.0 | 25.9 | 25.4 | 32.3 | **2,227.7** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,043.0** |
| H2O | 1956 | 4.0 | 4.8 | 3.0 | 0.2 | 12.4 | 6.7 | 0.6 | 0.3 | 3.5 | 2.2 | 7.0 | 4.5 | **293.4** |
| OIL | 1956 | 29.7 | 28.0 | 28.0 | 27.0 | 35.6 | 2.1 | 4.3 | 4.3 | 43.9 | 14.8 | 41.0 | 35.8 | **1,831.1** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 5.0 | 7.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **681.0** |
| H2O | 1955 | 3.2 | 6.8 | 7.4 | 1.1 | 3.0 | 18.1 | 1.7 | 18.1 | 23.5 | 23.3 | 7.7 | 3.8 | **244.2** |
| OIL | 1955 | 44.7 | 40.0 | 44.3 | 6.2 | 19.1 | 61.7 | 54.7 | 58.0 | 40.4 | 42.1 | 34.3 | 34.3 | **1,536.6** |
| DAY | 1954 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **365.0** |
| H2O | 1954 | 4.6 | 17.6 | 20.3 | 1.9 | 8.3 | 15.2 | 15.3 | 12.6 | 8.4 | 9.1 | 9.7 | 3.5 | **126.5** |
| OIL | 1954 | 103.3 | 221.8 | 116.3 | 99.0 | 69.4 | 84.4 | 67.2 | 59.8 | 60.1 | 56.9 | 60.4 | 58.2 | **1,056.8** |

Licence ***364*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-33-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,747.0** |
| H2O | 1975 | 0.0 | 4.1 | 0.0 | 4.6 | 0.0 | 0.0 | 4.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,120.1** |
| OIL | 1975 | 24.3 | 22.2 | 24.5 | 23.0 | 23.7 | 23.2 | 25.1 | 24.0 | 23.4 | 24.3 | 23.5 | 24.2 | **9,168.6** |
| DAY | 1974 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,382.0** |
| H2O | 1974 | 4.9 | 0.0 | 0.0 | 0.0 | 4.8 | 0.0 | 4.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,106.6** |
| OIL | 1974 | 24.5 | 20.3 | 24.9 | 23.2 | 23.7 | 23.8 | 23.8 | 22.4 | 24.3 | 24.3 | 25.1 | 24.3 | **8,883.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 2.0 | 30.0 | 31.0 | **7,019.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 4.4 | 4.6 | 4.6 | 4.8 | 0.0 | 4.6 | 0.3 | 4.4 | 0.0 | **2,092.5** |
| OIL | 1973 | 29.2 | 29.2 | 36.9 | 39.4 | 42.0 | 28.0 | 28.1 | 30.7 | 23.4 | 1.3 | 23.0 | 25.1 | **8,598.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,684.0** |
| H2O | 1972 | 19.9 | 8.4 | 8.9 | 9.1 | 4.6 | 4.6 | 4.6 | 23.5 | 4.4 | 4.8 | 4.1 | 9.7 | **2,064.8** |
| OIL | 1972 | 24.6 | 18.8 | 19.5 | 18.0 | 29.1 | 23.2 | 23.0 | 22.7 | 21.5 | 24.6 | 31.1 | 29.2 | **8,262.3** |
| DAY | 1971 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | 29.0 | 27.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **6,319.0** |
| H2O | 1971 | 10.5 | 5.7 | 6.7 | 9.5 | 9.9 | 9.1 | 7.9 | 8.7 | 4.4 | 8.6 | 8.4 | 5.6 | **1,958.2** |
| OIL | 1971 | 23.0 | 5.6 | 19.1 | 23.7 | 23.0 | 19.7 | 17.8 | 32.9 | 27.8 | 28.8 | 20.0 | 24.3 | **7,977.0** |
| DAY | 1970 | 27.0 | 28.0 | 28.0 | 6.0 | 27.0 | 30.0 | 30.0 | 30.0 | 0.0 | 20.0 | 30.0 | 31.0 | **5,969.0** |
| H2O | 1970 | 4.8 | 8.9 | 7.0 | 9.5 | 8.6 | 9.5 | 9.5 | 9.7 | 0.0 | 6.4 | 9.5 | 10.2 | **1,863.2** |
| OIL | 1970 | 23.5 | 32.1 | 22.1 | 15.4 | 36.1 | 34.5 | 32.3 | 29.9 | 0.0 | 19.2 | 43.5 | 23.0 | **7,711.3** |
| DAY | 1969 | 21.0 | 25.0 | 31.0 | 30.0 | 19.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,682.0** |
| H2O | 1969 | 6.7 | 7.9 | 10.2 | 8.9 | 9.9 | 9.5 | 9.9 | 9.9 | 9.5 | 9.9 | 9.5 | 9.9 | **1,769.6** |
| OIL | 1969 | 35.0 | 33.5 | 42.4 | 36.4 | 21.9 | 32.1 | 32.7 | 32.7 | 29.1 | 31.6 | 29.6 | 31.6 | **7,399.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 25.0 | 31.0 | 28.0 | 31.0 | 25.0 | 17.0 | **5,342.0** |

# Manitoba Production
## 1950 To 1975

Licence ***364*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-33-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1968 | 4.1 | 3.0 | 13.4 | 7.5 | 11.6 | 0.0 | 15.1 | 8.1 | 8.3 | 9.9 | 4.8 | 3.2 | **1,657.9** |
| OIL | 1968 | 27.8 | 29.6 | 20.5 | 22.9 | 11.9 | 20.3 | 50.2 | 32.9 | 30.8 | 27.7 | 14.3 | 36.7 | **7,011.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,005.0** |
| H2O | 1967 | 2.2 | 6.5 | 5.2 | 11.0 | 4.1 | 6.4 | 5.4 | 11.9 | 7.2 | 5.1 | 3.0 | 3.5 | **1,568.9** |
| OIL | 1967 | 29.6 | 22.7 | 26.9 | 18.1 | 29.2 | 25.1 | 24.9 | 23.8 | 23.8 | 28.3 | 27.8 | 28.6 | **6,685.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,640.0** |
| H2O | 1966 | 6.2 | 5.4 | 6.0 | 3.7 | 12.6 | 5.1 | 7.5 | 8.6 | 3.7 | 6.8 | 2.7 | 5.4 | **1,497.4** |
| OIL | 1966 | 27.8 | 32.6 | 23.8 | 28.0 | 25.1 | 25.7 | 30.0 | 27.3 | 26.5 | 24.8 | 28.1 | 35.6 | **6,376.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 25.0 | 24.0 | 30.0 | 31.0 | 30.0 | 29.0 | **4,276.0** |
| H2O | 1965 | 3.2 | 7.0 | 20.0 | 7.0 | 13.7 | 0.8 | 4.5 | 0.0 | 10.5 | 7.0 | 11.3 | 6.4 | **1,423.7** |
| OIL | 1965 | 30.7 | 24.2 | 24.6 | 28.9 | 20.0 | 31.8 | 23.5 | 5.2 | 28.0 | 31.3 | 28.3 | 24.9 | **6,041.4** |
| DAY | 1964 | 27.0 | 26.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **3,927.0** |
| H2O | 1964 | 8.7 | 4.3 | 9.4 | 2.1 | 10.3 | 5.4 | 7.8 | 10.7 | 5.6 | 5.1 | 3.0 | 9.2 | **1,332.3** |
| OIL | 1964 | 29.4 | 30.8 | 31.1 | 28.9 | 29.1 | 28.0 | 27.2 | 27.7 | 28.1 | 29.7 | 21.5 | 34.2 | **5,740.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,574.0** |
| H2O | 1963 | 1.7 | 7.9 | 10.0 | 6.5 | 9.7 | 13.7 | 10.5 | 9.5 | 9.5 | 15.9 | 7.0 | 10.8 | **1,250.7** |
| OIL | 1963 | 31.1 | 25.9 | 42.3 | 28.4 | 33.7 | 28.8 | 34.3 | 24.0 | 22.9 | 36.4 | 27.5 | 35.4 | **5,394.3** |
| DAY | 1962 | 31.0 | 27.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 23.0 | 30.0 | 31.0 | **3,209.0** |
| H2O | 1962 | 10.0 | 4.9 | 11.9 | 16.2 | 6.5 | 12.4 | 2.1 | 7.5 | 5.9 | 1.9 | 5.9 | 9.7 | **1,138.0** |
| OIL | 1962 | 37.0 | 31.6 | 37.5 | 25.3 | 37.7 | 31.3 | 33.2 | 38.3 | 31.5 | 28.0 | 43.1 | 35.9 | **5,023.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,855.0** |
| H2O | 1961 | 9.4 | 12.4 | 9.4 | 9.4 | 15.3 | 12.1 | 14.3 | 11.6 | 3.5 | 6.0 | 12.6 | 5.6 | **1,043.1** |
| OIL | 1961 | 40.4 | 39.3 | 35.9 | 36.2 | 37.8 | 37.7 | 32.1 | 39.1 | 39.1 | 42.4 | 29.6 | 41.5 | **4,613.2** |
| DAY | 1960 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,490.0** |
| H2O | 1960 | 8.4 | 5.7 | 11.9 | 19.4 | 11.6 | 5.4 | 8.1 | 11.6 | 11.0 | 12.9 | 10.5 | 18.1 | **921.5** |
| OIL | 1960 | 39.9 | 29.4 | 57.2 | 44.0 | 48.3 | 45.8 | 37.7 | 43.4 | 40.0 | 37.2 | 44.2 | 32.9 | **4,162.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,125.0** |
| H2O | 1959 | 13.7 | 14.6 | 15.4 | 13.4 | 14.6 | 12.1 | 15.6 | 12.9 | 11.3 | 11.6 | 6.4 | 8.6 | **786.9** |
| OIL | 1959 | 46.1 | 48.5 | 49.1 | 43.7 | 45.6 | 39.1 | 46.2 | 45.3 | 41.6 | 42.4 | 36.5 | 42.1 | **3,662.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,764.0** |
| H2O | 1958 | 27.8 | 22.1 | 20.3 | 19.2 | 18.8 | 19.7 | 18.9 | 17.6 | 17.0 | 17.2 | 12.6 | 14.5 | **636.7** |
| OIL | 1958 | 113.3 | 70.4 | 80.1 | 74.7 | 76.0 | 71.8 | 70.2 | 64.2 | 54.8 | 52.6 | 44.0 | 48.6 | **3,135.9** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 20.0 | 30.0 | 31.0 | **1,402.0** |
| H2O | 1957 | 4.0 | 3.2 | 4.5 | 4.9 | 4.0 | 5.2 | 6.5 | 6.2 | 5.1 | 37.0 | 33.5 | 35.6 | **411.0** |
| OIL | 1957 | 29.7 | 14.1 | 30.0 | 29.7 | 33.5 | 28.9 | 29.2 | 27.3 | 27.5 | 119.0 | 146.7 | 122.4 | **2,315.2** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,055.0** |
| H2O | 1956 | 6.7 | 5.6 | 4.8 | 6.4 | 7.2 | 7.5 | 7.2 | 7.0 | 5.1 | 5.1 | 4.6 | 4.9 | **261.3** |
| OIL | 1956 | 29.9 | 29.7 | 30.0 | 32.7 | 35.3 | 31.3 | 32.7 | 31.9 | 30.4 | 31.0 | 29.7 | 20.7 | **1,677.2** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **690.0** |
| H2O | 1955 | 6.2 | 8.4 | 9.2 | 2.2 | 3.5 | 34.0 | 6.5 | 6.0 | 6.7 | 6.8 | 4.3 | 4.5 | **189.2** |
| OIL | 1955 | 44.0 | 38.5 | 42.1 | 42.0 | 40.8 | 34.0 | 34.5 | 31.6 | 30.7 | 30.0 | 26.7 | 34.0 | **1,311.9** |
| DAY | 1954 | 14.0 | 28.0 | 23.0 | 30.0 | 21.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **326.0** |
| H2O | 1954 | 9.2 | 9.9 | 7.5 | 8.3 | 7.0 | 8.4 | 7.6 | 8.4 | 7.3 | 3.2 | 3.3 | 10.8 | **90.9** |
| OIL | 1954 | 114.6 | 141.1 | 85.7 | 71.4 | 60.7 | 72.8 | 66.6 | 62.3 | 53.9 | 56.3 | 46.7 | 50.9 | **883.0** |

Licence ***365*** Well Name ***Crescent Point Tilston Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-32-005-29W1.00*** Field Name ***Tilston*** Pool Name ***Mission Canyon 1 A*** Field Code ***2*** Pool Code ***44A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 23.0 | 0.0 | 0.0 | 0.0 | 23.0 | 30.0 | 30.0 | 30.0 | 28.0 | 19.0 | 14.0 | **4,891.0** |
| H2O | 1975 | 502.9 | 373.0 | 0.0 | 0.0 | 0.0 | 197.5 | 400.6 | 401.9 | 422.9 | 308.4 | 0.0 | 0.0 | **34,346.7** |
| OIL | 1975 | 27.3 | 20.7 | 0.0 | 0.0 | 0.0 | 22.6 | 27.3 | 25.4 | 20.0 | 17.5 | 12.2 | 6.0 | **6,177.5** |

# Manitoba Production
## 1950 To 1975

Licence ***365*** Well Name ***Crescent Point Tilston Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-32-005-29W1.00*** Field Name ***Tilston*** Pool Name ***Mission Canyon 1 A*** Field Code ***2*** Pool Code ***44A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 31.0 | 25.0 | 20.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,663.0** |
| H2O | 1974 | 955.4 | 779.0 | 853.0 | 1157.4 | 839.8 | 679.8 | 639.1 | 606.1 | 578.7 | 594.3 | 567.3 | 548.0 | **31,739.5** |
| OIL | 1974 | 34.4 | 27.8 | 23.1 | 25.0 | 19.7 | 30.5 | 31.5 | 30.7 | 31.2 | 30.8 | 28.1 | 28.1 | **5,998.5** |
| DAY | 1973 | 2.0 | 17.0 | 15.0 | 22.0 | 30.0 | 22.0 | 12.0 | 24.0 | 26.0 | 30.0 | 30.0 | 31.0 | **4,316.0** |
| H2O | 1973 | 38.8 | 227.0 | 376.8 | 524.7 | 585.1 | 524.7 | 349.8 | 734.4 | 826.7 | 906.2 | 920.5 | 951.5 | **22,941.6** |
| OIL | 1973 | 2.2 | 13.5 | 11.9 | 24.5 | 33.3 | 25.4 | 7.3 | 15.3 | 28.9 | 33.3 | 33.3 | 34.4 | **5,657.6** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 30.0 | 26.0 | 31.0 | **4,055.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 231.5 | 381.6 | 392.9 | 601.3 | **15,975.4** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.3 | 30.0 | 28.0 | 34.4 | **5,394.3** |
| DAY | 1971 | 24.0 | 28.0 | 31.0 | 29.0 | 24.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,955.0** |
| H2O | 1971 | 496.0 | 511.9 | 566.8 | 548.5 | 438.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **14,368.1** |
| OIL | 1971 | 34.2 | 26.7 | 24.6 | 23.8 | 15.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,293.6** |
| DAY | 1970 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 22.0 | 30.0 | 24.0 | 30.0 | 26.0 | 18.0 | **3,819.0** |
| H2O | 1970 | 365.0 | 417.8 | 443.6 | 453.1 | 443.6 | 429.3 | 402.2 | 596.2 | 515.1 | 643.9 | 558.0 | 439.6 | **11,806.1** |
| OIL | 1970 | 33.4 | 33.6 | 39.3 | 38.1 | 39.3 | 38.1 | 28.0 | 38.1 | 30.5 | 38.1 | 37.1 | 14.3 | **5,169.0** |
| DAY | 1969 | 21.0 | 0.0 | 0.0 | 0.0 | 22.0 | 23.0 | 0.0 | 18.0 | 26.0 | 27.0 | 30.0 | 31.0 | **3,491.0** |
| H2O | 1969 | 153.6 | 0.0 | 0.0 | 0.0 | 160.9 | 219.4 | 357.7 | 228.9 | 330.7 | 360.6 | 381.6 | 394.3 | **6,098.7** |
| OIL | 1969 | 23.4 | 0.0 | 0.0 | 0.0 | 24.5 | 40.1 | 48.8 | 25.3 | 32.9 | 43.4 | 42.7 | 44.2 | **4,761.1** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 31.0 | 23.0 | 25.0 | 21.0 | 29.0 | **3,293.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 49.3 | 197.1 | 146.3 | 172.3 | 103.3 | 207.5 | **3,511.0** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.6 | 38.1 | 8.9 | 23.7 | 20.0 | 32.3 | **4,435.8** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,156.0** |
| OIL | 1966 | 15.9 | 15.1 | 12.1 | 17.5 | 11.3 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,301.2** |
| DAY | 1965 | 0.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 3.0 | **2,975.0** |
| OIL | 1965 | 8.4 | 7.2 | 7.5 | 26.2 | 21.5 | 8.1 | 8.6 | 10.3 | 15.9 | 11.9 | 8.4 | 8.6 | **4,225.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,669.0** |
| OIL | 1964 | 16.1 | 16.5 | 11.1 | 12.6 | 8.3 | 10.7 | 18.1 | 23.7 | 11.1 | 11.0 | 8.6 | 11.1 | **4,083.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 0.0 | 31.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,303.0** |
| OIL | 1963 | 11.4 | 17.5 | 17.2 | 17.6 | 8.4 | 30.7 | 9.9 | 15.1 | 25.9 | 12.7 | 14.0 | 25.2 | **3,924.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,999.0** |
| OIL | 1962 | 16.7 | 14.5 | 18.3 | 22.7 | 13.5 | 13.5 | 13.5 | 21.6 | 22.3 | 10.5 | 10.7 | 18.8 | **3,718.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 0.0 | 30.0 | 31.0 | **1,727.0** |
| OIL | 1961 | 19.2 | 19.9 | 8.4 | 19.2 | 28.3 | 13.2 | 18.4 | 22.6 | 18.0 | 18.1 | 16.2 | 21.1 | **3,521.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,393.0** |
| OIL | 1960 | 20.0 | 13.5 | 24.8 | 25.4 | 7.0 | 25.6 | 23.2 | 14.6 | 22.1 | 19.9 | 19.2 | 21.6 | **3,299.3** |
| DAY | 1959 | 0.0 | 0.0 | 31.0 | 29.0 | 24.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,027.0** |
| OIL | 1959 | 0.0 | 0.0 | 104.9 | 13.8 | 32.4 | 20.2 | 30.0 | 12.4 | 26.1 | 23.5 | 21.1 | 28.0 | **3,062.4** |
| DAY | 1958 | 10.0 | 5.0 | 10.0 | 8.0 | 6.0 | 7.0 | 6.0 | 5.0 | 7.0 | 0.0 | 21.0 | 0.0 | **730.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.1 | 0.0 | **2,635.2** |
| OIL | 1958 | 16.9 | 15.1 | 16.5 | 20.0 | 20.0 | 23.1 | 17.2 | 15.1 | 7.9 | 0.0 | 49.1 | 0.0 | **2,750.0** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 12.0 | 10.0 | **645.0** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 43.4 | 20.5 | 15.3 | **2,549.1** |
| DAY | 1956 | 30.0 | 29.0 | 31.0 | 30.0 | 22.0 | 28.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | **594.0** |
| H2O | 1956 | 45.3 | 45.8 | 49.3 | 760.3 | 427.5 | 218.6 | 403.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,617.1** |
| OIL | 1956 | 100.5 | 105.3 | 107.5 | 106.0 | 70.4 | 81.9 | 69.0 | 0.0 | 0.0 | 0.0 | 79.2 | 8.7 | **2,469.9** |
| DAY | 1955 | 28.0 | 0.0 | 12.0 | 0.0 | 0.0 | 8.0 | 21.0 | 30.0 | 30.0 | 31.0 | 28.0 | 17.0 | **389.0** |
| H2O | 1955 | 50.0 | 0.0 | 23.0 | 0.0 | 0.0 | 6.4 | 17.0 | 13.8 | 8.7 | 27.0 | 26.7 | 38.8 | **666.8** |
| OIL | 1955 | 106.5 | 0.0 | 49.0 | 0.0 | 0.0 | 15.3 | 72.7 | 67.1 | 87.6 | 95.9 | 75.5 | 63.3 | **1,741.4** |
| DAY | 1954 | 0.0 | 0.0 | 21.0 | 10.0 | 11.0 | 16.0 | 7.0 | 30.0 | 30.0 | 14.0 | 21.0 | 24.0 | **184.0** |
| H2O | 1954 | 0.0 | 0.0 | 36.8 | 11.5 | 74.9 | 51.6 | 6.3 | 94.0 | 60.0 | 33.4 | 50.8 | 36.1 | **455.4** |
| OIL | 1954 | 0.0 | 0.0 | 209.4 | 66.1 | 83.2 | 143.9 | 23.4 | 169.5 | 139.4 | 78.1 | 118.4 | 77.1 | **1,108.5** |

# Manitoba Production
## 1950 To 1975

Licence ***366*** Well Name ***Can-Tex Virden*** Dev ***V*** Mineral Rights ***PORTIONAL***

UWI ***100.03-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 31.0 | 18.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,381.0** |
| H2O | 1974 | 1290.3 | 1186.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **174,926.6** |
| OIL | 1974 | 18.1 | 7.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **22,763.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **6,332.0** |
| H2O | 1973 | 1411.0 | 1276.2 | 1381.9 | 1348.9 | 1387.0 | 1312.5 | 1406.3 | 1387.3 | 1348.7 | 1383.8 | 1365.6 | 1290.5 | **172,450.3** |
| OIL | 1973 | 19.9 | 17.8 | 18.4 | 19.1 | 18.8 | 17.2 | 19.7 | 19.4 | 16.8 | 12.6 | 14.6 | 12.9 | **22,737.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 1.0 | 30.0 | 31.0 | **5,971.0** |
| H2O | 1972 | 1309.4 | 1328.4 | 1350.0 | 1355.1 | 1430.6 | 1375.3 | 1367.5 | 1389.4 | 1376.1 | 1404.8 | 1228.7 | 1338.5 | **156,150.6** |
| OIL | 1972 | 24.2 | 22.6 | 23.2 | 22.1 | 26.7 | 23.5 | 23.0 | 23.0 | 19.2 | 19.4 | 19.4 | 19.7 | **22,530.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,635.0** |
| H2O | 1971 | 1237.9 | 1108.3 | 1211.7 | 1175.3 | 1181.0 | 1235.5 | 1263.3 | 1124.7 | 1028.0 | 1266.7 | 1283.7 | 1285.1 | **139,896.8** |
| OIL | 1971 | 19.1 | 19.4 | 24.0 | 25.6 | 21.0 | 24.5 | 27.2 | 24.6 | 26.1 | 23.4 | 25.7 | 24.2 | **22,264.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 22.0 | 28.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | **5,277.0** |
| H2O | 1970 | 1330.0 | 1185.0 | 1421.1 | 1365.9 | 574.1 | 1107.5 | 1180.8 | 1247.0 | 1241.7 | 1259.4 | 1121.8 | 1186.4 | **125,495.6** |
| OIL | 1970 | 29.2 | 24.5 | 25.9 | 28.3 | 25.3 | 19.1 | 21.8 | 24.0 | 26.2 | 29.1 | 26.7 | 23.2 | **21,979.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 24.0 | 0.0 | 2.0 | 30.0 | 31.0 | **4,926.0** |
| H2O | 1969 | 1987.9 | 1987.9 | 1972.0 | 1598.8 | 2139.7 | 1796.0 | 1818.7 | 1528.7 | 0.0 | 113.5 | 1621.7 | 1423.4 | **111,274.9** |
| OIL | 1969 | 35.2 | 28.2 | 28.8 | 26.6 | 33.1 | 26.8 | 27.7 | 16.8 | 0.0 | 2.2 | 28.4 | 33.4 | **21,676.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **4,627.0** |
| H2O | 1968 | 1765.6 | 1670.7 | 1768.6 | 1879.6 | 2718.4 | 1945.1 | 1971.6 | 1961.0 | 1741.9 | 2009.8 | 1834.1 | 2027.0 | **93,286.6** |
| OIL | 1968 | 34.6 | 31.5 | 34.8 | 37.2 | 45.1 | 42.7 | 40.5 | 30.8 | 24.6 | 37.2 | 36.2 | 34.8 | **21,389.4** |
| DAY | 1967 | 31.0 | 28.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 30.0 | 31.0 | **4,265.0** |
| H2O | 1967 | 427.7 | 288.4 | 29.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 621.7 | 1650.8 | 1922.2 | **69,993.2** |
| OIL | 1967 | 16.0 | 13.3 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.7 | 55.3 | 47.5 | **20,959.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,133.0** |
| H2O | 1966 | 468.2 | 494.5 | 497.5 | 510.4 | 490.3 | 472.4 | 543.1 | 527.2 | 436.4 | 447.4 | 447.1 | 459.6 | **65,053.0** |
| OIL | 1966 | 22.1 | 14.1 | 14.8 | 16.7 | 18.8 | 21.1 | 25.3 | 29.1 | 19.1 | 21.1 | 22.6 | 18.1 | **20,806.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,774.0** |
| H2O | 1965 | 641.8 | 556.1 | 621.0 | 511.9 | 554.4 | 513.2 | 606.5 | 566.9 | 459.0 | 484.3 | 452.0 | 498.9 | **59,258.9** |
| OIL | 1965 | 29.7 | 26.2 | 29.6 | 15.3 | 19.4 | 23.8 | 28.8 | 27.0 | 18.6 | 25.7 | 24.0 | 25.3 | **20,563.7** |
| DAY | 1964 | 31.0 | 29.0 | 20.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,409.0** |
| H2O | 1964 | 649.4 | 604.4 | 389.8 | 712.9 | 721.9 | 641.0 | 642.6 | 527.7 | 576.1 | 758.0 | 658.5 | 627.5 | **52,792.9** |
| OIL | 1964 | 38.1 | 36.5 | 21.5 | 35.1 | 38.5 | 37.3 | 38.9 | 26.1 | 27.7 | 37.8 | 29.4 | 29.2 | **20,270.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,054.0** |
| H2O | 1963 | 668.5 | 617.0 | 678.2 | 599.2 | 728.8 | 656.7 | 620.7 | 620.2 | 660.6 | 648.8 | 629.9 | 639.9 | **45,283.1** |
| OIL | 1963 | 62.5 | 60.9 | 69.6 | 31.8 | 35.8 | 43.4 | 49.4 | 36.7 | 45.8 | 53.4 | 39.9 | 40.8 | **19,874.2** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,689.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 271.1 | 641.4 | 712.9 | 716.2 | 681.1 | 702.6 | 672.4 | 687.5 | **37,514.6** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 62.1 | 103.6 | 82.2 | 63.1 | 60.2 | 62.0 | 77.1 | 69.9 | **19,304.2** |
| DAY | 1961 | 26.0 | 28.0 | 31.0 | 30.0 | 8.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,463.0** |
| H2O | 1961 | 1123.4 | 1222.2 | 1388.2 | 1170.6 | 165.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **32,429.4** |
| OIL | 1961 | 38.5 | 51.8 | 43.2 | 37.8 | 16.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **18,724.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 29.0 | **2,340.0** |
| H2O | 1960 | 622.8 | 610.8 | 796.7 | 1393.4 | 1400.1 | 1336.9 | 1283.2 | 642.5 | 683.0 | 997.5 | 1249.2 | 1055.4 | **27,359.5** |
| OIL | 1960 | 167.5 | 156.4 | 173.7 | 194.0 | 189.7 | 176.2 | 120.5 | 74.7 | 132.1 | 152.1 | 48.3 | 65.0 | **18,536.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,981.0** |
| H2O | 1959 | 407.8 | 377.6 | 463.8 | 486.7 | 500.0 | 479.5 | 499.2 | 580.8 | 641.4 | 664.6 | 644.1 | 665.9 | **15,288.0** |
| OIL | 1959 | 194.5 | 183.4 | 209.6 | 194.3 | 194.5 | 190.4 | 174.6 | 181.3 | 203.1 | 174.2 | 165.7 | 163.5 | **16,886.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 29.0 | 29.0 | **1,616.0** |
| H2O | 1958 | 330.5 | 298.6 | 330.7 | 331.5 | 268.9 | 322.3 | 284.1 | 366.5 | 309.1 | 310.7 | 344.8 | 390.2 | **8,876.6** |
| OIL | 1958 | 174.2 | 160.7 | 177.7 | 153.3 | 202.0 | 206.1 | 201.5 | 168.0 | 182.1 | 203.9 | 126.2 | 164.5 | **14,657.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,257.0** |

# Manitoba Production
## 1950 To 1975

Licence ***366*** Well Name ***Can-Tex Virden*** Dev ***V*** Mineral Rights ***PORTIONAL***

UWI ***100.03-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1957 | 291.7 | 263.4 | 281.9 | 176.9 | 147.2 | 200.6 | 189.3 | 182.8 | 176.8 | 263.0 | 313.3 | 331.0 | **4,988.7** |
| OIL | 1957 | 191.5 | 173.4 | 190.1 | 129.4 | 96.9 | 135.4 | 145.9 | 146.2 | 142.1 | 205.2 | 168.3 | 175.3 | **12,537.2** |
| DAY | 1956 | 8.0 | 21.0 | 31.0 | 16.0 | 15.0 | 25.0 | 26.0 | 27.0 | 30.0 | 29.0 | 30.0 | 31.0 | **895.0** |
| H2O | 1956 | 12.7 | 35.6 | 49.0 | 30.8 | 36.7 | 57.2 | 79.0 | 136.3 | 258.0 | 249.6 | 277.4 | 291.4 | **2,170.8** |
| OIL | 1956 | 82.2 | 131.6 | 185.8 | 97.4 | 169.4 | 283.7 | 295.7 | 286.2 | 169.6 | 160.2 | 182.6 | 192.6 | **10,637.5** |
| DAY | 1955 | 26.0 | 24.0 | 26.0 | 25.0 | 26.0 | 27.0 | 26.0 | 26.0 | 25.0 | 26.0 | 24.0 | 11.0 | **606.0** |
| H2O | 1955 | 35.1 | 31.5 | 34.2 | 33.7 | 35.3 | 36.4 | 39.1 | 51.0 | 60.7 | 75.0 | 49.3 | 28.0 | **657.1** |
| OIL | 1955 | 347.2 | 311.9 | 338.3 | 332.1 | 345.2 | 357.1 | 340.7 | 339.0 | 331.5 | 342.8 | 319.7 | 111.2 | **8,400.5** |
| DAY | 1954 | 25.0 | 28.0 | 30.0 | 26.0 | 17.0 | 26.0 | 28.0 | 26.0 | 24.0 | 27.0 | 29.0 | 28.0 | **314.0** |
| H2O | 1954 | 0.8 | 3.2 | 14.3 | 8.6 | 6.4 | 11.9 | 11.9 | 13.2 | 8.3 | 14.9 | 23.5 | 30.8 | **147.8** |
| OIL | 1954 | 384.7 | 320.0 | 508.5 | 331.6 | 228.5 | 462.1 | 454.3 | 474.7 | 311.8 | 421.1 | 321.3 | 365.2 | **4,583.8** |

Licence ***367*** Well Name ***Enerplus Roselea*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-21-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **925.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 58.2 | 5.4 | 0.0 | 0.0 | 0.0 | 5.6 | 0.0 | 0.0 | **4,280.8** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 7.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,484.3** |
| DAY | 1956 | 31.0 | 14.0 | 19.0 | 5.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 6.0 | 0.0 | **912.0** |
| H2O | 1956 | 238.8 | 74.1 | 105.7 | 24.8 | 171.4 | 397.3 | 185.7 | 176.9 | 174.9 | 173.0 | 40.4 | 0.0 | **4,211.6** |
| OIL | 1956 | 44.8 | 37.8 | 45.1 | 8.1 | 58.5 | 1.6 | 26.5 | 24.6 | 22.9 | 19.9 | 1.1 | 0.0 | **3,476.6** |
| DAY | 1955 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **655.0** |
| H2O | 1955 | 393.2 | 105.4 | 121.0 | 83.0 | 98.2 | 74.1 | 22.4 | 41.7 | 180.3 | 191.1 | 206.8 | 199.5 | **2,448.6** |
| OIL | 1955 | 159.7 | 128.7 | 147.8 | 101.5 | 120.0 | 90.4 | 70.7 | 74.5 | 101.4 | 87.1 | 68.0 | 53.1 | **3,185.7** |
| DAY | 1954 | 2.0 | 5.0 | 29.0 | 29.0 | 16.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **292.0** |
| H2O | 1954 | 0.0 | 0.2 | 18.1 | 37.4 | 14.8 | 67.7 | 60.1 | 145.1 | 137.5 | 76.6 | 90.3 | 84.1 | **731.9** |
| OIL | 1954 | 23.8 | 28.6 | 232.2 | 205.0 | 111.9 | 228.8 | 189.4 | 256.0 | 214.2 | 174.8 | 162.1 | 156.0 | **1,982.8** |

Licence ***369*** Well Name ***Cdn. Sup. Grieve Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-05-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 8.0 | 12.0 | 31.0 | 31.0 | 30.0 | 22.0 | 0.0 | 0.0 | **1,628.0** |
| H2O | 1958 | 0.2 | 0.3 | 0.2 | 0.2 | 0.0 | 7.8 | 8.1 | 6.5 | 4.8 | 0.5 | 0.0 | 0.0 | **375.2** |
| OIL | 1958 | 3.5 | 3.2 | 3.7 | 3.7 | 2.4 | 19.5 | 17.2 | 15.7 | 14.0 | 2.4 | 0.0 | 0.0 | **1,234.9** |
| DAY | 1957 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,374.0** |
| H2O | 1957 | 6.8 | 2.1 | 5.9 | 1.1 | 2.2 | 1.0 | 0.0 | 0.0 | 0.3 | 0.2 | 0.2 | 0.2 | **346.6** |
| OIL | 1957 | 9.1 | 8.4 | 9.4 | 2.7 | 2.5 | 2.4 | 3.2 | 4.3 | 5.4 | 2.5 | 3.7 | 3.8 | **1,149.6** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,020.0** |
| H2O | 1956 | 1.1 | 1.6 | 7.3 | 7.6 | 2.4 | 2.5 | 2.7 | 12.9 | 4.1 | 9.2 | 4.5 | 5.1 | **326.6** |
| OIL | 1956 | 16.4 | 15.4 | 15.4 | 14.8 | 19.5 | 16.0 | 32.1 | 32.3 | 11.8 | 19.9 | 10.3 | 9.1 | **1,092.2** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 16.0 | 5.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **654.0** |
| H2O | 1955 | 7.6 | 16.2 | 17.3 | 2.5 | 5.9 | 14.9 | 9.7 | 14.2 | 1.3 | 0.6 | 1.4 | 0.8 | **265.6** |
| OIL | 1955 | 31.9 | 28.8 | 31.9 | 4.4 | 13.8 | 22.7 | 20.2 | 15.1 | 7.0 | 7.0 | 19.1 | 19.1 | **879.2** |
| DAY | 1954 | 0.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **329.0** |
| H2O | 1954 | 0.0 | 46.1 | 21.0 | 5.1 | 16.1 | 14.0 | 12.1 | 12.9 | 12.4 | 12.2 | 13.0 | 8.3 | **173.2** |
| OIL | 1954 | 0.0 | 131.6 | 83.9 | 71.7 | 50.2 | 61.0 | 48.5 | 43.1 | 42.9 | 40.5 | 43.2 | 41.6 | **658.2** |

Licence ***370*** Well Name ***B.A. Union Roach Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-32-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***370*** Well Name ***B.A. Union Roach Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-32-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 26.0 | 28.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,208.0** |
| H2O | 1964 | 6.8 | 6.0 | 5.2 | 4.6 | 4.8 | 4.8 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,548.9** |
| OIL | 1964 | 19.7 | 7.8 | 8.7 | 5.7 | 5.2 | 5.4 | 4.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,979.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | **3,005.0** |
| H2O | 1963 | 7.0 | 8.7 | 8.4 | 7.8 | 20.5 | 6.7 | 5.7 | 5.6 | 7.6 | 7.8 | 6.2 | 8.1 | **1,511.7** |
| OIL | 1963 | 11.8 | 11.0 | 11.4 | 9.7 | 7.5 | 6.0 | 4.9 | 6.5 | 5.4 | 7.9 | 8.1 | 8.4 | **2,922.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,648.0** |
| H2O | 1962 | 28.8 | 24.6 | 18.9 | 19.7 | 19.7 | 16.7 | 8.4 | 13.2 | 9.1 | 11.8 | 7.9 | 7.2 | **1,411.6** |
| OIL | 1962 | 5.2 | 4.8 | 5.1 | 14.1 | 34.3 | 20.7 | 15.1 | 18.3 | 22.7 | 20.2 | 19.4 | 15.3 | **2,823.9** |
| DAY | 1961 | 30.0 | 26.0 | 30.0 | 29.0 | 30.0 | 29.0 | 30.0 | 30.0 | 27.0 | 30.0 | 29.0 | 31.0 | **2,290.0** |
| H2O | 1961 | 15.3 | 15.7 | 14.8 | 17.3 | 18.6 | 16.7 | 21.9 | 19.9 | 18.8 | 20.4 | 21.1 | 26.2 | **1,225.6** |
| OIL | 1961 | 15.1 | 12.7 | 14.0 | 10.5 | 9.2 | 8.6 | 10.2 | 8.4 | 7.6 | 6.4 | 5.6 | 7.2 | **2,628.7** |
| DAY | 1960 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 28.0 | 30.0 | 30.0 | 21.0 | 18.0 | 28.0 | 31.0 | **1,939.0** |
| H2O | 1960 | 15.9 | 19.1 | 30.5 | 34.0 | 24.3 | 15.7 | 18.9 | 14.9 | 13.2 | 16.7 | 21.8 | 21.5 | **998.9** |
| OIL | 1960 | 16.7 | 12.4 | 13.2 | 12.6 | 13.4 | 12.2 | 11.1 | 12.4 | 10.0 | 18.4 | 14.8 | 18.1 | **2,513.2** |
| DAY | 1959 | 15.0 | 3.0 | 27.0 | 18.0 | 29.0 | 30.0 | 31.0 | 26.0 | 29.0 | 31.0 | 29.0 | 30.0 | **1,604.0** |
| H2O | 1959 | 2.4 | 0.5 | 9.1 | 23.2 | 44.8 | 25.6 | 23.1 | 19.1 | 19.2 | 17.6 | 14.8 | 14.1 | **752.4** |
| OIL | 1959 | 6.7 | 1.0 | 20.4 | 19.6 | 34.8 | 18.1 | 16.7 | 12.1 | 12.9 | 11.9 | 9.4 | 16.2 | **2,347.9** |
| DAY | 1958 | 30.0 | 27.0 | 30.0 | 29.0 | 30.0 | 29.0 | 29.0 | 31.0 | 30.0 | 23.0 | 25.0 | 31.0 | **1,306.0** |
| H2O | 1958 | 14.1 | 12.9 | 14.3 | 21.3 | 23.8 | 17.8 | 15.3 | 9.9 | 9.5 | 4.0 | 6.5 | 4.9 | **538.9** |
| OIL | 1958 | 19.4 | 17.5 | 19.1 | 16.9 | 17.2 | 15.3 | 11.8 | 19.4 | 15.6 | 11.4 | 17.8 | 15.3 | **2,168.1** |
| DAY | 1957 | 31.0 | 27.0 | 30.0 | 19.0 | 31.0 | 29.0 | 30.0 | 31.0 | 29.0 | 28.0 | 29.0 | 30.0 | **962.0** |
| H2O | 1957 | 14.3 | 10.2 | 9.5 | 12.1 | 19.7 | 18.4 | 19.1 | 14.8 | 9.5 | 8.9 | 9.2 | 9.5 | **384.6** |
| OIL | 1957 | 34.7 | 12.9 | 14.3 | 24.2 | 29.4 | 27.5 | 28.3 | 24.5 | 22.9 | 22.3 | 23.2 | 19.9 | **1,971.4** |
| DAY | 1956 | 31.0 | 14.0 | 29.0 | 26.0 | 28.0 | 29.0 | 31.0 | 8.0 | 15.0 | 22.0 | 14.0 | 31.0 | **618.0** |
| H2O | 1956 | 4.1 | 3.0 | 4.1 | 1.7 | 3.2 | 1.3 | 0.6 | 12.1 | 18.9 | 28.9 | 11.8 | 13.4 | **229.4** |
| OIL | 1956 | 36.6 | 9.9 | 57.1 | 29.6 | 39.3 | 22.9 | 23.4 | 2.7 | 16.9 | 25.0 | 12.2 | 13.5 | **1,687.3** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | **340.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.9 | 4.9 | 5.6 | 5.1 | 10.5 | 7.8 | **126.3** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 104.8 | 60.3 | 55.2 | 48.0 | 48.3 | 43.2 | **1,398.2** |
| DAY | 1954 | 0.0 | 23.0 | 27.0 | 25.0 | 20.0 | 27.0 | 21.0 | 23.0 | 0.0 | 0.0 | 0.0 | 0.0 | **166.0** |
| H2O | 1954 | 0.0 | 0.6 | 8.7 | 15.1 | 14.8 | 14.8 | 13.8 | 9.7 | 0.0 | 0.0 | 0.0 | 0.0 | **77.5** |
| OIL | 1954 | 0.0 | 272.0 | 217.8 | 139.6 | 129.7 | 108.6 | 100.6 | 70.1 | 0.0 | 0.0 | 0.0 | 0.0 | **1,038.4** |

Licence ***371*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-02-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1961 | 17.0 | 24.0 | 15.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,544.0** |
| H2O | 1961 | 51.8 | 645.3 | 388.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,228.0** |
| OIL | 1961 | 41.5 | 13.2 | 35.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **12,447.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,488.0** |
| OIL | 1960 | 86.4 | 67.2 | 84.5 | 80.7 | 83.3 | 79.9 | 81.5 | 82.2 | 74.1 | 79.3 | 73.6 | 76.4 | **12,357.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,126.0** |
| OIL | 1959 | 104.7 | 94.1 | 102.3 | 99.2 | 100.1 | 93.8 | 89.3 | 88.7 | 86.0 | 85.3 | 81.8 | 88.2 | **11,408.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,764.0** |
| OIL | 1958 | 128.4 | 111.9 | 126.5 | 118.4 | 124.9 | 120.1 | 121.9 | 117.8 | 111.4 | 111.6 | 107.3 | 107.9 | **10,294.8** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,399.0** |
| H2O | 1957 | 5.6 | 5.9 | 3.7 | 2.7 | 3.8 | 5.4 | 6.7 | 5.1 | 4.3 | 0.5 | 0.8 | 0.0 | **142.0** |
| OIL | 1957 | 150.0 | 135.4 | 148.6 | 143.2 | 147.0 | 141.6 | 142.1 | 136.5 | 130.3 | 130.9 | 128.1 | 130.0 | **8,886.7** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,035.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 0.2 | 0.0 | 0.8 | 11.3 | 9.1 | 4.5 | **97.5** |

# Manitoba Production
## 1950 To 1975

Licence ***371*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-02-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1956 | 188.9 | 172.7 | 182.6 | 175.3 | 175.8 | 167.3 | 170.7 | 170.0 | 162.2 | 150.5 | 149.5 | 151.9 | **7,223.0** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 26.0 | 30.0 | 31.0 | **670.0** |
| H2O | 1955 | 0.8 | 0.6 | 0.6 | 0.0 | 0.8 | 1.0 | 1.0 | 0.5 | 1.7 | 0.0 | 0.0 | 0.0 | **71.4** |
| OIL | 1955 | 239.5 | 205.8 | 222.0 | 208.8 | 209.6 | 186.2 | 191.5 | 195.9 | 193.7 | 177.3 | 187.4 | 192.8 | **5,205.6** |
| DAY | 1954 | 0.0 | 25.0 | 31.0 | 27.0 | 18.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **311.0** |
| H2O | 1954 | 0.0 | 8.3 | 0.5 | 4.8 | 0.8 | 0.0 | 10.5 | 36.2 | 1.7 | 0.5 | 1.1 | 0.0 | **64.4** |
| OIL | 1954 | 0.0 | 336.9 | 372.2 | 267.3 | 171.5 | 197.0 | 169.4 | 254.7 | 265.5 | 269.4 | 247.9 | 243.3 | **2,795.1** |

Licence ***372*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-11-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,830.0** |
| H2O | 1975 | 44.5 | 41.2 | 46.1 | 44.7 | 46.3 | 43.4 | 44.5 | 43.7 | 43.1 | 46.3 | 46.4 | 47.2 | **2,912.6** |
| OIL | 1975 | 39.1 | 35.1 | 38.8 | 36.7 | 37.3 | 35.6 | 41.3 | 41.5 | 40.2 | 41.5 | 40.0 | 40.8 | **13,616.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 24.0 | 23.0 | 30.0 | 31.0 | **7,466.0** |
| H2O | 1974 | 9.4 | 8.4 | 9.5 | 9.4 | 9.9 | 9.9 | 10.0 | 52.3 | 40.7 | 39.7 | 44.2 | 44.4 | **2,375.2** |
| OIL | 1974 | 40.8 | 35.3 | 40.2 | 38.6 | 40.2 | 39.1 | 40.2 | 48.3 | 36.7 | 35.9 | 38.3 | 39.6 | **13,148.7** |
| DAY | 1973 | 30.0 | 27.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,115.0** |
| H2O | 1973 | 19.7 | 18.9 | 20.3 | 20.5 | 9.9 | 9.7 | 9.7 | 10.3 | 10.3 | 10.3 | 9.9 | 9.4 | **2,087.4** |
| OIL | 1973 | 21.3 | 18.8 | 20.8 | 20.3 | 38.5 | 38.6 | 39.4 | 42.3 | 40.4 | 41.0 | 39.3 | 39.7 | **12,675.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 27.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 0.0 | 27.0 | 30.0 | **6,755.0** |
| H2O | 1972 | 25.6 | 13.0 | 14.3 | 11.1 | 12.7 | 14.1 | 15.1 | 18.6 | 19.1 | 0.0 | 18.6 | 20.2 | **1,928.5** |
| OIL | 1972 | 34.3 | 28.0 | 30.5 | 25.6 | 28.0 | 38.9 | 38.8 | 34.5 | 34.0 | 0.0 | 30.5 | 34.3 | **12,275.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,431.0** |
| H2O | 1971 | 12.6 | 11.3 | 17.0 | 17.2 | 17.2 | 17.2 | 8.1 | 7.8 | 7.0 | 7.8 | 85.7 | 27.2 | **1,746.1** |
| OIL | 1971 | 52.9 | 46.9 | 42.9 | 40.7 | 41.6 | 40.5 | 35.9 | 35.3 | 34.8 | 36.1 | 34.0 | 34.8 | **11,917.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **6,066.0** |
| H2O | 1970 | 14.1 | 13.2 | 13.8 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.9 | 39.7 | 43.2 | 48.2 | **1,510.0** |
| OIL | 1970 | 46.7 | 42.3 | 46.1 | 35.0 | 36.2 | 33.5 | 36.7 | 36.1 | 39.6 | 49.7 | 57.0 | 59.9 | **11,441.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 12.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,706.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.4 | 14.6 | 14.6 | 13.8 | 14.9 | 13.4 | 14.6 | **1,316.9** |
| OIL | 1969 | 76.4 | 67.5 | 74.5 | 72.8 | 24.6 | 41.8 | 43.2 | 43.1 | 41.8 | 48.3 | 46.2 | 48.5 | **10,922.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,360.0** |
| H2O | 1968 | 26.2 | 24.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,217.6** |
| OIL | 1968 | 72.6 | 66.6 | 75.6 | 72.5 | 75.3 | 74.2 | 76.6 | 76.4 | 72.8 | 77.4 | 74.2 | 77.1 | **10,293.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | **4,994.0** |
| H2O | 1967 | 0.0 | 0.0 | 1.3 | 0.0 | 0.0 | 0.0 | 25.9 | 34.8 | 26.2 | 28.1 | 25.0 | 22.6 | **1,166.6** |
| OIL | 1967 | 94.7 | 84.1 | 79.1 | 82.2 | 84.5 | 81.2 | 72.8 | 72.0 | 69.4 | 73.4 | 71.5 | 60.4 | **9,402.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,634.0** |
| H2O | 1966 | 19.6 | 15.7 | 19.9 | 15.3 | 17.5 | 34.8 | 34.2 | 19.6 | 21.1 | 21.6 | 0.0 | 0.0 | **1,002.7** |
| OIL | 1966 | 171.5 | 151.0 | 167.2 | 118.2 | 125.1 | 113.6 | 117.6 | 105.2 | 102.5 | 106.0 | 90.6 | 95.0 | **8,477.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | **4,269.0** |
| H2O | 1965 | 5.4 | 4.8 | 4.0 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 4.6 | 4.8 | 12.9 | **783.4** |
| OIL | 1965 | 46.4 | 42.4 | 38.6 | 49.9 | 50.4 | 50.5 | 52.6 | 33.8 | 32.1 | 52.4 | 49.7 | 86.9 | **7,013.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,909.0** |
| H2O | 1964 | 3.8 | 3.5 | 0.0 | 0.0 | 5.2 | 3.8 | 3.7 | 3.7 | 4.8 | 4.9 | 1.3 | 5.4 | **725.9** |
| OIL | 1964 | 28.8 | 27.2 | 29.4 | 28.3 | 33.8 | 28.0 | 28.8 | 34.0 | 43.2 | 43.9 | 28.1 | 30.4 | **6,428.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,543.0** |
| H2O | 1963 | 6.2 | 8.3 | 8.3 | 7.9 | 0.0 | 0.0 | 0.0 | 0.0 | 1.9 | 5.4 | 3.8 | 3.7 | **685.8** |
| OIL | 1963 | 28.8 | 23.7 | 31.5 | 31.0 | 16.0 | 17.3 | 26.5 | 24.0 | 28.4 | 28.3 | 26.9 | 27.7 | **6,044.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,179.0** |

# Manitoba Production
## 1950 To 1975

Licence ***372*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-11-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1962 | 13.7 | 12.1 | 13.2 | 12.6 | 15.6 | 7.3 | 9.5 | 10.7 | 6.7 | 9.2 | 8.9 | 9.9 | **640.3** |
| OIL | 1962 | 18.8 | 16.4 | 18.0 | 17.6 | 18.4 | 23.7 | 23.5 | 24.3 | 21.5 | 28.6 | 29.6 | 30.7 | **5,734.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,814.0** |
| H2O | 1961 | 1.3 | 1.0 | 1.1 | 1.1 | 1.1 | 11.1 | 20.2 | 18.3 | 13.7 | 14.6 | 14.1 | 14.3 | **510.9** |
| OIL | 1961 | 20.0 | 16.7 | 18.8 | 15.4 | 17.8 | 16.5 | 16.5 | 20.5 | 20.3 | 19.5 | 17.0 | 18.6 | **5,462.9** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,449.0** |
| H2O | 1960 | 3.2 | 3.7 | 3.8 | 2.4 | 1.1 | 1.0 | 1.0 | 1.0 | 1.0 | 1.4 | 1.6 | 1.3 | **399.0** |
| OIL | 1960 | 20.8 | 18.6 | 20.7 | 25.1 | 24.6 | 20.5 | 19.1 | 17.5 | 16.5 | 17.5 | 18.8 | 19.9 | **5,245.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,084.0** |
| H2O | 1959 | 3.7 | 5.7 | 5.9 | 4.0 | 4.9 | 4.1 | 2.9 | 3.0 | 2.9 | 2.1 | 2.4 | 3.5 | **376.5** |
| OIL | 1959 | 14.9 | 13.5 | 12.7 | 27.5 | 31.6 | 27.3 | 18.9 | 20.2 | 21.0 | 16.2 | 14.6 | 16.5 | **5,005.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,720.0** |
| H2O | 1958 | 1.1 | 0.8 | 0.0 | 0.2 | 1.1 | 2.4 | 2.4 | 11.0 | 11.4 | 10.6 | 8.3 | 4.0 | **331.4** |
| OIL | 1958 | 28.4 | 26.1 | 27.0 | 26.7 | 27.8 | 17.5 | 18.8 | 22.7 | 22.1 | 21.9 | 18.3 | 16.2 | **4,770.8** |
| DAY | 1957 | 31.0 | 27.0 | 28.0 | 27.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,356.0** |
| H2O | 1957 | 6.5 | 5.6 | 5.2 | 5.9 | 0.3 | 6.7 | 7.3 | 0.2 | 0.2 | 1.3 | 1.3 | 1.3 | **278.1** |
| OIL | 1957 | 53.2 | 45.6 | 46.6 | 45.9 | 41.2 | 49.3 | 42.7 | 32.6 | 32.9 | 33.4 | 30.4 | 31.3 | **4,497.3** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,002.0** |
| H2O | 1956 | 5.6 | 5.4 | 5.9 | 13.0 | 5.7 | 7.6 | 7.9 | 5.4 | 7.8 | 7.3 | 7.2 | 7.6 | **236.3** |
| OIL | 1956 | 81.2 | 73.4 | 75.2 | 68.0 | 55.5 | 48.0 | 49.6 | 51.6 | 56.1 | 62.0 | 56.1 | 58.5 | **4,012.2** |
| DAY | 1955 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **641.0** |
| H2O | 1955 | 6.7 | 7.5 | 8.6 | 8.4 | 7.0 | 6.7 | 10.0 | 14.0 | 15.1 | 16.9 | 9.7 | 7.3 | **149.9** |
| OIL | 1955 | 161.9 | 142.7 | 163.4 | 160.0 | 145.2 | 127.3 | 128.6 | 82.2 | 79.8 | 83.7 | 77.7 | 75.2 | **3,277.0** |
| DAY | 1954 | 0.0 | 1.0 | 31.0 | 23.0 | 16.0 | 29.0 | 30.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | **277.0** |
| H2O | 1954 | 0.0 | 0.0 | 2.5 | 1.1 | 1.4 | 4.5 | 4.1 | 5.7 | 4.8 | 1.3 | 3.3 | 3.3 | **32.0** |
| OIL | 1954 | 0.0 | 1.7 | 162.9 | 77.1 | 93.4 | 256.0 | 235.5 | 234.9 | 190.9 | 212.6 | 195.0 | 189.3 | **1,849.3** |

Licence ***374*** Well Name ***Owen Bekker East Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-32-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 20.0 | 20.0 | 22.0 | 19.0 | 31.0 | 30.0 | 31.0 | 29.0 | 18.0 | 0.0 | 0.0 | 0.0 | **1,094.0** |
| H2O | 1957 | 9.6 | 3.3 | 10.6 | 9.1 | 14.6 | 14.7 | 14.8 | 13.8 | 8.6 | 0.0 | 0.0 | 0.0 | **1,518.6** |
| OIL | 1957 | 17.6 | 6.3 | 19.2 | 14.3 | 13.5 | 13.5 | 13.5 | 12.7 | 7.9 | 0.0 | 0.0 | 0.0 | **1,904.1** |
| DAY | 1956 | 24.0 | 16.0 | 25.0 | 26.0 | 24.0 | 24.0 | 31.0 | 30.0 | 24.0 | 7.0 | 24.0 | 22.0 | **874.0** |
| H2O | 1956 | 14.8 | 7.6 | 11.9 | 14.6 | 11.4 | 16.5 | 14.8 | 15.3 | 11.4 | 3.3 | 11.4 | 10.5 | **1,419.5** |
| OIL | 1956 | 22.7 | 14.0 | 22.4 | 20.0 | 21.1 | 15.9 | 27.7 | 25.4 | 21.0 | 6.2 | 21.5 | 18.0 | **1,785.6** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **597.0** |
| H2O | 1955 | 47.7 | 37.0 | 39.3 | 21.3 | 14.5 | 14.5 | 21.9 | 18.3 | 14.3 | 14.8 | 14.3 | 14.8 | **1,276.0** |
| OIL | 1955 | 74.5 | 57.8 | 47.5 | 45.1 | 43.5 | 37.0 | 32.1 | 35.9 | 28.9 | 25.7 | 32.4 | 35.8 | **1,549.7** |
| DAY | 1954 | 0.0 | 0.0 | 8.0 | 12.0 | 7.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **236.0** |
| H2O | 1954 | 0.0 | 0.0 | 40.4 | 39.7 | 17.6 | 186.0 | 226.5 | 201.9 | 98.4 | 74.1 | 64.0 | 54.7 | **1,003.3** |
| OIL | 1954 | 0.0 | 0.0 | 43.4 | 119.0 | 41.2 | 146.5 | 154.6 | 146.4 | 116.6 | 107.3 | 92.8 | 85.7 | **1,053.5** |

Licence ***375*** Well Name ***Enerplus Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-33-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,912.0** |
| H2O | 1959 | 3.7 | 4.0 | 4.1 | 4.5 | 4.3 | 3.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **535.6** |
| OIL | 1959 | 8.6 | 8.7 | 9.1 | 11.4 | 11.1 | 9.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,019.7** |
| DAY | 1958 | 31.0 | 28.0 | 29.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **1,732.0** |
| H2O | 1958 | 3.5 | 2.9 | 5.7 | 4.9 | 4.9 | 5.6 | 5.4 | 5.2 | 4.9 | 4.0 | 3.3 | 3.8 | **511.6** |

# Manitoba Production
## 1950 To 1975

Licence ***375*** Well Name ***Enerplus Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-33-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1958 | 4.9 | 3.0 | 8.7 | 7.0 | 6.4 | 6.7 | 6.5 | 6.0 | 5.1 | 8.3 | 7.9 | 8.9 | **961.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 28.0 | 30.0 | 31.0 | **1,376.0** |
| H2O | 1957 | 2.1 | 1.6 | 1.7 | 2.4 | 5.1 | 2.5 | 3.2 | 3.2 | 2.4 | 7.0 | 4.6 | 5.1 | **457.5** |
| OIL | 1957 | 13.0 | 6.2 | 13.0 | 12.9 | 5.7 | 12.6 | 12.7 | 11.8 | 10.6 | 7.2 | 6.5 | 5.4 | **882.2** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,017.0** |
| H2O | 1956 | 5.4 | 4.5 | 3.7 | 1.6 | 3.7 | 3.8 | 3.5 | 3.5 | 2.7 | 2.5 | 2.5 | 2.7 | **416.6** |
| OIL | 1956 | 19.9 | 19.7 | 19.9 | 14.8 | 15.4 | 13.7 | 14.3 | 13.8 | 13.0 | 13.5 | 13.0 | 9.1 | **764.6** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **651.0** |
| H2O | 1955 | 12.6 | 28.9 | 31.3 | 17.8 | 19.6 | 0.2 | 22.9 | 4.8 | 5.2 | 5.4 | 3.7 | 3.5 | **376.5** |
| OIL | 1955 | 22.4 | 19.4 | 20.8 | 20.8 | 19.5 | 22.7 | 22.9 | 21.1 | 20.5 | 19.9 | 18.3 | 22.7 | **584.5** |
| DAY | 1954 | 0.0 | 0.0 | 19.0 | 30.0 | 26.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **286.0** |
| H2O | 1954 | 0.0 | 0.0 | 20.8 | 10.2 | 37.7 | 28.5 | 26.9 | 29.6 | 29.6 | 11.4 | 5.7 | 20.2 | **220.6** |
| OIL | 1954 | 0.0 | 0.0 | 53.6 | 67.5 | 37.7 | 28.4 | 26.9 | 24.2 | 24.2 | 23.7 | 22.7 | 24.6 | **333.5** |

Licence ***376*** Well Name ***B.A. Union Roach Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-32-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 0.0 | 0.0 | 0.0 | **395.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.5 | 0.0 | 0.0 | 0.0 | **298.4** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.1 | 0.0 | 0.0 | 0.0 | **4,003.1** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 13.0 | 1.0 | 5.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | **387.0** |
| H2O | 1955 | 54.2 | 72.3 | 79.8 | 5.9 | 0.5 | 14.5 | 0.0 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | **283.9** |
| OIL | 1955 | 96.0 | 117.6 | 126.5 | 7.6 | 0.5 | 14.1 | 0.0 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | **3,989.0** |
| DAY | 1954 | 0.0 | 20.0 | 21.0 | 30.0 | 15.0 | 29.0 | 30.0 | 25.0 | 26.0 | 25.0 | 26.0 | 30.0 | **277.0** |
| H2O | 1954 | 0.0 | 0.6 | 0.8 | 0.6 | 0.6 | 1.0 | 1.1 | 0.6 | 0.8 | 0.6 | 3.7 | 43.6 | **54.0** |
| OIL | 1954 | 0.0 | 294.0 | 259.0 | 420.5 | 283.2 | 487.9 | 411.3 | 329.9 | 439.9 | 264.4 | 210.9 | 224.1 | **3,625.1** |

Licence ***377*** Well Name ***Cdn. Sup. Grieve Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-05-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 23.0 | 0.0 | 0.0 | **1,667.0** |
| H2O | 1958 | 3.8 | 5.2 | 2.9 | 1.0 | 6.4 | 3.0 | 1.1 | 0.6 | 0.3 | 0.6 | 0.0 | 0.0 | **362.6** |
| OIL | 1958 | 7.0 | 6.4 | 7.5 | 7.3 | 8.9 | 7.3 | 4.3 | 5.2 | 4.6 | 2.8 | 0.0 | 0.0 | **995.8** |
| DAY | 1957 | 24.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,371.0** |
| H2O | 1957 | 2.2 | 0.6 | 6.7 | 3.8 | 8.9 | 2.7 | 1.4 | 0.3 | 3.3 | 5.2 | 2.2 | 2.1 | **337.7** |
| OIL | 1957 | 9.1 | 8.4 | 9.4 | 10.8 | 10.0 | 11.9 | 16.0 | 12.7 | 16.2 | 15.1 | 14.5 | 7.9 | **934.5** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,013.0** |
| H2O | 1956 | 4.3 | 4.9 | 1.6 | 3.8 | 1.6 | 8.7 | 13.4 | 9.7 | 9.9 | 5.1 | 2.7 | 4.1 | **298.3** |
| OIL | 1956 | 16.5 | 15.6 | 15.6 | 14.9 | 19.5 | 16.0 | 32.1 | 32.3 | 13.7 | 29.7 | 10.3 | 9.1 | **792.5** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 15.0 | 5.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **647.0** |
| H2O | 1955 | 6.7 | 14.1 | 15.3 | 2.4 | 3.3 | 16.9 | 22.6 | 8.4 | 7.6 | 2.9 | 11.6 | 5.9 | **228.5** |
| OIL | 1955 | 18.8 | 16.8 | 18.6 | 2.5 | 7.9 | 25.9 | 22.9 | 19.4 | 15.9 | 15.9 | 19.1 | 19.1 | **567.2** |
| DAY | 1954 | 0.0 | 17.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **323.0** |
| H2O | 1954 | 0.0 | 19.7 | 14.6 | 12.1 | 10.0 | 8.9 | 8.4 | 7.5 | 7.5 | 7.2 | 7.6 | 7.3 | **110.8** |
| OIL | 1954 | 0.0 | 56.7 | 48.9 | 41.6 | 29.2 | 35.4 | 28.3 | 25.1 | 25.3 | 24.0 | 25.4 | 24.5 | **364.4** |

Licence ***378*** Well Name ***Cdn. Sup. M & H Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-05-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 24.0 | 31.0 | 30.0 | 31.0 | 4.0 | 30.0 | 22.0 | 0.0 | 0.0 | **1,151.0** |

# Manitoba Production
## 1950 To 1975

Licence ***378*** Well Name ***Cdn. Sup. M & H Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-05-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 4.0 | 4.8 | 4.3 | 15.6 | 4.8 | 21.9 | 10.9 | 0.0 | 0.0 | **239.9** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 15.1 | 21.0 | 5.6 | 31.3 | 0.6 | 1.1 | 11.6 | 0.0 | 0.0 | **824.3** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 24.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **979.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 8.7 | 9.1 | 5.9 | 6.4 | 6.0 | 5.9 | 6.4 | 4.8 | 2.4 | **173.6** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 23.5 | 23.7 | 17.2 | 13.8 | 16.2 | 11.6 | 40.8 | 13.0 | 4.9 | **738.0** |
| DAY | 1956 | 31.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 3.0 | 30.0 | 30.0 | 30.0 | 3.0 | **710.0** |
| H2O | 1956 | 2.1 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 7.9 | 0.6 | 1.7 | 1.0 | 12.1 | 11.4 | **118.0** |
| OIL | 1956 | 20.7 | 4.4 | 0.0 | 0.0 | 0.0 | 0.0 | 45.0 | 5.4 | 17.8 | 5.7 | 38.1 | 1.9 | **573.3** |
| DAY | 1955 | 31.0 | 28.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 20.0 | 30.0 | 31.0 | 30.0 | 31.0 | **568.0** |
| H2O | 1955 | 2.9 | 1.3 | 0.0 | 0.0 | 0.0 | 2.4 | 3.5 | 2.1 | 4.8 | 6.5 | 3.2 | 2.5 | **81.0** |
| OIL | 1955 | 14.3 | 6.2 | 0.0 | 0.0 | 0.0 | 11.9 | 17.6 | 20.5 | 47.8 | 35.9 | 27.7 | 21.9 | **434.3** |
| DAY | 1954 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **306.0** |
| H2O | 1954 | 0.0 | 0.0 | 12.1 | 7.2 | 8.3 | 2.5 | 6.0 | 5.1 | 2.4 | 2.4 | 3.3 | 2.5 | **51.8** |
| OIL | 1954 | 0.0 | 0.0 | 44.3 | 47.7 | 27.3 | 21.6 | 20.0 | 16.8 | 11.8 | 11.8 | 16.5 | 12.7 | **230.5** |

Licence ***379*** Well Name ***Gulf Union Grose Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 3.0 | 0.0 | **4,932.0** |
| H2O | 1968 | 334.0 | 338.8 | 250.9 | 276.8 | 305.4 | 276.3 | 261.2 | 272.2 | 242.6 | 248.3 | 25.2 | 0.0 | **41,390.5** |
| OIL | 1968 | 19.5 | 18.4 | 19.1 | 19.1 | 18.9 | 18.6 | 15.3 | 15.4 | 12.9 | 11.4 | 1.0 | 0.0 | **8,404.2** |
| DAY | 1967 | 31.0 | 28.0 | 2.0 | 6.0 | 30.0 | 2.0 | 0.0 | 0.0 | 27.0 | 23.0 | 29.0 | 31.0 | **4,628.0** |
| H2O | 1967 | 478.1 | 511.5 | 33.1 | 86.8 | 494.5 | 29.9 | 0.0 | 0.0 | 449.0 | 281.6 | 338.6 | 334.2 | **38,558.8** |
| OIL | 1967 | 16.7 | 13.3 | 1.0 | 4.3 | 14.6 | 0.8 | 0.0 | 0.0 | 32.1 | 16.0 | 18.6 | 19.1 | **8,234.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,419.0** |
| H2O | 1966 | 677.7 | 507.6 | 504.6 | 498.7 | 439.6 | 497.4 | 528.4 | 513.0 | 502.9 | 486.8 | 488.2 | 504.0 | **35,521.5** |
| OIL | 1966 | 22.7 | 14.0 | 14.8 | 17.0 | 27.0 | 21.5 | 25.4 | 25.5 | 19.2 | 18.4 | 24.2 | 18.3 | **8,098.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,060.0** |
| H2O | 1965 | 628.0 | 555.6 | 615.9 | 619.2 | 731.0 | 704.3 | 706.7 | 605.6 | 681.5 | 560.1 | 369.3 | 571.1 | **29,372.6** |
| OIL | 1965 | 29.7 | 26.5 | 29.7 | 26.5 | 24.5 | 22.1 | 28.1 | 24.8 | 26.4 | 23.4 | 20.8 | 27.3 | **7,850.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 22.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,695.0** |
| H2O | 1964 | 399.5 | 371.1 | 403.8 | 217.0 | 4.5 | 8.4 | 36.4 | 533.9 | 453.3 | 441.5 | 647.4 | 633.7 | **22,024.3** |
| OIL | 1964 | 17.2 | 14.1 | 15.3 | 10.5 | 40.0 | 28.4 | 16.4 | 0.0 | 23.0 | 35.8 | 28.1 | 28.8 | **7,540.3** |
| DAY | 1963 | 31.0 | 2.0 | 3.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,339.0** |
| H2O | 1963 | 225.8 | 13.4 | 25.4 | 411.4 | 422.6 | 429.1 | 428.6 | 349.0 | 453.7 | 434.0 | 391.1 | 426.5 | **17,873.8** |
| OIL | 1963 | 9.4 | 0.6 | 2.9 | 18.1 | 12.2 | 35.9 | 17.6 | 23.8 | 16.2 | 14.9 | 18.0 | 19.5 | **7,282.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,028.0** |
| H2O | 1962 | 430.8 | 325.1 | 341.2 | 320.3 | 262.8 | 171.4 | 423.0 | 453.9 | 386.2 | 265.3 | 147.1 | 122.4 | **13,863.2** |
| OIL | 1962 | 28.9 | 18.3 | 16.8 | 9.7 | 8.9 | 9.5 | 14.0 | 6.4 | 14.6 | 13.7 | 11.9 | 9.9 | **7,093.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,664.0** |
| H2O | 1961 | 36.4 | 48.2 | 58.0 | 62.0 | 122.4 | 446.4 | 446.3 | 383.8 | 445.6 | 462.0 | 442.4 | 443.9 | **10,213.7** |
| OIL | 1961 | 15.4 | 13.3 | 11.1 | 13.3 | 11.9 | 7.8 | 17.5 | 29.4 | 14.8 | 35.8 | 28.6 | 29.6 | **6,931.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 20.0 | **2,299.0** |
| H2O | 1960 | 54.2 | 50.7 | 53.6 | 56.6 | 62.2 | 58.7 | 53.4 | 58.3 | 55.6 | 54.4 | 53.4 | 13.2 | **6,816.3** |
| OIL | 1960 | 21.8 | 23.2 | 26.5 | 28.4 | 29.6 | 28.0 | 17.0 | 14.5 | 13.7 | 4.9 | 4.8 | 11.9 | **6,702.5** |
| DAY | 1959 | 31.0 | 13.0 | 19.0 | 16.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,944.0** |
| H2O | 1959 | 54.2 | 23.2 | 40.1 | 66.5 | 69.0 | 66.5 | 64.5 | 58.2 | 55.3 | 46.6 | 42.9 | 54.2 | **6,192.0** |
| OIL | 1959 | 29.6 | 12.4 | 32.3 | 29.1 | 29.1 | 28.3 | 24.6 | 19.2 | 18.8 | 19.4 | 18.9 | 24.8 | **6,478.2** |
| DAY | 1958 | 31.0 | 28.0 | 24.0 | 16.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,620.0** |
| H2O | 1958 | 64.2 | 58.0 | 49.8 | 20.2 | 34.5 | 38.0 | 39.4 | 34.3 | 30.5 | 29.6 | 52.9 | 55.8 | **5,550.8** |
| OIL | 1958 | 53.2 | 49.1 | 42.1 | 19.5 | 29.4 | 37.2 | 38.9 | 34.0 | 30.4 | 29.4 | 26.7 | 29.1 | **6,191.7** |

# Manitoba Production
## 1950 To 1975

Licence ***379*** Well Name ***Gulf Union Grose Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 31.0 | 25.0 | 5.0 | 24.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,279.0** |
| H2O | 1957 | 34.7 | 26.4 | 5.1 | 32.1 | 31.2 | 33.4 | 48.0 | 45.6 | 43.1 | 57.2 | 62.2 | 64.2 | **5,043.6** |
| OIL | 1957 | 14.9 | 13.7 | 2.4 | 23.2 | 13.3 | 14.1 | 36.7 | 35.3 | 33.2 | 47.0 | 52.4 | 53.6 | **5,772.7** |
| DAY | 1956 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **952.0** |
| H2O | 1956 | 279.3 | 226.9 | 234.5 | 274.7 | 289.7 | 221.0 | 212.7 | 271.2 | 262.8 | 254.2 | 146.6 | 54.7 | **4,560.4** |
| OIL | 1956 | 66.6 | 69.8 | 74.1 | 72.1 | 72.9 | 54.3 | 58.8 | 58.6 | 56.9 | 53.4 | 35.4 | 17.8 | **5,432.9** |
| DAY | 1955 | 31.0 | 28.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 20.0 | **590.0** |
| H2O | 1955 | 20.0 | 12.6 | 11.9 | 9.9 | 8.4 | 19.7 | 45.2 | 51.7 | 375.4 | 459.5 | 316.5 | 308.6 | **1,832.1** |
| OIL | 1955 | 365.5 | 229.1 | 212.8 | 179.1 | 151.1 | 173.1 | 113.8 | 77.2 | 71.0 | 72.9 | 71.4 | 43.1 | **4,742.2** |
| DAY | 1954 | 0.0 | 21.0 | 0.0 | 0.0 | 17.0 | 27.0 | 30.0 | 29.0 | 29.0 | 29.0 | 29.0 | 29.0 | **240.0** |
| H2O | 1954 | 0.0 | 43.2 | 4.6 | 0.3 | 5.1 | 12.9 | 26.4 | 20.4 | 20.0 | 20.5 | 18.9 | 20.4 | **192.7** |
| OIL | 1954 | 0.0 | 395.4 | 0.0 | 8.7 | 115.4 | 307.5 | 344.4 | 371.2 | 357.9 | 369.5 | 342.5 | 369.6 | **2,982.1** |

Licence ***380*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-02-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,990.0** |
| H2O | 1975 | 35.9 | 35.8 | 40.1 | 38.8 | 40.2 | 61.2 | 67.7 | 64.5 | 63.4 | 70.7 | 70.7 | 72.2 | **3,511.5** |
| OIL | 1975 | 48.3 | 46.2 | 50.7 | 48.3 | 49.1 | 7.0 | 7.9 | 7.6 | 7.5 | 16.8 | 16.2 | 16.5 | **5,165.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,630.0** |
| H2O | 1974 | 9.4 | 8.7 | 9.7 | 9.4 | 9.9 | 9.9 | 40.9 | 37.5 | 37.0 | 38.8 | 38.8 | 38.8 | **2,850.3** |
| OIL | 1974 | 26.9 | 23.4 | 26.7 | 25.4 | 26.5 | 25.6 | 52.9 | 52.6 | 50.5 | 53.2 | 50.9 | 52.4 | **4,843.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,265.0** |
| H2O | 1973 | 30.4 | 29.1 | 31.2 | 5.1 | 5.1 | 4.8 | 4.8 | 5.2 | 5.2 | 10.5 | 9.7 | 9.5 | **2,561.5** |
| OIL | 1973 | 40.2 | 35.4 | 38.9 | 33.1 | 34.6 | 33.5 | 34.8 | 37.2 | 35.4 | 27.3 | 25.7 | 26.1 | **4,376.8** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,900.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 7.2 | 8.6 | 9.7 | 9.2 | 9.1 | 56.4 | 30.4 | 31.0 | **2,410.9** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 33.8 | 39.1 | 40.2 | 41.0 | 38.9 | 31.5 | 38.9 | 40.7 | **3,974.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 0.0 | 0.0 | **4,660.0** |
| H2O | 1971 | 7.8 | 7.0 | 8.1 | 8.3 | 8.3 | 8.1 | 25.1 | 24.2 | 21.6 | 21.8 | 0.0 | 0.0 | **2,249.3** |
| OIL | 1971 | 15.1 | 13.2 | 14.6 | 14.0 | 14.1 | 13.8 | 22.9 | 22.4 | 22.1 | 20.8 | 0.0 | 0.0 | **3,670.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,359.0** |
| H2O | 1970 | 8.7 | 8.1 | 8.6 | 7.9 | 8.1 | 7.9 | 6.5 | 8.6 | 7.9 | 8.3 | 7.6 | 8.4 | **2,109.0** |
| OIL | 1970 | 23.4 | 21.0 | 23.0 | 22.2 | 22.9 | 13.3 | 12.6 | 14.3 | 13.7 | 14.3 | 13.8 | 14.3 | **3,497.5** |
| DAY | 1969 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,998.0** |
| H2O | 1969 | 17.6 | 17.3 | 16.2 | 16.5 | 8.6 | 8.3 | 9.1 | 8.9 | 7.9 | 9.2 | 8.3 | 9.1 | **2,012.4** |
| OIL | 1969 | 22.2 | 21.1 | 23.5 | 22.6 | 23.4 | 22.9 | 23.8 | 23.8 | 21.6 | 24.2 | 23.2 | 24.3 | **3,288.7** |
| DAY | 1968 | 26.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,637.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.9 | 17.2 | 17.5 | 18.4 | 17.2 | 18.1 | **1,875.4** |
| OIL | 1968 | 23.4 | 25.4 | 26.5 | 26.2 | 27.0 | 25.6 | 24.0 | 23.8 | 23.2 | 24.2 | 23.4 | 24.0 | **3,012.1** |
| DAY | 1967 | 31.0 | 21.0 | 28.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,277.0** |
| H2O | 1967 | 32.6 | 20.2 | 29.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,768.1** |
| OIL | 1967 | 17.5 | 11.8 | 15.9 | 27.2 | 28.0 | 26.5 | 26.1 | 27.5 | 26.4 | 28.0 | 27.3 | 27.8 | **2,715.4** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,923.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 8.7 | 22.4 | 28.5 | 27.8 | 31.2 | 32.0 | 32.0 | 34.2 | **1,686.0** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 14.8 | 41.3 | 20.7 | 20.5 | 16.5 | 17.2 | 16.8 | 17.6 | **2,425.4** |
| DAY | 1961 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 18.0 | 0.0 | 0.0 | 0.0 | **2,698.0** |
| H2O | 1961 | 4.9 | 7.3 | 4.6 | 6.5 | 7.3 | 7.6 | 8.1 | 8.4 | 5.7 | 0.0 | 0.0 | 0.0 | **1,469.2** |
| OIL | 1961 | 6.0 | 2.2 | 3.5 | 3.8 | 4.4 | 3.8 | 4.0 | 4.0 | 2.2 | 0.0 | 0.0 | 0.0 | **2,260.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,444.0** |
| H2O | 1960 | 4.9 | 4.6 | 4.9 | 4.8 | 4.9 | 4.6 | 4.5 | 4.6 | 4.6 | 4.8 | 4.8 | 4.8 | **1,408.8** |

# Manitoba Production
## 1950 To 1975

Licence ***380*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-02-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1960 | 11.1 | 8.7 | 11.4 | 10.6 | 11.3 | 9.9 | 9.9 | 9.2 | 8.4 | 9.4 | 9.1 | 8.1 | **2,226.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,083.0** |
| H2O | 1959 | 4.9 | 4.5 | 5.1 | 4.6 | 4.9 | 4.3 | 4.9 | 4.8 | 4.8 | 5.1 | 4.6 | 4.9 | **1,352.0** |
| OIL | 1959 | 11.3 | 10.8 | 12.2 | 11.0 | 12.1 | 10.5 | 11.9 | 11.6 | 11.0 | 11.6 | 10.3 | 11.4 | **2,109.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,721.0** |
| H2O | 1958 | 4.9 | 4.5 | 4.9 | 4.8 | 4.1 | 4.8 | 5.1 | 5.1 | 4.9 | 4.8 | 4.8 | 4.9 | **1,294.6** |
| OIL | 1958 | 12.1 | 11.6 | 11.4 | 8.9 | 8.6 | 9.5 | 10.8 | 11.3 | 11.1 | 12.2 | 11.0 | 10.8 | **1,973.3** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,362.0** |
| H2O | 1957 | 25.8 | 23.5 | 25.3 | 24.2 | 22.3 | 22.7 | 21.6 | 17.3 | 6.8 | 12.2 | 7.3 | 4.6 | **1,237.0** |
| OIL | 1957 | 17.0 | 14.8 | 16.8 | 14.8 | 14.6 | 15.6 | 12.4 | 12.7 | 19.7 | 15.7 | 10.2 | 10.3 | **1,844.0** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **999.0** |
| H2O | 1956 | 24.8 | 29.7 | 33.1 | 29.1 | 29.4 | 26.1 | 27.5 | 31.2 | 28.9 | 32.7 | 28.1 | 25.8 | **1,023.4** |
| OIL | 1956 | 33.5 | 30.4 | 32.1 | 30.0 | 30.4 | 27.8 | 29.1 | 21.5 | 24.0 | 14.6 | 15.4 | 19.7 | **1,669.4** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **637.0** |
| H2O | 1955 | 38.5 | 35.8 | 38.3 | 32.7 | 35.3 | 42.6 | 42.0 | 38.0 | 36.9 | 32.7 | 32.3 | 32.0 | **677.0** |
| OIL | 1955 | 46.4 | 41.5 | 43.7 | 41.3 | 47.5 | 56.1 | 53.9 | 46.4 | 38.1 | 37.5 | 36.5 | 37.2 | **1,360.9** |
| DAY | 1954 | 0.0 | 18.0 | 29.0 | 17.0 | 17.0 | 30.0 | 26.0 | 31.0 | 30.0 | 26.0 | 30.0 | 19.0 | **273.0** |
| H2O | 1954 | 0.0 | 4.9 | 6.2 | 2.1 | 31.0 | 42.0 | 6.4 | 2.9 | 43.2 | 40.5 | 38.3 | 22.4 | **239.9** |
| OIL | 1954 | 0.0 | 96.5 | 116.0 | 63.9 | 77.2 | 72.9 | 72.9 | 124.7 | 63.1 | 50.2 | 60.1 | 37.3 | **834.8** |

Licence ***382*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.14-32-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 13.0 | 17.0 | 30.0 | 29.0 | 15.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,383.0** |
| H2O | 1964 | 0.0 | 3.8 | 5.9 | 4.0 | 1.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **869.8** |
| OIL | 1964 | 8.6 | 17.5 | 21.0 | 17.8 | 9.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,988.8** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 30.0 | 30.0 | 25.0 | 22.0 | 31.0 | 30.0 | 31.0 | **3,279.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 6.5 | 6.2 | 5.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **854.2** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 32.3 | 27.2 | 26.7 | 16.8 | 16.5 | 22.9 | 19.5 | 23.2 | **3,914.9** |
| DAY | 1962 | 30.0 | 23.0 | 31.0 | 29.0 | 26.0 | 27.0 | 30.0 | 25.0 | 30.0 | 31.0 | 30.0 | 4.0 | **3,050.0** |
| H2O | 1962 | 1.1 | 0.8 | 1.1 | 1.1 | 6.0 | 6.2 | 7.3 | 5.2 | 7.0 | 7.8 | 7.2 | 1.0 | **835.9** |
| OIL | 1962 | 13.7 | 9.4 | 14.3 | 12.4 | 31.1 | 33.5 | 36.1 | 24.8 | 32.1 | 33.1 | 30.7 | 4.0 | **3,729.8** |
| DAY | 1961 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 25.0 | 8.0 | 20.0 | 30.0 | 30.0 | 28.0 | 31.0 | **2,734.0** |
| H2O | 1961 | 1.1 | 1.1 | 1.1 | 1.1 | 1.3 | 1.0 | 0.3 | 0.6 | 1.1 | 1.1 | 1.0 | 11.6 | **784.1** |
| OIL | 1961 | 15.4 | 14.1 | 14.6 | 13.2 | 14.3 | 12.6 | 4.0 | 9.9 | 15.6 | 13.8 | 12.4 | 13.7 | **3,454.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **2,413.0** |
| H2O | 1960 | 0.0 | 0.0 | 3.8 | 0.0 | 0.0 | 0.0 | 1.3 | 1.1 | 1.3 | 1.1 | 1.1 | 1.1 | **761.7** |
| OIL | 1960 | 15.4 | 14.9 | 23.5 | 15.3 | 15.9 | 16.7 | 16.7 | 16.7 | 16.4 | 12.7 | 15.1 | 16.0 | **3,301.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,049.0** |
| H2O | 1959 | 0.0 | 5.1 | 4.9 | 4.9 | 8.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **750.9** |
| OIL | 1959 | 11.4 | 18.1 | 19.7 | 19.2 | 14.5 | 16.0 | 13.0 | 16.7 | 19.2 | 18.3 | 16.5 | 15.4 | **3,105.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,684.0** |
| H2O | 1958 | 1.1 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 2.4 | 2.5 | **727.4** |
| OIL | 1958 | 20.3 | 18.4 | 22.6 | 19.2 | 22.9 | 19.1 | 19.7 | 17.8 | 18.6 | 15.3 | 21.6 | 22.2 | **2,907.7** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,319.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.2 | 0.3 | 0.2 | 0.2 | 2.4 | 1.7 | 2.7 | 2.5 | 2.4 | 5.1 | **718.7** |
| OIL | 1957 | 23.2 | 26.7 | 26.2 | 24.3 | 23.7 | 22.4 | 21.3 | 21.3 | 22.4 | 21.6 | 21.1 | 18.1 | **2,670.0** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 25.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **957.0** |
| H2O | 1956 | 17.3 | 15.1 | 15.6 | 13.4 | 14.0 | 11.0 | 12.4 | 7.2 | 10.5 | 0.0 | 0.0 | 0.0 | **701.0** |
| OIL | 1956 | 42.9 | 35.1 | 35.3 | 45.8 | 45.6 | 38.3 | 44.3 | 29.4 | 32.1 | 26.7 | 25.7 | 21.6 | **2,397.7** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 28.0 | 31.0 | 27.0 | 26.0 | 25.0 | 24.0 | 31.0 | **600.0** |

# Manitoba Production
## 1950 To 1975

Licence ***382*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.14-32-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1955 | 7.6 | 5.9 | 5.9 | 4.6 | 4.1 | 45.6 | 2.9 | 19.9 | 20.0 | 22.4 | 11.3 | 19.6 | **584.5** |
| OIL | 1955 | 83.6 | 65.2 | 65.6 | 51.0 | 45.3 | 76.0 | 80.1 | 66.7 | 63.1 | 59.8 | 41.8 | 46.9 | **1,974.9** |
| DAY | 1954 | 0.0 | 2.0 | 28.0 | 10.0 | 13.0 | 30.0 | 31.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | **261.0** |
| H2O | 1954 | 0.0 | 4.1 | 35.8 | 9.9 | 26.9 | 52.0 | 148.2 | 105.4 | 3.3 | 19.6 | 9.2 | 0.3 | **414.7** |
| OIL | 1954 | 0.0 | 13.8 | 101.7 | 28.0 | 76.6 | 148.1 | 148.1 | 171.8 | 173.1 | 130.1 | 145.4 | 93.1 | **1,229.8** |

Licence ***384*** Well Name ***Enerplus Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-32-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 19.0 | 0.0 | 0.0 | 0.0 | 22.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 3.0 | 0.0 | **4,207.0** |
| H2O | 1966 | 376.6 | 0.0 | 0.0 | 0.0 | 648.8 | 682.3 | 654.5 | 659.6 | 634.2 | 609.4 | 61.8 | 0.0 | **74,927.9** |
| OIL | 1966 | 22.7 | 0.0 | 0.0 | 0.0 | 35.9 | 47.4 | 42.1 | 41.2 | 43.1 | 40.8 | 4.4 | 0.0 | **15,053.2** |
| DAY | 1965 | 31.0 | 28.0 | 24.0 | 24.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,011.0** |
| H2O | 1965 | 813.2 | 742.8 | 624.8 | 655.6 | 816.0 | 731.5 | 795.7 | 776.3 | 752.0 | 745.0 | 742.6 | 733.1 | **70,600.7** |
| OIL | 1965 | 49.4 | 52.0 | 43.5 | 38.1 | 52.6 | 49.1 | 49.1 | 47.8 | 46.2 | 41.0 | 39.7 | 45.4 | **14,775.6** |
| DAY | 1964 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **3,659.0** |
| H2O | 1964 | 739.1 | 712.2 | 697.1 | 641.5 | 593.3 | 412.4 | 373.0 | 479.3 | 699.8 | 838.3 | 804.8 | 793.2 | **61,672.1** |
| OIL | 1964 | 63.2 | 52.6 | 62.3 | 61.5 | 54.8 | 40.7 | 36.2 | 42.4 | 59.6 | 74.4 | 58.0 | 52.9 | **14,221.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | **3,295.0** |
| H2O | 1963 | 678.8 | 718.7 | 768.2 | 723.7 | 702.5 | 580.3 | 437.4 | 310.8 | 392.2 | 772.2 | 753.1 | 756.4 | **53,888.1** |
| OIL | 1963 | 53.9 | 59.4 | 60.1 | 56.3 | 56.9 | 47.4 | 35.3 | 26.2 | 43.5 | 86.3 | 72.8 | 72.1 | **13,563.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 31.0 | 29.0 | 30.0 | 29.0 | 31.0 | **2,939.0** |
| H2O | 1962 | 811.3 | 702.4 | 752.8 | 772.3 | 820.8 | 771.2 | 797.4 | 813.0 | 757.1 | 776.3 | 735.6 | 744.8 | **46,293.8** |
| OIL | 1962 | 73.7 | 60.2 | 60.5 | 58.6 | 56.6 | 62.9 | 64.7 | 64.0 | 50.2 | 53.1 | 50.1 | 55.3 | **12,892.9** |
| DAY | 1961 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 29.0 | 30.0 | 30.0 | 29.0 | 29.0 | 29.0 | 31.0 | **2,581.0** |
| H2O | 1961 | 867.9 | 755.3 | 827.8 | 787.9 | 824.6 | 789.3 | 816.4 | 806.5 | 749.0 | 794.7 | 783.5 | 846.6 | **37,038.8** |
| OIL | 1961 | 88.8 | 74.7 | 83.7 | 82.8 | 80.6 | 74.5 | 74.2 | 71.8 | 67.2 | 74.5 | 64.5 | 85.0 | **12,183.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 28.0 | 30.0 | 25.0 | 25.0 | 30.0 | 28.0 | 31.0 | **2,226.0** |
| H2O | 1960 | 718.3 | 646.3 | 731.5 | 644.0 | 680.9 | 642.8 | 646.6 | 510.6 | 454.4 | 648.8 | 790.8 | 863.6 | **27,389.3** |
| OIL | 1960 | 110.9 | 96.9 | 109.3 | 96.9 | 96.1 | 88.7 | 91.2 | 67.2 | 51.2 | 65.9 | 81.8 | 83.9 | **11,260.7** |
| DAY | 1959 | 13.0 | 3.0 | 24.0 | 18.0 | 30.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 28.0 | 31.0 | **1,879.0** |
| H2O | 1959 | 207.0 | 35.8 | 338.6 | 378.7 | 678.2 | 680.1 | 716.4 | 654.2 | 672.6 | 707.8 | 707.0 | 620.5 | **19,410.7** |
| OIL | 1959 | 47.4 | 7.0 | 103.1 | 85.7 | 138.3 | 125.5 | 133.8 | 120.1 | 119.8 | 130.8 | 112.3 | 113.5 | **10,220.7** |
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,582.0** |
| H2O | 1958 | 352.8 | 329.7 | 364.7 | 400.2 | 369.8 | 346.3 | 355.0 | 363.9 | 348.8 | 342.0 | 456.7 | 492.8 | **13,013.8** |
| OIL | 1958 | 108.2 | 99.6 | 110.9 | 108.5 | 118.9 | 107.4 | 108.2 | 109.3 | 105.4 | 111.9 | 92.3 | 83.7 | **8,983.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 23.0 | 18.0 | 30.0 | 31.0 | 30.0 | 29.0 | 29.0 | 29.0 | 30.0 | **1,222.0** |
| H2O | 1957 | 238.5 | 294.6 | 278.1 | 212.4 | 163.6 | 318.9 | 342.9 | 334.8 | 314.3 | 322.4 | 325.6 | 348.5 | **8,491.1** |
| OIL | 1957 | 134.4 | 112.2 | 136.2 | 91.2 | 77.1 | 117.8 | 137.6 | 124.9 | 119.2 | 120.3 | 120.8 | 121.7 | **7,719.1** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 26.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | **883.0** |
| H2O | 1956 | 230.2 | 359.5 | 550.4 | 316.7 | 524.5 | 404.3 | 179.6 | 256.0 | 190.0 | 204.0 | 184.9 | 249.6 | **4,996.5** |
| OIL | 1956 | 185.3 | 150.6 | 149.9 | 109.5 | 129.7 | 139.7 | 144.3 | 127.0 | 120.3 | 123.3 | 107.1 | 134.0 | **6,305.7** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **530.0** |
| H2O | 1955 | 43.1 | 21.1 | 21.1 | 35.3 | 44.0 | 50.6 | 182.5 | 108.9 | 118.9 | 132.0 | 245.0 | 185.1 | **1,346.8** |
| OIL | 1955 | 296.2 | 196.6 | 180.5 | 232.8 | 241.7 | 225.8 | 222.2 | 238.0 | 217.5 | 212.6 | 190.2 | 185.6 | **4,685.0** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 23.0 | 24.0 | 18.0 | 31.0 | 30.0 | 31.0 | **167.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 1.1 | 0.6 | 0.5 | 33.2 | 45.9 | 77.6 | **159.2** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 223.6 | 392.8 | 373.1 | 207.4 | 374.1 | 215.8 | 258.5 | **2,045.3** |

Licence ***385*** Well Name ***Zargon Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

# Manitoba Production
## 1950 To 1975

Licence ***385*** Well Name ***Zargon Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 18.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | **7,649.0** |
| H2O | 1975 | 969.4 | 872.7 | 905.1 | 975.6 | 1019.9 | 975.9 | 548.6 | 1021.5 | 972.1 | 994.5 | 931.0 | 1019.2 | **123,207.6** |
| OIL | 1975 | 111.7 | 89.0 | 89.6 | 102.2 | 106.3 | 91.7 | 51.5 | 88.2 | 87.9 | 94.7 | 86.1 | 97.4 | **33,747.3** |
| DAY | 1974 | 31.0 | 19.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,301.0** |
| H2O | 1974 | 941.8 | 865.8 | 956.9 | 929.4 | 950.2 | 926.5 | 873.9 | 962.9 | 932.9 | 963.1 | 928.1 | 975.8 | **112,002.1** |
| OIL | 1974 | 99.6 | 55.6 | 46.4 | 60.2 | 61.5 | 79.6 | 89.1 | 95.5 | 93.3 | 84.4 | 61.0 | 117.8 | **32,651.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,952.0** |
| H2O | 1973 | 1030.1 | 931.5 | 1009.0 | 983.7 | 1011.8 | 957.2 | 1026.0 | 1012.2 | 983.6 | 1009.6 | 996.0 | 941.3 | **100,794.8** |
| OIL | 1973 | 110.3 | 97.9 | 108.2 | 104.7 | 107.9 | 103.8 | 107.1 | 107.3 | 103.0 | 99.3 | 94.9 | 93.3 | **31,707.0** |
| DAY | 1972 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **6,587.0** |
| H2O | 1972 | 954.8 | 969.1 | 984.7 | 988.5 | 1043.6 | 1003.4 | 997.4 | 1013.8 | 1003.9 | 1024.9 | 896.2 | 976.4 | **88,902.8** |
| OIL | 1972 | 143.5 | 133.2 | 142.7 | 137.9 | 141.6 | 136.3 | 140.6 | 140.8 | 136.7 | 143.2 | 126.2 | 101.9 | **30,469.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,223.0** |
| H2O | 1971 | 903.0 | 808.5 | 883.8 | 857.2 | 861.5 | 901.1 | 921.4 | 820.4 | 749.9 | 924.0 | 936.2 | 937.3 | **77,046.1** |
| OIL | 1971 | 172.1 | 160.2 | 176.7 | 160.8 | 174.6 | 158.4 | 161.0 | 158.8 | 135.7 | 157.8 | 142.5 | 145.2 | **28,844.7** |
| DAY | 1970 | 27.0 | 28.0 | 31.0 | 30.0 | 30.0 | 22.0 | 27.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **5,859.0** |
| H2O | 1970 | 661.4 | 661.4 | 737.8 | 611.0 | 624.2 | 441.1 | 537.2 | 895.2 | 888.9 | 925.7 | 824.7 | 865.3 | **66,541.8** |
| OIL | 1970 | 203.2 | 190.9 | 210.2 | 192.1 | 192.1 | 144.1 | 158.0 | 177.3 | 170.0 | 176.2 | 170.5 | 177.3 | **26,940.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,513.0** |
| H2O | 1969 | 406.8 | 327.1 | 343.2 | 316.0 | 359.1 | 400.1 | 596.4 | 628.6 | 655.5 | 693.6 | 720.2 | 691.2 | **57,867.9** |
| OIL | 1969 | 102.0 | 89.3 | 89.6 | 93.3 | 105.5 | 122.7 | 193.7 | 203.6 | 197.7 | 205.8 | 198.6 | 211.2 | **24,779.0** |
| DAY | 1968 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **5,148.0** |
| H2O | 1968 | 400.0 | 405.8 | 372.9 | 415.1 | 425.1 | 385.0 | 397.7 | 401.1 | 386.8 | 408.5 | 391.4 | 383.1 | **51,730.1** |
| OIL | 1968 | 92.6 | 86.8 | 99.5 | 96.8 | 97.3 | 89.3 | 100.9 | 107.3 | 101.7 | 110.9 | 104.7 | 103.0 | **22,966.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,784.0** |
| H2O | 1967 | 405.7 | 414.3 | 399.3 | 362.9 | 420.3 | 385.3 | 402.5 | 366.4 | 375.3 | 426.3 | 415.1 | 438.7 | **46,957.6** |
| OIL | 1967 | 95.3 | 80.6 | 86.6 | 87.6 | 90.1 | 77.7 | 87.4 | 91.4 | 89.3 | 92.8 | 93.4 | 98.8 | **21,775.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,426.0** |
| H2O | 1966 | 352.8 | 277.6 | 332.5 | 202.9 | 199.5 | 356.1 | 411.1 | 399.2 | 409.2 | 366.4 | 410.6 | 417.1 | **42,145.5** |
| OIL | 1966 | 96.6 | 80.9 | 90.6 | 83.1 | 55.0 | 75.6 | 97.6 | 108.7 | 77.9 | 92.6 | 97.6 | 101.2 | **20,704.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,067.0** |
| H2O | 1965 | 390.7 | 357.2 | 361.5 | 351.8 | 372.0 | 310.8 | 353.1 | 387.4 | 343.1 | 391.5 | 366.4 | 354.4 | **38,010.5** |
| OIL | 1965 | 102.2 | 90.1 | 99.2 | 83.0 | 91.4 | 100.6 | 96.8 | 92.8 | 84.9 | 93.1 | 94.2 | 99.5 | **19,646.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,703.0** |
| H2O | 1964 | 398.8 | 365.8 | 404.1 | 360.5 | 349.6 | 392.0 | 389.3 | 435.9 | 398.1 | 389.9 | 405.0 | 420.8 | **33,670.6** |
| OIL | 1964 | 97.6 | 92.6 | 98.5 | 99.6 | 89.8 | 96.5 | 96.1 | 100.3 | 101.7 | 102.7 | 98.0 | 103.3 | **18,519.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,337.0** |
| H2O | 1963 | 383.1 | 372.0 | 397.1 | 379.6 | 369.3 | 383.4 | 431.1 | 431.6 | 425.4 | 401.4 | 389.5 | 413.6 | **28,960.8** |
| OIL | 1963 | 101.5 | 88.8 | 105.8 | 112.0 | 106.3 | 90.6 | 92.5 | 96.8 | 85.7 | 101.4 | 102.0 | 97.1 | **17,342.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,972.0** |
| H2O | 1962 | 377.9 | 330.3 | 372.5 | 383.9 | 404.4 | 390.9 | 401.4 | 417.3 | 331.4 | 394.7 | 382.8 | 405.8 | **24,183.7** |
| OIL | 1962 | 102.8 | 87.2 | 102.7 | 111.4 | 120.6 | 111.7 | 114.7 | 107.3 | 115.4 | 96.5 | 96.6 | 103.3 | **16,161.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,608.0** |
| H2O | 1961 | 405.4 | 315.1 | 335.6 | 405.4 | 393.4 | 364.8 | 352.0 | 375.3 | 375.6 | 311.9 | 361.5 | 419.7 | **19,590.4** |
| OIL | 1961 | 110.1 | 96.6 | 99.8 | 93.6 | 104.7 | 119.8 | 99.5 | 104.4 | 102.7 | 84.1 | 79.6 | 104.6 | **14,891.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,243.0** |
| H2O | 1960 | 279.9 | 262.9 | 271.4 | 277.2 | 286.9 | 432.1 | 615.6 | 444.3 | 384.7 | 354.5 | 417.0 | 426.5 | **15,174.7** |
| OIL | 1960 | 96.3 | 92.8 | 100.1 | 90.3 | 105.8 | 213.1 | 265.4 | 147.0 | 144.4 | 153.7 | 148.3 | 148.9 | **13,692.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,877.0** |
| H2O | 1959 | 252.8 | 230.0 | 270.9 | 286.1 | 286.5 | 275.0 | 271.7 | 257.5 | 260.4 | 333.9 | 327.3 | 281.1 | **10,721.7** |
| OIL | 1959 | 126.3 | 113.9 | 125.2 | 104.7 | 104.6 | 100.0 | 93.3 | 93.9 | 98.8 | 96.9 | 95.2 | 99.0 | **11,986.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 0.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,512.0** |

# Manitoba Production
## 1950 To 1975

Licence ***385*** Well Name ***Zargon Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 182.7 | 210.3 | 256.7 | 0.0 | 169.8 | 219.7 | 250.9 | 241.8 | 229.7 | 199.7 | 252.6 | 260.9 | **7,388.5** |
| OIL | 1958 | 120.9 | 111.6 | 123.5 | 0.0 | 115.1 | 89.3 | 93.4 | 90.6 | 106.3 | 108.4 | 107.4 | 137.0 | **10,734.2** |
| DAY | 1957 | 31.0 | 8.0 | 0.0 | 0.0 | 0.0 | 18.0 | 30.0 | 31.0 | 24.0 | 31.0 | 29.0 | 30.0 | **1,179.0** |
| H2O | 1957 | 371.0 | 95.7 | 0.0 | 0.0 | 0.0 | 63.1 | 112.9 | 118.6 | 91.7 | 162.0 | 170.9 | 176.8 | **4,913.7** |
| OIL | 1957 | 123.2 | 31.8 | 0.0 | 0.0 | 0.0 | 60.9 | 109.3 | 117.0 | 90.9 | 120.9 | 115.4 | 116.0 | **9,530.7** |
| DAY | 1956 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 31.0 | **947.0** |
| H2O | 1956 | 98.2 | 72.5 | 75.3 | 88.2 | 93.1 | 126.3 | 117.5 | 138.7 | 143.4 | 178.1 | 151.5 | 333.9 | **3,551.0** |
| OIL | 1956 | 206.7 | 208.3 | 222.5 | 216.6 | 218.8 | 173.5 | 148.1 | 137.0 | 141.0 | 139.7 | 139.8 | 126.7 | **8,645.3** |
| DAY | 1955 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 18.0 | **587.0** |
| H2O | 1955 | 79.6 | 59.9 | 58.8 | 60.7 | 66.9 | 71.7 | 145.3 | 232.3 | 163.6 | 157.3 | 108.4 | 96.1 | **1,934.3** |
| OIL | 1955 | 376.1 | 269.4 | 259.7 | 248.4 | 247.6 | 236.0 | 243.5 | 232.6 | 236.8 | 243.1 | 237.9 | 124.7 | **6,566.6** |
| DAY | 1954 | 0.0 | 0.0 | 20.0 | 0.0 | 14.0 | 26.0 | 31.0 | 30.0 | 29.0 | 29.0 | 29.0 | 28.0 | **236.0** |
| H2O | 1954 | 0.0 | 0.0 | 35.9 | 21.1 | 35.4 | 72.1 | 86.4 | 85.0 | 78.3 | 82.5 | 61.2 | 75.8 | **633.7** |
| OIL | 1954 | 0.0 | 0.0 | 278.6 | 188.9 | 196.6 | 408.6 | 479.9 | 471.0 | 427.3 | 453.8 | 340.9 | 365.2 | **3,610.8** |

Licence ***386*** Well Name ***Chevron Whitewater WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-17-003-21W1.00*** Field Name ***Whitewater*** Pool Name ***Lodgepole WL A*** Field Code ***6*** Pool Code ***52A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 595.7 | 453.6 | 460.9 | 456.6 | 528.5 | 489.1 | 514.2 | 510.8 | 535.2 | 532.9 | 508.5 | 576.0 | **21,267.7** |
| WIN | 1974 | 764.9 | 638.5 | 661.9 | 632.8 | 660.3 | 611.5 | 582.1 | 532.9 | 600.5 | 586.0 | 571.1 | 599.4 | **15,105.7** |
| WIN | 1973 | 227.5 | 484.8 | 720.1 | 712.8 | 701.8 | 641.7 | 719.0 | 643.1 | 685.7 | 754.6 | 711.5 | 661.2 | **7,663.8** |
| WIN | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **0.0** |
| DAY | 1959 | 24.0 | 18.0 | 29.0 | 17.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,467.0** |
| H2O | 1959 | 2.1 | 2.7 | 3.8 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **58.5** |
| OIL | 1959 | 3.7 | 2.5 | 4.0 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,171.7** |
| DAY | 1958 | 30.0 | 21.0 | 19.0 | 11.0 | 14.0 | 0.0 | 0.0 | 2.0 | 25.0 | 22.0 | 17.0 | 26.0 | **1,379.0** |
| H2O | 1958 | 2.2 | 1.6 | 2.7 | 1.4 | 1.3 | 0.0 | 0.0 | 1.1 | 3.8 | 3.7 | 2.2 | 2.7 | **47.9** |
| OIL | 1958 | 17.0 | 16.1 | 2.9 | 1.6 | 2.1 | 0.0 | 0.0 | 10.2 | 3.8 | 3.2 | 2.7 | 3.8 | **1,159.1** |
| DAY | 1957 | 25.0 | 28.0 | 31.0 | 29.0 | 16.0 | 30.0 | 31.0 | 31.0 | 26.0 | 30.0 | 30.0 | 30.0 | **1,192.0** |
| H2O | 1957 | 0.0 | 1.4 | 2.2 | 1.9 | 1.4 | 1.9 | 2.1 | 0.6 | 1.7 | 1.9 | 1.7 | 1.9 | **25.2** |
| OIL | 1957 | 17.8 | 14.9 | 22.7 | 18.3 | 15.3 | 19.9 | 21.1 | 20.2 | 18.4 | 18.9 | 18.3 | 18.6 | **1,095.7** |
| DAY | 1956 | 31.0 | 29.0 | 30.0 | 27.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **855.0** |
| H2O | 1956 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6.5** |
| OIL | 1956 | 20.7 | 19.4 | 18.4 | 16.5 | 18.6 | 16.9 | 18.4 | 18.9 | 17.5 | 17.8 | 16.9 | 16.9 | **871.3** |
| DAY | 1955 | 31.0 | 28.0 | 20.0 | 21.0 | 0.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 10.0 | **495.0** |
| H2O | 1955 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.2 | 0.2 | 0.2 | **5.1** |
| OIL | 1955 | 38.2 | 37.4 | 26.9 | 22.7 | 0.0 | 41.2 | 30.0 | 28.8 | 22.3 | 29.4 | 25.9 | 5.9 | **654.4** |
| DAY | 1954 | 0.0 | 0.0 | 8.0 | 20.0 | 11.0 | 23.0 | 0.0 | 31.0 | 25.0 | 30.0 | 29.0 | 31.0 | **208.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.6 | 0.6 | 0.3 | 0.5 | 0.5 | 0.3 | 0.3 | 0.3 | 0.2 | 0.5 | **4.1** |
| OIL | 1954 | 0.0 | 0.0 | 18.1 | 29.4 | 24.0 | 36.7 | 40.1 | 37.7 | 30.2 | 42.3 | 47.5 | 39.7 | **345.7** |

Licence ***387*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,696.0** |
| H2O | 1975 | 34.3 | 31.5 | 34.7 | 34.0 | 35.3 | 33.9 | 34.0 | 33.4 | 32.9 | 33.9 | 35.5 | 36.1 | **4,479.5** |
| OIL | 1975 | 130.1 | 115.7 | 125.5 | 120.5 | 122.8 | 119.3 | 122.7 | 123.3 | 119.8 | 118.5 | 119.8 | 121.6 | **29,036.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 20.0 | 0.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,331.0** |
| H2O | 1974 | 9.5 | 8.4 | 9.9 | 9.2 | 9.9 | 6.5 | 0.0 | 26.5 | 32.6 | 34.2 | 34.0 | 33.9 | **4,070.0** |
| OIL | 1974 | 71.7 | 60.7 | 71.7 | 68.2 | 71.0 | 45.8 | 0.0 | 106.2 | 126.5 | 133.2 | 127.1 | 130.1 | **27,576.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,013.0** |

# Manitoba Production
## 1950 To 1975

Licence ***387*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1973 | 20.5 | 15.1 | 16.2 | 26.1 | 26.5 | 25.4 | 25.6 | 10.7 | 10.5 | 10.5 | 9.7 | 9.5 | **3,855.4** |
| OIL | 1973 | 52.8 | 85.5 | 94.2 | 108.2 | 113.0 | 84.1 | 87.2 | 75.3 | 71.7 | 73.1 | 68.8 | 69.8 | **26,564.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **6,648.0** |
| H2O | 1972 | 39.1 | 28.9 | 32.0 | 28.5 | 31.3 | 31.3 | 15.6 | 14.8 | 14.5 | 15.4 | 20.7 | 19.6 | **3,649.1** |
| OIL | 1972 | 69.3 | 60.9 | 66.3 | 75.3 | 79.6 | 72.6 | 79.1 | 80.9 | 42.7 | 44.3 | 51.3 | 50.1 | **25,580.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 22.0 | 16.0 | 31.0 | 27.0 | 31.0 | **6,283.0** |
| H2O | 1971 | 20.3 | 18.4 | 21.3 | 21.3 | 21.3 | 21.1 | 18.4 | 14.3 | 9.9 | 20.3 | 17.3 | 22.9 | **3,357.4** |
| OIL | 1971 | 91.1 | 80.6 | 65.5 | 62.1 | 63.6 | 61.8 | 55.0 | 43.9 | 32.6 | 96.3 | 80.6 | 93.0 | **24,808.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **5,948.0** |
| H2O | 1970 | 18.3 | 17.2 | 18.1 | 16.5 | 17.2 | 17.3 | 16.1 | 18.1 | 16.9 | 17.3 | 15.9 | 16.1 | **3,130.6** |
| OIL | 1970 | 111.7 | 100.7 | 109.8 | 106.0 | 109.5 | 105.5 | 111.2 | 109.3 | 104.2 | 110.1 | 105.7 | 99.6 | **23,982.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,586.0** |
| H2O | 1969 | 14.6 | 13.2 | 12.6 | 12.9 | 14.0 | 13.4 | 18.9 | 18.9 | 18.0 | 19.4 | 17.3 | 18.9 | **2,925.6** |
| OIL | 1969 | 105.0 | 92.8 | 102.3 | 100.0 | 102.5 | 96.3 | 113.6 | 113.0 | 109.3 | 115.1 | 110.3 | 115.5 | **22,698.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,221.0** |
| H2O | 1968 | 6.4 | 6.0 | 6.4 | 6.4 | 6.7 | 13.0 | 14.6 | 13.4 | 13.4 | 14.1 | 13.2 | 14.0 | **2,733.5** |
| OIL | 1968 | 106.0 | 97.4 | 103.9 | 100.3 | 103.3 | 98.5 | 105.2 | 105.0 | 101.4 | 106.3 | 101.9 | 105.8 | **21,423.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,856.0** |
| H2O | 1967 | 5.2 | 4.3 | 5.2 | 4.9 | 8.4 | 20.5 | 17.2 | 11.8 | 10.5 | 11.3 | 9.9 | 6.7 | **2,605.9** |
| OIL | 1967 | 150.6 | 134.0 | 150.3 | 145.1 | 103.1 | 116.3 | 129.0 | 122.4 | 117.8 | 124.4 | 121.2 | 106.0 | **20,188.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,497.0** |
| H2O | 1966 | 17.3 | 13.8 | 17.6 | 7.0 | 7.9 | 7.0 | 7.2 | 7.2 | 7.5 | 5.2 | 5.1 | 5.4 | **2,490.0** |
| OIL | 1966 | 127.8 | 112.3 | 124.6 | 111.7 | 118.1 | 112.7 | 118.9 | 117.6 | 114.6 | 147.2 | 144.3 | 147.6 | **18,667.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,132.0** |
| H2O | 1965 | 13.3 | 11.8 | 17.6 | 15.4 | 24.0 | 3.5 | 3.5 | 33.5 | 33.8 | 21.8 | 22.6 | 18.1 | **2,381.8** |
| OIL | 1965 | 130.8 | 119.2 | 98.8 | 95.2 | 98.2 | 159.4 | 166.2 | 164.8 | 155.9 | 128.9 | 134.9 | 129.2 | **17,170.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,768.0** |
| H2O | 1964 | 12.7 | 11.6 | 12.7 | 4.9 | 5.1 | 16.4 | 16.0 | 16.0 | 15.7 | 15.7 | 16.4 | 13.0 | **2,162.9** |
| OIL | 1964 | 85.2 | 80.6 | 87.1 | 65.5 | 65.8 | 175.6 | 180.8 | 179.9 | 177.8 | 181.0 | 80.2 | 129.5 | **15,589.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,402.0** |
| H2O | 1963 | 21.3 | 28.6 | 28.8 | 27.5 | 33.5 | 37.2 | 22.9 | 24.0 | 27.0 | 7.3 | 12.2 | 12.4 | **2,006.7** |
| OIL | 1963 | 84.4 | 69.6 | 92.5 | 91.1 | 90.3 | 99.5 | 87.6 | 79.0 | 90.1 | 84.9 | 79.8 | 81.8 | **14,100.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,038.0** |
| H2O | 1962 | 17.5 | 12.4 | 11.8 | 10.3 | 11.8 | 11.9 | 10.3 | 39.4 | 39.6 | 31.8 | 31.0 | 34.6 | **1,724.0** |
| OIL | 1962 | 64.7 | 56.4 | 63.6 | 49.9 | 64.2 | 63.7 | 57.7 | 99.3 | 108.2 | 84.1 | 86.8 | 90.4 | **13,069.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,673.0** |
| H2O | 1961 | 18.8 | 17.6 | 17.5 | 20.7 | 17.0 | 22.4 | 17.8 | 20.0 | 33.5 | 14.8 | 14.3 | 12.6 | **1,461.6** |
| OIL | 1961 | 69.9 | 69.3 | 65.5 | 69.6 | 67.2 | 75.0 | 72.8 | 74.4 | 90.1 | 84.4 | 79.9 | 79.3 | **12,180.4** |
| DAY | 1960 | 26.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,308.0** |
| H2O | 1960 | 10.3 | 12.4 | 13.8 | 13.7 | 10.2 | 8.7 | 0.0 | 0.0 | 0.0 | 0.0 | 1.7 | 0.0 | **1,234.6** |
| OIL | 1960 | 85.5 | 98.5 | 112.2 | 100.6 | 106.3 | 101.7 | 65.9 | 64.5 | 62.5 | 68.0 | 61.7 | 63.1 | **11,283.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,947.0** |
| H2O | 1959 | 17.0 | 17.5 | 15.9 | 10.0 | 13.8 | 13.8 | 12.2 | 10.7 | 14.5 | 12.7 | 12.1 | 11.3 | **1,163.8** |
| OIL | 1959 | 111.2 | 106.2 | 130.0 | 112.7 | 80.7 | 88.8 | 110.9 | 104.6 | 106.3 | 100.7 | 105.2 | 104.9 | **10,292.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,585.0** |
| H2O | 1958 | 24.2 | 10.2 | 7.2 | 10.3 | 8.1 | 18.1 | 23.5 | 18.1 | 20.3 | 19.2 | 16.9 | 15.3 | **1,002.3** |
| OIL | 1958 | 113.9 | 122.4 | 111.1 | 91.2 | 93.8 | 88.2 | 88.0 | 155.1 | 124.3 | 131.7 | 108.2 | 102.5 | **9,030.3** |
| DAY | 1957 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 29.0 | 31.0 | 26.0 | 31.0 | **1,222.0** |
| H2O | 1957 | 31.0 | 24.6 | 28.3 | 15.7 | 29.6 | 25.9 | 26.7 | 0.3 | 0.2 | 20.3 | 19.7 | 0.3 | **810.9** |
| OIL | 1957 | 136.5 | 127.9 | 151.6 | 150.2 | 156.7 | 158.6 | 143.3 | 117.3 | 100.7 | 139.7 | 114.3 | 76.1 | **7,699.9** |
| DAY | 1956 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **866.0** |
| H2O | 1956 | 31.5 | 30.4 | 50.9 | 76.5 | 38.8 | 30.4 | 17.5 | 31.3 | 12.1 | 44.0 | 22.9 | 31.6 | **588.3** |

# Manitoba Production
## 1950 To 1975

Licence ***387*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1956 | 293.3 | 304.0 | 300.8 | 282.4 | 298.0 | 277.0 | 154.8 | 223.7 | 111.2 | 205.6 | 144.6 | 148.3 | **6,127.0** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 27.0 | 17.0 | 29.0 | 31.0 | **506.0** |
| H2O | 1955 | 12.7 | 9.7 | 10.0 | 8.3 | 8.3 | 8.3 | 4.1 | 5.1 | 3.3 | 7.0 | 29.9 | 28.6 | **170.4** |
| OIL | 1955 | 199.0 | 164.6 | 167.8 | 139.0 | 144.6 | 127.6 | 110.4 | 114.1 | 97.6 | 111.4 | 306.1 | 303.7 | **3,383.3** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 30.0 | 22.0 | 30.0 | 30.0 | 31.0 | **160.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 5.1 | 1.4 | 2.4 | 14.3 | 10.3 | **35.1** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 170.2 | 279.2 | 195.0 | 249.3 | 235.8 | 267.9 | **1,397.4** |

Licence ***388*** Well Name ***B.A. Union Ritchie Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-33-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 24.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,202.0** |
| H2O | 1961 | 4.9 | 2.4 | 3.5 | 1.6 | 2.1 | 2.4 | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | **180.0** |
| OIL | 1961 | 21.0 | 21.1 | 18.1 | 17.2 | 15.9 | 14.1 | 15.9 | 8.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,003.1** |
| DAY | 1960 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 10.0 | **1,968.0** |
| H2O | 1960 | 2.4 | 1.4 | 1.7 | 2.2 | 0.5 | 2.1 | 1.9 | 2.4 | 2.1 | 1.6 | 1.4 | 0.5 | **161.1** |
| OIL | 1960 | 16.2 | 12.9 | 19.5 | 14.6 | 18.6 | 16.0 | 16.8 | 14.0 | 15.1 | 14.8 | 11.9 | 4.6 | **1,871.8** |
| DAY | 1959 | 27.0 | 28.0 | 30.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | 27.0 | 17.0 | 17.0 | 0.0 | **1,626.0** |
| H2O | 1959 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.1 | 1.6 | 9.4 | 1.9 | **140.9** |
| OIL | 1959 | 8.1 | 13.2 | 17.0 | 15.1 | 15.6 | 15.1 | 16.7 | 18.3 | 14.0 | 4.6 | 9.1 | 12.9 | **1,696.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 14.0 | 16.0 | 15.0 | 15.0 | 16.0 | 15.0 | 19.0 | **1,331.0** |
| H2O | 1958 | 0.2 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 0.2 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | **123.7** |
| OIL | 1958 | 28.1 | 20.7 | 22.6 | 23.4 | 3.7 | 18.6 | 2.2 | 19.4 | 18.8 | 15.3 | 17.5 | 21.9 | **1,537.1** |
| DAY | 1957 | 0.0 | 0.0 | 13.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | **1,076.0** |
| OIL | 1957 | 0.0 | 0.0 | 25.6 | 56.4 | 18.3 | 23.4 | 27.0 | 27.5 | 28.8 | 23.4 | 17.3 | 21.1 | **1,324.9** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **793.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 7.9 | 3.3 | 2.7 | 2.1 | 3.2 | 0.0 | 0.0 | 0.8 | 0.0 | **122.9** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 52.9 | 23.7 | 30.4 | 27.5 | 27.8 | 19.4 | 25.3 | 33.7 | 4.9 | **1,056.1** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 24.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 0.0 | **522.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 8.4 | 4.5 | 3.2 | 3.2 | 2.9 | 2.4 | 1.9 | 2.7 | 0.0 | **102.9** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 60.2 | 45.3 | 34.6 | 34.6 | 32.4 | 27.3 | 22.2 | 31.5 | 0.0 | **810.5** |
| DAY | 1954 | 0.0 | 0.0 | 21.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 25.0 | 31.0 | 30.0 | 30.0 | **287.0** |
| H2O | 1954 | 0.0 | 0.0 | 11.3 | 13.5 | 13.4 | 7.8 | 6.7 | 5.7 | 2.9 | 5.6 | 5.4 | 1.4 | **73.7** |
| OIL | 1954 | 0.0 | 0.0 | 115.1 | 76.8 | 52.6 | 56.7 | 47.8 | 37.3 | 34.5 | 37.3 | 32.7 | 31.6 | **522.4** |

Licence ***392*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-32-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 18.0 | 0.0 | **4,683.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 308.0 | 526.6 | 462.2 | 528.0 | 506.7 | 521.2 | 289.0 | 0.0 | **79,449.1** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 14.1 | 21.0 | 19.9 | 21.5 | 21.5 | 22.9 | 11.9 | 0.0 | **10,553.5** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 0.0 | 0.0 | **4,492.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 383.5 | 493.6 | 508.8 | 525.2 | 507.4 | 494.7 | 0.0 | 0.0 | **76,307.4** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 20.5 | 24.3 | 24.2 | 24.2 | 22.6 | 24.5 | 0.0 | 0.0 | **10,420.7** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 31.0 | 29.0 | 30.0 | 29.0 | 0.0 | 0.0 | **4,317.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 35.4 | 513.1 | 446.1 | 411.0 | 430.8 | 0.0 | 0.0 | **73,394.2** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.4 | 21.8 | 21.5 | 22.6 | 21.5 | 0.0 | 0.0 | **10,280.4** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 7.0 | 31.0 | 23.0 | 31.0 | 30.0 | 23.0 | 0.0 | 0.0 | 0.0 | **4,196.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 112.4 | 543.3 | 426.1 | 534.6 | 614.3 | 319.5 | 0.0 | 0.0 | 0.0 | **71,557.8** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 5.9 | 28.0 | 17.0 | 20.7 | 18.3 | 9.7 | 0.0 | 0.0 | 0.0 | **10,191.6** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 11.0 | 30.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | 2.0 | 0.0 | **4,051.0** |

# Manitoba Production
## 1950 To 1975

Licence ***392*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-32-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 202.1 | 539.8 | 511.8 | 519.0 | 548.4 | 450.4 | 606.7 | 38.8 | 0.0 | **69,007.6** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 18.3 | 49.4 | 43.2 | 39.4 | 41.6 | 37.2 | 23.8 | 1.6 | 0.0 | **10,092.0** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 29.0 | 25.0 | 27.0 | 20.0 | 26.0 | 0.0 | 0.0 | **3,858.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 492.5 | 457.4 | 449.1 | 406.1 | 374.1 | 467.7 | 0.0 | 0.0 | **65,590.6** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 40.2 | 37.7 | 34.2 | 34.2 | 32.3 | 41.0 | 0.0 | 0.0 | **9,837.5** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 26.0 | 31.0 | 28.0 | 23.0 | 31.0 | 2.0 | 0.0 | **3,705.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 415.6 | 540.5 | 646.6 | 571.7 | 467.7 | 643.9 | 23.7 | 0.0 | **62,943.7** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 14.5 | 18.1 | 41.8 | 38.5 | 29.6 | 40.0 | 2.2 | 0.0 | **9,617.9** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 2.0 | 13.0 | 14.0 | 30.0 | 10.0 | 0.0 | 3.0 | **3,542.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 392.8 | 36.9 | 262.3 | 178.4 | 532.9 | 191.1 | 0.0 | 77.9 | **59,634.0** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 14.1 | 1.3 | 7.8 | 10.5 | 23.0 | 8.9 | 0.0 | 4.6 | **9,433.2** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 31.0 | 31.0 | 29.0 | 26.0 | 0.0 | 0.0 | **3,451.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 399.8 | 537.7 | 570.7 | 557.1 | 563.9 | 0.0 | 0.0 | **57,961.7** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.2 | 19.9 | 21.6 | 19.9 | 16.2 | 0.0 | 0.0 | **9,363.0** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 13.0 | 14.0 | 12.0 | 29.0 | 27.0 | 4.0 | 23.0 | 0.0 | 0.0 | **3,312.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 235.4 | 276.5 | 207.3 | 552.0 | 548.5 | 57.7 | 655.3 | 0.0 | 0.0 | **55,332.5** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 9.4 | 11.1 | 7.8 | 18.0 | 16.5 | 1.9 | 14.9 | 0.0 | 0.0 | **9,269.2** |
| DAY | 1964 | 13.0 | 26.0 | 31.0 | 30.0 | 31.0 | 29.0 | 22.0 | 16.0 | 13.0 | 11.0 | 0.0 | 0.0 | **3,190.0** |
| H2O | 1964 | 191.6 | 410.6 | 487.1 | 465.2 | 581.1 | 665.8 | 552.6 | 354.8 | 285.4 | 177.6 | 0.0 | 0.0 | **52,799.8** |
| OIL | 1964 | 10.5 | 21.8 | 27.0 | 23.0 | 17.8 | 19.2 | 15.7 | 10.3 | 8.6 | 5.9 | 0.0 | 0.0 | **9,189.6** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 28.0 | 24.0 | 20.0 | 24.0 | 31.0 | 30.0 | 31.0 | **2,968.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 462.9 | 414.9 | 325.4 | 326.4 | 423.7 | 568.8 | 429.1 | 485.7 | **48,628.0** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 26.4 | 21.0 | 17.0 | 16.2 | 22.1 | 28.1 | 23.7 | 28.3 | **9,029.8** |
| DAY | 1962 | 30.0 | 21.0 | 19.0 | 23.0 | 17.0 | 24.0 | 17.0 | 17.0 | 30.0 | 31.0 | 21.0 | 0.0 | **2,750.0** |
| H2O | 1962 | 511.9 | 298.9 | 304.4 | 355.2 | 284.9 | 371.7 | 304.8 | 241.6 | 512.2 | 535.3 | 354.8 | 0.0 | **45,191.1** |
| OIL | 1962 | 29.9 | 18.1 | 18.6 | 20.3 | 19.1 | 22.1 | 16.4 | 12.9 | 26.1 | 27.2 | 16.8 | 0.0 | **8,847.0** |
| DAY | 1961 | 29.0 | 28.0 | 30.0 | 30.0 | 29.0 | 25.0 | 2.0 | 13.0 | 30.0 | 30.0 | 28.0 | 31.0 | **2,500.0** |
| H2O | 1961 | 518.0 | 525.1 | 559.1 | 567.6 | 529.2 | 458.3 | 32.0 | 151.0 | 532.3 | 510.8 | 470.1 | 544.8 | **41,115.4** |
| OIL | 1961 | 31.1 | 31.5 | 32.1 | 31.6 | 29.4 | 27.2 | 2.1 | 10.2 | 34.6 | 30.5 | 27.2 | 30.2 | **8,619.5** |
| DAY | 1960 | 31.0 | 29.0 | 24.0 | 26.0 | 22.0 | 22.0 | 31.0 | 27.0 | 30.0 | 26.0 | 25.0 | 31.0 | **2,195.0** |
| H2O | 1960 | 535.6 | 519.9 | 455.5 | 454.7 | 377.1 | 419.4 | 595.1 | 493.6 | 569.8 | 435.9 | 418.6 | 555.0 | **35,717.1** |
| OIL | 1960 | 35.1 | 35.4 | 41.3 | 32.4 | 24.6 | 28.9 | 38.9 | 31.9 | 36.1 | 23.5 | 27.7 | 35.0 | **8,301.8** |
| DAY | 1959 | 18.0 | 24.0 | 31.0 | 30.0 | 29.0 | 20.0 | 28.0 | 30.0 | 24.0 | 16.0 | 25.0 | 30.0 | **1,871.0** |
| H2O | 1959 | 314.1 | 500.8 | 539.3 | 516.7 | 518.3 | 372.3 | 511.0 | 537.8 | 400.2 | 288.4 | 458.5 | 518.3 | **29,886.9** |
| OIL | 1959 | 28.3 | 37.2 | 40.8 | 39.7 | 39.1 | 27.7 | 42.7 | 43.5 | 32.6 | 20.2 | 35.4 | 37.7 | **7,911.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 29.0 | 25.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,566.0** |
| H2O | 1958 | 538.3 | 499.5 | 614.9 | 583.9 | 505.6 | 539.9 | 569.1 | 579.5 | 531.5 | 567.1 | 567.1 | 576.6 | **24,411.2** |
| OIL | 1958 | 52.8 | 46.7 | 52.3 | 40.8 | 42.6 | 46.1 | 48.8 | 51.3 | 44.0 | 40.2 | 37.7 | 38.9 | **7,486.1** |
| DAY | 1957 | 0.0 | 21.0 | 30.0 | 27.0 | 30.0 | 29.0 | 30.0 | 29.0 | 30.0 | 29.0 | 29.0 | 31.0 | **1,210.0** |
| H2O | 1957 | 0.0 | 399.8 | 537.4 | 515.1 | 519.7 | 542.8 | 583.0 | 467.4 | 531.3 | 541.0 | 521.1 | 552.6 | **17,738.2** |
| OIL | 1957 | 0.0 | 50.5 | 63.7 | 62.1 | 63.2 | 60.5 | 61.8 | 59.6 | 66.6 | 53.2 | 54.2 | 53.6 | **6,943.9** |
| DAY | 1956 | 31.0 | 20.0 | 29.0 | 11.0 | 28.0 | 23.0 | 30.0 | 28.0 | 29.0 | 30.0 | 29.0 | 10.0 | **895.0** |
| H2O | 1956 | 601.4 | 369.2 | 516.7 | 169.8 | 466.1 | 359.9 | 427.3 | 393.6 | 599.4 | 534.8 | 467.6 | 137.8 | **12,027.0** |
| OIL | 1956 | 77.1 | 43.7 | 59.4 | 29.9 | 78.0 | 64.0 | 65.3 | 62.5 | 71.7 | 66.4 | 53.9 | 17.5 | **6,294.9** |
| DAY | 1955 | 31.0 | 28.0 | 30.0 | 1.0 | 11.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | **597.0** |
| H2O | 1955 | 370.9 | 386.6 | 418.6 | 3.2 | 203.0 | 916.2 | 284.6 | 460.6 | 418.8 | 564.9 | 500.3 | 608.6 | **6,983.4** |
| OIL | 1955 | 149.2 | 155.6 | 168.4 | 1.3 | 86.3 | 201.0 | 193.6 | 101.1 | 67.7 | 76.4 | 94.7 | 74.2 | **5,605.5** |
| DAY | 1954 | 0.0 | 13.0 | 25.0 | 25.0 | 18.0 | 30.0 | 31.0 | 31.0 | 27.0 | 28.0 | 30.0 | 31.0 | **289.0** |
| H2O | 1954 | 0.0 | 2.2 | 40.7 | 46.6 | 60.9 | 57.6 | 25.1 | 169.3 | 776.9 | 205.7 | 75.8 | 386.3 | **1,847.1** |
| OIL | 1954 | 0.0 | 71.0 | 411.3 | 471.0 | 373.6 | 581.6 | 601.0 | 600.2 | 517.7 | 230.1 | 192.6 | 185.9 | **4,236.0** |

Licence ***393*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***393*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-02-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1961 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 18.0 | 0.0 | 0.0 | 0.0 | **2,679.0** |
| H2O | 1961 | 4.9 | 7.7 | 7.3 | 9.9 | 9.9 | 7.3 | 5.4 | 4.5 | 2.9 | 0.0 | 0.0 | 0.0 | **1,169.8** |
| OIL | 1961 | 7.6 | 5.4 | 8.6 | 9.9 | 10.8 | 9.5 | 9.8 | 10.2 | 5.1 | 0.0 | 0.0 | 0.0 | **1,922.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,425.0** |
| H2O | 1960 | 4.9 | 4.6 | 4.9 | 4.5 | 4.9 | 4.9 | 3.8 | 4.5 | 4.1 | 4.8 | 4.8 | 4.9 | **1,110.0** |
| OIL | 1960 | 11.0 | 8.9 | 10.5 | 11.3 | 10.3 | 11.9 | 9.1 | 9.2 | 9.4 | 9.4 | 9.2 | 9.7 | **1,845.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,070.0** |
| H2O | 1959 | 4.9 | 4.5 | 4.9 | 4.9 | 4.9 | 5.1 | 4.9 | 4.9 | 4.8 | 5.1 | 4.6 | 4.9 | **1,054.4** |
| OIL | 1959 | 9.4 | 8.7 | 9.9 | 9.9 | 9.9 | 13.8 | 18.6 | 16.8 | 15.4 | 18.0 | 13.7 | 12.1 | **1,725.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,709.0** |
| H2O | 1958 | 4.9 | 4.5 | 4.9 | 3.7 | 4.9 | 4.8 | 5.1 | 5.2 | 4.9 | 4.9 | 4.8 | 4.9 | **996.0** |
| OIL | 1958 | 10.3 | 8.9 | 9.7 | 5.7 | 11.9 | 8.4 | 8.6 | 10.0 | 8.9 | 9.5 | 8.6 | 9.2 | **1,569.3** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,351.0** |
| H2O | 1957 | 23.8 | 22.3 | 24.8 | 21.8 | 21.6 | 23.7 | 18.6 | 19.6 | 14.1 | 13.0 | 8.3 | 5.1 | **938.5** |
| OIL | 1957 | 25.1 | 18.6 | 19.1 | 17.3 | 16.7 | 16.2 | 16.5 | 17.2 | 13.5 | 14.0 | 10.6 | 9.9 | **1,459.6** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **990.0** |
| H2O | 1956 | 14.5 | 20.0 | 24.5 | 22.9 | 24.8 | 22.9 | 24.6 | 29.3 | 23.7 | 16.4 | 14.9 | 20.0 | **721.8** |
| OIL | 1956 | 27.7 | 24.6 | 27.3 | 25.4 | 25.6 | 27.2 | 26.4 | 19.7 | 23.7 | 37.7 | 33.2 | 27.3 | **1,264.9** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **625.0** |
| H2O | 1955 | 17.3 | 16.7 | 16.9 | 12.9 | 8.9 | 8.1 | 8.1 | 8.9 | 40.4 | 120.2 | 49.6 | 26.7 | **463.3** |
| OIL | 1955 | 38.6 | 35.6 | 36.7 | 35.9 | 35.0 | 33.1 | 33.8 | 29.7 | 26.1 | 62.3 | 33.1 | 28.4 | **939.1** |
| DAY | 1954 | 0.0 | 8.0 | 28.0 | 15.0 | 9.0 | 30.0 | 26.0 | 29.0 | 30.0 | 31.0 | 27.0 | 31.0 | **264.0** |
| H2O | 1954 | 0.0 | 2.1 | 4.8 | 5.9 | 8.3 | 17.3 | 3.8 | 20.3 | 17.6 | 19.9 | 13.8 | 14.8 | **128.6** |
| OIL | 1954 | 0.0 | 21.9 | 69.6 | 52.8 | 24.0 | 61.7 | 55.9 | 43.9 | 49.3 | 48.3 | 42.9 | 40.5 | **510.8** |

Licence ***398*** Well Name ***B.A. Union Ritchie Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-33-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | **43.0** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 | **45.7** |
| DAY | 1954 | 0.0 | 0.0 | 9.0 | 30.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **42.0** |
| H2O | 1954 | 0.0 | 0.0 | 1.0 | 11.9 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **15.6** |
| OIL | 1954 | 0.0 | 0.0 | 0.3 | 39.1 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **43.4** |

Licence ***400*** Well Name ***Can-Tex Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 24.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,397.0** |
| H2O | 1969 | 276.0 | 283.9 | 299.8 | 328.8 | 313.2 | 432.9 | 630.9 | 294.1 | 0.0 | 0.0 | 0.0 | 0.0 | **44,429.0** |
| OIL | 1969 | 8.6 | 10.9 | 11.8 | 12.7 | 14.0 | 12.2 | 11.6 | 8.1 | 0.0 | 0.0 | 0.0 | 0.0 | **33,035.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 28.0 | 31.0 | **5,161.0** |
| H2O | 1968 | 495.6 | 414.8 | 425.5 | 458.1 | 432.8 | 477.0 | 428.8 | 301.3 | 290.5 | 356.0 | 441.2 | 271.1 | **41,569.4** |
| OIL | 1968 | 24.8 | 16.7 | 16.4 | 16.5 | 19.9 | 15.3 | 14.6 | 16.8 | 13.0 | 14.8 | 10.8 | 9.7 | **32,945.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | 30.0 | 23.0 | 29.0 | 31.0 | **4,801.0** |
| H2O | 1967 | 373.5 | 383.5 | 409.1 | 306.2 | 379.5 | 376.5 | 424.5 | 372.4 | 514.0 | 384.9 | 558.4 | 611.2 | **36,776.7** |
| OIL | 1967 | 49.7 | 44.8 | 45.1 | 33.8 | 20.8 | 20.2 | 18.9 | 28.1 | 18.4 | 18.8 | 19.1 | 19.1 | **32,756.4** |
| DAY | 1966 | 31.0 | 28.0 | 26.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,449.0** |
| H2O | 1966 | 216.2 | 191.4 | 177.8 | 361.9 | 329.9 | 381.9 | 377.1 | 366.2 | 391.9 | 415.1 | 383.5 | 445.3 | **31,683.0** |
| OIL | 1966 | 149.4 | 109.3 | 87.2 | 108.4 | 96.5 | 93.9 | 88.0 | 74.5 | 45.4 | 53.7 | 52.0 | 52.4 | **32,419.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,095.0** |
| H2O | 1965 | 207.8 | 174.6 | 175.5 | 467.1 | 366.9 | 223.4 | 201.8 | 249.5 | 114.8 | 165.3 | 173.9 | 202.9 | **27,644.8** |

# Manitoba Production
## 1950 To 1975

Licence ***400*** Well Name ***Can-Tex Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1965 | 175.8 | 155.3 | 171.6 | 195.1 | 183.9 | 175.3 | 167.3 | 162.6 | 154.8 | 157.2 | 151.0 | 156.0 | **31,408.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 28.0 | 31.0 | **3,730.0** |
| H2O | 1964 | 207.2 | 151.2 | 169.3 | 212.1 | 252.8 | 224.2 | 246.0 | 228.2 | 228.9 | 217.0 | 256.0 | 254.4 | **24,921.3** |
| OIL | 1964 | 203.1 | 191.2 | 202.1 | 177.7 | 184.7 | 175.0 | 180.5 | 186.2 | 180.8 | 157.6 | 181.2 | 174.0 | **29,403.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,369.0** |
| H2O | 1963 | 281.1 | 210.7 | 275.7 | 212.4 | 225.1 | 308.9 | 278.1 | 255.2 | 201.0 | 258.5 | 247.4 | 198.6 | **22,274.0** |
| OIL | 1963 | 219.3 | 153.5 | 196.6 | 146.2 | 190.5 | 192.8 | 203.6 | 199.1 | 180.4 | 205.9 | 202.8 | 205.8 | **27,208.9** |
| DAY | 1962 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **3,004.0** |
| H2O | 1962 | 340.7 | 314.2 | 322.3 | 352.8 | 351.2 | 334.8 | 359.8 | 335.5 | 315.1 | 311.5 | 232.8 | 253.1 | **19,321.3** |
| OIL | 1962 | 247.7 | 230.3 | 248.7 | 246.5 | 276.5 | 237.4 | 237.3 | 241.2 | 244.1 | 215.0 | 230.3 | 233.4 | **24,912.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,642.0** |
| H2O | 1961 | 331.3 | 325.9 | 371.1 | 333.2 | 336.6 | 357.6 | 358.4 | 410.5 | 342.1 | 362.2 | 336.3 | 374.3 | **15,497.5** |
| OIL | 1961 | 247.4 | 242.0 | 278.7 | 253.6 | 275.9 | 258.1 | 257.6 | 226.0 | 238.8 | 255.4 | 226.6 | 252.7 | **22,024.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,277.0** |
| H2O | 1960 | 321.0 | 313.5 | 324.3 | 357.4 | 400.2 | 344.5 | 352.0 | 336.4 | 225.1 | 326.7 | 328.3 | 352.6 | **11,258.0** |
| OIL | 1960 | 234.2 | 222.5 | 238.0 | 234.9 | 244.6 | 227.7 | 225.0 | 205.9 | 209.0 | 227.9 | 232.2 | 242.0 | **19,011.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,911.0** |
| H2O | 1959 | 218.0 | 279.2 | 367.6 | 354.5 | 338.3 | 356.6 | 360.7 | 342.3 | 327.4 | 302.2 | 292.4 | 332.9 | **7,276.0** |
| OIL | 1959 | 220.6 | 207.2 | 221.4 | 216.9 | 205.6 | 218.8 | 220.7 | 225.2 | 212.9 | 220.7 | 223.0 | 233.6 | **16,267.3** |
| DAY | 1958 | 26.0 | 24.0 | 26.0 | 27.0 | 26.0 | 25.0 | 27.0 | 28.0 | 25.0 | 27.0 | 30.0 | 31.0 | **1,546.0** |
| H2O | 1958 | 33.2 | 29.9 | 32.9 | 63.8 | 74.1 | 56.6 | 83.3 | 88.4 | 72.7 | 75.2 | 132.0 | 224.2 | **3,403.9** |
| OIL | 1958 | 292.2 | 267.8 | 296.2 | 285.4 | 293.5 | 283.7 | 292.1 | 292.2 | 283.8 | 293.7 | 285.7 | 233.8 | **13,640.7** |
| DAY | 1957 | 26.0 | 24.0 | 26.0 | 19.0 | 27.0 | 27.0 | 27.0 | 28.0 | 25.0 | 26.0 | 27.0 | 26.0 | **1,224.0** |
| H2O | 1957 | 62.2 | 57.4 | 62.2 | 41.7 | 53.1 | 53.7 | 53.7 | 52.8 | 51.8 | 37.0 | 31.6 | 32.3 | **2,437.6** |
| OIL | 1957 | 297.3 | 274.4 | 296.5 | 209.9 | 294.6 | 295.4 | 292.4 | 292.2 | 284.3 | 296.0 | 286.2 | 286.2 | **10,240.6** |
| DAY | 1956 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 29.0 | 21.0 | 31.0 | **916.0** |
| H2O | 1956 | 19.4 | 14.3 | 15.1 | 18.0 | 33.9 | 24.8 | 21.8 | 31.8 | 31.2 | 32.3 | 71.2 | 62.0 | **1,848.1** |
| OIL | 1956 | 198.0 | 202.3 | 220.1 | 216.8 | 208.6 | 236.3 | 247.9 | 291.1 | 285.1 | 289.2 | 237.4 | 298.3 | **6,835.2** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 17.0 | **565.0** |
| H2O | 1955 | 92.2 | 68.0 | 68.5 | 61.1 | 31.6 | 33.9 | 59.0 | 457.6 | 188.6 | 22.9 | 15.7 | 11.9 | **1,472.3** |
| OIL | 1955 | 289.2 | 204.5 | 190.2 | 147.9 | 76.6 | 77.9 | 135.4 | 196.9 | 212.9 | 219.0 | 213.6 | 102.2 | **3,904.1** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 26.0 | 30.0 | 31.0 | 26.0 | 29.0 | 30.0 | 31.0 | **214.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 11.0 | 8.1 | 24.6 | 41.0 | 47.2 | 40.9 | 49.9 | 58.8 | 79.8 | **361.3** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 63.9 | 45.1 | 139.4 | 227.9 | 265.5 | 223.4 | 275.4 | 277.3 | 319.9 | **1,837.8** |

Licence ***401*** Well Name ***Can-Tex Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 18.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | **7,632.0** |
| H2O | 1975 | 5442.7 | 4927.5 | 5110.8 | 5510.0 | 5758.8 | 5511.4 | 3098.6 | 5767.5 | 5490.0 | 5616.9 | 5257.1 | 5753.6 | **588,451.4** |
| OIL | 1975 | 103.3 | 89.6 | 99.0 | 102.2 | 106.8 | 88.5 | 50.7 | 91.7 | 88.0 | 94.6 | 87.1 | 92.8 | **36,679.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,284.0** |
| H2O | 1974 | 5285.8 | 4859.4 | 5371.5 | 5216.5 | 5334.0 | 5200.6 | 4905.2 | 5405.0 | 5235.8 | 5405.8 | 5209.6 | 5477.6 | **525,206.5** |
| OIL | 1974 | 99.6 | 89.6 | 98.4 | 95.7 | 98.0 | 94.6 | 97.6 | 97.7 | 96.8 | 98.2 | 95.5 | 95.2 | **35,584.8** |
| DAY | 1973 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,919.0** |
| H2O | 1973 | 5780.3 | 5228.3 | 5662.1 | 5522.6 | 5678.2 | 5373.2 | 5757.4 | 5679.8 | 5521.1 | 5665.3 | 5590.4 | 5283.5 | **462,299.7** |
| OIL | 1973 | 99.0 | 89.3 | 92.0 | 95.2 | 95.3 | 91.8 | 97.3 | 97.6 | 93.8 | 97.6 | 94.9 | 97.7 | **34,427.9** |
| DAY | 1972 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,556.0** |
| H2O | 1972 | 5360.5 | 5436.8 | 5526.7 | 5547.7 | 5856.7 | 5630.6 | 5598.2 | 5680.5 | 5633.6 | 5751.5 | 5030.4 | 5480.0 | **395,557.5** |
| OIL | 1972 | 98.8 | 92.6 | 96.9 | 97.1 | 97.3 | 99.2 | 99.3 | 94.7 | 94.7 | 95.0 | 90.6 | 99.3 | **33,286.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,192.0** |

# Manitoba Production
## 1950 To 1975

Licence ***401*** Well Name ***Can-Tex Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1971 | 5068.2 | 4537.1 | 4960.5 | 4811.3 | 4835.3 | 5058.2 | 5172.1 | 4604.5 | 4208.7 | 5185.8 | 5255.2 | 5261.0 | **329,024.3** |
| OIL | 1971 | 107.1 | 96.5 | 101.5 | 93.3 | 96.9 | 95.8 | 97.9 | 90.6 | 93.1 | 96.6 | 95.3 | 97.7 | **32,130.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 22.0 | 27.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | **5,831.0** |
| H2O | 1970 | 5209.6 | 5226.2 | 5424.7 | 5152.1 | 5328.0 | 4212.7 | 4980.7 | 4988.6 | 4816.7 | 5147.6 | 4585.4 | 4857.4 | **270,066.4** |
| OIL | 1970 | 171.5 | 155.6 | 171.3 | 165.3 | 152.9 | 111.6 | 121.6 | 112.7 | 86.8 | 116.8 | 104.2 | 115.1 | **30,968.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,481.0** |
| H2O | 1969 | 5441.3 | 5137.0 | 5772.9 | 4747.9 | 5297.0 | 5442.4 | 5862.4 | 5731.8 | 4919.8 | 5214.9 | 5213.0 | 5217.9 | **210,136.7** |
| OIL | 1969 | 168.4 | 151.1 | 167.5 | 154.8 | 171.9 | 164.3 | 175.0 | 169.2 | 158.8 | 170.4 | 166.7 | 172.1 | **29,383.2** |
| DAY | 1968 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,117.0** |
| H2O | 1968 | 3372.0 | 3305.6 | 3724.8 | 4332.3 | 4487.5 | 4490.8 | 4922.5 | 4899.3 | 4589.2 | 5030.8 | 5241.1 | 5325.5 | **146,138.4** |
| OIL | 1968 | 175.9 | 163.8 | 206.9 | 197.2 | 203.9 | 190.1 | 199.6 | 194.5 | 187.0 | 176.7 | 169.6 | 173.2 | **27,393.0** |
| DAY | 1967 | 31.0 | 27.0 | 28.0 | 30.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,752.0** |
| H2O | 1967 | 2310.1 | 2212.4 | 2469.8 | 2392.5 | 2322.7 | 1959.9 | 2389.5 | 2184.4 | 2271.8 | 2531.7 | 2317.0 | 3350.1 | **92,417.0** |
| OIL | 1967 | 121.9 | 97.4 | 104.1 | 127.6 | 130.3 | 126.7 | 138.1 | 133.2 | 126.2 | 131.7 | 131.7 | 215.8 | **25,154.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **4,396.0** |
| H2O | 1966 | 445.0 | 413.5 | 498.2 | 499.4 | 486.5 | 414.3 | 380.0 | 368.8 | 403.7 | 363.6 | 664.9 | 1697.6 | **63,705.1** |
| OIL | 1966 | 21.8 | 14.5 | 21.1 | 23.8 | 34.6 | 27.0 | 20.5 | 21.8 | 16.7 | 20.3 | 44.8 | 104.4 | **23,569.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,040.0** |
| H2O | 1965 | 642.8 | 556.9 | 594.6 | 652.0 | 590.5 | 626.2 | 660.4 | 555.8 | 496.0 | 448.6 | 414.9 | 459.5 | **57,069.6** |
| OIL | 1965 | 35.4 | 28.6 | 33.1 | 37.2 | 28.6 | 36.5 | 35.1 | 29.4 | 31.5 | 32.6 | 28.8 | 28.8 | **23,198.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,675.0** |
| H2O | 1964 | 642.1 | 607.3 | 655.2 | 648.6 | 651.0 | 647.0 | 649.6 | 621.6 | 633.7 | 646.4 | 633.5 | 628.9 | **50,371.4** |
| OIL | 1964 | 44.0 | 41.2 | 39.1 | 30.8 | 45.1 | 39.9 | 37.8 | 40.5 | 45.1 | 37.2 | 39.7 | 36.4 | **22,813.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,309.0** |
| H2O | 1963 | 643.6 | 616.5 | 680.0 | 606.0 | 657.9 | 617.2 | 609.5 | 652.8 | 652.8 | 654.6 | 627.6 | 627.1 | **42,706.5** |
| OIL | 1963 | 40.0 | 35.3 | 41.6 | 61.3 | 82.5 | 60.1 | 67.7 | 58.2 | 52.3 | 50.9 | 45.9 | 48.3 | **22,336.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,944.0** |
| H2O | 1962 | 651.9 | 594.9 | 663.3 | 641.9 | 684.5 | 595.9 | 609.5 | 668.6 | 629.9 | 651.1 | 644.2 | 629.9 | **35,060.9** |
| OIL | 1962 | 66.9 | 38.0 | 57.5 | 66.4 | 60.2 | 56.6 | 50.9 | 68.5 | 82.2 | 64.5 | 62.6 | 54.9 | **21,692.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,580.0** |
| H2O | 1961 | 877.8 | 844.9 | 877.8 | 762.4 | 555.3 | 589.0 | 599.4 | 661.7 | 597.0 | 657.6 | 624.6 | 652.7 | **27,395.3** |
| OIL | 1961 | 105.5 | 109.2 | 120.3 | 85.5 | 116.6 | 119.5 | 97.6 | 97.4 | 79.8 | 62.3 | 80.6 | 74.1 | **20,962.9** |
| DAY | 1960 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,217.0** |
| H2O | 1960 | 437.4 | 415.3 | 374.7 | 399.8 | 436.7 | 411.4 | 771.9 | 782.4 | 737.4 | 818.3 | 753.3 | 769.4 | **19,095.1** |
| OIL | 1960 | 139.2 | 129.4 | 122.5 | 131.1 | 125.5 | 126.0 | 180.2 | 151.3 | 146.0 | 112.3 | 102.8 | 102.9 | **19,814.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,854.0** |
| H2O | 1959 | 426.2 | 382.5 | 487.4 | 505.4 | 500.6 | 503.0 | 466.3 | 405.6 | 453.4 | 442.8 | 424.5 | 448.5 | **11,987.1** |
| OIL | 1959 | 190.9 | 181.2 | 179.4 | 196.3 | 190.9 | 191.5 | 181.3 | 153.2 | 152.2 | 154.0 | 154.5 | 137.8 | **18,245.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,489.0** |
| H2O | 1958 | 202.4 | 182.8 | 202.4 | 189.5 | 202.4 | 203.8 | 303.3 | 366.6 | 377.9 | 390.0 | 397.8 | 422.4 | **6,540.9** |
| OIL | 1958 | 198.8 | 182.9 | 202.5 | 240.0 | 243.0 | 210.7 | 213.3 | 195.5 | 208.3 | 218.5 | 193.6 | 192.1 | **16,182.1** |
| DAY | 1957 | 26.0 | 24.0 | 28.0 | 25.0 | 26.0 | 26.0 | 29.0 | 31.0 | 28.0 | 26.0 | 26.0 | 30.0 | **1,124.0** |
| H2O | 1957 | 53.9 | 49.8 | 56.8 | 51.8 | 53.4 | 53.9 | 44.5 | 32.1 | 36.1 | 97.8 | 99.5 | 192.6 | **3,099.6** |
| OIL | 1957 | 297.3 | 274.4 | 294.6 | 286.4 | 294.6 | 295.4 | 292.4 | 219.5 | 249.5 | 296.0 | 286.2 | 198.0 | **13,682.9** |
| DAY | 1956 | 29.0 | 25.0 | 26.0 | 22.0 | 27.0 | 25.0 | 26.0 | 22.0 | 25.0 | 25.0 | 26.0 | 31.0 | **799.0** |
| H2O | 1956 | 54.2 | 41.3 | 41.7 | 19.9 | 69.0 | 56.8 | 41.3 | 54.5 | 51.8 | 50.7 | 53.9 | 53.9 | **2,277.4** |
| OIL | 1956 | 312.6 | 287.3 | 298.6 | 254.1 | 316.2 | 283.7 | 295.7 | 294.9 | 281.7 | 285.4 | 296.7 | 298.3 | **10,398.6** |
| DAY | 1955 | 26.0 | 24.0 | 26.0 | 25.0 | 26.0 | 27.0 | 26.0 | 26.0 | 25.0 | 27.0 | 24.0 | 12.0 | **490.0** |
| H2O | 1955 | 112.1 | 110.0 | 135.0 | 130.5 | 139.4 | 148.0 | 148.6 | 207.5 | 55.5 | 67.7 | 44.7 | 25.4 | **1,688.4** |
| OIL | 1955 | 347.1 | 311.9 | 338.3 | 332.1 | 345.2 | 356.9 | 340.7 | 339.0 | 331.5 | 341.0 | 319.9 | 113.0 | **6,893.4** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 26.0 | 28.0 | 27.0 | 21.0 | 27.0 | 28.0 | 28.0 | **196.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 7.9 | 20.7 | 56.1 | 1.0 | 1.0 | 0.6 | 70.3 | 90.0 | 116.4 | **364.0** |

# Manitoba Production
## 1950 To 1975

Licence ***401*** Well Name ***Can-Tex Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 57.2 | 163.8 | 454.5 | 487.4 | 482.3 | 308.8 | 445.7 | 311.9 | 365.2 | **3,076.8** |

Licence ***402*** Well Name ***Crescent Point Tilston (Dual)*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-31-005-29W1.00*** Field Name ***Tilston*** Pool Name ***Mission Canyon 1 A*** Field Code ***2*** Pool Code ***44A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 6.0 | 26.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,643.0** |
| H2O | 1972 | 623.2 | 3390.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **63,479.6** |
| OIL | 1972 | 8.6 | 37.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **13,654.7** |
| DAY | 1971 | 31.0 | 28.0 | 23.0 | 23.0 | 31.0 | 27.0 | 15.0 | 19.0 | 27.0 | 31.0 | 29.0 | 31.0 | **5,611.0** |
| H2O | 1971 | 960.3 | 900.8 | 738.7 | 748.8 | 977.8 | 995.9 | 663.2 | 2469.0 | 4031.7 | 4287.7 | 3902.6 | 3645.1 | **59,466.0** |
| OIL | 1971 | 36.9 | 31.2 | 27.5 | 11.4 | 19.9 | 25.8 | 11.9 | 45.3 | 64.5 | 52.3 | 51.7 | 42.1 | **13,608.9** |
| DAY | 1970 | 8.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 16.0 | 16.0 | 25.0 | 31.0 | 24.0 | 31.0 | **5,296.0** |
| H2O | 1970 | 18.9 | 407.0 | 765.4 | 853.8 | 889.5 | 865.5 | 434.4 | 435.6 | 675.0 | 837.1 | 744.1 | 961.1 | **35,144.4** |
| OIL | 1970 | 16.2 | 48.3 | 50.7 | 53.1 | 42.9 | 41.7 | 20.4 | 16.1 | 23.8 | 29.6 | 26.7 | 44.4 | **13,188.4** |
| DAY | 1969 | 31.0 | 26.0 | 23.0 | 30.0 | 22.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,997.0** |
| H2O | 1969 | 422.0 | 350.3 | 286.2 | 519.2 | 377.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **27,257.0** |
| OIL | 1969 | 40.2 | 39.0 | 27.7 | 21.9 | 10.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.3 | **12,774.5** |
| DAY | 1968 | 31.0 | 18.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 28.0 | 31.0 | **4,865.0** |
| H2O | 1968 | 284.6 | 230.5 | 561.5 | 555.1 | 488.7 | 489.7 | 481.3 | 434.0 | 413.5 | 411.5 | 359.7 | 443.6 | **25,301.5** |
| OIL | 1968 | 39.7 | 31.8 | 38.6 | 37.7 | 41.3 | 42.1 | 42.0 | 27.8 | 22.6 | 44.8 | 38.0 | 39.6 | **12,624.9** |
| DAY | 1967 | 31.0 | 23.0 | 31.0 | 30.0 | 21.0 | 19.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,517.0** |
| H2O | 1967 | 188.4 | 304.5 | 429.3 | 431.2 | 280.8 | 216.2 | 266.9 | 273.8 | 355.2 | 348.4 | 380.6 | 281.6 | **20,147.8** |
| OIL | 1967 | 18.0 | 19.7 | 45.8 | 44.4 | 28.0 | 21.6 | 21.3 | 33.5 | 40.7 | 44.7 | 41.3 | 42.3 | **12,178.9** |
| DAY | 1966 | 28.0 | 28.0 | 31.0 | 26.0 | 20.0 | 22.0 | 31.0 | 24.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,178.0** |
| H2O | 1966 | 235.8 | 242.3 | 269.0 | 191.9 | 145.0 | 232.9 | 306.7 | 228.8 | 364.8 | 366.8 | 367.2 | 373.5 | **16,390.9** |
| OIL | 1966 | 23.4 | 24.5 | 24.2 | 23.8 | 14.5 | 17.6 | 28.5 | 31.8 | 45.9 | 42.0 | 30.5 | 37.0 | **11,777.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 23.0 | 30.0 | 31.0 | 31.0 | 30.0 | 24.0 | 30.0 | 25.0 | **3,847.0** |
| H2O | 1965 | 353.3 | 286.2 | 309.3 | 254.2 | 159.5 | 191.1 | 192.2 | 201.3 | 199.1 | 179.3 | 251.8 | 87.9 | **13,066.2** |
| OIL | 1965 | 36.2 | 28.3 | 29.9 | 27.2 | 23.5 | 32.6 | 25.6 | 28.8 | 32.9 | 29.7 | 34.5 | 10.0 | **11,433.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,503.0** |
| H2O | 1964 | 281.6 | 255.3 | 251.2 | 285.1 | 262.0 | 248.7 | 259.5 | 347.1 | 326.5 | 335.7 | 344.1 | 353.8 | **10,401.0** |
| OIL | 1964 | 45.3 | 42.1 | 42.8 | 43.1 | 37.0 | 32.6 | 39.0 | 33.4 | 31.6 | 31.5 | 35.9 | 37.7 | **11,094.7** |
| DAY | 1963 | 31.0 | 28.0 | 30.0 | 23.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **3,139.0** |
| H2O | 1963 | 215.4 | 194.3 | 198.9 | 99.8 | 153.7 | 199.4 | 123.4 | 148.7 | 149.6 | 208.4 | 350.5 | 306.7 | **6,850.4** |
| OIL | 1963 | 45.8 | 37.5 | 42.3 | 28.6 | 31.0 | 37.0 | 22.4 | 20.7 | 32.0 | 32.4 | 44.2 | 45.2 | **10,642.7** |
| DAY | 1962 | 30.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 10.0 | 26.0 | 31.0 | **2,791.0** |
| H2O | 1962 | 188.7 | 167.7 | 166.8 | 190.9 | 195.1 | 195.2 | 229.4 | 215.7 | 161.2 | 55.5 | 157.9 | 216.9 | **4,501.6** |
| OIL | 1962 | 51.2 | 46.7 | 50.4 | 53.7 | 49.8 | 46.7 | 53.6 | 48.5 | 38.8 | 16.1 | 42.6 | 46.9 | **10,223.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 18.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,458.0** |
| H2O | 1961 | 113.7 | 104.4 | 119.9 | 115.5 | 86.5 | 82.7 | 108.0 | 112.6 | 139.1 | 151.0 | 159.1 | 182.4 | **2,360.6** |
| OIL | 1961 | 57.4 | 47.9 | 47.1 | 48.8 | 47.1 | 55.6 | 65.5 | 64.1 | 58.3 | 57.1 | 54.7 | 55.5 | **9,678.6** |
| DAY | 1960 | 29.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,106.0** |
| H2O | 1960 | 7.0 | 8.1 | 8.3 | 43.2 | 38.2 | 42.3 | 34.3 | 53.6 | 142.6 | 131.0 | 131.0 | 130.4 | **885.7** |
| OIL | 1960 | 69.3 | 74.6 | 79.3 | 69.0 | 64.2 | 56.4 | 57.6 | 63.8 | 71.5 | 82.8 | 72.3 | 66.0 | **9,019.5** |
| DAY | 1959 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 19.0 | 31.0 | **1,743.0** |
| H2O | 1959 | 0.8 | 0.6 | 0.8 | 0.6 | 0.6 | 0.6 | 0.6 | 1.1 | 1.3 | 1.0 | 1.6 | 1.3 | **115.7** |
| OIL | 1959 | 105.0 | 88.6 | 79.7 | 97.0 | 97.6 | 81.9 | 76.2 | 75.8 | 71.2 | 75.4 | 41.7 | 97.5 | **8,192.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 16.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,391.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.2 | 0.2 | 1.6 | 0.6 | 0.8 | **104.8** |
| OIL | 1958 | 163.2 | 154.0 | 164.0 | 26.2 | 60.3 | 124.4 | 126.0 | 115.8 | 117.9 | 114.8 | 104.0 | 109.0 | **7,205.1** |
| DAY | 1957 | 31.0 | 28.0 | 26.0 | 6.0 | 17.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **1,042.0** |

# Manitoba Production
## 1950 To 1975

Licence ***402*** Well Name ***Crescent Point Tilston (Dual)*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-31-005-29W1.00*** Field Name ***Tilston*** Pool Name ***Mission Canyon 1 A*** Field Code ***2*** Pool Code ***44A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1957 | 4.0 | 4.8 | 3.2 | 0.6 | 0.5 | 0.0 | 5.9 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | **101.2** |
| OIL | 1957 | 150.8 | 117.4 | 121.5 | 42.9 | 83.8 | 88.1 | 126.3 | 127.2 | 130.1 | 156.2 | 130.9 | 140.0 | **5,825.5** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 17.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **723.0** |
| H2O | 1956 | 3.2 | 5.4 | 2.9 | 6.4 | 3.2 | 3.2 | 3.2 | 0.0 | 0.0 | 0.0 | 0.3 | 2.9 | **81.6** |
| OIL | 1956 | 119.8 | 137.6 | 146.0 | 68.4 | 125.8 | 162.9 | 158.3 | 189.5 | 157.1 | 200.3 | 166.2 | 158.4 | **4,410.3** |
| DAY | 1955 | 27.0 | 0.0 | 26.0 | 6.0 | 0.0 | 0.0 | 24.0 | 28.0 | 27.0 | 30.0 | 25.0 | 31.0 | **376.0** |
| H2O | 1955 | 1.6 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 1.3 | 1.4 | 4.0 | 0.5 | 4.8 | 5.1 | **50.9** |
| OIL | 1955 | 177.4 | 58.0 | 157.5 | 33.9 | 0.0 | 0.0 | 130.4 | 150.9 | 165.9 | 188.7 | 159.2 | 152.1 | **2,620.0** |
| DAY | 1954 | 0.0 | 0.0 | 7.0 | 14.0 | 7.0 | 11.0 | 11.0 | 22.0 | 16.0 | 21.0 | 15.0 | 28.0 | **152.0** |
| H2O | 1954 | 0.0 | 0.0 | 1.0 | 2.1 | 1.3 | 1.4 | 0.8 | 22.6 | 0.6 | 0.3 | 1.1 | 0.8 | **32.0** |
| OIL | 1954 | 0.0 | 0.0 | 36.9 | 109.1 | 70.6 | 124.2 | 110.7 | 202.7 | 133.8 | 163.7 | 117.4 | 176.9 | **1,246.0** |

UWI ***100.09-31-005-29W1.02*** Field Name ***Tilston*** Pool Name ***Melita Formation*** Field Code ***2*** Pool Code ***19*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1959 | 232.0 | 233.2 | 287.1 | 270.0 | 336.3 | 323.9 | 290.5 | 311.5 | 303.8 | 322.9 | 157.4 | 0.0 | **4,405.3** |
| WIN | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 15.7 | 122.3 | 118.6 | 182.5 | 175.7 | 271.2 | 233.7 | 217.0 | **1,336.7** |

Licence ***403*** Well Name ***Enerplus South Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-12-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1954 | 0.0 | 0.0 | 7.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **12.0** |
| H2O | 1954 | 0.0 | 0.0 | 70.9 | 55.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **125.9** |
| OIL | 1954 | 0.0 | 0.0 | 4.6 | 6.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **10.8** |

Licence ***404*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-11-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1800.1 | 1735.9 | 2121.9 | 2002.8 | 1930.3 | 1575.7 | 1562.9 | 2148.6 | 2186.8 | 2158.0 | 2148.3 | 1731.9 | **281,837.4** |
| WIN | 1974 | 1696.5 | 1459.1 | 1693.8 | 1568.7 | 1362.6 | 1570.4 | 1575.5 | 1796.6 | 1550.1 | 1638.1 | 1639.4 | 1789.8 | **258,734.2** |
| WIN | 1973 | 1628.6 | 1550.1 | 2357.2 | 2169.9 | 2223.8 | 2109.2 | 2128.7 | 2018.4 | 1835.6 | 1898.9 | 1752.4 | 1675.5 | **239,393.6** |
| WIN | 1972 | 1999.3 | 2056.6 | 2089.5 | 2300.3 | 2337.3 | 2190.3 | 2274.7 | 2035.7 | 2384.2 | 2304.4 | 2137.2 | 2287.4 | **216,045.3** |
| WIN | 1971 | 1819.0 | 1781.5 | 2247.3 | 2157.8 | 2122.1 | 1948.8 | 1960.9 | 1719.1 | 1461.2 | 1073.6 | 1403.8 | 2315.7 | **189,648.4** |
| WIN | 1970 | 2100.1 | 2171.8 | 2679.8 | 2044.0 | 2189.6 | 2296.9 | 1930.7 | 1491.7 | 2620.0 | 2152.6 | 2081.8 | 1651.2 | **167,637.6** |
| WIN | 1969 | 1382.2 | 1289.0 | 1499.8 | 1506.8 | 2179.9 | 2001.2 | 2320.9 | 2415.2 | 2442.4 | 2347.8 | 2180.1 | 2386.1 | **142,227.4** |
| WIN | 1968 | 2099.0 | 1996.5 | 2247.7 | 2101.2 | 1988.5 | 1977.4 | 2207.1 | 2227.5 | 1979.3 | 1611.6 | 1354.8 | 1527.0 | **118,276.0** |
| WIN | 1967 | 2944.6 | 2407.3 | 3018.1 | 2884.2 | 2910.3 | 2875.6 | 1789.3 | 2579.3 | 1732.2 | 2200.9 | 1969.8 | 2162.0 | **94,958.4** |
| WIN | 1966 | 1377.6 | 1510.6 | 2016.3 | 2013.0 | 2064.0 | 2020.3 | 1927.3 | 2255.9 | 2943.0 | 3014.6 | 2766.1 | 2998.7 | **65,484.8** |
| WIN | 1965 | 1460.1 | 944.2 | 1038.0 | 1062.3 | 1294.9 | 1275.3 | 1195.2 | 1477.9 | 1882.2 | 1876.3 | 1695.7 | 2305.5 | **38,577.4** |
| WIN | 1964 | 682.5 | 689.5 | 736.1 | 892.8 | 939.1 | 1080.9 | 890.3 | 854.8 | 868.5 | 1238.0 | 1246.9 | 1267.7 | **21,069.8** |
| WIN | 1963 | 103.2 | 820.7 | 706.8 | 707.9 | 1255.0 | 1227.8 | 1159.1 | 853.9 | 854.0 | 841.0 | 628.3 | 525.0 | **9,682.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 7.0 | 0.0 | **3,020.0** |
| H2O | 1962 | 43.1 | 37.8 | 41.7 | 39.4 | 24.5 | 20.0 | 26.5 | 29.1 | 18.3 | 25.1 | 1.6 | 0.0 | **6,492.7** |
| OIL | 1962 | 16.4 | 14.8 | 15.9 | 15.4 | 16.2 | 15.7 | 15.7 | 16.2 | 14.3 | 19.1 | 3.7 | 0.0 | **4,346.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,709.0** |
| H2O | 1961 | 42.9 | 37.2 | 38.8 | 37.0 | 36.2 | 24.3 | 44.7 | 40.7 | 43.1 | 45.9 | 44.7 | 45.3 | **6,185.6** |
| OIL | 1961 | 49.3 | 41.0 | 45.3 | 38.0 | 43.5 | 35.6 | 35.6 | 44.3 | 17.6 | 17.2 | 15.1 | 16.7 | **4,183.1** |
| DAY | 1960 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,344.0** |
| H2O | 1960 | 46.1 | 48.0 | 52.1 | 99.4 | 90.9 | 79.8 | 81.4 | 81.9 | 74.4 | 37.4 | 50.6 | 43.7 | **5,704.8** |
| OIL | 1960 | 29.6 | 25.4 | 29.4 | 39.4 | 32.9 | 28.1 | 24.3 | 23.8 | 22.6 | 42.7 | 46.2 | 48.8 | **3,783.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,983.0** |
| H2O | 1959 | 32.6 | 50.6 | 51.7 | 41.0 | 32.9 | 28.0 | 37.0 | 41.2 | 41.7 | 28.9 | 32.3 | 46.1 | **4,919.1** |

# Manitoba Production
## 1950 To 1975

Licence ***404*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-11-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1959 | 49.6 | 44.8 | 42.3 | 18.0 | 23.7 | 20.5 | 26.9 | 28.8 | 29.7 | 23.8 | 20.5 | 23.7 | **3,390.7** |
| DAY | 1958 | 31.0 | 23.0 | 14.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | **1,618.0** |
| H2O | 1958 | 198.9 | 156.0 | 85.2 | 174.7 | 190.0 | 172.8 | 158.5 | 96.2 | 98.4 | 93.2 | 69.0 | 36.2 | **4,455.1** |
| OIL | 1958 | 37.7 | 28.3 | 16.4 | 35.3 | 37.0 | 36.5 | 37.3 | 75.8 | 71.8 | 72.9 | 57.4 | 53.7 | **3,038.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 3.0 | 15.0 | 30.0 | 28.0 | 23.0 | 26.0 | 31.0 | 26.0 | 31.0 | **1,278.0** |
| H2O | 1957 | 304.6 | 259.8 | 264.4 | 30.2 | 18.6 | 265.0 | 262.5 | 156.0 | 275.5 | 242.6 | 185.7 | 218.3 | **2,926.0** |
| OIL | 1957 | 60.7 | 54.0 | 59.1 | 5.9 | 2.7 | 42.9 | 34.6 | 33.8 | 38.9 | 44.7 | 37.2 | 41.6 | **2,478.3** |
| DAY | 1956 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 24.0 | 29.0 | **975.0** |
| H2O | 1956 | 3.0 | 3.2 | 3.5 | 7.3 | 4.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 329.9 | **442.8** |
| OIL | 1956 | 45.3 | 40.8 | 44.3 | 39.9 | 45.1 | 36.5 | 37.2 | 38.6 | 42.1 | 46.4 | 34.6 | 62.5 | **2,022.2** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **624.0** |
| H2O | 1955 | 2.5 | 2.2 | 2.5 | 2.4 | 2.2 | 2.1 | 3.8 | 4.0 | 7.3 | 7.6 | 4.5 | 3.5 | **90.4** |
| OIL | 1955 | 59.4 | 53.1 | 59.4 | 58.6 | 55.1 | 48.9 | 48.0 | 45.6 | 50.1 | 49.3 | 45.6 | 44.2 | **1,508.9** |
| DAY | 1954 | 0.0 | 0.0 | 13.0 | 25.0 | 15.0 | 29.0 | 31.0 | 31.0 | 25.0 | 31.0 | 29.0 | 31.0 | **260.0** |
| H2O | 1954 | 0.0 | 0.0 | 7.9 | 9.2 | 5.9 | 9.1 | 8.4 | 0.6 | 0.5 | 0.8 | 1.7 | 1.7 | **45.8** |
| OIL | 1954 | 0.0 | 0.0 | 91.4 | 106.8 | 68.2 | 104.9 | 97.3 | 103.5 | 86.3 | 89.8 | 73.3 | 70.1 | **891.6** |

Licence ***405*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-11-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **7,814.0** |
| H2O | 1975 | 58.7 | 54.4 | 60.6 | 58.7 | 60.9 | 55.5 | 41.5 | 42.6 | 41.7 | 46.3 | 46.4 | 47.2 | **3,761.7** |
| OIL | 1975 | 34.2 | 30.7 | 33.5 | 31.8 | 32.4 | 29.9 | 35.0 | 36.4 | 35.1 | 37.7 | 36.5 | 37.0 | **12,928.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,451.0** |
| H2O | 1974 | 49.0 | 45.3 | 50.9 | 45.9 | 51.2 | 51.5 | 52.0 | 56.8 | 56.0 | 58.3 | 58.2 | 58.3 | **3,147.2** |
| OIL | 1974 | 31.0 | 26.9 | 31.1 | 27.5 | 30.8 | 29.9 | 30.7 | 35.0 | 33.4 | 35.0 | 33.2 | 34.3 | **12,518.1** |
| DAY | 1973 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | **7,088.0** |
| H2O | 1973 | 15.3 | 15.1 | 15.4 | 16.2 | 31.6 | 30.4 | 30.5 | 32.4 | 32.1 | 54.7 | 40.1 | 48.2 | **2,513.8** |
| OIL | 1973 | 33.7 | 30.8 | 31.9 | 33.1 | 39.7 | 38.6 | 40.0 | 42.4 | 40.7 | 31.6 | 23.7 | 29.6 | **12,139.3** |
| DAY | 1972 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 0.0 | 28.0 | 31.0 | **6,730.0** |
| H2O | 1972 | 25.6 | 27.7 | 13.8 | 12.9 | 14.1 | 14.0 | 15.6 | 28.3 | 28.0 | 0.0 | 9.1 | 10.0 | **2,151.8** |
| OIL | 1972 | 41.2 | 42.3 | 33.8 | 33.2 | 35.1 | 33.8 | 34.8 | 49.6 | 46.6 | 0.0 | 43.9 | 49.1 | **11,723.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,402.0** |
| H2O | 1971 | 32.0 | 29.1 | 17.0 | 17.2 | 17.3 | 17.0 | 8.1 | 7.8 | 7.0 | 0.0 | 27.0 | 31.8 | **1,952.7** |
| OIL | 1971 | 48.3 | 42.7 | 56.4 | 53.4 | 54.8 | 53.1 | 22.9 | 22.2 | 22.1 | 54.7 | 47.4 | 48.5 | **11,280.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 25.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **6,037.0** |
| H2O | 1970 | 31.3 | 29.6 | 30.8 | 28.5 | 29.3 | 16.5 | 12.6 | 18.1 | 16.2 | 32.7 | 31.0 | 34.7 | **1,741.4** |
| OIL | 1970 | 55.8 | 50.2 | 55.0 | 53.1 | 54.7 | 55.0 | 46.6 | 59.0 | 54.5 | 44.3 | 44.2 | 46.4 | **10,753.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,681.0** |
| H2O | 1969 | 23.5 | 21.3 | 20.0 | 20.3 | 8.6 | 8.3 | 8.9 | 9.1 | 8.4 | 9.2 | 8.3 | 32.6 | **1,430.1** |
| OIL | 1969 | 76.4 | 67.7 | 74.7 | 72.6 | 70.2 | 69.0 | 71.8 | 71.4 | 69.4 | 72.5 | 69.6 | 57.7 | **10,134.8** |
| DAY | 1968 | 31.0 | 29.0 | 27.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **5,316.0** |
| H2O | 1968 | 8.4 | 8.1 | 7.0 | 8.7 | 39.6 | 33.9 | 37.0 | 21.6 | 21.6 | 21.5 | 21.1 | 22.6 | **1,251.6** |
| OIL | 1968 | 57.5 | 52.9 | 46.9 | 56.3 | 79.6 | 73.4 | 81.2 | 76.4 | 73.7 | 72.0 | 74.2 | 76.4 | **9,291.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,958.0** |
| H2O | 1967 | 32.6 | 26.9 | 32.4 | 30.0 | 30.0 | 11.3 | 8.9 | 9.7 | 8.4 | 9.2 | 8.1 | 8.7 | **1,000.5** |
| OIL | 1967 | 129.8 | 115.4 | 129.4 | 124.7 | 128.6 | 55.5 | 57.7 | 57.0 | 55.0 | 58.2 | 56.7 | 57.7 | **8,471.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,593.0** |
| H2O | 1966 | 17.3 | 13.8 | 17.6 | 7.2 | 7.9 | 6.8 | 29.6 | 28.9 | 31.3 | 32.1 | 32.0 | 34.3 | **784.3** |
| OIL | 1966 | 66.7 | 58.8 | 65.2 | 50.4 | 52.1 | 48.1 | 126.7 | 125.5 | 122.0 | 126.7 | 124.1 | 130.1 | **7,445.6** |
| DAY | 1965 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | **4,228.0** |

# Manitoba Production
## 1950 To 1975

Licence ***405*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-11-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1965 | 2.4 | 2.2 | 2.7 | 2.4 | 4.9 | 4.6 | 4.8 | 4.8 | 1.1 | 1.1 | 0.0 | 14.8 | **525.5** |
| OIL | 1965 | 14.5 | 14.5 | 15.7 | 15.1 | 16.4 | 16.5 | 17.2 | 17.0 | 14.9 | 15.6 | 4.6 | 55.1 | **6,349.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,870.0** |
| H2O | 1964 | 1.3 | 1.1 | 1.3 | 1.3 | 1.3 | 3.8 | 3.5 | 3.7 | 3.7 | 3.7 | 2.5 | 2.5 | **479.7** |
| OIL | 1964 | 19.4 | 18.4 | 19.9 | 19.1 | 19.7 | 20.2 | 19.7 | 21.1 | 20.5 | 14.9 | 14.6 | 15.7 | **6,132.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,505.0** |
| H2O | 1963 | 1.9 | 2.9 | 3.5 | 2.9 | 0.8 | 4.8 | 4.8 | 5.1 | 0.0 | 0.0 | 0.0 | 1.1 | **450.0** |
| OIL | 1963 | 13.0 | 10.8 | 14.3 | 14.1 | 13.2 | 46.4 | 17.2 | 16.0 | 17.8 | 17.0 | 16.2 | 18.8 | **5,908.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,142.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.3 | 3.7 | **422.2** |
| OIL | 1962 | 19.4 | 17.0 | 18.8 | 18.3 | 19.2 | 18.8 | 18.6 | 19.1 | 16.8 | 22.4 | 13.0 | 14.0 | **5,694.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,777.0** |
| H2O | 1961 | 1.3 | 1.3 | 1.3 | 1.1 | 1.1 | 2.4 | 4.3 | 3.8 | 3.0 | 0.0 | 0.0 | 0.0 | **415.2** |
| OIL | 1961 | 32.9 | 27.3 | 30.4 | 25.3 | 29.1 | 13.8 | 13.8 | 17.2 | 17.0 | 20.3 | 17.6 | 19.4 | **5,478.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,412.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 3.3 | 3.0 | 3.2 | 2.9 | 2.9 | 3.5 | 1.6 | 1.3 | **395.6** |
| OIL | 1960 | 24.9 | 21.6 | 23.8 | 28.9 | 31.3 | 26.2 | 24.2 | 22.2 | 21.1 | 22.1 | 30.8 | 32.4 | **5,214.6** |
| DAY | 1959 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **2,046.0** |
| H2O | 1959 | 1.7 | 2.9 | 2.9 | 3.8 | 12.2 | 10.3 | 13.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **373.9** |
| OIL | 1959 | 24.5 | 23.8 | 22.4 | 27.5 | 23.7 | 20.5 | 26.9 | 23.5 | 24.2 | 16.8 | 16.8 | 19.4 | **4,905.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | **1,687.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.8 | 5.4 | 5.6 | 4.8 | 4.1 | 2.1 | **326.4** |
| OIL | 1958 | 53.2 | 48.9 | 50.9 | 50.2 | 52.1 | 51.6 | 40.0 | 40.0 | 38.1 | 36.1 | 32.1 | 28.4 | **4,635.1** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,325.0** |
| H2O | 1957 | 0.2 | 0.2 | 0.2 | 0.2 | 50.9 | 0.2 | 0.3 | 0.2 | 0.3 | 0.5 | 0.3 | 0.3 | **299.6** |
| OIL | 1957 | 58.8 | 52.3 | 57.2 | 50.9 | 52.9 | 55.3 | 47.8 | 56.7 | 58.2 | 63.1 | 56.9 | 58.6 | **4,113.5** |
| DAY | 1956 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | 31.0 | 29.0 | 31.0 | **966.0** |
| H2O | 1956 | 5.4 | 4.9 | 5.4 | 11.9 | 6.8 | 5.4 | 5.2 | 3.3 | 5.2 | 0.3 | 0.3 | 0.3 | **245.8** |
| OIL | 1956 | 86.1 | 77.5 | 79.8 | 72.0 | 81.2 | 78.5 | 79.8 | 76.8 | 90.3 | 68.5 | 62.1 | 64.7 | **3,444.8** |
| DAY | 1955 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **608.0** |
| H2O | 1955 | 5.6 | 4.6 | 5.1 | 5.1 | 4.8 | 4.5 | 6.4 | 7.0 | 12.1 | 13.5 | 7.8 | 5.9 | **191.4** |
| OIL | 1955 | 102.3 | 89.8 | 101.7 | 100.7 | 95.2 | 88.2 | 86.6 | 82.2 | 89.8 | 88.8 | 82.2 | 79.5 | **2,527.5** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 17.0 | 20.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 29.0 | 31.0 | **245.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 11.1 | 23.4 | 23.4 | 21.3 | 7.6 | 6.0 | 3.0 | 7.6 | 5.6 | **109.0** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 144.8 | 201.7 | 200.7 | 182.9 | 184.2 | 145.7 | 145.1 | 115.4 | 120.0 | **1,440.5** |

Licence ***407*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 17.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **2,762.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 18.3 | 33.9 | 28.0 | 29.6 | 32.6 | 29.4 | 32.8 | 0.0 | 0.0 | **5,075.9** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 10.5 | 18.3 | 17.8 | 19.1 | 18.6 | 17.8 | 18.1 | 0.0 | 0.0 | **1,955.2** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 0.0 | 0.0 | **2,561.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 6.4 | 32.6 | 29.6 | 26.7 | 31.5 | 30.5 | 0.0 | 0.0 | **4,871.3** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 3.7 | 17.3 | 18.3 | 16.8 | 17.8 | 17.8 | 0.0 | 0.0 | **1,835.0** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 30.0 | 28.0 | 31.0 | 30.0 | 29.0 | 24.0 | 0.0 | **2,404.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 25.9 | 35.0 | 32.3 | 33.4 | 31.8 | 31.5 | 25.4 | 0.0 | **4,714.0** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 12.9 | 18.1 | 16.2 | 18.4 | 17.3 | 17.2 | 13.7 | 0.0 | **1,743.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,210.0** |
| H2O | 1968 | 190.0 | 190.0 | 221.0 | 235.8 | 223.4 | 201.1 | 32.7 | 33.7 | 29.9 | 32.0 | 31.8 | 33.4 | **4,498.7** |
| OIL | 1968 | 45.6 | 41.3 | 46.2 | 48.6 | 47.8 | 44.3 | 18.6 | 18.8 | 18.3 | 18.3 | 17.8 | 18.3 | **1,629.5** |

# Manitoba Production
## 1950 To 1975

Licence ***407*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 18.0 | 30.0 | 31.0 | **1,845.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 98.1 | 111.1 | 201.4 | 203.5 | **3,043.9** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.6 | 26.9 | 46.7 | 47.0 | **1,245.6** |
| DAY | 1959 | 31.0 | 24.0 | 30.0 | 30.0 | 31.0 | 26.0 | 16.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,751.0** |
| H2O | 1959 | 43.7 | 42.7 | 43.1 | 38.0 | 37.7 | 37.2 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,429.8** |
| OIL | 1959 | 5.4 | 5.7 | 5.2 | 6.0 | 9.7 | 7.3 | 5.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,102.4** |
| DAY | 1958 | 30.0 | 20.0 | 0.0 | 24.0 | 30.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **1,563.0** |
| H2O | 1958 | 4.8 | 32.3 | 0.0 | 37.8 | 44.5 | 41.8 | 45.0 | 45.1 | 39.6 | 48.1 | 43.1 | 43.5 | **2,186.8** |
| OIL | 1958 | 6.8 | 5.2 | 0.0 | 6.0 | 7.0 | 7.9 | 7.5 | 7.5 | 6.2 | 6.8 | 6.4 | 6.4 | **1,057.5** |
| DAY | 1957 | 25.0 | 7.0 | 2.0 | 24.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,249.0** |
| H2O | 1957 | 7.2 | 17.2 | 0.6 | 9.1 | 4.8 | 4.1 | 5.1 | 4.9 | 5.1 | 4.8 | 4.4 | 4.6 | **1,761.2** |
| OIL | 1957 | 10.8 | 24.0 | 1.0 | 11.0 | 9.7 | 8.9 | 7.2 | 8.3 | 7.6 | 9.1 | 7.5 | 7.5 | **983.8** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | **947.0** |
| H2O | 1956 | 13.2 | 10.5 | 11.6 | 15.4 | 14.8 | 14.5 | 13.2 | 18.3 | 12.1 | 11.6 | 10.0 | 6.2 | **1,689.3** |
| OIL | 1956 | 8.7 | 9.5 | 9.7 | 9.4 | 8.9 | 8.3 | 8.1 | 7.2 | 10.0 | 9.9 | 9.4 | 12.9 | **871.2** |
| DAY | 1955 | 31.0 | 27.0 | 9.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **585.0** |
| H2O | 1955 | 34.6 | 1.4 | 0.6 | 1.4 | 1.4 | 1.4 | 3.0 | 0.8 | 12.6 | 14.6 | 13.5 | 13.0 | **1,537.9** |
| OIL | 1955 | 37.5 | 29.2 | 12.4 | 29.1 | 28.4 | 27.3 | 27.3 | 22.2 | 10.5 | 12.1 | 10.5 | 10.6 | **759.2** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 20.0 | 14.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **245.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 528.1 | 183.5 | 266.2 | 196.1 | 93.1 | 52.4 | 23.4 | 49.3 | 47.5 | **1,439.6** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 100.6 | 35.0 | 58.5 | 62.5 | 57.7 | 52.4 | 53.9 | 41.5 | 40.0 | **502.1** |

Licence ***408*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-02-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1954 | 0.0 | 0.0 | 10.0 | 6.0 | 14.0 | 29.0 | 26.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | **95.0** |
| H2O | 1954 | 0.0 | 0.0 | 4.8 | 0.0 | 9.1 | 13.0 | 5.2 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | **33.7** |
| OIL | 1954 | 0.0 | 0.0 | 7.3 | 3.5 | 26.8 | 17.8 | 16.0 | 4.4 | 0.0 | 0.0 | 0.0 | 0.0 | **75.8** |

Licence ***409*** Well Name ***B.A. Cdn. Sup. Woodnorth*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-33-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole C*** Field Code ***1*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 16.0 | 0.0 | 0.0 | 0.0 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,015.0** |
| H2O | 1958 | 340.4 | 0.0 | 0.0 | 0.0 | 46.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **11,948.1** |
| OIL | 1958 | 19.1 | 0.0 | 0.0 | 0.0 | 21.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,927.9** |
| DAY | 1957 | 8.0 | 0.0 | 6.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **992.0** |
| H2O | 1957 | 101.8 | 0.0 | 117.8 | 311.3 | 418.9 | 581.4 | 621.2 | 621.0 | 505.7 | 621.2 | 601.0 | 621.2 | **11,561.0** |
| OIL | 1957 | 18.3 | 0.0 | 25.3 | 83.9 | 70.9 | 51.6 | 48.6 | 55.6 | 49.6 | 47.2 | 40.7 | 40.0 | **3,887.7** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **704.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 584.8 | 545.7 | 490.8 | 460.8 | 485.6 | 466.0 | 467.0 | 405.7 | 394.6 | **6,438.5** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 139.7 | 121.9 | 136.8 | 105.5 | 74.1 | 94.7 | 136.2 | 29.4 | 68.8 | **3,356.0** |
| DAY | 1955 | 20.0 | 26.0 | 0.0 | 21.0 | 0.0 | 13.0 | 31.0 | 31.0 | 30.0 | 31.0 | 17.0 | 0.0 | **429.0** |
| H2O | 1955 | 34.3 | 106.8 | 0.0 | 154.9 | 0.0 | 183.0 | 322.9 | 282.4 | 310.3 | 338.6 | 246.0 | 0.0 | **2,137.5** |
| OIL | 1955 | 147.9 | 120.6 | 0.0 | 78.7 | 0.0 | 104.1 | 175.4 | 143.3 | 151.6 | 144.0 | 43.5 | 0.0 | **2,448.9** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 27.0 | 27.0 | 31.0 | 27.0 | 25.0 | 18.0 | 27.0 | **209.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 13.0 | 26.7 | 21.1 | 27.3 | 19.9 | 12.1 | 15.3 | 5.9 | 17.0 | **158.3** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 93.6 | 154.6 | 213.4 | 188.6 | 200.4 | 137.8 | 110.9 | 107.3 | 133.2 | **1,339.8** |

Licence ***410*** Well Name ***Enerplus Roselea*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-34-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

# Manitoba Production
## 1950 To 1975

Licence ***410*** Well Name ***Enerplus Roselea*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-34-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1955 | 31.0 | 28.0 | 26.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **351.0** |
| H2O | 1955 | 6.8 | 4.8 | 5.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **51.4** |
| OIL | 1955 | 20.1 | 15.1 | 16.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **357.9** |
| DAY | 1954 | 0.0 | 0.0 | 9.0 | 27.0 | 20.0 | 27.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **266.0** |
| H2O | 1954 | 0.0 | 0.0 | 2.7 | 1.6 | 4.1 | 1.9 | 1.3 | 2.2 | 4.3 | 2.5 | 8.9 | 5.1 | **34.6** |
| OIL | 1954 | 0.0 | 0.0 | 27.2 | 37.7 | 26.2 | 40.2 | 37.3 | 34.6 | 30.7 | 33.4 | 19.2 | 19.7 | **306.2** |

Licence ***411*** Well Name ***Enerplus Roselea*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-34-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 28.0 | 31.0 | 25.0 | 0.0 | 0.0 | 0.0 | **3,636.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 136.0 | 552.1 | 603.8 | 375.5 | 0.0 | 0.0 | 0.0 | **53,468.3** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.6 | 26.2 | 33.8 | 17.2 | 0.0 | 0.0 | 0.0 | **9,691.6** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 30.0 | 23.0 | 23.0 | 24.0 | 29.0 | 0.0 | 0.0 | **3,542.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 95.6 | 501.9 | 298.3 | 251.2 | 434.0 | 450.6 | 0.0 | 0.0 | **51,800.9** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 8.3 | 21.9 | 13.2 | 12.6 | 36.1 | 36.4 | 0.0 | 0.0 | **9,601.8** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 28.0 | 0.0 | 0.0 | **3,408.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 346.6 | 468.7 | 423.7 | 356.3 | 439.0 | 410.4 | 0.0 | 0.0 | **49,769.3** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 15.6 | 22.2 | 25.4 | 28.1 | 31.9 | 32.4 | 0.0 | 0.0 | **9,473.3** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 0.0 | 0.0 | **3,229.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 310.8 | 582.9 | 601.8 | 460.9 | 578.7 | 585.1 | 0.0 | 0.0 | **47,324.6** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 25.6 | 39.1 | 19.1 | 34.2 | 40.2 | 40.0 | 0.0 | 0.0 | **9,317.7** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 22.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 1.0 | 0.0 | **3,064.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 401.3 | 520.2 | 516.2 | 465.0 | 363.3 | 303.7 | 266.9 | 23.8 | 0.0 | **44,204.4** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 38.6 | 46.4 | 43.1 | 30.7 | 28.9 | 27.7 | 24.9 | 1.7 | 0.0 | **9,119.5** |
| DAY | 1962 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | **2,860.0** |
| H2O | 1962 | 566.0 | 491.9 | 253.6 | 503.4 | 589.5 | 528.3 | 459.3 | 551.5 | 561.1 | 563.5 | 543.0 | 420.4 | **41,344.0** |
| OIL | 1962 | 55.1 | 47.5 | 16.2 | 53.2 | 51.8 | 47.5 | 42.0 | 48.9 | 48.3 | 46.6 | 45.6 | 33.1 | **8,877.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,513.0** |
| H2O | 1961 | 502.7 | 538.6 | 563.9 | 504.4 | 550.2 | 559.8 | 578.1 | 564.7 | 560.9 | 582.3 | 570.1 | 580.3 | **35,312.5** |
| OIL | 1961 | 63.2 | 61.2 | 60.7 | 58.0 | 64.2 | 65.0 | 54.0 | 52.0 | 58.6 | 56.6 | 52.9 | 55.1 | **8,341.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 20.0 | 30.0 | 30.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **2,148.0** |
| H2O | 1960 | 457.4 | 420.8 | 475.4 | 413.5 | 272.2 | 436.7 | 418.0 | 350.7 | 406.2 | 537.2 | 477.3 | 560.7 | **28,656.5** |
| OIL | 1960 | 56.1 | 55.3 | 62.0 | 55.0 | 33.7 | 54.3 | 46.1 | 46.1 | 53.6 | 58.2 | 51.5 | 74.7 | **7,640.2** |
| DAY | 1959 | 31.0 | 28.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 26.0 | 30.0 | 27.0 | 31.0 | **1,798.0** |
| H2O | 1959 | 474.4 | 463.7 | 527.0 | 523.4 | 443.1 | 456.4 | 449.1 | 453.1 | 481.6 | 202.7 | 420.3 | 481.2 | **23,430.4** |
| OIL | 1959 | 61.8 | 69.3 | 74.4 | 71.2 | 56.6 | 62.5 | 60.2 | 58.5 | 59.1 | 46.4 | 46.9 | 54.5 | **6,993.6** |
| DAY | 1958 | 27.0 | 28.0 | 26.0 | 22.0 | 30.0 | 30.0 | 30.0 | 22.0 | 30.0 | 16.0 | 30.0 | 31.0 | **1,444.0** |
| H2O | 1958 | 415.6 | 436.6 | 406.5 | 362.0 | 456.6 | 485.5 | 513.8 | 353.6 | 488.7 | 284.9 | 479.3 | 522.1 | **18,054.4** |
| OIL | 1958 | 87.7 | 90.9 | 79.9 | 69.9 | 90.9 | 92.5 | 92.6 | 42.6 | 65.9 | 37.5 | 70.7 | 68.8 | **6,272.2** |
| DAY | 1957 | 31.0 | 28.0 | 29.0 | 0.0 | 15.0 | 26.0 | 29.0 | 21.0 | 23.0 | 23.0 | 29.0 | 31.0 | **1,122.0** |
| H2O | 1957 | 437.4 | 409.5 | 410.8 | 0.0 | 231.2 | 450.4 | 470.7 | 322.4 | 400.3 | 382.7 | 462.9 | 485.4 | **12,849.2** |
| OIL | 1957 | 119.7 | 108.2 | 109.6 | 0.0 | 67.2 | 106.2 | 113.8 | 64.2 | 82.2 | 85.3 | 102.5 | 99.3 | **5,382.3** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 26.0 | 27.0 | 30.0 | 31.0 | 27.0 | 30.0 | 29.0 | 31.0 | **837.0** |
| H2O | 1956 | 413.3 | 381.4 | 420.8 | 136.7 | 380.0 | 382.7 | 403.0 | 408.1 | 417.2 | 460.9 | 444.0 | 468.4 | **8,385.5** |
| OIL | 1956 | 164.6 | 159.4 | 169.1 | 57.5 | 131.9 | 148.4 | 144.0 | 133.5 | 132.2 | 138.7 | 120.1 | 121.6 | **4,324.1** |
| DAY | 1955 | 31.0 | 26.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | **485.0** |
| H2O | 1955 | 152.3 | 103.8 | 136.2 | 127.5 | 145.3 | 145.5 | 190.0 | 377.4 | 402.4 | 406.8 | 371.2 | 375.4 | **3,669.0** |
| OIL | 1955 | 152.2 | 108.1 | 141.7 | 132.7 | 151.1 | 151.3 | 146.2 | 220.1 | 234.7 | 205.8 | 190.1 | 183.9 | **2,703.1** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 28.0 | 23.0 | 29.0 | 31.0 | **126.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 148.8 | 165.2 | 72.2 | 154.2 | 194.8 | **735.2** |

# Manitoba Production
## 1950 To 1975

Licence ***411*** Well Name ***Enerplus Roselea*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-34-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 91.7 | 153.2 | 139.7 | 143.3 | 157.3 | **685.2** |

Licence ***412*** Well Name ***Enerplus Whitewater*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-17-003-21W1.00*** Field Name ***Whitewater*** Pool Name ***Lodgepole WL A*** Field Code ***6*** Pool Code ***52A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 28.0 | 3.0 | 3.0 | 11.0 | 14.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,103.0** |
| H2O | 1975 | 75.5 | 58.2 | 46.4 | 5.9 | 6.2 | 63.4 | 94.9 | 116.1 | 106.5 | 114.9 | 83.5 | 59.5 | **5,033.9** |
| OIL | 1975 | 126.9 | 102.4 | 88.9 | 14.6 | 16.4 | 74.1 | 100.8 | 153.4 | 144.7 | 149.0 | 141.5 | 188.4 | **23,932.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 20.0 | 5.0 | 31.0 | 31.0 | 30.0 | 31.0 | 10.0 | 28.0 | **6,832.0** |
| H2O | 1974 | 122.4 | 101.1 | 114.6 | 119.6 | 95.1 | 9.1 | 108.6 | 99.2 | 103.8 | 83.5 | 12.2 | 139.3 | **4,202.9** |
| OIL | 1974 | 155.5 | 164.9 | 186.5 | 192.5 | 117.5 | 33.5 | 221.5 | 183.6 | 218.9 | 168.1 | 43.9 | 179.3 | **22,631.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,526.0** |
| H2O | 1973 | 41.5 | 45.8 | 62.0 | 61.5 | 73.0 | 94.0 | 95.7 | 98.9 | 98.1 | 87.6 | 127.2 | 123.4 | **3,094.4** |
| OIL | 1973 | 72.7 | 79.2 | 104.0 | 112.7 | 145.6 | 162.6 | 146.3 | 143.1 | 141.5 | 122.7 | 173.5 | 162.2 | **20,765.3** |
| DAY | 1972 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 29.0 | **6,162.0** |
| H2O | 1972 | 4.5 | 2.7 | 0.0 | 0.0 | 6.0 | 4.8 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 2.4 | **2,085.7** |
| OIL | 1972 | 67.7 | 64.7 | 69.5 | 64.5 | 68.2 | 60.6 | 63.4 | 63.6 | 59.3 | 59.9 | 39.4 | 53.4 | **19,199.2** |
| DAY | 1971 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 29.0 | **5,802.0** |
| H2O | 1971 | 11.0 | 9.7 | 10.5 | 8.4 | 9.2 | 4.0 | 9.9 | 10.2 | 9.9 | 8.3 | 8.4 | 6.7 | **2,062.1** |
| OIL | 1971 | 74.1 | 69.6 | 74.2 | 62.0 | 78.5 | 71.1 | 70.6 | 74.1 | 75.0 | 69.0 | 51.0 | 66.0 | **18,465.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 20.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,443.0** |
| H2O | 1970 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 15.7 | 11.1 | 11.8 | 13.2 | 12.9 | 11.3 | **1,955.9** |
| OIL | 1970 | 69.2 | 65.8 | 71.7 | 50.7 | 74.7 | 73.6 | 76.5 | 75.0 | 71.9 | 73.3 | 70.9 | 68.8 | **17,629.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,094.0** |
| H2O | 1969 | 15.1 | 11.6 | 12.1 | 10.8 | 11.8 | 7.6 | 21.6 | 8.4 | 21.5 | 0.0 | 0.0 | 0.0 | **1,861.9** |
| OIL | 1969 | 74.2 | 66.0 | 76.0 | 74.2 | 76.5 | 76.8 | 82.4 | 83.3 | 70.7 | 74.4 | 66.9 | 77.1 | **16,787.7** |
| DAY | 1968 | 31.0 | 29.0 | 26.0 | 28.0 | 31.0 | 30.0 | 0.0 | 0.0 | 30.0 | 26.0 | 30.0 | 31.0 | **4,734.0** |
| H2O | 1968 | 5.1 | 4.9 | 3.7 | 8.6 | 20.2 | 18.1 | 18.4 | 16.1 | 19.2 | 21.0 | 21.3 | 17.8 | **1,741.4** |
| OIL | 1968 | 86.0 | 75.4 | 60.7 | 83.6 | 83.6 | 77.1 | 77.1 | 79.2 | 74.6 | 68.4 | 78.1 | 75.0 | **15,889.2** |
| DAY | 1967 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 16.0 | 0.0 | 19.0 | 31.0 | **4,442.0** |
| H2O | 1967 | 2.7 | 0.8 | 0.8 | 0.8 | 0.6 | 1.6 | 3.0 | 3.2 | 0.6 | 0.0 | 3.5 | 5.4 | **1,567.0** |
| OIL | 1967 | 41.0 | 83.0 | 84.4 | 74.7 | 75.0 | 61.8 | 66.3 | 45.8 | 5.2 | 0.0 | 60.7 | 95.2 | **14,970.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 27.0 | 26.0 | 31.0 | 28.0 | 29.0 | **4,134.0** |
| H2O | 1966 | 15.1 | 9.5 | 11.6 | 11.1 | 7.2 | 4.6 | 4.9 | 3.8 | 4.1 | 4.8 | 4.1 | 5.7 | **1,544.0** |
| OIL | 1966 | 73.5 | 67.9 | 68.0 | 65.7 | 66.1 | 60.9 | 71.5 | 59.9 | 58.3 | 52.5 | 44.8 | 43.6 | **14,277.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 21.0 | 31.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | **3,786.0** |
| H2O | 1965 | 4.3 | 21.3 | 22.6 | 28.6 | 11.0 | 19.9 | 20.2 | 16.7 | 19.2 | 18.0 | 9.7 | 13.7 | **1,457.5** |
| OIL | 1965 | 88.5 | 66.8 | 95.9 | 72.7 | 74.5 | 76.2 | 79.7 | 70.0 | 67.1 | 80.3 | 71.4 | 64.7 | **13,544.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 0.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **3,438.0** |
| H2O | 1964 | 24.0 | 15.1 | 24.5 | 13.0 | 0.0 | 13.0 | 8.6 | 7.0 | 10.7 | 5.4 | 6.4 | 12.2 | **1,252.3** |
| OIL | 1964 | 80.2 | 81.3 | 88.8 | 54.3 | 0.0 | 99.7 | 88.9 | 89.3 | 77.2 | 81.0 | 78.9 | 49.3 | **12,636.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 24.0 | 7.0 | 25.0 | 31.0 | 31.0 | 30.0 | 30.0 | 26.0 | 31.0 | **3,109.0** |
| H2O | 1963 | 28.1 | 16.1 | 15.9 | 16.9 | 42.1 | 5.6 | 16.1 | 15.1 | 14.5 | 14.5 | 1.4 | 21.5 | **1,112.4** |
| OIL | 1963 | 81.1 | 80.5 | 86.5 | 38.4 | 16.6 | 88.1 | 93.5 | 89.9 | 86.4 | 86.2 | 85.3 | 94.5 | **11,767.9** |
| DAY | 1962 | 29.0 | 26.0 | 27.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **2,784.0** |
| H2O | 1962 | 32.6 | 29.7 | 21.9 | 9.2 | 5.9 | 14.3 | 15.1 | 25.0 | 14.6 | 10.8 | 8.3 | 6.5 | **904.6** |
| OIL | 1962 | 88.1 | 83.2 | 76.2 | 84.0 | 15.2 | 131.7 | 104.8 | 100.5 | 90.8 | 92.1 | 87.7 | 96.9 | **10,840.9** |
| DAY | 1961 | 29.0 | 28.0 | 31.0 | 14.0 | 9.0 | 27.0 | 31.0 | 31.0 | 30.0 | 30.0 | 28.0 | 24.0 | **2,434.0** |
| H2O | 1961 | 17.6 | 11.1 | 28.1 | 0.6 | 11.9 | 6.0 | 13.7 | 15.6 | 16.2 | 12.2 | 4.1 | 17.3 | **710.7** |
| OIL | 1961 | 97.4 | 83.7 | 102.3 | 39.6 | 27.4 | 81.3 | 76.5 | 89.9 | 87.5 | 79.1 | 80.8 | 80.7 | **9,789.7** |
| DAY | 1960 | 28.0 | 10.0 | 28.0 | 16.0 | 11.0 | 30.0 | 27.0 | 29.0 | 28.0 | 24.0 | 28.0 | 30.0 | **2,122.0** |

# Manitoba Production
## 1950 To 1975

Licence ***412*** Well Name ***Enerplus Whitewater*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-17-003-21W1.00*** Field Name ***Whitewater*** Pool Name ***Lodgepole WL A*** Field Code ***6*** Pool Code ***52A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1960 | 7.0 | 3.2 | 12.6 | 10.7 | 4.1 | 14.5 | 12.4 | 11.1 | 17.0 | 16.1 | 19.6 | 18.0 | **556.3** |
| OIL | 1960 | 88.0 | 30.1 | 96.9 | 45.2 | 44.9 | 100.2 | 87.2 | 91.3 | 87.0 | 71.4 | 87.2 | 103.2 | **8,863.5** |
| DAY | 1959 | 26.0 | 23.0 | 29.0 | 27.0 | 26.0 | 25.0 | 28.0 | 26.0 | 26.0 | 15.0 | 27.0 | 28.0 | **1,833.0** |
| H2O | 1959 | 7.6 | 11.4 | 12.6 | 9.9 | 12.6 | 14.3 | 14.0 | 10.7 | 22.4 | 4.0 | 11.0 | 8.7 | **410.0** |
| OIL | 1959 | 102.9 | 87.2 | 110.1 | 98.5 | 95.5 | 87.0 | 88.3 | 85.0 | 85.6 | 46.5 | 90.2 | 82.1 | **7,930.9** |
| DAY | 1958 | 27.0 | 25.0 | 27.0 | 29.0 | 28.0 | 29.0 | 29.0 | 30.0 | 29.0 | 22.0 | 27.0 | 28.0 | **1,527.0** |
| H2O | 1958 | 8.3 | 11.8 | 11.9 | 11.8 | 7.8 | 10.0 | 15.3 | 14.3 | 13.4 | 11.4 | 11.0 | 9.2 | **270.8** |
| OIL | 1958 | 76.8 | 87.0 | 104.2 | 105.6 | 105.2 | 98.5 | 98.8 | 98.2 | 105.2 | 80.0 | 104.0 | 105.3 | **6,872.0** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 29.0 | 16.0 | 30.0 | 29.0 | 30.0 | 25.0 | 30.0 | 29.0 | 29.0 | **1,197.0** |
| H2O | 1957 | 7.2 | 5.4 | 8.6 | 7.5 | 5.7 | 7.6 | 7.6 | 2.5 | 6.7 | 7.2 | 6.8 | 7.0 | **134.6** |
| OIL | 1957 | 111.0 | 72.1 | 113.7 | 92.4 | 76.2 | 102.0 | 100.4 | 99.1 | 88.0 | 95.5 | 91.5 | 92.1 | **5,703.2** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 25.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **861.0** |
| H2O | 1956 | 1.1 | 1.1 | 1.0 | 1.0 | 1.1 | 1.0 | 0.8 | 0.0 | 0.0 | 0.0 | 1.0 | 1.0 | **54.8** |
| OIL | 1956 | 129.2 | 119.1 | 117.9 | 98.9 | 122.6 | 109.8 | 113.6 | 121.8 | 113.4 | 112.6 | 108.0 | 107.7 | **4,569.2** |
| DAY | 1955 | 30.0 | 0.0 | 27.0 | 21.0 | 0.0 | 27.0 | 30.0 | 29.0 | 29.0 | 31.0 | 30.0 | 27.0 | **505.0** |
| H2O | 1955 | 2.8 | 1.2 | 1.3 | 1.0 | 0.0 | 1.6 | 1.3 | 1.1 | 0.8 | 1.1 | 1.1 | 1.0 | **45.7** |
| OIL | 1955 | 146.5 | 142.4 | 154.8 | 98.6 | 0.0 | 180.2 | 131.9 | 116.9 | 92.9 | 126.0 | 114.1 | 102.1 | **3,194.6** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 15.0 | 15.0 | 25.0 | 25.0 | 28.0 | 26.0 | 30.0 | 29.0 | 31.0 | **224.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 5.6 | 3.2 | 2.6 | 2.8 | 3.6 | 1.8 | 3.2 | 2.0 | 6.6 | **31.4** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 187.2 | 188.3 | 240.9 | 229.0 | 224.4 | 182.1 | 201.3 | 170.5 | 164.5 | **1,788.2** |

Licence ***413*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.01-11-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **7,765.0** |
| H2O | 1975 | 39.1 | 35.9 | 40.1 | 36.1 | 40.2 | 32.6 | 19.7 | 19.4 | 18.6 | 20.5 | 20.7 | 21.0 | **4,789.7** |
| OIL | 1975 | 52.0 | 46.2 | 50.9 | 45.0 | 49.3 | 40.5 | 41.3 | 41.5 | 38.8 | 41.6 | 40.0 | 40.8 | **14,696.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,407.0** |
| H2O | 1974 | 58.3 | 54.2 | 60.6 | 58.8 | 61.0 | 61.4 | 41.0 | 37.5 | 37.0 | 39.0 | 38.8 | 38.8 | **4,445.8** |
| OIL | 1974 | 53.6 | 46.7 | 53.6 | 50.9 | 52.9 | 51.3 | 52.9 | 52.8 | 50.7 | 53.2 | 50.9 | 52.4 | **14,168.4** |
| DAY | 1973 | 28.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **7,042.0** |
| H2O | 1973 | 14.3 | 19.1 | 21.1 | 21.1 | 63.1 | 60.7 | 60.9 | 65.7 | 64.5 | 65.2 | 60.4 | 53.6 | **3,859.4** |
| OIL | 1973 | 31.3 | 26.1 | 29.9 | 29.1 | 52.3 | 50.7 | 52.6 | 56.3 | 53.4 | 54.7 | 51.5 | 47.7 | **13,546.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 0.0 | 28.0 | 31.0 | **6,683.0** |
| H2O | 1972 | 13.5 | 12.6 | 27.3 | 24.5 | 26.9 | 14.1 | 15.6 | 14.8 | 14.6 | 0.0 | 14.6 | 16.1 | **3,289.7** |
| OIL | 1972 | 39.6 | 35.4 | 52.6 | 50.4 | 53.1 | 38.9 | 40.0 | 35.6 | 34.0 | 0.0 | 31.6 | 35.4 | **13,010.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,350.0** |
| H2O | 1971 | 28.1 | 25.4 | 29.4 | 29.6 | 0.0 | 0.0 | 0.0 | 36.7 | 32.9 | 12.6 | 12.1 | 14.3 | **3,095.1** |
| OIL | 1971 | 57.7 | 51.0 | 47.2 | 45.0 | 31.8 | 31.0 | 28.4 | 71.5 | 70.4 | 41.5 | 39.3 | 40.2 | **12,564.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,988.0** |
| H2O | 1970 | 68.2 | 63.9 | 67.1 | 62.0 | 63.8 | 29.4 | 26.2 | 31.0 | 28.8 | 30.0 | 27.3 | 30.4 | **2,874.0** |
| OIL | 1970 | 74.7 | 67.4 | 73.6 | 70.9 | 73.3 | 44.3 | 44.7 | 45.8 | 52.1 | 55.0 | 52.8 | 55.3 | **12,009.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **5,623.0** |
| H2O | 1969 | 28.1 | 25.6 | 23.8 | 24.3 | 18.1 | 17.3 | 18.9 | 18.9 | 17.8 | 19.4 | 17.3 | 66.1 | **2,345.9** |
| OIL | 1969 | 57.0 | 50.4 | 55.8 | 54.3 | 36.9 | 36.2 | 37.7 | 37.3 | 36.4 | 38.1 | 36.4 | 72.5 | **11,299.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,260.0** |
| H2O | 1968 | 17.8 | 16.9 | 18.0 | 18.0 | 25.0 | 22.7 | 23.5 | 21.5 | 24.5 | 27.3 | 25.1 | 27.0 | **2,050.3** |
| OIL | 1968 | 66.9 | 61.3 | 65.5 | 63.4 | 59.4 | 59.0 | 61.8 | 61.8 | 52.6 | 57.8 | 55.5 | 57.5 | **10,750.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,894.0** |
| H2O | 1967 | 13.0 | 10.8 | 12.9 | 12.1 | 12.1 | 10.2 | 7.9 | 20.2 | 16.5 | 19.2 | 16.9 | 18.4 | **1,783.0** |
| OIL | 1967 | 73.7 | 65.5 | 73.6 | 70.9 | 73.1 | 65.5 | 67.2 | 59.4 | 53.4 | 67.5 | 65.8 | 66.9 | **10,027.9** |

# Manitoba Production
## 1950 To 1975

Licence ***413*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.01-11-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,530.0** |
| H2O | 1966 | 9.2 | 7.3 | 9.4 | 9.7 | 9.5 | 7.5 | 19.9 | 11.4 | 12.4 | 12.7 | 12.9 | 13.5 | **1,612.8** |
| OIL | 1966 | 57.5 | 50.5 | 56.1 | 54.8 | 58.0 | 50.1 | 76.4 | 71.2 | 69.4 | 71.8 | 70.6 | 72.0 | **9,225.4** |
| DAY | 1965 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **4,167.0** |
| H2O | 1965 | 3.7 | 3.7 | 4.0 | 3.7 | 3.5 | 3.5 | 3.5 | 9.4 | 15.6 | 4.5 | 9.5 | 9.7 | **1,477.4** |
| OIL | 1965 | 24.8 | 24.6 | 26.5 | 25.4 | 25.7 | 25.7 | 27.0 | 56.9 | 61.0 | 64.7 | 56.6 | 58.2 | **8,467.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,806.0** |
| H2O | 1964 | 7.6 | 7.0 | 7.8 | 7.5 | 7.9 | 7.6 | 7.0 | 7.6 | 9.7 | 9.9 | 7.5 | 7.9 | **1,403.1** |
| OIL | 1964 | 52.9 | 50.1 | 54.0 | 52.0 | 53.4 | 51.5 | 50.7 | 53.9 | 53.2 | 54.2 | 49.7 | 53.2 | **7,989.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,441.0** |
| H2O | 1963 | 7.6 | 10.2 | 10.2 | 9.9 | 6.0 | 9.2 | 13.0 | 5.1 | 5.9 | 11.0 | 7.3 | 7.6 | **1,308.1** |
| OIL | 1963 | 39.9 | 33.1 | 43.5 | 43.2 | 39.6 | 44.2 | 49.6 | 55.0 | 62.9 | 52.0 | 49.6 | 50.9 | **7,361.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,077.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 11.4 | 9.2 | 12.1 | 13.2 | 8.3 | 11.3 | 11.0 | 12.4 | **1,205.1** |
| OIL | 1962 | 35.8 | 31.5 | 34.5 | 33.8 | 33.8 | 33.1 | 32.9 | 33.8 | 29.9 | 39.9 | 41.2 | 42.9 | **6,797.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 15.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,712.0** |
| H2O | 1961 | 17.8 | 15.6 | 16.4 | 7.9 | 15.7 | 11.9 | 21.6 | 19.7 | 0.0 | 0.0 | 0.0 | 0.0 | **1,116.2** |
| OIL | 1961 | 13.3 | 11.4 | 12.7 | 5.2 | 33.2 | 30.4 | 30.4 | 37.5 | 38.9 | 37.5 | 32.7 | 35.8 | **6,374.5** |
| DAY | 1960 | 8.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 17.0 | 24.0 | 22.0 | 24.0 | 31.0 | **2,365.0** |
| H2O | 1960 | 1.4 | 5.6 | 5.9 | 16.1 | 14.9 | 12.7 | 14.0 | 7.2 | 9.5 | 11.1 | 16.4 | 18.3 | **989.6** |
| OIL | 1960 | 17.8 | 59.8 | 66.3 | 19.7 | 16.8 | 14.0 | 13.0 | 6.5 | 8.9 | 8.4 | 9.9 | 13.5 | **6,055.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,057.0** |
| H2O | 1959 | 11.9 | 18.6 | 18.9 | 33.4 | 3.7 | 3.2 | 4.1 | 4.5 | 4.8 | 3.2 | 3.5 | 1.0 | **856.5** |
| OIL | 1959 | 26.2 | 23.8 | 22.2 | 37.8 | 53.4 | 46.4 | 60.9 | 65.0 | 67.2 | 53.9 | 45.9 | 10.3 | **5,800.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,692.0** |
| H2O | 1958 | 11.1 | 8.7 | 10.5 | 9.9 | 10.7 | 15.6 | 30.8 | 34.2 | 36.1 | 34.0 | 26.5 | 12.2 | **745.7** |
| OIL | 1958 | 61.0 | 56.1 | 58.3 | 57.5 | 58.5 | 48.0 | 40.0 | 38.9 | 38.0 | 38.6 | 32.1 | 28.4 | **5,287.9** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **1,330.0** |
| H2O | 1957 | 13.7 | 11.8 | 11.9 | 12.4 | 11.0 | 7.0 | 7.3 | 5.2 | 11.0 | 14.0 | 11.9 | 12.7 | **505.4** |
| OIL | 1957 | 92.2 | 81.8 | 89.8 | 79.5 | 81.4 | 68.8 | 59.8 | 70.6 | 64.4 | 71.7 | 66.7 | 67.2 | **4,732.5** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 24.0 | 30.0 | 31.0 | 29.0 | 31.0 | **971.0** |
| H2O | 1956 | 15.9 | 15.4 | 16.5 | 36.1 | 20.5 | 16.1 | 16.1 | 9.7 | 16.1 | 15.1 | 14.8 | 15.9 | **375.5** |
| OIL | 1956 | 92.8 | 83.7 | 86.0 | 77.4 | 87.6 | 84.7 | 86.0 | 77.7 | 97.3 | 107.3 | 97.1 | 101.4 | **3,838.6** |
| DAY | 1955 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **613.0** |
| H2O | 1955 | 14.6 | 10.2 | 11.6 | 11.4 | 10.8 | 8.6 | 19.1 | 0.8 | 1.7 | 1.9 | 17.3 | 10.7 | **167.3** |
| OIL | 1955 | 144.8 | 127.0 | 144.8 | 142.9 | 135.2 | 107.7 | 108.9 | 91.2 | 99.8 | 98.7 | 88.5 | 85.8 | **2,759.6** |
| DAY | 1954 | 0.0 | 0.0 | 4.0 | 28.0 | 16.0 | 30.0 | 28.0 | 30.0 | 25.0 | 28.0 | 29.0 | 31.0 | **249.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.2 | 3.8 | 1.3 | 1.7 | 1.7 | 4.0 | 3.8 | 4.0 | 13.2 | 14.9 | **48.6** |
| OIL | 1954 | 0.0 | 0.0 | 50.1 | 245.4 | 80.7 | 116.8 | 111.9 | 153.2 | 151.6 | 156.0 | 149.4 | 169.2 | **1,384.3** |

Licence ***414*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-11-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 829.2 | 676.5 | 1021.9 | 1000.3 | 901.3 | 695.5 | 788.4 | 935.3 | 905.4 | 973.6 | 855.3 | 839.1 | **177,596.2** |
| WIN | 1974 | 778.0 | 626.5 | 820.0 | 759.9 | 747.8 | 669.8 | 706.3 | 819.4 | 723.8 | 725.7 | 753.1 | 894.7 | **167,174.4** |
| WIN | 1973 | 990.4 | 921.4 | 1020.0 | 934.3 | 895.1 | 805.6 | 794.1 | 767.9 | 714.3 | 754.4 | 658.5 | 673.6 | **158,149.4** |
| WIN | 1972 | 1051.5 | 1020.8 | 1489.6 | 1156.4 | 1021.8 | 865.8 | 864.1 | 786.8 | 856.7 | 909.5 | 865.6 | 880.3 | **148,219.8** |
| WIN | 1971 | 917.2 | 785.4 | 1250.5 | 1270.1 | 1122.9 | 969.6 | 930.4 | 915.7 | 815.9 | 903.6 | 1249.9 | 1132.1 | **136,450.9** |
| WIN | 1970 | 1349.4 | 1050.7 | 1257.4 | 1092.8 | 1205.4 | 1045.1 | 1107.5 | 1496.0 | 1400.0 | 1398.4 | 1215.1 | 890.3 | **124,187.6** |
| WIN | 1969 | 1408.6 | 1243.7 | 1666.4 | 1609.2 | 1660.1 | 1113.7 | 1339.1 | 1438.6 | 1417.3 | 1361.8 | 1322.6 | 1320.8 | **109,679.5** |
| WIN | 1968 | 1784.9 | 1737.5 | 1992.5 | 1817.6 | 1665.5 | 1756.1 | 1663.9 | 1562.6 | 1407.6 | 1461.8 | 1133.4 | 1636.7 | **92,777.6** |

# Manitoba Production
## 1950 To 1975

Licence ***414*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-11-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1967 | 1632.1 | 1273.1 | 1611.6 | 1526.7 | 1473.3 | 1431.0 | 811.8 | 1664.2 | 1433.7 | 1698.1 | 1536.2 | 1810.8 | **73,157.5** |
| WIN | 1966 | 1026.5 | 1047.7 | 1696.8 | 1672.5 | 1616.5 | 1400.6 | 1152.9 | 1104.8 | 1081.1 | 1091.2 | 977.7 | 1558.6 | **55,254.9** |
| WIN | 1965 | 1434.5 | 1139.4 | 1330.5 | 1309.0 | 1712.5 | 1668.3 | 1036.4 | 1585.5 | 1570.6 | 1549.7 | 1352.8 | 1790.3 | **39,828.0** |
| WIN | 1964 | 684.2 | 711.1 | 776.1 | 896.2 | 1158.2 | 1178.5 | 1112.9 | 877.9 | 952.6 | 1132.7 | 1170.6 | 1287.3 | **22,348.5** |
| DAY | 1963 | 6.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,139.0** |
| H2O | 1963 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **711.9** |
| OIL | 1963 | 5.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,814.7** |
| WIN | 1963 | 62.5 | 465.3 | 1137.0 | 873.1 | 1531.3 | 1351.8 | 1214.3 | 847.2 | 790.0 | 906.0 | 562.2 | 669.5 | **10,410.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,133.0** |
| H2O | 1962 | 14.9 | 12.9 | 14.1 | 13.5 | 16.7 | 19.1 | 25.4 | 27.7 | 17.5 | 23.8 | 1.1 | 1.3 | **711.7** |
| OIL | 1962 | 32.0 | 28.2 | 30.9 | 30.1 | 31.6 | 38.8 | 38.6 | 39.7 | 35.0 | 46.9 | 28.6 | 29.9 | **7,809.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,768.0** |
| H2O | 1961 | 2.9 | 2.5 | 2.5 | 2.4 | 4.8 | 3.2 | 5.7 | 19.7 | 14.6 | 15.7 | 15.1 | 15.4 | **523.7** |
| OIL | 1961 | 42.0 | 35.0 | 38.8 | 32.3 | 33.8 | 27.7 | 27.7 | 35.3 | 35.0 | 33.7 | 29.4 | 32.1 | **7,399.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,403.0** |
| H2O | 1960 | 10.8 | 11.1 | 11.6 | 7.3 | 4.6 | 4.0 | 4.6 | 4.0 | 3.7 | 2.4 | 3.2 | 2.9 | **419.2** |
| OIL | 1960 | 80.4 | 69.6 | 77.1 | 93.3 | 64.8 | 54.3 | 50.2 | 46.2 | 43.5 | 36.4 | 39.4 | 41.5 | **6,996.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,037.0** |
| H2O | 1959 | 3.7 | 5.7 | 5.9 | 7.6 | 7.5 | 6.2 | 8.1 | 9.2 | 9.2 | 6.2 | 7.2 | 10.3 | **349.0** |
| OIL | 1959 | 44.8 | 40.5 | 38.1 | 55.0 | 62.3 | 53.9 | 70.7 | 73.7 | 78.3 | 60.2 | 54.2 | 62.1 | **6,299.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 27.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,674.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.2 | 11.4 | 10.7 | 7.9 | 4.0 | **262.2** |
| OIL | 1958 | 62.8 | 57.7 | 59.9 | 59.3 | 61.3 | 70.9 | 75.8 | 58.5 | 66.1 | 65.8 | 52.8 | 48.5 | **5,605.7** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 23.0 | 30.0 | 31.0 | 25.0 | 31.0 | **1,315.0** |
| H2O | 1957 | 0.5 | 0.5 | 0.5 | 7.2 | 13.4 | 13.8 | 15.3 | 3.2 | 16.5 | 0.3 | 0.2 | 0.3 | **219.0** |
| OIL | 1957 | 77.9 | 69.1 | 75.8 | 82.0 | 98.0 | 48.3 | 42.7 | 37.2 | 56.3 | 74.2 | 59.9 | 69.1 | **4,866.3** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 29.0 | 31.0 | **967.0** |
| H2O | 1956 | 5.1 | 5.1 | 5.2 | 11.9 | 6.8 | 5.4 | 5.2 | 3.5 | 5.2 | 0.6 | 0.8 | 0.8 | **147.3** |
| OIL | 1956 | 95.7 | 86.3 | 88.2 | 79.9 | 83.9 | 81.2 | 82.3 | 82.5 | 93.3 | 90.6 | 82.2 | 85.7 | **4,075.8** |
| DAY | 1955 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **607.0** |
| H2O | 1955 | 2.9 | 2.5 | 3.0 | 2.9 | 2.7 | 2.1 | 3.3 | 3.5 | 17.3 | 19.2 | 11.1 | 8.3 | **91.7** |
| OIL | 1955 | 143.7 | 127.0 | 144.8 | 142.5 | 134.9 | 107.7 | 108.7 | 100.3 | 99.8 | 98.7 | 91.5 | 88.4 | **3,044.0** |
| DAY | 1954 | 0.0 | 0.0 | 9.0 | 9.0 | 16.0 | 29.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **243.0** |
| H2O | 1954 | 0.0 | 0.0 | 2.4 | 2.1 | 3.7 | 1.0 | 1.0 | 0.3 | 0.6 | 0.6 | 0.6 | 0.6 | **12.9** |
| OIL | 1954 | 0.0 | 0.0 | 119.0 | 100.0 | 175.4 | 203.1 | 190.9 | 193.1 | 160.3 | 173.4 | 171.6 | 169.2 | **1,656.0** |

Licence ***416*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **7,678.0** |
| H2O | 1975 | 42.1 | 37.8 | 44.5 | 42.6 | 47.4 | 42.1 | 42.0 | 43.9 | 39.7 | 34.8 | 35.5 | 36.4 | **5,436.9** |
| OIL | 1975 | 27.8 | 25.3 | 28.0 | 26.2 | 27.5 | 25.9 | 27.0 | 27.7 | 28.0 | 52.8 | 55.1 | 56.7 | **13,835.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 30.0 | 30.0 | 31.0 | **7,315.0** |
| H2O | 1974 | 57.7 | 49.8 | 60.4 | 54.8 | 60.6 | 65.8 | 54.4 | 54.5 | 31.6 | 42.9 | 38.6 | 42.4 | **4,948.1** |
| OIL | 1974 | 25.1 | 24.9 | 27.7 | 26.5 | 27.2 | 26.2 | 28.3 | 28.3 | 22.2 | 26.5 | 25.9 | 27.7 | **13,427.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,956.0** |
| H2O | 1973 | 40.5 | 36.7 | 42.4 | 42.6 | 28.9 | 29.9 | 27.3 | 48.3 | 48.8 | 50.7 | 47.2 | 55.5 | **4,334.6** |
| OIL | 1973 | 60.2 | 53.1 | 59.3 | 59.6 | 31.5 | 30.5 | 32.6 | 27.0 | 26.1 | 26.5 | 25.1 | 24.5 | **13,110.6** |
| DAY | 1972 | 28.0 | 0.0 | 0.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **6,591.0** |
| H2O | 1972 | 71.9 | 0.0 | 0.0 | 54.1 | 70.4 | 65.0 | 65.7 | 39.6 | 35.5 | 38.3 | 36.7 | 34.0 | **3,835.8** |
| OIL | 1972 | 42.0 | 0.0 | 0.0 | 36.9 | 46.6 | 45.0 | 45.8 | 57.2 | 53.1 | 59.8 | 59.6 | 60.5 | **12,654.6** |

# Manitoba Production
## 1950 To 1975

Licence ***416*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 26.0 | 0.0 | 0.0 | 22.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,295.0** |
| H2O | 1971 | 14.5 | 0.0 | 0.0 | 13.8 | 29.7 | 68.2 | 72.2 | 79.8 | 71.7 | 78.7 | 68.7 | 74.2 | **3,324.6** |
| OIL | 1971 | 16.0 | 0.0 | 0.0 | 13.3 | 27.7 | 44.0 | 46.9 | 46.1 | 44.0 | 46.1 | 42.1 | 47.0 | **12,148.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,006.0** |
| H2O | 1970 | 34.7 | 32.9 | 40.2 | 36.2 | 38.3 | 37.0 | 33.5 | 32.9 | 35.6 | 31.6 | 15.9 | 14.6 | **2,753.1** |
| OIL | 1970 | 54.8 | 48.6 | 54.0 | 52.4 | 54.7 | 50.9 | 53.1 | 53.4 | 52.4 | 31.3 | 17.8 | 18.8 | **11,774.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,641.0** |
| H2O | 1969 | 29.4 | 24.0 | 29.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 91.6 | 86.6 | 39.0 | **2,369.7** |
| OIL | 1969 | 63.9 | 54.8 | 62.0 | 40.5 | 41.0 | 36.5 | 41.5 | 41.3 | 38.9 | 58.2 | 53.9 | 54.8 | **11,232.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,278.0** |
| H2O | 1968 | 25.3 | 25.3 | 29.4 | 31.3 | 29.7 | 26.7 | 26.2 | 28.9 | 25.9 | 27.5 | 27.3 | 30.0 | **2,069.8** |
| OIL | 1968 | 60.5 | 54.5 | 61.0 | 64.0 | 62.9 | 61.0 | 59.1 | 64.2 | 62.6 | 62.6 | 61.2 | 64.8 | **10,645.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 26.0 | 31.0 | 30.0 | 31.0 | **4,914.0** |
| H2O | 1967 | 31.2 | 30.7 | 32.9 | 22.4 | 24.3 | 24.3 | 23.8 | 24.8 | 23.4 | 25.4 | 26.7 | 27.0 | **1,736.3** |
| OIL | 1967 | 71.8 | 62.0 | 56.3 | 50.1 | 61.7 | 57.0 | 61.5 | 56.7 | 53.6 | 60.4 | 61.8 | 62.3 | **9,907.0** |
| DAY | 1966 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,555.0** |
| H2O | 1966 | 26.5 | 18.4 | 15.6 | 56.6 | 56.8 | 50.1 | 44.0 | 41.3 | 42.4 | 49.4 | 28.8 | 26.4 | **1,419.4** |
| OIL | 1966 | 104.1 | 44.2 | 89.9 | 52.1 | 56.7 | 55.6 | 53.2 | 50.5 | 48.0 | 44.3 | 68.3 | 71.8 | **9,191.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 27.0 | **4,193.0** |
| H2O | 1965 | 3.8 | 3.3 | 4.0 | 4.1 | 4.0 | 7.3 | 7.2 | 6.8 | 6.5 | 4.5 | 5.4 | 4.1 | **963.1** |
| OIL | 1965 | 45.1 | 35.4 | 45.6 | 37.7 | 39.6 | 23.4 | 31.0 | 29.7 | 27.2 | 21.5 | 22.4 | 14.9 | **8,453.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,834.0** |
| H2O | 1964 | 16.2 | 14.8 | 16.1 | 14.5 | 16.7 | 3.3 | 3.5 | 3.5 | 3.3 | 3.5 | 3.2 | 4.0 | **902.1** |
| OIL | 1964 | 36.4 | 33.4 | 33.8 | 34.8 | 27.0 | 35.6 | 27.5 | 36.7 | 36.1 | 38.5 | 36.4 | 46.4 | **8,079.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,470.0** |
| H2O | 1963 | 30.4 | 28.8 | 29.7 | 28.5 | 29.7 | 3.0 | 2.2 | 2.7 | 2.4 | 2.4 | 15.4 | 16.2 | **799.5** |
| OIL | 1963 | 11.6 | 10.3 | 11.3 | 13.5 | 13.0 | 22.1 | 40.5 | 41.8 | 42.7 | 43.2 | 35.6 | 38.5 | **7,657.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,106.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.6 | 23.5 | 22.4 | 26.5 | 28.9 | **608.1** |
| OIL | 1962 | 54.0 | 46.4 | 63.9 | 54.0 | 52.9 | 48.1 | 54.0 | 18.6 | 14.8 | 12.7 | 12.2 | 13.8 | **7,332.9** |
| DAY | 1961 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,741.0** |
| OIL | 1961 | 59.8 | 101.7 | 102.8 | 87.9 | 84.5 | 77.1 | 80.6 | 75.5 | 66.6 | 65.9 | 65.6 | 57.2 | **6,887.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,380.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **482.2** |
| OIL | 1960 | 43.1 | 41.6 | 41.6 | 38.0 | 42.3 | 40.2 | 39.3 | 46.7 | 37.3 | 36.1 | 36.9 | 49.1 | **5,962.3** |
| DAY | 1959 | 13.0 | 24.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | **2,015.0** |
| OIL | 1959 | 14.9 | 33.2 | 35.9 | 39.7 | 65.0 | 56.6 | 44.7 | 43.2 | 48.8 | 45.4 | 45.6 | 45.1 | **5,470.1** |
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **1,677.0** |
| H2O | 1958 | 1.4 | 1.6 | 1.6 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **482.0** |
| OIL | 1958 | 46.2 | 49.4 | 52.4 | 50.7 | 47.4 | 53.7 | 50.5 | 50.2 | 42.6 | 45.8 | 42.9 | 42.1 | **4,952.0** |
| DAY | 1957 | 25.0 | 23.0 | 31.0 | 26.0 | 29.0 | 30.0 | 31.0 | 30.0 | 27.0 | 30.0 | 29.0 | 31.0 | **1,318.0** |
| H2O | 1957 | 0.2 | 0.2 | 0.2 | 0.3 | 9.1 | 9.1 | 2.7 | 2.7 | 1.4 | 1.6 | 1.6 | 1.6 | **477.2** |
| OIL | 1957 | 81.8 | 61.5 | 105.8 | 86.8 | 44.3 | 45.1 | 60.5 | 67.4 | 45.9 | 58.2 | 50.7 | 49.7 | **4,378.1** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | **976.0** |
| H2O | 1956 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 | 0.2 | **446.5** |
| OIL | 1956 | 93.4 | 100.1 | 103.0 | 99.6 | 93.9 | 87.9 | 87.7 | 77.5 | 76.3 | 74.2 | 65.3 | 97.9 | **3,620.4** |
| DAY | 1955 | 31.0 | 27.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **615.0** |
| H2O | 1955 | 49.4 | 17.3 | 21.5 | 18.0 | 27.8 | 20.8 | 32.3 | 7.9 | 0.2 | 0.3 | 0.2 | 0.2 | **443.7** |
| OIL | 1955 | 115.4 | 91.1 | 113.0 | 94.1 | 111.6 | 109.0 | 163.4 | 111.2 | 105.5 | 127.3 | 112.2 | 113.5 | **2,563.6** |
| DAY | 1954 | 0.0 | 0.0 | 1.0 | 24.0 | 16.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **254.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.2 | 42.0 | 20.2 | 30.7 | 22.4 | 22.1 | 10.2 | 5.4 | 59.1 | 35.5 | **247.8** |
| OIL | 1954 | 0.0 | 0.0 | 6.4 | 148.7 | 110.1 | 151.8 | 148.6 | 134.6 | 121.9 | 126.7 | 123.9 | 123.6 | **1,196.3** |

# Manitoba Production
## 1950 To 1975

Licence ***417*** Well Name ***Can-Tex Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,795.0** |
| H2O | 1974 | 136.4 | 125.3 | 138.7 | 134.7 | 138.0 | 9.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **20,127.8** |
| OIL | 1974 | 40.2 | 36.1 | 39.5 | 37.7 | 39.1 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **20,560.1** |
| DAY | 1973 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,642.0** |
| H2O | 1973 | 149.5 | 135.3 | 146.4 | 142.8 | 146.9 | 139.0 | 149.0 | 146.9 | 142.8 | 146.6 | 144.5 | 136.6 | **19,445.6** |
| OIL | 1973 | 33.2 | 29.7 | 29.2 | 32.3 | 35.6 | 35.8 | 35.0 | 35.4 | 37.3 | 39.1 | 38.0 | 39.3 | **20,365.0** |
| DAY | 1972 | 31.0 | 0.0 | 3.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,279.0** |
| H2O | 1972 | 138.6 | 0.0 | 142.9 | 143.4 | 151.5 | 145.6 | 144.7 | 147.1 | 145.6 | 148.8 | 130.1 | 141.8 | **17,719.3** |
| OIL | 1972 | 44.2 | 0.0 | 3.8 | 34.5 | 40.5 | 39.1 | 39.9 | 40.7 | 32.3 | 29.2 | 29.4 | 30.2 | **19,945.1** |
| DAY | 1971 | 31.0 | 10.0 | 4.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,970.0** |
| H2O | 1971 | 131.0 | 117.3 | 128.3 | 124.5 | 125.1 | 130.8 | 133.7 | 119.1 | 108.9 | 134.2 | 135.9 | 136.1 | **16,139.2** |
| OIL | 1971 | 29.4 | 10.6 | 5.4 | 33.1 | 32.7 | 38.1 | 43.4 | 42.9 | 46.1 | 41.0 | 46.2 | 43.9 | **19,581.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 22.0 | 27.0 | 31.0 | 30.0 | 30.0 | 26.0 | 31.0 | **5,655.0** |
| H2O | 1970 | 126.1 | 124.6 | 126.9 | 139.1 | 133.7 | 113.8 | 129.7 | 130.1 | 131.0 | 126.1 | 112.2 | 125.6 | **14,614.3** |
| OIL | 1970 | 29.2 | 26.5 | 29.6 | 31.3 | 33.7 | 21.6 | 26.5 | 35.9 | 35.6 | 36.2 | 28.8 | 29.6 | **19,168.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,307.0** |
| H2O | 1969 | 147.1 | 147.1 | 148.7 | 105.6 | 149.6 | 118.8 | 630.9 | 123.2 | 129.1 | 129.3 | 133.6 | 128.9 | **13,095.4** |
| OIL | 1969 | 52.9 | 52.0 | 57.2 | 50.7 | 41.2 | 41.6 | 40.0 | 37.7 | 28.3 | 35.1 | 33.7 | 34.8 | **18,804.0** |
| DAY | 1968 | 4.0 | 0.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,942.0** |
| H2O | 1968 | 17.3 | 0.0 | 99.4 | 124.5 | 115.3 | 109.2 | 133.1 | 111.0 | 132.0 | 138.2 | 84.4 | 123.2 | **11,003.5** |
| OIL | 1968 | 6.7 | 0.0 | 58.3 | 52.1 | 54.3 | 51.2 | 53.2 | 54.3 | 53.1 | 55.1 | 54.0 | 50.7 | **18,298.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,638.0** |
| H2O | 1967 | 69.0 | 67.9 | 69.0 | 90.6 | 108.6 | 44.5 | 71.5 | 128.1 | 89.0 | 133.2 | 124.3 | 133.2 | **9,815.9** |
| OIL | 1967 | 78.0 | 46.2 | 47.8 | 60.2 | 71.0 | 58.6 | 67.2 | 72.3 | 69.9 | 72.6 | 66.3 | 52.6 | **17,755.8** |
| DAY | 1966 | 27.0 | 0.0 | 0.0 | 19.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,275.0** |
| H2O | 1966 | 34.7 | 0.0 | 0.0 | 17.5 | 63.6 | 41.2 | 54.2 | 52.6 | 60.3 | 83.8 | 80.0 | 83.3 | **8,687.0** |
| OIL | 1966 | 75.3 | 0.0 | 0.0 | 82.5 | 94.7 | 91.5 | 93.3 | 99.3 | 75.2 | 90.7 | 86.8 | 90.4 | **16,993.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,990.0** |
| H2O | 1965 | 185.9 | 167.3 | 197.1 | 60.6 | 34.2 | 32.3 | 34.8 | 30.7 | 140.9 | 34.5 | 44.4 | 46.7 | **8,115.8** |
| OIL | 1965 | 124.1 | 110.1 | 117.8 | 111.7 | 118.1 | 122.7 | 117.4 | 115.4 | 111.2 | 106.9 | 100.7 | 104.9 | **16,113.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 28.0 | 31.0 | **3,625.0** |
| H2O | 1964 | 48.7 | 46.1 | 51.0 | 31.2 | 12.7 | 22.4 | 23.7 | 21.1 | 26.1 | 26.7 | 79.7 | 148.2 | **7,106.4** |
| OIL | 1964 | 88.7 | 82.3 | 85.8 | 91.7 | 80.1 | 84.2 | 86.8 | 73.1 | 74.1 | 69.1 | 133.3 | 127.8 | **14,752.4** |
| DAY | 1963 | 20.0 | 0.0 | 3.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | **3,264.0** |
| H2O | 1963 | 7.2 | 0.0 | 6.4 | 43.9 | 42.9 | 45.6 | 45.2 | 35.3 | 43.4 | 42.1 | 44.0 | 52.5 | **6,568.8** |
| OIL | 1963 | 49.6 | 0.0 | 8.6 | 108.2 | 106.6 | 87.4 | 99.2 | 89.8 | 90.1 | 91.4 | 83.0 | 86.8 | **13,675.4** |
| DAY | 1962 | 28.0 | 0.0 | 0.0 | 20.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,971.0** |
| H2O | 1962 | 37.2 | 0.0 | 0.0 | 10.8 | 32.0 | 21.5 | 27.0 | 17.8 | 12.2 | 34.3 | 24.2 | 24.5 | **6,160.3** |
| OIL | 1962 | 81.0 | 0.0 | 0.0 | 97.3 | 103.6 | 94.1 | 95.8 | 93.0 | 95.8 | 93.0 | 99.8 | 83.6 | **12,774.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 6.0 | 30.0 | 31.0 | **2,678.0** |
| H2O | 1961 | 47.2 | 30.8 | 39.0 | 50.7 | 43.7 | 31.0 | 61.2 | 39.3 | 31.5 | 31.6 | 29.3 | 37.8 | **5,918.8** |
| OIL | 1961 | 109.3 | 90.1 | 91.8 | 94.9 | 108.1 | 98.5 | 98.5 | 105.2 | 98.2 | 99.8 | 95.3 | 94.9 | **11,837.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,338.0** |
| H2O | 1960 | 72.8 | 62.8 | 91.9 | 94.6 | 84.9 | 107.8 | 93.2 | 108.0 | 142.5 | 75.5 | 43.2 | 42.6 | **5,445.7** |
| OIL | 1960 | 95.2 | 88.5 | 90.7 | 94.9 | 98.5 | 83.6 | 89.6 | 83.3 | 87.4 | 99.8 | 99.3 | 104.2 | **10,653.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,972.0** |
| H2O | 1959 | 51.0 | 54.7 | 78.1 | 83.6 | 88.4 | 85.4 | 69.2 | 54.1 | 61.5 | 57.7 | 52.5 | 73.3 | **4,425.9** |
| OIL | 1959 | 135.4 | 121.4 | 120.0 | 100.4 | 104.2 | 100.9 | 100.4 | 122.5 | 120.0 | 134.4 | 128.2 | 106.0 | **9,538.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 19.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 3.0 | **1,608.0** |
| H2O | 1958 | 108.6 | 98.1 | 108.6 | 69.3 | 60.9 | 123.4 | 144.7 | 142.6 | 130.5 | 135.9 | 80.3 | 53.9 | **3,616.4** |
| OIL | 1958 | 159.7 | 147.3 | 162.9 | 143.0 | 99.2 | 150.6 | 153.8 | 146.0 | 134.9 | 137.0 | 126.2 | 137.5 | **8,144.3** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,283.0** |

# Manitoba Production
## 1950 To 1975

Licence ***417*** Well Name ***Can-Tex Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1957 | 138.8 | 133.9 | 137.0 | 102.2 | 91.9 | 82.8 | 55.3 | 47.5 | 52.6 | 68.4 | 103.0 | 105.1 | **2,359.6** |
| OIL | 1957 | 120.9 | 200.2 | 219.3 | 237.9 | 248.5 | 283.8 | 230.1 | 186.7 | 208.5 | 201.8 | 154.0 | 155.4 | **6,446.2** |
| DAY | 1956 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 27.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **924.0** |
| H2O | 1956 | 1.1 | 0.6 | 0.8 | 0.8 | 3.5 | 3.0 | 445.0 | 89.2 | 168.8 | 175.7 | 160.6 | 138.3 | **1,241.1** |
| OIL | 1956 | 38.8 | 41.8 | 44.7 | 43.2 | 43.7 | 38.5 | 166.1 | 187.7 | 182.7 | 173.5 | 197.5 | 192.6 | **3,999.1** |
| DAY | 1955 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 18.0 | **570.0** |
| H2O | 1955 | 7.3 | 4.6 | 4.1 | 3.8 | 4.1 | 2.4 | 2.2 | 1.7 | 1.4 | 1.6 | 1.3 | 1.0 | **53.7** |
| OIL | 1955 | 221.0 | 142.2 | 118.9 | 119.7 | 122.4 | 72.0 | 70.6 | 61.5 | 42.6 | 43.9 | 42.7 | 23.2 | **2,648.3** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 27.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **224.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.3 | 0.5 | 0.3 | 0.6 | 7.6 | 8.6 | **18.2** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 34.0 | 46.7 | 142.9 | 198.5 | 227.6 | 221.2 | 209.4 | 231.5 | 255.8 | **1,567.6** |

Licence ***419*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-02-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,740.0** |
| H2O | 1975 | 49.3 | 37.5 | 49.9 | 49.3 | 51.0 | 47.8 | 24.5 | 24.2 | 23.7 | 25.4 | 25.6 | 25.9 | **9,060.0** |
| OIL | 1975 | 65.0 | 48.0 | 63.1 | 60.7 | 62.0 | 58.8 | 45.1 | 45.4 | 44.0 | 45.4 | 44.0 | 44.7 | **11,491.4** |
| DAY | 1974 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,380.0** |
| H2O | 1974 | 31.8 | 31.5 | 35.1 | 34.0 | 35.4 | 28.4 | 36.1 | 47.7 | 46.9 | 49.4 | 49.3 | 49.3 | **8,625.9** |
| OIL | 1974 | 33.2 | 30.8 | 35.4 | 33.5 | 35.0 | 27.0 | 35.0 | 66.4 | 63.9 | 67.1 | 64.0 | 66.1 | **10,865.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,023.0** |
| H2O | 1973 | 35.1 | 33.9 | 36.2 | 36.1 | 36.6 | 35.3 | 34.3 | 38.2 | 37.4 | 37.8 | 35.1 | 34.0 | **8,151.0** |
| OIL | 1973 | 35.0 | 30.7 | 34.0 | 33.1 | 34.6 | 33.5 | 33.5 | 37.0 | 35.3 | 36.1 | 34.0 | 34.5 | **10,307.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 0.0 | 29.0 | 31.0 | **6,659.0** |
| H2O | 1972 | 39.1 | 38.0 | 40.9 | 37.2 | 40.5 | 41.0 | 34.7 | 32.7 | 32.3 | 0.0 | 34.0 | 35.9 | **7,721.0** |
| OIL | 1972 | 55.9 | 52.3 | 55.6 | 54.3 | 56.4 | 55.1 | 34.8 | 35.8 | 33.5 | 0.0 | 32.6 | 35.4 | **9,896.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 22.0 | 30.0 | 31.0 | **6,325.0** |
| H2O | 1971 | 36.9 | 33.4 | 38.5 | 38.6 | 38.6 | 38.6 | 38.2 | 36.7 | 30.7 | 25.0 | 34.2 | 41.5 | **7,314.7** |
| OIL | 1971 | 62.1 | 55.0 | 61.0 | 57.8 | 59.3 | 57.5 | 58.8 | 57.7 | 53.1 | 39.9 | 53.7 | 57.0 | **9,394.8** |
| DAY | 1970 | 31.0 | 28.0 | 30.0 | 18.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,971.0** |
| H2O | 1970 | 54.1 | 50.9 | 49.8 | 31.8 | 47.2 | 54.5 | 51.2 | 57.7 | 37.8 | 39.3 | 35.8 | 39.9 | **6,883.8** |
| OIL | 1970 | 74.7 | 67.5 | 69.1 | 37.0 | 54.7 | 61.0 | 64.7 | 63.4 | 56.4 | 59.4 | 57.0 | 59.9 | **8,721.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 26.0 | 30.0 | 31.0 | **5,623.0** |
| H2O | 1969 | 42.8 | 38.6 | 36.4 | 37.2 | 40.9 | 39.1 | 36.9 | 35.9 | 34.8 | 31.5 | 51.0 | 56.1 | **6,333.8** |
| OIL | 1969 | 28.4 | 25.3 | 27.8 | 27.2 | 27.8 | 27.3 | 33.1 | 31.6 | 31.9 | 27.8 | 73.9 | 77.4 | **7,997.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **5,264.0** |
| H2O | 1968 | 13.7 | 12.9 | 13.7 | 13.7 | 14.6 | 36.4 | 42.8 | 39.1 | 39.1 | 38.8 | 38.3 | 41.2 | **5,852.6** |
| OIL | 1968 | 24.2 | 22.1 | 23.8 | 22.7 | 23.5 | 27.8 | 28.6 | 28.6 | 27.5 | 27.2 | 27.7 | 28.9 | **7,557.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,900.0** |
| H2O | 1967 | 17.0 | 13.8 | 16.9 | 15.7 | 15.6 | 14.8 | 11.8 | 15.6 | 13.7 | 14.8 | 13.0 | 14.1 | **5,508.3** |
| OIL | 1967 | 24.6 | 21.8 | 24.3 | 23.5 | 24.3 | 23.4 | 24.2 | 24.0 | 23.2 | 24.3 | 23.7 | 24.2 | **7,245.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **4,535.0** |
| H2O | 1966 | 14.9 | 11.9 | 15.3 | 15.7 | 17.5 | 15.6 | 15.3 | 15.3 | 16.4 | 16.7 | 15.4 | 17.3 | **5,331.5** |
| OIL | 1966 | 24.0 | 21.3 | 23.5 | 23.0 | 23.8 | 23.0 | 23.8 | 23.7 | 23.2 | 23.8 | 21.9 | 23.8 | **6,959.5** |
| DAY | 1965 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **4,172.0** |
| H2O | 1965 | 27.8 | 23.8 | 27.2 | 24.6 | 25.1 | 24.0 | 24.0 | 24.2 | 24.5 | 24.3 | 24.8 | 14.5 | **5,144.2** |
| OIL | 1965 | 30.7 | 26.9 | 28.9 | 29.1 | 29.2 | 29.2 | 30.5 | 30.2 | 28.8 | 29.9 | 28.3 | 22.7 | **6,680.7** |
| DAY | 1964 | 29.0 | 29.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,811.0** |
| H2O | 1964 | 4.8 | 4.6 | 5.2 | 4.9 | 24.6 | 25.8 | 25.9 | 26.5 | 25.3 | 25.3 | 25.4 | 27.8 | **4,855.4** |
| OIL | 1964 | 26.9 | 27.2 | 29.4 | 28.3 | 26.2 | 27.5 | 28.9 | 29.2 | 28.3 | 28.8 | 27.3 | 30.2 | **6,336.3** |

# Manitoba Production
## 1950 To 1975

Licence ***419*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-02-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 17.0 | 24.0 | 31.0 | 30.0 | 27.0 | 30.0 | 30.0 | 30.0 | 27.0 | 30.0 | 29.0 | 31.0 | **3,451.0** |
| H2O | 1963 | 10.5 | 21.9 | 25.8 | 24.5 | 25.9 | 33.2 | 39.6 | 42.9 | 7.0 | 7.2 | 4.8 | 4.9 | **4,629.3** |
| OIL | 1963 | 10.0 | 12.9 | 20.0 | 19.7 | 16.7 | 21.5 | 23.5 | 21.9 | 26.7 | 27.3 | 26.1 | 27.7 | **5,998.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,115.0** |
| H2O | 1962 | 15.4 | 17.0 | 18.1 | 17.5 | 20.5 | 18.8 | 18.9 | 19.1 | 20.7 | 28.5 | 27.5 | 31.0 | **4,381.1** |
| OIL | 1962 | 22.9 | 21.6 | 21.9 | 21.5 | 17.6 | 17.0 | 16.5 | 16.5 | 13.7 | 18.1 | 18.6 | 19.5 | **5,744.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,752.0** |
| H2O | 1961 | 23.2 | 19.7 | 26.5 | 22.1 | 19.6 | 16.2 | 24.2 | 14.8 | 20.2 | 23.8 | 21.3 | 20.2 | **4,128.1** |
| OIL | 1961 | 17.6 | 18.4 | 14.5 | 16.2 | 25.9 | 28.1 | 28.4 | 30.7 | 28.6 | 34.0 | 26.2 | 26.5 | **5,518.7** |
| DAY | 1960 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,387.0** |
| H2O | 1960 | 35.1 | 32.6 | 30.4 | 34.7 | 42.9 | 22.1 | 26.4 | 28.3 | 21.0 | 22.6 | 24.8 | 29.1 | **3,876.3** |
| OIL | 1960 | 23.4 | 19.4 | 19.7 | 19.7 | 20.3 | 21.6 | 26.9 | 27.5 | 25.6 | 24.9 | 27.2 | 17.3 | **5,223.6** |
| DAY | 1959 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 28.0 | 28.0 | 31.0 | **2,023.0** |
| H2O | 1959 | 69.5 | 53.6 | 60.1 | 58.3 | 52.3 | 50.1 | 34.7 | 36.9 | 28.6 | 22.4 | 28.0 | 37.2 | **3,526.3** |
| OIL | 1959 | 54.3 | 41.2 | 42.4 | 56.6 | 51.8 | 47.5 | 59.1 | 36.9 | 33.2 | 31.5 | 30.5 | 19.9 | **4,950.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 26.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,668.0** |
| H2O | 1958 | 152.5 | 100.5 | 115.7 | 75.8 | 117.3 | 73.6 | 82.8 | 73.9 | 77.1 | 66.9 | 72.5 | 64.4 | **2,994.6** |
| OIL | 1958 | 105.0 | 91.7 | 100.6 | 93.6 | 81.8 | 75.3 | 53.6 | 48.3 | 65.6 | 58.6 | 57.5 | 55.3 | **4,445.2** |
| DAY | 1957 | 27.0 | 28.0 | 31.0 | 27.0 | 19.0 | 28.0 | 29.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | **1,311.0** |
| H2O | 1957 | 72.7 | 171.4 | 140.2 | 163.4 | 91.1 | 146.4 | 188.9 | 133.4 | 173.8 | 156.3 | 150.6 | 151.7 | **1,921.6** |
| OIL | 1957 | 60.1 | 89.5 | 95.5 | 82.8 | 59.1 | 138.4 | 143.7 | 134.4 | 111.4 | 104.2 | 94.7 | 100.4 | **3,558.3** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **972.0** |
| H2O | 1956 | 2.1 | 2.1 | 1.9 | 1.7 | 1.3 | 3.3 | 5.7 | 7.0 | 5.1 | 5.1 | 6.4 | 6.4 | **181.7** |
| OIL | 1956 | 60.9 | 53.6 | 58.5 | 52.9 | 52.3 | 49.6 | 53.6 | 57.5 | 52.6 | 50.7 | 51.5 | 49.1 | **2,344.1** |
| DAY | 1955 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **610.0** |
| H2O | 1955 | 6.8 | 3.3 | 3.5 | 3.5 | 3.3 | 3.3 | 5.1 | 5.9 | 5.9 | 3.8 | 4.6 | 3.8 | **133.6** |
| OIL | 1955 | 74.1 | 65.9 | 69.3 | 69.1 | 68.2 | 65.6 | 65.3 | 66.9 | 62.9 | 64.5 | 61.0 | 59.9 | **1,701.3** |
| DAY | 1954 | 0.0 | 0.0 | 2.0 | 20.0 | 13.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **247.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 8.6 | 3.8 | 17.0 | 13.8 | 6.5 | 3.3 | 2.1 | 11.4 | 14.3 | **80.8** |
| OIL | 1954 | 0.0 | 0.0 | 17.5 | 134.8 | 59.8 | 127.8 | 127.4 | 106.0 | 83.6 | 86.1 | 84.7 | 80.9 | **908.6** |

Licence ***421*** Well Name ***Enerplus Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-26-010-26W1.02*** Field Name ***Virden*** Pool Name ***Devonian Undifferentiated*** Field Code ***5*** Pool Code ***78*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 3155.3 | 2758.4 | 3301.6 | 2617.0 | 1816.0 | 2655.2 | 3523.4 | 2584.9 | 2043.6 | 1905.4 | 1731.9 | 1944.8 | **1,507,632.5** |
| WIN | 1974 | 6206.3 | 5504.3 | 6978.9 | 5605.7 | 4626.4 | 6461.8 | 8289.1 | 7579.8 | 7527.7 | 5761.2 | 3657.3 | 3605.9 | **1,477,595.0** |
| WIN | 1973 | 3191.4 | 3269.0 | 2736.0 | 2851.2 | 10313.4 | 10147.3 | 8324.9 | 9119.7 | 11421.6 | 8965.4 | 5763.6 | 6854.4 | **1,405,790.6** |
| WIN | 1972 | 721.0 | 661.1 | 601.5 | 776.5 | 769.8 | 828.2 | 610.8 | 1841.3 | 1599.7 | 1753.4 | 3080.4 | 3361.7 | **1,322,832.7** |
| WIN | 1971 | 3756.1 | 3607.0 | 2933.9 | 905.8 | 731.5 | 1111.1 | 1234.2 | 1251.8 | 1136.1 | 751.9 | 912.4 | 873.2 | **1,306,227.3** |
| WIN | 1970 | 8670.7 | 7208.7 | 8508.8 | 7358.5 | 7289.7 | 6615.8 | 6831.8 | 7132.0 | 7200.0 | 6996.8 | 4881.9 | 3535.8 | **1,287,022.3** |
| WIN | 1969 | 4389.7 | 3273.1 | 3645.8 | 2909.9 | 4226.9 | 5578.4 | 6142.5 | 6588.4 | 5614.6 | 6923.2 | 7693.8 | 8269.0 | **1,204,791.8** |
| WIN | 1968 | 5039.3 | 4624.5 | 6274.6 | 5414.0 | 5255.0 | 5693.2 | 8169.7 | 6588.7 | 5490.0 | 5815.5 | 3314.8 | 2779.7 | **1,139,536.5** |
| WIN | 1967 | 2908.9 | 2944.7 | 3234.0 | 3258.8 | 4718.8 | 5115.7 | 5547.2 | 5871.1 | 4578.6 | 2395.7 | 4618.3 | 5452.0 | **1,075,077.5** |
| WIN | 1966 | 11791.9 | 11236.1 | 13618.8 | 12711.5 | 14343.1 | 14616.6 | 14050.9 | 16161.4 | 14630.4 | 10570.0 | 3055.3 | 5232.8 | **1,024,433.7** |
| WIN | 1965 | 6330.8 | 5291.1 | 5897.8 | 5920.9 | 6526.6 | 6733.1 | 7148.6 | 8848.3 | 8936.0 | 12118.8 | 10399.7 | 11248.5 | **882,414.9** |
| WIN | 1964 | 5327.0 | 5042.6 | 5275.4 | 5177.6 | 5894.8 | 6544.0 | 7407.8 | 7343.1 | 6789.8 | 6909.4 | 6038.2 | 6069.8 | **787,014.7** |
| WIN | 1963 | 5965.4 | 4980.6 | 5673.2 | 6180.0 | 6501.3 | 6718.1 | 6597.8 | 6101.0 | 6144.6 | 6010.1 | 5335.1 | 5379.0 | **713,195.2** |
| WIN | 1962 | 7248.6 | 6684.0 | 6972.8 | 7264.1 | 7545.5 | 7954.6 | 8293.1 | 7272.2 | 7245.9 | 7463.0 | 6918.5 | 6630.2 | **641,609.0** |
| WIN | 1961 | 8547.3 | 7876.8 | 9138.5 | 8516.1 | 8836.3 | 8964.7 | 9145.6 | 8965.7 | 8273.8 | 8327.6 | 8052.8 | 7761.2 | **554,116.5** |
| WIN | 1960 | 5667.6 | 4809.2 | 4711.2 | 4424.2 | 5558.0 | 5973.3 | 6382.0 | 7190.1 | 7648.3 | 8419.0 | 8533.3 | 8755.5 | **451,710.1** |
| WIN | 1959 | 4996.2 | 4968.4 | 5840.3 | 5901.9 | 7448.8 | 6562.2 | 7553.9 | 8250.4 | 6808.4 | 7039.7 | 8554.3 | 6697.6 | **373,638.4** |

# Manitoba Production
## 1950 To 1975

Licence ***421*** Well Name ***Enerplus Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-26-010-26W1.02*** Field Name ***Virden*** Pool Name ***Devonian Undifferentiated*** Field Code ***5*** Pool Code ***78*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1958 | 7170.9 | 6392.1 | 6463.6 | 5667.0 | 5713.1 | 5401.1 | 6139.6 | 5826.7 | 6076.5 | 3340.4 | 4955.7 | 4780.0 | **293,016.3** |
| WIN | 1957 | 8713.4 | 8325.2 | 9324.8 | 6229.5 | 9113.8 | 10682.4 | 14085.2 | 13027.2 | 12991.5 | 12738.1 | 9670.1 | 7291.1 | **225,089.6** |
| WIN | 1956 | 5573.8 | 5092.7 | 6461.8 | 4070.1 | 6717.0 | 8732.0 | 10018.6 | 10422.9 | 9143.1 | 10485.6 | 9353.9 | 9107.8 | **102,897.3** |
| WIN | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2710.7 | 5007.3 | **7,718.0** |

Licence ***422*** Well Name ***Enerplus Roselea*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-34-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 29.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | **3,557.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 57.1 | 25.1 | 68.7 | 34.3 | 0.0 | 0.0 | 0.0 | **4,401.0** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.4 | 5.4 | 24.2 | 13.5 | 0.0 | 0.0 | 0.0 | **4,987.9** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 31.0 | 31.0 | 25.0 | 0.0 | 0.0 | 0.0 | **3,449.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.9 | 26.5 | 26.7 | 16.7 | 0.0 | 0.0 | 0.0 | **4,215.8** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 6.7 | 7.8 | 4.1 | 0.0 | 0.0 | 0.0 | **4,923.4** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 30.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,351.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 6.2 | 32.0 | 8.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,133.0** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 6.2 | 15.9 | 4.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,877.8** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 27.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,306.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 22.7 | 28.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,086.4** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 11.6 | 15.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,851.6** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **3,258.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 19.9 | 37.2 | 38.3 | 34.0 | 36.9 | 37.4 | 0.0 | 0.0 | **4,034.8** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 18.6 | 28.3 | 13.8 | 28.4 | 29.2 | 28.9 | 0.0 | 0.0 | **4,824.3** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 23.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 1.0 | 0.0 | **3,089.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 24.8 | 31.2 | 30.5 | 31.0 | 18.3 | 13.0 | 11.4 | 1.6 | 0.0 | **3,831.1** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 20.5 | 23.8 | 21.9 | 25.1 | 19.9 | 16.4 | 14.8 | 1.4 | 0.0 | **4,677.1** |
| DAY | 1962 | 26.0 | 28.0 | 13.0 | 30.0 | 30.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | **2,885.0** |
| H2O | 1962 | 28.1 | 29.1 | 12.7 | 29.7 | 33.9 | 31.3 | 27.2 | 33.5 | 33.2 | 33.4 | 32.1 | 24.8 | **3,669.3** |
| OIL | 1962 | 23.5 | 24.2 | 7.0 | 26.9 | 25.4 | 24.3 | 21.3 | 25.6 | 24.6 | 23.7 | 23.4 | 16.7 | **4,533.3** |
| DAY | 1961 | 26.0 | 28.0 | 31.0 | 6.0 | 16.0 | 16.0 | 31.0 | 31.0 | 21.0 | 31.0 | 30.0 | 29.0 | **2,558.0** |
| H2O | 1961 | 23.7 | 30.7 | 32.0 | 5.9 | 16.2 | 17.5 | 34.3 | 33.4 | 23.2 | 34.3 | 33.7 | 32.3 | **3,320.3** |
| OIL | 1961 | 26.7 | 31.0 | 30.8 | 6.0 | 16.8 | 17.5 | 27.7 | 26.4 | 21.0 | 28.8 | 26.9 | 26.4 | **4,266.7** |
| DAY | 1960 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 27.0 | 30.0 | 14.0 | **2,262.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 3.7 | 3.8 | 3.7 | 3.0 | 3.5 | 4.5 | 4.1 | 14.3 | **3,003.1** |
| OIL | 1960 | 22.1 | 24.0 | 26.9 | 23.2 | 25.6 | 25.9 | 22.1 | 21.8 | 25.3 | 27.5 | 24.2 | 17.2 | **3,980.7** |
| DAY | 1959 | 30.0 | 14.0 | 30.0 | 29.0 | 28.0 | 27.0 | 31.0 | 31.0 | 30.0 | 13.0 | 30.0 | 31.0 | **1,921.0** |
| H2O | 1959 | 38.6 | 20.0 | 45.6 | 42.6 | 79.5 | 78.4 | 85.7 | 86.5 | 0.0 | 0.0 | 0.0 | 0.0 | **2,962.5** |
| OIL | 1959 | 36.5 | 21.6 | 46.4 | 42.0 | 42.3 | 44.5 | 47.7 | 46.4 | 31.0 | 8.9 | 22.2 | 23.7 | **3,694.9** |
| DAY | 1958 | 27.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,597.0** |
| H2O | 1958 | 22.9 | 24.2 | 26.7 | 26.1 | 25.8 | 23.2 | 25.1 | 28.5 | 33.7 | 46.3 | 40.4 | 44.0 | **2,485.6** |
| OIL | 1958 | 36.9 | 38.1 | 39.9 | 38.6 | 39.1 | 39.3 | 40.4 | 42.0 | 55.9 | 43.9 | 43.1 | 42.0 | **3,281.7** |
| DAY | 1957 | 31.0 | 28.0 | 13.0 | 0.0 | 16.0 | 30.0 | 31.0 | 21.0 | 30.0 | 31.0 | 30.0 | 26.0 | **1,242.0** |
| H2O | 1957 | 83.5 | 78.2 | 35.6 | 0.0 | 47.9 | 26.4 | 14.6 | 15.1 | 5.9 | 28.0 | 25.6 | 22.1 | **2,118.7** |
| OIL | 1957 | 69.4 | 62.9 | 28.9 | 0.0 | 42.3 | 62.8 | 55.1 | 55.6 | 43.2 | 48.1 | 43.7 | 35.0 | **2,782.5** |
| DAY | 1956 | 31.0 | 29.0 | 30.0 | 30.0 | 22.0 | 24.0 | 30.0 | 29.0 | 27.0 | 30.0 | 30.0 | 31.0 | **955.0** |
| H2O | 1956 | 15.4 | 14.0 | 15.3 | 4.8 | 4.1 | 132.7 | 160.1 | 145.8 | 79.5 | 87.9 | 86.6 | 89.5 | **1,735.8** |
| OIL | 1956 | 45.8 | 44.2 | 46.2 | 16.0 | 45.6 | 98.8 | 109.6 | 111.2 | 76.9 | 80.6 | 71.4 | 70.7 | **2,235.5** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **612.0** |
| H2O | 1955 | 11.8 | 8.3 | 10.5 | 11.0 | 11.4 | 9.4 | 10.3 | 12.1 | 8.4 | 15.1 | 14.0 | 14.6 | **900.1** |
| OIL | 1955 | 72.3 | 51.6 | 65.6 | 68.2 | 71.4 | 64.8 | 73.3 | 52.6 | 40.8 | 58.0 | 52.8 | 52.8 | **1,418.5** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 14.0 | 27.0 | 25.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **250.0** |

# Manitoba Production
## 1950 To 1975

Licence ***422*** Well Name ***Enerplus Roselea*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-34-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 155.8 | 292.0 | 155.3 | 33.1 | 22.9 | 28.1 | 32.3 | 34.5 | 9.2 | **763.2** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 38.9 | 83.4 | 86.0 | 89.3 | 87.7 | 80.2 | 84.9 | 71.0 | 72.9 | **694.3** |

Licence ***423*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-11-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 361.9 | 350.7 | 392.4 | 355.8 | 305.1 | 212.3 | 391.3 | 474.3 | 349.5 | 482.2 | 399.2 | 365.4 | **5,207.4** |
| DAY | 1974 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **7,268.0** |
| H2O | 1974 | 73.9 | 67.7 | 73.3 | 74.1 | 76.9 | 77.4 | 78.1 | 37.7 | 37.2 | 38.6 | 0.0 | 0.0 | **11,194.3** |
| OIL | 1974 | 62.5 | 53.8 | 59.6 | 59.2 | 61.6 | 59.4 | 61.5 | 26.4 | 25.4 | 26.5 | 0.0 | 0.0 | **10,330.3** |
| WIN | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 391.8 | 375.5 | **767.3** |
| DAY | 1973 | 31.0 | 27.0 | 29.0 | 28.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,965.0** |
| H2O | 1973 | 19.2 | 70.1 | 71.5 | 73.1 | 76.9 | 76.6 | 75.5 | 81.2 | 80.6 | 81.2 | 76.2 | 73.9 | **10,559.4** |
| OIL | 1973 | 73.7 | 51.5 | 54.0 | 54.3 | 58.8 | 58.8 | 59.9 | 63.9 | 61.5 | 62.9 | 59.6 | 60.5 | **9,834.4** |
| DAY | 1972 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 0.0 | 28.0 | 30.0 | **6,606.0** |
| H2O | 1972 | 15.1 | 16.1 | 18.6 | 16.5 | 18.3 | 18.1 | 19.6 | 18.4 | 18.4 | 0.0 | 19.2 | 20.3 | **9,703.4** |
| OIL | 1972 | 18.8 | 19.2 | 22.1 | 21.1 | 22.2 | 21.5 | 21.5 | 21.9 | 20.8 | 0.0 | 71.4 | 77.7 | **9,115.0** |
| DAY | 1971 | 25.0 | 28.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,282.0** |
| H2O | 1971 | 3.2 | 3.5 | 3.3 | 4.1 | 4.1 | 4.1 | 4.1 | 4.0 | 14.6 | 16.2 | 15.7 | 18.1 | **9,504.8** |
| OIL | 1971 | 19.5 | 21.5 | 18.8 | 22.6 | 22.9 | 22.4 | 22.7 | 22.4 | 22.1 | 22.9 | 21.6 | 21.6 | **8,776.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,929.0** |
| H2O | 1970 | 4.5 | 4.0 | 4.3 | 4.0 | 4.1 | 4.0 | 3.8 | 4.3 | 4.1 | 4.0 | 3.8 | 4.1 | **9,409.8** |
| OIL | 1970 | 23.5 | 21.1 | 23.0 | 22.2 | 22.9 | 22.1 | 23.4 | 23.0 | 21.9 | 22.4 | 22.2 | 23.2 | **8,515.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,565.0** |
| H2O | 1969 | 37.0 | 33.7 | 31.6 | 4.0 | 3.8 | 4.1 | 4.5 | 4.5 | 4.3 | 4.6 | 4.1 | 4.5 | **9,360.8** |
| OIL | 1969 | 52.4 | 46.4 | 51.2 | 22.7 | 20.2 | 22.9 | 23.8 | 23.7 | 23.0 | 24.2 | 23.2 | 24.3 | **8,244.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,204.0** |
| H2O | 1968 | 6.2 | 6.0 | 6.4 | 22.1 | 23.7 | 21.8 | 23.7 | 30.0 | 32.9 | 30.4 | 33.2 | 35.6 | **9,220.1** |
| OIL | 1968 | 30.8 | 28.6 | 30.5 | 22.9 | 23.5 | 23.4 | 24.0 | 46.9 | 48.9 | 45.0 | 51.0 | 52.9 | **7,886.9** |
| DAY | 1967 | 31.0 | 28.0 | 29.0 | 18.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **4,842.0** |
| H2O | 1967 | 16.9 | 14.0 | 15.6 | 9.4 | 15.7 | 14.9 | 5.4 | 7.2 | 6.2 | 6.8 | 5.9 | 6.4 | **8,948.1** |
| OIL | 1967 | 42.1 | 37.3 | 39.4 | 24.2 | 41.8 | 40.0 | 31.1 | 31.0 | 29.7 | 31.3 | 30.5 | 30.0 | **7,458.5** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 27.0 | 31.0 | **4,492.0** |
| H2O | 1966 | 2.2 | 1.7 | 2.2 | 2.4 | 2.7 | 2.2 | 8.3 | 7.2 | 28.8 | 29.6 | 14.9 | 17.8 | **8,823.7** |
| OIL | 1966 | 40.2 | 35.3 | 38.0 | 38.3 | 39.9 | 38.6 | 37.8 | 32.1 | 64.0 | 66.3 | 36.2 | 42.1 | **7,050.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,134.0** |
| H2O | 1965 | 1.3 | 1.3 | 1.3 | 1.1 | 34.8 | 33.2 | 33.2 | 28.8 | 29.3 | 28.9 | 29.6 | 2.4 | **8,703.7** |
| OIL | 1965 | 40.5 | 36.7 | 39.9 | 38.5 | 42.3 | 42.1 | 44.0 | 40.0 | 38.0 | 39.4 | 37.5 | 40.7 | **6,541.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,769.0** |
| H2O | 1964 | 10.2 | 9.2 | 8.9 | 8.4 | 9.1 | 1.3 | 1.1 | 1.3 | 1.3 | 1.1 | 1.1 | 1.3 | **8,478.5** |
| OIL | 1964 | 21.8 | 20.7 | 32.9 | 31.6 | 32.6 | 37.0 | 38.1 | 38.6 | 37.3 | 38.1 | 37.5 | 40.0 | **6,061.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | **3,403.0** |
| H2O | 1963 | 21.3 | 28.6 | 28.8 | 27.5 | 34.0 | 37.2 | 45.8 | 29.1 | 32.7 | 31.0 | 9.9 | 9.5 | **8,424.2** |
| OIL | 1963 | 34.8 | 28.8 | 38.1 | 37.5 | 37.8 | 41.0 | 46.1 | 24.9 | 28.4 | 27.2 | 20.5 | 19.5 | **5,655.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,041.0** |
| H2O | 1962 | 27.5 | 24.2 | 26.7 | 25.1 | 31.2 | 25.4 | 33.9 | 10.5 | 23.2 | 31.3 | 31.0 | 34.7 | **8,088.8** |
| OIL | 1962 | 29.9 | 26.2 | 28.8 | 28.3 | 29.6 | 28.8 | 28.6 | 29.4 | 25.7 | 34.6 | 35.8 | 37.3 | **5,270.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,676.0** |
| H2O | 1961 | 60.9 | 52.9 | 55.3 | 52.6 | 49.6 | 29.9 | 54.7 | 49.9 | 27.5 | 29.3 | 28.3 | 28.8 | **7,764.1** |
| OIL | 1961 | 42.0 | 35.0 | 38.8 | 32.3 | 35.6 | 25.1 | 25.1 | 31.1 | 32.4 | 31.3 | 27.3 | 29.9 | **4,907.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,312.0** |

# Manitoba Production
## 1950 To 1975

Licence ***423*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-11-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1960 | 74.6 | 77.4 | 81.2 | 51.5 | 76.5 | 66.0 | 71.9 | 65.5 | 61.5 | 80.6 | 71.9 | 61.8 | **7,244.4** |
| OIL | 1960 | 4.6 | 3.8 | 4.3 | 5.2 | 44.8 | 37.5 | 34.6 | 30.8 | 30.0 | 31.8 | 39.4 | 41.5 | **4,522.0** |
| DAY | 1959 | 11.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,947.0** |
| H2O | 1959 | 13.8 | 60.4 | 61.8 | 77.4 | 92.8 | 78.7 | 57.6 | 63.9 | 64.9 | 45.0 | 50.4 | 71.5 | **6,404.0** |
| OIL | 1959 | 12.2 | 31.5 | 29.6 | 54.8 | 35.1 | 30.5 | 4.0 | 4.3 | 4.4 | 3.8 | 3.0 | 3.5 | **4,213.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 0.0 | **1,602.0** |
| H2O | 1958 | 154.7 | 121.1 | 146.6 | 137.4 | 147.7 | 134.5 | 133.4 | 113.4 | 120.3 | 111.6 | 78.2 | 0.0 | **5,665.8** |
| OIL | 1958 | 91.1 | 83.7 | 87.1 | 85.8 | 89.1 | 88.2 | 96.5 | 52.1 | 51.2 | 51.0 | 38.0 | 0.0 | **3,997.0** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 3.0 | 15.0 | 28.0 | 23.0 | 31.0 | 26.0 | 30.0 | 28.0 | 29.0 | **1,271.0** |
| H2O | 1957 | 310.5 | 264.2 | 269.3 | 30.7 | 252.0 | 301.3 | 175.2 | 246.6 | 219.4 | 183.3 | 157.1 | 159.1 | **4,266.9** |
| OIL | 1957 | 135.7 | 120.6 | 132.2 | 13.0 | 58.6 | 119.5 | 86.8 | 131.1 | 116.3 | 104.4 | 97.4 | 93.9 | **3,183.2** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 23.0 | 30.0 | 31.0 | 29.0 | 31.0 | **968.0** |
| H2O | 1956 | 0.2 | 0.2 | 0.2 | 0.5 | 14.8 | 7.6 | 7.5 | 208.9 | 355.0 | 343.9 | 338.2 | 359.6 | **1,698.2** |
| OIL | 1956 | 28.8 | 25.9 | 26.5 | 24.0 | 12.6 | 14.8 | 14.5 | 123.9 | 158.8 | 158.1 | 143.3 | 149.4 | **1,973.7** |
| DAY | 1955 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **612.0** |
| H2O | 1955 | 1.3 | 0.8 | 0.8 | 0.8 | 0.8 | 0.6 | 4.5 | 0.3 | 0.2 | 0.3 | 0.3 | 0.0 | **61.6** |
| OIL | 1955 | 34.2 | 29.7 | 33.7 | 33.7 | 32.4 | 29.4 | 19.9 | 91.2 | 29.9 | 29.6 | 27.3 | 26.5 | **1,093.1** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 24.0 | 15.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **248.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 3.8 | 3.2 | 9.5 | 8.1 | 8.6 | 7.5 | 8.4 | 1.0 | 0.8 | **50.9** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 152.1 | 129.5 | 70.2 | 59.9 | 62.8 | 54.3 | 61.8 | 45.3 | 39.7 | **675.6** |

Licence ***424*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 25.0 | 31.0 | 29.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,711.0** |
| H2O | 1975 | 38.8 | 31.6 | 39.9 | 37.5 | 34.7 | 37.7 | 38.6 | 81.7 | 80.3 | 86.2 | 86.5 | 88.2 | **7,348.0** |
| OIL | 1975 | 77.5 | 61.3 | 76.3 | 69.9 | 63.6 | 70.2 | 73.7 | 45.4 | 44.0 | 45.4 | 44.0 | 44.7 | **13,687.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 24.0 | 16.0 | 30.0 | 31.0 | **7,354.0** |
| H2O | 1974 | 9.4 | 8.6 | 9.7 | 9.2 | 9.9 | 9.9 | 87.9 | 80.8 | 63.1 | 43.2 | 38.6 | 38.5 | **6,666.3** |
| OIL | 1974 | 31.1 | 26.9 | 31.0 | 29.1 | 30.8 | 29.7 | 35.0 | 35.0 | 26.4 | 18.1 | 75.8 | 78.2 | **12,971.4** |
| DAY | 1973 | 31.0 | 28.0 | 29.0 | 26.0 | 30.0 | 30.0 | 29.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,010.0** |
| H2O | 1973 | 40.1 | 38.2 | 19.7 | 18.4 | 4.9 | 4.9 | 4.6 | 4.6 | 16.7 | 10.3 | 9.9 | 9.4 | **6,257.5** |
| OIL | 1973 | 26.4 | 23.2 | 31.6 | 28.8 | 21.3 | 21.3 | 20.5 | 20.3 | 40.2 | 31.5 | 29.9 | 30.4 | **12,524.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 13.0 | 0.0 | 27.0 | 31.0 | **6,658.0** |
| H2O | 1972 | 85.2 | 83.1 | 4.3 | 12.6 | 14.1 | 21.0 | 25.0 | 23.7 | 10.0 | 0.0 | 22.9 | 40.9 | **6,075.8** |
| OIL | 1972 | 43.5 | 40.5 | 34.8 | 32.9 | 35.1 | 83.9 | 92.8 | 62.6 | 25.3 | 0.0 | 22.9 | 26.9 | **12,198.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 23.0 | 30.0 | 30.0 | 22.0 | **6,345.0** |
| H2O | 1971 | 36.4 | 33.4 | 38.5 | 38.6 | 38.6 | 38.5 | 8.1 | 7.8 | 16.7 | 35.5 | 35.5 | 64.4 | **5,733.0** |
| OIL | 1971 | 33.1 | 29.6 | 32.7 | 31.1 | 22.9 | 22.4 | 14.1 | 13.8 | 26.7 | 30.5 | 29.9 | 31.5 | **11,697.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | **5,997.0** |
| H2O | 1970 | 153.6 | 144.2 | 150.9 | 62.0 | 63.6 | 63.8 | 52.0 | 67.4 | 62.6 | 34.2 | 30.2 | 29.6 | **5,341.0** |
| OIL | 1970 | 107.1 | 96.6 | 105.4 | 61.5 | 63.6 | 61.0 | 56.1 | 63.4 | 60.5 | 32.1 | 29.9 | 23.8 | **11,379.4** |
| DAY | 1969 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 28.0 | 30.0 | 30.0 | 26.0 | **5,644.0** |
| H2O | 1969 | 32.6 | 28.5 | 27.7 | 28.3 | 26.9 | 25.6 | 25.1 | 42.4 | 37.2 | 40.7 | 39.0 | 32.9 | **4,426.9** |
| OIL | 1969 | 37.7 | 32.1 | 36.9 | 35.9 | 42.4 | 41.8 | 38.9 | 47.5 | 42.9 | 45.3 | 46.2 | 37.3 | **10,618.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **5,291.0** |
| H2O | 1968 | 8.4 | 7.5 | 8.4 | 8.6 | 33.1 | 30.2 | 32.6 | 29.6 | 28.8 | 31.6 | 28.0 | 31.3 | **4,040.0** |
| OIL | 1968 | 60.1 | 51.8 | 58.8 | 56.7 | 39.4 | 38.8 | 37.8 | 37.5 | 34.8 | 38.3 | 35.1 | 38.1 | **10,133.5** |
| DAY | 1967 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 19.0 | 20.0 | 31.0 | **4,927.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 3.7 | 3.5 | 25.9 | 34.7 | 20.5 | 13.2 | 5.2 | 8.6 | **3,761.9** |
| OIL | 1967 | 44.5 | 39.4 | 39.9 | 42.9 | 52.1 | 50.1 | 50.9 | 50.2 | 49.6 | 31.5 | 38.6 | 59.4 | **9,606.3** |

# Manitoba Production
## 1950 To 1975

Licence ***424*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 31.0 | 22.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,587.0** |
| H2O | 1966 | 12.7 | 7.9 | 3.5 | 3.7 | 4.0 | 10.7 | 11.6 | 11.4 | 12.6 | 0.0 | 0.0 | 0.0 | **3,646.6** |
| OIL | 1966 | 46.1 | 31.8 | 56.1 | 54.8 | 47.7 | 46.4 | 47.8 | 47.5 | 46.2 | 42.0 | 42.4 | 43.4 | **9,057.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,231.0** |
| H2O | 1965 | 20.0 | 15.3 | 17.6 | 7.0 | 7.2 | 25.1 | 28.6 | 28.9 | 31.5 | 21.8 | 22.6 | 22.7 | **3,568.5** |
| OIL | 1965 | 44.2 | 38.9 | 42.1 | 45.3 | 45.8 | 46.9 | 61.0 | 60.5 | 45.9 | 50.1 | 48.8 | 49.9 | **8,505.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,866.0** |
| H2O | 1964 | 24.2 | 21.8 | 12.7 | 12.4 | 13.0 | 12.6 | 12.4 | 12.6 | 12.1 | 11.9 | 12.4 | 20.0 | **3,320.2** |
| OIL | 1964 | 44.8 | 42.4 | 45.8 | 44.0 | 45.3 | 43.7 | 45.3 | 45.6 | 44.3 | 45.0 | 44.2 | 43.7 | **7,925.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,500.0** |
| H2O | 1963 | 5.4 | 7.2 | 7.2 | 6.8 | 13.5 | 14.6 | 18.0 | 18.9 | 36.9 | 34.7 | 23.4 | 23.8 | **3,142.1** |
| OIL | 1963 | 21.0 | 17.2 | 22.9 | 22.6 | 29.2 | 31.8 | 35.8 | 32.1 | 51.2 | 48.6 | 42.1 | 43.1 | **7,391.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,136.0** |
| H2O | 1962 | 0.0 | 0.0 | 26.2 | 24.0 | 18.4 | 19.2 | 14.3 | 14.1 | 9.9 | 7.9 | 7.6 | 8.7 | **2,931.7** |
| OIL | 1962 | 29.9 | 27.0 | 37.8 | 29.4 | 28.6 | 28.0 | 30.0 | 32.1 | 26.9 | 20.8 | 21.5 | 22.4 | **6,993.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,771.0** |
| H2O | 1961 | 58.8 | 21.9 | 21.9 | 26.1 | 21.3 | 18.0 | 28.8 | 17.3 | 33.4 | 24.3 | 23.8 | 20.8 | **2,781.4** |
| OIL | 1961 | 66.4 | 21.6 | 21.5 | 22.9 | 22.1 | 38.6 | 40.4 | 36.5 | 39.3 | 39.1 | 37.0 | 37.2 | **6,659.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,406.0** |
| H2O | 1960 | 6.0 | 6.0 | 7.0 | 7.0 | 20.2 | 25.0 | 35.9 | 24.0 | 19.1 | 7.0 | 43.1 | 61.4 | **2,465.0** |
| OIL | 1960 | 56.3 | 54.5 | 62.1 | 55.8 | 44.0 | 48.6 | 50.9 | 60.1 | 58.2 | 29.9 | 61.7 | 64.5 | **6,236.9** |
| DAY | 1959 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,040.0** |
| H2O | 1959 | 100.6 | 100.2 | 89.8 | 55.6 | 33.4 | 19.9 | 33.1 | 8.6 | 19.7 | 6.8 | 6.2 | 5.4 | **2,203.3** |
| OIL | 1959 | 92.5 | 85.5 | 97.7 | 86.1 | 82.3 | 70.6 | 72.1 | 52.3 | 60.4 | 60.9 | 58.2 | 58.2 | **5,590.3** |
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 20.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,676.0** |
| H2O | 1958 | 124.3 | 35.3 | 136.7 | 19.9 | 106.2 | 82.8 | 81.1 | 89.5 | 98.6 | 112.2 | 101.3 | 91.1 | **1,724.0** |
| OIL | 1958 | 220.6 | 166.5 | 194.5 | 122.7 | 180.5 | 131.7 | 113.6 | 108.4 | 104.4 | 107.7 | 91.7 | 85.0 | **4,713.5** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 24.0 | 31.0 | 29.0 | 31.0 | **1,323.0** |
| H2O | 1957 | 0.2 | 0.2 | 2.2 | 2.7 | 4.0 | 2.5 | 5.9 | 3.2 | 3.5 | 153.3 | 160.6 | 190.0 | **645.0** |
| OIL | 1957 | 23.5 | 21.3 | 23.8 | 25.9 | 20.3 | 23.8 | 16.2 | 20.0 | 13.2 | 373.9 | 332.0 | 337.0 | **3,086.2** |
| DAY | 1956 | 31.0 | 27.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **967.0** |
| H2O | 1956 | 4.6 | 4.1 | 7.0 | 11.3 | 5.4 | 4.3 | 4.3 | 6.0 | 5.1 | 6.8 | 5.6 | 0.2 | **116.7** |
| OIL | 1956 | 43.5 | 41.2 | 42.0 | 41.8 | 26.2 | 24.2 | 27.2 | 26.7 | 20.8 | 21.1 | 18.9 | 24.5 | **1,855.3** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **608.0** |
| H2O | 1955 | 5.7 | 5.2 | 5.2 | 2.7 | 4.0 | 3.7 | 2.5 | 2.2 | 0.2 | 0.2 | 0.2 | 0.2 | **52.0** |
| OIL | 1955 | 90.7 | 78.8 | 79.1 | 59.0 | 60.9 | 53.6 | 55.1 | 41.3 | 39.7 | 41.3 | 45.9 | 45.0 | **1,497.2** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 2.0 | 31.0 | 28.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **244.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.3 | 2.5 | 1.9 | 1.3 | 2.7 | 0.6 | 1.3 | 4.5 | 4.9 | **20.0** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 16.4 | 137.5 | 103.5 | 101.9 | 96.1 | 84.4 | 89.6 | 83.6 | 93.8 | **806.8** |

Licence ***427*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-32-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 18.0 | 0.0 | **6,301.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 499.7 | 854.8 | 771.5 | 857.4 | 822.4 | 846.1 | 469.5 | 0.0 | **157,275.9** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 14.1 | 20.8 | 20.2 | 21.5 | 21.3 | 22.7 | 11.9 | 0.0 | **29,787.3** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **6,110.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 622.6 | 801.4 | 853.4 | 852.6 | 823.7 | 821.4 | 0.0 | 0.0 | **152,154.5** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 20.5 | 24.3 | 24.8 | 24.2 | 22.6 | 24.8 | 0.0 | 0.0 | **29,654.8** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **5,933.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 40.9 | 606.8 | 580.1 | 473.9 | 531.5 | 0.0 | 0.0 | **147,379.4** |

# Manitoba Production
## 1950 To 1975

Licence ***427*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-32-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.2 | 79.9 | 86.0 | 80.2 | 81.4 | 0.0 | 0.0 | **29,513.6** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 8.0 | 30.0 | 28.0 | 31.0 | 30.0 | 23.0 | 0.0 | 0.0 | 0.0 | **5,808.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 88.2 | 400.3 | 411.9 | 616.7 | 708.6 | 368.5 | 0.0 | 0.0 | 0.0 | **145,146.2** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 5.7 | 26.4 | 21.1 | 73.3 | 65.2 | 34.6 | 0.0 | 0.0 | 0.0 | **29,180.9** |
| DAY | 1970 | 31.0 | 25.0 | 29.0 | 28.0 | 30.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 2.0 | 0.0 | **5,658.0** |
| H2O | 1970 | 751.3 | 604.6 | 699.5 | 713.3 | 750.4 | 714.3 | 677.6 | 765.2 | 651.3 | 474.2 | 30.0 | 0.0 | **142,552.0** |
| OIL | 1970 | 19.2 | 15.4 | 18.8 | 30.5 | 32.6 | 28.6 | 24.3 | 27.5 | 25.4 | 24.0 | 1.6 | 0.0 | **28,954.6** |
| DAY | 1969 | 31.0 | 20.0 | 22.0 | 16.0 | 7.0 | 27.0 | 25.0 | 27.0 | 30.0 | 25.0 | 30.0 | 31.0 | **5,363.0** |
| H2O | 1969 | 3177.2 | 2103.9 | 2326.7 | 1186.8 | 590.3 | 715.7 | 793.0 | 750.1 | 983.9 | 643.9 | 765.0 | 761.8 | **135,720.3** |
| OIL | 1969 | 195.6 | 124.9 | 127.6 | 47.0 | 22.9 | 28.3 | 28.8 | 30.2 | 40.4 | 17.0 | 17.8 | 19.4 | **28,706.7** |
| DAY | 1968 | 31.0 | 29.0 | 30.0 | 24.0 | 31.0 | 30.0 | 31.0 | 23.0 | 30.0 | 31.0 | 30.0 | 21.0 | **5,072.0** |
| H2O | 1968 | 939.6 | 877.9 | 1473.3 | 2610.5 | 3078.8 | 3342.1 | 3330.2 | 2417.3 | 3247.6 | 3316.3 | 3373.2 | 2164.4 | **120,922.0** |
| OIL | 1968 | 111.4 | 102.2 | 51.5 | 174.3 | 203.6 | 212.1 | 211.5 | 159.9 | 201.3 | 203.1 | 217.5 | 147.3 | **28,006.8** |
| DAY | 1967 | 29.0 | 28.0 | 30.0 | 27.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 15.0 | 23.0 | 31.0 | **4,731.0** |
| H2O | 1967 | 967.6 | 884.9 | 950.9 | 847.5 | 1042.9 | 960.4 | 936.7 | 717.5 | 883.9 | 514.9 | 495.7 | 1066.8 | **90,750.8** |
| OIL | 1967 | 69.1 | 66.7 | 67.9 | 62.9 | 75.2 | 61.0 | 75.8 | 89.8 | 81.8 | 51.8 | 72.9 | 133.2 | **26,011.1** |
| DAY | 1966 | 18.0 | 28.0 | 24.0 | 18.0 | 30.0 | 30.0 | 31.0 | 24.0 | 29.0 | 26.0 | 27.0 | 31.0 | **4,397.0** |
| H2O | 1966 | 622.7 | 1295.7 | 804.0 | 576.1 | 915.7 | 918.0 | 945.0 | 765.3 | 968.2 | 980.3 | 963.7 | 1011.7 | **80,481.1** |
| OIL | 1966 | 45.4 | 75.2 | 58.5 | 45.3 | 83.1 | 85.8 | 80.7 | 58.2 | 69.4 | 56.3 | 72.8 | 78.0 | **25,103.0** |
| DAY | 1965 | 26.0 | 25.0 | 27.0 | 13.0 | 21.0 | 25.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,081.0** |
| H2O | 1965 | 779.6 | 784.1 | 712.2 | 372.8 | 639.9 | 835.4 | 933.4 | 1052.4 | 890.9 | 1490.8 | 1325.3 | 1340.4 | **69,714.7** |
| OIL | 1965 | 65.3 | 84.9 | 71.4 | 42.6 | 73.6 | 90.7 | 86.9 | 90.7 | 78.2 | 97.3 | 59.3 | 76.8 | **24,294.3** |
| DAY | 1964 | 31.0 | 29.0 | 30.0 | 30.0 | 22.0 | 30.0 | 31.0 | 30.0 | 20.0 | 27.0 | 29.0 | 31.0 | **3,763.0** |
| H2O | 1964 | 420.2 | 398.4 | 390.8 | 398.7 | 277.9 | 497.4 | 578.7 | 555.3 | 326.9 | 824.3 | 998.7 | 915.6 | **58,557.5** |
| OIL | 1964 | 64.4 | 59.1 | 60.9 | 55.6 | 40.4 | 54.3 | 62.3 | 61.2 | 36.9 | 83.9 | 92.8 | 81.2 | **23,376.6** |
| DAY | 1963 | 30.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 26.0 | 27.0 | 31.0 | 30.0 | 31.0 | **3,423.0** |
| H2O | 1963 | 460.1 | 426.9 | 468.2 | 414.3 | 412.6 | 369.0 | 383.9 | 367.7 | 410.2 | 487.9 | 367.9 | 416.5 | **51,974.6** |
| OIL | 1963 | 55.9 | 55.0 | 58.0 | 49.6 | 66.3 | 52.4 | 56.1 | 51.2 | 59.9 | 67.7 | 57.5 | 68.2 | **22,623.6** |
| DAY | 1962 | 31.0 | 23.0 | 31.0 | 29.0 | 24.0 | 26.0 | 30.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,069.0** |
| H2O | 1962 | 628.8 | 395.7 | 567.6 | 535.9 | 328.1 | 369.2 | 452.1 | 325.6 | 439.3 | 458.8 | 451.0 | 478.2 | **46,989.4** |
| OIL | 1962 | 82.6 | 53.7 | 77.7 | 69.3 | 52.9 | 61.7 | 68.3 | 48.9 | 62.8 | 65.3 | 60.1 | 64.7 | **21,925.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 23.0 | 19.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,728.0** |
| H2O | 1961 | 870.9 | 800.9 | 881.2 | 866.6 | 896.2 | 751.0 | 430.4 | 359.5 | 610.3 | 620.0 | 578.4 | 642.1 | **41,559.1** |
| OIL | 1961 | 133.2 | 121.9 | 128.2 | 122.8 | 126.7 | 113.3 | 60.7 | 54.7 | 89.1 | 83.0 | 75.3 | 79.9 | **21,157.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 29.0 | 31.0 | **2,387.0** |
| H2O | 1960 | 928.4 | 854.5 | 794.6 | 893.0 | 745.8 | 747.0 | 878.8 | 853.9 | 870.1 | 761.0 | 764.5 | 852.1 | **33,251.6** |
| OIL | 1960 | 200.9 | 163.0 | 162.9 | 165.3 | 131.9 | 141.1 | 147.6 | 140.6 | 139.8 | 100.9 | 128.1 | 136.2 | **19,969.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **2,027.0** |
| H2O | 1959 | 510.3 | 509.2 | 909.2 | 913.5 | 924.3 | 735.9 | 863.3 | 735.6 | 625.3 | 698.6 | 502.9 | 746.4 | **23,307.9** |
| OIL | 1959 | 135.2 | 121.7 | 246.6 | 223.0 | 227.1 | 169.4 | 193.6 | 162.4 | 148.1 | 142.4 | 121.6 | 173.7 | **18,210.7** |
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,669.0** |
| H2O | 1958 | 413.3 | 586.5 | 821.8 | 830.5 | 625.9 | 870.3 | 734.2 | 543.7 | 495.4 | 522.4 | 527.0 | 484.4 | **14,633.4** |
| OIL | 1958 | 161.3 | 206.3 | 274.6 | 231.8 | 187.8 | 223.7 | 178.9 | 135.2 | 132.7 | 150.8 | 141.1 | 130.8 | **16,145.9** |
| DAY | 1957 | 24.0 | 23.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | **1,311.0** |
| H2O | 1957 | 57.2 | 178.1 | 226.4 | 259.1 | 402.7 | 555.2 | 576.5 | 533.7 | 576.1 | 542.8 | 552.1 | 557.7 | **7,178.0** |
| OIL | 1957 | 97.9 | 219.1 | 261.6 | 217.7 | 235.5 | 303.5 | 298.3 | 278.4 | 267.0 | 248.2 | 242.3 | 217.7 | **13,990.9** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 22.0 | 30.0 | 31.0 | **964.0** |
| H2O | 1956 | 85.1 | 256.8 | 160.3 | 119.7 | 126.1 | 174.6 | 161.8 | 142.9 | 97.8 | 71.9 | 104.8 | 80.0 | **2,160.4** |
| OIL | 1956 | 329.7 | 165.4 | 161.8 | 213.4 | 213.9 | 220.2 | 210.1 | 209.8 | 135.4 | 103.3 | 139.7 | 117.3 | **11,103.7** |
| DAY | 1955 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | **608.0** |
| H2O | 1955 | 2.2 | 33.9 | 31.5 | 6.4 | 6.7 | 52.5 | 9.5 | 67.2 | 59.9 | 80.1 | 71.2 | 96.5 | **578.6** |
| OIL | 1955 | 370.7 | 400.9 | 382.5 | 311.1 | 411.1 | 471.5 | 345.0 | 348.0 | 293.3 | 327.8 | 407.9 | 355.6 | **8,883.7** |

# Manitoba Production
## 1950 To 1975

Licence ***427*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-32-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 20.0 | 18.0 | 30.0 | 31.0 | 31.0 | 29.0 | 29.0 | 29.0 | 31.0 | **248.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.8 | 0.8 | 1.1 | 1.4 | 2.7 | 1.3 | 1.4 | 49.8 | 1.7 | **61.0** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 381.1 | 372.3 | 582.9 | 602.6 | 601.3 | 581.0 | 599.7 | 381.4 | 356.0 | **4,458.3** |

Licence ***429*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-02-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,509.0** |
| H2O | 1975 | 29.3 | 25.1 | 30.2 | 29.3 | 30.4 | 28.5 | 73.4 | 72.5 | 71.4 | 76.6 | 76.8 | 78.2 | **8,041.3** |
| OIL | 1975 | 51.6 | 42.9 | 50.7 | 48.1 | 49.1 | 46.7 | 12.7 | 12.7 | 12.4 | 12.9 | 12.4 | 12.6 | **6,849.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 23.0 | 0.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,146.0** |
| H2O | 1974 | 38.6 | 35.5 | 39.7 | 38.8 | 39.6 | 30.5 | 0.0 | 28.6 | 28.0 | 29.3 | 29.1 | 28.9 | **7,419.6** |
| OIL | 1974 | 53.6 | 46.2 | 52.9 | 50.7 | 52.0 | 38.8 | 0.0 | 40.4 | 50.5 | 52.8 | 50.4 | 51.6 | **6,484.9** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 8.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,826.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 2.5 | 122.1 | 121.3 | 119.9 | 130.2 | 127.8 | 130.0 | 39.3 | 38.6 | **7,053.0** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 6.7 | 29.2 | 29.4 | 29.9 | 32.3 | 30.7 | 31.6 | 50.5 | 52.1 | **5,945.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **6,574.0** |
| H2O | 1972 | 42.9 | 42.0 | 45.9 | 40.9 | 45.2 | 45.0 | 39.4 | 37.4 | 36.7 | 9.9 | 0.0 | 0.0 | **6,221.3** |
| OIL | 1972 | 13.5 | 12.4 | 13.7 | 13.0 | 13.8 | 13.3 | 8.4 | 8.6 | 8.1 | 26.9 | 0.0 | 0.0 | **5,652.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **6,269.0** |
| H2O | 1971 | 40.5 | 36.9 | 42.3 | 42.4 | 42.6 | 42.3 | 42.0 | 40.5 | 36.2 | 40.5 | 33.9 | 45.8 | **5,836.0** |
| OIL | 1971 | 14.9 | 13.2 | 14.6 | 13.8 | 14.1 | 13.8 | 14.1 | 13.8 | 13.7 | 14.1 | 11.4 | 13.7 | **5,520.9** |
| DAY | 1970 | 31.0 | 26.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,908.0** |
| H2O | 1970 | 27.0 | 23.1 | 26.5 | 32.3 | 38.3 | 38.2 | 35.9 | 40.5 | 41.7 | 43.2 | 39.4 | 43.7 | **5,350.1** |
| OIL | 1970 | 32.3 | 26.4 | 31.8 | 15.6 | 18.4 | 18.0 | 18.8 | 18.4 | 13.5 | 14.3 | 13.7 | 14.3 | **5,355.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 24.0 | 31.0 | 25.0 | 30.0 | **5,549.0** |
| H2O | 1969 | 51.5 | 46.7 | 43.9 | 44.8 | 49.3 | 47.2 | 27.8 | 28.0 | 21.0 | 28.6 | 21.3 | 27.0 | **4,920.3** |
| OIL | 1969 | 9.1 | 8.1 | 8.9 | 8.7 | 8.9 | 8.7 | 14.8 | 14.6 | 11.4 | 14.9 | 26.4 | 32.4 | **5,120.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,196.0** |
| H2O | 1968 | 26.1 | 24.8 | 26.4 | 24.2 | 28.1 | 47.7 | 51.5 | 47.1 | 47.2 | 50.1 | 46.3 | 49.1 | **4,483.2** |
| OIL | 1968 | 14.9 | 13.7 | 14.6 | 13.0 | 14.5 | 8.9 | 9.2 | 9.1 | 8.7 | 9.2 | 8.9 | 9.1 | **4,953.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **4,832.0** |
| H2O | 1967 | 32.4 | 26.9 | 32.3 | 30.0 | 30.0 | 28.3 | 22.3 | 29.7 | 21.8 | 28.1 | 24.8 | 27.0 | **4,014.6** |
| OIL | 1967 | 15.1 | 13.3 | 15.1 | 14.6 | 15.1 | 14.5 | 14.9 | 14.8 | 11.9 | 15.1 | 14.8 | 14.9 | **4,819.5** |
| DAY | 1966 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 23.0 | 31.0 | **4,472.0** |
| H2O | 1966 | 33.4 | 27.5 | 36.2 | 36.4 | 41.5 | 36.9 | 36.6 | 34.7 | 38.6 | 39.7 | 24.3 | 34.2 | **3,681.0** |
| OIL | 1966 | 26.9 | 24.3 | 28.0 | 26.7 | 28.3 | 27.5 | 28.4 | 27.3 | 27.5 | 28.4 | 11.1 | 15.3 | **4,645.4** |
| DAY | 1965 | 27.0 | 27.0 | 31.0 | 25.0 | 19.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 26.0 | 27.0 | **4,118.0** |
| H2O | 1965 | 14.9 | 14.3 | 17.5 | 12.6 | 9.4 | 14.9 | 14.9 | 14.9 | 15.1 | 14.5 | 13.2 | 32.4 | **3,261.0** |
| OIL | 1965 | 18.0 | 17.8 | 20.3 | 16.2 | 12.2 | 19.9 | 20.7 | 20.5 | 19.4 | 19.5 | 16.5 | 25.3 | **4,345.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 21.0 | **3,784.0** |
| H2O | 1964 | 26.5 | 24.0 | 26.7 | 25.8 | 13.0 | 16.4 | 15.6 | 16.4 | 66.3 | 66.3 | 16.2 | 11.4 | **3,072.4** |
| OIL | 1964 | 20.7 | 19.4 | 21.1 | 20.3 | 15.3 | 18.9 | 19.1 | 19.7 | 91.5 | 93.4 | 19.1 | 13.8 | **4,119.4** |
| DAY | 1963 | 17.0 | 22.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 25.0 | 30.0 | 29.0 | 31.0 | **3,435.0** |
| H2O | 1963 | 7.2 | 13.4 | 17.5 | 16.1 | 20.7 | 21.1 | 27.7 | 29.1 | 27.3 | 29.9 | 24.8 | 26.2 | **2,747.8** |
| OIL | 1963 | 8.1 | 9.4 | 16.2 | 15.4 | 16.0 | 16.4 | 19.5 | 17.6 | 16.8 | 18.6 | 18.6 | 19.9 | **3,747.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,100.0** |
| H2O | 1962 | 16.1 | 18.0 | 18.9 | 18.3 | 13.8 | 12.9 | 13.0 | 13.0 | 14.1 | 19.2 | 18.8 | 21.0 | **2,486.8** |
| OIL | 1962 | 14.9 | 14.1 | 14.3 | 14.0 | 14.3 | 13.8 | 13.5 | 13.2 | 11.0 | 14.6 | 15.1 | 15.9 | **3,554.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,737.0** |
| H2O | 1961 | 16.5 | 14.1 | 18.9 | 15.7 | 15.7 | 16.4 | 24.0 | 19.2 | 21.1 | 24.8 | 22.3 | 21.0 | **2,289.7** |

# Manitoba Production
## 1950 To 1975

Licence ***429*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-02-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1961 | 21.8 | 22.9 | 18.0 | 20.2 | 32.1 | 28.3 | 28.4 | 20.0 | 18.8 | 21.9 | 17.0 | 17.3 | **3,385.9** |
| DAY | 1960 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 26.0 | 19.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,372.0** |
| H2O | 1960 | 81.1 | 75.2 | 66.8 | 80.4 | 19.4 | 17.0 | 14.6 | 25.8 | 19.1 | 20.5 | 17.5 | 21.1 | **2,060.0** |
| OIL | 1960 | 54.5 | 45.1 | 44.2 | 45.8 | 30.0 | 15.9 | 14.0 | 23.7 | 22.1 | 21.3 | 19.4 | 21.8 | **3,119.2** |
| DAY | 1959 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | **2,025.0** |
| H2O | 1959 | 12.4 | 8.3 | 93.8 | 145.9 | 130.5 | 92.0 | 96.2 | 102.5 | 79.3 | 68.5 | 77.4 | 80.6 | **1,601.5** |
| OIL | 1959 | 9.5 | 6.4 | 54.2 | 71.5 | 65.6 | 44.3 | 39.1 | 42.1 | 37.8 | 39.6 | 34.6 | 43.2 | **2,761.4** |
| DAY | 1958 | 27.0 | 28.0 | 30.0 | 29.0 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 29.0 | 29.0 | 31.0 | **1,668.0** |
| H2O | 1958 | 5.7 | 4.5 | 4.9 | 0.6 | 5.4 | 0.8 | 10.0 | 9.2 | 13.8 | 11.6 | 12.9 | 11.4 | **614.1** |
| OIL | 1958 | 11.0 | 11.0 | 11.9 | 11.0 | 10.5 | 18.0 | 19.2 | 17.6 | 11.8 | 10.2 | 10.2 | 9.7 | **2,273.5** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 26.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,316.0** |
| H2O | 1957 | 0.2 | 0.2 | 0.2 | 0.3 | 8.9 | 36.9 | 27.7 | 18.4 | 1.1 | 1.0 | 1.0 | 1.0 | **523.3** |
| OIL | 1957 | 33.8 | 42.7 | 46.1 | 44.7 | 18.9 | 7.0 | 4.1 | 3.7 | 18.6 | 17.8 | 15.9 | 16.7 | **2,121.4** |
| DAY | 1956 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 31.0 | 28.0 | 29.0 | **960.0** |
| H2O | 1956 | 1.7 | 1.7 | 1.6 | 1.1 | 0.8 | 2.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | **426.4** |
| OIL | 1956 | 40.7 | 34.8 | 38.9 | 41.5 | 41.0 | 39.3 | 35.8 | 35.9 | 35.1 | 33.4 | 34.2 | 31.0 | **1,851.4** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **604.0** |
| H2O | 1955 | 15.3 | 10.0 | 10.7 | 10.7 | 11.8 | 10.8 | 5.7 | 6.2 | 7.6 | 7.6 | 9.5 | 7.5 | **415.9** |
| OIL | 1955 | 60.9 | 52.4 | 55.9 | 55.8 | 53.2 | 54.5 | 54.5 | 55.9 | 42.0 | 42.9 | 41.2 | 40.0 | **1,409.8** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 16.0 | 13.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **239.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 76.6 | 39.9 | 63.8 | 46.7 | 26.4 | 21.6 | 8.9 | 10.0 | 8.6 | **302.5** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 114.9 | 59.8 | 101.4 | 105.4 | 101.5 | 89.0 | 92.0 | 73.4 | 63.2 | **800.6** |

Licence ***431*** Well Name ***Virden Roselea Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-24-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1743.9 | 1531.8 | 1694.9 | 1746.1 | 1597.3 | 1748.0 | 1557.8 | 1724.8 | 1969.3 | 2025.6 | 2030.7 | 2154.7 | **198,171.3** |
| WIN | 1974 | 2131.6 | 1517.6 | 1842.6 | 1735.4 | 1744.6 | 1734.0 | 1725.6 | 1564.5 | 1462.9 | 1334.5 | 1513.3 | 1880.9 | **176,646.4** |
| WIN | 1973 | 1714.4 | 626.5 | 707.3 | 656.1 | 2742.7 | 1527.0 | 1519.5 | 836.9 | 772.8 | 1446.1 | 1815.2 | 1946.9 | **156,458.9** |
| WIN | 1972 | 1604.1 | 962.5 | 1035.1 | 1634.8 | 1095.1 | 1372.3 | 1201.7 | 1254.7 | 1192.7 | 1195.2 | 1290.1 | 1694.9 | **140,147.5** |
| WIN | 1971 | 2263.2 | 2022.9 | 2034.0 | 1615.2 | 1545.8 | 1934.9 | 1479.0 | 1256.3 | 0.0 | 1146.1 | 1537.5 | 1787.3 | **124,614.3** |
| WIN | 1970 | 1875.2 | 1575.0 | 1864.2 | 1782.2 | 2051.5 | 1303.3 | 1024.9 | 1849.9 | 1598.9 | 1928.1 | 2247.0 | 2261.3 | **105,992.1** |
| WIN | 1969 | 1588.5 | 576.8 | 1170.3 | 1689.3 | 1730.3 | 1707.9 | 1374.2 | 1375.5 | 1831.1 | 1820.5 | 1855.8 | 1811.3 | **84,630.6** |
| WIN | 1968 | 955.8 | 1379.8 | 1443.7 | 1384.9 | 1111.4 | 1207.1 | 1544.8 | 1716.8 | 1385.4 | 1828.7 | 1797.7 | 1869.1 | **66,099.1** |
| WIN | 1967 | 1805.9 | 1637.0 | 1558.5 | 1861.3 | 1232.4 | 1629.4 | 1232.3 | 1782.5 | 1432.1 | 0.0 | 873.1 | 755.2 | **48,473.9** |
| WIN | 1966 | 3078.0 | 2428.7 | 2746.2 | 2763.4 | 2558.8 | 2372.9 | 2311.6 | 2004.3 | 2277.2 | 1870.9 | 2144.6 | 1980.9 | **32,674.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 20.0 | 0.0 | 0.0 | 0.0 | **4,094.0** |
| H2O | 1965 | 21.1 | 16.9 | 19.1 | 3.2 | 3.0 | 4.3 | 3.0 | 4.6 | 2.1 | 0.0 | 0.0 | 0.0 | **904.3** |
| OIL | 1965 | 29.9 | 25.9 | 28.1 | 32.4 | 35.3 | 31.0 | 33.5 | 31.3 | 21.2 | 0.0 | 0.0 | 0.0 | **6,751.1** |
| WIN | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 359.6 | 1188.4 | 2588.7 | **4,136.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | **3,831.0** |
| H2O | 1964 | 1.3 | 1.4 | 1.3 | 32.7 | 24.2 | 14.3 | 14.9 | 11.4 | 12.6 | 14.1 | 21.0 | 17.5 | **827.0** |
| OIL | 1964 | 29.2 | 28.8 | 30.4 | 62.5 | 54.8 | 41.6 | 45.9 | 43.4 | 40.7 | 43.1 | 29.7 | 25.6 | **6,482.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,470.0** |
| H2O | 1963 | 8.7 | 8.3 | 9.2 | 9.9 | 1.3 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.6 | 1.4 | **660.3** |
| OIL | 1963 | 33.1 | 31.8 | 34.2 | 30.8 | 36.2 | 34.8 | 39.4 | 35.4 | 30.4 | 31.0 | 28.9 | 31.1 | **6,006.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 28.0 | **3,105.0** |
| H2O | 1962 | 8.3 | 7.2 | 8.3 | 7.6 | 8.3 | 7.8 | 8.3 | 6.8 | 7.2 | 8.1 | 10.0 | 6.4 | **612.9** |
| OIL | 1962 | 29.7 | 26.9 | 30.4 | 28.1 | 29.9 | 29.2 | 30.7 | 26.9 | 27.7 | 25.6 | 31.1 | 26.2 | **5,609.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,746.0** |
| H2O | 1961 | 38.0 | 27.7 | 37.0 | 34.2 | 33.1 | 9.9 | 8.6 | 10.2 | 9.1 | 9.2 | 9.1 | 9.1 | **518.6** |

# Manitoba Production
## 1950 To 1975

Licence ***431*** Well Name ***Virden Roselea Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-24-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1961 | 70.1 | 64.2 | 69.9 | 76.0 | 78.0 | 35.3 | 35.6 | 33.1 | 32.1 | 30.2 | 30.8 | 31.8 | **5,267.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 12.0 | 31.0 | 30.0 | 31.0 | **2,384.0** |
| H2O | 1960 | 0.8 | 0.8 | 0.8 | 0.8 | 0.0 | 0.0 | 0.0 | 3.8 | 14.5 | 36.6 | 38.8 | 35.5 | **283.4** |
| OIL | 1960 | 17.5 | 16.4 | 17.2 | 16.7 | 19.5 | 18.8 | 21.5 | 19.5 | 33.4 | 86.4 | 78.8 | 75.3 | **4,680.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | **2,039.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 1.0 | 0.8 | 1.0 | **151.0** |
| OIL | 1959 | 32.6 | 27.3 | 28.8 | 28.1 | 28.8 | 34.8 | 34.6 | 35.3 | 18.9 | 18.0 | 17.6 | 17.8 | **4,259.2** |
| DAY | 1958 | 28.0 | 28.0 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 29.0 | 30.0 | 26.0 | 31.0 | **1,677.0** |
| H2O | 1958 | 1.9 | 1.7 | 1.9 | 1.9 | 1.4 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **147.4** |
| OIL | 1958 | 33.8 | 30.7 | 32.7 | 18.3 | 26.2 | 28.3 | 27.8 | 24.8 | 22.1 | 24.6 | 23.8 | 27.2 | **3,936.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,326.0** |
| H2O | 1957 | 1.6 | 1.9 | 2.1 | 1.7 | 0.3 | 0.2 | 0.3 | 0.2 | 3.5 | 3.5 | 3.0 | 3.2 | **135.4** |
| OIL | 1957 | 47.8 | 40.7 | 41.6 | 43.5 | 36.5 | 44.2 | 39.7 | 45.0 | 41.3 | 42.7 | 38.0 | 37.0 | **3,616.3** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **961.0** |
| H2O | 1956 | 2.1 | 1.9 | 2.1 | 1.9 | 2.2 | 1.4 | 2.2 | 1.9 | 1.4 | 1.7 | 1.6 | 1.4 | **113.9** |
| OIL | 1956 | 69.4 | 62.3 | 64.0 | 65.9 | 85.3 | 57.7 | 74.4 | 80.7 | 58.8 | 59.1 | 52.1 | 48.9 | **3,118.3** |
| DAY | 1955 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **598.0** |
| H2O | 1955 | 8.7 | 7.5 | 8.1 | 6.7 | 8.7 | 2.7 | 5.9 | 3.7 | 3.5 | 1.9 | 2.1 | 2.7 | **92.1** |
| OIL | 1955 | 133.3 | 112.5 | 121.6 | 100.1 | 100.0 | 72.9 | 100.1 | 93.1 | 85.0 | 79.9 | 72.5 | 72.3 | **2,339.7** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 10.0 | 23.0 | 24.0 | 28.0 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | **235.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 1.7 | 0.8 | 1.4 | 1.1 | 3.7 | 4.1 | 5.6 | 5.6 | 5.9 | **29.9** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 84.7 | 167.3 | 156.8 | 147.2 | 139.8 | 116.5 | 128.4 | 124.9 | 130.8 | **1,196.4** |

Licence ***435*** Well Name ***Enerplus Pierson Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.10-11-003-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a C*** Field Code ***7*** Pool Code ***43C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1590.9 | 1286.6 | 1737.5 | 1650.5 | 1636.4 | 1560.4 | 1693.0 | 1703.3 | 1672.3 | 1706.2 | 1633.2 | 1662.6 | **198,456.4** |
| WIN | 1974 | 1580.1 | 1350.8 | 1525.3 | 1457.2 | 1414.3 | 1242.7 | 1562.3 | 1763.9 | 1677.6 | 1609.8 | 1565.6 | 1486.1 | **178,923.5** |
| WIN | 1973 | 1627.3 | 1337.3 | 1620.3 | 1523.2 | 1591.4 | 1631.9 | 1593.0 | 1660.1 | 1729.7 | 1730.2 | 1594.3 | 1500.4 | **160,687.8** |
| WIN | 1972 | 1150.4 | 1228.6 | 1297.1 | 1356.1 | 1178.3 | 1378.5 | 1541.9 | 1444.3 | 1569.6 | 1535.3 | 1566.7 | 1701.6 | **141,548.7** |
| WIN | 1971 | 961.6 | 882.1 | 949.4 | 973.1 | 1228.7 | 1190.1 | 1376.1 | 1378.0 | 1349.7 | 1251.9 | 1319.8 | 1304.4 | **124,600.3** |
| WIN | 1970 | 1098.4 | 1093.3 | 1032.2 | 995.5 | 760.0 | 1139.1 | 1155.6 | 1059.1 | 1058.0 | 1153.7 | 942.1 | 1216.5 | **110,435.4** |
| WIN | 1969 | 729.6 | 656.3 | 616.2 | 585.2 | 806.3 | 969.3 | 1073.1 | 988.8 | 941.1 | 990.1 | 970.1 | 1133.2 | **97,731.9** |
| WIN | 1968 | 801.8 | 540.7 | 812.5 | 798.0 | 941.6 | 1089.3 | 1107.3 | 914.4 | 867.7 | 861.6 | 921.6 | 980.1 | **87,272.6** |
| WIN | 1967 | 979.3 | 896.4 | 1141.6 | 888.5 | 722.6 | 1337.0 | 1087.2 | 1077.2 | 989.1 | 902.8 | 850.7 | 1090.1 | **76,636.0** |
| WIN | 1966 | 870.8 | 958.6 | 1023.8 | 976.3 | 735.0 | 1309.7 | 1418.6 | 1304.1 | 944.1 | 1033.0 | 972.0 | 966.9 | **64,673.5** |
| WIN | 1965 | 1092.0 | 655.5 | 1303.5 | 999.2 | 968.0 | 960.0 | 1188.2 | 1239.2 | 976.6 | 1033.2 | 1006.3 | 1020.1 | **52,160.6** |
| WIN | 1964 | 776.5 | 721.5 | 693.4 | 666.2 | 294.8 | 704.2 | 805.8 | 662.2 | 762.5 | 741.8 | 1059.3 | 1173.9 | **39,718.8** |
| WIN | 1963 | 608.1 | 446.9 | 447.1 | 376.6 | 71.4 | 648.5 | 746.8 | 741.7 | 772.5 | 659.3 | 612.1 | 666.6 | **30,656.7** |
| WIN | 1962 | 607.3 | 548.8 | 418.8 | 617.7 | 164.1 | 732.1 | 784.0 | 604.5 | 552.5 | 558.7 | 810.6 | 764.1 | **23,859.1** |
| WIN | 1961 | 561.6 | 520.5 | 557.6 | 287.3 | 184.7 | 526.7 | 607.7 | 628.8 | 472.5 | 607.5 | 660.1 | 788.4 | **16,695.9** |
| WIN | 1960 | 510.4 | 448.2 | 473.9 | 294.8 | 87.6 | 418.6 | 476.0 | 518.0 | 446.3 | 509.6 | 540.9 | 542.8 | **10,292.5** |
| WIN | 1959 | 210.2 | 251.4 | 317.3 | 210.2 | 335.8 | 515.6 | 467.3 | 577.3 | 537.7 | 486.0 | 510.4 | 544.4 | **5,025.4** |
| DAY | 1958 | 31.0 | 22.0 | 31.0 | 17.0 | 13.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,149.0** |
| H2O | 1958 | 33.7 | 28.0 | 37.7 | 20.5 | 24.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **695.3** |
| OIL | 1958 | 23.4 | 22.9 | 32.6 | 13.8 | 12.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,588.9** |
| WIN | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 61.8 | **61.8** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 22.0 | 13.0 | 30.0 | 31.0 | 29.0 | 29.0 | 28.0 | 30.0 | 31.0 | **1,035.0** |
| H2O | 1957 | 7.9 | 6.4 | 7.8 | 5.1 | 4.6 | 8.9 | 10.2 | 8.7 | 9.4 | 18.6 | 18.3 | 32.0 | **551.4** |
| OIL | 1957 | 22.6 | 23.4 | 26.9 | 18.9 | 14.5 | 26.5 | 22.2 | 14.0 | 12.4 | 12.7 | 16.2 | 24.6 | **1,483.3** |
| DAY | 1956 | 30.0 | 29.0 | 31.0 | 18.0 | 0.0 | 10.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **702.0** |

# Manitoba Production
## 1950 To 1975

Licence ***435*** Well Name ***Enerplus Pierson Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.10-11-003-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a C*** Field Code ***7*** Pool Code ***43C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1956 | 6.2 | 7.5 | 7.9 | 4.3 | 0.0 | 3.5 | 8.3 | 8.4 | 7.9 | 8.3 | 7.8 | 7.8 | **413.5** |
| OIL | 1956 | 27.3 | 23.4 | 30.2 | 17.2 | 0.0 | 11.8 | 30.2 | 27.5 | 27.8 | 27.7 | 25.3 | 26.5 | **1,248.4** |
| DAY | 1955 | 29.0 | 5.0 | 7.0 | 1.0 | 0.0 | 22.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **401.0** |
| H2O | 1955 | 48.3 | 5.2 | 18.6 | 0.3 | 0.0 | 8.7 | 14.0 | 12.1 | 16.5 | 11.1 | 4.3 | 7.3 | **335.6** |
| OIL | 1955 | 57.8 | 9.7 | 34.6 | 0.5 | 0.0 | 26.4 | 48.3 | 28.1 | 22.2 | 32.1 | 27.7 | 30.5 | **973.5** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 22.0 | 18.0 | 31.0 | 17.0 | 18.0 | 16.0 | 19.0 | **154.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 14.1 | 39.0 | 33.1 | 34.0 | 11.1 | 11.6 | 5.4 | 40.9 | **189.2** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 80.4 | 123.3 | 100.1 | 155.1 | 68.6 | 35.0 | 43.2 | 49.9 | **655.6** |

Licence ***437*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-32-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 13.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,787.0** |
| H2O | 1964 | 138.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **27,593.7** |
| OIL | 1964 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **8,641.5** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 23.0 | 18.0 | 21.0 | 24.0 | 30.0 | 30.0 | 28.0 | **2,774.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 246.9 | 211.4 | 158.2 | 243.6 | 302.4 | 391.2 | 309.7 | 310.2 | **27,455.1** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 22.2 | 16.8 | 13.0 | 15.7 | 20.3 | 25.1 | 22.1 | 23.2 | **8,631.5** |
| DAY | 1962 | 2.0 | 14.0 | 4.0 | 19.0 | 17.0 | 17.0 | 3.0 | 5.0 | 30.0 | 31.0 | 22.0 | 4.0 | **2,575.0** |
| H2O | 1962 | 10.7 | 135.9 | 42.9 | 191.9 | 179.6 | 179.8 | 35.9 | 41.0 | 338.3 | 353.6 | 246.1 | 47.4 | **25,281.5** |
| OIL | 1962 | 0.8 | 11.1 | 3.5 | 14.8 | 16.2 | 16.8 | 3.0 | 3.5 | 27.0 | 28.1 | 18.4 | 3.7 | **8,473.1** |
| DAY | 1961 | 31.0 | 28.0 | 29.0 | 22.0 | 4.0 | 0.0 | 12.0 | 22.0 | 30.0 | 30.0 | 28.0 | 31.0 | **2,407.0** |
| H2O | 1961 | 441.5 | 405.6 | 416.5 | 138.0 | 21.6 | 0.0 | 127.7 | 230.4 | 335.4 | 322.1 | 296.3 | 343.6 | **23,478.4** |
| OIL | 1961 | 26.1 | 23.8 | 23.4 | 27.2 | 4.3 | 0.0 | 10.8 | 21.0 | 29.4 | 25.7 | 23.2 | 25.7 | **8,326.2** |
| DAY | 1960 | 19.0 | 29.0 | 29.0 | 28.0 | 22.0 | 29.0 | 31.0 | 30.0 | 30.0 | 17.0 | 24.0 | 29.0 | **2,140.0** |
| H2O | 1960 | 299.8 | 466.6 | 451.2 | 401.1 | 315.4 | 459.9 | 496.2 | 440.5 | 440.7 | 216.8 | 322.4 | 399.5 | **20,399.7** |
| OIL | 1960 | 18.9 | 26.7 | 21.5 | 18.3 | 16.2 | 14.9 | 21.3 | 18.3 | 27.3 | 10.6 | 20.8 | 24.6 | **8,085.6** |
| DAY | 1959 | 11.0 | 0.0 | 31.0 | 30.0 | 29.0 | 25.0 | 28.0 | 31.0 | 30.0 | 28.0 | 26.0 | 25.0 | **1,823.0** |
| H2O | 1959 | 120.5 | 0.0 | 499.0 | 495.7 | 479.2 | 411.4 | 502.1 | 546.7 | 494.4 | 495.9 | 468.4 | 430.0 | **15,689.6** |
| OIL | 1959 | 9.5 | 0.0 | 43.2 | 26.7 | 28.0 | 24.9 | 27.8 | 29.9 | 27.2 | 21.6 | 22.4 | 19.9 | **7,846.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 29.0 | 25.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 25.0 | **1,529.0** |
| H2O | 1958 | 368.5 | 321.3 | 397.6 | 375.2 | 350.7 | 349.6 | 368.5 | 359.0 | 312.4 | 334.0 | 331.3 | 273.6 | **10,746.3** |
| OIL | 1958 | 37.2 | 35.9 | 36.2 | 22.1 | 35.6 | 31.8 | 33.7 | 33.8 | 24.9 | 37.7 | 24.9 | 21.8 | **7,565.1** |
| DAY | 1957 | 0.0 | 15.0 | 29.0 | 29.0 | 30.0 | 29.0 | 30.0 | 29.0 | 29.0 | 28.0 | 27.0 | 29.0 | **1,179.0** |
| H2O | 1957 | 0.0 | 115.7 | 269.9 | 277.4 | 270.1 | 310.5 | 286.2 | 305.7 | 334.5 | 277.6 | 277.6 | 293.5 | **6,604.6** |
| OIL | 1957 | 0.0 | 35.8 | 63.7 | 62.3 | 60.1 | 46.6 | 48.9 | 48.1 | 51.8 | 34.0 | 43.4 | 42.7 | **7,189.5** |
| DAY | 1956 | 31.0 | 29.0 | 30.0 | 22.0 | 28.0 | 27.0 | 30.0 | 28.0 | 30.0 | 31.0 | 29.0 | 10.0 | **875.0** |
| H2O | 1956 | 277.6 | 246.4 | 245.6 | 164.2 | 207.6 | 193.0 | 314.1 | 265.3 | 215.9 | 214.5 | 187.8 | 55.3 | **3,585.9** |
| OIL | 1956 | 128.6 | 105.5 | 102.7 | 42.3 | 50.9 | 50.2 | 66.9 | 63.9 | 63.1 | 65.2 | 52.9 | 17.2 | **6,652.1** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 17.0 | 11.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 26.0 | 30.0 | **550.0** |
| H2O | 1955 | 38.0 | 0.5 | 0.6 | 0.3 | 0.0 | 0.5 | 0.2 | 190.8 | 168.8 | 259.1 | 200.0 | 85.1 | **998.6** |
| OIL | 1955 | 277.9 | 234.6 | 319.1 | 122.0 | 21.3 | 40.5 | 39.9 | 168.4 | 141.1 | 126.8 | 136.8 | 137.6 | **5,842.7** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 4.0 | 16.0 | 29.0 | 31.0 | 31.0 | 29.0 | 28.0 | 27.0 | 30.0 | **225.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 1.1 | 1.3 | 2.7 | 1.3 | 2.2 | 1.0 | 44.5 | **54.7** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 66.6 | 319.6 | 583.4 | 601.6 | 601.0 | 580.3 | 543.2 | 461.0 | 320.0 | **4,076.7** |

Licence ***440*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-02-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 10.0 | 7.0 | 0.0 | 1.0 | 0.0 | 28.0 | 30.0 | 31.0 | 3.0 | 0.0 | 0.0 | 0.0 | **1,394.0** |
| H2O | 1958 | 208.2 | 111.3 | 0.0 | 10.8 | 0.0 | 326.7 | 172.5 | 154.1 | 20.7 | 0.0 | 0.0 | 0.0 | **1,394.1** |

# Manitoba Production
## 1950 To 1975

Licence ***440*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-02-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1958 | 11.7 | 8.3 | 0.0 | 1.1 | 0.0 | 27.2 | 4.3 | 4.0 | 0.5 | 0.0 | 0.0 | 0.0 | **647.2** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 29.0 | 17.0 | **1,284.0** |
| H2O | 1957 | 3.7 | 7.3 | 6.0 | 7.8 | 5.6 | 6.8 | 5.2 | 0.0 | 0.0 | 0.2 | 0.2 | 114.5 | **389.8** |
| OIL | 1957 | 6.8 | 8.6 | 9.2 | 8.7 | 8.4 | 14.5 | 8.7 | 1.0 | 8.4 | 7.9 | 7.3 | 4.3 | **590.1** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 28.0 | 26.0 | **938.0** |
| H2O | 1956 | 5.7 | 5.7 | 5.4 | 5.1 | 5.4 | 3.8 | 6.8 | 8.3 | 6.5 | 6.5 | 8.1 | 6.8 | **232.5** |
| OIL | 1956 | 6.0 | 5.4 | 5.9 | 5.2 | 5.2 | 0.8 | 0.8 | 7.3 | 7.0 | 6.8 | 6.8 | 5.6 | **496.3** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **581.0** |
| H2O | 1955 | 10.8 | 7.9 | 8.6 | 7.9 | 8.3 | 5.4 | 2.7 | 6.2 | 4.0 | 9.9 | 10.7 | 8.1 | **158.4** |
| OIL | 1955 | 20.0 | 17.8 | 19.1 | 17.8 | 18.4 | 4.4 | 4.3 | 11.1 | 7.3 | 8.4 | 6.2 | 6.0 | **433.5** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 1.0 | 14.0 | 27.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **218.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.5 | 0.6 | 25.3 | 14.0 | 5.1 | 3.0 | 1.6 | 8.9 | 8.9 | **67.9** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 6.4 | 60.7 | 75.5 | 41.0 | 24.5 | 22.1 | 21.3 | 20.5 | 20.7 | **292.7** |

Licence ***442*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-02-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 14.0 | 4.0 | 22.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,666.0** |
| H2O | 1975 | 85.2 | 81.6 | 41.0 | 11.8 | 64.1 | 85.5 | 24.5 | 24.0 | 23.7 | 25.4 | 25.6 | 26.1 | **9,797.0** |
| OIL | 1975 | 21.0 | 19.4 | 9.7 | 2.7 | 14.5 | 19.7 | 86.4 | 86.9 | 84.4 | 87.2 | 84.4 | 85.8 | **16,160.3** |
| DAY | 1974 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,354.0** |
| H2O | 1974 | 67.7 | 62.8 | 65.8 | 68.2 | 70.9 | 71.4 | 71.9 | 85.4 | 84.1 | 88.2 | 88.1 | 88.1 | **9,278.5** |
| OIL | 1974 | 62.1 | 54.2 | 58.0 | 59.0 | 61.7 | 59.6 | 61.3 | 22.1 | 21.1 | 22.4 | 21.3 | 22.1 | **15,558.2** |
| DAY | 1973 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,991.0** |
| H2O | 1973 | 70.1 | 61.2 | 72.5 | 72.3 | 73.3 | 70.4 | 70.7 | 76.2 | 74.9 | 75.5 | 70.1 | 67.1 | **8,365.9** |
| OIL | 1973 | 60.9 | 48.9 | 59.4 | 58.2 | 60.7 | 58.8 | 61.0 | 65.3 | 62.1 | 63.4 | 59.6 | 59.8 | **15,033.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 30.0 | 30.0 | 0.0 | 29.0 | 31.0 | **6,628.0** |
| H2O | 1972 | 29.9 | 28.9 | 32.0 | 28.5 | 27.8 | 31.2 | 69.2 | 63.4 | 64.7 | 0.0 | 67.7 | 70.7 | **7,511.6** |
| OIL | 1972 | 65.3 | 60.9 | 66.3 | 63.4 | 59.1 | 64.5 | 61.2 | 60.5 | 58.6 | 0.0 | 57.0 | 61.2 | **14,315.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **6,298.0** |
| H2O | 1971 | 28.1 | 25.4 | 29.4 | 29.4 | 29.4 | 29.4 | 29.1 | 28.0 | 25.1 | 28.1 | 27.0 | 30.7 | **6,997.6** |
| OIL | 1971 | 72.6 | 64.0 | 71.0 | 67.5 | 69.0 | 67.1 | 68.5 | 67.4 | 66.4 | 69.0 | 65.2 | 64.4 | **13,637.2** |
| DAY | 1970 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,934.0** |
| H2O | 1970 | 89.8 | 80.9 | 88.2 | 49.0 | 50.6 | 50.6 | 47.4 | 53.4 | 28.8 | 29.9 | 27.3 | 30.4 | **6,658.5** |
| OIL | 1970 | 42.6 | 36.7 | 41.8 | 44.3 | 45.9 | 44.3 | 46.6 | 45.9 | 65.8 | 69.4 | 66.6 | 69.9 | **12,825.1** |
| DAY | 1969 | 29.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 28.0 | 31.0 | **5,570.0** |
| H2O | 1969 | 64.4 | 64.2 | 57.9 | 61.5 | 67.7 | 59.6 | 64.5 | 60.7 | 61.4 | 66.5 | 79.0 | 93.3 | **6,032.2** |
| OIL | 1969 | 30.2 | 29.2 | 31.0 | 31.5 | 32.4 | 45.9 | 47.7 | 44.5 | 46.1 | 48.3 | 39.1 | 43.9 | **12,205.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,212.0** |
| H2O | 1968 | 2.2 | 2.1 | 2.1 | 2.1 | 2.4 | 67.7 | 70.9 | 64.7 | 64.9 | 68.7 | 63.4 | 68.0 | **5,231.5** |
| OIL | 1968 | 57.7 | 52.9 | 56.4 | 54.3 | 56.1 | 32.1 | 33.1 | 33.2 | 32.1 | 33.5 | 32.1 | 33.4 | **11,735.5** |
| DAY | 1967 | 29.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,846.0** |
| H2O | 1967 | 2.2 | 1.7 | 2.5 | 2.4 | 2.5 | 2.2 | 1.7 | 2.4 | 2.1 | 2.4 | 1.9 | 2.2 | **4,752.3** |
| OIL | 1967 | 52.9 | 42.7 | 58.3 | 54.8 | 57.8 | 55.5 | 57.7 | 55.8 | 55.0 | 58.2 | 56.7 | 57.5 | **11,228.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 27.0 | **4,488.0** |
| H2O | 1966 | 9.2 | 7.3 | 9.5 | 9.7 | 10.7 | 9.7 | 9.5 | 9.4 | 10.0 | 10.2 | 2.4 | 2.4 | **4,726.1** |
| OIL | 1966 | 52.9 | 46.6 | 51.5 | 50.4 | 52.3 | 50.7 | 52.6 | 51.8 | 50.5 | 51.8 | 51.6 | 50.9 | **10,565.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,129.0** |
| H2O | 1965 | 24.0 | 21.3 | 24.3 | 21.3 | 21.6 | 20.7 | 16.1 | 19.7 | 19.1 | 20.8 | 21.5 | 9.9 | **4,626.1** |
| OIL | 1965 | 44.0 | 40.2 | 43.4 | 41.8 | 42.3 | 42.1 | 34.0 | 41.5 | 37.7 | 42.9 | 40.8 | 53.6 | **9,952.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,773.0** |

# Manitoba Production
## 1950 To 1975

Licence ***442*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-02-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1964 | 31.8 | 28.6 | 31.8 | 30.7 | 22.9 | 22.7 | 21.3 | 22.6 | 21.9 | 21.8 | 22.6 | 23.8 | **4,385.8** |
| OIL | 1964 | 66.7 | 63.2 | 68.2 | 65.5 | 40.5 | 40.2 | 39.9 | 42.3 | 40.8 | 41.5 | 40.7 | 43.5 | **9,447.8** |
| DAY | 1963 | 16.0 | 23.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,409.0** |
| H2O | 1963 | 21.3 | 44.7 | 55.6 | 52.9 | 52.6 | 71.5 | 88.1 | 92.5 | 63.1 | 62.6 | 30.8 | 31.5 | **4,083.3** |
| OIL | 1963 | 33.7 | 43.5 | 71.5 | 70.4 | 56.6 | 76.9 | 86.6 | 78.0 | 67.7 | 67.7 | 62.6 | 64.0 | **8,854.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,073.0** |
| H2O | 1962 | 39.6 | 43.9 | 46.4 | 45.0 | 47.2 | 40.7 | 41.0 | 41.3 | 44.8 | 61.4 | 59.6 | 66.9 | **3,416.1** |
| OIL | 1962 | 66.3 | 62.5 | 63.1 | 61.7 | 67.7 | 60.9 | 58.3 | 58.6 | 48.6 | 65.0 | 67.1 | 69.9 | **8,075.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,708.0** |
| H2O | 1961 | 42.0 | 35.8 | 47.9 | 39.7 | 41.0 | 42.3 | 62.5 | 38.5 | 24.0 | 57.6 | 54.7 | 51.8 | **2,838.3** |
| OIL | 1961 | 63.1 | 65.8 | 51.8 | 58.2 | 39.6 | 34.8 | 35.1 | 37.8 | 38.5 | 91.4 | 75.6 | 76.6 | **7,325.9** |
| DAY | 1960 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **2,344.0** |
| H2O | 1960 | 31.8 | 29.4 | 28.0 | 31.6 | 37.4 | 37.2 | 47.9 | 51.4 | 36.7 | 39.4 | 45.0 | 53.6 | **2,300.5** |
| OIL | 1960 | 83.4 | 69.1 | 72.3 | 70.1 | 69.8 | 42.3 | 55.8 | 57.2 | 51.5 | 49.9 | 57.0 | 62.9 | **6,657.6** |
| DAY | 1959 | 28.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | **1,983.0** |
| H2O | 1959 | 81.5 | 69.0 | 77.2 | 97.9 | 87.6 | 81.7 | 85.2 | 90.9 | 70.2 | 56.9 | 70.9 | 33.8 | **1,831.1** |
| OIL | 1959 | 139.0 | 115.5 | 119.3 | 109.3 | 100.0 | 107.4 | 94.6 | 101.9 | 92.0 | 89.8 | 87.2 | 70.9 | **5,916.3** |
| DAY | 1958 | 26.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **1,627.0** |
| H2O | 1958 | 5.6 | 4.4 | 4.9 | 0.8 | 9.1 | 84.9 | 107.9 | 95.8 | 99.2 | 86.1 | 93.1 | 80.9 | **928.3** |
| OIL | 1958 | 30.4 | 31.9 | 35.1 | 32.7 | 146.2 | 255.7 | 272.2 | 244.7 | 183.7 | 164.5 | 161.5 | 151.0 | **4,689.4** |
| DAY | 1957 | 31.0 | 28.0 | 27.0 | 23.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,274.0** |
| H2O | 1957 | 5.6 | 11.3 | 8.1 | 9.2 | 4.3 | 14.1 | 8.1 | 5.9 | 0.2 | 0.3 | 0.2 | 0.2 | **255.6** |
| OIL | 1957 | 45.6 | 57.8 | 54.0 | 45.6 | 48.0 | 95.5 | 58.8 | 57.4 | 42.6 | 40.7 | 36.2 | 38.3 | **2,979.8** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **923.0** |
| H2O | 1956 | 5.1 | 5.1 | 4.9 | 4.4 | 3.2 | 9.4 | 14.0 | 13.3 | 10.3 | 10.0 | 12.6 | 12.7 | **188.1** |
| OIL | 1956 | 71.0 | 62.5 | 68.2 | 61.8 | 61.2 | 62.3 | 62.5 | 51.8 | 47.4 | 45.6 | 46.4 | 44.2 | **2,359.3** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **559.0** |
| H2O | 1955 | 10.8 | 7.6 | 7.2 | 5.2 | 7.6 | 6.0 | 3.7 | 3.5 | 0.2 | 0.2 | 0.2 | 0.2 | **83.1** |
| OIL | 1955 | 97.1 | 83.6 | 78.8 | 76.1 | 84.4 | 76.3 | 76.3 | 67.1 | 73.3 | 75.2 | 72.0 | 70.1 | **1,674.4** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **194.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.6 | 3.9 | 4.9 | 5.5 | 5.9 | 6.9 | **30.7** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 98.4 | 120.9 | 114.9 | 102.0 | 104.7 | 101.5 | 101.7 | **744.1** |

Licence ***443*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.08-11-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,206.0** |
| OIL | 1967 | 1.1 | 1.1 | 1.0 | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | **2,172.8** |
| DAY | 1966 | 31.0 | 28.0 | 3.0 | 30.0 | 31.0 | 29.0 | 10.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **3,963.0** |
| OIL | 1966 | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 | 0.3 | 1.0 | 1.1 | 1.0 | 1.1 | 1.1 | **2,164.1** |
| DAY | 1965 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,649.0** |
| OIL | 1965 | 15.6 | 15.6 | 16.8 | 16.4 | 16.4 | 16.5 | 17.0 | 17.0 | 3.5 | 3.5 | 1.1 | 1.1 | **2,151.9** |
| DAY | 1964 | 0.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 16.0 | 26.0 | 30.0 | 31.0 | 27.0 | 31.0 | **3,286.0** |
| OIL | 1964 | 0.0 | 15.1 | 16.5 | 15.9 | 16.2 | 15.1 | 8.4 | 13.7 | 15.9 | 16.2 | 14.3 | 17.0 | **2,011.4** |
| DAY | 1962 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 12.0 | 0.0 | 0.0 | **2,975.0** |
| OIL | 1962 | 12.2 | 11.8 | 13.0 | 12.7 | 13.2 | 10.0 | 10.0 | 10.3 | 9.1 | 4.6 | 0.0 | 0.0 | **1,847.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,692.0** |
| H2O | 1961 | 1.2 | 1.2 | 1.0 | 1.0 | 1.0 | 11.1 | 1.4 | 1.3 | 1.0 | 0.0 | 0.0 | 0.0 | **342.0** |
| OIL | 1961 | 12.9 | 10.6 | 11.8 | 9.5 | 11.3 | 9.9 | 9.9 | 12.4 | 12.2 | 14.1 | 12.4 | 13.5 | **1,740.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,329.0** |
| H2O | 1960 | 19.6 | 20.3 | 21.1 | 13.5 | 0.0 | 12.6 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 1.3 | **321.8** |

# Manitoba Production
## 1950 To 1975

Licence ***443*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.08-11-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1960 | 3.3 | 3.0 | 3.3 | 4.0 | 3.3 | 16.8 | 15.6 | 14.3 | 13.5 | 14.3 | 12.1 | 12.6 | **1,599.7** |
| DAY | 1959 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **1,963.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 1.3 | 0.0 | 0.0 | 0.0 | 16.9 | 17.0 | 10.2 | 13.2 | 18.8 | **231.8** |
| OIL | 1959 | 8.6 | 8.1 | 7.6 | 12.9 | 15.9 | 13.7 | 18.0 | 3.2 | 3.3 | 2.2 | 2.4 | 2.5 | **1,483.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | **1,603.0** |
| OIL | 1958 | 12.9 | 11.9 | 12.4 | 12.1 | 12.6 | 12.6 | 13.3 | 13.5 | 13.0 | 13.2 | 11.0 | 9.4 | **1,385.2** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,241.0** |
| H2O | 1957 | 1.4 | 1.3 | 1.3 | 1.3 | 0.3 | 1.6 | 13.4 | 0.2 | 0.0 | 0.3 | 0.0 | 1.4 | **154.4** |
| OIL | 1957 | 14.3 | 12.7 | 13.7 | 12.4 | 16.5 | 13.3 | 96.8 | 13.8 | 14.1 | 15.3 | 13.8 | 14.3 | **1,237.3** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 29.0 | 31.0 | **887.0** |
| H2O | 1956 | 7.0 | 6.8 | 7.5 | 16.4 | 9.1 | 7.2 | 7.3 | 0.2 | 0.2 | 0.2 | 0.2 | 1.7 | **131.9** |
| OIL | 1956 | 28.8 | 25.9 | 26.5 | 24.0 | 27.0 | 25.7 | 26.5 | 19.4 | 21.0 | 23.2 | 15.1 | 15.7 | **986.3** |
| DAY | 1955 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **526.0** |
| H2O | 1955 | 4.3 | 3.5 | 4.0 | 4.0 | 3.3 | 3.0 | 2.5 | 4.8 | 8.6 | 9.2 | 5.4 | 4.1 | **68.1** |
| OIL | 1955 | 38.1 | 33.8 | 38.6 | 37.8 | 35.8 | 29.4 | 27.3 | 27.3 | 29.9 | 29.6 | 27.3 | 26.5 | **707.5** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 30.0 | 25.0 | 27.0 | 29.0 | 31.0 | **165.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 1.0 | 0.6 | 0.8 | 4.0 | 3.7 | **11.4** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 48.9 | 75.0 | 55.5 | 53.2 | 48.2 | 45.3 | **326.1** |

Licence ***445*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-32-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,456.0** |
| H2O | 1975 | 1093.1 | 936.9 | 1215.2 | 1074.5 | 838.1 | 900.8 | 837.7 | 833.5 | 851.3 | 845.8 | 773.1 | 903.0 | **178,273.8** |
| OIL | 1975 | 23.7 | 19.4 | 22.6 | 19.2 | 28.3 | 30.7 | 29.6 | 28.1 | 27.5 | 27.5 | 29.2 | 27.2 | **23,820.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,095.0** |
| H2O | 1974 | 1111.7 | 985.7 | 1102.8 | 1071.7 | 1038.5 | 1172.0 | 1016.7 | 1175.2 | 1086.8 | 1152.1 | 1064.8 | 1117.2 | **167,170.8** |
| OIL | 1974 | 37.7 | 32.7 | 37.0 | 34.3 | 21.1 | 20.8 | 19.5 | 21.5 | 20.7 | 22.6 | 19.5 | 23.5 | **23,507.7** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,732.0** |
| H2O | 1973 | 884.4 | 783.1 | 868.5 | 964.2 | 1047.2 | 1045.5 | 1117.5 | 1138.1 | 1100.6 | 1074.9 | 1058.3 | 1131.3 | **154,075.6** |
| OIL | 1973 | 36.7 | 32.3 | 34.5 | 33.2 | 40.2 | 37.0 | 38.0 | 37.8 | 35.3 | 38.1 | 37.2 | 38.1 | **23,196.8** |
| DAY | 1972 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 28.0 | 31.0 | 29.0 | 29.0 | 30.0 | 29.0 | 31.0 | **6,369.0** |
| H2O | 1972 | 948.0 | 883.1 | 1102.0 | 839.7 | 831.9 | 863.4 | 939.9 | 811.8 | 709.8 | 796.6 | 851.3 | 855.2 | **141,862.0** |
| OIL | 1972 | 24.6 | 22.7 | 26.1 | 30.5 | 30.7 | 30.7 | 35.3 | 34.2 | 34.2 | 34.6 | 34.6 | 34.8 | **22,758.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **6,013.0** |
| H2O | 1971 | 920.7 | 859.8 | 898.9 | 851.0 | 864.2 | 845.1 | 863.7 | 1025.4 | 719.4 | 1616.8 | 1371.0 | 946.6 | **131,429.3** |
| OIL | 1971 | 51.2 | 47.2 | 50.5 | 59.6 | 60.9 | 46.4 | 45.0 | 41.3 | 13.3 | 23.0 | 26.5 | 23.8 | **22,385.4** |
| DAY | 1970 | 31.0 | 25.0 | 24.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **5,653.0** |
| H2O | 1970 | 496.0 | 399.5 | 366.1 | 947.5 | 952.4 | 966.6 | 893.5 | 967.6 | 867.4 | 1036.5 | 823.5 | 926.4 | **119,646.7** |
| OIL | 1970 | 19.2 | 15.4 | 14.9 | 36.4 | 37.0 | 34.8 | 28.6 | 31.1 | 22.2 | 33.2 | 44.7 | 55.0 | **21,896.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 29.0 | 28.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,302.0** |
| H2O | 1969 | 869.3 | 832.7 | 892.0 | 878.5 | 508.6 | 421.5 | 468.2 | 393.8 | 517.5 | 545.8 | 505.4 | 500.4 | **110,003.7** |
| OIL | 1969 | 69.3 | 64.0 | 63.2 | 67.7 | 18.9 | 15.9 | 16.2 | 15.1 | 20.2 | 21.8 | 17.6 | 19.3 | **21,524.2** |
| DAY | 1968 | 31.0 | 29.0 | 28.0 | 24.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,948.0** |
| H2O | 1968 | 992.8 | 927.5 | 1021.0 | 816.2 | 1011.7 | 889.2 | 906.2 | 803.6 | 883.8 | 902.5 | 918.1 | 906.8 | **102,670.0** |
| OIL | 1968 | 114.7 | 105.0 | 107.1 | 79.9 | 98.4 | 72.9 | 74.5 | 68.8 | 70.9 | 71.4 | 76.6 | 79.8 | **21,115.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 15.0 | 14.0 | 31.0 | **4,594.0** |
| H2O | 1967 | 1250.7 | 1090.0 | 1217.2 | 1044.2 | 1284.7 | 1183.3 | 1112.4 | 758.2 | 934.0 | 477.3 | 328.0 | 1127.5 | **91,690.6** |
| OIL | 1967 | 70.4 | 64.7 | 68.5 | 61.2 | 72.9 | 59.3 | 52.3 | 92.6 | 84.4 | 46.7 | 47.0 | 137.1 | **20,095.0** |
| DAY | 1966 | 31.0 | 28.0 | 25.0 | 17.0 | 15.0 | 15.0 | 29.0 | 24.0 | 24.0 | 8.0 | 25.0 | 27.0 | **4,266.0** |
| H2O | 1966 | 669.1 | 800.9 | 477.1 | 317.0 | 230.0 | 262.0 | 500.5 | 454.2 | 441.2 | 161.2 | 989.2 | 1086.3 | **79,883.1** |

# Manitoba Production
## 1950 To 1975

Licence ***445*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-32-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1966 | 37.7 | 35.9 | 22.1 | 15.9 | 13.3 | 15.4 | 27.2 | 21.9 | 20.2 | 5.9 | 59.0 | 65.9 | **19,237.9** |
| DAY | 1965 | 27.0 | 25.0 | 27.0 | 12.0 | 21.0 | 28.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,998.0** |
| H2O | 1965 | 508.6 | 484.6 | 482.5 | 185.2 | 429.7 | 568.2 | 576.9 | 650.5 | 550.7 | 921.4 | 819.3 | 833.0 | **73,494.4** |
| OIL | 1965 | 32.9 | 40.5 | 37.3 | 16.4 | 38.1 | 47.7 | 41.6 | 43.5 | 37.5 | 46.6 | 28.3 | 36.9 | **18,897.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 22.0 | 26.0 | 31.0 | 30.0 | 25.0 | 26.0 | 25.0 | 31.0 | **3,677.0** |
| H2O | 1964 | 533.2 | 505.7 | 512.9 | 506.0 | 352.8 | 534.2 | 738.5 | 708.4 | 524.6 | 443.4 | 513.3 | 565.8 | **66,483.8** |
| OIL | 1964 | 60.4 | 55.6 | 59.0 | 52.1 | 38.0 | 53.9 | 73.1 | 71.7 | 54.3 | 50.7 | 36.9 | 38.5 | **18,450.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 27.0 | 31.0 | 30.0 | 31.0 | **3,340.0** |
| H2O | 1963 | 608.3 | 541.8 | 594.3 | 563.6 | 523.5 | 499.5 | 487.3 | 466.6 | 520.7 | 619.2 | 466.8 | 528.6 | **60,045.0** |
| OIL | 1963 | 54.7 | 51.5 | 54.3 | 49.7 | 62.1 | 52.6 | 52.6 | 48.0 | 56.3 | 63.6 | 53.9 | 63.7 | **17,806.0** |
| DAY | 1962 | 31.0 | 24.0 | 31.0 | 29.0 | 24.0 | 27.0 | 30.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,983.0** |
| H2O | 1962 | 795.7 | 522.6 | 718.1 | 678.2 | 425.4 | 479.5 | 573.9 | 413.2 | 557.4 | 571.4 | 572.3 | 606.3 | **53,624.8** |
| OIL | 1962 | 69.9 | 47.5 | 65.8 | 58.6 | 50.9 | 59.1 | 64.2 | 45.9 | 58.8 | 52.0 | 56.4 | 60.7 | **17,143.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 25.0 | 20.0 | 18.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,640.0** |
| H2O | 1961 | 951.0 | 874.5 | 962.1 | 946.4 | 978.5 | 764.1 | 484.7 | 366.4 | 772.3 | 784.7 | 731.8 | 812.7 | **46,710.8** |
| OIL | 1961 | 78.2 | 71.4 | 75.2 | 72.0 | 74.2 | 62.0 | 45.8 | 37.2 | 75.5 | 70.4 | 63.7 | 67.9 | **16,453.2** |
| DAY | 1960 | 22.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 27.0 | 30.0 | 28.0 | 29.0 | 31.0 | **2,305.0** |
| H2O | 1960 | 673.6 | 791.1 | 852.9 | 664.9 | 816.4 | 950.4 | 925.7 | 810.3 | 950.2 | 900.8 | 834.8 | 930.0 | **37,281.6** |
| OIL | 1960 | 71.2 | 83.7 | 103.9 | 69.9 | 86.8 | 96.8 | 89.8 | 71.5 | 81.8 | 72.9 | 75.0 | 79.9 | **15,659.7** |
| DAY | 1959 | 28.0 | 28.0 | 31.0 | 30.0 | 29.0 | 25.0 | 31.0 | 31.0 | 30.0 | 30.0 | 26.0 | 31.0 | **1,958.0** |
| H2O | 1959 | 791.7 | 845.6 | 822.7 | 868.5 | 790.6 | 703.6 | 832.4 | 871.5 | 781.2 | 793.0 | 798.6 | 905.9 | **27,180.5** |
| OIL | 1959 | 113.1 | 146.0 | 121.6 | 112.7 | 108.2 | 101.5 | 108.7 | 111.1 | 105.2 | 97.9 | 92.0 | 100.6 | **14,676.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,608.0** |
| H2O | 1958 | 735.9 | 743.9 | 917.0 | 864.2 | 705.6 | 886.3 | 911.0 | 841.8 | 843.9 | 888.7 | 871.7 | 861.8 | **17,375.2** |
| OIL | 1958 | 182.3 | 174.8 | 181.0 | 155.3 | 127.0 | 155.1 | 160.3 | 137.9 | 126.5 | 148.3 | 127.3 | 126.0 | **13,357.9** |
| DAY | 1957 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 29.0 | 29.0 | 29.0 | 30.0 | 31.0 | **1,249.0** |
| H2O | 1957 | 135.8 | 204.4 | 221.6 | 236.7 | 231.0 | 206.7 | 273.8 | 621.0 | 590.5 | 729.9 | 696.7 | 723.8 | **7,303.4** |
| OIL | 1957 | 141.1 | 141.4 | 144.0 | 144.4 | 139.5 | 128.7 | 162.7 | 244.1 | 196.6 | 206.6 | 194.7 | 188.5 | **11,556.1** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 23.0 | 28.0 | 29.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **894.0** |
| H2O | 1956 | 90.5 | 188.9 | 199.5 | 135.5 | 167.1 | 145.6 | 141.5 | 142.4 | 194.9 | 198.4 | 205.4 | 156.6 | **2,431.5** |
| OIL | 1956 | 278.4 | 161.1 | 149.2 | 154.0 | 180.8 | 171.6 | 171.5 | 153.3 | 164.0 | 173.4 | 166.5 | 139.7 | **9,523.8** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 1.0 | 13.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **542.0** |
| H2O | 1955 | 1.0 | 0.8 | 1.1 | 0.0 | 0.5 | 16.5 | 49.3 | 68.5 | 66.1 | 81.7 | 72.5 | 100.0 | **465.2** |
| OIL | 1955 | 455.9 | 367.4 | 357.4 | 9.9 | 178.8 | 352.3 | 345.0 | 291.9 | 266.8 | 275.7 | 342.1 | 304.0 | **7,460.3** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | **224.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 1.4 | 1.4 | 1.3 | 1.1 | 0.6 | 0.3 | **7.2** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 259.8 | 583.0 | 602.3 | 602.0 | 580.8 | 600.0 | 356.6 | 328.6 | **3,913.1** |

Licence ***450*** Well Name ***Imperial Pierson*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-02-003-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a C*** Field Code ***7*** Pool Code ***43C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1955 | 0.0 | 3.0 | 20.0 | 13.0 | 31.0 | 25.0 | 31.0 | 27.0 | 30.0 | 0.0 | 0.0 | 0.0 | **294.0** |
| H2O | 1955 | 0.0 | 0.0 | 73.0 | 58.2 | 182.4 | 173.8 | 230.9 | 167.3 | 227.3 | 0.0 | 0.0 | 0.0 | **1,243.4** |
| OIL | 1955 | 0.0 | 7.8 | 4.6 | 0.0 | 24.5 | 35.0 | 32.1 | 3.3 | 4.0 | 0.0 | 0.0 | 0.0 | **795.6** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 31.0 | 20.0 | 23.0 | 28.0 | 11.0 | **114.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.8 | 3.5 | 3.8 | 25.8 | 68.8 | 23.8 | **130.5** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.4 | 246.8 | 133.6 | 123.5 | 133.5 | 40.5 | **684.3** |

Licence ***451*** Well Name ***Zargon Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
# 1950 To 1975

Licence ***451*** Well Name ***Zargon Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 18.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,464.0** |
| H2O | 1975 | 438.0 | 397.8 | 412.6 | 444.8 | 464.9 | 445.0 | 250.1 | 465.5 | 443.2 | 453.4 | 424.3 | 464.5 | **67,224.9** |
| OIL | 1975 | 70.9 | 64.8 | 68.6 | 67.2 | 79.6 | 80.2 | 48.9 | 78.7 | 79.9 | 77.2 | 73.4 | 79.5 | **33,312.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,116.0** |
| H2O | 1974 | 425.3 | 391.0 | 432.1 | 419.7 | 429.1 | 418.5 | 394.8 | 434.8 | 421.3 | 435.0 | 419.2 | 440.7 | **62,120.8** |
| OIL | 1974 | 74.2 | 58.2 | 55.9 | 56.7 | 58.3 | 69.9 | 63.4 | 63.1 | 63.1 | 66.9 | 62.6 | 72.0 | **32,443.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,751.0** |
| H2O | 1973 | 465.0 | 420.7 | 455.6 | 444.4 | 456.9 | 432.3 | 463.3 | 456.9 | 444.2 | 455.8 | 449.8 | 425.1 | **57,059.3** |
| OIL | 1973 | 83.6 | 76.0 | 82.2 | 80.9 | 84.7 | 80.2 | 76.6 | 80.6 | 79.5 | 78.5 | 72.5 | 74.1 | **31,679.2** |
| DAY | 1972 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,386.0** |
| H2O | 1972 | 431.3 | 438.2 | 444.7 | 446.4 | 471.2 | 453.1 | 450.4 | 457.7 | 453.3 | 462.6 | 404.8 | 440.9 | **51,689.3** |
| OIL | 1972 | 72.6 | 66.4 | 69.1 | 73.1 | 83.3 | 77.9 | 78.7 | 76.3 | 75.2 | 85.3 | 77.5 | 84.4 | **30,729.8** |
| DAY | 1971 | 25.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,023.0** |
| H2O | 1971 | 407.8 | 365.1 | 399.2 | 387.1 | 389.1 | 407.0 | 416.2 | 370.5 | 338.7 | 417.3 | 422.7 | 423.4 | **46,334.7** |
| OIL | 1971 | 72.5 | 90.3 | 98.8 | 94.4 | 94.7 | 92.6 | 97.3 | 98.2 | 76.9 | 78.8 | 83.0 | 80.9 | **29,810.0** |
| DAY | 1970 | 30.0 | 28.0 | 31.0 | 28.0 | 31.0 | 22.0 | 27.0 | 31.0 | 30.0 | 30.0 | 27.0 | 31.0 | **5,665.0** |
| H2O | 1970 | 383.3 | 386.0 | 399.9 | 468.3 | 472.5 | 364.7 | 410.8 | 415.0 | 418.3 | 412.4 | 367.4 | 390.8 | **41,590.6** |
| OIL | 1970 | 141.7 | 125.7 | 126.8 | 126.0 | 140.3 | 109.8 | 118.9 | 121.4 | 121.9 | 125.7 | 93.8 | 87.6 | **28,751.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **5,319.0** |
| H2O | 1969 | 387.0 | 387.1 | 415.6 | 405.4 | 372.2 | 399.9 | 456.4 | 428.8 | 391.1 | 476.5 | 415.0 | 476.5 | **36,701.2** |
| OIL | 1969 | 88.4 | 84.4 | 93.3 | 104.1 | 102.2 | 115.7 | 147.8 | 143.7 | 133.0 | 147.3 | 142.5 | 145.2 | **27,312.0** |
| DAY | 1968 | 3.0 | 0.0 | 9.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,957.0** |
| H2O | 1968 | 11.9 | 0.0 | 34.3 | 137.4 | 137.1 | 100.1 | 103.5 | 128.8 | 415.3 | 419.9 | 402.7 | 404.1 | **31,689.7** |
| OIL | 1968 | 2.5 | 0.0 | 17.5 | 47.4 | 38.6 | 38.1 | 34.2 | 26.5 | 47.5 | 77.4 | 87.7 | 92.0 | **25,864.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,671.0** |
| H2O | 1967 | 123.3 | 110.8 | 133.2 | 95.3 | 98.5 | 63.6 | 128.8 | 153.1 | 132.0 | 125.0 | 134.4 | 138.0 | **29,394.6** |
| OIL | 1967 | 49.9 | 45.4 | 49.1 | 39.1 | 27.0 | 21.6 | 28.0 | 28.6 | 30.4 | 30.5 | 20.5 | 28.6 | **25,355.0** |
| DAY | 1966 | 23.0 | 0.0 | 10.0 | 30.0 | 24.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,307.0** |
| H2O | 1966 | 124.0 | 0.0 | 74.5 | 192.1 | 294.9 | 195.4 | 119.8 | 116.3 | 133.7 | 123.3 | 106.6 | 128.8 | **27,958.6** |
| OIL | 1966 | 40.2 | 0.0 | 17.6 | 48.5 | 59.8 | 48.9 | 52.3 | 57.5 | 44.5 | 52.8 | 53.1 | 52.0 | **24,956.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **4,007.0** |
| H2O | 1965 | 302.5 | 290.9 | 306.0 | 172.8 | 228.1 | 220.7 | 149.5 | 145.8 | 138.5 | 91.8 | 115.2 | 105.8 | **26,349.2** |
| OIL | 1965 | 89.6 | 75.8 | 83.0 | 72.8 | 61.5 | 72.3 | 81.0 | 77.5 | 62.9 | 67.2 | 48.1 | 48.8 | **24,429.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **3,643.0** |
| H2O | 1964 | 183.0 | 159.8 | 190.2 | 207.5 | 200.5 | 139.8 | 142.0 | 109.0 | 173.9 | 356.5 | 297.1 | 282.6 | **24,081.6** |
| OIL | 1964 | 70.9 | 69.1 | 71.2 | 71.2 | 80.1 | 72.0 | 69.3 | 66.4 | 65.8 | 118.7 | 96.3 | 86.9 | **23,588.6** |
| DAY | 1963 | 12.0 | 0.0 | 2.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,282.0** |
| H2O | 1963 | 89.8 | 0.0 | 26.1 | 265.3 | 223.4 | 185.4 | 197.3 | 199.2 | 168.1 | 225.1 | 198.3 | 181.9 | **21,639.7** |
| OIL | 1963 | 31.8 | 0.0 | 8.6 | 122.0 | 99.0 | 103.8 | 89.0 | 106.9 | 93.9 | 71.7 | 64.2 | 65.9 | **22,650.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,994.0** |
| H2O | 1962 | 251.8 | 257.4 | 274.4 | 260.7 | 245.0 | 217.5 | 213.8 | 71.5 | 250.1 | 249.9 | 201.3 | 200.2 | **19,679.8** |
| OIL | 1962 | 147.9 | 144.1 | 146.5 | 113.6 | 145.7 | 139.5 | 132.7 | 115.4 | 120.6 | 97.7 | 104.4 | 103.9 | **21,793.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,629.0** |
| H2O | 1961 | 264.8 | 243.9 | 260.2 | 255.6 | 283.9 | 292.2 | 286.0 | 302.0 | 277.9 | 284.5 | 266.6 | 263.7 | **16,986.2** |
| OIL | 1961 | 171.0 | 148.7 | 166.1 | 165.7 | 163.2 | 137.0 | 152.4 | 166.7 | 160.7 | 161.8 | 159.4 | 155.6 | **20,281.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,264.0** |
| H2O | 1960 | 290.7 | 279.0 | 288.4 | 276.3 | 301.2 | 313.0 | 350.6 | 331.7 | 223.2 | 207.2 | 197.3 | 212.4 | **13,704.9** |
| OIL | 1960 | 175.9 | 166.9 | 168.0 | 144.8 | 186.2 | 204.2 | 225.5 | 209.0 | 150.0 | 184.8 | 177.3 | 175.1 | **18,373.6** |
| DAY | 1959 | 24.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,898.0** |
| H2O | 1959 | 74.2 | 126.3 | 235.3 | 252.6 | 256.1 | 246.7 | 261.5 | 289.5 | 308.4 | 303.1 | 295.4 | 286.6 | **10,433.9** |
| OIL | 1959 | 135.2 | 158.3 | 189.6 | 194.0 | 195.1 | 190.7 | 195.8 | 189.1 | 172.6 | 178.5 | 176.9 | 188.3 | **16,205.9** |
| DAY | 1958 | 31.0 | 14.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,540.0** |

# Manitoba Production
## 1950 To 1975

Licence ***451*** Well Name ***Zargon Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 148.0 | 66.9 | 148.2 | 173.2 | 174.4 | 153.8 | 153.0 | 150.0 | 166.2 | 170.3 | 158.4 | 114.2 | **7,498.2** |
| OIL | 1958 | 212.9 | 98.2 | 217.2 | 225.5 | 248.1 | 220.6 | 227.1 | 223.3 | 218.7 | 222.8 | 190.1 | 187.2 | **14,041.8** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,189.0** |
| H2O | 1957 | 173.2 | 156.3 | 174.3 | 183.2 | 182.8 | 149.6 | 186.7 | 174.4 | 143.4 | 148.2 | 139.9 | 143.4 | **5,721.6** |
| OIL | 1957 | 295.4 | 267.0 | 287.6 | 251.2 | 223.1 | 207.1 | 247.7 | 233.4 | 208.5 | 215.8 | 206.1 | 207.2 | **11,550.1** |
| DAY | 1956 | 0.0 | 0.0 | 10.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **829.0** |
| H2O | 1956 | 0.0 | 0.0 | 25.7 | 122.7 | 149.1 | 133.5 | 155.6 | 197.8 | 204.2 | 198.6 | 196.1 | 194.3 | **3,766.2** |
| OIL | 1956 | 0.0 | 0.0 | 63.9 | 249.8 | 291.8 | 282.1 | 293.8 | 293.0 | 281.7 | 267.0 | 285.4 | 296.5 | **8,700.0** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 19.0 | **546.0** |
| H2O | 1955 | 119.8 | 104.4 | 98.4 | 118.2 | 129.0 | 133.6 | 170.7 | 234.9 | 305.3 | 250.4 | 166.4 | 125.1 | **2,188.6** |
| OIL | 1955 | 382.2 | 311.9 | 287.5 | 316.2 | 344.5 | 330.4 | 340.9 | 339.0 | 331.5 | 307.3 | 289.9 | 134.9 | **6,095.0** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 28.0 | 29.0 | 30.0 | 29.0 | 28.0 | 28.0 | **193.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 37.3 | 5.2 | 16.4 | 31.5 | 50.7 | 91.1 | **232.4** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 132.1 | 269.4 | 431.4 | 429.4 | 430.3 | 321.0 | 365.2 | **2,378.8** |

Licence ***452*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 14.0 | 4.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,749.0** |
| H2O | 1975 | 54.4 | 50.1 | 55.6 | 54.1 | 25.4 | 7.2 | 46.7 | 52.8 | 52.1 | 54.1 | 56.1 | 57.1 | **7,790.8** |
| OIL | 1975 | 112.5 | 100.0 | 109.8 | 104.2 | 47.8 | 13.8 | 92.5 | 106.6 | 103.5 | 103.5 | 103.5 | 105.2 | **34,710.0** |
| DAY | 1974 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,431.0** |
| H2O | 1974 | 53.7 | 49.8 | 53.9 | 54.2 | 56.1 | 56.4 | 56.9 | 52.3 | 51.5 | 54.1 | 54.1 | 53.4 | **7,225.1** |
| OIL | 1974 | 111.6 | 97.3 | 107.6 | 105.7 | 110.1 | 106.6 | 114.3 | 113.9 | 109.3 | 115.2 | 110.0 | 112.3 | **33,607.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,067.0** |
| H2O | 1973 | 39.7 | 38.5 | 52.3 | 52.3 | 52.9 | 50.9 | 51.0 | 65.7 | 64.4 | 59.8 | 55.5 | 53.9 | **6,578.7** |
| OIL | 1973 | 122.8 | 108.9 | 120.0 | 117.1 | 122.4 | 118.5 | 123.0 | 107.7 | 102.7 | 113.6 | 106.9 | 108.5 | **32,293.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,702.0** |
| H2O | 1972 | 55.5 | 8.1 | 8.9 | 7.8 | 8.7 | 8.6 | 45.5 | 42.9 | 55.8 | 34.8 | 34.3 | 35.9 | **5,941.8** |
| OIL | 1972 | 125.5 | 117.0 | 127.4 | 108.7 | 114.7 | 119.7 | 109.6 | 112.2 | 114.4 | 123.3 | 117.4 | 125.2 | **30,921.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,336.0** |
| H2O | 1971 | 52.3 | 47.4 | 54.5 | 54.8 | 68.0 | 67.9 | 67.1 | 64.7 | 57.9 | 76.5 | 73.6 | 59.1 | **5,595.0** |
| OIL | 1971 | 153.2 | 131.4 | 145.4 | 138.1 | 145.6 | 141.4 | 144.8 | 142.1 | 140.2 | 136.5 | 128.9 | 127.6 | **29,506.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,971.0** |
| H2O | 1970 | 18.3 | 17.3 | 18.0 | 16.7 | 0.0 | 0.0 | 0.0 | 98.1 | 91.3 | 94.9 | 86.5 | 56.6 | **4,851.2** |
| OIL | 1970 | 116.2 | 104.7 | 114.4 | 110.3 | 127.8 | 123.3 | 107.9 | 205.6 | 196.3 | 207.1 | 198.5 | 147.3 | **27,830.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,611.0** |
| H2O | 1969 | 28.0 | 25.6 | 23.8 | 20.0 | 22.6 | 21.6 | 18.9 | 18.9 | 17.8 | 18.9 | 17.3 | 19.1 | **4,353.5** |
| OIL | 1969 | 118.9 | 105.0 | 116.0 | 92.8 | 130.3 | 128.1 | 118.4 | 117.6 | 114.4 | 117.0 | 114.7 | 120.3 | **26,071.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,251.0** |
| H2O | 1968 | 3.0 | 3.0 | 3.2 | 3.2 | 3.5 | 13.7 | 14.6 | 13.4 | 13.5 | 31.6 | 25.3 | 26.7 | **4,101.0** |
| OIL | 1968 | 138.4 | 127.0 | 135.7 | 131.1 | 134.8 | 127.6 | 138.4 | 147.3 | 142.2 | 120.3 | 115.4 | 118.5 | **24,677.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,885.0** |
| H2O | 1967 | 9.1 | 7.6 | 9.1 | 8.3 | 19.4 | 18.1 | 2.7 | 3.7 | 3.2 | 3.3 | 3.0 | 3.2 | **3,946.3** |
| OIL | 1967 | 165.9 | 147.5 | 165.4 | 156.4 | 156.4 | 150.0 | 158.0 | 156.5 | 151.0 | 159.2 | 155.4 | 138.3 | **23,101.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,520.0** |
| H2O | 1966 | 31.2 | 24.8 | 8.1 | 8.4 | 32.3 | 28.8 | 28.3 | 27.8 | 30.0 | 8.9 | 8.9 | 9.5 | **3,855.6** |
| OIL | 1966 | 165.6 | 145.9 | 159.2 | 155.6 | 166.9 | 162.1 | 168.0 | 166.2 | 161.8 | 161.9 | 158.8 | 166.2 | **21,241.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,155.0** |
| H2O | 1965 | 35.9 | 31.8 | 36.4 | 11.8 | 11.9 | 43.6 | 45.6 | 48.3 | 48.8 | 40.4 | 32.0 | 32.6 | **3,608.6** |
| OIL | 1965 | 164.9 | 150.5 | 162.7 | 162.6 | 164.2 | 180.7 | 178.1 | 186.4 | 176.5 | 171.8 | 163.2 | 167.5 | **19,303.0** |

# Manitoba Production
## 1950 To 1975

Licence ***452*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,791.0** |
| H2O | 1964 | 36.9 | 33.2 | 36.9 | 35.8 | 37.8 | 36.6 | 35.6 | 35.3 | 35.1 | 38.6 | 39.9 | 35.8 | **3,189.5** |
| OIL | 1964 | 142.7 | 134.8 | 145.7 | 140.0 | 144.3 | 138.9 | 142.9 | 139.7 | 140.3 | 155.6 | 152.6 | 163.5 | **17,273.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,426.0** |
| H2O | 1963 | 13.7 | 18.4 | 18.6 | 17.6 | 21.9 | 5.4 | 65.2 | 70.6 | 73.4 | 69.6 | 35.6 | 36.6 | **2,752.0** |
| OIL | 1963 | 62.6 | 51.6 | 68.6 | 67.5 | 68.0 | 41.0 | 175.3 | 147.5 | 160.2 | 152.7 | 133.8 | 137.0 | **15,532.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,061.0** |
| H2O | 1962 | 17.6 | 33.1 | 20.3 | 18.8 | 25.3 | 26.7 | 22.1 | 25.4 | 25.4 | 20.5 | 19.9 | 22.3 | **2,305.4** |
| OIL | 1962 | 77.9 | 65.0 | 73.1 | 69.1 | 72.6 | 71.5 | 72.8 | 65.2 | 80.2 | 62.5 | 64.2 | 67.1 | **14,267.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,696.0** |
| H2O | 1961 | 16.4 | 15.4 | 24.0 | 28.6 | 23.5 | 31.3 | 31.0 | 34.7 | 33.5 | 32.0 | 31.0 | 27.0 | **2,028.0** |
| OIL | 1961 | 74.5 | 73.7 | 92.5 | 98.4 | 95.0 | 81.7 | 77.2 | 76.4 | 79.5 | 78.2 | 73.9 | 73.4 | **13,425.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,331.0** |
| H2O | 1960 | 22.4 | 22.4 | 25.4 | 25.3 | 18.8 | 16.2 | 0.0 | 0.0 | 33.7 | 49.3 | 36.2 | 36.9 | **1,699.6** |
| OIL | 1960 | 54.2 | 52.4 | 59.8 | 53.7 | 56.6 | 54.2 | 107.6 | 105.2 | 93.3 | 99.0 | 88.2 | 90.1 | **12,451.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,965.0** |
| H2O | 1959 | 11.4 | 11.8 | 15.9 | 25.3 | 21.9 | 25.9 | 12.2 | 23.5 | 32.0 | 25.3 | 22.3 | 20.5 | **1,413.0** |
| OIL | 1959 | 100.1 | 95.2 | 75.8 | 83.6 | 108.7 | 104.7 | 81.4 | 75.5 | 78.5 | 58.8 | 55.9 | 55.9 | **11,537.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,600.0** |
| H2O | 1958 | 29.9 | 37.8 | 3.2 | 1.4 | 12.9 | 13.4 | 32.1 | 9.1 | 20.3 | 12.9 | 11.1 | 10.3 | **1,165.0** |
| OIL | 1958 | 136.8 | 137.0 | 146.5 | 128.2 | 134.3 | 119.8 | 139.2 | 121.9 | 135.9 | 118.4 | 95.5 | 92.0 | **10,563.1** |
| DAY | 1957 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,237.0** |
| H2O | 1957 | 30.2 | 62.3 | 32.7 | 33.5 | 28.6 | 17.3 | 34.7 | 12.7 | 6.4 | 2.9 | 12.7 | 14.5 | **970.6** |
| OIL | 1957 | 217.4 | 250.4 | 214.7 | 197.0 | 192.6 | 158.4 | 190.1 | 194.8 | 164.9 | 130.1 | 119.5 | 117.9 | **9,057.6** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **877.0** |
| H2O | 1956 | 17.6 | 15.6 | 27.8 | 39.1 | 19.2 | 22.4 | 25.1 | 40.9 | 45.0 | 37.0 | 19.1 | 29.4 | **682.1** |
| OIL | 1956 | 315.0 | 296.0 | 313.4 | 275.1 | 280.5 | 322.1 | 317.5 | 237.4 | 295.6 | 235.0 | 229.1 | 227.2 | **6,909.8** |
| DAY | 1955 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 25.0 | 15.0 | 30.0 | 31.0 | **516.0** |
| H2O | 1955 | 113.2 | 23.5 | 23.8 | 18.9 | 19.7 | 17.2 | 11.9 | 12.7 | 7.9 | 0.3 | 25.6 | 22.9 | **343.9** |
| OIL | 1955 | 210.2 | 172.6 | 175.0 | 139.2 | 144.4 | 127.6 | 132.4 | 124.6 | 98.5 | 151.8 | 352.5 | 326.2 | **3,565.9** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 29.0 | 26.0 | 24.0 | 30.0 | 30.0 | 31.0 | **174.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.2 | 4.1 | 5.4 | 11.3 | 10.7 | 11.6 | **46.3** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 50.7 | 312.7 | 220.2 | 184.8 | 222.3 | 200.7 | 219.5 | **1,410.9** |

Licence ***454*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-01-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1970 | 31.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,320.0** |
| H2O | 1970 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **512.9** |
| OIL | 1970 | 7.5 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,617.1** |
| DAY | 1969 | 31.0 | 27.0 | 21.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,279.0** |
| H2O | 1969 | 5.6 | 1.6 | 1.6 | 4.0 | 9.7 | 5.4 | 5.6 | 5.6 | 4.0 | 8.1 | 6.4 | 4.1 | **508.9** |
| OIL | 1969 | 10.3 | 8.1 | 7.8 | 12.7 | 9.2 | 6.8 | 8.3 | 7.9 | 8.1 | 8.7 | 8.6 | 8.7 | **2,607.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,928.0** |
| H2O | 1968 | 0.0 | 3.3 | 3.7 | 2.7 | 2.7 | 5.9 | 3.7 | 3.7 | 6.0 | 5.4 | 5.9 | 2.5 | **447.2** |
| OIL | 1968 | 15.7 | 12.4 | 13.0 | 11.0 | 11.0 | 9.4 | 9.9 | 9.4 | 9.7 | 10.0 | 9.2 | 9.1 | **2,501.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,564.0** |
| H2O | 1967 | 3.0 | 2.4 | 2.5 | 1.3 | 1.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **401.7** |
| OIL | 1967 | 13.5 | 12.4 | 14.0 | 12.9 | 11.6 | 12.4 | 14.8 | 16.8 | 16.5 | 15.3 | 14.8 | 15.9 | **2,372.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,201.0** |
| H2O | 1966 | 0.8 | 0.8 | 0.8 | 0.6 | 6.4 | 4.3 | 4.8 | 4.8 | 1.7 | 1.3 | 6.7 | 4.1 | **390.7** |

# Manitoba Production
## 1950 To 1975

Licence ***454*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-01-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1966 | 26.7 | 23.7 | 26.9 | 25.4 | 16.7 | 21.3 | 18.6 | 18.6 | 21.6 | 20.3 | 14.0 | 13.0 | **2,201.2** |
| DAY | 1965 | 31.0 | 25.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,838.0** |
| H2O | 1965 | 2.1 | 1.7 | 1.0 | 1.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.5 | 0.6 | 0.8 | **353.6** |
| OIL | 1965 | 20.2 | 15.6 | 24.3 | 25.6 | 24.8 | 21.8 | 24.9 | 25.9 | 22.6 | 16.4 | 36.1 | 26.4 | **1,954.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 26.0 | 31.0 | **3,479.0** |
| H2O | 1964 | 2.9 | 1.9 | 3.3 | 1.6 | 1.9 | 1.6 | 1.6 | 1.7 | 0.6 | 0.8 | 0.6 | 2.7 | **342.3** |
| OIL | 1964 | 12.4 | 13.8 | 15.1 | 12.6 | 15.1 | 14.1 | 14.8 | 13.3 | 20.0 | 19.9 | 14.5 | 19.5 | **1,669.8** |
| DAY | 1963 | 14.0 | 22.0 | 12.0 | 1.0 | 30.0 | 26.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,123.0** |
| H2O | 1963 | 2.4 | 2.2 | 0.8 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.4 | 3.3 | **321.1** |
| OIL | 1963 | 6.2 | 12.4 | 5.9 | 0.5 | 12.7 | 10.3 | 12.1 | 12.9 | 13.3 | 13.7 | 14.8 | 14.0 | **1,484.7** |
| DAY | 1962 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,836.0** |
| H2O | 1962 | 4.3 | 4.5 | 2.4 | 1.6 | 4.0 | 4.6 | 6.2 | 2.2 | 1.1 | 1.6 | 1.7 | 1.6 | **310.8** |
| OIL | 1962 | 31.1 | 30.8 | 27.0 | 29.2 | 30.5 | 32.1 | 26.4 | 16.2 | 13.2 | 12.9 | 15.1 | 15.1 | **1,355.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 21.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 25.0 | **2,480.0** |
| H2O | 1961 | 1.7 | 1.1 | 1.3 | 2.1 | 1.3 | 1.1 | 1.6 | 0.3 | 1.0 | 2.2 | 1.7 | 1.6 | **275.0** |
| OIL | 1961 | 7.0 | 6.0 | 7.2 | 6.8 | 6.4 | 6.5 | 9.2 | 9.1 | 8.6 | 9.5 | 9.1 | 6.7 | **1,076.3** |
| DAY | 1960 | 30.0 | 29.0 | 19.0 | 23.0 | 12.0 | 10.0 | 16.0 | 23.0 | 19.0 | 31.0 | 30.0 | 30.0 | **2,133.0** |
| H2O | 1960 | 1.0 | 1.0 | 1.0 | 1.3 | 1.4 | 0.6 | 1.7 | 1.9 | 1.4 | 2.1 | 1.6 | 1.3 | **258.0** |
| OIL | 1960 | 9.1 | 13.3 | 8.4 | 9.5 | 5.7 | 3.7 | 6.2 | 7.8 | 5.9 | 10.3 | 8.9 | 6.7 | **984.2** |
| DAY | 1959 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,861.0** |
| H2O | 1959 | 2.7 | 2.1 | 2.9 | 1.4 | 1.3 | 1.9 | 1.3 | 1.4 | 1.0 | 1.7 | 1.0 | 0.8 | **241.7** |
| OIL | 1959 | 7.2 | 6.2 | 7.9 | 5.7 | 15.1 | 15.4 | 11.0 | 9.9 | 8.7 | 9.7 | 8.7 | 8.7 | **888.7** |
| DAY | 1958 | 31.0 | 28.0 | 19.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,502.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 5.4 | 4.6 | 3.8 | 4.0 | 3.3 | 5.2 | 4.1 | 2.9 | **222.2** |
| OIL | 1958 | 13.7 | 10.6 | 9.5 | 12.6 | 7.8 | 9.4 | 9.2 | 7.0 | 7.6 | 9.1 | 7.8 | 7.9 | **774.5** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 23.0 | 30.0 | 29.0 | 28.0 | 25.0 | 29.0 | 24.0 | 27.0 | **1,153.0** |
| H2O | 1957 | 0.5 | 0.3 | 0.3 | 0.3 | 4.0 | 0.3 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | **188.9** |
| OIL | 1957 | 9.9 | 8.4 | 9.2 | 9.7 | 14.3 | 9.1 | 21.8 | 19.2 | 11.8 | 16.4 | 12.9 | 15.6 | **662.3** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **818.0** |
| H2O | 1956 | 0.5 | 0.3 | 1.0 | 0.3 | 0.5 | 0.6 | 0.8 | 0.5 | 0.6 | 0.6 | 0.5 | 0.5 | **181.9** |
| OIL | 1956 | 7.2 | 6.5 | 6.7 | 6.2 | 6.2 | 6.4 | 6.2 | 11.4 | 10.3 | 10.0 | 8.4 | 8.4 | **504.0** |
| DAY | 1955 | 0.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **454.0** |
| H2O | 1955 | 15.3 | 7.6 | 3.7 | 22.9 | 24.6 | 5.2 | 1.1 | 1.1 | 0.8 | 0.8 | 0.6 | 0.5 | **175.2** |
| OIL | 1955 | 26.9 | 28.8 | 30.7 | 28.0 | 26.7 | 7.8 | 8.1 | 7.8 | 7.9 | 7.3 | 7.0 | 4.8 | **410.1** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 23.0 | 16.0 | 30.0 | 31.0 | **121.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.1 | 24.0 | 14.8 | 20.0 | 9.1 | **91.0** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 52.3 | 57.5 | 32.3 | 40.0 | 36.2 | **218.3** |

Licence ***455*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-32-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,004.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 7.8 | 7.6 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,062.1** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 26.2 | 24.3 | 8.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **12,823.1** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **5,933.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 7.9 | 7.9 | 6.5 | 7.2 | 0.0 | 0.0 | **1,044.2** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.4 | 21.6 | 24.0 | 22.6 | 22.9 | 0.0 | 0.0 | **12,764.3** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 6.0 | 31.0 | 28.0 | 31.0 | 30.0 | 23.0 | 0.0 | 0.0 | 0.0 | **5,808.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 1.6 | 8.3 | 8.1 | 8.4 | 9.7 | 4.9 | 0.0 | 0.0 | 0.0 | **1,014.1** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 3.2 | 17.0 | 13.0 | 12.9 | 18.1 | 9.7 | 0.0 | 0.0 | 0.0 | **12,671.8** |
| DAY | 1970 | 31.0 | 24.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 2.0 | 0.0 | **5,659.0** |

# Manitoba Production
## 1950 To 1975

Licence ***455*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-32-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1970 | 9.2 | 6.8 | 9.1 | 8.9 | 9.1 | 8.7 | 8.6 | 9.2 | 7.8 | 9.4 | 0.6 | 0.0 | **973.1** |
| OIL | 1970 | 15.4 | 11.4 | 16.2 | 16.2 | 16.7 | 14.6 | 16.2 | 17.3 | 16.0 | 14.9 | 0.8 | 0.0 | **12,597.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 28.0 | 25.0 | 30.0 | 29.0 | 30.0 | 31.0 | **5,361.0** |
| H2O | 1969 | 9.1 | 8.7 | 9.4 | 9.2 | 10.0 | 7.8 | 8.4 | 6.5 | 9.4 | 9.4 | 9.4 | 9.2 | **885.7** |
| OIL | 1969 | 15.6 | 14.5 | 14.3 | 15.3 | 16.4 | 12.7 | 13.2 | 11.1 | 16.4 | 16.5 | 14.1 | 15.4 | **12,442.2** |
| DAY | 1968 | 27.0 | 26.0 | 27.0 | 0.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,009.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.4 | 9.5 | 9.4 | **779.2** |
| OIL | 1968 | 12.9 | 12.1 | 12.9 | 0.0 | 16.0 | 17.0 | 16.8 | 15.4 | 16.0 | 16.2 | 17.3 | 18.0 | **12,266.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,687.0** |
| H2O | 1967 | 1.1 | 1.1 | 1.1 | 1.0 | 1.3 | 1.1 | 1.1 | 0.6 | 1.0 | 0.0 | 0.0 | 0.0 | **750.9** |
| OIL | 1967 | 37.7 | 33.7 | 35.8 | 31.9 | 38.1 | 31.0 | 27.3 | 32.4 | 29.4 | 11.9 | 12.9 | 17.3 | **12,096.1** |
| DAY | 1966 | 31.0 | 28.0 | 19.0 | 26.0 | 30.0 | 30.0 | 31.0 | 24.0 | 29.0 | 26.0 | 28.0 | 27.0 | **4,329.0** |
| H2O | 1966 | 1.3 | 1.6 | 0.8 | 0.8 | 1.1 | 1.0 | 1.0 | 1.0 | 1.0 | 1.1 | 1.0 | 1.0 | **741.5** |
| OIL | 1966 | 31.0 | 29.6 | 21.5 | 30.7 | 38.8 | 42.4 | 37.7 | 27.3 | 32.4 | 26.2 | 34.0 | 34.6 | **11,756.7** |
| DAY | 1965 | 27.0 | 23.0 | 26.0 | 13.0 | 21.0 | 30.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,000.0** |
| H2O | 1965 | 1.0 | 0.6 | 0.8 | 0.5 | 0.8 | 1.1 | 1.1 | 1.3 | 1.1 | 1.7 | 1.4 | 1.4 | **728.8** |
| OIL | 1965 | 26.9 | 30.7 | 29.9 | 16.7 | 31.1 | 43.4 | 34.0 | 35.6 | 30.5 | 35.8 | 23.2 | 30.2 | **11,370.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 18.0 | 25.0 | 31.0 | 30.0 | 20.0 | 25.0 | 23.0 | 31.0 | **3,681.0** |
| H2O | 1964 | 8.9 | 8.4 | 8.9 | 8.6 | 4.8 | 8.4 | 12.4 | 1.6 | 1.0 | 0.8 | 0.8 | 1.0 | **716.0** |
| OIL | 1964 | 64.4 | 59.0 | 65.0 | 55.6 | 32.4 | 54.8 | 77.9 | 42.4 | 25.4 | 27.3 | 28.8 | 31.8 | **11,002.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 22.0 | 30.0 | 31.0 | 22.0 | 24.0 | 31.0 | 30.0 | 31.0 | **3,357.0** |
| H2O | 1963 | 5.1 | 4.5 | 4.9 | 4.8 | 3.0 | 4.0 | 4.3 | 8.1 | 9.5 | 12.9 | 7.9 | 8.9 | **650.4** |
| OIL | 1963 | 63.6 | 59.9 | 63.1 | 58.5 | 51.3 | 59.1 | 63.6 | 42.3 | 52.3 | 66.6 | 57.4 | 68.0 | **10,437.7** |
| DAY | 1962 | 31.0 | 23.0 | 22.0 | 30.0 | 22.0 | 27.0 | 31.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,016.0** |
| H2O | 1962 | 3.5 | 2.2 | 2.2 | 20.0 | 3.2 | 4.1 | 5.1 | 3.2 | 4.6 | 4.9 | 4.8 | 5.1 | **572.5** |
| OIL | 1962 | 20.3 | 13.2 | 14.0 | 102.8 | 54.0 | 72.1 | 79.8 | 53.4 | 68.5 | 71.4 | 65.6 | 70.6 | **9,732.0** |
| DAY | 1961 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 25.0 | 8.0 | 20.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,683.0** |
| H2O | 1961 | 3.7 | 3.3 | 3.5 | 3.8 | 3.8 | 3.0 | 1.0 | 2.1 | 3.5 | 3.5 | 3.3 | 3.5 | **509.6** |
| OIL | 1961 | 21.9 | 20.0 | 20.3 | 20.2 | 20.8 | 17.3 | 5.9 | 13.8 | 21.9 | 20.5 | 18.6 | 19.7 | **9,046.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 21.0 | 29.0 | 31.0 | **2,359.0** |
| H2O | 1960 | 0.0 | 0.0 | 21.9 | 3.3 | 0.0 | 3.8 | 0.0 | 3.5 | 3.7 | 3.7 | 3.3 | 3.5 | **471.6** |
| OIL | 1960 | 27.5 | 23.5 | 16.5 | 26.9 | 28.1 | 22.7 | 28.3 | 22.4 | 22.9 | 19.2 | 21.1 | 22.2 | **8,825.4** |
| DAY | 1959 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,004.0** |
| H2O | 1959 | 0.0 | 3.7 | 1.1 | 0.0 | 3.7 | 4.8 | 1.1 | 3.7 | 11.1 | 0.0 | 0.0 | 0.0 | **424.9** |
| OIL | 1959 | 42.0 | 31.0 | 32.7 | 37.7 | 31.1 | 35.4 | 34.3 | 29.9 | 23.7 | 22.7 | 29.6 | 28.0 | **8,544.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,640.0** |
| H2O | 1958 | 1.1 | 1.1 | 0.0 | 1.7 | 3.7 | 3.2 | 3.8 | 3.7 | 3.7 | 1.6 | 1.1 | 1.1 | **395.7** |
| OIL | 1958 | 50.4 | 43.5 | 47.5 | 55.3 | 43.5 | 39.4 | 40.5 | 40.7 | 36.2 | 34.0 | 31.9 | 32.9 | **8,166.0** |
| DAY | 1957 | 28.0 | 26.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,276.0** |
| H2O | 1957 | 5.4 | 7.6 | 7.9 | 8.9 | 8.7 | 13.7 | 13.8 | 2.5 | 2.7 | 2.5 | 19.1 | 2.7 | **369.9** |
| OIL | 1957 | 69.6 | 83.4 | 64.4 | 63.2 | 61.2 | 50.1 | 58.8 | 65.5 | 68.5 | 66.9 | 27.7 | 45.0 | **7,670.2** |
| DAY | 1956 | 31.0 | 29.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **918.0** |
| H2O | 1956 | 0.2 | 62.0 | 7.9 | 13.4 | 16.9 | 15.6 | 10.0 | 6.2 | 8.6 | 8.3 | 8.6 | 6.5 | **274.4** |
| OIL | 1956 | 42.9 | 206.7 | 123.8 | 145.2 | 174.8 | 170.4 | 131.6 | 91.7 | 95.0 | 89.6 | 86.3 | 72.3 | **6,945.9** |
| DAY | 1955 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | **558.0** |
| H2O | 1955 | 1.7 | 1.7 | 2.2 | 0.3 | 0.5 | 0.6 | 0.2 | 47.7 | 42.4 | 0.5 | 0.2 | 0.2 | **110.2** |
| OIL | 1955 | 282.4 | 243.6 | 244.7 | 176.9 | 204.5 | 216.6 | 212.3 | 179.6 | 151.4 | 42.4 | 43.1 | 46.9 | **5,515.6** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 31.0 | 30.0 | 29.0 | 26.0 | 30.0 | 31.0 | **202.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.9 | 1.1 | 1.4 | 1.3 | 3.3 | 1.0 | 1.0 | **12.0** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 470.4 | 526.9 | 591.5 | 581.0 | 435.4 | 508.8 | 357.2 | **3,471.2** |

Licence ***459*** Well Name ***Sun N.S. Gerrand Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***459*** Well Name ***Sun N.S. Gerrand Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-03-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,431.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,122.8** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 1.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,585.3** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 15.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,431.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 67.4 | 28.9 | 9.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,122.8** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 3.7 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,583.9** |
| DAY | 1959 | 0.0 | 0.0 | 1.0 | 30.0 | 19.0 | 10.0 | 10.0 | 11.0 | 10.0 | 9.0 | 1.0 | 2.0 | **1,402.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 63.9 | 43.4 | 8.9 | 43.7 | 88.6 | 63.6 | 41.3 | 3.8 | 5.2 | **3,017.0** |
| OIL | 1959 | 0.0 | 0.0 | 1.0 | 23.8 | 14.1 | 1.4 | 4.6 | 4.9 | 1.9 | 6.4 | 1.6 | 0.0 | **3,577.8** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 24.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 7.0 | 0.0 | **1,299.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 18.9 | 23.7 | 23.7 | 23.4 | 23.2 | 24.3 | 24.6 | 5.6 | 0.0 | **2,654.6** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 30.4 | 25.9 | 7.2 | 22.7 | 13.2 | 7.3 | 14.0 | 3.3 | 0.0 | **3,518.1** |
| DAY | 1957 | 10.0 | 0.0 | 0.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 0.0 | **1,086.0** |
| H2O | 1957 | 23.5 | 0.0 | 0.0 | 107.3 | 145.6 | 144.7 | 145.6 | 22.9 | 20.7 | 26.2 | 28.6 | 0.0 | **2,487.2** |
| OIL | 1957 | 12.9 | 0.0 | 0.0 | 39.5 | 29.6 | 35.3 | 41.0 | 39.1 | 34.6 | 24.3 | 11.8 | 0.0 | **3,394.1** |
| DAY | 1956 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 28.0 | 28.0 | 25.0 | 0.0 | **838.0** |
| H2O | 1956 | 93.5 | 94.8 | 94.3 | 89.4 | 74.7 | 79.3 | 73.0 | 74.2 | 68.0 | 52.0 | 60.7 | 57.9 | **1,822.1** |
| OIL | 1956 | 75.6 | 75.6 | 65.2 | 67.4 | 83.0 | 46.7 | 37.3 | 47.2 | 41.5 | 47.8 | 38.0 | 0.0 | **3,126.0** |
| DAY | 1955 | 26.0 | 27.0 | 27.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 24.0 | 22.0 | **515.0** |
| H2O | 1955 | 12.4 | 16.7 | 65.2 | 98.6 | 90.9 | 97.6 | 72.2 | 26.2 | 39.0 | 142.8 | 73.9 | 64.1 | **910.3** |
| OIL | 1955 | 129.4 | 117.6 | 132.8 | 142.7 | 157.2 | 124.7 | 118.9 | 115.7 | 113.9 | 84.9 | 62.3 | 63.6 | **2,500.7** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 28.0 | 30.0 | 30.0 | 31.0 | 29.0 | 25.0 | **178.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.9 | 18.4 | 30.0 | 19.2 | 18.1 | 12.1 | **110.7** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 41.8 | 187.5 | 226.3 | 191.0 | 195.5 | 173.2 | 121.7 | **1,137.0** |

Licence ***462*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-13-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,727.0** |
| OIL | 1975 | 70.2 | 59.1 | 65.3 | 71.5 | 77.9 | 68.3 | 69.1 | 72.3 | 66.6 | 71.4 | 62.8 | 56.7 | **20,729.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,362.0** |
| H2O | 1974 | 0.8 | 2.1 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,593.2** |
| OIL | 1974 | 60.1 | 55.9 | 63.1 | 58.0 | 58.5 | 80.4 | 73.4 | 65.6 | 75.8 | 70.9 | 71.4 | 70.2 | **19,918.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,997.0** |
| H2O | 1973 | 2.4 | 4.5 | 6.4 | 6.7 | 12.7 | 6.7 | 21.5 | 24.3 | 20.5 | 7.8 | 4.3 | 2.2 | **1,587.6** |
| OIL | 1973 | 83.0 | 72.1 | 78.3 | 82.8 | 94.2 | 72.3 | 92.0 | 95.8 | 73.9 | 87.6 | 64.2 | 60.7 | **19,114.9** |
| DAY | 1972 | 31.0 | 28.0 | 13.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,632.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.2 | 16.2 | 9.2 | 5.6 | 4.5 | 2.7 | **1,467.6** |
| OIL | 1972 | 74.2 | 67.5 | 18.4 | 41.2 | 60.7 | 73.3 | 82.2 | 86.8 | 78.0 | 84.2 | 80.1 | 82.5 | **18,158.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,286.0** |
| OIL | 1971 | 85.8 | 75.3 | 96.3 | 134.9 | 129.4 | 120.9 | 121.6 | 85.8 | 83.6 | 76.4 | 72.8 | 74.1 | **17,328.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 29.0 | 19.0 | 31.0 | **5,921.0** |
| OIL | 1970 | 97.7 | 86.3 | 95.3 | 92.3 | 93.1 | 80.7 | 97.4 | 93.1 | 74.7 | 74.8 | 56.1 | 86.0 | **16,172.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 19.0 | 26.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,571.0** |
| H2O | 1969 | 0.0 | 0.0 | 9.2 | 5.9 | 19.2 | 15.1 | 22.9 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,413.2** |
| OIL | 1969 | 105.0 | 92.0 | 83.4 | 45.0 | 79.1 | 88.7 | 104.6 | 121.2 | 103.1 | 136.2 | 117.1 | 98.2 | **15,144.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,226.0** |
| H2O | 1968 | 1.7 | 1.4 | 1.3 | 0.8 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,336.9** |
| OIL | 1968 | 80.1 | 73.9 | 78.8 | 76.9 | 80.4 | 77.9 | 78.3 | 80.2 | 76.6 | 78.2 | 73.9 | 104.1 | **13,970.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,860.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 0.5 | 2.1 | 2.4 | **1,330.6** |

# Manitoba Production
## 1950 To 1975

Licence ***462*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-13-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1967 | 109.2 | 98.4 | 108.4 | 104.9 | 108.2 | 98.5 | 105.0 | 102.0 | 76.8 | 79.3 | 76.9 | 82.3 | **13,011.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,495.0** |
| H2O | 1966 | 0.2 | 0.2 | 0.2 | 0.2 | 0.0 | 0.0 | 5.2 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | **1,325.0** |
| OIL | 1966 | 83.7 | 78.5 | 84.7 | 77.1 | 70.9 | 72.0 | 103.9 | 101.7 | 106.8 | 110.3 | 107.4 | 110.0 | **11,861.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,130.0** |
| H2O | 1965 | 4.0 | 3.0 | 4.1 | 4.9 | 1.1 | 1.0 | 1.0 | 0.5 | 0.5 | 0.6 | 0.2 | 0.2 | **1,315.8** |
| OIL | 1965 | 86.0 | 79.3 | 89.3 | 87.7 | 91.7 | 83.3 | 84.2 | 83.7 | 72.9 | 102.5 | 83.3 | 85.0 | **10,754.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,765.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.5 | 4.3 | 3.5 | **1,294.7** |
| OIL | 1964 | 78.8 | 68.0 | 99.6 | 93.8 | 95.2 | 94.6 | 95.2 | 94.7 | 31.5 | 97.6 | 92.3 | 90.3 | **9,725.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,399.0** |
| OIL | 1963 | 79.8 | 74.2 | 81.2 | 78.8 | 69.0 | 83.4 | 86.4 | 81.7 | 81.4 | 85.7 | 77.5 | 80.1 | **8,694.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,036.0** |
| OIL | 1962 | 88.0 | 75.6 | 91.7 | 83.0 | 84.9 | 73.9 | 79.1 | 80.6 | 78.3 | 80.1 | 78.2 | 75.3 | **7,735.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | **2,671.0** |
| H2O | 1961 | 7.3 | 4.1 | 4.5 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,280.4** |
| OIL | 1961 | 38.1 | 36.4 | 39.4 | 33.1 | 99.6 | 93.3 | 93.8 | 84.2 | 92.3 | 93.4 | 89.8 | 83.4 | **6,766.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,313.0** |
| H2O | 1960 | 6.8 | 6.5 | 7.0 | 6.8 | 7.2 | 4.8 | 4.9 | 5.4 | 5.2 | 5.6 | 7.2 | 6.2 | **1,260.5** |
| OIL | 1960 | 35.3 | 37.8 | 38.8 | 37.8 | 38.9 | 42.6 | 38.0 | 37.2 | 34.8 | 34.8 | 31.5 | 37.0 | **5,889.5** |
| DAY | 1959 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,947.0** |
| H2O | 1959 | 14.3 | 14.6 | 16.1 | 15.6 | 28.1 | 0.0 | 0.0 | 0.0 | 6.7 | 7.2 | 6.5 | 6.7 | **1,186.9** |
| OIL | 1959 | 35.8 | 35.4 | 39.3 | 37.5 | 20.0 | 40.2 | 39.3 | 42.0 | 31.0 | 35.1 | 29.7 | 29.6 | **5,445.0** |
| DAY | 1958 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,586.0** |
| H2O | 1958 | 12.4 | 12.1 | 13.0 | 12.6 | 0.0 | 0.0 | 0.0 | 0.0 | 16.5 | 17.0 | 17.0 | 17.0 | **1,071.1** |
| OIL | 1958 | 70.4 | 71.5 | 80.6 | 76.6 | 56.9 | 50.1 | 53.4 | 52.4 | 43.4 | 40.5 | 38.6 | 41.3 | **5,030.1** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,224.0** |
| H2O | 1957 | 13.8 | 21.1 | 21.5 | 19.1 | 21.1 | 12.2 | 14.9 | 32.3 | 18.3 | 12.7 | 13.5 | 14.0 | **953.5** |
| OIL | 1957 | 75.0 | 41.0 | 51.5 | 56.7 | 53.1 | 12.6 | 12.9 | 92.2 | 88.7 | 81.5 | 80.2 | 81.8 | **4,354.4** |
| DAY | 1956 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 30.0 | 21.0 | 31.0 | 29.0 | 31.0 | **864.0** |
| H2O | 1956 | 8.3 | 8.6 | 10.5 | 9.9 | 10.2 | 27.3 | 29.4 | 29.7 | 13.0 | 17.8 | 17.6 | 14.3 | **739.0** |
| OIL | 1956 | 72.1 | 75.8 | 73.3 | 73.7 | 85.3 | 35.1 | 50.4 | 52.4 | 42.0 | 71.7 | 61.5 | 68.0 | **3,627.2** |
| DAY | 1955 | 31.0 | 26.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **515.0** |
| H2O | 1955 | 14.9 | 11.6 | 15.4 | 2.2 | 66.9 | 14.8 | 13.0 | 11.9 | 11.8 | 6.4 | 8.6 | 9.2 | **542.4** |
| OIL | 1955 | 199.1 | 153.5 | 146.5 | 159.9 | 156.4 | 160.0 | 145.7 | 108.5 | 103.0 | 64.7 | 96.0 | 86.0 | **2,865.9** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 22.0 | 29.0 | 22.0 | 22.0 | 27.0 | 31.0 | **155.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 44.4 | 47.9 | 37.0 | 36.4 | 60.3 | 129.7 | **355.7** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 224.2 | 223.3 | 152.1 | 170.7 | 248.4 | 240.9 | **1,286.6** |

Licence ***464*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-32-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,151.0** |
| H2O | 1958 | 196.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **9,599.5** |
| OIL | 1958 | 12.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,190.7** |
| DAY | 1957 | 0.0 | 21.0 | 30.0 | 30.0 | 30.0 | 27.0 | 31.0 | 29.0 | 29.0 | 28.0 | 29.0 | 30.0 | **1,141.0** |
| H2O | 1957 | 0.0 | 259.0 | 402.5 | 414.1 | 390.0 | 436.4 | 532.9 | 402.5 | 197.8 | 187.3 | 348.2 | 582.2 | **9,402.7** |
| OIL | 1957 | 0.0 | 46.1 | 60.2 | 59.0 | 55.0 | 45.3 | 47.2 | 39.9 | 12.6 | 15.7 | 18.1 | 33.5 | **7,178.6** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 23.0 | 28.0 | 24.0 | 31.0 | 28.0 | 29.0 | 31.0 | 29.0 | 10.0 | **827.0** |
| H2O | 1956 | 369.3 | 131.5 | 135.1 | 228.9 | 283.6 | 226.5 | 304.3 | 248.0 | 338.6 | 353.4 | 301.6 | 89.0 | **5,249.8** |
| OIL | 1956 | 149.1 | 165.4 | 166.1 | 34.0 | 40.0 | 34.0 | 48.6 | 52.1 | 57.0 | 61.8 | 48.9 | 15.9 | **6,746.0** |

# Manitoba Production
## 1950 To 1975

Licence ***464*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-32-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1955 | 30.0 | 28.0 | 29.0 | 1.0 | 13.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | **503.0** |
| H2O | 1955 | 1.0 | 1.3 | 229.4 | 7.0 | 126.5 | 14.0 | 250.4 | 292.0 | 260.3 | 348.6 | 281.4 | 412.6 | **2,240.0** |
| OIL | 1955 | 233.6 | 324.2 | 307.8 | 9.4 | 162.9 | 298.0 | 291.9 | 157.2 | 132.5 | 148.6 | 167.8 | 158.4 | **5,873.1** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 31.0 | 29.0 | 29.0 | 29.0 | 30.0 | 31.0 | **193.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 1.3 | 2.7 | 1.3 | 1.1 | 1.0 | 7.8 | **15.5** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 272.2 | 602.7 | 602.7 | 580.8 | 600.0 | 489.0 | 333.4 | **3,480.8** |

Licence ***466*** Well Name ***CEGO Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-24-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1959 | 5.0 | 0.0 | 31.0 | 30.0 | 31.0 | 27.0 | 29.0 | 31.0 | 30.0 | 31.0 | 17.0 | 0.0 | **1,293.0** |
| H2O | 1959 | 13.5 | 0.0 | 54.1 | 52.5 | 54.2 | 39.7 | 38.6 | 42.0 | 33.4 | 34.5 | 18.8 | 0.0 | **2,948.4** |
| OIL | 1959 | 2.9 | 0.0 | 6.2 | 4.8 | 7.6 | 4.9 | 7.2 | 7.2 | 4.9 | 2.3 | 2.7 | 0.0 | **1,008.3** |
| DAY | 1958 | 31.0 | 17.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | **1,031.0** |
| H2O | 1958 | 126.4 | 53.3 | 73.9 | 67.3 | 60.6 | 52.5 | 54.2 | 54.2 | 52.5 | 54.2 | 52.5 | 0.0 | **2,567.1** |
| OIL | 1958 | 37.0 | 17.0 | 10.3 | 6.8 | 17.3 | 11.8 | 4.8 | 3.2 | 4.9 | 7.6 | 7.8 | 0.0 | **957.6** |
| DAY | 1957 | 0.0 | 0.0 | 8.0 | 28.0 | 30.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | **708.0** |
| H2O | 1957 | 0.0 | 0.0 | 76.3 | 228.3 | 190.8 | 197.9 | 167.7 | 149.4 | 143.1 | 147.9 | 141.5 | 139.9 | **1,865.5** |
| OIL | 1957 | 0.0 | 0.0 | 29.3 | 88.6 | 61.1 | 49.3 | 54.2 | 46.4 | 39.1 | 30.5 | 28.9 | 28.1 | **829.1** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 7.0 | 0.0 | 0.0 | 5.0 | 31.0 | 28.0 | 31.0 | 1.0 | 0.0 | **432.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 7.6 | 0.0 | 0.0 | 7.9 | 69.3 | 34.8 | 24.6 | 0.0 | 0.0 | **282.7** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 7.9 | 0.0 | 0.0 | 4.0 | 7.5 | 4.5 | 4.9 | 0.2 | 0.0 | **373.6** |
| DAY | 1955 | 18.0 | 17.0 | 14.0 | 21.0 | 29.0 | 22.0 | 30.0 | 20.0 | 18.0 | 0.0 | 0.0 | 0.0 | **329.0** |
| H2O | 1955 | 20.7 | 6.2 | 4.8 | 8.7 | 13.2 | 4.9 | 4.9 | 2.7 | 2.9 | 0.0 | 0.0 | 0.0 | **138.5** |
| OIL | 1955 | 2.5 | 13.4 | 13.8 | 16.4 | 13.0 | 16.4 | 14.1 | 6.2 | 5.7 | 0.0 | 0.0 | 0.0 | **344.6** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 29.0 | 26.0 | 17.0 | 26.0 | 14.0 | **140.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 15.1 | 14.3 | 18.6 | 15.7 | 5.6 | **69.5** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 91.3 | 50.9 | 41.2 | 13.8 | 28.3 | 17.6 | **243.1** |

Licence ***467*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 20.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 27.0 | 30.0 | 31.0 | **7,754.0** |
| H2O | 1975 | 572.4 | 778.1 | 565.8 | 548.7 | 455.0 | 404.0 | 295.9 | 321.3 | 299.8 | 245.3 | 411.4 | 421.9 | **37,559.7** |
| OIL | 1975 | 56.7 | 77.9 | 64.4 | 60.9 | 55.0 | 51.6 | 44.5 | 44.8 | 47.0 | 41.2 | 46.2 | 47.7 | **15,541.1** |
| DAY | 1974 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **7,407.0** |
| H2O | 1974 | 103.0 | 79.2 | 666.5 | 572.7 | 633.8 | 169.6 | 534.6 | 510.3 | 486.5 | 1074.8 | 853.8 | 938.9 | **32,240.1** |
| OIL | 1974 | 25.1 | 22.2 | 50.9 | 30.8 | 31.5 | 44.2 | 32.7 | 32.9 | 26.4 | 101.2 | 86.3 | 91.8 | **14,903.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,049.0** |
| H2O | 1973 | 71.5 | 64.9 | 60.4 | 79.6 | 73.1 | 89.7 | 58.5 | 85.8 | 96.7 | 100.8 | 84.4 | 99.2 | **25,616.4** |
| OIL | 1973 | 32.4 | 28.4 | 36.2 | 42.0 | 27.2 | 26.2 | 19.9 | 26.9 | 34.5 | 35.3 | 24.9 | 24.5 | **14,327.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,689.0** |
| H2O | 1972 | 117.3 | 118.4 | 118.6 | 73.0 | 78.4 | 72.3 | 73.1 | 73.9 | 70.9 | 71.5 | 64.5 | 59.6 | **24,651.8** |
| OIL | 1972 | 46.6 | 45.0 | 47.4 | 48.8 | 51.0 | 49.4 | 50.2 | 40.4 | 40.0 | 42.1 | 32.1 | 32.6 | **13,968.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,323.0** |
| H2O | 1971 | 64.2 | 63.6 | 68.2 | 84.1 | 87.6 | 88.6 | 93.6 | 70.9 | 63.8 | 69.8 | 63.1 | 108.6 | **23,660.3** |
| OIL | 1971 | 51.6 | 46.7 | 52.0 | 58.5 | 58.8 | 44.0 | 46.9 | 36.4 | 48.1 | 50.4 | 47.8 | 47.2 | **13,443.2** |
| DAY | 1970 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,958.0** |
| H2O | 1970 | 59.1 | 49.8 | 60.9 | 54.8 | 80.9 | 79.5 | 72.5 | 70.4 | 76.8 | 68.4 | 59.0 | 54.4 | **22,734.2** |
| OIL | 1970 | 40.4 | 48.6 | 53.9 | 52.4 | 54.0 | 51.0 | 53.4 | 53.4 | 52.6 | 49.6 | 48.6 | 51.2 | **12,854.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,594.0** |

# Manitoba Production
## 1950 To 1975

Licence ***467*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1969 | 176.6 | 144.5 | 175.7 | 175.4 | 104.3 | 99.8 | 103.7 | 81.6 | 77.9 | 82.2 | 77.9 | 83.5 | **21,947.7** |
| OIL | 1969 | 63.9 | 55.0 | 61.8 | 64.2 | 53.7 | 53.4 | 53.6 | 49.9 | 47.0 | 49.6 | 45.9 | 50.5 | **12,245.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **5,229.0** |
| H2O | 1968 | 172.8 | 172.8 | 201.0 | 106.5 | 101.9 | 88.8 | 249.4 | 254.8 | 126.6 | 146.3 | 145.5 | 178.1 | **20,564.6** |
| OIL | 1968 | 43.5 | 39.4 | 44.0 | 55.3 | 54.8 | 52.9 | 62.8 | 62.6 | 49.9 | 54.0 | 52.6 | 64.4 | **11,597.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,865.0** |
| H2O | 1967 | 178.4 | 152.2 | 172.5 | 162.3 | 177.4 | 160.3 | 105.5 | 116.1 | 119.4 | 24.9 | 25.6 | 184.9 | **18,620.1** |
| OIL | 1967 | 51.5 | 44.8 | 50.5 | 48.1 | 50.7 | 45.1 | 56.4 | 55.5 | 56.6 | 52.4 | 52.1 | 44.8 | **10,961.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 27.0 | 30.0 | 31.0 | **4,500.0** |
| H2O | 1966 | 115.9 | 111.3 | 108.4 | 262.9 | 285.7 | 260.2 | 217.0 | 275.3 | 217.8 | 184.4 | 197.9 | 182.5 | **17,040.6** |
| OIL | 1966 | 30.5 | 27.5 | 45.0 | 91.1 | 85.8 | 56.4 | 73.1 | 77.7 | 55.0 | 49.9 | 52.8 | 51.3 | **10,352.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,141.0** |
| H2O | 1965 | 85.5 | 69.0 | 76.9 | 85.3 | 101.5 | 94.4 | 68.8 | 108.9 | 77.9 | 36.2 | 88.4 | 95.8 | **14,621.3** |
| OIL | 1965 | 26.7 | 23.2 | 25.1 | 27.2 | 20.5 | 19.2 | 20.8 | 19.5 | 19.5 | 32.1 | 20.0 | 24.3 | **9,656.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,776.0** |
| H2O | 1964 | 123.6 | 116.7 | 125.6 | 122.9 | 127.2 | 113.1 | 109.6 | 100.7 | 110.9 | 93.4 | 85.3 | 85.0 | **13,632.7** |
| OIL | 1964 | 33.5 | 32.9 | 34.8 | 31.5 | 30.0 | 28.8 | 29.4 | 33.1 | 31.1 | 29.4 | 26.4 | 27.3 | **9,378.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,411.0** |
| H2O | 1963 | 69.1 | 65.5 | 72.6 | 104.9 | 123.4 | 130.7 | 134.9 | 123.3 | 114.7 | 127.9 | 132.5 | 129.9 | **12,318.7** |
| OIL | 1963 | 5.2 | 5.2 | 5.4 | 34.0 | 37.5 | 35.0 | 37.0 | 33.4 | 31.3 | 35.4 | 33.1 | 35.6 | **9,010.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,046.0** |
| H2O | 1962 | 113.0 | 94.9 | 98.1 | 92.5 | 98.6 | 92.4 | 95.2 | 38.2 | 51.0 | 55.8 | 54.2 | 72.8 | **10,989.3** |
| OIL | 1962 | 19.7 | 15.7 | 17.2 | 17.0 | 16.5 | 17.5 | 16.5 | 2.2 | 2.5 | 2.4 | 2.4 | 3.2 | **8,682.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,683.0** |
| H2O | 1961 | 136.2 | 129.6 | 134.5 | 133.5 | 142.6 | 112.4 | 129.6 | 128.6 | 123.4 | 125.1 | 112.9 | 112.6 | **10,032.6** |
| OIL | 1961 | 58.5 | 53.9 | 58.0 | 56.1 | 57.2 | 47.0 | 23.7 | 22.4 | 20.8 | 20.8 | 19.7 | 19.1 | **8,549.2** |
| DAY | 1960 | 27.0 | 27.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,321.0** |
| H2O | 1960 | 88.4 | 80.1 | 68.7 | 74.2 | 111.8 | 124.2 | 139.7 | 139.7 | 159.3 | 131.2 | 132.1 | 129.1 | **8,511.6** |
| OIL | 1960 | 71.8 | 67.7 | 40.8 | 43.7 | 71.4 | 69.4 | 56.3 | 56.3 | 50.1 | 53.6 | 51.3 | 52.1 | **8,092.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 23.0 | 30.0 | 31.0 | **1,965.0** |
| H2O | 1959 | 104.1 | 104.8 | 124.3 | 117.6 | 116.4 | 107.9 | 111.4 | 109.2 | 99.0 | 78.2 | 104.4 | 109.4 | **7,133.1** |
| OIL | 1959 | 56.6 | 53.6 | 60.1 | 61.0 | 79.0 | 84.4 | 87.4 | 84.5 | 79.3 | 60.1 | 92.3 | 85.8 | **7,407.5** |
| DAY | 1958 | 28.0 | 27.0 | 31.0 | 30.0 | 31.0 | 25.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,608.0** |
| H2O | 1958 | 378.1 | 337.2 | 373.1 | 331.8 | 286.3 | 240.1 | 114.0 | 111.4 | 120.2 | 112.1 | 97.5 | 103.0 | **5,846.4** |
| OIL | 1958 | 131.3 | 96.8 | 110.6 | 99.2 | 96.5 | 75.3 | 62.0 | 61.8 | 57.4 | 60.5 | 53.4 | 58.2 | **6,523.4** |
| DAY | 1957 | 29.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,255.0** |
| H2O | 1957 | 45.6 | 31.2 | 158.0 | 250.6 | 202.1 | 192.2 | 211.9 | 201.0 | 196.5 | 312.1 | 327.3 | 350.1 | **3,241.6** |
| OIL | 1957 | 27.2 | 22.1 | 80.6 | 81.2 | 74.4 | 79.1 | 90.6 | 92.3 | 96.9 | 111.2 | 112.0 | 116.6 | **5,560.4** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | **894.0** |
| H2O | 1956 | 3.8 | 3.5 | 3.8 | 3.8 | 3.8 | 4.0 | 4.0 | 3.8 | 3.8 | 1.4 | 39.1 | 37.8 | **763.0** |
| OIL | 1956 | 103.6 | 94.1 | 89.5 | 84.9 | 92.6 | 85.3 | 92.5 | 88.2 | 117.4 | 82.8 | 24.6 | 25.1 | **4,576.2** |
| DAY | 1955 | 31.0 | 26.0 | 31.0 | 30.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **532.0** |
| H2O | 1955 | 55.8 | 51.7 | 59.6 | 56.9 | 54.7 | 97.5 | 21.9 | 16.4 | 20.5 | 5.7 | 4.0 | 3.8 | **650.4** |
| OIL | 1955 | 222.8 | 183.4 | 211.2 | 201.7 | 194.0 | 250.6 | 145.2 | 117.0 | 113.1 | 126.2 | 105.2 | 107.4 | **3,595.6** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 31.0 | 25.0 | 30.0 | 30.0 | 31.0 | **174.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.3 | 13.8 | 14.6 | 51.4 | 51.0 | 49.8 | **201.9** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 328.6 | 332.3 | 224.9 | 274.6 | 231.1 | 226.3 | **1,617.8** |

Licence ***468*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.14-29-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***468*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.14-29-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 27.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,837.0** |
| H2O | 1975 | 5715.5 | 4905.2 | 6362.5 | 5417.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **675,166.8** |
| OIL | 1975 | 127.3 | 103.6 | 120.8 | 99.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **32,921.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,720.0** |
| H2O | 1974 | 6201.8 | 5498.3 | 6152.0 | 5978.3 | 5854.0 | 6135.5 | 5598.8 | 6152.8 | 5902.9 | 6031.7 | 5575.6 | 5848.6 | **652,765.7** |
| OIL | 1974 | 141.7 | 123.6 | 139.5 | 129.4 | 123.3 | 112.5 | 110.3 | 115.7 | 115.1 | 121.6 | 105.7 | 126.0 | **32,470.3** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,355.0** |
| H2O | 1973 | 5356.2 | 4736.5 | 5325.0 | 5564.8 | 5996.7 | 5815.6 | 6260.8 | 6331.7 | 6140.3 | 6192.6 | 5904.0 | 6311.0 | **581,835.4** |
| OIL | 1973 | 153.3 | 134.1 | 145.7 | 129.4 | 156.0 | 139.8 | 144.9 | 142.2 | 133.6 | 148.7 | 140.6 | 143.7 | **31,005.9** |
| DAY | 1972 | 21.0 | 12.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,990.0** |
| H2O | 1972 | 3689.6 | 2071.8 | 6161.6 | 5071.3 | 5079.7 | 5661.0 | 5455.1 | 5435.5 | 4441.1 | 4978.8 | 5326.0 | 5067.0 | **511,900.2** |
| OIL | 1972 | 94.2 | 52.1 | 143.3 | 126.8 | 129.2 | 139.4 | 140.8 | 158.1 | 147.9 | 150.0 | 149.4 | 141.9 | **29,293.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 23.0 | 31.0 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | **5,651.0** |
| H2O | 1971 | 6338.5 | 5919.3 | 6188.8 | 6319.9 | 5990.5 | 4698.3 | 5986.2 | 6505.9 | 4151.0 | 591.7 | 501.7 | 5468.8 | **453,461.7** |
| OIL | 1971 | 171.0 | 158.1 | 168.8 | 208.5 | 199.0 | 121.1 | 146.7 | 123.3 | 73.4 | 127.0 | 145.9 | 135.6 | **27,720.8** |
| DAY | 1970 | 22.0 | 28.0 | 28.0 | 29.0 | 30.0 | 30.0 | 18.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,298.0** |
| H2O | 1970 | 4355.9 | 6188.6 | 5877.5 | 6445.7 | 6571.1 | 6393.7 | 3605.0 | 6674.1 | 5680.8 | 6787.5 | 6362.5 | 6377.5 | **394,801.1** |
| OIL | 1970 | 173.8 | 166.9 | 135.7 | 151.0 | 156.0 | 140.2 | 70.9 | 131.4 | 121.4 | 180.7 | 167.8 | 183.7 | **25,942.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 20.0 | 21.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **4,960.0** |
| H2O | 1969 | 2861.8 | 2741.6 | 2937.2 | 2891.8 | 1995.4 | 3306.3 | 3035.6 | 4282.8 | 4891.8 | 5160.3 | 4778.8 | 4598.3 | **323,481.2** |
| OIL | 1969 | 76.6 | 70.9 | 70.1 | 75.0 | 50.7 | 86.3 | 84.9 | 134.3 | 157.0 | 169.1 | 137.3 | 144.4 | **24,162.9** |
| DAY | 1968 | 31.0 | 26.0 | 27.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,618.0** |
| H2O | 1968 | 2655.6 | 2285.2 | 2646.9 | 2483.6 | 2812.8 | 2954.2 | 2951.5 | 2929.2 | 2909.3 | 2970.9 | 3021.9 | 2984.8 | **279,999.5** |
| OIL | 1968 | 85.2 | 72.0 | 77.2 | 67.9 | 76.0 | 74.7 | 74.7 | 84.2 | 78.5 | 79.3 | 84.7 | 88.4 | **22,906.3** |
| DAY | 1967 | 31.0 | 28.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 23.0 | 31.0 | **4,262.0** |
| H2O | 1967 | 2225.1 | 1876.1 | 1829.2 | 2542.9 | 2138.6 | 2035.3 | 2071.8 | 1798.4 | 2222.5 | 2167.9 | 1403.6 | 3032.1 | **246,393.6** |
| OIL | 1967 | 90.3 | 80.2 | 74.1 | 76.6 | 76.8 | 64.5 | 61.7 | 67.2 | 61.3 | 65.0 | 55.9 | 102.5 | **21,963.5** |
| DAY | 1966 | 31.0 | 24.0 | 15.0 | 24.0 | 30.0 | 30.0 | 31.0 | 28.0 | 30.0 | 18.0 | 26.0 | 26.0 | **3,910.0** |
| H2O | 1966 | 2715.1 | 2782.6 | 1188.9 | 1508.6 | 1853.9 | 1830.2 | 1794.4 | 1758.0 | 1910.5 | 1279.9 | 1668.7 | 1824.8 | **221,050.1** |
| OIL | 1966 | 79.8 | 65.0 | 43.7 | 67.4 | 95.7 | 97.4 | 87.1 | 76.0 | 77.9 | 42.0 | 71.7 | 79.8 | **21,087.4** |
| DAY | 1965 | 0.0 | 0.0 | 13.0 | 1.0 | 0.0 | 3.0 | 28.0 | 16.0 | 30.0 | 31.0 | 27.0 | 31.0 | **3,597.0** |
| H2O | 1965 | 0.0 | 0.0 | 929.7 | 53.9 | 0.0 | 257.1 | 2225.9 | 1414.9 | 2234.5 | 3739.4 | 2912.7 | 3379.4 | **198,934.5** |
| OIL | 1965 | 0.0 | 0.0 | 37.5 | 2.4 | 0.0 | 11.3 | 83.6 | 49.3 | 79.1 | 98.5 | 52.4 | 77.9 | **20,203.9** |
| DAY | 1964 | 31.0 | 29.0 | 24.0 | 30.0 | 22.0 | 29.0 | 31.0 | 30.0 | 24.0 | 21.0 | 0.0 | 0.0 | **3,417.0** |
| H2O | 1964 | 2304.4 | 2185.3 | 1598.2 | 2163.2 | 1524.6 | 2507.0 | 3191.2 | 3062.1 | 2323.0 | 1615.6 | 0.0 | 0.0 | **181,787.0** |
| OIL | 1964 | 87.2 | 79.9 | 61.5 | 74.4 | 54.7 | 84.2 | 105.4 | 103.8 | 79.9 | 61.3 | 0.0 | 0.0 | **19,711.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 28.0 | 27.0 | 27.0 | 30.0 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | **3,146.0** |
| H2O | 1963 | 2675.3 | 2366.4 | 2613.9 | 2330.6 | 1945.6 | 1878.8 | 1834.6 | 2147.0 | 2159.7 | 2676.3 | 2018.3 | 2284.9 | **159,312.4** |
| OIL | 1963 | 110.3 | 103.0 | 109.5 | 94.6 | 106.2 | 90.6 | 91.2 | 101.7 | 77.9 | 91.7 | 77.9 | 92.2 | **18,919.6** |
| DAY | 1962 | 29.0 | 21.0 | 31.0 | 29.0 | 22.0 | 26.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,796.0** |
| H2O | 1962 | 2377.5 | 1546.7 | 2241.0 | 2127.9 | 1648.1 | 1842.9 | 2317.6 | 2411.1 | 2438.9 | 2164.8 | 2517.6 | 2667.2 | **132,381.0** |
| OIL | 1962 | 136.0 | 91.5 | 133.5 | 119.8 | 90.1 | 104.2 | 118.9 | 122.7 | 118.1 | 104.6 | 113.8 | 122.2 | **17,772.8** |
| DAY | 1961 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 19.0 | 20.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,458.0** |
| H2O | 1961 | 1927.6 | 1957.5 | 2153.7 | 2118.4 | 2143.2 | 1929.7 | 1572.3 | 1518.4 | 2540.2 | 2580.2 | 2386.0 | 2672.3 | **106,079.7** |
| OIL | 1961 | 98.0 | 99.0 | 104.2 | 99.8 | 100.7 | 96.9 | 96.6 | 100.4 | 161.5 | 150.3 | 135.2 | 144.9 | **16,397.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 27.0 | 31.0 | **2,120.0** |
| H2O | 1960 | 2055.8 | 1923.0 | 2056.9 | 1990.6 | 2056.9 | 1990.6 | 2056.9 | 2045.9 | 1961.5 | 1721.1 | 1738.3 | 2082.6 | **80,580.2** |
| OIL | 1960 | 143.7 | 137.9 | 133.2 | 128.6 | 147.9 | 134.4 | 133.2 | 124.1 | 108.5 | 95.8 | 96.8 | 110.8 | **15,009.9** |
| DAY | 1959 | 30.0 | 28.0 | 31.0 | 30.0 | 26.0 | 25.0 | 26.0 | 31.0 | 30.0 | 25.0 | 30.0 | 24.0 | **1,761.0** |
| H2O | 1959 | 1676.0 | 1690.8 | 2299.3 | 2296.1 | 2006.2 | 1810.0 | 1888.0 | 2229.5 | 2157.7 | 1792.0 | 2139.7 | 1729.1 | **56,900.1** |
| OIL | 1959 | 161.9 | 152.2 | 197.5 | 182.0 | 159.9 | 149.2 | 146.5 | 167.8 | 155.4 | 122.0 | 147.5 | 122.7 | **13,515.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 24.0 | 24.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,425.0** |

# Manitoba Production
## 1950 To 1975

Licence ***468*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.14-29-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 1651.8 | 1240.0 | 1924.5 | 1633.7 | 1627.5 | 1842.7 | 2008.7 | 1928.0 | 1745.6 | 1922.1 | 1737.5 | 1715.1 | **33,185.7** |
| OIL | 1958 | 197.2 | 195.9 | 295.6 | 228.8 | 212.1 | 237.7 | 216.1 | 212.9 | 178.5 | 193.2 | 168.6 | 163.5 | **11,650.4** |
| DAY | 1957 | 0.0 | 18.0 | 30.0 | 30.0 | 28.0 | 28.0 | 30.0 | 31.0 | 24.0 | 29.0 | 30.0 | 31.0 | **1,074.0** |
| H2O | 1957 | 0.0 | 355.6 | 540.2 | 561.0 | 493.3 | 430.5 | 54.1 | 577.9 | 779.3 | 1082.3 | 1168.0 | 1238.5 | **12,208.5** |
| OIL | 1957 | 0.0 | 139.7 | 220.1 | 219.8 | 161.8 | 189.7 | 21.1 | 160.8 | 202.9 | 275.9 | 250.6 | 240.4 | **9,150.3** |
| DAY | 1956 | 29.0 | 29.0 | 31.0 | 24.0 | 28.0 | 28.0 | 31.0 | 27.0 | 30.0 | 31.0 | 25.0 | 10.0 | **765.0** |
| H2O | 1956 | 126.5 | 135.9 | 152.9 | 140.5 | 170.9 | 534.0 | 542.3 | 407.0 | 475.5 | 357.7 | 302.4 | 117.8 | **4,927.8** |
| OIL | 1956 | 201.2 | 188.6 | 212.6 | 164.5 | 237.1 | 245.8 | 280.0 | 265.9 | 273.5 | 172.9 | 142.9 | 53.7 | **7,067.5** |
| DAY | 1955 | 24.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 29.0 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | **442.0** |
| H2O | 1955 | 1.0 | 1.3 | 91.6 | 112.9 | 140.9 | 170.4 | 190.6 | 144.7 | 145.8 | 159.0 | 142.9 | 142.3 | **1,464.4** |
| OIL | 1955 | 228.0 | 307.0 | 289.9 | 209.4 | 328.6 | 302.9 | 285.7 | 277.8 | 234.1 | 240.3 | 201.5 | 198.2 | **4,628.8** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 23.0 | 30.0 | 28.0 | **92.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 8.4 | 11.8 | 0.3 | **21.0** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 195.0 | 450.2 | 534.6 | 345.6 | **1,525.4** |

Licence ***469*** Well Name ***Chevron Whitewater*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-17-003-21W1.00*** Field Name ***Whitewater*** Pool Name ***Lodgepole WL A*** Field Code ***6*** Pool Code ***52A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,196.0** |
| OIL | 1975 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 6.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,608.7** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 5.0 | 0.0 | 10.0 | 4.0 | 0.0 | 13.0 | 4.0 | 8.0 | 8.0 | **3,157.0** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.6 | 0.0 | 1.4 | 0.6 | 0.0 | 2.4 | 0.5 | 1.0 | 1.3 | **3,601.2** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 10.0 | 21.0 | 0.0 | **3,105.0** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.0 | 0.0 | 2.5 | 7.8 | 0.0 | **3,593.4** |
| DAY | 1969 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,073.0** |
| H2O | 1969 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **267.6** |
| OIL | 1969 | 1.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,582.8** |
| DAY | 1968 | 12.0 | 11.0 | 14.0 | 11.0 | 13.0 | 10.0 | 0.0 | 0.0 | 15.0 | 10.0 | 12.0 | 12.0 | **3,063.0** |
| H2O | 1968 | 0.0 | 0.6 | 1.0 | 1.3 | 2.4 | 3.0 | 3.7 | 3.0 | 1.6 | 2.7 | 1.0 | 1.4 | **266.3** |
| OIL | 1968 | 14.1 | 13.0 | 14.5 | 12.2 | 10.3 | 9.4 | 10.8 | 7.5 | 8.9 | 9.2 | 1.6 | 1.6 | **3,581.4** |
| DAY | 1967 | 16.0 | 10.0 | 31.0 | 10.0 | 10.0 | 10.0 | 10.0 | 9.0 | 10.0 | 10.0 | 14.0 | 27.0 | **2,943.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.2 | 0.3 | 0.5 | 0.2 | 0.3 | 0.2 | 0.0 | 0.2 | 0.0 | 0.0 | **244.6** |
| OIL | 1967 | 6.8 | 5.7 | 5.2 | 6.0 | 7.5 | 3.0 | 4.9 | 3.8 | 4.6 | 5.6 | 22.9 | 20.8 | **3,468.3** |
| DAY | 1966 | 11.0 | 8.0 | 11.0 | 10.0 | 15.0 | 9.0 | 19.0 | 10.0 | 14.0 | 10.0 | 12.0 | 12.0 | **2,776.0** |
| H2O | 1966 | 0.8 | 0.5 | 0.3 | 0.0 | 0.5 | 0.3 | 0.3 | 0.3 | 0.3 | 0.2 | 0.5 | 0.3 | **242.7** |
| OIL | 1966 | 5.2 | 4.5 | 2.4 | 1.3 | 11.4 | 7.2 | 7.6 | 5.1 | 5.9 | 4.3 | 6.7 | 3.8 | **3,371.5** |
| DAY | 1965 | 13.0 | 11.0 | 16.0 | 15.0 | 13.0 | 12.0 | 9.0 | 11.0 | 11.0 | 12.0 | 15.0 | 12.0 | **2,635.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.4 | 1.1 | 2.1 | 0.6 | 1.0 | 1.1 | 1.6 | **238.4** |
| OIL | 1965 | 4.6 | 2.5 | 11.3 | 8.7 | 5.2 | 7.5 | 4.9 | 7.0 | 6.4 | 4.8 | 4.9 | 9.1 | **3,306.1** |
| DAY | 1964 | 10.0 | 10.0 | 0.0 | 30.0 | 0.0 | 14.0 | 3.0 | 10.0 | 8.0 | 9.0 | 10.0 | 11.0 | **2,485.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 1.6 | 0.0 | 1.0 | 0.0 | 0.0 | **228.5** |
| OIL | 1964 | 10.0 | 7.6 | 11.8 | 10.3 | 0.0 | 8.7 | 2.2 | 1.6 | 1.3 | 8.4 | 1.3 | 1.6 | **3,229.2** |
| DAY | 1963 | 11.0 | 12.0 | 8.0 | 11.0 | 4.0 | 11.0 | 11.0 | 12.0 | 13.0 | 10.0 | 10.0 | 8.0 | **2,370.0** |
| H2O | 1963 | 3.2 | 2.9 | 1.9 | 3.2 | 1.3 | 1.6 | 0.8 | 0.5 | 0.8 | 1.1 | 0.0 | 0.0 | **225.7** |
| OIL | 1963 | 14.0 | 12.6 | 8.9 | 14.5 | 5.4 | 14.1 | 6.2 | 6.5 | 5.1 | 7.3 | 6.4 | 4.8 | **3,164.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 1.0 | 0.0 | 16.0 | 11.0 | 6.0 | 9.0 | 10.0 | 13.0 | 9.0 | **2,249.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 0.5 | 0.3 | 1.1 | 1.4 | **208.4** |
| OIL | 1962 | 17.3 | 16.5 | 16.2 | 0.6 | 0.0 | 2.9 | 6.4 | 2.5 | 7.9 | 5.6 | 7.6 | 11.3 | **3,058.6** |
| DAY | 1961 | 31.0 | 13.0 | 17.0 | 6.0 | 9.0 | 15.0 | 23.0 | 14.0 | 14.0 | 16.0 | 15.0 | 15.0 | **2,084.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 0.0 | 4.8 | 7.8 | 6.4 | 0.0 | **203.8** |
| OIL | 1961 | 7.8 | 10.5 | 11.4 | 6.4 | 7.6 | 17.8 | 25.4 | 7.9 | 9.5 | 12.7 | 11.9 | 9.2 | **2,963.8** |

# Manitoba Production
## 1950 To 1975

Licence ***469*** Well Name ***Chevron Whitewater*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-17-003-21W1.00*** Field Name ***Whitewater*** Pool Name ***Lodgepole WL A*** Field Code ***6*** Pool Code ***52A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 31.0 | 10.0 | 31.0 | 16.0 | 13.0 | 30.0 | 28.0 | 31.0 | 30.0 | 25.0 | 28.0 | 30.0 | **1,896.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.3 | 3.8 | 1.7 | 4.9 | 4.3 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | **183.2** |
| OIL | 1960 | 17.6 | 5.2 | 21.1 | 9.1 | 10.2 | 18.4 | 16.7 | 17.8 | 11.6 | 9.5 | 7.2 | 7.6 | **2,825.7** |
| DAY | 1959 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 16.0 | 29.0 | 31.0 | **1,593.0** |
| H2O | 1959 | 1.3 | 0.0 | 2.1 | 1.6 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **164.2** |
| OIL | 1959 | 23.1 | 23.7 | 24.0 | 22.3 | 20.7 | 19.4 | 23.5 | 18.1 | 17.8 | 8.9 | 17.6 | 16.5 | **2,673.7** |
| DAY | 1958 | 29.0 | 24.0 | 29.0 | 28.0 | 30.0 | 30.0 | 29.0 | 28.0 | 29.0 | 17.0 | 29.0 | 31.0 | **1,246.0** |
| H2O | 1958 | 2.2 | 2.4 | 4.3 | 3.2 | 5.6 | 2.7 | 2.9 | 3.0 | 2.4 | 1.4 | 2.7 | 2.2 | **157.0** |
| OIL | 1958 | 34.5 | 30.2 | 31.3 | 30.4 | 32.0 | 29.9 | 30.5 | 29.6 | 30.8 | 13.2 | 30.5 | 31.0 | **2,438.1** |
| DAY | 1957 | 15.0 | 12.0 | 15.0 | 19.0 | 12.0 | 29.0 | 30.0 | 26.0 | 30.0 | 31.0 | 28.0 | 26.0 | **913.0** |
| H2O | 1957 | 0.0 | 0.0 | 8.1 | 3.0 | 2.7 | 0.0 | 8.1 | 3.7 | 2.9 | 3.0 | 1.1 | 1.6 | **122.0** |
| OIL | 1957 | 28.0 | 26.2 | 25.3 | 41.7 | 20.8 | 51.5 | 34.7 | 34.2 | 39.6 | 40.2 | 38.8 | 35.9 | **2,084.2** |
| DAY | 1956 | 30.0 | 25.0 | 31.0 | 30.0 | 27.0 | 30.0 | 11.0 | 10.0 | 11.0 | 16.0 | 15.0 | 17.0 | **640.0** |
| H2O | 1956 | 2.5 | 2.1 | 1.9 | 2.2 | 1.9 | 1.7 | 3.5 | 2.1 | 4.3 | 4.3 | 0.0 | 0.0 | **87.8** |
| OIL | 1956 | 63.3 | 48.3 | 44.8 | 51.5 | 46.1 | 44.5 | 36.7 | 33.9 | 32.6 | 32.0 | 33.5 | 39.0 | **1,667.3** |
| DAY | 1955 | 25.0 | 27.0 | 31.0 | 22.0 | 0.0 | 15.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 23.0 | **387.0** |
| H2O | 1955 | 5.6 | 7.5 | 3.5 | 2.4 | 0.0 | 2.4 | 3.8 | 3.2 | 3.0 | 2.4 | 2.4 | 3.5 | **61.3** |
| OIL | 1955 | 83.8 | 75.7 | 82.4 | 56.8 | 0.0 | 58.6 | 90.8 | 76.6 | 72.2 | 58.7 | 56.4 | 42.3 | **1,161.1** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 3.0 | 17.0 | 30.0 | 30.0 | **93.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 0.1 | 7.5 | 6.4 | 5.6 | **21.6** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 66.5 | 12.8 | 73.8 | 135.0 | 118.7 | **406.8** |

Licence ***470*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,304.0** |
| H2O | 1975 | 5.1 | 4.6 | 5.4 | 5.2 | 5.7 | 5.1 | 4.9 | 5.4 | 4.8 | 0.0 | 0.0 | 0.0 | **34,419.8** |
| OIL | 1975 | 36.9 | 33.5 | 37.2 | 34.6 | 36.4 | 34.2 | 34.6 | 36.4 | 37.0 | 27.3 | 27.5 | 28.4 | **11,101.5** |
| DAY | 1974 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,940.0** |
| H2O | 1974 | 5.1 | 4.8 | 5.9 | 5.2 | 5.7 | 6.2 | 5.2 | 5.2 | 5.2 | 5.4 | 4.6 | 5.2 | **34,373.6** |
| OIL | 1974 | 31.1 | 32.9 | 36.5 | 35.1 | 35.8 | 34.8 | 37.3 | 37.3 | 35.0 | 36.4 | 34.3 | 36.5 | **10,697.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,577.0** |
| H2O | 1973 | 8.7 | 7.8 | 9.1 | 9.1 | 4.8 | 4.8 | 4.4 | 4.6 | 4.6 | 4.6 | 4.4 | 5.2 | **34,309.9** |
| OIL | 1973 | 18.8 | 16.7 | 18.6 | 18.6 | 35.9 | 34.6 | 37.2 | 35.8 | 34.5 | 34.8 | 33.2 | 32.3 | **10,274.5** |
| DAY | 1972 | 31.0 | 6.0 | 7.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,212.0** |
| H2O | 1972 | 60.9 | 12.4 | 14.0 | 49.7 | 53.7 | 49.4 | 50.1 | 152.3 | 146.0 | 21.1 | 7.8 | 7.2 | **34,237.8** |
| OIL | 1972 | 46.7 | 9.1 | 10.8 | 44.5 | 46.4 | 45.1 | 45.8 | 35.1 | 34.8 | 4.4 | 18.8 | 19.1 | **9,923.5** |
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 29.0 | 31.0 | **5,893.0** |
| H2O | 1971 | 55.0 | 54.5 | 55.9 | 60.2 | 63.1 | 52.0 | 55.0 | 60.7 | 54.2 | 54.0 | 52.3 | 56.6 | **33,613.2** |
| OIL | 1971 | 47.2 | 42.6 | 45.4 | 45.3 | 45.6 | 44.0 | 46.9 | 46.1 | 43.7 | 41.5 | 42.1 | 47.2 | **9,562.9** |
| DAY | 1970 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 28.0 | 28.0 | 31.0 | 29.0 | 31.0 | **5,533.0** |
| H2O | 1970 | 74.2 | 78.7 | 96.2 | 86.8 | 91.6 | 22.3 | 21.5 | 18.1 | 21.0 | 58.7 | 48.3 | 46.4 | **32,939.7** |
| OIL | 1970 | 24.5 | 24.3 | 26.9 | 26.2 | 27.5 | 24.5 | 26.7 | 23.2 | 24.3 | 45.3 | 42.4 | 46.6 | **9,025.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,178.0** |
| H2O | 1969 | 117.8 | 96.3 | 117.2 | 102.2 | 125.4 | 94.9 | 100.2 | 90.8 | 86.8 | 91.6 | 86.6 | 92.8 | **32,275.9** |
| OIL | 1969 | 59.4 | 51.2 | 57.7 | 52.1 | 58.0 | 26.7 | 27.3 | 27.2 | 25.6 | 26.9 | 24.9 | 27.5 | **8,662.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,816.0** |
| H2O | 1968 | 147.5 | 147.5 | 171.7 | 183.0 | 175.2 | 154.8 | 164.4 | 115.9 | 97.8 | 110.0 | 109.4 | 118.3 | **31,073.3** |
| OIL | 1968 | 13.5 | 12.1 | 13.7 | 14.5 | 14.3 | 13.7 | 14.3 | 59.9 | 55.3 | 58.3 | 56.9 | 59.8 | **8,198.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 30.0 | 24.0 | 31.0 | 30.0 | 31.0 | **4,450.0** |
| H2O | 1967 | 172.5 | 156.6 | 173.9 | 166.9 | 114.5 | 131.5 | 136.9 | 148.2 | 124.0 | 151.3 | 156.3 | 158.0 | **29,377.8** |

# Manitoba Production
## 1950 To 1975

Licence ***470*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1967 | 37.5 | 34.2 | 35.0 | 35.9 | 37.5 | 11.8 | 13.3 | 13.0 | 10.8 | 13.8 | 13.8 | 13.8 | **7,812.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,095.0** |
| H2O | 1966 | 147.9 | 133.5 | 153.1 | 155.0 | 147.9 | 163.7 | 174.9 | 172.5 | 177.9 | 187.3 | 182.5 | 172.5 | **27,587.2** |
| OIL | 1966 | 36.1 | 32.9 | 37.3 | 38.6 | 41.5 | 39.6 | 41.3 | 42.0 | 41.2 | 42.6 | 38.5 | 41.2 | **7,541.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,730.0** |
| H2O | 1965 | 172.5 | 166.1 | 197.1 | 156.6 | 115.3 | 104.6 | 101.7 | 100.5 | 108.6 | 145.3 | 143.1 | 147.9 | **25,618.5** |
| OIL | 1965 | 37.8 | 37.0 | 42.4 | 36.9 | 33.7 | 31.0 | 34.5 | 37.0 | 35.9 | 38.1 | 35.8 | 36.7 | **7,068.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,365.0** |
| H2O | 1964 | 210.7 | 184.4 | 210.0 | 214.6 | 174.9 | 191.3 | 229.4 | 221.8 | 214.6 | 199.5 | 167.0 | 172.5 | **23,959.2** |
| OIL | 1964 | 32.3 | 24.5 | 26.9 | 25.4 | 24.8 | 30.8 | 32.7 | 30.4 | 34.2 | 37.3 | 38.0 | 36.9 | **6,632.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,000.0** |
| H2O | 1963 | 34.3 | 26.7 | 25.3 | 26.7 | 37.7 | 63.7 | 398.7 | 325.9 | 255.3 | 267.4 | 234.3 | 232.3 | **21,568.5** |
| OIL | 1963 | 25.4 | 26.2 | 28.0 | 26.7 | 27.2 | 18.8 | 0.0 | 72.6 | 69.3 | 60.4 | 57.8 | 43.2 | **6,257.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,641.0** |
| H2O | 1962 | 49.3 | 41.3 | 65.2 | 69.1 | 46.9 | 25.4 | 44.0 | 62.5 | 71.5 | 73.9 | 60.4 | 27.2 | **19,640.2** |
| OIL | 1962 | 34.0 | 44.5 | 63.1 | 53.7 | 28.4 | 24.8 | 24.3 | 26.9 | 27.0 | 29.4 | 30.7 | 26.4 | **5,802.3** |
| DAY | 1961 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 22.0 | 24.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,277.0** |
| H2O | 1961 | 244.1 | 200.4 | 216.3 | 208.4 | 201.2 | 48.6 | 27.7 | 24.6 | 23.8 | 33.7 | 33.2 | 48.6 | **19,003.5** |
| OIL | 1961 | 24.2 | 22.4 | 24.6 | 23.0 | 26.7 | 4.0 | 25.4 | 54.2 | 50.7 | 48.1 | 30.4 | 27.0 | **5,389.1** |
| DAY | 1960 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,931.0** |
| H2O | 1960 | 167.0 | 150.3 | 228.2 | 171.8 | 186.1 | 230.3 | 238.6 | 237.0 | 207.6 | 221.9 | 203.9 | 231.9 | **17,692.9** |
| OIL | 1960 | 28.6 | 24.6 | 22.2 | 18.3 | 23.5 | 23.0 | 22.9 | 24.5 | 22.2 | 24.5 | 23.8 | 24.8 | **5,028.4** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 31.0 | 30.0 | 23.0 | 30.0 | 31.0 | **1,571.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 153.8 | 309.3 | 332.2 | 318.6 | 185.2 | 218.6 | 182.1 | **15,218.3** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.2 | 25.1 | 27.2 | 19.4 | 25.6 | 29.2 | **4,745.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 11.0 | 0.0 | 0.0 | 0.0 | **1,395.0** |
| H2O | 1958 | 389.5 | 333.9 | 397.4 | 381.6 | 349.8 | 318.0 | 286.2 | 318.0 | 111.3 | 0.0 | 0.0 | 0.0 | **13,518.5** |
| OIL | 1958 | 73.4 | 65.3 | 73.9 | 70.9 | 73.4 | 68.6 | 45.1 | 34.3 | 10.3 | 0.0 | 0.0 | 0.0 | **4,601.8** |
| DAY | 1957 | 12.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | **1,144.0** |
| H2O | 1957 | 139.9 | 437.2 | 512.7 | 459.8 | 527.8 | 547.7 | 569.9 | 570.7 | 548.5 | 624.8 | 391.9 | 389.7 | **10,632.8** |
| OIL | 1957 | 70.7 | 127.4 | 107.4 | 88.4 | 93.8 | 72.0 | 71.8 | 72.9 | 67.5 | 73.7 | 60.4 | 73.1 | **4,086.6** |
| DAY | 1956 | 2.0 | 29.0 | 30.0 | 28.0 | 31.0 | 30.0 | 19.0 | 29.0 | 30.0 | 31.0 | 13.0 | 26.0 | **803.0** |
| H2O | 1956 | 1.6 | 251.2 | 464.1 | 434.8 | 532.1 | 518.2 | 428.5 | 457.9 | 446.9 | 476.9 | 190.8 | 479.5 | **4,912.2** |
| OIL | 1956 | 4.0 | 83.6 | 98.2 | 75.8 | 95.3 | 93.4 | 59.4 | 162.2 | 156.5 | 138.7 | 41.0 | 61.2 | **3,107.5** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 25.0 | 28.0 | 16.0 | **505.0** |
| H2O | 1955 | 6.0 | 0.0 | 0.0 | 0.5 | 0.6 | 23.8 | 17.5 | 23.8 | 57.2 | 42.9 | 31.8 | 11.9 | **229.7** |
| OIL | 1955 | 66.1 | 64.2 | 81.7 | 76.1 | 69.0 | 73.9 | 93.9 | 103.3 | 278.3 | 204.4 | 58.0 | 58.5 | **2,038.2** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **168.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 7.8 | 2.4 | 1.4 | 0.5 | 1.4 | **13.7** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 112.0 | 245.4 | 162.6 | 138.6 | 80.7 | 71.5 | **810.8** |

Licence ***472*** Well Name ***B.A. Union Woodnorth*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-28-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole C*** Field Code ***1*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 29.0 | 25.0 | 29.0 | 28.0 | 22.0 | 15.0 | 6.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **975.0** |
| H2O | 1958 | 254.2 | 221.6 | 256.1 | 213.4 | 231.5 | 252.0 | 156.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,583.6** |
| OIL | 1958 | 37.5 | 31.9 | 35.6 | 19.2 | 27.5 | 8.9 | 5.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,248.0** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 29.0 | 29.0 | 29.0 | **821.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 202.2 | 264.9 | 254.4 | 254.5 | **998.3** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 76.0 | 39.9 | 36.7 | 36.7 | **6,081.5** |
| DAY | 1956 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 10.0 | 13.0 | 0.0 | 0.0 | **708.0** |

# Manitoba Production
## 1950 To 1975

Licence ***472*** Well Name ***B.A. Union Woodnorth*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-28-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole C*** Field Code ***1*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1956 | 1.0 | 1.0 | 1.3 | 1.3 | 1.1 | 1.6 | 1.1 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | **22.3** |
| OIL | 1956 | 238.7 | 248.2 | 265.4 | 254.3 | 263.6 | 253.6 | 256.3 | 251.4 | 78.0 | 8.1 | 0.0 | 0.0 | **5,892.2** |
| DAY | 1955 | 31.0 | 28.0 | 27.0 | 3.0 | 0.0 | 19.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | **443.0** |
| H2O | 1955 | 0.5 | 0.8 | 0.3 | 0.0 | 0.0 | 1.9 | 2.9 | 1.1 | 0.5 | 0.5 | 0.6 | 0.6 | **13.6** |
| OIL | 1955 | 274.1 | 257.6 | 262.5 | 21.6 | 0.0 | 161.6 | 262.2 | 262.5 | 255.4 | 263.0 | 256.6 | 214.1 | **3,774.6** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 28.0 | 27.0 | 23.0 | 23.0 | 29.0 | **157.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 0.5 | 0.3 | 1.4 | 0.3 | 0.8 | **3.9** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 340.9 | 235.2 | 151.9 | 149.2 | 141.9 | 264.3 | **1,283.4** |

Licence ***473*** Well Name ***Sun N.S. Gerrand Scallion SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-03-011-26W1.02*** Field Name ***Virden*** Pool Name ***Birdbear*** Field Code ***5*** Pool Code ***71*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1962 | 1131.5 | 453.1 | 396.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **190,786.8** |
| WIN | 1961 | 2545.2 | 2574.2 | 2373.8 | 1114.4 | 1594.7 | 1930.4 | 1378.8 | 606.1 | 808.4 | 1216.0 | 969.7 | 704.6 | **188,805.4** |
| WIN | 1960 | 981.0 | 616.2 | 770.3 | 251.4 | 890.1 | 1257.8 | 1466.3 | 1670.1 | 1490.0 | 1531.0 | 1897.4 | 1697.0 | **170,989.1** |
| WIN | 1959 | 1692.5 | 914.1 | 960.4 | 1175.6 | 1163.9 | 1410.9 | 1508.4 | 1412.7 | 1444.8 | 1097.7 | 1330.2 | 984.8 | **156,470.5** |
| WIN | 1958 | 2405.5 | 2236.3 | 1882.0 | 319.6 | 1434.0 | 1504.6 | 1104.6 | 1027.1 | 1103.9 | 1126.0 | 1160.7 | 899.6 | **141,374.5** |
| WIN | 1957 | 3815.7 | 3744.3 | 2755.9 | 1520.3 | 3388.0 | 3825.3 | 6280.7 | 6224.9 | 6629.2 | 6989.0 | 5047.2 | 2586.7 | **125,170.6** |
| WIN | 1956 | 6100.0 | 5339.9 | 5106.3 | 658.7 | 3054.5 | 3908.1 | 3943.7 | 4301.8 | 3488.4 | 3594.7 | 3994.5 | 4364.6 | **72,363.4** |
| WIN | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 647.1 | 842.4 | 634.5 | 2925.9 | 3867.2 | 5512.0 | 4644.8 | 5434.3 | **24,508.2** |

Licence ***475*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-29-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 18.0 | 29.0 | 31.0 | 30.0 | 31.0 | 24.0 | 18.0 | 8.0 | 4.0 | 31.0 | 4.0 | 0.0 | **4,151.0** |
| H2O | 1968 | 1114.9 | 1817.8 | 2193.3 | 2056.1 | 2004.9 | 1539.4 | 1204.1 | 509.1 | 261.2 | 2031.0 | 283.1 | 0.0 | **234,417.1** |
| OIL | 1968 | 21.5 | 34.5 | 38.5 | 33.7 | 32.7 | 24.2 | 18.9 | 8.4 | 4.0 | 30.5 | 4.6 | 0.0 | **15,879.2** |
| DAY | 1967 | 17.0 | 0.0 | 5.0 | 8.0 | 0.0 | 0.0 | 3.0 | 0.0 | 9.0 | 0.0 | 14.0 | 31.0 | **3,923.0** |
| H2O | 1967 | 1066.0 | 0.0 | 313.7 | 495.2 | 0.0 | 0.0 | 138.2 | 0.0 | 420.3 | 0.0 | 609.5 | 2161.5 | **219,402.2** |
| OIL | 1967 | 16.7 | 0.0 | 4.9 | 8.1 | 0.0 | 0.0 | 3.3 | 0.0 | 6.4 | 0.0 | 14.6 | 44.0 | **15,627.7** |
| DAY | 1966 | 0.0 | 28.0 | 31.0 | 22.0 | 12.0 | 24.0 | 23.0 | 31.0 | 26.0 | 31.0 | 28.0 | 24.0 | **3,836.0** |
| H2O | 1966 | 0.0 | 1716.2 | 1151.5 | 1369.3 | 735.8 | 1425.7 | 1155.6 | 1233.8 | 982.7 | 2319.8 | 1870.1 | 1538.1 | **214,197.8** |
| OIL | 1966 | 0.0 | 26.1 | 27.3 | 35.3 | 21.8 | 43.7 | 32.3 | 88.2 | 66.1 | 34.0 | 36.1 | 30.2 | **15,529.7** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 17.0 | 11.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,556.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 1130.5 | 737.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **198,699.2** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 34.0 | 22.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **15,088.6** |
| DAY | 1964 | 31.0 | 29.0 | 23.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 27.0 | 16.0 | 0.0 | 0.0 | **3,528.0** |
| H2O | 1964 | 2153.7 | 2042.4 | 1430.3 | 2021.9 | 2150.4 | 2545.3 | 2666.4 | 2699.5 | 2337.2 | 1117.2 | 0.0 | 0.0 | **196,831.0** |
| OIL | 1964 | 50.4 | 46.4 | 34.0 | 43.1 | 47.8 | 55.6 | 57.2 | 59.3 | 52.4 | 27.8 | 0.0 | 0.0 | **15,032.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 27.0 | 27.0 | 26.0 | 25.0 | 31.0 | 30.0 | 31.0 | **3,253.0** |
| H2O | 1963 | 2450.2 | 2160.9 | 2394.1 | 2139.6 | 2109.3 | 1766.7 | 1725.4 | 1830.2 | 1947.0 | 2501.1 | 1886.1 | 2135.3 | **175,666.7** |
| OIL | 1963 | 58.3 | 54.2 | 57.8 | 50.1 | 66.3 | 49.1 | 49.3 | 38.9 | 43.5 | 53.1 | 45.1 | 53.4 | **14,558.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,907.0** |
| H2O | 1962 | 2176.9 | 1929.5 | 2216.8 | 2054.0 | 2333.5 | 2233.2 | 2312.0 | 2003.6 | 2246.2 | 2276.9 | 2305.8 | 2442.9 | **150,620.8** |
| OIL | 1962 | 59.3 | 54.3 | 62.9 | 55.1 | 72.9 | 72.9 | 68.3 | 59.0 | 62.8 | 63.4 | 60.1 | 64.7 | **13,939.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,545.0** |
| H2O | 1961 | 2378.8 | 2187.6 | 2419.7 | 2367.2 | 2447.7 | 2324.0 | 2397.9 | 1844.2 | 2249.4 | 2284.9 | 2214.3 | 2347.3 | **124,089.5** |
| OIL | 1961 | 70.9 | 64.7 | 68.5 | 65.3 | 67.4 | 64.4 | 70.4 | 58.2 | 68.2 | 63.6 | 59.9 | 60.7 | **13,183.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | 31.0 | **2,184.0** |
| H2O | 1960 | 2413.0 | 2174.7 | 2338.4 | 2262.9 | 2338.4 | 2262.9 | 2338.4 | 2262.9 | 2224.8 | 2037.0 | 2141.0 | 2362.3 | **96,626.5** |
| OIL | 1960 | 104.6 | 89.8 | 92.3 | 89.1 | 102.7 | 93.1 | 92.5 | 95.8 | 75.2 | 69.3 | 72.8 | 76.6 | **12,401.4** |

# Manitoba Production
## 1950 To 1975

Licence ***475*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-29-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1959 | 26.0 | 28.0 | 31.0 | 30.0 | 29.0 | 25.0 | 28.0 | 29.0 | 30.0 | 26.0 | 30.0 | 31.0 | **1,822.0** |
| H2O | 1959 | 1900.9 | 2127.2 | 2381.0 | 2372.9 | 2235.7 | 1919.5 | 2103.8 | 2336.1 | 2260.7 | 1934.2 | 2241.9 | 2336.1 | **69,469.8** |
| OIL | 1959 | 108.9 | 128.7 | 114.3 | 112.3 | 103.3 | 98.8 | 109.5 | 117.9 | 109.0 | 88.4 | 103.6 | 111.2 | **11,347.6** |
| DAY | 1958 | 31.0 | 28.0 | 24.0 | 30.0 | 27.0 | 30.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,479.0** |
| H2O | 1958 | 1684.9 | 1664.2 | 1415.6 | 1875.3 | 1661.2 | 2273.1 | 2358.9 | 2358.9 | 2277.2 | 2424.8 | 2386.8 | 2441.3 | **43,319.8** |
| OIL | 1958 | 181.0 | 163.4 | 112.2 | 141.7 | 122.2 | 164.2 | 142.5 | 149.5 | 136.0 | 148.1 | 135.1 | 137.5 | **10,041.7** |
| DAY | 1957 | 16.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 29.0 | 29.0 | 31.0 | **1,129.0** |
| H2O | 1957 | 443.1 | 464.9 | 473.8 | 497.8 | 465.8 | 416.4 | 839.9 | 1222.2 | 1260.1 | 1434.5 | 1458.8 | 1662.8 | **18,497.6** |
| OIL | 1957 | 82.8 | 171.0 | 180.8 | 137.9 | 147.2 | 114.9 | 197.2 | 187.0 | 208.0 | 173.8 | 162.6 | 177.5 | **8,308.3** |
| DAY | 1956 | 31.0 | 26.0 | 31.0 | 28.0 | 30.0 | 28.0 | 30.0 | 27.0 | 30.0 | 31.0 | 20.0 | 0.0 | **784.0** |
| H2O | 1956 | 325.6 | 299.0 | 376.5 | 405.1 | 456.7 | 364.1 | 465.5 | 340.9 | 398.1 | 358.3 | 247.8 | 0.0 | **7,857.5** |
| OIL | 1956 | 176.5 | 141.7 | 178.6 | 161.8 | 134.3 | 169.1 | 188.5 | 168.8 | 173.5 | 161.6 | 109.3 | 0.0 | **6,367.6** |
| DAY | 1955 | 30.0 | 27.0 | 31.0 | 23.0 | 31.0 | 29.0 | 26.0 | 31.0 | 29.0 | 31.0 | 29.0 | 28.0 | **472.0** |
| H2O | 1955 | 144.7 | 160.1 | 204.1 | 117.6 | 163.3 | 290.5 | 89.3 | 355.2 | 373.3 | 406.8 | 349.0 | 311.9 | **3,819.9** |
| OIL | 1955 | 289.5 | 209.4 | 204.0 | 117.6 | 163.2 | 237.6 | 208.5 | 233.0 | 204.7 | 209.8 | 168.0 | 148.1 | **4,603.9** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 23.0 | 8.0 | 21.0 | 22.0 | 30.0 | **127.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 1.1 | 0.5 | 5.9 | 44.4 | 801.6 | **854.1** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 475.8 | 528.1 | 150.6 | 373.3 | 305.6 | 377.1 | **2,210.5** |

Licence ***476*** Well Name ***CEGO Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-24-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | 4.0 | 14.0 | 0.0 | **1,069.0** |
| H2O | 1958 | 252.8 | 111.3 | 71.5 | 64.1 | 70.1 | 61.2 | 63.3 | 62.0 | 49.6 | 14.3 | 28.7 | 0.0 | **7,987.6** |
| OIL | 1958 | 17.5 | 10.6 | 17.6 | 11.0 | 9.5 | 5.1 | 5.9 | 3.2 | 4.1 | 0.3 | 1.3 | 0.0 | **1,181.2** |
| DAY | 1957 | 16.0 | 24.0 | 29.0 | 18.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | **786.0** |
| H2O | 1957 | 240.2 | 384.4 | 445.6 | 286.7 | 484.9 | 314.8 | 427.7 | 426.1 | 376.8 | 360.1 | 297.3 | 240.1 | **7,138.7** |
| OIL | 1957 | 30.2 | 43.5 | 46.7 | 36.1 | 47.0 | 46.2 | 32.3 | 34.0 | 27.8 | 29.4 | 26.1 | 17.2 | **1,095.1** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 7.0 | 0.0 | 0.0 | 19.0 | 31.0 | 28.0 | 31.0 | 24.0 | 7.0 | **462.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 70.3 | 0.0 | 0.0 | 216.7 | 403.4 | 428.6 | 473.2 | 368.4 | 112.4 | **2,854.0** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 17.2 | 0.0 | 0.0 | 25.3 | 49.9 | 81.0 | 80.6 | 54.7 | 17.2 | **678.6** |
| DAY | 1955 | 18.0 | 15.0 | 13.0 | 19.0 | 26.0 | 21.0 | 23.0 | 20.0 | 18.0 | 15.0 | 0.0 | 0.0 | **315.0** |
| H2O | 1955 | 20.5 | 7.2 | 7.8 | 9.5 | 11.1 | 4.1 | 37.8 | 243.9 | 198.1 | 174.4 | 0.0 | 0.0 | **781.0** |
| OIL | 1955 | 2.2 | 12.4 | 17.0 | 17.3 | 9.4 | 14.8 | 11.0 | 17.6 | 25.6 | 24.3 | 0.0 | 0.0 | **352.7** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 26.0 | 23.0 | 15.0 | 26.0 | 14.0 | **127.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.8 | 13.8 | 18.8 | 14.6 | 5.6 | **66.6** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 64.8 | 45.9 | 35.6 | 11.1 | 26.1 | 17.6 | **201.1** |

Licence ***477*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-24-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,641.0** |
| H2O | 1975 | 31.8 | 28.5 | 33.7 | 31.2 | 35.9 | 27.7 | 29.7 | 33.1 | 29.9 | 28.1 | 26.9 | 27.5 | **6,622.6** |
| OIL | 1975 | 31.9 | 29.1 | 32.4 | 29.4 | 31.8 | 26.1 | 29.2 | 31.9 | 28.1 | 28.3 | 27.7 | 28.4 | **9,350.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,279.0** |
| H2O | 1974 | 34.2 | 29.6 | 96.3 | 86.8 | 47.9 | 39.3 | 0.0 | 30.2 | 32.4 | 33.4 | 29.1 | 32.1 | **6,258.6** |
| OIL | 1974 | 37.8 | 37.7 | 42.1 | 40.2 | 35.9 | 30.5 | 0.0 | 30.4 | 30.7 | 31.8 | 29.9 | 31.8 | **8,996.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,947.0** |
| H2O | 1973 | 62.0 | 36.7 | 36.9 | 37.0 | 44.0 | 55.0 | 54.8 | 57.2 | 33.7 | 30.4 | 28.1 | 33.1 | **5,767.3** |
| OIL | 1973 | 79.1 | 37.3 | 46.1 | 42.0 | 58.8 | 48.3 | 60.7 | 45.0 | 34.5 | 40.5 | 38.3 | 37.2 | **8,617.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 20.0 | 30.0 | 31.0 | **6,582.0** |

# Manitoba Production
# 1950 To 1975

Licence ***477*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-24-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1972 | 23.7 | 23.8 | 24.0 | 15.7 | 32.9 | 30.2 | 23.2 | 21.8 | 21.0 | 59.1 | 56.0 | 51.7 | **5,258.4** |
| OIL | 1972 | 46.6 | 45.0 | 47.4 | 30.8 | 42.3 | 40.8 | 31.8 | 40.4 | 40.0 | 65.2 | 78.3 | 79.6 | **8,049.4** |
| DAY | 1971 | 31.0 | 22.0 | 16.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,227.0** |
| H2O | 1971 | 13.4 | 9.9 | 6.8 | 37.0 | 34.0 | 77.3 | 84.4 | 42.6 | 38.5 | 23.4 | 20.2 | 21.9 | **4,875.3** |
| OIL | 1971 | 42.7 | 29.2 | 21.1 | 35.9 | 45.4 | 42.7 | 46.9 | 41.8 | 39.9 | 45.9 | 42.1 | 47.0 | **7,461.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,884.0** |
| H2O | 1970 | 26.2 | 25.0 | 20.5 | 17.0 | 28.9 | 32.4 | 28.6 | 27.8 | 31.0 | 0.0 | 0.0 | 11.1 | **4,465.9** |
| OIL | 1970 | 50.4 | 44.8 | 45.1 | 40.2 | 45.9 | 38.8 | 39.3 | 39.3 | 39.6 | 45.3 | 44.2 | 42.4 | **6,980.6** |
| DAY | 1969 | 31.0 | 21.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,521.0** |
| H2O | 1969 | 44.7 | 27.5 | 38.5 | 33.9 | 36.4 | 39.6 | 42.0 | 38.0 | 27.5 | 28.9 | 27.5 | 29.4 | **4,217.4** |
| OIL | 1969 | 41.8 | 27.0 | 35.0 | 46.4 | 45.1 | 44.8 | 45.8 | 45.6 | 38.9 | 41.0 | 46.1 | 50.5 | **6,465.3** |
| DAY | 1968 | 29.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,167.0** |
| H2O | 1968 | 19.6 | 21.3 | 22.9 | 26.2 | 43.4 | 40.7 | 42.8 | 44.0 | 39.1 | 41.8 | 41.5 | 45.0 | **3,803.5** |
| OIL | 1968 | 33.7 | 32.9 | 34.0 | 38.6 | 39.7 | 40.2 | 41.8 | 55.3 | 54.2 | 53.9 | 40.2 | 42.1 | **5,957.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 18.0 | 21.0 | 31.0 | **4,806.0** |
| H2O | 1967 | 100.6 | 85.7 | 97.1 | 37.4 | 262.3 | 40.7 | 31.6 | 35.0 | 35.9 | 19.9 | 15.6 | 22.7 | **3,375.2** |
| OIL | 1967 | 59.4 | 51.6 | 58.2 | 34.8 | 41.8 | 32.4 | 42.6 | 42.0 | 42.7 | 24.8 | 25.4 | 37.5 | **5,450.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 23.0 | 16.0 | 27.0 | 30.0 | 31.0 | 30.0 | 30.0 | **4,463.0** |
| H2O | 1966 | 3.3 | 3.2 | 3.2 | 10.2 | 23.2 | 17.5 | 11.1 | 21.9 | 123.8 | 105.4 | 111.6 | 98.9 | **2,590.7** |
| OIL | 1966 | 10.8 | 9.5 | 12.2 | 18.9 | 24.6 | 16.2 | 10.8 | 18.0 | 64.0 | 59.6 | 60.9 | 56.9 | **4,957.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,125.0** |
| H2O | 1965 | 3.3 | 2.4 | 2.9 | 3.2 | 3.0 | 2.7 | 1.9 | 3.2 | 2.2 | 2.5 | 2.4 | 2.7 | **2,057.4** |
| OIL | 1965 | 6.4 | 5.2 | 5.9 | 6.4 | 7.0 | 6.2 | 6.7 | 6.5 | 6.5 | 6.7 | 7.0 | 8.4 | **4,595.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,762.0** |
| H2O | 1964 | 18.3 | 17.0 | 18.6 | 18.1 | 21.0 | 14.3 | 14.9 | 14.1 | 3.2 | 3.5 | 3.2 | 3.2 | **2,025.0** |
| OIL | 1964 | 16.7 | 16.4 | 17.3 | 15.7 | 16.5 | 5.9 | 6.4 | 6.8 | 6.5 | 6.8 | 6.0 | 6.5 | **4,516.2** |
| DAY | 1963 | 22.0 | 28.0 | 10.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,396.0** |
| H2O | 1963 | 42.9 | 57.2 | 20.5 | 70.0 | 17.6 | 19.7 | 20.7 | 18.9 | 18.4 | 18.9 | 17.2 | 19.1 | **1,875.6** |
| OIL | 1963 | 60.4 | 82.2 | 28.4 | 79.9 | 14.5 | 14.1 | 15.9 | 14.3 | 17.3 | 17.8 | 14.6 | 17.6 | **4,388.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,061.0** |
| H2O | 1962 | 65.5 | 57.7 | 66.1 | 61.5 | 65.7 | 62.0 | 65.7 | 57.7 | 57.7 | 65.5 | 79.0 | 59.9 | **1,534.5** |
| OIL | 1962 | 79.5 | 72.0 | 81.2 | 75.8 | 79.9 | 78.5 | 82.0 | 76.4 | 74.1 | 68.3 | 83.4 | 77.9 | **4,011.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,698.0** |
| H2O | 1961 | 2.1 | 1.4 | 2.1 | 1.6 | 1.9 | 0.0 | 75.8 | 81.2 | 72.2 | 74.2 | 71.9 | 72.3 | **770.5** |
| OIL | 1961 | 2.9 | 2.5 | 2.7 | 2.7 | 3.0 | 60.9 | 95.2 | 88.4 | 86.3 | 81.0 | 82.5 | 85.0 | **3,082.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,339.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 2.1 | 20.3 | 2.1 | 1.9 | **313.8** |
| OIL | 1960 | 20.2 | 18.8 | 19.7 | 19.1 | 21.3 | 20.5 | 23.4 | 4.0 | 3.5 | 3.5 | 3.2 | 3.0 | **2,489.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | **1,973.0** |
| OIL | 1959 | 25.3 | 21.1 | 22.4 | 21.6 | 22.2 | 27.0 | 26.9 | 27.3 | 21.6 | 20.3 | 20.2 | 20.3 | **2,329.4** |
| DAY | 1958 | 28.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 26.0 | 31.0 | **1,611.0** |
| H2O | 1958 | 0.2 | 0.2 | 0.2 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **285.3** |
| OIL | 1958 | 15.4 | 14.0 | 14.9 | 15.6 | 23.4 | 24.3 | 22.1 | 19.5 | 17.6 | 19.4 | 18.4 | 21.0 | **2,053.2** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,256.0** |
| H2O | 1957 | 11.8 | 14.3 | 14.9 | 0.3 | 0.3 | 9.4 | 8.9 | 10.8 | 0.2 | 0.2 | 0.2 | 0.2 | **284.5** |
| OIL | 1957 | 18.0 | 15.4 | 15.7 | 20.7 | 25.3 | 20.7 | 15.6 | 20.8 | 18.9 | 19.5 | 17.3 | 16.8 | **1,827.6** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **896.0** |
| H2O | 1956 | 8.6 | 7.8 | 8.9 | 8.4 | 3.5 | 2.2 | 3.3 | 2.9 | 11.3 | 13.7 | 13.0 | 10.8 | **213.0** |
| OIL | 1956 | 33.1 | 29.6 | 30.7 | 31.3 | 35.1 | 24.2 | 31.8 | 33.4 | 22.2 | 22.2 | 19.7 | 18.4 | **1,602.9** |
| DAY | 1955 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **532.0** |
| H2O | 1955 | 22.7 | 1.7 | 2.1 | 1.9 | 1.7 | 4.9 | 7.5 | 7.5 | 10.2 | 9.1 | 8.9 | 11.1 | **118.6** |
| OIL | 1955 | 90.9 | 73.3 | 81.2 | 75.2 | 68.5 | 32.4 | 44.5 | 42.0 | 56.7 | 38.0 | 34.3 | 34.3 | **1,271.2** |

# Manitoba Production
## 1950 To 1975

Licence ***477*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-24-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | **168.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 3.7 | 4.0 | 5.9 | 6.8 | 6.8 | **29.3** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 79.9 | 135.9 | 106.0 | 106.5 | 85.3 | 86.3 | **599.9** |

Licence ***478*** Well Name ***Enerplus Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-31-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,257.0** |
| H2O | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2631.0 | 3374.0 | 3149.1 | 2865.9 | 2971.8 | **410,207.1** |
| OIL | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 69.3 | 63.2 | 59.6 | 56.6 | 58.3 | **28,066.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 17.0 | 0.0 | 0.0 | **7,105.0** |
| H2O | 1974 | 2787.6 | 3514.4 | 3303.8 | 4274.2 | 4305.0 | 1975.0 | 1355.1 | 1244.8 | 1815.1 | 429.7 | 0.0 | 0.0 | **395,215.3** |
| OIL | 1974 | 34.5 | 43.7 | 47.5 | 41.8 | 42.1 | 40.4 | 35.8 | 39.4 | 46.6 | 10.0 | 0.0 | 0.0 | **27,759.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 18.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,819.0** |
| H2O | 1973 | 2969.7 | 3253.4 | 3460.7 | 3938.9 | 4187.2 | 2668.8 | 3797.1 | 3351.1 | 3448.0 | 2839.5 | 2443.8 | 2053.2 | **370,210.6** |
| OIL | 1973 | 47.8 | 42.9 | 41.2 | 47.5 | 53.9 | 23.2 | 48.9 | 39.3 | 38.0 | 37.3 | 39.9 | 39.9 | **27,377.4** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,466.0** |
| H2O | 1972 | 3723.3 | 2938.3 | 2963.4 | 3942.2 | 3310.4 | 3013.8 | 2918.9 | 3883.6 | 3985.0 | 3562.7 | 3519.2 | 3717.3 | **331,799.2** |
| OIL | 1972 | 57.0 | 49.4 | 54.2 | 48.1 | 66.9 | 52.1 | 51.0 | 49.3 | 55.0 | 56.7 | 53.4 | 59.3 | **26,877.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 29.0 | 29.0 | 28.0 | 29.0 | 31.0 | **6,107.0** |
| H2O | 1971 | 4431.7 | 4564.6 | 5301.2 | 5169.9 | 5311.2 | 4830.8 | 5184.0 | 4798.5 | 4649.7 | 4368.8 | 3982.6 | 4121.4 | **290,321.1** |
| OIL | 1971 | 110.1 | 92.0 | 97.1 | 100.0 | 80.4 | 69.8 | 60.7 | 52.4 | 63.9 | 54.7 | 58.5 | 59.1 | **26,225.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 28.0 | 26.0 | 30.0 | 27.0 | 30.0 | 25.0 | 29.0 | 28.0 | 31.0 | **5,751.0** |
| H2O | 1970 | 3129.4 | 3216.3 | 3178.2 | 2225.7 | 2882.6 | 4134.1 | 4085.8 | 3760.8 | 3142.1 | 4620.3 | 4311.5 | 4362.7 | **233,606.7** |
| OIL | 1970 | 91.1 | 77.9 | 81.0 | 66.7 | 72.5 | 108.2 | 99.5 | 87.6 | 69.0 | 108.2 | 109.3 | 111.2 | **25,326.5** |
| DAY | 1969 | 31.0 | 24.0 | 29.0 | 26.0 | 31.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 28.0 | 30.0 | **5,407.0** |
| H2O | 1969 | 5047.3 | 3547.5 | 4562.1 | 3666.7 | 5097.5 | 3504.2 | 5030.0 | 4404.1 | 3292.5 | 5200.7 | 3532.9 | 3560.5 | **190,557.2** |
| OIL | 1969 | 140.2 | 100.1 | 125.2 | 101.2 | 127.6 | 105.8 | 121.7 | 119.8 | 98.0 | 108.7 | 90.1 | 88.4 | **24,244.3** |
| DAY | 1968 | 31.0 | 29.0 | 30.0 | 30.0 | 29.0 | 29.0 | 30.0 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | **5,057.0** |
| H2O | 1968 | 2683.3 | 2439.4 | 3521.1 | 3841.0 | 3551.8 | 4828.1 | 5075.0 | 4569.2 | 4409.8 | 5211.7 | 4459.4 | 4923.1 | **140,111.2** |
| OIL | 1968 | 129.0 | 117.0 | 181.6 | 158.1 | 148.7 | 184.7 | 178.9 | 163.2 | 156.8 | 163.7 | 138.7 | 152.7 | **22,917.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,701.0** |
| H2O | 1967 | 1085.2 | 929.7 | 1098.2 | 1022.9 | 1096.3 | 1187.6 | 1188.2 | 944.7 | 2319.0 | 2669.4 | 2545.6 | 2580.9 | **90,598.3** |
| OIL | 1967 | 69.9 | 52.4 | 65.8 | 54.3 | 59.6 | 58.3 | 57.2 | 55.5 | 164.3 | 160.5 | 130.3 | 124.1 | **21,044.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 29.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,340.0** |
| H2O | 1966 | 1021.9 | 917.8 | 1029.2 | 939.3 | 1016.4 | 964.8 | 935.3 | 979.3 | 963.6 | 1052.8 | 1062.6 | 1092.0 | **71,930.6** |
| OIL | 1966 | 71.7 | 63.2 | 73.1 | 65.3 | 80.6 | 85.3 | 89.8 | 86.0 | 81.4 | 61.8 | 62.8 | 44.8 | **19,992.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | **3,983.0** |
| H2O | 1965 | 984.9 | 875.5 | 990.9 | 921.1 | 937.0 | 938.8 | 983.8 | 970.4 | 979.8 | 998.6 | 980.9 | 1004.6 | **59,955.6** |
| OIL | 1965 | 99.2 | 86.6 | 95.0 | 92.5 | 102.8 | 92.6 | 83.0 | 73.7 | 73.9 | 72.0 | 71.2 | 73.1 | **19,126.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | **3,625.0** |
| H2O | 1964 | 494.6 | 458.5 | 473.9 | 460.1 | 475.5 | 455.3 | 447.8 | 451.7 | 773.0 | 966.4 | 939.3 | 1001.3 | **48,389.3** |
| OIL | 1964 | 57.2 | 54.3 | 54.3 | 43.1 | 51.2 | 46.4 | 49.3 | 58.8 | 96.5 | 92.8 | 91.8 | 102.8 | **18,110.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 30.0 | 20.0 | 30.0 | 29.0 | 31.0 | **3,267.0** |
| H2O | 1963 | 540.4 | 496.0 | 554.5 | 476.6 | 464.9 | 479.5 | 465.3 | 459.6 | 326.1 | 477.4 | 456.7 | 486.6 | **40,991.9** |
| OIL | 1963 | 57.4 | 58.5 | 63.6 | 50.2 | 50.4 | 46.1 | 51.0 | 43.7 | 36.2 | 70.9 | 61.2 | 60.1 | **17,312.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,919.0** |
| H2O | 1962 | 495.2 | 449.4 | 489.0 | 489.7 | 521.1 | 505.6 | 518.8 | 556.1 | 510.8 | 538.3 | 546.1 | 560.6 | **35,308.3** |
| OIL | 1962 | 73.9 | 62.6 | 69.9 | 63.9 | 71.2 | 65.3 | 69.3 | 67.1 | 58.3 | 63.7 | 59.0 | 58.6 | **16,663.0** |
| DAY | 1961 | 31.0 | 27.0 | 30.0 | 29.0 | 31.0 | 27.0 | 30.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | **2,559.0** |
| H2O | 1961 | 457.5 | 412.2 | 471.7 | 445.9 | 448.8 | 392.7 | 486.0 | 496.2 | 432.9 | 453.1 | 437.4 | 508.9 | **29,127.6** |

# Manitoba Production
## 1950 To 1975

Licence ***478*** Well Name ***Enerplus Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-31-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1961 | 90.9 | 80.6 | 90.1 | 80.4 | 81.2 | 84.9 | 91.4 | 92.2 | 83.9 | 83.6 | 70.4 | 77.5 | **15,880.2** |
| DAY | 1960 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 27.0 | 23.0 | 26.0 | 27.0 | 30.0 | 28.0 | 31.0 | **2,205.0** |
| H2O | 1960 | 518.4 | 430.0 | 471.4 | 452.9 | 453.1 | 468.2 | 320.8 | 397.1 | 438.1 | 447.1 | 447.5 | 483.5 | **23,684.3** |
| OIL | 1960 | 98.5 | 90.6 | 88.5 | 78.2 | 94.7 | 86.4 | 74.5 | 90.9 | 95.0 | 90.1 | 79.8 | 85.2 | **14,873.1** |
| DAY | 1959 | 31.0 | 28.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,864.0** |
| H2O | 1959 | 212.4 | 191.9 | 272.2 | 372.3 | 403.3 | 389.5 | 411.9 | 408.3 | 396.3 | 403.2 | 381.1 | 263.0 | **18,356.2** |
| OIL | 1959 | 111.9 | 96.1 | 121.4 | 134.9 | 144.1 | 123.9 | 134.3 | 125.7 | 137.8 | 138.1 | 119.7 | 103.8 | **13,820.7** |
| DAY | 1958 | 30.0 | 27.0 | 29.0 | 29.0 | 30.0 | 29.0 | 30.0 | 27.0 | 29.0 | 30.0 | 29.0 | 31.0 | **1,504.0** |
| H2O | 1958 | 376.5 | 289.5 | 324.8 | 329.6 | 239.9 | 220.7 | 298.7 | 356.8 | 345.1 | 203.3 | 198.1 | 212.4 | **14,250.8** |
| OIL | 1958 | 105.0 | 135.7 | 134.8 | 146.2 | 141.0 | 148.3 | 153.2 | 137.0 | 127.3 | 121.4 | 108.9 | 113.5 | **12,329.0** |
| DAY | 1957 | 30.0 | 28.0 | 31.0 | 21.0 | 18.0 | 27.0 | 30.0 | 30.0 | 29.0 | 30.0 | 29.0 | 27.0 | **1,154.0** |
| H2O | 1957 | 419.1 | 400.0 | 439.1 | 298.1 | 245.9 | 383.6 | 429.9 | 402.1 | 372.6 | 371.2 | 365.3 | 418.6 | **10,855.4** |
| OIL | 1957 | 178.8 | 161.6 | 163.5 | 117.8 | 99.8 | 152.6 | 169.6 | 154.9 | 162.7 | 157.8 | 151.0 | 96.9 | **10,756.7** |
| DAY | 1956 | 31.0 | 28.0 | 31.0 | 23.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 27.0 | 31.0 | **824.0** |
| H2O | 1956 | 321.5 | 389.3 | 541.0 | 266.5 | 461.0 | 490.6 | 311.6 | 547.7 | 337.2 | 297.3 | 382.0 | 337.0 | **6,309.9** |
| OIL | 1956 | 291.4 | 257.4 | 245.5 | 162.2 | 217.9 | 234.6 | 243.8 | 233.0 | 203.9 | 212.1 | 167.5 | 183.9 | **8,989.7** |
| DAY | 1955 | 31.0 | 28.0 | 26.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **472.0** |
| H2O | 1955 | 0.8 | 0.8 | 0.8 | 53.6 | 93.8 | 81.9 | 114.9 | 346.6 | 205.1 | 218.6 | 244.4 | 262.2 | **1,627.2** |
| OIL | 1955 | 617.4 | 524.7 | 373.9 | 419.2 | 414.4 | 343.2 | 320.8 | 304.2 | 277.9 | 292.7 | 273.8 | 286.4 | **6,336.5** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 21.0 | 27.0 | 27.0 | 31.0 | **115.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.6 | 0.8 | 1.0 | 1.0 | **3.7** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 193.4 | 358.3 | 369.9 | 397.4 | 568.9 | **1,887.9** |

Licence ***479*** Well Name ***Enerplus Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-31-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,973.0** |
| H2O | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 413.5 | 577.5 | 539.1 | 490.6 | 508.7 | **73,242.0** |
| OIL | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.7 | 39.7 | 37.3 | 35.6 | 36.5 | **20,524.8** |
| DAY | 1974 | 19.0 | 0.0 | 0.0 | 0.0 | 20.0 | 30.0 | 28.0 | 30.0 | 30.0 | 17.0 | 0.0 | 0.0 | **6,823.0** |
| H2O | 1974 | 370.3 | 0.0 | 0.0 | 0.0 | 601.8 | 422.1 | 540.8 | 479.2 | 698.8 | 166.3 | 0.0 | 0.0 | **70,712.6** |
| OIL | 1974 | 18.0 | 0.0 | 0.0 | 0.0 | 22.9 | 33.7 | 11.9 | 12.9 | 15.1 | 3.3 | 0.0 | 0.0 | **20,345.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 18.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **6,649.0** |
| H2O | 1973 | 456.6 | 500.9 | 532.9 | 586.1 | 627.7 | 396.2 | 572.5 | 515.9 | 519.7 | 520.7 | 529.7 | 445.0 | **67,433.3** |
| OIL | 1973 | 34.8 | 31.3 | 29.9 | 33.2 | 38.1 | 16.5 | 34.8 | 28.4 | 27.0 | 26.7 | 33.5 | 33.5 | **20,227.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 21.0 | 13.0 | 29.0 | 29.0 | 27.0 | 30.0 | 30.0 | 29.0 | 30.0 | **6,302.0** |
| H2O | 1972 | 492.8 | 391.7 | 392.2 | 371.4 | 180.8 | 464.1 | 437.8 | 576.2 | 613.4 | 530.8 | 523.7 | 565.2 | **61,229.4** |
| OIL | 1972 | 32.1 | 28.0 | 30.4 | 19.2 | 15.6 | 37.8 | 36.1 | 34.5 | 39.7 | 39.7 | 37.3 | 42.4 | **19,859.5** |
| DAY | 1971 | 31.0 | 28.0 | 27.0 | 26.0 | 31.0 | 25.0 | 20.0 | 29.0 | 30.0 | 28.0 | 16.0 | 31.0 | **5,973.0** |
| H2O | 1971 | 476.3 | 490.5 | 482.0 | 462.6 | 619.4 | 483.5 | 386.6 | 579.2 | 569.2 | 509.5 | 289.5 | 545.5 | **55,689.3** |
| OIL | 1971 | 33.5 | 28.1 | 25.1 | 25.4 | 40.7 | 30.4 | 19.7 | 27.5 | 34.0 | 27.8 | 18.1 | 33.2 | **19,466.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 17.0 | 15.0 | 14.0 | 15.0 | 25.0 | 30.0 | 31.0 | **5,651.0** |
| H2O | 1970 | 331.1 | 340.3 | 336.3 | 235.4 | 368.4 | 181.9 | 166.6 | 163.3 | 153.4 | 330.3 | 496.3 | 470.3 | **49,795.5** |
| OIL | 1970 | 40.2 | 34.5 | 35.8 | 29.6 | 38.6 | 14.9 | 12.7 | 11.9 | 10.5 | 24.2 | 35.8 | 34.0 | **19,123.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 22.0 | 21.0 | 26.0 | **5,355.0** |
| H2O | 1969 | 569.7 | 479.9 | 558.1 | 507.2 | 601.0 | 426.7 | 583.6 | 494.3 | 394.5 | 396.2 | 353.0 | 309.9 | **46,221.9** |
| OIL | 1969 | 33.7 | 28.9 | 32.6 | 29.9 | 32.1 | 27.7 | 30.2 | 28.8 | 25.1 | 28.0 | 27.8 | 27.8 | **18,800.5** |
| DAY | 1968 | 29.0 | 28.0 | 30.0 | 17.0 | 0.0 | 30.0 | 30.0 | 31.0 | 27.0 | 27.0 | 25.0 | 31.0 | **5,013.0** |
| H2O | 1968 | 285.7 | 265.8 | 303.4 | 186.0 | 0.0 | 516.8 | 523.4 | 586.7 | 515.0 | 537.4 | 413.4 | 582.1 | **40,547.8** |
| OIL | 1968 | 37.0 | 34.2 | 35.3 | 22.9 | 0.0 | 65.6 | 61.5 | 44.8 | 39.1 | 35.9 | 27.5 | 38.6 | **18,447.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 23.0 | 31.0 | **4,708.0** |

# Manitoba Production
## 1950 To 1975

Licence ***479*** Well Name ***Enerplus Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-31-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1967 | 311.5 | 269.1 | 317.9 | 304.5 | 317.4 | 343.8 | 361.9 | 291.4 | 249.9 | 314.7 | 228.1 | 304.0 | **35,832.1** |
| OIL | 1967 | 69.6 | 52.4 | 65.9 | 55.9 | 59.8 | 58.5 | 60.2 | 59.3 | 44.0 | 47.0 | 44.3 | 55.5 | **18,005.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 24.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,354.0** |
| H2O | 1966 | 337.9 | 337.2 | 343.4 | 353.9 | 361.9 | 360.8 | 323.9 | 340.6 | 310.4 | 316.6 | 296.0 | 316.0 | **32,217.9** |
| OIL | 1966 | 73.6 | 65.9 | 69.6 | 67.5 | 59.1 | 46.7 | 37.3 | 41.8 | 45.1 | 64.4 | 60.7 | 44.8 | **17,333.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | **3,999.0** |
| H2O | 1965 | 332.6 | 326.8 | 330.3 | 283.8 | 336.3 | 332.3 | 338.2 | 347.9 | 322.2 | 328.0 | 326.3 | 353.5 | **28,219.3** |
| OIL | 1965 | 57.2 | 51.8 | 60.5 | 52.8 | 49.4 | 49.7 | 70.7 | 74.5 | 64.7 | 74.5 | 73.4 | 76.3 | **16,656.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | **3,641.0** |
| H2O | 1964 | 312.6 | 285.4 | 314.9 | 288.4 | 278.5 | 273.9 | 310.2 | 282.2 | 291.1 | 295.4 | 332.9 | 330.2 | **24,261.1** |
| OIL | 1964 | 58.8 | 54.0 | 55.3 | 65.2 | 56.7 | 60.9 | 63.9 | 57.2 | 53.2 | 67.4 | 59.0 | 58.5 | **15,901.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 28.0 | 20.0 | 30.0 | 30.0 | 31.0 | **3,283.0** |
| H2O | 1963 | 314.6 | 297.3 | 319.4 | 301.1 | 298.4 | 229.1 | 257.7 | 201.7 | 160.9 | 318.3 | 301.4 | 321.6 | **20,665.4** |
| OIL | 1963 | 60.9 | 57.8 | 63.1 | 63.1 | 62.0 | 50.4 | 49.9 | 30.5 | 37.0 | 67.4 | 59.1 | 60.1 | **15,191.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,936.0** |
| H2O | 1962 | 339.1 | 295.4 | 335.8 | 295.4 | 329.2 | 302.1 | 319.9 | 301.9 | 300.6 | 333.9 | 297.9 | 305.2 | **17,343.9** |
| OIL | 1962 | 75.2 | 64.7 | 70.6 | 62.9 | 69.6 | 62.5 | 60.4 | 62.1 | 62.5 | 78.2 | 68.3 | 64.5 | **14,529.7** |
| DAY | 1961 | 31.0 | 27.0 | 29.0 | 29.0 | 31.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | **2,577.0** |
| H2O | 1961 | 268.5 | 235.3 | 261.2 | 294.6 | 291.3 | 291.6 | 261.5 | 238.9 | 271.9 | 286.6 | 293.5 | 341.6 | **13,587.5** |
| OIL | 1961 | 77.9 | 69.6 | 82.5 | 78.2 | 74.1 | 73.4 | 68.2 | 57.7 | 57.7 | 67.5 | 75.0 | 80.7 | **13,728.2** |
| DAY | 1960 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 28.0 | 24.0 | 30.0 | 28.0 | 29.0 | 28.0 | 31.0 | **2,222.0** |
| H2O | 1960 | 301.1 | 224.8 | 224.5 | 138.8 | 212.4 | 237.4 | 246.6 | 293.3 | 284.3 | 272.0 | 257.9 | 257.5 | **10,251.0** |
| OIL | 1960 | 103.1 | 95.0 | 93.4 | 57.7 | 90.7 | 102.8 | 69.3 | 97.1 | 72.8 | 79.5 | 81.0 | 82.8 | **12,865.7** |
| DAY | 1959 | 31.0 | 28.0 | 26.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 29.0 | 30.0 | **1,875.0** |
| H2O | 1959 | 212.4 | 186.6 | 243.7 | 285.8 | 304.0 | 295.9 | 311.9 | 319.9 | 300.3 | 307.8 | 289.8 | 174.6 | **7,300.4** |
| OIL | 1959 | 161.1 | 136.8 | 148.6 | 113.6 | 116.8 | 98.2 | 102.7 | 89.0 | 78.8 | 81.5 | 70.9 | 101.4 | **11,840.5** |
| DAY | 1958 | 30.0 | 27.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 27.0 | 29.0 | 29.0 | 29.0 | 31.0 | **1,521.0** |
| H2O | 1958 | 147.9 | 114.9 | 171.1 | 252.9 | 236.6 | 188.1 | 169.2 | 138.2 | 138.2 | 167.6 | 196.7 | 212.2 | **4,067.7** |
| OIL | 1958 | 220.7 | 140.5 | 148.6 | 146.8 | 145.1 | 144.0 | 146.5 | 128.7 | 137.6 | 144.8 | 161.3 | 164.3 | **10,541.1** |
| DAY | 1957 | 30.0 | 27.0 | 30.0 | 28.0 | 21.0 | 27.0 | 29.0 | 29.0 | 29.0 | 30.0 | 29.0 | 29.0 | **1,170.0** |
| H2O | 1957 | 64.9 | 68.8 | 76.3 | 90.3 | 73.6 | 83.5 | 58.0 | 42.1 | 38.3 | 63.9 | 122.9 | 147.1 | **1,934.1** |
| OIL | 1957 | 160.0 | 164.5 | 182.3 | 142.2 | 110.0 | 135.1 | 144.6 | 124.9 | 135.6 | 199.6 | 210.9 | 214.2 | **8,712.2** |
| DAY | 1956 | 31.0 | 28.0 | 31.0 | 21.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | **832.0** |
| H2O | 1956 | 45.5 | 47.2 | 86.6 | 43.6 | 91.6 | 58.5 | 27.3 | 45.2 | 31.0 | 37.7 | 50.2 | 45.5 | **1,004.4** |
| OIL | 1956 | 165.1 | 114.4 | 189.1 | 115.1 | 186.9 | 161.3 | 142.2 | 130.0 | 107.1 | 134.1 | 128.9 | 144.0 | **6,788.3** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **480.0** |
| H2O | 1955 | 35.1 | 24.5 | 22.9 | 18.3 | 16.4 | 16.2 | 17.8 | 35.6 | 33.7 | 31.5 | 49.4 | 42.9 | **394.5** |
| OIL | 1955 | 554.0 | 373.3 | 367.1 | 373.4 | 288.9 | 243.5 | 268.7 | 235.3 | 233.6 | 214.4 | 192.9 | 187.5 | **5,070.1** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 19.0 | 16.0 | 30.0 | 31.0 | **117.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.6 | 4.1 | 3.3 | 18.3 | 1.9 | **50.2** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 355.2 | 224.4 | 157.2 | 331.8 | 468.9 | **1,537.5** |

Licence ***480*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-29-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 18.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 16.0 | 0.0 | 0.0 | 0.0 | **986.0** |
| H2O | 1957 | 0.0 | 212.7 | 305.2 | 313.5 | 509.2 | 451.5 | 332.3 | 394.7 | 166.3 | 0.0 | 0.0 | 0.0 | **12,553.4** |
| OIL | 1957 | 0.0 | 15.6 | 26.7 | 26.4 | 35.6 | 31.1 | 24.3 | 14.9 | 8.5 | 0.0 | 0.0 | 0.0 | **2,761.2** |
| DAY | 1956 | 23.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 29.0 | 31.0 | 28.0 | 8.0 | **769.0** |
| H2O | 1956 | 238.5 | 320.3 | 359.0 | 409.9 | 455.2 | 349.1 | 391.7 | 308.1 | 314.0 | 270.3 | 262.2 | 68.7 | **9,868.0** |
| OIL | 1956 | 15.6 | 18.3 | 20.5 | 19.7 | 28.6 | 34.6 | 36.5 | 29.4 | 26.4 | 27.8 | 26.4 | 6.7 | **2,578.1** |

# Manitoba Production
## 1950 To 1975

Licence ***480*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-29-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1955 | 31.0 | 23.0 | 30.0 | 23.0 | 30.0 | 27.0 | 28.0 | 31.0 | 25.0 | 31.0 | 30.0 | 18.0 | **440.0** |
| H2O | 1955 | 354.2 | 314.8 | 283.8 | 1132.7 | 1507.3 | 178.1 | 216.1 | 340.2 | 308.3 | 389.3 | 351.2 | 197.3 | **6,121.0** |
| OIL | 1955 | 88.5 | 78.7 | 94.6 | 59.6 | 79.3 | 25.4 | 24.0 | 26.9 | 20.3 | 24.2 | 20.3 | 11.3 | **2,287.6** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 23.0 | 12.0 | 15.0 | 28.0 | 29.0 | **113.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.6 | 5.1 | 273.9 | 267.1 | **547.7** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 123.8 | 505.8 | 228.5 | 286.5 | 429.1 | 160.8 | **1,734.5** |

Licence ***481*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 9.0 | 14.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,661.0** |
| H2O | 1975 | 143.1 | 133.4 | 100.8 | 27.5 | 62.5 | 0.0 | 79.3 | 176.6 | 159.6 | 149.9 | 142.8 | 146.6 | **40,106.3** |
| OIL | 1975 | 57.7 | 54.2 | 51.5 | 13.7 | 23.8 | 0.0 | 42.3 | 36.5 | 37.0 | 37.3 | 36.5 | 37.5 | **21,361.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,366.0** |
| H2O | 1974 | 170.6 | 182.2 | 221.6 | 223.5 | 144.7 | 169.6 | 99.5 | 146.1 | 151.7 | 156.0 | 135.8 | 149.3 | **38,784.2** |
| OIL | 1974 | 74.8 | 62.6 | 69.6 | 53.4 | 62.9 | 61.0 | 34.3 | 58.6 | 57.2 | 59.1 | 55.8 | 59.1 | **20,933.0** |
| DAY | 1973 | 31.0 | 27.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **7,006.0** |
| H2O | 1973 | 271.1 | 237.0 | 180.3 | 181.2 | 182.8 | 194.9 | 141.2 | 150.9 | 116.5 | 140.7 | 140.5 | 165.3 | **36,833.6** |
| OIL | 1973 | 79.1 | 67.2 | 73.6 | 79.9 | 70.4 | 70.2 | 68.5 | 67.1 | 48.5 | 61.3 | 75.3 | 73.4 | **20,224.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,650.0** |
| H2O | 1972 | 121.8 | 122.9 | 128.9 | 529.2 | 608.7 | 561.0 | 567.2 | 669.5 | 511.0 | 532.6 | 321.8 | 226.4 | **34,731.2** |
| OIL | 1972 | 64.7 | 62.3 | 61.0 | 95.5 | 129.5 | 125.5 | 127.8 | 159.2 | 140.5 | 152.9 | 110.3 | 98.7 | **19,390.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,288.0** |
| H2O | 1971 | 254.7 | 252.9 | 223.7 | 233.4 | 243.1 | 148.2 | 156.8 | 173.0 | 126.4 | 115.4 | 117.0 | 113.0 | **29,830.2** |
| OIL | 1971 | 121.4 | 109.8 | 112.3 | 108.5 | 108.5 | 87.2 | 83.7 | 82.5 | 70.2 | 73.4 | 58.3 | 65.2 | **18,062.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,924.0** |
| H2O | 1970 | 823.4 | 780.9 | 776.1 | 601.3 | 655.3 | 594.4 | 487.8 | 379.6 | 293.0 | 346.1 | 339.1 | 255.5 | **27,672.6** |
| OIL | 1970 | 169.2 | 150.0 | 175.8 | 164.2 | 180.0 | 157.2 | 148.3 | 118.9 | 138.4 | 167.2 | 133.0 | 143.7 | **16,981.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 27.0 | 31.0 | 26.0 | 31.0 | **5,562.0** |
| H2O | 1969 | 74.2 | 92.4 | 112.4 | 73.6 | 79.0 | 75.7 | 65.0 | 90.8 | 77.7 | 73.0 | 692.7 | 843.2 | **21,340.1** |
| OIL | 1969 | 59.6 | 59.4 | 67.2 | 50.7 | 62.5 | 57.8 | 48.1 | 63.2 | 53.2 | 58.2 | 118.4 | 182.9 | **15,135.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **5,209.0** |
| H2O | 1968 | 112.1 | 112.2 | 24.6 | 120.3 | 115.1 | 102.5 | 108.1 | 96.3 | 81.4 | 87.0 | 69.0 | 68.2 | **18,990.4** |
| OIL | 1968 | 62.5 | 56.4 | 59.9 | 66.3 | 65.6 | 66.6 | 69.4 | 69.8 | 58.2 | 58.3 | 56.9 | 54.5 | **14,254.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | **4,845.0** |
| H2O | 1967 | 162.2 | 124.5 | 141.0 | 132.9 | 145.0 | 114.8 | 113.4 | 122.6 | 120.3 | 115.1 | 96.2 | 117.2 | **17,893.6** |
| OIL | 1967 | 98.7 | 85.7 | 96.8 | 92.5 | 96.8 | 77.4 | 84.2 | 81.2 | 87.4 | 87.7 | 70.4 | 62.8 | **13,509.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | **4,486.0** |
| H2O | 1966 | 25.4 | 24.2 | 257.7 | 131.6 | 123.7 | 394.4 | 395.4 | 465.0 | 412.6 | 397.6 | 295.9 | 165.8 | **16,388.4** |
| OIL | 1966 | 59.4 | 53.6 | 150.6 | 108.2 | 88.5 | 117.3 | 70.4 | 69.4 | 72.5 | 75.0 | 54.7 | 100.4 | **12,488.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,129.0** |
| H2O | 1965 | 4.8 | 3.8 | 4.3 | 4.9 | 43.4 | 40.2 | 28.9 | 46.6 | 33.2 | 18.9 | 19.2 | 21.0 | **13,299.1** |
| OIL | 1965 | 34.0 | 29.4 | 32.1 | 34.6 | 33.1 | 31.1 | 33.2 | 31.3 | 31.6 | 36.7 | 38.9 | 47.4 | **11,468.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,764.0** |
| H2O | 1964 | 15.6 | 14.6 | 15.7 | 15.3 | 1.6 | 1.4 | 14.9 | 14.1 | 15.6 | 5.2 | 4.9 | 4.8 | **13,029.9** |
| OIL | 1964 | 40.8 | 40.0 | 42.3 | 38.5 | 36.1 | 34.6 | 45.8 | 47.7 | 45.0 | 37.5 | 33.8 | 34.8 | **11,054.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,398.0** |
| H2O | 1963 | 60.6 | 57.2 | 63.8 | 41.0 | 44.4 | 59.0 | 61.8 | 45.3 | 43.9 | 45.2 | 16.4 | 16.2 | **12,906.2** |
| OIL | 1963 | 57.5 | 55.3 | 70.6 | 38.8 | 35.3 | 45.6 | 51.3 | 39.9 | 38.9 | 46.6 | 40.4 | 43.4 | **10,577.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,033.0** |
| H2O | 1962 | 61.7 | 51.8 | 53.4 | 50.4 | 53.7 | 50.2 | 52.0 | 54.7 | 44.4 | 48.3 | 47.2 | 63.6 | **12,351.4** |

# Manitoba Production
## 1950 To 1975

Licence ***481*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 58.8 | 47.2 | 51.3 | 50.9 | 50.1 | 52.3 | 49.4 | 49.4 | 51.3 | 48.6 | 49.4 | 56.7 | **10,014.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,670.0** |
| H2O | 1961 | 76.3 | 72.5 | 75.2 | 74.7 | 79.6 | 62.8 | 68.4 | 70.1 | 67.2 | 68.4 | 61.5 | 59.6 | **11,720.0** |
| OIL | 1961 | 72.9 | 67.2 | 72.3 | 70.1 | 71.2 | 58.5 | 68.6 | 67.4 | 62.5 | 62.1 | 59.3 | 55.5 | **9,398.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 22.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,309.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 71.1 | 78.9 | 89.8 | 53.3 | 84.3 | 73.3 | 73.8 | 72.2 | **10,883.7** |
| OIL | 1960 | 32.9 | 28.9 | 33.8 | 31.5 | 71.4 | 69.4 | 56.9 | 39.7 | 59.0 | 66.7 | 63.7 | 64.8 | **8,611.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,954.0** |
| H2O | 1959 | 153.3 | 154.2 | 182.8 | 73.6 | 83.0 | 75.5 | 79.5 | 77.7 | 70.6 | 0.0 | 0.0 | 0.0 | **10,287.0** |
| OIL | 1959 | 83.6 | 79.0 | 88.7 | 29.6 | 29.6 | 31.0 | 32.7 | 31.6 | 29.6 | 32.9 | 36.7 | 34.2 | **7,992.5** |
| DAY | 1958 | 28.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,590.0** |
| H2O | 1958 | 338.2 | 301.6 | 333.9 | 270.3 | 233.2 | 232.3 | 177.3 | 163.9 | 176.8 | 165.0 | 143.2 | 151.7 | **9,336.8** |
| OIL | 1958 | 110.0 | 108.5 | 123.8 | 124.1 | 120.8 | 112.0 | 96.6 | 91.2 | 84.7 | 89.3 | 78.7 | 85.8 | **7,453.3** |
| DAY | 1957 | 29.0 | 27.0 | 23.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,231.0** |
| H2O | 1957 | 82.0 | 55.0 | 169.9 | 363.3 | 302.5 | 287.4 | 308.1 | 304.6 | 285.7 | 275.8 | 289.7 | 309.9 | **6,649.4** |
| OIL | 1957 | 90.1 | 71.7 | 57.2 | 77.7 | 72.6 | 77.2 | 83.3 | 88.5 | 89.1 | 93.1 | 93.9 | 97.7 | **6,227.8** |
| DAY | 1956 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **878.0** |
| H2O | 1956 | 92.4 | 82.8 | 94.3 | 88.6 | 94.4 | 96.2 | 98.4 | 93.5 | 94.8 | 91.6 | 70.3 | 75.4 | **3,615.5** |
| OIL | 1956 | 165.7 | 147.0 | 143.0 | 135.9 | 113.1 | 104.1 | 113.0 | 107.7 | 143.3 | 100.9 | 81.7 | 92.3 | **5,235.7** |
| DAY | 1955 | 31.0 | 26.0 | 30.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **514.0** |
| H2O | 1955 | 256.0 | 176.0 | 201.1 | 189.2 | 195.4 | 134.7 | 192.7 | 128.6 | 117.2 | 135.8 | 94.3 | 91.9 | **2,542.8** |
| OIL | 1955 | 255.9 | 206.4 | 236.0 | 222.0 | 229.3 | 158.0 | 175.8 | 140.3 | 181.2 | 201.8 | 168.4 | 171.6 | **3,788.0** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 31.0 | 27.0 | 29.0 | 30.0 | 30.0 | **156.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 52.1 | 57.2 | 150.1 | 94.6 | 275.7 | **629.9** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 85.3 | 295.0 | 230.6 | 278.7 | 276.1 | 275.6 | **1,441.3** |

Licence ***482*** Well Name ***Daly Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1012.0 | 819.7 | 914.4 | 772.5 | 655.0 | 1110.3 | 705.5 | 857.0 | 1099.8 | 1059.9 | 1040.3 | 1172.6 | **194,968.2** |
| WIN | 1974 | 1121.6 | 1068.2 | 1183.7 | 1140.0 | 1140.8 | 1033.9 | 1192.7 | 1073.0 | 1200.1 | 1118.6 | 1088.4 | 766.5 | **183,749.2** |
| WIN | 1973 | 2293.0 | 629.5 | 249.5 | 1586.6 | 1294.6 | 1180.8 | 1226.2 | 1179.0 | 1062.8 | 1128.2 | 1085.3 | 987.0 | **170,621.7** |
| WIN | 1972 | 1301.3 | 1178.1 | 1157.9 | 1146.4 | 1167.6 | 1083.8 | 1442.8 | 1328.0 | 1296.4 | 1406.4 | 1340.5 | 1324.6 | **156,719.2** |
| WIN | 1971 | 1258.1 | 1170.3 | 1246.6 | 1132.6 | 1098.7 | 996.5 | 1099.4 | 1041.6 | 1030.8 | 960.6 | 1073.0 | 1297.2 | **141,545.4** |
| WIN | 1970 | 1181.7 | 1268.4 | 1272.4 | 1290.3 | 1340.2 | 1284.5 | 1234.4 | 1076.6 | 1272.7 | 1319.4 | 1223.4 | 1264.1 | **128,140.0** |
| WIN | 1969 | 1141.8 | 1148.5 | 1369.6 | 1270.0 | 1349.6 | 1219.0 | 1303.5 | 1145.3 | 1084.8 | 1408.7 | 1229.2 | 1186.6 | **113,111.9** |
| WIN | 1968 | 145.2 | 1114.8 | 1085.7 | 1013.9 | 1004.5 | 949.0 | 1002.2 | 985.6 | 911.9 | 1034.7 | 977.5 | 1065.4 | **98,255.3** |
| WIN | 1967 | 977.8 | 854.1 | 975.2 | 944.3 | 973.5 | 948.6 | 1003.4 | 1039.2 | 1025.6 | 1061.2 | 648.2 | 0.0 | **86,964.9** |
| WIN | 1966 | 939.8 | 856.9 | 933.8 | 940.1 | 946.2 | 931.1 | 965.3 | 967.4 | 765.1 | 482.6 | 916.1 | 860.7 | **76,513.8** |
| WIN | 1965 | 1058.2 | 974.6 | 1097.9 | 996.7 | 956.0 | 1045.7 | 898.3 | 932.7 | 904.4 | 669.3 | 890.9 | 933.6 | **66,008.7** |
| WIN | 1964 | 1030.7 | 835.0 | 1092.7 | 1071.7 | 539.2 | 259.8 | 1459.5 | 958.4 | 1172.6 | 1005.3 | 1068.9 | 1083.7 | **54,650.4** |
| WIN | 1963 | 532.6 | 554.3 | 589.4 | 531.3 | 763.8 | 661.8 | 880.5 | 1048.6 | 1125.7 | 1013.0 | 964.7 | 945.2 | **43,072.9** |
| WIN | 1962 | 540.7 | 559.4 | 798.3 | 609.3 | 653.6 | 523.3 | 453.3 | 538.8 | 525.1 | 662.5 | 642.8 | 607.2 | **33,462.0** |
| WIN | 1961 | 1452.5 | 948.6 | 1210.7 | 753.8 | 400.2 | 391.0 | 207.3 | 150.1 | 118.6 | 435.0 | 631.2 | 541.6 | **26,347.7** |
| WIN | 1960 | 1925.4 | 1504.4 | 1389.3 | 1340.4 | 1232.4 | 1167.2 | 1042.0 | 1096.8 | 1096.7 | 1029.5 | 121.0 | 715.5 | **19,107.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,748.0** |
| H2O | 1959 | 7.2 | 3.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **160.0** |
| OIL | 1959 | 25.4 | 23.2 | 24.5 | 17.2 | 22.1 | 5.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,816.4** |
| WIN | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 856.7 | 2178.9 | 2410.9 | **5,446.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,570.0** |
| H2O | 1958 | 2.1 | 1.4 | 1.6 | 0.0 | 3.3 | 2.7 | 0.0 | 0.0 | 0.0 | 2.9 | 0.0 | 5.1 | **148.9** |

# Manitoba Production
## 1950 To 1975

Licence ***482*** Well Name ***Daly Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1958 | 28.6 | 26.1 | 30.5 | 26.9 | 24.8 | 28.9 | 19.4 | 26.1 | 24.9 | 24.3 | 23.4 | 24.9 | **2,698.8** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,205.0** |
| H2O | 1957 | 1.9 | 1.9 | 3.3 | 3.2 | 1.3 | 1.9 | 0.8 | 1.6 | 0.8 | 0.2 | 1.7 | 1.9 | **129.8** |
| OIL | 1957 | 38.1 | 36.5 | 42.1 | 45.6 | 29.9 | 43.2 | 33.2 | 28.3 | 26.9 | 24.9 | 24.6 | 26.9 | **2,390.0** |
| DAY | 1956 | 0.0 | 29.0 | 30.0 | 21.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **841.0** |
| H2O | 1956 | 1.6 | 2.4 | 10.0 | 2.1 | 4.6 | 4.1 | 4.5 | 4.5 | 2.9 | 2.5 | 3.8 | 3.5 | **109.3** |
| OIL | 1956 | 23.8 | 27.7 | 52.0 | 40.2 | 55.1 | 53.4 | 49.3 | 52.8 | 55.5 | 51.3 | 49.4 | 42.7 | **1,989.8** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **518.0** |
| H2O | 1955 | 1.4 | 2.7 | 4.1 | 0.2 | 7.8 | 7.9 | 2.4 | 4.1 | 3.8 | 3.5 | 2.1 | 1.9 | **62.8** |
| OIL | 1955 | 71.2 | 70.4 | 82.6 | 86.6 | 92.8 | 99.5 | 31.3 | 46.1 | 45.0 | 45.3 | 32.1 | 24.6 | **1,436.6** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **154.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 5.4 | 2.9 | 2.4 | 3.2 | 6.0 | **20.9** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.5 | 238.5 | 139.0 | 134.6 | 92.0 | 77.5 | **709.1** |

Licence ***483*** Well Name ***CEGO Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-24-010-26W1.00*** Field Name ***Virden*** Pool Name ***Ashville*** Field Code ***5*** Pool Code ***11*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1960 | 403.0 | 358.4 | 383.5 | 499.2 | 539.3 | 573.3 | 558.2 | 475.9 | 0.0 | 0.0 | 0.0 | 0.0 | **72,906.5** |
| WIN | 1959 | 1040.6 | 847.6 | 983.1 | 992.6 | 897.9 | 1042.4 | 1099.8 | 1081.2 | 1044.5 | 929.2 | 512.7 | 488.7 | **69,115.7** |
| WIN | 1958 | 1811.0 | 1526.0 | 1717.9 | 1652.3 | 1813.7 | 1498.4 | 1427.2 | 1259.1 | 1340.5 | 1245.4 | 1186.6 | 1013.0 | **58,155.4** |
| WIN | 1957 | 1465.0 | 1887.7 | 2311.9 | 1412.8 | 1802.7 | 2479.6 | 3130.5 | 3233.5 | 4668.6 | 4277.0 | 2926.3 | 1875.0 | **40,664.3** |
| WIN | 1956 | 451.7 | 427.2 | 341.8 | 248.0 | 7.2 | 382.8 | 674.4 | 988.8 | 1420.8 | 1893.5 | 1410.5 | 722.8 | **9,193.7** |
| WIN | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 56.6 | 167.6 | **224.2** |

Licence ***484*** Well Name ***B.A. Union Woodnorth*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-28-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole C*** Field Code ***1*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 14.0 | 29.0 | 31.0 | 30.0 | 31.0 | 17.0 | 9.0 | 12.0 | 0.0 | 0.0 | 0.0 | 0.0 | **604.0** |
| H2O | 1956 | 22.6 | 25.0 | 7.8 | 2.2 | 2.4 | 1.6 | 0.5 | 11.3 | 0.0 | 0.0 | 0.0 | 0.0 | **553.4** |
| OIL | 1956 | 105.4 | 246.3 | 265.2 | 254.3 | 249.0 | 112.8 | 61.3 | 57.3 | 0.0 | 0.0 | 0.0 | 0.0 | **4,863.9** |
| DAY | 1955 | 31.0 | 28.0 | 29.0 | 7.0 | 0.0 | 20.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | **431.0** |
| H2O | 1955 | 12.9 | 14.5 | 14.1 | 6.0 | 0.0 | 24.6 | 43.9 | 64.9 | 45.9 | 47.4 | 53.3 | 40.9 | **480.0** |
| OIL | 1955 | 273.6 | 256.3 | 275.5 | 49.9 | 0.0 | 165.7 | 259.5 | 262.5 | 255.4 | 262.8 | 256.6 | 208.5 | **3,512.3** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 28.0 | 28.0 | 21.0 | 14.0 | 31.0 | **138.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 46.3 | 18.4 | 8.3 | 17.3 | 5.1 | 16.2 | **111.6** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 197.4 | 236.1 | 150.0 | 83.9 | 54.5 | 264.1 | **986.0** |

Licence ***487*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-11-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 513.0 | 344.5 | 631.5 | 650.4 | 593.6 | 534.8 | 462.0 | 668.8 | 621.8 | 685.8 | 561.4 | 500.5 | **20,258.1** |
| WIN | 1974 | 575.8 | 516.7 | 578.7 | 541.5 | 533.4 | 494.1 | 505.6 | 585.8 | 492.0 | 499.4 | 564.7 | 517.8 | **13,490.0** |
| WIN | 1973 | 174.9 | 157.2 | 176.8 | 164.7 | 170.4 | 164.7 | 169.3 | 78.7 | 938.3 | 822.9 | 673.6 | 623.0 | **7,084.5** |
| WIN | 1972 | 248.5 | 232.1 | 219.4 | 202.2 | 201.0 | 187.0 | 190.8 | 165.2 | 186.3 | 187.1 | 171.5 | 180.0 | **2,770.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 22.0 | 0.0 | **6,141.0** |
| H2O | 1971 | 12.8 | 11.5 | 13.0 | 13.2 | 13.2 | 13.4 | 13.0 | 36.7 | 32.9 | 36.9 | 16.2 | 0.0 | **1,525.3** |
| OIL | 1971 | 86.3 | 76.3 | 83.5 | 80.3 | 81.9 | 79.8 | 81.5 | 40.7 | 40.0 | 41.6 | 48.8 | 0.0 | **9,531.4** |
| WIN | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 101.1 | 297.8 | **398.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,815.0** |
| H2O | 1970 | 22.7 | 21.3 | 22.3 | 20.7 | 21.3 | 21.3 | 10.5 | 13.8 | 13.0 | 13.0 | 12.4 | 13.5 | **1,312.5** |

# Manitoba Production
## 1950 To 1975

Licence ***487*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-11-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1970 | 46.9 | 42.3 | 46.1 | 44.5 | 45.9 | 44.3 | 72.0 | 82.0 | 78.3 | 79.9 | 79.3 | 83.1 | **8,790.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,455.0** |
| H2O | 1969 | 9.1 | 8.3 | 7.8 | 19.2 | 22.6 | 21.6 | 23.4 | 23.5 | 22.1 | 24.0 | 21.5 | 23.7 | **1,106.7** |
| OIL | 1969 | 33.2 | 29.2 | 32.3 | 42.6 | 46.7 | 45.9 | 47.7 | 47.4 | 46.1 | 48.3 | 46.2 | 48.5 | **8,046.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 23.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,092.0** |
| H2O | 1968 | 2.1 | 1.9 | 2.1 | 1.9 | 2.2 | 2.1 | 4.6 | 3.0 | 8.3 | 8.7 | 8.1 | 8.7 | **879.9** |
| OIL | 1968 | 44.0 | 40.2 | 43.1 | 39.6 | 42.6 | 42.1 | 43.4 | 31.9 | 32.1 | 33.7 | 32.1 | 33.5 | **7,532.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 29.0 | **4,736.0** |
| H2O | 1967 | 1.3 | 1.1 | 2.5 | 2.4 | 2.5 | 2.2 | 1.6 | 2.4 | 2.1 | 2.2 | 1.7 | 2.1 | **826.2** |
| OIL | 1967 | 46.7 | 41.5 | 38.6 | 42.9 | 44.2 | 42.3 | 40.4 | 43.5 | 42.0 | 44.3 | 37.5 | 40.4 | **7,073.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 10.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,378.0** |
| H2O | 1966 | 3.3 | 2.7 | 3.3 | 3.5 | 4.0 | 3.3 | 1.1 | 2.9 | 3.8 | 3.8 | 1.3 | 1.3 | **802.1** |
| OIL | 1966 | 52.9 | 46.6 | 51.5 | 49.4 | 52.3 | 47.5 | 17.0 | 42.3 | 50.7 | 52.4 | 44.7 | 46.9 | **6,569.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 29.0 | **4,040.0** |
| H2O | 1965 | 28.0 | 24.8 | 28.3 | 24.6 | 22.6 | 24.0 | 24.0 | 2.9 | 3.5 | 3.3 | 3.7 | 3.3 | **767.8** |
| OIL | 1965 | 46.4 | 42.3 | 45.8 | 44.2 | 40.2 | 44.7 | 46.6 | 48.5 | 52.8 | 54.8 | 52.1 | 49.4 | **6,015.2** |
| DAY | 1964 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 27.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,684.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.8 | 24.2 | 26.4 | 25.3 | 25.3 | 26.2 | 27.8 | **574.8** |
| OIL | 1964 | 15.1 | 14.1 | 13.7 | 14.8 | 15.1 | 38.3 | 41.0 | 44.5 | 43.1 | 43.9 | 43.1 | 46.1 | **5,447.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 24.0 | 30.0 | 31.0 | 15.0 | 31.0 | **3,326.0** |
| OIL | 1963 | 27.0 | 22.6 | 29.6 | 28.9 | 29.1 | 32.3 | 34.8 | 25.7 | 36.7 | 35.3 | 16.5 | 14.5 | **5,074.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 10.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,984.0** |
| OIL | 1962 | 23.0 | 20.3 | 22.2 | 21.8 | 22.9 | 22.2 | 22.1 | 22.7 | 20.0 | 27.2 | 27.8 | 28.6 | **4,741.6** |
| DAY | 1961 | 26.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **2,639.0** |
| H2O | 1961 | 3.5 | 3.7 | 3.2 | 3.7 | 3.5 | 2.4 | 4.3 | 3.8 | 0.2 | 0.0 | 0.0 | 0.0 | **395.8** |
| OIL | 1961 | 21.5 | 21.1 | 20.5 | 20.0 | 22.7 | 18.4 | 18.4 | 22.9 | 21.5 | 24.2 | 21.1 | 23.2 | **4,460.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,283.0** |
| H2O | 1960 | 12.4 | 13.0 | 13.8 | 8.4 | 7.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.9 | 4.0 | **367.5** |
| OIL | 1960 | 20.2 | 17.5 | 19.5 | 23.7 | 20.2 | 22.6 | 20.7 | 19.2 | 18.1 | 19.1 | 23.8 | 23.8 | **4,205.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 19.0 | 28.0 | 24.0 | 31.0 | **1,918.0** |
| H2O | 1959 | 1.0 | 1.3 | 1.4 | 1.3 | 1.1 | 1.0 | 9.5 | 10.8 | 6.8 | 6.8 | 6.7 | 11.9 | **303.1** |
| OIL | 1959 | 27.3 | 24.8 | 23.4 | 31.5 | 24.6 | 21.3 | 18.0 | 19.2 | 12.6 | 14.3 | 11.0 | 15.7 | **3,956.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,573.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.4 | 2.7 | 2.7 | 2.7 | 2.1 | 1.0 | **243.5** |
| OIL | 1958 | 42.1 | 38.6 | 40.4 | 39.7 | 41.3 | 40.7 | 41.6 | 42.0 | 40.5 | 40.4 | 33.2 | 29.7 | **3,713.2** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | **1,208.0** |
| H2O | 1957 | 2.9 | 2.4 | 2.5 | 2.5 | 0.6 | 3.0 | 0.2 | 0.2 | 0.3 | 0.3 | 0.2 | 0.3 | **229.9** |
| OIL | 1957 | 60.7 | 54.0 | 59.3 | 52.4 | 43.2 | 57.2 | 31.8 | 38.1 | 42.9 | 49.6 | 44.8 | 46.1 | **3,243.0** |
| DAY | 1956 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 29.0 | 31.0 | **851.0** |
| H2O | 1956 | 4.8 | 5.1 | 5.4 | 11.9 | 7.0 | 5.4 | 5.6 | 3.7 | 5.2 | 4.9 | 4.8 | 5.1 | **214.5** |
| OIL | 1956 | 80.6 | 76.8 | 78.8 | 71.2 | 80.2 | 77.7 | 78.8 | 58.8 | 64.2 | 70.7 | 64.0 | 66.9 | **2,662.9** |
| DAY | 1955 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **492.0** |
| H2O | 1955 | 9.7 | 8.7 | 9.9 | 9.7 | 9.1 | 7.6 | 7.3 | 8.1 | 27.2 | 8.7 | 5.1 | 4.0 | **145.6** |
| OIL | 1955 | 127.8 | 112.5 | 127.9 | 125.1 | 117.0 | 98.0 | 80.9 | 82.2 | 89.8 | 87.6 | 81.4 | 78.7 | **1,794.2** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 24.0 | 31.0 | 30.0 | 31.0 | **131.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 1.4 | 1.7 | 12.6 | 12.7 | **30.5** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 113.8 | 76.0 | 97.9 | 147.6 | 150.0 | **585.3** |

Licence ***488*** Well Name ***Johnston Hayhurst Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-15-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***488*** Well Name ***Johnston Hayhurst Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-15-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1955 | 12.0 | 9.0 | 29.0 | 0.0 | 0.0 | 16.0 | 28.0 | 25.0 | 27.0 | 23.0 | 1.0 | 0.0 | **232.0** |
| H2O | 1955 | 10.3 | 18.8 | 181.6 | 0.0 | 0.0 | 59.0 | 52.9 | 53.9 | 38.3 | 49.9 | 5.7 | 0.0 | **552.3** |
| OIL | 1955 | 28.9 | 38.9 | 75.5 | 0.0 | 0.0 | 51.5 | 65.3 | 35.3 | 26.5 | 19.1 | 2.0 | 0.0 | **895.6** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 29.0 | 12.0 | 16.0 | **62.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 4.6 | 8.9 | 64.4 | **81.9** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 153.0 | 229.9 | 89.1 | 80.6 | **552.6** |

Licence ***489*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,924.0** |
| H2O | 1975 | 1115.2 | 967.7 | 994.9 | 1168.5 | 1276.6 | 1134.6 | 961.2 | 819.8 | 999.8 | 984.9 | 960.1 | 972.9 | **168,204.8** |
| OIL | 1975 | 132.8 | 117.4 | 112.7 | 140.8 | 147.3 | 132.8 | 94.7 | 89.1 | 108.4 | 112.0 | 107.1 | 102.8 | **51,132.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 0.0 | 30.0 | 31.0 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | **6,559.0** |
| H2O | 1974 | 1055.9 | 889.3 | 1013.9 | 787.5 | 0.0 | 995.7 | 1081.0 | 1066.8 | 939.6 | 1169.3 | 1153.6 | 1124.5 | **155,848.6** |
| OIL | 1974 | 151.6 | 133.8 | 145.4 | 124.4 | 0.0 | 141.7 | 147.5 | 137.1 | 118.9 | 139.8 | 143.0 | 141.6 | **49,734.4** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,231.0** |
| H2O | 1973 | 871.1 | 878.2 | 944.2 | 919.9 | 835.6 | 994.4 | 1000.4 | 1031.2 | 915.4 | 901.4 | 853.6 | 1008.7 | **144,571.5** |
| OIL | 1973 | 135.9 | 119.3 | 130.8 | 129.4 | 123.2 | 156.7 | 165.4 | 168.8 | 151.3 | 148.4 | 156.8 | 169.1 | **48,209.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,866.0** |
| H2O | 1972 | 861.9 | 767.8 | 766.7 | 726.0 | 747.3 | 699.2 | 709.0 | 647.9 | 675.2 | 756.2 | 976.1 | 952.9 | **133,417.4** |
| OIL | 1972 | 161.3 | 145.7 | 159.2 | 152.2 | 154.8 | 155.1 | 150.0 | 164.9 | 141.6 | 148.6 | 142.2 | 133.5 | **46,454.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,500.0** |
| H2O | 1971 | 887.1 | 795.6 | 878.1 | 861.1 | 719.4 | 872.8 | 852.6 | 840.6 | 764.2 | 838.3 | 825.1 | 862.5 | **124,131.2** |
| OIL | 1971 | 175.6 | 154.5 | 161.3 | 146.2 | 120.1 | 135.6 | 140.2 | 130.0 | 106.0 | 176.5 | 153.3 | 168.3 | **44,645.4** |
| DAY | 1970 | 0.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 0.0 | 30.0 | 31.0 | 0.0 | 0.0 | **5,135.0** |
| H2O | 1970 | 1136.6 | 1005.3 | 1090.2 | 1003.9 | 1024.4 | 968.8 | 989.5 | 989.6 | 959.1 | 963.9 | 903.3 | 888.7 | **114,133.8** |
| OIL | 1970 | 140.6 | 179.7 | 202.8 | 184.2 | 179.1 | 182.9 | 181.8 | 185.1 | 180.5 | 178.3 | 156.2 | 162.9 | **42,877.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 0.0 | 31.0 | 30.0 | 0.0 | 27.0 | 0.0 | 0.0 | 0.0 | 31.0 | **4,893.0** |
| H2O | 1969 | 1103.7 | 986.3 | 1013.5 | 890.6 | 1097.0 | 907.8 | 939.2 | 843.3 | 919.9 | 926.8 | 846.0 | 1051.7 | **102,210.5** |
| OIL | 1969 | 167.5 | 145.9 | 132.2 | 129.5 | 145.2 | 130.1 | 138.4 | 112.0 | 124.9 | 127.6 | 125.5 | 137.1 | **40,763.7** |
| DAY | 1968 | 31.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,684.0** |
| H2O | 1968 | 1247.0 | 868.2 | 1012.2 | 1207.3 | 1267.4 | 1242.5 | 1256.7 | 1241.6 | 1197.5 | 1235.4 | 1125.3 | 1105.1 | **90,684.7** |
| OIL | 1968 | 90.1 | 78.5 | 148.1 | 207.7 | 215.2 | 199.7 | 217.5 | 220.2 | 192.8 | 189.7 | 165.6 | 164.8 | **39,147.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | **4,439.0** |
| H2O | 1967 | 964.8 | 868.0 | 961.8 | 689.8 | 1006.7 | 1137.1 | 1455.1 | 1392.6 | 1417.9 | 980.4 | 1253.8 | 1302.3 | **76,678.5** |
| OIL | 1967 | 194.3 | 174.2 | 179.9 | 154.0 | 172.3 | 175.8 | 238.8 | 216.3 | 185.6 | 120.2 | 144.2 | 122.4 | **37,057.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,196.0** |
| H2O | 1966 | 962.5 | 894.4 | 942.8 | 870.7 | 917.0 | 885.4 | 907.8 | 900.0 | 882.0 | 896.3 | 870.1 | 943.7 | **63,248.2** |
| OIL | 1966 | 239.6 | 211.8 | 225.8 | 217.7 | 223.0 | 212.5 | 216.1 | 203.7 | 192.0 | 192.1 | 188.8 | 193.9 | **34,979.9** |
| DAY | 1965 | 0.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,045.0** |
| H2O | 1965 | 602.1 | 543.1 | 580.8 | 595.1 | 690.5 | 859.6 | 934.3 | 1016.3 | 903.2 | 994.6 | 956.9 | 984.2 | **52,375.5** |
| OIL | 1965 | 221.8 | 200.1 | 221.5 | 203.2 | 214.2 | 221.8 | 264.3 | 267.3 | 243.1 | 260.6 | 240.0 | 244.1 | **32,462.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,714.0** |
| H2O | 1964 | 686.6 | 589.7 | 677.1 | 662.6 | 645.1 | 580.2 | 632.4 | 602.8 | 511.2 | 611.7 | 615.2 | 618.5 | **42,714.8** |
| OIL | 1964 | 232.0 | 206.7 | 245.4 | 237.9 | 225.8 | 214.8 | 245.5 | 243.6 | 229.1 | 221.8 | 218.0 | 219.0 | **29,660.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,349.0** |
| H2O | 1963 | 538.5 | 496.0 | 566.7 | 548.4 | 578.4 | 612.1 | 578.7 | 470.9 | 666.6 | 708.3 | 701.1 | 698.1 | **35,281.7** |
| OIL | 1963 | 242.8 | 218.5 | 239.8 | 233.1 | 237.1 | 233.4 | 200.4 | 170.5 | 234.1 | 244.6 | 235.8 | 234.9 | **26,921.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,984.0** |
| H2O | 1962 | 408.4 | 357.9 | 446.9 | 435.6 | 444.3 | 434.0 | 449.9 | 458.7 | 442.9 | 492.5 | 518.2 | 539.8 | **28,117.9** |

# Manitoba Production
## 1950 To 1975

Licence ***489*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 165.6 | 155.9 | 230.3 | 230.1 | 239.2 | 237.7 | 238.8 | 245.5 | 237.9 | 246.2 | 238.2 | 244.9 | **24,196.3** |
| DAY | 1961 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,620.0** |
| H2O | 1961 | 376.5 | 335.4 | 351.0 | 334.2 | 347.4 | 326.7 | 390.0 | 387.1 | 387.3 | 403.8 | 390.3 | 394.6 | **22,688.8** |
| OIL | 1961 | 217.5 | 201.3 | 216.3 | 205.2 | 203.9 | 186.6 | 279.5 | 294.6 | 244.7 | 230.7 | 204.2 | 197.5 | **21,486.0** |
| DAY | 1960 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,258.0** |
| H2O | 1960 | 429.2 | 391.9 | 443.6 | 429.2 | 443.6 | 440.4 | 413.3 | 345.0 | 322.7 | 356.8 | 338.9 | 365.7 | **18,264.5** |
| OIL | 1960 | 239.0 | 214.5 | 246.3 | 238.4 | 258.4 | 230.4 | 228.4 | 218.0 | 206.6 | 220.9 | 214.1 | 224.1 | **18,804.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 29.0 | 30.0 | 24.0 | 30.0 | 31.0 | **1,897.0** |
| H2O | 1959 | 357.7 | 333.9 | 369.6 | 327.5 | 369.6 | 321.9 | 369.6 | 350.2 | 357.7 | 286.2 | 357.7 | 406.2 | **13,544.2** |
| OIL | 1959 | 237.3 | 220.1 | 244.4 | 212.5 | 242.3 | 212.1 | 246.3 | 225.8 | 236.0 | 189.3 | 235.7 | 242.0 | **16,064.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,546.0** |
| H2O | 1958 | 508.6 | 445.1 | 508.6 | 476.9 | 445.1 | 333.9 | 333.9 | 341.8 | 341.8 | 333.9 | 357.7 | 369.6 | **9,336.4** |
| OIL | 1958 | 244.4 | 212.1 | 246.0 | 226.1 | 245.0 | 232.6 | 240.0 | 238.5 | 232.0 | 240.7 | 236.0 | 242.5 | **13,321.1** |
| DAY | 1957 | 12.0 | 28.0 | 31.0 | 30.0 | 26.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,181.0** |
| H2O | 1957 | 67.6 | 173.8 | 133.5 | 138.0 | 159.0 | 164.5 | 171.4 | 171.4 | 164.5 | 187.4 | 476.9 | 508.6 | **4,539.5** |
| OIL | 1957 | 99.5 | 242.2 | 229.8 | 238.2 | 198.6 | 221.8 | 236.3 | 238.8 | 229.5 | 244.9 | 236.5 | 244.7 | **10,485.2** |
| DAY | 1956 | 9.0 | 29.0 | 30.0 | 23.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 26.0 | **841.0** |
| H2O | 1956 | 23.8 | 176.5 | 139.1 | 130.5 | 159.6 | 155.5 | 128.6 | 137.4 | 134.0 | 143.1 | 169.6 | 143.7 | **2,022.9** |
| OIL | 1956 | 79.9 | 266.7 | 277.6 | 194.5 | 291.3 | 276.2 | 289.9 | 261.2 | 275.2 | 249.3 | 249.8 | 205.0 | **7,824.4** |
| DAY | 1955 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 16.0 | **512.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.8 | 2.2 | 52.5 | 58.8 | 59.6 | 57.2 | 57.2 | 51.7 | 23.8 | **381.5** |
| OIL | 1955 | 223.4 | 141.4 | 291.1 | 324.0 | 306.5 | 331.0 | 337.7 | 342.9 | 331.6 | 338.3 | 330.2 | 147.5 | **4,907.8** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **164.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.5 | 3.3 | 2.7 | 1.0 | 3.2 | **17.7** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 150.3 | 322.7 | 284.0 | 236.9 | 231.7 | 236.6 | **1,462.2** |

Licence ***493*** Well Name ***Sun N.S. Gerrand Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-03-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1961 | 4.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,475.0** |
| H2O | 1961 | 29.9 | 73.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **14,053.5** |
| OIL | 1961 | 1.4 | 0.5 | 0.0 | 0.0 | 1.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,651.6** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 29.0 | 31.0 | 23.0 | 28.0 | 30.0 | 8.0 | 0.0 | **1,461.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 183.8 | 190.6 | 229.6 | 151.8 | 159.0 | 201.1 | 61.7 | 0.0 | **13,950.2** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 2.7 | 12.9 | 10.2 | 7.9 | 8.6 | 11.1 | 3.7 | 0.0 | **1,648.2** |
| DAY | 1959 | 0.0 | 0.0 | 1.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 3.0 | 4.0 | **1,281.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 68.0 | 194.3 | 218.3 | 178.5 | 157.1 | 170.8 | 132.1 | 12.9 | 31.0 | **12,772.6** |
| OIL | 1959 | 0.0 | 0.0 | 1.1 | 17.3 | 54.5 | 4.1 | 14.5 | 28.0 | 17.0 | 65.2 | 4.8 | 0.0 | **1,591.1** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 16.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 7.0 | 0.0 | **1,065.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 197.9 | 324.5 | 266.6 | 255.3 | 253.4 | 255.2 | 271.2 | 61.2 | 0.0 | **11,609.6** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 15.4 | 17.6 | 5.4 | 20.0 | 10.8 | 5.2 | 12.2 | 2.9 | 0.0 | **1,384.6** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 25.0 | 0.0 | **860.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 443.7 | 572.5 | 572.7 | 581.9 | 485.4 | 431.5 | 377.6 | 258.0 | 0.0 | **9,724.3** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 31.9 | 21.8 | 22.4 | 28.1 | 26.4 | 26.1 | 30.8 | 15.1 | 0.0 | **1,295.1** |
| DAY | 1956 | 8.0 | 29.0 | 17.0 | 11.0 | 30.0 | 23.0 | 31.0 | 31.0 | 12.0 | 28.0 | 24.0 | 0.0 | **623.0** |
| H2O | 1956 | 53.6 | 172.5 | 236.6 | 204.1 | 506.1 | 406.1 | 498.6 | 499.1 | 206.2 | 570.3 | 467.7 | 31.5 | **6,001.0** |
| OIL | 1956 | 14.0 | 27.2 | 30.5 | 8.4 | 66.3 | 61.3 | 104.2 | 26.9 | 26.4 | 44.3 | 36.4 | 0.0 | **1,092.5** |
| DAY | 1955 | 19.0 | 21.0 | 8.0 | 20.0 | 21.0 | 20.0 | 31.0 | 31.0 | 29.0 | 29.0 | 12.0 | 2.0 | **379.0** |
| H2O | 1955 | 19.9 | 42.6 | 39.7 | 225.3 | 243.6 | 249.3 | 272.7 | 275.1 | 277.0 | 204.6 | 50.1 | 3.0 | **2,148.6** |
| OIL | 1955 | 11.4 | 11.9 | 11.0 | 29.7 | 39.1 | 64.0 | 57.2 | 36.2 | 23.7 | 41.0 | 11.6 | 1.4 | **646.6** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 27.0 | 23.0 | 29.0 | 30.0 | 24.0 | **136.0** |

# Manitoba Production
# 1950 To 1975

Licence ***493*** Well Name ***Sun N.S. Gerrand Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-03-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 140.4 | 5.6 | 9.5 | 49.4 | 39.7 | **245.7** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.4 | 147.1 | 29.4 | 34.2 | 52.6 | 39.7 | **308.4** |

Licence ***494*** Well Name ***Basco Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-34-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 0.0 | 26.0 | 31.0 | 30.0 | 31.0 | 5.0 | 22.0 | 9.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,312.0** |
| H2O | 1967 | 0.0 | 45.0 | 41.7 | 29.7 | 31.5 | 3.2 | 21.9 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,620.1** |
| OIL | 1967 | 0.0 | 26.4 | 16.4 | 14.0 | 12.9 | 0.8 | 10.0 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | **2,917.3** |
| DAY | 1966 | 26.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 31.0 | 30.0 | 29.0 | 30.0 | 0.0 | 0.0 | **3,158.0** |
| H2O | 1966 | 31.5 | 0.0 | 0.0 | 0.0 | 0.0 | 56.3 | 26.2 | 36.6 | 37.2 | 32.4 | 0.0 | 0.0 | **3,443.1** |
| OIL | 1966 | 24.6 | 0.0 | 0.0 | 0.0 | 0.0 | 19.5 | 11.3 | 16.2 | 15.7 | 13.5 | 0.0 | 0.0 | **2,833.6** |
| DAY | 1965 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | 29.0 | 15.0 | 27.0 | 31.0 | **2,985.0** |
| H2O | 1965 | 34.5 | 30.8 | 29.7 | 27.7 | 22.1 | 24.6 | 36.9 | 29.7 | 24.5 | 6.2 | 53.9 | 39.0 | **3,222.9** |
| OIL | 1965 | 24.9 | 21.9 | 26.2 | 27.7 | 22.6 | 24.5 | 21.9 | 21.9 | 16.7 | 4.0 | 25.7 | 18.0 | **2,732.8** |
| DAY | 1964 | 30.0 | 27.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 28.0 | 29.0 | 30.0 | 29.0 | 31.0 | **2,645.0** |
| H2O | 1964 | 36.7 | 33.9 | 37.0 | 33.2 | 34.8 | 15.3 | 36.6 | 30.4 | 42.8 | 39.4 | 34.0 | 35.0 | **2,863.3** |
| OIL | 1964 | 24.2 | 20.3 | 25.7 | 17.2 | 27.3 | 19.9 | 24.0 | 17.2 | 18.9 | 24.6 | 28.6 | 20.2 | **2,476.8** |
| DAY | 1963 | 30.0 | 28.0 | 29.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,291.0** |
| H2O | 1963 | 37.0 | 42.9 | 42.1 | 39.7 | 53.3 | 50.2 | 52.0 | 48.5 | 51.2 | 47.5 | 39.1 | 39.4 | **2,454.2** |
| OIL | 1963 | 24.2 | 21.3 | 28.1 | 27.3 | 33.7 | 24.2 | 27.8 | 27.3 | 36.1 | 34.3 | 38.0 | 26.2 | **2,208.7** |
| DAY | 1962 | 27.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 29.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | **1,934.0** |
| H2O | 1962 | 34.3 | 38.5 | 38.6 | 35.3 | 11.1 | 77.4 | 57.2 | 25.0 | 40.1 | 38.5 | 28.3 | 36.1 | **1,911.3** |
| OIL | 1962 | 24.0 | 31.0 | 30.7 | 23.4 | 17.8 | 57.4 | 47.5 | 43.2 | 34.3 | 27.3 | 22.2 | 40.2 | **1,860.2** |
| DAY | 1961 | 17.0 | 8.0 | 21.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | 30.0 | **1,581.0** |
| H2O | 1961 | 11.6 | 5.2 | 88.7 | 71.2 | 66.6 | 51.2 | 59.1 | 45.8 | 64.2 | 50.9 | 31.5 | 40.7 | **1,450.9** |
| OIL | 1961 | 11.8 | 4.9 | 63.7 | 63.7 | 66.9 | 47.2 | 65.5 | 54.2 | 41.6 | 40.8 | 38.0 | 35.4 | **1,461.2** |
| DAY | 1960 | 10.0 | 8.0 | 15.0 | 6.0 | 7.0 | 16.0 | 10.0 | 12.0 | 11.0 | 14.0 | 10.0 | 17.0 | **1,271.0** |
| H2O | 1960 | 10.2 | 7.9 | 9.4 | 5.2 | 3.5 | 9.2 | 8.4 | 12.1 | 15.7 | 11.8 | 11.9 | 16.2 | **864.2** |
| OIL | 1960 | 10.5 | 8.7 | 11.6 | 5.6 | 3.5 | 9.5 | 6.2 | 6.0 | 7.8 | 7.2 | 5.2 | 8.6 | **927.5** |
| DAY | 1959 | 7.0 | 3.0 | 10.0 | 11.0 | 10.0 | 12.0 | 12.0 | 11.0 | 11.0 | 31.0 | 12.0 | 13.0 | **1,135.0** |
| H2O | 1959 | 6.8 | 5.7 | 7.6 | 9.1 | 8.1 | 8.9 | 6.5 | 8.4 | 7.8 | 8.1 | 9.1 | 9.9 | **742.7** |
| OIL | 1959 | 7.9 | 7.5 | 8.3 | 9.4 | 8.1 | 8.9 | 8.7 | 8.9 | 8.1 | 8.1 | 9.9 | 9.9 | **837.1** |
| DAY | 1958 | 19.0 | 9.0 | 25.0 | 13.0 | 8.0 | 8.0 | 9.0 | 9.0 | 9.0 | 9.0 | 8.0 | 11.0 | **992.0** |
| H2O | 1958 | 6.5 | 8.4 | 6.7 | 8.6 | 6.5 | 6.5 | 9.2 | 6.8 | 8.9 | 7.9 | 7.6 | 11.0 | **646.7** |
| OIL | 1958 | 7.3 | 10.5 | 10.6 | 10.3 | 7.8 | 6.7 | 9.2 | 7.3 | 9.7 | 9.1 | 8.3 | 13.7 | **733.4** |
| DAY | 1957 | 3.0 | 0.0 | 28.0 | 22.0 | 31.0 | 27.0 | 16.0 | 12.0 | 22.0 | 30.0 | 28.0 | 4.0 | **855.0** |
| H2O | 1957 | 3.7 | 0.0 | 32.7 | 4.0 | 5.7 | 5.2 | 4.9 | 4.5 | 9.1 | 8.1 | 7.2 | 2.4 | **552.1** |
| OIL | 1957 | 3.7 | 0.0 | 11.9 | 12.9 | 13.2 | 12.6 | 4.9 | 10.2 | 13.2 | 10.6 | 7.5 | 3.8 | **622.9** |
| DAY | 1956 | 0.0 | 0.0 | 29.0 | 28.0 | 25.0 | 27.0 | 29.0 | 31.0 | 25.0 | 27.0 | 27.0 | 14.0 | **632.0** |
| H2O | 1956 | 0.0 | 0.0 | 9.2 | 9.5 | 6.7 | 20.7 | 23.1 | 9.5 | 11.1 | 17.0 | 8.9 | 5.4 | **464.6** |
| OIL | 1956 | 0.0 | 0.0 | 20.0 | 13.7 | 7.0 | 5.1 | 7.2 | 8.4 | 5.6 | 7.0 | 4.8 | 4.1 | **518.4** |
| DAY | 1955 | 31.0 | 21.0 | 7.0 | 30.0 | 3.0 | 30.0 | 31.0 | 31.0 | 18.0 | 31.0 | 25.0 | 0.0 | **370.0** |
| H2O | 1955 | 15.7 | 10.7 | 5.9 | 66.5 | 9.4 | 0.2 | 36.1 | 26.1 | 13.8 | 24.2 | 17.2 | 0.0 | **343.5** |
| OIL | 1955 | 22.9 | 18.8 | 11.8 | 24.3 | 2.2 | 68.0 | 20.8 | 19.9 | 11.0 | 18.9 | 13.7 | 0.0 | **435.5** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 23.0 | 31.0 | 23.0 | 31.0 | **112.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.5 | 16.7 | 36.4 | 28.6 | 28.5 | **117.7** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 66.7 | 43.4 | 33.4 | 29.7 | **203.2** |

Licence ***495*** Well Name ***Bravo Woodnorth*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-28-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole C*** Field Code ***1*** Pool Code ***59C*** Unit ***0***

# Manitoba Production
## 1950 To 1975

Licence ***495*** Well Name ***Bravo Woodnorth*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-28-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole C*** Field Code ***1*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 31.0 | 29.0 | 29.0 | 28.0 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,333.0** |
| H2O | 1968 | 463.1 | 407.8 | 404.2 | 278.3 | 77.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **29,495.4** |
| OIL | 1968 | 19.2 | 17.6 | 16.2 | 11.7 | 1.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **10,663.2** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **4,209.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 261.2 | 414.5 | 266.1 | 445.3 | 428.8 | 435.9 | 420.7 | **27,864.5** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.9 | 21.0 | 21.5 | 23.5 | 20.8 | 21.6 | 19.5 | **10,596.6** |
| DAY | 1966 | 20.0 | 0.0 | 21.0 | 27.0 | 23.0 | 27.0 | 30.0 | 30.0 | 30.0 | 25.0 | 24.0 | 6.0 | **4,008.0** |
| H2O | 1966 | 198.4 | 0.0 | 199.7 | 188.6 | 351.7 | 351.5 | 389.5 | 536.7 | 348.2 | 286.6 | 190.3 | 58.2 | **25,192.0** |
| OIL | 1966 | 11.9 | 0.0 | 13.3 | 16.4 | 18.8 | 14.6 | 16.4 | 15.1 | 15.3 | 12.6 | 12.9 | 4.0 | **10,445.8** |
| DAY | 1965 | 24.0 | 28.0 | 31.0 | 25.0 | 21.0 | 26.0 | 29.0 | 29.0 | 27.0 | 28.0 | 29.0 | 31.0 | **3,745.0** |
| H2O | 1965 | 267.4 | 323.4 | 356.3 | 250.9 | 632.6 | 268.4 | 350.4 | 341.2 | 369.0 | 336.2 | 288.4 | 336.1 | **22,092.6** |
| OIL | 1965 | 18.3 | 17.3 | 20.3 | 16.7 | 18.4 | 18.9 | 23.4 | 20.5 | 16.5 | 17.0 | 20.2 | 20.3 | **10,294.5** |
| DAY | 1964 | 31.0 | 28.0 | 31.0 | 28.0 | 29.0 | 27.0 | 18.0 | 3.0 | 27.0 | 28.0 | 28.0 | 31.0 | **3,417.0** |
| H2O | 1964 | 248.0 | 173.8 | 152.0 | 112.7 | 104.3 | 284.1 | 203.0 | 35.3 | 283.1 | 353.9 | 340.2 | 386.8 | **17,972.3** |
| OIL | 1964 | 19.9 | 18.4 | 17.6 | 14.0 | 24.3 | 22.7 | 15.3 | 1.4 | 21.5 | 17.2 | 18.3 | 15.9 | **10,066.7** |
| DAY | 1963 | 31.0 | 5.0 | 21.0 | 27.0 | 28.0 | 27.0 | 28.0 | 28.0 | 27.0 | 28.0 | 27.0 | 31.0 | **3,108.0** |
| H2O | 1963 | 248.5 | 42.1 | 186.6 | 297.0 | 285.5 | 266.0 | 172.3 | 128.8 | 110.3 | 80.1 | 115.4 | 205.4 | **15,295.1** |
| OIL | 1963 | 35.0 | 4.9 | 27.8 | 29.9 | 27.5 | 29.1 | 23.7 | 25.3 | 26.5 | 25.4 | 21.0 | 19.5 | **9,860.2** |
| DAY | 1962 | 31.0 | 28.0 | 29.0 | 30.0 | 28.0 | 27.0 | 28.0 | 28.0 | 29.0 | 28.0 | 24.0 | 31.0 | **2,800.0** |
| H2O | 1962 | 252.8 | 198.2 | 203.5 | 197.3 | 181.9 | 176.8 | 207.5 | 234.2 | 205.6 | 191.4 | 176.1 | 315.3 | **13,157.1** |
| OIL | 1962 | 24.6 | 22.6 | 26.5 | 23.8 | 31.5 | 23.4 | 37.7 | 37.0 | 30.4 | 27.8 | 31.6 | 35.8 | **9,564.6** |
| DAY | 1961 | 28.0 | 27.0 | 28.0 | 27.0 | 28.0 | 27.0 | 28.0 | 28.0 | 27.0 | 28.0 | 27.0 | 31.0 | **2,459.0** |
| H2O | 1961 | 198.4 | 240.4 | 262.3 | 255.3 | 264.7 | 219.9 | 233.2 | 226.7 | 237.2 | 228.8 | 228.0 | 240.5 | **10,616.5** |
| OIL | 1961 | 51.2 | 45.4 | 42.3 | 16.7 | 22.1 | 36.4 | 39.9 | 44.2 | 44.0 | 40.5 | 34.6 | 24.9 | **9,211.9** |
| DAY | 1960 | 31.0 | 29.0 | 28.0 | 28.0 | 29.0 | 27.0 | 29.0 | 28.0 | 27.0 | 27.0 | 26.0 | 31.0 | **2,125.0** |
| H2O | 1960 | 49.4 | 46.1 | 62.8 | 118.0 | 157.1 | 264.1 | 141.7 | 107.2 | 100.3 | 86.0 | 70.3 | 141.7 | **7,781.1** |
| OIL | 1960 | 64.0 | 59.8 | 52.0 | 37.7 | 50.7 | 47.8 | 49.1 | 33.2 | 27.0 | 27.8 | 28.0 | 50.1 | **8,769.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,785.0** |
| H2O | 1959 | 196.0 | 193.6 | 197.0 | 113.7 | 151.3 | 173.1 | 162.6 | 125.6 | 105.6 | 49.4 | 48.0 | 49.3 | **6,436.4** |
| OIL | 1959 | 58.8 | 53.6 | 59.8 | 35.1 | 46.6 | 54.8 | 62.6 | 61.2 | 59.6 | 63.2 | 61.5 | 64.0 | **8,242.5** |
| DAY | 1958 | 29.0 | 26.0 | 30.0 | 28.0 | 29.0 | 28.0 | 29.0 | 30.0 | 29.0 | 29.0 | 28.0 | 31.0 | **1,423.0** |
| H2O | 1958 | 92.5 | 82.8 | 99.8 | 135.9 | 129.6 | 79.0 | 78.9 | 43.1 | 49.0 | 46.9 | 105.1 | 181.6 | **4,871.2** |
| OIL | 1958 | 93.4 | 83.3 | 91.1 | 56.4 | 32.1 | 48.0 | 46.7 | 51.6 | 71.4 | 65.8 | 54.0 | 59.4 | **7,561.7** |
| DAY | 1957 | 30.0 | 27.0 | 30.0 | 29.0 | 30.0 | 28.0 | 29.0 | 29.0 | 25.0 | 29.0 | 29.0 | 29.0 | **1,077.0** |
| H2O | 1957 | 103.2 | 92.9 | 103.5 | 100.0 | 102.9 | 163.8 | 109.4 | 111.1 | 117.5 | 137.4 | 101.8 | 93.8 | **3,747.0** |
| OIL | 1957 | 103.6 | 92.8 | 102.7 | 99.2 | 101.7 | 135.1 | 101.6 | 100.3 | 76.0 | 90.6 | 104.9 | 91.5 | **6,808.5** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 29.0 | 28.0 | 23.0 | **733.0** |
| H2O | 1956 | 76.9 | 92.8 | 128.3 | 118.0 | 180.9 | 251.0 | 202.4 | 177.7 | 122.7 | 102.2 | 95.4 | 103.7 | **2,409.7** |
| OIL | 1956 | 255.2 | 248.4 | 265.4 | 254.3 | 261.6 | 253.6 | 260.6 | 267.0 | 138.9 | 95.7 | 94.9 | 103.0 | **5,608.5** |
| DAY | 1955 | 29.0 | 27.0 | 30.0 | 8.0 | 0.0 | 19.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | **382.0** |
| H2O | 1955 | 45.6 | 69.3 | 69.8 | 16.1 | 0.0 | 18.6 | 62.5 | 91.7 | 64.9 | 67.1 | 75.4 | 56.8 | **757.7** |
| OIL | 1955 | 260.8 | 245.7 | 280.3 | 62.9 | 0.0 | 158.6 | 259.2 | 262.4 | 255.4 | 262.8 | 256.6 | 205.6 | **3,109.9** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 18.0 | 17.0 | 16.0 | 30.0 | **92.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.5 | 16.9 | 25.8 | 17.0 | 46.7 | **119.9** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 93.3 | 95.3 | 95.5 | 86.8 | 228.7 | **599.6** |

Licence ***496*** Well Name ***Mineraloid Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-14-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 30.0 | 31.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,698.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 26.8 | 47.5 | 49.1 | 49.2 | 0.0 | 0.0 | 0.0 | 0.0 | **5,911.2** |

# Manitoba Production
## 1950 To 1975

Licence ***496*** Well Name ***Mineraloid Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-14-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 10.9 | 28.8 | 22.6 | 13.7 | 0.0 | 0.0 | 0.0 | 0.0 | **4,360.5** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 7.0 | 28.0 | 29.0 | 31.0 | 31.0 | 30.0 | 22.0 | 0.0 | 0.0 | **1,589.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 20.7 | 17.2 | 33.1 | 44.4 | 44.4 | 42.9 | 35.0 | 0.0 | 0.0 | **5,738.6** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 11.3 | 22.4 | 17.3 | 36.1 | 26.9 | 25.1 | 16.7 | 0.0 | 0.0 | **4,284.5** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 0.0 | 9.0 | 0.0 | 0.0 | 0.0 | **1,411.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.7 | 0.0 | 14.3 | 0.0 | 0.0 | 0.0 | **5,500.9** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.4 | 0.0 | 4.4 | 0.0 | 0.0 | 0.0 | **4,128.7** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 23.0 | 31.0 | 27.0 | 24.0 | 23.0 | 1.0 | 0.0 | **1,396.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 50.1 | 49.3 | 36.6 | 49.3 | 44.5 | 38.2 | 36.6 | 1.6 | 0.0 | **5,473.9** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 28.0 | 16.4 | 15.4 | 26.1 | 14.5 | 15.6 | 11.0 | 0.3 | 0.0 | **4,119.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 29.0 | 31.0 | 31.0 | 30.0 | 28.0 | 28.0 | 7.0 | **1,206.0** |
| H2O | 1958 | 131.0 | 117.0 | 103.2 | 56.3 | 39.9 | 58.2 | 49.3 | 49.3 | 46.9 | 22.4 | 29.1 | 6.4 | **5,167.7** |
| OIL | 1958 | 41.5 | 33.2 | 33.7 | 30.7 | 26.5 | 26.7 | 18.9 | 18.0 | 21.5 | 12.9 | 21.5 | 2.2 | **3,992.6** |
| DAY | 1957 | 27.0 | 24.0 | 31.0 | 29.0 | 30.0 | 29.0 | 31.0 | 31.0 | 29.0 | 30.0 | 29.0 | 31.0 | **876.0** |
| H2O | 1957 | 181.9 | 161.9 | 166.1 | 138.3 | 139.1 | 128.8 | 157.6 | 151.0 | 141.5 | 146.1 | 144.7 | 144.7 | **4,458.7** |
| OIL | 1957 | 87.2 | 86.0 | 101.9 | 79.8 | 69.8 | 62.1 | 62.9 | 54.2 | 58.6 | 51.8 | 50.1 | 50.7 | **3,705.3** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 26.0 | 29.0 | 22.0 | 25.0 | 29.0 | 18.0 | 28.0 | 19.0 | 28.0 | **525.0** |
| H2O | 1956 | 126.2 | 195.1 | 256.3 | 190.6 | 206.5 | 160.4 | 202.4 | 241.5 | 177.3 | 189.7 | 152.6 | 190.0 | **2,657.0** |
| OIL | 1956 | 194.5 | 157.5 | 177.8 | 172.3 | 162.6 | 114.9 | 143.2 | 147.8 | 108.4 | 146.7 | 88.5 | 116.2 | **2,890.2** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **210.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.2 | 15.7 | 28.0 | 41.3 | 61.4 | 95.9 | 119.9 | **368.4** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 62.0 | 161.5 | 187.0 | 186.2 | 201.8 | 184.8 | 176.5 | **1,159.8** |

Licence ***498*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.15-29-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 18.0 | 30.0 | 30.0 | 29.0 | 12.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **918.0** |
| H2O | 1957 | 0.0 | 255.6 | 386.6 | 402.1 | 350.2 | 130.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **11,995.4** |
| OIL | 1957 | 0.0 | 16.2 | 25.4 | 25.4 | 25.3 | 7.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,948.6** |
| DAY | 1956 | 30.0 | 29.0 | 31.0 | 25.0 | 29.0 | 29.0 | 31.0 | 27.0 | 29.0 | 31.0 | 27.0 | 31.0 | **799.0** |
| H2O | 1956 | 406.5 | 426.1 | 480.9 | 459.8 | 550.9 | 442.0 | 424.0 | 313.2 | 341.3 | 320.0 | 297.5 | 332.7 | **10,470.9** |
| OIL | 1956 | 59.8 | 54.7 | 61.8 | 49.7 | 70.7 | 22.9 | 24.6 | 22.2 | 27.5 | 31.1 | 25.9 | 28.0 | **2,849.0** |
| DAY | 1955 | 31.0 | 27.0 | 31.0 | 19.0 | 31.0 | 21.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **450.0** |
| H2O | 1955 | 1135.8 | 605.4 | 233.2 | 112.6 | 189.5 | 53.9 | 264.2 | 454.5 | 494.4 | 523.7 | 467.1 | 399.0 | **5,676.0** |
| OIL | 1955 | 283.8 | 151.3 | 125.5 | 60.5 | 102.0 | 60.7 | 75.8 | 80.7 | 73.4 | 73.1 | 60.9 | 51.3 | **2,370.1** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 18.0 | 17.0 | 29.0 | 27.0 | **110.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 188.6 | 74.4 | 51.4 | 427.7 | **742.7** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 356.8 | 286.2 | 152.9 | 192.0 | 183.2 | **1,171.1** |

Licence ***502*** Well Name ***Basco Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-18-010-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1955 | 25.0 | 12.0 | 5.0 | 0.0 | 14.0 | 1.0 | 12.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **134.0** |
| H2O | 1955 | 16.1 | 9.9 | 3.8 | 0.0 | 10.8 | 0.0 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **422.6** |
| OIL | 1955 | 35.6 | 15.4 | 5.7 | 0.0 | 7.2 | 1.7 | 3.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **295.4** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 19.0 | 0.0 | 25.0 | **65.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 97.6 | 217.5 | 0.0 | 66.3 | **381.4** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 139.4 | 65.0 | 0.0 | 21.8 | **226.2** |

Licence ***503*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***503*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 24.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,529.0** |
| H2O | 1975 | 214.3 | 249.4 | 291.7 | 280.0 | 301.4 | 276.5 | 275.5 | 288.1 | 260.1 | 244.4 | 232.9 | 238.9 | **34,284.0** |
| OIL | 1975 | 93.0 | 109.2 | 121.1 | 113.1 | 114.7 | 111.6 | 116.8 | 119.5 | 120.9 | 121.7 | 119.3 | 122.7 | **23,835.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 12.0 | 19.0 | 31.0 | 30.0 | 31.0 | **7,172.0** |
| H2O | 1974 | 354.9 | 305.4 | 371.5 | 327.8 | 349.4 | 405.3 | 334.1 | 130.0 | 213.8 | 291.4 | 254.1 | 279.3 | **31,130.8** |
| OIL | 1974 | 146.7 | 145.1 | 161.3 | 151.3 | 148.1 | 153.5 | 164.8 | 63.9 | 98.7 | 119.0 | 112.3 | 119.3 | **22,451.7** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,839.0** |
| H2O | 1973 | 221.9 | 201.4 | 232.6 | 233.5 | 294.4 | 303.6 | 279.0 | 268.5 | 284.4 | 313.0 | 290.3 | 341.5 | **27,513.8** |
| OIL | 1973 | 116.0 | 102.0 | 114.1 | 114.7 | 122.8 | 118.7 | 127.1 | 111.9 | 144.3 | 155.6 | 146.5 | 142.9 | **20,867.7** |
| DAY | 1972 | 31.0 | 6.0 | 7.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 18.0 | 30.0 | 31.0 | **6,477.0** |
| H2O | 1972 | 173.6 | 35.3 | 39.6 | 142.2 | 153.0 | 140.9 | 142.5 | 47.8 | 45.9 | 26.9 | 201.0 | 185.4 | **24,249.7** |
| OIL | 1972 | 87.9 | 17.2 | 20.2 | 84.1 | 87.6 | 84.9 | 86.4 | 22.2 | 22.1 | 13.5 | 114.9 | 116.6 | **19,351.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,171.0** |
| H2O | 1971 | 38.8 | 38.5 | 41.2 | 42.4 | 44.3 | 36.4 | 37.5 | 42.6 | 38.1 | 170.8 | 149.2 | 160.9 | **22,915.6** |
| OIL | 1971 | 42.7 | 38.6 | 43.1 | 41.0 | 41.3 | 39.7 | 41.2 | 41.8 | 39.4 | 86.6 | 79.5 | 88.7 | **18,593.5** |
| DAY | 1970 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 10.0 | 30.0 | 28.0 | 27.0 | 30.0 | 30.0 | **5,807.0** |
| H2O | 1970 | 54.7 | 57.8 | 70.6 | 63.6 | 67.2 | 65.0 | 18.1 | 55.5 | 58.3 | 54.8 | 35.6 | 31.6 | **22,074.9** |
| OIL | 1970 | 53.1 | 52.6 | 58.3 | 56.7 | 59.1 | 55.0 | 17.8 | 55.6 | 52.8 | 50.7 | 40.2 | 40.7 | **17,969.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,474.0** |
| H2O | 1969 | 78.8 | 64.4 | 78.3 | 78.2 | 83.9 | 69.8 | 73.6 | 66.6 | 63.6 | 67.2 | 63.7 | 68.3 | **21,442.1** |
| OIL | 1969 | 63.9 | 54.8 | 61.8 | 64.2 | 62.5 | 57.8 | 58.8 | 58.8 | 55.3 | 58.3 | 54.0 | 59.3 | **17,377.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,109.0** |
| H2O | 1968 | 67.5 | 67.5 | 78.7 | 83.7 | 80.2 | 71.5 | 75.0 | 77.7 | 69.1 | 73.6 | 73.1 | 79.1 | **20,585.7** |
| OIL | 1968 | 60.5 | 54.5 | 61.0 | 64.2 | 63.7 | 61.3 | 63.6 | 64.4 | 62.6 | 62.6 | 61.2 | 64.0 | **16,667.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,743.0** |
| H2O | 1967 | 187.3 | 162.6 | 174.1 | 166.9 | 141.0 | 62.6 | 64.2 | 65.2 | 72.7 | 69.3 | 71.7 | 72.3 | **19,689.0** |
| OIL | 1967 | 67.1 | 61.5 | 57.7 | 62.0 | 60.9 | 54.8 | 62.0 | 55.9 | 62.0 | 62.1 | 61.8 | 62.3 | **15,924.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,383.0** |
| H2O | 1966 | 147.9 | 133.5 | 147.5 | 143.1 | 150.2 | 166.9 | 183.0 | 187.3 | 181.2 | 187.3 | 181.2 | 187.3 | **18,379.1** |
| OIL | 1966 | 71.4 | 65.3 | 72.1 | 69.8 | 71.0 | 71.5 | 74.7 | 73.9 | 71.2 | 72.3 | 64.7 | 65.8 | **15,194.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,018.0** |
| H2O | 1965 | 221.8 | 200.3 | 221.8 | 200.3 | 197.1 | 178.9 | 163.9 | 172.5 | 166.9 | 153.4 | 143.1 | 147.9 | **16,382.7** |
| OIL | 1965 | 88.8 | 78.2 | 87.6 | 82.8 | 81.0 | 77.1 | 81.7 | 82.0 | 79.6 | 76.0 | 71.5 | 72.1 | **14,350.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 26.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,653.0** |
| H2O | 1964 | 144.7 | 142.1 | 172.5 | 166.9 | 150.2 | 141.7 | 159.3 | 271.1 | 205.2 | 221.8 | 214.6 | 221.8 | **14,214.8** |
| OIL | 1964 | 78.7 | 73.4 | 80.7 | 79.5 | 71.7 | 67.1 | 58.0 | 116.5 | 94.2 | 96.9 | 93.1 | 93.1 | **13,392.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,294.0** |
| H2O | 1963 | 132.1 | 125.9 | 136.6 | 132.1 | 141.5 | 143.1 | 135.6 | 123.2 | 125.3 | 121.6 | 120.7 | 131.0 | **12,002.9** |
| OIL | 1963 | 83.3 | 77.9 | 85.7 | 80.4 | 82.6 | 80.2 | 75.8 | 72.6 | 77.4 | 81.7 | 80.4 | 82.3 | **12,389.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,930.0** |
| H2O | 1962 | 147.9 | 115.3 | 156.6 | 163.7 | 186.0 | 172.5 | 155.8 | 147.9 | 143.1 | 147.9 | 135.0 | 132.9 | **10,434.2** |
| OIL | 1962 | 74.2 | 67.5 | 92.0 | 74.5 | 85.0 | 94.7 | 97.7 | 97.7 | 94.9 | 97.7 | 91.2 | 85.2 | **11,428.8** |
| DAY | 1961 | 31.0 | 28.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 21.0 | 31.0 | **2,566.0** |
| H2O | 1961 | 221.8 | 200.3 | 215.4 | 197.1 | 197.1 | 159.8 | 194.0 | 197.1 | 190.8 | 190.8 | 138.6 | 158.2 | **8,629.6** |
| OIL | 1961 | 97.7 | 89.8 | 95.7 | 83.0 | 86.0 | 84.2 | 97.7 | 101.1 | 94.6 | 84.1 | 54.5 | 84.2 | **10,376.5** |
| DAY | 1960 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | **2,214.0** |
| H2O | 1960 | 119.2 | 129.6 | 147.9 | 130.4 | 145.5 | 159.9 | 214.6 | 244.8 | 214.6 | 226.5 | 213.0 | 210.5 | **6,368.6** |
| OIL | 1960 | 95.2 | 85.8 | 87.2 | 75.5 | 89.0 | 77.2 | 70.2 | 96.0 | 91.4 | 98.2 | 88.4 | 96.9 | **9,323.9** |
| DAY | 1959 | 30.0 | 28.0 | 31.0 | 28.0 | 31.0 | 27.0 | 27.0 | 25.0 | 30.0 | 24.0 | 30.0 | 31.0 | **1,855.0** |
| H2O | 1959 | 76.3 | 66.8 | 73.9 | 66.0 | 73.9 | 65.2 | 75.4 | 147.7 | 151.5 | 93.0 | 112.9 | 112.1 | **4,212.1** |
| OIL | 1959 | 153.3 | 132.2 | 146.8 | 124.7 | 140.0 | 123.8 | 113.5 | 126.2 | 140.6 | 110.4 | 118.2 | 109.8 | **8,272.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,513.0** |

# Manitoba Production
## 1950 To 1975

Licence ***503*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 111.3 | 95.4 | 119.2 | 111.3 | 111.3 | 103.3 | 103.3 | 111.3 | 111.3 | 111.3 | 84.3 | 98.6 | **3,097.4** |
| OIL | 1958 | 195.6 | 168.4 | 196.7 | 162.9 | 170.5 | 159.5 | 167.8 | 164.0 | 161.1 | 166.9 | 165.1 | 168.3 | **6,733.4** |
| DAY | 1957 | 9.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,148.0** |
| H2O | 1957 | 22.3 | 87.4 | 66.8 | 69.0 | 79.5 | 81.9 | 85.7 | 85.7 | 82.4 | 93.8 | 98.9 | 111.3 | **1,825.5** |
| OIL | 1957 | 72.3 | 216.8 | 221.0 | 191.6 | 186.9 | 180.4 | 189.7 | 177.5 | 182.9 | 188.9 | 165.4 | 195.8 | **4,686.6** |
| DAY | 1956 | 2.0 | 29.0 | 30.0 | 28.0 | 31.0 | 30.0 | 25.0 | 31.0 | 29.0 | 31.0 | 30.0 | 26.0 | **806.0** |
| H2O | 1956 | 0.0 | 58.0 | 69.6 | 65.2 | 79.8 | 77.7 | 64.2 | 68.7 | 66.9 | 71.5 | 85.7 | 71.9 | **860.8** |
| OIL | 1956 | 6.4 | 86.1 | 87.9 | 70.4 | 77.5 | 69.3 | 119.3 | 251.1 | 204.5 | 243.1 | 234.9 | 205.0 | **2,517.4** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 16.0 | **484.0** |
| H2O | 1955 | 1.4 | 0.0 | 0.0 | 0.0 | 0.3 | 9.5 | 11.9 | 11.9 | 12.7 | 11.9 | 15.9 | 5.6 | **81.6** |
| OIL | 1955 | 23.0 | 22.4 | 35.1 | 41.2 | 34.0 | 45.3 | 68.3 | 76.6 | 71.5 | 74.4 | 107.9 | 39.6 | **861.9** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 30.0 | 31.0 | 30.0 | 31.0 | **134.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | **0.5** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 38.8 | 51.2 | 56.3 | 41.8 | 34.5 | **222.6** |

Licence ***505*** Well Name ***Tundra Pierson Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-11-003-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a C*** Field Code ***7*** Pool Code ***43C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 22.0 | 31.0 | 28.0 | 29.0 | 27.0 | 24.0 | 31.0 | **5,437.0** |
| H2O | 1975 | 326.7 | 262.5 | 437.0 | 460.9 | 403.0 | 373.1 | 446.8 | 486.5 | 430.0 | 447.5 | 396.8 | 463.1 | **41,189.7** |
| OIL | 1975 | 83.4 | 74.2 | 86.0 | 80.9 | 76.1 | 60.1 | 83.3 | 74.7 | 76.3 | 72.1 | 63.9 | 84.5 | **7,426.1** |
| DAY | 1974 | 29.0 | 25.0 | 29.0 | 26.0 | 27.0 | 30.0 | 31.0 | 17.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,097.0** |
| H2O | 1974 | 416.4 | 412.0 | 423.6 | 419.6 | 384.0 | 378.0 | 401.7 | 434.2 | 436.8 | 517.9 | 387.1 | 325.7 | **36,255.8** |
| OIL | 1974 | 78.2 | 79.4 | 85.3 | 81.8 | 82.6 | 72.1 | 72.1 | 82.8 | 79.9 | 82.9 | 76.6 | 82.5 | **6,510.6** |
| DAY | 1973 | 30.0 | 19.0 | 31.0 | 27.0 | 29.0 | 30.0 | 30.0 | 31.0 | 27.0 | 31.0 | 28.0 | 30.0 | **4,761.0** |
| H2O | 1973 | 491.2 | 290.0 | 488.0 | 424.9 | 458.8 | 477.0 | 444.8 | 460.6 | 446.7 | 428.9 | 347.5 | 391.1 | **31,318.8** |
| OIL | 1973 | 62.0 | 40.5 | 74.0 | 64.8 | 64.5 | 65.3 | 65.5 | 65.5 | 68.2 | 71.8 | 59.7 | 71.5 | **5,554.4** |
| DAY | 1972 | 14.0 | 24.0 | 29.0 | 26.0 | 24.0 | 26.0 | 25.0 | 30.0 | 24.0 | 29.0 | 30.0 | 31.0 | **4,418.0** |
| H2O | 1972 | 102.4 | 190.8 | 232.1 | 249.3 | 246.4 | 285.5 | 337.8 | 345.0 | 429.7 | 420.1 | 457.9 | 512.7 | **26,169.3** |
| OIL | 1972 | 11.1 | 22.4 | 27.2 | 24.8 | 22.6 | 24.8 | 27.8 | 28.6 | 35.6 | 47.0 | 42.9 | 54.5 | **4,781.1** |
| DAY | 1971 | 7.0 | 0.0 | 0.0 | 18.0 | 30.0 | 28.0 | 31.0 | 27.0 | 27.0 | 25.0 | 30.0 | 31.0 | **4,106.0** |
| H2O | 1971 | 55.6 | 0.0 | 0.0 | 170.1 | 252.8 | 216.0 | 262.3 | 181.7 | 214.6 | 214.6 | 219.4 | 182.4 | **22,359.6** |
| OIL | 1971 | 6.7 | 0.0 | 0.0 | 20.0 | 29.4 | 27.3 | 29.7 | 25.7 | 24.5 | 24.3 | 23.4 | 24.6 | **4,411.8** |
| DAY | 1970 | 23.0 | 27.0 | 25.0 | 29.0 | 25.0 | 27.0 | 29.0 | 30.0 | 29.0 | 29.0 | 27.0 | 24.0 | **3,852.0** |
| H2O | 1970 | 221.9 | 253.6 | 226.2 | 217.8 | 175.6 | 251.7 | 257.5 | 275.2 | 267.4 | 258.5 | 141.2 | 180.0 | **20,390.1** |
| OIL | 1970 | 25.6 | 20.2 | 24.9 | 27.1 | 25.3 | 25.6 | 27.7 | 29.4 | 27.7 | 27.3 | 28.4 | 19.1 | **4,176.2** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 0.0 | 26.0 | **3,528.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 73.0 | 0.0 | 248.0 | **17,663.5** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 0.0 | 33.1 | **3,867.9** |
| DAY | 1966 | 0.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 28.0 | 6.0 | 0.0 | 0.0 | 0.0 | **3,495.0** |
| H2O | 1966 | 0.0 | 267.4 | 320.3 | 324.0 | 244.0 | 252.5 | 257.4 | 217.5 | 39.9 | 0.0 | 0.0 | 0.0 | **17,342.5** |
| OIL | 1966 | 0.0 | 29.9 | 32.4 | 33.4 | 50.5 | 46.2 | 17.0 | 19.1 | 3.0 | 0.0 | 0.0 | 0.0 | **3,813.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 26.0 | 31.0 | 24.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,282.0** |
| H2O | 1965 | 215.3 | 179.3 | 251.8 | 234.5 | 205.7 | 235.1 | 247.4 | 180.6 | 0.0 | 0.0 | 0.0 | 0.0 | **15,419.5** |
| OIL | 1965 | 35.4 | 30.7 | 41.3 | 41.5 | 30.8 | 28.4 | 35.6 | 24.8 | 0.0 | 0.0 | 0.0 | 0.0 | **3,582.3** |
| DAY | 1964 | 31.0 | 29.0 | 20.0 | 30.0 | 13.0 | 27.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,056.0** |
| H2O | 1964 | 207.5 | 193.5 | 128.1 | 180.8 | 80.1 | 30.0 | 32.6 | 32.1 | 48.5 | 190.0 | 212.7 | 240.2 | **13,669.8** |
| OIL | 1964 | 21.8 | 20.2 | 12.7 | 18.3 | 8.1 | 21.0 | 18.8 | 22.1 | 2.2 | 40.5 | 41.0 | 40.5 | **3,313.8** |
| DAY | 1963 | 27.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 31.0 | 31.0 | 25.0 | 29.0 | 27.0 | 31.0 | **2,726.0** |
| H2O | 1963 | 196.8 | 0.0 | 0.0 | 0.0 | 0.0 | 200.7 | 251.8 | 238.6 | 152.1 | 124.4 | 153.6 | 184.6 | **12,093.7** |
| OIL | 1963 | 15.3 | 0.0 | 0.0 | 0.0 | 0.0 | 19.4 | 24.6 | 23.0 | 19.5 | 15.7 | 18.4 | 21.6 | **3,046.6** |

# Manitoba Production
## 1950 To 1975

Licence ***505*** Well Name ***Tundra Pierson Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-11-003-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a C*** Field Code ***7*** Pool Code ***43C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1962 | 30.0 | 25.0 | 28.0 | 30.0 | 8.0 | 30.0 | 28.0 | 12.0 | 30.0 | 21.0 | 26.0 | 30.0 | **2,503.0** |
| H2O | 1962 | 167.4 | 126.9 | 162.9 | 161.0 | 43.2 | 199.5 | 75.8 | 22.3 | 10.5 | 39.3 | 251.2 | 250.2 | **10,591.1** |
| OIL | 1962 | 30.5 | 24.3 | 27.7 | 27.8 | 6.0 | 31.9 | 24.6 | 9.7 | 5.1 | 18.0 | 17.2 | 19.2 | **2,889.1** |
| DAY | 1961 | 29.0 | 22.0 | 23.0 | 13.0 | 4.0 | 26.0 | 27.0 | 31.0 | 19.0 | 27.0 | 30.0 | 31.0 | **2,205.0** |
| H2O | 1961 | 160.6 | 124.2 | 126.4 | 68.7 | 21.9 | 158.0 | 142.1 | 160.4 | 99.5 | 160.1 | 170.3 | 200.8 | **9,080.9** |
| OIL | 1961 | 8.1 | 6.7 | 6.7 | 3.7 | 1.1 | 10.5 | 30.8 | 34.3 | 19.7 | 30.8 | 34.2 | 36.9 | **2,647.1** |
| DAY | 1960 | 30.0 | 28.0 | 31.0 | 21.0 | 0.0 | 25.0 | 31.0 | 31.0 | 27.0 | 31.0 | 24.0 | 27.0 | **1,923.0** |
| H2O | 1960 | 130.2 | 139.9 | 148.5 | 130.8 | 0.0 | 133.4 | 139.4 | 154.7 | 132.1 | 164.7 | 133.7 | 145.9 | **7,487.9** |
| OIL | 1960 | 25.6 | 28.3 | 29.6 | 31.5 | 0.0 | 30.5 | 32.1 | 10.2 | 6.0 | 7.0 | 7.0 | 7.3 | **2,423.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 16.0 | 30.0 | 27.0 | 23.0 | 26.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,617.0** |
| H2O | 1959 | 173.1 | 115.9 | 152.3 | 83.0 | 162.3 | 123.5 | 103.0 | 133.4 | 140.7 | 138.9 | 136.6 | 141.7 | **5,934.6** |
| OIL | 1959 | 31.0 | 24.6 | 25.3 | 15.3 | 27.5 | 27.8 | 20.3 | 22.1 | 32.4 | 31.1 | 26.9 | 27.2 | **2,208.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **1,285.0** |
| H2O | 1958 | 102.7 | 63.0 | 68.2 | 60.6 | 54.4 | 49.9 | 58.2 | 65.5 | 60.6 | 25.0 | 180.0 | 220.8 | **4,330.2** |
| OIL | 1958 | 31.0 | 28.8 | 26.7 | 23.7 | 28.8 | 26.5 | 24.8 | 26.5 | 21.6 | 17.5 | 26.7 | 30.0 | **1,897.0** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **928.0** |
| H2O | 1957 | 176.1 | 161.2 | 168.2 | 176.9 | 194.1 | 147.1 | 152.8 | 136.1 | 143.6 | 143.1 | 40.7 | 58.7 | **3,321.3** |
| OIL | 1957 | 22.6 | 17.5 | 14.3 | 12.6 | 14.3 | 16.8 | 19.7 | 20.2 | 20.8 | 20.8 | 22.7 | 28.3 | **1,584.4** |
| DAY | 1956 | 5.0 | 2.0 | 2.0 | 20.0 | 0.0 | 0.0 | 29.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **564.0** |
| H2O | 1956 | 7.9 | 3.2 | 3.2 | 161.7 | 0.0 | 0.0 | 186.8 | 139.6 | 185.8 | 212.2 | 200.3 | 178.9 | **1,622.7** |
| OIL | 1956 | 8.7 | 3.7 | 4.6 | 39.4 | 0.0 | 0.0 | 45.6 | 43.4 | 47.0 | 42.4 | 32.1 | 27.3 | **1,353.8** |
| DAY | 1955 | 29.0 | 20.0 | 31.0 | 8.0 | 0.0 | 8.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **357.0** |
| H2O | 1955 | 17.2 | 16.1 | 13.0 | 12.4 | 0.0 | 8.9 | 38.2 | 44.7 | 26.9 | 37.2 | 35.0 | 33.4 | **343.1** |
| OIL | 1955 | 93.3 | 53.6 | 74.2 | 15.6 | 0.0 | 31.8 | 103.2 | 82.0 | 65.5 | 61.8 | 71.5 | 52.4 | **1,059.6** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 28.0 | 26.0 | **80.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.2 | 24.5 | 18.4 | **60.1** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 165.4 | 103.6 | 85.7 | **354.7** |

Licence ***508*** Well Name ***Kiwi Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-28-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole C*** Field Code ***1*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 26.0 | 0.0 | 11.0 | 22.0 | 31.0 | 21.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,917.0** |
| OIL | 1975 | 20.5 | 0.0 | 6.5 | 23.5 | 18.8 | 18.1 | 18.8 | 22.7 | 15.9 | 12.2 | 21.9 | 17.8 | **26,161.7** |
| DAY | 1974 | 31.0 | 0.0 | 31.0 | 30.0 | 0.0 | 30.0 | 31.0 | 22.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,628.0** |
| H2O | 1974 | 413.4 | 307.1 | 322.8 | 167.9 | 186.3 | 443.6 | 443.6 | 551.6 | 0.0 | 0.0 | 0.0 | 0.0 | **64,128.6** |
| OIL | 1974 | 50.1 | 37.2 | 39.1 | 20.3 | 22.6 | 18.8 | 18.8 | 23.4 | 25.9 | 18.9 | 18.6 | 14.9 | **25,965.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,331.0** |
| H2O | 1973 | 395.9 | 397.2 | 455.5 | 439.7 | 434.2 | 344.1 | 421.3 | 415.0 | 396.2 | 405.4 | 396.2 | 404.1 | **61,292.3** |
| OIL | 1973 | 54.8 | 57.4 | 61.0 | 62.6 | 62.9 | 59.0 | 57.8 | 50.5 | 48.0 | 49.1 | 48.0 | 48.9 | **25,656.4** |
| DAY | 1972 | 25.0 | 1.0 | 17.0 | 29.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,966.0** |
| H2O | 1972 | 159.8 | 0.0 | 150.4 | 217.0 | 205.3 | 244.0 | 278.0 | 291.5 | 293.1 | 310.4 | 316.6 | 386.4 | **56,387.5** |
| OIL | 1972 | 54.8 | 2.2 | 39.1 | 63.6 | 67.4 | 65.5 | 63.9 | 67.1 | 64.8 | 59.4 | 60.5 | 63.7 | **24,996.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,651.0** |
| H2O | 1971 | 302.4 | 360.6 | 402.9 | 404.0 | 396.4 | 354.3 | 332.8 | 265.8 | 232.9 | 316.9 | 284.2 | 215.7 | **53,535.0** |
| OIL | 1971 | 60.5 | 59.3 | 69.1 | 67.1 | 69.1 | 69.8 | 74.1 | 71.7 | 66.9 | 67.5 | 65.8 | 65.5 | **24,324.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | **5,286.0** |
| H2O | 1970 | 246.4 | 267.1 | 271.0 | 273.4 | 257.5 | 267.1 | 276.6 | 266.1 | 261.7 | 278.5 | 268.0 | 263.9 | **49,666.1** |
| OIL | 1970 | 64.0 | 64.5 | 69.3 | 66.1 | 68.5 | 66.9 | 67.2 | 65.8 | 65.9 | 67.4 | 64.2 | 67.4 | **23,518.0** |
| DAY | 1969 | 28.0 | 26.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,927.0** |
| H2O | 1969 | 350.0 | 301.8 | 340.1 | 314.8 | 285.8 | 290.9 | 295.5 | 295.7 | 262.3 | 256.3 | 243.2 | 285.8 | **46,468.8** |
| OIL | 1969 | 59.1 | 48.5 | 54.0 | 55.5 | 57.2 | 54.5 | 56.4 | 55.1 | 47.4 | 53.6 | 60.4 | 65.2 | **22,720.8** |

# Manitoba Production
## 1950 To 1975

Licence ***508*** Well Name ***Kiwi Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-28-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole C*** Field Code ***1*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 29.0 | 25.0 | 29.0 | 28.0 | 29.0 | 30.0 | 28.0 | **4,599.0** |
| H2O | 1968 | 399.2 | 411.9 | 407.6 | 328.0 | 331.7 | 338.5 | 492.8 | 235.3 | 186.0 | 267.1 | 324.4 | 305.3 | **42,946.6** |
| OIL | 1968 | 73.7 | 71.7 | 65.8 | 67.1 | 71.7 | 59.0 | 49.3 | 59.8 | 54.8 | 62.3 | 61.8 | 62.1 | **22,053.9** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **4,252.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 596.7 | 501.9 | 658.3 | 703.6 | 720.2 | 227.7 | 410.7 | **38,918.8** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 129.2 | 107.6 | 87.4 | 86.4 | 76.3 | 56.6 | 65.5 | **21,294.8** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 28.0 | 23.0 | 28.0 | 29.0 | 30.0 | 28.0 | 27.0 | 27.0 | 6.0 | **4,041.0** |
| H2O | 1966 | 442.9 | 549.1 | 623.5 | 617.0 | 685.0 | 622.6 | 686.5 | 945.9 | 604.0 | 2208.4 | 1888.2 | 181.7 | **35,099.7** |
| OIL | 1966 | 65.4 | 73.7 | 76.8 | 70.4 | 78.0 | 77.1 | 82.8 | 77.9 | 70.6 | 86.4 | 67.2 | 12.7 | **20,685.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 25.0 | 21.0 | 26.0 | 29.0 | 29.0 | 28.0 | 28.0 | 29.0 | 31.0 | **3,725.0** |
| H2O | 1965 | 360.9 | 334.7 | 354.7 | 274.4 | 198.9 | 246.1 | 332.0 | 328.0 | 324.6 | 737.2 | 703.7 | 518.6 | **25,044.9** |
| OIL | 1965 | 78.2 | 69.6 | 80.4 | 65.6 | 56.7 | 67.6 | 82.5 | 73.1 | 63.4 | 73.6 | 66.9 | 71.2 | **19,846.8** |
| DAY | 1964 | 31.0 | 28.0 | 31.0 | 28.0 | 29.0 | 26.0 | 29.0 | 29.0 | 27.0 | 28.0 | 29.0 | 31.0 | **3,389.0** |
| H2O | 1964 | 251.3 | 173.4 | 154.2 | 224.5 | 256.4 | 280.0 | 281.1 | 297.6 | 277.3 | 329.4 | 375.0 | 360.9 | **20,331.1** |
| OIL | 1964 | 81.5 | 73.3 | 80.6 | 76.1 | 82.3 | 60.5 | 66.9 | 65.9 | 71.2 | 71.2 | 73.4 | 77.5 | **18,998.0** |
| DAY | 1963 | 30.0 | 26.0 | 31.0 | 27.0 | 28.0 | 27.0 | 28.0 | 28.0 | 27.0 | 28.0 | 28.0 | 31.0 | **3,043.0** |
| H2O | 1963 | 300.3 | 213.7 | 279.0 | 312.6 | 281.2 | 281.9 | 282.7 | 280.8 | 223.0 | 264.2 | 245.6 | 243.1 | **17,070.0** |
| OIL | 1963 | 55.1 | 53.8 | 70.7 | 77.5 | 83.4 | 71.5 | 69.8 | 68.8 | 58.3 | 62.6 | 72.9 | 77.1 | **18,117.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 29.0 | 28.0 | 27.0 | 29.0 | 28.0 | 29.0 | 28.0 | 24.0 | 31.0 | **2,704.0** |
| H2O | 1962 | 340.4 | 278.1 | 298.9 | 249.6 | 225.9 | 233.7 | 226.1 | 225.0 | 238.2 | 314.3 | 241.0 | 559.8 | **13,861.9** |
| OIL | 1962 | 101.2 | 88.8 | 107.1 | 93.6 | 98.7 | 100.9 | 76.4 | 71.2 | 74.1 | 65.8 | 66.9 | 63.1 | **17,296.1** |
| DAY | 1961 | 29.0 | 26.0 | 28.0 | 27.0 | 28.0 | 27.0 | 28.0 | 28.0 | 27.0 | 28.0 | 27.0 | 31.0 | **2,361.0** |
| H2O | 1961 | 320.0 | 254.5 | 251.8 | 254.8 | 251.2 | 236.2 | 244.0 | 201.7 | 192.0 | 240.1 | 291.7 | 337.0 | **10,430.9** |
| OIL | 1961 | 120.1 | 117.0 | 127.4 | 141.1 | 125.7 | 102.7 | 101.2 | 86.3 | 82.5 | 86.9 | 98.7 | 111.9 | **16,288.3** |
| DAY | 1960 | 31.0 | 28.0 | 27.0 | 27.0 | 14.0 | 27.0 | 28.0 | 22.0 | 27.0 | 28.0 | 26.0 | 31.0 | **2,027.0** |
| H2O | 1960 | 315.7 | 213.4 | 294.9 | 199.8 | 190.1 | 226.4 | 125.0 | 351.0 | 354.7 | 350.7 | 230.7 | 274.7 | **7,355.9** |
| OIL | 1960 | 169.7 | 111.9 | 132.4 | 122.8 | 90.9 | 118.9 | 87.7 | 127.0 | 116.3 | 133.3 | 122.7 | 121.1 | **14,986.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | 28.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,711.0** |
| H2O | 1959 | 72.2 | 71.2 | 146.7 | 106.2 | 152.1 | 164.7 | 194.6 | 153.4 | 198.1 | 305.4 | 280.8 | 263.9 | **4,228.8** |
| OIL | 1959 | 223.0 | 200.2 | 222.2 | 134.3 | 192.8 | 181.2 | 218.3 | 161.8 | 155.3 | 167.0 | 171.3 | 182.3 | **13,532.1** |
| DAY | 1958 | 26.0 | 24.0 | 26.0 | 25.0 | 26.0 | 28.0 | 27.0 | 27.0 | 26.0 | 29.0 | 28.0 | 31.0 | **1,356.0** |
| H2O | 1958 | 82.5 | 74.9 | 83.0 | 79.8 | 76.6 | 79.8 | 82.2 | 153.7 | 110.0 | 34.3 | 36.1 | 73.8 | **2,119.5** |
| OIL | 1958 | 224.7 | 202.0 | 222.6 | 214.1 | 220.2 | 208.2 | 219.8 | 219.0 | 210.6 | 184.8 | 194.2 | 228.8 | **11,322.4** |
| DAY | 1957 | 26.0 | 24.0 | 26.0 | 25.0 | 26.0 | 25.0 | 26.0 | 26.0 | 25.0 | 27.0 | 25.0 | 26.0 | **1,033.0** |
| H2O | 1957 | 37.4 | 33.9 | 37.2 | 24.5 | 24.3 | 24.0 | 25.0 | 82.0 | 82.2 | 91.9 | 79.8 | 82.7 | **1,152.8** |
| OIL | 1957 | 224.1 | 202.0 | 222.3 | 214.5 | 220.1 | 212.3 | 217.7 | 213.7 | 213.1 | 221.7 | 213.1 | 220.4 | **8,773.4** |
| DAY | 1956 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 25.0 | 27.0 | 25.0 | 19.0 | **726.0** |
| H2O | 1956 | 12.2 | 26.2 | 60.9 | 89.2 | 89.0 | 5.9 | 60.4 | 0.5 | 0.0 | 21.0 | 28.1 | 33.1 | **527.9** |
| OIL | 1956 | 246.0 | 248.4 | 265.4 | 254.3 | 263.6 | 253.6 | 210.7 | 268.1 | 221.2 | 210.6 | 214.8 | 222.6 | **6,178.4** |
| DAY | 1955 | 31.0 | 28.0 | 29.0 | 6.0 | 0.0 | 19.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | **392.0** |
| H2O | 1955 | 4.0 | 2.1 | 3.8 | 0.0 | 0.0 | 6.4 | 10.8 | 15.6 | 11.3 | 11.6 | 13.0 | 10.2 | **101.4** |
| OIL | 1955 | 275.4 | 262.7 | 284.6 | 49.3 | 0.0 | 158.0 | 260.0 | 262.5 | 255.4 | 262.8 | 256.6 | 214.1 | **3,299.1** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 24.0 | 22.0 | 17.0 | 31.0 | **101.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 2.9 | 3.2 | 4.0 | 1.7 | **12.6** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 44.8 | 141.4 | 154.6 | 122.4 | 294.5 | **757.7** |

Licence ***510*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,661.0** |
| H2O | 1975 | 569.3 | 512.6 | 465.3 | 446.6 | 430.5 | 368.5 | 369.6 | 398.4 | 359.6 | 375.2 | 357.5 | 366.9 | **80,489.7** |

# Manitoba Production
# 1950 To 1975

Licence ***510*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1975 | 156.7 | 142.4 | 112.0 | 104.7 | 100.9 | 91.5 | 96.5 | 97.3 | 98.5 | 108.1 | 105.8 | 109.0 | **32,939.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,297.0** |
| H2O | 1974 | 324.5 | 320.7 | 390.0 | 366.9 | 611.6 | 805.6 | 489.8 | 580.9 | 583.9 | 599.7 | 522.6 | 574.6 | **75,469.7** |
| OIL | 1974 | 170.5 | 99.3 | 110.6 | 101.4 | 108.1 | 127.1 | 121.9 | 159.5 | 150.2 | 155.1 | 146.4 | 155.4 | **31,616.2** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 26.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **6,937.0** |
| H2O | 1973 | 381.1 | 352.6 | 387.4 | 344.5 | 425.1 | 412.7 | 408.7 | 416.4 | 415.1 | 370.3 | 333.9 | 314.8 | **69,298.9** |
| OIL | 1973 | 162.7 | 146.4 | 114.7 | 103.3 | 118.9 | 109.2 | 126.0 | 114.7 | 109.5 | 105.8 | 93.0 | 167.3 | **30,010.7** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 28.0 | 30.0 | 29.0 | 30.0 | **6,580.0** |
| H2O | 1972 | 549.9 | 555.0 | 537.0 | 426.9 | 459.8 | 423.8 | 373.4 | 437.0 | 403.8 | 381.9 | 362.3 | 320.0 | **64,736.3** |
| OIL | 1972 | 153.5 | 147.8 | 155.7 | 137.1 | 142.9 | 138.6 | 127.9 | 132.5 | 127.0 | 129.7 | 129.0 | 127.0 | **28,539.2** |
| DAY | 1971 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 23.0 | 31.0 | 28.0 | 31.0 | **6,221.0** |
| H2O | 1971 | 364.7 | 283.0 | 385.0 | 360.2 | 374.9 | 308.7 | 293.2 | 323.5 | 177.6 | 541.2 | 455.2 | 526.7 | **59,505.5** |
| OIL | 1971 | 149.5 | 105.5 | 149.5 | 144.4 | 144.4 | 127.0 | 130.6 | 128.6 | 80.4 | 159.9 | 141.4 | 154.9 | **26,890.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,870.0** |
| H2O | 1970 | 517.2 | 490.6 | 542.4 | 447.1 | 487.6 | 471.2 | 423.8 | 395.4 | 433.4 | 398.2 | 343.1 | 316.7 | **55,111.6** |
| OIL | 1970 | 179.1 | 158.8 | 180.0 | 160.0 | 178.8 | 166.1 | 171.8 | 164.9 | 162.9 | 153.2 | 149.7 | 158.0 | **25,274.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 27.0 | 31.0 | **5,508.0** |
| H2O | 1969 | 769.9 | 629.9 | 576.3 | 1058.2 | 647.7 | 630.4 | 645.1 | 589.3 | 483.9 | 484.9 | 582.2 | 578.5 | **49,844.9** |
| OIL | 1969 | 211.4 | 181.5 | 190.9 | 200.5 | 198.8 | 201.0 | 197.7 | 199.3 | 177.0 | 177.0 | 190.7 | 178.6 | **23,291.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,148.0** |
| H2O | 1968 | 355.6 | 166.8 | 194.1 | 228.1 | 218.4 | 151.7 | 698.4 | 769.1 | 633.7 | 632.3 | 732.3 | 775.8 | **42,168.6** |
| OIL | 1968 | 130.1 | 96.8 | 108.2 | 97.3 | 96.5 | 87.7 | 167.7 | 180.5 | 188.1 | 184.5 | 216.3 | 212.8 | **20,986.7** |
| DAY | 1967 | 31.0 | 28.0 | 18.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,784.0** |
| H2O | 1967 | 570.9 | 445.3 | 289.0 | 475.2 | 483.6 | 437.2 | 348.6 | 383.1 | 394.0 | 397.0 | 435.8 | 380.9 | **36,612.3** |
| OIL | 1967 | 182.7 | 192.9 | 124.4 | 207.9 | 157.3 | 140.2 | 136.3 | 134.0 | 136.7 | 118.5 | 125.7 | 133.8 | **19,220.2** |
| DAY | 1966 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,433.0** |
| H2O | 1966 | 339.6 | 325.4 | 608.6 | 514.1 | 804.8 | 774.1 | 768.0 | 903.0 | 783.9 | 755.3 | 706.7 | 665.3 | **31,571.7** |
| OIL | 1966 | 90.1 | 81.0 | 195.5 | 159.1 | 262.8 | 226.9 | 237.4 | 233.6 | 231.5 | 239.3 | 220.2 | 204.0 | **17,429.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,072.0** |
| H2O | 1965 | 202.1 | 162.6 | 181.9 | 201.3 | 249.4 | 231.6 | 167.1 | 256.8 | 162.5 | 203.7 | 258.5 | 280.8 | **23,622.9** |
| OIL | 1965 | 66.9 | 57.8 | 63.1 | 68.2 | 74.1 | 69.6 | 74.4 | 67.2 | 68.5 | 80.9 | 59.0 | 71.7 | **15,048.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,708.0** |
| H2O | 1964 | 264.1 | 249.3 | 268.4 | 262.5 | 276.9 | 245.8 | 256.6 | 196.0 | 234.3 | 220.3 | 201.0 | 200.6 | **21,064.6** |
| OIL | 1964 | 58.6 | 57.5 | 60.9 | 55.1 | 63.1 | 60.4 | 66.4 | 67.2 | 53.6 | 73.7 | 66.3 | 68.6 | **14,227.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,342.0** |
| H2O | 1963 | 242.0 | 229.4 | 254.7 | 119.7 | 142.8 | 95.2 | 79.3 | 257.5 | 249.4 | 258.5 | 240.5 | 277.4 | **18,188.8** |
| OIL | 1963 | 77.9 | 75.0 | 91.5 | 37.2 | 45.4 | 14.1 | 20.8 | 84.5 | 82.2 | 72.1 | 81.8 | 62.5 | **13,475.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,978.0** |
| H2O | 1962 | 153.3 | 128.6 | 132.9 | 125.4 | 133.7 | 125.0 | 128.9 | 136.1 | 181.9 | 188.9 | 193.3 | 261.0 | **15,742.4** |
| OIL | 1962 | 83.0 | 66.6 | 72.3 | 72.0 | 62.9 | 65.8 | 62.3 | 62.1 | 68.6 | 62.3 | 66.3 | 76.4 | **12,730.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,615.0** |
| H2O | 1961 | 149.0 | 141.7 | 147.1 | 145.9 | 156.0 | 122.9 | 175.7 | 174.2 | 167.2 | 169.6 | 152.9 | 152.6 | **13,853.4** |
| OIL | 1961 | 75.2 | 69.1 | 74.5 | 72.0 | 73.4 | 60.4 | 100.0 | 94.9 | 88.0 | 87.6 | 83.4 | 80.6 | **11,910.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,253.0** |
| H2O | 1960 | 194.1 | 164.5 | 183.9 | 142.3 | 236.7 | 262.8 | 200.0 | 197.8 | 230.7 | 143.4 | 144.4 | 141.2 | **11,998.6** |
| OIL | 1960 | 144.1 | 127.9 | 149.2 | 114.4 | 20.3 | 19.7 | 108.4 | 107.3 | 97.6 | 68.8 | 65.8 | 66.7 | **10,950.9** |
| DAY | 1959 | 31.0 | 28.0 | 28.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,892.0** |
| H2O | 1959 | 210.2 | 211.4 | 226.5 | 220.0 | 222.4 | 202.9 | 213.2 | 208.7 | 189.3 | 205.4 | 199.7 | 209.2 | **9,756.8** |
| OIL | 1959 | 151.3 | 143.0 | 144.8 | 141.4 | 138.7 | 146.0 | 153.7 | 148.6 | 139.4 | 144.9 | 117.8 | 150.8 | **9,860.7** |
| DAY | 1958 | 17.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,533.0** |
| H2O | 1958 | 91.1 | 204.8 | 226.5 | 251.0 | 216.7 | 215.7 | 214.3 | 224.8 | 242.4 | 226.4 | 196.5 | 207.9 | **7,237.9** |
| OIL | 1958 | 66.4 | 146.0 | 166.4 | 170.7 | 166.1 | 154.1 | 153.5 | 165.3 | 153.2 | 161.8 | 142.5 | 155.4 | **8,140.3** |

# Manitoba Production
## 1950 To 1975

Licence ***510*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 28.0 | 28.0 | 23.0 | 26.0 | 29.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,185.0** |
| H2O | 1957 | 101.4 | 73.0 | 55.6 | 45.6 | 42.0 | 59.3 | 67.6 | 67.1 | 62.6 | 50.6 | 53.1 | 56.6 | **4,719.8** |
| OIL | 1957 | 129.7 | 110.9 | 91.1 | 76.4 | 86.6 | 55.9 | 57.0 | 60.7 | 61.0 | 56.1 | 56.6 | 58.8 | **6,338.9** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **838.0** |
| H2O | 1956 | 108.7 | 99.5 | 110.7 | 104.1 | 108.4 | 106.8 | 113.0 | 107.3 | 108.9 | 101.7 | 90.3 | 97.3 | **3,985.3** |
| OIL | 1956 | 145.2 | 131.6 | 125.2 | 119.0 | 129.8 | 115.4 | 129.5 | 123.6 | 164.5 | 112.0 | 122.4 | 138.9 | **5,438.1** |
| DAY | 1955 | 31.0 | 27.0 | 30.0 | 29.0 | 29.0 | 30.0 | 29.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | **475.0** |
| H2O | 1955 | 118.8 | 211.8 | 234.8 | 219.7 | 225.3 | 266.6 | 367.4 | 240.1 | 135.6 | 159.8 | 110.8 | 107.9 | **2,728.6** |
| OIL | 1955 | 271.7 | 229.3 | 254.3 | 237.9 | 244.1 | 288.7 | 309.1 | 241.5 | 153.2 | 176.7 | 147.3 | 150.3 | **3,881.0** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 27.0 | 30.0 | 29.0 | 30.0 | **121.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.2 | 36.4 | 102.1 | 91.9 | 94.4 | **330.0** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 59.0 | 258.5 | 302.1 | 271.1 | 286.2 | **1,176.9** |

Licence ***511*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.16-30-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 30.0 | 11.0 | 0.0 | 0.0 | 0.0 | **1,593.0** |
| H2O | 1960 | 259.0 | 252.3 | 269.6 | 278.2 | 287.5 | 278.2 | 248.0 | 278.0 | 101.5 | 0.0 | 0.0 | 0.0 | **15,113.6** |
| OIL | 1960 | 22.2 | 11.4 | 11.9 | 13.8 | 15.9 | 14.5 | 12.4 | 12.9 | 4.6 | 0.0 | 0.0 | 0.0 | **1,607.7** |
| DAY | 1959 | 31.0 | 27.0 | 31.0 | 30.0 | 28.0 | 26.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,343.0** |
| H2O | 1959 | 248.3 | 197.3 | 286.2 | 246.1 | 236.1 | 217.3 | 258.4 | 259.0 | 250.7 | 234.0 | 250.7 | 259.0 | **12,861.3** |
| OIL | 1959 | 16.0 | 19.5 | 13.3 | 15.6 | 12.2 | 19.4 | 21.6 | 21.1 | 19.5 | 17.3 | 18.6 | 19.9 | **1,488.1** |
| DAY | 1958 | 31.0 | 28.0 | 24.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **989.0** |
| H2O | 1958 | 364.6 | 371.1 | 316.7 | 403.8 | 367.9 | 229.6 | 270.0 | 266.1 | 248.8 | 260.3 | 257.2 | 254.4 | **9,918.2** |
| OIL | 1958 | 26.9 | 22.1 | 21.1 | 25.3 | 25.6 | 17.8 | 19.9 | 14.5 | 18.9 | 16.7 | 17.3 | 21.0 | **1,274.1** |
| DAY | 1957 | 0.0 | 18.0 | 30.0 | 30.0 | 29.0 | 29.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | **636.0** |
| H2O | 1957 | 0.0 | 241.0 | 389.0 | 402.6 | 352.8 | 326.7 | 382.2 | 0.2 | 0.2 | 334.5 | 352.6 | 384.0 | **6,307.7** |
| OIL | 1957 | 0.0 | 17.6 | 29.6 | 29.4 | 29.4 | 26.9 | 33.8 | 43.9 | 38.8 | 27.7 | 31.5 | 28.0 | **1,027.0** |
| DAY | 1956 | 0.0 | 0.0 | 30.0 | 22.0 | 23.0 | 26.0 | 31.0 | 31.0 | 29.0 | 31.0 | 24.0 | 10.0 | **319.0** |
| H2O | 1956 | 0.0 | 0.0 | 275.4 | 254.5 | 245.2 | 213.4 | 391.1 | 330.2 | 329.4 | 317.7 | 271.7 | 106.5 | **3,141.9** |
| OIL | 1956 | 0.0 | 0.0 | 1.4 | 1.1 | 1.3 | 1.7 | 39.1 | 40.4 | 35.4 | 40.4 | 27.3 | 10.3 | **690.4** |
| DAY | 1955 | 0.0 | 21.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **62.0** |
| H2O | 1955 | 0.0 | 225.9 | 0.0 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **406.8** |
| OIL | 1955 | 0.0 | 32.3 | 0.0 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **492.0** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 6.0 | 4.0 | 13.0 | 7.0 | **40.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.3 | 1.3 | 149.6 | 28.3 | **179.8** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 216.0 | 99.2 | 77.2 | 55.8 | 11.0 | **459.2** |

Licence ***514*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-16-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,644.0** |
| H2O | 1975 | 366.9 | 340.1 | 363.7 | 367.4 | 374.9 | 351.0 | 359.5 | 354.5 | 348.8 | 374.6 | 375.8 | 382.5 | **36,389.9** |
| OIL | 1975 | 99.2 | 88.8 | 93.6 | 92.5 | 90.3 | 86.1 | 90.3 | 90.7 | 88.0 | 91.1 | 88.0 | 89.5 | **21,330.9** |
| DAY | 1974 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,280.0** |
| H2O | 1974 | 424.3 | 390.0 | 422.3 | 179.5 | 188.1 | 189.0 | 388.1 | 356.1 | 350.9 | 365.7 | 362.3 | 365.0 | **32,030.2** |
| OIL | 1974 | 71.8 | 62.1 | 68.8 | 67.5 | 70.9 | 68.6 | 101.7 | 101.2 | 97.1 | 101.4 | 96.3 | 100.0 | **20,242.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | **6,916.0** |
| H2O | 1973 | 242.8 | 232.9 | 249.8 | 239.9 | 443.4 | 440.7 | 438.9 | 472.8 | 468.2 | 457.2 | 346.3 | 425.4 | **28,048.9** |
| OIL | 1973 | 93.0 | 81.8 | 90.4 | 84.9 | 67.7 | 67.7 | 69.8 | 74.7 | 71.5 | 70.7 | 54.5 | 69.8 | **19,235.4** |
| DAY | 1972 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **6,557.0** |

# Manitoba Production
## 1950 To 1975

Licence ***514*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-16-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1972 | 230.2 | 233.2 | 256.1 | 227.8 | 193.3 | 192.4 | 213.5 | 202.4 | 210.6 | 245.6 | 243.4 | 247.5 | **23,590.6** |
| OIL | 1972 | 157.6 | 152.7 | 166.4 | 158.9 | 101.7 | 98.2 | 101.2 | 103.5 | 84.2 | 95.2 | 90.3 | 94.4 | **18,338.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **6,194.0** |
| H2O | 1971 | 280.7 | 253.2 | 295.3 | 282.8 | 277.7 | 235.9 | 233.7 | 225.3 | 201.7 | 211.1 | 216.8 | 254.8 | **20,894.6** |
| OIL | 1971 | 94.9 | 83.4 | 93.6 | 84.7 | 85.0 | 168.1 | 171.9 | 168.8 | 166.5 | 161.6 | 163.0 | 166.7 | **16,934.6** |
| DAY | 1970 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **5,834.0** |
| H2O | 1970 | 162.3 | 135.5 | 159.3 | 147.2 | 151.5 | 153.7 | 142.0 | 160.3 | 70.6 | 73.1 | 250.2 | 305.5 | **17,925.6** |
| OIL | 1970 | 111.7 | 89.6 | 109.8 | 106.0 | 109.3 | 107.1 | 111.1 | 109.2 | 21.9 | 23.0 | 79.9 | 92.0 | **15,326.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,474.0** |
| H2O | 1969 | 168.4 | 152.9 | 143.4 | 146.4 | 156.0 | 154.1 | 161.2 | 168.0 | 158.3 | 166.5 | 153.6 | 168.5 | **16,014.4** |
| OIL | 1969 | 114.3 | 100.9 | 111.6 | 108.5 | 107.9 | 109.5 | 109.6 | 113.0 | 110.0 | 111.4 | 110.4 | 115.5 | **14,255.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,112.0** |
| H2O | 1968 | 180.9 | 173.3 | 183.6 | 189.0 | 197.9 | 181.1 | 196.7 | 154.1 | 153.9 | 163.6 | 151.2 | 160.1 | **14,117.1** |
| OIL | 1968 | 92.6 | 85.8 | 91.5 | 91.1 | 91.4 | 89.8 | 90.4 | 114.3 | 110.0 | 115.5 | 110.8 | 113.8 | **12,933.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 27.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | **4,746.0** |
| H2O | 1967 | 269.6 | 221.9 | 268.0 | 236.9 | 249.8 | 148.8 | 132.0 | 207.9 | 171.1 | 184.1 | 173.1 | 189.3 | **12,031.7** |
| OIL | 1967 | 109.8 | 97.4 | 109.5 | 100.4 | 108.9 | 66.7 | 92.5 | 92.6 | 83.9 | 88.2 | 91.8 | 93.4 | **11,736.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,389.0** |
| H2O | 1966 | 234.7 | 187.9 | 237.0 | 245.1 | 216.5 | 191.3 | 177.9 | 175.4 | 156.3 | 257.2 | 264.2 | 283.7 | **9,579.2** |
| OIL | 1966 | 158.8 | 139.7 | 153.5 | 151.3 | 121.6 | 117.0 | 121.1 | 120.0 | 113.6 | 103.8 | 105.2 | 110.1 | **10,601.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 22.0 | 31.0 | 23.0 | 30.0 | 29.0 | 30.0 | 30.0 | **4,024.0** |
| H2O | 1965 | 89.0 | 79.1 | 90.1 | 78.8 | 73.6 | 53.9 | 76.9 | 25.7 | 143.7 | 120.3 | 111.4 | 237.9 | **6,952.0** |
| OIL | 1965 | 15.9 | 14.5 | 15.7 | 15.1 | 14.0 | 10.8 | 15.9 | 7.2 | 63.9 | 88.4 | 68.0 | 155.4 | **9,085.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 27.0 | 22.0 | 31.0 | 30.0 | 31.0 | **3,680.0** |
| H2O | 1964 | 85.0 | 76.8 | 84.7 | 79.6 | 81.2 | 84.2 | 83.1 | 72.9 | 59.3 | 80.9 | 83.7 | 88.7 | **5,771.6** |
| OIL | 1964 | 14.9 | 14.1 | 15.3 | 14.1 | 14.0 | 14.6 | 15.1 | 13.3 | 10.8 | 14.9 | 14.6 | 15.9 | **8,600.6** |
| DAY | 1963 | 19.0 | 21.0 | 28.0 | 29.0 | 31.0 | 16.0 | 27.0 | 27.0 | 26.0 | 31.0 | 30.0 | 31.0 | **3,328.0** |
| H2O | 1963 | 48.8 | 58.2 | 63.6 | 73.1 | 76.8 | 34.6 | 69.0 | 65.5 | 64.5 | 81.5 | 20.8 | 83.9 | **4,811.5** |
| OIL | 1963 | 8.4 | 10.0 | 12.4 | 13.7 | 14.1 | 6.7 | 13.0 | 12.1 | 11.9 | 15.1 | 18.3 | 14.3 | **8,429.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,012.0** |
| H2O | 1962 | 62.9 | 71.0 | 92.0 | 72.8 | 95.0 | 76.1 | 81.2 | 73.9 | 83.6 | 83.1 | 80.1 | 82.6 | **4,071.2** |
| OIL | 1962 | 17.2 | 19.1 | 22.2 | 17.5 | 20.3 | 15.6 | 16.4 | 13.3 | 13.5 | 15.3 | 14.0 | 14.6 | **8,279.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,648.0** |
| H2O | 1961 | 36.2 | 20.7 | 21.1 | 39.6 | 32.1 | 57.5 | 36.2 | 42.1 | 48.1 | 60.7 | 54.7 | 74.2 | **3,116.9** |
| OIL | 1961 | 25.9 | 18.0 | 17.2 | 26.9 | 28.4 | 25.1 | 23.5 | 32.9 | 25.9 | 23.2 | 22.1 | 22.2 | **8,080.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,283.0** |
| H2O | 1960 | 55.8 | 58.3 | 48.9 | 28.3 | 103.5 | 73.1 | 41.8 | 31.5 | 28.0 | 42.1 | 38.5 | 33.4 | **2,593.7** |
| OIL | 1960 | 59.9 | 55.1 | 47.4 | 36.2 | 28.4 | 32.3 | 22.9 | 24.0 | 21.6 | 24.8 | 24.5 | 26.9 | **7,788.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,917.0** |
| H2O | 1959 | 67.5 | 41.5 | 48.8 | 44.5 | 40.8 | 41.3 | 66.7 | 92.3 | 57.8 | 111.4 | 76.4 | 45.0 | **2,010.5** |
| OIL | 1959 | 60.7 | 48.6 | 50.2 | 41.0 | 38.6 | 37.8 | 43.9 | 38.6 | 45.0 | 38.9 | 40.0 | 47.8 | **7,384.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,554.0** |
| H2O | 1958 | 30.5 | 35.1 | 32.1 | 21.0 | 49.4 | 67.1 | 54.1 | 18.0 | 24.5 | 90.1 | 98.6 | 43.7 | **1,276.5** |
| OIL | 1958 | 107.3 | 92.6 | 102.5 | 67.2 | 126.5 | 130.3 | 141.7 | 130.3 | 104.2 | 64.0 | 46.7 | 65.6 | **6,853.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,189.0** |
| H2O | 1957 | 10.2 | 18.1 | 10.5 | 31.2 | 17.2 | 30.0 | 35.5 | 26.9 | 47.4 | 29.6 | 22.7 | 35.3 | **712.3** |
| OIL | 1957 | 58.6 | 76.0 | 102.3 | 84.9 | 79.1 | 218.0 | 164.2 | 161.3 | 185.6 | 149.1 | 107.1 | 102.8 | **5,674.7** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **829.0** |
| H2O | 1956 | 19.6 | 21.0 | 14.5 | 24.5 | 14.3 | 14.3 | 34.8 | 20.2 | 20.5 | 11.1 | 11.4 | 4.1 | **397.7** |
| OIL | 1956 | 127.8 | 109.3 | 127.6 | 133.8 | 159.9 | 152.6 | 142.5 | 142.9 | 104.6 | 92.5 | 68.8 | 25.1 | **4,185.7** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 4.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **463.0** |
| H2O | 1955 | 20.3 | 22.4 | 22.3 | 2.4 | 10.5 | 17.2 | 12.6 | 12.4 | 20.0 | 16.1 | 9.7 | 10.7 | **187.4** |

# Manitoba Production
## 1950 To 1975

Licence ***514*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-16-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1955 | 226.6 | 204.4 | 222.6 | 23.4 | 86.9 | 215.3 | 251.9 | 177.0 | 200.4 | 146.0 | 134.0 | 105.0 | **2,798.3** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 30.0 | 31.0 | 30.0 | 31.0 | **124.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 2.9 | 2.4 | 2.4 | 2.9 | **10.8** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.1 | 216.4 | 180.0 | 177.5 | 209.8 | **804.8** |

Licence ***515*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.10-29-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 18.0 | 30.0 | 30.0 | 31.0 | 29.0 | 18.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **871.0** |
| H2O | 1957 | 0.0 | 257.5 | 372.0 | 405.6 | 378.8 | 325.4 | 213.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **15,701.8** |
| OIL | 1957 | 0.0 | 15.6 | 24.5 | 24.5 | 26.1 | 22.1 | 18.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,001.7** |
| DAY | 1956 | 26.0 | 29.0 | 31.0 | 25.0 | 27.0 | 29.0 | 30.0 | 25.0 | 30.0 | 31.0 | 25.0 | 10.0 | **715.0** |
| H2O | 1956 | 452.5 | 551.0 | 624.6 | 599.7 | 681.4 | 470.7 | 439.9 | 277.6 | 354.7 | 327.3 | 283.1 | 107.0 | **13,748.9** |
| OIL | 1956 | 39.7 | 42.3 | 48.0 | 38.8 | 52.3 | 29.7 | 31.1 | 19.7 | 24.9 | 27.8 | 23.5 | 8.6 | **2,870.0** |
| DAY | 1955 | 30.0 | 26.0 | 31.0 | 22.0 | 23.0 | 12.0 | 26.0 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | **397.0** |
| H2O | 1955 | 294.3 | 252.5 | 864.7 | 2661.2 | 835.6 | 243.2 | 224.5 | 589.8 | 598.1 | 674.2 | 603.8 | 465.0 | **8,579.4** |
| OIL | 1955 | 282.5 | 242.5 | 288.1 | 140.0 | 92.8 | 27.0 | 56.1 | 62.6 | 53.1 | 56.3 | 47.0 | 35.8 | **2,483.6** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 24.0 | 25.0 | 25.0 | **82.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 6.5 | 32.9 | 232.6 | **272.5** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 154.0 | 394.4 | 309.4 | 242.0 | **1,099.8** |

Licence ***516*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-29-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,381.0** |
| H2O | 1975 | 1778.5 | 4030.0 | 5480.4 | 4993.7 | 6674.5 | 6944.1 | 6542.5 | 6363.2 | 6381.6 | 6340.3 | 5795.0 | 6769.2 | **319,343.7** |
| OIL | 1975 | 23.7 | 109.3 | 133.8 | 117.4 | 93.3 | 97.6 | 95.3 | 95.3 | 90.9 | 90.9 | 96.9 | 90.3 | **16,804.0** |
| DAY | 1974 | 31.0 | 22.0 | 25.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **6,018.0** |
| H2O | 1974 | 1409.0 | 990.4 | 1127.3 | 1358.3 | 1391.2 | 1458.3 | 1279.8 | 1462.3 | 1403.0 | 1386.9 | 1280.6 | 1817.5 | **251,250.7** |
| OIL | 1974 | 33.1 | 22.7 | 26.2 | 30.0 | 31.6 | 28.8 | 27.2 | 29.7 | 29.6 | 30.2 | 26.1 | 23.4 | **15,669.3** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,668.0** |
| H2O | 1973 | 1372.3 | 1213.7 | 1345.9 | 1222.2 | 1327.5 | 1325.3 | 1416.7 | 1442.6 | 1366.0 | 1370.2 | 1341.5 | 1434.0 | **234,886.1** |
| OIL | 1973 | 32.3 | 28.1 | 30.2 | 29.1 | 35.3 | 32.4 | 33.5 | 33.1 | 30.4 | 33.7 | 32.6 | 33.4 | **15,330.7** |
| DAY | 1972 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 28.0 | 29.0 | 30.0 | 29.0 | 30.0 | 29.0 | 30.0 | **5,305.0** |
| H2O | 1972 | 1350.4 | 1265.0 | 1578.7 | 1308.7 | 1289.2 | 1374.9 | 1327.2 | 1347.7 | 1100.0 | 1234.6 | 1319.1 | 1264.4 | **218,708.2** |
| OIL | 1972 | 28.3 | 26.2 | 30.0 | 26.9 | 26.9 | 27.8 | 28.3 | 32.3 | 30.0 | 30.5 | 30.4 | 29.1 | **14,946.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 23.0 | 31.0 | 31.0 | 30.0 | 22.0 | 30.0 | 30.0 | **4,951.0** |
| H2O | 1971 | 1161.5 | 1084.7 | 1120.3 | 1113.8 | 1120.5 | 1162.0 | 1480.3 | 1757.7 | 1153.6 | 1643.7 | 1964.0 | 1355.9 | **202,948.3** |
| OIL | 1971 | 27.7 | 25.6 | 27.2 | 33.7 | 34.0 | 23.5 | 28.4 | 25.9 | 17.3 | 18.9 | 30.8 | 27.5 | **14,599.9** |
| DAY | 1970 | 31.0 | 28.0 | 30.0 | 27.0 | 31.0 | 30.0 | 14.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,603.0** |
| H2O | 1970 | 660.7 | 626.7 | 1186.8 | 1100.1 | 1262.3 | 1222.6 | 535.4 | 1264.5 | 1106.7 | 1227.6 | 1166.0 | 1168.7 | **186,830.3** |
| OIL | 1970 | 15.4 | 14.5 | 16.2 | 15.3 | 25.4 | 22.7 | 9.1 | 21.3 | 20.2 | 28.6 | 27.2 | 29.9 | **14,279.4** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 29.0 | 13.0 | 31.0 | 19.0 | 17.0 | 30.0 | 31.0 | **4,259.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 747.5 | 546.6 | 290.6 | 592.4 | 435.9 | 371.9 | 672.8 | 669.8 | **174,302.2** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 16.8 | 12.4 | 6.2 | 13.8 | 10.5 | 9.1 | 14.3 | 15.6 | **14,033.6** |
| DAY | 1968 | 17.0 | 29.0 | 31.0 | 30.0 | 31.0 | 24.0 | 14.0 | 26.0 | 8.0 | 31.0 | 4.0 | 0.0 | **4,058.0** |
| H2O | 1968 | 646.3 | 1193.5 | 1434.0 | 1344.0 | 1310.9 | 491.7 | 304.4 | 564.4 | 174.4 | 664.2 | 92.5 | 0.0 | **169,974.7** |
| OIL | 1968 | 9.9 | 17.8 | 19.7 | 17.3 | 16.7 | 12.1 | 7.5 | 14.5 | 4.1 | 15.9 | 2.2 | 0.0 | **13,934.9** |
| DAY | 1967 | 6.0 | 21.0 | 18.0 | 2.0 | 0.0 | 2.0 | 23.0 | 28.0 | 0.0 | 0.0 | 14.0 | 31.0 | **3,813.0** |
| H2O | 1967 | 178.2 | 864.2 | 684.4 | 53.6 | 0.0 | 80.6 | 997.3 | 781.7 | 0.0 | 0.0 | 391.1 | 1413.0 | **161,754.4** |
| OIL | 1967 | 1.9 | 9.7 | 7.5 | 0.5 | 0.0 | 1.0 | 10.5 | 12.6 | 0.0 | 0.0 | 7.3 | 22.6 | **13,797.2** |

# Manitoba Production
## 1950 To 1975

Licence ***516*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-29-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 31.0 | 0.0 | 12.0 | 18.0 | 0.0 | 2.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,668.0** |
| H2O | 1966 | 728.1 | 0.0 | 611.4 | 748.3 | 0.0 | 42.0 | 32.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **156,310.3** |
| OIL | 1966 | 21.5 | 0.0 | 6.5 | 8.9 | 0.0 | 0.6 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **13,723.6** |
| DAY | 1965 | 20.0 | 24.0 | 23.0 | 30.0 | 9.0 | 5.0 | 17.0 | 13.0 | 13.0 | 27.0 | 17.0 | 31.0 | **3,604.0** |
| H2O | 1965 | 371.9 | 509.7 | 452.6 | 608.9 | 196.7 | 97.6 | 342.0 | 300.9 | 246.4 | 868.0 | 265.0 | 906.3 | **154,147.6** |
| OIL | 1965 | 12.6 | 22.4 | 18.4 | 28.1 | 9.2 | 4.4 | 12.9 | 10.5 | 8.7 | 22.9 | 4.9 | 21.0 | **13,685.8** |
| DAY | 1964 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 29.0 | 21.0 | 30.0 | 27.0 | 16.0 | 20.0 | 20.0 | **3,375.0** |
| H2O | 1964 | 1651.6 | 1566.1 | 1403.5 | 1567.9 | 1649.3 | 738.9 | 615.7 | 849.4 | 699.2 | 343.9 | 462.9 | 397.4 | **148,981.6** |
| OIL | 1964 | 51.5 | 47.2 | 44.5 | 44.5 | 48.8 | 24.8 | 20.2 | 28.6 | 24.2 | 13.0 | 17.5 | 14.3 | **13,509.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 27.0 | 27.0 | 25.0 | 25.0 | 25.0 | 14.0 | 0.0 | 20.0 | 31.0 | **3,061.0** |
| H2O | 1963 | 1883.9 | 1661.3 | 1840.7 | 1527.6 | 1373.3 | 1240.0 | 1158.3 | 1347.5 | 731.6 | 0.0 | 964.2 | 1635.4 | **137,035.8** |
| OIL | 1963 | 46.6 | 43.4 | 46.2 | 37.0 | 45.0 | 35.8 | 34.5 | 38.3 | 21.6 | 0.0 | 30.7 | 54.3 | **13,130.7** |
| DAY | 1962 | 29.0 | 28.0 | 30.0 | 29.0 | 31.0 | 26.0 | 8.0 | 22.0 | 30.0 | 29.0 | 29.0 | 27.0 | **2,777.0** |
| H2O | 1962 | 1623.5 | 1503.6 | 1655.5 | 1477.6 | 1776.8 | 1356.9 | 431.6 | 1084.1 | 1726.8 | 1599.8 | 1669.4 | 1625.7 | **121,672.0** |
| OIL | 1962 | 52.6 | 50.2 | 55.8 | 46.9 | 58.3 | 46.1 | 13.3 | 33.1 | 50.2 | 46.4 | 45.3 | 44.8 | **12,697.3** |
| DAY | 1961 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 24.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,459.0** |
| H2O | 1961 | 1514.6 | 1666.0 | 1893.5 | 1852.3 | 1915.2 | 1811.1 | 1823.3 | 1226.1 | 1521.6 | 1696.8 | 1687.1 | 1799.5 | **104,140.7** |
| OIL | 1961 | 55.1 | 60.2 | 65.6 | 62.3 | 64.4 | 59.4 | 63.4 | 45.8 | 54.7 | 55.8 | 54.0 | 55.1 | **12,154.3** |
| DAY | 1960 | 31.0 | 25.0 | 28.0 | 28.0 | 24.0 | 24.0 | 31.0 | 29.0 | 27.0 | 22.0 | 26.0 | 30.0 | **2,108.0** |
| H2O | 1960 | 1813.3 | 1457.7 | 1633.5 | 1633.5 | 1400.1 | 1385.5 | 1808.6 | 1645.6 | 1641.2 | 1334.0 | 1636.4 | 1964.0 | **83,733.6** |
| OIL | 1960 | 89.0 | 74.5 | 81.4 | 81.0 | 77.4 | 72.0 | 89.9 | 76.8 | 90.6 | 74.1 | 90.9 | 104.1 | **11,458.5** |
| DAY | 1959 | 28.0 | 28.0 | 31.0 | 30.0 | 21.0 | 21.0 | 23.0 | 29.0 | 24.0 | 7.0 | 25.0 | 31.0 | **1,783.0** |
| H2O | 1959 | 1460.5 | 1688.0 | 1810.9 | 1762.8 | 1260.6 | 1278.0 | 1332.1 | 1657.8 | 1379.9 | 402.5 | 1442.3 | 1763.6 | **64,380.2** |
| OIL | 1959 | 87.2 | 95.3 | 97.7 | 97.7 | 62.3 | 68.0 | 73.7 | 88.8 | 70.7 | 19.5 | 70.9 | 77.7 | **10,456.8** |
| DAY | 1958 | 31.0 | 28.0 | 27.0 | 30.0 | 26.0 | 29.0 | 29.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **1,485.0** |
| H2O | 1958 | 2220.6 | 2218.9 | 2156.9 | 2440.3 | 2106.5 | 1639.7 | 1726.4 | 1868.8 | 1728.1 | 1826.8 | 1775.2 | 1700.9 | **47,141.2** |
| OIL | 1958 | 207.6 | 173.7 | 165.9 | 179.6 | 161.6 | 114.9 | 119.3 | 118.5 | 108.7 | 113.3 | 99.2 | 107.7 | **9,547.3** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 25.0 | 29.0 | 28.0 | 31.0 | **1,134.0** |
| H2O | 1957 | 14.9 | 579.3 | 918.1 | 913.2 | 886.5 | 728.9 | 861.2 | 987.4 | 1483.3 | 1908.6 | 1935.6 | 2266.9 | **23,732.1** |
| OIL | 1957 | 150.5 | 84.1 | 138.3 | 132.2 | 113.6 | 118.7 | 142.1 | 110.3 | 184.9 | 247.0 | 201.1 | 225.6 | **7,877.3** |
| DAY | 1956 | 26.0 | 28.0 | 31.0 | 25.0 | 27.0 | 28.0 | 30.0 | 31.0 | 29.0 | 31.0 | 25.0 | 30.0 | **779.0** |
| H2O | 1956 | 298.6 | 345.8 | 406.8 | 384.1 | 443.1 | 858.3 | 855.0 | 738.0 | 742.1 | 696.5 | 603.6 | 689.0 | **10,248.2** |
| OIL | 1956 | 132.4 | 134.0 | 157.8 | 125.4 | 171.5 | 154.9 | 173.0 | 158.8 | 140.5 | 150.0 | 127.1 | 140.0 | **6,028.9** |
| DAY | 1955 | 17.0 | 27.0 | 31.0 | 27.0 | 31.0 | 28.0 | 26.0 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | **438.0** |
| H2O | 1955 | 6.5 | 130.2 | 203.0 | 177.7 | 377.1 | 166.0 | 150.9 | 384.6 | 390.1 | 440.4 | 395.7 | 334.3 | **3,187.3** |
| OIL | 1955 | 253.5 | 303.9 | 248.0 | 177.6 | 251.4 | 202.8 | 184.2 | 206.0 | 174.7 | 185.5 | 155.6 | 129.8 | **4,263.5** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 14.0 | 21.0 | 30.0 | 31.0 | **104.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 0.8 | 6.7 | 12.1 | 10.7 | **30.8** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 162.4 | 249.1 | 412.9 | 548.9 | 417.2 | **1,790.5** |

Licence ***519*** Well Name ***6660894 Canada Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-23-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 17.0 | 7.0 | 21.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 20.0 | 0.0 | 20.0 | **5,133.0** |
| H2O | 1975 | 0.5 | 0.2 | 0.8 | 1.1 | 0.8 | 0.8 | 0.8 | 0.6 | 1.1 | 0.6 | 0.0 | 3.2 | **564.0** |
| OIL | 1975 | 12.4 | 3.8 | 13.2 | 13.4 | 14.8 | 14.3 | 23.1 | 2.5 | 5.2 | 3.5 | 0.0 | 15.9 | **5,842.4** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 16.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,867.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 1.0 | 0.8 | 1.1 | 1.0 | 0.6 | 0.8 | 0.5 | **553.5** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 15.9 | 26.4 | 23.4 | 18.8 | 29.3 | 26.6 | 23.4 | 18.8 | 18.6 | **5,720.3** |
| DAY | 1973 | 26.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 20.0 | 20.0 | **4,607.0** |
| OIL | 1973 | 8.9 | 21.0 | 25.3 | 23.4 | 20.8 | 21.1 | 21.1 | 19.1 | 17.8 | 17.5 | 15.9 | 7.9 | **5,519.1** |

# Manitoba Production
## 1950 To 1975

Licence ***519*** Well Name ***6660894 Canada Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-23-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 0.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 12.0 | **4,269.0** |
| OIL | 1972 | 15.9 | 15.9 | 15.9 | 19.6 | 23.8 | 15.9 | 19.9 | 15.9 | 19.9 | 15.9 | 11.9 | 7.3 | **5,299.3** |
| DAY | 1971 | 18.0 | 28.0 | 31.0 | 20.0 | 31.0 | 28.0 | 31.0 | 30.0 | 22.0 | 31.0 | 30.0 | 0.0 | **3,956.0** |
| OIL | 1971 | 7.9 | 11.9 | 14.3 | 8.6 | 23.8 | 15.9 | 23.8 | 20.4 | 15.9 | 16.7 | 15.9 | 0.0 | **5,101.5** |
| DAY | 1970 | 15.0 | 20.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,656.0** |
| OIL | 1970 | 11.9 | 13.0 | 17.6 | 14.1 | 15.6 | 23.8 | 23.8 | 21.1 | 23.8 | 19.9 | 13.4 | 15.9 | **4,926.4** |
| DAY | 1969 | 11.0 | 4.0 | 22.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,322.0** |
| OIL | 1969 | 6.4 | 6.7 | 14.5 | 23.8 | 21.8 | 22.9 | 20.0 | 18.9 | 18.4 | 18.6 | 13.4 | 22.1 | **4,712.5** |
| DAY | 1968 | 17.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | 15.0 | **3,010.0** |
| OIL | 1968 | 18.1 | 19.9 | 28.3 | 28.8 | 27.2 | 25.9 | 25.4 | 26.1 | 23.8 | 18.8 | 25.1 | 13.5 | **4,505.0** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,917.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.0 | 0.0 | **546.6** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 43.7 | 41.8 | 49.9 | 40.4 | 45.6 | 33.2 | **4,224.1** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 1.0 | 26.0 | 30.0 | 31.0 | 26.0 | 27.0 | 31.0 | 21.0 | 0.0 | **2,743.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **546.3** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 2.4 | 30.0 | 17.0 | 18.4 | 19.7 | 18.3 | 20.8 | 13.0 | 0.0 | **3,969.5** |
| DAY | 1965 | 11.0 | 16.0 | 14.0 | 27.0 | 30.0 | 30.0 | 31.0 | 31.0 | 27.0 | 30.0 | 27.0 | 18.0 | **2,550.0** |
| H2O | 1965 | 1.3 | 1.6 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **546.0** |
| OIL | 1965 | 7.2 | 8.7 | 10.3 | 24.0 | 24.0 | 22.3 | 22.6 | 22.3 | 20.0 | 20.0 | 14.5 | 19.4 | **3,829.9** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 16.0 | 27.0 | 30.0 | 30.0 | 30.0 | 30.0 | **2,258.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.5 | 3.2 | 3.5 | 1.9 | 2.7 | 3.5 | 3.7 | **541.0** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 61.1 | 35.6 | 34.7 | 26.7 | 27.7 | 23.2 | 11.6 | **3,614.6** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 20.0 | 0.0 | **2,065.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 7.2 | 6.7 | 6.8 | 7.6 | 8.7 | 9.4 | 4.1 | 0.0 | **512.0** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 57.4 | 37.5 | 30.4 | 22.6 | 32.3 | 14.6 | 14.3 | 0.0 | **3,394.0** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 7.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 12.0 | 0.0 | 0.0 | **1,867.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 2.7 | 9.1 | 6.8 | 4.9 | 5.4 | 5.2 | 2.2 | 0.0 | 0.0 | **461.5** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 21.0 | 56.4 | 43.6 | 36.1 | 39.1 | 29.3 | 9.2 | 0.0 | 0.0 | **3,184.9** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 8.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 8.0 | 0.0 | 0.0 | **1,695.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 7.6 | 9.4 | 8.1 | 7.8 | 6.0 | 4.5 | 1.3 | 0.0 | 0.0 | **425.2** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 22.4 | 51.2 | 42.3 | 39.1 | 35.8 | 30.0 | 9.2 | 0.0 | 0.0 | **2,950.2** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 18.0 | 0.0 | **1,529.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 11.0 | 9.5 | 8.1 | 8.3 | 4.1 | 0.0 | **380.5** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 40.9 | 55.0 | 43.4 | 38.8 | 35.3 | 37.2 | 19.9 | 0.0 | **2,720.2** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 0.0 | 0.0 | **1,342.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 16.2 | 4.9 | 14.1 | 9.9 | 9.5 | 0.0 | 0.0 | **328.5** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 69.6 | 42.8 | 42.8 | 39.4 | 33.5 | 26.1 | 0.0 | 0.0 | **2,449.7** |
| DAY | 1958 | 25.0 | 25.0 | 13.0 | 30.0 | 31.0 | 30.0 | 25.0 | 31.0 | 30.0 | 29.0 | 15.0 | 0.0 | **1,161.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 7.8 | 0.0 | 7.2 | 13.0 | 11.9 | 11.3 | 6.0 | 0.0 | **253.9** |
| OIL | 1958 | 43.4 | 32.0 | 27.0 | 44.8 | 15.7 | 50.4 | 34.2 | 40.1 | 30.2 | 32.4 | 14.5 | 0.0 | **2,195.5** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 31.0 | 22.0 | 31.0 | 30.0 | 29.0 | **877.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.6 | 15.7 | 9.1 | 12.7 | 0.0 | 0.0 | **196.7** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 64.1 | 50.9 | 45.3 | 49.1 | 45.3 | 40.2 | **1,830.8** |
| DAY | 1956 | 23.0 | 3.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 24.0 | 0.0 | **715.0** |
| H2O | 1956 | 2.9 | 0.5 | 3.3 | 7.5 | 8.4 | 4.9 | 6.0 | 7.9 | 7.0 | 6.4 | 3.8 | 0.0 | **150.6** |
| OIL | 1956 | 58.4 | 13.9 | 72.4 | 50.0 | 49.7 | 42.5 | 42.5 | 55.7 | 41.7 | 44.9 | 29.8 | 0.0 | **1,535.9** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 28.0 | 16.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 15.0 | **422.0** |
| H2O | 1955 | 12.1 | 13.7 | 10.0 | 7.6 | 5.4 | 7.2 | 1.1 | 1.1 | 0.0 | 3.2 | 2.5 | 0.5 | **92.0** |
| OIL | 1955 | 133.9 | 90.7 | 76.5 | 70.2 | 38.1 | 71.9 | 34.6 | 55.2 | 53.8 | 50.3 | 46.3 | 22.5 | **1,034.4** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | **92.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.6 | 6.9 | 11.1 | **27.6** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 136.9 | 52.5 | 101.0 | **290.4** |

# Manitoba Production
## 1950 To 1975

Licence ***520*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,650.0** |
| H2O | 1975 | 220.0 | 221.9 | 244.5 | 244.2 | 253.1 | 237.0 | 242.8 | 239.4 | 235.4 | 242.4 | 253.7 | 258.3 | **28,390.4** |
| OIL | 1975 | 85.8 | 83.6 | 90.7 | 88.7 | 90.4 | 86.0 | 90.3 | 90.7 | 88.0 | 87.4 | 88.0 | 89.5 | **27,759.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 24.0 | 25.0 | 30.0 | 31.0 | **7,288.0** |
| H2O | 1974 | 701.1 | 633.9 | 721.5 | 215.3 | 219.9 | 215.3 | 278.9 | 256.0 | 199.8 | 211.6 | 242.3 | 242.3 | **25,497.7** |
| OIL | 1974 | 80.4 | 68.3 | 79.6 | 76.4 | 78.2 | 73.7 | 61.5 | 61.2 | 46.6 | 49.4 | 92.6 | 95.7 | **26,700.3** |
| DAY | 1973 | 30.0 | 28.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,936.0** |
| H2O | 1973 | 376.9 | 373.8 | 399.5 | 411.9 | 417.6 | 415.1 | 413.5 | 408.9 | 234.0 | 236.4 | 221.3 | 214.5 | **21,359.8** |
| OIL | 1973 | 89.9 | 81.8 | 88.2 | 89.1 | 93.0 | 93.3 | 95.8 | 78.5 | 79.6 | 81.2 | 77.1 | 78.2 | **25,836.7** |
| DAY | 1972 | 27.0 | 29.0 | 30.0 | 28.0 | 30.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **6,576.0** |
| H2O | 1972 | 363.7 | 350.2 | 363.6 | 334.8 | 377.1 | 233.9 | 412.6 | 391.1 | 427.0 | 459.1 | 405.4 | 369.9 | **17,236.4** |
| OIL | 1972 | 127.3 | 120.9 | 124.4 | 183.9 | 197.8 | 119.3 | 113.8 | 116.5 | 114.4 | 119.0 | 94.4 | 88.5 | **24,811.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 27.0 | 28.0 | 25.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 26.0 | **6,223.0** |
| H2O | 1971 | 298.4 | 270.9 | 261.0 | 532.4 | 533.7 | 490.8 | 283.8 | 273.8 | 245.1 | 254.2 | 240.2 | 317.6 | **12,748.0** |
| OIL | 1971 | 210.9 | 186.6 | 169.2 | 537.6 | 550.1 | 493.7 | 154.5 | 151.6 | 149.4 | 144.0 | 124.7 | 109.6 | **23,290.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **5,876.0** |
| H2O | 1970 | 313.8 | 292.0 | 310.2 | 273.8 | 272.8 | 281.6 | 264.2 | 298.1 | 277.3 | 287.8 | 262.6 | 292.7 | **8,746.1** |
| OIL | 1970 | 258.4 | 230.9 | 256.0 | 189.7 | 189.6 | 188.8 | 199.1 | 195.8 | 186.9 | 197.0 | 189.1 | 184.3 | **20,308.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 19.0 | 30.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,514.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 373.1 | 310.6 | 404.4 | 330.5 | 334.7 | 298.7 | 327.8 | **5,319.2** |
| OIL | 1969 | 61.7 | 54.5 | 60.2 | 58.6 | 36.2 | 282.4 | 225.7 | 290.2 | 325.8 | 268.2 | 257.3 | 269.4 | **17,843.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,168.0** |
| H2O | 1968 | 4.3 | 4.0 | 4.3 | 4.1 | 4.5 | 8.3 | 9.1 | 7.9 | 8.3 | 41.5 | 0.0 | 0.0 | **2,939.4** |
| OIL | 1968 | 57.7 | 52.9 | 56.4 | 54.5 | 56.1 | 69.9 | 57.2 | 55.0 | 55.1 | 67.2 | 59.8 | 62.3 | **15,653.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,803.0** |
| H2O | 1967 | 5.2 | 4.3 | 5.1 | 4.8 | 0.0 | 0.0 | 7.2 | 9.5 | 8.4 | 9.2 | 4.0 | 4.3 | **2,843.1** |
| OIL | 1967 | 62.0 | 55.0 | 61.7 | 59.8 | 65.9 | 63.4 | 57.7 | 57.2 | 55.0 | 58.2 | 56.7 | 57.5 | **14,949.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,438.0** |
| H2O | 1966 | 11.4 | 9.2 | 1.1 | 1.1 | 1.3 | 1.1 | 1.1 | 1.1 | 1.1 | 5.2 | 5.1 | 5.4 | **2,781.1** |
| OIL | 1966 | 64.5 | 56.7 | 62.9 | 60.2 | 63.7 | 61.7 | 63.9 | 63.2 | 61.0 | 60.4 | 59.3 | 60.7 | **14,238.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 14.0 | 22.0 | 30.0 | 31.0 | **4,073.0** |
| H2O | 1965 | 25.1 | 22.6 | 25.4 | 9.5 | 9.7 | 12.6 | 24.2 | 24.2 | 10.8 | 3.3 | 11.8 | 11.9 | **2,736.9** |
| OIL | 1965 | 51.3 | 46.7 | 50.5 | 61.7 | 62.0 | 55.0 | 65.9 | 65.5 | 27.7 | 143.0 | 63.4 | 65.2 | **13,500.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,733.0** |
| H2O | 1964 | 17.6 | 16.1 | 5.2 | 4.9 | 5.2 | 5.1 | 4.9 | 5.1 | 4.9 | 4.9 | 26.2 | 25.1 | **2,545.8** |
| OIL | 1964 | 61.0 | 57.7 | 58.8 | 56.4 | 58.2 | 55.9 | 56.1 | 58.5 | 56.7 | 57.7 | 63.4 | 50.9 | **12,742.8** |
| DAY | 1963 | 23.0 | 22.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,368.0** |
| H2O | 1963 | 5.6 | 8.1 | 10.2 | 9.5 | 12.7 | 14.6 | 18.0 | 37.0 | 23.1 | 21.8 | 17.3 | 17.5 | **2,420.6** |
| OIL | 1963 | 25.9 | 23.0 | 39.1 | 37.2 | 34.2 | 38.9 | 43.9 | 55.6 | 55.8 | 53.2 | 57.2 | 58.3 | **12,051.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,019.0** |
| H2O | 1962 | 2.1 | 2.4 | 16.1 | 24.0 | 13.5 | 14.8 | 13.0 | 17.8 | 14.0 | 11.3 | 11.0 | 12.4 | **2,225.2** |
| OIL | 1962 | 47.8 | 43.4 | 44.0 | 52.1 | 41.6 | 42.4 | 39.4 | 45.9 | 45.8 | 35.6 | 36.7 | 38.1 | **11,529.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,655.0** |
| H2O | 1961 | 9.4 | 8.9 | 8.7 | 26.1 | 21.3 | 15.6 | 22.1 | 18.9 | 27.0 | 12.2 | 11.9 | 2.1 | **2,072.8** |
| OIL | 1961 | 58.5 | 58.0 | 57.5 | 57.5 | 55.6 | 51.8 | 57.7 | 50.2 | 55.6 | 48.0 | 45.3 | 47.4 | **11,016.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,291.0** |
| H2O | 1960 | 28.5 | 28.5 | 32.3 | 32.3 | 37.0 | 32.3 | 2.1 | 1.7 | 25.0 | 18.8 | 13.8 | 27.0 | **1,888.6** |
| OIL | 1960 | 64.2 | 62.1 | 70.7 | 63.6 | 71.7 | 68.5 | 69.4 | 65.6 | 51.5 | 63.2 | 56.3 | 62.3 | **10,373.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **1,925.0** |
| H2O | 1959 | 28.5 | 29.1 | 0.0 | 18.4 | 29.6 | 7.9 | 7.0 | 21.3 | 26.9 | 27.5 | 28.5 | 26.1 | **1,609.3** |
| OIL | 1959 | 83.1 | 79.0 | 68.0 | 70.9 | 88.8 | 81.8 | 71.0 | 63.2 | 68.8 | 59.3 | 66.3 | 66.1 | **9,604.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,565.0** |

# Manitoba Production
## 1950 To 1975

Licence ***520*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 22.9 | 38.0 | 16.7 | 40.7 | 35.9 | 24.8 | 32.1 | 21.8 | 37.5 | 31.5 | 28.6 | 25.8 | **1,358.5** |
| OIL | 1958 | 109.5 | 106.5 | 113.3 | 127.1 | 130.1 | 152.4 | 115.7 | 111.6 | 78.0 | 96.5 | 82.2 | 76.4 | **8,737.9** |
| DAY | 1957 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | 29.0 | 31.0 | **1,201.0** |
| H2O | 1957 | 41.2 | 22.9 | 67.4 | 28.0 | 41.3 | 54.8 | 53.9 | 61.4 | 58.8 | 40.7 | 34.5 | 6.2 | **1,002.2** |
| OIL | 1957 | 174.5 | 142.7 | 205.3 | 135.4 | 166.2 | 159.7 | 146.8 | 94.7 | 134.0 | 135.2 | 123.9 | 98.5 | **7,438.6** |
| DAY | 1956 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 29.0 | 31.0 | **841.0** |
| H2O | 1956 | 14.8 | 15.3 | 25.8 | 38.8 | 20.3 | 32.1 | 37.0 | 0.5 | 57.6 | 38.6 | 66.9 | 40.4 | **491.1** |
| OIL | 1956 | 290.0 | 292.7 | 289.7 | 271.9 | 296.5 | 219.9 | 233.6 | 274.9 | 245.5 | 166.2 | 255.5 | 182.4 | **5,721.7** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | **482.0** |
| H2O | 1955 | 6.5 | 5.9 | 5.9 | 4.5 | 4.9 | 4.1 | 2.9 | 2.5 | 4.3 | 7.9 | 21.6 | 25.6 | **103.0** |
| OIL | 1955 | 184.7 | 157.0 | 155.6 | 121.2 | 129.8 | 114.4 | 120.8 | 93.4 | 89.3 | 93.0 | 307.3 | 377.1 | **2,702.9** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 30.0 | 30.0 | 30.0 | 31.0 | **122.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 1.3 | 1.3 | 1.7 | 1.9 | **6.4** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.7 | 174.3 | 219.1 | 168.6 | 191.6 | **759.3** |

Licence ***521*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-13-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1961 | 26.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,049.0** |
| H2O | 1961 | 189.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **28,011.3** |
| OIL | 1961 | 12.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,271.0** |
| DAY | 1960 | 22.0 | 29.0 | 28.0 | 30.0 | 28.0 | 21.0 | 23.0 | 19.0 | 30.0 | 29.0 | 29.0 | 26.0 | **2,023.0** |
| H2O | 1960 | 366.6 | 477.7 | 451.8 | 494.9 | 473.8 | 346.7 | 369.9 | 354.8 | 573.6 | 62.2 | 85.1 | 61.2 | **27,821.6** |
| OIL | 1960 | 7.8 | 11.8 | 10.5 | 11.1 | 10.8 | 7.5 | 7.2 | 6.2 | 9.4 | 12.2 | 11.8 | 11.4 | **4,258.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 25.0 | 31.0 | 28.0 | 30.0 | 31.0 | 27.0 | 31.0 | **1,709.0** |
| H2O | 1959 | 502.7 | 448.5 | 489.5 | 473.8 | 469.5 | 415.4 | 582.3 | 415.7 | 445.8 | 470.4 | 387.8 | 444.5 | **23,703.3** |
| OIL | 1959 | 58.2 | 50.4 | 55.8 | 53.6 | 43.4 | 61.3 | 44.3 | 39.9 | 36.5 | 41.3 | 31.0 | 34.8 | **4,141.1** |
| DAY | 1958 | 26.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,359.0** |
| H2O | 1958 | 413.5 | 433.4 | 469.0 | 455.6 | 415.1 | 445.9 | 495.7 | 486.8 | 459.3 | 517.6 | 515.1 | 515.4 | **18,157.4** |
| OIL | 1958 | 35.1 | 38.8 | 43.5 | 41.5 | 64.8 | 54.8 | 58.6 | 60.4 | 56.3 | 57.7 | 55.1 | 59.0 | **3,590.6** |
| DAY | 1957 | 0.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 26.0 | **1,007.0** |
| H2O | 1957 | 0.0 | 424.6 | 474.4 | 423.2 | 499.5 | 470.3 | 700.0 | 487.4 | 489.5 | 444.0 | 473.8 | 408.9 | **12,535.0** |
| OIL | 1957 | 0.0 | 48.0 | 65.9 | 72.5 | 66.1 | 69.4 | 76.8 | 81.0 | 68.3 | 44.2 | 43.4 | 37.2 | **2,965.0** |
| DAY | 1956 | 11.0 | 8.0 | 28.0 | 30.0 | 31.0 | 26.0 | 23.0 | 28.0 | 27.0 | 31.0 | 29.0 | 22.0 | **681.0** |
| H2O | 1956 | 111.5 | 80.3 | 359.0 | 363.8 | 371.6 | 331.0 | 283.3 | 351.4 | 372.8 | 391.8 | 387.1 | 218.8 | **7,239.4** |
| OIL | 1956 | 29.4 | 21.5 | 73.9 | 80.4 | 93.3 | 67.1 | 78.2 | 97.6 | 69.3 | 91.4 | 78.5 | 60.1 | **2,292.2** |
| DAY | 1955 | 31.0 | 28.0 | 10.0 | 0.0 | 10.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **387.0** |
| H2O | 1955 | 170.7 | 313.5 | 79.6 | 0.0 | 56.0 | 194.8 | 183.9 | 442.0 | 434.8 | 360.9 | 323.2 | 338.6 | **3,617.0** |
| OIL | 1955 | 82.2 | 78.3 | 28.0 | 0.0 | 14.0 | 72.0 | 71.5 | 128.4 | 121.7 | 109.5 | 104.7 | 93.9 | **1,451.5** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 28.0 | 25.0 | 12.0 | 30.0 | **96.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 182.2 | 169.9 | 173.4 | 193.5 | **719.0** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.5 | 191.6 | 204.8 | 49.3 | 91.1 | **547.3** |

Licence ***522*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 27.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,489.0** |
| H2O | 1975 | 664.2 | 598.9 | 610.5 | 650.1 | 747.7 | 663.9 | 661.5 | 691.7 | 624.8 | 587.0 | 559.5 | 573.8 | **45,263.7** |
| OIL | 1975 | 125.5 | 114.3 | 110.1 | 114.4 | 124.3 | 116.6 | 122.2 | 124.7 | 126.7 | 127.3 | 124.7 | 128.4 | **27,044.5** |
| DAY | 1974 | 31.0 | 28.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,129.0** |
| H2O | 1974 | 74.2 | 83.9 | 628.0 | 631.5 | 676.5 | 758.5 | 625.3 | 623.7 | 632.1 | 700.0 | 610.2 | 670.7 | **37,630.1** |

# Manitoba Production
## 1950 To 1975

Licence ***522*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1974 | 29.2 | 28.8 | 141.7 | 151.3 | 148.7 | 149.2 | 160.3 | 159.5 | 151.3 | 124.6 | 117.4 | 124.7 | **25,585.3** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | **6,768.0** |
| H2O | 1973 | 147.4 | 133.5 | 126.4 | 127.0 | 131.0 | 39.6 | 36.2 | 37.4 | 48.2 | 65.5 | 60.7 | 71.5 | **30,915.5** |
| OIL | 1973 | 102.5 | 90.3 | 27.5 | 27.7 | 27.2 | 34.6 | 37.2 | 35.0 | 23.0 | 31.0 | 29.1 | 28.4 | **24,098.6** |
| DAY | 1972 | 31.0 | 0.0 | 7.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **6,410.0** |
| H2O | 1972 | 56.4 | 0.0 | 12.9 | 46.1 | 49.6 | 45.8 | 41.5 | 160.6 | 124.0 | 139.1 | 133.2 | 123.1 | **29,891.1** |
| OIL | 1972 | 46.6 | 0.0 | 10.8 | 44.5 | 46.6 | 45.0 | 41.0 | 185.6 | 87.2 | 101.9 | 101.4 | 103.0 | **23,605.1** |
| DAY | 1971 | 31.0 | 4.0 | 0.0 | 15.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,103.0** |
| H2O | 1971 | 93.6 | 12.9 | 0.0 | 51.2 | 53.7 | 44.2 | 46.7 | 51.7 | 50.6 | 55.5 | 48.3 | 52.3 | **28,958.8** |
| OIL | 1971 | 79.6 | 10.2 | 0.0 | 38.1 | 49.9 | 48.3 | 51.3 | 50.7 | 44.0 | 46.1 | 42.1 | 47.0 | **22,791.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,809.0** |
| H2O | 1970 | 96.7 | 91.7 | 111.9 | 100.8 | 87.0 | 75.5 | 67.6 | 91.3 | 99.4 | 99.7 | 85.4 | 79.3 | **28,398.1** |
| OIL | 1970 | 55.0 | 48.6 | 53.9 | 52.4 | 46.1 | 38.5 | 54.5 | 76.0 | 74.5 | 76.6 | 74.2 | 79.0 | **22,284.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,455.0** |
| H2O | 1969 | 255.3 | 209.1 | 254.1 | 253.6 | 272.0 | 120.0 | 123.7 | 114.9 | 109.9 | 106.5 | 100.8 | 108.1 | **27,311.8** |
| OIL | 1969 | 146.5 | 125.9 | 141.9 | 147.0 | 143.0 | 62.0 | 61.7 | 63.2 | 59.3 | 53.9 | 50.1 | 54.8 | **21,554.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 26.0 | 31.0 | **5,090.0** |
| H2O | 1968 | 143.4 | 143.6 | 166.8 | 177.9 | 170.4 | 151.7 | 159.9 | 164.5 | 126.7 | 238.5 | 201.4 | 256.8 | **25,283.8** |
| OIL | 1968 | 65.5 | 59.1 | 66.3 | 69.6 | 69.0 | 105.7 | 110.0 | 110.6 | 93.4 | 143.7 | 119.0 | 147.2 | **20,445.6** |
| DAY | 1967 | 31.0 | 28.0 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,731.0** |
| H2O | 1967 | 153.4 | 130.8 | 129.3 | 129.3 | 152.6 | 136.4 | 132.3 | 143.4 | 153.3 | 147.2 | 152.0 | 153.6 | **23,182.2** |
| OIL | 1967 | 70.7 | 61.3 | 60.4 | 61.2 | 69.4 | 61.2 | 65.2 | 63.1 | 66.7 | 67.4 | 67.1 | 67.4 | **19,286.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,373.0** |
| H2O | 1966 | 274.1 | 262.6 | 262.6 | 206.2 | 188.6 | 190.5 | 181.1 | 212.9 | 189.0 | 189.0 | 170.3 | 156.9 | **21,468.6** |
| OIL | 1966 | 104.6 | 94.1 | 116.5 | 83.7 | 83.1 | 73.9 | 74.1 | 72.9 | 76.0 | 81.7 | 72.5 | 70.4 | **18,505.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,009.0** |
| H2O | 1965 | 221.8 | 200.3 | 221.8 | 200.3 | 197.1 | 178.9 | 207.9 | 226.7 | 190.1 | 203.7 | 208.7 | 226.5 | **18,984.8** |
| OIL | 1965 | 84.7 | 75.2 | 82.3 | 78.3 | 80.7 | 77.1 | 82.2 | 81.8 | 69.6 | 64.4 | 68.5 | 83.3 | **17,501.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,644.0** |
| H2O | 1964 | 252.6 | 249.0 | 268.8 | 262.3 | 243.9 | 228.9 | 236.6 | 236.9 | 228.9 | 237.5 | 228.9 | 224.6 | **16,501.0** |
| OIL | 1964 | 130.0 | 118.1 | 128.4 | 127.6 | 117.9 | 111.4 | 106.9 | 94.4 | 94.7 | 97.3 | 85.2 | 84.2 | **16,573.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,279.0** |
| H2O | 1963 | 260.1 | 226.1 | 240.7 | 228.9 | 239.9 | 229.6 | 238.0 | 246.4 | 253.9 | 246.4 | 235.6 | 251.2 | **13,602.1** |
| OIL | 1963 | 133.2 | 122.0 | 134.6 | 126.5 | 132.2 | 127.1 | 116.8 | 121.6 | 130.9 | 134.6 | 128.9 | 134.6 | **15,277.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,915.0** |
| H2O | 1962 | 147.9 | 114.5 | 139.3 | 163.1 | 186.0 | 172.5 | 155.8 | 147.9 | 143.1 | 147.9 | 168.8 | 245.5 | **10,705.3** |
| OIL | 1962 | 86.4 | 70.4 | 78.8 | 68.8 | 85.0 | 94.7 | 97.7 | 97.7 | 95.0 | 98.2 | 106.5 | 133.5 | **13,734.7** |
| DAY | 1961 | 31.0 | 28.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 21.0 | 31.0 | **2,551.0** |
| H2O | 1961 | 221.8 | 200.3 | 215.4 | 202.7 | 198.7 | 161.4 | 195.5 | 197.1 | 190.8 | 197.1 | 138.3 | 158.2 | **8,773.0** |
| OIL | 1961 | 97.4 | 89.8 | 95.7 | 81.4 | 86.6 | 85.7 | 99.6 | 103.1 | 94.6 | 89.1 | 54.5 | 87.7 | **12,622.0** |
| DAY | 1960 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 2.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | **2,198.0** |
| H2O | 1960 | 109.9 | 128.0 | 147.9 | 130.4 | 145.5 | 144.2 | 212.1 | 244.8 | 213.8 | 226.5 | 213.0 | 203.8 | **6,495.7** |
| OIL | 1960 | 94.7 | 85.8 | 71.4 | 50.1 | 65.9 | 5.6 | 107.4 | 122.8 | 105.7 | 110.0 | 95.7 | 99.3 | **11,556.8** |
| DAY | 1959 | 30.0 | 28.0 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | **1,866.0** |
| H2O | 1959 | 76.3 | 66.8 | 73.9 | 66.0 | 73.9 | 65.2 | 73.9 | 81.9 | 95.4 | 76.3 | 95.4 | 98.6 | **4,375.8** |
| OIL | 1959 | 152.9 | 132.2 | 146.8 | 125.2 | 143.2 | 127.3 | 136.5 | 118.7 | 117.9 | 94.7 | 115.8 | 95.0 | **10,542.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,514.0** |
| H2O | 1958 | 111.3 | 95.4 | 119.2 | 111.3 | 111.3 | 103.3 | 103.3 | 111.3 | 111.3 | 111.3 | 84.3 | 98.6 | **3,432.2** |
| OIL | 1958 | 195.6 | 168.1 | 196.7 | 165.6 | 164.9 | 148.4 | 168.6 | 164.0 | 161.1 | 166.9 | 165.1 | 169.2 | **9,036.2** |
| DAY | 1957 | 8.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,152.0** |
| H2O | 1957 | 22.3 | 85.8 | 66.8 | 69.0 | 79.5 | 81.9 | 85.7 | 85.7 | 82.2 | 93.6 | 98.9 | 111.3 | **2,160.3** |
| OIL | 1957 | 65.2 | 210.6 | 218.0 | 209.8 | 188.8 | 181.2 | 189.7 | 183.1 | 186.1 | 176.2 | 165.4 | 195.8 | **7,002.0** |

# Manitoba Production
## 1950 To 1975

Licence ***522*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 25.0 | 29.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **811.0** |
| H2O | 1956 | 79.5 | 181.2 | 69.6 | 65.2 | 79.8 | 77.7 | 64.2 | 68.7 | 66.9 | 71.5 | 85.7 | 71.9 | **1,197.6** |
| OIL | 1956 | 236.8 | 273.6 | 277.5 | 264.1 | 291.3 | 275.4 | 289.9 | 272.2 | 260.9 | 243.1 | 241.1 | 243.1 | **4,832.1** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 16.0 | **454.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 9.5 | 17.5 | 17.5 | 47.7 | 47.7 | 51.7 | 23.8 | **215.7** |
| OIL | 1955 | 46.7 | 41.5 | 44.8 | 32.1 | 46.4 | 56.7 | 93.8 | 100.1 | 281.3 | 285.4 | 323.9 | 150.8 | **1,663.1** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 31.0 | 30.0 | 30.0 | **107.0** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 36.7 | 52.3 | 35.3 | 35.3 | **159.6** |

Licence ***525*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,629.0** |
| H2O | 1975 | 459.1 | 398.4 | 497.3 | 494.4 | 549.8 | 488.2 | 486.5 | 508.7 | 459.3 | 446.3 | 425.3 | 436.1 | **41,861.5** |
| OIL | 1975 | 142.4 | 124.6 | 135.2 | 130.9 | 137.3 | 129.0 | 135.1 | 138.1 | 140.0 | 145.4 | 142.4 | 146.7 | **29,160.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,266.0** |
| H2O | 1974 | 574.1 | 498.1 | 581.5 | 523.8 | 639.4 | 693.9 | 562.8 | 559.1 | 562.0 | 577.1 | 502.9 | 463.6 | **36,212.1** |
| OIL | 1974 | 153.5 | 153.0 | 184.7 | 176.4 | 189.6 | 184.0 | 194.5 | 173.1 | 162.9 | 168.3 | 158.8 | 141.4 | **27,513.5** |
| DAY | 1973 | 27.0 | 28.0 | 31.0 | 27.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,901.0** |
| H2O | 1973 | 387.6 | 400.6 | 456.3 | 450.7 | 528.3 | 491.1 | 482.0 | 505.7 | 500.0 | 501.4 | 473.4 | 556.7 | **29,473.8** |
| OIL | 1973 | 177.7 | 190.9 | 192.0 | 194.7 | 236.6 | 173.5 | 208.0 | 201.2 | 211.0 | 158.6 | 154.6 | 150.8 | **25,473.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 29.0 | 30.0 | 30.0 | **6,545.0** |
| H2O | 1972 | 361.7 | 365.0 | 427.5 | 345.8 | 347.5 | 320.3 | 316.5 | 356.6 | 342.3 | 345.6 | 402.7 | 359.5 | **23,740.0** |
| OIL | 1972 | 203.6 | 196.3 | 188.5 | 216.8 | 198.3 | 192.3 | 178.0 | 172.9 | 171.9 | 181.5 | 202.0 | 198.6 | **23,223.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,184.0** |
| H2O | 1971 | 322.7 | 320.7 | 381.1 | 392.8 | 457.9 | 356.1 | 428.6 | 473.0 | 430.0 | 471.2 | 375.4 | 335.3 | **19,449.0** |
| OIL | 1971 | 211.2 | 190.9 | 218.3 | 208.3 | 204.4 | 186.2 | 219.1 | 215.6 | 165.7 | 173.2 | 173.5 | 205.5 | **20,923.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,820.0** |
| H2O | 1970 | 363.9 | 307.3 | 380.8 | 343.2 | 328.1 | 311.6 | 266.8 | 276.9 | 353.6 | 343.9 | 296.3 | 273.6 | **14,704.2** |
| OIL | 1970 | 233.9 | 183.1 | 197.4 | 192.0 | 197.4 | 180.2 | 177.7 | 189.6 | 230.6 | 206.9 | 202.6 | 209.1 | **18,551.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 14.0 | 31.0 | 31.0 | 21.0 | 23.0 | 30.0 | 31.0 | **5,456.0** |
| H2O | 1969 | 54.1 | 44.4 | 34.0 | 34.0 | 30.5 | 14.0 | 31.8 | 15.1 | 10.0 | 231.0 | 535.3 | 406.8 | **10,858.2** |
| OIL | 1969 | 86.9 | 74.8 | 88.5 | 91.8 | 82.3 | 39.3 | 95.8 | 108.9 | 71.5 | 132.8 | 341.8 | 233.6 | **16,150.6** |
| DAY | 1968 | 31.0 | 29.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,124.0** |
| H2O | 1968 | 81.9 | 81.9 | 20.7 | 41.0 | 42.0 | 151.8 | 159.8 | 44.2 | 39.3 | 50.6 | 50.2 | 54.5 | **9,417.2** |
| OIL | 1968 | 89.5 | 80.9 | 77.4 | 99.2 | 105.2 | 79.3 | 82.5 | 87.6 | 85.3 | 85.2 | 83.4 | 87.7 | **14,702.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 29.0 | 18.0 | 24.0 | 31.0 | **4,760.0** |
| H2O | 1967 | 124.5 | 105.9 | 120.3 | 65.5 | 134.7 | 125.3 | 123.8 | 119.2 | 93.8 | 54.1 | 76.0 | 87.8 | **8,599.3** |
| OIL | 1967 | 131.1 | 114.1 | 128.4 | 87.2 | 143.0 | 125.5 | 136.5 | 117.4 | 103.3 | 62.6 | 84.9 | 92.2 | **13,659.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 27.0 | 14.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,420.0** |
| H2O | 1966 | 109.2 | 104.8 | 104.9 | 97.3 | 253.9 | 223.5 | 106.7 | 277.4 | 246.3 | 246.6 | 138.0 | 127.0 | **7,368.4** |
| OIL | 1966 | 84.7 | 76.3 | 94.4 | 104.6 | 194.8 | 151.0 | 75.8 | 165.4 | 172.6 | 185.1 | 134.3 | 130.5 | **12,333.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,077.0** |
| H2O | 1965 | 27.5 | 22.1 | 24.6 | 27.3 | 22.4 | 20.8 | 15.1 | 24.2 | 17.2 | 81.2 | 83.1 | 90.3 | **5,332.8** |
| OIL | 1965 | 35.9 | 31.0 | 33.8 | 36.7 | 37.5 | 35.3 | 38.0 | 35.6 | 35.8 | 52.1 | 55.3 | 67.5 | **10,763.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,712.0** |
| H2O | 1964 | 36.4 | 34.5 | 37.0 | 22.4 | 25.8 | 22.9 | 28.5 | 26.9 | 29.7 | 29.7 | 27.2 | 27.2 | **4,877.0** |
| OIL | 1964 | 37.7 | 37.0 | 39.1 | 34.5 | 36.2 | 34.6 | 41.8 | 43.4 | 40.7 | 39.6 | 35.6 | 36.9 | **10,269.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,346.0** |
| H2O | 1963 | 68.0 | 41.2 | 81.9 | 89.8 | 35.9 | 39.3 | 41.7 | 37.8 | 35.5 | 36.2 | 39.1 | 38.3 | **4,528.8** |
| OIL | 1963 | 68.2 | 67.7 | 81.7 | 74.1 | 40.8 | 39.1 | 44.5 | 39.9 | 41.2 | 42.3 | 37.2 | 40.0 | **9,812.1** |

# Manitoba Production
## 1950 To 1975

Licence ***525*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,981.0** |
| H2O | 1962 | 39.1 | 47.5 | 53.3 | 49.1 | 55.5 | 54.2 | 56.9 | 59.5 | 53.7 | 61.4 | 69.8 | 74.1 | **3,944.1** |
| OIL | 1962 | 65.0 | 56.4 | 62.9 | 62.3 | 66.1 | 63.9 | 64.0 | 62.8 | 60.9 | 74.2 | 74.7 | 59.4 | **9,195.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,616.0** |
| H2O | 1961 | 38.5 | 33.9 | 33.4 | 33.1 | 28.5 | 33.1 | 28.5 | 32.3 | 47.4 | 56.4 | 55.2 | 55.0 | **3,270.0** |
| OIL | 1961 | 47.5 | 45.4 | 51.5 | 49.9 | 51.0 | 53.6 | 50.7 | 52.6 | 62.3 | 64.0 | 62.8 | 65.5 | **8,422.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,252.0** |
| H2O | 1960 | 56.9 | 50.2 | 54.8 | 55.0 | 48.3 | 50.1 | 64.5 | 146.4 | 95.2 | 49.0 | 47.2 | 43.4 | **2,794.7** |
| OIL | 1960 | 80.2 | 77.7 | 81.2 | 77.2 | 78.5 | 76.6 | 76.4 | 92.5 | 80.9 | 70.2 | 64.8 | 60.2 | **7,766.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 29.0 | 28.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,887.0** |
| H2O | 1959 | 64.5 | 55.3 | 57.4 | 56.4 | 50.7 | 53.3 | 59.6 | 45.9 | 47.1 | 54.7 | 41.3 | 47.9 | **2,033.7** |
| OIL | 1959 | 71.8 | 62.9 | 66.4 | 70.7 | 66.3 | 86.8 | 90.3 | 86.8 | 83.3 | 121.2 | 44.5 | 78.7 | **6,849.6** |
| DAY | 1958 | 28.0 | 28.0 | 31.0 | 29.0 | 31.0 | 27.0 | 29.0 | 31.0 | 15.0 | 31.0 | 30.0 | 31.0 | **1,527.0** |
| H2O | 1958 | 4.8 | 4.6 | 4.5 | 4.5 | 4.9 | 4.5 | 5.1 | 5.2 | 55.5 | 98.4 | 78.5 | 68.0 | **1,399.6** |
| OIL | 1958 | 43.7 | 39.9 | 42.1 | 41.2 | 38.6 | 41.8 | 54.8 | 44.2 | 74.4 | 135.7 | 90.9 | 76.8 | **5,919.9** |
| DAY | 1957 | 31.0 | 28.0 | 29.0 | 27.0 | 29.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,186.0** |
| H2O | 1957 | 16.4 | 14.5 | 13.7 | 45.2 | 21.8 | 23.7 | 25.1 | 18.8 | 4.8 | 5.2 | 4.8 | 4.8 | **1,061.1** |
| OIL | 1957 | 69.6 | 58.3 | 54.5 | 55.1 | 42.3 | 38.5 | 38.3 | 37.5 | 49.4 | 47.5 | 45.0 | 43.9 | **5,195.8** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 29.0 | **829.0** |
| H2O | 1956 | 40.1 | 36.7 | 39.9 | 42.4 | 32.7 | 32.6 | 22.7 | 18.0 | 19.4 | 31.0 | 18.1 | 14.8 | **862.3** |
| OIL | 1956 | 111.1 | 97.4 | 94.1 | 91.1 | 80.4 | 76.4 | 84.7 | 110.9 | 108.5 | 73.7 | 75.2 | 67.4 | **4,615.9** |
| DAY | 1955 | 31.0 | 28.0 | 30.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 29.0 | 29.0 | **469.0** |
| H2O | 1955 | 42.6 | 1.9 | 2.1 | 61.5 | 54.7 | 39.4 | 29.3 | 36.2 | 24.8 | 39.0 | 32.9 | 26.1 | **513.9** |
| OIL | 1955 | 277.3 | 245.8 | 252.3 | 245.8 | 218.3 | 206.6 | 224.7 | 208.6 | 150.6 | 114.3 | 95.0 | 91.7 | **3,545.0** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 27.0 | 30.0 | 31.0 | **113.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.3 | 27.3 | 45.5 | 42.3 | **123.4** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 270.3 | 373.9 | 293.8 | 276.0 | **1,214.0** |

Licence ***526*** Well Name ***Enerplus Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-31-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 0.0 | 0.0 | 0.0 | **1,019.0** |
| H2O | 1957 | 23.8 | 5.7 | 5.2 | 0.0 | 0.0 | 15.9 | 13.4 | 6.7 | 132.4 | 0.0 | 0.0 | 0.0 | **772.0** |
| OIL | 1957 | 0.0 | 12.7 | 14.6 | 18.8 | 18.6 | 2.7 | 5.6 | 3.4 | 0.0 | 0.0 | 0.0 | 0.0 | **707.0** |
| DAY | 1956 | 26.0 | 23.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 27.0 | 29.0 | 29.0 | **748.0** |
| H2O | 1956 | 2.2 | 0.0 | 13.4 | 2.1 | 0.0 | 12.2 | 0.0 | 17.8 | 0.0 | 0.0 | 0.0 | 0.0 | **568.9** |
| OIL | 1956 | 20.8 | 22.9 | 1.4 | 19.7 | 27.5 | 9.5 | 23.4 | 5.2 | 7.6 | 16.8 | 19.7 | 22.1 | **630.6** |
| DAY | 1955 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | **411.0** |
| H2O | 1955 | 78.1 | 72.0 | 78.2 | 62.6 | 57.4 | 21.8 | 21.8 | 17.8 | 18.6 | 3.5 | 5.7 | 1.7 | **521.2** |
| OIL | 1955 | 34.8 | 30.8 | 33.5 | 26.9 | 24.6 | 21.8 | 21.8 | 17.8 | 18.6 | 18.0 | 18.3 | 9.4 | **434.0** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 20.0 | 27.0 | **57.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.3 | 0.2 | 71.5 | **82.0** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 49.6 | 60.4 | 47.7 | **157.7** |

Licence ***527*** Well Name ***Enerplus Daly Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-29-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 0.0 | 1898.7 | 3731.6 | 3362.9 | 372.7 | 36.7 | 101.3 | 581.6 | 852.8 | 3448.6 | 1767.2 | 2365.8 | **1,125,336.1** |
| WIN | 1974 | 4535.5 | 3387.6 | 4979.2 | 4808.0 | 1096.5 | 41.7 | 2321.2 | 3768.2 | 1216.5 | 1874.4 | 270.3 | 845.8 | **1,106,816.2** |
| WIN | 1973 | 567.4 | 1171.2 | 3590.6 | 2442.3 | 5066.0 | 3520.3 | 8212.4 | 7428.3 | 4517.3 | 5099.8 | 4271.4 | 4511.3 | **1,077,671.3** |
| WIN | 1972 | 13171.0 | 10027.2 | 16868.0 | 14081.6 | 13784.9 | 14540.4 | 8237.7 | 4911.3 | 1320.6 | 1511.3 | 1266.9 | 1023.8 | **1,027,273.0** |

# Manitoba Production
## 1950 To 1975

Licence ***527*** Well Name ***Enerplus Daly Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-29-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1971 | 14921.8 | 13886.5 | 16731.1 | 16903.9 | 17997.4 | 14550.6 | 16580.9 | 19103.4 | 12490.3 | 13197.0 | 12937.7 | 15164.7 | **926,528.3** |
| WIN | 1970 | 16067.6 | 14303.2 | 16394.8 | 16543.7 | 17284.6 | 18872.4 | 14730.4 | 20233.8 | 16526.6 | 16615.8 | 15912.6 | 15726.9 | **742,063.0** |
| WIN | 1969 | 22310.2 | 18418.2 | 20229.5 | 20187.7 | 20814.2 | 17595.8 | 19587.8 | 19838.2 | 20799.0 | 23102.9 | 20460.3 | 20558.8 | **542,850.6** |
| WIN | 1968 | 16765.9 | 17796.1 | 20484.2 | 21096.7 | 23194.9 | 25322.8 | 25110.6 | 25317.9 | 25312.8 | 27737.0 | 22920.8 | 23251.8 | **298,948.0** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.8 | 0.0 | 0.0 | 4021.9 | 20582.8 | **24,636.5** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | **1.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.0 | 0.0 | **0.3** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.8 | 0.0 | 0.0 | **23.8** |

Licence ***528*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-32-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 21.0 | 9.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,839.0** |
| H2O | 1960 | 0.9 | 0.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,580.1** |
| OIL | 1960 | 5.3 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,332.8** |
| DAY | 1959 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 26.0 | **1,809.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.5 | 2.4 | 1.1 | 1.1 | 1.3 | 1.0 | **1,578.8** |
| OIL | 1959 | 8.7 | 8.6 | 9.4 | 9.2 | 8.4 | 7.9 | 9.5 | 9.5 | 7.8 | 7.6 | 7.6 | 6.7 | **1,325.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,453.0** |
| H2O | 1958 | 0.2 | 0.0 | 0.0 | 1.3 | 1.3 | 1.3 | 1.3 | 1.1 | 1.1 | 3.5 | 1.1 | 0.0 | **1,569.4** |
| OIL | 1958 | 8.4 | 7.6 | 3.7 | 7.5 | 8.6 | 7.8 | 8.1 | 8.1 | 7.2 | 1.1 | 7.9 | 9.5 | **1,224.1** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,088.0** |
| H2O | 1957 | 8.4 | 11.1 | 11.9 | 11.6 | 11.4 | 1.7 | 5.2 | 4.9 | 0.2 | 0.2 | 0.2 | 0.2 | **1,557.2** |
| OIL | 1957 | 9.5 | 10.8 | 10.6 | 10.0 | 9.7 | 7.8 | 4.6 | 4.6 | 8.3 | 8.1 | 7.6 | 7.5 | **1,138.6** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | 28.0 | 25.0 | 31.0 | 30.0 | 31.0 | **724.0** |
| H2O | 1956 | 28.6 | 25.4 | 26.1 | 23.1 | 24.3 | 21.9 | 16.1 | 7.9 | 10.0 | 11.9 | 12.2 | 9.1 | **1,490.2** |
| OIL | 1956 | 21.5 | 17.6 | 17.6 | 23.7 | 23.8 | 22.9 | 17.2 | 9.7 | 9.1 | 11.3 | 10.8 | 8.7 | **1,039.5** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 27.0 | 31.0 | 30.0 | 28.0 | 25.0 | 22.0 | 31.0 | **373.0** |
| H2O | 1955 | 630.0 | 99.0 | 56.0 | 46.1 | 18.4 | 16.1 | 18.3 | 21.1 | 20.2 | 21.6 | 17.5 | 32.7 | **1,273.6** |
| OIL | 1955 | 209.9 | 71.7 | 40.5 | 33.4 | 25.4 | 24.3 | 26.7 | 21.1 | 18.9 | 17.2 | 19.4 | 23.4 | **845.6** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 4.0 | 29.0 | **34.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 276.6 | **276.6** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 40.5 | 255.2 | **313.7** |

Licence ***529*** Well Name ***Daly Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.12-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Devonian Undifferentiated*** Field Code ***1*** Pool Code ***78*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1969 | 1211.4 | 1101.2 | 1564.2 | 2533.9 | 2716.6 | 2843.2 | 2686.3 | 2819.6 | 2647.3 | 2841.4 | 2769.7 | 849.7 | **534,253.1** |
| WIN | 1968 | 2051.0 | 1759.3 | 1789.2 | 1391.1 | 1868.8 | 1662.0 | 1460.4 | 2022.1 | 2635.2 | 2514.4 | 2438.1 | 2727.6 | **507,668.6** |
| WIN | 1967 | 1889.8 | 1706.8 | 1871.4 | 1877.1 | 1144.0 | 1557.4 | 1817.8 | 1864.2 | 1782.7 | 2063.4 | 1441.9 | 2275.7 | **483,349.4** |
| WIN | 1966 | 1364.0 | 1315.7 | 1660.1 | 1679.0 | 1799.5 | 1879.3 | 1879.0 | 1868.4 | 1312.8 | 1778.4 | 1800.5 | 1783.6 | **462,057.2** |
| WIN | 1965 | 1960.6 | 1709.2 | 1678.7 | 1863.9 | 2180.6 | 2079.0 | 1892.8 | 1977.7 | 1874.2 | 2147.4 | 1839.9 | 1909.4 | **441,936.9** |
| WIN | 1964 | 2693.6 | 2411.2 | 2791.7 | 2525.4 | 2360.7 | 2357.6 | 2229.1 | 2064.7 | 2036.7 | 1983.5 | 1928.6 | 2156.9 | **418,823.5** |
| WIN | 1963 | 3491.1 | 3252.6 | 3361.6 | 3247.8 | 3739.7 | 3430.6 | 3444.3 | 3034.1 | 2979.7 | 2986.3 | 2609.5 | 3186.4 | **391,283.8** |
| WIN | 1962 | 3110.6 | 2981.7 | 3049.1 | 4365.9 | 2954.9 | 3497.4 | 3523.0 | 3591.4 | 2566.7 | 3302.3 | 3573.3 | 3483.6 | **352,520.1** |
| WIN | 1961 | 2441.4 | 2259.0 | 2428.2 | 2123.2 | 2336.1 | 3084.2 | 3720.6 | 3678.5 | 3472.3 | 2982.5 | 3204.4 | 2752.1 | **312,520.2** |
| WIN | 1960 | 2584.2 | 2430.6 | 2289.7 | 2184.7 | 2350.7 | 2245.6 | 2829.5 | 3164.0 | 3150.3 | 3592.3 | 2639.5 | 2362.5 | **278,037.7** |
| WIN | 1959 | 2387.4 | 2265.5 | 2413.1 | 2345.3 | 2233.2 | 2227.5 | 2230.8 | 2370.3 | 2230.5 | 2146.7 | 2347.1 | 2404.2 | **246,214.1** |
| WIN | 1958 | 5883.7 | 5732.6 | 5845.0 | 5260.7 | 5594.8 | 5662.0 | 5311.7 | 5232.5 | 5823.4 | 6329.0 | 3717.9 | 2938.4 | **218,612.5** |
| WIN | 1957 | 3685.2 | 3197.6 | 3496.3 | 2703.0 | 3682.2 | 4089.9 | 4303.2 | 4603.6 | 4936.6 | 5276.4 | 5612.3 | 5385.0 | **155,280.8** |
| WIN | 1956 | 3558.0 | 3462.5 | 4018.2 | 4108.9 | 3893.3 | 3084.9 | 3893.2 | 4026.4 | 4350.1 | 4261.6 | 3888.7 | 3767.6 | **104,309.5** |

# Manitoba Production
## 1950 To 1975

Licence ***529*** Well Name ***Daly Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.12-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Devonian Undifferentiated*** Field Code ***1*** Pool Code ***78*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1955 | 3171.4 | 3451.5 | 4978.9 | 5237.0 | 5099.0 | 4799.7 | 5428.4 | 5249.8 | 4301.3 | 5044.6 | 4516.3 | 3700.7 | **57,996.1** |
| WIN | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 200.2 | 2817.3 | **3,017.5** |

UWI ***102.12-04-010-28W1.02*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 4025.9 | 3359.9 | 4191.0 | 3549.0 | 3946.1 | 3605.9 | 3294.3 | 3507.2 | 3184.9 | 3087.4 | 3443.7 | 5120.9 | **265,081.2** |
| WIN | 1974 | 5407.7 | 4839.2 | 4980.5 | 5399.5 | 5287.4 | 5203.3 | 4638.1 | 4521.7 | 4981.3 | 5068.3 | 5545.7 | 4489.2 | **220,765.0** |
| WIN | 1973 | 4695.5 | 4327.2 | 4642.3 | 4759.4 | 4937.6 | 5091.8 | 4297.2 | 4498.8 | 5283.7 | 5272.3 | 5115.0 | 4982.6 | **160,403.1** |
| WIN | 1972 | 1016.1 | 833.4 | 806.9 | 926.6 | 1422.3 | 1635.4 | 2108.4 | 1616.9 | 1603.3 | 1718.0 | 3866.0 | 4352.4 | **102,499.7** |
| WIN | 1971 | 3695.9 | 3335.0 | 3755.7 | 3663.9 | 3776.8 | 3906.9 | 4071.1 | 4242.0 | 3977.5 | 4201.8 | 3472.0 | 778.7 | **80,594.0** |
| WIN | 1970 | 2818.4 | 2787.7 | 3194.7 | 3005.5 | 2860.9 | 1995.0 | 1158.7 | 3181.7 | 3816.6 | 3832.0 | 3559.9 | 3807.5 | **37,716.7** |
| WIN | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1698.1 | **1,698.1** |

Licence ***530*** Well Name ***B.A. Union Grose Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 6.0 | 0.0 | 0.0 | 2.0 | 22.0 | 30.0 | 11.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **779.0** |
| H2O | 1958 | 4.7 | 0.0 | 0.0 | 3.8 | 23.2 | 19.1 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,311.4** |
| OIL | 1958 | 5.8 | 0.0 | 0.0 | 4.8 | 14.2 | 14.1 | 5.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,208.4** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 22.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **708.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 134.8 | 120.5 | 117.0 | 118.4 | 116.5 | 57.2 | 24.6 | 23.8 | 21.5 | **1,253.6** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 19.1 | 13.2 | 26.1 | 29.2 | 28.4 | 28.6 | 29.4 | 28.6 | 25.4 | **2,164.3** |
| DAY | 1956 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 0.0 | 0.0 | **448.0** |
| H2O | 1956 | 1.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **519.3** |
| OIL | 1956 | 1.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | **1,936.3** |
| DAY | 1955 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 19.0 | **439.0** |
| H2O | 1955 | 52.5 | 28.1 | 24.2 | 17.2 | 8.3 | 14.6 | 31.2 | 28.8 | 38.5 | 41.2 | 29.7 | 25.3 | **517.4** |
| OIL | 1955 | 236.3 | 157.8 | 132.7 | 113.5 | 105.5 | 115.4 | 91.5 | 28.3 | 29.1 | 26.1 | 26.4 | 14.5 | **1,933.4** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 29.0 | 31.0 | **87.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 51.7 | 63.1 | 63.0 | **177.8** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 287.2 | 285.4 | 283.7 | **856.3** |

Licence ***531*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,060.0** |
| H2O | 1975 | 168.4 | 151.5 | 179.0 | 171.7 | 190.9 | 169.6 | 169.0 | 176.6 | 159.6 | 85.2 | 84.9 | 87.1 | **28,792.9** |
| OIL | 1975 | 46.2 | 42.1 | 46.9 | 43.9 | 45.9 | 43.2 | 45.3 | 46.4 | 47.0 | 22.7 | 23.2 | 23.8 | **14,384.3** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 21.0 | 30.0 | 31.0 | 27.0 | 28.0 | **6,696.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.5 | 25.4 | 37.8 | 178.7 | 140.2 | 150.6 | **26,999.4** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.7 | 19.2 | 26.4 | 46.2 | 39.3 | 40.8 | **13,907.7** |
| DAY | 1973 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 30.0 | 0.0 | 0.0 | **6,532.0** |
| H2O | 1973 | 55.8 | 52.3 | 60.4 | 60.7 | 62.6 | 64.5 | 57.6 | 30.7 | 33.9 | 34.0 | 0.0 | 0.0 | **26,435.2** |
| OIL | 1973 | 35.8 | 32.4 | 36.2 | 36.5 | 35.9 | 34.8 | 35.9 | 24.8 | 26.1 | 25.7 | 0.0 | 0.0 | **13,712.1** |
| DAY | 1972 | 28.0 | 6.0 | 7.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 20.0 | 30.0 | 29.0 | **6,233.0** |
| H2O | 1972 | 97.6 | 21.9 | 24.6 | 88.4 | 95.2 | 87.9 | 88.9 | 25.4 | 25.0 | 35.0 | 52.3 | 45.2 | **25,922.7** |
| OIL | 1972 | 42.1 | 9.1 | 10.6 | 44.5 | 46.4 | 45.0 | 45.8 | 4.1 | 4.3 | 23.5 | 36.4 | 34.6 | **13,388.0** |
| DAY | 1971 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 17.0 | 15.0 | 28.0 | 26.0 | 31.0 | **5,930.0** |
| H2O | 1971 | 97.8 | 97.1 | 97.1 | 107.2 | 112.2 | 91.9 | 97.8 | 56.8 | 47.7 | 96.2 | 83.0 | 100.2 | **25,235.3** |
| OIL | 1971 | 47.0 | 42.6 | 44.3 | 45.4 | 45.4 | 43.9 | 46.9 | 24.5 | 21.8 | 41.6 | 37.8 | 47.0 | **13,041.6** |
| DAY | 1970 | 23.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 24.0 | 28.0 | 31.0 | 26.0 | 31.0 | **5,603.0** |

# Manitoba Production
## 1950 To 1975

Licence ***531*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1970 | 63.9 | 87.8 | 107.2 | 96.5 | 101.9 | 70.0 | 61.8 | 48.3 | 63.3 | 68.4 | 77.1 | 82.4 | **24,150.3** |
| OIL | 1970 | 25.1 | 32.3 | 35.8 | 34.6 | 36.2 | 42.3 | 43.1 | 34.8 | 40.8 | 45.1 | 38.1 | 46.4 | **12,553.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 8.0 | 21.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 29.0 | **5,260.0** |
| H2O | 1969 | 19.9 | 16.4 | 19.9 | 19.9 | 4.8 | 14.0 | 21.1 | 43.1 | 50.4 | 53.3 | 45.9 | 44.5 | **23,221.7** |
| OIL | 1969 | 42.0 | 35.9 | 40.5 | 42.1 | 9.1 | 28.1 | 40.4 | 32.1 | 21.5 | 22.6 | 24.9 | 24.5 | **12,098.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,932.0** |
| H2O | 1968 | 33.4 | 33.4 | 38.8 | 41.5 | 39.7 | 35.3 | 37.4 | 19.7 | 17.5 | 18.6 | 18.6 | 20.0 | **22,868.5** |
| OIL | 1968 | 26.1 | 23.5 | 26.4 | 27.5 | 27.3 | 26.4 | 27.5 | 42.1 | 41.0 | 41.2 | 40.2 | 42.0 | **11,735.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | 30.0 | 24.0 | 31.0 | 30.0 | 31.0 | **4,566.0** |
| H2O | 1967 | 172.5 | 156.3 | 172.8 | 166.9 | 114.5 | 30.8 | 27.8 | 32.9 | 28.1 | 34.3 | 35.5 | 35.8 | **22,514.6** |
| OIL | 1967 | 35.1 | 31.1 | 33.2 | 33.2 | 34.6 | 23.5 | 23.5 | 24.8 | 20.8 | 26.7 | 26.7 | 26.9 | **11,343.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,212.0** |
| H2O | 1966 | 147.9 | 133.5 | 153.1 | 143.1 | 150.2 | 166.9 | 181.1 | 185.8 | 171.2 | 187.3 | 183.0 | 172.5 | **21,506.4** |
| OIL | 1966 | 39.4 | 35.6 | 37.7 | 35.4 | 39.1 | 38.1 | 39.4 | 39.4 | 38.1 | 38.8 | 37.2 | 37.3 | **11,003.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,847.0** |
| H2O | 1965 | 123.2 | 117.5 | 126.5 | 103.5 | 119.6 | 109.7 | 115.3 | 140.1 | 128.8 | 147.9 | 143.1 | 147.9 | **19,530.8** |
| OIL | 1965 | 64.4 | 56.3 | 52.4 | 43.1 | 60.7 | 55.3 | 53.4 | 56.1 | 48.9 | 48.1 | 46.4 | 43.7 | **10,548.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **3,487.0** |
| H2O | 1964 | 295.7 | 276.6 | 297.3 | 286.2 | 302.1 | 310.0 | 320.3 | 334.3 | 331.0 | 207.2 | 150.2 | 127.0 | **18,007.7** |
| OIL | 1964 | 76.6 | 69.0 | 73.7 | 71.2 | 69.4 | 69.4 | 72.9 | 70.9 | 70.7 | 70.4 | 49.4 | 64.0 | **9,919.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,125.0** |
| H2O | 1963 | 382.7 | 347.2 | 382.2 | 335.9 | 345.0 | 318.0 | 305.6 | 313.5 | 322.9 | 326.2 | 324.3 | 335.1 | **14,769.8** |
| OIL | 1963 | 87.6 | 80.4 | 87.1 | 80.9 | 83.3 | 78.7 | 78.0 | 74.7 | 76.9 | 80.6 | 79.3 | 78.2 | **9,091.9** |
| DAY | 1962 | 31.0 | 27.0 | 31.0 | 29.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,760.0** |
| H2O | 1962 | 141.5 | 100.2 | 97.6 | 111.3 | 98.6 | 220.2 | 344.5 | 325.9 | 310.0 | 317.3 | 329.6 | 376.9 | **10,731.2** |
| OIL | 1962 | 68.0 | 59.4 | 46.4 | 59.1 | 32.1 | 10.5 | 66.4 | 87.7 | 85.2 | 85.5 | 86.3 | 88.8 | **8,126.2** |
| DAY | 1961 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | **2,400.0** |
| H2O | 1961 | 221.8 | 200.3 | 201.9 | 185.2 | 197.1 | 159.8 | 195.5 | 197.1 | 187.6 | 197.1 | 138.3 | 145.5 | **7,957.6** |
| OIL | 1961 | 92.8 | 81.4 | 88.2 | 84.9 | 86.0 | 86.3 | 98.8 | 100.4 | 91.2 | 87.1 | 70.4 | 72.6 | **7,350.8** |
| DAY | 1960 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 29.0 | 29.0 | 30.0 | 27.0 | **2,040.0** |
| H2O | 1960 | 119.2 | 111.3 | 123.2 | 119.2 | 135.9 | 182.8 | 190.8 | 200.8 | 207.5 | 216.1 | 212.6 | 212.2 | **5,730.4** |
| OIL | 1960 | 94.6 | 89.0 | 97.4 | 94.6 | 95.3 | 74.7 | 71.0 | 79.1 | 68.3 | 67.2 | 61.2 | 85.7 | **6,310.7** |
| DAY | 1959 | 21.0 | 5.0 | 30.0 | 28.0 | 28.0 | 27.0 | 26.0 | 22.0 | 30.0 | 9.0 | 30.0 | 31.0 | **1,685.0** |
| H2O | 1959 | 64.4 | 8.1 | 47.4 | 44.5 | 44.5 | 43.7 | 49.3 | 127.0 | 95.4 | 62.5 | 126.5 | 132.7 | **3,698.8** |
| OIL | 1959 | 42.9 | 12.9 | 41.8 | 35.8 | 35.4 | 34.2 | 29.2 | 124.1 | 152.6 | 23.5 | 121.1 | 105.5 | **5,332.6** |
| DAY | 1958 | 31.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,398.0** |
| H2O | 1958 | 103.3 | 68.0 | 111.3 | 119.2 | 103.3 | 95.4 | 95.4 | 95.4 | 95.4 | 79.5 | 82.7 | 98.6 | **2,852.8** |
| OIL | 1958 | 98.2 | 69.1 | 99.8 | 88.5 | 83.4 | 71.5 | 73.3 | 68.5 | 70.7 | 73.1 | 68.3 | 64.8 | **4,573.6** |
| DAY | 1957 | 4.0 | 12.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,041.0** |
| H2O | 1957 | 11.9 | 19.9 | 0.0 | 69.0 | 79.5 | 81.9 | 85.7 | 85.7 | 82.2 | 93.8 | 98.9 | 103.3 | **1,705.3** |
| OIL | 1957 | 17.0 | 36.7 | 0.0 | 104.1 | 90.6 | 89.1 | 97.1 | 96.5 | 94.4 | 97.3 | 89.6 | 99.6 | **3,644.4** |
| DAY | 1956 | 3.0 | 28.0 | 30.0 | 28.0 | 31.0 | 29.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **750.0** |
| H2O | 1956 | 3.2 | 58.8 | 69.6 | 65.2 | 79.8 | 77.7 | 64.2 | 68.7 | 66.9 | 71.5 | 84.9 | 71.9 | **893.5** |
| OIL | 1956 | 13.7 | 89.5 | 110.9 | 90.7 | 96.9 | 93.6 | 119.3 | 252.7 | 172.9 | 188.5 | 166.4 | 147.0 | **2,732.4** |
| DAY | 1955 | 31.0 | 28.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 16.0 | **421.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 14.3 | 17.5 | 17.5 | 17.5 | 18.3 | 15.9 | 7.9 | **111.1** |
| OIL | 1955 | 66.1 | 52.9 | 64.0 | 73.7 | 71.0 | 73.3 | 97.1 | 98.7 | 94.9 | 98.8 | 111.9 | 62.5 | **1,190.3** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 30.0 | 31.0 | **76.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | **1.6** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 59.8 | 82.3 | 83.3 | **225.4** |

Licence ***535*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***535*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-02-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,076.0** |
| H2O | 1975 | 10.3 | 5.1 | 5.1 | 13.7 | 21.0 | 13.7 | 1.1 | 20.5 | 13.7 | 13.7 | 6.8 | 13.7 | **8,276.7** |
| OIL | 1975 | 39.7 | 35.0 | 41.8 | 20.5 | 24.3 | 24.0 | 25.9 | 26.1 | 26.7 | 28.3 | 27.0 | 29.4 | **7,148.9** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 27.0 | 3.0 | 13.0 | 15.0 | 15.0 | 25.0 | **5,715.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 4.1 | **8,138.3** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.4 | 18.6 | 2.4 | 10.5 | 10.6 | 19.9 | 32.9 | **6,800.2** |
| DAY | 1973 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | 15.0 | 12.0 | 13.0 | 0.0 | 0.0 | **5,594.0** |
| OIL | 1973 | 0.0 | 0.0 | 20.2 | 20.0 | 20.8 | 18.9 | 14.5 | 9.2 | 7.0 | 8.3 | 0.0 | 0.0 | **6,693.9** |
| DAY | 1972 | 28.0 | 27.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 31.0 | 0.0 | 0.0 | **5,409.0** |
| OIL | 1972 | 18.1 | 17.8 | 20.2 | 25.1 | 25.1 | 21.5 | 21.9 | 21.8 | 22.7 | 13.8 | 0.0 | 0.0 | **6,575.0** |
| DAY | 1971 | 24.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 24.0 | 30.0 | 28.0 | 30.0 | 31.0 | **5,113.0** |
| H2O | 1971 | 21.8 | 24.2 | 38.6 | 35.5 | 36.6 | 33.5 | 30.4 | 24.2 | 0.0 | 0.0 | 0.0 | 0.0 | **8,132.9** |
| OIL | 1971 | 19.1 | 15.7 | 33.8 | 35.4 | 35.4 | 37.5 | 35.6 | 27.8 | 11.6 | 10.8 | 11.6 | 20.7 | **6,367.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 10.0 | 27.0 | 27.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **4,775.0** |
| H2O | 1970 | 5.1 | 4.8 | 4.9 | 5.1 | 1.6 | 7.0 | 24.3 | 29.4 | 27.0 | 20.7 | 17.2 | 23.7 | **7,888.1** |
| OIL | 1970 | 23.8 | 23.0 | 22.7 | 25.9 | 8.3 | 27.3 | 28.9 | 31.3 | 27.2 | 22.2 | 21.9 | 26.5 | **6,072.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 29.0 | 31.0 | **4,442.0** |
| H2O | 1969 | 39.9 | 34.8 | 38.2 | 45.8 | 8.9 | 3.3 | 2.5 | 4.8 | 4.1 | 4.0 | 4.0 | 4.6 | **7,717.3** |
| OIL | 1969 | 19.1 | 20.3 | 21.9 | 18.4 | 19.7 | 24.2 | 25.4 | 24.8 | 24.6 | 21.3 | 23.5 | 27.0 | **5,783.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 0.0 | 24.0 | 31.0 | 24.0 | 29.0 | 29.0 | 30.0 | 31.0 | **4,086.0** |
| H2O | 1968 | 24.3 | 23.8 | 23.8 | 24.5 | 22.1 | 27.0 | 19.7 | 31.6 | 24.3 | 28.5 | 40.5 | 39.0 | **7,522.4** |
| OIL | 1968 | 25.4 | 23.7 | 24.8 | 23.5 | 11.4 | 14.8 | 11.1 | 12.4 | 24.6 | 25.4 | 22.9 | 20.5 | **5,512.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 26.0 | 27.0 | 29.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **3,767.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 4.3 | 21.6 | 23.2 | 36.6 | 37.8 | 24.8 | 21.9 | 23.5 | 24.2 | **7,193.3** |
| OIL | 1967 | 20.2 | 18.1 | 20.0 | 15.9 | 25.9 | 30.7 | 23.2 | 20.5 | 26.9 | 25.9 | 26.9 | 26.9 | **5,272.3** |
| DAY | 1966 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 28.0 | **3,415.0** |
| H2O | 1966 | 84.1 | 70.6 | 82.8 | 81.4 | 26.2 | 24.0 | 24.8 | 24.8 | 24.6 | 8.9 | 0.0 | 0.0 | **6,975.4** |
| OIL | 1966 | 21.6 | 23.8 | 24.6 | 27.0 | 17.2 | 19.5 | 19.9 | 18.0 | 28.6 | 21.5 | 20.0 | 18.0 | **4,991.2** |
| DAY | 1965 | 27.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 28.0 | 30.0 | 27.0 | 29.0 | 31.0 | **3,057.0** |
| H2O | 1965 | 25.9 | 26.9 | 29.7 | 28.8 | 25.6 | 19.1 | 19.7 | 17.8 | 19.2 | 70.1 | 78.7 | 84.1 | **6,523.2** |
| OIL | 1965 | 19.4 | 13.7 | 16.2 | 16.2 | 16.5 | 21.5 | 27.0 | 21.5 | 25.4 | 23.5 | 27.3 | 26.2 | **4,731.5** |
| DAY | 1964 | 14.0 | 16.0 | 17.0 | 15.0 | 10.0 | 0.0 | 1.0 | 30.0 | 26.0 | 30.0 | 29.0 | 27.0 | **2,708.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.8 | 27.8 | 25.9 | **6,077.6** |
| OIL | 1964 | 10.0 | 11.6 | 12.4 | 11.0 | 6.8 | 0.0 | 1.1 | 55.5 | 45.6 | 24.5 | 19.7 | 16.8 | **4,477.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 28.0 | 31.0 | 28.0 | 31.0 | 17.0 | 10.0 | **2,493.0** |
| H2O | 1963 | 26.2 | 25.1 | 8.4 | 7.3 | 6.5 | 4.3 | 5.9 | 3.8 | 4.0 | 0.0 | 0.0 | 0.0 | **5,995.1** |
| OIL | 1963 | 27.8 | 31.1 | 33.7 | 29.9 | 34.5 | 12.1 | 4.9 | 9.1 | 8.4 | 15.6 | 13.3 | 5.6 | **4,262.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 16.0 | 24.0 | 26.0 | 28.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | **2,170.0** |
| H2O | 1962 | 12.4 | 20.5 | 19.6 | 15.6 | 6.7 | 6.2 | 12.6 | 27.0 | 26.1 | 20.0 | 26.2 | 27.0 | **5,903.6** |
| OIL | 1962 | 26.7 | 19.9 | 22.7 | 10.8 | 18.1 | 5.4 | 34.3 | 36.2 | 34.3 | 33.8 | 32.3 | 29.2 | **4,036.1** |
| DAY | 1961 | 31.0 | 28.0 | 30.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | **1,837.0** |
| H2O | 1961 | 21.6 | 19.6 | 18.3 | 19.7 | 19.9 | 18.9 | 20.8 | 21.8 | 19.9 | 11.3 | 20.3 | 20.8 | **5,683.7** |
| OIL | 1961 | 31.9 | 29.6 | 32.7 | 31.6 | 27.3 | 33.4 | 35.4 | 32.9 | 24.3 | 20.7 | 31.0 | 32.3 | **3,732.4** |
| DAY | 1960 | 26.0 | 23.0 | 22.0 | 11.0 | 27.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,484.0** |
| H2O | 1960 | 65.8 | 62.0 | 57.9 | 25.8 | 66.6 | 75.0 | 76.8 | 67.9 | 56.4 | 23.8 | 20.8 | 18.8 | **5,450.8** |
| OIL | 1960 | 44.7 | 45.6 | 59.6 | 27.3 | 64.4 | 70.2 | 56.6 | 69.8 | 63.4 | 40.4 | 22.9 | 35.4 | **3,369.3** |
| DAY | 1959 | 7.0 | 0.0 | 14.0 | 15.0 | 15.0 | 16.0 | 22.0 | 19.0 | 20.0 | 21.0 | 21.0 | 21.0 | **1,163.0** |
| H2O | 1959 | 29.1 | 0.0 | 50.6 | 51.5 | 51.7 | 46.7 | 58.2 | 58.8 | 57.9 | 59.0 | 59.8 | 59.6 | **4,833.2** |
| OIL | 1959 | 17.2 | 0.0 | 35.9 | 33.2 | 35.9 | 33.4 | 45.4 | 47.8 | 50.7 | 50.2 | 49.6 | 41.8 | **2,769.0** |
| DAY | 1958 | 16.0 | 14.0 | 16.0 | 17.0 | 21.0 | 10.0 | 11.0 | 10.0 | 9.0 | 10.0 | 8.0 | 14.0 | **972.0** |
| H2O | 1958 | 48.0 | 40.7 | 49.6 | 55.3 | 49.6 | 33.5 | 25.8 | 30.5 | 26.5 | 37.5 | 35.9 | 54.2 | **4,250.3** |
| OIL | 1958 | 24.3 | 20.5 | 26.1 | 25.6 | 23.7 | 18.3 | 15.3 | 13.7 | 11.9 | 24.3 | 19.9 | 33.5 | **2,327.9** |

# Manitoba Production
## 1950 To 1975

Licence ***535*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-02-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 15.0 | 14.0 | 15.0 | 22.0 | 30.0 | 27.0 | 31.0 | 30.0 | 29.0 | 16.0 | 14.0 | 15.0 | **816.0** |
| H2O | 1957 | 64.5 | 56.4 | 24.2 | 68.8 | 31.8 | 34.8 | 34.0 | 32.9 | 32.9 | 21.9 | 36.4 | 46.7 | **3,763.2** |
| OIL | 1957 | 29.6 | 26.4 | 24.9 | 36.5 | 18.8 | 15.6 | 18.6 | 17.0 | 14.6 | 2.9 | 15.6 | 23.5 | **2,070.8** |
| DAY | 1956 | 31.0 | 29.0 | 26.0 | 4.0 | 0.0 | 0.0 | 0.0 | 14.0 | 30.0 | 30.0 | 16.0 | 15.0 | **558.0** |
| H2O | 1956 | 64.4 | 54.2 | 49.4 | 10.2 | 0.0 | 0.0 | 0.0 | 36.6 | 82.7 | 109.7 | 48.5 | 44.7 | **3,277.9** |
| OIL | 1956 | 39.3 | 36.1 | 35.8 | 4.0 | 0.0 | 0.0 | 0.0 | 20.0 | 50.2 | 40.4 | 30.8 | 29.7 | **1,826.8** |
| DAY | 1955 | 19.0 | 27.0 | 27.0 | 30.0 | 30.0 | 27.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | **363.0** |
| H2O | 1955 | 180.6 | 239.9 | 289.0 | 282.5 | 288.7 | 214.0 | 300.3 | 183.9 | 147.9 | 142.4 | 97.0 | 50.9 | **2,777.5** |
| OIL | 1955 | 96.3 | 212.0 | 194.5 | 192.3 | 183.9 | 143.5 | 75.2 | 97.3 | 84.1 | 59.3 | 44.8 | 29.2 | **1,540.5** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 8.0 | **29.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 238.5 | 121.9 | **360.4** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 101.7 | 26.4 | **128.1** |

Licence ***536*** Well Name ***Imperial Haskett Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-02-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **414.0** |
| H2O | 1956 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **688.1** |
| OIL | 1956 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **709.9** |
| DAY | 1955 | 22.0 | 28.0 | 31.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | **409.0** |
| H2O | 1955 | 52.5 | 79.7 | 96.7 | 34.5 | 29.9 | 26.2 | 25.4 | 24.5 | 27.3 | 24.0 | 16.4 | 7.2 | **686.5** |
| OIL | 1955 | 48.8 | 84.5 | 65.0 | 24.9 | 47.7 | 15.9 | 11.6 | 23.2 | 23.7 | 22.4 | 17.3 | 3.7 | **708.8** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 22.0 | 30.0 | **65.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 52.8 | 88.9 | 100.5 | **242.2** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 46.2 | 123.9 | 150.0 | **320.1** |

Licence ***538*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,687.0** |
| H2O | 1975 | 74.6 | 68.5 | 76.3 | 73.9 | 74.4 | 71.7 | 73.6 | 72.5 | 71.4 | 73.4 | 76.9 | 78.2 | **11,263.0** |
| OIL | 1975 | 52.1 | 46.2 | 50.9 | 48.3 | 47.7 | 46.9 | 49.1 | 49.4 | 47.8 | 47.5 | 48.0 | 48.6 | **40,564.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 24.0 | 24.0 | 30.0 | 31.0 | **7,322.0** |
| H2O | 1974 | 83.0 | 76.9 | 85.4 | 83.5 | 85.4 | 87.1 | 72.0 | 66.0 | 51.5 | 52.3 | 67.6 | 72.8 | **10,377.6** |
| OIL | 1974 | 62.1 | 54.2 | 61.5 | 58.8 | 60.5 | 59.6 | 52.9 | 52.8 | 40.2 | 40.8 | 50.4 | 51.8 | **39,982.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,970.0** |
| H2O | 1973 | 95.9 | 92.0 | 98.7 | 98.4 | 96.5 | 95.9 | 94.6 | 92.5 | 85.1 | 91.6 | 85.8 | 83.1 | **9,494.1** |
| OIL | 1973 | 83.4 | 73.6 | 81.0 | 79.1 | 79.9 | 80.1 | 81.7 | 64.7 | 57.5 | 62.9 | 59.8 | 60.7 | **39,336.4** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,607.0** |
| H2O | 1972 | 85.2 | 75.0 | 82.4 | 28.3 | 35.6 | 33.1 | 178.5 | 80.3 | 79.2 | 85.1 | 96.2 | 97.8 | **8,384.0** |
| OIL | 1972 | 95.3 | 80.2 | 87.6 | 75.5 | 88.2 | 79.0 | 101.2 | 95.0 | 89.1 | 92.8 | 81.0 | 84.7 | **38,472.0** |
| DAY | 1971 | 26.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,243.0** |
| H2O | 1971 | 36.2 | 40.4 | 46.4 | 46.6 | 76.3 | 76.0 | 75.2 | 72.5 | 65.0 | 70.3 | 77.3 | 90.8 | **7,427.3** |
| OIL | 1971 | 109.6 | 119.2 | 131.7 | 125.2 | 123.6 | 120.3 | 122.8 | 120.6 | 119.0 | 119.5 | 137.1 | 96.9 | **37,422.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,884.0** |
| H2O | 1970 | 54.1 | 50.9 | 53.1 | 49.0 | 46.4 | 46.4 | 43.4 | 48.8 | 45.6 | 47.5 | 43.2 | 48.0 | **6,654.3** |
| OIL | 1970 | 171.9 | 154.9 | 169.2 | 163.2 | 123.6 | 119.2 | 125.7 | 127.3 | 122.0 | 128.7 | 123.5 | 129.5 | **35,976.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,519.0** |
| H2O | 1969 | 42.8 | 38.6 | 35.9 | 37.2 | 22.6 | 19.4 | 46.6 | 69.2 | 70.6 | 57.2 | 51.0 | 56.1 | **6,077.9** |
| OIL | 1969 | 209.0 | 184.8 | 202.5 | 198.8 | 143.8 | 125.9 | 161.5 | 169.7 | 179.6 | 177.3 | 170.0 | 178.0 | **34,318.2** |
| DAY | 1968 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,157.0** |

# Manitoba Production
## 1950 To 1975

Licence ***538*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1968 | 32.6 | 31.0 | 0.8 | 1.0 | 1.1 | 1.0 | 0.0 | 38.5 | 39.1 | 41.5 | 38.3 | 40.7 | **5,530.7** |
| OIL | 1968 | 240.0 | 220.2 | 228.2 | 252.0 | 260.8 | 256.2 | 261.9 | 206.6 | 201.8 | 211.7 | 202.9 | 208.8 | **32,217.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,794.0** |
| H2O | 1967 | 31.3 | 25.8 | 31.2 | 28.3 | 28.9 | 18.1 | 14.8 | 45.5 | 39.7 | 35.1 | 30.8 | 33.7 | **5,265.1** |
| OIL | 1967 | 271.1 | 240.9 | 270.3 | 255.7 | 268.7 | 222.5 | 237.9 | 195.5 | 188.3 | 241.9 | 236.0 | 239.8 | **29,466.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,430.0** |
| H2O | 1966 | 102.4 | 82.0 | 104.1 | 107.0 | 111.9 | 35.0 | 35.9 | 36.1 | 38.6 | 39.9 | 30.5 | 32.0 | **4,901.9** |
| OIL | 1966 | 291.0 | 256.2 | 283.7 | 277.3 | 269.5 | 240.9 | 287.6 | 289.4 | 281.7 | 292.1 | 259.3 | 265.2 | **26,597.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,066.0** |
| H2O | 1965 | 63.8 | 56.8 | 64.7 | 56.6 | 57.6 | 55.0 | 54.1 | 54.2 | 32.7 | 32.3 | 58.2 | 107.2 | **4,146.5** |
| OIL | 1965 | 276.2 | 251.9 | 272.2 | 262.5 | 264.9 | 265.1 | 298.3 | 295.4 | 294.6 | 306.5 | 275.4 | 294.3 | **23,303.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,701.0** |
| H2O | 1964 | 24.0 | 21.6 | 24.2 | 23.4 | 24.8 | 24.0 | 42.9 | 43.6 | 48.3 | 58.0 | 55.2 | 58.2 | **3,453.3** |
| OIL | 1964 | 270.3 | 255.7 | 276.2 | 252.8 | 260.6 | 250.8 | 258.7 | 260.9 | 292.2 | 279.0 | 245.4 | 262.8 | **19,946.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,343.0** |
| H2O | 1963 | 8.4 | 11.3 | 11.3 | 10.8 | 13.5 | 25.3 | 31.0 | 72.0 | 81.1 | 47.4 | 23.4 | 23.8 | **3,005.1** |
| OIL | 1963 | 65.9 | 54.5 | 72.5 | 71.4 | 71.7 | 158.0 | 177.5 | 251.6 | 287.3 | 281.9 | 253.5 | 259.3 | **16,781.0** |
| DAY | 1962 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,979.0** |
| H2O | 1962 | 10.3 | 10.3 | 14.2 | 11.9 | 13.5 | 11.9 | 10.3 | 15.6 | 15.4 | 12.6 | 12.1 | 13.7 | **2,645.8** |
| OIL | 1962 | 98.2 | 95.5 | 99.0 | 91.7 | 96.3 | 90.6 | 93.6 | 78.5 | 84.7 | 65.8 | 68.0 | 70.9 | **14,775.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,616.0** |
| H2O | 1961 | 25.8 | 37.4 | 17.5 | 20.7 | 0.0 | 18.0 | 17.8 | 19.9 | 33.5 | 12.2 | 11.9 | 10.3 | **2,494.0** |
| OIL | 1961 | 129.7 | 105.7 | 109.5 | 116.5 | 119.2 | 105.8 | 114.3 | 116.3 | 115.1 | 111.1 | 104.9 | 104.2 | **13,743.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,251.0** |
| H2O | 1960 | 20.5 | 20.4 | 23.1 | 19.2 | 16.9 | 19.2 | 27.5 | 23.2 | 19.1 | 30.5 | 17.3 | 27.0 | **2,269.0** |
| OIL | 1960 | 101.5 | 98.5 | 112.2 | 83.6 | 106.3 | 115.1 | 120.3 | 114.4 | 113.9 | 124.1 | 106.2 | 125.7 | **12,390.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,889.0** |
| H2O | 1959 | 5.6 | 5.9 | 11.3 | 13.5 | 12.1 | 16.1 | 22.7 | 55.0 | 24.5 | 22.7 | 20.2 | 18.8 | **2,005.1** |
| OIL | 1959 | 144.3 | 137.5 | 144.6 | 150.0 | 162.6 | 141.3 | 144.3 | 208.5 | 111.1 | 110.4 | 105.0 | 104.9 | **11,069.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,524.0** |
| H2O | 1958 | 12.9 | 17.6 | 23.2 | 57.7 | 13.2 | 26.4 | 33.9 | 32.9 | 25.1 | 17.6 | 5.9 | 5.2 | **1,776.7** |
| OIL | 1958 | 186.1 | 169.9 | 178.5 | 173.7 | 180.5 | 163.4 | 170.4 | 170.7 | 166.9 | 162.9 | 145.2 | 132.8 | **9,404.5** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 29.0 | 21.0 | 29.0 | 25.0 | **1,161.0** |
| H2O | 1957 | 55.8 | 57.7 | 50.7 | 54.5 | 48.8 | 61.8 | 37.4 | 75.2 | 34.7 | 18.9 | 28.5 | 27.2 | **1,505.1** |
| OIL | 1957 | 229.5 | 207.1 | 218.0 | 246.3 | 240.9 | 225.2 | 227.7 | 273.3 | 217.4 | 157.0 | 199.9 | 164.3 | **7,403.5** |
| DAY | 1956 | 31.0 | 29.0 | 20.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **817.0** |
| H2O | 1956 | 4.8 | 2.1 | 2.4 | 62.0 | 34.2 | 102.2 | 103.7 | 91.6 | 62.5 | 81.2 | 86.3 | 82.4 | **953.9** |
| OIL | 1956 | 119.5 | 54.0 | 37.5 | 228.8 | 261.2 | 275.5 | 310.4 | 322.6 | 270.6 | 290.3 | 294.6 | 297.8 | **4,796.9** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **464.0** |
| H2O | 1955 | 32.9 | 24.0 | 23.4 | 19.1 | 20.0 | 17.2 | 11.8 | 12.6 | 9.5 | 17.6 | 16.5 | 15.6 | **238.5** |
| OIL | 1955 | 172.9 | 147.3 | 143.5 | 117.3 | 123.2 | 105.5 | 110.4 | 103.8 | 99.3 | 102.8 | 114.7 | 112.5 | **2,034.1** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 30.0 | 30.0 | 31.0 | **99.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 2.1 | 7.3 | 8.4 | **18.3** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 72.8 | 169.6 | 156.2 | 182.3 | **580.9** |

Licence ***539*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-29-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1970 | 13.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,305.0** |
| H2O | 1970 | 2896.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **607,411.3** |
| OIL | 1970 | 31.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **32,872.2** |

# Manitoba Production
## 1950 To 1975

Licence ***539*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-29-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 26.0 | 26.0 | 24.0 | 26.0 | 26.0 | 31.0 | 26.0 | 31.0 | **5,292.0** |
| H2O | 1969 | 5934.2 | 5715.9 | 5892.8 | 6575.0 | 6022.6 | 4974.6 | 5059.8 | 4970.5 | 5451.8 | 7553.2 | 6094.8 | 6964.7 | **604,515.3** |
| OIL | 1969 | 91.7 | 85.3 | 81.2 | 64.2 | 57.5 | 47.8 | 44.8 | 48.6 | 54.7 | 85.7 | 60.5 | 75.8 | **32,840.8** |
| DAY | 1968 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,957.0** |
| H2O | 1968 | 6975.5 | 6816.5 | 7722.2 | 7238.6 | 7059.1 | 7453.2 | 6904.3 | 7251.0 | 6281.4 | 7156.4 | 6300.3 | 6206.4 | **533,305.4** |
| OIL | 1968 | 177.8 | 170.5 | 123.6 | 108.4 | 104.6 | 104.2 | 96.6 | 105.5 | 85.7 | 96.5 | 102.0 | 106.0 | **32,043.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,597.0** |
| H2O | 1967 | 7356.8 | 6239.7 | 6949.1 | 6874.1 | 7355.6 | 6774.4 | 5876.7 | 5092.0 | 6947.7 | 7140.5 | 5234.9 | 8384.7 | **449,940.5** |
| OIL | 1967 | 191.8 | 171.8 | 181.0 | 186.9 | 193.7 | 157.3 | 127.9 | 137.3 | 138.4 | 154.3 | 165.4 | 224.9 | **30,661.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **4,236.0** |
| H2O | 1966 | 3516.4 | 4208.2 | 7051.2 | 7475.6 | 7652.7 | 7030.7 | 7227.6 | 7327.0 | 7687.4 | 7833.5 | 6193.8 | 7213.3 | **369,714.3** |
| OIL | 1966 | 217.9 | 207.4 | 164.5 | 178.5 | 90.4 | 85.7 | 80.4 | 72.5 | 71.8 | 164.8 | 171.3 | 202.9 | **28,630.9** |
| DAY | 1965 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 29.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,874.0** |
| H2O | 1965 | 6990.7 | 6442.5 | 6230.4 | 6473.6 | 6993.5 | 6403.9 | 6664.3 | 7152.1 | 6690.7 | 4842.4 | 4214.3 | 4352.9 | **289,296.9** |
| OIL | 1965 | 267.9 | 206.6 | 199.1 | 236.6 | 256.6 | 222.0 | 228.2 | 227.1 | 216.0 | 268.9 | 160.0 | 211.8 | **26,922.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 24.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | **3,517.0** |
| H2O | 1964 | 1812.2 | 1718.8 | 1799.4 | 1720.4 | 1809.5 | 1689.9 | 2538.7 | 2534.7 | 2339.3 | 4857.7 | 8022.7 | 6867.1 | **215,845.6** |
| OIL | 1964 | 116.6 | 107.3 | 117.8 | 100.7 | 110.6 | 96.9 | 131.1 | 134.1 | 126.5 | 317.2 | 341.2 | 278.9 | **24,222.0** |
| DAY | 1963 | 31.0 | 25.0 | 31.0 | 29.0 | 31.0 | 23.0 | 30.0 | 25.0 | 17.0 | 0.0 | 24.0 | 31.0 | **3,160.0** |
| H2O | 1963 | 2509.8 | 1910.4 | 2452.2 | 2263.3 | 2160.6 | 1377.3 | 1798.2 | 1535.1 | 1114.2 | 0.0 | 1265.4 | 1796.7 | **178,135.2** |
| OIL | 1963 | 120.9 | 97.4 | 120.1 | 107.3 | 137.5 | 77.4 | 104.2 | 89.9 | 68.5 | 0.0 | 83.0 | 123.5 | **22,243.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,863.0** |
| H2O | 1962 | 2533.4 | 2109.1 | 2423.1 | 2137.0 | 2366.8 | 2130.0 | 2368.1 | 2052.2 | 2300.7 | 2403.6 | 2361.9 | 2502.1 | **157,952.0** |
| OIL | 1962 | 155.6 | 133.8 | 154.8 | 117.4 | 151.4 | 141.0 | 142.1 | 122.2 | 130.3 | 135.9 | 124.9 | 134.1 | **21,113.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,502.0** |
| H2O | 1961 | 2510.7 | 2308.8 | 2554.0 | 2498.6 | 2583.4 | 2540.4 | 2529.3 | 2128.7 | 2458.7 | 2490.7 | 2420.4 | 2565.7 | **130,264.0** |
| OIL | 1961 | 202.1 | 184.7 | 195.5 | 186.1 | 192.0 | 158.4 | 167.0 | 151.1 | 167.7 | 155.7 | 147.3 | 149.4 | **19,469.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 21.0 | 21.0 | 30.0 | 31.0 | 29.0 | 29.0 | 29.0 | 29.0 | 31.0 | **2,140.0** |
| H2O | 1960 | 2144.6 | 2040.4 | 2193.1 | 1522.5 | 1480.2 | 2174.9 | 2178.0 | 2248.6 | 2278.3 | 2093.7 | 2281.9 | 2517.9 | **100,674.6** |
| OIL | 1960 | 209.0 | 190.4 | 199.9 | 138.7 | 150.2 | 207.1 | 199.0 | 190.2 | 186.6 | 172.4 | 187.8 | 198.0 | **17,412.9** |
| DAY | 1959 | 28.0 | 28.0 | 31.0 | 30.0 | 29.0 | 25.0 | 25.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,799.0** |
| H2O | 1959 | 1747.1 | 1731.9 | 2319.6 | 2445.1 | 2376.7 | 1871.6 | 1824.2 | 2254.6 | 2181.8 | 2090.8 | 2181.8 | 2144.6 | **75,520.5** |
| OIL | 1959 | 211.0 | 189.6 | 237.6 | 256.2 | 236.5 | 205.5 | 192.9 | 231.2 | 214.2 | 194.0 | 205.0 | 184.5 | **15,183.6** |
| DAY | 1958 | 31.0 | 28.0 | 29.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,452.0** |
| H2O | 1958 | 1334.6 | 1414.1 | 1410.3 | 1587.0 | 1779.1 | 2226.0 | 2473.5 | 2354.0 | 2170.3 | 2364.8 | 2479.6 | 2225.0 | **50,350.7** |
| OIL | 1958 | 259.8 | 240.0 | 262.0 | 246.5 | 291.3 | 315.1 | 300.5 | 279.8 | 254.9 | 277.8 | 274.8 | 242.8 | **12,625.4** |
| DAY | 1957 | 31.0 | 28.0 | 25.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 29.0 | 28.0 | 30.0 | **1,095.0** |
| H2O | 1957 | 1032.8 | 522.1 | 892.8 | 1341.4 | 1276.4 | 1519.3 | 1308.8 | 1879.4 | 1290.9 | 1254.5 | 1224.9 | 1346.0 | **26,532.4** |
| OIL | 1957 | 196.9 | 171.0 | 306.5 | 363.0 | 298.1 | 247.4 | 349.4 | 341.2 | 264.6 | 276.5 | 266.5 | 251.9 | **9,380.1** |
| DAY | 1956 | 27.0 | 29.0 | 30.0 | 25.0 | 31.0 | 28.0 | 30.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **744.0** |
| H2O | 1956 | 554.4 | 645.8 | 703.8 | 686.6 | 720.2 | 544.7 | 506.5 | 380.4 | 527.2 | 484.4 | 437.7 | 437.0 | **11,643.1** |
| OIL | 1956 | 191.3 | 194.7 | 212.5 | 174.5 | 178.5 | 213.3 | 214.8 | 197.4 | 207.9 | 230.7 | 196.9 | 189.7 | **6,047.1** |
| DAY | 1955 | 15.0 | 13.0 | 26.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **395.0** |
| H2O | 1955 | 7.9 | 6.4 | 174.4 | 119.2 | 480.6 | 306.4 | 251.8 | 687.4 | 753.6 | 787.4 | 706.8 | 676.5 | **5,014.4** |
| OIL | 1955 | 94.4 | 76.8 | 188.8 | 178.8 | 347.9 | 306.2 | 307.6 | 286.8 | 262.8 | 258.2 | 213.9 | 204.5 | **3,644.9** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 20.0 | 16.0 | 24.0 | **71.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 8.4 | 26.9 | 20.2 | **56.0** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 195.3 | 366.4 | 114.6 | 241.9 | **918.2** |

Licence ***543*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

# Manitoba Production
## 1950 To 1975

Licence ***543*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1211.7 | 921.3 | 1480.6 | 1791.2 | 1832.6 | 2230.8 | 1545.4 | 2142.9 | 2281.5 | 2319.5 | 2245.1 | 2615.2 | **142,653.4** |
| WIN | 1974 | 1791.9 | 1561.7 | 1644.3 | 1671.2 | 1685.2 | 1585.8 | 1521.6 | 1541.0 | 1238.0 | 1272.3 | 1203.5 | 1687.3 | **120,035.6** |
| WIN | 1973 | 1750.2 | 525.7 | 566.1 | 561.4 | 552.6 | 545.9 | 334.5 | 676.1 | 698.6 | 1479.9 | 1614.1 | 1702.5 | **101,631.8** |
| WIN | 1972 | 1416.4 | 762.3 | 325.3 | 415.9 | 240.1 | 791.9 | 974.4 | 1132.6 | 1150.4 | 1184.4 | 1328.0 | 1802.4 | **90,624.2** |
| WIN | 1971 | 1779.8 | 1618.6 | 1743.4 | 1666.3 | 1321.8 | 1554.7 | 1196.8 | 1154.2 | 0.0 | 1127.8 | 1338.8 | 1496.5 | **79,100.1** |
| WIN | 1970 | 1718.9 | 1440.0 | 1682.3 | 1552.4 | 1710.3 | 1169.5 | 1502.2 | 1564.4 | 1443.4 | 1665.8 | 1760.4 | 1787.7 | **63,101.4** |
| WIN | 1969 | 1923.3 | 559.5 | 1366.9 | 1691.2 | 1733.4 | 1706.8 | 1338.0 | 1446.1 | 1739.7 | 1724.8 | 1687.3 | 1675.6 | **44,104.1** |
| WIN | 1968 | 1683.4 | 1674.1 | 2112.4 | 1917.0 | 1750.8 | 1812.7 | 1979.0 | 2077.4 | 1643.4 | 2065.5 | 1915.9 | 1952.3 | **25,511.5** |
| DAY | 1967 | 31.0 | 28.0 | 28.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,511.0** |
| H2O | 1967 | 531.8 | 453.4 | 464.4 | 447.8 | 522.4 | 477.9 | 442.6 | 519.3 | 0.0 | 0.0 | 0.0 | 0.0 | **28,547.9** |
| OIL | 1967 | 121.1 | 105.2 | 107.1 | 104.7 | 117.4 | 106.0 | 107.9 | 113.3 | 0.0 | 0.0 | 0.0 | 0.0 | **15,225.8** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1541.3 | 1386.3 | **2,927.6** |
| DAY | 1966 | 30.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 29.0 | 27.0 | **4,274.0** |
| H2O | 1966 | 334.7 | 335.3 | 335.3 | 263.1 | 454.8 | 475.0 | 451.7 | 531.2 | 455.5 | 454.2 | 397.0 | 469.6 | **24,688.3** |
| OIL | 1966 | 56.9 | 53.6 | 66.4 | 47.8 | 63.7 | 58.6 | 58.8 | 57.8 | 58.3 | 62.3 | 53.6 | 103.9 | **14,343.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,919.0** |
| H2O | 1965 | 295.7 | 267.1 | 297.5 | 260.7 | 237.7 | 191.6 | 243.1 | 271.9 | 235.6 | 259.9 | 266.5 | 289.2 | **19,730.9** |
| OIL | 1965 | 64.2 | 56.1 | 56.3 | 52.0 | 49.6 | 47.7 | 48.0 | 46.6 | 41.0 | 36.5 | 38.9 | 47.4 | **13,601.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,554.0** |
| H2O | 1964 | 246.4 | 230.5 | 256.1 | 259.8 | 239.7 | 214.6 | 192.4 | 276.0 | 280.0 | 271.1 | 286.2 | 295.7 | **16,614.4** |
| OIL | 1964 | 73.6 | 69.0 | 73.7 | 71.2 | 67.7 | 65.9 | 48.5 | 109.0 | 99.3 | 97.7 | 82.3 | 66.1 | **13,017.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,194.0** |
| H2O | 1963 | 260.7 | 247.4 | 275.7 | 262.3 | 254.2 | 239.7 | 246.4 | 246.4 | 242.3 | 250.7 | 261.0 | 266.1 | **13,565.9** |
| OIL | 1963 | 84.4 | 76.0 | 82.2 | 79.6 | 75.0 | 74.4 | 73.1 | 72.8 | 70.7 | 74.5 | 74.7 | 73.7 | **12,093.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 25.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,830.0** |
| H2O | 1962 | 123.2 | 111.3 | 123.2 | 101.0 | 92.8 | 199.0 | 256.0 | 317.8 | 310.0 | 317.3 | 296.7 | 268.8 | **10,513.0** |
| OIL | 1962 | 87.6 | 67.4 | 79.1 | 76.3 | 58.6 | 11.0 | 78.0 | 87.7 | 85.3 | 85.7 | 85.7 | 88.8 | **11,182.0** |
| DAY | 1961 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,471.0** |
| H2O | 1961 | 197.1 | 178.1 | 191.4 | 185.2 | 197.1 | 159.0 | 193.2 | 197.1 | 190.8 | 197.1 | 135.9 | 128.8 | **7,995.9** |
| OIL | 1961 | 96.3 | 88.4 | 90.7 | 84.9 | 86.4 | 87.7 | 100.7 | 103.5 | 94.7 | 90.4 | 70.6 | 78.5 | **10,290.8** |
| DAY | 1960 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | **2,110.0** |
| H2O | 1960 | 119.2 | 111.3 | 123.2 | 119.2 | 135.9 | 170.9 | 190.8 | 195.5 | 184.4 | 200.3 | 208.3 | 192.4 | **5,845.1** |
| OIL | 1960 | 106.6 | 89.0 | 97.7 | 95.3 | 96.9 | 74.7 | 84.5 | 94.2 | 69.6 | 93.8 | 79.3 | 92.8 | **9,218.0** |
| DAY | 1959 | 23.0 | 28.0 | 31.0 | 28.0 | 27.0 | 27.0 | 31.0 | 30.0 | 30.0 | 24.0 | 30.0 | 31.0 | **1,751.0** |
| H2O | 1959 | 41.3 | 66.8 | 73.9 | 66.8 | 65.2 | 66.0 | 73.9 | 71.5 | 71.5 | 58.8 | 84.7 | 122.4 | **3,893.7** |
| OIL | 1959 | 90.6 | 132.2 | 146.8 | 128.1 | 113.5 | 112.2 | 124.6 | 116.2 | 114.3 | 106.8 | 113.5 | 113.8 | **8,143.6** |
| DAY | 1958 | 31.0 | 22.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,411.0** |
| H2O | 1958 | 154.1 | 95.4 | 149.3 | 110.2 | 94.3 | 71.1 | 58.2 | 64.7 | 65.3 | 49.6 | 47.7 | 49.3 | **3,030.9** |
| OIL | 1958 | 150.3 | 104.1 | 149.7 | 141.1 | 141.4 | 137.9 | 141.3 | 138.6 | 135.9 | 135.2 | 126.3 | 127.4 | **6,731.0** |
| DAY | 1957 | 4.0 | 19.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | **1,054.0** |
| H2O | 1957 | 11.0 | 39.7 | 66.8 | 69.0 | 79.5 | 81.9 | 84.4 | 85.2 | 82.4 | 93.6 | 159.0 | 159.0 | **2,021.7** |
| OIL | 1957 | 16.8 | 78.3 | 127.0 | 127.4 | 120.6 | 110.6 | 114.6 | 112.3 | 103.9 | 78.0 | 164.8 | 161.0 | **5,101.8** |
| DAY | 1956 | 3.0 | 29.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **731.0** |
| H2O | 1956 | 3.2 | 109.7 | 69.6 | 65.2 | 79.8 | 77.7 | 64.2 | 68.7 | 66.9 | 71.7 | 85.2 | 72.2 | **1,010.2** |
| OIL | 1956 | 18.9 | 165.7 | 155.1 | 142.9 | 151.3 | 144.0 | 156.7 | 153.0 | 142.2 | 147.5 | 140.8 | 142.5 | **3,786.5** |
| DAY | 1955 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 16.0 | **396.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 19.1 | 34.2 | 27.0 | 28.6 | 27.0 | 23.8 | 14.3 | **176.1** |
| OIL | 1955 | 147.9 | 115.7 | 178.1 | 200.9 | 177.3 | 177.7 | 195.6 | 169.7 | 171.3 | 157.0 | 162.6 | 89.1 | **2,125.9** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 31.0 | **49.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | **1.0** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 68.6 | 114.4 | **183.0** |

# Manitoba Production
## 1950 To 1975

Licence ***544*** Well Name ***Rundle Daly Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-14-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1972 | 0.0 | 0.0 | 0.0 | 941.4 | 1265.8 | 1137.0 | 818.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **28,338.5** |
| WIN | 1971 | 1161.0 | 1044.1 | 1150.5 | 1046.1 | 877.5 | 1186.4 | 0.0 | 0.0 | 6.4 | 0.0 | 290.0 | 772.9 | **24,175.6** |
| WIN | 1970 | 1392.3 | 937.5 | 1018.5 | 962.3 | 671.7 | 950.3 | 864.0 | 968.6 | 1027.9 | 294.1 | 919.5 | 1096.9 | **16,640.7** |
| WIN | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 868.6 | 906.6 | 952.4 | 1235.9 | 1573.6 | **5,537.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 0.0 | 0.0 | **3,691.0** |
| H2O | 1966 | 692.4 | 1007.3 | 1178.2 | 1008.2 | 1113.2 | 890.8 | 960.1 | 892.7 | 880.5 | 903.3 | 0.0 | 0.0 | **60,132.0** |
| OIL | 1966 | 46.7 | 61.5 | 63.1 | 54.2 | 58.3 | 44.8 | 50.4 | 49.7 | 46.7 | 69.6 | 0.0 | 0.0 | **8,939.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 29.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,394.0** |
| H2O | 1965 | 736.1 | 599.8 | 713.8 | 640.7 | 511.9 | 597.1 | 576.0 | 484.6 | 597.8 | 797.0 | 677.7 | 705.9 | **50,605.3** |
| OIL | 1965 | 50.1 | 44.0 | 49.4 | 44.7 | 36.7 | 40.7 | 40.8 | 31.1 | 43.4 | 55.6 | 51.2 | 43.9 | **8,394.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,038.0** |
| H2O | 1964 | 761.4 | 686.8 | 756.7 | 751.2 | 786.2 | 728.1 | 733.2 | 822.4 | 676.3 | 787.0 | 730.8 | 758.2 | **42,966.9** |
| OIL | 1964 | 59.3 | 57.4 | 71.5 | 65.8 | 64.7 | 63.4 | 59.3 | 62.6 | 51.3 | 57.2 | 55.0 | 57.2 | **7,863.2** |
| DAY | 1963 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,674.0** |
| H2O | 1963 | 344.4 | 287.3 | 485.0 | 674.7 | 672.3 | 669.0 | 497.0 | 631.5 | 737.0 | 775.7 | 683.1 | 698.7 | **33,988.6** |
| OIL | 1963 | 49.4 | 41.6 | 61.0 | 85.2 | 81.4 | 66.3 | 56.4 | 69.6 | 72.1 | 76.4 | 66.9 | 66.4 | **7,138.5** |
| DAY | 1962 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,311.0** |
| H2O | 1962 | 341.3 | 348.3 | 385.2 | 362.2 | 397.3 | 369.9 | 385.8 | 373.1 | 346.4 | 393.3 | 322.4 | 342.0 | **26,832.9** |
| OIL | 1962 | 54.3 | 55.9 | 59.3 | 58.3 | 60.7 | 57.7 | 59.0 | 50.1 | 51.5 | 52.1 | 45.9 | 49.3 | **6,345.8** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,951.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 165.2 | 344.5 | 381.4 | 397.9 | 316.4 | 419.9 | 421.1 | 408.1 | **22,465.7** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 37.2 | 72.5 | 81.0 | 75.2 | 62.1 | 67.4 | 64.2 | 63.4 | **5,691.7** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 30.0 | 29.0 | 29.0 | 28.0 | 28.0 | 27.0 | 0.0 | **1,726.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 138.2 | 304.4 | 373.0 | 353.9 | 349.4 | 367.2 | 359.8 | 0.0 | **19,611.2** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 79.0 | 73.7 | 68.5 | 64.0 | 67.2 | 62.1 | 0.0 | **5,168.7** |
| DAY | 1959 | 0.0 | 0.0 | 20.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 24.0 | 11.0 | 11.0 | 0.0 | **1,544.0** |
| H2O | 1959 | 0.0 | 0.0 | 299.4 | 431.5 | 435.6 | 458.3 | 488.7 | 470.7 | 346.1 | 145.9 | 185.4 | 0.0 | **17,365.3** |
| OIL | 1959 | 0.0 | 0.0 | 45.8 | 67.5 | 61.2 | 70.1 | 64.5 | 66.4 | 61.3 | 16.7 | 19.4 | 0.0 | **4,731.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 8.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,326.0** |
| H2O | 1958 | 409.9 | 334.3 | 379.6 | 46.7 | 368.4 | 378.7 | 368.2 | 363.6 | 344.4 | 375.2 | 393.5 | 391.6 | **14,103.7** |
| OIL | 1958 | 64.8 | 57.0 | 62.3 | 15.9 | 60.9 | 63.1 | 62.8 | 60.5 | 59.3 | 49.7 | 52.1 | 51.3 | **4,258.3** |
| DAY | 1957 | 31.0 | 28.0 | 27.0 | 0.0 | 17.0 | 28.0 | 30.0 | 31.0 | 30.0 | 13.0 | 30.0 | 31.0 | **985.0** |
| H2O | 1957 | 388.4 | 335.4 | 313.7 | 0.0 | 182.4 | 284.9 | 329.4 | 365.5 | 371.9 | 148.6 | 375.4 | 368.8 | **9,949.6** |
| OIL | 1957 | 66.1 | 60.7 | 73.6 | 0.0 | 42.1 | 71.2 | 72.3 | 69.9 | 63.9 | 29.1 | 64.5 | 62.8 | **3,598.6** |
| DAY | 1956 | 27.0 | 18.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **689.0** |
| H2O | 1956 | 380.8 | 231.3 | 345.9 | 326.7 | 346.4 | 313.7 | 395.4 | 377.7 | 395.7 | 399.5 | 366.9 | 395.1 | **6,485.2** |
| OIL | 1956 | 114.1 | 84.2 | 111.2 | 100.6 | 95.0 | 80.7 | 86.0 | 81.5 | 77.7 | 76.4 | 53.7 | 71.8 | **2,922.4** |
| DAY | 1955 | 27.0 | 27.0 | 25.0 | 9.0 | 0.0 | 24.0 | 24.0 | 22.0 | 26.0 | 29.0 | 29.0 | 24.0 | **340.0** |
| H2O | 1955 | 173.1 | 134.7 | 185.1 | 42.1 | 0.0 | 171.2 | 113.0 | 129.3 | 252.1 | 266.3 | 263.9 | 226.7 | **2,210.1** |
| OIL | 1955 | 180.0 | 140.2 | 192.6 | 43.9 | 0.0 | 114.1 | 169.6 | 63.7 | 117.4 | 106.8 | 99.5 | 91.2 | **1,889.5** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 21.0 | 13.0 | 31.0 | **74.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.3 | 15.7 | 2.1 | 207.5 | **252.6** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 124.7 | 126.7 | 99.6 | 219.5 | **570.5** |

Licence ***552*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.16-29-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 30.0 | 11.0 | 0.0 | 0.0 | 0.0 | **2,034.0** |
| H2O | 1960 | 20.0 | 18.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,952.4** |
| OIL | 1960 | 23.9 | 23.0 | 16.7 | 16.2 | 18.6 | 17.0 | 16.8 | 15.9 | 5.6 | 0.0 | 0.0 | 0.0 | **2,109.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,784.0** |

# Manitoba Production
## 1950 To 1975

Licence ***552*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.16-29-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1959 | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 | 1.0 | 19.6 | 20.0 | 19.4 | 18.6 | 19.4 | 20.0 | **2,913.9** |
| OIL | 1959 | 7.6 | 6.7 | 6.7 | 6.7 | 6.8 | 6.0 | 22.4 | 22.2 | 20.7 | 18.6 | 19.7 | 21.0 | **1,956.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 25.0 | 31.0 | **1,426.0** |
| H2O | 1958 | 0.2 | 0.0 | 405.1 | 13.2 | 14.3 | 12.7 | 13.8 | 13.0 | 12.6 | 14.3 | 1.0 | 1.1 | **2,790.4** |
| OIL | 1958 | 17.5 | 15.9 | 24.6 | 10.3 | 11.3 | 10.8 | 10.5 | 10.3 | 10.0 | 6.7 | 5.7 | 7.5 | **1,790.9** |
| DAY | 1957 | 0.0 | 18.0 | 30.0 | 30.0 | 29.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,068.0** |
| H2O | 1957 | 0.0 | 11.0 | 16.4 | 17.0 | 14.9 | 13.5 | 15.3 | 0.2 | 347.7 | 353.3 | 359.8 | 0.2 | **2,289.1** |
| OIL | 1957 | 0.0 | 9.2 | 14.3 | 14.3 | 14.3 | 12.7 | 18.9 | 24.0 | 29.2 | 32.4 | 30.4 | 17.3 | **1,649.8** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 9.0 | **749.0** |
| H2O | 1956 | 34.7 | 35.6 | 39.9 | 45.2 | 46.1 | 39.9 | 36.4 | 10.5 | 10.5 | 13.7 | 11.9 | 4.1 | **1,139.8** |
| OIL | 1956 | 20.3 | 18.3 | 20.5 | 19.5 | 23.7 | 32.4 | 14.1 | 18.1 | 16.7 | 16.2 | 13.8 | 4.4 | **1,432.8** |
| DAY | 1955 | 31.0 | 28.0 | 29.0 | 21.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 24.0 | 30.0 | 25.0 | **411.0** |
| H2O | 1955 | 105.9 | 48.0 | 73.6 | 8.9 | 80.9 | 28.9 | 42.8 | 37.8 | 41.5 | 43.1 | 39.0 | 30.0 | **811.3** |
| OIL | 1955 | 205.3 | 93.3 | 79.8 | 46.7 | 80.9 | 28.9 | 28.4 | 26.9 | 24.6 | 24.2 | 20.3 | 15.4 | **1,214.8** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 29.0 | 26.0 | **71.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 56.6 | 82.4 | 91.9 | **230.9** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 177.7 | 240.7 | 121.7 | **540.1** |

Licence ***554*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-29-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 17.0 | 29.0 | 30.0 | 29.0 | 29.0 | 18.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **618.0** |
| H2O | 1957 | 0.0 | 433.7 | 668.7 | 720.3 | 631.6 | 49.6 | 372.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **10,648.8** |
| OIL | 1957 | 0.0 | 5.6 | 8.9 | 9.2 | 9.2 | 8.3 | 7.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,665.4** |
| DAY | 1956 | 0.0 | 10.0 | 31.0 | 24.0 | 25.0 | 28.0 | 30.0 | 27.0 | 27.0 | 31.0 | 29.0 | 10.0 | **466.0** |
| H2O | 1956 | 0.0 | 72.5 | 239.3 | 218.1 | 245.1 | 222.1 | 81.9 | 680.4 | 564.9 | 573.0 | 568.2 | 187.0 | **7,772.6** |
| OIL | 1956 | 0.0 | 4.1 | 13.7 | 10.5 | 14.0 | 20.0 | 9.2 | 8.4 | 8.4 | 10.3 | 10.0 | 3.2 | **1,617.1** |
| DAY | 1955 | 31.0 | 24.0 | 25.0 | 22.0 | 2.0 | 14.0 | 8.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **194.0** |
| H2O | 1955 | 246.1 | 13.5 | 1397.9 | 114.0 | 72.5 | 1181.1 | 649.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,120.1** |
| OIL | 1955 | 300.8 | 165.1 | 155.3 | 113.9 | 3.8 | 62.1 | 34.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,505.3** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 13.0 | 29.0 | 25.0 | **68.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 185.8 | 57.1 | 202.7 | **445.6** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.4 | 185.8 | 266.3 | 202.6 | **670.1** |

Licence ***555*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 2532.1 | 2182.0 | 2116.8 | 2304.1 | 1762.5 | 1249.3 | 2597.9 | 2517.0 | 2324.8 | 2302.5 | 2699.3 | 2603.1 | **281,821.5** |
| WIN | 1974 | 3037.8 | 2729.4 | 2955.3 | 2977.2 | 2785.6 | 2842.1 | 2908.9 | 3007.9 | 2874.0 | 2600.1 | 2892.8 | 2804.6 | **254,630.1** |
| WIN | 1973 | 1786.1 | 1743.7 | 1986.6 | 1796.3 | 2272.1 | 2449.2 | 2803.5 | 1935.7 | 2213.2 | 2256.1 | 2718.7 | 3011.9 | **220,214.4** |
| WIN | 1972 | 2233.7 | 2508.9 | 2336.2 | 2390.6 | 1991.9 | 1368.7 | 1933.0 | 2162.4 | 2018.4 | 2027.2 | 1754.8 | 1872.8 | **193,241.3** |
| WIN | 1971 | 2603.5 | 2311.7 | 2485.7 | 2285.7 | 1878.7 | 2202.3 | 1668.2 | 1412.7 | 0.0 | 1514.8 | 1868.7 | 2184.9 | **168,642.7** |
| WIN | 1970 | 2540.0 | 1902.2 | 2515.5 | 2412.4 | 2618.7 | 1872.6 | 1665.6 | 2911.4 | 2195.0 | 2517.4 | 2623.0 | 2641.3 | **146,225.8** |
| WIN | 1969 | 2538.9 | 736.7 | 1812.1 | 2372.8 | 2428.3 | 2385.7 | 1874.9 | 2006.3 | 2472.0 | 2419.4 | 2386.9 | 2431.6 | **117,810.7** |
| WIN | 1968 | 1892.8 | 2393.9 | 2107.0 | 2230.3 | 1769.1 | 2266.3 | 2560.7 | 2754.8 | 2199.8 | 2733.5 | 2536.8 | 2576.7 | **91,945.1** |
| WIN | 1967 | 2533.5 | 2331.1 | 2451.8 | 2360.2 | 2701.2 | 1790.3 | 1973.7 | 2378.0 | 2344.2 | 2018.7 | 1557.5 | 1791.5 | **63,923.4** |
| WIN | 1966 | 3372.4 | 2651.2 | 2414.4 | 2664.8 | 2603.5 | 2414.4 | 2431.3 | 2171.8 | 2518.4 | 2524.1 | 2537.3 | 2560.2 | **37,691.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 14.0 | 0.0 | 0.0 | **3,962.0** |
| H2O | 1965 | 12.9 | 10.4 | 11.8 | 12.9 | 12.1 | 11.1 | 8.1 | 13.0 | 9.2 | 4.3 | 0.0 | 0.0 | **2,585.0** |
| OIL | 1965 | 28.7 | 24.8 | 26.9 | 29.4 | 31.9 | 30.0 | 32.3 | 30.2 | 30.5 | 13.3 | 0.0 | 0.0 | **13,686.4** |
| WIN | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 721.1 | 2627.5 | 3479.3 | **6,827.9** |

# Manitoba Production
## 1950 To 1975

Licence ***555*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,675.0** |
| H2O | 1964 | 18.4 | 17.2 | 18.6 | 18.1 | 21.0 | 18.8 | 14.9 | 14.1 | 15.6 | 14.0 | 13.0 | 12.9 | **2,479.2** |
| OIL | 1964 | 37.8 | 37.0 | 39.1 | 35.4 | 37.3 | 35.6 | 41.6 | 43.2 | 40.8 | 31.3 | 28.8 | 29.4 | **13,408.4** |
| DAY | 1963 | 21.0 | 2.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,309.0** |
| H2O | 1963 | 2.2 | 0.2 | 5.9 | 10.2 | 12.6 | 13.5 | 14.6 | 13.0 | 18.4 | 18.9 | 19.6 | 19.2 | **2,282.6** |
| OIL | 1963 | 36.5 | 3.2 | 44.2 | 59.3 | 44.3 | 42.7 | 48.5 | 43.4 | 39.1 | 39.9 | 37.2 | 40.0 | **12,971.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,980.0** |
| H2O | 1962 | 1.6 | 1.9 | 2.2 | 1.9 | 2.2 | 2.1 | 2.4 | 2.4 | 2.2 | 2.7 | 2.7 | 3.3 | **2,134.3** |
| OIL | 1962 | 51.8 | 45.0 | 50.2 | 49.6 | 52.6 | 51.0 | 51.0 | 49.9 | 48.5 | 59.3 | 59.4 | 47.2 | **12,492.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,615.0** |
| H2O | 1961 | 10.2 | 9.1 | 8.9 | 8.7 | 7.6 | 8.9 | 7.8 | 8.6 | 1.9 | 2.2 | 2.2 | 2.2 | **2,106.7** |
| OIL | 1961 | 39.1 | 37.3 | 42.3 | 41.0 | 42.0 | 44.2 | 42.9 | 43.2 | 50.2 | 51.2 | 50.2 | 52.3 | **11,877.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,251.0** |
| H2O | 1960 | 31.5 | 27.8 | 30.4 | 30.4 | 29.3 | 25.4 | 33.9 | 74.9 | 48.8 | 25.0 | 25.1 | 11.6 | **2,028.4** |
| OIL | 1960 | 68.3 | 66.3 | 69.3 | 65.6 | 67.1 | 58.6 | 60.2 | 70.9 | 62.0 | 53.9 | 52.0 | 49.4 | **11,341.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,886.0** |
| H2O | 1959 | 44.8 | 38.6 | 39.9 | 39.3 | 38.5 | 30.4 | 33.1 | 25.4 | 26.1 | 30.2 | 23.1 | 26.4 | **1,634.3** |
| OIL | 1959 | 113.5 | 99.6 | 105.0 | 111.7 | 114.4 | 76.4 | 76.9 | 74.1 | 70.9 | 103.5 | 37.8 | 67.1 | **10,597.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 25.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,522.0** |
| H2O | 1958 | 5.4 | 4.8 | 4.8 | 4.9 | 5.1 | 0.3 | 124.2 | 109.2 | 93.5 | 82.5 | 63.8 | 47.2 | **1,238.5** |
| OIL | 1958 | 66.3 | 54.7 | 57.8 | 56.3 | 52.9 | 38.8 | 186.9 | 167.7 | 155.7 | 141.3 | 121.6 | 121.2 | **9,546.9** |
| DAY | 1957 | 29.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,171.0** |
| H2O | 1957 | 12.6 | 12.1 | 12.1 | 3.3 | 22.6 | 19.4 | 20.2 | 13.0 | 14.3 | 15.7 | 14.1 | 14.3 | **692.8** |
| OIL | 1957 | 160.7 | 143.3 | 144.8 | 88.0 | 96.0 | 86.9 | 85.5 | 135.4 | 84.4 | 82.8 | 79.1 | 76.9 | **8,325.7** |
| DAY | 1956 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **811.0** |
| H2O | 1956 | 32.6 | 31.0 | 33.9 | 35.3 | 43.2 | 41.5 | 21.5 | 16.1 | 17.8 | 25.8 | 15.9 | 13.2 | **519.1** |
| OIL | 1956 | 293.7 | 266.2 | 257.4 | 245.0 | 265.1 | 243.5 | 199.1 | 243.8 | 209.9 | 181.8 | 196.9 | 177.3 | **7,061.9** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | **449.0** |
| H2O | 1955 | 3.3 | 9.9 | 10.3 | 8.3 | 8.4 | 11.0 | 8.1 | 10.0 | 27.8 | 25.0 | 21.6 | 21.0 | **191.3** |
| OIL | 1955 | 271.9 | 225.2 | 234.6 | 222.0 | 226.9 | 295.3 | 320.8 | 299.1 | 318.6 | 318.6 | 274.3 | 239.2 | **4,282.2** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 27.0 | 30.0 | 31.0 | **90.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.5 | 13.4 | 5.6 | 4.1 | **26.6** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 337.4 | 332.8 | 342.5 | **1,035.7** |

Licence ***560*** Well Name ***Kiwi Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-28-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole C*** Field Code ***1*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1974 | 2580.2 | 2352.0 | 2933.6 | 2714.2 | 3164.5 | 1741.0 | 1783.4 | 1771.6 | 0.0 | 0.0 | 0.0 | 0.0 | **116,306.0** |
| WIN | 1973 | 1627.4 | 3001.5 | 3372.6 | 2698.8 | 2738.5 | 2334.4 | 2719.8 | 2503.2 | 2618.6 | 2769.4 | 2541.2 | 2705.5 | **97,265.5** |
| WIN | 1972 | 531.5 | 0.0 | 498.4 | 715.8 | 678.4 | 796.1 | 923.9 | 925.0 | 891.6 | 1042.8 | 1388.1 | 1627.4 | **65,634.6** |
| WIN | 1971 | 752.2 | 754.4 | 790.2 | 774.1 | 737.9 | 675.1 | 677.3 | 840.6 | 729.8 | 852.2 | 866.8 | 674.4 | **55,615.6** |
| WIN | 1970 | 852.7 | 1031.5 | 897.2 | 926.9 | 927.9 | 906.2 | 911.0 | 892.1 | 872.4 | 925.5 | 838.4 | 774.1 | **46,490.6** |
| WIN | 1969 | 1204.5 | 985.1 | 1107.5 | 1263.0 | 1305.3 | 1240.1 | 1256.5 | 1227.2 | 1092.3 | 1079.4 | 808.0 | 812.6 | **35,734.7** |
| WIN | 1968 | 1266.5 | 1211.3 | 1032.5 | 722.9 | 643.1 | 738.8 | 1115.5 | 2036.2 | 1354.0 | 1280.2 | 1315.6 | 1207.5 | **22,353.2** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1530.3 | 1433.8 | 1516.6 | 1607.1 | 1113.4 | 1227.9 | **8,429.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 28.0 | 22.0 | 28.0 | 4.0 | 9.0 | 30.0 | 26.0 | 18.0 | 6.0 | **3,948.0** |
| H2O | 1966 | 315.9 | 326.5 | 306.8 | 229.7 | 29.3 | 27.7 | 1.3 | 1.7 | 677.4 | 148.0 | 87.8 | 76.8 | **25,482.4** |
| OIL | 1966 | 17.5 | 22.7 | 20.3 | 14.5 | 14.3 | 13.5 | 0.0 | 3.3 | 15.3 | 17.2 | 9.6 | 3.2 | **11,116.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 25.0 | 21.0 | 22.0 | 0.0 | 0.0 | 25.0 | 27.0 | 30.0 | 31.0 | **3,687.0** |
| H2O | 1965 | 363.3 | 334.3 | 358.5 | 206.7 | 19.4 | 127.5 | 0.0 | 0.0 | 270.4 | 289.2 | 353.6 | 318.1 | **23,253.5** |
| OIL | 1965 | 19.7 | 17.8 | 21.5 | 18.0 | 20.7 | 13.0 | 0.0 | 0.0 | 11.1 | 23.8 | 19.2 | 21.6 | **10,964.7** |

# Manitoba Production
## 1950 To 1975

Licence ***560*** Well Name ***Kiwi Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-28-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole C*** Field Code ***1*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 31.0 | 28.0 | 31.0 | 28.0 | 5.0 | 27.0 | 29.0 | 29.0 | 27.0 | 28.0 | 29.0 | 31.0 | **3,416.0** |
| H2O | 1964 | 254.5 | 174.1 | 152.0 | 127.2 | 69.8 | 322.1 | 311.4 | 300.9 | 258.0 | 338.6 | 357.7 | 366.0 | **20,612.5** |
| OIL | 1964 | 20.2 | 17.3 | 20.3 | 18.8 | 12.2 | 29.4 | 24.9 | 24.2 | 22.7 | 20.3 | 16.0 | 20.0 | **10,778.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 27.0 | 28.0 | 27.0 | 28.0 | 28.0 | 27.0 | 28.0 | 28.0 | 31.0 | **3,093.0** |
| H2O | 1963 | 262.0 | 212.4 | 384.9 | 296.3 | 286.6 | 259.9 | 231.5 | 223.8 | 232.0 | 231.0 | 200.2 | 247.8 | **17,580.2** |
| OIL | 1963 | 33.8 | 29.7 | 35.8 | 29.2 | 20.5 | 30.2 | 27.2 | 25.3 | 27.5 | 25.6 | 22.4 | 19.9 | **10,532.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 27.0 | 29.0 | 28.0 | 29.0 | 28.0 | 24.0 | 31.0 | **2,751.0** |
| H2O | 1962 | 370.6 | 300.0 | 314.6 | 277.3 | 285.5 | 252.6 | 311.3 | 313.3 | 307.6 | 240.7 | 238.3 | 230.7 | **14,511.8** |
| OIL | 1962 | 50.4 | 45.4 | 52.3 | 47.5 | 25.4 | 30.0 | 34.8 | 35.3 | 31.9 | 34.2 | 32.1 | 35.0 | **10,204.9** |
| DAY | 1961 | 29.0 | 27.0 | 28.0 | 27.0 | 28.0 | 27.0 | 28.0 | 28.0 | 27.0 | 28.0 | 27.0 | 31.0 | **2,407.0** |
| H2O | 1961 | 493.5 | 475.0 | 440.7 | 393.0 | 358.7 | 259.5 | 293.0 | 295.9 | 307.1 | 299.8 | 306.5 | 361.5 | **11,069.3** |
| OIL | 1961 | 54.7 | 51.3 | 42.7 | 43.5 | 44.8 | 47.5 | 44.3 | 45.0 | 43.5 | 45.0 | 45.6 | 51.2 | **9,750.6** |
| DAY | 1960 | 25.0 | 29.0 | 24.0 | 28.0 | 29.0 | 27.0 | 27.0 | 24.0 | 27.0 | 27.0 | 26.0 | 31.0 | **2,072.0** |
| H2O | 1960 | 235.8 | 224.8 | 148.5 | 145.3 | 148.8 | 147.5 | 187.8 | 379.6 | 437.2 | 343.9 | 207.2 | 272.3 | **6,785.1** |
| OIL | 1960 | 49.7 | 55.5 | 62.1 | 61.8 | 55.1 | 63.2 | 37.2 | 53.4 | 59.0 | 53.2 | 44.0 | 50.5 | **9,191.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 24.0 | 30.0 | 31.0 | **1,748.0** |
| H2O | 1959 | 198.1 | 196.8 | 198.9 | 113.7 | 151.3 | 176.0 | 163.4 | 109.7 | 127.7 | 202.4 | 279.6 | 269.2 | **3,906.4** |
| OIL | 1959 | 68.8 | 62.0 | 68.0 | 39.1 | 52.9 | 61.8 | 67.5 | 61.0 | 58.2 | 45.8 | 57.7 | 59.1 | **8,546.8** |
| DAY | 1958 | 29.0 | 21.0 | 27.0 | 28.0 | 29.0 | 28.0 | 28.0 | 30.0 | 30.0 | 29.0 | 25.0 | 31.0 | **1,396.0** |
| H2O | 1958 | 8.9 | 138.6 | 46.4 | 23.7 | 13.8 | 9.9 | 129.6 | 275.5 | 163.0 | 143.9 | 140.7 | 174.1 | **1,719.6** |
| OIL | 1958 | 93.4 | 72.1 | 105.4 | 93.9 | 91.5 | 86.3 | 97.9 | 68.6 | 77.4 | 72.3 | 54.0 | 69.0 | **7,844.9** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 29.0 | 29.0 | 29.0 | 25.0 | 29.0 | 29.0 | 29.0 | **1,061.0** |
| H2O | 1957 | 4.9 | 4.5 | 4.9 | 4.3 | 40.9 | 3.8 | 4.6 | 9.2 | 7.9 | 9.2 | 9.2 | 9.2 | **451.5** |
| OIL | 1957 | 131.6 | 118.2 | 130.5 | 113.6 | 119.2 | 96.5 | 87.2 | 98.0 | 79.0 | 91.4 | 91.5 | 91.5 | **6,863.1** |
| DAY | 1956 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 29.0 | 26.0 | 24.0 | **713.0** |
| H2O | 1956 | 14.9 | 14.5 | 15.4 | 19.9 | 22.6 | 27.5 | 17.2 | 9.4 | 11.0 | 21.3 | 8.6 | 5.1 | **338.9** |
| OIL | 1956 | 236.5 | 242.3 | 258.2 | 247.1 | 251.7 | 245.8 | 246.6 | 268.1 | 192.0 | 152.4 | 133.0 | 132.1 | **5,614.9** |
| DAY | 1955 | 31.0 | 28.0 | 29.0 | 6.0 | 0.0 | 18.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | **363.0** |
| H2O | 1955 | 19.6 | 13.5 | 12.9 | 1.6 | 0.0 | 4.0 | 13.2 | 19.1 | 13.8 | 14.1 | 16.1 | 12.6 | **151.5** |
| OIL | 1955 | 275.4 | 258.1 | 281.1 | 48.8 | 0.0 | 147.2 | 256.0 | 257.1 | 251.1 | 257.6 | 252.0 | 210.1 | **3,009.1** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 21.0 | 31.0 | **73.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.9 | 3.7 | 2.4 | **11.0** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 111.1 | 130.5 | 273.0 | **514.6** |

Licence ***562*** Well Name ***Tundra Pierson*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-12-003-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a C*** Field Code ***7*** Pool Code ***43C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 15.0 | **562.0** |
| OIL | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.3 | 6.4 | **1,796.5** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 10.0 | 10.0 | 3.0 | 0.0 | 0.0 | 0.0 | **534.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.9 | 39.7 | 71.5 | 0.0 | 0.0 | 0.0 | 0.0 | **3,058.0** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.6 | 7.8 | 10.6 | 5.7 | 0.0 | 0.0 | 0.0 | **1,774.8** |
| DAY | 1965 | 25.0 | 21.0 | 23.0 | 12.0 | 0.0 | 8.0 | 26.0 | 31.0 | 23.0 | 29.0 | 12.0 | 0.0 | **510.0** |
| H2O | 1965 | 91.4 | 65.0 | 116.1 | 63.8 | 0.0 | 12.6 | 114.5 | 162.2 | 147.7 | 177.4 | 89.0 | 0.0 | **2,930.9** |
| OIL | 1965 | 40.5 | 46.4 | 46.2 | 13.2 | 0.0 | 21.0 | 41.2 | 72.9 | 17.8 | 48.5 | 32.9 | 0.0 | **1,743.1** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 23.0 | 5.0 | 0.0 | 11.0 | 27.0 | **300.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 118.9 | 69.8 | 41.2 | 0.0 | 72.0 | 142.3 | **1,891.2** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 65.9 | 63.4 | 20.3 | 0.0 | 38.6 | 62.3 | **1,362.5** |
| DAY | 1955 | 31.0 | 25.0 | 28.0 | 19.0 | 0.0 | 16.0 | 31.0 | 17.0 | 0.0 | 0.0 | 0.0 | 0.0 | **210.0** |
| H2O | 1955 | 121.0 | 156.6 | 170.0 | 136.4 | 0.0 | 146.9 | 415.6 | 261.5 | 0.0 | 0.0 | 0.0 | 0.0 | **1,447.0** |
| OIL | 1955 | 215.3 | 112.0 | 105.7 | 70.2 | 0.0 | 70.4 | 171.8 | 89.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,112.0** |

# Manitoba Production
## 1950 To 1975

Licence ***562*** Well Name ***Tundra Pierson*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-12-003-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a C*** Field Code ***7*** Pool Code ***43C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 19.0 | 21.0 | **43.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 38.8 | **39.0** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 85.0 | 171.6 | **277.6** |

Licence ***563*** Well Name ***Enerplus Daly SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.15-01-010-28W1.00*** Field Name ***Daly*** Pool Name ***Melita Formation*** Field Code ***1*** Pool Code ***19*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1962 | 6885.1 | 2973.0 | 0.0 | 0.0 | 0.0 | 362.8 | 2178.7 | 56.2 | 158.0 | 0.0 | 0.0 | 0.0 | **353,216.4** |
| WIN | 1961 | 5917.2 | 6135.0 | 7085.9 | 7255.9 | 7507.3 | 7009.1 | 5207.0 | 4789.4 | 5096.1 | 2618.6 | 4670.2 | 7814.4 | **340,602.6** |
| WIN | 1960 | 1225.0 | 821.5 | 3399.2 | 3358.7 | 3521.3 | 5256.2 | 6822.4 | 6979.5 | 7008.3 | 5198.5 | 6973.8 | 6601.6 | **269,496.5** |
| WIN | 1959 | 4400.5 | 3852.8 | 6577.9 | 6524.8 | 6247.2 | 5209.0 | 6159.1 | 7997.8 | 8062.1 | 2892.7 | 0.0 | 0.0 | **212,330.5** |
| WIN | 1958 | 3798.6 | 7269.2 | 7127.2 | 4283.2 | 5146.7 | 4535.2 | 5853.5 | 4578.8 | 3602.1 | 1556.8 | 3876.2 | 3907.2 | **154,406.6** |
| WIN | 1957 | 4818.4 | 10087.9 | 6954.1 | 1047.7 | 1338.4 | 1212.8 | 1330.7 | 758.2 | 4461.7 | 4963.3 | 4655.1 | 3176.0 | **98,871.9** |
| WIN | 1956 | 1188.1 | 963.6 | 1338.4 | 615.6 | 1903.7 | 1311.2 | 1634.4 | 1638.4 | 2126.8 | 1188.1 | 1174.5 | 3202.1 | **54,067.6** |
| WIN | 1955 | 2025.2 | 1413.9 | 2199.3 | 15.4 | 1934.4 | 2992.8 | 3038.1 | 3624.3 | 1751.6 | 5932.7 | 5670.4 | 3339.4 | **35,782.7** |
| WIN | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1845.2 | **1,845.2** |

Licence ***564*** Well Name ***Kiwi Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-28-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole C*** Field Code ***1*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 26.0 | 0.0 | 11.0 | 22.0 | 31.0 | 21.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,925.0** |
| OIL | 1975 | 13.8 | 0.0 | 7.0 | 15.9 | 13.5 | 13.0 | 17.0 | 14.0 | 10.3 | 7.8 | 15.6 | 13.2 | **15,445.9** |
| DAY | 1974 | 14.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,633.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.9 | 11.1 | 11.2 | 0.0 | 0.0 | 0.0 | 0.0 | **37,747.7** |
| OIL | 1974 | 5.4 | 0.0 | 0.0 | 0.0 | 9.9 | 20.3 | 18.9 | 18.3 | 15.3 | 15.7 | 12.9 | 10.2 | **15,304.8** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 3.0 | 26.0 | 15.0 | 21.0 | **4,405.0** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.4 | 0.0 | 0.0 | 9.7 | 9.7 | 4.8 | 8.1 | **15,177.9** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **15,137.2** |
| DAY | 1969 | 28.0 | 25.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 18.0 | 5.0 | **4,339.0** |
| H2O | 1969 | 344.9 | 278.1 | 309.7 | 305.2 | 325.2 | 305.2 | 300.4 | 295.6 | 247.9 | 246.3 | 140.2 | 50.1 | **37,713.5** |
| OIL | 1969 | 24.0 | 18.4 | 18.6 | 17.5 | 18.6 | 16.4 | 18.3 | 20.2 | 21.5 | 20.7 | 12.7 | 2.2 | **15,130.4** |
| DAY | 1968 | 0.0 | 1.0 | 1.0 | 1.0 | 0.0 | 0.0 | 10.0 | 26.0 | 28.0 | 28.0 | 30.0 | 28.0 | **4,022.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 426.3 | 1389.0 | 484.0 | 400.9 | 334.0 | 298.0 | **34,564.7** |
| OIL | 1968 | 0.0 | 14.5 | 13.3 | 14.8 | 0.0 | 0.0 | 37.3 | 16.5 | 26.4 | 28.3 | 24.9 | 23.2 | **14,921.3** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 0.0 | 0.0 | 2.0 | 1.0 | 1.0 | 0.0 | 1.0 | **3,869.0** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 19.9 | 0.0 | 0.0 | 29.9 | 11.3 | 9.2 | 0.0 | 13.2 | **14,722.1** |
| DAY | 1966 | 0.0 | 0.0 | 3.0 | 27.0 | 29.0 | 30.0 | 31.0 | 28.0 | 25.0 | 31.0 | 8.0 | 0.0 | **3,862.0** |
| H2O | 1966 | 0.0 | 0.0 | 30.0 | 189.5 | 242.0 | 248.3 | 254.2 | 307.7 | 282.8 | 370.5 | 92.5 | 0.0 | **31,232.5** |
| OIL | 1966 | 0.0 | 0.0 | 7.9 | 30.5 | 37.2 | 28.9 | 31.1 | 28.4 | 18.4 | 20.5 | 3.2 | 0.0 | **14,638.6** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 3.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 14.0 | 0.0 | **3,650.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 26.7 | 239.7 | 307.9 | 311.7 | 276.3 | 258.8 | 331.6 | 186.5 | 0.0 | **29,215.0** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 11.0 | 35.8 | 39.3 | 36.9 | 32.6 | 29.6 | 19.4 | 8.1 | 0.0 | **14,432.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 24.0 | 31.0 | 29.0 | 31.0 | 31.0 | 21.0 | 28.0 | 30.0 | 23.0 | **3,453.0** |
| H2O | 1964 | 374.0 | 346.0 | 364.6 | 382.8 | 455.3 | 456.4 | 501.7 | 1246.7 | 970.0 | 390.1 | 350.2 | 284.4 | **27,275.8** |
| OIL | 1964 | 26.9 | 23.8 | 25.6 | 21.8 | 25.1 | 36.4 | 35.0 | 45.6 | 33.1 | 35.8 | 39.4 | 14.3 | **14,219.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **3,114.0** |
| H2O | 1963 | 559.7 | 491.1 | 497.0 | 357.5 | 379.3 | 445.3 | 452.9 | 486.8 | 443.4 | 506.8 | 337.6 | 379.8 | **21,153.6** |
| OIL | 1963 | 28.1 | 20.7 | 24.3 | 27.0 | 30.2 | 29.6 | 28.1 | 29.2 | 26.7 | 28.1 | 23.8 | 27.3 | **13,857.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 25.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,758.0** |
| H2O | 1962 | 422.9 | 380.9 | 421.0 | 379.0 | 418.8 | 418.4 | 394.3 | 290.9 | 273.0 | 352.1 | 396.5 | 416.5 | **15,816.4** |
| OIL | 1962 | 23.2 | 21.6 | 24.9 | 22.6 | 19.4 | 23.5 | 22.6 | 23.2 | 19.9 | 24.2 | 24.6 | 24.2 | **13,533.9** |

# Manitoba Production
## 1950 To 1975

Licence ***564*** Well Name ***Kiwi Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-28-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole C*** Field Code ***1*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 26.0 | 31.0 | 31.0 | 25.0 | 28.0 | 26.0 | 31.0 | **2,403.0** |
| H2O | 1961 | 336.2 | 316.0 | 315.8 | 238.3 | 352.9 | 263.4 | 270.9 | 231.6 | 178.2 | 131.0 | 209.1 | 416.2 | **11,252.1** |
| OIL | 1961 | 56.7 | 46.9 | 49.1 | 45.1 | 52.0 | 52.4 | 56.1 | 52.4 | 43.5 | 26.5 | 24.9 | 26.5 | **13,260.0** |
| DAY | 1960 | 29.0 | 27.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 28.0 | 31.0 | 27.0 | 29.0 | **2,057.0** |
| H2O | 1960 | 203.2 | 218.8 | 315.4 | 235.0 | 213.2 | 203.7 | 192.7 | 260.7 | 215.4 | 362.4 | 276.0 | 311.2 | **7,992.5** |
| OIL | 1960 | 144.1 | 130.5 | 124.3 | 136.2 | 127.6 | 115.8 | 115.8 | 47.5 | 42.0 | 48.3 | 49.6 | 55.5 | **12,727.9** |
| DAY | 1959 | 31.0 | 25.0 | 31.0 | 18.0 | 27.0 | 28.0 | 31.0 | 27.0 | 29.0 | 19.0 | 26.0 | 28.0 | **1,708.0** |
| H2O | 1959 | 127.3 | 103.6 | 175.9 | 104.3 | 116.3 | 181.8 | 236.3 | 205.5 | 95.3 | 36.1 | 48.0 | 59.9 | **4,984.8** |
| OIL | 1959 | 109.2 | 86.0 | 139.4 | 82.5 | 122.7 | 132.2 | 130.6 | 95.0 | 64.4 | 33.5 | 50.4 | 57.2 | **11,590.7** |
| DAY | 1958 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 21.0 | 31.0 | **1,388.0** |
| H2O | 1958 | 137.0 | 178.6 | 127.9 | 139.8 | 172.4 | 180.4 | 197.8 | 166.7 | 194.8 | 165.3 | 125.9 | 167.8 | **3,494.5** |
| OIL | 1958 | 166.2 | 134.0 | 146.8 | 137.0 | 262.2 | 116.8 | 155.7 | 138.3 | 147.3 | 141.4 | 95.3 | 108.4 | **10,487.6** |
| DAY | 1957 | 31.0 | 21.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 22.0 | 22.0 | 31.0 | 30.0 | 30.0 | **1,038.0** |
| H2O | 1957 | 6.7 | 5.1 | 177.0 | 144.9 | 121.2 | 182.1 | 141.7 | 180.2 | 101.8 | 116.7 | 134.1 | 210.1 | **1,540.1** |
| OIL | 1957 | 220.9 | 154.6 | 268.4 | 257.4 | 240.0 | 252.0 | 235.5 | 238.7 | 178.3 | 215.5 | 196.4 | 206.3 | **8,738.2** |
| DAY | 1956 | 25.0 | 26.0 | 29.0 | 30.0 | 31.0 | 30.0 | 18.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | **701.0** |
| H2O | 1956 | 1.1 | 0.5 | 0.5 | 0.5 | 0.6 | 0.5 | 0.5 | 0.6 | 0.5 | 0.8 | 0.6 | 2.2 | **18.5** |
| OIL | 1956 | 209.9 | 228.8 | 261.1 | 262.4 | 274.0 | 254.6 | 155.1 | 283.0 | 264.3 | 246.2 | 204.8 | 169.9 | **6,074.2** |
| DAY | 1955 | 31.0 | 26.0 | 25.0 | 1.0 | 1.0 | 16.0 | 29.0 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | **364.0** |
| H2O | 1955 | 0.5 | 0.5 | 0.5 | 0.2 | 0.0 | 0.3 | 0.5 | 0.5 | 0.5 | 0.6 | 1.1 | 0.5 | **9.6** |
| OIL | 1955 | 273.8 | 227.1 | 210.4 | 8.1 | 4.9 | 206.6 | 253.9 | 268.4 | 241.4 | 264.1 | 227.9 | 263.3 | **3,260.1** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 30.0 | 31.0 | **87.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.7 | 1.9 | 0.3 | **3.9** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 293.0 | 241.5 | 275.7 | **810.2** |

Licence ***567*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,692.0** |
| H2O | 1975 | 516.3 | 464.7 | 549.0 | 504.8 | 585.8 | 520.3 | 518.3 | 542.0 | 465.2 | 437.2 | 416.7 | 427.5 | **37,950.4** |
| OIL | 1975 | 27.7 | 25.1 | 28.1 | 25.1 | 27.3 | 25.9 | 27.0 | 27.7 | 32.4 | 32.7 | 32.1 | 33.1 | **5,976.2** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,328.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 113.4 | 20.5 | 16.8 | 16.5 | 17.0 | 543.8 | 473.8 | 521.0 | **32,002.6** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 12.4 | 4.3 | 4.6 | 4.4 | 4.3 | 27.3 | 25.9 | 27.5 | **5,632.0** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 5.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 0.0 | 0.0 | **6,093.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 6.0 | 131.2 | 139.8 | 127.5 | 131.4 | 135.0 | 136.1 | 0.0 | 0.0 | **30,279.8** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.8 | 18.0 | 17.8 | 18.9 | 17.8 | 17.6 | 17.3 | 0.0 | 0.0 | **5,521.3** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 0.0 | 0.0 | **5,906.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 99.2 | 124.2 | 114.5 | 115.6 | 33.4 | 33.1 | 33.2 | 0.0 | 0.0 | **29,472.8** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 11.9 | 14.3 | 14.1 | 14.3 | 4.1 | 4.3 | 4.4 | 0.0 | 0.0 | **5,413.1** |
| DAY | 1971 | 31.0 | 7.0 | 14.0 | 30.0 | 29.0 | 28.0 | 25.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **5,697.0** |
| H2O | 1971 | 89.6 | 21.3 | 38.6 | 88.5 | 86.3 | 70.9 | 153.3 | 211.3 | 126.4 | 138.7 | 0.0 | 0.0 | **28,919.6** |
| OIL | 1971 | 9.1 | 1.9 | 4.1 | 8.7 | 0.0 | 0.0 | 18.8 | 23.0 | 13.7 | 14.3 | 0.0 | 0.0 | **5,345.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,441.0** |
| H2O | 1970 | 127.2 | 120.7 | 147.1 | 132.7 | 101.9 | 98.6 | 73.3 | 87.3 | 95.2 | 95.5 | 82.4 | 76.0 | **27,894.7** |
| OIL | 1970 | 14.3 | 12.7 | 14.0 | 13.7 | 8.7 | 8.3 | 6.8 | 8.6 | 8.4 | 8.7 | 8.6 | 9.1 | **5,252.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,081.0** |
| H2O | 1969 | 93.0 | 76.1 | 92.6 | 92.3 | 99.2 | 94.9 | 100.1 | 90.7 | 86.6 | 140.3 | 132.6 | 142.3 | **26,656.8** |
| OIL | 1969 | 14.5 | 12.2 | 13.8 | 14.3 | 14.0 | 14.0 | 14.1 | 14.1 | 13.3 | 14.1 | 13.0 | 14.3 | **5,130.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,716.0** |
| H2O | 1968 | 79.8 | 79.8 | 93.0 | 99.0 | 94.7 | 84.5 | 88.8 | 91.7 | 81.4 | 86.9 | 84.4 | 94.2 | **25,416.1** |

# Manitoba Production
## 1950 To 1975

Licence ***567*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1968 | 17.6 | 16.0 | 17.8 | 18.8 | 18.6 | 13.8 | 14.3 | 14.5 | 13.8 | 14.0 | 13.5 | 14.5 | **4,964.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,350.0** |
| H2O | 1967 | 85.5 | 72.8 | 82.5 | 72.5 | 84.9 | 76.8 | 73.6 | 80.2 | 85.8 | 81.8 | 84.5 | 85.5 | **24,357.9** |
| OIL | 1967 | 18.9 | 16.5 | 18.6 | 16.5 | 18.6 | 16.5 | 17.6 | 17.2 | 18.1 | 18.1 | 18.0 | 18.1 | **4,777.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,988.0** |
| H2O | 1966 | 70.6 | 67.5 | 67.5 | 52.9 | 108.5 | 97.9 | 100.7 | 118.6 | 105.0 | 105.4 | 94.7 | 87.1 | **23,391.5** |
| OIL | 1966 | 23.5 | 21.0 | 26.2 | 18.9 | 23.0 | 18.4 | 19.9 | 19.5 | 20.5 | 21.9 | 19.4 | 18.9 | **4,564.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,625.0** |
| H2O | 1965 | 183.6 | 155.8 | 172.5 | 157.4 | 145.5 | 143.1 | 93.8 | 49.3 | 41.3 | 52.4 | 53.6 | 58.3 | **22,315.1** |
| OIL | 1965 | 24.8 | 22.1 | 24.6 | 23.7 | 24.6 | 23.8 | 19.2 | 14.5 | 12.2 | 14.5 | 15.4 | 18.8 | **4,313.5** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,260.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 123.6 | 216.1 | 235.9 | 220.0 | 196.5 | 197.1 | **21,008.5** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.3 | 32.1 | 35.6 | 32.3 | 23.5 | 24.5 | **4,075.3** |
| DAY | 1963 | 28.0 | 0.0 | 7.0 | 30.0 | 31.0 | 24.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **3,086.0** |
| H2O | 1963 | 80.1 | 0.0 | 23.4 | 95.5 | 91.5 | 62.0 | 125.6 | 155.0 | 144.5 | 78.5 | 0.0 | 0.0 | **19,819.3** |
| OIL | 1963 | 19.7 | 0.0 | 2.7 | 12.6 | 14.5 | 10.0 | 30.7 | 30.4 | 28.4 | 19.7 | 0.0 | 0.0 | **3,910.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,843.0** |
| H2O | 1962 | 123.3 | 111.3 | 123.3 | 133.9 | 124.0 | 119.3 | 132.0 | 147.9 | 143.1 | 147.9 | 123.1 | 88.5 | **18,963.2** |
| OIL | 1962 | 22.1 | 20.3 | 24.9 | 25.1 | 24.5 | 23.4 | 26.9 | 26.4 | 26.1 | 27.7 | 24.2 | 20.2 | **3,741.3** |
| DAY | 1961 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 23.0 | 31.0 | **2,481.0** |
| H2O | 1961 | 221.8 | 200.3 | 214.6 | 208.3 | 197.9 | 160.6 | 190.0 | 197.1 | 190.8 | 197.1 | 141.5 | 146.3 | **17,445.6** |
| OIL | 1961 | 21.5 | 20.2 | 21.8 | 19.4 | 21.5 | 20.5 | 24.9 | 26.1 | 20.7 | 19.7 | 15.1 | 23.4 | **3,449.5** |
| DAY | 1960 | 30.0 | 28.0 | 24.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,125.0** |
| H2O | 1960 | 166.9 | 155.8 | 171.7 | 172.5 | 172.5 | 183.5 | 214.6 | 232.4 | 207.5 | 221.8 | 214.6 | 209.1 | **15,179.3** |
| OIL | 1960 | 20.3 | 19.2 | 14.3 | 17.2 | 21.0 | 20.8 | 21.0 | 21.9 | 20.7 | 21.1 | 21.5 | 22.4 | **3,194.7** |
| DAY | 1959 | 30.0 | 28.0 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | **1,771.0** |
| H2O | 1959 | 419.5 | 411.8 | 453.1 | 375.8 | 374.7 | 255.2 | 287.0 | 288.1 | 247.4 | 194.8 | 232.1 | 180.4 | **12,856.4** |
| OIL | 1959 | 24.6 | 27.8 | 31.8 | 26.9 | 25.6 | 22.9 | 26.2 | 25.9 | 24.3 | 19.1 | 21.1 | 20.8 | **2,953.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,419.0** |
| H2O | 1958 | 636.0 | 556.5 | 636.0 | 636.0 | 636.0 | 556.5 | 556.5 | 556.5 | 556.5 | 540.6 | 523.1 | 509.3 | **9,136.5** |
| OIL | 1958 | 37.2 | 32.3 | 35.3 | 31.8 | 30.7 | 24.5 | 24.0 | 24.5 | 23.8 | 23.8 | 23.5 | 24.2 | **2,656.3** |
| DAY | 1957 | 3.0 | 20.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 26.0 | 31.0 | **1,054.0** |
| H2O | 1957 | 4.0 | 31.8 | 44.5 | 45.9 | 51.6 | 54.8 | 57.0 | 57.0 | 54.8 | 62.5 | 476.7 | 635.7 | **2,237.0** |
| OIL | 1957 | 4.0 | 32.6 | 46.1 | 47.2 | 45.8 | 45.6 | 48.1 | 48.5 | 47.0 | 27.7 | 63.7 | 46.1 | **2,320.7** |
| DAY | 1956 | 13.0 | 29.0 | 30.0 | 28.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 13.0 | 31.0 | **733.0** |
| H2O | 1956 | 39.7 | 62.8 | 46.4 | 43.5 | 53.2 | 51.8 | 42.9 | 45.8 | 44.8 | 47.7 | 20.7 | 48.0 | **660.7** |
| OIL | 1956 | 111.6 | 94.7 | 85.5 | 65.9 | 77.5 | 67.1 | 71.7 | 80.2 | 69.1 | 70.6 | 19.9 | 49.3 | **1,818.3** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 16.0 | **406.0** |
| H2O | 1955 | 3.5 | 0.0 | 0.0 | 0.5 | 0.3 | 14.3 | 17.5 | 17.5 | 17.5 | 17.5 | 15.9 | 7.9 | **113.4** |
| OIL | 1955 | 38.6 | 41.2 | 49.3 | 46.7 | 46.4 | 56.4 | 93.6 | 94.2 | 94.9 | 96.5 | 97.6 | 51.6 | **955.2** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 31.0 | **56.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | **1.0** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 81.5 | 66.7 | **148.2** |

Licence ***569*** Well Name ***Johnston Hayhurst Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-15-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 0.0 | 0.0 | 0.0 | 10.0 | 4.0 | 0.0 | **280.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 153.9 | 0.0 | 0.0 | 0.0 | 132.1 | 153.7 | 0.0 | **1,183.4** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.5 | 0.0 | 0.0 | 0.0 | 33.4 | 14.9 | 0.0 | **1,093.0** |
| DAY | 1955 | 31.0 | 28.0 | 29.0 | 0.0 | 0.0 | 22.0 | 31.0 | 26.0 | 24.0 | 29.0 | 1.0 | 0.0 | **257.0** |

# Manitoba Production
## 1950 To 1975

Licence ***569*** Well Name ***Johnston Hayhurst Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-15-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1955 | 94.6 | 58.0 | 136.7 | 0.0 | 0.0 | 85.4 | 66.3 | 91.4 | 43.6 | 64.5 | 5.1 | 0.0 | **743.7** |
| OIL | 1955 | 188.9 | 111.7 | 92.2 | 0.0 | 0.0 | 68.2 | 78.0 | 54.3 | 30.4 | 53.7 | 3.5 | 0.0 | **1,013.2** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 31.0 | **36.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 98.1 | **98.1** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 86.8 | 245.5 | **332.3** |

Licence ***571*** Well Name ***Enerplus East Cromer Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-14-009-28W1.02*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1959 | 0.0 | 0.0 | 20.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | **1,321.0** |
| H2O | 1959 | 0.0 | 0.0 | 11.6 | 16.7 | 16.9 | 1.1 | 1.0 | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | **342.6** |
| OIL | 1959 | 0.0 | 0.0 | 15.6 | 22.9 | 20.8 | 14.8 | 14.0 | 14.0 | 1.2 | 0.0 | 0.0 | 0.0 | **1,296.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 25.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,118.0** |
| H2O | 1958 | 1.1 | 1.1 | 1.1 | 0.5 | 1.0 | 1.1 | 1.0 | 1.0 | 1.0 | 15.1 | 15.3 | 15.6 | **293.3** |
| OIL | 1958 | 15.6 | 13.7 | 14.9 | 12.6 | 13.2 | 14.8 | 14.6 | 14.1 | 13.8 | 17.6 | 17.8 | 18.0 | **1,192.9** |
| DAY | 1957 | 30.0 | 28.0 | 31.0 | 24.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 14.0 | 30.0 | 31.0 | **761.0** |
| H2O | 1957 | 0.8 | 0.8 | 0.0 | 14.1 | 10.7 | 10.8 | 11.4 | 12.6 | 1.6 | 0.6 | 1.6 | 1.4 | **238.4** |
| OIL | 1957 | 22.6 | 21.5 | 1.4 | 15.9 | 11.6 | 12.9 | 14.1 | 13.3 | 15.4 | 7.3 | 15.6 | 15.1 | **1,012.2** |
| DAY | 1956 | 0.0 | 5.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **421.0** |
| H2O | 1956 | 0.0 | 6.7 | 38.3 | 36.1 | 38.3 | 33.4 | 0.6 | 0.6 | 0.8 | 0.6 | 1.1 | 1.1 | **172.0** |
| OIL | 1956 | 0.0 | 9.2 | 46.4 | 42.0 | 39.6 | 32.6 | 30.5 | 28.8 | 27.5 | 27.0 | 18.9 | 25.7 | **845.5** |
| DAY | 1955 | 27.0 | 26.0 | 6.0 | 1.0 | 0.0 | 9.0 | 9.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | **113.0** |
| H2O | 1955 | 0.3 | 0.2 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 11.9 | 0.0 | 0.0 | 0.0 | 0.0 | **14.4** |
| OIL | 1955 | 122.8 | 94.9 | 26.1 | 8.4 | 0.0 | 72.1 | 11.9 | 22.1 | 0.0 | 0.0 | 0.0 | 0.0 | **517.3** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 16.0 | **25.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 0.2 | **1.8** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 79.1 | 79.9 | **159.0** |

Licence ***572*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,660.0** |
| H2O | 1975 | 409.2 | 369.0 | 431.8 | 414.3 | 460.6 | 404.0 | 402.5 | 410.6 | 380.1 | 357.1 | 340.4 | 349.1 | **60,370.6** |
| OIL | 1975 | 213.3 | 194.2 | 215.0 | 201.0 | 210.9 | 176.5 | 184.8 | 184.3 | 195.9 | 197.2 | 193.1 | 198.8 | **40,697.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,295.0** |
| H2O | 1974 | 378.1 | 325.3 | 401.6 | 364.9 | 361.7 | 392.5 | 323.5 | 423.0 | 425.3 | 431.2 | 376.0 | 413.2 | **55,641.9** |
| OIL | 1974 | 184.0 | 182.0 | 207.9 | 200.4 | 198.5 | 192.4 | 206.7 | 226.4 | 213.3 | 211.4 | 199.6 | 212.0 | **38,332.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **6,930.0** |
| H2O | 1973 | 387.6 | 351.3 | 350.1 | 295.4 | 304.9 | 434.0 | 251.7 | 264.1 | 216.1 | 277.7 | 257.5 | 363.7 | **51,025.6** |
| OIL | 1973 | 250.8 | 220.7 | 206.3 | 216.1 | 212.9 | 179.4 | 192.3 | 184.7 | 127.0 | 159.9 | 150.6 | 179.1 | **35,898.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,570.0** |
| H2O | 1972 | 418.1 | 421.9 | 403.8 | 326.4 | 351.5 | 324.0 | 347.1 | 382.7 | 366.6 | 365.5 | 350.7 | 323.5 | **47,271.5** |
| OIL | 1972 | 254.7 | 245.5 | 230.4 | 216.8 | 226.0 | 219.3 | 241.5 | 216.4 | 214.8 | 249.3 | 248.4 | 252.3 | **33,618.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,204.0** |
| H2O | 1971 | 407.5 | 404.6 | 435.4 | 323.2 | 560.9 | 497.3 | 526.2 | 580.8 | 541.6 | 397.0 | 358.3 | 387.6 | **42,889.7** |
| OIL | 1971 | 261.7 | 236.8 | 265.1 | 194.2 | 298.6 | 310.7 | 330.9 | 325.6 | 312.3 | 237.7 | 225.5 | 257.3 | **30,803.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,842.0** |
| H2O | 1970 | 552.0 | 523.7 | 613.0 | 552.8 | 580.0 | 564.2 | 502.5 | 486.8 | 432.3 | 434.0 | 373.9 | 345.3 | **37,469.3** |
| OIL | 1970 | 279.0 | 247.4 | 296.4 | 288.3 | 299.4 | 280.2 | 287.0 | 286.0 | 244.6 | 251.4 | 245.8 | 259.3 | **27,546.6** |
| DAY | 1969 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | **5,477.0** |
| H2O | 1969 | 260.1 | 427.8 | 693.3 | 642.8 | 689.8 | 556.1 | 587.0 | 531.9 | 508.1 | 338.3 | 290.9 | 597.6 | **31,508.8** |

# Manitoba Production
## 1950 To 1975

Licence ***572*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1969 | 220.2 | 192.3 | 288.9 | 331.3 | 322.4 | 258.7 | 263.6 | 263.3 | 247.6 | 202.6 | 170.7 | 269.5 | **24,281.8** |
| DAY | 1968 | 27.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **5,117.0** |
| H2O | 1968 | 257.9 | 185.1 | 589.2 | 674.4 | 572.6 | 485.4 | 455.2 | 468.7 | 291.9 | 270.4 | 277.3 | 263.9 | **25,385.1** |
| OIL | 1968 | 169.7 | 150.3 | 289.9 | 327.0 | 301.5 | 286.4 | 279.4 | 281.4 | 229.8 | 202.0 | 206.1 | 223.3 | **21,250.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,758.0** |
| H2O | 1967 | 531.9 | 417.5 | 473.3 | 375.8 | 363.4 | 279.8 | 238.0 | 186.5 | 206.2 | 197.0 | 171.2 | 173.0 | **20,593.1** |
| OIL | 1967 | 329.4 | 275.7 | 311.1 | 285.4 | 254.3 | 226.4 | 215.3 | 158.8 | 173.8 | 174.2 | 170.2 | 171.1 | **18,303.9** |
| DAY | 1966 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **4,394.0** |
| H2O | 1966 | 1.4 | 328.7 | 350.0 | 574.1 | 623.5 | 609.1 | 581.9 | 684.2 | 606.9 | 548.8 | 639.4 | 564.9 | **16,979.5** |
| OIL | 1966 | 19.7 | 324.2 | 388.5 | 475.3 | 448.1 | 385.8 | 386.5 | 380.6 | 397.0 | 385.0 | 361.4 | 333.6 | **15,558.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **4,034.0** |
| H2O | 1965 | 6.2 | 5.2 | 4.8 | 5.2 | 4.9 | 8.6 | 8.1 | 12.7 | 9.2 | 10.0 | 10.3 | 1.1 | **10,866.6** |
| OIL | 1965 | 25.4 | 20.5 | 22.4 | 22.1 | 22.2 | 26.4 | 35.8 | 33.2 | 33.5 | 34.5 | 36.4 | 13.3 | **11,272.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,676.0** |
| H2O | 1964 | 9.7 | 9.7 | 9.9 | 8.3 | 8.4 | 6.0 | 9.5 | 8.1 | 7.5 | 7.5 | 7.3 | 6.8 | **10,780.3** |
| OIL | 1964 | 29.7 | 26.7 | 29.6 | 25.4 | 28.9 | 23.7 | 34.8 | 31.3 | 30.0 | 28.3 | 26.7 | 26.9 | **10,946.8** |
| DAY | 1963 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,316.0** |
| H2O | 1963 | 28.9 | 25.7 | 24.2 | 24.2 | 22.9 | 21.8 | 15.9 | 14.0 | 8.7 | 8.7 | 8.7 | 9.9 | **10,681.6** |
| OIL | 1963 | 32.3 | 30.2 | 34.5 | 33.7 | 34.6 | 32.7 | 33.4 | 36.1 | 30.7 | 29.9 | 27.0 | 28.6 | **10,604.8** |
| DAY | 1962 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,954.0** |
| H2O | 1962 | 14.1 | 12.7 | 14.0 | 13.2 | 14.5 | 13.7 | 14.3 | 17.3 | 19.2 | 21.8 | 24.6 | 25.3 | **10,468.0** |
| OIL | 1962 | 31.9 | 29.7 | 33.4 | 31.9 | 33.2 | 32.4 | 31.9 | 32.1 | 28.9 | 32.3 | 33.5 | 35.0 | **10,221.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,590.0** |
| H2O | 1961 | 13.3 | 11.9 | 13.8 | 11.8 | 13.2 | 17.2 | 14.5 | 12.9 | 14.8 | 14.0 | 13.7 | 14.8 | **10,263.3** |
| OIL | 1961 | 41.0 | 35.8 | 41.0 | 39.1 | 37.0 | 32.7 | 45.0 | 48.5 | 32.4 | 33.5 | 32.4 | 33.2 | **9,834.9** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,227.0** |
| H2O | 1960 | 76.6 | 60.6 | 48.5 | 50.6 | 57.9 | 74.4 | 60.9 | 45.6 | 16.4 | 14.0 | 14.5 | 14.8 | **10,097.4** |
| OIL | 1960 | 49.6 | 44.0 | 47.7 | 46.1 | 48.0 | 44.3 | 45.3 | 44.3 | 69.8 | 74.4 | 65.9 | 43.9 | **9,383.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,868.0** |
| H2O | 1959 | 142.4 | 122.9 | 128.1 | 65.5 | 104.3 | 77.6 | 70.6 | 64.5 | 63.4 | 75.8 | 62.2 | 76.5 | **9,562.6** |
| OIL | 1959 | 72.5 | 61.3 | 63.7 | 61.2 | 63.2 | 62.6 | 62.9 | 57.0 | 51.2 | 52.3 | 49.7 | 49.9 | **8,760.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 29.0 | 31.0 | **1,503.0** |
| H2O | 1958 | 231.5 | 186.3 | 196.2 | 208.3 | 204.1 | 155.0 | 139.4 | 152.0 | 151.7 | 180.9 | 176.8 | 139.1 | **8,508.8** |
| OIL | 1958 | 159.2 | 135.2 | 143.5 | 141.3 | 141.3 | 108.5 | 107.3 | 90.4 | 87.2 | 114.6 | 66.1 | 65.2 | **8,052.5** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,142.0** |
| H2O | 1957 | 205.1 | 211.6 | 245.8 | 228.3 | 242.0 | 266.3 | 350.6 | 349.3 | 301.1 | 297.8 | 262.5 | 268.8 | **6,387.5** |
| OIL | 1957 | 132.4 | 131.6 | 146.4 | 133.8 | 163.2 | 169.2 | 224.2 | 246.6 | 228.7 | 228.0 | 183.2 | 198.8 | **6,692.7** |
| DAY | 1956 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 24.0 | 30.0 | 31.0 | 28.0 | 31.0 | **783.0** |
| H2O | 1956 | 39.3 | 42.8 | 32.6 | 26.1 | 43.4 | 42.0 | 79.0 | 341.5 | 289.0 | 256.6 | 218.0 | 238.9 | **3,158.3** |
| OIL | 1956 | 100.0 | 90.4 | 102.3 | 102.7 | 80.6 | 72.8 | 78.8 | 152.4 | 192.3 | 164.8 | 147.5 | 136.8 | **4,506.6** |
| DAY | 1955 | 30.0 | 26.0 | 30.0 | 30.0 | 21.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **427.0** |
| H2O | 1955 | 101.3 | 102.9 | 112.6 | 111.1 | 100.5 | 141.0 | 91.9 | 61.8 | 65.8 | 37.2 | 34.3 | 41.8 | **1,509.1** |
| OIL | 1955 | 260.5 | 218.5 | 239.2 | 236.0 | 213.3 | 299.5 | 173.7 | 171.5 | 106.6 | 118.2 | 105.4 | 105.8 | **3,085.2** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 29.0 | 31.0 | **78.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 68.7 | 139.6 | 298.6 | **506.9** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 212.5 | 326.1 | 298.4 | **837.0** |

Licence ***573*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.09-29-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 23.0 | 28.0 | 30.0 | 31.0 | 29.0 | 23.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **820.0** |

# Manitoba Production
## 1950 To 1975

Licence ***573*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.09-29-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1957 | 0.0 | 288.4 | 395.5 | 435.1 | 405.6 | 200.3 | 166.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **9,136.6** |
| OIL | 1957 | 0.0 | 40.5 | 57.7 | 61.0 | 64.8 | 15.6 | 22.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,028.8** |
| DAY | 1956 | 28.0 | 29.0 | 31.0 | 25.0 | 16.0 | 11.0 | 31.0 | 27.0 | 27.0 | 30.0 | 26.0 | 10.0 | **656.0** |
| H2O | 1956 | 351.3 | 390.9 | 440.4 | 420.8 | 276.6 | 202.4 | 502.4 | 363.4 | 346.3 | 339.6 | 312.7 | 115.1 | **7,245.0** |
| OIL | 1956 | 68.8 | 66.9 | 75.5 | 60.7 | 47.4 | 27.2 | 75.6 | 66.9 | 56.6 | 67.1 | 60.4 | 21.5 | **2,767.2** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 23.0 | 9.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 16.0 | **365.0** |
| H2O | 1955 | 125.4 | 136.4 | 164.7 | 356.4 | 59.0 | 82.4 | 158.8 | 416.1 | 451.2 | 479.0 | 428.0 | 215.9 | **3,183.1** |
| OIL | 1955 | 292.4 | 318.3 | 305.7 | 152.7 | 25.3 | 67.4 | 105.8 | 98.5 | 89.3 | 89.1 | 74.4 | 37.0 | **2,072.6** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 18.0 | 25.0 | **44.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 4.5 | 105.1 | **109.8** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.9 | 200.1 | 201.7 | **416.7** |

Licence ***574*** Well Name ***B.A. Union Hayhurst Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-14-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 31.0 | 29.0 | 30.0 | 30.0 | 25.0 | 2.0 | **469.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 225.8 | 175.8 | 244.7 | 152.0 | 208.9 | 188.2 | 33.2 | **1,794.6** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.5 | 20.0 | 20.0 | 27.7 | 22.2 | 14.5 | 0.5 | **1,185.2** |
| DAY | 1955 | 31.0 | 27.0 | 30.0 | 9.0 | 0.0 | 13.0 | 27.0 | 31.0 | 30.0 | 21.0 | 12.0 | 0.0 | **293.0** |
| H2O | 1955 | 27.7 | 28.6 | 25.8 | 8.9 | 1.7 | 15.3 | 97.5 | 122.1 | 128.9 | 32.1 | 45.2 | 0.0 | **566.0** |
| OIL | 1955 | 104.2 | 73.7 | 65.5 | 20.2 | 0.0 | 33.1 | 55.5 | 80.9 | 84.7 | 36.1 | 11.6 | 0.2 | **1,049.8** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 21.0 | 23.0 | **62.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.5 | 5.9 | 23.8 | **32.2** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 174.8 | 140.2 | 169.1 | **484.1** |

Licence ***575*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-28-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 23.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 6.0 | **6,590.0** |
| H2O | 1974 | 826.2 | 732.4 | 819.4 | 796.2 | 815.6 | 645.9 | 781.0 | 790.6 | 821.4 | 839.4 | 775.8 | 154.2 | **162,388.1** |
| OIL | 1974 | 14.8 | 13.0 | 14.5 | 13.5 | 14.3 | 9.9 | 12.7 | 12.2 | 13.2 | 14.3 | 12.4 | 0.0 | **20,037.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 29.0 | 29.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,259.0** |
| H2O | 1973 | 803.5 | 689.0 | 804.3 | 716.5 | 752.3 | 716.8 | 830.5 | 825.1 | 800.6 | 798.7 | 786.5 | 840.7 | **153,590.0** |
| OIL | 1973 | 14.5 | 12.2 | 13.8 | 12.9 | 15.3 | 13.5 | 14.9 | 14.5 | 13.5 | 14.9 | 14.6 | 14.9 | **19,892.8** |
| DAY | 1972 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 29.0 | 31.0 | 28.0 | 29.0 | 7.0 | 17.0 | 30.0 | **5,899.0** |
| H2O | 1972 | 856.3 | 797.6 | 995.5 | 825.1 | 731.5 | 834.8 | 833.2 | 733.1 | 645.0 | 168.9 | 453.4 | 751.7 | **144,225.5** |
| OIL | 1972 | 37.3 | 34.3 | 39.4 | 35.3 | 31.6 | 12.9 | 13.3 | 13.3 | 13.3 | 3.2 | 7.9 | 13.3 | **19,723.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 26.0 | 31.0 | 23.0 | 31.0 | 30.0 | 30.0 | **5,581.0** |
| H2O | 1971 | 994.9 | 929.2 | 971.4 | 985.5 | 959.9 | 845.6 | 777.9 | 1108.4 | 546.8 | 1460.4 | 1238.4 | 855.0 | **135,599.4** |
| OIL | 1971 | 42.1 | 38.9 | 41.6 | 52.9 | 51.8 | 35.4 | 31.0 | 34.2 | 17.2 | 35.0 | 40.4 | 36.1 | **19,468.2** |
| DAY | 1970 | 31.0 | 28.0 | 28.0 | 27.0 | 5.0 | 19.0 | 24.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,233.0** |
| H2O | 1970 | 1019.7 | 967.4 | 929.2 | 939.4 | 170.5 | 636.9 | 781.1 | 1038.6 | 880.3 | 1051.5 | 965.5 | 1001.1 | **123,926.0** |
| OIL | 1970 | 26.5 | 24.9 | 25.4 | 26.1 | 4.8 | 16.4 | 18.1 | 24.2 | 29.1 | 43.5 | 40.0 | 45.3 | **19,011.6** |
| DAY | 1969 | 29.0 | 28.0 | 31.0 | 25.0 | 31.0 | 29.0 | 22.0 | 31.0 | 27.0 | 19.0 | 30.0 | 31.0 | **4,919.0** |
| H2O | 1969 | 546.6 | 562.9 | 603.0 | 488.1 | 669.8 | 800.6 | 735.0 | 914.5 | 899.2 | 642.1 | 1038.5 | 1033.8 | **113,544.8** |
| OIL | 1969 | 11.1 | 11.1 | 11.0 | 9.5 | 13.0 | 12.4 | 10.6 | 23.5 | 23.7 | 17.2 | 24.5 | 26.7 | **18,687.3** |
| DAY | 1968 | 17.0 | 29.0 | 26.0 | 30.0 | 30.0 | 30.0 | 27.0 | 31.0 | 9.0 | 31.0 | 30.0 | 31.0 | **4,586.0** |
| H2O | 1968 | 303.9 | 533.1 | 533.7 | 600.1 | 561.6 | 618.1 | 528.2 | 601.4 | 179.3 | 609.9 | 620.4 | 611.1 | **104,610.7** |
| OIL | 1968 | 7.9 | 13.5 | 12.7 | 13.3 | 12.4 | 13.0 | 11.3 | 13.2 | 3.7 | 12.4 | 13.3 | 13.8 | **18,493.0** |
| DAY | 1967 | 0.0 | 27.0 | 31.0 | 14.0 | 8.0 | 0.0 | 0.0 | 9.0 | 0.0 | 0.0 | 4.0 | 30.0 | **4,265.0** |
| H2O | 1967 | 28.9 | 882.7 | 1005.1 | 431.5 | 276.9 | 0.0 | 0.0 | 119.7 | 0.0 | 0.0 | 35.8 | 520.9 | **98,309.9** |

# Manitoba Production
## 1950 To 1975

Licence ***575*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-28-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1967 | 0.5 | 15.4 | 16.7 | 7.6 | 4.8 | 0.0 | 0.0 | 3.3 | 0.0 | 0.0 | 1.1 | 14.5 | **18,352.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 25.0 | 0.0 | 7.0 | 13.0 | 31.0 | 0.0 | 0.0 | 20.0 | 18.0 | **4,142.0** |
| H2O | 1966 | 1073.9 | 1293.3 | 929.9 | 785.7 | 0.0 | 208.8 | 369.9 | 272.6 | 0.0 | 0.0 | 667.7 | 501.9 | **95,008.4** |
| OIL | 1966 | 14.5 | 14.0 | 15.7 | 14.3 | 0.0 | 4.6 | 7.3 | 4.9 | 0.0 | 0.0 | 11.8 | 9.1 | **18,288.6** |
| DAY | 1965 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 22.0 | 12.0 | 12.0 | 12.0 | 29.0 | **3,938.0** |
| H2O | 1965 | 931.9 | 981.4 | 1071.7 | 1050.9 | 1043.1 | 939.1 | 994.9 | 600.4 | 356.3 | 404.3 | 361.4 | 1132.7 | **88,904.7** |
| OIL | 1965 | 22.9 | 23.2 | 22.9 | 24.9 | 24.6 | 21.0 | 13.8 | 8.6 | 8.4 | 2.5 | 4.9 | 12.7 | **18,192.4** |
| DAY | 1964 | 31.0 | 29.0 | 27.0 | 28.0 | 31.0 | 28.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,643.0** |
| H2O | 1964 | 855.5 | 1103.8 | 858.3 | 792.4 | 705.2 | 844.0 | 1002.4 | 946.1 | 789.0 | 1029.1 | 938.0 | 983.1 | **79,036.6** |
| OIL | 1964 | 59.9 | 64.5 | 58.0 | 38.1 | 52.8 | 75.8 | 35.1 | 33.4 | 26.1 | 29.7 | 31.9 | 26.7 | **18,002.0** |
| DAY | 1963 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,287.0** |
| H2O | 1963 | 1058.5 | 1036.7 | 1038.6 | 430.5 | 606.9 | 569.2 | 666.0 | 580.5 | 703.8 | 699.4 | 899.7 | 901.1 | **68,189.7** |
| OIL | 1963 | 67.7 | 61.2 | 62.6 | 22.6 | 27.7 | 19.7 | 22.9 | 23.4 | 24.2 | 24.9 | 55.3 | 57.5 | **17,470.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 20.0 | 31.0 | 30.0 | 31.0 | **2,926.0** |
| H2O | 1962 | 1035.9 | 920.0 | 958.6 | 937.5 | 895.7 | 900.5 | 922.4 | 925.9 | 519.1 | 997.8 | 1068.8 | 1039.3 | **58,998.8** |
| OIL | 1962 | 83.9 | 71.0 | 76.6 | 71.0 | 68.3 | 68.8 | 62.1 | 62.0 | 31.3 | 65.5 | 66.7 | 65.5 | **17,000.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,572.0** |
| H2O | 1961 | 894.7 | 788.4 | 905.7 | 823.8 | 884.2 | 945.0 | 884.7 | 780.4 | 836.7 | 868.0 | 1074.1 | 1060.2 | **47,877.3** |
| OIL | 1961 | 81.7 | 70.1 | 87.1 | 76.9 | 72.9 | 73.1 | 80.7 | 66.6 | 71.7 | 72.9 | 85.0 | 86.9 | **16,207.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | **2,208.0** |
| H2O | 1960 | 827.3 | 776.8 | 827.8 | 778.0 | 970.3 | 1028.6 | 1010.3 | 946.9 | 1037.7 | 940.0 | 981.4 | 913.7 | **37,131.4** |
| OIL | 1960 | 135.1 | 117.6 | 104.1 | 104.6 | 126.3 | 145.4 | 128.6 | 95.3 | 94.6 | 83.7 | 88.7 | 87.7 | **15,282.0** |
| DAY | 1959 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,846.0** |
| H2O | 1959 | 722.4 | 697.3 | 768.8 | 648.6 | 799.8 | 758.2 | 893.1 | 915.6 | 885.8 | 893.9 | 825.6 | 835.3 | **26,092.6** |
| OIL | 1959 | 141.4 | 130.6 | 135.7 | 94.1 | 125.1 | 126.5 | 151.6 | 150.5 | 143.2 | 151.0 | 129.4 | 135.1 | **13,970.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,485.0** |
| H2O | 1958 | 657.2 | 616.0 | 683.0 | 668.4 | 566.9 | 669.3 | 715.6 | 698.4 | 794.9 | 714.0 | 731.5 | 748.0 | **16,448.2** |
| OIL | 1958 | 232.0 | 209.1 | 218.3 | 210.4 | 201.7 | 238.0 | 246.8 | 225.2 | 165.9 | 153.3 | 151.4 | 147.6 | **12,356.1** |
| DAY | 1957 | 31.0 | 26.0 | 30.0 | 30.0 | 25.0 | 29.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,123.0** |
| H2O | 1957 | 148.5 | 184.4 | 226.2 | 212.8 | 177.8 | 196.0 | 488.9 | 666.8 | 628.4 | 612.8 | 680.1 | 694.1 | **8,185.0** |
| OIL | 1957 | 261.2 | 189.3 | 229.0 | 216.1 | 197.8 | 224.7 | 269.0 | 271.9 | 290.6 | 248.4 | 241.7 | 236.9 | **9,956.4** |
| DAY | 1956 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **770.0** |
| H2O | 1956 | 119.7 | 124.0 | 130.8 | 113.5 | 158.3 | 184.5 | 150.1 | 139.3 | 201.2 | 204.1 | 214.4 | 173.4 | **3,268.2** |
| OIL | 1956 | 253.1 | 223.9 | 209.8 | 222.3 | 224.7 | 188.5 | 282.5 | 304.9 | 286.7 | 278.1 | 258.5 | 269.5 | **7,079.8** |
| DAY | 1955 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | **407.0** |
| H2O | 1955 | 141.8 | 182.9 | 21.0 | 20.0 | 66.5 | 116.9 | 100.3 | 109.4 | 103.5 | 139.7 | 136.6 | 131.2 | **1,354.9** |
| OIL | 1955 | 212.6 | 276.2 | 278.7 | 266.2 | 302.7 | 467.4 | 396.3 | 368.2 | 381.9 | 337.4 | 300.7 | 279.7 | **4,077.3** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 23.0 | 20.0 | **53.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 84.9 | **85.1** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 57.5 | 66.9 | 84.9 | **209.3** |

Licence ***576*** Well Name ***Daly Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-13-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 687.9 | 576.2 | 602.3 | 553.6 | 515.5 | 582.7 | 413.0 | 436.0 | 569.3 | 451.8 | 418.9 | 467.5 | **183,830.2** |
| WIN | 1974 | 667.3 | 597.9 | 668.4 | 648.8 | 702.0 | 645.5 | 469.9 | 583.2 | 694.1 | 625.4 | 650.1 | 591.8 | **177,555.5** |
| WIN | 1973 | 856.2 | 976.9 | 1031.6 | 904.7 | 788.7 | 694.2 | 767.6 | 721.4 | 673.9 | 718.6 | 691.4 | 700.3 | **170,011.1** |
| WIN | 1972 | 914.0 | 831.9 | 859.3 | 865.4 | 722.4 | 430.8 | 1032.1 | 935.4 | 867.4 | 912.5 | 819.9 | 774.5 | **160,485.6** |
| WIN | 1971 | 790.0 | 825.0 | 892.7 | 820.8 | 831.1 | 728.7 | 811.3 | 798.1 | 824.3 | 843.0 | 849.8 | 923.7 | **150,520.0** |
| WIN | 1970 | 725.4 | 699.3 | 697.7 | 626.9 | 641.5 | 573.1 | 541.6 | 503.2 | 591.5 | 678.7 | 667.6 | 743.6 | **140,581.5** |
| WIN | 1969 | 599.9 | 734.7 | 799.7 | 761.1 | 802.1 | 720.1 | 780.8 | 670.0 | 476.7 | 858.7 | 746.0 | 810.8 | **132,891.4** |

# Manitoba Production
## 1950 To 1975

Licence ***576*** Well Name ***Daly Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-13-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1968 | 994.9 | 818.0 | 854.6 | 788.9 | 769.7 | 720.9 | 698.5 | 656.0 | 592.9 | 650.4 | 558.5 | 585.5 | **124,130.8** |
| WIN | 1967 | 647.4 | 571.5 | 635.8 | 633.2 | 626.4 | 622.0 | 678.8 | 675.1 | 676.6 | 689.8 | 470.8 | 698.2 | **115,442.0** |
| WIN | 1966 | 716.0 | 646.9 | 705.2 | 706.6 | 706.6 | 723.5 | 724.6 | 709.8 | 681.7 | 717.4 | 654.1 | 667.7 | **107,816.4** |
| WIN | 1965 | 777.4 | 710.9 | 797.5 | 735.0 | 696.5 | 776.9 | 713.0 | 729.0 | 717.3 | 772.9 | 701.2 | 736.8 | **99,456.3** |
| WIN | 1964 | 905.9 | 823.4 | 909.2 | 862.4 | 1005.6 | 1239.1 | 1093.1 | 961.6 | 905.9 | 807.0 | 769.4 | 811.6 | **90,591.9** |
| WIN | 1963 | 816.5 | 708.1 | 799.8 | 814.1 | 538.5 | 970.5 | 724.6 | 892.8 | 874.0 | 920.3 | 866.3 | 876.5 | **79,497.7** |
| WIN | 1962 | 1148.2 | 1038.1 | 1169.2 | 911.4 | 844.6 | 885.0 | 940.3 | 902.0 | 929.0 | 912.2 | 832.8 | 855.7 | **69,695.7** |
| WIN | 1961 | 914.1 | 988.9 | 1035.7 | 998.0 | 1075.3 | 1112.5 | 1176.3 | 1068.6 | 1088.8 | 1253.2 | 1023.7 | 1087.2 | **58,327.2** |
| WIN | 1960 | 76.5 | 948.2 | 1008.9 | 1004.3 | 980.0 | 944.0 | 966.5 | 982.1 | 896.0 | 744.4 | 1068.6 | 1141.7 | **45,504.9** |
| WIN | 1959 | 919.1 | 958.7 | 1055.6 | 1033.3 | 1009.7 | 1102.9 | 1188.6 | 1159.1 | 1109.6 | 1008.3 | 575.2 | 0.0 | **34,743.7** |
| WIN | 1958 | 993.8 | 789.8 | 955.6 | 1019.4 | 808.9 | 948.7 | 1055.4 | 1069.6 | 898.5 | 1001.8 | 900.3 | 980.1 | **23,623.6** |
| WIN | 1957 | 0.0 | 0.0 | 422.1 | 1654.3 | 1929.8 | 1595.7 | 1125.7 | 1106.1 | 1047.2 | 965.7 | 850.1 | 1048.6 | **12,201.7** |
| WIN | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 456.4 | 0.0 | **456.4** |
| DAY | 1955 | 31.0 | 28.0 | 29.0 | 30.0 | 30.0 | 26.0 | 31.0 | 31.0 | 29.0 | 31.0 | 4.0 | 0.0 | **361.0** |
| H2O | 1955 | 26.0 | 54.0 | 18.1 | 13.8 | 20.7 | 113.8 | 13.8 | 21.9 | 20.8 | 17.8 | 2.2 | 0.0 | **447.3** |
| OIL | 1955 | 247.1 | 209.0 | 183.5 | 195.3 | 196.9 | 172.7 | 187.0 | 110.4 | 101.1 | 100.1 | 12.9 | 0.0 | **2,356.8** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 28.0 | 31.0 | **61.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 29.3 | 93.0 | **124.4** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 36.9 | 309.6 | 294.3 | **640.8** |

Licence ***578*** Well Name ***Kiwi Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-28-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole C*** Field Code ***1*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 26.0 | 0.0 | 11.0 | 22.0 | 31.0 | 21.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,650.0** |
| OIL | 1975 | 26.1 | 0.0 | 8.7 | 31.0 | 22.2 | 19.1 | 25.3 | 29.6 | 21.5 | 16.5 | 26.9 | 22.1 | **17,121.7** |
| DAY | 1974 | 31.0 | 0.0 | 31.0 | 30.0 | 0.0 | 26.0 | 31.0 | 22.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,361.0** |
| H2O | 1974 | 1268.7 | 1339.2 | 1705.8 | 1733.9 | 2001.8 | 159.0 | 183.8 | 220.2 | 0.0 | 0.0 | 0.0 | 0.0 | **84,078.9** |
| OIL | 1974 | 14.3 | 15.1 | 19.2 | 19.5 | 22.6 | 19.4 | 22.4 | 26.9 | 30.0 | 10.5 | 23.2 | 18.9 | **16,872.7** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,068.0** |
| H2O | 1973 | 854.5 | 1941.3 | 2159.9 | 1494.3 | 1480.1 | 1282.8 | 1437.8 | 1226.4 | 1381.4 | 1480.1 | 1296.8 | 1353.3 | **75,466.5** |
| OIL | 1973 | 14.9 | 16.7 | 15.6 | 16.8 | 16.7 | 14.5 | 16.2 | 13.8 | 15.6 | 16.7 | 14.6 | 15.3 | **16,630.7** |
| DAY | 1972 | 25.0 | 0.0 | 17.0 | 0.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **5,703.0** |
| H2O | 1972 | 152.8 | 0.0 | 167.1 | 172.5 | 183.3 | 159.0 | 133.6 | 161.2 | 148.0 | 256.9 | 605.4 | 668.7 | **58,077.8** |
| OIL | 1972 | 14.6 | 0.0 | 17.0 | 18.6 | 18.1 | 19.2 | 18.0 | 19.1 | 17.8 | 18.0 | 19.5 | 20.7 | **16,443.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,420.0** |
| H2O | 1971 | 220.0 | 367.4 | 387.3 | 365.7 | 341.5 | 320.9 | 344.6 | 287.9 | 202.9 | 258.2 | 256.4 | 163.1 | **55,269.3** |
| OIL | 1971 | 14.3 | 16.5 | 20.7 | 21.9 | 24.0 | 24.3 | 28.0 | 24.0 | 20.0 | 19.2 | 18.8 | 17.8 | **16,242.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | **5,055.0** |
| H2O | 1970 | 359.8 | 524.1 | 394.3 | 386.4 | 404.1 | 367.3 | 362.5 | 354.9 | 346.9 | 363.6 | 325.0 | 257.5 | **51,753.4** |
| OIL | 1970 | 33.2 | 17.5 | 15.4 | 14.8 | 14.9 | 32.7 | 22.4 | 22.1 | 22.9 | 19.4 | 23.2 | 17.2 | **15,993.2** |
| DAY | 1969 | 28.0 | 26.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 0.0 | 30.0 | 31.0 | 20.0 | 31.0 | **4,696.0** |
| H2O | 1969 | 320.4 | 405.1 | 433.7 | 362.5 | 384.4 | 348.2 | 364.7 | 345.0 | 324.4 | 325.3 | 209.9 | 256.3 | **47,307.0** |
| OIL | 1969 | 33.7 | 24.8 | 32.7 | 32.6 | 36.2 | 35.9 | 38.1 | 35.3 | 30.2 | 30.8 | 25.4 | 31.5 | **15,737.5** |
| DAY | 1968 | 29.0 | 29.0 | 29.0 | 27.0 | 28.0 | 26.0 | 20.0 | 28.0 | 28.0 | 29.0 | 30.0 | 28.0 | **4,378.0** |
| H2O | 1968 | 404.1 | 391.6 | 220.7 | 116.3 | 233.5 | 400.3 | 196.4 | 229.4 | 399.1 | 293.8 | 323.6 | 302.1 | **43,227.1** |
| OIL | 1968 | 21.1 | 21.5 | 22.7 | 35.6 | 24.3 | 33.1 | 27.8 | 32.4 | 29.7 | 34.2 | 32.6 | 35.4 | **15,350.3** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **4,047.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 355.8 | 613.9 | 509.3 | 367.6 | 458.0 | 449.8 | 397.0 | **39,716.2** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 51.3 | 20.5 | 20.2 | 19.1 | 24.6 | 21.6 | 21.0 | **14,999.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 25.0 | 23.0 | 28.0 | 29.0 | 28.0 | 30.0 | 25.0 | 24.0 | 6.0 | **3,842.0** |
| H2O | 1966 | 534.6 | 249.4 | 251.2 | 141.5 | 61.7 | 51.0 | 32.6 | 45.0 | 767.9 | 501.2 | 332.2 | 129.6 | **36,564.8** |

# Manitoba Production
## 1950 To 1975

Licence ***578*** Well Name ***Kiwi Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-28-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole C*** Field Code ***1*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1966 | 19.1 | 23.7 | 24.2 | 18.3 | 19.4 | 17.0 | 25.9 | 25.4 | 22.7 | 17.0 | 18.6 | 4.4 | **14,821.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 25.0 | 21.0 | 26.0 | 29.0 | 29.0 | 28.0 | 28.0 | 29.0 | 31.0 | **3,534.0** |
| H2O | 1965 | 1092.3 | 1017.2 | 1125.6 | 754.4 | 210.8 | 931.6 | 640.4 | 611.8 | 551.7 | 577.1 | 640.2 | 620.7 | **33,466.9** |
| OIL | 1965 | 18.1 | 19.2 | 21.8 | 18.4 | 33.4 | 31.9 | 30.2 | 33.7 | 26.2 | 23.0 | 23.2 | 25.9 | **14,585.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 27.0 | 29.0 | 27.0 | 29.0 | 29.0 | 27.0 | 28.0 | 28.0 | 31.0 | **3,198.0** |
| H2O | 1964 | 1143.1 | 1078.2 | 1222.4 | 941.9 | 1090.3 | 1048.8 | 1087.6 | 449.0 | 212.9 | 785.9 | 992.1 | 1035.9 | **24,693.1** |
| OIL | 1964 | 23.0 | 21.1 | 22.6 | 26.9 | 30.0 | 25.4 | 29.4 | 30.0 | 15.7 | 23.0 | 26.1 | 19.5 | **14,280.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 27.0 | 28.0 | 27.0 | 28.0 | 28.0 | 27.0 | 28.0 | 28.0 | 28.0 | **2,852.0** |
| H2O | 1963 | 519.5 | 532.2 | 442.6 | 303.7 | 234.2 | 204.6 | 190.5 | 155.2 | 132.6 | 127.9 | 135.3 | 975.4 | **13,605.0** |
| OIL | 1963 | 39.6 | 32.9 | 38.8 | 27.2 | 28.4 | 28.1 | 28.9 | 27.8 | 26.7 | 26.7 | 23.2 | 25.1 | **13,988.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 27.0 | 28.0 | 28.0 | 29.0 | 28.0 | 23.0 | 31.0 | **2,513.0** |
| H2O | 1962 | 288.2 | 241.0 | 254.0 | 220.3 | 151.9 | 137.1 | 270.2 | 252.9 | 219.7 | 208.3 | 182.7 | 303.1 | **9,651.3** |
| OIL | 1962 | 24.5 | 22.6 | 26.5 | 23.2 | 35.3 | 31.5 | 34.5 | 38.0 | 37.5 | 30.0 | 33.2 | 39.9 | **13,634.8** |
| DAY | 1961 | 29.0 | 25.0 | 28.0 | 27.0 | 28.0 | 27.0 | 28.0 | 27.0 | 27.0 | 28.0 | 27.0 | 31.0 | **2,171.0** |
| H2O | 1961 | 354.6 | 258.3 | 241.2 | 249.3 | 248.3 | 222.4 | 207.0 | 201.4 | 208.3 | 221.6 | 251.3 | 289.5 | **6,921.9** |
| OIL | 1961 | 36.5 | 23.4 | 29.7 | 37.7 | 42.6 | 39.7 | 42.7 | 43.9 | 41.3 | 42.6 | 26.2 | 24.9 | **13,258.1** |
| DAY | 1960 | 31.0 | 29.0 | 29.0 | 28.0 | 19.0 | 27.0 | 28.0 | 24.0 | 27.0 | 27.0 | 26.0 | 31.0 | **1,839.0** |
| H2O | 1960 | 341.7 | 224.0 | 179.8 | 298.2 | 150.1 | 235.8 | 153.4 | 138.4 | 153.6 | 133.4 | 90.9 | 389.8 | **3,968.7** |
| OIL | 1960 | 89.5 | 68.0 | 72.8 | 76.9 | 40.7 | 52.8 | 56.7 | 48.3 | 64.2 | 58.2 | 48.9 | 56.9 | **12,826.9** |
| DAY | 1959 | 31.0 | 28.0 | 20.0 | 27.0 | 31.0 | 16.0 | 4.0 | 22.0 | 15.0 | 30.0 | 30.0 | 26.0 | **1,513.0** |
| H2O | 1959 | 65.8 | 66.4 | 55.6 | 114.5 | 150.7 | 107.8 | 32.6 | 41.0 | 101.3 | 293.6 | 172.4 | 170.0 | **1,479.6** |
| OIL | 1959 | 222.8 | 200.2 | 139.0 | 144.3 | 179.6 | 72.9 | 28.1 | 39.1 | 70.7 | 127.6 | 81.0 | 66.4 | **12,093.0** |
| DAY | 1958 | 26.0 | 24.0 | 26.0 | 25.0 | 26.0 | 25.0 | 26.0 | 26.0 | 25.0 | 26.0 | 26.0 | 30.0 | **1,233.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.5 | 25.4 | 62.0 | **107.9** |
| OIL | 1958 | 224.7 | 202.0 | 222.6 | 214.1 | 220.2 | 208.2 | 219.8 | 219.0 | 210.6 | 221.2 | 215.5 | 224.2 | **10,721.3** |
| DAY | 1957 | 26.0 | 24.0 | 26.0 | 25.0 | 26.0 | 25.0 | 26.0 | 26.0 | 25.0 | 26.0 | 25.0 | 26.0 | **922.0** |
| OIL | 1957 | 224.1 | 202.0 | 222.3 | 214.7 | 220.1 | 212.3 | 217.7 | 213.7 | 213.1 | 221.7 | 213.1 | 220.4 | **8,119.2** |
| DAY | 1956 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 23.0 | 26.0 | 24.0 | 19.0 | **616.0** |
| H2O | 1956 | 1.0 | 1.0 | 1.3 | 1.3 | 2.5 | 1.6 | 1.3 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | **17.0** |
| OIL | 1956 | 236.6 | 248.2 | 265.4 | 254.3 | 263.6 | 253.6 | 260.6 | 268.2 | 189.7 | 210.6 | 214.8 | 222.6 | **5,524.0** |
| DAY | 1955 | 23.0 | 28.0 | 28.0 | 6.0 | 0.0 | 19.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | **282.0** |
| H2O | 1955 | 1.1 | 0.8 | 0.3 | 0.0 | 0.0 | 0.3 | 0.5 | 1.1 | 0.5 | 0.5 | 0.6 | 0.8 | **6.5** |
| OIL | 1955 | 361.7 | 271.7 | 278.4 | 51.6 | 0.0 | 161.3 | 259.7 | 262.5 | 255.4 | 262.8 | 256.6 | 214.1 | **2,635.8** |

Licence ***579*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **7,605.0** |
| H2O | 1975 | 1291.1 | 1288.5 | 1507.9 | 1446.9 | 1608.9 | 1450.4 | 1445.1 | 1425.9 | 1392.0 | 1361.2 | 1297.3 | 1330.7 | **115,038.7** |
| OIL | 1975 | 418.7 | 421.7 | 467.2 | 436.7 | 457.8 | 387.1 | 405.4 | 390.9 | 376.6 | 394.4 | 386.3 | 397.6 | **87,267.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,245.0** |
| H2O | 1974 | 813.7 | 641.3 | 780.0 | 708.6 | 742.3 | 805.6 | 1190.1 | 1709.0 | 1718.4 | 1764.0 | 1529.1 | 1690.6 | **98,192.8** |
| OIL | 1974 | 326.7 | 298.1 | 331.6 | 319.6 | 312.3 | 303.0 | 421.6 | 603.5 | 568.1 | 587.2 | 550.8 | 588.8 | **82,327.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 26.0 | 30.0 | 31.0 | 25.0 | 31.0 | **6,889.0** |
| H2O | 1973 | 658.5 | 597.3 | 638.3 | 561.5 | 579.5 | 597.6 | 447.5 | 394.3 | 442.6 | 399.0 | 308.3 | 783.0 | **84,100.1** |
| OIL | 1973 | 404.7 | 356.3 | 361.0 | 354.1 | 348.8 | 337.0 | 290.6 | 234.1 | 273.0 | 288.9 | 226.6 | 318.1 | **77,116.2** |
| DAY | 1972 | 28.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | **6,535.0** |
| H2O | 1972 | 793.0 | 886.0 | 869.6 | 726.5 | 782.5 | 659.8 | 628.4 | 708.3 | 678.5 | 642.4 | 595.5 | 496.7 | **77,692.7** |
| OIL | 1972 | 435.1 | 464.2 | 506.0 | 491.8 | 513.0 | 438.4 | 473.2 | 459.4 | 456.1 | 406.5 | 391.4 | 367.6 | **73,323.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,177.0** |
| H2O | 1971 | 832.1 | 822.4 | 885.2 | 912.2 | 949.9 | 782.2 | 735.4 | 875.2 | 788.1 | 574.1 | 596.5 | 596.7 | **69,225.5** |

# Manitoba Production
# 1950 To 1975

Licence ***579*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1971 | 598.9 | 558.7 | 625.6 | 596.7 | 597.7 | 577.3 | 535.8 | 568.6 | 542.0 | 387.3 | 385.7 | 393.0 | **67,920.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **5,814.0** |
| H2O | 1970 | 881.2 | 835.8 | 942.9 | 858.7 | 900.8 | 876.6 | 773.1 | 757.4 | 747.7 | 750.7 | 613.8 | 713.2 | **59,875.5** |
| OIL | 1970 | 722.7 | 640.9 | 665.2 | 637.4 | 661.9 | 619.4 | 628.3 | 633.4 | 542.4 | 557.6 | 514.2 | 580.8 | **61,553.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 28.0 | 31.0 | 28.0 | 31.0 | **5,451.0** |
| H2O | 1969 | 1128.0 | 922.9 | 844.5 | 847.2 | 940.7 | 900.8 | 950.7 | 646.4 | 890.1 | 865.6 | 1105.9 | 985.5 | **50,223.6** |
| OIL | 1969 | 862.2 | 740.5 | 684.3 | 788.0 | 793.4 | 789.0 | 803.9 | 537.3 | 703.5 | 657.1 | 710.2 | 721.5 | **54,148.8** |
| DAY | 1968 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 26.0 | 31.0 | **5,095.0** |
| H2O | 1968 | 740.4 | 780.0 | 1032.1 | 1012.7 | 969.9 | 830.7 | 877.4 | 844.2 | 799.4 | 584.7 | 570.7 | 1107.0 | **39,195.3** |
| OIL | 1968 | 728.1 | 692.5 | 887.2 | 834.9 | 828.7 | 746.1 | 778.8 | 720.0 | 737.3 | 557.0 | 482.8 | 846.0 | **45,357.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **4,739.0** |
| H2O | 1967 | 1026.1 | 873.9 | 990.6 | 895.4 | 978.2 | 899.3 | 866.1 | 996.3 | 885.5 | 735.8 | 814.9 | 823.2 | **29,046.1** |
| OIL | 1967 | 1175.8 | 1004.5 | 1133.0 | 999.9 | 1048.8 | 953.8 | 1010.5 | 1037.8 | 876.5 | 764.0 | 771.2 | 776.3 | **36,518.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 28.0 | 30.0 | 31.0 | **4,377.0** |
| H2O | 1966 | 336.1 | 322.4 | 307.5 | 511.0 | 554.8 | 542.0 | 515.4 | 606.2 | 430.7 | 446.6 | 1199.5 | 1097.3 | **18,260.8** |
| OIL | 1966 | 287.9 | 259.5 | 306.5 | 690.5 | 651.2 | 560.6 | 561.4 | 552.8 | 473.6 | 526.5 | 1305.3 | 1223.8 | **24,966.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,018.0** |
| H2O | 1965 | 238.2 | 197.3 | 185.8 | 199.0 | 186.5 | 142.4 | 120.5 | 192.4 | 138.5 | 146.3 | 154.8 | 278.1 | **11,391.3** |
| OIL | 1965 | 197.8 | 159.9 | 175.0 | 172.6 | 173.8 | 149.2 | 179.7 | 168.9 | 171.5 | 169.6 | 186.1 | 229.5 | **17,566.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,654.0** |
| H2O | 1964 | 198.7 | 207.0 | 205.4 | 166.5 | 173.1 | 163.7 | 203.3 | 312.7 | 281.7 | 284.7 | 280.9 | 259.0 | **9,211.5** |
| OIL | 1964 | 160.0 | 146.4 | 158.8 | 132.1 | 155.4 | 150.8 | 174.2 | 244.4 | 231.5 | 220.7 | 209.1 | 208.8 | **15,433.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,288.0** |
| H2O | 1963 | 247.5 | 216.8 | 193.5 | 192.8 | 182.8 | 173.9 | 166.3 | 145.1 | 182.7 | 182.0 | 180.8 | 206.4 | **6,474.8** |
| OIL | 1963 | 122.7 | 112.8 | 122.8 | 120.0 | 123.3 | 116.5 | 137.5 | 148.7 | 165.1 | 161.1 | 155.3 | 153.5 | **13,241.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,923.0** |
| H2O | 1962 | 113.5 | 99.4 | 108.3 | 102.1 | 112.9 | 105.7 | 107.8 | 134.7 | 155.0 | 174.4 | 196.0 | 201.4 | **4,204.2** |
| OIL | 1962 | 115.7 | 104.1 | 116.5 | 111.7 | 116.5 | 113.6 | 108.9 | 112.2 | 104.2 | 114.4 | 119.3 | 123.9 | **11,601.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,559.0** |
| H2O | 1961 | 121.3 | 107.2 | 123.7 | 105.9 | 87.8 | 70.9 | 142.9 | 126.7 | 114.5 | 107.8 | 106.5 | 114.3 | **2,593.0** |
| OIL | 1961 | 96.1 | 84.2 | 96.3 | 91.8 | 114.4 | 126.5 | 93.9 | 101.1 | 113.6 | 117.4 | 113.6 | 116.2 | **10,240.7** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 21.0 | 20.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,196.0** |
| H2O | 1960 | 1.4 | 1.3 | 1.0 | 1.1 | 0.0 | 0.0 | 0.0 | 78.2 | 143.4 | 126.2 | 132.9 | 132.1 | **1,263.5** |
| OIL | 1960 | 40.7 | 36.1 | 39.7 | 37.8 | 32.6 | 30.2 | 20.8 | 67.5 | 93.0 | 94.6 | 85.8 | 103.1 | **8,975.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,852.0** |
| H2O | 1959 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 1.3 | 1.3 | 1.4 | 1.3 | 1.4 | **645.9** |
| OIL | 1959 | 59.0 | 49.9 | 52.0 | 24.8 | 25.6 | 25.4 | 39.1 | 46.9 | 42.1 | 42.7 | 40.8 | 41.0 | **8,293.7** |
| DAY | 1958 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,487.0** |
| H2O | 1958 | 4.3 | 3.8 | 4.1 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **637.9** |
| OIL | 1958 | 68.0 | 63.9 | 67.7 | 52.1 | 52.3 | 52.9 | 50.9 | 44.7 | 44.0 | 55.9 | 51.3 | 53.1 | **7,804.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,130.0** |
| H2O | 1957 | 16.9 | 17.3 | 20.0 | 18.9 | 3.7 | 4.6 | 25.0 | 26.5 | 22.3 | 1.4 | 1.3 | 1.3 | **625.5** |
| OIL | 1957 | 118.2 | 117.4 | 130.8 | 119.7 | 91.2 | 98.8 | 85.2 | 86.3 | 78.2 | 77.9 | 62.3 | 68.0 | **7,147.6** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 25.0 | 31.0 | **769.0** |
| H2O | 1956 | 2.4 | 2.9 | 17.6 | 14.6 | 18.8 | 17.6 | 31.5 | 20.7 | 117.2 | 20.3 | 16.1 | 19.7 | **466.3** |
| OIL | 1956 | 261.2 | 235.8 | 196.3 | 201.3 | 225.3 | 200.2 | 206.1 | 235.7 | 171.9 | 142.5 | 117.9 | 122.4 | **6,013.6** |
| DAY | 1955 | 30.0 | 27.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **411.0** |
| H2O | 1955 | 27.7 | 20.5 | 21.8 | 21.6 | 18.0 | 20.0 | 7.5 | 11.6 | 1.4 | 2.4 | 2.2 | 2.7 | **166.9** |
| OIL | 1955 | 255.2 | 223.3 | 238.0 | 236.5 | 200.2 | 218.2 | 274.9 | 321.2 | 309.1 | 309.1 | 287.3 | 276.7 | **3,697.0** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 21.0 | 30.0 | **52.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.4 | 4.1 | **9.5** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.9 | 248.7 | 289.7 | **547.3** |

# Manitoba Production
## 1950 To 1975

Licence ***580*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-13-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 28.0 | 0.0 | 0.0 | 0.0 | 15.0 | 30.0 | 14.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,746.0** |
| H2O | 1965 | 33.3 | 0.0 | 0.0 | 0.0 | 46.3 | 82.2 | 36.6 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | **12,974.6** |
| OIL | 1965 | 20.4 | 0.0 | 0.0 | 0.0 | 2.1 | 4.3 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,163.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,657.0** |
| H2O | 1964 | 85.7 | 80.3 | 104.9 | 92.8 | 81.6 | 80.8 | 79.6 | 70.0 | 73.9 | 61.7 | 40.2 | 34.8 | **12,775.1** |
| OIL | 1964 | 35.3 | 30.8 | 45.0 | 42.0 | 25.6 | 25.4 | 25.7 | 24.8 | 34.6 | 25.9 | 24.5 | 23.8 | **5,135.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,291.0** |
| H2O | 1963 | 101.9 | 92.2 | 103.3 | 101.6 | 92.8 | 78.4 | 96.7 | 67.9 | 72.5 | 72.2 | 78.7 | 82.2 | **11,888.8** |
| OIL | 1963 | 27.5 | 21.9 | 28.0 | 27.2 | 40.7 | 34.8 | 38.8 | 36.5 | 37.3 | 38.5 | 34.6 | 35.8 | **4,772.1** |
| DAY | 1962 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **2,928.0** |
| H2O | 1962 | 63.6 | 49.4 | 57.1 | 53.6 | 53.9 | 66.1 | 69.0 | 75.7 | 83.0 | 94.0 | 94.0 | 116.5 | **10,848.4** |
| OIL | 1962 | 13.2 | 11.9 | 14.3 | 13.0 | 13.3 | 25.4 | 27.2 | 27.7 | 27.0 | 28.0 | 26.9 | 24.0 | **4,370.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,566.0** |
| H2O | 1961 | 134.8 | 76.3 | 83.5 | 87.1 | 58.7 | 52.9 | 57.7 | 42.9 | 52.8 | 53.3 | 51.4 | 54.4 | **9,972.5** |
| OIL | 1961 | 40.8 | 38.9 | 42.1 | 40.7 | 15.6 | 12.1 | 14.6 | 10.0 | 14.5 | 14.6 | 14.0 | 13.5 | **4,118.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,210.0** |
| H2O | 1960 | 115.4 | 108.3 | 117.8 | 115.9 | 119.6 | 82.5 | 91.1 | 99.4 | 96.5 | 102.4 | 132.6 | 114.3 | **9,166.7** |
| OIL | 1960 | 39.7 | 42.7 | 43.7 | 42.7 | 44.0 | 62.9 | 40.7 | 39.7 | 37.0 | 37.2 | 33.5 | 39.6 | **3,847.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **1,844.0** |
| H2O | 1959 | 116.7 | 104.1 | 113.7 | 110.0 | 71.2 | 130.4 | 96.5 | 117.3 | 107.3 | 118.1 | 106.7 | 111.6 | **7,870.9** |
| OIL | 1959 | 47.2 | 40.7 | 45.1 | 43.2 | 63.4 | 15.3 | 37.8 | 34.3 | 33.5 | 39.6 | 32.6 | 33.4 | **3,343.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,481.0** |
| H2O | 1958 | 149.0 | 130.2 | 140.7 | 136.7 | 124.3 | 105.9 | 117.6 | 130.5 | 53.7 | 120.2 | 119.6 | 119.7 | **6,567.3** |
| OIL | 1958 | 38.5 | 35.3 | 39.7 | 37.8 | 53.4 | 54.8 | 58.6 | 39.6 | 49.9 | 46.6 | 44.5 | 47.5 | **2,877.7** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,116.0** |
| H2O | 1957 | 108.6 | 163.4 | 167.2 | 149.6 | 116.4 | 166.0 | 188.7 | 111.9 | 116.9 | 136.7 | 146.7 | 150.1 | **5,119.2** |
| OIL | 1957 | 66.9 | 36.5 | 46.1 | 50.7 | 41.6 | 48.5 | 36.5 | 59.9 | 45.3 | 40.2 | 39.7 | 40.4 | **2,331.5** |
| DAY | 1956 | 25.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 23.0 | 31.0 | **752.0** |
| H2O | 1956 | 95.5 | 113.5 | 144.0 | 133.9 | 136.2 | 147.5 | 124.6 | 130.5 | 145.6 | 138.2 | 127.0 | 111.8 | **3,397.0** |
| OIL | 1956 | 45.8 | 55.0 | 53.9 | 53.7 | 62.1 | 53.9 | 52.3 | 48.5 | 53.6 | 63.7 | 51.0 | 60.7 | **1,779.2** |
| DAY | 1955 | 28.0 | 28.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **402.0** |
| H2O | 1955 | 169.8 | 44.4 | 144.8 | 107.2 | 151.0 | 278.1 | 134.3 | 206.4 | 202.7 | 127.5 | 120.7 | 124.3 | **1,848.7** |
| OIL | 1955 | 84.9 | 103.3 | 96.5 | 107.1 | 100.6 | 92.6 | 89.5 | 39.6 | 37.5 | 70.2 | 69.8 | 62.6 | **1,125.0** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 13.0 | 29.0 | **43.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.4 | 29.1 | **37.5** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.3 | 58.6 | 94.9 | **170.8** |

Licence ***581*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-28-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 29.0 | 31.0 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,014.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 52.1 | 4.0 | 4.5 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,353.2** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 12.6 | 3.0 | 3.3 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | **6,621.5** |
| DAY | 1968 | 14.0 | 26.0 | 30.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 4.0 | 0.0 | **4,917.0** |
| H2O | 1968 | 0.0 | 0.0 | 39.6 | 48.3 | 46.7 | 49.8 | 42.4 | 48.3 | 48.0 | 49.1 | 6.5 | 0.0 | **2,291.6** |
| OIL | 1968 | 7.0 | 13.2 | 11.6 | 13.3 | 12.7 | 13.0 | 11.1 | 13.2 | 12.4 | 12.4 | 1.7 | 0.0 | **6,602.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 19.0 | 30.0 | **4,633.0** |
| OIL | 1967 | 14.6 | 13.3 | 14.0 | 14.3 | 14.8 | 12.1 | 11.6 | 12.6 | 11.4 | 13.8 | 7.9 | 17.3 | **6,480.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 25.0 | 18.0 | 30.0 | 31.0 | **4,280.0** |
| H2O | 1966 | 23.4 | 28.3 | 20.2 | 19.9 | 1.0 | 1.1 | 1.0 | 1.0 | 0.8 | 0.8 | 0.0 | 0.0 | **1,912.9** |
| OIL | 1966 | 34.5 | 32.9 | 37.2 | 39.4 | 41.8 | 42.3 | 37.8 | 32.7 | 27.7 | 18.8 | 14.8 | 15.6 | **6,322.7** |

# Manitoba Production
## 1950 To 1975

Licence ***581*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-28-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **3,935.0** |
| H2O | 1965 | 21.0 | 21.9 | 24.2 | 23.5 | 23.7 | 22.9 | 21.6 | 20.7 | 19.7 | 21.0 | 19.9 | 24.6 | **1,815.4** |
| OIL | 1965 | 28.4 | 28.3 | 28.1 | 30.0 | 30.5 | 28.0 | 32.6 | 31.5 | 50.5 | 14.3 | 29.1 | 29.4 | **5,947.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,574.0** |
| H2O | 1964 | 14.0 | 18.0 | 16.2 | 14.0 | 0.8 | 1.1 | 22.3 | 21.6 | 18.9 | 23.7 | 21.0 | 21.9 | **1,550.7** |
| OIL | 1964 | 40.7 | 43.9 | 45.6 | 28.1 | 25.6 | 38.3 | 42.4 | 41.3 | 34.0 | 37.2 | 38.6 | 32.4 | **5,586.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,209.0** |
| H2O | 1963 | 18.9 | 18.6 | 19.1 | 18.3 | 25.0 | 25.4 | 27.2 | 25.6 | 28.8 | 26.5 | 15.3 | 14.8 | **1,357.2** |
| OIL | 1963 | 64.5 | 59.0 | 62.0 | 54.7 | 65.0 | 50.2 | 53.9 | 59.6 | 56.7 | 54.5 | 39.1 | 39.3 | **5,138.4** |
| DAY | 1962 | 31.0 | 28.0 | 20.0 | 27.0 | 31.0 | 26.0 | 31.0 | 31.0 | 20.0 | 31.0 | 30.0 | 31.0 | **2,846.0** |
| H2O | 1962 | 10.5 | 9.4 | 6.2 | 33.4 | 35.5 | 29.7 | 39.0 | 36.7 | 21.1 | 17.8 | 19.2 | 18.6 | **1,093.7** |
| OIL | 1962 | 14.1 | 12.1 | 8.4 | 107.1 | 114.4 | 96.6 | 111.4 | 104.6 | 54.0 | 62.8 | 64.2 | 62.8 | **4,479.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,509.0** |
| H2O | 1961 | 9.1 | 8.1 | 9.2 | 8.4 | 9.1 | 9.7 | 9.1 | 8.4 | 8.6 | 8.9 | 11.0 | 11.0 | **816.6** |
| OIL | 1961 | 13.8 | 11.9 | 14.8 | 13.0 | 12.4 | 12.4 | 13.7 | 12.1 | 12.1 | 12.4 | 14.3 | 14.8 | **3,667.4** |
| DAY | 1960 | 31.0 | 29.0 | 28.0 | 28.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,144.0** |
| H2O | 1960 | 8.9 | 8.3 | 8.1 | 7.6 | 10.2 | 10.8 | 8.9 | 8.7 | 9.1 | 9.1 | 8.9 | 9.4 | **706.0** |
| OIL | 1960 | 23.0 | 24.3 | 23.8 | 22.6 | 29.2 | 33.7 | 22.7 | 17.6 | 16.7 | 16.2 | 16.2 | 14.8 | **3,509.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **1,784.0** |
| H2O | 1959 | 4.9 | 4.6 | 5.1 | 9.7 | 7.6 | 7.9 | 9.4 | 9.7 | 9.4 | 9.5 | 7.9 | 8.9 | **598.0** |
| OIL | 1959 | 22.4 | 20.0 | 20.7 | 22.6 | 19.4 | 21.5 | 25.9 | 25.6 | 24.5 | 25.7 | 20.2 | 23.0 | **3,248.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,428.0** |
| H2O | 1958 | 5.1 | 4.6 | 5.2 | 5.1 | 4.0 | 5.1 | 9.4 | 9.4 | 4.6 | 4.8 | 4.8 | 4.9 | **503.4** |
| OIL | 1958 | 26.9 | 24.0 | 25.3 | 24.2 | 21.5 | 27.3 | 19.2 | 17.8 | 21.0 | 23.5 | 23.2 | 22.6 | **2,977.4** |
| DAY | 1957 | 31.0 | 26.0 | 30.0 | 30.0 | 31.0 | 27.0 | 30.0 | 27.0 | 27.0 | 27.0 | 30.0 | 31.0 | **1,068.0** |
| H2O | 1957 | 6.8 | 8.4 | 10.5 | 89.8 | 0.0 | 47.2 | 3.3 | 3.0 | 0.2 | 4.5 | 5.4 | 5.4 | **436.4** |
| OIL | 1957 | 31.5 | 22.7 | 27.5 | 25.9 | 28.9 | 26.5 | 31.5 | 23.8 | 32.6 | 25.9 | 27.8 | 27.3 | **2,700.9** |
| DAY | 1956 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **721.0** |
| H2O | 1956 | 5.6 | 5.9 | 6.2 | 5.4 | 7.5 | 8.3 | 6.8 | 6.2 | 9.2 | 9.4 | 9.9 | 7.9 | **251.9** |
| OIL | 1956 | 58.3 | 52.3 | 48.9 | 51.8 | 52.4 | 27.3 | 41.8 | 44.5 | 34.5 | 33.5 | 31.0 | 32.4 | **2,369.0** |
| DAY | 1955 | 26.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 21.0 | 30.0 | 31.0 | **360.0** |
| H2O | 1955 | 42.0 | 4.8 | 12.6 | 12.1 | 11.6 | 15.1 | 5.2 | 4.3 | 4.1 | 4.9 | 6.5 | 6.5 | **163.6** |
| OIL | 1955 | 201.2 | 159.1 | 167.3 | 161.5 | 153.2 | 200.2 | 88.0 | 70.4 | 72.3 | 56.9 | 70.1 | 65.2 | **1,860.3** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 0.0 | **12.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 33.4 | **33.9** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 193.6 | 201.3 | **394.9** |

Licence ***582*** Well Name ***Imperial Pierson*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-15-003-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a A*** Field Code ***7*** Pool Code ***43A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1955 | 27.0 | 26.0 | 12.0 | 0.0 | 0.0 | 10.0 | 10.0 | 25.0 | 30.0 | 0.0 | 0.0 | 0.0 | **140.0** |
| H2O | 1955 | 120.3 | 147.7 | 66.4 | 0.0 | 0.0 | 53.8 | 283.7 | 251.1 | 298.6 | 0.0 | 0.0 | 0.0 | **1,221.6** |
| OIL | 1955 | 137.1 | 73.0 | 22.3 | 0.0 | 0.0 | 19.5 | 147.8 | 113.6 | 146.7 | 0.0 | 0.0 | 0.0 | **660.0** |

Licence ***583*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,319.0** |
| H2O | 1975 | 497.3 | 441.5 | 472.2 | 473.6 | 469.1 | 419.1 | 450.2 | 435.4 | 452.5 | 459.6 | 456.4 | 488.1 | **48,676.5** |
| OIL | 1975 | 96.1 | 86.0 | 90.9 | 86.4 | 91.7 | 98.5 | 100.3 | 86.9 | 83.6 | 81.5 | 81.2 | 82.5 | **26,783.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,955.0** |

# Manitoba Production
## 1950 To 1975

Licence ***583*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1974 | 533.7 | 504.0 | 544.0 | 498.6 | 457.2 | 528.0 | 514.9 | 516.4 | 505.9 | 483.0 | 477.6 | 490.5 | **43,161.5** |
| OIL | 1974 | 117.6 | 109.8 | 80.4 | 71.0 | 86.3 | 95.5 | 98.5 | 96.3 | 99.8 | 106.5 | 103.5 | 96.1 | **25,717.8** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 27.0 | 31.0 | **6,595.0** |
| H2O | 1973 | 65.5 | 56.6 | 60.1 | 64.1 | 39.0 | 8.7 | 9.2 | 63.3 | 62.3 | 54.2 | 54.8 | 247.1 | **37,107.7** |
| OIL | 1973 | 35.8 | 31.1 | 34.0 | 33.5 | 59.3 | 59.4 | 60.1 | 41.2 | 37.5 | 34.3 | 37.2 | 37.0 | **24,556.5** |
| DAY | 1972 | 28.0 | 2.0 | 9.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **6,240.0** |
| H2O | 1972 | 116.5 | 6.5 | 29.1 | 157.1 | 125.1 | 107.0 | 105.6 | 96.5 | 89.3 | 83.8 | 71.9 | 76.5 | **36,322.8** |
| OIL | 1972 | 62.6 | 4.3 | 19.2 | 75.2 | 62.6 | 53.9 | 72.8 | 42.7 | 39.9 | 39.4 | 37.8 | 41.0 | **24,056.1** |
| DAY | 1971 | 31.0 | 2.0 | 16.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,929.0** |
| H2O | 1971 | 27.7 | 1.1 | 13.4 | 4.5 | 4.8 | 30.2 | 129.3 | 107.8 | 214.3 | 279.2 | 128.5 | 123.2 | **35,257.9** |
| OIL | 1971 | 28.8 | 1.1 | 14.5 | 46.9 | 46.7 | 38.5 | 131.3 | 84.5 | 94.7 | 106.8 | 62.5 | 69.1 | **23,504.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,608.0** |
| H2O | 1970 | 24.5 | 21.8 | 14.6 | 15.1 | 19.2 | 18.6 | 19.2 | 19.7 | 17.5 | 26.1 | 25.8 | 25.9 | **34,193.9** |
| OIL | 1970 | 74.2 | 65.9 | 72.5 | 69.0 | 65.0 | 62.5 | 66.3 | 65.6 | 60.5 | 28.0 | 26.4 | 28.0 | **22,779.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,243.0** |
| H2O | 1969 | 152.9 | 97.1 | 102.5 | 86.5 | 105.9 | 42.8 | 43.6 | 54.7 | 55.2 | 55.8 | 56.1 | 22.7 | **33,945.9** |
| OIL | 1969 | 82.3 | 83.4 | 93.0 | 74.1 | 86.8 | 90.7 | 91.8 | 91.2 | 83.3 | 86.6 | 87.1 | 71.2 | **22,095.4** |
| DAY | 1968 | 15.0 | 16.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 29.0 | 26.0 | 31.0 | **4,882.0** |
| H2O | 1968 | 10.3 | 11.0 | 22.9 | 4.5 | 4.8 | 4.1 | 4.9 | 14.0 | 12.4 | 14.0 | 130.5 | 152.3 | **33,070.1** |
| OIL | 1968 | 28.1 | 30.4 | 59.8 | 55.8 | 55.3 | 51.3 | 54.8 | 43.1 | 39.6 | 43.5 | 67.7 | 83.0 | **21,073.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,556.0** |
| H2O | 1967 | 134.2 | 135.6 | 159.5 | 159.1 | 118.4 | 143.6 | 49.1 | 44.2 | 46.1 | 47.2 | 46.1 | 22.1 | **32,684.4** |
| OIL | 1967 | 80.4 | 73.1 | 81.8 | 76.6 | 61.2 | 82.0 | 54.5 | 53.7 | 55.1 | 57.2 | 58.2 | 59.0 | **20,461.5** |
| DAY | 1966 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,198.0** |
| H2O | 1966 | 199.5 | 186.2 | 206.0 | 199.5 | 199.5 | 166.6 | 143.7 | 155.8 | 150.7 | 118.9 | 118.9 | 126.2 | **31,579.2** |
| OIL | 1966 | 105.5 | 95.8 | 102.2 | 74.4 | 80.6 | 81.5 | 109.8 | 98.4 | 100.6 | 83.7 | 88.8 | 76.1 | **19,668.7** |
| DAY | 1965 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,836.0** |
| H2O | 1965 | 281.1 | 271.4 | 300.5 | 290.8 | 267.7 | 388.5 | 321.9 | 320.2 | 225.0 | 211.3 | 197.8 | 206.0 | **29,607.7** |
| OIL | 1965 | 86.6 | 77.2 | 81.0 | 91.1 | 271.4 | 185.0 | 136.2 | 147.2 | 132.2 | 120.5 | 116.0 | 112.3 | **18,571.3** |
| DAY | 1964 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 27.0 | 31.0 | 31.0 | 29.0 | 26.0 | 30.0 | 31.0 | **3,476.0** |
| H2O | 1964 | 231.5 | 216.8 | 231.8 | 224.3 | 183.1 | 322.4 | 370.3 | 370.3 | 340.4 | 265.7 | 290.8 | 300.5 | **26,325.5** |
| OIL | 1964 | 137.0 | 123.3 | 134.0 | 120.8 | 106.9 | 111.2 | 110.4 | 104.6 | 101.1 | 96.9 | 94.4 | 97.4 | **17,014.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 28.0 | 28.0 | 30.0 | 28.0 | 31.0 | 26.0 | 30.0 | 30.0 | 31.0 | **3,126.0** |
| H2O | 1963 | 448.3 | 404.9 | 441.0 | 404.9 | 404.9 | 381.2 | 355.8 | 388.5 | 330.4 | 224.3 | 224.3 | 231.8 | **22,977.6** |
| OIL | 1963 | 189.9 | 161.9 | 171.0 | 152.6 | 158.3 | 130.9 | 126.0 | 139.0 | 114.4 | 144.1 | 134.4 | 139.2 | **15,676.6** |
| DAY | 1962 | 29.0 | 23.0 | 12.0 | 26.0 | 26.0 | 25.0 | 29.0 | 31.0 | 29.0 | 26.0 | 30.0 | 31.0 | **2,774.0** |
| H2O | 1962 | 280.6 | 136.9 | 156.8 | 244.5 | 320.0 | 232.9 | 377.1 | 348.8 | 412.1 | 376.0 | 433.9 | 448.3 | **18,737.3** |
| OIL | 1962 | 64.4 | 39.1 | 28.8 | 73.3 | 143.7 | 133.2 | 177.3 | 190.5 | 184.3 | 175.8 | 197.0 | 206.1 | **13,914.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 23.0 | 24.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **2,457.0** |
| H2O | 1961 | 162.5 | 149.4 | 187.4 | 162.3 | 135.0 | 712.7 | 268.8 | 348.5 | 214.9 | 191.1 | 193.2 | 225.8 | **14,969.4** |
| OIL | 1961 | 59.6 | 51.3 | 61.0 | 59.0 | 48.9 | 54.8 | 77.1 | 69.8 | 61.2 | 53.6 | 57.2 | 63.4 | **12,301.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 23.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,110.0** |
| H2O | 1960 | 308.9 | 269.2 | 290.1 | 321.3 | 256.9 | 170.3 | 248.8 | 215.7 | 238.2 | 179.8 | 163.4 | 176.8 | **12,017.8** |
| OIL | 1960 | 93.6 | 84.1 | 88.7 | 77.4 | 81.8 | 69.8 | 80.7 | 73.6 | 72.8 | 65.5 | 62.3 | 64.5 | **11,584.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 17.0 | 26.0 | 30.0 | 30.0 | 31.0 | **1,753.0** |
| H2O | 1959 | 355.3 | 337.7 | 382.3 | 362.8 | 349.3 | 256.3 | 303.0 | 177.7 | 284.6 | 312.2 | 327.3 | 311.6 | **9,178.4** |
| OIL | 1959 | 116.8 | 110.6 | 126.0 | 118.4 | 116.5 | 88.5 | 107.6 | 65.8 | 89.9 | 103.1 | 97.6 | 95.0 | **10,669.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 17.0 | 7.0 | 30.0 | 30.0 | 30.0 | **1,412.0** |
| H2O | 1958 | 43.9 | 48.0 | 64.5 | 63.1 | 79.5 | 85.4 | 52.9 | 42.0 | 67.6 | 359.9 | 339.9 | 331.5 | **5,418.3** |
| OIL | 1958 | 121.1 | 115.2 | 90.3 | 69.0 | 63.6 | 48.0 | 52.8 | 29.6 | 21.6 | 115.4 | 111.1 | 110.4 | **9,433.9** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 28.0 | 30.0 | 31.0 | 25.0 | 29.0 | **1,089.0** |
| H2O | 1957 | 115.9 | 113.7 | 126.5 | 101.9 | 102.5 | 96.7 | 96.7 | 78.2 | 85.4 | 88.6 | 71.2 | 53.3 | **3,840.1** |

# Manitoba Production
## 1950 To 1975

Licence ***583*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1957 | 149.9 | 131.3 | 144.6 | 120.0 | 123.3 | 102.3 | 113.8 | 93.0 | 101.7 | 105.7 | 91.1 | 113.0 | **8,485.8** |
| DAY | 1956 | 30.0 | 26.0 | 28.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 26.0 | 28.0 | 31.0 | **739.0** |
| H2O | 1956 | 118.3 | 122.1 | 145.9 | 114.6 | 128.8 | 141.0 | 137.7 | 131.0 | 133.4 | 107.6 | 128.3 | 133.2 | **2,709.5** |
| OIL | 1956 | 304.3 | 309.7 | 267.0 | 230.4 | 256.3 | 246.5 | 216.3 | 211.8 | 185.4 | 151.4 | 209.0 | 224.9 | **7,096.1** |
| DAY | 1955 | 28.0 | 25.0 | 31.0 | 29.0 | 29.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 26.0 | 30.0 | **393.0** |
| H2O | 1955 | 19.9 | 24.2 | 52.9 | 67.9 | 122.9 | 110.3 | 118.0 | 111.1 | 150.2 | 131.8 | 128.8 | 126.4 | **1,167.6** |
| OIL | 1955 | 342.0 | 270.3 | 280.8 | 266.0 | 346.2 | 325.6 | 310.4 | 338.7 | 324.7 | 357.4 | 304.3 | 314.5 | **4,283.1** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 29.0 | **44.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 2.9 | **3.2** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 136.5 | 365.7 | **502.2** |

Licence ***584*** Well Name ***Bravo Woodnorth Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-28-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole C*** Field Code ***1*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **10,842.1** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | **3,224.0** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 9.5 | 0.0 | 0.5 | 0.0 | 0.0 | 6.0 | 0.0 | 0.0 | **10,839.7** |
| DAY | 1968 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,222.0** |
| OIL | 1968 | 0.0 | 0.0 | 1.6 | 0.0 | 0.0 | 0.0 | 11.9 | 3.0 | 0.0 | 4.0 | 1.0 | 2.1 | **10,823.7** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 1.0 | 0.0 | 1.0 | **3,221.0** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.9 | 3.2 | 0.0 | 1.6 | **10,800.1** |
| DAY | 1966 | 0.0 | 0.0 | 3.0 | 28.0 | 30.0 | 30.0 | 31.0 | 28.0 | 29.0 | 0.0 | 0.0 | 0.0 | **3,218.0** |
| H2O | 1966 | 0.0 | 0.0 | 64.4 | 467.9 | 429.4 | 388.1 | 439.9 | 543.3 | 474.2 | 0.0 | 0.0 | 0.0 | **57,919.6** |
| OIL | 1966 | 0.0 | 0.0 | 4.3 | 19.5 | 10.2 | 7.0 | 8.3 | 7.6 | 7.6 | 0.0 | 0.0 | 0.0 | **10,792.4** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 30.0 | 21.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 13.0 | 0.0 | **3,039.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 57.2 | 494.8 | 658.8 | 576.3 | 633.4 | 611.1 | 632.4 | 287.2 | 0.0 | **55,112.4** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 6.5 | 19.1 | 21.8 | 17.8 | 19.2 | 18.1 | 9.1 | 3.2 | 0.0 | **10,727.9** |
| DAY | 1964 | 31.0 | 29.0 | 29.0 | 26.0 | 31.0 | 29.0 | 23.0 | 2.0 | 1.0 | 3.0 | 29.0 | 22.0 | **2,825.0** |
| H2O | 1964 | 788.7 | 728.7 | 730.7 | 891.2 | 973.5 | 933.8 | 770.7 | 39.7 | 89.7 | 59.3 | 687.0 | 566.0 | **51,161.2** |
| OIL | 1964 | 14.6 | 13.2 | 13.3 | 13.2 | 13.8 | 19.2 | 14.0 | 0.5 | 0.8 | 1.4 | 20.0 | 7.3 | **10,613.1** |
| DAY | 1963 | 23.0 | 27.0 | 31.0 | 26.0 | 24.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,570.0** |
| H2O | 1963 | 718.2 | 821.8 | 876.9 | 676.1 | 541.8 | 856.2 | 794.1 | 923.0 | 861.8 | 974.0 | 842.1 | 814.3 | **43,902.2** |
| OIL | 1963 | 20.3 | 19.4 | 24.0 | 15.9 | 13.5 | 17.6 | 15.3 | 17.5 | 16.4 | 17.0 | 15.3 | 15.3 | **10,481.8** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | 25.0 | 29.0 | 31.0 | 30.0 | 30.0 | **2,228.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 1022.7 | 955.4 | 898.8 | 673.6 | 636.7 | 828.4 | 885.1 | 644.2 | **34,201.9** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 24.6 | 28.1 | 26.9 | 25.1 | 21.9 | 26.7 | 25.9 | 17.5 | **10,274.3** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 15.0 | 30.0 | 26.0 | 31.0 | 31.0 | 25.0 | 27.0 | 9.0 | 0.0 | **1,991.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 316.2 | 846.8 | 764.5 | 771.2 | 666.3 | 517.2 | 589.2 | 350.3 | 0.0 | **27,657.0** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 5.7 | 12.1 | 33.8 | 35.6 | 33.5 | 28.1 | 24.8 | 8.7 | 0.0 | **10,077.6** |
| DAY | 1960 | 7.0 | 13.0 | 0.0 | 19.0 | 31.0 | 30.0 | 30.0 | 24.0 | 24.0 | 31.0 | 5.0 | 0.0 | **1,797.0** |
| H2O | 1960 | 204.3 | 433.5 | 0.0 | 621.1 | 890.1 | 831.0 | 759.3 | 471.5 | 473.9 | 683.0 | 100.8 | 0.0 | **22,835.3** |
| OIL | 1960 | 17.6 | 31.3 | 0.0 | 35.0 | 51.8 | 45.9 | 44.2 | 44.7 | 39.9 | 39.1 | 7.8 | 0.0 | **9,895.3** |
| DAY | 1959 | 28.0 | 27.0 | 31.0 | 20.0 | 21.0 | 24.0 | 29.0 | 26.0 | 20.0 | 19.0 | 30.0 | 30.0 | **1,583.0** |
| H2O | 1959 | 700.0 | 662.9 | 803.6 | 538.1 | 412.3 | 721.5 | 1013.5 | 909.9 | 450.2 | 399.5 | 540.4 | 632.7 | **17,366.8** |
| OIL | 1959 | 133.5 | 122.4 | 133.6 | 89.3 | 91.4 | 110.3 | 117.3 | 88.2 | 84.9 | 74.2 | 113.3 | 120.9 | **9,538.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 25.0 | **1,278.0** |
| H2O | 1958 | 250.2 | 203.8 | 158.2 | 182.2 | 220.8 | 595.5 | 637.4 | 446.5 | 631.0 | 613.8 | 1062.8 | 864.0 | **9,582.2** |
| OIL | 1958 | 78.8 | 65.3 | 57.7 | 72.6 | 70.9 | 122.5 | 128.2 | 90.6 | 110.6 | 128.4 | 140.2 | 123.9 | **8,258.7** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 7.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 28.0 | **924.0** |
| H2O | 1957 | 291.5 | 200.2 | 222.6 | 139.6 | 26.7 | 23.8 | 234.5 | 199.4 | 175.2 | 214.8 | 230.0 | 154.1 | **3,716.0** |
| OIL | 1957 | 213.4 | 172.9 | 189.6 | 149.2 | 164.9 | 24.8 | 120.5 | 122.7 | 113.1 | 106.5 | 108.5 | 94.2 | **7,069.0** |

# Manitoba Production
## 1950 To 1975

Licence ***584*** Well Name ***Bravo Woodnorth Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-28-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole C*** Field Code ***1*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 22.0 | 29.0 | 30.0 | 30.0 | 31.0 | 20.0 | 31.0 | 31.0 | 26.0 | 23.0 | 27.0 | 17.0 | **587.0** |
| H2O | 1956 | 156.1 | 120.0 | 114.5 | 125.8 | 148.6 | 70.0 | 200.2 | 121.8 | 95.7 | 116.5 | 105.9 | 0.0 | **1,603.6** |
| OIL | 1956 | 188.6 | 255.4 | 270.0 | 262.7 | 274.0 | 167.0 | 267.1 | 292.4 | 264.1 | 179.9 | 184.3 | 16.5 | **5,488.7** |
| DAY | 1955 | 31.0 | 26.0 | 27.0 | 1.0 | 1.0 | 17.0 | 29.0 | 31.0 | 28.0 | 31.0 | 28.0 | 20.0 | **270.0** |
| H2O | 1955 | 11.9 | 11.9 | 12.1 | 0.5 | 0.3 | 6.2 | 10.8 | 11.4 | 10.3 | 16.4 | 19.7 | 104.3 | **228.5** |
| OIL | 1955 | 273.8 | 226.8 | 230.9 | 8.1 | 4.9 | 118.7 | 254.1 | 268.4 | 241.4 | 264.1 | 227.9 | 175.4 | **2,866.7** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 1.6 | 10.5 | **12.7** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 88.5 | 210.1 | 273.6 | **572.2** |

Licence ***586*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-28-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,976.0** |
| H2O | 1975 | 945.6 | 810.5 | 1051.5 | 1026.5 | 1172.5 | 1256.4 | 1136.8 | 1161.6 | 1139.5 | 1132.2 | 1034.8 | 1208.7 | **143,019.5** |
| OIL | 1975 | 28.3 | 22.9 | 26.7 | 25.3 | 29.6 | 31.8 | 29.9 | 29.4 | 27.3 | 27.5 | 29.2 | 27.2 | **9,074.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **6,611.0** |
| H2O | 1974 | 826.1 | 732.4 | 819.5 | 796.3 | 815.7 | 854.9 | 782.2 | 857.3 | 822.4 | 840.5 | 776.8 | 872.4 | **129,942.9** |
| OIL | 1974 | 19.2 | 16.7 | 18.9 | 17.5 | 18.4 | 16.8 | 16.7 | 17.3 | 17.3 | 18.4 | 16.0 | 25.3 | **8,739.4** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,249.0** |
| H2O | 1973 | 803.5 | 717.8 | 788.9 | 716.5 | 778.4 | 776.8 | 830.4 | 825.1 | 800.8 | 798.9 | 786.5 | 840.6 | **120,146.4** |
| OIL | 1973 | 18.8 | 16.7 | 17.8 | 17.0 | 20.5 | 19.2 | 19.5 | 18.9 | 17.8 | 19.7 | 19.1 | 19.4 | **8,520.9** |
| DAY | 1972 | 30.0 | 28.0 | 31.0 | 29.0 | 21.0 | 29.0 | 30.0 | 29.0 | 26.0 | 31.0 | 29.0 | 30.0 | **5,886.0** |
| H2O | 1972 | 530.3 | 496.7 | 620.0 | 511.0 | 563.9 | 834.7 | 791.9 | 750.5 | 578.1 | 747.8 | 773.3 | 751.8 | **110,682.2** |
| OIL | 1972 | 24.3 | 22.6 | 26.1 | 22.9 | 18.8 | 16.7 | 16.8 | 17.8 | 15.7 | 18.4 | 17.6 | 17.2 | **8,296.5** |
| DAY | 1971 | 27.0 | 26.0 | 30.0 | 28.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 24.0 | 30.0 | **5,543.0** |
| H2O | 1971 | 979.6 | 1011.1 | 1063.6 | 1077.9 | 1070.6 | 746.3 | 737.7 | 875.8 | 566.0 | 1153.9 | 774.7 | 675.7 | **102,732.2** |
| OIL | 1971 | 27.0 | 27.7 | 29.7 | 37.7 | 37.5 | 82.2 | 77.3 | 70.8 | 46.7 | 72.5 | 65.8 | 75.1 | **8,061.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 26.0 | 30.0 | 4.0 | 21.0 | 31.0 | **5,196.0** |
| H2O | 1970 | 925.7 | 878.2 | 980.6 | 947.5 | 826.7 | 765.0 | 765.8 | 678.8 | 691.6 | 106.7 | 841.6 | 1224.5 | **91,999.3** |
| OIL | 1970 | 22.7 | 21.3 | 25.4 | 24.8 | 29.7 | 25.4 | 22.7 | 20.2 | 22.2 | 4.3 | 24.8 | 39.6 | **7,411.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 26.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,874.0** |
| H2O | 1969 | 1005.5 | 963.6 | 1032.3 | 1016.4 | 1146.5 | 786.3 | 830.8 | 809.5 | 964.8 | 1017.8 | 942.4 | 938.5 | **82,366.6** |
| OIL | 1969 | 26.9 | 24.8 | 24.5 | 26.2 | 28.9 | 18.9 | 18.3 | 19.9 | 24.0 | 25.9 | 21.1 | 22.9 | **7,128.5** |
| DAY | 1968 | 18.0 | 29.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,516.0** |
| H2O | 1968 | 559.5 | 911.8 | 912.8 | 1026.9 | 993.3 | 1057.7 | 1050.9 | 1029.1 | 1022.0 | 1043.6 | 1061.5 | 1048.6 | **70,912.2** |
| OIL | 1968 | 19.1 | 30.5 | 28.1 | 29.7 | 28.3 | 29.1 | 28.9 | 29.6 | 27.5 | 27.7 | 29.6 | 30.8 | **6,846.2** |
| DAY | 1967 | 31.0 | 27.0 | 31.0 | 24.0 | 8.0 | 0.0 | 3.0 | 9.0 | 0.0 | 0.0 | 12.0 | 30.0 | **4,168.0** |
| H2O | 1967 | 791.1 | 646.7 | 751.4 | 591.2 | 203.9 | 0.0 | 44.8 | 204.8 | 474.6 | 0.0 | 269.9 | 891.2 | **59,194.5** |
| OIL | 1967 | 19.9 | 17.2 | 18.8 | 15.4 | 5.1 | 0.0 | 1.0 | 7.3 | 12.6 | 0.0 | 11.4 | 31.8 | **6,507.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 24.0 | 26.0 | 22.0 | 0.0 | 0.0 | 14.0 | 31.0 | **3,993.0** |
| H2O | 1966 | 792.0 | 953.8 | 685.8 | 672.8 | 686.8 | 537.0 | 547.6 | 487.3 | 0.0 | 0.0 | 349.1 | 776.6 | **54,324.9** |
| OIL | 1966 | 16.2 | 15.6 | 17.5 | 18.8 | 21.9 | 17.8 | 16.4 | 13.2 | 0.0 | 0.0 | 9.4 | 21.1 | **6,366.8** |
| DAY | 1965 | 22.0 | 28.0 | 23.0 | 30.0 | 27.0 | 28.0 | 31.0 | 27.0 | 30.0 | 25.0 | 24.0 | 29.0 | **3,725.0** |
| H2O | 1965 | 450.9 | 633.4 | 520.0 | 672.8 | 599.2 | 611.7 | 626.7 | 605.2 | 665.9 | 567.6 | 521.7 | 835.7 | **47,836.1** |
| OIL | 1965 | 14.0 | 18.9 | 14.0 | 20.2 | 18.0 | 17.5 | 21.9 | 12.9 | 24.2 | 5.4 | 10.6 | 14.0 | **6,198.9** |
| DAY | 1964 | 30.0 | 29.0 | 25.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 27.0 | **3,401.0** |
| H2O | 1964 | 361.0 | 485.3 | 331.7 | 375.4 | 318.6 | 628.4 | 575.7 | 624.3 | 544.7 | 677.2 | 605.5 | 535.4 | **40,525.3** |
| OIL | 1964 | 33.2 | 37.5 | 29.7 | 23.8 | 31.5 | 21.9 | 25.6 | 28.0 | 22.7 | 24.6 | 26.1 | 18.6 | **6,007.3** |
| DAY | 1963 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,049.0** |
| H2O | 1963 | 510.9 | 503.3 | 501.2 | 532.3 | 727.3 | 729.7 | 690.1 | 710.3 | 841.3 | 836.1 | 395.5 | 397.9 | **34,462.1** |
| OIL | 1963 | 51.5 | 46.9 | 47.7 | 43.4 | 51.6 | 39.4 | 37.0 | 44.8 | 45.1 | 46.4 | 32.3 | 33.5 | **5,684.1** |

# Manitoba Production
## 1950 To 1975

Licence ***586*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-28-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 29.0 | 30.0 | 31.0 | 19.0 | 31.0 | 30.0 | 31.0 | **2,690.0** |
| H2O | 1962 | 500.2 | 444.3 | 463.0 | 388.5 | 432.7 | 419.6 | 444.8 | 458.1 | 244.8 | 481.8 | 518.3 | 501.7 | **27,086.2** |
| OIL | 1962 | 63.9 | 54.2 | 58.3 | 46.4 | 52.0 | 50.5 | 47.2 | 48.3 | 23.4 | 49.7 | 51.0 | 49.7 | **5,164.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,342.0** |
| H2O | 1961 | 326.0 | 287.4 | 330.3 | 300.4 | 322.2 | 344.3 | 427.1 | 375.8 | 404.1 | 421.6 | 518.6 | 516.0 | **21,788.4** |
| OIL | 1961 | 26.4 | 22.7 | 28.3 | 24.9 | 23.7 | 23.7 | 61.3 | 50.5 | 54.5 | 55.8 | 64.7 | 66.7 | **4,569.9** |
| DAY | 1960 | 31.0 | 29.0 | 12.0 | 26.0 | 29.0 | 30.0 | 30.0 | 27.0 | 30.0 | 28.0 | 29.0 | 31.0 | **1,979.0** |
| H2O | 1960 | 203.7 | 191.3 | 75.7 | 162.2 | 226.4 | 248.2 | 264.8 | 210.2 | 281.8 | 246.1 | 265.0 | 333.0 | **17,214.6** |
| OIL | 1960 | 28.0 | 24.3 | 9.7 | 20.8 | 28.3 | 33.7 | 36.2 | 22.7 | 27.7 | 23.5 | 25.7 | 28.4 | **4,066.7** |
| DAY | 1959 | 29.0 | 28.0 | 31.0 | 28.0 | 28.0 | 26.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,647.0** |
| H2O | 1959 | 194.8 | 224.0 | 247.1 | 219.7 | 178.2 | 180.4 | 219.7 | 225.3 | 218.0 | 198.7 | 203.2 | 205.6 | **14,506.2** |
| OIL | 1959 | 30.2 | 33.1 | 34.5 | 34.8 | 23.5 | 25.3 | 31.5 | 31.1 | 29.7 | 28.3 | 26.9 | 28.0 | **3,757.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 24.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,296.0** |
| H2O | 1958 | 310.1 | 290.6 | 322.4 | 315.4 | 205.7 | 267.2 | 285.0 | 282.8 | 224.5 | 229.4 | 229.9 | 240.4 | **11,991.5** |
| OIL | 1958 | 59.4 | 53.7 | 55.9 | 54.0 | 15.9 | 20.5 | 30.4 | 28.1 | 34.6 | 38.9 | 37.5 | 37.3 | **3,400.8** |
| DAY | 1957 | 0.0 | 9.0 | 27.0 | 30.0 | 26.0 | 22.0 | 28.0 | 26.0 | 27.0 | 27.0 | 29.0 | 30.0 | **941.0** |
| H2O | 1957 | 0.0 | 117.3 | 377.4 | 396.0 | 256.7 | 246.3 | 278.2 | 251.8 | 315.7 | 265.3 | 312.5 | 324.1 | **8,788.1** |
| OIL | 1957 | 0.0 | 9.5 | 30.2 | 31.8 | 38.1 | 36.1 | 76.0 | 54.5 | 56.3 | 57.7 | 59.6 | 59.3 | **2,934.6** |
| DAY | 1956 | 31.0 | 29.0 | 29.0 | 20.0 | 27.0 | 29.0 | 31.0 | 24.0 | 29.0 | 30.0 | 29.0 | 9.0 | **660.0** |
| H2O | 1956 | 284.0 | 293.4 | 310.4 | 179.0 | 322.4 | 278.8 | 229.7 | 309.2 | 365.3 | 363.1 | 386.7 | 98.4 | **5,646.8** |
| OIL | 1956 | 101.2 | 89.5 | 83.9 | 59.1 | 77.1 | 75.2 | 114.3 | 31.1 | 41.2 | 39.1 | 36.9 | 12.1 | **2,425.5** |
| DAY | 1955 | 25.0 | 28.0 | 31.0 | 4.0 | 20.0 | 30.0 | 29.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | **343.0** |
| H2O | 1955 | 89.2 | 132.9 | 142.3 | 15.1 | 50.4 | 260.5 | 190.3 | 210.3 | 197.9 | 261.6 | 324.1 | 310.6 | **2,226.4** |
| OIL | 1955 | 133.8 | 132.8 | 154.1 | 16.4 | 82.8 | 173.5 | 121.1 | 119.5 | 123.2 | 106.5 | 120.3 | 111.9 | **1,664.8** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 21.0 | **30.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 41.0 | **41.2** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 125.9 | 143.0 | **268.9** |

Licence ***587*** Well Name ***Banff Cdn. Sup. Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-01-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1955 | 28.0 | 5.0 | 0.0 | 5.0 | 19.0 | 21.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **122.0** |
| H2O | 1955 | 3.2 | 0.0 | 0.0 | 0.8 | 5.7 | 18.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **39.6** |
| OIL | 1955 | 29.4 | 12.1 | 0.0 | 9.5 | 21.3 | 11.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **159.9** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 29.0 | **44.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.9 | 9.1 | **11.0** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 39.1 | 37.5 | **76.6** |

Licence ***588*** Well Name ***Kripa Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-01-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 0.0 | 0.0 | 0.0 | 9.0 | 31.0 | 30.0 | 20.0 | 29.0 | 24.0 | 0.0 | 23.0 | 31.0 | **6,857.0** |
| H2O | 1975 | 0.0 | 0.0 | 0.0 | 906.5 | 3586.9 | 3473.6 | 2372.6 | 3357.3 | 2482.6 | 0.0 | 2537.6 | 3264.7 | **325,926.4** |
| OIL | 1975 | 0.0 | 0.0 | 0.0 | 18.0 | 74.2 | 69.0 | 32.4 | 57.4 | 43.4 | 0.0 | 32.9 | 46.6 | **27,440.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | **6,660.0** |
| H2O | 1974 | 3450.2 | 3121.9 | 3508.1 | 3327.0 | 3485.8 | 3088.0 | 3127.8 | 3485.6 | 3297.9 | 3397.7 | 2765.8 | 0.0 | **303,944.6** |
| OIL | 1974 | 68.6 | 65.3 | 68.8 | 84.7 | 72.6 | 19.5 | 50.5 | 43.9 | 55.5 | 56.6 | 36.5 | 0.0 | **27,066.3** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,328.0** |
| H2O | 1973 | 3434.6 | 2864.0 | 3394.2 | 3324.7 | 3336.2 | 3381.7 | 3461.5 | 3442.9 | 3375.9 | 3492.0 | 3263.5 | 3440.0 | **267,888.8** |
| OIL | 1973 | 84.9 | 74.8 | 89.9 | 67.1 | 73.4 | 74.4 | 80.6 | 70.7 | 73.4 | 73.3 | 70.1 | 71.4 | **26,443.8** |
| DAY | 1972 | 27.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 14.0 | 27.0 | 31.0 | 30.0 | 31.0 | **5,963.0** |

# Manitoba Production
## 1950 To 1975

Licence ***588*** Well Name ***Kripa Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-01-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1972 | 4076.9 | 4531.9 | 4347.6 | 3547.8 | 3984.7 | 3552.1 | 2057.7 | 959.1 | 3210.0 | 3251.6 | 3325.4 | 3427.9 | **227,677.6** |
| OIL | 1972 | 72.0 | 77.4 | 74.2 | 78.7 | 78.5 | 68.8 | 56.3 | 18.4 | 95.8 | 106.6 | 94.6 | 87.6 | **25,539.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 26.0 | 29.0 | 30.0 | 31.0 | 27.0 | 29.0 | 31.0 | 30.0 | 29.0 | **5,622.0** |
| H2O | 1971 | 4302.5 | 3995.5 | 4082.1 | 3559.1 | 3205.2 | 3370.2 | 4953.3 | 3761.8 | 4033.0 | 4320.0 | 4037.5 | 3900.6 | **187,404.9** |
| OIL | 1971 | 106.3 | 89.3 | 103.1 | 81.2 | 70.2 | 99.0 | 111.2 | 85.7 | 90.4 | 91.1 | 82.0 | 77.5 | **24,630.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 29.0 | 31.0 | 24.0 | 31.0 | **5,270.0** |
| H2O | 1970 | 4195.3 | 4105.8 | 4471.2 | 4431.2 | 4395.3 | 3882.6 | 3795.3 | 3889.4 | 3661.9 | 4092.3 | 3034.8 | 4211.9 | **139,884.1** |
| OIL | 1970 | 143.3 | 131.6 | 140.8 | 129.2 | 127.8 | 108.2 | 127.4 | 121.1 | 102.8 | 111.2 | 72.9 | 110.6 | **23,543.9** |
| DAY | 1969 | 0.0 | 26.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | **4,916.0** |
| H2O | 1969 | 1104.9 | 1786.5 | 2391.5 | 2710.1 | 2282.0 | 2222.1 | 2356.1 | 2521.6 | 1684.2 | 2261.8 | 2358.6 | 3614.4 | **91,717.1** |
| OIL | 1969 | 118.1 | 132.1 | 130.3 | 152.4 | 147.5 | 143.8 | 141.6 | 136.2 | 91.8 | 123.6 | 101.2 | 134.4 | **22,117.0** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 28.0 | 30.0 | 31.0 | 30.0 | 29.0 | 26.0 | 31.0 | **4,593.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 676.5 | 867.7 | 794.7 | 788.7 | 780.1 | 749.6 | 747.5 | 1063.6 | **64,423.3** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 50.7 | 56.3 | 79.0 | 73.4 | 76.1 | 73.9 | 68.8 | 104.7 | **20,564.0** |
| DAY | 1967 | 31.0 | 28.0 | 28.0 | 23.0 | 31.0 | 30.0 | 30.0 | 31.0 | 23.0 | 7.0 | 0.0 | 0.0 | **4,367.0** |
| H2O | 1967 | 997.4 | 900.1 | 869.0 | 713.8 | 998.1 | 906.2 | 926.2 | 968.3 | 873.4 | 226.2 | 0.0 | 0.0 | **57,954.9** |
| OIL | 1967 | 102.5 | 87.4 | 83.6 | 64.7 | 92.3 | 84.2 | 86.9 | 88.5 | 76.1 | 21.3 | 0.0 | 0.0 | **19,981.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,105.0** |
| H2O | 1966 | 808.1 | 731.9 | 760.9 | 701.3 | 682.7 | 731.9 | 769.9 | 727.8 | 685.7 | 743.4 | 869.0 | 925.3 | **49,576.2** |
| OIL | 1966 | 104.1 | 87.7 | 90.6 | 85.0 | 84.9 | 85.5 | 84.4 | 83.6 | 80.4 | 79.1 | 100.1 | 103.5 | **19,193.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 29.0 | 22.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,746.0** |
| H2O | 1965 | 652.8 | 581.5 | 652.5 | 691.2 | 492.2 | 665.8 | 701.6 | 699.8 | 702.9 | 710.8 | 749.3 | 793.9 | **40,438.3** |
| OIL | 1965 | 128.1 | 111.6 | 117.8 | 119.2 | 82.0 | 108.5 | 109.6 | 104.4 | 97.3 | 98.2 | 101.1 | 107.1 | **18,124.7** |
| DAY | 1964 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,391.0** |
| H2O | 1964 | 338.6 | 305.9 | 318.4 | 331.8 | 318.1 | 310.8 | 289.2 | 333.1 | 317.6 | 339.9 | 587.4 | 639.6 | **32,344.0** |
| OIL | 1964 | 117.4 | 101.9 | 103.8 | 103.8 | 104.2 | 97.9 | 90.7 | 93.9 | 87.2 | 84.5 | 135.2 | 134.3 | **16,839.8** |
| DAY | 1963 | 23.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,029.0** |
| H2O | 1963 | 256.0 | 276.1 | 314.6 | 292.7 | 334.0 | 309.9 | 305.7 | 280.9 | 306.7 | 302.7 | 313.5 | 310.3 | **27,913.6** |
| OIL | 1963 | 91.7 | 104.7 | 117.8 | 110.8 | 129.8 | 114.1 | 112.2 | 110.6 | 121.4 | 114.9 | 114.1 | 108.1 | **15,585.0** |
| DAY | 1962 | 17.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,678.0** |
| H2O | 1962 | 182.2 | 317.0 | 341.5 | 322.1 | 342.8 | 337.5 | 347.1 | 315.4 | 253.1 | 340.2 | 318.8 | 313.3 | **24,310.5** |
| OIL | 1962 | 57.8 | 113.3 | 112.7 | 115.2 | 115.2 | 119.3 | 115.8 | 114.1 | 98.8 | 125.7 | 114.7 | 111.9 | **14,234.8** |
| DAY | 1961 | 24.0 | 23.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 22.0 | 31.0 | 30.0 | 31.0 | **2,328.0** |
| H2O | 1961 | 243.9 | 226.9 | 349.3 | 319.2 | 354.5 | 321.6 | 310.6 | 321.8 | 231.6 | 324.6 | 335.4 | 347.8 | **20,579.5** |
| OIL | 1961 | 86.6 | 76.8 | 122.8 | 113.9 | 128.2 | 113.3 | 108.1 | 112.5 | 76.0 | 117.4 | 122.2 | 117.6 | **12,920.3** |
| DAY | 1960 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 20.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,985.0** |
| H2O | 1960 | 321.9 | 341.6 | 331.6 | 298.2 | 318.6 | 293.2 | 351.2 | 242.1 | 312.4 | 343.2 | 310.2 | 327.7 | **16,892.3** |
| OIL | 1960 | 121.9 | 125.1 | 112.0 | 109.0 | 117.6 | 102.2 | 111.7 | 70.4 | 114.4 | 128.4 | 100.3 | 113.5 | **11,624.9** |
| DAY | 1959 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 21.0 | 30.0 | 31.0 | **1,635.0** |
| H2O | 1959 | 186.3 | 173.8 | 257.5 | 380.9 | 373.3 | 311.4 | 336.6 | 306.0 | 304.3 | 212.1 | 301.4 | 236.7 | **13,100.4** |
| OIL | 1959 | 139.4 | 121.4 | 165.6 | 163.0 | 154.3 | 129.0 | 129.2 | 122.2 | 118.9 | 87.1 | 110.4 | 123.6 | **10,298.4** |
| DAY | 1958 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,283.0** |
| H2O | 1958 | 261.5 | 232.4 | 207.5 | 284.1 | 298.7 | 261.8 | 282.8 | 276.9 | 299.7 | 313.0 | 186.2 | 192.7 | **9,720.1** |
| OIL | 1958 | 161.8 | 155.9 | 169.2 | 213.4 | 192.9 | 164.5 | 159.4 | 174.6 | 155.6 | 147.6 | 135.7 | 149.7 | **8,734.3** |
| DAY | 1957 | 14.0 | 15.0 | 31.0 | 27.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **920.0** |
| H2O | 1957 | 119.4 | 72.8 | 78.9 | 209.7 | 202.4 | 493.8 | 184.3 | 407.9 | 273.0 | 266.0 | 270.7 | 296.3 | **6,622.8** |
| OIL | 1957 | 67.2 | 81.0 | 175.1 | 137.5 | 154.3 | 214.5 | 164.0 | 182.3 | 169.2 | 162.7 | 171.6 | 179.3 | **6,754.0** |
| DAY | 1956 | 15.0 | 6.0 | 0.0 | 0.0 | 23.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **592.0** |
| H2O | 1956 | 140.5 | 15.9 | 0.0 | 0.0 | 232.3 | 391.6 | 241.3 | 345.5 | 249.4 | 183.3 | 308.4 | 143.2 | **3,747.6** |
| OIL | 1956 | 139.0 | 34.3 | 0.0 | 0.0 | 322.0 | 262.5 | 208.5 | 207.5 | 201.3 | 123.6 | 245.0 | 159.7 | **4,895.3** |
| DAY | 1955 | 28.0 | 28.0 | 28.0 | 12.0 | 0.0 | 23.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 20.0 | **338.0** |
| H2O | 1955 | 63.9 | 69.6 | 73.0 | 38.3 | 0.0 | 106.4 | 161.4 | 252.6 | 166.1 | 145.9 | 145.3 | 189.0 | **1,496.2** |

# Manitoba Production
## 1950 To 1975

Licence ***588*** Well Name ***Kripa Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-01-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1955 | 241.1 | 237.7 | 220.1 | 99.3 | 0.0 | 225.8 | 335.1 | 297.2 | 264.1 | 258.4 | 191.8 | 169.2 | **2,991.9** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 30.0 | **48.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.4 | 69.3 | **84.7** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 152.6 | 299.5 | **452.1** |

Licence ***589*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-28-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 0.0 | 14.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,079.0** |
| H2O | 1971 | 0.0 | 4.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,566.2** |
| OIL | 1971 | 0.0 | 6.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,468.5** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 27.0 | 31.0 | 31.0 | 29.0 | 4.0 | 0.0 | 0.0 | **5,065.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 4.1 | 9.1 | 9.5 | 7.6 | 1.3 | 0.0 | 0.0 | **3,562.0** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 2.9 | 23.7 | 10.5 | 11.1 | 9.7 | 1.9 | 0.0 | 0.0 | **3,461.7** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 29.0 | 31.0 | 30.0 | 25.0 | 9.0 | 0.0 | 0.0 | **4,939.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 16.4 | 20.5 | 16.7 | 4.0 | 1.4 | 0.0 | 0.0 | **3,529.9** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 21.8 | 25.4 | 22.7 | 23.4 | 8.3 | 0.0 | 0.0 | **3,401.9** |
| DAY | 1968 | 28.0 | 27.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 4.0 | 0.0 | **4,785.0** |
| H2O | 1968 | 16.7 | 15.4 | 16.9 | 19.6 | 18.6 | 20.0 | 20.2 | 19.6 | 19.4 | 19.9 | 2.5 | 0.0 | **3,449.9** |
| OIL | 1968 | 29.6 | 26.7 | 27.2 | 29.7 | 27.8 | 29.1 | 28.9 | 29.6 | 27.5 | 27.7 | 4.0 | 0.0 | **3,272.3** |
| DAY | 1967 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 24.0 | 30.0 | **4,487.0** |
| H2O | 1967 | 20.7 | 17.8 | 18.9 | 19.4 | 20.8 | 19.1 | 18.9 | 13.8 | 17.0 | 18.9 | 9.5 | 16.9 | **3,261.1** |
| OIL | 1967 | 30.5 | 27.3 | 27.5 | 29.6 | 30.8 | 24.9 | 23.2 | 26.1 | 23.7 | 28.8 | 21.3 | 31.9 | **2,984.5** |
| DAY | 1966 | 23.0 | 28.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 26.0 | 31.0 | **4,131.0** |
| H2O | 1966 | 11.8 | 19.2 | 12.2 | 13.5 | 13.8 | 13.7 | 13.4 | 14.0 | 14.1 | 14.9 | 16.4 | 20.5 | **3,049.4** |
| OIL | 1966 | 14.0 | 18.1 | 18.1 | 21.6 | 25.4 | 25.7 | 23.0 | 21.6 | 20.5 | 17.5 | 25.4 | 32.4 | **2,658.9** |
| DAY | 1965 | 26.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 25.0 | 17.0 | **3,785.0** |
| H2O | 1965 | 13.2 | 14.9 | 16.7 | 16.2 | 16.4 | 15.7 | 14.9 | 13.7 | 13.5 | 14.5 | 11.9 | 10.5 | **2,871.9** |
| OIL | 1965 | 14.1 | 15.6 | 15.6 | 16.5 | 16.8 | 15.4 | 18.0 | 16.5 | 27.8 | 7.9 | 13.8 | 9.7 | **2,395.6** |
| DAY | 1964 | 27.0 | 28.0 | 23.0 | 3.0 | 31.0 | 5.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,445.0** |
| H2O | 1964 | 1.0 | 1.4 | 1.1 | 0.2 | 1.0 | 0.2 | 1.1 | 1.1 | 13.0 | 16.4 | 14.5 | 15.1 | **2,699.8** |
| OIL | 1964 | 6.7 | 8.1 | 6.5 | 0.6 | 7.2 | 1.9 | 12.4 | 12.9 | 18.8 | 20.7 | 21.3 | 18.0 | **2,207.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,149.0** |
| H2O | 1963 | 4.0 | 4.0 | 4.0 | 4.3 | 1.7 | 1.9 | 1.7 | 20.0 | 2.2 | 2.1 | 1.3 | 1.1 | **2,633.7** |
| OIL | 1963 | 14.3 | 13.0 | 13.7 | 12.1 | 12.4 | 9.9 | 8.9 | 11.3 | 10.8 | 11.3 | 7.6 | 7.6 | **2,072.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 20.0 | 29.0 | 30.0 | 31.0 | **2,784.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.7 | 4.1 | 4.0 | **2,585.4** |
| OIL | 1962 | 24.8 | 21.0 | 22.6 | 21.0 | 20.2 | 19.7 | 19.7 | 18.8 | 9.4 | 12.9 | 14.1 | 13.8 | **1,939.9** |
| DAY | 1961 | 7.0 | 13.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,432.0** |
| H2O | 1961 | 3.0 | 5.6 | 13.8 | 12.6 | 13.5 | 14.3 | 13.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,573.6** |
| OIL | 1961 | 3.5 | 5.9 | 15.9 | 14.1 | 13.3 | 13.5 | 14.8 | 20.8 | 21.1 | 21.6 | 25.1 | 25.9 | **1,721.9** |
| DAY | 1960 | 15.0 | 0.0 | 27.0 | 30.0 | 16.0 | 29.0 | 31.0 | 21.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,106.0** |
| H2O | 1960 | 11.6 | 0.0 | 21.6 | 22.1 | 14.5 | 28.3 | 32.6 | 17.2 | 33.2 | 15.1 | 14.8 | 14.0 | **2,497.3** |
| OIL | 1960 | 8.1 | 0.0 | 14.0 | 14.6 | 9.2 | 19.7 | 22.7 | 9.5 | 16.7 | 17.2 | 17.3 | 16.0 | **1,526.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 28.0 | 28.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,815.0** |
| H2O | 1959 | 16.1 | 14.9 | 16.5 | 14.5 | 12.6 | 22.1 | 25.9 | 26.7 | 25.9 | 26.1 | 23.8 | 24.3 | **2,272.3** |
| OIL | 1959 | 7.8 | 7.0 | 7.5 | 7.3 | 6.7 | 15.9 | 18.9 | 18.9 | 18.0 | 19.1 | 16.2 | 17.0 | **1,361.4** |
| DAY | 1958 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,458.0** |
| H2O | 1958 | 13.7 | 12.2 | 14.1 | 13.8 | 16.5 | 17.6 | 18.9 | 18.8 | 14.9 | 15.3 | 15.7 | 15.9 | **2,022.9** |
| OIL | 1958 | 14.6 | 12.6 | 13.8 | 13.5 | 10.8 | 11.6 | 11.9 | 11.1 | 7.3 | 7.9 | 7.9 | 7.9 | **1,201.1** |
| DAY | 1957 | 31.0 | 26.0 | 28.0 | 30.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,094.0** |

# Manitoba Production
## 1950 To 1975

Licence ***589*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-28-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1957 | 33.1 | 40.9 | 49.3 | 47.1 | 48.2 | 234.2 | 24.0 | 19.9 | 13.5 | 13.4 | 14.6 | 14.9 | **1,835.5** |
| OIL | 1957 | 7.9 | 5.7 | 6.8 | 6.5 | 7.3 | 64.4 | 8.7 | 6.2 | 18.6 | 15.9 | 15.3 | 14.9 | **1,070.2** |
| DAY | 1956 | 31.0 | 29.0 | 28.0 | 27.0 | 31.0 | 30.0 | 30.0 | 27.0 | 30.0 | 30.0 | 28.0 | 31.0 | **739.0** |
| H2O | 1956 | 58.8 | 60.7 | 63.1 | 52.3 | 77.4 | 59.6 | 45.2 | 38.2 | 44.0 | 33.4 | 44.4 | 38.2 | **1,282.4** |
| OIL | 1956 | 13.5 | 11.9 | 11.0 | 11.1 | 11.9 | 10.3 | 14.5 | 14.1 | 8.6 | 6.2 | 7.3 | 8.1 | **892.0** |
| DAY | 1955 | 28.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | **387.0** |
| H2O | 1955 | 0.3 | 117.3 | 40.9 | 66.0 | 51.5 | 40.1 | 80.9 | 43.7 | 40.7 | 53.4 | 67.2 | 64.4 | **667.1** |
| OIL | 1955 | 179.4 | 27.5 | 17.5 | 28.3 | 27.3 | 26.7 | 32.1 | 16.0 | 16.4 | 14.0 | 16.0 | 14.9 | **763.5** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 28.0 | **36.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.5 | **0.7** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 106.8 | 240.6 | **347.4** |

Licence ***590*** Well Name ***Enerplus East Cromer Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-14-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 31.0 | 25.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 7.0 | 0.0 | 0.0 | 0.0 | **4,154.0** |
| H2O | 1969 | 635.9 | 458.8 | 500.9 | 527.5 | 596.3 | 564.0 | 618.1 | 273.1 | 52.5 | 0.0 | 0.0 | 0.0 | **69,896.0** |
| OIL | 1969 | 12.1 | 6.0 | 7.3 | 8.1 | 7.6 | 7.2 | 7.3 | 3.6 | 0.9 | 0.0 | 0.0 | 0.0 | **4,694.7** |
| DAY | 1968 | 22.0 | 29.0 | 27.0 | 30.0 | 16.0 | 18.0 | 30.0 | 4.0 | 0.0 | 0.0 | 30.0 | 31.0 | **3,908.0** |
| H2O | 1968 | 347.5 | 506.8 | 479.5 | 489.2 | 283.6 | 293.5 | 467.9 | 63.8 | 0.0 | 0.0 | 508.4 | 617.3 | **65,668.9** |
| OIL | 1968 | 7.5 | 9.5 | 8.3 | 5.6 | 4.1 | 3.7 | 7.6 | 1.1 | 0.0 | 0.0 | 8.3 | 10.6 | **4,634.6** |
| DAY | 1967 | 31.0 | 25.0 | 31.0 | 26.0 | 28.0 | 8.0 | 0.0 | 0.0 | 0.0 | 25.0 | 30.0 | 31.0 | **3,671.0** |
| H2O | 1967 | 549.1 | 404.8 | 498.1 | 390.6 | 455.6 | 118.9 | 0.0 | 0.0 | 0.0 | 383.1 | 508.0 | 518.5 | **61,611.4** |
| OIL | 1967 | 12.7 | 10.2 | 13.5 | 9.2 | 7.0 | 1.6 | 0.0 | 0.0 | 0.0 | 5.7 | 11.0 | 10.8 | **4,568.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,436.0** |
| H2O | 1966 | 888.6 | 842.2 | 1037.9 | 415.3 | 580.9 | 548.1 | 626.5 | 621.6 | 610.1 | 548.9 | 530.8 | 538.6 | **57,784.7** |
| OIL | 1966 | 25.4 | 23.0 | 24.9 | 14.6 | 16.4 | 12.9 | 14.9 | 13.8 | 12.9 | 11.6 | 13.0 | 13.0 | **4,486.6** |
| DAY | 1965 | 31.0 | 28.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 24.0 | 31.0 | **3,076.0** |
| H2O | 1965 | 910.1 | 785.5 | 881.4 | 859.3 | 835.0 | 662.8 | 708.3 | 489.8 | 551.9 | 578.5 | 567.5 | 849.0 | **49,995.2** |
| OIL | 1965 | 29.7 | 21.5 | 20.2 | 20.3 | 20.7 | 17.3 | 19.5 | 15.4 | 15.7 | 16.4 | 14.0 | 26.4 | **4,290.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 24.0 | 31.0 | 30.0 | 25.0 | 25.0 | 26.0 | 24.0 | 30.0 | 29.0 | **2,722.0** |
| H2O | 1964 | 571.2 | 569.9 | 505.7 | 357.5 | 531.6 | 495.7 | 395.9 | 311.1 | 383.1 | 302.5 | 481.1 | 827.3 | **41,316.1** |
| OIL | 1964 | 29.7 | 24.8 | 23.4 | 15.7 | 23.8 | 17.5 | 13.7 | 13.0 | 13.7 | 11.1 | 17.6 | 31.9 | **4,053.1** |
| DAY | 1963 | 20.0 | 2.0 | 17.0 | 21.0 | 18.0 | 0.0 | 0.0 | 8.0 | 13.0 | 31.0 | 30.0 | 31.0 | **2,387.0** |
| H2O | 1963 | 414.6 | 50.1 | 327.7 | 1.0 | 267.9 | 0.0 | 0.0 | 98.1 | 153.4 | 367.2 | 295.2 | 388.9 | **35,583.5** |
| OIL | 1963 | 14.5 | 1.7 | 13.8 | 23.7 | 18.6 | 0.0 | 0.0 | 5.6 | 11.1 | 24.2 | 22.9 | 28.4 | **3,817.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 21.0 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 30.0 | 31.0 | **2,196.0** |
| H2O | 1962 | 488.5 | 392.5 | 443.2 | 314.8 | 47.2 | 0.0 | 0.0 | 0.0 | 0.0 | 58.0 | 454.2 | 439.3 | **33,219.4** |
| OIL | 1962 | 26.4 | 23.5 | 26.4 | 16.4 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 2.9 | 27.8 | 23.8 | **3,652.7** |
| DAY | 1961 | 31.0 | 27.0 | 30.0 | 27.0 | 28.0 | 11.0 | 25.0 | 31.0 | 29.0 | 30.0 | 29.0 | 31.0 | **2,016.0** |
| H2O | 1961 | 509.2 | 369.3 | 510.3 | 449.3 | 446.9 | 216.5 | 366.1 | 463.4 | 449.8 | 502.6 | 433.9 | 442.1 | **30,581.7** |
| OIL | 1961 | 26.4 | 20.0 | 27.5 | 25.1 | 31.5 | 11.4 | 28.9 | 34.0 | 28.8 | 35.9 | 29.4 | 30.0 | **3,503.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 27.0 | 30.0 | 28.0 | **1,687.0** |
| H2O | 1960 | 523.8 | 504.5 | 528.4 | 393.3 | 481.1 | 472.6 | 461.7 | 485.4 | 490.8 | 446.4 | 482.7 | 465.8 | **25,422.3** |
| OIL | 1960 | 45.4 | 41.5 | 44.0 | 35.8 | 37.2 | 33.4 | 26.9 | 26.2 | 30.0 | 28.6 | 26.2 | 24.6 | **3,174.1** |
| DAY | 1959 | 31.0 | 26.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 20.0 | 15.0 | 30.0 | 29.0 | **1,334.0** |
| H2O | 1959 | 420.2 | 345.0 | 417.5 | 371.7 | 467.9 | 457.2 | 516.3 | 498.9 | 334.7 | 240.9 | 488.7 | 516.8 | **19,685.8** |
| OIL | 1959 | 30.8 | 28.4 | 32.3 | 34.0 | 32.6 | 38.0 | 42.9 | 38.8 | 22.9 | 22.6 | 42.3 | 43.2 | **2,774.3** |
| DAY | 1958 | 31.0 | 28.0 | 29.0 | 28.0 | 31.0 | 27.0 | 30.0 | 28.0 | 22.0 | 31.0 | 30.0 | 31.0 | **1,000.0** |
| H2O | 1958 | 545.9 | 499.4 | 519.5 | 442.4 | 466.6 | 416.2 | 471.5 | 423.7 | 294.6 | 429.6 | 436.4 | 440.5 | **14,610.0** |
| OIL | 1958 | 45.1 | 38.5 | 38.5 | 39.6 | 54.3 | 48.8 | 52.1 | 46.6 | 27.3 | 36.2 | 32.4 | 32.7 | **2,365.5** |

# Manitoba Production
## 1950 To 1975

Licence ***590*** Well Name ***Enerplus East Cromer Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-14-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 11.0 | 8.0 | 0.0 | 15.0 | 28.0 | 30.0 | 31.0 | 30.0 | 25.0 | 30.0 | 29.0 | **654.0** |
| H2O | 1957 | 0.0 | 218.0 | 171.1 | 0.0 | 250.1 | 406.8 | 436.9 | 514.4 | 482.7 | 402.5 | 505.7 | 480.6 | **9,223.7** |
| OIL | 1957 | 0.0 | 18.8 | 12.6 | 0.0 | 58.3 | 58.5 | 65.6 | 49.4 | 49.4 | 40.7 | 47.5 | 42.7 | **1,873.4** |
| DAY | 1956 | 12.0 | 26.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 14.0 | **417.0** |
| H2O | 1956 | 104.3 | 267.6 | 316.7 | 306.8 | 305.6 | 434.2 | 457.9 | 530.0 | 509.5 | 563.0 | 453.6 | 230.8 | **5,354.9** |
| OIL | 1956 | 27.8 | 63.1 | 70.9 | 60.5 | 59.9 | 60.9 | 78.0 | 79.3 | 76.1 | 72.9 | 63.2 | 27.2 | **1,429.9** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 22.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | **92.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.5 | 127.3 | 0.0 | 0.0 | 0.0 | 0.0 | 64.2 | **874.9** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 276.7 | 84.9 | 0.0 | 0.0 | 0.0 | 0.0 | 20.5 | **690.1** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 25.0 | **42.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.7 | 653.2 | **655.9** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 123.8 | 184.2 | **308.0** |

Licence ***591*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,510.0** |
| H2O | 1975 | 387.8 | 337.0 | 409.1 | 392.5 | 436.4 | 451.2 | 449.6 | 449.0 | 410.0 | 385.2 | 367.1 | 376.6 | **34,368.9** |
| OIL | 1975 | 273.5 | 239.8 | 275.7 | 257.6 | 270.0 | 245.7 | 257.3 | 248.5 | 238.5 | 240.1 | 235.2 | 242.0 | **40,891.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 7.0 | 20.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,146.0** |
| H2O | 1974 | 457.9 | 394.1 | 479.3 | 424.8 | 106.2 | 379.8 | 430.2 | 445.0 | 447.5 | 444.5 | 405.1 | 445.5 | **29,517.4** |
| OIL | 1974 | 280.3 | 277.3 | 308.4 | 297.3 | 68.2 | 207.5 | 316.1 | 326.2 | 307.0 | 307.0 | 255.5 | 271.6 | **37,867.4** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,816.0** |
| H2O | 1973 | 373.6 | 314.6 | 363.3 | 458.2 | 473.0 | 434.0 | 398.7 | 403.7 | 399.2 | 394.0 | 374.6 | 440.5 | **24,657.5** |
| OIL | 1973 | 278.9 | 253.3 | 283.2 | 326.6 | 334.8 | 323.4 | 346.4 | 305.7 | 289.4 | 284.8 | 279.8 | 273.2 | **34,645.0** |
| DAY | 1972 | 30.0 | 29.0 | 30.0 | 29.0 | 29.0 | 29.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,451.0** |
| H2O | 1972 | 304.3 | 341.4 | 339.9 | 274.4 | 286.1 | 343.3 | 257.7 | 360.8 | 343.8 | 348.5 | 338.0 | 311.7 | **19,830.1** |
| OIL | 1972 | 269.0 | 263.6 | 300.3 | 282.4 | 285.1 | 315.6 | 238.2 | 367.1 | 362.5 | 383.3 | 275.9 | 280.2 | **31,065.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,098.0** |
| H2O | 1971 | 293.3 | 291.2 | 313.5 | 383.8 | 418.3 | 336.8 | 348.7 | 379.7 | 307.6 | 291.7 | 263.4 | 261.2 | **15,980.2** |
| OIL | 1971 | 346.1 | 312.9 | 350.4 | 371.1 | 403.0 | 336.9 | 351.0 | 344.4 | 292.7 | 260.9 | 247.6 | 267.1 | **27,442.3** |
| DAY | 1970 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,733.0** |
| H2O | 1970 | 285.0 | 274.7 | 350.4 | 347.6 | 355.2 | 350.4 | 282.0 | 280.9 | 303.9 | 285.5 | 269.3 | 248.6 | **12,091.0** |
| OIL | 1970 | 384.4 | 338.3 | 391.4 | 340.9 | 353.4 | 335.1 | 317.2 | 325.0 | 307.5 | 341.8 | 325.1 | 342.8 | **23,558.2** |
| DAY | 1969 | 27.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,370.0** |
| H2O | 1969 | 17.3 | 230.2 | 366.6 | 316.6 | 339.8 | 320.5 | 338.5 | 320.6 | 306.2 | 323.2 | 324.4 | 318.6 | **8,457.5** |
| OIL | 1969 | 141.9 | 354.5 | 528.5 | 460.7 | 434.3 | 436.2 | 444.3 | 412.4 | 387.7 | 408.6 | 363.0 | 383.8 | **19,455.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,011.0** |
| H2O | 1968 | 65.8 | 65.6 | 45.8 | 61.3 | 80.2 | 70.4 | 131.7 | 116.1 | 103.1 | 110.0 | 90.7 | 20.3 | **4,935.0** |
| OIL | 1968 | 140.5 | 127.0 | 128.2 | 144.6 | 124.9 | 134.9 | 192.4 | 189.3 | 184.5 | 184.5 | 175.9 | 167.5 | **14,699.4** |
| DAY | 1967 | 31.0 | 27.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,647.0** |
| H2O | 1967 | 104.9 | 81.7 | 72.8 | 73.7 | 85.8 | 83.4 | 76.0 | 78.3 | 46.7 | 52.9 | 69.6 | 70.4 | **3,974.0** |
| OIL | 1967 | 152.6 | 133.5 | 140.5 | 153.0 | 164.2 | 153.8 | 162.1 | 139.5 | 132.2 | 147.6 | 143.5 | 144.4 | **12,805.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **4,286.0** |
| H2O | 1966 | 28.6 | 27.3 | 27.3 | 36.7 | 86.6 | 84.7 | 80.4 | 94.4 | 83.9 | 61.8 | 169.3 | 120.3 | **3,077.8** |
| OIL | 1966 | 37.8 | 34.0 | 42.1 | 163.2 | 188.0 | 161.8 | 162.2 | 159.7 | 166.5 | 131.6 | 182.4 | 162.9 | **11,038.3** |
| DAY | 1965 | 31.0 | 28.0 | 22.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,926.0** |
| H2O | 1965 | 20.8 | 17.2 | 11.3 | 17.3 | 16.2 | 28.6 | 27.2 | 42.8 | 30.8 | 33.7 | 21.6 | 23.5 | **2,176.5** |
| OIL | 1965 | 22.1 | 17.8 | 13.7 | 19.2 | 19.5 | 22.9 | 31.0 | 28.9 | 29.2 | 29.9 | 24.8 | 30.0 | **9,446.1** |
| DAY | 1964 | 31.0 | 29.0 | 9.0 | 0.0 | 19.0 | 22.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,573.0** |
| H2O | 1964 | 4.8 | 5.1 | 1.6 | 0.0 | 2.5 | 19.6 | 32.9 | 27.2 | 24.8 | 24.8 | 24.5 | 22.6 | **1,885.5** |

# Manitoba Production
## 1950 To 1975

Licence ***591*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1964 | 24.0 | 21.9 | 6.8 | 0.0 | 13.8 | 19.7 | 31.0 | 27.3 | 26.1 | 24.8 | 23.4 | 23.2 | **9,157.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,279.0** |
| H2O | 1963 | 14.1 | 12.4 | 11.1 | 11.1 | 10.5 | 10.0 | 20.7 | 18.1 | 14.3 | 14.1 | 4.3 | 4.9 | **1,695.1** |
| OIL | 1963 | 38.3 | 35.3 | 38.3 | 37.5 | 38.5 | 36.4 | 26.9 | 29.1 | 24.6 | 24.2 | 23.2 | 23.0 | **8,915.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,914.0** |
| H2O | 1962 | 19.1 | 16.7 | 18.1 | 17.2 | 19.1 | 17.8 | 19.1 | 21.9 | 8.7 | 10.0 | 11.3 | 11.8 | **1,549.5** |
| OIL | 1962 | 26.7 | 24.0 | 26.9 | 25.7 | 26.9 | 26.2 | 26.4 | 25.1 | 31.3 | 35.8 | 37.3 | 38.8 | **8,539.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,550.0** |
| H2O | 1961 | 1.0 | 1.0 | 1.0 | 1.0 | 10.0 | 13.2 | 11.0 | 16.7 | 19.2 | 18.1 | 18.0 | 19.2 | **1,358.7** |
| OIL | 1961 | 43.7 | 38.1 | 43.7 | 41.6 | 27.0 | 24.2 | 33.4 | 30.5 | 26.2 | 27.0 | 26.2 | 26.9 | **8,188.7** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,187.0** |
| H2O | 1960 | 1.4 | 1.3 | 1.0 | 1.1 | 1.1 | 1.4 | 1.1 | 1.0 | 1.3 | 1.0 | 1.1 | 1.1 | **1,229.3** |
| OIL | 1960 | 43.4 | 38.5 | 42.4 | 40.4 | 42.0 | 38.8 | 39.6 | 38.8 | 40.4 | 42.9 | 38.8 | 46.7 | **7,800.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,827.0** |
| H2O | 1959 | 3.8 | 3.3 | 3.5 | 4.6 | 7.3 | 5.4 | 1.1 | 1.3 | 1.3 | 1.4 | 1.3 | 1.4 | **1,215.4** |
| OIL | 1959 | 47.4 | 40.0 | 41.8 | 42.1 | 43.5 | 43.1 | 41.6 | 50.1 | 44.8 | 43.9 | 43.5 | 43.7 | **7,307.5** |
| DAY | 1958 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,463.0** |
| H2O | 1958 | 10.5 | 9.2 | 9.7 | 2.2 | 2.2 | 2.4 | 2.2 | 2.4 | 2.4 | 5.4 | 4.6 | 3.8 | **1,179.7** |
| OIL | 1958 | 58.3 | 54.8 | 58.2 | 77.1 | 77.1 | 78.2 | 77.7 | 67.4 | 65.0 | 45.0 | 41.3 | 42.6 | **6,782.0** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,104.0** |
| H2O | 1957 | 30.4 | 31.5 | 36.6 | 33.9 | 13.5 | 33.1 | 14.9 | 21.8 | 18.1 | 18.1 | 15.7 | 16.2 | **1,122.7** |
| OIL | 1957 | 93.1 | 92.6 | 103.0 | 94.2 | 75.6 | 66.3 | 85.2 | 74.2 | 67.2 | 67.5 | 53.6 | 58.3 | **6,039.3** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | **743.0** |
| H2O | 1956 | 43.7 | 46.6 | 36.7 | 41.8 | 53.7 | 51.4 | 96.2 | 60.1 | 106.8 | 36.9 | 32.3 | 35.5 | **838.9** |
| OIL | 1956 | 207.2 | 187.2 | 215.2 | 161.3 | 180.5 | 160.3 | 173.7 | 188.6 | 135.4 | 112.2 | 103.8 | 96.3 | **5,108.5** |
| DAY | 1955 | 20.0 | 26.0 | 30.0 | 29.0 | 19.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **380.0** |
| H2O | 1955 | 6.2 | 2.7 | 2.9 | 2.7 | 1.7 | 2.7 | 1.1 | 17.3 | 25.1 | 41.5 | 37.8 | 46.6 | **197.2** |
| OIL | 1955 | 185.8 | 217.9 | 238.4 | 224.9 | 144.1 | 223.6 | 289.5 | 257.0 | 264.3 | 246.6 | 216.4 | 219.5 | **3,186.8** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 20.0 | **45.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.9 | 1.0 | **8.9** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 299.4 | 159.4 | **458.8** |

Licence ***592*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-09-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,545.0** |
| H2O | 1975 | 45.0 | 40.4 | 46.1 | 44.7 | 46.3 | 43.2 | 44.4 | 43.7 | 43.1 | 46.3 | 46.4 | 47.2 | **18,000.5** |
| OIL | 1975 | 86.6 | 75.0 | 84.4 | 80.1 | 81.7 | 58.8 | 62.0 | 62.1 | 60.4 | 62.5 | 60.4 | 61.3 | **47,072.1** |
| DAY | 1974 | 31.0 | 27.0 | 30.0 | 29.0 | 31.0 | 23.0 | 0.0 | 21.0 | 30.0 | 31.0 | 28.0 | 31.0 | **7,180.0** |
| H2O | 1974 | 53.7 | 45.9 | 53.9 | 52.3 | 56.1 | 43.2 | 0.0 | 35.5 | 42.6 | 44.7 | 40.4 | 44.2 | **17,463.7** |
| OIL | 1974 | 94.4 | 76.0 | 91.1 | 86.4 | 93.3 | 69.1 | 0.0 | 62.8 | 84.1 | 88.5 | 76.3 | 86.4 | **46,236.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | **6,868.0** |
| H2O | 1973 | 81.2 | 77.9 | 83.6 | 83.3 | 58.0 | 53.9 | 54.2 | 60.3 | 59.3 | 59.8 | 44.2 | 53.9 | **16,951.2** |
| OIL | 1973 | 105.7 | 93.0 | 102.7 | 100.1 | 92.0 | 86.1 | 89.6 | 99.0 | 94.2 | 96.1 | 72.1 | 91.7 | **45,328.4** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **6,510.0** |
| H2O | 1972 | 64.7 | 63.0 | 69.3 | 61.7 | 54.1 | 53.7 | 59.8 | 37.4 | 32.7 | 40.5 | 81.6 | 82.8 | **16,181.6** |
| OIL | 1972 | 103.6 | 96.8 | 105.4 | 100.6 | 97.6 | 94.1 | 96.9 | 107.7 | 90.1 | 108.1 | 102.7 | 107.1 | **44,206.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,147.0** |
| H2O | 1971 | 112.4 | 102.9 | 118.1 | 118.8 | 118.8 | 118.3 | 117.3 | 113.0 | 101.3 | 61.0 | 58.7 | 68.8 | **15,480.3** |
| OIL | 1971 | 118.9 | 106.0 | 117.3 | 111.2 | 113.9 | 110.6 | 113.1 | 111.1 | 109.5 | 109.3 | 103.1 | 105.5 | **42,995.4** |
| DAY | 1970 | 31.0 | 28.0 | 29.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,782.0** |

# Manitoba Production
## 1950 To 1975

Licence ***592*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-09-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1970 | 76.8 | 72.0 | 70.1 | 69.6 | 66.3 | 72.7 | 98.6 | 111.0 | 103.3 | 107.2 | 97.9 | 119.4 | **14,270.9** |
| OIL | 1970 | 144.0 | 129.8 | 131.9 | 136.8 | 130.1 | 138.3 | 115.7 | 113.8 | 108.7 | 114.4 | 109.8 | 112.3 | **41,665.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,421.0** |
| H2O | 1969 | 140.4 | 127.5 | 119.6 | 122.1 | 134.3 | 128.5 | 139.3 | 140.1 | 132.0 | 138.6 | 72.7 | 79.8 | **13,206.0** |
| OIL | 1969 | 214.7 | 189.6 | 209.4 | 204.2 | 209.6 | 205.8 | 213.9 | 212.6 | 207.1 | 209.4 | 142.4 | 149.2 | **40,180.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 27.0 | 30.0 | 31.0 | **5,057.0** |
| H2O | 1968 | 132.0 | 125.4 | 132.9 | 104.1 | 109.2 | 99.8 | 107.9 | 126.9 | 132.4 | 117.3 | 125.9 | 132.1 | **11,731.1** |
| OIL | 1968 | 374.9 | 344.1 | 367.4 | 183.5 | 184.0 | 180.8 | 186.4 | 141.3 | 141.7 | 187.0 | 208.3 | 211.8 | **37,812.4** |
| DAY | 1967 | 31.0 | 28.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,696.0** |
| H2O | 1967 | 100.2 | 82.8 | 75.5 | 92.7 | 92.8 | 177.1 | 139.6 | 186.5 | 163.4 | 176.6 | 155.0 | 137.0 | **10,285.2** |
| OIL | 1967 | 211.5 | 188.0 | 159.5 | 203.6 | 209.8 | 252.2 | 261.9 | 259.5 | 250.0 | 263.9 | 257.4 | 374.4 | **35,101.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,337.0** |
| H2O | 1966 | 76.9 | 61.7 | 78.4 | 80.4 | 90.6 | 71.1 | 79.0 | 96.5 | 103.7 | 103.2 | 98.2 | 102.9 | **8,706.0** |
| OIL | 1966 | 203.7 | 179.3 | 198.5 | 194.0 | 202.8 | 173.2 | 202.3 | 202.3 | 197.0 | 197.7 | 202.5 | 207.1 | **32,209.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,975.0** |
| H2O | 1965 | 107.8 | 95.7 | 109.2 | 95.5 | 97.3 | 92.7 | 93.2 | 93.5 | 78.1 | 73.3 | 79.3 | 80.8 | **7,663.4** |
| OIL | 1965 | 218.8 | 199.6 | 215.8 | 207.9 | 209.8 | 209.9 | 218.8 | 216.9 | 202.8 | 199.7 | 200.5 | 206.1 | **29,849.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **3,611.0** |
| H2O | 1964 | 103.0 | 92.8 | 103.3 | 99.5 | 98.4 | 101.9 | 100.5 | 102.1 | 84.7 | 97.9 | 101.4 | 107.3 | **6,567.0** |
| OIL | 1964 | 205.9 | 194.7 | 210.4 | 202.0 | 193.7 | 200.4 | 207.7 | 209.4 | 175.6 | 206.4 | 202.3 | 216.9 | **27,342.5** |
| DAY | 1963 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | **3,251.0** |
| H2O | 1963 | 87.9 | 86.8 | 77.4 | 81.9 | 86.0 | 62.5 | 96.5 | 86.8 | 90.6 | 91.9 | 77.4 | 97.3 | **5,374.2** |
| OIL | 1963 | 216.1 | 206.4 | 212.1 | 212.8 | 220.7 | 170.0 | 208.5 | 181.5 | 189.6 | 192.3 | 193.1 | 189.1 | **24,917.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,894.0** |
| H2O | 1962 | 123.8 | 120.3 | 127.8 | 145.0 | 88.9 | 89.3 | 84.1 | 78.4 | 79.6 | 93.2 | 89.7 | 95.5 | **4,351.2** |
| OIL | 1962 | 290.0 | 245.8 | 278.4 | 260.6 | 238.0 | 224.4 | 230.7 | 222.6 | 214.8 | 239.5 | 219.8 | 236.3 | **22,524.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 27.0 | 31.0 | **2,530.0** |
| H2O | 1961 | 78.7 | 70.4 | 73.8 | 68.2 | 65.2 | 64.1 | 87.8 | 70.7 | 87.6 | 129.9 | 124.3 | 123.5 | **3,135.6** |
| OIL | 1961 | 318.3 | 300.8 | 299.2 | 301.1 | 275.1 | 266.0 | 273.0 | 266.7 | 229.3 | 297.6 | 276.3 | 266.8 | **19,624.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,173.0** |
| H2O | 1960 | 57.7 | 63.1 | 62.2 | 57.7 | 55.2 | 53.3 | 55.6 | 51.5 | 44.8 | 54.7 | 50.9 | 46.9 | **2,091.4** |
| OIL | 1960 | 333.8 | 311.1 | 316.2 | 310.7 | 327.0 | 314.6 | 325.1 | 306.2 | 301.1 | 315.3 | 305.7 | 303.0 | **16,253.8** |
| DAY | 1959 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,809.0** |
| H2O | 1959 | 55.2 | 53.6 | 55.5 | 46.6 | 32.4 | 50.6 | 48.0 | 62.2 | 36.4 | 53.4 | 63.3 | 62.5 | **1,437.8** |
| OIL | 1959 | 323.7 | 274.4 | 299.9 | 338.7 | 325.1 | 345.3 | 351.0 | 352.6 | 337.6 | 348.4 | 327.8 | 340.0 | **12,484.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,446.0** |
| H2O | 1958 | 41.8 | 34.2 | 40.5 | 39.9 | 40.1 | 35.3 | 59.0 | 58.7 | 63.6 | 63.4 | 46.3 | 51.2 | **818.1** |
| OIL | 1958 | 372.6 | 343.7 | 368.8 | 344.9 | 366.3 | 339.8 | 348.7 | 326.2 | 335.2 | 334.4 | 305.7 | 323.9 | **8,519.5** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 24.0 | 28.0 | 30.0 | 28.0 | 26.0 | 31.0 | 30.0 | 31.0 | **1,085.0** |
| H2O | 1957 | 0.2 | 0.2 | 0.3 | 0.3 | 0.2 | 7.5 | 6.8 | 10.5 | 5.6 | 12.4 | 9.5 | 23.2 | **244.1** |
| OIL | 1957 | 54.2 | 44.3 | 48.8 | 45.4 | 40.5 | 30.8 | 26.5 | 28.6 | 25.1 | 368.7 | 332.9 | 349.4 | **4,409.3** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **737.0** |
| H2O | 1956 | 4.1 | 3.7 | 3.8 | 3.3 | 1.7 | 1.6 | 1.6 | 1.4 | 0.2 | 0.2 | 0.3 | 0.2 | **167.4** |
| OIL | 1956 | 86.4 | 73.1 | 66.1 | 69.3 | 68.8 | 68.5 | 69.1 | 58.5 | 70.2 | 65.2 | 54.2 | 54.2 | **3,014.1** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 4.0 | 20.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **372.0** |
| H2O | 1955 | 0.5 | 0.5 | 0.5 | 0.0 | 3.8 | 20.2 | 33.1 | 23.2 | 25.0 | 23.8 | 4.3 | 4.5 | **145.3** |
| OIL | 1955 | 204.2 | 234.4 | 261.7 | 32.4 | 175.6 | 203.7 | 175.0 | 119.3 | 105.5 | 118.1 | 96.3 | 94.2 | **2,210.5** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 30.0 | **45.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 3.8 | **5.9** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 154.0 | 236.1 | **390.1** |

Licence ***593*** Well Name ***B.A. Union Woodnorth SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***593*** Well Name ***B.A. Union Woodnorth SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-28-008-27W1.00*** Field Name ***Daly*** Pool Name ***Duperow*** Field Code ***1*** Pool Code ***72*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1966 | 2304.3 | 1844.3 | 2153.9 | 1867.1 | 1813.8 | 1803.2 | 1857.4 | 2252.5 | 3109.3 | 3144.1 | 2498.2 | 446.4 | **352,660.2** |
| WIN | 1965 | 4817.9 | 4557.8 | 4811.7 | 3311.9 | 2737.3 | 4359.5 | 3519.8 | 2495.1 | 2810.1 | 3224.0 | 2760.0 | 2573.4 | **327,565.7** |
| WIN | 1964 | 2789.3 | 2462.2 | 2638.7 | 2223.5 | 2161.4 | 2865.1 | 2901.8 | 2619.8 | 2502.5 | 3779.6 | 4290.4 | 4527.1 | **285,587.2** |
| WIN | 1963 | 2179.7 | 1808.3 | 2165.7 | 2024.8 | 1952.9 | 1820.5 | 1756.3 | 1619.4 | 1522.7 | 1521.6 | 1499.2 | 2532.7 | **249,825.8** |
| WIN | 1962 | 1673.9 | 2179.8 | 2086.3 | 1874.1 | 1803.3 | 1608.1 | 1980.6 | 1826.1 | 1865.2 | 1862.8 | 1753.6 | 2338.3 | **227,422.0** |
| WIN | 1961 | 3621.6 | 2871.0 | 3141.3 | 3432.4 | 3501.2 | 3130.3 | 3292.2 | 3165.8 | 2996.6 | 3393.1 | 2626.6 | 2122.6 | **204,569.9** |
| WIN | 1960 | 3293.9 | 2863.8 | 3030.3 | 2082.4 | 3610.1 | 2970.5 | 2584.8 | 2737.6 | 2696.4 | 2964.2 | 2959.9 | 3576.1 | **167,275.2** |
| WIN | 1959 | 1774.7 | 1422.2 | 2292.5 | 1641.9 | 2224.8 | 2726.2 | 2323.2 | 2135.5 | 2618.4 | 2400.1 | 3360.7 | 2529.5 | **131,905.2** |
| WIN | 1958 | 2484.3 | 2082.7 | 2108.6 | 2245.3 | 2209.4 | 1978.7 | 2017.0 | 1846.6 | 2126.4 | 1669.3 | 1689.5 | 1869.8 | **104,455.5** |
| WIN | 1957 | 1449.1 | 1371.0 | 1527.2 | 981.3 | 2341.0 | 3724.6 | 3657.4 | 3191.4 | 4579.4 | 3859.8 | 2753.3 | 2725.0 | **80,127.9** |
| WIN | 1956 | 1632.9 | 1683.6 | 2650.6 | 1193.3 | 4243.5 | 4122.9 | 4327.2 | 4539.0 | 3749.7 | 4146.0 | 3153.2 | 1996.3 | **47,967.4** |
| WIN | 1955 | 0.0 | 180.3 | 14.8 | 179.3 | 3.8 | 198.1 | 1216.5 | 2141.7 | 1086.4 | 970.9 | 2184.4 | 2353.0 | **10,529.2** |

Licence ***597*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **7,397.0** |
| H2O | 1975 | 539.3 | 478.8 | 477.2 | 478.5 | 485.6 | 448.1 | 481.5 | 521.8 | 542.1 | 489.4 | 502.9 | 537.8 | **39,883.9** |
| OIL | 1975 | 96.1 | 86.0 | 86.6 | 82.3 | 87.4 | 84.5 | 86.3 | 91.5 | 87.9 | 70.9 | 73.1 | 74.1 | **28,557.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,034.0** |
| H2O | 1974 | 431.4 | 407.3 | 448.3 | 414.3 | 400.2 | 466.7 | 455.1 | 456.2 | 447.2 | 452.6 | 447.6 | 531.8 | **33,900.9** |
| OIL | 1974 | 90.3 | 84.4 | 89.0 | 79.3 | 68.3 | 82.2 | 84.5 | 82.6 | 85.8 | 97.6 | 94.7 | 96.3 | **27,550.6** |
| DAY | 1973 | 31.0 | 27.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,674.0** |
| H2O | 1973 | 458.0 | 384.5 | 464.2 | 495.7 | 488.8 | 455.3 | 472.5 | 432.9 | 355.4 | 357.9 | 456.6 | 460.5 | **28,542.2** |
| OIL | 1973 | 130.1 | 114.6 | 128.2 | 127.0 | 110.1 | 110.3 | 110.4 | 77.9 | 171.8 | 181.6 | 94.6 | 93.3 | **26,515.6** |
| DAY | 1972 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | **6,313.0** |
| H2O | 1972 | 60.2 | 39.6 | 435.9 | 440.0 | 554.5 | 480.7 | 516.7 | 540.0 | 516.8 | 468.9 | 443.3 | 440.2 | **23,259.9** |
| OIL | 1972 | 82.2 | 67.2 | 167.2 | 153.5 | 149.1 | 137.8 | 144.6 | 154.9 | 150.3 | 129.0 | 124.9 | 130.8 | **25,065.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,953.0** |
| H2O | 1971 | 119.6 | 113.7 | 251.2 | 262.6 | 49.6 | 50.7 | 49.4 | 53.9 | 84.9 | 107.0 | 58.7 | 56.1 | **18,323.1** |
| OIL | 1971 | 96.1 | 85.8 | 94.2 | 93.1 | 88.0 | 76.0 | 77.5 | 80.1 | 79.9 | 87.1 | 77.2 | 79.8 | **23,474.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,588.0** |
| H2O | 1970 | 200.0 | 199.8 | 216.2 | 221.8 | 171.2 | 154.5 | 169.3 | 165.7 | 152.1 | 148.5 | 111.8 | 112.7 | **17,065.7** |
| OIL | 1970 | 142.5 | 122.5 | 134.4 | 127.8 | 121.1 | 108.4 | 123.2 | 113.0 | 107.9 | 112.2 | 87.6 | 93.1 | **22,459.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 30.0 | 30.0 | 29.0 | **5,225.0** |
| H2O | 1969 | 225.4 | 140.4 | 148.3 | 124.8 | 158.8 | 116.9 | 119.2 | 113.5 | 103.3 | 112.4 | 47.2 | 196.7 | **15,042.1** |
| OIL | 1969 | 128.2 | 83.4 | 93.1 | 71.2 | 86.6 | 90.9 | 92.0 | 91.1 | 75.0 | 83.9 | 69.4 | 108.5 | **21,065.7** |
| DAY | 1968 | 26.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 29.0 | 30.0 | 31.0 | **4,871.0** |
| H2O | 1968 | 39.9 | 46.6 | 86.0 | 7.8 | 8.1 | 8.6 | 9.5 | 30.8 | 27.3 | 206.5 | 221.6 | 224.0 | **13,435.2** |
| OIL | 1968 | 59.8 | 70.2 | 52.1 | 52.3 | 52.1 | 50.5 | 50.4 | 47.2 | 43.2 | 118.9 | 122.0 | 129.0 | **19,992.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,515.0** |
| H2O | 1967 | 112.3 | 113.6 | 133.4 | 133.3 | 99.0 | 120.1 | 49.1 | 44.0 | 46.1 | 47.0 | 46.2 | 49.3 | **12,518.5** |
| OIL | 1967 | 48.3 | 44.0 | 49.3 | 46.1 | 36.9 | 49.3 | 63.2 | 62.5 | 64.0 | 66.3 | 67.4 | 71.2 | **19,144.7** |
| DAY | 1966 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,157.0** |
| H2O | 1966 | 92.0 | 86.0 | 95.0 | 92.0 | 92.0 | 96.0 | 121.6 | 127.7 | 127.7 | 100.4 | 100.4 | 105.7 | **11,525.1** |
| OIL | 1966 | 42.7 | 38.9 | 41.6 | 30.2 | 32.6 | 39.6 | 69.3 | 59.9 | 63.4 | 52.8 | 56.1 | 45.8 | **18,476.2** |
| DAY | 1965 | 29.0 | 28.0 | 31.0 | 30.0 | 28.0 | 27.0 | 31.0 | 29.0 | 29.0 | 31.0 | 28.0 | 31.0 | **3,796.0** |
| H2O | 1965 | 64.2 | 62.0 | 68.6 | 66.4 | 31.1 | 58.3 | 144.1 | 107.4 | 69.6 | 89.3 | 85.2 | 95.0 | **10,288.6** |
| OIL | 1965 | 55.9 | 49.9 | 52.3 | 58.6 | 52.9 | 49.3 | 67.5 | 52.9 | 49.3 | 48.9 | 44.0 | 45.6 | **17,903.3** |
| DAY | 1964 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 28.0 | 31.0 | 31.0 | 29.0 | 26.0 | 28.0 | 31.0 | **3,444.0** |
| H2O | 1964 | 192.5 | 180.3 | 192.9 | 186.7 | 152.3 | 174.1 | 103.9 | 104.1 | 95.5 | 61.7 | 62.0 | 68.6 | **9,347.4** |

# Manitoba Production
## 1950 To 1975

Licence ***597*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1964 | 73.4 | 65.9 | 71.7 | 64.7 | 57.4 | 68.3 | 73.3 | 69.3 | 67.2 | 62.0 | 56.6 | 62.8 | **17,276.2** |
| DAY | 1963 | 27.0 | 28.0 | 31.0 | 28.0 | 28.0 | 30.0 | 28.0 | 31.0 | 26.0 | 30.0 | 30.0 | 31.0 | **3,095.0** |
| H2O | 1963 | 68.3 | 66.9 | 73.3 | 67.2 | 67.2 | 262.1 | 244.7 | 269.5 | 227.2 | 186.7 | 186.7 | 192.9 | **7,772.8** |
| OIL | 1963 | 67.4 | 62.5 | 66.4 | 59.1 | 61.3 | 69.9 | 67.5 | 75.2 | 61.3 | 77.2 | 72.0 | 74.5 | **16,483.6** |
| DAY | 1962 | 29.0 | 14.0 | 23.0 | 26.0 | 26.0 | 25.0 | 30.0 | 31.0 | 29.0 | 26.0 | 30.0 | 31.0 | **2,747.0** |
| H2O | 1962 | 55.8 | 17.3 | 64.7 | 48.6 | 53.4 | 38.8 | 65.2 | 58.0 | 68.5 | 62.5 | 72.1 | 72.9 | **5,860.1** |
| OIL | 1962 | 60.9 | 23.5 | 56.1 | 69.3 | 58.5 | 51.6 | 71.5 | 73.9 | 71.7 | 68.2 | 76.4 | 78.3 | **15,669.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 23.0 | 24.0 | 31.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | **2,427.0** |
| H2O | 1961 | 38.3 | 35.3 | 44.2 | 38.3 | 31.8 | 149.8 | 53.4 | 69.3 | 41.3 | 39.4 | 38.5 | 45.0 | **5,182.3** |
| OIL | 1961 | 70.4 | 60.5 | 72.1 | 69.6 | 57.7 | 55.6 | 72.9 | 66.1 | 55.9 | 52.6 | 54.0 | 60.1 | **14,909.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 23.0 | 30.0 | 31.0 | 20.0 | 23.0 | 24.0 | 31.0 | **2,080.0** |
| H2O | 1960 | 91.5 | 79.6 | 85.8 | 95.0 | 76.0 | 46.2 | 58.8 | 50.9 | 36.2 | 31.5 | 30.8 | 41.8 | **4,557.7** |
| OIL | 1960 | 123.0 | 110.4 | 116.6 | 101.7 | 107.7 | 84.4 | 95.3 | 86.9 | 55.5 | 57.4 | 58.8 | 76.1 | **14,161.9** |
| DAY | 1959 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 27.0 | 30.0 | 16.0 | 26.0 | 31.0 | 30.0 | 31.0 | **1,747.0** |
| H2O | 1959 | 77.4 | 73.4 | 77.9 | 79.0 | 76.0 | 57.8 | 65.9 | 32.6 | 84.2 | 95.5 | 96.9 | 92.2 | **3,833.6** |
| OIL | 1959 | 135.7 | 128.7 | 137.0 | 137.8 | 135.6 | 106.9 | 125.2 | 55.6 | 118.2 | 140.3 | 128.2 | 125.1 | **13,088.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **1,407.0** |
| H2O | 1958 | 70.1 | 72.5 | 77.6 | 81.1 | 117.2 | 88.7 | 52.1 | 78.9 | 102.4 | 78.7 | 74.1 | 72.2 | **2,924.8** |
| OIL | 1958 | 174.6 | 168.6 | 163.4 | 135.6 | 136.2 | 144.1 | 159.2 | 164.8 | 143.0 | 136.8 | 129.2 | 128.4 | **11,613.8** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 29.0 | 30.0 | 29.0 | 18.0 | 27.0 | **1,049.0** |
| H2O | 1957 | 78.3 | 79.0 | 87.9 | 71.4 | 71.7 | 67.5 | 67.5 | 58.2 | 59.6 | 52.1 | 40.0 | 59.0 | **1,959.2** |
| OIL | 1957 | 230.3 | 199.1 | 219.8 | 206.1 | 220.7 | 183.1 | 203.6 | 177.3 | 182.1 | 192.0 | 107.3 | 156.0 | **9,829.9** |
| DAY | 1956 | 24.0 | 23.0 | 30.0 | 25.0 | 28.0 | 30.0 | 29.0 | 29.0 | 28.0 | 30.0 | 28.0 | 31.0 | **709.0** |
| H2O | 1956 | 47.7 | 43.5 | 76.6 | 54.2 | 63.2 | 67.5 | 65.5 | 68.8 | 67.9 | 77.9 | 71.5 | 72.0 | **1,167.0** |
| OIL | 1956 | 263.5 | 209.3 | 344.7 | 286.0 | 269.7 | 304.0 | 295.3 | 302.9 | 282.2 | 246.8 | 214.1 | 230.7 | **7,552.5** |
| DAY | 1955 | 30.0 | 25.0 | 31.0 | 29.0 | 28.0 | 28.0 | 29.0 | 29.0 | 29.0 | 31.0 | 28.0 | 24.0 | **374.0** |
| H2O | 1955 | 7.3 | 7.0 | 12.6 | 20.5 | 18.0 | 28.3 | 35.6 | 39.7 | 61.2 | 49.9 | 61.0 | 47.2 | **390.7** |
| OIL | 1955 | 356.4 | 274.8 | 350.2 | 327.4 | 339.1 | 334.5 | 311.3 | 338.2 | 346.4 | 347.5 | 385.2 | 291.3 | **4,303.3** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 29.0 | **33.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.4 | **2.4** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.1 | 274.9 | **301.0** |

Licence ***598*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,265.0** |
| H2O | 1975 | 389.0 | 342.4 | 425.9 | 427.2 | 416.7 | 384.4 | 364.9 | 400.2 | 415.7 | 423.4 | 403.5 | 431.5 | **67,396.0** |
| OIL | 1975 | 46.1 | 41.2 | 59.1 | 56.3 | 55.3 | 53.4 | 64.5 | 50.5 | 48.6 | 58.2 | 55.6 | 56.3 | **19,188.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,901.0** |
| H2O | 1974 | 622.2 | 529.2 | 606.3 | 424.2 | 392.7 | 406.0 | 489.8 | 362.8 | 358.5 | 370.7 | 366.8 | 380.4 | **62,571.2** |
| OIL | 1974 | 101.5 | 124.7 | 137.3 | 68.3 | 64.2 | 68.5 | 77.2 | 43.4 | 45.6 | 46.6 | 45.3 | 45.9 | **18,543.8** |
| DAY | 1973 | 30.0 | 27.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 27.0 | 31.0 | **6,544.0** |
| H2O | 1973 | 323.7 | 281.6 | 320.5 | 361.0 | 357.7 | 334.8 | 349.8 | 145.3 | 144.2 | 332.1 | 587.0 | 664.1 | **57,261.6** |
| OIL | 1973 | 48.1 | 42.1 | 72.9 | 46.7 | 54.7 | 55.0 | 55.5 | 32.1 | 29.6 | 46.1 | 94.7 | 105.2 | **17,675.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 29.0 | 30.0 | 29.0 | 31.0 | **6,190.0** |
| H2O | 1972 | 394.7 | 282.7 | 304.0 | 280.9 | 313.7 | 302.4 | 344.4 | 366.6 | 339.1 | 323.0 | 286.5 | 305.2 | **53,059.8** |
| OIL | 1972 | 71.2 | 49.6 | 52.6 | 61.5 | 53.9 | 49.9 | 72.8 | 51.6 | 48.3 | 67.4 | 66.7 | 72.5 | **16,992.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,828.0** |
| H2O | 1971 | 285.2 | 289.5 | 290.0 | 303.5 | 329.2 | 307.5 | 300.5 | 327.0 | 320.2 | 403.5 | 395.7 | 368.5 | **49,216.6** |
| OIL | 1971 | 77.4 | 65.0 | 71.5 | 70.7 | 64.7 | 62.3 | 63.6 | 65.5 | 71.2 | 58.2 | 57.8 | 69.3 | **16,274.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,463.0** |

# Manitoba Production
## 1950 To 1975

Licence ***598*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1970 | 337.0 | 299.7 | 290.6 | 297.9 | 294.6 | 331.8 | 338.6 | 350.1 | 321.3 | 313.8 | 266.8 | 269.0 | **45,296.3** |
| OIL | 1970 | 88.4 | 78.5 | 86.3 | 81.8 | 83.9 | 80.7 | 85.7 | 84.9 | 80.9 | 84.1 | 70.7 | 75.0 | **15,477.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **5,098.0** |
| H2O | 1969 | 503.6 | 443.1 | 394.7 | 366.3 | 360.1 | 350.1 | 359.0 | 341.8 | 345.1 | 349.3 | 347.8 | 300.8 | **41,585.1** |
| OIL | 1969 | 137.1 | 120.3 | 93.1 | 87.6 | 86.6 | 94.9 | 96.6 | 95.8 | 87.6 | 91.2 | 90.4 | 81.4 | **14,496.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | **4,734.0** |
| H2O | 1968 | 367.9 | 357.4 | 390.3 | 360.4 | 380.1 | 353.1 | 268.7 | 248.2 | 138.0 | 162.5 | 165.2 | 342.4 | **37,123.4** |
| OIL | 1968 | 118.9 | 116.2 | 119.5 | 107.1 | 109.5 | 110.0 | 91.1 | 88.0 | 63.1 | 71.8 | 69.9 | 82.6 | **13,333.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 22.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,372.0** |
| H2O | 1967 | 221.6 | 224.0 | 263.1 | 262.8 | 179.2 | 237.0 | 350.1 | 314.5 | 318.1 | 336.1 | 329.1 | 377.4 | **33,589.2** |
| OIL | 1967 | 52.3 | 47.5 | 53.2 | 49.9 | 36.5 | 53.2 | 98.0 | 96.9 | 96.0 | 102.8 | 104.4 | 117.9 | **12,186.2** |
| DAY | 1966 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,016.0** |
| H2O | 1966 | 179.5 | 167.6 | 185.5 | 179.5 | 179.5 | 77.1 | 74.4 | 250.2 | 241.8 | 190.6 | 190.6 | 208.4 | **30,176.2** |
| OIL | 1966 | 22.9 | 20.8 | 22.2 | 16.2 | 17.5 | 11.6 | 29.6 | 65.8 | 67.2 | 55.9 | 59.4 | 49.4 | **11,277.6** |
| DAY | 1965 | 29.0 | 26.0 | 31.0 | 30.0 | 26.0 | 23.0 | 31.0 | 29.0 | 30.0 | 27.0 | 16.0 | 31.0 | **3,654.0** |
| H2O | 1965 | 18.8 | 16.9 | 20.0 | 19.4 | 6.7 | 156.1 | 200.3 | 187.4 | 204.6 | 164.9 | 91.4 | 185.5 | **28,051.5** |
| OIL | 1965 | 20.8 | 17.2 | 19.4 | 21.8 | 11.6 | 56.6 | 61.7 | 63.6 | 21.9 | 16.4 | 12.9 | 24.5 | **10,839.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 25.0 | 27.0 | 31.0 | 31.0 | 29.0 | 26.0 | 30.0 | 31.0 | **3,325.0** |
| H2O | 1964 | 29.4 | 27.7 | 29.6 | 28.6 | 23.4 | 13.4 | 15.3 | 15.3 | 14.0 | 13.8 | 19.4 | 20.0 | **26,779.5** |
| OIL | 1964 | 18.6 | 17.3 | 18.1 | 16.4 | 14.5 | 37.3 | 37.0 | 35.1 | 34.0 | 29.6 | 22.6 | 23.4 | **10,490.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 28.0 | 28.0 | 30.0 | 28.0 | 31.0 | 26.0 | 30.0 | 30.0 | 31.0 | **2,974.0** |
| H2O | 1963 | 463.6 | 418.8 | 456.1 | 418.8 | 403.8 | 4.6 | 4.3 | 4.6 | 4.0 | 28.6 | 28.6 | 29.6 | **26,529.6** |
| OIL | 1963 | 21.8 | 18.6 | 19.7 | 17.5 | 17.5 | 26.2 | 25.1 | 27.8 | 22.9 | 19.5 | 18.3 | 18.9 | **10,186.8** |
| DAY | 1962 | 29.0 | 28.0 | 22.0 | 26.0 | 26.0 | 25.0 | 30.0 | 31.0 | 28.0 | 26.0 | 30.0 | 31.0 | **2,622.0** |
| H2O | 1962 | 240.2 | 149.1 | 266.3 | 209.5 | 233.5 | 260.9 | 437.4 | 362.8 | 411.3 | 388.9 | 448.6 | 463.6 | **24,264.2** |
| OIL | 1962 | 89.1 | 69.0 | 78.7 | 101.4 | 75.0 | 16.5 | 22.7 | 21.9 | 20.5 | 20.2 | 22.6 | 23.7 | **9,933.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 23.0 | 13.0 | 31.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | **2,290.0** |
| H2O | 1961 | 152.1 | 139.9 | 175.5 | 152.1 | 126.4 | 335.0 | 230.4 | 298.4 | 178.1 | 169.8 | 165.3 | 193.3 | **20,392.1** |
| OIL | 1961 | 92.8 | 79.8 | 94.9 | 91.5 | 75.8 | 42.0 | 106.8 | 96.8 | 82.0 | 77.1 | 79.3 | 88.0 | **9,371.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 22.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,954.0** |
| H2O | 1960 | 318.3 | 277.4 | 298.9 | 331.0 | 264.5 | 167.9 | 241.6 | 201.9 | 223.0 | 168.4 | 153.1 | 165.7 | **18,075.8** |
| OIL | 1960 | 165.9 | 148.9 | 157.2 | 137.0 | 145.2 | 125.9 | 131.9 | 114.4 | 113.1 | 101.9 | 96.9 | 100.3 | **8,364.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 20.0 | 30.0 | 17.0 | 26.0 | 30.0 | 30.0 | 31.0 | **1,597.0** |
| H2O | 1959 | 277.1 | 263.3 | 298.1 | 282.8 | 272.3 | 153.7 | 236.2 | 173.3 | 293.2 | 321.8 | 337.2 | 321.0 | **15,264.1** |
| OIL | 1959 | 107.7 | 102.2 | 116.2 | 109.3 | 107.4 | 62.8 | 99.3 | 108.9 | 159.2 | 183.1 | 172.9 | 168.6 | **6,826.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | **1,262.0** |
| H2O | 1958 | 370.7 | 404.9 | 366.6 | 298.6 | 304.4 | 275.8 | 131.0 | 332.3 | 363.3 | 273.8 | 265.0 | 258.3 | **12,034.1** |
| OIL | 1958 | 106.9 | 101.9 | 107.3 | 99.6 | 137.5 | 121.6 | 72.9 | 120.3 | 101.7 | 102.3 | 102.5 | 101.9 | **5,328.7** |
| DAY | 1957 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 28.0 | 30.0 | 31.0 | 17.0 | 27.0 | **905.0** |
| H2O | 1957 | 302.9 | 300.9 | 335.3 | 323.2 | 347.1 | 335.9 | 347.1 | 271.7 | 296.5 | 314.6 | 170.6 | 295.2 | **8,389.4** |
| OIL | 1957 | 103.5 | 97.6 | 107.6 | 108.1 | 115.2 | 98.2 | 112.8 | 89.1 | 97.6 | 102.7 | 60.1 | 96.5 | **4,052.3** |
| DAY | 1956 | 5.0 | 17.0 | 30.0 | 9.0 | 25.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | 28.0 | 31.0 | **566.0** |
| H2O | 1956 | 32.7 | 230.2 | 464.7 | 105.4 | 283.5 | 359.8 | 340.1 | 368.2 | 368.4 | 380.1 | 368.0 | 380.0 | **4,748.4** |
| OIL | 1956 | 19.2 | 111.6 | 128.4 | 31.3 | 103.9 | 112.3 | 123.8 | 120.9 | 114.7 | 123.9 | 135.9 | 137.0 | **2,863.3** |
| DAY | 1955 | 0.0 | 19.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 15.0 | 31.0 | 21.0 | 3.0 | **271.0** |
| H2O | 1955 | 0.0 | 54.8 | 80.8 | 43.4 | 41.7 | 34.8 | 78.7 | 28.3 | 9.1 | 374.9 | 288.7 | 32.1 | **1,067.3** |
| OIL | 1955 | 0.0 | 202.3 | 285.7 | 196.6 | 168.9 | 145.2 | 202.3 | 129.8 | 29.9 | 123.5 | 97.9 | 18.3 | **1,600.4** |

Licence ***599*** Well Name ***Enerplus Whitewater SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-16-003-21W1.00*** Field Name ***Whitewater*** Pool Name ***Lodgepole WL A*** Field Code ***6*** Pool Code ***52A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***599*** Well Name ***Enerplus Whitewater SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-16-003-21W1.00*** Field Name ***Whitewater*** Pool Name ***Lodgepole WL A*** Field Code ***6*** Pool Code ***52A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 800.8 | 560.4 | 663.9 | 496.2 | 386.5 | 478.7 | 712.6 | 742.5 | 781.6 | 774.3 | 760.1 | 845.8 | **25,785.9** |
| WIN | 1974 | 837.2 | 712.6 | 734.1 | 688.1 | 702.6 | 586.8 | 585.4 | 540.6 | 799.1 | 801.5 | 758.1 | 801.5 | **17,782.5** |
| WIN | 1973 | 595.6 | 1047.6 | 692.9 | 762.2 | 747.4 | 676.8 | 621.2 | 664.7 | 779.2 | 913.4 | 841.5 | 892.4 | **9,234.9** |
| DAY | 1972 | 26.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 0.0 | 0.0 | **5,848.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 11.9 | 9.5 | 6.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **46.7** |
| OIL | 1972 | 43.7 | 52.9 | 56.0 | 52.0 | 55.0 | 48.8 | 51.4 | 51.4 | 47.7 | 46.1 | 0.0 | 0.0 | **15,735.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **5,549.0** |
| OIL | 1971 | 55.3 | 50.9 | 58.8 | 56.1 | 56.9 | 54.2 | 63.9 | 54.5 | 51.4 | 47.5 | 55.6 | 49.8 | **15,230.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 19.0 | 18.0 | 8.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,186.0** |
| OIL | 1970 | 54.2 | 51.5 | 56.6 | 33.1 | 46.6 | 27.8 | 69.3 | 57.6 | 52.1 | 55.3 | 73.2 | 56.9 | **14,575.2** |
| DAY | 1969 | 31.0 | 28.0 | 25.0 | 27.0 | 5.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,867.0** |
| OIL | 1969 | 57.2 | 54.2 | 53.6 | 53.6 | 24.2 | 67.4 | 50.4 | 60.3 | 57.2 | 53.6 | 56.4 | 52.6 | **13,941.0** |
| DAY | 1968 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 24.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,537.0** |
| OIL | 1968 | 65.5 | 59.6 | 63.0 | 62.6 | 63.0 | 50.4 | 62.5 | 44.5 | 71.1 | 55.5 | 53.4 | 60.3 | **13,300.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 9.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,180.0** |
| OIL | 1967 | 71.1 | 63.8 | 69.0 | 69.3 | 32.6 | 79.7 | 75.4 | 69.2 | 57.6 | 71.4 | 68.8 | 64.5 | **12,588.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,837.0** |
| OIL | 1966 | 76.8 | 66.1 | 73.2 | 69.0 | 72.1 | 69.6 | 71.4 | 73.4 | 69.3 | 75.1 | 74.0 | 71.2 | **11,796.5** |
| DAY | 1965 | 31.0 | 28.0 | 28.0 | 29.0 | 14.0 | 30.0 | 15.0 | 31.0 | 30.0 | 31.0 | 17.0 | 27.0 | **3,472.0** |
| OIL | 1965 | 78.9 | 66.3 | 68.0 | 70.3 | 74.1 | 72.9 | 74.8 | 71.2 | 71.8 | 73.2 | 39.7 | 75.3 | **10,935.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 8.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,161.0** |
| OIL | 1964 | 79.7 | 73.7 | 80.2 | 75.7 | 38.6 | 90.1 | 86.0 | 90.8 | 70.0 | 76.4 | 75.4 | 75.7 | **10,098.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 25.0 | 8.0 | 25.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,821.0** |
| OIL | 1963 | 80.8 | 71.8 | 83.5 | 65.7 | 43.1 | 98.2 | 91.8 | 86.5 | 82.3 | 81.0 | 77.3 | 79.7 | **9,186.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 4.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,489.0** |
| OIL | 1962 | 85.7 | 77.0 | 85.5 | 80.5 | 18.9 | 113.6 | 94.7 | 87.4 | 81.9 | 83.1 | 79.9 | 80.7 | **8,244.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 19.0 | 6.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,151.0** |
| OIL | 1961 | 90.8 | 81.0 | 89.7 | 54.4 | 52.0 | 108.9 | 97.0 | 93.7 | 87.6 | 87.1 | 84.4 | 87.1 | **7,275.9** |
| DAY | 1960 | 31.0 | 29.0 | 30.0 | 17.0 | 1.0 | 23.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,822.0** |
| OIL | 1960 | 91.8 | 87.0 | 89.7 | 50.7 | 1.1 | 108.1 | 106.5 | 94.8 | 91.0 | 90.5 | 90.0 | 90.6 | **6,262.2** |
| DAY | 1959 | 31.0 | 28.0 | 10.0 | 17.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 14.0 | 30.0 | 31.0 | **1,507.0** |
| OIL | 1959 | 88.4 | 80.3 | 88.1 | 55.8 | 102.5 | 88.4 | 90.8 | 90.5 | 86.8 | 54.9 | 99.9 | 94.2 | **5,270.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 15.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,195.0** |
| OIL | 1958 | 96.1 | 84.3 | 91.8 | 28.3 | 110.8 | 90.6 | 87.4 | 90.8 | 83.9 | 92.9 | 86.6 | 90.0 | **4,249.8** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 5.0 | 18.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 28.0 | **849.0** |
| H2O | 1957 | 1.0 | 0.6 | 0.6 | 0.2 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **19.2** |
| OIL | 1957 | 98.3 | 86.2 | 93.7 | 15.4 | 88.6 | 103.6 | 96.2 | 96.4 | 92.9 | 95.0 | 82.1 | 98.8 | **3,216.3** |
| DAY | 1956 | 26.0 | 29.0 | 15.0 | 0.0 | 22.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **528.0** |
| H2O | 1956 | 0.2 | 0.3 | 0.2 | 0.0 | 1.6 | 1.9 | 1.6 | 1.3 | 1.0 | 1.0 | 1.0 | 1.0 | **16.2** |
| OIL | 1956 | 95.6 | 97.5 | 64.2 | 0.0 | 87.0 | 109.4 | 103.7 | 101.7 | 94.4 | 100.1 | 94.0 | 96.0 | **2,169.1** |
| DAY | 1955 | 0.0 | 0.0 | 17.0 | 0.0 | 2.0 | 27.0 | 31.0 | 31.0 | 30.0 | 29.0 | 20.0 | 21.0 | **222.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.7 | 0.0 | 1.0 | 0.5 | 0.3 | 0.3 | 0.3 | **5.1** |
| OIL | 1955 | 108.8 | 102.3 | 97.1 | 0.0 | 4.8 | 151.9 | 122.5 | 110.2 | 101.2 | 100.1 | 61.4 | 79.5 | **1,125.5** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | **14.0** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 85.7 | **85.7** |

Licence ***600*** Well Name ***Enerplus Pierson Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-11-003-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a C*** Field Code ***7*** Pool Code ***43C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 6.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,931.0** |
| H2O | 1969 | 40.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **16,683.8** |

# Manitoba Production
## 1950 To 1975

Licence ***600*** Well Name ***Enerplus Pierson Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-11-003-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a C*** Field Code ***7*** Pool Code ***43C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1969 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,612.2** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 30.0 | 29.0 | 8.0 | 18.0 | 25.0 | 25.0 | **2,925.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 189.5 | 188.4 | 180.1 | 47.7 | 120.0 | 172.7 | 168.8 | **16,643.7** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.5 | 13.7 | 11.1 | 2.9 | 8.1 | 11.3 | 12.4 | **2,609.5** |
| DAY | 1967 | 31.0 | 23.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 20.0 | 0.0 | 0.0 | 3.0 | 14.0 | **2,763.0** |
| H2O | 1967 | 144.2 | 128.5 | 155.5 | 166.1 | 163.0 | 133.2 | 122.7 | 59.9 | 0.0 | 0.0 | 20.2 | 90.3 | **15,576.5** |
| OIL | 1967 | 14.1 | 13.3 | 15.7 | 16.5 | 16.4 | 9.9 | 8.7 | 7.2 | 0.0 | 0.0 | 1.6 | 7.0 | **2,536.5** |
| DAY | 1966 | 25.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 27.0 | 30.0 | 31.0 | **2,520.0** |
| H2O | 1966 | 234.0 | 203.5 | 235.1 | 237.8 | 182.4 | 213.7 | 163.6 | 179.6 | 147.7 | 136.2 | 139.9 | 150.7 | **14,392.9** |
| OIL | 1966 | 18.9 | 21.1 | 22.1 | 22.7 | 17.6 | 18.4 | 24.8 | 19.4 | 14.3 | 12.7 | 14.8 | 14.6 | **2,426.1** |
| DAY | 1965 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 22.0 | **2,166.0** |
| H2O | 1965 | 155.6 | 120.8 | 181.9 | 169.3 | 184.7 | 155.0 | 141.3 | 133.2 | 151.0 | 245.9 | 280.6 | 205.7 | **12,168.7** |
| OIL | 1965 | 19.5 | 15.9 | 22.9 | 23.0 | 21.3 | 17.6 | 19.2 | 17.3 | 24.0 | 12.1 | 22.1 | 16.0 | **2,204.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 13.0 | 30.0 | 23.0 | 4.0 | 21.0 | 31.0 | 30.0 | 31.0 | **1,811.0** |
| H2O | 1964 | 199.5 | 186.2 | 198.4 | 173.8 | 77.1 | 184.3 | 92.5 | 11.0 | 125.0 | 128.5 | 152.9 | 173.4 | **10,043.7** |
| OIL | 1964 | 12.9 | 11.9 | 12.1 | 11.0 | 4.9 | 27.0 | 24.9 | 3.5 | 17.8 | 21.0 | 22.6 | 22.6 | **1,973.8** |
| DAY | 1963 | 27.0 | 28.0 | 27.0 | 27.0 | 4.0 | 23.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,507.0** |
| H2O | 1963 | 117.2 | 158.3 | 145.6 | 135.8 | 23.8 | 130.7 | 156.8 | 148.5 | 144.0 | 168.5 | 165.2 | 174.6 | **8,341.1** |
| OIL | 1963 | 24.9 | 25.9 | 19.1 | 34.3 | 6.2 | 34.5 | 42.3 | 39.4 | 32.4 | 27.0 | 12.4 | 12.7 | **1,781.6** |
| DAY | 1962 | 17.0 | 7.0 | 9.0 | 24.0 | 7.0 | 30.0 | 30.0 | 26.0 | 29.0 | 23.0 | 30.0 | 30.0 | **1,187.0** |
| H2O | 1962 | 108.7 | 40.9 | 82.5 | 144.5 | 45.3 | 220.7 | 194.3 | 127.5 | 128.0 | 101.6 | 181.7 | 155.2 | **6,672.1** |
| OIL | 1962 | 14.8 | 5.7 | 10.5 | 18.6 | 4.9 | 33.8 | 29.2 | 27.2 | 30.7 | 22.9 | 34.2 | 32.6 | **1,470.5** |
| DAY | 1961 | 25.0 | 26.0 | 27.0 | 16.0 | 9.0 | 23.0 | 31.0 | 31.0 | 24.0 | 21.0 | 30.0 | 31.0 | **925.0** |
| H2O | 1961 | 114.9 | 131.0 | 134.7 | 75.5 | 52.3 | 131.8 | 202.9 | 183.9 | 133.2 | 149.0 | 196.5 | 230.2 | **5,141.2** |
| OIL | 1961 | 27.3 | 29.1 | 29.6 | 17.2 | 10.3 | 25.1 | 32.9 | 29.6 | 19.7 | 21.5 | 29.6 | 31.8 | **1,205.4** |
| DAY | 1960 | 31.0 | 27.0 | 31.0 | 19.0 | 4.0 | 22.0 | 31.0 | 31.0 | 22.0 | 22.0 | 30.0 | 27.0 | **631.0** |
| H2O | 1960 | 191.9 | 143.6 | 157.9 | 68.0 | 24.2 | 138.3 | 172.7 | 190.0 | 90.0 | 98.6 | 137.7 | 116.9 | **3,405.3** |
| OIL | 1960 | 31.6 | 26.2 | 28.4 | 14.9 | 3.8 | 23.0 | 28.8 | 30.8 | 31.0 | 31.5 | 34.3 | 27.7 | **901.7** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 12.0 | 27.0 | 30.0 | 28.0 | 29.0 | 31.0 | **334.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 216.4 | 117.6 | 195.1 | 197.5 | 189.0 | 188.1 | 201.7 | **1,875.5** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.2 | 1.7 | 27.0 | 32.3 | 27.5 | 31.0 | 32.4 | **589.7** |
| DAY | 1955 | 0.0 | 0.0 | 3.0 | 0.0 | 0.0 | 27.0 | 31.0 | 31.0 | 30.0 | 29.0 | 5.0 | 1.0 | **157.0** |
| H2O | 1955 | 0.0 | 0.0 | 27.3 | 0.0 | 0.0 | 128.8 | 93.6 | 84.4 | 115.9 | 110.2 | 7.5 | 2.4 | **570.1** |
| OIL | 1955 | 0.0 | 0.0 | 6.8 | 0.0 | 0.0 | 105.4 | 76.6 | 84.4 | 66.6 | 80.1 | 12.2 | 2.5 | **434.6** |

Licence ***601*** Well Name ***Enerplus Woodnorth Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-28-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole C*** Field Code ***1*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1959 | 31.0 | 27.0 | 31.0 | 26.0 | 26.0 | 29.0 | 19.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,563.0** |
| H2O | 1959 | 75.5 | 65.3 | 79.8 | 68.5 | 50.2 | 86.5 | 65.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,693.7** |
| OIL | 1959 | 25.4 | 21.3 | 23.5 | 20.0 | 19.9 | 23.2 | 13.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,384.7** |
| DAY | 1958 | 31.0 | 28.0 | 28.0 | 29.0 | 31.0 | 27.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,374.0** |
| H2O | 1958 | 260.1 | 214.0 | 243.2 | 220.0 | 85.1 | 86.3 | 207.6 | 332.4 | 180.4 | 147.4 | 9.2 | 104.4 | **4,202.5** |
| OIL | 1958 | 62.3 | 50.4 | 52.6 | 45.9 | 41.3 | 38.8 | 25.7 | 33.7 | 31.5 | 29.7 | 33.1 | 26.4 | **7,237.9** |
| DAY | 1957 | 9.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 17.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **1,017.0** |
| H2O | 1957 | 15.3 | 55.8 | 89.8 | 97.6 | 65.2 | 107.3 | 27.2 | 222.6 | 290.5 | 226.2 | 233.1 | 190.1 | **2,112.4** |
| OIL | 1957 | 57.8 | 77.4 | 147.8 | 115.8 | 85.8 | 76.1 | 44.5 | 81.8 | 67.1 | 71.0 | 64.8 | 51.2 | **6,766.5** |
| DAY | 1956 | 21.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 26.0 | 29.0 | 30.0 | 31.0 | **691.0** |
| H2O | 1956 | 1.1 | 29.9 | 30.5 | 31.8 | 37.2 | 27.7 | 52.0 | 31.5 | 25.0 | 38.6 | 88.4 | 42.4 | **491.7** |
| OIL | 1956 | 181.5 | 246.5 | 279.0 | 256.2 | 265.2 | 254.6 | 267.1 | 292.4 | 264.3 | 230.3 | 169.2 | 198.2 | **5,825.4** |
| DAY | 1955 | 31.0 | 26.0 | 26.0 | 2.0 | 1.0 | 24.0 | 29.0 | 31.0 | 28.0 | 31.0 | 28.0 | 29.0 | **344.0** |

# Manitoba Production
## 1950 To 1975

Licence ***601*** Well Name ***Enerplus Woodnorth Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-28-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole C*** Field Code ***1*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1955 | 11.4 | 9.4 | 9.1 | 0.3 | 0.2 | 6.8 | 0.8 | 0.8 | 0.8 | 1.1 | 1.4 | 1.0 | **55.6** |
| OIL | 1955 | 274.0 | 226.8 | 218.8 | 7.9 | 4.9 | 165.4 | 253.9 | 268.2 | 241.2 | 264.1 | 227.7 | 254.4 | **2,920.9** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 31.0 | **58.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.7 | 10.8 | **12.5** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 239.2 | 274.4 | **513.6** |

Licence ***602*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-13-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 24.0 | 30.0 | 30.0 | 31.0 | **7,352.0** |
| H2O | 1975 | 1.4 | 0.5 | 1.4 | 3.5 | 3.3 | 0.5 | 2.4 | 1.9 | 2.1 | 2.1 | 1.6 | 2.9 | **1,116.4** |
| OIL | 1975 | 48.1 | 40.7 | 45.0 | 49.3 | 53.4 | 46.9 | 44.7 | 39.7 | 34.6 | 44.3 | 43.2 | 38.9 | **12,104.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,999.0** |
| H2O | 1974 | 1.4 | 3.5 | 4.8 | 8.4 | 8.6 | 13.0 | 45.3 | 28.5 | 3.5 | 3.2 | 3.3 | 2.9 | **1,092.8** |
| OIL | 1974 | 30.5 | 28.4 | 31.9 | 33.1 | 40.2 | 55.3 | 48.8 | 44.8 | 52.0 | 50.4 | 48.9 | 48.3 | **11,575.6** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 0.0 | 26.0 | 30.0 | 30.0 | 26.0 | 30.0 | 31.0 | **6,634.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.5 | 7.2 | 3.8 | **966.4** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 22.4 | 0.0 | 29.9 | 35.9 | 28.8 | 36.2 | 32.6 | 30.8 | **11,063.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 19.0 | 9.0 | 7.0 | 0.0 | 0.0 | 0.0 | **6,442.0** |
| OIL | 1972 | 28.8 | 27.2 | 17.5 | 16.5 | 23.7 | 26.4 | 19.4 | 9.4 | 7.0 | 0.0 | 0.0 | 0.0 | **10,846.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,226.0** |
| OIL | 1971 | 33.4 | 29.1 | 30.8 | 44.5 | 42.6 | 39.9 | 40.0 | 28.3 | 27.2 | 29.7 | 28.3 | 28.8 | **10,670.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,861.0** |
| H2O | 1970 | 3.0 | 4.3 | 4.6 | 4.9 | 4.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **944.9** |
| OIL | 1970 | 36.7 | 32.4 | 35.8 | 34.8 | 35.1 | 31.3 | 36.1 | 36.1 | 32.1 | 31.3 | 34.3 | 33.2 | **10,267.9** |
| DAY | 1969 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **5,496.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.8 | 9.1 | 6.5 | 5.9 | 3.5 | **923.5** |
| OIL | 1969 | 44.8 | 37.7 | 48.9 | 46.2 | 58.6 | 46.6 | 42.4 | 36.4 | 35.9 | 51.2 | 44.0 | 36.9 | **9,858.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,136.0** |
| H2O | 1968 | 7.9 | 5.9 | 6.2 | 3.8 | 5.6 | 5.7 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **890.7** |
| OIL | 1968 | 48.6 | 45.0 | 47.8 | 46.9 | 49.1 | 46.1 | 46.2 | 49.1 | 49.7 | 50.5 | 47.8 | 44.5 | **9,329.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,771.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.2 | 4.3 | 4.6 | 2.7 | 2.5 | 9.1 | 10.3 | **851.6** |
| OIL | 1967 | 34.8 | 31.1 | 34.5 | 33.4 | 34.5 | 53.1 | 42.4 | 41.2 | 46.7 | 48.1 | 46.7 | 50.2 | **8,757.8** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,406.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 3.7 | 5.2 | 3.3 | 0.0 | 0.0 | 0.0 | 0.0 | **812.9** |
| OIL | 1966 | 50.5 | 45.9 | 51.3 | 46.4 | 52.3 | 53.2 | 51.3 | 50.2 | 33.7 | 35.0 | 34.2 | 35.0 | **8,261.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,041.0** |
| OIL | 1965 | 47.8 | 44.0 | 49.6 | 48.9 | 51.6 | 50.2 | 50.7 | 50.5 | 44.0 | 61.8 | 50.1 | 51.3 | **7,722.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,676.0** |
| OIL | 1964 | 49.6 | 43.2 | 63.2 | 58.8 | 60.1 | 59.4 | 59.8 | 59.8 | 72.6 | 54.3 | 51.3 | 50.2 | **7,121.6** |
| DAY | 1963 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,310.0** |
| OIL | 1963 | 33.2 | 35.6 | 38.9 | 37.7 | 43.4 | 52.4 | 54.3 | 52.9 | 52.9 | 53.9 | 48.8 | 50.2 | **6,439.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,949.0** |
| H2O | 1962 | 9.4 | 7.0 | 7.9 | 7.6 | 7.6 | 6.8 | 7.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **799.9** |
| OIL | 1962 | 55.0 | 47.2 | 55.8 | 51.8 | 52.9 | 46.1 | 49.4 | 38.6 | 37.5 | 38.9 | 37.5 | 36.1 | **5,885.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,584.0** |
| H2O | 1961 | 3.7 | 2.1 | 2.2 | 2.2 | 8.4 | 9.1 | 8.3 | 8.1 | 7.5 | 7.6 | 7.3 | 7.9 | **746.4** |
| OIL | 1961 | 35.6 | 34.0 | 36.7 | 32.3 | 62.3 | 58.3 | 58.6 | 52.6 | 57.7 | 58.3 | 56.1 | 56.3 | **5,338.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **2,222.0** |
| H2O | 1960 | 11.4 | 10.7 | 11.6 | 11.4 | 11.8 | 2.4 | 2.4 | 2.7 | 2.1 | 2.7 | 3.5 | 3.0 | **672.0** |

# Manitoba Production
## 1950 To 1975

Licence ***602*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-13-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1960 | 29.7 | 32.1 | 32.9 | 32.1 | 33.1 | 39.7 | 35.4 | 34.6 | 28.1 | 32.4 | 29.2 | 34.5 | **4,739.5** |
| DAY | 1959 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,860.0** |
| H2O | 1959 | 4.9 | 4.6 | 4.9 | 4.8 | 0.0 | 0.0 | 7.6 | 12.6 | 11.1 | 11.6 | 10.8 | 11.0 | **596.3** |
| OIL | 1959 | 36.7 | 32.3 | 35.9 | 34.3 | 35.3 | 37.0 | 30.7 | 31.6 | 26.2 | 29.7 | 25.1 | 25.1 | **4,345.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,496.0** |
| H2O | 1958 | 5.7 | 5.1 | 5.4 | 5.2 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 5.2 | 5.2 | 5.2 | **512.4** |
| OIL | 1958 | 51.5 | 47.2 | 53.1 | 50.5 | 47.4 | 48.3 | 52.4 | 40.5 | 39.7 | 37.0 | 35.4 | 37.8 | **3,965.8** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,133.0** |
| H2O | 1957 | 10.5 | 15.6 | 16.1 | 14.3 | 15.7 | 15.6 | 14.3 | 17.5 | 0.2 | 5.7 | 6.0 | 6.4 | **473.8** |
| OIL | 1957 | 58.8 | 32.1 | 40.4 | 44.5 | 41.5 | 42.1 | 61.8 | 51.0 | 48.9 | 53.7 | 52.6 | 54.0 | **3,425.0** |
| DAY | 1956 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **770.0** |
| H2O | 1956 | 14.8 | 14.6 | 20.7 | 18.6 | 16.9 | 10.0 | 5.9 | 6.2 | 14.0 | 13.2 | 13.2 | 10.7 | **335.9** |
| OIL | 1956 | 68.3 | 68.5 | 73.9 | 71.5 | 73.9 | 69.0 | 55.3 | 58.0 | 47.0 | 55.9 | 48.3 | 53.2 | **2,843.6** |
| DAY | 1955 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **410.0** |
| H2O | 1955 | 11.4 | 8.6 | 17.2 | 13.0 | 18.6 | 6.7 | 8.6 | 11.6 | 11.1 | 13.8 | 12.4 | 15.3 | **177.1** |
| OIL | 1955 | 223.1 | 180.6 | 155.2 | 172.2 | 170.8 | 148.2 | 98.4 | 110.5 | 101.2 | 72.8 | 69.8 | 73.9 | **2,100.8** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 20.0 | 31.0 | **52.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.8 | 21.0 | **28.8** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.5 | 224.3 | 279.3 | **524.1** |

Licence ***603*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 3283.1 | 3237.3 | 3667.7 | 3414.3 | 3324.4 | 3101.1 | 3042.1 | 3335.2 | 3154.2 | 3408.7 | 2901.5 | 2864.0 | **379,262.7** |
| WIN | 1974 | 2680.2 | 2420.9 | 3110.1 | 2828.4 | 2864.8 | 2748.0 | 2922.7 | 3434.4 | 3087.4 | 3208.2 | 3305.5 | 3206.0 | **340,529.1** |
| WIN | 1973 | 3374.2 | 3020.1 | 3193.7 | 3309.3 | 3210.4 | 3101.9 | 3149.2 | 3048.8 | 2550.7 | 3840.0 | 3051.0 | 3064.7 | **304,712.5** |
| WIN | 1972 | 2456.9 | 2218.7 | 1499.7 | 2673.4 | 3074.2 | 3014.7 | 3562.4 | 3353.8 | 3312.2 | 3393.9 | 3178.3 | 3341.4 | **266,798.5** |
| WIN | 1971 | 2306.2 | 2091.5 | 2813.8 | 2510.5 | 2665.5 | 2559.6 | 2147.5 | 1950.0 | 1883.3 | 1241.6 | 2485.8 | 2532.2 | **231,718.9** |
| WIN | 1970 | 3413.8 | 2404.9 | 2809.0 | 2330.0 | 2726.2 | 2269.1 | 1973.6 | 1807.6 | 2446.7 | 2048.0 | 2245.4 | 2089.3 | **204,531.4** |
| WIN | 1969 | 2309.7 | 2219.8 | 2695.8 | 2691.8 | 2803.3 | 2277.5 | 2821.7 | 3028.6 | 2340.3 | 2296.3 | 2535.1 | 2735.9 | **175,967.8** |
| WIN | 1968 | 2563.4 | 2569.3 | 2893.9 | 2694.1 | 2426.7 | 2760.2 | 2963.9 | 2551.5 | 2587.6 | 2145.4 | 2242.3 | 2404.4 | **145,212.0** |
| WIN | 1967 | 2664.3 | 2181.5 | 2753.4 | 2655.6 | 2672.5 | 2571.2 | 1529.1 | 2573.4 | 2166.3 | 2550.2 | 2258.3 | 2432.9 | **114,409.3** |
| WIN | 1966 | 1429.9 | 1924.8 | 2590.1 | 2634.8 | 2655.0 | 2594.7 | 2305.2 | 2477.2 | 2528.9 | 2783.1 | 2725.6 | 2723.6 | **85,400.6** |
| WIN | 1965 | 1925.1 | 1479.1 | 1714.3 | 1644.6 | 2032.4 | 1407.3 | 1871.8 | 2002.2 | 2044.6 | 1815.4 | 2013.3 | 1897.7 | **56,027.7** |
| WIN | 1964 | 1199.5 | 1304.7 | 1270.7 | 1587.4 | 977.1 | 1845.0 | 1528.0 | 1472.8 | 1442.1 | 1687.3 | 1695.8 | 1714.1 | **34,179.9** |
| DAY | 1963 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,907.0** |
| H2O | 1963 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,791.0** |
| OIL | 1963 | 5.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **20,403.2** |
| WIN | 1963 | 583.5 | 1233.7 | 1169.8 | 1270.6 | 1574.5 | 1985.2 | 1963.6 | 1412.4 | 1414.8 | 1611.7 | 1044.8 | 1190.8 | **16,455.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,905.0** |
| H2O | 1962 | 48.0 | 45.6 | 44.4 | 44.5 | 31.8 | 51.8 | 52.0 | 43.9 | 43.7 | 35.3 | 27.7 | 31.0 | **3,789.7** |
| OIL | 1962 | 127.7 | 115.8 | 130.6 | 124.6 | 128.4 | 133.3 | 130.5 | 129.0 | 139.5 | 108.4 | 88.5 | 92.2 | **20,397.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,540.0** |
| H2O | 1961 | 30.5 | 28.5 | 37.0 | 44.2 | 40.5 | 47.9 | 64.2 | 76.8 | 47.1 | 34.2 | 28.6 | 25.0 | **3,290.0** |
| OIL | 1961 | 151.3 | 150.0 | 139.8 | 148.9 | 143.7 | 158.1 | 155.7 | 158.8 | 125.7 | 133.6 | 113.3 | 112.7 | **18,949.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,175.0** |
| H2O | 1960 | 44.8 | 44.8 | 50.7 | 50.6 | 37.0 | 39.7 | 57.1 | 46.4 | 39.6 | 63.4 | 41.5 | 32.0 | **2,785.5** |
| OIL | 1960 | 181.2 | 175.8 | 199.9 | 179.4 | 189.6 | 159.2 | 166.5 | 152.6 | 157.8 | 171.8 | 158.1 | 146.7 | **17,257.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,809.0** |
| H2O | 1959 | 11.4 | 11.8 | 15.9 | 35.3 | 35.8 | 67.6 | 56.0 | 56.8 | 75.7 | 47.5 | 44.4 | 41.2 | **2,237.9** |
| OIL | 1959 | 140.6 | 134.0 | 238.4 | 198.8 | 200.1 | 203.9 | 203.9 | 184.7 | 211.4 | 184.8 | 187.4 | 187.0 | **15,218.9** |

# Manitoba Production
## 1950 To 1975

Licence ***603*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 29.0 | 30.0 | 26.0 | 31.0 | **1,447.0** |
| H2O | 1958 | 29.9 | 28.0 | 3.7 | 44.4 | 26.1 | 31.5 | 32.6 | 45.6 | 41.2 | 39.1 | 10.0 | 10.2 | **1,738.5** |
| OIL | 1958 | 300.0 | 204.0 | 240.1 | 240.4 | 219.0 | 222.2 | 281.6 | 223.3 | 228.2 | 243.0 | 122.0 | 128.4 | **12,943.9** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 28.0 | 29.0 | **1,090.0** |
| H2O | 1957 | 42.1 | 30.0 | 36.9 | 46.3 | 32.7 | 41.0 | 34.7 | 82.0 | 45.8 | 26.9 | 27.2 | 30.8 | **1,396.2** |
| OIL | 1957 | 308.0 | 261.4 | 311.3 | 341.2 | 306.5 | 344.8 | 356.9 | 379.2 | 350.2 | 272.2 | 233.3 | 226.6 | **10,291.7** |
| DAY | 1956 | 31.0 | 29.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **738.0** |
| H2O | 1956 | 66.6 | 64.2 | 105.1 | 162.6 | 83.5 | 65.7 | 66.6 | 25.4 | 36.9 | 41.3 | 34.0 | 32.6 | **919.8** |
| OIL | 1956 | 315.1 | 326.2 | 313.1 | 303.2 | 324.0 | 303.8 | 342.3 | 278.9 | 348.0 | 374.7 | 331.6 | 335.0 | **6,600.1** |
| DAY | 1955 | 31.0 | 28.0 | 29.0 | 14.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 23.0 | 29.0 | 31.0 | **378.0** |
| H2O | 1955 | 3.2 | 2.9 | 2.5 | 3.3 | 6.0 | 5.1 | 4.1 | 3.5 | 2.7 | 4.9 | 47.4 | 48.8 | **135.3** |
| OIL | 1955 | 150.2 | 128.6 | 114.7 | 149.7 | 268.9 | 229.8 | 217.7 | 207.5 | 198.5 | 205.9 | 304.3 | 326.2 | **2,704.2** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 31.0 | **41.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.6 | **0.9** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 61.2 | 141.0 | **202.2** |

Licence ***604*** Well Name ***Banff Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-12-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1955 | 23.0 | 19.0 | 0.0 | 11.0 | 15.0 | 27.0 | 31.0 | 30.0 | 30.0 | 12.0 | 0.0 | 0.0 | **206.0** |
| H2O | 1955 | 1.0 | 0.0 | 0.0 | 0.8 | 0.6 | 1.6 | 3.7 | 14.2 | 8.6 | 49.9 | 0.0 | 0.0 | **80.4** |
| OIL | 1955 | 16.5 | 9.7 | 0.0 | 15.9 | 26.4 | 26.1 | 21.1 | 28.2 | 13.7 | 5.6 | 0.0 | 0.0 | **179.6** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | **8.0** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.4 | **16.4** |

Licence ***606*** Well Name ***Banff Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-12-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1955 | 21.0 | 19.0 | 0.0 | 10.0 | 14.0 | 15.0 | 29.0 | 27.0 | 29.0 | 12.0 | 0.0 | 0.0 | **189.0** |
| H2O | 1955 | 3.3 | 0.8 | 0.0 | 1.1 | 0.5 | 1.4 | 103.1 | 18.1 | 35.6 | 8.6 | 0.0 | 0.0 | **172.5** |
| OIL | 1955 | 39.7 | 23.4 | 0.0 | 24.2 | 19.5 | 19.5 | 73.6 | 61.0 | 53.6 | 20.7 | 0.0 | 0.0 | **373.3** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | **13.0** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 38.1 | **38.1** |

Licence ***607*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 25.0 | 30.0 | 31.0 | 29.0 | 31.0 | **7,319.0** |
| H2O | 1975 | 370.4 | 328.9 | 355.5 | 356.3 | 375.4 | 293.3 | 277.6 | 262.4 | 347.5 | 357.5 | 315.3 | 364.4 | **28,672.2** |
| OIL | 1975 | 69.0 | 61.5 | 69.0 | 65.8 | 73.9 | 71.7 | 64.5 | 50.2 | 61.5 | 76.3 | 67.7 | 74.1 | **11,344.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,964.0** |
| H2O | 1974 | 360.8 | 327.5 | 375.2 | 368.9 | 286.0 | 421.0 | 410.5 | 376.8 | 369.3 | 375.7 | 371.4 | 360.3 | **24,667.7** |
| OIL | 1974 | 62.9 | 73.1 | 80.4 | 76.1 | 50.2 | 65.5 | 67.5 | 78.5 | 81.5 | 92.2 | 89.5 | 63.6 | **10,539.6** |
| DAY | 1973 | 30.0 | 27.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,602.0** |
| H2O | 1973 | 311.9 | 269.0 | 296.9 | 409.7 | 347.1 | 313.9 | 360.0 | 364.1 | 361.2 | 392.5 | 381.9 | 385.1 | **20,264.3** |
| OIL | 1973 | 114.1 | 99.2 | 85.2 | 115.7 | 89.6 | 87.1 | 143.2 | 125.2 | 115.4 | 63.2 | 65.9 | 65.0 | **9,658.6** |
| DAY | 1972 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | **6,243.0** |
| H2O | 1972 | 24.3 | 182.8 | 199.4 | 183.6 | 160.8 | 163.0 | 156.8 | 183.3 | 169.5 | 152.5 | 121.5 | 319.0 | **16,071.0** |
| OIL | 1972 | 20.8 | 73.1 | 61.8 | 70.4 | 81.2 | 78.7 | 50.9 | 47.2 | 44.2 | 65.6 | 58.5 | 116.8 | **8,489.8** |
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 16.0 | 26.0 | 31.0 | 30.0 | 31.0 | **5,887.0** |

# Manitoba Production
## 1950 To 1975

Licence ***607*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1971 | 129.3 | 123.3 | 113.2 | 36.4 | 32.1 | 36.4 | 35.6 | 22.9 | 48.8 | 24.2 | 23.7 | 22.7 | **14,054.5** |
| OIL | 1971 | 62.6 | 55.8 | 56.3 | 23.5 | 19.2 | 22.4 | 22.9 | 12.2 | 19.2 | 24.3 | 24.2 | 20.2 | **7,720.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,543.0** |
| H2O | 1970 | 209.5 | 186.3 | 201.6 | 110.8 | 109.6 | 136.9 | 132.0 | 136.4 | 125.3 | 122.3 | 121.0 | 122.0 | **13,405.9** |
| OIL | 1970 | 88.2 | 78.7 | 86.1 | 59.1 | 60.5 | 66.6 | 61.7 | 61.0 | 58.2 | 60.5 | 57.0 | 60.5 | **7,357.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **5,181.0** |
| H2O | 1969 | 110.3 | 101.2 | 107.1 | 185.9 | 192.1 | 187.5 | 57.4 | 53.2 | 55.1 | 55.8 | 56.3 | 242.6 | **11,692.2** |
| OIL | 1969 | 73.4 | 67.2 | 75.0 | 48.6 | 48.0 | 52.8 | 33.7 | 32.4 | 30.7 | 31.8 | 32.1 | 96.8 | **6,559.7** |
| DAY | 1968 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 30.0 | 26.0 | 28.0 | **4,819.0** |
| H2O | 1968 | 9.2 | 7.9 | 9.7 | 9.1 | 11.4 | 13.8 | 15.6 | 23.8 | 19.9 | 23.2 | 20.3 | 179.6 | **10,287.7** |
| OIL | 1968 | 13.7 | 11.8 | 13.7 | 12.2 | 11.0 | 14.1 | 14.3 | 18.6 | 15.9 | 18.3 | 15.4 | 99.2 | **5,937.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,466.0** |
| H2O | 1967 | 52.0 | 52.6 | 61.7 | 61.5 | 45.9 | 55.5 | 10.5 | 8.4 | 8.9 | 9.1 | 8.9 | 9.2 | **9,944.2** |
| OIL | 1967 | 12.6 | 11.4 | 12.9 | 12.1 | 9.7 | 12.9 | 12.1 | 11.9 | 12.1 | 12.6 | 12.7 | 13.2 | **5,679.0** |
| DAY | 1966 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,108.0** |
| H2O | 1966 | 78.1 | 72.8 | 80.8 | 78.1 | 78.1 | 61.8 | 58.2 | 60.9 | 60.9 | 48.0 | 48.0 | 49.0 | **9,560.0** |
| OIL | 1966 | 42.9 | 38.9 | 41.5 | 30.0 | 32.6 | 21.8 | 15.6 | 16.0 | 17.0 | 14.1 | 15.1 | 11.9 | **5,532.8** |
| DAY | 1965 | 29.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,747.0** |
| H2O | 1965 | 14.5 | 13.8 | 15.4 | 14.9 | 32.0 | 105.4 | 114.8 | 114.1 | 119.1 | 97.0 | 77.4 | 80.8 | **8,785.3** |
| OIL | 1965 | 14.1 | 12.7 | 13.3 | 14.9 | 79.8 | 68.5 | 54.8 | 54.3 | 41.2 | 49.3 | 47.2 | 45.4 | **5,235.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 26.0 | 27.0 | 31.0 | 31.0 | 29.0 | 26.0 | 30.0 | 31.0 | **3,389.0** |
| H2O | 1964 | 15.3 | 14.3 | 15.4 | 14.9 | 12.7 | 8.3 | 9.5 | 9.5 | 8.7 | 10.0 | 14.9 | 15.4 | **7,986.1** |
| OIL | 1964 | 22.9 | 21.5 | 22.4 | 20.2 | 18.8 | 12.7 | 12.9 | 12.1 | 11.6 | 13.7 | 15.4 | 16.0 | **4,739.9** |
| DAY | 1963 | 7.0 | 1.0 | 31.0 | 15.0 | 28.0 | 30.0 | 28.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **3,037.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.9 | 13.8 | 15.3 | 12.4 | 15.4 | 14.9 | 15.4 | **7,837.2** |
| OIL | 1963 | 4.0 | 0.2 | 6.7 | 7.6 | 14.8 | 4.3 | 4.0 | 4.6 | 3.5 | 24.3 | 22.6 | 23.4 | **4,539.7** |
| DAY | 1962 | 29.0 | 28.0 | 22.0 | 26.0 | 26.0 | 25.0 | 30.0 | 31.0 | 29.0 | 27.0 | 21.0 | 9.0 | **2,749.0** |
| H2O | 1962 | 48.0 | 29.9 | 53.3 | 42.0 | 36.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,735.1** |
| OIL | 1962 | 14.6 | 11.3 | 12.9 | 16.5 | 14.0 | 13.3 | 18.8 | 17.8 | 17.2 | 16.4 | 12.9 | 5.6 | **4,419.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 23.0 | 24.0 | 31.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | **2,446.0** |
| H2O | 1961 | 76.0 | 70.0 | 87.8 | 76.0 | 63.1 | 212.7 | 46.1 | 59.6 | 35.6 | 33.9 | 33.1 | 38.6 | **7,525.5** |
| OIL | 1961 | 22.2 | 19.2 | 22.7 | 21.9 | 18.3 | 94.1 | 17.3 | 15.7 | 13.3 | 12.7 | 12.9 | 14.3 | **4,248.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,099.0** |
| H2O | 1960 | 144.7 | 126.1 | 135.9 | 150.6 | 120.3 | 83.1 | 116.5 | 101.0 | 111.4 | 84.1 | 76.6 | 82.8 | **6,693.0** |
| OIL | 1960 | 25.4 | 22.9 | 24.2 | 21.1 | 22.2 | 21.0 | 30.2 | 27.5 | 27.2 | 24.5 | 23.4 | 24.2 | **3,963.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 16.0 | 26.0 | 31.0 | 30.0 | 31.0 | **1,741.0** |
| H2O | 1959 | 154.7 | 147.1 | 166.5 | 157.9 | 152.1 | 115.9 | 134.5 | 69.8 | 133.2 | 151.0 | 153.3 | 145.9 | **5,359.9** |
| OIL | 1959 | 70.7 | 66.9 | 76.3 | 71.8 | 70.6 | 55.6 | 64.8 | 15.6 | 24.5 | 28.9 | 26.5 | 25.7 | **3,670.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **1,398.0** |
| H2O | 1958 | 152.8 | 167.7 | 197.8 | 165.8 | 188.6 | 195.1 | 133.7 | 208.6 | 244.2 | 160.9 | 148.0 | 144.4 | **3,678.0** |
| OIL | 1958 | 29.1 | 30.7 | 91.8 | 57.5 | 82.5 | 101.1 | 99.6 | 96.3 | 77.1 | 70.7 | 67.4 | 66.9 | **3,072.1** |
| DAY | 1957 | 15.0 | 18.0 | 12.0 | 30.0 | 17.0 | 26.0 | 31.0 | 28.0 | 30.0 | 31.0 | 18.0 | 29.0 | **1,038.0** |
| H2O | 1957 | 11.0 | 13.4 | 9.2 | 29.6 | 18.9 | 45.3 | 147.5 | 115.6 | 126.1 | 137.2 | 83.6 | 133.1 | **1,570.4** |
| OIL | 1957 | 9.7 | 10.5 | 7.3 | 16.2 | 8.4 | 14.8 | 29.4 | 23.2 | 25.4 | 30.7 | 22.6 | 31.9 | **2,201.4** |
| DAY | 1956 | 30.0 | 29.0 | 31.0 | 24.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 28.0 | 31.0 | **753.0** |
| H2O | 1956 | 22.7 | 28.5 | 39.0 | 25.8 | 25.3 | 25.3 | 14.5 | 15.4 | 19.1 | 18.4 | 22.7 | 24.0 | **699.9** |
| OIL | 1956 | 50.7 | 46.2 | 29.7 | 24.2 | 15.9 | 19.7 | 18.8 | 19.5 | 28.3 | 25.4 | 16.4 | 17.8 | **1,971.3** |
| DAY | 1955 | 25.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **399.0** |
| H2O | 1955 | 12.2 | 19.9 | 34.7 | 40.5 | 50.9 | 42.3 | 46.6 | 32.4 | 44.7 | 31.8 | 25.0 | 25.1 | **419.2** |
| OIL | 1955 | 151.1 | 181.4 | 193.1 | 173.0 | 153.3 | 135.9 | 111.4 | 98.4 | 55.6 | 53.4 | 64.8 | 54.2 | **1,658.7** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 29.0 | **44.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 12.9 | **13.1** |

# Manitoba Production
## 1950 To 1975

Licence ***607*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 65.8 | 167.3 | **233.1** |

Licence ***608*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1485.1 | 1416.5 | 1106.2 | 1160.6 | 1248.2 | 1014.6 | 1743.7 | 1659.4 | 1614.6 | 1729.2 | 1759.1 | 1754.2 | **20,773.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 8.0 | 0.0 | 0.0 | **7,088.0** |
| H2O | 1974 | 137.5 | 118.5 | 144.1 | 130.6 | 144.6 | 157.2 | 129.5 | 126.0 | 180.7 | 47.9 | 0.0 | 0.0 | **19,378.1** |
| OIL | 1974 | 67.3 | 66.5 | 74.0 | 71.3 | 72.5 | 70.4 | 89.3 | 86.6 | 84.2 | 22.6 | 0.0 | 0.0 | **24,505.8** |
| WIN | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1398.5 | 1683.3 | **3,081.8** |
| DAY | 1973 | 31.0 | 28.0 | 20.0 | 4.0 | 23.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,808.0** |
| H2O | 1973 | 98.1 | 89.0 | 66.3 | 13.7 | 103.2 | 154.2 | 132.9 | 139.6 | 131.6 | 121.3 | 112.4 | 132.3 | **18,061.5** |
| OIL | 1973 | 83.6 | 73.7 | 53.1 | 11.0 | 90.6 | 66.3 | 84.4 | 80.9 | 73.9 | 71.5 | 67.1 | 65.5 | **23,801.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 29.0 | 29.0 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | **6,488.0** |
| H2O | 1972 | 103.5 | 104.6 | 109.4 | 88.6 | 73.4 | 88.4 | 32.7 | 114.0 | 112.9 | 100.6 | 100.5 | 92.8 | **16,766.9** |
| OIL | 1972 | 87.9 | 84.7 | 84.5 | 88.2 | 86.0 | 82.0 | 29.6 | 64.2 | 65.9 | 83.0 | 82.6 | 84.1 | **22,979.5** |
| DAY | 1971 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **6,132.0** |
| H2O | 1971 | 50.9 | 48.5 | 54.5 | 93.2 | 97.1 | 147.7 | 160.9 | 112.4 | 101.3 | 142.8 | 128.8 | 96.0 | **15,645.5** |
| OIL | 1971 | 93.4 | 80.9 | 94.6 | 122.7 | 122.8 | 119.5 | 130.6 | 91.4 | 87.1 | 97.6 | 92.3 | 88.7 | **22,056.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,770.0** |
| H2O | 1970 | 109.4 | 103.7 | 101.1 | 67.2 | 77.6 | 83.9 | 76.6 | 71.9 | 80.3 | 81.4 | 62.6 | 43.1 | **14,411.4** |
| OIL | 1970 | 124.1 | 110.0 | 99.2 | 95.8 | 109.6 | 97.7 | 102.5 | 99.0 | 99.8 | 89.6 | 101.4 | 92.5 | **20,835.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 25.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,407.0** |
| H2O | 1969 | 39.0 | 31.8 | 38.8 | 4.8 | 32.9 | 131.3 | 143.4 | 124.2 | 114.1 | 120.5 | 114.1 | 122.3 | **13,452.6** |
| OIL | 1969 | 87.1 | 74.7 | 84.2 | 91.7 | 72.8 | 131.9 | 140.5 | 131.6 | 119.5 | 126.0 | 117.0 | 123.9 | **19,614.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,050.0** |
| H2O | 1968 | 39.4 | 39.3 | 10.5 | 11.3 | 38.3 | 35.5 | 47.2 | 38.3 | 34.0 | 36.4 | 36.2 | 39.1 | **12,435.4** |
| OIL | 1968 | 96.8 | 87.4 | 94.7 | 99.3 | 93.1 | 87.9 | 91.4 | 87.4 | 85.3 | 85.2 | 83.4 | 87.4 | **18,313.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,684.0** |
| H2O | 1967 | 29.3 | 24.8 | 28.3 | 26.5 | 28.9 | 37.0 | 28.1 | 51.7 | 49.9 | 21.8 | 41.8 | 42.1 | **12,029.9** |
| OIL | 1967 | 121.2 | 105.2 | 164.8 | 113.3 | 118.9 | 90.1 | 75.5 | 113.0 | 104.7 | 104.7 | 99.0 | 99.6 | **17,233.8** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,328.0** |
| H2O | 1966 | 336.2 | 322.3 | 311.9 | 41.8 | 45.3 | 65.8 | 77.9 | 73.8 | 79.8 | 81.2 | 72.0 | 46.3 | **11,619.7** |
| OIL | 1966 | 165.6 | 149.2 | 258.5 | 163.2 | 154.0 | 130.1 | 95.2 | 75.6 | 142.5 | 159.2 | 135.4 | 120.5 | **15,923.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,970.0** |
| H2O | 1965 | 101.9 | 81.9 | 91.7 | 58.0 | 53.7 | 49.9 | 36.1 | 57.7 | 180.9 | 197.6 | 202.4 | 219.7 | **10,065.4** |
| OIL | 1965 | 149.2 | 129.0 | 140.6 | 115.4 | 125.1 | 117.8 | 125.7 | 118.5 | 99.8 | 101.9 | 108.4 | 131.7 | **14,174.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 27.0 | 31.0 | **3,605.0** |
| H2O | 1964 | 1.3 | 1.3 | 1.3 | 1.4 | 1.6 | 1.4 | 6.0 | 5.4 | 6.2 | 7.2 | 91.1 | 101.3 | **8,733.9** |
| OIL | 1964 | 36.5 | 36.1 | 38.0 | 34.5 | 35.0 | 34.6 | 16.4 | 15.9 | 16.0 | 17.2 | 133.2 | 152.9 | **12,711.7** |
| DAY | 1963 | 23.0 | 0.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,244.0** |
| H2O | 1963 | 7.3 | 0.0 | 10.5 | 5.1 | 5.6 | 6.0 | 9.5 | 8.9 | 8.4 | 1.4 | 1.4 | 1.3 | **8,508.4** |
| OIL | 1963 | 19.2 | 0.0 | 26.7 | 42.7 | 48.8 | 46.9 | 37.8 | 34.6 | 33.2 | 37.3 | 36.2 | 38.8 | **12,145.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,916.0** |
| H2O | 1962 | 52.0 | 45.2 | 46.6 | 44.4 | 47.2 | 44.2 | 45.6 | 47.9 | 6.7 | 7.3 | 7.0 | 9.5 | **8,443.0** |
| OIL | 1962 | 42.7 | 35.6 | 38.5 | 38.6 | 37.8 | 39.6 | 37.5 | 37.2 | 24.0 | 22.9 | 23.2 | 26.2 | **11,743.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | **2,553.0** |
| H2O | 1961 | 41.5 | 39.6 | 41.0 | 41.0 | 43.4 | 34.3 | 38.6 | 61.7 | 59.1 | 60.1 | 50.1 | 51.8 | **8,039.4** |
| OIL | 1961 | 68.5 | 63.1 | 68.0 | 65.6 | 67.1 | 55.0 | 66.6 | 51.0 | 47.4 | 47.0 | 41.6 | 41.5 | **11,339.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,194.0** |
| H2O | 1960 | 102.5 | 87.0 | 97.1 | 91.1 | 96.7 | 53.4 | 62.3 | 61.7 | 49.6 | 40.1 | 40.2 | 39.4 | **7,477.2** |

# Manitoba Production
## 1950 To 1975

Licence ***608*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1960 | 89.5 | 78.8 | 92.0 | 85.5 | 121.4 | 117.9 | 98.7 | 97.7 | 59.9 | 62.6 | 59.9 | 60.9 | **10,657.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,829.0** |
| H2O | 1959 | 156.8 | 157.7 | 187.0 | 180.1 | 202.9 | 138.0 | 142.6 | 139.6 | 126.5 | 108.6 | 105.4 | 107.9 | **6,656.1** |
| OIL | 1959 | 193.1 | 182.6 | 204.7 | 198.3 | 197.8 | 126.0 | 130.6 | 126.2 | 118.4 | 89.5 | 100.0 | 90.7 | **9,632.2** |
| DAY | 1958 | 28.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,465.0** |
| H2O | 1958 | 206.2 | 184.1 | 203.5 | 212.2 | 183.1 | 182.5 | 179.3 | 162.3 | 180.8 | 168.7 | 146.6 | 155.0 | **4,903.0** |
| OIL | 1958 | 256.5 | 253.5 | 288.9 | 254.3 | 247.4 | 229.6 | 221.0 | 204.0 | 195.6 | 206.6 | 182.0 | 197.7 | **7,874.3** |
| DAY | 1957 | 29.0 | 28.0 | 24.0 | 30.0 | 30.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,107.0** |
| H2O | 1957 | 81.1 | 55.8 | 44.5 | 11.1 | 9.2 | 0.3 | 0.2 | 0.2 | 173.6 | 191.4 | 201.7 | 215.4 | **2,738.7** |
| OIL | 1957 | 83.4 | 68.0 | 58.5 | 49.4 | 50.2 | 63.9 | 59.9 | 53.7 | 200.5 | 216.4 | 219.1 | 227.9 | **5,137.2** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **757.0** |
| H2O | 1956 | 79.8 | 73.1 | 81.2 | 76.3 | 81.4 | 81.7 | 86.5 | 80.4 | 83.3 | 77.7 | 69.5 | 74.6 | **1,754.2** |
| OIL | 1956 | 145.2 | 131.6 | 125.2 | 118.7 | 78.5 | 70.9 | 79.6 | 75.8 | 101.1 | 68.8 | 75.6 | 85.3 | **3,786.3** |
| DAY | 1955 | 31.0 | 26.0 | 30.0 | 29.0 | 28.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **394.0** |
| H2O | 1955 | 42.3 | 35.1 | 39.7 | 37.5 | 37.7 | 40.1 | 57.6 | 97.8 | 120.0 | 117.3 | 81.2 | 79.3 | **808.7** |
| OIL | 1955 | 222.2 | 184.7 | 208.2 | 196.7 | 197.7 | 210.1 | 234.9 | 186.9 | 177.7 | 176.7 | 147.3 | 150.3 | **2,630.0** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 26.0 | **37.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.1 | 14.0 | **23.1** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 131.1 | 205.5 | **336.6** |

Licence ***610*** Well Name ***Canada West Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 17.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,331.0** |
| H2O | 1975 | 1673.8 | 1503.2 | 1676.0 | 1607.2 | 959.2 | 1672.7 | 1745.0 | 1748.9 | 1679.9 | 1923.0 | 2083.1 | 2429.6 | **104,145.8** |
| OIL | 1975 | 22.3 | 17.6 | 18.9 | 18.8 | 1.9 | 17.2 | 20.0 | 20.8 | 13.5 | 15.9 | 27.3 | 27.7 | **13,152.0** |
| DAY | 1974 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 22.0 | 28.0 | 31.0 | 30.0 | 18.0 | **6,980.0** |
| H2O | 1974 | 1929.5 | 1238.7 | 1996.1 | 1973.0 | 2027.1 | 1604.0 | 1383.2 | 1022.3 | 1376.8 | 1702.3 | 1594.6 | 947.4 | **83,444.2** |
| OIL | 1974 | 22.9 | 20.8 | 24.5 | 23.8 | 22.3 | 15.1 | 7.3 | 16.2 | 5.9 | 22.3 | 19.6 | 9.2 | **12,930.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,641.0** |
| H2O | 1973 | 1675.1 | 1731.4 | 1835.7 | 1885.1 | 1820.6 | 1829.9 | 1817.2 | 1853.2 | 1843.1 | 1753.5 | 1997.7 | 2060.2 | **64,649.2** |
| OIL | 1973 | 24.6 | 19.4 | 22.3 | 22.6 | 22.7 | 23.5 | 29.1 | 20.0 | 25.0 | 28.6 | 7.3 | 21.1 | **12,720.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **6,278.0** |
| H2O | 1972 | 1738.5 | 1623.3 | 1674.9 | 1572.4 | 1600.4 | 1508.5 | 1567.8 | 1566.2 | 1524.2 | 1593.9 | 1640.3 | 1720.7 | **42,546.5** |
| OIL | 1972 | 39.4 | 33.1 | 34.0 | 27.7 | 25.8 | 22.3 | 26.1 | 16.7 | 22.6 | 24.0 | 25.3 | 23.1 | **12,454.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 16.0 | 30.0 | 31.0 | **5,914.0** |
| H2O | 1971 | 49.8 | 44.7 | 47.9 | 41.2 | 255.0 | 1036.6 | 1132.5 | 1226.4 | 1229.0 | 715.9 | 1624.5 | 1710.7 | **23,215.4** |
| OIL | 1971 | 27.3 | 24.6 | 26.1 | 26.1 | 30.4 | 67.9 | 55.8 | 43.6 | 38.3 | 19.1 | 46.9 | 43.6 | **12,133.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,565.0** |
| H2O | 1970 | 35.9 | 32.4 | 36.1 | 33.2 | 40.4 | 41.2 | 49.1 | 49.3 | 69.5 | 53.1 | 49.6 | 52.5 | **14,101.2** |
| OIL | 1970 | 32.1 | 28.6 | 31.8 | 29.7 | 28.5 | 26.4 | 26.2 | 25.4 | 28.6 | 28.5 | 28.3 | 29.1 | **11,684.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,201.0** |
| H2O | 1969 | 46.6 | 37.2 | 39.3 | 36.1 | 37.7 | 26.9 | 35.6 | 39.9 | 36.4 | 35.8 | 36.4 | 36.9 | **13,558.9** |
| OIL | 1969 | 36.4 | 31.8 | 34.5 | 33.5 | 35.3 | 16.5 | 33.4 | 35.3 | 35.8 | 33.5 | 32.1 | 31.2 | **11,341.0** |
| DAY | 1968 | 22.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,839.0** |
| H2O | 1968 | 50.1 | 64.1 | 67.9 | 63.6 | 69.3 | 66.5 | 67.6 | 70.6 | 52.1 | 47.4 | 45.6 | 48.0 | **13,114.1** |
| OIL | 1968 | 34.8 | 40.1 | 41.0 | 36.4 | 40.5 | 44.2 | 31.6 | 38.8 | 34.7 | 35.6 | 36.2 | 37.5 | **10,951.7** |
| DAY | 1967 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,486.0** |
| H2O | 1967 | 69.0 | 56.3 | 69.3 | 66.8 | 68.7 | 66.5 | 70.9 | 71.1 | 69.8 | 69.8 | 66.9 | 70.9 | **12,401.3** |
| OIL | 1967 | 43.9 | 40.4 | 45.8 | 46.6 | 46.1 | 44.5 | 43.4 | 46.7 | 45.0 | 44.8 | 42.4 | 42.3 | **10,500.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,122.0** |

# Manitoba Production
## 1950 To 1975

Licence ***610*** Well Name ***Canada West Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1966 | 59.1 | 62.3 | 69.0 | 66.8 | 64.1 | 74.1 | 69.0 | 69.0 | 66.8 | 71.5 | 62.0 | 69.0 | **11,585.3** |
| OIL | 1966 | 39.9 | 36.7 | 39.7 | 40.1 | 40.7 | 28.1 | 37.2 | 40.2 | 37.8 | 41.7 | 43.4 | 45.0 | **9,968.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **3,758.0** |
| H2O | 1965 | 59.5 | 54.2 | 61.2 | 53.4 | 60.3 | 55.5 | 59.9 | 59.6 | 59.6 | 69.0 | 64.2 | 62.0 | **10,782.6** |
| OIL | 1965 | 46.3 | 42.6 | 48.5 | 44.2 | 42.3 | 46.6 | 48.3 | 46.1 | 38.0 | 37.5 | 35.8 | 37.4 | **9,497.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,394.0** |
| H2O | 1964 | 59.6 | 53.7 | 55.6 | 53.6 | 59.3 | 62.6 | 65.8 | 67.7 | 59.9 | 53.9 | 55.8 | 56.3 | **10,064.2** |
| OIL | 1964 | 50.1 | 45.9 | 49.6 | 47.7 | 49.0 | 46.1 | 46.1 | 45.8 | 43.9 | 44.7 | 43.4 | 43.9 | **8,984.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,029.0** |
| H2O | 1963 | 54.9 | 48.2 | 48.2 | 49.6 | 56.1 | 54.1 | 48.2 | 54.7 | 56.8 | 57.9 | 53.6 | 57.9 | **9,360.4** |
| OIL | 1963 | 33.7 | 30.4 | 28.5 | 37.8 | 44.5 | 43.2 | 48.5 | 48.7 | 47.1 | 51.4 | 48.5 | 48.5 | **8,428.1** |
| DAY | 1962 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,668.0** |
| H2O | 1962 | 49.5 | 49.2 | 58.4 | 56.2 | 48.9 | 34.1 | 43.3 | 55.4 | 56.5 | 50.0 | 49.0 | 50.6 | **8,720.2** |
| OIL | 1962 | 35.6 | 37.4 | 32.1 | 30.7 | 36.2 | 31.6 | 32.9 | 33.1 | 32.1 | 33.2 | 33.2 | 32.4 | **7,917.3** |
| DAY | 1961 | 29.0 | 28.0 | 31.0 | 5.0 | 23.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,307.0** |
| H2O | 1961 | 143.3 | 180.4 | 173.2 | 23.7 | 112.5 | 106.9 | 59.0 | 59.0 | 57.1 | 58.7 | 56.5 | 57.5 | **8,119.1** |
| OIL | 1961 | 33.3 | 34.7 | 30.7 | 4.3 | 19.4 | 28.0 | 39.4 | 38.3 | 37.4 | 36.9 | 37.7 | 38.3 | **7,516.8** |
| DAY | 1960 | 31.0 | 29.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | 23.0 | 30.0 | 31.0 | **1,978.0** |
| H2O | 1960 | 175.6 | 230.4 | 123.9 | 198.6 | 221.7 | 198.6 | 221.7 | 187.5 | 210.1 | 164.5 | 210.2 | 192.6 | **7,031.3** |
| OIL | 1960 | 39.5 | 41.2 | 33.6 | 36.6 | 35.7 | 29.5 | 33.8 | 37.3 | 29.3 | 23.4 | 42.0 | 35.0 | **7,138.4** |
| DAY | 1959 | 29.0 | 28.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,629.0** |
| H2O | 1959 | 129.0 | 123.9 | 147.3 | 192.6 | 184.3 | 186.2 | 212.5 | 223.8 | 171.6 | 181.9 | 123.9 | 221.7 | **4,695.9** |
| OIL | 1959 | 61.0 | 53.2 | 43.3 | 23.0 | 20.6 | 37.1 | 46.8 | 46.6 | 46.0 | 42.8 | 24.2 | 48.6 | **6,721.5** |
| DAY | 1958 | 30.0 | 13.0 | 18.0 | 29.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 21.0 | 8.0 | **1,272.0** |
| H2O | 1958 | 76.2 | 38.5 | 49.3 | 81.5 | 70.5 | 114.4 | 123.3 | 129.0 | 127.1 | 127.7 | 56.3 | 25.2 | **2,597.2** |
| OIL | 1958 | 73.0 | 23.0 | 37.1 | 71.3 | 62.2 | 55.4 | 67.9 | 62.4 | 65.4 | 66.5 | 36.9 | 11.7 | **6,228.3** |
| DAY | 1957 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 24.0 | 30.0 | 30.0 | 31.0 | 22.0 | 26.0 | **973.0** |
| H2O | 1957 | 32.3 | 30.3 | 32.0 | 31.2 | 34.7 | 31.2 | 18.0 | 49.0 | 66.4 | 71.4 | 65.1 | 69.1 | **1,578.2** |
| OIL | 1957 | 97.7 | 88.9 | 74.8 | 69.5 | 69.5 | 60.5 | 44.4 | 61.1 | 69.2 | 76.7 | 40.1 | 64.6 | **5,595.5** |
| DAY | 1956 | 31.0 | 28.0 | 30.0 | 27.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | **631.0** |
| H2O | 1956 | 46.3 | 41.1 | 53.5 | 18.5 | 51.6 | 71.1 | 107.4 | 110.2 | 110.9 | 114.5 | 98.5 | 52.7 | **1,047.5** |
| OIL | 1956 | 173.0 | 153.6 | 154.0 | 135.5 | 137.1 | 184.6 | 247.3 | 224.1 | 196.4 | 181.8 | 148.6 | 113.1 | **4,778.5** |
| DAY | 1955 | 12.0 | 23.0 | 26.0 | 0.0 | 19.0 | 30.0 | 31.0 | 31.0 | 25.0 | 17.0 | 30.0 | 30.0 | **274.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.2 | 22.8 | 25.0 | 30.9 | 30.7 | 60.6 | **171.2** |
| OIL | 1955 | 124.5 | 286.1 | 339.2 | 0.0 | 238.1 | 309.6 | 324.4 | 286.2 | 226.0 | 190.8 | 227.3 | 177.2 | **2,729.4** |

Licence ***612*** Well Name ***Tundra Pierson Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-11-003-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a C*** Field Code ***7*** Pool Code ***43C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 26.0 | 31.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,886.0** |
| H2O | 1975 | 120.3 | 92.7 | 108.7 | 105.4 | 101.4 | 102.7 | 104.0 | 105.4 | 106.5 | 107.5 | 105.9 | 100.5 | **24,080.0** |
| OIL | 1975 | 28.6 | 26.2 | 33.2 | 27.5 | 29.4 | 30.8 | 30.5 | 31.5 | 30.2 | 29.4 | 29.6 | 28.6 | **10,762.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | 29.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **6,527.0** |
| H2O | 1974 | 158.7 | 135.3 | 152.1 | 134.5 | 159.9 | 151.0 | 179.2 | 168.4 | 141.0 | 126.9 | 110.8 | 111.1 | **22,819.0** |
| OIL | 1974 | 18.0 | 15.7 | 16.8 | 16.0 | 15.9 | 26.5 | 21.8 | 7.6 | 6.0 | 7.3 | 31.5 | 32.3 | **10,406.8** |
| DAY | 1973 | 31.0 | 26.0 | 31.0 | 27.0 | 23.0 | 30.0 | 31.0 | 27.0 | 29.0 | 31.0 | 30.0 | 30.0 | **6,172.0** |
| H2O | 1973 | 164.7 | 139.6 | 148.2 | 142.0 | 112.7 | 164.7 | 173.3 | 151.5 | 161.4 | 166.8 | 161.7 | 154.5 | **21,090.1** |
| OIL | 1973 | 20.0 | 17.5 | 18.6 | 16.7 | 11.8 | 20.7 | 20.7 | 16.4 | 17.6 | 18.1 | 17.0 | 17.8 | **10,191.4** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 27.0 | 29.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **5,826.0** |
| H2O | 1972 | 163.4 | 150.2 | 159.0 | 150.9 | 135.9 | 153.4 | 156.1 | 119.1 | 140.7 | 128.8 | 163.6 | 163.6 | **19,249.0** |
| OIL | 1972 | 22.9 | 20.3 | 22.2 | 19.9 | 19.2 | 17.5 | 20.0 | 19.9 | 15.1 | 15.7 | 21.3 | 20.7 | **9,978.5** |

# Manitoba Production
## 1950 To 1975

Licence ***612*** Well Name ***Tundra Pierson Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-11-003-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a C*** Field Code ***7*** Pool Code ***43C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 23.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 29.0 | **5,469.0** |
| H2O | 1971 | 146.4 | 133.2 | 141.7 | 110.0 | 157.4 | 142.9 | 154.7 | 154.2 | 141.5 | 151.5 | 151.2 | 143.2 | **17,464.3** |
| OIL | 1971 | 23.7 | 22.7 | 25.6 | 19.9 | 26.9 | 24.9 | 26.1 | 25.6 | 22.9 | 20.5 | 24.5 | 22.7 | **9,743.8** |
| DAY | 1970 | 31.0 | 28.0 | 30.0 | 30.0 | 28.0 | 28.0 | 31.0 | 26.0 | 6.0 | 19.0 | 6.0 | 27.0 | **5,118.0** |
| H2O | 1970 | 122.4 | 108.7 | 104.4 | 107.9 | 86.6 | 101.1 | 106.5 | 70.4 | 24.6 | 71.9 | 22.4 | 148.0 | **15,736.4** |
| OIL | 1970 | 20.0 | 17.8 | 15.9 | 17.8 | 14.0 | 19.1 | 18.8 | 10.5 | 3.7 | 7.6 | 3.2 | 28.4 | **9,457.8** |
| DAY | 1969 | 29.0 | 28.0 | 31.0 | 18.0 | 30.0 | 28.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,828.0** |
| H2O | 1969 | 106.8 | 108.3 | 117.8 | 62.2 | 95.9 | 111.3 | 114.5 | 118.9 | 118.8 | 128.3 | 130.7 | 127.2 | **14,661.5** |
| OIL | 1969 | 19.5 | 16.5 | 20.0 | 10.6 | 18.1 | 20.7 | 21.1 | 21.9 | 21.8 | 20.8 | 20.8 | 22.2 | **9,281.0** |
| DAY | 1968 | 13.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 27.0 | 27.0 | **4,483.0** |
| H2O | 1968 | 42.6 | 109.2 | 110.5 | 111.3 | 117.3 | 117.8 | 103.5 | 105.9 | 105.1 | 106.8 | 98.2 | 98.2 | **13,320.8** |
| OIL | 1968 | 9.5 | 26.2 | 24.0 | 25.3 | 22.4 | 24.2 | 22.1 | 19.4 | 19.2 | 21.1 | 18.8 | 21.0 | **9,047.0** |
| DAY | 1967 | 31.0 | 28.0 | 29.0 | 30.0 | 27.0 | 30.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **4,145.0** |
| H2O | 1967 | 111.4 | 122.1 | 112.9 | 128.8 | 107.9 | 65.3 | 41.7 | 138.6 | 113.0 | 109.5 | 116.1 | 102.7 | **12,094.4** |
| OIL | 1967 | 31.1 | 36.5 | 32.9 | 36.4 | 30.7 | 34.5 | 21.1 | 32.6 | 28.4 | 22.9 | 28.9 | 26.1 | **8,793.8** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 21.0 | 31.0 | 31.0 | 13.0 | 27.0 | 30.0 | 31.0 | **3,796.0** |
| H2O | 1966 | 206.4 | 136.9 | 158.2 | 159.8 | 102.1 | 117.8 | 128.0 | 115.6 | 44.2 | 105.6 | 108.4 | 114.8 | **10,824.4** |
| OIL | 1966 | 37.7 | 32.3 | 33.8 | 34.6 | 22.6 | 21.1 | 34.3 | 28.4 | 9.7 | 28.1 | 32.9 | 31.9 | **8,431.7** |
| DAY | 1965 | 31.0 | 12.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **3,461.0** |
| H2O | 1965 | 106.8 | 38.6 | 124.8 | 116.2 | 122.3 | 91.3 | 199.5 | 188.4 | 125.8 | 167.4 | 188.7 | 175.2 | **9,326.6** |
| OIL | 1965 | 28.9 | 11.0 | 33.8 | 33.8 | 30.4 | 29.1 | 26.9 | 24.0 | 30.0 | 34.8 | 33.4 | 31.1 | **8,084.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 13.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,119.0** |
| H2O | 1964 | 20.8 | 19.4 | 20.7 | 18.4 | 8.3 | 61.8 | 138.0 | 131.3 | 99.8 | 87.8 | 105.6 | 119.1 | **7,681.6** |
| OIL | 1964 | 21.8 | 20.2 | 20.3 | 18.4 | 8.4 | 38.1 | 23.5 | 27.0 | 47.7 | 30.7 | 33.4 | 33.2 | **7,737.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 25.0 | 4.0 | 24.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,773.0** |
| H2O | 1963 | 90.5 | 106.2 | 114.6 | 83.0 | 15.9 | 91.6 | 105.1 | 99.5 | 98.4 | 113.0 | 17.3 | 18.6 | **6,850.6** |
| OIL | 1963 | 38.5 | 34.8 | 30.0 | 42.0 | 8.3 | 48.6 | 56.7 | 52.9 | 44.3 | 36.4 | 20.8 | 21.6 | **7,414.4** |
| DAY | 1962 | 31.0 | 25.0 | 30.0 | 30.0 | 5.0 | 20.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,446.0** |
| H2O | 1962 | 74.6 | 51.5 | 71.9 | 65.3 | 13.0 | 53.3 | 65.7 | 89.5 | 92.8 | 95.9 | 121.8 | 104.9 | **5,896.9** |
| OIL | 1962 | 38.1 | 27.8 | 34.5 | 31.8 | 5.1 | 29.4 | 49.3 | 46.9 | 44.5 | 43.2 | 45.9 | 44.2 | **6,979.5** |
| DAY | 1961 | 31.0 | 28.0 | 28.0 | 15.0 | 9.0 | 25.0 | 31.0 | 31.0 | 21.0 | 24.0 | 27.0 | 31.0 | **2,125.0** |
| H2O | 1961 | 70.9 | 70.0 | 70.4 | 34.2 | 28.9 | 71.9 | 65.8 | 65.2 | 47.1 | 58.3 | 61.8 | 81.6 | **4,996.7** |
| OIL | 1961 | 39.1 | 35.9 | 35.8 | 18.0 | 13.2 | 31.3 | 40.4 | 39.1 | 26.2 | 31.8 | 35.1 | 42.1 | **6,538.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 19.0 | 12.0 | 22.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,824.0** |
| H2O | 1960 | 84.7 | 67.4 | 69.0 | 29.9 | 32.9 | 60.4 | 74.9 | 57.9 | 55.8 | 61.5 | 68.8 | 68.2 | **4,270.6** |
| OIL | 1960 | 62.3 | 56.4 | 57.0 | 29.7 | 24.0 | 46.1 | 57.0 | 70.9 | 47.5 | 48.6 | 39.9 | 37.3 | **6,150.8** |
| DAY | 1959 | 30.0 | 28.0 | 28.0 | 21.0 | 27.0 | 23.0 | 31.0 | 28.0 | 30.0 | 30.0 | 29.0 | 31.0 | **1,497.0** |
| H2O | 1959 | 79.2 | 79.3 | 90.1 | 71.9 | 96.2 | 76.8 | 87.4 | 91.6 | 87.3 | 89.3 | 83.1 | 89.2 | **3,539.2** |
| OIL | 1959 | 68.5 | 65.2 | 59.6 | 52.1 | 64.4 | 58.0 | 66.4 | 58.2 | 63.4 | 58.0 | 61.0 | 63.7 | **5,574.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 17.0 | 25.0 | 30.0 | 31.0 | 12.0 | 0.0 | 0.0 | 0.0 | 12.0 | **1,161.0** |
| H2O | 1958 | 32.0 | 33.7 | 35.8 | 19.6 | 44.2 | 44.8 | 45.0 | 18.9 | 0.0 | 0.0 | 0.0 | 35.5 | **2,517.8** |
| OIL | 1958 | 93.9 | 118.1 | 131.6 | 56.6 | 101.5 | 110.0 | 69.3 | 26.7 | 0.0 | 0.0 | 0.0 | 25.1 | **4,835.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 23.0 | 9.0 | 30.0 | 31.0 | 29.0 | 23.0 | 31.0 | 30.0 | 31.0 | **944.0** |
| H2O | 1957 | 76.2 | 61.0 | 77.6 | 50.7 | 31.6 | 93.0 | 97.5 | 84.4 | 69.0 | 31.5 | 27.2 | 26.4 | **2,208.3** |
| OIL | 1957 | 106.5 | 110.0 | 127.0 | 91.4 | 48.3 | 124.7 | 104.2 | 66.4 | 45.6 | 106.2 | 120.1 | 99.6 | **4,102.8** |
| DAY | 1956 | 29.0 | 29.0 | 31.0 | 18.0 | 0.0 | 8.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **617.0** |
| H2O | 1956 | 58.8 | 72.0 | 77.3 | 42.6 | 0.0 | 16.4 | 80.1 | 79.3 | 76.8 | 79.3 | 76.0 | 75.7 | **1,482.2** |
| OIL | 1956 | 124.6 | 109.8 | 142.4 | 81.5 | 0.0 | 45.0 | 142.5 | 128.2 | 131.1 | 129.8 | 119.5 | 125.5 | **2,952.8** |
| DAY | 1955 | 27.0 | 27.0 | 25.0 | 1.0 | 0.0 | 21.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **321.0** |
| H2O | 1955 | 18.3 | 96.0 | 56.6 | 2.2 | 0.0 | 55.2 | 59.1 | 82.2 | 112.9 | 113.4 | 41.0 | 71.4 | **747.9** |
| OIL | 1955 | 159.9 | 163.5 | 131.9 | 5.1 | 0.0 | 107.3 | 114.9 | 159.5 | 125.7 | 160.2 | 129.7 | 144.3 | **1,672.9** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 28.0 | **37.0** |

# Manitoba Production
## 1950 To 1975

Licence ***612*** Well Name ***Tundra Pierson Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-11-003-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a C*** Field Code ***7*** Pool Code ***43C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 39.6 | **39.6** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 67.7 | 203.2 | **270.9** |

Licence ***617*** Well Name ***P.F. Routledge Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-15-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1955 | 0.0 | 28.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **89.0** |
| H2O | 1955 | 0.0 | 42.4 | 28.6 | 12.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **83.1** |
| OIL | 1955 | 0.0 | 23.7 | 16.9 | 6.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **46.6** |

Licence ***618*** Well Name ***B.A. Union Hayhurst Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-14-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 31.0 | 22.0 | 29.0 | 31.0 | 24.0 | 5.0 | **478.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 322.7 | 513.4 | 282.0 | 330.5 | 447.2 | 346.6 | 73.4 | **3,352.1** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.4 | 58.3 | 27.2 | 29.9 | 34.5 | 30.2 | 3.4 | **1,059.6** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 11.0 | 0.0 | 21.0 | 31.0 | 29.0 | 30.0 | 31.0 | 27.0 | 31.0 | **316.0** |
| H2O | 1955 | 39.1 | 37.2 | 33.1 | 11.4 | 1.7 | 34.0 | 134.7 | 157.7 | 109.9 | 138.2 | 327.2 | 0.0 | **1,036.3** |
| OIL | 1955 | 157.6 | 120.5 | 98.0 | 30.6 | 0.0 | 77.9 | 91.1 | 66.9 | 46.6 | 58.8 | 34.6 | 0.2 | **846.7** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | **15.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.1 | **12.1** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 63.9 | **63.9** |

Licence ***619*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,678.0** |
| H2O | 1975 | 54.2 | 49.9 | 55.6 | 54.1 | 56.0 | 51.2 | 53.6 | 52.9 | 52.1 | 52.1 | 56.1 | 57.1 | **14,330.8** |
| OIL | 1975 | 73.9 | 65.8 | 72.0 | 68.5 | 69.6 | 64.8 | 69.6 | 69.9 | 67.9 | 65.6 | 68.0 | 69.1 | **25,840.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,314.0** |
| H2O | 1974 | 58.5 | 53.6 | 59.0 | 58.8 | 60.1 | 61.4 | 56.9 | 52.3 | 51.5 | 54.1 | 53.6 | 53.3 | **13,685.9** |
| OIL | 1974 | 53.7 | 46.2 | 52.0 | 50.9 | 52.1 | 51.2 | 75.2 | 74.7 | 71.7 | 75.6 | 71.7 | 73.3 | **25,016.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,949.0** |
| H2O | 1973 | 65.5 | 53.6 | 57.4 | 57.4 | 56.1 | 40.1 | 39.7 | 42.9 | 42.3 | 64.5 | 60.4 | 58.7 | **13,012.8** |
| OIL | 1973 | 79.1 | 81.8 | 90.3 | 88.2 | 89.1 | 76.0 | 77.5 | 83.6 | 79.8 | 54.0 | 51.3 | 52.1 | **24,267.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,585.0** |
| H2O | 1972 | 59.6 | 48.3 | 55.0 | 49.0 | 49.8 | 49.3 | 164.7 | 156.0 | 61.0 | 64.7 | 64.9 | 66.9 | **12,374.2** |
| OIL | 1972 | 143.0 | 77.5 | 87.4 | 83.4 | 79.5 | 76.8 | 87.6 | 89.5 | 76.9 | 79.1 | 76.1 | 80.2 | **23,365.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,219.0** |
| H2O | 1971 | 32.1 | 29.1 | 46.6 | 46.6 | 59.0 | 58.7 | 58.2 | 56.1 | 50.2 | 56.3 | 54.1 | 63.4 | **11,485.0** |
| OIL | 1971 | 124.4 | 110.1 | 103.8 | 98.4 | 96.5 | 93.6 | 95.8 | 94.1 | 92.8 | 96.3 | 142.4 | 145.7 | **22,328.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,854.0** |
| H2O | 1970 | 35.8 | 33.5 | 35.1 | 32.4 | 33.4 | 33.2 | 30.0 | 35.0 | 32.9 | 34.0 | 31.0 | 34.7 | **10,874.6** |
| OIL | 1970 | 126.3 | 113.8 | 124.3 | 119.8 | 118.2 | 113.9 | 114.9 | 117.4 | 112.8 | 119.0 | 114.1 | 119.8 | **21,034.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,490.0** |
| H2O | 1969 | 79.6 | 72.3 | 67.9 | 69.3 | 76.3 | 43.1 | 46.7 | 67.6 | 70.7 | 37.8 | 33.9 | 37.0 | **10,473.6** |
| OIL | 1969 | 142.9 | 126.2 | 139.2 | 135.7 | 139.4 | 123.8 | 128.6 | 131.3 | 141.9 | 130.1 | 124.7 | 130.6 | **19,619.8** |
| DAY | 1968 | 31.0 | 27.0 | 23.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,127.0** |
| H2O | 1968 | 19.9 | 17.6 | 29.7 | 40.1 | 43.2 | 175.7 | 112.2 | 102.7 | 103.0 | 109.1 | 100.8 | 76.0 | **9,771.4** |
| OIL | 1968 | 161.6 | 137.9 | 164.2 | 213.9 | 221.2 | 164.5 | 167.0 | 166.7 | 161.0 | 168.8 | 161.8 | 142.5 | **18,025.4** |

# Manitoba Production
## 1950 To 1975

Licence ***619*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,772.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 0.8 | 45.5 | 39.1 | 0.0 | 0.0 | 20.7 | **8,841.4** |
| OIL | 1967 | 229.0 | 203.6 | 228.2 | 220.4 | 227.1 | 186.9 | 193.7 | 180.7 | 170.5 | 174.5 | 170.2 | 161.3 | **15,994.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,407.0** |
| H2O | 1966 | 46.1 | 36.9 | 45.8 | 48.0 | 49.3 | 45.0 | 44.8 | 44.2 | 47.7 | 24.3 | 0.0 | 0.0 | **8,734.2** |
| OIL | 1966 | 201.3 | 177.5 | 191.6 | 192.0 | 208.8 | 207.9 | 216.9 | 214.7 | 209.3 | 188.1 | 212.1 | 224.1 | **13,648.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,043.0** |
| H2O | 1965 | 41.2 | 36.6 | 41.8 | 36.4 | 37.2 | 35.5 | 35.6 | 81.9 | 22.3 | 22.1 | 4.8 | 48.3 | **8,302.1** |
| OIL | 1965 | 175.9 | 160.5 | 173.5 | 167.3 | 168.8 | 168.9 | 175.9 | 207.1 | 162.7 | 169.2 | 196.1 | 203.7 | **11,203.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,678.0** |
| H2O | 1964 | 49.6 | 44.7 | 49.6 | 34.5 | 36.4 | 111.9 | 106.0 | 108.3 | 103.8 | 103.8 | 38.8 | 41.2 | **7,858.4** |
| OIL | 1964 | 78.2 | 73.9 | 79.9 | 77.9 | 80.2 | 183.5 | 182.1 | 185.0 | 178.9 | 182.3 | 162.7 | 174.3 | **9,074.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,312.0** |
| H2O | 1963 | 23.7 | 31.6 | 32.0 | 30.4 | 36.7 | 39.1 | 50.6 | 53.1 | 59.8 | 73.1 | 48.0 | 49.0 | **7,029.8** |
| OIL | 1963 | 46.1 | 38.0 | 50.5 | 49.9 | 48.8 | 51.6 | 61.0 | 55.0 | 62.9 | 61.2 | 73.4 | 75.0 | **7,435.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,949.0** |
| H2O | 1962 | 17.6 | 16.5 | 16.1 | 35.9 | 63.9 | 56.1 | 49.3 | 44.0 | 43.9 | 35.3 | 34.2 | 38.5 | **6,502.7** |
| OIL | 1962 | 69.4 | 62.8 | 70.9 | 72.5 | 75.0 | 70.4 | 72.8 | 54.7 | 59.0 | 45.9 | 47.5 | 49.4 | **6,762.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,584.0** |
| H2O | 1961 | 75.2 | 79.0 | 83.0 | 98.6 | 81.1 | 85.1 | 46.6 | 51.8 | 61.2 | 19.9 | 19.1 | 16.7 | **6,051.4** |
| OIL | 1961 | 76.8 | 80.1 | 81.2 | 86.6 | 83.4 | 79.3 | 81.8 | 81.0 | 70.4 | 73.3 | 69.1 | 68.6 | **6,011.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,219.0** |
| H2O | 1960 | 52.8 | 52.9 | 60.1 | 60.1 | 43.9 | 54.2 | 82.4 | 71.7 | 57.4 | 91.7 | 43.9 | 44.8 | **5,334.1** |
| OIL | 1960 | 51.0 | 49.6 | 56.1 | 50.4 | 53.2 | 54.5 | 57.8 | 56.6 | 54.8 | 59.4 | 50.5 | 55.6 | **5,080.1** |
| DAY | 1959 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,853.0** |
| H2O | 1959 | 127.7 | 131.2 | 141.0 | 127.7 | 148.6 | 142.6 | 108.6 | 70.6 | 63.3 | 59.6 | 52.6 | 48.6 | **4,618.2** |
| OIL | 1959 | 71.5 | 68.3 | 85.0 | 81.8 | 70.9 | 63.7 | 60.9 | 52.1 | 55.5 | 55.1 | 52.4 | 52.4 | **4,430.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,490.0** |
| H2O | 1958 | 166.9 | 295.5 | 230.2 | 45.8 | 199.4 | 196.7 | 205.7 | 195.2 | 180.4 | 144.5 | 130.2 | 115.7 | **3,396.1** |
| OIL | 1958 | 101.9 | 105.4 | 93.8 | 111.1 | 97.1 | 98.2 | 92.0 | 90.4 | 86.4 | 84.7 | 72.0 | 65.9 | **3,661.0** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 28.0 | 29.0 | 31.0 | 29.0 | 31.0 | **1,125.0** |
| H2O | 1957 | 1.9 | 1.9 | 0.5 | 0.3 | 0.2 | 0.2 | 3.0 | 94.4 | 351.3 | 232.6 | 245.6 | 292.4 | **1,289.9** |
| OIL | 1957 | 13.3 | 11.9 | 14.8 | 13.5 | 11.9 | 12.6 | 21.8 | 88.0 | 160.3 | 138.6 | 123.9 | 126.5 | **2,562.1** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **768.0** |
| H2O | 1956 | 4.3 | 1.3 | 2.4 | 3.2 | 1.7 | 1.1 | 1.4 | 1.9 | 0.2 | 0.2 | 0.2 | 1.9 | **65.6** |
| OIL | 1956 | 97.7 | 32.7 | 34.6 | 29.6 | 33.1 | 30.4 | 34.3 | 12.9 | 13.0 | 14.0 | 12.4 | 13.8 | **1,825.0** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **405.0** |
| H2O | 1955 | 0.3 | 5.7 | 5.6 | 4.6 | 4.8 | 4.3 | 2.2 | 3.0 | 2.4 | 4.5 | 4.1 | 3.8 | **45.8** |
| OIL | 1955 | 150.2 | 128.1 | 122.7 | 102.3 | 106.3 | 95.7 | 99.5 | 93.4 | 89.3 | 92.6 | 103.3 | 101.2 | **1,466.5** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 31.0 | **40.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.3 | **0.5** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 46.2 | 135.7 | **181.9** |

Licence ***621*** Well Name ***Kiwi Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-28-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole C*** Field Code ***1*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 26.0 | 0.0 | 11.0 | 22.0 | 31.0 | 21.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,183.0** |
| OIL | 1975 | 13.8 | 0.0 | 6.0 | 16.4 | 13.7 | 12.7 | 17.2 | 15.3 | 10.6 | 8.7 | 15.6 | 13.0 | **20,981.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,891.0** |
| H2O | 1974 | 898.1 | 705.8 | 905.3 | 812.6 | 976.4 | 1126.4 | 1145.0 | 905.7 | 0.0 | 0.0 | 0.0 | 0.0 | **52,475.8** |
| OIL | 1974 | 20.0 | 15.7 | 20.2 | 18.1 | 21.8 | 19.4 | 19.7 | 15.6 | 15.9 | 11.9 | 12.1 | 10.6 | **20,838.8** |

# Manitoba Production
## 1950 To 1975

Licence ***621*** Well Name ***Kiwi Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-28-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole C*** Field Code ***1*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,526.0** |
| H2O | 1973 | 662.4 | 663.6 | 757.4 | 764.9 | 824.2 | 707.4 | 860.5 | 861.8 | 841.1 | 883.7 | 848.3 | 948.3 | **45,000.5** |
| OIL | 1973 | 15.1 | 15.1 | 14.0 | 14.6 | 14.9 | 12.2 | 17.5 | 18.9 | 18.8 | 19.7 | 18.9 | 21.1 | **20,637.8** |
| DAY | 1972 | 24.0 | 1.0 | 17.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,161.0** |
| H2O | 1972 | 218.8 | 0.0 | 180.8 | 326.2 | 289.6 | 393.0 | 512.5 | 472.1 | 450.1 | 475.3 | 465.9 | 572.4 | **35,376.9** |
| OIL | 1972 | 14.5 | 6.0 | 19.1 | 18.9 | 18.6 | 19.7 | 20.2 | 19.2 | 18.1 | 16.5 | 17.0 | 18.0 | **20,437.0** |
| DAY | 1971 | 31.0 | 4.0 | 0.0 | 10.0 | 21.0 | 23.0 | 0.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,846.0** |
| H2O | 1971 | 229.5 | 26.3 | 0.0 | 4.4 | 0.0 | 0.0 | 0.0 | 286.6 | 293.8 | 276.9 | 326.1 | 295.4 | **31,020.2** |
| OIL | 1971 | 12.2 | 1.0 | 0.0 | 15.3 | 11.4 | 11.6 | 0.0 | 20.8 | 20.0 | 18.6 | 17.8 | 17.0 | **20,231.2** |
| DAY | 1970 | 31.0 | 28.0 | 27.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 28.0 | 29.0 | 27.0 | 29.0 | **4,607.0** |
| H2O | 1970 | 246.3 | 240.3 | 231.7 | 267.0 | 266.0 | 271.8 | 271.8 | 271.0 | 263.6 | 283.1 | 245.2 | 252.5 | **29,281.2** |
| OIL | 1970 | 21.9 | 18.3 | 20.8 | 22.9 | 24.0 | 23.5 | 26.2 | 25.1 | 21.0 | 18.9 | 16.0 | 14.5 | **20,085.5** |
| DAY | 1969 | 17.0 | 0.0 | 5.0 | 28.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 27.0 | 22.0 | **4,257.0** |
| H2O | 1969 | 189.0 | 0.0 | 24.0 | 280.3 | 309.9 | 295.6 | 295.6 | 290.6 | 257.4 | 251.2 | 214.6 | 220.2 | **26,170.9** |
| OIL | 1969 | 15.4 | 0.0 | 19.1 | 27.8 | 25.3 | 19.9 | 21.3 | 21.0 | 21.9 | 20.8 | 18.1 | 13.8 | **19,832.4** |
| DAY | 1968 | 0.0 | 1.0 | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 14.0 | 28.0 | 28.0 | 30.0 | 28.0 | **3,979.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 182.4 | 284.8 | 318.4 | 334.2 | 302.3 | **23,542.5** |
| OIL | 1968 | 0.0 | 14.3 | 14.9 | 14.8 | 0.0 | 0.0 | 21.6 | 37.2 | 39.6 | 28.6 | 25.1 | 23.5 | **19,608.0** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 2.0 | 0.0 | 0.0 | 1.0 | 1.0 | 0.0 | 1.0 | **3,848.0** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 19.9 | 29.9 | 0.0 | 0.0 | 11.4 | 9.5 | 0.0 | 14.3 | **19,388.4** |
| DAY | 1966 | 0.0 | 0.0 | 2.0 | 29.0 | 29.0 | 30.0 | 31.0 | 31.0 | 20.0 | 31.0 | 7.0 | 0.0 | **3,841.0** |
| H2O | 1966 | 0.0 | 0.0 | 42.9 | 615.9 | 653.8 | 638.6 | 679.6 | 370.0 | 129.7 | 372.5 | 85.3 | 0.0 | **22,120.4** |
| OIL | 1966 | 0.0 | 0.0 | 3.5 | 31.1 | 31.6 | 23.5 | 26.1 | 26.4 | 18.9 | 46.7 | 6.4 | 0.0 | **19,303.4** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 3.0 | 21.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 14.0 | 0.0 | **3,631.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 73.4 | 559.8 | 840.3 | 857.8 | 802.8 | 789.5 | 401.5 | 195.7 | 0.0 | **18,532.1** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 9.7 | 26.4 | 33.7 | 32.1 | 29.7 | 28.4 | 41.6 | 15.1 | 0.0 | **19,089.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 30.0 | 22.0 | 28.0 | 30.0 | 20.0 | **3,443.0** |
| H2O | 1964 | 217.6 | 201.3 | 212.1 | 276.0 | 280.4 | 228.8 | 203.3 | 584.4 | 521.1 | 1952.4 | 926.2 | 698.2 | **14,011.3** |
| OIL | 1964 | 53.4 | 47.8 | 51.0 | 53.9 | 52.8 | 40.0 | 31.1 | 47.0 | 38.8 | 42.0 | 32.7 | 10.8 | **18,872.5** |
| DAY | 1963 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,105.0** |
| H2O | 1963 | 275.2 | 244.7 | 258.3 | 212.6 | 196.8 | 231.3 | 232.1 | 252.6 | 234.5 | 265.0 | 231.3 | 217.6 | **7,709.5** |
| OIL | 1963 | 84.2 | 58.6 | 72.0 | 65.0 | 63.6 | 62.1 | 58.2 | 61.5 | 57.2 | 59.4 | 55.5 | 53.9 | **18,371.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 25.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,744.0** |
| H2O | 1962 | 227.7 | 201.0 | 219.2 | 226.2 | 200.5 | 201.1 | 188.9 | 196.0 | 183.8 | 241.0 | 262.0 | 280.4 | **4,857.5** |
| OIL | 1962 | 108.5 | 99.3 | 113.3 | 117.3 | 87.1 | 106.2 | 101.2 | 79.6 | 68.6 | 84.5 | 82.8 | 82.8 | **17,620.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | **2,389.0** |
| H2O | 1961 | 204.3 | 193.2 | 195.2 | 124.8 | 173.6 | 60.7 | 62.6 | 55.2 | 49.0 | 60.4 | 125.4 | 214.9 | **2,229.7** |
| OIL | 1961 | 147.2 | 121.9 | 129.5 | 137.8 | 148.6 | 94.4 | 100.7 | 97.3 | 93.4 | 106.5 | 130.6 | 119.8 | **16,488.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 20.0 | 31.0 | 28.0 | 20.0 | 31.0 | 30.0 | 31.0 | **2,034.0** |
| H2O | 1960 | 8.3 | 9.1 | 13.2 | 9.1 | 8.1 | 7.9 | 7.2 | 55.5 | 45.8 | 77.1 | 198.2 | 203.3 | **710.4** |
| OIL | 1960 | 185.0 | 166.9 | 161.9 | 164.6 | 151.4 | 140.2 | 136.3 | 144.0 | 127.9 | 146.5 | 162.4 | 154.3 | **15,061.1** |
| DAY | 1959 | 28.0 | 25.0 | 27.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 30.0 | 19.0 | 29.0 | 30.0 | **1,691.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.9 | 3.8 | 4.5 | **67.6** |
| OIL | 1959 | 220.1 | 190.1 | 195.9 | 223.6 | 228.5 | 230.7 | 205.2 | 157.0 | 214.2 | 115.7 | 173.5 | 185.1 | **13,219.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 22.0 | 31.0 | 25.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,354.0** |
| H2O | 1958 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 37.7 | 0.5 | **56.4** |
| OIL | 1958 | 238.7 | 221.2 | 246.5 | 178.1 | 246.3 | 210.4 | 172.9 | 245.2 | 213.7 | 225.8 | 199.3 | 253.5 | **10,880.1** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 20.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,009.0** |
| H2O | 1957 | 0.3 | 0.3 | 0.3 | 0.5 | 0.2 | 0.5 | 0.5 | 0.3 | 0.6 | 0.5 | 0.5 | 0.3 | **17.7** |
| OIL | 1957 | 247.7 | 234.1 | 202.1 | 232.8 | 131.9 | 217.4 | 209.6 | 230.9 | 243.1 | 246.3 | 212.0 | 216.1 | **8,228.5** |
| DAY | 1956 | 22.0 | 26.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **657.0** |
| H2O | 1956 | 0.8 | 0.5 | 0.5 | 0.5 | 0.6 | 0.5 | 0.8 | 0.6 | 0.5 | 0.8 | 0.6 | 0.3 | **12.9** |

# Manitoba Production
## 1950 To 1975

Licence ***621*** Well Name ***Kiwi Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-28-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole C*** Field Code ***1*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1956 | 187.0 | 228.8 | 261.1 | 262.7 | 274.0 | 254.7 | 267.1 | 292.4 | 264.1 | 246.2 | 204.8 | 239.6 | **5,604.5** |
| DAY | 1955 | 31.0 | 26.0 | 24.0 | 0.0 | 1.0 | 21.0 | 29.0 | 31.0 | 28.0 | 30.0 | 28.0 | 29.0 | **309.0** |
| H2O | 1955 | 0.5 | 0.5 | 0.5 | 0.0 | 0.0 | 0.2 | 0.5 | 0.5 | 0.5 | 0.6 | 1.1 | 0.5 | **5.9** |
| OIL | 1955 | 273.8 | 226.8 | 207.7 | 0.0 | 4.9 | 147.8 | 253.9 | 268.2 | 241.2 | 255.8 | 227.7 | 257.4 | **2,622.0** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | **31.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | **0.5** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 256.8 | **256.8** |

Licence ***622*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-13-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **7,562.0** |
| H2O | 1975 | 136.2 | 112.4 | 140.7 | 132.6 | 154.7 | 210.7 | 109.1 | 122.6 | 118.9 | 127.0 | 76.0 | 114.8 | **7,433.6** |
| OIL | 1975 | 73.9 | 73.6 | 67.9 | 69.9 | 72.6 | 75.6 | 74.1 | 70.1 | 68.6 | 70.2 | 62.0 | 66.4 | **23,940.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **7,198.0** |
| H2O | 1974 | 105.9 | 97.8 | 105.7 | 100.0 | 104.3 | 102.9 | 105.9 | 108.4 | 122.9 | 107.5 | 104.9 | 130.4 | **5,877.9** |
| OIL | 1974 | 67.4 | 62.6 | 64.2 | 71.2 | 73.9 | 71.7 | 72.9 | 72.8 | 64.8 | 76.0 | 69.8 | 72.0 | **23,096.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,834.0** |
| H2O | 1973 | 11.1 | 12.1 | 11.6 | 9.2 | 12.9 | 11.3 | 10.5 | 9.1 | 10.3 | 107.6 | 105.6 | 107.6 | **4,581.3** |
| OIL | 1973 | 86.1 | 79.5 | 90.7 | 76.8 | 89.3 | 90.1 | 86.4 | 75.3 | 72.3 | 69.3 | 67.9 | 70.9 | **22,256.7** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,469.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 27.2 | 24.6 | 25.4 | 22.9 | 13.5 | 12.2 | 11.8 | 11.3 | 10.2 | **4,162.4** |
| OIL | 1972 | 99.5 | 90.3 | 95.5 | 138.7 | 115.8 | 112.8 | 112.2 | 85.3 | 87.6 | 80.1 | 86.6 | 88.5 | **21,302.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,104.0** |
| H2O | 1971 | 4.0 | 4.0 | 9.5 | 0.0 | 0.0 | 0.0 | 0.0 | 19.6 | 346.2 | 359.2 | 322.8 | 0.0 | **4,003.3** |
| OIL | 1971 | 94.9 | 85.0 | 89.6 | 88.4 | 92.0 | 82.6 | 90.4 | 80.4 | 90.9 | 104.7 | 96.6 | 100.0 | **20,109.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,740.0** |
| H2O | 1970 | 0.0 | 0.0 | 9.7 | 7.5 | 5.2 | 5.2 | 10.2 | 6.7 | 20.5 | 21.9 | 4.3 | 4.5 | **2,938.0** |
| OIL | 1970 | 103.5 | 92.2 | 96.1 | 76.1 | 95.2 | 95.2 | 88.8 | 81.0 | 96.1 | 97.1 | 93.3 | 92.3 | **19,013.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,377.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 4.8 | 5.2 | 4.5 | 0.0 | 10.7 | 3.8 | 0.0 | 0.0 | 0.0 | **2,842.3** |
| OIL | 1969 | 77.7 | 70.7 | 78.0 | 57.2 | 167.5 | 138.7 | 143.3 | 131.7 | 89.0 | 106.3 | 62.6 | 103.3 | **17,906.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **5,013.0** |
| H2O | 1968 | 8.4 | 8.1 | 18.9 | 5.6 | 5.6 | 12.1 | 11.1 | 6.4 | 5.7 | 5.4 | 0.0 | 0.0 | **2,813.3** |
| OIL | 1968 | 109.0 | 102.7 | 131.1 | 125.4 | 128.2 | 111.1 | 108.1 | 110.8 | 94.9 | 105.0 | 88.7 | 82.3 | **16,680.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,649.0** |
| H2O | 1967 | 22.7 | 20.2 | 15.6 | 5.7 | 18.3 | 43.6 | 37.8 | 21.5 | 7.8 | 0.0 | 32.6 | 33.1 | **2,726.0** |
| OIL | 1967 | 112.7 | 100.7 | 103.5 | 103.6 | 96.9 | 106.6 | 113.8 | 112.2 | 111.1 | 113.8 | 108.1 | 104.7 | **15,383.5** |
| DAY | 1966 | 0.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,287.0** |
| H2O | 1966 | 0.0 | 3.8 | 1.3 | 1.4 | 1.3 | 1.4 | 1.6 | 1.4 | 3.0 | 16.4 | 27.7 | 22.1 | **2,467.1** |
| OIL | 1966 | 0.0 | 93.1 | 94.1 | 97.6 | 103.8 | 99.2 | 121.4 | 112.2 | 112.2 | 112.3 | 108.4 | 114.9 | **14,095.8** |
| DAY | 1965 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,955.0** |
| H2O | 1965 | 1.4 | 0.0 | 1.4 | 3.0 | 4.5 | 5.9 | 10.3 | 4.1 | 3.7 | 1.3 | 17.3 | 3.0 | **2,385.7** |
| OIL | 1965 | 98.0 | 82.0 | 62.6 | 111.2 | 116.8 | 111.7 | 111.6 | 105.8 | 97.6 | 107.4 | 121.6 | 116.2 | **12,926.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,591.0** |
| H2O | 1964 | 36.6 | 23.8 | 22.9 | 25.4 | 8.6 | 7.5 | 8.3 | 6.7 | 7.2 | 1.3 | 0.0 | 0.0 | **2,329.8** |
| OIL | 1964 | 118.2 | 93.8 | 109.0 | 105.2 | 108.7 | 104.7 | 108.1 | 109.6 | 100.4 | 110.3 | 103.9 | 103.3 | **11,684.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,225.0** |
| H2O | 1963 | 29.9 | 24.6 | 36.6 | 33.1 | 29.3 | 36.7 | 36.6 | 40.4 | 41.0 | 38.5 | 38.5 | 30.5 | **2,181.5** |
| OIL | 1963 | 110.1 | 103.1 | 115.7 | 115.7 | 112.8 | 110.6 | 109.2 | 122.7 | 121.9 | 115.7 | 121.9 | 103.9 | **10,408.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,860.0** |

# Manitoba Production
## 1950 To 1975

Licence ***622*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-13-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1962 | 12.2 | 15.1 | 21.0 | 17.2 | 12.6 | 15.9 | 17.8 | 30.7 | 12.6 | 36.6 | 37.5 | 28.0 | **1,765.8** |
| OIL | 1962 | 132.4 | 129.8 | 131.3 | 120.6 | 122.2 | 123.8 | 131.1 | 127.1 | 111.7 | 121.6 | 113.5 | 116.5 | **9,045.6** |
| DAY | 1961 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,495.0** |
| H2O | 1961 | 3.7 | 0.0 | 27.3 | 38.5 | 37.7 | 33.2 | 36.9 | 23.2 | 45.5 | 22.7 | 10.5 | 16.9 | **1,508.6** |
| OIL | 1961 | 46.9 | 4.3 | 60.2 | 173.4 | 189.1 | 168.8 | 158.6 | 151.9 | 149.1 | 149.5 | 139.0 | 150.6 | **7,564.0** |
| DAY | 1960 | 31.0 | 29.0 | 23.0 | 20.0 | 16.0 | 25.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,132.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.9 | 17.2 | 27.7 | 20.7 | 13.4 | 1.1 | 1.1 | **1,212.5** |
| OIL | 1960 | 12.7 | 22.1 | 18.0 | 13.7 | 14.3 | 51.3 | 57.0 | 61.3 | 65.9 | 34.5 | 43.1 | 51.0 | **6,022.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,804.0** |
| H2O | 1959 | 1.3 | 3.7 | 1.4 | 3.5 | 1.3 | 1.3 | 4.0 | 5.4 | 0.0 | 3.7 | 3.7 | 1.3 | **1,102.4** |
| OIL | 1959 | 24.9 | 23.5 | 26.2 | 30.4 | 30.4 | 29.9 | 39.4 | 33.2 | 28.6 | 30.5 | 21.1 | 21.0 | **5,577.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,439.0** |
| H2O | 1958 | 15.4 | 1.6 | 3.8 | 2.5 | 1.9 | 1.7 | 0.0 | 4.1 | 1.9 | 4.0 | 2.4 | 4.1 | **1,071.8** |
| OIL | 1958 | 118.7 | 35.8 | 31.3 | 30.8 | 27.7 | 23.2 | 26.9 | 28.3 | 17.2 | 18.4 | 28.4 | 29.1 | **5,238.6** |
| DAY | 1957 | 21.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 21.0 | 30.0 | 19.0 | **1,074.0** |
| H2O | 1957 | 16.4 | 27.8 | 0.5 | 0.2 | 17.0 | 0.3 | 18.1 | 19.4 | 7.0 | 5.2 | 11.6 | 7.6 | **1,028.4** |
| OIL | 1957 | 110.4 | 164.6 | 121.7 | 112.2 | 103.8 | 130.9 | 107.4 | 86.1 | 82.8 | 47.4 | 88.0 | 66.3 | **4,822.8** |
| DAY | 1956 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **741.0** |
| H2O | 1956 | 34.3 | 39.0 | 39.7 | 38.2 | 40.2 | 22.4 | 23.5 | 21.1 | 28.0 | 33.5 | 33.4 | 34.2 | **897.3** |
| OIL | 1956 | 70.4 | 86.0 | 81.8 | 74.5 | 76.9 | 202.6 | 219.8 | 189.7 | 147.9 | 154.9 | 136.0 | 139.8 | **3,601.2** |
| DAY | 1955 | 17.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 26.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **379.0** |
| H2O | 1955 | 3.0 | 45.5 | 70.0 | 32.1 | 73.0 | 60.7 | 17.8 | 39.4 | 35.8 | 40.5 | 34.3 | 40.2 | **509.8** |
| OIL | 1955 | 111.6 | 333.4 | 366.8 | 168.4 | 170.4 | 156.4 | 144.1 | 99.5 | 86.4 | 73.1 | 60.7 | 47.7 | **2,020.9** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 27.0 | **36.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.5 | **17.5** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 73.7 | 128.7 | **202.4** |

Licence ***623*** Well Name ***Virden Roselea Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 4135.5 | 3973.7 | 3906.0 | 4617.6 | 3590.9 | 2570.1 | 4988.5 | 4252.7 | 4132.0 | 4594.0 | 4634.9 | 4521.7 | **397,002.4** |
| WIN | 1974 | 4553.7 | 3685.6 | 3730.5 | 3870.5 | 3600.6 | 4133.3 | 3764.8 | 3931.1 | 3645.9 | 3337.0 | 3177.2 | 4156.2 | **347,084.8** |
| WIN | 1973 | 3878.3 | 4035.5 | 4441.9 | 4011.4 | 4046.8 | 3653.2 | 3637.9 | 2174.2 | 3253.2 | 2778.0 | 3891.0 | 4386.9 | **301,498.4** |
| WIN | 1972 | 2663.2 | 3088.7 | 4024.7 | 4711.5 | 4017.6 | 3479.8 | 4121.4 | 4319.6 | 4420.1 | 4158.3 | 3062.4 | 4189.0 | **257,310.1** |
| WIN | 1971 | 3648.1 | 3262.0 | 3506.1 | 3255.1 | 2393.8 | 2861.5 | 2167.9 | 1807.9 | 0.0 | 1905.1 | 2443.4 | 2817.3 | **211,053.8** |
| WIN | 1970 | 2969.3 | 2345.1 | 3139.2 | 2621.1 | 2912.8 | 1972.5 | 2017.3 | 3199.2 | 2682.8 | 2994.7 | 3639.8 | 3727.3 | **180,985.6** |
| WIN | 1969 | 3066.1 | 875.7 | 2218.9 | 2779.3 | 2928.3 | 3021.1 | 2010.5 | 2014.6 | 2603.8 | 2883.9 | 2798.2 | 3125.1 | **146,764.5** |
| WIN | 1968 | 2054.2 | 3503.0 | 3300.4 | 2748.4 | 2068.6 | 3056.4 | 3061.6 | 3306.8 | 2232.7 | 3326.0 | 3105.7 | 3122.2 | **116,439.0** |
| WIN | 1967 | 2983.1 | 2950.8 | 3036.8 | 3304.6 | 4093.9 | 3280.2 | 1925.2 | 2502.7 | 3303.3 | 2121.7 | 1972.1 | 1842.4 | **81,553.0** |
| WIN | 1966 | 4133.5 | 3409.6 | 3649.2 | 3864.3 | 3545.4 | 3207.7 | 3044.8 | 3171.0 | 3253.4 | 3238.4 | 3011.6 | 3151.6 | **48,236.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 22.0 | 0.0 | 0.0 | **3,925.0** |
| H2O | 1965 | 14.5 | 13.4 | 14.5 | 14.0 | 14.5 | 13.0 | 13.2 | 19.6 | 14.9 | 11.2 | 0.0 | 0.0 | **2,221.4** |
| OIL | 1965 | 43.9 | 40.0 | 43.7 | 42.1 | 42.4 | 38.8 | 38.5 | 33.5 | 35.5 | 25.1 | 0.0 | 0.0 | **8,719.9** |
| WIN | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 701.1 | 2825.6 | 4029.0 | **7,555.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,631.0** |
| H2O | 1964 | 19.1 | 18.4 | 19.7 | 18.8 | 19.7 | 19.1 | 19.1 | 19.7 | 9.7 | 9.9 | 9.5 | 13.7 | **2,078.6** |
| OIL | 1964 | 52.0 | 52.9 | 54.0 | 47.2 | 48.9 | 47.2 | 47.2 | 48.9 | 48.0 | 47.4 | 42.7 | 42.7 | **8,336.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,265.0** |
| H2O | 1963 | 17.8 | 17.3 | 16.2 | 16.1 | 15.9 | 16.2 | 15.9 | 15.1 | 17.2 | 19.4 | 19.1 | 19.7 | **1,882.2** |
| OIL | 1963 | 55.3 | 47.2 | 51.0 | 49.1 | 50.9 | 48.6 | 51.3 | 49.3 | 52.0 | 52.9 | 52.4 | 54.2 | **7,757.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,900.0** |

# Manitoba Production
## 1950 To 1975

Licence ***623*** Well Name ***Virden Roselea Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1962 | 19.7 | 17.8 | 19.7 | 19.1 | 19.7 | 19.1 | 19.7 | 19.7 | 19.1 | 22.7 | 42.4 | 35.8 | **1,676.3** |
| OIL | 1962 | 49.3 | 44.7 | 49.3 | 47.5 | 47.8 | 47.2 | 48.5 | 48.3 | 47.4 | 61.7 | 69.1 | 77.1 | **7,143.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,537.0** |
| H2O | 1961 | 17.5 | 13.4 | 18.9 | 23.8 | 24.6 | 23.8 | 24.6 | 24.6 | 23.8 | 23.1 | 20.0 | 19.7 | **1,401.8** |
| OIL | 1961 | 52.1 | 53.6 | 59.0 | 56.6 | 57.8 | 55.8 | 57.2 | 56.7 | 56.6 | 57.5 | 57.0 | 49.4 | **6,505.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,172.0** |
| H2O | 1960 | 18.1 | 18.4 | 19.7 | 20.2 | 24.2 | 23.4 | 24.6 | 24.2 | 23.8 | 24.6 | 21.6 | 20.2 | **1,144.0** |
| OIL | 1960 | 70.4 | 69.3 | 66.1 | 57.4 | 44.2 | 41.6 | 43.7 | 43.5 | 42.6 | 43.7 | 42.0 | 42.4 | **5,835.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,808.0** |
| H2O | 1959 | 19.7 | 17.8 | 19.7 | 19.1 | 19.7 | 19.1 | 19.7 | 17.2 | 9.5 | 9.7 | 12.4 | 17.3 | **881.0** |
| OIL | 1959 | 24.3 | 22.2 | 24.5 | 23.7 | 24.3 | 23.7 | 24.2 | 24.2 | 39.9 | 43.4 | 47.5 | 88.4 | **5,229.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,443.0** |
| H2O | 1958 | 13.8 | 13.4 | 11.1 | 11.8 | 16.4 | 15.7 | 15.9 | 14.8 | 15.4 | 14.8 | 16.7 | 18.6 | **680.1** |
| OIL | 1958 | 49.4 | 43.9 | 44.0 | 42.1 | 43.9 | 42.3 | 43.7 | 43.5 | 42.9 | 42.3 | 26.4 | 24.6 | **4,818.7** |
| DAY | 1957 | 28.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,078.0** |
| H2O | 1957 | 14.9 | 16.7 | 20.7 | 11.1 | 15.4 | 18.8 | 13.4 | 16.1 | 14.0 | 14.8 | 14.3 | 13.8 | **501.7** |
| OIL | 1957 | 65.9 | 66.1 | 80.6 | 71.4 | 73.4 | 53.6 | 55.6 | 50.4 | 47.7 | 49.1 | 46.7 | 50.4 | **4,329.7** |
| DAY | 1956 | 31.0 | 28.0 | 24.0 | 28.0 | 29.0 | 27.0 | 31.0 | 29.0 | 30.0 | 31.0 | 29.0 | 29.0 | **717.0** |
| H2O | 1956 | 9.5 | 8.1 | 10.7 | 21.0 | 22.3 | 20.0 | 37.2 | 21.8 | 18.0 | 19.7 | 18.0 | 20.7 | **317.7** |
| OIL | 1956 | 69.3 | 62.0 | 208.0 | 199.3 | 106.8 | 92.6 | 108.2 | 163.4 | 127.0 | 100.4 | 86.6 | 77.1 | **3,618.8** |
| DAY | 1955 | 30.0 | 28.0 | 30.0 | 30.0 | 24.0 | 30.0 | 26.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | **371.0** |
| H2O | 1955 | 1.1 | 10.3 | 5.1 | 8.3 | 4.6 | 4.5 | 4.5 | 4.9 | 8.1 | 14.9 | 11.3 | 11.4 | **90.7** |
| OIL | 1955 | 325.8 | 248.5 | 265.4 | 182.3 | 135.9 | 165.3 | 140.5 | 130.5 | 125.1 | 111.1 | 81.2 | 77.4 | **2,218.1** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 18.0 | **23.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.7 | **1.7** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.3 | 197.8 | **229.1** |

Licence ***624*** Well Name ***Gale Force Daly Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-12-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 0.0 | 0.0 | 0.0 | 906.5 | 3586.9 | 3473.6 | 2372.7 | 3357.4 | 2482.6 | 0.0 | 2537.6 | 3264.7 | **111,464.1** |
| WIN | 1974 | 3450.2 | 3121.9 | 3508.1 | 3327.0 | 3485.8 | 3088.0 | 3127.8 | 3485.7 | 3297.9 | 3397.7 | 2765.7 | 0.0 | **89,482.1** |
| WIN | 1973 | 3434.6 | 2864.0 | 3394.2 | 3324.8 | 3336.2 | 3381.7 | 3461.5 | 3442.9 | 3376.0 | 3492.0 | 3263.5 | 3440.0 | **53,426.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 21.0 | 22.0 | 29.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,197.0** |
| H2O | 1972 | 1223.6 | 1182.1 | 1126.0 | 668.6 | 732.9 | 880.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **95,812.8** |
| OIL | 1972 | 20.0 | 18.8 | 17.8 | 13.8 | 13.3 | 15.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,538.6** |
| WIN | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3210.0 | 3251.6 | 3325.4 | 3427.9 | **13,214.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 25.0 | 31.0 | 30.0 | 31.0 | **3,034.0** |
| H2O | 1971 | 1403.1 | 1302.9 | 1331.2 | 1347.7 | 802.6 | 761.9 | 1148.5 | 888.0 | 899.1 | 1119.9 | 1046.6 | 1088.7 | **89,999.1** |
| OIL | 1971 | 20.7 | 17.5 | 20.0 | 18.4 | 17.3 | 22.2 | 25.4 | 20.0 | 18.6 | 21.8 | 19.7 | 20.0 | **5,439.7** |
| DAY | 1970 | 30.0 | 22.0 | 27.0 | 30.0 | 31.0 | 26.0 | 27.0 | 30.0 | 25.0 | 30.0 | 28.0 | 31.0 | **2,678.0** |
| H2O | 1970 | 789.6 | 555.7 | 1122.4 | 1284.9 | 1240.4 | 1107.5 | 922.0 | 1059.9 | 913.1 | 1142.0 | 1193.6 | 1340.1 | **76,858.9** |
| OIL | 1970 | 16.7 | 11.0 | 18.1 | 19.2 | 18.4 | 15.7 | 15.9 | 16.8 | 13.2 | 15.9 | 17.2 | 21.0 | **5,198.1** |
| DAY | 1969 | 30.0 | 26.0 | 30.0 | 20.0 | 31.0 | 30.0 | 31.0 | 31.0 | 23.0 | 26.0 | 30.0 | 25.0 | **2,341.0** |
| H2O | 1969 | 1459.8 | 1134.2 | 1188.1 | 799.5 | 902.6 | 855.3 | 937.0 | 989.1 | 593.1 | 691.5 | 739.8 | 575.6 | **64,187.7** |
| OIL | 1969 | 55.1 | 29.4 | 34.6 | 24.2 | 30.7 | 29.2 | 29.7 | 28.1 | 17.0 | 19.9 | 24.3 | 24.5 | **4,999.0** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 28.0 | 27.0 | 26.0 | 30.0 | 29.0 | 30.0 | 28.0 | **2,008.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 785.8 | 921.9 | 849.4 | 929.5 | 1151.3 | 1106.5 | 1212.5 | 1325.8 | **53,322.1** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 30.4 | 30.7 | 37.0 | 28.3 | 36.7 | 35.6 | 39.6 | 45.9 | **4,652.3** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 22.0 | 29.0 | 30.0 | 29.0 | 29.0 | 27.0 | 4.0 | 0.0 | 0.0 | **1,789.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 616.5 | 989.3 | 1025.9 | 1005.4 | 998.5 | 865.4 | 94.3 | 0.0 | 0.0 | **45,039.4** |

# Manitoba Production
## 1950 To 1975

Licence ***624*** Well Name ***Gale Force Daly Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-12-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 27.8 | 50.1 | 47.0 | 44.3 | 44.5 | 38.6 | 4.6 | 0.0 | 0.0 | **4,368.1** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 29.0 | 31.0 | 30.0 | 30.0 | 28.0 | 2.0 | 0.0 | **1,619.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 187.3 | 920.0 | 1059.1 | 965.4 | 1042.7 | 854.1 | 35.3 | 0.0 | **39,444.1** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 12.4 | 50.2 | 58.8 | 49.9 | 50.9 | 41.6 | 1.9 | 0.0 | **4,111.2** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 27.0 | 31.0 | 29.0 | 29.0 | 31.0 | 10.0 | 0.0 | **1,463.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 626.2 | 1534.6 | 1572.8 | 1123.4 | 1271.6 | 1362.2 | 321.6 | 0.0 | **34,380.2** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 17.8 | 46.1 | 49.9 | 40.8 | 42.4 | 44.3 | 9.9 | 0.0 | **3,845.5** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 30.0 | 31.0 | 25.0 | 26.0 | 29.0 | 0.0 | 0.0 | **1,296.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 347.4 | 912.6 | 923.0 | 556.8 | 1013.3 | 971.3 | 0.0 | 0.0 | **26,567.8** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 23.4 | 48.3 | 47.7 | 34.8 | 41.6 | 40.5 | 0.0 | 0.0 | **3,594.3** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 26.0 | 31.0 | 29.0 | 28.0 | 29.0 | 0.0 | 0.0 | **1,144.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 898.3 | 646.7 | 749.4 | 710.3 | 677.2 | 711.1 | 0.0 | 0.0 | **21,843.4** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 68.6 | 45.0 | 50.2 | 45.4 | 40.4 | 38.5 | 0.0 | 0.0 | **3,358.0** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 29.0 | 31.0 | 24.0 | 29.0 | 16.0 | 0.0 | 0.0 | **972.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 613.8 | 687.1 | 698.7 | 527.4 | 737.3 | 451.0 | 0.0 | 0.0 | **17,450.4** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 63.1 | 56.4 | 56.6 | 40.4 | 52.9 | 30.4 | 0.0 | 0.0 | **3,069.9** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 9.0 | 31.0 | 30.0 | 26.0 | 30.0 | 24.0 | 29.0 | 16.0 | 0.0 | **815.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 220.5 | 696.9 | 789.6 | 523.9 | 623.0 | 494.3 | 688.2 | 380.9 | 0.0 | **13,735.1** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 22.9 | 90.3 | 77.5 | 50.4 | 55.9 | 38.5 | 60.1 | 31.5 | 0.0 | **2,770.1** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 21.0 | 31.0 | 30.0 | 27.0 | 29.0 | 28.0 | 28.0 | 14.0 | 0.0 | **620.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 546.5 | 813.9 | 859.9 | 648.3 | 648.4 | 692.6 | 712.0 | 331.3 | 0.0 | **9,317.8** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 88.4 | 111.9 | 107.7 | 58.2 | 53.7 | 64.5 | 69.8 | 27.5 | 0.0 | **2,343.0** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 3.0 | 0.0 | **412.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 569.6 | 88.9 | 0.0 | **4,064.9** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 95.0 | 13.7 | 0.0 | **1,761.3** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | **390.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.5 | 0.0 | 0.0 | 0.0 | 0.0 | **3,406.4** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.9 | 0.0 | 0.0 | 0.0 | 0.0 | **1,652.6** |
| DAY | 1956 | 0.0 | 0.0 | 25.0 | 9.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 4.0 | 0.0 | 0.0 | **389.0** |
| H2O | 1956 | 17.5 | 82.5 | 229.2 | 77.3 | 239.7 | 297.5 | 263.9 | 296.0 | 273.9 | 37.4 | 0.0 | 0.0 | **3,398.9** |
| OIL | 1956 | 0.0 | 40.7 | 88.7 | 28.0 | 88.2 | 82.2 | 98.2 | 76.0 | 70.4 | 6.2 | 0.0 | 0.0 | **1,643.7** |
| DAY | 1955 | 30.0 | 27.0 | 31.0 | 1.0 | 0.0 | 19.0 | 31.0 | 2.0 | 0.0 | 11.0 | 22.0 | 0.0 | **202.0** |
| H2O | 1955 | 41.5 | 515.5 | 512.7 | 18.1 | 0.0 | 31.0 | 116.2 | 9.1 | 0.0 | 127.8 | 178.9 | 0.0 | **1,584.0** |
| OIL | 1955 | 203.1 | 162.7 | 161.8 | 5.7 | 0.0 | 101.5 | 62.8 | 2.4 | 0.0 | 45.9 | 51.3 | 0.0 | **1,065.1** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 22.0 | **28.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 33.2 | **33.2** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 105.7 | 162.2 | **267.9** |

Licence ***625*** Well Name ***Virden Roselea Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-24-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1089.8 | 1061.5 | 1059.3 | 1030.5 | 882.7 | 976.1 | 875.7 | 1070.7 | 1137.0 | 1150.5 | 1122.2 | 1044.3 | **178,969.1** |
| WIN | 1974 | 1609.0 | 1315.2 | 1324.0 | 1353.7 | 1301.4 | 1293.8 | 1243.9 | 1245.6 | 1161.5 | 922.9 | 935.9 | 1158.8 | **166,468.8** |
| WIN | 1973 | 1385.0 | 1402.4 | 1538.4 | 1378.8 | 1378.7 | 1246.7 | 1247.4 | 804.9 | 986.8 | 1010.0 | 1094.3 | 1427.3 | **151,603.1** |
| WIN | 1972 | 1237.7 | 1476.3 | 1431.6 | 1474.5 | 1272.6 | 854.5 | 1310.8 | 1533.1 | 1450.4 | 1484.4 | 1281.7 | 1393.6 | **136,702.4** |
| WIN | 1971 | 1543.2 | 1464.4 | 1539.9 | 1402.8 | 1203.2 | 1653.4 | 1140.4 | 974.9 | 0.0 | 964.5 | 1156.6 | 1310.8 | **120,501.2** |
| WIN | 1970 | 1625.7 | 1383.6 | 1627.8 | 1628.3 | 1691.4 | 1145.0 | 1139.9 | 1526.0 | 1067.1 | 1700.1 | 1727.0 | 1742.3 | **106,147.1** |
| WIN | 1969 | 1711.1 | 435.3 | 1001.6 | 1439.7 | 1467.2 | 1511.9 | 1112.7 | 1110.6 | 1551.6 | 1360.2 | 1483.9 | 1568.8 | **88,142.9** |
| WIN | 1968 | 1360.7 | 1842.6 | 1712.5 | 1598.4 | 1440.8 | 1540.7 | 1509.5 | 1841.5 | 1500.3 | 1848.8 | 1730.2 | 1742.7 | **72,388.3** |
| WIN | 1967 | 1998.1 | 1850.8 | 1947.2 | 1915.4 | 2167.7 | 1826.2 | 1649.1 | 1969.0 | 1919.4 | 1669.3 | 1130.2 | 213.4 | **52,719.6** |
| WIN | 1966 | 2861.8 | 2300.4 | 2403.1 | 2339.7 | 2292.2 | 2122.4 | 2152.6 | 2290.6 | 2132.6 | 2175.3 | 2041.8 | 2033.4 | **32,463.8** |

# Manitoba Production
## 1950 To 1975

Licence ***625*** Well Name ***Virden Roselea Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-24-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 12.0 | 0.0 | 0.0 | **3,921.0** |
| H2O | 1965 | 41.8 | 33.9 | 37.8 | 27.3 | 25.3 | 23.4 | 17.0 | 27.2 | 19.2 | 23.4 | 0.0 | 0.0 | **5,921.1** |
| OIL | 1965 | 52.4 | 45.4 | 49.4 | 33.5 | 36.4 | 34.3 | 36.5 | 34.5 | 34.6 | 30.4 | 0.0 | 0.0 | **8,869.6** |
| WIN | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 384.1 | 2006.2 | 2927.6 | **5,317.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,636.0** |
| H2O | 1964 | 74.4 | 70.3 | 75.7 | 74.1 | 85.4 | 75.8 | 49.6 | 46.9 | 40.5 | 45.8 | 41.7 | 41.7 | **5,644.8** |
| OIL | 1964 | 65.0 | 63.9 | 67.2 | 61.0 | 64.2 | 61.3 | 43.9 | 45.6 | 54.7 | 57.7 | 52.0 | 53.7 | **8,482.2** |
| DAY | 1963 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,270.0** |
| H2O | 1963 | 58.5 | 61.4 | 68.2 | 74.6 | 83.1 | 81.6 | 86.8 | 82.2 | 79.3 | 81.4 | 79.8 | 78.2 | **4,922.9** |
| OIL | 1963 | 55.9 | 59.6 | 64.0 | 57.7 | 65.9 | 70.7 | 80.4 | 79.0 | 76.8 | 78.7 | 64.2 | 69.0 | **7,792.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | **2,908.0** |
| H2O | 1962 | 77.4 | 68.4 | 78.1 | 74.4 | 77.6 | 64.5 | 77.6 | 64.5 | 63.0 | 68.4 | 86.2 | 64.7 | **4,007.8** |
| OIL | 1962 | 62.5 | 56.6 | 63.9 | 60.9 | 62.9 | 57.0 | 64.4 | 56.9 | 52.9 | 46.9 | 59.6 | 55.6 | **6,970.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,548.0** |
| H2O | 1961 | 49.6 | 36.1 | 48.6 | 44.7 | 42.0 | 46.1 | 89.5 | 96.0 | 85.4 | 87.6 | 85.1 | 85.4 | **3,143.0** |
| OIL | 1961 | 105.2 | 96.3 | 104.9 | 114.1 | 113.5 | 112.7 | 74.8 | 69.4 | 67.9 | 63.6 | 64.8 | 66.9 | **6,270.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,187.0** |
| H2O | 1960 | 104.0 | 98.4 | 109.2 | 103.5 | 111.4 | 118.3 | 132.0 | 129.9 | 102.4 | 101.6 | 50.7 | 46.4 | **2,346.9** |
| OIL | 1960 | 88.7 | 83.1 | 87.1 | 84.1 | 93.8 | 103.5 | 117.6 | 119.2 | 134.3 | 136.7 | 118.2 | 113.0 | **5,215.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,821.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.5 | 123.7 | 107.2 | 113.2 | **1,139.1** |
| OIL | 1959 | 26.2 | 22.1 | 23.2 | 22.7 | 23.2 | 28.1 | 28.0 | 28.4 | 95.2 | 94.1 | 89.3 | 89.8 | **3,936.6** |
| DAY | 1958 | 28.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 26.0 | 20.0 | **1,458.0** |
| H2O | 1958 | 6.2 | 6.0 | 6.7 | 6.5 | 10.5 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **694.5** |
| OIL | 1958 | 34.5 | 31.3 | 33.4 | 30.7 | 24.2 | 25.3 | 22.4 | 20.3 | 18.4 | 19.9 | 19.2 | 13.8 | **3,366.3** |
| DAY | 1957 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,115.0** |
| H2O | 1957 | 23.7 | 28.8 | 28.8 | 27.5 | 20.8 | 26.5 | 29.9 | 14.1 | 14.0 | 11.9 | 10.7 | 11.0 | **658.4** |
| OIL | 1957 | 88.7 | 75.3 | 74.5 | 80.7 | 44.3 | 31.0 | 27.8 | 50.2 | 47.7 | 42.1 | 38.8 | 37.8 | **3,072.9** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 29.0 | 26.0 | 30.0 | 29.0 | **752.0** |
| H2O | 1956 | 16.4 | 14.6 | 16.5 | 14.6 | 14.8 | 23.2 | 33.7 | 28.6 | 21.8 | 26.9 | 26.2 | 21.6 | **410.7** |
| OIL | 1956 | 65.0 | 58.6 | 60.4 | 34.5 | 54.3 | 82.8 | 105.0 | 114.1 | 105.2 | 106.6 | 96.5 | 90.7 | **2,434.0** |
| DAY | 1955 | 31.0 | 28.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **397.0** |
| H2O | 1955 | 2.9 | 8.3 | 7.8 | 6.7 | 6.4 | 4.3 | 19.2 | 18.8 | 17.2 | 17.0 | 16.5 | 20.5 | **151.8** |
| OIL | 1955 | 154.5 | 125.4 | 117.6 | 99.8 | 97.1 | 64.8 | 89.0 | 83.7 | 73.1 | 74.8 | 67.7 | 67.9 | **1,460.3** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 29.0 | **37.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.2 | 4.0 | **6.2** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 89.1 | 255.8 | **344.9** |

Licence ***626*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-28-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 17.0 | 28.0 | 30.0 | 26.0 | 8.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **690.0** |
| H2O | 1957 | 0.0 | 117.7 | 202.1 | 201.8 | 172.6 | 68.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,519.9** |
| OIL | 1957 | 0.0 | 6.2 | 10.5 | 10.5 | 9.6 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,244.3** |
| DAY | 1956 | 31.0 | 27.0 | 28.0 | 19.0 | 26.0 | 25.0 | 31.0 | 23.0 | 29.0 | 23.0 | 27.0 | 9.0 | **581.0** |
| H2O | 1956 | 246.4 | 214.6 | 222.6 | 151.0 | 206.7 | 198.7 | 246.4 | 180.5 | 187.1 | 143.4 | 182.5 | 49.9 | **5,757.7** |
| OIL | 1956 | 25.3 | 20.5 | 20.3 | 14.1 | 18.9 | 16.2 | 28.4 | 11.8 | 13.7 | 10.0 | 11.3 | 4.0 | **1,206.5** |
| DAY | 1955 | 28.0 | 28.0 | 31.0 | 4.0 | 20.0 | 30.0 | 31.0 | 31.0 | 30.0 | 12.0 | 0.0 | 2.0 | **283.0** |
| H2O | 1955 | 475.8 | 390.1 | 538.1 | 57.9 | 313.8 | 757.7 | 145.3 | 161.4 | 149.6 | 61.7 | 0.0 | 22.3 | **3,527.9** |
| OIL | 1955 | 150.2 | 123.2 | 118.1 | 12.7 | 59.8 | 133.6 | 35.0 | 30.2 | 30.7 | 8.3 | 0.0 | 0.0 | **1,012.0** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 27.0 | **36.0** |

# Manitoba Production
## 1950 To 1975

Licence ***626*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-28-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 454.0 | **454.2** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 115.7 | 194.5 | **310.2** |

Licence ***627*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.08-29-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 18.0 | 28.0 | 30.0 | 31.0 | 29.0 | 20.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **808.0** |
| H2O | 1957 | 0.0 | 221.3 | 315.9 | 348.0 | 324.3 | 76.3 | 168.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,677.6** |
| OIL | 1957 | 0.0 | 16.2 | 24.0 | 25.4 | 27.0 | 22.9 | 24.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,904.7** |
| DAY | 1956 | 28.0 | 29.0 | 31.0 | 25.0 | 27.0 | 30.0 | 30.0 | 27.0 | 27.0 | 31.0 | 26.0 | 9.0 | **652.0** |
| H2O | 1956 | 180.4 | 202.7 | 228.5 | 218.4 | 250.7 | 366.3 | 344.0 | 256.3 | 285.1 | 289.0 | 251.2 | 81.9 | **6,223.0** |
| OIL | 1956 | 86.8 | 85.2 | 96.1 | 77.4 | 105.4 | 49.6 | 39.1 | 35.6 | 28.3 | 34.6 | 25.3 | 7.9 | **2,765.0** |
| DAY | 1955 | 30.0 | 28.0 | 28.0 | 25.0 | 2.0 | 25.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | **332.0** |
| H2O | 1955 | 319.2 | 332.4 | 541.2 | 316.7 | 15.6 | 218.8 | 213.8 | 216.1 | 236.6 | 247.4 | 221.9 | 158.0 | **3,268.5** |
| OIL | 1955 | 319.1 | 332.3 | 291.3 | 211.0 | 10.3 | 139.8 | 86.4 | 125.5 | 114.9 | 113.0 | 94.7 | 66.6 | **2,093.7** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | **18.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 230.8 | **230.8** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 188.8 | **188.8** |

Licence ***628*** Well Name ***Cdn. Sup. Hayhurst Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-15-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1959 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,222.0** |
| H2O | 1959 | 23.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,579.8** |
| OIL | 1959 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,533.0** |
| DAY | 1958 | 0.0 | 28.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,218.0** |
| H2O | 1958 | 0.0 | 14.6 | 0.0 | 14.6 | 14.8 | 15.4 | 15.7 | 109.7 | 15.9 | 15.9 | 15.9 | 450.1 | **1,556.8** |
| OIL | 1958 | 0.0 | 33.6 | 0.0 | 33.0 | 31.2 | 30.4 | 30.3 | 17.9 | 34.6 | 27.7 | 25.9 | 37.6 | **2,530.8** |
| DAY | 1957 | 5.0 | 7.0 | 12.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **916.0** |
| H2O | 1957 | 1.0 | 2.2 | 2.1 | 2.9 | 12.9 | 12.2 | 11.9 | 15.9 | 15.3 | 15.1 | 14.3 | 15.3 | **874.2** |
| OIL | 1957 | 13.4 | 34.7 | 50.6 | 30.7 | 47.5 | 44.7 | 40.9 | 40.4 | 37.0 | 35.3 | 36.6 | 42.0 | **2,228.6** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 13.0 | **617.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 28.5 | 14.8 | 15.4 | 100.0 | 100.5 | 105.1 | 117.6 | 100.8 | 34.7 | **753.1** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 81.1 | 44.2 | 59.8 | 30.8 | 46.6 | 42.6 | 42.4 | 38.3 | 14.9 | **1,774.8** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 1.0 | **363.0** |
| H2O | 1955 | 19.7 | 16.9 | 27.3 | 21.6 | 1.6 | 6.7 | 3.3 | 10.0 | 8.3 | 8.6 | 7.2 | 0.0 | **135.7** |
| OIL | 1955 | 131.2 | 139.9 | 136.2 | 108.6 | 8.1 | 114.1 | 113.4 | 84.1 | 69.8 | 72.7 | 59.1 | 3.7 | **1,374.1** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | **28.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.5 | **4.5** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 333.2 | **333.2** |

Licence ***631*** Well Name ***Fawn Lulu Lake Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.15-14-001-21W1.00*** Field Name ***Lulu Lake*** Pool Name ***Lodgepole WL A*** Field Code ***4*** Pool Code ***52A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 23.0 | 21.0 | 24.0 | 0.0 | 6.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **606.0** |
| H2O | 1957 | 78.4 | 194.5 | 100.1 | 0.0 | 22.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,864.5** |
| OIL | 1957 | 50.8 | 75.4 | 101.5 | 0.0 | 10.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,356.3** |
| DAY | 1956 | 30.0 | 29.0 | 31.0 | 22.0 | 14.0 | 10.0 | 8.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **532.0** |
| H2O | 1956 | 116.0 | 98.8 | 79.7 | 46.8 | 29.0 | 36.5 | 33.6 | 116.4 | 117.2 | 120.3 | 126.3 | 202.6 | **1,469.0** |
| OIL | 1956 | 197.8 | 202.9 | 182.6 | 115.5 | 82.7 | 50.8 | 44.4 | 169.1 | 161.3 | 139.3 | 103.6 | 104.8 | **3,117.9** |

# Manitoba Production
## 1950 To 1975

Licence ***631*** Well Name ***Fawn Lulu Lake Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.15-14-001-21W1.00*** Field Name ***Lulu Lake*** Pool Name ***Lodgepole WL A*** Field Code ***4*** Pool Code ***52A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1955 | 31.0 | 24.0 | 30.0 | 12.0 | 0.0 | 0.0 | 14.0 | 0.0 | 29.0 | 31.0 | 20.0 | 30.0 | **236.0** |
| H2O | 1955 | 24.4 | 43.5 | 37.3 | 20.6 | 0.0 | 0.0 | 8.5 | 62.4 | 55.4 | 33.9 | 33.3 | 26.5 | **345.8** |
| OIL | 1955 | 244.7 | 184.2 | 220.1 | 82.3 | 0.0 | 0.0 | 86.4 | 86.2 | 136.0 | 178.0 | 113.7 | 148.9 | **1,563.1** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | **15.0** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 82.6 | **82.6** |

UWI ***100.15-14-001-21W1.02*** Field Name ***Lulu Lake*** Pool Name ***Lodgepole WL A*** Field Code ***4*** Pool Code ***52A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 0.0 | 22.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,034.0** |
| H2O | 1975 | 261.4 | 230.5 | 230.9 | 238.5 | 211.5 | 0.0 | 308.0 | 493.0 | 497.3 | 492.2 | 482.4 | 520.5 | **35,068.7** |
| OIL | 1975 | 21.9 | 21.3 | 10.3 | 9.5 | 11.3 | 0.0 | 27.2 | 29.6 | 27.8 | 29.1 | 24.8 | 17.0 | **6,226.8** |
| DAY | 1974 | 31.0 | 28.0 | 0.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,712.0** |
| H2O | 1974 | 460.3 | 460.7 | 548.5 | 481.7 | 467.7 | 437.9 | 449.8 | 446.8 | 412.4 | 418.8 | 304.8 | 305.4 | **31,102.5** |
| OIL | 1974 | 29.3 | 27.8 | 28.0 | 30.4 | 33.9 | 35.0 | 32.4 | 35.8 | 34.2 | 38.8 | 33.1 | 32.0 | **5,997.0** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 14.0 | 10.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,380.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 29.6 | 36.1 | 62.2 | 469.8 | 541.8 | 542.6 | 525.9 | 515.0 | **25,907.7** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 4.1 | 4.3 | 7.3 | 26.2 | 22.4 | 27.7 | 26.7 | 29.4 | **5,606.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 22.0 | 31.0 | 23.0 | 4.0 | 2.0 | 21.0 | 4.0 | 3.0 | 0.0 | **2,197.0** |
| H2O | 1972 | 150.9 | 122.4 | 114.5 | 75.0 | 98.4 | 60.7 | 3.8 | 2.2 | 1.6 | 4.8 | 4.8 | 0.0 | **23,184.7** |
| OIL | 1972 | 44.0 | 38.0 | 39.1 | 27.7 | 36.6 | 23.4 | 2.1 | 1.0 | 0.5 | 1.9 | 1.7 | 0.0 | **5,458.2** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 7.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,996.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 167.6 | 168.5 | 77.3 | 0.0 | 194.8 | 152.9 | 146.0 | 150.9 | **22,545.6** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 10.7 | 20.0 | 4.6 | 0.0 | 70.6 | 44.5 | 42.6 | 44.7 | **5,242.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 27.0 | 26.0 | 30.0 | 31.0 | 31.0 | 20.0 | 21.0 | 30.0 | 7.0 | **1,845.0** |
| H2O | 1970 | 347.9 | 315.3 | 336.6 | 289.5 | 282.2 | 299.9 | 317.8 | 322.7 | 215.0 | 189.8 | 66.5 | 13.5 | **21,487.6** |
| OIL | 1970 | 34.0 | 29.9 | 32.1 | 26.4 | 28.3 | 30.4 | 29.6 | 36.6 | 25.9 | 25.1 | 25.1 | 5.1 | **5,004.5** |
| DAY | 1969 | 31.0 | 22.0 | 31.0 | 30.0 | 0.0 | 30.0 | 25.0 | 30.0 | 17.0 | 31.0 | 30.0 | 31.0 | **1,532.0** |
| H2O | 1969 | 458.0 | 269.3 | 451.2 | 401.8 | 406.1 | 372.7 | 314.6 | 378.5 | 307.0 | 367.6 | 349.5 | 351.8 | **18,490.9** |
| OIL | 1969 | 41.2 | 22.9 | 39.0 | 35.1 | 37.4 | 35.3 | 30.2 | 38.3 | 32.1 | 37.0 | 34.8 | 34.0 | **4,676.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 14.0 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | **1,224.0** |
| H2O | 1968 | 207.5 | 184.3 | 186.5 | 156.1 | 129.4 | 114.9 | 0.0 | 0.0 | 381.1 | 490.5 | 476.2 | 476.5 | **14,062.8** |
| OIL | 1968 | 54.1 | 46.3 | 48.8 | 40.7 | 33.5 | 34.3 | 5.2 | 33.2 | 30.2 | 43.2 | 41.8 | 42.8 | **4,258.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **882.0** |
| H2O | 1967 | 452.5 | 322.6 | 468.7 | 374.7 | 352.0 | 373.0 | 375.2 | 318.0 | 269.5 | 259.9 | 242.1 | 217.2 | **11,259.8** |
| OIL | 1967 | 123.5 | 90.8 | 106.0 | 77.4 | 70.4 | 68.4 | 73.6 | 37.8 | 37.2 | 43.2 | 40.7 | 55.5 | **3,804.6** |
| DAY | 1966 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **520.0** |
| H2O | 1966 | 467.9 | 434.4 | 419.4 | 512.7 | 543.9 | 519.4 | 427.2 | 426.7 | 414.6 | 357.2 | 368.2 | 470.6 | **7,234.4** |
| OIL | 1966 | 215.5 | 190.7 | 158.4 | 199.7 | 201.2 | 175.6 | 152.1 | 194.3 | 154.6 | 136.0 | 125.8 | 124.2 | **2,980.1** |
| DAY | 1965 | 19.0 | 24.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 28.0 | 23.0 | 29.0 | **163.0** |
| H2O | 1965 | 89.6 | 153.3 | 79.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 180.8 | 478.4 | 336.6 | 468.7 | **1,872.2** |
| OIL | 1965 | 28.8 | 96.9 | 50.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 95.5 | 259.4 | 158.6 | 209.4 | **952.0** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | **19.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 85.1 | **85.1** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 52.6 | **52.6** |

Licence ***634*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1285.2 | 996.2 | 1324.0 | 1167.9 | 1188.7 | 1046.7 | 922.9 | 1115.7 | 1210.5 | 1322.6 | 1220.5 | 1187.3 | **215,802.6** |
| WIN | 1974 | 1325.7 | 983.6 | 1429.7 | 1214.9 | 1144.2 | 1030.3 | 994.7 | 1131.6 | 1091.9 | 1180.6 | 1074.5 | 1228.4 | **201,814.4** |
| WIN | 1973 | 1543.5 | 1335.1 | 1416.5 | 1231.0 | 1314.4 | 1227.2 | 1209.4 | 1090.4 | 1088.4 | 1405.4 | 1302.7 | 1287.4 | **187,984.3** |

# Manitoba Production
## 1950 To 1975

Licence ***634*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1972 | 1407.9 | 1484.9 | 1766.9 | 1156.6 | 1622.4 | 1583.8 | 1651.3 | 1579.6 | 1586.1 | 1575.8 | 1400.6 | 1373.3 | **172,532.9** |
| WIN | 1971 | 1297.4 | 1219.2 | 1425.3 | 1083.8 | 1330.0 | 1372.8 | 859.0 | 1338.1 | 1204.4 | 1273.4 | 1473.3 | 1252.6 | **154,343.7** |
| WIN | 1970 | 1772.2 | 1592.5 | 1608.9 | 1412.9 | 1586.8 | 1433.4 | 1248.0 | 1516.0 | 1663.1 | 1490.3 | 1450.5 | 1247.4 | **139,214.4** |
| WIN | 1969 | 1459.1 | 1420.8 | 1755.3 | 1698.1 | 1681.2 | 1432.3 | 1710.8 | 1810.3 | 1846.7 | 1818.9 | 1774.7 | 1788.0 | **121,192.4** |
| WIN | 1968 | 1812.5 | 1715.1 | 1928.6 | 1810.6 | 1718.4 | 1811.7 | 1853.7 | 1848.0 | 1753.5 | 1780.1 | 1475.0 | 1625.3 | **100,996.2** |
| WIN | 1967 | 2585.0 | 1571.4 | 1910.6 | 1803.2 | 1809.4 | 1806.3 | 1077.4 | 1843.9 | 1621.3 | 1893.3 | 1699.0 | 1848.8 | **79,863.7** |
| WIN | 1966 | 1031.0 | 1109.5 | 1504.0 | 1545.9 | 1549.6 | 1536.4 | 1452.9 | 1849.3 | 1887.4 | 2083.9 | 1867.4 | 1916.8 | **58,394.1** |
| WIN | 1965 | 1336.9 | 914.5 | 1067.2 | 1242.4 | 1629.5 | 1638.3 | 1609.7 | 1634.3 | 1714.8 | 1693.1 | 1506.3 | 1771.2 | **39,060.0** |
| WIN | 1964 | 706.2 | 724.8 | 807.5 | 895.4 | 893.8 | 1036.5 | 997.1 | 957.5 | 920.5 | 1106.7 | 1113.5 | 1161.7 | **21,301.8** |
| DAY | 1963 | 9.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,868.0** |
| H2O | 1963 | 24.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **11,055.5** |
| OIL | 1963 | 15.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **12,474.3** |
| WIN | 1963 | 113.5 | 1037.7 | 906.0 | 677.1 | 1167.4 | 1140.7 | 1066.6 | 807.3 | 828.1 | 934.8 | 607.6 | 693.8 | **9,980.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,859.0** |
| H2O | 1962 | 233.5 | 211.6 | 215.4 | 184.9 | 180.0 | 156.9 | 135.1 | 148.5 | 142.6 | 131.8 | 111.4 | 125.1 | **11,030.8** |
| OIL | 1962 | 86.1 | 71.5 | 74.5 | 78.2 | 80.9 | 71.5 | 72.8 | 65.2 | 62.3 | 55.5 | 51.0 | 53.1 | **12,458.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,497.0** |
| H2O | 1961 | 101.0 | 79.3 | 78.5 | 103.7 | 85.2 | 87.3 | 86.5 | 42.0 | 13.5 | 222.9 | 217.5 | 222.6 | **9,054.0** |
| OIL | 1961 | 72.1 | 56.9 | 56.4 | 57.5 | 55.6 | 50.5 | 53.1 | 39.9 | 28.4 | 89.5 | 84.7 | 85.3 | **11,635.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,132.0** |
| H2O | 1960 | 165.0 | 165.2 | 187.0 | 186.6 | 163.6 | 142.8 | 204.8 | 173.4 | 142.3 | 75.2 | 84.6 | 120.5 | **7,714.0** |
| OIL | 1960 | 103.8 | 100.7 | 114.4 | 102.8 | 103.0 | 97.4 | 102.0 | 96.8 | 96.5 | 73.9 | 59.4 | 62.3 | **10,906.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **1,766.0** |
| H2O | 1959 | 106.4 | 109.2 | 149.1 | 127.7 | 136.6 | 154.8 | 132.7 | 134.5 | 125.4 | 186.0 | 163.7 | 151.3 | **5,903.0** |
| OIL | 1959 | 110.3 | 105.2 | 129.7 | 119.8 | 128.6 | 114.9 | 110.0 | 102.2 | 91.8 | 112.8 | 107.4 | 107.3 | **9,793.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,405.0** |
| H2O | 1958 | 124.0 | 35.3 | 143.7 | 282.7 | 150.2 | 118.6 | 138.3 | 109.4 | 110.7 | 120.5 | 108.6 | 96.3 | **4,225.6** |
| OIL | 1958 | 155.4 | 165.6 | 182.9 | 174.8 | 173.8 | 155.7 | 161.0 | 148.6 | 125.4 | 130.5 | 110.9 | 101.5 | **8,453.0** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 16.0 | 15.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | **1,040.0** |
| H2O | 1957 | 115.9 | 119.2 | 134.0 | 61.7 | 77.7 | 115.6 | 131.3 | 210.8 | 135.1 | 103.2 | 21.6 | 25.8 | **2,687.3** |
| OIL | 1957 | 229.6 | 207.1 | 237.4 | 89.0 | 140.6 | 244.9 | 213.3 | 243.1 | 207.7 | 209.4 | 151.4 | 154.3 | **6,666.9** |
| DAY | 1956 | 31.0 | 24.0 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 27.0 | 31.0 | **709.0** |
| H2O | 1956 | 14.0 | 11.1 | 58.5 | 76.0 | 146.6 | 103.0 | 143.9 | 189.8 | 175.2 | 162.2 | 145.9 | 142.3 | **1,435.4** |
| OIL | 1956 | 76.1 | 65.2 | 345.3 | 279.7 | 330.7 | 290.5 | 385.8 | 370.6 | 338.2 | 324.2 | 277.0 | 258.1 | **4,339.1** |
| DAY | 1955 | 26.0 | 2.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **355.0** |
| H2O | 1955 | 3.5 | 0.3 | 3.3 | 1.3 | 1.3 | 1.1 | 0.6 | 1.3 | 6.7 | 12.4 | 11.4 | 11.0 | **66.9** |
| OIL | 1955 | 143.0 | 12.4 | 136.0 | 51.6 | 53.6 | 42.6 | 44.2 | 72.6 | 69.4 | 72.3 | 80.2 | 78.8 | **997.7** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | **24.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.7 | **12.7** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 141.0 | **141.0** |

Licence ***635*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-13-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 31.0 | 28.0 | 12.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,167.0** |
| H2O | 1958 | 382.9 | 520.0 | 223.2 | 92.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,984.1** |
| OIL | 1958 | 55.0 | 7.9 | 5.7 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **8,930.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 26.0 | 19.0 | 30.0 | 31.0 | **1,091.0** |
| H2O | 1957 | 54.1 | 49.1 | 76.0 | 60.3 | 62.5 | 110.3 | 73.8 | 53.6 | 77.7 | 77.1 | 126.7 | 166.1 | **1,765.6** |
| OIL | 1957 | 236.8 | 251.1 | 247.4 | 228.2 | 245.7 | 156.7 | 156.5 | 187.2 | 79.1 | 68.2 | 111.1 | 135.7 | **8,859.8** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 28.0 | 31.0 | **743.0** |

# Manitoba Production
## 1950 To 1975

Licence ***635*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-13-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1956 | 32.4 | 35.1 | 35.8 | 30.8 | 35.9 | 53.6 | 56.3 | 45.0 | 67.2 | 74.9 | 74.7 | 76.3 | **778.3** |
| OIL | 1956 | 298.9 | 346.1 | 327.2 | 268.2 | 305.9 | 253.9 | 319.1 | 245.8 | 214.5 | 225.0 | 197.8 | 203.2 | **6,756.1** |
| DAY | 1955 | 28.0 | 28.0 | 29.0 | 27.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **386.0** |
| H2O | 1955 | 1.7 | 1.1 | 3.2 | 6.5 | 2.1 | 4.1 | 7.3 | 6.2 | 5.7 | 36.6 | 31.0 | 54.1 | **160.3** |
| OIL | 1955 | 238.0 | 149.2 | 166.5 | 263.9 | 292.9 | 266.7 | 300.0 | 408.9 | 355.2 | 291.9 | 243.1 | 190.5 | **3,550.5** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 26.0 | **32.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.5 | **0.7** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 132.5 | 251.2 | **383.7** |

Licence ***636*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.01-29-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,581.0** |
| H2O | 1959 | 17.8 | 16.1 | 17.8 | 17.2 | 17.8 | 14.9 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **609.5** |
| OIL | 1959 | 10.2 | 8.9 | 8.9 | 9.1 | 15.7 | 14.3 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,035.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,403.0** |
| H2O | 1958 | 3.2 | 3.2 | 3.5 | 3.7 | 3.8 | 3.5 | 3.7 | 3.5 | 3.5 | 19.4 | 17.2 | 17.8 | **507.3** |
| OIL | 1958 | 12.7 | 11.6 | 13.0 | 12.7 | 13.5 | 13.0 | 12.9 | 12.7 | 12.4 | 9.7 | 9.4 | 10.0 | **1,967.6** |
| DAY | 1957 | 26.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,038.0** |
| H2O | 1957 | 30.2 | 10.2 | 10.3 | 10.3 | 9.5 | 8.6 | 9.2 | 10.3 | 8.7 | 9.1 | 9.1 | 2.4 | **421.3** |
| OIL | 1957 | 25.3 | 23.2 | 24.5 | 23.5 | 24.9 | 21.8 | 31.1 | 26.4 | 24.2 | 27.2 | 25.1 | 9.2 | **1,824.0** |
| DAY | 1956 | 29.0 | 29.0 | 30.0 | 24.0 | 15.0 | 7.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **678.0** |
| H2O | 1956 | 9.7 | 10.5 | 11.4 | 10.7 | 6.8 | 2.7 | 21.8 | 19.4 | 20.0 | 13.2 | 8.6 | 8.6 | **293.4** |
| OIL | 1956 | 51.5 | 48.6 | 53.1 | 42.1 | 31.8 | 20.0 | 29.2 | 12.6 | 11.4 | 26.5 | 26.7 | 25.6 | **1,537.6** |
| DAY | 1955 | 27.0 | 20.0 | 30.0 | 21.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **360.0** |
| H2O | 1955 | 0.8 | 0.6 | 2.2 | 11.1 | 24.8 | 14.6 | 32.9 | 10.8 | 12.2 | 12.9 | 14.6 | 11.1 | **150.0** |
| OIL | 1955 | 114.7 | 101.2 | 120.8 | 68.5 | 92.3 | 76.4 | 76.9 | 69.0 | 65.6 | 64.4 | 54.0 | 51.0 | **1,158.5** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | **17.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.4 | **1.4** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 203.7 | **203.7** |

Licence ***637*** Well Name ***Enerplus Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-24-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **261.4** |
| DAY | 1956 | 29.0 | 27.0 | 29.0 | 18.0 | 21.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **199.0** |
| H2O | 1956 | 1.9 | 2.2 | 1.1 | 1.3 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **84.9** |
| OIL | 1956 | 24.2 | 18.8 | 15.4 | 15.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **261.4** |
| DAY | 1955 | 14.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 31.0 | **75.0** |
| H2O | 1955 | 10.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.1 | 0.0 | 0.0 | 15.9 | 0.5 | **78.1** |
| OIL | 1955 | 19.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 43.1 | 39.7 | **187.7** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | **14.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 43.4 | **43.4** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 85.5 | **85.5** |

Licence ***643*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 27.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 29.0 | 15.0 | 31.0 | 30.0 | 31.0 | **7,444.0** |
| H2O | 1975 | 880.3 | 764.2 | 936.2 | 778.5 | 982.8 | 924.0 | 920.7 | 892.8 | 427.5 | 868.7 | 827.8 | 849.3 | **62,909.3** |

# Manitoba Production
## 1950 To 1975

Licence ***643*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1975 | 73.9 | 64.7 | 75.0 | 60.7 | 72.5 | 69.1 | 72.3 | 68.6 | 36.9 | 60.9 | 59.6 | 61.5 | **24,107.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 19.0 | 22.0 | 21.0 | 31.0 | 30.0 | 31.0 | **7,101.0** |
| H2O | 1974 | 918.1 | 823.5 | 1001.7 | 849.1 | 1006.8 | 1092.7 | 540.1 | 769.3 | 738.8 | 1110.2 | 967.4 | 888.9 | **52,856.5** |
| OIL | 1974 | 84.9 | 87.4 | 97.4 | 87.6 | 95.3 | 92.5 | 59.6 | 63.6 | 57.0 | 86.3 | 81.4 | 73.3 | **23,331.7** |
| DAY | 1973 | 30.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,768.0** |
| H2O | 1973 | 581.5 | 891.2 | 996.5 | 999.7 | 1018.7 | 1034.6 | 944.7 | 844.2 | 834.8 | 885.2 | 782.7 | 904.4 | **42,149.9** |
| OIL | 1973 | 135.4 | 162.4 | 132.7 | 133.3 | 163.0 | 155.1 | 143.8 | 107.1 | 101.4 | 105.4 | 88.4 | 84.7 | **22,365.4** |
| DAY | 1972 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | 30.0 | 29.0 | 30.0 | **6,406.0** |
| H2O | 1972 | 648.0 | 654.0 | 760.1 | 680.4 | 752.8 | 657.2 | 689.0 | 803.3 | 664.5 | 670.4 | 642.3 | 575.2 | **31,431.7** |
| OIL | 1972 | 120.1 | 115.8 | 131.6 | 137.1 | 152.9 | 140.3 | 127.8 | 128.2 | 89.5 | 94.4 | 93.8 | 90.1 | **20,852.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,050.0** |
| H2O | 1971 | 658.0 | 653.4 | 694.7 | 724.8 | 754.7 | 599.0 | 660.4 | 739.3 | 589.0 | 652.0 | 517.5 | 540.1 | **23,234.5** |
| OIL | 1971 | 149.5 | 135.2 | 149.5 | 144.4 | 144.6 | 134.4 | 156.7 | 156.0 | 117.4 | 123.9 | 103.9 | 112.3 | **19,431.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | **5,690.0** |
| H2O | 1970 | 586.8 | 556.6 | 608.3 | 548.3 | 592.5 | 538.0 | 429.4 | 518.3 | 411.3 | 538.1 | 400.6 | 557.5 | **15,451.6** |
| OIL | 1970 | 348.2 | 308.8 | 193.1 | 187.8 | 156.0 | 136.0 | 124.9 | 155.3 | 107.6 | 133.8 | 113.0 | 148.1 | **17,803.3** |
| DAY | 1969 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 20.0 | 30.0 | 26.0 | 30.0 | 28.0 | 29.0 | 31.0 | **5,334.0** |
| H2O | 1969 | 196.5 | 160.9 | 96.3 | 121.6 | 130.5 | 82.5 | 127.5 | 157.5 | 183.5 | 387.8 | 590.6 | 656.3 | **9,165.9** |
| OIL | 1969 | 252.2 | 216.6 | 103.6 | 124.9 | 121.6 | 79.8 | 118.9 | 116.2 | 133.0 | 248.2 | 305.9 | 347.4 | **15,690.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,991.0** |
| H2O | 1968 | 109.2 | 109.2 | 127.0 | 135.5 | 125.9 | 98.4 | 99.2 | 156.3 | 163.6 | 179.3 | 182.7 | 197.5 | **6,274.4** |
| OIL | 1968 | 151.9 | 137.3 | 153.5 | 161.1 | 155.6 | 154.3 | 153.7 | 204.5 | 234.9 | 241.5 | 241.4 | 253.0 | **13,522.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 29.0 | 31.0 | 31.0 | 30.0 | 19.0 | 28.0 | 31.0 | **4,631.0** |
| H2O | 1967 | 145.8 | 124.3 | 141.0 | 132.7 | 128.0 | 232.0 | 121.0 | 135.0 | 138.9 | 81.4 | 106.0 | 116.9 | **4,590.6** |
| OIL | 1967 | 222.0 | 192.9 | 217.5 | 207.9 | 192.1 | 505.2 | 188.0 | 187.4 | 191.0 | 117.3 | 142.4 | 156.2 | **11,279.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 16.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,284.0** |
| H2O | 1966 | 28.6 | 27.3 | 27.2 | 21.5 | 22.9 | 19.7 | 11.1 | 25.3 | 22.6 | 22.6 | 161.8 | 149.1 | **2,987.6** |
| OIL | 1966 | 45.0 | 40.5 | 50.2 | 36.2 | 33.4 | 25.4 | 15.1 | 28.9 | 30.2 | 32.3 | 227.2 | 220.9 | **8,759.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,937.0** |
| H2O | 1965 | 19.4 | 17.8 | 19.4 | 18.8 | 19.4 | 17.3 | 16.2 | 25.9 | 19.4 | 21.1 | 21.6 | 23.5 | **2,447.9** |
| OIL | 1965 | 34.2 | 31.1 | 34.0 | 32.7 | 33.1 | 30.2 | 27.5 | 25.6 | 27.0 | 27.7 | 29.6 | 35.8 | **7,974.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,573.0** |
| H2O | 1964 | 19.1 | 18.4 | 18.1 | 18.8 | 19.7 | 19.1 | 19.1 | 19.7 | 19.2 | 19.7 | 19.1 | 19.1 | **2,208.1** |
| OIL | 1964 | 38.0 | 38.5 | 39.4 | 36.5 | 34.2 | 33.1 | 32.9 | 34.2 | 33.7 | 34.2 | 33.2 | 33.2 | **7,606.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,207.0** |
| H2O | 1963 | 20.0 | 17.8 | 19.7 | 18.9 | 19.2 | 17.8 | 18.8 | 18.1 | 19.1 | 19.4 | 19.1 | 19.7 | **1,979.0** |
| OIL | 1963 | 39.7 | 35.6 | 38.9 | 37.3 | 37.8 | 35.4 | 37.3 | 36.2 | 37.7 | 38.5 | 38.1 | 39.4 | **7,184.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,842.0** |
| H2O | 1962 | 14.8 | 13.4 | 14.8 | 14.3 | 14.8 | 14.3 | 14.8 | 14.8 | 22.6 | 27.8 | 25.0 | 24.6 | **1,751.4** |
| OIL | 1962 | 44.3 | 40.2 | 44.3 | 42.7 | 42.4 | 42.4 | 39.9 | 38.6 | 37.8 | 38.3 | 36.2 | 38.8 | **6,733.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,478.0** |
| H2O | 1961 | 14.5 | 13.4 | 14.8 | 14.3 | 14.8 | 14.3 | 14.8 | 14.8 | 14.3 | 14.8 | 14.3 | 14.8 | **1,535.4** |
| OIL | 1961 | 36.1 | 31.1 | 34.5 | 32.6 | 33.2 | 32.4 | 33.1 | 32.7 | 33.1 | 33.1 | 33.4 | 43.4 | **6,247.1** |
| DAY | 1960 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,113.0** |
| H2O | 1960 | 14.8 | 15.1 | 14.8 | 14.3 | 14.9 | 14.3 | 13.4 | 10.0 | 13.0 | 14.8 | 14.3 | 14.8 | **1,361.5** |
| OIL | 1960 | 43.2 | 33.7 | 40.8 | 42.9 | 43.4 | 41.5 | 41.2 | 37.3 | 29.7 | 39.1 | 36.2 | 37.7 | **5,838.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,751.0** |
| H2O | 1959 | 35.5 | 26.2 | 19.7 | 19.7 | 19.6 | 19.1 | 19.7 | 19.7 | 14.3 | 14.5 | 14.3 | 14.8 | **1,193.0** |
| OIL | 1959 | 48.8 | 44.5 | 48.8 | 47.4 | 35.8 | 37.8 | 37.0 | 37.0 | 43.4 | 45.4 | 37.0 | 43.2 | **5,371.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,386.0** |
| H2O | 1958 | 27.0 | 24.3 | 18.6 | 13.8 | 16.4 | 13.5 | 15.4 | 14.8 | 15.4 | 14.5 | 14.3 | 15.9 | **955.9** |
| OIL | 1958 | 52.4 | 47.8 | 48.1 | 45.6 | 44.0 | 32.7 | 49.1 | 47.0 | 45.1 | 44.3 | 32.9 | 24.3 | **4,865.6** |

# Manitoba Production
## 1950 To 1975

Licence ***643*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 30.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,022.0** |
| H2O | 1957 | 24.5 | 18.0 | 24.5 | 22.1 | 27.8 | 14.3 | 28.0 | 29.3 | 26.4 | 27.3 | 28.0 | 28.1 | **752.0** |
| OIL | 1957 | 88.4 | 68.0 | 69.9 | 64.8 | 64.8 | 45.0 | 41.0 | 55.6 | 48.8 | 45.6 | 48.0 | 56.1 | **4,352.3** |
| DAY | 1956 | 31.0 | 29.0 | 26.0 | 9.0 | 6.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **661.0** |
| H2O | 1956 | 9.9 | 11.1 | 15.3 | 9.5 | 6.2 | 36.4 | 56.4 | 56.8 | 57.9 | 44.7 | 46.4 | 32.6 | **453.7** |
| OIL | 1956 | 70.9 | 61.2 | 203.7 | 74.1 | 35.0 | 178.0 | 196.7 | 194.7 | 175.6 | 128.7 | 98.7 | 94.9 | **3,656.3** |
| DAY | 1955 | 28.0 | 25.0 | 29.0 | 28.0 | 25.0 | 29.0 | 29.0 | 28.0 | 25.0 | 29.0 | 30.0 | 31.0 | **350.0** |
| H2O | 1955 | 1.1 | 2.1 | 4.5 | 6.2 | 2.4 | 4.8 | 4.8 | 4.5 | 6.8 | 9.2 | 13.0 | 9.4 | **70.5** |
| OIL | 1955 | 326.6 | 251.7 | 222.5 | 184.0 | 111.2 | 166.4 | 180.4 | 118.7 | 115.2 | 107.9 | 85.7 | 74.4 | **2,144.1** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | **14.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.7 | **1.7** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 199.4 | **199.4** |

Licence ***644*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-24-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,613.0** |
| H2O | 1975 | 274.5 | 249.4 | 291.8 | 280.2 | 311.0 | 276.7 | 249.7 | 288.1 | 269.9 | 253.5 | 241.6 | 247.8 | **21,583.8** |
| OIL | 1975 | 110.3 | 101.1 | 112.0 | 104.7 | 109.8 | 103.1 | 97.9 | 110.6 | 120.9 | 121.7 | 119.2 | 122.8 | **20,243.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **7,250.0** |
| H2O | 1974 | 312.0 | 271.0 | 329.3 | 296.7 | 308.0 | 334.1 | 264.9 | 268.6 | 261.0 | 277.3 | 252.1 | 277.0 | **18,349.6** |
| OIL | 1974 | 137.5 | 137.1 | 152.6 | 145.7 | 135.4 | 131.4 | 125.5 | 127.0 | 115.5 | 123.5 | 103.1 | 109.5 | **18,909.3** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,886.0** |
| H2O | 1973 | 151.5 | 104.6 | 120.8 | 88.9 | 82.4 | 251.1 | 329.8 | 286.1 | 269.1 | 276.2 | 257.6 | 302.8 | **14,897.6** |
| OIL | 1973 | 98.2 | 77.5 | 86.6 | 69.4 | 72.6 | 130.3 | 180.2 | 169.2 | 146.8 | 146.4 | 138.4 | 135.2 | **17,365.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,524.0** |
| H2O | 1972 | 56.3 | 56.9 | 56.9 | 31.5 | 202.5 | 186.8 | 142.4 | 160.7 | 137.2 | 142.9 | 137.2 | 126.5 | **12,376.7** |
| OIL | 1972 | 55.6 | 53.6 | 56.4 | 48.0 | 134.0 | 130.0 | 127.8 | 123.9 | 93.6 | 101.9 | 97.1 | 98.7 | **15,914.7** |
| DAY | 1971 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,161.0** |
| H2O | 1971 | 57.2 | 58.7 | 63.3 | 79.6 | 82.8 | 64.4 | 68.2 | 75.2 | 151.8 | 74.1 | 48.5 | 52.3 | **10,938.9** |
| OIL | 1971 | 90.3 | 84.4 | 94.4 | 85.8 | 86.0 | 74.4 | 79.3 | 78.0 | 70.2 | 54.8 | 50.2 | 56.1 | **14,794.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **5,798.0** |
| H2O | 1970 | 306.8 | 85.2 | 107.2 | 71.2 | 82.2 | 46.9 | 42.8 | 40.2 | 44.7 | 74.7 | 54.4 | 50.2 | **10,062.8** |
| OIL | 1970 | 118.7 | 90.7 | 103.5 | 92.0 | 105.2 | 93.8 | 98.4 | 95.0 | 94.9 | 93.9 | 87.7 | 92.3 | **13,890.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **5,439.0** |
| H2O | 1969 | 88.4 | 72.3 | 87.9 | 19.9 | 21.1 | 25.3 | 187.6 | 90.8 | 86.6 | 91.6 | 86.6 | 41.7 | **9,056.3** |
| OIL | 1969 | 91.5 | 78.7 | 88.5 | 64.2 | 62.3 | 57.7 | 145.2 | 104.6 | 98.2 | 103.5 | 95.8 | 64.2 | **12,724.1** |
| DAY | 1968 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,079.0** |
| H2O | 1968 | 51.5 | 49.3 | 11.8 | 12.6 | 39.7 | 35.3 | 34.3 | 198.4 | 133.1 | 142.0 | 141.2 | 89.7 | **8,156.5** |
| OIL | 1968 | 66.6 | 57.7 | 68.3 | 71.8 | 54.8 | 52.9 | 50.9 | 152.9 | 121.9 | 122.0 | 119.0 | 92.6 | **11,669.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,716.0** |
| H2O | 1967 | 89.8 | 76.6 | 71.1 | 69.8 | 168.0 | 169.0 | 80.8 | 88.6 | 91.1 | 87.1 | 54.5 | 55.0 | **7,217.6** |
| OIL | 1967 | 112.0 | 97.4 | 101.1 | 82.8 | 146.8 | 141.1 | 101.4 | 99.3 | 101.2 | 101.7 | 68.2 | 68.5 | **10,638.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,353.0** |
| H2O | 1966 | 5.1 | 4.8 | 4.8 | 147.9 | 142.8 | 151.7 | 144.2 | 169.6 | 150.4 | 150.6 | 99.7 | 91.7 | **6,116.2** |
| OIL | 1966 | 52.3 | 47.0 | 58.2 | 199.3 | 181.2 | 161.8 | 162.2 | 159.7 | 166.5 | 178.8 | 114.7 | 111.6 | **9,416.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,988.0** |
| H2O | 1965 | 131.0 | 105.4 | 117.8 | 78.9 | 73.3 | 68.0 | 49.4 | 78.5 | 53.7 | 3.7 | 4.0 | 4.1 | **4,852.9** |
| OIL | 1965 | 85.3 | 73.9 | 80.4 | 74.4 | 80.7 | 76.0 | 82.0 | 76.6 | 73.7 | 32.3 | 34.2 | 41.6 | **7,823.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 26.0 | **3,624.0** |
| H2O | 1964 | 8.4 | 7.9 | 8.6 | 23.7 | 27.2 | 11.6 | 11.8 | 5.7 | 1.4 | 1.4 | 130.2 | 108.9 | **4,085.1** |

# Manitoba Production
## 1950 To 1975

Licence ***644*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-24-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1964 | 13.7 | 13.2 | 14.1 | 38.5 | 40.2 | 37.7 | 41.3 | 17.2 | 18.1 | 16.8 | 84.7 | 73.4 | **7,012.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,267.0** |
| H2O | 1963 | 11.9 | 11.3 | 12.6 | 13.7 | 15.3 | 4.6 | 4.8 | 4.5 | 4.3 | 8.7 | 8.9 | 8.9 | **3,738.3** |
| OIL | 1963 | 17.0 | 16.5 | 17.6 | 16.0 | 18.1 | 16.2 | 18.3 | 16.7 | 16.2 | 16.7 | 13.5 | 14.5 | **6,603.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,902.0** |
| H2O | 1962 | 18.0 | 15.7 | 18.1 | 17.2 | 18.0 | 16.9 | 18.0 | 15.7 | 9.9 | 11.1 | 13.5 | 10.7 | **3,628.8** |
| OIL | 1962 | 29.7 | 26.9 | 30.4 | 28.9 | 29.9 | 29.2 | 30.7 | 28.6 | 13.5 | 12.4 | 15.3 | 14.1 | **6,406.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **2,538.0** |
| H2O | 1961 | 53.7 | 39.3 | 52.6 | 48.5 | 46.7 | 23.5 | 20.7 | 22.3 | 19.7 | 19.6 | 19.6 | 19.7 | **3,446.0** |
| OIL | 1961 | 63.1 | 57.8 | 62.9 | 68.5 | 70.2 | 35.3 | 35.6 | 33.1 | 32.1 | 29.2 | 30.8 | 31.8 | **6,116.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,177.0** |
| H2O | 1960 | 68.2 | 64.5 | 71.7 | 67.9 | 43.4 | 49.4 | 55.0 | 54.2 | 52.3 | 51.7 | 55.0 | 50.2 | **3,060.1** |
| OIL | 1960 | 97.7 | 91.7 | 96.1 | 92.8 | 79.6 | 77.1 | 87.6 | 88.7 | 76.4 | 77.9 | 70.9 | 67.9 | **5,566.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,811.0** |
| H2O | 1959 | 139.6 | 115.9 | 138.6 | 154.7 | 83.9 | 95.1 | 93.2 | 91.3 | 66.0 | 81.2 | 70.4 | 74.4 | **2,376.6** |
| OIL | 1959 | 120.8 | 101.4 | 106.8 | 106.2 | 108.4 | 131.1 | 130.8 | 132.7 | 105.0 | 103.8 | 98.5 | 99.0 | **4,561.8** |
| DAY | 1958 | 28.0 | 28.0 | 31.0 | 28.0 | 31.0 | 20.0 | 30.0 | 30.0 | 30.0 | 30.0 | 26.0 | 31.0 | **1,448.0** |
| H2O | 1958 | 0.2 | 0.2 | 0.2 | 0.0 | 0.0 | 109.5 | 173.0 | 166.9 | 166.8 | 130.7 | 101.7 | 124.2 | **1,172.3** |
| OIL | 1958 | 22.7 | 20.7 | 22.1 | 20.2 | 16.4 | 197.7 | 258.4 | 219.9 | 202.5 | 91.7 | 88.2 | 100.6 | **3,217.3** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,105.0** |
| H2O | 1957 | 11.6 | 14.0 | 14.6 | 13.5 | 0.3 | 9.4 | 10.7 | 5.1 | 5.4 | 0.2 | 0.2 | 0.2 | **198.9** |
| OIL | 1957 | 28.9 | 24.6 | 25.3 | 26.4 | 31.3 | 23.5 | 21.1 | 25.7 | 25.3 | 28.8 | 25.6 | 24.9 | **1,956.2** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **741.0** |
| H2O | 1956 | 0.3 | 0.3 | 0.6 | 0.3 | 7.0 | 4.6 | 6.8 | 5.6 | 11.1 | 13.5 | 12.9 | 10.7 | **113.7** |
| OIL | 1956 | 52.0 | 46.7 | 48.3 | 49.4 | 49.1 | 33.7 | 44.2 | 46.4 | 35.6 | 35.8 | 31.6 | 29.7 | **1,644.8** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 25.0 | 31.0 | 30.0 | 31.0 | **377.0** |
| H2O | 1955 | 7.9 | 6.5 | 5.7 | 5.1 | 1.9 | 1.7 | 3.3 | 3.2 | 0.3 | 1.7 | 0.5 | 0.3 | **40.0** |
| OIL | 1955 | 156.7 | 123.6 | 110.0 | 97.9 | 99.3 | 56.7 | 66.7 | 58.8 | 47.8 | 59.9 | 54.0 | 54.2 | **1,142.3** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | **19.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.9 | **1.9** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 156.7 | **156.7** |

Licence ***645*** Well Name ***Tundra Pierson Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-11-003-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a C*** Field Code ***7*** Pool Code ***43C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 27.0 | 31.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **6,998.0** |
| H2O | 1975 | 332.3 | 264.2 | 300.2 | 291.1 | 280.4 | 277.9 | 287.4 | 291.1 | 294.3 | 266.9 | 292.2 | 277.4 | **37,413.6** |
| OIL | 1975 | 28.8 | 27.3 | 33.4 | 27.7 | 29.6 | 30.4 | 30.7 | 31.6 | 30.4 | 26.7 | 29.7 | 28.8 | **11,376.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,640.0** |
| H2O | 1974 | 219.2 | 187.0 | 210.3 | 214.0 | 211.9 | 207.3 | 225.9 | 223.2 | 215.7 | 155.3 | 305.7 | 306.8 | **33,958.2** |
| OIL | 1974 | 39.6 | 34.8 | 37.3 | 30.5 | 25.3 | 43.2 | 32.7 | 12.2 | 11.3 | 10.6 | 31.6 | 32.3 | **11,021.4** |
| DAY | 1973 | 31.0 | 27.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,276.0** |
| H2O | 1973 | 227.5 | 198.7 | 204.8 | 198.6 | 213.0 | 227.5 | 239.4 | 221.1 | 222.9 | 230.4 | 223.4 | 215.3 | **31,275.9** |
| OIL | 1973 | 44.2 | 39.7 | 40.8 | 37.3 | 35.4 | 45.6 | 45.6 | 37.8 | 38.9 | 39.9 | 37.3 | 39.6 | **10,680.0** |
| DAY | 1972 | 29.0 | 29.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,916.0** |
| H2O | 1972 | 213.5 | 207.5 | 219.7 | 208.6 | 213.8 | 211.9 | 215.6 | 161.0 | 208.4 | 178.1 | 226.1 | 226.1 | **28,653.3** |
| OIL | 1972 | 47.5 | 44.8 | 48.9 | 43.9 | 48.1 | 38.6 | 44.0 | 42.7 | 35.8 | 34.6 | 47.0 | 45.4 | **10,197.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 24.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **5,556.0** |
| H2O | 1971 | 202.4 | 184.1 | 195.7 | 158.7 | 225.0 | 200.0 | 206.2 | 213.0 | 195.4 | 209.2 | 208.7 | 217.8 | **26,163.0** |
| OIL | 1971 | 52.3 | 50.1 | 56.4 | 45.8 | 61.0 | 55.5 | 55.3 | 56.4 | 50.5 | 45.0 | 54.0 | 55.1 | **9,676.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 29.0 | **5,203.0** |

# Manitoba Production
## 1950 To 1975

Licence ***645*** Well Name ***Tundra Pierson Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-11-003-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a C*** Field Code ***7*** Pool Code ***43C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1970 | 230.5 | 204.8 | 201.0 | 203.2 | 163.3 | 207.6 | 200.6 | 166.1 | 183.8 | 148.6 | 160.1 | 218.6 | **23,746.8** |
| OIL | 1970 | 48.0 | 42.7 | 38.9 | 42.7 | 33.7 | 49.6 | 45.0 | 31.8 | 44.2 | 25.4 | 37.3 | 66.7 | **9,039.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 19.0 | 30.0 | 31.0 | **4,846.0** |
| H2O | 1969 | 212.2 | 203.7 | 221.8 | 203.5 | 182.8 | 229.7 | 228.0 | 224.0 | 220.8 | 139.6 | 246.1 | 239.4 | **21,458.6** |
| OIL | 1969 | 49.4 | 39.6 | 47.8 | 44.3 | 44.0 | 54.0 | 53.4 | 52.4 | 51.5 | 28.8 | 49.9 | 53.2 | **8,533.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 27.0 | 30.0 | 31.0 | 27.0 | 30.0 | **4,495.0** |
| H2O | 1968 | 217.6 | 212.6 | 222.4 | 214.0 | 225.4 | 221.9 | 172.0 | 170.3 | 197.9 | 206.2 | 190.3 | 211.8 | **18,907.0** |
| OIL | 1968 | 53.4 | 55.6 | 52.6 | 53.1 | 46.9 | 58.0 | 46.4 | 39.6 | 45.9 | 51.6 | 46.4 | 57.8 | **7,964.9** |
| DAY | 1967 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **4,140.0** |
| H2O | 1967 | 174.6 | 190.9 | 188.2 | 197.5 | 191.1 | 277.1 | 263.6 | 228.6 | 217.6 | 210.6 | 223.2 | 197.5 | **16,444.6** |
| OIL | 1967 | 41.0 | 48.0 | 46.1 | 46.7 | 45.9 | 52.3 | 47.0 | 62.5 | 59.8 | 48.1 | 60.4 | 54.5 | **7,357.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,780.0** |
| H2O | 1966 | 303.2 | 201.1 | 232.3 | 235.0 | 180.1 | 210.5 | 211.1 | 170.1 | 148.0 | 192.0 | 169.6 | 182.5 | **13,884.1** |
| OIL | 1966 | 78.0 | 66.6 | 69.9 | 71.5 | 56.1 | 58.0 | 41.3 | 45.0 | 41.2 | 43.2 | 43.2 | 42.7 | **6,745.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,417.0** |
| H2O | 1965 | 222.4 | 185.4 | 259.9 | 242.0 | 264.4 | 175.8 | 218.8 | 169.3 | 184.9 | 245.9 | 277.4 | 301.4 | **11,448.6** |
| OIL | 1965 | 62.3 | 54.3 | 72.9 | 73.1 | 67.9 | 50.5 | 39.7 | 68.8 | 62.3 | 72.1 | 69.4 | 75.5 | **6,088.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 13.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,052.0** |
| H2O | 1964 | 93.3 | 87.1 | 92.7 | 81.4 | 36.6 | 325.3 | 291.3 | 269.9 | 286.0 | 183.6 | 219.6 | 248.2 | **8,701.0** |
| OIL | 1964 | 49.1 | 45.3 | 45.8 | 41.3 | 18.9 | 27.0 | 33.7 | 37.5 | 49.1 | 66.9 | 72.1 | 71.7 | **5,319.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 26.0 | 0.0 | 25.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,706.0** |
| H2O | 1963 | 108.6 | 121.0 | 133.1 | 105.7 | 0.0 | 109.9 | 119.9 | 112.7 | 109.7 | 63.9 | 77.3 | 80.0 | **6,486.0** |
| OIL | 1963 | 29.6 | 25.3 | 22.2 | 34.5 | 0.0 | 37.3 | 41.5 | 38.5 | 31.6 | 36.5 | 46.7 | 46.7 | **4,761.4** |
| DAY | 1962 | 31.0 | 25.0 | 31.0 | 30.0 | 8.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,382.0** |
| H2O | 1962 | 134.8 | 93.2 | 137.5 | 118.1 | 35.9 | 150.7 | 174.7 | 130.0 | 109.2 | 113.0 | 141.5 | 126.5 | **5,344.2** |
| OIL | 1962 | 31.0 | 22.6 | 29.6 | 25.7 | 6.5 | 35.9 | 40.5 | 40.2 | 39.1 | 32.7 | 34.2 | 34.0 | **4,371.0** |
| DAY | 1961 | 31.0 | 26.0 | 31.0 | 16.0 | 9.0 | 26.0 | 31.0 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | **2,043.0** |
| H2O | 1961 | 146.6 | 134.0 | 160.4 | 77.3 | 53.6 | 99.2 | 101.4 | 117.8 | 83.3 | 135.5 | 124.8 | 147.4 | **3,879.1** |
| OIL | 1961 | 27.7 | 23.4 | 27.7 | 13.7 | 8.3 | 22.9 | 30.5 | 31.8 | 20.8 | 33.2 | 31.8 | 34.2 | **3,999.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 19.0 | 12.0 | 22.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,729.0** |
| H2O | 1960 | 63.4 | 51.4 | 52.6 | 24.3 | 25.0 | 45.0 | 58.5 | 66.3 | 128.5 | 141.5 | 140.1 | 141.0 | **2,497.8** |
| OIL | 1960 | 42.7 | 38.3 | 38.8 | 21.6 | 16.4 | 30.5 | 39.7 | 43.9 | 114.6 | 117.1 | 27.5 | 26.4 | **3,693.0** |
| DAY | 1959 | 14.0 | 28.0 | 31.0 | 22.0 | 24.0 | 13.0 | 31.0 | 26.0 | 30.0 | 8.0 | 27.0 | 31.0 | **1,402.0** |
| H2O | 1959 | 7.9 | 16.1 | 21.5 | 16.1 | 18.6 | 55.2 | 117.0 | 115.3 | 65.5 | 18.0 | 57.7 | 66.8 | **1,560.2** |
| OIL | 1959 | 18.9 | 39.6 | 40.7 | 33.1 | 35.4 | 29.2 | 62.1 | 51.0 | 43.5 | 10.8 | 38.8 | 43.9 | **3,135.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 17.0 | 25.0 | 30.0 | 31.0 | 12.0 | 0.0 | 0.0 | 0.0 | 16.0 | **1,117.0** |
| H2O | 1958 | 21.9 | 22.9 | 24.5 | 13.5 | 30.0 | 30.2 | 23.5 | 9.9 | 0.0 | 0.0 | 0.0 | 24.8 | **984.5** |
| OIL | 1958 | 25.1 | 43.9 | 48.9 | 21.0 | 37.7 | 40.2 | 43.1 | 16.7 | 0.0 | 0.0 | 0.0 | 21.0 | **2,688.5** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 23.0 | 10.0 | 26.0 | 31.0 | 30.0 | 29.0 | 28.0 | 30.0 | 31.0 | **896.0** |
| H2O | 1957 | 24.5 | 19.7 | 25.1 | 16.5 | 11.4 | 24.0 | 31.5 | 28.6 | 28.5 | 48.3 | 46.1 | 20.8 | **783.3** |
| OIL | 1957 | 62.6 | 64.8 | 74.7 | 53.9 | 31.5 | 64.0 | 61.3 | 41.2 | 34.5 | 32.7 | 41.0 | 26.7 | **2,390.9** |
| DAY | 1956 | 29.0 | 29.0 | 31.0 | 18.0 | 0.0 | 13.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **568.0** |
| H2O | 1956 | 18.9 | 22.4 | 25.0 | 13.7 | 0.0 | 13.4 | 25.8 | 25.8 | 24.8 | 25.6 | 24.6 | 24.3 | **458.3** |
| OIL | 1956 | 73.3 | 62.5 | 83.7 | 47.7 | 0.0 | 43.5 | 83.9 | 76.1 | 77.1 | 76.8 | 70.4 | 74.1 | **1,802.0** |
| DAY | 1955 | 14.0 | 23.0 | 25.0 | 1.0 | 0.0 | 19.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **265.0** |
| H2O | 1955 | 4.6 | 22.4 | 14.0 | 0.5 | 0.0 | 10.0 | 27.2 | 26.4 | 36.2 | 36.4 | 13.2 | 23.1 | **214.0** |
| OIL | 1955 | 121.2 | 171.3 | 126.0 | 4.4 | 0.0 | 90.6 | 96.3 | 93.8 | 73.9 | 94.2 | 76.3 | 84.9 | **1,032.9** |

Licence ***646*** Well Name ***B.A. Union Lyons Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-12-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***646*** Well Name ***B.A. Union Lyons Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-12-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1957 | 0.0 | 1.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,785.3** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,354.2** |
| DAY | 1956 | 0.0 | 0.0 | 5.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | 0.0 | **516.0** |
| H2O | 1956 | 0.0 | 0.0 | 10.8 | 183.5 | 181.4 | 235.8 | 49.6 | 144.8 | 121.5 | 114.0 | 57.4 | 0.0 | **1,783.5** |
| OIL | 1956 | 0.0 | 0.0 | 21.0 | 56.7 | 26.9 | 24.9 | 25.7 | 26.9 | 23.5 | 20.7 | 5.6 | 0.0 | **1,354.2** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 18.0 | 0.0 | 6.0 | 19.0 | 30.0 | 25.0 | 28.0 | 21.0 | 0.0 | **273.0** |
| H2O | 1955 | 26.4 | 21.9 | 46.6 | 23.8 | 0.0 | 14.0 | 49.8 | 107.6 | 180.0 | 121.6 | 85.4 | 0.0 | **684.7** |
| OIL | 1955 | 186.1 | 137.0 | 166.5 | 55.8 | 0.0 | 23.5 | 58.2 | 72.6 | 57.0 | 65.3 | 36.9 | 0.0 | **1,122.3** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 31.0 | **36.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.6 | **7.6** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 50.9 | 212.5 | **263.4** |

Licence ***647*** Well Name ***Enerplus Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-21-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **7,272.0** |
| H2O | 1975 | 797.4 | 633.7 | 886.5 | 865.5 | 988.4 | 1059.3 | 969.0 | 958.0 | 927.3 | 811.1 | 842.1 | 983.8 | **89,170.1** |
| OIL | 1975 | 56.3 | 42.6 | 53.5 | 50.1 | 59.1 | 63.7 | 60.2 | 57.4 | 50.3 | 44.3 | 53.5 | 49.9 | **23,243.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,909.0** |
| H2O | 1974 | 702.1 | 623.4 | 696.7 | 676.8 | 693.3 | 716.4 | 664.9 | 728.8 | 699.2 | 714.3 | 660.2 | 797.3 | **78,448.0** |
| OIL | 1974 | 104.3 | 91.1 | 102.9 | 95.2 | 100.4 | 90.1 | 89.9 | 93.9 | 93.6 | 99.0 | 86.0 | 54.6 | **22,602.3** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **6,544.0** |
| H2O | 1973 | 682.0 | 604.6 | 670.4 | 609.1 | 661.5 | 660.2 | 720.5 | 707.0 | 680.6 | 715.6 | 668.4 | 686.6 | **70,074.6** |
| OIL | 1973 | 102.0 | 89.5 | 95.8 | 92.2 | 111.8 | 103.2 | 108.5 | 103.4 | 96.3 | 111.8 | 103.6 | 101.8 | **21,501.3** |
| DAY | 1972 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 29.0 | 23.0 | 30.0 | 29.0 | 30.0 | **6,182.0** |
| H2O | 1972 | 791.7 | 741.6 | 925.4 | 767.2 | 642.3 | 709.5 | 696.3 | 649.1 | 434.7 | 597.9 | 657.4 | 638.9 | **62,008.1** |
| OIL | 1972 | 93.4 | 86.6 | 99.6 | 88.8 | 85.2 | 91.2 | 94.1 | 98.5 | 75.6 | 94.1 | 96.1 | 93.3 | **20,281.4** |
| DAY | 1971 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | **5,832.0** |
| H2O | 1971 | 748.8 | 807.8 | 844.7 | 840.2 | 834.5 | 819.2 | 739.1 | 880.0 | 625.9 | 1226.4 | 1151.3 | 794.9 | **53,756.1** |
| OIL | 1971 | 72.1 | 76.9 | 82.3 | 102.4 | 102.3 | 74.1 | 112.3 | 103.1 | 45.1 | 79.8 | 101.5 | 91.2 | **19,184.9** |
| DAY | 1970 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | 29.0 | 28.0 | 29.0 | 30.0 | 31.0 | **5,476.0** |
| H2O | 1970 | 460.9 | 454.2 | 478.5 | 831.5 | 813.3 | 721.5 | 629.6 | 683.9 | 581.1 | 821.0 | 868.3 | 870.4 | **43,443.3** |
| OIL | 1970 | 106.1 | 102.9 | 115.3 | 91.5 | 66.9 | 102.6 | 80.1 | 87.2 | 80.6 | 76.9 | 81.7 | 89.5 | **18,141.8** |
| DAY | 1969 | 26.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **5,122.0** |
| H2O | 1969 | 516.4 | 573.9 | 703.6 | 692.8 | 669.8 | 501.4 | 631.6 | 435.3 | 453.1 | 529.4 | 490.3 | 481.9 | **35,229.1** |
| OIL | 1969 | 116.3 | 124.5 | 133.4 | 143.0 | 141.5 | 85.2 | 98.8 | 98.8 | 105.5 | 125.6 | 101.8 | 109.6 | **17,060.5** |
| DAY | 1968 | 27.0 | 27.0 | 25.0 | 29.0 | 26.0 | 30.0 | 27.0 | 28.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,765.0** |
| H2O | 1968 | 535.6 | 567.6 | 685.0 | 761.7 | 616.5 | 805.1 | 629.1 | 560.9 | 616.8 | 586.8 | 628.4 | 640.4 | **28,549.6** |
| OIL | 1968 | 31.0 | 32.1 | 136.3 | 141.8 | 113.7 | 142.8 | 156.7 | 145.0 | 149.5 | 142.3 | 148.2 | 159.1 | **15,676.5** |
| DAY | 1967 | 31.0 | 25.0 | 27.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 28.0 | 28.0 | **4,425.0** |
| H2O | 1967 | 302.1 | 344.8 | 306.2 | 359.3 | 370.9 | 545.1 | 546.1 | 371.1 | 472.5 | 521.0 | 417.3 | 613.0 | **20,915.7** |
| OIL | 1967 | 26.1 | 15.7 | 48.3 | 59.1 | 59.1 | 51.4 | 48.3 | 36.4 | 34.3 | 41.2 | 29.9 | 37.3 | **14,178.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 25.0 | 31.0 | 26.0 | 31.0 | **4,075.0** |
| H2O | 1966 | 92.2 | 111.0 | 79.8 | 78.2 | 80.0 | 79.6 | 74.7 | 79.0 | 65.7 | 99.2 | 239.3 | 296.2 | **15,746.3** |
| OIL | 1966 | 20.5 | 19.5 | 22.1 | 23.5 | 27.8 | 36.4 | 31.0 | 29.2 | 23.0 | 27.8 | 21.9 | 27.7 | **13,690.9** |
| DAY | 1965 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 25.0 | **3,721.0** |
| H2O | 1965 | 86.3 | 90.9 | 100.6 | 113.4 | 114.9 | 110.7 | 92.2 | 83.6 | 83.6 | 82.7 | 78.7 | 85.4 | **14,371.4** |
| OIL | 1965 | 21.5 | 21.6 | 21.6 | 26.2 | 26.5 | 24.5 | 20.2 | 18.6 | 31.6 | 8.6 | 17.3 | 15.4 | **13,380.5** |
| DAY | 1964 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,365.0** |
| H2O | 1964 | 75.2 | 94.9 | 89.2 | 98.9 | 83.6 | 87.1 | 96.7 | 99.8 | 82.5 | 101.4 | 91.4 | 91.1 | **13,248.4** |
| OIL | 1964 | 37.8 | 39.9 | 43.4 | 13.5 | 17.8 | 30.4 | 42.6 | 44.3 | 38.0 | 40.8 | 33.7 | 24.9 | **13,126.9** |

# Manitoba Production
## 1950 To 1975

Licence ***647*** Well Name ***Enerplus Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-21-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **3,007.0** |
| H2O | 1963 | 93.8 | 87.8 | 101.6 | 93.6 | 128.5 | 128.9 | 132.4 | 184.3 | 206.5 | 159.1 | 75.8 | 81.9 | **12,156.6** |
| OIL | 1963 | 58.5 | 50.0 | 59.6 | 48.9 | 58.5 | 44.3 | 45.6 | 64.8 | 62.0 | 55.9 | 33.4 | 37.5 | **12,719.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 27.0 | 20.0 | 31.0 | 30.0 | 31.0 | **2,647.0** |
| H2O | 1962 | 116.1 | 83.3 | 86.8 | 68.0 | 88.9 | 81.2 | 120.5 | 99.4 | 64.1 | 119.2 | 103.8 | 97.9 | **10,682.4** |
| OIL | 1962 | 70.9 | 72.1 | 77.9 | 89.1 | 57.7 | 52.5 | 59.1 | 48.3 | 32.7 | 66.3 | 61.3 | 60.1 | **12,100.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,297.0** |
| H2O | 1961 | 80.9 | 71.4 | 33.2 | 93.3 | 109.2 | 116.7 | 116.7 | 110.0 | 110.8 | 115.7 | 127.2 | 126.7 | **9,553.2** |
| OIL | 1961 | 45.9 | 39.7 | 35.8 | 62.9 | 80.9 | 84.2 | 80.7 | 70.9 | 71.8 | 73.4 | 69.3 | 71.8 | **11,352.8** |
| DAY | 1960 | 0.0 | 0.0 | 1.0 | 25.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | **1,932.0** |
| H2O | 1960 | 0.0 | 0.0 | 2.4 | 80.8 | 90.8 | 147.4 | 139.7 | 76.9 | 110.3 | 117.6 | 97.3 | 74.7 | **8,341.4** |
| OIL | 1960 | 0.0 | 0.0 | 4.4 | 88.7 | 83.7 | 48.6 | 66.7 | 89.8 | 61.0 | 48.9 | 45.1 | 44.7 | **10,565.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 29.0 | 29.0 | 28.0 | 30.0 | 14.0 | 0.0 | **1,669.0** |
| H2O | 1959 | 68.8 | 50.9 | 77.9 | 76.5 | 80.3 | 63.0 | 65.8 | 45.2 | 51.8 | 61.4 | 33.5 | 0.0 | **7,403.5** |
| OIL | 1959 | 74.5 | 66.9 | 66.7 | 70.2 | 70.7 | 60.1 | 44.5 | 34.6 | 65.3 | 72.5 | 29.9 | 0.0 | **9,983.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,362.0** |
| H2O | 1958 | 123.7 | 126.5 | 118.0 | 103.7 | 96.8 | 108.7 | 99.4 | 106.4 | 104.9 | 59.0 | 92.7 | 80.8 | **6,728.4** |
| OIL | 1958 | 98.0 | 96.8 | 103.9 | 87.4 | 77.4 | 88.4 | 90.3 | 84.5 | 40.0 | 43.1 | 87.4 | 75.5 | **9,328.0** |
| DAY | 1957 | 31.0 | 23.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **997.0** |
| H2O | 1957 | 178.2 | 158.8 | 181.6 | 168.4 | 135.1 | 152.1 | 119.2 | 127.0 | 135.5 | 108.1 | 127.5 | 118.0 | **5,507.8** |
| OIL | 1957 | 239.5 | 170.5 | 174.2 | 160.5 | 146.6 | 103.4 | 140.3 | 124.7 | 122.1 | 103.7 | 113.2 | 96.1 | **8,355.3** |
| DAY | 1956 | 25.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 29.0 | 31.0 | 30.0 | 30.0 | **643.0** |
| H2O | 1956 | 109.4 | 189.3 | 138.2 | 190.3 | 235.6 | 226.9 | 191.4 | 218.4 | 291.6 | 204.1 | 184.1 | 96.2 | **3,798.3** |
| OIL | 1956 | 265.7 | 323.1 | 344.2 | 324.8 | 327.7 | 271.5 | 265.8 | 243.9 | 203.2 | 257.2 | 271.2 | 274.6 | **6,660.5** |
| DAY | 1955 | 21.0 | 27.0 | 28.0 | 3.0 | 14.0 | 28.0 | 26.0 | 30.0 | 28.0 | 29.0 | 22.0 | 30.0 | **289.0** |
| H2O | 1955 | 169.5 | 207.3 | 109.4 | 13.2 | 64.7 | 114.1 | 139.9 | 133.5 | 109.2 | 142.9 | 209.1 | 108.4 | **1,522.8** |
| OIL | 1955 | 183.5 | 224.5 | 311.0 | 37.3 | 183.9 | 325.0 | 368.7 | 351.7 | 331.8 | 338.5 | 262.6 | 349.1 | **3,287.6** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | **3.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | **1.6** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | **20.0** |

Licence ***650*** Well Name ***Daly Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-13-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,043.0** |
| H2O | 1966 | 3.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **18,758.7** |
| OIL | 1966 | 104.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **8,516.3** |
| DAY | 1964 | 9.0 | 29.0 | 31.0 | 30.0 | 16.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,012.0** |
| H2O | 1964 | 96.8 | 341.5 | 260.3 | 276.9 | 152.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **18,755.4** |
| OIL | 1964 | 0.0 | 0.0 | 3.3 | 4.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **8,411.9** |
| DAY | 1963 | 31.0 | 24.0 | 0.0 | 2.0 | 3.0 | 6.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | **2,897.0** |
| H2O | 1963 | 152.3 | 107.0 | 0.0 | 4.3 | 10.5 | 17.6 | 0.0 | 0.0 | 4.8 | 0.0 | 0.0 | 0.0 | **17,627.6** |
| OIL | 1963 | 41.2 | 32.9 | 0.0 | 1.6 | 4.0 | 6.7 | 0.0 | 0.0 | 1.4 | 0.0 | 0.0 | 0.0 | **8,404.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 8.0 | 31.0 | 25.0 | 22.0 | 31.0 | 30.0 | 22.0 | 30.0 | 31.0 | **2,830.0** |
| H2O | 1962 | 145.1 | 131.8 | 155.6 | 33.1 | 209.9 | 213.4 | 199.0 | 268.5 | 178.2 | 142.9 | 222.6 | 200.2 | **17,331.1** |
| OIL | 1962 | 50.1 | 47.4 | 41.2 | 8.3 | 15.6 | 32.1 | 28.1 | 14.9 | 34.8 | 28.6 | 32.3 | 37.7 | **8,316.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,510.0** |
| H2O | 1961 | 153.4 | 146.7 | 152.0 | 145.0 | 145.8 | 141.0 | 138.5 | 15.9 | 128.6 | 147.5 | 154.8 | 149.6 | **15,230.8** |
| OIL | 1961 | 57.5 | 57.0 | 59.0 | 49.4 | 49.3 | 47.2 | 45.4 | 47.8 | 47.7 | 44.2 | 50.1 | 47.5 | **7,945.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | **2,145.0** |
| H2O | 1960 | 152.5 | 52.8 | 104.4 | 119.9 | 107.5 | 149.9 | 146.1 | 158.0 | 151.2 | 143.7 | 201.3 | 154.5 | **13,612.0** |

# Manitoba Production
## 1950 To 1975

Licence ***650*** Well Name ***Daly Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-13-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1960 | 60.7 | 53.4 | 67.2 | 62.1 | 57.7 | 60.4 | 55.8 | 51.0 | 49.7 | 46.7 | 48.9 | 62.9 | **7,343.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,782.0** |
| H2O | 1959 | 171.1 | 133.7 | 156.1 | 158.7 | 176.9 | 168.7 | 226.2 | 190.8 | 161.2 | 136.9 | 231.2 | 184.6 | **11,970.2** |
| OIL | 1959 | 88.2 | 52.0 | 55.6 | 54.8 | 63.4 | 52.3 | 55.5 | 76.0 | 69.6 | 59.1 | 39.1 | 62.8 | **6,666.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,423.0** |
| H2O | 1958 | 200.5 | 152.5 | 153.7 | 159.6 | 215.9 | 91.9 | 96.3 | 97.1 | 161.2 | 179.8 | 275.2 | 166.9 | **9,874.1** |
| OIL | 1958 | 76.0 | 55.6 | 67.1 | 52.9 | 93.0 | 70.9 | 78.0 | 80.4 | 72.9 | 61.0 | 56.9 | 46.2 | **5,938.1** |
| DAY | 1957 | 23.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 27.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,059.0** |
| H2O | 1957 | 104.4 | 169.5 | 259.1 | 206.0 | 237.4 | 180.0 | 83.1 | 245.5 | 273.4 | 216.5 | 205.1 | 185.7 | **7,923.5** |
| OIL | 1957 | 74.2 | 73.1 | 73.1 | 67.2 | 103.8 | 68.0 | 98.5 | 61.2 | 93.8 | 82.3 | 71.8 | 89.3 | **5,127.2** |
| DAY | 1956 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 26.0 | 30.0 | 31.0 | 27.0 | 18.0 | **713.0** |
| H2O | 1956 | 206.0 | 216.8 | 238.5 | 229.2 | 239.9 | 260.1 | 281.7 | 214.3 | 283.9 | 338.9 | 328.5 | 201.0 | **5,557.8** |
| OIL | 1956 | 141.1 | 160.3 | 163.7 | 149.4 | 153.5 | 154.5 | 200.1 | 146.4 | 111.6 | 117.1 | 99.3 | 61.5 | **4,170.9** |
| DAY | 1955 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 24.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **373.0** |
| H2O | 1955 | 52.6 | 165.0 | 237.7 | 256.1 | 247.5 | 172.2 | 218.8 | 253.4 | 225.4 | 242.9 | 206.4 | 240.7 | **2,519.0** |
| OIL | 1955 | 270.8 | 280.8 | 321.5 | 256.0 | 258.9 | 234.9 | 126.8 | 143.5 | 123.2 | 145.9 | 121.6 | 95.3 | **2,512.4** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | **20.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | **0.3** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 133.2 | **133.2** |

Licence ***651*** Well Name ***Enerplus Roselea*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-21-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,138.9** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 28.0 | 22.0 | 10.0 | 0.0 | 0.0 | 0.0 | **662.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.2 | 406.2 | 361.2 | 170.8 | 3.0 | 0.0 | 0.0 | **7,910.6** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.9 | 69.4 | 4.1 | 0.2 | 0.0 | 0.0 | 0.0 | **2,129.9** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **578.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 143.1 | 11.4 | 0.0 | 0.0 | 0.0 | 11.0 | 0.0 | 0.0 | **6,962.2** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 16.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,029.3** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 5.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 5.0 | 0.0 | **569.0** |
| H2O | 1956 | 458.0 | 377.9 | 440.9 | 63.1 | 435.0 | 192.0 | 496.0 | 450.7 | 463.9 | 457.9 | 91.9 | 0.0 | **6,796.7** |
| OIL | 1956 | 69.4 | 39.9 | 41.8 | 4.6 | 32.9 | 62.1 | 39.9 | 35.4 | 34.3 | 29.7 | 1.4 | 0.0 | **2,012.8** |
| DAY | 1955 | 22.0 | 20.0 | 29.0 | 0.0 | 10.0 | 9.0 | 24.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **286.0** |
| H2O | 1955 | 36.4 | 116.5 | 130.8 | 0.0 | 17.3 | 383.5 | 225.3 | 456.6 | 350.4 | 366.6 | 396.2 | 382.0 | **2,869.4** |
| OIL | 1955 | 205.8 | 124.7 | 140.6 | 0.0 | 26.1 | 24.5 | 184.2 | 211.0 | 147.5 | 134.8 | 105.0 | 82.0 | **1,621.4** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | **21.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.8 | **7.8** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 235.2 | **235.2** |

Licence ***653*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **7,347.0** |
| H2O | 1975 | 41.8 | 37.7 | 44.5 | 42.6 | 47.5 | 39.6 | 130.7 | 143.6 | 129.6 | 80.8 | 103.2 | 105.7 | **20,403.3** |
| OIL | 1975 | 23.2 | 21.0 | 23.5 | 21.9 | 23.0 | 20.3 | 39.1 | 42.0 | 42.6 | 44.7 | 59.6 | 61.5 | **8,734.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 25.0 | 29.0 | 30.0 | 31.0 | **6,988.0** |
| H2O | 1974 | 130.7 | 113.5 | 138.2 | 124.5 | 66.5 | 72.2 | 48.8 | 42.8 | 35.6 | 41.2 | 38.5 | 42.3 | **19,456.0** |
| OIL | 1974 | 20.8 | 20.8 | 23.2 | 22.2 | 27.0 | 26.4 | 23.2 | 23.7 | 18.4 | 21.5 | 21.8 | 23.0 | **8,312.0** |
| DAY | 1973 | 28.0 | 26.0 | 18.0 | 6.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,635.0** |
| H2O | 1973 | 72.2 | 188.6 | 138.3 | 48.0 | 246.9 | 254.7 | 86.2 | 90.5 | 89.3 | 115.4 | 107.8 | 126.9 | **18,561.2** |

# Manitoba Production
# 1950 To 1975

Licence ***653*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1973 | 42.1 | 44.8 | 31.9 | 11.1 | 54.3 | 52.4 | 23.5 | 22.6 | 21.3 | 22.2 | 21.1 | 20.5 | **8,040.0** |
| DAY | 1972 | 30.0 | 24.0 | 31.0 | 27.0 | 7.0 | 30.0 | 17.0 | 30.0 | 28.0 | 27.0 | 29.0 | 30.0 | **6,312.0** |
| H2O | 1972 | 71.2 | 63.1 | 76.3 | 55.6 | 13.2 | 68.5 | 37.4 | 75.7 | 70.0 | 65.8 | 70.1 | 64.5 | **16,996.4** |
| OIL | 1972 | 8.4 | 7.0 | 9.1 | 7.8 | 1.7 | 45.1 | 24.6 | 43.1 | 41.3 | 40.5 | 44.8 | 45.4 | **7,672.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 16.0 | 16.0 | 31.0 | 30.0 | 27.0 | **6,002.0** |
| H2O | 1971 | 72.3 | 71.9 | 77.3 | 79.6 | 83.0 | 66.6 | 65.3 | 39.0 | 34.0 | 70.0 | 67.1 | 60.9 | **16,265.0** |
| OIL | 1971 | 28.0 | 25.4 | 28.4 | 27.2 | 27.2 | 25.6 | 25.1 | 13.5 | 7.2 | 14.3 | 8.4 | 7.8 | **7,353.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 22.0 | 28.0 | 31.0 | **5,673.0** |
| H2O | 1970 | 78.9 | 74.9 | 91.3 | 82.4 | 84.7 | 79.8 | 62.8 | 62.5 | 68.0 | 48.6 | 61.4 | 61.4 | **15,478.0** |
| OIL | 1970 | 14.5 | 12.7 | 14.0 | 13.7 | 14.0 | 12.6 | 17.6 | 18.1 | 17.8 | 13.2 | 24.5 | 27.8 | **7,115.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,320.0** |
| H2O | 1969 | 269.6 | 220.7 | 268.2 | 267.7 | 287.1 | 275.0 | 290.5 | 263.1 | 251.3 | 87.0 | 82.2 | 88.1 | **14,621.3** |
| OIL | 1969 | 27.7 | 23.7 | 26.5 | 27.5 | 27.0 | 26.7 | 27.3 | 27.3 | 25.6 | 14.0 | 13.0 | 14.3 | **6,914.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 23.0 | 30.0 | 31.0 | **4,955.0** |
| H2O | 1968 | 235.4 | 235.4 | 274.1 | 282.3 | 175.2 | 156.1 | 99.2 | 96.3 | 85.7 | 186.8 | 250.4 | 269.8 | **11,970.8** |
| OIL | 1968 | 59.4 | 53.6 | 59.9 | 60.9 | 73.3 | 70.7 | 27.5 | 32.3 | 31.5 | 20.0 | 26.4 | 27.5 | **6,634.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | 14.0 | 30.0 | 17.0 | 30.0 | 31.0 | **4,598.0** |
| H2O | 1967 | 18.4 | 15.6 | 17.6 | 16.7 | 18.1 | 16.5 | 12.1 | 7.9 | 248.2 | 128.8 | 249.4 | 252.1 | **9,624.1** |
| OIL | 1967 | 14.6 | 12.7 | 14.3 | 13.7 | 4.4 | 4.0 | 3.0 | 1.9 | 59.8 | 32.4 | 60.5 | 61.0 | **6,091.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **4,271.0** |
| H2O | 1966 | 13.5 | 13.0 | 13.0 | 10.2 | 11.1 | 10.8 | 10.3 | 12.1 | 10.7 | 10.8 | 9.5 | 8.3 | **8,622.7** |
| OIL | 1966 | 48.6 | 43.7 | 54.3 | 38.9 | 36.7 | 31.6 | 31.8 | 31.3 | 32.6 | 35.1 | 31.0 | 28.3 | **5,808.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | **3,908.0** |
| H2O | 1965 | 19.2 | 16.1 | 15.1 | 16.2 | 15.1 | 8.6 | 8.1 | 12.7 | 8.7 | 8.7 | 10.3 | 11.3 | **8,489.4** |
| OIL | 1965 | 17.2 | 14.0 | 15.3 | 15.1 | 15.1 | 23.0 | 31.0 | 28.8 | 28.1 | 26.4 | 31.6 | 38.8 | **5,365.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,547.0** |
| H2O | 1964 | 29.9 | 31.2 | 30.8 | 25.9 | 26.1 | 24.6 | 30.0 | 25.3 | 23.1 | 23.1 | 22.7 | 21.0 | **8,339.3** |
| OIL | 1964 | 20.2 | 18.4 | 20.0 | 17.3 | 19.7 | 21.0 | 23.7 | 21.3 | 20.3 | 19.2 | 18.3 | 18.1 | **5,080.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,181.0** |
| H2O | 1963 | 35.8 | 31.3 | 28.0 | 27.7 | 26.2 | 25.1 | 41.7 | 36.4 | 27.8 | 28.5 | 27.2 | 31.0 | **8,025.6** |
| OIL | 1963 | 34.5 | 31.9 | 34.6 | 33.7 | 34.8 | 32.7 | 22.4 | 24.3 | 20.3 | 20.2 | 19.5 | 19.4 | **4,843.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,816.0** |
| H2O | 1962 | 32.7 | 28.3 | 31.0 | 29.3 | 32.6 | 30.4 | 32.6 | 38.8 | 42.4 | 25.3 | 28.1 | 29.1 | **7,658.9** |
| OIL | 1962 | 26.7 | 23.7 | 26.7 | 25.7 | 26.7 | 26.2 | 26.2 | 25.7 | 23.2 | 32.1 | 33.4 | 34.8 | **4,514.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,451.0** |
| H2O | 1961 | 56.1 | 49.4 | 57.2 | 48.8 | 54.7 | 43.4 | 36.6 | 32.3 | 33.1 | 30.8 | 30.5 | 32.7 | **7,278.3** |
| OIL | 1961 | 22.4 | 19.5 | 22.1 | 21.3 | 20.2 | 17.0 | 23.7 | 25.4 | 26.2 | 27.0 | 26.2 | 26.9 | **4,183.7** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,088.0** |
| H2O | 1960 | 24.3 | 22.9 | 18.6 | 19.1 | 21.8 | 28.3 | 23.1 | 51.5 | 67.7 | 58.3 | 61.2 | 60.9 | **6,772.7** |
| OIL | 1960 | 19.5 | 17.3 | 19.1 | 18.1 | 18.8 | 17.3 | 18.0 | 20.7 | 20.7 | 22.1 | 19.9 | 23.8 | **3,905.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,727.0** |
| H2O | 1959 | 53.9 | 46.3 | 48.6 | 64.2 | 34.8 | 25.9 | 22.9 | 24.5 | 24.2 | 28.6 | 23.7 | 28.9 | **6,315.0** |
| OIL | 1959 | 30.8 | 26.1 | 27.2 | 26.2 | 18.8 | 18.4 | 18.1 | 22.4 | 20.0 | 20.5 | 19.7 | 19.7 | **3,670.5** |
| DAY | 1958 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 20.0 | 31.0 | 11.0 | 31.0 | 22.0 | 31.0 | **1,363.0** |
| H2O | 1958 | 176.6 | 157.7 | 165.7 | 130.0 | 127.7 | 142.3 | 83.1 | 52.6 | 14.5 | 74.6 | 50.2 | 52.6 | **5,888.5** |
| OIL | 1958 | 70.6 | 66.4 | 70.6 | 51.3 | 51.2 | 52.3 | 33.2 | 0.0 | 11.0 | 29.4 | 21.3 | 28.0 | **3,402.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,039.0** |
| H2O | 1957 | 318.3 | 328.3 | 381.4 | 354.2 | 375.2 | 236.6 | 242.4 | 198.7 | 190.8 | 183.9 | 160.4 | 164.4 | **4,660.9** |
| OIL | 1957 | 128.7 | 127.9 | 142.4 | 130.1 | 158.6 | 123.3 | 126.2 | 81.8 | 84.4 | 82.0 | 65.2 | 70.7 | **2,917.3** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 18.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **680.0** |
| H2O | 1956 | 6.8 | 6.7 | 4.9 | 4.3 | 5.6 | 5.2 | 6.0 | 6.2 | 250.4 | 397.8 | 337.8 | 370.7 | **1,526.3** |
| OIL | 1956 | 37.8 | 34.2 | 38.6 | 40.2 | 45.1 | 40.7 | 25.1 | 47.0 | 122.5 | 160.2 | 143.2 | 133.0 | **1,596.0** |

# Manitoba Production
## 1950 To 1975

Licence ***653*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1955 | 23.0 | 28.0 | 0.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **329.0** |
| H2O | 1955 | 29.3 | 8.9 | 10.0 | 9.7 | 8.3 | 7.8 | 3.3 | 15.4 | 11.1 | 5.9 | 6.0 | 6.8 | **123.9** |
| OIL | 1955 | 92.8 | 64.7 | 72.9 | 71.5 | 61.0 | 57.0 | 72.3 | 31.9 | 31.9 | 44.7 | 40.5 | 40.0 | **728.4** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | **6.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.4 | **1.4** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 47.2 | **47.2** |

Licence ***654*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-16-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 27.0 | 28.0 | 30.0 | 30.0 | 12.0 | 8.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,967.0** |
| H2O | 1975 | 84.7 | 90.1 | 96.7 | 97.6 | 28.8 | 25.8 | 97.0 | 95.5 | 117.8 | 126.5 | 126.9 | 129.1 | **21,531.2** |
| OIL | 1975 | 52.0 | 53.7 | 56.6 | 55.9 | 16.4 | 14.6 | 57.0 | 57.2 | 16.2 | 16.8 | 16.2 | 16.4 | **18,937.0** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,648.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 42.9 | 56.4 | 103.0 | 94.4 | 93.2 | 97.0 | 96.8 | 96.7 | **20,414.7** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 3.3 | 4.1 | 61.3 | 61.2 | 58.8 | 61.2 | 58.5 | 60.5 | **18,508.0** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 6.0 | 23.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 18.0 | 0.0 | **6,410.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 6.2 | 23.4 | 58.7 | 60.6 | 65.0 | 63.9 | 59.0 | 32.7 | 0.0 | **19,734.3** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 1.7 | 6.2 | 12.7 | 13.5 | 14.5 | 13.8 | 4.3 | 2.4 | 0.0 | **18,139.1** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 0.0 | 0.0 | **6,211.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 31.3 | 34.7 | 32.9 | 26.4 | 30.7 | 0.0 | 0.0 | **19,364.8** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 9.4 | 13.3 | 13.7 | 14.1 | 7.6 | 8.7 | 0.0 | 0.0 | **18,070.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **6,039.0** |
| H2O | 1971 | 27.8 | 25.1 | 29.3 | 29.4 | 29.6 | 29.4 | 29.1 | 28.1 | 25.1 | 28.1 | 0.0 | 0.0 | **19,187.8** |
| OIL | 1971 | 14.8 | 13.0 | 14.8 | 14.0 | 14.3 | 14.0 | 14.1 | 13.8 | 13.7 | 14.1 | 0.0 | 0.0 | **18,003.2** |
| DAY | 1970 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,735.0** |
| H2O | 1970 | 49.8 | 34.5 | 49.0 | 45.2 | 46.6 | 47.2 | 42.1 | 49.1 | 28.8 | 29.9 | 27.2 | 30.4 | **18,906.8** |
| OIL | 1970 | 23.4 | 15.6 | 23.0 | 22.2 | 22.9 | 22.4 | 22.6 | 23.0 | 13.7 | 14.3 | 13.7 | 14.5 | **17,862.6** |
| DAY | 1969 | 25.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,378.0** |
| H2O | 1969 | 41.7 | 46.9 | 43.9 | 44.8 | 49.4 | 47.2 | 51.4 | 51.5 | 48.5 | 50.9 | 47.1 | 51.5 | **18,427.0** |
| OIL | 1969 | 19.2 | 21.3 | 23.4 | 22.9 | 23.4 | 22.9 | 23.8 | 23.7 | 23.2 | 23.4 | 23.0 | 24.2 | **17,631.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | **5,020.0** |
| H2O | 1968 | 13.7 | 12.9 | 13.7 | 11.0 | 14.8 | 13.5 | 14.6 | 46.7 | 47.2 | 48.2 | 46.3 | 45.2 | **17,852.2** |
| OIL | 1968 | 19.5 | 18.0 | 19.2 | 15.1 | 19.2 | 18.8 | 19.4 | 23.8 | 23.0 | 23.4 | 23.2 | 21.9 | **17,356.9** |
| DAY | 1967 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,663.0** |
| H2O | 1967 | 23.4 | 17.3 | 23.2 | 21.8 | 21.6 | 20.5 | 16.2 | 21.5 | 13.7 | 14.8 | 13.0 | 14.1 | **17,524.4** |
| OIL | 1967 | 29.2 | 23.2 | 29.1 | 28.1 | 28.9 | 14.5 | 14.9 | 14.9 | 18.6 | 19.7 | 19.2 | 19.4 | **17,112.4** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,301.0** |
| H2O | 1966 | 26.5 | 20.5 | 26.1 | 27.7 | 17.6 | 14.5 | 1.1 | 1.1 | 1.1 | 1.3 | 23.1 | 24.0 | **17,303.3** |
| OIL | 1966 | 153.0 | 130.6 | 144.0 | 145.9 | 28.6 | 25.4 | 29.7 | 29.2 | 28.6 | 28.8 | 28.0 | 28.6 | **16,852.7** |
| DAY | 1965 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 28.0 | **3,939.0** |
| H2O | 1965 | 199.5 | 172.2 | 189.2 | 176.8 | 180.0 | 171.2 | 172.3 | 173.1 | 36.1 | 7.0 | 6.0 | 24.5 | **17,118.7** |
| OIL | 1965 | 51.2 | 45.4 | 47.4 | 48.8 | 49.3 | 49.3 | 51.3 | 50.9 | 37.8 | 37.0 | 30.0 | 136.3 | **16,052.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,583.0** |
| H2O | 1964 | 190.6 | 171.9 | 191.3 | 178.4 | 182.0 | 188.7 | 186.0 | 188.9 | 181.2 | 181.2 | 187.8 | 198.6 | **15,610.8** |
| OIL | 1964 | 48.3 | 45.6 | 49.3 | 45.8 | 45.4 | 46.9 | 48.6 | 48.9 | 47.5 | 48.5 | 47.5 | 50.7 | **15,417.6** |
| DAY | 1963 | 19.0 | 21.0 | 28.0 | 29.0 | 31.0 | 22.0 | 27.0 | 30.0 | 30.0 | 29.0 | 30.0 | 30.0 | **3,219.0** |
| H2O | 1963 | 108.9 | 130.2 | 142.1 | 163.6 | 172.2 | 107.9 | 154.7 | 164.5 | 167.9 | 170.9 | 40.7 | 178.7 | **13,384.2** |
| OIL | 1963 | 26.9 | 31.1 | 39.1 | 42.7 | 44.3 | 30.0 | 41.3 | 42.6 | 43.4 | 44.2 | 58.3 | 44.2 | **14,844.6** |
| DAY | 1962 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,893.0** |
| H2O | 1962 | 150.6 | 133.9 | 181.6 | 160.1 | 209.5 | 166.5 | 176.8 | 169.6 | 187.3 | 186.3 | 179.5 | 191.3 | **11,681.9** |

# Manitoba Production
## 1950 To 1975

Licence ***654*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-16-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 54.0 | 38.1 | 57.5 | 43.9 | 51.0 | 38.8 | 40.7 | 43.2 | 42.7 | 48.1 | 44.2 | 47.5 | **14,356.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,530.0** |
| H2O | 1961 | 91.7 | 51.5 | 56.8 | 75.4 | 202.7 | 96.7 | 95.7 | 93.2 | 106.8 | 176.8 | 81.2 | 138.8 | **9,588.9** |
| OIL | 1961 | 100.9 | 62.6 | 64.2 | 71.7 | 175.1 | 58.6 | 51.5 | 54.8 | 43.2 | 77.1 | 35.3 | 44.3 | **13,806.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,165.0** |
| H2O | 1960 | 296.3 | 220.8 | 148.5 | 97.8 | 281.7 | 76.5 | 134.5 | 94.6 | 84.9 | 128.9 | 116.7 | 84.7 | **8,321.6** |
| OIL | 1960 | 222.3 | 190.4 | 107.4 | 113.8 | 97.3 | 107.4 | 105.4 | 100.7 | 91.1 | 94.6 | 93.3 | 85.8 | **12,967.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,802.0** |
| H2O | 1959 | 385.7 | 247.1 | 268.0 | 319.2 | 327.7 | 202.2 | 236.4 | 601.1 | 375.8 | 587.0 | 298.7 | 342.0 | **6,555.7** |
| OIL | 1959 | 209.8 | 174.3 | 195.8 | 205.3 | 222.0 | 184.5 | 155.3 | 250.9 | 262.4 | 216.3 | 195.0 | 260.8 | **11,558.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,447.0** |
| H2O | 1958 | 30.2 | 28.6 | 52.6 | 44.5 | 30.5 | 18.6 | 13.7 | 8.7 | 25.1 | 199.8 | 337.5 | 131.0 | **2,364.8** |
| OIL | 1958 | 131.6 | 113.8 | 126.8 | 125.4 | 156.7 | 43.5 | 42.0 | 93.8 | 94.9 | 106.6 | 128.4 | 223.9 | **9,025.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,082.0** |
| H2O | 1957 | 27.7 | 28.5 | 69.0 | 27.7 | 42.3 | 43.2 | 32.4 | 79.8 | 131.2 | 51.2 | 8.3 | 43.6 | **1,444.0** |
| OIL | 1957 | 159.9 | 178.3 | 230.1 | 188.6 | 210.1 | 156.5 | 185.8 | 161.5 | 275.1 | 124.1 | 38.9 | 126.3 | **7,638.2** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **717.0** |
| H2O | 1956 | 10.2 | 18.6 | 5.7 | 9.5 | 32.1 | 5.7 | 32.7 | 48.3 | 50.6 | 30.7 | 29.3 | 37.0 | **859.1** |
| OIL | 1956 | 223.6 | 225.0 | 254.6 | 300.2 | 320.8 | 308.3 | 311.6 | 287.9 | 280.0 | 253.3 | 210.6 | 226.6 | **5,603.0** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 4.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **353.0** |
| H2O | 1955 | 24.5 | 26.7 | 18.6 | 2.2 | 3.7 | 19.7 | 17.3 | 88.4 | 102.7 | 160.9 | 39.6 | 43.1 | **548.7** |
| OIL | 1955 | 244.4 | 222.5 | 154.9 | 21.9 | 35.6 | 196.7 | 248.5 | 221.0 | 256.8 | 268.1 | 253.6 | 214.7 | **2,400.5** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | **14.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | **1.3** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 61.8 | **61.8** |

Licence ***655*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,495.0** |
| H2O | 1975 | 451.5 | 403.3 | 503.9 | 501.0 | 557.0 | 494.6 | 469.5 | 515.4 | 465.2 | 477.9 | 474.6 | 486.8 | **55,026.8** |
| OIL | 1975 | 162.2 | 146.4 | 139.5 | 135.1 | 141.7 | 133.2 | 132.8 | 142.4 | 144.4 | 122.2 | 124.7 | 128.4 | **26,660.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,133.0** |
| H2O | 1974 | 597.2 | 483.5 | 606.0 | 545.9 | 645.4 | 700.2 | 546.4 | 542.7 | 536.2 | 550.5 | 479.6 | 452.1 | **49,226.1** |
| OIL | 1974 | 170.5 | 140.8 | 161.3 | 154.1 | 194.0 | 188.3 | 153.3 | 146.2 | 150.0 | 155.1 | 146.4 | 159.9 | **25,007.4** |
| DAY | 1973 | 31.0 | 27.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,768.0** |
| H2O | 1973 | 427.0 | 373.4 | 455.5 | 407.0 | 420.7 | 468.5 | 427.2 | 548.1 | 528.4 | 526.8 | 473.3 | 579.4 | **42,540.4** |
| OIL | 1973 | 143.8 | 122.2 | 137.0 | 133.2 | 131.6 | 127.0 | 135.1 | 167.3 | 160.2 | 181.0 | 164.8 | 167.3 | **23,087.5** |
| DAY | 1972 | 31.0 | 0.0 | 13.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **6,409.0** |
| H2O | 1972 | 375.4 | 0.0 | 207.8 | 422.3 | 414.0 | 346.9 | 350.7 | 395.2 | 353.4 | 381.7 | 354.4 | 327.0 | **36,905.1** |
| OIL | 1972 | 139.0 | 0.0 | 69.1 | 163.7 | 152.9 | 134.3 | 145.4 | 141.3 | 147.5 | 166.1 | 156.7 | 159.1 | **21,317.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,092.0** |
| H2O | 1971 | 280.1 | 278.2 | 345.1 | 355.6 | 370.3 | 304.9 | 360.2 | 397.6 | 359.0 | 411.3 | 333.4 | 348.0 | **32,976.3** |
| OIL | 1971 | 149.5 | 135.1 | 157.0 | 149.7 | 150.0 | 144.9 | 154.3 | 151.8 | 129.5 | 141.4 | 138.4 | 140.3 | **19,741.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,728.0** |
| H2O | 1970 | 376.9 | 312.1 | 390.5 | 352.0 | 352.1 | 337.5 | 310.3 | 292.4 | 328.5 | 329.9 | 257.1 | 237.4 | **28,832.6** |
| OIL | 1970 | 181.5 | 150.0 | 166.1 | 161.5 | 168.8 | 155.7 | 164.5 | 159.4 | 161.6 | 166.2 | 140.3 | 148.1 | **18,000.0** |
| DAY | 1969 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,363.0** |
| H2O | 1969 | 245.0 | 174.4 | 268.2 | 267.7 | 308.4 | 295.4 | 232.0 | 201.0 | 169.0 | 178.4 | 168.8 | 88.2 | **24,955.9** |
| OIL | 1969 | 82.6 | 61.7 | 133.3 | 138.1 | 143.0 | 142.4 | 113.3 | 113.1 | 94.1 | 99.2 | 91.8 | 82.2 | **16,076.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,001.0** |

# Manitoba Production
## 1950 To 1975

Licence ***655*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1968 | 302.2 | 302.2 | 201.0 | 144.2 | 142.8 | 225.6 | 217.8 | 241.3 | 214.6 | 228.8 | 227.5 | 246.1 | **22,359.4** |
| OIL | 1968 | 148.7 | 134.3 | 105.0 | 115.4 | 118.5 | 108.9 | 76.6 | 83.1 | 80.9 | 81.0 | 79.0 | 82.8 | **14,781.5** |
| DAY | 1967 | 31.0 | 27.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,638.0** |
| H2O | 1967 | 438.0 | 367.1 | 383.9 | 331.6 | 362.3 | 290.5 | 277.4 | 305.1 | 216.1 | 256.1 | 264.4 | 323.5 | **19,665.3** |
| OIL | 1967 | 217.2 | 185.4 | 193.2 | 181.5 | 190.4 | 144.1 | 156.7 | 153.8 | 102.2 | 127.1 | 126.7 | 153.0 | **13,567.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 21.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,280.0** |
| H2O | 1966 | 122.7 | 117.8 | 117.5 | 356.6 | 387.3 | 378.2 | 372.5 | 296.8 | 391.9 | 598.5 | 501.5 | 461.8 | **15,849.3** |
| OIL | 1966 | 79.1 | 71.4 | 88.2 | 170.5 | 160.7 | 138.4 | 151.6 | 101.1 | 301.8 | 282.1 | 229.3 | 223.1 | **11,636.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,926.0** |
| H2O | 1965 | 108.1 | 87.1 | 97.5 | 107.8 | 97.1 | 90.1 | 65.8 | 104.3 | 71.4 | 38.8 | 93.6 | 101.6 | **11,746.2** |
| OIL | 1965 | 51.5 | 44.5 | 48.5 | 52.4 | 53.6 | 50.4 | 54.5 | 50.7 | 48.9 | 67.7 | 51.8 | 62.9 | **9,638.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,562.0** |
| H2O | 1964 | 119.2 | 112.8 | 121.2 | 115.8 | 133.6 | 118.7 | 132.1 | 124.9 | 115.5 | 118.1 | 107.6 | 107.3 | **10,683.0** |
| OIL | 1964 | 49.3 | 48.3 | 51.2 | 46.2 | 48.6 | 46.6 | 58.0 | 60.2 | 52.4 | 56.6 | 51.0 | 52.8 | **9,001.3** |
| DAY | 1963 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,196.0** |
| H2O | 1963 | 91.7 | 65.5 | 106.8 | 129.9 | 164.9 | 179.7 | 191.1 | 174.1 | 144.5 | 148.2 | 127.9 | 125.3 | **9,256.2** |
| OIL | 1963 | 22.4 | 25.7 | 32.9 | 33.1 | 77.2 | 74.1 | 84.1 | 75.5 | 59.6 | 61.0 | 48.6 | 52.3 | **8,380.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,834.0** |
| H2O | 1962 | 51.8 | 63.2 | 70.6 | 65.2 | 73.6 | 71.8 | 75.3 | 78.3 | 71.4 | 81.0 | 93.0 | 99.8 | **7,606.6** |
| OIL | 1962 | 22.2 | 19.2 | 21.5 | 21.1 | 22.6 | 21.8 | 21.9 | 21.3 | 20.8 | 25.3 | 25.6 | 19.4 | **7,733.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,469.0** |
| H2O | 1961 | 108.2 | 95.7 | 93.9 | 93.3 | 80.1 | 87.4 | 82.0 | 89.3 | 63.4 | 74.8 | 72.9 | 72.9 | **6,711.6** |
| OIL | 1961 | 40.4 | 38.5 | 43.5 | 42.3 | 43.2 | 42.6 | 44.0 | 43.7 | 21.5 | 21.9 | 21.5 | 22.4 | **7,470.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 17.0 | 17.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,105.0** |
| H2O | 1960 | 65.0 | 57.4 | 62.6 | 62.9 | 52.1 | 54.2 | 40.5 | 86.4 | 103.1 | 137.9 | 139.1 | 122.5 | **5,697.7** |
| OIL | 1960 | 42.0 | 40.7 | 42.4 | 40.4 | 48.9 | 47.8 | 27.8 | 31.5 | 50.5 | 55.5 | 53.6 | 51.0 | **7,045.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,767.0** |
| H2O | 1959 | 86.3 | 74.2 | 76.8 | 64.5 | 63.2 | 60.7 | 68.0 | 52.4 | 53.7 | 62.5 | 47.4 | 54.5 | **4,714.0** |
| OIL | 1959 | 74.4 | 65.2 | 68.6 | 37.0 | 37.8 | 45.3 | 47.2 | 45.3 | 43.5 | 63.2 | 23.2 | 41.0 | **6,513.3** |
| DAY | 1958 | 28.0 | 28.0 | 31.0 | 23.0 | 30.0 | 27.0 | 24.0 | 30.0 | 30.0 | 31.0 | 27.0 | 31.0 | **1,404.0** |
| H2O | 1958 | 112.7 | 109.1 | 108.1 | 85.2 | 114.5 | 81.4 | 75.2 | 89.2 | 78.9 | 69.5 | 73.0 | 90.9 | **3,949.8** |
| OIL | 1958 | 109.3 | 99.8 | 105.4 | 81.0 | 94.4 | 82.6 | 89.9 | 84.5 | 80.9 | 73.4 | 65.0 | 79.3 | **5,921.6** |
| DAY | 1957 | 31.0 | 28.0 | 25.0 | 23.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,064.0** |
| H2O | 1957 | 172.0 | 152.8 | 125.1 | 91.4 | 142.1 | 118.3 | 125.9 | 157.5 | 119.1 | 128.5 | 114.6 | 116.2 | **2,862.1** |
| OIL | 1957 | 199.0 | 166.4 | 136.2 | 170.8 | 205.2 | 182.0 | 181.6 | 126.2 | 123.8 | 119.0 | 112.5 | 110.1 | **4,876.1** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **713.0** |
| H2O | 1956 | 9.4 | 8.7 | 9.5 | 10.0 | 0.3 | 0.3 | 92.5 | 215.7 | 218.6 | 214.8 | 201.6 | 167.2 | **1,298.6** |
| OIL | 1956 | 77.5 | 68.0 | 65.8 | 63.6 | 45.6 | 43.4 | 162.9 | 248.2 | 235.0 | 290.8 | 228.2 | 205.6 | **3,043.3** |
| DAY | 1955 | 28.0 | 25.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **353.0** |
| H2O | 1955 | 0.3 | 0.3 | 0.3 | 44.2 | 41.8 | 10.2 | 7.5 | 12.1 | 8.4 | 9.7 | 8.7 | 6.5 | **150.0** |
| OIL | 1955 | 133.2 | 124.9 | 141.4 | 132.7 | 125.5 | 103.3 | 112.3 | 118.4 | 87.9 | 85.0 | 75.6 | 68.5 | **1,308.7** |

Licence ***656*** Well Name ***Enerplus East Cromer Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-12-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | **252.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.2 | 0.0 | 0.0 | 0.0 | 0.0 | **1,669.2** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 0.0 | 0.0 | 0.0 | 0.0 | **811.1** |
| DAY | 1956 | 0.0 | 3.0 | 21.0 | 2.0 | 28.0 | 30.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **251.0** |
| H2O | 1956 | 0.0 | 24.6 | 147.5 | 13.0 | 185.7 | 228.2 | 222.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,662.0** |
| OIL | 1956 | 0.0 | 10.6 | 49.9 | 4.1 | 60.0 | 55.2 | 13.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **802.1** |

# Manitoba Production
## 1950 To 1975

Licence ***656*** Well Name ***Enerplus East Cromer Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-12-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1955 | 24.0 | 26.0 | 18.0 | 0.0 | 0.0 | 11.0 | 25.0 | 4.0 | 0.0 | 0.0 | 5.0 | 14.0 | **136.0** |
| H2O | 1955 | 34.5 | 156.1 | 92.1 | 0.0 | 0.0 | 17.0 | 325.1 | 63.8 | 0.0 | 0.0 | 30.5 | 101.6 | **840.6** |
| OIL | 1955 | 169.2 | 113.0 | 66.6 | 0.0 | 0.0 | 26.1 | 94.1 | 24.6 | 0.0 | 0.0 | 10.3 | 25.3 | **608.5** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | **9.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.9 | **19.9** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 79.3 | **79.3** |

Licence ***657*** Well Name ***Oilex Ebor Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-26-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 11.0 | 13.0 | 9.0 | 0.0 | 0.0 | 30.0 | 31.0 | 31.0 | 30.0 | 24.0 | 10.0 | 0.0 | **4,554.0** |
| H2O | 1975 | 152.6 | 182.8 | 114.5 | 0.0 | 0.0 | 400.6 | 138.6 | 109.4 | 113.2 | 116.1 | 60.4 | 0.0 | **5,329.2** |
| OIL | 1975 | 8.6 | 8.7 | 4.9 | 0.0 | 0.0 | 14.9 | 10.5 | 4.8 | 11.1 | 15.9 | 6.4 | 0.0 | **6,492.2** |
| DAY | 1974 | 6.0 | 0.0 | 0.0 | 10.0 | 12.0 | 2.0 | 0.0 | 0.0 | 30.0 | 30.0 | 23.0 | 10.0 | **4,365.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 25.4 | 95.4 | 31.8 | 0.0 | 0.0 | 411.0 | 364.1 | 279.8 | 168.5 | **3,941.0** |
| OIL | 1974 | 5.2 | 0.0 | 0.0 | 15.9 | 15.3 | 1.0 | 0.0 | 0.0 | 43.7 | 21.5 | 17.5 | 10.5 | **6,406.4** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 10.0 | 20.0 | 12.0 | **4,242.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.8 | 15.9 | 15.9 | 12.7 | **2,565.0** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.9 | 15.9 | 22.4 | 7.0 | **6,275.8** |
| DAY | 1972 | 10.0 | 0.0 | 20.0 | 30.0 | 20.0 | 0.0 | 20.0 | 0.0 | 30.0 | 12.0 | 10.0 | 0.0 | **4,196.0** |
| H2O | 1972 | 1.6 | 0.0 | 15.9 | 15.9 | 15.9 | 0.0 | 7.9 | 0.0 | 4.0 | 7.9 | 1.0 | 0.0 | **2,488.7** |
| OIL | 1972 | 2.7 | 0.0 | 19.7 | 19.4 | 7.5 | 0.0 | 3.5 | 0.0 | 10.3 | 6.7 | 2.2 | 0.0 | **6,214.6** |
| DAY | 1971 | 20.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 22.0 | 22.0 | 0.0 | 31.0 | **4,044.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.9 | 15.9 | 8.7 | 12.7 | 0.0 | 15.9 | **2,418.6** |
| OIL | 1971 | 6.0 | 11.6 | 8.7 | 7.9 | 7.9 | 14.0 | 24.8 | 20.4 | 5.2 | 16.1 | 0.0 | 11.0 | **6,142.6** |
| DAY | 1970 | 3.0 | 5.0 | 25.0 | 30.0 | 20.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,738.0** |
| H2O | 1970 | 3.3 | 4.8 | 4.8 | 12.7 | 16.2 | 1.6 | 0.0 | 0.3 | 3.2 | 1.6 | 0.0 | 0.0 | **2,349.5** |
| OIL | 1970 | 3.8 | 9.7 | 17.6 | 14.1 | 15.6 | 9.1 | 10.8 | 18.8 | 3.5 | 12.9 | 6.0 | 10.2 | **6,009.0** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 30.0 | 22.0 | 31.0 | 30.0 | 31.0 | 15.0 | 31.0 | **3,442.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 63.6 | 44.5 | 33.1 | 20.4 | 16.2 | 23.8 | 28.6 | 17.2 | 17.8 | **2,301.0** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 45.8 | 21.8 | 22.9 | 20.0 | 18.9 | 18.4 | 18.6 | 7.9 | 21.9 | **5,876.9** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 0.0 | 0.0 | 0.0 | 2.0 | **3,191.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.9 | 39.7 | 19.1 | 11.1 | 1.6 | **2,035.8** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 55.5 | 24.0 | 18.4 | 7.2 | 1.3 | **5,680.7** |
| WIN | 1965 | 337.1 | 228.3 | 190.0 | 103.3 | 70.0 | 70.8 | 46.4 | 51.7 | 51.4 | 76.3 | 10.3 | 0.0 | **2,099.2** |
| DAY | 1964 | 31.0 | 22.0 | 29.0 | 30.0 | 28.0 | 27.0 | 16.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,163.0** |
| H2O | 1964 | 10.2 | 9.2 | 11.3 | 13.8 | 6.0 | 8.7 | 4.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,948.4** |
| OIL | 1964 | 16.1 | 13.0 | 15.3 | 14.0 | 13.7 | 11.4 | 16.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,574.3** |
| WIN | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.4 | 115.3 | 352.0 | 380.9 | **863.6** |
| DAY | 1963 | 16.0 | 10.0 | 15.0 | 30.0 | 31.0 | 30.0 | 25.0 | 26.0 | 20.0 | 14.0 | 27.0 | 31.0 | **2,980.0** |
| H2O | 1963 | 1.4 | 0.6 | 1.7 | 1.7 | 2.1 | 1.9 | 6.2 | 2.5 | 0.3 | 4.8 | 3.7 | 4.1 | **1,884.7** |
| OIL | 1963 | 16.4 | 7.0 | 15.1 | 16.2 | 16.7 | 7.9 | 17.2 | 11.3 | 3.5 | 13.2 | 13.2 | 13.7 | **5,474.1** |
| DAY | 1962 | 31.0 | 19.0 | 24.0 | 30.0 | 31.0 | 30.0 | 30.0 | 23.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,705.0** |
| H2O | 1962 | 0.6 | 0.6 | 0.6 | 0.8 | 1.0 | 1.0 | 0.8 | 0.6 | 0.8 | 0.8 | 1.1 | 0.8 | **1,853.7** |
| OIL | 1962 | 36.9 | 24.0 | 22.9 | 39.7 | 31.8 | 32.6 | 36.4 | 33.4 | 31.0 | 28.0 | 29.4 | 29.4 | **5,322.7** |
| DAY | 1961 | 26.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,365.0** |
| H2O | 1961 | 1.3 | 1.4 | 1.1 | 1.1 | 1.0 | 1.4 | 1.0 | 1.7 | 0.8 | 0.5 | 0.8 | 0.8 | **1,844.2** |
| OIL | 1961 | 29.4 | 26.7 | 26.2 | 37.8 | 27.3 | 39.0 | 35.1 | 37.4 | 36.4 | 39.7 | 34.3 | 32.3 | **4,947.2** |
| DAY | 1960 | 17.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 25.0 | 29.0 | 31.0 | **2,007.0** |
| H2O | 1960 | 1.3 | 1.3 | 1.4 | 1.1 | 1.6 | 1.6 | 1.1 | 1.3 | 1.4 | 1.3 | 1.6 | 1.6 | **1,831.3** |
| OIL | 1960 | 28.6 | 43.9 | 41.2 | 45.6 | 47.9 | 40.9 | 42.0 | 35.0 | 42.3 | 35.1 | 38.8 | 37.4 | **4,545.6** |

# Manitoba Production
## 1950 To 1975

Licence ***657*** Well Name ***Oilex Ebor Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-26-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1959 | 28.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,662.0** |
| H2O | 1959 | 1.6 | 1.1 | 1.9 | 1.6 | 1.6 | 1.7 | 1.7 | 1.7 | 1.7 | 1.9 | 1.9 | 1.6 | **1,814.7** |
| OIL | 1959 | 43.6 | 32.0 | 48.2 | 43.1 | 42.9 | 46.7 | 47.2 | 47.1 | 44.8 | 49.1 | 46.9 | 49.0 | **4,066.9** |
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,305.0** |
| H2O | 1958 | 3.3 | 2.1 | 1.7 | 1.7 | 1.6 | 1.7 | 2.1 | 1.6 | 1.9 | 2.4 | 1.7 | 1.6 | **1,794.7** |
| OIL | 1958 | 45.2 | 42.3 | 42.1 | 46.7 | 36.7 | 45.0 | 43.4 | 44.7 | 44.8 | 47.7 | 39.4 | 44.5 | **3,526.3** |
| DAY | 1957 | 27.0 | 21.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **948.0** |
| H2O | 1957 | 8.6 | 3.8 | 4.0 | 4.9 | 5.2 | 4.3 | 5.1 | 4.3 | 4.1 | 4.9 | 4.8 | 5.1 | **1,771.3** |
| OIL | 1957 | 43.9 | 38.7 | 42.7 | 47.4 | 39.2 | 42.8 | 47.3 | 45.0 | 46.1 | 45.9 | 43.2 | 46.6 | **3,003.8** |
| DAY | 1956 | 22.0 | 29.0 | 26.0 | 10.0 | 22.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **599.0** |
| H2O | 1956 | 104.6 | 101.0 | 84.4 | 31.5 | 58.0 | 54.1 | 50.1 | 26.6 | 27.0 | 18.1 | 9.2 | 9.7 | **1,712.2** |
| OIL | 1956 | 86.1 | 91.5 | 72.4 | 25.2 | 66.0 | 67.3 | 61.0 | 62.9 | 59.5 | 61.1 | 56.7 | 54.9 | **2,475.0** |
| DAY | 1955 | 30.0 | 26.0 | 31.0 | 11.0 | 0.0 | 24.0 | 31.0 | 31.0 | 27.0 | 31.0 | 9.0 | 11.0 | **278.0** |
| H2O | 1955 | 19.7 | 34.8 | 123.6 | 93.5 | 0.0 | 95.9 | 201.3 | 168.2 | 132.4 | 151.0 | 32.4 | 84.7 | **1,137.9** |
| OIL | 1955 | 229.0 | 211.0 | 211.0 | 57.5 | 0.0 | 159.0 | 186.2 | 179.4 | 146.3 | 127.9 | 44.9 | 54.0 | **1,710.4** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | **16.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | **0.4** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 104.2 | **104.2** |

Licence ***659*** Well Name ***Enerplus Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-14-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 31.0 | 29.0 | 19.0 | 17.0 | 11.0 | 14.0 | 14.0 | 0.0 | 20.0 | 0.0 | 0.0 | 0.0 | **1,853.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 488.9 | 0.0 | 0.0 | 0.0 | **553.4** |
| OIL | 1960 | 19.4 | 15.7 | 10.5 | 9.9 | 6.2 | 11.4 | 11.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,434.6** |
| DAY | 1959 | 31.0 | 28.0 | 28.0 | 30.0 | 28.0 | 26.0 | 27.0 | 28.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,698.0** |
| H2O | 1959 | 2.9 | 2.4 | 0.0 | 0.0 | 2.4 | 2.2 | 2.4 | 2.4 | 0.0 | 4.6 | 4.8 | 0.0 | **64.5** |
| OIL | 1959 | 22.6 | 18.8 | 17.0 | 11.8 | 12.7 | 10.6 | 11.4 | 12.9 | 13.7 | 10.8 | 12.2 | 18.4 | **1,350.4** |
| DAY | 1958 | 31.0 | 26.0 | 28.0 | 29.0 | 28.0 | 27.0 | 31.0 | 28.0 | 27.0 | 28.0 | 30.0 | 28.0 | **1,353.0** |
| H2O | 1958 | 0.2 | 1.6 | 0.0 | 0.0 | 1.7 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.4 | **40.4** |
| OIL | 1958 | 21.5 | 14.3 | 17.2 | 16.4 | 11.4 | 7.9 | 15.9 | 6.8 | 6.2 | 6.5 | 6.8 | 20.8 | **1,177.5** |
| DAY | 1957 | 25.0 | 22.0 | 31.0 | 30.0 | 29.0 | 27.0 | 27.0 | 29.0 | 28.0 | 29.0 | 30.0 | 28.0 | **1,012.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.3 | 0.2 | 0.0 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 2.7 | 0.2 | **32.0** |
| OIL | 1957 | 23.5 | 23.8 | 30.4 | 28.0 | 28.0 | 16.7 | 15.7 | 22.6 | 21.3 | 13.0 | 7.8 | 16.2 | **1,025.8** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 20.0 | 31.0 | **677.0** |
| H2O | 1956 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **27.5** |
| OIL | 1956 | 27.8 | 27.0 | 25.1 | 18.6 | 22.1 | 22.9 | 21.0 | 20.8 | 21.0 | 13.7 | 0.0 | 0.0 | **778.8** |
| DAY | 1955 | 20.0 | 26.0 | 31.0 | 14.0 | 19.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **321.0** |
| H2O | 1955 | 5.9 | 2.5 | 2.2 | 0.6 | 2.7 | 3.3 | 2.1 | 1.7 | 1.6 | 1.3 | 0.8 | 0.2 | **24.9** |
| OIL | 1955 | 84.1 | 58.2 | 33.4 | 13.0 | 81.8 | 83.4 | 49.9 | 42.9 | 29.6 | 28.9 | 28.0 | 25.6 | **558.8** |

Licence ***660*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-24-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,555.0** |
| H2O | 1975 | 446.3 | 402.4 | 454.4 | 451.7 | 502.4 | 445.9 | 387.1 | 458.0 | 440.1 | 400.2 | 394.0 | 404.3 | **43,018.5** |
| OIL | 1975 | 115.7 | 105.2 | 112.5 | 109.0 | 114.3 | 107.4 | 98.0 | 113.1 | 32.4 | 31.6 | 32.1 | 32.9 | **35,877.5** |
| DAY | 1974 | 26.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,196.0** |
| H2O | 1974 | 360.7 | 370.3 | 486.5 | 441.8 | 500.5 | 543.2 | 452.9 | 455.6 | 458.0 | 470.1 | 409.9 | 450.7 | **37,831.7** |
| OIL | 1974 | 98.7 | 116.2 | 133.8 | 128.9 | 122.5 | 118.9 | 117.4 | 117.8 | 110.9 | 114.6 | 108.1 | 114.9 | **34,873.3** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,836.0** |

# Manitoba Production
## 1950 To 1975

Licence ***660*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-24-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1973 | 338.3 | 306.8 | 354.4 | 351.5 | 342.9 | 390.5 | 371.4 | 380.3 | 379.8 | 371.9 | 352.1 | 414.0 | **32,431.5** |
| OIL | 1973 | 171.8 | 151.1 | 169.1 | 152.4 | 135.9 | 126.8 | 140.5 | 106.9 | 102.2 | 116.6 | 117.4 | 114.4 | **33,470.6** |
| DAY | 1972 | 31.0 | 14.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | **6,473.0** |
| H2O | 1972 | 268.4 | 127.7 | 271.5 | 214.9 | 189.5 | 331.8 | 320.2 | 335.1 | 320.7 | 348.3 | 306.0 | 282.5 | **28,077.6** |
| OIL | 1972 | 153.5 | 69.8 | 160.3 | 141.3 | 137.9 | 160.0 | 168.3 | 151.8 | 150.6 | 170.7 | 170.0 | 172.7 | **31,865.5** |
| DAY | 1971 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,129.0** |
| H2O | 1971 | 224.5 | 231.6 | 239.1 | 256.9 | 301.6 | 248.3 | 262.8 | 280.9 | 252.9 | 277.3 | 246.1 | 239.3 | **24,761.0** |
| OIL | 1971 | 193.6 | 182.0 | 205.2 | 204.0 | 198.8 | 192.3 | 204.5 | 192.6 | 175.0 | 183.1 | 169.6 | 144.9 | **30,058.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,765.0** |
| H2O | 1970 | 240.9 | 220.3 | 268.8 | 242.3 | 256.0 | 240.2 | 200.0 | 187.8 | 211.8 | 212.7 | 190.8 | 176.1 | **21,699.7** |
| OIL | 1970 | 238.2 | 194.8 | 215.6 | 209.8 | 219.3 | 201.7 | 205.0 | 198.2 | 201.3 | 207.1 | 188.9 | 199.3 | **27,813.0** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 27.0 | 31.0 | 30.0 | 31.0 | **5,400.0** |
| H2O | 1969 | 269.6 | 220.5 | 258.2 | 153.7 | 166.9 | 165.8 | 175.0 | 136.9 | 356.8 | 420.7 | 251.2 | 269.3 | **19,052.0** |
| OIL | 1969 | 238.8 | 205.2 | 222.6 | 223.1 | 219.5 | 205.2 | 209.0 | 168.0 | 286.8 | 337.4 | 216.9 | 237.9 | **25,333.8** |
| DAY | 1968 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,043.0** |
| H2O | 1968 | 102.1 | 102.1 | 260.6 | 295.7 | 285.7 | 218.1 | 229.9 | 236.7 | 236.2 | 251.8 | 250.4 | 270.9 | **16,207.4** |
| OIL | 1968 | 207.2 | 187.0 | 252.7 | 282.5 | 282.7 | 260.0 | 270.6 | 272.4 | 261.2 | 261.1 | 228.7 | 240.1 | **22,563.4** |
| DAY | 1967 | 31.0 | 25.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,678.0** |
| H2O | 1967 | 218.3 | 163.9 | 245.6 | 197.6 | 196.2 | 194.4 | 192.0 | 211.1 | 217.0 | 162.2 | 168.2 | 171.1 | **13,467.2** |
| OIL | 1967 | 255.5 | 195.8 | 313.1 | 237.9 | 279.0 | 259.8 | 282.5 | 277.5 | 282.7 | 240.3 | 258.1 | 261.1 | **19,557.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | **4,320.0** |
| H2O | 1966 | 28.5 | 27.3 | 27.3 | 41.8 | 211.6 | 206.7 | 196.5 | 231.0 | 232.9 | 233.2 | 147.5 | 187.0 | **11,129.6** |
| OIL | 1966 | 57.7 | 52.0 | 64.4 | 91.1 | 354.2 | 304.9 | 305.3 | 300.7 | 296.7 | 318.6 | 248.9 | 213.3 | **16,413.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,960.0** |
| H2O | 1965 | 80.9 | 65.0 | 72.7 | 49.8 | 46.4 | 43.1 | 31.3 | 49.8 | 35.5 | 21.1 | 21.6 | 23.5 | **9,358.3** |
| OIL | 1965 | 70.9 | 61.5 | 66.7 | 63.9 | 69.6 | 65.2 | 70.4 | 65.8 | 66.1 | 35.4 | 37.7 | 45.9 | **13,806.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,595.0** |
| H2O | 1964 | 95.5 | 90.1 | 97.0 | 94.9 | 109.4 | 97.3 | 90.0 | 75.4 | 78.2 | 88.2 | 80.4 | 80.3 | **8,817.6** |
| OIL | 1964 | 105.8 | 103.8 | 109.6 | 99.5 | 104.4 | 100.1 | 89.8 | 85.3 | 73.9 | 78.2 | 70.6 | 72.6 | **13,087.0** |
| DAY | 1963 | 31.0 | 7.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,229.0** |
| H2O | 1963 | 31.3 | 7.2 | 33.1 | 36.2 | 40.2 | 107.2 | 113.8 | 87.9 | 85.1 | 87.1 | 102.2 | 100.3 | **7,740.9** |
| OIL | 1963 | 85.2 | 19.7 | 88.2 | 79.9 | 90.7 | 100.0 | 113.8 | 113.5 | 110.3 | 113.1 | 104.4 | 112.2 | **11,993.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 29.0 | **2,885.0** |
| H2O | 1962 | 65.2 | 57.7 | 66.0 | 63.0 | 65.5 | 62.0 | 65.8 | 50.9 | 32.3 | 35.0 | 42.3 | 29.7 | **6,909.3** |
| OIL | 1962 | 79.3 | 72.3 | 81.2 | 77.4 | 79.9 | 78.5 | 81.8 | 67.2 | 76.6 | 68.3 | 83.4 | 72.9 | **10,862.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,525.0** |
| H2O | 1961 | 108.4 | 79.3 | 106.7 | 98.2 | 91.7 | 101.3 | 88.6 | 94.8 | 72.2 | 74.2 | 72.0 | 72.3 | **6,273.9** |
| OIL | 1961 | 98.0 | 89.8 | 97.9 | 106.5 | 106.0 | 105.0 | 105.7 | 98.2 | 86.3 | 81.0 | 82.3 | 85.0 | **9,943.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,164.0** |
| H2O | 1960 | 82.5 | 78.1 | 86.8 | 82.4 | 88.6 | 96.3 | 111.1 | 109.5 | 105.6 | 104.8 | 111.4 | 101.4 | **5,214.2** |
| OIL | 1960 | 117.1 | 109.8 | 115.1 | 111.1 | 123.9 | 114.4 | 136.0 | 137.9 | 118.7 | 121.2 | 110.1 | 105.7 | **8,801.9** |
| DAY | 1959 | 31.0 | 28.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,799.0** |
| H2O | 1959 | 173.0 | 143.7 | 166.6 | 271.9 | 153.4 | 114.9 | 112.7 | 110.3 | 79.8 | 98.2 | 85.2 | 89.8 | **4,055.7** |
| OIL | 1959 | 236.5 | 198.0 | 202.1 | 192.9 | 205.5 | 157.2 | 156.7 | 158.8 | 124.9 | 124.4 | 118.2 | 118.7 | **7,380.9** |
| DAY | 1958 | 28.0 | 28.0 | 31.0 | 26.0 | 24.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 26.0 | 31.0 | **1,439.0** |
| H2O | 1958 | 11.4 | 11.0 | 12.6 | 11.0 | 71.4 | 196.3 | 188.2 | 200.5 | 195.2 | 162.2 | 126.4 | 154.1 | **2,456.2** |
| OIL | 1958 | 55.0 | 49.7 | 53.2 | 45.0 | 158.1 | 208.5 | 201.7 | 179.3 | 160.8 | 179.6 | 172.6 | 196.7 | **5,387.0** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,097.0** |
| H2O | 1957 | 67.4 | 81.4 | 84.4 | 77.9 | 35.6 | 27.0 | 52.0 | 50.4 | 38.2 | 39.0 | 34.0 | 34.5 | **1,115.9** |
| OIL | 1957 | 158.6 | 134.9 | 138.1 | 144.0 | 111.6 | 120.3 | 89.5 | 99.5 | 88.7 | 92.6 | 82.8 | 80.6 | **3,726.8** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | **732.0** |
| H2O | 1956 | 1.3 | 1.3 | 1.4 | 1.3 | 11.1 | 44.7 | 69.6 | 76.8 | 58.8 | 79.2 | 74.6 | 61.2 | **494.1** |

# Manitoba Production
## 1950 To 1975

Licence ***660*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-24-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1956 | 34.8 | 31.1 | 32.3 | 32.9 | 8.6 | 174.6 | 237.9 | 288.7 | 266.7 | 195.9 | 172.6 | 162.6 | **2,385.6** |
| DAY | 1955 | 31.0 | 24.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **370.0** |
| H2O | 1955 | 2.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.0 | 1.7 | 1.6 | 1.7 | 1.4 | 1.3 | 1.6 | **12.8** |
| OIL | 1955 | 151.0 | 105.0 | 56.7 | 50.2 | 47.2 | 32.4 | 44.5 | 42.0 | 37.8 | 39.9 | 36.1 | 36.2 | **746.9** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | **12.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | **0.6** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 67.9 | **67.9** |

Licence ***661*** Well Name ***B.A. Union Glinz Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-28-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 29.0 | 27.0 | 27.0 | 11.0 | 10.0 | 28.0 | 29.0 | 30.0 | 28.0 | 12.0 | 0.0 | 0.0 | **1,202.0** |
| H2O | 1958 | 16.2 | 12.9 | 13.7 | 8.1 | 7.6 | 14.0 | 14.2 | 13.2 | 13.4 | 5.6 | 0.0 | 0.0 | **1,328.0** |
| OIL | 1958 | 32.6 | 26.1 | 26.9 | 9.7 | 7.0 | 15.7 | 14.1 | 13.2 | 12.9 | 6.8 | 0.0 | 0.0 | **4,603.5** |
| DAY | 1957 | 30.0 | 26.0 | 30.0 | 29.0 | 18.0 | 27.0 | 3.0 | 29.0 | 25.0 | 29.0 | 28.0 | 29.0 | **971.0** |
| H2O | 1957 | 14.2 | 16.2 | 19.1 | 18.4 | 11.3 | 8.1 | 2.1 | 6.8 | 7.8 | 12.9 | 13.2 | 16.1 | **1,209.1** |
| OIL | 1957 | 28.3 | 35.0 | 43.1 | 41.6 | 28.0 | 20.3 | 1.4 | 15.4 | 11.4 | 24.9 | 22.4 | 30.4 | **4,438.5** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 21.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 28.0 | 29.0 | **668.0** |
| H2O | 1956 | 79.5 | 94.4 | 78.4 | 34.8 | 57.9 | 71.9 | 72.3 | 67.3 | 56.3 | 31.6 | 12.7 | 18.6 | **1,062.9** |
| OIL | 1956 | 261.2 | 161.0 | 155.4 | 83.9 | 124.7 | 118.2 | 116.5 | 98.4 | 106.3 | 71.0 | 47.2 | 44.0 | **4,136.3** |
| DAY | 1955 | 31.0 | 28.0 | 31.0 | 5.0 | 11.0 | 19.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **319.0** |
| H2O | 1955 | 21.3 | 16.4 | 14.6 | 4.9 | 7.6 | 13.8 | 36.6 | 45.6 | 50.2 | 75.8 | 35.1 | 60.4 | **387.2** |
| OIL | 1955 | 295.1 | 224.4 | 167.5 | 29.4 | 108.9 | 205.8 | 284.8 | 271.6 | 242.5 | 282.2 | 266.8 | 271.9 | **2,748.5** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | **10.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.9 | **4.9** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 97.6 | **97.6** |

Licence ***662*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,349.0** |
| H2O | 1975 | 1744.4 | 1630.4 | 1836.5 | 1781.6 | 1844.3 | 1792.4 | 1868.7 | 1835.4 | 1738.2 | 1539.3 | 1705.8 | 1759.0 | **252,535.2** |
| OIL | 1975 | 127.8 | 115.3 | 129.6 | 123.2 | 124.2 | 119.2 | 122.3 | 122.7 | 117.0 | 107.3 | 114.9 | 116.9 | **42,559.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,986.0** |
| H2O | 1974 | 1161.7 | 1055.0 | 1088.3 | 1084.1 | 1086.7 | 1126.6 | 1417.9 | 1604.0 | 1551.2 | 1571.9 | 1541.7 | 1930.4 | **231,459.2** |
| OIL | 1974 | 144.3 | 129.8 | 128.0 | 134.1 | 143.8 | 142.9 | 124.0 | 128.8 | 127.5 | 127.2 | 123.2 | 145.5 | **41,118.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,624.0** |
| H2O | 1973 | 1481.0 | 1481.0 | 1419.3 | 1175.1 | 1347.7 | 1274.9 | 863.3 | 950.4 | 997.0 | 1050.3 | 950.7 | 1121.8 | **215,239.7** |
| OIL | 1973 | 144.6 | 133.1 | 123.4 | 105.6 | 119.5 | 102.6 | 85.4 | 92.7 | 118.0 | 122.8 | 107.9 | 143.1 | **39,519.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **6,264.0** |
| H2O | 1972 | 1385.7 | 1673.7 | 1562.9 | 1495.1 | 1610.5 | 1445.5 | 1402.4 | 1471.9 | 1310.9 | 1576.8 | 1425.8 | 1352.4 | **201,127.2** |
| OIL | 1972 | 119.5 | 121.0 | 134.1 | 129.6 | 140.1 | 127.6 | 126.6 | 126.9 | 116.9 | 150.6 | 150.3 | 142.7 | **38,120.8** |
| DAY | 1971 | 30.0 | 25.0 | 31.0 | 30.0 | 27.0 | 26.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,903.0** |
| H2O | 1971 | 1507.7 | 1562.4 | 1805.9 | 1819.0 | 1408.0 | 1566.7 | 1736.1 | 1989.1 | 1575.3 | 1757.5 | 1715.2 | 1674.8 | **183,413.6** |
| OIL | 1971 | 124.1 | 104.8 | 134.6 | 127.4 | 113.1 | 132.2 | 149.3 | 141.2 | 121.7 | 146.3 | 139.2 | 132.3 | **36,534.9** |
| DAY | 1970 | 29.0 | 24.0 | 30.0 | 27.0 | 27.0 | 29.0 | 30.0 | 31.0 | 28.0 | 29.0 | 30.0 | 28.0 | **5,553.0** |
| H2O | 1970 | 1323.6 | 1020.9 | 1325.3 | 1215.0 | 1085.6 | 1235.3 | 1396.4 | 1403.5 | 1300.0 | 1733.9 | 1454.1 | 1474.3 | **163,295.9** |
| OIL | 1970 | 110.1 | 84.3 | 105.6 | 102.6 | 97.4 | 159.7 | 119.1 | 135.4 | 130.6 | 150.8 | 124.2 | 116.9 | **34,968.7** |
| DAY | 1969 | 29.0 | 28.0 | 31.0 | 28.0 | 28.0 | 25.0 | 29.0 | 29.0 | 25.0 | 29.0 | 19.0 | 25.0 | **5,211.0** |
| H2O | 1969 | 1360.3 | 1344.2 | 1383.8 | 1623.6 | 1582.4 | 1613.1 | 1417.5 | 1425.8 | 1308.2 | 1393.8 | 1052.0 | 1295.3 | **147,328.0** |
| OIL | 1969 | 110.9 | 102.1 | 107.2 | 153.0 | 145.9 | 112.5 | 113.6 | 111.7 | 108.8 | 118.8 | 80.2 | 114.8 | **33,532.0** |

# Manitoba Production
## 1950 To 1975

Licence ***662*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 28.0 | 28.0 | 30.0 | 28.0 | 31.0 | 27.0 | 30.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | **4,886.0** |
| H2O | 1968 | 1514.2 | 1295.9 | 1815.6 | 1279.4 | 1374.1 | 1572.1 | 1647.3 | 1717.7 | 1771.9 | 1907.7 | 1658.7 | 1816.0 | **130,528.0** |
| OIL | 1968 | 127.7 | 118.3 | 135.8 | 146.3 | 132.0 | 119.6 | 120.7 | 132.8 | 148.9 | 127.2 | 136.2 | 114.1 | **32,152.5** |
| DAY | 1967 | 30.0 | 28.0 | 30.0 | 30.0 | 30.0 | 27.0 | 23.0 | 29.0 | 30.0 | 30.0 | 29.0 | 29.0 | **4,535.0** |
| H2O | 1967 | 1665.6 | 1438.9 | 1900.4 | 1739.2 | 1266.4 | 1011.9 | 1153.8 | 1515.7 | 1799.0 | 1582.0 | 1807.1 | 1638.9 | **111,157.4** |
| OIL | 1967 | 136.6 | 123.1 | 157.3 | 126.8 | 122.0 | 114.7 | 96.7 | 112.3 | 123.4 | 130.3 | 148.6 | 137.1 | **30,592.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **4,190.0** |
| H2O | 1966 | 1245.4 | 1213.1 | 1265.8 | 1286.3 | 1656.2 | 1758.5 | 1926.4 | 1783.3 | 1764.5 | 1603.9 | 1839.4 | 1744.0 | **92,638.5** |
| OIL | 1966 | 137.3 | 123.4 | 137.6 | 127.6 | 142.4 | 148.6 | 160.5 | 142.7 | 138.5 | 123.6 | 150.6 | 150.0 | **29,064.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,829.0** |
| H2O | 1965 | 1254.0 | 1092.8 | 1253.5 | 1296.9 | 1129.4 | 1235.7 | 1233.6 | 1174.3 | 1168.8 | 1164.6 | 1296.4 | 1365.9 | **73,551.7** |
| OIL | 1965 | 144.9 | 133.8 | 150.3 | 140.3 | 132.5 | 137.6 | 137.6 | 129.5 | 129.5 | 136.6 | 148.4 | 143.0 | **27,381.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,464.0** |
| H2O | 1964 | 1214.6 | 1249.2 | 1089.9 | 970.4 | 1002.3 | 1013.4 | 1607.1 | 1171.0 | 1215.4 | 1249.4 | 1240.2 | 372.7 | **58,885.8** |
| OIL | 1964 | 167.5 | 157.8 | 157.6 | 126.8 | 140.6 | 129.6 | 156.8 | 155.4 | 141.4 | 160.0 | 144.6 | 149.2 | **25,717.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,099.0** |
| H2O | 1963 | 1093.7 | 964.5 | 1113.5 | 1130.1 | 1174.2 | 1095.6 | 1104.2 | 1214.1 | 1207.9 | 1205.7 | 1202.6 | 1197.9 | **45,490.2** |
| OIL | 1963 | 165.1 | 147.1 | 173.8 | 162.5 | 178.0 | 174.2 | 170.2 | 179.2 | 170.7 | 163.2 | 166.2 | 167.2 | **23,929.9** |
| DAY | 1962 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,734.0** |
| H2O | 1962 | 915.8 | 823.5 | 947.8 | 1034.4 | 1033.0 | 950.5 | 804.2 | 1056.9 | 1051.8 | 1070.4 | 1053.5 | 1075.9 | **31,786.2** |
| OIL | 1962 | 174.3 | 150.0 | 164.5 | 163.5 | 164.0 | 160.2 | 142.0 | 177.2 | 162.5 | 170.2 | 165.7 | 174.9 | **21,912.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,370.0** |
| H2O | 1961 | 223.9 | 305.3 | 282.6 | 263.5 | 243.3 | 271.9 | 279.2 | 431.9 | 342.7 | 709.3 | 845.9 | 909.3 | **19,968.5** |
| OIL | 1961 | 191.6 | 192.6 | 186.2 | 200.7 | 184.8 | 179.6 | 135.0 | 135.8 | 105.8 | 217.4 | 184.6 | 175.1 | **19,943.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,005.0** |
| H2O | 1960 | 279.6 | 248.7 | 278.8 | 247.4 | 287.7 | 248.1 | 223.9 | 251.4 | 242.7 | 243.6 | 222.5 | 269.7 | **14,859.7** |
| OIL | 1960 | 161.1 | 148.4 | 179.6 | 186.2 | 179.6 | 164.0 | 189.4 | 195.0 | 186.9 | 194.7 | 199.6 | 195.0 | **17,854.3** |
| DAY | 1959 | 30.0 | 26.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,639.0** |
| H2O | 1959 | 251.4 | 193.7 | 233.6 | 241.2 | 248.9 | 235.4 | 244.1 | 269.7 | 258.4 | 282.9 | 275.9 | 273.7 | **11,815.6** |
| OIL | 1959 | 160.6 | 140.0 | 173.4 | 171.0 | 170.7 | 158.6 | 165.4 | 162.4 | 158.3 | 167.2 | 164.8 | 158.1 | **15,674.8** |
| DAY | 1958 | 31.0 | 26.0 | 31.0 | 27.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,279.0** |
| H2O | 1958 | 457.0 | 362.9 | 316.9 | 289.1 | 345.9 | 389.9 | 368.0 | 365.7 | 242.4 | 265.1 | 263.7 | 251.4 | **8,806.7** |
| OIL | 1958 | 310.4 | 287.5 | 250.0 | 284.6 | 293.6 | 236.8 | 227.9 | 207.1 | 179.2 | 175.4 | 171.6 | 178.1 | **13,724.3** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 26.0 | 24.0 | 27.0 | 25.0 | 27.0 | 24.0 | 28.0 | **922.0** |
| H2O | 1957 | 194.8 | 174.2 | 275.4 | 399.1 | 429.6 | 367.6 | 358.9 | 360.2 | 355.1 | 357.5 | 314.2 | 396.6 | **4,888.7** |
| OIL | 1957 | 364.6 | 322.3 | 354.8 | 323.1 | 353.2 | 291.5 | 272.7 | 301.8 | 282.9 | 292.8 | 272.4 | 322.2 | **10,922.1** |
| DAY | 1956 | 30.0 | 29.0 | 31.0 | 24.0 | 18.0 | 30.0 | 30.0 | 28.0 | 27.0 | 17.0 | 30.0 | 18.0 | **591.0** |
| H2O | 1956 | 1.0 | 0.9 | 12.8 | 4.4 | 40.6 | 160.5 | 102.1 | 97.8 | 81.5 | 76.2 | 137.9 | 137.3 | **905.5** |
| OIL | 1956 | 341.7 | 324.1 | 352.1 | 263.0 | 202.9 | 332.8 | 341.1 | 316.6 | 305.3 | 193.4 | 342.8 | 203.7 | **7,167.8** |
| DAY | 1955 | 5.0 | 9.0 | 30.0 | 25.0 | 28.0 | 25.0 | 25.0 | 27.0 | 26.0 | 26.0 | 26.0 | 27.0 | **279.0** |
| H2O | 1955 | 0.4 | 0.4 | 1.6 | 0.9 | 1.0 | 1.8 | 1.6 | 1.3 | 1.3 | 1.5 | 27.9 | 12.8 | **52.5** |
| OIL | 1955 | 92.6 | 117.6 | 412.9 | 333.1 | 347.1 | 333.5 | 342.5 | 346.3 | 331.7 | 343.3 | 338.9 | 308.8 | **3,648.3** |

Licence ***663*** Well Name ***Enerplus East Cromer Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.15-11-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1972 | 6745.5 | 7106.9 | 6847.6 | 4763.7 | 5816.6 | 5178.4 | 2055.8 | 957.2 | 0.0 | 0.0 | 0.0 | 0.0 | **461,544.9** |
| WIN | 1971 | 7126.0 | 6617.5 | 6760.8 | 6036.1 | 4700.8 | 4130.3 | 6956.6 | 5733.2 | 6137.0 | 6806.0 | 6401.1 | 6274.7 | **422,073.2** |
| WIN | 1970 | 7984.5 | 7156.8 | 8328.9 | 8408.7 | 8324.7 | 7427.4 | 6722.4 | 7312.1 | 6580.0 | 7351.5 | 5422.0 | 6944.5 | **348,393.1** |
| WIN | 1969 | 7517.5 | 6692.4 | 7606.1 | 7384.3 | 7863.3 | 7685.1 | 8068.7 | 8268.1 | 5727.3 | 7534.7 | 7129.7 | 6729.7 | **260,429.6** |
| WIN | 1968 | 2776.8 | 3225.1 | 2931.5 | 3117.0 | 4634.7 | 4715.5 | 5353.8 | 4877.8 | 5100.7 | 5019.2 | 5992.7 | 6976.0 | **172,222.7** |

# Manitoba Production
## 1950 To 1975

Licence ***663*** Well Name ***Enerplus East Cromer Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.15-11-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1967 | 4542.0 | 4172.1 | 4445.2 | 4264.9 | 5563.1 | 5338.6 | 5159.5 | 5465.8 | 4511.0 | 3805.7 | 3027.8 | 3104.4 | **117,501.9** |
| WIN | 1966 | 3568.5 | 3545.2 | 4117.0 | 3693.0 | 4469.2 | 5105.2 | 5644.3 | 6318.3 | 6428.1 | 5790.3 | 4336.5 | 4401.0 | **64,101.8** |
| WIN | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3041.6 | 3643.6 | **6,685.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 21.0 | 8.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,593.0** |
| H2O | 1963 | 547.7 | 682.7 | 622.2 | 398.2 | 112.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **29,396.8** |
| OIL | 1963 | 15.3 | 18.4 | 21.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,197.5** |
| DAY | 1962 | 31.0 | 26.0 | 31.0 | 22.0 | 13.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 30.0 | 31.0 | **2,474.0** |
| H2O | 1962 | 47.1 | 352.3 | 428.3 | 326.4 | 189.5 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 449.6 | 423.7 | **27,033.5** |
| OIL | 1962 | 27.0 | 22.6 | 27.2 | 13.5 | 7.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 21.9 | 18.8 | **7,141.9** |
| DAY | 1961 | 31.0 | 28.0 | 30.0 | 30.0 | 29.0 | 19.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | **2,288.0** |
| H2O | 1961 | 490.8 | 375.8 | 491.6 | 507.0 | 446.1 | 360.1 | 0.0 | 0.0 | 0.0 | 0.0 | 431.2 | 427.0 | **24,798.6** |
| OIL | 1961 | 30.4 | 24.5 | 31.9 | 34.2 | 37.7 | 23.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.3 | 30.8 | **7,002.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 27.0 | 30.0 | 31.0 | **2,060.0** |
| H2O | 1960 | 511.6 | 493.2 | 516.4 | 477.3 | 511.8 | 504.1 | 444.8 | 467.7 | 473.0 | 431.0 | 467.9 | 497.1 | **21,269.0** |
| OIL | 1960 | 25.7 | 23.5 | 24.9 | 19.5 | 17.8 | 15.9 | 31.1 | 30.4 | 34.3 | 33.1 | 30.4 | 31.3 | **6,758.6** |
| DAY | 1959 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 28.0 | 30.0 | 29.0 | **1,702.0** |
| H2O | 1959 | 432.6 | 370.7 | 429.7 | 392.7 | 438.0 | 431.5 | 483.5 | 467.1 | 405.6 | 436.6 | 477.7 | 505.1 | **15,473.1** |
| OIL | 1959 | 35.4 | 34.3 | 37.2 | 39.9 | 41.2 | 48.0 | 54.2 | 48.6 | 37.2 | 23.8 | 24.0 | 24.5 | **6,440.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 28.0 | 30.0 | 28.0 | 29.0 | 30.0 | 30.0 | 31.0 | **1,347.0** |
| H2O | 1958 | 314.9 | 288.1 | 320.8 | 332.0 | 357.5 | 352.8 | 385.4 | 277.9 | 399.4 | 425.4 | 449.1 | 453.6 | **10,202.3** |
| OIL | 1958 | 61.5 | 52.6 | 56.3 | 64.8 | 43.4 | 42.9 | 44.2 | 55.1 | 41.3 | 40.2 | 37.2 | 37.5 | **5,992.4** |
| DAY | 1957 | 31.0 | 28.0 | 30.0 | 16.0 | 23.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **992.0** |
| H2O | 1957 | 230.7 | 198.4 | 226.1 | 131.5 | 172.8 | 297.1 | 259.6 | 316.5 | 293.8 | 296.2 | 306.4 | 311.1 | **5,845.4** |
| OIL | 1957 | 119.8 | 115.4 | 112.2 | 35.1 | 81.7 | 90.9 | 87.6 | 68.3 | 67.5 | 67.2 | 64.7 | 62.1 | **5,415.4** |
| DAY | 1956 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **653.0** |
| H2O | 1956 | 128.0 | 134.3 | 149.1 | 144.7 | 147.2 | 145.5 | 160.9 | 186.2 | 179.0 | 198.1 | 159.9 | 180.0 | **2,805.2** |
| OIL | 1956 | 188.6 | 174.6 | 184.3 | 157.5 | 159.5 | 137.6 | 185.0 | 188.1 | 180.5 | 173.2 | 150.5 | 142.9 | **4,442.9** |
| DAY | 1955 | 31.0 | 22.0 | 19.0 | 6.0 | 0.0 | 27.0 | 29.0 | 31.0 | 28.0 | 30.0 | 29.0 | 29.0 | **290.0** |
| H2O | 1955 | 47.5 | 35.8 | 66.0 | 7.0 | 0.0 | 60.4 | 77.6 | 105.6 | 108.4 | 128.6 | 113.8 | 111.4 | **892.3** |
| OIL | 1955 | 249.5 | 187.5 | 187.8 | 20.0 | 0.0 | 172.1 | 324.3 | 300.0 | 246.3 | 226.1 | 203.9 | 196.3 | **2,420.6** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | **9.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.2 | **30.2** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 106.8 | **106.8** |

Licence ***665*** Well Name ***Tundra Pierson*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-07-003-28W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3b B*** Field Code ***7*** Pool Code ***42B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 17.0 | 22.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **674.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 142.5 | 127.2 | 180.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,180.5** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 30.8 | 18.9 | 25.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,527.6** |
| DAY | 1967 | 14.0 | 0.0 | 15.0 | 13.0 | 16.0 | 25.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **620.0** |
| H2O | 1967 | 102.1 | 0.0 | 141.8 | 162.2 | 145.2 | 256.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,729.9** |
| OIL | 1967 | 18.3 | 0.0 | 42.0 | 23.4 | 19.1 | 34.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,452.6** |
| DAY | 1966 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 20.0 | 27.0 | 31.0 | 30.0 | 3.0 | 10.0 | 20.0 | **537.0** |
| H2O | 1966 | 0.0 | 7.9 | 0.0 | 0.0 | 0.0 | 138.0 | 119.2 | 151.0 | 127.2 | 31.8 | 111.3 | 154.4 | **2,921.8** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 62.8 | 74.7 | 68.4 | 53.1 | 9.2 | 30.7 | 34.8 | **1,315.0** |
| DAY | 1965 | 28.0 | 26.0 | 31.0 | 13.0 | 0.0 | 0.0 | 22.0 | 20.0 | 26.0 | 26.0 | 19.0 | 31.0 | **395.0** |
| H2O | 1965 | 100.5 | 74.7 | 143.4 | 40.1 | 0.0 | 0.0 | 33.4 | 58.5 | 74.7 | 152.6 | 165.3 | 140.5 | **2,081.0** |
| OIL | 1965 | 71.9 | 63.8 | 56.4 | 21.0 | 0.0 | 0.0 | 20.8 | 37.7 | 46.9 | 49.6 | 53.1 | 42.9 | **981.3** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 18.0 | **153.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 159.3 | 87.8 | **1,097.3** |

# Manitoba Production
## 1950 To 1975

Licence ***665*** Well Name ***Tundra Pierson*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-07-003-28W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3b B*** Field Code ***7*** Pool Code ***42B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 62.2 | 50.0 | **517.2** |
| DAY | 1955 | 0.0 | 10.0 | 20.0 | 0.0 | 0.0 | 0.0 | 24.0 | 28.0 | 24.0 | 0.0 | 0.0 | 0.0 | **106.0** |
| H2O | 1955 | 0.0 | 36.9 | 75.1 | 0.0 | 0.0 | 0.0 | 221.9 | 292.4 | 223.9 | 0.0 | 0.0 | 0.0 | **850.2** |
| OIL | 1955 | 0.0 | 23.9 | 37.7 | 0.0 | 0.0 | 0.0 | 102.1 | 135.0 | 106.3 | 0.0 | 0.0 | 0.0 | **405.0** |

Licence ***666*** Well Name ***Daly Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-14-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1968 | 0.0 | 0.0 | 0.0 | 109.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **542,958.9** |
| WIN | 1967 | 8635.3 | 8083.5 | 8567.3 | 7794.6 | 7990.5 | 6400.2 | 8317.2 | 4432.7 | 5937.9 | 4725.8 | 2010.5 | 0.0 | **542,849.5** |
| WIN | 1966 | 5899.1 | 8572.0 | 9075.9 | 9212.4 | 8283.8 | 9013.7 | 8239.9 | 9347.2 | 8881.7 | 11176.0 | 7890.0 | 8592.4 | **469,954.0** |
| WIN | 1965 | 7321.3 | 8286.4 | 7968.7 | 9444.8 | 9923.2 | 7588.9 | 11053.7 | 10424.3 | 8652.5 | 8564.1 | 6616.0 | 8853.3 | **365,769.9** |
| WIN | 1964 | 3971.2 | 5535.5 | 3741.8 | 2531.9 | 4019.7 | 2804.9 | 2794.6 | 2881.5 | 5041.4 | 9175.5 | 9076.3 | 8074.3 | **261,072.7** |
| WIN | 1963 | 9580.8 | 9358.8 | 10274.2 | 7004.3 | 7585.3 | 6085.0 | 7790.3 | 2594.1 | 2708.5 | 2334.6 | 3313.9 | 5425.0 | **201,424.1** |
| WIN | 1962 | 0.0 | 2619.5 | 5519.6 | 6048.1 | 6482.7 | 5968.4 | 3029.2 | 5484.0 | 6214.2 | 7003.9 | 7460.0 | 6002.8 | **127,369.3** |
| WIN | 1959 | 1496.2 | 1785.7 | 1737.5 | 1807.8 | 1489.3 | 1311.7 | 1381.7 | 1010.8 | 276.0 | 0.0 | 0.0 | 0.0 | **65,536.9** |
| WIN | 1958 | 1454.2 | 311.6 | 1326.2 | 2545.3 | 1199.0 | 3797.6 | 4315.4 | 3506.8 | 3890.1 | 4679.3 | 4548.3 | 3739.8 | **53,240.2** |
| WIN | 1957 | 0.0 | 0.0 | 367.9 | 1115.6 | 823.4 | 488.5 | 1858.6 | 2389.3 | 2775.8 | 3329.2 | 2458.3 | 1900.3 | **17,926.6** |
| WIN | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 419.7 | 0.0 | **419.7** |
| DAY | 1955 | 1.0 | 24.0 | 31.0 | 14.0 | 10.0 | 30.0 | 28.0 | 31.0 | 23.0 | 6.0 | 4.0 | 0.0 | **202.0** |
| H2O | 1955 | 0.0 | 15.6 | 15.4 | 5.2 | 5.1 | 4.9 | 6.5 | 6.0 | 4.0 | 0.8 | 0.3 | 0.0 | **63.8** |
| OIL | 1955 | 11.1 | 128.7 | 80.7 | 29.9 | 15.1 | 26.1 | 30.4 | 28.6 | 15.1 | 3.7 | 2.5 | 0.0 | **371.9** |

Licence ***667*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-09-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,206.0** |
| H2O | 1975 | 404.0 | 364.9 | 414.1 | 401.4 | 416.1 | 263.4 | 272.0 | 268.0 | 263.9 | 283.5 | 284.3 | 289.3 | **66,806.0** |
| OIL | 1975 | 39.6 | 34.6 | 38.6 | 36.7 | 37.3 | 53.7 | 56.9 | 57.4 | 55.6 | 57.5 | 55.6 | 56.6 | **24,249.9** |
| DAY | 1974 | 30.0 | 26.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,841.0** |
| H2O | 1974 | 479.6 | 417.5 | 508.0 | 506.8 | 528.9 | 491.6 | 408.6 | 388.9 | 383.3 | 399.4 | 398.2 | 395.7 | **62,881.1** |
| OIL | 1974 | 50.9 | 41.5 | 51.8 | 50.5 | 52.9 | 47.5 | 38.6 | 40.2 | 38.5 | 40.0 | 38.3 | 39.3 | **23,669.8** |
| DAY | 1973 | 30.0 | 27.0 | 30.0 | 29.0 | 29.0 | 28.0 | 31.0 | 31.0 | 26.0 | 31.0 | 25.0 | 31.0 | **6,482.0** |
| H2O | 1973 | 475.8 | 463.7 | 499.0 | 497.4 | 487.6 | 486.2 | 519.5 | 553.5 | 463.6 | 559.1 | 412.9 | 507.6 | **57,574.6** |
| OIL | 1973 | 101.4 | 63.7 | 70.4 | 68.8 | 69.4 | 46.9 | 51.6 | 54.7 | 44.5 | 54.2 | 40.5 | 52.3 | **23,139.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 27.0 | 25.0 | 31.0 | 30.0 | 30.0 | **6,134.0** |
| H2O | 1972 | 326.7 | 314.9 | 356.8 | 317.8 | 351.0 | 470.6 | 582.1 | 480.3 | 442.4 | 583.4 | 496.7 | 488.7 | **51,648.7** |
| OIL | 1972 | 144.1 | 133.0 | 149.4 | 142.7 | 150.5 | 80.7 | 92.8 | 82.6 | 72.5 | 92.6 | 102.5 | 103.6 | **22,421.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 26.0 | 30.0 | 22.0 | **5,781.0** |
| H2O | 1971 | 312.4 | 285.7 | 328.6 | 329.7 | 330.2 | 328.9 | 325.9 | 314.1 | 269.6 | 257.1 | 302.5 | 249.3 | **46,437.3** |
| OIL | 1971 | 162.1 | 144.8 | 160.0 | 151.9 | 155.4 | 151.0 | 154.5 | 151.6 | 143.3 | 126.8 | 146.4 | 105.2 | **21,074.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **5,431.0** |
| H2O | 1970 | 270.6 | 253.7 | 265.7 | 245.3 | 252.6 | 256.3 | 307.8 | 347.1 | 323.0 | 328.5 | 305.9 | 328.9 | **42,803.3** |
| OIL | 1970 | 162.9 | 147.0 | 160.3 | 154.6 | 159.5 | 156.4 | 157.8 | 155.1 | 148.1 | 153.2 | 150.0 | 152.1 | **19,321.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,067.0** |
| H2O | 1969 | 383.9 | 348.5 | 327.0 | 333.9 | 367.4 | 336.9 | 380.8 | 383.0 | 361.0 | 379.3 | 256.0 | 280.8 | **39,317.9** |
| OIL | 1969 | 133.6 | 118.1 | 130.3 | 127.0 | 130.3 | 122.7 | 133.0 | 132.2 | 128.7 | 130.3 | 161.0 | 168.8 | **17,464.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,704.0** |
| H2O | 1968 | 227.5 | 206.8 | 228.8 | 352.8 | 348.8 | 338.2 | 365.2 | 350.9 | 351.0 | 373.0 | 344.5 | 366.4 | **35,179.4** |
| OIL | 1968 | 182.3 | 160.0 | 178.5 | 159.7 | 151.3 | 157.5 | 162.4 | 133.6 | 128.6 | 135.4 | 129.7 | 133.6 | **15,848.4** |
| DAY | 1967 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 28.0 | 20.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **4,339.0** |

# Manitoba Production
## 1950 To 1975

Licence ***667*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-09-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1967 | 458.2 | 347.1 | 445.8 | 420.5 | 424.8 | 373.1 | 189.0 | 420.5 | 368.7 | 383.8 | 350.1 | 220.7 | **31,325.5** |
| OIL | 1967 | 190.5 | 155.1 | 185.9 | 181.8 | 188.9 | 169.1 | 113.0 | 186.4 | 179.6 | 182.7 | 185.0 | 170.4 | **14,035.8** |
| DAY | 1966 | 22.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **3,991.0** |
| H2O | 1966 | 169.8 | 191.7 | 243.9 | 249.9 | 275.2 | 230.0 | 245.1 | 392.5 | 422.4 | 420.2 | 385.0 | 470.6 | **26,923.2** |
| OIL | 1966 | 71.8 | 89.0 | 98.7 | 96.5 | 98.7 | 89.8 | 100.4 | 141.3 | 137.6 | 137.9 | 156.2 | 186.2 | **11,947.4** |
| DAY | 1965 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 30.0 | 30.0 | 28.0 | **3,639.0** |
| H2O | 1965 | 276.6 | 245.8 | 259.3 | 245.1 | 249.4 | 238.2 | 239.1 | 232.4 | 211.9 | 227.3 | 246.6 | 221.0 | **23,226.9** |
| OIL | 1965 | 107.6 | 98.0 | 98.0 | 102.3 | 103.3 | 103.3 | 107.7 | 103.1 | 88.4 | 99.3 | 99.8 | 90.1 | **10,543.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,283.0** |
| H2O | 1964 | 264.4 | 238.5 | 262.8 | 256.1 | 252.3 | 261.8 | 258.2 | 262.0 | 209.5 | 251.3 | 260.3 | 268.0 | **20,334.2** |
| OIL | 1964 | 101.2 | 95.7 | 102.7 | 99.3 | 95.2 | 98.7 | 102.0 | 103.1 | 83.1 | 101.4 | 99.6 | 103.8 | **9,342.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | 27.0 | 27.0 | 30.0 | 28.0 | 30.0 | 29.0 | 31.0 | **2,919.0** |
| H2O | 1963 | 320.0 | 312.2 | 282.0 | 250.7 | 313.2 | 233.5 | 281.5 | 297.9 | 217.3 | 225.3 | 240.1 | 261.3 | **17,289.0** |
| OIL | 1963 | 106.0 | 100.0 | 104.1 | 87.9 | 108.2 | 85.7 | 100.7 | 103.0 | 87.1 | 90.3 | 89.1 | 97.1 | **8,156.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **2,571.0** |
| H2O | 1962 | 269.6 | 256.6 | 272.5 | 308.9 | 291.7 | 308.1 | 306.3 | 285.0 | 290.0 | 339.2 | 326.5 | 324.6 | **14,054.0** |
| OIL | 1962 | 103.9 | 86.1 | 97.6 | 91.4 | 105.2 | 104.2 | 113.1 | 109.2 | 105.2 | 117.3 | 107.7 | 108.1 | **6,997.4** |
| DAY | 1961 | 29.0 | 28.0 | 29.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | **2,211.0** |
| H2O | 1961 | 285.0 | 271.2 | 268.2 | 262.8 | 223.5 | 281.1 | 241.8 | 208.4 | 210.7 | 276.6 | 294.1 | 245.9 | **10,475.0** |
| OIL | 1961 | 114.6 | 114.9 | 108.1 | 114.9 | 100.0 | 123.8 | 107.3 | 112.0 | 90.6 | 104.2 | 107.6 | 87.4 | **5,748.4** |
| DAY | 1960 | 18.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,856.0** |
| H2O | 1960 | 16.2 | 0.0 | 0.0 | 0.0 | 0.0 | 246.4 | 411.3 | 364.6 | 306.3 | 363.8 | 347.7 | 302.2 | **7,405.7** |
| OIL | 1960 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | 71.8 | 141.9 | 134.8 | 128.1 | 130.5 | 129.8 | 121.7 | **4,463.0** |
| DAY | 1959 | 29.0 | 28.0 | 28.0 | 16.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **1,640.0** |
| H2O | 1959 | 20.3 | 21.1 | 20.0 | 32.1 | 40.5 | 32.4 | 30.5 | 39.6 | 23.4 | 34.3 | 28.4 | 31.1 | **5,047.2** |
| OIL | 1959 | 40.4 | 36.5 | 39.7 | 25.1 | 43.7 | 11.1 | 11.1 | 11.4 | 11.0 | 11.1 | 10.3 | 11.8 | **3,597.4** |
| DAY | 1958 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,298.0** |
| H2O | 1958 | 41.0 | 35.8 | 42.6 | 41.8 | 41.8 | 49.3 | 23.2 | 24.3 | 25.1 | 24.9 | 18.6 | 20.2 | **4,693.5** |
| OIL | 1958 | 21.3 | 21.0 | 22.6 | 21.1 | 22.4 | 19.4 | 46.4 | 45.4 | 44.8 | 44.5 | 40.7 | 43.1 | **3,334.2** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 28.0 | 30.0 | 31.0 | 29.0 | 31.0 | **941.0** |
| H2O | 1957 | 82.0 | 68.7 | 83.1 | 56.3 | 50.2 | 49.1 | 45.2 | 71.2 | 42.8 | 52.8 | 40.4 | 56.3 | **4,304.9** |
| OIL | 1957 | 40.0 | 32.6 | 36.1 | 31.3 | 28.4 | 34.2 | 29.9 | 32.4 | 32.4 | 47.5 | 42.4 | 48.1 | **2,941.5** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | **585.0** |
| H2O | 1956 | 256.3 | 227.8 | 242.9 | 210.6 | 194.0 | 155.6 | 149.1 | 151.2 | 122.3 | 109.7 | 98.2 | 88.7 | **3,606.8** |
| OIL | 1956 | 156.8 | 133.0 | 120.3 | 126.0 | 124.9 | 94.4 | 87.4 | 78.8 | 51.8 | 48.0 | 38.1 | 38.8 | **2,506.2** |
| DAY | 1955 | 7.0 | 1.0 | 0.0 | 0.0 | 5.0 | 23.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **224.0** |
| H2O | 1955 | 1.1 | 0.0 | 0.0 | 0.0 | 0.6 | 32.7 | 196.0 | 267.4 | 292.2 | 269.2 | 269.5 | 271.1 | **1,600.4** |
| OIL | 1955 | 56.1 | 1.1 | 0.0 | 0.0 | 31.5 | 140.2 | 155.6 | 248.7 | 219.9 | 177.2 | 175.0 | 171.5 | **1,407.9** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | **5.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | **0.6** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.1 | **31.1** |

Licence ***669*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 2171.0 | 1858.0 | 2088.8 | 2043.4 | 2138.4 | 1978.5 | 2061.7 | 2075.0 | 2214.6 | 2169.4 | 2117.6 | 2117.6 | **205,110.0** |
| WIN | 1974 | 1845.0 | 1910.0 | 2035.3 | 2060.7 | 1786.3 | 1701.1 | 1984.2 | 2200.1 | 2165.0 | 2263.9 | 2191.5 | 2210.3 | **180,076.0** |
| WIN | 1973 | 1659.0 | 1383.6 | 1522.4 | 1535.3 | 1810.3 | 1455.0 | 1798.5 | 1762.0 | 1659.3 | 1680.6 | 1590.4 | 806.5 | **155,722.6** |
| WIN | 1972 | 1471.5 | 1515.4 | 1989.5 | 1821.6 | 1852.9 | 1761.0 | 1473.9 | 2105.8 | 1955.8 | 2016.8 | 1505.2 | 1749.3 | **137,059.7** |
| WIN | 1971 | 1734.3 | 1519.7 | 1529.1 | 2195.5 | 1772.2 | 2135.3 | 2101.9 | 2107.8 | 1718.6 | 1988.2 | 1690.8 | 1761.3 | **115,841.0** |
| WIN | 1970 | 2419.7 | 2011.1 | 2136.2 | 1962.4 | 2199.6 | 2124.1 | 2014.4 | 2031.9 | 2102.7 | 1983.8 | 1852.0 | 1837.6 | **93,586.3** |

# Manitoba Production
## 1950 To 1975

Licence ***669*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1969 | 1926.0 | 2163.4 | 2436.4 | 2265.5 | 2490.9 | 2465.3 | 2412.8 | 1852.3 | 2565.6 | 2396.0 | 2124.1 | 2314.0 | **68,910.8** |
| WIN | 1968 | 2110.9 | 2211.6 | 2181.2 | 2079.0 | 2161.0 | 2193.1 | 2261.3 | 2150.8 | 1872.8 | 2103.1 | 1925.1 | 1993.0 | **41,498.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 15.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,289.0** |
| H2O | 1967 | 143.4 | 145.0 | 170.4 | 170.3 | 79.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **11,563.4** |
| OIL | 1967 | 117.0 | 106.5 | 119.3 | 111.6 | 55.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **9,885.6** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 304.4 | 2563.7 | 2277.7 | 2040.7 | 2138.0 | 2319.4 | 2153.4 | 2458.3 | **16,255.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 23.0 | 31.0 | **4,154.0** |
| H2O | 1966 | 156.9 | 109.9 | 171.1 | 152.5 | 166.1 | 155.3 | 161.7 | 160.3 | 153.1 | 175.7 | 129.7 | 135.1 | **10,855.1** |
| OIL | 1966 | 73.7 | 47.0 | 102.5 | 83.6 | 96.6 | 85.7 | 92.2 | 93.6 | 79.5 | 78.8 | 55.5 | 110.9 | **9,375.3** |
| DAY | 1965 | 30.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,796.0** |
| H2O | 1965 | 208.4 | 200.3 | 221.8 | 207.5 | 221.8 | 196.3 | 184.4 | 187.4 | 157.4 | 160.7 | 167.7 | 185.2 | **9,027.7** |
| OIL | 1965 | 82.0 | 83.4 | 93.6 | 91.8 | 110.9 | 98.7 | 87.6 | 96.9 | 93.4 | 101.2 | 101.9 | 96.1 | **8,375.7** |
| DAY | 1964 | 30.0 | 29.0 | 31.0 | 25.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,436.0** |
| H2O | 1964 | 63.9 | 78.4 | 83.8 | 68.5 | 79.5 | 95.4 | 98.6 | 171.2 | 215.3 | 217.2 | 224.2 | 228.5 | **6,728.8** |
| OIL | 1964 | 68.5 | 92.2 | 98.7 | 60.4 | 45.1 | 57.2 | 60.7 | 91.2 | 92.5 | 92.5 | 95.3 | 96.9 | **7,238.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 28.0 | 0.0 | **3,084.0** |
| H2O | 1963 | 38.8 | 35.6 | 39.4 | 38.2 | 39.4 | 38.2 | 39.4 | 36.9 | 38.2 | 39.4 | 35.6 | 0.0 | **5,104.3** |
| OIL | 1963 | 96.5 | 87.9 | 98.5 | 94.6 | 98.5 | 95.3 | 98.5 | 92.2 | 98.8 | 95.5 | 75.3 | 0.0 | **6,287.0** |
| DAY | 1962 | 29.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **2,754.0** |
| H2O | 1962 | 36.9 | 35.6 | 23.5 | 34.3 | 73.9 | 71.5 | 62.8 | 39.4 | 38.2 | 39.4 | 38.2 | 35.6 | **4,685.2** |
| OIL | 1962 | 18.4 | 17.8 | 19.7 | 17.8 | 0.8 | 98.0 | 103.0 | 103.5 | 99.5 | 103.5 | 100.7 | 87.7 | **5,255.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,396.0** |
| H2O | 1961 | 54.2 | 49.1 | 54.2 | 43.2 | 39.4 | 35.6 | 38.2 | 39.4 | 38.2 | 39.6 | 38.2 | 39.4 | **4,155.9** |
| OIL | 1961 | 19.1 | 13.7 | 12.6 | 21.8 | 31.3 | 24.6 | 22.9 | 21.5 | 21.3 | 19.9 | 19.1 | 19.7 | **4,485.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 22.0 | 31.0 | 29.0 | 30.0 | **2,036.0** |
| H2O | 1960 | 49.3 | 46.1 | 47.9 | 28.6 | 35.6 | 34.3 | 38.2 | 39.4 | 28.0 | 39.4 | 40.7 | 52.5 | **3,647.2** |
| OIL | 1960 | 26.4 | 24.8 | 23.8 | 27.7 | 31.9 | 31.6 | 28.3 | 29.6 | 18.8 | 20.8 | 19.1 | 18.1 | **4,237.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **1,684.0** |
| H2O | 1959 | 49.3 | 44.5 | 49.3 | 48.0 | 48.5 | 46.1 | 49.3 | 49.3 | 46.1 | 47.2 | 48.2 | 49.3 | **3,167.2** |
| OIL | 1959 | 31.5 | 27.0 | 29.4 | 28.9 | 23.8 | 26.1 | 29.7 | 24.6 | 24.8 | 26.7 | 30.5 | 33.5 | **3,936.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 15.0 | 31.0 | 29.0 | 31.0 | **1,322.0** |
| H2O | 1958 | 73.9 | 43.6 | 48.6 | 47.7 | 47.7 | 47.7 | 49.3 | 48.6 | 11.9 | 35.3 | 42.4 | 50.1 | **2,592.1** |
| OIL | 1958 | 41.6 | 37.3 | 36.4 | 28.9 | 24.2 | 22.6 | 23.0 | 21.8 | 10.5 | 37.8 | 31.6 | 29.1 | **3,600.1** |
| DAY | 1957 | 29.0 | 28.0 | 29.0 | 28.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | **974.0** |
| H2O | 1957 | 31.5 | 36.9 | 46.1 | 44.5 | 48.5 | 42.9 | 92.5 | 115.7 | 105.4 | 101.3 | 76.5 | 89.0 | **2,045.3** |
| OIL | 1957 | 56.7 | 48.0 | 46.1 | 44.5 | 48.5 | 38.0 | 62.0 | 62.0 | 54.5 | 52.9 | 34.0 | 46.6 | **3,255.3** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **622.0** |
| H2O | 1956 | 72.7 | 95.7 | 110.5 | 74.4 | 91.3 | 72.5 | 81.1 | 63.8 | 48.2 | 48.3 | 34.8 | 23.7 | **1,214.5** |
| OIL | 1956 | 117.6 | 92.3 | 82.0 | 77.9 | 106.9 | 88.0 | 107.1 | 86.3 | 58.3 | 64.7 | 51.3 | 51.8 | **2,661.5** |
| DAY | 1955 | 0.0 | 16.0 | 12.0 | 4.0 | 16.0 | 28.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **258.0** |
| H2O | 1955 | 0.0 | 36.2 | 8.4 | 3.0 | 9.1 | 19.4 | 50.2 | 33.2 | 41.5 | 55.6 | 55.5 | 85.4 | **397.5** |
| OIL | 1955 | 0.0 | 158.1 | 63.9 | 28.6 | 91.2 | 164.0 | 251.2 | 221.7 | 189.3 | 181.5 | 185.6 | 142.2 | **1,677.3** |

Licence ***670*** Well Name ***Oilex Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-26-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 20.0 | 9.0 | 8.0 | 19.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 22.0 | 12.0 | 16.0 | **4,813.0** |
| H2O | 1975 | 0.8 | 0.3 | 0.3 | 1.0 | 1.1 | 1.0 | 0.5 | 0.8 | 0.6 | 1.9 | 1.9 | 3.2 | **359.0** |
| OIL | 1975 | 14.6 | 6.5 | 4.9 | 11.3 | 19.7 | 18.9 | 10.0 | 12.7 | 5.2 | 15.9 | 0.0 | 15.9 | **4,460.3** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 28.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,554.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 2.7 | 1.4 | 1.4 | 1.4 | 1.3 | 1.1 | 1.0 | 1.1 | **345.6** |

# Manitoba Production
## 1950 To 1975

Licence ***670*** Well Name ***Oilex Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-26-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 31.8 | 34.7 | 24.0 | 20.7 | 24.2 | 21.1 | 19.7 | 20.0 | 16.9 | **4,324.7** |
| DAY | 1973 | 26.0 | 28.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 30.0 | 30.0 | 30.0 | **4,289.0** |
| OIL | 1973 | 8.9 | 21.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.4 | 31.8 | 15.9 | 7.9 | **4,111.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 12.0 | **4,139.0** |
| OIL | 1972 | 15.9 | 11.6 | 15.9 | 19.6 | 23.8 | 15.9 | 19.9 | 15.9 | 19.9 | 15.9 | 11.9 | 7.3 | **4,000.7** |
| DAY | 1971 | 18.0 | 28.0 | 31.0 | 30.0 | 10.0 | 30.0 | 31.0 | 30.0 | 22.0 | 30.0 | 30.0 | 31.0 | **3,795.0** |
| OIL | 1971 | 7.9 | 11.9 | 14.3 | 15.9 | 6.5 | 15.9 | 23.8 | 20.4 | 15.9 | 16.7 | 15.9 | 15.9 | **3,807.2** |
| DAY | 1970 | 15.0 | 20.0 | 25.0 | 30.0 | 31.0 | 0.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,474.0** |
| OIL | 1970 | 11.9 | 12.7 | 17.6 | 14.1 | 15.6 | 0.0 | 23.8 | 21.3 | 23.8 | 19.9 | 13.2 | 15.9 | **3,626.2** |
| DAY | 1969 | 11.0 | 4.0 | 12.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,170.0** |
| OIL | 1969 | 6.5 | 6.4 | 14.1 | 23.8 | 21.8 | 22.9 | 20.0 | 18.9 | 18.4 | 18.6 | 13.4 | 22.1 | **3,436.4** |
| DAY | 1968 | 17.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | 15.0 | **2,868.0** |
| OIL | 1968 | 18.1 | 23.8 | 28.6 | 28.8 | 27.2 | 25.6 | 25.3 | 25.8 | 23.8 | 18.4 | 25.1 | 13.5 | **3,229.5** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 25.0 | 23.0 | 30.0 | 31.0 | **2,775.0** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.5 | 11.3 | 9.9 | 14.3 | 14.8 | **2,945.5** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 30.0 | 31.0 | 26.0 | 27.0 | 31.0 | 6.0 | 0.0 | **2,659.0** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 25.4 | 14.5 | 15.6 | 16.4 | 15.1 | 17.0 | 10.5 | 0.0 | **2,885.7** |
| DAY | 1965 | 10.0 | 10.0 | 6.0 | 21.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 29.0 | 26.0 | **2,482.0** |
| H2O | 1965 | 0.8 | 0.6 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **334.2** |
| OIL | 1965 | 5.4 | 4.6 | 3.5 | 13.4 | 17.6 | 16.2 | 16.4 | 16.2 | 14.5 | 14.5 | 11.0 | 14.6 | **2,771.2** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 0.0 | 26.0 | 29.0 | 30.0 | 30.0 | 31.0 | **2,200.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 0.0 | 3.2 | 1.6 | 2.5 | 3.2 | 3.8 | **332.5** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.1 | 0.0 | 22.9 | 21.1 | 19.6 | 19.7 | 15.9 | **2,623.3** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 31.0 | 31.0 | 30.0 | 31.0 | 11.0 | 0.0 | **2,047.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.6 | 7.0 | 9.2 | 9.2 | 9.4 | 3.2 | 0.0 | **316.9** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.4 | 31.6 | 23.1 | 19.4 | 10.8 | 2.9 | 0.0 | **2,519.0** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 30.0 | 30.0 | 31.0 | 4.0 | 0.0 | 0.0 | 0.0 | **1,895.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 2.9 | 4.8 | 3.3 | 4.9 | 0.6 | 0.0 | 0.0 | 0.0 | **274.3** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 21.6 | 21.0 | 18.6 | 18.6 | 2.4 | 0.0 | 0.0 | 0.0 | **2,404.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 23.0 | 27.0 | 27.0 | 30.0 | 31.0 | 25.0 | 5.0 | 0.0 | 0.0 | **1,774.0** |
| H2O | 1961 | 4.8 | 4.5 | 4.9 | 3.7 | 4.3 | 4.6 | 5.4 | 4.9 | 4.0 | 1.0 | 0.0 | 0.0 | **257.8** |
| OIL | 1961 | 29.7 | 26.7 | 29.6 | 21.9 | 22.9 | 27.5 | 28.6 | 20.2 | 11.0 | 2.1 | 0.3 | 0.0 | **2,322.6** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | 28.0 | 29.0 | **1,516.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.8 | 5.9 | 8.1 | 7.3 | 4.9 | 4.3 | 4.6 | **215.7** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 32.4 | 35.0 | 26.6 | 25.3 | 30.0 | 26.1 | 17.5 | 26.7 | **2,102.1** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 0.0 | 0.0 | **1,294.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 14.3 | 10.5 | 9.9 | 9.5 | 9.5 | 9.5 | 0.0 | 0.0 | **175.8** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 52.5 | 25.9 | 24.6 | 23.8 | 23.8 | 23.8 | 0.0 | 0.0 | **1,882.5** |
| DAY | 1958 | 17.0 | 27.0 | 23.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 15.0 | 0.0 | **1,114.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.4 | 11.6 | 13.7 | 12.6 | 5.9 | 0.0 | **112.6** |
| OIL | 1958 | 16.4 | 26.4 | 21.1 | 23.8 | 23.8 | 23.8 | 23.1 | 24.6 | 23.8 | 24.6 | 12.1 | 0.0 | **1,708.1** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 27.0 | 15.0 | 29.0 | 29.0 | **822.0** |
| H2O | 1957 | 2.7 | 1.9 | 3.5 | 0.0 | 0.0 | 0.0 | 1.6 | 3.3 | 2.9 | 2.5 | 0.0 | 1.0 | **62.4** |
| OIL | 1957 | 25.9 | 22.6 | 26.1 | 0.0 | 0.0 | 0.0 | 32.0 | 20.0 | 18.6 | 17.8 | 24.0 | 22.6 | **1,464.6** |
| DAY | 1956 | 21.0 | 28.0 | 29.0 | 21.0 | 28.0 | 30.0 | 31.0 | 22.0 | 22.0 | 29.0 | 30.0 | 28.0 | **571.0** |
| H2O | 1956 | 1.3 | 2.2 | 1.3 | 1.1 | 1.4 | 1.0 | 1.0 | 0.8 | 0.8 | 1.0 | 0.8 | 0.6 | **43.0** |
| OIL | 1956 | 48.1 | 44.4 | 40.9 | 25.5 | 46.8 | 28.1 | 30.8 | 24.6 | 20.4 | 24.2 | 24.6 | 25.8 | **1,255.0** |
| DAY | 1955 | 4.0 | 22.0 | 23.0 | 11.0 | 0.0 | 22.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 18.0 | **252.0** |
| H2O | 1955 | 0.7 | 4.2 | 3.8 | 3.3 | 0.0 | 2.5 | 5.7 | 4.5 | 1.6 | 1.6 | 1.0 | 0.8 | **29.7** |
| OIL | 1955 | 42.3 | 129.6 | 53.8 | 66.7 | 0.0 | 135.5 | 133.6 | 91.2 | 89.1 | 66.5 | 36.5 | 26.0 | **870.8** |

Licence ***672*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***672*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1185.5 | 1092.0 | 1211.9 | 1358.5 | 1100.8 | 627.3 | 1432.9 | 1257.2 | 1239.9 | 1333.2 | 1316.0 | 1317.0 | **148,143.4** |
| WIN | 1974 | 1072.6 | 1284.7 | 1560.7 | 1352.3 | 1219.2 | 1183.6 | 1362.1 | 1509.2 | 1363.6 | 1308.1 | 1369.5 | 1347.5 | **133,671.2** |
| WIN | 1973 | 1060.1 | 1150.2 | 1252.4 | 1128.3 | 1134.3 | 1032.3 | 1059.0 | 612.9 | 654.4 | 582.2 | 840.4 | 977.3 | **117,738.1** |
| WIN | 1972 | 1406.5 | 1420.5 | 1414.4 | 1330.7 | 1041.8 | 1204.4 | 1353.4 | 1269.3 | 1362.6 | 1184.7 | 956.3 | 1269.5 | **106,254.3** |
| WIN | 1971 | 1646.7 | 1442.6 | 1572.5 | 1477.1 | 1391.6 | 1435.4 | 1132.4 | 916.2 | 0.0 | 838.6 | 1247.8 | 1699.0 | **91,040.2** |
| WIN | 1970 | 1427.3 | 1245.0 | 945.8 | 1192.5 | 1375.8 | 1045.0 | 1090.9 | 1469.1 | 957.7 | 866.3 | 1607.1 | 1702.5 | **76,240.3** |
| WIN | 1969 | 1508.6 | 447.7 | 1039.6 | 940.4 | 1297.3 | 1140.2 | 1024.3 | 717.2 | 1097.0 | 1413.7 | 1239.7 | 1268.7 | **61,315.3** |
| WIN | 1968 | 756.4 | 248.0 | 1120.2 | 1381.2 | 1285.4 | 1277.7 | 725.1 | 981.4 | 949.1 | 1685.3 | 1543.7 | 1562.5 | **48,180.9** |
| WIN | 1967 | 1354.5 | 1018.3 | 1323.2 | 1319.2 | 1491.6 | 1005.5 | 1085.0 | 1704.1 | 1036.2 | 1105.5 | 1064.1 | 1121.3 | **34,664.9** |
| WIN | 1966 | 1831.0 | 1436.7 | 1544.6 | 1504.6 | 1469.5 | 1358.5 | 1374.4 | 1366.3 | 1293.6 | 1357.7 | 1116.8 | 1354.2 | **20,036.4** |
| DAY | 1965 | 31.0 | 24.0 | 29.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 11.0 | 0.0 | 0.0 | **3,842.0** |
| H2O | 1965 | 20.0 | 14.0 | 14.7 | 16.4 | 15.6 | 23.4 | 22.1 | 35.0 | 14.9 | 5.7 | 0.0 | 0.0 | **14,622.3** |
| OIL | 1965 | 32.0 | 22.0 | 26.6 | 27.9 | 28.1 | 17.8 | 24.3 | 22.6 | 18.4 | 6.7 | 0.0 | 0.0 | **7,366.7** |
| WIN | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 212.2 | 999.2 | 1817.1 | **3,028.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,567.0** |
| H2O | 1964 | 30.8 | 32.3 | 32.0 | 26.9 | 27.0 | 25.4 | 31.2 | 26.2 | 23.8 | 23.8 | 23.5 | 21.6 | **14,440.5** |
| OIL | 1964 | 37.3 | 34.2 | 37.0 | 31.9 | 36.4 | 38.6 | 43.9 | 39.4 | 37.8 | 35.6 | 33.7 | 33.7 | **7,140.3** |
| DAY | 1963 | 28.0 | 26.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,201.0** |
| H2O | 1963 | 59.8 | 53.6 | 52.1 | 49.8 | 49.3 | 46.9 | 42.3 | 52.8 | 42.8 | 42.4 | 41.2 | 32.3 | **14,116.0** |
| OIL | 1963 | 42.1 | 39.6 | 47.0 | 43.9 | 47.2 | 44.5 | 49.7 | 29.2 | 25.7 | 25.1 | 27.0 | 35.9 | **6,700.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,844.0** |
| H2O | 1962 | 80.6 | 70.7 | 77.3 | 72.7 | 80.4 | 75.4 | 80.8 | 96.0 | 40.5 | 46.9 | 52.9 | 54.1 | **13,550.7** |
| OIL | 1962 | 36.5 | 33.1 | 36.9 | 35.4 | 37.0 | 35.9 | 36.4 | 35.8 | 38.8 | 43.9 | 45.8 | 47.5 | **6,243.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,479.0** |
| H2O | 1961 | 97.5 | 86.0 | 99.4 | 85.1 | 94.1 | 98.6 | 83.1 | 70.7 | 81.6 | 76.9 | 75.8 | 80.8 | **12,722.4** |
| OIL | 1961 | 54.3 | 47.5 | 54.3 | 52.1 | 48.6 | 22.1 | 30.4 | 42.1 | 36.1 | 37.7 | 36.1 | 36.4 | **5,780.9** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 29.0 | **2,116.0** |
| H2O | 1960 | 246.6 | 195.2 | 158.7 | 163.0 | 186.2 | 239.3 | 195.9 | 130.5 | 118.0 | 101.4 | 102.5 | 97.0 | **11,692.8** |
| OIL | 1960 | 71.8 | 63.6 | 69.9 | 66.6 | 69.1 | 64.2 | 65.5 | 58.5 | 50.1 | 53.4 | 46.4 | 53.2 | **5,283.2** |
| DAY | 1959 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,757.0** |
| H2O | 1959 | 240.5 | 197.3 | 216.5 | 216.2 | 344.4 | 256.1 | 232.6 | 207.9 | 204.3 | 244.0 | 200.2 | 246.4 | **9,758.5** |
| OIL | 1959 | 120.6 | 97.1 | 106.3 | 97.6 | 100.7 | 99.8 | 100.3 | 82.6 | 73.9 | 75.5 | 72.0 | 72.3 | **4,550.9** |
| DAY | 1958 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 27.0 | 30.0 | 31.0 | 27.0 | 16.0 | **1,393.0** |
| H2O | 1958 | 226.9 | 202.1 | 212.7 | 208.3 | 204.1 | 222.9 | 194.1 | 210.6 | 230.7 | 159.6 | 151.5 | 123.2 | **6,952.1** |
| OIL | 1958 | 95.8 | 90.1 | 95.5 | 80.4 | 80.4 | 79.9 | 76.3 | 64.2 | 67.9 | 45.9 | 48.3 | 57.0 | **3,452.2** |
| DAY | 1957 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,056.0** |
| H2O | 1957 | 200.8 | 175.4 | 240.5 | 223.5 | 236.9 | 294.9 | 324.5 | 313.8 | 269.9 | 270.1 | 235.6 | 241.2 | **4,605.4** |
| OIL | 1957 | 102.8 | 86.4 | 113.6 | 103.9 | 126.7 | 107.9 | 118.5 | 119.0 | 110.1 | 111.1 | 88.4 | 95.8 | **2,570.5** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 26.0 | 30.0 | 31.0 | 28.0 | 31.0 | **700.0** |
| H2O | 1956 | 22.4 | 24.0 | 18.3 | 15.6 | 19.9 | 19.1 | 34.7 | 369.5 | 259.6 | 251.2 | 213.4 | 234.2 | **1,578.3** |
| OIL | 1956 | 18.1 | 16.2 | 18.4 | 19.4 | 21.5 | 19.4 | 20.3 | 130.8 | 149.2 | 127.9 | 114.4 | 106.3 | **1,286.3** |
| DAY | 1955 | 16.0 | 25.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **342.0** |
| H2O | 1955 | 1.0 | 2.4 | 3.0 | 3.0 | 2.5 | 2.4 | 2.7 | 3.2 | 11.4 | 21.1 | 20.0 | 23.7 | **96.4** |
| OIL | 1955 | 46.7 | 58.0 | 72.8 | 71.0 | 61.7 | 57.5 | 43.4 | 31.9 | 21.1 | 21.5 | 19.7 | 19.1 | **524.4** |

Licence ***674*** Well Name ***Kool Daly (Dual)*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-01-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 15.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 20.0 | 0.0 | 0.0 | **3,284.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 714.9 | 1477.6 | 1429.9 | 1477.6 | 1477.6 | 1429.9 | 952.9 | 0.0 | 0.0 | **110,068.2** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 26.2 | 40.5 | 35.1 | 33.2 | 26.9 | 33.4 | 19.8 | 0.0 | 0.0 | **7,889.7** |

# Manitoba Production
## 1950 To 1975

Licence ***674*** Well Name ***Kool Daly (Dual)*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-01-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 16.0 | 5.0 | 0.0 | 26.0 | 31.0 | 20.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 0.0 | **3,096.0** |
| H2O | 1966 | 755.7 | 158.8 | 0.0 | 1070.6 | 1195.9 | 800.5 | 1625.8 | 1555.2 | 1484.0 | 1502.1 | 1311.7 | 0.0 | **101,107.8** |
| OIL | 1966 | 18.9 | 4.9 | 0.0 | 25.1 | 36.7 | 23.8 | 45.9 | 42.0 | 35.9 | 38.1 | 26.2 | 0.0 | **7,674.6** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 29.0 | **2,848.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 793.5 | 1068.9 | 884.5 | 1026.9 | 1340.0 | 1401.2 | 1199.3 | 1360.5 | **89,647.5** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 44.5 | 51.6 | 54.5 | 44.8 | 42.0 | 40.0 | 30.0 | 32.9 | **7,377.1** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 0.0 | 31.0 | 31.0 | 30.0 | 31.0 | 20.0 | 0.0 | **2,617.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 529.4 | 790.8 | 0.0 | 366.5 | 1131.1 | 1054.4 | 718.6 | 704.6 | 0.0 | **80,572.7** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 24.2 | 42.9 | 0.0 | 24.2 | 46.4 | 47.8 | 31.8 | 36.1 | 0.0 | **7,036.8** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 24.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 11.0 | **2,413.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 1110.9 | 922.0 | 679.5 | 966.8 | 1146.5 | 1078.9 | 1144.6 | 1059.2 | 336.4 | **75,277.3** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 68.8 | 55.3 | 34.3 | 48.1 | 55.6 | 50.5 | 55.1 | 51.3 | 11.4 | **6,783.4** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 1.0 | **2,164.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 975.7 | 1192.4 | 1189.7 | 1146.3 | 1200.1 | 1105.8 | 1092.4 | 1150.0 | 38.3 | **66,832.5** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 62.6 | 65.5 | 62.9 | 56.7 | 56.9 | 51.0 | 50.4 | 78.0 | 1.4 | **6,353.0** |
| DAY | 1961 | 0.0 | 0.0 | 3.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 15.0 | **1,919.0** |
| H2O | 1961 | 0.0 | 0.0 | 116.5 | 1157.8 | 1078.1 | 1236.9 | 1146.8 | 1231.1 | 1181.8 | 1210.4 | 1251.9 | 574.4 | **57,741.8** |
| OIL | 1961 | 0.0 | 0.0 | 8.4 | 72.5 | 62.9 | 72.3 | 63.4 | 70.4 | 59.3 | 63.7 | 62.0 | 28.4 | **5,867.6** |
| DAY | 1960 | 2.0 | 0.0 | 0.0 | 28.0 | 31.0 | 25.0 | 20.0 | 31.0 | 30.0 | 31.0 | 26.0 | 0.0 | **1,658.0** |
| H2O | 1960 | 63.3 | 0.0 | 0.0 | 867.0 | 1498.2 | 1022.8 | 826.3 | 1174.5 | 1304.5 | 1406.7 | 1081.4 | 0.0 | **47,556.1** |
| OIL | 1960 | 4.4 | 0.0 | 0.0 | 67.1 | 80.6 | 62.6 | 47.8 | 69.4 | 73.9 | 81.0 | 51.5 | 0.0 | **5,304.3** |
| DAY | 1959 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,434.0** |
| H2O | 1959 | 989.2 | 842.0 | 943.0 | 1165.6 | 1285.0 | 1264.3 | 1314.5 | 1577.7 | 1205.3 | 990.3 | 1374.6 | 1362.4 | **38,311.4** |
| OIL | 1959 | 55.3 | 44.7 | 67.9 | 92.8 | 95.2 | 91.5 | 86.1 | 77.1 | 81.7 | 50.7 | 71.7 | 85.3 | **4,766.0** |
| DAY | 1958 | 31.0 | 28.0 | 29.0 | 3.0 | 31.0 | 26.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,070.0** |
| H2O | 1958 | 907.2 | 888.8 | 803.7 | 33.4 | 755.8 | 664.7 | 993.1 | 1106.7 | 1192.4 | 1000.0 | 976.7 | 970.3 | **23,997.5** |
| OIL | 1958 | 108.4 | 102.3 | 93.0 | 9.7 | 81.7 | 87.4 | 89.3 | 98.0 | 102.0 | 84.9 | 80.4 | 74.7 | **3,866.0** |
| DAY | 1957 | 30.0 | 28.0 | 24.0 | 18.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **739.0** |
| H2O | 1957 | 704.0 | 840.4 | 640.4 | 281.4 | 859.3 | 683.3 | 793.4 | 737.4 | 815.5 | 560.6 | 971.9 | 674.4 | **13,704.7** |
| OIL | 1957 | 133.5 | 127.8 | 96.0 | 63.2 | 106.2 | 106.9 | 115.4 | 108.7 | 93.6 | 92.3 | 89.1 | 106.6 | **2,854.2** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **396.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 9.5 | 380.3 | 433.9 | 783.5 | 834.2 | 860.9 | 776.0 | 860.0 | **5,142.7** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 148.7 | 124.9 | 141.1 | 159.5 | 143.2 | 144.8 | 139.5 | 123.2 | **1,614.9** |
| DAY | 1955 | 27.0 | 28.0 | 6.0 | 0.0 | 0.0 | 30.0 | 11.0 | 24.0 | 30.0 | 0.0 | 0.0 | 0.0 | **156.0** |
| H2O | 1955 | 38.8 | 84.7 | 18.3 | 0.0 | 0.0 | 0.6 | 0.2 | 58.8 | 3.0 | 0.0 | 0.0 | 0.0 | **204.4** |
| OIL | 1955 | 107.7 | 136.5 | 33.8 | 0.0 | 0.0 | 28.0 | 7.3 | 168.0 | 8.7 | 0.0 | 0.0 | 0.0 | **490.0** |

UWI ***100.14-01-009-28W1.02*** Field Name ***Daly*** Pool Name ***Melita Formation*** Field Code ***1*** Pool Code ***19*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 717.0 | 1478.5 | 1430.8 | 1478.5 | 1478.5 | 1430.8 | 953.8 | 0.0 | 0.0 | **91,830.3** |
| WIN | 1966 | 755.7 | 158.8 | 0.0 | 1070.5 | 1195.8 | 800.4 | 1625.7 | 1555.1 | 1483.9 | 1502.0 | 1311.6 | 0.0 | **82,862.4** |
| WIN | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 793.5 | 1068.8 | 884.4 | 1026.8 | 1339.9 | 1401.1 | 1368.8 | 1408.7 | **71,402.9** |
| WIN | 1964 | 0.0 | 0.0 | 0.0 | 529.4 | 790.8 | 0.0 | 366.5 | 1131.0 | 1054.3 | 718.6 | 704.6 | 0.0 | **62,110.9** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 1110.8 | 921.9 | 679.5 | 966.7 | 1146.4 | 1078.8 | 1144.5 | 1059.1 | 336.4 | **56,815.7** |
| WIN | 1962 | 0.0 | 0.0 | 0.0 | 975.6 | 1192.3 | 1189.6 | 1146.2 | 1200.0 | 1105.7 | 1092.3 | 1149.9 | 38.3 | **48,371.6** |
| WIN | 1961 | 0.0 | 0.0 | 116.5 | 1157.7 | 1078.0 | 1236.8 | 1146.7 | 1231.0 | 1181.7 | 1210.3 | 1251.8 | 574.4 | **39,281.7** |
| WIN | 1960 | 63.3 | 0.0 | 0.0 | 866.9 | 1498.1 | 1022.7 | 826.2 | 1174.4 | 1304.4 | 1406.6 | 1081.3 | 0.0 | **29,096.8** |
| WIN | 1959 | 975.8 | 638.8 | 942.9 | 1186.1 | 1284.9 | 1264.2 | 1314.4 | 1404.9 | 1205.2 | 990.2 | 1198.0 | 1939.9 | **19,852.9** |
| WIN | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 654.9 | 1106.6 | 868.3 | 999.9 | 907.7 | 970.2 | **5,507.6** |

Licence ***676*** Well Name ***Dome Scallion SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-26-011-26W1.00*** Field Name ***Virden*** Pool Name ***Ashville*** Field Code ***5*** Pool Code ***11*** Unit ***0***

# Manitoba Production
## 1950 To 1975

Licence ***676*** Well Name ***Dome Scallion SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-26-011-26W1.00*** Field Name ***Virden*** Pool Name ***Ashville*** Field Code ***5*** Pool Code ***11*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1962 | 652.6 | 603.2 | 675.1 | 647.4 | 623.6 | 598.1 | 618.8 | 1217.4 | 845.9 | 0.0 | 0.0 | 0.0 | **34,407.4** |
| WIN | 1961 | 665.9 | 690.7 | 789.1 | 778.9 | 686.4 | 706.7 | 742.3 | 744.1 | 729.1 | 736.3 | 658.1 | 673.3 | **27,925.3** |
| WIN | 1960 | 851.1 | 869.1 | 774.8 | 565.4 | 983.4 | 885.5 | 878.8 | 1115.2 | 846.7 | 781.6 | 666.8 | 686.8 | **19,324.4** |
| WIN | 1959 | 15.9 | 0.0 | 0.0 | 294.1 | 365.7 | 667.8 | 961.8 | 1693.1 | 1417.0 | 747.3 | 946.0 | 857.0 | **9,419.2** |
| WIN | 1958 | 0.0 | 54.5 | 0.0 | 0.0 | 190.8 | 159.0 | 325.9 | 318.0 | 182.8 | 135.1 | 55.6 | 31.8 | **1,453.5** |

Licence ***677*** Well Name ***B.A. Union Lyons Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-12-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 27.0 | 26.0 | 8.0 | 28.0 | 17.0 | 0.0 | 0.0 | **142.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 2.9 | 0.5 | 9.7 | 11.4 | 7.5 | 0.0 | 0.0 | **51.4** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 3.3 | 33.4 | 21.6 | 8.1 | 19.0 | 10.0 | 0.0 | 0.0 | **283.0** |
| DAY | 1955 | 10.0 | 4.0 | 0.0 | 0.0 | 0.0 | 8.0 | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | **32.0** |
| H2O | 1955 | 9.2 | 1.4 | 0.0 | 0.0 | 0.0 | 4.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **19.2** |
| OIL | 1955 | 72.1 | 5.9 | 0.0 | 0.0 | 0.0 | 25.1 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | **187.6** |
| DAY | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | **8.0** |
| H2O | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.1 | **4.1** |
| OIL | 1954 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 83.7 | **83.7** |

Licence ***678*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 30.0 | 29.0 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 29.0 | 16.0 | 0.0 | **619.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 3.3 | 3.2 | 0.0 | 0.0 | 0.5 | 4.3 | 2.7 | 0.0 | **94.5** |
| OIL | 1956 | 18.8 | 21.5 | 18.3 | 12.6 | 20.8 | 20.7 | 11.3 | 2.2 | 5.1 | 7.6 | 2.4 | 0.0 | **702.3** |
| DAY | 1955 | 0.0 | 8.0 | 31.0 | 29.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **309.0** |
| H2O | 1955 | 0.0 | 11.8 | 23.1 | 7.6 | 4.0 | 0.0 | 6.2 | 5.6 | 10.7 | 8.6 | 2.9 | 0.0 | **80.5** |
| OIL | 1955 | 0.0 | 98.2 | 173.8 | 39.7 | 34.6 | 34.3 | 23.0 | 37.2 | 37.8 | 39.3 | 23.2 | 19.9 | **561.0** |

UWI ***100.08-23-010-26W1.02*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,874.0** |
| H2O | 1975 | 555.6 | 493.3 | 487.0 | 438.0 | 704.4 | 650.1 | 546.3 | 952.3 | 736.9 | 758.7 | 723.0 | 773.3 | **55,374.2** |
| OIL | 1975 | 63.6 | 56.7 | 69.1 | 59.0 | 78.5 | 76.1 | 53.4 | 87.1 | 57.2 | 53.9 | 51.5 | 52.3 | **8,452.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 27.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,511.0** |
| H2O | 1974 | 458.0 | 583.6 | 558.0 | 548.2 | 510.0 | 747.4 | 950.7 | 808.4 | 835.1 | 863.6 | 853.9 | 885.8 | **47,555.3** |
| OIL | 1974 | 70.7 | 47.5 | 68.8 | 65.2 | 61.3 | 64.4 | 76.1 | 70.6 | 77.1 | 78.8 | 76.6 | 77.9 | **7,694.4** |
| DAY | 1973 | 30.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 27.0 | 31.0 | **3,153.0** |
| H2O | 1973 | 345.0 | 325.6 | 370.7 | 425.4 | 333.1 | 298.6 | 302.7 | 278.4 | 375.0 | 449.6 | 429.4 | 488.7 | **38,952.6** |
| OIL | 1973 | 79.3 | 70.9 | 77.1 | 72.1 | 69.3 | 73.9 | 74.4 | 89.1 | 96.6 | 64.2 | 65.6 | 72.9 | **6,859.4** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 25.0 | 30.0 | 27.0 | 31.0 | **2,798.0** |
| H2O | 1972 | 478.2 | 380.0 | 435.9 | 446.9 | 356.8 | 325.9 | 335.3 | 336.1 | 265.5 | 323.0 | 303.5 | 350.6 | **34,530.4** |
| OIL | 1972 | 61.5 | 67.9 | 117.9 | 110.1 | 81.0 | 70.7 | 77.2 | 112.3 | 89.9 | 103.5 | 111.6 | 95.2 | **5,954.0** |
| DAY | 1971 | 31.0 | 28.0 | 25.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 24.0 | 31.0 | **2,442.0** |
| H2O | 1971 | 101.7 | 52.8 | 40.7 | 763.6 | 816.4 | 222.7 | 583.6 | 635.0 | 371.1 | 403.5 | 316.5 | 553.6 | **30,192.7** |
| OIL | 1971 | 28.9 | 21.8 | 18.4 | 140.2 | 139.4 | 120.8 | 127.9 | 131.9 | 89.9 | 106.8 | 85.0 | 75.2 | **4,855.2** |
| DAY | 1970 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,091.0** |
| H2O | 1970 | 161.5 | 143.6 | 171.2 | 182.7 | 180.4 | 174.9 | 104.0 | 107.3 | 98.6 | 96.2 | 95.2 | 95.9 | **25,331.5** |
| OIL | 1970 | 44.8 | 39.9 | 50.9 | 50.4 | 51.6 | 49.6 | 28.6 | 28.3 | 27.0 | 28.1 | 26.4 | 28.1 | **3,769.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,727.0** |
| H2O | 1969 | 115.1 | 105.7 | 111.6 | 89.5 | 373.9 | 363.4 | 205.4 | 195.5 | 197.6 | 199.8 | 198.9 | 149.9 | **23,720.0** |

# Manitoba Production
## 1950 To 1975

Licence ***678*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-23-010-26W1.02*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1969 | 50.5 | 46.2 | 51.6 | 39.1 | 78.3 | 86.0 | 73.4 | 72.8 | 66.6 | 69.1 | 68.8 | 43.1 | **3,315.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | **1,367.0** |
| H2O | 1968 | 547.2 | 531.6 | 580.4 | 531.8 | 297.0 | 179.3 | 173.8 | 137.8 | 94.8 | 111.3 | 113.2 | 114.6 | **21,413.7** |
| OIL | 1968 | 96.6 | 94.6 | 97.1 | 86.4 | 75.3 | 63.9 | 54.7 | 45.9 | 43.4 | 49.4 | 48.0 | 50.9 | **2,569.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 22.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,004.0** |
| H2O | 1967 | 550.4 | 556.4 | 653.2 | 652.3 | 445.1 | 631.8 | 664.7 | 593.5 | 605.4 | 618.4 | 605.4 | 561.7 | **18,000.9** |
| OIL | 1967 | 40.7 | 37.0 | 41.5 | 38.8 | 28.4 | 43.5 | 47.8 | 47.0 | 69.6 | 72.1 | 73.3 | 95.8 | **1,763.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **648.0** |
| H2O | 1966 | 617.0 | 556.9 | 623.2 | 602.5 | 637.5 | 586.5 | 625.6 | 627.2 | 541.3 | 598.6 | 596.2 | 513.5 | **10,862.6** |
| OIL | 1966 | 51.8 | 50.5 | 59.8 | 38.9 | 43.7 | 46.1 | 41.5 | 52.1 | 30.5 | 48.0 | 50.1 | 38.3 | **1,128.1** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 25.0 | 26.0 | 26.0 | 26.0 | 30.0 | 31.0 | **286.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 655.3 | 590.5 | 24.8 | 623.5 | 561.4 | 630.5 | 566.4 | **3,736.6** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 66.1 | 59.4 | 35.9 | 55.1 | 44.0 | 55.6 | 51.8 | **576.8** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 0.0 | 0.0 | **94.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.2 | 0.0 | 0.0 | **84.2** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 44.7 | 0.0 | 0.0 | **208.9** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 7.0 | 0.0 | 3.0 | 0.0 | 9.0 | 12.0 | 0.0 | 0.0 | 0.0 | **79.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 5.1 | 0.0 | 0.0 | 9.9 | 8.3 | 0.0 | 0.0 | 0.0 | 0.0 | **77.0** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 22.7 | 0.0 | 5.7 | 29.6 | 17.2 | 7.6 | 0.0 | 0.0 | 0.0 | **164.2** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 7.0 | 9.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **48.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 14.0 | 4.5 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **53.7** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 14.0 | 11.3 | 7.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **81.4** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 25.0 | 0.0 | 0.0 | **30.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 32.0 | 0.0 | 0.0 | **32.0** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 28.6 | 0.0 | 0.0 | **48.6** |

Licence ***679*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-16-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1200.0 | 587.6 | 787.9 | 361.5 | 2613.6 | 2557.4 | 2551.3 | 792.7 | 362.0 | 1909.8 | 1995.5 | 5425.5 | **402,914.3** |
| WIN | 1974 | 3183.6 | 1519.7 | 916.4 | 891.9 | 2703.5 | 2135.1 | 1980.1 | 1407.4 | 3330.5 | 1504.0 | 1140.7 | 2159.4 | **381,769.5** |
| WIN | 1973 | 10461.5 | 9825.0 | 8580.6 | 8473.3 | 10689.2 | 9590.3 | 7380.8 | 9283.8 | 10179.3 | 9849.3 | 4126.5 | 1667.1 | **358,897.2** |
| WIN | 1972 | 5701.0 | 5645.5 | 7502.3 | 8055.2 | 9919.7 | 5764.3 | 9197.0 | 9998.7 | 7028.7 | 8983.5 | 7453.0 | 8896.2 | **258,790.5** |
| WIN | 1971 | 5621.9 | 6069.9 | 5834.2 | 6715.8 | 6175.9 | 5166.8 | 10953.1 | 8276.7 | 7264.0 | 9513.2 | 5634.4 | 5066.1 | **164,645.4** |
| WIN | 1970 | 6745.0 | 6747.0 | 7194.6 | 5375.6 | 4420.3 | 5674.8 | 5455.4 | 5817.4 | 7023.9 | 6238.7 | 5677.0 | 9825.1 | **82,353.4** |
| WIN | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6158.6 | **6,158.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 0.0 | **4,827.0** |
| H2O | 1968 | 1002.3 | 910.9 | 1008.5 | 1038.7 | 1027.2 | 995.5 | 1076.6 | 983.1 | 983.3 | 990.1 | 903.3 | 0.0 | **77,575.4** |
| OIL | 1968 | 61.1 | 53.7 | 59.8 | 59.6 | 56.4 | 58.8 | 61.8 | 61.7 | 59.4 | 59.3 | 56.1 | 0.0 | **28,535.5** |
| DAY | 1967 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 20.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | **4,495.0** |
| H2O | 1967 | 975.8 | 836.1 | 1012.4 | 970.9 | 972.6 | 1043.8 | 492.5 | 1092.8 | 861.8 | 1043.7 | 936.2 | 1040.8 | **66,655.9** |
| OIL | 1967 | 42.4 | 39.1 | 44.2 | 43.9 | 45.3 | 54.7 | 34.0 | 57.8 | 50.2 | 59.4 | 59.1 | 61.0 | **27,887.8** |
| DAY | 1966 | 14.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,149.0** |
| H2O | 1966 | 302.9 | 543.7 | 691.2 | 701.1 | 1092.8 | 939.4 | 954.7 | 940.4 | 1012.5 | 1001.9 | 977.3 | 1077.7 | **55,376.5** |
| OIL | 1966 | 16.4 | 32.4 | 35.9 | 34.8 | 46.1 | 43.2 | 50.2 | 49.6 | 48.5 | 43.1 | 41.5 | 44.7 | **27,296.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 25.0 | 28.0 | **3,804.0** |
| H2O | 1965 | 925.4 | 813.8 | 938.1 | 820.0 | 834.6 | 794.4 | 799.8 | 814.6 | 791.4 | 807.6 | 588.7 | 627.2 | **45,140.9** |
| OIL | 1965 | 107.7 | 97.1 | 106.0 | 102.2 | 103.1 | 103.0 | 107.6 | 48.5 | 35.6 | 45.3 | 32.9 | 32.9 | **26,810.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 29.0 | 20.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **3,447.0** |
| H2O | 1964 | 884.7 | 793.2 | 887.6 | 827.8 | 844.3 | 846.6 | 557.2 | 876.5 | 728.8 | 840.7 | 870.6 | 921.6 | **35,585.3** |
| OIL | 1964 | 101.2 | 95.2 | 103.5 | 95.8 | 95.2 | 95.2 | 65.8 | 103.1 | 86.3 | 101.4 | 99.5 | 106.8 | **25,888.4** |

# Manitoba Production
## 1950 To 1975

Licence ***679*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-16-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 31.0 | 28.0 | 7.0 | 0.0 | 0.0 | 0.0 | 9.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | **3,099.0** |
| H2O | 1963 | 815.9 | 795.9 | 152.9 | 0.0 | 0.0 | 0.0 | 239.1 | 763.7 | 773.4 | 790.3 | 831.8 | 829.4 | **25,705.7** |
| OIL | 1963 | 93.3 | 87.9 | 19.5 | 0.0 | 0.0 | 0.0 | 29.4 | 91.4 | 92.5 | 94.6 | 92.3 | 92.2 | **24,739.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | **2,874.0** |
| H2O | 1962 | 756.7 | 585.0 | 551.3 | 749.0 | 603.3 | 779.3 | 822.6 | 757.4 | 869.1 | 864.4 | 832.6 | 829.9 | **19,713.3** |
| OIL | 1962 | 137.3 | 104.7 | 88.7 | 113.8 | 81.7 | 100.7 | 105.8 | 89.1 | 91.7 | 103.3 | 94.7 | 95.3 | **24,046.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,512.0** |
| H2O | 1961 | 409.7 | 408.1 | 421.6 | 380.4 | 247.2 | 389.8 | 325.3 | 488.2 | 549.0 | 300.8 | 520.0 | 886.8 | **10,712.7** |
| OIL | 1961 | 334.0 | 308.3 | 295.3 | 224.1 | 132.5 | 146.8 | 145.2 | 164.3 | 142.5 | 54.0 | 141.0 | 177.3 | **22,839.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,147.0** |
| H2O | 1960 | 36.9 | 36.9 | 113.2 | 28.0 | 104.6 | 79.0 | 206.7 | 376.1 | 327.0 | 467.4 | 430.5 | 378.5 | **5,385.8** |
| OIL | 1960 | 277.9 | 280.6 | 262.0 | 284.6 | 288.7 | 311.5 | 297.6 | 287.9 | 251.9 | 263.6 | 265.1 | 284.3 | **20,574.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,781.0** |
| H2O | 1959 | 43.4 | 274.6 | 43.6 | 82.5 | 115.6 | 359.6 | 237.5 | 92.4 | 50.9 | 93.8 | 49.4 | 41.7 | **2,801.0** |
| OIL | 1959 | 312.6 | 255.5 | 286.0 | 264.7 | 261.4 | 297.8 | 333.7 | 337.8 | 328.9 | 294.0 | 319.9 | 319.3 | **17,218.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,419.0** |
| H2O | 1958 | 7.2 | 16.9 | 48.5 | 47.7 | 30.8 | 25.1 | 124.2 | 189.3 | 119.4 | 34.2 | 113.8 | 84.9 | **1,316.0** |
| OIL | 1958 | 312.1 | 265.4 | 292.6 | 268.7 | 337.4 | 295.9 | 325.6 | 343.9 | 327.2 | 367.9 | 431.8 | 344.8 | **13,606.9** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,054.0** |
| H2O | 1957 | 10.0 | 12.2 | 22.7 | 11.9 | 22.7 | 21.6 | 32.4 | 16.1 | 19.4 | 27.8 | 17.0 | 27.2 | **474.0** |
| OIL | 1957 | 344.5 | 307.6 | 332.4 | 320.5 | 333.1 | 315.6 | 298.1 | 323.1 | 240.6 | 337.7 | 316.7 | 318.0 | **9,693.6** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **689.0** |
| H2O | 1956 | 1.7 | 2.7 | 8.9 | 19.1 | 6.5 | 8.4 | 13.2 | 49.4 | 12.2 | 55.0 | 11.6 | 26.5 | **233.0** |
| OIL | 1956 | 223.6 | 215.3 | 262.7 | 300.2 | 323.4 | 302.9 | 315.6 | 294.1 | 293.2 | 340.9 | 297.2 | 327.2 | **5,905.7** |
| DAY | 1955 | 18.0 | 28.0 | 29.0 | 4.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **324.0** |
| H2O | 1955 | 0.3 | 0.5 | 1.1 | 0.2 | 0.3 | 2.1 | 2.7 | 0.6 | 1.3 | 5.4 | 1.6 | 1.7 | **17.8** |
| OIL | 1955 | 146.7 | 222.5 | 226.4 | 25.6 | 41.3 | 197.2 | 271.7 | 309.7 | 254.3 | 268.1 | 219.8 | 226.1 | **2,409.4** |

Licence ***680*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-16-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 31.0 | 23.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 0.0 | 0.0 | **4,435.0** |
| H2O | 1968 | 998.7 | 685.8 | 1005.1 | 1034.6 | 987.7 | 991.6 | 1071.8 | 969.8 | 954.7 | 869.7 | 0.0 | 0.0 | **65,061.6** |
| OIL | 1968 | 41.5 | 27.5 | 40.7 | 40.5 | 37.0 | 39.9 | 43.5 | 43.1 | 40.7 | 36.9 | 0.0 | 0.0 | **18,620.6** |
| DAY | 1967 | 31.0 | 26.0 | 31.0 | 29.0 | 31.0 | 30.0 | 20.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | **4,142.0** |
| H2O | 1967 | 1141.3 | 873.1 | 1134.8 | 991.9 | 1058.2 | 1067.7 | 498.2 | 1087.9 | 865.3 | 1038.9 | 932.1 | 1036.1 | **55,492.1** |
| OIL | 1967 | 38.6 | 31.6 | 38.6 | 35.0 | 38.3 | 42.3 | 26.1 | 39.4 | 34.5 | 40.4 | 40.2 | 41.5 | **18,229.3** |
| DAY | 1966 | 13.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 23.0 | **3,796.0** |
| H2O | 1966 | 208.9 | 399.0 | 507.5 | 510.0 | 486.5 | 458.0 | 461.0 | 453.9 | 488.4 | 471.1 | 1043.2 | 862.1 | **43,766.6** |
| OIL | 1966 | 6.4 | 13.2 | 14.6 | 14.0 | 14.1 | 14.5 | 15.9 | 15.9 | 15.4 | 14.9 | 34.3 | 27.7 | **17,782.8** |
| DAY | 1965 | 31.0 | 26.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 26.0 | **3,458.0** |
| H2O | 1965 | 498.6 | 407.5 | 502.9 | 427.2 | 449.8 | 413.2 | 429.7 | 495.1 | 511.6 | 496.3 | 533.5 | 437.8 | **37,417.0** |
| OIL | 1965 | 30.5 | 25.7 | 30.0 | 28.1 | 29.2 | 28.1 | 30.5 | 25.4 | 27.5 | 23.8 | 11.3 | 12.7 | **17,581.9** |
| DAY | 1964 | 31.0 | 28.0 | 0.0 | 0.0 | 0.0 | 9.0 | 23.0 | 29.0 | 26.0 | 31.0 | 30.0 | 31.0 | **3,103.0** |
| H2O | 1964 | 635.6 | 521.1 | 0.0 | 0.0 | 0.0 | 141.5 | 342.6 | 441.6 | 392.7 | 452.9 | 456.1 | 496.5 | **31,813.8** |
| OIL | 1964 | 62.1 | 53.4 | 0.0 | 0.0 | 0.0 | 8.4 | 21.3 | 27.3 | 24.6 | 28.9 | 27.5 | 30.2 | **17,279.1** |
| DAY | 1963 | 25.0 | 22.0 | 12.0 | 0.0 | 0.0 | 0.0 | 9.0 | 30.0 | 30.0 | 30.0 | 29.0 | 30.0 | **2,865.0** |
| H2O | 1963 | 468.2 | 440.9 | 174.9 | 0.0 | 0.0 | 0.0 | 171.9 | 548.6 | 559.6 | 567.9 | 577.1 | 600.8 | **27,933.2** |
| OIL | 1963 | 45.8 | 41.6 | 19.1 | 0.0 | 0.0 | 0.0 | 18.3 | 55.9 | 57.2 | 58.0 | 54.7 | 56.9 | **16,995.4** |
| DAY | 1962 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 31.0 | 29.0 | 30.0 | **2,648.0** |
| H2O | 1962 | 537.4 | 478.5 | 501.4 | 537.4 | 701.6 | 521.3 | 589.5 | 528.8 | 624.5 | 621.0 | 598.2 | 594.4 | **23,823.3** |

# Manitoba Production
## 1950 To 1975

Licence ***680*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-16-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 80.2 | 71.4 | 66.6 | 70.1 | 81.5 | 57.8 | 65.2 | 53.1 | 56.3 | 63.4 | 58.2 | 58.3 | **16,587.9** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 5.0 | 0.0 | 25.0 | 29.0 | 31.0 | 30.0 | 0.0 | 9.0 | 31.0 | **2,291.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 46.1 | 0.0 | 258.8 | 452.6 | 366.1 | 157.4 | 0.0 | 98.4 | 449.3 | **16,989.3** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 22.4 | 0.0 | 125.9 | 131.6 | 147.9 | 34.5 | 0.0 | 22.2 | 83.1 | **15,805.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 21.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 15.0 | **2,131.0** |
| H2O | 1960 | 553.7 | 565.2 | 581.5 | 405.1 | 368.0 | 609.7 | 445.0 | 307.6 | 275.5 | 482.7 | 436.6 | 176.5 | **15,160.6** |
| OIL | 1960 | 230.9 | 235.5 | 219.1 | 227.7 | 159.1 | 171.8 | 174.0 | 168.1 | 151.6 | 159.1 | 157.0 | 80.4 | **15,238.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | **1,791.0** |
| H2O | 1959 | 565.8 | 362.0 | 684.2 | 647.5 | 462.5 | 332.3 | 549.3 | 118.6 | 648.5 | 129.3 | 680.8 | 627.5 | **9,953.5** |
| OIL | 1959 | 303.2 | 251.4 | 281.0 | 260.3 | 196.1 | 151.3 | 215.2 | 217.2 | 227.2 | 203.2 | 222.3 | 266.0 | **13,103.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **1,430.0** |
| H2O | 1958 | 93.8 | 89.2 | 60.6 | 47.7 | 126.9 | 134.3 | 94.3 | 67.1 | 37.5 | 829.1 | 459.5 | 764.5 | **4,145.2** |
| OIL | 1958 | 204.8 | 176.9 | 195.0 | 179.1 | 216.9 | 226.3 | 246.8 | 182.4 | 161.1 | 180.5 | 129.0 | 344.8 | **10,309.5** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,067.0** |
| H2O | 1957 | 32.6 | 36.2 | 52.3 | 125.1 | 50.2 | 36.7 | 37.4 | 49.0 | 10.8 | 66.9 | 128.0 | 76.2 | **1,340.7** |
| OIL | 1957 | 189.7 | 151.6 | 204.7 | 254.6 | 184.8 | 167.2 | 172.7 | 118.9 | 34.3 | 183.9 | 272.8 | 201.2 | **7,865.9** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **702.0** |
| H2O | 1956 | 34.3 | 30.8 | 58.7 | 82.4 | 16.1 | 61.7 | 83.0 | 49.4 | 52.3 | 27.0 | 35.5 | 48.0 | **639.3** |
| OIL | 1956 | 223.7 | 224.9 | 262.7 | 300.0 | 322.6 | 330.7 | 316.5 | 293.5 | 289.7 | 224.1 | 211.5 | 196.3 | **5,729.5** |
| DAY | 1955 | 29.0 | 28.0 | 31.0 | 4.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **337.0** |
| H2O | 1955 | 7.9 | 6.7 | 11.9 | 1.3 | 2.1 | 4.1 | 2.7 | 1.6 | 3.8 | 10.7 | 3.5 | 3.8 | **60.1** |
| OIL | 1955 | 228.0 | 222.5 | 239.8 | 25.6 | 41.3 | 203.9 | 271.7 | 309.7 | 256.8 | 267.0 | 253.6 | 213.4 | **2,533.3** |

Licence ***681*** Well Name ***Tundra South Regent*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-07-004-21W1.00*** Field Name ***Regent*** Pool Name ***Lodgepole Virden A*** Field Code ***13*** Pool Code ***53A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 30.0 | 30.0 | 30.0 | 11.0 | 0.0 | **2,323.0** |
| H2O | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 167.9 | 348.2 | 391.1 | 355.5 | 132.9 | 0.0 | **27,637.1** |
| OIL | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.1 | 44.5 | 56.3 | 31.6 | 9.2 | 0.0 | **8,189.1** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 14.0 | **2,207.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 522.4 | 493.2 | 556.3 | 535.6 | 530.4 | 267.9 | **26,241.5** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 70.1 | 83.0 | 20.7 | 42.8 | 38.2 | 19.4 | **8,021.4** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 0.0 | 0.0 | 0.0 | **2,070.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 453.1 | 458.5 | 473.8 | 486.5 | 497.9 | 0.0 | 0.0 | 0.0 | **23,335.7** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 43.9 | 57.7 | 52.6 | 34.8 | 17.8 | 0.0 | 0.0 | 0.0 | **7,747.2** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 28.0 | 31.0 | 28.0 | 25.0 | 31.0 | 30.0 | 1.0 | **1,919.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 283.8 | 529.7 | 586.5 | 529.7 | 465.0 | 576.6 | 558.0 | 18.6 | **20,965.9** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 46.7 | 78.5 | 65.2 | 46.1 | 41.8 | 49.6 | 46.4 | 1.3 | **7,540.4** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 15.0 | 24.0 | 28.0 | 30.0 | 29.0 | 23.0 | 31.0 | 21.0 | 0.0 | **1,730.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 202.7 | 324.3 | 378.4 | 514.8 | 530.2 | 420.5 | 566.8 | 384.0 | 0.0 | **17,418.0** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 46.6 | 66.5 | 57.7 | 75.0 | 56.4 | 39.9 | 56.9 | 35.1 | 0.0 | **7,164.8** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 27.0 | 31.0 | 31.0 | 24.0 | 0.0 | 0.0 | 0.0 | **1,529.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 59.6 | 321.9 | 492.4 | 492.4 | 383.5 | 0.0 | 0.0 | 0.0 | **14,096.3** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 12.1 | 85.9 | 88.2 | 60.3 | 35.1 | 0.0 | 0.0 | 0.0 | **6,730.7** |
| DAY | 1969 | 18.0 | 0.0 | 0.0 | 0.0 | 12.0 | 19.0 | 0.0 | 26.0 | 26.0 | 9.0 | 0.0 | 0.0 | **1,411.0** |
| H2O | 1969 | 220.4 | 0.0 | 0.0 | 0.0 | 143.1 | 226.6 | 240.1 | 310.0 | 310.0 | 107.3 | 0.0 | 0.0 | **12,346.5** |
| OIL | 1969 | 11.8 | 0.0 | 0.0 | 0.0 | 36.6 | 49.6 | 58.3 | 52.9 | 46.3 | 8.1 | 0.0 | 0.0 | **6,449.1** |
| DAY | 1968 | 31.0 | 27.0 | 22.0 | 30.0 | 21.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,301.0** |
| H2O | 1968 | 455.2 | 364.9 | 281.6 | 386.3 | 247.1 | 360.9 | 361.5 | 365.0 | 357.7 | 367.6 | 357.7 | 369.6 | **10,789.0** |
| OIL | 1968 | 93.8 | 46.6 | 54.4 | 57.1 | 50.2 | 48.7 | 54.4 | 51.7 | 56.6 | 58.8 | 51.8 | 78.7 | **6,185.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 14.0 | 14.0 | 19.0 | 10.0 | 23.0 | 24.0 | 16.0 | 28.0 | 31.0 | **958.0** |

# Manitoba Production
## 1950 To 1975

Licence ***681*** Well Name ***Tundra South Regent*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-07-004-21W1.00*** Field Name ***Regent*** Pool Name ***Lodgepole Virden A*** Field Code ***13*** Pool Code ***53A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1967 | 121.5 | 157.6 | 232.1 | 87.0 | 101.4 | 147.9 | 63.4 | 186.5 | 247.4 | 203.5 | 276.0 | 373.8 | **6,513.9** |
| OIL | 1967 | 153.5 | 148.7 | 138.7 | 40.3 | 79.9 | 54.9 | 20.9 | 93.4 | 56.8 | 38.1 | 87.5 | 108.3 | **5,482.7** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **689.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 34.3 | 41.0 | 71.5 | 71.9 | 73.5 | 88.7 | **4,315.8** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 58.6 | 86.7 | 80.7 | 102.6 | 106.7 | 120.7 | **4,461.7** |
| DAY | 1956 | 22.0 | 28.0 | 22.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 14.0 | 0.0 | **523.0** |
| H2O | 1956 | 121.7 | 181.9 | 251.4 | 312.7 | 315.0 | 309.7 | 328.2 | 344.2 | 342.8 | 354.1 | 167.3 | 0.0 | **3,934.9** |
| OIL | 1956 | 189.3 | 258.4 | 243.6 | 232.3 | 180.2 | 160.6 | 150.5 | 150.8 | 124.4 | 137.4 | 31.2 | 0.0 | **3,905.7** |
| DAY | 1955 | 5.0 | 26.0 | 29.0 | 0.0 | 0.0 | 4.0 | 28.0 | 31.0 | 30.0 | 29.0 | 28.0 | 15.0 | **225.0** |
| H2O | 1955 | 25.0 | 90.2 | 96.2 | 0.0 | 0.0 | 0.7 | 116.9 | 117.1 | 130.4 | 128.8 | 129.5 | 71.1 | **905.9** |
| OIL | 1955 | 89.4 | 210.7 | 224.7 | 0.0 | 0.0 | 29.5 | 285.1 | 252.8 | 289.9 | 274.3 | 250.9 | 139.7 | **2,047.0** |

Licence ***682*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,518.0** |
| H2O | 1975 | 290.6 | 267.2 | 297.9 | 288.9 | 299.2 | 280.4 | 287.1 | 283.0 | 278.4 | 286.6 | 300.0 | 305.4 | **16,028.4** |
| OIL | 1975 | 117.8 | 104.6 | 114.9 | 109.0 | 114.9 | 109.3 | 114.9 | 115.4 | 112.0 | 111.1 | 112.0 | 113.8 | **43,495.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,153.0** |
| H2O | 1974 | 82.8 | 74.6 | 86.0 | 83.6 | 325.9 | 327.5 | 324.3 | 303.7 | 299.2 | 289.7 | 288.9 | 284.6 | **12,563.7** |
| OIL | 1974 | 174.8 | 147.6 | 174.3 | 165.7 | 123.8 | 119.8 | 121.4 | 123.2 | 118.2 | 120.5 | 114.9 | 116.8 | **42,146.1** |
| DAY | 1973 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,788.0** |
| H2O | 1973 | 54.1 | 53.6 | 57.4 | 57.2 | 94.8 | 91.1 | 62.0 | 93.2 | 90.8 | 92.4 | 85.7 | 83.1 | **9,792.9** |
| OIL | 1973 | 196.1 | 178.6 | 196.9 | 192.3 | 178.8 | 173.4 | 121.7 | 183.2 | 172.9 | 178.0 | 167.7 | 170.0 | **40,525.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,434.0** |
| H2O | 1972 | 244.5 | 238.0 | 14.3 | 77.2 | 85.3 | 98.8 | 99.2 | 93.9 | 93.8 | 102.0 | 101.1 | 102.8 | **8,877.5** |
| OIL | 1972 | 207.4 | 193.4 | 175.8 | 167.8 | 177.0 | 179.1 | 158.1 | 161.6 | 154.0 | 162.1 | 154.0 | 160.5 | **38,415.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,068.0** |
| H2O | 1971 | 161.9 | 146.8 | 168.9 | 165.5 | 160.3 | 165.0 | 163.5 | 157.7 | 141.2 | 230.5 | 221.6 | 260.1 | **7,526.6** |
| OIL | 1971 | 225.7 | 199.6 | 221.0 | 218.3 | 216.1 | 216.9 | 222.0 | 217.9 | 214.8 | 218.7 | 206.3 | 211.2 | **36,364.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,704.0** |
| H2O | 1970 | 153.6 | 144.1 | 150.9 | 139.5 | 143.4 | 171.2 | 153.1 | 178.2 | 166.0 | 172.0 | 157.3 | 174.6 | **5,383.6** |
| OIL | 1970 | 265.8 | 239.6 | 261.3 | 225.8 | 233.0 | 209.8 | 210.9 | 214.2 | 204.5 | 215.6 | 207.1 | 217.1 | **33,776.2** |
| DAY | 1969 | 27.0 | 28.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,340.0** |
| H2O | 1969 | 7.8 | 51.0 | 109.3 | 167.0 | 183.6 | 175.7 | 190.5 | 191.4 | 180.5 | 162.8 | 145.3 | 159.5 | **3,479.7** |
| OIL | 1969 | 91.5 | 100.9 | 175.4 | 285.6 | 293.2 | 287.7 | 299.0 | 297.4 | 289.3 | 274.0 | 262.6 | 275.0 | **31,071.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,983.0** |
| H2O | 1968 | 19.9 | 18.8 | 20.0 | 20.7 | 21.5 | 19.7 | 19.1 | 17.3 | 17.5 | 8.7 | 8.1 | 8.4 | **1,755.3** |
| OIL | 1968 | 120.0 | 110.3 | 117.6 | 117.1 | 117.4 | 115.4 | 119.0 | 118.9 | 114.6 | 106.3 | 101.9 | 105.5 | **28,139.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,617.0** |
| H2O | 1967 | 5.2 | 4.3 | 5.2 | 4.8 | 9.9 | 9.2 | 7.2 | 9.5 | 20.0 | 21.3 | 18.9 | 20.7 | **1,555.6** |
| OIL | 1967 | 136.7 | 121.4 | 136.2 | 131.6 | 124.1 | 118.9 | 123.5 | 122.4 | 114.6 | 121.1 | 118.1 | 119.8 | **26,775.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 13.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,252.0** |
| H2O | 1966 | 4.6 | 3.7 | 4.8 | 4.8 | 5.6 | 55.0 | 22.4 | 53.3 | 57.4 | 7.8 | 5.2 | 5.4 | **1,419.4** |
| OIL | 1966 | 130.1 | 114.4 | 126.8 | 123.9 | 129.5 | 110.3 | 47.0 | 113.0 | 110.1 | 199.6 | 130.8 | 133.8 | **25,287.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,905.0** |
| H2O | 1965 | 5.4 | 4.8 | 5.4 | 4.8 | 4.9 | 4.6 | 4.6 | 4.8 | 4.6 | 4.6 | 4.8 | 4.9 | **1,189.4** |
| OIL | 1965 | 138.3 | 124.6 | 136.3 | 131.3 | 132.4 | 132.5 | 138.1 | 137.0 | 129.7 | 134.8 | 128.2 | 131.4 | **23,818.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,540.0** |
| H2O | 1964 | 42.1 | 38.0 | 42.3 | 40.7 | 24.6 | 24.0 | 4.9 | 5.1 | 4.9 | 4.8 | 4.9 | 5.2 | **1,131.2** |
| OIL | 1964 | 130.0 | 122.8 | 132.8 | 127.6 | 136.0 | 130.9 | 131.1 | 132.2 | 127.9 | 130.3 | 127.0 | 137.0 | **22,223.6** |

# Manitoba Production
## 1950 To 1975

Licence ***682*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,174.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 7.5 | 1.3 | 28.6 | 22.6 | 37.5 | 40.7 | 41.5 | **889.7** |
| OIL | 1963 | 82.2 | 86.3 | 95.7 | 90.1 | 111.2 | 123.6 | 134.3 | 139.2 | 134.0 | 143.2 | 122.0 | 124.9 | **20,658.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,810.0** |
| H2O | 1962 | 1.7 | 1.3 | 6.2 | 1.6 | 4.0 | 5.4 | 1.4 | 4.3 | 0.0 | 0.0 | 1.3 | 0.0 | **699.0** |
| OIL | 1962 | 99.8 | 89.6 | 99.0 | 89.9 | 92.8 | 82.5 | 83.6 | 92.5 | 88.4 | 86.0 | 85.3 | 85.2 | **19,271.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **2,445.0** |
| H2O | 1961 | 5.1 | 4.6 | 1.0 | 1.1 | 9.1 | 2.5 | 1.3 | 1.3 | 1.3 | 1.3 | 2.4 | 4.6 | **671.8** |
| OIL | 1961 | 119.7 | 109.0 | 112.0 | 107.1 | 103.0 | 95.0 | 104.1 | 102.2 | 90.3 | 93.0 | 82.0 | 88.2 | **18,196.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,084.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 1.3 | 1.3 | 2.5 | 4.5 | 4.5 | 4.5 | 4.1 | 5.4 | 5.6 | **636.2** |
| OIL | 1960 | 135.1 | 135.9 | 131.4 | 125.7 | 131.6 | 123.6 | 116.0 | 94.1 | 101.1 | 119.3 | 114.7 | 118.1 | **16,991.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,721.0** |
| H2O | 1959 | 17.3 | 16.7 | 5.4 | 1.3 | 1.4 | 1.3 | 1.4 | 12.7 | 1.1 | 1.3 | 1.3 | 1.3 | **602.5** |
| OIL | 1959 | 184.0 | 165.9 | 159.2 | 162.9 | 156.0 | 149.1 | 158.9 | 154.5 | 157.2 | 147.2 | 132.2 | 127.3 | **15,544.5** |
| DAY | 1958 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,356.0** |
| H2O | 1958 | 29.6 | 11.3 | 12.4 | 6.0 | 5.6 | 4.9 | 19.6 | 17.2 | 17.5 | 18.1 | 17.6 | 17.6 | **540.0** |
| OIL | 1958 | 261.5 | 219.6 | 255.4 | 213.3 | 221.7 | 193.6 | 215.0 | 200.1 | 185.6 | 194.7 | 195.3 | 188.6 | **13,690.1** |
| DAY | 1957 | 28.0 | 28.0 | 31.0 | 26.0 | 24.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | **994.0** |
| H2O | 1957 | 11.9 | 11.0 | 13.2 | 8.4 | 11.8 | 13.0 | 15.6 | 13.0 | 18.6 | 21.5 | 24.3 | 22.1 | **362.6** |
| OIL | 1957 | 303.6 | 301.0 | 344.1 | 322.1 | 379.9 | 339.5 | 358.6 | 373.4 | 246.3 | 272.0 | 265.9 | 263.5 | **11,145.7** |
| DAY | 1956 | 23.0 | 26.0 | 29.0 | 29.0 | 17.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 28.0 | 29.0 | **647.0** |
| H2O | 1956 | 12.2 | 10.3 | 12.2 | 12.4 | 9.9 | 1.4 | 1.4 | 0.6 | 1.0 | 14.3 | 16.1 | 13.2 | **178.2** |
| OIL | 1956 | 300.7 | 298.0 | 308.5 | 295.0 | 206.4 | 396.3 | 402.6 | 408.0 | 396.6 | 333.1 | 344.5 | 329.1 | **7,375.8** |
| DAY | 1955 | 3.0 | 26.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 28.0 | 30.0 | 26.0 | 23.0 | **318.0** |
| H2O | 1955 | 2.4 | 1.6 | 1.7 | 1.7 | 0.6 | 2.4 | 20.0 | 2.9 | 1.4 | 7.6 | 13.7 | 17.2 | **73.2** |
| OIL | 1955 | 17.0 | 215.8 | 245.7 | 243.3 | 248.5 | 327.2 | 341.6 | 319.4 | 307.1 | 344.9 | 367.2 | 379.3 | **3,357.0** |

Licence ***683*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 15.0 | 4.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,234.0** |
| H2O | 1975 | 311.1 | 280.3 | 330.8 | 317.6 | 158.5 | 41.6 | 312.4 | 302.8 | 294.9 | 277.1 | 264.0 | 270.9 | **22,002.3** |
| OIL | 1975 | 73.7 | 67.2 | 75.0 | 70.2 | 33.1 | 9.2 | 72.3 | 68.6 | 75.0 | 75.5 | 73.9 | 76.0 | **13,081.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **6,913.0** |
| H2O | 1974 | 249.6 | 330.0 | 102.0 | 318.7 | 356.0 | 386.3 | 313.3 | 317.4 | 319.2 | 327.8 | 266.3 | 314.1 | **18,840.3** |
| OIL | 1974 | 25.1 | 57.7 | 64.2 | 70.7 | 72.6 | 70.4 | 74.4 | 75.2 | 70.9 | 73.3 | 64.4 | 73.3 | **12,311.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 21.0 | 26.0 | 31.0 | **6,550.0** |
| H2O | 1973 | 252.0 | 228.2 | 342.0 | 334.4 | 357.1 | 353.3 | 377.0 | 395.8 | 391.5 | 148.5 | 176.6 | 242.0 | **15,239.6** |
| OIL | 1973 | 64.2 | 56.4 | 81.7 | 79.9 | 81.5 | 75.6 | 64.7 | 62.1 | 58.8 | 18.0 | 21.5 | 24.5 | **11,519.7** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 29.0 | 29.0 | 29.0 | 30.0 | **6,201.0** |
| H2O | 1972 | 470.0 | 464.9 | 475.6 | 384.4 | 392.0 | 381.7 | 373.4 | 349.1 | 229.6 | 218.4 | 222.1 | 205.4 | **11,641.2** |
| OIL | 1972 | 143.5 | 135.6 | 145.7 | 137.0 | 135.2 | 138.6 | 136.5 | 81.2 | 59.1 | 58.5 | 62.0 | 63.1 | **10,830.8** |
| DAY | 1971 | 31.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 24.0 | 27.0 | 30.0 | **5,843.0** |
| H2O | 1971 | 33.7 | 26.2 | 35.9 | 37.0 | 24.5 | 19.9 | 21.3 | 23.5 | 21.1 | 182.8 | 364.1 | 398.3 | **7,474.6** |
| OIL | 1971 | 37.2 | 26.2 | 37.5 | 35.8 | 22.9 | 21.8 | 23.5 | 23.0 | 22.1 | 14.5 | 113.3 | 132.4 | **9,534.8** |
| DAY | 1970 | 31.0 | 24.0 | 30.0 | 30.0 | 30.0 | 29.0 | 12.0 | 2.0 | 5.0 | 31.0 | 30.0 | 31.0 | **5,495.0** |
| H2O | 1970 | 17.8 | 14.3 | 44.8 | 41.7 | 41.8 | 40.5 | 14.3 | 2.4 | 7.0 | 35.8 | 31.0 | 28.5 | **6,286.3** |
| OIL | 1970 | 22.9 | 17.2 | 26.1 | 26.2 | 25.9 | 24.3 | 9.9 | 1.7 | 4.4 | 35.6 | 35.0 | 36.9 | **9,024.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 28.0 | **5,210.0** |
| H2O | 1969 | 9.5 | 7.6 | 9.5 | 9.4 | 21.3 | 20.3 | 21.5 | 18.9 | 18.0 | 19.6 | 18.6 | 18.0 | **5,966.4** |

# Manitoba Production
## 1950 To 1975

Licence ***683*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1969 | 27.5 | 23.7 | 26.7 | 27.7 | 22.4 | 22.4 | 22.7 | 21.9 | 20.7 | 22.7 | 21.0 | 20.7 | **8,758.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 20.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,850.0** |
| H2O | 1968 | 8.1 | 8.1 | 9.4 | 10.0 | 9.5 | 8.6 | 5.7 | 9.2 | 8.3 | 8.9 | 8.9 | 9.5 | **5,774.2** |
| OIL | 1968 | 25.9 | 23.5 | 26.4 | 27.7 | 27.5 | 26.5 | 17.6 | 27.5 | 27.0 | 27.0 | 26.4 | 28.0 | **8,478.4** |
| DAY | 1967 | 26.0 | 28.0 | 31.0 | 28.0 | 28.0 | 28.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,495.0** |
| H2O | 1967 | 22.4 | 23.1 | 26.2 | 23.1 | 7.9 | 7.2 | 7.6 | 7.6 | 8.7 | 8.4 | 8.7 | 8.7 | **5,670.0** |
| OIL | 1967 | 28.9 | 30.0 | 34.2 | 30.4 | 24.8 | 22.7 | 26.4 | 23.5 | 26.5 | 26.9 | 26.7 | 26.7 | **8,167.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **4,145.0** |
| H2O | 1966 | 10.2 | 9.5 | 9.7 | 52.9 | 28.0 | 30.8 | 67.6 | 79.5 | 70.6 | 33.2 | 30.0 | 26.1 | **5,510.4** |
| OIL | 1966 | 39.7 | 35.8 | 44.2 | 30.4 | 28.9 | 28.3 | 25.9 | 25.4 | 26.5 | 40.2 | 35.4 | 32.6 | **7,839.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **3,784.0** |
| H2O | 1965 | 7.5 | 10.8 | 7.5 | 6.4 | 8.1 | 6.2 | 6.0 | 9.5 | 5.6 | 7.6 | 7.6 | 8.4 | **5,062.3** |
| OIL | 1965 | 21.5 | 19.9 | 21.5 | 19.9 | 20.5 | 20.3 | 25.4 | 23.7 | 19.4 | 24.5 | 25.9 | 31.6 | **7,446.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,423.0** |
| H2O | 1964 | 7.2 | 6.5 | 6.4 | 6.0 | 4.5 | 3.3 | 5.7 | 7.3 | 4.3 | 9.1 | 11.4 | 6.5 | **4,971.1** |
| OIL | 1964 | 22.9 | 21.1 | 22.1 | 21.8 | 22.1 | 18.6 | 21.1 | 22.2 | 23.0 | 24.5 | 21.9 | 22.1 | **7,172.3** |
| DAY | 1963 | 17.0 | 0.0 | 21.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,060.0** |
| H2O | 1963 | 7.3 | 0.0 | 14.3 | 17.2 | 14.6 | 13.5 | 15.7 | 14.5 | 13.8 | 14.0 | 6.4 | 6.7 | **4,892.9** |
| OIL | 1963 | 15.1 | 0.0 | 28.3 | 29.1 | 29.7 | 28.0 | 26.5 | 25.3 | 21.0 | 28.1 | 23.0 | 23.5 | **6,908.9** |
| DAY | 1962 | 31.0 | 26.0 | 22.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,752.0** |
| H2O | 1962 | 15.7 | 14.0 | 13.2 | 16.9 | 15.9 | 13.8 | 15.3 | 17.6 | 12.9 | 12.9 | 9.7 | 12.7 | **4,754.9** |
| OIL | 1962 | 34.5 | 26.9 | 28.8 | 31.9 | 31.9 | 31.1 | 33.7 | 38.3 | 25.6 | 31.8 | 29.9 | 29.7 | **6,631.3** |
| DAY | 1961 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,398.0** |
| H2O | 1961 | 14.8 | 13.5 | 13.7 | 14.9 | 11.9 | 15.1 | 14.3 | 15.3 | 17.5 | 16.2 | 25.0 | 18.6 | **4,584.3** |
| OIL | 1961 | 37.5 | 35.4 | 34.6 | 32.7 | 34.0 | 37.3 | 38.8 | 43.2 | 36.9 | 38.8 | 39.3 | 37.2 | **6,257.2** |
| DAY | 1960 | 21.0 | 27.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,038.0** |
| H2O | 1960 | 25.6 | 35.3 | 50.2 | 54.7 | 14.1 | 11.6 | 12.2 | 10.3 | 9.2 | 25.3 | 25.1 | 27.5 | **4,393.5** |
| OIL | 1960 | 36.7 | 62.6 | 64.5 | 65.3 | 47.7 | 45.6 | 48.1 | 49.7 | 36.2 | 45.1 | 41.3 | 44.7 | **5,811.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,686.0** |
| H2O | 1959 | 59.9 | 53.9 | 53.9 | 36.4 | 44.0 | 42.8 | 44.5 | 41.8 | 35.5 | 35.8 | 29.7 | 31.5 | **4,092.4** |
| OIL | 1959 | 70.2 | 56.6 | 62.8 | 67.7 | 71.5 | 65.3 | 67.4 | 65.3 | 57.7 | 53.1 | 50.5 | 40.5 | **5,224.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 23.0 | 14.0 | 30.0 | 28.0 | 31.0 | **1,325.0** |
| H2O | 1958 | 61.7 | 96.7 | 104.6 | 58.8 | 70.1 | 52.6 | 51.4 | 4.3 | 21.3 | 46.1 | 57.6 | 60.7 | **3,582.7** |
| OIL | 1958 | 70.2 | 81.0 | 87.7 | 63.1 | 72.3 | 52.8 | 53.6 | 38.8 | 35.8 | 72.8 | 68.8 | 71.2 | **4,495.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **991.0** |
| H2O | 1957 | 143.1 | 131.8 | 142.6 | 137.2 | 140.2 | 121.0 | 78.5 | 68.8 | 52.9 | 38.3 | 49.4 | 67.6 | **2,896.8** |
| OIL | 1957 | 91.7 | 88.4 | 97.6 | 109.3 | 100.7 | 92.8 | 108.4 | 97.7 | 76.0 | 76.1 | 83.6 | 106.8 | **3,727.3** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **629.0** |
| H2O | 1956 | 48.6 | 42.1 | 46.9 | 45.6 | 46.1 | 0.2 | 176.3 | 250.9 | 249.8 | 251.3 | 235.2 | 198.2 | **1,725.4** |
| OIL | 1956 | 82.3 | 81.2 | 86.8 | 81.7 | 78.2 | 64.7 | 162.2 | 205.8 | 210.0 | 209.3 | 186.6 | 143.7 | **2,598.2** |
| DAY | 1955 | 0.0 | 9.0 | 15.0 | 4.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **270.0** |
| H2O | 1955 | 0.0 | 0.2 | 0.3 | 0.2 | 0.5 | 1.1 | 0.2 | 2.7 | 3.2 | 32.7 | 46.4 | 46.7 | **134.2** |
| OIL | 1955 | 0.0 | 51.2 | 102.0 | 26.9 | 160.8 | 127.6 | 109.6 | 93.8 | 69.0 | 91.5 | 84.9 | 88.4 | **1,005.7** |

Licence ***684*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-28-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 14.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,705.0** |
| H2O | 1971 | 14.9 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **11,910.6** |
| OIL | 1971 | 9.1 | 4.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **10,178.0** |
| DAY | 1970 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,660.0** |

# Manitoba Production
## 1950 To 1975

Licence ***684*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-28-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1970 | 41.8 | 40.9 | 45.6 | 44.0 | 15.3 | 13.7 | 14.1 | 15.1 | 12.7 | 15.3 | 14.6 | 14.6 | **11,888.7** |
| OIL | 1970 | 18.6 | 18.0 | 21.3 | 20.8 | 8.1 | 6.7 | 6.2 | 6.7 | 6.2 | 9.2 | 8.7 | 9.5 | **10,164.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,299.0** |
| H2O | 1969 | 4.6 | 4.3 | 4.6 | 4.6 | 5.2 | 3.8 | 37.5 | 33.7 | 44.8 | 47.4 | 43.9 | 43.7 | **11,601.0** |
| OIL | 1969 | 15.6 | 14.5 | 14.3 | 15.4 | 16.8 | 12.2 | 14.0 | 13.8 | 20.2 | 21.8 | 17.6 | 19.2 | **10,024.6** |
| DAY | 1968 | 27.0 | 29.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,938.0** |
| H2O | 1968 | 3.8 | 4.1 | 4.1 | 4.6 | 4.5 | 4.8 | 4.8 | 4.6 | 4.6 | 4.8 | 4.9 | 4.8 | **11,322.9** |
| OIL | 1968 | 16.7 | 17.6 | 16.5 | 17.3 | 16.7 | 17.0 | 16.8 | 17.2 | 16.0 | 16.2 | 17.3 | 18.0 | **9,829.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 27.0 | 30.0 | **4,581.0** |
| H2O | 1967 | 82.2 | 70.3 | 78.1 | 76.9 | 80.1 | 75.7 | 77.1 | 54.5 | 55.6 | 74.7 | 2.7 | 4.1 | **11,268.5** |
| OIL | 1967 | 17.8 | 15.9 | 16.8 | 17.3 | 17.5 | 14.6 | 13.8 | 15.3 | 11.4 | 16.7 | 14.6 | 18.6 | **9,625.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 26.0 | 31.0 | **4,225.0** |
| H2O | 1966 | 214.1 | 257.7 | 185.2 | 181.7 | 185.5 | 182.8 | 178.2 | 187.1 | 188.9 | 200.0 | 64.7 | 79.0 | **10,536.5** |
| OIL | 1966 | 48.1 | 45.9 | 52.0 | 55.0 | 65.0 | 65.8 | 58.6 | 54.8 | 52.1 | 44.2 | 14.9 | 18.4 | **9,435.6** |
| DAY | 1965 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 22.0 | **3,867.0** |
| H2O | 1965 | 190.1 | 200.3 | 221.9 | 214.6 | 217.6 | 209.5 | 198.2 | 183.0 | 180.1 | 192.4 | 182.5 | 184.1 | **8,431.6** |
| OIL | 1965 | 38.9 | 39.3 | 39.3 | 42.0 | 42.7 | 39.3 | 45.4 | 42.4 | 70.7 | 20.0 | 40.7 | 32.4 | **8,860.8** |
| DAY | 1964 | 27.0 | 29.0 | 31.0 | 30.0 | 31.0 | 21.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,513.0** |
| H2O | 1964 | 7.3 | 11.1 | 10.0 | 8.7 | 7.3 | 139.7 | 190.3 | 197.6 | 173.1 | 217.8 | 191.6 | 200.8 | **6,057.3** |
| OIL | 1964 | 12.1 | 15.4 | 16.0 | 9.9 | 13.0 | 22.4 | 55.3 | 58.0 | 47.5 | 52.3 | 54.2 | 45.3 | **8,367.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,163.0** |
| H2O | 1963 | 52.6 | 51.8 | 53.3 | 54.8 | 72.8 | 15.4 | 14.5 | 15.9 | 17.8 | 17.8 | 9.5 | 9.2 | **4,702.0** |
| OIL | 1963 | 12.4 | 11.3 | 11.9 | 10.5 | 12.1 | 17.5 | 16.4 | 21.0 | 20.0 | 20.7 | 10.8 | 14.0 | **7,966.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 20.0 | 31.0 | 30.0 | 31.0 | **2,798.0** |
| H2O | 1962 | 51.5 | 45.6 | 47.5 | 46.6 | 44.5 | 43.1 | 49.0 | 45.9 | 26.4 | 49.4 | 53.4 | 51.7 | **4,316.6** |
| OIL | 1962 | 15.4 | 13.0 | 14.1 | 13.0 | 12.6 | 12.2 | 12.2 | 11.4 | 5.9 | 11.9 | 12.4 | 11.9 | **7,787.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,444.0** |
| H2O | 1961 | 38.8 | 34.0 | 39.3 | 35.6 | 38.3 | 41.0 | 43.9 | 38.6 | 41.5 | 43.4 | 53.4 | 53.1 | **3,762.0** |
| OIL | 1961 | 49.6 | 42.4 | 52.8 | 46.7 | 44.2 | 44.3 | 14.8 | 12.1 | 13.2 | 13.5 | 15.6 | 16.0 | **7,641.7** |
| DAY | 1960 | 31.0 | 29.0 | 28.0 | 28.0 | 30.0 | 30.0 | 31.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,081.0** |
| H2O | 1960 | 8.9 | 8.3 | 8.1 | 7.6 | 10.2 | 10.8 | 11.9 | 25.3 | 36.4 | 36.1 | 35.6 | 39.6 | **3,261.1** |
| OIL | 1960 | 29.1 | 25.3 | 24.8 | 23.4 | 30.4 | 35.0 | 38.9 | 40.0 | 52.3 | 50.7 | 50.7 | 53.2 | **7,276.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,727.0** |
| H2O | 1959 | 15.9 | 14.8 | 16.4 | 14.1 | 13.8 | 8.9 | 9.4 | 9.7 | 9.4 | 9.5 | 8.7 | 8.9 | **3,022.3** |
| OIL | 1959 | 57.5 | 51.3 | 53.4 | 52.8 | 54.8 | 30.0 | 32.6 | 32.4 | 30.8 | 32.4 | 27.8 | 29.1 | **6,822.7** |
| DAY | 1958 | 31.0 | 28.0 | 29.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | **1,365.0** |
| H2O | 1958 | 18.4 | 17.5 | 18.3 | 18.9 | 16.4 | 18.9 | 27.3 | 28.1 | 14.9 | 15.3 | 13.2 | 16.1 | **2,882.8** |
| OIL | 1958 | 60.9 | 55.1 | 54.7 | 55.5 | 38.5 | 44.2 | 38.9 | 37.3 | 54.0 | 60.2 | 50.5 | 57.8 | **6,337.8** |
| DAY | 1957 | 31.0 | 26.0 | 29.0 | 30.0 | 31.0 | 27.0 | 30.0 | 27.0 | 26.0 | 27.0 | 29.0 | 31.0 | **1,010.0** |
| H2O | 1957 | 51.0 | 63.4 | 72.2 | 73.3 | 74.9 | 21.0 | 19.6 | 4.5 | 40.2 | 16.1 | 18.8 | 20.2 | **2,659.5** |
| OIL | 1957 | 76.6 | 55.5 | 64.8 | 63.4 | 71.0 | 69.0 | 90.9 | 75.3 | 51.8 | 59.3 | 60.9 | 62.6 | **5,730.2** |
| DAY | 1956 | 31.0 | 27.0 | 29.0 | 21.0 | 27.0 | 29.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **666.0** |
| H2O | 1956 | 150.6 | 146.9 | 164.5 | 102.1 | 172.7 | 147.9 | 79.6 | 62.2 | 69.2 | 69.5 | 73.8 | 59.6 | **2,184.3** |
| OIL | 1956 | 270.0 | 225.0 | 223.6 | 169.2 | 207.4 | 200.7 | 74.4 | 67.7 | 84.1 | 80.9 | 75.8 | 79.0 | **4,929.1** |
| DAY | 1955 | 20.0 | 28.0 | 31.0 | 28.0 | 15.0 | 27.0 | 29.0 | 31.0 | 29.0 | 24.0 | 30.0 | 31.0 | **323.0** |
| H2O | 1955 | 0.5 | 29.6 | 31.6 | 25.8 | 1.6 | 1.6 | 105.2 | 111.6 | 102.4 | 138.9 | 172.0 | 164.9 | **885.7** |
| OIL | 1955 | 201.3 | 326.4 | 349.8 | 284.0 | 55.9 | 59.9 | 352.3 | 318.5 | 320.2 | 284.0 | 320.7 | 298.3 | **3,171.3** |

Licence ***685*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-09-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***685*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-09-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **2,843.0** |
| H2O | 1971 | 75.8 | 69.5 | 80.0 | 80.1 | 80.4 | 80.0 | 79.2 | 76.2 | 7.0 | 7.8 | 0.0 | 0.0 | **4,690.1** |
| OIL | 1971 | 24.0 | 21.3 | 23.5 | 22.6 | 22.9 | 22.2 | 22.7 | 21.9 | 4.3 | 4.3 | 0.0 | 0.0 | **2,152.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,539.0** |
| H2O | 1970 | 85.4 | 80.3 | 84.1 | 77.6 | 79.8 | 81.1 | 72.3 | 84.4 | 78.5 | 81.6 | 74.4 | 82.7 | **4,054.1** |
| OIL | 1970 | 23.5 | 21.1 | 23.0 | 22.2 | 23.0 | 22.4 | 22.6 | 22.9 | 21.8 | 23.0 | 22.1 | 23.4 | **1,962.3** |
| DAY | 1969 | 29.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 28.0 | **2,175.0** |
| H2O | 1969 | 83.0 | 80.6 | 75.7 | 77.1 | 82.0 | 80.3 | 88.1 | 88.6 | 83.3 | 87.6 | 80.8 | 79.5 | **3,091.9** |
| OIL | 1969 | 22.4 | 21.3 | 23.4 | 22.7 | 22.7 | 22.6 | 23.8 | 23.7 | 23.0 | 23.4 | 23.2 | 21.6 | **1,691.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,817.0** |
| H2O | 1968 | 82.8 | 78.7 | 83.3 | 85.8 | 89.8 | 82.2 | 88.7 | 81.1 | 81.1 | 86.2 | 79.5 | 84.6 | **2,105.3** |
| OIL | 1968 | 24.2 | 22.2 | 23.8 | 23.7 | 23.7 | 23.2 | 24.0 | 24.0 | 23.2 | 24.2 | 23.2 | 24.0 | **1,417.5** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,451.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.7 | 15.9 | 19.1 | 17.0 | 85.8 | **1,101.5** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.7 | 7.8 | 9.4 | 9.2 | 24.2 | **1,134.1** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,324.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.5 | 1.9 | 0.0 | 0.0 | 0.0 | 0.0 | **960.0** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.2 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | **1,081.8** |
| DAY | 1959 | 25.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,292.0** |
| H2O | 1959 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **927.6** |
| OIL | 1959 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,053.9** |
| DAY | 1958 | 13.0 | 0.0 | 0.0 | 26.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,267.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 5.1 | 6.0 | 2.2 | 3.8 | 4.0 | 4.0 | 4.0 | 4.5 | 3.2 | **924.4** |
| OIL | 1958 | 1.9 | 0.0 | 0.0 | 2.9 | 3.3 | 1.3 | 1.4 | 1.3 | 1.3 | 1.3 | 1.1 | 1.4 | **1,053.1** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | 31.0 | **987.0** |
| H2O | 1957 | 29.7 | 25.0 | 30.0 | 21.8 | 28.0 | 19.4 | 16.7 | 27.7 | 15.4 | 18.0 | 14.5 | 8.7 | **887.6** |
| OIL | 1957 | 27.7 | 22.6 | 24.8 | 23.0 | 26.7 | 25.6 | 21.0 | 24.2 | 22.2 | 30.7 | 28.9 | 14.0 | **1,035.9** |
| DAY | 1956 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **626.0** |
| H2O | 1956 | 22.3 | 20.2 | 21.8 | 18.8 | 29.7 | 27.5 | 28.6 | 28.0 | 39.7 | 39.6 | 36.9 | 33.2 | **632.7** |
| OIL | 1956 | 23.7 | 20.7 | 18.8 | 19.7 | 27.7 | 27.7 | 27.8 | 24.2 | 32.1 | 33.1 | 27.3 | 27.7 | **744.5** |
| DAY | 1955 | 17.0 | 1.0 | 15.0 | 4.0 | 15.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **264.0** |
| H2O | 1955 | 29.9 | 0.0 | 10.0 | 1.7 | 25.1 | 45.3 | 49.1 | 40.1 | 19.7 | 17.3 | 24.0 | 24.2 | **286.4** |
| OIL | 1955 | 94.6 | 1.0 | 31.8 | 5.7 | 25.1 | 56.6 | 48.5 | 49.7 | 34.5 | 32.6 | 27.2 | 26.7 | **434.0** |

Licence ***686*** Well Name ***Enerplus Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-14-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 6.0 | 31.0 | 30.0 | 28.0 | 12.0 | 29.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **330.0** |
| H2O | 1957 | 0.0 | 47.7 | 246.4 | 238.5 | 244.2 | 93.5 | 268.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,053.9** |
| OIL | 1957 | 0.0 | 1.6 | 9.9 | 4.8 | 10.0 | 1.6 | 3.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **188.9** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 10.0 | **194.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 152.6 | 63.6 | **915.4** |
| DAY | 1955 | 1.0 | 19.0 | 31.0 | 12.0 | 15.0 | 29.0 | 30.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | **168.0** |
| H2O | 1955 | 0.0 | 52.5 | 93.6 | 22.9 | 25.3 | 26.7 | 251.5 | 226.7 | 0.0 | 0.0 | 0.0 | 0.0 | **699.2** |
| OIL | 1955 | 1.7 | 52.4 | 46.1 | 15.3 | 4.4 | 6.7 | 16.0 | 14.5 | 0.0 | 0.0 | 0.0 | 0.0 | **157.1** |

Licence ***690*** Well Name ***Tundra Pierson Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-11-003-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a C*** Field Code ***7*** Pool Code ***43C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **7,074.0** |
| H2O | 1975 | 296.0 | 218.9 | 267.2 | 259.1 | 271.1 | 236.4 | 256.1 | 259.3 | 262.0 | 265.0 | 260.1 | 236.2 | **29,034.6** |

# Manitoba Production
## 1950 To 1975

Licence ***690*** Well Name ***Tundra Pierson Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-11-003-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a C*** Field Code ***7*** Pool Code ***43C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1975 | 57.5 | 50.9 | 66.7 | 55.1 | 64.0 | 57.7 | 61.0 | 62.9 | 60.7 | 59.3 | 59.3 | 54.7 | **29,406.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 9.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,717.0** |
| H2O | 1974 | 228.1 | 194.8 | 218.9 | 221.9 | 229.9 | 64.9 | 220.0 | 242.1 | 234.2 | 182.4 | 272.3 | 273.4 | **25,947.2** |
| OIL | 1974 | 71.2 | 62.9 | 67.2 | 72.9 | 63.2 | 31.1 | 73.7 | 107.9 | 99.5 | 101.9 | 63.1 | 64.5 | **28,696.3** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 30.0 | 30.0 | **6,378.0** |
| H2O | 1973 | 203.2 | 217.5 | 213.0 | 229.4 | 203.8 | 236.7 | 249.1 | 224.6 | 232.0 | 239.9 | 232.4 | 221.9 | **23,364.3** |
| OIL | 1973 | 79.6 | 75.5 | 73.6 | 74.8 | 58.6 | 82.3 | 82.3 | 66.4 | 70.1 | 71.7 | 67.4 | 70.7 | **27,817.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 29.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **6,020.0** |
| H2O | 1972 | 207.2 | 185.2 | 196.3 | 186.2 | 174.2 | 189.2 | 192.4 | 144.4 | 173.6 | 159.0 | 201.9 | 201.9 | **20,660.8** |
| OIL | 1972 | 93.1 | 80.7 | 88.2 | 79.3 | 79.0 | 69.6 | 79.6 | 77.5 | 60.4 | 62.6 | 84.7 | 81.8 | **26,944.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 29.0 | 27.0 | 30.0 | 31.0 | **5,662.0** |
| H2O | 1971 | 202.2 | 183.9 | 195.7 | 198.2 | 217.3 | 182.0 | 206.0 | 213.0 | 193.6 | 212.6 | 208.7 | 206.7 | **18,449.3** |
| OIL | 1971 | 76.1 | 72.9 | 81.8 | 83.0 | 85.8 | 73.4 | 80.2 | 81.8 | 72.8 | 66.6 | 78.7 | 76.1 | **26,007.7** |
| DAY | 1970 | 31.0 | 28.0 | 30.0 | 30.0 | 9.0 | 22.0 | 31.0 | 29.0 | 20.0 | 25.0 | 21.0 | 30.0 | **5,306.0** |
| H2O | 1970 | 227.2 | 201.6 | 193.5 | 201.1 | 49.6 | 143.1 | 196.0 | 152.5 | 159.6 | 176.0 | 147.9 | 228.8 | **16,029.4** |
| OIL | 1970 | 103.6 | 92.5 | 82.2 | 92.5 | 22.6 | 74.8 | 96.0 | 63.7 | 66.9 | 52.8 | 60.4 | 101.4 | **25,078.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **5,000.0** |
| H2O | 1969 | 209.1 | 200.5 | 218.4 | 192.5 | 179.8 | 226.2 | 227.7 | 223.2 | 185.4 | 237.8 | 242.4 | 235.8 | **13,952.5** |
| OIL | 1969 | 106.3 | 85.3 | 103.1 | 91.8 | 95.0 | 116.5 | 116.5 | 114.4 | 94.4 | 107.4 | 107.7 | 114.6 | **24,169.1** |
| DAY | 1968 | 29.0 | 26.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | **4,641.0** |
| H2O | 1968 | 199.2 | 186.3 | 218.6 | 214.6 | 220.5 | 203.8 | 188.7 | 196.2 | 194.9 | 212.1 | 176.0 | 208.4 | **11,373.7** |
| OIL | 1968 | 112.7 | 112.2 | 118.7 | 122.4 | 105.4 | 116.8 | 111.6 | 99.6 | 99.3 | 116.5 | 93.9 | 124.6 | **22,916.1** |
| DAY | 1967 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | **4,288.0** |
| H2O | 1967 | 198.9 | 185.7 | 181.1 | 185.2 | 180.4 | 225.8 | 207.9 | 145.6 | 193.6 | 206.0 | 218.1 | 196.3 | **8,954.4** |
| OIL | 1967 | 121.7 | 122.0 | 148.9 | 147.2 | 144.9 | 118.1 | 105.0 | 69.6 | 122.2 | 108.1 | 135.7 | 124.4 | **21,582.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,929.0** |
| H2O | 1966 | 7.2 | 4.9 | 5.6 | 5.6 | 4.0 | 290.1 | 205.6 | 233.4 | 200.6 | 218.8 | 193.2 | 203.5 | **6,629.8** |
| OIL | 1966 | 146.8 | 125.7 | 131.6 | 135.1 | 101.1 | 95.0 | 137.9 | 145.4 | 112.2 | 128.2 | 128.2 | 124.1 | **20,114.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | **3,566.0** |
| H2O | 1965 | 125.0 | 104.1 | 146.3 | 136.1 | 145.8 | 165.3 | 150.6 | 186.3 | 184.9 | 5.9 | 6.5 | 5.4 | **5,057.3** |
| OIL | 1965 | 124.1 | 108.1 | 144.8 | 145.1 | 132.4 | 146.5 | 159.7 | 132.1 | 125.7 | 136.0 | 130.5 | 107.3 | **18,603.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 13.0 | 30.0 | 30.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | **3,208.0** |
| H2O | 1964 | 144.8 | 135.0 | 143.9 | 126.2 | 56.0 | 100.2 | 84.1 | 82.5 | 144.8 | 103.5 | 123.5 | 133.4 | **3,695.1** |
| OIL | 1964 | 157.0 | 145.4 | 147.2 | 132.4 | 59.4 | 141.6 | 117.4 | 138.1 | 161.3 | 133.2 | 143.5 | 136.0 | **17,011.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 5.0 | 26.0 | 30.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,865.0** |
| H2O | 1963 | 49.3 | 56.1 | 60.6 | 69.3 | 13.5 | 65.2 | 67.1 | 56.3 | 63.4 | 110.2 | 119.7 | 128.8 | **2,317.2** |
| OIL | 1963 | 161.3 | 141.0 | 121.4 | 100.4 | 20.0 | 99.0 | 103.9 | 86.0 | 81.8 | 112.5 | 149.7 | 156.0 | **15,398.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 9.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,534.0** |
| H2O | 1962 | 25.8 | 20.8 | 26.7 | 23.5 | 7.5 | 23.5 | 35.0 | 55.0 | 52.6 | 68.0 | 64.4 | 56.6 | **1,457.7** |
| OIL | 1962 | 161.1 | 138.1 | 157.3 | 141.1 | 36.4 | 191.8 | 164.3 | 143.0 | 149.4 | 161.5 | 186.1 | 182.3 | **14,065.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 16.0 | 8.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,191.0** |
| H2O | 1961 | 28.8 | 28.9 | 31.8 | 15.6 | 10.2 | 31.6 | 37.7 | 37.0 | 24.0 | 27.2 | 25.1 | 29.4 | **998.3** |
| OIL | 1961 | 202.1 | 185.3 | 201.0 | 99.5 | 55.0 | 167.0 | 180.2 | 174.0 | 163.7 | 182.4 | 174.8 | 187.2 | **12,253.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 19.0 | 12.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,866.0** |
| H2O | 1960 | 6.4 | 4.5 | 4.8 | 2.2 | 2.2 | 5.2 | 5.2 | 6.2 | 5.6 | 6.2 | 27.7 | 29.1 | **671.0** |
| OIL | 1960 | 166.4 | 147.6 | 151.8 | 84.2 | 63.7 | 160.5 | 155.7 | 177.3 | 113.0 | 115.5 | 203.7 | 202.0 | **10,280.9** |
| DAY | 1959 | 30.0 | 28.0 | 31.0 | 22.0 | 31.0 | 29.0 | 31.0 | 28.0 | 30.0 | 30.0 | 29.0 | 31.0 | **1,533.0** |
| H2O | 1959 | 0.3 | 5.2 | 7.6 | 5.6 | 8.4 | 7.2 | 6.7 | 6.8 | 6.5 | 6.7 | 6.2 | 6.7 | **565.7** |
| OIL | 1959 | 183.9 | 175.3 | 179.3 | 146.2 | 200.4 | 195.5 | 177.7 | 156.4 | 169.4 | 154.9 | 162.7 | 170.4 | **8,539.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 17.0 | 25.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **1,183.0** |
| H2O | 1958 | 11.3 | 11.9 | 12.7 | 7.0 | 15.6 | 15.7 | 12.1 | 15.7 | 1.9 | 2.5 | 5.6 | 8.1 | **491.8** |
| OIL | 1958 | 144.3 | 181.2 | 202.3 | 86.9 | 156.0 | 169.2 | 177.8 | 191.8 | 176.1 | 174.2 | 157.3 | 183.9 | **6,467.4** |

# Manitoba Production
## 1950 To 1975

Licence ***690*** Well Name ***Tundra Pierson Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-11-003-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a C*** Field Code ***7*** Pool Code ***43C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 22.0 | 13.0 | 29.0 | 22.0 | 30.0 | 29.0 | 23.0 | 30.0 | 31.0 | **842.0** |
| H2O | 1957 | 9.7 | 7.6 | 9.9 | 6.2 | 5.7 | 10.2 | 8.6 | 11.0 | 11.1 | 5.9 | 8.6 | 11.0 | **371.7** |
| OIL | 1957 | 131.6 | 136.0 | 156.7 | 109.8 | 83.9 | 148.1 | 91.4 | 84.9 | 72.6 | 236.5 | 182.6 | 153.2 | **4,466.4** |
| DAY | 1956 | 25.0 | 29.0 | 31.0 | 18.0 | 0.0 | 14.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **523.0** |
| H2O | 1956 | 6.4 | 9.1 | 9.7 | 5.4 | 0.0 | 24.5 | 10.0 | 9.7 | 9.7 | 10.0 | 9.7 | 9.5 | **266.2** |
| OIL | 1956 | 132.5 | 135.6 | 175.6 | 100.1 | 0.0 | 96.1 | 176.1 | 153.5 | 162.1 | 161.5 | 147.8 | 155.1 | **2,879.1** |
| DAY | 1955 | 0.0 | 11.0 | 14.0 | 0.0 | 0.0 | 20.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 30.0 | **225.0** |
| H2O | 1955 | 0.0 | 2.5 | 1.0 | 0.0 | 0.0 | 2.1 | 1.6 | 9.9 | 14.2 | 13.5 | 98.6 | 9.1 | **152.5** |
| OIL | 1955 | 0.0 | 81.5 | 96.9 | 0.0 | 0.0 | 100.9 | 134.9 | 188.6 | 155.1 | 186.7 | 160.2 | 178.3 | **1,283.1** |

Licence ***692*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-13-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,591.0** |
| H2O | 1975 | 55.3 | 48.5 | 60.9 | 57.2 | 66.9 | 91.1 | 47.0 | 53.1 | 51.5 | 55.0 | 34.0 | 49.7 | **4,693.1** |
| OIL | 1975 | 49.1 | 51.8 | 47.8 | 49.3 | 51.2 | 53.2 | 52.3 | 49.4 | 48.3 | 49.4 | 45.1 | 46.9 | **23,821.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **7,227.0** |
| H2O | 1974 | 20.3 | 18.8 | 20.3 | 32.9 | 34.5 | 34.0 | 34.8 | 35.8 | 34.3 | 42.0 | 47.0 | 56.3 | **4,022.9** |
| OIL | 1974 | 43.5 | 40.7 | 41.6 | 63.4 | 65.5 | 63.6 | 64.7 | 64.8 | 64.8 | 48.3 | 51.0 | 50.7 | **23,227.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,865.0** |
| H2O | 1973 | 45.9 | 12.1 | 24.3 | 19.5 | 21.9 | 23.7 | 22.1 | 18.1 | 21.6 | 20.8 | 20.3 | 20.7 | **3,611.9** |
| OIL | 1973 | 38.0 | 35.0 | 55.6 | 47.2 | 44.3 | 55.1 | 53.2 | 43.9 | 44.3 | 45.0 | 43.9 | 46.1 | **22,564.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,507.0** |
| H2O | 1972 | 46.2 | 35.4 | 36.5 | 42.9 | 38.8 | 39.9 | 36.1 | 55.5 | 50.1 | 48.6 | 46.2 | 41.5 | **3,340.9** |
| OIL | 1972 | 34.2 | 31.0 | 33.8 | 38.0 | 38.3 | 37.2 | 37.0 | 37.7 | 38.6 | 35.3 | 38.1 | 38.9 | **22,013.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,141.0** |
| H2O | 1971 | 28.8 | 28.9 | 34.5 | 33.2 | 34.8 | 32.9 | 35.4 | 34.3 | 26.9 | 31.8 | 28.4 | 45.6 | **2,823.2** |
| OIL | 1971 | 43.4 | 38.8 | 42.7 | 42.1 | 42.0 | 40.5 | 41.2 | 41.8 | 39.6 | 36.1 | 33.2 | 34.5 | **21,575.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,776.0** |
| H2O | 1970 | 43.7 | 47.0 | 50.9 | 42.3 | 55.0 | 53.6 | 48.1 | 37.3 | 35.0 | 37.7 | 31.9 | 32.9 | **2,427.7** |
| OIL | 1970 | 43.4 | 38.8 | 45.8 | 38.5 | 43.5 | 40.5 | 41.2 | 43.7 | 44.0 | 44.3 | 42.6 | 42.9 | **21,099.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,413.0** |
| H2O | 1969 | 7.8 | 7.9 | 8.9 | 9.2 | 54.5 | 45.8 | 59.3 | 53.4 | 41.0 | 61.2 | 45.2 | 50.1 | **1,912.3** |
| OIL | 1969 | 54.5 | 49.4 | 54.5 | 52.6 | 49.4 | 51.5 | 55.0 | 52.8 | 41.6 | 44.7 | 45.3 | 43.2 | **20,590.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,050.0** |
| H2O | 1968 | 18.3 | 17.5 | 11.6 | 11.3 | 11.1 | 12.1 | 11.3 | 13.0 | 12.7 | 11.0 | 10.3 | 9.7 | **1,468.0** |
| OIL | 1968 | 88.2 | 83.0 | 74.2 | 81.8 | 83.6 | 67.2 | 65.5 | 69.0 | 65.2 | 69.1 | 61.8 | 57.5 | **19,995.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,684.0** |
| H2O | 1967 | 3.2 | 2.7 | 1.4 | 2.9 | 8.6 | 11.3 | 15.6 | 14.8 | 15.3 | 19.4 | 18.4 | 18.8 | **1,318.1** |
| OIL | 1967 | 90.4 | 80.7 | 91.5 | 77.7 | 87.9 | 113.1 | 87.2 | 86.9 | 78.5 | 91.8 | 87.2 | 84.7 | **19,129.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,322.0** |
| H2O | 1966 | 2.9 | 2.5 | 2.9 | 2.9 | 3.2 | 2.7 | 5.7 | 6.0 | 6.4 | 10.3 | 8.6 | 10.2 | **1,185.7** |
| OIL | 1966 | 117.8 | 107.9 | 120.1 | 115.2 | 122.5 | 112.5 | 119.0 | 113.1 | 99.2 | 108.9 | 96.6 | 99.5 | **18,071.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,958.0** |
| H2O | 1965 | 1.4 | 2.7 | 0.0 | 0.0 | 0.0 | 11.8 | 9.7 | 9.2 | 7.5 | 8.6 | 8.1 | 3.0 | **1,121.4** |
| OIL | 1965 | 123.8 | 106.0 | 105.5 | 110.3 | 117.0 | 143.8 | 139.0 | 139.4 | 123.6 | 136.2 | 121.6 | 127.9 | **16,739.6** |
| DAY | 1964 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,593.0** |
| H2O | 1964 | 0.0 | 9.9 | 4.0 | 4.9 | 1.3 | 16.5 | 19.6 | 16.5 | 17.5 | 0.0 | 1.3 | 1.4 | **1,059.4** |
| OIL | 1964 | 18.6 | 83.6 | 48.1 | 44.8 | 53.2 | 122.4 | 137.6 | 145.7 | 128.2 | 129.0 | 124.9 | 124.1 | **15,245.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,233.0** |
| H2O | 1963 | 10.5 | 1.1 | 0.0 | 2.1 | 1.9 | 3.0 | 2.9 | 6.0 | 7.5 | 2.4 | 1.6 | 0.0 | **966.5** |

# Manitoba Production
## 1950 To 1975

Licence ***692*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-13-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1963 | 114.6 | 95.2 | 105.4 | 95.7 | 87.4 | 86.3 | 75.3 | 67.5 | 76.1 | 60.1 | 44.5 | 48.6 | **14,085.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,869.0** |
| H2O | 1962 | 4.9 | 0.0 | 3.5 | 3.5 | 4.6 | 1.3 | 1.3 | 4.9 | 0.0 | 3.7 | 18.0 | 9.9 | **927.5** |
| OIL | 1962 | 68.0 | 59.4 | 64.0 | 59.8 | 59.0 | 54.5 | 54.5 | 53.7 | 43.2 | 54.5 | 121.6 | 121.1 | **13,128.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,506.0** |
| H2O | 1961 | 7.6 | 1.1 | 7.2 | 7.0 | 3.5 | 4.6 | 3.5 | 0.0 | 3.5 | 7.3 | 5.9 | 4.9 | **871.9** |
| OIL | 1961 | 99.6 | 92.6 | 95.5 | 95.2 | 95.0 | 79.8 | 73.7 | 61.7 | 66.1 | 67.2 | 62.6 | 68.6 | **12,315.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,141.0** |
| H2O | 1960 | 1.3 | 4.1 | 4.1 | 4.0 | 2.7 | 7.2 | 3.7 | 9.2 | 6.8 | 4.9 | 6.8 | 4.8 | **815.8** |
| OIL | 1960 | 118.1 | 102.3 | 98.8 | 106.3 | 106.0 | 96.1 | 101.5 | 85.8 | 91.8 | 107.1 | 99.5 | 100.9 | **11,357.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,775.0** |
| H2O | 1959 | 4.3 | 1.3 | 0.0 | 0.0 | 2.7 | 5.6 | 4.0 | 4.0 | 5.4 | 5.1 | 1.1 | 7.0 | **756.2** |
| OIL | 1959 | 139.2 | 111.9 | 117.6 | 128.6 | 129.0 | 113.9 | 121.7 | 128.4 | 117.6 | 113.5 | 118.1 | 110.4 | **10,143.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,410.0** |
| H2O | 1958 | 11.3 | 11.4 | 4.9 | 8.9 | 8.1 | 0.0 | 2.1 | 4.5 | 1.9 | 0.0 | 8.4 | 4.1 | **715.7** |
| OIL | 1958 | 110.4 | 102.3 | 122.4 | 104.7 | 148.3 | 129.4 | 140.3 | 141.0 | 126.7 | 139.2 | 123.0 | 131.3 | **8,693.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,045.0** |
| H2O | 1957 | 3.2 | 2.9 | 16.1 | 12.6 | 14.9 | 12.7 | 11.4 | 4.8 | 14.3 | 8.7 | 8.7 | 12.6 | **650.1** |
| OIL | 1957 | 98.0 | 103.9 | 104.4 | 96.3 | 116.8 | 112.3 | 163.8 | 110.1 | 114.4 | 109.3 | 112.0 | 121.4 | **7,174.6** |
| DAY | 1956 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **681.0** |
| H2O | 1956 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 53.1 | 56.3 | 49.8 | 12.9 | 17.8 | 16.1 | 18.4 | **527.2** |
| OIL | 1956 | 230.4 | 274.4 | 269.0 | 245.2 | 252.4 | 121.4 | 154.3 | 130.8 | 124.7 | 130.9 | 119.5 | 118.2 | **5,811.9** |
| DAY | 1955 | 3.0 | 25.0 | 23.0 | 27.0 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **319.0** |
| H2O | 1955 | 10.7 | 28.6 | 104.3 | 67.4 | 2.9 | 28.5 | 47.7 | 1.3 | 1.1 | 1.4 | 1.1 | 1.3 | **296.3** |
| OIL | 1955 | 32.1 | 381.0 | 358.9 | 414.4 | 484.3 | 417.1 | 482.1 | 254.2 | 220.9 | 239.6 | 199.6 | 156.5 | **3,640.7** |

Licence ***694*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,574.0** |
| H2O | 1975 | 483.3 | 435.6 | 509.8 | 473.0 | 544.0 | 483.1 | 455.5 | 487.0 | 469.9 | 441.6 | 420.8 | 431.6 | **34,666.0** |
| OIL | 1975 | 130.0 | 118.4 | 130.9 | 118.4 | 128.4 | 120.8 | 119.7 | 116.8 | 126.7 | 127.3 | 124.7 | 128.4 | **20,447.6** |
| DAY | 1974 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,213.0** |
| H2O | 1974 | 504.3 | 418.8 | 528.1 | 479.6 | 481.9 | 619.2 | 408.1 | 531.2 | 534.0 | 530.5 | 443.9 | 487.9 | **29,030.8** |
| OIL | 1974 | 108.7 | 103.6 | 119.5 | 115.2 | 117.1 | 80.4 | 69.0 | 89.5 | 84.2 | 84.2 | 121.6 | 129.2 | **18,957.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,857.0** |
| H2O | 1973 | 204.9 | 180.4 | 204.6 | 205.6 | 246.9 | 254.7 | 229.1 | 211.1 | 208.7 | 242.4 | 225.0 | 485.2 | **23,063.3** |
| OIL | 1973 | 92.6 | 79.0 | 91.1 | 91.7 | 117.4 | 113.5 | 118.7 | 85.5 | 80.7 | 84.2 | 71.2 | 105.8 | **17,734.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,492.0** |
| H2O | 1972 | 183.8 | 185.4 | 194.9 | 157.5 | 211.4 | 195.1 | 177.6 | 200.2 | 191.7 | 193.3 | 185.4 | 171.1 | **20,164.7** |
| OIL | 1972 | 97.9 | 94.4 | 117.4 | 110.4 | 119.8 | 116.0 | 90.7 | 88.2 | 87.6 | 92.0 | 91.7 | 93.1 | **16,603.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,126.0** |
| H2O | 1971 | 199.5 | 198.2 | 232.0 | 239.1 | 253.4 | 208.7 | 221.0 | 233.7 | 210.5 | 180.9 | 163.3 | 170.3 | **17,917.3** |
| OIL | 1971 | 84.2 | 76.3 | 94.6 | 90.1 | 113.0 | 109.3 | 116.2 | 91.4 | 87.1 | 96.5 | 91.5 | 98.8 | **15,404.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,761.0** |
| H2O | 1970 | 280.6 | 266.1 | 248.2 | 220.2 | 263.4 | 253.1 | 230.5 | 227.3 | 157.7 | 158.5 | 183.3 | 169.2 | **15,406.7** |
| OIL | 1970 | 105.5 | 93.4 | 99.0 | 95.0 | 95.8 | 88.5 | 92.8 | 94.1 | 113.3 | 116.6 | 79.1 | 83.6 | **14,255.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,396.0** |
| H2O | 1969 | 201.3 | 164.7 | 200.2 | 204.6 | 219.6 | 198.1 | 265.0 | 349.3 | 333.5 | 309.2 | 292.7 | 313.8 | **12,748.6** |
| OIL | 1969 | 114.6 | 98.4 | 110.9 | 87.4 | 84.9 | 79.6 | 85.0 | 100.1 | 94.1 | 103.5 | 95.8 | 105.2 | **13,098.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,036.0** |

# Manitoba Production
## 1950 To 1975

Licence ***694*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1968 | 341.6 | 341.6 | 194.1 | 213.0 | 209.9 | 191.4 | 201.7 | 202.9 | 184.6 | 196.8 | 187.0 | 204.3 | **9,696.6** |
| OIL | 1968 | 203.9 | 184.0 | 94.7 | 102.8 | 91.1 | 93.0 | 101.1 | 99.5 | 99.2 | 99.2 | 109.6 | 116.2 | **11,939.1** |
| DAY | 1967 | 31.0 | 28.0 | 29.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,670.0** |
| H2O | 1967 | 184.9 | 157.5 | 166.5 | 168.2 | 160.3 | 166.1 | 164.2 | 180.4 | 181.2 | 319.4 | 362.0 | 365.8 | **7,027.7** |
| OIL | 1967 | 98.7 | 85.7 | 90.1 | 92.5 | 84.4 | 86.3 | 93.9 | 92.2 | 115.2 | 191.0 | 208.5 | 209.8 | **10,544.8** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,312.0** |
| H2O | 1966 | 28.5 | 27.3 | 27.3 | 21.5 | 234.8 | 229.2 | 218.1 | 256.6 | 227.5 | 227.8 | 205.1 | 188.9 | **4,451.2** |
| OIL | 1966 | 68.5 | 61.5 | 76.4 | 55.0 | 119.8 | 103.1 | 103.5 | 101.9 | 106.2 | 114.1 | 101.1 | 98.0 | **9,096.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,947.0** |
| H2O | 1965 | 19.4 | 17.8 | 19.4 | 18.8 | 19.4 | 17.6 | 16.5 | 25.9 | 18.8 | 21.1 | 21.6 | 23.5 | **2,558.6** |
| OIL | 1965 | 48.8 | 44.7 | 48.6 | 46.7 | 47.4 | 43.4 | 42.3 | 38.8 | 39.9 | 42.3 | 44.8 | 54.5 | **7,987.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,585.0** |
| H2O | 1964 | 19.1 | 18.4 | 19.7 | 18.8 | 19.7 | 19.1 | 19.1 | 19.7 | 19.2 | 19.7 | 19.1 | 19.1 | **2,318.8** |
| OIL | 1964 | 61.5 | 62.8 | 63.7 | 54.8 | 48.8 | 47.2 | 47.2 | 48.8 | 48.0 | 48.9 | 47.5 | 47.7 | **7,445.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,219.0** |
| H2O | 1963 | 24.6 | 22.3 | 24.6 | 23.5 | 24.2 | 22.4 | 23.7 | 22.6 | 23.8 | 24.3 | 23.8 | 19.7 | **2,088.1** |
| OIL | 1963 | 69.4 | 62.5 | 68.2 | 63.7 | 65.5 | 60.2 | 63.6 | 61.8 | 62.0 | 62.5 | 61.8 | 64.2 | **6,818.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **2,854.0** |
| H2O | 1962 | 14.8 | 13.4 | 14.8 | 14.3 | 14.8 | 14.3 | 14.8 | 14.8 | 14.3 | 20.5 | 43.4 | 32.1 | **1,808.6** |
| OIL | 1962 | 39.6 | 35.8 | 39.4 | 37.8 | 38.8 | 37.7 | 38.8 | 38.8 | 37.8 | 39.7 | 42.9 | 68.5 | **6,052.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,493.0** |
| H2O | 1961 | 19.7 | 22.3 | 24.6 | 23.8 | 24.6 | 23.8 | 24.6 | 24.6 | 23.8 | 23.1 | 18.0 | 14.8 | **1,582.3** |
| OIL | 1961 | 54.3 | 48.9 | 54.0 | 52.1 | 52.9 | 51.2 | 52.4 | 51.2 | 52.0 | 52.6 | 52.3 | 40.0 | **5,557.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,128.0** |
| H2O | 1960 | 21.5 | 18.4 | 19.7 | 19.1 | 19.2 | 19.1 | 19.7 | 19.4 | 19.1 | 19.7 | 19.1 | 19.7 | **1,314.6** |
| OIL | 1960 | 56.4 | 49.9 | 53.2 | 57.2 | 58.8 | 56.6 | 57.8 | 57.2 | 56.6 | 58.5 | 56.1 | 51.2 | **4,943.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,763.0** |
| H2O | 1959 | 27.5 | 21.1 | 19.7 | 19.1 | 19.7 | 19.1 | 19.7 | 14.9 | 14.3 | 15.6 | 19.1 | 21.1 | **1,080.9** |
| OIL | 1959 | 105.5 | 96.0 | 87.1 | 76.8 | 75.0 | 56.7 | 58.0 | 58.0 | 71.8 | 65.3 | 56.7 | 46.2 | **4,273.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,398.0** |
| H2O | 1958 | 11.4 | 10.0 | 38.0 | 39.1 | 44.2 | 41.5 | 39.6 | 44.4 | 36.6 | 36.7 | 29.3 | 28.0 | **850.0** |
| OIL | 1958 | 49.4 | 43.9 | 83.7 | 93.6 | 97.4 | 94.2 | 95.3 | 96.5 | 90.3 | 98.5 | 141.4 | 119.7 | **3,420.8** |
| DAY | 1957 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,033.0** |
| H2O | 1957 | 13.2 | 13.0 | 14.8 | 11.1 | 15.4 | 16.4 | 15.3 | 16.4 | 14.0 | 14.8 | 14.1 | 13.8 | **451.2** |
| OIL | 1957 | 45.3 | 48.1 | 72.8 | 56.3 | 48.9 | 55.8 | 59.9 | 65.0 | 47.7 | 49.1 | 46.7 | 48.9 | **2,316.9** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | **671.0** |
| H2O | 1956 | 14.8 | 16.2 | 14.8 | 12.4 | 10.5 | 11.8 | 10.7 | 14.6 | 13.7 | 52.6 | 16.4 | 18.1 | **278.9** |
| OIL | 1956 | 38.3 | 36.7 | 38.6 | 33.5 | 31.6 | 32.1 | 33.8 | 21.6 | 18.3 | 53.6 | 74.2 | 57.0 | **1,672.4** |
| DAY | 1955 | 19.0 | 28.0 | 26.0 | 17.0 | 26.0 | 26.0 | 24.0 | 31.0 | 29.0 | 29.0 | 27.0 | 31.0 | **313.0** |
| H2O | 1955 | 0.3 | 1.0 | 3.8 | 4.9 | 4.0 | 4.1 | 3.7 | 4.9 | 7.2 | 13.8 | 10.8 | 13.8 | **72.3** |
| OIL | 1955 | 76.3 | 254.7 | 212.5 | 98.4 | 112.8 | 93.0 | 64.4 | 82.0 | 70.1 | 64.0 | 35.3 | 39.6 | **1,203.1** |

Licence ***695*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1018.3 | 835.0 | 873.3 | 963.7 | 762.9 | 518.1 | 829.9 | 764.2 | 778.2 | 791.2 | 812.1 | 726.9 | **188,575.6** |
| WIN | 1974 | 1317.5 | 1174.2 | 1243.2 | 1055.3 | 1055.0 | 1096.6 | 1067.7 | 924.9 | 423.2 | 1441.3 | 1315.1 | 1204.4 | **178,901.8** |
| WIN | 1973 | 1279.2 | 928.1 | 911.4 | 747.5 | 1555.9 | 1518.1 | 1499.0 | 978.2 | 819.9 | 1198.1 | 1306.3 | 1464.5 | **165,583.4** |
| WIN | 1972 | 1409.5 | 1100.5 | 1140.4 | 1261.8 | 846.6 | 1193.9 | 1427.8 | 1502.0 | 1451.0 | 1479.0 | 1287.9 | 1368.0 | **151,377.2** |
| WIN | 1971 | 1841.4 | 1648.0 | 1769.7 | 1637.2 | 1318.4 | 1583.8 | 1191.6 | 1016.2 | 0.0 | 690.9 | 1301.9 | 1201.3 | **135,908.8** |
| WIN | 1970 | 1947.1 | 1491.1 | 1934.2 | 1797.5 | 2002.1 | 1301.6 | 1368.2 | 1948.5 | 1712.8 | 1640.4 | 2095.3 | 2026.1 | **120,708.4** |

# Manitoba Production
## 1950 To 1975

Licence ***695*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1969 | 2207.3 | 607.9 | 1479.9 | 1888.3 | 1932.6 | 1938.5 | 1531.6 | 1649.4 | 2049.9 | 1969.3 | 1652.9 | 1912.1 | **99,443.5** |
| WIN | 1968 | 2061.2 | 2626.2 | 2593.8 | 1662.5 | 716.2 | 574.1 | 445.9 | 487.8 | 1783.7 | 2218.6 | 2072.7 | 2130.7 | **78,623.8** |
| WIN | 1967 | 1332.3 | 1888.6 | 2426.9 | 2109.2 | 2718.1 | 2135.6 | 1741.8 | 2647.5 | 2562.1 | 2180.6 | 1670.8 | 1938.2 | **59,250.4** |
| WIN | 1966 | 2974.1 | 913.0 | 2541.3 | 2697.6 | 2681.5 | 2525.7 | 2502.7 | 2600.5 | 2548.3 | 2388.3 | 2457.9 | 2533.5 | **33,898.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 11.0 | 0.0 | 0.0 | **3,733.0** |
| H2O | 1965 | 4.8 | 3.8 | 4.3 | 4.9 | 4.5 | 4.1 | 3.0 | 4.8 | 3.5 | 28.9 | 0.0 | 0.0 | **25,834.1** |
| OIL | 1965 | 26.7 | 23.2 | 25.1 | 27.2 | 29.6 | 27.8 | 30.0 | 26.6 | 27.9 | 7.0 | 0.0 | 0.0 | **7,484.2** |
| WIN | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1631.1 | 2903.2 | **4,534.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,450.0** |
| H2O | 1964 | 18.4 | 17.2 | 18.6 | 18.1 | 21.0 | 0.0 | 0.0 | 14.1 | 15.6 | 14.0 | 13.0 | 12.9 | **25,767.5** |
| OIL | 1964 | 29.4 | 28.8 | 30.4 | 27.7 | 28.9 | 31.8 | 35.0 | 35.4 | 33.1 | 29.4 | 26.5 | 27.3 | **7,233.1** |
| DAY | 1963 | 24.0 | 1.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,084.0** |
| H2O | 1963 | 49.6 | 1.7 | 71.5 | 32.3 | 35.9 | 39.3 | 33.4 | 31.0 | 29.6 | 21.9 | 22.6 | 22.3 | **25,604.6** |
| OIL | 1963 | 44.5 | 1.6 | 73.7 | 33.7 | 38.6 | 37.0 | 40.4 | 36.9 | 35.3 | 31.0 | 29.1 | 31.0 | **6,869.4** |
| DAY | 1962 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,753.0** |
| H2O | 1962 | 39.9 | 35.8 | 36.9 | 35.1 | 37.5 | 35.0 | 36.1 | 38.0 | 51.0 | 55.8 | 54.2 | 72.8 | **25,213.5** |
| OIL | 1962 | 55.3 | 47.7 | 51.5 | 51.8 | 50.7 | 53.1 | 50.2 | 50.1 | 55.5 | 52.9 | 53.4 | 61.2 | **6,436.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,391.0** |
| H2O | 1961 | 120.2 | 114.1 | 118.6 | 117.6 | 125.8 | 99.0 | 46.1 | 48.8 | 46.9 | 47.5 | 42.9 | 42.8 | **24,685.4** |
| OIL | 1961 | 58.5 | 53.9 | 58.0 | 56.1 | 57.2 | 47.0 | 67.2 | 68.3 | 63.2 | 63.1 | 60.1 | 58.0 | **5,803.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,031.0** |
| H2O | 1960 | 383.1 | 325.1 | 363.1 | 340.5 | 163.0 | 180.8 | 206.2 | 203.8 | 237.7 | 111.9 | 116.4 | 113.8 | **23,715.1** |
| OIL | 1960 | 95.8 | 85.0 | 99.2 | 92.0 | 97.1 | 94.2 | 77.4 | 76.6 | 69.6 | 52.0 | 51.3 | 52.1 | **5,092.6** |
| DAY | 1959 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 29.0 | 18.0 | 29.0 | 31.0 | **1,666.0** |
| H2O | 1959 | 389.2 | 380.0 | 464.4 | 447.2 | 439.3 | 388.2 | 420.8 | 412.1 | 361.4 | 235.4 | 381.1 | 413.0 | **20,969.7** |
| OIL | 1959 | 78.0 | 71.5 | 82.6 | 80.1 | 92.2 | 93.9 | 102.2 | 98.7 | 89.5 | 55.9 | 104.2 | 100.3 | **4,150.3** |
| DAY | 1958 | 13.0 | 23.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 19.0 | 30.0 | 31.0 | **1,318.0** |
| H2O | 1958 | 174.6 | 289.2 | 494.0 | 451.2 | 454.8 | 453.1 | 450.2 | 416.4 | 449.1 | 256.9 | 363.9 | 385.0 | **16,237.6** |
| OIL | 1958 | 35.9 | 65.8 | 84.2 | 77.5 | 97.6 | 90.6 | 90.1 | 85.2 | 79.0 | 51.2 | 73.4 | 80.1 | **3,101.2** |
| DAY | 1957 | 29.0 | 28.0 | 31.0 | 30.0 | 30.0 | 26.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 21.0 | **991.0** |
| H2O | 1957 | 329.7 | 226.7 | 233.1 | 119.9 | 469.6 | 395.2 | 520.0 | 492.5 | 481.7 | 309.7 | 324.8 | 239.3 | **11,599.2** |
| OIL | 1957 | 48.5 | 39.6 | 43.9 | 47.7 | 85.7 | 74.4 | 97.9 | 99.6 | 104.7 | 65.2 | 65.6 | 47.0 | **2,190.6** |
| DAY | 1956 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **644.0** |
| H2O | 1956 | 427.0 | 344.8 | 435.6 | 407.8 | 425.7 | 435.1 | 408.1 | 387.1 | 392.5 | 380.0 | 282.0 | 302.5 | **7,457.0** |
| OIL | 1956 | 59.1 | 47.2 | 51.0 | 48.3 | 52.8 | 48.6 | 53.7 | 51.2 | 68.2 | 48.0 | 43.9 | 49.6 | **1,370.8** |
| DAY | 1955 | 0.0 | 0.0 | 12.0 | 30.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **282.0** |
| H2O | 1955 | 0.0 | 0.0 | 67.6 | 165.7 | 142.6 | 136.4 | 120.7 | 284.3 | 355.3 | 626.7 | 435.4 | 494.1 | **2,828.8** |
| OIL | 1955 | 0.0 | 0.0 | 19.1 | 46.7 | 40.2 | 38.5 | 44.0 | 186.6 | 181.2 | 71.8 | 59.9 | 61.2 | **749.2** |

Licence ***696*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 18.0 | 26.0 | 30.0 | 30.0 | 31.0 | **7,168.0** |
| H2O | 1975 | 122.4 | 110.2 | 22.7 | 21.8 | 47.5 | 42.1 | 26.5 | 16.2 | 21.8 | 54.5 | 53.7 | 55.2 | **11,841.3** |
| OIL | 1975 | 64.7 | 58.6 | 140.0 | 130.8 | 169.1 | 158.9 | 162.2 | 96.1 | 145.6 | 167.8 | 170.0 | 175.0 | **27,501.4** |
| DAY | 1974 | 31.0 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,821.0** |
| H2O | 1974 | 39.9 | 4.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 121.0 | 125.6 | 128.9 | 112.4 | 123.5 | **11,246.7** |
| OIL | 1974 | 71.2 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 63.6 | 61.8 | 63.9 | 60.2 | 64.2 | **25,862.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,634.0** |
| H2O | 1973 | 102.4 | 92.8 | 37.0 | 32.6 | 33.7 | 50.1 | 325.1 | 338.2 | 44.2 | 35.1 | 32.7 | 38.3 | **10,590.5** |
| OIL | 1973 | 79.1 | 69.6 | 77.9 | 78.3 | 81.5 | 74.4 | 75.2 | 71.7 | 78.3 | 75.6 | 71.4 | 69.6 | **25,467.7** |

# Manitoba Production
## 1950 To 1975

Licence ***696*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 31.0 | 6.0 | 9.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,269.0** |
| H2O | 1972 | 42.9 | 5.9 | 26.4 | 72.8 | 78.4 | 45.8 | 38.8 | 86.6 | 44.5 | 38.3 | 44.4 | 40.9 | **9,428.3** |
| OIL | 1972 | 83.4 | 11.0 | 17.2 | 79.6 | 83.1 | 80.6 | 54.7 | 120.0 | 93.6 | 92.2 | 82.8 | 84.1 | **24,565.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 12.0 | 17.0 | 31.0 | 29.0 | 31.0 | **5,949.0** |
| H2O | 1971 | 33.7 | 33.4 | 18.4 | 19.1 | 29.1 | 31.8 | 33.7 | 13.2 | 18.9 | 64.4 | 64.7 | 43.9 | **8,862.6** |
| OIL | 1971 | 93.3 | 84.4 | 80.7 | 77.1 | 72.6 | 70.2 | 74.8 | 29.7 | 44.5 | 82.2 | 75.5 | 98.8 | **23,682.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,617.0** |
| H2O | 1970 | 26.4 | 25.0 | 25.4 | 17.0 | 19.6 | 23.1 | 33.1 | 31.6 | 35.1 | 0.0 | 30.8 | 28.6 | **8,458.3** |
| OIL | 1970 | 82.3 | 73.1 | 80.9 | 68.0 | 77.7 | 75.0 | 79.0 | 77.4 | 77.9 | 72.1 | 87.6 | 92.3 | **22,799.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 15.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **5,254.0** |
| H2O | 1969 | 44.8 | 36.6 | 29.3 | 29.3 | 31.2 | 14.8 | 31.6 | 52.8 | 47.1 | 53.3 | 50.4 | 29.4 | **8,162.6** |
| OIL | 1969 | 78.0 | 67.1 | 79.9 | 83.0 | 84.4 | 41.5 | 86.1 | 86.1 | 75.5 | 85.2 | 79.0 | 82.2 | **21,855.7** |
| DAY | 1968 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,906.0** |
| H2O | 1968 | 66.3 | 71.9 | 17.8 | 18.8 | 49.1 | 93.8 | 99.0 | 102.2 | 51.7 | 54.8 | 54.5 | 44.8 | **7,712.0** |
| OIL | 1968 | 85.7 | 83.6 | 89.1 | 93.0 | 85.3 | 83.1 | 86.9 | 87.6 | 80.9 | 81.0 | 79.0 | 78.7 | **20,927.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 18.0 | 23.0 | 28.0 | **4,542.0** |
| H2O | 1967 | 60.6 | 51.7 | 58.5 | 55.0 | 60.3 | 58.3 | 57.6 | 89.0 | 112.9 | 62.5 | 57.7 | 68.5 | **6,987.3** |
| OIL | 1967 | 93.0 | 81.0 | 91.2 | 87.1 | 91.5 | 88.4 | 96.0 | 108.5 | 102.3 | 59.6 | 71.8 | 85.0 | **19,913.8** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 30.0 | 29.0 | 30.0 | 15.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,201.0** |
| H2O | 1966 | 30.4 | 29.1 | 27.3 | 53.1 | 52.5 | 56.3 | 25.3 | 62.8 | 97.3 | 89.3 | 80.3 | 65.2 | **6,194.7** |
| OIL | 1966 | 95.3 | 85.8 | 100.4 | 60.5 | 52.1 | 49.1 | 23.4 | 48.5 | 97.6 | 115.2 | 102.2 | 100.9 | **18,858.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,855.0** |
| H2O | 1965 | 29.3 | 23.5 | 26.2 | 29.1 | 27.0 | 25.1 | 18.0 | 28.9 | 20.7 | 22.4 | 23.1 | 25.0 | **5,525.8** |
| OIL | 1965 | 54.5 | 47.2 | 51.3 | 55.6 | 60.4 | 56.9 | 60.7 | 57.0 | 57.7 | 58.6 | 62.5 | 76.0 | **17,927.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,490.0** |
| H2O | 1964 | 23.8 | 22.6 | 24.3 | 23.7 | 27.3 | 35.8 | 59.8 | 56.9 | 62.6 | 70.7 | 29.1 | 28.9 | **5,227.5** |
| OIL | 1964 | 62.9 | 61.8 | 65.2 | 59.3 | 62.1 | 59.6 | 70.9 | 74.2 | 69.6 | 73.7 | 54.2 | 55.9 | **17,229.0** |
| DAY | 1963 | 24.0 | 0.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 27.0 | 31.0 | **3,124.0** |
| H2O | 1963 | 38.0 | 0.0 | 42.4 | 48.3 | 54.1 | 59.0 | 61.8 | 59.6 | 58.8 | 60.3 | 25.6 | 25.1 | **4,762.0** |
| OIL | 1963 | 59.0 | 0.0 | 66.4 | 71.7 | 81.7 | 78.3 | 88.0 | 69.9 | 69.6 | 71.4 | 62.1 | 66.7 | **16,459.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 23.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,805.0** |
| H2O | 1962 | 42.9 | 38.2 | 39.3 | 37.4 | 29.7 | 55.6 | 57.4 | 60.7 | 38.6 | 40.7 | 41.2 | 55.3 | **4,229.0** |
| OIL | 1962 | 82.5 | 70.4 | 76.4 | 76.6 | 55.6 | 95.2 | 90.1 | 90.3 | 73.6 | 67.5 | 71.0 | 81.8 | **15,674.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,452.0** |
| H2O | 1961 | 65.8 | 62.6 | 65.0 | 64.5 | 69.0 | 54.2 | 61.2 | 52.0 | 50.1 | 50.9 | 45.8 | 44.0 | **3,692.0** |
| OIL | 1961 | 97.1 | 89.5 | 96.8 | 93.1 | 95.3 | 78.0 | 94.6 | 100.9 | 93.4 | 93.3 | 88.8 | 82.8 | **14,743.8** |
| DAY | 1960 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,091.0** |
| H2O | 1960 | 50.2 | 42.8 | 45.6 | 44.8 | 47.1 | 52.5 | 59.9 | 59.3 | 78.9 | 63.3 | 63.6 | 62.2 | **3,006.9** |
| OIL | 1960 | 89.9 | 80.4 | 90.1 | 87.2 | 123.8 | 120.3 | 98.7 | 97.7 | 102.7 | 107.1 | 102.5 | 86.4 | **13,640.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,726.0** |
| H2O | 1959 | 42.0 | 42.1 | 49.9 | 48.2 | 54.2 | 55.8 | 58.5 | 57.2 | 52.3 | 53.3 | 52.0 | 54.4 | **2,336.7** |
| OIL | 1959 | 129.0 | 122.0 | 136.8 | 132.4 | 132.1 | 146.4 | 153.8 | 148.7 | 139.4 | 91.4 | 102.2 | 95.2 | **12,453.4** |
| DAY | 1958 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 28.0 | 30.0 | **1,361.0** |
| H2O | 1958 | 66.8 | 53.9 | 58.2 | 52.9 | 45.8 | 48.8 | 48.5 | 43.7 | 48.3 | 45.2 | 36.7 | 41.5 | **1,716.8** |
| OIL | 1958 | 197.4 | 176.4 | 195.8 | 180.0 | 175.1 | 149.7 | 149.4 | 137.8 | 130.5 | 137.9 | 114.4 | 128.4 | **10,924.0** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,004.0** |
| H2O | 1957 | 21.6 | 13.8 | 14.0 | 21.9 | 19.2 | 52.6 | 64.2 | 64.5 | 60.3 | 57.9 | 60.7 | 65.0 | **1,126.5** |
| OIL | 1957 | 280.5 | 214.5 | 237.3 | 233.3 | 253.0 | 240.6 | 232.3 | 251.6 | 252.7 | 260.5 | 263.5 | 274.1 | **9,051.2** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 24.0 | 13.0 | 31.0 | **641.0** |
| H2O | 1956 | 35.6 | 32.6 | 12.4 | 11.6 | 25.4 | 26.4 | 26.9 | 25.4 | 2.5 | 19.6 | 9.2 | 27.8 | **610.8** |
| OIL | 1956 | 300.7 | 272.5 | 283.3 | 269.0 | 292.6 | 274.0 | 297.0 | 283.2 | 37.7 | 205.6 | 118.2 | 305.6 | **6,057.3** |
| DAY | 1955 | 0.0 | 12.0 | 27.0 | 29.0 | 26.0 | 26.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **302.0** |

# Manitoba Production
## 1950 To 1975

Licence ***696*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1955 | 0.0 | 13.8 | 28.0 | 28.9 | 26.4 | 25.0 | 46.1 | 31.2 | 37.7 | 45.0 | 38.0 | 35.3 | **355.4** |
| OIL | 1955 | 0.0 | 139.5 | 283.3 | 292.7 | 250.9 | 285.6 | 363.0 | 292.7 | 274.3 | 315.6 | 308.8 | 311.5 | **3,117.9** |

Licence ***698*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 2045.4 | 1960.9 | 1926.4 | 2213.8 | 1943.8 | 1416.5 | 2075.3 | 2024.9 | 2196.1 | 2227.2 | 2283.3 | 2334.6 | **191,763.6** |
| WIN | 1974 | 2283.9 | 1862.6 | 2179.0 | 2160.2 | 2091.4 | 2180.4 | 2120.8 | 2036.5 | 1997.1 | 1909.2 | 1993.0 | 2191.4 | **167,115.4** |
| WIN | 1973 | 1743.1 | 1949.7 | 2336.1 | 2160.5 | 1749.7 | 2083.4 | 2122.9 | 1411.1 | 1815.2 | 1727.2 | 2062.6 | 2267.2 | **142,109.9** |
| WIN | 1972 | 1781.7 | 1624.6 | 1471.8 | 1707.4 | 1549.3 | 1349.4 | 1635.6 | 1685.8 | 1723.8 | 1749.1 | 1320.8 | 1668.8 | **118,681.2** |
| WIN | 1971 | 1923.2 | 1730.3 | 1892.0 | 2014.1 | 1527.2 | 1648.0 | 1203.6 | 909.8 | 0.0 | 1172.8 | 1431.5 | 1836.4 | **99,413.1** |
| WIN | 1970 | 1346.2 | 1270.3 | 1101.9 | 1125.4 | 1312.2 | 1246.2 | 848.3 | 1190.4 | 996.8 | 807.9 | 1395.5 | 1810.9 | **82,124.2** |
| WIN | 1969 | 1791.2 | 515.4 | 1111.6 | 1055.3 | 1442.6 | 1316.5 | 1179.6 | 981.2 | 1179.3 | 1458.5 | 1192.3 | 1052.9 | **67,672.2** |
| WIN | 1968 | 980.1 | 383.1 | 1168.5 | 1136.2 | 984.9 | 968.3 | 702.7 | 789.3 | 803.8 | 1800.4 | 1754.7 | 1756.4 | **53,395.8** |
| WIN | 1967 | 1546.6 | 1454.3 | 1454.5 | 1431.9 | 1720.2 | 1518.3 | 1355.9 | 1915.4 | 1531.9 | 1388.1 | 1288.7 | 1357.2 | **40,167.4** |
| WIN | 1966 | 1812.4 | 1531.9 | 1688.0 | 1670.7 | 1630.0 | 1542.3 | 1653.9 | 1632.7 | 1512.9 | 1604.9 | 1545.0 | 1548.9 | **22,204.4** |
| DAY | 1965 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 0.0 | 0.0 | 0.0 | **3,660.0** |
| H2O | 1965 | 56.4 | 80.1 | 56.1 | 48.3 | 61.0 | 47.1 | 46.7 | 73.8 | 44.2 | 0.0 | 0.0 | 0.0 | **21,517.3** |
| OIL | 1965 | 22.3 | 19.9 | 22.1 | 20.7 | 21.3 | 21.1 | 26.5 | 24.8 | 20.8 | 0.0 | 0.0 | 0.0 | **14,376.6** |
| WIN | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 243.9 | 936.1 | 1650.8 | **2,830.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,392.0** |
| H2O | 1964 | 92.7 | 84.7 | 81.1 | 79.5 | 56.0 | 44.7 | 73.4 | 60.4 | 32.3 | 67.7 | 87.1 | 49.1 | **21,003.6** |
| OIL | 1964 | 30.0 | 27.8 | 28.9 | 28.8 | 29.1 | 25.1 | 27.8 | 24.8 | 24.2 | 25.3 | 22.7 | 22.7 | **14,177.1** |
| DAY | 1963 | 17.0 | 0.0 | 20.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 27.0 | 31.0 | 30.0 | 31.0 | **3,027.0** |
| H2O | 1963 | 48.0 | 0.0 | 89.7 | 112.1 | 95.9 | 88.4 | 102.4 | 99.7 | 81.1 | 90.9 | 83.0 | 86.3 | **20,194.9** |
| OIL | 1963 | 15.1 | 0.0 | 26.9 | 29.1 | 29.7 | 28.0 | 26.4 | 26.5 | 18.8 | 28.0 | 30.2 | 30.8 | **13,859.9** |
| DAY | 1962 | 31.0 | 26.0 | 22.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,722.0** |
| H2O | 1962 | 109.1 | 100.2 | 94.8 | 120.7 | 114.3 | 98.4 | 100.2 | 114.5 | 83.5 | 83.9 | 63.6 | 85.1 | **19,217.4** |
| OIL | 1962 | 35.6 | 28.4 | 30.5 | 33.7 | 33.8 | 32.9 | 33.7 | 38.1 | 25.4 | 31.8 | 29.9 | 30.2 | **13,570.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **2,368.0** |
| H2O | 1961 | 179.3 | 154.1 | 154.4 | 166.3 | 135.9 | 120.5 | 101.6 | 108.9 | 124.2 | 115.6 | 153.9 | 134.2 | **18,049.1** |
| OIL | 1961 | 63.1 | 55.6 | 54.5 | 50.5 | 53.6 | 44.0 | 40.8 | 45.8 | 39.1 | 41.3 | 35.8 | 39.6 | **13,186.4** |
| DAY | 1960 | 21.0 | 29.0 | 31.0 | 29.0 | 22.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,007.0** |
| H2O | 1960 | 192.8 | 137.8 | 182.5 | 198.9 | 193.6 | 228.0 | 241.6 | 204.4 | 183.6 | 158.8 | 158.3 | 173.6 | **16,400.2** |
| OIL | 1960 | 64.0 | 60.5 | 58.0 | 58.8 | 47.2 | 64.2 | 68.0 | 70.1 | 50.9 | 62.5 | 57.0 | 61.8 | **12,622.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,662.0** |
| H2O | 1959 | 330.8 | 294.9 | 299.2 | 302.2 | 327.0 | 311.1 | 330.7 | 311.4 | 263.1 | 261.5 | 221.1 | 233.9 | **14,146.3** |
| OIL | 1959 | 171.0 | 136.0 | 154.0 | 129.8 | 123.3 | 110.1 | 116.2 | 112.8 | 99.6 | 89.9 | 87.1 | 69.9 | **11,899.7** |
| DAY | 1958 | 28.0 | 28.0 | 28.0 | 26.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,299.0** |
| H2O | 1958 | 350.1 | 320.2 | 307.8 | 294.9 | 352.1 | 359.1 | 350.1 | 356.0 | 368.0 | 358.3 | 342.9 | 336.7 | **10,659.4** |
| OIL | 1958 | 242.3 | 202.6 | 195.9 | 197.5 | 226.8 | 228.4 | 231.8 | 178.1 | 201.8 | 186.7 | 180.4 | 174.5 | **10,500.0** |
| DAY | 1957 | 31.0 | 28.0 | 29.0 | 28.0 | 28.0 | 27.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **949.0** |
| H2O | 1957 | 301.1 | 276.8 | 280.1 | 252.8 | 247.2 | 265.3 | 384.9 | 342.4 | 261.7 | 212.6 | 274.1 | 375.5 | **6,563.2** |
| OIL | 1957 | 291.4 | 280.6 | 289.9 | 248.4 | 248.4 | 261.9 | 299.9 | 274.8 | 211.4 | 170.5 | 187.4 | 239.3 | **8,053.2** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | 27.0 | 30.0 | 31.0 | 30.0 | 28.0 | **596.0** |
| H2O | 1956 | 141.3 | 123.8 | 136.6 | 135.0 | 137.8 | 157.4 | 168.4 | 226.2 | 236.1 | 225.6 | 220.2 | 242.4 | **3,088.7** |
| OIL | 1956 | 239.8 | 236.6 | 252.3 | 240.9 | 234.9 | 236.1 | 230.9 | 257.4 | 274.4 | 271.3 | 241.7 | 265.7 | **5,049.3** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **241.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 19.2 | 10.5 | 184.4 | 185.4 | 176.6 | 95.1 | 134.3 | 132.4 | **937.9** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 194.5 | 265.9 | 274.3 | 282.2 | 285.4 | 266.7 | 246.6 | 251.7 | **2,067.3** |

Licence ***699*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***699*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **7,518.0** |
| H2O | 1975 | 459.6 | 425.9 | 474.7 | 474.2 | 491.6 | 456.6 | 471.5 | 464.9 | 442.3 | 491.2 | 492.8 | 501.7 | **49,213.1** |
| OIL | 1975 | 111.6 | 100.0 | 109.8 | 80.1 | 81.7 | 76.9 | 81.5 | 82.0 | 76.9 | 82.3 | 79.6 | 80.9 | **71,697.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,154.0** |
| H2O | 1974 | 476.9 | 442.1 | 425.7 | 452.8 | 473.8 | 456.3 | 438.9 | 469.8 | 495.4 | 394.7 | 393.5 | 456.6 | **43,566.1** |
| OIL | 1974 | 115.8 | 101.1 | 106.0 | 88.7 | 93.3 | 86.4 | 101.5 | 109.6 | 109.3 | 105.7 | 100.7 | 112.3 | **70,654.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,790.0** |
| H2O | 1973 | 464.9 | 446.1 | 447.1 | 446.1 | 437.4 | 485.4 | 479.6 | 525.1 | 515.9 | 522.6 | 486.3 | 478.2 | **38,189.6** |
| OIL | 1973 | 149.7 | 132.1 | 149.7 | 146.4 | 147.8 | 134.8 | 137.5 | 149.5 | 142.2 | 116.2 | 109.6 | 112.7 | **69,424.1** |
| DAY | 1972 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,426.0** |
| H2O | 1972 | 295.7 | 288.1 | 320.3 | 383.3 | 400.6 | 398.9 | 442.4 | 419.4 | 503.5 | 547.7 | 542.9 | 551.8 | **32,454.9** |
| OIL | 1972 | 211.5 | 197.4 | 207.5 | 201.2 | 190.1 | 183.2 | 188.6 | 193.1 | 154.0 | 162.1 | 153.8 | 160.7 | **67,795.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,062.0** |
| H2O | 1971 | 298.6 | 270.7 | 311.4 | 312.6 | 313.2 | 328.9 | 325.9 | 314.1 | 281.4 | 314.8 | 268.0 | 314.8 | **27,360.3** |
| OIL | 1971 | 365.0 | 322.9 | 357.4 | 339.3 | 346.9 | 226.6 | 231.8 | 227.4 | 224.2 | 232.8 | 210.4 | 215.5 | **65,592.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,697.0** |
| H2O | 1970 | 180.6 | 169.5 | 177.3 | 163.9 | 168.7 | 171.1 | 158.0 | 178.2 | 306.2 | 317.6 | 289.8 | 322.3 | **23,705.9** |
| OIL | 1970 | 270.1 | 243.6 | 265.9 | 256.3 | 264.6 | 259.2 | 268.9 | 264.6 | 330.7 | 348.8 | 334.7 | 351.0 | **62,292.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **5,332.0** |
| H2O | 1969 | 215.6 | 195.7 | 183.6 | 187.3 | 206.2 | 197.3 | 213.7 | 214.9 | 119.2 | 120.3 | 183.1 | 201.1 | **21,102.7** |
| OIL | 1969 | 408.9 | 361.4 | 399.0 | 388.9 | 399.3 | 391.9 | 407.1 | 404.9 | 243.1 | 236.3 | 275.9 | 289.1 | **58,834.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,969.0** |
| H2O | 1968 | 172.7 | 167.2 | 177.3 | 182.5 | 190.0 | 167.2 | 187.6 | 192.8 | 193.6 | 188.2 | 193.3 | 206.4 | **18,864.7** |
| OIL | 1968 | 399.5 | 373.8 | 398.9 | 397.4 | 396.3 | 374.4 | 404.9 | 309.6 | 298.8 | 372.3 | 396.8 | 410.0 | **54,628.3** |
| DAY | 1967 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,606.0** |
| H2O | 1967 | 171.9 | 142.0 | 153.6 | 219.2 | 219.6 | 206.7 | 150.2 | 198.4 | 176.0 | 190.1 | 167.1 | 182.7 | **16,645.9** |
| OIL | 1967 | 365.8 | 325.1 | 328.0 | 443.1 | 456.6 | 437.9 | 407.3 | 399.2 | 388.9 | 410.3 | 400.5 | 406.7 | **50,095.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,243.0** |
| H2O | 1966 | 148.5 | 118.9 | 155.8 | 159.8 | 178.4 | 159.1 | 165.0 | 162.6 | 174.9 | 179.8 | 168.4 | 173.0 | **14,468.4** |
| OIL | 1966 | 422.1 | 371.5 | 381.4 | 372.6 | 386.3 | 374.9 | 369.0 | 365.0 | 355.8 | 368.4 | 350.1 | 351.0 | **45,326.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,878.0** |
| H2O | 1965 | 175.0 | 161.4 | 200.8 | 163.9 | 159.6 | 152.3 | 167.7 | 190.5 | 216.7 | 214.8 | 152.9 | 152.1 | **12,524.2** |
| OIL | 1965 | 443.7 | 404.9 | 442.1 | 419.1 | 425.3 | 425.6 | 462.1 | 453.0 | 420.7 | 437.5 | 415.7 | 417.7 | **40,858.1** |
| DAY | 1964 | 31.0 | 27.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **3,513.0** |
| H2O | 1964 | 117.0 | 97.5 | 177.1 | 164.5 | 169.9 | 170.6 | 172.8 | 176.5 | 147.4 | 166.8 | 172.8 | 182.8 | **10,416.5** |
| OIL | 1964 | 442.8 | 386.9 | 503.9 | 465.9 | 467.5 | 468.2 | 492.7 | 499.9 | 420.9 | 427.7 | 419.3 | 449.3 | **35,690.7** |
| DAY | 1963 | 31.0 | 27.0 | 29.0 | 17.0 | 31.0 | 29.0 | 30.0 | 30.0 | 29.0 | 31.0 | 28.0 | 30.0 | **3,154.0** |
| H2O | 1963 | 88.2 | 77.6 | 92.5 | 51.5 | 205.4 | 132.3 | 131.0 | 76.0 | 91.1 | 104.1 | 99.8 | 110.5 | **8,500.8** |
| OIL | 1963 | 219.1 | 201.0 | 212.6 | 129.8 | 273.6 | 349.8 | 374.9 | 379.8 | 419.7 | 434.7 | 380.7 | 406.7 | **30,245.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,812.0** |
| H2O | 1962 | 166.3 | 128.0 | 171.5 | 162.2 | 169.2 | 147.2 | 160.4 | 155.5 | 91.3 | 91.3 | 84.7 | 93.2 | **7,240.8** |
| OIL | 1962 | 222.0 | 230.3 | 256.2 | 245.2 | 243.9 | 235.0 | 244.6 | 247.4 | 223.0 | 221.8 | 204.2 | 223.9 | **26,463.3** |
| DAY | 1961 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,449.0** |
| H2O | 1961 | 194.8 | 143.1 | 154.5 | 145.6 | 148.3 | 134.0 | 145.1 | 148.6 | 145.6 | 123.7 | 118.8 | 160.9 | **5,620.0** |
| OIL | 1961 | 272.1 | 237.9 | 263.8 | 262.5 | 274.9 | 225.2 | 233.9 | 240.3 | 228.4 | 237.9 | 155.9 | 227.1 | **23,665.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,085.0** |
| H2O | 1960 | 172.5 | 142.3 | 155.3 | 157.7 | 165.3 | 175.2 | 155.6 | 154.4 | 184.1 | 171.9 | 132.4 | 153.1 | **3,857.0** |
| OIL | 1960 | 322.0 | 287.9 | 313.2 | 317.5 | 323.1 | 315.8 | 277.5 | 263.5 | 293.7 | 303.5 | 303.4 | 304.8 | **20,805.9** |
| DAY | 1959 | 31.0 | 28.0 | 23.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | **1,726.0** |
| H2O | 1959 | 25.3 | 16.7 | 81.1 | 119.9 | 140.2 | 122.4 | 104.6 | 128.5 | 125.6 | 144.7 | 136.2 | 160.9 | **1,937.2** |
| OIL | 1959 | 134.0 | 123.0 | 240.0 | 326.6 | 369.3 | 362.3 | 360.7 | 353.9 | 334.3 | 337.8 | 319.6 | 316.1 | **17,180.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,373.0** |

# Manitoba Production
## 1950 To 1975

Licence ***699*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 39.4 | 43.2 | 45.6 | 51.5 | 59.6 | 57.1 | 51.7 | 35.6 | 39.3 | 10.0 | 7.6 | 24.6 | **631.1** |
| OIL | 1958 | 242.7 | 204.7 | 226.1 | 191.2 | 204.0 | 210.4 | 224.7 | 169.1 | 164.3 | 163.8 | 159.4 | 137.9 | **13,602.4** |
| DAY | 1957 | 28.0 | 27.0 | 26.0 | 22.0 | 31.0 | 16.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **1,008.0** |
| H2O | 1957 | 1.3 | 1.0 | 1.3 | 1.0 | 1.1 | 0.8 | 2.1 | 1.9 | 1.1 | 42.9 | 43.6 | 39.9 | **165.9** |
| OIL | 1957 | 353.7 | 322.1 | 351.8 | 298.0 | 404.7 | 235.5 | 364.1 | 365.7 | 352.5 | 309.9 | 266.8 | 272.4 | **11,304.1** |
| DAY | 1956 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 23.0 | 26.0 | 31.0 | **677.0** |
| H2O | 1956 | 0.3 | 0.3 | 0.3 | 0.6 | 3.3 | 4.0 | 6.5 | 0.8 | 0.5 | 0.6 | 1.3 | 1.7 | **27.9** |
| OIL | 1956 | 333.7 | 309.7 | 300.7 | 329.4 | 338.2 | 327.7 | 326.7 | 431.7 | 366.8 | 249.0 | 345.8 | 361.4 | **7,406.9** |
| DAY | 1955 | 1.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | **329.0** |
| H2O | 1955 | 0.0 | 0.6 | 0.8 | 0.8 | 0.6 | 1.1 | 1.3 | 0.3 | 0.5 | 0.8 | 0.6 | 0.3 | **7.7** |
| OIL | 1955 | 8.6 | 224.9 | 248.2 | 239.8 | 248.5 | 339.9 | 344.4 | 349.3 | 315.9 | 344.8 | 348.0 | 373.8 | **3,386.1** |

Licence ***700*** Well Name ***Dome West Ebor*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-09-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **119.0** |
| OIL | 1956 | 8.7 | 0.0 | 0.0 | 0.0 | 0.0 | 34.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **182.2** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 25.0 | 13.0 | 10.0 | 7.0 | 0.0 | 0.0 | 8.0 | 15.0 | 6.0 | **84.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 1.0 | 0.3 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 0.5 | **3.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 35.8 | 24.6 | 21.9 | 14.0 | 0.0 | 0.0 | 15.1 | 17.2 | 10.6 | **139.2** |

Licence ***701*** Well Name ***Oilex Ebor Unit No. 1 SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-26-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 20.0 | 13.0 | 19.0 | 12.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 20.0 | 10.0 | 22.0 | **2,969.0** |
| H2O | 1975 | 0.5 | 0.3 | 0.8 | 0.3 | 0.6 | 1.0 | 0.6 | 0.6 | 0.8 | 0.6 | 0.5 | 1.0 | **121.3** |
| OIL | 1975 | 15.4 | 8.1 | 11.6 | 7.5 | 20.5 | 14.6 | 19.6 | 14.3 | 19.1 | 15.9 | 6.7 | 14.3 | **2,780.5** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 27.0 | 30.0 | 31.0 | **2,700.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 58.8 | 3.7 | 1.0 | 1.1 | **113.7** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.2 | 23.7 | 22.1 | **2,612.9** |
| DAY | 1962 | 31.0 | 19.0 | 24.0 | 30.0 | 31.0 | 30.0 | 30.0 | 21.0 | 30.0 | 0.0 | 0.0 | 0.0 | **2,609.0** |
| OIL | 1962 | 13.5 | 8.7 | 12.6 | 13.7 | 15.9 | 11.9 | 13.0 | 12.7 | 10.3 | 0.0 | 0.0 | 0.0 | **2,535.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,363.0** |
| OIL | 1961 | 13.5 | 11.3 | 11.3 | 14.8 | 12.1 | 12.6 | 16.7 | 13.5 | 12.9 | 13.5 | 14.6 | 16.4 | **2,423.6** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,000.0** |
| OIL | 1960 | 18.8 | 18.0 | 18.0 | 17.3 | 18.3 | 16.2 | 13.0 | 16.5 | 12.4 | 16.2 | 15.7 | 17.0 | **2,260.4** |
| DAY | 1959 | 31.0 | 27.0 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | 26.0 | 31.0 | **1,635.0** |
| OIL | 1959 | 22.3 | 18.6 | 22.6 | 18.8 | 20.7 | 21.3 | 20.5 | 21.1 | 18.8 | 19.6 | 15.9 | 19.2 | **2,063.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 28.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,281.0** |
| H2O | 1958 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **49.1** |
| OIL | 1958 | 23.4 | 21.5 | 24.0 | 20.8 | 23.2 | 20.5 | 22.9 | 22.3 | 19.4 | 23.2 | 19.2 | 20.2 | **1,823.6** |
| DAY | 1957 | 28.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **923.0** |
| H2O | 1957 | 0.2 | 0.2 | 0.2 | 0.0 | 0.0 | 0.0 | 0.2 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | **48.9** |
| OIL | 1957 | 34.7 | 33.4 | 43.9 | 37.2 | 34.5 | 27.5 | 32.4 | 30.8 | 25.3 | 23.8 | 22.7 | 22.4 | **1,563.0** |
| DAY | 1956 | 26.0 | 23.0 | 30.0 | 12.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **565.0** |
| H2O | 1956 | 2.4 | 0.8 | 0.0 | 0.0 | 0.0 | 1.3 | 5.9 | 7.5 | 4.9 | 0.0 | 0.2 | 0.2 | **47.9** |
| OIL | 1956 | 23.9 | 16.1 | 24.7 | 8.2 | 25.8 | 24.5 | 49.3 | 46.3 | 42.0 | 43.7 | 39.7 | 36.6 | **1,194.4** |
| DAY | 1955 | 2.0 | 24.0 | 27.0 | 11.0 | 0.0 | 25.0 | 25.0 | 31.0 | 27.0 | 31.0 | 11.0 | 20.0 | **234.0** |
| H2O | 1955 | 0.1 | 11.5 | 2.9 | 0.0 | 0.0 | 0.1 | 0.3 | 1.3 | 1.6 | 0.6 | 0.3 | 6.0 | **24.7** |
| OIL | 1955 | 20.9 | 215.0 | 168.0 | 30.1 | 0.0 | 141.6 | 93.4 | 61.1 | 24.4 | 24.2 | 12.1 | 22.8 | **813.6** |

# Manitoba Production
## 1950 To 1975

Licence ***701*** Well Name ***Oilex Ebor Unit No. 1 SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-26-009-29W1.02*** Field Name ***Daly*** Pool Name ***Melita Formation*** Field Code ***1*** Pool Code ***19*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1964 | 556.4 | 508.7 | 397.5 | 397.5 | 397.5 | 397.5 | 0.0 | 0.0 | 48.8 | 0.0 | 0.0 | 0.0 | **8,951.7** |
| H2O | 1963 | 581.2 | 187.6 | 0.0 | 311.6 | 333.1 | 468.2 | 635.9 | 318.0 | 635.9 | 635.9 | 476.9 | 524.6 | **6,247.8** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 85.7 | 461.8 | 591.4 | **1,138.9** |

UWI ***100.04-26-009-29W1.03*** Field Name ***Daly*** Pool Name ***Swan River*** Field Code ***1*** Pool Code ***15*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1965 | 957.2 | 874.7 | 876.8 | 537.8 | 658.8 | 959.9 | 1000.5 | 997.3 | 654.5 | 969.1 | 79.2 | 0.0 | **10,820.1** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 392.7 | 962.3 | 899.3 | **2,254.3** |

Licence ***702*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,343.0** |
| H2O | 1975 | 1833.1 | 1711.7 | 1927.7 | 1870.3 | 1936.0 | 1881.4 | 1961.7 | 1926.6 | 1824.7 | 1463.0 | 1576.6 | 1625.5 | **275,936.4** |
| OIL | 1975 | 109.6 | 98.0 | 110.4 | 104.9 | 105.8 | 101.7 | 104.1 | 104.4 | 99.5 | 57.4 | 59.8 | 60.9 | **38,469.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,980.0** |
| H2O | 1974 | 1796.1 | 1627.7 | 1678.7 | 1659.7 | 1671.5 | 1720.6 | 1490.6 | 1684.4 | 1629.0 | 1650.1 | 1615.0 | 2026.1 | **254,398.1** |
| OIL | 1974 | 69.6 | 62.9 | 64.2 | 69.8 | 72.0 | 73.7 | 111.6 | 114.4 | 113.3 | 110.8 | 105.5 | 123.9 | **37,353.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,618.0** |
| H2O | 1973 | 1465.4 | 1460.4 | 1441.9 | 1247.1 | 1501.7 | 1698.1 | 1546.0 | 1676.3 | 1484.8 | 1604.0 | 1541.0 | 1730.9 | **234,148.6** |
| OIL | 1973 | 104.7 | 104.7 | 101.2 | 86.1 | 101.2 | 89.8 | 54.8 | 65.6 | 55.8 | 61.5 | 54.8 | 65.9 | **36,261.5** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 28.0 | 31.0 | 28.0 | 31.0 | 26.0 | 28.0 | 30.0 | 30.0 | 31.0 | **6,260.0** |
| H2O | 1972 | 1141.6 | 1382.1 | 1250.1 | 1494.9 | 1579.7 | 1390.8 | 1449.2 | 1226.0 | 1252.0 | 1559.5 | 1416.0 | 1383.9 | **215,751.0** |
| OIL | 1972 | 81.2 | 80.7 | 86.4 | 109.5 | 113.5 | 95.2 | 103.8 | 86.1 | 79.3 | 107.1 | 106.0 | 106.0 | **35,315.4** |
| DAY | 1971 | 31.0 | 26.0 | 29.0 | 29.0 | 27.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,907.0** |
| H2O | 1971 | 1460.1 | 1470.5 | 1482.1 | 1438.2 | 1213.6 | 1159.7 | 1347.8 | 1587.2 | 1484.0 | 1385.9 | 1365.3 | 1380.5 | **199,225.2** |
| OIL | 1971 | 75.5 | 84.7 | 79.8 | 79.3 | 72.3 | 82.5 | 91.2 | 88.7 | 89.1 | 91.8 | 88.0 | 89.6 | **34,160.6** |
| DAY | 1970 | 29.0 | 24.0 | 30.0 | 27.0 | 27.0 | 28.0 | 28.0 | 29.0 | 28.0 | 29.0 | 30.0 | 27.0 | **5,555.0** |
| H2O | 1970 | 1508.1 | 1041.7 | 1346.3 | 1201.9 | 1111.6 | 1121.8 | 1024.6 | 1036.8 | 986.1 | 1121.5 | 1079.9 | 919.3 | **182,450.3** |
| OIL | 1970 | 89.8 | 63.4 | 79.0 | 75.3 | 75.6 | 74.2 | 71.8 | 73.1 | 73.6 | 66.9 | 67.7 | 65.3 | **33,148.1** |
| DAY | 1969 | 29.0 | 28.0 | 31.0 | 27.0 | 30.0 | 25.0 | 29.0 | 29.0 | 30.0 | 29.0 | 19.0 | 28.0 | **5,219.0** |
| H2O | 1969 | 1464.5 | 1476.6 | 1541.1 | 1053.0 | 1390.9 | 1323.1 | 1450.4 | 1275.0 | 1424.3 | 1180.1 | 880.2 | 1314.8 | **168,950.7** |
| OIL | 1969 | 98.5 | 99.6 | 103.1 | 77.2 | 100.0 | 92.2 | 95.8 | 90.9 | 115.4 | 104.7 | 61.9 | 110.0 | **32,272.4** |
| DAY | 1968 | 27.0 | 29.0 | 31.0 | 29.0 | 31.0 | 27.0 | 30.0 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | **4,885.0** |
| H2O | 1968 | 1226.7 | 1261.2 | 1774.1 | 1353.4 | 1411.6 | 1524.6 | 1596.6 | 1848.5 | 1725.7 | 1790.5 | 1620.2 | 1705.1 | **153,176.7** |
| OIL | 1968 | 106.3 | 104.9 | 129.2 | 109.8 | 113.6 | 102.7 | 103.1 | 123.8 | 129.8 | 113.6 | 113.9 | 118.7 | **31,123.1** |
| DAY | 1967 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | **4,531.0** |
| H2O | 1967 | 1516.6 | 1344.1 | 1835.9 | 1576.9 | 1471.5 | 1443.2 | 1765.3 | 1571.9 | 1671.0 | 1538.4 | 1679.6 | 1605.0 | **134,338.5** |
| OIL | 1967 | 109.2 | 102.3 | 121.6 | 97.4 | 120.0 | 85.3 | 113.5 | 119.0 | 123.6 | 110.8 | 136.7 | 114.3 | **29,753.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 29.0 | **4,174.0** |
| H2O | 1966 | 1512.5 | 1357.3 | 1564.5 | 1547.8 | 1632.3 | 1689.8 | 1823.5 | 1702.6 | 1610.4 | 1559.4 | 1722.0 | 1741.4 | **115,319.1** |
| OIL | 1966 | 122.2 | 109.8 | 122.5 | 119.0 | 127.3 | 123.6 | 133.6 | 110.6 | 115.2 | 100.0 | 102.7 | 115.8 | **28,400.0** |
| DAY | 1965 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,815.0** |
| H2O | 1965 | 1101.4 | 724.6 | 1564.5 | 1596.6 | 1672.9 | 1469.9 | 1519.2 | 1565.7 | 1469.4 | 1422.8 | 1538.7 | 1588.6 | **95,855.6** |
| OIL | 1965 | 120.6 | 82.2 | 166.1 | 150.0 | 155.1 | 128.7 | 131.9 | 129.7 | 125.4 | 119.5 | 128.4 | 128.7 | **26,997.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,457.0** |
| H2O | 1964 | 844.0 | 665.6 | 1571.6 | 1574.2 | 1625.5 | 1475.4 | 203.7 | 1482.4 | 1379.1 | 1467.2 | 1395.6 | 1792.0 | **78,621.3** |
| OIL | 1964 | 116.2 | 104.9 | 171.1 | 175.8 | 169.6 | 182.7 | 167.8 | 173.4 | 155.7 | 174.0 | 135.9 | 149.4 | **25,431.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,091.0** |
| H2O | 1963 | 1438.9 | 1231.8 | 1199.2 | 1062.5 | 1117.8 | 1062.0 | 1074.1 | 1138.6 | 1253.0 | 1406.1 | 1252.7 | 1175.3 | **63,145.0** |
| OIL | 1963 | 219.1 | 182.4 | 188.9 | 162.4 | 178.1 | 145.7 | 150.2 | 165.1 | 170.8 | 178.8 | 168.8 | 138.3 | **23,554.9** |

# Manitoba Production
## 1950 To 1975

Licence ***702*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,726.0** |
| H2O | 1962 | 1383.7 | 1309.6 | 1481.8 | 1391.8 | 1452.5 | 1411.5 | 1457.0 | 1489.4 | 1385.6 | 1452.4 | 1408.7 | 1400.7 | **48,733.0** |
| OIL | 1962 | 295.3 | 263.3 | 302.9 | 263.6 | 264.7 | 244.6 | 259.0 | 232.2 | 219.8 | 220.6 | 216.6 | 213.6 | **21,506.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,361.0** |
| H2O | 1961 | 481.2 | 290.6 | 277.6 | 288.4 | 500.5 | 526.5 | 439.9 | 606.5 | 572.2 | 623.2 | 1295.0 | 1382.9 | **31,708.3** |
| OIL | 1961 | 154.6 | 114.9 | 105.0 | 100.9 | 162.1 | 153.2 | 127.3 | 160.5 | 156.2 | 185.0 | 326.1 | 298.6 | **18,510.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **1,996.0** |
| H2O | 1960 | 459.5 | 394.1 | 466.3 | 441.2 | 299.0 | 319.2 | 303.5 | 334.0 | 333.9 | 335.1 | 331.5 | 306.4 | **24,423.8** |
| OIL | 1960 | 145.9 | 134.6 | 149.7 | 134.9 | 110.1 | 113.8 | 120.9 | 118.5 | 113.8 | 109.8 | 92.2 | 98.0 | **16,465.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,632.0** |
| H2O | 1959 | 504.8 | 410.2 | 469.6 | 443.2 | 453.3 | 441.8 | 447.1 | 471.1 | 414.6 | 414.1 | 403.8 | 422.1 | **20,100.1** |
| OIL | 1959 | 186.6 | 174.3 | 183.1 | 157.3 | 176.7 | 173.7 | 180.7 | 180.4 | 145.6 | 167.2 | 137.3 | 143.2 | **15,023.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,268.0** |
| H2O | 1958 | 469.1 | 414.6 | 431.6 | 386.2 | 408.6 | 394.1 | 381.2 | 476.8 | 451.5 | 480.9 | 482.2 | 480.0 | **14,804.4** |
| OIL | 1958 | 241.9 | 222.8 | 242.5 | 246.8 | 242.5 | 238.0 | 232.5 | 252.0 | 235.0 | 217.9 | 206.6 | 201.3 | **13,017.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 16.0 | 22.0 | 29.0 | 28.0 | 25.0 | 28.0 | **903.0** |
| H2O | 1957 | 447.1 | 428.9 | 543.2 | 489.0 | 478.5 | 462.3 | 271.2 | 363.6 | 475.0 | 477.1 | 359.6 | 419.9 | **9,547.6** |
| OIL | 1957 | 364.5 | 322.3 | 354.7 | 334.3 | 352.9 | 300.0 | 166.5 | 229.9 | 291.4 | 313.8 | 260.0 | 244.1 | **10,237.6** |
| DAY | 1956 | 31.0 | 29.0 | 25.0 | 6.0 | 18.0 | 30.0 | 30.0 | 28.0 | 29.0 | 30.0 | 30.0 | 19.0 | **576.0** |
| H2O | 1956 | 70.9 | 259.5 | 119.2 | 11.1 | 91.6 | 354.4 | 375.4 | 356.1 | 409.2 | 334.2 | 526.1 | 321.9 | **4,332.2** |
| OIL | 1956 | 336.4 | 304.0 | 284.3 | 53.7 | 199.6 | 340.5 | 336.7 | 315.6 | 326.6 | 343.7 | 342.6 | 221.4 | **6,703.2** |
| DAY | 1955 | 4.0 | 3.0 | 30.0 | 26.0 | 29.0 | 25.0 | 26.0 | 28.0 | 26.0 | 26.0 | 22.0 | 26.0 | **271.0** |
| H2O | 1955 | 17.5 | 8.7 | 80.8 | 67.1 | 57.7 | 164.4 | 120.5 | 49.1 | 158.7 | 160.7 | 149.0 | 68.4 | **1,102.6** |
| OIL | 1955 | 44.5 | 39.9 | 405.7 | 335.6 | 348.8 | 332.1 | 341.3 | 344.5 | 341.0 | 349.0 | 283.0 | 132.7 | **3,298.1** |

Licence ***703*** Well Name ***Enerplus Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-22-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1955 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3.0** |
| OIL | 1955 | 46.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **46.6** |

Licence ***704*** Well Name ***Enerplus East Cromer Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-12-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 31.0 | 23.0 | 23.0 | 19.0 | 30.0 | 28.0 | 29.0 | 31.0 | 24.0 | 26.0 | 25.0 | 0.0 | **1,843.0** |
| H2O | 1969 | 1304.7 | 859.0 | 786.0 | 708.4 | 1093.6 | 978.2 | 1087.9 | 1245.4 | 809.2 | 1122.7 | 952.8 | 0.0 | **47,328.5** |
| OIL | 1969 | 41.2 | 18.8 | 19.2 | 17.8 | 18.8 | 16.8 | 17.3 | 18.0 | 11.8 | 16.0 | 15.6 | 0.0 | **2,445.0** |
| DAY | 1968 | 0.0 | 0.0 | 2.0 | 30.0 | 28.0 | 28.0 | 27.0 | 24.0 | 25.0 | 28.0 | 30.0 | 29.0 | **1,554.0** |
| H2O | 1968 | 0.0 | 0.0 | 87.6 | 363.1 | 326.4 | 354.2 | 900.3 | 759.8 | 855.8 | 954.4 | 1103.6 | 1240.7 | **36,380.6** |
| OIL | 1968 | 0.0 | 0.0 | 5.2 | 56.4 | 65.6 | 62.9 | 35.9 | 28.3 | 22.9 | 25.7 | 30.0 | 36.2 | **2,233.7** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 30.0 | 28.0 | 30.0 | 30.0 | 30.0 | 22.0 | 20.0 | 0.0 | 0.0 | **1,303.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 482.2 | 681.7 | 758.7 | 721.8 | 915.2 | 605.2 | 736.2 | 0.0 | 0.0 | **29,434.7** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 14.9 | 23.7 | 24.0 | 21.9 | 28.3 | 18.8 | 39.4 | 0.0 | 0.0 | **1,864.6** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 27.0 | 29.0 | 28.0 | 0.0 | 0.0 | **1,113.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 194.9 | 696.7 | 730.7 | 652.5 | 0.0 | 0.0 | **24,533.7** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.3 | 24.8 | 24.5 | 21.9 | 0.0 | 0.0 | **1,693.6** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 27.0 | 26.0 | 27.0 | 31.0 | 4.0 | 0.0 | **1,021.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 223.5 | 974.5 | 669.6 | 791.6 | 914.0 | 187.3 | 0.0 | **22,258.9** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.4 | 28.9 | 22.7 | 24.3 | 27.8 | 4.9 | 0.0 | **1,615.1** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 30.0 | 27.0 | 21.0 | 24.0 | 0.0 | 0.0 | **899.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 402.2 | 703.3 | 539.7 | 480.9 | 566.8 | 0.0 | 0.0 | **18,498.4** |

# Manitoba Production
## 1950 To 1975

Licence ***704*** Well Name ***Enerplus East Cromer Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-12-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.2 | 27.7 | 24.3 | 18.6 | 22.1 | 0.0 | 0.0 | **1,500.1** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 25.0 | 31.0 | 26.0 | 14.0 | 29.0 | 0.0 | 0.0 | **782.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 583.0 | 602.3 | 691.1 | 534.8 | 279.0 | 573.3 | 0.0 | 0.0 | **15,805.5** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 29.7 | 27.8 | 31.0 | 22.9 | 14.6 | 27.7 | 0.0 | 0.0 | **1,391.2** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 30.0 | 31.0 | 24.0 | 27.0 | 19.0 | 0.0 | 0.0 | **634.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 712.1 | 916.6 | 902.0 | 658.4 | 854.3 | 462.3 | 0.0 | 0.0 | **12,542.0** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 33.4 | 34.2 | 33.2 | 22.9 | 28.0 | 20.8 | 0.0 | 0.0 | **1,237.5** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 30.0 | 26.0 | 31.0 | 29.0 | 31.0 | 0.0 | 0.0 | **479.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 385.6 | 522.8 | 796.7 | 1017.7 | 884.8 | 967.6 | 0.0 | 0.0 | **8,036.3** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 36.7 | 37.8 | 47.0 | 56.3 | 42.6 | 38.5 | 0.0 | 0.0 | **1,065.0** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 12.0 | 0.0 | **303.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 838.0 | 322.7 | 0.0 | **3,461.1** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 68.8 | 22.4 | 0.0 | **806.1** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | **260.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.5 | 0.0 | 0.0 | 0.0 | 0.0 | **2,300.4** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.9 | 0.0 | 0.0 | 0.0 | 0.0 | **714.9** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 28.0 | 31.0 | 31.0 | 27.0 | 0.0 | 0.0 | 0.0 | **259.0** |
| H2O | 1956 | 9.7 | 0.0 | 0.0 | 0.0 | 93.3 | 202.4 | 294.4 | 329.9 | 277.7 | 0.0 | 0.0 | 0.0 | **2,292.9** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 48.9 | 73.9 | 57.0 | 48.1 | 0.0 | 0.0 | 0.0 | **706.0** |
| DAY | 1955 | 0.0 | 15.0 | 0.0 | 0.0 | 0.0 | 14.0 | 25.0 | 20.0 | 30.0 | 20.0 | 3.0 | 0.0 | **127.0** |
| H2O | 1955 | 0.0 | 185.5 | 0.0 | 0.0 | 0.0 | 0.5 | 205.4 | 167.7 | 313.5 | 195.4 | 17.5 | 0.0 | **1,085.5** |
| OIL | 1955 | 0.0 | 61.8 | 0.0 | 0.0 | 0.0 | 84.9 | 94.1 | 64.4 | 85.2 | 51.8 | 5.9 | 0.0 | **448.1** |

Licence ***706*** Well Name ***Daly Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-13-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 16.0 | 0.0 | 23.0 | 15.0 | 0.0 | 0.0 | **2,581.0** |
| H2O | 1962 | 293.3 | 218.9 | 252.3 | 228.3 | 238.0 | 193.3 | 91.6 | 0.0 | 197.5 | 151.4 | 0.0 | 0.0 | **23,215.4** |
| OIL | 1962 | 22.9 | 19.7 | 24.0 | 20.7 | 22.1 | 17.6 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,108.9** |
| DAY | 1961 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,348.0** |
| H2O | 1961 | 377.1 | 221.0 | 241.3 | 250.7 | 259.8 | 279.5 | 255.5 | 232.0 | 233.7 | 236.2 | 227.7 | 251.0 | **21,350.8** |
| OIL | 1961 | 21.1 | 20.7 | 22.2 | 21.8 | 26.1 | 24.2 | 24.3 | 20.3 | 24.0 | 24.3 | 23.5 | 23.8 | **3,981.1** |
| DAY | 1960 | 25.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | 31.0 | **1,987.0** |
| H2O | 1960 | 223.5 | 259.1 | 282.3 | 276.0 | 286.6 | 280.6 | 263.0 | 275.2 | 279.0 | 270.1 | 368.8 | 330.5 | **18,285.3** |
| OIL | 1960 | 5.7 | 7.8 | 7.8 | 7.8 | 8.1 | 7.6 | 48.3 | 45.3 | 44.2 | 40.2 | 38.3 | 21.0 | **3,704.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 26.0 | 31.0 | 28.0 | 30.0 | 27.0 | 30.0 | 31.0 | **1,632.0** |
| H2O | 1959 | 283.3 | 252.6 | 275.8 | 266.8 | 253.7 | 227.5 | 289.8 | 226.4 | 247.4 | 230.7 | 242.6 | 246.6 | **14,890.6** |
| OIL | 1959 | 48.9 | 42.0 | 46.7 | 44.7 | 50.9 | 46.6 | 49.4 | 58.0 | 59.8 | 59.8 | 57.0 | 56.7 | **3,422.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 26.0 | 31.0 | **1,280.0** |
| H2O | 1958 | 263.6 | 230.0 | 249.0 | 242.0 | 268.4 | 272.3 | 291.7 | 286.6 | 293.0 | 282.3 | 255.0 | 290.1 | **11,847.4** |
| OIL | 1958 | 53.4 | 48.9 | 55.1 | 52.3 | 38.5 | 56.6 | 62.1 | 64.2 | 64.7 | 46.7 | 40.5 | 49.4 | **2,802.2** |
| DAY | 1957 | 0.0 | 26.0 | 31.0 | 30.0 | 18.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **926.0** |
| H2O | 1957 | 0.0 | 285.5 | 318.0 | 285.4 | 181.6 | 306.8 | 2.9 | 297.1 | 273.6 | 241.0 | 223.7 | 256.4 | **8,623.4** |
| OIL | 1957 | 0.0 | 41.0 | 56.3 | 62.1 | 33.4 | 11.0 | 12.7 | 42.3 | 49.9 | 57.5 | 49.1 | 55.9 | **2,169.8** |
| DAY | 1956 | 26.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 21.0 | **610.0** |
| H2O | 1956 | 269.3 | 308.7 | 392.4 | 364.2 | 371.2 | 244.0 | 246.7 | 252.0 | 276.9 | 263.0 | 260.6 | 207.0 | **5,951.4** |
| OIL | 1956 | 53.2 | 61.8 | 60.5 | 60.4 | 69.9 | 42.4 | 58.5 | 60.1 | 65.5 | 78.0 | 67.2 | 49.1 | **1,698.6** |
| DAY | 1955 | 0.0 | 1.0 | 23.0 | 3.0 | 20.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **261.0** |
| H2O | 1955 | 0.0 | 0.0 | 162.2 | 24.3 | 266.6 | 306.0 | 212.2 | 253.3 | 249.0 | 360.2 | 323.0 | 338.6 | **2,495.4** |
| OIL | 1955 | 0.0 | 3.3 | 108.1 | 16.2 | 88.8 | 131.1 | 124.6 | 138.1 | 130.9 | 82.0 | 78.5 | 70.4 | **972.0** |

Licence ***707*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***707*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-13-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,596.0** |
| H2O | 1975 | 7.9 | 2.9 | 7.8 | 6.4 | 7.0 | 1.1 | 11.0 | 10.7 | 12.2 | 10.5 | 7.3 | 12.2 | **3,270.9** |
| OIL | 1975 | 131.3 | 110.6 | 122.4 | 104.1 | 125.9 | 110.4 | 111.9 | 117.0 | 107.6 | 115.4 | 101.7 | 91.8 | **28,226.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,234.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.8 | 17.2 | 17.8 | 15.6 | **3,173.9** |
| OIL | 1974 | 63.6 | 59.1 | 66.6 | 68.8 | 69.3 | 95.0 | 190.1 | 175.6 | 141.7 | 136.8 | 133.5 | 131.4 | **26,876.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,870.0** |
| OIL | 1973 | 106.2 | 95.8 | 100.4 | 106.2 | 120.8 | 88.0 | 94.1 | 101.1 | 78.0 | 92.5 | 67.9 | 64.0 | **25,544.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,506.0** |
| H2O | 1972 | 9.1 | 6.5 | 17.2 | 74.2 | 76.5 | 20.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,104.5** |
| OIL | 1972 | 131.7 | 124.3 | 80.7 | 76.0 | 101.2 | 130.1 | 109.5 | 110.1 | 100.0 | 108.1 | 102.8 | 105.7 | **24,429.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,141.0** |
| H2O | 1971 | 9.4 | 5.6 | 5.4 | 20.5 | 11.3 | 4.8 | 0.0 | 14.5 | 6.0 | 7.3 | 5.4 | 9.2 | **2,900.5** |
| OIL | 1971 | 95.2 | 83.6 | 63.7 | 89.0 | 85.5 | 81.7 | 80.2 | 130.0 | 126.5 | 135.9 | 129.4 | 131.6 | **23,149.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,776.0** |
| H2O | 1970 | 3.2 | 4.3 | 4.8 | 5.1 | 4.6 | 9.4 | 10.7 | 11.3 | 7.3 | 6.7 | 7.5 | 4.1 | **2,801.1** |
| OIL | 1970 | 120.0 | 106.2 | 117.1 | 113.5 | 115.1 | 116.6 | 102.3 | 101.7 | 91.4 | 89.3 | 98.4 | 95.3 | **21,917.1** |
| DAY | 1969 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **5,411.0** |
| H2O | 1969 | 11.9 | 6.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 4.4 | 3.3 | 3.0 | 3.5 | **2,722.1** |
| OIL | 1969 | 93.4 | 81.8 | 85.0 | 88.7 | 112.5 | 86.1 | 85.3 | 69.6 | 66.1 | 97.6 | 84.1 | 120.6 | **20,650.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,053.0** |
| H2O | 1968 | 5.9 | 4.6 | 4.4 | 3.0 | 4.0 | 5.9 | 4.0 | 10.6 | 7.6 | 6.5 | 8.1 | 28.4 | **2,685.6** |
| OIL | 1968 | 109.3 | 100.9 | 107.6 | 105.0 | 109.8 | 105.5 | 103.0 | 108.5 | 96.9 | 105.8 | 100.1 | 92.8 | **19,579.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **4,688.0** |
| H2O | 1967 | 6.7 | 4.8 | 5.7 | 7.5 | 9.5 | 14.1 | 8.6 | 9.4 | 2.2 | 1.9 | 6.0 | 7.6 | **2,592.6** |
| OIL | 1967 | 104.1 | 93.8 | 103.5 | 97.9 | 103.1 | 93.9 | 100.3 | 97.3 | 104.7 | 108.2 | 91.1 | 112.3 | **18,334.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,327.0** |
| H2O | 1966 | 4.8 | 4.4 | 4.3 | 1.7 | 3.5 | 15.3 | 21.1 | 13.2 | 14.9 | 13.0 | 11.8 | 14.3 | **2,508.6** |
| OIL | 1966 | 89.3 | 83.9 | 90.4 | 97.9 | 108.2 | 110.0 | 106.2 | 103.9 | 93.4 | 105.2 | 102.5 | 104.7 | **17,124.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,964.0** |
| H2O | 1965 | 14.0 | 10.5 | 15.3 | 17.8 | 20.7 | 20.8 | 22.2 | 9.7 | 11.8 | 15.6 | 5.1 | 5.1 | **2,386.3** |
| OIL | 1965 | 84.9 | 76.6 | 88.2 | 86.8 | 88.8 | 88.8 | 89.6 | 89.3 | 77.9 | 105.8 | 88.5 | 90.7 | **15,928.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,600.0** |
| H2O | 1964 | 1.3 | 1.3 | 1.6 | 1.4 | 7.0 | 6.7 | 6.8 | 6.2 | 6.4 | 5.2 | 15.1 | 13.2 | **2,217.7** |
| OIL | 1964 | 69.8 | 60.9 | 88.8 | 83.0 | 91.7 | 88.4 | 91.7 | 91.2 | 124.1 | 92.8 | 91.4 | 89.1 | **14,872.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,234.0** |
| H2O | 1963 | 7.5 | 7.9 | 7.5 | 7.5 | 7.8 | 7.3 | 8.4 | 6.2 | 6.4 | 6.4 | 0.0 | 1.3 | **2,145.5** |
| OIL | 1963 | 103.0 | 96.0 | 104.9 | 101.4 | 109.6 | 73.7 | 76.6 | 75.8 | 74.4 | 75.8 | 68.6 | 70.9 | **13,809.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,869.0** |
| H2O | 1962 | 13.5 | 10.0 | 11.6 | 11.0 | 11.0 | 9.7 | 5.1 | 5.6 | 6.0 | 6.8 | 6.8 | 9.2 | **2,071.3** |
| OIL | 1962 | 105.5 | 90.6 | 109.8 | 99.3 | 101.7 | 88.7 | 102.2 | 104.1 | 101.4 | 105.4 | 100.9 | 97.3 | **12,778.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,504.0** |
| H2O | 1961 | 30.5 | 17.3 | 18.9 | 20.2 | 11.9 | 13.0 | 11.8 | 11.4 | 10.8 | 10.8 | 10.5 | 11.4 | **1,965.0** |
| OIL | 1961 | 102.5 | 97.7 | 105.5 | 105.0 | 119.3 | 112.0 | 112.3 | 100.7 | 110.4 | 111.9 | 107.6 | 107.7 | **11,572.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,140.0** |
| H2O | 1960 | 21.6 | 20.3 | 22.1 | 21.8 | 22.4 | 20.3 | 18.3 | 22.4 | 21.8 | 23.1 | 30.0 | 25.8 | **1,786.5** |
| OIL | 1960 | 121.9 | 131.1 | 134.1 | 131.1 | 134.9 | 114.3 | 90.4 | 99.8 | 93.1 | 93.3 | 84.2 | 99.3 | **10,279.4** |
| DAY | 1959 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,777.0** |
| H2O | 1959 | 17.3 | 15.9 | 17.2 | 16.9 | 18.8 | 25.1 | 7.6 | 41.0 | 21.1 | 22.3 | 20.7 | 21.0 | **1,516.6** |
| OIL | 1959 | 118.1 | 103.8 | 115.2 | 110.3 | 110.8 | 101.2 | 119.5 | 127.0 | 107.3 | 121.4 | 102.7 | 102.3 | **8,951.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,413.0** |
| H2O | 1958 | 22.9 | 20.0 | 21.6 | 21.1 | 36.2 | 29.3 | 36.2 | 35.6 | 36.2 | 18.3 | 18.3 | 18.1 | **1,271.7** |

# Manitoba Production
## 1950 To 1975

Licence ***707*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-13-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1958 | 145.2 | 133.2 | 149.9 | 142.4 | 119.0 | 126.2 | 112.0 | 115.7 | 115.8 | 119.0 | 113.8 | 121.4 | **7,612.3** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,050.0** |
| H2O | 1957 | 10.2 | 15.3 | 15.7 | 14.1 | 39.1 | 20.8 | 53.9 | 30.2 | 19.9 | 21.1 | 22.7 | 23.4 | **957.9** |
| OIL | 1957 | 87.6 | 48.0 | 60.2 | 66.4 | 133.0 | 110.6 | 155.4 | 133.3 | 145.9 | 150.8 | 149.1 | 152.2 | **6,098.7** |
| DAY | 1956 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **687.0** |
| H2O | 1956 | 27.7 | 28.8 | 36.6 | 34.0 | 34.7 | 36.6 | 30.7 | 31.0 | 12.2 | 30.2 | 29.9 | 10.5 | **671.5** |
| OIL | 1956 | 183.5 | 192.6 | 188.3 | 187.8 | 217.5 | 184.7 | 158.3 | 159.5 | 162.1 | 193.2 | 166.5 | 79.5 | **4,706.2** |
| DAY | 1955 | 2.0 | 27.0 | 26.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | **326.0** |
| H2O | 1955 | 14.5 | 44.2 | 16.5 | 12.6 | 23.7 | 12.9 | 31.6 | 40.2 | 38.2 | 33.4 | 30.0 | 30.8 | **328.6** |
| OIL | 1955 | 36.9 | 240.4 | 203.1 | 224.5 | 240.4 | 224.7 | 250.4 | 260.8 | 238.7 | 255.1 | 244.1 | 213.6 | **2,632.7** |

Licence ***708*** Well Name ***Enerplus East Cromer Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.16-11-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 27.0 | 31.0 | 27.0 | 30.0 | 0.0 | 0.0 | **5,381.0** |
| H2O | 1970 | 1333.3 | 1324.6 | 1420.9 | 1369.2 | 1395.9 | 1265.1 | 1040.7 | 1218.3 | 927.4 | 913.2 | 0.0 | 0.0 | **150,031.0** |
| OIL | 1970 | 21.1 | 19.7 | 20.8 | 18.6 | 18.9 | 16.5 | 16.2 | 17.6 | 9.3 | 9.9 | 0.0 | 0.0 | **14,848.6** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 24.0 | 31.0 | 30.0 | 26.0 | **5,088.0** |
| H2O | 1969 | 1538.7 | 1253.5 | 1211.8 | 1276.1 | 1442.7 | 1367.2 | 1497.9 | 1508.8 | 1006.8 | 1354.0 | 1197.4 | 970.4 | **137,822.4** |
| OIL | 1969 | 37.3 | 21.0 | 22.7 | 24.6 | 23.4 | 21.9 | 22.6 | 20.3 | 11.8 | 15.9 | 16.2 | 16.8 | **14,680.0** |
| DAY | 1968 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,735.0** |
| H2O | 1968 | 1222.2 | 1264.1 | 1210.3 | 1152.7 | 1317.4 | 1163.2 | 1196.3 | 1193.6 | 1174.2 | 1128.2 | 1236.6 | 1488.9 | **122,197.1** |
| OIL | 1968 | 27.7 | 24.6 | 28.4 | 17.6 | 26.2 | 18.8 | 25.1 | 23.4 | 24.2 | 23.5 | 25.9 | 33.4 | **14,425.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 27.0 | 29.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,374.0** |
| H2O | 1967 | 1271.3 | 1213.4 | 1306.1 | 1097.5 | 1340.5 | 1446.5 | 1458.4 | 1464.6 | 1123.9 | 1193.7 | 1267.5 | 1293.6 | **107,449.4** |
| OIL | 1967 | 39.9 | 34.0 | 39.4 | 28.6 | 39.3 | 38.3 | 37.0 | 20.5 | 15.7 | 18.3 | 28.1 | 28.0 | **14,126.7** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 25.0 | 28.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,018.0** |
| H2O | 1966 | 1234.1 | 1095.8 | 1316.0 | 1025.4 | 1196.3 | 1269.2 | 1451.3 | 1439.5 | 1412.8 | 1411.4 | 1229.3 | 1247.0 | **91,972.4** |
| OIL | 1966 | 58.5 | 49.6 | 52.3 | 32.4 | 45.6 | 40.0 | 46.7 | 43.1 | 40.0 | 39.9 | 40.5 | 40.5 | **13,759.6** |
| DAY | 1965 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 28.0 | 29.0 | 31.0 | 24.0 | 31.0 | **3,663.0** |
| H2O | 1965 | 1132.5 | 1061.3 | 1232.7 | 1156.7 | 1184.2 | 876.3 | 957.2 | 626.1 | 745.6 | 781.5 | 769.1 | 1195.6 | **76,644.3** |
| OIL | 1965 | 60.9 | 47.8 | 46.2 | 45.0 | 48.1 | 37.8 | 43.5 | 32.4 | 35.3 | 36.5 | 31.0 | 61.7 | **13,230.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 22.0 | 31.0 | 30.0 | 31.0 | 25.0 | 26.0 | 29.0 | 30.0 | 31.0 | **3,310.0** |
| H2O | 1964 | 1159.2 | 1121.7 | 1026.2 | 461.8 | 721.8 | 694.7 | 685.0 | 420.3 | 512.2 | 529.7 | 649.9 | 1159.9 | **64,925.5** |
| OIL | 1964 | 67.5 | 54.8 | 52.9 | 33.5 | 53.4 | 40.4 | 38.9 | 28.8 | 30.4 | 31.8 | 39.4 | 74.1 | **12,704.3** |
| DAY | 1963 | 24.0 | 3.0 | 17.0 | 18.0 | 31.0 | 25.0 | 31.0 | 30.0 | 14.0 | 31.0 | 30.0 | 31.0 | **2,964.0** |
| H2O | 1963 | 842.3 | 111.3 | 529.2 | 738.6 | 902.5 | 639.9 | 775.0 | 706.0 | 303.0 | 722.7 | 599.4 | 790.3 | **55,783.1** |
| OIL | 1963 | 51.0 | 6.5 | 39.9 | 48.5 | 73.1 | 47.2 | 55.1 | 47.8 | 25.4 | 55.1 | 52.0 | 65.0 | **12,158.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 21.0 | 31.0 | 30.0 | 29.0 | 25.0 | 27.0 | 25.0 | 30.0 | 31.0 | **2,679.0** |
| H2O | 1962 | 879.5 | 727.3 | 821.1 | 597.1 | 890.8 | 931.9 | 808.9 | 734.3 | 805.9 | 749.7 | 939.6 | 892.8 | **48,122.9** |
| OIL | 1962 | 47.8 | 44.0 | 49.3 | 50.4 | 76.0 | 63.2 | 54.2 | 46.6 | 47.8 | 48.8 | 79.0 | 67.9 | **11,591.8** |
| DAY | 1961 | 29.0 | 28.0 | 27.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 29.0 | 30.0 | 29.0 | 31.0 | **2,340.0** |
| H2O | 1961 | 848.8 | 664.2 | 808.1 | 937.8 | 877.3 | 1052.1 | 725.7 | 858.7 | 835.3 | 934.8 | 804.1 | 808.9 | **38,344.0** |
| OIL | 1961 | 54.5 | 44.8 | 54.5 | 65.5 | 76.6 | 69.8 | 57.8 | 63.9 | 53.9 | 67.5 | 55.3 | 55.3 | **10,916.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,988.0** |
| H2O | 1960 | 821.4 | 791.6 | 828.9 | 640.7 | 755.0 | 743.7 | 617.3 | 867.1 | 859.4 | 815.9 | 839.4 | 903.0 | **28,188.2** |
| OIL | 1960 | 85.8 | 78.3 | 83.0 | 70.1 | 70.4 | 63.2 | 62.9 | 59.3 | 66.1 | 65.9 | 57.5 | 60.2 | **10,197.4** |
| DAY | 1959 | 31.0 | 25.0 | 31.0 | 29.0 | 29.0 | 29.0 | 31.0 | 30.0 | 26.0 | 24.0 | 30.0 | 31.0 | **1,631.0** |
| H2O | 1959 | 397.8 | 695.7 | 866.9 | 772.2 | 748.3 | 770.9 | 893.1 | 838.6 | 749.3 | 692.0 | 878.2 | 866.8 | **18,704.8** |
| OIL | 1959 | 91.1 | 101.2 | 117.9 | 86.4 | 88.4 | 107.6 | 125.7 | 109.6 | 86.3 | 84.1 | 97.9 | 87.1 | **9,374.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 29.0 | 30.0 | 28.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,285.0** |

# Manitoba Production
## 1950 To 1975

Licence ***708*** Well Name ***Enerplus East Cromer Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.16-11-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 280.0 | 256.1 | 285.2 | 356.1 | 329.6 | 337.2 | 356.9 | 320.3 | 341.0 | 406.0 | 413.0 | 417.2 | **9,535.0** |
| OIL | 1958 | 110.3 | 94.4 | 100.7 | 73.6 | 80.1 | 82.3 | 82.3 | 73.3 | 98.7 | 107.1 | 95.5 | 96.3 | **8,191.4** |
| DAY | 1957 | 31.0 | 28.0 | 30.0 | 16.0 | 23.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **930.0** |
| H2O | 1957 | 200.0 | 179.3 | 204.3 | 118.4 | 147.2 | 238.0 | 246.7 | 257.4 | 239.4 | 262.6 | 262.5 | 266.0 | **5,436.4** |
| OIL | 1957 | 180.5 | 173.7 | 169.1 | 57.5 | 133.6 | 166.4 | 182.0 | 130.5 | 129.2 | 124.9 | 116.0 | 111.2 | **7,096.8** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **589.0** |
| H2O | 1956 | 172.3 | 188.1 | 201.1 | 194.8 | 198.2 | 104.4 | 145.1 | 168.2 | 161.5 | 178.9 | 144.4 | 161.5 | **2,814.6** |
| OIL | 1956 | 253.9 | 244.7 | 248.4 | 212.0 | 214.5 | 283.8 | 278.3 | 283.2 | 271.7 | 260.9 | 226.6 | 215.2 | **5,422.2** |
| DAY | 1955 | 0.0 | 15.0 | 24.0 | 1.0 | 0.0 | 8.0 | 25.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **224.0** |
| H2O | 1955 | 0.0 | 3.0 | 3.8 | 0.2 | 0.0 | 2.4 | 4.0 | 142.3 | 145.0 | 176.8 | 159.1 | 159.5 | **796.1** |
| OIL | 1955 | 0.0 | 188.5 | 236.3 | 9.5 | 0.0 | 141.1 | 241.9 | 403.9 | 330.1 | 311.1 | 285.6 | 281.0 | **2,429.0** |

Licence ***709*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-13-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 16.0 | 10.0 | 31.0 | **7,462.0** |
| H2O | 1975 | 77.6 | 63.9 | 80.0 | 75.4 | 87.9 | 119.9 | 62.0 | 69.6 | 67.6 | 37.4 | 14.9 | 65.2 | **10,184.8** |
| OIL | 1975 | 39.4 | 39.4 | 36.4 | 37.5 | 38.9 | 40.5 | 39.7 | 37.7 | 36.7 | 19.4 | 11.4 | 35.8 | **12,095.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,132.0** |
| H2O | 1974 | 60.1 | 55.6 | 60.1 | 56.8 | 59.1 | 58.3 | 60.1 | 61.7 | 59.0 | 61.0 | 61.7 | 74.1 | **9,363.4** |
| OIL | 1974 | 75.0 | 69.6 | 71.4 | 38.1 | 39.7 | 38.3 | 38.9 | 39.1 | 39.1 | 40.8 | 38.6 | 38.6 | **11,683.1** |
| DAY | 1973 | 31.0 | 27.0 | 24.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,767.0** |
| H2O | 1973 | 69.3 | 72.2 | 55.6 | 57.7 | 79.8 | 62.8 | 65.3 | 56.1 | 63.9 | 61.2 | 60.1 | 61.0 | **8,635.8** |
| OIL | 1973 | 43.7 | 38.8 | 35.6 | 38.9 | 45.3 | 41.0 | 43.9 | 79.3 | 76.3 | 77.2 | 75.5 | 79.0 | **11,115.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,413.0** |
| H2O | 1972 | 46.1 | 35.6 | 36.4 | 42.9 | 38.8 | 38.6 | 36.1 | 55.5 | 50.1 | 73.3 | 70.1 | 62.8 | **7,870.8** |
| OIL | 1972 | 39.4 | 35.6 | 39.1 | 43.5 | 44.0 | 41.5 | 42.7 | 43.4 | 44.3 | 40.5 | 44.0 | 44.8 | **10,441.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,048.0** |
| H2O | 1971 | 37.5 | 37.8 | 45.3 | 43.6 | 45.8 | 43.1 | 44.8 | 43.9 | 33.5 | 31.6 | 28.5 | 45.8 | **7,284.5** |
| OIL | 1971 | 39.3 | 35.1 | 38.8 | 38.1 | 38.1 | 36.7 | 36.2 | 36.9 | 34.5 | 41.5 | 38.5 | 39.6 | **9,938.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,685.0** |
| H2O | 1970 | 8.3 | 8.9 | 9.9 | 8.3 | 10.5 | 10.0 | 10.2 | 7.2 | 45.9 | 49.4 | 41.8 | 43.1 | **6,803.3** |
| OIL | 1970 | 30.0 | 26.7 | 31.6 | 27.2 | 30.0 | 27.8 | 31.0 | 30.2 | 39.7 | 40.2 | 38.6 | 38.9 | **9,485.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **5,321.0** |
| H2O | 1969 | 7.6 | 7.9 | 9.1 | 9.5 | 10.5 | 8.9 | 11.6 | 10.7 | 8.1 | 11.8 | 7.8 | 9.5 | **6,549.8** |
| OIL | 1969 | 27.2 | 24.8 | 27.2 | 26.4 | 34.3 | 35.8 | 38.5 | 38.1 | 29.9 | 30.8 | 28.1 | 30.0 | **9,093.4** |
| DAY | 1968 | 31.0 | 29.0 | 27.0 | 27.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,959.0** |
| H2O | 1968 | 11.3 | 10.8 | 9.7 | 9.9 | 11.1 | 10.8 | 11.3 | 13.2 | 12.9 | 11.0 | 10.3 | 9.7 | **6,436.8** |
| OIL | 1968 | 33.7 | 31.8 | 30.2 | 35.4 | 40.5 | 30.2 | 32.7 | 34.6 | 32.6 | 34.6 | 31.0 | 28.8 | **8,722.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 28.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,603.0** |
| H2O | 1967 | 37.8 | 33.7 | 17.3 | 11.6 | 11.3 | 11.3 | 8.6 | 7.8 | 9.4 | 11.9 | 11.4 | 11.6 | **6,304.8** |
| OIL | 1967 | 29.2 | 26.2 | 30.5 | 32.4 | 32.3 | 31.6 | 30.4 | 29.1 | 30.2 | 35.3 | 33.4 | 32.3 | **8,326.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,246.0** |
| H2O | 1966 | 4.5 | 3.8 | 4.1 | 4.5 | 4.5 | 9.2 | 9.7 | 6.2 | 17.2 | 16.4 | 35.0 | 36.4 | **6,121.1** |
| OIL | 1966 | 31.0 | 28.4 | 32.1 | 30.4 | 32.4 | 26.1 | 32.7 | 35.0 | 29.9 | 30.5 | 30.4 | 29.9 | **7,953.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **3,882.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.9 | 5.9 | 4.1 | 12.9 | 18.6 | 17.8 | 4.5 | **5,969.6** |
| OIL | 1965 | 32.3 | 30.4 | 26.5 | 28.0 | 27.3 | 22.6 | 30.8 | 28.8 | 21.0 | 28.8 | 26.4 | 33.7 | **7,584.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,522.0** |
| H2O | 1964 | 51.0 | 81.2 | 63.4 | 45.9 | 53.4 | 48.5 | 49.8 | 42.0 | 44.0 | 55.5 | 14.5 | 0.0 | **5,899.9** |
| OIL | 1964 | 35.8 | 29.7 | 33.1 | 35.4 | 36.1 | 35.3 | 34.3 | 36.2 | 31.9 | 37.0 | 32.7 | 32.4 | **7,247.9** |

# Manitoba Production
## 1950 To 1975

Licence ***709*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-13-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,157.0** |
| H2O | 1963 | 0.0 | 0.0 | 50.7 | 49.1 | 43.4 | 38.6 | 38.5 | 56.1 | 65.8 | 57.2 | 58.8 | 43.6 | **5,350.7** |
| OIL | 1963 | 35.8 | 33.4 | 35.6 | 31.8 | 35.4 | 29.9 | 29.6 | 36.5 | 32.9 | 32.3 | 31.8 | 31.9 | **6,838.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,792.0** |
| H2O | 1962 | 53.6 | 49.6 | 48.6 | 44.5 | 43.6 | 47.4 | 50.6 | 57.9 | 53.7 | 56.4 | 54.5 | 20.7 | **4,848.9** |
| OIL | 1962 | 38.1 | 30.8 | 36.5 | 37.3 | 40.0 | 40.2 | 40.5 | 35.6 | 34.3 | 34.6 | 34.5 | 39.9 | **6,441.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,429.0** |
| H2O | 1961 | 45.3 | 46.3 | 49.4 | 49.1 | 51.8 | 52.6 | 54.5 | 57.6 | 54.8 | 51.4 | 50.1 | 30.2 | **4,267.8** |
| OIL | 1961 | 44.5 | 37.7 | 41.2 | 36.4 | 43.5 | 40.5 | 40.8 | 36.5 | 35.3 | 34.8 | 34.2 | 37.3 | **5,998.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 20.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,064.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 2.5 | 45.6 | 39.4 | 48.8 | 36.6 | 59.9 | 53.3 | 54.2 | **3,674.7** |
| OIL | 1960 | 44.7 | 41.2 | 44.8 | 42.4 | 26.4 | 42.6 | 47.8 | 48.6 | 52.1 | 44.0 | 43.1 | 36.9 | **5,536.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | **1,709.0** |
| H2O | 1959 | 1.3 | 0.0 | 15.1 | 1.1 | 1.3 | 15.1 | 1.3 | 9.4 | 1.3 | 34.2 | 39.0 | 1.3 | **3,334.4** |
| OIL | 1959 | 49.9 | 42.1 | 44.0 | 48.9 | 49.3 | 43.1 | 45.9 | 51.2 | 44.7 | 33.1 | 44.7 | 42.9 | **5,021.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,351.0** |
| H2O | 1958 | 0.2 | 27.7 | 0.0 | 6.4 | 2.7 | 2.7 | 0.0 | 1.4 | 1.3 | 0.0 | 0.0 | 0.0 | **3,214.0** |
| OIL | 1958 | 64.2 | 55.6 | 59.1 | 50.9 | 66.6 | 51.8 | 56.1 | 55.9 | 55.8 | 52.6 | 48.9 | 48.6 | **4,481.7** |
| DAY | 1957 | 30.0 | 27.0 | 31.0 | 17.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **989.0** |
| H2O | 1957 | 216.1 | 193.6 | 128.0 | 58.0 | 77.9 | 101.0 | 36.1 | 48.0 | 5.4 | 5.7 | 3.0 | 6.2 | **3,171.6** |
| OIL | 1957 | 31.0 | 32.3 | 67.9 | 35.9 | 76.4 | 72.3 | 65.8 | 81.7 | 68.8 | 50.5 | 60.4 | 61.8 | **3,815.6** |
| DAY | 1956 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 28.0 | **639.0** |
| H2O | 1956 | 120.8 | 136.1 | 140.1 | 134.3 | 140.7 | 128.5 | 94.3 | 84.7 | 112.9 | 8.9 | 8.9 | 8.1 | **2,292.6** |
| OIL | 1956 | 120.9 | 147.2 | 140.3 | 127.9 | 131.6 | 116.2 | 134.6 | 116.3 | 90.6 | 58.2 | 50.5 | 47.4 | **3,110.8** |
| DAY | 1955 | 1.0 | 3.0 | 25.0 | 22.0 | 26.0 | 24.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **282.0** |
| H2O | 1955 | 0.3 | 4.8 | 99.4 | 195.5 | 11.3 | 134.0 | 110.8 | 149.3 | 117.6 | 142.6 | 120.8 | 87.9 | **1,174.3** |
| OIL | 1955 | 15.4 | 11.0 | 184.3 | 195.5 | 247.1 | 209.8 | 281.9 | 269.5 | 103.5 | 125.2 | 104.2 | 81.7 | **1,829.1** |

Licence ***710*** Well Name ***Fawn Lulu Lake Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-23-001-21W1.00*** Field Name ***Lulu Lake*** Pool Name ***Lodgepole WL A*** Field Code ***4*** Pool Code ***52A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 31.0 | 21.0 | 27.0 | 30.0 | 24.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **622.0** |
| H2O | 1957 | 60.3 | 39.4 | 89.7 | 49.1 | 21.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,135.1** |
| OIL | 1957 | 68.1 | 22.0 | 32.5 | 32.5 | 15.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,651.4** |
| DAY | 1956 | 28.0 | 29.0 | 30.0 | 21.0 | 14.0 | 29.0 | 30.0 | 31.0 | 30.0 | 23.0 | 25.0 | 31.0 | **489.0** |
| H2O | 1956 | 55.6 | 53.4 | 53.7 | 33.1 | 21.5 | 43.7 | 34.3 | 29.7 | 30.2 | 25.3 | 43.9 | 39.1 | **874.7** |
| OIL | 1956 | 80.3 | 93.9 | 70.2 | 47.6 | 34.4 | 26.0 | 47.9 | 45.7 | 43.9 | 32.0 | 43.8 | 45.2 | **1,481.3** |
| DAY | 1955 | 0.0 | 18.0 | 30.0 | 0.0 | 0.0 | 0.0 | 13.0 | 0.0 | 22.0 | 31.0 | 24.0 | 30.0 | **168.0** |
| H2O | 1955 | 0.4 | 27.2 | 37.3 | 21.2 | 0.0 | 0.0 | 18.5 | 44.4 | 90.8 | 92.6 | 29.5 | 49.3 | **411.2** |
| OIL | 1955 | 26.0 | 90.7 | 169.4 | 63.7 | 0.0 | 0.0 | 74.0 | 83.8 | 95.5 | 113.7 | 84.2 | 69.4 | **870.4** |

UWI ***100.02-23-001-21W1.02*** Field Name ***Lulu Lake*** Pool Name ***Lodgepole WL A*** Field Code ***4*** Pool Code ***52A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,363.0** |
| H2O | 1975 | 143.4 | 133.9 | 148.5 | 143.2 | 147.5 | 136.3 | 132.3 | 156.1 | 146.6 | 148.2 | 140.9 | 157.4 | **12,949.8** |
| OIL | 1975 | 40.4 | 35.3 | 36.2 | 37.8 | 36.2 | 38.6 | 42.0 | 43.2 | 42.1 | 44.0 | 42.1 | 44.0 | **6,172.7** |
| DAY | 1974 | 31.0 | 28.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,001.0** |
| H2O | 1974 | 72.8 | 65.3 | 70.1 | 71.2 | 59.3 | 131.2 | 143.6 | 147.9 | 77.3 | 178.5 | 142.1 | 148.7 | **11,215.5** |
| OIL | 1974 | 28.9 | 26.1 | 26.7 | 28.1 | 26.2 | 47.9 | 44.7 | 45.0 | 23.2 | 32.8 | 37.4 | 38.8 | **5,690.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 28.0 | 23.0 | 30.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **2,667.0** |
| H2O | 1973 | 112.7 | 101.8 | 135.3 | 125.6 | 79.2 | 70.9 | 80.3 | 81.6 | 76.3 | 72.7 | 69.3 | 71.9 | **9,907.5** |

# Manitoba Production
## 1950 To 1975

Licence ***710*** Well Name ***Fawn Lulu Lake Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-23-001-21W1.02*** Field Name ***Lulu Lake*** Pool Name ***Lodgepole WL A*** Field Code ***4*** Pool Code ***52A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1973 | 31.2 | 28.3 | 34.7 | 24.8 | 25.1 | 28.9 | 25.6 | 27.7 | 27.0 | 25.8 | 27.8 | 28.8 | **5,285.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | **2,319.0** |
| H2O | 1972 | 170.9 | 138.8 | 129.7 | 117.5 | 111.6 | 104.6 | 89.2 | 114.6 | 106.0 | 115.6 | 113.0 | 112.6 | **8,829.9** |
| OIL | 1972 | 35.3 | 30.5 | 31.3 | 30.0 | 29.4 | 28.1 | 34.2 | 33.2 | 29.7 | 31.5 | 30.7 | 28.0 | **4,949.3** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 7.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,959.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 150.9 | 81.9 | 37.7 | 0.0 | 220.7 | 173.3 | 165.3 | 170.9 | **7,405.8** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 41.2 | 42.3 | 9.9 | 0.0 | 40.4 | 35.6 | 34.0 | 35.8 | **4,577.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 7.0 | **1,807.0** |
| H2O | 1970 | 65.5 | 59.0 | 63.8 | 61.8 | 52.9 | 56.1 | 59.3 | 99.2 | 91.3 | 80.6 | 121.8 | 24.6 | **6,405.1** |
| OIL | 1970 | 56.3 | 49.6 | 53.7 | 50.1 | 47.2 | 50.2 | 49.4 | 44.8 | 47.4 | 45.9 | 46.1 | 9.4 | **4,338.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 0.0 | 30.0 | 25.0 | 30.0 | 17.0 | 31.0 | 30.0 | 31.0 | **1,471.0** |
| H2O | 1969 | 76.3 | 69.3 | 75.4 | 69.8 | 67.7 | 71.4 | 58.8 | 70.9 | 57.6 | 68.7 | 66.1 | 66.0 | **5,569.2** |
| OIL | 1969 | 68.2 | 58.3 | 64.4 | 60.4 | 62.0 | 60.1 | 50.1 | 63.6 | 53.1 | 61.5 | 58.3 | 56.3 | **3,788.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,157.0** |
| H2O | 1968 | 117.2 | 103.8 | 105.3 | 88.2 | 101.8 | 77.6 | 103.7 | 451.4 | 200.0 | 82.0 | 79.5 | 79.5 | **4,751.2** |
| OIL | 1968 | 63.6 | 54.2 | 57.2 | 47.9 | 54.9 | 47.9 | 46.7 | 72.7 | 82.2 | 72.0 | 69.5 | 70.9 | **3,071.8** |
| DAY | 1967 | 31.0 | 28.0 | 29.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **795.0** |
| H2O | 1967 | 50.2 | 30.7 | 41.2 | 170.3 | 166.9 | 174.3 | 167.9 | 172.5 | 147.1 | 132.8 | 124.0 | 122.7 | **3,161.2** |
| OIL | 1967 | 43.4 | 35.5 | 37.2 | 91.1 | 88.6 | 84.7 | 81.7 | 81.1 | 80.4 | 80.8 | 76.2 | 65.2 | **2,332.1** |
| DAY | 1966 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 30.0 | **435.0** |
| H2O | 1966 | 109.4 | 95.2 | 124.5 | 99.0 | 105.9 | 97.3 | 106.7 | 140.2 | 100.0 | 86.6 | 92.4 | 47.2 | **1,660.6** |
| OIL | 1966 | 108.3 | 92.1 | 103.4 | 73.0 | 74.0 | 112.1 | 106.1 | 109.8 | 107.1 | 94.6 | 81.4 | 39.6 | **1,486.2** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 30.0 | 31.0 | **78.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 85.5 | 193.3 | 177.4 | **456.2** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 80.0 | 170.8 | 133.9 | **384.7** |

Licence ***712*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,570.0** |
| H2O | 1975 | 276.6 | 166.3 | 284.1 | 280.0 | 311.3 | 276.5 | 275.4 | 254.8 | 230.2 | 216.2 | 183.6 | 188.4 | **21,586.6** |
| OIL | 1975 | 421.4 | 255.5 | 413.3 | 397.0 | 416.2 | 391.2 | 409.7 | 363.4 | 368.4 | 370.9 | 381.9 | 393.0 | **60,249.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,212.0** |
| H2O | 1974 | 200.6 | 172.7 | 210.0 | 125.6 | 138.8 | 145.8 | 113.5 | 120.8 | 125.6 | 291.4 | 254.1 | 279.3 | **18,643.2** |
| OIL | 1974 | 359.9 | 355.8 | 395.8 | 372.8 | 379.3 | 355.8 | 360.9 | 383.4 | 373.1 | 417.5 | 393.9 | 418.6 | **55,667.3** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **6,850.0** |
| H2O | 1973 | 164.4 | 149.0 | 154.4 | 173.0 | 198.1 | 189.0 | 172.5 | 163.6 | 162.0 | 170.3 | 164.1 | 187.0 | **16,465.0** |
| OIL | 1973 | 478.3 | 421.3 | 425.7 | 413.6 | 403.2 | 389.5 | 414.6 | 404.3 | 383.6 | 367.4 | 359.3 | 339.1 | **51,100.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,486.0** |
| H2O | 1972 | 155.6 | 156.9 | 171.1 | 138.3 | 173.8 | 181.7 | 211.9 | 178.2 | 195.9 | 197.3 | 148.8 | 137.4 | **14,417.6** |
| OIL | 1972 | 352.6 | 339.7 | 418.7 | 394.1 | 419.8 | 403.2 | 473.1 | 393.6 | 417.0 | 438.8 | 473.4 | 481.0 | **46,300.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,124.0** |
| H2O | 1971 | 182.4 | 181.1 | 194.9 | 200.8 | 209.2 | 176.1 | 182.2 | 201.1 | 181.1 | 152.9 | 138.2 | 144.2 | **12,370.7** |
| OIL | 1971 | 486.6 | 439.9 | 492.6 | 469.9 | 470.5 | 446.1 | 451.6 | 444.5 | 423.7 | 360.7 | 342.0 | 369.5 | **41,295.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,759.0** |
| H2O | 1970 | 135.8 | 128.8 | 157.1 | 206.4 | 212.9 | 207.9 | 189.2 | 677.9 | 238.6 | 239.7 | 206.5 | 154.5 | **10,226.5** |
| OIL | 1970 | 462.3 | 410.0 | 453.8 | 427.8 | 437.0 | 410.5 | 429.7 | 374.1 | 380.9 | 391.6 | 383.1 | 481.8 | **36,098.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 29.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,394.0** |
| H2O | 1969 | 142.4 | 116.5 | 141.8 | 80.1 | 150.6 | 189.8 | 200.3 | 176.6 | 201.0 | 212.2 | 164.5 | 137.2 | **7,471.2** |
| OIL | 1969 | 404.1 | 347.1 | 391.1 | 271.3 | 379.0 | 507.9 | 517.4 | 503.0 | 434.8 | 458.1 | 428.9 | 468.9 | **31,055.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **5,034.0** |

# Manitoba Production
## 1950 To 1975

Licence ***712*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1968 | 108.1 | 108.1 | 125.8 | 132.7 | 127.3 | 115.6 | 121.6 | 125.3 | 115.3 | 142.0 | 132.3 | 144.5 | **5,558.2** |
| OIL | 1968 | 442.2 | 399.3 | 446.7 | 380.0 | 376.9 | 330.9 | 344.4 | 346.7 | 456.4 | 526.8 | 390.9 | 409.7 | **25,943.8** |
| DAY | 1967 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,671.0** |
| H2O | 1967 | 72.3 | 61.8 | 66.9 | 65.8 | 69.8 | 63.1 | 79.8 | 80.8 | 143.1 | 136.9 | 114.5 | 115.7 | **4,059.6** |
| OIL | 1967 | 508.8 | 442.4 | 477.4 | 476.3 | 482.9 | 430.8 | 375.2 | 339.1 | 502.3 | 503.3 | 452.1 | 455.0 | **21,092.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,309.0** |
| H2O | 1966 | 28.5 | 27.3 | 27.2 | 21.5 | 22.4 | 81.7 | 85.4 | 100.3 | 89.0 | 89.2 | 80.3 | 73.9 | **2,989.1** |
| OIL | 1966 | 75.5 | 68.0 | 84.2 | 60.5 | 54.8 | 483.6 | 533.3 | 525.2 | 547.8 | 588.1 | 520.7 | 506.4 | **15,647.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,946.0** |
| H2O | 1965 | 26.4 | 26.7 | 21.3 | 18.8 | 19.4 | 17.5 | 17.3 | 25.6 | 19.4 | 19.9 | 21.6 | 23.7 | **2,262.4** |
| OIL | 1965 | 56.9 | 51.6 | 54.3 | 51.3 | 52.0 | 47.4 | 48.8 | 42.6 | 45.6 | 43.5 | 49.4 | 60.2 | **11,599.2** |
| DAY | 1964 | 25.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,584.0** |
| H2O | 1964 | 17.6 | 32.4 | 34.5 | 32.7 | 34.5 | 33.4 | 33.2 | 34.5 | 28.0 | 19.7 | 19.1 | 24.3 | **2,004.8** |
| OIL | 1964 | 33.7 | 86.4 | 108.2 | 94.1 | 97.7 | 82.3 | 80.1 | 83.1 | 81.8 | 78.2 | 66.6 | 67.1 | **10,995.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,224.0** |
| H2O | 1963 | 24.6 | 22.3 | 24.6 | 23.5 | 24.2 | 22.4 | 23.7 | 23.1 | 26.1 | 45.5 | 28.6 | 29.6 | **1,660.9** |
| OIL | 1963 | 69.4 | 62.5 | 68.0 | 65.6 | 66.7 | 62.5 | 65.5 | 63.9 | 41.0 | 37.7 | 49.4 | 51.0 | **10,036.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,859.0** |
| H2O | 1962 | 19.7 | 17.8 | 19.7 | 19.1 | 19.7 | 19.1 | 19.7 | 19.7 | 19.1 | 16.9 | 15.7 | 14.8 | **1,342.7** |
| OIL | 1962 | 74.2 | 67.1 | 69.4 | 64.0 | 66.9 | 65.9 | 67.7 | 67.9 | 59.8 | 66.9 | 63.6 | 68.5 | **9,333.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,496.0** |
| H2O | 1961 | 16.5 | 8.9 | 25.1 | 23.8 | 24.6 | 23.8 | 24.6 | 24.6 | 23.8 | 23.1 | 14.9 | 19.7 | **1,121.7** |
| OIL | 1961 | 52.9 | 44.7 | 51.0 | 61.3 | 62.8 | 60.5 | 62.0 | 62.3 | 61.5 | 62.3 | 47.2 | 72.8 | **8,531.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 30.0 | **2,131.0** |
| H2O | 1960 | 9.9 | 9.2 | 15.6 | 23.8 | 24.2 | 23.4 | 25.3 | 23.4 | 23.1 | 24.6 | 23.8 | 19.6 | **868.3** |
| OIL | 1960 | 85.5 | 74.2 | 75.2 | 57.7 | 48.5 | 44.3 | 48.0 | 46.7 | 32.4 | 48.6 | 45.9 | 51.0 | **7,829.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,769.0** |
| H2O | 1959 | 19.7 | 17.8 | 19.7 | 19.1 | 19.7 | 20.3 | 19.1 | 18.6 | 14.3 | 14.6 | 16.9 | 10.7 | **622.4** |
| OIL | 1959 | 48.9 | 44.5 | 48.9 | 47.2 | 48.9 | 69.9 | 69.3 | 71.2 | 65.2 | 66.1 | 76.1 | 87.7 | **7,171.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,404.0** |
| H2O | 1958 | 10.2 | 8.9 | 9.9 | 8.4 | 11.1 | 9.5 | 11.9 | 16.1 | 15.6 | 16.1 | 18.8 | 19.7 | **411.9** |
| OIL | 1958 | 74.2 | 65.6 | 68.3 | 52.6 | 38.9 | 37.7 | 36.9 | 38.5 | 38.1 | 50.5 | 47.7 | 49.1 | **6,428.0** |
| DAY | 1957 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,039.0** |
| H2O | 1957 | 10.2 | 8.1 | 9.5 | 6.4 | 10.2 | 20.0 | 11.4 | 14.9 | 10.3 | 9.9 | 9.7 | 9.4 | **255.7** |
| OIL | 1957 | 136.7 | 131.6 | 143.5 | 138.4 | 137.8 | 78.0 | 88.7 | 119.0 | 92.6 | 96.9 | 82.2 | 73.9 | **5,829.9** |
| DAY | 1956 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 29.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 29.0 | **676.0** |
| H2O | 1956 | 4.9 | 5.7 | 4.5 | 11.6 | 5.4 | 6.2 | 9.9 | 7.6 | 9.1 | 9.9 | 5.2 | 4.6 | **125.7** |
| OIL | 1956 | 201.0 | 177.0 | 200.5 | 165.9 | 150.0 | 141.9 | 153.3 | 149.4 | 142.5 | 151.0 | 140.6 | 140.3 | **4,510.6** |
| DAY | 1955 | 4.0 | 27.0 | 30.0 | 28.0 | 26.0 | 27.0 | 25.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **318.0** |
| H2O | 1955 | 0.2 | 0.5 | 2.1 | 1.1 | 4.3 | 5.2 | 3.7 | 4.9 | 4.8 | 4.6 | 4.8 | 4.9 | **41.1** |
| OIL | 1955 | 25.4 | 109.0 | 251.6 | 264.9 | 215.8 | 263.8 | 229.3 | 282.2 | 257.9 | 240.9 | 241.7 | 214.7 | **2,597.2** |

Licence ***713*** Well Name ***B.A. Union Lyons Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-12-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 31.0 | 12.0 | 25.0 | 26.0 | 20.0 | 15.0 | 17.0 | 13.0 | 15.0 | 15.0 | 10.0 | 0.0 | **663.0** |
| H2O | 1958 | 14.8 | 5.7 | 25.1 | 18.4 | 11.1 | 7.2 | 7.8 | 6.0 | 7.0 | 2.7 | 8.2 | 0.0 | **1,007.1** |
| OIL | 1958 | 17.0 | 6.7 | 26.9 | 21.1 | 0.0 | 15.1 | 0.0 | 11.3 | 13.8 | 13.0 | 7.7 | 0.0 | **767.7** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **464.0** |
| H2O | 1957 | 0.0 | 2.5 | 0.0 | 0.0 | 0.0 | 1.4 | 14.3 | 14.9 | 14.3 | 25.8 | 17.2 | 17.0 | **893.1** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.5 | 40.0 | 30.0 | 30.2 | 26.1 | 18.6 | 16.8 | **635.1** |

# Manitoba Production
## 1950 To 1975

Licence ***713*** Well Name ***B.A. Union Lyons Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-12-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 0.0 | 0.0 | 5.0 | 9.0 | 22.0 | 0.0 | 0.0 | 14.0 | 30.0 | 29.0 | 14.0 | 0.0 | **278.0** |
| H2O | 1956 | 0.0 | 0.0 | 3.5 | 15.3 | 84.7 | 0.0 | 0.0 | 5.1 | 21.0 | 42.0 | 15.9 | 0.0 | **785.7** |
| OIL | 1956 | 0.0 | 0.0 | 14.1 | 9.7 | 26.7 | 0.0 | 0.0 | 31.0 | 29.9 | 30.5 | 12.1 | 0.0 | **461.9** |
| DAY | 1955 | 6.0 | 22.0 | 0.0 | 0.0 | 0.0 | 6.0 | 31.0 | 15.0 | 22.0 | 31.0 | 22.0 | 0.0 | **155.0** |
| H2O | 1955 | 4.0 | 17.3 | 0.0 | 1.4 | 0.0 | 3.2 | 4.8 | 210.7 | 125.3 | 155.5 | 76.0 | 0.0 | **598.2** |
| OIL | 1955 | 27.3 | 97.9 | 0.0 | 8.3 | 0.0 | 15.4 | 55.6 | 20.8 | 38.3 | 27.3 | 17.0 | 0.0 | **307.9** |

Licence ***714*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,514.0** |
| H2O | 1975 | 408.9 | 375.8 | 419.1 | 308.9 | 320.2 | 306.2 | 345.5 | 340.4 | 326.1 | 350.2 | 351.3 | 357.5 | **20,830.4** |
| OIL | 1975 | 195.9 | 174.0 | 191.2 | 196.9 | 200.4 | 194.8 | 168.0 | 168.8 | 175.3 | 181.3 | 175.3 | 178.1 | **69,943.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,149.0** |
| H2O | 1974 | 238.5 | 221.1 | 247.4 | 264.9 | 274.7 | 276.1 | 278.9 | 341.2 | 336.4 | 353.1 | 406.4 | 406.2 | **16,620.3** |
| OIL | 1974 | 223.0 | 194.3 | 222.5 | 173.8 | 181.2 | 175.3 | 181.0 | 198.2 | 190.4 | 200.4 | 191.2 | 197.2 | **67,743.8** |
| DAY | 1973 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,784.0** |
| H2O | 1973 | 155.0 | 155.0 | 197.5 | 197.0 | 305.4 | 288.5 | 299.8 | 323.0 | 317.2 | 335.8 | 311.9 | 238.9 | **12,975.4** |
| OIL | 1973 | 223.9 | 205.6 | 260.6 | 254.4 | 174.5 | 224.5 | 240.7 | 257.3 | 245.0 | 232.6 | 219.0 | 217.1 | **65,415.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,421.0** |
| H2O | 1972 | 179.8 | 208.3 | 215.1 | 191.6 | 230.2 | 183.6 | 197.5 | 150.4 | 150.2 | 174.2 | 161.8 | 164.7 | **9,850.4** |
| OIL | 1972 | 263.5 | 245.7 | 258.9 | 247.3 | 256.6 | 255.8 | 255.1 | 246.8 | 234.9 | 234.4 | 226.8 | 236.5 | **62,660.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | **6,055.0** |
| H2O | 1971 | 161.7 | 146.7 | 181.1 | 203.0 | 203.3 | 202.4 | 200.5 | 221.5 | 198.2 | 221.6 | 163.0 | 146.1 | **7,643.0** |
| OIL | 1971 | 263.6 | 233.3 | 296.5 | 298.6 | 305.4 | 296.8 | 303.4 | 302.2 | 298.1 | 309.4 | 261.9 | 204.7 | **59,697.8** |
| DAY | 1970 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,697.0** |
| H2O | 1970 | 45.3 | 37.7 | 35.1 | 32.4 | 54.5 | 54.5 | 50.2 | 174.1 | 162.0 | 168.2 | 153.4 | 174.6 | **5,393.9** |
| OIL | 1970 | 260.3 | 207.2 | 343.9 | 331.8 | 319.3 | 307.3 | 318.6 | 342.1 | 326.7 | 344.7 | 330.7 | 253.8 | **56,323.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,334.0** |
| H2O | 1969 | 42.6 | 38.8 | 35.9 | 40.5 | 42.1 | 106.8 | 115.9 | 114.0 | 109.9 | 119.2 | 42.9 | 47.1 | **4,251.9** |
| OIL | 1969 | 323.4 | 285.6 | 311.1 | 201.3 | 195.9 | 296.5 | 308.1 | 299.9 | 298.3 | 311.9 | 257.1 | 269.4 | **52,637.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,971.0** |
| H2O | 1968 | 44.0 | 41.8 | 44.4 | 45.5 | 47.7 | 72.2 | 84.3 | 81.2 | 39.1 | 41.5 | 38.3 | 40.7 | **3,396.2** |
| OIL | 1968 | 342.8 | 314.3 | 335.8 | 334.2 | 335.3 | 243.5 | 276.7 | 338.2 | 311.9 | 327.4 | 313.7 | 324.2 | **49,279.0** |
| DAY | 1967 | 31.0 | 28.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 16.0 | 26.0 | 31.0 | **4,608.0** |
| H2O | 1967 | 37.8 | 31.3 | 76.2 | 85.4 | 83.3 | 80.6 | 61.7 | 84.7 | 74.1 | 41.5 | 36.1 | 45.6 | **2,775.5** |
| OIL | 1967 | 249.0 | 221.2 | 330.4 | 384.7 | 385.5 | 380.0 | 329.9 | 340.5 | 326.9 | 178.9 | 291.1 | 342.1 | **45,481.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,267.0** |
| H2O | 1966 | 42.6 | 34.2 | 4.8 | 0.0 | 0.0 | 42.9 | 42.4 | 41.8 | 45.0 | 37.2 | 37.0 | 39.7 | **2,037.2** |
| OIL | 1966 | 287.6 | 253.3 | 259.2 | 242.3 | 253.1 | 269.2 | 278.6 | 275.7 | 268.7 | 242.2 | 238.2 | 249.6 | **41,720.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,902.0** |
| H2O | 1965 | 42.4 | 29.6 | 56.6 | 49.4 | 28.8 | 27.5 | 27.7 | 27.7 | 38.5 | 38.3 | 24.9 | 25.3 | **1,669.6** |
| OIL | 1965 | 321.5 | 295.4 | 318.1 | 306.5 | 293.0 | 293.2 | 305.7 | 302.7 | 291.3 | 303.0 | 287.9 | 295.6 | **38,603.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,537.0** |
| H2O | 1964 | 42.0 | 37.8 | 53.4 | 51.6 | 52.3 | 50.4 | 29.9 | 30.2 | 45.9 | 45.9 | 47.5 | 49.3 | **1,252.9** |
| OIL | 1964 | 354.4 | 335.1 | 343.1 | 329.4 | 337.4 | 324.5 | 341.0 | 344.0 | 343.1 | 349.3 | 304.0 | 318.8 | **34,989.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | **3,171.0** |
| H2O | 1963 | 1.3 | 1.3 | 1.6 | 1.4 | 18.9 | 21.8 | 20.7 | 16.2 | 23.8 | 25.7 | 28.3 | 39.7 | **716.7** |
| OIL | 1963 | 284.9 | 270.8 | 313.8 | 308.3 | 332.8 | 329.9 | 339.7 | 328.9 | 358.8 | 349.6 | 350.6 | 325.3 | **30,965.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,808.0** |
| H2O | 1962 | 13.8 | 10.8 | 7.8 | 7.6 | 0.0 | 0.0 | 0.0 | 22.6 | 25.3 | 0.0 | 1.3 | 1.3 | **516.0** |

# Manitoba Production
## 1950 To 1975

Licence ***714*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 306.5 | 287.5 | 301.8 | 295.1 | 322.7 | 314.8 | 317.5 | 306.2 | 293.8 | 288.3 | 274.4 | 291.1 | **27,071.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,443.0** |
| H2O | 1961 | 4.6 | 3.3 | 3.8 | 3.3 | 24.6 | 19.1 | 10.5 | 14.0 | 6.8 | 2.5 | 15.1 | 9.4 | **425.5** |
| OIL | 1961 | 185.3 | 155.7 | 156.5 | 144.8 | 369.1 | 331.3 | 332.8 | 328.9 | 319.1 | 335.3 | 337.4 | 295.3 | **23,472.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,080.0** |
| H2O | 1960 | 15.6 | 7.2 | 0.0 | 3.2 | 4.8 | 10.2 | 9.4 | 9.1 | 10.8 | 3.7 | 3.0 | 3.3 | **308.5** |
| OIL | 1960 | 212.8 | 185.9 | 198.8 | 193.4 | 195.6 | 181.0 | 164.0 | 151.0 | 168.4 | 169.7 | 169.6 | 170.4 | **20,180.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 24.0 | 29.0 | 30.0 | 31.0 | **1,721.0** |
| H2O | 1959 | 4.9 | 3.2 | 6.2 | 6.5 | 4.1 | 6.2 | 6.7 | 12.7 | 10.5 | 0.0 | 0.0 | 7.6 | **228.2** |
| OIL | 1959 | 268.1 | 245.8 | 266.2 | 261.7 | 258.5 | 234.6 | 249.2 | 234.4 | 216.4 | 246.2 | 247.4 | 208.5 | **18,019.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,365.0** |
| H2O | 1958 | 6.8 | 6.0 | 6.4 | 5.4 | 14.6 | 13.7 | 10.8 | 3.0 | 3.5 | 0.0 | 0.5 | 4.8 | **159.6** |
| OIL | 1958 | 334.7 | 296.8 | 328.0 | 325.9 | 320.8 | 295.6 | 302.6 | 289.9 | 297.2 | 296.0 | 284.0 | 276.5 | **15,082.9** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 25.0 | 18.0 | 25.0 | 24.0 | 28.0 | 23.0 | 28.0 | **1,003.0** |
| H2O | 1957 | 2.9 | 2.1 | 2.2 | 1.4 | 3.3 | 1.1 | 1.3 | 1.6 | 1.1 | 11.4 | 9.7 | 10.2 | **84.1** |
| OIL | 1957 | 356.6 | 310.8 | 349.6 | 338.8 | 368.8 | 354.4 | 266.5 | 364.9 | 344.5 | 339.0 | 279.7 | 330.2 | **11,434.9** |
| DAY | 1956 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 27.0 | 31.0 | **682.0** |
| H2O | 1956 | 0.5 | 0.3 | 0.3 | 0.6 | 12.6 | 0.6 | 1.1 | 1.6 | 1.1 | 0.8 | 1.3 | 1.7 | **35.8** |
| OIL | 1956 | 374.7 | 310.7 | 284.3 | 320.2 | 413.2 | 396.5 | 389.3 | 287.8 | 377.1 | 407.0 | 350.6 | 418.4 | **7,431.1** |
| DAY | 1955 | 1.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 25.0 | **326.0** |
| H2O | 1955 | 0.0 | 1.7 | 2.1 | 1.9 | 1.7 | 3.0 | 1.7 | 0.2 | 0.2 | 0.3 | 0.3 | 0.2 | **13.3** |
| OIL | 1955 | 1.1 | 216.8 | 248.7 | 240.0 | 248.5 | 339.9 | 262.2 | 262.0 | 236.5 | 344.8 | 367.1 | 333.7 | **3,101.3** |

Licence ***715*** Well Name ***Enerplus Woodnorth*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-21-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole C*** Field Code ***1*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 27.0 | 27.0 | 25.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 6.0 | 0.0 | **515.0** |
| H2O | 1956 | 137.7 | 220.7 | 301.4 | 230.7 | 150.4 | 248.3 | 333.7 | 317.6 | 361.7 | 336.1 | 64.7 | 0.0 | **3,451.1** |
| OIL | 1956 | 149.4 | 163.5 | 136.0 | 109.3 | 70.2 | 82.2 | 63.2 | 44.7 | 38.5 | 26.5 | 0.0 | 0.0 | **2,640.9** |
| DAY | 1955 | 0.0 | 15.0 | 28.0 | 1.0 | 0.0 | 16.0 | 31.0 | 31.0 | 28.0 | 30.0 | 15.0 | 25.0 | **220.0** |
| H2O | 1955 | 0.0 | 0.5 | 0.5 | 0.0 | 0.0 | 0.3 | 5.6 | 5.2 | 138.3 | 286.0 | 127.3 | 184.4 | **748.1** |
| OIL | 1955 | 0.0 | 112.3 | 238.7 | 5.6 | 0.0 | 168.8 | 272.2 | 252.8 | 167.7 | 253.9 | 122.4 | 163.0 | **1,757.4** |

Licence ***716*** Well Name ***Enerplus East Cromer Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-12-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1965 | 3570.2 | 3322.3 | 3714.2 | 3444.1 | 3971.5 | 4515.7 | 5423.4 | 3710.9 | 4457.6 | 4994.5 | 0.0 | 0.0 | **250,659.5** |
| WIN | 1964 | 2917.9 | 2768.2 | 2669.0 | 1896.4 | 2901.6 | 3751.5 | 3871.1 | 2929.4 | 3356.4 | 3352.9 | 2411.4 | 3097.0 | **209,535.1** |
| WIN | 1963 | 1978.3 | 911.5 | 1885.8 | 2091.0 | 3740.4 | 2705.4 | 2952.8 | 2814.4 | 1976.2 | 3349.9 | 1772.4 | 2210.6 | **173,612.3** |
| WIN | 1962 | 2144.1 | 2165.9 | 2480.4 | 1840.0 | 3181.1 | 3266.6 | 3099.7 | 2505.4 | 3121.3 | 2399.6 | 2525.4 | 2444.0 | **145,223.6** |
| WIN | 1961 | 2156.5 | 1651.1 | 2099.8 | 2412.2 | 3458.0 | 3230.5 | 2723.3 | 3296.8 | 2915.9 | 3458.0 | 2804.1 | 2438.7 | **114,050.1** |
| WIN | 1960 | 2134.8 | 2108.7 | 2287.5 | 2467.5 | 3395.4 | 3562.8 | 3109.5 | 3363.1 | 3240.1 | 3867.6 | 3059.0 | 2169.7 | **81,405.2** |
| WIN | 1959 | 1842.1 | 2000.6 | 2764.2 | 2616.7 | 2783.1 | 2761.3 | 3092.0 | 3069.5 | 2436.5 | 2486.4 | 2491.9 | 2193.9 | **46,639.5** |
| WIN | 1958 | 0.0 | 0.0 | 73.9 | 1331.9 | 1787.7 | 1647.6 | 1821.2 | 1584.2 | 1662.9 | 2046.0 | 2030.1 | 2115.8 | **16,101.3** |
| DAY | 1956 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 15.0 | 0.0 | 0.0 | 0.0 | **466.0** |
| H2O | 1956 | 353.9 | 387.3 | 412.9 | 396.7 | 407.0 | 410.0 | 433.2 | 501.1 | 240.9 | 0.0 | 0.0 | 0.0 | **5,257.3** |
| OIL | 1956 | 130.5 | 126.0 | 127.6 | 108.1 | 110.3 | 23.5 | 30.2 | 30.7 | 14.8 | 0.0 | 0.0 | 6.4 | **2,063.6** |
| DAY | 1955 | 0.0 | 12.0 | 19.0 | 3.0 | 0.0 | 8.0 | 28.0 | 31.0 | 28.0 | 31.0 | 25.0 | 24.0 | **209.0** |
| H2O | 1955 | 0.0 | 31.0 | 50.4 | 4.1 | 0.0 | 20.5 | 132.7 | 292.2 | 298.6 | 363.3 | 267.9 | 253.6 | **1,714.3** |
| OIL | 1955 | 0.0 | 123.6 | 201.7 | 16.7 | 0.0 | 82.2 | 162.1 | 207.7 | 169.7 | 160.0 | 120.1 | 111.7 | **1,355.5** |

# Manitoba Production
## 1950 To 1975

Licence ***718*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,361.0** |
| H2O | 1975 | 5067.6 | 4664.8 | 5359.5 | 5129.5 | 5153.2 | 4879.7 | 4782.3 | 4844.0 | 4898.8 | 5200.1 | 5157.3 | 5117.2 | **551,745.6** |
| OIL | 1975 | 543.0 | 483.2 | 546.8 | 512.3 | 506.0 | 486.6 | 489.4 | 505.3 | 503.7 | 515.0 | 492.3 | 487.7 | **97,301.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | **6,996.0** |
| H2O | 1974 | 4976.9 | 4795.2 | 5161.8 | 5155.7 | 5402.5 | 5038.2 | 5094.5 | 4734.9 | 4347.1 | 4985.3 | 4864.8 | 4915.8 | **491,491.6** |
| OIL | 1974 | 554.9 | 502.6 | 553.5 | 541.6 | 569.9 | 511.7 | 528.9 | 533.3 | 477.0 | 548.6 | 512.0 | 534.1 | **91,230.3** |
| DAY | 1973 | 27.0 | 24.0 | 23.0 | 30.0 | 29.0 | 29.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,637.0** |
| H2O | 1973 | 6116.6 | 5405.3 | 5461.9 | 5778.9 | 5193.1 | 5394.4 | 4058.0 | 5755.6 | 5626.5 | 5634.7 | 5192.6 | 5087.8 | **432,018.9** |
| OIL | 1973 | 608.9 | 494.5 | 513.6 | 576.0 | 533.5 | 558.6 | 433.7 | 599.1 | 567.5 | 574.8 | 537.3 | 550.6 | **84,862.2** |
| DAY | 1972 | 31.0 | 22.0 | 31.0 | 27.0 | 31.0 | 28.0 | 31.0 | 28.0 | 25.0 | 28.0 | 30.0 | 29.0 | **6,299.0** |
| H2O | 1972 | 5706.0 | 3517.3 | 6712.6 | 4517.4 | 5803.1 | 4852.4 | 5782.7 | 5410.1 | 4835.7 | 6199.7 | 6469.1 | 6629.6 | **367,313.5** |
| OIL | 1972 | 639.8 | 377.4 | 873.4 | 630.4 | 634.8 | 514.4 | 569.2 | 590.7 | 503.1 | 624.5 | 624.4 | 656.8 | **78,314.1** |
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 27.0 | 29.0 | 29.0 | 30.0 | 30.0 | 27.0 | 24.0 | 19.0 | 23.0 | **5,958.0** |
| H2O | 1971 | 4844.0 | 4336.0 | 4838.4 | 4397.1 | 4624.4 | 4540.0 | 4818.0 | 4600.1 | 3487.1 | 3415.8 | 2624.3 | 4525.2 | **300,877.8** |
| OIL | 1971 | 863.7 | 754.0 | 809.3 | 695.9 | 746.9 | 715.7 | 784.1 | 762.0 | 636.3 | 578.6 | 436.0 | 485.5 | **71,075.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 27.0 | 29.0 | 31.0 | 29.0 | 30.0 | 28.0 | 25.0 | **5,631.0** |
| H2O | 1970 | 5409.9 | 5076.9 | 5270.8 | 4600.6 | 4719.8 | 3979.7 | 3551.1 | 5009.5 | 4803.1 | 4941.7 | 4215.2 | 3402.6 | **249,827.4** |
| OIL | 1970 | 837.3 | 755.1 | 817.4 | 745.3 | 766.4 | 623.6 | 625.5 | 769.3 | 756.4 | 791.4 | 709.5 | 540.6 | **62,807.2** |
| DAY | 1969 | 31.0 | 28.0 | 27.0 | 27.0 | 28.0 | 22.0 | 28.0 | 29.0 | 30.0 | 31.0 | 27.0 | 31.0 | **5,283.0** |
| H2O | 1969 | 1777.4 | 1907.3 | 1548.8 | 3854.2 | 5137.9 | 3703.8 | 4906.1 | 4925.5 | 5368.3 | 6024.7 | 4711.7 | 5531.9 | **194,846.5** |
| OIL | 1969 | 375.7 | 315.9 | 301.9 | 1126.4 | 1025.9 | 758.6 | 963.6 | 764.5 | 860.7 | 930.7 | 781.4 | 854.0 | **54,069.4** |
| DAY | 1968 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,944.0** |
| H2O | 1968 | 1631.8 | 1550.4 | 1580.1 | 1043.5 | 1100.6 | 1002.7 | 1108.4 | 1624.5 | 1516.2 | 1605.9 | 1579.0 | 1700.6 | **145,448.9** |
| OIL | 1968 | 297.6 | 273.2 | 280.6 | 158.0 | 159.5 | 156.0 | 164.8 | 375.8 | 337.4 | 353.9 | 361.0 | 376.9 | **45,010.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 23.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **4,584.0** |
| H2O | 1967 | 2082.3 | 1675.0 | 2056.4 | 1859.7 | 1867.7 | 1641.5 | 965.6 | 1859.9 | 1334.3 | 1761.3 | 1521.0 | 1692.8 | **128,405.2** |
| OIL | 1967 | 319.1 | 275.9 | 315.8 | 304.0 | 314.0 | 281.1 | 218.0 | 295.1 | 232.5 | 300.0 | 287.3 | 297.3 | **41,715.4** |
| DAY | 1966 | 28.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 29.0 | 29.0 | **4,233.0** |
| H2O | 1966 | 1194.1 | 1065.0 | 1354.5 | 1327.0 | 1488.2 | 1452.4 | 1293.8 | 1750.7 | 1946.7 | 2000.8 | 1948.5 | 1958.8 | **108,087.7** |
| OIL | 1966 | 206.6 | 202.5 | 224.4 | 209.4 | 193.1 | 205.0 | 192.0 | 307.2 | 309.4 | 320.5 | 291.4 | 285.9 | **38,275.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | **3,878.0** |
| H2O | 1965 | 1579.6 | 1376.4 | 1592.7 | 1399.8 | 1424.8 | 1405.1 | 1411.1 | 1422.9 | 1294.4 | 1422.2 | 1464.7 | 1214.0 | **89,307.2** |
| OIL | 1965 | 234.7 | 209.8 | 230.1 | 223.0 | 225.0 | 248.9 | 259.3 | 258.2 | 220.1 | 241.1 | 230.1 | 202.8 | **35,327.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **3,519.0** |
| H2O | 1964 | 1114.8 | 970.4 | 1133.4 | 989.0 | 1086.9 | 1091.4 | 1111.6 | 1116.4 | 1218.4 | 1402.5 | 1278.4 | 1395.7 | **72,299.5** |
| OIL | 1964 | 208.3 | 190.1 | 207.5 | 180.2 | 192.4 | 193.1 | 206.4 | 206.1 | 227.7 | 260.5 | 212.6 | 235.0 | **32,544.8** |
| DAY | 1963 | 31.0 | 27.0 | 28.0 | 12.0 | 31.0 | 26.0 | 27.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | **3,159.0** |
| H2O | 1963 | 1194.9 | 1053.1 | 1052.3 | 420.3 | 958.5 | 576.5 | 575.5 | 907.6 | 549.9 | 906.2 | 1018.4 | 1101.1 | **58,390.6** |
| OIL | 1963 | 231.4 | 212.1 | 156.2 | 68.3 | 188.1 | 83.7 | 90.3 | 203.9 | 131.9 | 196.9 | 184.3 | 199.9 | **30,024.9** |
| DAY | 1962 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **2,828.0** |
| H2O | 1962 | 1053.7 | 896.5 | 1119.7 | 1108.7 | 1155.8 | 1042.4 | 1140.2 | 1104.3 | 1236.1 | 1235.1 | 1135.9 | 1179.3 | **48,076.3** |
| OIL | 1962 | 255.4 | 262.5 | 291.4 | 251.7 | 250.4 | 235.5 | 245.5 | 245.2 | 235.3 | 234.1 | 213.1 | 221.2 | **28,077.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,469.0** |
| H2O | 1961 | 726.4 | 952.0 | 1104.6 | 1035.6 | 1009.5 | 1047.7 | 1160.4 | 1055.0 | 1030.2 | 1055.9 | 1163.6 | 1138.8 | **34,668.6** |
| OIL | 1961 | 151.0 | 234.7 | 262.8 | 260.1 | 260.8 | 258.7 | 274.1 | 269.2 | 261.6 | 272.4 | 266.0 | 291.9 | **25,136.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,107.0** |
| H2O | 1960 | 777.7 | 951.5 | 1068.0 | 1016.5 | 957.1 | 848.0 | 738.0 | 755.6 | 901.4 | 834.0 | 637.2 | 718.3 | **22,188.9** |
| OIL | 1960 | 340.4 | 340.4 | 351.4 | 329.6 | 300.5 | 236.8 | 205.0 | 202.0 | 225.2 | 219.6 | 205.5 | 200.5 | **22,073.3** |
| DAY | 1959 | 28.0 | 26.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | **1,749.0** |
| H2O | 1959 | 377.7 | 259.3 | 260.3 | 247.2 | 495.5 | 457.7 | 427.7 | 553.6 | 563.6 | 642.3 | 635.3 | 770.1 | **11,985.6** |
| OIL | 1959 | 251.7 | 228.8 | 253.5 | 212.5 | 359.6 | 317.5 | 315.3 | 348.3 | 328.9 | 340.5 | 351.5 | 323.9 | **18,916.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,396.0** |

# Manitoba Production
## 1950 To 1975

Licence ***718*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 232.9 | 202.5 | 251.7 | 228.8 | 212.7 | 190.0 | 266.9 | 330.4 | 383.9 | 416.2 | 422.9 | 433.5 | **6,295.3** |
| OIL | 1958 | 342.1 | 302.9 | 316.5 | 315.6 | 339.7 | 318.9 | 325.3 | 336.1 | 321.8 | 341.7 | 334.7 | 275.2 | **15,284.4** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 29.0 | 24.0 | **1,034.0** |
| H2O | 1957 | 193.2 | 135.0 | 132.3 | 94.1 | 153.1 | 112.1 | 180.4 | 164.4 | 175.8 | 251.3 | 200.2 | 163.0 | **2,722.9** |
| OIL | 1957 | 389.3 | 339.4 | 390.3 | 378.0 | 395.4 | 363.4 | 384.7 | 381.5 | 336.7 | 346.9 | 328.6 | 311.9 | **11,413.9** |
| DAY | 1956 | 31.0 | 26.0 | 31.0 | 27.0 | 26.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **680.0** |
| H2O | 1956 | 0.3 | 0.3 | 0.3 | 0.5 | 0.3 | 65.0 | 107.8 | 84.7 | 42.6 | 126.2 | 158.3 | 174.1 | **768.0** |
| OIL | 1956 | 312.3 | 277.1 | 270.8 | 267.0 | 274.3 | 339.7 | 348.3 | 350.9 | 316.5 | 320.8 | 312.7 | 322.6 | **7,067.8** |
| DAY | 1955 | 1.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | **328.0** |
| H2O | 1955 | 0.0 | 1.1 | 1.3 | 1.3 | 1.3 | 0.6 | 0.6 | 0.3 | 0.3 | 0.3 | 0.3 | 0.2 | **7.6** |
| OIL | 1955 | 2.1 | 214.4 | 248.5 | 240.1 | 248.4 | 339.9 | 368.2 | 361.7 | 322.3 | 333.7 | 341.8 | 333.7 | **3,354.8** |

Licence ***719*** Well Name ***Enerplus Ebor*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-23-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 31.0 | 26.0 | 20.0 | 0.0 | 0.0 | 23.0 | 31.0 | 30.0 | 30.0 | 0.0 | 0.0 | 0.0 | **1,048.0** |
| H2O | 1958 | 0.5 | 0.6 | 0.5 | 0.0 | 0.0 | 1.0 | 0.5 | 0.3 | 0.3 | 0.0 | 0.0 | 0.0 | **19.7** |
| OIL | 1958 | 23.5 | 20.7 | 13.2 | 0.0 | 0.0 | 29.8 | 27.3 | 21.9 | 20.8 | 0.0 | 0.0 | 0.0 | **1,184.1** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 20.0 | 25.0 | **857.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.5 | 0.5 | 0.5 | 0.5 | 0.0 | 0.5 | **16.0** |
| OIL | 1957 | 25.1 | 21.8 | 22.9 | 21.5 | 21.9 | 22.1 | 20.5 | 22.2 | 12.4 | 0.0 | 0.0 | 24.6 | **1,026.9** |
| DAY | 1956 | 19.0 | 13.0 | 21.0 | 20.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | **508.0** |
| H2O | 1956 | 0.0 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 5.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **11.5** |
| OIL | 1956 | 36.4 | 27.8 | 36.9 | 36.7 | 33.1 | 29.6 | 20.7 | 27.8 | 25.3 | 21.5 | 22.9 | 23.2 | **811.9** |
| DAY | 1955 | 0.0 | 0.0 | 12.0 | 11.0 | 6.0 | 14.0 | 21.0 | 31.0 | 30.0 | 27.0 | 28.0 | 17.0 | **197.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.2 | 0.2 | 0.0 | 0.2 | 0.0 | 0.2 | 0.2 | 0.2 | 0.2 | 1.7 | **3.1** |
| OIL | 1955 | 0.0 | 0.0 | 94.9 | 51.0 | 37.8 | 56.9 | 43.1 | 50.1 | 38.8 | 39.7 | 34.8 | 22.9 | **470.0** |

Licence ***720*** Well Name ***New Scope Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-09-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 12.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,487.0** |
| H2O | 1972 | 2601.4 | 2401.1 | 2505.3 | 2459.1 | 2670.0 | 2227.6 | 2562.4 | 993.5 | 0.0 | 0.0 | 0.0 | 0.0 | **126,882.9** |
| OIL | 1972 | 26.4 | 22.1 | 22.7 | 23.7 | 20.0 | 16.1 | 18.9 | 5.8 | 0.0 | 0.0 | 0.0 | 0.0 | **7,167.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 28.0 | 17.0 | 19.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,265.0** |
| H2O | 1971 | 2345.0 | 1994.7 | 2176.9 | 1790.9 | 1211.5 | 1351.5 | 2581.2 | 2496.2 | 2584.3 | 2419.2 | 2199.1 | 2251.2 | **108,462.5** |
| OIL | 1971 | 27.3 | 23.2 | 23.7 | 28.1 | 13.7 | 21.0 | 28.3 | 31.6 | 33.2 | 25.1 | 24.8 | 25.0 | **7,011.7** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 31.0 | **3,928.0** |
| H2O | 1970 | 443.5 | 356.8 | 428.8 | 429.3 | 411.0 | 322.2 | 381.0 | 504.0 | 498.0 | 552.3 | 1002.4 | 1347.0 | **83,060.8** |
| OIL | 1970 | 38.3 | 36.7 | 37.2 | 39.3 | 38.0 | 29.9 | 35.3 | 44.8 | 41.2 | 51.5 | 18.1 | 20.0 | **6,706.7** |
| DAY | 1969 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,874.0** |
| H2O | 1969 | 545.6 | 486.1 | 522.9 | 494.8 | 575.4 | 557.9 | 421.4 | 388.1 | 749.1 | 745.1 | 674.2 | 449.4 | **76,384.5** |
| OIL | 1969 | 49.6 | 44.2 | 47.5 | 45.0 | 52.3 | 50.7 | 38.3 | 35.3 | 36.2 | 31.2 | 28.8 | 40.9 | **6,276.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 0.0 | 30.0 | 31.0 | **3,843.0** |
| H2O | 1968 | 1032.6 | 516.4 | 680.1 | 658.3 | 384.5 | 314.7 | 396.6 | 378.8 | 516.7 | 387.8 | 564.4 | 619.1 | **69,774.5** |
| OIL | 1968 | 25.0 | 17.3 | 50.4 | 40.7 | 33.7 | 30.7 | 39.4 | 36.9 | 50.9 | 30.5 | 47.5 | 56.3 | **5,776.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 19.0 | 29.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,510.0** |
| H2O | 1966 | 488.2 | 440.9 | 488.2 | 299.1 | 889.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **63,324.5** |
| OIL | 1966 | 12.9 | 11.4 | 16.1 | 12.4 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,317.1** |
| DAY | 1965 | 29.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 30.0 | 30.0 | 27.0 | 30.0 | 31.0 | **3,372.0** |
| H2O | 1965 | 990.8 | 956.6 | 1059.0 | 1024.8 | 723.3 | 478.5 | 494.4 | 478.5 | 478.5 | 434.9 | 472.4 | 488.2 | **60,718.4** |

# Manitoba Production
## 1950 To 1975

Licence ***720*** Well Name ***New Scope Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-09-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1965 | 36.6 | 32.3 | 40.7 | 27.5 | 27.0 | 20.5 | 26.9 | 27.7 | 27.8 | 16.9 | 18.0 | 19.7 | **5,263.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 30.0 | 27.0 | 31.0 | 26.0 | 28.0 | 30.0 | 31.0 | **3,018.0** |
| H2O | 1964 | 507.5 | 474.6 | 507.5 | 491.0 | 458.3 | 644.6 | 579.8 | 666.1 | 558.5 | 929.3 | 1024.8 | 1059.0 | **52,638.5** |
| OIL | 1964 | 36.9 | 27.2 | 36.6 | 27.3 | 24.6 | 35.3 | 34.2 | 37.4 | 24.8 | 29.6 | 36.4 | 43.9 | **4,941.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 27.0 | 29.0 | 30.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,666.0** |
| H2O | 1963 | 744.2 | 672.1 | 744.2 | 648.1 | 696.1 | 805.9 | 752.2 | 832.8 | 734.3 | 507.5 | 491.0 | 507.5 | **44,737.5** |
| OIL | 1963 | 39.6 | 36.2 | 39.0 | 34.3 | 35.0 | 41.5 | 39.0 | 38.8 | 33.5 | 37.8 | 34.3 | 32.0 | **4,547.5** |
| DAY | 1962 | 9.0 | 4.0 | 24.0 | 21.0 | 28.0 | 26.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,311.0** |
| H2O | 1962 | 103.0 | 15.6 | 384.6 | 346.8 | 523.7 | 608.0 | 732.1 | 744.2 | 720.0 | 648.1 | 720.2 | 744.2 | **36,601.6** |
| OIL | 1962 | 3.3 | 0.6 | 9.1 | 9.2 | 17.2 | 32.4 | 41.2 | 45.3 | 40.4 | 33.5 | 39.1 | 39.0 | **4,106.5** |
| DAY | 1961 | 31.0 | 18.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **2,018.0** |
| H2O | 1961 | 366.8 | 262.9 | 489.1 | 486.2 | 352.5 | 458.1 | 508.3 | 514.8 | 360.3 | 301.3 | 455.2 | 515.0 | **30,311.1** |
| OIL | 1961 | 20.0 | 7.6 | 17.6 | 18.8 | 12.4 | 17.0 | 15.7 | 15.7 | 9.1 | 9.2 | 14.1 | 17.0 | **3,796.2** |
| DAY | 1960 | 22.0 | 29.0 | 31.0 | 21.0 | 15.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,672.0** |
| H2O | 1960 | 393.4 | 470.5 | 502.9 | 334.4 | 221.8 | 402.0 | 468.9 | 498.0 | 472.7 | 497.1 | 487.0 | 503.5 | **25,240.6** |
| OIL | 1960 | 25.8 | 38.3 | 39.3 | 26.1 | 23.1 | 18.9 | 22.3 | 21.3 | 18.8 | 23.2 | 21.6 | 20.4 | **3,622.0** |
| DAY | 1959 | 29.0 | 26.0 | 31.0 | 30.0 | 29.0 | 28.0 | 27.0 | 1.0 | 19.0 | 13.0 | 12.0 | 8.0 | **1,344.0** |
| H2O | 1959 | 452.4 | 395.8 | 509.4 | 462.1 | 472.4 | 439.3 | 427.3 | 14.1 | 322.6 | 201.4 | 188.9 | 136.4 | **19,988.4** |
| OIL | 1959 | 43.9 | 37.5 | 48.5 | 40.1 | 43.4 | 50.1 | 31.8 | 0.3 | 21.6 | 15.4 | 17.2 | 8.9 | **3,322.9** |
| DAY | 1958 | 27.0 | 28.0 | 31.0 | 30.0 | 29.0 | 6.0 | 0.0 | 15.0 | 27.0 | 29.0 | 30.0 | 31.0 | **1,091.0** |
| H2O | 1958 | 319.1 | 344.4 | 376.4 | 378.1 | 343.2 | 75.7 | 0.0 | 319.6 | 661.8 | 522.8 | 488.2 | 472.4 | **15,966.3** |
| OIL | 1958 | 25.8 | 26.9 | 26.4 | 27.7 | 13.8 | 1.6 | 0.0 | 19.1 | 59.9 | 50.7 | 44.7 | 43.9 | **2,964.2** |
| DAY | 1957 | 23.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 6.0 | 7.0 | 30.0 | 21.0 | 27.0 | 31.0 | **808.0** |
| H2O | 1957 | 532.3 | 586.8 | 717.9 | 595.6 | 643.7 | 565.5 | 117.8 | 112.6 | 608.6 | 330.4 | 332.7 | 344.1 | **11,664.6** |
| OIL | 1957 | 30.5 | 47.1 | 44.2 | 66.5 | 59.0 | 49.8 | 9.5 | 8.1 | 45.8 | 28.3 | 25.0 | 27.7 | **2,623.7** |
| DAY | 1956 | 30.0 | 20.0 | 29.0 | 13.0 | 13.0 | 23.0 | 14.0 | 31.0 | 26.0 | 31.0 | 30.0 | 21.0 | **516.0** |
| H2O | 1956 | 390.2 | 217.7 | 261.4 | 76.3 | 105.3 | 214.2 | 193.8 | 506.9 | 432.8 | 629.2 | 626.5 | 513.5 | **6,176.6** |
| OIL | 1956 | 129.3 | 42.1 | 32.3 | 12.2 | 11.0 | 40.2 | 40.5 | 113.4 | 70.6 | 94.2 | 56.3 | 32.0 | **2,182.2** |
| DAY | 1955 | 0.0 | 3.0 | 22.0 | 3.0 | 13.0 | 21.0 | 27.0 | 31.0 | 29.0 | 31.0 | 24.0 | 31.0 | **235.0** |
| H2O | 1955 | 0.0 | 0.0 | 21.6 | 10.5 | 71.1 | 173.9 | 203.5 | 282.9 | 234.0 | 299.4 | 299.0 | 412.9 | **2,008.8** |
| OIL | 1955 | 0.0 | 66.0 | 193.5 | 46.7 | 142.8 | 278.8 | 90.2 | 139.3 | 129.3 | 161.1 | 109.2 | 151.2 | **1,508.1** |

Licence ***721*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,403.0** |
| H2O | 1975 | 111.5 | 99.0 | 118.8 | 129.8 | 135.3 | 120.1 | 125.5 | 118.0 | 131.5 | 131.8 | 115.6 | 123.6 | **50,754.5** |
| OIL | 1975 | 145.6 | 130.0 | 136.3 | 141.3 | 152.6 | 133.8 | 132.5 | 128.6 | 110.1 | 107.4 | 132.7 | 134.6 | **34,623.6** |
| DAY | 1974 | 30.0 | 28.0 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,043.0** |
| H2O | 1974 | 235.6 | 143.3 | 163.9 | 107.1 | 13.7 | 16.2 | 115.3 | 114.8 | 108.4 | 111.3 | 106.2 | 110.0 | **49,294.0** |
| OIL | 1974 | 113.5 | 102.8 | 113.1 | 93.9 | 89.9 | 108.1 | 151.9 | 147.3 | 154.1 | 156.2 | 143.3 | 145.7 | **33,038.1** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 20.0 | 27.0 | 31.0 | **6,684.0** |
| H2O | 1973 | 496.3 | 432.0 | 491.9 | 237.5 | 215.9 | 197.1 | 206.0 | 146.8 | 148.0 | 164.3 | 230.5 | 260.9 | **47,948.2** |
| OIL | 1973 | 184.0 | 161.1 | 175.4 | 156.5 | 177.5 | 174.2 | 175.4 | 138.6 | 129.8 | 72.9 | 109.8 | 121.6 | **31,518.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 28.0 | 22.0 | 29.0 | 31.0 | **6,335.0** |
| H2O | 1972 | 521.3 | 367.8 | 281.1 | 285.3 | 287.3 | 259.3 | 277.7 | 295.7 | 272.9 | 204.6 | 443.4 | 476.5 | **44,721.0** |
| OIL | 1972 | 255.3 | 224.4 | 224.4 | 181.0 | 177.5 | 179.7 | 171.8 | 177.5 | 160.7 | 113.8 | 169.2 | 184.8 | **29,741.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,982.0** |
| H2O | 1971 | 580.5 | 504.4 | 505.4 | 526.2 | 535.6 | 472.8 | 462.0 | 410.0 | 433.5 | 504.7 | 500.6 | 486.5 | **40,748.1** |
| OIL | 1971 | 308.6 | 275.6 | 303.2 | 298.0 | 287.5 | 281.9 | 287.5 | 291.0 | 266.2 | 278.1 | 279.4 | 247.9 | **27,521.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **5,617.0** |

# Manitoba Production
## 1950 To 1975

Licence ***721*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1970 | 682.0 | 542.1 | 563.0 | 563.6 | 557.3 | 539.9 | 544.0 | 569.4 | 437.0 | 426.9 | 625.3 | 547.2 | **34,825.9** |
| OIL | 1970 | 339.1 | 279.8 | 306.9 | 287.5 | 294.6 | 283.2 | 296.7 | 297.2 | 242.5 | 252.1 | 232.6 | 299.2 | **24,116.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,254.0** |
| H2O | 1969 | 532.4 | 488.7 | 673.6 | 627.7 | 647.7 | 634.0 | 650.1 | 603.3 | 625.3 | 587.1 | 647.8 | 632.9 | **28,228.2** |
| OIL | 1969 | 206.3 | 188.8 | 345.3 | 303.4 | 269.3 | 305.3 | 310.4 | 300.0 | 281.4 | 240.9 | 314.0 | 325.0 | **20,705.1** |
| DAY | 1968 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,891.0** |
| H2O | 1968 | 326.5 | 451.7 | 489.2 | 480.1 | 482.5 | 550.7 | 612.7 | 479.6 | 398.2 | 492.2 | 494.3 | 512.2 | **20,877.6** |
| OIL | 1968 | 135.1 | 258.9 | 264.0 | 195.3 | 187.8 | 243.0 | 242.2 | 242.0 | 207.9 | 166.7 | 160.3 | 200.7 | **17,315.0** |
| DAY | 1967 | 29.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,528.0** |
| H2O | 1967 | 155.0 | 166.8 | 201.3 | 193.5 | 180.6 | 181.4 | 190.8 | 162.0 | 169.5 | 173.1 | 169.6 | 350.6 | **15,107.7** |
| OIL | 1967 | 85.0 | 82.3 | 94.6 | 85.3 | 85.5 | 94.7 | 104.6 | 95.7 | 98.2 | 101.7 | 103.5 | 140.0 | **14,811.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 23.0 | 31.0 | **4,167.0** |
| H2O | 1966 | 151.7 | 154.8 | 167.1 | 140.5 | 147.7 | 152.1 | 187.0 | 190.6 | 174.1 | 156.1 | 116.7 | 159.3 | **12,813.5** |
| OIL | 1966 | 82.5 | 68.2 | 126.2 | 83.6 | 92.5 | 103.0 | 117.6 | 117.1 | 92.0 | 72.3 | 51.3 | 87.7 | **13,640.0** |
| DAY | 1965 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,813.0** |
| H2O | 1965 | 173.4 | 155.8 | 172.5 | 174.1 | 197.1 | 135.1 | 158.7 | 193.2 | 142.4 | 174.6 | 176.0 | 176.8 | **10,915.8** |
| OIL | 1965 | 105.4 | 101.2 | 113.3 | 116.8 | 140.5 | 118.4 | 112.5 | 115.4 | 89.0 | 133.0 | 131.9 | 123.2 | **12,546.0** |
| DAY | 1964 | 30.0 | 29.0 | 31.0 | 25.0 | 25.0 | 30.0 | 31.0 | 30.0 | 28.0 | 28.0 | 30.0 | 31.0 | **3,456.0** |
| H2O | 1964 | 38.2 | 36.9 | 39.4 | 31.8 | 31.8 | 38.2 | 39.4 | 158.2 | 190.8 | 187.4 | 200.3 | 203.8 | **8,886.1** |
| OIL | 1964 | 29.7 | 28.0 | 29.6 | 23.8 | 23.8 | 28.6 | 54.2 | 93.8 | 117.6 | 121.1 | 128.7 | 131.4 | **11,145.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 28.0 | 22.0 | **3,108.0** |
| H2O | 1963 | 121.1 | 111.3 | 123.2 | 119.2 | 123.2 | 119.2 | 123.2 | 115.3 | 119.2 | 123.2 | 111.3 | 85.5 | **7,689.9** |
| OIL | 1963 | 96.1 | 86.3 | 98.5 | 94.6 | 98.5 | 95.3 | 98.5 | 92.2 | 95.8 | 96.9 | 78.0 | 54.2 | **10,335.1** |
| DAY | 1962 | 29.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **2,756.0** |
| H2O | 1962 | 138.3 | 133.5 | 128.8 | 111.3 | 123.2 | 119.2 | 123.2 | 69.0 | 119.2 | 123.2 | 119.2 | 111.3 | **6,295.0** |
| OIL | 1962 | 118.5 | 111.1 | 82.8 | 99.5 | 108.4 | 103.9 | 108.4 | 108.4 | 104.4 | 108.1 | 106.6 | 88.5 | **9,250.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 28.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,398.0** |
| H2O | 1961 | 24.6 | 22.3 | 24.6 | 22.3 | 24.6 | 22.3 | 17.2 | 142.9 | 69.2 | 87.6 | 138.3 | 146.7 | **4,875.6** |
| OIL | 1961 | 50.2 | 44.5 | 56.1 | 48.9 | 54.0 | 34.3 | 32.7 | 78.8 | 34.3 | 102.7 | 159.4 | 139.4 | **8,001.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 29.0 | 31.0 | 22.0 | 31.0 | 28.0 | 25.0 | **2,041.0** |
| H2O | 1960 | 64.1 | 59.9 | 62.2 | 38.2 | 48.5 | 47.2 | 49.4 | 54.2 | 38.5 | 54.2 | 49.0 | 30.0 | **4,133.0** |
| OIL | 1960 | 51.2 | 51.3 | 54.8 | 56.7 | 51.2 | 39.4 | 41.6 | 44.2 | 29.2 | 42.6 | 46.9 | 39.1 | **7,166.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,696.0** |
| H2O | 1959 | 64.1 | 57.9 | 64.1 | 59.9 | 61.8 | 61.8 | 64.1 | 64.1 | 62.0 | 60.3 | 62.2 | 64.1 | **3,537.6** |
| OIL | 1959 | 63.1 | 55.8 | 61.7 | 57.0 | 60.1 | 59.0 | 60.9 | 52.8 | 56.7 | 51.6 | 46.4 | 51.2 | **6,618.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | **1,334.0** |
| H2O | 1958 | 138.5 | 111.3 | 114.9 | 95.4 | 96.0 | 95.2 | 95.4 | 98.4 | 59.3 | 63.4 | 61.0 | 64.7 | **2,791.2** |
| OIL | 1958 | 93.0 | 81.7 | 92.2 | 87.2 | 86.1 | 86.1 | 85.2 | 87.1 | 63.6 | 61.0 | 56.7 | 62.3 | **5,941.8** |
| DAY | 1957 | 31.0 | 26.0 | 30.0 | 29.0 | 31.0 | 27.0 | 29.0 | 31.0 | 28.0 | 30.0 | 24.0 | 30.0 | **974.0** |
| H2O | 1957 | 49.3 | 42.1 | 47.7 | 46.1 | 48.5 | 42.1 | 48.5 | 66.1 | 66.3 | 92.4 | 100.8 | 143.1 | **1,697.7** |
| OIL | 1957 | 120.1 | 93.9 | 114.7 | 103.9 | 98.2 | 73.9 | 88.7 | 98.4 | 84.9 | 92.2 | 62.1 | 97.9 | **4,999.6** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **628.0** |
| H2O | 1956 | 50.1 | 39.7 | 59.1 | 28.5 | 90.0 | 77.4 | 82.8 | 62.8 | 40.2 | 46.4 | 47.5 | 49.3 | **904.7** |
| OIL | 1956 | 156.2 | 108.4 | 102.0 | 48.9 | 250.7 | 189.3 | 156.5 | 142.7 | 129.0 | 147.6 | 141.7 | 140.8 | **3,870.7** |
| DAY | 1955 | 0.0 | 10.0 | 21.0 | 4.0 | 18.0 | 27.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **263.0** |
| H2O | 1955 | 0.0 | 2.7 | 12.7 | 1.0 | 7.5 | 11.4 | 27.0 | 31.5 | 30.2 | 20.2 | 23.7 | 63.0 | **230.9** |
| OIL | 1955 | 0.0 | 146.7 | 219.5 | 35.1 | 159.4 | 161.6 | 269.3 | 282.4 | 277.0 | 211.8 | 204.5 | 189.6 | **2,156.9** |

Licence ***722*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***722*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,459.0** |
| H2O | 1975 | 253.7 | 225.8 | 254.4 | 246.7 | 255.5 | 248.2 | 258.8 | 254.2 | 240.7 | 81.5 | 87.7 | 90.6 | **35,745.6** |
| OIL | 1975 | 48.0 | 42.6 | 48.0 | 45.6 | 45.9 | 44.2 | 45.3 | 45.4 | 43.2 | 44.2 | 45.9 | 46.7 | **25,111.9** |
| DAY | 1974 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,095.0** |
| H2O | 1974 | 249.3 | 204.8 | 230.4 | 227.3 | 227.2 | 241.6 | 214.3 | 222.4 | 215.1 | 219.7 | 214.6 | 269.8 | **33,247.8** |
| OIL | 1974 | 64.2 | 53.2 | 60.1 | 64.7 | 67.4 | 70.7 | 47.4 | 46.6 | 46.1 | 45.1 | 44.0 | 48.5 | **24,566.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,733.0** |
| H2O | 1973 | 246.9 | 246.9 | 242.0 | 102.1 | 113.2 | 108.3 | 230.4 | 234.0 | 211.9 | 222.4 | 213.8 | 241.3 | **30,511.3** |
| OIL | 1973 | 35.0 | 33.4 | 30.8 | 50.1 | 54.3 | 47.5 | 67.1 | 66.3 | 53.6 | 56.7 | 50.5 | 60.2 | **23,908.9** |
| DAY | 1972 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,369.0** |
| H2O | 1972 | 135.2 | 165.8 | 146.3 | 230.2 | 228.0 | 297.3 | 298.2 | 302.3 | 279.9 | 273.7 | 244.0 | 232.9 | **28,098.1** |
| OIL | 1972 | 42.7 | 44.3 | 46.4 | 47.7 | 48.6 | 43.9 | 45.1 | 44.0 | 43.2 | 36.9 | 35.9 | 36.9 | **23,303.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,005.0** |
| H2O | 1971 | 293.0 | 27.7 | 140.6 | 257.5 | 205.9 | 126.1 | 128.5 | 151.1 | 130.6 | 105.8 | 93.1 | 166.0 | **25,264.3** |
| OIL | 1971 | 63.6 | 26.1 | 62.8 | 63.7 | 68.6 | 44.2 | 40.7 | 45.8 | 47.4 | 48.1 | 44.8 | 47.0 | **22,787.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,641.0** |
| H2O | 1970 | 244.3 | 266.1 | 234.5 | 215.6 | 201.3 | 334.8 | 304.5 | 283.1 | 278.4 | 272.2 | 269.9 | 262.6 | **23,438.4** |
| OIL | 1970 | 76.4 | 83.3 | 55.1 | 61.5 | 57.0 | 67.5 | 75.3 | 70.2 | 72.6 | 62.6 | 60.2 | 60.2 | **22,185.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 27.0 | 27.0 | 31.0 | **5,280.0** |
| H2O | 1969 | 207.2 | 190.2 | 192.4 | 347.5 | 419.4 | 291.6 | 306.2 | 338.9 | 309.2 | 248.5 | 250.9 | 333.1 | **20,271.1** |
| OIL | 1969 | 73.3 | 69.1 | 70.4 | 64.7 | 83.9 | 66.9 | 60.5 | 68.5 | 67.4 | 58.8 | 51.8 | 79.1 | **21,383.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,923.0** |
| H2O | 1968 | 136.9 | 149.8 | 237.8 | 118.8 | 138.8 | 122.7 | 129.6 | 384.4 | 392.5 | 443.2 | 372.4 | 306.5 | **16,836.0** |
| OIL | 1968 | 58.6 | 71.0 | 79.6 | 37.5 | 59.0 | 51.5 | 75.6 | 73.7 | 77.4 | 81.5 | 79.1 | 90.1 | **20,568.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,561.0** |
| H2O | 1967 | 259.5 | 180.2 | 259.0 | 215.7 | 220.8 | 200.5 | 220.3 | 177.0 | 154.5 | 145.0 | 187.7 | 177.3 | **13,902.6** |
| OIL | 1967 | 111.6 | 81.2 | 93.9 | 80.1 | 86.1 | 79.1 | 74.2 | 68.8 | 64.2 | 59.4 | 59.4 | 53.9 | **19,734.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 21.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,198.0** |
| H2O | 1966 | 23.8 | 14.0 | 25.8 | 19.2 | 15.6 | 23.5 | 296.8 | 274.6 | 291.7 | 267.1 | 247.1 | 267.9 | **11,505.1** |
| OIL | 1966 | 49.3 | 44.2 | 49.7 | 50.5 | 54.0 | 44.8 | 150.2 | 120.0 | 115.2 | 118.2 | 116.6 | 124.3 | **18,822.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,843.0** |
| H2O | 1965 | 32.3 | 20.5 | 23.7 | 19.6 | 34.5 | 18.9 | 32.1 | 49.1 | 32.1 | 28.8 | 19.7 | 15.7 | **9,738.0** |
| OIL | 1965 | 53.2 | 49.1 | 60.1 | 55.1 | 56.9 | 51.6 | 50.1 | 64.2 | 51.8 | 54.5 | 54.5 | 54.2 | **17,785.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,478.0** |
| H2O | 1964 | 36.1 | 24.5 | 28.8 | 19.6 | 20.0 | 35.0 | 26.2 | 27.2 | 18.4 | 23.2 | 27.0 | 34.3 | **9,411.0** |
| OIL | 1964 | 65.5 | 66.4 | 66.3 | 62.9 | 65.6 | 63.6 | 65.9 | 65.3 | 65.9 | 57.8 | 67.7 | 54.0 | **17,129.9** |
| DAY | 1963 | 31.0 | 19.0 | 20.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,113.0** |
| H2O | 1963 | 63.8 | 38.5 | 39.4 | 56.8 | 47.9 | 39.1 | 48.0 | 44.8 | 26.7 | 49.4 | 41.8 | 27.2 | **9,090.7** |
| OIL | 1963 | 84.9 | 49.3 | 57.2 | 88.5 | 86.3 | 84.4 | 82.8 | 78.7 | 74.2 | 79.5 | 65.2 | 64.7 | **16,363.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,768.0** |
| H2O | 1962 | 63.1 | 49.8 | 84.9 | 64.5 | 28.9 | 42.9 | 45.0 | 48.5 | 47.5 | 52.3 | 60.6 | 48.2 | **8,567.3** |
| OIL | 1962 | 82.3 | 73.6 | 69.1 | 63.2 | 63.4 | 75.8 | 78.2 | 75.5 | 85.5 | 89.6 | 64.0 | 62.8 | **15,467.3** |
| DAY | 1961 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,404.0** |
| H2O | 1961 | 54.8 | 55.2 | 61.7 | 47.1 | 24.0 | 48.6 | 49.4 | 42.9 | 49.8 | 46.6 | 52.3 | 50.1 | **7,931.1** |
| OIL | 1961 | 103.0 | 87.2 | 105.0 | 86.8 | 85.3 | 88.7 | 87.9 | 91.8 | 81.7 | 80.2 | 81.8 | 76.3 | **14,584.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,040.0** |
| H2O | 1960 | 80.3 | 72.7 | 76.8 | 69.0 | 73.0 | 72.2 | 65.0 | 66.6 | 65.7 | 70.7 | 61.4 | 63.3 | **7,348.6** |
| OIL | 1960 | 107.4 | 99.0 | 94.7 | 102.7 | 94.7 | 100.6 | 97.6 | 104.9 | 86.4 | 94.4 | 92.3 | 104.9 | **13,528.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,674.0** |
| H2O | 1959 | 101.6 | 90.0 | 84.9 | 90.8 | 83.3 | 85.7 | 81.6 | 77.6 | 87.4 | 92.5 | 80.9 | 86.3 | **6,511.9** |
| OIL | 1959 | 133.8 | 125.2 | 130.8 | 133.2 | 123.3 | 110.9 | 115.4 | 117.6 | 100.4 | 111.2 | 101.1 | 119.2 | **12,349.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,309.0** |

# Manitoba Production
## 1950 To 1975

Licence ***722*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 153.9 | 139.3 | 142.4 | 131.2 | 141.5 | 128.9 | 112.6 | 122.3 | 108.7 | 111.4 | 112.1 | 89.8 | **5,469.3** |
| OIL | 1958 | 191.3 | 170.8 | 167.8 | 165.1 | 156.4 | 152.2 | 145.1 | 148.1 | 139.0 | 141.4 | 141.9 | 138.9 | **10,926.9** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | **944.0** |
| H2O | 1957 | 171.0 | 161.2 | 246.1 | 204.0 | 199.6 | 190.4 | 199.3 | 192.4 | 171.0 | 170.3 | 149.6 | 159.9 | **3,975.2** |
| OIL | 1957 | 314.2 | 283.8 | 325.1 | 289.4 | 255.4 | 249.6 | 247.4 | 245.8 | 233.5 | 209.1 | 198.7 | 193.7 | **9,068.9** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 23.0 | 18.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 19.0 | **581.0** |
| H2O | 1956 | 104.6 | 99.8 | 182.4 | 50.1 | 81.9 | 110.2 | 143.6 | 152.5 | 144.7 | 143.6 | 168.4 | 99.0 | **1,760.4** |
| OIL | 1956 | 344.7 | 307.2 | 297.2 | 240.2 | 188.4 | 320.4 | 333.1 | 263.2 | 326.7 | 340.3 | 317.5 | 192.7 | **6,023.2** |
| DAY | 1955 | 0.0 | 0.0 | 16.0 | 21.0 | 20.0 | 28.0 | 29.0 | 31.0 | 25.0 | 27.0 | 26.0 | 27.0 | **250.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 0.5 | 0.6 | 1.3 | 32.3 | 78.9 | 118.6 | 46.9 | **279.6** |
| OIL | 1955 | 0.0 | 0.0 | 189.2 | 171.6 | 128.1 | 161.0 | 197.3 | 367.8 | 327.2 | 349.5 | 328.1 | 331.8 | **2,551.6** |

Licence ***724*** Well Name ***Enerplus East Cromer Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-12-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 5.0 | 0.0 | 0.0 | **59.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 32.0 | 5.0 | 0.0 | 0.0 | **922.7** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.8 | 0.7 | 0.0 | 0.0 | **516.6** |
| DAY | 1955 | 0.0 | 0.0 | 15.0 | 0.0 | 0.0 | 6.0 | 27.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | **49.0** |
| H2O | 1955 | 0.0 | 0.0 | 55.3 | 0.0 | 0.0 | 29.4 | 788.9 | 12.1 | 0.0 | 0.0 | 0.0 | 0.0 | **885.7** |
| OIL | 1955 | 0.0 | 0.0 | 142.4 | 0.0 | 0.0 | 104.2 | 262.8 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | **511.1** |

Licence ***725*** Well Name ***B.A. Union Holyk Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-36-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1959 | 0.0 | 0.0 | 15.0 | 30.0 | 29.0 | 30.0 | 31.0 | 25.0 | 0.0 | 0.0 | 0.0 | 0.0 | **879.0** |
| H2O | 1959 | 0.0 | 0.0 | 50.3 | 83.6 | 71.4 | 96.2 | 94.4 | 63.6 | 0.0 | 0.0 | 0.0 | 0.0 | **4,185.6** |
| OIL | 1959 | 0.0 | 0.0 | 21.7 | 39.3 | 35.3 | 35.0 | 34.3 | 23.7 | 0.0 | 0.0 | 0.0 | 0.0 | **1,440.5** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 10.0 | 31.0 | 30.0 | 30.0 | 31.0 | 22.0 | 31.0 | 23.0 | 0.0 | **719.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 37.0 | 147.9 | 136.7 | 143.1 | 127.4 | 90.6 | 100.6 | 74.1 | 0.0 | **3,726.1** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 23.0 | 53.2 | 43.2 | 44.5 | 40.2 | 28.8 | 37.2 | 27.7 | 0.0 | **1,251.2** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 30.0 | 31.0 | 30.0 | 28.0 | 26.0 | 0.0 | 0.0 | **511.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 108.6 | 171.9 | 177.4 | 171.9 | 155.8 | 148.8 | 0.0 | 0.0 | **2,868.7** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 57.5 | 55.9 | 53.9 | 33.7 | 47.0 | 36.2 | 0.0 | 0.0 | **953.4** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 27.0 | 24.0 | 13.0 | 27.0 | 24.0 | 15.0 | 0.0 | **343.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 172.5 | 190.9 | 57.1 | 53.1 | 10.0 | 94.0 | 87.6 | 0.0 | **1,934.3** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 32.4 | 38.3 | 20.7 | 9.7 | 9.7 | 45.1 | 30.8 | 0.0 | **669.2** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 25.0 | 23.0 | 30.0 | 28.0 | 26.0 | 28.0 | 28.0 | 5.0 | 0.0 | **193.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 606.7 | 18.0 | 49.0 | 46.3 | 50.2 | 205.4 | 238.6 | 54.9 | 0.0 | **1,269.1** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 91.4 | 40.8 | 94.9 | 65.2 | 58.6 | 66.6 | 53.6 | 11.4 | 0.0 | **482.5** |

Licence ***726*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,529.0** |
| H2O | 1975 | 117.3 | 105.7 | 99.8 | 118.6 | 132.0 | 117.2 | 116.7 | 165.8 | 154.7 | 145.3 | 138.6 | 142.1 | **16,025.9** |
| OIL | 1975 | 97.9 | 88.8 | 79.6 | 92.3 | 96.6 | 90.9 | 95.2 | 80.1 | 83.9 | 84.5 | 82.8 | 85.2 | **15,668.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,171.0** |
| H2O | 1974 | 137.5 | 118.3 | 143.9 | 130.7 | 133.1 | 144.4 | 118.9 | 119.7 | 120.3 | 123.5 | 107.6 | 118.4 | **14,472.1** |
| OIL | 1974 | 88.4 | 87.4 | 97.4 | 93.8 | 95.3 | 92.6 | 99.3 | 99.8 | 93.8 | 97.1 | 91.5 | 97.3 | **14,610.5** |

# Manitoba Production
## 1950 To 1975

Licence ***726*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,806.0** |
| H2O | 1973 | 106.7 | 96.8 | 148.8 | 159.5 | 135.6 | 134.5 | 114.3 | 119.9 | 118.6 | 126.2 | 112.4 | 132.3 | **12,955.8** |
| OIL | 1973 | 92.6 | 81.5 | 128.5 | 78.2 | 122.8 | 113.9 | 103.5 | 99.2 | 94.2 | 98.0 | 88.4 | 86.1 | **13,476.8** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,441.0** |
| H2O | 1972 | 121.8 | 122.9 | 119.2 | 99.7 | 152.9 | 140.9 | 92.5 | 104.3 | 99.8 | 100.6 | 96.5 | 89.0 | **11,450.2** |
| OIL | 1972 | 97.9 | 94.2 | 96.1 | 93.6 | 106.3 | 103.1 | 90.7 | 88.0 | 87.6 | 92.0 | 91.7 | 93.1 | **12,289.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,076.0** |
| H2O | 1971 | 131.5 | 130.5 | 140.5 | 144.8 | 150.7 | 120.2 | 127.2 | 159.5 | 138.8 | 119.7 | 108.1 | 113.0 | **10,110.1** |
| OIL | 1971 | 98.8 | 89.3 | 100.1 | 95.7 | 95.7 | 96.5 | 102.8 | 105.5 | 97.4 | 96.5 | 91.7 | 98.8 | **11,155.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,712.0** |
| H2O | 1970 | 52.6 | 49.9 | 411.2 | 370.8 | 61.2 | 111.8 | 129.9 | 128.1 | 139.4 | 139.9 | 120.7 | 111.4 | **8,525.6** |
| OIL | 1970 | 73.4 | 65.3 | 68.0 | 66.1 | 62.1 | 128.8 | 92.6 | 94.2 | 92.5 | 94.9 | 92.8 | 97.9 | **9,986.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,350.0** |
| H2O | 1969 | 97.8 | 80.0 | 97.3 | 92.4 | 99.0 | 94.1 | 100.2 | 90.8 | 86.8 | 57.9 | 54.8 | 58.8 | **6,698.7** |
| OIL | 1969 | 82.5 | 70.9 | 79.9 | 87.2 | 85.0 | 83.7 | 68.6 | 68.6 | 64.5 | 72.1 | 66.9 | 73.4 | **8,958.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,985.0** |
| H2O | 1968 | 65.7 | 65.7 | 76.5 | 81.6 | 150.1 | 99.4 | 216.1 | 222.7 | 121.0 | 133.1 | 132.3 | 99.0 | **5,688.8** |
| OIL | 1968 | 67.7 | 61.0 | 68.3 | 71.8 | 66.9 | 59.4 | 124.4 | 125.3 | 86.9 | 89.8 | 87.6 | 83.7 | **8,054.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,622.0** |
| H2O | 1967 | 112.4 | 95.8 | 108.7 | 102.3 | 112.0 | 100.1 | 99.8 | 82.2 | 84.7 | 80.7 | 83.6 | 70.2 | **4,225.6** |
| OIL | 1967 | 98.7 | 85.7 | 96.6 | 92.3 | 96.9 | 85.7 | 93.8 | 79.5 | 81.0 | 81.2 | 80.7 | 69.6 | **7,062.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,257.0** |
| H2O | 1966 | 28.4 | 27.3 | 27.3 | 21.5 | 23.2 | 125.6 | 88.5 | 156.0 | 138.5 | 138.7 | 124.8 | 115.2 | **3,093.1** |
| OIL | 1966 | 52.3 | 47.0 | 58.3 | 42.0 | 39.6 | 92.8 | 68.8 | 101.9 | 106.3 | 113.9 | 101.1 | 98.2 | **6,020.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,905.0** |
| H2O | 1965 | 19.4 | 17.8 | 19.4 | 18.8 | 19.4 | 17.6 | 16.5 | 25.7 | 19.4 | 21.3 | 21.8 | 23.5 | **2,078.1** |
| OIL | 1965 | 39.1 | 35.6 | 38.9 | 37.5 | 38.0 | 34.8 | 32.3 | 29.7 | 31.5 | 32.1 | 34.2 | 41.6 | **5,098.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,542.0** |
| H2O | 1964 | 19.1 | 18.4 | 19.7 | 18.8 | 19.7 | 11.9 | 19.1 | 19.7 | 19.1 | 19.7 | 19.1 | 19.1 | **1,837.5** |
| OIL | 1964 | 19.1 | 19.2 | 19.7 | 18.1 | 19.5 | 11.9 | 18.6 | 25.3 | 38.3 | 39.1 | 38.0 | 38.1 | **4,672.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,182.0** |
| H2O | 1963 | 19.7 | 16.4 | 19.7 | 18.8 | 19.4 | 17.5 | 19.1 | 18.4 | 19.1 | 19.4 | 19.1 | 19.7 | **1,614.1** |
| OIL | 1963 | 19.9 | 18.0 | 19.2 | 18.6 | 18.9 | 18.0 | 18.9 | 18.3 | 18.9 | 19.2 | 19.1 | 19.7 | **4,368.0** |
| DAY | 1962 | 22.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,817.0** |
| H2O | 1962 | 14.8 | 13.3 | 14.8 | 14.3 | 14.8 | 14.3 | 21.0 | 14.8 | 15.3 | 14.8 | 17.0 | 19.9 | **1,387.8** |
| OIL | 1962 | 17.5 | 22.2 | 15.7 | 14.3 | 14.3 | 14.1 | 48.9 | 42.6 | 18.9 | 19.1 | 18.0 | 19.4 | **4,141.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,466.0** |
| H2O | 1961 | 9.9 | 14.9 | 16.7 | 19.1 | 19.7 | 19.1 | 19.7 | 19.7 | 19.1 | 18.1 | 14.3 | 14.8 | **1,198.7** |
| OIL | 1961 | 24.6 | 31.8 | 23.0 | 23.7 | 24.5 | 23.2 | 23.7 | 23.8 | 23.7 | 23.8 | 23.8 | 24.3 | **3,876.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,101.0** |
| H2O | 1960 | 4.9 | 4.6 | 8.7 | 14.3 | 14.3 | 14.3 | 15.3 | 14.6 | 14.3 | 14.8 | 12.1 | 10.3 | **993.6** |
| OIL | 1960 | 24.6 | 27.8 | 29.6 | 28.4 | 29.4 | 28.1 | 28.9 | 29.1 | 27.0 | 24.3 | 23.5 | 24.3 | **3,582.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,736.0** |
| H2O | 1959 | 19.7 | 17.8 | 19.7 | 19.1 | 19.7 | 20.2 | 19.7 | 14.9 | 9.5 | 9.7 | 10.0 | 5.7 | **851.1** |
| OIL | 1959 | 21.1 | 25.1 | 29.4 | 24.0 | 21.0 | 23.5 | 24.2 | 24.2 | 19.1 | 19.2 | 26.4 | 25.1 | **3,257.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,371.0** |
| H2O | 1958 | 11.4 | 9.4 | 13.5 | 16.7 | 21.8 | 16.9 | 19.7 | 21.0 | 21.3 | 21.9 | 21.3 | 20.8 | **665.4** |
| OIL | 1958 | 49.4 | 43.9 | 36.7 | 32.4 | 34.2 | 32.9 | 34.0 | 33.7 | 33.4 | 33.2 | 26.1 | 24.5 | **2,975.1** |
| DAY | 1957 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,006.0** |
| H2O | 1957 | 13.8 | 13.0 | 14.8 | 9.5 | 15.4 | 18.9 | 13.8 | 15.6 | 14.0 | 14.8 | 14.1 | 13.8 | **449.7** |
| OIL | 1957 | 73.3 | 60.4 | 81.8 | 77.7 | 73.4 | 56.6 | 45.4 | 48.9 | 47.7 | 49.1 | 46.7 | 48.9 | **2,560.7** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 27.0 | 30.0 | 20.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **642.0** |

# Manitoba Production
## 1950 To 1975

Licence ***726*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1956 | 14.8 | 16.2 | 14.5 | 12.9 | 11.4 | 12.9 | 38.8 | 16.9 | 14.3 | 15.7 | 14.0 | 18.1 | **278.2** |
| OIL | 1956 | 38.3 | 36.7 | 34.3 | 35.9 | 40.5 | 15.3 | 210.8 | 132.0 | 126.1 | 107.7 | 86.6 | 77.1 | **1,850.8** |
| DAY | 1955 | 0.0 | 7.0 | 31.0 | 27.0 | 25.0 | 29.0 | 25.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | **293.0** |
| H2O | 1955 | 0.0 | 0.0 | 9.9 | 4.3 | 4.1 | 4.5 | 4.1 | 4.8 | 6.8 | 11.4 | 13.2 | 14.6 | **77.7** |
| OIL | 1955 | 0.0 | 38.8 | 170.0 | 122.2 | 119.8 | 108.7 | 78.0 | 74.5 | 46.1 | 52.4 | 56.3 | 42.7 | **909.5** |

Licence ***727*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-13-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 23.0 | 0.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,499.0** |
| OIL | 1975 | 104.1 | 103.6 | 95.5 | 75.5 | 0.0 | 99.3 | 104.4 | 98.8 | 96.5 | 98.7 | 90.1 | 93.6 | **33,283.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,174.0** |
| H2O | 1974 | 4.8 | 4.4 | 4.8 | 4.4 | 4.8 | 4.6 | 4.8 | 4.9 | 4.6 | 0.0 | 0.0 | 0.0 | **2,654.3** |
| OIL | 1974 | 87.1 | 81.0 | 83.1 | 92.3 | 95.7 | 92.6 | 94.2 | 94.4 | 94.4 | 106.9 | 101.7 | 101.4 | **32,222.9** |
| DAY | 1973 | 31.0 | 27.0 | 28.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,809.0** |
| H2O | 1973 | 5.6 | 5.7 | 5.1 | 4.6 | 6.4 | 4.9 | 5.2 | 4.4 | 5.1 | 4.8 | 4.8 | 4.8 | **2,612.2** |
| OIL | 1973 | 105.5 | 93.8 | 100.4 | 94.2 | 109.5 | 99.3 | 106.2 | 92.3 | 88.5 | 87.7 | 87.7 | 91.8 | **31,098.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 22.0 | 31.0 | 30.0 | 31.0 | **6,451.0** |
| H2O | 1972 | 5.6 | 4.3 | 4.3 | 5.1 | 4.6 | 4.8 | 4.3 | 6.7 | 14.5 | 5.9 | 5.6 | 4.9 | **2,550.8** |
| OIL | 1972 | 107.6 | 97.7 | 106.8 | 119.2 | 120.5 | 117.3 | 116.6 | 118.4 | 88.8 | 97.9 | 106.0 | 108.4 | **29,941.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,093.0** |
| H2O | 1971 | 16.7 | 16.9 | 20.0 | 19.4 | 20.3 | 19.1 | 20.5 | 19.4 | 15.6 | 3.8 | 3.3 | 5.6 | **2,480.2** |
| OIL | 1971 | 172.3 | 154.3 | 170.0 | 167.5 | 167.2 | 161.1 | 163.8 | 161.8 | 157.8 | 113.5 | 104.7 | 108.2 | **28,636.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,728.0** |
| H2O | 1970 | 17.5 | 18.9 | 20.5 | 17.3 | 22.1 | 21.0 | 21.1 | 14.5 | 20.3 | 21.9 | 18.6 | 19.1 | **2,299.6** |
| OIL | 1970 | 172.6 | 153.8 | 182.3 | 155.9 | 172.9 | 156.5 | 178.6 | 167.3 | 174.6 | 176.4 | 169.2 | 171.1 | **26,833.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,365.0** |
| H2O | 1969 | 3.8 | 4.0 | 4.5 | 4.6 | 5.1 | 4.3 | 5.7 | 5.2 | 17.2 | 24.6 | 18.1 | 20.2 | **2,066.8** |
| OIL | 1969 | 89.8 | 81.7 | 89.6 | 87.2 | 113.0 | 117.8 | 127.1 | 126.5 | 172.4 | 177.3 | 180.0 | 172.3 | **24,802.6** |
| DAY | 1968 | 31.0 | 29.0 | 27.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,000.0** |
| H2O | 1968 | 4.1 | 4.0 | 3.7 | 3.3 | 4.0 | 5.9 | 5.6 | 6.5 | 6.4 | 5.4 | 5.1 | 4.9 | **1,949.5** |
| OIL | 1968 | 109.0 | 102.5 | 98.0 | 105.0 | 131.1 | 110.9 | 108.1 | 114.1 | 107.6 | 114.3 | 102.2 | 95.0 | **23,267.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,643.0** |
| H2O | 1967 | 25.6 | 22.9 | 6.2 | 0.0 | 4.0 | 4.3 | 3.2 | 3.2 | 3.3 | 4.3 | 4.3 | 4.1 | **1,890.6** |
| OIL | 1967 | 117.3 | 104.9 | 113.9 | 106.9 | 100.4 | 102.2 | 98.2 | 107.4 | 97.3 | 113.8 | 107.9 | 104.6 | **21,970.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,284.0** |
| H2O | 1966 | 5.7 | 7.5 | 6.8 | 7.2 | 7.5 | 7.0 | 2.7 | 6.0 | 3.0 | 2.7 | 2.7 | 5.7 | **1,805.2** |
| OIL | 1966 | 117.6 | 107.7 | 118.9 | 114.1 | 121.4 | 116.0 | 139.0 | 145.6 | 126.3 | 123.0 | 116.3 | 112.3 | **20,695.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,919.0** |
| H2O | 1965 | 5.7 | 5.6 | 20.7 | 14.9 | 15.4 | 8.6 | 11.6 | 9.2 | 8.6 | 5.7 | 9.4 | 5.9 | **1,740.7** |
| OIL | 1965 | 96.0 | 89.8 | 182.4 | 178.3 | 175.0 | 143.7 | 158.0 | 145.1 | 127.9 | 144.4 | 136.5 | 131.4 | **19,237.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,554.0** |
| H2O | 1964 | 8.7 | 29.2 | 14.1 | 15.7 | 15.4 | 13.5 | 14.8 | 12.1 | 8.7 | 5.9 | 8.6 | 8.9 | **1,619.4** |
| OIL | 1964 | 82.5 | 163.2 | 173.5 | 159.1 | 173.7 | 167.0 | 171.1 | 174.8 | 147.3 | 157.0 | 142.2 | 141.6 | **17,528.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,189.0** |
| H2O | 1963 | 0.0 | 0.0 | 4.8 | 10.6 | 6.5 | 5.7 | 9.5 | 8.4 | 12.4 | 8.1 | 6.2 | 7.5 | **1,463.8** |
| OIL | 1963 | 84.2 | 78.8 | 93.0 | 101.1 | 90.7 | 90.7 | 92.8 | 84.7 | 83.1 | 79.0 | 91.4 | 75.0 | **15,675.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,824.0** |
| H2O | 1962 | 9.7 | 10.8 | 11.6 | 11.4 | 16.0 | 12.4 | 13.2 | 8.6 | 4.6 | 8.6 | 9.1 | 12.1 | **1,384.1** |
| OIL | 1962 | 182.4 | 154.0 | 158.6 | 142.1 | 130.0 | 130.6 | 115.5 | 114.4 | 106.2 | 104.2 | 98.0 | 100.6 | **14,631.1** |
| DAY | 1961 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,459.0** |

# Manitoba Production
## 1950 To 1975

Licence ***727*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-13-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1961 | 5.1 | 17.6 | 21.1 | 24.5 | 28.3 | 21.8 | 23.4 | 25.9 | 22.3 | 21.6 | 18.6 | 21.9 | **1,256.0** |
| OIL | 1961 | 36.4 | 84.4 | 183.9 | 166.9 | 241.7 | 228.4 | 205.3 | 227.2 | 215.5 | 223.6 | 197.0 | 194.0 | **13,094.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,098.0** |
| H2O | 1960 | 1.3 | 5.6 | 1.3 | 1.3 | 1.3 | 4.8 | 2.5 | 6.2 | 4.6 | 4.9 | 3.5 | 3.5 | **1,003.9** |
| OIL | 1960 | 40.0 | 32.7 | 38.0 | 42.0 | 53.1 | 49.3 | 47.5 | 53.2 | 57.0 | 45.3 | 45.1 | 29.7 | **10,890.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,733.0** |
| H2O | 1959 | 2.9 | 0.0 | 6.0 | 1.1 | 5.4 | 4.1 | 4.0 | 1.3 | 1.3 | 0.0 | 2.2 | 4.1 | **963.1** |
| OIL | 1959 | 57.2 | 99.2 | 72.5 | 38.6 | 36.4 | 81.2 | 50.4 | 47.7 | 44.7 | 43.7 | 39.1 | 32.6 | **10,357.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,368.0** |
| H2O | 1958 | 21.0 | 17.3 | 3.7 | 3.3 | 3.7 | 0.0 | 0.0 | 7.5 | 4.1 | 1.9 | 7.3 | 1.3 | **930.7** |
| OIL | 1958 | 204.2 | 217.9 | 199.1 | 115.7 | 59.8 | 161.5 | 182.9 | 56.4 | 85.3 | 70.7 | 114.9 | 51.0 | **9,714.0** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 28.0 | **1,004.0** |
| H2O | 1957 | 49.9 | 45.3 | 2.1 | 1.6 | 38.6 | 1.6 | 39.4 | 24.0 | 29.6 | 32.9 | 32.6 | 31.5 | **859.6** |
| OIL | 1957 | 198.0 | 210.1 | 254.4 | 234.6 | 161.1 | 261.7 | 199.7 | 195.1 | 185.3 | 158.9 | 162.9 | 180.5 | **8,194.6** |
| DAY | 1956 | 24.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **646.0** |
| H2O | 1956 | 18.4 | 25.1 | 25.7 | 24.8 | 26.1 | 25.1 | 33.5 | 29.6 | 31.9 | 38.0 | 39.4 | 38.8 | **530.5** |
| OIL | 1956 | 256.8 | 380.4 | 362.3 | 330.5 | 340.2 | 319.1 | 170.0 | 144.1 | 246.2 | 258.2 | 235.3 | 233.3 | **5,792.3** |
| DAY | 1955 | 0.0 | 2.0 | 27.0 | 26.0 | 28.0 | 22.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **289.0** |
| H2O | 1955 | 0.0 | 4.9 | 22.9 | 26.1 | 4.0 | 11.9 | 2.7 | 2.5 | 24.5 | 26.2 | 22.2 | 26.2 | **174.1** |
| OIL | 1955 | 0.0 | 19.9 | 231.2 | 211.0 | 242.0 | 192.3 | 269.5 | 245.8 | 301.0 | 323.2 | 269.0 | 211.0 | **2,515.9** |

Licence ***728*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **7,459.0** |
| H2O | 1975 | 159.6 | 109.5 | 168.4 | 161.5 | 179.7 | 159.4 | 90.1 | 91.3 | 79.3 | 82.7 | 80.4 | 82.7 | **11,407.7** |
| OIL | 1975 | 226.8 | 157.2 | 228.5 | 213.7 | 223.9 | 210.6 | 211.8 | 209.4 | 204.8 | 211.8 | 211.8 | 218.0 | **30,554.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,103.0** |
| H2O | 1974 | 105.1 | 93.5 | 113.7 | 103.3 | 114.5 | 124.0 | 102.2 | 162.9 | 163.7 | 168.2 | 146.4 | 161.0 | **9,963.1** |
| OIL | 1974 | 198.5 | 202.8 | 225.5 | 217.2 | 221.2 | 214.7 | 230.4 | 231.1 | 217.5 | 224.7 | 212.1 | 225.3 | **28,026.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,738.0** |
| H2O | 1973 | 53.3 | 48.5 | 83.8 | 84.3 | 91.6 | 90.5 | 137.4 | 89.5 | 90.1 | 95.7 | 88.9 | 104.6 | **8,404.6** |
| OIL | 1973 | 250.9 | 220.9 | 210.6 | 211.7 | 240.1 | 222.3 | 149.7 | 247.7 | 238.2 | 217.7 | 204.7 | 199.6 | **25,405.5** |
| DAY | 1972 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,374.0** |
| H2O | 1972 | 75.4 | 76.2 | 99.7 | 92.2 | 95.2 | 49.4 | 69.5 | 78.2 | 74.9 | 75.5 | 48.3 | 44.5 | **7,346.4** |
| OIL | 1972 | 175.9 | 169.4 | 221.8 | 239.0 | 226.1 | 202.0 | 218.5 | 212.3 | 210.7 | 221.7 | 248.4 | 252.3 | **22,791.4** |
| DAY | 1971 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,011.0** |
| H2O | 1971 | 144.5 | 143.6 | 41.3 | 70.7 | 73.6 | 60.6 | 93.5 | 103.2 | 93.0 | 74.1 | 66.9 | 70.0 | **6,467.4** |
| OIL | 1971 | 192.0 | 173.7 | 192.8 | 216.9 | 217.2 | 210.1 | 204.7 | 201.5 | 192.0 | 173.2 | 164.3 | 177.3 | **20,193.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,649.0** |
| H2O | 1970 | 40.1 | 53.9 | 65.7 | 59.1 | 43.1 | 40.5 | 38.3 | 37.8 | 58.3 | 58.7 | 54.2 | 122.6 | **5,432.4** |
| OIL | 1970 | 242.7 | 211.2 | 233.9 | 227.4 | 217.9 | 198.2 | 215.0 | 218.2 | 201.5 | 207.1 | 188.9 | 190.2 | **17,877.6** |
| DAY | 1969 | 29.0 | 27.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,285.0** |
| H2O | 1969 | 26.4 | 53.9 | 49.1 | 47.4 | 52.6 | 79.8 | 84.9 | 76.9 | 73.4 | 57.9 | 54.8 | 44.7 | **4,760.1** |
| OIL | 1969 | 119.7 | 254.4 | 350.7 | 351.4 | 353.7 | 283.3 | 290.6 | 290.3 | 273.2 | 242.5 | 224.9 | 242.3 | **15,325.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 24.0 | 31.0 | **4,924.0** |
| H2O | 1968 | 1.0 | 1.0 | 1.1 | 21.1 | 75.8 | 71.5 | 75.4 | 24.3 | 21.8 | 20.2 | 21.5 | 29.9 | **4,058.3** |
| OIL | 1968 | 108.2 | 97.7 | 109.3 | 97.3 | 105.5 | 119.5 | 124.4 | 101.9 | 99.3 | 86.4 | 100.6 | 135.1 | **12,048.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,568.0** |
| H2O | 1967 | 4.5 | 3.8 | 4.3 | 4.0 | 4.3 | 3.7 | 28.0 | 28.5 | 31.5 | 30.0 | 31.2 | 1.1 | **3,693.7** |
| OIL | 1967 | 95.2 | 82.8 | 93.3 | 89.1 | 93.4 | 80.7 | 93.9 | 85.2 | 93.9 | 94.1 | 93.6 | 111.4 | **10,763.2** |

# Manitoba Production
## 1950 To 1975

Licence ***728*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,205.0** |
| H2O | 1966 | 48.8 | 46.7 | 46.7 | 36.7 | 33.7 | 39.0 | 37.0 | 43.6 | 38.6 | 38.6 | 7.2 | 4.5 | **3,518.8** |
| OIL | 1966 | 75.5 | 68.0 | 84.2 | 60.5 | 48.5 | 49.1 | 49.3 | 48.5 | 50.5 | 54.3 | 97.4 | 94.9 | **9,656.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,844.0** |
| H2O | 1965 | 48.5 | 44.5 | 48.5 | 40.4 | 38.6 | 35.0 | 29.6 | 44.0 | 33.2 | 36.2 | 37.2 | 40.4 | **3,097.7** |
| OIL | 1965 | 53.4 | 49.1 | 53.2 | 51.6 | 51.3 | 47.4 | 48.6 | 33.5 | 45.6 | 46.6 | 49.4 | 60.2 | **8,875.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 14.0 | 28.0 | **3,480.0** |
| H2O | 1964 | 14.1 | 13.8 | 14.3 | 36.9 | 39.4 | 38.2 | 38.2 | 39.4 | 38.5 | 39.4 | 51.2 | 42.9 | **2,621.6** |
| OIL | 1964 | 56.9 | 57.4 | 57.2 | 60.5 | 73.3 | 70.9 | 71.2 | 73.3 | 71.8 | 73.3 | 19.5 | 47.8 | **8,286.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,133.0** |
| H2O | 1963 | 16.4 | 14.1 | 14.8 | 14.1 | 14.5 | 13.4 | 14.1 | 13.5 | 14.3 | 14.5 | 14.3 | 14.8 | **2,215.3** |
| OIL | 1963 | 59.4 | 53.6 | 58.5 | 56.1 | 56.9 | 53.2 | 56.3 | 54.5 | 56.6 | 57.5 | 57.2 | 59.1 | **7,552.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,768.0** |
| H2O | 1962 | 22.4 | 22.3 | 24.6 | 23.8 | 24.6 | 23.8 | 24.6 | 24.6 | 21.5 | 18.0 | 15.7 | 14.8 | **2,042.5** |
| OIL | 1962 | 44.5 | 40.2 | 44.3 | 42.6 | 43.2 | 41.6 | 39.7 | 38.8 | 45.9 | 55.9 | 54.3 | 58.2 | **6,874.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,404.0** |
| H2O | 1961 | 12.4 | 13.4 | 14.8 | 14.3 | 14.8 | 14.3 | 14.8 | 14.8 | 14.3 | 14.8 | 14.3 | 15.1 | **1,781.8** |
| OIL | 1961 | 38.1 | 31.3 | 34.3 | 32.4 | 33.8 | 32.6 | 33.2 | 32.7 | 33.1 | 33.1 | 33.4 | 43.4 | **6,324.8** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,039.0** |
| H2O | 1960 | 19.1 | 18.4 | 17.8 | 14.3 | 14.8 | 16.9 | 14.8 | 14.8 | 14.3 | 18.8 | 14.3 | 10.3 | **1,609.7** |
| OIL | 1960 | 51.0 | 50.9 | 50.5 | 42.7 | 44.2 | 42.4 | 43.4 | 41.2 | 41.8 | 43.7 | 42.4 | 43.9 | **5,913.4** |
| DAY | 1959 | 23.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,675.0** |
| H2O | 1959 | 60.7 | 26.7 | 20.2 | 23.2 | 21.9 | 21.9 | 22.4 | 26.1 | 28.6 | 28.1 | 29.9 | 21.3 | **1,421.1** |
| OIL | 1959 | 9.2 | 14.6 | 19.5 | 23.4 | 48.6 | 47.4 | 47.8 | 47.8 | 45.3 | 48.0 | 47.5 | 53.1 | **5,375.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,324.0** |
| H2O | 1958 | 15.7 | 12.2 | 41.2 | 33.9 | 36.1 | 32.6 | 35.8 | 34.5 | 34.0 | 33.5 | 31.0 | 29.4 | **1,090.1** |
| OIL | 1958 | 35.8 | 30.7 | 53.7 | 60.7 | 63.4 | 61.2 | 63.1 | 62.9 | 62.1 | 60.4 | 40.8 | 34.2 | **4,923.1** |
| DAY | 1957 | 27.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **959.0** |
| H2O | 1957 | 26.5 | 14.0 | 24.8 | 22.4 | 30.0 | 18.8 | 25.4 | 30.7 | 28.3 | 28.6 | 15.9 | 18.1 | **720.2** |
| OIL | 1957 | 84.5 | 66.6 | 82.6 | 68.2 | 68.6 | 70.2 | 76.3 | 72.0 | 95.3 | 55.5 | 40.8 | 33.8 | **4,294.1** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 29.0 | 28.0 | 22.0 | 22.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | **602.0** |
| H2O | 1956 | 4.9 | 5.9 | 8.4 | 10.3 | 6.5 | 6.2 | 62.3 | 32.9 | 47.7 | 49.3 | 51.2 | 32.1 | **436.7** |
| OIL | 1956 | 184.3 | 173.5 | 187.4 | 140.3 | 123.6 | 123.3 | 91.8 | 130.8 | 115.1 | 117.0 | 99.6 | 94.9 | **3,479.7** |
| DAY | 1955 | 0.0 | 25.0 | 0.0 | 11.0 | 20.0 | 24.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **260.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 17.8 | 47.4 | 25.6 | 5.1 | 4.9 | 4.8 | 3.7 | 4.8 | 4.9 | **119.0** |
| OIL | 1955 | 0.0 | 10.8 | 0.0 | 35.3 | 85.8 | 211.7 | 305.9 | 285.7 | 245.4 | 245.7 | 249.0 | 222.8 | **1,898.1** |

Licence ***729*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **7,317.0** |
| H2O | 1975 | 2221.5 | 1973.7 | 2223.0 | 2156.7 | 2232.5 | 2169.7 | 2262.1 | 2221.5 | 2104.2 | 1665.7 | 1923.3 | 1982.9 | **262,332.6** |
| OIL | 1975 | 86.3 | 72.5 | 81.6 | 77.6 | 78.2 | 75.0 | 76.9 | 77.1 | 73.8 | 111.3 | 124.0 | 126.2 | **35,564.0** |
| DAY | 1974 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,955.0** |
| H2O | 1974 | 1844.7 | 1586.1 | 1725.5 | 1705.1 | 1718.8 | 1812.0 | 1940.1 | 1944.7 | 1880.7 | 1903.9 | 1863.8 | 2338.1 | **237,195.8** |
| OIL | 1974 | 122.6 | 105.7 | 111.1 | 118.8 | 124.6 | 126.2 | 94.3 | 85.9 | 84.9 | 82.0 | 79.2 | 91.6 | **34,503.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,591.0** |
| H2O | 1973 | 1659.5 | 1655.7 | 1639.5 | 1511.3 | 1737.3 | 1466.3 | 1761.1 | 1741.6 | 1578.3 | 1645.4 | 1587.7 | 1779.7 | **214,932.3** |
| OIL | 1973 | 94.8 | 95.1 | 92.4 | 89.4 | 99.8 | 95.2 | 121.1 | 119.4 | 98.7 | 104.0 | 96.7 | 120.7 | **33,276.6** |
| DAY | 1972 | 30.0 | 29.0 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,229.0** |
| H2O | 1972 | 1443.1 | 1824.4 | 1703.4 | 1499.7 | 1610.5 | 1471.6 | 1933.8 | 1952.5 | 1973.7 | 1831.5 | 1606.9 | 1545.7 | **195,168.9** |

# Manitoba Production
## 1950 To 1975

Licence ***729*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1972 | 109.9 | 117.0 | 129.3 | 97.3 | 103.0 | 92.7 | 121.9 | 117.2 | 138.3 | 98.4 | 97.3 | 95.4 | **32,049.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,867.0** |
| H2O | 1971 | 1921.8 | 1754.4 | 1935.8 | 1887.3 | 1916.3 | 1599.1 | 1575.3 | 1926.0 | 1686.7 | 1573.7 | 1481.4 | 1722.3 | **174,772.1** |
| OIL | 1971 | 117.4 | 117.4 | 121.2 | 113.9 | 132.3 | 108.4 | 102.5 | 104.3 | 106.7 | 106.5 | 94.3 | 132.4 | **30,731.6** |
| DAY | 1970 | 31.0 | 24.0 | 31.0 | 28.0 | 26.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,505.0** |
| H2O | 1970 | 1658.4 | 1140.3 | 1637.6 | 1458.6 | 1377.8 | 1708.2 | 1802.1 | 1793.2 | 2000.4 | 1495.4 | 1581.9 | 1950.8 | **153,792.0** |
| OIL | 1970 | 134.2 | 92.7 | 116.6 | 107.9 | 103.1 | 131.9 | 138.9 | 123.8 | 122.8 | 100.5 | 109.1 | 137.3 | **29,374.3** |
| DAY | 1969 | 29.0 | 28.0 | 31.0 | 30.0 | 28.0 | 23.0 | 29.0 | 31.0 | 30.0 | 30.0 | 20.0 | 25.0 | **5,153.0** |
| H2O | 1969 | 1680.9 | 1667.7 | 1676.7 | 1715.5 | 1720.0 | 1488.8 | 1763.7 | 1596.6 | 1499.3 | 1579.2 | 1159.0 | 1410.5 | **134,187.3** |
| OIL | 1969 | 120.6 | 111.7 | 116.0 | 106.6 | 123.4 | 121.8 | 135.7 | 133.9 | 138.7 | 118.3 | 87.0 | 123.6 | **27,955.5** |
| DAY | 1968 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 12.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,819.0** |
| H2O | 1968 | 1577.2 | 1300.6 | 1004.5 | 1704.7 | 1390.2 | 330.8 | 1877.7 | 1951.5 | 2226.2 | 1892.2 | 1825.6 | 2180.7 | **115,229.4** |
| OIL | 1968 | 151.6 | 127.9 | 127.1 | 156.8 | 150.6 | 53.5 | 157.8 | 149.0 | 135.0 | 135.7 | 145.5 | 142.7 | **26,518.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,476.0** |
| H2O | 1967 | 1448.3 | 1427.0 | 1980.7 | 1812.5 | 1713.2 | 1227.8 | 1854.8 | 1662.1 | 1906.2 | 1667.2 | 1697.4 | 1705.8 | **95,967.5** |
| OIL | 1967 | 129.5 | 106.4 | 154.6 | 118.7 | 146.6 | 102.4 | 132.0 | 134.7 | 148.2 | 128.8 | 119.9 | 137.3 | **24,885.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 21.0 | **4,115.0** |
| H2O | 1966 | 1144.8 | 1131.9 | 1217.1 | 1251.3 | 1300.7 | 1292.0 | 1357.2 | 1882.3 | 1764.5 | 1527.0 | 1668.2 | 1290.9 | **75,864.5** |
| OIL | 1966 | 122.0 | 109.8 | 108.3 | 118.0 | 137.7 | 114.4 | 118.2 | 159.2 | 152.8 | 119.6 | 146.0 | 97.2 | **23,325.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **3,764.0** |
| H2O | 1965 | 966.4 | 928.9 | 935.9 | 663.8 | 1067.7 | 1094.1 | 1018.2 | 1149.7 | 1099.9 | 945.9 | 1209.0 | 1249.7 | **59,036.6** |
| OIL | 1965 | 125.2 | 115.6 | 115.3 | 111.8 | 129.2 | 128.7 | 128.2 | 134.1 | 125.3 | 122.0 | 139.0 | 128.8 | **21,822.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,402.0** |
| H2O | 1964 | 1079.3 | 1063.1 | 825.2 | 801.4 | 1205.5 | 891.8 | 1494.7 | 1087.4 | 1098.5 | 1110.6 | 1150.7 | 1296.3 | **46,707.4** |
| OIL | 1964 | 154.1 | 157.8 | 133.4 | 134.7 | 156.0 | 127.2 | 155.2 | 137.6 | 142.2 | 135.5 | 134.4 | 139.5 | **20,319.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,036.0** |
| H2O | 1963 | 665.7 | 560.8 | 694.4 | 695.0 | 744.3 | 751.3 | 721.2 | 815.5 | 802.3 | 1090.4 | 1098.0 | 1129.4 | **33,602.9** |
| OIL | 1963 | 140.0 | 124.7 | 130.9 | 138.2 | 136.5 | 133.4 | 137.4 | 151.9 | 144.6 | 172.1 | 162.1 | 167.2 | **18,611.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,672.0** |
| H2O | 1962 | 950.6 | 774.5 | 743.0 | 821.7 | 712.6 | 753.0 | 799.8 | 811.5 | 815.2 | 827.4 | 772.7 | 786.7 | **23,834.6** |
| OIL | 1962 | 207.7 | 167.5 | 164.6 | 177.6 | 150.6 | 147.3 | 165.4 | 150.0 | 149.5 | 155.7 | 152.5 | 141.9 | **16,872.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,307.0** |
| H2O | 1961 | 179.4 | 176.1 | 236.8 | 268.6 | 233.0 | 266.7 | 276.7 | 225.3 | 234.6 | 208.3 | 227.6 | 551.9 | **14,265.9** |
| OIL | 1961 | 128.2 | 114.8 | 142.7 | 128.4 | 126.3 | 128.7 | 129.8 | 120.9 | 134.7 | 120.6 | 105.9 | 151.7 | **14,942.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,942.0** |
| H2O | 1960 | 189.6 | 162.9 | 182.6 | 178.3 | 183.4 | 180.7 | 172.4 | 179.9 | 186.9 | 187.7 | 174.8 | 211.8 | **11,180.9** |
| OIL | 1960 | 136.5 | 125.8 | 140.0 | 130.4 | 140.0 | 127.9 | 120.9 | 118.5 | 127.9 | 124.1 | 121.4 | 118.5 | **13,409.9** |
| DAY | 1959 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,576.0** |
| H2O | 1959 | 162.7 | 141.9 | 158.6 | 151.6 | 158.7 | 150.5 | 151.3 | 162.4 | 150.6 | 180.0 | 171.1 | 181.8 | **8,989.9** |
| OIL | 1959 | 128.7 | 131.7 | 149.3 | 142.4 | 140.1 | 129.8 | 135.5 | 139.7 | 119.1 | 125.8 | 128.5 | 133.9 | **11,878.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,215.0** |
| H2O | 1958 | 150.5 | 133.1 | 223.9 | 155.7 | 199.9 | 171.6 | 135.0 | 157.0 | 152.2 | 159.8 | 155.7 | 153.0 | **7,068.7** |
| OIL | 1958 | 157.6 | 136.9 | 151.1 | 151.9 | 156.2 | 144.1 | 131.4 | 141.4 | 134.4 | 145.7 | 138.2 | 147.6 | **10,273.5** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | **850.0** |
| H2O | 1957 | 332.7 | 271.9 | 211.4 | 229.2 | 303.4 | 197.0 | 224.1 | 199.4 | 185.1 | 168.6 | 134.6 | 144.3 | **5,121.3** |
| OIL | 1957 | 364.5 | 310.7 | 354.8 | 302.5 | 215.3 | 176.4 | 189.3 | 192.3 | 178.1 | 170.3 | 147.8 | 144.3 | **8,537.0** |
| DAY | 1956 | 24.0 | 28.0 | 18.0 | 0.0 | 17.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 30.0 | 19.0 | **489.0** |
| H2O | 1956 | 98.5 | 53.6 | 83.1 | 0.0 | 78.3 | 210.2 | 254.8 | 181.1 | 229.6 | 287.7 | 326.1 | 185.6 | **2,519.6** |
| OIL | 1956 | 277.0 | 270.3 | 182.4 | 0.0 | 186.7 | 336.8 | 349.0 | 274.3 | 329.0 | 359.7 | 346.3 | 216.0 | **5,790.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 26.0 | 26.0 | 26.0 | 25.0 | 26.0 | 26.0 | 28.0 | **204.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 42.5 | 51.7 | 50.5 | 47.9 | 74.9 | 147.0 | 73.7 | 42.8 | **531.0** |
| OIL | 1955 | 0.0 | 2.6 | 0.0 | 0.0 | 337.0 | 342.8 | 344.4 | 354.9 | 327.3 | 344.3 | 330.3 | 279.6 | **2,663.2** |

# Manitoba Production
## 1950 To 1975

Licence ***730*** Well Name ***Oilex Ebor Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-26-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 15.0 | 12.0 | 13.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,319.0** |
| H2O | 1975 | 1.7 | 0.5 | 1.0 | 1.4 | 1.1 | 1.0 | 1.0 | 0.8 | 1.0 | 1.0 | 1.6 | 1.9 | **491.0** |
| OIL | 1975 | 12.4 | 7.8 | 10.0 | 19.1 | 19.7 | 14.6 | 15.9 | 15.9 | 17.5 | 15.9 | 15.9 | 19.1 | **6,386.5** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,004.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 1.3 | 1.4 | 1.4 | 1.6 | 1.4 | 0.8 | 0.8 | **477.0** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 31.8 | 23.5 | 21.9 | 25.6 | 26.2 | 23.5 | 24.6 | 22.4 | 20.8 | **6,202.7** |
| DAY | 1973 | 26.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 28.0 | 18.0 | **5,732.0** |
| OIL | 1973 | 9.2 | 21.5 | 25.4 | 23.4 | 20.8 | 21.3 | 21.3 | 19.9 | 19.9 | 17.5 | 15.9 | 7.9 | **5,982.4** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 10.0 | 30.0 | 31.0 | 30.0 | 12.0 | **5,389.0** |
| OIL | 1972 | 15.9 | 15.9 | 15.9 | 19.6 | 23.8 | 15.9 | 19.9 | 14.1 | 19.9 | 15.9 | 11.9 | 7.3 | **5,758.4** |
| DAY | 1971 | 18.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 22.0 | 31.0 | 30.0 | 31.0 | **5,065.0** |
| OIL | 1971 | 7.9 | 11.9 | 14.3 | 15.9 | 23.8 | 15.9 | 23.8 | 20.4 | 15.9 | 16.7 | 15.9 | 15.9 | **5,562.4** |
| DAY | 1970 | 15.0 | 28.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,722.0** |
| OIL | 1970 | 11.9 | 15.9 | 18.1 | 14.5 | 15.9 | 23.8 | 23.8 | 0.0 | 23.8 | 19.9 | 13.4 | 15.9 | **5,364.1** |
| DAY | 1969 | 11.0 | 4.0 | 15.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,410.0** |
| OIL | 1969 | 6.4 | 6.7 | 14.1 | 23.8 | 21.8 | 22.9 | 20.0 | 18.9 | 18.6 | 18.8 | 13.4 | 21.9 | **5,167.2** |
| DAY | 1968 | 14.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 0.0 | 0.0 | 0.0 | 15.0 | **4,105.0** |
| OIL | 1968 | 18.1 | 24.3 | 28.3 | 28.9 | 27.3 | 25.8 | 25.4 | 25.8 | 23.8 | 18.4 | 25.1 | 13.5 | **4,959.9** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 31.0 | 30.0 | 30.0 | 25.0 | 31.0 | **4,046.0** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 41.3 | 38.0 | 45.3 | 39.1 | 33.7 | 44.4 | **4,675.2** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 1.0 | 26.0 | 30.0 | 31.0 | 31.0 | 27.0 | 24.0 | 27.0 | 0.0 | **3,875.0** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 4.0 | 37.5 | 21.6 | 23.4 | 24.8 | 22.9 | 25.9 | 16.2 | 0.0 | **4,433.4** |
| DAY | 1965 | 31.0 | 21.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 26.0 | **3,678.0** |
| H2O | 1965 | 1.6 | 1.0 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.7 | **467.5** |
| OIL | 1965 | 25.1 | 14.3 | 28.3 | 26.9 | 27.7 | 25.6 | 25.8 | 25.3 | 22.7 | 22.7 | 16.2 | 21.6 | **4,257.1** |
| DAY | 1964 | 31.0 | 25.0 | 29.0 | 30.0 | 25.0 | 27.0 | 16.0 | 27.0 | 30.0 | 30.0 | 30.0 | 30.0 | **3,331.0** |
| H2O | 1964 | 4.1 | 2.9 | 2.1 | 2.4 | 1.4 | 1.6 | 0.5 | 1.4 | 1.6 | 1.0 | 1.4 | 1.0 | **460.1** |
| OIL | 1964 | 15.9 | 14.1 | 15.3 | 14.8 | 13.8 | 11.6 | 16.9 | 24.8 | 21.3 | 19.7 | 19.9 | 11.4 | **3,974.9** |
| DAY | 1963 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **3,001.0** |
| H2O | 1963 | 0.8 | 0.5 | 1.0 | 1.7 | 3.0 | 4.0 | 4.0 | 1.9 | 1.4 | 3.8 | 2.7 | 2.5 | **438.7** |
| OIL | 1963 | 15.9 | 12.9 | 17.3 | 16.5 | 17.0 | 13.5 | 19.7 | 14.3 | 17.5 | 12.7 | 13.2 | 13.5 | **3,775.4** |
| DAY | 1962 | 31.0 | 11.0 | 29.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,642.0** |
| H2O | 1962 | 0.6 | 0.5 | 0.6 | 0.8 | 0.6 | 0.5 | 0.3 | 0.3 | 0.5 | 0.8 | 0.3 | 0.3 | **411.4** |
| OIL | 1962 | 13.5 | 8.9 | 12.6 | 14.3 | 15.9 | 12.7 | 13.0 | 12.9 | 10.3 | 17.5 | 16.2 | 16.2 | **3,591.4** |
| DAY | 1961 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,299.0** |
| H2O | 1961 | 1.1 | 1.1 | 1.1 | 1.0 | 1.0 | 0.8 | 1.1 | 1.0 | 1.0 | 0.5 | 0.6 | 0.8 | **405.3** |
| OIL | 1961 | 13.5 | 11.3 | 11.3 | 12.7 | 12.1 | 12.4 | 16.7 | 14.1 | 14.1 | 14.6 | 14.5 | 16.4 | **3,427.4** |
| DAY | 1960 | 25.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,938.0** |
| H2O | 1960 | 1.4 | 1.3 | 1.3 | 1.1 | 1.6 | 1.6 | 1.3 | 1.3 | 1.3 | 1.1 | 1.1 | 1.4 | **394.2** |
| OIL | 1960 | 19.6 | 20.0 | 18.0 | 19.4 | 18.8 | 18.0 | 14.1 | 17.0 | 16.5 | 19.1 | 15.3 | 18.8 | **3,263.7** |
| DAY | 1959 | 31.0 | 19.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,578.0** |
| H2O | 1959 | 1.6 | 1.4 | 1.7 | 1.6 | 1.6 | 1.6 | 1.6 | 1.7 | 1.6 | 1.9 | 1.7 | 1.6 | **378.4** |
| OIL | 1959 | 47.7 | 23.2 | 49.0 | 43.1 | 39.4 | 25.4 | 23.8 | 23.1 | 22.9 | 23.4 | 21.6 | 25.3 | **3,049.1** |
| DAY | 1958 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,225.0** |
| H2O | 1958 | 3.0 | 2.1 | 1.7 | 1.7 | 1.9 | 1.6 | 1.7 | 1.4 | 1.9 | 2.4 | 1.7 | 1.6 | **358.8** |
| OIL | 1958 | 44.2 | 42.8 | 48.2 | 46.7 | 47.2 | 41.5 | 44.4 | 47.1 | 45.0 | 47.7 | 41.3 | 46.1 | **2,681.2** |
| DAY | 1957 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **863.0** |
| H2O | 1957 | 9.4 | 6.0 | 5.1 | 4.9 | 3.8 | 4.9 | 5.1 | 4.8 | 4.0 | 5.1 | 4.9 | 5.1 | **336.1** |
| OIL | 1957 | 51.3 | 51.3 | 52.0 | 48.2 | 41.7 | 45.5 | 48.7 | 48.6 | 47.1 | 49.3 | 44.4 | 46.9 | **2,139.0** |
| DAY | 1956 | 24.0 | 29.0 | 24.0 | 12.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | **499.0** |
| H2O | 1956 | 20.4 | 21.8 | 23.1 | 11.1 | 28.6 | 22.4 | 20.7 | 14.3 | 12.9 | 8.4 | 8.1 | 7.9 | **273.0** |
| OIL | 1956 | 87.3 | 98.5 | 78.3 | 40.9 | 116.0 | 97.4 | 70.8 | 70.8 | 64.8 | 63.0 | 61.7 | 43.9 | **1,564.0** |

# Manitoba Production
## 1950 To 1975

Licence ***730*** Well Name ***Oilex Ebor Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-26-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1955 | 0.0 | 6.0 | 22.0 | 11.0 | 0.0 | 24.0 | 30.0 | 28.0 | 26.0 | 19.0 | 6.0 | 1.0 | **173.0** |
| H2O | 1955 | 0.0 | 4.2 | 15.4 | 4.3 | 0.0 | 7.0 | 24.6 | 8.1 | 3.3 | 3.2 | 1.1 | 2.1 | **73.3** |
| OIL | 1955 | 0.0 | 58.6 | 159.4 | 48.6 | 0.0 | 152.1 | 112.8 | 61.4 | 24.1 | 24.2 | 23.1 | 6.3 | **670.6** |

Licence ***731*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **7,484.0** |
| H2O | 1975 | 83.8 | 75.8 | 116.2 | 112.7 | 116.7 | 109.4 | 111.9 | 110.5 | 108.6 | 111.8 | 117.0 | 115.3 | **18,589.9** |
| OIL | 1975 | 52.1 | 45.6 | 42.7 | 40.5 | 41.3 | 39.3 | 41.3 | 41.5 | 40.0 | 39.9 | 40.2 | 39.6 | **36,101.0** |
| DAY | 1974 | 31.0 | 28.0 | 27.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,120.0** |
| H2O | 1974 | 132.1 | 122.4 | 96.2 | 95.9 | 101.4 | 101.9 | 100.8 | 94.4 | 93.0 | 82.8 | 82.7 | 82.0 | **17,300.2** |
| OIL | 1974 | 58.0 | 50.5 | 49.7 | 48.5 | 52.9 | 51.3 | 52.0 | 52.8 | 50.5 | 52.8 | 50.4 | 51.8 | **35,597.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,762.0** |
| H2O | 1973 | 116.5 | 111.8 | 119.9 | 107.6 | 376.3 | 258.5 | 209.9 | 228.0 | 223.8 | 222.3 | 211.6 | 132.4 | **16,114.6** |
| OIL | 1973 | 48.5 | 42.9 | 43.1 | 37.8 | 122.4 | 97.4 | 77.5 | 83.6 | 79.6 | 79.9 | 77.2 | 56.4 | **34,975.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 14.0 | 27.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,401.0** |
| H2O | 1972 | 171.4 | 167.1 | 118.6 | 105.6 | 122.1 | 121.5 | 60.9 | 115.1 | 127.7 | 143.7 | 116.9 | 118.8 | **13,796.0** |
| OIL | 1972 | 43.5 | 40.5 | 52.6 | 50.2 | 66.7 | 64.5 | 30.0 | 74.2 | 78.3 | 85.3 | 47.2 | 49.3 | **34,129.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 22.0 | **6,057.0** |
| H2O | 1971 | 68.7 | 62.5 | 71.7 | 50.7 | 50.9 | 50.6 | 125.3 | 120.8 | 76.2 | 85.2 | 81.9 | 126.1 | **12,306.6** |
| OIL | 1971 | 57.5 | 50.9 | 56.4 | 57.8 | 59.1 | 57.4 | 41.3 | 40.7 | 70.6 | 73.1 | 69.0 | 30.7 | **33,447.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,701.0** |
| H2O | 1970 | 216.4 | 203.0 | 212.6 | 187.6 | 92.8 | 92.7 | 82.5 | 96.8 | 91.4 | 94.9 | 86.6 | 74.2 | **11,336.0** |
| OIL | 1970 | 190.9 | 172.1 | 187.8 | 173.1 | 90.7 | 87.4 | 87.2 | 89.5 | 86.8 | 91.4 | 87.7 | 55.5 | **32,782.7** |
| DAY | 1969 | 25.0 | 28.0 | 28.0 | 30.0 | 19.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,338.0** |
| H2O | 1969 | 52.3 | 233.4 | 197.8 | 207.9 | 140.2 | 218.9 | 237.2 | 237.0 | 211.0 | 229.2 | 204.6 | 224.6 | **9,804.5** |
| OIL | 1969 | 80.4 | 189.7 | 189.3 | 204.2 | 128.4 | 205.8 | 213.9 | 211.2 | 188.1 | 196.9 | 188.8 | 197.7 | **31,382.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **4,994.0** |
| H2O | 1968 | 26.2 | 24.8 | 26.4 | 27.2 | 25.4 | 25.9 | 32.6 | 29.7 | 25.8 | 27.3 | 21.1 | 62.0 | **7,410.4** |
| OIL | 1968 | 61.2 | 56.1 | 59.9 | 59.8 | 53.7 | 58.8 | 47.8 | 48.0 | 46.1 | 48.5 | 39.3 | 100.4 | **29,188.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 19.0 | 21.0 | 31.0 | **4,635.0** |
| H2O | 1967 | 65.0 | 53.7 | 64.7 | 60.1 | 26.5 | 25.0 | 19.7 | 26.4 | 23.1 | 14.5 | 15.3 | 27.2 | **7,056.0** |
| OIL | 1967 | 90.1 | 79.9 | 89.8 | 86.6 | 77.5 | 74.4 | 77.2 | 76.6 | 73.7 | 45.6 | 52.6 | 60.9 | **28,508.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **4,291.0** |
| H2O | 1966 | 76.9 | 49.8 | 63.4 | 61.4 | 72.5 | 69.5 | 68.4 | 67.4 | 72.5 | 74.6 | 74.1 | 59.6 | **6,634.8** |
| OIL | 1966 | 163.2 | 80.1 | 88.7 | 82.0 | 89.8 | 59.6 | 61.7 | 61.0 | 41.8 | 43.4 | 42.4 | 78.5 | **27,623.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **3,929.0** |
| H2O | 1965 | 46.4 | 41.0 | 47.1 | 41.2 | 41.8 | 40.1 | 40.1 | 40.4 | 40.9 | 82.0 | 84.1 | 73.0 | **5,824.7** |
| OIL | 1965 | 143.0 | 129.0 | 141.0 | 135.9 | 137.0 | 137.1 | 143.0 | 141.6 | 134.1 | 99.0 | 94.1 | 149.2 | **26,731.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,567.0** |
| H2O | 1964 | 59.8 | 53.7 | 60.1 | 57.7 | 36.6 | 35.3 | 43.4 | 43.1 | 42.3 | 42.1 | 43.6 | 46.4 | **5,206.6** |
| OIL | 1964 | 163.2 | 154.5 | 166.9 | 160.2 | 138.4 | 133.3 | 135.7 | 134.1 | 132.4 | 134.8 | 131.6 | 141.7 | **25,147.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,201.0** |
| H2O | 1963 | 27.2 | 26.5 | 52.6 | 39.9 | 50.9 | 46.7 | 35.9 | 73.8 | 52.8 | 48.5 | 57.7 | 59.1 | **4,642.5** |
| OIL | 1963 | 109.3 | 115.1 | 159.9 | 152.1 | 159.4 | 153.8 | 170.5 | 166.1 | 159.7 | 163.0 | 153.2 | 156.7 | **23,420.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,837.0** |
| H2O | 1962 | 30.4 | 30.7 | 29.3 | 32.3 | 40.2 | 33.2 | 34.2 | 35.9 | 35.1 | 35.5 | 31.6 | 28.1 | **4,070.9** |
| OIL | 1962 | 125.2 | 115.5 | 106.6 | 120.5 | 96.3 | 117.3 | 128.2 | 127.8 | 119.5 | 116.2 | 112.7 | 113.1 | **21,601.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,472.0** |
| H2O | 1961 | 47.2 | 42.9 | 57.1 | 59.9 | 56.4 | 54.5 | 44.2 | 35.9 | 42.6 | 49.8 | 48.8 | 52.6 | **3,674.4** |

# Manitoba Production
## 1950 To 1975

Licence ***731*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1961 | 134.4 | 122.7 | 159.7 | 160.7 | 163.5 | 161.5 | 151.4 | 148.1 | 140.5 | 140.8 | 143.5 | 142.4 | **20,203.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,107.0** |
| H2O | 1960 | 43.1 | 48.2 | 55.3 | 64.9 | 73.9 | 67.6 | 64.1 | 55.5 | 56.9 | 58.5 | 64.1 | 63.4 | **3,082.5** |
| OIL | 1960 | 185.9 | 171.9 | 175.9 | 178.5 | 192.0 | 178.1 | 175.4 | 134.8 | 145.4 | 170.8 | 165.1 | 164.8 | **18,433.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,743.0** |
| H2O | 1959 | 67.1 | 64.4 | 69.2 | 58.7 | 64.4 | 57.1 | 64.1 | 58.2 | 56.0 | 54.4 | 46.3 | 47.2 | **2,367.0** |
| OIL | 1959 | 216.4 | 194.8 | 216.4 | 226.9 | 218.5 | 205.3 | 208.3 | 203.2 | 181.6 | 190.9 | 192.4 | 204.5 | **16,395.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,378.0** |
| H2O | 1958 | 62.6 | 66.9 | 36.9 | 1.7 | 69.6 | 54.2 | 61.4 | 68.4 | 66.9 | 71.9 | 67.9 | 68.0 | **1,659.9** |
| OIL | 1958 | 286.5 | 268.6 | 241.5 | 242.5 | 278.1 | 252.0 | 265.2 | 240.0 | 218.2 | 230.3 | 229.1 | 221.7 | **13,936.0** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 24.0 | 29.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,013.0** |
| H2O | 1957 | 9.7 | 8.1 | 9.7 | 18.8 | 23.1 | 74.7 | 89.7 | 67.2 | 54.5 | 58.2 | 65.7 | 52.8 | **963.5** |
| OIL | 1957 | 369.8 | 330.7 | 377.9 | 223.1 | 227.7 | 306.2 | 326.2 | 339.3 | 313.4 | 325.8 | 319.3 | 327.2 | **10,962.3** |
| DAY | 1956 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 26.0 | 29.0 | **659.0** |
| H2O | 1956 | 30.5 | 25.0 | 28.0 | 28.8 | 38.3 | 42.6 | 57.9 | 15.9 | 20.0 | 9.9 | 10.8 | 9.7 | **431.3** |
| OIL | 1956 | 341.5 | 323.2 | 317.8 | 305.3 | 359.6 | 350.1 | 327.0 | 318.0 | 325.8 | 413.2 | 351.5 | 361.4 | **7,175.7** |
| DAY | 1955 | 0.0 | 2.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 28.0 | 29.0 | 31.0 | **302.0** |
| H2O | 1955 | 0.0 | 0.0 | 1.3 | 1.3 | 1.1 | 1.7 | 13.4 | 2.1 | 15.4 | 16.9 | 27.2 | 33.5 | **113.9** |
| OIL | 1955 | 0.0 | 14.1 | 245.8 | 243.3 | 248.4 | 338.8 | 341.5 | 319.4 | 314.8 | 344.8 | 333.7 | 336.7 | **3,081.3** |

Licence ***732*** Well Name ***Tundra Tilston SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-31-005-29W1.00*** Field Name ***Tilston*** Pool Name ***Mission Canyon 1 A*** Field Code ***2*** Pool Code ***44A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 901.5 | 649.0 | 458.7 | 12.7 | 0.0 | 948.0 | 1730.8 | 1747.7 | 1804.3 | 1696.6 | 98.4 | 9.5 | **431,811.5** |
| WIN | 1974 | 2243.1 | 1809.2 | 1992.8 | 1417.5 | 1258.6 | 1096.3 | 989.9 | 1014.7 | 956.9 | 1010.6 | 994.9 | 943.5 | **421,754.3** |
| WIN | 1973 | 765.1 | 1136.4 | 1509.5 | 1785.7 | 1842.6 | 1892.4 | 1431.1 | 2219.2 | 2338.6 | 2410.1 | 2112.7 | 2266.0 | **406,026.3** |
| WIN | 1972 | 4510.4 | 6220.6 | 3658.0 | 1996.8 | 1225.2 | 575.4 | 1035.1 | 928.1 | 401.9 | 415.0 | 437.4 | 1621.8 | **384,316.9** |
| WIN | 1971 | 4837.6 | 3776.8 | 4281.3 | 4728.2 | 5316.6 | 4606.3 | 4248.7 | 4489.7 | 6438.7 | 6538.2 | 6203.1 | 5794.0 | **361,291.2** |
| WIN | 1970 | 3748.8 | 3390.6 | 5075.0 | 5411.7 | 5168.5 | 5244.5 | 5243.7 | 5005.5 | 4919.0 | 5822.6 | 4072.9 | 4835.4 | **300,032.0** |
| WIN | 1969 | 3499.2 | 3032.2 | 2899.8 | 3534.8 | 3033.6 | 3718.3 | 3457.4 | 3429.9 | 3370.5 | 4806.3 | 5123.2 | 4948.1 | **242,093.8** |
| WIN | 1968 | 3300.6 | 2345.8 | 4162.4 | 4080.7 | 3681.2 | 3753.4 | 3783.6 | 3925.4 | 3548.8 | 3544.6 | 3183.9 | 3761.3 | **197,240.5** |
| WIN | 1967 | 3144.0 | 3108.7 | 3163.9 | 2978.2 | 2678.9 | 3519.8 | 3945.3 | 4174.0 | 4506.9 | 4566.7 | 3880.7 | 4002.4 | **154,168.8** |
| WIN | 1966 | 2014.3 | 1895.4 | 2172.5 | 1901.3 | 1817.3 | 1892.8 | 2540.0 | 1739.7 | 3281.2 | 3003.4 | 3220.9 | 3217.0 | **110,499.3** |
| WIN | 1965 | 1636.5 | 1647.7 | 1864.7 | 1648.8 | 1232.1 | 1541.6 | 1632.4 | 1688.7 | 1795.9 | 1537.2 | 2018.0 | 2233.7 | **81,803.5** |
| WIN | 1964 | 1436.7 | 1320.5 | 1324.1 | 1410.3 | 1303.6 | 1302.7 | 1346.9 | 1272.1 | 1245.4 | 1347.5 | 1268.0 | 1510.9 | **61,326.2** |
| WIN | 1963 | 1319.0 | 1122.7 | 1177.2 | 796.0 | 748.4 | 822.2 | 913.3 | 1012.3 | 1054.6 | 979.8 | 1478.0 | 1473.9 | **45,237.5** |
| WIN | 1962 | 1107.4 | 1022.8 | 1012.7 | 998.5 | 1106.0 | 1202.0 | 1280.4 | 929.2 | 780.2 | 723.9 | 1230.6 | 1331.0 | **32,340.1** |
| WIN | 1961 | 761.2 | 664.6 | 757.7 | 671.7 | 547.7 | 767.9 | 1011.7 | 1101.1 | 1084.1 | 1132.7 | 1157.0 | 1177.5 | **19,615.4** |
| WIN | 1960 | 520.7 | 515.1 | 497.8 | 593.4 | 556.1 | 659.3 | 474.4 | 661.7 | 952.7 | 888.2 | 889.1 | 873.7 | **8,780.5** |
| WIN | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 194.6 | 503.7 | **698.3** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 2.0 | 3.0 | 5.0 | 2.0 | 18.0 | 9.0 | 0.0 | **277.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 0.2 | 0.0 | 0.3 | 0.0 | 16.4 | 10.9 | 0.0 | **923.0** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 11.3 | 5.4 | 6.4 | 7.2 | 4.1 | 21.3 | 5.4 | 0.0 | **464.3** |
| DAY | 1956 | 26.0 | 14.0 | 29.0 | 4.0 | 13.0 | 7.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **235.0** |
| H2O | 1956 | 133.7 | 64.4 | 348.2 | 14.5 | 162.0 | 83.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **894.1** |
| OIL | 1956 | 30.4 | 18.9 | 44.7 | 5.2 | 28.6 | 3.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **403.2** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 5.0 | 0.0 | 1.0 | 25.0 | 22.0 | 26.0 | 28.0 | 6.0 | 26.0 | **139.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 10.3 | 22.3 | 25.4 | 3.2 | 25.8 | **87.5** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 11.0 | 0.0 | 4.3 | 56.0 | 37.4 | 79.3 | 36.7 | 5.9 | 38.8 | **269.4** |

Licence ***734*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***734*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 3355.1 | 2845.6 | 3424.9 | 3555.6 | 3665.4 | 2606.8 | 2721.9 | 2621.9 | 3149.4 | 2393.1 | 2909.0 | 2902.8 | **255,941.4** |
| WIN | 1974 | 2099.3 | 2620.1 | 2667.8 | 2822.1 | 2667.8 | 2496.8 | 2879.1 | 2686.8 | 3018.9 | 3046.9 | 3292.3 | 3333.8 | **219,789.9** |
| WIN | 1973 | 2687.2 | 2082.3 | 2347.0 | 2538.4 | 2868.0 | 2574.5 | 2923.6 | 2592.6 | 2431.9 | 2754.8 | 2942.7 | 2782.8 | **186,158.2** |
| WIN | 1972 | 1487.9 | 1124.5 | 2323.0 | 2650.8 | 2664.3 | 2605.8 | 2815.2 | 3006.3 | 2893.6 | 3299.5 | 2616.5 | 3055.3 | **154,632.4** |
| WIN | 1971 | 2449.2 | 2445.7 | 2760.2 | 2763.5 | 2925.1 | 2382.5 | 2139.6 | 2026.0 | 2215.5 | 2885.3 | 2286.3 | 2412.2 | **124,089.7** |
| WIN | 1970 | 2628.9 | 2195.0 | 2347.3 | 2179.3 | 2538.0 | 2444.2 | 2321.1 | 2391.1 | 2403.0 | 2421.3 | 2330.3 | 2410.6 | **94,398.6** |
| WIN | 1969 | 2324.9 | 2016.5 | 2234.3 | 2042.4 | 2117.0 | 2032.4 | 1971.2 | 2146.4 | 2378.5 | 2460.7 | 2209.0 | 2546.2 | **65,788.5** |
| WIN | 1968 | 2347.8 | 2210.6 | 2173.7 | 2209.2 | 2265.9 | 2306.3 | 2355.1 | 2266.4 | 1957.8 | 2231.9 | 2220.8 | 2150.8 | **39,309.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 27.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,241.0** |
| H2O | 1967 | 181.9 | 184.0 | 216.1 | 188.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **21,285.5** |
| OIL | 1967 | 48.6 | 44.0 | 49.3 | 40.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **10,322.3** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 218.8 | 1462.5 | 1646.7 | 1612.7 | 1820.6 | 1931.4 | 2116.7 | 1803.3 | **12,612.7** |
| DAY | 1966 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,124.0** |
| H2O | 1966 | 291.6 | 272.2 | 301.3 | 291.6 | 291.6 | 249.8 | 190.8 | 206.8 | 200.2 | 157.9 | 157.9 | 170.6 | **20,515.3** |
| OIL | 1966 | 125.4 | 113.8 | 121.4 | 88.2 | 95.5 | 88.0 | 69.3 | 62.0 | 63.4 | 52.8 | 56.1 | 45.6 | **10,140.2** |
| DAY | 1965 | 29.0 | 25.0 | 31.0 | 30.0 | 27.0 | 29.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,762.0** |
| H2O | 1965 | 36.6 | 31.5 | 39.1 | 37.8 | 210.3 | 347.7 | 341.8 | 346.7 | 243.7 | 279.0 | 289.2 | 301.3 | **17,733.0** |
| OIL | 1965 | 20.8 | 16.5 | 19.5 | 21.8 | 100.4 | 119.2 | 152.4 | 116.8 | 162.1 | 147.0 | 137.9 | 133.3 | **9,158.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 25.0 | 27.0 | 31.0 | 31.0 | 29.0 | 26.0 | 30.0 | 31.0 | **3,409.0** |
| H2O | 1964 | 15.3 | 14.3 | 15.4 | 14.9 | 12.1 | 13.0 | 27.2 | 27.2 | 25.0 | 30.0 | 37.8 | 39.1 | **15,228.3** |
| OIL | 1964 | 23.0 | 21.5 | 22.4 | 20.3 | 17.8 | 20.0 | 26.5 | 24.9 | 24.2 | 22.7 | 22.7 | 23.5 | **8,011.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 29.0 | 27.0 | 30.0 | 28.0 | 31.0 | 26.0 | 30.0 | 30.0 | 31.0 | **3,058.0** |
| H2O | 1963 | 29.6 | 26.7 | 29.1 | 26.7 | 25.8 | 0.0 | 0.0 | 0.0 | 0.0 | 14.9 | 14.9 | 15.4 | **14,957.0** |
| OIL | 1963 | 13.5 | 11.4 | 12.1 | 10.8 | 10.8 | 13.7 | 13.0 | 14.5 | 11.9 | 24.2 | 22.7 | 23.4 | **7,741.5** |
| DAY | 1962 | 29.0 | 28.0 | 22.0 | 26.0 | 26.0 | 26.0 | 30.0 | 31.0 | 29.0 | 25.0 | 30.0 | 31.0 | **2,706.0** |
| H2O | 1962 | 51.8 | 32.1 | 57.6 | 45.3 | 42.6 | 17.5 | 28.5 | 23.2 | 27.2 | 23.8 | 28.6 | 29.6 | **14,773.9** |
| OIL | 1962 | 24.9 | 19.2 | 21.9 | 28.4 | 21.9 | 10.8 | 14.5 | 13.7 | 13.0 | 11.9 | 14.0 | 14.6 | **7,559.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 23.0 | 24.0 | 31.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | **2,373.0** |
| H2O | 1961 | 93.6 | 86.3 | 108.1 | 93.6 | 77.7 | 146.7 | 49.8 | 64.5 | 38.5 | 36.6 | 35.6 | 41.8 | **14,366.1** |
| OIL | 1961 | 25.9 | 22.2 | 26.5 | 25.6 | 21.1 | 22.1 | 29.9 | 27.0 | 22.7 | 21.5 | 22.2 | 24.6 | **7,350.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 23.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,026.0** |
| H2O | 1960 | 260.4 | 226.9 | 244.7 | 270.9 | 216.5 | 106.0 | 143.6 | 124.5 | 137.4 | 103.7 | 94.3 | 102.1 | **13,493.3** |
| OIL | 1960 | 101.7 | 91.4 | 96.3 | 84.1 | 89.0 | 33.4 | 35.0 | 31.9 | 31.5 | 28.4 | 27.0 | 28.0 | **7,059.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 17.0 | 26.0 | 31.0 | 30.0 | 31.0 | **1,669.0** |
| H2O | 1959 | 273.1 | 259.6 | 294.0 | 278.9 | 268.4 | 204.6 | 232.9 | 157.9 | 239.9 | 272.0 | 276.0 | 262.6 | **11,462.3** |
| OIL | 1959 | 107.7 | 102.2 | 116.2 | 109.3 | 107.4 | 84.9 | 99.3 | 64.2 | 97.7 | 116.0 | 106.0 | 103.5 | **6,381.7** |
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | **1,326.0** |
| H2O | 1958 | 211.1 | 262.0 | 381.4 | 315.6 | 362.2 | 336.2 | 231.2 | 384.7 | 352.5 | 275.0 | 261.4 | 254.7 | **8,442.4** |
| OIL | 1958 | 117.1 | 149.2 | 173.7 | 156.4 | 175.1 | 170.8 | 167.5 | 163.5 | 121.1 | 108.4 | 102.5 | 101.9 | **5,167.3** |
| DAY | 1957 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 28.0 | 30.0 | 31.0 | 19.0 | 27.0 | **969.0** |
| H2O | 1957 | 236.6 | 239.9 | 267.4 | 177.1 | 142.8 | 134.5 | 138.9 | 108.7 | 118.6 | 199.0 | 154.7 | 190.6 | **4,814.4** |
| OIL | 1957 | 138.1 | 131.3 | 144.6 | 106.0 | 87.6 | 72.6 | 83.4 | 65.9 | 72.1 | 119.7 | 87.4 | 108.2 | **3,460.1** |
| DAY | 1956 | 30.0 | 29.0 | 17.0 | 24.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 28.0 | 31.0 | **628.0** |
| H2O | 1956 | 15.1 | 17.5 | 108.9 | 215.7 | 256.4 | 284.7 | 273.1 | 290.8 | 287.8 | 260.7 | 280.6 | 306.5 | **2,705.6** |
| OIL | 1956 | 12.6 | 21.5 | 51.2 | 151.9 | 196.6 | 132.1 | 136.2 | 170.4 | 167.5 | 130.6 | 109.6 | 130.8 | **2,243.2** |
| DAY | 1955 | 0.0 | 0.0 | 17.0 | 29.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **287.0** |
| H2O | 1955 | 0.0 | 0.0 | 7.5 | 11.1 | 4.9 | 6.4 | 9.9 | 11.9 | 8.9 | 15.1 | 18.6 | 13.5 | **107.8** |
| OIL | 1955 | 0.0 | 0.0 | 148.3 | 194.5 | 96.6 | 94.1 | 88.2 | 75.0 | 74.7 | 34.0 | 19.2 | 7.6 | **832.2** |

Licence ***735*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

# Manitoba Production
## 1950 To 1975

Licence ***735*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,377.0** |
| H2O | 1975 | 297.9 | 276.0 | 302.5 | 255.8 | 268.8 | 249.9 | 251.7 | 254.2 | 250.2 | 268.7 | 269.6 | 258.2 | **40,855.0** |
| OIL | 1975 | 129.2 | 115.7 | 125.1 | 170.2 | 175.9 | 165.9 | 171.6 | 176.7 | 171.3 | 177.3 | 171.5 | 162.6 | **57,331.2** |
| DAY | 1974 | 31.0 | 28.0 | 27.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,012.0** |
| H2O | 1974 | 233.7 | 176.6 | 165.2 | 169.9 | 199.0 | 200.2 | 202.2 | 312.7 | 308.3 | 321.1 | 320.3 | 295.9 | **37,651.5** |
| OIL | 1974 | 115.8 | 85.8 | 82.2 | 82.8 | 97.4 | 94.2 | 97.3 | 131.7 | 126.5 | 132.2 | 126.0 | 130.1 | **55,418.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,654.0** |
| H2O | 1973 | 247.5 | 218.9 | 234.8 | 280.4 | 274.9 | 273.1 | 241.8 | 260.6 | 251.2 | 256.1 | 241.6 | 234.3 | **34,746.4** |
| OIL | 1973 | 127.6 | 147.2 | 162.1 | 113.3 | 114.3 | 114.6 | 112.5 | 120.3 | 112.3 | 116.2 | 111.2 | 112.8 | **54,116.2** |
| DAY | 1972 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,290.0** |
| H2O | 1972 | 252.5 | 196.0 | 74.7 | 73.3 | 278.7 | 277.4 | 278.1 | 252.9 | 263.1 | 286.2 | 248.5 | 252.5 | **31,731.2** |
| OIL | 1972 | 117.3 | 117.0 | 170.7 | 180.0 | 154.8 | 149.4 | 109.6 | 107.7 | 106.6 | 112.3 | 124.1 | 129.5 | **52,651.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 24.0 | **5,927.0** |
| H2O | 1971 | 262.5 | 188.2 | 219.4 | 220.0 | 220.5 | 219.6 | 217.5 | 209.7 | 212.9 | 238.0 | 221.3 | 205.2 | **28,997.3** |
| OIL | 1971 | 210.7 | 146.8 | 164.6 | 156.2 | 159.7 | 155.3 | 158.9 | 155.9 | 119.0 | 123.6 | 112.5 | 91.1 | **51,072.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,570.0** |
| H2O | 1970 | 176.5 | 165.5 | 173.3 | 156.1 | 164.7 | 154.1 | 256.6 | 289.3 | 269.3 | 279.5 | 255.0 | 277.4 | **26,362.5** |
| OIL | 1970 | 190.9 | 172.1 | 187.8 | 177.0 | 187.0 | 168.8 | 203.6 | 200.2 | 191.0 | 201.5 | 193.4 | 198.3 | **49,318.5** |
| DAY | 1969 | 31.0 | 26.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,207.0** |
| H2O | 1969 | 314.6 | 270.9 | 273.9 | 278.1 | 264.1 | 261.0 | 283.0 | 284.6 | 268.0 | 289.5 | 161.2 | 183.0 | **23,745.2** |
| OIL | 1969 | 245.7 | 205.8 | 244.9 | 237.3 | 229.9 | 233.3 | 242.2 | 240.9 | 234.4 | 243.9 | 182.4 | 197.5 | **47,046.9** |
| DAY | 1968 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 29.0 | 27.0 | **4,846.0** |
| H2O | 1968 | 244.4 | 232.1 | 236.4 | 241.0 | 252.5 | 222.6 | 248.3 | 220.5 | 181.6 | 194.9 | 208.4 | 205.1 | **20,613.3** |
| OIL | 1968 | 252.7 | 231.7 | 238.2 | 221.7 | 222.5 | 210.6 | 224.1 | 217.5 | 203.9 | 216.9 | 215.8 | 205.8 | **44,308.7** |
| DAY | 1967 | 31.0 | 28.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **4,489.0** |
| H2O | 1967 | 236.7 | 190.5 | 208.9 | 264.4 | 276.3 | 260.3 | 204.8 | 278.4 | 238.0 | 263.6 | 231.8 | 253.4 | **17,925.5** |
| OIL | 1967 | 253.5 | 219.3 | 224.2 | 257.6 | 276.8 | 265.7 | 275.7 | 250.3 | 235.2 | 254.6 | 248.5 | 252.2 | **41,647.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,130.0** |
| H2O | 1966 | 241.6 | 193.5 | 245.9 | 212.6 | 239.4 | 211.6 | 214.5 | 211.3 | 227.3 | 233.7 | 232.1 | 233.7 | **15,018.4** |
| OIL | 1966 | 257.8 | 226.8 | 251.2 | 235.8 | 246.2 | 237.1 | 247.7 | 245.2 | 238.8 | 247.4 | 242.7 | 238.0 | **38,633.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,765.0** |
| H2O | 1965 | 260.6 | 229.1 | 262.8 | 222.7 | 211.4 | 241.5 | 242.6 | 240.2 | 245.9 | 230.2 | 205.1 | 253.1 | **12,321.2** |
| OIL | 1965 | 317.8 | 286.7 | 311.8 | 282.4 | 265.7 | 285.1 | 297.0 | 290.3 | 278.7 | 269.7 | 252.7 | 260.8 | **35,719.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 26.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **3,402.0** |
| H2O | 1964 | 17.8 | 16.1 | 17.6 | 16.4 | 42.4 | 38.2 | 250.4 | 279.3 | 232.6 | 266.9 | 263.9 | 259.6 | **9,476.0** |
| OIL | 1964 | 93.3 | 88.2 | 94.6 | 87.4 | 60.7 | 54.2 | 182.3 | 202.1 | 265.4 | 310.0 | 293.8 | 315.0 | **32,320.3** |
| DAY | 1963 | 23.0 | 27.0 | 28.0 | 28.0 | 31.0 | 27.0 | 27.0 | 29.0 | 29.0 | 30.0 | 30.0 | 30.0 | **3,048.0** |
| H2O | 1963 | 91.1 | 112.4 | 133.9 | 127.2 | 117.6 | 94.0 | 89.7 | 76.3 | 50.7 | 54.7 | 17.2 | 16.9 | **7,774.8** |
| OIL | 1963 | 124.9 | 160.2 | 169.4 | 176.5 | 197.2 | 108.2 | 111.7 | 119.7 | 98.0 | 96.0 | 87.4 | 85.7 | **30,273.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,709.0** |
| H2O | 1962 | 138.2 | 103.8 | 141.0 | 133.4 | 131.3 | 118.3 | 129.1 | 117.8 | 132.0 | 131.6 | 121.3 | 134.5 | **6,793.1** |
| OIL | 1962 | 225.8 | 197.4 | 227.9 | 218.2 | 209.4 | 196.9 | 195.3 | 185.1 | 177.8 | 176.9 | 160.8 | 178.6 | **28,738.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,346.0** |
| H2O | 1961 | 207.0 | 133.2 | 154.5 | 135.8 | 118.0 | 107.9 | 132.4 | 133.5 | 138.3 | 145.3 | 44.5 | 135.3 | **5,260.8** |
| OIL | 1961 | 383.9 | 312.6 | 349.9 | 328.5 | 300.0 | 249.8 | 294.0 | 273.2 | 256.2 | 270.8 | 237.1 | 240.7 | **26,388.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,985.0** |
| H2O | 1960 | 152.3 | 118.6 | 132.9 | 122.7 | 132.6 | 132.9 | 122.9 | 125.0 | 145.5 | 138.2 | 298.2 | 155.5 | **3,675.1** |
| OIL | 1960 | 347.2 | 298.1 | 329.9 | 323.2 | 335.9 | 310.4 | 282.9 | 274.6 | 299.1 | 314.3 | 364.9 | 365.8 | **22,891.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,626.0** |
| H2O | 1959 | 42.0 | 70.1 | 82.5 | 88.2 | 91.4 | 69.6 | 63.8 | 84.7 | 63.0 | 113.0 | 70.0 | 107.0 | **1,897.8** |
| OIL | 1959 | 337.8 | 297.5 | 327.5 | 300.2 | 336.3 | 302.4 | 322.7 | 311.5 | 301.5 | 340.1 | 336.3 | 336.7 | **19,045.3** |
| DAY | 1958 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | 30.0 | 25.0 | 31.0 | **1,264.0** |

# Manitoba Production
## 1950 To 1975

Licence ***735*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 61.7 | 39.4 | 44.0 | 65.0 | 86.5 | 83.0 | 77.4 | 62.6 | 44.8 | 60.9 | 38.6 | 40.9 | **952.5** |
| OIL | 1958 | 375.7 | 322.7 | 347.1 | 347.2 | 362.0 | 335.6 | 358.2 | 282.4 | 337.7 | 344.4 | 280.8 | 348.3 | **15,194.8** |
| DAY | 1957 | 27.0 | 11.0 | 24.0 | 28.0 | 23.0 | 20.0 | 26.0 | 26.0 | 30.0 | 27.0 | 22.0 | 27.0 | **912.0** |
| H2O | 1957 | 1.6 | 0.3 | 1.3 | 18.1 | 15.4 | 15.4 | 15.4 | 14.6 | 36.4 | 35.3 | 22.1 | 44.2 | **247.7** |
| OIL | 1957 | 375.7 | 143.8 | 364.2 | 400.5 | 328.5 | 275.4 | 350.9 | 360.7 | 365.7 | 329.9 | 270.9 | 315.3 | **11,152.7** |
| DAY | 1956 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 23.0 | 28.0 | 29.0 | **621.0** |
| H2O | 1956 | 0.6 | 0.3 | 1.4 | 2.9 | 2.5 | 2.1 | 3.7 | 2.9 | 1.6 | 0.6 | 1.3 | 1.7 | **27.6** |
| OIL | 1956 | 292.1 | 286.4 | 376.3 | 364.7 | 412.8 | 386.6 | 395.2 | 395.7 | 359.3 | 275.1 | 360.9 | 401.2 | **7,271.2** |
| DAY | 1955 | 0.0 | 0.0 | 21.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 22.0 | 21.0 | 26.0 | **270.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.8 | 0.8 | 0.8 | 0.8 | 1.1 | 0.3 | 0.3 | 0.5 | 0.3 | 0.3 | **6.0** |
| OIL | 1955 | 0.0 | 0.0 | 261.4 | 240.0 | 248.7 | 339.6 | 362.5 | 361.7 | 308.6 | 255.4 | 242.2 | 344.8 | **2,964.9** |

Licence ***737*** Well Name ***Virden Roselea Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 917.8 | 937.5 | 867.2 | 1133.7 | 1370.1 | 366.3 | 1549.7 | 850.9 | 670.1 | 1576.8 | 1150.7 | 1898.5 | **160,989.3** |
| WIN | 1974 | 1743.1 | 1380.6 | 1396.8 | 1203.8 | 1253.2 | 1548.1 | 1324.5 | 1343.4 | 1252.8 | 1053.7 | 586.3 | 995.1 | **147,700.0** |
| WIN | 1973 | 1221.4 | 1467.5 | 1782.5 | 1530.2 | 1411.1 | 1010.0 | 1154.4 | 1145.3 | 983.0 | 698.2 | 1208.4 | 1571.2 | **132,618.6** |
| WIN | 1972 | 1066.4 | 1672.8 | 1357.5 | 1473.9 | 1248.6 | 841.6 | 1360.4 | 1477.9 | 1531.8 | 1431.3 | 876.0 | 1422.6 | **117,435.4** |
| WIN | 1971 | 1740.7 | 1530.0 | 1621.3 | 1370.9 | 814.9 | 1078.5 | 805.2 | 694.9 | 0.0 | 479.0 | 937.5 | 1202.7 | **101,674.6** |
| WIN | 1970 | 1292.8 | 984.9 | 1478.2 | 1197.8 | 1354.5 | 574.4 | 643.4 | 1215.7 | 980.1 | 1278.4 | 1772.3 | 1799.8 | **89,399.0** |
| WIN | 1969 | 1478.4 | 425.9 | 898.7 | 794.7 | 1170.6 | 1210.8 | 816.4 | 691.4 | 1108.9 | 1124.8 | 1302.0 | 1430.2 | **74,826.7** |
| WIN | 1968 | 890.6 | 1859.6 | 1626.7 | 1195.5 | 894.1 | 1343.4 | 1557.7 | 1633.0 | 992.8 | 1623.0 | 1570.9 | 1567.5 | **62,373.9** |
| WIN | 1967 | 1412.9 | 1401.7 | 1367.1 | 1726.2 | 1497.6 | 1510.6 | 672.5 | 903.3 | 1383.8 | 823.8 | 753.7 | 820.0 | **45,619.1** |
| WIN | 1966 | 3754.3 | 2543.8 | 2674.4 | 2579.1 | 2292.2 | 2023.7 | 1872.6 | 1941.1 | 1963.2 | 1825.9 | 1594.6 | 1498.7 | **31,345.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 22.0 | 0.0 | 0.0 | **3,815.0** |
| H2O | 1965 | 19.4 | 17.8 | 19.4 | 18.8 | 19.4 | 17.3 | 17.2 | 25.8 | 19.4 | 14.5 | 0.0 | 0.0 | **2,914.7** |
| OIL | 1965 | 39.1 | 35.6 | 38.9 | 37.5 | 38.0 | 35.0 | 33.7 | 29.4 | 31.5 | 21.8 | 0.0 | 0.0 | **10,996.3** |
| WIN | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 312.6 | 1063.7 | 3406.0 | **4,782.3** |
| DAY | 1964 | 31.0 | 29.0 | 29.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,521.0** |
| H2O | 1964 | 19.1 | 18.4 | 19.7 | 36.9 | 39.4 | 38.2 | 38.2 | 24.2 | 23.4 | 19.7 | 19.1 | 19.1 | **2,725.7** |
| OIL | 1964 | 52.8 | 48.3 | 46.1 | 56.9 | 68.5 | 66.1 | 66.1 | 59.9 | 38.5 | 39.1 | 38.0 | 38.1 | **10,655.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,161.0** |
| H2O | 1963 | 19.7 | 17.8 | 19.7 | 18.9 | 19.2 | 17.6 | 18.8 | 18.1 | 19.1 | 19.4 | 19.1 | 19.7 | **2,410.3** |
| OIL | 1963 | 59.4 | 53.6 | 58.5 | 55.9 | 56.9 | 53.7 | 56.6 | 54.7 | 56.6 | 57.7 | 57.2 | 59.1 | **10,037.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,796.0** |
| H2O | 1962 | 37.2 | 35.6 | 39.4 | 38.2 | 39.4 | 38.2 | 39.4 | 39.4 | 38.2 | 25.1 | 17.0 | 19.7 | **2,183.2** |
| OIL | 1962 | 59.6 | 53.6 | 59.1 | 56.9 | 57.5 | 56.6 | 58.3 | 58.2 | 56.9 | 57.0 | 54.5 | 58.6 | **9,357.5** |
| DAY | 1961 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,432.0** |
| H2O | 1961 | 27.3 | 30.8 | 35.1 | 28.6 | 29.6 | 28.6 | 29.6 | 29.6 | 28.6 | 28.0 | 23.5 | 29.6 | **1,776.4** |
| OIL | 1961 | 62.1 | 57.0 | 63.7 | 61.3 | 62.9 | 60.5 | 62.0 | 62.3 | 61.3 | 62.3 | 61.8 | 59.0 | **8,670.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,068.0** |
| H2O | 1960 | 15.1 | 15.3 | 17.8 | 36.4 | 33.4 | 34.7 | 29.4 | 28.3 | 28.6 | 32.4 | 26.4 | 25.1 | **1,427.5** |
| OIL | 1960 | 63.6 | 60.1 | 64.2 | 59.9 | 83.4 | 78.0 | 80.9 | 78.8 | 75.2 | 63.1 | 59.8 | 62.9 | **7,934.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 22.0 | 31.0 | **1,705.0** |
| H2O | 1959 | 19.7 | 17.8 | 19.7 | 19.1 | 19.7 | 19.1 | 19.7 | 18.1 | 23.8 | 23.2 | 14.1 | 19.7 | **1,104.6** |
| OIL | 1959 | 66.7 | 66.7 | 73.3 | 71.0 | 73.4 | 70.9 | 72.5 | 62.5 | 73.7 | 76.9 | 39.6 | 61.0 | **7,104.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,348.0** |
| H2O | 1958 | 16.5 | 13.4 | 14.9 | 13.8 | 17.2 | 18.0 | 18.6 | 21.0 | 19.4 | 20.0 | 21.0 | 20.8 | **870.9** |
| OIL | 1958 | 94.9 | 77.4 | 136.3 | 138.6 | 146.2 | 141.3 | 141.9 | 142.5 | 146.2 | 116.2 | 117.8 | 93.9 | **6,296.4** |
| DAY | 1957 | 27.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 27.0 | 29.0 | 28.0 | 30.0 | 25.0 | **983.0** |

# Manitoba Production
## 1950 To 1975

Licence ***737*** Well Name ***Virden Roselea Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1957 | 8.9 | 8.1 | 9.7 | 6.8 | 10.2 | 11.9 | 26.4 | 23.4 | 35.0 | 30.4 | 15.3 | 17.2 | **656.3** |
| OIL | 1957 | 123.6 | 131.6 | 144.3 | 137.8 | 134.9 | 148.6 | 150.2 | 56.4 | 56.7 | 41.8 | 38.8 | 71.4 | **4,803.2** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 24.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | **637.0** |
| H2O | 1956 | 4.6 | 5.9 | 4.9 | 12.2 | 6.2 | 4.8 | 8.3 | 6.0 | 9.1 | 9.5 | 5.2 | 4.6 | **453.0** |
| OIL | 1956 | 187.8 | 172.1 | 196.4 | 158.1 | 139.0 | 118.5 | 154.5 | 161.3 | 141.6 | 147.8 | 140.8 | 138.1 | **3,567.1** |
| DAY | 1955 | 0.0 | 1.0 | 31.0 | 24.0 | 20.0 | 26.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **281.0** |
| H2O | 1955 | 0.0 | 0.0 | 8.6 | 45.3 | 41.3 | 116.4 | 136.2 | 4.9 | 4.8 | 4.5 | 4.8 | 4.9 | **371.7** |
| OIL | 1955 | 0.0 | 3.5 | 21.5 | 96.3 | 80.2 | 107.6 | 158.4 | 298.0 | 255.8 | 244.1 | 236.1 | 209.6 | **1,711.1** |

Licence ***738*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 30.0 | 29.0 | 23.0 | 24.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 29.0 | 16.0 | 0.0 | **512.0** |
| H2O | 1956 | 7.6 | 8.7 | 5.9 | 0.0 | 0.0 | 4.0 | 0.5 | 4.1 | 3.8 | 1.0 | 2.7 | 0.0 | **120.5** |
| OIL | 1956 | 14.3 | 16.4 | 12.1 | 16.4 | 14.3 | 17.3 | 10.3 | 15.3 | 13.2 | 2.5 | 2.4 | 0.0 | **343.2** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **209.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 0.2 | 12.2 | 18.9 | 22.1 | 16.5 | 8.3 | **82.2** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 50.9 | 63.6 | 20.0 | 27.2 | 16.5 | 15.1 | 15.4 | **208.7** |

UWI ***100.01-23-010-26W1.02*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1563.9 | 1407.9 | 1523.0 | 1691.5 | 1786.9 | 1486.5 | 1418.1 | 1364.4 | 1508.2 | 1625.6 | 1897.9 | 2081.8 | **147,457.8** |
| WIN | 1974 | 1221.6 | 1535.6 | 1492.5 | 1477.2 | 1286.6 | 1281.7 | 1441.9 | 1364.4 | 1482.6 | 1435.7 | 1570.6 | 1678.2 | **128,102.1** |
| WIN | 1973 | 1377.4 | 1176.0 | 1300.1 | 1435.3 | 1516.5 | 1771.8 | 1470.2 | 1360.6 | 1365.8 | 1450.1 | 1468.0 | 1315.4 | **110,833.5** |
| WIN | 1972 | 1332.4 | 1315.2 | 1597.1 | 1474.7 | 1510.5 | 1449.1 | 1513.6 | 1655.5 | 1537.0 | 1641.6 | 1212.2 | 1474.4 | **93,826.3** |
| WIN | 1971 | 1661.8 | 1561.8 | 1701.6 | 1704.4 | 1597.6 | 1507.0 | 1162.3 | 1293.5 | 1306.8 | 1611.1 | 1353.2 | 1437.7 | **76,113.0** |
| WIN | 1970 | 1708.6 | 1421.8 | 1464.4 | 1385.8 | 1507.1 | 1499.8 | 1272.3 | 977.7 | 1464.5 | 1542.6 | 1504.1 | 1594.1 | **58,214.2** |
| WIN | 1969 | 1640.4 | 1520.0 | 1648.1 | 1525.1 | 1616.2 | 1467.4 | 1390.6 | 1355.1 | 1315.2 | 1516.7 | 1421.4 | 1791.4 | **40,871.4** |
| WIN | 1968 | 1068.8 | 1166.9 | 1387.6 | 1248.3 | 1175.5 | 1347.8 | 1419.4 | 1434.6 | 1308.7 | 1538.4 | 1471.5 | 1657.2 | **22,663.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **655.0** |
| H2O | 1967 | 147.7 | 149.3 | 175.2 | 174.9 | 54.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,779.5** |
| OIL | 1967 | 40.5 | 37.0 | 41.3 | 38.8 | 13.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,042.3** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 100.8 | 659.4 | 723.2 | 731.3 | 819.4 | 1243.2 | 1006.2 | 1155.6 | **6,439.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **525.0** |
| H2O | 1966 | 61.2 | 61.2 | 70.7 | 55.6 | 113.7 | 151.0 | 168.5 | 166.9 | 159.8 | 166.9 | 166.9 | 138.0 | **2,078.0** |
| OIL | 1966 | 44.8 | 44.8 | 52.0 | 44.0 | 49.6 | 44.8 | 47.7 | 47.7 | 45.3 | 45.1 | 45.1 | 38.1 | **871.7** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 24.0 | 26.0 | 29.0 | 30.0 | 31.0 | **160.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.8 | 460.4 | 24.8 | 27.7 | 38.2 | 41.7 | **597.6** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 66.9 | 44.5 | 54.8 | 51.0 | 57.5 | 48.0 | **322.7** |

Licence ***739*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,182.0** |
| H2O | 1975 | 460.6 | 408.9 | 441.8 | 427.2 | 437.8 | 404.0 | 434.2 | 425.6 | 442.3 | 479.0 | 456.4 | 488.2 | **82,492.0** |
| OIL | 1975 | 77.7 | 69.4 | 77.7 | 65.6 | 69.6 | 67.5 | 68.8 | 69.3 | 66.7 | 67.9 | 64.8 | 65.8 | **23,070.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,817.0** |
| H2O | 1974 | 525.1 | 491.7 | 563.7 | 553.7 | 383.3 | 446.7 | 435.8 | 427.5 | 422.1 | 436.6 | 431.6 | 454.2 | **77,186.0** |
| OIL | 1974 | 107.1 | 99.2 | 109.3 | 103.6 | 68.3 | 82.2 | 84.7 | 81.8 | 85.7 | 87.7 | 85.2 | 77.7 | **22,239.4** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,455.0** |
| H2O | 1973 | 456.3 | 367.6 | 428.3 | 302.2 | 296.5 | 339.3 | 454.8 | 567.8 | 555.2 | 571.5 | 551.0 | 555.9 | **71,614.0** |

# Manitoba Production
# 1950 To 1975

Licence ***739*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1973 | 108.2 | 70.9 | 79.0 | 105.0 | 112.3 | 96.9 | 101.5 | 109.6 | 99.6 | 107.7 | 111.2 | 110.0 | **21,166.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **6,095.0** |
| H2O | 1972 | 406.4 | 286.6 | 281.1 | 254.2 | 632.1 | 505.7 | 502.9 | 535.3 | 512.2 | 474.4 | 408.7 | 435.6 | **66,167.6** |
| OIL | 1972 | 122.7 | 107.7 | 100.7 | 83.1 | 126.2 | 107.3 | 113.1 | 117.0 | 113.1 | 103.5 | 99.8 | 108.1 | **19,955.0** |
| DAY | 1971 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,734.0** |
| H2O | 1971 | 511.0 | 508.7 | 509.5 | 533.1 | 487.3 | 455.3 | 444.7 | 472.0 | 354.2 | 446.1 | 355.2 | 340.5 | **60,932.4** |
| OIL | 1971 | 152.7 | 142.4 | 156.8 | 154.8 | 153.7 | 147.9 | 151.0 | 151.8 | 147.0 | 160.3 | 135.1 | 139.4 | **18,652.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **5,370.0** |
| H2O | 1970 | 609.6 | 485.8 | 525.7 | 539.2 | 500.8 | 516.3 | 529.2 | 495.8 | 455.2 | 444.5 | 486.3 | 547.2 | **55,514.8** |
| OIL | 1970 | 186.1 | 144.4 | 158.6 | 150.8 | 145.2 | 148.6 | 158.3 | 145.9 | 139.0 | 144.6 | 149.4 | 177.2 | **16,859.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,007.0** |
| H2O | 1969 | 526.7 | 483.6 | 510.8 | 509.8 | 526.8 | 428.9 | 597.5 | 568.9 | 563.5 | 581.4 | 579.1 | 565.5 | **49,379.2** |
| OIL | 1969 | 145.9 | 133.5 | 149.2 | 140.5 | 138.9 | 133.0 | 183.7 | 182.3 | 163.4 | 173.4 | 172.1 | 178.3 | **15,011.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,648.0** |
| H2O | 1968 | 412.4 | 400.8 | 437.5 | 520.5 | 539.1 | 327.0 | 367.8 | 521.9 | 433.4 | 529.5 | 518.2 | 524.1 | **42,936.7** |
| OIL | 1968 | 136.2 | 133.2 | 136.8 | 154.1 | 152.7 | 150.2 | 151.3 | 145.7 | 125.1 | 148.3 | 138.9 | 147.0 | **13,117.5** |
| DAY | 1967 | 30.0 | 28.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,284.0** |
| H2O | 1967 | 167.3 | 175.5 | 205.3 | 201.4 | 153.3 | 185.7 | 195.4 | 61.0 | 63.9 | 405.9 | 397.3 | 423.1 | **37,404.5** |
| OIL | 1967 | 46.6 | 44.0 | 49.1 | 45.1 | 36.9 | 49.4 | 54.5 | 53.9 | 55.1 | 125.5 | 127.6 | 135.1 | **11,398.0** |
| DAY | 1966 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,927.0** |
| H2O | 1966 | 165.7 | 154.6 | 171.2 | 165.7 | 165.7 | 190.0 | 351.0 | 380.8 | 368.1 | 290.3 | 290.3 | 163.1 | **34,769.4** |
| OIL | 1966 | 89.6 | 81.5 | 86.9 | 63.2 | 68.5 | 69.4 | 63.9 | 57.0 | 58.5 | 48.6 | 51.6 | 45.9 | **10,575.2** |
| DAY | 1965 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,564.0** |
| H2O | 1965 | 253.4 | 244.8 | 270.9 | 262.1 | 186.0 | 269.9 | 257.1 | 282.0 | 257.4 | 219.4 | 164.3 | 171.2 | **31,912.9** |
| OIL | 1965 | 83.4 | 74.5 | 78.0 | 87.7 | 68.2 | 46.6 | 61.0 | 88.8 | 86.1 | 92.6 | 98.7 | 95.3 | **9,790.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 25.0 | 27.0 | 31.0 | 31.0 | 29.0 | 26.0 | 30.0 | 31.0 | **3,208.0** |
| H2O | 1964 | 379.3 | 355.2 | 379.6 | 361.4 | 300.0 | 368.8 | 414.3 | 423.5 | 389.3 | 218.1 | 262.2 | 270.9 | **29,074.4** |
| OIL | 1964 | 91.1 | 84.9 | 89.0 | 79.0 | 71.0 | 98.5 | 95.7 | 92.6 | 89.6 | 90.1 | 90.7 | 93.8 | **8,829.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 29.0 | 27.0 | 30.0 | 28.0 | 31.0 | 26.0 | 30.0 | 30.0 | 31.0 | **2,857.0** |
| H2O | 1963 | 404.4 | 365.3 | 397.9 | 378.4 | 352.3 | 305.6 | 285.2 | 311.6 | 264.9 | 367.4 | 367.4 | 379.6 | **24,951.8** |
| OIL | 1963 | 117.3 | 100.0 | 105.5 | 97.4 | 94.2 | 122.5 | 117.9 | 130.0 | 107.1 | 95.8 | 89.3 | 92.5 | **7,763.7** |
| DAY | 1962 | 29.0 | 28.0 | 22.0 | 26.0 | 25.0 | 26.0 | 30.0 | 29.0 | 30.0 | 21.0 | 30.0 | 31.0 | **2,505.0** |
| H2O | 1962 | 376.6 | 233.9 | 417.5 | 328.3 | 324.0 | 220.2 | 366.4 | 274.7 | 384.9 | 257.7 | 391.4 | 395.9 | **20,771.8** |
| OIL | 1962 | 78.8 | 61.0 | 69.4 | 89.8 | 72.8 | 86.0 | 117.9 | 102.7 | 117.8 | 82.5 | 121.7 | 124.6 | **6,494.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 23.0 | 26.0 | 31.0 | 31.0 | 29.0 | 27.0 | 30.0 | 31.0 | **2,178.0** |
| H2O | 1961 | 116.9 | 107.5 | 134.8 | 116.7 | 97.0 | 848.6 | 361.0 | 467.9 | 279.0 | 256.4 | 257.9 | 303.2 | **16,800.3** |
| OIL | 1961 | 51.8 | 44.5 | 52.9 | 51.2 | 42.3 | 61.8 | 94.4 | 85.7 | 72.5 | 65.6 | 69.8 | 77.9 | **5,369.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 23.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,830.0** |
| H2O | 1960 | 222.1 | 193.6 | 208.7 | 231.2 | 184.7 | 122.6 | 178.9 | 155.0 | 171.2 | 129.3 | 117.5 | 127.2 | **13,453.4** |
| OIL | 1960 | 59.1 | 53.1 | 55.9 | 48.8 | 51.6 | 46.7 | 70.1 | 63.7 | 63.1 | 56.7 | 54.0 | 55.9 | **4,598.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 17.0 | 26.0 | 30.0 | 30.0 | 31.0 | **1,473.0** |
| H2O | 1959 | 233.1 | 221.3 | 250.7 | 237.8 | 228.9 | 174.6 | 198.7 | 133.1 | 204.6 | 224.5 | 235.4 | 224.0 | **11,411.4** |
| OIL | 1959 | 88.7 | 84.1 | 95.7 | 89.9 | 88.5 | 69.8 | 81.7 | 48.3 | 56.6 | 65.2 | 61.5 | 60.1 | **3,920.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 26.0 | 30.0 | 30.0 | 20.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | **1,131.0** |
| H2O | 1958 | 82.8 | 159.6 | 369.5 | 292.2 | 311.9 | 256.3 | 104.4 | 235.0 | 282.2 | 229.2 | 222.9 | 217.3 | **8,844.7** |
| OIL | 1958 | 24.5 | 56.9 | 129.4 | 134.9 | 146.5 | 105.0 | 60.1 | 86.1 | 71.5 | 85.8 | 84.4 | 83.9 | **3,030.0** |
| DAY | 1957 | 26.0 | 28.0 | 31.0 | 29.0 | 17.0 | 23.0 | 31.0 | 28.0 | 30.0 | 31.0 | 23.0 | 29.0 | **785.0** |
| H2O | 1957 | 121.8 | 135.1 | 150.6 | 119.2 | 65.3 | 162.2 | 204.0 | 159.8 | 174.2 | 185.1 | 139.7 | 133.1 | **6,081.4** |
| OIL | 1957 | 28.4 | 29.6 | 32.6 | 31.9 | 18.8 | 51.5 | 74.1 | 58.6 | 64.0 | 67.4 | 55.1 | 50.9 | **1,961.0** |
| DAY | 1956 | 0.0 | 9.0 | 26.0 | 7.0 | 24.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | 28.0 | 31.0 | **459.0** |
| H2O | 1956 | 0.0 | 83.6 | 249.3 | 51.7 | 189.0 | 241.6 | 234.8 | 226.7 | 206.2 | 201.6 | 164.4 | 172.2 | **4,331.3** |
| OIL | 1956 | 0.0 | 29.2 | 78.8 | 23.2 | 69.9 | 107.1 | 111.1 | 94.1 | 72.3 | 56.6 | 28.1 | 30.4 | **1,398.1** |

# Manitoba Production
## 1950 To 1975

Licence ***739*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 21.0 | 4.0 | **184.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 80.3 | 334.8 | 424.5 | 490.3 | 522.6 | 256.1 | 176.5 | 25.1 | **2,310.2** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 18.9 | 110.6 | 140.2 | 140.8 | 110.9 | 106.3 | 60.4 | 9.2 | **697.3** |

Licence ***740*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.09-16-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 28.0 | 28.0 | 30.0 | 30.0 | 31.0 | 27.0 | 24.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **7,294.0** |
| H2O | 1975 | 7231.2 | 7505.8 | 8029.4 | 7872.5 | 8248.0 | 7081.6 | 5851.3 | 7572.5 | 6995.9 | 8039.0 | 8004.5 | 8184.8 | **707,143.5** |
| OIL | 1975 | 269.4 | 270.3 | 284.8 | 273.5 | 281.4 | 245.5 | 208.2 | 274.6 | 250.0 | 276.8 | 265.7 | 271.3 | **79,996.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,945.0** |
| H2O | 1974 | 8609.7 | 7983.2 | 8373.5 | 6973.2 | 8354.7 | 7241.4 | 7837.9 | 7381.3 | 7743.8 | 8066.8 | 8112.6 | 8110.5 | **616,527.0** |
| OIL | 1974 | 415.9 | 362.5 | 312.1 | 254.7 | 306.4 | 255.7 | 283.0 | 289.1 | 295.4 | 308.6 | 296.7 | 306.2 | **76,824.5** |
| DAY | 1973 | 26.0 | 25.0 | 30.0 | 29.0 | 30.0 | 29.0 | 30.0 | 28.0 | 29.0 | 31.0 | 25.0 | 31.0 | **6,587.0** |
| H2O | 1973 | 6921.5 | 7034.7 | 8357.7 | 8592.7 | 8648.7 | 8282.7 | 8557.7 | 8373.2 | 8865.8 | 9007.2 | 7198.0 | 8400.7 | **521,738.4** |
| OIL | 1973 | 317.0 | 296.0 | 361.5 | 363.9 | 377.4 | 364.4 | 388.5 | 377.4 | 387.3 | 397.9 | 322.6 | 393.9 | **73,138.2** |
| DAY | 1972 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 26.0 | 31.0 | 20.0 | 28.0 | **6,244.0** |
| H2O | 1972 | 5130.8 | 4334.1 | 8084.0 | 7011.2 | 7930.4 | 6959.8 | 8337.9 | 7730.2 | 7024.2 | 8926.1 | 5355.4 | 7940.4 | **423,497.8** |
| OIL | 1972 | 580.8 | 469.6 | 410.1 | 381.5 | 412.2 | 350.6 | 390.0 | 390.1 | 336.1 | 413.6 | 237.7 | 361.7 | **68,790.4** |
| DAY | 1971 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 19.0 | 26.0 | 31.0 | **5,899.0** |
| H2O | 1971 | 6406.9 | 5206.1 | 6433.4 | 6718.2 | 6749.2 | 6456.3 | 6685.0 | 6445.5 | 5042.5 | 3556.9 | 4999.1 | 5564.9 | **338,733.3** |
| OIL | 1971 | 856.7 | 679.0 | 806.9 | 797.3 | 817.6 | 763.4 | 815.8 | 800.7 | 690.1 | 451.8 | 622.9 | 602.7 | **64,056.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 26.0 | 28.0 | 29.0 | 30.0 | 29.0 | 29.0 | 26.0 | 30.0 | 28.0 | **5,552.0** |
| H2O | 1970 | 7174.8 | 6285.9 | 6932.6 | 5171.0 | 5921.8 | 5961.6 | 5023.9 | 6306.4 | 6275.7 | 5397.2 | 6274.1 | 5586.9 | **268,469.3** |
| OIL | 1970 | 833.0 | 701.1 | 806.3 | 628.2 | 721.1 | 700.5 | 663.6 | 726.2 | 741.3 | 648.2 | 792.0 | 665.7 | **55,351.5** |
| DAY | 1969 | 27.0 | 22.0 | 30.0 | 30.0 | 30.0 | 23.0 | 31.0 | 31.0 | 30.0 | 19.0 | 25.0 | 30.0 | **5,207.0** |
| H2O | 1969 | 2794.9 | 2104.6 | 6482.7 | 4911.7 | 4435.9 | 3404.9 | 5052.1 | 4445.2 | 4657.3 | 2984.5 | 6161.0 | 6903.4 | **196,157.4** |
| OIL | 1969 | 353.7 | 259.2 | 799.8 | 545.9 | 404.9 | 318.9 | 453.7 | 394.7 | 427.0 | 263.8 | 609.6 | 799.3 | **46,724.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | **4,879.0** |
| H2O | 1968 | 1837.8 | 1691.4 | 1872.1 | 1904.4 | 1882.2 | 1776.6 | 1914.9 | 1831.4 | 1839.6 | 1818.3 | 1662.6 | 4173.9 | **141,819.2** |
| OIL | 1968 | 234.7 | 208.8 | 233.0 | 244.2 | 231.1 | 234.2 | 241.1 | 218.5 | 211.0 | 214.5 | 203.6 | 444.9 | **41,093.8** |
| DAY | 1967 | 31.0 | 23.0 | 27.0 | 29.0 | 31.0 | 30.0 | 20.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **4,519.0** |
| H2O | 1967 | 1488.8 | 956.1 | 1965.9 | 2061.5 | 2185.3 | 2033.5 | 941.2 | 2096.3 | 1653.1 | 1960.1 | 1759.0 | 1929.9 | **117,614.0** |
| OIL | 1967 | 198.6 | 137.1 | 270.9 | 294.6 | 276.5 | 262.2 | 149.4 | 246.6 | 213.9 | 238.5 | 237.6 | 237.4 | **38,174.2** |
| DAY | 1966 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,179.0** |
| H2O | 1966 | 1214.9 | 1077.1 | 1369.6 | 1379.2 | 1536.2 | 1387.7 | 1360.4 | 1330.5 | 1431.9 | 1471.5 | 1385.2 | 1564.8 | **96,583.3** |
| OIL | 1966 | 186.1 | 181.3 | 200.9 | 186.6 | 192.6 | 189.6 | 199.9 | 197.7 | 192.8 | 199.6 | 180.4 | 199.0 | **35,410.9** |
| DAY | 1965 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **3,818.0** |
| H2O | 1965 | 1539.7 | 1319.4 | 1563.4 | 1366.9 | 1421.1 | 1270.1 | 1314.6 | 1291.7 | 1333.2 | 1164.2 | 1221.3 | 1326.2 | **80,074.3** |
| OIL | 1965 | 267.8 | 235.3 | 233.8 | 235.8 | 222.8 | 222.3 | 218.8 | 212.0 | 205.3 | 172.6 | 172.3 | 195.9 | **33,104.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 25.0 | 31.0 | 29.0 | 26.0 | 31.0 | 30.0 | 31.0 | **3,457.0** |
| H2O | 1964 | 1184.6 | 982.8 | 1182.5 | 1103.8 | 1130.8 | 961.4 | 1140.0 | 1335.4 | 1207.3 | 1392.7 | 1442.4 | 1533.5 | **63,942.5** |
| OIL | 1964 | 200.2 | 181.0 | 182.7 | 202.1 | 201.3 | 148.1 | 190.2 | 249.3 | 227.7 | 267.4 | 262.2 | 265.2 | **30,509.7** |
| DAY | 1963 | 30.0 | 28.0 | 29.0 | 25.0 | 31.0 | 29.0 | 27.0 | 30.0 | 30.0 | 29.0 | 29.0 | 30.0 | **3,104.0** |
| H2O | 1963 | 498.9 | 497.4 | 724.9 | 658.0 | 919.1 | 762.0 | 821.4 | 972.2 | 1013.3 | 980.3 | 1071.0 | 1110.3 | **49,345.3** |
| OIL | 1963 | 103.6 | 100.0 | 148.1 | 109.2 | 204.7 | 180.2 | 157.3 | 226.1 | 211.2 | 188.3 | 185.3 | 182.3 | **27,932.3** |
| DAY | 1962 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **2,757.0** |
| H2O | 1962 | 752.1 | 732.9 | 836.9 | 863.6 | 834.6 | 602.2 | 823.7 | 845.0 | 536.1 | 540.2 | 520.3 | 517.2 | **39,316.5** |
| OIL | 1962 | 258.2 | 233.1 | 264.1 | 286.5 | 255.4 | 205.2 | 269.5 | 263.6 | 125.9 | 117.3 | 107.7 | 108.1 | **25,936.0** |
| DAY | 1961 | 29.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,400.0** |
| H2O | 1961 | 915.6 | 938.3 | 972.0 | 1002.8 | 926.1 | 862.8 | 1005.4 | 983.8 | 827.3 | 866.0 | 823.5 | 834.0 | **30,911.7** |

# Manitoba Production
## 1950 To 1975

Licence ***740*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.09-16-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1961 | 172.3 | 156.7 | 158.4 | 165.3 | 159.7 | 163.2 | 177.2 | 191.3 | 277.0 | 287.9 | 279.2 | 291.6 | **23,441.4** |
| DAY | 1960 | 31.0 | 28.0 | 28.0 | 30.0 | 26.0 | 29.0 | 31.0 | 31.0 | 30.0 | 20.0 | 30.0 | 31.0 | **2,041.0** |
| H2O | 1960 | 896.3 | 680.9 | 702.5 | 756.3 | 657.5 | 754.0 | 790.8 | 832.6 | 802.1 | 425.3 | 758.5 | 811.3 | **19,954.1** |
| OIL | 1960 | 253.0 | 244.1 | 233.0 | 255.5 | 190.7 | 200.1 | 209.9 | 211.7 | 213.1 | 132.7 | 210.2 | 209.9 | **20,961.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | 25.0 | 30.0 | **1,696.0** |
| H2O | 1959 | 309.7 | 288.9 | 332.1 | 250.6 | 281.9 | 232.7 | 395.5 | 771.2 | 679.5 | 631.0 | 592.5 | 695.7 | **11,086.0** |
| OIL | 1959 | 249.3 | 227.7 | 221.4 | 226.3 | 218.0 | 203.1 | 258.2 | 386.6 | 353.9 | 331.3 | 304.5 | 373.0 | **18,397.7** |
| DAY | 1958 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,341.0** |
| H2O | 1958 | 228.0 | 227.7 | 276.8 | 296.7 | 247.5 | 248.3 | 261.7 | 244.8 | 262.6 | 284.6 | 383.3 | 279.0 | **5,624.7** |
| OIL | 1958 | 319.7 | 294.0 | 319.7 | 260.5 | 322.1 | 347.2 | 352.1 | 324.2 | 332.0 | 348.5 | 352.8 | 249.2 | **15,044.4** |
| DAY | 1957 | 29.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **983.0** |
| H2O | 1957 | 111.0 | 102.9 | 148.6 | 109.9 | 126.4 | 111.9 | 152.0 | 184.1 | 191.4 | 212.6 | 257.9 | 201.7 | **2,383.7** |
| OIL | 1957 | 315.4 | 322.0 | 327.0 | 367.2 | 336.6 | 371.8 | 332.1 | 373.9 | 379.2 | 380.1 | 350.7 | 307.0 | **11,222.4** |
| DAY | 1956 | 31.0 | 28.0 | 29.0 | 25.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **625.0** |
| H2O | 1956 | 0.6 | 0.6 | 0.8 | 0.6 | 0.6 | 11.0 | 45.6 | 68.4 | 61.2 | 62.2 | 90.3 | 126.2 | **473.3** |
| OIL | 1956 | 356.6 | 294.3 | 357.4 | 287.6 | 288.1 | 367.2 | 328.0 | 326.4 | 357.2 | 293.2 | 335.9 | 362.2 | **7,059.4** |
| DAY | 1955 | 0.0 | 0.0 | 15.0 | 23.0 | 31.0 | 29.0 | 31.0 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | **275.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.5 | 0.5 | 0.5 | 0.8 | 0.3 | 0.5 | 0.5 | 0.6 | 0.8 | 0.2 | **5.2** |
| OIL | 1955 | 0.0 | 0.0 | 224.4 | 241.9 | 252.5 | 336.3 | 342.1 | 341.3 | 255.4 | 337.5 | 374.9 | 399.0 | **3,105.3** |

Licence ***743*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,324.0** |
| H2O | 1975 | 639.6 | 563.1 | 547.7 | 549.1 | 562.9 | 539.3 | 589.2 | 572.8 | 595.2 | 601.3 | 544.3 | 582.3 | **43,472.9** |
| OIL | 1975 | 298.6 | 264.9 | 269.4 | 256.2 | 271.7 | 271.7 | 281.6 | 270.6 | 260.3 | 256.0 | 214.2 | 217.1 | **58,770.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **6,960.0** |
| H2O | 1974 | 538.1 | 504.0 | 577.4 | 514.9 | 485.2 | 553.7 | 587.6 | 611.3 | 594.7 | 609.8 | 608.1 | 610.3 | **36,586.1** |
| OIL | 1974 | 347.9 | 322.4 | 355.2 | 243.1 | 232.0 | 273.3 | 288.1 | 291.8 | 328.1 | 332.9 | 294.5 | 289.4 | **55,637.7** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,600.0** |
| H2O | 1973 | 422.3 | 366.0 | 412.7 | 486.6 | 481.4 | 510.0 | 536.9 | 543.1 | 531.0 | 585.4 | 564.7 | 569.5 | **29,791.0** |
| OIL | 1973 | 409.0 | 356.8 | 385.0 | 319.3 | 344.4 | 367.1 | 372.6 | 325.9 | 296.0 | 349.8 | 361.4 | 356.9 | **52,039.0** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,236.0** |
| H2O | 1972 | 419.1 | 295.9 | 307.6 | 322.9 | 330.8 | 337.0 | 335.3 | 453.3 | 433.7 | 450.2 | 388.4 | 400.0 | **23,781.4** |
| OIL | 1972 | 511.5 | 449.6 | 461.8 | 441.0 | 440.5 | 429.7 | 453.4 | 440.3 | 426.7 | 419.0 | 387.1 | 405.2 | **47,794.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,871.0** |
| H2O | 1971 | 253.1 | 241.2 | 241.5 | 235.1 | 251.3 | 234.8 | 304.8 | 331.6 | 320.2 | 403.3 | 384.4 | 391.2 | **19,307.2** |
| OIL | 1971 | 553.8 | 494.7 | 543.9 | 485.3 | 482.3 | 464.0 | 519.3 | 535.4 | 505.8 | 551.7 | 471.2 | 496.9 | **42,529.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,506.0** |
| H2O | 1970 | 283.1 | 234.2 | 253.4 | 251.2 | 256.8 | 248.8 | 246.1 | 262.5 | 321.3 | 313.7 | 310.3 | 238.6 | **15,714.7** |
| OIL | 1970 | 579.1 | 554.1 | 608.1 | 558.9 | 592.6 | 569.7 | 585.1 | 597.8 | 557.5 | 579.5 | 545.4 | 537.0 | **36,424.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,142.0** |
| H2O | 1969 | 306.8 | 281.9 | 223.0 | 207.8 | 230.0 | 224.5 | 229.4 | 218.3 | 335.3 | 339.3 | 272.0 | 262.6 | **12,494.7** |
| OIL | 1969 | 622.0 | 569.2 | 513.4 | 451.1 | 478.0 | 526.2 | 532.7 | 528.2 | 531.6 | 552.7 | 542.0 | 555.1 | **29,559.9** |
| DAY | 1968 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,779.0** |
| H2O | 1968 | 57.1 | 55.5 | 55.2 | 196.8 | 200.0 | 192.2 | 213.8 | 280.3 | 231.3 | 284.3 | 302.1 | 305.6 | **9,363.8** |
| OIL | 1968 | 97.9 | 95.7 | 89.5 | 496.3 | 482.9 | 494.8 | 493.3 | 629.4 | 537.6 | 640.9 | 591.5 | 626.6 | **23,157.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **4,417.0** |
| H2O | 1967 | 52.0 | 52.6 | 61.7 | 61.7 | 55.5 | 55.6 | 56.4 | 52.6 | 55.0 | 56.3 | 49.4 | 58.7 | **6,989.6** |
| OIL | 1967 | 76.4 | 69.4 | 77.9 | 72.9 | 70.4 | 78.0 | 83.0 | 85.0 | 87.2 | 90.3 | 82.5 | 97.1 | **17,881.3** |
| DAY | 1966 | 27.0 | 28.0 | 31.0 | 28.0 | 23.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,058.0** |

# Manitoba Production
## 1950 To 1975

Licence ***743*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1966 | 55.5 | 60.6 | 60.1 | 54.2 | 47.4 | 56.6 | 59.0 | 60.3 | 59.5 | 78.9 | 75.2 | 49.0 | **6,322.1** |
| OIL | 1966 | 96.9 | 99.5 | 108.7 | 86.6 | 72.9 | 86.1 | 94.4 | 93.6 | 90.7 | 93.1 | 93.3 | 72.3 | **16,911.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 24.0 | 29.0 | 24.0 | 27.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,709.0** |
| H2O | 1965 | 59.8 | 52.3 | 57.1 | 55.2 | 66.6 | 56.3 | 61.2 | 73.8 | 63.4 | 59.5 | 56.6 | 57.6 | **5,605.8** |
| OIL | 1965 | 112.0 | 99.2 | 107.6 | 99.8 | 104.7 | 92.2 | 108.1 | 125.4 | 118.7 | 130.0 | 120.9 | 113.3 | **15,823.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 28.0 | 29.0 | 28.0 | 29.0 | 29.0 | 28.0 | 29.0 | 28.0 | 30.0 | **3,364.0** |
| H2O | 1964 | 65.0 | 58.7 | 60.9 | 54.1 | 66.5 | 65.3 | 76.3 | 68.5 | 67.4 | 61.2 | 61.2 | 60.3 | **4,886.4** |
| OIL | 1964 | 131.4 | 120.9 | 129.8 | 111.1 | 118.9 | 111.4 | 109.5 | 121.1 | 109.5 | 105.2 | 98.0 | 112.0 | **14,491.2** |
| DAY | 1963 | 30.0 | 28.0 | 31.0 | 28.0 | 29.0 | 29.0 | 29.0 | 29.0 | 28.0 | 29.0 | 28.0 | 31.0 | **3,015.0** |
| H2O | 1963 | 74.6 | 70.6 | 65.8 | 52.0 | 42.8 | 42.8 | 71.4 | 71.1 | 66.5 | 67.7 | 64.2 | 66.3 | **4,121.0** |
| OIL | 1963 | 153.5 | 136.2 | 145.2 | 137.0 | 121.4 | 122.4 | 122.7 | 125.2 | 123.3 | 130.1 | 120.8 | 133.0 | **13,112.4** |
| DAY | 1962 | 30.0 | 27.0 | 30.0 | 28.0 | 29.0 | 28.0 | 29.0 | 30.0 | 28.0 | 29.0 | 28.0 | 27.0 | **2,666.0** |
| H2O | 1962 | 100.8 | 92.0 | 94.9 | 99.8 | 90.0 | 60.9 | 85.7 | 72.3 | 71.4 | 70.0 | 69.6 | 71.7 | **3,365.2** |
| OIL | 1962 | 188.8 | 168.9 | 164.2 | 158.1 | 157.2 | 155.6 | 159.7 | 162.4 | 149.7 | 162.6 | 142.1 | 147.0 | **11,541.6** |
| DAY | 1961 | 29.0 | 26.0 | 29.0 | 28.0 | 29.0 | 19.0 | 29.0 | 21.0 | 28.0 | 26.0 | 28.0 | 31.0 | **2,323.0** |
| H2O | 1961 | 12.9 | 12.7 | 11.3 | 12.2 | 11.3 | 118.9 | 124.2 | 78.2 | 96.7 | 87.0 | 102.7 | 106.5 | **2,386.1** |
| OIL | 1961 | 41.0 | 35.1 | 37.3 | 36.9 | 34.5 | 203.1 | 273.8 | 203.7 | 266.7 | 224.1 | 205.2 | 203.1 | **9,625.3** |
| DAY | 1960 | 31.0 | 28.0 | 29.0 | 28.0 | 29.0 | 28.0 | 29.0 | 28.0 | 26.0 | 29.0 | 28.0 | 31.0 | **2,000.0** |
| H2O | 1960 | 18.6 | 14.1 | 13.8 | 12.9 | 14.9 | 14.0 | 12.7 | 12.6 | 11.4 | 12.9 | 12.1 | 12.2 | **1,611.5** |
| OIL | 1960 | 60.2 | 55.3 | 49.3 | 36.2 | 41.8 | 41.5 | 37.0 | 31.5 | 26.9 | 23.7 | 41.6 | 46.1 | **7,860.8** |
| DAY | 1959 | 31.0 | 27.0 | 30.0 | 29.0 | 27.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,656.0** |
| H2O | 1959 | 25.1 | 22.3 | 28.8 | 27.8 | 24.6 | 19.4 | 19.9 | 20.3 | 19.4 | 19.9 | 19.2 | 20.0 | **1,449.3** |
| OIL | 1959 | 54.5 | 49.1 | 65.8 | 48.6 | 53.7 | 55.1 | 61.3 | 65.2 | 61.5 | 61.3 | 61.0 | 61.8 | **7,369.7** |
| DAY | 1958 | 31.0 | 28.0 | 30.0 | 28.0 | 29.0 | 28.0 | 30.0 | 30.0 | 28.0 | 30.0 | 29.0 | 31.0 | **1,299.0** |
| H2O | 1958 | 14.5 | 13.4 | 17.2 | 22.9 | 23.4 | 22.3 | 28.1 | 28.8 | 26.4 | 26.5 | 23.5 | 22.4 | **1,182.6** |
| OIL | 1958 | 71.7 | 67.4 | 75.5 | 72.9 | 71.7 | 64.0 | 64.2 | 62.8 | 57.8 | 67.9 | 64.5 | 57.7 | **6,670.8** |
| DAY | 1957 | 19.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **947.0** |
| H2O | 1957 | 28.0 | 43.6 | 47.1 | 42.6 | 42.1 | 42.0 | 43.9 | 40.7 | 30.0 | 14.0 | 13.8 | 14.5 | **913.2** |
| OIL | 1957 | 118.1 | 171.0 | 170.8 | 161.8 | 167.2 | 138.1 | 143.3 | 132.8 | 115.1 | 89.1 | 85.2 | 80.9 | **5,872.7** |
| DAY | 1956 | 30.0 | 28.0 | 31.0 | 27.0 | 29.0 | 23.0 | 28.0 | 30.0 | 29.0 | 28.0 | 27.0 | 30.0 | **596.0** |
| H2O | 1956 | 11.0 | 17.5 | 11.0 | 11.4 | 19.2 | 4.0 | 74.7 | 84.1 | 75.4 | 53.7 | 63.3 | 63.1 | **510.9** |
| OIL | 1956 | 133.3 | 107.9 | 111.9 | 82.8 | 90.3 | 108.9 | 301.1 | 294.9 | 230.1 | 235.2 | 237.6 | 230.1 | **4,299.3** |
| DAY | 1955 | 0.0 | 0.0 | 17.0 | 7.0 | 18.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **256.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.3 | 0.0 | 0.3 | 0.8 | 0.3 | 2.7 | 5.1 | 6.8 | 3.8 | 2.4 | **22.5** |
| OIL | 1955 | 0.0 | 0.0 | 225.3 | 77.4 | 198.8 | 333.1 | 300.8 | 254.9 | 208.6 | 206.4 | 182.6 | 147.3 | **2,135.2** |

Licence ***744*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,346.0** |
| H2O | 1975 | 5.1 | 4.1 | 5.4 | 5.2 | 5.7 | 5.1 | 5.1 | 4.9 | 4.8 | 4.5 | 4.3 | 4.5 | **35,646.8** |
| OIL | 1975 | 50.7 | 43.2 | 51.5 | 48.1 | 50.4 | 47.5 | 49.7 | 47.0 | 51.5 | 51.8 | 50.9 | 52.3 | **13,747.5** |
| DAY | 1974 | 6.0 | 0.0 | 0.0 | 8.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,985.0** |
| H2O | 1974 | 1.0 | 0.0 | 0.0 | 1.4 | 5.9 | 6.4 | 5.1 | 5.2 | 5.4 | 5.4 | 4.8 | 5.1 | **35,588.1** |
| OIL | 1974 | 7.9 | 0.0 | 0.0 | 13.0 | 49.7 | 48.3 | 51.2 | 51.5 | 48.6 | 50.2 | 47.7 | 50.4 | **13,152.9** |
| DAY | 1973 | 31.0 | 28.0 | 29.0 | 29.0 | 31.0 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,726.0** |
| H2O | 1973 | 98.2 | 89.0 | 96.2 | 0.0 | 0.0 | 0.0 | 8.1 | 4.6 | 4.3 | 4.8 | 4.5 | 5.2 | **35,542.4** |
| OIL | 1973 | 64.8 | 57.0 | 59.6 | 18.0 | 18.4 | 17.8 | 74.1 | 31.3 | 28.8 | 48.6 | 46.2 | 45.0 | **12,734.4** |
| DAY | 1972 | 31.0 | 29.0 | 24.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,367.0** |
| H2O | 1972 | 9.1 | 9.2 | 7.0 | 7.5 | 104.9 | 103.3 | 101.6 | 92.8 | 88.9 | 92.5 | 88.9 | 81.9 | **35,227.5** |
| OIL | 1972 | 46.6 | 45.0 | 36.7 | 44.5 | 13.3 | 14.1 | 13.8 | 59.6 | 59.1 | 64.4 | 64.0 | 65.2 | **12,224.8** |

# Manitoba Production
## 1950 To 1975

Licence ***744*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,012.0** |
| H2O | 1971 | 17.3 | 17.2 | 18.4 | 18.9 | 19.9 | 16.2 | 17.3 | 9.1 | 8.1 | 9.1 | 7.9 | 8.4 | **34,439.9** |
| OIL | 1971 | 37.2 | 33.5 | 37.5 | 35.9 | 35.9 | 34.8 | 36.9 | 46.1 | 43.9 | 45.9 | 43.7 | 47.0 | **11,698.5** |
| DAY | 1970 | 31.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,647.0** |
| H2O | 1970 | 21.8 | 15.4 | 25.6 | 22.9 | 24.2 | 23.5 | 21.5 | 18.3 | 18.3 | 18.3 | 15.7 | 14.6 | **34,272.1** |
| OIL | 1970 | 35.9 | 23.8 | 35.6 | 34.6 | 36.1 | 33.7 | 35.3 | 31.1 | 34.6 | 35.8 | 34.8 | 36.9 | **11,220.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,291.0** |
| H2O | 1969 | 24.8 | 20.2 | 24.5 | 24.5 | 26.4 | 25.1 | 26.5 | 24.0 | 23.1 | 24.3 | 23.1 | 24.8 | **34,032.0** |
| OIL | 1969 | 46.2 | 39.7 | 44.7 | 46.4 | 45.1 | 44.8 | 45.6 | 45.6 | 43.1 | 45.3 | 33.1 | 36.2 | **10,812.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 20.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,926.0** |
| H2O | 1968 | 44.5 | 44.3 | 51.6 | 55.1 | 52.8 | 26.7 | 15.3 | 24.2 | 21.6 | 23.0 | 22.9 | 25.1 | **33,740.7** |
| OIL | 1968 | 26.1 | 23.5 | 26.2 | 27.7 | 27.5 | 34.8 | 29.6 | 46.2 | 45.3 | 45.3 | 44.2 | 47.0 | **10,296.2** |
| DAY | 1967 | 26.0 | 24.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,571.0** |
| H2O | 1967 | 93.6 | 33.4 | 45.9 | 43.4 | 47.4 | 38.8 | 41.6 | 37.7 | 47.7 | 45.4 | 47.2 | 47.5 | **33,333.6** |
| OIL | 1967 | 27.2 | 20.0 | 27.5 | 26.2 | 27.5 | 22.2 | 26.4 | 21.3 | 26.7 | 26.7 | 26.5 | 26.7 | **9,872.8** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,222.0** |
| H2O | 1966 | 174.9 | 167.6 | 167.6 | 131.5 | 142.8 | 139.6 | 132.8 | 156.1 | 138.4 | 138.7 | 124.8 | 115.0 | **32,764.0** |
| OIL | 1966 | 52.3 | 47.2 | 58.3 | 41.8 | 39.6 | 34.0 | 34.2 | 33.7 | 35.0 | 37.7 | 33.4 | 32.4 | **9,567.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,857.0** |
| H2O | 1965 | 172.5 | 155.8 | 172.5 | 196.4 | 147.9 | 119.3 | 105.4 | 166.8 | 117.5 | 129.9 | 133.1 | 144.5 | **31,034.2** |
| OIL | 1965 | 48.5 | 40.4 | 43.5 | 32.7 | 38.3 | 34.6 | 33.7 | 31.3 | 31.0 | 32.1 | 34.2 | 41.6 | **9,088.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 21.0 | 28.0 | 30.0 | 31.0 | **3,492.0** |
| H2O | 1964 | 369.3 | 325.2 | 339.0 | 373.5 | 373.8 | 349.6 | 289.8 | 74.5 | 84.1 | 173.6 | 167.0 | 172.5 | **29,272.6** |
| OIL | 1964 | 35.0 | 27.5 | 30.8 | 32.9 | 32.1 | 30.2 | 29.9 | 37.0 | 30.7 | 38.6 | 46.6 | 49.6 | **8,646.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,138.0** |
| H2O | 1963 | 312.7 | 253.4 | 274.2 | 267.1 | 306.6 | 289.2 | 213.4 | 329.5 | 331.9 | 346.0 | 319.5 | 300.8 | **26,180.7** |
| OIL | 1963 | 31.3 | 25.3 | 28.9 | 27.0 | 34.2 | 33.5 | 34.0 | 35.6 | 34.8 | 34.0 | 30.0 | 33.1 | **8,225.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,773.0** |
| H2O | 1962 | 399.0 | 457.1 | 494.7 | 214.9 | 229.2 | 221.1 | 248.3 | 245.6 | 225.6 | 233.2 | 259.0 | 319.2 | **22,636.4** |
| OIL | 1962 | 56.4 | 61.7 | 63.6 | 28.8 | 27.3 | 25.9 | 28.1 | 28.1 | 24.6 | 25.9 | 28.0 | 32.3 | **7,843.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,408.0** |
| H2O | 1961 | 244.5 | 153.1 | 137.7 | 170.3 | 153.1 | 124.6 | 262.0 | 269.3 | 135.0 | 85.2 | 116.4 | 408.1 | **19,089.5** |
| OIL | 1961 | 41.6 | 40.8 | 38.1 | 49.7 | 24.6 | 30.0 | 42.0 | 45.4 | 21.3 | 20.8 | 25.9 | 55.9 | **7,413.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,043.0** |
| H2O | 1960 | 238.3 | 197.9 | 204.8 | 234.3 | 213.8 | 257.4 | 319.1 | 249.9 | 258.2 | 277.4 | 258.5 | 261.5 | **16,830.2** |
| OIL | 1960 | 38.1 | 29.9 | 35.6 | 32.3 | 33.5 | 37.5 | 50.4 | 54.8 | 57.7 | 38.6 | 45.1 | 45.8 | **6,977.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,677.0** |
| H2O | 1959 | 69.6 | 95.4 | 127.8 | 103.8 | 124.8 | 108.3 | 130.0 | 104.3 | 98.6 | 78.1 | 210.6 | 217.2 | **13,859.1** |
| OIL | 1959 | 45.9 | 62.5 | 61.0 | 59.0 | 50.7 | 45.1 | 55.5 | 52.1 | 44.0 | 29.6 | 38.8 | 39.1 | **6,477.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,312.0** |
| H2O | 1958 | 373.3 | 229.6 | 425.9 | 199.4 | 227.0 | 196.7 | 131.0 | 196.7 | 154.4 | 148.6 | 115.7 | 141.5 | **12,390.6** |
| OIL | 1958 | 120.1 | 96.0 | 139.4 | 79.6 | 76.6 | 121.1 | 96.6 | 88.4 | 70.6 | 63.6 | 73.7 | 65.9 | **5,894.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **947.0** |
| H2O | 1957 | 509.1 | 386.3 | 445.9 | 541.0 | 562.2 | 452.3 | 591.1 | 401.9 | 713.0 | 581.2 | 596.8 | 596.7 | **9,850.8** |
| OIL | 1957 | 99.5 | 71.5 | 81.8 | 86.3 | 69.6 | 83.6 | 66.7 | 51.2 | 35.1 | 166.1 | 215.3 | 161.6 | **4,802.8** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **582.0** |
| H2O | 1956 | 296.7 | 16.2 | 18.0 | 369.9 | 442.3 | 431.6 | 447.1 | 114.5 | 1.4 | 359.1 | 297.1 | 420.3 | **3,473.3** |
| OIL | 1956 | 213.6 | 167.5 | 154.9 | 193.9 | 189.6 | 150.8 | 143.5 | 74.2 | 10.2 | 109.0 | 85.7 | 108.1 | **3,614.5** |
| DAY | 1955 | 0.0 | 0.0 | 22.0 | 0.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 10.0 | **216.0** |
| H2O | 1955 | 0.0 | 0.0 | 1.3 | 0.0 | 1.9 | 26.5 | 19.2 | 27.8 | 14.5 | 104.3 | 0.0 | 63.6 | **259.1** |
| OIL | 1955 | 0.0 | 0.0 | 351.8 | 0.0 | 243.3 | 331.3 | 275.4 | 309.7 | 206.3 | 208.3 | 0.0 | 87.4 | **2,013.5** |

# Manitoba Production
## 1950 To 1975

Licence ***746*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 30.0 | 28.0 | 21.0 | 1.0 | 0.0 | 1.0 | 5.0 | 5.0 | 6.0 | 0.0 | 0.0 | 0.0 | **875.0** |
| H2O | 1958 | 247.4 | 208.7 | 150.9 | 7.9 | 0.0 | 6.8 | 39.6 | 70.6 | 84.9 | 0.0 | 0.0 | 0.0 | **7,414.0** |
| OIL | 1958 | 114.4 | 25.6 | 10.2 | 1.0 | 0.0 | 1.0 | 4.6 | 3.3 | 5.4 | 0.0 | 0.0 | 0.0 | **4,934.8** |
| DAY | 1957 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **778.0** |
| H2O | 1957 | 247.4 | 255.5 | 322.6 | 427.0 | 443.7 | 383.6 | 396.2 | 382.7 | 301.8 | 277.4 | 227.5 | 247.8 | **6,597.2** |
| OIL | 1957 | 97.4 | 76.8 | 95.2 | 119.5 | 104.7 | 92.2 | 86.4 | 76.6 | 49.4 | 39.9 | 26.9 | 34.6 | **4,769.3** |
| DAY | 1956 | 16.0 | 17.0 | 27.0 | 10.0 | 21.0 | 29.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **418.0** |
| H2O | 1956 | 37.8 | 39.4 | 185.2 | 37.0 | 62.8 | 221.8 | 320.6 | 346.5 | 284.9 | 267.9 | 283.0 | 290.3 | **2,684.0** |
| OIL | 1956 | 200.4 | 182.1 | 296.5 | 77.5 | 32.4 | 336.6 | 294.0 | 204.0 | 165.7 | 142.5 | 128.9 | 124.3 | **3,869.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 25.0 | 27.0 | 23.0 | 28.0 | **116.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 36.9 | 69.0 | 47.5 | 66.3 | 87.1 | **306.8** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 374.4 | 334.7 | 359.1 | 287.0 | 329.6 | **1,684.8** |

Licence ***747*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **7,038.0** |
| H2O | 1975 | 1172.9 | 1097.5 | 1236.1 | 1199.2 | 1241.4 | 1206.4 | 1257.9 | 1235.3 | 1170.0 | 1683.8 | 1877.0 | 1935.4 | **194,348.7** |
| OIL | 1975 | 41.2 | 38.3 | 43.2 | 41.0 | 41.3 | 39.7 | 40.7 | 40.9 | 39.0 | 38.5 | 41.3 | 42.1 | **33,564.2** |
| DAY | 1974 | 26.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,676.0** |
| H2O | 1974 | 834.0 | 913.9 | 883.5 | 929.9 | 941.7 | 973.0 | 940.9 | 1074.1 | 1038.7 | 1054.6 | 1034.4 | 1295.0 | **178,035.8** |
| OIL | 1974 | 28.8 | 33.9 | 30.2 | 32.0 | 36.1 | 34.5 | 42.8 | 46.6 | 46.1 | 45.2 | 44.0 | 48.5 | **33,077.0** |
| DAY | 1973 | 24.0 | 0.0 | 23.0 | 28.0 | 31.0 | 30.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,321.0** |
| H2O | 1973 | 679.0 | 0.0 | 641.2 | 744.4 | 864.4 | 837.1 | 779.0 | 852.0 | 833.4 | 900.3 | 865.1 | 976.8 | **166,122.1** |
| OIL | 1973 | 42.4 | 0.0 | 39.3 | 8.6 | 26.4 | 25.6 | 31.3 | 35.3 | 27.8 | 28.3 | 27.5 | 36.2 | **32,608.3** |
| DAY | 1972 | 30.0 | 29.0 | 13.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **6,005.0** |
| H2O | 1972 | 742.3 | 939.8 | 369.2 | 530.4 | 556.9 | 538.2 | 535.9 | 540.1 | 979.7 | 894.5 | 847.4 | 804.3 | **157,149.4** |
| OIL | 1972 | 40.7 | 44.4 | 20.8 | 52.6 | 56.8 | 52.0 | 49.6 | 48.8 | 69.2 | 53.7 | 57.6 | 53.6 | **32,279.6** |
| DAY | 1971 | 31.0 | 25.0 | 31.0 | 29.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **5,662.0** |
| H2O | 1971 | 1682.2 | 1331.5 | 1633.1 | 1484.0 | 1297.2 | 1500.7 | 1652.5 | 1079.1 | 992.1 | 924.7 | 903.4 | 848.8 | **148,870.7** |
| OIL | 1971 | 63.6 | 54.4 | 62.8 | 57.4 | 56.3 | 52.5 | 60.9 | 45.8 | 47.4 | 48.8 | 46.4 | 44.7 | **31,679.8** |
| DAY | 1970 | 29.0 | 24.0 | 31.0 | 28.0 | 27.0 | 28.0 | 30.0 | 30.0 | 28.0 | 29.0 | 30.0 | 30.0 | **5,308.0** |
| H2O | 1970 | 1386.1 | 1113.4 | 1279.5 | 1261.1 | 1067.6 | 1264.1 | 1646.8 | 1763.3 | 1624.1 | 1289.6 | 1600.8 | 1349.5 | **133,541.4** |
| OIL | 1970 | 61.0 | 49.0 | 77.7 | 63.8 | 57.7 | 54.5 | 78.9 | 68.0 | 65.8 | 71.2 | 67.7 | 40.2 | **31,038.8** |
| DAY | 1969 | 29.0 | 28.0 | 31.0 | 27.0 | 28.0 | 29.0 | 23.0 | 29.0 | 30.0 | 31.0 | 19.0 | 31.0 | **4,964.0** |
| H2O | 1969 | 1244.1 | 1232.6 | 1244.4 | 1186.5 | 1199.9 | 1515.0 | 1232.0 | 1236.0 | 1120.9 | 1299.2 | 846.1 | 1333.4 | **116,895.5** |
| OIL | 1969 | 88.8 | 81.1 | 82.3 | 64.6 | 64.6 | 63.3 | 47.6 | 63.8 | 69.7 | 67.5 | 38.7 | 72.1 | **30,283.3** |
| DAY | 1968 | 28.0 | 28.0 | 5.0 | 0.0 | 0.0 | 0.0 | 31.0 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | **4,629.0** |
| H2O | 1968 | 927.7 | 889.1 | 190.1 | 0.0 | 0.0 | 0.0 | 1172.9 | 1350.1 | 1285.1 | 1310.4 | 1179.5 | 1245.7 | **102,205.4** |
| OIL | 1968 | 80.8 | 75.9 | 12.1 | 0.0 | 0.0 | 0.0 | 71.3 | 89.3 | 61.1 | 83.1 | 74.8 | 85.4 | **29,479.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 28.0 | 29.0 | **4,387.0** |
| H2O | 1967 | 1344.2 | 1081.4 | 969.2 | 1545.2 | 1212.3 | 1567.6 | 1810.1 | 1692.9 | 1181.9 | 1219.8 | 1237.4 | 1051.4 | **92,654.8** |
| OIL | 1967 | 67.5 | 64.6 | 30.9 | 78.9 | 74.0 | 87.5 | 92.1 | 108.2 | 84.2 | 84.2 | 75.4 | 78.0 | **28,845.4** |
| DAY | 1966 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 25.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **4,030.0** |
| H2O | 1966 | 1239.8 | 1161.6 | 1269.4 | 1299.7 | 1346.2 | 1276.2 | 1533.6 | 1418.2 | 1329.3 | 1165.2 | 1158.5 | 1254.4 | **76,741.4** |
| OIL | 1966 | 68.1 | 59.0 | 68.7 | 67.9 | 80.8 | 73.8 | 73.4 | 72.6 | 78.4 | 76.8 | 63.0 | 67.2 | **27,919.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,675.0** |
| H2O | 1965 | 1123.6 | 989.8 | 1138.9 | 1124.3 | 1221.4 | 1091.4 | 1013.0 | 1125.1 | 1025.7 | 931.9 | 806.9 | 1396.1 | **61,289.3** |
| OIL | 1965 | 86.9 | 80.3 | 95.0 | 92.1 | 88.0 | 82.9 | 76.1 | 83.1 | 65.4 | 59.0 | 61.4 | 74.5 | **27,070.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,312.0** |
| H2O | 1964 | 981.3 | 1039.5 | 950.0 | 950.6 | 913.8 | 1089.4 | 1679.0 | 1174.3 | 1235.2 | 1258.3 | 1132.2 | 1412.5 | **48,301.2** |

# Manitoba Production
## 1950 To 1975

Licence ***747*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1964 | 89.3 | 105.2 | 104.8 | 112.8 | 98.8 | 107.1 | 99.3 | 100.2 | 89.9 | 91.5 | 80.5 | 84.6 | **26,125.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | **2,947.0** |
| H2O | 1963 | 1000.1 | 960.5 | 1071.3 | 952.6 | 1002.6 | 944.9 | 956.5 | 1015.5 | 993.9 | 927.4 | 957.6 | 1006.8 | **34,485.1** |
| OIL | 1963 | 140.0 | 124.7 | 147.1 | 126.6 | 126.5 | 124.9 | 138.2 | 129.5 | 109.0 | 109.0 | 99.9 | 101.3 | **24,961.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **2,585.0** |
| H2O | 1962 | 1081.7 | 1048.1 | 1306.8 | 1239.2 | 1269.4 | 1190.1 | 1230.0 | 1204.4 | 1160.7 | 1036.2 | 950.2 | 787.0 | **22,695.4** |
| OIL | 1962 | 198.6 | 168.9 | 203.9 | 177.6 | 178.4 | 174.0 | 162.4 | 163.0 | 149.5 | 141.9 | 129.2 | 123.0 | **23,484.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,222.0** |
| H2O | 1961 | 98.8 | 176.1 | 144.3 | 139.7 | 138.1 | 144.3 | 227.3 | 225.3 | 181.6 | 516.5 | 1011.9 | 1054.3 | **9,191.6** |
| OIL | 1961 | 191.6 | 192.6 | 195.3 | 187.7 | 184.6 | 192.0 | 189.9 | 189.4 | 159.0 | 243.9 | 287.5 | 267.3 | **21,514.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,858.0** |
| H2O | 1960 | 89.9 | 68.3 | 60.8 | 84.3 | 67.8 | 119.0 | 186.9 | 123.1 | 106.7 | 91.3 | 85.1 | 85.1 | **5,133.4** |
| OIL | 1960 | 243.0 | 210.9 | 204.7 | 218.7 | 219.1 | 227.4 | 212.8 | 208.7 | 200.2 | 204.0 | 190.4 | 185.9 | **19,033.6** |
| DAY | 1959 | 26.0 | 24.0 | 26.0 | 26.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,492.0** |
| H2O | 1959 | 123.3 | 89.6 | 122.2 | 116.8 | 102.4 | 92.1 | 98.6 | 149.7 | 142.5 | 116.9 | 80.8 | 90.8 | **3,965.1** |
| OIL | 1959 | 288.0 | 265.3 | 294.8 | 285.0 | 298.0 | 290.1 | 277.3 | 286.7 | 277.3 | 262.7 | 238.4 | 238.2 | **16,507.8** |
| DAY | 1958 | 31.0 | 19.0 | 31.0 | 23.0 | 27.0 | 27.0 | 29.0 | 29.0 | 26.0 | 27.0 | 24.0 | 27.0 | **1,148.0** |
| H2O | 1958 | 45.4 | 64.9 | 78.8 | 84.6 | 88.1 | 84.6 | 88.3 | 112.9 | 118.0 | 137.4 | 154.4 | 150.3 | **2,639.4** |
| OIL | 1958 | 352.1 | 214.9 | 335.5 | 247.8 | 295.9 | 282.4 | 293.2 | 311.2 | 281.6 | 309.4 | 278.4 | 300.9 | **13,206.0** |
| DAY | 1957 | 31.0 | 28.0 | 23.0 | 25.0 | 27.0 | 25.0 | 27.0 | 19.0 | 30.0 | 22.0 | 29.0 | 28.0 | **828.0** |
| H2O | 1957 | 129.2 | 127.7 | 83.8 | 64.1 | 40.6 | 3.7 | 4.2 | 2.8 | 2.8 | 2.9 | 9.1 | 20.1 | **1,431.7** |
| OIL | 1957 | 364.5 | 322.3 | 255.6 | 273.0 | 307.5 | 287.5 | 306.7 | 217.1 | 339.3 | 243.0 | 329.2 | 322.0 | **9,702.7** |
| DAY | 1956 | 20.0 | 27.0 | 28.0 | 23.0 | 18.0 | 30.0 | 31.0 | 29.0 | 30.0 | 28.0 | 23.0 | 19.0 | **514.0** |
| H2O | 1956 | 42.8 | 27.4 | 7.5 | 0.2 | 8.0 | 23.0 | 102.1 | 102.1 | 122.6 | 125.7 | 127.2 | 68.4 | **940.7** |
| OIL | 1956 | 230.9 | 260.2 | 281.9 | 257.3 | 203.6 | 343.3 | 352.2 | 284.0 | 334.7 | 312.5 | 249.8 | 216.0 | **6,135.0** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 26.0 | 26.0 | 26.0 | 25.0 | 26.0 | 27.0 | 27.0 | **208.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 1.3 | 7.4 | 19.5 | 24.4 | 63.8 | 30.9 | 35.7 | **183.7** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 466.8 | 340.0 | 342.0 | 354.9 | 327.3 | 344.3 | 337.4 | 295.9 | **2,808.6** |

Licence ***748*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,223.0** |
| H2O | 1975 | 1038.3 | 953.0 | 1055.4 | 1058.1 | 1084.7 | 972.1 | 892.9 | 955.1 | 1142.4 | 1144.5 | 1136.5 | 1148.3 | **99,230.1** |
| OIL | 1975 | 145.9 | 134.9 | 118.2 | 112.7 | 119.3 | 133.8 | 116.5 | 128.4 | 114.3 | 111.6 | 111.2 | 108.5 | **23,265.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,863.0** |
| H2O | 1974 | 777.1 | 1062.3 | 1106.5 | 1050.5 | 923.8 | 1077.1 | 1050.4 | 1044.7 | 997.6 | 1023.2 | 1020.3 | 1058.3 | **86,648.8** |
| OIL | 1974 | 66.3 | 124.7 | 128.9 | 117.8 | 119.2 | 143.3 | 147.9 | 143.2 | 149.7 | 151.8 | 148.7 | 151.0 | **21,810.2** |
| DAY | 1973 | 31.0 | 22.0 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | **6,502.0** |
| H2O | 1973 | 276.3 | 190.8 | 736.4 | 490.6 | 366.6 | 306.0 | 1308.5 | 1117.3 | 794.7 | 851.3 | 750.5 | 835.0 | **74,457.0** |
| OIL | 1973 | 85.0 | 59.0 | 70.1 | 109.6 | 93.4 | 83.6 | 143.2 | 210.1 | 79.0 | 67.2 | 63.4 | 69.0 | **20,217.7** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 25.0 | 31.0 | **6,149.0** |
| H2O | 1972 | 980.6 | 899.5 | 880.3 | 893.5 | 935.4 | 528.8 | 564.7 | 601.1 | 526.2 | 528.4 | 404.4 | 506.7 | **66,433.0** |
| OIL | 1972 | 127.6 | 134.8 | 167.0 | 154.5 | 157.6 | 94.7 | 131.6 | 135.9 | 104.4 | 99.3 | 113.9 | 145.1 | **19,085.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **5,789.0** |
| H2O | 1971 | 852.8 | 676.0 | 677.1 | 610.2 | 609.8 | 532.4 | 520.0 | 566.0 | 546.6 | 581.7 | 529.7 | 403.0 | **58,183.4** |
| OIL | 1971 | 224.2 | 172.4 | 189.6 | 162.2 | 148.1 | 138.3 | 141.1 | 145.4 | 137.5 | 106.8 | 91.2 | 76.4 | **17,518.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,428.0** |
| H2O | 1970 | 936.1 | 802.2 | 868.2 | 890.4 | 1117.5 | 1335.8 | 1204.6 | 1240.4 | 1138.6 | 1023.8 | 1012.4 | 907.8 | **51,078.1** |
| OIL | 1970 | 264.7 | 223.1 | 244.7 | 232.8 | 185.1 | 219.8 | 229.3 | 226.1 | 215.6 | 215.2 | 202.5 | 200.5 | **15,785.5** |
| DAY | 1969 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,068.0** |

# Manitoba Production
## 1950 To 1975

Licence ***748*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1969 | 1054.4 | 1042.0 | 1198.9 | 1196.8 | 1159.8 | 1131.9 | 1142.1 | 1087.6 | 1098.6 | 1017.5 | 1051.2 | 1026.7 | **38,600.3** |
| OIL | 1969 | 320.1 | 249.8 | 303.7 | 286.0 | 282.7 | 311.3 | 310.4 | 307.6 | 281.6 | 264.3 | 272.4 | 282.1 | **13,126.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,705.0** |
| H2O | 1968 | 745.8 | 379.5 | 790.0 | 652.6 | 659.6 | 625.7 | 1249.3 | 1191.7 | 989.5 | 1059.9 | 1037.3 | 1049.6 | **25,392.8** |
| OIL | 1968 | 202.0 | 116.2 | 223.0 | 169.6 | 164.2 | 169.2 | 328.7 | 328.2 | 282.2 | 325.2 | 304.6 | 322.6 | **9,654.1** |
| DAY | 1967 | 11.0 | 27.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 17.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,341.0** |
| H2O | 1967 | 57.9 | 173.4 | 211.1 | 210.8 | 189.7 | 190.1 | 238.8 | 178.4 | 350.1 | 446.3 | 758.5 | 765.3 | **14,962.3** |
| OIL | 1967 | 15.7 | 42.4 | 49.3 | 46.1 | 44.7 | 49.3 | 4.4 | 32.7 | 62.8 | 102.8 | 115.5 | 200.2 | **6,718.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 23.0 | 31.0 | **4,014.0** |
| H2O | 1966 | 187.6 | 108.6 | 190.0 | 175.0 | 197.8 | 202.4 | 207.0 | 202.4 | 200.8 | 207.9 | 149.6 | 167.1 | **11,191.9** |
| OIL | 1966 | 60.2 | 53.4 | 73.3 | 64.0 | 67.5 | 57.2 | 63.4 | 61.7 | 62.0 | 69.0 | 48.3 | 45.8 | **5,952.5** |
| DAY | 1965 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 29.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,657.0** |
| H2O | 1965 | 207.3 | 200.3 | 221.8 | 214.6 | 221.8 | 186.0 | 163.7 | 160.9 | 200.3 | 193.6 | 201.0 | 213.8 | **8,995.7** |
| OIL | 1965 | 44.5 | 47.8 | 54.2 | 58.2 | 76.4 | 56.3 | 46.4 | 50.5 | 63.2 | 69.1 | 67.5 | 66.9 | **5,226.7** |
| DAY | 1964 | 30.0 | 29.0 | 31.0 | 24.0 | 25.0 | 30.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | **3,300.0** |
| H2O | 1964 | 40.1 | 64.5 | 69.0 | 53.4 | 55.6 | 66.8 | 69.0 | 173.3 | 230.2 | 228.9 | 228.9 | 231.8 | **6,610.6** |
| OIL | 1964 | 20.8 | 33.1 | 34.8 | 33.2 | 27.8 | 33.4 | 50.9 | 74.2 | 68.5 | 55.8 | 52.8 | 52.6 | **4,525.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 15.0 | 0.0 | 14.0 | 0.0 | **2,951.0** |
| H2O | 1963 | 67.9 | 62.3 | 69.0 | 66.8 | 69.0 | 66.8 | 69.0 | 64.5 | 33.4 | 0.0 | 31.2 | 0.0 | **5,099.1** |
| OIL | 1963 | 33.1 | 44.2 | 35.9 | 33.1 | 34.2 | 32.7 | 33.4 | 30.2 | 15.9 | 0.0 | 11.8 | 0.0 | **3,987.8** |
| DAY | 1962 | 29.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 24.0 | 28.0 | **2,681.0** |
| H2O | 1962 | 64.5 | 62.3 | 69.0 | 62.3 | 70.6 | 66.8 | 69.0 | 123.2 | 66.8 | 69.0 | 53.4 | 62.3 | **4,499.2** |
| OIL | 1962 | 18.4 | 17.8 | 19.7 | 18.1 | 19.7 | 19.1 | 19.4 | 19.7 | 19.5 | 18.9 | 12.7 | 0.0 | **3,683.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,329.0** |
| H2O | 1961 | 24.6 | 22.3 | 24.6 | 36.6 | 69.0 | 62.3 | 66.8 | 69.0 | 66.8 | 69.0 | 66.8 | 69.0 | **3,660.0** |
| OIL | 1961 | 34.0 | 26.2 | 31.1 | 21.9 | 14.8 | 10.8 | 18.9 | 21.6 | 21.9 | 20.2 | 19.1 | 19.7 | **3,480.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 22.0 | 31.0 | 29.0 | 30.0 | **1,969.0** |
| H2O | 1960 | 49.3 | 46.1 | 47.9 | 28.6 | 41.7 | 42.9 | 47.7 | 49.3 | 35.0 | 49.3 | 38.6 | 23.8 | **3,013.2** |
| OIL | 1960 | 39.3 | 35.9 | 33.4 | 35.3 | 35.4 | 29.9 | 34.5 | 34.0 | 22.2 | 34.8 | 31.5 | 32.9 | **3,220.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,617.0** |
| H2O | 1959 | 49.3 | 44.5 | 49.3 | 46.1 | 44.2 | 47.7 | 49.3 | 49.3 | 47.7 | 47.2 | 48.0 | 49.3 | **2,513.0** |
| OIL | 1959 | 40.2 | 35.4 | 39.3 | 35.8 | 39.1 | 42.3 | 42.4 | 34.2 | 38.0 | 39.7 | 38.6 | 43.1 | **2,821.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 28.0 | 29.0 | 31.0 | **1,257.0** |
| H2O | 1958 | 76.8 | 45.0 | 49.1 | 47.7 | 47.7 | 47.7 | 49.3 | 49.3 | 68.8 | 36.2 | 44.0 | 49.4 | **1,941.1** |
| OIL | 1958 | 47.8 | 40.8 | 39.7 | 43.9 | 45.8 | 45.6 | 47.7 | 46.9 | 35.0 | 41.5 | 44.5 | 37.5 | **2,352.9** |
| DAY | 1957 | 31.0 | 19.0 | 0.0 | 19.0 | 31.0 | 27.0 | 29.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | **898.0** |
| H2O | 1957 | 14.8 | 9.2 | 0.0 | 26.2 | 24.6 | 18.4 | 118.4 | 122.6 | 192.8 | 175.5 | 98.4 | 97.5 | **1,330.1** |
| OIL | 1957 | 25.9 | 16.8 | 0.0 | 21.3 | 27.5 | 14.8 | 53.9 | 63.7 | 68.2 | 59.6 | 53.7 | 52.9 | **1,836.2** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **592.0** |
| H2O | 1956 | 40.5 | 39.4 | 42.8 | 19.4 | 21.6 | 22.3 | 16.9 | 18.9 | 16.2 | 17.5 | 18.3 | 14.8 | **431.7** |
| OIL | 1956 | 74.5 | 54.0 | 43.9 | 26.2 | 40.8 | 33.4 | 29.9 | 34.3 | 30.2 | 33.2 | 27.7 | 27.8 | **1,377.9** |
| DAY | 1955 | 0.0 | 0.0 | 4.0 | 7.0 | 5.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **228.0** |
| H2O | 1955 | 0.0 | 0.0 | 1.9 | 2.4 | 2.2 | 9.5 | 21.0 | 19.7 | 14.6 | 15.4 | 14.9 | 41.5 | **143.1** |
| OIL | 1955 | 0.0 | 0.0 | 31.3 | 38.3 | 43.9 | 114.7 | 190.7 | 130.9 | 100.1 | 96.9 | 91.1 | 84.1 | **922.0** |

Licence ***749*** Well Name ***Daly Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.15-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 9.0 | 0.0 | 0.0 | 0.0 | 24.0 | 30.0 | 23.0 | 0.0 | 0.0 | **778.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 2.5 | 0.0 | 0.0 | 0.0 | 21.0 | 29.6 | 21.9 | 0.0 | 0.0 | **16,213.4** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 1.4 | 0.0 | 0.0 | 0.0 | 14.1 | 19.5 | 11.7 | 0.0 | 0.0 | **816.6** |

# Manitoba Production
## 1950 To 1975

Licence ***749*** Well Name ***Daly Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.15-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 31.0 | 18.0 | 31.0 | 23.0 | 29.0 | 26.0 | 11.0 | 12.0 | 14.0 | 25.0 | 5.0 | 17.0 | **692.0** |
| H2O | 1973 | 922.8 | 427.0 | 815.9 | 1119.4 | 1645.7 | 1578.0 | 508.0 | 540.0 | 196.2 | 242.9 | 0.8 | 16.0 | **16,138.4** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 8.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 5.2 | **769.9** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 151.7 | 759.4 | 831.0 | 742.2 | 843.4 | **8,125.7** |
| DAY | 1957 | 0.0 | 0.0 | 10.0 | 30.0 | 26.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **450.0** |
| H2O | 1957 | 0.0 | 0.0 | 127.2 | 345.3 | 303.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,798.0** |
| OIL | 1957 | 0.0 | 0.0 | 1.6 | 6.0 | 2.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **755.8** |
| DAY | 1956 | 29.0 | 21.0 | 29.0 | 24.0 | 29.0 | 30.0 | 22.0 | 0.0 | 0.0 | 0.0 | 3.0 | 9.0 | **384.0** |
| H2O | 1956 | 226.7 | 178.5 | 246.7 | 223.7 | 327.8 | 335.8 | 229.1 | 0.0 | 0.0 | 0.0 | 35.8 | 100.2 | **4,021.8** |
| OIL | 1956 | 37.0 | 25.3 | 38.8 | 38.8 | 41.2 | 41.6 | 30.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **745.3** |
| DAY | 1955 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 23.0 | 28.0 | 19.0 | 30.0 | 31.0 | 26.0 | 30.0 | **188.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 427.3 | 414.0 | 243.6 | 251.5 | 292.4 | 217.8 | 270.9 | **2,117.5** |
| OIL | 1955 | 0.0 | 0.0 | 7.2 | 0.0 | 0.0 | 106.8 | 75.2 | 40.0 | 85.8 | 88.0 | 43.5 | 45.6 | **492.1** |

Licence ***750*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,390.0** |
| H2O | 1975 | 441.2 | 298.2 | 465.5 | 446.7 | 496.7 | 440.9 | 386.3 | 429.7 | 414.9 | 389.8 | 371.5 | 381.1 | **21,391.6** |
| OIL | 1975 | 134.6 | 91.8 | 135.6 | 126.7 | 132.8 | 124.9 | 114.9 | 125.1 | 135.6 | 136.3 | 133.5 | 137.5 | **23,200.9** |
| DAY | 1974 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **7,037.0** |
| H2O | 1974 | 177.4 | 152.6 | 179.6 | 168.7 | 186.6 | 183.6 | 156.6 | 157.4 | 158.3 | 157.2 | 391.7 | 445.5 | **16,429.1** |
| OIL | 1974 | 184.0 | 182.0 | 195.8 | 195.0 | 198.5 | 144.3 | 160.3 | 160.7 | 151.3 | 151.3 | 121.4 | 133.5 | **21,671.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,675.0** |
| H2O | 1973 | 137.7 | 124.8 | 144.2 | 149.3 | 193.5 | 195.7 | 183.3 | 192.5 | 147.2 | 156.4 | 145.1 | 170.7 | **13,913.9** |
| OIL | 1973 | 158.3 | 139.4 | 155.7 | 179.9 | 140.2 | 132.8 | 145.1 | 139.4 | 187.0 | 195.3 | 183.7 | 179.3 | **19,693.5** |
| DAY | 1972 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,310.0** |
| H2O | 1972 | 65.3 | 66.0 | 60.4 | 115.3 | 124.2 | 106.8 | 115.7 | 148.0 | 142.0 | 142.9 | 120.5 | 115.1 | **11,973.5** |
| OIL | 1972 | 115.7 | 111.4 | 107.3 | 159.2 | 166.1 | 150.3 | 164.0 | 173.1 | 171.6 | 180.5 | 151.4 | 159.2 | **17,757.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 19.0 | 27.0 | 31.0 | 30.0 | 31.0 | **5,949.0** |
| H2O | 1971 | 68.2 | 67.7 | 72.8 | 75.0 | 78.2 | 64.4 | 68.2 | 46.3 | 52.8 | 64.4 | 58.2 | 60.6 | **10,651.3** |
| OIL | 1971 | 112.3 | 101.5 | 113.6 | 108.4 | 108.5 | 105.0 | 111.7 | 67.4 | 98.0 | 114.1 | 108.1 | 116.8 | **15,947.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,599.0** |
| H2O | 1970 | 302.9 | 287.1 | 350.4 | 315.9 | 325.9 | 318.3 | 279.2 | 285.8 | 72.3 | 72.7 | 62.5 | 57.7 | **9,874.5** |
| OIL | 1970 | 234.1 | 207.4 | 229.6 | 223.3 | 228.2 | 214.2 | 216.1 | 227.7 | 104.9 | 107.9 | 105.5 | 111.2 | **14,682.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 15.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,235.0** |
| H2O | 1969 | 63.6 | 52.0 | 63.3 | 71.1 | 77.1 | 36.9 | 80.0 | 266.1 | 261.2 | 333.7 | 315.9 | 338.8 | **7,143.8** |
| OIL | 1969 | 128.9 | 110.6 | 124.6 | 75.8 | 74.4 | 37.0 | 77.4 | 167.2 | 161.6 | 229.6 | 213.1 | 233.6 | **12,472.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,886.0** |
| H2O | 1968 | 99.0 | 98.1 | 115.1 | 122.9 | 117.5 | 107.0 | 112.7 | 116.1 | 55.6 | 59.5 | 59.0 | 64.5 | **5,184.1** |
| OIL | 1968 | 136.3 | 122.0 | 137.8 | 144.6 | 143.7 | 140.6 | 146.4 | 147.3 | 126.3 | 126.2 | 123.2 | 130.6 | **10,838.3** |
| DAY | 1967 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,520.0** |
| H2O | 1967 | 106.0 | 83.0 | 102.4 | 96.5 | 105.2 | 94.4 | 94.1 | 103.5 | 106.4 | 101.6 | 105.1 | 106.0 | **4,057.1** |
| OIL | 1967 | 147.0 | 117.1 | 144.1 | 137.5 | 144.3 | 127.3 | 139.8 | 137.1 | 139.7 | 140.0 | 139.4 | 140.3 | **9,213.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,157.0** |
| H2O | 1966 | 21.9 | 20.8 | 21.0 | 16.5 | 18.0 | 122.9 | 125.0 | 147.1 | 130.5 | 130.5 | 117.6 | 108.3 | **2,852.9** |
| OIL | 1966 | 52.3 | 47.0 | 58.2 | 42.0 | 39.6 | 143.3 | 154.0 | 151.6 | 158.0 | 169.7 | 150.2 | 146.2 | **7,559.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,794.0** |
| H2O | 1965 | 24.3 | 22.3 | 24.3 | 17.0 | 14.5 | 13.0 | 12.6 | 19.9 | 14.9 | 16.2 | 16.7 | 18.1 | **1,872.8** |
| OIL | 1965 | 39.1 | 35.6 | 38.9 | 37.5 | 38.0 | 34.8 | 31.8 | 29.6 | 31.5 | 32.3 | 34.2 | 41.6 | **6,247.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,431.0** |

# Manitoba Production
## 1950 To 1975

Licence ***750*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1964 | 19.1 | 18.4 | 19.7 | 18.8 | 19.7 | 19.1 | 19.1 | 19.7 | 19.2 | 19.7 | 19.1 | 23.2 | **1,659.0** |
| OIL | 1964 | 28.4 | 28.9 | 29.6 | 28.0 | 29.4 | 28.3 | 28.3 | 32.1 | 38.3 | 39.1 | 38.0 | 38.1 | **5,822.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,065.0** |
| H2O | 1963 | 24.6 | 20.8 | 24.6 | 23.5 | 24.2 | 22.4 | 23.7 | 23.1 | 23.8 | 24.2 | 23.8 | 19.7 | **1,424.2** |
| OIL | 1963 | 29.7 | 26.7 | 28.9 | 29.9 | 28.3 | 26.4 | 28.0 | 26.9 | 28.3 | 28.8 | 28.6 | 29.6 | **5,436.2** |
| DAY | 1962 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,700.0** |
| H2O | 1962 | 9.9 | 8.9 | 9.9 | 9.5 | 24.3 | 77.3 | 36.9 | 20.3 | 26.2 | 24.6 | 25.0 | 24.6 | **1,145.8** |
| OIL | 1962 | 24.8 | 22.4 | 16.0 | 14.1 | 26.4 | 87.6 | 60.4 | 58.2 | 57.0 | 57.2 | 52.4 | 25.3 | **5,096.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,339.0** |
| H2O | 1961 | 12.1 | 8.9 | 9.9 | 9.5 | 9.9 | 9.5 | 9.9 | 9.9 | 9.5 | 9.9 | 9.5 | 9.9 | **848.4** |
| OIL | 1961 | 24.6 | 22.2 | 24.5 | 23.5 | 24.3 | 23.2 | 23.8 | 23.8 | 23.5 | 23.8 | 23.8 | 24.5 | **4,594.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 20.0 | 31.0 | 30.0 | 31.0 | **1,974.0** |
| H2O | 1960 | 4.9 | 4.6 | 7.0 | 9.5 | 10.5 | 9.5 | 10.3 | 9.5 | 9.7 | 9.9 | 9.5 | 14.3 | **730.0** |
| OIL | 1960 | 24.6 | 27.7 | 29.6 | 28.6 | 29.4 | 28.3 | 28.9 | 28.0 | 27.0 | 24.5 | 23.7 | 24.5 | **4,308.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,620.0** |
| H2O | 1959 | 12.1 | 17.8 | 19.7 | 19.1 | 19.2 | 20.2 | 19.7 | 13.7 | 9.5 | 10.7 | 14.3 | 6.5 | **620.8** |
| OIL | 1959 | 44.8 | 61.5 | 69.1 | 63.2 | 52.8 | 47.4 | 48.5 | 48.3 | 45.3 | 43.4 | 23.8 | 24.5 | **3,984.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,255.0** |
| H2O | 1958 | 11.4 | 8.9 | 9.9 | 9.2 | 9.9 | 9.5 | 9.9 | 9.9 | 9.9 | 9.9 | 9.5 | 9.9 | **438.3** |
| OIL | 1958 | 73.9 | 63.2 | 46.7 | 37.5 | 38.9 | 37.7 | 38.8 | 38.6 | 38.1 | 38.1 | 28.4 | 24.6 | **3,411.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 27.0 | 31.0 | 30.0 | 31.0 | **890.0** |
| H2O | 1957 | 14.6 | 13.2 | 14.8 | 9.5 | 10.3 | 16.4 | 13.2 | 13.2 | 11.0 | 14.8 | 14.1 | 13.8 | **320.5** |
| OIL | 1957 | 74.8 | 69.8 | 85.8 | 73.4 | 73.6 | 57.4 | 54.0 | 37.8 | 82.5 | 73.4 | 68.8 | 72.6 | **2,906.9** |
| DAY | 1956 | 31.0 | 26.0 | 30.0 | 25.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 27.0 | **533.0** |
| H2O | 1956 | 8.9 | 8.7 | 14.3 | 12.4 | 11.6 | 11.0 | 9.9 | 13.7 | 14.3 | 8.7 | 9.9 | 8.9 | **161.6** |
| OIL | 1956 | 100.7 | 87.4 | 92.6 | 68.2 | 90.1 | 86.0 | 96.5 | 94.9 | 83.7 | 34.2 | 69.3 | 87.7 | **2,083.0** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 31.0 | 31.0 | 29.0 | 29.0 | 21.0 | 27.0 | **185.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.7 | 4.9 | 4.9 | 4.6 | 4.6 | 3.3 | 4.3 | **29.3** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 114.4 | 240.1 | 231.2 | 179.3 | 152.2 | 87.7 | 86.8 | **1,091.7** |

Licence ***751*** Well Name ***Enerplus Kirkella*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-04-012-29W1.00*** Field Name ***Kirkella*** Pool Name ***Lodgepole Daly B*** Field Code ***9*** Pool Code ***54B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 9.0 | 0.0 | 23.0 | 2.0 | 16.0 | 27.0 | 26.0 | 24.0 | 26.0 | 4.0 | 0.0 | 0.0 | **323.0** |
| H2O | 1956 | 87.8 | 0.0 | 363.8 | 33.2 | 254.2 | 491.8 | 508.8 | 434.1 | 481.1 | 86.3 | 0.0 | 0.0 | **3,390.1** |
| OIL | 1956 | 32.4 | 0.0 | 146.8 | 11.2 | 94.7 | 138.5 | 93.3 | 55.4 | 57.7 | 8.6 | 0.0 | 0.0 | **1,556.2** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 30.0 | 21.0 | 29.0 | 27.0 | 31.0 | **166.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.5 | 6.4 | 73.0 | 112.9 | 167.3 | 285.9 | **649.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 223.2 | 235.2 | 118.7 | 114.8 | 90.7 | 135.0 | **917.6** |

Licence ***752*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 31.0 | 28.0 | 12.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,858.8** |
| H2O | 1973 | 37.9 | 32.8 | 14.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,483.4** |
| OIL | 1973 | 14.3 | 12.4 | 5.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,563.7** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 31.0 | 30.0 | 31.0 | **1,787.8** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 70.7 | 96.0 | 34.7 | 35.8 | **1,398.1** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 76.8 | 98.4 | 13.5 | 14.1 | **1,531.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 7.0 | 0.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,672.8** |
| H2O | 1960 | 24.6 | 23.1 | 23.8 | 28.6 | 38.6 | 6.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,160.9** |

# Manitoba Production
## 1950 To 1975

Licence ***752*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1960 | 8.9 | 6.4 | 7.3 | 8.3 | 5.7 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,329.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 29.0 | 18.0 | 5.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,510.8** |
| H2O | 1959 | 4.9 | 4.5 | 4.9 | 4.6 | 2.9 | 4.1 | 24.6 | 24.6 | 23.8 | 23.4 | 23.8 | 24.6 | **1,015.7** |
| OIL | 1959 | 5.9 | 4.6 | 4.9 | 4.9 | 3.0 | 2.2 | 8.6 | 23.0 | 13.2 | 11.0 | 4.8 | 5.9 | **1,290.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 18.0 | 15.0 | 20.0 | 22.0 | 28.0 | 31.0 | **1,185.8** |
| H2O | 1958 | 24.6 | 15.4 | 14.8 | 14.3 | 14.3 | 14.3 | 9.7 | 13.5 | 11.8 | 30.7 | 10.8 | 4.9 | **845.0** |
| OIL | 1958 | 14.5 | 13.2 | 14.8 | 14.3 | 14.3 | 14.3 | 9.4 | 7.9 | 9.7 | 9.4 | 12.2 | 5.6 | **1,198.3** |
| DAY | 1957 | 26.0 | 11.0 | 0.0 | 22.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | **871.8** |
| H2O | 1957 | 12.4 | 4.9 | 0.0 | 27.8 | 24.6 | 20.8 | 27.2 | 49.0 | 45.2 | 25.4 | 23.1 | 23.8 | **665.9** |
| OIL | 1957 | 16.4 | 12.1 | 0.0 | 23.0 | 24.5 | 17.2 | 24.0 | 22.9 | 22.7 | 20.5 | 15.3 | 14.3 | **1,058.7** |
| DAY | 1956 | 30.8 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **574.8** |
| H2O | 1956 | 30.7 | 41.8 | 49.6 | 20.5 | 15.7 | 20.3 | 20.8 | 14.8 | 24.5 | 16.4 | 14.5 | 14.8 | **381.7** |
| OIL | 1956 | 50.5 | 40.4 | 38.3 | 27.2 | 27.3 | 28.4 | 25.4 | 28.1 | 30.0 | 27.3 | 19.5 | 18.6 | **845.8** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 28.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **211.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 9.1 | 13.5 | 12.2 | 11.1 | 9.9 | 40.9 | **97.3** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 15.1 | 27.5 | 134.1 | 90.3 | 60.1 | 51.8 | 48.1 | 57.8 | **484.8** |

Licence ***754*** Well Name ***Murphy Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1967 | 8553.4 | 6971.8 | 7906.4 | 7605.4 | 7264.6 | 6118.1 | 7125.1 | 6933.3 | 6913.1 | 5316.0 | 0.0 | 0.0 | **540,177.6** |
| WIN | 1966 | 8631.3 | 7912.4 | 8646.7 | 8570.9 | 8940.9 | 8468.5 | 9218.5 | 10171.8 | 9457.0 | 8921.8 | 9582.9 | 9069.4 | **469,470.4** |
| WIN | 1965 | 7101.8 | 5867.9 | 7281.5 | 7020.1 | 8627.3 | 8417.1 | 8320.3 | 8341.0 | 7918.9 | 7539.2 | 7549.5 | 8146.7 | **361,878.3** |
| WIN | 1964 | 7089.1 | 6635.3 | 7041.4 | 6807.5 | 7522.5 | 7297.9 | 7981.7 | 7753.7 | 7925.7 | 8263.9 | 7808.1 | 7625.7 | **269,747.0** |
| WIN | 1963 | 6783.9 | 6178.6 | 7086.2 | 7224.5 | 7415.6 | 7132.0 | 6990.9 | 7295.9 | 7132.0 | 7519.5 | 7359.3 | 7452.5 | **179,994.5** |
| WIN | 1962 | 5834.2 | 5579.5 | 6934.8 | 6646.6 | 6846.9 | 6622.3 | 6563.1 | 6516.0 | 6331.5 | 6932.8 | 6780.6 | 6786.6 | **94,423.6** |
| WIN | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 774.9 | 2500.8 | 2959.3 | 4525.3 | 5288.4 | **16,048.7** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **263.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 12.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,514.7** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **840.5** |
| DAY | 1956 | 31.0 | 29.0 | 30.0 | 0.0 | 16.0 | 25.0 | 17.0 | 1.0 | 0.0 | 0.0 | 0.0 | 1.0 | **262.0** |
| H2O | 1956 | 364.6 | 280.8 | 295.4 | 0.0 | 219.1 | 432.6 | 261.9 | 11.8 | 0.0 | 0.0 | 0.0 | 4.3 | **2,502.4** |
| OIL | 1956 | 89.6 | 58.3 | 51.0 | 0.0 | 34.8 | 41.8 | 22.4 | 0.8 | 0.0 | 0.0 | 0.0 | 0.5 | **839.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 25.0 | 16.0 | 30.0 | 31.0 | **112.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 99.4 | 256.5 | 275.8 | **631.9** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.3 | 52.0 | 147.3 | 240.9 | 72.8 | **540.3** |

Licence ***755*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 0.0 | 12.0 | 31.0 | 30.0 | 26.0 | 30.0 | 30.0 | 21.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,167.0** |
| H2O | 1967 | 0.0 | 239.3 | 653.1 | 615.0 | 551.6 | 607.2 | 1291.6 | 994.2 | 0.0 | 0.0 | 0.0 | 0.0 | **67,786.4** |
| OIL | 1967 | 0.0 | 6.8 | 18.6 | 17.6 | 15.4 | 16.7 | 15.4 | 11.1 | 0.0 | 0.0 | 0.0 | 0.0 | **9,201.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 17.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,987.0** |
| H2O | 1966 | 1015.4 | 973.4 | 973.3 | 763.9 | 481.6 | 135.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **62,834.4** |
| OIL | 1966 | 59.6 | 53.6 | 66.4 | 47.8 | 26.2 | 6.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **9,099.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,845.0** |
| H2O | 1965 | 788.2 | 724.9 | 644.8 | 739.7 | 722.1 | 682.3 | 612.1 | 936.9 | 684.6 | 754.8 | 773.3 | 839.7 | **58,491.7** |
| OIL | 1965 | 33.5 | 27.5 | 27.2 | 32.7 | 38.1 | 36.1 | 38.1 | 34.5 | 35.4 | 36.7 | 38.9 | 47.5 | **8,839.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **3,481.0** |
| H2O | 1964 | 705.7 | 621.5 | 647.4 | 713.3 | 714.0 | 667.7 | 553.6 | 973.0 | 901.4 | 704.3 | 793.5 | 855.6 | **49,588.3** |

# Manitoba Production
## 1950 To 1975

Licence ***755*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1964 | 49.7 | 39.1 | 43.7 | 46.6 | 45.6 | 42.7 | 42.4 | 29.9 | 23.8 | 28.6 | 33.1 | 35.1 | **8,413.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,118.0** |
| H2O | 1963 | 719.4 | 583.1 | 631.2 | 614.6 | 663.4 | 625.6 | 461.7 | 713.3 | 644.3 | 671.5 | 610.3 | 574.7 | **40,737.3** |
| OIL | 1963 | 54.0 | 43.7 | 50.1 | 46.7 | 48.8 | 48.0 | 48.6 | 50.9 | 49.7 | 48.5 | 42.7 | 47.0 | **7,953.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,753.0** |
| H2O | 1962 | 550.7 | 630.7 | 682.8 | 746.1 | 802.7 | 772.0 | 865.3 | 856.1 | 786.3 | 812.7 | 595.5 | 734.3 | **33,224.2** |
| OIL | 1962 | 50.2 | 55.0 | 56.7 | 76.6 | 72.9 | 69.3 | 75.0 | 75.0 | 65.8 | 69.1 | 48.1 | 55.5 | **7,374.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,388.0** |
| H2O | 1961 | 394.4 | 248.6 | 223.8 | 266.8 | 248.2 | 201.7 | 490.8 | 498.2 | 329.1 | 248.3 | 339.6 | 562.8 | **24,389.0** |
| OIL | 1961 | 41.6 | 40.8 | 38.1 | 48.1 | 24.6 | 30.0 | 51.2 | 55.6 | 35.4 | 34.6 | 43.1 | 49.7 | **6,605.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,024.0** |
| H2O | 1960 | 531.3 | 519.1 | 575.3 | 453.4 | 422.6 | 508.4 | 555.8 | 396.0 | 416.4 | 447.4 | 417.0 | 421.8 | **20,336.7** |
| OIL | 1960 | 68.6 | 59.8 | 71.0 | 39.4 | 41.0 | 45.9 | 55.3 | 54.8 | 57.7 | 38.8 | 45.3 | 45.8 | **6,112.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,658.0** |
| H2O | 1959 | 230.4 | 235.0 | 232.1 | 213.7 | 294.0 | 302.5 | 262.2 | 261.7 | 247.1 | 356.6 | 666.1 | 544.7 | **14,672.2** |
| OIL | 1959 | 49.3 | 49.9 | 69.3 | 76.1 | 67.5 | 78.8 | 70.1 | 78.2 | 66.1 | 67.9 | 61.5 | 70.7 | **5,489.2** |
| DAY | 1958 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,295.0** |
| H2O | 1958 | 64.2 | 59.5 | 54.5 | 244.4 | 216.7 | 218.1 | 150.7 | 270.9 | 290.6 | 270.4 | 333.2 | 257.2 | **10,826.1** |
| OIL | 1958 | 27.7 | 22.1 | 32.1 | 74.7 | 42.9 | 79.0 | 58.8 | 71.5 | 83.0 | 68.0 | 70.7 | 70.7 | **4,683.8** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **931.0** |
| H2O | 1957 | 371.5 | 495.4 | 573.8 | 431.6 | 567.9 | 418.9 | 445.6 | 711.8 | 140.4 | 253.7 | 154.2 | 118.9 | **8,395.7** |
| OIL | 1957 | 134.8 | 96.9 | 110.8 | 77.4 | 90.3 | 99.5 | 60.4 | 123.0 | 58.5 | 83.0 | 49.4 | 37.2 | **3,982.6** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **566.0** |
| H2O | 1956 | 238.8 | 267.6 | 295.4 | 222.7 | 202.5 | 203.0 | 188.2 | 201.7 | 340.1 | 336.9 | 378.8 | 536.7 | **3,712.0** |
| OIL | 1956 | 213.6 | 167.5 | 154.9 | 114.1 | 111.6 | 88.8 | 84.5 | 120.6 | 133.0 | 109.0 | 116.0 | 146.5 | **2,961.4** |
| DAY | 1955 | 0.0 | 0.0 | 5.0 | 1.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 10.0 | **200.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.5 | 0.0 | 2.5 | 12.7 | 50.9 | 26.4 | 72.1 | 83.3 | 0.0 | 51.2 | **299.6** |
| OIL | 1955 | 0.0 | 0.0 | 198.6 | 11.8 | 125.2 | 254.6 | 211.7 | 97.4 | 206.3 | 208.3 | 0.0 | 87.4 | **1,401.3** |

Licence ***756*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 8.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,961.0** |
| H2O | 1967 | 90.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **45,051.3** |
| DAY | 1966 | 31.0 | 0.0 | 20.0 | 30.0 | 31.0 | 9.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 3.0 | **3,953.0** |
| H2O | 1966 | 610.0 | 0.0 | 641.7 | 790.3 | 857.9 | 251.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.5 | 61.2 | **44,960.7** |
| OIL | 1966 | 22.1 | 0.0 | 27.0 | 30.2 | 28.6 | 7.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 2.3 | **7,053.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 19.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,827.0** |
| H2O | 1965 | 741.7 | 678.9 | 749.2 | 542.8 | 740.4 | 715.5 | 633.4 | 716.2 | 715.5 | 781.0 | 800.0 | 868.7 | **41,724.1** |
| OIL | 1965 | 26.4 | 21.5 | 25.7 | 12.9 | 18.9 | 21.6 | 24.3 | 16.2 | 22.7 | 23.4 | 24.8 | 30.0 | **6,935.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | **3,478.0** |
| H2O | 1964 | 689.2 | 607.0 | 632.5 | 697.0 | 697.6 | 652.5 | 541.0 | 723.9 | 616.7 | 559.3 | 745.0 | 750.9 | **33,040.8** |
| OIL | 1964 | 49.6 | 38.8 | 43.4 | 46.2 | 45.3 | 42.4 | 42.1 | 43.4 | 28.3 | 22.2 | 25.9 | 27.2 | **6,666.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,119.0** |
| H2O | 1963 | 711.5 | 576.7 | 624.0 | 607.8 | 520.2 | 490.6 | 362.0 | 559.3 | 512.1 | 533.6 | 596.1 | 561.2 | **25,128.2** |
| OIL | 1963 | 54.0 | 43.5 | 49.7 | 46.4 | 39.1 | 38.5 | 38.9 | 40.7 | 39.9 | 38.9 | 42.7 | 47.0 | **6,211.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,754.0** |
| H2O | 1962 | 331.7 | 379.8 | 411.1 | 534.7 | 575.2 | 554.7 | 621.0 | 614.3 | 564.3 | 583.2 | 589.1 | 726.3 | **18,473.1** |
| OIL | 1962 | 31.3 | 34.2 | 35.1 | 57.4 | 54.7 | 52.0 | 56.3 | 56.3 | 49.3 | 51.8 | 48.1 | 55.5 | **5,692.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,389.0** |
| H2O | 1961 | 124.3 | 342.1 | 309.9 | 380.9 | 343.4 | 276.5 | 187.3 | 182.7 | 290.8 | 217.3 | 297.3 | 340.4 | **11,987.7** |

# Manitoba Production
## 1950 To 1975

Licence ***756*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1961 | 24.9 | 65.3 | 61.3 | 79.8 | 39.6 | 47.8 | 32.6 | 35.4 | 31.9 | 31.1 | 38.8 | 31.0 | **5,110.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,024.0** |
| H2O | 1960 | 553.4 | 439.6 | 352.2 | 347.9 | 324.3 | 390.2 | 250.3 | 125.6 | 131.5 | 141.2 | 131.5 | 132.9 | **8,694.8** |
| OIL | 1960 | 76.1 | 59.6 | 48.9 | 57.5 | 59.6 | 66.7 | 50.2 | 32.9 | 34.5 | 23.0 | 27.0 | 27.3 | **4,591.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,658.0** |
| H2O | 1959 | 57.7 | 37.5 | 53.9 | 31.8 | 48.0 | 40.4 | 103.3 | 425.1 | 400.7 | 369.7 | 557.1 | 522.9 | **5,374.2** |
| OIL | 1959 | 19.7 | 12.6 | 28.4 | 22.7 | 21.0 | 18.8 | 49.1 | 156.5 | 132.1 | 105.4 | 71.2 | 78.5 | **4,027.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,293.0** |
| H2O | 1958 | 19.6 | 48.0 | 24.8 | 53.6 | 43.4 | 41.8 | 31.2 | 28.3 | 38.2 | 44.5 | 39.0 | 41.5 | **2,726.1** |
| OIL | 1958 | 25.1 | 20.0 | 29.1 | 34.8 | 24.5 | 36.9 | 29.6 | 21.0 | 24.9 | 27.2 | 15.4 | 28.3 | **3,311.8** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 21.0 | 30.0 | 31.0 | **928.0** |
| H2O | 1957 | 261.2 | 198.4 | 126.7 | 104.0 | 65.5 | 114.8 | 60.9 | 59.1 | 113.8 | 18.1 | 18.6 | 8.6 | **2,272.2** |
| OIL | 1957 | 70.7 | 50.9 | 58.2 | 49.9 | 52.1 | 63.7 | 41.3 | 35.9 | 39.1 | 34.6 | 44.8 | 33.7 | **2,995.0** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **573.0** |
| H2O | 1956 | 53.6 | 193.6 | 214.0 | 30.0 | 39.1 | 38.8 | 43.2 | 25.3 | 43.4 | 73.3 | 74.9 | 105.4 | **1,122.5** |
| OIL | 1956 | 128.6 | 100.9 | 93.3 | 65.5 | 64.0 | 51.0 | 48.6 | 49.4 | 51.2 | 59.1 | 61.0 | 76.9 | **2,420.1** |
| DAY | 1955 | 0.0 | 0.0 | 11.0 | 0.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 2.0 | 10.0 | **207.0** |
| H2O | 1955 | 0.0 | 0.0 | 76.2 | 0.0 | 1.3 | 6.5 | 32.6 | 23.8 | 14.8 | 18.8 | 2.5 | 11.4 | **187.9** |
| OIL | 1955 | 0.0 | 0.0 | 127.0 | 0.0 | 243.3 | 326.2 | 271.3 | 265.4 | 147.3 | 125.1 | 12.4 | 52.6 | **1,570.6** |

Licence ***757*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-14-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 20.0 | 0.0 | 25.0 | 24.0 | 24.0 | 29.0 | 0.0 | **5,354.0** |
| H2O | 1974 | 38.6 | 35.6 | 39.7 | 38.5 | 40.4 | 17.0 | 0.0 | 19.1 | 18.6 | 18.9 | 51.7 | 0.0 | **3,652.3** |
| OIL | 1974 | 18.1 | 15.7 | 18.0 | 38.5 | 40.4 | 8.7 | 0.0 | 11.0 | 10.3 | 10.6 | 16.5 | 0.0 | **4,919.9** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 12.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,081.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 10.3 | 25.6 | 9.7 | 9.5 | 10.3 | 10.2 | 42.8 | 39.3 | 38.8 | **3,334.2** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 5.2 | 13.2 | 50.5 | 8.3 | 8.9 | 8.6 | 41.2 | 38.6 | 39.7 | **4,732.1** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 0.0 | 0.0 | **4,826.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.6 | 25.0 | 23.7 | 23.7 | 14.9 | 0.0 | 0.0 | **3,137.7** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.3 | 13.8 | 14.0 | 13.3 | 21.1 | 0.0 | 0.0 | **4,517.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **4,675.0** |
| H2O | 1971 | 24.2 | 21.9 | 25.3 | 25.3 | 25.4 | 25.0 | 25.0 | 24.2 | 21.6 | 24.2 | 0.0 | 0.0 | **3,027.8** |
| OIL | 1971 | 14.9 | 13.2 | 14.8 | 14.0 | 14.3 | 13.7 | 14.1 | 14.0 | 13.8 | 14.1 | 0.0 | 0.0 | **4,442.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,371.0** |
| H2O | 1970 | 31.5 | 29.4 | 30.8 | 28.5 | 29.4 | 25.1 | 21.0 | 26.7 | 24.8 | 25.8 | 23.5 | 26.2 | **2,785.7** |
| OIL | 1970 | 23.5 | 21.1 | 23.0 | 22.2 | 22.9 | 13.7 | 12.7 | 14.3 | 13.7 | 14.3 | 13.8 | 14.5 | **4,301.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,008.0** |
| H2O | 1969 | 32.6 | 29.6 | 27.8 | 28.5 | 31.2 | 29.7 | 32.0 | 32.4 | 30.5 | 33.2 | 29.7 | 32.6 | **2,463.0** |
| OIL | 1969 | 24.0 | 21.3 | 23.4 | 22.7 | 23.5 | 23.0 | 23.7 | 23.7 | 23.0 | 24.2 | 23.0 | 24.3 | **4,091.8** |
| DAY | 1968 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,643.0** |
| H2O | 1968 | 34.7 | 32.9 | 32.4 | 35.9 | 37.4 | 28.0 | 28.1 | 29.7 | 29.7 | 30.4 | 28.8 | 31.0 | **2,093.2** |
| OIL | 1968 | 14.9 | 13.7 | 13.7 | 14.6 | 14.5 | 29.9 | 28.6 | 24.0 | 23.0 | 23.4 | 22.9 | 24.0 | **3,812.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,280.0** |
| H2O | 1967 | 22.1 | 18.1 | 21.9 | 20.5 | 20.5 | 19.4 | 14.0 | 19.4 | 17.8 | 36.4 | 32.9 | 35.9 | **1,714.2** |
| OIL | 1967 | 53.7 | 47.8 | 53.6 | 51.6 | 53.2 | 51.0 | 48.8 | 49.9 | 50.5 | 14.6 | 14.8 | 15.1 | **3,564.8** |
| DAY | 1966 | 27.0 | 18.0 | 30.0 | 30.0 | 29.0 | 27.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,915.0** |
| H2O | 1966 | 14.8 | 4.6 | 9.4 | 9.7 | 10.0 | 17.0 | 19.9 | 19.6 | 18.4 | 21.8 | 21.6 | 23.2 | **1,435.3** |
| OIL | 1966 | 37.5 | 32.1 | 56.1 | 54.8 | 53.2 | 42.3 | 52.0 | 52.0 | 44.3 | 52.4 | 51.5 | 53.9 | **3,060.2** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 30.0 | 31.0 | **2,573.0** |

# Manitoba Production
## 1950 To 1975

Licence ***757*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-14-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.5 | 17.8 | 18.1 | **1,245.3** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 43.5 | 43.1 | 44.3 | **2,478.1** |
| DAY | 1963 | 24.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,482.0** |
| OIL | 1963 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,347.2** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 18.0 | 25.0 | 15.0 | 0.0 | 20.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,458.0** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 2.9 | 4.3 | 0.6 | 0.0 | 9.4 | 10.8 | 3.8 | 3.2 | 10.2 | **2,344.7** |
| DAY | 1961 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **2,258.0** |
| H2O | 1961 | 4.9 | 4.3 | 4.9 | 4.8 | 5.7 | 4.6 | 5.7 | 8.7 | 7.3 | 7.2 | 4.6 | 4.3 | **1,192.9** |
| OIL | 1961 | 4.9 | 3.8 | 4.9 | 4.3 | 3.8 | 4.3 | 4.1 | 4.4 | 3.8 | 4.3 | 4.4 | 3.7 | **2,299.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 16.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,898.0** |
| H2O | 1960 | 2.7 | 2.4 | 2.2 | 1.3 | 2.4 | 2.4 | 2.1 | 1.0 | 1.9 | 3.7 | 3.7 | 5.1 | **1,125.9** |
| OIL | 1960 | 19.9 | 18.3 | 19.2 | 10.2 | 19.5 | 18.3 | 10.8 | 6.0 | 4.4 | 4.4 | 3.7 | 4.8 | **2,248.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,549.0** |
| H2O | 1959 | 2.1 | 1.7 | 3.8 | 2.9 | 3.2 | 2.2 | 2.5 | 4.8 | 2.7 | 4.0 | 2.5 | 2.4 | **1,095.0** |
| OIL | 1959 | 17.8 | 16.8 | 16.4 | 20.8 | 27.5 | 21.0 | 20.3 | 18.6 | 22.2 | 20.5 | 19.7 | 20.3 | **2,109.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,184.0** |
| H2O | 1958 | 3.3 | 2.9 | 3.0 | 1.6 | 1.7 | 2.2 | 1.9 | 1.7 | 2.1 | 1.7 | 1.0 | 1.6 | **1,060.2** |
| OIL | 1958 | 23.2 | 21.5 | 22.7 | 22.6 | 23.0 | 22.2 | 22.2 | 22.7 | 20.0 | 20.0 | 18.3 | 20.2 | **1,867.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 14.0 | 16.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **819.0** |
| H2O | 1957 | 5.7 | 7.6 | 13.7 | 7.6 | 7.5 | 9.9 | 12.6 | 10.5 | 5.2 | 5.1 | 2.9 | 3.2 | **1,035.5** |
| OIL | 1957 | 49.3 | 43.5 | 50.9 | 20.0 | 39.7 | 62.1 | 64.4 | 50.7 | 28.6 | 22.9 | 24.9 | 23.4 | **1,608.8** |
| DAY | 1956 | 8.0 | 28.0 | 31.0 | 19.0 | 16.0 | 28.0 | 31.0 | 31.0 | 30.0 | 27.0 | 28.0 | 31.0 | **486.0** |
| H2O | 1956 | 5.1 | 15.6 | 16.4 | 10.3 | 9.2 | 17.0 | 24.6 | 17.5 | 11.6 | 2.9 | 5.4 | 4.3 | **944.0** |
| OIL | 1956 | 22.6 | 55.5 | 57.8 | 35.0 | 44.2 | 56.6 | 54.0 | 46.9 | 46.9 | 40.5 | 43.5 | 44.8 | **1,128.4** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 2.0 | 12.0 | 27.0 | 14.0 | 29.0 | 27.0 | 15.0 | 24.0 | 28.0 | **178.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 211.6 | 417.0 | 76.2 | 24.5 | 20.7 | 12.9 | 19.1 | 22.1 | **804.1** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 5.6 | 44.3 | 137.4 | 63.4 | 90.0 | 60.5 | 49.6 | 61.3 | 68.0 | **580.1** |

Licence ***758*** Well Name ***B.A. Union Glinz Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-28-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 29.0 | 26.0 | 30.0 | 22.0 | 30.0 | 17.0 | 0.0 | **3,087.0** |
| H2O | 1964 | 110.0 | 126.9 | 117.0 | 112.6 | 125.9 | 107.3 | 101.1 | 113.2 | 95.7 | 119.1 | 73.0 | 0.0 | **14,314.2** |
| OIL | 1964 | 36.2 | 34.0 | 35.9 | 32.9 | 31.1 | 35.4 | 24.2 | 36.9 | 22.7 | 27.2 | 8.2 | 0.0 | **6,549.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 22.0 | 29.0 | 28.0 | 29.0 | 30.0 | 19.0 | 30.0 | **2,783.0** |
| H2O | 1963 | 128.0 | 101.9 | 109.5 | 118.6 | 98.3 | 106.5 | 108.3 | 103.2 | 106.4 | 107.3 | 38.8 | 103.5 | **13,112.4** |
| OIL | 1963 | 34.6 | 30.7 | 40.0 | 32.3 | 38.5 | 31.1 | 36.9 | 35.0 | 32.7 | 16.2 | 24.2 | 34.3 | **6,224.9** |
| DAY | 1962 | 30.0 | 28.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,447.0** |
| H2O | 1962 | 144.2 | 155.8 | 170.9 | 163.1 | 146.0 | 138.2 | 146.7 | 128.0 | 60.3 | 129.1 | 130.1 | 124.6 | **11,882.1** |
| OIL | 1962 | 35.4 | 41.5 | 41.5 | 41.0 | 38.8 | 36.1 | 30.8 | 28.1 | 30.2 | 32.3 | 32.9 | 34.8 | **5,838.4** |
| DAY | 1961 | 23.0 | 0.0 | 0.0 | 26.0 | 30.0 | 29.0 | 27.0 | 20.0 | 29.0 | 28.0 | 29.0 | 26.0 | **2,088.0** |
| H2O | 1961 | 102.5 | 0.0 | 0.0 | 155.2 | 171.1 | 147.7 | 142.0 | 107.2 | 155.5 | 163.0 | 155.0 | 130.4 | **10,245.1** |
| OIL | 1961 | 27.2 | 0.0 | 0.0 | 47.7 | 41.3 | 39.6 | 35.9 | 26.5 | 46.2 | 39.7 | 45.6 | 34.5 | **5,415.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 29.0 | 28.0 | 31.0 | **1,821.0** |
| H2O | 1960 | 186.0 | 225.1 | 207.8 | 227.8 | 169.8 | 131.0 | 131.0 | 139.8 | 137.8 | 134.7 | 141.5 | 147.9 | **8,815.5** |
| OIL | 1960 | 43.5 | 46.7 | 43.7 | 45.1 | 45.8 | 44.7 | 42.9 | 42.7 | 43.4 | 43.4 | 41.2 | 41.2 | **5,030.8** |
| DAY | 1959 | 21.0 | 0.0 | 11.0 | 30.0 | 31.0 | 30.0 | 19.0 | 30.0 | 29.0 | 27.0 | 27.0 | 30.0 | **1,465.0** |
| H2O | 1959 | 40.1 | 0.0 | 38.5 | 55.8 | 116.4 | 64.5 | 42.6 | 76.5 | 123.7 | 133.9 | 123.7 | 101.3 | **6,835.3** |
| OIL | 1959 | 41.5 | 0.0 | 27.2 | 55.1 | 54.5 | 41.5 | 31.0 | 50.4 | 49.4 | 42.9 | 34.5 | 44.8 | **4,506.5** |
| DAY | 1958 | 29.0 | 27.0 | 30.0 | 22.0 | 30.0 | 28.0 | 30.0 | 29.0 | 29.0 | 28.0 | 29.0 | 10.0 | **1,180.0** |
| H2O | 1958 | 158.4 | 152.5 | 175.2 | 152.9 | 187.4 | 109.1 | 130.1 | 124.8 | 119.6 | 66.9 | 54.2 | 19.1 | **5,918.3** |

# Manitoba Production
## 1950 To 1975

Licence ***758*** Well Name ***B.A. Union Glinz Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-28-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1958 | 74.1 | 69.4 | 69.3 | 57.8 | 65.8 | 61.2 | 61.7 | 58.5 | 58.2 | 52.4 | 46.4 | 16.8 | **4,033.7** |
| DAY | 1957 | 30.0 | 26.0 | 30.0 | 30.0 | 15.0 | 28.0 | 29.0 | 29.0 | 25.0 | 29.0 | 24.0 | 29.0 | **859.0** |
| H2O | 1957 | 148.5 | 164.4 | 190.9 | 234.0 | 119.4 | 249.3 | 183.0 | 180.1 | 149.6 | 111.3 | 143.4 | 194.3 | **4,468.1** |
| OIL | 1957 | 91.2 | 72.0 | 81.5 | 79.9 | 46.1 | 82.3 | 60.1 | 59.4 | 61.2 | 79.1 | 60.7 | 73.7 | **3,342.1** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 18.0 | 17.0 | 29.0 | 31.0 | 31.0 | 30.0 | 28.0 | 26.0 | 29.0 | **535.0** |
| H2O | 1956 | 140.9 | 159.5 | 196.0 | 141.5 | 75.5 | 192.4 | 227.5 | 262.2 | 180.9 | 155.3 | 124.3 | 196.0 | **2,399.9** |
| OIL | 1956 | 115.5 | 107.7 | 116.5 | 62.8 | 74.2 | 102.8 | 104.6 | 105.8 | 93.6 | 81.4 | 76.8 | 88.4 | **2,494.9** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 18.0 | 30.0 | 31.0 | 26.0 | 21.0 | 30.0 | 31.0 | **205.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 8.6 | 25.0 | 24.2 | 48.8 | 56.6 | 55.3 | 53.6 | 75.8 | **347.9** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 172.9 | 219.3 | 185.9 | 218.8 | 162.4 | 122.5 | 154.8 | 128.2 | **1,364.8** |

Licence ***759*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.10-16-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1961 | 26.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 18.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,102.0** |
| H2O | 1961 | 575.0 | 657.9 | 681.4 | 702.9 | 649.6 | 605.3 | 403.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **24,637.0** |
| OIL | 1961 | 53.1 | 53.9 | 54.5 | 56.9 | 55.0 | 56.3 | 34.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **15,518.4** |
| DAY | 1960 | 31.0 | 23.0 | 0.0 | 0.0 | 0.0 | 23.0 | 31.0 | 28.0 | 30.0 | 20.0 | 30.0 | 31.0 | **1,911.0** |
| H2O | 1960 | 1017.7 | 876.0 | 0.0 | 0.0 | 0.0 | 408.4 | 541.5 | 516.6 | 558.4 | 277.3 | 299.5 | 620.1 | **20,361.5** |
| OIL | 1960 | 135.6 | 0.2 | 0.0 | 0.0 | 0.0 | 40.7 | 53.7 | 49.3 | 55.5 | 32.4 | 30.0 | 58.0 | **15,154.1** |
| DAY | 1959 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | **1,664.0** |
| H2O | 1959 | 911.3 | 828.7 | 971.9 | 744.6 | 450.9 | 844.4 | 1030.9 | 1060.8 | 934.7 | 969.5 | 815.0 | 957.3 | **15,246.0** |
| OIL | 1959 | 317.8 | 283.5 | 281.0 | 158.1 | 74.1 | 141.9 | 162.9 | 137.5 | 126.0 | 131.7 | 108.4 | 132.7 | **14,698.7** |
| DAY | 1958 | 25.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,307.0** |
| H2O | 1958 | 213.7 | 239.0 | 290.6 | 82.4 | 224.2 | 274.7 | 299.9 | 295.4 | 262.7 | 281.4 | 358.2 | 820.9 | **4,726.0** |
| OIL | 1958 | 231.7 | 238.5 | 259.5 | 214.8 | 194.3 | 174.6 | 152.7 | 147.9 | 127.4 | 132.2 | 126.5 | 316.9 | **12,643.1** |
| DAY | 1957 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **952.0** |
| H2O | 1957 | 0.6 | 0.5 | 0.8 | 7.5 | 10.8 | 35.6 | 58.5 | 51.4 | 142.9 | 261.1 | 208.3 | 273.5 | **1,082.9** |
| OIL | 1957 | 290.3 | 296.4 | 301.0 | 363.7 | 394.3 | 247.9 | 299.7 | 271.3 | 296.5 | 288.6 | 266.2 | 267.6 | **10,326.1** |
| DAY | 1956 | 20.0 | 20.0 | 31.0 | 25.0 | 17.0 | 25.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **593.0** |
| H2O | 1956 | 0.6 | 0.5 | 0.8 | 0.6 | 0.5 | 8.1 | 5.2 | 3.3 | 5.2 | 0.3 | 0.5 | 0.6 | **31.4** |
| OIL | 1956 | 280.0 | 250.4 | 395.8 | 301.0 | 204.5 | 268.4 | 349.3 | 339.0 | 344.7 | 344.5 | 305.3 | 333.4 | **6,742.6** |
| DAY | 1955 | 0.0 | 0.0 | 8.0 | 30.0 | 23.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **275.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.5 | 0.5 | 0.5 | 0.6 | 0.3 | 0.6 | 0.6 | 0.6 | 0.8 | 0.2 | **5.2** |
| OIL | 1955 | 0.0 | 0.0 | 133.0 | 241.9 | 252.5 | 336.3 | 342.1 | 341.3 | 333.1 | 337.5 | 374.9 | 333.7 | **3,026.3** |

Licence ***760*** Well Name ***Daly Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.16-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 11.0 | 22.0 | 11.0 | 30.0 | 31.0 | **7,300.0** |
| H2O | 1975 | 86.0 | 100.0 | 49.3 | 66.8 | 70.1 | 68.7 | 58.8 | 19.4 | 27.3 | 13.8 | 63.9 | 59.0 | **2,876.5** |
| OIL | 1975 | 240.7 | 230.7 | 267.7 | 224.2 | 233.2 | 230.4 | 218.8 | 64.1 | 199.1 | 49.9 | 232.9 | 240.5 | **21,990.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,983.0** |
| H2O | 1974 | 15.9 | 67.9 | 179.2 | 153.7 | 133.5 | 89.2 | 133.9 | 127.2 | 88.9 | 90.8 | 86.0 | 85.9 | **2,193.4** |
| OIL | 1974 | 345.1 | 307.0 | 346.8 | 310.3 | 305.4 | 271.5 | 278.7 | 232.4 | 260.1 | 265.9 | 265.1 | 255.9 | **19,558.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,618.0** |
| H2O | 1973 | 5.2 | 3.8 | 0.0 | 4.5 | 14.3 | 57.1 | 4.8 | 4.8 | 0.0 | 9.9 | 22.9 | 19.9 | **941.3** |
| OIL | 1973 | 49.3 | 47.7 | 111.5 | 123.8 | 231.8 | 380.1 | 240.2 | 384.6 | 349.5 | 381.1 | 366.3 | 320.6 | **16,114.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,254.0** |
| OIL | 1972 | 58.8 | 55.4 | 57.6 | 45.9 | 44.2 | 46.3 | 46.3 | 46.6 | 42.9 | 49.1 | 46.4 | 49.0 | **13,127.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,888.0** |

# Manitoba Production
## 1950 To 1975

Licence ***760*** Well Name ***Daly Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.16-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1971 | 61.7 | 54.1 | 13.3 | 70.2 | 73.1 | 68.8 | 60.3 | 59.5 | 57.1 | 66.3 | 62.8 | 58.0 | **12,539.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,523.0** |
| OIL | 1970 | 54.1 | 47.4 | 48.5 | 47.4 | 10.6 | 87.9 | 89.0 | 87.6 | 70.7 | 71.4 | 65.0 | 65.2 | **11,833.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,158.0** |
| OIL | 1969 | 12.6 | 11.1 | 12.2 | 11.0 | 16.0 | 56.6 | 59.9 | 60.9 | 52.2 | 58.5 | 61.0 | 48.1 | **11,089.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,794.0** |
| OIL | 1968 | 27.8 | 25.7 | 26.9 | 24.8 | 24.5 | 26.2 | 10.8 | 10.6 | 10.2 | 11.8 | 11.1 | 12.2 | **10,628.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,429.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **794.1** |
| OIL | 1967 | 31.8 | 25.6 | 27.3 | 27.8 | 33.4 | 30.5 | 32.7 | 26.4 | 24.9 | 26.4 | 25.6 | 26.9 | **10,406.3** |
| DAY | 1966 | 22.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,064.0** |
| H2O | 1966 | 1.4 | 1.9 | 1.0 | 0.6 | 0.8 | 0.5 | 0.3 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | **790.5** |
| OIL | 1966 | 55.0 | 55.4 | 65.3 | 61.3 | 36.5 | 33.1 | 31.5 | 30.4 | 32.6 | 32.3 | 32.1 | 31.5 | **10,067.0** |
| DAY | 1965 | 31.0 | 28.0 | 25.0 | 19.0 | 29.0 | 29.0 | 29.0 | 23.0 | 17.0 | 31.0 | 14.0 | 15.0 | **3,712.0** |
| H2O | 1965 | 8.4 | 4.5 | 7.0 | 6.7 | 6.2 | 6.7 | 2.2 | 1.6 | 1.9 | 2.9 | 2.1 | 0.6 | **783.7** |
| OIL | 1965 | 75.8 | 66.6 | 57.7 | 48.8 | 64.2 | 66.9 | 54.4 | 46.9 | 41.5 | 59.3 | 28.9 | 40.7 | **9,570.0** |
| DAY | 1964 | 31.0 | 29.0 | 15.0 | 20.0 | 9.0 | 25.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 28.0 | **3,422.0** |
| H2O | 1964 | 5.4 | 2.1 | 1.4 | 2.9 | 1.4 | 9.1 | 7.2 | 5.7 | 5.7 | 9.7 | 7.6 | 7.3 | **732.9** |
| OIL | 1964 | 44.3 | 42.0 | 18.1 | 21.0 | 9.5 | 60.9 | 71.5 | 74.1 | 75.3 | 72.8 | 62.6 | 74.1 | **8,918.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,115.0** |
| H2O | 1963 | 4.4 | 3.8 | 4.4 | 4.0 | 2.7 | 4.8 | 6.8 | 5.7 | 18.4 | 10.6 | 6.4 | 3.2 | **667.4** |
| OIL | 1963 | 64.4 | 58.0 | 59.6 | 55.8 | 43.5 | 51.2 | 55.5 | 51.7 | 50.3 | 48.6 | 39.9 | 47.2 | **8,292.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,753.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.4 | 4.4 | 4.4 | 4.4 | 4.3 | 4.3 | **592.2** |
| OIL | 1962 | 70.4 | 61.0 | 65.5 | 60.7 | 66.7 | 64.5 | 67.2 | 68.6 | 59.9 | 68.8 | 62.6 | 63.2 | **7,666.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **2,388.0** |
| H2O | 1961 | 6.5 | 5.2 | 6.2 | 20.0 | 7.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **565.0** |
| OIL | 1961 | 109.4 | 97.9 | 104.3 | 98.4 | 100.7 | 80.1 | 71.8 | 77.4 | 73.3 | 71.7 | 67.1 | 54.7 | **6,887.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 19.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,027.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.3 | 0.6 | 24.6 | 21.9 | 22.4 | 21.0 | 6.2 | **519.9** |
| OIL | 1960 | 30.4 | 30.2 | 31.6 | 30.2 | 32.4 | 26.7 | 73.9 | 126.0 | 119.5 | 114.7 | 109.4 | 111.6 | **5,880.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **1,673.0** |
| H2O | 1959 | 1.1 | 0.8 | 0.8 | 1.0 | 2.1 | 0.0 | 0.0 | 15.6 | 0.0 | 0.0 | 0.0 | 0.0 | **419.9** |
| OIL | 1959 | 36.7 | 32.3 | 34.3 | 32.9 | 31.0 | 29.6 | 37.5 | 25.7 | 33.8 | 29.7 | 31.0 | 31.9 | **5,043.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,312.0** |
| H2O | 1958 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 1.0 | 1.0 | 0.8 | **398.5** |
| OIL | 1958 | 49.6 | 42.9 | 41.8 | 46.7 | 44.2 | 42.9 | 39.4 | 38.1 | 29.7 | 32.7 | 38.5 | 37.2 | **4,657.5** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 24.0 | 31.0 | **949.0** |
| H2O | 1957 | 8.7 | 8.6 | 10.0 | 10.7 | 12.7 | 14.8 | 0.2 | 15.6 | 0.2 | 0.8 | 0.6 | 0.8 | **394.1** |
| OIL | 1957 | 76.4 | 74.4 | 83.9 | 73.7 | 91.1 | 49.6 | 66.6 | 70.4 | 60.1 | 49.3 | 36.7 | 49.3 | **4,173.8** |
| DAY | 1956 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **594.0** |
| H2O | 1956 | 12.4 | 13.4 | 14.3 | 14.9 | 19.4 | 18.1 | 14.9 | 21.0 | 20.5 | 12.7 | 14.6 | 7.2 | **310.4** |
| OIL | 1956 | 122.0 | 111.2 | 133.8 | 152.6 | 144.4 | 133.5 | 118.4 | 120.6 | 117.8 | 169.2 | 165.8 | 84.9 | **3,392.3** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 26.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **234.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 16.5 | 13.0 | 24.5 | 25.3 | 9.4 | 9.9 | 13.5 | 14.9 | **127.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 396.4 | 241.3 | 256.7 | 246.4 | 190.2 | 177.0 | 159.6 | 150.5 | **1,818.1** |

Licence ***761*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 22.0 | 31.0 | 8.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,228.0** |

# Manitoba Production
## 1950 To 1975

Licence ***761*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1967 | 608.8 | 459.6 | 466.7 | 375.8 | 626.2 | 161.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **56,744.0** |
| OIL | 1967 | 25.6 | 27.3 | 35.0 | 34.4 | 48.8 | 15.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **14,420.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 28.0 | **4,077.0** |
| H2O | 1966 | 1303.1 | 1180.5 | 1246.3 | 1185.4 | 1124.4 | 307.3 | 300.3 | 405.4 | 362.5 | 371.1 | 661.9 | 674.9 | **54,045.8** |
| OIL | 1966 | 29.9 | 30.2 | 28.0 | 29.4 | 28.4 | 33.4 | 32.6 | 34.6 | 28.3 | 27.8 | 28.8 | 24.0 | **14,234.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,717.0** |
| H2O | 1965 | 770.3 | 783.3 | 843.1 | 750.8 | 1071.6 | 1029.1 | 941.1 | 889.4 | 857.0 | 1140.0 | 1009.9 | 940.6 | **44,922.7** |
| OIL | 1965 | 43.2 | 43.5 | 54.0 | 52.8 | 58.0 | 36.4 | 33.8 | 33.5 | 29.2 | 26.2 | 40.0 | 34.8 | **13,878.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,356.0** |
| H2O | 1964 | 871.1 | 786.5 | 816.9 | 790.7 | 858.7 | 818.3 | 891.0 | 840.6 | 835.2 | 929.8 | 810.8 | 765.2 | **33,896.5** |
| OIL | 1964 | 56.9 | 53.7 | 61.0 | 57.8 | 64.0 | 54.2 | 65.2 | 54.0 | 62.6 | 58.8 | 57.4 | 50.1 | **13,393.4** |
| DAY | 1963 | 31.0 | 26.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,992.0** |
| H2O | 1963 | 262.7 | 241.5 | 281.4 | 945.0 | 912.6 | 884.5 | 923.7 | 900.4 | 915.9 | 936.0 | 859.7 | 892.3 | **23,881.7** |
| OIL | 1963 | 80.7 | 69.6 | 78.2 | 57.7 | 84.4 | 82.6 | 74.8 | 72.6 | 76.4 | 65.6 | 63.4 | 62.6 | **12,697.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,631.0** |
| H2O | 1962 | 238.0 | 180.6 | 287.8 | 272.3 | 124.8 | 342.3 | 258.5 | 186.3 | 188.4 | 222.6 | 234.7 | 269.0 | **14,926.0** |
| OIL | 1962 | 96.0 | 69.0 | 71.2 | 73.6 | 69.1 | 72.0 | 61.5 | 72.5 | 70.7 | 78.0 | 79.8 | 81.0 | **11,829.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,266.0** |
| H2O | 1961 | 164.9 | 190.3 | 185.9 | 171.4 | 164.7 | 228.3 | 231.8 | 234.4 | 205.9 | 218.3 | 235.8 | 235.0 | **12,120.7** |
| OIL | 1961 | 92.8 | 91.7 | 97.3 | 96.0 | 99.6 | 66.9 | 84.5 | 80.1 | 79.6 | 81.2 | 85.3 | 86.0 | **10,934.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,901.0** |
| H2O | 1960 | 222.6 | 202.6 | 212.1 | 218.3 | 203.2 | 144.8 | 183.8 | 22.9 | 135.8 | 143.6 | 132.6 | 161.7 | **9,654.0** |
| OIL | 1960 | 91.8 | 84.5 | 89.6 | 86.1 | 84.7 | 102.3 | 100.9 | 91.8 | 92.6 | 100.6 | 94.2 | 104.9 | **9,893.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,535.0** |
| H2O | 1959 | 191.6 | 162.6 | 168.2 | 177.6 | 182.4 | 207.2 | 210.8 | 215.6 | 206.2 | 212.3 | 206.1 | 221.3 | **7,670.0** |
| OIL | 1959 | 104.4 | 96.3 | 98.8 | 100.3 | 107.1 | 101.2 | 107.7 | 105.2 | 106.0 | 99.5 | 93.6 | 96.6 | **8,769.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **1,170.0** |
| H2O | 1958 | 203.7 | 167.4 | 173.6 | 176.5 | 178.7 | 162.8 | 181.4 | 198.1 | 216.4 | 230.5 | 173.0 | 199.2 | **5,308.1** |
| OIL | 1958 | 120.0 | 126.2 | 142.5 | 136.2 | 136.8 | 129.0 | 129.2 | 130.1 | 124.6 | 118.9 | 97.9 | 116.6 | **7,553.0** |
| DAY | 1957 | 25.0 | 0.0 | 1.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **809.0** |
| H2O | 1957 | 112.7 | 0.0 | 5.2 | 140.1 | 157.9 | 230.7 | 191.3 | 153.7 | 167.3 | 186.3 | 172.7 | 189.7 | **3,046.8** |
| OIL | 1957 | 103.9 | 0.0 | 3.2 | 111.1 | 161.3 | 151.4 | 167.5 | 154.8 | 147.9 | 159.2 | 148.7 | 138.1 | **6,045.0** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 17.0 | 22.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **509.0** |
| H2O | 1956 | 26.1 | 58.3 | 70.8 | 24.8 | 35.3 | 80.6 | 123.2 | 148.0 | 141.0 | 157.2 | 154.2 | 158.7 | **1,339.2** |
| OIL | 1956 | 309.6 | 279.2 | 293.2 | 155.4 | 246.0 | 269.4 | 225.7 | 221.8 | 199.0 | 171.6 | 167.2 | 164.9 | **4,597.9** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 26.0 | 27.0 | 28.0 | 28.0 | 28.0 | **166.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.7 | 10.5 | 62.2 | 28.9 | 32.6 | 25.1 | **161.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 301.8 | 293.5 | 317.5 | 368.5 | 338.8 | 274.8 | **1,894.9** |

Licence ***762*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 13.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,593.0** |
| H2O | 1971 | 390.6 | 327.8 | 259.5 | 352.2 | 284.1 | 211.9 | 92.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **47,138.7** |
| OIL | 1971 | 42.4 | 39.1 | 49.4 | 50.1 | 42.3 | 28.6 | 19.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **16,729.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,399.0** |
| H2O | 1970 | 272.5 | 293.0 | 265.4 | 278.9 | 228.0 | 286.2 | 382.7 | 364.7 | 358.4 | 370.6 | 350.6 | 367.7 | **45,220.6** |
| OIL | 1970 | 32.0 | 36.7 | 43.7 | 44.0 | 37.4 | 46.4 | 42.6 | 41.5 | 41.3 | 40.2 | 37.7 | 47.4 | **16,458.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 29.0 | 31.0 | **5,038.0** |
| H2O | 1969 | 378.4 | 353.6 | 361.1 | 258.7 | 315.1 | 317.8 | 335.1 | 180.6 | 170.9 | 299.2 | 271.4 | 292.5 | **41,401.9** |
| OIL | 1969 | 47.4 | 46.1 | 49.6 | 42.0 | 50.6 | 45.9 | 43.7 | 32.0 | 34.5 | 40.1 | 40.4 | 54.4 | **15,967.8** |

# Manitoba Production
## 1950 To 1975

Licence ***762*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 15.0 | 0.0 | 7.0 | 28.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,677.0** |
| H2O | 1968 | 87.8 | 0.0 | 93.0 | 236.9 | 226.2 | 282.5 | 248.0 | 303.5 | 285.2 | 305.4 | 264.4 | 48.2 | **37,867.5** |
| OIL | 1968 | 21.6 | 0.0 | 18.0 | 61.5 | 50.2 | 51.5 | 45.9 | 54.9 | 45.0 | 54.4 | 48.5 | 43.4 | **15,441.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 19.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,384.0** |
| H2O | 1967 | 299.5 | 253.3 | 355.5 | 113.4 | 308.8 | 242.0 | 322.3 | 315.3 | 201.9 | 218.0 | 309.7 | 273.5 | **35,486.4** |
| OIL | 1967 | 44.2 | 55.5 | 55.5 | 65.8 | 55.8 | 28.1 | 51.0 | 54.2 | 39.3 | 63.9 | 47.2 | 53.9 | **14,946.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,032.0** |
| H2O | 1966 | 281.7 | 266.3 | 298.7 | 290.5 | 310.0 | 353.6 | 318.9 | 312.9 | 266.3 | 302.4 | 321.8 | 320.2 | **32,273.2** |
| OIL | 1966 | 49.4 | 44.4 | 49.9 | 46.3 | 54.2 | 55.8 | 59.1 | 53.4 | 49.1 | 49.8 | 49.0 | 52.8 | **14,331.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,668.0** |
| H2O | 1965 | 311.1 | 253.4 | 270.1 | 295.1 | 273.0 | 267.1 | 282.2 | 279.7 | 268.4 | 287.6 | 281.9 | 302.6 | **28,629.9** |
| OIL | 1965 | 53.4 | 49.3 | 55.3 | 55.3 | 62.2 | 51.8 | 52.0 | 46.6 | 47.7 | 50.6 | 54.7 | 54.4 | **13,718.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,303.0** |
| H2O | 1964 | 223.5 | 207.3 | 28.9 | 62.3 | 143.6 | 191.6 | 350.2 | 260.4 | 278.1 | 310.0 | 246.4 | 356.1 | **25,257.7** |
| OIL | 1964 | 52.1 | 47.7 | 37.8 | 45.5 | 52.1 | 42.1 | 52.3 | 37.4 | 47.9 | 38.5 | 50.1 | 59.8 | **13,085.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,943.0** |
| H2O | 1963 | 270.9 | 212.2 | 243.4 | 220.2 | 239.1 | 219.7 | 231.6 | 249.8 | 245.2 | 238.0 | 243.3 | 258.2 | **22,599.3** |
| OIL | 1963 | 55.2 | 49.1 | 58.0 | 52.3 | 50.2 | 49.1 | 50.9 | 51.0 | 60.9 | 65.2 | 51.8 | 54.7 | **12,522.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 29.0 | 29.0 | 31.0 | **2,580.0** |
| H2O | 1962 | 263.3 | 258.0 | 279.0 | 250.9 | 275.8 | 262.8 | 279.2 | 214.8 | 256.0 | 250.6 | 226.7 | 263.0 | **19,727.7** |
| OIL | 1962 | 67.6 | 60.3 | 69.3 | 61.2 | 63.6 | 60.6 | 62.3 | 64.9 | 54.2 | 46.6 | 60.9 | 53.7 | **11,873.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **2,224.0** |
| H2O | 1961 | 54.7 | 52.6 | 206.0 | 237.7 | 219.4 | 117.8 | 124.6 | 112.7 | 85.5 | 78.4 | 41.0 | 182.4 | **16,647.6** |
| OIL | 1961 | 65.0 | 57.1 | 81.1 | 77.9 | 76.8 | 62.5 | 102.0 | 67.6 | 52.9 | 50.6 | 39.4 | 43.4 | **11,148.4** |
| DAY | 1960 | 31.0 | 29.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,862.0** |
| H2O | 1960 | 154.9 | 140.1 | 204.1 | 258.0 | 267.7 | 157.9 | 107.5 | 92.4 | 55.8 | 56.0 | 52.1 | 63.3 | **15,134.8** |
| OIL | 1960 | 82.8 | 76.5 | 88.9 | 79.2 | 94.8 | 77.6 | 82.5 | 80.9 | 63.4 | 69.3 | 67.7 | 66.1 | **10,372.1** |
| DAY | 1959 | 26.0 | 0.0 | 0.0 | 0.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,502.0** |
| H2O | 1959 | 284.1 | 0.0 | 0.0 | 0.0 | 167.4 | 180.6 | 190.5 | 220.4 | 216.7 | 234.0 | 232.8 | 234.7 | **13,525.0** |
| OIL | 1959 | 88.2 | 0.0 | 0.0 | 0.0 | 109.3 | 100.9 | 101.9 | 101.9 | 89.5 | 100.4 | 86.8 | 90.5 | **9,442.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **1,234.0** |
| H2O | 1958 | 428.8 | 354.2 | 342.3 | 438.6 | 439.3 | 375.8 | 333.6 | 425.1 | 349.8 | 404.0 | 323.9 | 322.6 | **11,563.8** |
| OIL | 1958 | 121.7 | 109.7 | 118.4 | 116.7 | 117.8 | 120.8 | 121.1 | 117.6 | 94.4 | 108.9 | 106.5 | 109.0 | **8,573.0** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **873.0** |
| H2O | 1957 | 333.9 | 291.3 | 231.8 | 370.1 | 314.2 | 313.0 | 458.2 | 394.8 | 418.3 | 389.2 | 336.7 | 414.3 | **7,025.8** |
| OIL | 1957 | 218.5 | 210.6 | 231.7 | 192.0 | 162.3 | 158.6 | 162.0 | 162.8 | 154.8 | 122.2 | 117.9 | 123.5 | **7,210.4** |
| DAY | 1956 | 28.0 | 28.0 | 30.0 | 20.0 | 18.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 19.0 | **509.0** |
| H2O | 1956 | 190.1 | 98.3 | 209.9 | 73.8 | 74.4 | 87.8 | 99.4 | 91.4 | 259.3 | 343.6 | 298.9 | 194.1 | **2,760.0** |
| OIL | 1956 | 303.4 | 289.4 | 249.0 | 166.6 | 169.6 | 292.9 | 277.5 | 257.1 | 231.7 | 222.8 | 226.1 | 131.6 | **5,193.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 27.0 | 27.0 | 27.0 | 26.0 | 21.0 | 28.0 | **185.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 78.5 | 82.7 | 114.0 | 193.0 | 125.4 | 37.8 | 107.6 | **739.0** |
| OIL | 1955 | 0.0 | 0.0 | 3.0 | 0.0 | 0.0 | 429.6 | 353.1 | 355.4 | 346.0 | 343.9 | 253.3 | 291.5 | **2,375.8** |

Licence ***763*** Well Name ***B.A. Union Grose Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.07-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Duperow*** Field Code ***5*** Pool Code ***72*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1968 | 11102.4 | 9769.3 | 10801.9 | 11550.6 | 12616.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **735,939.4** |
| WIN | 1967 | 6095.1 | 7009.0 | 7758.2 | 6853.5 | 8487.2 | 9943.4 | 9399.2 | 7926.7 | 7719.6 | 5703.2 | 10571.5 | 11827.7 | **680,098.9** |
| WIN | 1966 | 4071.8 | 3342.2 | 3809.8 | 3992.6 | 4569.1 | 4698.8 | 4920.8 | 4834.7 | 4612.8 | 4684.0 | 4596.7 | 5300.6 | **580,804.6** |
| WIN | 1965 | 4588.5 | 3989.2 | 4391.0 | 4472.9 | 4965.6 | 4724.7 | 5169.7 | 5132.2 | 4709.5 | 4515.7 | 4243.1 | 4096.9 | **527,370.7** |
| WIN | 1964 | 4345.9 | 3994.0 | 4073.8 | 4246.8 | 4194.7 | 4002.3 | 4152.0 | 4507.2 | 4469.9 | 4857.3 | 4805.8 | 4660.7 | **472,371.7** |

# Manitoba Production
## 1950 To 1975

Licence ***763*** Well Name ***B.A. Union Grose Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.07-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Duperow*** Field Code ***5*** Pool Code ***72*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1963 | 4129.5 | 3518.2 | 4002.4 | 4767.8 | 4786.1 | 4635.7 | 4905.8 | 4746.7 | 4763.7 | 4816.0 | 4421.7 | 4421.2 | **420,061.3** |
| WIN | 1962 | 4792.1 | 4165.6 | 4568.8 | 4539.0 | 4542.0 | 4280.2 | 5328.6 | 4983.2 | 4842.1 | 5189.8 | 4807.4 | 4720.4 | **366,146.5** |
| WIN | 1961 | 5598.0 | 5369.6 | 5867.9 | 5523.8 | 4035.5 | 4107.0 | 4250.1 | 4382.7 | 4361.9 | 4770.5 | 5000.1 | 4991.7 | **309,387.3** |
| WIN | 1960 | 5588.6 | 5239.7 | 5551.5 | 5509.2 | 5590.6 | 5605.3 | 5913.1 | 4810.4 | 4728.4 | 5297.7 | 5741.5 | 5658.5 | **251,128.5** |
| WIN | 1959 | 4286.4 | 3970.3 | 4622.5 | 4729.2 | 4811.9 | 4559.1 | 4579.1 | 4375.3 | 5080.7 | 5141.8 | 5643.3 | 5714.2 | **185,894.0** |
| WIN | 1958 | 4451.7 | 4010.1 | 3797.1 | 3306.2 | 3989.4 | 3853.6 | 4348.2 | 3874.1 | 3074.2 | 4250.5 | 4144.1 | 4380.5 | **128,380.2** |
| WIN | 1957 | 2832.0 | 2597.2 | 2869.7 | 1997.8 | 2691.0 | 3749.7 | 3933.8 | 3799.2 | 3923.8 | 4149.7 | 4614.2 | 4701.4 | **80,900.5** |
| WIN | 1956 | 1384.1 | 1247.2 | 1301.2 | 1172.1 | 2062.3 | 2305.6 | 3080.2 | 3027.6 | 3283.6 | 3738.3 | 3053.2 | 3079.9 | **39,041.0** |
| WIN | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 163.1 | 2152.5 | 2241.3 | 2530.1 | 1677.7 | 1541.0 | **10,305.7** |

Licence ***764*** Well Name ***Mead Ebor SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-26-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 157.1 | 185.1 | 118.8 | 4.8 | 4.9 | 405.4 | 143.1 | 113.5 | 118.0 | 121.5 | 66.0 | 11.6 | **3,650.9** |
| WIN | 1974 | 0.0 | 0.0 | 0.0 | 25.4 | 100.5 | 100.5 | 5.1 | 5.1 | 474.6 | 372.0 | 284.6 | 173.1 | **2,201.1** |
| WIN | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.8 | 15.9 | 15.9 | 12.7 | **660.2** |
| WIN | 1972 | 3.2 | 1.6 | 17.5 | 17.5 | 17.5 | 1.6 | 9.5 | 0.0 | 7.2 | 9.5 | 1.7 | 0.8 | **583.9** |
| WIN | 1971 | 0.0 | 0.0 | 0.0 | 1.6 | 1.6 | 1.6 | 17.5 | 17.5 | 10.3 | 12.7 | 2.2 | 17.5 | **496.3** |
| WIN | 1970 | 3.3 | 0.0 | 6.0 | 14.5 | 16.2 | 1.6 | 1.6 | 1.9 | 4.8 | 3.2 | 0.0 | 0.0 | **413.8** |
| WIN | 1969 | 1.6 | 0.0 | 1.9 | 66.1 | 46.1 | 35.0 | 21.9 | 17.5 | 25.4 | 29.4 | 17.8 | 19.4 | **360.7** |
| WIN | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 41.7 | 20.7 | 12.7 | 3.5 | **78.6** |
| DAY | 1961 | 30.0 | 28.0 | 31.0 | 23.0 | 21.0 | 29.0 | 31.0 | 30.0 | 10.0 | 0.0 | 0.0 | 0.0 | **1,645.0** |
| H2O | 1961 | 197.5 | 156.1 | 232.6 | 160.9 | 228.2 | 262.3 | 267.4 | 285.1 | 94.9 | 0.0 | 0.0 | 0.0 | **2,240.8** |
| OIL | 1961 | 65.8 | 48.6 | 48.1 | 29.1 | 22.4 | 82.0 | 68.5 | 42.0 | 4.1 | 0.0 | 0.0 | 0.0 | **3,090.0** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | 6.0 | 11.0 | **1,412.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.8 | 4.6 | 7.3 | 6.5 | 7.6 | 1.4 | 46.3 | **355.8** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 50.2 | 50.9 | 49.0 | 42.6 | 33.1 | 33.9 | 7.2 | 27.0 | **2,679.4** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 0.0 | 0.0 | **1,230.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 15.9 | 12.6 | 14.8 | 14.3 | 12.4 | 9.5 | 0.0 | 0.0 | **275.3** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 56.3 | 49.1 | 55.3 | 42.6 | 36.7 | 34.2 | 0.0 | 0.0 | **2,385.5** |
| DAY | 1958 | 31.0 | 12.0 | 23.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 15.0 | 0.0 | **1,055.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.3 | 13.0 | 13.4 | 12.1 | 6.0 | 0.0 | **195.8** |
| OIL | 1958 | 47.1 | 21.1 | 44.8 | 44.5 | 37.8 | 32.8 | 33.7 | 33.5 | 29.6 | 26.4 | 14.5 | 0.0 | **2,111.3** |
| DAY | 1957 | 31.0 | 28.0 | 20.0 | 0.0 | 0.0 | 12.0 | 10.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **761.0** |
| H2O | 1957 | 3.7 | 3.5 | 2.1 | 0.0 | 0.0 | 5.2 | 1.1 | 11.9 | 10.5 | 10.2 | 0.0 | 2.1 | **144.0** |
| OIL | 1957 | 44.2 | 40.2 | 24.3 | 0.0 | 0.0 | 23.1 | 27.8 | 71.5 | 54.4 | 56.9 | 44.4 | 45.9 | **1,745.5** |
| DAY | 1956 | 21.0 | 29.0 | 30.0 | 24.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 29.0 | **508.0** |
| H2O | 1956 | 2.4 | 3.5 | 5.4 | 2.7 | 12.6 | 11.6 | 7.0 | 5.6 | 6.0 | 4.9 | 4.9 | 4.3 | **93.7** |
| OIL | 1956 | 55.8 | 66.5 | 55.2 | 53.9 | 67.7 | 61.1 | 69.0 | 54.1 | 57.9 | 50.7 | 45.9 | 42.9 | **1,312.8** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **166.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 4.6 | 2.4 | 4.5 | 5.4 | 3.8 | **22.8** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 57.4 | 201.4 | 109.8 | 95.6 | 91.7 | 76.2 | **632.1** |

Licence ***768*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 22.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,409.0** |
| H2O | 1975 | 90.5 | 63.6 | 95.4 | 79.5 | 101.7 | 90.5 | 95.2 | 96.3 | 90.0 | 75.4 | 72.0 | 73.6 | **15,009.8** |
| OIL | 1975 | 356.9 | 253.1 | 359.8 | 291.3 | 352.5 | 331.3 | 338.3 | 334.7 | 350.6 | 328.9 | 322.1 | 331.5 | **50,989.8** |
| DAY | 1974 | 30.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,055.0** |
| H2O | 1974 | 38.6 | 34.3 | 39.1 | 38.0 | 42.0 | 45.6 | 37.5 | 92.4 | 92.8 | 95.2 | 83.0 | 91.4 | **13,986.1** |

# Manitoba Production
## 1950 To 1975

Licence ***768*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1974 | 304.5 | 311.0 | 323.7 | 333.6 | 339.1 | 329.1 | 353.6 | 363.4 | 342.1 | 353.6 | 333.6 | 354.5 | **47,038.8** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 29.0 | 30.0 | 28.0 | **6,693.0** |
| H2O | 1973 | 78.4 | 68.7 | 76.8 | 116.9 | 117.6 | 59.8 | 54.8 | 32.4 | 32.1 | 32.1 | 32.7 | 33.5 | **13,256.2** |
| OIL | 1973 | 272.7 | 331.6 | 359.0 | 322.1 | 309.7 | 328.6 | 352.0 | 327.0 | 309.2 | 304.9 | 314.2 | 268.6 | **42,997.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,336.0** |
| H2O | 1972 | 89.0 | 89.8 | 90.0 | 65.3 | 70.4 | 65.0 | 61.8 | 74.1 | 70.9 | 71.4 | 72.5 | 65.3 | **12,520.4** |
| OIL | 1972 | 305.7 | 294.8 | 310.5 | 310.0 | 323.4 | 313.7 | 300.5 | 287.5 | 285.4 | 300.2 | 275.9 | 273.5 | **39,197.4** |
| DAY | 1971 | 31.0 | 28.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,970.0** |
| H2O | 1971 | 123.2 | 101.1 | 188.1 | 215.4 | 209.2 | 184.7 | 93.6 | 103.3 | 93.0 | 78.7 | 71.1 | 82.5 | **11,634.9** |
| OIL | 1971 | 267.4 | 236.6 | 324.7 | 343.9 | 321.3 | 332.6 | 349.8 | 344.4 | 328.3 | 343.1 | 325.4 | 308.8 | **35,616.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,609.0** |
| H2O | 1970 | 201.7 | 191.4 | 233.5 | 210.5 | 150.2 | 146.0 | 128.6 | 132.1 | 139.5 | 140.0 | 120.7 | 104.4 | **10,091.0** |
| OIL | 1970 | 316.2 | 280.5 | 310.5 | 301.9 | 275.7 | 257.8 | 260.6 | 275.9 | 276.0 | 283.7 | 277.6 | 264.9 | **31,790.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **5,245.0** |
| H2O | 1969 | 196.5 | 160.8 | 195.5 | 195.2 | 166.9 | 159.9 | 168.7 | 153.0 | 188.2 | 222.4 | 210.5 | 225.8 | **8,192.4** |
| OIL | 1969 | 270.9 | 232.5 | 262.2 | 271.7 | 246.2 | 244.9 | 249.5 | 249.3 | 263.5 | 310.5 | 287.9 | 315.8 | **28,408.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,882.0** |
| H2O | 1968 | 115.1 | 115.1 | 134.1 | 143.0 | 198.1 | 174.6 | 197.1 | 184.3 | 172.2 | 183.5 | 182.7 | 197.3 | **5,949.0** |
| OIL | 1968 | 304.9 | 275.2 | 308.0 | 323.7 | 253.9 | 242.5 | 270.5 | 259.3 | 265.5 | 265.5 | 259.3 | 271.9 | **25,203.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 15.0 | 30.0 | 31.0 | **4,518.0** |
| H2O | 1967 | 51.8 | 44.2 | 50.1 | 47.4 | 51.7 | 45.0 | 38.3 | 42.3 | 43.4 | 18.4 | 122.1 | 123.2 | **3,951.9** |
| OIL | 1967 | 200.7 | 174.5 | 196.7 | 187.8 | 220.1 | 188.6 | 200.4 | 196.7 | 200.5 | 89.3 | 311.8 | 313.7 | **21,903.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,169.0** |
| H2O | 1966 | 35.1 | 33.9 | 33.9 | 26.5 | 28.8 | 64.5 | 61.2 | 72.0 | 63.9 | 64.1 | 57.7 | 53.1 | **3,274.0** |
| OIL | 1966 | 135.1 | 121.6 | 150.5 | 108.2 | 102.2 | 209.9 | 210.4 | 207.1 | 216.1 | 231.8 | 205.5 | 199.6 | **19,422.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,804.0** |
| H2O | 1965 | 29.1 | 26.7 | 29.1 | 25.0 | 24.2 | 21.8 | 21.3 | 31.8 | 24.0 | 26.2 | 26.9 | 29.1 | **2,679.3** |
| OIL | 1965 | 126.7 | 115.8 | 120.1 | 107.9 | 99.2 | 87.6 | 87.2 | 76.6 | 81.4 | 83.1 | 88.2 | 107.4 | **17,324.8** |
| DAY | 1964 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,440.0** |
| H2O | 1964 | 19.1 | 21.6 | 29.6 | 28.1 | 29.6 | 28.6 | 28.6 | 29.6 | 28.8 | 29.6 | 28.6 | 28.6 | **2,364.1** |
| OIL | 1964 | 99.5 | 116.6 | 152.7 | 139.2 | 137.0 | 132.2 | 132.8 | 136.8 | 134.4 | 135.7 | 128.2 | 127.8 | **16,143.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,078.0** |
| H2O | 1963 | 34.5 | 31.2 | 32.7 | 33.2 | 33.9 | 31.5 | 32.4 | 32.1 | 33.4 | 31.0 | 28.6 | 19.7 | **2,033.7** |
| OIL | 1963 | 109.0 | 98.2 | 107.3 | 102.7 | 104.9 | 98.7 | 103.6 | 100.0 | 103.8 | 105.7 | 104.7 | 108.5 | **14,570.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **2,713.0** |
| H2O | 1962 | 19.7 | 17.8 | 19.7 | 19.1 | 19.7 | 19.9 | 19.7 | 19.7 | 15.6 | 10.2 | 23.4 | 44.5 | **1,659.5** |
| OIL | 1962 | 94.9 | 86.3 | 93.0 | 90.1 | 91.1 | 89.6 | 86.0 | 83.7 | 73.3 | 66.7 | 65.8 | 99.3 | **13,323.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,351.0** |
| H2O | 1961 | 17.5 | 17.8 | 19.7 | 19.1 | 19.7 | 19.1 | 19.7 | 19.7 | 19.1 | 19.7 | 19.1 | 19.7 | **1,410.5** |
| OIL | 1961 | 120.0 | 111.4 | 122.8 | 118.2 | 121.4 | 116.5 | 118.4 | 120.3 | 115.8 | 115.8 | 114.1 | 100.3 | **12,303.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,986.0** |
| H2O | 1960 | 19.7 | 18.4 | 19.7 | 23.8 | 19.7 | 17.8 | 19.5 | 13.5 | 16.0 | 22.4 | 16.8 | 15.3 | **1,180.6** |
| OIL | 1960 | 174.3 | 166.7 | 152.6 | 138.7 | 127.4 | 113.3 | 122.7 | 118.7 | 120.0 | 120.6 | 129.7 | 126.8 | **10,908.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,622.0** |
| H2O | 1959 | 21.9 | 24.5 | 20.8 | 19.7 | 19.2 | 19.1 | 19.7 | 19.7 | 32.1 | 24.8 | 28.0 | 20.5 | **958.0** |
| OIL | 1959 | 188.6 | 168.1 | 186.6 | 177.3 | 172.3 | 166.5 | 164.0 | 157.6 | 148.1 | 151.4 | 168.1 | 175.8 | **9,297.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,257.0** |
| H2O | 1958 | 25.3 | 23.2 | 27.5 | 22.1 | 20.7 | 16.8 | 18.3 | 19.7 | 18.1 | 18.8 | 18.9 | 21.9 | **688.0** |
| OIL | 1958 | 126.0 | 90.6 | 94.4 | 69.1 | 119.7 | 121.2 | 117.1 | 111.4 | 113.9 | 124.9 | 150.3 | 188.0 | **7,272.9** |
| DAY | 1957 | 28.0 | 20.0 | 22.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **894.0** |
| H2O | 1957 | 13.8 | 9.1 | 17.0 | 16.0 | 27.5 | 44.2 | 25.4 | 26.5 | 26.1 | 28.8 | 26.7 | 24.9 | **436.7** |
| OIL | 1957 | 131.3 | 92.6 | 161.0 | 198.3 | 161.9 | 159.1 | 156.8 | 152.6 | 144.6 | 141.0 | 137.9 | 136.5 | **5,846.3** |

# Manitoba Production
## 1950 To 1975

Licence ***768*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 31.0 | 29.0 | 29.0 | 24.0 | 28.0 | 28.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **550.0** |
| H2O | 1956 | 4.1 | 5.2 | 7.8 | 10.7 | 7.8 | 10.2 | 13.5 | 19.7 | 4.8 | 4.9 | 13.0 | 15.6 | **150.7** |
| OIL | 1956 | 176.1 | 207.7 | 199.0 | 198.8 | 218.2 | 187.5 | 119.5 | 227.1 | 205.8 | 200.5 | 185.4 | 144.4 | **4,072.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 25.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **208.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 4.1 | 5.1 | 4.8 | 4.8 | 4.6 | 4.8 | 4.9 | **33.4** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 18.4 | 168.8 | 304.5 | 294.1 | 259.2 | 254.6 | 261.1 | 242.0 | **1,802.7** |

Licence ***769*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,292.0** |
| H2O | 1975 | 5.1 | 4.8 | 5.4 | 5.2 | 5.7 | 5.1 | 4.9 | 5.4 | 4.8 | 4.6 | 4.5 | 4.5 | **9,872.9** |
| OIL | 1975 | 42.3 | 38.5 | 42.7 | 39.9 | 41.8 | 39.3 | 39.9 | 42.1 | 42.6 | 42.9 | 42.0 | 43.1 | **10,777.0** |
| DAY | 1974 | 2.0 | 0.0 | 0.0 | 8.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,927.0** |
| H2O | 1974 | 0.3 | 0.0 | 0.0 | 1.4 | 5.9 | 6.4 | 5.2 | 5.2 | 5.2 | 5.4 | 4.6 | 5.2 | **9,812.9** |
| OIL | 1974 | 2.7 | 0.0 | 0.0 | 12.1 | 45.4 | 44.2 | 47.4 | 47.5 | 44.7 | 46.2 | 39.6 | 42.0 | **10,279.9** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,672.0** |
| H2O | 1973 | 13.8 | 12.4 | 8.7 | 9.1 | 9.4 | 9.5 | 0.0 | 0.0 | 0.0 | 4.9 | 4.6 | 5.4 | **9,768.1** |
| OIL | 1973 | 18.8 | 16.5 | 53.1 | 55.1 | 54.3 | 52.4 | 3.8 | 4.1 | 4.1 | 44.8 | 42.1 | 41.2 | **9,908.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,313.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.4 | 12.6 | 13.2 | 12.6 | 11.6 | **9,690.3** |
| OIL | 1972 | 51.2 | 49.3 | 52.0 | 48.8 | 49.3 | 49.3 | 50.2 | 48.8 | 17.3 | 18.8 | 18.6 | 18.9 | **9,517.8** |
| DAY | 1971 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,949.0** |
| H2O | 1971 | 4.1 | 3.7 | 4.3 | 4.6 | 4.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **9,631.9** |
| OIL | 1971 | 42.7 | 35.9 | 43.4 | 41.3 | 41.3 | 48.3 | 51.3 | 50.7 | 48.3 | 50.4 | 47.8 | 51.6 | **9,045.3** |
| DAY | 1970 | 31.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,586.0** |
| H2O | 1970 | 13.7 | 9.5 | 15.7 | 14.3 | 14.8 | 14.6 | 12.7 | 11.3 | 4.3 | 4.5 | 3.8 | 3.5 | **9,610.4** |
| OIL | 1970 | 45.9 | 29.9 | 45.3 | 44.0 | 45.0 | 42.7 | 43.1 | 39.4 | 40.0 | 41.0 | 40.2 | 42.3 | **8,492.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,231.0** |
| H2O | 1969 | 4.6 | 4.0 | 4.8 | 4.8 | 4.9 | 4.9 | 4.9 | 14.9 | 14.1 | 15.1 | 14.3 | 15.3 | **9,487.7** |
| OIL | 1969 | 50.5 | 43.4 | 48.9 | 50.9 | 49.3 | 49.1 | 48.9 | 45.6 | 42.7 | 45.1 | 42.0 | 46.1 | **7,993.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 20.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,866.0** |
| H2O | 1968 | 4.9 | 5.1 | 5.9 | 6.4 | 4.9 | 4.3 | 2.9 | 4.8 | 4.1 | 4.5 | 4.5 | 4.9 | **9,381.1** |
| OIL | 1968 | 40.5 | 36.5 | 41.0 | 43.1 | 50.4 | 48.6 | 32.4 | 50.4 | 49.7 | 49.6 | 48.5 | 51.2 | **7,431.0** |
| DAY | 1967 | 26.0 | 21.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,511.0** |
| H2O | 1967 | 4.5 | 3.3 | 5.2 | 4.9 | 5.4 | 4.6 | 4.8 | 4.8 | 5.4 | 5.2 | 5.4 | 5.4 | **9,323.9** |
| OIL | 1967 | 36.2 | 28.0 | 42.7 | 41.0 | 42.9 | 35.4 | 41.6 | 36.9 | 41.6 | 41.6 | 41.5 | 41.8 | **6,889.1** |
| DAY | 1966 | 26.0 | 28.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,163.0** |
| H2O | 1966 | 112.6 | 133.9 | 133.9 | 72.5 | 91.9 | 89.8 | 85.4 | 100.3 | 89.2 | 6.7 | 6.0 | 5.4 | **9,265.0** |
| OIL | 1966 | 42.1 | 47.0 | 58.3 | 61.8 | 68.0 | 58.6 | 58.6 | 57.8 | 60.4 | 50.4 | 44.8 | 43.4 | **6,417.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,807.0** |
| H2O | 1965 | 73.9 | 66.8 | 73.9 | 103.3 | 98.6 | 95.4 | 84.1 | 115.1 | 93.8 | 103.8 | 106.4 | 115.4 | **8,337.4** |
| OIL | 1965 | 48.0 | 39.7 | 40.4 | 33.4 | 34.5 | 32.7 | 33.7 | 27.0 | 31.1 | 32.1 | 34.2 | 41.6 | **5,766.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,446.0** |
| H2O | 1964 | 118.4 | 104.3 | 108.6 | 119.7 | 119.7 | 111.9 | 92.8 | 47.1 | 63.8 | 79.8 | 71.5 | 73.9 | **7,206.9** |
| OIL | 1964 | 39.6 | 31.1 | 34.8 | 37.2 | 36.4 | 34.2 | 33.8 | 43.4 | 67.2 | 45.4 | 46.6 | 49.7 | **5,338.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,084.0** |
| H2O | 1963 | 106.8 | 86.6 | 93.8 | 91.4 | 111.3 | 104.9 | 77.4 | 119.6 | 108.4 | 113.0 | 102.5 | 96.5 | **6,095.4** |
| OIL | 1963 | 40.4 | 32.6 | 37.3 | 35.0 | 39.1 | 38.5 | 38.9 | 40.7 | 39.9 | 38.9 | 34.2 | 37.5 | **4,838.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,719.0** |
| H2O | 1962 | 61.8 | 70.9 | 76.8 | 81.6 | 86.5 | 83.9 | 94.6 | 93.6 | 86.0 | 88.9 | 88.4 | 109.1 | **4,883.2** |

# Manitoba Production
## 1950 To 1975

Licence ***769*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 37.7 | 41.2 | 42.4 | 43.1 | 41.0 | 38.9 | 42.3 | 42.3 | 37.0 | 38.9 | 36.1 | 41.5 | **4,385.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,354.0** |
| H2O | 1961 | 124.6 | 79.2 | 71.4 | 87.9 | 80.0 | 64.7 | 87.9 | 78.9 | 57.9 | 43.2 | 59.1 | 63.8 | **3,861.1** |
| OIL | 1961 | 24.9 | 24.5 | 22.9 | 29.9 | 14.9 | 18.0 | 42.0 | 45.4 | 31.9 | 31.1 | 38.8 | 37.2 | **3,903.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,989.0** |
| H2O | 1960 | 31.0 | 31.5 | 50.1 | 21.1 | 36.2 | 43.6 | 132.7 | 125.6 | 131.5 | 141.2 | 131.6 | 133.2 | **2,962.5** |
| OIL | 1960 | 30.5 | 26.1 | 22.2 | 35.9 | 37.2 | 41.6 | 25.1 | 32.9 | 34.6 | 23.2 | 27.2 | 27.5 | **3,542.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,623.0** |
| H2O | 1959 | 21.3 | 15.1 | 10.0 | 2.2 | 3.2 | 7.6 | 8.9 | 14.0 | 13.4 | 7.5 | 0.0 | 133.9 | **1,953.2** |
| OIL | 1959 | 36.1 | 24.9 | 40.7 | 31.8 | 29.6 | 41.3 | 36.9 | 37.2 | 31.5 | 26.2 | 25.9 | 31.3 | **3,178.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,258.0** |
| H2O | 1958 | 37.7 | 80.8 | 9.2 | 49.6 | 39.6 | 27.8 | 170.7 | 41.0 | 9.1 | 18.6 | 11.0 | 17.6 | **1,716.1** |
| OIL | 1958 | 37.5 | 30.0 | 43.7 | 64.7 | 33.7 | 47.4 | 37.8 | 46.2 | 33.2 | 49.9 | 33.7 | 51.8 | **2,784.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **893.0** |
| H2O | 1957 | 10.8 | 29.6 | 49.8 | 88.7 | 14.3 | 43.1 | 65.7 | 76.2 | 83.5 | 14.0 | 13.8 | 25.0 | **1,203.4** |
| OIL | 1957 | 49.6 | 35.6 | 40.7 | 63.6 | 38.1 | 35.8 | 44.5 | 61.5 | 58.5 | 51.8 | 67.4 | 50.5 | **2,275.0** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **528.0** |
| H2O | 1956 | 5.2 | 97.9 | 108.1 | 4.0 | 4.0 | 4.5 | 4.3 | 9.4 | 11.6 | 21.0 | 35.0 | 49.6 | **688.9** |
| OIL | 1956 | 97.9 | 76.8 | 71.0 | 45.6 | 44.8 | 35.6 | 33.8 | 37.2 | 54.5 | 50.1 | 42.7 | 53.9 | **1,677.4** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 30.0 | 31.0 | 0.0 | 30.0 | 31.0 | 10.0 | 10.0 | **162.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 61.2 | 170.9 | 94.6 | 0.0 | 2.1 | 1.9 | 2.5 | 1.1 | **334.3** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 152.7 | 316.2 | 262.8 | 0.0 | 103.0 | 95.2 | 63.6 | 40.0 | **1,033.5** |

Licence ***770*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.15-16-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,313.0** |
| H2O | 1975 | 5170.3 | 4753.7 | 5085.5 | 5085.9 | 5223.9 | 4958.9 | 4618.5 | 4795.8 | 4953.7 | 5319.9 | 5247.3 | 5431.9 | **500,228.4** |
| OIL | 1975 | 412.5 | 366.6 | 386.3 | 378.0 | 381.7 | 368.2 | 352.0 | 372.6 | 379.2 | 392.2 | 373.0 | 385.4 | **59,233.1** |
| DAY | 1974 | 31.0 | 20.0 | 23.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **6,949.0** |
| H2O | 1974 | 4961.9 | 3175.0 | 3920.3 | 5104.7 | 5341.4 | 4764.9 | 5037.0 | 4654.6 | 4264.2 | 4416.6 | 5138.1 | 5136.5 | **439,583.1** |
| OIL | 1974 | 411.9 | 247.7 | 312.9 | 399.2 | 419.5 | 360.2 | 389.2 | 390.3 | 348.3 | 361.8 | 402.7 | 415.4 | **54,685.4** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 30.0 | 25.0 | 31.0 | **6,605.0** |
| H2O | 1973 | 5083.4 | 4876.7 | 4920.0 | 4679.1 | 5403.3 | 4977.7 | 5275.8 | 5350.9 | 4802.9 | 5066.1 | 4274.7 | 4913.1 | **383,667.9** |
| OIL | 1973 | 487.2 | 429.5 | 445.4 | 340.4 | 405.2 | 376.3 | 411.7 | 414.6 | 360.6 | 384.9 | 329.1 | 395.7 | **50,226.3** |
| DAY | 1972 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | **6,255.0** |
| H2O | 1972 | 4656.0 | 4225.5 | 4862.6 | 4310.9 | 4910.7 | 3317.0 | 4713.4 | 4472.7 | 4859.7 | 5731.5 | 4168.0 | 5051.0 | **324,044.2** |
| OIL | 1972 | 407.0 | 353.6 | 403.6 | 383.6 | 417.5 | 348.2 | 459.1 | 470.4 | 433.3 | 494.8 | 387.4 | 481.7 | **45,445.7** |
| DAY | 1971 | 9.0 | 28.0 | 31.0 | 30.0 | 31.0 | 20.0 | 31.0 | 31.0 | 30.0 | 28.0 | 25.0 | 30.0 | **5,902.0** |
| H2O | 1971 | 1171.5 | 3756.2 | 4373.2 | 4358.1 | 4396.0 | 2437.6 | 4336.7 | 4181.5 | 3359.6 | 3416.2 | 3097.7 | 4536.2 | **268,765.2** |
| OIL | 1971 | 120.8 | 377.6 | 422.7 | 398.7 | 410.5 | 222.2 | 407.8 | 400.5 | 354.4 | 334.3 | 297.6 | 379.8 | **40,405.5** |
| DAY | 1970 | 30.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 28.0 | **5,578.0** |
| H2O | 1970 | 3649.4 | 3426.8 | 3719.5 | 3186.9 | 3536.8 | 3508.5 | 3158.5 | 3737.8 | 4154.6 | 4298.5 | 4070.0 | 4025.7 | **225,344.7** |
| OIL | 1970 | 412.1 | 371.8 | 420.8 | 376.6 | 418.9 | 400.9 | 405.7 | 418.9 | 378.2 | 397.8 | 396.2 | 369.8 | **36,278.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 28.0 | **5,220.0** |
| H2O | 1969 | 1546.7 | 1911.4 | 1793.1 | 1830.5 | 2013.8 | 1605.9 | 1793.6 | 1987.2 | 1932.2 | 2079.6 | 1918.7 | 1890.4 | **180,871.7** |
| OIL | 1969 | 135.2 | 159.4 | 176.2 | 171.6 | 176.2 | 144.1 | 154.5 | 168.9 | 169.7 | 176.1 | 174.5 | 163.8 | **31,510.9** |
| DAY | 1968 | 29.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,864.0** |
| H2O | 1968 | 1476.9 | 1443.5 | 1630.5 | 1577.6 | 1505.7 | 1494.7 | 1444.7 | 1488.1 | 1492.5 | 1521.3 | 1357.1 | 1516.8 | **158,568.6** |
| OIL | 1968 | 127.6 | 120.6 | 156.0 | 145.2 | 132.7 | 141.4 | 130.6 | 147.0 | 141.7 | 138.6 | 128.4 | 139.0 | **29,540.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 22.0 | 30.0 | 26.0 | 31.0 | 30.0 | 29.0 | **4,506.0** |

# Manitoba Production
## 1950 To 1975

Licence ***770*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.15-16-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1967 | 1434.3 | 1185.4 | 1445.3 | 1345.6 | 1829.9 | 1681.4 | 887.6 | 1737.5 | 1381.9 | 1651.8 | 1481.9 | 1467.9 | **140,619.2** |
| OIL | 1967 | 157.6 | 140.2 | 107.1 | 103.5 | 134.4 | 125.9 | 87.6 | 141.0 | 123.0 | 133.3 | 132.8 | 122.2 | **27,891.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **4,157.0** |
| H2O | 1966 | 1153.4 | 1067.1 | 1356.9 | 1379.6 | 1549.0 | 1343.7 | 1312.1 | 1292.4 | 1390.7 | 1415.1 | 1258.1 | 1507.3 | **123,088.7** |
| OIL | 1966 | 116.3 | 118.4 | 131.1 | 127.1 | 132.7 | 126.8 | 149.7 | 148.1 | 144.1 | 154.0 | 134.9 | 158.0 | **26,383.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **3,795.0** |
| H2O | 1965 | 1542.4 | 1356.3 | 1555.3 | 1308.9 | 1388.8 | 1321.6 | 1330.8 | 1336.4 | 1349.6 | 1337.8 | 1372.3 | 1204.6 | **107,063.3** |
| OIL | 1965 | 157.6 | 142.2 | 154.6 | 130.5 | 137.1 | 136.8 | 143.0 | 141.7 | 134.1 | 139.5 | 132.5 | 117.4 | **24,742.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **3,434.0** |
| H2O | 1964 | 1481.1 | 1335.3 | 1511.3 | 1403.3 | 1362.5 | 1413.0 | 1416.8 | 1437.9 | 1214.4 | 1401.2 | 1451.2 | 1536.1 | **90,658.5** |
| OIL | 1964 | 163.4 | 154.5 | 181.0 | 167.2 | 166.5 | 172.4 | 186.9 | 188.5 | 126.5 | 148.7 | 145.9 | 156.4 | **23,075.1** |
| DAY | 1963 | 31.0 | 28.0 | 29.0 | 25.0 | 31.0 | 29.0 | 20.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | **3,074.0** |
| H2O | 1963 | 1386.8 | 1352.8 | 1154.0 | 974.4 | 1278.7 | 1057.3 | 860.4 | 1266.3 | 1302.4 | 1305.9 | 1400.0 | 1462.8 | **73,694.4** |
| OIL | 1963 | 119.8 | 113.0 | 117.4 | 123.5 | 159.9 | 140.2 | 110.6 | 155.4 | 145.7 | 153.5 | 141.0 | 156.7 | **21,117.2** |
| DAY | 1962 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | 31.0 | 29.0 | 30.0 | **2,731.0** |
| H2O | 1962 | 1187.2 | 1135.1 | 1293.5 | 1363.1 | 1317.5 | 1171.2 | 1391.9 | 1282.4 | 1355.6 | 1463.5 | 1415.4 | 1406.5 | **58,892.6** |
| OIL | 1962 | 135.4 | 119.8 | 135.6 | 150.2 | 133.8 | 100.3 | 114.4 | 100.4 | 132.2 | 132.1 | 121.7 | 122.0 | **19,480.5** |
| DAY | 1961 | 27.0 | 28.0 | 28.0 | 26.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,375.0** |
| H2O | 1961 | 982.8 | 1082.4 | 1121.1 | 931.9 | 1068.1 | 924.8 | 1159.6 | 1134.6 | 1305.9 | 1309.9 | 1300.0 | 1316.2 | **43,109.7** |
| OIL | 1961 | 132.2 | 129.2 | 130.5 | 109.8 | 131.7 | 124.9 | 146.2 | 157.6 | 145.2 | 144.8 | 146.5 | 152.9 | **17,982.6** |
| DAY | 1960 | 30.0 | 27.0 | 30.0 | 30.0 | 26.0 | 29.0 | 31.0 | 28.0 | 30.0 | 20.0 | 30.0 | 31.0 | **2,022.0** |
| H2O | 1960 | 976.0 | 916.0 | 1061.7 | 1055.2 | 824.0 | 947.8 | 993.9 | 932.4 | 1007.9 | 534.5 | 953.2 | 1019.5 | **29,472.4** |
| OIL | 1960 | 199.0 | 126.3 | 135.4 | 137.0 | 125.9 | 132.4 | 138.9 | 124.9 | 141.0 | 87.7 | 139.0 | 138.9 | **16,331.1** |
| DAY | 1959 | 29.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 26.0 | 30.0 | **1,680.0** |
| H2O | 1959 | 620.5 | 607.5 | 677.1 | 858.7 | 966.1 | 793.3 | 946.9 | 1036.9 | 852.0 | 938.8 | 822.6 | 935.6 | **18,250.3** |
| OIL | 1959 | 89.3 | 85.8 | 98.7 | 262.0 | 252.7 | 233.9 | 262.7 | 205.8 | 175.9 | 195.1 | 167.3 | 198.5 | **14,704.7** |
| DAY | 1958 | 28.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,327.0** |
| H2O | 1958 | 427.3 | 419.2 | 518.9 | 422.9 | 321.3 | 540.7 | 549.8 | 541.2 | 551.8 | 598.1 | 805.7 | 586.3 | **8,194.3** |
| OIL | 1958 | 213.3 | 192.4 | 213.3 | 209.8 | 49.9 | 130.0 | 131.7 | 127.4 | 124.1 | 130.3 | 132.1 | 93.3 | **12,477.0** |
| DAY | 1957 | 29.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 27.0 | 30.0 | 31.0 | 29.0 | 31.0 | **968.0** |
| H2O | 1957 | 9.9 | 9.2 | 0.8 | 0.5 | 10.7 | 56.1 | 59.3 | 92.8 | 307.3 | 403.0 | 476.5 | 439.9 | **1,911.1** |
| OIL | 1957 | 305.4 | 311.8 | 312.4 | 378.5 | 357.2 | 335.8 | 288.9 | 232.5 | 310.2 | 301.9 | 271.4 | 280.0 | **10,729.4** |
| DAY | 1956 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 27.0 | 27.0 | 23.0 | 30.0 | 29.0 | 29.0 | 31.0 | **612.0** |
| H2O | 1956 | 0.6 | 0.6 | 0.8 | 0.6 | 0.8 | 11.0 | 0.6 | 0.5 | 0.5 | 5.2 | 8.1 | 11.3 | **45.1** |
| OIL | 1956 | 356.6 | 294.3 | 353.7 | 332.8 | 357.4 | 334.5 | 308.1 | 300.8 | 400.6 | 337.2 | 326.6 | 350.7 | **7,043.4** |
| DAY | 1955 | 0.0 | 0.0 | 2.0 | 26.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **267.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.6 | 0.5 | 0.8 | 0.3 | 0.3 | 0.6 | 0.6 | 0.6 | 0.2 | **4.5** |
| OIL | 1955 | 0.0 | 0.0 | 17.6 | 349.0 | 252.5 | 336.4 | 342.3 | 341.3 | 333.1 | 337.5 | 332.4 | 348.0 | **2,990.1** |

Licence ***772*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 956.9 | 825.7 | 842.8 | 808.4 | 820.3 | 622.9 | 1255.9 | 1176.3 | 1305.2 | 1228.8 | 1235.3 | 1263.6 | **98,611.5** |
| WIN | 1974 | 797.4 | 1069.0 | 1169.8 | 1160.2 | 848.3 | 949.7 | 1103.8 | 995.4 | 1052.0 | 1028.6 | 963.7 | 939.4 | **86,269.4** |
| WIN | 1973 | 1094.3 | 929.1 | 1038.5 | 1135.4 | 1246.6 | 934.2 | 1249.3 | 1186.5 | 1183.0 | 1149.4 | 936.1 | 1056.4 | **74,192.1** |
| WIN | 1972 | 281.7 | 281.1 | 203.8 | 354.0 | 340.5 | 399.8 | 339.3 | 37.8 | 1405.1 | 1501.4 | 1072.8 | 1184.4 | **61,053.3** |
| WIN | 1971 | 520.5 | 695.1 | 516.7 | 531.5 | 471.5 | 229.2 | 224.0 | 265.7 | 387.0 | 221.0 | 220.2 | 3.0 | **53,651.6** |
| WIN | 1970 | 1196.2 | 928.4 | 1193.1 | 1315.6 | 841.6 | 865.8 | 1024.5 | 811.3 | 675.8 | 926.7 | 807.1 | 628.8 | **49,366.2** |
| WIN | 1969 | 1720.3 | 1505.7 | 1622.5 | 1681.2 | 1188.1 | 1600.6 | 1158.3 | 1086.2 | 1113.3 | 1559.3 | 1314.3 | 1531.6 | **38,151.3** |
| WIN | 1968 | 1112.5 | 1498.9 | 1306.2 | 1696.6 | 1478.7 | 862.3 | 1192.3 | 1006.2 | 1082.3 | 1373.6 | 1445.9 | 1546.9 | **21,069.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,409.0** |

# Manitoba Production
## 1950 To 1975

Licence ***772*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1967 | 21.9 | 22.2 | 25.8 | 25.9 | 25.0 | 23.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,876.9** |
| OIL | 1967 | 12.7 | 11.5 | 13.0 | 12.1 | 12.4 | 12.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,364.6** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 333.5 | 1081.4 | 1235.8 | 911.4 | 941.8 | 963.6 | **5,467.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,228.0** |
| H2O | 1966 | 29.4 | 26.2 | 29.6 | 28.6 | 29.6 | 28.6 | 28.9 | 25.0 | 22.6 | 23.2 | 26.7 | 20.5 | **2,732.9** |
| OIL | 1966 | 18.1 | 12.2 | 15.3 | 14.3 | 14.8 | 13.8 | 12.9 | 14.5 | 13.8 | 13.0 | 14.3 | 11.9 | **4,290.0** |
| DAY | 1965 | 31.0 | 28.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | **3,863.0** |
| H2O | 1965 | 14.5 | 13.4 | 27.2 | 49.0 | 38.6 | 27.0 | 30.2 | 29.7 | 19.1 | 12.1 | 31.8 | 28.6 | **2,414.0** |
| OIL | 1965 | 14.6 | 13.3 | 20.8 | 47.7 | 47.2 | 45.3 | 43.4 | 48.5 | 47.5 | 29.1 | 52.8 | 29.9 | **4,121.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,510.0** |
| H2O | 1964 | 14.8 | 13.8 | 14.2 | 14.0 | 14.5 | 14.3 | 14.8 | 14.8 | 14.3 | 14.8 | 14.3 | 14.8 | **2,092.8** |
| OIL | 1964 | 19.9 | 18.4 | 18.6 | 16.4 | 14.5 | 14.1 | 14.6 | 14.6 | 14.1 | 14.8 | 14.1 | 14.9 | **3,681.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,144.0** |
| H2O | 1963 | 19.4 | 17.8 | 19.7 | 19.1 | 19.7 | 18.8 | 19.7 | 19.7 | 19.1 | 16.4 | 14.3 | 14.8 | **1,919.4** |
| OIL | 1963 | 19.2 | 17.8 | 19.9 | 19.1 | 19.4 | 18.8 | 19.7 | 19.5 | 19.1 | 19.2 | 19.2 | 19.9 | **3,492.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,779.0** |
| H2O | 1962 | 19.7 | 17.5 | 19.7 | 19.1 | 19.7 | 19.1 | 21.3 | 18.8 | 19.1 | 19.4 | 17.6 | 19.6 | **1,700.9** |
| OIL | 1962 | 14.9 | 13.2 | 14.9 | 14.1 | 14.8 | 14.1 | 18.1 | 18.6 | 19.1 | 19.4 | 17.2 | 19.7 | **3,261.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,417.0** |
| H2O | 1961 | 19.6 | 17.8 | 19.7 | 19.1 | 19.7 | 19.1 | 19.7 | 19.7 | 19.1 | 19.2 | 19.1 | 19.7 | **1,470.3** |
| OIL | 1961 | 14.6 | 13.3 | 14.8 | 14.3 | 14.6 | 14.1 | 14.6 | 14.6 | 14.3 | 14.5 | 14.3 | 14.3 | **3,063.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,052.0** |
| H2O | 1960 | 17.6 | 18.1 | 19.7 | 19.1 | 19.7 | 19.1 | 19.7 | 18.1 | 19.1 | 19.2 | 19.1 | 19.7 | **1,238.8** |
| OIL | 1960 | 14.3 | 9.4 | 9.9 | 9.5 | 9.7 | 9.5 | 9.7 | 12.1 | 14.1 | 14.5 | 13.8 | 14.8 | **2,890.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,688.0** |
| H2O | 1959 | 9.9 | 8.9 | 12.4 | 14.3 | 14.8 | 14.3 | 15.9 | 14.8 | 14.1 | 14.1 | 14.3 | 14.8 | **1,010.6** |
| OIL | 1959 | 14.5 | 13.3 | 11.9 | 9.4 | 10.5 | 9.5 | 21.8 | 25.1 | 22.6 | 24.3 | 22.4 | 21.6 | **2,749.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,323.0** |
| H2O | 1958 | 18.4 | 8.9 | 9.9 | 9.2 | 9.9 | 9.5 | 9.9 | 9.9 | 9.5 | 9.9 | 9.5 | 9.5 | **848.0** |
| OIL | 1958 | 34.2 | 17.8 | 19.9 | 23.2 | 17.5 | 14.8 | 14.5 | 14.6 | 14.0 | 14.1 | 14.1 | 14.9 | **2,542.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **959.0** |
| H2O | 1957 | 9.9 | 11.9 | 14.9 | 14.3 | 14.8 | 14.3 | 24.3 | 23.7 | 23.8 | 24.6 | 23.8 | 24.6 | **724.0** |
| OIL | 1957 | 29.2 | 34.3 | 65.3 | 77.2 | 74.7 | 46.2 | 34.3 | 46.2 | 47.5 | 49.6 | 46.1 | 49.7 | **2,329.0** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 23.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **594.0** |
| H2O | 1956 | 41.3 | 18.1 | 20.3 | 33.9 | 30.2 | 26.5 | 15.6 | 14.3 | 19.9 | 24.6 | 21.9 | 8.9 | **499.1** |
| OIL | 1956 | 110.6 | 95.0 | 91.2 | 86.3 | 83.7 | 60.5 | 56.7 | 61.7 | 65.5 | 78.3 | 69.8 | 38.5 | **1,728.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 18.0 | 23.0 | 23.0 | 29.0 | 29.0 | 29.0 | 30.0 | 30.0 | 30.0 | **241.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 3.8 | 4.1 | 7.2 | 4.6 | 4.6 | 70.4 | 40.1 | 26.5 | 62.3 | **223.6** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 62.0 | 62.1 | 63.1 | 70.7 | 54.2 | 156.2 | 127.1 | 119.7 | 115.8 | **830.9** |

Licence ***774*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 28.0 | 27.0 | 31.0 | 27.0 | 31.0 | 30.0 | 29.0 | 31.0 | 26.0 | 31.0 | 29.0 | 31.0 | **6,902.0** |
| H2O | 1975 | 608.7 | 591.0 | 717.1 | 619.3 | 765.1 | 679.2 | 609.6 | 707.8 | 550.5 | 600.7 | 548.6 | 587.2 | **128,018.6** |
| OIL | 1975 | 95.5 | 93.6 | 107.6 | 90.4 | 105.4 | 99.0 | 93.4 | 106.0 | 92.5 | 108.1 | 101.4 | 109.0 | **17,378.2** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 26.0 | 30.0 | 31.0 | 28.0 | 31.0 | **6,551.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 37.4 | 892.0 | 1070.9 | 710.2 | 579.1 | 675.2 | **120,433.8** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 47.0 | 52.9 | 104.7 | 92.6 | 104.2 | **16,176.3** |
| DAY | 1973 | 31.0 | 5.0 | 0.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **6,403.0** |
| H2O | 1973 | 865.2 | 142.8 | 0.0 | 904.3 | 965.6 | 995.9 | 869.9 | 951.5 | 933.2 | 992.4 | 927.8 | 978.4 | **116,469.0** |

# Manitoba Production
# 1950 To 1975

Licence ***774*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1973 | 31.5 | 5.1 | 0.0 | 31.0 | 31.6 | 30.5 | 54.0 | 54.0 | 50.7 | 52.9 | 50.1 | 43.9 | **15,772.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 26.0 | 30.0 | 30.0 | 29.0 | 29.0 | 30.0 | 29.0 | 30.0 | **6,097.0** |
| H2O | 1972 | 916.2 | 924.6 | 927.2 | 749.5 | 669.5 | 735.8 | 719.9 | 784.3 | 776.4 | 783.4 | 777.6 | 718.3 | **106,942.0** |
| OIL | 1972 | 46.7 | 45.0 | 47.4 | 44.7 | 65.9 | 76.1 | 75.0 | 70.6 | 72.3 | 76.1 | 31.0 | 31.5 | **15,337.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 20.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,743.0** |
| H2O | 1971 | 730.1 | 725.2 | 780.5 | 506.3 | 837.5 | 782.1 | 827.5 | 913.3 | 815.6 | 901.4 | 813.7 | 849.4 | **97,459.3** |
| OIL | 1971 | 37.2 | 33.5 | 37.7 | 22.4 | 35.9 | 44.0 | 46.9 | 46.1 | 43.7 | 45.9 | 43.5 | 47.2 | **14,655.2** |
| DAY | 1970 | 31.0 | 4.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,388.0** |
| H2O | 1970 | 552.7 | 71.4 | 643.5 | 580.4 | 608.7 | 592.3 | 519.5 | 638.8 | 774.6 | 771.6 | 670.2 | 618.9 | **87,976.7** |
| OIL | 1970 | 36.1 | 4.3 | 35.6 | 34.6 | 35.9 | 33.7 | 34.0 | 31.5 | 34.6 | 35.3 | 35.0 | 36.9 | **14,171.2** |
| DAY | 1969 | 31.0 | 28.0 | 1.0 | 0.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,048.0** |
| H2O | 1969 | 598.2 | 489.3 | 19.2 | 0.0 | 637.4 | 635.2 | 623.0 | 608.0 | 580.5 | 613.1 | 580.2 | 622.2 | **80,934.1** |
| OIL | 1969 | 36.4 | 31.3 | 1.1 | 0.0 | 34.2 | 35.4 | 33.4 | 36.1 | 33.7 | 35.6 | 33.1 | 36.2 | **13,783.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 20.0 | 7.0 | 29.0 | 31.0 | 30.0 | 30.0 | **4,745.0** |
| H2O | 1968 | 513.4 | 513.6 | 597.4 | 636.6 | 609.8 | 543.3 | 366.8 | 128.3 | 506.6 | 558.8 | 555.7 | 583.1 | **74,927.8** |
| OIL | 1968 | 34.5 | 31.1 | 34.8 | 36.5 | 36.2 | 35.0 | 23.2 | 7.8 | 34.3 | 35.6 | 35.0 | 35.3 | **13,437.2** |
| DAY | 1967 | 8.0 | 20.0 | 31.0 | 25.0 | 28.0 | 28.0 | 31.0 | 28.0 | 30.0 | 17.0 | 30.0 | 31.0 | **4,416.0** |
| H2O | 1967 | 158.2 | 370.9 | 605.2 | 398.4 | 491.7 | 459.3 | 487.9 | 484.4 | 541.6 | 284.6 | 544.1 | 549.7 | **68,814.4** |
| OIL | 1967 | 1.6 | 4.0 | 6.7 | 27.7 | 32.7 | 30.0 | 35.3 | 31.1 | 34.5 | 19.2 | 35.3 | 35.4 | **13,057.9** |
| DAY | 1966 | 31.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 17.0 | 0.0 | 0.0 | 0.0 | 27.0 | 31.0 | **4,109.0** |
| H2O | 1966 | 924.5 | 696.4 | 886.3 | 695.4 | 755.2 | 737.7 | 384.7 | 0.0 | 0.0 | 0.0 | 621.4 | 639.8 | **63,438.4** |
| OIL | 1966 | 14.5 | 10.0 | 16.0 | 11.8 | 11.0 | 9.4 | 5.2 | 0.0 | 0.0 | 0.0 | 6.2 | 6.7 | **12,764.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,859.0** |
| H2O | 1965 | 731.2 | 623.0 | 749.3 | 740.1 | 741.1 | 687.8 | 681.9 | 694.6 | 607.1 | 687.2 | 704.0 | 764.4 | **57,097.0** |
| OIL | 1965 | 19.1 | 14.9 | 19.2 | 15.9 | 16.7 | 17.5 | 8.7 | 8.6 | 7.6 | 9.1 | 9.5 | 11.4 | **12,673.6** |
| DAY | 1964 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,495.0** |
| H2O | 1964 | 596.6 | 545.7 | 590.2 | 563.0 | 614.9 | 603.9 | 669.2 | 655.2 | 619.8 | 664.3 | 599.3 | 751.1 | **48,685.3** |
| OIL | 1964 | 36.5 | 33.4 | 34.0 | 36.5 | 27.0 | 14.9 | 11.6 | 15.6 | 15.3 | 16.2 | 15.4 | 19.5 | **12,515.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,131.0** |
| H2O | 1963 | 550.5 | 517.7 | 539.4 | 514.6 | 537.8 | 531.1 | 505.3 | 510.9 | 578.9 | 575.1 | 567.3 | 594.7 | **41,212.1** |
| OIL | 1963 | 79.0 | 71.2 | 76.8 | 92.2 | 88.8 | 73.9 | 33.4 | 29.7 | 36.7 | 37.0 | 35.8 | 38.5 | **12,239.5** |
| DAY | 1962 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,773.0** |
| H2O | 1962 | 446.4 | 420.0 | 452.9 | 471.4 | 470.4 | 464.7 | 470.4 | 442.3 | 425.3 | 403.7 | 482.0 | 524.6 | **34,688.8** |
| OIL | 1962 | 70.2 | 57.5 | 79.9 | 70.4 | 68.8 | 62.6 | 70.1 | 82.2 | 100.4 | 87.4 | 84.2 | 93.6 | **11,546.5** |
| DAY | 1961 | 31.0 | 18.0 | 30.0 | 28.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **2,410.0** |
| H2O | 1961 | 625.0 | 367.6 | 538.7 | 393.3 | 427.0 | 396.7 | 301.3 | 400.6 | 428.1 | 435.0 | 424.3 | 435.1 | **29,214.7** |
| OIL | 1961 | 40.2 | 36.4 | 58.2 | 123.5 | 126.8 | 110.9 | 121.4 | 98.4 | 88.5 | 85.7 | 85.7 | 71.7 | **10,619.2** |
| DAY | 1960 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,061.0** |
| H2O | 1960 | 610.7 | 544.6 | 550.2 | 571.8 | 582.8 | 586.3 | 524.7 | 592.5 | 571.8 | 507.7 | 580.7 | 624.4 | **24,042.0** |
| OIL | 1960 | 45.4 | 41.5 | 43.7 | 40.0 | 44.5 | 42.4 | 24.6 | 33.2 | 27.0 | 26.1 | 26.5 | 35.6 | **9,571.8** |
| DAY | 1959 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **1,699.0** |
| H2O | 1959 | 459.3 | 449.3 | 453.6 | 399.2 | 481.1 | 479.2 | 531.4 | 586.1 | 567.2 | 596.8 | 570.0 | 517.4 | **17,193.8** |
| OIL | 1959 | 74.4 | 79.0 | 73.3 | 82.8 | 66.3 | 53.4 | 55.3 | 53.7 | 51.5 | 51.5 | 48.9 | 45.9 | **9,141.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | **1,340.0** |
| H2O | 1958 | 543.7 | 470.1 | 511.5 | 497.4 | 466.8 | 439.4 | 471.4 | 473.3 | 385.7 | 505.5 | 452.6 | 457.1 | **11,103.2** |
| OIL | 1958 | 95.8 | 99.0 | 105.0 | 103.1 | 96.3 | 109.5 | 102.8 | 102.2 | 80.9 | 93.0 | 87.6 | 85.7 | **8,405.3** |
| DAY | 1957 | 29.0 | 23.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **982.0** |
| H2O | 1957 | 170.6 | 121.6 | 204.6 | 213.5 | 434.3 | 398.6 | 454.7 | 425.3 | 433.7 | 522.3 | 500.4 | 501.4 | **5,428.7** |
| OIL | 1957 | 141.7 | 92.6 | 159.5 | 141.0 | 209.8 | 196.9 | 189.6 | 215.3 | 198.6 | 120.3 | 101.2 | 96.6 | **7,244.4** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **628.0** |
| H2O | 1956 | 12.2 | 53.7 | 60.6 | 79.8 | 77.6 | 74.7 | 70.9 | 96.3 | 118.0 | 110.2 | 80.6 | 139.9 | **1,047.7** |
| OIL | 1956 | 308.6 | 253.8 | 261.2 | 253.0 | 241.5 | 223.0 | 222.5 | 196.7 | 193.7 | 188.8 | 180.8 | 157.8 | **5,381.3** |

# Manitoba Production
## 1950 To 1975

Licence ***774*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 22.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **263.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.3 | 0.5 | 9.1 | 12.1 | 7.3 | 7.8 | 11.0 | 13.0 | 12.1 | **73.2** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 190.9 | 224.9 | 263.3 | 341.8 | 322.6 | 306.3 | 344.8 | 334.7 | 370.6 | **2,699.9** |

Licence ***776*** Well Name ***M & C South Routledge*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-15-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **22.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 111.8 | 27.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **139.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.8 | 4.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **21.6** |

Licence ***778*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,440.0** |
| H2O | 1975 | 146.7 | 135.8 | 171.9 | 166.6 | 172.7 | 160.6 | 162.3 | 156.8 | 160.7 | 172.7 | 173.1 | 176.1 | **14,267.2** |
| OIL | 1975 | 194.2 | 174.0 | 177.8 | 168.8 | 171.9 | 162.2 | 168.4 | 165.9 | 167.7 | 173.4 | 167.7 | 170.4 | **71,192.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,076.0** |
| H2O | 1974 | 24.5 | 22.7 | 111.4 | 108.3 | 112.2 | 112.9 | 110.3 | 104.4 | 103.2 | 104.0 | 107.9 | 138.2 | **12,311.2** |
| OIL | 1974 | 339.7 | 296.0 | 195.6 | 186.1 | 194.0 | 187.7 | 187.5 | 192.9 | 185.3 | 187.2 | 186.2 | 185.6 | **69,130.0** |
| DAY | 1973 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,713.0** |
| H2O | 1973 | 140.5 | 140.9 | 10.0 | 10.0 | 10.2 | 9.7 | 137.8 | 148.5 | 145.8 | 184.6 | 171.5 | 166.3 | **11,151.2** |
| OIL | 1973 | 285.9 | 263.3 | 325.0 | 317.7 | 331.3 | 321.2 | 240.7 | 257.3 | 244.9 | 254.4 | 239.6 | 243.1 | **66,606.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,349.0** |
| H2O | 1972 | 106.8 | 125.1 | 137.2 | 122.3 | 135.0 | 130.0 | 144.4 | 136.7 | 136.6 | 148.6 | 147.2 | 149.8 | **9,875.4** |
| OIL | 1972 | 289.4 | 273.6 | 298.0 | 284.6 | 300.3 | 281.4 | 289.9 | 300.8 | 286.2 | 301.5 | 286.4 | 298.6 | **63,281.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,983.0** |
| H2O | 1971 | 28.1 | 25.1 | 67.6 | 67.9 | 68.0 | 63.0 | 60.1 | 64.7 | 57.9 | 64.7 | 62.3 | 113.8 | **8,255.7** |
| OIL | 1971 | 268.4 | 234.2 | 301.0 | 285.7 | 292.2 | 263.5 | 260.0 | 284.9 | 281.1 | 291.8 | 275.2 | 294.5 | **59,791.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,623.0** |
| H2O | 1970 | 95.2 | 89.2 | 93.5 | 86.3 | 88.9 | 83.8 | 78.7 | 88.7 | 82.5 | 271.2 | 27.3 | 30.4 | **7,512.5** |
| OIL | 1970 | 339.6 | 305.9 | 334.0 | 322.3 | 332.4 | 307.3 | 324.7 | 319.1 | 304.6 | 330.2 | 246.2 | 258.1 | **56,458.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **5,258.0** |
| H2O | 1969 | 60.6 | 55.0 | 51.7 | 52.8 | 58.0 | 54.4 | 60.3 | 98.6 | 92.8 | 101.0 | 90.1 | 94.8 | **6,396.8** |
| OIL | 1969 | 375.7 | 332.0 | 366.8 | 357.2 | 366.8 | 353.1 | 374.2 | 343.9 | 334.5 | 350.1 | 335.5 | 337.4 | **52,734.2** |
| DAY | 1968 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **4,894.0** |
| H2O | 1968 | 65.2 | 63.9 | 68.5 | 79.8 | 85.2 | 74.9 | 88.7 | 81.1 | 81.4 | 86.2 | 48.5 | 58.2 | **5,526.7** |
| OIL | 1968 | 355.5 | 337.0 | 365.2 | 306.4 | 313.7 | 309.4 | 319.1 | 318.9 | 307.5 | 322.7 | 324.2 | 376.9 | **48,507.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **4,532.0** |
| H2O | 1967 | 57.2 | 47.4 | 56.8 | 53.1 | 73.6 | 71.5 | 52.6 | 77.7 | 68.0 | 63.9 | 64.7 | 70.7 | **4,645.1** |
| OIL | 1967 | 323.7 | 287.5 | 322.7 | 311.5 | 296.7 | 301.1 | 292.1 | 369.1 | 355.8 | 327.2 | 366.4 | 372.0 | **44,550.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,172.0** |
| H2O | 1966 | 31.8 | 25.8 | 70.3 | 72.2 | 80.6 | 71.7 | 51.8 | 51.0 | 55.0 | 56.4 | 56.3 | 58.8 | **3,887.9** |
| OIL | 1966 | 326.9 | 292.7 | 309.6 | 302.6 | 313.5 | 304.3 | 316.4 | 313.1 | 304.9 | 315.9 | 309.7 | 316.9 | **40,624.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,807.0** |
| H2O | 1965 | 89.7 | 81.6 | 91.7 | 80.3 | 81.7 | 89.3 | 89.5 | 90.0 | 90.9 | 106.2 | 33.2 | 33.7 | **3,206.2** |
| OIL | 1965 | 308.9 | 288.6 | 321.8 | 310.0 | 312.9 | 315.4 | 328.8 | 325.8 | 308.4 | 318.3 | 327.5 | 336.3 | **36,898.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,442.0** |
| H2O | 1964 | 68.7 | 62.0 | 95.7 | 92.4 | 97.9 | 94.4 | 80.4 | 87.8 | 85.7 | 85.7 | 88.7 | 89.2 | **2,248.4** |
| OIL | 1964 | 315.1 | 298.0 | 318.5 | 305.9 | 315.3 | 303.2 | 272.1 | 294.9 | 292.2 | 297.5 | 291.8 | 300.2 | **33,095.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,082.0** |

# Manitoba Production
## 1950 To 1975

Licence ***778*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 71.4 | 82.7 | 83.0 | 65.8 | 62.3 | 72.8 | 66.3 | 67.9 | **1,219.8** |
| OIL | 1963 | 213.3 | 202.6 | 234.9 | 230.7 | 293.0 | 290.3 | 324.5 | 325.0 | 308.0 | 299.1 | 295.7 | 302.6 | **29,490.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,717.0** |
| H2O | 1962 | 0.0 | 19.6 | 46.4 | 36.6 | 38.0 | 43.1 | 45.3 | 43.7 | 0.0 | 0.0 | 0.0 | 0.0 | **647.6** |
| OIL | 1962 | 236.5 | 219.5 | 238.0 | 240.9 | 239.6 | 233.8 | 235.7 | 237.7 | 216.8 | 215.8 | 205.3 | 217.9 | **26,171.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,352.0** |
| H2O | 1961 | 26.2 | 18.6 | 16.5 | 25.1 | 23.4 | 10.0 | 7.9 | 7.6 | 7.3 | 12.9 | 2.7 | 8.1 | **374.9** |
| OIL | 1961 | 208.0 | 174.8 | 183.4 | 171.5 | 164.2 | 259.8 | 253.3 | 260.6 | 247.6 | 257.3 | 251.9 | 236.3 | **23,433.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,989.0** |
| H2O | 1960 | 4.5 | 3.7 | 4.0 | 0.0 | 0.0 | 7.5 | 6.7 | 6.7 | 7.9 | 7.5 | 7.8 | 8.9 | **208.6** |
| OIL | 1960 | 261.9 | 223.1 | 242.7 | 232.2 | 236.1 | 207.2 | 186.9 | 179.6 | 197.0 | 205.6 | 193.6 | 194.3 | **20,764.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | **1,630.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 5.6 | 0.0 | 0.0 | 0.2 | 0.0 | 3.0 | 2.4 | 2.9 | **143.4** |
| OIL | 1959 | 325.4 | 298.4 | 332.1 | 304.5 | 333.7 | 298.1 | 313.5 | 302.6 | 285.9 | 273.8 | 275.2 | 259.0 | **18,204.7** |
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **1,269.0** |
| H2O | 1958 | 6.8 | 6.0 | 2.1 | 2.7 | 3.7 | 3.3 | 2.2 | 2.2 | 3.5 | 0.0 | 0.5 | 0.0 | **129.3** |
| OIL | 1958 | 353.7 | 313.4 | 350.4 | 338.8 | 340.9 | 317.3 | 366.4 | 371.4 | 335.5 | 301.6 | 332.1 | 343.7 | **14,602.5** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **910.0** |
| H2O | 1957 | 15.3 | 1.0 | 1.3 | 2.1 | 1.1 | 2.5 | 5.6 | 5.1 | 1.1 | 1.1 | 5.7 | 5.6 | **96.3** |
| OIL | 1957 | 361.0 | 304.0 | 359.0 | 341.8 | 358.3 | 347.2 | 339.4 | 349.0 | 340.4 | 349.3 | 316.9 | 338.5 | **10,537.3** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 30.0 | **550.0** |
| H2O | 1956 | 0.3 | 0.3 | 0.3 | 0.6 | 0.6 | 0.6 | 1.1 | 7.6 | 4.0 | 0.8 | 14.6 | 16.2 | **48.8** |
| OIL | 1956 | 345.5 | 344.4 | 300.0 | 328.5 | 386.3 | 369.1 | 375.2 | 356.8 | 327.7 | 352.6 | 341.0 | 361.0 | **6,432.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 27.0 | 30.0 | 30.0 | 31.0 | 22.0 | 22.0 | **188.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 0.2 | 0.3 | 0.3 | 0.2 | 0.2 | **1.8** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 360.2 | 302.1 | 353.7 | 335.5 | 344.8 | 254.4 | 293.7 | **2,244.4** |

Licence ***779*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 31.0 | 25.0 | 0.0 | 0.0 | 26.0 | 12.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,169.0** |
| H2O | 1967 | 507.0 | 326.2 | 0.0 | 0.0 | 445.4 | 264.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **32,454.8** |
| OIL | 1967 | 25.6 | 15.7 | 0.0 | 0.0 | 52.8 | 21.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **11,139.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | **4,075.0** |
| H2O | 1966 | 689.2 | 624.7 | 659.5 | 631.8 | 585.7 | 668.4 | 660.1 | 890.3 | 799.6 | 819.4 | 463.6 | 502.2 | **30,911.9** |
| OIL | 1966 | 30.0 | 26.1 | 28.0 | 29.6 | 23.4 | 28.8 | 28.1 | 25.1 | 23.7 | 23.4 | 19.2 | 16.7 | **11,023.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,713.0** |
| H2O | 1965 | 383.5 | 391.8 | 426.2 | 397.8 | 575.7 | 547.9 | 595.4 | 489.1 | 472.0 | 624.4 | 531.2 | 495.7 | **22,917.4** |
| OIL | 1965 | 19.9 | 20.3 | 29.1 | 28.6 | 33.1 | 27.3 | 28.3 | 22.9 | 24.5 | 19.1 | 32.3 | 34.8 | **10,721.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,349.0** |
| H2O | 1964 | 440.2 | 388.1 | 428.6 | 419.7 | 450.4 | 452.2 | 501.0 | 449.5 | 469.7 | 458.8 | 456.0 | 383.2 | **16,986.7** |
| OIL | 1964 | 26.5 | 24.9 | 26.4 | 28.9 | 33.7 | 28.3 | 34.2 | 26.7 | 31.3 | 27.3 | 28.8 | 23.2 | **10,400.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 11.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,983.0** |
| H2O | 1963 | 564.6 | 546.0 | 665.7 | 469.7 | 425.9 | 425.8 | 456.9 | 421.0 | 419.6 | 430.1 | 426.7 | 445.5 | **11,689.3** |
| OIL | 1963 | 37.2 | 33.7 | 39.7 | 41.5 | 29.7 | 26.2 | 27.0 | 31.6 | 27.0 | 24.9 | 27.3 | 27.0 | **10,060.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,639.0** |
| H2O | 1962 | 93.0 | 70.6 | 138.0 | 108.7 | 166.0 | 162.8 | 460.1 | 437.4 | 442.5 | 522.8 | 551.2 | 578.2 | **5,991.8** |
| OIL | 1962 | 28.4 | 20.3 | 33.2 | 34.3 | 32.3 | 31.1 | 44.2 | 41.2 | 40.2 | 44.5 | 45.4 | 37.3 | **9,687.8** |
| DAY | 1961 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,276.0** |
| H2O | 1961 | 25.8 | 28.8 | 29.1 | 26.9 | 25.8 | 95.9 | 92.5 | 89.7 | 80.4 | 85.2 | 92.1 | 91.7 | **2,260.5** |
| OIL | 1961 | 71.7 | 68.2 | 75.0 | 74.1 | 76.9 | 54.8 | 54.7 | 65.5 | 51.6 | 52.6 | 30.0 | 30.2 | **9,255.4** |

# Manitoba Production
## 1950 To 1975

Licence ***779*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,912.0** |
| H2O | 1960 | 23.1 | 21.1 | 22.1 | 22.7 | 24.2 | 69.3 | 65.5 | 36.9 | 21.1 | 22.6 | 20.8 | 25.3 | **1,496.6** |
| OIL | 1960 | 82.5 | 76.0 | 80.6 | 77.2 | 84.7 | 79.0 | 77.9 | 82.5 | 70.7 | 77.5 | 72.6 | 81.0 | **8,550.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,546.0** |
| H2O | 1959 | 33.4 | 28.3 | 29.3 | 30.8 | 31.6 | 27.0 | 26.6 | 20.4 | 21.5 | 22.1 | 21.5 | 22.9 | **1,121.9** |
| OIL | 1959 | 79.3 | 73.1 | 75.0 | 76.1 | 77.2 | 78.2 | 83.1 | 81.0 | 81.8 | 89.3 | 84.1 | 86.8 | **7,607.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **1,181.0** |
| H2O | 1958 | 39.9 | 34.5 | 29.4 | 18.6 | 14.6 | 70.3 | 51.2 | 25.6 | 16.7 | 24.8 | 28.6 | 34.7 | **806.5** |
| OIL | 1958 | 105.8 | 119.2 | 129.4 | 120.9 | 117.6 | 100.9 | 110.3 | 101.1 | 90.1 | 98.5 | 78.2 | 88.7 | **6,642.9** |
| DAY | 1957 | 30.0 | 2.0 | 1.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | **820.0** |
| H2O | 1957 | 20.2 | 1.0 | 0.5 | 17.0 | 24.6 | 38.8 | 25.4 | 21.6 | 21.9 | 30.8 | 36.6 | 34.3 | **417.6** |
| OIL | 1957 | 204.2 | 14.0 | 7.6 | 225.5 | 206.9 | 189.4 | 165.9 | 154.5 | 146.7 | 147.3 | 127.0 | 136.5 | **5,382.2** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 17.0 | 23.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **514.0** |
| H2O | 1956 | 5.2 | 0.6 | 4.5 | 1.1 | 0.6 | 4.3 | 0.5 | 6.0 | 8.7 | 30.4 | 26.9 | 28.8 | **144.9** |
| OIL | 1956 | 232.8 | 198.2 | 223.1 | 116.6 | 200.5 | 226.8 | 226.3 | 226.4 | 214.7 | 230.7 | 203.4 | 204.2 | **3,656.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **170.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.6 | 1.1 | 7.6 | 13.5 | 4.3 | **27.3** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 55.8 | 157.2 | 260.6 | 267.3 | 203.9 | 208.2 | **1,153.0** |

Licence ***780*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 31.0 | 17.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,076.0** |
| H2O | 1967 | 726.1 | 325.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **54,254.9** |
| OIL | 1967 | 30.7 | 16.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **10,659.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 27.0 | 18.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,028.0** |
| H2O | 1966 | 758.1 | 684.6 | 721.8 | 686.5 | 648.5 | 720.2 | 708.0 | 962.2 | 830.4 | 877.4 | 792.1 | 679.2 | **53,203.7** |
| OIL | 1966 | 39.6 | 34.5 | 32.6 | 34.0 | 28.4 | 28.1 | 32.6 | 35.0 | 35.9 | 32.4 | 33.2 | 21.0 | **10,612.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,681.0** |
| H2O | 1965 | 414.0 | 413.7 | 445.0 | 376.5 | 349.5 | 567.1 | 593.4 | 525.0 | 509.7 | 677.9 | 585.4 | 546.4 | **44,134.7** |
| OIL | 1965 | 26.4 | 26.9 | 33.1 | 28.6 | 21.8 | 50.1 | 52.1 | 41.6 | 38.6 | 34.6 | 51.3 | 45.6 | **10,225.1** |
| DAY | 1964 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,320.0** |
| H2O | 1964 | 452.6 | 407.8 | 418.8 | 400.8 | 423.7 | 427.7 | 434.4 | 404.5 | 443.3 | 482.1 | 430.4 | 404.5 | **38,131.1** |
| OIL | 1964 | 40.0 | 32.7 | 34.6 | 28.9 | 25.4 | 28.4 | 25.7 | 30.2 | 22.6 | 27.2 | 20.8 | 30.8 | **9,774.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,955.0** |
| H2O | 1963 | 233.2 | 234.0 | 275.1 | 388.7 | 469.7 | 452.5 | 469.2 | 453.9 | 468.5 | 459.6 | 443.3 | 457.4 | **33,000.5** |
| OIL | 1963 | 26.9 | 25.3 | 28.6 | 57.7 | 34.3 | 34.6 | 35.8 | 41.8 | 35.6 | 44.0 | 36.1 | 35.6 | **9,427.1** |
| DAY | 1962 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 20.0 | 31.0 | 30.0 | 31.0 | **2,590.0** |
| H2O | 1962 | 375.7 | 294.8 | 415.4 | 332.6 | 378.9 | 300.5 | 217.3 | 198.4 | 197.6 | 232.1 | 246.1 | 239.0 | **28,195.4** |
| OIL | 1962 | 43.2 | 32.1 | 33.4 | 34.3 | 45.0 | 25.3 | 33.5 | 31.6 | 30.4 | 33.5 | 34.3 | 27.0 | **8,990.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,236.0** |
| H2O | 1961 | 450.1 | 528.2 | 515.8 | 475.7 | 457.1 | 350.6 | 395.7 | 378.9 | 328.5 | 355.8 | 384.4 | 383.2 | **24,767.0** |
| OIL | 1961 | 45.6 | 45.8 | 48.6 | 48.0 | 49.7 | 66.3 | 39.4 | 37.2 | 50.5 | 52.6 | 39.7 | 40.0 | **8,587.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,871.0** |
| H2O | 1960 | 438.0 | 399.2 | 417.5 | 352.0 | 376.5 | 232.6 | 219.6 | 270.6 | 377.1 | 398.7 | 343.6 | 448.7 | **19,763.0** |
| OIL | 1960 | 67.5 | 62.1 | 65.9 | 63.2 | 69.1 | 36.9 | 36.2 | 38.5 | 46.2 | 50.2 | 44.0 | 52.4 | **8,023.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,507.0** |
| H2O | 1959 | 397.2 | 336.7 | 348.3 | 368.1 | 377.8 | 369.0 | 382.4 | 414.5 | 405.9 | 417.7 | 405.6 | 435.6 | **15,488.9** |
| OIL | 1959 | 79.3 | 73.1 | 75.0 | 76.1 | 81.4 | 64.0 | 65.2 | 66.3 | 66.9 | 72.9 | 68.6 | 70.9 | **7,391.6** |
| DAY | 1958 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **1,142.0** |
| H2O | 1958 | 363.0 | 338.2 | 384.0 | 449.8 | 417.0 | 389.4 | 405.9 | 423.1 | 422.6 | 352.6 | 300.7 | 412.9 | **10,830.1** |

# Manitoba Production
## 1950 To 1975

Licence ***780*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1958 | 90.7 | 76.0 | 121.6 | 114.9 | 99.8 | 90.6 | 94.6 | 94.7 | 98.0 | 74.1 | 64.4 | 88.7 | **6,531.9** |
| DAY | 1957 | 19.0 | 0.0 | 1.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **782.0** |
| H2O | 1957 | 152.5 | 0.0 | 8.9 | 227.0 | 352.8 | 366.2 | 369.3 | 386.5 | 332.9 | 399.9 | 364.4 | 362.7 | **6,170.9** |
| OIL | 1957 | 119.0 | 0.0 | 6.4 | 182.9 | 188.6 | 185.9 | 156.0 | 162.6 | 128.1 | 118.9 | 125.9 | 125.9 | **5,423.8** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 5.0 | 17.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **489.0** |
| H2O | 1956 | 134.0 | 196.2 | 139.9 | 9.1 | 82.8 | 139.6 | 251.0 | 332.9 | 274.7 | 299.7 | 285.9 | 278.2 | **2,847.8** |
| OIL | 1956 | 286.5 | 281.6 | 299.5 | 41.0 | 176.7 | 252.7 | 259.2 | 259.3 | 231.5 | 240.4 | 201.3 | 204.2 | **3,923.6** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 17.0 | 30.0 | 31.0 | 29.0 | 31.0 | **163.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.3 | 21.0 | 93.2 | 145.6 | 163.4 | **423.8** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 56.9 | 53.4 | 269.7 | 292.6 | 246.8 | 270.3 | **1,189.7** |

Licence ***782*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,357.0** |
| H2O | 1975 | 281.4 | 258.5 | 288.4 | 279.3 | 289.8 | 271.4 | 277.7 | 273.8 | 269.6 | 277.4 | 290.3 | 295.5 | **22,554.4** |
| OIL | 1975 | 91.7 | 81.4 | 89.5 | 84.9 | 86.4 | 82.3 | 86.4 | 86.9 | 95.8 | 94.9 | 95.7 | 97.4 | **36,515.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,992.0** |
| H2O | 1974 | 301.6 | 276.9 | 312.9 | 280.1 | 290.6 | 287.3 | 295.1 | 251.5 | 266.9 | 277.9 | 277.1 | 275.4 | **19,201.3** |
| OIL | 1974 | 107.1 | 92.5 | 106.9 | 89.5 | 93.3 | 88.7 | 93.1 | 86.1 | 89.1 | 93.0 | 88.7 | 90.9 | **35,442.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,629.0** |
| H2O | 1973 | 252.5 | 242.3 | 259.8 | 249.3 | 244.2 | 242.8 | 239.9 | 358.3 | 351.7 | 355.2 | 311.9 | 302.4 | **15,808.0** |
| OIL | 1973 | 136.2 | 120.0 | 132.2 | 121.2 | 122.5 | 122.5 | 125.1 | 120.5 | 114.6 | 117.0 | 102.8 | 104.2 | **34,323.7** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,265.0** |
| H2O | 1972 | 282.3 | 288.2 | 316.2 | 281.7 | 270.1 | 268.7 | 298.1 | 263.3 | 268.8 | 292.2 | 289.8 | 319.4 | **12,397.7** |
| OIL | 1972 | 173.1 | 137.3 | 149.4 | 142.7 | 141.3 | 136.2 | 140.2 | 101.2 | 98.4 | 103.8 | 98.4 | 138.1 | **32,884.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,899.0** |
| H2O | 1971 | 201.6 | 182.8 | 210.3 | 220.2 | 220.5 | 219.6 | 221.6 | 213.7 | 184.4 | 206.2 | 198.4 | 300.5 | **8,958.9** |
| OIL | 1971 | 225.8 | 199.7 | 220.9 | 195.9 | 200.4 | 194.8 | 177.3 | 174.0 | 158.0 | 164.0 | 124.7 | 176.1 | **31,324.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,534.0** |
| H2O | 1970 | 158.0 | 148.3 | 155.0 | 143.2 | 147.5 | 286.0 | 264.2 | 298.1 | 277.3 | 278.5 | 195.7 | 217.6 | **6,379.1** |
| OIL | 1970 | 274.6 | 247.6 | 270.3 | 260.8 | 269.0 | 232.3 | 241.2 | 237.1 | 226.3 | 231.2 | 206.9 | 217.1 | **29,113.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 24.0 | 31.0 | **5,170.0** |
| H2O | 1969 | 32.6 | 29.6 | 27.8 | 28.3 | 8.6 | 34.0 | 36.9 | 37.0 | 22.3 | 31.0 | 23.5 | 163.9 | **3,809.7** |
| OIL | 1969 | 118.7 | 104.9 | 115.8 | 112.8 | 98.2 | 96.5 | 100.1 | 99.5 | 91.4 | 116.3 | 94.2 | 284.3 | **26,198.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,813.0** |
| H2O | 1968 | 21.9 | 21.0 | 22.3 | 55.3 | 58.0 | 31.0 | 37.2 | 29.9 | 29.9 | 31.6 | 29.3 | 31.3 | **3,334.2** |
| OIL | 1968 | 115.4 | 105.8 | 113.0 | 111.4 | 111.9 | 113.1 | 123.6 | 118.9 | 114.7 | 120.5 | 115.2 | 119.2 | **24,766.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,449.0** |
| H2O | 1967 | 52.1 | 43.1 | 50.6 | 48.3 | 28.9 | 27.2 | 21.5 | 28.8 | 25.1 | 27.3 | 20.8 | 22.7 | **2,935.5** |
| OIL | 1967 | 171.8 | 152.7 | 167.5 | 165.3 | 137.8 | 132.4 | 137.3 | 135.9 | 131.1 | 138.3 | 113.5 | 115.2 | **23,383.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **4,084.0** |
| H2O | 1966 | 9.4 | 7.5 | 9.4 | 9.7 | 10.7 | 9.5 | 9.5 | 9.4 | 10.2 | 37.2 | 37.0 | 49.6 | **2,539.1** |
| OIL | 1966 | 101.2 | 89.0 | 98.7 | 96.6 | 100.9 | 97.1 | 100.6 | 99.5 | 97.1 | 89.9 | 88.4 | 156.0 | **21,684.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,721.0** |
| H2O | 1965 | 10.7 | 9.4 | 11.0 | 9.5 | 9.7 | 9.2 | 9.2 | 9.2 | 9.4 | 9.4 | 9.5 | 9.7 | **2,330.0** |
| OIL | 1965 | 107.6 | 98.0 | 106.0 | 102.2 | 103.3 | 103.3 | 106.6 | 106.6 | 101.1 | 105.0 | 99.8 | 102.5 | **20,469.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,356.0** |
| H2O | 1964 | 21.5 | 19.4 | 21.5 | 20.8 | 22.1 | 7.5 | 3.7 | 10.2 | 9.7 | 9.9 | 10.0 | 10.7 | **2,214.1** |
| OIL | 1964 | 108.1 | 102.2 | 110.3 | 106.2 | 109.2 | 105.2 | 99.8 | 103.1 | 99.8 | 101.5 | 98.8 | 106.6 | **19,227.6** |
| DAY | 1963 | 22.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,990.0** |

# Manitoba Production
## 1950 To 1975

Licence ***782*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1963 | 3.2 | 3.2 | 4.9 | 14.9 | 8.1 | 19.7 | 22.1 | 21.9 | 20.3 | 13.4 | 20.8 | 21.1 | **2,047.1** |
| OIL | 1963 | 49.7 | 60.5 | 74.8 | 90.3 | 94.2 | 105.0 | 109.0 | 112.2 | 107.1 | 107.7 | 101.4 | 103.6 | **17,976.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,639.0** |
| H2O | 1962 | 17.5 | 5.4 | 12.4 | 10.8 | 1.3 | 1.3 | 14.3 | 14.3 | 5.9 | 6.0 | 5.2 | 4.5 | **1,873.5** |
| OIL | 1962 | 84.7 | 80.9 | 86.4 | 76.3 | 99.8 | 97.7 | 90.4 | 88.4 | 78.2 | 76.0 | 73.7 | 73.6 | **16,861.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,274.0** |
| H2O | 1961 | 26.1 | 23.7 | 22.9 | 0.0 | 12.6 | 19.4 | 39.0 | 34.8 | 18.3 | 17.5 | 17.2 | 18.4 | **1,774.6** |
| OIL | 1961 | 97.1 | 88.5 | 99.3 | 89.1 | 89.1 | 90.4 | 89.5 | 91.8 | 88.2 | 88.5 | 89.9 | 89.3 | **15,855.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,909.0** |
| H2O | 1960 | 11.8 | 2.7 | 0.0 | 7.6 | 22.9 | 10.3 | 6.2 | 5.7 | 5.9 | 5.4 | 17.3 | 28.5 | **1,524.7** |
| OIL | 1960 | 126.2 | 127.4 | 131.4 | 122.5 | 123.3 | 119.2 | 104.6 | 84.4 | 90.6 | 107.3 | 98.5 | 96.0 | **14,764.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,546.0** |
| H2O | 1959 | 31.0 | 29.9 | 33.5 | 11.3 | 7.6 | 14.8 | 24.3 | 31.5 | 40.9 | 23.5 | 29.4 | 26.1 | **1,400.4** |
| OIL | 1959 | 181.2 | 163.2 | 183.7 | 173.8 | 160.2 | 147.2 | 153.0 | 154.9 | 149.2 | 150.8 | 135.7 | 131.6 | **13,433.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,181.0** |
| H2O | 1958 | 30.7 | 34.0 | 22.1 | 27.5 | 23.5 | 38.2 | 28.5 | 31.6 | 30.8 | 32.7 | 31.3 | 31.5 | **1,096.6** |
| OIL | 1958 | 209.4 | 228.0 | 199.9 | 204.7 | 208.6 | 193.6 | 207.1 | 200.9 | 182.4 | 194.7 | 191.8 | 185.4 | **11,548.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 28.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **818.0** |
| H2O | 1957 | 29.1 | 24.3 | 29.1 | 26.7 | 30.5 | 39.3 | 47.7 | 80.1 | 41.8 | 53.3 | 47.9 | 30.5 | **734.2** |
| OIL | 1957 | 289.5 | 259.0 | 296.0 | 286.7 | 318.9 | 284.0 | 305.6 | 308.3 | 289.1 | 301.6 | 241.5 | 220.2 | **9,142.1** |
| DAY | 1956 | 31.0 | 29.0 | 29.0 | 28.0 | 31.0 | 25.0 | 31.0 | 31.0 | 28.0 | 25.0 | 29.0 | 30.0 | **463.0** |
| H2O | 1956 | 27.8 | 1.9 | 1.9 | 1.9 | 2.7 | 2.1 | 34.0 | 15.1 | 18.6 | 24.2 | 36.1 | 30.4 | **253.9** |
| OIL | 1956 | 342.5 | 374.6 | 359.6 | 332.0 | 379.0 | 292.7 | 369.8 | 373.3 | 294.0 | 287.3 | 303.0 | 294.5 | **5,741.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 27.0 | 19.0 | 24.0 | 22.0 | 23.0 | **116.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 1.9 | 0.0 | 0.0 | 34.2 | 14.6 | 1.4 | 2.1 | 3.0 | **57.2** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 38.0 | 0.0 | 0.0 | 401.1 | 329.9 | 337.0 | 296.7 | 336.7 | **1,739.4** |

Licence ***783*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.16-16-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,421.0** |
| H2O | 1975 | 221.1 | 208.6 | 227.7 | 230.0 | 238.5 | 221.8 | 224.2 | 225.4 | 221.8 | 238.3 | 238.9 | 243.4 | **26,107.3** |
| OIL | 1975 | 211.7 | 193.2 | 207.7 | 205.5 | 209.3 | 197.7 | 205.0 | 210.2 | 204.0 | 211.0 | 204.2 | 207.4 | **66,745.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,057.0** |
| H2O | 1974 | 272.3 | 252.5 | 282.5 | 274.1 | 284.4 | 266.9 | 242.9 | 222.9 | 219.7 | 230.7 | 230.0 | 230.2 | **23,367.6** |
| OIL | 1974 | 249.8 | 217.7 | 249.2 | 236.9 | 246.9 | 223.0 | 225.3 | 224.5 | 215.6 | 226.9 | 216.6 | 223.4 | **64,278.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,694.0** |
| H2O | 1973 | 242.6 | 232.9 | 249.8 | 249.1 | 252.5 | 207.5 | 208.4 | 193.2 | 300.6 | 303.3 | 269.2 | 273.1 | **20,358.5** |
| OIL | 1973 | 233.3 | 205.6 | 226.6 | 221.5 | 231.1 | 206.7 | 214.4 | 197.2 | 249.2 | 254.4 | 229.0 | 243.1 | **61,523.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **6,334.0** |
| H2O | 1972 | 213.7 | 208.1 | 228.5 | 203.3 | 224.6 | 214.9 | 238.5 | 226.1 | 210.8 | 245.6 | 243.4 | 246.9 | **17,376.3** |
| OIL | 1972 | 229.1 | 213.6 | 232.5 | 222.2 | 234.4 | 226.0 | 233.0 | 238.0 | 211.7 | 238.8 | 226.8 | 236.0 | **58,810.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,970.0** |
| H2O | 1971 | 228.6 | 209.2 | 240.7 | 233.4 | 242.0 | 241.0 | 238.8 | 230.2 | 206.0 | 224.3 | 193.6 | 227.3 | **14,671.9** |
| OIL | 1971 | 285.6 | 254.6 | 281.9 | 258.7 | 273.5 | 265.9 | 272.1 | 266.8 | 263.2 | 266.0 | 227.7 | 233.3 | **56,068.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,606.0** |
| H2O | 1970 | 139.6 | 131.0 | 137.2 | 61.8 | 63.6 | 261.7 | 252.8 | 285.1 | 232.3 | 245.5 | 224.0 | 249.0 | **11,956.8** |
| OIL | 1970 | 237.9 | 214.4 | 234.1 | 141.0 | 145.6 | 277.1 | 301.3 | 296.2 | 256.2 | 275.2 | 263.9 | 276.8 | **52,919.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **5,242.0** |
| H2O | 1969 | 144.8 | 131.5 | 123.4 | 125.9 | 138.6 | 132.6 | 143.7 | 144.5 | 128.0 | 143.1 | 132.1 | 144.8 | **9,673.2** |
| OIL | 1969 | 243.3 | 215.0 | 237.4 | 231.4 | 237.6 | 233.1 | 242.2 | 240.9 | 220.4 | 237.4 | 235.0 | 246.3 | **49,999.8** |

# Manitoba Production
## 1950 To 1975

Licence ***783*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.16-16-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 31.0 | 29.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,879.0** |
| H2O | 1968 | 82.8 | 78.7 | 390.3 | 119.4 | 153.6 | 140.4 | 149.4 | 132.4 | 132.4 | 140.9 | 129.9 | 138.2 | **8,040.2** |
| OIL | 1968 | 206.6 | 189.4 | 231.2 | 260.0 | 336.4 | 330.4 | 338.5 | 243.5 | 234.1 | 246.5 | 236.1 | 243.3 | **47,179.8** |
| DAY | 1967 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,517.0** |
| H2O | 1967 | 52.1 | 42.9 | 96.2 | 124.0 | 124.3 | 117.2 | 83.3 | 111.1 | 97.5 | 105.1 | 78.7 | 85.8 | **6,251.8** |
| OIL | 1967 | 175.4 | 155.7 | 268.9 | 257.6 | 265.4 | 254.6 | 238.8 | 236.6 | 228.0 | 240.7 | 203.1 | 206.3 | **44,083.8** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | **4,154.0** |
| H2O | 1966 | 43.7 | 35.0 | 44.5 | 54.7 | 62.3 | 151.7 | 53.4 | 60.9 | 70.0 | 51.5 | 50.7 | 51.5 | **5,133.6** |
| OIL | 1966 | 196.7 | 173.2 | 191.8 | 177.2 | 186.7 | 170.2 | 164.2 | 160.7 | 167.3 | 171.0 | 166.9 | 165.4 | **41,352.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,792.0** |
| H2O | 1965 | 71.9 | 63.3 | 71.9 | 106.0 | 60.9 | 86.8 | 173.4 | 54.2 | 54.8 | 59.0 | 45.2 | 45.9 | **4,403.7** |
| OIL | 1965 | 237.3 | 214.2 | 231.4 | 214.8 | 206.9 | 205.9 | 213.9 | 212.9 | 201.8 | 205.2 | 193.7 | 199.0 | **39,261.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,427.0** |
| H2O | 1964 | 83.3 | 76.8 | 84.3 | 82.4 | 87.3 | 76.8 | 64.9 | 68.0 | 163.1 | 163.0 | 163.4 | 71.4 | **3,510.4** |
| OIL | 1964 | 276.8 | 267.6 | 276.0 | 268.7 | 276.8 | 251.9 | 240.3 | 250.4 | 227.6 | 231.7 | 219.6 | 234.7 | **36,724.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,062.0** |
| H2O | 1963 | 53.7 | 53.1 | 152.8 | 157.1 | 62.0 | 66.3 | 114.5 | 79.0 | 77.1 | 81.6 | 82.4 | 84.1 | **2,325.7** |
| OIL | 1963 | 328.6 | 313.5 | 277.1 | 278.6 | 284.4 | 266.7 | 320.5 | 288.7 | 268.2 | 283.3 | 265.2 | 271.4 | **33,702.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,697.0** |
| H2O | 1962 | 24.5 | 22.6 | 25.6 | 25.9 | 51.4 | 32.6 | 39.1 | 39.9 | 57.2 | 56.9 | 55.0 | 58.7 | **1,262.0** |
| OIL | 1962 | 289.5 | 249.5 | 278.9 | 294.9 | 309.4 | 295.4 | 337.2 | 328.9 | 393.3 | 362.3 | 333.7 | 359.0 | **30,256.1** |
| DAY | 1961 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 25.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,333.0** |
| H2O | 1961 | 19.1 | 19.6 | 27.0 | 25.1 | 23.5 | 22.3 | 26.7 | 211.0 | 21.5 | 25.8 | 24.6 | 25.0 | **772.6** |
| OIL | 1961 | 305.3 | 277.6 | 389.2 | 368.7 | 355.2 | 368.8 | 390.1 | 322.1 | 247.3 | 293.8 | 287.6 | 300.2 | **26,424.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,983.0** |
| H2O | 1960 | 0.0 | 14.8 | 16.7 | 16.1 | 15.4 | 15.7 | 15.6 | 14.6 | 15.6 | 5.9 | 2.2 | 2.5 | **301.4** |
| OIL | 1960 | 315.0 | 370.9 | 384.7 | 374.9 | 401.1 | 374.6 | 375.8 | 336.1 | 373.0 | 378.8 | 335.1 | 336.1 | **22,518.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **1,621.0** |
| H2O | 1959 | 11.1 | 10.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.5 | 2.2 | 2.4 | 0.0 | 0.0 | **166.3** |
| OIL | 1959 | 370.1 | 338.6 | 300.3 | 308.8 | 297.5 | 275.7 | 309.4 | 345.3 | 316.7 | 330.9 | 283.7 | 308.3 | **18,162.1** |
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,258.0** |
| H2O | 1958 | 9.9 | 9.1 | 11.1 | 9.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.7 | 10.0 | **137.8** |
| OIL | 1958 | 316.9 | 271.9 | 295.6 | 291.1 | 400.5 | 325.3 | 336.3 | 320.2 | 311.1 | 326.7 | 375.0 | 400.5 | **14,376.8** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 29.0 | 29.0 | **897.0** |
| H2O | 1957 | 9.1 | 6.7 | 0.5 | 0.5 | 2.5 | 5.7 | 1.0 | 1.9 | 1.9 | 0.6 | 1.0 | 0.6 | **75.8** |
| OIL | 1957 | 353.3 | 222.8 | 256.2 | 287.9 | 387.4 | 390.6 | 372.3 | 341.3 | 375.8 | 354.2 | 318.8 | 310.0 | **10,405.7** |
| DAY | 1956 | 31.0 | 29.0 | 30.0 | 28.0 | 31.0 | 29.0 | 30.0 | 27.0 | 28.0 | 24.0 | 28.0 | 29.0 | **541.0** |
| H2O | 1956 | 0.6 | 0.6 | 0.8 | 0.6 | 0.8 | 11.0 | 0.6 | 0.5 | 6.2 | 3.8 | 6.5 | 8.9 | **43.8** |
| OIL | 1956 | 352.6 | 344.5 | 369.8 | 322.4 | 369.3 | 333.7 | 349.9 | 353.6 | 304.2 | 304.2 | 333.4 | 353.6 | **6,435.1** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 31.0 | 31.0 | 30.0 | 30.0 | 26.0 | 27.0 | **197.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.6 | 0.6 | 0.6 | 0.6 | 0.2 | **2.9** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 323.1 | 342.9 | 344.8 | 332.9 | 326.6 | 325.4 | 348.2 | **2,343.9** |

Licence ***784*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **7,136.0** |
| H2O | 1975 | 405.4 | 357.1 | 186.2 | 192.8 | 197.8 | 110.8 | 109.2 | 86.3 | 89.7 | 90.6 | 121.6 | 134.5 | **52,577.3** |
| OIL | 1975 | 128.9 | 114.3 | 66.7 | 65.6 | 69.8 | 45.0 | 41.6 | 31.9 | 30.8 | 30.2 | 70.6 | 74.1 | **25,243.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 31.0 | 18.0 | 29.0 | 30.0 | 31.0 | **6,774.0** |
| H2O | 1974 | 201.0 | 189.5 | 217.2 | 129.3 | 124.6 | 143.9 | 75.7 | 75.8 | 23.7 | 37.2 | 385.5 | 399.8 | **50,495.3** |

# Manitoba Production
# 1950 To 1975

Licence ***784*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1974 | 16.0 | 14.9 | 16.4 | 104.6 | 102.0 | 121.6 | 57.8 | 56.6 | 13.8 | 21.5 | 127.0 | 129.2 | **24,474.3** |
| DAY | 1973 | 31.0 | 27.0 | 31.0 | 29.0 | 29.0 | 29.0 | 31.0 | 31.0 | 30.0 | 22.0 | 30.0 | 31.0 | **6,427.0** |
| H2O | 1973 | 227.7 | 150.2 | 180.6 | 187.6 | 176.3 | 172.2 | 193.6 | 195.9 | 191.6 | 147.2 | 212.4 | 214.1 | **48,492.1** |
| OIL | 1973 | 113.5 | 110.9 | 127.6 | 122.8 | 125.7 | 94.9 | 102.8 | 89.9 | 81.8 | 11.0 | 16.7 | 16.5 | **23,692.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **6,076.0** |
| H2O | 1972 | 340.9 | 245.1 | 217.8 | 213.8 | 231.5 | 231.0 | 229.6 | 218.8 | 178.7 | 191.7 | 202.4 | 215.7 | **46,242.7** |
| OIL | 1972 | 180.5 | 161.8 | 138.4 | 123.6 | 130.5 | 124.6 | 131.4 | 112.3 | 105.2 | 106.8 | 103.9 | 112.5 | **22,678.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 27.0 | **5,713.0** |
| H2O | 1971 | 529.6 | 504.3 | 505.2 | 449.0 | 496.7 | 464.1 | 405.9 | 493.3 | 476.5 | 350.6 | 327.0 | 274.7 | **43,525.7** |
| OIL | 1971 | 235.8 | 210.7 | 231.7 | 212.3 | 218.3 | 209.9 | 191.8 | 220.9 | 208.6 | 106.8 | 167.5 | 151.3 | **21,147.3** |
| DAY | 1970 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 29.0 | **5,356.0** |
| H2O | 1970 | 711.4 | 569.0 | 638.3 | 654.7 | 647.2 | 627.0 | 615.9 | 648.0 | 540.7 | 592.8 | 495.2 | 467.1 | **38,248.8** |
| OIL | 1970 | 274.4 | 206.1 | 234.6 | 223.1 | 228.5 | 219.6 | 224.1 | 225.8 | 195.8 | 228.7 | 215.3 | 213.9 | **18,781.7** |
| DAY | 1969 | 31.0 | 26.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,997.0** |
| H2O | 1969 | 699.2 | 575.8 | 715.6 | 738.3 | 762.8 | 741.5 | 645.6 | 614.8 | 621.0 | 628.3 | 652.9 | 659.9 | **31,041.5** |
| OIL | 1969 | 246.8 | 202.9 | 321.0 | 312.4 | 308.9 | 338.5 | 276.8 | 274.6 | 250.9 | 261.1 | 245.4 | 263.0 | **16,091.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | 24.0 | 30.0 | 31.0 | **4,636.0** |
| H2O | 1968 | 338.6 | 336.2 | 613.2 | 504.6 | 554.7 | 518.6 | 490.6 | 448.6 | 398.2 | 370.9 | 685.8 | 696.0 | **22,985.8** |
| OIL | 1968 | 129.7 | 129.5 | 114.4 | 208.2 | 219.1 | 219.9 | 236.3 | 226.3 | 207.9 | 187.7 | 234.2 | 248.9 | **12,789.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,283.0** |
| H2O | 1967 | 203.8 | 206.2 | 242.1 | 241.6 | 217.3 | 218.0 | 229.4 | 218.8 | 228.9 | 234.0 | 333.5 | 355.2 | **17,029.8** |
| OIL | 1967 | 80.4 | 73.1 | 81.8 | 76.8 | 74.1 | 82.0 | 90.4 | 103.3 | 105.8 | 109.6 | 124.1 | 131.4 | **10,427.4** |
| DAY | 1966 | 27.0 | 28.0 | 31.0 | 28.0 | 23.0 | 22.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,920.0** |
| H2O | 1966 | 165.2 | 178.7 | 190.8 | 169.9 | 176.5 | 153.3 | 225.3 | 230.2 | 191.6 | 213.0 | 191.7 | 191.7 | **14,101.0** |
| OIL | 1966 | 82.5 | 82.3 | 90.6 | 76.6 | 74.5 | 67.1 | 99.5 | 96.6 | 92.8 | 93.4 | 91.7 | 76.0 | **9,294.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 18.0 | 27.0 | 22.0 | 27.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,577.0** |
| H2O | 1965 | 199.7 | 188.7 | 205.9 | 121.9 | 164.4 | 139.9 | 179.3 | 177.7 | 181.4 | 198.6 | 186.8 | 196.5 | **11,823.1** |
| OIL | 1965 | 86.4 | 80.1 | 87.7 | 55.6 | 84.2 | 68.8 | 83.7 | 89.8 | 89.0 | 91.8 | 87.9 | 92.5 | **8,271.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 28.0 | 29.0 | 28.0 | 29.0 | 29.0 | 28.0 | 29.0 | 28.0 | 29.0 | **3,242.0** |
| H2O | 1964 | 217.5 | 204.9 | 219.2 | 192.2 | 194.0 | 187.8 | 196.2 | 191.4 | 172.8 | 190.3 | 186.6 | 186.2 | **9,682.3** |
| OIL | 1964 | 88.2 | 85.5 | 88.8 | 83.9 | 93.4 | 92.3 | 97.4 | 96.6 | 82.8 | 85.0 | 86.0 | 87.7 | **7,273.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 3.0 | 27.0 | 29.0 | 28.0 | 29.0 | 28.0 | 31.0 | **2,894.0** |
| H2O | 1963 | 205.7 | 189.8 | 223.8 | 192.5 | 53.1 | 5.7 | 220.0 | 207.6 | 211.3 | 208.1 | 199.0 | 216.8 | **7,343.2** |
| OIL | 1963 | 91.4 | 77.4 | 84.2 | 82.2 | 59.3 | 2.2 | 97.6 | 99.6 | 95.8 | 101.7 | 96.1 | 90.7 | **6,205.9** |
| DAY | 1962 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **2,569.0** |
| H2O | 1962 | 214.3 | 182.7 | 216.7 | 197.3 | 214.1 | 209.7 | 204.4 | 230.7 | 229.9 | 226.9 | 230.0 | 209.2 | **5,209.8** |
| OIL | 1962 | 166.5 | 143.0 | 136.3 | 133.0 | 117.4 | 108.7 | 105.8 | 101.9 | 101.7 | 103.1 | 90.6 | 87.6 | **5,227.7** |
| DAY | 1961 | 29.0 | 26.0 | 30.0 | 29.0 | 29.0 | 18.0 | 29.0 | 21.0 | 28.0 | 12.0 | 30.0 | 31.0 | **2,207.0** |
| H2O | 1961 | 11.3 | 5.7 | 9.4 | 9.7 | 9.4 | 7.2 | 9.9 | 9.9 | 19.7 | 144.2 | 210.6 | 217.0 | **2,643.9** |
| OIL | 1961 | 12.9 | 12.2 | 15.1 | 14.8 | 13.3 | 10.8 | 14.5 | 12.6 | 14.8 | 41.0 | 183.9 | 178.8 | **3,832.1** |
| DAY | 1960 | 28.0 | 29.0 | 29.0 | 28.0 | 29.0 | 28.0 | 29.0 | 28.0 | 26.0 | 29.0 | 28.0 | 31.0 | **1,895.0** |
| H2O | 1960 | 14.5 | 16.2 | 13.8 | 11.0 | 11.1 | 9.2 | 10.8 | 12.7 | 10.0 | 11.6 | 10.3 | 10.7 | **1,979.9** |
| OIL | 1960 | 17.5 | 17.6 | 18.3 | 15.6 | 17.0 | 13.8 | 14.3 | 20.7 | 14.8 | 15.1 | 14.6 | 14.5 | **3,307.4** |
| DAY | 1959 | 31.0 | 26.0 | 31.0 | 28.0 | 27.0 | 28.0 | 31.0 | 31.0 | 30.0 | 2.0 | 12.0 | 31.0 | **1,553.0** |
| H2O | 1959 | 4.9 | 4.6 | 14.6 | 13.2 | 11.8 | 11.0 | 11.6 | 10.3 | 9.5 | 0.6 | 6.8 | 15.3 | **1,838.0** |
| OIL | 1959 | 14.3 | 13.2 | 22.1 | 16.4 | 16.8 | 14.8 | 15.1 | 11.9 | 13.0 | 0.8 | 10.5 | 21.8 | **3,113.6** |
| DAY | 1958 | 31.0 | 28.0 | 29.0 | 28.0 | 29.0 | 28.0 | 29.0 | 28.0 | 27.0 | 28.0 | 28.0 | 30.0 | **1,245.0** |
| H2O | 1958 | 27.2 | 25.9 | 26.9 | 27.2 | 26.2 | 25.9 | 26.5 | 25.9 | 16.2 | 5.1 | 5.9 | 4.8 | **1,723.8** |
| OIL | 1958 | 27.0 | 27.0 | 26.9 | 26.2 | 28.8 | 28.9 | 23.4 | 21.5 | 19.1 | 19.9 | 19.5 | 17.6 | **2,942.9** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 25.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | **902.0** |
| H2O | 1957 | 38.8 | 34.8 | 38.2 | 34.0 | 38.2 | 32.9 | 27.5 | 32.1 | 26.5 | 28.1 | 26.7 | 25.9 | **1,480.1** |
| OIL | 1957 | 39.1 | 34.8 | 38.0 | 34.0 | 37.2 | 32.6 | 26.9 | 31.6 | 26.7 | 28.0 | 26.7 | 26.4 | **2,657.1** |

# Manitoba Production
## 1950 To 1975

Licence ***784*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 30.0 | 29.0 | 31.0 | 27.0 | 28.0 | 29.0 | 31.0 | 31.0 | 30.0 | 29.0 | 27.0 | 28.0 | **549.0** |
| H2O | 1956 | 80.4 | 122.7 | 73.6 | 54.1 | 52.9 | 84.3 | 121.6 | 90.0 | 96.7 | 110.5 | 48.0 | 34.8 | **1,096.4** |
| OIL | 1956 | 139.5 | 114.4 | 114.6 | 96.5 | 111.7 | 104.6 | 124.4 | 107.9 | 107.4 | 101.4 | 47.0 | 35.0 | **2,275.1** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 31.0 | 25.0 | 22.0 | 31.0 | 30.0 | 31.0 | **199.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.3 | 0.3 | 0.3 | 11.1 | 59.9 | 32.1 | 22.6 | **126.8** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 65.3 | 169.4 | 81.2 | 70.9 | 78.2 | 223.0 | 204.2 | 178.5 | **1,070.7** |

Licence ***785*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,318.0** |
| H2O | 1975 | 373.4 | 328.9 | 355.3 | 356.3 | 365.2 | 337.0 | 362.0 | 334.0 | 369.0 | 372.6 | 367.1 | 392.5 | **16,815.5** |
| OIL | 1975 | 31.9 | 28.4 | 31.8 | 30.4 | 32.1 | 31.1 | 31.6 | 30.0 | 30.7 | 30.2 | 29.9 | 30.2 | **13,096.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,955.0** |
| H2O | 1974 | 206.5 | 184.4 | 211.4 | 209.4 | 190.3 | 208.4 | 219.7 | 222.1 | 228.3 | 226.5 | 355.0 | 368.2 | **12,502.2** |
| OIL | 1974 | 78.8 | 300.5 | 331.0 | 316.1 | 291.0 | 328.6 | 366.3 | 360.6 | 136.7 | 134.1 | 31.6 | 32.1 | **12,728.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,597.0** |
| H2O | 1973 | 203.8 | 176.5 | 205.9 | 219.9 | 217.6 | 197.1 | 207.6 | 211.4 | 205.4 | 217.5 | 216.8 | 218.6 | **9,672.0** |
| OIL | 1973 | 163.7 | 142.7 | 159.1 | 113.5 | 122.5 | 119.0 | 120.9 | 106.5 | 96.0 | 76.6 | 81.8 | 80.7 | **10,021.1** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 29.0 | 31.0 | 28.0 | 31.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | **6,233.0** |
| H2O | 1972 | 41.7 | 29.4 | 30.7 | 62.0 | 65.8 | 60.6 | 66.6 | 64.5 | 62.6 | 70.4 | 187.4 | 202.9 | **7,173.9** |
| OIL | 1972 | 71.4 | 62.5 | 64.4 | 38.8 | 40.2 | 35.4 | 41.3 | 38.9 | 38.3 | 40.7 | 154.8 | 162.1 | **8,638.1** |
| DAY | 1971 | 31.0 | 24.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | **5,875.0** |
| H2O | 1971 | 106.0 | 86.6 | 76.3 | 91.7 | 98.1 | 78.4 | 74.2 | 73.9 | 70.7 | 72.0 | 75.5 | 36.4 | **6,229.3** |
| OIL | 1971 | 86.8 | 66.4 | 45.4 | 51.5 | 51.3 | 62.3 | 61.5 | 56.3 | 52.8 | 63.1 | 67.1 | 64.7 | **7,849.3** |
| DAY | 1970 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,522.0** |
| H2O | 1970 | 128.1 | 96.7 | 112.6 | 115.6 | 114.1 | 105.2 | 105.9 | 102.2 | 102.7 | 100.3 | 99.2 | 100.0 | **5,289.5** |
| OIL | 1970 | 71.8 | 69.0 | 81.5 | 77.5 | 79.5 | 72.6 | 76.0 | 77.2 | 80.9 | 84.1 | 79.0 | 84.1 | **7,120.1** |
| DAY | 1969 | 31.0 | 28.0 | 27.0 | 30.0 | 2.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **5,162.0** |
| H2O | 1969 | 14.9 | 13.7 | 12.4 | 98.1 | 6.5 | 81.7 | 97.6 | 106.7 | 110.3 | 111.6 | 114.1 | 122.7 | **4,006.9** |
| OIL | 1969 | 36.2 | 33.2 | 31.9 | 75.0 | 4.8 | 67.5 | 79.9 | 89.0 | 83.4 | 86.6 | 62.5 | 71.2 | **6,186.9** |
| DAY | 1968 | 31.0 | 28.0 | 29.0 | 27.0 | 31.0 | 30.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,839.0** |
| H2O | 1968 | 14.8 | 13.5 | 14.3 | 13.0 | 15.1 | 14.0 | 14.3 | 14.8 | 12.4 | 15.1 | 14.8 | 14.8 | **3,116.6** |
| OIL | 1968 | 41.0 | 37.7 | 37.3 | 33.2 | 36.5 | 36.4 | 33.8 | 36.2 | 31.0 | 36.9 | 34.5 | 36.5 | **5,465.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | **4,483.0** |
| H2O | 1967 | 17.6 | 17.8 | 21.0 | 20.8 | 20.0 | 18.9 | 19.4 | 17.8 | 18.8 | 18.9 | 11.8 | 15.4 | **2,945.7** |
| OIL | 1967 | 20.3 | 18.4 | 20.7 | 19.2 | 20.0 | 20.7 | 22.2 | 22.6 | 23.0 | 23.8 | 31.8 | 40.5 | **5,034.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **4,124.0** |
| H2O | 1966 | 29.4 | 26.2 | 29.6 | 28.6 | 29.6 | 31.6 | 24.6 | 17.2 | 19.7 | 23.2 | 29.6 | 15.6 | **2,727.5** |
| OIL | 1966 | 27.2 | 20.5 | 24.6 | 23.8 | 24.5 | 23.0 | 21.3 | 24.0 | 23.2 | 21.8 | 23.7 | 18.0 | **4,751.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | **3,760.0** |
| H2O | 1965 | 29.1 | 26.7 | 29.6 | 24.5 | 19.2 | 18.3 | 17.3 | 19.7 | 19.1 | 12.1 | 31.8 | 28.6 | **2,422.6** |
| OIL | 1965 | 24.5 | 22.4 | 24.6 | 23.8 | 23.5 | 22.9 | 21.1 | 24.2 | 23.7 | 19.7 | 38.3 | 31.3 | **4,475.9** |
| DAY | 1964 | 31.0 | 29.0 | 29.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,401.0** |
| H2O | 1964 | 9.9 | 9.2 | 9.2 | 40.5 | 44.0 | 31.5 | 29.6 | 29.6 | 28.6 | 29.6 | 28.6 | 29.6 | **2,146.6** |
| OIL | 1964 | 19.7 | 18.6 | 18.3 | 25.6 | 23.8 | 23.7 | 24.3 | 24.5 | 23.7 | 24.5 | 23.5 | 24.8 | **4,175.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,041.0** |
| H2O | 1963 | 9.7 | 8.9 | 9.9 | 9.5 | 9.9 | 9.4 | 9.9 | 9.9 | 9.5 | 9.7 | 9.5 | 9.9 | **1,826.7** |
| OIL | 1963 | 19.5 | 18.0 | 19.9 | 19.1 | 19.5 | 18.6 | 19.5 | 19.5 | 19.1 | 19.4 | 19.1 | 19.9 | **3,900.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,676.0** |
| H2O | 1962 | 14.8 | 13.2 | 14.8 | 14.3 | 14.8 | 14.3 | 14.5 | 14.0 | 14.3 | 4.9 | 4.5 | 4.9 | **1,711.0** |

# Manitoba Production
## 1950 To 1975

Licence ***785*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 29.7 | 26.5 | 29.9 | 28.6 | 29.4 | 28.3 | 28.3 | 27.8 | 28.6 | 19.4 | 17.2 | 19.7 | **3,669.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,314.0** |
| H2O | 1961 | 14.6 | 13.4 | 14.8 | 14.3 | 14.3 | 14.3 | 14.8 | 14.8 | 14.3 | 14.5 | 14.3 | 14.8 | **1,567.7** |
| OIL | 1961 | 29.4 | 26.9 | 29.4 | 28.6 | 28.3 | 28.3 | 29.2 | 29.1 | 28.4 | 28.9 | 28.8 | 28.8 | **3,356.4** |
| DAY | 1960 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,950.0** |
| H2O | 1960 | 26.5 | 13.8 | 14.8 | 14.3 | 14.8 | 14.3 | 14.8 | 14.0 | 14.3 | 14.5 | 14.3 | 14.8 | **1,394.5** |
| OIL | 1960 | 29.1 | 27.2 | 29.7 | 28.8 | 29.6 | 28.4 | 29.4 | 28.0 | 28.3 | 28.8 | 27.7 | 29.7 | **3,012.3** |
| DAY | 1959 | 28.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,587.0** |
| H2O | 1959 | 23.4 | 21.5 | 29.7 | 31.2 | 34.5 | 33.4 | 34.5 | 34.5 | 33.2 | 33.5 | 33.4 | 34.5 | **1,209.3** |
| OIL | 1959 | 20.0 | 37.2 | 41.3 | 27.7 | 30.2 | 28.1 | 28.0 | 30.0 | 27.8 | 37.5 | 38.5 | 39.4 | **2,667.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | **1,226.0** |
| H2O | 1958 | 24.6 | 22.3 | 24.6 | 22.9 | 24.6 | 23.8 | 24.6 | 24.6 | 23.8 | 24.6 | 20.7 | 23.8 | **832.0** |
| OIL | 1958 | 42.7 | 26.5 | 29.9 | 27.5 | 16.0 | 14.8 | 14.5 | 14.6 | 13.8 | 14.6 | 39.7 | 29.2 | **2,281.9** |
| DAY | 1957 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **865.0** |
| H2O | 1957 | 9.5 | 11.9 | 14.9 | 14.3 | 14.8 | 21.3 | 20.0 | 23.7 | 23.8 | 24.6 | 23.1 | 24.6 | **547.1** |
| OIL | 1957 | 29.7 | 29.1 | 56.4 | 77.4 | 74.8 | 53.4 | 39.9 | 43.2 | 47.5 | 49.3 | 44.5 | 49.7 | **1,998.1** |
| DAY | 1956 | 29.0 | 29.0 | 29.0 | 27.0 | 30.0 | 22.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 27.0 | **502.0** |
| H2O | 1956 | 31.8 | 18.0 | 19.7 | 15.6 | 23.7 | 26.9 | 20.5 | 23.8 | 30.2 | 29.6 | 23.5 | 8.9 | **320.6** |
| OIL | 1956 | 79.8 | 77.5 | 54.2 | 45.0 | 98.8 | 75.6 | 71.2 | 73.6 | 65.8 | 72.6 | 65.9 | 38.5 | **1,403.2** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 21.0 | 31.0 | 31.0 | 29.0 | 22.0 | 1.0 | 12.0 | **158.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 5.6 | 6.0 | 4.9 | 4.9 | 7.2 | 6.2 | 0.2 | 13.4 | **48.4** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 80.1 | 117.8 | 111.9 | 95.8 | 75.0 | 54.5 | 4.6 | 45.0 | **584.7** |

Licence ***786*** Well Name ***North Virden Scallion No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-16-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 0.0 | 0.0 | 21.0 | 24.0 | 31.0 | 29.0 | 25.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,460.0** |
| H2O | 1971 | 0.0 | 0.0 | 2115.5 | 1889.6 | 2131.2 | 2971.6 | 2502.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **153,535.4** |
| OIL | 1971 | 0.0 | 0.0 | 35.4 | 30.4 | 34.8 | 39.7 | 48.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **18,868.5** |
| DAY | 1970 | 31.0 | 28.0 | 26.0 | 23.0 | 31.0 | 30.0 | 26.0 | 24.0 | 27.0 | 31.0 | 23.0 | 28.0 | **5,330.0** |
| H2O | 1970 | 1187.9 | 1009.4 | 910.8 | 924.5 | 995.8 | 907.3 | 907.3 | 1011.5 | 1066.8 | 1152.9 | 1045.3 | 1137.0 | **141,924.7** |
| OIL | 1970 | 35.6 | 28.9 | 32.4 | 51.5 | 44.0 | 65.9 | 54.7 | 62.8 | 54.0 | 12.9 | 24.6 | 56.6 | **18,680.2** |
| DAY | 1969 | 29.0 | 18.0 | 31.0 | 30.0 | 29.0 | 23.0 | 11.0 | 30.0 | 29.0 | 29.0 | 27.0 | 27.0 | **5,002.0** |
| H2O | 1969 | 977.2 | 608.3 | 1411.4 | 1013.9 | 1064.1 | 808.1 | 343.1 | 1028.3 | 1075.7 | 849.8 | 769.3 | 938.1 | **129,668.2** |
| OIL | 1969 | 26.7 | 15.6 | 53.6 | 27.3 | 37.5 | 25.1 | 9.5 | 29.9 | 34.8 | 32.7 | 28.6 | 32.6 | **18,156.3** |
| DAY | 1968 | 19.0 | 29.0 | 31.0 | 26.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,689.0** |
| H2O | 1968 | 805.1 | 1159.7 | 1214.3 | 1062.0 | 924.9 | 1107.5 | 1075.0 | 1104.4 | 1087.4 | 1381.4 | 1143.9 | 1070.8 | **118,780.9** |
| OIL | 1968 | 27.5 | 42.0 | 42.4 | 34.2 | 24.5 | 26.5 | 27.0 | 24.6 | 24.8 | 27.2 | 24.6 | 27.2 | **17,802.4** |
| DAY | 1967 | 31.0 | 20.0 | 29.0 | 29.0 | 29.0 | 29.0 | 19.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | **4,344.0** |
| H2O | 1967 | 1001.0 | 628.3 | 1142.3 | 1049.8 | 1133.4 | 1163.6 | 700.5 | 1243.4 | 1086.3 | 1258.8 | 1186.1 | 894.1 | **105,644.5** |
| OIL | 1967 | 38.0 | 21.5 | 50.7 | 50.5 | 42.0 | 42.0 | 25.7 | 45.9 | 42.3 | 44.0 | 43.9 | 34.3 | **17,449.9** |
| DAY | 1966 | 14.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 29.0 | 29.0 | 31.0 | **4,009.0** |
| H2O | 1966 | 437.4 | 876.5 | 1089.4 | 1054.2 | 1054.7 | 1036.4 | 1219.8 | 1198.4 | 1149.3 | 1140.7 | 949.7 | 1032.6 | **93,156.9** |
| OIL | 1966 | 19.2 | 39.7 | 34.6 | 42.4 | 40.4 | 40.0 | 55.8 | 64.5 | 55.9 | 55.0 | 35.4 | 38.3 | **16,969.1** |
| DAY | 1965 | 26.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 28.0 | **3,667.0** |
| H2O | 1965 | 765.3 | 811.0 | 796.7 | 756.7 | 962.6 | 922.6 | 969.8 | 1010.1 | 973.9 | 1013.2 | 849.0 | 874.4 | **80,917.8** |
| OIL | 1965 | 39.6 | 40.2 | 41.5 | 38.1 | 45.9 | 43.5 | 45.0 | 43.7 | 43.1 | 42.4 | 35.9 | 36.9 | **16,447.9** |
| DAY | 1964 | 29.0 | 25.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 24.0 | **3,312.0** |
| H2O | 1964 | 768.8 | 699.3 | 882.8 | 832.8 | 784.0 | 750.5 | 897.4 | 830.2 | 679.3 | 732.4 | 879.0 | 722.1 | **70,212.5** |
| OIL | 1964 | 35.9 | 34.3 | 42.6 | 39.4 | 37.5 | 41.0 | 50.4 | 40.2 | 30.4 | 34.2 | 52.1 | 35.8 | **15,952.1** |
| DAY | 1963 | 31.0 | 28.0 | 28.0 | 19.0 | 22.0 | 28.0 | 24.0 | 30.0 | 30.0 | 30.0 | 28.0 | 30.0 | **2,964.0** |

# Manitoba Production
## 1950 To 1975

Licence ***786*** Well Name ***North Virden Scallion No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-16-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1963 | 1049.6 | 848.8 | 914.1 | 617.3 | 714.3 | 897.9 | 726.2 | 957.7 | 957.5 | 739.9 | 721.9 | 712.9 | **60,753.9** |
| OIL | 1963 | 51.3 | 42.7 | 45.6 | 30.8 | 37.0 | 49.1 | 29.2 | 43.5 | 59.1 | 46.2 | 38.1 | 37.3 | **15,478.3** |
| DAY | 1962 | 30.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | **2,636.0** |
| H2O | 1962 | 1064.7 | 962.6 | 1077.0 | 828.5 | 901.3 | 1004.0 | 1205.2 | 1252.7 | 1187.4 | 1192.5 | 1064.9 | 1064.6 | **50,895.8** |
| OIL | 1962 | 74.2 | 55.8 | 65.0 | 66.7 | 60.5 | 62.6 | 58.3 | 76.6 | 81.8 | 68.0 | 57.8 | 55.3 | **14,968.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,279.0** |
| H2O | 1961 | 840.2 | 757.0 | 1204.2 | 1147.0 | 941.8 | 1007.7 | 914.5 | 1104.1 | 1039.1 | 1087.1 | 1081.1 | 1113.3 | **38,090.4** |
| OIL | 1961 | 97.9 | 93.6 | 110.8 | 103.1 | 81.8 | 86.0 | 96.3 | 86.6 | 80.9 | 81.4 | 83.6 | 84.2 | **14,185.8** |
| DAY | 1960 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,917.0** |
| H2O | 1960 | 578.1 | 530.3 | 510.3 | 292.0 | 954.0 | 860.7 | 756.4 | 499.0 | 887.3 | 755.6 | 1048.2 | 810.2 | **25,853.3** |
| OIL | 1960 | 117.3 | 101.1 | 100.9 | 71.7 | 128.6 | 111.6 | 106.9 | 83.6 | 98.8 | 100.1 | 108.7 | 102.3 | **13,099.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | **1,555.0** |
| H2O | 1959 | 810.2 | 831.2 | 859.3 | 836.9 | 648.3 | 363.3 | 334.4 | 318.4 | 406.9 | 562.8 | 515.1 | 566.3 | **17,371.2** |
| OIL | 1959 | 205.3 | 175.0 | 189.4 | 183.5 | 149.2 | 113.8 | 101.7 | 96.5 | 114.3 | 131.6 | 115.8 | 120.6 | **11,868.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,195.0** |
| H2O | 1958 | 418.5 | 196.7 | 289.0 | 365.2 | 401.4 | 334.9 | 376.5 | 342.8 | 287.7 | 295.4 | 765.3 | 958.0 | **10,318.1** |
| OIL | 1958 | 247.6 | 154.3 | 162.7 | 174.6 | 183.5 | 199.9 | 158.3 | 138.7 | 127.3 | 130.8 | 196.6 | 217.1 | **10,171.3** |
| DAY | 1957 | 28.0 | 28.0 | 31.0 | 15.0 | 15.0 | 29.0 | 27.0 | 21.0 | 30.0 | 31.0 | 29.0 | 31.0 | **833.0** |
| H2O | 1957 | 406.1 | 447.8 | 523.6 | 248.6 | 251.8 | 446.4 | 352.3 | 287.7 | 301.1 | 104.4 | 114.2 | 616.7 | **5,286.7** |
| OIL | 1957 | 256.3 | 256.3 | 283.8 | 139.4 | 149.2 | 256.6 | 244.9 | 187.4 | 171.8 | 162.9 | 151.1 | 188.8 | **8,079.9** |
| DAY | 1956 | 19.0 | 23.0 | 28.0 | 22.0 | 27.0 | 30.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 12.0 | **518.0** |
| H2O | 1956 | 0.6 | 0.5 | 0.6 | 0.5 | 0.6 | 89.9 | 124.8 | 106.6 | 143.9 | 194.4 | 350.4 | 168.7 | **1,186.0** |
| OIL | 1956 | 176.7 | 247.9 | 377.6 | 204.4 | 365.0 | 286.2 | 276.5 | 302.2 | 270.0 | 283.8 | 316.2 | 113.3 | **5,631.4** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | **210.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | **4.5** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 154.6 | 330.5 | 342.6 | 348.2 | 308.9 | 323.1 | 292.9 | 310.8 | **2,411.6** |

Licence ***787*** Well Name ***Rundle Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-35-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 0.0 | 9.0 | 30.0 | 16.0 | 8.0 | 24.0 | 17.0 | 10.0 | 21.0 | 0.0 | 0.0 | 0.0 | **1,342.0** |
| H2O | 1968 | 0.0 | 142.6 | 362.0 | 306.4 | 158.5 | 490.0 | 360.7 | 227.0 | 436.0 | 0.0 | 0.0 | 0.0 | **41,933.1** |
| OIL | 1968 | 0.0 | 0.0 | 29.8 | 12.6 | 10.2 | 26.2 | 14.0 | 5.6 | 12.7 | 0.0 | 0.0 | 0.0 | **2,194.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 1.0 | **1,207.0** |
| H2O | 1958 | 1664.0 | 1587.8 | 1670.8 | 1588.8 | 1740.9 | 1568.8 | 1551.9 | 1411.8 | 1038.8 | 1251.3 | 377.0 | 0.0 | **39,449.9** |
| OIL | 1958 | 29.2 | 22.2 | 20.2 | 20.7 | 23.5 | 17.3 | 11.9 | 14.9 | 8.7 | 16.5 | 1.0 | 0.5 | **2,083.8** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 0.0 | 25.0 | 25.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **874.0** |
| H2O | 1957 | 1272.7 | 1166.4 | 1060.8 | 0.0 | 517.8 | 581.4 | 655.2 | 753.8 | 1862.1 | 1868.0 | 1537.4 | 1790.2 | **23,998.0** |
| OIL | 1957 | 37.0 | 32.4 | 25.6 | 0.0 | 13.0 | 10.2 | 29.1 | 24.2 | 50.4 | 41.5 | 25.7 | 30.8 | **1,897.2** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **550.0** |
| H2O | 1956 | 561.1 | 553.8 | 630.4 | 948.2 | 1077.0 | 1254.7 | 936.9 | 793.8 | 1104.2 | 869.5 | 921.3 | 834.2 | **10,932.2** |
| OIL | 1956 | 62.8 | 67.1 | 70.7 | 95.7 | 87.2 | 25.9 | 79.5 | 85.3 | 68.8 | 54.3 | 37.5 | 36.9 | **1,577.3** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 2.0 | 5.0 | **186.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 39.6 | 67.9 | 64.4 | 82.7 | 38.6 | 62.3 | 9.7 | 81.9 | **447.1** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 178.9 | 144.3 | 157.0 | 147.6 | 64.4 | 80.6 | 12.1 | 20.7 | **805.6** |

Licence ***790*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 29.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,204.0** |
| H2O | 1967 | 583.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **54,011.5** |

# Manitoba Production
## 1950 To 1975

Licence ***790*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1967 | 10.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **12,257.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 17.0 | 26.0 | 30.0 | 31.0 | **4,175.0** |
| H2O | 1966 | 526.3 | 504.3 | 504.3 | 311.1 | 337.9 | 330.1 | 313.8 | 369.0 | 185.7 | 262.5 | 295.1 | 271.9 | **53,428.3** |
| OIL | 1966 | 30.5 | 27.5 | 34.0 | 41.8 | 39.6 | 34.0 | 34.0 | 33.5 | 19.7 | 30.0 | 33.2 | 32.3 | **12,246.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,828.0** |
| H2O | 1965 | 325.0 | 276.8 | 332.9 | 328.8 | 323.9 | 305.6 | 364.2 | 396.7 | 346.6 | 391.1 | 400.8 | 435.2 | **49,216.3** |
| OIL | 1965 | 26.2 | 20.5 | 26.4 | 21.9 | 22.6 | 24.2 | 17.3 | 18.1 | 18.1 | 18.8 | 20.0 | 24.3 | **11,856.8** |
| DAY | 1964 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,466.0** |
| H2O | 1964 | 327.4 | 299.5 | 324.0 | 309.2 | 337.5 | 268.2 | 297.3 | 291.3 | 275.2 | 295.2 | 266.1 | 333.7 | **44,988.7** |
| OIL | 1964 | 40.2 | 37.0 | 37.5 | 40.2 | 29.7 | 20.7 | 16.0 | 21.3 | 20.8 | 22.2 | 21.0 | 26.9 | **11,598.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,102.0** |
| H2O | 1963 | 407.7 | 383.5 | 399.2 | 380.9 | 398.3 | 393.2 | 289.0 | 279.0 | 316.1 | 314.2 | 311.5 | 326.6 | **41,364.1** |
| OIL | 1963 | 32.3 | 29.1 | 31.1 | 37.5 | 36.2 | 30.2 | 35.8 | 30.5 | 37.5 | 37.8 | 39.4 | 42.3 | **11,264.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,743.0** |
| H2O | 1962 | 456.6 | 449.4 | 480.0 | 480.9 | 480.0 | 473.9 | 480.1 | 451.2 | 438.8 | 416.7 | 356.9 | 388.5 | **37,164.9** |
| OIL | 1962 | 43.5 | 37.3 | 51.5 | 43.5 | 42.6 | 38.8 | 43.5 | 51.0 | 41.2 | 35.6 | 34.3 | 38.3 | **10,845.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | **2,378.0** |
| H2O | 1961 | 1033.1 | 993.5 | 1021.3 | 980.4 | 1010.3 | 976.3 | 590.8 | 408.6 | 437.0 | 443.7 | 432.9 | 427.7 | **31,811.9** |
| OIL | 1961 | 59.6 | 71.0 | 71.8 | 60.7 | 59.1 | 53.9 | 47.0 | 61.0 | 55.0 | 53.1 | 23.7 | 42.7 | **10,344.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,021.0** |
| H2O | 1960 | 575.3 | 538.9 | 518.4 | 538.6 | 549.0 | 552.3 | 494.3 | 556.3 | 536.7 | 792.5 | 959.3 | 1031.6 | **23,056.3** |
| OIL | 1960 | 31.0 | 29.9 | 30.0 | 27.3 | 30.5 | 29.1 | 25.9 | 43.2 | 26.2 | 52.3 | 56.7 | 52.8 | **9,685.5** |
| DAY | 1959 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,658.0** |
| H2O | 1959 | 383.8 | 358.3 | 381.1 | 335.6 | 473.3 | 438.1 | 476.3 | 552.3 | 534.2 | 562.2 | 528.1 | 519.2 | **15,413.1** |
| OIL | 1959 | 64.7 | 65.3 | 63.9 | 72.3 | 21.6 | 35.3 | 36.1 | 36.7 | 35.3 | 35.3 | 33.1 | 32.6 | **9,250.6** |
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 26.0 | 21.0 | 29.0 | 31.0 | **1,301.0** |
| H2O | 1958 | 357.4 | 337.8 | 367.7 | 347.2 | 332.4 | 369.5 | 396.2 | 389.3 | 343.2 | 283.3 | 367.6 | 384.1 | **9,870.6** |
| OIL | 1958 | 152.7 | 132.7 | 140.8 | 133.5 | 127.1 | 95.7 | 89.8 | 87.2 | 74.5 | 54.2 | 73.7 | 74.8 | **8,718.4** |
| DAY | 1957 | 31.0 | 23.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | 31.0 | 29.0 | 31.0 | **955.0** |
| H2O | 1957 | 330.8 | 219.2 | 368.4 | 384.6 | 344.4 | 382.3 | 428.5 | 414.8 | 430.8 | 353.3 | 338.9 | 350.1 | **5,594.9** |
| OIL | 1957 | 190.7 | 116.0 | 199.4 | 176.2 | 221.8 | 187.2 | 139.5 | 135.6 | 127.3 | 198.2 | 167.0 | 164.3 | **7,481.7** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **602.0** |
| H2O | 1956 | 53.6 | 35.9 | 40.5 | 53.3 | 51.8 | 50.1 | 47.2 | 64.5 | 78.5 | 73.4 | 64.2 | 244.5 | **1,248.8** |
| OIL | 1956 | 308.6 | 283.2 | 291.4 | 282.4 | 269.4 | 248.7 | 248.2 | 219.6 | 215.8 | 210.2 | 200.1 | 67.4 | **5,458.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 4.0 | 31.0 | 21.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **239.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.2 | 0.6 | 31.5 | 47.1 | 70.0 | 87.4 | 47.9 | 54.1 | 52.5 | **391.3** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 42.0 | 268.9 | 237.9 | 341.8 | 333.6 | 309.2 | 344.8 | 364.7 | 370.6 | **2,613.5** |

Licence ***791*** Well Name ***Enerplus Ponder Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 25.0 | 29.0 | 31.0 | 8.0 | 31.0 | 30.0 | 28.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **343.0** |
| H2O | 1956 | 315.1 | 338.0 | 361.4 | 94.4 | 360.0 | 411.8 | 425.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,463.7** |
| OIL | 1956 | 71.5 | 34.0 | 34.5 | 9.2 | 38.6 | 33.8 | 12.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **748.8** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 0.0 | 18.0 | 25.0 | 30.0 | 31.0 | 30.0 | 15.0 | **161.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 18.3 | 450.9 | 160.3 | 312.3 | 324.7 | 379.7 | 343.6 | 167.9 | **2,157.7** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 9.7 | 52.0 | 112.7 | 40.0 | 96.5 | 103.3 | 50.4 | 29.4 | 21.0 | **515.0** |

Licence ***793*** Well Name ***Imperial Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-08-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***793*** Well Name ***Imperial Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-08-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,320.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 109.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **60,286.5** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,690.1** |
| DAY | 1962 | 22.0 | 28.0 | 24.0 | 20.0 | 22.0 | 8.0 | 31.0 | 0.0 | 29.0 | 25.0 | 30.0 | 16.0 | **2,314.0** |
| H2O | 1962 | 613.5 | 495.4 | 431.3 | 346.9 | 415.0 | 125.3 | 476.5 | 0.0 | 522.9 | 461.7 | 487.4 | 233.5 | **60,176.7** |
| OIL | 1962 | 18.8 | 28.0 | 24.6 | 18.8 | 28.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 35.7 | 25.0 | **5,685.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 25.0 | 15.0 | 30.0 | 31.0 | 28.0 | 28.0 | 29.0 | 30.0 | 31.0 | **2,059.0** |
| H2O | 1961 | 656.9 | 565.5 | 608.3 | 474.3 | 279.0 | 555.5 | 537.4 | 518.3 | 463.1 | 518.1 | 584.4 | 623.2 | **55,567.3** |
| OIL | 1961 | 29.3 | 24.5 | 19.4 | 15.9 | 14.0 | 27.3 | 29.7 | 23.4 | 21.9 | 27.5 | 32.1 | 30.5 | **5,505.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 29.0 | 15.0 | 9.0 | 28.0 | 31.0 | 29.0 | 27.0 | 30.0 | 31.0 | **1,722.0** |
| H2O | 1960 | 991.6 | 923.4 | 994.1 | 852.3 | 469.0 | 300.3 | 989.9 | 997.0 | 930.2 | 684.1 | 648.8 | 663.5 | **49,183.3** |
| OIL | 1960 | 35.1 | 29.3 | 32.4 | 27.2 | 15.9 | 9.9 | 31.8 | 29.4 | 24.3 | 28.3 | 31.0 | 30.7 | **5,210.4** |
| DAY | 1959 | 29.0 | 28.0 | 31.0 | 25.0 | 31.0 | 28.0 | 25.0 | 28.0 | 26.0 | 21.0 | 30.0 | 31.0 | **1,402.0** |
| H2O | 1959 | 876.0 | 888.9 | 959.0 | 792.2 | 983.0 | 1046.5 | 899.4 | 1027.9 | 828.5 | 664.2 | 955.2 | 983.2 | **39,739.1** |
| OIL | 1959 | 23.1 | 22.7 | 26.1 | 20.0 | 26.6 | 24.0 | 20.5 | 29.7 | 29.7 | 23.7 | 34.5 | 33.1 | **4,885.1** |
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | **1,069.0** |
| H2O | 1958 | 882.1 | 878.9 | 1009.4 | 714.2 | 1066.0 | 1056.6 | 1077.9 | 1066.2 | 794.8 | 1082.1 | 996.4 | 999.2 | **28,835.1** |
| OIL | 1958 | 62.6 | 63.8 | 69.6 | 44.5 | 59.6 | 48.2 | 43.2 | 43.7 | 33.2 | 32.8 | 27.5 | 28.1 | **4,571.4** |
| DAY | 1957 | 6.0 | 22.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | **718.0** |
| H2O | 1957 | 146.4 | 506.2 | 855.5 | 967.4 | 1075.4 | 1066.7 | 1036.4 | 1062.5 | 949.2 | 907.7 | 1088.9 | 1136.4 | **17,211.3** |
| OIL | 1957 | 28.8 | 127.6 | 147.1 | 136.8 | 130.9 | 128.5 | 122.8 | 115.5 | 108.0 | 84.4 | 85.7 | 76.2 | **4,014.6** |
| DAY | 1956 | 26.0 | 28.0 | 29.0 | 8.0 | 23.0 | 30.0 | 30.0 | 28.0 | 16.0 | 23.0 | 17.0 | 5.0 | **391.0** |
| H2O | 1956 | 345.3 | 429.7 | 527.8 | 150.7 | 459.0 | 578.6 | 624.0 | 556.0 | 278.2 | 460.3 | 374.1 | 178.1 | **6,412.6** |
| OIL | 1956 | 187.0 | 212.6 | 138.7 | 49.1 | 138.1 | 148.2 | 160.5 | 127.6 | 67.9 | 93.2 | 69.2 | 45.8 | **2,722.3** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 26.0 | 26.0 | 21.0 | 15.0 | 22.0 | **128.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 59.6 | 257.6 | 343.3 | 308.9 | 188.1 | 293.3 | **1,450.8** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 153.5 | 311.9 | 282.7 | 208.5 | 143.8 | 184.0 | **1,284.4** |

Licence ***794*** Well Name ***Gerrand Maples SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-08-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 0.0 | 21.6 | 37.2 | 101.9 | 17.5 | 100.2 | 58.5 | 39.3 | 0.0 | 0.0 | 1881.2 | 3430.4 | **14,245.9** |
| WIN | 1974 | 152.0 | 152.0 | 113.2 | 195.9 | 107.8 | 180.3 | 146.7 | 140.9 | 226.2 | 61.8 | 164.7 | 147.5 | **8,558.1** |
| WIN | 1973 | 134.2 | 192.4 | 154.9 | 187.6 | 173.5 | 153.6 | 134.7 | 227.7 | 113.5 | 228.5 | 113.2 | 227.4 | **6,769.1** |
| WIN | 1972 | 151.0 | 132.6 | 94.0 | 155.7 | 98.1 | 170.6 | 112.6 | 192.9 | 99.1 | 156.0 | 132.4 | 152.9 | **4,727.9** |
| WIN | 1971 | 164.0 | 164.0 | 164.0 | 164.0 | 164.0 | 164.0 | 164.0 | 164.0 | 164.0 | 164.0 | 164.0 | 164.0 | **3,080.0** |
| WIN | 1970 | 0.0 | 0.0 | 111.2 | 111.2 | 111.2 | 111.2 | 111.2 | 111.2 | 111.2 | 111.2 | 111.2 | 111.2 | **1,112.0** |
| DAY | 1962 | 19.0 | 27.0 | 19.0 | 19.0 | 20.0 | 8.0 | 11.0 | 0.0 | 6.0 | 0.0 | 0.0 | 0.0 | **2,001.0** |
| H2O | 1962 | 1398.5 | 1267.9 | 862.8 | 771.2 | 550.5 | 92.5 | 214.4 | 0.0 | 158.1 | 0.0 | 0.0 | 0.0 | **76,051.2** |
| OIL | 1962 | 11.0 | 18.3 | 12.7 | 10.4 | 3.9 | 0.0 | 7.7 | 0.0 | 6.1 | 0.0 | 0.0 | 0.0 | **3,390.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 24.0 | 15.0 | 30.0 | 31.0 | 28.0 | 28.0 | 29.0 | 30.0 | 31.0 | **1,872.0** |
| H2O | 1961 | 1743.6 | 1501.0 | 1614.4 | 1208.6 | 740.4 | 1474.5 | 1426.3 | 1375.6 | 1229.3 | 1375.2 | 1551.2 | 1654.3 | **70,735.3** |
| OIL | 1961 | 19.7 | 16.5 | 13.2 | 10.3 | 9.4 | 18.4 | 20.0 | 15.9 | 14.9 | 18.8 | 21.6 | 20.7 | **3,320.8** |
| DAY | 1960 | 31.0 | 25.0 | 31.0 | 29.0 | 15.0 | 30.0 | 31.0 | 31.0 | 29.0 | 28.0 | 30.0 | 29.0 | **1,536.0** |
| H2O | 1960 | 1564.6 | 1255.8 | 1568.6 | 1344.7 | 740.1 | 1579.2 | 1561.9 | 1573.2 | 1467.8 | 1548.5 | 1721.8 | 1647.3 | **53,840.9** |
| OIL | 1960 | 23.8 | 17.2 | 21.9 | 18.4 | 10.8 | 22.1 | 21.6 | 20.0 | 16.5 | 19.9 | 21.0 | 19.6 | **3,121.4** |
| DAY | 1959 | 31.0 | 28.0 | 30.0 | 25.0 | 30.0 | 28.0 | 30.0 | 29.0 | 30.0 | 27.0 | 30.0 | 31.0 | **1,197.0** |
| H2O | 1959 | 686.8 | 652.0 | 680.6 | 580.9 | 697.8 | 767.6 | 791.6 | 997.5 | 1508.3 | 1347.7 | 1507.0 | 1551.2 | **36,267.4** |
| OIL | 1959 | 45.3 | 41.8 | 46.6 | 36.7 | 47.2 | 44.2 | 45.2 | 48.2 | 23.2 | 20.8 | 23.4 | 22.4 | **2,888.6** |
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 24.0 | 31.0 | 30.0 | 30.0 | 30.0 | 21.0 | 31.0 | 30.0 | 31.0 | **848.0** |
| H2O | 1958 | 748.8 | 746.3 | 856.9 | 566.6 | 694.9 | 735.5 | 708.9 | 699.7 | 491.3 | 789.4 | 730.9 | 732.9 | **24,498.4** |

# Manitoba Production
## 1950 To 1975

Licence ***794*** Well Name ***Gerrand Maples SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-08-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1958 | 62.6 | 63.8 | 69.6 | 48.2 | 78.1 | 74.4 | 65.7 | 67.4 | 50.9 | 58.0 | 50.7 | 51.8 | **2,443.6** |
| DAY | 1957 | 7.0 | 23.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | **501.0** |
| H2O | 1957 | 184.4 | 616.1 | 995.9 | 1126.0 | 1251.4 | 1255.8 | 1189.9 | 1219.9 | 1089.9 | 942.3 | 952.8 | 977.6 | **15,996.3** |
| OIL | 1957 | 23.1 | 98.3 | 108.4 | 100.8 | 96.3 | 115.4 | 114.9 | 108.0 | 101.1 | 78.1 | 69.0 | 71.4 | **1,702.4** |
| DAY | 1956 | 0.0 | 0.0 | 18.0 | 6.0 | 9.0 | 28.0 | 30.0 | 28.0 | 16.0 | 16.0 | 16.0 | 5.0 | **172.0** |
| H2O | 1956 | 0.0 | 0.0 | 456.3 | 105.1 | 204.8 | 694.1 | 767.3 | 634.7 | 321.8 | 372.5 | 430.5 | 207.2 | **4,194.3** |
| OIL | 1956 | 0.0 | 0.0 | 97.5 | 19.6 | 35.3 | 95.2 | 105.3 | 83.5 | 49.6 | 47.7 | 50.4 | 33.5 | **617.6** |

Licence ***795*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-36-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 5.0 | 0.0 | **3,676.0** |
| H2O | 1975 | 121.5 | 101.6 | 129.3 | 124.0 | 137.8 | 122.4 | 78.7 | 61.0 | 55.2 | 27.2 | 4.6 | 0.0 | **18,794.3** |
| OIL | 1975 | 32.1 | 27.0 | 32.6 | 30.5 | 31.9 | 30.0 | 8.1 | 18.8 | 19.1 | 0.0 | 0.0 | 0.0 | **5,601.9** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 31.0 | 22.0 | 31.0 | 30.0 | 31.0 | **3,372.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.7 | 70.0 | 51.8 | 128.0 | 111.4 | 122.6 | **17,831.0** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.1 | 14.6 | 10.3 | 31.8 | 30.0 | 31.8 | **5,371.8** |
| DAY | 1973 | 31.0 | 25.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 0.0 | 0.0 | **3,218.0** |
| H2O | 1973 | 80.1 | 64.9 | 81.2 | 77.1 | 82.4 | 84.9 | 79.2 | 85.7 | 86.6 | 63.0 | 0.0 | 0.0 | **17,327.5** |
| OIL | 1973 | 14.6 | 11.4 | 14.0 | 13.8 | 14.3 | 13.8 | 41.0 | 40.7 | 39.4 | 13.3 | 0.0 | 0.0 | **5,249.2** |
| DAY | 1972 | 31.0 | 14.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 28.0 | 26.0 | 30.0 | 31.0 | **2,921.0** |
| H2O | 1972 | 112.7 | 55.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 78.2 | 70.0 | 63.4 | 72.5 | 66.9 | **16,542.4** |
| OIL | 1972 | 18.9 | 8.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 12.9 | 12.1 | 14.5 | 14.6 | **5,032.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,730.0** |
| H2O | 1971 | 72.3 | 71.9 | 77.3 | 73.9 | 73.8 | 60.7 | 64.2 | 70.9 | 71.9 | 78.7 | 100.2 | 104.6 | **16,023.7** |
| OIL | 1971 | 28.1 | 25.4 | 28.4 | 25.3 | 22.9 | 22.1 | 23.5 | 23.2 | 22.1 | 23.0 | 17.6 | 19.1 | **4,937.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **2,367.0** |
| H2O | 1970 | 56.9 | 53.9 | 65.8 | 59.3 | 61.2 | 58.7 | 80.6 | 70.6 | 76.8 | 74.6 | 64.2 | 61.4 | **15,103.3** |
| OIL | 1970 | 59.4 | 52.8 | 58.3 | 56.7 | 58.0 | 53.4 | 18.3 | 26.9 | 26.4 | 26.2 | 25.6 | 28.0 | **4,656.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 22.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,004.0** |
| H2O | 1969 | 122.6 | 100.3 | 121.9 | 121.6 | 126.5 | 90.8 | 132.0 | 119.6 | 114.1 | 62.6 | 59.3 | 63.6 | **14,319.3** |
| OIL | 1969 | 42.0 | 35.9 | 40.7 | 42.1 | 39.7 | 29.6 | 41.5 | 41.5 | 38.9 | 58.3 | 54.0 | 59.3 | **4,166.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,647.0** |
| H2O | 1968 | 143.6 | 143.6 | 166.9 | 161.5 | 135.8 | 121.0 | 108.4 | 120.2 | 107.3 | 107.6 | 113.8 | 122.1 | **13,084.4** |
| OIL | 1968 | 95.7 | 86.4 | 96.8 | 92.3 | 14.3 | 13.8 | 25.6 | 27.7 | 27.2 | 38.6 | 40.2 | 41.8 | **3,642.8** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 19.0 | 24.0 | 31.0 | **1,286.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.2 | 85.4 | 120.3 | 153.6 | **11,532.6** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.5 | 57.0 | 77.5 | 98.5 | **3,042.4** |
| DAY | 1959 | 22.0 | 0.0 | 0.0 | 25.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | **1,195.0** |
| H2O | 1959 | 78.9 | 0.0 | 0.0 | 146.3 | 195.5 | 179.8 | 137.0 | 137.2 | 124.3 | 131.6 | 106.8 | 0.0 | **11,156.1** |
| OIL | 1959 | 19.9 | 0.0 | 0.0 | 25.4 | 26.5 | 24.5 | 29.2 | 39.9 | 28.9 | 19.5 | 10.8 | 0.0 | **2,781.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **936.0** |
| H2O | 1958 | 209.9 | 232.4 | 153.7 | 158.2 | 136.2 | 149.6 | 135.9 | 110.8 | 103.0 | 125.9 | 117.0 | 110.3 | **9,918.7** |
| OIL | 1958 | 63.1 | 42.6 | 65.0 | 54.5 | 52.6 | 43.4 | 48.5 | 46.7 | 36.4 | 37.2 | 36.4 | 37.8 | **2,557.3** |
| DAY | 1957 | 31.0 | 28.0 | 29.0 | 19.0 | 14.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **571.0** |
| H2O | 1957 | 548.5 | 475.4 | 468.0 | 310.2 | 197.5 | 396.5 | 420.0 | 429.9 | 369.8 | 298.9 | 262.5 | 249.9 | **8,175.8** |
| OIL | 1957 | 91.2 | 88.5 | 99.5 | 62.9 | 45.8 | 103.5 | 97.9 | 127.4 | 117.0 | 87.4 | 86.6 | 65.9 | **1,993.1** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **236.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 133.4 | 482.8 | 523.7 | 520.2 | 509.7 | 520.5 | 496.0 | 530.0 | **3,748.7** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 64.4 | 127.6 | 121.7 | 119.0 | 112.2 | 112.8 | 100.4 | 106.6 | **919.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 1.0 | 0.0 | **9.0** |

# Manitoba Production
## 1950 To 1975

Licence ***795*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-36-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 32.4 | 0.0 | 0.0 | **32.4** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 54.0 | 0.8 | 0.0 | **54.8** |

Licence ***796*** Well Name ***Gerrand Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-08-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,893.0** |
| H2O | 1975 | 1729.9 | 1562.5 | 1769.4 | 1678.9 | 1764.4 | 1707.5 | 1749.7 | 1759.5 | 1702.8 | 1759.5 | 1646.0 | 1759.5 | **250,482.6** |
| OIL | 1975 | 47.7 | 45.3 | 47.7 | 44.4 | 47.7 | 47.7 | 47.7 | 47.7 | 44.5 | 49.0 | 49.4 | 56.8 | **23,529.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 19.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,529.0** |
| H2O | 1974 | 1759.5 | 1558.1 | 1759.5 | 1678.9 | 1057.3 | 1702.8 | 1759.5 | 1759.5 | 1702.8 | 1744.7 | 1686.9 | 1759.5 | **229,893.0** |
| OIL | 1974 | 58.7 | 47.7 | 47.7 | 49.1 | 32.1 | 39.7 | 52.9 | 54.7 | 51.2 | 51.7 | 47.7 | 49.3 | **22,953.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 28.0 | 31.0 | 20.0 | 24.0 | 30.0 | 30.0 | **6,176.0** |
| H2O | 1973 | 1749.7 | 1562.5 | 1729.9 | 1678.6 | 1698.0 | 1618.3 | 1589.2 | 1918.5 | 1135.2 | 1362.2 | 1702.8 | 1698.0 | **209,964.0** |
| OIL | 1973 | 57.1 | 47.1 | 56.1 | 49.8 | 51.0 | 53.9 | 42.9 | 56.3 | 38.3 | 38.8 | 53.9 | 52.0 | **22,371.0** |
| DAY | 1972 | 29.0 | 29.0 | 29.0 | 27.0 | 31.0 | 29.0 | 29.0 | 27.0 | 30.0 | 29.0 | 30.0 | 30.0 | **5,834.0** |
| H2O | 1972 | 1646.0 | 1627.6 | 1613.7 | 1511.0 | 1734.9 | 1622.9 | 1576.8 | 1523.9 | 1669.4 | 1576.8 | 1669.4 | 1729.8 | **190,521.1** |
| OIL | 1972 | 60.3 | 59.9 | 59.9 | 44.5 | 63.8 | 59.9 | 59.9 | 55.8 | 57.2 | 57.2 | 53.4 | 64.9 | **21,773.8** |
| DAY | 1971 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 29.0 | 30.0 | 28.0 | **5,485.0** |
| H2O | 1971 | 1887.7 | 1652.7 | 1812.5 | 1826.8 | 1902.4 | 1817.2 | 1872.9 | 1872.9 | 1823.9 | 1602.3 | 1802.9 | 1651.7 | **171,018.9** |
| OIL | 1971 | 73.9 | 63.3 | 69.0 | 71.5 | 73.9 | 70.0 | 56.0 | 62.0 | 63.6 | 60.6 | 57.1 | 57.9 | **21,077.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **5,128.0** |
| H2O | 1970 | 1728.7 | 1508.2 | 1717.9 | 1647.3 | 1624.4 | 1743.0 | 1696.7 | 1766.2 | 1746.3 | 1858.7 | 1944.6 | 2001.8 | **149,493.0** |
| OIL | 1970 | 75.0 | 62.2 | 63.9 | 66.5 | 61.8 | 64.7 | 70.7 | 67.1 | 59.1 | 55.5 | 55.5 | 60.6 | **20,298.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,768.0** |
| H2O | 1969 | 1370.0 | 1236.6 | 1356.5 | 1304.3 | 1205.0 | 1277.8 | 1231.2 | 1229.9 | 1293.2 | 1283.7 | 1673.2 | 1610.5 | **128,509.2** |
| OIL | 1969 | 70.9 | 65.7 | 70.0 | 65.7 | 72.0 | 84.1 | 70.0 | 72.3 | 77.4 | 66.1 | 73.1 | 73.9 | **19,535.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 0.0 | 30.0 | 25.0 | 31.0 | 30.0 | 29.0 | 30.0 | 0.0 | **4,409.0** |
| H2O | 1968 | 732.4 | 830.1 | 828.9 | 826.8 | 939.2 | 954.9 | 999.0 | 1236.4 | 1219.6 | 1036.9 | 1319.8 | 1329.3 | **112,437.3** |
| OIL | 1968 | 58.7 | 80.3 | 74.9 | 68.0 | 83.0 | 87.3 | 78.4 | 100.8 | 105.3 | 88.6 | 66.5 | 74.2 | **18,674.5** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 29.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | 31.0 | **4,113.0** |
| H2O | 1967 | 919.5 | 830.3 | 919.3 | 889.8 | 803.9 | 857.3 | 910.1 | 916.3 | 916.3 | 843.6 | 714.7 | 650.6 | **100,184.0** |
| OIL | 1967 | 93.8 | 79.3 | 92.5 | 84.1 | 64.2 | 94.9 | 88.4 | 85.1 | 81.4 | 75.0 | 65.2 | 58.0 | **17,708.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | **3,877.0** |
| H2O | 1966 | 1030.0 | 930.3 | 1030.0 | 996.8 | 984.8 | 872.4 | 966.1 | 966.1 | 934.7 | 906.8 | 889.8 | 860.0 | **90,012.3** |
| OIL | 1966 | 69.6 | 86.3 | 63.1 | 87.0 | 65.7 | 83.3 | 112.6 | 107.0 | 87.0 | 95.1 | 89.0 | 97.3 | **16,746.6** |
| DAY | 1965 | 14.0 | 10.0 | 31.0 | 25.0 | 29.0 | 30.0 | 31.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | **3,517.0** |
| H2O | 1965 | 459.1 | 339.8 | 1025.4 | 819.2 | 960.2 | 994.7 | 1027.8 | 994.7 | 961.5 | 962.9 | 996.8 | 1030.0 | **78,644.5** |
| OIL | 1965 | 27.7 | 26.3 | 109.4 | 65.2 | 103.1 | 106.8 | 94.8 | 106.7 | 102.5 | 90.6 | 78.9 | 71.1 | **15,703.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 26.0 | 28.0 | 30.0 | 31.0 | **3,198.0** |
| H2O | 1964 | 561.4 | 530.0 | 557.3 | 548.2 | 530.0 | 521.9 | 537.9 | 537.8 | 450.9 | 961.1 | 1005.0 | 1025.4 | **68,072.4** |
| OIL | 1964 | 93.2 | 73.7 | 90.8 | 66.7 | 67.6 | 126.5 | 134.9 | 133.9 | 112.6 | 92.7 | 90.4 | 89.1 | **14,720.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 26.0 | 28.0 | 20.0 | 31.0 | 22.0 | 31.0 | **2,841.0** |
| H2O | 1963 | 562.7 | 514.9 | 605.5 | 551.1 | 627.3 | 636.3 | 623.9 | 576.9 | 457.5 | 537.6 | 393.7 | 554.4 | **60,305.5** |
| OIL | 1963 | 56.7 | 61.7 | 66.7 | 67.2 | 66.2 | 89.3 | 68.1 | 87.2 | 61.3 | 100.4 | 68.1 | 96.6 | **13,548.4** |
| DAY | 1962 | 22.0 | 28.0 | 24.0 | 21.0 | 26.0 | 26.0 | 31.0 | 31.0 | 29.0 | 27.0 | 30.0 | 31.0 | **2,503.0** |
| H2O | 1962 | 807.1 | 651.6 | 567.5 | 479.7 | 787.4 | 726.3 | 767.3 | 908.0 | 693.1 | 661.0 | 646.0 | 600.6 | **53,663.7** |
| OIL | 1962 | 78.0 | 116.1 | 102.4 | 82.1 | 97.0 | 78.4 | 64.1 | 51.3 | 44.7 | 45.4 | 37.6 | 51.4 | **12,658.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 26.0 | 15.0 | 30.0 | 31.0 | 27.0 | 27.0 | 30.0 | 30.0 | 31.0 | **2,177.0** |
| H2O | 1961 | 864.2 | 744.0 | 800.1 | 648.9 | 367.0 | 730.8 | 706.9 | 665.1 | 587.5 | 705.2 | 768.8 | 819.8 | **45,368.1** |
| OIL | 1961 | 121.4 | 101.3 | 80.7 | 68.6 | 57.9 | 113.4 | 123.1 | 94.8 | 88.1 | 118.7 | 133.1 | 126.9 | **11,810.4** |

# Manitoba Production
## 1950 To 1975

Licence ***796*** Well Name ***Gerrand Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-08-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 29.0 | 15.0 | 30.0 | 31.0 | 31.0 | 29.0 | 27.0 | 30.0 | 31.0 | **1,840.0** |
| H2O | 1960 | 712.6 | 663.7 | 714.5 | 612.6 | 337.1 | 719.5 | 711.5 | 716.6 | 668.6 | 723.9 | 853.5 | 872.7 | **36,959.8** |
| OIL | 1960 | 158.9 | 132.3 | 146.8 | 122.6 | 71.6 | 147.3 | 144.1 | 133.4 | 109.6 | 119.8 | 128.8 | 127.7 | **10,582.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 27.0 | 30.0 | 31.0 | **1,496.0** |
| H2O | 1959 | 805.3 | 764.3 | 824.7 | 681.3 | 845.4 | 899.9 | 928.2 | 816.9 | 687.0 | 613.9 | 686.6 | 706.6 | **28,653.0** |
| OIL | 1959 | 155.9 | 143.6 | 165.2 | 126.3 | 168.0 | 152.1 | 155.4 | 145.1 | 155.1 | 137.9 | 155.9 | 149.5 | **9,039.5** |
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | 31.0 | 30.0 | 31.0 | **1,144.0** |
| H2O | 1958 | 698.8 | 684.0 | 785.6 | 571.3 | 785.6 | 807.2 | 764.2 | 628.4 | 549.2 | 924.9 | 856.8 | 859.4 | **19,392.9** |
| OIL | 1958 | 107.4 | 107.4 | 117.6 | 83.8 | 140.9 | 117.9 | 118.7 | 140.9 | 127.2 | 198.5 | 174.2 | 178.1 | **7,229.5** |
| DAY | 1957 | 23.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | **794.0** |
| H2O | 1957 | 280.5 | 322.3 | 432.8 | 497.7 | 538.2 | 732.4 | 733.9 | 752.7 | 672.3 | 680.8 | 851.9 | 885.0 | **10,477.5** |
| OIL | 1957 | 147.4 | 216.9 | 198.8 | 187.8 | 174.8 | 168.4 | 160.6 | 150.9 | 141.1 | 120.7 | 131.9 | 122.6 | **5,616.9** |
| DAY | 1956 | 31.0 | 29.0 | 30.0 | 8.0 | 21.0 | 30.0 | 31.0 | 28.0 | 17.0 | 28.0 | 17.0 | 5.0 | **444.0** |
| H2O | 1956 | 83.4 | 182.9 | 356.2 | 73.0 | 168.3 | 151.1 | 227.3 | 293.2 | 143.8 | 284.3 | 189.3 | 89.1 | **3,097.0** |
| OIL | 1956 | 176.1 | 223.1 | 270.8 | 55.2 | 156.0 | 168.9 | 189.9 | 161.9 | 92.9 | 153.5 | 93.4 | 61.0 | **3,695.0** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 17.0 | 28.0 | 30.0 | 31.0 | 15.0 | 24.0 | **169.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 21.4 | 183.4 | 309.1 | 237.3 | 35.4 | 67.5 | **855.1** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 297.0 | 283.4 | 344.9 | 416.4 | 346.2 | 87.0 | 117.4 | **1,892.3** |

Licence ***797*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 722.2 | 875.7 | 688.4 | 690.6 | 569.9 | 612.5 | 710.0 | 707.3 | 770.1 | 742.3 | 694.4 | 693.0 | **61,994.3** |
| WIN | 1974 | 874.7 | 762.9 | 802.1 | 793.5 | 800.1 | 844.7 | 837.2 | 828.6 | 807.8 | 559.6 | 594.3 | 699.5 | **53,517.9** |
| WIN | 1973 | 755.8 | 837.2 | 949.0 | 872.3 | 819.7 | 853.7 | 794.3 | 540.2 | 752.3 | 553.9 | 493.2 | 804.8 | **44,312.9** |
| WIN | 1972 | 551.5 | 889.8 | 866.9 | 969.6 | 803.8 | 471.1 | 691.9 | 834.0 | 778.7 | 803.0 | 679.0 | 696.0 | **35,286.5** |
| WIN | 1971 | 802.2 | 724.9 | 784.2 | 697.0 | 544.0 | 670.4 | 509.5 | 424.2 | 0.0 | 402.5 | 536.1 | 532.3 | **26,251.2** |
| WIN | 1970 | 591.9 | 493.3 | 591.9 | 566.4 | 640.5 | 380.8 | 390.0 | 580.4 | 486.3 | 616.2 | 733.7 | 768.8 | **19,623.9** |
| WIN | 1969 | 605.9 | 174.7 | 397.8 | 509.2 | 529.6 | 547.2 | 416.1 | 466.6 | 578.4 | 562.3 | 574.2 | 567.4 | **12,783.7** |
| WIN | 1968 | 381.7 | 481.7 | 544.3 | 493.3 | 438.6 | 476.8 | 545.5 | 591.2 | 466.6 | 594.4 | 566.1 | 576.0 | **6,854.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 24.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,191.0** |
| H2O | 1967 | 26.0 | 25.7 | 27.5 | 18.6 | 20.5 | 20.3 | 20.5 | 20.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,397.7** |
| OIL | 1967 | 35.7 | 30.8 | 28.1 | 24.9 | 30.7 | 28.4 | 11.9 | 10.2 | 0.0 | 0.0 | 0.0 | 0.0 | **5,918.6** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 172.7 | 525.4 | **698.1** |
| DAY | 1966 | 0.0 | 28.0 | 30.0 | 28.0 | 29.0 | 30.0 | 31.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,958.0** |
| H2O | 1966 | 0.0 | 64.5 | 39.0 | 20.5 | 20.3 | 19.2 | 17.0 | 12.2 | 16.4 | 19.1 | 24.2 | 22.1 | **4,218.6** |
| OIL | 1966 | 0.0 | 46.6 | 31.9 | 14.3 | 15.6 | 16.4 | 15.6 | 11.4 | 14.1 | 13.0 | 34.2 | 35.9 | **5,717.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | **3,636.0** |
| H2O | 1965 | 5.2 | 4.5 | 5.4 | 5.2 | 5.2 | 4.9 | 4.8 | 4.5 | 4.1 | 3.0 | 3.7 | 2.9 | **3,944.1** |
| OIL | 1965 | 21.6 | 16.8 | 21.8 | 18.1 | 18.9 | 19.9 | 26.5 | 25.4 | 23.0 | 18.3 | 19.4 | 13.8 | **5,468.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,275.0** |
| H2O | 1964 | 16.2 | 14.6 | 16.1 | 15.1 | 16.7 | 4.3 | 4.8 | 4.6 | 4.5 | 4.8 | 4.1 | 5.4 | **3,890.7** |
| OIL | 1964 | 16.2 | 14.8 | 15.1 | 16.2 | 11.9 | 17.0 | 13.2 | 17.6 | 17.2 | 18.4 | 17.3 | 22.2 | **5,225.4** |
| DAY | 1963 | 21.0 | 0.0 | 0.0 | 24.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,910.0** |
| H2O | 1963 | 16.4 | 0.0 | 0.0 | 18.0 | 23.5 | 15.4 | 11.3 | 12.9 | 12.1 | 12.1 | 15.4 | 16.1 | **3,779.5** |
| OIL | 1963 | 5.6 | 0.0 | 0.0 | 7.6 | 9.2 | 8.6 | 16.0 | 16.0 | 16.5 | 16.7 | 15.9 | 17.0 | **5,028.3** |
| DAY | 1962 | 9.0 | 27.0 | 24.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,620.0** |
| H2O | 1962 | 6.5 | 20.7 | 17.6 | 23.1 | 23.1 | 22.7 | 21.1 | 22.3 | 21.1 | 17.6 | 21.5 | 23.1 | **3,626.3** |
| OIL | 1962 | 3.3 | 9.1 | 10.0 | 11.0 | 10.8 | 9.9 | 10.2 | 11.8 | 9.2 | 9.1 | 8.9 | 9.7 | **4,899.2** |
| DAY | 1961 | 23.0 | 24.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,287.0** |
| H2O | 1961 | 15.7 | 17.2 | 20.5 | 20.2 | 19.9 | 19.9 | 14.5 | 19.6 | 21.0 | 21.3 | 20.7 | 22.1 | **3,385.9** |

# Manitoba Production
## 1950 To 1975

Licence ***797*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1961 | 13.0 | 17.6 | 20.7 | 18.0 | 16.7 | 15.7 | 16.4 | 15.4 | 14.0 | 13.5 | 13.3 | 11.6 | **4,786.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,936.0** |
| H2O | 1960 | 7.3 | 7.0 | 6.7 | 6.8 | 7.0 | 7.0 | 6.7 | 22.3 | 61.0 | 54.4 | 62.2 | 21.0 | **3,153.3** |
| OIL | 1960 | 42.1 | 40.8 | 40.8 | 37.2 | 41.3 | 39.6 | 36.9 | 6.8 | 37.2 | 36.1 | 36.9 | 15.4 | **4,600.3** |
| DAY | 1959 | 25.0 | 3.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,571.0** |
| H2O | 1959 | 21.6 | 3.3 | 27.0 | 23.5 | 23.5 | 26.7 | 6.2 | 7.2 | 6.8 | 7.2 | 6.7 | 6.5 | **2,883.9** |
| OIL | 1959 | 21.5 | 3.5 | 26.5 | 29.9 | 48.1 | 42.0 | 50.7 | 49.9 | 47.8 | 48.0 | 44.8 | 44.3 | **4,189.2** |
| DAY | 1958 | 30.0 | 17.0 | 21.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **1,239.0** |
| H2O | 1958 | 29.9 | 17.5 | 20.5 | 29.6 | 27.8 | 26.2 | 28.0 | 28.1 | 24.8 | 30.0 | 27.0 | 27.2 | **2,717.7** |
| OIL | 1958 | 48.8 | 32.3 | 36.9 | 37.5 | 35.1 | 39.9 | 37.5 | 37.2 | 31.6 | 33.8 | 31.9 | 31.1 | **3,732.2** |
| DAY | 1957 | 25.0 | 4.0 | 12.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | **901.0** |
| H2O | 1957 | 44.5 | 6.4 | 23.7 | 58.5 | 40.5 | 34.7 | 41.5 | 45.8 | 31.2 | 28.1 | 28.5 | 29.6 | **2,401.1** |
| OIL | 1957 | 46.2 | 6.2 | 23.2 | 48.5 | 64.2 | 64.4 | 51.5 | 39.9 | 53.9 | 60.1 | 53.4 | 52.8 | **3,298.6** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **592.0** |
| H2O | 1956 | 101.9 | 79.6 | 89.7 | 118.1 | 114.9 | 110.7 | 104.6 | 142.6 | 76.6 | 71.7 | 62.8 | 39.3 | **1,988.1** |
| OIL | 1956 | 120.0 | 128.4 | 132.1 | 127.9 | 122.2 | 112.7 | 112.5 | 99.5 | 43.1 | 42.0 | 40.0 | 55.5 | **2,734.3** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **229.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 77.7 | 103.7 | 109.5 | 163.0 | 103.0 | 114.6 | 104.3 | 99.8 | **875.6** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 181.3 | 241.7 | 245.7 | 311.3 | 158.4 | 168.8 | 144.0 | 147.2 | **1,598.4** |

Licence ***798*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 822.1 | 597.9 | 442.4 | 737.7 | 790.9 | 719.4 | 1426.8 | 1387.9 | 1498.4 | 1438.5 | 1414.1 | 1411.3 | **134,353.5** |
| WIN | 1974 | 597.8 | 774.1 | 814.3 | 1332.1 | 1229.9 | 1224.5 | 1359.1 | 1247.2 | 1294.1 | 1207.8 | 1069.5 | 977.4 | **121,666.1** |
| WIN | 1973 | 1223.5 | 1078.5 | 1229.2 | 1334.0 | 1434.7 | 1291.6 | 1301.4 | 1324.6 | 1400.1 | 1369.6 | 1362.0 | 900.5 | **108,538.3** |
| WIN | 1972 | 1301.8 | 1305.5 | 1633.1 | 1545.1 | 1566.5 | 1458.4 | 1571.0 | 1575.1 | 1449.8 | 1562.1 | 1124.3 | 1292.0 | **93,288.6** |
| WIN | 1971 | 1160.2 | 966.0 | 1348.3 | 1373.7 | 1162.3 | 1043.3 | 1154.5 | 1341.0 | 1232.3 | 1451.8 | 1640.3 | 111.1 | **75,903.9** |
| WIN | 1970 | 1364.5 | 1335.1 | 1345.9 | 1459.6 | 1053.3 | 1139.8 | 1337.9 | 1010.6 | 657.3 | 816.3 | 738.6 | 896.1 | **61,919.1** |
| WIN | 1969 | 1590.1 | 1554.4 | 1856.4 | 1687.5 | 1320.9 | 1853.7 | 1279.9 | 1319.8 | 1323.0 | 1668.0 | 1527.3 | 1660.3 | **48,764.1** |
| WIN | 1968 | 1527.6 | 1940.3 | 1504.5 | 1852.4 | 1682.6 | 1502.9 | 1531.7 | 1714.7 | 1360.0 | 1896.8 | 1711.4 | 1658.1 | **30,122.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,181.0** |
| H2O | 1967 | 51.9 | 52.6 | 61.8 | 61.5 | 54.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,517.8** |
| OIL | 1967 | 96.8 | 88.2 | 98.7 | 92.2 | 87.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **15,201.5** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 617.2 | 2334.1 | 1910.3 | 2008.4 | 1833.0 | 1536.8 | **10,239.8** |
| DAY | 1966 | 27.0 | 28.0 | 31.0 | 28.0 | 23.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,032.0** |
| H2O | 1966 | 55.0 | 59.1 | 60.3 | 59.8 | 56.8 | 55.6 | 57.6 | 58.8 | 58.3 | 57.4 | 53.9 | 48.8 | **7,235.8** |
| OIL | 1966 | 90.9 | 95.7 | 107.6 | 109.5 | 134.1 | 108.4 | 115.5 | 116.3 | 111.4 | 116.3 | 114.3 | 91.7 | **14,738.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 24.0 | 27.0 | 24.0 | 27.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,683.0** |
| H2O | 1965 | 59.0 | 51.7 | 56.3 | 50.2 | 90.3 | 81.9 | 67.1 | 84.6 | 60.7 | 57.6 | 56.3 | 60.7 | **6,554.4** |
| OIL | 1965 | 115.5 | 102.2 | 109.8 | 34.8 | 132.1 | 110.3 | 127.4 | 109.2 | 106.6 | 97.6 | 94.1 | 103.5 | **13,426.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 28.0 | 29.0 | 28.0 | 29.0 | 29.0 | 28.0 | 29.0 | 28.0 | 30.0 | **3,340.0** |
| H2O | 1964 | 64.4 | 58.7 | 61.0 | 73.8 | 74.7 | 66.6 | 66.6 | 70.0 | 73.3 | 69.2 | 65.3 | 73.3 | **5,778.0** |
| OIL | 1964 | 129.2 | 119.5 | 130.9 | 121.2 | 123.8 | 111.4 | 125.4 | 118.5 | 123.5 | 128.1 | 119.3 | 113.3 | **12,183.6** |
| DAY | 1963 | 29.0 | 28.0 | 31.0 | 28.0 | 29.0 | 29.0 | 29.0 | 29.0 | 28.0 | 29.0 | 28.0 | 31.0 | **2,991.0** |
| H2O | 1963 | 78.9 | 68.8 | 66.9 | 49.9 | 42.6 | 42.3 | 76.6 | 80.1 | 64.7 | 69.8 | 70.0 | 65.2 | **4,961.1** |
| OIL | 1963 | 152.7 | 136.3 | 145.4 | 138.6 | 162.6 | 129.5 | 135.4 | 138.1 | 127.3 | 126.5 | 125.2 | 134.1 | **10,719.5** |
| DAY | 1962 | 30.0 | 27.0 | 31.0 | 28.0 | 29.0 | 28.0 | 29.0 | 29.0 | 28.0 | 29.0 | 28.0 | 29.0 | **2,643.0** |
| H2O | 1962 | 97.3 | 90.1 | 94.1 | 92.0 | 95.7 | 110.2 | 97.5 | 76.5 | 63.0 | 71.9 | 60.6 | 71.1 | **4,185.3** |
| OIL | 1962 | 185.4 | 170.2 | 174.2 | 171.8 | 164.0 | 174.5 | 175.0 | 164.3 | 155.9 | 155.6 | 139.7 | 145.2 | **9,067.8** |
| DAY | 1961 | 29.0 | 26.0 | 28.0 | 29.0 | 18.0 | 29.0 | 21.0 | 28.0 | 26.0 | 29.0 | 30.0 | 30.0 | **2,298.0** |

# Manitoba Production
## 1950 To 1975

Licence ***798*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1961 | 12.9 | 13.7 | 12.9 | 12.2 | 11.6 | 8.7 | 10.7 | 72.0 | 78.5 | 101.0 | 101.4 | 97.9 | **3,165.3** |
| OIL | 1961 | 32.6 | 26.9 | 31.1 | 28.9 | 27.5 | 19.9 | 27.3 | 147.9 | 215.5 | 194.5 | 203.4 | 194.8 | **7,092.0** |
| DAY | 1960 | 28.0 | 28.0 | 29.0 | 28.0 | 29.0 | 28.0 | 29.0 | 28.0 | 26.0 | 29.0 | 28.0 | 31.0 | **1,975.0** |
| H2O | 1960 | 8.9 | 9.9 | 10.0 | 13.2 | 15.1 | 14.1 | 12.9 | 9.5 | 9.7 | 10.5 | 12.1 | 11.9 | **2,631.8** |
| OIL | 1960 | 12.6 | 13.5 | 22.7 | 37.2 | 35.3 | 32.4 | 35.8 | 29.2 | 28.0 | 46.2 | 27.5 | 25.9 | **5,941.7** |
| DAY | 1959 | 31.0 | 27.0 | 30.0 | 29.0 | 27.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,634.0** |
| H2O | 1959 | 20.0 | 16.5 | 14.3 | 18.3 | 14.3 | 8.3 | 9.9 | 10.3 | 9.5 | 10.2 | 9.5 | 9.9 | **2,494.0** |
| OIL | 1959 | 52.6 | 41.6 | 28.3 | 24.5 | 26.5 | 22.6 | 22.4 | 21.3 | 14.8 | 14.9 | 17.2 | 16.8 | **5,595.4** |
| DAY | 1958 | 31.0 | 28.0 | 30.0 | 28.0 | 29.0 | 28.0 | 30.0 | 30.0 | 28.0 | 30.0 | 29.0 | 31.0 | **1,277.0** |
| H2O | 1958 | 71.5 | 67.1 | 64.5 | 41.2 | 37.2 | 35.8 | 38.3 | 38.5 | 31.3 | 28.5 | 24.6 | 20.2 | **2,343.0** |
| OIL | 1958 | 71.4 | 67.4 | 66.7 | 53.1 | 55.9 | 53.9 | 59.4 | 55.8 | 53.1 | 48.0 | 48.9 | 53.4 | **5,291.9** |
| DAY | 1957 | 31.0 | 28.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | **925.0** |
| H2O | 1957 | 103.8 | 91.6 | 94.1 | 81.7 | 88.9 | 84.1 | 87.6 | 82.2 | 80.4 | 84.3 | 82.7 | 79.6 | **1,844.3** |
| OIL | 1957 | 159.5 | 134.1 | 120.0 | 99.6 | 106.9 | 92.3 | 95.3 | 88.4 | 79.9 | 84.1 | 82.6 | 80.6 | **4,604.9** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 30.0 | 29.0 | 31.0 | 29.0 | 28.0 | 28.0 | 30.0 | **566.0** |
| H2O | 1956 | 21.6 | 35.6 | 20.5 | 14.9 | 32.0 | 55.3 | 53.9 | 128.6 | 113.2 | 94.0 | 96.7 | 93.5 | **803.3** |
| OIL | 1956 | 152.7 | 133.6 | 126.3 | 97.3 | 70.7 | 70.2 | 164.9 | 276.7 | 217.2 | 132.7 | 143.2 | 140.6 | **3,381.6** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **212.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.1 | 3.3 | 4.9 | 8.6 | 11.3 | 6.7 | 4.6 | **43.5** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 333.2 | 301.3 | 248.1 | 210.6 | 204.4 | 192.8 | 165.1 | **1,655.5** |

Licence ***799*** Well Name ***Enerplus Ponder Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,850.0** |
| H2O | 1966 | 538.0 | 443.5 | 584.7 | 65.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **49,594.4** |
| OIL | 1966 | 46.9 | 31.3 | 34.1 | 5.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **19,507.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,757.0** |
| H2O | 1965 | 556.5 | 471.7 | 606.4 | 571.7 | 599.1 | 572.5 | 616.6 | 615.1 | 567.4 | 559.6 | 575.5 | 567.0 | **47,963.2** |
| OIL | 1965 | 46.9 | 41.8 | 48.3 | 49.6 | 45.1 | 42.9 | 45.0 | 43.7 | 41.8 | 43.1 | 43.1 | 37.0 | **19,390.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,392.0** |
| H2O | 1964 | 515.4 | 520.4 | 544.1 | 572.8 | 585.1 | 553.3 | 610.5 | 601.0 | 600.7 | 590.2 | 550.6 | 572.4 | **41,084.1** |
| OIL | 1964 | 56.3 | 55.0 | 64.0 | 60.1 | 71.5 | 68.3 | 65.5 | 64.4 | 57.5 | 52.8 | 47.7 | 48.6 | **18,861.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,027.0** |
| H2O | 1963 | 545.0 | 490.8 | 591.6 | 618.8 | 559.0 | 512.3 | 572.4 | 484.3 | 554.6 | 562.7 | 548.5 | 548.4 | **34,267.6** |
| OIL | 1963 | 69.3 | 68.5 | 76.3 | 60.5 | 61.8 | 61.2 | 64.5 | 53.6 | 61.8 | 62.3 | 51.5 | 54.8 | **18,150.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,667.0** |
| H2O | 1962 | 567.6 | 512.1 | 563.5 | 574.4 | 585.6 | 555.7 | 612.0 | 610.5 | 584.9 | 553.6 | 541.7 | 578.6 | **27,679.2** |
| OIL | 1962 | 89.1 | 78.3 | 91.4 | 84.1 | 87.9 | 89.5 | 85.8 | 84.1 | 74.5 | 77.2 | 75.6 | 80.4 | **17,404.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,304.0** |
| H2O | 1961 | 486.0 | 413.2 | 441.2 | 441.0 | 508.8 | 512.6 | 595.3 | 599.6 | 592.9 | 604.5 | 554.6 | 580.3 | **20,839.0** |
| OIL | 1961 | 140.6 | 118.5 | 125.5 | 103.8 | 70.7 | 99.3 | 120.8 | 117.8 | 116.8 | 117.8 | 93.0 | 99.2 | **16,406.1** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 27.0 | 30.0 | 31.0 | **1,942.0** |
| H2O | 1960 | 244.5 | 264.1 | 203.0 | 180.3 | 165.2 | 211.5 | 464.9 | 474.1 | 440.1 | 430.4 | 453.6 | 499.7 | **14,509.0** |
| OIL | 1960 | 133.0 | 126.8 | 122.8 | 96.6 | 109.0 | 118.2 | 143.8 | 139.4 | 142.9 | 126.8 | 145.7 | 142.2 | **15,082.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,582.0** |
| H2O | 1959 | 259.8 | 172.5 | 304.1 | 422.3 | 173.3 | 174.1 | 187.0 | 183.3 | 175.7 | 235.3 | 227.8 | 245.0 | **10,477.6** |
| OIL | 1959 | 160.7 | 153.7 | 193.2 | 195.1 | 134.1 | 134.4 | 133.5 | 119.5 | 126.7 | 138.1 | 141.4 | 137.9 | **13,535.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,219.0** |
| H2O | 1958 | 301.3 | 323.2 | 413.1 | 296.8 | 248.3 | 320.8 | 358.2 | 326.7 | 315.9 | 307.2 | 270.1 | 314.2 | **7,717.4** |
| OIL | 1958 | 224.9 | 214.7 | 250.4 | 221.5 | 224.9 | 210.7 | 207.1 | 199.1 | 187.7 | 171.8 | 157.8 | 167.8 | **11,766.8** |

# Manitoba Production
## 1950 To 1975

Licence ***799*** Well Name ***Enerplus Ponder Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 30.0 | 27.0 | 11.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 21.0 | 30.0 | 31.0 | **857.0** |
| H2O | 1957 | 140.5 | 148.8 | 114.8 | 133.6 | 272.8 | 301.8 | 369.5 | 372.5 | 513.9 | 425.6 | 289.7 | 337.2 | **3,921.6** |
| OIL | 1957 | 308.9 | 256.3 | 138.4 | 292.7 | 338.3 | 309.4 | 319.3 | 304.8 | 335.3 | 277.8 | 246.2 | 242.3 | **9,328.4** |
| DAY | 1956 | 29.0 | 26.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | 20.0 | 30.0 | 29.0 | 30.0 | 16.0 | **524.0** |
| H2O | 1956 | 2.4 | 0.5 | 0.6 | 0.6 | 0.8 | 0.3 | 5.7 | 31.0 | 147.4 | 113.7 | 132.3 | 59.9 | **500.9** |
| OIL | 1956 | 328.8 | 241.7 | 307.0 | 288.7 | 282.5 | 264.9 | 259.0 | 207.4 | 356.9 | 292.9 | 297.5 | 170.4 | **5,958.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 0.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **195.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 0.6 | 0.6 | 0.5 | 0.6 | 1.0 | 0.6 | 1.3 | **5.7** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 275.9 | 326.7 | 341.3 | 334.7 | 289.1 | 353.6 | 376.9 | 362.8 | **2,661.0** |

Licence ***801*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | **4,653.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 5.2 | 5.0 | 5.2 | 4.6 | 0.0 | **10,487.3** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.4 | 14.8 | 13.8 | 14.5 | 13.8 | 0.0 | **5,361.3** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 12.0 | 31.0 | 30.0 | 27.0 | 22.0 | 30.0 | 29.0 | 0.0 | 0.0 | **4,526.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.6 | 12.4 | 3.2 | 4.8 | 4.6 | 0.0 | 0.0 | **10,466.5** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 3.5 | 8.7 | 4.1 | 4.0 | 10.0 | 13.5 | 12.9 | 0.0 | 0.0 | **5,302.0** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | **4,345.0** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 7.0 | 8.9 | 8.7 | 8.9 | 8.6 | 8.4 | 0.0 | 0.0 | 0.0 | **5,245.3** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 29.0 | 31.0 | 30.0 | 18.0 | 2.0 | 9.0 | 21.0 | 0.0 | 0.0 | **4,167.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 8.6 | 9.4 | 7.8 | 4.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **10,425.9** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 8.3 | 8.7 | 8.4 | 5.2 | 0.6 | 2.5 | 5.9 | 0.0 | 0.0 | **5,194.8** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 15.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **4,027.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 4.1 | 9.4 | 8.7 | 7.5 | 7.9 | 8.7 | 8.4 | 0.0 | 0.0 | **10,395.3** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 4.1 | 8.9 | 8.1 | 7.8 | 8.7 | 8.4 | 8.4 | 0.0 | 0.0 | **5,155.2** |
| DAY | 1969 | 0.0 | 0.0 | 7.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 21.0 | 0.0 | **3,830.0** |
| H2O | 1969 | 0.0 | 0.0 | 2.1 | 9.4 | 10.0 | 9.7 | 9.9 | 9.2 | 8.9 | 8.6 | 6.0 | 0.0 | **10,340.6** |
| OIL | 1969 | 0.0 | 0.0 | 1.9 | 8.9 | 8.6 | 8.6 | 8.4 | 8.7 | 8.3 | 8.1 | 5.4 | 0.0 | **5,100.8** |
| DAY | 1968 | 31.0 | 25.0 | 3.0 | 0.0 | 19.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **3,590.0** |
| H2O | 1968 | 17.2 | 14.1 | 1.9 | 0.0 | 11.6 | 18.1 | 7.3 | 9.4 | 8.3 | 8.9 | 8.7 | 8.9 | **10,266.8** |
| OIL | 1968 | 17.5 | 13.0 | 1.6 | 0.0 | 10.5 | 18.0 | 7.3 | 9.1 | 8.7 | 8.7 | 8.4 | 8.4 | **5,033.9** |
| DAY | 1967 | 19.0 | 10.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 26.0 | 31.0 | 30.0 | 31.0 | **3,305.0** |
| H2O | 1967 | 13.2 | 8.1 | 22.3 | 15.3 | 16.7 | 16.4 | 15.7 | 16.1 | 15.4 | 17.5 | 18.1 | 18.3 | **10,152.4** |
| OIL | 1967 | 13.0 | 7.0 | 16.5 | 14.8 | 18.0 | 16.5 | 17.5 | 16.0 | 15.1 | 18.1 | 18.0 | 18.1 | **4,922.7** |
| DAY | 1966 | 0.0 | 0.0 | 2.0 | 28.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | **2,978.0** |
| H2O | 1966 | 0.0 | 0.0 | 2.4 | 18.8 | 20.0 | 16.1 | 15.6 | 14.3 | 15.1 | 17.3 | 19.6 | 14.5 | **9,959.3** |
| OIL | 1966 | 0.0 | 0.0 | 9.5 | 64.2 | 74.7 | 67.2 | 69.9 | 65.2 | 63.1 | 58.3 | 20.0 | 17.0 | **4,734.1** |
| DAY | 1965 | 0.0 | 0.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | **2,710.0** |
| H2O | 1965 | 0.0 | 0.0 | 4.8 | 5.4 | 5.4 | 5.1 | 4.8 | 4.6 | 4.3 | 3.2 | 3.8 | 3.0 | **9,805.6** |
| OIL | 1965 | 0.0 | 0.0 | 13.3 | 12.9 | 13.3 | 14.1 | 18.8 | 18.0 | 16.4 | 13.0 | 13.8 | 9.9 | **4,225.0** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 6.0 | 31.0 | 30.0 | 22.0 | 26.0 | 30.0 | 31.0 | 0.0 | 0.0 | **2,412.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 1.0 | 5.2 | 4.3 | 3.5 | 4.0 | 4.5 | 4.8 | 0.0 | 0.0 | **9,761.2** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 3.2 | 12.1 | 12.1 | 6.7 | 10.5 | 12.2 | 13.0 | 0.0 | 0.0 | **4,081.5** |
| DAY | 1963 | 14.0 | 0.0 | 0.0 | 24.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 0.0 | 0.0 | **2,236.0** |
| OIL | 1963 | 3.7 | 0.0 | 0.0 | 7.6 | 9.2 | 7.6 | 14.8 | 12.9 | 14.8 | 14.9 | 0.0 | 0.0 | **4,011.7** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,017.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **9,733.9** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.3 | 12.6 | 10.5 | 9.1 | 8.9 | 9.7 | **3,926.2** |
| DAY | 1961 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 20.0 | **1,835.0** |

# Manitoba Production
## 1950 To 1975

Licence ***801*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1961 | 29.7 | 24.5 | 29.1 | 28.3 | 29.1 | 28.1 | 20.5 | 27.7 | 29.7 | 30.0 | 29.4 | 19.1 | **9,726.9** |
| OIL | 1961 | 31.9 | 32.6 | 38.0 | 32.3 | 31.6 | 28.8 | 30.2 | 28.3 | 25.4 | 24.6 | 24.5 | 13.0 | **3,872.1** |
| DAY | 1960 | 31.0 | 28.0 | 29.0 | 30.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,486.0** |
| H2O | 1960 | 29.3 | 26.7 | 24.6 | 27.3 | 25.0 | 28.1 | 26.1 | 28.6 | 26.4 | 24.2 | 27.7 | 29.7 | **9,401.7** |
| OIL | 1960 | 24.8 | 23.0 | 22.4 | 21.8 | 21.8 | 23.0 | 21.5 | 26.9 | 20.7 | 20.8 | 21.1 | 28.1 | **3,530.9** |
| DAY | 1959 | 31.0 | 18.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 28.0 | 30.0 | **1,128.0** |
| H2O | 1959 | 26.1 | 16.5 | 25.9 | 22.9 | 22.6 | 25.8 | 25.4 | 27.7 | 26.2 | 28.6 | 25.9 | 26.1 | **9,078.0** |
| OIL | 1959 | 20.8 | 14.3 | 20.7 | 23.4 | 37.3 | 32.4 | 30.2 | 28.8 | 27.0 | 28.1 | 25.3 | 25.9 | **3,255.0** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 31.0 | **778.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 46.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.6 | 26.2 | **8,778.3** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 24.2 | **2,940.8** |
| DAY | 1957 | 19.0 | 23.0 | 31.0 | 19.0 | 21.0 | 24.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **726.0** |
| H2O | 1957 | 249.0 | 273.3 | 459.0 | 318.4 | 364.1 | 465.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **8,691.2** |
| OIL | 1957 | 74.8 | 75.5 | 129.7 | 76.1 | 11.4 | 18.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,902.6** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **589.0** |
| H2O | 1956 | 336.1 | 263.4 | 296.7 | 290.0 | 380.6 | 366.8 | 346.6 | 471.7 | 576.8 | 539.6 | 473.1 | 293.8 | **6,562.4** |
| OIL | 1956 | 114.4 | 122.7 | 126.3 | 122.2 | 116.8 | 107.7 | 107.4 | 95.0 | 93.4 | 91.1 | 86.8 | 120.0 | **2,516.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **226.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 2.4 | 175.7 | 189.2 | 192.4 | 312.6 | 379.2 | 345.3 | 330.4 | **1,927.2** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 158.9 | 263.5 | 148.7 | 66.6 | 137.3 | 161.1 | 137.6 | 139.0 | **1,212.7** |

Licence ***802*** Well Name ***Cdn. Sup. Chapman Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-09-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 31.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | **55.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 34.8 | 126.1 | 1.9 | 0.0 | 0.0 | 0.0 | 0.0 | **162.8** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 42.5 | 11.1 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | **55.8** |

Licence ***803*** Well Name ***Dome Cdn. Sup. Ebor*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-23-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 23.0 | 0.0 | 0.0 | 0.0 | **38.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 51.0 | 144.4 | 0.0 | 0.0 | 0.0 | **195.4** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.1 | 36.1 | 0.0 | 0.0 | 0.0 | **61.2** |

Licence ***804*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 4.0 | 4.0 | 4.0 | 4.0 | 5.0 | 1.0 | 0.0 | **280.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 23.7 | 26.2 | 11.6 | 11.9 | 10.7 | 17.7 | 2.7 | 0.0 | **1,517.8** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 11.1 | 3.7 | 4.0 | 3.8 | 5.1 | 5.1 | 0.8 | 0.0 | **665.0** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 4.0 | 4.0 | 4.0 | 5.0 | 4.0 | 7.0 | 4.0 | 3.0 | 0.0 | **254.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 26.4 | 26.7 | 25.6 | 32.0 | 27.2 | 26.4 | 13.2 | 8.9 | 0.0 | **1,413.3** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 9.7 | 7.2 | 4.9 | 7.5 | 5.7 | 5.7 | 3.7 | 2.7 | 0.0 | **631.4** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 25.0 | 17.0 | 1.0 | 0.0 | 0.0 | 0.0 | 3.0 | **219.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 118.0 | 218.5 | 122.4 | 5.2 | 0.0 | 0.0 | 0.0 | 14.2 | **1,226.9** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 24.9 | 38.6 | 28.6 | 1.1 | 0.0 | 0.0 | 0.0 | 5.4 | **584.3** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 25.0 | 26.0 | 30.0 | 31.0 | 29.0 | 11.0 | **157.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.5 | 24.5 | 135.3 | 256.3 | 266.9 | 64.9 | **748.6** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 25.4 | 95.2 | 73.7 | 137.5 | 68.6 | 57.5 | 27.2 | **485.7** |

# Manitoba Production
## 1950 To 1975

Licence ***805*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-24-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,140.0** |
| H2O | 1975 | 220.2 | 204.0 | 240.9 | 231.2 | 256.9 | 199.7 | 227.3 | 99.7 | 85.2 | 80.0 | 76.2 | 78.2 | **28,041.4** |
| OIL | 1975 | 45.1 | 42.1 | 47.0 | 43.9 | 46.1 | 38.1 | 45.3 | 8.9 | 8.9 | 9.1 | 8.9 | 9.1 | **9,431.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 25.0 | 30.0 | 30.0 | 31.0 | **6,776.0** |
| H2O | 1974 | 235.1 | 202.4 | 168.4 | 151.5 | 199.7 | 216.7 | 129.6 | 120.8 | 107.9 | 230.7 | 207.8 | 228.6 | **26,041.9** |
| OIL | 1974 | 33.2 | 32.9 | 50.9 | 48.5 | 31.3 | 30.7 | 28.3 | 26.4 | 21.9 | 44.3 | 43.2 | 45.9 | **9,079.2** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,419.0** |
| H2O | 1973 | 308.7 | 300.8 | 301.9 | 302.9 | 271.4 | 298.7 | 245.3 | 263.9 | 221.6 | 206.2 | 192.2 | 226.1 | **23,842.7** |
| OIL | 1973 | 55.3 | 52.4 | 66.9 | 67.2 | 66.3 | 44.0 | 51.3 | 57.4 | 47.5 | 35.0 | 33.1 | 32.4 | **8,641.7** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 30.0 | 29.0 | 30.0 | **6,057.0** |
| H2O | 1972 | 385.2 | 388.9 | 385.4 | 311.6 | 318.6 | 293.8 | 294.6 | 345.1 | 297.5 | 300.2 | 272.7 | 251.8 | **20,703.0** |
| OIL | 1972 | 92.5 | 89.0 | 71.0 | 66.9 | 78.5 | 76.3 | 83.6 | 68.8 | 72.3 | 76.0 | 53.4 | 54.2 | **8,032.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 19.0 | 14.0 | 31.0 | 29.0 | 31.0 | **5,697.0** |
| H2O | 1971 | 178.2 | 105.2 | 90.5 | 93.3 | 359.1 | 362.5 | 403.2 | 223.8 | 182.0 | 402.5 | 351.2 | 357.2 | **16,857.6** |
| OIL | 1971 | 75.3 | 33.5 | 28.4 | 27.0 | 65.5 | 77.4 | 88.4 | 53.2 | 42.9 | 82.2 | 75.5 | 93.3 | **7,150.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **5,364.0** |
| H2O | 1970 | 109.4 | 28.9 | 35.3 | 21.0 | 28.9 | 28.1 | 25.4 | 24.0 | 24.8 | 126.9 | 163.6 | 151.2 | **13,748.9** |
| OIL | 1970 | 50.5 | 20.3 | 22.7 | 12.4 | 14.3 | 13.2 | 13.8 | 13.3 | 12.6 | 58.2 | 70.7 | 74.4 | **6,407.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 16.0 | 31.0 | 30.0 | 31.0 | **5,003.0** |
| H2O | 1969 | 34.2 | 28.0 | 34.0 | 14.1 | 15.4 | 18.8 | 21.5 | 121.9 | 60.7 | 120.5 | 114.0 | 122.3 | **12,981.4** |
| OIL | 1969 | 8.9 | 7.5 | 8.6 | 13.3 | 13.2 | 7.9 | 8.7 | 64.4 | 25.1 | 49.6 | 45.9 | 50.4 | **6,031.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,655.0** |
| H2O | 1968 | 1.9 | 2.1 | 2.4 | 2.4 | 93.5 | 84.6 | 89.0 | 60.4 | 55.8 | 59.3 | 31.6 | 34.5 | **12,276.0** |
| OIL | 1968 | 52.0 | 47.0 | 52.6 | 55.3 | 24.2 | 22.1 | 23.0 | 13.8 | 13.8 | 14.1 | 8.3 | 8.9 | **5,727.9** |
| DAY | 1967 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,289.0** |
| H2O | 1967 | 131.3 | 117.0 | 132.7 | 105.2 | 114.9 | 104.0 | 55.8 | 7.3 | 7.8 | 2.1 | 2.1 | 2.2 | **11,758.5** |
| OIL | 1967 | 33.2 | 30.2 | 34.2 | 17.8 | 18.8 | 16.7 | 53.4 | 14.6 | 46.1 | 53.4 | 53.2 | 53.6 | **5,392.8** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,927.0** |
| H2O | 1966 | 77.3 | 74.1 | 74.1 | 211.1 | 229.2 | 201.3 | 191.4 | 225.0 | 199.7 | 199.8 | 152.3 | 140.4 | **10,976.1** |
| OIL | 1966 | 39.7 | 35.8 | 44.2 | 60.5 | 57.0 | 78.5 | 78.7 | 77.5 | 80.7 | 86.6 | 35.4 | 34.6 | **4,967.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,562.0** |
| H2O | 1965 | 90.5 | 72.8 | 81.6 | 73.9 | 68.7 | 63.8 | 46.6 | 73.8 | 52.6 | 57.6 | 59.0 | 63.6 | **9,000.4** |
| OIL | 1965 | 29.7 | 25.7 | 28.1 | 22.9 | 25.1 | 23.5 | 25.4 | 23.7 | 23.7 | 24.5 | 25.9 | 31.5 | **4,258.4** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,197.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 1.7 | 80.0 | 83.5 | 79.6 | 87.3 | 98.9 | 90.0 | 90.0 | **8,195.9** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 28.8 | 31.8 | 33.1 | 31.0 | 32.9 | 29.6 | 30.5 | **3,948.7** |
| DAY | 1963 | 21.0 | 15.0 | 0.0 | 24.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **2,979.0** |
| H2O | 1963 | 11.8 | 8.7 | 0.0 | 15.9 | 21.8 | 12.1 | 12.7 | 11.6 | 8.4 | 14.5 | 0.0 | 0.0 | **7,584.9** |
| OIL | 1963 | 8.6 | 6.4 | 0.0 | 9.5 | 13.3 | 4.3 | 4.9 | 4.4 | 10.8 | 2.2 | 0.0 | 0.0 | **3,730.4** |
| DAY | 1962 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,735.0** |
| H2O | 1962 | 18.0 | 15.1 | 18.1 | 17.2 | 18.0 | 17.0 | 18.0 | 15.7 | 15.7 | 17.8 | 21.5 | 16.4 | **7,467.4** |
| OIL | 1962 | 10.6 | 9.2 | 11.0 | 10.5 | 10.8 | 10.6 | 11.0 | 10.3 | 10.0 | 9.2 | 11.3 | 10.0 | **3,666.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,372.0** |
| H2O | 1961 | 36.9 | 26.9 | 36.1 | 33.4 | 32.1 | 23.5 | 20.7 | 22.3 | 19.7 | 20.2 | 19.6 | 19.6 | **7,258.9** |
| OIL | 1961 | 9.9 | 8.9 | 9.7 | 10.6 | 11.0 | 12.7 | 12.9 | 11.9 | 11.6 | 11.0 | 11.1 | 11.3 | **3,541.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,010.0** |
| H2O | 1960 | 50.7 | 48.0 | 53.4 | 50.6 | 54.4 | 33.9 | 37.8 | 37.2 | 35.9 | 35.5 | 37.8 | 34.5 | **6,947.9** |
| OIL | 1960 | 25.9 | 24.3 | 25.6 | 24.6 | 27.5 | 12.1 | 13.5 | 13.8 | 11.9 | 12.1 | 11.1 | 10.5 | **3,408.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,644.0** |
| H2O | 1959 | 69.2 | 57.4 | 68.7 | 111.1 | 62.3 | 68.4 | 69.3 | 67.9 | 49.1 | 60.4 | 52.3 | 55.3 | **6,438.2** |
| OIL | 1959 | 32.6 | 27.3 | 28.8 | 27.2 | 28.8 | 33.7 | 34.6 | 35.3 | 27.8 | 27.5 | 26.1 | 26.4 | **3,196.0** |
| DAY | 1958 | 28.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 27.0 | 26.0 | 31.0 | **1,283.0** |

# Manitoba Production
## 1950 To 1975

Licence ***805*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-24-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 78.9 | 75.7 | 84.9 | 81.4 | 43.1 | 94.0 | 76.8 | 80.1 | 80.3 | 58.3 | 50.6 | 61.7 | **5,646.8** |
| OIL | 1958 | 54.3 | 49.3 | 52.6 | 48.1 | 28.0 | 29.4 | 28.4 | 24.8 | 22.9 | 22.2 | 23.8 | 27.2 | **2,839.9** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **932.0** |
| H2O | 1957 | 317.5 | 381.2 | 397.9 | 289.7 | 331.6 | 193.5 | 122.4 | 64.2 | 155.0 | 156.0 | 136.1 | 138.6 | **4,781.0** |
| OIL | 1957 | 130.1 | 110.4 | 113.5 | 68.5 | 83.6 | 69.1 | 100.3 | 61.7 | 66.6 | 68.6 | 61.2 | 59.6 | **2,428.9** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 26.0 | 30.0 | 29.0 | **572.0** |
| H2O | 1956 | 56.9 | 50.4 | 57.9 | 54.1 | 64.4 | 43.2 | 63.0 | 39.1 | 31.0 | 310.8 | 350.9 | 288.2 | **2,097.3** |
| OIL | 1956 | 52.0 | 46.7 | 48.3 | 49.4 | 63.9 | 44.0 | 55.9 | 30.2 | 28.9 | 134.9 | 141.9 | 133.3 | **1,435.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **214.0** |
| H2O | 1955 | 0.0 | 158.9 | 0.0 | 0.0 | 0.2 | 127.2 | 77.9 | 68.8 | 64.9 | 59.6 | 57.9 | 72.0 | **687.4** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 22.6 | 207.5 | 78.0 | 73.4 | 56.7 | 59.9 | 54.0 | 54.2 | **606.3** |

Licence ***806*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,387.0** |
| H2O | 1975 | 98.2 | 90.1 | 130.8 | 126.7 | 131.6 | 125.8 | 108.7 | 124.3 | 122.4 | 131.5 | 131.8 | 134.2 | **11,052.0** |
| OIL | 1975 | 260.5 | 231.4 | 296.8 | 281.6 | 286.7 | 278.7 | 247.6 | 288.1 | 279.5 | 289.2 | 279.7 | 284.1 | **41,464.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | **7,026.0** |
| H2O | 1974 | 92.4 | 117.0 | 131.0 | 127.5 | 132.0 | 132.6 | 133.9 | 87.0 | 88.7 | 93.0 | 66.5 | 97.6 | **9,595.9** |
| OIL | 1974 | 276.7 | 229.9 | 263.0 | 250.6 | 260.6 | 252.2 | 260.3 | 263.2 | 261.1 | 274.9 | 228.0 | 262.2 | **38,161.0** |
| DAY | 1973 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,664.0** |
| H2O | 1973 | 20.7 | 19.7 | 36.2 | 36.1 | 36.6 | 35.1 | 35.3 | 38.2 | 101.9 | 102.4 | 95.5 | 92.5 | **8,296.7** |
| OIL | 1973 | 251.2 | 221.4 | 273.8 | 267.4 | 279.0 | 270.5 | 280.5 | 300.0 | 276.0 | 280.2 | 265.4 | 269.2 | **35,078.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,302.0** |
| H2O | 1972 | 25.6 | 25.0 | 18.6 | 16.5 | 18.0 | 53.7 | 23.2 | 65.7 | 65.7 | 40.7 | 40.2 | 40.9 | **7,646.5** |
| OIL | 1972 | 281.0 | 262.0 | 254.7 | 240.6 | 251.2 | 281.4 | 264.9 | 296.4 | 282.2 | 292.7 | 277.9 | 290.2 | **31,843.7** |
| DAY | 1971 | 31.0 | 25.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,938.0** |
| H2O | 1971 | 109.5 | 25.1 | 32.3 | 32.4 | 33.7 | 33.4 | 32.1 | 0.0 | 0.0 | 0.0 | 15.7 | 18.6 | **7,212.7** |
| OIL | 1971 | 325.9 | 249.2 | 308.9 | 292.9 | 309.9 | 301.1 | 298.0 | 279.8 | 315.9 | 327.8 | 275.2 | 281.7 | **28,568.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,581.0** |
| H2O | 1970 | 116.9 | 109.7 | 114.8 | 106.0 | 109.2 | 110.8 | 101.1 | 115.3 | 107.3 | 32.7 | 106.4 | 118.3 | **6,879.9** |
| OIL | 1970 | 283.7 | 255.7 | 279.0 | 269.2 | 277.8 | 271.9 | 279.0 | 277.6 | 265.1 | 273.3 | 299.1 | 313.5 | **25,002.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,217.0** |
| H2O | 1969 | 79.6 | 72.3 | 67.9 | 118.1 | 129.9 | 124.3 | 46.7 | 46.9 | 42.4 | 48.0 | 59.5 | 64.7 | **5,631.4** |
| OIL | 1969 | 266.2 | 235.2 | 259.8 | 262.7 | 269.8 | 264.7 | 284.3 | 282.7 | 264.1 | 287.9 | 271.6 | 281.9 | **21,657.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,853.0** |
| H2O | 1968 | 57.4 | 56.8 | 32.7 | 33.5 | 35.1 | 67.6 | 74.2 | 68.7 | 51.5 | 54.5 | 71.5 | 75.8 | **4,731.1** |
| OIL | 1968 | 226.1 | 216.0 | 248.1 | 246.5 | 245.8 | 241.9 | 244.9 | 247.9 | 271.1 | 284.4 | 258.4 | 265.9 | **18,426.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 24.0 | 29.0 | 30.0 | 31.0 | **4,487.0** |
| H2O | 1967 | 14.3 | 11.8 | 10.5 | 9.7 | 31.3 | 29.4 | 29.3 | 39.6 | 162.8 | 208.9 | 56.6 | 62.0 | **4,051.8** |
| OIL | 1967 | 167.2 | 148.6 | 208.5 | 201.5 | 215.6 | 206.7 | 224.9 | 224.1 | 197.2 | 247.6 | 231.4 | 235.0 | **15,429.4** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 20.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,130.0** |
| H2O | 1966 | 24.2 | 19.4 | 23.7 | 0.0 | 0.0 | 0.0 | 0.0 | 33.7 | 49.9 | 14.1 | 14.0 | 14.8 | **3,385.6** |
| OIL | 1966 | 175.0 | 153.8 | 164.0 | 151.4 | 154.0 | 157.8 | 104.1 | 155.9 | 148.7 | 163.0 | 160.0 | 163.8 | **12,921.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,777.0** |
| H2O | 1965 | 5.4 | 4.8 | 5.4 | 3.7 | 3.7 | 3.5 | 3.5 | 3.3 | 40.9 | 40.4 | 24.8 | 25.3 | **3,191.8** |
| OIL | 1965 | 56.3 | 51.3 | 55.5 | 80.1 | 80.9 | 80.9 | 84.2 | 83.4 | 170.8 | 177.8 | 172.1 | 176.9 | **11,069.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,412.0** |
| H2O | 1964 | 16.7 | 14.8 | 16.5 | 16.1 | 92.5 | 89.3 | 12.2 | 12.4 | 7.2 | 7.3 | 5.1 | 9.2 | **3,027.1** |
| OIL | 1964 | 52.9 | 50.1 | 54.0 | 51.8 | 129.2 | 124.3 | 46.6 | 46.9 | 43.1 | 43.9 | 47.5 | 55.6 | **9,799.4** |

# Manitoba Production
## 1950 To 1975

Licence ***806*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 21.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,046.0** |
| H2O | 1963 | 13.0 | 16.9 | 18.4 | 19.4 | 22.7 | 23.7 | 18.1 | 17.8 | 15.3 | 16.5 | 16.1 | 16.4 | **2,727.8** |
| OIL | 1963 | 22.4 | 30.2 | 37.8 | 35.0 | 36.5 | 34.0 | 36.4 | 35.0 | 35.0 | 43.9 | 49.6 | 50.9 | **9,053.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,696.0** |
| H2O | 1962 | 25.0 | 21.5 | 23.4 | 24.2 | 22.6 | 22.3 | 21.9 | 20.8 | 17.8 | 42.0 | 29.7 | 20.5 | **2,513.5** |
| OIL | 1962 | 49.6 | 44.0 | 48.0 | 40.7 | 37.2 | 29.1 | 47.0 | 35.8 | 33.8 | 35.0 | 33.8 | 36.4 | **8,606.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,331.0** |
| H2O | 1961 | 19.7 | 24.6 | 26.9 | 24.6 | 17.2 | 27.5 | 31.0 | 39.1 | 20.8 | 25.8 | 24.3 | 24.2 | **2,221.8** |
| OIL | 1961 | 47.7 | 38.0 | 52.4 | 45.3 | 42.7 | 63.2 | 53.6 | 50.5 | 49.4 | 61.0 | 44.3 | 52.1 | **8,136.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,966.0** |
| H2O | 1960 | 33.1 | 36.2 | 30.2 | 32.1 | 19.2 | 38.2 | 27.3 | 27.8 | 23.4 | 36.9 | 19.7 | 20.3 | **1,916.1** |
| OIL | 1960 | 52.4 | 50.4 | 49.3 | 52.3 | 59.6 | 60.7 | 55.5 | 58.2 | 59.1 | 47.5 | 44.3 | 48.1 | **7,536.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,601.0** |
| H2O | 1959 | 18.4 | 36.9 | 26.4 | 28.1 | 28.1 | 25.9 | 18.1 | 28.3 | 28.5 | 30.7 | 26.5 | 34.7 | **1,571.7** |
| OIL | 1959 | 74.4 | 66.1 | 52.9 | 65.5 | 65.5 | 52.0 | 47.4 | 47.0 | 65.9 | 56.3 | 52.6 | 59.0 | **6,898.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,236.0** |
| H2O | 1958 | 50.4 | 31.3 | 39.0 | 35.8 | 41.5 | 33.5 | 51.5 | 42.0 | 30.5 | 8.4 | 33.7 | 2.9 | **1,241.1** |
| OIL | 1958 | 114.1 | 72.8 | 93.1 | 84.2 | 105.8 | 88.8 | 109.0 | 74.7 | 72.6 | 68.5 | 73.1 | 78.2 | **6,194.2** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 29.0 | **871.0** |
| H2O | 1957 | 30.8 | 21.8 | 11.6 | 16.2 | 4.1 | 3.7 | 3.0 | 14.1 | 105.6 | 63.0 | 43.4 | 32.6 | **840.6** |
| OIL | 1957 | 174.8 | 131.3 | 99.2 | 96.0 | 107.6 | 101.1 | 96.1 | 170.4 | 192.8 | 144.0 | 119.8 | 122.8 | **5,159.3** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **512.0** |
| H2O | 1956 | 125.4 | 96.3 | 45.9 | 76.3 | 19.1 | 46.9 | 15.6 | 5.2 | 14.3 | 5.7 | 15.7 | 9.5 | **490.7** |
| OIL | 1956 | 241.5 | 223.0 | 277.9 | 266.5 | 252.5 | 224.5 | 223.3 | 154.1 | 222.5 | 143.0 | 161.6 | 89.9 | **3,603.4** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **148.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.3 | 2.9 | 0.8 | 3.5 | 4.3 | **14.8** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 231.4 | 292.1 | 146.2 | 228.4 | 225.0 | **1,123.1** |

Licence ***807*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-33-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 23.0 | 30.0 | **7,200.0** |
| H2O | 1975 | 328.0 | 280.7 | 315.6 | 291.3 | 275.1 | 273.0 | 294.0 | 329.6 | 306.4 | 333.7 | 215.0 | 345.6 | **48,179.6** |
| OIL | 1975 | 29.1 | 26.4 | 28.9 | 27.0 | 34.8 | 34.2 | 23.4 | 24.3 | 18.8 | 30.0 | 24.2 | 37.0 | **13,082.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,844.0** |
| H2O | 1974 | 343.7 | 304.2 | 338.5 | 317.3 | 233.7 | 289.1 | 294.5 | 392.8 | 325.9 | 335.9 | 329.1 | 327.4 | **44,591.6** |
| OIL | 1974 | 31.0 | 27.7 | 30.8 | 29.6 | 29.6 | 28.0 | 28.1 | 37.3 | 37.8 | 47.7 | 46.2 | 29.6 | **12,744.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 26.0 | 31.0 | 30.0 | 31.0 | **6,479.0** |
| H2O | 1973 | 222.4 | 209.2 | 225.8 | 191.3 | 175.7 | 191.6 | 185.7 | 148.7 | 317.7 | 335.6 | 308.0 | 338.3 | **40,759.5** |
| OIL | 1973 | 20.2 | 18.4 | 34.2 | 28.8 | 25.9 | 25.1 | 21.6 | 11.4 | 43.9 | 47.7 | 40.0 | 39.4 | **12,340.7** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,121.0** |
| H2O | 1972 | 303.7 | 281.2 | 210.7 | 265.3 | 275.0 | 263.5 | 203.5 | 284.3 | 266.7 | 238.5 | 227.5 | 212.9 | **37,909.5** |
| OIL | 1972 | 43.1 | 40.2 | 26.7 | 40.5 | 44.3 | 41.0 | 93.4 | 63.6 | 57.5 | 49.4 | 45.0 | 20.2 | **11,984.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,755.0** |
| H2O | 1971 | 233.2 | 153.7 | 174.3 | 163.4 | 174.6 | 133.6 | 76.2 | 241.7 | 250.8 | 253.5 | 263.7 | 302.8 | **34,876.7** |
| OIL | 1971 | 34.6 | 45.3 | 51.5 | 50.1 | 50.4 | 20.3 | 12.9 | 35.0 | 79.9 | 54.2 | 51.0 | 43.5 | **11,419.2** |
| DAY | 1970 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,395.0** |
| H2O | 1970 | 223.4 | 202.1 | 209.1 | 197.0 | 229.7 | 216.4 | 224.2 | 218.8 | 224.7 | 229.4 | 216.2 | 230.5 | **32,455.2** |
| OIL | 1970 | 29.2 | 24.9 | 23.4 | 34.6 | 37.5 | 33.1 | 33.7 | 32.7 | 33.1 | 33.4 | 29.6 | 36.7 | **10,890.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **5,037.0** |
| H2O | 1969 | 246.4 | 222.6 | 246.4 | 238.5 | 246.4 | 238.5 | 246.4 | 246.4 | 238.5 | 208.9 | 191.9 | 243.3 | **29,833.7** |

# Manitoba Production
## 1950 To 1975

Licence ***807*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-33-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1969 | 52.6 | 43.7 | 43.7 | 41.8 | 42.0 | 38.5 | 39.3 | 41.2 | 32.3 | 42.0 | 27.8 | 40.8 | **10,508.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,674.0** |
| H2O | 1968 | 259.1 | 230.5 | 246.4 | 238.5 | 246.4 | 222.6 | 246.4 | 246.4 | 238.5 | 246.4 | 238.5 | 246.4 | **27,019.5** |
| OIL | 1968 | 34.2 | 33.5 | 29.4 | 28.6 | 29.1 | 25.7 | 25.9 | 25.3 | 43.4 | 57.7 | 55.6 | 55.6 | **10,022.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **4,310.0** |
| H2O | 1967 | 344.5 | 300.9 | 317.0 | 290.9 | 273.0 | 241.5 | 251.9 | 273.8 | 267.0 | 275.9 | 237.7 | 268.3 | **24,113.4** |
| OIL | 1967 | 56.6 | 54.8 | 56.7 | 45.4 | 39.6 | 39.3 | 58.8 | 56.3 | 47.7 | 44.3 | 36.2 | 36.5 | **9,578.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 21.0 | 31.0 | 29.0 | 31.0 | **3,948.0** |
| H2O | 1966 | 374.7 | 312.6 | 345.0 | 310.7 | 289.7 | 267.5 | 251.7 | 246.4 | 216.4 | 382.3 | 340.7 | 360.8 | **20,771.0** |
| OIL | 1966 | 69.9 | 62.5 | 69.0 | 66.7 | 59.3 | 50.9 | 49.4 | 47.7 | 42.6 | 73.7 | 61.7 | 62.5 | **9,006.7** |
| DAY | 1965 | 7.0 | 0.0 | 0.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,594.0** |
| H2O | 1965 | 55.6 | 0.0 | 0.0 | 217.8 | 246.4 | 238.5 | 242.5 | 318.8 | 362.6 | 374.7 | 359.6 | 371.7 | **17,072.5** |
| OIL | 1965 | 16.7 | 0.0 | 0.0 | 55.8 | 69.0 | 66.7 | 62.3 | 69.8 | 70.1 | 73.9 | 71.0 | 73.4 | **8,290.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 21.0 | 31.0 | 29.0 | 31.0 | **3,315.0** |
| H2O | 1964 | 246.4 | 230.5 | 246.4 | 205.1 | 197.1 | 187.6 | 224.2 | 246.4 | 168.5 | 329.3 | 257.5 | 243.3 | **14,284.3** |
| OIL | 1964 | 55.6 | 54.0 | 55.8 | 35.3 | 39.9 | 38.1 | 55.6 | 64.0 | 37.3 | 95.2 | 81.7 | 77.1 | **7,662.1** |
| DAY | 1963 | 14.0 | 0.0 | 8.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,959.0** |
| H2O | 1963 | 44.5 | 0.0 | 25.4 | 95.4 | 98.6 | 95.4 | 98.6 | 269.4 | 262.2 | 271.0 | 262.2 | 246.4 | **11,502.0** |
| OIL | 1963 | 8.1 | 0.0 | 8.9 | 23.8 | 24.8 | 23.8 | 24.6 | 65.5 | 76.3 | 78.8 | 74.4 | 62.5 | **6,972.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,662.0** |
| H2O | 1962 | 98.6 | 89.0 | 98.6 | 92.2 | 95.4 | 95.4 | 98.6 | 98.6 | 95.4 | 90.6 | 95.4 | 76.3 | **9,732.9** |
| OIL | 1962 | 34.5 | 31.1 | 34.5 | 32.3 | 28.8 | 11.4 | 12.1 | 14.6 | 19.4 | 18.1 | 19.4 | 24.6 | **6,501.0** |
| DAY | 1961 | 26.0 | 27.0 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,299.0** |
| H2O | 1961 | 79.5 | 84.3 | 98.9 | 89.0 | 98.6 | 89.0 | 98.6 | 98.6 | 95.4 | 89.0 | 95.4 | 98.6 | **8,608.8** |
| OIL | 1961 | 24.0 | 25.4 | 27.7 | 29.2 | 29.7 | 21.8 | 27.7 | 28.8 | 28.8 | 27.8 | 28.6 | 33.4 | **6,220.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 21.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,946.0** |
| H2O | 1960 | 118.4 | 92.2 | 98.6 | 95.4 | 98.6 | 95.4 | 98.6 | 66.8 | 95.4 | 98.6 | 92.2 | 95.4 | **7,493.9** |
| OIL | 1960 | 46.2 | 47.2 | 52.1 | 52.4 | 54.2 | 52.6 | 52.1 | 33.4 | 45.3 | 40.7 | 31.6 | 31.3 | **5,887.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 22.0 | **1,593.0** |
| H2O | 1959 | 106.0 | 100.2 | 125.0 | 116.1 | 115.3 | 104.0 | 90.9 | 98.6 | 95.4 | 95.4 | 104.9 | 111.3 | **6,348.3** |
| OIL | 1959 | 48.8 | 49.6 | 54.5 | 48.1 | 42.1 | 43.4 | 41.2 | 35.9 | 26.7 | 26.7 | 44.7 | 48.0 | **5,348.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | **1,243.0** |
| H2O | 1958 | 132.0 | 129.9 | 160.9 | 166.8 | 159.8 | 157.2 | 139.6 | 143.6 | 133.6 | 130.7 | 110.3 | 111.8 | **5,085.2** |
| OIL | 1958 | 91.2 | 82.0 | 90.6 | 77.5 | 72.6 | 68.5 | 76.9 | 62.5 | 51.3 | 49.6 | 44.5 | 50.9 | **4,838.5** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 27.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 28.0 | 30.0 | 30.0 | **883.0** |
| H2O | 1957 | 146.4 | 128.8 | 148.7 | 125.6 | 145.5 | 143.1 | 142.9 | 142.8 | 125.3 | 129.9 | 155.7 | 142.8 | **3,409.0** |
| OIL | 1957 | 104.1 | 86.6 | 100.4 | 83.4 | 99.2 | 93.9 | 86.8 | 95.5 | 78.5 | 91.4 | 106.5 | 99.3 | **4,020.4** |
| DAY | 1956 | 31.0 | 26.0 | 31.0 | 10.0 | 28.0 | 30.0 | 21.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **529.0** |
| H2O | 1956 | 54.5 | 83.2 | 133.9 | 48.8 | 91.9 | 123.9 | 103.3 | 170.8 | 157.4 | 175.2 | 165.5 | 153.7 | **1,731.5** |
| OIL | 1956 | 135.1 | 128.1 | 134.0 | 49.3 | 98.4 | 124.9 | 101.5 | 155.1 | 130.8 | 127.4 | 118.1 | 109.3 | **2,894.8** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **201.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.2 | 27.8 | 27.8 | 35.3 | 54.2 | 65.2 | 49.9 | **269.4** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 114.7 | 241.3 | 252.3 | 239.5 | 245.1 | 220.0 | 169.9 | **1,482.8** |

Licence ***808*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 3706.5 | 3653.7 | 4458.4 | 4077.2 | 3890.1 | 3523.3 | 3463.5 | 3814.7 | 3638.6 | 3753.5 | 3277.7 | 3149.1 | **474,304.3** |
| WIN | 1974 | 3765.1 | 3071.3 | 3845.7 | 3655.1 | 3804.2 | 3152.1 | 3287.9 | 3778.5 | 3189.9 | 3403.6 | 3460.4 | 3792.9 | **429,898.0** |
| WIN | 1973 | 4542.4 | 3954.5 | 4434.3 | 4166.5 | 4260.0 | 4240.3 | 4313.1 | 4287.7 | 4271.6 | 4540.9 | 4087.5 | 3827.9 | **387,691.3** |
| WIN | 1972 | 4867.3 | 4391.2 | 5298.6 | 4752.4 | 4729.2 | 4537.6 | 4795.0 | 4577.7 | 3700.3 | 4247.3 | 4132.8 | 4454.6 | **336,764.6** |

# Manitoba Production
## 1950 To 1975

Licence ***808*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1971 | 2924.6 | 2395.0 | 3440.3 | 3354.2 | 3538.3 | 4111.5 | 2730.3 | 2518.9 | 1722.2 | 3815.7 | 4774.0 | 5086.2 | **282,280.6** |
| WIN | 1970 | 2813.9 | 2636.5 | 3282.6 | 3056.2 | 3208.7 | 2255.9 | 1800.6 | 2803.5 | 2972.6 | 2913.1 | 2294.1 | 2852.1 | **241,869.4** |
| WIN | 1969 | 3107.3 | 3916.8 | 3368.5 | 3585.5 | 3596.1 | 2953.7 | 3340.8 | 3393.3 | 3333.5 | 3211.1 | 3465.6 | 3650.8 | **208,979.6** |
| WIN | 1968 | 3365.6 | 3561.5 | 4029.2 | 3772.6 | 3571.2 | 3775.6 | 3809.2 | 3761.0 | 3461.5 | 3515.2 | 2133.4 | 3058.1 | **168,056.6** |
| WIN | 1967 | 2366.7 | 1620.0 | 2312.2 | 2186.1 | 2677.1 | 2492.8 | 1920.0 | 3001.9 | 2518.4 | 3204.2 | 2851.8 | 3106.8 | **126,242.5** |
| WIN | 1966 | 2128.9 | 2017.5 | 1884.2 | 1842.3 | 2094.2 | 2493.4 | 2356.1 | 3338.1 | 3370.5 | 3100.0 | 2394.1 | 2411.6 | **95,984.5** |
| WIN | 1965 | 2224.8 | 1460.5 | 2063.4 | 2014.8 | 2577.5 | 2608.1 | 2479.8 | 2458.6 | 1946.9 | 2877.1 | 2565.5 | 1271.2 | **66,553.6** |
| WIN | 1964 | 1092.0 | 1367.4 | 1299.5 | 1633.0 | 1834.5 | 2318.6 | 1873.4 | 1770.1 | 1119.5 | 1557.2 | 1859.6 | 1951.0 | **40,005.4** |
| DAY | 1963 | 31.0 | 28.0 | 8.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,825.0** |
| H2O | 1963 | 17.5 | 15.9 | 5.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **919.1** |
| OIL | 1963 | 228.2 | 214.4 | 65.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **22,091.4** |
| WIN | 1963 | 0.0 | 0.0 | 1728.7 | 1538.1 | 2837.0 | 3179.4 | 2896.5 | 1958.3 | 1599.2 | 1968.6 | 1314.0 | 1309.8 | **20,329.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,758.0** |
| H2O | 1962 | 11.3 | 7.6 | 27.8 | 26.4 | 18.4 | 17.2 | 16.9 | 21.3 | 23.8 | 18.3 | 16.9 | 18.6 | **880.3** |
| OIL | 1962 | 249.8 | 170.7 | 206.3 | 197.5 | 242.8 | 236.9 | 231.7 | 237.7 | 226.9 | 231.1 | 212.6 | 233.3 | **21,583.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,394.0** |
| H2O | 1961 | 0.0 | 4.3 | 5.1 | 11.6 | 12.1 | 0.0 | 2.7 | 2.5 | 2.4 | 1.3 | 1.4 | 10.3 | **655.8** |
| OIL | 1961 | 255.2 | 207.7 | 232.6 | 228.0 | 248.2 | 234.9 | 243.8 | 244.7 | 232.5 | 236.8 | 244.9 | 246.0 | **18,906.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,030.0** |
| H2O | 1960 | 19.6 | 0.0 | 0.0 | 34.7 | 12.7 | 39.3 | 39.7 | 34.7 | 40.9 | 36.1 | 0.0 | 0.0 | **602.1** |
| OIL | 1960 | 265.4 | 272.1 | 295.9 | 301.5 | 275.5 | 289.7 | 290.2 | 241.9 | 266.8 | 265.4 | 232.6 | 233.8 | **16,051.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 20.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,670.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 32.6 | 7.2 | 9.7 | 7.2 | 8.9 | **344.4** |
| OIL | 1959 | 157.8 | 144.6 | 161.0 | 147.5 | 166.9 | 148.3 | 113.5 | 219.6 | 305.9 | 361.2 | 339.4 | 343.1 | **12,820.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,324.0** |
| H2O | 1958 | 0.0 | 0.2 | 0.0 | 8.1 | 27.2 | 25.6 | 23.2 | 0.0 | 0.0 | 0.0 | 0.5 | 0.0 | **278.8** |
| OIL | 1958 | 194.2 | 189.3 | 209.1 | 167.5 | 168.4 | 146.0 | 153.2 | 175.1 | 168.8 | 180.2 | 175.3 | 162.7 | **10,211.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **960.0** |
| H2O | 1957 | 1.0 | 0.5 | 3.0 | 2.2 | 3.5 | 2.5 | 4.3 | 78.5 | 52.1 | 0.6 | 0.5 | 0.5 | **194.0** |
| OIL | 1957 | 215.0 | 198.2 | 223.7 | 216.6 | 219.8 | 208.3 | 217.4 | 169.9 | 163.5 | 173.5 | 164.3 | 172.4 | **8,121.8** |
| DAY | 1956 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | **597.0** |
| H2O | 1956 | 0.3 | 0.3 | 0.3 | 0.6 | 1.9 | 1.9 | 6.7 | 7.6 | 0.3 | 0.5 | 8.9 | 10.2 | **44.8** |
| OIL | 1956 | 321.3 | 324.0 | 290.3 | 318.1 | 308.1 | 295.3 | 278.3 | 269.5 | 242.5 | 244.1 | 228.2 | 246.8 | **5,779.2** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 27.0 | **235.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 1.3 | 0.5 | 0.6 | 0.8 | 0.5 | 0.3 | **5.3** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 19.4 | 346.1 | 322.4 | 362.6 | 338.2 | 344.8 | 318.8 | 360.4 | **2,412.7** |

Licence ***810*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1871.7 | 1892.8 | 2199.5 | 2079.9 | 2000.6 | 1819.8 | 1756.4 | 1977.1 | 1931.0 | 2042.7 | 1858.2 | 2008.7 | **203,626.8** |
| WIN | 1974 | 1846.4 | 1502.8 | 1811.7 | 1677.6 | 1631.9 | 1652.4 | 1813.5 | 1790.9 | 1672.2 | 1770.2 | 1867.2 | 1925.1 | **180,188.4** |
| WIN | 1973 | 1683.8 | 1595.4 | 1604.7 | 1596.8 | 1597.0 | 1736.9 | 1409.2 | 1584.6 | 1327.0 | 1502.0 | 1589.5 | 1686.5 | **159,226.5** |
| WIN | 1972 | 1391.6 | 1141.3 | 1266.3 | 862.0 | 924.8 | 951.8 | 767.2 | 921.0 | 1381.2 | 1342.3 | 1219.1 | 1457.8 | **140,313.1** |
| WIN | 1971 | 1458.2 | 1319.5 | 1504.0 | 1414.9 | 1451.6 | 1365.3 | 1366.0 | 905.4 | 1271.8 | 1267.2 | 1402.8 | 1408.4 | **126,686.7** |
| WIN | 1970 | 1365.8 | 1180.6 | 1342.4 | 1205.4 | 1330.8 | 1260.4 | 1565.0 | 1408.6 | 1495.2 | 1405.2 | 1488.5 | 1384.1 | **110,551.6** |
| WIN | 1969 | 1173.3 | 1131.1 | 1340.7 | 1283.3 | 1289.3 | 937.2 | 1149.6 | 1484.2 | 1443.9 | 1397.1 | 1325.1 | 1357.7 | **94,119.6** |
| WIN | 1968 | 1334.0 | 1257.4 | 1389.3 | 1325.7 | 1299.2 | 1346.6 | 1382.3 | 1384.1 | 1312.2 | 1325.6 | 1148.0 | 1218.1 | **78,807.1** |
| WIN | 1967 | 1260.6 | 1063.7 | 1329.4 | 1253.7 | 1273.6 | 1274.4 | 779.5 | 1373.9 | 1198.6 | 1363.7 | 1256.4 | 1364.5 | **63,084.6** |
| WIN | 1966 | 831.8 | 883.5 | 1094.7 | 1124.5 | 1123.4 | 1090.3 | 1154.4 | 1203.8 | 1198.9 | 1228.1 | 1255.5 | 1265.0 | **48,292.6** |
| WIN | 1965 | 1081.7 | 720.5 | 1027.3 | 977.3 | 1124.3 | 1086.5 | 1075.5 | 1119.5 | 1096.2 | 1113.8 | 1025.4 | 1142.0 | **34,838.7** |

# Manitoba Production
## 1950 To 1975

Licence ***810*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1964 | 709.2 | 716.0 | 840.7 | 826.1 | 803.8 | 1077.6 | 711.8 | 798.2 | 781.5 | 986.3 | 942.8 | 957.1 | **22,248.7** |
| DAY | 1963 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,677.0** |
| H2O | 1963 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,428.6** |
| OIL | 1963 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **8,724.2** |
| WIN | 1963 | 1499.0 | 1191.7 | 1062.9 | 838.5 | 1294.1 | 1167.9 | 1089.6 | 844.0 | 827.8 | 928.6 | 641.3 | 712.2 | **12,097.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,676.0** |
| H2O | 1962 | 76.0 | 52.9 | 53.9 | 53.7 | 49.8 | 61.0 | 55.5 | 54.7 | 56.9 | 57.4 | 51.2 | 35.8 | **2,427.5** |
| OIL | 1962 | 120.6 | 106.8 | 121.7 | 110.4 | 112.2 | 112.8 | 100.0 | 97.1 | 98.4 | 95.5 | 94.7 | 97.4 | **8,721.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,311.0** |
| H2O | 1961 | 4.8 | 4.6 | 0.0 | 0.0 | 0.0 | 73.9 | 62.5 | 57.7 | 55.6 | 42.5 | 48.8 | 52.6 | **1,768.7** |
| OIL | 1961 | 28.1 | 25.7 | 3.3 | 3.2 | 2.5 | 174.0 | 161.5 | 150.6 | 133.2 | 116.5 | 116.2 | 115.4 | **7,453.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,953.0** |
| H2O | 1960 | 0.0 | 1.0 | 1.6 | 4.1 | 7.6 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 4.5 | 5.6 | **1,365.7** |
| OIL | 1960 | 35.6 | 34.0 | 33.4 | 28.8 | 26.1 | 19.1 | 29.2 | 26.4 | 25.4 | 30.2 | 27.5 | 27.8 | **6,423.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,587.0** |
| H2O | 1959 | 4.9 | 4.8 | 5.4 | 1.7 | 6.0 | 5.2 | 4.8 | 8.9 | 6.4 | 5.1 | 5.1 | 0.0 | **1,338.8** |
| OIL | 1959 | 42.3 | 37.8 | 42.7 | 38.5 | 37.3 | 35.8 | 37.7 | 37.7 | 35.4 | 34.5 | 33.2 | 34.0 | **6,079.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,222.0** |
| H2O | 1958 | 39.1 | 22.1 | 16.2 | 4.5 | 12.6 | 3.5 | 12.2 | 5.1 | 4.9 | 5.4 | 5.1 | 5.1 | **1,280.5** |
| OIL | 1958 | 63.4 | 48.1 | 61.2 | 53.7 | 54.2 | 43.1 | 48.1 | 46.7 | 42.7 | 46.1 | 44.7 | 43.2 | **5,633.0** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 28.0 | 24.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **860.0** |
| H2O | 1957 | 31.6 | 26.4 | 31.6 | 21.8 | 13.4 | 30.8 | 38.0 | 31.3 | 27.2 | 36.9 | 18.0 | 11.1 | **1,144.7** |
| OIL | 1957 | 118.2 | 105.7 | 120.9 | 80.4 | 99.8 | 76.6 | 84.1 | 86.4 | 85.0 | 70.2 | 68.2 | 54.5 | **5,037.8** |
| DAY | 1956 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | **506.0** |
| H2O | 1956 | 52.6 | 73.9 | 77.6 | 82.0 | 55.2 | 59.1 | 56.0 | 24.6 | 33.7 | 32.4 | 39.3 | 32.9 | **826.6** |
| OIL | 1956 | 342.5 | 325.9 | 301.1 | 298.0 | 118.2 | 111.9 | 115.1 | 115.2 | 115.2 | 187.0 | 123.8 | 120.3 | **3,987.8** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 29.0 | 29.0 | 29.0 | 29.0 | 30.0 | **147.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 50.9 | 22.7 | 28.9 | 46.9 | 57.9 | **207.3** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.4 | 0.0 | 361.0 | 312.6 | 344.8 | 336.1 | 336.7 | **1,713.6** |

Licence ***812*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,333.0** |
| H2O | 1975 | 180.6 | 164.4 | 161.2 | 156.1 | 162.0 | 150.4 | 152.1 | 152.9 | 150.7 | 161.8 | 162.3 | 165.3 | **14,472.6** |
| OIL | 1975 | 77.5 | 68.2 | 80.4 | 76.1 | 77.5 | 73.3 | 76.1 | 77.9 | 75.6 | 78.3 | 75.8 | 76.9 | **65,199.8** |
| DAY | 1974 | 28.0 | 26.0 | 31.0 | 26.0 | 31.0 | 22.0 | 0.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,968.0** |
| H2O | 1974 | 117.2 | 111.9 | 485.9 | 402.6 | 387.1 | 282.3 | 0.0 | 288.0 | 172.7 | 179.8 | 179.3 | 179.3 | **12,552.8** |
| OIL | 1974 | 67.5 | 60.7 | 110.4 | 89.5 | 132.4 | 93.0 | 0.0 | 105.4 | 75.8 | 79.3 | 75.6 | 78.0 | **64,286.2** |
| DAY | 1973 | 30.0 | 28.0 | 29.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | **6,657.0** |
| H2O | 1973 | 140.7 | 140.9 | 107.5 | 114.6 | 108.6 | 156.6 | 156.0 | 161.5 | 159.9 | 161.5 | 149.1 | 122.9 | **9,766.7** |
| OIL | 1973 | 176.7 | 162.9 | 136.2 | 142.2 | 138.9 | 76.1 | 78.2 | 91.8 | 88.2 | 90.1 | 84.2 | 72.6 | **63,318.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 6.0 | 31.0 | 30.0 | 23.0 | 30.0 | 31.0 | **6,302.0** |
| H2O | 1972 | 222.9 | 217.0 | 238.1 | 212.1 | 234.3 | 175.5 | 40.4 | 297.4 | 143.9 | 117.5 | 147.3 | 149.6 | **8,086.9** |
| OIL | 1972 | 195.0 | 181.8 | 198.0 | 188.9 | 199.4 | 123.2 | 26.4 | 89.5 | 118.5 | 93.8 | 179.6 | 187.5 | **61,980.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **5,970.0** |
| H2O | 1971 | 109.5 | 97.9 | 130.6 | 131.0 | 109.2 | 109.2 | 108.4 | 133.4 | 119.6 | 133.7 | 142.2 | 189.7 | **5,890.9** |
| OIL | 1971 | 274.1 | 239.3 | 258.2 | 245.0 | 213.6 | 208.5 | 213.3 | 178.3 | 175.8 | 182.4 | 134.9 | 157.0 | **60,198.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 27.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,608.0** |
| H2O | 1970 | 49.7 | 46.7 | 48.8 | 45.1 | 43.5 | 41.5 | 117.7 | 156.0 | 145.0 | 197.9 | 180.6 | 200.8 | **4,376.5** |
| OIL | 1970 | 293.7 | 264.7 | 288.9 | 278.7 | 269.0 | 248.4 | 382.0 | 441.8 | 421.6 | 339.3 | 325.3 | 341.3 | **57,718.5** |

# Manitoba Production
## 1950 To 1975

Licence ***812*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,252.0** |
| H2O | 1969 | 51.6 | 46.9 | 44.0 | 44.8 | 44.8 | 47.2 | 51.2 | 51.5 | 48.5 | 52.6 | 47.0 | 51.6 | **3,103.2** |
| OIL | 1969 | 333.4 | 294.8 | 325.3 | 317.0 | 294.9 | 287.9 | 299.1 | 297.3 | 289.5 | 302.9 | 290.3 | 304.0 | **53,823.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,889.0** |
| H2O | 1968 | 39.7 | 37.7 | 38.0 | 38.9 | 32.9 | 30.2 | 29.4 | 27.5 | 43.4 | 50.2 | 46.2 | 49.3 | **2,521.5** |
| OIL | 1968 | 448.8 | 411.7 | 330.1 | 328.6 | 326.7 | 322.6 | 301.6 | 308.4 | 295.1 | 337.7 | 323.5 | 334.5 | **50,187.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 28.0 | 28.0 | 31.0 | 30.0 | 16.0 | 22.0 | 31.0 | **4,530.0** |
| H2O | 1967 | 19.5 | 16.2 | 19.5 | 16.8 | 18.1 | 17.2 | 29.9 | 45.4 | 39.9 | 22.2 | 27.3 | 41.3 | **2,058.1** |
| OIL | 1967 | 409.0 | 363.6 | 407.8 | 369.8 | 405.5 | 290.0 | 395.7 | 444.6 | 428.6 | 233.4 | 318.8 | 448.1 | **46,118.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,194.0** |
| H2O | 1966 | 27.7 | 22.1 | 28.1 | 28.1 | 24.2 | 21.6 | 21.1 | 20.8 | 22.6 | 23.1 | 19.1 | 20.0 | **1,744.8** |
| OIL | 1966 | 447.5 | 393.9 | 436.2 | 418.3 | 412.4 | 400.3 | 414.6 | 410.1 | 399.8 | 414.1 | 391.4 | 400.1 | **41,603.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,829.0** |
| H2O | 1965 | 50.6 | 34.3 | 39.1 | 29.4 | 29.9 | 20.7 | 20.7 | 112.1 | 113.0 | 112.1 | 114.8 | 28.9 | **1,466.3** |
| OIL | 1965 | 481.7 | 441.3 | 477.2 | 468.1 | 472.3 | 468.0 | 487.7 | 500.5 | 473.7 | 492.6 | 468.0 | 452.6 | **36,664.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,464.0** |
| H2O | 1964 | 10.3 | 9.2 | 5.1 | 4.9 | 5.2 | 5.1 | 0.0 | 0.0 | 0.0 | 0.0 | 36.2 | 49.1 | **760.7** |
| OIL | 1964 | 438.4 | 414.4 | 465.3 | 440.0 | 453.5 | 436.5 | 466.1 | 472.9 | 457.5 | 465.9 | 461.2 | 465.8 | **30,980.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,098.0** |
| H2O | 1963 | 13.5 | 12.4 | 56.4 | 50.7 | 43.7 | 39.9 | 40.1 | 31.8 | 8.4 | 9.1 | 9.7 | 10.0 | **635.6** |
| OIL | 1963 | 170.7 | 162.4 | 241.4 | 237.3 | 247.3 | 317.8 | 344.4 | 344.8 | 420.5 | 410.0 | 399.5 | 420.6 | **25,543.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,733.0** |
| H2O | 1962 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 1.3 | 0.0 | 12.4 | 14.0 | 14.0 | 13.2 | 14.3 | **309.9** |
| OIL | 1962 | 153.2 | 143.5 | 166.7 | 159.5 | 158.6 | 156.8 | 159.2 | 180.8 | 172.7 | 172.7 | 159.1 | 174.3 | **21,826.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,369.0** |
| H2O | 1961 | 1.4 | 1.1 | 0.0 | 0.0 | 0.0 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **240.5** |
| OIL | 1961 | 200.7 | 168.8 | 212.5 | 193.7 | 211.0 | 180.7 | 186.6 | 187.2 | 178.0 | 179.1 | 185.1 | 177.2 | **19,869.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,004.0** |
| H2O | 1960 | 10.2 | 8.6 | 9.2 | 4.8 | 4.8 | 3.8 | 0.0 | 0.0 | 0.0 | 5.1 | 2.9 | 1.1 | **237.7** |
| OIL | 1960 | 301.9 | 272.1 | 295.9 | 251.4 | 255.8 | 233.8 | 214.2 | 212.9 | 197.0 | 185.9 | 183.7 | 184.5 | **17,608.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 28.0 | 31.0 | 20.0 | 31.0 | **1,639.0** |
| H2O | 1959 | 0.0 | 0.0 | 4.5 | 4.8 | 4.1 | 0.0 | 0.0 | 2.5 | 2.4 | 3.2 | 5.7 | 5.9 | **187.2** |
| OIL | 1959 | 244.4 | 224.1 | 202.3 | 185.3 | 224.1 | 202.1 | 216.6 | 186.4 | 171.1 | 197.0 | 170.4 | 359.9 | **14,819.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,287.0** |
| H2O | 1958 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 0.0 | **154.1** |
| OIL | 1958 | 224.2 | 198.6 | 245.2 | 252.3 | 250.0 | 232.8 | 240.0 | 235.3 | 225.0 | 218.3 | 227.7 | 232.3 | **12,236.1** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **925.0** |
| H2O | 1957 | 1.3 | 0.8 | 1.0 | 33.7 | 10.2 | 40.1 | 1.3 | 1.3 | 0.8 | 1.0 | 0.6 | 0.6 | **153.4** |
| OIL | 1957 | 330.4 | 274.1 | 306.5 | 259.5 | 263.0 | 249.5 | 229.9 | 225.5 | 255.8 | 262.4 | 248.7 | 239.5 | **9,454.4** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **562.0** |
| H2O | 1956 | 0.3 | 0.3 | 0.3 | 0.6 | 17.5 | 17.3 | 3.3 | 10.5 | 5.6 | 0.6 | 1.0 | 1.4 | **60.7** |
| OIL | 1956 | 345.5 | 344.2 | 299.4 | 328.1 | 361.0 | 342.5 | 382.3 | 341.7 | 327.7 | 300.7 | 283.8 | 330.4 | **6,309.6** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **199.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 0.3 | 0.3 | 0.3 | 0.3 | 0.2 | **2.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 270.9 | 314.8 | 361.7 | 331.6 | 344.8 | 353.7 | 344.8 | **2,322.3** |

Licence ***813*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,324.0** |
| H2O | 1975 | 34.0 | 31.6 | 34.5 | 108.0 | 111.9 | 104.0 | 105.3 | 105.7 | 104.1 | 111.8 | 112.1 | 134.2 | **8,662.3** |

# Manitoba Production
## 1950 To 1975

Licence ***813*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1975 | 163.2 | 146.4 | 158.1 | 161.1 | 164.0 | 154.8 | 160.7 | 164.8 | 159.9 | 165.4 | 159.9 | 149.9 | **58,465.3** |
| DAY | 1974 | 31.0 | 28.0 | 27.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,959.0** |
| H2O | 1974 | 180.0 | 45.5 | 44.4 | 47.9 | 51.2 | 51.5 | 50.2 | 122.9 | 121.1 | 127.2 | 34.2 | 34.0 | **7,565.1** |
| OIL | 1974 | 205.6 | 147.8 | 147.2 | 155.7 | 167.3 | 162.1 | 161.9 | 158.0 | 151.8 | 159.7 | 160.8 | 165.7 | **56,557.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,600.0** |
| H2O | 1973 | 81.2 | 78.1 | 83.6 | 83.3 | 84.6 | 81.2 | 81.6 | 202.2 | 198.6 | 200.5 | 186.3 | 180.4 | **6,655.0** |
| OIL | 1973 | 198.5 | 232.6 | 256.5 | 250.4 | 178.8 | 173.4 | 179.7 | 215.8 | 205.3 | 209.4 | 197.4 | 200.2 | **54,613.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,235.0** |
| H2O | 1972 | 51.4 | 104.1 | 114.1 | 56.8 | 62.8 | 62.3 | 49.9 | 47.4 | 71.2 | 77.4 | 81.4 | 82.8 | **5,113.4** |
| OIL | 1972 | 255.1 | 189.6 | 206.3 | 205.2 | 216.4 | 208.8 | 224.5 | 229.6 | 193.1 | 203.1 | 192.9 | 201.3 | **52,115.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,869.0** |
| H2O | 1971 | 28.1 | 39.9 | 46.4 | 46.7 | 46.7 | 46.6 | 42.9 | 44.5 | 54.5 | 61.0 | 56.3 | 68.8 | **4,251.8** |
| OIL | 1971 | 268.4 | 251.4 | 281.7 | 267.6 | 273.6 | 265.9 | 252.8 | 267.0 | 307.5 | 319.1 | 289.4 | 308.1 | **49,589.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,507.0** |
| H2O | 1970 | 14.1 | 13.0 | 13.8 | 12.9 | 13.2 | 13.2 | 12.2 | 26.7 | 24.8 | 25.8 | 27.3 | 30.4 | **3,669.4** |
| OIL | 1970 | 339.6 | 306.1 | 334.0 | 322.3 | 332.4 | 320.0 | 338.0 | 304.9 | 291.1 | 307.2 | 246.2 | 258.2 | **46,237.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,142.0** |
| H2O | 1969 | 14.6 | 13.4 | 12.6 | 12.7 | 14.0 | 13.5 | 14.5 | 14.6 | 13.8 | 14.9 | 13.4 | 14.8 | **3,442.0** |
| OIL | 1969 | 347.1 | 306.7 | 338.8 | 330.2 | 339.0 | 332.6 | 345.8 | 343.7 | 334.5 | 350.1 | 335.5 | 351.4 | **42,537.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,777.0** |
| H2O | 1968 | 29.3 | 27.8 | 29.6 | 30.4 | 31.8 | 29.3 | 9.1 | 8.3 | 8.4 | 14.1 | 13.2 | 13.8 | **3,275.2** |
| OIL | 1968 | 333.2 | 305.9 | 326.7 | 325.3 | 326.2 | 320.4 | 352.3 | 352.0 | 339.6 | 351.7 | 336.9 | 348.2 | **38,481.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,411.0** |
| H2O | 1967 | 19.7 | 16.2 | 19.4 | 18.1 | 18.3 | 15.4 | 24.6 | 33.5 | 29.4 | 31.6 | 27.8 | 30.4 | **3,030.1** |
| OIL | 1967 | 319.1 | 283.7 | 318.0 | 307.2 | 316.4 | 274.8 | 328.0 | 330.2 | 318.3 | 335.9 | 327.8 | 332.9 | **34,463.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,048.0** |
| H2O | 1966 | 12.4 | 10.0 | 9.4 | 9.2 | 10.5 | 9.7 | 22.4 | 22.1 | 23.7 | 24.3 | 19.2 | 20.0 | **2,745.7** |
| OIL | 1966 | 289.1 | 257.3 | 295.1 | 277.1 | 292.4 | 290.0 | 300.5 | 297.2 | 289.7 | 300.0 | 305.3 | 312.3 | **30,671.0** |
| DAY | 1965 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,684.0** |
| H2O | 1965 | 50.6 | 44.8 | 49.6 | 9.5 | 9.7 | 32.1 | 32.1 | 32.3 | 32.6 | 7.0 | 4.8 | 13.4 | **2,552.8** |
| OIL | 1965 | 293.5 | 267.6 | 279.8 | 290.3 | 293.0 | 298.0 | 310.5 | 307.6 | 291.3 | 311.3 | 292.6 | 295.6 | **27,165.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,320.0** |
| H2O | 1964 | 21.5 | 19.4 | 21.6 | 66.5 | 70.6 | 22.7 | 22.1 | 22.6 | 21.8 | 30.2 | 31.3 | 49.1 | **2,234.3** |
| OIL | 1964 | 315.3 | 298.1 | 322.1 | 286.7 | 295.4 | 278.7 | 287.3 | 291.4 | 281.9 | 279.0 | 273.5 | 283.7 | **23,633.9** |
| DAY | 1963 | 23.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,954.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 4.5 | 3.7 | 4.5 | 13.8 | 10.7 | 36.4 | 31.3 | 34.5 | 21.3 | **1,834.9** |
| OIL | 1963 | 126.5 | 168.1 | 194.8 | 266.8 | 278.1 | 275.9 | 293.2 | 285.6 | 297.0 | 273.3 | 274.0 | 302.6 | **20,140.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,598.0** |
| H2O | 1962 | 4.1 | 3.2 | 20.0 | 0.0 | 0.0 | 0.0 | 27.2 | 25.1 | 0.0 | 0.0 | 0.0 | 0.0 | **1,674.2** |
| OIL | 1962 | 167.5 | 157.2 | 173.2 | 178.0 | 177.0 | 172.7 | 186.7 | 188.3 | 179.9 | 178.9 | 170.4 | 180.7 | **17,104.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,233.0** |
| H2O | 1961 | 6.2 | 4.3 | 5.1 | 1.1 | 1.1 | 2.4 | 2.7 | 5.1 | 4.8 | 1.3 | 11.9 | 10.8 | **1,594.6** |
| OIL | 1961 | 200.7 | 188.8 | 211.4 | 175.8 | 184.0 | 193.7 | 201.2 | 188.3 | 178.9 | 191.5 | 153.3 | 148.9 | **14,994.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,868.0** |
| H2O | 1960 | 10.5 | 8.6 | 1.1 | 2.4 | 2.2 | 2.5 | 18.9 | 22.7 | 22.4 | 21.1 | 3.8 | 4.3 | **1,537.8** |
| OIL | 1960 | 227.6 | 205.0 | 223.1 | 144.4 | 137.6 | 139.2 | 196.7 | 225.5 | 207.4 | 216.6 | 192.3 | 185.6 | **12,777.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 2.0 | 0.0 | 0.0 | 0.0 | 10.0 | 29.0 | 30.0 | 31.0 | **1,508.0** |
| H2O | 1959 | 0.0 | 63.3 | 63.9 | 68.2 | 5.2 | 0.0 | 0.0 | 0.0 | 13.5 | 15.1 | 12.1 | 5.9 | **1,417.3** |
| OIL | 1959 | 165.6 | 116.6 | 130.0 | 119.0 | 8.7 | 0.0 | 0.0 | 0.0 | 136.0 | 267.1 | 268.4 | 233.3 | **10,476.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,286.0** |
| H2O | 1958 | 3.5 | 2.9 | 12.7 | 11.0 | 14.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.0 | **1,170.1** |
| OIL | 1958 | 173.4 | 153.5 | 169.6 | 146.0 | 152.2 | 155.9 | 167.0 | 163.8 | 159.9 | 166.1 | 167.3 | 170.8 | **9,032.2** |

# Manitoba Production
## 1950 To 1975

Licence ***813*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **922.0** |
| H2O | 1957 | 15.9 | 55.8 | 75.7 | 51.8 | 40.5 | 52.9 | 0.8 | 0.8 | 18.1 | 19.7 | 14.5 | 21.5 | **1,125.1** |
| OIL | 1957 | 238.8 | 174.2 | 194.5 | 186.2 | 182.7 | 179.1 | 188.6 | 191.5 | 182.3 | 187.5 | 177.0 | 180.2 | **7,086.7** |
| DAY | 1956 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **560.0** |
| H2O | 1956 | 43.7 | 29.3 | 38.5 | 86.5 | 66.1 | 65.7 | 16.7 | 13.0 | 14.0 | 6.4 | 20.7 | 16.9 | **757.1** |
| OIL | 1956 | 224.1 | 206.6 | 194.2 | 228.7 | 250.4 | 239.8 | 240.9 | 241.1 | 222.3 | 211.4 | 199.9 | 238.8 | **4,824.1** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **199.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 144.2 | 47.9 | 56.8 | 19.1 | 39.6 | 32.0 | **339.6** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 263.2 | 336.4 | 342.1 | 327.8 | 250.4 | 255.8 | 350.2 | **2,125.9** |

Licence ***815*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,418.0** |
| OIL | 1975 | 52.8 | 47.5 | 52.4 | 51.0 | 52.0 | 50.9 | 44.7 | 47.5 | 45.8 | 46.4 | 42.3 | 43.5 | **15,144.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,055.0** |
| H2O | 1974 | 6.0 | 4.3 | 5.7 | 4.6 | 5.1 | 3.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **575.2** |
| OIL | 1974 | 57.2 | 50.7 | 56.9 | 58.0 | 60.7 | 55.9 | 50.4 | 53.7 | 52.0 | 52.8 | 50.7 | 50.1 | **14,567.7** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,693.0** |
| H2O | 1973 | 5.4 | 17.2 | 5.7 | 5.9 | 17.2 | 4.5 | 4.6 | 17.2 | 3.7 | 3.8 | 4.9 | 6.2 | **546.2** |
| OIL | 1973 | 57.2 | 51.8 | 57.5 | 52.4 | 60.1 | 56.1 | 49.9 | 58.5 | 56.7 | 58.0 | 54.0 | 56.1 | **13,918.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,333.0** |
| H2O | 1972 | 2.9 | 6.0 | 8.6 | 6.7 | 8.3 | 8.6 | 15.4 | 6.5 | 8.6 | 8.6 | 8.6 | 5.6 | **449.9** |
| OIL | 1972 | 57.4 | 48.6 | 61.7 | 59.4 | 61.0 | 58.8 | 55.1 | 60.9 | 55.3 | 58.6 | 55.6 | 56.6 | **13,250.3** |
| DAY | 1971 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **5,968.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.3 | 5.6 | 1.4 | 17.2 | 1.4 | **355.5** |
| OIL | 1971 | 55.9 | 50.9 | 64.7 | 62.5 | 64.0 | 59.3 | 64.5 | 63.4 | 53.2 | 60.9 | 57.8 | 59.0 | **12,561.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,613.0** |
| OIL | 1970 | 54.3 | 47.8 | 55.1 | 52.8 | 53.9 | 45.9 | 58.6 | 55.0 | 55.1 | 55.0 | 49.4 | 53.6 | **11,845.2** |
| DAY | 1969 | 31.0 | 28.0 | 28.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,250.0** |
| H2O | 1969 | 3.7 | 2.5 | 3.3 | 2.7 | 2.1 | 2.9 | 3.3 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | **325.6** |
| OIL | 1969 | 54.8 | 49.1 | 50.7 | 54.0 | 45.3 | 51.3 | 52.6 | 52.0 | 54.8 | 56.3 | 53.4 | 53.4 | **11,208.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,891.0** |
| H2O | 1968 | 3.5 | 3.3 | 4.3 | 3.7 | 1.7 | 1.4 | 1.6 | 3.3 | 12.9 | 3.0 | 2.7 | 7.8 | **301.9** |
| OIL | 1968 | 67.9 | 62.8 | 67.5 | 55.9 | 54.5 | 49.1 | 52.0 | 52.4 | 50.2 | 53.6 | 54.8 | 55.6 | **10,581.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,529.0** |
| H2O | 1967 | 2.2 | 2.9 | 8.4 | 10.7 | 3.2 | 2.9 | 2.5 | 3.3 | 1.6 | 6.5 | 3.0 | 3.0 | **252.7** |
| OIL | 1967 | 59.0 | 53.4 | 60.5 | 57.4 | 66.3 | 69.4 | 67.7 | 70.6 | 66.6 | 69.9 | 66.3 | 67.4 | **9,904.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,168.0** |
| H2O | 1966 | 3.0 | 1.7 | 1.7 | 0.0 | 0.0 | 2.1 | 9.1 | 0.8 | 1.1 | 19.1 | 2.2 | 3.2 | **202.5** |
| OIL | 1966 | 55.8 | 50.4 | 54.5 | 50.4 | 61.7 | 61.0 | 62.8 | 42.4 | 60.4 | 61.5 | 58.2 | 60.4 | **9,130.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **3,805.0** |
| H2O | 1965 | 0.8 | 0.5 | 1.1 | 1.1 | 1.0 | 0.3 | 3.3 | 3.3 | 1.4 | 1.1 | 3.2 | 6.8 | **158.5** |
| OIL | 1965 | 50.7 | 51.0 | 56.7 | 54.7 | 56.6 | 54.0 | 73.4 | 65.9 | 66.4 | 68.2 | 67.7 | 59.1 | **8,450.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,441.0** |
| H2O | 1964 | 1.3 | 0.6 | 3.3 | 0.6 | 1.0 | 1.1 | 1.0 | 1.0 | 0.8 | 0.6 | 0.6 | 0.8 | **134.6** |
| OIL | 1964 | 58.5 | 54.8 | 58.3 | 57.0 | 58.5 | 55.9 | 58.2 | 60.4 | 61.7 | 60.4 | 55.8 | 62.0 | **7,726.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,077.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 0.5 | 0.8 | 1.0 | 0.0 | 1.1 | **121.9** |
| OIL | 1963 | 68.2 | 60.9 | 70.2 | 66.7 | 62.8 | 60.7 | 65.5 | 63.9 | 61.3 | 63.4 | 57.2 | 58.6 | **7,024.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,715.0** |

# Manitoba Production
## 1950 To 1975

Licence ***815*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 67.5 | 59.0 | 68.3 | 64.2 | 67.4 | 63.9 | 63.7 | 70.2 | 69.3 | 66.1 | 65.5 | 69.0 | **6,265.4** |
| DAY | 1961 | 31.0 | 25.0 | 31.0 | 30.0 | 28.0 | 28.0 | 31.0 | 27.0 | 30.0 | 29.0 | 30.0 | 30.0 | **2,355.0** |
| H2O | 1961 | 3.3 | 0.0 | 0.0 | 0.0 | 3.8 | 0.0 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **117.4** |
| OIL | 1961 | 50.1 | 45.8 | 55.9 | 54.5 | 58.3 | 62.8 | 62.3 | 60.4 | 64.8 | 65.6 | 66.3 | 65.0 | **5,471.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,005.0** |
| H2O | 1960 | 0.0 | 0.0 | 1.3 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 1.4 | 2.7 | 4.6 | **107.6** |
| OIL | 1960 | 55.9 | 41.5 | 49.4 | 52.3 | 49.1 | 52.6 | 50.9 | 50.4 | 54.5 | 55.3 | 47.8 | 52.8 | **4,759.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,639.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | **94.9** |
| OIL | 1959 | 52.3 | 47.5 | 51.3 | 50.4 | 53.7 | 49.9 | 49.6 | 41.6 | 45.9 | 47.0 | 44.5 | 45.9 | **4,147.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,274.0** |
| H2O | 1958 | 0.2 | 0.0 | 3.3 | 0.8 | 1.6 | 0.0 | 0.0 | 6.2 | 0.0 | 2.9 | 9.7 | 0.0 | **93.9** |
| OIL | 1958 | 52.6 | 54.2 | 42.3 | 50.2 | 51.8 | 53.2 | 45.9 | 45.3 | 49.9 | 49.9 | 51.3 | 58.2 | **3,567.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **910.0** |
| H2O | 1957 | 0.8 | 0.8 | 1.9 | 1.9 | 1.3 | 1.0 | 1.0 | 0.2 | 0.8 | 0.3 | 0.2 | 1.9 | **69.2** |
| OIL | 1957 | 66.3 | 63.1 | 72.9 | 79.5 | 53.4 | 75.0 | 51.5 | 46.4 | 52.3 | 48.8 | 47.4 | 46.2 | **2,962.6** |
| DAY | 1956 | 31.0 | 29.0 | 24.0 | 19.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **548.0** |
| H2O | 1956 | 3.2 | 3.2 | 5.9 | 1.0 | 2.4 | 1.9 | 2.2 | 2.2 | 1.4 | 1.4 | 1.9 | 1.7 | **57.1** |
| OIL | 1956 | 137.9 | 120.9 | 96.8 | 67.9 | 93.4 | 89.8 | 84.2 | 89.1 | 84.5 | 85.0 | 83.0 | 74.1 | **2,259.8** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **204.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.1 | 4.8 | 4.8 | 3.8 | 3.8 | 2.7 | 3.7 | **28.7** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 218.0 | 205.0 | 159.7 | 151.6 | 148.6 | 133.6 | 136.7 | **1,153.2** |

Licence ***816*** Well Name ***Murphy Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 7225.4 | 6638.9 | 7477.4 | 7254.4 | 7509.4 | 7297.9 | 7609.1 | 7472.8 | 7077.7 | 6433.1 | 7169.9 | 7393.0 | **598,935.8** |
| WIN | 1974 | 5885.7 | 5387.2 | 5606.2 | 5605.9 | 5645.8 | 5873.6 | 6003.5 | 6529.6 | 6314.4 | 6399.9 | 6269.2 | 7859.2 | **512,376.8** |
| WIN | 1973 | 5531.6 | 4843.8 | 5383.6 | 4779.9 | 5563.9 | 5384.7 | 5179.6 | 5454.3 | 5105.2 | 5422.2 | 5158.0 | 5850.4 | **438,996.6** |
| WIN | 1972 | 4847.8 | 5985.4 | 5031.6 | 5250.2 | 5585.4 | 5143.2 | 5619.3 | 5492.6 | 5795.9 | 6135.8 | 5539.9 | 5318.9 | **375,339.4** |
| WIN | 1971 | 7255.2 | 6474.0 | 7256.6 | 7237.8 | 6325.8 | 6164.9 | 6532.2 | 6732.0 | 5868.2 | 5747.1 | 5558.0 | 5792.1 | **309,593.4** |
| WIN | 1970 | 6392.6 | 4875.3 | 6088.3 | 5630.7 | 5071.6 | 5950.0 | 6556.8 | 6644.6 | 6547.0 | 6282.9 | 6337.1 | 6323.9 | **232,649.5** |
| WIN | 1969 | 6336.0 | 6265.7 | 6400.2 | 6185.3 | 6628.1 | 6549.7 | 6505.5 | 6053.1 | 5830.9 | 5998.8 | 4458.6 | 5977.9 | **159,948.7** |
| WIN | 1968 | 5311.6 | 4896.4 | 5115.5 | 4693.1 | 4540.9 | 3832.7 | 6671.9 | 7714.6 | 7686.7 | 7649.3 | 6920.6 | 7302.2 | **86,758.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 26.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,929.0** |
| H2O | 1967 | 178.5 | 136.5 | 138.9 | 227.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **34,466.5** |
| OIL | 1967 | 9.9 | 8.7 | 11.3 | 11.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,996.6** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1052.3 | 6919.2 | 6451.9 | **14,423.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,813.0** |
| H2O | 1966 | 157.1 | 141.2 | 150.7 | 146.1 | 139.9 | 157.7 | 160.7 | 221.5 | 199.4 | 204.9 | 152.8 | 161.4 | **33,785.6** |
| OIL | 1966 | 15.6 | 13.5 | 14.6 | 15.4 | 14.9 | 9.2 | 14.6 | 9.7 | 9.2 | 9.1 | 9.2 | 8.6 | **4,955.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,450.0** |
| H2O | 1965 | 325.6 | 326.9 | 342.6 | 313.2 | 456.9 | 435.5 | 372.8 | 449.3 | 433.1 | 138.3 | 122.7 | 114.5 | **31,792.2** |
| OIL | 1965 | 16.8 | 16.8 | 17.0 | 16.8 | 21.0 | 18.6 | 19.2 | 18.6 | 15.4 | 11.8 | 18.0 | 15.6 | **4,811.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,085.0** |
| H2O | 1964 | 345.5 | 311.0 | 327.0 | 316.4 | 344.8 | 342.8 | 367.4 | 370.4 | 365.7 | 367.7 | 355.0 | 321.0 | **27,960.8** |
| OIL | 1964 | 13.8 | 16.8 | 17.8 | 20.8 | 17.3 | 24.5 | 21.8 | 18.1 | 18.3 | 22.7 | 16.8 | 15.7 | **4,605.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 12.0 | 31.0 | 30.0 | 27.0 | 27.0 | 31.0 | **2,719.0** |
| H2O | 1963 | 425.0 | 426.1 | 501.0 | 383.3 | 354.1 | 319.6 | 108.7 | 305.6 | 187.9 | 272.8 | 312.6 | 345.2 | **23,826.1** |
| OIL | 1963 | 21.6 | 20.5 | 23.0 | 16.5 | 15.4 | 13.7 | 4.4 | 16.4 | 8.6 | 11.9 | 12.9 | 14.1 | **4,381.5** |
| DAY | 1962 | 31.0 | 24.0 | 30.0 | 21.0 | 31.0 | 27.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,380.0** |

# Manitoba Production
## 1950 To 1975

Licence ***816*** Well Name ***Murphy Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1962 | 326.4 | 212.3 | 365.0 | 255.8 | 366.3 | 389.7 | 324.0 | 309.4 | 353.4 | 417.5 | 440.1 | 435.0 | **19,884.2** |
| OIL | 1962 | 17.6 | 11.0 | 13.0 | 9.5 | 12.7 | 11.9 | 17.5 | 14.5 | 16.0 | 17.6 | 18.0 | 21.8 | **4,202.5** |
| DAY | 1961 | 9.0 | 0.0 | 11.0 | 11.0 | 27.0 | 25.0 | 24.0 | 17.0 | 30.0 | 31.0 | 24.0 | 29.0 | **2,036.0** |
| H2O | 1961 | 102.7 | 0.0 | 152.5 | 149.9 | 331.7 | 255.8 | 254.9 | 172.3 | 282.2 | 299.1 | 258.5 | 301.0 | **15,689.3** |
| OIL | 1961 | 6.7 | 0.0 | 9.1 | 9.5 | 23.5 | 21.6 | 26.7 | 20.5 | 14.6 | 14.9 | 24.2 | 28.3 | **4,021.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 17.0 | **1,798.0** |
| H2O | 1960 | 193.6 | 176.5 | 184.6 | 190.0 | 203.2 | 397.2 | 386.0 | 453.4 | 324.5 | 343.1 | 316.5 | 205.4 | **13,128.7** |
| OIL | 1960 | 15.1 | 13.8 | 14.8 | 14.1 | 15.6 | 14.6 | 27.5 | 29.1 | 25.1 | 27.3 | 25.6 | 15.3 | **3,821.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 27.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,446.0** |
| H2O | 1959 | 296.4 | 251.4 | 259.8 | 274.6 | 281.7 | 256.9 | 261.7 | 184.0 | 332.6 | 184.7 | 179.3 | 186.5 | **9,754.7** |
| OIL | 1959 | 33.2 | 30.5 | 31.5 | 31.8 | 25.7 | 36.4 | 36.4 | 24.8 | 38.1 | 15.3 | 15.4 | 15.4 | **3,583.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 26.0 | 31.0 | **1,088.0** |
| H2O | 1958 | 261.4 | 229.6 | 261.9 | 266.5 | 239.0 | 227.0 | 252.2 | 254.7 | 267.7 | 314.0 | 253.4 | 308.0 | **6,805.1** |
| OIL | 1958 | 45.3 | 48.8 | 54.2 | 42.3 | 49.1 | 61.8 | 58.8 | 47.4 | 36.9 | 42.3 | 33.2 | 37.0 | **3,249.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **728.0** |
| H2O | 1957 | 204.8 | 212.4 | 245.8 | 207.8 | 229.7 | 218.3 | 235.9 | 235.0 | 218.1 | 211.0 | 218.0 | 262.5 | **3,669.7** |
| OIL | 1957 | 91.2 | 86.4 | 94.6 | 85.5 | 73.4 | 60.1 | 65.6 | 65.0 | 62.1 | 52.4 | 49.6 | 53.1 | **2,692.3** |
| DAY | 1956 | 26.0 | 29.0 | 31.0 | 17.0 | 22.0 | 27.0 | 31.0 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | **366.0** |
| H2O | 1956 | 2.5 | 5.9 | 51.7 | 25.6 | 10.3 | 20.0 | 40.4 | 49.0 | 137.4 | 233.1 | 193.3 | 200.2 | **970.4** |
| OIL | 1956 | 105.5 | 182.1 | 215.2 | 116.6 | 165.9 | 164.2 | 192.9 | 193.6 | 132.8 | 114.4 | 95.5 | 91.4 | **1,853.3** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 6.0 | **33.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | **1.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 74.8 | 8.4 | **83.2** |

Licence ***817*** Well Name ***2928419 MB Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-09-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 26.0 | 31.0 | 12.0 | 29.0 | 13.0 | 27.0 | 20.0 | 29.0 | 31.0 | 15.0 | 0.0 | **5,532.0** |
| H2O | 1975 | 3696.5 | 2893.6 | 3573.2 | 1335.5 | 3573.2 | 1601.8 | 3203.6 | 2305.3 | 4507.3 | 3573.2 | 1729.0 | 0.0 | **313,815.3** |
| OIL | 1975 | 67.3 | 70.4 | 69.8 | 25.9 | 49.9 | 18.6 | 42.9 | 22.3 | 32.3 | 38.0 | 12.6 | 0.0 | **19,446.1** |
| DAY | 1974 | 21.0 | 28.0 | 28.0 | 25.0 | 0.0 | 26.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,268.0** |
| H2O | 1974 | 2853.7 | 3213.0 | 3481.7 | 2925.4 | 0.0 | 3036.7 | 3958.8 | 3577.2 | 3624.9 | 3497.7 | 3354.6 | 3203.8 | **281,823.1** |
| OIL | 1974 | 52.6 | 77.6 | 58.2 | 47.2 | 0.0 | 45.0 | 91.3 | 86.5 | 61.8 | 73.5 | 67.3 | 53.3 | **18,996.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 0.0 | 14.0 | 29.0 | 23.0 | 28.0 | 30.0 | 29.0 | 30.0 | **4,959.0** |
| H2O | 1973 | 3704.3 | 4100.5 | 4179.7 | 3898.4 | 2660.9 | 1602.5 | 3688.4 | 3004.8 | 3561.2 | 3818.0 | 3802.9 | 3869.7 | **245,095.6** |
| OIL | 1973 | 86.0 | 96.8 | 96.8 | 89.8 | 58.3 | 15.1 | 73.9 | 38.0 | 82.4 | 94.3 | 86.6 | 87.3 | **18,281.8** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 30.0 | 28.0 | 27.0 | 30.0 | 31.0 | 28.0 | 0.0 | 27.0 | 30.0 | **4,656.0** |
| H2O | 1972 | 3273.5 | 3021.5 | 3051.0 | 3094.6 | 3034.7 | 2803.0 | 3104.6 | 3229.4 | 2833.5 | 3234.3 | 2662.3 | 2995.7 | **203,204.3** |
| OIL | 1972 | 107.2 | 100.6 | 93.3 | 100.8 | 114.8 | 108.0 | 117.0 | 125.4 | 97.6 | 117.7 | 91.9 | 101.0 | **17,376.5** |
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 27.0 | 21.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,335.0** |
| H2O | 1971 | 4596.4 | 3910.0 | 4104.8 | 3385.4 | 2937.0 | 4048.5 | 5065.9 | 4741.2 | 5071.9 | 3829.3 | 4316.1 | 4441.4 | **166,866.2** |
| OIL | 1971 | 210.0 | 172.7 | 164.2 | 84.9 | 49.9 | 104.5 | 158.7 | 125.3 | 107.0 | 86.2 | 106.0 | 107.3 | **16,101.2** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 31.0 | **3,986.0** |
| H2O | 1970 | 1292.0 | 1149.7 | 1113.3 | 1111.5 | 1038.1 | 809.1 | 760.5 | 1003.9 | 972.4 | 1081.2 | 1962.3 | 2640.2 | **116,418.3** |
| OIL | 1970 | 114.2 | 98.9 | 102.2 | 100.2 | 96.3 | 74.9 | 70.4 | 95.7 | 93.3 | 101.3 | 106.8 | 185.7 | **14,624.5** |
| DAY | 1969 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,930.0** |
| H2O | 1969 | 1398.2 | 1390.2 | 1535.4 | 1531.9 | 1642.1 | 1768.0 | 1741.8 | 1558.1 | 2220.0 | 2231.0 | 2049.3 | 1336.0 | **101,484.1** |
| OIL | 1969 | 134.0 | 126.4 | 139.6 | 139.3 | 149.3 | 160.7 | 158.4 | 141.7 | 103.8 | 93.5 | 74.9 | 121.5 | **13,384.6** |
| DAY | 1968 | 0.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 29.0 | 30.0 | 0.0 | 30.0 | 31.0 | **3,899.0** |
| H2O | 1968 | 1576.4 | 788.3 | 2020.6 | 1955.4 | 1145.4 | 922.0 | 1224.1 | 1219.0 | 1447.0 | 1152.6 | 1550.0 | 1839.7 | **81,082.1** |
| OIL | 1968 | 81.1 | 56.4 | 172.7 | 138.8 | 114.8 | 92.5 | 121.8 | 133.7 | 136.3 | 139.0 | 146.0 | 167.3 | **11,841.5** |

# Manitoba Production
## 1950 To 1975

Licence ***817*** Well Name ***2928419 MB Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-09-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 19.0 | 29.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,602.0** |
| H2O | 1966 | 448.2 | 404.7 | 448.2 | 274.6 | 415.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **64,241.6** |
| OIL | 1966 | 18.9 | 17.2 | 23.7 | 18.1 | 19.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **10,341.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 30.0 | 30.0 | 27.0 | 30.0 | 31.0 | **3,464.0** |
| H2O | 1965 | 488.2 | 440.9 | 488.3 | 472.6 | 407.5 | 355.6 | 367.5 | 355.6 | 355.6 | 374.0 | 433.8 | 448.2 | **62,250.2** |
| OIL | 1965 | 24.0 | 19.7 | 25.0 | 16.9 | 20.5 | 20.7 | 27.0 | 27.7 | 28.0 | 23.4 | 26.7 | 28.9 | **10,244.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 28.0 | 31.0 | 26.0 | 25.0 | 30.0 | 31.0 | **3,108.0** |
| H2O | 1964 | 463.5 | 433.6 | 463.5 | 448.6 | 433.6 | 381.2 | 355.7 | 393.9 | 330.3 | 419.2 | 472.6 | 488.3 | **57,262.4** |
| OIL | 1964 | 42.3 | 31.2 | 41.9 | 31.2 | 29.3 | 21.5 | 23.5 | 24.6 | 16.5 | 16.7 | 22.4 | 27.0 | **9,955.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 29.0 | 29.0 | 30.0 | 28.0 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | **2,757.0** |
| H2O | 1963 | 359.5 | 324.7 | 359.5 | 336.3 | 336.3 | 419.9 | 392.0 | 433.9 | 392.0 | 463.5 | 418.7 | 461.1 | **52,178.4** |
| OIL | 1963 | 29.2 | 26.5 | 28.7 | 27.1 | 25.7 | 41.6 | 38.9 | 38.7 | 34.1 | 43.5 | 36.5 | 36.3 | **9,627.4** |
| DAY | 1962 | 9.0 | 4.0 | 22.0 | 20.0 | 29.0 | 26.0 | 31.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | **2,401.0** |
| H2O | 1962 | 167.0 | 25.3 | 559.9 | 535.8 | 506.6 | 293.7 | 353.6 | 359.5 | 336.3 | 313.1 | 347.9 | 359.5 | **47,481.0** |
| OIL | 1962 | 15.8 | 2.9 | 37.3 | 39.8 | 39.3 | 23.7 | 30.1 | 33.1 | 28.5 | 24.7 | 28.5 | 28.7 | **9,220.6** |
| DAY | 1961 | 30.0 | 21.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | **2,111.0** |
| H2O | 1961 | 575.6 | 489.7 | 793.6 | 788.8 | 572.1 | 743.2 | 824.4 | 834.9 | 584.7 | 505.3 | 714.1 | 835.2 | **43,322.8** |
| OIL | 1961 | 88.6 | 40.1 | 80.7 | 85.8 | 56.8 | 78.0 | 71.8 | 72.1 | 41.7 | 42.8 | 62.2 | 77.8 | **8,888.2** |
| DAY | 1960 | 22.0 | 29.0 | 31.0 | 21.0 | 15.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,764.0** |
| H2O | 1960 | 497.7 | 595.1 | 636.2 | 422.8 | 280.5 | 637.6 | 761.0 | 807.9 | 766.9 | 806.3 | 790.2 | 816.6 | **35,061.2** |
| OIL | 1960 | 56.3 | 84.0 | 86.2 | 57.1 | 50.5 | 80.0 | 101.0 | 97.2 | 85.6 | 105.9 | 98.6 | 93.4 | **8,089.8** |
| DAY | 1959 | 29.0 | 26.0 | 31.0 | 30.0 | 29.0 | 28.0 | 30.0 | 8.0 | 19.0 | 13.0 | 12.0 | 8.0 | **1,436.0** |
| H2O | 1959 | 685.3 | 599.6 | 771.5 | 699.9 | 715.5 | 665.6 | 711.4 | 143.8 | 408.0 | 254.6 | 239.0 | 172.6 | **27,242.4** |
| OIL | 1959 | 92.0 | 78.6 | 102.0 | 84.0 | 90.8 | 104.7 | 74.1 | 6.7 | 47.3 | 33.8 | 37.4 | 19.6 | **7,094.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 28.0 | 27.0 | 29.0 | 29.0 | 31.0 | **1,173.0** |
| H2O | 1958 | 668.0 | 602.8 | 658.9 | 661.9 | 569.1 | 718.8 | 755.2 | 388.9 | 353.8 | 786.3 | 714.9 | 715.7 | **21,175.6** |
| OIL | 1958 | 101.3 | 88.9 | 87.0 | 91.5 | 105.0 | 115.8 | 80.5 | 85.6 | 74.1 | 104.7 | 90.5 | 92.1 | **6,323.0** |
| DAY | 1957 | 26.0 | 18.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 23.0 | 30.0 | 31.0 | **820.0** |
| H2O | 1957 | 475.1 | 289.7 | 599.6 | 670.3 | 751.9 | 678.6 | 665.3 | 744.6 | 736.2 | 531.6 | 647.3 | 602.5 | **13,581.3** |
| OIL | 1957 | 129.5 | 110.6 | 153.8 | 175.1 | 175.9 | 157.3 | 142.2 | 140.8 | 145.2 | 91.5 | 91.5 | 91.2 | **5,206.0** |
| DAY | 1956 | 25.0 | 25.0 | 31.0 | 13.0 | 27.0 | 25.0 | 15.0 | 31.0 | 28.0 | 31.0 | 30.0 | 24.0 | **482.0** |
| H2O | 1956 | 378.0 | 427.6 | 434.1 | 129.5 | 401.7 | 347.6 | 188.8 | 375.4 | 343.2 | 468.6 | 493.4 | 456.8 | **6,188.6** |
| OIL | 1956 | 233.1 | 197.7 | 175.4 | 31.5 | 185.4 | 162.4 | 89.7 | 127.7 | 99.6 | 127.6 | 160.0 | 135.8 | **3,601.4** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 27.0 | 29.0 | 29.0 | 31.0 | 20.0 | 28.0 | **177.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 47.4 | 77.8 | 177.2 | 381.9 | 335.7 | 306.0 | 417.9 | **1,743.9** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 157.3 | 245.4 | 378.1 | 412.5 | 271.1 | 173.5 | 237.6 | **1,875.5** |

Licence ***819*** Well Name ***2928419 MB Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-09-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 6462.5 | 5675.5 | 6899.8 | 2670.8 | 6915.7 | 4252.7 | 6084.9 | 5544.5 | 7237.5 | 6898.2 | 2992.8 | 0.0 | **645,525.9** |
| WIN | 1974 | 6222.5 | 4548.4 | 7058.8 | 5707.3 | 0.0 | 6088.9 | 7424.3 | 6915.7 | 6963.4 | 6836.2 | 6550.0 | 6243.8 | **583,891.0** |
| WIN | 1973 | 7393.2 | 8621.7 | 8342.3 | 8196.9 | 5850.0 | 3033.3 | 6836.2 | 6360.8 | 6821.9 | 7269.3 | 7119.2 | 7241.5 | **513,331.7** |
| WIN | 1972 | 9484.1 | 8754.0 | 8920.3 | 8965.8 | 9409.2 | 8121.2 | 8996.5 | 7783.5 | 5984.6 | 6707.5 | 5815.5 | 6409.0 | **430,245.4** |
| WIN | 1971 | 9342.1 | 7946.8 | 8632.3 | 7229.6 | 6600.1 | 7765.4 | 10606.5 | 10099.9 | 10415.1 | 9022.7 | 9036.7 | 9313.0 | **334,894.2** |
| WIN | 1970 | 2189.0 | 1875.7 | 1979.6 | 1967.9 | 1877.1 | 1469.6 | 1534.9 | 2047.9 | 1983.3 | 2199.5 | 3991.8 | 5366.4 | **228,884.0** |
| WIN | 1969 | 2653.8 | 2339.9 | 2869.7 | 2549.7 | 2817.3 | 3005.8 | 2689.6 | 2495.5 | 3707.4 | 3703.8 | 3390.9 | 2259.5 | **200,401.3** |
| WIN | 1968 | 3577.1 | 1788.9 | 3341.5 | 3233.7 | 1893.2 | 1555.8 | 2021.5 | 1946.6 | 2449.0 | 1985.7 | 2662.9 | 3067.4 | **165,918.4** |
| WIN | 1966 | 1936.9 | 1749.4 | 1936.9 | 1187.1 | 2161.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **136,395.1** |
| WIN | 1965 | 2292.4 | 2079.8 | 2360.7 | 2284.6 | 1842.4 | 1540.5 | 1591.9 | 1540.5 | 1540.5 | 1648.6 | 1874.4 | 1936.9 | **127,423.3** |
| WIN | 1964 | 1768.0 | 1648.5 | 1853.4 | 1793.6 | 1689.0 | 1622.1 | 1472.3 | 1676.1 | 1405.7 | 2006.4 | 2284.6 | 2360.7 | **104,890.1** |

# Manitoba Production
## 1950 To 1975

Licence ***819*** Well Name ***2928419 MB Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-09-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1963 | 1807.5 | 1633.5 | 1808.6 | 1575.6 | 1737.3 | 2099.4 | 1959.3 | 2169.3 | 1941.3 | 1853.4 | 1763.7 | 1851.0 | **83,309.7** |
| WIN | 1962 | 447.2 | 68.0 | 1550.1 | 1434.3 | 1668.0 | 1477.9 | 1779.3 | 1808.6 | 1693.0 | 1575.2 | 1750.2 | 1808.6 | **61,109.8** |
| WIN | 1961 | 1552.8 | 1305.5 | 2123.8 | 2111.8 | 1531.0 | 1989.2 | 2206.7 | 2189.7 | 1542.6 | 1325.1 | 1948.5 | 2236.1 | **44,049.4** |
| WIN | 1960 | 1405.2 | 1884.4 | 2014.0 | 1339.4 | 888.5 | 1743.5 | 2036.9 | 2162.6 | 2052.8 | 2158.2 | 2115.1 | 2186.0 | **21,986.6** |
| DAY | 1958 | 31.0 | 15.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **866.0** |
| H2O | 1958 | 9.4 | 9.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **570.7** |
| OIL | 1958 | 2.9 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,682.1** |
| DAY | 1957 | 20.0 | 18.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | **820.0** |
| H2O | 1957 | 14.5 | 11.8 | 25.0 | 24.0 | 11.8 | 14.1 | 12.9 | 14.5 | 14.3 | 13.8 | 52.3 | 18.6 | **551.6** |
| OIL | 1957 | 42.8 | 49.3 | 66.5 | 54.5 | 55.2 | 48.0 | 44.8 | 44.4 | 45.8 | 39.4 | 16.2 | 6.2 | **2,676.2** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 13.0 | 27.0 | 25.0 | 15.0 | 31.0 | 28.0 | 31.0 | 30.0 | 20.0 | **486.0** |
| H2O | 1956 | 21.0 | 25.9 | 22.9 | 7.9 | 26.4 | 25.3 | 16.1 | 24.8 | 18.8 | 15.9 | 22.7 | 15.4 | **324.0** |
| OIL | 1956 | 134.6 | 112.6 | 102.4 | 50.9 | 91.1 | 60.6 | 39.1 | 74.6 | 68.7 | 70.9 | 60.4 | 49.9 | **2,163.1** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **175.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 12.9 | 24.2 | 14.0 | 17.0 | 12.2 | **80.9** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 276.1 | 280.0 | 188.9 | 183.4 | 170.7 | 148.2 | **1,247.3** |

Licence ***822*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.16-20-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 18.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,101.0** |
| H2O | 1974 | 3718.7 | 3301.9 | 3688.8 | 3614.7 | 1386.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **281,312.8** |
| OIL | 1974 | 43.2 | 37.5 | 42.4 | 39.6 | 10.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **23,134.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **5,963.0** |
| H2O | 1973 | 3441.0 | 3043.0 | 3444.5 | 2725.6 | 2908.2 | 2917.6 | 3086.3 | 3104.2 | 2977.9 | 3346.5 | 3540.2 | 3784.2 | **265,602.6** |
| OIL | 1973 | 42.3 | 36.9 | 40.4 | 33.7 | 72.5 | 67.2 | 68.5 | 66.9 | 62.0 | 40.8 | 42.7 | 43.7 | **22,961.8** |
| DAY | 1972 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,605.0** |
| H2O | 1972 | 3576.4 | 3242.1 | 4046.2 | 3450.0 | 3391.0 | 3748.9 | 3311.4 | 3492.2 | 2853.2 | 3198.7 | 3302.8 | 3300.1 | **227,283.4** |
| OIL | 1972 | 88.7 | 79.5 | 91.4 | 83.7 | 83.7 | 89.5 | 83.1 | 43.7 | 40.7 | 41.3 | 39.7 | 39.7 | **22,344.2** |
| DAY | 1971 | 31.0 | 26.0 | 25.0 | 27.0 | 29.0 | 23.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | **5,242.0** |
| H2O | 1971 | 2235.3 | 1926.0 | 3117.9 | 3683.4 | 3707.9 | 3236.0 | 3876.6 | 4602.8 | 2956.9 | 5417.4 | 4921.9 | 3475.3 | **186,370.4** |
| OIL | 1971 | 78.8 | 67.2 | 28.8 | 62.5 | 63.4 | 42.9 | 69.4 | 63.7 | 52.8 | 73.9 | 91.1 | 83.6 | **21,539.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,900.0** |
| H2O | 1970 | 3117.8 | 3063.9 | 3436.4 | 3320.3 | 3361.6 | 3255.9 | 3184.5 | 3304.2 | 2812.5 | 2188.0 | 2243.8 | 2249.1 | **143,213.0** |
| OIL | 1970 | 116.9 | 113.2 | 135.2 | 132.4 | 135.7 | 121.5 | 106.4 | 110.9 | 102.3 | 75.2 | 77.2 | 84.7 | **20,761.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 25.0 | 31.0 | **4,537.0** |
| H2O | 1969 | 2955.0 | 2890.4 | 3133.8 | 3085.6 | 3444.0 | 2667.0 | 3239.7 | 2800.0 | 3024.4 | 3567.0 | 2583.1 | 3271.2 | **107,675.0** |
| OIL | 1969 | 241.9 | 228.3 | 228.4 | 244.6 | 267.3 | 208.4 | 233.8 | 223.3 | 114.8 | 137.9 | 87.6 | 121.5 | **19,449.8** |
| DAY | 1968 | 11.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 28.0 | 30.0 | 26.0 | 11.0 | 30.0 | **4,180.0** |
| H2O | 1968 | 360.7 | 1716.6 | 1318.6 | 2030.7 | 1910.6 | 2068.3 | 1572.2 | 2240.3 | 2493.3 | 2066.9 | 931.5 | 3060.4 | **71,013.8** |
| OIL | 1968 | 28.0 | 125.4 | 140.8 | 138.1 | 128.6 | 131.6 | 165.3 | 173.7 | 181.4 | 148.6 | 70.4 | 276.8 | **17,112.0** |
| DAY | 1967 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 12.0 | 13.0 | 23.0 | 20.0 | **3,865.0** |
| H2O | 1967 | 573.9 | 853.2 | 982.8 | 925.3 | 953.4 | 1292.2 | 1748.3 | 1893.0 | 952.1 | 683.1 | 585.7 | 610.3 | **49,243.7** |
| OIL | 1967 | 50.9 | 91.2 | 89.0 | 82.3 | 83.1 | 95.2 | 115.2 | 118.2 | 42.3 | 38.9 | 56.6 | 50.2 | **15,403.3** |
| DAY | 1966 | 30.0 | 27.0 | 30.0 | 29.0 | 30.0 | 29.0 | 27.0 | 30.0 | 29.0 | 30.0 | 27.0 | 30.0 | **3,555.0** |
| H2O | 1966 | 493.5 | 428.6 | 402.5 | 642.1 | 374.2 | 447.1 | 472.3 | 546.6 | 543.1 | 548.5 | 508.6 | 500.8 | **37,190.4** |
| OIL | 1966 | 55.8 | 45.1 | 52.1 | 42.3 | 49.6 | 51.2 | 46.1 | 43.9 | 44.5 | 48.9 | 44.8 | 57.2 | **14,490.2** |
| DAY | 1965 | 30.0 | 27.0 | 30.0 | 29.0 | 30.0 | 29.0 | 29.0 | 26.0 | 29.0 | 30.0 | 30.0 | 30.0 | **3,207.0** |
| H2O | 1965 | 565.8 | 677.6 | 759.0 | 707.3 | 713.3 | 627.0 | 608.6 | 552.3 | 605.4 | 620.2 | 676.1 | 618.6 | **31,282.5** |
| OIL | 1965 | 42.1 | 57.7 | 62.9 | 56.9 | 52.4 | 64.7 | 52.1 | 38.1 | 50.4 | 55.8 | 48.1 | 57.8 | **13,908.7** |
| DAY | 1964 | 26.0 | 25.0 | 26.0 | 28.0 | 30.0 | 29.0 | 30.0 | 29.0 | 29.0 | 30.0 | 29.0 | 28.0 | **2,858.0** |

# Manitoba Production
## 1950 To 1975

Licence ***822*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.16-20-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1964 | 373.8 | 417.3 | 458.0 | 493.2 | 512.9 | 474.9 | 505.6 | 678.8 | 549.8 | 524.6 | 577.9 | 657.1 | **23,551.3** |
| OIL | 1964 | 45.9 | 69.9 | 53.7 | 84.5 | 59.1 | 56.3 | 59.9 | 63.4 | 58.6 | 58.3 | 59.9 | 59.0 | **13,269.7** |
| DAY | 1963 | 31.0 | 27.0 | 28.0 | 29.0 | 31.0 | 19.0 | 30.0 | 29.0 | 28.0 | 30.0 | 30.0 | 29.0 | **2,519.0** |
| H2O | 1963 | 330.4 | 158.2 | 467.7 | 485.2 | 564.9 | 309.9 | 569.6 | 554.8 | 529.7 | 516.7 | 503.0 | 473.3 | **17,327.4** |
| OIL | 1963 | 105.1 | 106.1 | 112.4 | 92.2 | 91.5 | 43.2 | 74.2 | 77.5 | 80.9 | 57.5 | 51.3 | 70.9 | **12,541.2** |
| DAY | 1962 | 12.0 | 0.0 | 0.0 | 3.8 | 22.0 | 23.0 | 20.0 | 31.0 | 30.0 | 18.2 | 4.0 | 29.0 | **2,178.0** |
| H2O | 1962 | 3.2 | 0.0 | 0.0 | 2.1 | 221.0 | 97.3 | 312.6 | 346.9 | 303.7 | 163.4 | 37.0 | 319.2 | **11,864.0** |
| OIL | 1962 | 25.1 | 0.0 | 0.0 | 11.3 | 87.6 | 93.6 | 70.9 | 125.2 | 100.8 | 51.3 | 16.2 | 100.5 | **11,578.4** |
| DAY | 1961 | 22.0 | 27.0 | 9.0 | 30.0 | 27.0 | 16.0 | 6.0 | 2.0 | 30.0 | 19.0 | 26.0 | 3.0 | **1,985.0** |
| H2O | 1961 | 139.7 | 83.6 | 75.0 | 320.3 | 279.0 | 201.1 | 53.7 | 18.1 | 314.0 | 126.4 | 152.6 | 15.7 | **10,057.6** |
| OIL | 1961 | 59.9 | 59.9 | 11.4 | 64.7 | 72.6 | 42.6 | 18.1 | 7.0 | 98.8 | 49.1 | 73.3 | 6.8 | **10,895.9** |
| DAY | 1960 | 2.0 | 29.0 | 9.0 | 20.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 21.0 | 28.0 | 29.0 | **1,768.0** |
| H2O | 1960 | 11.4 | 169.8 | 69.8 | 97.6 | 223.8 | 201.1 | 190.9 | 215.6 | 160.9 | 191.3 | 218.6 | 122.1 | **8,278.4** |
| OIL | 1960 | 21.1 | 92.0 | 46.6 | 78.8 | 116.1 | 148.6 | 168.5 | 144.6 | 95.3 | 57.0 | 86.8 | 93.6 | **10,331.7** |
| DAY | 1959 | 31.0 | 18.0 | 31.0 | 27.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 20.0 | 18.0 | 31.0 | **1,481.0** |
| H2O | 1959 | 249.9 | 171.5 | 297.6 | 217.5 | 228.0 | 175.8 | 211.1 | 266.8 | 181.9 | 232.6 | 182.8 | 349.3 | **6,405.5** |
| OIL | 1959 | 166.2 | 66.6 | 186.6 | 150.2 | 117.4 | 128.2 | 117.5 | 154.8 | 132.5 | 97.1 | 78.0 | 147.0 | **9,182.7** |
| DAY | 1958 | 31.0 | 28.0 | 29.0 | 19.0 | 31.0 | 25.0 | 28.0 | 31.0 | 30.0 | 27.0 | 29.0 | 31.0 | **1,153.0** |
| H2O | 1958 | 148.3 | 97.8 | 111.9 | 160.6 | 217.2 | 132.3 | 157.1 | 180.8 | 221.1 | 185.2 | 272.5 | 316.7 | **3,640.7** |
| OIL | 1958 | 105.1 | 162.4 | 121.5 | 88.5 | 156.0 | 126.2 | 127.8 | 121.0 | 153.0 | 134.0 | 135.4 | 159.2 | **7,640.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 29.0 | 27.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 23.0 | **814.0** |
| H2O | 1957 | 113.5 | 98.2 | 38.5 | 12.1 | 29.6 | 94.0 | 113.8 | 61.8 | 158.7 | 89.5 | 201.6 | 52.5 | **1,439.2** |
| OIL | 1957 | 146.8 | 185.7 | 198.4 | 191.5 | 166.9 | 120.6 | 155.9 | 143.2 | 154.3 | 144.4 | 106.4 | 84.7 | **6,050.5** |
| DAY | 1956 | 30.0 | 29.0 | 31.0 | 15.0 | 28.0 | 13.0 | 17.0 | 31.0 | 30.0 | 31.0 | 25.0 | 20.0 | **467.0** |
| H2O | 1956 | 28.1 | 11.3 | 13.2 | 8.9 | 22.7 | 8.3 | 13.0 | 15.4 | 6.8 | 86.0 | 47.1 | 39.1 | **375.4** |
| OIL | 1956 | 246.2 | 140.6 | 220.8 | 148.4 | 237.3 | 95.8 | 152.1 | 184.6 | 207.9 | 262.8 | 120.7 | 100.4 | **4,251.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 31.0 | 30.0 | 31.0 | 20.0 | 31.0 | **167.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 74.5 | **75.5** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 286.5 | 412.7 | 401.2 | 409.7 | 271.4 | 352.6 | **2,134.1** |

Licence ***824*** Well Name ***North Virden Scallion No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-16-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,264.0** |
| H2O | 1975 | 3500.6 | 3207.8 | 3331.0 | 2968.4 | 3517.7 | 2885.7 | 2801.9 | 2802.1 | 2568.2 | 2508.4 | 2226.1 | 2888.7 | **417,774.8** |
| OIL | 1975 | 199.0 | 181.5 | 171.0 | 146.2 | 185.3 | 113.0 | 74.2 | 96.1 | 76.1 | 71.0 | 55.0 | 89.1 | **53,166.6** |
| DAY | 1974 | 31.0 | 27.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,899.0** |
| H2O | 1974 | 3131.6 | 2841.3 | 3776.1 | 3661.6 | 3334.0 | 3178.2 | 3393.1 | 3405.7 | 3341.6 | 3103.8 | 3727.6 | 3510.8 | **382,568.2** |
| OIL | 1974 | 178.8 | 192.0 | 267.8 | 216.9 | 212.5 | 163.5 | 176.5 | 219.3 | 184.8 | 175.9 | 212.6 | 213.4 | **51,709.1** |
| DAY | 1973 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,537.0** |
| H2O | 1973 | 4197.7 | 3401.7 | 3477.7 | 3458.0 | 3754.3 | 3661.2 | 4219.3 | 3779.1 | 3635.9 | 3750.5 | 3439.7 | 3257.5 | **342,162.8** |
| OIL | 1973 | 239.0 | 217.1 | 211.5 | 254.1 | 245.0 | 237.4 | 254.6 | 239.8 | 242.3 | 240.4 | 235.0 | 247.7 | **49,295.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 28.0 | 29.0 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | **6,174.0** |
| H2O | 1972 | 3832.4 | 3541.1 | 3699.5 | 2832.7 | 3510.1 | 3700.6 | 3398.7 | 3555.0 | 2981.2 | 3727.1 | 2974.2 | 3779.6 | **298,130.2** |
| OIL | 1972 | 221.2 | 229.5 | 252.7 | 136.8 | 185.3 | 228.5 | 188.8 | 192.8 | 187.8 | 233.0 | 117.6 | 260.8 | **46,431.2** |
| DAY | 1971 | 31.0 | 23.0 | 29.0 | 30.0 | 29.0 | 27.0 | 29.0 | 22.0 | 18.0 | 31.0 | 30.0 | 30.0 | **5,817.0** |
| H2O | 1971 | 4438.6 | 2725.9 | 3262.5 | 2695.4 | 2243.6 | 3066.0 | 3727.0 | 2594.6 | 1687.8 | 3637.0 | 3742.4 | 3487.3 | **256,598.0** |
| OIL | 1971 | 317.8 | 156.8 | 247.6 | 196.7 | 166.2 | 186.2 | 320.5 | 151.8 | 62.6 | 203.4 | 226.0 | 194.0 | **43,996.4** |
| DAY | 1970 | 31.0 | 28.0 | 28.0 | 30.0 | 30.0 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | **5,488.0** |
| H2O | 1970 | 4150.2 | 3597.8 | 2907.3 | 3945.6 | 3123.1 | 2936.1 | 3165.7 | 4384.3 | 3071.4 | 2509.9 | 2665.2 | 3878.7 | **219,289.9** |
| OIL | 1970 | 349.8 | 289.4 | 163.8 | 272.7 | 171.5 | 264.9 | 237.1 | 337.8 | 139.2 | 132.8 | 296.2 | 337.4 | **41,566.8** |

# Manitoba Production
## 1950 To 1975

Licence ***824*** Well Name ***North Virden Scallion No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-16-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 29.0 | 30.0 | 29.0 | **5,133.0** |
| H2O | 1969 | 1965.1 | 4004.5 | 3111.6 | 3290.6 | 3078.3 | 2868.2 | 3227.3 | 3521.1 | 3308.7 | 2792.0 | 3087.2 | 3549.5 | **178,954.6** |
| OIL | 1969 | 186.2 | 506.1 | 448.3 | 366.0 | 316.1 | 259.7 | 327.4 | 370.1 | 387.6 | 389.0 | 363.3 | 346.3 | **38,574.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,777.0** |
| H2O | 1968 | 1881.6 | 1718.7 | 1799.6 | 1695.0 | 1673.9 | 2019.3 | 1961.3 | 2015.0 | 1984.0 | 2520.3 | 2086.9 | 1953.7 | **141,150.5** |
| OIL | 1968 | 192.6 | 186.4 | 188.8 | 163.8 | 153.7 | 168.1 | 171.8 | 156.5 | 157.0 | 172.4 | 156.0 | 172.6 | **34,308.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 21.0 | 31.0 | 26.0 | 31.0 | 30.0 | 30.0 | **4,418.0** |
| H2O | 1967 | 2055.5 | 1828.7 | 1805.2 | 1614.7 | 1667.7 | 1771.0 | 1166.9 | 1940.3 | 1363.9 | 1865.6 | 1792.6 | 1477.9 | **117,841.2** |
| OIL | 1967 | 283.2 | 226.3 | 222.3 | 215.2 | 177.7 | 184.3 | 123.5 | 214.5 | 159.4 | 196.1 | 199.0 | 170.0 | **32,268.4** |
| DAY | 1966 | 31.0 | 28.0 | 29.0 | 28.0 | 31.0 | 30.0 | 27.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | **4,068.0** |
| H2O | 1966 | 1263.5 | 1137.0 | 1366.4 | 1197.6 | 1310.3 | 1270.0 | 1275.7 | 1464.4 | 1416.5 | 1397.7 | 2043.6 | 2120.3 | **97,491.2** |
| OIL | 1966 | 141.4 | 132.1 | 143.3 | 168.6 | 175.8 | 171.8 | 203.9 | 275.5 | 241.4 | 236.0 | 276.7 | 285.7 | **29,896.9** |
| DAY | 1965 | 26.0 | 28.0 | 31.0 | 23.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **3,714.0** |
| H2O | 1965 | 995.8 | 1055.0 | 1059.0 | 755.0 | 1154.5 | 1231.4 | 1257.9 | 1309.9 | 1263.1 | 1319.4 | 1137.0 | 1297.9 | **80,228.2** |
| OIL | 1965 | 131.9 | 134.4 | 141.4 | 97.9 | 141.1 | 148.7 | 149.9 | 145.6 | 143.8 | 141.7 | 123.2 | 140.3 | **27,444.7** |
| DAY | 1964 | 30.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 24.0 | **3,365.0** |
| H2O | 1964 | 1040.7 | 1038.7 | 1154.3 | 1117.3 | 1016.7 | 982.0 | 1132.7 | 1076.8 | 881.2 | 947.5 | 1140.0 | 936.4 | **66,392.3** |
| OIL | 1964 | 124.4 | 130.8 | 142.9 | 135.7 | 124.4 | 137.6 | 163.0 | 134.0 | 101.1 | 113.3 | 173.8 | 119.0 | **25,804.8** |
| DAY | 1963 | 31.0 | 28.0 | 29.0 | 25.0 | 29.0 | 28.0 | 27.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,012.0** |
| H2O | 1963 | 854.7 | 676.6 | 715.1 | 666.5 | 781.8 | 741.0 | 942.7 | 1150.1 | 1259.6 | 973.6 | 1034.1 | 996.6 | **53,928.0** |
| OIL | 1963 | 140.3 | 114.4 | 119.5 | 111.6 | 136.5 | 107.1 | 155.9 | 214.4 | 193.2 | 139.8 | 139.7 | 133.8 | **24,204.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,664.0** |
| H2O | 1962 | 700.6 | 614.3 | 661.3 | 534.8 | 577.1 | 492.9 | 889.6 | 934.1 | 1073.9 | 941.7 | 828.5 | 891.6 | **43,135.6** |
| OIL | 1962 | 129.5 | 94.1 | 106.0 | 125.2 | 126.3 | 122.2 | 192.0 | 181.8 | 135.2 | 180.2 | 150.6 | 155.6 | **22,498.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,301.0** |
| H2O | 1961 | 1054.4 | 949.9 | 1005.9 | 567.6 | 994.9 | 1001.6 | 878.8 | 848.6 | 800.9 | 849.3 | 694.3 | 718.9 | **33,995.2** |
| OIL | 1961 | 211.2 | 202.1 | 215.5 | 128.1 | 195.1 | 184.0 | 195.9 | 171.9 | 155.1 | 160.3 | 137.0 | 144.4 | **20,799.9** |
| DAY | 1960 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,939.0** |
| H2O | 1960 | 905.9 | 830.8 | 799.5 | 840.5 | 782.2 | 761.8 | 670.9 | 494.1 | 526.1 | 504.1 | 928.3 | 1022.2 | **23,630.1** |
| OIL | 1960 | 275.9 | 238.0 | 237.7 | 205.2 | 202.9 | 201.7 | 177.3 | 154.1 | 137.0 | 117.9 | 238.0 | 222.2 | **18,699.3** |
| DAY | 1959 | 31.0 | 28.0 | 24.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,575.0** |
| H2O | 1959 | 49.1 | 31.6 | 617.6 | 813.2 | 795.5 | 868.7 | 873.1 | 885.4 | 846.3 | 808.6 | 807.0 | 916.8 | **14,563.7** |
| OIL | 1959 | 55.3 | 53.6 | 298.0 | 326.6 | 308.3 | 305.9 | 311.3 | 319.4 | 284.4 | 272.7 | 273.3 | 282.9 | **16,291.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,220.0** |
| H2O | 1958 | 305.2 | 353.7 | 392.5 | 382.2 | 380.4 | 361.5 | 375.5 | 345.3 | 391.9 | 269.0 | 188.9 | 218.1 | **6,250.8** |
| OIL | 1958 | 382.0 | 298.8 | 312.7 | 298.1 | 291.6 | 293.3 | 294.9 | 296.2 | 199.0 | 168.1 | 132.8 | 140.3 | **13,199.7** |
| DAY | 1957 | 28.0 | 28.0 | 31.0 | 13.0 | 15.0 | 29.0 | 30.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | **857.0** |
| H2O | 1957 | 106.5 | 115.6 | 135.1 | 80.1 | 115.1 | 172.7 | 189.0 | 176.3 | 179.2 | 149.1 | 161.8 | 334.8 | **2,286.6** |
| OIL | 1957 | 362.0 | 355.6 | 393.8 | 161.0 | 198.3 | 349.9 | 350.7 | 306.7 | 349.4 | 303.2 | 291.1 | 392.2 | **10,091.9** |
| DAY | 1956 | 31.0 | 28.0 | 31.0 | 28.0 | 28.0 | 30.0 | 20.0 | 28.0 | 29.0 | 31.0 | 30.0 | 26.0 | **535.0** |
| H2O | 1956 | 0.6 | 0.6 | 0.6 | 0.6 | 0.8 | 1.0 | 55.2 | 47.7 | 65.5 | 46.3 | 42.4 | 106.2 | **371.3** |
| OIL | 1956 | 393.5 | 312.3 | 364.1 | 323.5 | 345.3 | 334.0 | 243.1 | 317.2 | 317.7 | 279.0 | 313.8 | 382.8 | **6,278.0** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 26.0 | **195.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 0.6 | 0.6 | 0.8 | 0.6 | 0.6 | **3.8** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 354.2 | 346.9 | 348.0 | 308.8 | 371.5 | 288.3 | 334.0 | **2,351.7** |

Licence ***825*** Well Name ***Enerplus Daly SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-21-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1967 | 907.0 | 1511.0 | 1389.8 | 1268.2 | 1525.4 | 1737.8 | 2352.1 | 2523.5 | 1721.2 | 458.2 | 0.0 | 0.0 | **66,350.3** |
| WIN | 1966 | 782.1 | 622.0 | 672.2 | 939.0 | 667.1 | 794.6 | 809.3 | 946.3 | 1000.5 | 1023.1 | 946.8 | 993.7 | **50,956.1** |

# Manitoba Production
## 1950 To 1975

Licence ***825*** Well Name ***Enerplus Daly SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-21-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1965 | 925.8 | 1003.9 | 1173.7 | 1050.1 | 1177.6 | 1234.6 | 1194.7 | 1085.6 | 1155.5 | 1111.5 | 1110.2 | 1037.7 | **40,759.4** |
| WIN | 1964 | 597.2 | 552.8 | 776.2 | 851.1 | 787.0 | 654.6 | 641.2 | 999.6 | 1028.5 | 1052.7 | 1033.9 | 1092.6 | **27,498.5** |
| WIN | 1963 | 620.5 | 294.0 | 853.9 | 820.2 | 859.3 | 475.2 | 888.1 | 812.1 | 890.8 | 966.5 | 911.2 | 860.0 | **17,431.1** |
| WIN | 1962 | 0.0 | 0.0 | 0.0 | 118.0 | 468.9 | 223.2 | 679.7 | 578.9 | 560.4 | 368.4 | 41.7 | 597.5 | **8,179.3** |
| WIN | 1961 | 188.9 | 120.0 | 206.8 | 533.9 | 463.0 | 440.4 | 93.6 | 111.9 | 502.9 | 145.2 | 456.1 | 0.0 | **4,542.6** |
| WIN | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 52.5 | 90.1 | 131.3 | 324.7 | 370.6 | 310.7 | **1,279.9** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **361.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 103.7 | 60.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,471.3** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 15.6 | 2.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,356.6** |
| DAY | 1956 | 12.0 | 0.0 | 22.0 | 13.0 | 24.0 | 27.0 | 3.0 | 13.0 | 28.0 | 31.0 | 12.0 | 0.0 | **350.0** |
| H2O | 1956 | 87.0 | 0.0 | 206.7 | 164.7 | 188.2 | 234.3 | 22.4 | 216.4 | 367.1 | 485.2 | 155.8 | 0.0 | **2,307.3** |
| OIL | 1956 | 37.5 | 0.0 | 119.0 | 27.7 | 41.5 | 43.1 | 4.8 | 37.2 | 34.6 | 37.7 | 14.1 | 0.0 | **2,338.1** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 29.0 | 29.0 | 30.0 | 28.0 | 22.0 | 23.0 | **165.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.2 | 15.3 | 13.8 | 16.5 | 18.8 | 98.9 | **179.5** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 148.9 | 369.1 | 346.7 | 356.6 | 338.0 | 202.8 | 178.8 | **1,940.9** |

Licence ***826*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,456.0** |
| H2O | 1975 | 4.5 | 4.3 | 4.8 | 4.5 | 4.9 | 9.4 | 9.4 | 9.2 | 9.1 | 9.9 | 9.7 | 10.0 | **4,046.0** |
| OIL | 1975 | 134.3 | 127.8 | 137.9 | 129.4 | 135.6 | 135.6 | 139.5 | 140.0 | 136.0 | 140.5 | 136.0 | 138.1 | **26,531.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,093.0** |
| H2O | 1974 | 9.5 | 8.7 | 9.5 | 4.6 | 4.8 | 4.9 | 4.9 | 8.9 | 9.1 | 4.8 | 4.8 | 4.8 | **3,956.3** |
| OIL | 1974 | 147.9 | 128.9 | 145.6 | 76.4 | 76.9 | 76.8 | 79.5 | 157.2 | 155.9 | 147.2 | 140.3 | 144.8 | **24,900.3** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,730.0** |
| H2O | 1973 | 25.4 | 24.3 | 10.0 | 10.0 | 10.2 | 9.7 | 9.9 | 10.5 | 10.3 | 10.3 | 9.7 | 9.5 | **3,877.0** |
| OIL | 1973 | 119.3 | 105.0 | 115.8 | 113.3 | 118.2 | 114.6 | 118.9 | 155.3 | 147.6 | 148.3 | 141.9 | 144.0 | **23,422.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,365.0** |
| H2O | 1972 | 98.6 | 96.0 | 91.3 | 81.2 | 0.0 | 31.2 | 32.6 | 23.7 | 23.7 | 25.8 | 25.4 | 26.1 | **3,727.2** |
| OIL | 1972 | 129.5 | 120.9 | 96.8 | 92.3 | 113.9 | 149.4 | 144.8 | 121.9 | 116.0 | 122.2 | 116.2 | 121.1 | **21,880.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 26.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | **5,999.0** |
| H2O | 1971 | 141.3 | 126.7 | 147.7 | 84.4 | 94.4 | 97.0 | 96.2 | 92.8 | 83.1 | 93.0 | 74.6 | 104.9 | **3,171.6** |
| OIL | 1971 | 124.4 | 108.5 | 121.9 | 116.0 | 132.4 | 133.0 | 135.9 | 133.5 | 131.6 | 136.5 | 107.4 | 131.9 | **20,435.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,644.0** |
| H2O | 1970 | 4.3 | 4.1 | 4.3 | 4.0 | 4.1 | 17.3 | 16.1 | 18.0 | 16.9 | 17.3 | 137.4 | 152.6 | **1,935.5** |
| OIL | 1970 | 120.6 | 108.9 | 118.7 | 114.4 | 118.1 | 107.1 | 111.2 | 109.3 | 104.4 | 110.1 | 114.1 | 119.8 | **18,922.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,279.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 4.3 | 4.1 | 4.5 | 4.5 | 4.3 | 4.6 | 4.1 | 4.6 | **1,539.1** |
| OIL | 1969 | 123.3 | 109.0 | 120.5 | 117.4 | 120.5 | 118.2 | 122.8 | 122.2 | 119.0 | 124.3 | 119.2 | 124.9 | **17,566.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,914.0** |
| H2O | 1968 | 21.9 | 21.0 | 22.3 | 22.7 | 23.8 | 21.8 | 23.5 | 21.5 | 21.5 | 22.9 | 0.0 | 0.0 | **1,504.1** |
| OIL | 1968 | 148.7 | 136.7 | 145.7 | 145.2 | 145.6 | 143.0 | 147.6 | 147.5 | 142.2 | 149.2 | 119.7 | 123.6 | **16,124.7** |
| DAY | 1967 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,548.0** |
| H2O | 1967 | 1.3 | 1.1 | 1.3 | 1.1 | 1.1 | 1.1 | 3.3 | 4.8 | 4.3 | 4.6 | 4.1 | 22.7 | **1,281.2** |
| OIL | 1967 | 106.9 | 104.9 | 117.6 | 113.6 | 117.0 | 112.2 | 116.6 | 123.6 | 119.0 | 125.7 | 122.5 | 147.0 | **14,430.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,185.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 1.3 | **1,230.4** |
| OIL | 1966 | 118.4 | 103.3 | 115.5 | 113.0 | 118.1 | 113.6 | 117.6 | 116.3 | 113.6 | 117.3 | 112.8 | 118.4 | **13,003.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,820.0** |
| H2O | 1965 | 2.7 | 2.4 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 25.4 | 25.6 | 1.1 | 0.0 | 0.0 | **1,227.8** |

# Manitoba Production
## 1950 To 1975

Licence ***826*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1965 | 129.7 | 118.1 | 127.8 | 137.1 | 138.3 | 138.4 | 144.3 | 113.8 | 107.7 | 114.4 | 116.8 | 119.8 | **11,625.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,455.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 0.0 | 0.0 | **1,167.9** |
| OIL | 1964 | 90.9 | 86.0 | 92.8 | 89.1 | 91.8 | 88.5 | 91.7 | 92.5 | 89.5 | 95.8 | 189.1 | 124.6 | **10,119.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,089.0** |
| H2O | 1963 | 5.4 | 4.9 | 6.5 | 5.9 | 5.1 | 5.9 | 5.6 | 4.3 | 4.1 | 1.1 | 0.0 | 0.0 | **1,166.8** |
| OIL | 1963 | 63.7 | 60.4 | 70.1 | 69.0 | 71.8 | 70.7 | 90.6 | 90.9 | 86.1 | 88.2 | 85.2 | 87.2 | **8,897.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,724.0** |
| H2O | 1962 | 4.1 | 3.2 | 4.0 | 0.0 | 0.0 | 0.0 | 1.3 | 5.1 | 5.7 | 5.7 | 5.4 | 5.7 | **1,118.0** |
| OIL | 1962 | 69.9 | 65.5 | 71.5 | 65.2 | 64.7 | 63.1 | 72.1 | 67.5 | 64.8 | 64.5 | 61.3 | 65.0 | **7,963.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,359.0** |
| H2O | 1961 | 1.4 | 1.1 | 1.3 | 1.1 | 0.0 | 4.1 | 2.7 | 2.5 | 2.4 | 0.0 | 0.0 | 4.0 | **1,077.8** |
| OIL | 1961 | 67.7 | 56.9 | 63.7 | 63.4 | 63.2 | 57.2 | 79.8 | 80.1 | 76.1 | 61.2 | 63.2 | 71.7 | **7,168.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,000.0** |
| H2O | 1960 | 3.0 | 2.4 | 4.0 | 3.7 | 3.7 | 3.7 | 3.3 | 4.0 | 3.8 | 3.7 | 1.0 | 1.1 | **1,057.2** |
| OIL | 1960 | 56.6 | 51.0 | 67.1 | 66.1 | 67.2 | 63.7 | 57.2 | 65.8 | 61.0 | 63.2 | 66.3 | 62.3 | **6,363.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,637.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 2.7 | 2.5 | 14.5 | 0.0 | 0.0 | 0.0 | 2.4 | 2.9 | **1,019.8** |
| OIL | 1959 | 77.7 | 70.2 | 78.0 | 71.5 | 66.7 | 62.5 | 71.8 | 79.3 | 77.7 | 83.7 | 53.4 | 53.9 | **5,616.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,272.0** |
| H2O | 1958 | 3.5 | 19.2 | 9.5 | 8.1 | 11.0 | 0.0 | 0.0 | 0.0 | 1.7 | 2.4 | 0.3 | 0.0 | **994.8** |
| OIL | 1958 | 60.1 | 77.9 | 76.9 | 76.9 | 80.2 | 73.1 | 78.0 | 76.1 | 47.4 | 49.1 | 78.5 | 80.1 | **4,769.9** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **908.0** |
| H2O | 1957 | 0.3 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | 0.5 | 0.3 | 0.3 | 0.3 | 0.2 | 2.9 | **939.1** |
| OIL | 1957 | 96.1 | 88.7 | 99.0 | 93.4 | 93.8 | 93.8 | 87.6 | 85.5 | 82.3 | 70.9 | 69.6 | 58.2 | **3,915.6** |
| DAY | 1956 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **544.0** |
| H2O | 1956 | 115.4 | 77.1 | 101.7 | 0.6 | 0.3 | 0.3 | 0.2 | 0.3 | 0.2 | 0.3 | 0.3 | 0.3 | **933.1** |
| OIL | 1956 | 143.2 | 132.1 | 124.3 | 116.6 | 137.3 | 127.9 | 133.3 | 133.3 | 113.3 | 118.7 | 115.2 | 96.1 | **2,896.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **183.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.5 | 134.5 | 104.3 | 154.5 | 116.9 | 123.4 | **636.1** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 373.6 | 294.6 | 184.3 | 198.3 | 195.1 | 159.5 | **1,405.4** |

Licence ***827*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **7,382.0** |
| H2O | 1975 | 659.4 | 606.3 | 676.0 | 655.2 | 679.2 | 636.1 | 651.2 | 642.0 | 610.8 | 678.5 | 680.6 | 646.9 | **50,018.6** |
| OIL | 1975 | 156.2 | 138.9 | 152.4 | 112.8 | 114.7 | 109.5 | 114.9 | 115.5 | 108.2 | 115.8 | 112.0 | 125.7 | **28,428.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,018.0** |
| H2O | 1974 | 541.2 | 501.6 | 501.3 | 490.6 | 472.0 | 477.6 | 738.8 | 730.0 | 625.6 | 651.7 | 655.3 | 645.3 | **42,196.4** |
| OIL | 1974 | 232.5 | 202.6 | 167.5 | 160.5 | 155.3 | 151.3 | 229.6 | 153.8 | 151.8 | 158.4 | 152.6 | 155.1 | **26,952.3** |
| DAY | 1973 | 29.0 | 25.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 21.0 | 30.0 | 30.0 | 31.0 | **6,659.0** |
| H2O | 1973 | 170.4 | 154.8 | 181.2 | 145.6 | 147.7 | 111.4 | 110.3 | 119.9 | 81.2 | 447.1 | 559.8 | 542.6 | **35,165.4** |
| OIL | 1973 | 49.4 | 41.3 | 49.7 | 80.4 | 84.1 | 33.4 | 34.2 | 36.9 | 24.0 | 153.0 | 223.1 | 226.3 | **24,881.3** |
| DAY | 1972 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **6,312.0** |
| H2O | 1972 | 128.3 | 165.2 | 187.8 | 167.2 | 162.0 | 161.2 | 179.0 | 169.5 | 120.3 | 132.7 | 126.5 | 154.7 | **32,393.4** |
| OIL | 1972 | 73.6 | 62.5 | 70.6 | 67.4 | 71.0 | 68.5 | 70.6 | 62.5 | 46.6 | 49.7 | 42.6 | 53.6 | **23,845.5** |
| DAY | 1971 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 17.0 | **5,951.0** |
| H2O | 1971 | 145.6 | 143.1 | 118.3 | 118.6 | 118.8 | 118.3 | 117.3 | 113.0 | 101.1 | 73.9 | 116.4 | 67.6 | **30,539.0** |
| OIL | 1971 | 93.4 | 89.6 | 75.3 | 71.7 | 73.3 | 71.2 | 72.8 | 71.5 | 70.6 | 40.4 | 73.3 | 37.0 | **23,106.3** |
| DAY | 1970 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,603.0** |

# Manitoba Production
## 1950 To 1975

Licence ***827*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1970 | 238.0 | 211.3 | 221.1 | 102.2 | 105.2 | 104.8 | 98.4 | 111.1 | 103.5 | 111.4 | 101.6 | 170.6 | **29,187.0** |
| OIL | 1970 | 120.8 | 92.6 | 100.9 | 101.7 | 104.9 | 101.1 | 106.8 | 104.9 | 100.1 | 73.7 | 70.7 | 97.4 | **22,266.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,242.0** |
| H2O | 1969 | 79.6 | 72.3 | 67.9 | 69.3 | 76.2 | 73.0 | 79.2 | 79.5 | 74.9 | 81.4 | 72.7 | 79.6 | **27,507.8** |
| OIL | 1969 | 85.7 | 75.6 | 83.6 | 81.5 | 83.7 | 82.2 | 65.9 | 65.6 | 63.9 | 66.9 | 64.0 | 67.1 | **21,090.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,877.0** |
| H2O | 1968 | 122.6 | 116.5 | 123.4 | 127.0 | 133.1 | 158.2 | 168.5 | 153.9 | 154.4 | 77.4 | 71.4 | 76.3 | **26,602.2** |
| OIL | 1968 | 95.8 | 87.9 | 93.9 | 93.6 | 93.8 | 83.1 | 85.7 | 85.8 | 82.6 | 86.8 | 83.1 | 85.8 | **20,204.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,511.0** |
| H2O | 1967 | 240.7 | 198.9 | 239.4 | 222.9 | 176.1 | 165.8 | 130.5 | 174.4 | 155.0 | 167.4 | 147.4 | 124.0 | **25,119.5** |
| OIL | 1967 | 112.0 | 99.6 | 111.7 | 107.9 | 109.0 | 104.4 | 108.4 | 107.3 | 93.6 | 98.8 | 96.5 | 93.3 | **19,147.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,146.0** |
| H2O | 1966 | 209.4 | 167.7 | 213.2 | 208.4 | 244.0 | 289.2 | 285.2 | 280.9 | 211.3 | 217.0 | 236.1 | 253.3 | **22,977.0** |
| OIL | 1966 | 103.6 | 91.2 | 101.1 | 93.9 | 102.2 | 114.7 | 118.9 | 117.6 | 108.1 | 111.7 | 107.3 | 112.5 | **17,904.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,782.0** |
| H2O | 1965 | 242.1 | 214.9 | 245.3 | 214.5 | 218.3 | 208.3 | 209.1 | 210.0 | 212.1 | 210.2 | 215.6 | 219.6 | **20,161.3** |
| OIL | 1965 | 110.1 | 100.4 | 108.5 | 104.6 | 105.7 | 105.5 | 110.1 | 109.0 | 103.1 | 107.3 | 102.0 | 104.7 | **16,621.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | **3,417.0** |
| H2O | 1964 | 236.6 | 213.2 | 237.2 | 228.9 | 242.6 | 205.1 | 224.8 | 221.8 | 219.7 | 196.8 | 226.4 | 241.0 | **17,541.3** |
| OIL | 1964 | 108.1 | 102.2 | 110.4 | 106.0 | 109.2 | 103.0 | 103.9 | 101.9 | 101.9 | 92.8 | 101.1 | 109.0 | **15,350.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,055.0** |
| H2O | 1963 | 139.3 | 135.1 | 159.8 | 163.0 | 175.4 | 167.2 | 267.4 | 263.7 | 257.2 | 263.9 | 228.6 | 233.5 | **14,847.2** |
| OIL | 1963 | 71.0 | 74.8 | 74.8 | 82.5 | 85.2 | 82.3 | 110.3 | 107.6 | 109.2 | 112.2 | 101.4 | 103.8 | **14,101.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,690.0** |
| H2O | 1962 | 59.1 | 133.1 | 137.2 | 136.7 | 174.2 | 155.2 | 145.3 | 188.4 | 165.3 | 166.5 | 128.9 | 144.2 | **12,393.1** |
| OIL | 1962 | 83.0 | 74.1 | 81.7 | 82.0 | 81.7 | 77.1 | 73.1 | 80.2 | 74.7 | 72.6 | 70.6 | 73.6 | **12,986.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,325.0** |
| H2O | 1961 | 141.5 | 128.5 | 120.3 | 137.8 | 130.0 | 147.9 | 139.6 | 149.1 | 155.5 | 164.5 | 162.0 | 122.1 | **10,659.0** |
| OIL | 1961 | 91.4 | 83.4 | 98.2 | 93.6 | 95.2 | 95.3 | 84.7 | 89.3 | 87.1 | 80.1 | 82.0 | 70.1 | **12,061.7** |
| DAY | 1960 | 26.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,960.0** |
| H2O | 1960 | 128.1 | 151.3 | 168.7 | 133.9 | 136.2 | 136.2 | 143.6 | 151.7 | 144.5 | 123.5 | 157.2 | 151.0 | **8,960.2** |
| OIL | 1960 | 107.6 | 106.3 | 110.8 | 100.3 | 103.0 | 99.2 | 92.3 | 93.4 | 93.6 | 99.3 | 95.7 | 89.3 | **11,011.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,600.0** |
| H2O | 1959 | 160.3 | 153.9 | 173.0 | 153.1 | 163.4 | 136.1 | 142.4 | 132.0 | 128.6 | 137.5 | 118.1 | 139.6 | **7,234.3** |
| OIL | 1959 | 125.9 | 113.3 | 127.6 | 137.9 | 132.8 | 124.1 | 121.7 | 126.0 | 120.0 | 117.9 | 117.1 | 114.3 | **9,820.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,236.0** |
| H2O | 1958 | 156.1 | 109.4 | 142.9 | 150.9 | 149.0 | 146.6 | 152.0 | 150.4 | 145.0 | 150.7 | 162.0 | 162.5 | **5,496.3** |
| OIL | 1958 | 200.5 | 165.3 | 188.5 | 154.5 | 172.1 | 169.4 | 165.6 | 171.9 | 156.2 | 148.3 | 133.2 | 128.7 | **8,341.9** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 15.0 | 14.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **874.0** |
| H2O | 1957 | 223.2 | 186.0 | 223.0 | 109.9 | 118.6 | 160.3 | 159.1 | 119.4 | 156.1 | 198.6 | 84.9 | 132.0 | **3,718.8** |
| OIL | 1957 | 165.4 | 147.9 | 169.1 | 87.7 | 79.5 | 253.8 | 285.4 | 92.5 | 228.5 | 261.4 | 186.2 | 196.1 | **6,387.7** |
| DAY | 1956 | 30.0 | 17.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 27.0 | 31.0 | **544.0** |
| H2O | 1956 | 30.7 | 15.7 | 91.3 | 93.6 | 109.9 | 106.2 | 152.1 | 144.5 | 200.8 | 228.5 | 260.6 | 237.0 | **1,847.7** |
| OIL | 1956 | 72.0 | 42.9 | 375.5 | 361.2 | 372.0 | 316.7 | 347.2 | 216.9 | 285.7 | 203.4 | 163.2 | 171.8 | **4,234.2** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **198.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.3 | 17.3 | 2.4 | 32.3 | 53.3 | 33.4 | 34.8 | **176.8** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 167.8 | 339.1 | 308.4 | 196.1 | 135.2 | 86.0 | 73.1 | **1,305.7** |

Licence ***828*** Well Name ***Tundra South Regent SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-07-004-21W1.00*** Field Name ***Regent*** Pool Name ***Lodgepole Virden A*** Field Code ***13*** Pool Code ***53A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***828*** Well Name ***Tundra South Regent SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-07-004-21W1.00*** Field Name ***Regent*** Pool Name ***Lodgepole Virden A*** Field Code ***13*** Pool Code ***53A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 20.0 | 30.0 | 13.0 | 0.0 | **163.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.3 | 5.1 | 2.2 | 0.0 | **12.5** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.8 | 18.9 | 20.2 | 4.4 | 0.0 | **184.1** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 20.0 | 28.0 | 13.0 | 0.0 | **92.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.4 | 1.0 | 1.0 | 0.3 | 0.0 | **4.7** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 63.6 | 23.8 | 25.7 | 9.7 | 0.0 | **122.8** |

UWI ***100.11-07-004-21W1.02*** Field Name ***Regent*** Pool Name ***Lodgepole Virden A*** Field Code ***13*** Pool Code ***53A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 167.9 | 348.2 | 391.1 | 355.5 | 132.9 | 0.0 | **25,701.3** |
| WIN | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 522.4 | 493.2 | 556.3 | 535.6 | 530.4 | 267.9 | **24,305.7** |
| WIN | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 453.1 | 458.5 | 473.8 | 486.5 | 498.0 | 0.0 | 0.0 | 0.0 | **21,399.9** |
| WIN | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 283.8 | 529.8 | 586.5 | 529.8 | 465.0 | 576.7 | 558.1 | 18.6 | **19,030.0** |
| WIN | 1971 | 0.0 | 0.0 | 0.0 | 202.7 | 324.3 | 378.4 | 514.8 | 530.2 | 420.5 | 566.8 | 384.0 | 0.0 | **15,481.7** |
| WIN | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 59.6 | 322.0 | 492.4 | 492.4 | 383.5 | 0.0 | 0.0 | 0.0 | **12,160.0** |
| WIN | 1969 | 220.4 | 0.0 | 0.0 | 0.0 | 143.1 | 226.6 | 240.1 | 310.0 | 310.0 | 107.3 | 0.0 | 0.0 | **10,410.1** |
| WIN | 1968 | 590.3 | 437.2 | 586.4 | 611.8 | 565.4 | 669.7 | 681.1 | 699.9 | 357.7 | 367.6 | 357.7 | 369.7 | **8,852.6** |
| WIN | 1967 | 0.0 | 0.0 | 107.0 | 87.0 | 101.4 | 147.9 | 63.4 | 193.0 | 255.0 | 352.6 | 612.6 | 638.2 | **2,558.1** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 0.0 | 0.0 | 0.0 | **19.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 74.3 | 0.0 | 0.0 | 0.0 | **74.3** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.2 | 0.0 | 0.0 | 0.0 | **12.2** |

Licence ***829*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-18-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,698.0** |
| H2O | 1975 | 200.5 | 178.1 | 192.4 | 192.8 | 197.8 | 182.5 | 97.9 | 96.2 | 100.0 | 104.3 | 99.4 | 106.2 | **36,133.6** |
| OIL | 1975 | 41.5 | 37.0 | 41.6 | 39.7 | 42.1 | 40.7 | 18.4 | 18.6 | 18.0 | 18.3 | 17.5 | 17.6 | **9,042.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 21.0 | 0.0 | 27.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,333.0** |
| H2O | 1974 | 94.8 | 88.7 | 101.7 | 99.7 | 91.4 | 74.1 | 0.0 | 163.9 | 186.3 | 184.9 | 190.6 | 197.6 | **34,385.5** |
| OIL | 1974 | 31.3 | 29.1 | 32.1 | 30.4 | 28.1 | 23.4 | 0.0 | 34.3 | 41.2 | 40.5 | 40.8 | 41.6 | **8,691.0** |
| DAY | 1973 | 30.0 | 27.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,017.0** |
| H2O | 1973 | 114.0 | 99.0 | 115.7 | 123.5 | 103.7 | 97.0 | 101.1 | 102.1 | 97.3 | 102.1 | 99.5 | 100.3 | **32,911.8** |
| OIL | 1973 | 44.2 | 38.6 | 43.1 | 42.6 | 23.0 | 23.2 | 23.4 | 20.3 | 18.1 | 31.3 | 32.6 | 32.3 | **8,318.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 26.0 | 31.0 | **5,657.0** |
| H2O | 1972 | 257.1 | 181.4 | 163.3 | 119.6 | 139.9 | 139.6 | 119.4 | 127.0 | 117.6 | 122.9 | 90.8 | 112.2 | **31,656.5** |
| OIL | 1972 | 51.5 | 45.3 | 28.6 | 48.6 | 31.3 | 29.9 | 45.6 | 47.0 | 44.2 | 43.7 | 36.1 | 45.4 | **7,945.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,296.0** |
| H2O | 1971 | 110.5 | 105.2 | 101.1 | 105.9 | 113.2 | 137.8 | 296.2 | 322.3 | 320.3 | 504.6 | 303.2 | 223.7 | **29,965.7** |
| OIL | 1971 | 28.9 | 25.9 | 19.2 | 18.9 | 23.4 | 20.3 | 31.6 | 32.7 | 61.8 | 48.8 | 53.1 | 54.8 | **7,448.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 21.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,933.0** |
| H2O | 1970 | 126.4 | 112.4 | 121.6 | 124.8 | 85.7 | 82.8 | 84.9 | 59.0 | 111.4 | 108.7 | 103.3 | 104.1 | **27,321.7** |
| OIL | 1970 | 29.4 | 26.2 | 28.8 | 27.3 | 32.6 | 31.1 | 33.2 | 21.9 | 27.0 | 28.0 | 17.8 | 28.0 | **7,028.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 18.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **4,578.0** |
| H2O | 1969 | 124.2 | 105.6 | 111.6 | 120.3 | 118.9 | 104.3 | 187.0 | 118.1 | 123.8 | 104.6 | 115.9 | 117.3 | **26,096.6** |
| OIL | 1969 | 23.0 | 13.0 | 14.6 | 26.4 | 21.8 | 13.7 | 24.5 | 19.5 | 26.2 | 22.7 | 26.4 | 28.3 | **6,697.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,230.0** |
| H2O | 1968 | 190.6 | 185.2 | 202.1 | 277.6 | 278.2 | 228.6 | 254.5 | 189.3 | 142.9 | 178.1 | 174.2 | 123.7 | **24,645.0** |
| OIL | 1968 | 12.4 | 12.2 | 12.4 | 25.6 | 24.3 | 27.5 | 27.5 | 8.7 | 18.9 | 27.8 | 26.1 | 23.2 | **6,437.5** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,867.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 169.5 | 218.8 | 226.4 | 186.8 | 183.6 | 195.7 | **22,220.0** |

# Manitoba Production
## 1950 To 1975

Licence ***829*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-18-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.6 | 14.9 | 15.4 | 11.4 | 11.6 | 12.2 | **6,190.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 18.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,692.0** |
| H2O | 1966 | 206.7 | 175.0 | 190.3 | 179.2 | 182.0 | 128.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **21,039.2** |
| OIL | 1966 | 19.7 | 16.4 | 19.2 | 16.2 | 18.3 | 13.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,114.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **3,523.0** |
| H2O | 1965 | 206.0 | 182.8 | 194.3 | 180.8 | 163.9 | 126.5 | 113.7 | 105.2 | 92.2 | 88.2 | 81.4 | 160.9 | **19,977.2** |
| OIL | 1965 | 20.7 | 18.8 | 17.8 | 19.1 | 18.4 | 16.4 | 17.5 | 16.2 | 16.2 | 15.7 | 15.3 | 7.0 | **6,011.8** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | 17.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,161.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 3.5 | 21.0 | 30.2 | 23.2 | 67.9 | 280.0 | 253.6 | 221.6 | 211.9 | **18,281.3** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 7.9 | 14.0 | 10.0 | 12.2 | 12.2 | 39.1 | 27.2 | 21.0 | 20.7 | **5,812.7** |
| DAY | 1963 | 0.0 | 0.0 | 10.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 21.0 | 0.0 | **2,900.0** |
| H2O | 1963 | 0.0 | 0.0 | 17.5 | 46.7 | 29.9 | 28.1 | 16.5 | 30.0 | 25.1 | 24.0 | 16.9 | 0.0 | **17,168.4** |
| OIL | 1963 | 0.0 | 0.0 | 7.3 | 16.2 | 14.1 | 14.0 | 15.4 | 12.7 | 13.2 | 13.2 | 8.7 | 0.0 | **5,648.4** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,655.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 40.1 | 63.3 | 59.5 | 55.3 | 42.3 | 46.3 | 47.1 | 44.7 | 16.7 | **16,933.7** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 22.6 | 22.1 | 19.2 | 17.6 | 19.4 | 17.2 | 17.5 | 15.3 | 5.1 | **5,533.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,380.0** |
| H2O | 1961 | 116.7 | 97.8 | 100.3 | 93.3 | 90.6 | 79.8 | 42.1 | 56.1 | 71.4 | 74.2 | 53.3 | 32.3 | **16,518.4** |
| OIL | 1961 | 29.6 | 27.2 | 27.7 | 26.5 | 28.1 | 26.5 | 25.9 | 27.2 | 25.1 | 24.9 | 20.8 | 10.3 | **5,377.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,015.0** |
| H2O | 1960 | 245.6 | 208.7 | 234.2 | 211.4 | 201.3 | 178.5 | 177.9 | 144.2 | 143.7 | 138.3 | 127.2 | 121.9 | **15,610.5** |
| OIL | 1960 | 45.8 | 40.4 | 44.5 | 43.5 | 37.8 | 44.5 | 40.5 | 37.8 | 32.6 | 34.2 | 28.9 | 29.4 | **5,077.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,649.0** |
| H2O | 1959 | 506.7 | 438.1 | 470.6 | 423.2 | 430.5 | 391.9 | 368.7 | 329.4 | 331.2 | 320.7 | 283.3 | 265.2 | **13,477.6** |
| OIL | 1959 | 78.2 | 72.5 | 74.4 | 68.0 | 65.6 | 59.0 | 60.7 | 55.0 | 59.0 | 58.0 | 43.2 | 42.9 | **4,617.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,286.0** |
| H2O | 1958 | 511.6 | 472.8 | 479.2 | 316.5 | 520.0 | 496.7 | 511.3 | 556.0 | 529.4 | 507.6 | 521.9 | 503.8 | **8,918.1** |
| OIL | 1958 | 101.5 | 90.7 | 88.0 | 92.0 | 97.3 | 88.0 | 89.0 | 96.6 | 91.2 | 86.4 | 87.7 | 85.7 | **3,881.4** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **921.0** |
| H2O | 1957 | 7.3 | 7.3 | 36.6 | 9.7 | 14.3 | 121.5 | 285.2 | 429.9 | 483.3 | 482.2 | 470.1 | 506.2 | **2,991.3** |
| OIL | 1957 | 59.8 | 39.3 | 53.1 | 43.7 | 42.3 | 81.2 | 143.3 | 124.4 | 124.6 | 101.9 | 107.6 | 107.9 | **2,787.3** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **559.0** |
| H2O | 1956 | 1.1 | 0.8 | 11.1 | 0.8 | 11.1 | 4.6 | 4.8 | 5.1 | 9.4 | 13.0 | 14.6 | 35.3 | **137.7** |
| OIL | 1956 | 103.9 | 84.4 | 77.2 | 65.2 | 63.9 | 55.0 | 52.1 | 49.9 | 60.7 | 55.8 | 62.8 | 53.1 | **1,758.2** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **193.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 2.2 | 0.8 | 5.6 | 5.4 | 6.0 | 5.7 | **26.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 73.3 | 222.2 | 170.7 | 138.6 | 136.3 | 120.1 | 113.0 | **974.2** |

Licence ***830*** Well Name ***B.A. Union Welch Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **882.0** |
| H2O | 1958 | 22.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,425.6** |
| OIL | 1958 | 5.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **989.5** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 24.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | **872.0** |
| H2O | 1957 | 79.0 | 71.5 | 77.4 | 66.9 | 79.0 | 74.6 | 60.1 | 73.5 | 72.7 | 74.9 | 73.9 | 76.6 | **1,402.8** |
| OIL | 1957 | 20.0 | 18.0 | 19.2 | 16.7 | 19.7 | 18.4 | 14.8 | 18.1 | 18.1 | 18.8 | 18.4 | 19.2 | **983.7** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 2.0 | 22.0 | 30.0 | 31.0 | 31.0 | 29.0 | 29.0 | 28.0 | 29.0 | **520.0** |
| H2O | 1956 | 32.0 | 38.0 | 19.1 | 1.7 | 14.9 | 40.2 | 46.3 | 24.8 | 24.8 | 27.8 | 56.6 | 72.2 | **522.7** |
| OIL | 1956 | 29.9 | 19.5 | 20.3 | 2.7 | 25.6 | 40.8 | 38.5 | 25.3 | 23.0 | 14.0 | 14.6 | 18.1 | **764.3** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **198.0** |

# Manitoba Production
## 1950 To 1975

Licence ***830*** Well Name ***B.A. Union Welch Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.4 | 5.6 | 17.2 | 42.8 | 31.5 | 13.8 | 7.0 | **124.3** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 76.0 | 115.1 | 94.4 | 76.1 | 58.0 | 42.4 | 30.0 | **492.0** |

Licence ***832*** Well Name ***M & C Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-15-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 10.0 | 31.0 | 17.0 | 27.0 | 22.0 | 0.0 | 14.0 | 0.0 | 0.0 | **894.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.5 | 60.4 | 122.4 | 0.0 | 78.1 | 0.0 | 0.0 | **5,684.2** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 14.1 | 13.5 | 9.2 | 28.3 | 14.0 | 0.0 | 5.7 | 0.0 | 0.0 | **1,719.0** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 3.0 | 29.0 | 30.0 | 29.0 | 31.0 | 30.0 | 19.0 | **773.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 44.5 | 33.4 | 442.9 | 283.2 | 138.2 | 151.8 | 166.9 | 105.7 | **5,413.8** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 7.5 | 3.5 | 49.7 | 31.9 | 28.4 | 39.3 | 17.8 | 8.3 | **1,634.2** |
| DAY | 1957 | 0.0 | 6.0 | 22.0 | 14.0 | 25.0 | 25.0 | 25.0 | 7.0 | 21.0 | 27.0 | 0.0 | 0.0 | **598.0** |
| H2O | 1957 | 0.0 | 76.3 | 171.7 | 84.7 | 259.8 | 345.6 | 486.7 | 178.1 | 315.4 | 407.0 | 0.0 | 0.0 | **4,047.2** |
| OIL | 1957 | 0.0 | 16.0 | 62.3 | 23.5 | 40.2 | 34.6 | 34.2 | 14.5 | 37.5 | 30.7 | 0.0 | 0.0 | **1,447.8** |
| DAY | 1956 | 28.0 | 29.0 | 31.0 | 16.0 | 17.0 | 26.0 | 31.0 | 31.0 | 12.0 | 24.0 | 0.0 | 0.0 | **426.0** |
| H2O | 1956 | 14.9 | 20.8 | 20.8 | 7.6 | 10.0 | 187.3 | 395.4 | 405.4 | 193.2 | 328.3 | 0.0 | 0.0 | **1,721.9** |
| OIL | 1956 | 67.7 | 76.1 | 56.9 | 28.1 | 41.2 | 55.8 | 59.4 | 51.3 | 6.5 | 57.4 | 0.0 | 0.0 | **1,154.3** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 25.0 | 25.0 | 29.0 | 30.0 | 30.0 | 22.0 | **181.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.8 | 33.2 | 23.2 | 18.4 | 18.4 | 17.2 | **138.2** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 118.7 | 121.4 | 93.6 | 91.7 | 83.9 | 76.0 | 68.6 | **653.9** |

Licence ***833*** Well Name ***Ka-Bert Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-15-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,965.0** |
| H2O | 1975 | 577.0 | 600.5 | 684.4 | 494.5 | 581.1 | 577.1 | 437.7 | 506.7 | 488.4 | 435.3 | 439.3 | 418.3 | **127,288.6** |
| OIL | 1975 | 22.3 | 17.6 | 21.8 | 14.5 | 23.5 | 18.9 | 14.5 | 20.0 | 12.9 | 14.0 | 11.3 | 12.9 | **10,886.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,601.0** |
| H2O | 1974 | 551.1 | 523.5 | 529.1 | 655.8 | 666.5 | 670.6 | 665.7 | 561.9 | 571.2 | 570.8 | 572.4 | 576.8 | **121,048.3** |
| OIL | 1974 | 17.2 | 13.8 | 21.8 | 17.8 | 27.7 | 19.7 | 16.4 | 22.6 | 21.1 | 20.4 | 23.4 | 19.2 | **10,682.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,236.0** |
| H2O | 1973 | 771.4 | 742.5 | 778.4 | 743.1 | 770.3 | 685.6 | 541.7 | 770.1 | 788.9 | 753.8 | 402.2 | 415.0 | **113,932.9** |
| OIL | 1973 | 24.6 | 18.0 | 21.1 | 23.7 | 22.6 | 18.8 | 17.8 | 21.3 | 21.8 | 23.8 | 16.7 | 24.2 | **10,441.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,871.0** |
| H2O | 1972 | 612.1 | 668.9 | 614.8 | 810.4 | 811.3 | 708.0 | 572.8 | 731.5 | 778.9 | 691.1 | 839.1 | 843.9 | **105,769.9** |
| OIL | 1972 | 24.6 | 22.1 | 21.0 | 26.9 | 25.3 | 25.1 | 17.0 | 24.5 | 22.6 | 24.5 | 22.9 | 27.3 | **10,186.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,505.0** |
| H2O | 1971 | 630.5 | 472.8 | 738.5 | 719.3 | 767.6 | 635.2 | 859.8 | 723.9 | 572.4 | 588.3 | 555.2 | 634.8 | **97,087.1** |
| OIL | 1971 | 23.1 | 19.9 | 26.1 | 31.8 | 27.0 | 19.9 | 29.4 | 25.4 | 27.2 | 21.0 | 19.1 | 17.5 | **9,902.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,140.0** |
| H2O | 1970 | 816.2 | 719.6 | 694.8 | 736.3 | 712.6 | 573.0 | 762.8 | 704.2 | 728.0 | 697.6 | 817.4 | 534.7 | **89,188.8** |
| OIL | 1970 | 30.2 | 27.3 | 25.6 | 27.7 | 25.0 | 32.0 | 26.4 | 25.4 | 26.4 | 29.9 | 25.4 | 31.8 | **9,615.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,775.0** |
| H2O | 1969 | 714.6 | 1065.2 | 587.0 | 716.7 | 750.1 | 768.9 | 603.4 | 763.0 | 702.7 | 711.0 | 776.7 | 845.5 | **80,691.6** |
| OIL | 1969 | 25.8 | 29.4 | 22.4 | 28.5 | 32.9 | 30.0 | 28.6 | 32.8 | 24.3 | 26.2 | 29.1 | 29.6 | **9,282.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,410.0** |
| H2O | 1968 | 607.0 | 705.0 | 896.7 | 817.0 | 731.8 | 820.9 | 837.4 | 865.5 | 741.2 | 759.2 | 679.8 | 790.3 | **71,686.8** |
| OIL | 1968 | 42.1 | 28.8 | 37.2 | 33.4 | 27.3 | 33.7 | 31.8 | 35.3 | 29.3 | 34.0 | 33.1 | 29.9 | **8,942.8** |
| DAY | 1967 | 23.0 | 0.0 | 0.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,044.0** |
| H2O | 1967 | 446.1 | 0.0 | 0.0 | 314.2 | 625.1 | 624.0 | 680.8 | 808.6 | 671.9 | 470.9 | 376.2 | 668.7 | **62,435.0** |

# Manitoba Production
## 1950 To 1975

Licence ***833*** Well Name ***Ka-Bert Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-15-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1967 | 24.5 | 0.0 | 0.0 | 22.7 | 36.9 | 37.8 | 39.7 | 35.1 | 12.7 | 21.8 | 17.0 | 34.3 | **8,546.9** |
| DAY | 1966 | 0.0 | 0.0 | 19.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,749.0** |
| H2O | 1966 | 0.0 | 0.0 | 330.7 | 402.9 | 560.9 | 574.9 | 574.7 | 632.9 | 548.3 | 622.4 | 582.5 | 582.4 | **56,748.5** |
| OIL | 1966 | 0.0 | 0.0 | 16.9 | 31.3 | 34.8 | 35.1 | 35.1 | 39.6 | 33.2 | 33.1 | 32.8 | 36.7 | **8,264.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,455.0** |
| H2O | 1965 | 430.2 | 379.2 | 437.4 | 383.5 | 411.3 | 398.6 | 615.6 | 448.0 | 534.8 | 467.4 | 463.8 | 554.4 | **51,335.9** |
| OIL | 1965 | 34.2 | 29.4 | 30.7 | 27.8 | 34.0 | 30.4 | 29.9 | 35.0 | 36.6 | 29.4 | 24.3 | 32.4 | **7,935.8** |
| DAY | 1964 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | 31.0 | 30.0 | 28.0 | 26.0 | 31.0 | **3,090.0** |
| H2O | 1964 | 493.2 | 598.7 | 529.4 | 490.2 | 550.9 | 447.9 | 559.3 | 551.2 | 522.3 | 422.3 | 397.2 | 529.4 | **45,811.7** |
| OIL | 1964 | 39.7 | 49.3 | 40.5 | 45.6 | 38.5 | 34.7 | 35.8 | 39.1 | 45.0 | 35.3 | 28.0 | 38.0 | **7,561.7** |
| DAY | 1963 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,737.0** |
| H2O | 1963 | 561.7 | 534.0 | 563.1 | 549.0 | 514.3 | 442.8 | 515.9 | 526.6 | 475.4 | 595.1 | 511.8 | 598.7 | **39,719.7** |
| OIL | 1963 | 52.6 | 46.4 | 50.2 | 46.6 | 44.4 | 34.8 | 42.4 | 38.2 | 43.6 | 49.6 | 65.2 | 45.6 | **7,092.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,375.0** |
| H2O | 1962 | 584.6 | 538.6 | 601.8 | 578.1 | 594.1 | 567.3 | 592.4 | 516.6 | 511.9 | 529.9 | 465.5 | 598.3 | **33,331.3** |
| OIL | 1962 | 49.1 | 45.2 | 50.9 | 49.0 | 50.2 | 51.0 | 52.6 | 53.6 | 55.5 | 45.0 | 44.0 | 51.7 | **6,532.6** |
| DAY | 1961 | 31.0 | 28.0 | 30.0 | 18.0 | 17.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,013.0** |
| H2O | 1961 | 425.8 | 292.1 | 299.1 | 240.6 | 292.4 | 481.2 | 578.8 | 509.3 | 495.9 | 532.6 | 511.0 | 572.2 | **26,652.2** |
| OIL | 1961 | 39.4 | 25.9 | 27.2 | 34.2 | 27.0 | 52.5 | 52.6 | 54.4 | 47.7 | 49.3 | 45.3 | 47.9 | **5,934.8** |
| DAY | 1960 | 30.0 | 21.0 | 9.0 | 30.0 | 3.0 | 0.0 | 17.0 | 21.0 | 16.0 | 26.0 | 25.0 | 26.0 | **1,678.0** |
| H2O | 1960 | 588.2 | 542.0 | 158.9 | 244.7 | 119.1 | 0.0 | 385.8 | 259.4 | 11.3 | 417.4 | 326.6 | 355.2 | **21,421.2** |
| OIL | 1960 | 54.9 | 50.8 | 15.6 | 32.5 | 9.8 | 0.0 | 34.1 | 46.0 | 22.9 | 43.4 | 27.8 | 32.1 | **5,431.4** |
| DAY | 1959 | 22.0 | 0.0 | 24.0 | 30.0 | 24.0 | 30.0 | 31.0 | 22.0 | 30.0 | 31.0 | 9.0 | 31.0 | **1,454.0** |
| H2O | 1959 | 161.6 | 0.0 | 378.6 | 569.1 | 312.5 | 597.2 | 572.3 | 448.4 | 578.6 | 437.6 | 154.4 | 540.0 | **18,012.6** |
| OIL | 1959 | 55.1 | 0.0 | 63.0 | 65.6 | 53.8 | 75.4 | 67.8 | 51.1 | 67.8 | 70.0 | 13.4 | 57.3 | **5,061.5** |
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 23.0 | 24.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,170.0** |
| H2O | 1958 | 420.7 | 472.9 | 490.7 | 369.9 | 396.9 | 525.2 | 426.6 | 428.2 | 382.4 | 573.5 | 408.3 | 381.8 | **13,262.3** |
| OIL | 1958 | 77.5 | 73.8 | 80.5 | 60.3 | 51.1 | 58.6 | 67.0 | 74.8 | 74.5 | 81.3 | 78.8 | 75.3 | **4,421.2** |
| DAY | 1957 | 31.0 | 28.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 29.0 | 29.0 | 29.0 | **821.0** |
| H2O | 1957 | 314.2 | 249.7 | 196.7 | 249.5 | 298.0 | 359.8 | 348.1 | 330.1 | 328.7 | 333.0 | 361.6 | 367.2 | **7,985.2** |
| OIL | 1957 | 130.9 | 122.6 | 101.5 | 92.6 | 91.0 | 103.2 | 121.7 | 115.2 | 88.8 | 85.0 | 85.4 | 81.0 | **3,567.7** |
| DAY | 1956 | 27.0 | 26.0 | 28.0 | 5.0 | 15.0 | 29.0 | 30.0 | 30.0 | 30.0 | 29.0 | 23.0 | 30.0 | **466.0** |
| H2O | 1956 | 145.1 | 231.4 | 393.9 | 46.0 | 151.7 | 300.4 | 322.5 | 163.5 | 348.6 | 343.6 | 247.0 | 314.9 | **4,248.6** |
| OIL | 1956 | 161.1 | 132.2 | 133.8 | 21.8 | 85.4 | 130.3 | 142.2 | 143.6 | 138.2 | 132.2 | 103.2 | 135.2 | **2,348.8** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 27.0 | 30.0 | 27.0 | 30.0 | 28.0 | **164.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 65.7 | 246.3 | 321.7 | 158.7 | 234.2 | 213.4 | **1,240.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.8 | 71.3 | 119.9 | 168.1 | 170.3 | 184.0 | 167.2 | **889.6** |

Licence ***834*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 2645.4 | 2526.7 | 3106.0 | 2982.8 | 2789.8 | 2655.9 | 1928.9 | 2280.3 | 2119.4 | 2365.0 | 2039.1 | 2193.0 | **283,465.4** |
| WIN | 1974 | 1367.9 | 1562.8 | 1687.4 | 1465.5 | 1535.7 | 1673.1 | 1676.0 | 1798.9 | 1500.3 | 1694.4 | 2906.9 | 2979.0 | **253,833.1** |
| WIN | 1973 | 1923.7 | 1668.3 | 1865.8 | 1804.1 | 1897.3 | 1853.2 | 1904.1 | 1843.9 | 1522.9 | 2235.9 | 1565.3 | 1641.8 | **231,985.2** |
| WIN | 1972 | 2112.5 | 1879.0 | 1877.4 | 1732.6 | 1719.7 | 1802.5 | 1941.9 | 1734.2 | 1987.2 | 2003.5 | 1835.6 | 1946.2 | **210,258.9** |
| WIN | 1971 | 1653.7 | 1459.9 | 1748.6 | 1500.8 | 1623.0 | 1179.8 | 1247.0 | 1119.5 | 1192.3 | 1665.3 | 1093.6 | 2136.9 | **187,686.6** |
| WIN | 1970 | 2586.6 | 2170.4 | 2208.6 | 1917.0 | 2174.8 | 1927.0 | 1895.0 | 1979.0 | 1847.8 | 1815.4 | 1539.9 | 1514.6 | **170,066.2** |
| WIN | 1969 | 1794.4 | 1590.6 | 1857.8 | 2093.9 | 2462.9 | 2086.8 | 2289.8 | 2637.6 | 2554.3 | 2576.1 | 2530.5 | 2546.4 | **146,490.1** |
| WIN | 1968 | 1827.5 | 1632.2 | 1691.5 | 1603.0 | 1752.6 | 2198.1 | 2239.2 | 2239.2 | 2134.1 | 1997.7 | 1616.0 | 1723.7 | **119,469.0** |
| WIN | 1967 | 2024.1 | 1599.0 | 1888.4 | 1861.5 | 2014.6 | 1852.9 | 951.2 | 2058.3 | 1843.5 | 2090.9 | 1888.5 | 2069.3 | **96,814.2** |
| WIN | 1966 | 1314.1 | 1245.0 | 1754.8 | 1999.0 | 1999.0 | 1792.2 | 2025.9 | 2063.7 | 2077.4 | 2116.5 | 2046.2 | 2082.3 | **74,672.0** |

# Manitoba Production
## 1950 To 1975

Licence ***834*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1965 | 1579.0 | 1377.9 | 1632.1 | 1556.6 | 1956.9 | 1899.3 | 1750.7 | 1784.7 | 1657.7 | 1711.6 | 1547.7 | 1106.8 | **52,155.9** |
| WIN | 1964 | 1307.5 | 1306.3 | 1437.0 | 1335.1 | 843.5 | 1510.3 | 1371.5 | 1271.2 | 1224.8 | 1493.6 | 1413.2 | 1031.8 | **32,594.9** |
| WIN | 1963 | 1773.9 | 960.7 | 757.9 | 853.9 | 2012.4 | 2086.1 | 1920.0 | 1274.9 | 1305.1 | 1234.8 | 998.4 | 1304.7 | **17,049.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 16.0 | **2,692.0** |
| H2O | 1962 | 2.8 | 2.0 | 2.8 | 1.3 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **423.7** |
| OIL | 1962 | 74.2 | 58.2 | 63.6 | 81.4 | 80.9 | 81.2 | 81.8 | 82.5 | 71.5 | 71.7 | 62.9 | 35.6 | **10,917.4** |
| WIN | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 566.3 | **566.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,343.0** |
| H2O | 1961 | 1.4 | 1.1 | 1.3 | 1.1 | 1.1 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.7 | **413.5** |
| OIL | 1961 | 106.9 | 83.0 | 92.8 | 92.3 | 96.8 | 89.9 | 84.2 | 84.5 | 80.4 | 77.1 | 79.8 | 76.0 | **10,071.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,978.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 1.3 | 1.3 | 1.1 | 1.0 | 1.1 | **403.7** |
| OIL | 1960 | 137.9 | 124.3 | 106.3 | 104.6 | 106.5 | 104.1 | 102.0 | 102.0 | 93.8 | 98.2 | 97.9 | 98.4 | **9,028.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 25.0 | 23.0 | 21.0 | **1,612.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.6 | 6.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **396.6** |
| OIL | 1959 | 72.0 | 66.1 | 73.6 | 67.4 | 76.4 | 95.8 | 99.5 | 70.4 | 69.0 | 67.7 | 60.4 | 88.2 | **7,752.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,270.0** |
| H2O | 1958 | 0.0 | 0.2 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.0 | **382.2** |
| OIL | 1958 | 106.3 | 94.1 | 96.0 | 99.8 | 103.8 | 93.1 | 97.9 | 98.0 | 84.5 | 87.7 | 72.9 | 74.4 | **6,845.7** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **907.0** |
| H2O | 1957 | 12.4 | 9.1 | 12.7 | 8.9 | 10.5 | 10.5 | 25.6 | 23.2 | 15.3 | 0.3 | 0.2 | 0.2 | **378.5** |
| OIL | 1957 | 139.2 | 128.4 | 143.3 | 113.9 | 110.9 | 109.5 | 106.2 | 103.6 | 100.0 | 108.2 | 102.3 | 83.9 | **5,737.2** |
| DAY | 1956 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **543.0** |
| H2O | 1956 | 8.4 | 6.2 | 7.6 | 28.5 | 21.3 | 21.0 | 36.9 | 28.8 | 15.4 | 3.5 | 11.1 | 13.2 | **249.6** |
| OIL | 1956 | 279.8 | 277.1 | 248.4 | 179.6 | 192.4 | 183.1 | 187.0 | 187.2 | 179.6 | 139.0 | 124.3 | 139.2 | **4,387.8** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 28.0 | 31.0 | 29.0 | 29.0 | 29.0 | 30.0 | **182.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.5 | 5.9 | 7.0 | 10.2 | 7.6 | 0.5 | **47.7** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 83.7 | 315.4 | 341.0 | 329.4 | 344.8 | 339.0 | 317.8 | **2,071.1** |

Licence ***835*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,363.0** |
| H2O | 1975 | 513.3 | 475.8 | 509.1 | 514.3 | 533.1 | 527.8 | 533.9 | 537.0 | 528.8 | 567.9 | 569.5 | 579.8 | **56,338.8** |
| OIL | 1975 | 417.5 | 374.1 | 394.1 | 389.6 | 396.8 | 294.0 | 305.1 | 312.9 | 303.4 | 314.0 | 303.7 | 308.4 | **78,274.5** |
| DAY | 1974 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,999.0** |
| H2O | 1974 | 311.9 | 273.1 | 314.9 | 314.6 | 300.2 | 289.3 | 314.8 | 511.8 | 504.4 | 519.7 | 514.3 | 514.3 | **49,948.5** |
| OIL | 1974 | 442.7 | 364.1 | 429.5 | 420.3 | 606.9 | 563.0 | 626.4 | 403.6 | 387.6 | 400.5 | 410.8 | 423.8 | **74,160.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,638.0** |
| H2O | 1973 | 445.3 | 427.4 | 405.7 | 405.1 | 410.2 | 394.5 | 396.2 | 350.6 | 344.2 | 347.4 | 322.7 | 312.8 | **45,265.2** |
| OIL | 1973 | 475.0 | 418.7 | 479.0 | 467.8 | 488.2 | 473.2 | 490.7 | 464.2 | 441.8 | 450.8 | 424.8 | 430.8 | **68,681.7** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,273.0** |
| H2O | 1972 | 765.9 | 750.5 | 823.6 | 733.4 | 720.3 | 716.8 | 497.3 | 471.2 | 381.7 | 415.1 | 446.6 | 452.9 | **40,703.1** |
| OIL | 1972 | 283.7 | 266.0 | 289.5 | 276.5 | 389.3 | 375.5 | 386.8 | 395.5 | 440.2 | 463.7 | 461.8 | 480.5 | **63,176.7** |
| DAY | 1971 | 30.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,907.0** |
| H2O | 1971 | 378.7 | 358.7 | 417.7 | 405.1 | 417.7 | 404.0 | 626.6 | 604.3 | 541.0 | 592.1 | 581.9 | 819.6 | **33,527.8** |
| OIL | 1971 | 318.3 | 294.0 | 329.3 | 302.1 | 317.8 | 300.2 | 367.7 | 360.9 | 356.0 | 361.7 | 348.5 | 290.3 | **58,667.7** |
| DAY | 1970 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,544.0** |
| H2O | 1970 | 446.9 | 399.4 | 439.0 | 405.4 | 417.3 | 423.4 | 384.8 | 432.8 | 410.3 | 425.9 | 388.7 | 432.1 | **27,380.4** |
| OIL | 1970 | 325.9 | 279.8 | 320.8 | 309.4 | 319.3 | 312.6 | 319.3 | 313.2 | 304.6 | 321.3 | 308.3 | 323.4 | **54,720.9** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | **5,180.0** |

# Manitoba Production
## 1950 To 1975

Licence ***835*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1969 | 472.6 | 421.5 | 382.5 | 411.0 | 452.1 | 415.3 | 459.9 | 462.6 | 421.3 | 442.8 | 422.7 | 446.3 | **22,374.4** |
| OIL | 1969 | 290.2 | 251.7 | 269.0 | 275.9 | 283.3 | 266.8 | 332.1 | 330.1 | 310.7 | 314.5 | 322.1 | 324.8 | **50,963.0** |
| DAY | 1968 | 31.0 | 27.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,820.0** |
| H2O | 1968 | 184.3 | 395.9 | 456.6 | 423.9 | 472.3 | 433.7 | 450.4 | 428.0 | 346.9 | 343.0 | 424.2 | 450.6 | **17,163.8** |
| OIL | 1968 | 205.0 | 342.1 | 397.9 | 330.9 | 353.1 | 348.2 | 344.0 | 357.5 | 251.6 | 257.6 | 281.4 | 289.9 | **47,391.8** |
| DAY | 1967 | 31.0 | 28.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,459.0** |
| H2O | 1967 | 247.4 | 204.3 | 325.8 | 331.3 | 318.4 | 312.4 | 211.1 | 281.9 | 241.6 | 256.0 | 234.7 | 185.2 | **12,354.0** |
| OIL | 1967 | 278.1 | 247.1 | 293.2 | 309.4 | 305.7 | 305.6 | 256.2 | 253.8 | 239.0 | 247.4 | 251.7 | 198.5 | **43,632.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **4,098.0** |
| H2O | 1966 | 142.8 | 114.3 | 141.7 | 145.3 | 163.7 | 135.1 | 133.2 | 112.7 | 151.0 | 155.3 | 154.4 | 135.0 | **9,203.9** |
| OIL | 1966 | 205.9 | 181.3 | 194.0 | 189.7 | 198.5 | 176.5 | 182.6 | 145.9 | 171.8 | 178.0 | 174.3 | 148.9 | **40,446.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,737.0** |
| H2O | 1965 | 170.1 | 145.6 | 168.5 | 155.5 | 158.3 | 160.3 | 160.9 | 161.5 | 144.7 | 143.4 | 147.1 | 149.6 | **7,519.4** |
| OIL | 1965 | 210.4 | 188.8 | 207.4 | 203.2 | 205.0 | 205.2 | 213.9 | 212.0 | 205.3 | 213.6 | 202.8 | 208.3 | **38,299.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,372.0** |
| H2O | 1964 | 134.8 | 159.3 | 177.3 | 171.1 | 181.2 | 175.0 | 172.3 | 175.0 | 168.0 | 167.7 | 173.9 | 169.5 | **5,653.9** |
| OIL | 1964 | 260.0 | 259.8 | 280.8 | 269.7 | 277.9 | 228.4 | 236.8 | 238.7 | 231.1 | 235.3 | 230.7 | 208.5 | **35,823.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,006.0** |
| H2O | 1963 | 129.7 | 124.6 | 151.7 | 154.8 | 144.7 | 137.2 | 189.5 | 159.0 | 121.8 | 144.4 | 130.2 | 133.1 | **3,628.8** |
| OIL | 1963 | 277.1 | 272.1 | 329.9 | 318.8 | 326.6 | 326.7 | 295.9 | 278.1 | 258.9 | 269.2 | 243.8 | 249.5 | **32,865.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,644.0** |
| H2O | 1962 | 57.4 | 61.5 | 70.9 | 83.9 | 104.9 | 112.9 | 109.4 | 111.9 | 119.7 | 113.5 | 114.3 | 126.1 | **1,908.1** |
| OIL | 1962 | 301.6 | 269.5 | 297.2 | 284.1 | 282.1 | 273.0 | 274.9 | 282.4 | 273.2 | 270.3 | 269.4 | 272.1 | **29,419.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,279.0** |
| H2O | 1961 | 26.4 | 24.8 | 24.2 | 23.5 | 37.4 | 39.4 | 30.4 | 40.7 | 47.1 | 58.0 | 61.8 | 66.9 | **721.7** |
| OIL | 1961 | 342.6 | 307.6 | 328.3 | 298.4 | 263.8 | 315.0 | 320.4 | 310.7 | 289.5 | 308.1 | 297.2 | 303.0 | **26,069.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,918.0** |
| H2O | 1960 | 1.6 | 1.6 | 2.5 | 14.3 | 14.3 | 14.5 | 19.4 | 13.5 | 22.3 | 22.9 | 28.3 | 25.3 | **241.1** |
| OIL | 1960 | 340.7 | 315.9 | 333.2 | 346.1 | 363.6 | 349.3 | 336.4 | 276.8 | 352.8 | 357.4 | 329.7 | 347.7 | **22,384.9** |
| DAY | 1959 | 29.0 | 28.0 | 27.0 | 26.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 28.0 | **1,559.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.7 | 1.7 | 1.1 | 1.1 | 1.0 | **60.6** |
| OIL | 1959 | 342.3 | 328.8 | 318.3 | 302.4 | 380.7 | 318.8 | 326.9 | 350.2 | 355.0 | 348.3 | 343.7 | 315.6 | **18,335.3** |
| DAY | 1958 | 31.0 | 25.0 | 31.0 | 24.0 | 26.0 | 26.0 | 30.0 | 27.0 | 30.0 | 26.0 | 26.0 | 30.0 | **1,210.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **53.0** |
| OIL | 1958 | 360.2 | 312.1 | 398.7 | 296.4 | 314.8 | 317.8 | 344.0 | 348.8 | 368.4 | 315.8 | 317.8 | 357.2 | **14,304.3** |
| DAY | 1957 | 23.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 26.0 | 25.0 | 29.0 | **878.0** |
| H2O | 1957 | 1.1 | 1.9 | 0.5 | 0.8 | 1.3 | 1.0 | 0.5 | 1.0 | 1.0 | 0.6 | 0.6 | 0.8 | **52.2** |
| OIL | 1957 | 272.2 | 324.8 | 315.9 | 317.5 | 365.5 | 320.0 | 363.3 | 370.3 | 397.3 | 333.1 | 299.5 | 335.9 | **10,252.3** |
| DAY | 1956 | 31.0 | 26.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 27.0 | 29.0 | 30.0 | 31.0 | **534.0** |
| H2O | 1956 | 3.8 | 2.9 | 2.9 | 3.3 | 2.4 | 1.9 | 0.5 | 0.5 | 0.6 | 2.5 | 2.4 | 2.4 | **41.1** |
| OIL | 1956 | 362.8 | 272.4 | 323.9 | 365.0 | 380.6 | 356.4 | 359.5 | 423.2 | 283.3 | 342.5 | 348.6 | 364.2 | **6,237.0** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 28.0 | 31.0 | 30.0 | 27.0 | 27.0 | 30.0 | **178.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.5 | 0.6 | 3.3 | 3.3 | 3.8 | 3.3 | **15.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 110.8 | 313.2 | 348.5 | 359.8 | 309.9 | 288.4 | 324.0 | **2,054.6** |

Licence ***836*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,131.0** |
| H2O | 1975 | 225.1 | 208.6 | 232.4 | 225.3 | 233.5 | 217.0 | 224.0 | 220.7 | 217.3 | 233.5 | 234.2 | 238.3 | **31,749.4** |
| OIL | 1975 | 146.7 | 131.4 | 144.3 | 136.8 | 139.4 | 131.7 | 139.5 | 140.2 | 135.9 | 140.5 | 136.0 | 138.1 | **43,447.9** |

# Manitoba Production
## 1950 To 1975

Licence ***836*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,766.0** |
| H2O | 1974 | 214.0 | 198.4 | 221.8 | 215.3 | 223.5 | 224.6 | 227.0 | 218.3 | 215.1 | 225.9 | 225.4 | 225.3 | **29,039.5** |
| OIL | 1974 | 160.8 | 140.2 | 160.3 | 152.6 | 158.9 | 153.7 | 143.3 | 149.5 | 143.7 | 151.3 | 144.3 | 148.9 | **41,787.4** |
| DAY | 1973 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,402.0** |
| H2O | 1973 | 179.5 | 179.3 | 192.4 | 191.9 | 231.0 | 217.2 | 223.2 | 240.4 | 235.9 | 238.2 | 221.3 | 214.6 | **26,404.9** |
| OIL | 1973 | 232.0 | 213.1 | 234.9 | 229.5 | 156.8 | 148.7 | 157.6 | 168.6 | 160.5 | 163.7 | 154.1 | 156.4 | **39,979.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,038.0** |
| H2O | 1972 | 227.0 | 146.1 | 160.3 | 142.6 | 157.7 | 156.9 | 183.8 | 174.1 | 173.9 | 189.2 | 187.4 | 190.6 | **23,840.0** |
| OIL | 1972 | 163.8 | 213.6 | 232.6 | 222.0 | 234.4 | 226.1 | 241.4 | 246.9 | 234.9 | 247.6 | 235.0 | 245.2 | **37,804.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,672.0** |
| H2O | 1971 | 201.6 | 182.8 | 210.3 | 211.1 | 211.4 | 200.8 | 221.6 | 213.7 | 191.3 | 213.8 | 205.7 | 236.2 | **21,750.4** |
| OIL | 1971 | 144.0 | 127.4 | 141.0 | 133.8 | 136.8 | 126.8 | 171.9 | 168.8 | 166.5 | 172.7 | 163.0 | 163.0 | **35,060.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,307.0** |
| H2O | 1970 | 198.1 | 185.8 | 194.6 | 179.6 | 185.1 | 281.9 | 260.4 | 293.6 | 273.3 | 283.6 | 189.3 | 217.6 | **19,250.1** |
| OIL | 1970 | 307.0 | 276.8 | 302.1 | 291.4 | 300.7 | 129.5 | 134.6 | 132.2 | 126.3 | 133.2 | 127.6 | 138.6 | **33,244.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,943.0** |
| H2O | 1969 | 205.6 | 186.5 | 175.0 | 178.7 | 196.7 | 188.1 | 204.0 | 205.1 | 193.3 | 209.9 | 187.3 | 205.6 | **16,507.2** |
| OIL | 1969 | 314.0 | 277.5 | 306.5 | 298.6 | 306.5 | 301.0 | 312.7 | 310.8 | 302.7 | 316.7 | 303.5 | 317.8 | **30,844.8** |
| DAY | 1968 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,578.0** |
| H2O | 1968 | 118.3 | 114.1 | 118.8 | 126.9 | 133.1 | 182.2 | 196.5 | 179.6 | 188.4 | 199.7 | 184.3 | 196.2 | **14,171.4** |
| OIL | 1968 | 315.0 | 293.7 | 308.0 | 318.6 | 319.4 | 291.8 | 300.8 | 300.7 | 303.0 | 318.0 | 304.6 | 314.3 | **27,176.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **4,214.0** |
| H2O | 1967 | 138.0 | 114.0 | 137.2 | 127.7 | 128.0 | 132.9 | 104.6 | 139.7 | 122.4 | 132.3 | 112.1 | 122.6 | **12,233.3** |
| OIL | 1967 | 267.6 | 237.7 | 266.8 | 257.8 | 265.4 | 314.6 | 326.6 | 323.5 | 311.8 | 329.3 | 309.1 | 313.7 | **23,488.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 29.0 | **3,851.0** |
| H2O | 1966 | 134.5 | 107.8 | 137.0 | 140.5 | 156.9 | 139.7 | 138.0 | 135.8 | 132.4 | 122.3 | 135.3 | 127.5 | **10,721.8** |
| OIL | 1966 | 335.8 | 295.7 | 327.4 | 320.2 | 331.8 | 322.0 | 333.4 | 329.7 | 252.2 | 234.4 | 256.2 | 235.5 | **19,964.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,491.0** |
| H2O | 1965 | 354.8 | 315.4 | 359.9 | 314.5 | 320.2 | 305.6 | 299.4 | 308.1 | 311.1 | 308.4 | 316.2 | 321.9 | **9,114.1** |
| OIL | 1965 | 448.6 | 408.9 | 442.2 | 426.2 | 430.2 | 430.3 | 437.6 | 444.3 | 420.8 | 437.6 | 415.9 | 427.0 | **16,390.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,126.0** |
| H2O | 1964 | 143.6 | 129.6 | 144.2 | 139.1 | 147.4 | 143.4 | 140.7 | 143.6 | 322.4 | 322.4 | 333.9 | 353.4 | **5,278.6** |
| OIL | 1964 | 241.4 | 228.5 | 246.6 | 237.1 | 244.1 | 324.7 | 334.7 | 339.4 | 415.5 | 423.0 | 414.9 | 444.6 | **11,220.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,760.0** |
| H2O | 1963 | 56.9 | 52.0 | 67.9 | 60.7 | 52.5 | 60.9 | 58.0 | 85.8 | 81.1 | 121.1 | 138.9 | 142.0 | **2,814.9** |
| OIL | 1963 | 73.7 | 70.2 | 81.2 | 79.9 | 83.3 | 82.6 | 85.0 | 113.0 | 106.9 | 216.4 | 226.4 | 231.8 | **7,326.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **2,395.0** |
| H2O | 1962 | 0.0 | 0.0 | 9.2 | 8.7 | 22.3 | 20.8 | 33.7 | 52.6 | 58.7 | 56.9 | 54.7 | 59.9 | **1,837.1** |
| OIL | 1962 | 66.6 | 62.3 | 68.0 | 65.0 | 68.0 | 66.3 | 69.1 | 78.2 | 74.7 | 72.3 | 68.6 | 75.3 | **5,875.9** |
| DAY | 1961 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,032.0** |
| H2O | 1961 | 88.9 | 66.6 | 44.2 | 18.0 | 18.3 | 46.9 | 51.2 | 112.6 | 110.0 | 116.1 | 14.0 | 13.5 | **1,459.6** |
| OIL | 1961 | 123.3 | 109.6 | 77.2 | 87.9 | 91.8 | 121.1 | 125.9 | 81.2 | 77.1 | 81.7 | 75.2 | 77.9 | **5,041.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 22.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,670.0** |
| H2O | 1960 | 1.4 | 0.0 | 0.0 | 0.0 | 0.0 | 81.6 | 114.3 | 114.8 | 115.4 | 63.3 | 48.0 | 55.3 | **759.3** |
| OIL | 1960 | 37.7 | 30.8 | 33.5 | 37.7 | 37.0 | 215.8 | 299.2 | 287.8 | 270.1 | 154.5 | 95.7 | 96.1 | **3,911.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,314.0** |
| H2O | 1959 | 16.7 | 10.8 | 11.0 | 11.8 | 13.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 1.4 | **165.2** |
| OIL | 1959 | 47.4 | 43.4 | 48.1 | 44.2 | 50.1 | 36.9 | 38.3 | 36.9 | 31.8 | 34.3 | 35.4 | 35.9 | **2,315.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **949.0** |
| H2O | 1958 | 6.8 | 11.9 | 12.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 16.2 | **98.8** |
| OIL | 1958 | 49.7 | 51.2 | 56.6 | 54.3 | 35.3 | 42.1 | 45.0 | 43.9 | 42.7 | 48.0 | 46.6 | 48.6 | **1,833.0** |
| DAY | 1957 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **585.0** |

# Manitoba Production
## 1950 To 1975

Licence ***836*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1957 | 0.3 | 0.3 | 6.2 | 4.6 | 0.2 | 0.2 | 0.2 | 6.4 | 4.3 | 8.4 | 6.2 | 5.9 | **50.9** |
| OIL | 1957 | 84.9 | 78.2 | 71.0 | 71.2 | 67.1 | 62.3 | 57.0 | 45.4 | 43.9 | 69.9 | 68.5 | 69.3 | **1,269.0** |
| DAY | 1956 | 0.0 | 1.0 | 27.0 | 30.0 | 29.0 | 25.0 | 6.0 | 7.0 | 1.0 | 22.0 | 28.0 | 31.0 | **226.0** |
| H2O | 1956 | 0.0 | 0.3 | 1.7 | 4.3 | 0.2 | 0.0 | 0.0 | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | **7.7** |
| OIL | 1956 | 0.0 | 3.2 | 26.9 | 33.8 | 4.4 | 2.9 | 0.5 | 0.5 | 0.2 | 74.4 | 97.7 | 106.3 | **480.3** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 0.0 | 0.0 | 0.0 | 0.0 | **19.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 129.5 | 0.0 | 0.0 | 0.0 | 0.0 | **129.5** |

Licence ***837*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.09-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,455.0** |
| OIL | 1975 | 80.2 | 68.2 | 79.3 | 75.0 | 79.5 | 73.4 | 73.7 | 66.1 | 70.6 | 73.3 | 68.8 | 75.5 | **20,746.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,093.0** |
| OIL | 1974 | 78.2 | 70.2 | 81.2 | 79.0 | 73.4 | 73.6 | 74.7 | 69.8 | 70.1 | 76.6 | 71.8 | 84.4 | **19,862.4** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,729.0** |
| OIL | 1973 | 78.7 | 70.6 | 77.2 | 81.0 | 69.9 | 76.8 | 78.7 | 78.3 | 68.6 | 71.8 | 76.6 | 80.6 | **18,959.4** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,365.0** |
| OIL | 1972 | 77.5 | 73.6 | 75.0 | 72.1 | 76.1 | 73.7 | 73.9 | 70.1 | 76.6 | 75.5 | 74.2 | 73.3 | **18,050.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,999.0** |
| OIL | 1971 | 75.6 | 71.2 | 78.0 | 71.8 | 69.6 | 73.1 | 82.6 | 79.3 | 79.0 | 77.5 | 76.9 | 79.9 | **17,159.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,635.0** |
| H2O | 1970 | 7.6 | 8.6 | 9.1 | 9.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **595.0** |
| OIL | 1970 | 78.5 | 73.9 | 59.4 | 47.0 | 73.4 | 74.7 | 79.9 | 83.4 | 75.3 | 79.8 | 78.2 | 79.8 | **16,244.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,270.0** |
| H2O | 1969 | 4.9 | 8.9 | 5.7 | 5.7 | 5.4 | 5.1 | 5.6 | 6.5 | 5.1 | 0.0 | 0.0 | 6.4 | **560.0** |
| OIL | 1969 | 80.6 | 72.5 | 83.9 | 72.6 | 83.3 | 81.5 | 67.7 | 86.4 | 79.5 | 75.8 | 80.7 | 78.8 | **15,361.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,911.0** |
| H2O | 1968 | 0.0 | 0.0 | 1.9 | 1.9 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.1 | **500.7** |
| OIL | 1968 | 66.9 | 64.0 | 76.8 | 73.4 | 75.3 | 73.1 | 75.6 | 73.9 | 73.7 | 74.7 | 70.2 | 81.4 | **14,417.9** |
| DAY | 1967 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,545.0** |
| H2O | 1967 | 3.3 | 2.9 | 6.7 | 0.0 | 6.0 | 2.5 | 2.5 | 0.0 | 0.0 | 3.5 | 7.0 | 8.7 | **490.1** |
| OIL | 1967 | 72.8 | 67.5 | 81.5 | 85.5 | 82.2 | 76.4 | 72.0 | 82.2 | 84.2 | 77.9 | 82.6 | 81.7 | **13,538.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,182.0** |
| H2O | 1966 | 0.0 | 5.2 | 9.9 | 4.0 | 0.0 | 8.9 | 4.0 | 0.0 | 3.8 | 6.8 | 4.9 | 5.6 | **447.0** |
| OIL | 1966 | 77.7 | 73.6 | 78.8 | 93.6 | 76.9 | 75.8 | 99.3 | 83.6 | 82.2 | 84.9 | 81.4 | 85.3 | **12,592.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,817.0** |
| H2O | 1965 | 0.0 | 0.0 | 5.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **393.9** |
| OIL | 1965 | 76.0 | 67.1 | 80.2 | 78.5 | 84.2 | 78.3 | 78.5 | 80.1 | 80.7 | 83.0 | 83.4 | 82.0 | **11,599.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,452.0** |
| H2O | 1964 | 2.9 | 0.0 | 3.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **388.2** |
| OIL | 1964 | 80.2 | 90.3 | 87.7 | 85.3 | 78.3 | 76.6 | 80.7 | 88.2 | 83.1 | 79.9 | 77.9 | 80.1 | **10,647.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,086.0** |
| H2O | 1963 | 0.0 | 0.0 | 3.5 | 7.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.4 | 2.7 | **381.8** |
| OIL | 1963 | 79.6 | 85.5 | 94.9 | 86.9 | 87.1 | 80.2 | 91.2 | 91.7 | 83.6 | 86.4 | 73.4 | 79.9 | **9,659.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,722.0** |
| H2O | 1962 | 3.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.7 | 0.0 | **365.4** |
| OIL | 1962 | 95.7 | 83.7 | 91.8 | 84.2 | 94.6 | 85.3 | 88.4 | 85.0 | 84.9 | 89.6 | 80.7 | 85.8 | **8,638.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,358.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 3.2 | 3.2 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.2 | **358.2** |
| OIL | 1961 | 102.5 | 93.4 | 95.7 | 82.0 | 98.8 | 92.8 | 96.9 | 97.6 | 93.4 | 90.3 | 89.3 | 70.6 | **7,588.9** |

# Manitoba Production
## 1950 To 1975

Licence ***837*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.09-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,993.0** |
| H2O | 1960 | 0.0 | 3.0 | 2.9 | 3.2 | 0.0 | 3.0 | 2.9 | 5.4 | 2.9 | 3.3 | 0.0 | 0.0 | **345.6** |
| OIL | 1960 | 99.5 | 88.2 | 87.9 | 90.3 | 89.1 | 93.1 | 87.6 | 96.5 | 92.3 | 97.6 | 88.8 | 90.1 | **6,485.6** |
| DAY | 1959 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,627.0** |
| H2O | 1959 | 3.5 | 6.2 | 2.9 | 8.1 | 3.5 | 6.0 | 5.2 | 2.2 | 0.0 | 0.0 | 0.0 | 2.9 | **319.0** |
| OIL | 1959 | 95.2 | 101.9 | 106.8 | 95.5 | 105.7 | 89.5 | 98.2 | 92.6 | 93.0 | 101.9 | 103.8 | 94.7 | **5,384.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 21.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,266.0** |
| H2O | 1958 | 5.9 | 2.7 | 6.5 | 0.0 | 0.0 | 3.0 | 3.2 | 2.2 | 4.9 | 56.9 | 5.6 | 2.9 | **278.5** |
| OIL | 1958 | 102.2 | 84.4 | 103.9 | 105.4 | 108.9 | 103.6 | 104.4 | 74.2 | 74.4 | 103.9 | 101.9 | 106.5 | **4,205.8** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **911.0** |
| H2O | 1957 | 4.3 | 4.5 | 14.0 | 1.9 | 1.7 | 1.3 | 0.2 | 0.2 | 0.2 | 2.7 | 2.5 | 8.4 | **184.7** |
| OIL | 1957 | 98.2 | 87.6 | 96.5 | 96.8 | 90.7 | 98.2 | 98.5 | 94.9 | 86.9 | 98.7 | 104.4 | 96.8 | **3,032.1** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **549.0** |
| H2O | 1956 | 18.1 | 2.7 | 2.2 | 0.2 | 0.2 | 2.9 | 3.2 | 4.6 | 5.1 | 5.2 | 6.5 | 4.3 | **142.8** |
| OIL | 1956 | 83.0 | 79.9 | 93.9 | 74.2 | 83.7 | 87.9 | 98.7 | 97.4 | 97.4 | 98.8 | 94.2 | 120.3 | **1,883.9** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **183.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.1 | 6.2 | 12.2 | 14.6 | 13.4 | 16.1 | **87.6** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.2 | 233.8 | 130.3 | 109.2 | 104.1 | 89.9 | 85.0 | **774.5** |

Licence ***840*** Well Name ***B.A. Union Glinz Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-21-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 31.0 | 27.0 | 31.0 | 23.0 | 13.0 | 29.0 | 29.0 | 30.0 | 29.0 | 30.0 | 16.0 | 0.0 | **2,990.0** |
| H2O | 1964 | 465.0 | 417.2 | 482.2 | 371.9 | 201.4 | 436.3 | 361.5 | 449.8 | 421.6 | 441.8 | 201.3 | 0.0 | **34,309.6** |
| OIL | 1964 | 37.8 | 34.5 | 38.3 | 25.1 | 19.4 | 37.7 | 28.9 | 33.4 | 40.1 | 44.4 | 16.6 | 0.0 | **7,909.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 24.0 | 29.0 | 28.0 | 29.0 | 30.0 | 27.0 | 31.0 | **2,702.0** |
| H2O | 1963 | 486.5 | 398.9 | 460.3 | 416.1 | 436.7 | 404.9 | 446.1 | 425.9 | 415.0 | 420.4 | 432.6 | 458.0 | **30,059.6** |
| OIL | 1963 | 48.7 | 34.8 | 41.0 | 41.2 | 35.5 | 37.0 | 39.1 | 37.8 | 39.6 | 57.6 | 38.2 | 36.1 | **7,553.1** |
| DAY | 1962 | 30.0 | 28.0 | 31.0 | 29.0 | 30.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,355.0** |
| H2O | 1962 | 401.4 | 394.1 | 486.2 | 445.2 | 461.2 | 337.8 | 464.7 | 424.5 | 519.6 | 462.0 | 467.1 | 488.7 | **24,858.2** |
| OIL | 1962 | 32.1 | 39.7 | 45.9 | 41.2 | 44.0 | 36.7 | 51.7 | 54.4 | 52.8 | 47.4 | 47.2 | 46.3 | **7,066.5** |
| DAY | 1961 | 23.0 | 0.0 | 0.0 | 26.0 | 30.0 | 28.0 | 28.0 | 20.0 | 29.0 | 25.0 | 29.0 | 26.0 | **1,997.0** |
| H2O | 1961 | 256.6 | 0.0 | 0.0 | 221.8 | 274.1 | 270.0 | 267.6 | 208.9 | 290.0 | 270.8 | 388.1 | 402.4 | **19,505.7** |
| OIL | 1961 | 32.8 | 0.0 | 0.0 | 59.1 | 46.9 | 37.7 | 25.4 | 22.7 | 34.8 | 26.4 | 39.4 | 36.7 | **6,527.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 11.0 | 0.0 | 16.0 | 28.0 | 31.0 | **1,733.0** |
| H2O | 1960 | 258.0 | 285.9 | 255.0 | 294.1 | 379.8 | 359.2 | 330.2 | 86.3 | 0.0 | 219.4 | 405.1 | 394.4 | **16,655.4** |
| OIL | 1960 | 46.6 | 49.0 | 47.5 | 48.7 | 49.1 | 42.8 | 45.6 | 19.2 | 0.0 | 53.1 | 63.9 | 50.2 | **6,165.2** |
| DAY | 1959 | 21.0 | 0.0 | 11.0 | 30.0 | 31.0 | 30.0 | 19.0 | 31.0 | 30.0 | 27.0 | 27.0 | 30.0 | **1,439.0** |
| H2O | 1959 | 360.6 | 0.0 | 149.1 | 378.7 | 384.6 | 337.2 | 204.5 | 317.8 | 279.3 | 218.0 | 242.5 | 138.2 | **13,388.0** |
| OIL | 1959 | 42.9 | 0.0 | 26.2 | 54.5 | 53.4 | 37.7 | 29.1 | 49.0 | 47.4 | 38.0 | 31.5 | 48.0 | **5,649.5** |
| DAY | 1958 | 29.0 | 27.0 | 29.0 | 25.0 | 21.0 | 29.0 | 30.0 | 30.0 | 29.0 | 29.0 | 29.0 | 10.0 | **1,152.0** |
| H2O | 1958 | 375.7 | 365.2 | 298.1 | 345.5 | 245.0 | 307.5 | 320.8 | 305.4 | 303.8 | 255.0 | 381.6 | 171.7 | **10,377.5** |
| OIL | 1958 | 54.4 | 47.9 | 49.0 | 56.1 | 47.1 | 69.3 | 67.7 | 66.0 | 62.5 | 57.6 | 54.1 | 18.3 | **5,191.8** |
| DAY | 1957 | 31.0 | 26.0 | 31.0 | 10.0 | 15.0 | 28.0 | 29.0 | 29.0 | 25.0 | 29.0 | 28.0 | 29.0 | **835.0** |
| H2O | 1957 | 252.0 | 245.8 | 314.8 | 103.3 | 153.4 | 250.7 | 230.1 | 256.4 | 216.7 | 242.1 | 242.8 | 331.6 | **6,702.2** |
| OIL | 1957 | 149.5 | 109.6 | 106.7 | 32.0 | 76.6 | 120.7 | 113.6 | 130.7 | 97.0 | 80.9 | 78.4 | 62.2 | **4,541.8** |
| DAY | 1956 | 29.0 | 28.0 | 30.0 | 23.0 | 23.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 28.0 | 29.0 | **525.0** |
| H2O | 1956 | 142.8 | 206.7 | 387.3 | 197.3 | 237.1 | 332.8 | 303.3 | 272.2 | 214.2 | 206.4 | 187.3 | 294.0 | **3,862.5** |
| OIL | 1956 | 175.9 | 230.4 | 214.5 | 136.2 | 147.0 | 156.3 | 139.3 | 117.7 | 116.0 | 133.1 | 164.9 | 144.7 | **3,383.9** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **185.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.6 | 65.5 | 106.5 | 123.9 | 144.7 | 163.9 | 272.0 | **881.1** |

# Manitoba Production
## 1950 To 1975

Licence ***840*** Well Name ***B.A. Union Glinz Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-21-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 40.7 | 268.9 | 287.8 | 260.9 | 234.8 | 210.9 | 203.9 | **1,507.9** |

Licence ***842*** Well Name ***Gerrand Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-08-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,777.0** |
| H2O | 1975 | 1641.2 | 1469.0 | 1680.7 | 1574.0 | 1680.5 | 1593.1 | 1641.2 | 1670.8 | 1616.9 | 1670.8 | 1563.0 | 1670.8 | **285,659.2** |
| OIL | 1975 | 46.9 | 39.7 | 44.5 | 42.9 | 46.3 | 42.9 | 44.5 | 42.8 | 42.1 | 47.7 | 39.7 | 56.8 | **22,166.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 19.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,413.0** |
| H2O | 1974 | 1670.8 | 1469.0 | 1670.8 | 1578.7 | 996.9 | 1616.9 | 1670.8 | 1675.7 | 1616.9 | 1651.2 | 1616.9 | 1670.8 | **266,187.2** |
| OIL | 1974 | 47.7 | 46.9 | 47.5 | 47.7 | 31.8 | 36.7 | 50.9 | 49.3 | 47.7 | 47.7 | 46.9 | 47.7 | **21,629.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | 31.0 | 20.0 | 24.0 | 30.0 | 30.0 | **6,060.0** |
| H2O | 1973 | 1651.1 | 1491.3 | 1660.9 | 1621.7 | 1616.9 | 1562.9 | 1553.8 | 1675.7 | 1081.1 | 1259.2 | 1616.9 | 1574.0 | **247,281.8** |
| OIL | 1973 | 55.3 | 32.0 | 47.7 | 46.3 | 47.7 | 48.3 | 40.7 | 52.5 | 31.8 | 36.1 | 47.7 | 47.7 | **21,080.7** |
| DAY | 1972 | 30.0 | 28.0 | 31.0 | 28.0 | 31.0 | 29.0 | 29.0 | 27.0 | 30.0 | 29.0 | 30.0 | 30.0 | **5,717.0** |
| H2O | 1972 | 1612.1 | 1495.8 | 1628.2 | 1513.6 | 1651.1 | 1544.6 | 1553.8 | 1438.0 | 1616.9 | 1566.2 | 1616.9 | 1616.9 | **228,916.3** |
| OIL | 1972 | 52.3 | 40.5 | 41.3 | 43.1 | 48.3 | 45.9 | 43.2 | 33.2 | 53.9 | 55.3 | 47.7 | 52.5 | **20,546.9** |
| DAY | 1971 | 31.0 | 27.0 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **5,365.0** |
| H2O | 1971 | 1670.8 | 1459.5 | 1564.4 | 1563.0 | 1656.0 | 1574.3 | 1656.0 | 1670.8 | 1616.9 | 1607.4 | 1616.9 | 1616.9 | **210,062.2** |
| OIL | 1971 | 59.0 | 52.5 | 50.1 | 55.5 | 57.1 | 60.4 | 64.7 | 66.9 | 59.6 | 59.1 | 63.1 | 54.4 | **19,989.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 29.0 | 29.0 | 28.0 | 30.0 | 0.0 | 16.0 | 31.0 | 30.0 | 31.0 | **5,006.0** |
| H2O | 1970 | 1752.4 | 1529.1 | 1713.4 | 1641.7 | 1635.7 | 1559.5 | 1646.3 | 1713.7 | 867.1 | 1690.7 | 1643.5 | 1691.9 | **190,789.3** |
| OIL | 1970 | 102.4 | 84.7 | 85.9 | 89.2 | 80.8 | 64.1 | 76.0 | 72.2 | 36.1 | 74.7 | 70.3 | 76.8 | **19,287.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 28.0 | 31.0 | 29.0 | 29.0 | 29.0 | 30.0 | 31.0 | **4,692.0** |
| H2O | 1969 | 1296.6 | 1170.4 | 1304.9 | 1269.7 | 1304.7 | 1367.4 | 1541.3 | 1354.8 | 1417.9 | 1375.1 | 1696.0 | 1632.7 | **171,704.3** |
| OIL | 1969 | 92.1 | 85.4 | 92.2 | 87.8 | 92.5 | 107.8 | 104.9 | 95.4 | 101.4 | 89.8 | 99.8 | 100.6 | **18,374.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 0.0 | 30.0 | 25.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,337.0** |
| H2O | 1968 | 1016.3 | 1133.3 | 1131.6 | 1136.5 | 1016.2 | 830.1 | 878.5 | 1005.2 | 1085.6 | 1277.0 | 1249.1 | 1300.3 | **154,972.8** |
| OIL | 1968 | 111.8 | 150.1 | 140.1 | 127.8 | 100.0 | 77.9 | 70.9 | 84.1 | 79.3 | 86.0 | 97.5 | 103.8 | **17,224.4** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 29.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | 31.0 | **4,010.0** |
| H2O | 1967 | 1106.0 | 999.1 | 1106.1 | 1070.4 | 882.3 | 876.1 | 930.3 | 936.7 | 936.7 | 1006.1 | 975.6 | 881.3 | **141,913.1** |
| OIL | 1967 | 117.8 | 99.7 | 116.1 | 105.6 | 88.7 | 144.5 | 134.8 | 129.7 | 124.0 | 124.3 | 121.8 | 107.6 | **15,995.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,774.0** |
| H2O | 1966 | 1266.6 | 1144.0 | 1266.6 | 1225.7 | 1086.9 | 957.0 | 1059.4 | 1059.4 | 1025.4 | 1053.4 | 1070.4 | 1034.8 | **130,206.4** |
| OIL | 1966 | 98.4 | 121.9 | 89.0 | 122.7 | 80.9 | 103.3 | 139.8 | 132.8 | 108.1 | 116.5 | 111.6 | 122.1 | **14,580.5** |
| DAY | 1965 | 15.0 | 8.0 | 31.0 | 27.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,412.0** |
| H2O | 1965 | 628.9 | 347.4 | 1310.6 | 1130.8 | 1212.7 | 1237.3 | 1278.6 | 1237.3 | 1237.5 | 1186.0 | 1225.7 | 1266.6 | **116,956.8** |
| OIL | 1965 | 31.0 | 22.3 | 114.2 | 73.6 | 111.1 | 121.1 | 107.3 | 121.0 | 120.4 | 125.3 | 111.1 | 100.2 | **13,233.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 28.0 | 31.0 | 26.0 | 29.0 | 27.0 | 31.0 | **3,091.0** |
| H2O | 1964 | 1313.9 | 1240.3 | 1304.6 | 1283.1 | 1240.3 | 734.7 | 687.2 | 760.8 | 638.1 | 1224.1 | 1156.4 | 1310.6 | **103,657.4** |
| OIL | 1964 | 124.4 | 98.2 | 121.0 | 88.8 | 90.4 | 103.4 | 99.7 | 109.7 | 92.4 | 94.0 | 84.9 | 93.0 | **12,074.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 29.0 | 29.0 | 30.0 | 26.0 | 28.0 | 17.0 | 31.0 | 22.0 | 31.0 | **2,739.0** |
| H2O | 1963 | 874.2 | 794.8 | 934.7 | 850.8 | 905.8 | 982.3 | 963.2 | 890.7 | 589.6 | 1258.1 | 921.5 | 1297.6 | **90,763.3** |
| OIL | 1963 | 103.2 | 112.6 | 121.5 | 122.8 | 113.1 | 97.0 | 73.8 | 94.8 | 55.5 | 133.9 | 90.8 | 128.8 | **10,874.9** |
| DAY | 1962 | 22.0 | 28.0 | 18.0 | 18.0 | 26.0 | 26.0 | 31.0 | 31.0 | 29.0 | 26.0 | 30.0 | 31.0 | **2,406.0** |
| H2O | 1962 | 1135.2 | 916.8 | 566.8 | 504.7 | 932.2 | 759.2 | 973.7 | 1401.9 | 1069.7 | 982.4 | 997.4 | 927.1 | **79,500.0** |
| OIL | 1962 | 50.3 | 74.6 | 46.8 | 39.5 | 63.0 | 71.6 | 80.3 | 93.7 | 81.8 | 79.7 | 68.6 | 93.9 | **9,627.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 25.0 | 15.0 | 30.0 | 31.0 | 27.0 | 27.0 | 30.0 | 30.0 | 31.0 | **2,090.0** |
| H2O | 1961 | 1215.8 | 1046.5 | 1125.5 | 877.8 | 516.3 | 1028.1 | 994.5 | 935.9 | 826.5 | 992.0 | 1081.5 | 1153.4 | **68,332.9** |
| OIL | 1961 | 78.0 | 65.2 | 51.7 | 42.3 | 37.3 | 73.0 | 79.2 | 61.1 | 56.7 | 76.4 | 85.8 | 81.6 | **8,783.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 19.0 | 15.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **1,754.0** |

# Manitoba Production
## 1950 To 1975

Licence ***842*** Well Name ***Gerrand Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-08-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1960 | 1280.9 | 1192.6 | 1284.0 | 721.2 | 606.0 | 1292.9 | 1278.8 | 1287.9 | 1243.2 | 1007.6 | 1200.6 | 1227.8 | **56,539.1** |
| OIL | 1960 | 116.6 | 97.4 | 107.9 | 58.9 | 52.7 | 108.2 | 105.9 | 98.0 | 83.4 | 73.0 | 82.9 | 82.1 | **7,995.0** |
| DAY | 1959 | 31.0 | 27.0 | 31.0 | 25.0 | 31.0 | 28.0 | 30.0 | 28.0 | 30.0 | 19.0 | 30.0 | 31.0 | **1,420.0** |
| H2O | 1959 | 1209.6 | 1107.3 | 1238.7 | 1023.3 | 1269.7 | 1351.9 | 1394.2 | 1327.6 | 1234.9 | 776.4 | 1233.8 | 1269.9 | **42,915.6** |
| OIL | 1959 | 81.9 | 72.7 | 86.9 | 66.4 | 88.1 | 79.9 | 81.6 | 98.8 | 113.9 | 71.1 | 114.5 | 109.9 | **6,928.0** |
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | **1,079.0** |
| H2O | 1958 | 813.4 | 796.1 | 914.2 | 697.5 | 1089.1 | 1249.1 | 1290.9 | 1393.4 | 959.7 | 1392.3 | 1287.1 | 1290.9 | **28,478.3** |
| OIL | 1958 | 122.8 | 122.6 | 134.2 | 79.4 | 118.8 | 98.8 | 122.2 | 107.1 | 71.8 | 103.6 | 91.5 | 93.5 | **5,862.3** |
| DAY | 1957 | 12.0 | 19.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | **728.0** |
| H2O | 1957 | 272.1 | 433.3 | 855.6 | 967.2 | 1075.0 | 985.0 | 912.5 | 935.4 | 835.7 | 821.4 | 1013.4 | 1042.9 | **15,304.6** |
| OIL | 1957 | 64.1 | 130.9 | 176.7 | 164.1 | 157.1 | 147.1 | 140.3 | 131.7 | 123.3 | 111.5 | 132.5 | 137.6 | **4,596.0** |
| DAY | 1956 | 16.0 | 18.0 | 31.0 | 10.0 | 27.0 | 30.0 | 31.0 | 28.0 | 15.0 | 26.0 | 19.0 | 5.0 | **398.0** |
| H2O | 1956 | 207.5 | 305.0 | 468.8 | 92.7 | 372.6 | 500.1 | 538.4 | 424.7 | 205.5 | 373.4 | 358.9 | 178.0 | **5,155.1** |
| OIL | 1956 | 130.4 | 84.8 | 283.1 | 51.9 | 185.6 | 148.6 | 185.3 | 151.6 | 85.9 | 135.0 | 97.8 | 54.9 | **2,979.1** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 25.0 | 23.0 | 30.0 | 19.0 | 15.0 | **142.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 82.4 | 112.1 | 494.4 | 253.0 | 186.6 | **1,129.5** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 208.3 | 312.3 | 185.9 | 337.7 | 211.2 | 128.8 | **1,384.2** |

Licence ***844*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,454.0** |
| OIL | 1975 | 58.5 | 49.9 | 57.8 | 55.6 | 58.0 | 53.6 | 53.9 | 49.7 | 51.3 | 53.6 | 50.1 | 55.1 | **19,151.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,091.0** |
| OIL | 1974 | 64.0 | 57.4 | 65.5 | 64.5 | 60.1 | 60.2 | 61.2 | 67.9 | 51.0 | 55.8 | 52.3 | 61.3 | **18,504.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **6,726.0** |
| OIL | 1973 | 64.4 | 57.7 | 63.2 | 66.3 | 57.2 | 62.8 | 64.4 | 64.2 | 56.3 | 58.6 | 62.6 | 63.6 | **17,783.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,363.0** |
| OIL | 1972 | 58.0 | 54.8 | 55.9 | 54.0 | 56.9 | 60.4 | 61.2 | 57.2 | 62.6 | 61.8 | 60.7 | 60.1 | **17,042.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,997.0** |
| OIL | 1971 | 56.6 | 55.5 | 61.8 | 56.9 | 55.1 | 56.4 | 61.7 | 59.1 | 59.6 | 58.0 | 57.4 | 59.8 | **16,338.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,632.0** |
| H2O | 1970 | 7.6 | 8.6 | 9.1 | 0.0 | 7.0 | 4.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **439.7** |
| OIL | 1970 | 63.2 | 59.8 | 64.4 | 59.4 | 55.0 | 51.2 | 64.0 | 64.5 | 65.2 | 59.4 | 58.3 | 59.6 | **15,640.8** |
| DAY | 1969 | 31.0 | 27.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,267.0** |
| H2O | 1969 | 5.1 | 8.1 | 4.8 | 5.7 | 5.6 | 5.1 | 6.8 | 6.5 | 5.1 | 7.0 | 6.5 | 6.5 | **402.6** |
| OIL | 1969 | 56.9 | 47.5 | 49.3 | 51.3 | 58.6 | 57.5 | 59.1 | 61.0 | 56.1 | 60.1 | 61.5 | 63.7 | **14,916.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,909.0** |
| H2O | 1968 | 3.3 | 3.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.4 | 5.1 | **329.8** |
| OIL | 1968 | 62.3 | 59.4 | 63.2 | 60.5 | 62.3 | 62.6 | 64.8 | 65.3 | 63.2 | 64.0 | 55.6 | 57.4 | **14,234.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,543.0** |
| H2O | 1967 | 1.6 | 1.6 | 1.4 | 0.0 | 4.3 | 5.2 | 2.7 | 2.9 | 0.0 | 3.5 | 3.3 | 4.3 | **311.2** |
| OIL | 1967 | 67.5 | 58.5 | 68.6 | 60.1 | 69.4 | 64.0 | 67.7 | 71.5 | 65.2 | 65.2 | 62.9 | 62.3 | **13,493.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,178.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 11.8 | 8.9 | 8.1 | 3.8 | 3.8 | 0.0 | 6.4 | 7.5 | **280.4** |
| OIL | 1966 | 65.5 | 62.0 | 66.4 | 77.1 | 79.1 | 75.6 | 83.9 | 74.4 | 70.7 | 73.3 | 67.9 | 74.1 | **12,710.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,813.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **230.1** |
| OIL | 1965 | 76.0 | 67.1 | 80.2 | 74.1 | 79.5 | 73.9 | 76.3 | 77.7 | 71.7 | 76.0 | 74.1 | 69.1 | **11,840.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,448.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 5.2 | 0.0 | 0.0 | 0.0 | 3.2 | 0.0 | 0.0 | **227.6** |

# Manitoba Production
## 1950 To 1975

Licence ***844*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1964 | 82.6 | 72.6 | 80.7 | 78.5 | 75.3 | 78.0 | 76.1 | 58.5 | 85.5 | 71.7 | 71.4 | 76.9 | **10,945.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,083.0** |
| H2O | 1963 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **213.2** |
| OIL | 1963 | 82.2 | 77.1 | 90.1 | 89.3 | 89.6 | 86.4 | 88.7 | 82.8 | 81.5 | 86.4 | 82.6 | 87.1 | **10,037.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,720.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.3 | 3.5 | 0.0 | 0.0 | 0.0 | 0.0 | **209.5** |
| OIL | 1962 | 90.9 | 83.7 | 87.1 | 82.0 | 87.4 | 86.4 | 95.7 | 82.5 | 82.6 | 94.4 | 92.5 | 58.8 | **9,013.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,356.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.7 | 0.0 | 0.0 | 0.0 | 0.0 | **201.7** |
| OIL | 1961 | 106.0 | 93.4 | 106.5 | 97.9 | 95.3 | 92.8 | 99.2 | 88.2 | 93.4 | 97.4 | 96.3 | 94.2 | **7,989.4** |
| DAY | 1960 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,991.0** |
| H2O | 1960 | 2.9 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **195.0** |
| OIL | 1960 | 105.5 | 84.9 | 106.2 | 107.7 | 93.9 | 97.7 | 112.2 | 103.6 | 96.0 | 97.6 | 95.5 | 96.9 | **6,828.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,630.0** |
| H2O | 1959 | 3.5 | 0.0 | 8.7 | 2.7 | 0.0 | 0.0 | 0.0 | 4.9 | 0.0 | 0.0 | 0.0 | 0.0 | **189.7** |
| OIL | 1959 | 92.8 | 72.1 | 68.8 | 88.5 | 78.5 | 84.2 | 93.8 | 94.7 | 79.8 | 82.8 | 69.1 | 97.1 | **5,631.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,267.0** |
| H2O | 1958 | 0.2 | 2.7 | 0.0 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 1.4 | 0.0 | **169.9** |
| OIL | 1958 | 78.2 | 84.4 | 89.3 | 84.1 | 85.3 | 89.0 | 84.7 | 74.8 | 82.5 | 86.1 | 82.3 | 83.4 | **4,628.9** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **903.0** |
| H2O | 1957 | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | 0.2 | 6.4 | 0.2 | 0.2 | 0.3 | 5.1 | 0.2 | **136.2** |
| OIL | 1957 | 96.1 | 85.7 | 82.6 | 83.1 | 84.1 | 85.2 | 89.3 | 84.1 | 68.3 | 88.2 | 73.7 | 94.9 | **3,624.8** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **540.0** |
| H2O | 1956 | 17.6 | 6.5 | 4.5 | 5.7 | 3.3 | 1.1 | 4.8 | 4.3 | 1.0 | 1.0 | 0.2 | 0.2 | **122.4** |
| OIL | 1956 | 169.4 | 135.2 | 131.7 | 130.5 | 124.9 | 103.6 | 103.0 | 97.1 | 97.4 | 98.8 | 94.2 | 115.1 | **2,609.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **175.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.7 | 9.5 | 12.7 | 15.3 | 15.6 | 15.4 | **72.2** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.4 | 247.1 | 227.4 | 212.0 | 165.6 | 176.7 | 170.4 | **1,208.6** |

Licence ***847*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-24-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 18.0 | 19.0 | 14.0 | 30.0 | 29.0 | 28.0 | 28.0 | 0.0 | 0.0 | **4,657.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.4 | 1.3 | 1.4 | 1.3 | 2.8 | 0.0 | 0.0 | **268.2** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 11.1 | 17.5 | 11.1 | 17.3 | 18.1 | 14.0 | 10.0 | 0.0 | 0.0 | **4,159.8** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **4,491.0** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 21.3 | 15.7 | 16.0 | 15.6 | 15.3 | 14.3 | 0.0 | 0.0 | **4,060.7** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 22.0 | 30.0 | 5.0 | 30.0 | 31.0 | 1.0 | 0.0 | **4,309.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 6.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **260.0** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 6.5 | 17.6 | 2.9 | 17.5 | 19.4 | 0.3 | 0.0 | **3,962.5** |
| DAY | 1967 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **4,159.0** |
| H2O | 1967 | 0.0 | 0.0 | 3.3 | 0.0 | 0.8 | 1.6 | 1.3 | 1.7 | 1.1 | 1.3 | 0.0 | 0.0 | **253.8** |
| OIL | 1967 | 0.0 | 0.0 | 25.3 | 12.2 | 11.6 | 8.4 | 6.5 | 11.6 | 9.2 | 7.6 | 0.0 | 0.0 | **3,875.3** |
| DAY | 1966 | 24.0 | 19.0 | 23.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **3,914.0** |
| H2O | 1966 | 17.8 | 1.9 | 1.7 | 0.2 | 6.7 | 6.2 | 2.7 | 1.4 | 3.3 | 1.9 | 1.6 | 1.7 | **242.7** |
| OIL | 1966 | 3.0 | 27.3 | 14.9 | 15.9 | 14.6 | 11.6 | 14.1 | 14.5 | 15.3 | 15.1 | 14.1 | 14.3 | **3,782.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 14.0 | 25.0 | 31.0 | **3,574.0** |
| H2O | 1965 | 1.6 | 1.7 | 1.4 | 2.4 | 0.0 | 0.2 | 4.5 | 11.1 | 0.0 | 1.0 | 1.4 | 6.0 | **195.6** |
| OIL | 1965 | 17.3 | 20.5 | 18.9 | 16.5 | 14.3 | 19.9 | 16.5 | 19.1 | 15.3 | 8.1 | 16.5 | 4.6 | **3,608.2** |
| DAY | 1964 | 31.0 | 25.0 | 9.0 | 27.0 | 29.0 | 30.0 | 31.0 | 20.0 | 26.0 | 31.0 | 30.0 | 31.0 | **3,232.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 3.8 | 4.3 | 2.7 | 0.3 | 3.2 | 1.9 | 6.0 | 1.9 | 1.6 | **164.3** |

# Manitoba Production
## 1950 To 1975

Licence ***847*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-24-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1964 | 17.8 | 9.7 | 1.0 | 17.3 | 15.1 | 18.3 | 13.7 | 7.6 | 16.0 | 12.9 | 18.3 | 16.8 | **3,420.7** |
| DAY | 1963 | 23.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 8.0 | **2,912.0** |
| OIL | 1963 | 12.4 | 12.6 | 14.3 | 15.3 | 18.6 | 13.8 | 16.5 | 13.7 | 16.0 | 12.4 | 10.8 | 4.9 | **3,256.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 29.0 | 27.0 | 20.0 | 0.0 | 0.0 | 18.0 | 31.0 | 30.0 | 29.0 | **2,582.0** |
| OIL | 1962 | 8.7 | 8.6 | 8.7 | 8.9 | 18.6 | 13.0 | 0.0 | 0.0 | 9.1 | 19.7 | 14.5 | 13.0 | **3,094.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 31.0 | 27.0 | 30.0 | **2,308.0** |
| OIL | 1961 | 14.8 | 12.4 | 10.3 | 10.2 | 12.1 | 8.7 | 9.7 | 19.4 | 12.4 | 9.1 | 8.7 | 11.6 | **2,972.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 28.0 | 27.0 | 29.0 | 29.0 | 30.0 | **1,950.0** |
| OIL | 1960 | 38.6 | 30.8 | 32.4 | 33.5 | 24.9 | 27.0 | 28.1 | 29.6 | 27.3 | 31.8 | 26.7 | 17.2 | **2,832.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **1,595.0** |
| H2O | 1959 | 1.3 | 0.8 | 1.3 | 1.0 | 0.0 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **138.6** |
| OIL | 1959 | 24.8 | 17.2 | 24.2 | 24.6 | 32.6 | 27.5 | 21.0 | 31.3 | 30.5 | 26.9 | 31.1 | 42.0 | **2,484.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,236.0** |
| H2O | 1958 | 7.8 | 5.1 | 1.9 | 15.3 | 1.6 | 0.0 | 0.0 | 2.9 | 1.1 | 1.1 | 1.4 | 1.3 | **131.7** |
| OIL | 1958 | 27.5 | 26.9 | 28.8 | 26.1 | 34.6 | 31.9 | 31.3 | 28.6 | 26.9 | 28.3 | 24.5 | 18.9 | **2,151.1** |
| DAY | 1957 | 27.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 28.0 | 29.0 | 25.0 | 31.0 | 29.0 | 31.0 | **871.0** |
| H2O | 1957 | 5.9 | 5.9 | 6.2 | 6.0 | 3.8 | 5.9 | 4.6 | 1.1 | 1.1 | 8.6 | 7.5 | 7.9 | **92.2** |
| OIL | 1957 | 25.9 | 27.3 | 28.6 | 26.7 | 28.0 | 25.7 | 33.4 | 32.9 | 27.3 | 34.6 | 32.4 | 27.3 | **1,816.8** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **526.0** |
| H2O | 1956 | 0.3 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | 7.9 | 7.5 | 7.2 | **27.7** |
| OIL | 1956 | 100.9 | 80.6 | 88.0 | 79.0 | 57.4 | 65.2 | 57.7 | 48.9 | 42.9 | 35.6 | 32.4 | 26.4 | **1,466.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **162.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.3 | 0.3 | 1.1 | 0.6 | 0.3 | **2.8** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 108.1 | 182.6 | 135.7 | 123.3 | 98.7 | 103.3 | **751.7** |

Licence ***848*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **7,143.0** |
| H2O | 1975 | 894.4 | 828.9 | 879.5 | 993.0 | 1152.9 | 1106.3 | 1091.9 | 1126.2 | 1042.3 | 1190.4 | 1194.3 | 1215.6 | **60,167.0** |
| OIL | 1975 | 951.6 | 852.7 | 890.8 | 760.1 | 764.5 | 745.3 | 754.7 | 793.6 | 723.8 | 796.5 | 770.1 | 782.6 | **98,650.1** |
| DAY | 1974 | 6.0 | 26.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | **6,781.0** |
| H2O | 1974 | 39.9 | 262.5 | 762.1 | 731.3 | 733.4 | 1000.5 | 1089.2 | 972.4 | 984.9 | 526.0 | 539.0 | 866.5 | **47,451.3** |
| OIL | 1974 | 91.2 | 1015.0 | 1083.1 | 924.2 | 930.9 | 895.9 | 996.8 | 966.0 | 953.1 | 885.1 | 867.8 | 934.9 | **89,063.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 15.0 | 26.0 | **6,449.0** |
| H2O | 1973 | 100.8 | 414.5 | 1227.5 | 527.8 | 557.9 | 536.4 | 309.7 | 333.6 | 230.8 | 233.1 | 106.5 | 175.8 | **38,943.6** |
| OIL | 1973 | 483.4 | 405.2 | 530.1 | 435.9 | 474.8 | 460.2 | 438.1 | 468.6 | 477.0 | 487.1 | 226.1 | 390.1 | **78,519.8** |
| DAY | 1972 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,105.0** |
| H2O | 1972 | 958.2 | 1423.5 | 796.2 | 631.5 | 143.7 | 129.3 | 161.7 | 117.6 | 99.4 | 108.1 | 101.1 | 102.4 | **34,189.2** |
| OIL | 1972 | 348.5 | 139.8 | 544.1 | 440.5 | 406.3 | 385.7 | 422.5 | 431.1 | 427.8 | 450.5 | 470.1 | 489.0 | **73,243.2** |
| DAY | 1971 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **5,742.0** |
| H2O | 1971 | 629.4 | 572.0 | 682.5 | 558.0 | 559.0 | 443.4 | 439.3 | 423.5 | 379.3 | 412.1 | 810.0 | 1025.3 | **29,416.5** |
| OIL | 1971 | 360.1 | 319.4 | 366.4 | 442.1 | 452.1 | 527.4 | 539.5 | 529.5 | 522.3 | 526.8 | 323.4 | 356.8 | **68,287.3** |
| DAY | 1970 | 31.0 | 16.0 | 31.0 | 13.0 | 24.0 | 25.0 | 29.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | **5,380.0** |
| H2O | 1970 | 387.4 | 203.3 | 482.5 | 120.3 | 221.5 | 267.4 | 270.6 | 290.3 | 439.3 | 441.0 | 607.0 | 675.7 | **22,482.7** |
| OIL | 1970 | 339.6 | 171.3 | 536.2 | 160.8 | 296.4 | 297.2 | 338.0 | 316.1 | 574.0 | 586.1 | 584.9 | 562.9 | **63,021.5** |
| DAY | 1969 | 31.0 | 28.0 | 26.0 | 30.0 | 26.0 | 29.0 | 31.0 | 31.0 | 19.0 | 21.0 | 30.0 | 17.0 | **5,061.0** |
| H2O | 1969 | 187.4 | 170.3 | 149.8 | 187.4 | 232.4 | 252.3 | 281.2 | 286.2 | 200.5 | 243.1 | 366.3 | 220.5 | **18,076.4** |
| OIL | 1969 | 333.4 | 294.6 | 302.7 | 361.7 | 432.9 | 482.1 | 515.2 | 518.5 | 305.1 | 347.9 | 335.5 | 192.6 | **58,258.0** |
| DAY | 1968 | 29.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,742.0** |
| H2O | 1968 | 146.0 | 156.7 | 166.5 | 160.5 | 179.6 | 171.6 | 180.2 | 171.1 | 149.9 | 175.0 | 168.0 | 178.6 | **15,299.0** |

# Manitoba Production
## 1950 To 1975

Licence ***848*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1968 | 308.6 | 307.8 | 330.1 | 307.6 | 329.4 | 361.4 | 357.2 | 371.4 | 338.5 | 328.9 | 323.5 | 333.1 | **53,835.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | 31.0 | 30.0 | 22.0 | 30.0 | 31.0 | **4,381.0** |
| H2O | 1967 | 190.0 | 157.1 | 183.6 | 171.1 | 178.4 | 163.4 | 125.1 | 167.4 | 146.7 | 107.5 | 139.3 | 163.1 | **13,295.3** |
| OIL | 1967 | 386.9 | 343.7 | 399.7 | 385.8 | 335.9 | 313.2 | 317.2 | 314.3 | 302.9 | 217.2 | 312.1 | 331.8 | **49,838.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 27.0 | 27.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,028.0** |
| H2O | 1966 | 165.7 | 130.8 | 168.7 | 142.0 | 154.7 | 173.4 | 134.8 | 128.6 | 167.1 | 187.4 | 178.4 | 194.6 | **11,402.6** |
| OIL | 1966 | 291.0 | 252.7 | 283.7 | 285.1 | 288.6 | 379.3 | 317.3 | 303.7 | 357.1 | 377.6 | 354.4 | 377.4 | **45,877.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | **3,673.0** |
| H2O | 1965 | 208.7 | 185.5 | 211.6 | 218.0 | 221.8 | 211.8 | 209.5 | 220.3 | 245.8 | 243.7 | 229.6 | 173.4 | **9,476.4** |
| OIL | 1965 | 348.3 | 317.7 | 343.4 | 414.6 | 418.4 | 418.6 | 415.4 | 431.1 | 393.3 | 409.0 | 356.9 | 294.3 | **42,009.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,312.0** |
| H2O | 1964 | 151.2 | 165.0 | 183.6 | 177.1 | 187.8 | 197.5 | 194.8 | 197.8 | 189.7 | 189.7 | 196.2 | 207.8 | **6,896.7** |
| OIL | 1964 | 270.3 | 337.4 | 364.2 | 349.8 | 360.4 | 319.1 | 330.5 | 333.6 | 322.6 | 328.5 | 322.1 | 345.2 | **37,448.7** |
| DAY | 1963 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,946.0** |
| H2O | 1963 | 97.9 | 94.1 | 107.5 | 116.9 | 109.2 | 101.6 | 158.5 | 198.2 | 153.1 | 181.1 | 146.4 | 149.4 | **4,658.5** |
| OIL | 1963 | 314.5 | 308.8 | 352.0 | 361.7 | 370.7 | 363.7 | 372.2 | 310.4 | 291.0 | 302.6 | 253.5 | 259.3 | **33,465.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,582.0** |
| H2O | 1962 | 120.2 | 128.8 | 148.5 | 146.9 | 79.3 | 85.2 | 82.7 | 84.6 | 90.5 | 85.7 | 86.3 | 95.1 | **3,044.6** |
| OIL | 1962 | 315.0 | 281.4 | 310.2 | 290.5 | 320.4 | 309.9 | 312.1 | 320.5 | 310.0 | 306.7 | 305.6 | 308.9 | **29,604.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,217.0** |
| H2O | 1961 | 68.5 | 64.4 | 62.8 | 60.9 | 51.6 | 48.8 | 119.3 | 104.7 | 93.4 | 121.1 | 129.0 | 138.4 | **1,810.8** |
| OIL | 1961 | 371.1 | 333.1 | 355.6 | 325.1 | 356.8 | 381.1 | 261.1 | 301.6 | 287.5 | 321.6 | 310.4 | 313.1 | **25,913.4** |
| DAY | 1960 | 25.0 | 26.0 | 29.0 | 27.0 | 30.0 | 30.0 | 31.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,857.0** |
| H2O | 1960 | 9.7 | 10.8 | 17.3 | 44.8 | 49.3 | 50.1 | 69.6 | 48.8 | 77.1 | 79.3 | 73.4 | 65.3 | **747.9** |
| OIL | 1960 | 317.8 | 327.8 | 360.7 | 299.5 | 349.6 | 335.9 | 334.3 | 275.5 | 339.1 | 343.7 | 357.1 | 376.5 | **21,995.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 27.0 | 29.0 | 28.0 | 28.0 | **1,512.0** |
| H2O | 1959 | 0.0 | 0.0 | 3.3 | 3.8 | 6.2 | 10.3 | 8.9 | 18.3 | 11.8 | 8.4 | 7.2 | 7.3 | **152.4** |
| OIL | 1959 | 284.9 | 256.2 | 328.9 | 400.1 | 413.2 | 365.5 | 389.0 | 384.2 | 369.5 | 389.5 | 318.0 | 365.0 | **17,977.8** |
| DAY | 1958 | 27.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 29.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,159.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.6 | 0.0 | 0.0 | 0.0 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **66.9** |
| OIL | 1958 | 336.9 | 260.5 | 332.4 | 264.6 | 285.1 | 278.7 | 299.5 | 290.2 | 286.8 | 275.9 | 285.6 | 287.5 | **13,713.8** |
| DAY | 1957 | 29.0 | 28.0 | 31.0 | 30.0 | 22.0 | 25.0 | 25.0 | 27.0 | 30.0 | 31.0 | 24.0 | 29.0 | **809.0** |
| H2O | 1957 | 0.6 | 1.0 | 1.3 | 9.2 | 8.7 | 2.9 | 1.1 | 0.8 | 1.0 | 0.8 | 0.6 | 0.8 | **65.2** |
| OIL | 1957 | 340.7 | 372.2 | 408.2 | 400.5 | 310.2 | 395.7 | 396.0 | 327.7 | 400.1 | 412.5 | 304.9 | 358.2 | **10,230.1** |
| DAY | 1956 | 14.0 | 22.0 | 28.0 | 26.0 | 15.0 | 29.0 | 31.0 | 19.0 | 30.0 | 31.0 | 30.0 | 31.0 | **478.0** |
| H2O | 1956 | 1.6 | 2.9 | 3.7 | 2.7 | 0.5 | 1.9 | 0.5 | 1.4 | 3.5 | 1.1 | 1.1 | 1.0 | **36.4** |
| OIL | 1956 | 192.4 | 282.5 | 358.8 | 349.8 | 172.3 | 359.5 | 376.3 | 229.9 | 369.5 | 363.4 | 346.4 | 361.8 | **5,803.2** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 30.0 | 30.0 | 21.0 | 30.0 | 28.0 | 31.0 | **172.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 0.6 | 2.1 | 3.3 | 3.8 | 4.1 | **14.5** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.8 | 361.0 | 339.3 | 258.2 | 344.8 | 324.5 | 396.0 | **2,040.6** |

Licence ***849*** Well Name ***Imperial Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-09-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 0.0 | 11.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **124.0** |
| H2O | 1957 | 0.0 | 0.0 | 332.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,338.8** |
| OIL | 1957 | 0.0 | 0.0 | 10.3 | 0.0 | 10.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **187.7** |
| DAY | 1956 | 0.0 | 0.0 | 7.0 | 10.0 | 17.0 | 14.0 | 13.0 | 16.0 | 2.0 | 0.0 | 0.0 | 0.0 | **112.0** |
| H2O | 1956 | 0.0 | 0.0 | 82.7 | 115.1 | 383.8 | 336.7 | 333.6 | 414.2 | 18.1 | 0.0 | 0.0 | 0.0 | **2,006.7** |
| OIL | 1956 | 0.0 | 0.0 | 6.8 | 9.1 | 17.5 | 15.3 | 15.9 | 14.1 | 0.5 | 0.0 | 0.0 | 0.0 | **166.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 17.0 | 0.0 | 5.0 | 0.0 | 0.0 | **33.0** |

# Manitoba Production
## 1950 To 1975

Licence ***849*** Well Name ***Imperial Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-09-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 61.4 | 163.8 | 0.0 | 97.3 | 0.0 | 0.0 | **322.5** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.2 | 50.6 | 0.0 | 6.7 | 0.0 | 0.0 | **87.5** |

Licence ***850*** Well Name ***Canada West Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 2723.5 | 2409.6 | 2765.9 | 2669.6 | 1528.1 | 2741.1 | 2770.4 | 2707.2 | 2751.6 | 2989.9 | 3083.1 | 3453.4 | **210,405.7** |
| WIN | 1974 | 2815.2 | 1962.5 | 2842.7 | 2829.5 | 2933.3 | 2476.9 | 2461.3 | 1754.7 | 2301.1 | 2759.1 | 2620.8 | 1564.8 | **177,812.3** |
| WIN | 1973 | 2543.0 | 2515.3 | 2697.5 | 2711.5 | 2712.6 | 2687.8 | 2729.3 | 2721.9 | 2697.5 | 2628.1 | 2903.0 | 2992.0 | **148,490.4** |
| WIN | 1972 | 2597.4 | 2418.7 | 2529.2 | 2529.2 | 2498.0 | 2390.7 | 2493.9 | 2491.5 | 2414.4 | 2458.1 | 2469.9 | 2589.1 | **115,950.9** |
| WIN | 1971 | 908.7 | 813.1 | 899.1 | 866.9 | 1112.2 | 1911.3 | 1964.1 | 2109.9 | 2041.8 | 1164.8 | 2459.7 | 2575.0 | **86,070.8** |
| WIN | 1970 | 838.1 | 695.9 | 723.7 | 847.6 | 876.7 | 882.1 | 881.8 | 910.0 | 832.1 | 787.0 | 827.4 | 914.6 | **67,244.2** |
| WIN | 1969 | 810.4 | 668.9 | 924.1 | 760.0 | 749.3 | 492.9 | 762.5 | 828.4 | 833.5 | 741.2 | 667.9 | 928.7 | **57,227.2** |
| WIN | 1968 | 635.0 | 709.1 | 752.7 | 728.5 | 798.0 | 740.1 | 781.1 | 803.4 | 385.7 | 904.2 | 826.2 | 794.4 | **48,059.4** |
| WIN | 1967 | 506.2 | 440.6 | 642.8 | 571.6 | 576.2 | 539.1 | 528.2 | 818.5 | 700.7 | 710.7 | 666.6 | 642.3 | **39,201.0** |
| WIN | 1966 | 479.2 | 420.7 | 555.7 | 519.9 | 512.6 | 452.5 | 522.6 | 548.4 | 510.8 | 519.3 | 497.3 | 508.0 | **31,857.5** |
| WIN | 1965 | 441.2 | 404.8 | 456.9 | 411.5 | 463.0 | 428.0 | 435.2 | 421.5 | 401.6 | 531.2 | 487.1 | 419.7 | **25,810.5** |
| WIN | 1964 | 462.3 | 430.9 | 457.3 | 443.4 | 449.0 | 432.1 | 463.1 | 481.1 | 444.4 | 432.8 | 422.3 | 394.3 | **20,508.8** |
| WIN | 1963 | 437.4 | 388.4 | 413.2 | 514.0 | 508.0 | 505.9 | 525.6 | 516.2 | 489.2 | 541.2 | 486.4 | 471.6 | **15,195.8** |
| WIN | 1962 | 532.9 | 457.9 | 526.7 | 507.8 | 502.2 | 471.4 | 485.2 | 471.2 | 447.9 | 444.2 | 431.8 | 440.1 | **9,398.7** |
| WIN | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 140.1 | 584.1 | 639.1 | 615.6 | 605.0 | 552.5 | 543.0 | **3,679.4** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 0.0 | 0.0 | **183.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 200.9 | 0.0 | 0.0 | **834.8** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **176.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 83.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **633.9** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 8.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **352.3** |
| DAY | 1956 | 24.0 | 0.0 | 1.0 | 8.0 | 0.0 | 3.0 | 0.0 | 8.0 | 0.0 | 0.0 | 0.0 | 0.0 | **165.0** |
| H2O | 1956 | 141.7 | 0.0 | 7.3 | 75.0 | 0.0 | 13.2 | 0.0 | 62.3 | 0.0 | 0.0 | 0.0 | 0.0 | **550.4** |
| OIL | 1956 | 47.7 | 0.0 | 1.3 | 13.0 | 0.0 | 5.7 | 0.0 | 11.1 | 0.0 | 0.0 | 0.0 | 0.0 | **343.9** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 30.0 | 27.0 | 13.0 | 24.0 | 15.0 | **121.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.1 | 38.2 | 61.5 | 55.6 | 54.7 | 21.8 | **250.9** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 40.0 | 74.8 | 41.0 | 24.0 | 68.5 | 16.8 | **265.1** |

Licence ***851*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,343.0** |
| H2O | 1975 | 9.5 | 8.7 | 9.2 | 9.2 | 15.9 | 14.8 | 15.3 | 15.1 | 14.8 | 15.9 | 15.9 | 16.2 | **1,777.6** |
| OIL | 1975 | 69.8 | 62.0 | 65.6 | 62.8 | 62.0 | 59.0 | 61.8 | 62.3 | 60.4 | 62.5 | 60.4 | 61.3 | **12,665.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,979.0** |
| H2O | 1974 | 15.1 | 14.0 | 15.4 | 15.3 | 9.9 | 9.9 | 10.0 | 9.2 | 9.1 | 9.5 | 9.4 | 9.5 | **1,617.1** |
| OIL | 1974 | 45.0 | 39.3 | 43.4 | 42.7 | 70.9 | 68.6 | 70.7 | 70.6 | 67.7 | 71.2 | 68.2 | 70.2 | **11,915.7** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,614.0** |
| H2O | 1973 | 35.3 | 33.9 | 16.4 | 16.2 | 16.4 | 15.9 | 15.9 | 17.2 | 16.9 | 16.5 | 15.9 | 15.3 | **1,480.8** |
| OIL | 1973 | 61.3 | 54.0 | 43.1 | 42.0 | 43.9 | 42.6 | 44.0 | 47.0 | 45.0 | 45.0 | 43.1 | 43.7 | **11,187.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,249.0** |
| H2O | 1972 | 4.1 | 4.1 | 4.5 | 4.0 | 4.5 | 4.5 | 4.8 | 4.5 | 4.6 | 4.9 | 35.3 | 35.9 | **1,249.0** |
| OIL | 1972 | 69.4 | 64.7 | 70.4 | 46.2 | 48.6 | 47.0 | 48.5 | 49.4 | 47.2 | 49.7 | 59.4 | 62.1 | **10,632.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **5,883.0** |
| H2O | 1971 | 20.3 | 18.1 | 21.1 | 4.0 | 4.0 | 4.1 | 4.1 | 3.8 | 3.5 | 3.5 | 3.7 | 4.5 | **1,133.3** |
| OIL | 1971 | 81.8 | 71.4 | 79.9 | 69.1 | 73.3 | 71.2 | 72.8 | 71.4 | 70.6 | 66.1 | 69.1 | 70.7 | **9,969.9** |

# Manitoba Production
## 1950 To 1975

Licence ***851*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,522.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.9 | 22.4 | 20.8 | 21.8 | 19.7 | 21.9 | **1,038.6** |
| OIL | 1970 | 70.4 | 63.2 | 69.3 | 51.3 | 69.0 | 66.3 | 78.8 | 77.5 | 74.1 | 78.0 | 74.8 | 78.5 | **9,102.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,164.0** |
| OIL | 1969 | 43.5 | 38.3 | 42.4 | 41.3 | 70.2 | 69.0 | 71.8 | 71.2 | 69.3 | 72.6 | 69.6 | 72.9 | **8,251.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **4,799.0** |
| H2O | 1968 | 1.0 | 1.0 | 1.0 | 1.1 | 1.1 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **912.1** |
| OIL | 1968 | 44.0 | 40.2 | 43.1 | 42.9 | 43.1 | 42.3 | 43.5 | 43.5 | 41.8 | 44.0 | 38.1 | 43.5 | **7,519.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 19.0 | 23.0 | 31.0 | **4,435.0** |
| H2O | 1967 | 5.1 | 4.3 | 5.1 | 4.9 | 4.8 | 17.0 | 13.5 | 18.0 | 1.0 | 0.6 | 0.8 | 1.0 | **905.8** |
| OIL | 1967 | 54.8 | 49.9 | 55.9 | 53.6 | 55.6 | 46.6 | 48.3 | 48.0 | 41.8 | 25.9 | 35.4 | 43.7 | **7,009.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 11.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,089.0** |
| H2O | 1966 | 2.2 | 1.9 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 4.6 | 5.1 | 5.1 | 5.2 | 5.4 | **829.7** |
| OIL | 1966 | 52.9 | 46.6 | 51.5 | 48.3 | 50.4 | 48.5 | 15.9 | 54.2 | 52.9 | 54.8 | 53.9 | 56.3 | **6,449.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,744.0** |
| H2O | 1965 | 9.2 | 8.1 | 9.4 | 8.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.2 | 2.5 | **797.8** |
| OIL | 1965 | 46.4 | 42.3 | 45.8 | 44.2 | 29.7 | 30.5 | 31.6 | 31.5 | 50.5 | 52.4 | 52.1 | 53.4 | **5,863.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,379.0** |
| H2O | 1964 | 3.8 | 3.3 | 3.8 | 3.8 | 3.8 | 3.8 | 2.7 | 3.3 | 8.4 | 8.4 | 8.7 | 9.2 | **758.3** |
| OIL | 1964 | 56.4 | 53.2 | 57.7 | 55.3 | 57.0 | 54.8 | 42.1 | 51.8 | 43.1 | 43.9 | 43.1 | 45.8 | **5,353.1** |
| DAY | 1963 | 30.0 | 17.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,024.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 8.7 | 8.4 | 3.2 | 3.8 | 3.8 | **695.3** |
| OIL | 1963 | 18.6 | 10.8 | 21.1 | 20.8 | 21.6 | 21.3 | 37.2 | 37.2 | 35.3 | 52.8 | 52.9 | 54.2 | **4,748.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 27.0 | 21.0 | **2,671.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **656.4** |
| OIL | 1962 | 26.7 | 24.9 | 27.3 | 26.1 | 18.3 | 17.8 | 23.4 | 20.3 | 19.5 | 18.1 | 16.7 | 13.2 | **4,365.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 15.0 | 30.0 | 31.0 | **2,321.0** |
| H2O | 1961 | 26.2 | 18.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **655.1** |
| OIL | 1961 | 66.6 | 55.9 | 26.9 | 26.7 | 28.0 | 25.1 | 27.0 | 27.2 | 23.5 | 10.3 | 23.4 | 27.3 | **4,112.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **1,973.0** |
| H2O | 1960 | 0.0 | 0.0 | 1.3 | 1.1 | 1.1 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.8 | **610.5** |
| OIL | 1960 | 41.2 | 37.2 | 24.2 | 23.8 | 24.3 | 23.7 | 16.5 | 16.5 | 12.9 | 16.4 | 16.4 | 61.2 | **3,744.9** |
| DAY | 1959 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,613.0** |
| H2O | 1959 | 0.0 | 3.2 | 3.2 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **586.9** |
| OIL | 1959 | 35.0 | 25.1 | 28.8 | 26.4 | 27.5 | 25.7 | 30.8 | 30.2 | 29.6 | 31.9 | 38.8 | 39.3 | **3,430.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,249.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.0 | **576.8** |
| OIL | 1958 | 46.2 | 41.0 | 45.3 | 35.0 | 38.9 | 29.6 | 31.8 | 31.1 | 30.4 | 29.2 | 30.7 | 36.1 | **3,061.5** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **887.0** |
| H2O | 1957 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 5.4 | 8.6 | 7.9 | 5.1 | 0.3 | 0.2 | 0.2 | **572.8** |
| OIL | 1957 | 56.6 | 52.1 | 58.3 | 56.4 | 56.6 | 41.3 | 43.7 | 53.6 | 51.5 | 45.1 | 44.2 | 44.8 | **2,636.2** |
| DAY | 1956 | 31.0 | 27.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **524.0** |
| H2O | 1956 | 39.6 | 26.5 | 35.0 | 70.3 | 59.6 | 1.3 | 23.5 | 18.3 | 0.2 | 0.2 | 0.2 | 0.3 | **544.0** |
| OIL | 1956 | 107.7 | 99.3 | 93.4 | 98.8 | 120.3 | 74.7 | 63.2 | 63.2 | 56.1 | 61.0 | 59.4 | 54.8 | **2,032.0** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **164.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 41.8 | 38.8 | 57.6 | 43.4 | 56.4 | **269.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 279.2 | 200.4 | 150.3 | 172.4 | 158.6 | 119.2 | **1,080.1** |

Licence ***852*** Well Name ***Canada West Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***852*** Well Name ***Canada West Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 17.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,180.0** |
| H2O | 1975 | 1049.8 | 906.5 | 1090.0 | 1062.5 | 569.0 | 1068.6 | 1025.5 | 958.5 | 1071.9 | 1067.1 | 1000.2 | 1023.9 | **128,349.6** |
| OIL | 1975 | 9.1 | 11.9 | 15.7 | 15.7 | 1.1 | 19.6 | 20.0 | 13.8 | 17.3 | 18.1 | 18.9 | 20.2 | **16,393.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 22.0 | 28.0 | 31.0 | 30.0 | 18.0 | **6,829.0** |
| H2O | 1974 | 885.9 | 723.9 | 846.8 | 856.6 | 906.4 | 873.0 | 1078.3 | 732.5 | 924.4 | 1057.0 | 1026.3 | 617.5 | **116,456.1** |
| OIL | 1974 | 15.3 | 14.0 | 14.6 | 12.4 | 15.3 | 18.8 | 23.1 | 8.7 | 18.0 | 12.7 | 13.4 | 17.3 | **16,212.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,489.0** |
| H2O | 1973 | 868.1 | 784.1 | 862.0 | 826.6 | 892.2 | 858.1 | 912.3 | 868.9 | 854.6 | 874.7 | 905.4 | 932.0 | **105,927.5** |
| OIL | 1973 | 17.3 | 16.7 | 19.1 | 18.4 | 18.9 | 19.2 | 19.1 | 18.0 | 17.8 | 15.3 | 21.3 | 14.8 | **16,028.4** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,124.0** |
| H2O | 1972 | 859.0 | 795.6 | 854.4 | 845.5 | 897.8 | 882.4 | 926.3 | 925.5 | 890.3 | 864.4 | 829.8 | 868.5 | **95,488.5** |
| OIL | 1972 | 23.1 | 20.8 | 21.3 | 22.9 | 24.0 | 22.4 | 23.8 | 23.5 | 22.4 | 18.0 | 16.1 | 15.6 | **15,812.5** |
| DAY | 1971 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 16.0 | 30.0 | 31.0 | **5,758.0** |
| H2O | 1971 | 859.0 | 768.5 | 851.4 | 825.8 | 857.3 | 874.7 | 831.7 | 883.5 | 812.9 | 449.0 | 835.3 | 864.4 | **85,049.0** |
| OIL | 1971 | 27.0 | 23.4 | 29.1 | 24.0 | 25.3 | 22.6 | 22.4 | 26.6 | 25.4 | 11.1 | 24.5 | 23.5 | **15,558.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | 29.0 | 28.0 | 25.0 | 31.0 | **5,410.0** |
| H2O | 1970 | 802.3 | 663.5 | 687.6 | 739.0 | 836.4 | 841.0 | 832.8 | 860.8 | 762.7 | 733.9 | 777.9 | 862.2 | **75,335.5** |
| OIL | 1970 | 25.9 | 21.9 | 22.7 | 24.0 | 26.2 | 26.7 | 27.3 | 30.7 | 28.6 | 22.1 | 21.5 | 27.2 | **15,273.7** |
| DAY | 1969 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 22.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,058.0** |
| H2O | 1969 | 763.9 | 631.7 | 884.9 | 723.9 | 711.6 | 466.0 | 726.9 | 788.6 | 797.2 | 705.4 | 631.5 | 891.9 | **65,935.4** |
| OIL | 1969 | 28.0 | 23.8 | 26.9 | 28.6 | 26.9 | 12.7 | 27.0 | 27.0 | 23.2 | 25.9 | 20.4 | 29.7 | **14,968.9** |
| DAY | 1968 | 24.0 | 29.0 | 31.0 | 28.0 | 30.0 | 30.0 | 29.0 | 31.0 | 16.0 | 31.0 | 30.0 | 31.0 | **4,706.0** |
| H2O | 1968 | 584.9 | 645.0 | 684.8 | 664.9 | 728.8 | 673.6 | 713.5 | 732.9 | 333.6 | 856.9 | 780.6 | 746.4 | **57,211.9** |
| OIL | 1968 | 26.2 | 26.1 | 28.8 | 25.3 | 25.4 | 36.7 | 20.7 | 28.0 | 22.7 | 28.1 | 27.8 | 28.6 | **14,668.8** |
| DAY | 1967 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,366.0** |
| H2O | 1967 | 437.2 | 384.3 | 573.5 | 504.8 | 507.5 | 472.7 | 457.2 | 747.6 | 630.9 | 640.9 | 599.7 | 571.4 | **49,066.0** |
| OIL | 1967 | 34.5 | 25.4 | 35.0 | 30.5 | 30.4 | 26.7 | 22.4 | 31.2 | 27.5 | 27.7 | 27.8 | 24.0 | **14,344.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,011.0** |
| H2O | 1966 | 420.0 | 358.4 | 486.7 | 453.1 | 448.5 | 378.4 | 453.6 | 479.3 | 444.1 | 447.7 | 435.3 | 439.0 | **42,538.3** |
| OIL | 1966 | 49.3 | 47.5 | 53.3 | 51.2 | 54.2 | 38.8 | 49.6 | 53.9 | 50.1 | 42.6 | 34.5 | 35.5 | **14,001.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **3,647.0** |
| H2O | 1965 | 381.7 | 350.6 | 395.7 | 358.0 | 402.7 | 372.5 | 375.2 | 361.9 | 342.0 | 462.2 | 422.9 | 357.7 | **37,294.2** |
| OIL | 1965 | 41.2 | 38.0 | 43.2 | 39.3 | 47.5 | 41.3 | 42.9 | 40.9 | 49.4 | 56.3 | 49.3 | 49.1 | **13,440.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,283.0** |
| H2O | 1964 | 402.7 | 377.1 | 401.6 | 389.8 | 389.7 | 369.5 | 397.3 | 413.4 | 384.4 | 378.9 | 366.5 | 338.0 | **32,711.1** |
| OIL | 1964 | 45.8 | 43.4 | 45.6 | 45.0 | 46.6 | 43.1 | 41.7 | 42.6 | 42.0 | 41.8 | 40.4 | 39.1 | **12,902.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,917.0** |
| H2O | 1963 | 382.4 | 340.2 | 365.0 | 464.4 | 451.8 | 451.8 | 477.4 | 461.5 | 432.4 | 483.3 | 432.8 | 413.7 | **28,102.2** |
| OIL | 1963 | 52.1 | 46.7 | 51.8 | 51.8 | 49.3 | 47.5 | 46.6 | 45.6 | 42.3 | 47.4 | 44.8 | 45.3 | **12,385.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,554.0** |
| H2O | 1962 | 483.2 | 408.5 | 468.1 | 451.4 | 453.3 | 437.2 | 441.8 | 415.8 | 391.3 | 394.1 | 382.7 | 389.4 | **22,945.5** |
| OIL | 1962 | 52.2 | 67.2 | 47.1 | 45.8 | 58.7 | 58.3 | 60.6 | 54.1 | 53.6 | 52.9 | 50.6 | 51.4 | **11,814.1** |
| DAY | 1961 | 29.0 | 28.0 | 31.0 | 5.0 | 23.0 | 23.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,190.0** |
| H2O | 1961 | 176.1 | 223.6 | 222.5 | 31.7 | 148.1 | 192.4 | 524.9 | 579.9 | 558.3 | 546.0 | 495.8 | 485.3 | **17,828.7** |
| OIL | 1961 | 54.3 | 51.1 | 56.7 | 8.3 | 36.8 | 40.8 | 63.3 | 64.8 | 63.2 | 59.8 | 58.1 | 57.8 | **11,161.6** |
| DAY | 1960 | 31.0 | 29.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,868.0** |
| H2O | 1960 | 225.7 | 304.2 | 198.3 | 284.5 | 295.6 | 262.2 | 295.6 | 278.9 | 281.8 | 295.6 | 306.4 | 233.8 | **13,644.1** |
| OIL | 1960 | 69.5 | 72.1 | 60.0 | 93.1 | 94.7 | 77.8 | 88.5 | 81.1 | 70.2 | 77.8 | 70.2 | 70.0 | **10,546.6** |
| DAY | 1959 | 29.0 | 28.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,509.0** |
| H2O | 1959 | 217.7 | 235.8 | 295.5 | 232.2 | 230.1 | 228.8 | 274.9 | 280.5 | 219.3 | 229.6 | 184.3 | 294.0 | **10,381.5** |
| OIL | 1959 | 103.2 | 94.2 | 72.9 | 116.9 | 120.9 | 99.1 | 102.6 | 102.0 | 98.0 | 98.0 | 64.3 | 94.0 | **9,621.6** |
| DAY | 1958 | 31.0 | 10.0 | 18.0 | 28.0 | 28.0 | 30.0 | 30.0 | 31.0 | 26.0 | 31.0 | 21.0 | 8.0 | **1,152.0** |

# Manitoba Production
## 1950 To 1975

Licence ***852*** Well Name ***Canada West Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 350.0 | 129.6 | 235.2 | 310.6 | 198.2 | 224.1 | 242.2 | 256.5 | 209.8 | 246.3 | 123.3 | 42.8 | **7,458.8** |
| OIL | 1958 | 167.8 | 35.4 | 80.0 | 116.6 | 108.3 | 99.7 | 118.0 | 107.9 | 96.9 | 111.2 | 61.6 | 15.5 | **8,455.5** |
| DAY | 1957 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 22.0 | 26.0 | **860.0** |
| H2O | 1957 | 280.8 | 261.8 | 277.7 | 297.8 | 306.6 | 299.0 | 290.8 | 226.0 | 314.2 | 291.6 | 164.9 | 271.1 | **4,890.2** |
| OIL | 1957 | 283.1 | 250.6 | 259.8 | 274.0 | 277.5 | 247.4 | 233.9 | 215.5 | 198.2 | 200.5 | 102.0 | 158.6 | **7,336.6** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **511.0** |
| H2O | 1956 | 76.7 | 69.1 | 86.1 | 32.0 | 84.8 | 105.5 | 116.8 | 122.3 | 134.6 | 140.3 | 151.4 | 239.2 | **1,607.9** |
| OIL | 1956 | 276.1 | 252.1 | 271.5 | 217.9 | 244.9 | 268.3 | 272.6 | 268.6 | 273.5 | 283.1 | 268.1 | 286.1 | **4,635.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 30.0 | 24.0 | 16.0 | 30.0 | 30.0 | **151.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 34.2 | 41.6 | 50.6 | 60.6 | 61.6 | **249.1** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 208.2 | 286.9 | 236.3 | 203.1 | 243.6 | 274.6 | **1,452.7** |

Licence ***853*** Well Name ***Lyle Lee Waskada Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-18-001-25W1.00*** Field Name ***Waskada*** Pool Name ***Mission Canyon 1 B*** Field Code ***3*** Pool Code ***44B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **491.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 12.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,398.0** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **592.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 27.0 | 6.0 | 0.0 | 0.0 | 0.0 | **487.0** |
| H2O | 1958 | 607.9 | 559.6 | 581.9 | 561.2 | 556.5 | 480.1 | 469.0 | 427.7 | 55.6 | 0.0 | 0.0 | 0.0 | **6,385.3** |
| OIL | 1958 | 38.0 | 30.2 | 30.7 | 27.5 | 24.8 | 22.1 | 17.8 | 16.4 | 3.3 | 0.0 | 0.0 | 0.0 | **591.0** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 24.0 | 31.0 | 30.0 | 29.0 | **245.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 220.8 | 244.0 | 463.5 | 554.9 | 573.2 | **2,085.8** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.7 | 24.5 | 51.3 | 43.9 | 39.3 | **380.2** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 26.0 | 31.0 | 27.0 | 7.0 | **110.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.6 | 3.7 | 3.5 | 7.9 | 1.7 | **29.4** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 70.9 | 42.4 | 45.9 | 31.5 | 6.8 | **197.5** |

Licence ***856*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **7,376.0** |
| H2O | 1975 | 635.4 | 588.9 | 656.3 | 625.7 | 648.6 | 602.4 | 609.5 | 613.2 | 567.4 | 648.2 | 650.1 | 661.8 | **44,067.3** |
| OIL | 1975 | 245.8 | 220.2 | 241.9 | 233.3 | 237.6 | 224.4 | 233.0 | 238.7 | 217.9 | 239.6 | 231.7 | 235.5 | **76,455.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,012.0** |
| H2O | 1974 | 431.0 | 347.8 | 389.0 | 369.8 | 391.7 | 365.5 | 397.9 | 365.0 | 359.8 | 365.7 | 636.6 | 636.2 | **36,559.8** |
| OIL | 1974 | 365.0 | 276.5 | 316.4 | 294.6 | 313.5 | 281.4 | 313.2 | 311.8 | 299.4 | 305.1 | 242.0 | 249.6 | **73,656.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,650.0** |
| H2O | 1973 | 450.2 | 456.4 | 489.3 | 488.2 | 494.7 | 475.7 | 477.7 | 514.6 | 488.9 | 493.2 | 458.2 | 434.7 | **31,503.8** |
| OIL | 1973 | 383.1 | 329.4 | 363.1 | 354.7 | 344.0 | 333.4 | 345.6 | 369.8 | 374.2 | 382.2 | 359.9 | 357.2 | **70,087.7** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,285.0** |
| H2O | 1972 | 400.3 | 392.2 | 462.2 | 409.1 | 459.6 | 349.4 | 387.8 | 400.2 | 399.8 | 434.8 | 502.9 | 452.9 | **25,782.0** |
| OIL | 1972 | 400.1 | 375.2 | 421.1 | 429.2 | 461.0 | 405.2 | 417.3 | 408.6 | 388.9 | 409.5 | 376.6 | 387.4 | **65,791.1** |
| DAY | 1971 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **5,919.0** |
| H2O | 1971 | 214.8 | 201.3 | 231.6 | 232.4 | 318.3 | 316.7 | 342.8 | 330.5 | 335.9 | 367.6 | 364.9 | 400.6 | **20,730.8** |
| OIL | 1971 | 376.8 | 344.4 | 381.2 | 361.8 | 410.5 | 398.9 | 403.5 | 396.0 | 386.5 | 392.5 | 400.1 | 383.1 | **60,911.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,557.0** |
| H2O | 1970 | 27.2 | 25.4 | 26.5 | 21.0 | 25.3 | 25.6 | 249.1 | 274.9 | 227.5 | 236.2 | 215.6 | 239.6 | **17,073.4** |
| OIL | 1970 | 437.6 | 394.6 | 430.6 | 356.1 | 428.7 | 419.5 | 393.6 | 378.7 | 352.8 | 372.2 | 356.9 | 374.6 | **56,275.7** |
| DAY | 1969 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,196.0** |
| H2O | 1969 | 125.8 | 119.2 | 111.9 | 114.1 | 216.1 | 241.5 | 273.9 | 275.5 | 251.0 | 28.6 | 25.6 | 28.1 | **15,479.5** |

# Manitoba Production
## 1950 To 1975

Licence ***856*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1969 | 319.1 | 294.6 | 325.4 | 317.0 | 443.7 | 470.5 | 511.8 | 508.7 | 478.6 | 451.1 | 432.6 | 452.9 | **51,579.8** |
| DAY | 1968 | 29.0 | 29.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,834.0** |
| H2O | 1968 | 153.9 | 157.4 | 164.7 | 158.5 | 229.7 | 210.2 | 215.1 | 205.2 | 205.2 | 170.7 | 164.2 | 125.1 | **13,668.2** |
| OIL | 1968 | 360.1 | 355.8 | 376.5 | 350.9 | 376.0 | 369.3 | 364.5 | 380.4 | 366.0 | 361.4 | 360.1 | 333.1 | **46,573.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,474.0** |
| H2O | 1967 | 180.9 | 149.6 | 179.8 | 167.4 | 167.7 | 178.4 | 140.4 | 169.2 | 152.9 | 147.1 | 145.1 | 170.4 | **11,508.3** |
| OIL | 1967 | 416.0 | 369.8 | 375.2 | 362.2 | 373.1 | 377.9 | 392.3 | 369.0 | 366.9 | 344.4 | 377.7 | 384.1 | **42,219.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 18.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,111.0** |
| H2O | 1966 | 138.9 | 111.4 | 141.3 | 145.3 | 163.7 | 144.7 | 64.4 | 113.2 | 120.8 | 128.5 | 169.8 | 190.5 | **9,559.4** |
| OIL | 1966 | 409.5 | 361.5 | 399.3 | 365.2 | 382.0 | 367.2 | 238.8 | 422.4 | 408.4 | 436.8 | 381.1 | 417.3 | **37,711.1** |
| DAY | 1965 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | **3,760.0** |
| H2O | 1965 | 133.1 | 111.4 | 134.8 | 117.8 | 119.9 | 114.5 | 126.4 | 135.0 | 131.5 | 130.5 | 135.1 | 141.2 | **7,926.9** |
| OIL | 1965 | 426.8 | 367.1 | 420.8 | 398.4 | 402.0 | 402.4 | 420.5 | 425.1 | 387.9 | 418.4 | 388.9 | 401.9 | **33,121.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,398.0** |
| H2O | 1964 | 90.1 | 95.2 | 106.0 | 121.1 | 129.3 | 124.6 | 123.1 | 124.6 | 115.9 | 116.1 | 120.0 | 132.3 | **6,395.7** |
| OIL | 1964 | 360.1 | 377.4 | 407.9 | 364.2 | 378.0 | 363.7 | 377.1 | 380.3 | 385.0 | 392.2 | 384.2 | 422.9 | **28,261.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,032.0** |
| H2O | 1963 | 66.1 | 63.6 | 77.3 | 78.9 | 73.8 | 68.2 | 107.2 | 138.3 | 106.7 | 119.2 | 87.1 | 89.0 | **4,997.4** |
| OIL | 1963 | 144.3 | 141.6 | 171.8 | 165.7 | 170.0 | 165.9 | 170.7 | 389.6 | 365.5 | 359.1 | 337.8 | 345.6 | **23,668.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,668.0** |
| H2O | 1962 | 27.3 | 29.4 | 33.9 | 40.1 | 53.9 | 57.6 | 55.8 | 51.8 | 61.0 | 59.1 | 58.2 | 64.2 | **3,922.0** |
| OIL | 1962 | 178.8 | 157.0 | 173.2 | 165.6 | 146.8 | 142.1 | 143.2 | 133.8 | 142.2 | 143.7 | 140.2 | 141.7 | **20,740.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,305.0** |
| H2O | 1961 | 76.0 | 71.2 | 69.5 | 70.0 | 58.2 | 55.2 | 42.4 | 32.4 | 27.0 | 27.7 | 29.4 | 31.8 | **3,329.7** |
| OIL | 1961 | 174.5 | 156.5 | 167.0 | 158.4 | 148.9 | 159.1 | 161.8 | 162.7 | 163.5 | 179.6 | 173.4 | 176.7 | **18,932.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,940.0** |
| H2O | 1960 | 18.4 | 18.4 | 28.6 | 21.9 | 27.5 | 27.8 | 38.8 | 27.5 | 43.1 | 44.2 | 49.9 | 72.2 | **2,738.9** |
| OIL | 1960 | 211.4 | 196.1 | 206.9 | 219.8 | 211.0 | 202.8 | 201.8 | 166.2 | 204.7 | 207.4 | 193.6 | 176.9 | **16,950.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,579.0** |
| H2O | 1959 | 33.5 | 26.9 | 30.7 | 42.6 | 47.4 | 78.5 | 69.8 | 29.9 | 20.3 | 13.8 | 13.7 | 12.4 | **2,320.6** |
| OIL | 1959 | 265.7 | 238.7 | 265.4 | 234.4 | 235.5 | 201.0 | 213.9 | 220.4 | 220.6 | 223.4 | 213.4 | 217.7 | **14,551.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | **1,214.0** |
| H2O | 1958 | 68.0 | 72.3 | 71.9 | 63.9 | 68.4 | 54.2 | 41.5 | 55.2 | 28.3 | 27.3 | 28.5 | 30.7 | **1,901.1** |
| OIL | 1958 | 177.3 | 253.8 | 289.4 | 268.9 | 289.7 | 278.9 | 276.8 | 301.5 | 267.4 | 265.5 | 260.3 | 268.1 | **11,801.7** |
| DAY | 1957 | 29.0 | 28.0 | 31.0 | 29.0 | 16.0 | 28.0 | 29.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | **853.0** |
| H2O | 1957 | 36.7 | 34.2 | 48.5 | 65.0 | 43.9 | 68.5 | 28.5 | 55.6 | 80.0 | 79.3 | 67.6 | 75.2 | **1,290.9** |
| OIL | 1957 | 346.6 | 303.2 | 332.6 | 279.0 | 174.8 | 268.6 | 265.7 | 262.5 | 202.6 | 186.9 | 175.4 | 176.7 | **8,604.1** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **513.0** |
| H2O | 1956 | 17.5 | 14.6 | 16.2 | 14.6 | 10.2 | 10.2 | 79.3 | 94.8 | 91.4 | 70.4 | 65.0 | 61.4 | **607.9** |
| OIL | 1956 | 362.8 | 309.7 | 329.3 | 341.0 | 330.2 | 343.4 | 245.4 | 257.9 | 363.0 | 366.1 | 352.1 | 367.9 | **5,629.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 31.0 | 20.0 | 30.0 | 28.0 | 31.0 | **149.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.7 | 17.8 | 17.8 | 18.0 | **62.3** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 136.3 | 342.3 | 209.6 | 333.7 | 300.2 | 338.6 | **1,660.7** |

Licence ***857*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 2041.5 | 1912.8 | 2144.3 | 2088.7 | 2221.4 | 1974.5 | 1993.0 | 2051.6 | 2049.3 | 2176.3 | 1872.6 | 1849.1 | **241,671.0** |
| WIN | 1974 | 1862.5 | 1607.4 | 1948.5 | 1819.4 | 1867.5 | 1760.7 | 1807.4 | 1939.6 | 1762.8 | 1824.0 | 1930.3 | 2135.6 | **217,295.9** |
| WIN | 1973 | 1871.5 | 1907.4 | 2093.1 | 1952.1 | 2034.5 | 1949.7 | 2033.7 | 1972.8 | 1981.8 | 2033.2 | 1914.0 | 1944.3 | **195,030.2** |
| WIN | 1972 | 607.0 | 450.4 | 353.7 | 2338.1 | 2388.4 | 2154.8 | 2210.1 | 2158.9 | 1876.6 | 2046.7 | 2058.8 | 2119.0 | **171,342.1** |

# Manitoba Production
## 1950 To 1975

Licence ***857*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1971 | 1626.4 | 1448.1 | 1598.2 | 1466.9 | 1321.4 | 1641.0 | 1664.8 | 4341.9 | 1232.1 | 0.0 | 829.4 | 917.8 | **150,579.6** |
| WIN | 1970 | 1846.1 | 1698.7 | 1911.6 | 1762.5 | 2063.6 | 1880.7 | 1876.8 | 2225.9 | 2048.5 | 1920.6 | 1777.7 | 1603.8 | **132,491.6** |
| WIN | 1969 | 1506.5 | 1269.0 | 1068.3 | 971.7 | 998.1 | 918.4 | 980.6 | 1905.4 | 1912.1 | 1998.7 | 1773.9 | 1629.9 | **109,875.1** |
| WIN | 1968 | 1521.6 | 1430.5 | 1572.8 | 1504.7 | 1193.1 | 1124.3 | 1335.0 | 1568.5 | 1584.1 | 1575.0 | 1425.4 | 1435.7 | **92,942.5** |
| WIN | 1967 | 1501.4 | 1229.9 | 1435.3 | 1353.9 | 1318.6 | 1335.6 | 755.2 | 1434.0 | 1537.5 | 1598.4 | 1541.9 | 1550.2 | **75,671.8** |
| WIN | 1966 | 868.8 | 1222.7 | 1494.6 | 1493.8 | 1526.7 | 950.9 | 1594.6 | 1552.4 | 1526.0 | 1583.6 | 1524.0 | 1710.0 | **59,079.9** |
| WIN | 1965 | 1261.2 | 1122.1 | 1304.3 | 1323.8 | 1351.8 | 1332.3 | 1136.7 | 1029.9 | 1526.5 | 1525.9 | 1401.7 | 1586.6 | **42,031.8** |
| WIN | 1964 | 868.2 | 621.8 | 1052.0 | 1099.3 | 1136.4 | 1311.9 | 1183.9 | 1143.1 | 1090.6 | 1276.1 | 1240.7 | 1205.7 | **26,129.0** |
| WIN | 1963 | 1254.5 | 938.3 | 893.1 | 976.8 | 1434.2 | 1352.6 | 1250.5 | 1031.6 | 957.1 | 963.4 | 779.5 | 851.5 | **12,899.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 14.0 | **2,686.0** |
| H2O | 1962 | 3.6 | 3.0 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 2.1 | 3.3 | 1.9 | 0.6 | **219.9** |
| OIL | 1962 | 90.8 | 81.8 | 90.5 | 69.6 | 84.4 | 80.2 | 85.2 | 87.9 | 72.3 | 87.1 | 72.1 | 31.0 | **13,065.3** |
| WIN | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 216.2 | **216.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,338.0** |
| H2O | 1961 | 1.3 | 3.7 | 1.7 | 0.0 | 2.9 | 1.0 | 1.1 | 1.3 | 0.0 | 0.0 | 5.4 | 0.0 | **199.7** |
| OIL | 1961 | 90.1 | 82.3 | 87.7 | 89.1 | 86.6 | 76.6 | 83.6 | 96.6 | 91.8 | 96.6 | 66.6 | 79.9 | **12,132.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,973.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 2.7 | 1.4 | 0.0 | 0.0 | 0.0 | 4.8 | 2.7 | **181.3** |
| OIL | 1960 | 106.5 | 101.5 | 106.0 | 103.9 | 105.5 | 97.7 | 103.8 | 99.8 | 98.2 | 96.9 | 99.3 | 99.3 | **11,104.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,607.0** |
| H2O | 1959 | 0.0 | 1.1 | 8.6 | 1.4 | 8.4 | 1.1 | 6.5 | 13.2 | 0.0 | 1.4 | 0.0 | 0.3 | **168.4** |
| OIL | 1959 | 86.6 | 75.5 | 104.1 | 95.0 | 103.8 | 106.0 | 91.1 | 105.8 | 104.7 | 121.7 | 110.4 | 107.6 | **9,886.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,244.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.3 | 11.8 | 19.9 | 0.0 | 0.0 | 0.0 | 0.0 | 3.8 | 1.6 | 0.0 | **126.4** |
| OIL | 1958 | 128.6 | 110.8 | 114.1 | 116.6 | 135.9 | 116.5 | 122.2 | 126.3 | 123.0 | 101.1 | 115.5 | 112.7 | **8,674.2** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **881.0** |
| H2O | 1957 | 1.1 | 6.4 | 22.3 | 0.8 | 7.2 | 3.3 | 2.5 | 0.8 | 4.6 | 3.3 | 1.9 | 0.6 | **89.0** |
| OIL | 1957 | 191.6 | 178.5 | 185.1 | 166.2 | 167.2 | 159.5 | 162.1 | 161.5 | 149.4 | 146.8 | 120.0 | 127.0 | **7,250.9** |
| DAY | 1956 | 29.0 | 26.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **517.0** |
| H2O | 1956 | 0.5 | 0.6 | 3.2 | 1.9 | 1.7 | 1.0 | 1.9 | 0.8 | 0.6 | 1.7 | 0.6 | 0.6 | **34.2** |
| OIL | 1956 | 326.9 | 294.6 | 339.0 | 366.1 | 331.3 | 328.8 | 321.3 | 278.4 | 250.4 | 262.7 | 233.6 | 207.5 | **5,336.0** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 21.0 | 31.0 | 27.0 | 30.0 | 28.0 | 21.0 | **159.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 0.6 | 4.0 | 7.0 | 3.7 | 3.3 | **19.1** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.2 | 260.1 | 342.9 | 288.3 | 347.1 | 306.1 | 248.7 | **1,795.4** |

Licence ***859*** Well Name ***Dome Naco Regent*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-34-004-22W1.00*** Field Name ***Regent*** Pool Name ***Lodgepole Virden B*** Field Code ***13*** Pool Code ***53B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 31.0 | 2.0 | 0.0 | **60.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 124.6 | 237.4 | 16.1 | 0.0 | **378.1** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 123.8 | 66.7 | 3.5 | 0.0 | **194.0** |

Licence ***861*** Well Name ***B.A. Union Glinz Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-21-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 15.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 8.0 | 0.0 | 0.0 | 0.0 | **199.0** |
| H2O | 1956 | 75.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.5 | 31.9 | 0.0 | 0.0 | 0.0 | **739.4** |
| OIL | 1956 | 15.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.4 | 7.5 | 0.0 | 0.0 | 0.0 | **430.0** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **173.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 65.7 | 127.0 | 95.1 | 142.9 | 54.7 | 121.9 | **607.3** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 109.2 | 83.9 | 53.1 | 76.8 | 45.3 | 34.2 | **402.5** |

# Manitoba Production
## 1950 To 1975

Licence ***862*** Well Name ***Rundle Williams Virden (Dual)*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-14-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 16.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,551.0** |
| H2O | 1965 | 537.1 | 450.3 | 443.2 | 391.7 | 634.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **8,455.8** |
| OIL | 1965 | 25.4 | 22.3 | 24.3 | 23.6 | 7.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,816.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 24.0 | 27.0 | 25.0 | 30.0 | 31.0 | **3,415.0** |
| H2O | 1964 | 32.3 | 16.9 | 16.7 | 14.6 | 14.6 | 14.9 | 15.3 | 96.2 | 446.9 | 506.8 | 607.5 | 594.4 | **5,998.7** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.5 | 22.4 | 17.5 | 22.9 | 26.4 | **2,713.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 22.0 | 15.0 | 31.0 | **3,065.0** |
| H2O | 1963 | 12.6 | 11.6 | 12.7 | 11.8 | 32.7 | 13.0 | 9.1 | 13.0 | 15.7 | 24.3 | 17.2 | 29.4 | **3,621.6** |
| OIL | 1963 | 4.6 | 4.4 | 5.1 | 4.8 | 9.1 | 8.4 | 8.9 | 8.6 | 4.9 | 0.0 | 0.0 | 0.0 | **2,610.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,724.0** |
| H2O | 1962 | 11.4 | 10.5 | 12.9 | 13.8 | 11.4 | 12.9 | 12.4 | 12.7 | 12.7 | 13.2 | 12.4 | 12.6 | **3,418.5** |
| OIL | 1962 | 4.4 | 3.8 | 4.9 | 4.8 | 5.1 | 4.1 | 4.4 | 4.6 | 4.4 | 4.4 | 4.8 | 4.9 | **2,551.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,359.0** |
| H2O | 1961 | 9.4 | 5.6 | 6.8 | 6.0 | 2.5 | 6.2 | 7.2 | 7.2 | 6.8 | 8.9 | 18.4 | 18.9 | **3,269.6** |
| OIL | 1961 | 9.5 | 8.1 | 8.6 | 8.1 | 7.9 | 7.6 | 4.3 | 3.8 | 4.3 | 3.5 | 5.9 | 5.7 | **2,496.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,994.0** |
| H2O | 1960 | 15.7 | 13.5 | 15.4 | 15.1 | 15.9 | 11.4 | 10.0 | 10.7 | 7.2 | 11.3 | 10.7 | 11.1 | **3,165.7** |
| OIL | 1960 | 11.0 | 11.6 | 13.8 | 13.3 | 7.9 | 4.6 | 6.0 | 12.2 | 10.2 | 9.1 | 9.2 | 10.3 | **2,419.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,628.0** |
| H2O | 1959 | 9.7 | 30.5 | 11.1 | 22.4 | 22.1 | 16.2 | 17.6 | 17.3 | 19.7 | 13.0 | 11.0 | 17.0 | **3,017.7** |
| OIL | 1959 | 8.4 | 15.7 | 4.6 | 8.7 | 7.9 | 6.5 | 7.9 | 6.8 | 10.5 | 6.4 | 6.2 | 11.9 | **2,300.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,263.0** |
| H2O | 1958 | 83.1 | 29.3 | 63.0 | 30.7 | 24.6 | 22.6 | 23.1 | 22.7 | 4.1 | 24.8 | 26.2 | 17.5 | **2,810.1** |
| OIL | 1958 | 31.5 | 22.9 | 25.1 | 11.1 | 11.1 | 8.9 | 12.4 | 10.2 | 11.3 | 9.5 | 15.9 | 7.6 | **2,198.7** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **899.0** |
| H2O | 1957 | 20.2 | 27.2 | 23.2 | 26.7 | 47.2 | 94.6 | 34.8 | 8.4 | 30.7 | 338.8 | 61.5 | 60.6 | **2,438.4** |
| OIL | 1957 | 14.1 | 11.3 | 12.6 | 11.8 | 15.4 | 28.6 | 16.8 | 4.4 | 10.3 | 106.3 | 37.5 | 34.2 | **2,021.2** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **535.0** |
| H2O | 1956 | 168.2 | 127.2 | 160.3 | 88.9 | 185.1 | 122.9 | 133.7 | 127.7 | 110.7 | 88.7 | 30.5 | 26.2 | **1,664.5** |
| OIL | 1956 | 97.3 | 143.0 | 124.6 | 84.2 | 84.7 | 91.5 | 76.1 | 93.0 | 93.3 | 48.9 | 15.6 | 14.9 | **1,717.9** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **169.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.2 | 45.6 | 79.2 | 32.7 | 36.2 | 90.5 | **294.4** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 127.0 | 189.7 | 158.3 | 58.3 | 110.9 | 106.6 | **750.8** |

UWI ***100.12-14-010-26W1.02*** Field Name ***Virden*** Pool Name ***Birdbear*** Field Code ***5*** Pool Code ***71*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1966 | 313.6 | 406.2 | 271.1 | 250.3 | 270.0 | 240.7 | 330.7 | 328.0 | 289.8 | 276.0 | 285.9 | 0.0 | **161,234.2** |
| WIN | 1965 | 1418.6 | 1169.3 | 1205.2 | 1095.3 | 1295.8 | 539.1 | 550.4 | 524.5 | 467.3 | 426.3 | 471.1 | 470.8 | **157,971.9** |
| WIN | 1964 | 111.9 | 98.4 | 111.3 | 97.5 | 96.8 | 83.5 | 85.1 | 157.4 | 1170.9 | 1380.9 | 1460.4 | 1622.2 | **148,338.2** |
| WIN | 1963 | 308.9 | 287.1 | 315.0 | 289.5 | 519.4 | 207.6 | 142.9 | 206.1 | 288.6 | 445.8 | 114.6 | 109.4 | **141,861.9** |
| WIN | 1962 | 736.1 | 564.3 | 491.3 | 727.5 | 849.1 | 816.3 | 758.5 | 323.5 | 345.5 | 315.4 | 306.2 | 310.7 | **138,627.0** |
| WIN | 1961 | 1798.7 | 1519.0 | 1547.2 | 1573.3 | 1253.7 | 1228.4 | 620.5 | 664.3 | 655.2 | 647.2 | 814.6 | 899.9 | **132,082.6** |
| WIN | 1960 | 1581.4 | 1716.4 | 929.7 | 1006.1 | 800.4 | 437.2 | 1670.2 | 1159.6 | 561.7 | 1753.4 | 1492.5 | 1396.9 | **118,860.6** |
| WIN | 1959 | 1979.5 | 577.9 | 1193.1 | 1625.4 | 1069.1 | 1811.8 | 2016.7 | 1931.0 | 1767.2 | 1265.8 | 1347.5 | 1685.2 | **104,355.1** |
| WIN | 1958 | 3068.9 | 2701.5 | 2951.8 | 2897.7 | 2712.8 | 2972.3 | 2492.6 | 1848.3 | 1907.6 | 1905.4 | 1550.5 | 1478.2 | **86,084.9** |
| WIN | 1957 | 2605.0 | 2122.9 | 2521.2 | 3265.6 | 2889.9 | 2957.8 | 2644.8 | 3301.1 | 3583.0 | 2550.6 | 2962.1 | 2965.3 | **57,597.3** |
| WIN | 1956 | 612.3 | 2941.8 | 1106.0 | 1246.1 | 808.4 | 1725.7 | 2356.1 | 2189.4 | 2323.2 | 2827.0 | 2561.3 | 2357.1 | **23,228.0** |
| WIN | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 173.6 | **173.6** |

Licence ***866*** Well Name ***Fosca Wilson Woodnorth*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-21-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole C*** Field Code ***1*** Pool Code ***59C*** Unit ***0***

# Manitoba Production
## 1950 To 1975

Licence ***866*** Well Name ***Fosca Wilson Woodnorth*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-21-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole C*** Field Code ***1*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 30.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **797.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 13.5 | 10.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **9,202.2** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 6.8 | 8.9 | 4.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,954.9** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 18.0 | 23.0 | 31.0 | 25.0 | 0.0 | **707.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 43.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **9,178.2** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 43.2 | 4.0 | 8.3 | 14.0 | 7.3 | 0.0 | **2,934.6** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 29.0 | 31.0 | 31.0 | 30.0 | 24.0 | 0.0 | 0.0 | **581.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 101.4 | 716.6 | 712.9 | 292.5 | 987.6 | 774.6 | 0.0 | 0.0 | **9,134.5** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 63.4 | 69.9 | 91.8 | 44.2 | 134.6 | 65.2 | 0.0 | 0.0 | **2,857.8** |
| DAY | 1956 | 16.0 | 29.0 | 31.0 | 4.0 | 31.0 | 30.0 | 31.0 | 31.0 | 24.0 | 31.0 | 30.0 | 4.0 | **429.0** |
| H2O | 1956 | 23.8 | 421.3 | 427.0 | 49.9 | 460.9 | 135.1 | 636.0 | 301.8 | 131.6 | 700.4 | 931.2 | 166.5 | **5,548.9** |
| OIL | 1956 | 134.3 | 151.8 | 161.3 | 18.9 | 58.0 | 175.8 | 229.8 | 76.3 | 99.2 | 151.6 | 129.7 | 5.6 | **2,388.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 30.0 | 31.0 | 30.0 | 31.0 | **137.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 518.9 | 644.5 | **1,163.4** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 130.5 | 205.5 | 209.0 | 245.8 | 205.6 | **996.4** |

Licence ***868*** Well Name ***Mead Ebor WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-26-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1965 | 33.1 | 11.8 | 0.0 | 12.1 | 19.6 | 53.9 | 11.0 | 8.9 | 7.6 | 8.3 | 0.3 | 0.0 | **229.3** |
| DAY | 1964 | 30.0 | 25.0 | 24.0 | 30.0 | 28.0 | 15.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,748.0** |
| OIL | 1964 | 8.6 | 3.8 | 8.1 | 5.7 | 5.6 | 4.3 | 7.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **757.9** |
| WIN | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.1 | 19.9 | 34.7 | **62.7** |
| DAY | 1963 | 24.0 | 18.0 | 10.0 | 30.0 | 31.0 | 28.0 | 20.0 | 20.0 | 16.0 | 10.0 | 20.0 | 20.0 | **1,586.0** |
| OIL | 1963 | 6.5 | 3.7 | 5.9 | 8.3 | 7.6 | 7.2 | 5.7 | 4.0 | 4.8 | 9.1 | 7.8 | 8.3 | **714.2** |
| DAY | 1962 | 31.0 | 10.0 | 15.0 | 30.0 | 14.0 | 14.0 | 15.0 | 16.0 | 30.0 | 25.0 | 30.0 | 3.0 | **1,339.0** |
| OIL | 1962 | 6.2 | 6.0 | 6.0 | 8.3 | 7.3 | 6.2 | 6.8 | 5.4 | 6.2 | 7.3 | 9.9 | 9.9 | **635.3** |
| DAY | 1961 | 7.0 | 8.0 | 8.0 | 13.0 | 5.0 | 30.0 | 6.0 | 15.0 | 15.0 | 25.0 | 30.0 | 31.0 | **1,106.0** |
| OIL | 1961 | 3.2 | 5.1 | 4.8 | 4.9 | 5.1 | 4.5 | 4.9 | 7.5 | 5.9 | 5.9 | 5.7 | 6.0 | **549.8** |
| DAY | 1960 | 5.0 | 4.0 | 5.0 | 4.0 | 5.0 | 3.0 | 19.0 | 13.0 | 15.0 | 15.0 | 16.0 | 17.0 | **913.0** |
| OIL | 1960 | 2.9 | 3.2 | 3.3 | 3.0 | 1.6 | 10.7 | 17.5 | 10.7 | 9.4 | 9.1 | 8.7 | 10.2 | **486.3** |
| DAY | 1959 | 12.0 | 15.0 | 12.0 | 5.0 | 6.0 | 6.0 | 7.0 | 9.0 | 4.0 | 5.0 | 9.0 | 4.0 | **792.0** |
| OIL | 1959 | 4.0 | 4.6 | 3.8 | 3.8 | 2.9 | 3.2 | 3.8 | 4.0 | 2.9 | 2.9 | 2.1 | 3.5 | **396.0** |
| DAY | 1958 | 18.0 | 17.0 | 11.0 | 13.0 | 16.0 | 21.0 | 11.0 | 8.0 | 13.0 | 11.0 | 4.0 | 15.0 | **698.0** |
| OIL | 1958 | 5.7 | 5.1 | 3.3 | 3.8 | 4.6 | 6.7 | 3.2 | 2.4 | 3.5 | 2.5 | 1.3 | 4.8 | **354.5** |
| DAY | 1957 | 26.0 | 23.0 | 26.0 | 29.0 | 29.0 | 27.0 | 31.0 | 30.0 | 24.0 | 31.0 | 14.0 | 18.0 | **540.0** |
| OIL | 1957 | 9.4 | 7.3 | 7.9 | 9.2 | 9.5 | 8.6 | 9.9 | 7.9 | 7.2 | 6.7 | 4.6 | 5.6 | **307.6** |
| DAY | 1956 | 26.0 | 29.0 | 31.0 | 12.0 | 30.0 | 30.0 | 14.0 | 6.0 | 6.0 | 7.0 | 8.0 | 5.0 | **232.0** |
| H2O | 1956 | 2.7 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **57.8** |
| OIL | 1956 | 36.1 | 23.5 | 30.5 | 9.4 | 25.4 | 19.2 | 11.1 | 5.9 | 3.2 | 4.0 | 3.5 | 4.0 | **213.8** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 0.0 | 1.0 | 5.0 | 5.0 | **28.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.9 | 28.3 | 0.0 | 0.0 | 0.2 | 2.9 | **54.3** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.7 | 12.7 | 0.0 | 1.0 | 5.3 | 6.3 | **38.0** |

Licence ***869*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,523.0** |
| H2O | 1975 | 20.0 | 18.4 | 20.5 | 19.9 | 15.9 | 14.9 | 14.9 | 9.4 | 9.1 | 20.7 | 20.7 | 21.0 | **3,653.1** |
| OIL | 1975 | 30.2 | 26.9 | 29.6 | 28.0 | 7.9 | 7.5 | 7.6 | 24.8 | 24.0 | 4.0 | 4.0 | 3.8 | **9,630.6** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 18.0 | 0.0 | 23.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,158.0** |

# Manitoba Production
## 1950 To 1975

Licence ***869*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 475.9 | 20.7 | 0.0 | 24.5 | 32.6 | 19.9 | 19.9 | 20.0 | **3,447.7** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 28.8 | 19.9 | 0.0 | 25.7 | 33.5 | 31.0 | 29.6 | 30.5 | **9,432.3** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 0.0 | **5,966.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 168.0 | 0.0 | **2,834.2** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 0.0 | **9,233.3** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 31.0 | 25.0 | 0.0 | 0.0 | 0.0 | **5,956.0** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.7 | 14.1 | 11.1 | 0.0 | 0.0 | 0.0 | **9,223.3** |
| DAY | 1971 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 24.0 | 0.0 | 0.0 | **5,869.0** |
| H2O | 1971 | 15.7 | 14.9 | 17.2 | 17.2 | 17.2 | 17.2 | 17.0 | 16.4 | 3.2 | 0.0 | 0.0 | 0.0 | **2,666.2** |
| OIL | 1971 | 14.6 | 13.2 | 14.6 | 14.0 | 14.1 | 13.8 | 14.1 | 14.0 | 24.5 | 11.0 | 0.0 | 0.0 | **9,184.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,575.0** |
| H2O | 1970 | 4.3 | 4.0 | 4.3 | 4.0 | 3.7 | 17.5 | 15.9 | 18.0 | 16.9 | 17.5 | 15.9 | 17.8 | **2,530.2** |
| OIL | 1970 | 14.5 | 13.0 | 14.3 | 13.8 | 12.9 | 14.0 | 14.5 | 14.3 | 13.5 | 14.3 | 13.8 | 14.5 | **9,036.5** |
| DAY | 1969 | 31.0 | 28.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,212.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.5 | 4.3 | 4.1 | 4.6 | 4.1 | 4.5 | **2,390.4** |
| OIL | 1969 | 4.6 | 4.1 | 3.5 | 4.4 | 4.4 | 4.4 | 14.8 | 13.7 | 13.8 | 15.1 | 14.5 | 15.1 | **8,869.1** |
| DAY | 1968 | 29.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,855.0** |
| H2O | 1968 | 1.0 | 1.0 | 1.0 | 1.1 | 1.1 | 4.1 | 4.3 | 4.1 | 8.1 | 0.0 | 0.0 | 0.0 | **2,364.3** |
| OIL | 1968 | 16.0 | 15.9 | 17.0 | 15.9 | 17.0 | 15.6 | 14.3 | 14.9 | 18.8 | 4.4 | 4.4 | 4.4 | **8,756.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,494.0** |
| H2O | 1967 | 3.8 | 3.2 | 3.8 | 12.1 | 12.1 | 11.3 | 8.9 | 11.8 | 1.0 | 1.0 | 1.1 | 1.0 | **2,338.5** |
| OIL | 1967 | 17.6 | 15.6 | 17.5 | 21.5 | 21.9 | 21.1 | 21.9 | 21.6 | 16.5 | 17.5 | 17.0 | 17.3 | **8,598.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,129.0** |
| H2O | 1966 | 4.6 | 3.8 | 4.8 | 4.8 | 5.6 | 3.7 | 3.5 | 3.5 | 3.8 | 3.8 | 3.8 | 4.0 | **2,267.4** |
| OIL | 1966 | 12.7 | 11.1 | 12.4 | 12.1 | 12.7 | 12.1 | 12.4 | 12.6 | 12.1 | 17.2 | 16.7 | 17.2 | **8,371.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,764.0** |
| H2O | 1965 | 22.4 | 20.0 | 22.9 | 19.4 | 20.3 | 19.4 | 7.9 | 8.1 | 8.1 | 4.8 | 4.8 | 4.9 | **2,217.7** |
| OIL | 1965 | 20.7 | 18.9 | 20.3 | 19.1 | 19.9 | 19.9 | 13.3 | 13.3 | 12.7 | 21.6 | 20.3 | 12.9 | **8,209.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,400.0** |
| H2O | 1964 | 21.6 | 19.4 | 21.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 1.1 | 21.3 | 22.6 | **2,054.7** |
| OIL | 1964 | 32.1 | 30.5 | 32.9 | 19.2 | 19.1 | 18.9 | 19.5 | 19.9 | 17.0 | 17.3 | 19.2 | 20.5 | **7,996.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,035.0** |
| H2O | 1963 | 12.7 | 12.2 | 14.8 | 15.3 | 14.1 | 13.5 | 20.5 | 21.5 | 17.0 | 20.2 | 20.8 | 21.3 | **1,946.1** |
| OIL | 1963 | 30.7 | 30.0 | 36.5 | 35.1 | 36.2 | 36.1 | 36.4 | 33.2 | 32.1 | 33.4 | 30.2 | 30.8 | **7,730.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,671.0** |
| H2O | 1962 | 12.7 | 14.0 | 16.2 | 19.1 | 10.2 | 11.1 | 10.7 | 10.7 | 11.8 | 11.1 | 11.3 | 12.2 | **1,742.2** |
| OIL | 1962 | 29.2 | 26.7 | 29.6 | 28.3 | 31.3 | 30.2 | 30.5 | 30.4 | 30.2 | 29.9 | 29.7 | 30.2 | **7,330.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,306.0** |
| H2O | 1961 | 4.8 | 4.5 | 4.5 | 4.5 | 25.1 | 23.7 | 18.3 | 14.0 | 10.8 | 13.0 | 14.0 | 15.1 | **1,591.1** |
| OIL | 1961 | 45.0 | 40.4 | 43.2 | 40.8 | 26.2 | 28.0 | 28.4 | 28.6 | 28.9 | 30.7 | 29.6 | 30.0 | **6,973.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,941.0** |
| H2O | 1960 | 16.9 | 16.7 | 26.1 | 9.5 | 9.4 | 9.7 | 13.2 | 9.7 | 14.8 | 15.1 | 5.2 | 4.6 | **1,438.8** |
| OIL | 1960 | 59.9 | 55.3 | 58.6 | 41.0 | 43.2 | 41.5 | 40.5 | 35.4 | 41.6 | 42.6 | 43.4 | 45.8 | **6,574.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 21.0 | 23.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,581.0** |
| H2O | 1959 | 20.5 | 15.9 | 18.8 | 23.5 | 2.9 | 0.0 | 0.0 | 27.3 | 16.5 | 12.6 | 12.6 | 11.4 | **1,287.9** |
| OIL | 1959 | 76.3 | 68.6 | 76.3 | 46.6 | 50.4 | 97.3 | 135.1 | 62.5 | 56.1 | 63.2 | 60.2 | 61.5 | **6,025.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,233.0** |
| H2O | 1958 | 4.0 | 2.1 | 3.7 | 3.3 | 4.8 | 3.7 | 4.5 | 5.9 | 16.9 | 16.5 | 17.5 | 18.6 | **1,125.9** |
| OIL | 1958 | 95.3 | 85.8 | 97.9 | 91.1 | 75.3 | 44.5 | 72.9 | 82.0 | 76.9 | 77.2 | 76.6 | 76.9 | **5,171.2** |
| DAY | 1957 | 29.0 | 28.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **871.0** |
| H2O | 1957 | 17.3 | 22.9 | 26.4 | 17.0 | 0.3 | 18.3 | 5.7 | 11.3 | 4.9 | 4.8 | 3.8 | 4.3 | **1,024.4** |
| OIL | 1957 | 82.0 | 77.7 | 69.1 | 108.5 | 111.1 | 107.9 | 95.8 | 94.9 | 127.9 | 102.2 | 94.2 | 95.0 | **4,218.8** |

# Manitoba Production
## 1950 To 1975

Licence ***869*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **515.0** |
| H2O | 1956 | 82.7 | 59.8 | 86.8 | 82.0 | 57.9 | 59.8 | 11.9 | 6.7 | 10.3 | 33.7 | 30.7 | 29.1 | **887.4** |
| OIL | 1956 | 262.5 | 224.4 | 151.0 | 156.5 | 152.7 | 157.5 | 158.9 | 110.8 | 111.1 | 87.6 | 83.3 | 87.2 | **3,052.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 31.0 | 25.0 | 29.0 | 27.0 | 31.0 | **149.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.5 | 21.6 | 71.7 | 74.4 | 81.2 | 83.6 | **336.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 68.5 | 328.0 | 219.9 | 238.2 | 209.4 | 245.0 | **1,309.0** |

Licence ***871*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,388.0** |
| H2O | 1975 | 239.3 | 221.8 | 332.4 | 327.7 | 339.6 | 308.1 | 325.6 | 311.1 | 316.1 | 339.3 | 396.5 | 403.7 | **14,574.5** |
| OIL | 1975 | 530.0 | 475.0 | 454.0 | 438.0 | 446.1 | 411.3 | 446.1 | 434.1 | 434.8 | 449.7 | 410.9 | 417.5 | **102,429.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 24.0 | 30.0 | 30.0 | 31.0 | **7,023.0** |
| H2O | 1974 | 141.3 | 131.2 | 146.6 | 142.6 | 147.7 | 189.0 | 190.9 | 175.0 | 136.7 | 232.4 | 239.6 | 239.6 | **10,713.3** |
| OIL | 1974 | 478.0 | 416.7 | 476.9 | 454.0 | 472.4 | 449.1 | 463.5 | 461.6 | 350.9 | 529.0 | 521.5 | 538.2 | **97,082.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,665.0** |
| H2O | 1973 | 232.9 | 223.5 | 239.6 | 239.1 | 242.3 | 222.3 | 227.7 | 247.4 | 247.5 | 277.3 | 257.6 | 244.2 | **8,600.7** |
| OIL | 1973 | 641.7 | 565.9 | 623.6 | 609.1 | 635.8 | 485.5 | 558.4 | 602.1 | 583.8 | 532.8 | 502.0 | 498.2 | **91,470.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,300.0** |
| H2O | 1972 | 167.4 | 163.0 | 179.0 | 171.1 | 122.1 | 121.5 | 134.8 | 150.4 | 150.2 | 163.4 | 187.4 | 190.6 | **5,699.3** |
| OIL | 1972 | 673.9 | 628.5 | 684.3 | 578.0 | 681.1 | 656.9 | 676.5 | 628.5 | 598.3 | 630.1 | 577.8 | 602.7 | **84,631.3** |
| DAY | 1971 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 26.0 | **5,934.0** |
| H2O | 1971 | 54.1 | 51.0 | 58.7 | 122.7 | 120.7 | 118.4 | 157.7 | 152.6 | 141.2 | 157.9 | 151.8 | 149.3 | **3,798.4** |
| OIL | 1971 | 607.8 | 560.3 | 620.1 | 683.0 | 685.1 | 655.8 | 682.4 | 671.7 | 684.6 | 710.5 | 670.1 | 575.4 | **77,014.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **5,578.0** |
| H2O | 1970 | 49.3 | 46.6 | 49.0 | 37.4 | 38.5 | 39.1 | 36.1 | 44.8 | 57.7 | 59.9 | 54.7 | 54.9 | **2,362.3** |
| OIL | 1970 | 692.4 | 629.1 | 686.7 | 653.9 | 674.6 | 660.6 | 686.0 | 610.1 | 573.8 | 605.4 | 580.8 | 550.5 | **69,207.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,216.0** |
| H2O | 1969 | 42.8 | 38.6 | 36.4 | 35.9 | 26.9 | 25.6 | 8.9 | 51.5 | 46.6 | 52.8 | 47.1 | 51.7 | **1,794.3** |
| OIL | 1969 | 875.8 | 774.1 | 854.8 | 806.3 | 752.6 | 738.6 | 715.9 | 706.7 | 661.1 | 719.7 | 689.7 | 722.4 | **61,604.0** |
| DAY | 1968 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | **4,852.0** |
| H2O | 1968 | 4.0 | 4.0 | 22.1 | 22.7 | 23.8 | 67.7 | 47.2 | 42.9 | 17.5 | 17.3 | 38.3 | 36.7 | **1,329.5** |
| OIL | 1968 | 573.2 | 566.5 | 590.0 | 587.5 | 589.2 | 571.0 | 576.5 | 575.9 | 558.3 | 549.7 | 849.9 | 790.7 | **52,586.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,492.0** |
| H2O | 1967 | 18.3 | 15.1 | 16.9 | 15.7 | 12.9 | 9.1 | 6.8 | 9.5 | 13.7 | 12.7 | 3.8 | 4.3 | **985.3** |
| OIL | 1967 | 564.4 | 501.7 | 569.7 | 550.1 | 470.7 | 641.2 | 636.9 | 659.6 | 551.7 | 505.8 | 590.0 | 616.3 | **45,207.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,134.0** |
| H2O | 1966 | 12.7 | 11.8 | 9.4 | 9.7 | 22.9 | 20.3 | 18.4 | 8.7 | 17.5 | 18.0 | 17.0 | 18.8 | **846.5** |
| OIL | 1966 | 539.5 | 450.4 | 521.5 | 509.8 | 540.3 | 519.3 | 499.8 | 502.8 | 532.0 | 550.9 | 516.9 | 553.8 | **38,349.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,773.0** |
| H2O | 1965 | 10.7 | 9.4 | 10.8 | 1.1 | 1.1 | 1.1 | 21.8 | 21.8 | 17.5 | 17.5 | 13.0 | 13.4 | **661.3** |
| OIL | 1965 | 524.6 | 478.2 | 517.1 | 530.6 | 502.5 | 516.6 | 590.4 | 585.1 | 535.5 | 557.0 | 531.6 | 545.5 | **32,112.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,408.0** |
| H2O | 1964 | 10.3 | 9.2 | 10.2 | 18.4 | 10.5 | 10.0 | 9.7 | 10.2 | 13.4 | 13.4 | 10.0 | 10.7 | **522.1** |
| OIL | 1964 | 482.0 | 455.8 | 492.5 | 444.8 | 453.7 | 436.7 | 441.0 | 456.5 | 451.8 | 460.0 | 485.0 | 519.8 | **25,698.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,042.0** |
| H2O | 1963 | 0.0 | 1.9 | 8.9 | 8.1 | 33.4 | 29.7 | 16.4 | 10.5 | 7.9 | 9.5 | 9.9 | 10.2 | **386.1** |
| OIL | 1963 | 111.4 | 233.1 | 375.7 | 378.7 | 405.7 | 475.1 | 654.7 | 601.0 | 557.3 | 585.9 | 524.2 | 462.6 | **20,118.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,677.0** |
| H2O | 1962 | 2.4 | 1.9 | 1.1 | 5.4 | 5.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **239.7** |

# Manitoba Production
## 1950 To 1975

Licence ***871*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 101.9 | 91.8 | 101.4 | 129.2 | 135.2 | 128.9 | 132.4 | 133.8 | 128.6 | 116.5 | 107.6 | 107.6 | **14,753.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,312.0** |
| H2O | 1961 | 4.9 | 1.3 | 1.7 | 1.9 | 0.0 | 3.8 | 4.8 | 3.8 | 5.6 | 7.8 | 0.0 | 1.4 | **223.8** |
| OIL | 1961 | 116.6 | 97.6 | 99.0 | 103.3 | 104.7 | 107.1 | 114.1 | 116.3 | 99.5 | 105.0 | 104.4 | 82.5 | **13,338.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,947.0** |
| H2O | 1960 | 0.0 | 2.1 | 0.0 | 0.0 | 9.4 | 8.1 | 4.6 | 5.1 | 5.1 | 4.8 | 0.0 | 1.6 | **186.8** |
| OIL | 1960 | 148.3 | 136.3 | 160.3 | 131.9 | 156.8 | 135.6 | 139.4 | 136.5 | 132.7 | 84.2 | 75.6 | 106.5 | **12,088.1** |
| DAY | 1959 | 31.0 | 27.0 | 14.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,581.0** |
| H2O | 1959 | 0.0 | 1.1 | 2.9 | 17.3 | 4.1 | 7.9 | 1.6 | 1.6 | 6.0 | 0.0 | 0.3 | 1.4 | **146.0** |
| OIL | 1959 | 84.5 | 88.0 | 46.6 | 202.3 | 184.7 | 161.1 | 162.9 | 150.8 | 153.8 | 137.1 | 146.2 | 153.2 | **10,544.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,236.0** |
| H2O | 1958 | 7.8 | 4.9 | 4.3 | 0.5 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 1.6 | 6.2 | **101.8** |
| OIL | 1958 | 116.3 | 111.9 | 117.8 | 104.7 | 107.6 | 110.1 | 105.8 | 115.2 | 110.4 | 116.3 | 113.3 | 91.4 | **8,872.8** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **872.0** |
| H2O | 1957 | 0.3 | 1.4 | 1.4 | 0.8 | 9.1 | 3.3 | 2.5 | 0.8 | 4.6 | 3.3 | 1.9 | 0.6 | **70.9** |
| OIL | 1957 | 255.2 | 180.5 | 192.0 | 192.3 | 169.4 | 160.7 | 145.9 | 133.6 | 142.9 | 137.5 | 134.9 | 146.5 | **7,552.0** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **510.0** |
| H2O | 1956 | 0.5 | 0.6 | 3.2 | 1.7 | 2.2 | 1.3 | 4.0 | 1.0 | 4.6 | 0.6 | 0.6 | 0.6 | **40.9** |
| OIL | 1956 | 329.7 | 310.4 | 334.2 | 332.9 | 328.3 | 400.5 | 369.1 | 362.6 | 323.9 | 290.2 | 270.5 | 255.2 | **5,560.6** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 30.0 | 29.0 | 29.0 | 27.0 | 25.0 | **146.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.6 | 4.0 | 7.0 | 3.7 | 4.5 | **20.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 107.1 | 326.2 | 306.5 | 330.1 | 294.6 | 288.6 | **1,653.1** |

Licence ***873*** Well Name ***GLCC Coulter*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-21-001-27W1.00*** Field Name ***Coulter*** Pool Name ***Mission Canyon 3 A*** Field Code ***11*** Pool Code ***41A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 19.0 | 26.0 | 24.0 | 21.0 | 25.0 | 17.0 | 15.0 | 0.0 | 0.0 | **1,352.0** |
| H2O | 1960 | 392.7 | 380.8 | 405.6 | 257.9 | 391.0 | 341.2 | 326.7 | 348.7 | 267.9 | 157.7 | 0.0 | 0.0 | **13,557.5** |
| OIL | 1960 | 26.4 | 22.9 | 25.9 | 16.4 | 24.5 | 21.8 | 23.7 | 21.5 | 12.7 | 11.6 | 0.0 | 0.0 | **2,065.2** |
| DAY | 1959 | 31.0 | 28.0 | 19.0 | 15.0 | 21.0 | 19.0 | 31.0 | 30.0 | 29.0 | 20.0 | 30.0 | 31.0 | **1,114.0** |
| H2O | 1959 | 439.9 | 369.3 | 120.2 | 212.7 | 262.8 | 276.0 | 430.2 | 366.3 | 429.4 | 269.6 | 411.8 | 439.3 | **10,287.3** |
| OIL | 1959 | 34.2 | 26.7 | 11.6 | 16.7 | 26.2 | 23.2 | 33.2 | 27.7 | 27.5 | 19.5 | 28.8 | 27.5 | **1,857.8** |
| DAY | 1958 | 31.0 | 12.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 30.0 | 27.0 | 25.0 | 31.0 | **810.0** |
| H2O | 1958 | 434.0 | 170.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 411.0 | 449.6 | 412.9 | 404.0 | 481.6 | **6,259.8** |
| OIL | 1958 | 53.1 | 21.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 62.5 | 57.8 | 35.9 | 26.7 | 35.0 | **1,555.0** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 25.0 | 8.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 28.0 | **626.0** |
| H2O | 1957 | 522.4 | 404.5 | 391.9 | 308.9 | 76.6 | 344.4 | 61.5 | 338.6 | 333.9 | 151.0 | 121.0 | 341.8 | **3,496.6** |
| OIL | 1957 | 92.2 | 71.4 | 69.1 | 54.5 | 13.5 | 60.1 | 61.5 | 61.5 | 61.2 | 44.0 | 36.4 | 54.2 | **1,262.7** |
| DAY | 1956 | 20.0 | 26.0 | 26.0 | 16.0 | 23.0 | 26.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 18.0 | **296.0** |
| H2O | 1956 | 5.9 | 4.6 | 4.1 | 2.9 | 4.9 | 5.9 | 0.0 | 0.0 | 0.0 | 0.0 | 5.9 | 17.0 | **100.1** |
| OIL | 1956 | 35.3 | 32.4 | 29.7 | 20.3 | 29.7 | 37.3 | 0.0 | 0.0 | 0.0 | 0.0 | 19.7 | 52.8 | **583.1** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 30.0 | 30.0 | 30.0 | 27.0 | **136.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 5.1 | 12.9 | 14.2 | 16.4 | **48.9** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 71.5 | 38.8 | 63.2 | 78.8 | 73.6 | **325.9** |

Licence ***874*** Well Name ***Eureka Rossen Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-28-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **663.0** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 7.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,260.0** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **660.0** |

# Manitoba Production
## 1950 To 1975

Licence ***874*** Well Name ***Eureka Rossen Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-28-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 12.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,252.2** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 17.0 | 6.0 | 25.0 | 0.0 | 0.0 | **629.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 129.6 | 179.0 | 107.8 | 0.0 | 0.0 | 0.0 | **2,876.3** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.4 | 17.5 | 3.3 | 21.8 | 0.0 | 0.0 | **3,239.5** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 14.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **571.0** |
| H2O | 1957 | 0.3 | 0.3 | 0.3 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,459.9** |
| OIL | 1957 | 76.8 | 51.0 | 61.2 | 38.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,178.5** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 8.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **467.0** |
| H2O | 1956 | 304.6 | 498.9 | 340.2 | 23.7 | 202.6 | 242.8 | 39.3 | 0.3 | 0.8 | 0.8 | 0.6 | 0.5 | **2,458.8** |
| OIL | 1956 | 223.4 | 204.0 | 222.8 | 52.8 | 209.4 | 185.6 | 182.1 | 161.5 | 147.1 | 148.8 | 118.4 | 102.1 | **2,950.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 23.0 | 30.0 | 19.0 | 26.0 | 29.0 | **128.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.8 | 75.0 | 124.5 | 159.3 | 149.1 | 293.0 | **803.7** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 57.6 | 213.7 | 188.6 | 106.1 | 175.3 | 251.4 | **992.7** |

Licence ***875*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 25.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | **3,687.0** |
| H2O | 1966 | 218.0 | 197.3 | 208.3 | 198.3 | 186.0 | 210.0 | 198.3 | 268.2 | 238.5 | 242.6 | 553.6 | 590.5 | **46,730.9** |
| OIL | 1966 | 25.1 | 26.2 | 23.7 | 24.8 | 24.0 | 19.9 | 23.7 | 25.3 | 23.7 | 23.6 | 24.4 | 19.6 | **5,866.6** |
| DAY | 1965 | 24.0 | 0.0 | 0.0 | 14.0 | 31.0 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,334.0** |
| H2O | 1965 | 391.3 | 0.0 | 0.0 | 235.6 | 733.6 | 707.0 | 688.7 | 605.1 | 566.6 | 187.0 | 165.5 | 156.6 | **43,421.3** |
| OIL | 1965 | 18.1 | 0.0 | 0.0 | 13.3 | 38.1 | 27.8 | 26.2 | 27.5 | 28.4 | 22.7 | 34.6 | 30.0 | **5,582.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,054.0** |
| H2O | 1964 | 585.2 | 515.1 | 530.5 | 519.4 | 530.5 | 535.5 | 452.5 | 487.6 | 573.6 | 608.8 | 556.9 | 483.6 | **38,984.3** |
| OIL | 1964 | 40.0 | 28.9 | 34.8 | 33.1 | 29.6 | 28.4 | 25.6 | 26.2 | 31.5 | 31.6 | 28.8 | 27.0 | **5,315.9** |
| DAY | 1963 | 26.0 | 25.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 25.0 | 30.0 | 30.0 | **2,697.0** |
| H2O | 1963 | 747.7 | 771.9 | 1051.4 | 887.3 | 951.4 | 926.9 | 868.7 | 738.0 | 618.2 | 501.3 | 554.1 | 546.8 | **32,605.1** |
| OIL | 1963 | 27.0 | 26.1 | 34.2 | 31.5 | 33.8 | 30.5 | 35.8 | 31.5 | 27.0 | 24.0 | 30.7 | 32.9 | **4,950.4** |
| DAY | 1962 | 31.0 | 26.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 25.0 | 20.0 | 31.0 | 30.0 | 31.0 | **2,348.0** |
| H2O | 1962 | 150.1 | 578.1 | 880.0 | 876.4 | 1017.7 | 846.6 | 677.5 | 556.5 | 432.9 | 811.2 | 840.7 | 913.1 | **23,441.4** |
| OIL | 1962 | 17.6 | 52.8 | 58.5 | 44.7 | 45.0 | 46.1 | 42.1 | 25.7 | 19.4 | 33.7 | 33.8 | 32.3 | **4,585.4** |
| DAY | 1961 | 7.0 | 0.0 | 0.0 | 0.0 | 31.0 | 17.0 | 31.0 | 26.0 | 30.0 | 31.0 | 23.0 | 31.0 | **2,003.0** |
| H2O | 1961 | 57.6 | 0.0 | 0.0 | 0.0 | 196.5 | 79.0 | 159.1 | 121.3 | 129.9 | 137.5 | 114.0 | 143.2 | **14,860.6** |
| OIL | 1961 | 5.7 | 0.0 | 0.0 | 0.0 | 27.0 | 16.8 | 29.7 | 23.7 | 28.1 | 28.6 | 23.0 | 29.2 | **4,133.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 18.0 | **1,776.0** |
| H2O | 1960 | 290.8 | 264.7 | 277.1 | 285.1 | 304.9 | 238.6 | 237.8 | 293.3 | 209.9 | 222.0 | 184.4 | 136.9 | **13,722.5** |
| OIL | 1960 | 33.8 | 31.1 | 32.9 | 31.6 | 34.6 | 27.8 | 27.5 | 29.1 | 25.1 | 27.3 | 23.0 | 15.6 | **3,921.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,426.0** |
| H2O | 1959 | 253.7 | 215.3 | 222.6 | 235.0 | 241.3 | 102.5 | 296.5 | 345.6 | 274.4 | 277.3 | 269.3 | 289.2 | **10,777.0** |
| OIL | 1959 | 46.1 | 42.6 | 43.5 | 44.3 | 47.4 | 35.9 | 49.7 | 49.1 | 38.1 | 36.5 | 34.3 | 35.4 | **3,582.5** |
| DAY | 1958 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **1,063.0** |
| H2O | 1958 | 268.9 | 203.0 | 227.0 | 251.0 | 272.3 | 238.3 | 247.9 | 259.6 | 257.7 | 272.7 | 215.4 | 263.6 | **7,754.3** |
| OIL | 1958 | 45.3 | 40.4 | 50.2 | 53.4 | 64.2 | 57.2 | 55.0 | 55.3 | 52.4 | 58.6 | 46.2 | 51.5 | **3,079.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | **703.0** |
| H2O | 1957 | 219.7 | 221.3 | 256.3 | 218.5 | 246.1 | 245.2 | 285.4 | 256.5 | 234.0 | 262.0 | 223.1 | 250.1 | **4,776.9** |
| OIL | 1957 | 79.6 | 73.3 | 79.9 | 81.2 | 81.0 | 66.4 | 75.6 | 69.4 | 62.1 | 62.8 | 60.9 | 54.0 | **2,449.9** |
| DAY | 1956 | 9.0 | 27.0 | 31.0 | 6.0 | 18.0 | 21.0 | 31.0 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | **341.0** |
| H2O | 1956 | 4.3 | 40.4 | 95.4 | 14.5 | 53.7 | 173.5 | 233.4 | 296.0 | 216.1 | 242.8 | 229.4 | 239.3 | **1,858.7** |
| OIL | 1956 | 56.3 | 169.7 | 202.1 | 34.3 | 142.4 | 172.9 | 122.8 | 89.5 | 84.2 | 89.9 | 77.4 | 84.7 | **1,603.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 21.0 | 12.0 | **48.0** |

# Manitoba Production
## 1950 To 1975

Licence ***875*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.1 | 11.0 | 4.8 | **19.9** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 96.8 | 113.5 | 67.2 | **277.5** |

Licence ***876*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,411.0** |
| H2O | 1975 | 86.2 | 78.2 | 88.9 | 83.0 | 73.0 | 137.4 | 150.1 | 148.8 | 131.5 | 137.5 | 136.6 | 144.7 | **17,341.9** |
| OIL | 1975 | 16.5 | 14.1 | 16.5 | 15.7 | 15.3 | 48.9 | 49.1 | 49.9 | 46.9 | 48.8 | 45.8 | 50.2 | **9,354.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **7,048.0** |
| H2O | 1974 | 12.7 | 10.8 | 11.8 | 130.7 | 125.4 | 118.1 | 117.8 | 13.4 | 60.9 | 65.0 | 62.6 | 71.9 | **15,946.0** |
| OIL | 1974 | 31.9 | 28.6 | 33.2 | 18.8 | 17.5 | 17.5 | 18.0 | 34.0 | 14.5 | 15.7 | 14.8 | 15.1 | **8,937.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,687.0** |
| H2O | 1973 | 45.9 | 0.0 | 4.5 | 8.9 | 11.8 | 9.4 | 9.9 | 11.0 | 8.9 | 8.7 | 9.5 | 11.6 | **15,144.9** |
| OIL | 1973 | 36.7 | 31.8 | 31.6 | 29.7 | 28.6 | 31.5 | 32.3 | 31.6 | 28.1 | 28.6 | 31.3 | 32.9 | **8,677.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,326.0** |
| H2O | 1972 | 86.8 | 69.3 | 73.8 | 111.9 | 66.1 | 56.3 | 51.0 | 64.4 | 117.0 | 56.9 | 50.6 | 60.3 | **15,004.8** |
| OIL | 1972 | 38.3 | 36.4 | 37.2 | 35.6 | 37.7 | 34.5 | 35.8 | 32.6 | 35.8 | 35.3 | 34.6 | 34.2 | **8,302.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,960.0** |
| H2O | 1971 | 48.1 | 49.7 | 49.1 | 89.9 | 42.6 | 54.0 | 91.4 | 63.7 | 88.0 | 63.4 | 79.6 | 79.5 | **14,140.4** |
| OIL | 1971 | 37.5 | 36.7 | 40.8 | 37.7 | 36.4 | 38.3 | 40.8 | 39.1 | 39.4 | 38.3 | 38.0 | 39.4 | **7,874.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,595.0** |
| H2O | 1970 | 7.0 | 8.7 | 9.1 | 9.9 | 109.5 | 83.1 | 78.8 | 29.4 | 50.2 | 59.4 | 46.6 | 44.7 | **13,341.4** |
| OIL | 1970 | 55.1 | 55.3 | 59.4 | 47.0 | 82.5 | 34.0 | 36.4 | 32.3 | 33.2 | 39.4 | 38.5 | 39.4 | **7,412.4** |
| DAY | 1969 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,230.0** |
| H2O | 1969 | 88.4 | 145.3 | 99.5 | 100.6 | 95.5 | 90.1 | 99.5 | 93.1 | 75.6 | 86.3 | 81.2 | 73.9 | **12,805.0** |
| OIL | 1969 | 32.9 | 27.7 | 34.2 | 29.7 | 34.0 | 33.4 | 39.3 | 40.0 | 38.8 | 39.7 | 37.7 | 79.0 | **6,859.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,866.0** |
| H2O | 1968 | 93.1 | 104.9 | 48.9 | 48.6 | 43.5 | 60.5 | 53.2 | 31.5 | 29.4 | 6.5 | 6.4 | 89.3 | **11,676.0** |
| OIL | 1968 | 35.9 | 34.2 | 35.1 | 33.4 | 34.2 | 44.2 | 44.5 | 40.0 | 38.6 | 39.3 | 36.9 | 33.2 | **6,393.5** |
| DAY | 1967 | 27.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | **4,501.0** |
| H2O | 1967 | 126.1 | 150.3 | 157.7 | 101.9 | 105.5 | 78.2 | 110.3 | 158.9 | 103.5 | 100.7 | 109.8 | 73.6 | **11,060.2** |
| OIL | 1967 | 35.3 | 36.2 | 39.1 | 39.4 | 43.9 | 38.6 | 32.4 | 54.8 | 36.4 | 38.5 | 40.8 | 21.8 | **5,944.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,151.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 23.8 | 17.8 | 15.7 | 29.6 | 29.6 | 97.1 | 107.7 | 158.5 | **9,683.7** |
| OIL | 1966 | 41.6 | 39.3 | 42.3 | 48.9 | 35.6 | 34.0 | 37.0 | 41.3 | 39.3 | 33.7 | 37.3 | 43.2 | **5,486.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,786.0** |
| H2O | 1965 | 82.2 | 72.2 | 61.2 | 64.4 | 70.9 | 28.6 | 57.7 | 102.7 | 0.0 | 19.6 | 0.0 | 0.0 | **9,203.9** |
| OIL | 1965 | 25.6 | 22.7 | 25.6 | 15.4 | 16.7 | 11.0 | 10.3 | 55.8 | 47.7 | 40.7 | 44.8 | 43.9 | **5,013.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,423.0** |
| H2O | 1964 | 55.6 | 56.3 | 52.1 | 16.4 | 110.2 | 56.1 | 42.8 | 28.1 | 34.7 | 27.0 | 81.2 | 82.7 | **8,644.4** |
| OIL | 1964 | 29.1 | 33.7 | 40.8 | 17.0 | 39.7 | 27.7 | 29.4 | 41.0 | 38.8 | 33.1 | 25.3 | 26.1 | **4,653.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,057.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 3.8 | 25.6 | 54.5 | 33.9 | 90.8 | 26.5 | 15.3 | 131.0 | 59.8 | **8,001.2** |
| OIL | 1963 | 28.1 | 22.1 | 15.3 | 13.8 | 46.1 | 66.3 | 55.9 | 43.2 | 52.3 | 43.9 | 43.1 | 37.0 | **4,271.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,693.0** |
| H2O | 1962 | 22.6 | 65.0 | 45.0 | 52.1 | 76.0 | 22.4 | 21.1 | 24.0 | 4.3 | 4.1 | 11.3 | 0.0 | **7,560.0** |
| OIL | 1962 | 35.1 | 42.4 | 47.8 | 42.6 | 34.8 | 40.4 | 35.1 | 32.7 | 31.9 | 32.3 | 38.6 | 36.5 | **3,804.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,329.0** |
| H2O | 1961 | 32.3 | 64.7 | 38.3 | 35.1 | 27.2 | 9.2 | 16.4 | 25.0 | 23.8 | 24.5 | 35.6 | 26.7 | **7,212.1** |
| OIL | 1961 | 35.0 | 29.6 | 41.3 | 32.3 | 30.4 | 32.4 | 34.8 | 35.0 | 33.5 | 48.5 | 38.3 | 34.6 | **3,354.1** |

# Manitoba Production
## 1950 To 1975

Licence ***876*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,965.0** |
| H2O | 1960 | 94.6 | 69.2 | 94.0 | 84.9 | 52.1 | 48.3 | 65.0 | 128.8 | 48.8 | 37.5 | 28.1 | 54.1 | **6,853.3** |
| OIL | 1960 | 31.6 | 28.0 | 40.0 | 56.4 | 19.7 | 59.8 | 48.9 | 39.4 | 38.6 | 41.0 | 41.5 | 37.7 | **2,928.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,599.0** |
| H2O | 1959 | 129.1 | 126.2 | 130.7 | 115.3 | 124.5 | 123.1 | 111.8 | 73.1 | 90.5 | 96.2 | 71.1 | 87.1 | **6,047.9** |
| OIL | 1959 | 41.0 | 41.8 | 46.7 | 35.6 | 47.0 | 25.3 | 35.9 | 38.6 | 38.3 | 48.9 | 38.1 | 17.6 | **2,445.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,235.0** |
| H2O | 1958 | 104.9 | 99.2 | 68.4 | 65.3 | 55.0 | 45.2 | 66.8 | 12.9 | 106.7 | 59.6 | 122.9 | 117.5 | **4,769.2** |
| OIL | 1958 | 39.7 | 37.3 | 47.4 | 37.0 | 38.3 | 32.7 | 45.3 | 44.7 | 34.2 | 41.3 | 33.2 | 35.1 | **1,991.0** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **871.0** |
| H2O | 1957 | 144.0 | 149.4 | 17.2 | 22.7 | 98.1 | 15.6 | 108.3 | 121.3 | 116.5 | 130.7 | 102.5 | 65.2 | **3,844.8** |
| OIL | 1957 | 41.5 | 36.9 | 41.3 | 41.5 | 37.7 | 42.1 | 41.2 | 50.2 | 33.8 | 36.1 | 35.3 | 39.7 | **1,524.8** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **510.0** |
| H2O | 1956 | 119.2 | 129.7 | 229.4 | 283.4 | 172.7 | 185.5 | 165.5 | 133.9 | 179.3 | 178.9 | 223.3 | 139.3 | **2,753.3** |
| OIL | 1956 | 64.4 | 60.9 | 52.0 | 49.6 | 45.6 | 44.0 | 47.2 | 40.7 | 42.4 | 42.7 | 40.4 | 49.7 | **1,047.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 31.0 | 22.0 | 31.0 | 30.0 | 30.0 | **150.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.5 | 108.7 | 162.0 | 120.2 | 102.9 | 101.9 | **613.2** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 42.1 | 145.6 | 84.2 | 66.3 | 66.1 | 63.6 | **467.9** |

Licence ***877*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 6218.2 | 6241.2 | 6782.4 | 6575.1 | 6945.5 | 6776.5 | 6302.4 | 6929.9 | 6481.3 | 6953.6 | 6071.8 | 5940.8 | **753,555.1** |
| WIN | 1974 | 5752.4 | 5520.9 | 5527.1 | 5253.3 | 5802.6 | 5656.0 | 5653.5 | 5849.5 | 3722.2 | 7463.8 | 6682.1 | 4793.2 | **675,336.4** |
| WIN | 1973 | 6700.1 | 5971.4 | 6395.8 | 5932.2 | 6159.5 | 5904.7 | 5904.2 | 6094.7 | 5888.1 | 6105.5 | 5280.7 | 5793.4 | **607,659.8** |
| WIN | 1972 | 7580.5 | 7006.2 | 7575.2 | 7077.8 | 7145.8 | 6716.6 | 6984.2 | 7135.0 | 6889.2 | 7020.4 | 6492.7 | 7004.7 | **535,529.5** |
| WIN | 1971 | 6792.7 | 7530.7 | 8415.4 | 8187.8 | 8015.3 | 7625.3 | 7376.7 | 7030.9 | 5835.5 | 5950.1 | 4830.0 | 7824.8 | **450,901.2** |
| WIN | 1970 | 4947.0 | 4141.3 | 4530.5 | 3705.8 | 3692.9 | 3229.0 | 2841.1 | 4064.5 | 4055.9 | 3830.3 | 3440.6 | 7415.9 | **365,486.0** |
| WIN | 1969 | 4399.8 | 3739.5 | 4304.4 | 4263.4 | 4064.8 | 3583.7 | 4055.9 | 3968.0 | 3619.8 | 4508.0 | 4160.5 | 3939.0 | **315,591.2** |
| WIN | 1968 | 4950.8 | 4680.8 | 5265.1 | 4903.9 | 4659.9 | 4611.9 | 4587.7 | 4443.3 | 4395.3 | 3297.7 | 3352.3 | 4036.8 | **266,984.4** |
| WIN | 1967 | 4560.5 | 3922.7 | 4940.8 | 4758.9 | 4836.6 | 4530.1 | 2375.3 | 4577.5 | 4346.8 | 4193.9 | 4305.5 | 4844.6 | **213,798.9** |
| WIN | 1966 | 2801.7 | 2593.6 | 3864.3 | 3954.8 | 4223.8 | 3943.3 | 3570.2 | 4247.8 | 4190.2 | 4299.1 | 4230.5 | 4502.8 | **161,605.7** |
| WIN | 1965 | 2783.6 | 2581.4 | 2982.9 | 2951.5 | 3375.9 | 3299.9 | 3533.3 | 3104.2 | 2959.6 | 2288.7 | 3268.0 | 4083.7 | **115,183.6** |
| WIN | 1964 | 2247.2 | 2400.6 | 2433.8 | 2680.4 | 1616.8 | 1704.6 | 2707.6 | 3027.8 | 2783.7 | 3100.1 | 3117.3 | 3120.6 | **77,970.9** |
| WIN | 1963 | 5856.8 | 4691.0 | 3355.7 | 2439.7 | 6788.1 | 6336.5 | 3850.2 | 2180.7 | 3113.0 | 3125.1 | 1718.3 | 2116.2 | **47,030.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 14.0 | **2,634.0** |
| H2O | 1962 | 2.4 | 1.9 | 1.1 | 16.1 | 15.5 | 9.5 | 8.7 | 0.0 | 0.0 | 1.6 | 1.9 | 0.6 | **448.2** |
| OIL | 1962 | 169.2 | 152.2 | 166.5 | 163.5 | 147.2 | 170.7 | 188.6 | 189.1 | 181.8 | 188.8 | 174.3 | 78.8 | **23,051.3** |
| WIN | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1459.1 | **1,459.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,286.0** |
| H2O | 1961 | 2.5 | 3.7 | 1.7 | 14.1 | 2.9 | 9.4 | 9.4 | 9.4 | 10.2 | 14.1 | 8.3 | 2.7 | **388.9** |
| OIL | 1961 | 190.5 | 171.0 | 202.6 | 172.4 | 211.8 | 192.3 | 201.3 | 208.5 | 190.1 | 200.2 | 177.8 | 175.1 | **21,080.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,921.0** |
| H2O | 1960 | 1.6 | 4.6 | 1.4 | 3.2 | 1.3 | 1.1 | 1.4 | 1.6 | 1.6 | 9.9 | 4.9 | 2.7 | **300.5** |
| OIL | 1960 | 195.8 | 186.6 | 185.8 | 195.5 | 184.3 | 164.2 | 226.9 | 211.2 | 219.5 | 265.4 | 191.0 | 204.5 | **18,787.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,558.0** |
| H2O | 1959 | 9.2 | 0.0 | 2.9 | 1.3 | 0.0 | 13.0 | 13.5 | 9.9 | 0.0 | 6.5 | 1.4 | 1.4 | **265.2** |
| OIL | 1959 | 283.3 | 285.6 | 246.9 | 244.9 | 239.8 | 240.6 | 248.9 | 234.4 | 241.4 | 214.2 | 190.4 | 197.7 | **16,356.3** |
| DAY | 1958 | 26.0 | 24.0 | 26.0 | 27.0 | 31.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **1,195.0** |
| H2O | 1958 | 8.9 | 0.0 | 0.8 | 10.5 | 15.9 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 1.6 | 5.4 | **206.1** |
| OIL | 1958 | 359.9 | 316.2 | 336.7 | 316.2 | 390.0 | 282.1 | 320.0 | 325.0 | 256.6 | 284.3 | 237.9 | 274.0 | **13,488.2** |

# Manitoba Production
## 1950 To 1975

Licence ***877*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **858.0** |
| H2O | 1957 | 9.4 | 7.2 | 3.0 | 31.5 | 0.6 | 8.3 | 5.1 | 2.1 | 11.3 | 8.3 | 7.5 | 1.3 | **159.0** |
| OIL | 1957 | 363.9 | 322.9 | 344.0 | 307.6 | 371.1 | 369.1 | 342.0 | 402.2 | 390.8 | 374.9 | 375.0 | 394.3 | **9,789.3** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **499.0** |
| H2O | 1956 | 0.5 | 0.6 | 3.2 | 1.4 | 1.6 | 1.0 | 1.3 | 1.0 | 5.1 | 5.6 | 7.6 | 16.5 | **63.4** |
| OIL | 1956 | 329.7 | 301.9 | 324.8 | 255.8 | 239.3 | 255.2 | 383.0 | 356.0 | 264.9 | 342.6 | 331.0 | 395.7 | **5,431.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 30.0 | 27.0 | 28.0 | 26.0 | 24.0 | **137.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.8 | 3.0 | 7.0 | 3.7 | 3.3 | **18.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 87.1 | 412.5 | 265.1 | 326.1 | 286.4 | 274.4 | **1,651.6** |

Licence ***878*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-14-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,026.0** |
| H2O | 1975 | 69.2 | 60.7 | 65.8 | 65.8 | 63.3 | 62.3 | 61.2 | 65.7 | 68.2 | 69.0 | 67.9 | 72.7 | **16,126.3** |
| OIL | 1975 | 36.5 | 32.4 | 36.1 | 34.3 | 21.6 | 22.4 | 21.0 | 23.2 | 22.2 | 21.8 | 21.6 | 21.8 | **9,649.0** |
| DAY | 1974 | 31.0 | 22.0 | 28.0 | 30.0 | 27.0 | 20.0 | 0.0 | 22.0 | 27.0 | 31.0 | 30.0 | 31.0 | **6,666.0** |
| H2O | 1974 | 134.5 | 99.0 | 130.4 | 61.7 | 56.1 | 44.4 | 0.0 | 46.4 | 57.7 | 66.0 | 65.7 | 68.0 | **15,334.5** |
| OIL | 1974 | 67.4 | 49.1 | 62.1 | 30.5 | 28.1 | 22.9 | 0.0 | 24.8 | 32.4 | 36.7 | 36.1 | 36.4 | **9,334.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 25.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,367.0** |
| H2O | 1973 | 19.2 | 16.9 | 19.6 | 9.9 | 9.5 | 360.9 | 556.6 | 585.7 | 544.8 | 146.3 | 141.2 | 142.3 | **14,504.6** |
| OIL | 1973 | 45.8 | 40.0 | 44.5 | 22.1 | 23.0 | 98.7 | 89.9 | 81.8 | 70.7 | 67.7 | 69.9 | 69.0 | **8,907.6** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 15.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **6,010.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 29.7 | 62.6 | 53.6 | 62.2 | 20.7 | 19.9 | 18.6 | 17.8 | 18.3 | **11,951.7** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 28.6 | 58.3 | 47.8 | 58.8 | 47.0 | 45.6 | 40.5 | 43.4 | 45.3 | **8,184.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 22.0 | 0.0 | 0.0 | **5,757.0** |
| H2O | 1971 | 14.3 | 13.7 | 13.7 | 14.5 | 24.6 | 23.2 | 22.6 | 24.5 | 23.8 | 20.8 | 0.0 | 0.0 | **11,648.3** |
| OIL | 1971 | 33.5 | 29.9 | 33.1 | 32.6 | 42.4 | 40.7 | 41.5 | 42.9 | 40.5 | 30.8 | 0.0 | 0.0 | **7,769.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **5,462.0** |
| H2O | 1970 | 9.4 | 8.4 | 9.1 | 9.4 | 9.2 | 8.9 | 14.8 | 15.3 | 13.8 | 13.7 | 13.5 | 13.0 | **11,452.6** |
| OIL | 1970 | 34.2 | 30.4 | 33.4 | 31.8 | 32.4 | 31.3 | 33.2 | 32.9 | 31.3 | 32.6 | 30.7 | 31.5 | **7,401.3** |
| DAY | 1969 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,098.0** |
| H2O | 1969 | 4.8 | 3.5 | 46.9 | 46.7 | 48.2 | 47.2 | 48.2 | 8.7 | 8.9 | 9.1 | 9.1 | 8.7 | **11,314.1** |
| OIL | 1969 | 36.2 | 27.0 | 46.9 | 44.3 | 43.7 | 48.1 | 48.8 | 33.5 | 30.7 | 31.9 | 31.9 | 32.9 | **7,015.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,738.0** |
| H2O | 1968 | 76.5 | 74.2 | 81.1 | 74.9 | 75.0 | 4.3 | 4.8 | 4.6 | 3.8 | 4.6 | 4.6 | 4.6 | **11,024.1** |
| OIL | 1968 | 16.2 | 15.7 | 16.2 | 14.6 | 14.0 | 36.2 | 36.2 | 36.2 | 31.0 | 36.9 | 34.5 | 36.4 | **6,559.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 25.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **4,375.0** |
| H2O | 1967 | 17.5 | 17.8 | 20.8 | 16.4 | 18.9 | 74.4 | 78.4 | 70.3 | 73.6 | 75.2 | 73.8 | 78.4 | **10,611.1** |
| OIL | 1967 | 24.2 | 22.1 | 24.6 | 18.0 | 22.2 | 12.9 | 14.1 | 14.0 | 14.5 | 14.9 | 15.3 | 16.0 | **6,235.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,019.0** |
| H2O | 1966 | 18.4 | 17.3 | 17.0 | 18.6 | 17.8 | 17.0 | 19.2 | 19.4 | 18.8 | 16.7 | 19.9 | 16.7 | **9,995.6** |
| OIL | 1966 | 23.4 | 18.9 | 24.8 | 22.4 | 27.7 | 27.8 | 28.4 | 33.1 | 31.3 | 32.3 | 25.3 | 22.9 | **6,022.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,657.0** |
| H2O | 1965 | 49.8 | 48.0 | 48.0 | 46.4 | 45.9 | 39.6 | 22.7 | 25.1 | 19.9 | 21.9 | 17.2 | 20.8 | **9,778.8** |
| OIL | 1965 | 50.7 | 46.1 | 45.4 | 43.2 | 47.5 | 43.9 | 27.2 | 27.0 | 24.5 | 25.1 | 22.6 | 23.8 | **5,704.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **3,293.0** |
| H2O | 1964 | 10.3 | 10.0 | 142.9 | 10.5 | 12.7 | 4.3 | 61.0 | 61.5 | 63.8 | 119.9 | 49.3 | 53.6 | **9,373.5** |
| OIL | 1964 | 9.2 | 7.8 | 7.9 | 8.3 | 8.4 | 13.5 | 61.0 | 55.9 | 38.0 | 63.2 | 48.5 | 50.7 | **5,277.5** |
| DAY | 1963 | 17.0 | 0.0 | 0.0 | 24.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,932.0** |
| H2O | 1963 | 4.0 | 0.0 | 0.0 | 11.4 | 11.3 | 8.6 | 14.0 | 11.0 | 11.6 | 11.9 | 13.2 | 13.7 | **8,773.7** |

# Manitoba Production
## 1950 To 1975

Licence ***878*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-14-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1963 | 4.0 | 0.0 | 0.0 | 9.4 | 10.0 | 11.0 | 10.6 | 11.0 | 10.6 | 10.8 | 8.3 | 7.3 | **4,905.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,651.0** |
| H2O | 1962 | 14.0 | 11.1 | 13.0 | 12.4 | 11.9 | 9.7 | 11.0 | 9.5 | 8.9 | 8.6 | 8.3 | 8.7 | **8,663.0** |
| OIL | 1962 | 12.1 | 11.3 | 12.9 | 12.2 | 11.8 | 10.8 | 11.0 | 10.6 | 9.9 | 9.9 | 7.9 | 9.2 | **4,812.1** |
| DAY | 1961 | 29.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,286.0** |
| H2O | 1961 | 15.1 | 14.3 | 16.4 | 15.3 | 15.1 | 14.9 | 15.3 | 14.5 | 13.4 | 14.3 | 13.4 | 13.7 | **8,535.9** |
| OIL | 1961 | 11.0 | 10.3 | 11.4 | 11.6 | 10.3 | 10.5 | 11.4 | 11.3 | 10.2 | 11.9 | 11.8 | 11.9 | **4,682.5** |
| DAY | 1960 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 23.0 | 24.0 | 31.0 | 30.0 | 31.0 | **1,928.0** |
| H2O | 1960 | 26.4 | 19.9 | 22.4 | 22.1 | 11.9 | 11.4 | 11.8 | 9.1 | 8.9 | 12.7 | 11.4 | 12.2 | **8,360.2** |
| OIL | 1960 | 17.5 | 12.2 | 13.8 | 13.8 | 17.2 | 16.5 | 17.0 | 12.2 | 12.9 | 16.5 | 15.6 | 16.2 | **4,548.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **1,579.0** |
| H2O | 1959 | 17.2 | 17.0 | 14.6 | 29.3 | 25.3 | 27.0 | 26.9 | 27.3 | 26.2 | 21.0 | 23.7 | 27.5 | **8,180.0** |
| OIL | 1959 | 27.3 | 18.9 | 24.5 | 26.7 | 29.2 | 26.1 | 18.1 | 18.6 | 18.0 | 16.4 | 17.6 | 18.4 | **4,367.5** |
| DAY | 1958 | 27.0 | 27.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,218.0** |
| H2O | 1958 | 113.5 | 104.3 | 111.1 | 93.6 | 97.8 | 17.0 | 16.5 | 13.8 | 15.1 | 14.6 | 16.4 | 11.6 | **7,897.0** |
| OIL | 1958 | 52.6 | 52.1 | 50.5 | 45.3 | 44.3 | 30.5 | 28.6 | 28.1 | 29.2 | 27.3 | 23.5 | 26.5 | **4,107.7** |
| DAY | 1957 | 29.0 | 26.0 | 29.0 | 29.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **861.0** |
| H2O | 1957 | 325.0 | 267.4 | 244.7 | 253.3 | 274.7 | 246.4 | 266.9 | 258.8 | 195.4 | 178.1 | 158.3 | 150.6 | **7,271.7** |
| OIL | 1957 | 148.1 | 144.0 | 140.0 | 146.0 | 120.9 | 104.6 | 99.6 | 96.0 | 39.4 | 40.0 | 37.8 | 31.5 | **3,669.2** |
| DAY | 1956 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **510.0** |
| H2O | 1956 | 225.6 | 212.9 | 255.5 | 271.2 | 221.8 | 225.3 | 281.1 | 276.0 | 294.1 | 324.8 | 320.7 | 359.0 | **4,452.1** |
| OIL | 1956 | 83.0 | 148.3 | 137.3 | 121.7 | 110.8 | 108.9 | 131.4 | 128.7 | 187.4 | 188.1 | 165.6 | 168.1 | **2,521.3** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | **150.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 70.7 | 244.4 | 267.7 | 308.3 | 293.0 | **1,184.1** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.4 | 165.1 | 139.2 | 147.3 | 192.4 | 191.6 | **842.0** |

Licence ***879*** Well Name ***Tundra Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 14.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,072.0** |
| H2O | 1975 | 523.0 | 488.7 | 607.5 | 503.2 | 542.6 | 490.6 | 206.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **62,978.2** |
| OIL | 1975 | 82.6 | 67.2 | 70.6 | 32.3 | 64.4 | 87.4 | 37.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **29,660.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,878.0** |
| H2O | 1974 | 472.0 | 413.7 | 471.5 | 401.3 | 582.5 | 586.4 | 526.8 | 526.7 | 502.2 | 556.8 | 522.1 | 597.3 | **59,616.6** |
| OIL | 1974 | 210.4 | 133.0 | 148.9 | 120.5 | 90.9 | 91.2 | 96.8 | 77.2 | 79.8 | 83.4 | 77.9 | 85.5 | **29,218.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **6,514.0** |
| H2O | 1973 | 1121.1 | 1103.0 | 346.5 | 379.2 | 433.7 | 1055.3 | 1082.2 | 1052.5 | 306.2 | 465.6 | 524.9 | 448.0 | **53,457.3** |
| OIL | 1973 | 165.6 | 150.0 | 87.2 | 88.7 | 114.9 | 113.9 | 128.4 | 123.9 | 122.5 | 167.7 | 176.2 | 218.8 | **27,922.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 27.0 | 30.0 | 26.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **6,151.0** |
| H2O | 1972 | 454.8 | 427.5 | 443.6 | 447.4 | 369.0 | 450.7 | 400.0 | 421.5 | 419.2 | 447.4 | 1416.5 | 1340.4 | **45,139.1** |
| OIL | 1972 | 55.5 | 62.9 | 61.8 | 82.0 | 46.1 | 59.0 | 61.2 | 76.3 | 76.0 | 76.6 | 157.5 | 168.3 | **26,264.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,796.0** |
| H2O | 1971 | 239.3 | 213.0 | 252.6 | 94.2 | 464.9 | 408.8 | 461.8 | 477.2 | 473.4 | 491.9 | 450.2 | 465.0 | **38,101.1** |
| OIL | 1971 | 37.0 | 34.3 | 38.8 | 41.5 | 45.0 | 52.0 | 53.7 | 56.4 | 52.3 | 52.1 | 55.1 | 57.0 | **25,281.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 29.0 | 31.0 | **5,434.0** |
| H2O | 1970 | 224.5 | 204.5 | 224.5 | 214.0 | 216.5 | 210.3 | 170.3 | 188.7 | 178.9 | 132.2 | 207.2 | 247.4 | **33,608.8** |
| OIL | 1970 | 45.4 | 79.1 | 85.3 | 83.6 | 80.1 | 75.5 | 36.5 | 39.3 | 37.0 | 30.2 | 33.4 | 35.9 | **24,706.4** |
| DAY | 1969 | 31.0 | 22.0 | 17.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,074.0** |
| H2O | 1969 | 320.6 | 228.5 | 163.3 | 204.5 | 256.9 | 302.5 | 219.9 | 257.5 | 174.3 | 202.9 | 161.6 | 215.6 | **31,189.8** |
| OIL | 1969 | 50.5 | 32.3 | 24.2 | 52.8 | 58.8 | 61.3 | 46.6 | 50.4 | 44.5 | 45.0 | 35.0 | 45.9 | **24,045.1** |
| DAY | 1968 | 31.0 | 28.0 | 28.0 | 26.0 | 29.0 | 28.0 | 29.0 | 28.0 | 28.0 | 24.0 | 25.0 | 30.0 | **4,732.0** |

# Manitoba Production
## 1950 To 1975

Licence ***879*** Well Name ***Tundra Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1968 | 149.8 | 119.4 | 126.9 | 323.5 | 419.9 | 399.5 | 380.0 | 401.7 | 350.7 | 290.0 | 290.6 | 324.3 | **28,481.7** |
| OIL | 1968 | 26.2 | 23.8 | 35.8 | 55.6 | 74.7 | 73.1 | 72.5 | 75.3 | 61.3 | 52.0 | 50.4 | 54.2 | **23,497.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 28.0 | 29.0 | 30.0 | 29.0 | 26.0 | 30.0 | 29.0 | **4,398.0** |
| H2O | 1967 | 187.8 | 157.4 | 204.6 | 280.1 | 129.1 | 140.4 | 142.1 | 166.3 | 149.1 | 167.1 | 174.2 | 140.2 | **24,905.4** |
| OIL | 1967 | 42.4 | 36.2 | 42.3 | 41.6 | 32.7 | 35.0 | 30.2 | 35.6 | 33.8 | 31.3 | 35.0 | 31.8 | **22,842.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 24.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | **4,049.0** |
| H2O | 1966 | 192.4 | 147.2 | 176.1 | 168.4 | 164.7 | 124.6 | 130.7 | 150.9 | 151.5 | 145.1 | 149.0 | 184.4 | **22,867.0** |
| OIL | 1966 | 61.8 | 49.7 | 52.0 | 55.9 | 54.0 | 39.9 | 45.8 | 44.7 | 42.1 | 39.3 | 42.4 | 38.8 | **22,415.0** |
| DAY | 1965 | 25.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 27.0 | **3,694.0** |
| H2O | 1965 | 116.5 | 138.2 | 162.6 | 250.6 | 258.2 | 241.2 | 240.5 | 223.2 | 216.4 | 196.3 | 214.9 | 198.4 | **20,982.0** |
| OIL | 1965 | 42.9 | 55.0 | 59.0 | 94.6 | 99.2 | 115.4 | 64.8 | 87.9 | 68.6 | 56.3 | 66.7 | 62.1 | **21,848.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,343.0** |
| H2O | 1964 | 148.2 | 138.6 | 148.2 | 149.9 | 159.6 | 149.4 | 148.0 | 149.0 | 143.1 | 113.7 | 114.6 | 122.7 | **18,525.0** |
| OIL | 1964 | 84.4 | 78.0 | 83.9 | 80.7 | 83.4 | 80.4 | 82.6 | 81.7 | 64.7 | 37.2 | 38.3 | 40.0 | **20,976.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,978.0** |
| H2O | 1963 | 192.2 | 168.5 | 190.1 | 187.8 | 156.8 | 159.1 | 145.5 | 166.3 | 150.1 | 141.7 | 151.8 | 146.6 | **16,840.0** |
| OIL | 1963 | 88.5 | 79.3 | 83.3 | 76.4 | 89.6 | 76.8 | 77.1 | 91.1 | 89.9 | 84.5 | 76.8 | 81.2 | **20,140.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,618.0** |
| H2O | 1962 | 216.4 | 198.9 | 180.3 | 189.3 | 167.2 | 183.3 | 194.8 | 187.6 | 189.5 | 182.0 | 194.8 | 192.7 | **14,883.5** |
| OIL | 1962 | 100.1 | 85.3 | 104.2 | 78.7 | 80.6 | 82.8 | 77.9 | 100.7 | 93.6 | 88.2 | 90.7 | 94.2 | **19,146.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,254.0** |
| H2O | 1961 | 200.0 | 193.3 | 198.6 | 184.4 | 193.6 | 178.5 | 170.9 | 131.3 | 122.3 | 218.1 | 205.7 | 229.2 | **12,606.7** |
| OIL | 1961 | 105.0 | 85.0 | 117.6 | 131.6 | 131.4 | 100.1 | 98.0 | 113.0 | 125.1 | 112.3 | 113.0 | 107.4 | **18,069.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,889.0** |
| H2O | 1960 | 218.8 | 192.4 | 226.4 | 216.2 | 215.9 | 215.6 | 223.8 | 246.1 | 253.7 | 209.5 | 197.9 | 198.2 | **10,380.8** |
| OIL | 1960 | 209.6 | 181.2 | 197.5 | 171.5 | 165.7 | 172.6 | 156.7 | 128.9 | 113.8 | 110.6 | 106.5 | 100.3 | **16,729.8** |
| DAY | 1959 | 31.0 | 24.0 | 31.0 | 30.0 | 24.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,524.0** |
| H2O | 1959 | 234.8 | 145.0 | 160.4 | 193.0 | 254.2 | 256.6 | 250.2 | 265.3 | 252.1 | 249.1 | 230.0 | 232.7 | **7,766.3** |
| OIL | 1959 | 185.9 | 158.8 | 183.1 | 234.6 | 239.2 | 215.3 | 213.9 | 233.1 | 217.1 | 222.6 | 223.6 | 227.2 | **14,914.9** |
| DAY | 1958 | 31.0 | 27.0 | 29.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 22.0 | **1,171.0** |
| H2O | 1958 | 149.6 | 133.9 | 144.7 | 162.8 | 176.3 | 195.9 | 227.8 | 264.2 | 263.9 | 269.8 | 255.5 | 161.7 | **5,042.9** |
| OIL | 1958 | 319.4 | 287.3 | 277.0 | 222.2 | 217.9 | 230.3 | 268.5 | 254.0 | 247.4 | 244.7 | 209.3 | 130.5 | **12,360.5** |
| DAY | 1957 | 23.0 | 28.0 | 31.0 | 27.0 | 19.0 | 23.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **821.0** |
| H2O | 1957 | 91.4 | 112.2 | 77.1 | 52.3 | 41.8 | 37.5 | 53.7 | 68.5 | 94.0 | 114.9 | 118.0 | 116.5 | **2,636.8** |
| OIL | 1957 | 281.4 | 265.9 | 271.0 | 299.1 | 222.2 | 201.2 | 303.2 | 366.4 | 381.1 | 403.2 | 362.6 | 341.0 | **9,452.0** |
| DAY | 1956 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 27.0 | 31.0 | **488.0** |
| H2O | 1956 | 138.5 | 114.1 | 45.0 | 96.8 | 94.9 | 115.6 | 125.4 | 139.1 | 119.1 | 120.7 | 103.3 | 116.2 | **1,658.9** |
| OIL | 1956 | 381.4 | 366.3 | 395.4 | 400.5 | 400.8 | 397.3 | 344.0 | 321.0 | 367.1 | 385.8 | 333.7 | 377.6 | **5,753.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 23.0 | 24.0 | 26.0 | 30.0 | **128.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 78.9 | 31.0 | 60.3 | 47.4 | 112.6 | **330.2** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 228.4 | 195.9 | 257.5 | 227.6 | 373.4 | **1,282.8** |

Licence ***880*** Well Name ***Landa Cdn. Sup. Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 17.0 | 31.0 | 30.0 | 31.0 | 22.0 | 15.0 | 7.0 | 0.0 | 0.0 | **340.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 24.2 | 25.6 | 21.0 | 19.7 | 7.2 | 19.6 | 5.0 | 0.0 | 0.0 | **511.0** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 26.9 | 28.9 | 26.9 | 35.1 | 23.7 | 14.3 | 2.4 | 0.0 | 0.0 | **445.3** |
| DAY | 1956 | 2.0 | 5.0 | 0.0 | 0.0 | 0.0 | 3.0 | 29.0 | 23.0 | 30.0 | 29.0 | 5.0 | 0.0 | **187.0** |
| H2O | 1956 | 29.1 | 112.6 | 0.0 | 0.0 | 0.0 | 3.0 | 30.2 | 16.4 | 19.1 | 19.6 | 4.5 | 0.0 | **388.7** |
| OIL | 1956 | 0.0 | 3.5 | 0.0 | 0.0 | 0.0 | 19.7 | 62.8 | 26.7 | 30.2 | 17.2 | 3.2 | 0.0 | **287.1** |

# Manitoba Production
## 1950 To 1975

Licence ***880*** Well Name ***Landa Cdn. Sup. Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-26-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 30.0 | 24.0 | 5.0 | 0.0 | 0.0 | **61.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.8 | 50.7 | 82.4 | 17.3 | 0.0 | 0.0 | **154.2** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.9 | 76.1 | 35.3 | 7.5 | 0.0 | 0.0 | **123.8** |

Licence ***882*** Well Name ***Shannon Hargrave*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-13-011-27W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,462.0** |
| H2O | 1975 | 515.1 | 446.9 | 298.1 | 226.9 | 187.9 | 157.6 | 180.8 | 141.2 | 143.7 | 168.5 | 190.3 | 193.2 | **43,481.1** |
| OIL | 1975 | 91.7 | 78.4 | 54.4 | 53.7 | 51.4 | 47.7 | 62.6 | 49.8 | 47.7 | 55.6 | 55.3 | 55.6 | **27,651.6** |
| DAY | 1974 | 10.0 | 0.0 | 0.0 | 0.0 | 18.0 | 25.0 | 31.0 | 29.0 | 30.0 | 31.0 | 28.0 | 26.0 | **6,103.0** |
| H2O | 1974 | 179.2 | 0.0 | 0.0 | 0.0 | 243.1 | 413.4 | 516.7 | 483.0 | 505.7 | 525.3 | 468.2 | 438.3 | **40,630.9** |
| OIL | 1974 | 18.6 | 0.0 | 0.0 | 0.0 | 73.1 | 90.9 | 98.6 | 83.0 | 85.9 | 85.1 | 74.1 | 81.1 | **26,947.7** |
| DAY | 1973 | 31.0 | 27.0 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 25.0 | 30.0 | 31.0 | **5,875.0** |
| H2O | 1973 | 293.7 | 248.5 | 294.3 | 215.6 | 291.9 | 274.1 | 279.3 | 280.5 | 200.3 | 420.0 | 527.5 | 527.8 | **36,858.0** |
| OIL | 1973 | 42.9 | 39.1 | 44.4 | 38.2 | 45.8 | 42.8 | 44.8 | 45.3 | 33.9 | 59.6 | 60.4 | 54.2 | **26,257.3** |
| DAY | 1972 | 17.0 | 0.0 | 6.0 | 30.0 | 31.0 | 30.0 | 31.0 | 20.0 | 21.0 | 31.0 | 27.0 | 31.0 | **5,527.0** |
| H2O | 1972 | 271.9 | 0.0 | 84.9 | 433.7 | 519.7 | 490.2 | 507.3 | 329.4 | 198.9 | 303.7 | 260.7 | 300.0 | **33,004.5** |
| OIL | 1972 | 27.0 | 0.0 | 27.0 | 90.6 | 69.0 | 63.6 | 58.8 | 35.5 | 42.6 | 50.9 | 42.4 | 46.1 | **25,705.9** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 31.0 | 29.0 | 30.0 | 27.0 | 30.0 | 31.0 | **5,252.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 295.4 | 504.9 | 507.3 | 401.9 | 431.3 | 491.4 | 517.5 | **29,304.1** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 88.7 | 101.3 | 80.8 | 64.7 | 58.3 | 57.2 | 46.1 | **25,152.4** |
| DAY | 1970 | 31.0 | 0.0 | 0.0 | 13.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 0.0 | **5,056.0** |
| H2O | 1970 | 753.4 | 0.0 | 0.0 | 278.4 | 744.9 | 738.5 | 741.5 | 737.9 | 762.0 | 777.9 | 731.2 | 0.0 | **26,154.4** |
| OIL | 1970 | 82.4 | 0.0 | 0.0 | 65.0 | 98.7 | 78.1 | 72.5 | 67.1 | 64.7 | 63.4 | 59.5 | 0.0 | **24,655.3** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 31.0 | 30.0 | 15.0 | 28.0 | 31.0 | **4,799.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 650.9 | 678.9 | 705.0 | 339.4 | 613.4 | 723.6 | **19,888.7** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 179.3 | 121.3 | 90.9 | 42.4 | 96.3 | 86.3 | **24,003.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **4,633.0** |
| H2O | 1968 | 469.5 | 542.5 | 586.0 | 579.2 | 498.6 | 422.6 | 669.7 | 651.8 | 650.7 | 672.8 | 667.9 | 663.5 | **16,177.5** |
| OIL | 1968 | 113.2 | 112.4 | 108.0 | 109.4 | 98.6 | 91.7 | 98.6 | 98.3 | 90.1 | 89.0 | 77.6 | 79.3 | **23,387.4** |
| DAY | 1967 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,269.0** |
| H2O | 1967 | 25.8 | 56.9 | 356.8 | 418.3 | 381.7 | 519.7 | 355.7 | 407.6 | 440.7 | 504.5 | 486.8 | 509.9 | **9,102.7** |
| OIL | 1967 | 79.3 | 122.7 | 168.5 | 147.5 | 131.0 | 148.7 | 113.8 | 129.7 | 125.4 | 135.9 | 121.0 | 114.0 | **22,221.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,906.0** |
| H2O | 1966 | 32.0 | 29.6 | 28.3 | 28.8 | 23.4 | 31.3 | 32.9 | 25.8 | 25.3 | 34.3 | 31.2 | 49.3 | **4,638.3** |
| OIL | 1966 | 85.6 | 76.2 | 78.1 | 77.8 | 76.7 | 85.4 | 84.3 | 78.9 | 80.3 | 88.8 | 81.0 | 66.7 | **20,683.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,541.0** |
| H2O | 1965 | 23.7 | 21.3 | 21.5 | 22.9 | 22.3 | 22.7 | 18.6 | 19.2 | 37.7 | 37.2 | 31.0 | 31.6 | **4,266.1** |
| OIL | 1965 | 87.5 | 77.5 | 84.8 | 76.5 | 71.8 | 57.5 | 81.5 | 76.8 | 91.5 | 89.6 | 81.6 | 78.6 | **19,723.9** |
| DAY | 1964 | 30.0 | 29.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,182.0** |
| H2O | 1964 | 63.9 | 65.7 | 65.8 | 58.0 | 43.7 | 39.3 | 36.7 | 32.6 | 36.7 | 47.2 | 39.0 | 35.9 | **3,956.4** |
| OIL | 1964 | 77.5 | 90.5 | 95.0 | 93.1 | 81.6 | 84.2 | 89.9 | 84.6 | 81.5 | 92.9 | 83.8 | 88.8 | **18,768.7** |
| DAY | 1963 | 30.0 | 28.0 | 31.0 | 26.0 | 30.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,820.0** |
| H2O | 1963 | 81.4 | 66.3 | 72.3 | 52.1 | 59.5 | 69.0 | 72.2 | 64.9 | 66.9 | 69.2 | 66.1 | 70.6 | **3,391.9** |
| OIL | 1963 | 89.6 | 88.1 | 102.1 | 83.8 | 101.0 | 94.5 | 95.5 | 91.6 | 99.9 | 98.3 | 98.0 | 98.5 | **17,725.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,464.0** |
| H2O | 1962 | 44.8 | 38.6 | 48.3 | 58.0 | 64.5 | 70.0 | 72.8 | 61.1 | 95.4 | 85.7 | 79.0 | 81.7 | **2,581.4** |
| OIL | 1962 | 123.9 | 111.4 | 122.5 | 116.6 | 117.9 | 116.8 | 111.2 | 113.1 | 124.7 | 121.7 | 112.1 | 92.4 | **16,584.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 20.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **2,100.0** |
| H2O | 1961 | 51.8 | 136.1 | 65.7 | 73.5 | 33.5 | 28.0 | 44.2 | 131.6 | 95.1 | 69.8 | 40.7 | 48.5 | **1,781.5** |

# Manitoba Production
## 1950 To 1975

Licence ***882*** Well Name ***Shannon Hargrave*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-13-011-27W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1961 | 166.8 | 146.3 | 123.4 | 124.5 | 89.1 | 127.2 | 106.3 | 139.2 | 116.6 | 119.1 | 115.2 | 126.9 | **15,200.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 26.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **1,751.0** |
| H2O | 1960 | 5.4 | 6.7 | 8.3 | 9.2 | 17.2 | 48.8 | 23.4 | 79.2 | 43.9 | 39.7 | 31.3 | 49.1 | **963.0** |
| OIL | 1960 | 170.2 | 151.4 | 156.5 | 140.3 | 159.8 | 155.2 | 150.0 | 150.6 | 146.2 | 140.3 | 136.6 | 168.3 | **13,699.5** |
| DAY | 1959 | 15.0 | 27.0 | 31.0 | 16.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 25.0 | 30.0 | 29.0 | **1,393.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 22.3 | 83.2 | 135.5 | 93.1 | 95.3 | 47.2 | 0.6 | 46.9 | 6.5 | **600.8** |
| OIL | 1959 | 119.0 | 257.5 | 288.5 | 95.8 | 282.9 | 260.5 | 225.5 | 227.9 | 155.7 | 123.6 | 155.4 | 155.9 | **11,874.1** |
| DAY | 1958 | 31.0 | 25.0 | 26.0 | 13.0 | 26.0 | 30.0 | 31.0 | 28.0 | 25.0 | 27.0 | 28.0 | 24.0 | **1,068.0** |
| OIL | 1958 | 296.9 | 234.2 | 246.3 | 116.4 | 247.9 | 295.6 | 295.8 | 258.9 | 238.4 | 228.8 | 226.3 | 183.2 | **9,525.9** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 11.0 | 18.0 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **754.0** |
| H2O | 1957 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.9 | 0.4 | 0.0 | 0.0 | 0.0 | **70.2** |
| OIL | 1957 | 277.2 | 265.7 | 280.7 | 99.1 | 170.5 | 280.7 | 253.0 | 274.9 | 281.0 | 244.1 | 285.8 | 297.7 | **6,657.2** |
| DAY | 1956 | 31.0 | 26.0 | 31.0 | 10.0 | 27.0 | 25.0 | 26.0 | 27.0 | 25.0 | 28.0 | 25.0 | 31.0 | **425.0** |
| H2O | 1956 | 5.5 | 5.6 | 8.6 | 3.7 | 2.4 | 3.2 | 4.4 | 2.9 | 1.8 | 1.8 | 3.1 | 2.3 | **63.6** |
| OIL | 1956 | 275.3 | 214.2 | 287.7 | 86.2 | 214.4 | 232.5 | 240.8 | 242.7 | 236.5 | 244.7 | 236.6 | 282.1 | **3,646.8** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 30.0 | 31.0 | 25.0 | 22.0 | **113.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.9 | 13.1 | 0.9 | 0.0 | 3.4 | **18.3** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 44.1 | 165.1 | 235.7 | 205.9 | 202.3 | **853.1** |

Licence ***883*** Well Name ***Oilex Ebor Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-26-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1965 | 314.0 | 59.6 | 0.0 | 0.0 | 366.6 | 231.0 | 479.8 | 537.2 | 218.5 | 0.0 | 0.0 | 0.0 | **11,224.0** |
| WIN | 1964 | 556.5 | 508.8 | 397.5 | 397.5 | 397.5 | 397.5 | 0.0 | 0.0 | 0.0 | 0.0 | 38.0 | 75.5 | **9,017.3** |
| WIN | 1963 | 581.3 | 187.6 | 0.0 | 311.6 | 333.1 | 468.2 | 636.0 | 318.0 | 636.0 | 636.0 | 477.0 | 524.7 | **6,248.5** |
| DAY | 1962 | 31.0 | 9.0 | 25.0 | 30.0 | 31.0 | 30.0 | 27.0 | 23.0 | 30.0 | 12.0 | 0.0 | 0.0 | **2,441.0** |
| H2O | 1962 | 0.8 | 0.6 | 0.8 | 1.1 | 0.8 | 1.4 | 1.0 | 0.6 | 0.8 | 0.3 | 0.0 | 0.0 | **480.6** |
| OIL | 1962 | 37.7 | 24.0 | 26.4 | 41.3 | 34.2 | 36.2 | 36.4 | 33.4 | 32.6 | 11.1 | 0.0 | 0.0 | **4,257.9** |
| WIN | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 85.7 | 461.9 | 591.4 | **1,139.0** |
| DAY | 1961 | 25.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,193.0** |
| H2O | 1961 | 1.6 | 1.3 | 1.1 | 1.1 | 1.0 | 1.4 | 1.3 | 1.6 | 1.0 | 0.8 | 0.8 | 1.0 | **472.4** |
| OIL | 1961 | 29.7 | 26.9 | 26.2 | 37.4 | 27.5 | 44.8 | 37.0 | 37.2 | 36.7 | 41.7 | 34.8 | 33.1 | **3,944.6** |
| DAY | 1960 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,834.0** |
| H2O | 1960 | 1.6 | 1.3 | 1.3 | 1.1 | 1.6 | 1.6 | 1.3 | 1.3 | 1.9 | 1.7 | 1.6 | 1.7 | **458.4** |
| OIL | 1960 | 44.8 | 44.7 | 41.2 | 45.6 | 47.9 | 41.7 | 42.4 | 35.8 | 42.9 | 38.2 | 40.1 | 38.6 | **3,531.6** |
| DAY | 1959 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 25.0 | **1,469.0** |
| H2O | 1959 | 1.6 | 1.3 | 1.6 | 1.4 | 1.4 | 1.6 | 1.9 | 1.6 | 1.6 | 1.7 | 1.7 | 1.6 | **440.4** |
| OIL | 1959 | 39.9 | 40.9 | 49.1 | 43.4 | 44.8 | 44.5 | 46.6 | 48.7 | 43.1 | 49.0 | 46.7 | 42.9 | **3,027.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,119.0** |
| H2O | 1958 | 3.2 | 2.2 | 1.7 | 1.7 | 1.9 | 1.7 | 2.2 | 1.4 | 1.9 | 2.5 | 1.7 | 1.4 | **421.4** |
| OIL | 1958 | 48.2 | 44.4 | 48.3 | 47.7 | 47.9 | 45.5 | 45.0 | 48.2 | 46.4 | 48.3 | 43.9 | 47.4 | **2,488.1** |
| DAY | 1957 | 27.0 | 26.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **754.0** |
| H2O | 1957 | 9.7 | 8.6 | 8.9 | 4.9 | 6.4 | 4.9 | 5.1 | 4.8 | 4.0 | 4.9 | 4.8 | 5.1 | **397.9** |
| OIL | 1957 | 50.3 | 48.7 | 52.7 | 54.0 | 49.3 | 46.2 | 51.0 | 52.1 | 49.4 | 48.0 | 44.2 | 48.0 | **1,926.9** |
| DAY | 1956 | 14.0 | 29.0 | 31.0 | 12.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | **398.0** |
| H2O | 1956 | 32.6 | 23.7 | 29.6 | 11.4 | 28.1 | 27.8 | 29.6 | 16.5 | 20.2 | 18.8 | 10.7 | 14.8 | **325.8** |
| OIL | 1956 | 93.2 | 126.3 | 108.2 | 43.5 | 108.0 | 66.8 | 77.5 | 76.1 | 68.1 | 62.5 | 55.9 | 63.2 | **1,333.0** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 27.0 | 28.0 | 4.0 | 0.0 | **71.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.2 | 23.7 | 25.4 | 3.7 | 0.0 | **62.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.9 | 147.8 | 118.2 | 16.8 | 0.0 | **383.7** |

Licence ***884*** Well Name ***Oilex Ebor Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***884*** Well Name ***Oilex Ebor Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-26-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 20.0 | 12.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 20.0 | 20.0 | **5,944.0** |
| H2O | 1975 | 1.0 | 1.0 | 1.4 | 1.0 | 1.3 | 1.1 | 1.6 | 1.3 | 1.3 | 1.3 | 1.6 | 2.4 | **696.7** |
| OIL | 1975 | 13.0 | 7.5 | 15.9 | 14.5 | 19.7 | 14.6 | 27.0 | 15.9 | 14.3 | 15.9 | 20.7 | 28.6 | **5,404.6** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 20.0 | 7.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,630.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 0.6 | 1.4 | 1.1 | 1.0 | 1.1 | 1.3 | 1.1 | **680.4** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 21.8 | 7.3 | 20.5 | 20.2 | 18.1 | 19.9 | 19.7 | 17.6 | 16.2 | **5,197.0** |
| DAY | 1973 | 26.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 20.0 | 25.0 | 18.0 | **5,389.0** |
| OIL | 1973 | 8.9 | 21.0 | 25.3 | 23.4 | 20.8 | 21.3 | 21.1 | 19.1 | 17.5 | 19.1 | 15.9 | 7.9 | **5,035.7** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 20.0 | 30.0 | 31.0 | 30.0 | 12.0 | **5,059.0** |
| H2O | 1972 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 0.0 | 3.2 | 1.6 | 0.8 | 0.8 | **672.3** |
| OIL | 1972 | 15.9 | 15.9 | 15.9 | 19.6 | 23.8 | 8.1 | 19.9 | 15.9 | 19.9 | 15.9 | 11.9 | 7.3 | **4,814.4** |
| DAY | 1971 | 18.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 22.0 | 31.0 | 30.0 | 31.0 | **4,725.0** |
| H2O | 1971 | 1.6 | 1.6 | 0.0 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 0.0 | 2.2 | 1.6 | **654.7** |
| OIL | 1971 | 7.9 | 11.9 | 14.3 | 15.9 | 23.8 | 15.9 | 24.0 | 21.0 | 15.9 | 16.7 | 18.1 | 15.9 | **4,624.4** |
| DAY | 1970 | 15.0 | 20.0 | 25.0 | 30.0 | 10.0 | 0.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,382.0** |
| H2O | 1970 | 0.0 | 0.8 | 1.3 | 1.7 | 0.0 | 1.6 | 1.6 | 1.6 | 1.6 | 0.0 | 0.0 | 1.6 | **638.1** |
| OIL | 1970 | 11.9 | 6.4 | 17.6 | 14.1 | 15.6 | 0.0 | 23.8 | 21.1 | 23.8 | 19.9 | 13.2 | 15.9 | **4,423.1** |
| DAY | 1969 | 11.0 | 0.0 | 10.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,099.0** |
| H2O | 1969 | 1.6 | 0.0 | 1.9 | 2.5 | 1.6 | 1.9 | 1.6 | 1.3 | 1.6 | 0.8 | 0.6 | 1.6 | **626.3** |
| OIL | 1969 | 6.4 | 0.0 | 14.1 | 23.8 | 22.1 | 23.2 | 20.0 | 19.1 | 18.4 | 18.6 | 13.4 | 22.1 | **4,239.8** |
| DAY | 1968 | 17.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 0.0 | 0.0 | 0.0 | 15.0 | **3,804.0** |
| H2O | 1968 | 0.5 | 1.9 | 0.0 | 0.0 | 2.4 | 0.0 | 0.0 | 1.4 | 1.9 | 1.6 | 1.6 | 1.9 | **609.3** |
| OIL | 1968 | 18.3 | 19.9 | 28.3 | 28.9 | 27.2 | 25.9 | 25.3 | 25.8 | 23.8 | 18.4 | 25.1 | 13.5 | **4,038.6** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 3.0 | 1.0 | 9.0 | 26.0 | 28.0 | **3,742.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 2.7 | 2.2 | **596.1** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.7 | 6.5 | 7.8 | 14.0 | 41.5 | 16.5 | **3,758.2** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 30.0 | 29.0 | 24.0 | 22.0 | 30.0 | 20.0 | 0.0 | **3,660.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **591.0** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 34.5 | 28.9 | 31.2 | 33.1 | 30.7 | 34.7 | 21.8 | 0.0 | **3,645.2** |
| DAY | 1965 | 23.0 | 22.0 | 10.0 | 23.0 | 26.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 2.0 | 0.0 | **3,487.0** |
| H2O | 1965 | 4.8 | 3.7 | 2.4 | 7.0 | 9.4 | 6.5 | 9.1 | 8.3 | 5.7 | 5.7 | 2.1 | 0.0 | **590.8** |
| OIL | 1965 | 23.8 | 19.6 | 11.9 | 16.4 | 16.5 | 15.3 | 15.4 | 15.3 | 13.8 | 13.8 | 1.0 | 0.0 | **3,430.3** |
| DAY | 1964 | 31.0 | 24.0 | 29.0 | 30.0 | 29.0 | 27.0 | 16.0 | 13.0 | 30.0 | 30.0 | 30.0 | 27.0 | **3,229.0** |
| H2O | 1964 | 7.2 | 12.6 | 11.3 | 13.7 | 10.3 | 9.4 | 6.2 | 6.8 | 3.3 | 4.0 | 5.6 | 3.7 | **526.1** |
| OIL | 1964 | 16.2 | 14.9 | 15.3 | 14.8 | 13.8 | 11.4 | 16.5 | 18.6 | 21.1 | 19.6 | 20.0 | 13.5 | **3,267.5** |
| DAY | 1963 | 29.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **2,913.0** |
| H2O | 1963 | 1.6 | 0.5 | 1.0 | 1.7 | 3.3 | 4.3 | 6.7 | 2.5 | 1.4 | 4.0 | 2.5 | 3.2 | **432.0** |
| OIL | 1963 | 15.9 | 13.0 | 18.6 | 16.7 | 16.9 | 13.5 | 19.7 | 14.6 | 17.5 | 13.5 | 13.2 | 13.7 | **3,071.8** |
| DAY | 1962 | 31.0 | 23.0 | 22.0 | 30.0 | 31.0 | 30.0 | 25.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,556.0** |
| H2O | 1962 | 0.2 | 0.0 | 0.0 | 0.2 | 0.0 | 0.3 | 0.0 | 0.0 | 0.0 | 0.2 | 0.2 | 0.3 | **399.3** |
| OIL | 1962 | 14.1 | 9.1 | 12.6 | 14.5 | 16.7 | 13.0 | 14.3 | 13.2 | 10.5 | 17.5 | 16.2 | 16.7 | **2,885.0** |
| DAY | 1961 | 24.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,218.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 0.0 | 0.3 | 0.3 | 0.2 | 0.2 | 0.3 | **397.9** |
| OIL | 1961 | 13.5 | 11.3 | 11.3 | 13.0 | 12.4 | 12.4 | 16.7 | 20.5 | 18.4 | 15.4 | 14.9 | 16.4 | **2,716.6** |
| DAY | 1960 | 16.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,860.0** |
| OIL | 1960 | 12.7 | 20.8 | 18.6 | 19.4 | 18.4 | 17.8 | 14.5 | 17.2 | 16.9 | 18.8 | 15.6 | 18.3 | **2,540.4** |
| DAY | 1959 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,511.0** |
| OIL | 1959 | 23.8 | 16.9 | 22.4 | 21.3 | 21.5 | 21.9 | 22.7 | 24.3 | 21.1 | 21.3 | 18.9 | 21.3 | **2,331.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | **1,149.0** |
| H2O | 1958 | 0.2 | 0.0 | 0.2 | 0.2 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **396.1** |
| OIL | 1958 | 31.6 | 27.3 | 29.3 | 23.8 | 26.6 | 23.8 | 22.9 | 22.9 | 21.9 | 21.8 | 19.7 | 19.4 | **2,074.0** |
| DAY | 1957 | 26.0 | 28.0 | 30.0 | 29.0 | 28.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **790.0** |

# Manitoba Production
## 1950 To 1975

Licence ***884*** Well Name ***Oilex Ebor Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-26-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1957 | 6.8 | 6.0 | 4.6 | 4.6 | 4.0 | 4.1 | 5.1 | 1.3 | 1.0 | 0.5 | 0.0 | 0.2 | **395.3** |
| OIL | 1957 | 40.9 | 42.9 | 43.6 | 38.2 | 31.8 | 35.6 | 39.3 | 30.8 | 35.5 | 34.5 | 32.4 | 30.2 | **1,783.0** |
| DAY | 1956 | 21.0 | 29.0 | 29.0 | 12.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 29.0 | 27.0 | **439.0** |
| H2O | 1956 | 26.0 | 30.6 | 30.6 | 11.3 | 28.8 | 20.6 | 16.9 | 10.2 | 12.7 | 7.5 | 7.2 | 9.4 | **357.1** |
| OIL | 1956 | 100.9 | 95.3 | 77.6 | 37.3 | 96.2 | 49.0 | 46.0 | 50.1 | 43.6 | 40.9 | 46.0 | 40.3 | **1,347.3** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 31.0 | 27.0 | 31.0 | 8.0 | 8.0 | **114.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.8 | 37.3 | 33.9 | 33.8 | 8.3 | 15.2 | **145.3** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 62.1 | 203.7 | 143.8 | 137.4 | 40.0 | 37.1 | **624.1** |

Licence ***885*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,317.0** |
| H2O | 1975 | 351.7 | 325.9 | 363.5 | 322.8 | 334.7 | 303.6 | 304.9 | 316.2 | 311.4 | 334.5 | 335.5 | 341.5 | **28,582.0** |
| OIL | 1975 | 534.1 | 478.6 | 525.5 | 510.3 | 519.8 | 479.1 | 493.7 | 522.2 | 506.4 | 524.1 | 506.8 | 514.9 | **107,019.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | **6,952.0** |
| H2O | 1974 | 316.7 | 198.4 | 221.9 | 210.8 | 223.5 | 218.3 | 226.9 | 247.5 | 252.3 | 256.4 | 255.3 | 352.1 | **24,635.8** |
| OIL | 1974 | 651.7 | 564.4 | 645.7 | 601.2 | 639.9 | 602.0 | 639.1 | 531.4 | 527.3 | 537.1 | 512.0 | 542.4 | **100,904.3** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,590.0** |
| H2O | 1973 | 333.7 | 320.3 | 336.1 | 342.8 | 347.1 | 333.7 | 335.3 | 349.9 | 354.5 | 357.9 | 323.0 | 317.5 | **21,655.7** |
| OIL | 1973 | 708.3 | 624.4 | 673.3 | 634.2 | 662.0 | 641.7 | 665.2 | 689.5 | 677.1 | 691.1 | 616.6 | 634.4 | **93,910.1** |
| DAY | 1972 | 26.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,225.0** |
| H2O | 1972 | 269.6 | 309.5 | 379.8 | 327.0 | 373.8 | 318.1 | 352.9 | 334.5 | 305.9 | 332.7 | 355.3 | 361.4 | **17,603.9** |
| OIL | 1972 | 550.5 | 605.0 | 666.3 | 615.3 | 671.6 | 627.4 | 646.3 | 660.7 | 688.4 | 724.9 | 666.9 | 696.0 | **85,992.3** |
| DAY | 1971 | 27.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,865.0** |
| H2O | 1971 | 148.2 | 186.3 | 204.6 | 220.2 | 215.1 | 316.8 | 314.0 | 273.3 | 284.9 | 318.6 | 306.2 | 342.1 | **13,583.4** |
| OIL | 1971 | 545.2 | 638.5 | 675.0 | 687.1 | 685.7 | 678.7 | 694.0 | 615.1 | 653.9 | 678.9 | 640.2 | 668.1 | **78,173.0** |
| DAY | 1970 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,509.0** |
| H2O | 1970 | 295.2 | 267.6 | 292.2 | 269.8 | 277.9 | 281.9 | 169.6 | 191.3 | 178.1 | 184.6 | 168.4 | 187.3 | **10,453.1** |
| OIL | 1970 | 655.7 | 571.0 | 650.3 | 627.4 | 647.4 | 633.9 | 615.9 | 605.6 | 578.1 | 609.9 | 585.1 | 613.7 | **70,312.6** |
| DAY | 1969 | 31.0 | 28.0 | 29.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,145.0** |
| H2O | 1969 | 168.4 | 152.9 | 134.2 | 154.4 | 158.8 | 162.3 | 175.0 | 176.9 | 159.3 | 315.1 | 281.4 | 308.9 | **7,689.2** |
| OIL | 1969 | 722.9 | 638.8 | 660.0 | 687.3 | 660.1 | 692.8 | 715.9 | 715.9 | 665.7 | 681.6 | 653.1 | 684.3 | **62,918.6** |
| DAY | 1968 | 29.0 | 29.0 | 31.0 | 29.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 28.0 | 30.0 | **4,785.0** |
| H2O | 1968 | 123.7 | 126.4 | 231.0 | 222.6 | 181.6 | 171.5 | 170.1 | 167.2 | 90.5 | 92.2 | 66.8 | 155.3 | **5,341.6** |
| OIL | 1968 | 517.6 | 511.4 | 553.8 | 516.3 | 626.1 | 635.3 | 606.6 | 652.5 | 591.3 | 598.0 | 534.7 | 698.6 | **54,740.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **4,429.0** |
| H2O | 1967 | 68.0 | 58.2 | 70.1 | 116.9 | 117.0 | 57.9 | 45.6 | 84.1 | 67.1 | 68.0 | 126.2 | 138.2 | **3,542.7** |
| OIL | 1967 | 596.7 | 546.3 | 612.8 | 579.2 | 596.9 | 626.7 | 650.6 | 556.3 | 541.9 | 536.8 | 548.1 | 556.5 | **47,698.0** |
| DAY | 1966 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,066.0** |
| H2O | 1966 | 52.6 | 39.6 | 54.1 | 55.3 | 9.5 | 8.3 | 8.3 | 8.3 | 67.7 | 69.5 | 66.0 | 72.5 | **2,525.4** |
| OIL | 1966 | 600.4 | 494.8 | 585.7 | 572.1 | 590.8 | 567.6 | 585.1 | 581.9 | 579.2 | 599.7 | 562.9 | 603.2 | **40,749.2** |
| DAY | 1965 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,703.0** |
| H2O | 1965 | 34.5 | 28.9 | 35.0 | 29.6 | 41.3 | 40.1 | 59.8 | 59.9 | 57.4 | 58.8 | 54.5 | 55.3 | **2,013.7** |
| OIL | 1965 | 545.2 | 470.5 | 537.4 | 500.7 | 596.1 | 613.4 | 664.9 | 658.7 | 581.9 | 626.3 | 591.5 | 607.4 | **33,825.8** |
| DAY | 1964 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,339.0** |
| H2O | 1964 | 19.1 | 7.6 | 8.9 | 8.4 | 9.1 | 8.6 | 28.0 | 32.7 | 31.5 | 31.3 | 31.3 | 34.5 | **1,458.6** |
| OIL | 1964 | 506.1 | 492.6 | 551.1 | 504.4 | 519.8 | 488.5 | 450.5 | 522.0 | 505.0 | 514.1 | 485.3 | 540.3 | **26,831.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,978.0** |
| H2O | 1963 | 31.8 | 30.4 | 37.0 | 38.0 | 34.0 | 32.9 | 46.9 | 19.7 | 15.3 | 1.1 | 18.4 | 18.9 | **1,207.6** |
| OIL | 1963 | 168.0 | 165.1 | 200.1 | 193.6 | 190.1 | 193.4 | 180.0 | 471.2 | 438.9 | 447.8 | 474.5 | 485.8 | **20,752.1** |

# Manitoba Production
## 1950 To 1975

Licence ***885*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,616.0** |
| H2O | 1962 | 7.9 | 8.4 | 9.7 | 11.3 | 25.8 | 27.7 | 26.9 | 26.9 | 29.3 | 28.5 | 28.0 | 31.0 | **883.2** |
| OIL | 1962 | 178.0 | 159.2 | 175.4 | 167.7 | 171.1 | 165.7 | 166.5 | 167.5 | 165.6 | 167.7 | 163.4 | 164.9 | **17,143.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,251.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.7 | 8.4 | 6.5 | 7.0 | 7.9 | 8.4 | 9.2 | **621.8** |
| OIL | 1961 | 109.0 | 97.9 | 104.6 | 99.2 | 90.6 | 207.4 | 210.9 | 212.0 | 184.7 | 182.0 | 175.4 | 179.1 | **15,130.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,887.0** |
| H2O | 1960 | 41.8 | 14.5 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | **563.7** |
| OIL | 1960 | 98.2 | 88.0 | 96.1 | 102.2 | 107.1 | 101.1 | 102.5 | 82.3 | 104.1 | 102.8 | 104.9 | 110.6 | **13,278.1** |
| DAY | 1959 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,527.0** |
| H2O | 1959 | 33.7 | 25.9 | 30.8 | 5.4 | 4.1 | 6.7 | 6.2 | 2.7 | 42.8 | 31.3 | 31.0 | 28.1 | **507.0** |
| OIL | 1959 | 180.2 | 157.0 | 180.0 | 148.6 | 161.8 | 137.0 | 145.9 | 147.6 | 105.5 | 103.8 | 99.0 | 101.2 | **12,078.2** |
| DAY | 1958 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **1,164.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.3 | 0.0 | 0.0 | 9.5 | 7.3 | 9.9 | 28.3 | 27.7 | 28.3 | 30.7 | **258.3** |
| OIL | 1958 | 212.6 | 191.6 | 166.2 | 154.5 | 166.5 | 176.2 | 176.2 | 193.6 | 181.3 | 180.2 | 176.4 | 181.8 | **10,410.6** |
| DAY | 1957 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **802.0** |
| H2O | 1957 | 0.3 | 0.2 | 0.5 | 0.6 | 0.8 | 0.6 | 0.3 | 0.5 | 0.6 | 0.5 | 0.5 | 0.6 | **116.3** |
| OIL | 1957 | 298.1 | 292.7 | 320.8 | 261.6 | 254.6 | 263.8 | 233.6 | 239.8 | 242.3 | 231.7 | 212.3 | 212.0 | **8,253.5** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 21.0 | 31.0 | **441.0** |
| H2O | 1956 | 15.9 | 2.9 | 2.9 | 2.7 | 14.5 | 14.9 | 1.9 | 2.2 | 3.3 | 2.2 | 1.6 | 2.2 | **110.3** |
| OIL | 1956 | 413.6 | 302.2 | 321.3 | 332.9 | 295.1 | 304.2 | 393.0 | 393.0 | 389.6 | 361.8 | 265.1 | 398.1 | **5,190.2** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 29.0 | 27.0 | 29.0 | **87.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.3 | 14.0 | 13.8 | **43.1** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.6 | 344.8 | 300.3 | 343.6 | **1,020.3** |

Licence ***886*** Well Name ***Tundra South Regent*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-07-004-21W1.00*** Field Name ***Regent*** Pool Name ***Lodgepole Virden A*** Field Code ***13*** Pool Code ***53A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 25.0 | 21.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 0.0 | 0.0 | 0.0 | 0.0 | **359.0** |
| H2O | 1968 | 135.1 | 47.9 | 191.4 | 186.0 | 194.9 | 186.7 | 195.2 | 184.4 | 0.0 | 0.0 | 0.0 | 0.0 | **1,782.2** |
| OIL | 1968 | 31.8 | 23.4 | 31.2 | 33.4 | 39.4 | 38.2 | 38.2 | 23.1 | 0.0 | 0.0 | 0.0 | 0.0 | **528.1** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 24.0 | 15.0 | 23.0 | 29.0 | **134.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.5 | 7.6 | 45.3 | 69.5 | 161.4 | **460.6** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 80.7 | 53.4 | 33.4 | 51.2 | 32.3 | **269.4** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 4.0 | 0.0 | **16.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.9 | 31.8 | 0.0 | **170.3** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 5.1 | 0.0 | **18.4** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 0.0 | 0.0 | **10.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 121.6 | 0.0 | 0.0 | **121.6** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.6 | 0.0 | 0.0 | **12.6** |

Licence ***887*** Well Name ***M & C South Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-35-009-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 7.0 | 0.0 | 0.0 | 0.0 | **38.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.6 | 3.0 | 0.0 | 0.0 | 0.0 | **15.6** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 46.9 | 10.6 | 0.0 | 0.0 | 0.0 | **57.5** |

Licence ***888*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

# Manitoba Production
# 1950 To 1975

Licence ***888*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,763.0** |
| H2O | 1975 | 496.0 | 427.5 | 473.8 | 460.7 | 434.2 | 430.8 | 457.1 | 446.9 | 475.8 | 534.2 | 481.2 | 505.4 | **52,499.9** |
| OIL | 1975 | 62.8 | 57.4 | 62.0 | 61.0 | 66.4 | 65.0 | 71.2 | 68.2 | 70.1 | 75.6 | 70.6 | 73.6 | **20,687.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,398.0** |
| H2O | 1974 | 422.7 | 380.8 | 423.4 | 400.3 | 425.6 | 490.1 | 499.5 | 510.0 | 480.9 | 518.9 | 493.0 | 489.8 | **46,876.3** |
| OIL | 1974 | 31.0 | 27.7 | 30.8 | 29.7 | 63.9 | 61.0 | 61.0 | 62.3 | 62.9 | 65.3 | 61.3 | 63.1 | **19,883.9** |
| DAY | 1973 | 0.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,033.0** |
| H2O | 1973 | 0.0 | 433.7 | 442.9 | 403.8 | 419.1 | 439.6 | 180.1 | 202.2 | 412.9 | 379.5 | 368.4 | 429.2 | **41,341.3** |
| OIL | 1973 | 0.0 | 77.4 | 88.0 | 94.4 | 95.0 | 94.9 | 68.5 | 64.0 | 33.2 | 31.6 | 31.6 | 31.1 | **19,263.9** |
| DAY | 1972 | 21.0 | 19.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **5,701.0** |
| H2O | 1972 | 63.0 | 57.2 | 408.9 | 413.5 | 452.1 | 420.8 | 437.8 | 437.5 | 366.8 | 384.6 | 421.0 | 427.5 | **37,229.9** |
| OIL | 1972 | 14.3 | 13.2 | 83.7 | 80.2 | 98.2 | 88.4 | 89.5 | 90.9 | 199.4 | 212.6 | 76.8 | 82.0 | **18,554.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,358.0** |
| H2O | 1971 | 23.5 | 20.3 | 262.6 | 246.1 | 263.0 | 254.5 | 94.4 | 88.9 | 80.8 | 81.7 | 84.9 | 94.3 | **32,939.2** |
| OIL | 1971 | 8.4 | 7.3 | 34.0 | 21.0 | 21.1 | 20.3 | 20.8 | 21.0 | 20.2 | 19.5 | 18.4 | 21.8 | **17,425.0** |
| DAY | 1970 | 31.0 | 28.0 | 0.0 | 6.0 | 25.0 | 30.0 | 28.0 | 15.0 | 18.0 | 31.0 | 29.0 | 31.0 | **4,993.0** |
| H2O | 1970 | 72.8 | 70.0 | 79.5 | 15.7 | 37.2 | 45.5 | 21.5 | 10.7 | 13.7 | 23.1 | 21.8 | 23.2 | **31,344.2** |
| OIL | 1970 | 23.7 | 17.5 | 18.9 | 4.8 | 15.4 | 17.8 | 7.8 | 3.8 | 4.8 | 8.3 | 7.2 | 9.1 | **17,191.2** |
| DAY | 1969 | 31.0 | 28.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 0.0 | 30.0 | 31.0 | **4,721.0** |
| H2O | 1969 | 246.4 | 222.6 | 219.4 | 286.2 | 275.7 | 266.3 | 271.9 | 271.1 | 261.5 | 251.3 | 219.6 | 94.9 | **30,909.5** |
| OIL | 1969 | 46.7 | 42.7 | 50.4 | 64.2 | 69.3 | 59.3 | 63.1 | 61.7 | 63.6 | 62.0 | 41.8 | 33.5 | **17,052.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **4,392.0** |
| H2O | 1968 | 341.5 | 323.4 | 345.0 | 333.9 | 345.0 | 322.7 | 321.9 | 320.3 | 310.0 | 287.0 | 272.7 | 246.4 | **28,022.6** |
| OIL | 1968 | 90.9 | 76.0 | 67.2 | 71.0 | 73.9 | 64.8 | 59.8 | 47.4 | 38.5 | 62.8 | 69.6 | 65.6 | **16,393.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | 30.0 | 28.0 | 24.0 | 11.0 | 31.0 | **4,032.0** |
| H2O | 1967 | 242.4 | 219.4 | 216.8 | 195.7 | 187.6 | 177.3 | 194.8 | 176.5 | 151.7 | 90.8 | 128.5 | 370.7 | **24,252.8** |
| OIL | 1967 | 85.7 | 71.7 | 64.2 | 67.9 | 73.3 | 65.6 | 72.9 | 63.9 | 54.0 | 48.0 | 20.3 | 107.4 | **15,606.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 24.0 | 31.0 | 29.0 | 30.0 | 31.0 | 29.0 | 30.0 | **3,699.0** |
| H2O | 1966 | 246.4 | 222.6 | 250.4 | 173.3 | 144.4 | 284.3 | 281.6 | 262.2 | 267.1 | 273.4 | 252.3 | 251.7 | **21,900.6** |
| OIL | 1966 | 67.7 | 52.6 | 57.0 | 48.5 | 42.4 | 103.0 | 119.0 | 105.4 | 94.2 | 87.4 | 76.9 | 83.1 | **14,811.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 27.0 | 30.0 | 31.0 | 27.0 | 31.0 | **3,349.0** |
| H2O | 1965 | 295.7 | 267.1 | 295.7 | 281.4 | 295.7 | 286.2 | 234.5 | 207.8 | 235.3 | 246.4 | 212.4 | 246.4 | **18,990.9** |
| OIL | 1965 | 106.2 | 95.7 | 103.5 | 94.9 | 98.0 | 90.6 | 89.0 | 87.6 | 85.0 | 90.7 | 75.8 | 69.9 | **13,874.2** |
| DAY | 1964 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | 28.0 | 29.0 | 29.0 | 30.0 | 31.0 | **2,992.0** |
| H2O | 1964 | 279.8 | 241.6 | 246.4 | 244.8 | 211.4 | 190.8 | 135.1 | 383.9 | 298.9 | 310.0 | 286.2 | 290.9 | **15,886.3** |
| OIL | 1964 | 98.7 | 92.2 | 95.3 | 85.2 | 81.5 | 78.5 | 48.1 | 137.9 | 131.7 | 130.9 | 103.8 | 106.2 | **12,787.3** |
| DAY | 1963 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,642.0** |
| H2O | 1963 | 95.4 | 89.0 | 108.1 | 95.4 | 103.3 | 230.5 | 283.0 | 286.2 | 286.2 | 295.7 | 286.2 | 295.7 | **12,766.5** |
| OIL | 1963 | 69.6 | 62.3 | 65.6 | 62.1 | 52.6 | 94.2 | 121.6 | 121.7 | 119.2 | 117.4 | 105.2 | 108.4 | **11,597.3** |
| DAY | 1962 | 26.0 | 27.0 | 31.0 | 17.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,283.0** |
| H2O | 1962 | 83.5 | 144.7 | 195.5 | 79.5 | 87.4 | 89.0 | 87.4 | 98.6 | 95.4 | 98.6 | 95.4 | 108.1 | **10,311.8** |
| OIL | 1962 | 81.0 | 89.1 | 108.4 | 57.5 | 103.0 | 104.9 | 98.7 | 93.4 | 82.0 | 83.7 | 77.4 | 78.7 | **10,497.4** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 31.0 | 28.0 | 0.0 | 10.0 | 26.0 | 31.0 | **1,939.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.9 | 49.3 | 44.6 | 0.0 | 20.8 | 76.3 | 122.5 | **9,048.7** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.5 | 41.3 | 20.8 | 0.0 | 11.0 | 99.8 | 99.3 | **9,439.6** |
| DAY | 1960 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 9.0 | **1,798.0** |
| H2O | 1960 | 144.7 | 135.2 | 120.8 | 106.5 | 108.1 | 95.3 | 82.7 | 82.7 | 89.0 | 76.3 | 43.0 | 7.9 | **8,723.3** |
| OIL | 1960 | 95.3 | 87.4 | 90.6 | 74.7 | 58.0 | 66.7 | 59.6 | 55.6 | 50.1 | 63.6 | 48.5 | 14.3 | **9,153.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | **1,458.0** |
| H2O | 1959 | 216.2 | 184.4 | 197.1 | 182.8 | 168.5 | 139.9 | 138.3 | 163.7 | 132.0 | 143.1 | 114.5 | 135.1 | **7,631.1** |
| OIL | 1959 | 147.8 | 133.5 | 143.0 | 119.2 | 123.2 | 111.4 | 93.8 | 102.5 | 95.3 | 96.9 | 100.1 | 93.0 | **8,389.5** |
| DAY | 1958 | 23.0 | 27.0 | 29.0 | 26.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,101.0** |

# Manitoba Production
## 1950 To 1975

Licence ***888*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 191.6 | 205.4 | 235.6 | 185.7 | 218.0 | 180.4 | 152.6 | 163.0 | 161.4 | 170.1 | 174.1 | 193.2 | **5,715.5** |
| OIL | 1958 | 139.4 | 164.5 | 170.2 | 137.5 | 143.8 | 141.1 | 140.6 | 123.2 | 118.4 | 130.3 | 134.3 | 147.8 | **7,029.8** |
| DAY | 1957 | 31.0 | 28.0 | 30.0 | 29.0 | 29.0 | 24.0 | 25.0 | 29.0 | 27.0 | 28.0 | 20.0 | 25.0 | **753.0** |
| H2O | 1957 | 165.3 | 155.2 | 161.0 | 140.1 | 139.7 | 99.0 | 96.5 | 138.0 | 124.5 | 116.5 | 117.5 | 93.2 | **3,484.4** |
| OIL | 1957 | 216.0 | 186.1 | 184.7 | 175.9 | 166.1 | 112.3 | 114.3 | 109.3 | 73.3 | 71.5 | 61.7 | 41.6 | **5,338.7** |
| DAY | 1956 | 0.0 | 25.0 | 30.0 | 7.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | **428.0** |
| H2O | 1956 | 115.7 | 92.4 | 143.6 | 25.4 | 164.4 | 147.1 | 137.8 | 169.3 | 152.8 | 171.1 | 153.1 | 158.3 | **1,937.9** |
| OIL | 1956 | 289.1 | 200.1 | 285.1 | 68.6 | 294.6 | 267.3 | 281.4 | 259.2 | 250.6 | 242.3 | 200.7 | 197.0 | **3,825.9** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 22.0 | 31.0 | 30.0 | 31.0 | **126.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.1 | 30.0 | 73.1 | 83.0 | 95.7 | **306.9** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 92.6 | 120.3 | 233.0 | 245.4 | 298.6 | **989.9** |

Licence ***890*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.15-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **7,398.0** |
| OIL | 1975 | 73.7 | 59.4 | 72.9 | 70.2 | 73.3 | 67.7 | 68.0 | 69.1 | 64.8 | 67.5 | 63.2 | 66.6 | **24,855.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,035.0** |
| H2O | 1974 | 12.9 | 10.8 | 11.9 | 9.7 | 9.4 | 8.7 | 8.7 | 13.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,186.4** |
| OIL | 1974 | 69.4 | 62.3 | 72.1 | 70.1 | 65.2 | 65.3 | 66.4 | 71.7 | 64.5 | 70.6 | 65.9 | 77.5 | **24,039.4** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,670.0** |
| H2O | 1973 | 4.5 | 8.4 | 4.5 | 9.9 | 11.9 | 9.4 | 9.9 | 11.0 | 8.7 | 9.1 | 9.4 | 11.4 | **2,101.3** |
| OIL | 1973 | 69.8 | 62.6 | 68.6 | 72.0 | 62.1 | 68.3 | 69.9 | 68.5 | 60.9 | 63.7 | 67.9 | 71.5 | **23,218.4** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **6,306.0** |
| OIL | 1972 | 77.7 | 73.6 | 75.0 | 72.1 | 76.3 | 65.5 | 68.3 | 62.1 | 68.0 | 67.1 | 65.9 | 59.4 | **22,412.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **5,942.0** |
| OIL | 1971 | 65.8 | 64.4 | 71.8 | 66.1 | 64.0 | 65.5 | 71.7 | 79.3 | 79.0 | 77.5 | 65.8 | 79.9 | **21,581.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,581.0** |
| H2O | 1970 | 7.6 | 8.6 | 9.1 | 9.4 | 22.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,993.2** |
| OIL | 1970 | 58.6 | 55.1 | 64.2 | 68.2 | 78.0 | 116.0 | 112.2 | 125.9 | 79.6 | 69.1 | 67.7 | 69.1 | **20,730.8** |
| DAY | 1969 | 31.0 | 25.0 | 28.0 | 30.0 | 29.0 | 23.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,219.0** |
| H2O | 1969 | 5.1 | 7.8 | 5.1 | 5.6 | 4.9 | 3.8 | 6.8 | 6.5 | 5.1 | 0.0 | 0.0 | 0.0 | **1,935.9** |
| OIL | 1969 | 85.2 | 67.1 | 79.5 | 68.5 | 73.4 | 58.3 | 79.1 | 81.4 | 75.2 | 80.4 | 76.1 | 63.7 | **19,767.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,870.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.9 | 5.4 | 5.7 | 5.7 | 6.5 | 6.4 | 5.1 | **1,885.2** |
| OIL | 1968 | 87.1 | 83.7 | 85.8 | 82.2 | 84.4 | 86.9 | 91.1 | 88.0 | 87.7 | 84.1 | 79.1 | 86.0 | **18,879.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,504.0** |
| H2O | 1967 | 3.5 | 2.9 | 9.9 | 9.2 | 6.0 | 5.2 | 2.7 | 1.4 | 1.4 | 3.5 | 7.0 | 8.6 | **1,844.5** |
| OIL | 1967 | 102.5 | 91.2 | 98.2 | 92.3 | 96.1 | 91.8 | 94.1 | 99.2 | 98.5 | 89.6 | 96.8 | 95.5 | **17,853.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,139.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.8 | 3.8 | 3.3 | 0.0 | 0.0 | **1,783.2** |
| OIL | 1966 | 79.8 | 75.6 | 81.0 | 21.8 | 91.4 | 84.2 | 90.9 | 86.1 | 93.3 | 96.5 | 87.1 | 95.3 | **16,707.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,774.0** |
| H2O | 1965 | 1.4 | 1.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.8 | 0.0 | 0.0 | 0.0 | 0.0 | **1,768.3** |
| OIL | 1965 | 90.6 | 79.9 | 92.0 | 87.4 | 91.5 | 84.9 | 74.5 | 80.1 | 80.6 | 83.0 | 83.4 | 84.2 | **15,724.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,411.0** |
| H2O | 1964 | 0.0 | 0.0 | 3.5 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,761.7** |
| OIL | 1964 | 98.8 | 97.6 | 107.6 | 104.6 | 104.4 | 101.9 | 99.8 | 114.3 | 107.6 | 96.9 | 93.3 | 96.0 | **14,712.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,046.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.5 | 0.0 | **1,755.0** |
| OIL | 1963 | 127.3 | 109.8 | 121.7 | 120.0 | 117.6 | 111.4 | 121.6 | 120.5 | 121.1 | 110.6 | 110.8 | 119.3 | **13,489.4** |

# Manitoba Production
## 1950 To 1975

Licence ***890*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.15-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1962 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,681.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 2.7 | 3.3 | 0.0 | 0.0 | 4.3 | 0.0 | 0.0 | 0.0 | **1,752.5** |
| OIL | 1962 | 128.4 | 123.0 | 130.6 | 115.1 | 123.2 | 126.7 | 124.6 | 124.6 | 114.7 | 131.4 | 123.9 | 133.0 | **12,077.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,318.0** |
| H2O | 1961 | 3.7 | 2.9 | 0.0 | 3.2 | 0.0 | 3.0 | 6.2 | 0.0 | 6.4 | 6.0 | 6.2 | 0.0 | **1,742.2** |
| OIL | 1961 | 141.0 | 124.1 | 136.0 | 127.8 | 135.7 | 130.8 | 135.4 | 126.8 | 124.7 | 135.9 | 134.4 | 140.2 | **10,578.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,955.0** |
| H2O | 1960 | 11.4 | 3.0 | 8.4 | 0.0 | 15.6 | 0.0 | 8.9 | 9.2 | 5.9 | 6.5 | 10.0 | 3.5 | **1,704.6** |
| OIL | 1960 | 141.7 | 102.7 | 142.1 | 88.0 | 208.4 | 155.3 | 148.7 | 134.3 | 139.0 | 131.6 | 129.2 | 135.7 | **8,985.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **1,593.0** |
| H2O | 1959 | 24.0 | 15.9 | 11.8 | 13.5 | 10.3 | 12.6 | 10.7 | 12.1 | 9.1 | 10.0 | 23.2 | 8.4 | **1,622.2** |
| OIL | 1959 | 137.3 | 117.1 | 141.1 | 134.4 | 151.4 | 130.3 | 135.2 | 136.7 | 119.8 | 144.9 | 137.1 | 141.4 | **7,329.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,230.0** |
| H2O | 1958 | 14.3 | 11.0 | 6.5 | 12.6 | 11.4 | 9.2 | 20.2 | 21.5 | 4.9 | 11.3 | 14.0 | 14.1 | **1,460.6** |
| OIL | 1958 | 132.7 | 117.4 | 134.4 | 134.4 | 134.4 | 131.7 | 136.8 | 138.1 | 147.3 | 145.1 | 140.8 | 153.7 | **5,702.3** |
| DAY | 1957 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **865.0** |
| H2O | 1957 | 45.0 | 46.7 | 26.4 | 35.8 | 36.6 | 24.8 | 0.5 | 9.1 | 8.7 | 14.0 | 12.1 | 14.3 | **1,309.6** |
| OIL | 1957 | 113.6 | 101.2 | 108.5 | 111.7 | 104.6 | 114.7 | 127.8 | 130.9 | 122.7 | 125.5 | 122.5 | 135.6 | **4,055.5** |
| DAY | 1956 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 30.0 | **504.0** |
| H2O | 1956 | 56.9 | 78.4 | 52.9 | 49.9 | 78.9 | 63.9 | 62.8 | 52.1 | 56.3 | 56.1 | 70.3 | 43.4 | **1,035.6** |
| OIL | 1956 | 142.4 | 136.5 | 153.7 | 133.6 | 137.8 | 129.5 | 126.8 | 112.2 | 117.0 | 117.6 | 111.9 | 136.0 | **2,636.2** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 29.0 | 31.0 | 29.0 | 31.0 | **144.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 76.5 | 58.5 | 72.2 | 60.6 | 45.9 | **313.7** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 190.4 | 274.3 | 269.7 | 214.0 | 132.8 | **1,081.2** |

Licence ***891*** Well Name ***Tundra Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 2445.1 | 2397.4 | 2852.1 | 2030.2 | 2813.1 | 2120.8 | 1143.0 | 2155.0 | 2139.9 | 2054.8 | 2087.4 | 286.5 | **117,739.8** |
| WIN | 1974 | 2547.6 | 2313.2 | 2093.0 | 2577.0 | 2574.6 | 2864.0 | 2674.0 | 2578.6 | 2467.3 | 2406.9 | 2678.8 | 2966.6 | **93,214.5** |
| WIN | 1973 | 4294.2 | 4568.9 | 3147.3 | 3038.7 | 2684.3 | 3089.5 | 3082.3 | 2952.6 | 2338.6 | 3194.7 | 3526.2 | 2299.7 | **62,472.9** |
| WIN | 1972 | 1650.2 | 824.9 | 0.0 | 0.0 | 416.6 | 2709.3 | 2185.4 | 2281.9 | 2089.8 | 1286.0 | 3125.5 | 4447.0 | **24,255.9** |
| WIN | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1029.4 | 2209.9 | **3,239.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,033.0** |
| H2O | 1970 | 21.0 | 17.7 | 19.5 | 18.6 | 18.8 | 18.3 | 4.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **10,705.2** |
| OIL | 1970 | 8.8 | 8.9 | 9.5 | 9.4 | 8.9 | 8.3 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,505.3** |
| DAY | 1969 | 31.0 | 22.0 | 17.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,845.0** |
| H2O | 1969 | 42.9 | 31.6 | 22.6 | 40.1 | 46.1 | 54.4 | 55.6 | 65.0 | 19.9 | 22.9 | 21.0 | 20.0 | **10,587.0** |
| OIL | 1969 | 7.3 | 4.1 | 2.9 | 5.7 | 6.7 | 6.8 | 14.9 | 16.0 | 9.5 | 10.0 | 34.8 | 9.1 | **5,449.4** |
| DAY | 1968 | 31.0 | 27.0 | 29.0 | 20.0 | 29.0 | 28.0 | 29.0 | 29.0 | 28.0 | 29.0 | 25.0 | 30.0 | **4,502.0** |
| H2O | 1968 | 59.5 | 43.9 | 36.2 | 56.8 | 74.7 | 68.0 | 66.1 | 68.5 | 59.0 | 48.6 | 39.0 | 43.4 | **10,144.9** |
| OIL | 1968 | 17.2 | 14.6 | 5.1 | 22.2 | 10.6 | 13.7 | 14.8 | 8.1 | 8.7 | 9.1 | 7.5 | 7.9 | **5,321.6** |
| DAY | 1967 | 31.0 | 28.0 | 30.0 | 30.0 | 28.0 | 28.0 | 30.0 | 29.0 | 29.0 | 27.0 | 23.0 | 29.0 | **4,168.0** |
| H2O | 1967 | 29.9 | 25.0 | 32.6 | 44.5 | 28.1 | 37.0 | 33.9 | 32.9 | 29.6 | 33.2 | 34.8 | 55.6 | **9,481.2** |
| OIL | 1967 | 15.6 | 13.3 | 15.6 | 15.4 | 20.7 | 26.4 | 38.5 | 31.9 | 30.5 | 28.3 | 31.5 | 20.7 | **5,182.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | **3,826.0** |
| H2O | 1966 | 30.2 | 23.1 | 27.7 | 26.5 | 25.9 | 19.7 | 20.7 | 24.0 | 24.2 | 23.2 | 23.7 | 29.4 | **9,064.1** |
| OIL | 1966 | 22.2 | 18.0 | 18.9 | 20.3 | 19.7 | 14.6 | 16.7 | 16.4 | 15.4 | 14.3 | 15.6 | 14.3 | **4,893.7** |
| DAY | 1965 | 30.0 | 28.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | **3,470.0** |
| H2O | 1965 | 25.0 | 24.6 | 27.8 | 12.1 | 72.3 | 58.0 | 57.9 | 46.4 | 37.2 | 30.5 | 33.5 | 31.0 | **8,765.8** |
| OIL | 1965 | 20.0 | 25.9 | 26.7 | 12.1 | 59.6 | 60.9 | 27.2 | 30.4 | 28.4 | 20.0 | 23.8 | 22.2 | **4,687.3** |

# Manitoba Production
## 1950 To 1975

Licence ***891*** Well Name ***Tundra Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 24.0 | 24.0 | 24.0 | 30.0 | 25.0 | 30.0 | 31.0 | 28.0 | 15.0 | 17.0 | 30.0 | 30.0 | **3,115.0** |
| H2O | 1964 | 19.2 | 18.0 | 18.0 | 19.7 | 23.5 | 18.3 | 16.4 | 16.2 | 15.4 | 15.4 | 17.0 | 20.8 | **8,309.5** |
| OIL | 1964 | 19.4 | 19.2 | 19.2 | 20.7 | 21.8 | 17.8 | 16.2 | 14.3 | 15.1 | 11.9 | 12.7 | 15.3 | **4,330.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 24.0 | 27.0 | 25.0 | 10.0 | 26.0 | 20.0 | 20.0 | **2,807.0** |
| H2O | 1963 | 28.9 | 26.1 | 28.8 | 28.3 | 16.9 | 18.3 | 22.3 | 13.8 | 24.8 | 19.6 | 18.1 | 21.5 | **8,091.6** |
| OIL | 1963 | 9.9 | 9.4 | 9.4 | 9.4 | 9.7 | 12.2 | 14.3 | 13.3 | 20.5 | 21.5 | 17.5 | 21.6 | **4,126.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,504.0** |
| H2O | 1962 | 13.5 | 8.7 | 25.6 | 18.0 | 25.4 | 26.9 | 25.4 | 29.9 | 28.8 | 26.4 | 30.2 | 29.6 | **7,824.2** |
| OIL | 1962 | 9.7 | 9.5 | 12.4 | 10.2 | 8.4 | 8.9 | 9.4 | 9.2 | 8.4 | 9.2 | 9.7 | 8.7 | **3,957.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,140.0** |
| H2O | 1961 | 9.9 | 9.1 | 9.5 | 10.3 | 14.5 | 10.2 | 9.4 | 9.5 | 11.1 | 10.7 | 14.8 | 13.2 | **7,535.8** |
| OIL | 1961 | 15.4 | 12.6 | 13.2 | 7.5 | 13.5 | 10.5 | 9.9 | 12.6 | 12.4 | 9.1 | 11.1 | 10.6 | **3,844.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,775.0** |
| H2O | 1960 | 21.1 | 24.5 | 23.7 | 19.7 | 22.4 | 19.7 | 18.0 | 8.9 | 11.9 | 10.3 | 9.5 | 9.9 | **7,403.6** |
| OIL | 1960 | 26.1 | 28.1 | 24.0 | 18.6 | 17.0 | 19.4 | 19.5 | 11.9 | 10.6 | 12.2 | 13.5 | 14.0 | **3,705.7** |
| DAY | 1959 | 31.0 | 28.0 | 15.0 | 17.0 | 22.0 | 30.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,410.0** |
| H2O | 1959 | 59.9 | 38.6 | 47.2 | 173.4 | 131.0 | 121.5 | 152.1 | 84.7 | 57.6 | 30.4 | 23.5 | 19.1 | **7,204.0** |
| OIL | 1959 | 32.9 | 34.5 | 11.8 | 0.0 | 24.9 | 6.0 | 7.5 | 24.2 | 23.4 | 24.8 | 14.0 | 25.4 | **3,490.8** |
| DAY | 1958 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 22.0 | **1,092.0** |
| H2O | 1958 | 117.2 | 90.8 | 74.9 | 73.3 | 71.4 | 69.3 | 67.7 | 65.2 | 58.3 | 56.8 | 56.9 | 42.1 | **6,265.0** |
| OIL | 1958 | 110.9 | 91.5 | 65.9 | 67.5 | 68.8 | 53.9 | 64.4 | 60.2 | 52.0 | 54.0 | 43.7 | 27.7 | **3,261.4** |
| DAY | 1957 | 31.0 | 28.0 | 27.0 | 0.0 | 17.0 | 13.0 | 27.0 | 23.0 | 28.0 | 31.0 | 29.0 | 29.0 | **741.0** |
| H2O | 1957 | 266.8 | 448.8 | 181.1 | 0.0 | 163.0 | 102.9 | 252.1 | 151.3 | 68.4 | 97.8 | 24.2 | 75.0 | **5,421.1** |
| OIL | 1957 | 153.8 | 136.5 | 120.8 | 0.0 | 73.1 | 49.3 | 140.3 | 71.2 | 31.3 | 29.7 | 27.2 | 64.0 | **2,500.9** |
| DAY | 1956 | 30.0 | 27.0 | 25.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | **458.0** |
| H2O | 1956 | 51.5 | 39.3 | 172.7 | 383.0 | 377.9 | 441.3 | 495.1 | 294.0 | 327.7 | 360.9 | 233.5 | 335.1 | **3,589.7** |
| OIL | 1956 | 56.7 | 46.2 | 51.6 | 120.9 | 108.4 | 117.1 | 116.2 | 129.4 | 138.9 | 172.7 | 128.4 | 145.2 | **1,603.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 27.0 | 28.0 | 25.0 | 28.0 | **109.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.2 | 18.6 | 19.2 | 14.1 | 22.6 | **77.7** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 78.2 | 83.3 | 39.3 | 69.1 | **272.0** |

Licence ***892*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-14-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1115.6 | 915.4 | 854.4 | 667.6 | 770.3 | 719.4 | 955.9 | 1113.8 | 1176.9 | 1172.8 | 1125.9 | 1311.9 | **123,450.0** |
| WIN | 1974 | 1022.2 | 914.1 | 1109.5 | 1126.1 | 1015.9 | 905.1 | 1118.9 | 1058.3 | 1107.1 | 1090.3 | 1159.1 | 1118.4 | **111,550.1** |
| WIN | 1973 | 1060.0 | 920.6 | 1064.5 | 1172.3 | 1287.5 | 1181.3 | 1220.7 | 1169.4 | 1125.0 | 1106.0 | 1108.0 | 1078.0 | **98,805.1** |
| WIN | 1972 | 1141.3 | 1098.3 | 1343.9 | 1280.8 | 1344.6 | 1450.9 | 1761.6 | 1342.8 | 1210.8 | 1253.4 | 954.9 | 1075.2 | **85,311.8** |
| WIN | 1971 | 1481.4 | 1308.0 | 1454.1 | 1441.5 | 1311.5 | 1430.6 | 1090.6 | 991.9 | 1100.4 | 1361.7 | 1213.8 | 1218.7 | **70,053.3** |
| WIN | 1970 | 1435.5 | 1188.8 | 1252.6 | 1170.1 | 1225.2 | 1221.5 | 1127.0 | 1158.0 | 1176.2 | 1278.4 | 1246.8 | 1446.6 | **54,649.1** |
| WIN | 1969 | 1502.1 | 1276.4 | 1319.4 | 1186.4 | 1279.1 | 1288.1 | 1250.9 | 1175.2 | 1197.4 | 1287.8 | 1113.7 | 1259.0 | **39,722.4** |
| WIN | 1968 | 1306.9 | 1313.8 | 1524.6 | 1293.3 | 1372.1 | 1351.3 | 1353.2 | 1292.8 | 891.6 | 1278.4 | 1272.4 | 1319.8 | **24,586.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 17.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,278.0** |
| H2O | 1967 | 43.5 | 44.1 | 51.7 | 51.6 | 26.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,635.2** |
| OIL | 1967 | 28.2 | 25.6 | 28.6 | 26.9 | 14.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,996.2** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 172.0 | 1168.0 | 1188.2 | 1139.7 | 1242.8 | 1514.5 | 1296.3 | 1295.2 | **9,016.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,141.0** |
| H2O | 1966 | 39.4 | 40.1 | 47.2 | 44.5 | 49.3 | 46.7 | 49.3 | 49.6 | 47.7 | 49.3 | 47.7 | 41.0 | **6,417.4** |
| OIL | 1966 | 39.1 | 35.6 | 35.3 | 33.4 | 34.6 | 30.7 | 33.7 | 33.8 | 33.1 | 33.7 | 31.5 | 26.5 | **5,872.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,776.0** |
| H2O | 1965 | 73.9 | 66.8 | 74.9 | 70.7 | 117.5 | 80.0 | 75.2 | 73.6 | 69.2 | 54.2 | 48.0 | 48.3 | **5,865.6** |

# Manitoba Production
## 1950 To 1975

Licence ***892*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-14-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1965 | 51.2 | 36.7 | 34.5 | 37.3 | 32.9 | 40.0 | 40.5 | 37.5 | 35.1 | 51.8 | 41.0 | 40.4 | **5,471.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,415.0** |
| H2O | 1964 | 49.0 | 25.6 | 25.3 | 22.1 | 21.9 | 4.3 | 4.3 | 21.5 | 82.7 | 84.7 | 73.9 | 221.8 | **5,013.3** |
| OIL | 1964 | 27.5 | 26.4 | 26.7 | 25.9 | 26.7 | 5.2 | 6.0 | 31.8 | 81.8 | 74.7 | 68.5 | 65.0 | **4,992.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **3,053.0** |
| H2O | 1963 | 41.0 | 38.2 | 41.8 | 38.5 | 60.7 | 24.3 | 16.7 | 24.0 | 80.1 | 123.8 | 26.1 | 44.7 | **4,376.2** |
| OIL | 1963 | 23.0 | 22.6 | 25.3 | 24.0 | 22.9 | 21.3 | 22.2 | 21.5 | 34.8 | 30.2 | 26.5 | 28.0 | **4,525.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,691.0** |
| H2O | 1962 | 51.4 | 48.5 | 59.6 | 58.2 | 40.7 | 54.5 | 52.1 | 53.7 | 54.2 | 55.3 | 40.7 | 41.3 | **3,816.3** |
| OIL | 1962 | 48.0 | 42.7 | 54.3 | 42.6 | 30.4 | 37.5 | 40.7 | 41.6 | 40.0 | 41.2 | 23.7 | 24.5 | **4,223.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,326.0** |
| H2O | 1961 | 19.2 | 21.0 | 25.8 | 22.6 | 93.0 | 23.1 | 22.3 | 32.9 | 31.2 | 38.5 | 82.4 | 84.7 | **3,206.1** |
| OIL | 1961 | 37.5 | 28.1 | 30.0 | 28.3 | 27.8 | 25.9 | 30.5 | 37.7 | 43.4 | 35.6 | 63.9 | 62.0 | **3,756.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,961.0** |
| H2O | 1960 | 22.1 | 28.9 | 23.5 | 24.0 | 47.5 | 27.7 | 39.1 | 40.4 | 39.0 | 26.9 | 21.5 | 22.7 | **2,709.4** |
| OIL | 1960 | 29.1 | 27.3 | 22.7 | 22.4 | 36.2 | 23.2 | 18.0 | 32.4 | 27.3 | 33.4 | 36.5 | 40.8 | **3,305.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,595.0** |
| H2O | 1959 | 14.9 | 49.4 | 30.4 | 39.3 | 24.5 | 48.0 | 37.7 | 26.1 | 31.2 | 26.7 | 22.4 | 27.0 | **2,346.1** |
| OIL | 1959 | 21.1 | 43.1 | 55.5 | 61.3 | 55.3 | 35.8 | 31.6 | 47.5 | 41.6 | 32.6 | 31.6 | 31.8 | **2,956.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,232.0** |
| H2O | 1958 | 140.5 | 105.4 | 105.2 | 104.3 | 83.5 | 76.6 | 43.9 | 46.6 | 37.4 | 31.2 | 51.8 | 21.8 | **1,968.5** |
| OIL | 1958 | 84.9 | 61.7 | 67.1 | 60.4 | 60.1 | 53.9 | 74.8 | 55.3 | 33.7 | 24.3 | 52.0 | 19.2 | **2,467.6** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **868.0** |
| H2O | 1957 | 7.3 | 9.9 | 13.0 | 21.0 | 26.7 | 13.2 | 6.5 | 0.8 | 283.3 | 163.1 | 125.0 | 227.8 | **1,120.3** |
| OIL | 1957 | 37.8 | 30.0 | 33.2 | 23.2 | 23.2 | 28.6 | 25.3 | 12.1 | 152.4 | 85.0 | 101.2 | 92.2 | **1,820.2** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **504.0** |
| H2O | 1956 | 18.9 | 22.3 | 24.0 | 24.2 | 10.0 | 11.4 | 9.1 | 1.0 | 6.4 | 8.3 | 28.9 | 29.6 | **222.7** |
| OIL | 1956 | 48.6 | 125.2 | 109.0 | 73.9 | 74.4 | 80.2 | 66.7 | 21.3 | 21.3 | 26.7 | 41.6 | 40.2 | **1,176.0** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 30.0 | 31.0 | 30.0 | 31.0 | **138.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 2.4 | 12.9 | 4.5 | 8.3 | **28.6** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 109.3 | 121.1 | 107.6 | 55.5 | 53.4 | **446.9** |

Licence ***894*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **7,332.0** |
| H2O | 1975 | 669.3 | 620.3 | 715.9 | 728.9 | 755.6 | 722.9 | 724.6 | 714.3 | 675.7 | 755.2 | 757.4 | 770.9 | **41,898.2** |
| OIL | 1975 | 236.5 | 212.0 | 206.1 | 205.5 | 209.3 | 203.4 | 209.3 | 210.4 | 195.9 | 211.0 | 204.0 | 207.4 | **88,585.9** |
| DAY | 1974 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,969.0** |
| H2O | 1974 | 599.5 | 496.3 | 615.7 | 598.7 | 620.3 | 623.5 | 629.7 | 577.9 | 640.1 | 630.7 | 670.6 | 670.4 | **33,287.2** |
| OIL | 1974 | 317.3 | 246.8 | 294.0 | 279.8 | 291.3 | 281.9 | 291.1 | 289.9 | 231.7 | 228.8 | 232.8 | 240.3 | **86,075.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **6,608.0** |
| H2O | 1973 | 536.4 | 557.9 | 629.2 | 632.9 | 641.2 | 616.5 | 619.2 | 659.0 | 553.3 | 629.1 | 595.1 | 601.1 | **25,913.8** |
| OIL | 1973 | 409.7 | 306.2 | 347.9 | 342.6 | 357.5 | 346.6 | 359.3 | 379.6 | 503.7 | 304.6 | 292.1 | 308.8 | **82,849.4** |
| DAY | 1972 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | **6,245.0** |
| H2O | 1972 | 518.9 | 457.9 | 557.9 | 533.9 | 459.1 | 456.9 | 511.8 | 465.3 | 484.4 | 542.8 | 537.8 | 506.5 | **18,642.9** |
| OIL | 1972 | 420.8 | 355.5 | 429.5 | 402.2 | 424.3 | 409.4 | 435.3 | 427.3 | 423.8 | 419.4 | 398.1 | 384.6 | **78,590.8** |
| DAY | 1971 | 30.0 | 28.0 | 30.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | **5,883.0** |
| H2O | 1971 | 187.6 | 169.5 | 195.7 | 202.9 | 185.7 | 202.4 | 194.1 | 475.7 | 397.6 | 489.8 | 444.3 | 565.0 | **12,609.7** |
| OIL | 1971 | 516.0 | 455.0 | 505.2 | 495.6 | 463.1 | 492.5 | 487.4 | 551.9 | 508.0 | 522.0 | 464.7 | 515.2 | **73,660.6** |
| DAY | 1970 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,527.0** |

# Manitoba Production
## 1950 To 1975

Licence ***894*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1970 | 315.9 | 275.4 | 307.0 | 276.9 | 244.5 | 248.0 | 223.0 | 252.9 | 240.5 | 199.7 | 186.0 | 209.2 | **8,899.4** |
| OIL | 1970 | 637.5 | 533.8 | 620.7 | 584.9 | 551.3 | 539.7 | 545.4 | 539.0 | 526.0 | 493.4 | 483.6 | 513.0 | **67,684.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **5,165.0** |
| H2O | 1969 | 93.3 | 82.0 | 77.6 | 81.1 | 89.2 | 54.7 | 78.9 | 172.7 | 149.0 | 334.5 | 298.7 | 328.0 | **5,920.4** |
| OIL | 1969 | 642.9 | 549.7 | 612.3 | 611.3 | 627.7 | 433.5 | 600.0 | 640.9 | 613.2 | 657.4 | 630.1 | 660.0 | **61,115.7** |
| DAY | 1968 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,807.0** |
| H2O | 1968 | 82.7 | 84.7 | 88.1 | 87.9 | 88.2 | 121.8 | 131.3 | 120.0 | 90.5 | 96.0 | 83.6 | 88.9 | **4,080.7** |
| OIL | 1968 | 644.9 | 637.2 | 668.7 | 728.3 | 699.0 | 716.2 | 738.8 | 738.0 | 682.5 | 718.1 | 623.9 | 642.2 | **53,836.7** |
| DAY | 1967 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 29.0 | 30.0 | 30.0 | 17.0 | 30.0 | 31.0 | **4,443.0** |
| H2O | 1967 | 83.6 | 72.0 | 83.3 | 80.8 | 119.9 | 67.7 | 52.5 | 71.2 | 79.5 | 44.5 | 75.5 | 92.4 | **2,917.0** |
| OIL | 1967 | 689.0 | 591.0 | 636.9 | 640.1 | 627.9 | 667.6 | 633.6 | 636.1 | 606.9 | 331.5 | 625.0 | 693.5 | **45,598.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | **4,097.0** |
| H2O | 1966 | 50.6 | 40.7 | 51.5 | 62.5 | 68.0 | 61.8 | 53.9 | 60.3 | 64.9 | 66.8 | 76.9 | 78.4 | **1,994.1** |
| OIL | 1966 | 621.2 | 546.8 | 605.8 | 557.1 | 564.0 | 557.0 | 509.9 | 574.0 | 559.5 | 579.5 | 606.9 | 615.8 | **38,219.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,739.0** |
| H2O | 1965 | 33.2 | 29.4 | 33.7 | 29.6 | 48.6 | 47.2 | 41.3 | 41.7 | 42.0 | 50.4 | 49.9 | 52.9 | **1,257.8** |
| OIL | 1965 | 453.5 | 413.5 | 447.2 | 430.8 | 448.9 | 457.7 | 515.8 | 511.1 | 483.9 | 637.1 | 587.2 | 628.3 | **31,322.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,375.0** |
| H2O | 1964 | 22.9 | 20.7 | 22.9 | 8.6 | 9.2 | 8.7 | 27.3 | 27.7 | 15.7 | 15.7 | 31.2 | 33.1 | **757.9** |
| OIL | 1964 | 439.4 | 415.5 | 448.9 | 396.0 | 408.1 | 392.8 | 388.5 | 392.0 | 403.2 | 410.5 | 419.4 | 449.4 | **25,307.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,009.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 6.5 | 6.0 | 6.0 | 4.0 | 25.1 | 29.7 | 22.1 | 22.4 | **514.2** |
| OIL | 1963 | 101.7 | 109.2 | 189.1 | 199.0 | 247.1 | 292.6 | 342.8 | 315.9 | 453.7 | 471.6 | 412.1 | 418.3 | **20,343.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,645.0** |
| H2O | 1962 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 3.3 | 18.9 | 8.6 | 4.0 | 0.0 | 0.0 | 0.0 | **392.4** |
| OIL | 1962 | 107.9 | 98.2 | 108.7 | 95.2 | 107.7 | 100.6 | 93.1 | 108.5 | 102.0 | 99.5 | 98.2 | 98.2 | **16,790.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,282.0** |
| H2O | 1961 | 3.8 | 3.7 | 5.4 | 4.1 | 2.9 | 5.6 | 4.8 | 7.5 | 5.4 | 7.8 | 8.3 | 1.4 | **356.5** |
| OIL | 1961 | 123.6 | 109.6 | 112.5 | 110.3 | 109.3 | 122.0 | 117.6 | 111.7 | 108.5 | 114.4 | 106.6 | 111.7 | **15,572.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,917.0** |
| H2O | 1960 | 3.2 | 1.3 | 6.7 | 4.5 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **295.8** |
| OIL | 1960 | 127.3 | 120.0 | 114.1 | 107.3 | 123.3 | 121.6 | 133.6 | 134.1 | 130.3 | 136.8 | 134.6 | 137.9 | **14,214.9** |
| DAY | 1959 | 30.0 | 28.0 | 21.0 | 30.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,551.0** |
| H2O | 1959 | 0.0 | 3.0 | 2.9 | 4.3 | 4.1 | 1.1 | 1.6 | 1.6 | 7.9 | 6.5 | 1.0 | 2.4 | **279.9** |
| OIL | 1959 | 176.9 | 165.3 | 177.8 | 180.8 | 182.1 | 143.3 | 150.2 | 161.3 | 134.4 | 138.1 | 124.4 | 132.1 | **12,694.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **1,201.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.5 | 0.8 | 4.0 | 28.8 | 15.9 | 14.1 | 0.0 | 4.0 | 1.6 | 0.0 | **243.5** |
| OIL | 1958 | 184.5 | 165.6 | 171.0 | 220.4 | 167.5 | 184.2 | 204.2 | 200.7 | 179.3 | 184.0 | 176.7 | 141.9 | **10,827.3** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **839.0** |
| H2O | 1957 | 6.0 | 12.9 | 11.9 | 1.1 | 1.1 | 4.9 | 2.5 | 6.4 | 6.8 | 4.9 | 5.6 | 1.0 | **173.8** |
| OIL | 1957 | 348.2 | 289.2 | 307.0 | 261.4 | 238.4 | 228.0 | 212.9 | 212.6 | 217.2 | 221.5 | 210.7 | 213.9 | **8,647.3** |
| DAY | 1956 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 25.0 | 29.0 | 31.0 | **477.0** |
| H2O | 1956 | 0.5 | 0.6 | 3.2 | 12.6 | 15.3 | 9.9 | 1.1 | 8.6 | 9.2 | 5.9 | 9.9 | 13.7 | **108.7** |
| OIL | 1956 | 329.7 | 300.7 | 326.9 | 357.1 | 351.4 | 360.6 | 339.6 | 334.5 | 400.3 | 352.3 | 342.5 | 348.0 | **5,686.3** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 23.0 | 27.0 | 24.0 | 21.0 | **121.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 3.0 | 7.0 | 2.9 | 4.5 | **18.2** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 402.5 | 251.1 | 310.8 | 275.7 | 302.6 | **1,542.7** |

Licence ***895*** Well Name ***Gerrand Maples SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-08-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***895*** Well Name ***Gerrand Maples SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-08-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 3369.1 | 3029.5 | 3448.0 | 3250.8 | 3442.9 | 3298.5 | 3388.8 | 3428.3 | 3317.6 | 3428.3 | 1325.9 | 0.0 | **821,292.1** |
| WIN | 1974 | 3428.3 | 3025.1 | 3428.3 | 3255.6 | 2053.2 | 3319.1 | 3430.3 | 3435.2 | 3319.6 | 3395.9 | 3303.7 | 3430.3 | **786,564.4** |
| WIN | 1973 | 3400.7 | 3053.8 | 3390.8 | 3300.2 | 3314.8 | 3181.1 | 3143.0 | 3594.2 | 2216.3 | 2621.2 | 3319.6 | 3271.9 | **747,739.8** |
| WIN | 1972 | 3258.1 | 3123.3 | 3241.9 | 3100.8 | 3385.9 | 3167.5 | 3130.6 | 2961.8 | 3286.2 | 3143.0 | 3387.3 | 3346.6 | **709,932.2** |
| WIN | 1971 | 3558.4 | 3112.1 | 3376.8 | 3389.7 | 3558.4 | 3391.5 | 3528.8 | 3543.6 | 3440.8 | 3209.6 | 3419.8 | 3268.6 | **671,399.2** |
| WIN | 1970 | 3481.1 | 3037.2 | 3431.2 | 3288.9 | 3260.0 | 3302.4 | 3343.0 | 3479.9 | 2613.3 | 3549.4 | 3588.0 | 3693.7 | **630,601.1** |
| WIN | 1969 | 2913.0 | 2621.7 | 2896.4 | 2684.0 | 2621.5 | 2762.7 | 2772.4 | 2584.7 | 2711.1 | 2658.7 | 3369.2 | 3279.9 | **590,533.0** |
| WIN | 1968 | 2169.9 | 2373.7 | 2371.8 | 2384.4 | 2203.1 | 2086.6 | 2094.5 | 2588.6 | 2636.3 | 2633.0 | 2818.2 | 2869.6 | **556,657.7** |
| WIN | 1967 | 2025.7 | 1829.7 | 2025.7 | 2258.0 | 2063.2 | 2102.5 | 2220.9 | 2247.5 | 2247.5 | 2213.0 | 2095.3 | 1948.3 | **527,428.0** |
| WIN | 1966 | 2296.8 | 2074.5 | 2296.8 | 2222.7 | 2072.0 | 1829.7 | 2025.7 | 2025.7 | 1960.3 | 1960.3 | 1960.3 | 1895.0 | **502,150.7** |
| WIN | 1965 | 1088.1 | 687.5 | 2336.2 | 1950.2 | 2173.1 | 2232.2 | 2306.6 | 2232.2 | 2199.1 | 2149.1 | 2222.7 | 2296.8 | **477,530.9** |
| WIN | 1964 | 1875.6 | 1535.2 | 1862.1 | 1831.6 | 1770.5 | 1256.8 | 1225.3 | 1298.8 | 1089.2 | 2185.5 | 2161.6 | 2336.2 | **453,657.1** |
| WIN | 1963 | 1437.1 | 1309.9 | 1540.5 | 1402.1 | 1533.3 | 1618.8 | 1697.7 | 1467.8 | 1047.3 | 1827.4 | 1315.5 | 1852.2 | **433,228.7** |
| WIN | 1962 | 4480.8 | 3757.0 | 2766.5 | 2415.8 | 3312.6 | 2333.3 | 3239.5 | 3471.0 | 3330.9 | 2794.0 | 2819.6 | 2083.9 | **415,179.1** |
| WIN | 1961 | 5044.4 | 4342.1 | 4669.5 | 3616.9 | 2141.8 | 4265.0 | 4125.7 | 3939.7 | 3489.1 | 4034.8 | 4484.9 | 4785.7 | **378,374.2** |
| WIN | 1960 | 4917.5 | 4378.2 | 4929.8 | 3847.8 | 2326.0 | 4263.4 | 4909.6 | 4944.9 | 4655.0 | 4385.2 | 4981.0 | 4980.2 | **329,434.6** |
| WIN | 1959 | 5982.7 | 5539.2 | 6339.6 | 5427.0 | 6316.3 | 6453.6 | 6517.5 | 4767.3 | 5973.3 | 4525.9 | 5490.1 | 5422.4 | **275,916.0** |
| WIN | 1958 | 5481.2 | 5386.4 | 6068.4 | 4788.1 | 5828.2 | 5999.2 | 5958.1 | 6158.5 | 5139.5 | 6964.3 | 6400.0 | 6452.4 | **207,161.1** |
| WIN | 1957 | 4572.4 | 5177.0 | 6811.2 | 6969.2 | 7671.1 | 7663.9 | 7318.5 | 7411.5 | 7390.4 | 5907.8 | 6516.1 | 6495.1 | **136,536.8** |
| WIN | 1956 | 0.0 | 0.0 | 5932.1 | 1715.3 | 5277.8 | 6475.9 | 6764.4 | 7437.6 | 5151.1 | 6126.1 | 6395.6 | 5356.7 | **56,632.6** |

Licence ***896*** Well Name ***Imperial Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-08-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | **2,207.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.4 | 0.0 | 0.0 | **46,269.7** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 0.0 | 0.0 | **4,137.4** |
| DAY | 1962 | 22.0 | 28.0 | 22.0 | 20.0 | 26.0 | 26.0 | 31.0 | 31.0 | 30.0 | 22.0 | 25.0 | 12.0 | **2,206.0** |
| H2O | 1962 | 526.4 | 425.1 | 338.0 | 313.0 | 626.4 | 628.8 | 806.4 | 1160.9 | 885.5 | 687.9 | 687.8 | 321.4 | **46,238.3** |
| OIL | 1962 | 12.7 | 18.9 | 15.3 | 13.5 | 59.1 | 98.9 | 110.8 | 129.7 | 113.2 | 93.2 | 79.2 | 19.5 | **4,136.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 25.0 | 15.0 | 30.0 | 31.0 | 28.0 | 27.0 | 29.0 | 30.0 | 31.0 | **1,911.0** |
| H2O | 1961 | 563.9 | 485.4 | 522.1 | 407.2 | 239.4 | 476.8 | 461.2 | 444.8 | 383.3 | 444.8 | 498.9 | 535.0 | **38,830.7** |
| OIL | 1961 | 19.7 | 16.5 | 88.4 | 72.3 | 9.4 | 18.4 | 20.0 | 16.1 | 14.5 | 18.8 | 21.8 | 20.7 | **3,372.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 29.0 | 15.0 | 30.0 | 31.0 | 31.0 | 29.0 | 27.0 | 30.0 | 31.0 | **1,575.0** |
| H2O | 1960 | 368.5 | 343.1 | 369.3 | 316.7 | 174.3 | 371.9 | 367.9 | 370.6 | 345.6 | 421.6 | 556.8 | 569.3 | **33,367.9** |
| OIL | 1960 | 18.3 | 15.1 | 17.0 | 14.0 | 8.3 | 17.0 | 16.7 | 15.4 | 12.6 | 17.3 | 21.0 | 20.8 | **3,035.7** |
| DAY | 1959 | 31.0 | 28.0 | 29.0 | 25.0 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 27.0 | 30.0 | 31.0 | **1,231.0** |
| H2O | 1959 | 480.1 | 455.7 | 460.0 | 406.2 | 504.0 | 536.4 | 566.8 | 381.9 | 355.2 | 317.3 | 355.0 | 365.4 | **28,792.3** |
| OIL | 1959 | 45.3 | 41.8 | 45.0 | 36.7 | 48.8 | 44.2 | 45.6 | 15.4 | 18.0 | 15.9 | 18.0 | 17.3 | **2,842.2** |
| DAY | 1958 | 27.0 | 28.0 | 30.0 | 24.0 | 31.0 | 30.0 | 31.0 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | **882.0** |
| H2O | 1958 | 548.7 | 607.2 | 681.9 | 409.1 | 466.3 | 518.6 | 541.4 | 551.2 | 395.6 | 548.5 | 510.8 | 512.3 | **23,608.3** |
| OIL | 1958 | 35.0 | 39.4 | 42.3 | 29.7 | 50.2 | 50.1 | 40.5 | 42.6 | 32.0 | 55.5 | 50.7 | 51.8 | **2,450.2** |
| DAY | 1957 | 1.0 | 12.0 | 24.0 | 30.0 | 29.0 | 30.0 | 30.0 | 28.0 | 30.0 | 27.0 | 30.0 | 30.0 | **535.0** |
| H2O | 1957 | 29.9 | 339.3 | 785.2 | 1188.1 | 1320.7 | 1411.5 | 1581.5 | 1467.5 | 1448.5 | 1028.5 | 783.8 | 777.9 | **17,316.7** |
| OIL | 1957 | 3.3 | 49.0 | 77.6 | 96.3 | 92.2 | 85.1 | 76.3 | 64.9 | 67.1 | 52.5 | 45.3 | 43.4 | **1,930.4** |
| DAY | 1956 | 0.0 | 0.0 | 29.0 | 12.0 | 27.0 | 19.0 | 31.0 | 27.0 | 15.0 | 1.0 | 10.0 | 4.0 | **234.0** |
| H2O | 1956 | 0.0 | 0.0 | 696.0 | 270.0 | 632.9 | 494.5 | 867.6 | 673.8 | 339.6 | 22.4 | 290.5 | 146.0 | **5,154.3** |
| OIL | 1956 | 0.0 | 0.0 | 172.1 | 52.0 | 143.4 | 88.9 | 133.3 | 84.7 | 47.4 | 2.7 | 30.8 | 21.3 | **1,177.4** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 26.0 | 19.0 | 5.0 | 0.0 | **59.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 195.4 | 293.2 | 199.8 | 32.6 | 0.0 | **721.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 93.5 | 150.7 | 131.6 | 25.0 | 0.0 | **400.8** |

# Manitoba Production
## 1950 To 1975

Licence ***897*** Well Name ***Enerplus West Virden Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-29-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 30.0 | 31.0 | 30.0 | 29.0 | 27.0 | 0.0 | 0.0 | **1,710.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 123.6 | 240.3 | 290.9 | 292.2 | 317.8 | 292.5 | 0.0 | 0.0 | **13,191.0** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 69.2 | 67.6 | 30.3 | 54.6 | 27.9 | 34.6 | 0.0 | 0.0 | **3,928.2** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 26.0 | 28.0 | 29.0 | 27.0 | 30.0 | 11.0 | 0.0 | **1,545.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 138.6 | 184.6 | 218.6 | 230.4 | 168.2 | 234.5 | 95.7 | 0.0 | **11,633.7** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 68.2 | 52.0 | 38.9 | 38.9 | 31.5 | 36.5 | 12.7 | 0.0 | **3,644.0** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 12.0 | 25.0 | 24.0 | 25.0 | 27.0 | 29.0 | 30.0 | 7.0 | 0.0 | **1,375.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 73.1 | 175.7 | 180.1 | 162.2 | 217.0 | 217.8 | 294.3 | 56.6 | 0.0 | **10,363.1** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 42.0 | 53.6 | 23.2 | 27.5 | 50.2 | 46.7 | 28.4 | 7.9 | 0.0 | **3,365.3** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 26.0 | 30.0 | 30.0 | 30.0 | 29.0 | 22.0 | 0.0 | **1,196.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 226.9 | 254.1 | 213.2 | 269.5 | 252.1 | 216.2 | 0.0 | **8,986.3** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 62.8 | 66.7 | 54.3 | 69.4 | 20.3 | 42.6 | 32.6 | 0.0 | **3,085.8** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 26.0 | 30.0 | 26.0 | 25.0 | 31.0 | 2.0 | 0.0 | **1,004.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 110.3 | 180.8 | 257.4 | 230.0 | 225.1 | 263.6 | 28.5 | 0.0 | **7,554.0** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 90.4 | 53.7 | 63.1 | 45.6 | 40.0 | 44.5 | 4.9 | 0.0 | **2,737.1** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 1.0 | 19.0 | 24.0 | 25.0 | 29.0 | 8.0 | 0.0 | **839.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 132.9 | 217.6 | 250.6 | 201.0 | 54.5 | 0.0 | **6,258.3** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 12.1 | 8.1 | 70.6 | 81.2 | 46.6 | 61.0 | 9.4 | 0.0 | **2,394.9** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 13.0 | 21.0 | 20.0 | 28.0 | 27.0 | 19.0 | 4.0 | 3.0 | 0.0 | **731.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 90.5 | 236.4 | 212.9 | 256.9 | 249.4 | 227.7 | 45.3 | 56.9 | 0.0 | **5,401.7** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 91.7 | 50.9 | 74.1 | 42.7 | 71.7 | 33.5 | 7.9 | 1.6 | 0.0 | **2,105.9** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 17.0 | 23.0 | 25.0 | 23.0 | 23.0 | 26.0 | 23.0 | 14.0 | 0.0 | **596.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 104.3 | 158.5 | 159.1 | 272.8 | 274.6 | 272.0 | 307.8 | 188.6 | 0.0 | **4,025.7** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 99.2 | 73.1 | 93.6 | 62.0 | 61.2 | 63.9 | 47.2 | 33.8 | 0.0 | **1,731.8** |
| DAY | 1956 | 31.0 | 25.0 | 29.0 | 30.0 | 29.0 | 27.0 | 30.0 | 31.0 | 27.0 | 28.0 | 9.0 | 0.0 | **422.0** |
| H2O | 1956 | 45.2 | 32.0 | 80.8 | 111.4 | 69.3 | 160.6 | 291.7 | 412.9 | 315.4 | 330.0 | 117.6 | 0.0 | **2,288.0** |
| OIL | 1956 | 80.7 | 70.1 | 78.8 | 70.6 | 116.0 | 70.2 | 21.1 | 66.1 | 56.7 | 70.7 | 13.8 | 0.0 | **1,197.8** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 27.0 | 30.0 | 23.0 | 31.0 | **126.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 88.7 | 87.6 | 58.7 | 34.0 | 52.1 | **321.1** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 103.6 | 113.1 | 102.2 | 69.9 | 94.2 | **483.0** |

Licence ***900*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-18-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,313.0** |
| H2O | 1975 | 163.7 | 145.3 | 157.1 | 154.7 | 161.5 | 124.8 | 134.0 | 127.2 | 136.6 | 142.6 | 135.8 | 145.3 | **26,447.9** |
| OIL | 1975 | 127.8 | 114.3 | 128.1 | 119.8 | 129.2 | 142.4 | 145.1 | 141.7 | 140.8 | 143.2 | 136.8 | 138.9 | **30,820.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,949.0** |
| H2O | 1974 | 178.2 | 168.4 | 192.8 | 189.5 | 176.3 | 205.6 | 200.3 | 199.4 | 197.0 | 201.9 | 201.3 | 208.7 | **24,719.3** |
| OIL | 1974 | 144.9 | 135.4 | 149.1 | 141.1 | 133.0 | 160.0 | 164.9 | 159.7 | 167.2 | 169.6 | 166.1 | 168.8 | **29,212.4** |
| DAY | 1973 | 30.0 | 27.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,587.0** |
| H2O | 1973 | 182.7 | 158.8 | 190.3 | 203.2 | 201.3 | 188.2 | 196.7 | 200.3 | 194.4 | 193.8 | 188.4 | 190.1 | **22,399.9** |
| OIL | 1973 | 161.5 | 141.3 | 158.3 | 156.4 | 168.9 | 169.7 | 171.0 | 150.6 | 135.9 | 145.7 | 151.6 | 149.9 | **27,352.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **6,227.0** |
| H2O | 1972 | 251.4 | 177.4 | 236.2 | 189.0 | 183.0 | 197.3 | 191.7 | 204.0 | 195.2 | 190.8 | 167.6 | 180.0 | **20,111.7** |
| OIL | 1972 | 158.3 | 139.0 | 181.0 | 176.7 | 170.5 | 154.6 | 167.5 | 173.1 | 167.7 | 154.9 | 152.4 | 166.5 | **25,491.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | **5,863.0** |
| H2O | 1971 | 119.4 | 83.1 | 83.5 | 78.4 | 79.0 | 81.7 | 265.1 | 239.1 | 246.3 | 356.5 | 274.1 | 219.2 | **17,748.1** |
| OIL | 1971 | 124.9 | 90.9 | 100.0 | 93.1 | 92.5 | 64.2 | 200.1 | 192.8 | 188.5 | 203.2 | 202.1 | 143.8 | **23,529.6** |
| DAY | 1970 | 28.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,504.0** |
| H2O | 1970 | 115.3 | 117.5 | 103.5 | 96.0 | 222.1 | 248.3 | 202.9 | 165.7 | 142.6 | 139.1 | 137.7 | 112.7 | **15,622.7** |

# Manitoba Production
## 1950 To 1975

Licence ***900*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-18-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1970 | 124.1 | 126.8 | 110.3 | 100.4 | 213.9 | 237.3 | 176.7 | 164.9 | 166.1 | 172.6 | 162.6 | 121.2 | **21,833.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,146.0** |
| H2O | 1969 | 187.5 | 176.3 | 186.2 | 176.0 | 172.5 | 155.0 | 167.4 | 140.9 | 142.3 | 158.5 | 150.0 | 135.7 | **13,819.3** |
| OIL | 1969 | 164.5 | 154.6 | 172.6 | 154.0 | 144.1 | 158.6 | 183.7 | 168.4 | 153.8 | 137.1 | 110.8 | 121.9 | **19,956.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,781.0** |
| H2O | 1968 | 66.3 | 64.4 | 70.4 | 92.8 | 95.5 | 89.0 | 92.6 | 197.3 | 154.4 | 202.2 | 184.4 | 186.5 | **11,871.0** |
| OIL | 1968 | 100.4 | 98.2 | 100.9 | 110.4 | 108.7 | 110.0 | 98.4 | 171.1 | 138.7 | 148.3 | 156.5 | 165.7 | **18,132.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,420.0** |
| H2O | 1967 | 43.7 | 44.2 | 51.8 | 51.6 | 49.4 | 46.7 | 26.9 | 24.2 | 25.4 | 25.6 | 65.9 | 65.6 | **10,375.2** |
| OIL | 1967 | 31.9 | 29.1 | 32.6 | 30.5 | 31.1 | 32.6 | 36.1 | 35.6 | 36.5 | 37.3 | 96.5 | 96.0 | **16,625.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,055.0** |
| H2O | 1966 | 115.5 | 87.2 | 96.0 | 87.9 | 92.3 | 85.3 | 60.1 | 52.6 | 51.5 | 53.7 | 52.0 | 41.0 | **9,854.2** |
| OIL | 1966 | 48.3 | 39.1 | 46.2 | 43.9 | 45.8 | 42.1 | 42.6 | 42.3 | 39.6 | 40.5 | 36.9 | 30.2 | **16,099.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 25.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,690.0** |
| H2O | 1965 | 24.2 | 23.0 | 26.1 | 24.0 | 67.5 | 64.7 | 78.8 | 73.6 | 70.6 | 69.6 | 71.4 | 90.3 | **8,979.1** |
| OIL | 1965 | 31.3 | 28.1 | 31.6 | 26.7 | 62.3 | 67.5 | 64.8 | 63.6 | 57.0 | 53.2 | 47.5 | 48.6 | **15,601.9** |
| DAY | 1964 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,334.0** |
| H2O | 1964 | 49.3 | 42.1 | 41.2 | 34.3 | 31.9 | 23.4 | 24.3 | 24.3 | 23.4 | 24.8 | 29.6 | 22.4 | **8,295.3** |
| OIL | 1964 | 43.5 | 30.0 | 33.8 | 31.1 | 32.4 | 33.1 | 32.6 | 33.4 | 28.0 | 28.4 | 30.2 | 31.3 | **15,019.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,974.0** |
| H2O | 1963 | 52.8 | 46.6 | 51.7 | 49.9 | 51.8 | 47.7 | 50.9 | 48.8 | 48.5 | 49.9 | 51.2 | 49.4 | **7,924.3** |
| OIL | 1963 | 64.7 | 56.1 | 62.1 | 58.3 | 61.5 | 56.9 | 57.8 | 55.0 | 55.5 | 52.3 | 40.5 | 44.0 | **14,631.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,613.0** |
| H2O | 1962 | 39.3 | 38.3 | 35.5 | 41.8 | 44.4 | 44.8 | 49.0 | 51.8 | 46.4 | 51.8 | 49.4 | 48.6 | **7,325.1** |
| OIL | 1962 | 75.8 | 64.8 | 79.6 | 72.0 | 78.2 | 72.1 | 68.2 | 67.4 | 64.4 | 65.2 | 64.5 | 62.6 | **13,967.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **2,249.0** |
| H2O | 1961 | 55.5 | 49.3 | 52.5 | 55.6 | 52.5 | 42.9 | 45.0 | 40.2 | 42.6 | 45.9 | 38.3 | 39.3 | **6,784.0** |
| OIL | 1961 | 95.3 | 84.7 | 92.8 | 86.9 | 88.4 | 81.2 | 78.7 | 81.7 | 80.2 | 83.3 | 76.1 | 78.5 | **13,132.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,889.0** |
| H2O | 1960 | 63.4 | 62.3 | 66.1 | 62.8 | 63.8 | 63.9 | 61.8 | 65.8 | 61.8 | 64.5 | 63.1 | 59.1 | **6,224.4** |
| OIL | 1960 | 97.4 | 92.0 | 96.1 | 93.3 | 100.7 | 95.3 | 101.7 | 100.4 | 95.0 | 97.4 | 90.3 | 95.7 | **12,124.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,523.0** |
| H2O | 1959 | 78.2 | 67.1 | 74.1 | 61.7 | 66.1 | 67.1 | 76.0 | 75.8 | 74.2 | 81.2 | 70.3 | 65.5 | **5,466.0** |
| OIL | 1959 | 128.2 | 117.8 | 126.0 | 116.5 | 120.5 | 103.3 | 97.3 | 93.6 | 88.8 | 90.9 | 91.7 | 98.4 | **10,969.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,161.0** |
| H2O | 1958 | 98.7 | 84.9 | 95.2 | 91.3 | 79.3 | 85.8 | 87.0 | 79.6 | 71.2 | 69.0 | 71.1 | 77.6 | **4,608.7** |
| OIL | 1958 | 182.3 | 160.2 | 173.5 | 160.7 | 151.3 | 136.2 | 143.5 | 142.4 | 142.9 | 136.3 | 134.0 | 135.7 | **9,696.3** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **796.0** |
| H2O | 1957 | 118.0 | 122.4 | 130.0 | 144.5 | 125.4 | 127.3 | 104.8 | 177.4 | 140.5 | 115.1 | 103.3 | 101.3 | **3,618.0** |
| OIL | 1957 | 294.8 | 262.8 | 272.2 | 251.7 | 242.8 | 199.7 | 200.2 | 295.9 | 242.3 | 238.0 | 225.5 | 197.0 | **7,897.3** |
| DAY | 1956 | 29.0 | 25.0 | 31.0 | 9.0 | 30.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **435.0** |
| H2O | 1956 | 142.9 | 145.6 | 161.5 | 42.6 | 166.6 | 115.6 | 140.2 | 162.0 | 152.8 | 150.4 | 140.5 | 168.4 | **2,108.0** |
| OIL | 1956 | 330.9 | 304.0 | 354.7 | 97.9 | 342.3 | 296.0 | 323.1 | 347.9 | 343.2 | 349.0 | 324.2 | 335.5 | **4,974.4** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 23.0 | 12.0 | 21.0 | 28.0 | **101.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 84.1 | 63.6 | 36.2 | 106.7 | 128.3 | **418.9** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 243.9 | 281.7 | 118.5 | 256.3 | 325.3 | **1,225.7** |

Licence ***903*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-28-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 6.0 | 2.0 | 0.0 | 0.0 | 6.0 | 28.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | **212.0** |

# Manitoba Production
## 1950 To 1975

Licence ***903*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-28-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1957 | 0.0 | 63.1 | 18.9 | 0.0 | 0.0 | 64.4 | 452.6 | 55.2 | 0.0 | 0.0 | 0.0 | 0.0 | **2,715.5** |
| OIL | 1957 | 0.0 | 12.4 | 3.7 | 0.0 | 0.0 | 12.4 | 31.7 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | **415.6** |
| DAY | 1956 | 24.0 | 22.0 | 29.0 | 9.0 | 21.0 | 23.0 | 14.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **167.0** |
| H2O | 1956 | 228.9 | 209.9 | 253.6 | 78.7 | 183.6 | 201.1 | 310.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,061.3** |
| OIL | 1956 | 49.4 | 42.4 | 52.4 | 16.5 | 37.8 | 38.1 | 65.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **354.6** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 0.0 | 0.0 | 15.0 | **25.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 54.1 | 397.8 | 0.0 | 0.0 | 143.1 | **595.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.5 | 0.0 | 0.0 | 33.5 | **53.0** |

Licence ***906*** Well Name ***Fosca Berry Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-21-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 30.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **682.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 133.1 | 227.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,597.7** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 22.9 | 54.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,976.3** |
| DAY | 1957 | 27.0 | 23.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 21.0 | 0.0 | 0.0 | **640.0** |
| H2O | 1957 | 224.2 | 236.6 | 323.8 | 352.3 | 263.4 | 369.8 | 292.7 | 284.3 | 278.4 | 197.8 | 0.0 | 0.0 | **4,237.1** |
| OIL | 1957 | 107.1 | 57.0 | 72.5 | 71.2 | 86.0 | 64.5 | 41.6 | 53.1 | 47.7 | 26.5 | 0.0 | 0.0 | **3,899.3** |
| DAY | 1956 | 25.0 | 4.0 | 22.0 | 19.0 | 25.0 | 26.0 | 0.0 | 24.0 | 28.0 | 31.0 | 29.0 | 28.0 | **360.0** |
| H2O | 1956 | 96.0 | 22.4 | 65.5 | 69.5 | 82.7 | 100.6 | 0.0 | 33.4 | 54.4 | 294.1 | 268.8 | 199.5 | **1,413.8** |
| OIL | 1956 | 289.7 | 62.0 | 263.5 | 191.8 | 255.4 | 251.9 | 0.0 | 311.8 | 279.0 | 112.2 | 119.8 | 140.5 | **3,272.1** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 27.0 | 25.0 | 22.0 | 24.0 | **99.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 11.8 | 16.1 | 89.0 | **126.9** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.8 | 310.7 | 287.3 | 212.8 | 171.9 | **994.5** |

Licence ***907*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Devonian Undifferentiated*** Field Code ***5*** Pool Code ***78*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1962 | 416.9 | 213.1 | 230.8 | 326.9 | 296.0 | 317.5 | 286.6 | 311.4 | 225.8 | 621.6 | 0.0 | 0.0 | **56,140.4** |
| WIN | 1961 | 236.4 | 206.8 | 225.3 | 199.2 | 252.9 | 275.7 | 425.7 | 272.5 | 394.6 | 312.1 | 331.3 | 245.3 | **52,893.8** |
| WIN | 1960 | 1362.9 | 1274.7 | 1263.9 | 964.7 | 1168.2 | 1164.7 | 1100.3 | 1052.6 | 1017.6 | 667.7 | 267.6 | 244.7 | **49,516.0** |
| WIN | 1959 | 1055.3 | 1001.9 | 1315.2 | 1343.1 | 1101.6 | 1118.6 | 1134.8 | 1160.9 | 1485.3 | 1350.2 | 1444.8 | 1503.5 | **37,966.4** |
| WIN | 1958 | 767.4 | 649.9 | 603.8 | 588.1 | 646.1 | 518.8 | 362.2 | 490.0 | 452.1 | 1274.5 | 1089.0 | 1055.2 | **22,951.2** |
| WIN | 1957 | 619.7 | 514.8 | 714.5 | 538.8 | 513.2 | 655.0 | 622.2 | 759.9 | 870.7 | 1120.5 | 713.0 | 621.1 | **14,454.1** |
| WIN | 1956 | 0.0 | 0.0 | 590.0 | 606.3 | 565.5 | 637.0 | 901.3 | 688.2 | 617.3 | 601.7 | 398.4 | 585.0 | **6,190.7** |

UWI ***100.08-28-011-26W1.02*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1344.3 | 1406.0 | 825.4 | 1427.2 | 1619.7 | 1521.4 | 1567.5 | 1526.0 | 1519.8 | 1630.0 | 1467.1 | 1543.4 | **210,553.4** |
| WIN | 1974 | 1270.7 | 1142.6 | 1234.0 | 1201.3 | 1267.4 | 1201.6 | 1162.5 | 1243.1 | 1314.1 | 1222.9 | 1228.0 | 1262.5 | **193,155.6** |
| WIN | 1973 | 1175.5 | 1325.7 | 1360.4 | 1180.1 | 1320.5 | 1256.4 | 1117.8 | 1285.8 | 1321.6 | 1281.1 | 1248.9 | 1220.2 | **178,404.9** |
| WIN | 1972 | 1363.9 | 1305.1 | 1340.0 | 1298.7 | 1296.2 | 1113.0 | 1276.5 | 1471.2 | 1555.8 | 1570.7 | 1516.7 | 1033.8 | **163,310.9** |
| WIN | 1971 | 1495.4 | 1478.0 | 1192.7 | 1485.2 | 1514.4 | 1322.4 | 820.0 | 1294.1 | 1342.9 | 1453.7 | 1167.2 | 907.9 | **147,169.3** |
| WIN | 1970 | 1755.6 | 1525.6 | 1599.5 | 1527.8 | 1578.4 | 1443.4 | 1500.3 | 1663.1 | 1632.9 | 1719.8 | 1635.4 | 1661.0 | **131,695.4** |
| WIN | 1969 | 2194.6 | 1892.8 | 2014.4 | 1743.2 | 1709.2 | 1652.0 | 1634.0 | 1950.2 | 1552.6 | 1864.7 | 2033.0 | 1704.9 | **112,452.6** |
| WIN | 1968 | 1902.2 | 1653.6 | 1707.9 | 1415.2 | 1455.0 | 1908.2 | 1707.8 | 2000.3 | 2069.6 | 1514.0 | 2026.2 | 1750.7 | **90,507.0** |
| WIN | 1967 | 2083.9 | 1475.3 | 2347.8 | 2091.4 | 2322.7 | 2172.6 | 2140.8 | 2292.8 | 2081.4 | 2065.3 | 1927.3 | 2064.0 | **69,396.3** |
| WIN | 1966 | 296.2 | 272.8 | 416.2 | 456.0 | 765.8 | 596.2 | 687.3 | 701.7 | 635.4 | 493.2 | 2963.5 | 2223.5 | **44,331.0** |
| WIN | 1965 | 1759.3 | 1646.9 | 1838.0 | 1567.2 | 1847.0 | 1695.5 | 1232.9 | 1409.7 | 759.4 | 759.8 | 778.5 | 576.1 | **33,823.2** |
| WIN | 1964 | 1423.0 | 1610.5 | 1856.1 | 877.7 | 405.7 | 625.4 | 705.1 | 1413.7 | 1443.5 | 1456.3 | 1667.9 | 1636.1 | **17,952.9** |
| DAY | 1963 | 21.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 3.0 | 0.0 | **2,949.0** |

# Manitoba Production
## 1950 To 1975

Licence ***907*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-28-011-26W1.02*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1963 | 15.5 | 20.0 | 21.6 | 23.3 | 26.4 | 27.7 | 21.0 | 20.8 | 17.5 | 0.0 | 0.0 | 0.0 | **4,816.8** |
| OIL | 1963 | 23.3 | 31.0 | 38.7 | 36.8 | 37.5 | 34.8 | 37.5 | 35.8 | 35.3 | 27.7 | 3.2 | 0.0 | **10,578.5** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 88.7 | 2743.2 | **2,831.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 25.0 | 31.0 | **2,657.0** |
| H2O | 1962 | 29.1 | 25.3 | 27.3 | 24.6 | 26.1 | 22.3 | 25.4 | 24.3 | 21.0 | 43.4 | 27.7 | 23.8 | **4,623.0** |
| OIL | 1962 | 39.6 | 35.3 | 38.3 | 35.4 | 37.2 | 25.1 | 47.0 | 36.7 | 34.8 | 31.6 | 27.8 | 37.3 | **10,236.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,301.0** |
| H2O | 1961 | 19.2 | 15.3 | 16.7 | 13.8 | 30.2 | 25.3 | 37.2 | 70.6 | 68.5 | 27.7 | 23.4 | 23.5 | **4,302.7** |
| OIL | 1961 | 78.2 | 60.9 | 83.9 | 65.8 | 76.0 | 68.5 | 71.8 | 0.0 | 0.0 | 30.5 | 22.1 | 26.1 | **9,810.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,940.0** |
| H2O | 1960 | 47.1 | 44.5 | 49.0 | 35.6 | 28.6 | 32.7 | 23.5 | 27.8 | 17.6 | 25.1 | 19.2 | 19.9 | **3,931.3** |
| OIL | 1960 | 52.4 | 41.3 | 44.3 | 90.3 | 89.5 | 91.2 | 83.1 | 87.1 | 88.7 | 63.2 | 72.8 | 79.0 | **9,227.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,575.0** |
| H2O | 1959 | 15.4 | 13.2 | 50.1 | 47.7 | 36.9 | 25.9 | 21.9 | 36.9 | 48.6 | 62.3 | 54.4 | 67.9 | **3,560.7** |
| OIL | 1959 | 153.8 | 137.0 | 100.6 | 110.8 | 90.6 | 103.9 | 126.2 | 56.4 | 70.9 | 65.0 | 66.9 | 68.8 | **8,344.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,210.0** |
| H2O | 1958 | 42.1 | 66.9 | 82.0 | 31.8 | 49.1 | 40.5 | 38.3 | 35.8 | 46.4 | 29.6 | 9.7 | 12.9 | **3,079.5** |
| OIL | 1958 | 114.1 | 93.0 | 97.7 | 114.1 | 93.6 | 106.8 | 142.2 | 127.4 | 88.2 | 112.5 | 146.5 | 156.4 | **7,193.2** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **845.0** |
| H2O | 1957 | 111.1 | 110.5 | 173.4 | 132.1 | 139.4 | 69.3 | 102.1 | 87.8 | 93.8 | 70.0 | 69.8 | 52.1 | **2,594.4** |
| OIL | 1957 | 209.9 | 223.3 | 218.3 | 172.9 | 163.7 | 110.0 | 158.9 | 132.5 | 152.2 | 116.3 | 104.9 | 107.6 | **5,800.7** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **482.0** |
| H2O | 1956 | 18.1 | 14.0 | 163.6 | 143.1 | 155.0 | 129.4 | 113.5 | 65.3 | 126.5 | 127.0 | 84.6 | 73.4 | **1,383.0** |
| OIL | 1956 | 232.5 | 265.9 | 299.1 | 277.6 | 272.7 | 230.1 | 246.0 | 254.4 | 244.7 | 239.8 | 216.3 | 232.0 | **3,930.2** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 31.0 | 30.0 | 31.0 | **116.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 32.3 | 25.8 | 50.4 | 61.0 | **169.5** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 403.3 | 187.8 | 169.7 | 158.3 | **919.1** |

Licence ***908*** Well Name ***Tundra Tilston*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-31-005-29W1.00*** Field Name ***Tilston*** Pool Name ***Mission Canyon 1 A*** Field Code ***2*** Pool Code ***44A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 30.0 | 30.0 | 30.0 | 29.0 | 16.0 | 0.0 | **4,957.0** |
| H2O | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 350.4 | 652.2 | 660.0 | 683.8 | 673.8 | 0.0 | 0.0 | **72,688.5** |
| OIL | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 43.6 | 41.5 | 36.9 | 21.3 | 17.2 | 10.3 | 0.0 | **7,793.5** |
| DAY | 1973 | 11.0 | 16.0 | 6.0 | 18.0 | 22.0 | 30.0 | 0.0 | 25.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,803.0** |
| H2O | 1973 | 292.1 | 457.9 | 177.6 | 310.3 | 279.8 | 432.9 | 0.0 | 389.5 | 0.0 | 0.0 | 0.0 | 0.0 | **69,668.3** |
| OIL | 1973 | 12.2 | 15.3 | 8.9 | 13.0 | 17.5 | 27.2 | 0.0 | 11.1 | 0.0 | 0.0 | 0.0 | 0.0 | **7,622.7** |
| DAY | 1972 | 25.0 | 29.0 | 31.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | **4,675.0** |
| H2O | 1972 | 1618.7 | 2766.4 | 2518.2 | 258.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 547.1 | **67,328.2** |
| OIL | 1972 | 70.1 | 52.6 | 58.2 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.4 | **7,517.5** |
| DAY | 1971 | 8.0 | 0.0 | 20.0 | 28.0 | 28.0 | 26.0 | 31.0 | 10.0 | 0.0 | 0.0 | 0.0 | 2.0 | **4,562.0** |
| H2O | 1971 | 216.2 | 0.0 | 496.0 | 647.9 | 643.9 | 1119.6 | 1222.3 | 273.5 | 0.0 | 0.0 | 0.0 | 98.6 | **59,619.4** |
| OIL | 1971 | 8.9 | 0.0 | 31.8 | 13.5 | 17.8 | 20.7 | 21.3 | 5.7 | 0.0 | 0.0 | 0.0 | 20.2 | **7,309.2** |
| DAY | 1970 | 8.0 | 4.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | 30.0 | 27.0 | 28.0 | 25.0 | 31.0 | **4,409.0** |
| H2O | 1970 | 206.0 | 114.5 | 811.9 | 957.1 | 992.7 | 968.9 | 896.7 | 882.4 | 794.1 | 818.0 | 866.5 | 901.9 | **54,901.4** |
| OIL | 1970 | 10.2 | 6.4 | 34.3 | 35.8 | 32.1 | 30.8 | 25.8 | 27.3 | 25.8 | 26.7 | 11.0 | 34.5 | **7,169.3** |
| DAY | 1969 | 31.0 | 26.0 | 23.0 | 25.0 | 26.0 | 28.0 | 0.0 | 30.0 | 26.0 | 27.0 | 30.0 | 31.0 | **4,110.0** |
| H2O | 1969 | 708.8 | 637.2 | 483.0 | 580.3 | 603.5 | 649.9 | 696.4 | 679.8 | 587.0 | 772.7 | 804.5 | 800.2 | **45,690.7** |
| OIL | 1969 | 25.6 | 24.3 | 22.9 | 30.8 | 20.7 | 26.4 | 29.4 | 25.9 | 24.6 | 21.3 | 33.4 | 32.8 | **6,868.6** |
| DAY | 1968 | 28.0 | 18.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **3,807.0** |
| H2O | 1968 | 565.4 | 522.4 | 788.6 | 780.6 | 714.2 | 716.4 | 708.0 | 715.0 | 700.7 | 698.6 | 646.9 | 730.4 | **37,687.4** |

# Manitoba Production
## 1950 To 1975

Licence ***908*** Well Name ***Tundra Tilston*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-31-005-29W1.00*** Field Name ***Tilston*** Pool Name ***Mission Canyon 1 A*** Field Code ***2*** Pool Code ***44A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1968 | 38.8 | 34.5 | 41.2 | 41.0 | 32.1 | 41.7 | 41.5 | 40.2 | 40.7 | 44.2 | 23.4 | 25.0 | **6,550.5** |
| DAY | 1967 | 31.0 | 28.0 | 30.0 | 29.0 | 25.0 | 27.0 | 27.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **3,464.0** |
| H2O | 1967 | 727.2 | 704.6 | 723.4 | 720.5 | 587.9 | 635.2 | 634.4 | 640.7 | 683.6 | 677.3 | 612.7 | 625.8 | **29,400.2** |
| OIL | 1967 | 36.2 | 32.0 | 38.8 | 45.0 | 33.9 | 37.4 | 36.9 | 41.0 | 43.6 | 44.5 | 35.8 | 40.7 | **6,106.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 17.0 | 25.0 | 15.0 | 30.0 | 27.0 | 30.0 | 31.0 | **3,117.0** |
| H2O | 1966 | 540.2 | 476.0 | 631.0 | 650.6 | 721.6 | 542.3 | 644.2 | 413.0 | 856.1 | 741.7 | 729.8 | 744.1 | **21,426.9** |
| OIL | 1966 | 48.8 | 42.0 | 43.6 | 45.0 | 54.1 | 23.2 | 45.0 | 23.7 | 48.3 | 40.4 | 36.7 | 36.7 | **5,640.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 23.0 | 30.0 | 31.0 | 31.0 | 30.0 | 16.0 | 29.0 | 31.0 | **2,793.0** |
| H2O | 1965 | 159.9 | 232.4 | 262.2 | 244.7 | 216.5 | 282.0 | 280.1 | 291.9 | 339.4 | 295.1 | 505.3 | 544.8 | **13,736.3** |
| OIL | 1965 | 57.4 | 58.2 | 64.9 | 50.9 | 20.4 | 26.2 | 32.1 | 34.3 | 55.2 | 30.8 | 54.7 | 48.3 | **5,152.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 25.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 10.0 | 10.0 | **2,452.0** |
| H2O | 1964 | 220.0 | 150.4 | 142.0 | 89.7 | 147.9 | 144.8 | 132.3 | 108.7 | 111.3 | 110.2 | 32.9 | 65.8 | **10,082.0** |
| OIL | 1964 | 15.9 | 13.8 | 14.5 | 31.3 | 27.0 | 24.3 | 22.6 | 18.6 | 15.1 | 14.8 | 6.8 | 28.3 | **4,619.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **2,134.0** |
| H2O | 1963 | 185.4 | 176.2 | 196.0 | 141.5 | 100.2 | 145.5 | 201.8 | 217.0 | 173.0 | 82.2 | 212.4 | 218.3 | **8,626.0** |
| OIL | 1963 | 41.2 | 29.3 | 37.4 | 33.9 | 21.8 | 30.7 | 48.2 | 41.5 | 24.6 | 16.1 | 29.4 | 22.6 | **4,386.5** |
| DAY | 1962 | 30.0 | 28.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **1,780.0** |
| H2O | 1962 | 166.8 | 150.6 | 160.9 | 180.3 | 170.1 | 186.5 | 204.6 | 186.2 | 145.2 | 143.1 | 137.4 | 167.3 | **6,576.5** |
| OIL | 1962 | 46.3 | 40.4 | 45.8 | 46.1 | 41.8 | 35.1 | 46.4 | 41.3 | 35.9 | 42.1 | 40.4 | 41.0 | **4,009.8** |
| DAY | 1961 | 30.0 | 11.0 | 22.0 | 30.0 | 18.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,423.0** |
| H2O | 1961 | 30.8 | 0.0 | 21.0 | 29.6 | 66.8 | 80.1 | 94.4 | 119.6 | 135.6 | 183.6 | 187.3 | 177.0 | **4,577.5** |
| OIL | 1961 | 15.6 | 2.3 | 58.2 | 90.7 | 73.5 | 72.2 | 58.3 | 54.4 | 47.2 | 50.7 | 48.3 | 47.1 | **3,507.2** |
| DAY | 1960 | 24.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **1,101.0** |
| H2O | 1960 | 49.5 | 44.3 | 42.8 | 76.1 | 82.3 | 80.3 | 71.4 | 86.7 | 95.0 | 84.3 | 84.5 | 79.8 | **3,451.7** |
| OIL | 1960 | 49.2 | 59.2 | 54.9 | 44.3 | 41.4 | 40.9 | 45.4 | 49.5 | 47.6 | 57.0 | 49.2 | 41.4 | **2,888.7** |
| DAY | 1959 | 31.0 | 27.0 | 30.0 | 25.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 14.0 | 31.0 | **745.0** |
| H2O | 1959 | 20.3 | 19.6 | 24.5 | 19.8 | 18.8 | 18.0 | 17.1 | 14.5 | 16.8 | 18.2 | 21.4 | 40.3 | **2,574.7** |
| OIL | 1959 | 123.9 | 110.7 | 84.2 | 77.6 | 87.0 | 66.5 | 32.7 | 26.1 | 20.3 | 22.6 | 18.8 | 41.2 | **2,308.7** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 14.0 | 0.0 | 0.0 | 31.0 | 28.0 | 31.0 | **404.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.6 | 0.0 | 0.0 | 0.0 | 66.0 | 7.1 | 10.9 | **2,325.4** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.4 | 2.1 | 0.0 | 0.0 | 144.1 | 131.9 | 133.6 | **1,597.1** |
| DAY | 1956 | 31.0 | 27.0 | 31.0 | 7.0 | 24.0 | 30.0 | 27.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **288.0** |
| H2O | 1956 | 71.4 | 192.9 | 426.9 | 64.4 | 262.2 | 544.3 | 409.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,234.8** |
| OIL | 1956 | 102.1 | 73.2 | 138.9 | 22.5 | 119.1 | 111.0 | 73.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,164.0** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 31.0 | 24.0 | 31.0 | **111.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 35.7 | 80.5 | 66.7 | 80.2 | **263.1** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 122.3 | 165.2 | 105.2 | 131.1 | **523.8** |

Licence ***909*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,399.0** |
| H2O | 1975 | 161.7 | 147.2 | 167.1 | 162.0 | 167.9 | 156.1 | 287.1 | 283.0 | 278.4 | 299.2 | 300.0 | 305.2 | **12,580.0** |
| OIL | 1975 | 168.4 | 148.1 | 165.6 | 157.2 | 160.2 | 151.0 | 135.6 | 136.3 | 132.2 | 136.8 | 132.2 | 134.4 | **49,892.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,034.0** |
| H2O | 1974 | 297.0 | 153.9 | 172.0 | 162.8 | 70.9 | 71.2 | 71.9 | 63.9 | 154.8 | 162.5 | 162.2 | 162.0 | **9,865.1** |
| OIL | 1974 | 183.2 | 152.2 | 174.2 | 161.3 | 185.4 | 179.4 | 185.3 | 178.5 | 165.1 | 173.7 | 165.7 | 171.0 | **48,134.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,670.0** |
| H2O | 1973 | 202.5 | 194.6 | 208.4 | 207.9 | 189.3 | 182.0 | 182.8 | 197.0 | 327.5 | 323.0 | 307.0 | 297.8 | **8,160.0** |
| OIL | 1973 | 246.0 | 216.8 | 239.2 | 233.6 | 196.6 | 190.7 | 197.5 | 211.4 | 182.9 | 182.4 | 175.8 | 178.3 | **46,059.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,305.0** |

# Manitoba Production
## 1950 To 1975

Licence ***909*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1972 | 136.7 | 133.2 | 173.0 | 154.5 | 139.4 | 138.8 | 153.9 | 145.9 | 173.9 | 189.2 | 208.1 | 185.5 | **5,340.2** |
| OIL | 1972 | 207.4 | 193.4 | 297.0 | 284.6 | 234.4 | 226.1 | 233.0 | 238.2 | 222.5 | 234.4 | 213.6 | 209.8 | **43,607.9** |
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,939.0** |
| H2O | 1971 | 32.0 | 29.1 | 75.4 | 76.2 | 165.7 | 165.0 | 163.4 | 157.5 | 141.2 | 157.9 | 150.1 | 178.2 | **3,408.1** |
| OIL | 1971 | 283.3 | 250.8 | 186.2 | 254.7 | 227.7 | 221.2 | 226.3 | 222.2 | 219.0 | 227.4 | 212.1 | 219.6 | **40,813.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,575.0** |
| H2O | 1970 | 41.2 | 38.6 | 40.4 | 37.4 | 38.5 | 39.0 | 114.5 | 128.1 | 124.2 | 73.1 | 97.8 | 43.9 | **1,916.4** |
| OIL | 1970 | 307.0 | 276.8 | 302.1 | 291.4 | 300.8 | 294.5 | 223.7 | 218.2 | 217.1 | 224.7 | 233.3 | 263.6 | **38,063.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,212.0** |
| H2O | 1969 | 4.5 | 4.1 | 3.7 | 12.9 | 14.0 | 4.1 | 8.9 | 8.9 | 39.7 | 43.6 | 39.0 | 42.6 | **1,099.7** |
| OIL | 1969 | 423.5 | 374.4 | 402.2 | 348.5 | 357.9 | 346.9 | 365.0 | 363.0 | 300.2 | 316.5 | 303.5 | 317.8 | **34,909.8** |
| DAY | 1968 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **4,847.0** |
| H2O | 1968 | 12.7 | 12.9 | 8.4 | 8.7 | 9.2 | 7.6 | 60.6 | 8.3 | 4.1 | 4.3 | 8.1 | 3.7 | **873.7** |
| OIL | 1968 | 332.1 | 328.3 | 342.5 | 341.2 | 342.1 | 311.8 | 380.9 | 366.8 | 348.5 | 366.6 | 360.2 | 380.1 | **30,690.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,488.0** |
| H2O | 1967 | 2.5 | 2.1 | 5.2 | 4.8 | 0.0 | 6.8 | 0.8 | 1.1 | 8.3 | 14.8 | 13.0 | 14.3 | **725.1** |
| OIL | 1967 | 330.9 | 293.8 | 337.4 | 328.3 | 286.2 | 273.3 | 303.7 | 313.1 | 333.1 | 360.4 | 351.8 | 356.9 | **26,489.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,125.0** |
| H2O | 1966 | 2.4 | 1.7 | 2.4 | 2.4 | 8.3 | 7.2 | 7.2 | 1.1 | 1.3 | 1.1 | 1.3 | 2.7 | **651.4** |
| OIL | 1966 | 307.0 | 265.9 | 299.4 | 292.7 | 315.4 | 299.9 | 314.0 | 317.7 | 309.4 | 320.5 | 314.2 | 330.7 | **22,620.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,760.0** |
| H2O | 1965 | 28.8 | 26.1 | 29.7 | 2.4 | 2.4 | 2.2 | 2.4 | 4.8 | 7.0 | 7.0 | 2.4 | 2.4 | **612.3** |
| OIL | 1965 | 266.5 | 246.3 | 266.2 | 276.5 | 279.0 | 277.6 | 291.0 | 301.6 | 295.9 | 307.8 | 302.6 | 310.7 | **18,933.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,395.0** |
| H2O | 1964 | 2.5 | 1.1 | 1.3 | 0.0 | 1.3 | 1.3 | 8.6 | 8.7 | 4.8 | 4.8 | 27.5 | 29.3 | **494.7** |
| OIL | 1964 | 245.0 | 232.6 | 251.4 | 247.1 | 262.2 | 255.2 | 175.1 | 176.7 | 242.3 | 246.8 | 249.6 | 267.8 | **15,511.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,029.0** |
| H2O | 1963 | 0.0 | 0.0 | 6.5 | 4.0 | 6.5 | 0.0 | 8.3 | 2.7 | 4.0 | 0.0 | 2.4 | 2.5 | **403.5** |
| OIL | 1963 | 69.3 | 68.5 | 126.3 | 150.0 | 171.9 | 216.4 | 273.5 | 267.4 | 253.8 | 262.0 | 229.8 | 235.2 | **12,660.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,665.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.7 | 0.0 | 4.0 | 2.1 | 1.6 | 0.0 | 0.0 | **366.6** |
| OIL | 1962 | 79.8 | 71.7 | 76.9 | 72.0 | 75.3 | 75.8 | 78.2 | 71.2 | 61.7 | 65.6 | 64.4 | 65.8 | **10,336.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | **2,300.0** |
| H2O | 1961 | 1.3 | 1.3 | 0.3 | 1.9 | 2.9 | 0.0 | 0.0 | 1.3 | 1.9 | 1.9 | 2.7 | 1.4 | **346.2** |
| OIL | 1961 | 66.9 | 54.8 | 56.3 | 58.8 | 53.6 | 56.4 | 51.8 | 57.0 | 65.6 | 18.3 | 82.6 | 81.2 | **9,477.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,942.0** |
| H2O | 1960 | 1.6 | 0.6 | 0.0 | 0.0 | 0.0 | 4.3 | 1.4 | 1.6 | 1.6 | 0.0 | 0.0 | 2.5 | **329.3** |
| OIL | 1960 | 19.7 | 19.7 | 25.4 | 22.9 | 25.3 | 68.2 | 70.2 | 69.9 | 66.9 | 76.0 | 66.4 | 61.7 | **8,774.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **1,579.0** |
| H2O | 1959 | 0.0 | 1.1 | 2.9 | 5.6 | 4.1 | 1.1 | 0.0 | 0.0 | 8.1 | 0.0 | 0.0 | 0.0 | **315.7** |
| OIL | 1959 | 69.6 | 73.3 | 90.3 | 74.4 | 68.0 | 77.2 | 73.3 | 55.3 | 55.8 | 28.6 | 23.5 | 28.1 | **8,182.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,219.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.3 | 0.3 | 1.6 | 0.0 | 0.0 | 0.0 | 19.4 | 3.8 | 1.6 | 0.0 | **292.8** |
| OIL | 1958 | 82.6 | 79.6 | 88.0 | 79.8 | 105.5 | 99.5 | 109.8 | 95.8 | 110.4 | 95.2 | 96.0 | 71.0 | **7,464.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **854.0** |
| H2O | 1957 | 8.3 | 7.2 | 1.4 | 0.8 | 0.3 | 1.6 | 1.3 | 0.5 | 2.2 | 11.4 | 1.9 | 0.3 | **265.8** |
| OIL | 1957 | 157.6 | 151.0 | 150.6 | 139.2 | 145.6 | 106.5 | 103.3 | 102.3 | 100.0 | 119.8 | 108.5 | 99.5 | **6,351.4** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **492.0** |
| H2O | 1956 | 22.4 | 21.9 | 12.1 | 26.9 | 16.9 | 12.9 | 19.9 | 20.8 | 2.2 | 17.8 | 14.5 | 2.1 | **228.6** |
| OIL | 1956 | 397.8 | 310.4 | 357.1 | 316.5 | 285.1 | 342.3 | 276.7 | 290.3 | 222.6 | 246.8 | 230.7 | 166.7 | **4,867.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 26.0 | 30.0 | 30.0 | 31.0 | **127.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.9 | 7.0 | 9.4 | 12.9 | **38.2** |

# Manitoba Production
## 1950 To 1975

Licence ***909*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 109.5 | 275.5 | 347.1 | 330.4 | 362.0 | **1,424.5** |

Licence ***910*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,368.0** |
| H2O | 1975 | 0.0 | 0.0 | 30.4 | 29.4 | 30.4 | 29.1 | 26.7 | 38.2 | 23.7 | 25.4 | 25.6 | 25.4 | **1,763.6** |
| OIL | 1975 | 420.8 | 374.1 | 431.9 | 409.8 | 417.6 | 405.9 | 381.5 | 493.4 | 438.4 | 453.7 | 438.8 | 433.8 | **70,454.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,005.0** |
| H2O | 1974 | 29.3 | 27.0 | 30.4 | 14.9 | 16.1 | 15.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,479.3** |
| OIL | 1974 | 469.6 | 409.2 | 468.3 | 553.8 | 591.1 | 571.9 | 427.6 | 425.7 | 408.7 | 430.5 | 410.6 | 423.8 | **65,354.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,640.0** |
| H2O | 1973 | 25.4 | 4.8 | 16.2 | 16.4 | 16.4 | 15.9 | 46.3 | 49.9 | 49.0 | 49.0 | 46.1 | 29.3 | **1,345.7** |
| OIL | 1973 | 545.5 | 449.4 | 500.6 | 489.0 | 510.4 | 494.5 | 481.3 | 514.7 | 489.9 | 496.1 | 454.5 | 456.9 | **59,764.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **6,275.0** |
| H2O | 1972 | 4.1 | 4.1 | 4.5 | 4.0 | 4.5 | 4.3 | 25.0 | 23.7 | 8.4 | 25.8 | 25.4 | 25.9 | **981.0** |
| OIL | 1972 | 485.6 | 455.4 | 495.8 | 473.4 | 499.8 | 481.8 | 531.2 | 543.3 | 482.6 | 558.6 | 530.4 | 553.5 | **53,881.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,911.0** |
| H2O | 1971 | 4.0 | 3.7 | 4.1 | 7.8 | 4.1 | 4.0 | 3.8 | 3.8 | 3.5 | 12.6 | 12.1 | 14.3 | **821.3** |
| OIL | 1971 | 498.8 | 441.1 | 488.2 | 456.1 | 524.2 | 492.6 | 504.2 | 511.5 | 504.5 | 514.9 | 485.6 | 497.1 | **47,789.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,549.0** |
| H2O | 1970 | 4.5 | 4.1 | 4.3 | 7.9 | 8.1 | 8.3 | 7.0 | 8.6 | 8.1 | 8.3 | 3.8 | 4.3 | **743.5** |
| OIL | 1970 | 474.5 | 427.8 | 466.9 | 459.1 | 473.6 | 463.7 | 442.7 | 473.6 | 451.8 | 476.7 | 457.3 | 479.7 | **41,871.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,186.0** |
| H2O | 1969 | 9.1 | 8.1 | 7.8 | 7.9 | 14.0 | 13.5 | 4.5 | 4.6 | 4.1 | 4.6 | 4.0 | 4.6 | **666.2** |
| OIL | 1969 | 466.1 | 411.7 | 454.8 | 443.2 | 446.1 | 437.8 | 453.7 | 475.9 | 444.0 | 488.2 | 469.1 | 491.2 | **36,323.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,822.0** |
| H2O | 1968 | 3.0 | 3.0 | 43.6 | 45.6 | 47.7 | 2.1 | 4.6 | 4.1 | 4.1 | 8.7 | 8.1 | 8.6 | **579.4** |
| OIL | 1968 | 415.2 | 381.1 | 442.1 | 446.9 | 448.3 | 458.0 | 472.4 | 476.4 | 444.0 | 482.1 | 452.1 | 465.4 | **30,841.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,456.0** |
| H2O | 1967 | 0.0 | 0.0 | 10.3 | 0.0 | 0.0 | 20.5 | 16.2 | 20.8 | 1.0 | 1.0 | 1.0 | 3.2 | **396.2** |
| OIL | 1967 | 309.7 | 275.2 | 342.5 | 354.4 | 372.0 | 401.2 | 416.5 | 401.7 | 348.8 | 434.9 | 424.3 | 414.8 | **25,457.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,094.0** |
| H2O | 1966 | 2.4 | 1.7 | 2.4 | 4.9 | 5.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **322.2** |
| OIL | 1966 | 304.9 | 268.4 | 297.3 | 284.9 | 298.1 | 283.3 | 287.3 | 301.6 | 294.0 | 302.2 | 296.4 | 303.5 | **20,961.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,729.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 1.3 | 4.8 | 4.6 | 4.8 | 4.8 | 4.8 | 4.8 | 0.0 | 2.4 | **305.4** |
| OIL | 1965 | 118.7 | 108.1 | 117.0 | 146.4 | 147.6 | 147.8 | 154.0 | 152.6 | 144.4 | 150.2 | 288.3 | 308.4 | **17,440.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,364.0** |
| H2O | 1964 | 5.1 | 4.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **273.1** |
| OIL | 1964 | 99.0 | 93.6 | 101.2 | 96.9 | 100.1 | 104.1 | 109.0 | 110.0 | 104.1 | 106.0 | 103.9 | 117.6 | **15,456.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,998.0** |
| H2O | 1963 | 2.2 | 2.2 | 2.1 | 0.0 | 2.5 | 0.0 | 0.0 | 0.0 | 3.5 | 5.1 | 4.9 | 5.1 | **263.4** |
| OIL | 1963 | 70.6 | 75.3 | 76.6 | 72.6 | 74.1 | 72.3 | 70.2 | 67.2 | 77.7 | 80.9 | 92.8 | 94.9 | **14,211.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,633.0** |
| H2O | 1962 | 0.6 | 1.3 | 4.0 | 5.4 | 4.5 | 2.1 | 3.8 | 1.0 | 1.0 | 2.4 | 1.6 | 2.2 | **235.8** |
| OIL | 1962 | 76.0 | 65.0 | 63.1 | 76.4 | 80.2 | 88.8 | 80.4 | 94.7 | 93.6 | 82.0 | 78.0 | 73.7 | **13,285.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,268.0** |
| H2O | 1961 | 7.9 | 5.4 | 0.0 | 0.0 | 0.0 | 1.3 | 3.8 | 0.0 | 1.4 | 0.0 | 5.6 | 4.3 | **205.9** |
| OIL | 1961 | 78.3 | 61.8 | 85.8 | 78.5 | 82.6 | 83.6 | 82.3 | 80.2 | 79.5 | 77.1 | 70.9 | 86.1 | **12,333.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,903.0** |

# Manitoba Production
## 1950 To 1975

Licence ***910*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1960 | 2.9 | 1.6 | 1.6 | 0.0 | 5.1 | 0.0 | 4.9 | 4.8 | 2.2 | 2.5 | 0.0 | 2.1 | **176.2** |
| OIL | 1960 | 111.9 | 106.0 | 112.2 | 94.6 | 108.9 | 99.5 | 98.8 | 94.2 | 100.3 | 97.4 | 90.9 | 90.1 | **11,387.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 30.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,539.0** |
| H2O | 1959 | 14.6 | 13.2 | 11.4 | 12.1 | 14.8 | 2.1 | 0.0 | 0.0 | 0.0 | 0.8 | 1.3 | 1.0 | **148.5** |
| OIL | 1959 | 113.1 | 102.7 | 106.9 | 97.4 | 122.8 | 113.8 | 93.8 | 118.5 | 98.8 | 94.9 | 97.3 | 112.5 | **10,182.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 18.0 | 31.0 | 30.0 | 31.0 | **1,185.0** |
| H2O | 1958 | 1.0 | 0.0 | 0.5 | 7.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 0.0 | 0.3 | **77.2** |
| OIL | 1958 | 133.5 | 127.6 | 134.4 | 129.8 | 112.7 | 108.1 | 109.6 | 107.1 | 65.9 | 75.0 | 93.6 | 122.0 | **8,909.9** |
| DAY | 1957 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **833.0** |
| H2O | 1957 | 3.5 | 1.4 | 1.0 | 0.6 | 0.3 | 11.4 | 8.1 | 2.2 | 1.7 | 0.6 | 0.5 | 0.5 | **66.0** |
| OIL | 1957 | 264.1 | 225.7 | 236.8 | 207.5 | 197.8 | 177.2 | 177.3 | 170.2 | 158.6 | 168.3 | 127.6 | 131.9 | **7,590.6** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 26.0 | 26.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | **470.0** |
| H2O | 1956 | 0.6 | 0.8 | 11.1 | 11.1 | 1.0 | 0.8 | 0.6 | 1.3 | 0.8 | 0.8 | 1.1 | 2.4 | **34.2** |
| OIL | 1956 | 346.1 | 334.0 | 350.9 | 363.1 | 388.2 | 310.4 | 317.7 | 334.8 | 364.2 | 320.0 | 325.8 | 289.9 | **5,347.6** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 28.0 | 30.0 | 31.0 | **116.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 0.8 | 0.5 | **1.8** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.1 | 330.9 | 314.0 | 331.2 | 321.3 | **1,302.5** |

Licence ***912*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 29.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,341.0** |
| H2O | 1975 | 95.5 | 95.5 | 101.4 | 103.3 | 104.9 | 119.4 | 126.2 | 120.6 | 122.3 | 131.5 | 131.9 | 134.2 | **7,014.9** |
| OIL | 1975 | 570.8 | 551.7 | 576.5 | 574.8 | 572.9 | 524.6 | 568.7 | 554.6 | 554.4 | 573.7 | 554.6 | 563.7 | **101,594.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,979.0** |
| H2O | 1974 | 92.3 | 85.5 | 111.5 | 108.2 | 112.3 | 112.9 | 114.0 | 100.1 | 98.5 | 97.1 | 103.3 | 103.3 | **5,628.2** |
| OIL | 1974 | 696.7 | 607.4 | 632.8 | 602.6 | 627.1 | 606.7 | 626.4 | 628.0 | 603.1 | 595.8 | 605.9 | 625.2 | **94,853.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,615.0** |
| H2O | 1973 | 100.7 | 96.6 | 93.6 | 93.4 | 94.6 | 90.9 | 91.5 | 101.9 | 101.9 | 102.8 | 95.5 | 92.6 | **4,389.2** |
| OIL | 1973 | 704.0 | 620.7 | 680.0 | 668.2 | 697.5 | 676.0 | 700.8 | 716.7 | 695.2 | 709.7 | 668.4 | 677.9 | **87,395.5** |
| DAY | 1972 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,250.0** |
| H2O | 1972 | 68.8 | 57.5 | 105.4 | 93.8 | 103.6 | 89.3 | 99.2 | 93.8 | 93.8 | 102.0 | 101.1 | 102.8 | **3,233.2** |
| OIL | 1972 | 708.3 | 566.7 | 702.1 | 670.6 | 707.5 | 694.8 | 715.7 | 718.9 | 684.1 | 720.7 | 684.4 | 714.1 | **79,180.4** |
| DAY | 1971 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 28.0 | 29.0 | 30.0 | **5,887.0** |
| H2O | 1971 | 23.4 | 21.9 | 24.5 | 25.3 | 25.4 | 55.0 | 53.9 | 62.6 | 57.8 | 56.6 | 59.9 | 70.1 | **2,122.1** |
| OIL | 1971 | 649.8 | 594.0 | 636.1 | 624.0 | 638.0 | 681.1 | 689.0 | 705.7 | 719.2 | 651.2 | 677.9 | 689.8 | **70,892.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,533.0** |
| H2O | 1970 | 8.6 | 8.3 | 8.6 | 7.8 | 8.1 | 7.8 | 47.4 | 18.0 | 16.8 | 25.7 | 22.6 | 26.1 | **1,585.7** |
| OIL | 1970 | 655.7 | 595.9 | 650.4 | 627.4 | 647.4 | 609.3 | 667.1 | 637.4 | 608.5 | 642.0 | 590.0 | 646.0 | **62,936.7** |
| DAY | 1969 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,170.0** |
| H2O | 1969 | 14.6 | 12.7 | 12.6 | 12.2 | 13.7 | 8.4 | 8.7 | 9.1 | 8.4 | 9.2 | 8.3 | 9.1 | **1,379.9** |
| OIL | 1969 | 694.4 | 588.0 | 677.6 | 639.1 | 666.0 | 646.9 | 669.6 | 669.3 | 647.9 | 681.6 | 653.3 | 684.1 | **55,359.6** |
| DAY | 1968 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **4,806.0** |
| H2O | 1968 | 20.5 | 20.8 | 22.2 | 22.7 | 4.6 | 4.1 | 4.4 | 4.1 | 17.3 | 18.4 | 17.2 | 12.6 | **1,252.9** |
| OIL | 1968 | 562.4 | 555.7 | 593.5 | 591.0 | 632.0 | 620.9 | 638.2 | 637.5 | 604.5 | 636.0 | 607.0 | 622.0 | **47,441.8** |
| DAY | 1967 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,445.0** |
| H2O | 1967 | 9.9 | 7.9 | 10.3 | 28.9 | 29.1 | 27.3 | 21.6 | 2.4 | 2.1 | 2.1 | 20.8 | 22.9 | **1,084.0** |
| OIL | 1967 | 535.0 | 459.4 | 549.8 | 538.9 | 555.1 | 532.3 | 552.7 | 631.0 | 607.8 | 540.9 | 595.6 | 604.8 | **40,141.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,084.0** |
| H2O | 1966 | 7.9 | 6.5 | 8.3 | 12.1 | 13.5 | 3.7 | 3.5 | 15.1 | 15.1 | 16.7 | 10.2 | 11.1 | **898.7** |
| OIL | 1966 | 496.0 | 436.5 | 483.4 | 470.4 | 492.1 | 500.6 | 504.5 | 510.7 | 463.9 | 515.5 | 533.3 | 559.0 | **33,437.8** |

# Manitoba Production
## 1950 To 1975

Licence ***912*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,720.0** |
| H2O | 1965 | 27.7 | 24.6 | 28.3 | 24.6 | 25.1 | 24.0 | 22.9 | 9.4 | 12.9 | 12.7 | 11.3 | 8.4 | **775.0** |
| OIL | 1965 | 410.9 | 373.3 | 407.4 | 392.7 | 396.2 | 396.5 | 394.4 | 445.6 | 418.4 | 435.3 | 388.9 | 501.5 | **27,471.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,357.0** |
| H2O | 1964 | 1.1 | 1.1 | 1.3 | 1.1 | 2.7 | 4.9 | 5.1 | 5.1 | 4.8 | 4.9 | 26.2 | 27.8 | **543.1** |
| OIL | 1964 | 381.9 | 361.2 | 390.1 | 374.6 | 356.0 | 345.0 | 369.9 | 373.3 | 361.2 | 367.9 | 380.4 | 409.5 | **22,510.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,992.0** |
| H2O | 1963 | 1.4 | 15.1 | 28.9 | 14.0 | 6.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 79.9 | 81.5 | **457.0** |
| OIL | 1963 | 92.0 | 154.3 | 227.1 | 238.8 | 252.0 | 311.1 | 432.4 | 378.2 | 367.7 | 382.3 | 499.5 | 511.1 | **18,039.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,628.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.4 | 8.7 | 4.0 | 2.1 | 1.6 | 1.9 | 1.4 | **229.7** |
| OIL | 1962 | 82.0 | 73.9 | 92.8 | 85.8 | 89.6 | 80.2 | 77.5 | 93.0 | 89.3 | 96.1 | 88.8 | 88.7 | **14,193.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,263.0** |
| H2O | 1961 | 1.3 | 1.3 | 1.7 | 0.0 | 5.7 | 3.8 | 3.5 | 3.8 | 2.7 | 3.8 | 0.0 | 0.0 | **203.6** |
| OIL | 1961 | 94.7 | 89.9 | 91.2 | 89.1 | 88.8 | 87.4 | 91.8 | 79.1 | 84.7 | 89.5 | 86.0 | 93.9 | **13,155.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,898.0** |
| H2O | 1960 | 1.6 | 0.6 | 0.0 | 2.1 | 1.3 | 5.4 | 6.4 | 6.8 | 6.5 | 14.8 | 0.0 | 2.7 | **176.0** |
| OIL | 1960 | 114.6 | 95.0 | 102.7 | 105.0 | 114.3 | 111.1 | 105.8 | 104.1 | 102.5 | 108.7 | 97.3 | 104.1 | **12,089.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,532.0** |
| H2O | 1959 | 0.0 | 1.1 | 0.0 | 4.3 | 1.3 | 3.7 | 3.3 | 0.0 | 0.0 | 1.4 | 0.0 | 1.9 | **127.8** |
| OIL | 1959 | 123.0 | 113.8 | 142.9 | 128.1 | 128.1 | 125.9 | 127.8 | 128.9 | 120.6 | 103.0 | 112.7 | 110.0 | **10,824.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,169.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.5 | 0.6 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 6.2 | 0.0 | **110.8** |
| OIL | 1958 | 160.8 | 129.0 | 144.9 | 133.0 | 155.9 | 126.0 | 154.0 | 132.7 | 143.7 | 154.9 | 131.7 | 123.8 | **9,359.5** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **806.0** |
| H2O | 1957 | 0.3 | 2.1 | 2.2 | 1.1 | 0.3 | 4.9 | 10.0 | 26.9 | 4.6 | 3.3 | 3.7 | 0.6 | **97.9** |
| OIL | 1957 | 247.3 | 230.1 | 222.0 | 218.3 | 208.0 | 220.4 | 221.4 | 218.5 | 189.7 | 176.2 | 173.1 | 183.4 | **7,669.1** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **446.0** |
| H2O | 1956 | 0.5 | 0.6 | 3.2 | 1.0 | 1.1 | 0.5 | 0.3 | 1.0 | 0.8 | 6.0 | 4.0 | 1.0 | **37.9** |
| OIL | 1956 | 329.7 | 310.4 | 334.2 | 366.4 | 373.1 | 355.8 | 336.6 | 328.1 | 366.0 | 393.0 | 338.2 | 319.7 | **5,160.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 31.0 | 27.0 | 26.0 | **86.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 8.7 | 3.7 | 4.5 | **17.9** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 39.7 | 372.5 | 295.7 | 301.6 | **1,009.5** |

Licence ***913*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **7,345.0** |
| H2O | 1975 | 20.0 | 18.4 | 20.5 | 4.6 | 4.9 | 4.8 | 4.6 | 4.6 | 4.5 | 4.9 | 4.5 | 5.1 | **2,023.5** |
| OIL | 1975 | 464.5 | 413.0 | 453.2 | 402.0 | 409.5 | 398.1 | 409.5 | 411.6 | 399.3 | 413.0 | 359.5 | 405.9 | **63,653.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,983.0** |
| H2O | 1974 | 48.0 | 45.6 | 50.9 | 48.2 | 4.9 | 4.9 | 4.9 | 4.6 | 4.6 | 4.6 | 20.0 | 19.9 | **1,922.1** |
| OIL | 1974 | 400.0 | 358.0 | 409.5 | 380.1 | 454.5 | 439.9 | 454.0 | 452.1 | 434.1 | 442.4 | 453.4 | 467.8 | **58,714.4** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,619.0** |
| H2O | 1973 | 0.0 | 0.0 | 5.1 | 4.9 | 5.1 | 4.8 | 46.4 | 49.3 | 49.1 | 49.0 | 45.9 | 49.1 | **1,661.0** |
| OIL | 1973 | 448.6 | 395.5 | 435.9 | 425.9 | 444.3 | 430.8 | 428.7 | 453.1 | 436.4 | 441.8 | 419.7 | 399.5 | **53,568.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **6,254.0** |
| H2O | 1972 | 4.0 | 12.9 | 14.3 | 12.7 | 14.0 | 8.7 | 149.1 | 141.3 | 141.2 | 9.9 | 9.1 | 9.9 | **1,352.3** |
| OIL | 1972 | 405.7 | 375.2 | 408.4 | 390.1 | 411.6 | 434.9 | 421.6 | 431.3 | 410.5 | 455.0 | 397.1 | 448.3 | **48,408.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,890.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 4.0 | 4.1 | 3.7 | 4.0 | 4.0 | 3.5 | 4.0 | 3.8 | 4.3 | **825.2** |

# Manitoba Production
## 1950 To 1975

Licence ***913*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1971 | 480.1 | 424.8 | 465.8 | 463.5 | 474.0 | 432.9 | 455.8 | 462.3 | 455.9 | 437.2 | 412.4 | 413.2 | **43,418.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,527.0** |
| H2O | 1970 | 27.0 | 25.4 | 26.5 | 7.8 | 8.1 | 8.3 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **789.8** |
| OIL | 1970 | 470.1 | 423.8 | 462.4 | 464.2 | 479.1 | 468.9 | 447.6 | 506.0 | 483.2 | 509.7 | 452.3 | 462.0 | **38,040.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,163.0** |
| H2O | 1969 | 32.4 | 29.7 | 27.8 | 7.8 | 8.6 | 4.1 | 4.5 | 4.5 | 4.3 | 4.8 | 25.6 | 28.1 | **679.7** |
| OIL | 1969 | 468.9 | 416.8 | 460.4 | 443.0 | 455.0 | 460.7 | 469.7 | 467.0 | 458.8 | 478.8 | 464.5 | 486.6 | **32,411.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,798.0** |
| H2O | 1968 | 3.2 | 3.0 | 3.2 | 4.3 | 18.9 | 18.8 | 18.9 | 17.3 | 0.0 | 0.0 | 13.2 | 31.0 | **497.5** |
| OIL | 1968 | 396.8 | 364.2 | 389.8 | 422.2 | 411.4 | 435.7 | 448.3 | 481.0 | 465.4 | 463.7 | 475.5 | 471.2 | **26,881.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,436.0** |
| H2O | 1967 | 2.5 | 2.1 | 2.7 | 13.2 | 13.4 | 9.1 | 7.2 | 11.9 | 4.1 | 3.3 | 3.0 | 3.3 | **365.7** |
| OIL | 1967 | 301.6 | 268.1 | 300.7 | 325.1 | 334.8 | 353.7 | 370.3 | 434.3 | 400.0 | 400.0 | 390.3 | 396.2 | **21,656.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,071.0** |
| H2O | 1966 | 1.0 | 1.0 | 1.1 | 1.1 | 1.3 | 1.1 | 2.7 | 3.3 | 2.4 | 2.7 | 2.5 | 2.7 | **289.9** |
| OIL | 1966 | 309.4 | 272.5 | 301.6 | 273.0 | 285.7 | 274.4 | 208.5 | 276.2 | 275.4 | 294.3 | 288.6 | 302.4 | **17,381.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,714.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.7 | 5.7 | 5.9 | 1.1 | **267.0** |
| OIL | 1965 | 161.3 | 147.2 | 159.1 | 157.8 | 167.5 | 363.6 | 364.2 | 365.8 | 322.3 | 335.3 | 318.5 | 312.9 | **14,019.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,349.0** |
| H2O | 1964 | 1.3 | 1.1 | 0.0 | 0.0 | 0.0 | 1.3 | 1.3 | 1.3 | 0.0 | 0.0 | 0.0 | 1.3 | **248.6** |
| OIL | 1964 | 78.2 | 73.9 | 80.9 | 77.9 | 78.3 | 85.0 | 85.8 | 84.1 | 86.1 | 87.6 | 134.6 | 159.9 | **10,843.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,983.0** |
| H2O | 1963 | 3.3 | 3.5 | 3.0 | 3.3 | 8.7 | 4.0 | 0.0 | 0.0 | 0.8 | 3.8 | 0.0 | 1.1 | **241.0** |
| OIL | 1963 | 61.5 | 65.8 | 66.9 | 63.6 | 67.4 | 64.5 | 69.3 | 66.3 | 65.8 | 68.6 | 72.1 | 75.2 | **9,731.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,618.0** |
| H2O | 1962 | 2.9 | 5.6 | 5.4 | 5.4 | 3.3 | 10.7 | 3.8 | 3.8 | 3.8 | 9.9 | 6.7 | 3.3 | **209.5** |
| OIL | 1962 | 76.0 | 65.0 | 96.0 | 87.4 | 89.8 | 83.9 | 90.9 | 86.0 | 79.8 | 69.8 | 64.2 | 64.4 | **8,924.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,253.0** |
| H2O | 1961 | 0.0 | 2.7 | 0.0 | 1.3 | 1.4 | 1.3 | 3.8 | 0.0 | 0.0 | 10.5 | 5.6 | 4.3 | **144.9** |
| OIL | 1961 | 46.9 | 50.5 | 44.2 | 42.0 | 44.2 | 41.8 | 46.7 | 37.8 | 41.8 | 99.8 | 100.7 | 103.0 | **7,971.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,888.0** |
| H2O | 1960 | 0.0 | 1.6 | 1.6 | 0.0 | 1.3 | 0.0 | 2.2 | 2.4 | 1.1 | 0.0 | 0.0 | 2.1 | **114.0** |
| OIL | 1960 | 51.2 | 43.9 | 50.2 | 51.6 | 50.9 | 42.9 | 45.4 | 43.1 | 47.2 | 51.2 | 46.6 | 51.6 | **7,271.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,524.0** |
| H2O | 1959 | 6.8 | 5.6 | 5.9 | 7.3 | 6.7 | 2.1 | 1.7 | 1.6 | 0.0 | 0.8 | 1.3 | 1.0 | **101.7** |
| OIL | 1959 | 52.8 | 43.9 | 55.9 | 58.3 | 54.8 | 53.6 | 53.2 | 56.3 | 44.0 | 50.9 | 48.1 | 51.5 | **6,695.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 17.0 | 31.0 | 30.0 | 31.0 | **1,159.0** |
| H2O | 1958 | 1.0 | 0.0 | 0.3 | 3.8 | 0.0 | 0.0 | 1.4 | 0.0 | 0.0 | 1.6 | 0.0 | 11.9 | **60.9** |
| OIL | 1958 | 73.3 | 76.3 | 78.0 | 70.4 | 73.9 | 60.1 | 68.2 | 60.2 | 54.0 | 49.1 | 60.4 | 52.1 | **6,072.5** |
| DAY | 1957 | 26.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **807.0** |
| H2O | 1957 | 0.6 | 1.0 | 0.3 | 1.7 | 0.2 | 0.2 | 0.8 | 1.0 | 0.8 | 0.3 | 0.3 | 0.2 | **40.9** |
| OIL | 1957 | 126.7 | 126.8 | 117.1 | 102.8 | 113.9 | 110.8 | 109.0 | 107.7 | 100.7 | 93.4 | 94.9 | 76.0 | **5,296.5** |
| DAY | 1956 | 27.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **448.0** |
| H2O | 1956 | 3.5 | 4.1 | 6.8 | 4.0 | 0.8 | 0.6 | 0.5 | 0.5 | 0.3 | 0.3 | 0.5 | 0.5 | **33.5** |
| OIL | 1956 | 277.5 | 222.6 | 309.4 | 298.4 | 305.4 | 265.5 | 242.5 | 234.1 | 190.1 | 182.0 | 154.9 | 143.3 | **4,016.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 26.0 | 24.0 | 26.0 | **96.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.3 | 4.8 | 3.0 | **11.1** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 303.5 | 283.5 | 285.1 | 318.9 | **1,191.0** |

Licence ***914*** Well Name ***Sun R. Chapman Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-04-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

# Manitoba Production
## 1950 To 1975

Licence ***914*** Well Name ***Sun R. Chapman Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-04-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 5.0 | 15.0 | 30.0 | 20.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,578.0** |
| H2O | 1961 | 1371.4 | 1340.6 | 814.5 | 79.0 | 232.9 | 533.8 | 363.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **25,141.2** |
| OIL | 1961 | 139.0 | 97.3 | 68.8 | 11.3 | 48.5 | 71.7 | 49.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,587.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,418.0** |
| H2O | 1960 | 225.0 | 86.2 | 9.2 | 20.0 | 26.1 | 92.4 | 109.5 | 319.6 | 312.4 | 286.8 | 606.7 | 571.4 | **20,405.3** |
| OIL | 1960 | 60.6 | 35.0 | 26.6 | 29.6 | 32.0 | 37.2 | 32.6 | 73.5 | 51.4 | 74.4 | 95.2 | 84.7 | **5,101.2** |
| DAY | 1959 | 29.0 | 13.0 | 2.0 | 0.0 | 0.0 | 30.0 | 31.0 | 27.0 | 29.0 | 26.0 | 30.0 | 30.0 | **1,059.0** |
| H2O | 1959 | 189.2 | 82.2 | 34.5 | 0.0 | 0.0 | 194.9 | 230.9 | 203.8 | 238.8 | 264.2 | 333.7 | 179.8 | **17,740.0** |
| OIL | 1959 | 59.8 | 37.0 | 5.9 | 0.0 | 0.0 | 82.0 | 87.4 | 62.8 | 66.8 | 62.5 | 62.3 | 43.2 | **4,468.4** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 27.0 | 6.0 | **812.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 202.6 | 231.8 | 270.4 | 275.2 | 260.9 | 258.8 | 237.1 | 0.0 | **15,788.0** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 115.7 | 80.0 | 80.9 | 77.7 | 66.0 | 54.4 | 48.3 | 0.6 | **3,898.7** |
| DAY | 1957 | 31.0 | 28.0 | 21.0 | 0.0 | 0.0 | 9.0 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 2.0 | **596.0** |
| H2O | 1957 | 980.6 | 864.9 | 651.4 | 0.0 | 0.0 | 111.6 | 709.9 | 793.8 | 1039.1 | 1047.9 | 1049.2 | 40.2 | **14,051.2** |
| OIL | 1957 | 138.2 | 111.5 | 75.4 | 0.0 | 0.0 | 85.2 | 176.3 | 138.8 | 133.9 | 119.2 | 122.1 | 1.7 | **3,375.1** |
| DAY | 1956 | 13.0 | 26.0 | 28.0 | 0.0 | 20.0 | 26.0 | 28.0 | 31.0 | 30.0 | 30.0 | 26.0 | 31.0 | **356.0** |
| H2O | 1956 | 161.7 | 383.8 | 639.4 | 0.0 | 245.5 | 424.5 | 618.1 | 684.1 | 650.7 | 744.1 | 724.3 | 1037.1 | **6,762.6** |
| OIL | 1956 | 116.4 | 169.3 | 143.1 | 0.0 | 113.2 | 182.3 | 155.8 | 171.5 | 162.2 | 156.4 | 110.5 | 145.6 | **2,272.8** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 18.0 | 15.0 | 13.0 | **67.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 93.6 | 146.9 | 148.7 | 60.1 | **449.3** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 296.0 | 169.1 | 136.1 | 45.3 | **646.5** |

Licence ***915*** Well Name ***Enerplus Woodnorth Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.09-29-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole C*** Field Code ***1*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 27.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **575.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 493.9 | 366.9 | 37.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,192.1** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 7.2 | 8.4 | 0.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,246.2** |
| DAY | 1957 | 31.0 | 28.0 | 19.0 | 0.0 | 0.0 | 0.0 | 5.0 | 0.0 | 11.0 | 0.0 | 0.0 | 0.0 | **514.0** |
| H2O | 1957 | 114.0 | 114.6 | 109.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 88.1 | 0.0 | 0.0 | 0.0 | **3,294.1** |
| OIL | 1957 | 61.5 | 57.8 | 53.1 | 0.0 | 0.0 | 0.0 | 5.2 | 0.0 | 1.7 | 0.0 | 0.0 | 0.0 | **2,229.7** |
| DAY | 1956 | 28.0 | 27.0 | 23.0 | 28.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **420.0** |
| H2O | 1956 | 181.4 | 195.1 | 152.9 | 200.8 | 252.0 | 179.7 | 339.6 | 193.2 | 175.4 | 248.8 | 163.3 | 57.2 | **2,868.0** |
| OIL | 1956 | 177.7 | 177.8 | 154.8 | 179.6 | 199.1 | 183.5 | 194.0 | 72.5 | 75.5 | 59.9 | 44.3 | 59.4 | **2,050.4** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 29.0 | 29.0 | **73.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 104.1 | 269.0 | 155.5 | **528.6** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 96.3 | 190.1 | 185.9 | **472.3** |

Licence ***916*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.01-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,346.0** |
| OIL | 1975 | 73.3 | 69.6 | 76.3 | 81.4 | 81.7 | 76.3 | 72.1 | 72.5 | 68.0 | 69.4 | 74.1 | 78.8 | **22,814.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **6,982.0** |
| OIL | 1974 | 74.2 | 66.9 | 73.3 | 73.4 | 75.8 | 71.5 | 87.6 | 78.0 | 79.6 | 73.3 | 76.3 | 76.6 | **21,921.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 19.0 | 26.0 | 31.0 | 30.0 | 31.0 | **6,619.0** |
| OIL | 1973 | 73.3 | 65.0 | 72.3 | 72.5 | 73.3 | 69.4 | 82.0 | 42.1 | 68.8 | 79.0 | 73.4 | 75.0 | **21,014.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,270.0** |
| OIL | 1972 | 77.5 | 72.8 | 77.2 | 74.7 | 76.3 | 73.4 | 75.3 | 75.8 | 73.1 | 75.3 | 72.3 | 71.7 | **20,168.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,904.0** |
| OIL | 1971 | 81.5 | 73.7 | 82.3 | 79.6 | 83.0 | 78.2 | 80.1 | 79.5 | 74.8 | 79.3 | 76.1 | 78.0 | **19,273.0** |

# Manitoba Production
## 1950 To 1975

Licence ***916*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.01-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,539.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 5.6 | 5.9 | 10.8 | 12.4 | 10.8 | 9.4 | 0.0 | 0.0 | **899.1** |
| OIL | 1970 | 89.5 | 79.6 | 87.7 | 84.1 | 72.0 | 75.3 | 62.1 | 69.8 | 66.4 | 67.1 | 79.6 | 82.0 | **18,326.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,174.0** |
| OIL | 1969 | 78.0 | 73.3 | 82.0 | 76.9 | 76.8 | 82.8 | 84.9 | 80.1 | 81.7 | 68.5 | 66.3 | 88.2 | **17,411.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,809.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 1.4 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **844.2** |
| OIL | 1968 | 94.6 | 88.0 | 84.1 | 81.5 | 87.2 | 85.8 | 90.1 | 80.7 | 78.0 | 79.9 | 76.3 | 78.5 | **16,472.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,443.0** |
| H2O | 1967 | 1.1 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 2.2 | 2.4 | 0.0 | 0.0 | 0.0 | **841.1** |
| OIL | 1967 | 81.0 | 71.5 | 83.9 | 80.4 | 87.6 | 82.8 | 92.6 | 85.5 | 82.8 | 87.2 | 77.9 | 79.3 | **15,467.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,078.0** |
| H2O | 1966 | 4.5 | 4.5 | 3.5 | 4.8 | 7.9 | 3.3 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | **833.6** |
| OIL | 1966 | 92.8 | 88.2 | 96.5 | 85.2 | 95.5 | 121.7 | 103.5 | 101.9 | 94.2 | 98.4 | 88.5 | 86.8 | **14,475.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,713.0** |
| H2O | 1965 | 10.8 | 14.8 | 9.2 | 4.3 | 7.9 | 8.6 | 7.6 | 4.6 | 2.9 | 5.7 | 0.0 | 0.0 | **802.9** |
| OIL | 1965 | 116.2 | 110.9 | 122.8 | 104.2 | 113.1 | 105.4 | 107.7 | 109.6 | 100.1 | 99.2 | 85.2 | 114.6 | **13,321.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,348.0** |
| H2O | 1964 | 3.2 | 3.5 | 4.3 | 0.0 | 7.5 | 0.0 | 2.4 | 4.5 | 0.0 | 7.2 | 0.0 | 0.0 | **726.5** |
| OIL | 1964 | 109.8 | 99.5 | 105.0 | 82.0 | 118.1 | 108.1 | 111.6 | 119.5 | 100.3 | 109.6 | 109.8 | 112.3 | **12,032.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,982.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 5.7 | 0.0 | 4.1 | 0.0 | 6.8 | 10.3 | 10.8 | 4.8 | 4.6 | **693.9** |
| OIL | 1963 | 107.3 | 106.3 | 100.3 | 105.4 | 109.8 | 112.7 | 118.1 | 111.1 | 109.3 | 113.5 | 109.0 | 109.6 | **10,747.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,617.0** |
| H2O | 1962 | 0.0 | 4.5 | 7.3 | 11.0 | 5.6 | 4.6 | 1.7 | 2.2 | 1.6 | 3.5 | 0.0 | 0.0 | **646.8** |
| OIL | 1962 | 100.9 | 92.6 | 109.8 | 116.3 | 119.8 | 109.5 | 112.8 | 110.8 | 107.3 | 112.8 | 100.0 | 107.9 | **9,434.8** |
| DAY | 1961 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,252.0** |
| H2O | 1961 | 7.0 | 3.3 | 8.3 | 5.7 | 5.4 | 9.2 | 6.4 | 4.5 | 8.4 | 9.2 | 5.4 | 2.9 | **604.8** |
| OIL | 1961 | 100.3 | 75.6 | 82.3 | 91.1 | 96.1 | 98.5 | 91.5 | 96.1 | 92.5 | 101.9 | 81.2 | 77.2 | **8,134.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 27.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,888.0** |
| H2O | 1960 | 6.0 | 10.0 | 0.0 | 17.5 | 3.7 | 2.9 | 8.6 | 8.6 | 10.3 | 5.6 | 3.8 | 7.9 | **529.1** |
| OIL | 1960 | 95.2 | 88.5 | 86.8 | 106.2 | 92.3 | 84.9 | 96.0 | 102.2 | 93.9 | 102.8 | 99.0 | 100.3 | **7,050.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,529.0** |
| H2O | 1959 | 5.6 | 10.7 | 6.2 | 5.1 | 3.3 | 12.4 | 9.5 | 13.5 | 4.1 | 3.0 | 9.2 | 7.8 | **444.2** |
| OIL | 1959 | 95.3 | 81.8 | 97.7 | 93.9 | 86.9 | 102.0 | 97.9 | 100.0 | 92.2 | 81.8 | 90.6 | 94.1 | **5,901.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 27.0 | 29.0 | 28.0 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,167.0** |
| H2O | 1958 | 19.9 | 3.7 | 10.0 | 5.4 | 7.0 | 4.5 | 4.0 | 5.7 | 5.4 | 3.7 | 7.6 | 5.7 | **353.8** |
| OIL | 1958 | 104.4 | 89.8 | 114.3 | 104.4 | 93.9 | 94.9 | 103.5 | 106.9 | 112.3 | 118.9 | 105.4 | 88.8 | **4,787.7** |
| DAY | 1957 | 28.0 | 28.0 | 24.0 | 30.0 | 28.0 | 30.0 | 29.0 | 28.0 | 30.0 | 29.0 | 29.0 | 31.0 | **813.0** |
| H2O | 1957 | 6.4 | 16.7 | 10.7 | 9.7 | 12.6 | 8.4 | 20.0 | 20.2 | 0.2 | 2.5 | 11.0 | 0.5 | **271.2** |
| OIL | 1957 | 91.5 | 147.5 | 136.7 | 142.1 | 109.3 | 125.2 | 124.7 | 104.7 | 127.0 | 106.9 | 96.3 | 120.3 | **3,550.2** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 27.0 | 29.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **469.0** |
| H2O | 1956 | 8.6 | 6.2 | 10.0 | 5.6 | 9.9 | 10.0 | 7.8 | 15.6 | 7.9 | 7.5 | 6.8 | 9.7 | **152.3** |
| OIL | 1956 | 141.9 | 133.8 | 127.0 | 112.5 | 122.4 | 106.2 | 111.4 | 104.4 | 95.3 | 101.4 | 84.7 | 99.0 | **2,118.0** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 29.0 | 25.0 | 31.0 | **109.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.2 | 17.8 | 19.7 | 3.0 | **46.7** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 306.0 | 194.7 | 141.0 | 136.3 | **778.0** |

Licence ***921*** Well Name ***Daly Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***921*** Well Name ***Daly Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1965 | 27.2 | 26.4 | 29.9 | 26.2 | 20.5 | 18.6 | 12.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **25,364.5** |
| WIN | 1964 | 26.4 | 28.0 | 34.0 | 17.8 | 36.7 | 32.4 | 32.6 | 27.7 | 24.5 | 20.0 | 25.3 | 30.4 | **25,202.9** |
| WIN | 1963 | 42.1 | 31.2 | 30.7 | 20.7 | 29.1 | 15.4 | 0.0 | 69.2 | 31.6 | 31.8 | 27.2 | 31.0 | **24,867.1** |
| WIN | 1962 | 19.1 | 15.1 | 11.0 | 7.3 | 7.2 | 7.6 | 9.1 | 1598.2 | 8.4 | 8.4 | 6.7 | 60.1 | **24,507.1** |
| WIN | 1961 | 45.2 | 45.8 | 49.1 | 43.2 | 37.4 | 33.2 | 30.0 | 27.2 | 25.1 | 22.4 | 18.9 | 18.8 | **22,748.9** |
| WIN | 1960 | 61.5 | 62.0 | 50.2 | 55.5 | 56.1 | 54.2 | 55.8 | 56.1 | 50.6 | 49.6 | 54.7 | 49.4 | **22,352.6** |
| WIN | 1959 | 102.1 | 102.7 | 107.2 | 98.7 | 94.9 | 89.5 | 96.0 | 94.6 | 87.1 | 81.6 | 68.0 | 69.2 | **21,696.9** |
| WIN | 1958 | 190.5 | 127.7 | 155.0 | 152.9 | 127.3 | 152.6 | 135.5 | 148.6 | 119.1 | 128.1 | 109.7 | 114.8 | **20,605.3** |
| WIN | 1957 | 0.0 | 0.0 | 5.1 | 576.1 | 361.2 | 267.7 | 256.6 | 234.0 | 206.7 | 193.5 | 186.6 | 215.7 | **18,943.5** |
| WIN | 1956 | 1909.5 | 2391.4 | 2786.8 | 772.2 | 1906.5 | 887.3 | 0.0 | 1351.8 | 1991.5 | 1472.3 | 407.9 | 150.2 | **16,440.3** |
| WIN | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 412.9 | **412.9** |

Licence ***922*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,374.0** |
| H2O | 1975 | 29.6 | 27.2 | 30.2 | 44.7 | 46.3 | 44.4 | 44.4 | 43.7 | 43.1 | 46.3 | 46.4 | 47.2 | **5,619.9** |
| OIL | 1975 | 456.2 | 405.5 | 445.1 | 489.9 | 499.1 | 485.2 | 499.0 | 501.5 | 486.4 | 503.3 | 486.7 | 494.5 | **66,577.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,009.0** |
| H2O | 1974 | 38.6 | 41.2 | 46.1 | 44.8 | 46.4 | 46.7 | 45.9 | 43.2 | 28.0 | 29.4 | 29.3 | 29.3 | **5,126.4** |
| OIL | 1974 | 415.9 | 393.3 | 450.0 | 429.2 | 445.9 | 431.4 | 433.5 | 443.5 | 443.2 | 466.7 | 445.4 | 459.6 | **60,825.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,644.0** |
| H2O | 1973 | 4.8 | 4.8 | 10.0 | 10.0 | 10.2 | 9.9 | 9.9 | 43.4 | 42.6 | 41.2 | 39.9 | 38.8 | **4,657.5** |
| OIL | 1973 | 444.2 | 391.7 | 406.0 | 396.8 | 414.1 | 401.4 | 416.0 | 436.0 | 414.9 | 407.6 | 399.0 | 404.7 | **55,567.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,280.0** |
| H2O | 1972 | 17.5 | 179.2 | 196.5 | 20.5 | 22.7 | 53.7 | 59.6 | 37.4 | 37.4 | 30.7 | 29.3 | 31.0 | **4,392.0** |
| OIL | 1972 | 406.5 | 379.0 | 412.5 | 398.1 | 420.0 | 422.7 | 435.4 | 458.1 | 436.0 | 459.2 | 418.6 | 455.0 | **50,635.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,915.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.7 | 3.5 | 7.9 | 12.1 | 14.1 | **3,676.5** |
| OIL | 1971 | 436.5 | 386.2 | 441.9 | 419.5 | 428.9 | 407.6 | 412.5 | 402.8 | 412.7 | 428.4 | 390.8 | 400.0 | **45,534.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,552.0** |
| H2O | 1970 | 18.4 | 17.2 | 18.1 | 12.7 | 13.2 | 0.0 | 0.0 | 0.0 | 0.0 | 4.1 | 3.8 | 0.0 | **3,635.2** |
| OIL | 1970 | 442.1 | 398.5 | 435.1 | 415.5 | 428.7 | 446.5 | 458.6 | 441.1 | 435.1 | 431.4 | 413.8 | 419.8 | **40,566.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,188.0** |
| H2O | 1969 | 19.1 | 17.3 | 16.2 | 0.0 | 8.6 | 8.3 | 8.9 | 4.6 | 4.3 | 19.6 | 17.3 | 18.9 | **3,547.7** |
| OIL | 1969 | 414.6 | 366.3 | 404.6 | 425.6 | 418.1 | 410.5 | 426.5 | 433.0 | 421.4 | 455.9 | 436.8 | 457.7 | **35,400.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,823.0** |
| H2O | 1968 | 56.0 | 53.9 | 57.2 | 124.8 | 6.8 | 6.2 | 4.6 | 4.1 | 4.1 | 8.4 | 8.1 | 18.3 | **3,404.6** |
| OIL | 1968 | 465.6 | 432.1 | 462.6 | 422.2 | 424.4 | 416.8 | 428.9 | 437.6 | 422.2 | 439.4 | 438.8 | 414.0 | **30,329.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,458.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 1.1 | 0.0 | 0.0 | 0.0 | 4.8 | 4.3 | 4.5 | 53.4 | 58.7 | **3,052.1** |
| OIL | 1967 | 296.8 | 263.8 | 296.0 | 353.3 | 365.0 | 350.1 | 361.5 | 341.8 | 329.4 | 347.9 | 459.1 | 470.2 | **25,124.5** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,093.0** |
| H2O | 1966 | 3.3 | 2.7 | 3.3 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 1.3 | 0.0 | 0.0 | 0.0 | **2,925.3** |
| OIL | 1966 | 209.4 | 184.3 | 196.4 | 265.2 | 277.5 | 266.7 | 276.3 | 283.7 | 267.1 | 289.7 | 284.1 | 290.8 | **20,889.6** |
| DAY | 1965 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,729.0** |
| H2O | 1965 | 2.5 | 2.2 | 2.7 | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 | 3.5 | 3.5 | 3.5 | 3.7 | **2,913.6** |
| OIL | 1965 | 142.2 | 139.2 | 150.6 | 146.4 | 147.6 | 147.8 | 152.1 | 152.6 | 215.7 | 224.2 | 202.4 | 211.3 | **17,798.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,366.0** |
| H2O | 1964 | 8.7 | 8.1 | 9.1 | 8.6 | 9.2 | 101.9 | 75.5 | 88.6 | 1.3 | 1.1 | 1.3 | 1.3 | **2,886.5** |
| OIL | 1964 | 78.2 | 73.9 | 79.9 | 76.9 | 79.1 | 180.2 | 140.3 | 163.7 | 122.4 | 124.6 | 114.1 | 122.4 | **15,766.3** |

# Manitoba Production
## 1950 To 1975

Licence ***922*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 22.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,011.0** |
| H2O | 1963 | 17.0 | 20.5 | 22.4 | 24.3 | 27.7 | 28.3 | 21.9 | 21.6 | 19.1 | 8.9 | 8.4 | 8.7 | **2,571.8** |
| OIL | 1963 | 61.3 | 76.8 | 96.9 | 92.0 | 93.6 | 85.0 | 93.6 | 89.6 | 91.4 | 64.8 | 73.4 | 75.0 | **14,410.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,660.0** |
| H2O | 1962 | 17.3 | 15.1 | 16.4 | 25.3 | 26.1 | 26.9 | 25.4 | 25.6 | 22.4 | 52.9 | 36.2 | 25.0 | **2,343.0** |
| OIL | 1962 | 94.1 | 83.6 | 91.1 | 91.2 | 92.8 | 75.5 | 117.9 | 91.8 | 88.7 | 92.3 | 86.8 | 93.3 | **13,417.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,295.0** |
| H2O | 1961 | 30.7 | 27.2 | 29.4 | 24.6 | 21.8 | 18.6 | 26.5 | 8.4 | 17.8 | 21.0 | 16.9 | 16.9 | **2,028.4** |
| OIL | 1961 | 86.6 | 68.5 | 94.2 | 74.1 | 109.2 | 100.1 | 102.5 | 22.6 | 99.0 | 115.7 | 83.9 | 99.0 | **12,318.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,930.0** |
| H2O | 1960 | 43.9 | 35.6 | 39.7 | 50.6 | 32.0 | 11.9 | 33.9 | 32.1 | 24.3 | 30.0 | 30.8 | 31.8 | **1,768.6** |
| OIL | 1960 | 128.7 | 123.8 | 133.0 | 128.2 | 99.5 | 96.3 | 92.3 | 96.8 | 98.4 | 79.1 | 80.7 | 87.6 | **11,262.7** |
| DAY | 1959 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,565.0** |
| H2O | 1959 | 14.0 | 13.2 | 9.5 | 7.3 | 5.7 | 15.9 | 28.1 | 39.7 | 22.3 | 18.8 | 40.2 | 34.7 | **1,372.0** |
| OIL | 1959 | 139.2 | 137.0 | 142.9 | 135.9 | 135.9 | 127.6 | 73.6 | 98.8 | 157.2 | 93.0 | 95.5 | 147.3 | **10,018.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,203.0** |
| H2O | 1958 | 13.4 | 6.4 | 16.5 | 8.4 | 52.0 | 19.1 | 10.5 | 28.0 | 7.3 | 6.8 | 14.9 | 34.5 | **1,122.6** |
| OIL | 1958 | 180.8 | 149.5 | 162.9 | 138.9 | 158.6 | 151.0 | 156.4 | 149.5 | 176.2 | 156.5 | 141.4 | 72.9 | **8,534.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **838.0** |
| H2O | 1957 | 82.5 | 74.6 | 20.8 | 32.6 | 18.8 | 25.4 | 21.6 | 3.7 | 14.1 | 12.2 | 12.2 | 76.0 | **904.8** |
| OIL | 1957 | 212.2 | 205.9 | 208.6 | 239.8 | 233.3 | 202.4 | 192.3 | 216.2 | 208.1 | 227.1 | 204.8 | 210.0 | **6,739.8** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **475.0** |
| H2O | 1956 | 69.3 | 53.3 | 30.4 | 16.4 | 17.3 | 25.9 | 27.5 | 71.4 | 48.0 | 42.1 | 19.4 | 53.6 | **510.3** |
| OIL | 1956 | 267.3 | 250.8 | 297.2 | 284.8 | 272.7 | 249.2 | 246.3 | 277.5 | 246.9 | 318.3 | 332.1 | 231.5 | **4,179.1** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 31.0 | 30.0 | 31.0 | **109.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.2 | 8.1 | 11.4 | 14.0 | **35.7** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 313.2 | 149.4 | 171.6 | 270.3 | **904.5** |

Licence ***923*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,337.0** |
| H2O | 1975 | 63.9 | 52.0 | 65.5 | 137.4 | 142.3 | 136.1 | 136.4 | 134.5 | 132.4 | 142.1 | 142.8 | 145.1 | **8,186.8** |
| OIL | 1975 | 169.7 | 133.3 | 165.7 | 148.6 | 151.3 | 147.2 | 151.3 | 152.1 | 147.5 | 152.6 | 147.5 | 149.9 | **46,116.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,975.0** |
| H2O | 1974 | 116.9 | 108.3 | 121.3 | 118.0 | 51.2 | 51.5 | 52.0 | 47.7 | 47.1 | 63.6 | 60.7 | 63.4 | **6,756.3** |
| OIL | 1974 | 183.2 | 159.7 | 182.7 | 174.2 | 199.1 | 192.8 | 199.0 | 198.2 | 190.4 | 173.7 | 158.8 | 171.0 | **44,299.7** |
| DAY | 1973 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,611.0** |
| H2O | 1973 | 0.0 | 0.0 | 16.2 | 16.2 | 16.4 | 15.7 | 181.7 | 202.2 | 198.6 | 199.4 | 186.2 | 180.6 | **5,854.6** |
| OIL | 1973 | 198.5 | 168.8 | 183.7 | 179.4 | 187.2 | 181.5 | 242.0 | 267.3 | 254.5 | 258.3 | 244.9 | 248.4 | **42,116.9** |
| DAY | 1972 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,248.0** |
| H2O | 1972 | 4.1 | 29.1 | 31.8 | 37.2 | 41.0 | 35.6 | 39.6 | 47.4 | 47.4 | 51.5 | 49.0 | 51.8 | **4,641.4** |
| OIL | 1972 | 224.9 | 217.5 | 236.9 | 214.2 | 226.0 | 200.5 | 206.6 | 224.4 | 213.4 | 224.9 | 189.1 | 205.5 | **39,502.4** |
| DAY | 1971 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,886.0** |
| H2O | 1971 | 3.3 | 7.0 | 8.1 | 8.3 | 13.2 | 13.2 | 13.0 | 12.6 | 11.3 | 20.3 | 19.6 | 4.5 | **4,175.9** |
| OIL | 1971 | 221.0 | 262.9 | 281.7 | 267.5 | 269.1 | 261.6 | 267.5 | 262.4 | 258.9 | 241.5 | 227.9 | 229.0 | **36,918.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,524.0** |
| H2O | 1970 | 45.3 | 42.6 | 44.7 | 28.6 | 29.3 | 0.0 | 0.0 | 0.0 | 0.0 | 4.3 | 3.7 | 4.1 | **4,041.5** |
| OIL | 1970 | 283.7 | 255.6 | 279.0 | 247.1 | 254.8 | 232.2 | 238.7 | 264.3 | 260.8 | 238.7 | 229.0 | 240.3 | **33,867.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 21.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **5,160.0** |
| H2O | 1969 | 9.1 | 8.1 | 7.8 | 7.9 | 48.8 | 13.5 | 14.5 | 14.6 | 93.5 | 48.0 | 42.9 | 47.1 | **3,838.9** |

# Manitoba Production
## 1950 To 1975

Licence ***923*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1969 | 304.8 | 269.3 | 297.5 | 289.9 | 188.8 | 301.0 | 312.7 | 311.0 | 271.3 | 292.4 | 280.3 | 293.5 | **30,843.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,807.0** |
| H2O | 1968 | 25.3 | 24.0 | 25.4 | 4.5 | 4.6 | 67.2 | 73.8 | 68.7 | 29.7 | 31.6 | 8.1 | 8.6 | **3,483.1** |
| OIL | 1968 | 353.4 | 324.0 | 347.2 | 314.2 | 315.0 | 312.1 | 326.9 | 333.9 | 294.1 | 308.8 | 295.9 | 304.6 | **27,430.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 11.0 | 29.0 | 31.0 | **4,442.0** |
| H2O | 1967 | 2.5 | 2.1 | 2.7 | 39.7 | 39.9 | 55.6 | 37.5 | 50.2 | 75.4 | 28.9 | 66.8 | 26.2 | **3,111.6** |
| OIL | 1967 | 274.5 | 237.3 | 273.5 | 312.9 | 322.1 | 320.0 | 328.1 | 326.9 | 321.6 | 120.5 | 309.1 | 352.8 | **23,600.7** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,098.0** |
| H2O | 1966 | 3.3 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 1.1 | 1.3 | 2.5 | 2.5 | 2.7 | **2,684.1** |
| OIL | 1966 | 292.2 | 257.2 | 223.4 | 226.9 | 229.6 | 228.2 | 252.2 | 249.6 | 228.4 | 267.8 | 262.7 | 268.9 | **20,101.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,735.0** |
| H2O | 1965 | 1.3 | 1.1 | 1.3 | 2.4 | 2.4 | 2.2 | 2.2 | 2.4 | 3.7 | 3.5 | 3.5 | 3.7 | **2,666.9** |
| OIL | 1965 | 243.5 | 241.7 | 261.3 | 307.8 | 310.7 | 310.8 | 319.6 | 321.0 | 307.5 | 319.6 | 294.5 | 294.9 | **17,114.3** |
| DAY | 1964 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,370.0** |
| H2O | 1964 | 3.7 | 3.5 | 3.7 | 3.7 | 3.8 | 0.0 | 0.0 | 0.0 | 8.4 | 8.4 | 1.3 | 1.3 | **2,637.2** |
| OIL | 1964 | 66.7 | 65.3 | 70.4 | 67.7 | 69.8 | 141.0 | 145.2 | 147.5 | 189.1 | 192.4 | 224.9 | 241.2 | **13,581.4** |
| DAY | 1963 | 22.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,005.0** |
| H2O | 1963 | 7.8 | 9.5 | 10.2 | 11.1 | 12.6 | 12.7 | 10.0 | 10.0 | 8.7 | 1.1 | 3.8 | 3.7 | **2,599.4** |
| OIL | 1963 | 48.5 | 61.3 | 76.6 | 72.6 | 74.1 | 67.1 | 73.9 | 71.8 | 72.1 | 55.3 | 64.7 | 66.1 | **11,960.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,654.0** |
| H2O | 1962 | 23.7 | 20.7 | 22.3 | 11.6 | 11.4 | 9.1 | 11.3 | 11.4 | 10.2 | 24.2 | 16.5 | 11.3 | **2,498.2** |
| OIL | 1962 | 69.3 | 61.7 | 67.1 | 76.0 | 74.2 | 46.7 | 94.1 | 72.6 | 70.1 | 72.9 | 68.6 | 73.7 | **11,156.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,289.0** |
| H2O | 1961 | 10.8 | 10.8 | 11.8 | 9.9 | 11.4 | 22.7 | 6.4 | 45.5 | 18.0 | 26.9 | 23.1 | 23.1 | **2,314.5** |
| OIL | 1961 | 86.6 | 68.5 | 94.2 | 74.1 | 85.5 | 73.7 | 71.8 | 78.7 | 59.4 | 85.3 | 61.8 | 72.8 | **10,309.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,924.0** |
| H2O | 1960 | 29.1 | 29.7 | 29.7 | 15.1 | 11.4 | 18.3 | 13.0 | 12.6 | 87.6 | 10.0 | 10.8 | 11.1 | **2,094.1** |
| OIL | 1960 | 95.3 | 82.5 | 88.7 | 95.0 | 89.5 | 101.4 | 92.3 | 96.8 | 98.4 | 79.1 | 80.7 | 87.6 | **9,396.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,559.0** |
| H2O | 1959 | 33.1 | 28.0 | 25.9 | 20.5 | 25.3 | 11.6 | 16.1 | 31.5 | 36.4 | 14.3 | 13.7 | 34.7 | **1,815.7** |
| OIL | 1959 | 99.2 | 88.4 | 116.5 | 95.7 | 120.8 | 118.1 | 115.7 | 94.1 | 101.4 | 102.2 | 105.0 | 98.2 | **8,309.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,194.0** |
| H2O | 1958 | 26.1 | 26.1 | 31.6 | 27.8 | 18.1 | 15.6 | 44.8 | 12.9 | 11.6 | 18.9 | 28.1 | 8.4 | **1,524.6** |
| OIL | 1958 | 147.5 | 121.2 | 125.7 | 143.8 | 138.3 | 124.3 | 94.9 | 114.3 | 155.6 | 107.6 | 107.3 | 177.2 | **7,054.1** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **829.0** |
| H2O | 1957 | 74.9 | 63.4 | 63.1 | 34.0 | 36.6 | 27.2 | 25.8 | 39.4 | 9.4 | 28.1 | 20.3 | 15.3 | **1,254.6** |
| OIL | 1957 | 212.1 | 192.6 | 198.5 | 200.5 | 163.7 | 149.5 | 160.5 | 158.9 | 172.6 | 160.7 | 139.8 | 143.3 | **5,496.4** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **466.0** |
| H2O | 1956 | 52.3 | 40.2 | 49.1 | 55.3 | 95.2 | 42.3 | 103.3 | 56.1 | 95.2 | 93.3 | 46.6 | 47.4 | **817.1** |
| OIL | 1956 | 253.0 | 215.0 | 297.0 | 161.0 | 251.1 | 249.2 | 246.3 | 261.8 | 245.7 | 235.2 | 239.5 | 225.7 | **3,443.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 31.0 | 30.0 | 31.0 | **100.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.9 | 6.8 | 12.7 | 15.4 | **40.8** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 83.3 | 144.0 | 171.9 | 164.0 | **563.2** |

Licence ***925*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.09-20-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,356.0** |
| H2O | 1975 | 4515.0 | 3869.6 | 5019.5 | 4573.7 | 5424.1 | 4906.8 | 5191.3 | 5515.0 | 5689.4 | 5394.2 | 5073.1 | 6035.0 | **405,443.0** |
| OIL | 1975 | 127.3 | 103.6 | 120.8 | 106.2 | 129.2 | 117.6 | 129.0 | 143.7 | 141.3 | 134.8 | 147.8 | 140.0 | **33,060.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 10.0 | 0.0 | 4.0 | 26.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,994.0** |

# Manitoba Production
## 1950 To 1975

Licence ***925*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.09-20-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1974 | 4073.7 | 3617.0 | 4041.1 | 3959.9 | 1280.4 | 0.0 | 510.6 | 3588.7 | 4656.8 | 4565.4 | 4367.8 | 4614.1 | **344,236.3** |
| OIL | 1974 | 128.2 | 111.9 | 126.2 | 117.9 | 48.6 | 0.0 | 18.1 | 121.7 | 115.1 | 116.6 | 104.7 | 126.0 | **31,519.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 21.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **5,713.0** |
| H2O | 1973 | 4909.0 | 4340.9 | 4880.4 | 4522.8 | 3938.9 | 3754.2 | 2817.0 | 3933.0 | 4033.3 | 4022.8 | 3441.8 | 4006.1 | **304,960.8** |
| OIL | 1973 | 175.4 | 153.5 | 166.9 | 163.7 | 140.8 | 124.3 | 89.6 | 121.4 | 120.6 | 133.2 | 112.7 | 125.4 | **30,384.5** |
| DAY | 1972 | 31.0 | 26.0 | 31.0 | 28.0 | 31.0 | 29.0 | 29.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,360.0** |
| H2O | 1972 | 4320.9 | 3532.2 | 4888.3 | 3861.1 | 4096.6 | 4161.8 | 4705.6 | 4245.1 | 4070.4 | 4563.2 | 4664.3 | 4644.0 | **256,360.6** |
| OIL | 1972 | 209.6 | 169.2 | 216.0 | 183.4 | 197.7 | 194.7 | 151.8 | 154.1 | 169.2 | 171.6 | 163.2 | 162.4 | **28,757.0** |
| DAY | 1971 | 31.0 | 21.0 | 31.0 | 26.0 | 31.0 | 21.0 | 26.0 | 18.0 | 19.0 | 6.0 | 20.0 | 31.0 | **5,005.0** |
| H2O | 1971 | 2914.9 | 1993.0 | 3302.3 | 3034.1 | 3432.5 | 2337.2 | 3367.5 | 2657.0 | 1889.5 | 1223.7 | 3395.3 | 4338.6 | **204,607.1** |
| OIL | 1971 | 83.1 | 56.3 | 242.2 | 110.8 | 159.2 | 84.2 | 203.7 | 124.1 | 90.1 | 44.3 | 167.3 | 204.2 | **26,614.1** |
| DAY | 1970 | 23.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 26.0 | 28.0 | 28.0 | 29.0 | 30.0 | 29.0 | **4,724.0** |
| H2O | 1970 | 2737.3 | 3642.7 | 4085.6 | 3541.9 | 3846.4 | 3871.0 | 3162.0 | 3519.5 | 3090.6 | 2778.7 | 2925.9 | 2676.6 | **170,721.5** |
| OIL | 1970 | 127.0 | 166.9 | 198.8 | 174.8 | 192.3 | 178.8 | 130.9 | 146.0 | 139.2 | 77.2 | 81.7 | 81.5 | **25,044.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,383.0** |
| H2O | 1969 | 4514.6 | 4183.6 | 4633.5 | 4378.5 | 5147.6 | 4021.7 | 3798.0 | 4140.2 | 4020.3 | 4240.8 | 3927.3 | 3889.4 | **130,843.3** |
| OIL | 1969 | 246.3 | 220.2 | 225.0 | 231.4 | 265.9 | 209.4 | 182.7 | 219.9 | 188.6 | 203.2 | 164.9 | 178.8 | **23,349.5** |
| DAY | 1968 | 29.0 | 24.0 | 30.0 | 19.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,025.0** |
| H2O | 1968 | 1682.3 | 2548.6 | 3674.7 | 2279.6 | 3367.5 | 3665.9 | 4710.3 | 4929.2 | 4895.8 | 4686.9 | 4740.9 | 4702.6 | **79,947.8** |
| OIL | 1968 | 218.0 | 452.9 | 557.3 | 323.5 | 473.4 | 495.2 | 329.3 | 325.6 | 303.4 | 254.4 | 271.1 | 283.3 | **20,813.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,678.0** |
| H2O | 1967 | 324.5 | 658.7 | 407.9 | 343.9 | 572.2 | 408.9 | 595.7 | 624.0 | 769.0 | 542.9 | 262.6 | 426.2 | **34,063.5** |
| OIL | 1967 | 114.7 | 120.8 | 156.4 | 137.1 | 175.8 | 152.2 | 198.6 | 197.4 | 172.3 | 118.7 | 128.4 | 177.0 | **16,525.8** |
| DAY | 1966 | 30.0 | 27.0 | 30.0 | 29.0 | 30.0 | 29.0 | 27.0 | 28.0 | 29.0 | 29.0 | 27.0 | 30.0 | **3,318.0** |
| H2O | 1966 | 320.3 | 187.0 | 244.2 | 296.8 | 318.3 | 314.8 | 330.5 | 386.0 | 473.3 | 465.8 | 442.1 | 491.2 | **28,127.0** |
| OIL | 1966 | 88.2 | 90.7 | 103.9 | 93.1 | 90.6 | 81.8 | 98.7 | 114.1 | 115.8 | 115.2 | 93.4 | 114.4 | **14,676.4** |
| DAY | 1965 | 30.0 | 27.0 | 30.0 | 29.0 | 30.0 | 29.0 | 29.0 | 26.0 | 29.0 | 30.0 | 30.0 | 30.0 | **2,973.0** |
| H2O | 1965 | 359.9 | 326.2 | 414.6 | 352.9 | 456.3 | 587.0 | 570.1 | 533.2 | 534.2 | 491.2 | 434.0 | 419.1 | **23,856.7** |
| OIL | 1965 | 121.1 | 90.1 | 116.0 | 106.0 | 119.2 | 157.8 | 94.6 | 128.7 | 117.1 | 106.8 | 85.8 | 90.6 | **13,476.5** |
| DAY | 1964 | 30.0 | 27.0 | 29.0 | 29.0 | 30.0 | 28.0 | 30.0 | 29.0 | 29.0 | 30.0 | 29.0 | 27.0 | **2,624.0** |
| H2O | 1964 | 233.2 | 121.8 | 303.7 | 355.0 | 252.8 | 187.6 | 128.8 | 304.8 | 490.6 | 513.6 | 447.2 | 435.5 | **18,378.0** |
| OIL | 1964 | 113.0 | 110.4 | 141.4 | 120.0 | 123.2 | 112.3 | 129.5 | 135.7 | 156.2 | 128.7 | 119.5 | 100.4 | **12,142.7** |
| DAY | 1963 | 30.0 | 27.0 | 28.0 | 29.0 | 31.0 | 19.0 | 30.0 | 29.0 | 29.0 | 30.0 | 30.0 | 30.0 | **2,277.0** |
| H2O | 1963 | 263.1 | 129.5 | 384.4 | 336.8 | 284.9 | 165.4 | 307.1 | 237.2 | 364.3 | 426.6 | 417.7 | 392.7 | **14,603.4** |
| OIL | 1963 | 144.4 | 145.7 | 143.7 | 135.6 | 134.6 | 78.3 | 153.5 | 144.8 | 142.9 | 177.3 | 158.4 | 143.2 | **10,652.4** |
| DAY | 1962 | 12.0 | 0.0 | 0.0 | 4.0 | 22.0 | 23.0 | 20.0 | 31.0 | 30.0 | 19.0 | 3.0 | 31.0 | **1,935.0** |
| H2O | 1962 | 4.5 | 0.0 | 0.0 | 3.0 | 336.3 | 144.7 | 272.8 | 303.5 | 241.7 | 130.2 | 29.3 | 254.4 | **10,893.7** |
| OIL | 1962 | 38.6 | 0.0 | 0.0 | 17.0 | 131.6 | 140.6 | 83.4 | 165.1 | 132.8 | 73.9 | 14.1 | 132.4 | **8,950.0** |
| DAY | 1961 | 22.0 | 27.0 | 9.0 | 30.0 | 27.0 | 20.0 | 31.0 | 31.0 | 30.0 | 19.0 | 26.0 | 3.0 | **1,740.0** |
| H2O | 1961 | 92.3 | 52.3 | 38.5 | 213.5 | 236.1 | 187.1 | 262.0 | 536.1 | 341.7 | 130.1 | 160.4 | 20.5 | **9,173.3** |
| OIL | 1961 | 69.1 | 63.7 | 14.6 | 85.2 | 148.7 | 74.1 | 144.0 | 151.3 | 148.3 | 68.3 | 107.7 | 10.2 | **8,020.5** |
| DAY | 1960 | 2.0 | 29.0 | 9.0 | 20.0 | 31.0 | 30.0 | 31.0 | 31.0 | 24.0 | 21.0 | 28.0 | 29.0 | **1,465.0** |
| H2O | 1960 | 6.5 | 67.7 | 45.1 | 91.1 | 217.8 | 222.4 | 201.3 | 85.0 | 132.9 | 133.4 | 152.0 | 188.6 | **6,902.7** |
| OIL | 1960 | 13.5 | 66.3 | 30.7 | 60.1 | 158.3 | 175.4 | 140.6 | 51.2 | 72.1 | 75.0 | 107.3 | 80.9 | **6,935.3** |
| DAY | 1959 | 31.0 | 15.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 20.0 | 18.0 | 31.0 | **1,180.0** |
| H2O | 1959 | 166.6 | 128.7 | 213.5 | 166.0 | 177.4 | 154.4 | 186.3 | 229.6 | 171.1 | 217.5 | 161.9 | 317.7 | **5,358.9** |
| OIL | 1959 | 110.9 | 51.8 | 106.5 | 79.3 | 63.9 | 72.6 | 74.4 | 107.6 | 104.2 | 63.9 | 51.2 | 89.1 | **5,903.9** |
| DAY | 1958 | 31.0 | 28.0 | 29.0 | 19.0 | 31.0 | 25.0 | 28.0 | 31.0 | 30.0 | 27.0 | 29.0 | 30.0 | **852.0** |
| H2O | 1958 | 161.2 | 90.8 | 101.4 | 128.0 | 167.1 | 166.6 | 192.7 | 176.8 | 209.7 | 200.5 | 191.4 | 207.9 | **3,068.2** |
| OIL | 1958 | 101.4 | 135.4 | 83.0 | 68.8 | 108.4 | 98.2 | 98.5 | 99.6 | 139.0 | 103.3 | 112.8 | 106.3 | **4,928.5** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 29.0 | 27.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 23.0 | **514.0** |
| H2O | 1957 | 217.0 | 43.6 | 27.7 | 10.0 | 88.9 | 62.5 | 80.1 | 50.7 | 137.0 | 83.9 | 148.6 | 61.4 | **1,074.1** |

# Manitoba Production
## 1950 To 1975

Licence ***925*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.09-20-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1957 | 209.6 | 197.2 | 185.9 | 160.5 | 142.2 | 137.8 | 178.5 | 195.0 | 168.4 | 183.1 | 155.6 | 74.5 | **3,673.8** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 30.0 | 31.0 | 7.0 | 5.0 | **167.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 1.9 | 13.4 | 2.5 | 2.7 | **62.7** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 118.4 | 216.3 | 296.5 | 35.3 | 25.1 | **1,685.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 0.0 | 27.0 | 18.0 | **75.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 39.0 | **41.1** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 284.0 | 309.4 | 215.8 | 184.7 | **993.9** |

Licence ***926*** Well Name ***Sun G. Stonehouse West Ebor*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-16-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 3.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **559.0** |
| OIL | 1960 | 6.2 | 3.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **825.6** |
| DAY | 1959 | 6.0 | 4.0 | 6.0 | 4.0 | 7.0 | 6.0 | 6.0 | 4.0 | 5.0 | 5.0 | 5.0 | 5.0 | **553.0** |
| OIL | 1959 | 9.2 | 5.2 | 9.4 | 7.5 | 7.6 | 8.4 | 8.1 | 6.7 | 8.6 | 5.2 | 8.1 | 5.4 | **815.8** |
| DAY | 1958 | 9.0 | 7.0 | 7.0 | 7.0 | 8.0 | 7.0 | 6.0 | 6.0 | 6.0 | 6.0 | 5.0 | 6.0 | **490.0** |
| OIL | 1958 | 13.3 | 9.1 | 10.3 | 9.7 | 10.6 | 10.3 | 9.1 | 8.1 | 7.9 | 8.4 | 8.3 | 7.9 | **726.4** |
| DAY | 1957 | 0.0 | 9.0 | 17.0 | 8.0 | 8.0 | 7.0 | 1.0 | 1.0 | 6.0 | 9.0 | 8.0 | 9.0 | **410.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | **396.8** |
| OIL | 1957 | 0.0 | 20.7 | 19.1 | 15.3 | 11.0 | 12.7 | 1.0 | 0.5 | 9.2 | 13.0 | 12.7 | 12.7 | **613.4** |
| DAY | 1956 | 10.0 | 3.0 | 31.0 | 30.0 | 26.0 | 30.0 | 21.0 | 31.0 | 30.0 | 19.0 | 0.0 | 5.0 | **327.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.2 | 0.2 | 0.0 | 0.0 | **396.4** |
| OIL | 1956 | 11.3 | 10.5 | 35.9 | 28.4 | 16.2 | 24.6 | 15.7 | 23.7 | 21.3 | 11.9 | 0.0 | 11.0 | **485.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 17.0 | 25.0 | 29.0 | **91.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 123.3 | 272.5 | 0.0 | 0.0 | **395.8** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 135.9 | 68.0 | 38.5 | 32.6 | **275.0** |

Licence ***927*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,217.0** |
| H2O | 1975 | 112.6 | 104.3 | 111.6 | 180.8 | 187.4 | 174.1 | 176.1 | 177.3 | 174.4 | 187.3 | 187.9 | 191.1 | **6,991.1** |
| OIL | 1975 | 387.4 | 347.1 | 365.8 | 365.5 | 372.5 | 351.4 | 364.9 | 374.1 | 363.0 | 375.5 | 363.0 | 369.0 | **117,311.4** |
| DAY | 1974 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **6,853.0** |
| H2O | 1974 | 44.5 | 25.1 | 30.4 | 29.6 | 30.5 | 28.5 | 31.0 | 28.5 | 107.5 | 109.4 | 109.1 | 112.6 | **5,026.2** |
| OIL | 1974 | 401.9 | 328.8 | 405.2 | 385.8 | 401.4 | 360.4 | 401.2 | 399.5 | 379.5 | 386.6 | 368.5 | 393.5 | **112,912.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,494.0** |
| H2O | 1973 | 81.2 | 116.4 | 124.8 | 119.6 | 121.1 | 116.5 | 117.0 | 49.9 | 49.0 | 49.4 | 45.9 | 44.5 | **4,339.5** |
| OIL | 1973 | 462.3 | 403.0 | 444.2 | 413.8 | 431.9 | 418.7 | 434.0 | 421.4 | 401.1 | 409.5 | 385.7 | 391.2 | **108,299.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,129.0** |
| H2O | 1972 | 63.6 | 63.0 | 82.4 | 73.3 | 149.1 | 85.1 | 84.1 | 99.5 | 99.4 | 108.3 | 121.8 | 123.4 | **3,304.2** |
| OIL | 1972 | 414.9 | 394.6 | 451.6 | 431.3 | 468.8 | 477.8 | 403.6 | 516.5 | 475.0 | 500.2 | 444.3 | 462.4 | **103,283.1** |
| DAY | 1971 | 30.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,769.0** |
| H2O | 1971 | 30.7 | 28.3 | 31.3 | 33.5 | 33.5 | 71.7 | 71.1 | 68.5 | 61.5 | 68.7 | 66.0 | 69.0 | **2,151.2** |
| OIL | 1971 | 637.2 | 571.9 | 606.4 | 615.5 | 629.4 | 576.5 | 589.4 | 578.8 | 570.8 | 592.3 | 558.9 | 430.6 | **97,842.1** |
| DAY | 1970 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,407.0** |
| H2O | 1970 | 14.1 | 12.6 | 13.5 | 12.9 | 13.2 | 13.4 | 11.8 | 30.5 | 32.9 | 34.2 | 31.2 | 34.7 | **1,517.4** |
| OIL | 1970 | 670.0 | 575.3 | 645.0 | 636.0 | 656.1 | 642.5 | 634.8 | 303.7 | 600.0 | 633.1 | 607.2 | 637.1 | **90,884.4** |
| DAY | 1969 | 31.0 | 28.0 | 29.0 | 28.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,047.0** |
| H2O | 1969 | 23.5 | 21.5 | 18.4 | 19.1 | 22.6 | 3.8 | 4.5 | 4.5 | 4.1 | 4.6 | 3.8 | 14.8 | **1,262.4** |
| OIL | 1969 | 742.1 | 656.0 | 662.0 | 658.7 | 724.6 | 597.0 | 668.7 | 664.9 | 625.5 | 677.1 | 607.5 | 693.5 | **83,643.6** |

# Manitoba Production
## 1950 To 1975

Licence ***927*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 29.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 27.0 | **4,689.0** |
| H2O | 1968 | 16.4 | 16.9 | 18.0 | 4.1 | 4.6 | 4.1 | 74.1 | 72.8 | 4.1 | 4.1 | 8.1 | 19.2 | **1,117.2** |
| OIL | 1968 | 687.8 | 679.7 | 725.7 | 664.9 | 712.4 | 682.2 | 632.9 | 680.9 | 673.8 | 681.2 | 641.7 | 639.0 | **75,666.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 15.0 | 28.0 | 31.0 | **4,333.0** |
| H2O | 1967 | 5.2 | 4.1 | 5.2 | 9.7 | 9.4 | 8.9 | 7.3 | 4.8 | 4.1 | 2.1 | 15.6 | 18.4 | **870.7** |
| OIL | 1967 | 741.5 | 642.9 | 743.4 | 695.2 | 687.4 | 686.8 | 713.0 | 697.3 | 671.9 | 310.8 | 672.7 | 739.4 | **67,563.8** |
| DAY | 1966 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **3,987.0** |
| H2O | 1966 | 7.0 | 5.1 | 3.5 | 3.5 | 4.0 | 3.5 | 3.2 | 4.5 | 4.6 | 5.1 | 4.8 | 5.6 | **775.9** |
| OIL | 1966 | 707.6 | 584.0 | 665.7 | 660.3 | 705.4 | 663.1 | 632.6 | 699.5 | 630.2 | 727.6 | 659.0 | 747.7 | **59,561.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,627.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 12.7 | 12.6 | 38.0 | 37.0 | 6.8 | 6.8 | 7.0 | 7.3 | **721.5** |
| OIL | 1965 | 702.9 | 635.3 | 693.0 | 667.7 | 705.6 | 729.4 | 639.3 | 613.1 | 692.5 | 720.3 | 697.0 | 715.6 | **51,478.8** |
| DAY | 1964 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,263.0** |
| H2O | 1964 | 7.3 | 6.8 | 7.5 | 7.2 | 7.9 | 3.8 | 0.0 | 3.7 | 3.7 | 3.7 | 0.0 | 0.0 | **593.3** |
| OIL | 1964 | 495.3 | 651.5 | 674.7 | 653.4 | 696.8 | 604.5 | 665.8 | 653.1 | 632.0 | 643.4 | 649.9 | 696.5 | **43,267.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,900.0** |
| H2O | 1963 | 5.1 | 4.9 | 6.0 | 6.0 | 5.7 | 5.4 | 0.0 | 0.0 | 0.0 | 0.0 | 7.3 | 7.6 | **541.7** |
| OIL | 1963 | 473.6 | 464.8 | 559.4 | 544.6 | 557.9 | 558.4 | 526.8 | 499.9 | 483.2 | 503.7 | 485.5 | 496.8 | **35,550.2** |
| DAY | 1962 | 30.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 28.0 | 31.0 | 30.0 | 26.0 | 28.0 | 26.0 | **2,538.0** |
| H2O | 1962 | 7.6 | 8.4 | 9.7 | 11.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **493.7** |
| OIL | 1962 | 342.8 | 319.3 | 352.0 | 336.4 | 342.9 | 354.7 | 322.6 | 366.8 | 354.8 | 292.6 | 326.6 | 284.8 | **29,395.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 28.0 | 28.0 | 31.0 | 27.0 | 29.0 | **2,191.0** |
| H2O | 1961 | 7.2 | 6.7 | 6.4 | 4.5 | 6.7 | 6.4 | 4.6 | 4.0 | 6.0 | 7.9 | 7.6 | 8.6 | **456.6** |
| OIL | 1961 | 346.1 | 310.8 | 330.1 | 328.9 | 345.3 | 368.8 | 350.7 | 337.2 | 319.9 | 364.9 | 316.7 | 335.8 | **25,399.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,839.0** |
| H2O | 1960 | 28.0 | 28.1 | 43.2 | 22.3 | 5.7 | 5.4 | 7.6 | 5.4 | 8.9 | 9.2 | 7.9 | 6.8 | **380.0** |
| OIL | 1960 | 340.7 | 315.9 | 329.9 | 354.7 | 374.1 | 336.4 | 346.1 | 284.6 | 363.0 | 367.7 | 339.7 | 351.2 | **21,344.1** |
| DAY | 1959 | 30.0 | 28.0 | 27.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 28.0 | 29.0 | 27.0 | 31.0 | **1,482.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.9 | 6.0 | 2.7 | 21.8 | 19.4 | 18.8 | 18.9 | **201.5** |
| OIL | 1959 | 350.7 | 325.8 | 315.4 | 353.6 | 356.1 | 324.2 | 334.3 | 357.2 | 319.9 | 332.9 | 309.2 | 350.9 | **17,240.1** |
| DAY | 1958 | 26.0 | 25.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 28.0 | **1,132.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **111.0** |
| OIL | 1958 | 316.9 | 260.5 | 332.4 | 330.2 | 355.8 | 301.5 | 335.5 | 359.1 | 364.9 | 363.0 | 363.4 | 330.4 | **13,209.9** |
| DAY | 1957 | 29.0 | 25.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | 31.0 | 30.0 | 31.0 | 24.0 | 28.0 | **786.0** |
| H2O | 1957 | 3.0 | 3.7 | 0.5 | 1.0 | 3.8 | 0.6 | 0.3 | 2.7 | 2.9 | 0.8 | 0.6 | 0.8 | **110.4** |
| OIL | 1957 | 343.1 | 290.0 | 350.1 | 357.9 | 358.5 | 290.6 | 349.0 | 338.2 | 359.8 | 376.0 | 304.8 | 344.4 | **9,196.3** |
| DAY | 1956 | 31.0 | 28.0 | 31.0 | 29.0 | 26.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 27.0 | 30.0 | **440.0** |
| H2O | 1956 | 3.8 | 2.9 | 2.9 | 2.7 | 20.7 | 25.1 | 4.9 | 5.4 | 0.6 | 0.5 | 4.9 | 4.9 | **89.7** |
| OIL | 1956 | 362.8 | 299.1 | 329.3 | 331.6 | 316.7 | 380.1 | 383.3 | 375.8 | 349.9 | 356.3 | 319.1 | 352.5 | **5,133.9** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 25.0 | 29.0 | 31.0 | **86.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.3 | 3.8 | 3.3 | **10.4** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.6 | 0.0 | 336.7 | 300.3 | 334.8 | **977.4** |

Licence ***928*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.10-28-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 31.0 | 9.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,431.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 252.1 | 262.0 | 73.9 | 0.0 | 0.0 | 0.0 | 0.0 | **59,927.7** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.4 | 13.3 | 4.2 | 0.0 | 0.0 | 0.0 | 0.0 | **7,144.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **5,363.0** |
| H2O | 1971 | 416.4 | 388.9 | 406.5 | 412.6 | 290.3 | 276.8 | 294.9 | 325.4 | 213.7 | 428.8 | 0.0 | 0.0 | **59,339.7** |

# Manitoba Production
## 1950 To 1975

Licence ***928*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.10-28-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1971 | 36.7 | 33.8 | 36.2 | 45.9 | 23.0 | 12.6 | 12.7 | 11.8 | 7.9 | 11.9 | 0.0 | 0.0 | **7,114.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,062.0** |
| H2O | 1970 | 444.0 | 421.3 | 470.4 | 454.5 | 440.4 | 424.0 | 420.7 | 432.7 | 368.4 | 440.2 | 418.0 | 418.9 | **55,885.4** |
| OIL | 1970 | 45.8 | 42.7 | 50.7 | 49.7 | 33.8 | 29.9 | 26.5 | 27.5 | 25.4 | 37.8 | 36.1 | 39.4 | **6,881.6** |
| DAY | 1969 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,697.0** |
| H2O | 1969 | 939.5 | 771.4 | 940.9 | 949.3 | 1071.3 | 802.1 | 1010.5 | 861.6 | 462.9 | 488.2 | 452.3 | 450.2 | **50,731.9** |
| OIL | 1969 | 38.8 | 30.7 | 34.6 | 37.8 | 41.8 | 31.6 | 36.7 | 34.6 | 48.1 | 52.0 | 42.1 | 45.9 | **6,436.3** |
| DAY | 1968 | 28.0 | 27.0 | 26.0 | 30.0 | 31.0 | 27.0 | 28.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,336.0** |
| H2O | 1968 | 282.5 | 257.7 | 295.1 | 331.8 | 320.8 | 307.5 | 304.4 | 837.5 | 955.2 | 975.2 | 992.1 | 977.1 | **41,531.7** |
| OIL | 1968 | 29.7 | 26.7 | 28.1 | 29.6 | 28.3 | 26.1 | 26.1 | 37.0 | 39.6 | 40.0 | 42.9 | 44.7 | **5,961.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 20.0 | 16.0 | 31.0 | 31.0 | 30.0 | 10.0 | 12.0 | 28.0 | **3,990.0** |
| H2O | 1967 | 354.0 | 301.9 | 336.1 | 330.7 | 228.1 | 172.0 | 331.6 | 234.5 | 289.0 | 103.5 | 86.6 | 268.0 | **34,694.8** |
| OIL | 1967 | 30.4 | 27.5 | 28.9 | 29.6 | 19.7 | 13.2 | 23.8 | 26.1 | 23.8 | 9.2 | 11.3 | 29.7 | **5,562.8** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 29.0 | 5.0 | 20.0 | 31.0 | **3,692.0** |
| H2O | 1966 | 354.4 | 426.4 | 306.8 | 301.1 | 307.3 | 280.6 | 294.9 | 309.5 | 293.5 | 51.8 | 209.7 | 349.0 | **31,658.8** |
| OIL | 1966 | 24.8 | 23.8 | 27.0 | 28.4 | 33.7 | 31.8 | 30.5 | 28.4 | 25.4 | 3.7 | 19.1 | 32.4 | **5,289.6** |
| DAY | 1965 | 10.0 | 11.0 | 31.0 | 25.0 | 31.0 | 25.0 | 31.0 | 28.0 | 2.0 | 20.0 | 8.0 | 22.0 | **3,366.0** |
| H2O | 1965 | 109.1 | 130.4 | 367.2 | 296.0 | 360.4 | 272.7 | 328.3 | 260.6 | 19.9 | 202.5 | 78.9 | 304.6 | **28,173.8** |
| OIL | 1965 | 7.0 | 8.1 | 20.3 | 18.3 | 22.1 | 15.9 | 23.7 | 18.9 | 2.5 | 6.5 | 5.6 | 16.8 | **4,980.6** |
| DAY | 1964 | 30.0 | 28.0 | 26.0 | 30.0 | 30.0 | 28.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,122.0** |
| H2O | 1964 | 336.1 | 432.6 | 323.8 | 349.8 | 253.7 | 299.2 | 315.3 | 327.0 | 286.5 | 360.6 | 317.2 | 332.4 | **25,443.2** |
| OIL | 1964 | 21.9 | 23.7 | 20.5 | 15.7 | 15.3 | 21.5 | 28.6 | 30.0 | 24.6 | 26.9 | 28.0 | 23.4 | **4,814.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,769.0** |
| H2O | 1963 | 205.6 | 203.2 | 209.1 | 212.6 | 285.8 | 279.5 | 278.2 | 284.3 | 339.7 | 337.5 | 367.2 | 369.5 | **21,509.0** |
| OIL | 1963 | 22.9 | 20.8 | 21.9 | 19.1 | 22.4 | 16.5 | 16.4 | 19.7 | 20.0 | 20.7 | 21.0 | 21.9 | **4,534.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 20.0 | 31.0 | 30.0 | 31.0 | **2,407.0** |
| H2O | 1962 | 100.5 | 88.9 | 92.7 | 90.8 | 297.9 | 289.0 | 327.8 | 311.3 | 177.9 | 194.4 | 206.2 | 202.5 | **18,136.8** |
| OIL | 1962 | 8.3 | 7.0 | 7.5 | 7.0 | 30.8 | 29.9 | 29.9 | 28.3 | 14.6 | 22.1 | 22.2 | 22.1 | **4,291.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 21.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,053.0** |
| H2O | 1961 | 267.7 | 235.9 | 271.2 | 246.6 | 264.7 | 66.6 | 85.7 | 75.4 | 81.1 | 83.9 | 104.0 | 102.7 | **15,756.9** |
| OIL | 1961 | 40.2 | 34.5 | 42.9 | 38.0 | 35.9 | 5.4 | 7.9 | 6.5 | 7.2 | 7.2 | 8.4 | 8.6 | **4,061.8** |
| DAY | 1960 | 31.0 | 29.0 | 28.0 | 28.0 | 30.0 | 29.0 | 31.0 | 27.0 | 30.0 | 30.0 | 28.0 | 31.0 | **1,699.0** |
| H2O | 1960 | 226.4 | 212.7 | 209.7 | 194.9 | 193.8 | 198.6 | 227.2 | 155.3 | 204.4 | 196.3 | 186.6 | 273.4 | **13,871.4** |
| OIL | 1960 | 36.1 | 31.5 | 30.8 | 29.1 | 22.9 | 25.6 | 29.6 | 33.1 | 39.4 | 37.0 | 35.8 | 43.2 | **3,819.1** |
| DAY | 1959 | 24.0 | 28.0 | 31.0 | 28.0 | 28.0 | 26.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **1,347.0** |
| H2O | 1959 | 225.9 | 272.0 | 300.0 | 266.8 | 228.0 | 231.2 | 244.5 | 250.7 | 242.4 | 213.2 | 226.1 | 228.6 | **11,392.1** |
| OIL | 1959 | 33.2 | 38.3 | 39.7 | 40.4 | 36.9 | 39.9 | 40.4 | 40.2 | 38.1 | 35.0 | 34.5 | 36.1 | **3,425.0** |
| DAY | 1958 | 28.0 | 27.0 | 31.0 | 29.0 | 23.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,002.0** |
| H2O | 1958 | 314.6 | 316.7 | 360.7 | 340.1 | 240.9 | 352.3 | 355.2 | 352.1 | 274.7 | 278.5 | 275.8 | 291.9 | **8,462.7** |
| OIL | 1958 | 54.7 | 52.9 | 56.9 | 31.6 | 25.4 | 37.2 | 42.1 | 39.1 | 40.4 | 45.0 | 42.9 | 43.4 | **2,972.3** |
| DAY | 1957 | 0.0 | 19.0 | 29.0 | 30.0 | 30.0 | 25.0 | 28.0 | 27.0 | 26.0 | 27.0 | 28.0 | 30.0 | **651.0** |
| H2O | 1957 | 0.0 | 97.3 | 158.3 | 153.3 | 342.3 | 290.3 | 342.4 | 322.1 | 291.3 | 278.9 | 316.1 | 340.9 | **4,709.2** |
| OIL | 1957 | 0.0 | 69.6 | 111.9 | 108.5 | 46.1 | 52.6 | 50.7 | 41.8 | 60.5 | 58.5 | 58.2 | 60.2 | **2,460.7** |
| DAY | 1956 | 21.0 | 23.0 | 27.0 | 15.0 | 25.0 | 21.0 | 28.0 | 27.0 | 30.0 | 31.0 | 28.0 | 15.0 | **352.0** |
| H2O | 1956 | 144.4 | 170.7 | 215.1 | 98.9 | 222.6 | 83.6 | 77.7 | 136.4 | 145.0 | 146.1 | 144.0 | 60.4 | **1,776.0** |
| OIL | 1956 | 115.8 | 117.3 | 130.9 | 73.4 | 120.0 | 90.6 | 70.4 | 121.2 | 144.3 | 138.9 | 121.1 | 65.6 | **1,742.1** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 15.0 | 25.0 | 11.0 | **61.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.9 | 26.5 | 41.0 | 51.7 | **131.1** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 81.4 | 117.9 | 168.0 | 65.3 | **432.6** |

Licence ***930*** Well Name ***Daly Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.10-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

# Manitoba Production
## 1950 To 1975

Licence ***930*** Well Name ***Daly Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.10-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1548.6 | 1357.0 | 1512.9 | 1403.1 | 1223.4 | 1329.7 | 986.7 | 813.4 | 1388.1 | 1310.7 | 1116.8 | 1076.2 | **384,566.8** |
| WIN | 1974 | 1391.8 | 1638.7 | 1861.9 | 1896.4 | 1749.5 | 1274.7 | 1720.8 | 1375.8 | 1581.5 | 1417.1 | 1328.3 | 951.7 | **369,500.2** |
| WIN | 1973 | 692.2 | 1359.7 | 1785.4 | 1483.0 | 1859.4 | 1770.3 | 1683.2 | 1838.7 | 1710.6 | 1436.6 | 1368.2 | 1232.5 | **351,312.0** |
| WIN | 1972 | 2140.2 | 1744.4 | 1923.1 | 1958.7 | 2008.4 | 1720.8 | 1497.2 | 1782.9 | 1800.5 | 26.3 | 959.9 | 1041.7 | **333,092.2** |
| WIN | 1971 | 1899.7 | 1312.6 | 1548.1 | 2138.6 | 2038.1 | 1677.4 | 1810.8 | 2003.2 | 1088.4 | 2198.3 | 1459.1 | 1725.9 | **314,488.1** |
| WIN | 1970 | 1516.1 | 1977.0 | 1913.6 | 1874.0 | 2080.7 | 2004.3 | 2085.2 | 1431.2 | 1620.1 | 1810.5 | 1699.6 | 1458.5 | **293,587.9** |
| WIN | 1969 | 1266.6 | 1496.3 | 1929.0 | 1872.9 | 2019.4 | 1782.7 | 1873.1 | 1611.2 | 1368.8 | 1921.1 | 1687.7 | 1840.0 | **272,117.1** |
| WIN | 1968 | 972.1 | 1031.4 | 1277.2 | 1266.7 | 836.1 | 1249.7 | 1269.1 | 1230.3 | 1126.7 | 1200.0 | 1135.7 | 1230.0 | **251,448.3** |
| WIN | 1967 | 1939.3 | 1715.6 | 1924.4 | 1861.1 | 1892.2 | 1803.0 | 1830.8 | 1835.1 | 1585.4 | 1585.5 | 1050.8 | 255.7 | **237,623.3** |
| WIN | 1966 | 1434.8 | 1351.8 | 1373.7 | 1440.4 | 1373.2 | 1220.9 | 1202.5 | 1194.1 | 1069.7 | 1094.0 | 190.2 | 1762.2 | **218,344.4** |
| WIN | 1965 | 1799.8 | 1683.5 | 1909.2 | 1777.5 | 1717.9 | 1752.7 | 1629.3 | 1467.7 | 1435.8 | 1483.8 | 1278.4 | 1445.3 | **203,636.9** |
| WIN | 1964 | 2262.7 | 2035.1 | 1679.8 | 2043.2 | 222.7 | 1967.5 | 1973.2 | 1879.9 | 1826.3 | 1816.5 | 1811.8 | 1896.9 | **184,256.0** |
| WIN | 1963 | 2193.7 | 1754.4 | 1983.1 | 1951.3 | 1965.4 | 1214.9 | 240.0 | 2232.9 | 1763.6 | 2077.7 | 1756.0 | 1999.2 | **162,840.4** |
| WIN | 1962 | 2050.3 | 1518.8 | 2221.3 | 1916.5 | 1900.8 | 1802.5 | 3000.3 | 2054.4 | 2109.1 | 1996.7 | 1779.9 | 2308.5 | **141,708.2** |
| WIN | 1961 | 2334.7 | 1690.9 | 1638.7 | 1783.2 | 2216.1 | 2245.9 | 2232.7 | 1675.7 | 2059.6 | 1989.8 | 2024.3 | 1878.6 | **117,049.1** |
| WIN | 1960 | 1644.4 | 1598.8 | 1816.2 | 1069.9 | 1722.3 | 1647.4 | 1724.2 | 1774.5 | 1894.2 | 1956.5 | 2070.7 | 2339.4 | **93,278.9** |
| WIN | 1959 | 1793.5 | 1949.4 | 2176.2 | 2083.6 | 1932.2 | 1796.5 | 2042.2 | 2043.4 | 1889.7 | 1884.0 | 1700.0 | 1616.9 | **72,020.4** |
| WIN | 1958 | 2136.7 | 1352.5 | 1442.4 | 1569.8 | 1522.2 | 1740.5 | 1463.1 | 1818.3 | 1649.4 | 2100.6 | 1763.0 | 2014.8 | **49,112.8** |
| WIN | 1957 | 0.0 | 0.0 | 5.4 | 56.1 | 1448.5 | 1740.7 | 1114.7 | 1917.9 | 1766.0 | 1124.2 | 374.9 | 2716.7 | **28,539.5** |
| WIN | 1956 | 1213.2 | 1302.7 | 1364.7 | 633.8 | 1540.0 | 1817.8 | 1572.3 | 1531.0 | 1448.8 | 1526.1 | 1203.5 | 514.5 | **16,274.4** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.1 | 0.0 | 0.0 | **28.1** |
| WIN | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 606.0 | **606.0** |

Licence ***931*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,280.0** |
| H2O | 1975 | 74.4 | 68.5 | 76.3 | 73.9 | 74.4 | 73.3 | 73.6 | 72.5 | 71.4 | 76.8 | 76.9 | 78.2 | **6,651.4** |
| OIL | 1975 | 260.5 | 231.4 | 254.1 | 257.4 | 253.8 | 254.9 | 262.2 | 263.5 | 255.5 | 264.4 | 255.7 | 259.8 | **53,002.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,916.0** |
| H2O | 1974 | 97.1 | 81.2 | 65.5 | 63.8 | 63.9 | 66.3 | 66.9 | 61.4 | 70.7 | 74.2 | 74.1 | 74.1 | **5,761.2** |
| OIL | 1974 | 294.8 | 264.4 | 258.7 | 246.6 | 248.1 | 248.1 | 256.0 | 255.1 | 253.0 | 266.3 | 254.1 | 262.2 | **49,929.7** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,552.0** |
| H2O | 1973 | 50.9 | 49.0 | 52.3 | 36.1 | 36.6 | 35.1 | 35.5 | 107.6 | 104.4 | 107.2 | 100.5 | 97.5 | **4,902.0** |
| OIL | 1973 | 241.7 | 213.1 | 307.6 | 288.6 | 301.1 | 292.1 | 302.7 | 305.3 | 286.8 | 298.0 | 282.7 | 286.8 | **46,822.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,187.0** |
| H2O | 1972 | 8.3 | 7.9 | 8.7 | 7.9 | 8.7 | 26.9 | 29.7 | 28.1 | 28.1 | 30.7 | 25.6 | 25.8 | **4,089.3** |
| OIL | 1972 | 350.4 | 326.7 | 355.8 | 339.7 | 358.5 | 315.3 | 324.7 | 332.1 | 316.1 | 332.9 | 307.8 | 319.4 | **43,415.8** |
| DAY | 1971 | 31.0 | 27.0 | 31.0 | 29.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,821.0** |
| H2O | 1971 | 32.1 | 28.0 | 33.4 | 24.5 | 25.4 | 22.9 | 24.3 | 28.1 | 25.1 | 7.8 | 7.6 | 8.7 | **3,852.9** |
| OIL | 1971 | 417.9 | 356.6 | 409.4 | 362.2 | 383.1 | 337.8 | 368.4 | 373.8 | 368.5 | 369.5 | 348.6 | 356.8 | **39,436.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,461.0** |
| H2O | 1970 | 35.8 | 33.5 | 35.1 | 32.4 | 33.5 | 29.7 | 25.3 | 31.0 | 28.8 | 34.2 | 31.2 | 34.5 | **3,585.0** |
| OIL | 1970 | 395.2 | 356.4 | 389.0 | 375.2 | 387.1 | 383.3 | 366.0 | 391.4 | 373.6 | 399.7 | 383.3 | 402.2 | **34,983.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,098.0** |
| H2O | 1969 | 75.0 | 66.8 | 63.9 | 65.3 | 71.9 | 33.9 | 36.6 | 36.6 | 34.8 | 38.0 | 33.7 | 37.0 | **3,200.0** |
| OIL | 1969 | 419.0 | 361.5 | 409.0 | 398.4 | 409.0 | 383.1 | 397.0 | 391.1 | 385.2 | 407.6 | 390.8 | 409.2 | **30,381.4** |
| DAY | 1968 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,733.0** |
| H2O | 1968 | 24.2 | 19.6 | 23.4 | 23.8 | 25.1 | 59.3 | 65.2 | 59.6 | 55.6 | 56.6 | 67.4 | 71.7 | **2,606.5** |
| OIL | 1968 | 204.0 | 160.7 | 387.4 | 384.9 | 386.0 | 356.9 | 367.1 | 366.8 | 390.1 | 393.0 | 406.7 | 418.7 | **25,620.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,373.0** |

# Manitoba Production
## 1950 To 1975

Licence ***931*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 4.6 | 4.6 | 3.7 | 124.2 | 108.9 | 117.8 | 100.8 | 27.0 | **2,055.0** |
| OIL | 1967 | 287.3 | 255.4 | 315.6 | 304.8 | 319.7 | 316.7 | 328.8 | 329.3 | 317.3 | 335.0 | 318.6 | 221.0 | **21,398.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,008.0** |
| H2O | 1966 | 11.4 | 9.2 | 11.6 | 12.1 | 1.3 | 1.3 | 1.1 | 1.0 | 1.3 | 0.0 | 0.0 | 0.0 | **1,563.4** |
| OIL | 1966 | 295.6 | 260.3 | 288.3 | 281.6 | 291.4 | 280.2 | 290.2 | 294.9 | 287.5 | 280.5 | 275.1 | 281.7 | **17,748.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,643.0** |
| H2O | 1965 | 0.0 | 1.3 | 1.3 | 1.3 | 1.3 | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 | 39.3 | 12.1 | **1,513.1** |
| OIL | 1965 | 65.2 | 56.9 | 61.3 | 75.5 | 76.3 | 76.3 | 79.5 | 78.7 | 72.5 | 77.5 | 302.6 | 298.9 | **14,341.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,278.0** |
| H2O | 1964 | 8.9 | 8.1 | 8.9 | 1.3 | 1.3 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,451.0** |
| OIL | 1964 | 66.7 | 63.1 | 68.3 | 44.0 | 45.3 | 43.7 | 75.5 | 76.3 | 52.1 | 52.9 | 61.0 | 65.5 | **13,020.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,912.0** |
| H2O | 1963 | 1.1 | 1.3 | 1.0 | 1.1 | 3.7 | 5.2 | 4.0 | 4.0 | 3.5 | 8.9 | 8.6 | 8.7 | **1,421.2** |
| OIL | 1963 | 47.4 | 50.5 | 51.3 | 48.8 | 37.5 | 52.3 | 56.1 | 54.3 | 54.8 | 55.3 | 62.6 | 64.2 | **12,305.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,547.0** |
| H2O | 1962 | 2.9 | 2.7 | 1.3 | 7.2 | 4.5 | 4.3 | 8.3 | 7.8 | 7.6 | 19.9 | 13.4 | 1.1 | **1,370.1** |
| OIL | 1962 | 44.3 | 45.4 | 58.5 | 49.4 | 52.6 | 52.1 | 73.4 | 74.1 | 73.3 | 57.5 | 52.9 | 49.4 | **11,670.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,182.0** |
| H2O | 1961 | 7.9 | 8.1 | 13.7 | 7.9 | 6.2 | 10.0 | 9.1 | 14.1 | 11.1 | 2.7 | 5.6 | 4.3 | **1,289.1** |
| OIL | 1961 | 84.2 | 79.1 | 96.0 | 87.9 | 94.7 | 80.2 | 83.4 | 80.7 | 77.2 | 74.1 | 82.0 | 42.4 | **10,987.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,817.0** |
| H2O | 1960 | 12.2 | 14.1 | 17.2 | 17.8 | 8.9 | 10.7 | 19.7 | 18.8 | 2.2 | 5.2 | 12.1 | 21.3 | **1,188.4** |
| OIL | 1960 | 94.1 | 84.5 | 92.3 | 99.0 | 103.0 | 95.5 | 96.8 | 91.4 | 83.7 | 84.4 | 92.0 | 89.0 | **10,025.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,453.0** |
| H2O | 1959 | 13.0 | 11.9 | 11.9 | 13.5 | 14.6 | 7.9 | 11.4 | 11.1 | 4.1 | 6.5 | 9.9 | 7.8 | **1,028.2** |
| OIL | 1959 | 100.6 | 92.6 | 111.4 | 108.5 | 120.5 | 103.6 | 116.8 | 111.9 | 108.9 | 111.4 | 91.7 | 95.0 | **8,920.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 18.0 | 31.0 | 28.0 | 30.0 | **1,091.0** |
| H2O | 1958 | 1.0 | 0.0 | 0.5 | 19.4 | 21.3 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 0.0 | 0.3 | **904.6** |
| OIL | 1958 | 151.0 | 68.3 | 142.7 | 140.8 | 131.3 | 124.4 | 118.5 | 111.6 | 89.8 | 126.0 | 90.4 | 115.4 | **7,647.3** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **742.0** |
| H2O | 1957 | 60.6 | 4.1 | 0.6 | 20.3 | 5.2 | 20.2 | 1.6 | 10.0 | 1.7 | 96.0 | 84.1 | 84.4 | **860.5** |
| OIL | 1957 | 276.5 | 210.6 | 195.0 | 185.8 | 184.5 | 169.6 | 181.0 | 172.4 | 153.3 | 92.5 | 106.2 | 178.5 | **6,237.1** |
| DAY | 1956 | 19.0 | 21.0 | 30.0 | 30.0 | 16.0 | 23.0 | 26.0 | 19.0 | 17.0 | 28.0 | 29.0 | 31.0 | **377.0** |
| H2O | 1956 | 0.6 | 0.8 | 1.4 | 1.4 | 55.0 | 84.4 | 72.7 | 45.0 | 24.5 | 71.2 | 68.2 | 43.7 | **471.7** |
| OIL | 1956 | 235.0 | 227.1 | 304.5 | 315.6 | 197.5 | 283.8 | 320.0 | 217.7 | 181.8 | 312.7 | 284.3 | 269.4 | **4,131.2** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 27.0 | 26.0 | 24.0 | **88.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 0.8 | 1.0 | 0.5 | **2.8** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 139.4 | 306.9 | 283.2 | 252.3 | **981.8** |

Licence ***932*** Well Name ***2928419 MB Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-16-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 16.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,551.0** |
| H2O | 1963 | 675.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **74,523.5** |
| OIL | 1963 | 17.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **15,220.7** |
| DAY | 1962 | 16.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | **2,535.0** |
| H2O | 1962 | 734.1 | 1282.9 | 1434.5 | 1297.3 | 1257.4 | 1269.9 | 1435.9 | 1498.7 | 1428.3 | 1429.7 | 1304.6 | 1304.3 | **73,847.7** |
| OIL | 1962 | 36.9 | 53.6 | 62.6 | 58.8 | 58.5 | 47.0 | 31.3 | 45.0 | 57.2 | 43.7 | 38.0 | 36.2 | **15,203.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,189.0** |
| H2O | 1961 | 1523.9 | 1372.8 | 1453.9 | 1354.7 | 1479.5 | 1447.8 | 1303.3 | 1446.7 | 1420.3 | 1465.2 | 1446.2 | 1493.0 | **58,170.1** |
| OIL | 1961 | 93.1 | 89.1 | 95.2 | 91.7 | 98.0 | 90.3 | 98.8 | 82.0 | 83.3 | 80.1 | 77.5 | 81.7 | **14,634.3** |

# Manitoba Production
## 1950 To 1975

Licence ***932*** Well Name ***2928419 MB Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-16-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 29.0 | 29.0 | 30.0 | 30.0 | 29.0 | 28.0 | 31.0 | 27.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,826.0** |
| H2O | 1960 | 1277.1 | 1257.5 | 1196.6 | 1316.0 | 1193.3 | 1249.7 | 1351.5 | 1044.4 | 1418.9 | 1419.0 | 1392.5 | 1477.6 | **40,962.8** |
| OIL | 1960 | 143.8 | 133.3 | 131.6 | 128.9 | 119.8 | 114.3 | 126.7 | 84.7 | 159.7 | 124.4 | 109.2 | 98.0 | **13,573.5** |
| DAY | 1959 | 31.0 | 26.0 | 29.0 | 29.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **1,472.0** |
| H2O | 1959 | 1175.9 | 1113.6 | 1167.2 | 1233.3 | 1125.2 | 1192.3 | 1188.0 | 1330.6 | 1298.5 | 1320.5 | 1192.0 | 1335.1 | **25,368.7** |
| OIL | 1959 | 273.8 | 203.1 | 217.4 | 205.3 | 185.1 | 175.6 | 165.9 | 174.2 | 162.7 | 164.2 | 149.2 | 158.3 | **12,099.1** |
| DAY | 1958 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | 28.0 | 31.0 | **1,117.0** |
| H2O | 1958 | 221.6 | 373.5 | 433.7 | 470.8 | 479.2 | 377.4 | 349.7 | 216.5 | 1051.2 | 1062.4 | 1093.0 | 1347.0 | **10,696.5** |
| OIL | 1958 | 83.9 | 176.7 | 195.1 | 150.8 | 151.4 | 90.4 | 79.9 | 36.7 | 320.7 | 306.5 | 279.4 | 314.8 | **9,864.3** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 14.0 | 15.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | **758.0** |
| H2O | 1957 | 133.6 | 133.1 | 155.7 | 69.6 | 74.7 | 135.5 | 468.4 | 461.7 | 424.8 | 304.3 | 226.2 | 236.9 | **3,220.5** |
| OIL | 1957 | 345.2 | 311.8 | 345.2 | 160.2 | 181.5 | 313.5 | 230.7 | 213.1 | 229.9 | 139.2 | 133.6 | 144.3 | **7,678.0** |
| DAY | 1956 | 30.0 | 29.0 | 29.0 | 28.0 | 18.0 | 28.0 | 22.0 | 28.0 | 30.0 | 31.0 | 29.0 | 27.0 | **431.0** |
| H2O | 1956 | 0.6 | 0.8 | 0.8 | 0.6 | 0.5 | 18.0 | 28.8 | 25.1 | 60.1 | 91.3 | 81.1 | 87.1 | **396.0** |
| OIL | 1956 | 380.9 | 379.2 | 364.5 | 324.0 | 226.0 | 399.7 | 269.7 | 299.1 | 272.4 | 275.5 | 299.4 | 240.0 | **4,929.8** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 31.0 | 26.0 | 28.0 | **102.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 0.6 | **1.2** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 253.6 | 344.8 | 286.5 | 314.5 | **1,199.4** |

Licence ***933*** Well Name ***New Scope Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-09-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 24.0 | 28.0 | 31.0 | 12.0 | 29.0 | 23.0 | 25.0 | 28.0 | 29.0 | 31.0 | 12.0 | 0.0 | **5,409.0** |
| H2O | 1975 | 2766.4 | 2782.3 | 3326.8 | 1335.5 | 3342.7 | 2651.1 | 2881.6 | 3239.4 | 2253.6 | 3326.8 | 1271.9 | 0.0 | **283,861.5** |
| OIL | 1975 | 30.5 | 35.6 | 36.9 | 15.3 | 31.5 | 25.4 | 28.1 | 18.0 | 23.1 | 24.6 | 7.6 | 0.0 | **9,152.8** |
| DAY | 1974 | 30.0 | 12.0 | 30.0 | 25.0 | 0.0 | 27.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,137.0** |
| H2O | 1974 | 3368.9 | 1335.5 | 3577.2 | 2782.3 | 0.0 | 3052.6 | 3465.9 | 3338.7 | 3338.7 | 3338.7 | 3195.6 | 2957.2 | **254,683.4** |
| OIL | 1974 | 37.5 | 15.3 | 33.4 | 27.8 | 0.0 | 34.3 | 38.2 | 38.2 | 38.2 | 38.2 | 38.2 | 29.9 | **8,876.2** |
| DAY | 1973 | 28.0 | 28.0 | 28.0 | 30.0 | 30.0 | 12.0 | 27.0 | 29.0 | 28.0 | 30.0 | 29.0 | 30.0 | **4,832.0** |
| H2O | 1973 | 3689.1 | 4521.4 | 4162.9 | 4298.7 | 3189.3 | 1430.9 | 3148.0 | 3356.2 | 3260.8 | 3451.6 | 3316.5 | 3372.1 | **220,932.1** |
| OIL | 1973 | 26.4 | 37.5 | 39.7 | 45.8 | 41.0 | 21.0 | 47.2 | 36.9 | 35.6 | 38.2 | 36.9 | 37.5 | **8,507.0** |
| DAY | 1972 | 31.0 | 21.0 | 30.0 | 30.0 | 30.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,503.0** |
| H2O | 1972 | 3609.6 | 3331.6 | 3364.2 | 3412.2 | 3704.9 | 3090.9 | 3329.8 | 3561.0 | 3151.3 | 3473.4 | 3153.4 | 3413.5 | **179,734.6** |
| OIL | 1972 | 45.6 | 40.2 | 38.8 | 41.0 | 32.8 | 22.1 | 27.5 | 28.9 | 27.3 | 30.0 | 27.7 | 24.6 | **8,063.3** |
| DAY | 1971 | 31.0 | 25.0 | 28.0 | 28.0 | 30.0 | 29.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,152.0** |
| H2O | 1971 | 2400.9 | 2042.3 | 2350.9 | 2053.4 | 2451.6 | 2365.5 | 2959.8 | 2862.6 | 2759.1 | 2774.4 | 2521.8 | 2620.7 | **139,138.8** |
| OIL | 1971 | 49.9 | 30.0 | 39.7 | 65.8 | 95.2 | 68.4 | 68.2 | 53.6 | 41.5 | 45.3 | 43.6 | 44.5 | **7,676.8** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 31.0 | **3,800.0** |
| H2O | 1970 | 453.3 | 368.9 | 437.3 | 426.8 | 427.7 | 338.1 | 393.2 | 539.8 | 512.6 | 565.9 | 1027.1 | 1379.1 | **108,975.8** |
| OIL | 1970 | 40.5 | 36.9 | 40.1 | 43.1 | 39.4 | 31.3 | 36.4 | 48.2 | 47.4 | 50.7 | 15.4 | 24.3 | **7,031.1** |
| DAY | 1969 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,749.0** |
| H2O | 1969 | 535.1 | 463.3 | 501.8 | 522.8 | 599.8 | 536.8 | 526.3 | 549.0 | 738.4 | 727.7 | 667.5 | 473.8 | **102,106.0** |
| OIL | 1969 | 48.7 | 42.1 | 45.6 | 47.5 | 54.5 | 48.8 | 47.9 | 49.9 | 35.0 | 32.0 | 28.1 | 43.1 | **6,577.4** |
| DAY | 1968 | 23.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 25.0 | 30.0 | 31.0 | **3,718.0** |
| H2O | 1968 | 968.0 | 484.0 | 640.8 | 620.0 | 363.0 | 318.8 | 400.5 | 348.6 | 485.3 | 445.1 | 548.4 | 608.5 | **95,263.7** |
| OIL | 1968 | 31.2 | 21.6 | 50.6 | 40.5 | 33.5 | 30.8 | 39.4 | 36.9 | 49.6 | 29.1 | 52.5 | 55.3 | **6,054.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 19.0 | 29.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,368.0** |
| H2O | 1966 | 1000.3 | 903.6 | 1000.3 | 613.1 | 856.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **89,032.7** |
| OIL | 1966 | 22.1 | 19.9 | 27.7 | 21.0 | 23.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,583.2** |
| DAY | 1965 | 31.0 | 26.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 30.0 | 30.0 | 27.0 | 30.0 | 31.0 | **3,230.0** |
| H2O | 1965 | 813.3 | 682.1 | 813.3 | 787.0 | 711.5 | 706.3 | 729.8 | 706.3 | 706.3 | 839.5 | 968.0 | 1000.3 | **84,659.4** |

# Manitoba Production
## 1950 To 1975

Licence ***933*** Well Name ***New Scope Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-09-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1965 | 12.4 | 9.5 | 13.0 | 8.7 | 12.9 | 23.2 | 30.0 | 31.2 | 31.5 | 28.3 | 31.0 | 33.7 | **5,469.1** |
| DAY | 1964 | 28.0 | 26.0 | 31.0 | 30.0 | 28.0 | 30.0 | 27.0 | 31.0 | 26.0 | 25.0 | 30.0 | 31.0 | **2,876.0** |
| H2O | 1964 | 796.9 | 740.0 | 882.3 | 853.8 | 796.9 | 596.3 | 536.6 | 616.1 | 516.8 | 657.8 | 787.0 | 813.3 | **75,195.7** |
| OIL | 1964 | 21.1 | 15.6 | 23.2 | 17.3 | 15.6 | 27.0 | 26.2 | 28.6 | 19.1 | 13.8 | 11.4 | 14.0 | **5,203.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 30.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,533.0** |
| H2O | 1963 | 703.7 | 636.6 | 704.9 | 591.2 | 704.9 | 873.4 | 815.0 | 902.5 | 815.0 | 882.3 | 853.8 | 882.3 | **66,601.9** |
| OIL | 1963 | 39.6 | 36.2 | 39.0 | 33.1 | 37.4 | 15.9 | 14.9 | 14.6 | 13.0 | 24.2 | 21.6 | 20.2 | **4,970.8** |
| DAY | 1962 | 9.0 | 4.0 | 22.0 | 20.0 | 29.0 | 26.0 | 31.0 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | **2,177.0** |
| H2O | 1962 | 177.0 | 26.9 | 605.3 | 551.4 | 637.6 | 576.1 | 693.6 | 704.9 | 636.6 | 613.9 | 682.1 | 704.9 | **57,236.3** |
| OIL | 1962 | 7.6 | 1.6 | 18.1 | 18.6 | 23.5 | 32.4 | 41.2 | 45.2 | 37.7 | 33.5 | 39.0 | 39.0 | **4,661.1** |
| DAY | 1961 | 30.0 | 22.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 30.0 | 27.0 | 30.0 | 30.0 | 31.0 | **1,888.0** |
| H2O | 1961 | 610.3 | 552.9 | 841.4 | 836.5 | 606.6 | 788.0 | 874.2 | 840.0 | 597.7 | 518.5 | 778.9 | 885.8 | **50,626.0** |
| OIL | 1961 | 42.6 | 20.5 | 38.6 | 41.2 | 27.2 | 37.4 | 34.5 | 32.8 | 19.4 | 19.9 | 30.7 | 37.2 | **4,323.7** |
| DAY | 1960 | 16.0 | 29.0 | 31.0 | 21.0 | 15.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,542.0** |
| H2O | 1960 | 498.2 | 819.0 | 875.3 | 582.0 | 386.2 | 703.9 | 806.9 | 856.8 | 813.3 | 854.9 | 838.1 | 865.9 | **41,895.2** |
| OIL | 1960 | 18.5 | 38.5 | 39.4 | 26.1 | 23.1 | 38.2 | 48.5 | 46.6 | 41.0 | 50.7 | 47.2 | 44.7 | **3,941.7** |
| DAY | 1959 | 29.0 | 26.0 | 31.0 | 30.0 | 29.0 | 28.0 | 29.0 | 4.0 | 19.0 | 13.0 | 12.0 | 8.0 | **1,220.0** |
| H2O | 1959 | 787.5 | 689.1 | 886.6 | 804.5 | 822.5 | 764.9 | 799.1 | 98.9 | 561.8 | 350.6 | 328.8 | 237.3 | **32,994.7** |
| OIL | 1959 | 43.9 | 37.6 | 48.6 | 40.1 | 43.3 | 50.0 | 33.9 | 1.5 | 21.7 | 15.3 | 17.1 | 8.8 | **3,479.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | 28.0 | 27.0 | 24.0 | 29.0 | 31.0 | **962.0** |
| H2O | 1958 | 796.7 | 719.0 | 785.6 | 789.4 | 814.6 | 871.5 | 799.6 | 1111.4 | 940.6 | 902.5 | 821.5 | 822.7 | **25,863.1** |
| OIL | 1958 | 92.9 | 81.5 | 79.7 | 83.8 | 67.0 | 57.3 | 57.6 | 65.4 | 53.8 | 49.7 | 43.1 | 43.8 | **3,117.4** |
| DAY | 1957 | 22.0 | 23.0 | 29.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 23.0 | 30.0 | 30.0 | **615.0** |
| H2O | 1957 | 557.5 | 530.8 | 873.5 | 938.1 | 1003.9 | 956.2 | 933.3 | 1044.9 | 1033.2 | 673.7 | 771.9 | 718.5 | **15,688.0** |
| OIL | 1957 | 80.5 | 107.4 | 105.8 | 85.6 | 84.5 | 90.7 | 85.6 | 85.0 | 87.5 | 66.2 | 84.0 | 83.7 | **2,341.8** |
| DAY | 1956 | 9.0 | 28.0 | 31.0 | 13.0 | 11.0 | 25.0 | 15.0 | 31.0 | 28.0 | 31.0 | 30.0 | 23.0 | **278.0** |
| H2O | 1956 | 35.0 | 380.0 | 527.3 | 178.6 | 201.8 | 509.3 | 370.0 | 710.6 | 625.5 | 780.7 | 703.1 | 627.4 | **5,652.5** |
| OIL | 1956 | 32.5 | 185.1 | 189.6 | 91.0 | 69.9 | 103.2 | 76.7 | 121.2 | 92.3 | 114.5 | 117.9 | 98.8 | **1,295.3** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 0.0 | 0.0 | **3.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.2 | 0.0 | 0.0 | **3.2** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.6 | 0.0 | 0.0 | **2.6** |

Licence ***934*** Well Name ***Enerplus Whitewater*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-21-003-21W1.00*** Field Name ***Whitewater*** Pool Name ***Lodgepole WL A*** Field Code ***6*** Pool Code ***52A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 7.0 | 0.0 | 0.0 | 9.0 | 27.0 | 23.0 | 12.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,097.0** |
| H2O | 1975 | 1.0 | 0.0 | 0.0 | 1.4 | 7.0 | 8.1 | 4.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **252.9** |
| OIL | 1975 | 3.7 | 0.0 | 0.0 | 7.5 | 23.8 | 29.4 | 14.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,480.3** |
| DAY | 1974 | 0.0 | 0.0 | 8.0 | 16.0 | 11.0 | 19.0 | 21.0 | 20.0 | 13.0 | 8.0 | 9.0 | 11.0 | **2,019.0** |
| H2O | 1974 | 0.0 | 0.0 | 25.6 | 34.7 | 31.0 | 20.2 | 41.3 | 33.1 | 25.1 | 12.4 | 0.8 | 3.0 | **231.1** |
| OIL | 1974 | 0.0 | 0.0 | 21.9 | 21.1 | 14.5 | 28.3 | 32.0 | 23.4 | 20.0 | 9.4 | 5.1 | 8.7 | **1,401.6** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 28.0 | 20.0 | 6.0 | 10.0 | 0.0 | **1,883.0** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.9 | 22.4 | 15.6 | 3.8 | 10.7 | 0.0 | **1,217.2** |
| DAY | 1968 | 8.0 | 8.0 | 5.0 | 5.0 | 5.0 | 7.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,795.0** |
| OIL | 1968 | 8.3 | 6.5 | 7.8 | 5.6 | 5.6 | 5.1 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,141.8** |
| DAY | 1967 | 7.0 | 7.0 | 8.0 | 6.0 | 2.0 | 8.0 | 7.0 | 8.0 | 7.0 | 9.0 | 8.0 | 6.0 | **1,752.0** |
| OIL | 1967 | 8.4 | 9.2 | 8.1 | 6.5 | 6.5 | 9.9 | 7.2 | 6.0 | 5.1 | 7.2 | 7.0 | 5.4 | **1,100.8** |
| DAY | 1966 | 4.0 | 4.0 | 5.0 | 4.0 | 4.0 | 30.0 | 4.0 | 4.0 | 5.0 | 5.0 | 30.0 | 8.0 | **1,669.0** |
| OIL | 1966 | 5.4 | 6.2 | 8.6 | 6.5 | 5.4 | 8.6 | 6.4 | 6.0 | 8.6 | 6.4 | 7.8 | 6.7 | **1,014.3** |
| DAY | 1965 | 5.0 | 14.0 | 31.0 | 13.0 | 31.0 | 14.0 | 31.0 | 15.0 | 15.0 | 16.0 | 8.0 | 12.0 | **1,562.0** |
| OIL | 1965 | 6.7 | 8.7 | 7.6 | 12.4 | 8.3 | 7.5 | 6.7 | 8.1 | 6.7 | 6.7 | 3.5 | 12.4 | **931.7** |

# Manitoba Production
## 1950 To 1975

Licence ***934*** Well Name ***Enerplus Whitewater*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-21-003-21W1.00*** Field Name ***Whitewater*** Pool Name ***Lodgepole WL A*** Field Code ***6*** Pool Code ***52A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 6.0 | 14.0 | 15.0 | 6.0 | 0.0 | 9.0 | 12.0 | 15.0 | 13.0 | 16.0 | 4.0 | 3.0 | **1,357.0** |
| OIL | 1964 | 4.6 | 5.7 | 6.0 | 1.9 | 0.0 | 11.8 | 9.5 | 7.5 | 4.6 | 9.7 | 4.6 | 4.9 | **836.4** |
| DAY | 1963 | 6.0 | 0.0 | 13.0 | 4.0 | 2.0 | 8.0 | 16.0 | 16.0 | 15.0 | 15.0 | 15.0 | 3.0 | **1,244.0** |
| OIL | 1963 | 2.5 | 0.0 | 9.7 | 1.9 | 2.2 | 5.9 | 7.8 | 6.7 | 5.4 | 6.4 | 5.7 | 1.1 | **765.6** |
| DAY | 1962 | 11.0 | 11.0 | 15.0 | 12.0 | 0.0 | 13.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | 15.0 | **1,131.0** |
| OIL | 1962 | 4.5 | 3.7 | 5.9 | 1.9 | 0.0 | 11.3 | 7.2 | 6.5 | 5.9 | 5.9 | 5.9 | 5.4 | **710.3** |
| DAY | 1961 | 14.0 | 14.0 | 15.0 | 2.0 | 3.0 | 15.0 | 15.0 | 16.0 | 15.0 | 15.0 | 15.0 | 14.0 | **979.0** |
| OIL | 1961 | 6.7 | 6.5 | 6.7 | 1.0 | 6.2 | 9.1 | 7.3 | 7.5 | 7.3 | 6.7 | 6.2 | 5.4 | **646.2** |
| DAY | 1960 | 13.0 | 12.0 | 11.0 | 2.0 | 6.0 | 14.0 | 15.0 | 13.0 | 15.0 | 15.0 | 12.0 | 15.0 | **826.0** |
| OIL | 1960 | 7.8 | 7.0 | 6.7 | 0.8 | 6.8 | 8.4 | 9.1 | 7.3 | 7.2 | 7.2 | 6.5 | 7.5 | **569.6** |
| DAY | 1959 | 9.0 | 9.0 | 10.0 | 2.0 | 16.0 | 14.0 | 15.0 | 16.0 | 14.0 | 3.0 | 15.0 | 16.0 | **683.0** |
| OIL | 1959 | 5.9 | 5.9 | 6.5 | 1.3 | 15.9 | 8.9 | 7.9 | 8.3 | 6.7 | 2.1 | 13.5 | 8.9 | **487.3** |
| DAY | 1958 | 16.0 | 13.0 | 30.0 | 0.0 | 11.0 | 30.0 | 15.0 | 31.0 | 30.0 | 10.0 | 10.0 | 9.0 | **544.0** |
| OIL | 1958 | 7.6 | 6.4 | 5.7 | 0.0 | 15.6 | 12.7 | 9.1 | 7.9 | 6.2 | 5.1 | 8.1 | 7.3 | **395.5** |
| DAY | 1957 | 15.0 | 14.0 | 8.0 | 0.0 | 0.0 | 5.0 | 22.0 | 15.0 | 15.0 | 15.0 | 11.0 | 14.0 | **339.0** |
| H2O | 1957 | 0.2 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3.9** |
| OIL | 1957 | 5.6 | 6.5 | 3.3 | 0.0 | 0.0 | 10.0 | 19.6 | 9.7 | 7.5 | 6.8 | 4.0 | 9.7 | **303.8** |
| DAY | 1956 | 25.0 | 7.0 | 6.0 | 0.0 | 18.0 | 14.0 | 11.0 | 15.0 | 14.0 | 15.0 | 15.0 | 12.0 | **205.0** |
| H2O | 1956 | 0.3 | 0.2 | 0.0 | 0.0 | 0.6 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | **3.5** |
| OIL | 1956 | 27.9 | 3.6 | 6.1 | 0.0 | 36.9 | 11.5 | 8.6 | 9.9 | 9.8 | 7.1 | 6.6 | 5.6 | **221.1** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 26.0 | 19.0 | **53.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.4 | 0.1 | **0.9** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.4 | 41.1 | 22.0 | **87.5** |

Licence ***935*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,249.0** |
| H2O | 1975 | 63.1 | 58.7 | 65.5 | 63.4 | 65.7 | 63.0 | 63.0 | 58.0 | 61.0 | 65.7 | 65.8 | 67.1 | **8,374.3** |
| OIL | 1975 | 291.1 | 262.0 | 287.6 | 297.2 | 302.7 | 294.1 | 302.6 | 284.9 | 294.9 | 305.3 | 295.1 | 299.9 | **49,063.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,885.0** |
| H2O | 1974 | 49.0 | 44.2 | 40.1 | 39.0 | 40.4 | 40.7 | 38.5 | 57.6 | 60.6 | 63.6 | 61.4 | 63.4 | **7,614.3** |
| OIL | 1974 | 294.8 | 249.6 | 249.2 | 237.6 | 246.8 | 238.8 | 232.0 | 279.0 | 286.4 | 301.6 | 278.3 | 297.0 | **45,546.3** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,524.0** |
| H2O | 1973 | 30.4 | 24.5 | 26.2 | 26.2 | 26.5 | 76.6 | 76.8 | 81.7 | 54.1 | 53.6 | 50.7 | 49.1 | **7,015.8** |
| OIL | 1973 | 304.0 | 255.8 | 282.1 | 275.5 | 287.6 | 261.6 | 271.3 | 286.4 | 294.0 | 293.8 | 282.9 | 287.0 | **42,355.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,159.0** |
| H2O | 1972 | 47.2 | 46.1 | 55.0 | 7.8 | 8.7 | 26.9 | 29.9 | 28.3 | 56.6 | 40.5 | 30.4 | 30.8 | **6,439.4** |
| OIL | 1972 | 306.9 | 286.2 | 258.9 | 284.6 | 300.3 | 306.9 | 316.2 | 323.4 | 303.5 | 315.4 | 295.6 | 308.4 | **38,973.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,793.0** |
| H2O | 1971 | 12.6 | 11.3 | 13.2 | 13.2 | 21.3 | 20.8 | 19.1 | 20.2 | 18.3 | 20.3 | 42.8 | 50.2 | **6,031.2** |
| OIL | 1971 | 340.9 | 301.6 | 333.6 | 316.7 | 337.0 | 320.2 | 304.5 | 328.9 | 324.3 | 336.7 | 305.1 | 312.4 | **35,366.9** |
| DAY | 1970 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,430.0** |
| H2O | 1970 | 89.8 | 79.0 | 88.2 | 81.6 | 83.9 | 85.2 | 71.7 | 84.7 | 13.0 | 13.0 | 12.2 | 13.7 | **5,767.9** |
| OIL | 1970 | 349.6 | 295.4 | 343.9 | 331.8 | 342.5 | 335.3 | 317.2 | 327.5 | 308.9 | 318.8 | 312.6 | 327.8 | **31,505.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **5,068.0** |
| H2O | 1969 | 51.7 | 46.7 | 44.0 | 44.8 | 112.2 | 124.3 | 134.8 | 135.5 | 113.8 | 95.1 | 85.1 | 92.5 | **5,051.9** |
| OIL | 1969 | 357.5 | 315.9 | 348.8 | 339.9 | 320.4 | 364.5 | 378.7 | 376.5 | 326.2 | 360.4 | 345.5 | 358.8 | **27,593.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,710.0** |
| H2O | 1968 | 48.2 | 45.3 | 48.6 | 49.9 | 45.5 | 41.7 | 47.2 | 43.1 | 39.1 | 74.4 | 71.5 | 49.1 | **3,971.4** |
| OIL | 1968 | 363.4 | 329.6 | 357.1 | 354.7 | 363.6 | 356.9 | 367.1 | 329.1 | 339.6 | 332.9 | 332.4 | 357.1 | **23,400.6** |

# Manitoba Production
## 1950 To 1975

Licence ***935*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | **4,345.0** |
| H2O | 1967 | 9.1 | 7.5 | 32.4 | 30.0 | 15.7 | 14.8 | 11.6 | 48.5 | 40.2 | 47.4 | 41.7 | 46.9 | **3,367.8** |
| OIL | 1967 | 275.9 | 245.2 | 290.2 | 280.2 | 309.2 | 296.7 | 308.0 | 318.8 | 288.9 | 334.8 | 326.7 | 340.5 | **19,217.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,982.0** |
| H2O | 1966 | 19.4 | 15.6 | 19.9 | 18.0 | 20.3 | 18.0 | 16.4 | 15.9 | 4.9 | 5.2 | 8.9 | 9.4 | **3,022.0** |
| OIL | 1966 | 251.9 | 221.8 | 245.5 | 277.5 | 290.2 | 279.0 | 338.3 | 324.5 | 291.8 | 302.2 | 263.9 | 270.3 | **15,602.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,619.0** |
| H2O | 1965 | 1.3 | 1.1 | 1.3 | 1.1 | 11.9 | 11.4 | 11.4 | 11.4 | 11.4 | 27.8 | 20.0 | 20.3 | **2,850.1** |
| OIL | 1965 | 81.8 | 108.1 | 117.0 | 112.7 | 151.1 | 151.3 | 157.8 | 156.4 | 144.6 | 203.9 | 248.2 | 254.7 | **12,245.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,254.0** |
| H2O | 1964 | 10.2 | 9.2 | 10.2 | 9.9 | 10.5 | 10.2 | 10.0 | 5.1 | 4.8 | 7.3 | 7.5 | 1.3 | **2,719.7** |
| OIL | 1964 | 35.8 | 33.8 | 36.4 | 35.0 | 36.1 | 34.6 | 35.9 | 57.4 | 55.5 | 53.1 | 52.0 | 81.0 | **10,357.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,888.0** |
| H2O | 1963 | 11.3 | 11.6 | 10.2 | 11.1 | 1.1 | 1.3 | 19.1 | 18.9 | 16.5 | 10.2 | 9.9 | 10.2 | **2,623.5** |
| OIL | 1963 | 41.0 | 43.9 | 44.7 | 42.3 | 36.5 | 34.0 | 43.1 | 41.6 | 42.0 | 29.6 | 33.5 | 34.3 | **9,810.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,523.0** |
| H2O | 1962 | 4.9 | 9.5 | 2.7 | 10.8 | 6.7 | 11.8 | 10.2 | 13.5 | 13.2 | 24.5 | 16.5 | 11.3 | **2,492.1** |
| OIL | 1962 | 48.1 | 41.2 | 46.9 | 45.0 | 47.8 | 66.3 | 42.0 | 68.6 | 67.9 | 43.2 | 39.9 | 42.9 | **9,344.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,158.0** |
| H2O | 1961 | 7.8 | 0.0 | 23.1 | 13.4 | 15.4 | 17.3 | 10.3 | 15.6 | 23.7 | 10.5 | 9.9 | 7.6 | **2,356.5** |
| OIL | 1961 | 49.1 | 47.2 | 42.9 | 45.8 | 44.2 | 56.7 | 62.3 | 60.4 | 69.6 | 46.2 | 46.6 | 45.8 | **8,744.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,793.0** |
| H2O | 1960 | 14.9 | 9.4 | 10.3 | 13.5 | 10.2 | 26.2 | 9.5 | 3.0 | 14.3 | 25.9 | 4.0 | 0.0 | **2,201.9** |
| OIL | 1960 | 58.5 | 56.4 | 55.0 | 56.1 | 47.4 | 59.1 | 77.9 | 59.3 | 61.3 | 55.9 | 44.3 | 52.9 | **8,127.8** |
| DAY | 1959 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,429.0** |
| H2O | 1959 | 12.6 | 11.3 | 10.2 | 8.7 | 6.7 | 28.3 | 26.5 | 10.3 | 28.3 | 14.3 | 20.8 | 16.5 | **2,060.7** |
| OIL | 1959 | 96.8 | 87.7 | 96.0 | 70.1 | 54.8 | 49.7 | 55.6 | 84.9 | 82.3 | 75.2 | 77.2 | 37.5 | **7,443.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 17.0 | 31.0 | 30.0 | 31.0 | **1,065.0** |
| H2O | 1958 | 1.0 | 25.0 | 62.2 | 3.8 | 28.9 | 41.7 | 24.6 | 34.7 | 39.6 | 44.5 | 42.8 | 0.3 | **1,866.2** |
| OIL | 1958 | 96.3 | 104.7 | 103.3 | 100.7 | 106.8 | 97.1 | 99.3 | 82.5 | 79.5 | 103.1 | 90.9 | 104.2 | **6,575.9** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **713.0** |
| H2O | 1957 | 64.2 | 1.0 | 57.6 | 44.5 | 32.0 | 65.8 | 8.1 | 1.0 | 1.7 | 0.3 | 0.3 | 0.2 | **1,517.1** |
| OIL | 1957 | 190.5 | 169.9 | 175.1 | 148.6 | 157.5 | 160.7 | 159.9 | 137.9 | 120.1 | 116.8 | 113.0 | 89.8 | **5,407.5** |
| DAY | 1956 | 5.0 | 8.0 | 12.0 | 26.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **350.0** |
| H2O | 1956 | 12.1 | 28.8 | 46.6 | 101.1 | 158.8 | 153.4 | 125.3 | 104.0 | 104.8 | 103.5 | 69.3 | 66.8 | **1,240.4** |
| OIL | 1956 | 55.0 | 87.7 | 121.9 | 275.5 | 361.0 | 325.8 | 380.1 | 348.2 | 299.2 | 286.7 | 216.3 | 226.3 | **3,667.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 28.0 | 26.0 | 2.0 | **58.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.3 | 73.1 | 82.0 | 3.5 | **165.9** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 36.2 | 348.3 | 280.0 | 19.5 | **684.0** |

Licence ***936*** Well Name ***Bravo Woodnorth Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-28-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole C*** Field Code ***1*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1967 | 1.8 | 1.7 | 1.7 | 0.0 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **108,200.8** |
| WIN | 1966 | 0.0 | 0.0 | 135.1 | 1270.5 | 1326.7 | 1273.9 | 1372.1 | 1221.7 | 890.4 | 741.4 | 184.0 | 0.0 | **108,193.9** |
| WIN | 1965 | 0.0 | 0.0 | 0.0 | 157.4 | 1276.4 | 1788.4 | 1745.5 | 1732.9 | 1660.7 | 1364.5 | 669.3 | 0.0 | **99,778.1** |
| WIN | 1964 | 1378.3 | 1276.0 | 1306.0 | 1559.1 | 1706.8 | 1617.9 | 1483.0 | 1870.3 | 1584.6 | 2392.3 | 1980.4 | 1539.6 | **89,383.0** |
| WIN | 1963 | 1554.5 | 1562.8 | 1636.9 | 1244.2 | 1116.5 | 1531.8 | 1480.1 | 1663.3 | 1536.2 | 1748.9 | 1410.3 | 1412.7 | **69,688.7** |
| WIN | 1962 | 650.4 | 580.9 | 647.4 | 606.2 | 1638.8 | 1574.4 | 1489.5 | 1151.9 | 1093.4 | 1420.5 | 1545.4 | 1332.6 | **51,790.5** |
| WIN | 1961 | 545.3 | 508.6 | 509.6 | 675.4 | 1373.1 | 1088.7 | 1098.2 | 974.0 | 735.6 | 789.4 | 676.8 | 621.2 | **38,059.1** |
| WIN | 1960 | 406.9 | 670.1 | 316.4 | 873.4 | 1120.0 | 1044.3 | 948.6 | 796.6 | 730.7 | 1124.1 | 571.6 | 514.8 | **28,463.2** |

# Manitoba Production
## 1950 To 1975

Licence ***936*** Well Name ***Bravo Woodnorth Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-28-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole C*** Field Code ***1*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1959 | 898.5 | 825.4 | 1071.7 | 689.4 | 575.1 | 994.5 | 1310.1 | 1143.4 | 531.8 | 458.2 | 580.3 | 690.2 | **19,345.7** |
| WIN | 1958 | 0.0 | 0.0 | 23.8 | 607.0 | 980.7 | 1235.1 | 1484.9 | 941.8 | 1006.6 | 926.5 | 1229.7 | 1141.0 | **9,577.1** |
| DAY | 1957 | 0.0 | 7.0 | 0.0 | 0.0 | 6.0 | 0.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **359.0** |
| H2O | 1957 | 0.0 | 94.0 | 0.0 | 0.0 | 72.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,247.4** |
| OIL | 1957 | 0.0 | 14.8 | 0.0 | 0.0 | 11.4 | 0.0 | 10.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,081.2** |
| DAY | 1956 | 26.0 | 28.0 | 30.0 | 29.0 | 30.0 | 10.0 | 0.0 | 21.0 | 18.0 | 31.0 | 6.0 | 0.0 | **343.0** |
| H2O | 1956 | 0.8 | 24.6 | 24.6 | 26.2 | 30.8 | 7.6 | 0.0 | 354.7 | 369.5 | 122.9 | 116.4 | 0.0 | **1,080.6** |
| OIL | 1956 | 180.4 | 203.7 | 225.5 | 211.5 | 219.0 | 70.1 | 0.0 | 41.5 | 49.6 | 14.0 | 9.9 | 0.0 | **2,044.3** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 31.0 | 30.0 | 29.0 | **114.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.6 | 1.1 | 0.5 | **2.5** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 169.9 | 221.7 | 217.4 | 210.1 | **819.1** |

Licence ***938*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-18-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 786.5 | 699.7 | 871.2 | 925.6 | 904.9 | 818.4 | 801.1 | 759.4 | 877.4 | 809.2 | 765.0 | 747.5 | **97,421.5** |
| WIN | 1974 | 650.9 | 664.5 | 887.4 | 864.1 | 888.4 | 598.9 | 827.6 | 711.4 | 800.5 | 818.4 | 831.3 | 825.4 | **87,655.6** |
| WIN | 1973 | 1034.2 | 924.5 | 1039.6 | 1114.9 | 1223.7 | 1104.6 | 1099.8 | 1010.2 | 977.1 | 934.8 | 636.7 | 832.7 | **78,286.8** |
| WIN | 1972 | 833.2 | 876.5 | 1065.8 | 1048.6 | 1065.3 | 1055.5 | 1083.0 | 1117.0 | 1020.5 | 1128.1 | 820.2 | 947.2 | **66,354.0** |
| WIN | 1971 | 729.9 | 786.2 | 686.5 | 712.5 | 508.6 | 635.9 | 652.5 | 1024.8 | 763.9 | 626.4 | 782.3 | 61.2 | **54,293.1** |
| WIN | 1970 | 979.8 | 935.9 | 974.4 | 835.0 | 746.4 | 870.6 | 834.6 | 858.5 | 770.7 | 950.2 | 803.3 | 716.5 | **46,322.4** |
| WIN | 1969 | 1303.5 | 1164.5 | 1586.0 | 1289.0 | 929.2 | 1302.2 | 959.3 | 982.5 | 997.4 | 1319.2 | 1113.3 | 1231.9 | **36,046.5** |
| WIN | 1968 | 1131.1 | 1410.0 | 1145.0 | 1383.4 | 1277.9 | 1081.1 | 1207.5 | 1189.2 | 897.8 | 1339.7 | 1238.1 | 1197.3 | **21,868.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,193.0** |
| H2O | 1967 | 43.5 | 44.1 | 51.6 | 51.6 | 49.7 | 6.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **9,689.5** |
| OIL | 1967 | 24.1 | 22.1 | 24.6 | 23.0 | 23.8 | 3.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,155.8** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 504.9 | 1277.6 | 1793.0 | 1462.8 | 1256.9 | 1075.2 | **7,370.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,038.0** |
| H2O | 1966 | 115.3 | 87.1 | 95.9 | 87.9 | 92.2 | 85.2 | 59.9 | 52.5 | 51.2 | 53.4 | 51.5 | 41.0 | **9,443.0** |
| OIL | 1966 | 33.7 | 27.2 | 32.1 | 30.5 | 31.8 | 29.2 | 29.6 | 29.4 | 27.5 | 28.0 | 25.3 | 23.0 | **7,034.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,673.0** |
| H2O | 1965 | 34.0 | 32.6 | 36.9 | 33.1 | 82.8 | 69.0 | 84.1 | 79.6 | 75.4 | 74.4 | 71.2 | 90.1 | **8,569.9** |
| OIL | 1965 | 22.7 | 20.3 | 23.0 | 19.4 | 42.1 | 39.7 | 40.0 | 39.6 | 33.2 | 33.8 | 33.2 | 34.0 | **6,687.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,313.0** |
| H2O | 1964 | 47.7 | 42.9 | 41.5 | 41.3 | 38.3 | 46.1 | 45.5 | 41.0 | 34.0 | 35.0 | 35.5 | 31.5 | **7,806.7** |
| OIL | 1964 | 41.8 | 37.5 | 40.4 | 38.8 | 36.1 | 27.8 | 26.7 | 27.0 | 23.0 | 22.1 | 21.3 | 22.7 | **6,306.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,947.0** |
| H2O | 1963 | 52.9 | 44.7 | 51.0 | 49.1 | 50.9 | 47.1 | 43.6 | 48.0 | 44.5 | 43.9 | 47.1 | 47.9 | **7,326.4** |
| OIL | 1963 | 36.4 | 33.8 | 37.2 | 34.3 | 36.9 | 35.0 | 31.1 | 33.1 | 33.4 | 32.7 | 38.9 | 42.3 | **5,941.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,590.0** |
| H2O | 1962 | 48.2 | 42.0 | 50.6 | 48.5 | 46.7 | 47.4 | 51.8 | 56.3 | 52.1 | 56.8 | 52.5 | 49.0 | **6,755.7** |
| OIL | 1962 | 42.4 | 35.3 | 43.5 | 42.3 | 42.1 | 39.9 | 40.7 | 37.7 | 36.9 | 38.1 | 35.0 | 33.1 | **5,516.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **2,226.0** |
| H2O | 1961 | 100.5 | 81.7 | 89.8 | 87.8 | 87.0 | 75.4 | 83.6 | 69.6 | 61.2 | 53.7 | 48.0 | 48.3 | **6,153.8** |
| OIL | 1961 | 52.4 | 48.0 | 56.1 | 58.5 | 60.1 | 56.3 | 59.9 | 55.0 | 52.3 | 49.1 | 43.4 | 44.3 | **5,049.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,865.0** |
| H2O | 1960 | 87.8 | 80.4 | 84.7 | 84.3 | 98.7 | 93.2 | 93.6 | 99.0 | 103.5 | 116.9 | 107.6 | 109.2 | **5,267.2** |
| OIL | 1960 | 62.3 | 53.6 | 59.8 | 54.5 | 58.2 | 55.8 | 57.2 | 57.4 | 55.3 | 60.2 | 50.5 | 51.3 | **4,413.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,499.0** |
| H2O | 1959 | 94.1 | 94.6 | 116.1 | 101.4 | 80.1 | 72.5 | 78.2 | 80.9 | 81.4 | 83.3 | 80.1 | 85.5 | **4,108.3** |
| OIL | 1959 | 45.9 | 41.0 | 47.7 | 38.3 | 56.9 | 57.7 | 74.5 | 87.2 | 85.2 | 85.2 | 71.2 | 60.5 | **3,737.8** |

# Manitoba Production
## 1950 To 1975

Licence ***938*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-18-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,135.0** |
| H2O | 1958 | 121.5 | 99.4 | 102.5 | 88.1 | 83.5 | 81.9 | 96.7 | 103.0 | 98.6 | 101.3 | 94.1 | 95.7 | **3,060.1** |
| OIL | 1958 | 81.2 | 70.1 | 77.5 | 75.2 | 72.9 | 69.3 | 62.3 | 52.3 | 52.9 | 56.1 | 55.3 | 52.4 | **2,986.5** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | **770.0** |
| H2O | 1957 | 100.0 | 110.7 | 90.5 | 58.3 | 50.1 | 29.6 | 27.0 | 26.4 | 129.6 | 142.6 | 118.4 | 114.3 | **1,893.8** |
| OIL | 1957 | 73.1 | 72.8 | 73.6 | 57.0 | 52.9 | 46.6 | 61.7 | 51.8 | 181.2 | 124.9 | 98.0 | 79.8 | **2,209.0** |
| DAY | 1956 | 26.0 | 26.0 | 31.0 | 9.0 | 30.0 | 28.0 | 29.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **408.0** |
| H2O | 1956 | 51.4 | 49.6 | 49.8 | 11.6 | 54.4 | 44.2 | 55.5 | 55.3 | 53.6 | 97.0 | 100.2 | 114.1 | **896.3** |
| OIL | 1956 | 96.9 | 84.9 | 90.3 | 25.1 | 87.1 | 52.8 | 67.5 | 42.1 | 29.2 | 71.0 | 82.5 | 78.8 | **1,235.6** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 14.0 | 27.0 | 23.0 | **79.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.3 | 26.5 | 53.9 | 53.9 | **159.6** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.3 | 88.5 | 134.8 | 103.8 | **427.4** |

Licence ***939*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **7,287.0** |
| H2O | 1975 | 206.8 | 190.1 | 211.9 | 205.4 | 192.4 | 183.9 | 184.4 | 181.9 | 171.4 | 192.2 | 192.7 | 196.3 | **21,911.9** |
| OIL | 1975 | 208.3 | 185.1 | 203.2 | 192.9 | 175.9 | 171.0 | 175.9 | 176.7 | 164.2 | 177.3 | 171.5 | 174.3 | **54,123.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 21.0 | 0.0 | 24.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,923.0** |
| H2O | 1974 | 180.0 | 181.1 | 202.4 | 197.0 | 274.7 | 193.2 | 0.0 | 198.1 | 207.9 | 206.0 | 205.6 | 205.4 | **19,602.5** |
| OIL | 1974 | 187.5 | 159.7 | 182.9 | 174.3 | 207.5 | 140.8 | 0.0 | 159.9 | 203.4 | 213.1 | 203.4 | 209.8 | **51,946.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **6,606.0** |
| H2O | 1973 | 161.4 | 155.0 | 125.0 | 124.6 | 126.2 | 109.2 | 121.9 | 219.2 | 198.6 | 199.5 | 186.3 | 168.8 | **17,351.1** |
| OIL | 1973 | 233.1 | 205.6 | 209.1 | 204.4 | 213.3 | 186.1 | 214.4 | 215.8 | 187.2 | 190.1 | 179.9 | 170.7 | **49,904.6** |
| DAY | 1972 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 29.0 | **6,246.0** |
| H2O | 1972 | 106.8 | 121.0 | 119.2 | 52.8 | 58.5 | 67.7 | 14.5 | 68.4 | 65.5 | 71.2 | 56.0 | 52.6 | **15,455.4** |
| OIL | 1972 | 263.3 | 209.8 | 205.2 | 243.3 | 256.6 | 251.7 | 50.1 | 235.5 | 218.7 | 230.1 | 226.8 | 218.8 | **47,494.9** |
| DAY | 1971 | 31.0 | 24.0 | 31.0 | 29.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,888.0** |
| H2O | 1971 | 128.9 | 51.2 | 71.7 | 28.5 | 38.6 | 35.9 | 32.1 | 0.0 | 0.0 | 145.1 | 96.8 | 113.7 | **14,601.2** |
| OIL | 1971 | 340.9 | 229.3 | 310.2 | 297.8 | 282.4 | 256.2 | 285.2 | 289.4 | 285.4 | 282.1 | 262.0 | 268.1 | **44,885.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,531.0** |
| H2O | 1970 | 189.3 | 177.7 | 185.8 | 171.7 | 176.8 | 68.5 | 102.4 | 111.8 | 132.3 | 137.2 | 125.3 | 139.3 | **13,858.7** |
| OIL | 1970 | 371.8 | 335.3 | 366.0 | 352.9 | 364.2 | 366.1 | 375.8 | 357.7 | 308.8 | 325.9 | 312.6 | 327.8 | **41,496.0** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **5,167.0** |
| H2O | 1969 | 289.7 | 263.1 | 238.8 | 251.8 | 258.8 | 162.3 | 176.1 | 187.0 | 163.0 | 191.4 | 170.7 | 185.8 | **12,140.6** |
| OIL | 1969 | 419.0 | 370.4 | 395.7 | 398.5 | 382.3 | 401.6 | 417.3 | 404.9 | 364.1 | 412.4 | 395.1 | 410.5 | **37,331.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,806.0** |
| H2O | 1968 | 87.1 | 82.7 | 87.9 | 90.1 | 189.8 | 173.6 | 187.4 | 167.2 | 162.8 | 174.7 | 259.9 | 276.0 | **9,602.1** |
| OIL | 1968 | 454.5 | 417.0 | 446.5 | 443.5 | 438.0 | 430.2 | 443.7 | 443.4 | 413.3 | 411.7 | 406.5 | 418.7 | **32,559.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **4,441.0** |
| H2O | 1967 | 110.7 | 89.5 | 105.9 | 146.9 | 147.2 | 159.1 | 124.5 | 121.8 | 106.8 | 95.1 | 101.4 | 90.3 | **7,662.9** |
| OIL | 1967 | 363.4 | 316.2 | 348.8 | 422.9 | 435.6 | 440.2 | 454.3 | 459.6 | 442.7 | 385.2 | 456.1 | 453.8 | **27,392.3** |
| DAY | 1966 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 23.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | **4,081.0** |
| H2O | 1966 | 135.8 | 108.7 | 129.3 | 125.0 | 140.9 | 124.3 | 80.4 | 95.9 | 117.5 | 120.7 | 108.4 | 109.9 | **6,263.7** |
| OIL | 1966 | 380.9 | 335.1 | 347.4 | 370.7 | 387.7 | 372.8 | 268.7 | 321.0 | 366.8 | 379.8 | 347.7 | 343.9 | **22,413.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,728.0** |
| H2O | 1965 | 53.3 | 44.7 | 95.5 | 83.6 | 124.8 | 119.1 | 119.6 | 120.0 | 114.1 | 149.0 | 152.9 | 142.3 | **4,866.9** |
| OIL | 1965 | 108.7 | 93.6 | 301.3 | 290.3 | 369.1 | 369.5 | 385.2 | 381.5 | 340.1 | 424.6 | 403.5 | 385.0 | **18,191.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,363.0** |
| H2O | 1964 | 36.9 | 33.2 | 37.0 | 35.8 | 38.0 | 36.6 | 1.3 | 13.8 | 15.7 | 20.3 | 50.1 | 52.9 | **3,548.0** |

# Manitoba Production
## 1950 To 1975

Licence ***939*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1964 | 115.1 | 108.7 | 117.6 | 112.8 | 116.2 | 112.0 | 87.1 | 87.7 | 91.7 | 93.4 | 100.7 | 107.7 | **14,338.6** |
| DAY | 1963 | 22.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **2,997.0** |
| H2O | 1963 | 21.8 | 26.4 | 28.6 | 30.2 | 35.1 | 36.9 | 28.0 | 28.0 | 19.4 | 35.5 | 35.8 | 36.4 | **3,176.4** |
| OIL | 1963 | 61.3 | 77.5 | 96.9 | 89.6 | 93.6 | 87.1 | 93.6 | 90.7 | 72.8 | 95.3 | 107.7 | 110.4 | **13,087.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,650.0** |
| H2O | 1962 | 38.0 | 32.9 | 35.5 | 40.2 | 33.9 | 35.0 | 33.2 | 32.4 | 28.5 | 67.6 | 46.3 | 31.8 | **2,814.3** |
| OIL | 1962 | 99.0 | 88.0 | 96.0 | 111.6 | 92.8 | 75.5 | 117.8 | 91.8 | 88.7 | 92.3 | 86.8 | 93.3 | **12,011.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,285.0** |
| H2O | 1961 | 41.7 | 35.6 | 39.1 | 32.4 | 37.5 | 38.6 | 53.6 | 103.5 | 41.8 | 42.1 | 36.1 | 36.2 | **2,359.0** |
| OIL | 1961 | 82.0 | 64.7 | 89.0 | 69.9 | 80.7 | 89.6 | 97.4 | 146.2 | 108.9 | 115.8 | 83.9 | 99.0 | **10,877.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,920.0** |
| H2O | 1960 | 33.4 | 27.2 | 31.5 | 31.6 | 42.0 | 27.7 | 56.9 | 52.3 | 32.4 | 48.2 | 41.8 | 43.1 | **1,820.8** |
| OIL | 1960 | 62.0 | 50.4 | 54.2 | 57.0 | 109.3 | 50.7 | 115.4 | 106.5 | 93.4 | 86.8 | 76.8 | 83.0 | **9,750.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,554.0** |
| H2O | 1959 | 16.7 | 14.1 | 8.9 | 4.1 | 4.6 | 4.1 | 91.9 | 28.3 | 34.8 | 116.9 | 101.6 | 51.0 | **1,352.7** |
| OIL | 1959 | 124.3 | 110.4 | 116.5 | 125.9 | 110.8 | 108.7 | 110.3 | 70.6 | 81.0 | 167.2 | 152.9 | 78.5 | **8,805.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,191.0** |
| H2O | 1958 | 65.2 | 60.9 | 8.6 | 57.6 | 10.2 | 13.0 | 10.7 | 23.8 | 24.2 | 33.7 | 12.7 | 52.1 | **875.7** |
| OIL | 1958 | 147.5 | 121.2 | 125.7 | 153.5 | 130.1 | 128.7 | 132.7 | 127.4 | 114.1 | 137.0 | 121.9 | 88.7 | **7,448.1** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **826.0** |
| H2O | 1957 | 18.8 | 17.3 | 12.2 | 11.6 | 14.6 | 18.3 | 14.3 | 22.3 | 1.1 | 42.4 | 42.3 | 31.6 | **503.0** |
| OIL | 1957 | 212.6 | 210.1 | 208.5 | 230.3 | 181.5 | 202.3 | 177.8 | 169.6 | 81.2 | 155.1 | 139.8 | 143.3 | **5,919.6** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **463.0** |
| H2O | 1956 | 9.9 | 7.6 | 18.9 | 32.9 | 34.5 | 16.1 | 17.2 | 29.6 | 12.7 | 41.5 | 14.5 | 12.2 | **256.2** |
| OIL | 1956 | 187.2 | 248.2 | 300.2 | 287.9 | 272.7 | 244.7 | 245.4 | 344.0 | 247.1 | 313.7 | 298.3 | 233.4 | **3,807.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 31.0 | 30.0 | 31.0 | **97.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 4.5 | 1.6 | 1.9 | **8.6** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 72.1 | 162.2 | 199.0 | 151.4 | **584.7** |

Licence ***941*** Well Name ***Daly Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 850.6 | 736.7 | 797.2 | 708.4 | 649.4 | 688.4 | 503.9 | 455.8 | 605.1 | 527.2 | 466.6 | 525.2 | **199,301.8** |
| WIN | 1974 | 1109.7 | 945.2 | 1053.6 | 1019.0 | 1052.4 | 888.4 | 1091.9 | 790.8 | 830.2 | 792.7 | 835.6 | 608.5 | **191,787.3** |
| WIN | 1973 | 1488.4 | 1315.6 | 1422.5 | 1349.6 | 1341.4 | 1567.8 | 1351.2 | 1378.3 | 1196.6 | 1225.2 | 1138.4 | 990.2 | **180,769.3** |
| WIN | 1972 | 1393.4 | 1250.4 | 1445.7 | 1409.3 | 1424.9 | 1373.6 | 942.0 | 1993.5 | 1235.7 | 1351.8 | 1493.5 | 1456.8 | **165,004.1** |
| WIN | 1971 | 1094.1 | 1142.2 | 1291.6 | 1162.8 | 1186.9 | 1066.7 | 1116.9 | 1071.3 | 1123.2 | 1108.0 | 1107.0 | 1376.5 | **148,233.5** |
| WIN | 1970 | 947.1 | 1051.4 | 998.8 | 904.6 | 881.8 | 769.4 | 709.9 | 602.3 | 586.1 | 577.2 | 626.7 | 817.7 | **134,386.3** |
| WIN | 1969 | 1046.4 | 1027.2 | 1031.3 | 1130.5 | 1174.1 | 1059.8 | 1130.0 | 983.7 | 835.1 | 1044.0 | 929.0 | 1044.8 | **124,913.3** |
| WIN | 1968 | 1229.8 | 1066.8 | 1329.2 | 1278.7 | 1276.9 | 1161.4 | 1360.4 | 1264.4 | 1133.0 | 1149.3 | 1045.2 | 1082.7 | **112,477.4** |
| WIN | 1967 | 742.1 | 605.3 | 626.2 | 593.4 | 591.3 | 754.5 | 349.6 | 321.1 | 186.4 | 1396.3 | 907.8 | 738.9 | **98,099.6** |
| WIN | 1966 | 1071.3 | 954.2 | 1023.0 | 968.0 | 914.8 | 920.8 | 901.9 | 733.0 | 837.5 | 890.6 | 830.3 | 796.9 | **90,286.7** |
| WIN | 1965 | 1005.2 | 939.2 | 1003.3 | 940.1 | 1080.0 | 1220.8 | 1335.7 | 1269.4 | 1246.2 | 1189.1 | 1194.4 | 1230.3 | **79,444.4** |
| WIN | 1964 | 1270.6 | 1155.8 | 1153.1 | 1045.3 | 1092.5 | 1066.2 | 1148.3 | 1129.2 | 1083.0 | 1068.0 | 1032.0 | 1061.3 | **65,790.7** |
| WIN | 1963 | 205.4 | 98.3 | 174.0 | 177.8 | 180.8 | 142.3 | 0.0 | 1900.8 | 1433.1 | 1384.3 | 870.1 | 1275.7 | **52,485.4** |
| WIN | 1962 | 267.7 | 246.7 | 276.7 | 253.6 | 259.9 | 241.5 | 245.1 | 228.1 | 252.9 | 315.2 | 248.6 | 248.3 | **44,642.8** |
| WIN | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 223.1 | 292.8 | 286.9 | 252.9 | 267.4 | 280.2 | 271.2 | 279.9 | **41,558.5** |
| WIN | 1960 | 361.1 | 352.9 | 320.4 | 316.0 | 271.8 | 226.4 | 184.9 | 246.9 | 235.1 | 193.2 | 0.0 | 0.0 | **39,404.1** |
| WIN | 1959 | 251.3 | 357.8 | 356.2 | 345.5 | 263.3 | 346.3 | 397.5 | 383.0 | 364.0 | 366.7 | 331.5 | 294.7 | **36,695.4** |
| WIN | 1958 | 337.1 | 239.4 | 350.5 | 303.3 | 270.9 | 338.2 | 383.3 | 435.4 | 289.9 | 258.5 | 249.1 | 279.7 | **32,637.6** |
| WIN | 1957 | 0.0 | 0.0 | 5.2 | 1026.6 | 1538.4 | 1668.5 | 240.7 | 326.4 | 313.0 | 313.4 | 296.7 | 381.9 | **28,902.3** |

# Manitoba Production
## 1950 To 1975

Licence ***941*** Well Name ***Daly Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1956 | 1763.4 | 2651.1 | 2899.5 | 1187.1 | 1656.2 | 2198.0 | 2357.5 | 2319.9 | 2288.8 | 2027.7 | 886.8 | 527.4 | **22,791.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 0.0 | 0.0 | **2.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.4 | 0.0 | 0.0 | **11.4** |
| WIN | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.1 | **28.1** |

Licence ***942*** Well Name ***Fosca Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.15-20-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 24.0 | 0.0 | **54.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.9 | 0.0 | **1.9** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 198.3 | 134.6 | 0.0 | **332.9** |

Licence ***943*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1169.6 | 1285.5 | 786.5 | 1412.2 | 1509.0 | 1347.0 | 1416.0 | 1362.9 | 1355.5 | 1402.4 | 1331.5 | 1441.8 | **204,962.5** |
| WIN | 1974 | 1281.5 | 1068.3 | 1091.2 | 1065.5 | 1126.9 | 1036.9 | 1003.3 | 1035.1 | 1017.2 | 1040.4 | 1021.6 | 1708.2 | **189,142.6** |
| WIN | 1973 | 1084.2 | 1074.4 | 1151.5 | 1243.7 | 1359.1 | 1269.6 | 1247.0 | 1042.6 | 1435.6 | 1401.7 | 1218.6 | 1150.9 | **175,646.5** |
| WIN | 1972 | 1355.5 | 1467.4 | 1576.3 | 1173.4 | 1443.5 | 1514.6 | 1481.1 | 1359.0 | 1270.9 | 1399.2 | 1336.9 | 1089.3 | **160,967.6** |
| WIN | 1971 | 1315.2 | 1243.1 | 1322.6 | 1360.4 | 1448.8 | 1296.5 | 877.6 | 1289.5 | 1222.7 | 1395.4 | 986.0 | 784.2 | **144,500.5** |
| WIN | 1970 | 1833.5 | 1755.0 | 1649.3 | 1796.3 | 1547.2 | 1633.4 | 1462.6 | 1626.0 | 1450.4 | 1405.2 | 1070.7 | 1380.9 | **129,958.5** |
| WIN | 1969 | 1614.8 | 1412.4 | 1692.5 | 1430.5 | 1494.7 | 1337.8 | 1400.0 | 1538.0 | 1158.2 | 2124.6 | 2177.4 | 2022.7 | **111,348.0** |
| WIN | 1968 | 1655.6 | 1515.7 | 1597.0 | 1519.2 | 1624.6 | 1504.0 | 1641.8 | 1520.8 | 1607.6 | 1053.7 | 1093.6 | 1460.1 | **91,944.4** |
| WIN | 1967 | 1242.1 | 1532.2 | 1940.7 | 2020.6 | 2122.4 | 2115.5 | 1768.3 | 913.2 | 1268.8 | 1627.8 | 1599.5 | 1621.1 | **74,150.7** |
| WIN | 1966 | 1573.7 | 1421.4 | 1522.1 | 1585.8 | 1507.3 | 1476.4 | 1520.2 | 1524.5 | 1888.4 | 1383.0 | 2143.4 | 1761.3 | **54,378.5** |
| WIN | 1965 | 1690.4 | 1447.4 | 1578.7 | 1559.6 | 1649.7 | 1530.7 | 1520.3 | 1020.5 | 1588.1 | 1437.8 | 972.5 | 1602.5 | **35,071.0** |
| WIN | 1964 | 1362.0 | 946.7 | 1114.3 | 1318.7 | 999.5 | 1155.6 | 1142.4 | 1966.4 | 1090.8 | 1375.2 | 1575.3 | 1622.4 | **17,472.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 2.0 | 0.0 | 0.0 | **2,821.0** |
| H2O | 1963 | 3.3 | 3.6 | 3.0 | 3.3 | 8.7 | 9.1 | 7.0 | 7.0 | 1.6 | 0.2 | 0.0 | 0.0 | **3,812.7** |
| OIL | 1963 | 51.8 | 55.4 | 56.3 | 53.4 | 57.0 | 53.1 | 57.2 | 55.5 | 51.2 | 3.5 | 0.0 | 0.0 | **12,993.0** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 134.8 | 1668.7 | **1,803.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,546.0** |
| H2O | 1962 | 6.8 | 13.8 | 13.2 | 18.0 | 14.6 | 7.5 | 6.2 | 7.8 | 7.3 | 14.9 | 9.9 | 3.3 | **3,765.9** |
| OIL | 1962 | 82.5 | 70.2 | 74.8 | 76.4 | 69.4 | 74.5 | 67.9 | 60.9 | 58.8 | 57.5 | 52.9 | 54.0 | **12,498.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,181.0** |
| H2O | 1961 | 0.0 | 10.8 | 2.4 | 14.6 | 17.0 | 13.2 | 9.4 | 14.1 | 5.6 | 12.9 | 14.1 | 11.0 | **3,642.6** |
| OIL | 1961 | 67.9 | 71.5 | 85.8 | 72.0 | 78.0 | 73.9 | 80.1 | 77.7 | 69.8 | 53.6 | 57.5 | 79.1 | **11,698.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,816.0** |
| H2O | 1960 | 19.9 | 16.2 | 20.3 | 13.5 | 5.1 | 10.7 | 9.9 | 9.2 | 4.5 | 7.8 | 20.3 | 10.8 | **3,517.5** |
| OIL | 1960 | 104.7 | 96.9 | 108.7 | 102.0 | 102.0 | 92.3 | 100.1 | 92.5 | 101.2 | 98.7 | 79.3 | 76.9 | **10,831.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | **1,452.0** |
| H2O | 1959 | 14.1 | 12.7 | 9.9 | 13.7 | 13.5 | 36.2 | 32.3 | 28.8 | 24.5 | 14.5 | 21.8 | 17.2 | **3,369.3** |
| OIL | 1959 | 110.0 | 99.8 | 92.5 | 109.6 | 112.2 | 127.6 | 134.4 | 90.9 | 110.0 | 111.9 | 126.7 | 97.3 | **9,676.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 20.0 | 31.0 | 30.0 | 31.0 | **1,092.0** |
| H2O | 1958 | 45.8 | 0.0 | 35.3 | 15.4 | 36.7 | 47.1 | 50.2 | 61.8 | 36.4 | 56.8 | 45.6 | 49.6 | **3,130.1** |
| OIL | 1958 | 163.8 | 146.8 | 144.0 | 122.5 | 173.8 | 143.3 | 149.1 | 142.7 | 157.8 | 156.7 | 178.5 | 118.4 | **8,353.7** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 31.0 | **738.0** |
| H2O | 1957 | 136.2 | 167.6 | 136.1 | 63.3 | 32.4 | 56.4 | 116.4 | 155.5 | 136.6 | 53.4 | 41.7 | 8.7 | **2,649.4** |
| OIL | 1957 | 256.6 | 229.0 | 235.5 | 218.5 | 185.8 | 199.3 | 195.3 | 193.7 | 204.0 | 196.9 | 203.4 | 175.0 | **6,556.3** |
| DAY | 1956 | 5.0 | 22.0 | 22.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | **377.0** |
| H2O | 1956 | 1.9 | 14.0 | 15.7 | 21.1 | 216.5 | 239.6 | 205.6 | 175.2 | 171.1 | 155.8 | 154.2 | 145.9 | **1,545.1** |

# Manitoba Production
## 1950 To 1975

Licence ***943*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1956 | 48.1 | 229.8 | 223.7 | 315.3 | 329.1 | 340.2 | 355.5 | 333.6 | 334.5 | 342.9 | 291.0 | 298.6 | **4,063.3** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 25.0 | 26.0 | 3.0 | **56.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 10.8 | 15.9 | 1.0 | **28.5** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.1 | 281.3 | 295.4 | 26.2 | **621.0** |

Licence ***944*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-14-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **6,916.0** |
| H2O | 1975 | 365.2 | 324.3 | 350.6 | 305.1 | 312.7 | 288.5 | 264.2 | 259.1 | 279.2 | 291.4 | 277.9 | 234.3 | **57,724.5** |
| OIL | 1975 | 27.5 | 24.3 | 27.3 | 21.8 | 23.0 | 22.6 | 22.9 | 23.0 | 18.0 | 18.3 | 17.5 | 36.9 | **18,360.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 24.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,553.0** |
| H2O | 1974 | 309.9 | 290.3 | 332.6 | 326.7 | 261.7 | 252.6 | 292.8 | 631.9 | 619.2 | 635.1 | 633.2 | 360.2 | **54,172.0** |
| OIL | 1974 | 31.3 | 28.9 | 32.1 | 30.2 | 17.6 | 23.5 | 28.9 | 44.0 | 45.4 | 46.2 | 45.3 | 27.5 | **18,077.2** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,200.0** |
| H2O | 1973 | 512.7 | 383.3 | 436.1 | 425.3 | 431.8 | 394.4 | 388.7 | 346.6 | 341.3 | 343.6 | 325.3 | 328.0 | **49,225.8** |
| OIL | 1973 | 54.2 | 51.0 | 55.5 | 50.9 | 56.1 | 55.1 | 51.0 | 52.9 | 48.3 | 51.0 | 32.6 | 32.3 | **17,676.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 25.0 | 31.0 | **5,837.0** |
| H2O | 1972 | 825.4 | 582.5 | 544.7 | 552.8 | 567.1 | 568.0 | 564.9 | 549.9 | 508.7 | 531.5 | 384.1 | 489.5 | **44,568.7** |
| OIL | 1972 | 61.3 | 54.0 | 61.8 | 57.2 | 57.0 | 59.9 | 63.1 | 51.6 | 48.3 | 47.8 | 41.8 | 54.0 | **17,085.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | **5,477.0** |
| H2O | 1971 | 395.9 | 376.9 | 298.6 | 312.4 | 324.3 | 220.3 | 318.8 | 346.7 | 283.0 | 348.6 | 315.6 | 739.6 | **37,899.6** |
| OIL | 1971 | 57.7 | 51.6 | 47.7 | 47.0 | 79.1 | 45.0 | 31.8 | 32.7 | 26.7 | 28.4 | 26.9 | 57.2 | **16,427.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,115.0** |
| H2O | 1970 | 512.6 | 403.8 | 436.9 | 438.3 | 483.6 | 503.8 | 500.6 | 529.7 | 486.3 | 474.9 | 469.5 | 373.3 | **33,618.9** |
| OIL | 1970 | 68.3 | 60.7 | 66.7 | 62.0 | 61.3 | 63.2 | 64.7 | 65.6 | 62.6 | 65.0 | 61.3 | 56.1 | **15,895.8** |
| DAY | 1969 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **4,756.0** |
| H2O | 1969 | 376.5 | 369.5 | 390.5 | 376.5 | 388.9 | 369.5 | 387.6 | 341.8 | 372.8 | 377.3 | 296.7 | 538.5 | **28,005.6** |
| OIL | 1969 | 76.9 | 75.3 | 84.1 | 66.4 | 65.8 | 70.6 | 73.3 | 67.2 | 66.6 | 69.1 | 45.1 | 65.5 | **15,138.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,396.0** |
| H2O | 1968 | 360.9 | 350.6 | 382.8 | 307.8 | 309.7 | 295.2 | 259.1 | 242.0 | 211.9 | 316.2 | 311.1 | 314.8 | **23,419.5** |
| OIL | 1968 | 85.5 | 83.4 | 85.8 | 84.7 | 81.7 | 82.5 | 50.4 | 49.3 | 42.3 | 74.4 | 69.8 | 73.9 | **14,312.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,032.0** |
| H2O | 1967 | 251.7 | 254.4 | 298.7 | 298.2 | 268.4 | 188.1 | 197.8 | 313.5 | 335.3 | 346.3 | 347.7 | 370.4 | **19,757.4** |
| OIL | 1967 | 56.3 | 51.2 | 57.2 | 53.6 | 51.8 | 39.4 | 43.7 | 74.8 | 78.7 | 82.3 | 80.1 | 84.7 | **13,448.7** |
| DAY | 1966 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 24.0 | 26.0 | 30.0 | 31.0 | **3,669.0** |
| H2O | 1966 | 274.7 | 215.4 | 237.8 | 144.8 | 189.2 | 132.6 | 285.8 | 286.8 | 235.8 | 247.5 | 273.9 | 231.2 | **16,286.9** |
| OIL | 1966 | 62.3 | 57.5 | 59.1 | 29.6 | 50.4 | 30.8 | 78.7 | 67.7 | 56.1 | 61.3 | 65.9 | 52.0 | **12,694.9** |
| DAY | 1965 | 5.0 | 0.0 | 0.0 | 22.0 | 28.0 | 18.0 | 30.0 | 30.0 | 25.0 | 31.0 | 28.0 | 29.0 | **3,319.0** |
| H2O | 1965 | 27.0 | 0.0 | 0.0 | 128.8 | 98.6 | 120.8 | 289.2 | 320.8 | 264.5 | 307.9 | 265.7 | 264.7 | **13,531.4** |
| OIL | 1965 | 5.9 | 0.0 | 0.0 | 37.2 | 20.7 | 43.2 | 87.2 | 78.0 | 62.8 | 70.7 | 63.6 | 64.7 | **12,023.5** |
| DAY | 1964 | 31.0 | 29.0 | 26.0 | 19.0 | 31.0 | 30.0 | 0.0 | 24.0 | 30.0 | 31.0 | 26.0 | 28.0 | **3,073.0** |
| H2O | 1964 | 147.9 | 138.3 | 124.0 | 90.6 | 147.9 | 143.1 | 0.0 | 152.6 | 169.8 | 167.6 | 140.2 | 149.9 | **11,443.4** |
| OIL | 1964 | 35.4 | 25.4 | 22.7 | 16.4 | 27.2 | 13.2 | 0.0 | 42.0 | 50.4 | 53.9 | 39.7 | 35.3 | **11,489.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 0.0 | **2,768.0** |
| H2O | 1963 | 172.5 | 155.8 | 147.9 | 100.2 | 147.9 | 143.1 | 147.9 | 143.1 | 143.1 | 147.9 | 143.1 | 0.0 | **9,871.5** |
| OIL | 1963 | 54.8 | 82.2 | 55.3 | 36.9 | 55.1 | 60.2 | 54.3 | 52.4 | 51.5 | 54.0 | 52.6 | 0.0 | **11,127.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 30.0 | 25.0 | 23.0 | 13.0 | 31.0 | **2,444.0** |
| H2O | 1962 | 147.9 | 133.5 | 147.9 | 143.1 | 147.9 | 143.1 | 124.0 | 143.1 | 119.2 | 109.7 | 62.0 | 147.9 | **8,279.0** |
| OIL | 1962 | 94.6 | 72.6 | 82.0 | 80.9 | 81.4 | 69.6 | 58.5 | 66.1 | 51.8 | 51.2 | 22.7 | 54.3 | **10,518.6** |
| DAY | 1961 | 31.0 | 27.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 25.0 | 31.0 | **2,115.0** |

# Manitoba Production
## 1950 To 1975

Licence ***944*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-14-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1961 | 123.2 | 103.3 | 123.2 | 123.2 | 115.3 | 140.7 | 147.9 | 147.9 | 143.1 | 138.3 | 119.2 | 147.9 | **6,709.7** |
| OIL | 1961 | 81.5 | 74.1 | 77.7 | 76.3 | 64.7 | 73.1 | 70.7 | 73.7 | 80.9 | 86.9 | 71.4 | 87.7 | **9,732.9** |
| DAY | 1960 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 22.0 | 31.0 | 30.0 | 31.0 | **1,760.0** |
| H2O | 1960 | 109.1 | 111.3 | 145.6 | 119.2 | 123.2 | 115.3 | 119.2 | 123.2 | 87.4 | 123.2 | 119.2 | 123.2 | **5,136.5** |
| OIL | 1960 | 92.6 | 95.3 | 110.9 | 92.3 | 90.4 | 90.3 | 91.5 | 94.4 | 64.8 | 90.1 | 84.7 | 86.3 | **8,814.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 25.0 | 26.0 | 30.0 | 30.0 | 29.0 | 30.0 | 30.0 | **1,407.0** |
| H2O | 1959 | 121.8 | 111.1 | 122.6 | 113.4 | 106.8 | 92.8 | 101.7 | 119.1 | 119.2 | 111.1 | 119.2 | 119.2 | **3,717.4** |
| OIL | 1959 | 139.5 | 123.8 | 133.6 | 122.4 | 116.2 | 105.8 | 108.2 | 118.9 | 112.3 | 109.6 | 102.0 | 103.3 | **7,730.6** |
| DAY | 1958 | 28.0 | 24.0 | 30.0 | 30.0 | 23.0 | 28.0 | 29.0 | 24.0 | 25.0 | 23.0 | 29.0 | 30.0 | **1,057.0** |
| H2O | 1958 | 66.8 | 54.8 | 77.4 | 111.0 | 79.0 | 103.2 | 107.2 | 83.3 | 94.6 | 86.2 | 108.9 | 113.2 | **2,359.4** |
| OIL | 1958 | 138.9 | 111.4 | 133.3 | 150.5 | 110.0 | 136.8 | 139.0 | 108.5 | 118.5 | 111.1 | 137.6 | 133.2 | **6,335.0** |
| DAY | 1957 | 24.0 | 27.0 | 30.0 | 26.0 | 26.0 | 27.0 | 27.0 | 28.0 | 23.0 | 28.0 | 29.0 | 29.0 | **734.0** |
| H2O | 1957 | 52.9 | 54.5 | 67.6 | 60.4 | 55.0 | 52.1 | 53.9 | 61.8 | 52.8 | 68.5 | 74.6 | 89.0 | **1,273.8** |
| OIL | 1957 | 140.3 | 162.1 | 172.3 | 156.2 | 149.5 | 150.5 | 149.7 | 160.7 | 125.5 | 143.7 | 151.3 | 153.2 | **4,806.2** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | 23.0 | 26.0 | 27.0 | 28.0 | 30.0 | 28.0 | 24.0 | **410.0** |
| H2O | 1956 | 24.0 | 33.1 | 40.7 | 55.2 | 45.5 | 33.9 | 42.4 | 41.5 | 42.4 | 47.7 | 51.2 | 45.2 | **530.7** |
| OIL | 1956 | 224.7 | 235.3 | 234.9 | 186.7 | 197.4 | 145.7 | 190.2 | 183.5 | 181.6 | 207.5 | 181.2 | 148.6 | **2,991.2** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 29.0 | 26.0 | **75.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 5.1 | 20.7 | **27.9** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 188.9 | 267.9 | 217.1 | **673.9** |

Licence ***945*** Well Name ***Daly Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.14-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1971 | 371.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **40,671.2** |
| WIN | 1970 | 100.6 | 137.7 | 317.3 | 106.2 | 115.3 | 104.4 | 101.4 | 96.8 | 105.6 | 98.7 | 81.1 | 350.4 | **40,300.1** |
| WIN | 1969 | 123.7 | 117.0 | 129.9 | 121.1 | 101.7 | 183.9 | 140.1 | 143.1 | 149.8 | 146.1 | 113.0 | 118.9 | **38,584.6** |
| WIN | 1968 | 97.3 | 108.1 | 116.9 | 111.9 | 113.7 | 105.9 | 107.8 | 106.7 | 101.1 | 112.4 | 108.4 | 118.4 | **36,996.3** |
| WIN | 1967 | 185.8 | 147.1 | 153.6 | 136.2 | 130.4 | 126.9 | 126.2 | 120.2 | 117.2 | 117.3 | 85.7 | 102.5 | **35,687.7** |
| WIN | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 59.0 | 277.3 | **34,138.6** |
| WIN | 1965 | 107.5 | 101.7 | 119.6 | 205.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **33,802.3** |
| WIN | 1964 | 120.2 | 109.9 | 118.8 | 110.3 | 117.3 | 113.7 | 114.1 | 112.6 | 109.4 | 111.9 | 108.4 | 109.5 | **33,267.9** |
| WIN | 1963 | 127.8 | 85.4 | 97.6 | 90.5 | 89.7 | 8.7 | 24.8 | 147.5 | 124.0 | 120.7 | 113.5 | 117.3 | **31,911.8** |
| WIN | 1962 | 138.5 | 131.5 | 105.6 | 146.1 | 131.0 | 128.5 | 132.0 | 128.8 | 157.7 | 130.4 | 122.4 | 129.1 | **30,764.3** |
| WIN | 1961 | 149.1 | 128.9 | 145.9 | 134.8 | 148.6 | 144.7 | 148.0 | 141.2 | 164.9 | 146.6 | 129.6 | 149.6 | **29,182.7** |
| WIN | 1960 | 146.3 | 143.1 | 119.7 | 149.1 | 140.4 | 125.6 | 134.8 | 138.5 | 119.1 | 120.2 | 136.2 | 132.4 | **27,450.8** |
| WIN | 1959 | 86.6 | 81.6 | 89.8 | 95.1 | 93.2 | 105.9 | 313.7 | 231.0 | 187.3 | 173.3 | 144.8 | 138.9 | **25,845.4** |
| WIN | 1958 | 128.8 | 94.8 | 127.7 | 126.4 | 102.2 | 113.4 | 95.9 | 115.3 | 97.1 | 108.6 | 94.9 | 103.5 | **24,104.2** |
| WIN | 1957 | 0.0 | 0.0 | 0.0 | 25.0 | 1200.1 | 1370.9 | 375.0 | 86.8 | 81.2 | 134.8 | 117.0 | 136.2 | **22,795.6** |
| WIN | 1956 | 992.8 | 2440.0 | 2329.2 | 1122.2 | 1860.4 | 2104.1 | 2086.5 | 1716.2 | 1448.1 | 1437.5 | 1272.3 | 459.3 | **19,268.6** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.9 | 0.0 | 0.0 | 0.0 | **7.9** |

Licence ***946*** Well Name ***Daly Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.16-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1967 | 118.4 | 103.3 | 130.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **14,838.1** |
| WIN | 1966 | 166.8 | 143.1 | 156.3 | 155.8 | 143.4 | 130.2 | 127.8 | 116.4 | 117.2 | 124.2 | 118.4 | 114.1 | **14,486.0** |
| WIN | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 145.1 | 238.9 | 189.5 | **12,872.3** |
| WIN | 1963 | 114.9 | 151.5 | 214.3 | 181.2 | 252.0 | 288.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **12,298.8** |
| WIN | 1962 | 461.5 | 129.4 | 175.8 | 132.7 | 127.8 | 115.9 | 119.1 | 121.8 | 105.9 | 124.8 | 108.3 | 132.1 | **11,096.5** |
| WIN | 1961 | 141.5 | 124.5 | 137.0 | 134.5 | 141.2 | 132.4 | 138.0 | 128.6 | 122.9 | 129.7 | 124.5 | 130.2 | **9,241.4** |

# Manitoba Production
## 1950 To 1975

Licence ***946*** Well Name ***Daly Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.16-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1960 | 132.6 | 118.9 | 107.6 | 120.2 | 105.6 | 144.7 | 145.8 | 145.9 | 128.5 | 135.0 | 152.0 | 142.8 | **7,656.4** |
| WIN | 1959 | 140.1 | 133.7 | 142.4 | 135.6 | 132.9 | 122.3 | 127.3 | 123.4 | 127.2 | 137.0 | 113.0 | 136.9 | **6,076.8** |
| WIN | 1958 | 227.5 | 184.9 | 202.7 | 180.0 | 179.2 | 154.1 | 153.9 | 141.8 | 145.5 | 163.7 | 146.1 | 154.5 | **4,505.0** |
| WIN | 1957 | 0.0 | 0.0 | 263.7 | 357.9 | 290.5 | 226.9 | 223.2 | 195.2 | 179.3 | 186.3 | 172.3 | 210.8 | **2,471.1** |
| WIN | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 165.0 | 0.0 | **165.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.1 | 0.0 | 0.0 | 0.0 | **5.1** |

Licence ***947*** Well Name ***Sun R. Chapman Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-04-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 19.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,443.0** |
| H2O | 1961 | 122.1 | 136.7 | 124.8 | 85.2 | 61.4 | 56.1 | 46.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,622.0** |
| OIL | 1961 | 22.1 | 19.7 | 31.6 | 14.0 | 14.8 | 13.5 | 12.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,135.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,243.0** |
| H2O | 1960 | 73.9 | 69.2 | 45.6 | 24.5 | 28.8 | 27.2 | 34.0 | 20.0 | 23.1 | 104.1 | 267.4 | 144.2 | **6,989.5** |
| OIL | 1960 | 14.9 | 14.1 | 15.3 | 14.3 | 16.5 | 31.0 | 25.8 | 24.8 | 18.4 | 40.4 | 44.0 | 25.0 | **2,007.5** |
| DAY | 1959 | 31.0 | 13.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 25.0 | 30.0 | 31.0 | **878.0** |
| H2O | 1959 | 73.6 | 17.8 | 19.9 | 24.0 | 124.5 | 175.5 | 173.6 | 168.7 | 133.9 | 114.0 | 121.8 | 87.9 | **6,127.5** |
| OIL | 1959 | 33.7 | 7.5 | 26.2 | 34.7 | 48.8 | 39.3 | 26.9 | 21.8 | 20.4 | 33.2 | 28.5 | 18.6 | **1,723.0** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 6.0 | **536.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 67.3 | 74.1 | 171.5 | 173.5 | 44.4 | 32.0 | 0.0 | **4,892.3** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 45.6 | 39.3 | 54.9 | 38.6 | 24.6 | 21.8 | 5.7 | **1,383.4** |
| DAY | 1957 | 26.0 | 8.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 | **354.0** |
| H2O | 1957 | 355.2 | 159.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.2 | 0.0 | 0.0 | 0.0 | **4,329.5** |
| OIL | 1957 | 35.1 | 14.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.7 | 0.0 | 0.0 | 0.0 | **1,152.9** |
| DAY | 1956 | 17.0 | 21.0 | 28.0 | 0.0 | 20.0 | 17.0 | 28.0 | 29.0 | 27.0 | 29.0 | 20.0 | 26.0 | **318.0** |
| H2O | 1956 | 202.6 | 253.6 | 631.5 | 0.0 | 245.2 | 222.3 | 301.4 | 233.9 | 340.4 | 400.6 | 208.3 | 336.4 | **3,805.3** |
| OIL | 1956 | 61.4 | 96.3 | 116.4 | 0.0 | 111.9 | 52.5 | 32.4 | 57.9 | 59.1 | 48.7 | 53.4 | 43.1 | **1,090.6** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 17.0 | 13.0 | 21.0 | **56.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.3 | 121.3 | 82.8 | 202.7 | **429.1** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 38.6 | 117.3 | 76.2 | 125.4 | **357.5** |

Licence ***948*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 2209.0 | 2202.3 | 2516.5 | 2445.6 | 2010.6 | 2189.2 | 1908.7 | 2082.6 | 2093.1 | 2196.0 | 2258.0 | 2321.7 | **318,684.9** |
| WIN | 1974 | 2266.6 | 2850.0 | 2408.4 | 2345.0 | 2293.3 | 2025.9 | 2127.5 | 2172.5 | 1954.3 | 2068.3 | 2189.3 | 2335.3 | **292,251.6** |
| WIN | 1973 | 2974.7 | 2713.8 | 2898.2 | 2839.2 | 2816.3 | 2414.0 | 2374.7 | 2432.2 | 2403.3 | 2488.8 | 2295.4 | 2344.8 | **265,215.2** |
| WIN | 1972 | 2662.6 | 2490.9 | 2777.1 | 2590.1 | 2976.3 | 2870.2 | 2948.9 | 2880.9 | 2824.9 | 2927.9 | 2804.1 | 2985.8 | **234,219.8** |
| WIN | 1971 | 2284.1 | 2039.9 | 2158.9 | 1928.1 | 1708.9 | 2700.6 | 1807.0 | 1731.8 | 1669.3 | 1347.7 | 2500.6 | 2750.7 | **200,480.1** |
| WIN | 1970 | 1896.5 | 1567.4 | 1586.6 | 1489.5 | 1963.2 | 2559.4 | 2302.7 | 2444.3 | 2420.0 | 2460.9 | 2457.2 | 1580.3 | **175,852.5** |
| WIN | 1969 | 1958.2 | 1768.5 | 2160.7 | 2067.7 | 2112.2 | 1855.5 | 2030.8 | 2268.2 | 2111.3 | 2376.3 | 1919.8 | 1876.8 | **151,124.5** |
| WIN | 1968 | 2031.6 | 1897.7 | 2093.6 | 2168.2 | 1986.8 | 2032.2 | 2124.8 | 2101.7 | 2143.4 | 2052.6 | 1864.4 | 1990.7 | **126,618.5** |
| WIN | 1967 | 2002.5 | 1704.7 | 2009.8 | 1943.8 | 1983.3 | 1943.8 | 1203.2 | 2072.0 | 1881.5 | 2052.4 | 1885.8 | 2032.1 | **102,130.8** |
| WIN | 1966 | 1571.4 | 1544.6 | 1861.8 | 1951.6 | 1982.3 | 1958.6 | 1845.9 | 2002.7 | 1965.6 | 2041.9 | 2158.6 | 2402.0 | **79,415.9** |
| WIN | 1965 | 1666.1 | 1485.0 | 1701.7 | 1500.3 | 1889.0 | 1808.7 | 1901.4 | 1981.2 | 1742.1 | 2054.8 | 1556.9 | 1680.1 | **56,128.9** |
| WIN | 1964 | 1341.6 | 1317.6 | 1489.3 | 1319.9 | 1154.0 | 1353.7 | 1092.7 | 1324.9 | 1206.3 | 1206.3 | 1544.6 | 1548.5 | **35,161.6** |
| WIN | 1963 | 2728.4 | 1744.5 | 1473.7 | 1107.1 | 1683.6 | 1588.1 | 1530.5 | 1321.3 | 1412.4 | 1535.7 | 1132.3 | 1295.1 | **19,262.2** |
| DAY | 1962 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 15.0 | **2,549.0** |
| H2O | 1962 | 12.0 | 10.9 | 12.1 | 12.4 | 16.9 | 16.7 | 24.3 | 31.5 | 19.9 | 6.7 | 7.9 | 2.9 | **613.8** |
| OIL | 1962 | 76.5 | 64.5 | 75.2 | 71.7 | 79.9 | 99.0 | 82.8 | 82.5 | 75.0 | 75.6 | 69.9 | 33.8 | **12,422.3** |

# Manitoba Production
## 1950 To 1975

Licence ***948*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 709.5 | **709.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,203.0** |
| H2O | 1961 | 11.4 | 12.1 | 12.2 | 64.5 | 63.9 | 28.5 | 23.5 | 28.8 | 14.5 | 14.1 | 13.4 | 12.6 | **439.6** |
| OIL | 1961 | 60.2 | 58.0 | 62.3 | 66.1 | 107.1 | 85.8 | 88.8 | 76.0 | 58.8 | 74.1 | 76.3 | 78.2 | **11,535.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,844.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.5 | 13.2 | 14.8 | **140.1** |
| OIL | 1960 | 87.9 | 68.6 | 74.1 | 77.4 | 83.3 | 100.7 | 107.4 | 113.9 | 111.1 | 72.0 | 66.1 | 61.3 | **10,644.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,480.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 4.5 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **102.6** |
| OIL | 1959 | 44.2 | 37.5 | 37.7 | 35.4 | 97.7 | 101.5 | 101.4 | 114.1 | 109.8 | 96.8 | 86.6 | 84.2 | **9,620.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,117.0** |
| H2O | 1958 | 5.1 | 4.8 | 5.4 | 1.0 | 0.0 | 0.2 | 0.3 | 0.0 | 0.2 | 0.0 | 0.0 | 0.3 | **97.0** |
| OIL | 1958 | 158.9 | 136.7 | 149.1 | 119.7 | 112.8 | 104.9 | 100.0 | 67.9 | 54.5 | 42.7 | 36.5 | 49.4 | **8,673.5** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **752.0** |
| H2O | 1957 | 0.8 | 0.8 | 0.6 | 0.6 | 0.2 | 0.5 | 0.5 | 10.8 | 15.3 | 15.1 | 14.6 | 12.7 | **79.7** |
| OIL | 1957 | 296.5 | 228.2 | 235.3 | 205.0 | 199.1 | 179.9 | 192.1 | 186.1 | 188.8 | 188.1 | 164.9 | 155.7 | **7,540.4** |
| DAY | 1956 | 29.0 | 23.0 | 26.0 | 28.0 | 29.0 | 27.0 | 31.0 | 25.0 | 23.0 | 30.0 | 30.0 | 31.0 | **390.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 1.0 | 0.8 | 1.1 | 0.0 | 0.8 | 0.8 | 0.6 | 0.6 | 1.1 | **7.2** |
| OIL | 1956 | 382.5 | 289.4 | 413.2 | 400.5 | 403.9 | 400.5 | 414.9 | 328.9 | 339.4 | 374.6 | 330.2 | 309.1 | **5,120.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 8.0 | 11.0 | 28.0 | **58.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.2 | 0.0 | **0.4** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 185.4 | 72.6 | 133.3 | 342.3 | **733.6** |

Licence ***949*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,289.0** |
| H2O | 1975 | 100.2 | 94.0 | 106.7 | 49.3 | 51.0 | 49.0 | 49.0 | 47.4 | 47.5 | 50.9 | 51.2 | 52.1 | **10,610.3** |
| OIL | 1975 | 192.4 | 174.5 | 195.1 | 185.1 | 188.6 | 183.2 | 188.6 | 185.8 | 183.9 | 190.1 | 183.9 | 186.7 | **38,835.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,925.0** |
| H2O | 1974 | 272.2 | 257.9 | 288.5 | 280.9 | 290.6 | 292.0 | 295.1 | 270.7 | 126.7 | 103.7 | 103.3 | 103.3 | **9,862.0** |
| OIL | 1974 | 249.6 | 222.3 | 254.4 | 242.7 | 252.2 | 243.9 | 251.9 | 250.8 | 97.1 | 204.5 | 195.1 | 201.3 | **36,597.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,560.0** |
| H2O | 1973 | 15.9 | 14.9 | 16.2 | 0.0 | 0.0 | 0.0 | 243.2 | 308.7 | 307.0 | 308.9 | 287.8 | 278.9 | **7,177.1** |
| OIL | 1973 | 294.5 | 259.7 | 286.2 | 196.4 | 205.0 | 198.6 | 209.6 | 264.3 | 254.7 | 259.2 | 244.9 | 248.2 | **33,932.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,200.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 7.8 | 8.7 | 8.6 | 0.0 | 0.0 | 0.0 | 0.0 | 4.8 | 16.1 | **5,395.6** |
| OIL | 1972 | 272.8 | 250.6 | 263.2 | 259.5 | 273.8 | 264.1 | 334.2 | 341.7 | 325.3 | 342.5 | 215.3 | 284.3 | **31,010.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,835.0** |
| H2O | 1971 | 28.1 | 29.1 | 33.4 | 33.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,349.6** |
| OIL | 1971 | 297.3 | 263.0 | 291.0 | 276.2 | 282.4 | 274.4 | 271.6 | 262.5 | 259.0 | 258.1 | 253.6 | 277.6 | **27,583.4** |
| DAY | 1970 | 31.0 | 28.0 | 25.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,472.0** |
| H2O | 1970 | 68.2 | 33.5 | 57.4 | 63.6 | 67.6 | 67.7 | 3.3 | 4.3 | 0.0 | 0.0 | 39.4 | 43.9 | **5,225.5** |
| OIL | 1970 | 255.8 | 226.4 | 258.7 | 299.2 | 319.3 | 308.8 | 320.8 | 342.3 | 321.5 | 339.1 | 294.8 | 309.1 | **24,316.7** |
| DAY | 1969 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | **5,114.0** |
| H2O | 1969 | 23.7 | 20.3 | 20.2 | 20.5 | 53.7 | 51.5 | 55.8 | 32.3 | 28.3 | 72.2 | 62.0 | 70.3 | **4,776.6** |
| OIL | 1969 | 247.7 | 207.4 | 241.7 | 235.7 | 250.9 | 246.2 | 255.8 | 252.5 | 228.7 | 263.8 | 242.8 | 262.5 | **20,720.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,753.0** |
| H2O | 1968 | 21.9 | 20.8 | 22.1 | 16.2 | 17.2 | 21.8 | 23.5 | 21.5 | 21.6 | 22.7 | 21.1 | 22.6 | **4,265.8** |
| OIL | 1968 | 261.9 | 240.3 | 257.4 | 234.2 | 234.9 | 232.8 | 237.9 | 237.7 | 243.6 | 255.5 | 240.4 | 247.4 | **17,785.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 19.0 | 26.0 | 31.0 | **4,387.0** |

# Manitoba Production
## 1950 To 1975

Licence ***949*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1967 | 1.3 | 1.1 | 1.3 | 3.5 | 3.7 | 3.5 | 3.7 | 4.9 | 4.1 | 2.5 | 18.1 | 22.7 | **4,012.8** |
| OIL | 1967 | 180.0 | 160.0 | 179.4 | 194.5 | 201.7 | 185.4 | 206.6 | 204.7 | 191.3 | 122.2 | 223.1 | 261.6 | **14,861.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,038.0** |
| H2O | 1966 | 14.9 | 11.9 | 11.8 | 11.9 | 13.5 | 10.2 | 4.8 | 4.8 | 0.0 | 1.3 | 1.3 | 1.3 | **3,942.4** |
| OIL | 1966 | 161.1 | 141.9 | 160.3 | 156.8 | 164.0 | 136.0 | 180.5 | 178.6 | 167.3 | 175.8 | 172.3 | 176.4 | **12,550.7** |
| DAY | 1965 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,677.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 1.1 | 1.1 | 1.1 | 1.0 | 1.1 | 1.1 | 1.1 | 4.8 | 15.7 | **3,854.7** |
| OIL | 1965 | 37.3 | 37.0 | 66.1 | 73.3 | 73.9 | 73.9 | 77.1 | 76.4 | 72.3 | 75.3 | 113.5 | 163.0 | **10,579.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,316.0** |
| H2O | 1964 | 1.1 | 1.1 | 1.3 | 1.1 | 1.3 | 1.1 | 3.7 | 3.7 | 3.7 | 3.5 | 0.0 | 0.0 | **3,826.6** |
| OIL | 1964 | 44.8 | 42.4 | 45.8 | 44.2 | 45.3 | 42.4 | 37.2 | 37.3 | 31.8 | 32.3 | 39.6 | 42.4 | **9,640.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,950.0** |
| H2O | 1963 | 4.5 | 4.6 | 4.1 | 4.5 | 1.1 | 6.5 | 4.9 | 5.9 | 5.2 | 7.6 | 1.1 | 1.3 | **3,805.0** |
| OIL | 1963 | 32.6 | 35.3 | 35.9 | 34.0 | 27.2 | 24.5 | 26.2 | 44.8 | 45.8 | 47.7 | 42.1 | 42.9 | **9,155.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,585.0** |
| H2O | 1962 | 2.1 | 4.1 | 4.0 | 5.4 | 3.3 | 4.3 | 6.2 | 3.8 | 3.8 | 7.3 | 5.1 | 4.6 | **3,753.7** |
| OIL | 1962 | 40.5 | 34.6 | 46.9 | 35.9 | 43.1 | 49.9 | 50.1 | 43.5 | 43.1 | 36.7 | 33.8 | 34.5 | **8,716.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,220.0** |
| H2O | 1961 | 7.9 | 16.2 | 2.4 | 5.4 | 6.2 | 3.8 | 9.4 | 8.6 | 5.6 | 5.2 | 2.9 | 3.2 | **3,699.7** |
| OIL | 1961 | 41.0 | 43.9 | 39.6 | 50.2 | 50.7 | 52.4 | 44.5 | 57.0 | 49.3 | 38.0 | 36.5 | 38.8 | **8,223.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,855.0** |
| H2O | 1960 | 15.1 | 8.9 | 10.0 | 13.5 | 3.8 | 10.7 | 4.8 | 4.8 | 4.5 | 10.3 | 0.0 | 6.4 | **3,622.9** |
| OIL | 1960 | 51.2 | 53.1 | 53.7 | 46.1 | 50.9 | 50.4 | 55.9 | 53.2 | 57.8 | 57.0 | 45.4 | 42.1 | **7,681.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,491.0** |
| H2O | 1959 | 8.6 | 7.6 | 6.2 | 10.5 | 10.0 | 2.1 | 11.4 | 20.8 | 11.0 | 6.7 | 9.9 | 7.8 | **3,530.1** |
| OIL | 1959 | 65.9 | 59.8 | 59.1 | 83.9 | 82.3 | 63.6 | 83.4 | 56.6 | 58.3 | 67.2 | 48.0 | 55.1 | **7,064.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 17.0 | 31.0 | 30.0 | 31.0 | **1,130.0** |
| H2O | 1958 | 7.3 | 33.7 | 19.4 | 15.6 | 6.2 | 15.3 | 13.2 | 0.0 | 2.7 | 1.6 | 0.0 | 11.9 | **3,417.5** |
| OIL | 1958 | 87.4 | 89.9 | 93.6 | 91.1 | 83.0 | 78.5 | 89.3 | 79.1 | 63.6 | 77.2 | 45.9 | 71.0 | **6,281.6** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **778.0** |
| H2O | 1957 | 3.5 | 46.7 | 30.5 | 30.7 | 20.7 | 19.7 | 25.1 | 1.0 | 0.8 | 3.3 | 0.3 | 2.2 | **3,290.6** |
| OIL | 1957 | 154.6 | 136.3 | 152.1 | 153.0 | 122.4 | 117.4 | 134.9 | 122.4 | 109.8 | 102.8 | 93.8 | 96.9 | **5,332.0** |
| DAY | 1956 | 25.0 | 25.0 | 27.0 | 30.0 | 26.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **416.0** |
| H2O | 1956 | 231.8 | 351.8 | 415.3 | 469.1 | 151.8 | 180.0 | 130.4 | 109.7 | 107.8 | 79.6 | 78.9 | 45.9 | **3,106.1** |
| OIL | 1956 | 263.2 | 267.8 | 272.4 | 319.9 | 236.6 | 321.8 | 280.8 | 260.6 | 243.6 | 209.4 | 180.4 | 154.0 | **3,835.6** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 26.0 | 22.0 | **71.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 259.8 | 334.3 | 159.9 | **754.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 309.6 | 285.9 | 229.6 | **825.1** |

Licence ***950*** Well Name ***Ka-Bert Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-15-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 2307.5 | 2402.1 | 2737.6 | 1977.7 | 2324.3 | 2308.4 | 1750.7 | 2027.0 | 1953.6 | 1741.3 | 1756.9 | 1673.3 | **382,522.7** |
| WIN | 1974 | 2119.6 | 2013.3 | 2035.0 | 2522.0 | 2563.0 | 2578.9 | 2560.2 | 2247.4 | 2284.9 | 2283.0 | 2289.4 | 2307.2 | **357,562.3** |
| WIN | 1973 | 2966.7 | 2855.3 | 2993.6 | 2858.1 | 2962.3 | 2636.5 | 2083.6 | 2961.8 | 3034.0 | 2898.8 | 1546.9 | 1595.8 | **329,758.4** |
| WIN | 1972 | 2354.4 | 2572.6 | 2364.4 | 3117.0 | 3120.1 | 2723.1 | 2203.2 | 2813.4 | 2995.6 | 2658.1 | 3227.6 | 3245.3 | **298,365.0** |
| WIN | 1971 | 2425.0 | 1818.4 | 2840.3 | 2766.2 | 2951.9 | 2442.5 | 3307.3 | 2783.9 | 2201.1 | 2262.3 | 2135.5 | 2441.7 | **264,970.2** |
| WIN | 1970 | 3139.4 | 2767.3 | 2672.4 | 2831.9 | 2740.8 | 2203.5 | 2934.1 | 2708.0 | 2799.9 | 2682.9 | 3143.4 | 2056.3 | **234,594.1** |
| WIN | 1969 | 2748.6 | 2909.3 | 2257.6 | 2756.7 | 2941.1 | 2957.0 | 2623.1 | 2934.1 | 2702.6 | 2734.4 | 2987.2 | 3251.8 | **201,914.2** |
| WIN | 1968 | 2334.4 | 2711.4 | 2988.8 | 2723.3 | 2439.3 | 2802.8 | 2990.4 | 3091.4 | 2964.3 | 3036.5 | 2614.9 | 3039.7 | **168,110.7** |
| WIN | 1967 | 1716.0 | 0.0 | 0.0 | 1208.2 | 2404.4 | 2399.9 | 2618.2 | 3109.8 | 2583.5 | 2326.9 | 1752.8 | 2571.6 | **134,373.5** |

# Manitoba Production
## 1950 To 1975

Licence ***950*** Well Name ***Ka-Bert Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-15-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1966 | 0.0 | 0.0 | 1271.8 | 1549.6 | 2157.4 | 2211.3 | 2210.2 | 2434.1 | 2108.7 | 2393.6 | 2240.5 | 2239.8 | **111,682.2** |
| WIN | 1965 | 1620.2 | 1428.1 | 1647.0 | 1444.2 | 1549.1 | 1501.2 | 2486.9 | 1810.0 | 2139.1 | 1797.8 | 1783.8 | 2132.6 | **90,865.2** |
| WIN | 1964 | 1653.6 | 1789.7 | 1448.0 | 1845.9 | 2075.0 | 1686.3 | 2106.4 | 2076.2 | 1967.1 | 1790.8 | 1492.8 | 1993.8 | **69,525.2** |
| WIN | 1963 | 1901.9 | 1787.1 | 1876.9 | 1928.3 | 1913.5 | 1845.6 | 1854.5 | 1949.8 | 1701.7 | 1951.3 | 1987.3 | 1909.5 | **47,599.6** |
| WIN | 1962 | 1273.9 | 1173.7 | 1311.2 | 1259.4 | 1294.6 | 1236.2 | 1290.7 | 1851.8 | 1854.0 | 1980.3 | 1761.7 | 2001.7 | **24,992.2** |
| WIN | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 420.7 | 997.7 | 861.9 | 749.5 | 1313.2 | 1113.1 | 1246.9 | **6,703.0** |
| DAY | 1958 | 30.0 | 28.0 | 30.0 | 21.0 | 26.0 | 29.0 | 16.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **924.0** |
| H2O | 1958 | 493.2 | 563.7 | 603.4 | 391.5 | 434.9 | 592.4 | 373.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **12,640.3** |
| OIL | 1958 | 64.3 | 61.3 | 64.8 | 38.6 | 34.2 | 38.9 | 21.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,981.8** |
| DAY | 1957 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 29.0 | 29.0 | 29.0 | **744.0** |
| H2O | 1957 | 416.7 | 381.3 | 385.6 | 372.8 | 407.0 | 453.1 | 458.8 | 406.1 | 405.7 | 407.0 | 437.2 | 437.1 | **9,188.2** |
| OIL | 1957 | 210.6 | 193.1 | 198.8 | 186.9 | 188.3 | 169.6 | 140.2 | 123.0 | 82.3 | 72.3 | 72.6 | 70.6 | **4,658.7** |
| DAY | 1956 | 26.0 | 25.0 | 29.0 | 7.0 | 16.0 | 29.0 | 30.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | **387.0** |
| H2O | 1956 | 56.0 | 225.1 | 428.8 | 77.9 | 188.6 | 430.9 | 447.9 | 611.6 | 412.4 | 407.5 | 373.1 | 409.7 | **4,219.8** |
| OIL | 1956 | 199.6 | 212.6 | 234.4 | 59.9 | 145.2 | 237.4 | 237.7 | 249.5 | 222.5 | 222.0 | 207.4 | 197.5 | **2,950.4** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 30.0 | 31.0 | **76.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.4 | 31.8 | 102.1 | **150.3** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 112.5 | 238.4 | 173.8 | **524.7** |

Licence ***953*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 29.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **7,237.0** |
| H2O | 1975 | 760.6 | 760.6 | 926.7 | 943.7 | 978.4 | 887.9 | 938.3 | 897.6 | 875.0 | 977.7 | 980.7 | 998.2 | **51,143.5** |
| OIL | 1975 | 495.0 | 478.6 | 544.4 | 543.0 | 553.2 | 509.9 | 553.2 | 539.2 | 518.0 | 557.8 | 539.3 | 548.1 | **130,587.8** |
| DAY | 1974 | 30.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,876.0** |
| H2O | 1974 | 489.8 | 449.8 | 712.9 | 692.8 | 694.7 | 721.6 | 728.9 | 668.8 | 784.7 | 773.1 | 821.9 | 821.8 | **40,218.1** |
| OIL | 1974 | 622.3 | 537.3 | 699.2 | 665.7 | 670.6 | 670.4 | 692.1 | 689.2 | 523.1 | 516.8 | 525.7 | 542.4 | **124,208.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | **6,515.0** |
| H2O | 1973 | 642.0 | 616.0 | 696.8 | 666.3 | 704.4 | 677.3 | 594.9 | 91.4 | 91.6 | 655.8 | 584.7 | 163.3 | **31,857.3** |
| OIL | 1973 | 778.8 | 686.7 | 670.8 | 628.0 | 683.9 | 662.8 | 595.8 | 165.4 | 160.5 | 550.3 | 497.4 | 249.2 | **116,853.3** |
| DAY | 1972 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,155.0** |
| H2O | 1972 | 594.6 | 521.9 | 635.8 | 599.4 | 513.0 | 510.5 | 601.1 | 546.7 | 569.1 | 619.1 | 634.2 | 654.7 | **25,672.8** |
| OIL | 1972 | 877.0 | 736.9 | 890.4 | 800.1 | 836.0 | 806.5 | 821.1 | 805.8 | 782.8 | 824.4 | 783.1 | 790.3 | **110,523.7** |
| DAY | 1971 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 27.0 | 31.0 | 28.0 | 28.0 | **5,792.0** |
| H2O | 1971 | 230.5 | 212.4 | 240.7 | 249.6 | 576.8 | 595.1 | 166.0 | 568.5 | 458.0 | 588.2 | 528.3 | 528.9 | **18,672.7** |
| OIL | 1971 | 835.9 | 750.5 | 818.4 | 802.8 | 911.5 | 917.9 | 908.5 | 921.5 | 817.9 | 896.3 | 789.6 | 746.4 | **100,769.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,438.0** |
| H2O | 1970 | 232.7 | 220.3 | 230.5 | 253.3 | 260.7 | 260.4 | 240.5 | 243.6 | 294.1 | 253.6 | 221.3 | 257.4 | **13,729.7** |
| OIL | 1970 | 877.2 | 797.3 | 870.0 | 759.9 | 784.1 | 758.2 | 787.2 | 694.9 | 778.3 | 825.5 | 756.7 | 830.9 | **90,652.1** |
| DAY | 1969 | 28.0 | 28.0 | 28.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,077.0** |
| H2O | 1969 | 173.0 | 178.4 | 149.9 | 201.4 | 228.9 | 214.0 | 240.4 | 235.6 | 228.9 | 248.6 | 221.9 | 243.6 | **10,761.3** |
| OIL | 1969 | 732.9 | 735.8 | 727.2 | 836.7 | 887.4 | 822.4 | 895.8 | 867.8 | 871.6 | 911.8 | 874.0 | 915.2 | **81,131.9** |
| DAY | 1968 | 29.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,719.0** |
| H2O | 1968 | 146.1 | 149.4 | 356.6 | 346.1 | 383.0 | 275.7 | 283.9 | 190.6 | 192.0 | 190.8 | 176.3 | 187.3 | **8,196.7** |
| OIL | 1968 | 830.3 | 820.5 | 878.1 | 824.9 | 873.5 | 858.1 | 851.8 | 856.8 | 830.5 | 843.2 | 807.9 | 831.7 | **71,053.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 25.0 | 28.0 | 31.0 | **4,358.0** |
| H2O | 1967 | 124.4 | 114.0 | 137.2 | 79.9 | 80.7 | 75.3 | 71.0 | 149.5 | 130.2 | 108.2 | 117.1 | 163.0 | **5,318.9** |
| OIL | 1967 | 783.7 | 829.8 | 830.8 | 828.9 | 861.0 | 816.5 | 804.9 | 788.0 | 753.7 | 612.9 | 735.0 | 892.8 | **60,946.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,002.0** |
| H2O | 1966 | 98.8 | 79.1 | 100.7 | 97.1 | 106.2 | 114.0 | 101.9 | 101.9 | 112.4 | 115.8 | 120.1 | 135.8 | **3,968.4** |

# Manitoba Production
## 1950 To 1975

Licence ***953*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1966 | 760.4 | 669.5 | 741.3 | 712.6 | 721.5 | 735.8 | 690.3 | 772.9 | 771.8 | 799.3 | 765.9 | 814.6 | **51,408.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,640.0** |
| H2O | 1965 | 112.9 | 99.5 | 114.5 | 89.9 | 94.7 | 90.4 | 75.5 | 74.4 | 88.5 | 98.0 | 96.6 | 103.8 | **2,684.6** |
| OIL | 1965 | 667.4 | 603.1 | 658.0 | 688.1 | 718.6 | 718.9 | 758.2 | 736.7 | 749.9 | 827.6 | 754.8 | 769.1 | **42,452.1** |
| DAY | 1964 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,277.0** |
| H2O | 1964 | 42.1 | 38.1 | 43.4 | 42.0 | 44.3 | 57.0 | 41.0 | 41.6 | 39.9 | 45.9 | 106.3 | 112.4 | **1,545.9** |
| OIL | 1964 | 527.9 | 503.1 | 651.1 | 625.3 | 644.4 | 544.4 | 548.7 | 553.6 | 535.7 | 602.9 | 617.0 | 661.4 | **33,801.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,915.0** |
| H2O | 1963 | 1.4 | 5.6 | 2.1 | 26.2 | 33.4 | 52.9 | 39.3 | 52.1 | 38.6 | 47.7 | 43.1 | 43.9 | **891.9** |
| OIL | 1963 | 136.3 | 186.2 | 275.1 | 426.5 | 502.6 | 548.9 | 648.0 | 557.0 | 501.4 | 543.2 | 523.1 | 535.4 | **26,786.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,550.0** |
| H2O | 1962 | 3.5 | 2.9 | 1.6 | 0.0 | 0.0 | 0.0 | 8.7 | 4.0 | 2.1 | 1.6 | 1.9 | 1.4 | **505.6** |
| OIL | 1962 | 144.6 | 130.1 | 156.4 | 142.9 | 149.5 | 149.2 | 142.7 | 137.1 | 140.3 | 142.5 | 131.6 | 131.6 | **21,402.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,185.0** |
| H2O | 1961 | 0.0 | 0.0 | 1.7 | 1.9 | 2.9 | 1.0 | 3.5 | 3.8 | 1.0 | 1.3 | 2.7 | 1.4 | **477.9** |
| OIL | 1961 | 190.5 | 181.0 | 192.4 | 184.2 | 174.5 | 161.6 | 193.1 | 215.3 | 196.9 | 207.5 | 175.4 | 141.0 | **19,704.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,821.0** |
| H2O | 1960 | 0.0 | 2.1 | 0.0 | 1.0 | 5.4 | 5.4 | 6.4 | 6.8 | 6.5 | 4.9 | 9.7 | 2.7 | **456.7** |
| OIL | 1960 | 214.2 | 184.3 | 201.8 | 196.6 | 239.8 | 231.1 | 230.4 | 227.2 | 223.0 | 197.5 | 200.1 | 174.5 | **17,490.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,455.0** |
| H2O | 1959 | 0.0 | 1.1 | 0.0 | 1.4 | 1.3 | 3.7 | 4.9 | 4.8 | 1.9 | 0.0 | 0.3 | 2.9 | **405.8** |
| OIL | 1959 | 236.3 | 254.9 | 292.1 | 263.0 | 256.2 | 248.5 | 273.3 | 249.6 | 210.7 | 246.9 | 231.1 | 231.5 | **14,970.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,091.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.8 | 0.8 | 4.0 | 0.0 | 15.9 | 14.3 | 7.9 | 4.0 | 1.6 | 0.0 | **383.5** |
| OIL | 1958 | 326.2 | 304.3 | 348.0 | 307.6 | 325.4 | 297.5 | 339.3 | 333.1 | 298.6 | 313.5 | 287.6 | 281.9 | **11,976.0** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **727.0** |
| H2O | 1957 | 8.4 | 2.9 | 3.0 | 1.6 | 0.5 | 6.4 | 3.8 | 2.1 | 11.3 | 6.5 | 5.6 | 19.6 | **334.2** |
| OIL | 1957 | 348.2 | 310.4 | 347.4 | 328.1 | 334.3 | 324.7 | 288.1 | 319.7 | 369.0 | 310.5 | 305.7 | 217.7 | **8,213.0** |
| DAY | 1956 | 21.0 | 21.0 | 31.0 | 30.0 | 14.0 | 29.0 | 31.0 | 18.0 | 23.0 | 31.0 | 29.0 | 31.0 | **368.0** |
| H2O | 1956 | 0.5 | 0.5 | 4.0 | 68.5 | 42.1 | 57.6 | 31.6 | 1.6 | 1.6 | 11.6 | 15.9 | 18.8 | **262.5** |
| OIL | 1956 | 269.5 | 266.7 | 403.0 | 327.4 | 162.1 | 348.3 | 361.5 | 229.5 | 294.5 | 326.7 | 339.7 | 348.2 | **4,409.2** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 27.0 | 26.0 | **59.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.7 | 4.5 | **8.2** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.5 | 136.7 | 300.3 | 292.6 | **732.1** |

Licence ***954*** Well Name ***Daly Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-14-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1967 | 43.1 | 22.4 | 19.7 | 17.8 | 16.4 | 11.3 | 4.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **27,409.8** |
| WIN | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 32.0 | 60.1 | **27,274.6** |
| WIN | 1963 | 141.0 | 92.0 | 81.7 | 66.1 | 31.6 | 23.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **27,182.5** |
| WIN | 1962 | 91.4 | 93.3 | 78.7 | 119.9 | 120.3 | 97.5 | 99.5 | 75.7 | 71.4 | 96.0 | 97.6 | 97.0 | **26,746.9** |
| WIN | 1961 | 238.8 | 235.4 | 235.6 | 186.6 | 188.1 | 169.0 | 176.0 | 162.5 | 144.7 | 124.0 | 117.5 | 108.7 | **25,608.6** |
| WIN | 1960 | 189.0 | 234.5 | 223.5 | 242.4 | 255.5 | 266.0 | 277.9 | 269.3 | 215.1 | 220.8 | 270.3 | 248.2 | **23,521.7** |
| WIN | 1959 | 236.2 | 265.0 | 280.8 | 252.3 | 224.3 | 173.0 | 258.0 | 286.3 | 270.3 | 243.1 | 273.1 | 272.8 | **20,609.2** |
| WIN | 1958 | 500.6 | 382.3 | 429.7 | 402.1 | 351.5 | 376.3 | 316.4 | 317.6 | 246.7 | 300.2 | 258.8 | 270.1 | **17,574.0** |
| WIN | 1957 | 0.0 | 0.0 | 991.6 | 1649.7 | 1817.5 | 1437.7 | 2634.5 | 2691.1 | 722.4 | 114.3 | 402.5 | 473.3 | **13,421.7** |
| WIN | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 487.1 | 0.0 | **487.1** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 0.0 | 0.0 | 0.0 | **1.6** |

Licence ***955*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***955*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-33-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,094.0** |
| H2O | 1975 | 406.6 | 348.2 | 391.5 | 375.1 | 396.1 | 384.2 | 441.3 | 463.1 | 469.6 | 475.8 | 409.3 | 429.7 | **46,911.8** |
| OIL | 1975 | 25.1 | 22.7 | 24.9 | 24.2 | 35.0 | 39.3 | 45.4 | 9.4 | 8.9 | 25.3 | 23.4 | 24.5 | **9,184.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,729.0** |
| H2O | 1974 | 174.2 | 157.1 | 174.6 | 163.6 | 149.0 | 171.5 | 338.2 | 370.5 | 400.7 | 420.8 | 388.5 | 406.0 | **41,921.3** |
| OIL | 1974 | 19.7 | 17.5 | 19.4 | 18.8 | 21.3 | 20.2 | 26.4 | 23.8 | 17.0 | 25.9 | 23.5 | 25.6 | **8,876.8** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,371.0** |
| H2O | 1973 | 90.6 | 87.9 | 99.7 | 71.9 | 59.6 | 56.4 | 57.7 | 410.0 | 428.9 | 303.5 | 281.9 | 328.5 | **38,606.6** |
| OIL | 1973 | 12.4 | 11.8 | 17.5 | 12.9 | 13.5 | 8.1 | 7.6 | 14.5 | 32.6 | 19.9 | 24.0 | 23.5 | **8,617.7** |
| DAY | 1972 | 26.0 | 27.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,011.0** |
| H2O | 1972 | 31.5 | 32.3 | 36.2 | 345.1 | 359.4 | 303.0 | 309.4 | 247.5 | 232.3 | 134.8 | 128.8 | 130.5 | **36,330.0** |
| OIL | 1972 | 6.8 | 7.2 | 8.6 | 42.9 | 47.2 | 73.3 | 72.9 | 33.2 | 30.2 | 28.6 | 26.1 | 27.8 | **8,419.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,653.0** |
| H2O | 1971 | 75.0 | 52.6 | 59.6 | 55.8 | 50.9 | 49.1 | 52.3 | 41.2 | 40.7 | 41.2 | 33.7 | 37.5 | **34,039.2** |
| OIL | 1971 | 8.4 | 7.3 | 8.3 | 7.9 | 8.3 | 7.8 | 7.9 | 6.7 | 7.8 | 7.5 | 7.0 | 8.4 | **8,014.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,292.0** |
| H2O | 1970 | 90.0 | 49.0 | 78.4 | 104.1 | 73.9 | 73.1 | 68.8 | 70.9 | 72.0 | 73.8 | 69.6 | 74.1 | **33,449.6** |
| OIL | 1970 | 9.4 | 7.0 | 10.2 | 9.5 | 9.2 | 8.4 | 7.8 | 7.9 | 7.9 | 8.3 | 7.2 | 8.9 | **7,921.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **4,930.0** |
| H2O | 1969 | 271.0 | 244.8 | 271.0 | 262.2 | 271.0 | 262.2 | 271.0 | 271.0 | 262.2 | 198.1 | 207.9 | 95.5 | **32,551.9** |
| OIL | 1969 | 44.2 | 39.3 | 40.7 | 34.5 | 31.9 | 28.4 | 29.2 | 29.4 | 26.5 | 26.9 | 47.7 | 11.8 | **7,819.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,566.0** |
| H2O | 1968 | 295.7 | 276.5 | 295.7 | 286.1 | 295.7 | 267.0 | 272.6 | 271.0 | 262.2 | 271.0 | 262.2 | 271.0 | **29,664.0** |
| OIL | 1968 | 35.9 | 33.5 | 30.0 | 27.3 | 29.2 | 25.9 | 25.9 | 25.4 | 29.6 | 36.4 | 41.8 | 44.5 | **7,429.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 28.0 | 28.0 | 22.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,202.0** |
| H2O | 1967 | 300.0 | 267.8 | 292.9 | 216.2 | 254.3 | 214.1 | 290.5 | 306.4 | 293.7 | 310.5 | 282.1 | 302.2 | **26,337.3** |
| OIL | 1967 | 48.6 | 44.5 | 47.7 | 31.6 | 31.8 | 32.9 | 62.9 | 55.5 | 46.2 | 44.3 | 35.0 | 34.5 | **7,043.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 29.0 | 11.0 | 29.0 | 23.0 | 30.0 | 27.0 | 31.0 | 29.0 | 31.0 | **3,851.0** |
| H2O | 1966 | 231.6 | 179.2 | 197.1 | 180.4 | 70.0 | 181.2 | 289.9 | 477.1 | 378.2 | 372.0 | 317.3 | 314.1 | **23,006.6** |
| OIL | 1966 | 39.9 | 35.8 | 42.0 | 40.5 | 14.1 | 36.2 | 53.2 | 78.3 | 66.4 | 70.2 | 61.2 | 55.3 | **6,528.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 28.0 | 23.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,521.0** |
| H2O | 1965 | 312.4 | 254.3 | 246.4 | 222.6 | 155.5 | 238.5 | 242.4 | 194.8 | 224.2 | 231.6 | 221.8 | 229.2 | **19,818.5** |
| OIL | 1965 | 34.5 | 28.8 | 24.6 | 22.2 | 35.6 | 57.2 | 56.7 | 44.7 | 44.2 | 44.3 | 40.4 | 39.1 | **5,935.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,168.0** |
| H2O | 1964 | 221.8 | 207.5 | 221.8 | 214.6 | 213.8 | 214.6 | 214.6 | 246.4 | 325.9 | 345.0 | 299.7 | 318.0 | **17,044.8** |
| OIL | 1964 | 26.1 | 26.4 | 23.5 | 21.3 | 38.1 | 38.5 | 38.9 | 47.4 | 63.9 | 55.6 | 39.4 | 35.3 | **5,462.8** |
| DAY | 1963 | 14.0 | 0.0 | 8.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,807.0** |
| H2O | 1963 | 53.4 | 0.0 | 44.5 | 166.9 | 172.5 | 116.1 | 145.5 | 147.1 | 135.9 | 238.5 | 238.5 | 221.8 | **14,001.1** |
| OIL | 1963 | 8.6 | 0.0 | 6.5 | 17.5 | 18.6 | 15.6 | 19.4 | 19.5 | 15.1 | 31.5 | 41.0 | 28.8 | **5,008.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,511.0** |
| H2O | 1962 | 167.6 | 151.3 | 167.6 | 156.8 | 156.8 | 162.2 | 167.6 | 167.6 | 162.2 | 153.3 | 162.2 | 167.6 | **12,320.4** |
| OIL | 1962 | 17.5 | 16.0 | 17.6 | 16.5 | 18.6 | 11.3 | 12.7 | 16.7 | 29.9 | 19.1 | 19.1 | 21.0 | **4,786.3** |
| DAY | 1961 | 26.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,149.0** |
| H2O | 1961 | 133.5 | 149.8 | 162.2 | 160.3 | 167.6 | 162.2 | 167.6 | 167.6 | 162.2 | 151.3 | 162.2 | 167.6 | **10,377.6** |
| OIL | 1961 | 31.5 | 35.1 | 35.3 | 35.0 | 35.1 | 31.9 | 28.4 | 24.2 | 18.8 | 23.4 | 21.3 | 30.4 | **4,570.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 21.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,793.0** |
| H2O | 1960 | 177.4 | 166.0 | 177.4 | 153.6 | 166.9 | 214.6 | 221.8 | 150.2 | 214.6 | 221.8 | 191.9 | 162.2 | **8,463.5** |
| OIL | 1960 | 21.0 | 15.3 | 7.0 | 5.1 | 7.3 | 42.9 | 35.4 | 19.7 | 22.4 | 18.9 | 33.7 | 42.3 | **4,219.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 28.0 | 28.0 | **1,438.0** |
| H2O | 1959 | 107.2 | 102.4 | 130.4 | 118.8 | 107.9 | 107.3 | 99.4 | 98.6 | 95.4 | 95.4 | 139.9 | 160.3 | **6,245.1** |
| OIL | 1959 | 38.9 | 39.3 | 46.1 | 35.3 | 35.8 | 36.7 | 35.1 | 22.9 | 42.1 | 35.3 | 22.4 | 19.9 | **3,948.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | **1,083.0** |

# Manitoba Production
## 1950 To 1975

Licence ***955*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-33-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 142.1 | 122.7 | 160.9 | 157.5 | 161.2 | 149.9 | 140.9 | 144.2 | 123.7 | 108.6 | 115.1 | 112.6 | **4,882.1** |
| OIL | 1958 | 93.3 | 75.3 | 80.4 | 69.1 | 72.5 | 64.7 | 42.7 | 55.3 | 50.1 | 28.0 | 42.3 | 30.8 | **3,539.1** |
| DAY | 1957 | 29.0 | 28.0 | 31.0 | 27.0 | 25.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | **724.0** |
| H2O | 1957 | 155.5 | 139.9 | 171.7 | 143.9 | 139.9 | 150.2 | 157.1 | 152.1 | 121.8 | 131.5 | 151.7 | 144.2 | **3,242.7** |
| OIL | 1957 | 110.5 | 99.2 | 120.5 | 99.0 | 99.5 | 99.8 | 99.0 | 99.0 | 74.1 | 79.9 | 106.1 | 96.5 | **2,834.6** |
| DAY | 1956 | 31.0 | 8.0 | 14.0 | 9.0 | 29.0 | 30.0 | 17.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **373.0** |
| H2O | 1956 | 52.5 | 13.0 | 52.3 | 37.4 | 143.1 | 121.5 | 75.8 | 146.7 | 145.6 | 164.4 | 159.6 | 174.7 | **1,483.2** |
| OIL | 1956 | 120.7 | 32.3 | 52.1 | 36.2 | 134.2 | 125.1 | 78.0 | 129.6 | 135.8 | 129.7 | 108.4 | 125.4 | **1,651.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 30.0 | 31.0 | **84.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 66.9 | 67.9 | 61.8 | **196.6** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 155.0 | 150.5 | 138.5 | **444.0** |

Licence ***956*** Well Name ***Cdn-Sup Tapp Scallion SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1962 | 52.2 | 48.3 | 47.4 | 36.6 | 52.0 | 39.7 | 51.5 | 49.9 | 48.5 | 34.3 | 0.0 | 0.0 | **3,464.0** |
| WIN | 1961 | 66.3 | 54.5 | 59.0 | 54.9 | 51.8 | 48.3 | 47.9 | 32.9 | 39.9 | 39.3 | 50.9 | 56.4 | **3,003.6** |
| WIN | 1960 | 127.7 | 114.0 | 116.5 | 103.2 | 94.0 | 92.1 | 86.8 | 79.2 | 80.8 | 87.9 | 77.7 | 74.7 | **2,401.5** |
| WIN | 1959 | 17.6 | 6.5 | 4.0 | 4.0 | 5.7 | 5.9 | 15.3 | 108.7 | 201.8 | 203.8 | 168.8 | 150.4 | **1,266.9** |
| WIN | 1958 | 38.3 | 25.0 | 28.8 | 31.3 | 32.0 | 29.3 | 24.3 | 14.9 | 23.5 | 25.8 | 25.8 | 23.4 | **374.4** |
| WIN | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 52.0 | **52.0** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 3.0 | **16.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.9 | 0.3 | **5.2** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.5 | 8.9 | **18.4** |

Licence ***957*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 2179.8 | 1903.9 | 1067.4 | 1707.4 | 2161.8 | 2025.1 | 1890.7 | 2078.7 | 2089.5 | 2103.1 | 1915.1 | 2083.0 | **167,386.7** |
| WIN | 1974 | 1886.9 | 1551.2 | 1817.6 | 1956.6 | 2049.7 | 1957.0 | 2002.2 | 2259.3 | 2151.0 | 2192.7 | 2130.2 | 2183.9 | **144,181.2** |
| WIN | 1973 | 955.5 | 1232.4 | 1225.7 | 1240.7 | 1422.1 | 1417.6 | 1493.8 | 1435.4 | 1489.8 | 1814.9 | 1663.1 | 1662.3 | **120,042.9** |
| WIN | 1972 | 1427.2 | 1259.4 | 1541.5 | 1377.2 | 1561.5 | 1489.3 | 1751.5 | 1535.6 | 1472.5 | 1571.7 | 1471.4 | 1031.0 | **102,989.6** |
| WIN | 1971 | 1265.2 | 1452.6 | 1473.3 | 1577.4 | 1655.5 | 1488.7 | 1109.7 | 1367.9 | 1463.6 | 1740.0 | 942.6 | 967.6 | **85,499.8** |
| WIN | 1970 | 1408.1 | 1255.6 | 1368.8 | 1643.1 | 1940.0 | 1933.0 | 1931.3 | 1860.5 | 1564.7 | 1626.4 | 1560.5 | 1523.3 | **68,995.7** |
| WIN | 1969 | 794.1 | 872.0 | 969.3 | 724.3 | 1044.3 | 710.5 | 1640.7 | 1671.2 | 1551.3 | 1787.1 | 1583.4 | 1418.7 | **49,380.4** |
| WIN | 1968 | 754.0 | 690.6 | 758.7 | 751.8 | 809.5 | 742.4 | 989.0 | 1025.6 | 832.9 | 779.5 | 952.4 | 732.3 | **34,613.5** |
| WIN | 1967 | 202.9 | 395.5 | 500.6 | 529.1 | 591.4 | 551.3 | 426.4 | 514.8 | 600.1 | 509.1 | 636.2 | 714.3 | **24,794.8** |
| WIN | 1966 | 500.3 | 457.5 | 501.7 | 495.2 | 492.4 | 440.5 | 376.5 | 305.6 | 350.4 | 272.3 | 519.5 | 369.9 | **18,623.1** |
| WIN | 1965 | 565.5 | 482.7 | 528.1 | 504.8 | 511.4 | 477.3 | 501.3 | 348.2 | 518.6 | 488.9 | 396.3 | 488.2 | **13,541.3** |
| WIN | 1964 | 733.4 | 408.9 | 450.5 | 521.0 | 396.8 | 501.7 | 559.9 | 604.1 | 559.8 | 593.3 | 538.8 | 546.1 | **7,730.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 3.0 | 0.0 | 0.0 | **2,840.0** |
| H2O | 1963 | 3.2 | 3.4 | 3.0 | 0.0 | 5.1 | 5.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **304.1** |
| OIL | 1963 | 33.5 | 35.2 | 36.9 | 45.3 | 52.4 | 33.1 | 32.1 | 30.7 | 31.9 | 2.4 | 0.0 | 0.0 | **7,935.2** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 126.7 | 1189.0 | **1,315.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,565.0** |
| H2O | 1962 | 4.1 | 8.3 | 5.4 | 7.2 | 1.4 | 4.3 | 3.0 | 1.0 | 2.9 | 7.3 | 5.1 | 3.3 | **284.2** |
| OIL | 1962 | 49.4 | 42.3 | 45.9 | 43.9 | 52.6 | 34.3 | 50.1 | 44.7 | 31.3 | 27.3 | 33.1 | 35.4 | **7,601.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,200.0** |
| H2O | 1961 | 7.9 | 0.0 | 2.4 | 0.0 | 1.4 | 1.3 | 2.9 | 4.1 | 1.4 | 2.7 | 4.3 | 3.2 | **230.9** |
| OIL | 1961 | 50.4 | 47.2 | 52.0 | 54.5 | 62.8 | 49.3 | 54.5 | 49.6 | 45.1 | 46.2 | 42.1 | 55.5 | **7,111.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,835.0** |

# Manitoba Production
## 1950 To 1975

Licence ***957*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1960 | 0.0 | 1.6 | 1.6 | 4.3 | 0.0 | 2.5 | 0.0 | 0.0 | 0.0 | 2.5 | 4.0 | 0.0 | **199.3** |
| OIL | 1960 | 59.4 | 55.3 | 55.0 | 56.1 | 47.4 | 55.6 | 50.1 | 47.5 | 55.5 | 49.9 | 45.4 | 51.6 | **6,502.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,472.0** |
| H2O | 1959 | 7.6 | 6.8 | 6.2 | 7.2 | 7.9 | 2.1 | 1.7 | 0.0 | 2.7 | 0.8 | 1.3 | 1.0 | **182.8** |
| OIL | 1959 | 59.4 | 53.9 | 59.0 | 57.2 | 67.1 | 61.2 | 65.3 | 82.3 | 61.5 | 64.8 | 59.3 | 58.6 | **5,873.4** |
| DAY | 1958 | 24.0 | 28.0 | 31.0 | 24.0 | 29.0 | 30.0 | 30.0 | 31.0 | 20.0 | 28.0 | 30.0 | 31.0 | **1,107.0** |
| H2O | 1958 | 52.8 | 25.0 | 0.5 | 3.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 0.0 | 0.2 | **137.5** |
| OIL | 1958 | 120.3 | 130.9 | 100.7 | 72.8 | 84.4 | 74.2 | 76.9 | 74.7 | 80.2 | 78.7 | 40.5 | 64.0 | **5,123.8** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **771.0** |
| H2O | 1957 | 0.3 | 4.1 | 0.3 | 0.2 | 0.2 | 0.2 | 0.8 | 1.0 | 0.8 | 0.3 | 2.5 | 16.1 | **53.6** |
| OIL | 1957 | 115.1 | 89.0 | 120.8 | 100.4 | 91.2 | 100.0 | 88.0 | 83.9 | 70.7 | 67.9 | 71.8 | 66.4 | **4,125.5** |
| DAY | 1956 | 24.0 | 26.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **411.0** |
| H2O | 1956 | 1.6 | 2.7 | 3.2 | 4.0 | 1.6 | 1.4 | 2.7 | 0.3 | 1.9 | 0.2 | 0.5 | 4.6 | **26.8** |
| OIL | 1956 | 246.6 | 282.1 | 296.0 | 216.6 | 219.1 | 205.9 | 175.6 | 161.0 | 153.7 | 153.8 | 153.8 | 114.3 | **3,060.3** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 26.0 | 20.0 | **58.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.8 | 1.0 | **2.1** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 182.6 | 289.9 | 209.3 | **681.8** |

Licence ***958*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1183.1 | 1050.7 | 578.2 | 847.2 | 1115.1 | 1011.0 | 1036.9 | 1026.4 | 1030.8 | 1051.5 | 984.1 | 1045.1 | **165,987.6** |
| WIN | 1974 | 878.5 | 742.9 | 773.3 | 732.9 | 755.9 | 700.3 | 750.5 | 917.3 | 1025.4 | 1139.7 | 1151.7 | 1175.7 | **154,027.5** |
| WIN | 1973 | 757.7 | 889.8 | 838.5 | 893.5 | 853.6 | 769.9 | 698.4 | 587.1 | 746.7 | 1040.4 | 951.8 | 847.0 | **143,283.4** |
| WIN | 1972 | 1061.2 | 1213.3 | 1229.4 | 1216.5 | 1210.6 | 1167.7 | 1160.1 | 1139.3 | 1102.0 | 1135.1 | 1054.5 | 753.9 | **133,409.0** |
| WIN | 1971 | 1164.2 | 1111.3 | 1039.3 | 1227.2 | 1305.9 | 1038.3 | 634.0 | 763.6 | 891.1 | 924.5 | 735.3 | 555.5 | **119,965.4** |
| WIN | 1970 | 1280.1 | 1079.8 | 1138.0 | 1507.6 | 1427.6 | 1274.4 | 1286.1 | 1497.4 | 1084.6 | 1427.3 | 1373.9 | 1404.6 | **108,575.2** |
| WIN | 1969 | 892.2 | 773.6 | 844.3 | 687.3 | 758.8 | 699.0 | 735.3 | 821.6 | 663.7 | 785.0 | 755.3 | 1276.8 | **92,793.8** |
| WIN | 1968 | 1646.4 | 1477.6 | 1530.7 | 1591.4 | 1623.0 | 1402.7 | 1549.1 | 1414.8 | 1176.3 | 594.1 | 909.0 | 657.4 | **83,100.9** |
| WIN | 1967 | 860.9 | 1105.7 | 1752.4 | 1633.4 | 1735.1 | 1658.3 | 1444.7 | 1535.4 | 1647.5 | 1697.7 | 1517.1 | 1594.7 | **67,528.4** |
| WIN | 1966 | 1645.4 | 1385.2 | 1507.9 | 1273.0 | 1436.9 | 1404.4 | 1424.6 | 1286.8 | 835.8 | 1273.4 | 1885.8 | 1505.5 | **49,345.5** |
| WIN | 1965 | 1335.7 | 1226.8 | 1365.8 | 1308.9 | 1404.7 | 1417.5 | 1200.5 | 1667.1 | 1581.7 | 931.1 | 1665.3 | 1695.5 | **32,480.8** |
| WIN | 1964 | 1011.4 | 765.5 | 1183.6 | 1103.2 | 1022.9 | 594.1 | 898.6 | 1593.3 | 1396.8 | 1603.9 | 1272.3 | 1368.8 | **15,680.2** |
| DAY | 1963 | 21.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 21.0 | 31.0 | 4.0 | 0.0 | **2,920.0** |
| H2O | 1963 | 17.4 | 22.5 | 24.8 | 25.4 | 30.5 | 31.5 | 23.8 | 23.8 | 13.0 | 12.7 | 1.7 | 0.0 | **5,178.6** |
| OIL | 1963 | 46.1 | 62.1 | 77.5 | 71.8 | 74.7 | 68.2 | 73.9 | 71.7 | 46.6 | 70.2 | 10.6 | 0.0 | **12,292.2** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 107.6 | 1758.2 | **1,865.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,636.0** |
| H2O | 1962 | 31.5 | 27.0 | 29.4 | 28.3 | 28.1 | 27.7 | 27.7 | 27.3 | 25.0 | 59.3 | 39.3 | 27.3 | **4,951.5** |
| OIL | 1962 | 79.3 | 70.4 | 76.8 | 76.0 | 74.4 | 57.5 | 94.1 | 72.5 | 72.6 | 75.5 | 69.3 | 74.5 | **11,618.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,271.0** |
| H2O | 1961 | 34.0 | 27.2 | 29.6 | 24.6 | 28.5 | 33.1 | 43.6 | 59.9 | 26.7 | 35.3 | 30.7 | 30.5 | **4,573.6** |
| OIL | 1961 | 86.6 | 68.5 | 94.2 | 74.1 | 85.7 | 89.6 | 86.9 | 89.9 | 74.2 | 97.6 | 70.7 | 83.3 | **10,725.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,906.0** |
| H2O | 1960 | 49.3 | 36.2 | 27.5 | 40.2 | 42.4 | 14.0 | 37.2 | 34.3 | 29.3 | 34.8 | 34.3 | 35.3 | **4,169.9** |
| OIL | 1960 | 109.6 | 101.1 | 98.7 | 85.5 | 94.4 | 96.6 | 87.7 | 82.3 | 98.4 | 63.2 | 80.7 | 87.6 | **9,724.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,540.0** |
| H2O | 1959 | 48.6 | 40.9 | 38.6 | 37.8 | 42.4 | 38.8 | 24.0 | 16.1 | 41.7 | 17.2 | 35.8 | 42.6 | **3,755.1** |
| OIL | 1959 | 69.4 | 61.8 | 116.5 | 100.6 | 115.7 | 103.9 | 115.5 | 61.2 | 116.5 | 106.6 | 105.2 | 98.2 | **8,638.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,175.0** |
| H2O | 1958 | 105.2 | 75.8 | 4.0 | 59.5 | 43.7 | 47.1 | 43.6 | 49.3 | 49.0 | 34.8 | 48.8 | 55.2 | **3,330.6** |

# Manitoba Production
## 1950 To 1975

Licence ***958*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1958 | 142.7 | 117.3 | 121.1 | 163.7 | 166.9 | 133.2 | 161.1 | 131.9 | 77.7 | 131.9 | 92.6 | 78.2 | **7,467.7** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **810.0** |
| H2O | 1957 | 82.5 | 77.7 | 68.8 | 109.9 | 104.1 | 103.0 | 84.7 | 114.5 | 88.7 | 81.9 | 81.4 | 97.6 | **2,714.6** |
| OIL | 1957 | 212.1 | 214.5 | 230.7 | 259.2 | 257.1 | 285.6 | 264.1 | 138.6 | 162.2 | 149.5 | 134.8 | 138.3 | **5,949.4** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 28.0 | 30.0 | **447.0** |
| H2O | 1956 | 141.5 | 108.6 | 191.9 | 129.1 | 155.0 | 172.0 | 189.0 | 82.8 | 31.2 | 40.9 | 84.3 | 95.2 | **1,619.8** |
| OIL | 1956 | 247.6 | 189.1 | 274.1 | 281.1 | 272.7 | 239.2 | 246.0 | 242.3 | 239.2 | 308.9 | 214.5 | 226.6 | **3,502.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 30.0 | 31.0 | **86.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 48.3 | 67.6 | 82.4 | **198.3** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 145.9 | 181.6 | 193.9 | **521.4** |

Licence ***959*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,321.0** |
| H2O | 1975 | 234.5 | 217.3 | 247.2 | 239.4 | 248.2 | 217.3 | 238.2 | 225.3 | 231.0 | 248.2 | 295.1 | 300.5 | **16,711.5** |
| OIL | 1975 | 280.0 | 250.9 | 254.1 | 241.1 | 245.7 | 218.5 | 245.5 | 236.8 | 239.3 | 247.6 | 183.9 | 186.9 | **64,033.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **6,957.0** |
| H2O | 1974 | 116.9 | 108.4 | 121.1 | 117.8 | 122.1 | 122.7 | 124.0 | 170.6 | 151.3 | 171.4 | 235.0 | 234.8 | **13,769.3** |
| OIL | 1974 | 268.1 | 233.6 | 267.3 | 254.6 | 264.7 | 256.3 | 264.6 | 237.1 | 204.8 | 232.6 | 275.5 | 284.1 | **61,203.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,595.0** |
| H2O | 1973 | 137.2 | 140.9 | 151.0 | 145.8 | 147.7 | 142.0 | 131.8 | 116.1 | 166.3 | 167.9 | 156.0 | 151.2 | **11,973.2** |
| OIL | 1973 | 365.0 | 352.6 | 388.7 | 300.5 | 313.7 | 304.2 | 291.4 | 254.7 | 329.4 | 336.4 | 316.9 | 321.5 | **58,160.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **6,239.0** |
| H2O | 1972 | 120.0 | 117.0 | 145.0 | 130.0 | 143.7 | 84.9 | 94.3 | 104.0 | 101.6 | 112.9 | 137.7 | 135.3 | **10,219.3** |
| OIL | 1972 | 448.9 | 418.7 | 443.8 | 427.2 | 451.0 | 477.8 | 492.1 | 413.0 | 384.2 | 413.8 | 355.0 | 358.5 | **54,285.2** |
| DAY | 1971 | 30.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | **5,874.0** |
| H2O | 1971 | 101.3 | 94.9 | 105.7 | 106.0 | 109.9 | 105.7 | 146.3 | 109.4 | 101.3 | 98.7 | 108.9 | 127.8 | **8,792.9** |
| OIL | 1971 | 436.7 | 399.3 | 427.8 | 405.5 | 429.1 | 403.0 | 439.4 | 421.6 | 429.7 | 412.8 | 446.5 | 457.0 | **49,201.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,516.0** |
| H2O | 1970 | 76.3 | 72.0 | 75.4 | 90.3 | 92.8 | 89.0 | 82.4 | 98.2 | 107.3 | 111.4 | 97.5 | 113.0 | **7,477.0** |
| OIL | 1970 | 415.4 | 377.4 | 411.9 | 393.1 | 405.7 | 375.2 | 390.3 | 405.5 | 408.9 | 431.4 | 396.8 | 434.1 | **44,092.8** |
| DAY | 1969 | 30.0 | 28.0 | 30.0 | 25.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **5,152.0** |
| H2O | 1969 | 70.0 | 68.4 | 61.4 | 53.1 | 65.5 | 60.6 | 67.9 | 42.6 | 39.7 | 43.6 | 72.7 | 77.1 | **6,371.4** |
| OIL | 1969 | 459.9 | 437.2 | 463.2 | 381.4 | 449.9 | 427.9 | 458.3 | 433.2 | 419.0 | 441.1 | 413.8 | 419.5 | **39,247.1** |
| DAY | 1968 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | **4,796.0** |
| H2O | 1968 | 43.2 | 45.8 | 48.5 | 49.9 | 119.7 | 103.7 | 121.5 | 64.7 | 64.7 | 68.8 | 25.1 | 53.6 | **5,648.8** |
| OIL | 1968 | 387.4 | 394.9 | 421.6 | 420.0 | 405.5 | 376.3 | 419.7 | 461.6 | 444.0 | 467.4 | 443.2 | 368.8 | **34,042.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,438.0** |
| H2O | 1967 | 37.8 | 31.2 | 49.1 | 45.9 | 45.8 | 37.5 | 41.0 | 55.0 | 48.2 | 52.0 | 45.8 | 49.9 | **4,839.6** |
| OIL | 1967 | 408.9 | 363.4 | 422.9 | 408.4 | 420.8 | 423.3 | 430.3 | 426.4 | 410.9 | 433.7 | 423.2 | 429.7 | **29,032.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,073.0** |
| H2O | 1966 | 29.9 | 24.0 | 30.4 | 31.2 | 42.0 | 37.0 | 35.8 | 36.1 | 36.4 | 37.4 | 37.0 | 39.7 | **4,300.4** |
| OIL | 1966 | 370.4 | 326.1 | 361.2 | 352.9 | 377.4 | 362.8 | 366.8 | 371.8 | 385.4 | 399.0 | 391.4 | 410.1 | **24,030.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,708.0** |
| H2O | 1965 | 25.3 | 22.6 | 25.6 | 41.3 | 42.0 | 40.1 | 40.2 | 41.5 | 41.8 | 29.9 | 30.8 | 31.3 | **3,883.5** |
| OIL | 1965 | 317.8 | 289.7 | 313.4 | 326.2 | 329.4 | 329.4 | 343.6 | 375.3 | 355.5 | 384.1 | 364.9 | 374.7 | **19,555.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,343.0** |
| H2O | 1964 | 74.7 | 68.8 | 76.5 | 25.8 | 27.3 | 25.6 | 31.0 | 31.5 | 20.5 | 20.3 | 21.0 | 25.1 | **3,471.1** |
| OIL | 1964 | 227.4 | 219.8 | 237.4 | 268.6 | 276.8 | 256.5 | 278.4 | 281.0 | 281.9 | 287.2 | 278.7 | 315.0 | **15,451.1** |
| DAY | 1963 | 22.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,978.0** |

# Manitoba Production
## 1950 To 1975

Licence ***959*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1963 | 8.9 | 13.2 | 20.0 | 18.1 | 19.9 | 19.1 | 18.8 | 75.7 | 60.4 | 71.4 | 73.8 | 75.4 | **3,023.0** |
| OIL | 1963 | 42.6 | 48.5 | 71.4 | 65.9 | 69.8 | 67.7 | 78.0 | 238.7 | 231.4 | 240.6 | 217.9 | 223.1 | **12,242.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,629.0** |
| H2O | 1962 | 20.5 | 18.8 | 18.4 | 45.6 | 21.6 | 16.5 | 21.5 | 12.9 | 13.2 | 14.9 | 17.8 | 13.5 | **2,548.3** |
| OIL | 1962 | 75.2 | 64.5 | 73.7 | 65.6 | 72.5 | 73.4 | 72.1 | 66.7 | 70.2 | 65.6 | 60.7 | 60.7 | **10,646.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,266.0** |
| H2O | 1961 | 19.2 | 20.0 | 21.8 | 20.2 | 19.1 | 17.6 | 18.9 | 14.9 | 25.3 | 24.8 | 20.8 | 23.2 | **2,313.1** |
| OIL | 1961 | 79.8 | 86.8 | 93.1 | 94.6 | 89.5 | 88.5 | 82.6 | 82.6 | 76.1 | 76.6 | 68.2 | 67.1 | **9,825.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,901.0** |
| H2O | 1960 | 43.2 | 38.3 | 39.1 | 34.7 | 24.8 | 27.5 | 21.6 | 19.6 | 23.2 | 25.3 | 22.4 | 21.6 | **2,067.3** |
| OIL | 1960 | 75.0 | 61.5 | 66.1 | 88.4 | 45.6 | 63.2 | 77.4 | 67.1 | 79.9 | 82.0 | 74.1 | 76.9 | **8,840.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,535.0** |
| H2O | 1959 | 12.9 | 5.2 | 3.2 | 1.6 | 5.7 | 3.8 | 14.8 | 8.6 | 45.3 | 54.4 | 55.2 | 55.0 | **1,726.0** |
| OIL | 1959 | 82.6 | 89.9 | 93.8 | 90.7 | 97.7 | 93.9 | 165.9 | 74.5 | 74.4 | 107.9 | 114.1 | 76.3 | **7,983.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,173.0** |
| H2O | 1958 | 29.4 | 23.5 | 19.1 | 19.6 | 24.5 | 15.3 | 15.7 | 8.3 | 21.0 | 11.9 | 11.9 | 13.0 | **1,460.3** |
| OIL | 1958 | 135.4 | 117.3 | 126.7 | 110.3 | 133.0 | 87.2 | 122.0 | 126.5 | 112.2 | 98.0 | 86.4 | 94.7 | **6,821.5** |
| DAY | 1957 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **808.0** |
| H2O | 1957 | 35.6 | 56.3 | 48.5 | 44.0 | 35.9 | 55.3 | 50.1 | 42.3 | 32.3 | 39.7 | 27.5 | 39.7 | **1,247.1** |
| OIL | 1957 | 220.7 | 189.6 | 210.4 | 194.0 | 181.2 | 166.1 | 39.9 | 37.0 | 138.3 | 142.2 | 112.5 | 144.6 | **5,471.8** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **445.0** |
| H2O | 1956 | 14.3 | 7.2 | 10.7 | 7.2 | 9.9 | 82.0 | 63.9 | 118.0 | 121.6 | 100.5 | 63.6 | 74.6 | **739.9** |
| OIL | 1956 | 190.4 | 196.4 | 274.1 | 276.3 | 304.8 | 307.6 | 333.2 | 308.8 | 287.0 | 298.9 | 249.8 | 231.7 | **3,695.3** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 30.0 | 31.0 | **80.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.1 | 44.8 | 7.5 | **66.4** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 91.4 | 178.8 | 166.1 | **436.3** |

Licence ***960*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,002.0** |
| H2O | 1975 | 73.8 | 68.5 | 76.5 | 73.9 | 76.6 | 73.4 | 73.4 | 72.5 | 71.5 | 76.6 | 76.9 | 78.4 | **12,465.4** |
| OIL | 1975 | 129.2 | 115.7 | 127.0 | 120.6 | 122.8 | 119.3 | 122.8 | 123.3 | 119.7 | 123.8 | 119.7 | 121.7 | **25,456.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,637.0** |
| H2O | 1974 | 107.5 | 99.7 | 111.4 | 108.3 | 96.5 | 97.0 | 97.9 | 90.0 | 88.6 | 90.1 | 92.8 | 74.1 | **11,573.4** |
| OIL | 1974 | 142.7 | 124.4 | 142.2 | 135.4 | 158.9 | 153.8 | 158.8 | 158.1 | 151.8 | 154.9 | 152.6 | 131.1 | **23,990.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,272.0** |
| H2O | 1973 | 100.8 | 96.8 | 103.7 | 103.5 | 104.8 | 100.8 | 97.8 | 109.1 | 107.0 | 108.1 | 111.1 | 107.8 | **10,419.5** |
| OIL | 1973 | 166.9 | 147.2 | 162.1 | 158.4 | 165.3 | 160.2 | 160.5 | 177.7 | 169.1 | 172.6 | 136.8 | 138.9 | **22,226.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,908.0** |
| H2O | 1972 | 68.5 | 66.9 | 73.4 | 150.7 | 166.5 | 165.7 | 183.8 | 174.1 | 103.8 | 112.9 | 101.0 | 102.9 | **9,168.2** |
| OIL | 1972 | 210.6 | 197.2 | 214.8 | 146.7 | 154.9 | 149.4 | 153.8 | 157.3 | 162.2 | 170.8 | 162.1 | 169.2 | **20,310.5** |
| DAY | 1971 | 30.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **5,542.0** |
| H2O | 1971 | 39.3 | 36.9 | 42.3 | 42.4 | 38.2 | 42.4 | 64.9 | 64.7 | 57.9 | 56.6 | 62.3 | 73.1 | **7,698.0** |
| OIL | 1971 | 190.5 | 174.2 | 192.8 | 183.1 | 167.0 | 182.0 | 214.7 | 217.9 | 214.8 | 194.5 | 210.2 | 215.3 | **18,261.5** |
| DAY | 1970 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,185.0** |
| H2O | 1970 | 49.8 | 44.4 | 48.8 | 45.2 | 46.6 | 42.9 | 39.7 | 44.8 | 41.7 | 43.2 | 39.4 | 43.9 | **7,077.0** |
| OIL | 1970 | 260.0 | 223.3 | 255.9 | 247.1 | 254.8 | 183.1 | 190.1 | 186.9 | 178.5 | 188.3 | 180.5 | 189.4 | **15,904.5** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,821.0** |
| H2O | 1969 | 79.6 | 72.3 | 65.2 | 69.3 | 76.3 | 70.0 | 78.9 | 51.5 | 48.5 | 52.6 | 47.1 | 51.5 | **6,546.6** |
| OIL | 1969 | 195.3 | 172.6 | 182.9 | 185.6 | 190.5 | 179.7 | 193.9 | 263.5 | 256.2 | 267.2 | 257.0 | 269.3 | **13,366.6** |

# Manitoba Production
## 1950 To 1975

Licence ***960*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 29.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,458.0** |
| H2O | 1968 | 18.0 | 71.7 | 74.7 | 64.1 | 71.4 | 64.1 | 68.0 | 64.7 | 73.0 | 77.4 | 71.5 | 76.0 | **5,783.8** |
| OIL | 1968 | 32.4 | 126.0 | 132.2 | 171.8 | 183.4 | 176.7 | 179.1 | 186.4 | 188.0 | 197.7 | 189.6 | 195.1 | **10,752.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,096.0** |
| H2O | 1967 | 82.0 | 67.7 | 81.2 | 75.8 | 76.0 | 71.5 | 56.4 | 75.4 | 66.0 | 81.4 | 71.5 | 78.2 | **4,989.2** |
| OIL | 1967 | 204.4 | 181.8 | 203.1 | 196.7 | 202.8 | 194.5 | 201.8 | 200.1 | 192.8 | 138.3 | 135.1 | 137.0 | **8,794.5** |
| DAY | 1966 | 31.0 | 21.0 | 30.0 | 29.0 | 30.0 | 30.0 | 17.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,731.0** |
| H2O | 1966 | 101.4 | 58.2 | 56.1 | 55.8 | 76.0 | 69.5 | 33.5 | 67.4 | 72.5 | 69.6 | 80.4 | 86.3 | **4,106.1** |
| OIL | 1966 | 101.2 | 63.9 | 98.7 | 119.3 | 143.2 | 142.2 | 72.5 | 145.9 | 142.1 | 110.9 | 195.8 | 205.0 | **6,606.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | **3,392.0** |
| H2O | 1965 | 83.8 | 74.4 | 84.9 | 74.2 | 75.5 | 67.2 | 72.5 | 72.7 | 73.4 | 72.8 | 71.5 | 99.2 | **3,279.4** |
| OIL | 1965 | 56.3 | 51.2 | 55.3 | 53.4 | 53.9 | 50.4 | 56.1 | 55.6 | 52.8 | 54.8 | 50.1 | 95.7 | **5,065.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 27.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,032.0** |
| H2O | 1964 | 5.1 | 4.6 | 5.2 | 4.8 | 69.2 | 71.4 | 78.2 | 79.3 | 76.2 | 76.2 | 78.1 | 83.5 | **2,357.3** |
| OIL | 1964 | 33.2 | 31.5 | 34.2 | 31.9 | 45.0 | 46.2 | 53.2 | 53.9 | 52.0 | 53.1 | 51.6 | 55.6 | **4,379.8** |
| DAY | 1963 | 23.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,673.0** |
| H2O | 1963 | 6.2 | 9.2 | 13.4 | 12.1 | 13.0 | 12.7 | 12.6 | 7.3 | 6.0 | 6.8 | 4.8 | 5.1 | **1,725.5** |
| OIL | 1963 | 22.6 | 25.1 | 35.6 | 33.1 | 35.0 | 33.5 | 39.1 | 33.2 | 33.2 | 33.5 | 30.7 | 31.9 | **3,838.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,322.0** |
| H2O | 1962 | 7.5 | 7.0 | 7.8 | 6.7 | 6.7 | 7.2 | 6.8 | 9.1 | 5.7 | 9.4 | 11.8 | 9.1 | **1,616.3** |
| OIL | 1962 | 25.9 | 23.7 | 25.4 | 24.0 | 23.7 | 20.0 | 33.8 | 34.0 | 31.3 | 30.7 | 30.4 | 30.4 | **3,451.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,960.0** |
| H2O | 1961 | 8.1 | 8.3 | 8.3 | 4.9 | 6.0 | 5.1 | 4.9 | 5.6 | 9.7 | 10.2 | 8.9 | 7.6 | **1,521.5** |
| OIL | 1961 | 54.7 | 53.9 | 59.8 | 31.9 | 29.7 | 26.7 | 28.3 | 30.7 | 46.4 | 28.8 | 26.2 | 26.2 | **3,118.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,598.0** |
| H2O | 1960 | 33.7 | 26.5 | 27.5 | 27.2 | 27.8 | 28.3 | 28.9 | 26.1 | 25.4 | 16.4 | 8.7 | 8.7 | **1,433.9** |
| OIL | 1960 | 47.7 | 43.2 | 52.9 | 49.4 | 53.2 | 47.2 | 26.9 | 28.3 | 28.1 | 59.4 | 52.1 | 55.8 | **2,675.3** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 27.0 | 24.0 | 15.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,233.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.8 | 4.3 | 17.3 | 70.9 | 46.7 | 39.1 | 35.0 | 35.0 | 34.2 | **1,148.7** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 11.0 | 5.1 | 3.0 | 72.1 | 64.2 | 56.4 | 50.4 | 48.0 | 46.7 | **2,131.1** |
| DAY | 1958 | 29.0 | 28.0 | 31.0 | 30.0 | 15.0 | 18.0 | 16.0 | 16.0 | 16.0 | 16.0 | 12.0 | 5.0 | **983.0** |
| H2O | 1958 | 6.4 | 4.5 | 5.1 | 6.8 | 2.5 | 2.7 | 2.7 | 2.4 | 2.9 | 2.7 | 1.7 | 0.6 | **865.4** |
| OIL | 1958 | 8.7 | 7.2 | 9.7 | 9.2 | 8.1 | 6.4 | 4.4 | 3.3 | 4.0 | 4.8 | 2.9 | 1.4 | **1,774.2** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **751.0** |
| H2O | 1957 | 19.9 | 18.0 | 17.5 | 8.9 | 19.9 | 19.2 | 19.7 | 4.1 | 6.7 | 9.9 | 9.4 | 7.3 | **824.4** |
| OIL | 1957 | 48.5 | 40.2 | 38.3 | 19.5 | 18.6 | 20.2 | 15.4 | 14.6 | 10.8 | 9.9 | 9.5 | 8.6 | **1,704.1** |
| DAY | 1956 | 28.0 | 26.0 | 29.0 | 29.0 | 31.0 | 30.0 | 26.0 | 22.0 | 30.0 | 31.0 | 30.0 | 31.0 | **395.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.2 | 0.3 | 0.3 | 357.2 | 170.1 | 46.9 | 44.8 | 21.6 | 20.7 | **663.9** |
| OIL | 1956 | 187.4 | 147.2 | 148.9 | 121.2 | 138.7 | 105.7 | 87.4 | 48.5 | 28.6 | 30.5 | 38.8 | 36.2 | **1,450.0** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 12.0 | 28.0 | **52.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 0.2 | 0.0 | **1.8** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 93.9 | 70.9 | 166.1 | **330.9** |

Licence ***961*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1975 | 94.9 | 89.3 | 100.6 | 97.5 | 187.4 | 179.3 | 179.8 | 83.5 | 84.9 | 91.3 | 89.8 | 93.2 | **4,641.1** |
| OIL | 1975 | 315.4 | 287.3 | 318.1 | 301.9 | 462.6 | 449.7 | 462.6 | 242.7 | 243.3 | 251.6 | 238.5 | 247.1 | **47,080.2** |
| H2O | 1974 | 58.3 | 54.2 | 56.6 | 52.8 | 56.1 | 56.4 | 57.1 | 94.6 | 93.0 | 97.8 | 97.6 | 97.5 | **3,269.6** |
| OIL | 1974 | 281.9 | 245.7 | 262.8 | 293.7 | 313.5 | 303.4 | 313.2 | 329.9 | 316.7 | 333.6 | 318.3 | 328.5 | **43,259.4** |
| H2O | 1973 | 46.3 | 9.4 | 10.0 | 10.0 | 10.2 | 9.9 | 70.9 | 76.2 | 74.9 | 75.0 | 70.1 | 58.7 | **2,397.6** |

# Manitoba Production
## 1950 To 1975

Licence ***961*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1973 | 330.4 | 294.9 | 315.9 | 308.6 | 322.1 | 312.3 | 315.3 | 337.2 | 320.8 | 317.0 | 300.3 | 274.4 | **39,618.2** |
| H2O | 1972 | 4.1 | 3.8 | 4.5 | 48.8 | 53.9 | 8.6 | 9.7 | 19.2 | 18.6 | 20.8 | 46.3 | 47.1 | **1,876.0** |
| OIL | 1972 | 313.7 | 288.4 | 320.0 | 309.7 | 326.7 | 302.9 | 311.9 | 341.7 | 314.3 | 342.5 | 321.3 | 335.1 | **35,869.0** |
| H2O | 1971 | 3.8 | 3.5 | 4.1 | 50.7 | 49.9 | 19.9 | 15.9 | 15.9 | 14.6 | 16.4 | 15.7 | 18.4 | **1,590.6** |
| OIL | 1971 | 364.9 | 323.1 | 357.4 | 339.3 | 341.3 | 268.9 | 326.6 | 329.7 | 338.0 | 350.9 | 322.7 | 330.4 | **32,040.8** |
| H2O | 1970 | 35.8 | 33.5 | 0.0 | 3.8 | 4.1 | 4.0 | 3.5 | 0.0 | 0.0 | 0.0 | 3.8 | 4.1 | **1,361.8** |
| OIL | 1970 | 335.0 | 301.9 | 338.5 | 332.6 | 351.0 | 337.0 | 336.3 | 359.6 | 343.4 | 362.3 | 334.7 | 351.2 | **28,047.6** |
| H2O | 1969 | 74.9 | 80.6 | 75.5 | 12.7 | 11.6 | 13.4 | 14.3 | 14.6 | 0.0 | 37.7 | 33.9 | 37.0 | **1,269.2** |
| OIL | 1969 | 277.6 | 290.6 | 321.0 | 316.9 | 270.5 | 319.4 | 331.2 | 330.1 | 338.5 | 344.5 | 331.0 | 346.7 | **23,964.1** |
| H2O | 1968 | 1.0 | 1.0 | 8.6 | 8.7 | 4.6 | 1.9 | 4.5 | 8.3 | 13.2 | 86.2 | 79.6 | 84.4 | **863.0** |
| OIL | 1968 | 274.6 | 252.0 | 266.3 | 264.4 | 338.6 | 311.5 | 319.1 | 342.8 | 306.7 | 333.1 | 319.3 | 328.6 | **20,146.1** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 2.4 | 17.0 | 13.4 | 4.8 | 14.6 | 15.9 | 1.0 | 1.0 | **561.0** |
| OIL | 1967 | 219.8 | 194.7 | 219.0 | 211.5 | 233.6 | 246.6 | 256.2 | 272.1 | 252.3 | 266.3 | 270.1 | 274.1 | **16,489.1** |
| H2O | 1966 | 7.0 | 5.4 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.8 | 0.0 | 19.2 | 0.0 | 0.0 | **490.9** |
| OIL | 1966 | 202.3 | 178.3 | 196.3 | 193.1 | 201.8 | 194.0 | 196.6 | 212.5 | 211.4 | 214.4 | 210.2 | 215.3 | **13,572.8** |
| H2O | 1965 | 3.8 | 3.5 | 4.0 | 0.0 | 1.1 | 1.1 | 1.0 | 1.0 | 1.1 | 1.0 | 7.2 | 7.3 | **447.5** |
| OIL | 1965 | 92.8 | 84.9 | 91.5 | 128.9 | 158.6 | 161.9 | 168.6 | 167.2 | 158.3 | 164.6 | 199.4 | 204.7 | **11,146.6** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.4 | 2.5 | 2.5 | 3.7 | 0.0 | 3.8 | 4.0 | **415.4** |
| OIL | 1964 | 57.5 | 54.3 | 59.8 | 57.5 | 59.3 | 63.7 | 66.1 | 66.7 | 92.8 | 87.6 | 85.8 | 92.0 | **9,365.2** |
| H2O | 1963 | 1.1 | 1.3 | 1.0 | 0.0 | 3.7 | 2.5 | 2.1 | 2.1 | 1.7 | 2.5 | 3.8 | 0.0 | **396.5** |
| OIL | 1963 | 41.0 | 43.9 | 44.7 | 45.1 | 50.5 | 56.9 | 62.8 | 51.2 | 52.0 | 54.3 | 55.0 | 55.1 | **8,522.1** |
| H2O | 1962 | 2.1 | 4.0 | 4.0 | 10.7 | 6.7 | 4.3 | 7.2 | 6.7 | 2.9 | 7.3 | 5.1 | 3.3 | **374.7** |
| OIL | 1962 | 73.6 | 60.5 | 62.3 | 57.2 | 56.3 | 54.5 | 53.6 | 50.1 | 38.8 | 40.5 | 34.6 | 37.3 | **7,909.6** |
| H2O | 1961 | 0.0 | 2.7 | 7.0 | 1.3 | 0.0 | 3.8 | 5.6 | 1.4 | 0.0 | 2.2 | 4.3 | 3.2 | **310.4** |
| OIL | 1961 | 42.1 | 42.7 | 40.7 | 43.7 | 42.9 | 46.1 | 42.0 | 47.4 | 40.8 | 55.9 | 100.7 | 72.8 | **7,290.3** |
| H2O | 1960 | 0.0 | 1.6 | 1.6 | 0.0 | 5.1 | 2.5 | 9.9 | 10.0 | 2.2 | 2.5 | 4.0 | 0.0 | **278.9** |
| OIL | 1960 | 49.9 | 45.1 | 46.9 | 42.9 | 59.1 | 50.4 | 37.2 | 36.5 | 45.0 | 51.2 | 43.1 | 45.6 | **6,672.5** |
| H2O | 1959 | 6.5 | 5.9 | 5.1 | 8.7 | 6.2 | 4.0 | 0.0 | 6.8 | 5.4 | 0.8 | 1.3 | 1.0 | **239.5** |
| OIL | 1959 | 50.5 | 45.8 | 46.7 | 71.2 | 51.3 | 63.6 | 64.0 | 51.5 | 47.4 | 46.4 | 44.7 | 53.9 | **6,119.6** |
| H2O | 1958 | 1.0 | 11.3 | 0.3 | 15.6 | 0.0 | 0.0 | 0.0 | 5.4 | 2.1 | 2.2 | 0.0 | 11.9 | **187.8** |
| OIL | 1958 | 71.2 | 74.1 | 82.8 | 82.6 | 72.8 | 70.9 | 77.9 | 64.7 | 52.0 | 50.5 | 47.4 | 54.5 | **5,482.6** |
| H2O | 1957 | 3.5 | 1.0 | 7.6 | 4.1 | 1.7 | 6.5 | 0.8 | 1.0 | 0.8 | 0.3 | 0.3 | 14.0 | **138.0** |
| OIL | 1957 | 149.9 | 134.3 | 153.2 | 144.1 | 138.9 | 113.0 | 117.1 | 113.9 | 95.5 | 91.1 | 83.6 | 87.4 | **4,681.2** |
| H2O | 1956 | 28.8 | 7.5 | 1.0 | 22.4 | 4.0 | 0.8 | 8.3 | 7.0 | 1.9 | 1.7 | 0.6 | 2.4 | **96.4** |
| OIL | 1956 | 264.4 | 281.3 | 339.4 | 355.2 | 348.2 | 296.0 | 251.9 | 235.2 | 223.1 | 211.4 | 194.2 | 162.9 | **3,259.2** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | **10.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 96.0 | **96.0** |

Licence ***962*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,230.0** |
| H2O | 1975 | 97.5 | 90.1 | 100.5 | 162.2 | 168.0 | 160.7 | 161.2 | 158.8 | 156.3 | 167.9 | 168.4 | 171.4 | **7,760.1** |
| OIL | 1975 | 189.3 | 169.6 | 186.1 | 188.9 | 192.4 | 187.2 | 192.4 | 193.4 | 187.7 | 194.2 | 187.7 | 190.7 | **43,843.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,865.0** |
| H2O | 1974 | 67.9 | 62.8 | 76.5 | 74.2 | 76.9 | 77.4 | 78.2 | 71.5 | 70.7 | 97.8 | 97.6 | 97.5 | **5,997.1** |
| OIL | 1974 | 241.1 | 210.2 | 213.9 | 203.6 | 211.8 | 205.0 | 211.7 | 210.7 | 202.5 | 195.1 | 186.1 | 192.0 | **41,583.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 26.0 | 31.0 | **6,500.0** |
| H2O | 1973 | 90.9 | 87.3 | 88.6 | 88.6 | 89.7 | 86.2 | 83.9 | 78.2 | 156.0 | 157.4 | 123.1 | 68.0 | **5,048.1** |
| OIL | 1973 | 316.5 | 279.1 | 196.9 | 192.3 | 200.7 | 194.7 | 195.5 | 181.0 | 258.8 | 264.2 | 209.6 | 234.7 | **39,100.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,144.0** |

# Manitoba Production
## 1950 To 1975

Licence ***962*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1972 | 64.2 | 63.1 | 69.2 | 61.5 | 62.6 | 62.3 | 69.3 | 61.0 | 75.5 | 82.2 | 91.4 | 92.7 | **3,850.2** |
| OIL | 1972 | 262.0 | 245.7 | 267.5 | 255.5 | 230.1 | 221.8 | 228.7 | 185.1 | 218.5 | 230.1 | 308.1 | 321.2 | **36,376.1** |
| DAY | 1971 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,784.0** |
| H2O | 1971 | 27.2 | 25.6 | 29.4 | 29.6 | 68.0 | 67.7 | 67.1 | 64.7 | 58.0 | 61.0 | 58.7 | 68.8 | **2,995.2** |
| OIL | 1971 | 325.4 | 297.6 | 329.3 | 312.6 | 328.3 | 319.1 | 326.4 | 320.2 | 315.9 | 277.7 | 262.1 | 268.2 | **33,401.8** |
| DAY | 1970 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,420.0** |
| H2O | 1970 | 40.7 | 42.6 | 44.5 | 41.2 | 42.3 | 13.5 | 12.4 | 40.5 | 37.8 | 29.9 | 27.3 | 30.4 | **2,369.4** |
| OIL | 1970 | 275.0 | 276.9 | 302.2 | 291.5 | 300.8 | 347.7 | 361.0 | 346.3 | 330.7 | 321.3 | 308.5 | 323.4 | **29,719.0** |
| DAY | 1969 | 31.0 | 26.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,058.0** |
| H2O | 1969 | 51.5 | 42.3 | 42.1 | 44.8 | 8.6 | 7.9 | 8.9 | 8.9 | 8.6 | 9.1 | 8.3 | 9.1 | **1,966.3** |
| OIL | 1969 | 300.4 | 239.5 | 281.4 | 285.8 | 343.3 | 323.4 | 321.0 | 320.0 | 311.7 | 324.5 | 312.5 | 327.2 | **25,933.7** |
| DAY | 1968 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,697.0** |
| H2O | 1968 | 19.7 | 20.8 | 21.9 | 19.6 | 20.5 | 18.8 | 72.3 | 76.9 | 76.9 | 50.2 | 46.3 | 47.9 | **1,716.2** |
| OIL | 1968 | 259.9 | 266.9 | 283.0 | 324.2 | 325.1 | 319.4 | 333.9 | 351.7 | 338.2 | 304.4 | 291.5 | 292.3 | **22,243.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,335.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 38.5 | 38.6 | 36.4 | 28.6 | 13.0 | 11.6 | 12.1 | 11.0 | 22.9 | **1,224.4** |
| OIL | 1967 | 270.2 | 239.8 | 269.3 | 256.7 | 264.2 | 253.6 | 263.1 | 261.8 | 252.3 | 255.6 | 259.9 | 290.4 | **18,552.5** |
| DAY | 1966 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,971.0** |
| H2O | 1966 | 17.3 | 13.0 | 17.6 | 9.7 | 11.0 | 9.5 | 13.5 | 15.3 | 16.4 | 39.9 | 0.0 | 0.0 | **1,011.7** |
| OIL | 1966 | 208.3 | 175.1 | 203.1 | 214.8 | 224.9 | 216.1 | 213.9 | 240.7 | 234.6 | 249.6 | 258.3 | 265.2 | **15,415.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,609.0** |
| H2O | 1965 | 28.0 | 24.8 | 28.3 | 24.6 | 25.1 | 23.5 | 24.2 | 24.2 | 9.4 | 9.2 | 17.2 | 18.1 | **848.5** |
| OIL | 1965 | 152.9 | 139.4 | 150.6 | 145.2 | 146.5 | 143.8 | 152.9 | 151.4 | 213.3 | 221.8 | 196.9 | 210.7 | **12,711.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,245.0** |
| H2O | 1964 | 2.5 | 2.2 | 2.5 | 2.4 | 2.5 | 2.4 | 10.2 | 13.0 | 12.4 | 13.4 | 26.2 | 27.8 | **591.9** |
| OIL | 1964 | 136.8 | 129.5 | 139.8 | 134.3 | 138.4 | 133.3 | 99.0 | 125.7 | 121.6 | 132.7 | 141.3 | 151.4 | **10,685.6** |
| DAY | 1963 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,891.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 2.1 | 1.9 | 1.3 | 5.9 | 7.3 | 2.4 | 2.5 | **474.4** |
| OIL | 1963 | 33.7 | 29.7 | 46.7 | 48.9 | 64.2 | 98.0 | 98.5 | 99.6 | 127.9 | 137.0 | 128.4 | 131.3 | **9,101.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,531.0** |
| H2O | 1962 | 1.0 | 0.8 | 0.6 | 2.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **448.9** |
| OIL | 1962 | 34.5 | 30.8 | 34.2 | 31.9 | 33.4 | 31.6 | 36.7 | 35.6 | 35.0 | 36.2 | 32.4 | 32.4 | **8,057.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,166.0** |
| H2O | 1961 | 1.1 | 1.3 | 1.7 | 0.0 | 3.2 | 1.0 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | **443.6** |
| OIL | 1961 | 53.1 | 25.4 | 29.2 | 37.5 | 43.2 | 40.4 | 41.2 | 44.2 | 42.9 | 45.3 | 43.5 | 35.6 | **7,653.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,801.0** |
| H2O | 1960 | 6.0 | 2.1 | 4.9 | 1.0 | 1.3 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **432.7** |
| OIL | 1960 | 65.9 | 62.1 | 65.8 | 60.5 | 56.6 | 55.8 | 57.5 | 58.8 | 55.6 | 58.3 | 56.6 | 56.9 | **7,171.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,435.0** |
| H2O | 1959 | 0.0 | 2.7 | 0.0 | 0.0 | 11.1 | 1.1 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 1.4 | **416.1** |
| OIL | 1959 | 53.4 | 50.2 | 81.5 | 72.5 | 69.1 | 54.2 | 55.9 | 53.7 | 61.5 | 63.4 | 49.1 | 58.3 | **6,461.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,075.0** |
| H2O | 1958 | 0.0 | 2.2 | 1.9 | 0.3 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.8 | 1.6 | 0.0 | **398.2** |
| OIL | 1958 | 82.8 | 69.9 | 89.1 | 89.5 | 90.1 | 71.0 | 80.2 | 74.5 | 78.5 | 71.5 | 56.3 | 57.5 | **5,738.5** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **712.0** |
| H2O | 1957 | 18.4 | 6.5 | 1.4 | 4.0 | 0.2 | 3.3 | 1.3 | 0.5 | 2.2 | 1.6 | 1.6 | 0.3 | **384.4** |
| OIL | 1957 | 167.5 | 130.8 | 140.5 | 131.3 | 108.1 | 119.5 | 123.3 | 112.7 | 108.1 | 110.3 | 108.5 | 104.1 | **4,827.6** |
| DAY | 1956 | 29.0 | 25.0 | 23.0 | 30.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **351.0** |
| H2O | 1956 | 18.0 | 19.4 | 88.4 | 1.7 | 1.9 | 1.1 | 49.4 | 46.7 | 54.7 | 34.8 | 11.8 | 14.1 | **343.1** |
| OIL | 1956 | 323.5 | 276.3 | 249.6 | 366.4 | 344.5 | 267.1 | 320.4 | 297.1 | 271.0 | 201.3 | 182.9 | 195.1 | **3,362.9** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | **5.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | **1.1** |

# Manitoba Production
## 1950 To 1975

Licence ***962*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 67.7 | **67.7** |

Licence ***964*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,275.0** |
| H2O | 1975 | 399.0 | 353.0 | 395.5 | 396.6 | 406.6 | 347.0 | 403.1 | 235.4 | 252.6 | 253.2 | 251.5 | 268.8 | **35,564.9** |
| OIL | 1975 | 220.1 | 195.9 | 227.7 | 216.8 | 229.8 | 205.8 | 226.9 | 141.7 | 140.8 | 137.5 | 136.8 | 138.9 | **30,576.2** |
| DAY | 1974 | 30.0 | 28.0 | 31.0 | 30.0 | 27.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,916.0** |
| H2O | 1974 | 335.6 | 327.5 | 375.3 | 368.8 | 334.9 | 366.7 | 390.1 | 391.3 | 383.2 | 393.1 | 392.0 | 406.6 | **31,602.6** |
| OIL | 1974 | 189.1 | 182.9 | 201.3 | 190.7 | 175.4 | 198.2 | 223.0 | 217.4 | 225.8 | 229.0 | 224.1 | 227.7 | **28,357.5** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,558.0** |
| H2O | 1973 | 287.7 | 248.6 | 282.6 | 301.7 | 298.9 | 279.8 | 235.3 | 425.4 | 412.8 | 377.4 | 366.9 | 370.2 | **27,137.5** |
| OIL | 1973 | 252.8 | 219.9 | 239.3 | 236.6 | 255.5 | 256.8 | 208.2 | 223.7 | 202.0 | 196.7 | 204.8 | 202.3 | **25,872.9** |
| DAY | 1972 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 29.0 | 31.0 | **6,202.0** |
| H2O | 1972 | 328.7 | 208.0 | 246.1 | 387.0 | 405.0 | 403.9 | 401.7 | 292.8 | 307.6 | 308.9 | 257.1 | 266.4 | **23,250.2** |
| OIL | 1972 | 148.4 | 117.0 | 136.7 | 216.0 | 220.1 | 210.2 | 221.8 | 226.1 | 240.4 | 228.5 | 232.6 | 245.2 | **23,174.3** |
| DAY | 1971 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,843.0** |
| H2O | 1971 | 447.0 | 362.3 | 325.1 | 337.0 | 363.5 | 239.2 | 225.1 | 297.7 | 287.5 | 433.7 | 425.3 | 307.1 | **19,437.0** |
| OIL | 1971 | 260.1 | 197.8 | 194.2 | 190.1 | 190.4 | 160.7 | 158.0 | 216.4 | 204.5 | 169.6 | 168.6 | 144.1 | **20,731.3** |
| DAY | 1970 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **5,482.0** |
| H2O | 1970 | 355.7 | 301.0 | 337.8 | 346.5 | 328.9 | 332.1 | 340.0 | 350.2 | 320.1 | 313.9 | 344.1 | 421.4 | **15,386.5** |
| OIL | 1970 | 264.9 | 198.2 | 225.2 | 214.2 | 210.6 | 211.0 | 224.5 | 178.8 | 169.6 | 177.2 | 195.5 | 252.2 | **18,476.8** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,122.0** |
| H2O | 1969 | 220.8 | 202.7 | 203.5 | 379.3 | 407.2 | 458.3 | 468.0 | 445.7 | 450.2 | 455.5 | 338.3 | 329.8 | **11,294.8** |
| OIL | 1969 | 173.4 | 158.8 | 168.1 | 262.0 | 269.2 | 187.2 | 189.6 | 188.0 | 171.9 | 178.8 | 245.5 | 253.9 | **15,954.9** |
| DAY | 1968 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | **4,759.0** |
| H2O | 1968 | 94.9 | 86.6 | 91.4 | 92.8 | 222.4 | 206.0 | 229.2 | 218.8 | 181.1 | 214.8 | 217.2 | 219.9 | **6,935.5** |
| OIL | 1968 | 123.8 | 113.6 | 113.1 | 111.6 | 174.8 | 173.7 | 173.2 | 173.1 | 148.1 | 170.4 | 164.9 | 174.5 | **13,508.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **4,399.0** |
| H2O | 1967 | 17.6 | 17.8 | 20.8 | 21.0 | 20.0 | 18.8 | 19.9 | 17.8 | 18.6 | 19.1 | 82.0 | 97.3 | **4,860.4** |
| OIL | 1967 | 16.4 | 14.9 | 16.7 | 15.7 | 16.0 | 16.7 | 18.4 | 18.3 | 18.8 | 19.4 | 104.2 | 122.8 | **11,693.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,037.0** |
| H2O | 1966 | 29.4 | 26.2 | 29.6 | 16.4 | 14.8 | 26.4 | 29.2 | 22.1 | 22.6 | 26.7 | 34.3 | 16.5 | **4,489.7** |
| OIL | 1966 | 71.8 | 59.0 | 69.0 | 42.3 | 45.3 | 42.4 | 41.6 | 44.5 | 42.0 | 39.3 | 42.7 | 15.4 | **11,295.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,672.0** |
| H2O | 1965 | 43.5 | 40.0 | 32.4 | 28.6 | 28.9 | 27.5 | 26.2 | 29.6 | 28.6 | 29.6 | 28.6 | 28.6 | **4,195.5** |
| OIL | 1965 | 87.7 | 80.4 | 88.8 | 73.1 | 70.6 | 67.9 | 63.7 | 72.8 | 71.0 | 73.6 | 71.8 | 70.1 | **10,740.1** |
| DAY | 1964 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,307.0** |
| H2O | 1964 | 24.6 | 27.0 | 47.4 | 46.9 | 44.0 | 42.9 | 44.3 | 44.3 | 42.9 | 44.3 | 42.9 | 44.3 | **3,823.4** |
| OIL | 1964 | 56.7 | 67.9 | 96.1 | 93.0 | 86.9 | 85.0 | 87.6 | 88.0 | 85.3 | 88.2 | 84.4 | 88.8 | **9,848.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,947.0** |
| H2O | 1963 | 36.1 | 31.1 | 34.5 | 33.4 | 25.9 | 23.5 | 24.6 | 24.6 | 23.8 | 24.2 | 23.8 | 24.6 | **3,327.6** |
| OIL | 1963 | 70.6 | 62.6 | 69.1 | 66.7 | 59.3 | 56.7 | 59.0 | 58.8 | 57.4 | 57.7 | 57.7 | 59.6 | **8,840.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 29.0 | 28.0 | 31.0 | **2,582.0** |
| H2O | 1962 | 19.7 | 17.5 | 19.7 | 19.1 | 19.7 | 19.1 | 19.2 | 18.8 | 61.0 | 43.4 | 35.4 | 39.1 | **2,997.5** |
| OIL | 1962 | 77.5 | 70.4 | 79.8 | 76.1 | 78.8 | 66.1 | 66.3 | 66.3 | 72.5 | 81.7 | 69.1 | 78.8 | **8,105.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **2,225.0** |
| H2O | 1961 | 19.6 | 17.8 | 19.7 | 19.1 | 19.7 | 59.1 | 19.1 | 19.7 | 19.1 | 19.2 | 19.1 | 18.1 | **2,665.8** |
| OIL | 1961 | 79.0 | 71.5 | 78.7 | 76.1 | 78.2 | 75.6 | 75.8 | 76.8 | 76.1 | 76.8 | 76.4 | 67.5 | **7,222.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,865.0** |

# Manitoba Production
## 1950 To 1975

Licence ***964*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1960 | 49.6 | 57.7 | 55.8 | 52.5 | 54.2 | 52.5 | 55.0 | 50.7 | 34.7 | 19.4 | 18.4 | 19.7 | **2,396.5** |
| OIL | 1960 | 69.9 | 73.4 | 79.1 | 76.4 | 78.5 | 76.0 | 80.6 | 73.1 | 75.3 | 76.8 | 71.5 | 79.5 | **6,313.6** |
| DAY | 1959 | 31.0 | 26.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,501.0** |
| H2O | 1959 | 44.4 | 37.2 | 52.9 | 57.2 | 57.9 | 57.2 | 60.7 | 59.1 | 55.6 | 52.3 | 14.9 | 8.3 | **1,876.3** |
| OIL | 1959 | 36.2 | 29.1 | 73.7 | 71.4 | 77.1 | 71.0 | 65.5 | 70.4 | 62.5 | 75.5 | 39.6 | 46.7 | **5,403.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,139.0** |
| H2O | 1958 | 42.8 | 40.1 | 44.4 | 41.5 | 44.4 | 42.9 | 44.4 | 44.4 | 42.9 | 44.4 | 42.9 | 42.9 | **1,318.6** |
| OIL | 1958 | 52.8 | 57.0 | 54.8 | 37.5 | 44.0 | 44.3 | 43.7 | 43.7 | 15.9 | 14.6 | 14.1 | 16.7 | **4,684.8** |
| DAY | 1957 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | **775.0** |
| H2O | 1957 | 19.1 | 21.3 | 25.3 | 23.8 | 23.0 | 23.8 | 38.3 | 47.8 | 47.7 | 47.7 | 46.9 | 46.1 | **800.6** |
| OIL | 1957 | 82.3 | 129.7 | 156.4 | 128.7 | 130.6 | 132.2 | 124.9 | 84.2 | 68.6 | 60.9 | 45.8 | 51.3 | **4,245.7** |
| DAY | 1956 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 22.0 | 29.0 | 31.0 | 29.0 | 30.0 | 29.0 | 27.0 | **416.0** |
| H2O | 1956 | 15.4 | 18.0 | 20.3 | 39.9 | 17.5 | 32.1 | 39.6 | 35.6 | 28.5 | 30.7 | 30.5 | 17.3 | **389.8** |
| OIL | 1956 | 275.7 | 267.3 | 294.3 | 280.3 | 270.6 | 183.1 | 205.0 | 203.9 | 123.0 | 97.6 | 52.1 | 37.2 | **3,050.1** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 27.0 | 30.0 | **69.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.7 | 4.1 | 56.6 | **64.4** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 140.5 | 318.0 | 301.5 | **760.0** |

Licence ***966*** Well Name ***Daly Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.08-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 170.9 | 146.8 | 171.3 | 132.4 | 111.4 | 176.3 | 127.7 | 157.8 | 183.1 | 159.1 | 143.5 | 169.9 | **39,698.3** |
| WIN | 1974 | 158.8 | 150.8 | 157.7 | 146.5 | 155.1 | 141.3 | 156.9 | 135.9 | 148.3 | 114.1 | 135.5 | 112.7 | **37,848.1** |
| WIN | 1973 | 172.1 | 141.9 | 183.4 | 147.8 | 120.8 | 136.5 | 142.4 | 120.2 | 128.5 | 142.5 | 143.6 | 137.8 | **36,134.5** |
| WIN | 1972 | 191.4 | 188.5 | 157.0 | 168.5 | 160.2 | 185.0 | 176.4 | 171.0 | 162.9 | 177.1 | 167.2 | 140.0 | **34,417.0** |
| WIN | 1971 | 208.4 | 206.2 | 207.6 | 188.7 | 189.2 | 166.4 | 196.0 | 187.4 | 192.5 | 183.4 | 189.8 | 209.1 | **32,371.8** |
| WIN | 1970 | 203.6 | 205.0 | 210.4 | 200.8 | 212.1 | 238.2 | 180.9 | 152.3 | 202.0 | 201.2 | 193.1 | 207.3 | **30,047.1** |
| WIN | 1969 | 217.9 | 225.3 | 252.6 | 219.1 | 241.9 | 208.8 | 216.1 | 184.4 | 184.2 | 247.3 | 202.5 | 226.6 | **27,640.2** |
| WIN | 1968 | 169.9 | 158.3 | 174.7 | 178.2 | 170.7 | 167.1 | 174.0 | 166.7 | 150.7 | 182.0 | 163.4 | 184.5 | **25,013.5** |
| WIN | 1967 | 219.0 | 187.1 | 213.9 | 203.3 | 206.8 | 203.0 | 215.2 | 207.3 | 201.7 | 213.9 | 153.5 | 142.4 | **22,973.3** |
| WIN | 1966 | 218.0 | 191.4 | 213.3 | 210.4 | 207.3 | 216.4 | 214.4 | 218.0 | 209.9 | 213.9 | 203.1 | 212.3 | **20,606.2** |
| WIN | 1965 | 221.4 | 209.4 | 231.1 | 217.1 | 202.5 | 238.9 | 226.5 | 216.3 | 213.4 | 215.5 | 346.0 | 220.4 | **18,077.8** |
| WIN | 1964 | 250.6 | 240.4 | 261.5 | 234.9 | 258.4 | 237.6 | 251.5 | 243.8 | 234.1 | 231.7 | 219.5 | 217.1 | **15,319.3** |
| WIN | 1963 | 290.9 | 249.3 | 275.0 | 258.6 | 281.8 | 281.3 | 59.9 | 315.0 | 226.6 | 233.9 | 217.4 | 204.9 | **12,438.2** |
| WIN | 1962 | 691.7 | 545.8 | 544.9 | 449.7 | 465.6 | 432.0 | 592.2 | 257.2 | 326.1 | 239.5 | 415.8 | 317.2 | **9,543.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 14.0 | 0.0 | 0.0 | 0.0 | **2,098.0** |
| H2O | 1961 | 0.0 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 1.4 | 0.5 | 0.0 | 0.0 | 0.0 | **641.2** |
| OIL | 1961 | 27.8 | 19.2 | 21.9 | 21.1 | 23.0 | 23.5 | 16.2 | 16.4 | 6.7 | 0.0 | 0.0 | 0.0 | **2,462.5** |
| WIN | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1957.4 | 1292.7 | 1015.8 | **4,265.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,841.0** |
| H2O | 1960 | 9.1 | 5.1 | 0.0 | 0.0 | 0.0 | 1.6 | 0.0 | 0.0 | 1.3 | 0.0 | 1.3 | 0.0 | **636.6** |
| OIL | 1960 | 21.8 | 24.0 | 28.6 | 31.6 | 26.2 | 25.6 | 24.0 | 20.7 | 21.5 | 20.0 | 23.8 | 26.9 | **2,286.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,475.0** |
| H2O | 1959 | 15.1 | 1.0 | 4.6 | 8.7 | 0.0 | 1.3 | 4.8 | 2.9 | 0.0 | 0.0 | 6.8 | 3.8 | **618.2** |
| OIL | 1959 | 29.1 | 32.6 | 31.3 | 37.0 | 34.2 | 27.2 | 32.3 | 33.7 | 23.8 | 27.7 | 29.4 | 26.5 | **1,992.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,110.0** |
| H2O | 1958 | 6.7 | 17.3 | 13.0 | 14.0 | 10.0 | 11.3 | 5.4 | 6.4 | 10.5 | 5.6 | 15.4 | 13.7 | **569.2** |
| OIL | 1958 | 26.7 | 26.1 | 34.2 | 24.8 | 36.7 | 29.7 | 36.1 | 28.1 | 31.5 | 38.0 | 24.6 | 42.7 | **1,627.2** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **745.0** |
| H2O | 1957 | 7.9 | 11.4 | 17.8 | 14.5 | 26.5 | 12.7 | 13.7 | 11.4 | 1.7 | 3.7 | 6.8 | 9.2 | **439.9** |
| OIL | 1957 | 34.6 | 32.6 | 35.0 | 31.6 | 28.1 | 28.0 | 21.6 | 51.2 | 27.7 | 48.0 | 33.8 | 32.3 | **1,248.0** |

# Manitoba Production
## 1950 To 1975

Licence ***966*** Well Name ***Daly Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.08-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 28.0 | 5.0 | 13.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **383.0** |
| H2O | 1956 | 30.4 | 6.4 | 25.0 | 41.5 | 20.7 | 15.9 | 14.9 | 11.1 | 16.2 | 15.6 | 13.5 | 18.4 | **302.6** |
| OIL | 1956 | 68.5 | 10.3 | 27.8 | 76.0 | 68.5 | 45.0 | 46.9 | 38.6 | 35.3 | 37.0 | 30.5 | 33.7 | **843.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 29.0 | 30.0 | **64.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 73.0 | **73.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 35.1 | 153.3 | 137.0 | **325.4** |

Licence ***967*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,307.0** |
| H2O | 1975 | 142.9 | 131.5 | 146.6 | 142.0 | 152.0 | 145.6 | 120.7 | 143.7 | 141.5 | 152.0 | 152.5 | 155.2 | **17,489.7** |
| OIL | 1975 | 278.1 | 247.1 | 271.3 | 257.4 | 270.1 | 262.5 | 223.3 | 271.4 | 263.3 | 272.5 | 263.5 | 267.6 | **55,906.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,947.0** |
| H2O | 1974 | 165.8 | 153.7 | 156.3 | 147.1 | 157.5 | 158.3 | 149.6 | 146.7 | 144.7 | 142.4 | 136.2 | 142.0 | **15,763.5** |
| OIL | 1974 | 286.2 | 249.5 | 267.1 | 246.3 | 264.9 | 256.2 | 247.6 | 263.5 | 253.0 | 284.4 | 260.1 | 280.0 | **52,758.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,586.0** |
| H2O | 1973 | 76.6 | 9.4 | 10.0 | 10.0 | 84.6 | 81.2 | 81.6 | 82.2 | 183.1 | 183.8 | 171.5 | 166.3 | **13,963.2** |
| OIL | 1973 | 290.3 | 259.7 | 286.2 | 279.5 | 275.1 | 266.7 | 276.3 | 276.3 | 285.4 | 290.0 | 274.6 | 278.4 | **49,599.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,223.0** |
| H2O | 1972 | 13.4 | 58.2 | 63.8 | 52.8 | 50.2 | 53.7 | 59.6 | 88.4 | 93.8 | 99.5 | 73.6 | 78.1 | **12,822.9** |
| OIL | 1972 | 332.9 | 273.8 | 298.0 | 280.5 | 255.4 | 307.0 | 316.2 | 296.2 | 299.4 | 308.0 | 270.8 | 294.3 | **46,261.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,863.0** |
| H2O | 1971 | 117.2 | 106.4 | 63.8 | 63.9 | 64.1 | 63.8 | 61.2 | 61.0 | 54.7 | 113.2 | 108.9 | 14.3 | **12,037.8** |
| OIL | 1971 | 360.4 | 318.9 | 338.2 | 321.2 | 328.3 | 318.9 | 315.8 | 320.4 | 315.9 | 304.9 | 287.6 | 338.8 | **42,728.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | **5,499.0** |
| H2O | 1970 | 72.5 | 68.0 | 71.2 | 64.1 | 67.7 | 68.7 | 62.6 | 69.2 | 120.2 | 124.6 | 110.0 | 122.4 | **11,145.3** |
| OIL | 1970 | 349.4 | 315.0 | 343.9 | 323.4 | 342.5 | 335.3 | 344.2 | 331.2 | 326.7 | 344.5 | 319.4 | 335.6 | **38,859.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,137.0** |
| H2O | 1969 | 88.7 | 80.6 | 75.7 | 77.3 | 84.9 | 102.9 | 111.3 | 56.1 | 52.8 | 57.2 | 51.2 | 55.8 | **10,124.1** |
| OIL | 1969 | 390.4 | 345.0 | 381.1 | 371.2 | 381.2 | 355.8 | 369.6 | 367.4 | 357.5 | 374.1 | 358.7 | 372.6 | **34,848.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,772.0** |
| H2O | 1968 | 82.8 | 78.7 | 83.6 | 107.5 | 112.7 | 84.3 | 88.9 | 90.5 | 90.6 | 90.6 | 83.6 | 84.4 | **9,229.6** |
| OIL | 1968 | 376.0 | 345.2 | 369.5 | 387.3 | 388.2 | 368.0 | 380.9 | 386.3 | 372.6 | 390.9 | 374.7 | 390.1 | **30,423.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **4,406.0** |
| H2O | 1967 | 57.1 | 47.4 | 89.2 | 83.1 | 77.3 | 72.7 | 44.5 | 59.8 | 52.3 | 49.0 | 49.8 | 85.8 | **8,151.4** |
| OIL | 1967 | 349.6 | 310.5 | 356.4 | 344.2 | 373.1 | 357.7 | 359.1 | 357.9 | 344.7 | 314.6 | 355.2 | 375.5 | **25,894.1** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,045.0** |
| H2O | 1966 | 134.5 | 107.8 | 132.0 | 60.6 | 71.4 | 66.9 | 66.1 | 57.4 | 65.7 | 56.4 | 56.3 | 60.3 | **7,383.4** |
| OIL | 1966 | 341.7 | 300.8 | 320.7 | 308.9 | 364.9 | 372.8 | 386.2 | 312.4 | 323.5 | 341.0 | 334.5 | 350.4 | **21,695.6** |
| DAY | 1965 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **3,683.0** |
| H2O | 1965 | 114.3 | 91.7 | 129.7 | 117.8 | 119.9 | 114.5 | 114.9 | 115.4 | 116.5 | 132.9 | 136.2 | 136.1 | **6,448.0** |
| OIL | 1965 | 156.5 | 128.7 | 225.0 | 225.3 | 227.4 | 227.6 | 236.9 | 234.9 | 222.5 | 355.5 | 337.7 | 333.6 | **17,637.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 22.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,321.0** |
| H2O | 1964 | 52.8 | 48.2 | 53.6 | 51.5 | 54.7 | 52.8 | 37.0 | 49.1 | 50.7 | 104.0 | 107.5 | 114.0 | **5,008.1** |
| OIL | 1964 | 65.8 | 63.2 | 68.2 | 65.5 | 67.5 | 65.0 | 47.7 | 62.9 | 65.8 | 147.5 | 144.8 | 154.9 | **14,726.2** |
| DAY | 1963 | 22.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,966.0** |
| H2O | 1963 | 32.6 | 39.7 | 42.9 | 45.3 | 52.8 | 55.2 | 41.2 | 41.5 | 36.4 | 53.1 | 51.5 | 52.6 | **4,232.2** |
| OIL | 1963 | 104.9 | 132.7 | 165.7 | 153.3 | 160.0 | 148.9 | 156.5 | 153.2 | 156.2 | 162.9 | 62.8 | 64.0 | **13,707.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,615.0** |
| H2O | 1962 | 64.4 | 55.6 | 60.4 | 37.0 | 50.9 | 33.9 | 50.1 | 48.6 | 38.5 | 101.3 | 69.2 | 47.7 | **3,687.4** |

# Manitoba Production
## 1950 To 1975

Licence ***967*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 168.4 | 149.7 | 163.0 | 116.6 | 157.8 | 82.8 | 200.1 | 157.0 | 136.7 | 157.8 | 148.7 | 159.5 | **12,086.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,253.0** |
| H2O | 1961 | 61.4 | 55.0 | 59.9 | 49.8 | 20.2 | 37.0 | 130.8 | 169.5 | 76.0 | 86.3 | 74.4 | 74.2 | **3,029.8** |
| OIL | 1961 | 112.7 | 91.4 | 125.9 | 98.7 | 38.0 | 79.1 | 189.7 | 191.2 | 158.1 | 182.7 | 132.5 | 156.2 | **10,288.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,888.0** |
| H2O | 1960 | 115.1 | 114.9 | 130.5 | 95.7 | 81.7 | 109.2 | 78.2 | 64.2 | 50.6 | 67.4 | 61.7 | 63.6 | **2,135.3** |
| OIL | 1960 | 214.1 | 206.4 | 211.8 | 151.8 | 159.4 | 152.1 | 138.4 | 111.4 | 128.1 | 158.1 | 104.9 | 113.8 | **8,732.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,522.0** |
| H2O | 1959 | 7.9 | 6.8 | 1.9 | 2.4 | 1.6 | 29.4 | 14.3 | 163.4 | 162.2 | 173.8 | 144.8 | 130.4 | **1,102.5** |
| OIL | 1959 | 59.6 | 52.9 | 42.3 | 45.3 | 50.4 | 47.2 | 41.0 | 305.7 | 283.8 | 158.0 | 162.4 | 220.9 | **6,881.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,166.0** |
| H2O | 1958 | 10.5 | 3.5 | 16.5 | 3.8 | 3.8 | 9.2 | 2.9 | 1.1 | 19.6 | 7.2 | 5.9 | 2.2 | **263.6** |
| OIL | 1958 | 142.7 | 117.3 | 139.7 | 64.5 | 56.9 | 71.0 | 66.4 | 57.2 | 62.1 | 63.6 | 73.1 | 62.6 | **5,412.2** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **801.0** |
| H2O | 1957 | 11.4 | 5.7 | 6.4 | 4.9 | 3.8 | 2.2 | 2.1 | 3.7 | 3.3 | 1.1 | 1.3 | 1.4 | **177.4** |
| OIL | 1957 | 209.3 | 122.7 | 158.8 | 70.7 | 93.4 | 66.7 | 67.1 | 75.3 | 86.3 | 99.6 | 89.9 | 79.5 | **4,435.1** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **438.0** |
| H2O | 1956 | 7.5 | 5.7 | 18.9 | 11.6 | 17.3 | 12.9 | 6.8 | 6.8 | 9.4 | 6.4 | 4.5 | 12.2 | **130.1** |
| OIL | 1956 | 282.1 | 216.4 | 300.2 | 255.7 | 272.7 | 244.7 | 246.3 | 263.3 | 242.2 | 156.8 | 91.5 | 233.4 | **3,215.8** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 30.0 | 31.0 | **72.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 4.3 | 5.2 | **10.1** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 71.8 | 146.7 | 192.0 | **410.5** |

Licence ***968*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,317.0** |
| H2O | 1975 | 138.2 | 127.0 | 141.7 | 137.2 | 131.5 | 120.0 | 118.8 | 124.2 | 122.4 | 128.1 | 127.8 | 134.2 | **11,685.8** |
| OIL | 1975 | 186.4 | 165.6 | 182.0 | 172.7 | 192.6 | 178.6 | 181.8 | 193.4 | 187.7 | 189.4 | 182.0 | 190.7 | **37,127.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,954.0** |
| H2O | 1974 | 170.6 | 158.2 | 161.4 | 156.9 | 162.5 | 163.3 | 164.9 | 151.3 | 149.1 | 137.7 | 137.4 | 137.4 | **10,134.7** |
| OIL | 1974 | 196.3 | 171.0 | 205.2 | 195.6 | 203.4 | 196.7 | 203.1 | 202.3 | 194.3 | 190.7 | 182.0 | 187.8 | **34,925.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,589.0** |
| H2O | 1973 | 4.9 | 4.6 | 5.1 | 0.0 | 0.0 | 0.0 | 0.0 | 219.2 | 215.3 | 197.6 | 176.3 | 171.1 | **8,284.0** |
| OIL | 1973 | 193.1 | 170.4 | 187.7 | 183.4 | 191.5 | 185.4 | 186.2 | 205.8 | 195.8 | 188.6 | 188.1 | 191.0 | **32,596.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,225.0** |
| H2O | 1972 | 175.5 | 171.1 | 187.8 | 167.2 | 184.7 | 98.9 | 109.7 | 23.7 | 23.7 | 4.9 | 4.8 | 5.1 | **7,289.9** |
| OIL | 1972 | 246.8 | 230.1 | 250.6 | 239.3 | 252.5 | 179.1 | 184.5 | 192.9 | 183.7 | 184.8 | 180.2 | 195.9 | **30,329.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 25.0 | **5,860.0** |
| H2O | 1971 | 16.4 | 14.9 | 155.8 | 156.3 | 156.6 | 155.8 | 149.4 | 16.4 | 14.6 | 49.9 | 54.1 | 149.0 | **6,132.8** |
| OIL | 1971 | 192.3 | 170.0 | 192.8 | 183.1 | 187.0 | 181.8 | 179.9 | 178.1 | 175.8 | 200.9 | 188.8 | 200.1 | **27,809.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,503.0** |
| H2O | 1970 | 180.6 | 33.5 | 35.1 | 32.4 | 33.4 | 33.9 | 31.3 | 32.9 | 31.8 | 21.6 | 19.7 | 17.6 | **5,043.6** |
| OIL | 1970 | 195.3 | 172.1 | 187.8 | 181.2 | 187.0 | 183.1 | 190.1 | 174.6 | 172.4 | 234.4 | 225.0 | 184.8 | **25,578.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | **5,141.0** |
| H2O | 1969 | 47.1 | 42.9 | 40.1 | 41.0 | 84.9 | 81.2 | 88.1 | 173.4 | 162.8 | 191.3 | 170.9 | 185.8 | **4,539.8** |
| OIL | 1969 | 195.1 | 172.6 | 190.5 | 185.6 | 190.5 | 187.2 | 189.7 | 183.5 | 177.8 | 201.5 | 193.1 | 200.7 | **23,290.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,780.0** |
| H2O | 1968 | 26.2 | 25.0 | 26.5 | 26.9 | 27.7 | 26.1 | 75.2 | 68.7 | 62.6 | 67.7 | 42.3 | 45.0 | **3,230.3** |
| OIL | 1968 | 185.8 | 170.5 | 182.4 | 179.3 | 177.0 | 178.5 | 209.4 | 209.1 | 235.5 | 252.2 | 189.6 | 195.1 | **21,023.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,415.0** |

# Manitoba Production
## 1950 To 1975

Licence ***968*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1967 | 10.5 | 8.7 | 10.5 | 30.2 | 30.0 | 12.6 | 11.4 | 15.6 | 13.7 | 14.8 | 12.9 | 27.2 | **2,710.4** |
| OIL | 1967 | 190.5 | 169.2 | 189.9 | 172.3 | 177.2 | 163.8 | 199.6 | 200.1 | 192.8 | 203.6 | 198.5 | 185.6 | **18,658.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,054.0** |
| H2O | 1966 | 16.1 | 12.9 | 16.4 | 16.9 | 18.9 | 16.7 | 16.5 | 7.0 | 9.7 | 10.3 | 10.3 | 11.0 | **2,512.3** |
| OIL | 1966 | 179.6 | 158.0 | 174.0 | 167.8 | 174.5 | 168.8 | 174.6 | 195.5 | 173.1 | 185.9 | 182.3 | 191.0 | **16,415.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,690.0** |
| H2O | 1965 | 10.7 | 9.5 | 11.0 | 9.5 | 16.9 | 16.1 | 16.1 | 16.2 | 16.4 | 16.2 | 13.0 | 16.9 | **2,349.6** |
| OIL | 1965 | 178.5 | 162.6 | 192.8 | 185.8 | 201.7 | 201.7 | 210.2 | 208.5 | 197.2 | 205.2 | 176.7 | 181.5 | **14,290.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,325.0** |
| H2O | 1964 | 18.8 | 17.2 | 19.2 | 18.4 | 19.7 | 18.9 | 5.1 | 18.9 | 18.1 | 7.3 | 7.5 | 10.7 | **2,181.1** |
| OIL | 1964 | 45.4 | 43.4 | 47.0 | 45.1 | 46.6 | 44.8 | 125.4 | 126.5 | 122.4 | 155.6 | 152.6 | 176.9 | **11,988.0** |
| DAY | 1963 | 21.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,959.0** |
| H2O | 1963 | 10.2 | 12.7 | 14.3 | 15.6 | 17.6 | 18.4 | 14.0 | 14.0 | 12.1 | 17.6 | 18.4 | 18.9 | **2,001.3** |
| OIL | 1963 | 23.0 | 30.0 | 38.8 | 36.9 | 37.5 | 34.8 | 37.5 | 36.4 | 36.5 | 38.1 | 43.1 | 44.3 | **10,856.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,609.0** |
| H2O | 1962 | 17.2 | 14.9 | 16.2 | 25.9 | 17.2 | 21.1 | 16.9 | 16.2 | 14.6 | 34.5 | 23.2 | 15.9 | **1,817.5** |
| OIL | 1962 | 39.6 | 35.3 | 38.5 | 50.7 | 37.2 | 35.9 | 47.0 | 36.7 | 36.2 | 37.8 | 34.6 | 37.3 | **10,419.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,244.0** |
| H2O | 1961 | 18.9 | 11.1 | 11.9 | 9.9 | 11.4 | 27.0 | 35.1 | 49.3 | 25.0 | 17.6 | 16.7 | 16.7 | **1,583.7** |
| OIL | 1961 | 69.1 | 53.2 | 73.4 | 57.5 | 66.4 | 68.6 | 61.5 | 67.5 | 59.4 | 48.8 | 35.3 | 41.6 | **9,952.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,879.0** |
| H2O | 1960 | 15.7 | 15.1 | 19.9 | 38.2 | 28.8 | 46.4 | 26.1 | 28.1 | 19.6 | 20.0 | 18.9 | 19.6 | **1,333.1** |
| OIL | 1960 | 123.9 | 119.2 | 118.2 | 71.2 | 74.5 | 86.1 | 73.9 | 72.6 | 78.8 | 63.2 | 64.5 | 69.9 | **9,250.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,513.0** |
| H2O | 1959 | 27.8 | 23.5 | 34.8 | 33.9 | 32.9 | 23.5 | 1.0 | 32.7 | 9.4 | 9.5 | 7.9 | 9.9 | **1,036.7** |
| OIL | 1959 | 119.0 | 106.0 | 142.9 | 125.9 | 120.8 | 118.1 | 141.9 | 122.7 | 131.7 | 120.8 | 124.3 | 122.7 | **8,234.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,148.0** |
| H2O | 1958 | 7.6 | 3.5 | 85.7 | 48.2 | 52.1 | 49.3 | 51.2 | 47.1 | 30.7 | 31.2 | 46.3 | 34.5 | **789.9** |
| OIL | 1958 | 252.2 | 246.5 | 256.0 | 198.3 | 199.4 | 177.7 | 151.8 | 167.0 | 145.1 | 141.7 | 117.1 | 145.9 | **6,737.5** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **783.0** |
| H2O | 1957 | 7.6 | 4.8 | 7.0 | 1.6 | 2.1 | 4.5 | 3.5 | 11.8 | 11.1 | 15.7 | 15.7 | 9.5 | **302.5** |
| OIL | 1957 | 212.1 | 144.4 | 171.9 | 96.0 | 102.8 | 76.6 | 73.4 | 72.1 | 81.2 | 72.0 | 64.8 | 360.2 | **4,538.8** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **421.0** |
| H2O | 1956 | 7.5 | 5.7 | 5.4 | 6.2 | 3.0 | 6.5 | 6.8 | 5.9 | 12.4 | 11.3 | 5.9 | 98.2 | **207.6** |
| OIL | 1956 | 282.2 | 207.1 | 214.1 | 272.5 | 226.6 | 244.7 | 246.3 | 171.3 | 239.5 | 170.7 | 158.4 | 233.4 | **3,011.3** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 31.0 | **56.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.8 | 18.0 | **32.8** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 249.2 | 95.3 | **344.5** |

Licence ***969*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-07-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,303.0** |
| H2O | 1975 | 105.4 | 93.4 | 101.1 | 101.4 | 103.9 | 95.8 | 103.0 | 100.9 | 104.9 | 109.6 | 104.4 | 111.7 | **32,311.5** |
| OIL | 1975 | 41.5 | 37.2 | 41.6 | 39.7 | 42.0 | 40.7 | 41.5 | 41.8 | 40.2 | 40.8 | 39.3 | 39.7 | **11,585.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 23.0 | 31.0 | 31.0 | 30.0 | 25.0 | 24.0 | 28.0 | **6,938.0** |
| H2O | 1974 | 172.0 | 155.2 | 177.9 | 174.7 | 158.9 | 96.1 | 125.0 | 100.0 | 97.9 | 81.7 | 88.5 | 93.8 | **31,076.0** |
| OIL | 1974 | 53.9 | 47.5 | 52.3 | 49.6 | 45.6 | 25.6 | 35.3 | 21.9 | 27.3 | 34.0 | 32.7 | 37.5 | **11,099.9** |
| DAY | 1973 | 31.0 | 27.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 26.0 | 31.0 | **6,599.0** |
| H2O | 1973 | 536.3 | 434.2 | 524.4 | 529.1 | 556.6 | 289.7 | 303.0 | 307.9 | 303.3 | 183.1 | 158.2 | 185.7 | **29,554.3** |
| OIL | 1973 | 113.5 | 92.3 | 106.8 | 99.6 | 114.4 | 69.4 | 70.1 | 61.5 | 56.3 | 52.9 | 48.9 | 56.6 | **10,636.7** |

# Manitoba Production
# 1950 To 1975

Licence ***969*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-07-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 24.0 | 31.0 | **6,242.0** |
| H2O | 1972 | 179.5 | 126.8 | 370.1 | 373.8 | 386.0 | 363.2 | 598.3 | 559.9 | 609.4 | 632.5 | 390.3 | 508.1 | **25,242.8** |
| OIL | 1972 | 51.5 | 45.3 | 91.2 | 93.1 | 93.6 | 83.0 | 150.1 | 136.3 | 150.4 | 147.7 | 85.0 | 112.5 | **9,694.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,887.0** |
| H2O | 1971 | 304.0 | 289.7 | 290.1 | 232.4 | 231.3 | 224.8 | 200.2 | 180.4 | 188.9 | 367.7 | 360.7 | 167.4 | **20,144.9** |
| OIL | 1971 | 82.2 | 73.3 | 80.6 | 69.9 | 70.2 | 60.9 | 56.7 | 61.0 | 53.2 | 58.2 | 57.7 | 49.9 | **8,454.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | **5,525.0** |
| H2O | 1970 | 370.9 | 329.7 | 296.2 | 278.2 | 401.7 | 446.9 | 336.6 | 320.8 | 362.2 | 314.0 | 353.9 | 369.0 | **17,107.3** |
| OIL | 1970 | 97.7 | 87.1 | 72.5 | 72.9 | 69.3 | 76.4 | 71.8 | 65.6 | 68.0 | 62.6 | 84.7 | 93.1 | **7,680.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,167.0** |
| H2O | 1969 | 239.1 | 75.0 | 79.1 | 70.4 | 454.2 | 463.9 | 405.7 | 373.5 | 377.3 | 381.6 | 352.3 | 344.1 | **12,927.2** |
| OIL | 1969 | 96.6 | 42.1 | 47.0 | 39.4 | 126.2 | 119.5 | 108.7 | 106.0 | 96.9 | 100.7 | 90.4 | 93.8 | **6,759.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,805.0** |
| H2O | 1968 | 23.8 | 23.2 | 25.4 | 23.4 | 33.7 | 29.1 | 358.4 | 237.0 | 188.4 | 240.5 | 235.4 | 238.0 | **9,311.0** |
| OIL | 1968 | 23.4 | 23.0 | 23.5 | 21.3 | 29.9 | 25.6 | 123.9 | 96.3 | 79.3 | 98.2 | 91.8 | 97.3 | **5,691.9** |
| DAY | 1967 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,444.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 23.4 | 23.0 | 24.5 | **7,654.7** |
| OIL | 1967 | 7.8 | 6.8 | 7.9 | 7.5 | 7.6 | 7.9 | 8.7 | 8.7 | 21.0 | 21.6 | 22.1 | 23.4 | **4,958.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,080.0** |
| OIL | 1966 | 8.7 | 7.6 | 8.6 | 8.1 | 8.1 | 9.4 | 8.7 | 9.2 | 9.4 | 8.6 | 8.1 | 6.4 | **4,807.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,715.0** |
| H2O | 1965 | 24.6 | 22.9 | 27.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,560.8** |
| OIL | 1965 | 14.6 | 14.1 | 16.5 | 14.5 | 10.3 | 4.1 | 4.1 | 6.8 | 9.5 | 9.2 | 8.9 | 8.7 | **4,706.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,350.0** |
| H2O | 1964 | 22.4 | 20.8 | 21.3 | 23.2 | 23.8 | 23.8 | 25.4 | 20.2 | 18.4 | 19.2 | 19.1 | 22.7 | **7,486.0** |
| OIL | 1964 | 20.2 | 21.8 | 22.2 | 20.5 | 20.7 | 20.3 | 20.5 | 16.2 | 15.7 | 14.3 | 14.8 | 15.3 | **4,585.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,984.0** |
| H2O | 1963 | 12.9 | 9.7 | 11.1 | 21.0 | 23.8 | 31.2 | 28.8 | 24.6 | 34.7 | 23.2 | 22.7 | 22.7 | **7,225.7** |
| OIL | 1963 | 28.1 | 23.4 | 27.2 | 37.3 | 29.9 | 24.9 | 29.1 | 21.9 | 23.8 | 21.6 | 23.4 | 20.0 | **4,362.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,619.0** |
| H2O | 1962 | 51.0 | 47.7 | 52.0 | 29.6 | 212.4 | 217.6 | 15.3 | 14.6 | 14.5 | 14.3 | 13.0 | 14.1 | **6,959.3** |
| OIL | 1962 | 35.4 | 28.0 | 30.5 | 33.7 | 40.0 | 40.4 | 33.5 | 26.5 | 28.1 | 26.5 | 26.9 | 27.8 | **4,052.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,255.0** |
| H2O | 1961 | 13.4 | 13.8 | 21.6 | 24.2 | 25.8 | 29.7 | 32.7 | 20.0 | 12.7 | 55.3 | 49.3 | 47.1 | **6,263.2** |
| OIL | 1961 | 30.7 | 27.2 | 34.6 | 35.9 | 35.9 | 35.0 | 35.8 | 18.1 | 11.9 | 40.4 | 37.2 | 29.9 | **3,674.8** |
| DAY | 1960 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 26.0 | 31.0 | 30.0 | 31.0 | **1,890.0** |
| H2O | 1960 | 66.9 | 53.1 | 48.0 | 26.2 | 1.1 | 48.3 | 36.9 | 55.0 | 62.6 | 70.7 | 61.8 | 15.6 | **5,917.6** |
| OIL | 1960 | 35.4 | 31.9 | 38.0 | 33.7 | 31.1 | 32.3 | 34.8 | 30.7 | 29.4 | 35.8 | 33.5 | 32.9 | **3,302.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,531.0** |
| H2O | 1959 | 103.3 | 94.9 | 100.5 | 97.1 | 102.1 | 100.3 | 96.5 | 92.7 | 74.9 | 72.8 | 59.3 | 69.5 | **5,371.4** |
| OIL | 1959 | 46.2 | 43.5 | 45.1 | 42.0 | 44.2 | 42.6 | 41.6 | 45.0 | 38.8 | 35.1 | 35.0 | 34.5 | **2,902.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,166.0** |
| H2O | 1958 | 331.8 | 259.1 | 117.8 | 147.1 | 179.5 | 113.5 | 150.7 | 133.9 | 140.2 | 133.5 | 128.5 | 114.8 | **4,307.5** |
| OIL | 1958 | 97.7 | 82.0 | 57.8 | 57.8 | 62.3 | 50.7 | 56.3 | 48.8 | 55.9 | 52.9 | 50.2 | 45.3 | **2,409.1** |
| DAY | 1957 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **802.0** |
| H2O | 1957 | 65.2 | 58.5 | 63.8 | 54.1 | 16.5 | 17.6 | 12.9 | 18.8 | 19.6 | 4.9 | 92.0 | 233.2 | **2,357.1** |
| OIL | 1957 | 34.6 | 30.5 | 33.2 | 37.2 | 26.1 | 21.0 | 19.1 | 15.7 | 14.6 | 17.0 | 72.8 | 83.6 | **1,691.4** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **443.0** |
| H2O | 1956 | 170.6 | 105.2 | 89.2 | 188.1 | 170.1 | 137.8 | 141.2 | 104.8 | 101.7 | 69.0 | 63.0 | 64.7 | **1,700.0** |
| OIL | 1956 | 194.1 | 106.8 | 76.1 | 82.3 | 88.7 | 67.4 | 60.5 | 62.9 | 57.2 | 37.8 | 34.6 | 34.6 | **1,286.0** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 30.0 | 30.0 | **78.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 45.5 | 135.3 | 113.8 | **294.6** |

# Manitoba Production
## 1950 To 1975

Licence ***969*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-07-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 98.0 | 157.1 | 127.9 | **383.0** |

Licence ***970*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 29.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,089.0** |
| H2O | 1975 | 301.4 | 298.7 | 319.9 | 313.8 | 334.7 | 310.8 | 310.5 | 316.2 | 311.3 | 334.3 | 147.7 | 150.2 | **13,008.5** |
| OIL | 1975 | 31.9 | 30.5 | 32.3 | 31.0 | 32.4 | 30.7 | 31.5 | 32.6 | 31.6 | 32.9 | 23.8 | 24.3 | **8,360.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 22.0 | **6,728.0** |
| H2O | 1974 | 67.9 | 62.8 | 70.4 | 68.2 | 63.9 | 173.4 | 202.1 | 185.4 | 182.7 | 191.9 | 93.5 | 69.0 | **9,559.0** |
| OIL | 1974 | 22.4 | 19.5 | 22.4 | 21.3 | 20.2 | 18.8 | 22.2 | 22.1 | 21.3 | 22.4 | 16.5 | 12.7 | **7,995.3** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,380.0** |
| H2O | 1973 | 65.5 | 63.0 | 67.4 | 67.4 | 68.2 | 70.4 | 70.7 | 76.2 | 74.9 | 74.4 | 70.1 | 68.0 | **8,127.8** |
| OIL | 1973 | 34.8 | 30.7 | 33.8 | 33.2 | 34.6 | 21.1 | 21.9 | 23.7 | 22.4 | 22.6 | 21.6 | 21.9 | **7,753.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,015.0** |
| H2O | 1972 | 43.1 | 42.0 | 45.9 | 41.0 | 45.2 | 45.0 | 4.8 | 4.6 | 4.5 | 5.1 | 65.8 | 66.8 | **7,291.6** |
| OIL | 1972 | 34.3 | 31.9 | 34.8 | 33.2 | 34.6 | 33.8 | 26.4 | 27.0 | 25.6 | 27.0 | 34.0 | 35.4 | **7,431.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 22.0 | 22.0 | 31.0 | 30.0 | 23.0 | **5,649.0** |
| H2O | 1971 | 145.3 | 130.2 | 151.7 | 152.1 | 46.7 | 46.6 | 46.1 | 31.6 | 29.3 | 44.5 | 39.1 | 34.0 | **6,877.8** |
| OIL | 1971 | 33.4 | 29.1 | 32.7 | 31.0 | 27.3 | 26.5 | 27.2 | 19.1 | 19.2 | 27.3 | 34.0 | 25.7 | **7,053.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,309.0** |
| H2O | 1970 | 58.5 | 54.8 | 57.4 | 53.1 | 54.5 | 54.4 | 142.1 | 160.3 | 149.0 | 154.7 | 141.2 | 156.9 | **5,980.6** |
| OIL | 1970 | 42.4 | 38.3 | 41.8 | 40.2 | 41.6 | 40.0 | 32.3 | 31.8 | 30.4 | 31.9 | 30.7 | 32.3 | **6,720.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,944.0** |
| H2O | 1969 | 121.3 | 110.0 | 103.3 | 105.6 | 116.1 | 111.0 | 60.3 | 60.6 | 57.1 | 62.0 | 55.2 | 60.6 | **4,743.7** |
| OIL | 1969 | 66.3 | 58.6 | 64.7 | 62.9 | 64.8 | 63.6 | 43.2 | 43.1 | 42.0 | 43.9 | 42.0 | 44.0 | **6,287.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,579.0** |
| H2O | 1968 | 97.5 | 92.5 | 98.1 | 105.2 | 118.9 | 107.8 | 113.5 | 100.2 | 111.3 | 118.0 | 108.7 | 116.1 | **3,720.6** |
| OIL | 1968 | 62.3 | 57.2 | 61.0 | 51.8 | 62.1 | 60.7 | 62.0 | 59.8 | 64.0 | 67.2 | 64.2 | 66.4 | **5,647.9** |
| DAY | 1967 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 25.0 | **4,220.0** |
| H2O | 1967 | 80.0 | 58.8 | 81.6 | 74.7 | 76.2 | 105.7 | 83.1 | 107.6 | 87.8 | 105.2 | 92.5 | 77.1 | **2,432.8** |
| OIL | 1967 | 60.4 | 47.8 | 61.7 | 58.8 | 61.3 | 60.1 | 62.5 | 59.8 | 53.6 | 62.9 | 61.3 | 47.5 | **4,909.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,867.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 62.2 | 127.8 | 126.2 | 124.2 | 133.5 | 137.4 | 80.4 | 84.3 | **1,402.5** |
| OIL | 1966 | 28.8 | 24.9 | 28.0 | 21.1 | 34.3 | 56.3 | 58.3 | 57.5 | 56.1 | 58.0 | 59.3 | 60.5 | **4,211.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,508.0** |
| H2O | 1965 | 1.3 | 1.3 | 1.3 | 1.3 | 1.1 | 1.1 | 1.0 | 1.1 | 1.1 | 0.0 | 0.0 | 0.0 | **526.5** |
| OIL | 1965 | 18.4 | 16.8 | 18.3 | 17.3 | 17.6 | 17.6 | 18.4 | 18.3 | 17.2 | 29.9 | 28.3 | 29.1 | **3,668.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,143.0** |
| H2O | 1964 | 1.1 | 1.3 | 1.1 | 1.1 | 1.3 | 1.3 | 1.3 | 1.3 | 1.1 | 1.1 | 1.3 | 1.3 | **515.9** |
| OIL | 1964 | 17.3 | 16.2 | 17.6 | 16.8 | 17.6 | 16.8 | 17.5 | 16.4 | 17.0 | 17.3 | 16.5 | 18.3 | **3,421.2** |
| DAY | 1963 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,779.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 1.1 | 1.0 | 1.1 | 1.1 | 1.1 | **501.3** |
| OIL | 1963 | 13.2 | 10.3 | 16.7 | 16.4 | 17.2 | 17.0 | 17.5 | 17.0 | 16.5 | 16.2 | 16.2 | 16.5 | **3,215.9** |
| DAY | 1962 | 31.0 | 28.0 | 4.0 | 20.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,420.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 1.3 | 1.3 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | **494.6** |
| OIL | 1962 | 11.0 | 10.3 | 1.6 | 7.2 | 10.8 | 10.5 | 10.5 | 10.6 | 13.3 | 13.3 | 12.2 | 13.2 | **3,025.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,093.0** |
| H2O | 1961 | 6.2 | 4.3 | 1.3 | 1.1 | 1.1 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **489.6** |
| OIL | 1961 | 26.1 | 21.9 | 16.8 | 16.7 | 17.5 | 16.2 | 4.6 | 4.1 | 10.0 | 11.1 | 11.8 | 11.3 | **2,900.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,731.0** |

# Manitoba Production
## 1950 To 1975

Licence ***970*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 5.2 | 5.4 | 5.4 | 5.1 | 3.8 | 4.5 | **474.3** |
| OIL | 1960 | 22.4 | 20.2 | 20.8 | 20.5 | 20.7 | 20.2 | 25.1 | 24.9 | 23.0 | 24.0 | 23.8 | 24.0 | **2,732.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,365.0** |
| OIL | 1959 | 27.2 | 24.8 | 27.7 | 25.1 | 28.6 | 26.9 | 30.8 | 30.2 | 26.2 | 28.4 | 21.1 | 21.3 | **2,463.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | **1,000.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.2 | 3.3 | 2.7 | 0.0 | 0.3 | 0.0 | **444.7** |
| OIL | 1958 | 46.2 | 28.6 | 31.6 | 31.6 | 31.8 | 20.0 | 24.3 | 24.6 | 18.0 | 34.0 | 33.1 | 28.0 | **2,144.7** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **643.0** |
| H2O | 1957 | 0.2 | 0.2 | 0.3 | 11.4 | 11.4 | 13.2 | 21.3 | 3.5 | 2.7 | 0.3 | 0.2 | 0.2 | **435.2** |
| OIL | 1957 | 61.2 | 55.3 | 51.2 | 47.4 | 47.4 | 45.4 | 48.1 | 37.7 | 36.2 | 34.8 | 34.3 | 34.8 | **1,792.9** |
| DAY | 1956 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 18.0 | 17.0 | 31.0 | 29.0 | 31.0 | **279.0** |
| H2O | 1956 | 0.0 | 0.0 | 97.8 | 32.1 | 26.4 | 26.2 | 45.6 | 21.5 | 39.7 | 68.5 | 6.0 | 6.5 | **370.3** |
| OIL | 1956 | 0.0 | 0.0 | 333.9 | 115.7 | 136.0 | 130.3 | 132.2 | 78.3 | 68.0 | 122.0 | 70.2 | 72.5 | **1,259.1** |

Licence ***976*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,222.0** |
| H2O | 1975 | 93.5 | 82.0 | 95.7 | 92.7 | 96.2 | 91.9 | 92.2 | 115.1 | 113.4 | 121.6 | 121.9 | 124.2 | **14,203.2** |
| OIL | 1975 | 126.0 | 106.9 | 122.8 | 116.6 | 118.9 | 115.5 | 118.9 | 148.1 | 143.5 | 148.6 | 143.7 | 146.0 | **20,700.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,858.0** |
| H2O | 1974 | 112.2 | 104.1 | 116.4 | 113.2 | 300.3 | 87.1 | 87.9 | 80.6 | 79.6 | 83.6 | 92.8 | 92.8 | **12,962.8** |
| OIL | 1974 | 121.1 | 105.5 | 120.9 | 115.2 | 128.2 | 123.9 | 127.9 | 127.4 | 122.5 | 128.9 | 123.0 | 126.8 | **19,145.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,493.0** |
| H2O | 1973 | 106.8 | 102.4 | 93.6 | 93.3 | 94.8 | 90.9 | 91.4 | 90.9 | 96.7 | 97.6 | 90.6 | 97.3 | **11,612.2** |
| OIL | 1973 | 140.5 | 123.8 | 110.8 | 108.2 | 113.0 | 109.6 | 113.5 | 112.0 | 115.7 | 118.1 | 111.1 | 104.2 | **17,673.9** |
| DAY | 1972 | 21.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,129.0** |
| H2O | 1972 | 63.1 | 82.7 | 101.0 | 89.5 | 99.4 | 97.6 | 104.9 | 99.5 | 99.4 | 108.1 | 107.3 | 108.9 | **10,465.9** |
| OIL | 1972 | 92.2 | 115.4 | 145.2 | 133.0 | 141.3 | 134.1 | 140.3 | 143.3 | 128.2 | 135.1 | 136.5 | 142.4 | **16,293.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,775.0** |
| H2O | 1971 | 85.4 | 77.3 | 101.1 | 101.6 | 101.7 | 97.8 | 97.0 | 96.7 | 86.5 | 96.8 | 85.7 | 100.5 | **9,304.5** |
| OIL | 1971 | 148.6 | 131.4 | 164.6 | 156.2 | 159.7 | 150.2 | 153.7 | 155.9 | 153.7 | 159.5 | 137.1 | 140.5 | **14,706.4** |
| DAY | 1970 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,412.0** |
| H2O | 1970 | 112.6 | 105.6 | 99.4 | 98.1 | 101.1 | 102.5 | 82.2 | 106.8 | 99.4 | 103.2 | 57.2 | 66.0 | **8,176.4** |
| OIL | 1970 | 144.1 | 130.0 | 127.3 | 172.9 | 178.3 | 174.6 | 157.0 | 178.3 | 170.2 | 179.4 | 144.9 | 157.2 | **12,895.3** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **5,053.0** |
| H2O | 1969 | 144.8 | 131.5 | 118.4 | 70.6 | 77.7 | 77.1 | 83.5 | 83.9 | 127.7 | 138.3 | 107.0 | 134.8 | **7,042.3** |
| OIL | 1969 | 94.9 | 83.7 | 88.8 | 144.8 | 152.6 | 155.4 | 161.1 | 160.5 | 110.0 | 114.9 | 95.3 | 114.6 | **10,981.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,693.0** |
| H2O | 1968 | 33.5 | 32.0 | 33.5 | 34.7 | 36.4 | 33.2 | 35.9 | 32.7 | 34.0 | 36.1 | 129.9 | 138.2 | **5,747.0** |
| OIL | 1968 | 95.7 | 87.9 | 93.3 | 93.6 | 93.8 | 92.2 | 92.0 | 91.4 | 91.2 | 96.1 | 92.0 | 94.7 | **9,504.5** |
| DAY | 1967 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | 19.0 | 25.0 | 31.0 | **4,329.0** |
| H2O | 1967 | 53.9 | 43.6 | 54.2 | 50.6 | 29.1 | 27.2 | 21.6 | 27.5 | 37.7 | 21.3 | 26.5 | 34.8 | **5,136.9** |
| OIL | 1967 | 101.4 | 88.2 | 102.7 | 99.0 | 120.5 | 115.5 | 120.1 | 100.7 | 110.1 | 56.7 | 78.5 | 95.7 | **8,390.6** |
| DAY | 1966 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,988.0** |
| H2O | 1966 | 33.4 | 25.0 | 32.9 | 9.7 | 13.5 | 11.9 | 11.6 | 11.0 | 12.6 | 12.9 | 39.4 | 57.4 | **4,708.9** |
| OIL | 1966 | 46.1 | 37.8 | 43.4 | 73.3 | 83.7 | 80.6 | 81.5 | 78.7 | 80.4 | 83.3 | 79.5 | 103.1 | **7,201.5** |
| DAY | 1965 | 31.0 | 28.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,625.0** |
| H2O | 1965 | 37.2 | 33.1 | 43.1 | 50.7 | 48.3 | 49.3 | 49.4 | 32.3 | 32.7 | 38.3 | 29.6 | 35.0 | **4,437.6** |
| OIL | 1965 | 22.1 | 20.0 | 21.1 | 29.1 | 27.3 | 29.2 | 30.7 | 35.1 | 33.2 | 41.6 | 37.5 | 46.6 | **6,330.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,263.0** |

# Manitoba Production
## 1950 To 1975

Licence ***976*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1964 | 24.2 | 21.8 | 24.2 | 23.4 | 75.7 | 39.0 | 34.7 | 35.1 | 34.0 | 35.0 | 36.2 | 62.3 | **3,958.6** |
| OIL | 1964 | 28.8 | 27.2 | 29.4 | 24.8 | 21.0 | 27.0 | 25.6 | 16.4 | 15.9 | 20.8 | 17.0 | 22.9 | **5,956.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,897.0** |
| H2O | 1963 | 22.1 | 18.1 | 20.5 | 21.9 | 19.9 | 14.1 | 20.5 | 26.7 | 30.2 | 32.7 | 23.4 | 23.7 | **3,513.0** |
| OIL | 1963 | 17.6 | 15.6 | 23.2 | 25.3 | 24.0 | 21.3 | 22.6 | 24.6 | 20.8 | 23.0 | 27.0 | 27.7 | **5,679.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 16.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,535.0** |
| H2O | 1962 | 5.6 | 4.6 | 6.7 | 8.1 | 6.7 | 10.2 | 4.1 | 1.0 | 0.8 | 32.7 | 33.2 | 19.7 | **3,239.2** |
| OIL | 1962 | 25.4 | 21.5 | 22.4 | 15.6 | 19.5 | 18.8 | 7.8 | 1.1 | 3.3 | 27.2 | 25.9 | 17.8 | **5,407.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,185.0** |
| H2O | 1961 | 14.8 | 11.9 | 30.4 | 29.9 | 33.2 | 29.1 | 29.3 | 23.8 | 16.1 | 8.9 | 5.6 | 5.1 | **3,105.8** |
| OIL | 1961 | 26.9 | 23.8 | 25.1 | 32.4 | 41.0 | 40.0 | 36.5 | 37.7 | 19.4 | 25.4 | 23.8 | 23.8 | **5,200.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,820.0** |
| H2O | 1960 | 34.8 | 32.6 | 35.5 | 34.2 | 34.8 | 27.0 | 20.0 | 19.2 | 19.2 | 16.4 | 15.9 | 15.6 | **2,867.7** |
| OIL | 1960 | 37.2 | 39.6 | 42.9 | 42.6 | 42.6 | 38.9 | 40.4 | 36.5 | 38.6 | 30.7 | 28.4 | 28.9 | **4,845.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,455.0** |
| H2O | 1959 | 35.6 | 33.7 | 27.2 | 32.9 | 45.0 | 46.6 | 47.9 | 43.2 | 37.2 | 41.5 | 53.4 | 38.6 | **2,562.5** |
| OIL | 1959 | 69.1 | 61.0 | 59.4 | 46.2 | 46.2 | 51.3 | 52.6 | 44.0 | 41.0 | 39.6 | 40.5 | 44.2 | **4,397.7** |
| DAY | 1958 | 25.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,091.0** |
| H2O | 1958 | 44.2 | 90.8 | 74.7 | 80.3 | 90.8 | 87.3 | 57.6 | 56.6 | 50.2 | 41.2 | 41.0 | 40.2 | **2,079.7** |
| OIL | 1958 | 64.2 | 107.7 | 89.1 | 76.1 | 76.0 | 68.3 | 73.1 | 72.0 | 67.9 | 67.9 | 68.6 | 68.8 | **3,802.6** |
| DAY | 1957 | 31.0 | 28.0 | 28.0 | 0.0 | 18.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **732.0** |
| H2O | 1957 | 160.4 | 128.6 | 126.2 | 0.0 | 110.7 | 147.9 | 76.9 | 0.3 | 52.0 | 49.4 | 48.6 | 56.3 | **1,324.8** |
| OIL | 1957 | 132.7 | 107.4 | 103.8 | 0.0 | 60.2 | 79.1 | 71.2 | 85.8 | 82.2 | 81.8 | 71.2 | 69.8 | **2,902.9** |
| DAY | 1956 | 28.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 26.0 | 31.0 | **413.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.5 | 0.3 | 0.3 | 0.6 | 0.2 | 0.2 | 0.6 | 191.7 | 173.1 | **367.5** |
| OIL | 1956 | 135.1 | 107.7 | 150.8 | 190.5 | 143.5 | 106.2 | 95.3 | 85.8 | 90.4 | 116.0 | 174.3 | 172.7 | **1,957.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 14.0 | 27.0 | **59.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 132.1 | 115.7 | 141.6 | **389.4** |

Licence ***977*** Well Name ***CEGO Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-24-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 9.0 | **1,736.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 18.3 | 13.8 | 22.3 | 19.6 | 19.2 | 25.9 | 19.2 | 4.8 | **4,579.9** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 15.7 | 19.2 | 11.4 | 14.1 | 8.7 | 12.0 | 10.3 | 2.0 | **2,416.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 13.0 | **1,514.0** |
| H2O | 1960 | 49.3 | 46.1 | 44.5 | 47.7 | 40.7 | 27.0 | 24.6 | 21.5 | 25.4 | 24.6 | 15.9 | 6.2 | **4,436.8** |
| OIL | 1960 | 18.8 | 15.3 | 21.9 | 25.3 | 27.7 | 26.2 | 25.1 | 11.9 | 15.1 | 16.7 | 7.9 | 5.6 | **2,323.3** |
| DAY | 1959 | 5.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,168.0** |
| H2O | 1959 | 10.3 | 0.0 | 44.4 | 42.9 | 44.4 | 50.6 | 45.0 | 45.5 | 47.7 | 49.3 | 48.7 | 49.9 | **4,063.3** |
| OIL | 1959 | 6.5 | 0.0 | 35.5 | 32.3 | 31.8 | 19.7 | 16.5 | 21.8 | 21.5 | 11.0 | 18.1 | 18.6 | **2,105.8** |
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | **859.0** |
| H2O | 1958 | 122.4 | 79.5 | 73.9 | 66.0 | 50.9 | 41.5 | 44.4 | 44.4 | 42.9 | 44.4 | 42.9 | 0.0 | **3,584.6** |
| OIL | 1958 | 31.8 | 30.7 | 41.2 | 43.6 | 42.9 | 44.7 | 42.4 | 38.8 | 35.9 | 35.1 | 39.1 | 0.0 | **1,872.5** |
| DAY | 1957 | 30.0 | 24.0 | 30.0 | 28.0 | 31.0 | 29.0 | 28.0 | 31.0 | 28.0 | 29.0 | 30.0 | 24.0 | **527.0** |
| H2O | 1957 | 215.9 | 153.4 | 192.4 | 175.8 | 197.1 | 121.3 | 158.7 | 159.0 | 120.0 | 138.3 | 141.5 | 139.9 | **2,931.4** |
| OIL | 1957 | 102.7 | 75.0 | 73.1 | 65.0 | 66.5 | 52.6 | 41.3 | 47.2 | 36.7 | 36.9 | 33.4 | 32.4 | **1,446.3** |
| DAY | 1956 | 6.0 | 0.0 | 0.0 | 12.0 | 2.0 | 0.0 | 25.0 | 31.0 | 30.0 | 31.0 | 25.0 | 13.0 | **185.0** |
| H2O | 1956 | 34.0 | 0.0 | 0.0 | 59.0 | 7.2 | 0.0 | 87.4 | 112.9 | 213.0 | 226.7 | 172.3 | 95.1 | **1,018.1** |
| OIL | 1956 | 35.3 | 0.0 | 0.0 | 59.6 | 4.6 | 0.0 | 94.9 | 145.6 | 141.8 | 123.5 | 79.5 | 48.2 | **783.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 6.0 | 0.0 | **10.0** |

# Manitoba Production
## 1950 To 1975

Licence ***977*** Well Name ***CEGO Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-24-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.9 | 5.6 | 0.0 | **10.5** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.9 | 21.6 | 0.0 | **50.5** |

Licence ***979*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,166.0** |
| H2O | 1975 | 226.7 | 176.9 | 232.6 | 225.4 | 233.5 | 223.5 | 224.0 | 220.8 | 217.3 | 233.4 | 234.2 | 238.3 | **28,241.5** |
| OIL | 1975 | 238.5 | 179.7 | 232.8 | 220.9 | 225.0 | 218.7 | 225.0 | 226.1 | 219.3 | 226.8 | 219.3 | 223.0 | **46,515.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **6,805.0** |
| H2O | 1974 | 155.5 | 144.2 | 207.3 | 201.3 | 208.7 | 195.9 | 211.9 | 194.6 | 191.6 | 201.3 | 200.8 | 218.1 | **25,554.9** |
| OIL | 1974 | 339.7 | 296.0 | 271.6 | 258.2 | 269.2 | 243.1 | 268.9 | 267.8 | 257.1 | 270.6 | 258.2 | 232.5 | **43,860.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **6,443.0** |
| H2O | 1973 | 142.0 | 136.1 | 146.1 | 155.8 | 157.9 | 151.7 | 152.3 | 181.2 | 165.8 | 167.6 | 150.2 | 156.0 | **23,223.7** |
| OIL | 1973 | 290.3 | 255.8 | 282.1 | 288.6 | 301.1 | 291.9 | 302.7 | 328.1 | 327.7 | 335.0 | 304.3 | 330.5 | **40,627.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | 31.0 | 30.0 | 28.0 | **6,080.0** |
| H2O | 1972 | 167.4 | 163.0 | 177.1 | 158.8 | 176.0 | 152.6 | 169.3 | 126.4 | 127.3 | 148.5 | 147.2 | 135.1 | **21,361.0** |
| OIL | 1972 | 315.1 | 294.0 | 316.5 | 304.8 | 322.6 | 332.6 | 342.5 | 282.1 | 270.9 | 305.9 | 290.5 | 273.6 | **36,989.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **5,721.0** |
| H2O | 1971 | 276.6 | 253.1 | 131.5 | 135.0 | 135.1 | 129.7 | 133.4 | 128.8 | 115.3 | 128.8 | 97.0 | 200.2 | **19,512.3** |
| OIL | 1971 | 276.5 | 246.6 | 294.1 | 285.7 | 292.2 | 273.8 | 290.5 | 285.1 | 281.1 | 291.8 | 245.4 | 365.2 | **33,338.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,359.0** |
| H2O | 1970 | 116.9 | 266.9 | 279.5 | 266.0 | 290.9 | 295.4 | 272.7 | 263.7 | 258.8 | 297.0 | 271.1 | 301.3 | **17,647.8** |
| OIL | 1970 | 274.8 | 259.8 | 283.5 | 269.2 | 264.6 | 259.0 | 269.0 | 226.9 | 228.2 | 266.3 | 255.5 | 268.1 | **29,910.0** |
| DAY | 1969 | 29.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,998.0** |
| H2O | 1969 | 240.5 | 237.5 | 215.6 | 227.5 | 264.2 | 252.8 | 176.0 | 187.0 | 202.5 | 219.4 | 192.2 | 121.3 | **14,467.6** |
| OIL | 1969 | 266.5 | 256.3 | 274.0 | 275.9 | 278.7 | 273.6 | 308.1 | 273.6 | 266.3 | 277.9 | 261.2 | 284.3 | **26,785.1** |
| DAY | 1968 | 25.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,636.0** |
| H2O | 1968 | 120.2 | 287.9 | 263.3 | 253.9 | 283.3 | 223.7 | 243.7 | 273.9 | 253.1 | 254.2 | 234.8 | 249.3 | **11,931.1** |
| OIL | 1968 | 197.4 | 291.4 | 290.2 | 270.6 | 289.1 | 280.5 | 290.5 | 257.1 | 280.0 | 293.8 | 281.4 | 289.9 | **23,488.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,277.0** |
| H2O | 1967 | 83.3 | 68.8 | 82.7 | 113.4 | 113.4 | 106.8 | 83.9 | 64.5 | 56.6 | 61.2 | 53.7 | 158.8 | **8,989.8** |
| OIL | 1967 | 219.6 | 195.1 | 219.0 | 236.1 | 243.3 | 233.3 | 242.2 | 268.6 | 258.9 | 273.2 | 266.5 | 251.1 | **20,176.8** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,912.0** |
| H2O | 1966 | 179.6 | 143.7 | 161.8 | 170.6 | 180.1 | 159.0 | 73.6 | 77.7 | 193.8 | 200.3 | 81.7 | 87.6 | **7,942.7** |
| OIL | 1966 | 226.6 | 199.6 | 203.1 | 203.9 | 208.8 | 200.7 | 200.4 | 212.5 | 205.9 | 214.5 | 210.2 | 220.4 | **17,269.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,548.0** |
| H2O | 1965 | 17.3 | 15.4 | 17.6 | 15.4 | 170.3 | 162.5 | 163.0 | 146.1 | 155.2 | 153.7 | 184.7 | 188.1 | **6,233.2** |
| OIL | 1965 | 181.0 | 165.1 | 178.3 | 171.9 | 213.3 | 213.4 | 222.3 | 223.6 | 222.5 | 231.4 | 223.1 | 229.1 | **14,763.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,184.0** |
| H2O | 1964 | 48.5 | 43.4 | 48.5 | 3.8 | 108.3 | 89.3 | 87.6 | 94.4 | 85.7 | 85.8 | 16.2 | 17.3 | **4,843.9** |
| OIL | 1964 | 101.4 | 95.7 | 103.5 | 133.2 | 132.5 | 133.2 | 137.3 | 151.0 | 146.0 | 148.9 | 167.3 | 179.3 | **12,288.3** |
| DAY | 1963 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,818.0** |
| H2O | 1963 | 138.8 | 110.2 | 140.1 | 125.0 | 126.9 | 160.7 | 82.8 | 90.3 | 99.8 | 68.7 | 46.9 | 47.9 | **4,115.1** |
| OIL | 1963 | 63.4 | 54.8 | 65.8 | 62.1 | 62.6 | 51.3 | 94.4 | 93.0 | 86.3 | 103.0 | 94.9 | 97.3 | **10,659.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,456.0** |
| H2O | 1962 | 109.5 | 104.0 | 116.7 | 105.1 | 130.0 | 145.6 | 135.5 | 122.3 | 129.4 | 135.3 | 112.2 | 135.0 | **2,877.0** |
| OIL | 1962 | 79.8 | 69.1 | 72.1 | 67.2 | 67.4 | 63.2 | 62.8 | 59.1 | 62.3 | 60.5 | 54.2 | 63.9 | **9,730.1** |
| DAY | 1961 | 28.0 | 25.0 | 23.0 | 19.0 | 25.0 | 14.0 | 24.0 | 26.0 | 30.0 | 28.0 | 29.0 | 31.0 | **2,092.0** |
| H2O | 1961 | 14.5 | 15.4 | 9.9 | 8.9 | 86.3 | 60.6 | 113.2 | 68.7 | 63.8 | 90.1 | 108.9 | 114.6 | **1,396.4** |
| OIL | 1961 | 42.4 | 39.6 | 26.1 | 29.6 | 80.6 | 74.7 | 121.7 | 108.7 | 102.0 | 78.7 | 77.5 | 80.2 | **8,948.5** |

# Manitoba Production
## 1950 To 1975

Licence ***979*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 31.0 | 29.0 | 27.0 | 24.0 | 25.0 | 24.0 | 25.0 | 25.0 | 23.0 | 25.0 | 24.0 | 31.0 | **1,790.0** |
| H2O | 1960 | 4.9 | 4.6 | 6.2 | 18.6 | 25.3 | 17.8 | 24.6 | 14.3 | 7.2 | 9.5 | 13.2 | 14.8 | **641.5** |
| OIL | 1960 | 62.0 | 59.4 | 58.3 | 66.9 | 45.0 | 38.1 | 47.2 | 47.7 | 46.6 | 51.8 | 44.5 | 44.3 | **8,086.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 27.0 | 31.0 | 26.0 | 29.0 | 28.0 | 28.0 | **1,477.0** |
| H2O | 1959 | 14.9 | 13.4 | 14.9 | 14.5 | 13.7 | 14.0 | 15.7 | 14.5 | 15.9 | 11.3 | 13.5 | 7.0 | **480.5** |
| OIL | 1959 | 80.7 | 71.2 | 77.9 | 75.8 | 69.9 | 69.1 | 67.5 | 71.0 | 61.8 | 60.2 | 52.1 | 65.8 | **7,474.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,128.0** |
| H2O | 1958 | 17.0 | 13.4 | 14.6 | 5.6 | 4.9 | 6.7 | 9.9 | 14.5 | 14.6 | 12.9 | 11.4 | 14.9 | **317.2** |
| OIL | 1958 | 141.1 | 120.1 | 130.6 | 114.4 | 113.0 | 98.4 | 101.1 | 97.9 | 96.6 | 100.1 | 91.8 | 87.9 | **6,651.9** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 26.0 | 29.0 | 29.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 21.0 | **766.0** |
| H2O | 1957 | 4.9 | 4.5 | 4.9 | 4.1 | 5.1 | 8.3 | 5.2 | 8.9 | 8.7 | 8.7 | 9.4 | 11.3 | **176.8** |
| OIL | 1957 | 197.7 | 168.9 | 172.9 | 127.6 | 135.7 | 167.5 | 163.0 | 156.7 | 146.4 | 134.1 | 140.6 | 96.3 | **5,358.9** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 28.0 | 19.0 | 28.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **420.0** |
| H2O | 1956 | 12.7 | 15.3 | 8.6 | 5.9 | 2.2 | 5.4 | 7.3 | 6.0 | 4.9 | 4.8 | 4.9 | 3.0 | **92.8** |
| OIL | 1956 | 320.4 | 272.8 | 280.2 | 218.8 | 113.1 | 228.7 | 229.8 | 236.0 | 212.5 | 187.5 | 191.2 | 202.6 | **3,551.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 27.0 | 25.0 | **72.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 1.0 | 10.3 | **11.8** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 247.7 | 323.7 | 286.5 | **857.9** |

Licence ***980*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 20.0 | 0.0 | 25.0 | 30.0 | 31.0 | 30.0 | 0.0 | **4,023.0** |
| H2O | 1974 | 33.9 | 31.3 | 35.3 | 34.2 | 35.5 | 23.7 | 0.0 | 26.7 | 37.0 | 39.0 | 38.8 | 0.0 | **1,231.7** |
| OIL | 1974 | 31.1 | 27.2 | 31.1 | 29.6 | 30.7 | 19.7 | 0.0 | 24.6 | 13.2 | 13.8 | 13.3 | 0.0 | **3,445.0** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,736.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 15.3 | 35.3 | 32.0 | 38.2 | 37.5 | 35.8 | 35.1 | 34.0 | **896.3** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 12.7 | 42.4 | 39.9 | 47.2 | 44.8 | 30.0 | 29.9 | 30.4 | **3,210.7** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **3,497.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 1.4 | 14.0 | 15.6 | 14.6 | 14.8 | 16.1 | 0.0 | 0.0 | **633.1** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 11.3 | 29.6 | 30.7 | 31.3 | 29.9 | 14.0 | 0.0 | 0.0 | **2,933.4** |
| DAY | 1971 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | 0.0 | 0.0 | **3,323.0** |
| H2O | 1971 | 4.0 | 3.3 | 4.1 | 4.1 | 4.0 | 4.0 | 3.8 | 4.0 | 3.5 | 3.3 | 0.0 | 0.0 | **556.6** |
| OIL | 1971 | 38.1 | 32.4 | 37.3 | 35.4 | 35.4 | 35.3 | 34.0 | 35.3 | 35.0 | 31.5 | 0.0 | 0.0 | **2,786.6** |
| DAY | 1970 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,024.0** |
| H2O | 1970 | 31.3 | 27.3 | 4.3 | 4.0 | 4.0 | 4.1 | 3.8 | 4.3 | 4.0 | 4.3 | 3.7 | 4.3 | **518.5** |
| OIL | 1970 | 9.1 | 7.6 | 36.4 | 35.1 | 36.2 | 35.4 | 36.1 | 36.2 | 34.6 | 36.4 | 33.5 | 36.7 | **2,436.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,662.0** |
| H2O | 1969 | 4.6 | 4.1 | 3.8 | 3.8 | 4.3 | 4.1 | 4.5 | 4.6 | 4.3 | 4.6 | 4.1 | 4.6 | **419.1** |
| OIL | 1969 | 9.2 | 8.1 | 9.1 | 8.7 | 8.9 | 8.9 | 8.9 | 9.1 | 8.9 | 9.2 | 8.9 | 9.2 | **2,063.6** |
| DAY | 1968 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,298.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.5 | 14.6 | 13.5 | 13.4 | 4.5 | 4.0 | 4.3 | **367.7** |
| OIL | 1968 | 43.9 | 38.5 | 42.9 | 42.7 | 42.9 | 16.5 | 14.9 | 14.9 | 14.1 | 9.4 | 8.9 | 9.2 | **1,956.5** |
| DAY | 1967 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 20.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,933.0** |
| H2O | 1967 | 3.7 | 3.2 | 3.8 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **299.9** |
| OIL | 1967 | 34.2 | 32.3 | 36.2 | 35.0 | 44.0 | 27.2 | 41.0 | 43.5 | 42.0 | 44.2 | 43.1 | 43.9 | **1,657.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,579.0** |
| H2O | 1966 | 3.3 | 2.7 | 4.8 | 3.5 | 5.4 | 4.8 | 4.8 | 3.8 | 3.8 | 3.8 | 4.0 | 4.1 | **285.5** |
| OIL | 1966 | 12.7 | 11.1 | 12.4 | 11.4 | 12.6 | 12.1 | 12.7 | 10.5 | 34.0 | 35.4 | 34.6 | 35.6 | **1,191.1** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | **1,219.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.5 | **236.7** |

# Manitoba Production
## 1950 To 1975

Licence ***980*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.1 | **956.0** |
| DAY | 1959 | 31.0 | 0.0 | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,197.0** |
| H2O | 1959 | 1.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **234.2** |
| OIL | 1959 | 4.6 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **946.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,164.0** |
| H2O | 1958 | 1.1 | 0.2 | 1.9 | 0.8 | 0.5 | 0.6 | 0.5 | 0.3 | 0.2 | 1.0 | 1.0 | 1.1 | **232.8** |
| OIL | 1958 | 4.4 | 4.0 | 4.3 | 3.7 | 9.9 | 10.3 | 4.8 | 4.9 | 4.3 | 4.4 | 4.0 | 5.2 | **941.3** |
| DAY | 1957 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **800.0** |
| H2O | 1957 | 3.8 | 1.6 | 10.8 | 9.5 | 2.2 | 2.9 | 5.9 | 4.5 | 1.0 | 1.1 | 0.6 | 1.6 | **223.6** |
| OIL | 1957 | 14.6 | 12.6 | 14.0 | 12.9 | 12.1 | 11.1 | 46.9 | 43.4 | 8.6 | 8.3 | 3.7 | 4.8 | **877.1** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **436.0** |
| H2O | 1956 | 0.3 | 0.2 | 0.6 | 0.2 | 1.3 | 12.6 | 97.5 | 33.9 | 5.7 | 6.8 | 3.7 | 4.9 | **178.1** |
| OIL | 1956 | 52.6 | 35.8 | 49.9 | 50.5 | 55.6 | 56.4 | 96.1 | 89.1 | 29.9 | 19.9 | 16.5 | 15.3 | **684.1** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 30.0 | 31.0 | **70.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 7.0 | 2.9 | **10.4** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.8 | 48.0 | 44.7 | **116.5** |

Licence ***981*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,041.0** |
| H2O | 1975 | 273.0 | 253.0 | 342.8 | 311.0 | 344.5 | 319.7 | 315.6 | 325.6 | 320.5 | 344.2 | 345.3 | 351.3 | **27,829.7** |
| OIL | 1975 | 184.8 | 165.7 | 182.0 | 161.5 | 175.9 | 165.9 | 168.1 | 176.7 | 171.5 | 177.3 | 171.6 | 174.2 | **41,110.2** |
| DAY | 1974 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | 31.0 | 30.0 | 31.0 | **6,677.0** |
| H2O | 1974 | 233.9 | 91.9 | 184.3 | 186.2 | 193.0 | 194.0 | 195.9 | 172.8 | 141.7 | 263.2 | 273.5 | 273.5 | **23,983.2** |
| OIL | 1974 | 209.9 | 176.5 | 175.8 | 174.0 | 181.2 | 175.3 | 180.8 | 173.2 | 138.4 | 183.1 | 182.0 | 187.8 | **39,035.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **6,320.0** |
| H2O | 1973 | 268.1 | 257.3 | 275.9 | 275.1 | 278.8 | 247.5 | 248.8 | 257.4 | 254.6 | 237.5 | 241.8 | 234.3 | **21,579.3** |
| OIL | 1973 | 215.5 | 189.9 | 209.3 | 204.5 | 213.3 | 194.5 | 201.7 | 207.4 | 207.1 | 195.3 | 201.5 | 204.4 | **36,897.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,957.0** |
| H2O | 1972 | 260.8 | 254.1 | 278.8 | 227.8 | 251.6 | 255.9 | 283.8 | 268.9 | 254.0 | 276.2 | 259.8 | 273.3 | **18,502.2** |
| OIL | 1972 | 220.9 | 205.9 | 224.2 | 180.0 | 189.9 | 208.8 | 215.2 | 219.9 | 239.2 | 251.9 | 231.1 | 249.5 | **34,452.6** |
| DAY | 1971 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **5,591.0** |
| H2O | 1971 | 230.7 | 207.3 | 248.8 | 249.6 | 207.3 | 206.5 | 204.6 | 197.3 | 176.6 | 214.5 | 236.4 | 277.5 | **15,357.2** |
| OIL | 1971 | 278.7 | 244.1 | 281.7 | 267.6 | 233.1 | 226.6 | 231.7 | 227.4 | 224.4 | 203.1 | 219.6 | 224.9 | **31,816.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,231.0** |
| H2O | 1970 | 203.3 | 190.8 | 199.8 | 180.3 | 190.1 | 252.2 | 232.9 | 262.5 | 244.5 | 253.5 | 231.5 | 257.3 | **12,700.1** |
| OIL | 1970 | 279.2 | 251.7 | 274.8 | 258.7 | 273.5 | 290.2 | 301.3 | 296.4 | 282.9 | 298.3 | 264.1 | 277.0 | **28,953.2** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,866.0** |
| H2O | 1969 | 155.0 | 140.5 | 126.7 | 132.3 | 156.8 | 139.3 | 161.7 | 163.4 | 154.2 | 167.2 | 192.4 | 211.3 | **10,001.4** |
| OIL | 1969 | 294.6 | 260.3 | 275.9 | 275.1 | 293.2 | 267.1 | 297.5 | 297.3 | 289.5 | 302.7 | 275.9 | 288.9 | **25,605.1** |
| DAY | 1968 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **4,504.0** |
| H2O | 1968 | 59.3 | 60.9 | 64.4 | 66.3 | 120.0 | 110.2 | 116.9 | 179.6 | 179.6 | 109.1 | 94.0 | 146.1 | **8,100.6** |
| OIL | 1968 | 239.3 | 237.1 | 253.3 | 252.2 | 264.1 | 260.6 | 266.5 | 266.3 | 256.2 | 269.5 | 241.1 | 291.1 | **22,187.1** |
| DAY | 1967 | 30.0 | 28.0 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 19.0 | 26.0 | 31.0 | **4,141.0** |
| H2O | 1967 | 90.8 | 79.6 | 95.4 | 95.4 | 98.1 | 96.7 | 52.1 | 72.8 | 63.9 | 40.1 | 52.1 | 66.0 | **6,794.2** |
| OIL | 1967 | 241.5 | 227.6 | 254.1 | 239.3 | 252.0 | 253.5 | 247.4 | 256.2 | 246.8 | 151.6 | 218.0 | 256.6 | **19,089.8** |
| DAY | 1966 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,797.0** |
| H2O | 1966 | 79.3 | 58.3 | 75.4 | 82.4 | 100.3 | 88.4 | 87.3 | 86.0 | 92.4 | 95.1 | 94.6 | 101.4 | **5,891.2** |
| OIL | 1966 | 257.8 | 208.3 | 234.4 | 244.2 | 251.1 | 241.5 | 250.1 | 247.4 | 241.2 | 249.8 | 245.0 | 256.6 | **16,245.2** |
| DAY | 1965 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,434.0** |

# Manitoba Production
## 1950 To 1975

Licence ***981*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1965 | 95.5 | 98.1 | 111.9 | 97.8 | 99.5 | 91.6 | 95.4 | 77.3 | 78.1 | 79.6 | 81.7 | 83.1 | **4,850.3** |
| OIL | 1965 | 181.0 | 190.5 | 205.9 | 198.6 | 200.4 | 193.4 | 209.0 | 255.5 | 242.0 | 267.3 | 253.8 | 260.8 | **13,317.8** |
| DAY | 1964 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 23.0 | 23.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,071.0** |
| H2O | 1964 | 46.4 | 43.6 | 48.5 | 32.0 | 33.5 | 24.6 | 24.0 | 29.6 | 31.5 | 97.9 | 100.5 | 110.0 | **3,760.7** |
| OIL | 1964 | 80.9 | 79.3 | 85.8 | 116.3 | 119.2 | 86.8 | 88.8 | 108.9 | 116.8 | 182.1 | 176.9 | 207.1 | **10,659.6** |
| DAY | 1963 | 23.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,724.0** |
| H2O | 1963 | 25.8 | 35.3 | 53.4 | 48.3 | 52.3 | 52.0 | 48.6 | 49.0 | 38.3 | 42.6 | 46.7 | 47.7 | **3,138.6** |
| OIL | 1963 | 55.5 | 57.7 | 84.7 | 78.5 | 82.2 | 82.2 | 91.5 | 88.2 | 83.7 | 82.0 | 78.8 | 80.6 | **9,210.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,373.0** |
| H2O | 1962 | 32.0 | 29.6 | 28.9 | 64.1 | 30.4 | 23.2 | 30.0 | 37.7 | 35.3 | 36.7 | 47.4 | 36.1 | **2,598.6** |
| OIL | 1962 | 85.0 | 73.3 | 83.4 | 74.4 | 82.2 | 83.1 | 81.7 | 86.8 | 83.6 | 71.7 | 72.1 | 72.0 | **8,265.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,009.0** |
| H2O | 1961 | 47.1 | 34.5 | 37.2 | 34.7 | 32.7 | 30.7 | 28.9 | 18.0 | 14.6 | 14.5 | 30.0 | 33.2 | **2,167.2** |
| OIL | 1961 | 92.3 | 69.4 | 74.4 | 75.6 | 71.7 | 70.9 | 82.6 | 82.5 | 80.9 | 81.4 | 86.3 | 84.9 | **7,315.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,644.0** |
| H2O | 1960 | 84.4 | 75.7 | 77.4 | 68.5 | 69.2 | 64.5 | 65.2 | 59.6 | 57.6 | 62.6 | 55.3 | 53.1 | **1,811.1** |
| OIL | 1960 | 130.1 | 118.7 | 127.4 | 170.4 | 71.7 | 112.0 | 113.5 | 111.9 | 92.8 | 95.3 | 86.0 | 89.1 | **6,362.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,278.0** |
| H2O | 1959 | 3.3 | 1.3 | 0.8 | 2.4 | 0.0 | 2.1 | 0.5 | 221.5 | 156.4 | 149.4 | 113.7 | 95.4 | **1,018.0** |
| OIL | 1959 | 59.8 | 62.9 | 65.6 | 60.5 | 55.9 | 51.6 | 88.5 | 195.0 | 130.6 | 142.4 | 102.3 | 132.1 | **5,044.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **914.0** |
| H2O | 1958 | 7.8 | 1.3 | 7.8 | 11.0 | 7.0 | 13.4 | 8.1 | 6.4 | 2.4 | 12.9 | 12.9 | 9.2 | **271.2** |
| OIL | 1958 | 112.8 | 97.7 | 105.5 | 91.8 | 73.9 | 102.5 | 75.2 | 58.3 | 64.8 | 71.4 | 62.5 | 68.5 | **3,896.8** |
| DAY | 1957 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **549.0** |
| H2O | 1957 | 48.3 | 7.9 | 8.1 | 7.5 | 3.2 | 7.6 | 7.0 | 9.9 | 10.7 | 2.4 | 18.4 | 10.7 | **171.0** |
| OIL | 1957 | 150.6 | 129.4 | 143.8 | 132.7 | 123.9 | 113.6 | 196.9 | 182.4 | 90.9 | 90.4 | 137.1 | 120.5 | **2,911.9** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **185.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 8.9 | 6.0 | 4.6 | 2.4 | 4.6 | 2.5 | **29.3** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.6 | 261.9 | 242.7 | 247.7 | 204.2 | 170.5 | 158.1 | **1,299.7** |

Licence ***982*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-14-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,303.0** |
| H2O | 1975 | 240.5 | 211.8 | 228.9 | 213.7 | 218.9 | 202.1 | 217.0 | 192.2 | 206.0 | 192.7 | 183.5 | 207.2 | **59,216.7** |
| OIL | 1975 | 110.1 | 97.7 | 109.5 | 91.8 | 91.8 | 88.8 | 90.6 | 86.9 | 87.9 | 89.3 | 85.5 | 91.8 | **28,416.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,938.0** |
| H2O | 1974 | 202.4 | 189.3 | 221.8 | 219.7 | 204.4 | 225.3 | 219.9 | 275.7 | 242.8 | 223.7 | 228.8 | 237.2 | **56,702.2** |
| OIL | 1974 | 71.0 | 65.9 | 88.8 | 88.8 | 95.2 | 108.1 | 111.4 | 86.8 | 96.5 | 108.2 | 108.5 | 110.4 | **27,294.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,575.0** |
| H2O | 1973 | 275.5 | 205.1 | 245.0 | 282.7 | 238.2 | 238.9 | 256.3 | 256.1 | 228.0 | 238.9 | 221.3 | 214.3 | **54,011.2** |
| OIL | 1973 | 96.0 | 91.2 | 110.3 | 84.2 | 146.2 | 114.6 | 98.5 | 102.5 | 83.0 | 91.5 | 102.3 | 72.9 | **26,155.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **6,211.0** |
| H2O | 1972 | 251.2 | 291.7 | 222.1 | 215.9 | 226.9 | 240.1 | 238.8 | 254.2 | 199.8 | 258.5 | 206.4 | 233.9 | **51,110.9** |
| OIL | 1972 | 92.0 | 112.0 | 123.6 | 96.9 | 99.3 | 103.0 | 108.7 | 131.4 | 68.6 | 49.1 | 31.5 | 122.2 | **24,962.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,847.0** |
| H2O | 1971 | 327.2 | 293.8 | 281.6 | 294.4 | 275.0 | 252.5 | 273.4 | 288.2 | 156.1 | 309.2 | 366.3 | 307.0 | **48,271.4** |
| OIL | 1971 | 106.3 | 85.8 | 118.1 | 116.5 | 130.1 | 121.2 | 118.2 | 121.7 | 115.1 | 102.3 | 144.0 | 134.8 | **23,823.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **5,483.0** |
| H2O | 1970 | 220.0 | 234.0 | 253.4 | 259.8 | 195.1 | 230.0 | 359.3 | 282.3 | 217.3 | 331.5 | 292.7 | 284.6 | **44,846.7** |
| OIL | 1970 | 103.6 | 118.4 | 130.0 | 123.5 | 84.1 | 121.7 | 82.0 | 0.0 | 17.8 | 126.8 | 113.9 | 116.6 | **22,409.6** |

# Manitoba Production
## 1950 To 1975

Licence ***982*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-14-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,121.0** |
| H2O | 1969 | 311.4 | 360.9 | 325.4 | 325.0 | 335.9 | 270.6 | 368.0 | 259.9 | 262.5 | 246.6 | 245.6 | 239.7 | **41,686.7** |
| OIL | 1969 | 109.8 | 104.4 | 116.6 | 109.8 | 108.5 | 105.4 | 121.1 | 110.6 | 101.1 | 105.2 | 104.7 | 108.2 | **21,271.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,756.0** |
| H2O | 1968 | 266.3 | 258.7 | 282.5 | 305.6 | 338.5 | 259.6 | 288.9 | 318.0 | 257.4 | 322.6 | 306.5 | 309.9 | **38,135.2** |
| OIL | 1968 | 53.2 | 52.0 | 53.6 | 134.9 | 118.2 | 124.4 | 123.8 | 113.9 | 95.3 | 115.8 | 104.4 | 110.4 | **19,965.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,392.0** |
| H2O | 1967 | 196.7 | 198.9 | 233.4 | 233.1 | 209.5 | 210.2 | 245.8 | 220.8 | 243.2 | 222.6 | 218.0 | 273.3 | **34,620.7** |
| OIL | 1967 | 61.8 | 56.3 | 63.1 | 59.1 | 57.0 | 63.1 | 61.0 | 60.4 | 42.0 | 54.8 | 55.8 | 52.8 | **18,765.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,029.0** |
| H2O | 1966 | 206.5 | 195.7 | 190.8 | 206.4 | 215.9 | 184.9 | 209.7 | 212.7 | 205.1 | 181.2 | 220.5 | 184.9 | **31,915.2** |
| OIL | 1966 | 74.5 | 60.9 | 79.3 | 69.9 | 78.0 | 71.0 | 72.3 | 65.9 | 62.5 | 64.7 | 64.2 | 58.5 | **18,078.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,664.0** |
| H2O | 1965 | 322.3 | 313.0 | 313.3 | 303.2 | 299.5 | 258.3 | 255.5 | 281.9 | 221.9 | 246.6 | 199.5 | 233.5 | **29,500.9** |
| OIL | 1965 | 84.2 | 77.4 | 76.4 | 72.3 | 79.8 | 73.6 | 86.8 | 86.4 | 78.2 | 80.4 | 75.2 | 75.8 | **17,257.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,299.0** |
| H2O | 1964 | 144.2 | 141.5 | 10.2 | 147.7 | 178.1 | 221.3 | 180.6 | 181.7 | 169.3 | 353.9 | 345.0 | 350.2 | **26,252.4** |
| OIL | 1964 | 104.7 | 88.8 | 89.0 | 92.8 | 94.4 | 91.2 | 76.3 | 69.9 | 42.7 | 79.0 | 87.1 | 84.9 | **16,310.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,935.0** |
| H2O | 1963 | 227.8 | 205.4 | 200.2 | 209.5 | 192.7 | 121.3 | 199.5 | 155.6 | 165.0 | 169.5 | 186.8 | 191.6 | **23,828.7** |
| OIL | 1963 | 93.1 | 103.9 | 108.1 | 112.7 | 110.0 | 100.4 | 97.7 | 101.5 | 97.1 | 99.8 | 93.6 | 82.8 | **15,309.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,570.0** |
| H2O | 1962 | 442.3 | 353.9 | 407.6 | 390.3 | 375.4 | 303.7 | 333.9 | 288.2 | 279.6 | 271.1 | 258.8 | 276.3 | **21,603.8** |
| OIL | 1962 | 155.9 | 145.9 | 166.4 | 157.8 | 152.9 | 138.9 | 136.2 | 133.0 | 126.5 | 127.3 | 103.5 | 119.7 | **14,109.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,206.0** |
| H2O | 1961 | 516.6 | 461.2 | 520.1 | 485.8 | 513.4 | 449.1 | 478.4 | 453.4 | 410.2 | 450.6 | 423.7 | 433.5 | **17,622.7** |
| OIL | 1961 | 147.3 | 128.1 | 147.5 | 144.0 | 142.7 | 129.2 | 148.1 | 145.6 | 127.3 | 154.5 | 152.1 | 154.3 | **12,445.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,844.0** |
| H2O | 1960 | 522.5 | 473.8 | 487.4 | 468.7 | 512.1 | 490.9 | 505.6 | 527.7 | 466.6 | 543.3 | 486.1 | 523.1 | **12,026.7** |
| OIL | 1960 | 147.5 | 140.5 | 147.3 | 144.8 | 152.4 | 146.0 | 149.9 | 149.2 | 141.0 | 144.4 | 135.7 | 142.2 | **10,724.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 17.0 | 31.0 | 28.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,478.0** |
| H2O | 1959 | 80.7 | 81.7 | 69.1 | 342.2 | 526.3 | 518.0 | 482.8 | 540.3 | 516.6 | 429.7 | 467.4 | 542.7 | **6,018.9** |
| OIL | 1959 | 94.2 | 65.5 | 84.1 | 71.8 | 139.0 | 126.0 | 137.1 | 155.1 | 149.2 | 140.2 | 147.8 | 154.1 | **8,983.4** |
| DAY | 1958 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,134.0** |
| H2O | 1958 | 42.7 | 29.6 | 33.7 | 26.5 | 27.5 | 80.6 | 77.5 | 66.1 | 72.1 | 69.6 | 77.1 | 54.5 | **1,421.4** |
| OIL | 1958 | 143.0 | 123.3 | 128.1 | 107.4 | 103.8 | 105.0 | 98.7 | 97.7 | 100.7 | 94.4 | 80.7 | 91.4 | **7,519.3** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **770.0** |
| H2O | 1957 | 19.5 | 50.2 | 47.4 | 41.6 | 37.0 | 44.5 | 25.9 | 26.7 | 39.7 | 31.5 | 27.0 | 30.2 | **763.9** |
| OIL | 1957 | 230.9 | 180.2 | 180.4 | 170.8 | 195.9 | 181.6 | 173.4 | 177.7 | 190.2 | 194.3 | 177.0 | 172.6 | **6,245.1** |
| DAY | 1956 | 31.0 | 21.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **411.0** |
| H2O | 1956 | 43.1 | 11.6 | 20.0 | 23.8 | 21.1 | 21.6 | 25.1 | 25.4 | 42.3 | 46.4 | 19.1 | 20.2 | **342.7** |
| OIL | 1956 | 330.2 | 215.6 | 288.4 | 285.6 | 284.8 | 283.7 | 315.6 | 317.3 | 281.3 | 282.1 | 258.5 | 244.9 | **4,020.1** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 29.0 | **56.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 22.4 | **23.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.7 | 315.0 | 313.4 | **632.1** |

Licence ***983*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,328.0** |
| H2O | 1975 | 34.0 | 28.9 | 35.0 | 32.7 | 30.8 | 22.6 | 24.8 | 24.5 | 21.8 | 25.3 | 25.1 | 26.5 | **2,595.3** |

# Manitoba Production
## 1950 To 1975

Licence ***983*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1975 | 90.6 | 72.6 | 89.3 | 86.0 | 89.6 | 82.5 | 83.1 | 84.4 | 79.3 | 82.6 | 77.4 | 84.9 | **32,283.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 22.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,964.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.3 | 24.8 | 24.6 | 32.4 | **2,263.3** |
| OIL | 1974 | 87.1 | 78.2 | 90.6 | 87.9 | 58.0 | 82.0 | 83.1 | 92.5 | 92.3 | 83.4 | 80.9 | 94.9 | **31,281.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,609.0** |
| H2O | 1973 | 4.5 | 8.6 | 4.5 | 9.9 | 11.9 | 9.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,174.2** |
| OIL | 1973 | 87.6 | 78.3 | 86.0 | 90.3 | 77.9 | 85.3 | 87.6 | 85.8 | 76.3 | 78.0 | 85.2 | 89.8 | **30,270.7** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,245.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.4 | 4.9 | 6.2 | 11.3 | 5.6 | 4.8 | 5.9 | **2,125.4** |
| OIL | 1972 | 96.3 | 91.2 | 93.1 | 89.6 | 94.4 | 82.2 | 85.7 | 77.9 | 85.3 | 84.1 | 82.6 | 81.7 | **29,262.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,879.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 5.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,081.3** |
| OIL | 1971 | 103.9 | 102.0 | 102.8 | 109.3 | 91.7 | 96.1 | 102.7 | 98.4 | 98.8 | 96.3 | 95.5 | 99.2 | **28,218.5** |
| DAY | 1970 | 31.0 | 27.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,514.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 5.4 | 10.0 | 7.2 | 11.9 | 0.0 | 0.0 | 0.0 | **2,075.7** |
| OIL | 1970 | 63.2 | 56.9 | 64.2 | 113.5 | 109.8 | 98.4 | 91.7 | 92.3 | 93.1 | 109.5 | 107.3 | 109.6 | **27,021.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,151.0** |
| H2O | 1969 | 4.9 | 8.9 | 5.7 | 5.7 | 5.6 | 5.1 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,034.2** |
| OIL | 1969 | 104.4 | 93.8 | 108.5 | 94.2 | 107.9 | 105.7 | 108.7 | 110.4 | 107.9 | 95.0 | 89.9 | 59.0 | **25,912.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,786.0** |
| H2O | 1968 | 6.7 | 7.5 | 7.9 | 7.8 | 7.2 | 0.0 | 0.0 | 0.0 | 0.0 | 6.7 | 6.4 | 5.1 | **1,991.3** |
| OIL | 1968 | 124.6 | 119.0 | 122.0 | 116.6 | 119.8 | 111.4 | 116.5 | 100.6 | 97.3 | 109.0 | 102.3 | 105.2 | **24,726.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,420.0** |
| H2O | 1967 | 10.3 | 8.7 | 16.4 | 15.4 | 11.9 | 10.5 | 22.6 | 18.3 | 18.6 | 14.0 | 14.0 | 8.7 | **1,936.0** |
| OIL | 1967 | 114.1 | 103.9 | 125.5 | 117.9 | 115.8 | 110.6 | 115.4 | 123.9 | 123.3 | 118.7 | 121.1 | 115.2 | **23,382.6** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,055.0** |
| H2O | 1966 | 11.6 | 0.0 | 0.0 | 0.0 | 0.0 | 72.7 | 33.9 | 29.4 | 45.2 | 30.2 | 33.9 | 18.6 | **1,766.6** |
| OIL | 1966 | 116.0 | 120.9 | 122.4 | 127.0 | 110.4 | 122.0 | 138.3 | 140.2 | 119.2 | 118.5 | 122.0 | 122.0 | **21,977.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,695.0** |
| H2O | 1965 | 3.0 | 2.7 | 1.3 | 1.3 | 0.0 | 24.6 | 54.8 | 14.8 | 0.0 | 0.0 | 18.3 | 10.5 | **1,491.1** |
| OIL | 1965 | 122.7 | 111.6 | 129.2 | 122.7 | 134.3 | 133.6 | 137.8 | 131.3 | 118.2 | 121.6 | 124.6 | 122.4 | **20,498.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,330.0** |
| H2O | 1964 | 14.5 | 25.3 | 6.7 | 31.0 | 3.2 | 16.7 | 11.9 | 9.1 | 11.1 | 16.1 | 6.0 | 3.2 | **1,359.8** |
| OIL | 1964 | 163.0 | 140.2 | 146.2 | 137.8 | 132.8 | 138.7 | 137.6 | 90.4 | 86.6 | 126.3 | 120.9 | 124.1 | **18,988.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | **2,964.0** |
| H2O | 1963 | 0.0 | 3.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 91.1 | **1,205.0** |
| OIL | 1963 | 112.5 | 87.7 | 99.3 | 98.0 | 87.1 | 86.6 | 9.2 | 9.2 | 19.5 | 19.5 | 23.0 | 164.6 | **17,443.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,604.0** |
| H2O | 1962 | 3.5 | 0.0 | 1.4 | 0.0 | 3.0 | 3.3 | 4.3 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | **1,110.4** |
| OIL | 1962 | 118.7 | 76.1 | 106.2 | 84.2 | 111.9 | 110.6 | 85.8 | 85.7 | 119.2 | 124.1 | 112.2 | 117.8 | **16,627.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,239.0** |
| H2O | 1961 | 0.0 | 2.9 | 0.0 | 9.7 | 3.2 | 9.2 | 13.0 | 10.0 | 3.0 | 3.0 | 2.9 | 3.2 | **1,091.2** |
| OIL | 1961 | 141.0 | 120.9 | 145.4 | 127.4 | 135.7 | 121.1 | 135.1 | 132.8 | 117.6 | 119.5 | 110.6 | 127.1 | **15,375.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,875.0** |
| H2O | 1960 | 2.9 | 17.8 | 29.2 | 0.0 | 6.4 | 6.4 | 20.2 | 20.0 | 11.9 | 9.9 | 0.0 | 0.0 | **1,031.1** |
| OIL | 1960 | 144.1 | 128.2 | 243.3 | 183.1 | 171.8 | 153.0 | 155.6 | 153.7 | 146.0 | 144.4 | 138.3 | 137.9 | **13,840.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,509.0** |
| H2O | 1959 | 7.0 | 6.4 | 11.8 | 4.9 | 13.8 | 23.4 | 21.9 | 25.6 | 19.9 | 9.7 | 12.2 | 18.0 | **906.4** |
| OIL | 1959 | 171.5 | 148.4 | 181.6 | 145.1 | 99.6 | 202.6 | 178.6 | 139.0 | 166.1 | 169.9 | 159.1 | 150.8 | **11,941.4** |
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,150.0** |
| H2O | 1958 | 15.4 | 13.5 | 21.3 | 16.4 | 11.0 | 15.6 | 15.4 | 12.4 | 12.2 | 8.3 | 5.6 | 24.0 | **731.8** |
| OIL | 1958 | 261.3 | 197.4 | 197.8 | 181.5 | 191.0 | 173.5 | 174.0 | 179.3 | 181.6 | 179.4 | 171.6 | 179.1 | **10,029.1** |

# Manitoba Production
## 1950 To 1975

Licence ***983*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-11-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 27.0 | **789.0** |
| H2O | 1957 | 18.4 | 13.5 | 21.9 | 29.9 | 36.6 | 20.3 | 42.1 | 42.1 | 41.0 | 38.8 | 34.2 | 20.2 | **560.7** |
| OIL | 1957 | 272.9 | 223.9 | 238.0 | 244.7 | 248.1 | 248.7 | 248.9 | 267.5 | 250.4 | 224.4 | 219.1 | 241.5 | **7,761.6** |
| DAY | 1956 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | **432.0** |
| H2O | 1956 | 15.1 | 11.6 | 13.8 | 16.7 | 12.6 | 0.6 | 19.9 | 18.0 | 24.3 | 23.5 | 29.6 | 1.7 | **201.7** |
| OIL | 1956 | 483.1 | 356.7 | 366.5 | 341.0 | 344.9 | 308.2 | 313.0 | 300.0 | 292.8 | 287.3 | 272.9 | 32.7 | **4,833.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 29.0 | 31.0 | **70.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.3 | **14.3** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 174.6 | 431.0 | 528.8 | **1,134.4** |

Licence ***985*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,769.0** |
| H2O | 1975 | 185.7 | 157.4 | 178.7 | 131.2 | 139.9 | 143.2 | 148.5 | 159.5 | 158.2 | 175.0 | 152.0 | 159.6 | **33,169.3** |
| OIL | 1975 | 42.1 | 37.8 | 41.8 | 24.3 | 26.4 | 25.7 | 27.8 | 29.1 | 27.7 | 45.8 | 28.1 | 29.2 | **9,863.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,405.0** |
| H2O | 1974 | 154.1 | 138.6 | 154.2 | 144.5 | 165.5 | 201.0 | 200.0 | 204.3 | 193.6 | 197.3 | 213.8 | 183.9 | **31,280.4** |
| OIL | 1974 | 39.4 | 35.1 | 38.9 | 37.5 | 28.8 | 40.4 | 31.9 | 32.6 | 32.9 | 32.3 | 28.6 | 42.4 | **9,477.4** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,041.0** |
| H2O | 1973 | 116.9 | 158.8 | 188.1 | 99.0 | 176.3 | 160.4 | 191.7 | 196.0 | 161.8 | 179.0 | 138.5 | 156.4 | **29,129.6** |
| OIL | 1973 | 40.0 | 29.7 | 50.1 | 33.8 | 38.5 | 42.0 | 34.2 | 35.9 | 38.5 | 39.9 | 23.8 | 39.4 | **9,056.6** |
| DAY | 1972 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | **5,679.0** |
| H2O | 1972 | 160.7 | 141.0 | 160.1 | 152.5 | 173.6 | 146.4 | 68.7 | 130.5 | 139.3 | 134.8 | 162.3 | 152.5 | **27,206.7** |
| OIL | 1972 | 57.7 | 40.5 | 58.0 | 52.3 | 43.7 | 43.4 | 39.6 | 44.8 | 51.2 | 36.4 | 46.9 | 24.0 | **8,610.8** |
| DAY | 1971 | 31.0 | 19.0 | 31.0 | 24.0 | 0.0 | 0.0 | 9.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **5,318.0** |
| H2O | 1971 | 196.0 | 114.6 | 211.8 | 158.8 | 0.0 | 0.0 | 67.2 | 169.2 | 12.7 | 3.3 | 4.0 | 161.5 | **25,484.3** |
| OIL | 1971 | 48.1 | 28.1 | 43.1 | 33.5 | 0.0 | 0.0 | 16.7 | 49.9 | 3.8 | 6.4 | 6.8 | 58.8 | **8,072.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 18.0 | 0.0 | 5.0 | 31.0 | **5,055.0** |
| H2O | 1970 | 262.3 | 224.0 | 269.6 | 192.8 | 184.3 | 182.4 | 190.3 | 176.9 | 103.2 | 0.0 | 28.9 | 193.8 | **24,385.2** |
| OIL | 1970 | 85.2 | 77.5 | 84.9 | 56.6 | 56.4 | 52.4 | 54.2 | 49.9 | 28.6 | 0.0 | 7.5 | 51.0 | **7,777.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **4,758.0** |
| H2O | 1969 | 175.2 | 174.6 | 141.5 | 171.5 | 0.0 | 24.2 | 12.1 | 10.0 | 10.0 | 5.2 | 4.5 | 253.3 | **22,376.7** |
| OIL | 1969 | 55.5 | 51.5 | 57.5 | 55.1 | 19.1 | 14.5 | 8.7 | 9.4 | 9.1 | 4.8 | 4.3 | 80.7 | **7,172.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | **4,396.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 1.3 | 1.4 | 0.0 | 0.0 | 0.0 | 137.2 | 186.5 | 189.7 | 177.4 | **21,394.6** |
| OIL | 1968 | 12.7 | 12.4 | 14.1 | 3.7 | 3.7 | 4.4 | 3.3 | 4.8 | 51.2 | 61.0 | 59.6 | 55.6 | **6,802.7** |
| DAY | 1967 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,041.0** |
| OIL | 1967 | 13.7 | 11.1 | 13.5 | 13.8 | 14.8 | 14.0 | 14.6 | 13.5 | 15.1 | 15.1 | 15.1 | 13.5 | **6,516.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,679.0** |
| H2O | 1966 | 95.7 | 89.0 | 18.3 | 23.5 | 3.8 | 6.7 | 9.2 | 8.4 | 8.4 | 8.1 | 0.0 | 0.0 | **20,701.1** |
| OIL | 1966 | 39.3 | 34.5 | 29.9 | 31.5 | 26.5 | 20.5 | 21.6 | 19.5 | 18.9 | 19.2 | 14.8 | 15.4 | **6,348.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 23.0 | 22.0 | 31.0 | 30.0 | 31.0 | **3,318.0** |
| H2O | 1965 | 35.3 | 42.6 | 48.2 | 57.2 | 0.0 | 4.9 | 4.6 | 3.0 | 20.2 | 126.4 | 146.3 | 98.6 | **20,430.0** |
| OIL | 1965 | 39.7 | 39.4 | 46.2 | 45.1 | 15.6 | 18.1 | 18.0 | 12.6 | 43.5 | 50.4 | 46.4 | 39.3 | **6,056.8** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 22.0 | 31.0 | 30.0 | 31.0 | 23.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,969.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 1.0 | 156.8 | 223.2 | 45.5 | 38.5 | **19,842.7** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 9.5 | 14.5 | 14.5 | 9.2 | 6.8 | 60.9 | 56.7 | 42.9 | 41.8 | **5,642.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 0.0 | 0.0 | **2,710.0** |
| H2O | 1963 | 19.1 | 17.6 | 44.7 | 31.0 | 32.9 | 21.8 | 23.7 | 8.7 | 0.0 | 0.0 | 0.0 | 0.0 | **19,376.4** |
| OIL | 1963 | 29.9 | 26.2 | 26.1 | 23.5 | 21.0 | 11.9 | 12.4 | 16.7 | 11.8 | 13.3 | 0.0 | 0.0 | **5,385.7** |

# Manitoba Production
## 1950 To 1975

Licence ***985*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,409.0** |
| H2O | 1962 | 84.9 | 86.6 | 47.2 | 80.8 | 57.1 | 43.1 | 10.3 | 16.4 | 84.7 | 65.7 | 30.2 | 12.1 | **19,176.9** |
| OIL | 1962 | 32.6 | 28.4 | 29.9 | 25.1 | 27.8 | 24.3 | 23.4 | 19.5 | 48.5 | 42.7 | 25.7 | 27.2 | **5,192.9** |
| DAY | 1961 | 31.0 | 27.0 | 28.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,049.0** |
| H2O | 1961 | 488.4 | 431.5 | 353.4 | 409.2 | 409.5 | 279.6 | 273.4 | 266.0 | 179.6 | 160.4 | 63.3 | 56.1 | **18,557.8** |
| OIL | 1961 | 95.8 | 83.9 | 89.3 | 84.7 | 82.8 | 97.7 | 58.0 | 62.0 | 49.9 | 34.6 | 36.2 | 38.6 | **4,837.8** |
| DAY | 1960 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 27.0 | 31.0 | 26.0 | 22.0 | 30.0 | 31.0 | **1,691.0** |
| H2O | 1960 | 445.6 | 369.9 | 284.4 | 564.1 | 509.4 | 459.8 | 392.4 | 463.4 | 410.6 | 331.0 | 499.4 | 495.1 | **15,187.4** |
| OIL | 1960 | 104.2 | 88.7 | 45.6 | 100.9 | 100.1 | 100.3 | 84.9 | 90.1 | 83.4 | 73.6 | 95.2 | 99.6 | **4,024.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,344.0** |
| H2O | 1959 | 487.4 | 383.5 | 373.0 | 359.5 | 340.7 | 273.1 | 347.1 | 325.9 | 361.5 | 387.6 | 297.8 | 361.8 | **9,962.3** |
| OIL | 1959 | 84.4 | 75.0 | 85.2 | 82.8 | 81.4 | 64.5 | 78.5 | 76.6 | 72.6 | 64.7 | 65.2 | 77.2 | **2,957.7** |
| DAY | 1958 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **979.0** |
| H2O | 1958 | 377.9 | 412.7 | 459.5 | 403.5 | 412.1 | 207.8 | 330.4 | 322.3 | 423.2 | 407.1 | 401.9 | 423.0 | **5,663.4** |
| OIL | 1958 | 71.2 | 82.8 | 84.1 | 80.2 | 91.2 | 58.5 | 67.7 | 64.5 | 88.8 | 89.9 | 84.7 | 91.7 | **2,049.6** |
| DAY | 1957 | 24.0 | 28.0 | 25.0 | 18.0 | 28.0 | 6.0 | 0.0 | 0.0 | 13.0 | 31.0 | 30.0 | 29.0 | **617.0** |
| H2O | 1957 | 14.0 | 15.1 | 12.4 | 9.4 | 14.3 | 2.1 | 0.0 | 0.0 | 11.4 | 37.2 | 376.0 | 391.7 | **1,082.0** |
| OIL | 1957 | 27.8 | 30.7 | 24.2 | 19.1 | 28.1 | 7.3 | 0.0 | 0.0 | 17.5 | 40.4 | 89.3 | 85.2 | **1,094.3** |
| DAY | 1956 | 31.0 | 23.0 | 29.0 | 21.0 | 21.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 21.0 | **385.0** |
| H2O | 1956 | 22.3 | 24.2 | 39.9 | 15.9 | 17.5 | 6.2 | 6.2 | 5.2 | 10.2 | 6.4 | 6.2 | 7.5 | **198.4** |
| OIL | 1956 | 63.1 | 54.5 | 59.9 | 41.8 | 38.0 | 31.1 | 25.3 | 26.9 | 23.5 | 30.4 | 26.1 | 25.4 | **724.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 23.0 | 25.0 | **57.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 13.0 | 10.7 | **30.7** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 49.6 | 125.2 | 103.9 | **278.7** |

Licence ***986*** Well Name ***Enerplus Scallion SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-16-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 3036.7 | 2737.7 | 2347.4 | 2091.6 | 3038.3 | 2274.7 | 4225.6 | 1664.5 | 4433.6 | 3940.7 | 5764.6 | 9918.2 | **801,295.8** |
| WIN | 1974 | 8556.0 | 7513.0 | 9175.2 | 8857.2 | 8885.0 | 8265.7 | 5370.3 | 2040.5 | 4833.9 | 3335.7 | 4203.0 | 2514.0 | **755,822.2** |
| WIN | 1973 | 10684.6 | 9227.5 | 9453.6 | 9040.5 | 9691.1 | 8919.3 | 10117.4 | 8994.7 | 9019.9 | 9397.0 | 8732.7 | 8673.4 | **682,272.7** |
| WIN | 1972 | 9445.3 | 8608.3 | 9174.6 | 9430.4 | 9812.6 | 10377.5 | 10306.4 | 10363.8 | 9607.5 | 10504.0 | 9328.9 | 10252.5 | **570,321.0** |
| WIN | 1971 | 11388.9 | 8525.5 | 13874.4 | 12892.9 | 12845.1 | 13829.7 | 14808.5 | 11234.0 | 8623.1 | 9624.3 | 9886.0 | 10217.8 | **453,109.2** |
| WIN | 1970 | 14323.4 | 12537.4 | 12925.5 | 12031.5 | 12599.1 | 13009.5 | 12349.8 | 13816.1 | 11879.5 | 12074.0 | 10622.3 | 12833.6 | **315,359.0** |
| WIN | 1969 | 7621.0 | 8534.6 | 12136.8 | 12447.4 | 11544.5 | 12575.4 | 12583.8 | 13564.1 | 13089.6 | 13175.8 | 12896.3 | 13707.0 | **164,357.3** |
| WIN | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 789.1 | 5905.8 | 6350.3 | 7435.8 | **20,481.0** |
| DAY | 1967 | 31.0 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,954.0** |
| H2O | 1967 | 1434.4 | 143.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **93,185.0** |
| OIL | 1967 | 37.8 | 3.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **27,266.6** |
| DAY | 1966 | 11.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 29.0 | 29.0 | 29.0 | 31.0 | **3,919.0** |
| H2O | 1966 | 490.4 | 1245.2 | 1155.0 | 1526.2 | 1535.2 | 1428.2 | 1749.0 | 1718.4 | 1647.9 | 1669.5 | 1361.4 | 1420.6 | **91,607.2** |
| OIL | 1966 | 35.3 | 93.3 | 91.2 | 42.7 | 41.0 | 38.5 | 55.6 | 64.4 | 55.9 | 56.1 | 35.3 | 36.7 | **27,225.5** |
| DAY | 1965 | 26.0 | 28.0 | 31.0 | 15.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 25.0 | 28.0 | **3,579.0** |
| H2O | 1965 | 1088.0 | 1152.9 | 1151.3 | 518.1 | 1361.1 | 1349.7 | 1378.8 | 1435.7 | 1384.5 | 1440.3 | 1043.8 | 1243.0 | **74,660.2** |
| OIL | 1965 | 92.8 | 94.6 | 99.0 | 43.2 | 107.3 | 104.9 | 105.7 | 102.7 | 101.5 | 99.6 | 72.8 | 86.4 | **26,579.5** |
| DAY | 1964 | 30.0 | 29.0 | 31.0 | 30.0 | 29.0 | 28.0 | 31.0 | 31.0 | 27.0 | 31.0 | 28.0 | 24.0 | **3,242.0** |
| H2O | 1964 | 1127.9 | 1165.1 | 1255.2 | 1183.9 | 1114.2 | 997.1 | 1275.9 | 1151.6 | 965.8 | 1030.0 | 1131.6 | 1026.2 | **60,113.0** |
| OIL | 1964 | 86.6 | 94.6 | 100.0 | 92.5 | 87.7 | 89.9 | 118.2 | 92.2 | 71.2 | 79.3 | 111.2 | 83.9 | **25,469.0** |
| DAY | 1963 | 31.0 | 28.0 | 28.0 | 24.0 | 25.0 | 29.0 | 26.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | **2,893.0** |
| H2O | 1963 | 966.4 | 764.9 | 823.7 | 724.0 | 770.4 | 749.9 | 563.6 | 740.7 | 776.0 | 1053.5 | 1102.0 | 1039.5 | **46,688.5** |
| OIL | 1963 | 99.2 | 80.7 | 86.1 | 75.6 | 84.1 | 87.6 | 56.6 | 83.7 | 76.8 | 108.5 | 95.8 | 89.8 | **24,361.7** |

# Manitoba Production
## 1950 To 1975

Licence ***986*** Well Name ***Enerplus Scallion SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-16-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | **2,552.0** |
| H2O | 1962 | 1027.3 | 902.4 | 990.1 | 792.2 | 822.9 | 756.3 | 1074.6 | 1125.4 | 1063.7 | 1087.8 | 941.8 | 970.9 | **36,613.9** |
| OIL | 1962 | 169.1 | 123.3 | 141.3 | 116.5 | 120.8 | 102.7 | 180.4 | 170.5 | 148.1 | 130.1 | 107.4 | 105.8 | **23,337.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,190.0** |
| H2O | 1961 | 750.1 | 675.7 | 807.6 | 880.0 | 1035.7 | 904.9 | 823.2 | 996.5 | 985.2 | 953.2 | 880.6 | 1053.2 | **25,058.5** |
| OIL | 1961 | 194.7 | 186.2 | 180.7 | 220.1 | 231.8 | 159.7 | 150.8 | 197.5 | 173.2 | 167.3 | 170.0 | 188.3 | **21,721.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,825.0** |
| H2O | 1960 | 1227.6 | 1126.0 | 983.5 | 680.0 | 648.3 | 670.9 | 699.8 | 561.4 | 611.8 | 629.2 | 700.3 | 727.2 | **14,312.6** |
| OIL | 1960 | 345.5 | 298.0 | 297.3 | 299.9 | 303.4 | 262.2 | 255.7 | 201.8 | 196.9 | 195.5 | 210.4 | 204.7 | **19,500.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,460.0** |
| H2O | 1959 | 214.8 | 217.6 | 229.6 | 263.7 | 291.9 | 310.2 | 340.2 | 384.7 | 380.0 | 398.1 | 372.5 | 1089.6 | **5,046.6** |
| OIL | 1959 | 350.7 | 307.2 | 345.9 | 323.2 | 343.9 | 340.7 | 324.5 | 263.6 | 242.0 | 238.2 | 209.0 | 336.3 | **16,429.6** |
| DAY | 1958 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,096.0** |
| H2O | 1958 | 2.2 | 3.7 | 1.3 | 7.3 | 0.0 | 17.0 | 12.6 | 76.2 | 85.1 | 94.8 | 108.9 | 125.9 | **553.7** |
| OIL | 1958 | 294.9 | 356.4 | 395.2 | 379.6 | 370.6 | 338.2 | 328.1 | 340.4 | 318.1 | 305.3 | 280.3 | 295.9 | **12,804.4** |
| DAY | 1957 | 22.0 | 28.0 | 27.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 29.0 | 27.0 | **734.0** |
| H2O | 1957 | 0.5 | 0.5 | 0.6 | 1.0 | 0.8 | 1.0 | 0.8 | 1.0 | 0.8 | 0.6 | 0.8 | 0.8 | **18.7** |
| OIL | 1957 | 251.1 | 197.8 | 234.9 | 390.3 | 334.3 | 377.9 | 407.6 | 368.7 | 367.9 | 347.4 | 313.4 | 346.3 | **8,801.4** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 23.0 | 18.0 | 19.0 | 13.0 | **392.0** |
| H2O | 1956 | 0.6 | 0.6 | 0.8 | 0.6 | 0.8 | 1.0 | 1.3 | 0.5 | 0.5 | 0.6 | 0.5 | 0.5 | **9.5** |
| OIL | 1956 | 326.2 | 319.6 | 389.6 | 341.2 | 344.5 | 333.7 | 338.3 | 396.5 | 347.1 | 302.6 | 312.3 | 212.5 | **4,863.8** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 30.0 | 28.0 | **78.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 0.6 | **1.2** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 237.7 | 333.7 | 328.3 | **899.7** |

Licence ***987*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,275.0** |
| H2O | 1975 | 175.8 | 163.0 | 181.7 | 142.1 | 147.2 | 140.9 | 141.2 | 139.3 | 137.0 | 147.1 | 147.5 | 150.1 | **12,003.8** |
| OIL | 1975 | 220.1 | 197.2 | 216.4 | 229.6 | 233.9 | 227.2 | 233.8 | 235.0 | 227.9 | 235.8 | 228.0 | 231.7 | **68,735.5** |
| DAY | 1974 | 31.0 | 28.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,910.0** |
| H2O | 1974 | 73.6 | 66.6 | 68.8 | 71.5 | 132.0 | 132.6 | 133.9 | 122.9 | 121.1 | 176.6 | 176.1 | 176.1 | **10,190.9** |
| OIL | 1974 | 245.5 | 208.5 | 221.0 | 224.9 | 238.4 | 230.6 | 238.0 | 237.1 | 227.7 | 226.9 | 216.6 | 223.6 | **66,018.9** |
| DAY | 1973 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **6,549.0** |
| H2O | 1973 | 91.6 | 92.0 | 98.6 | 98.4 | 99.7 | 95.9 | 96.3 | 98.4 | 96.7 | 97.6 | 90.6 | 77.4 | **8,739.1** |
| OIL | 1973 | 299.1 | 275.4 | 303.5 | 321.5 | 335.6 | 325.3 | 337.2 | 300.0 | 285.4 | 291.4 | 274.4 | 245.5 | **63,280.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,188.0** |
| H2O | 1972 | 102.7 | 100.2 | 109.9 | 12.7 | 13.0 | 14.0 | 34.7 | 32.9 | 88.1 | 97.1 | 88.1 | 97.8 | **7,605.9** |
| OIL | 1972 | 341.2 | 318.1 | 346.3 | 297.6 | 293.8 | 301.1 | 329.9 | 337.5 | 321.2 | 342.5 | 278.1 | 316.9 | **59,685.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **5,825.0** |
| H2O | 1971 | 210.2 | 188.2 | 109.2 | 109.5 | 109.9 | 109.4 | 108.4 | 104.6 | 93.6 | 104.6 | 197.1 | 268.8 | **6,814.7** |
| OIL | 1971 | 379.0 | 330.7 | 338.2 | 321.2 | 328.3 | 319.1 | 326.2 | 320.4 | 315.9 | 328.0 | 484.8 | 576.4 | **55,861.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,463.0** |
| H2O | 1970 | 68.2 | 63.9 | 67.1 | 61.8 | 63.6 | 58.7 | 173.4 | 195.5 | 182.0 | 223.7 | 204.1 | 226.9 | **5,101.2** |
| OIL | 1970 | 395.2 | 356.4 | 389.0 | 375.3 | 387.1 | 344.2 | 380.3 | 373.8 | 356.9 | 362.2 | 347.5 | 364.5 | **51,493.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 25.0 | 31.0 | 30.0 | 31.0 | **5,100.0** |
| H2O | 1969 | 70.7 | 64.2 | 60.3 | 61.7 | 67.7 | 51.5 | 55.6 | 172.0 | 157.9 | 72.3 | 64.5 | 70.7 | **3,512.3** |
| OIL | 1969 | 404.3 | 357.2 | 394.6 | 384.4 | 394.7 | 360.1 | 374.2 | 403.0 | 381.9 | 407.6 | 390.8 | 409.2 | **47,061.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,745.0** |
| H2O | 1968 | 92.4 | 87.6 | 59.1 | 60.9 | 94.8 | 112.4 | 84.3 | 64.1 | 65.0 | 68.7 | 63.6 | 67.7 | **2,543.2** |

# Manitoba Production
## 1950 To 1975

Licence ***987*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1968 | 379.5 | 348.3 | 378.7 | 377.1 | 332.8 | 423.5 | 415.2 | 404.7 | 390.1 | 409.5 | 392.2 | 405.5 | **42,399.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 29.0 | 31.0 | **4,385.0** |
| H2O | 1967 | 45.4 | 37.5 | 45.1 | 42.1 | 48.3 | 45.4 | 35.8 | 68.0 | 59.6 | 56.1 | 84.4 | 95.7 | **1,622.6** |
| OIL | 1967 | 440.5 | 391.4 | 439.2 | 424.0 | 400.9 | 384.4 | 399.2 | 393.1 | 378.8 | 348.3 | 360.9 | 379.0 | **37,741.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,025.0** |
| H2O | 1966 | 0.0 | 0.0 | 37.8 | 38.8 | 44.2 | 39.6 | 41.2 | 40.5 | 43.7 | 44.8 | 44.7 | 46.7 | **959.2** |
| OIL | 1966 | 424.4 | 373.8 | 381.9 | 372.0 | 395.5 | 383.8 | 430.6 | 426.0 | 415.1 | 429.9 | 421.4 | 431.1 | **33,002.2** |
| DAY | 1965 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **3,660.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.2 | 16.7 | 24.2 | 24.5 | 9.2 | 2.4 | 2.1 | **537.2** |
| OIL | 1965 | 329.3 | 321.0 | 347.2 | 334.5 | 337.5 | 382.3 | 386.8 | 398.5 | 377.3 | 417.5 | 316.2 | 284.0 | **28,116.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,300.0** |
| H2O | 1964 | 5.1 | 4.5 | 1.3 | 1.3 | 1.1 | 1.1 | 1.3 | 1.3 | 1.3 | 16.9 | 10.0 | 0.0 | **440.9** |
| OIL | 1964 | 357.7 | 332.4 | 339.7 | 326.2 | 336.1 | 323.5 | 333.6 | 338.2 | 327.2 | 345.9 | 347.2 | 349.0 | **23,884.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,934.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.6 | 4.1 | 4.1 | 4.4 | 4.9 | 5.1 | **395.7** |
| OIL | 1963 | 122.2 | 116.2 | 126.8 | 124.7 | 130.0 | 126.3 | 225.7 | 211.0 | 295.9 | 288.4 | 335.5 | 343.4 | **19,827.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,571.0** |
| OIL | 1962 | 114.3 | 107.1 | 108.9 | 104.1 | 103.6 | 101.1 | 130.6 | 129.5 | 123.6 | 123.6 | 110.3 | 124.9 | **17,381.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,207.0** |
| H2O | 1961 | 9.2 | 6.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.9 | **367.5** |
| OIL | 1961 | 161.9 | 135.9 | 146.5 | 133.2 | 150.2 | 135.2 | 133.6 | 134.1 | 127.6 | 130.3 | 134.8 | 122.7 | **16,000.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,843.0** |
| H2O | 1960 | 6.0 | 4.9 | 4.0 | 4.8 | 4.8 | 5.1 | 5.2 | 5.4 | 5.4 | 5.1 | 3.8 | 6.7 | **348.9** |
| OIL | 1960 | 226.3 | 203.9 | 194.2 | 188.8 | 192.1 | 187.8 | 188.1 | 188.0 | 174.6 | 180.5 | 180.4 | 148.6 | **14,354.2** |
| DAY | 1959 | 31.0 | 28.0 | 25.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,477.0** |
| H2O | 1959 | 0.0 | 0.0 | 4.5 | 24.0 | 0.0 | 0.0 | 43.2 | 39.9 | 39.0 | 0.2 | 0.0 | 5.9 | **287.7** |
| OIL | 1959 | 159.9 | 146.7 | 179.9 | 365.5 | 319.4 | 290.5 | 300.7 | 304.8 | 287.9 | 252.5 | 237.4 | 193.9 | **12,100.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,121.0** |
| H2O | 1958 | 0.0 | 0.2 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 0.0 | **131.0** |
| OIL | 1958 | 181.8 | 160.7 | 185.6 | 202.6 | 211.2 | 196.6 | 165.6 | 160.2 | 180.0 | 187.2 | 158.3 | 161.5 | **9,061.8** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **757.0** |
| H2O | 1957 | 3.5 | 0.8 | 1.0 | 0.6 | 0.6 | 0.8 | 1.3 | 1.3 | 0.8 | 1.0 | 0.6 | 0.5 | **128.2** |
| OIL | 1957 | 278.4 | 243.0 | 271.6 | 236.9 | 227.9 | 227.9 | 231.4 | 239.8 | 199.4 | 240.0 | 235.0 | 191.3 | **6,910.5** |
| DAY | 1956 | 25.0 | 28.0 | 26.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | **399.0** |
| H2O | 1956 | 0.3 | 0.3 | 0.3 | 44.4 | 24.5 | 25.8 | 10.2 | 2.4 | 1.3 | 0.6 | 1.0 | 3.7 | **115.4** |
| OIL | 1956 | 246.8 | 304.5 | 228.5 | 234.7 | 345.2 | 347.5 | 341.3 | 329.1 | 322.1 | 283.7 | 269.2 | 278.4 | **4,087.9** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 12.0 | 24.0 | **50.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.2 | 0.2 | **0.6** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 193.9 | 128.6 | 234.4 | **556.9** |

Licence ***988*** Well Name ***Eureka Rossen Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-28-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 0.0 | **5,404.0** |
| OIL | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 48.0 | 88.6 | 46.1 | 69.8 | 46.3 | 50.2 | 44.4 | 0.0 | **13,605.1** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 30.0 | 31.0 | 31.0 | 22.0 | 31.0 | 11.0 | 0.0 | **5,198.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.8 | 0.0 | 4.5 | 0.0 | 0.0 | 0.0 | 0.0 | **15,217.9** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 79.7 | 63.0 | 65.7 | 46.1 | 39.1 | 19.7 | 8.4 | 0.0 | **13,211.7** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 12.0 | 0.0 | **5,018.0** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 90.5 | 89.4 | 54.9 | 66.8 | 52.5 | 25.0 | 0.8 | 0.0 | **12,890.0** |
| DAY | 1972 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,828.0** |

# Manitoba Production
## 1950 To 1975

Licence ***988*** Well Name ***Eureka Rossen Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-28-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1972 | 4.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **12,510.1** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 15.0 | 24.0 | 0.0 | 17.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,797.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 4.8 | 47.9 | 4.1 | 0.0 | 41.3 | 0.0 | 25.8 | 4.5 | 0.0 | **15,208.6** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 41.0 | 58.0 | 64.7 | 24.5 | 64.2 | 63.4 | 49.6 | 30.0 | 39.1 | **12,505.3** |
| DAY | 1970 | 6.0 | 15.0 | 1.0 | 0.0 | 14.0 | 29.0 | 26.0 | 27.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,588.0** |
| OIL | 1970 | 10.5 | 22.4 | 1.3 | 17.2 | 19.4 | 38.2 | 34.0 | 17.2 | 0.0 | 0.0 | 0.0 | 0.0 | **12,070.8** |
| DAY | 1969 | 7.0 | 0.0 | 9.0 | 23.0 | 31.0 | 0.0 | 31.0 | 27.0 | 29.0 | 26.0 | 30.0 | 26.0 | **4,470.0** |
| OIL | 1969 | 6.2 | 0.0 | 14.0 | 35.3 | 40.9 | 38.2 | 39.3 | 33.2 | 39.4 | 34.3 | 39.4 | 35.6 | **11,910.6** |
| DAY | 1968 | 0.0 | 29.0 | 28.0 | 29.0 | 31.0 | 25.0 | 16.0 | 18.0 | 30.0 | 29.0 | 30.0 | 28.0 | **4,231.0** |
| OIL | 1968 | 9.2 | 37.2 | 37.5 | 37.2 | 40.9 | 32.9 | 18.9 | 19.4 | 38.3 | 38.3 | 39.4 | 42.3 | **11,554.8** |
| DAY | 1967 | 25.0 | 27.0 | 28.0 | 28.0 | 31.0 | 22.0 | 29.0 | 28.0 | 30.0 | 18.0 | 0.0 | 22.0 | **3,938.0** |
| OIL | 1967 | 32.3 | 37.2 | 37.2 | 34.5 | 40.7 | 19.1 | 35.5 | 32.9 | 39.6 | 24.5 | 39.4 | 27.7 | **11,163.3** |
| DAY | 1966 | 29.0 | 25.0 | 31.0 | 29.0 | 29.0 | 29.0 | 31.0 | 29.0 | 28.0 | 31.0 | 27.0 | 31.0 | **3,650.0** |
| OIL | 1966 | 37.2 | 36.2 | 41.2 | 40.2 | 35.6 | 34.8 | 45.2 | 38.0 | 34.7 | 47.7 | 37.8 | 40.9 | **10,762.7** |
| DAY | 1965 | 31.0 | 24.0 | 30.0 | 28.0 | 29.0 | 25.0 | 11.0 | 22.0 | 24.0 | 28.0 | 29.0 | 29.0 | **3,301.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 51.7 | 588.7 | 136.7 | 211.0 | 357.4 | 306.1 | 3.2 | 0.0 | **15,080.2** |
| OIL | 1965 | 42.4 | 34.5 | 43.1 | 41.7 | 41.0 | 58.0 | 27.3 | 30.5 | 40.9 | 26.4 | 38.3 | 36.7 | **10,293.2** |
| DAY | 1964 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 23.0 | 18.0 | 13.0 | **2,991.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 129.9 | 202.4 | 118.3 | 90.8 | 42.6 | 15.9 | 0.0 | 0.0 | 0.0 | **13,425.4** |
| OIL | 1964 | 38.6 | 35.9 | 46.3 | 43.7 | 49.9 | 42.9 | 43.6 | 43.2 | 42.1 | 38.2 | 23.2 | 16.4 | **9,832.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,669.0** |
| H2O | 1963 | 1212.3 | 546.4 | 496.5 | 812.6 | 1179.1 | 989.4 | 1184.3 | 827.1 | 906.7 | 843.1 | 200.0 | 0.0 | **12,825.5** |
| OIL | 1963 | 64.5 | 44.4 | 48.7 | 61.2 | 71.5 | 62.2 | 66.0 | 55.5 | 52.5 | 56.6 | 39.4 | 40.9 | **9,368.4** |
| DAY | 1962 | 25.0 | 22.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 29.0 | 30.0 | 26.0 | 31.0 | **2,305.0** |
| H2O | 1962 | 24.2 | 5.1 | 1.9 | 2.2 | 2.9 | 97.3 | 301.4 | 140.2 | 9.9 | 6.5 | 675.1 | 1580.0 | **3,628.0** |
| OIL | 1962 | 30.4 | 35.9 | 44.4 | 39.7 | 41.7 | 30.2 | 46.7 | 38.3 | 43.6 | 43.6 | 80.9 | 83.3 | **8,705.0** |
| DAY | 1961 | 9.0 | 18.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 18.0 | 22.0 | 19.0 | 22.0 | **1,966.0** |
| H2O | 1961 | 4.8 | 11.1 | 195.6 | 21.5 | 7.2 | 0.0 | 0.0 | 61.1 | 0.0 | 8.3 | 17.3 | 33.4 | **781.3** |
| OIL | 1961 | 13.6 | 33.9 | 55.7 | 42.0 | 50.6 | 45.5 | 46.4 | 47.9 | 28.6 | 20.8 | 33.7 | 35.9 | **8,146.3** |
| DAY | 1960 | 20.0 | 8.0 | 1.0 | 30.0 | 31.0 | 13.0 | 18.0 | 22.0 | 17.0 | 20.0 | 10.0 | 19.0 | **1,678.0** |
| H2O | 1960 | 3.2 | 0.6 | 0.0 | 12.7 | 10.2 | 13.5 | 22.3 | 28.6 | 19.2 | 72.2 | 49.0 | 70.1 | **421.0** |
| OIL | 1960 | 43.8 | 18.5 | 10.1 | 74.6 | 77.5 | 45.4 | 50.9 | 47.1 | 52.0 | 37.9 | 30.7 | 40.3 | **7,691.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **1,469.0** |
| H2O | 1959 | 5.6 | 4.8 | 5.2 | 3.5 | 6.4 | 6.4 | 7.0 | 6.4 | 6.0 | 6.4 | 6.4 | 4.8 | **119.4** |
| OIL | 1959 | 75.1 | 69.7 | 73.0 | 42.8 | 74.1 | 72.1 | 74.3 | 63.0 | 57.3 | 65.4 | 64.4 | 57.3 | **7,162.9** |
| DAY | 1958 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 27.0 | 26.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,117.0** |
| H2O | 1958 | 0.6 | 0.5 | 0.5 | 0.5 | 0.6 | 0.3 | 0.0 | 0.0 | 7.6 | 6.7 | 7.6 | 6.4 | **50.5** |
| OIL | 1958 | 118.2 | 104.0 | 103.4 | 97.4 | 96.9 | 100.7 | 76.2 | 71.8 | 66.4 | 66.5 | 73.2 | 76.1 | **6,374.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **764.0** |
| H2O | 1957 | 0.7 | 0.4 | 0.6 | 0.8 | 1.0 | 1.0 | 1.1 | 1.1 | 1.0 | 0.8 | 0.6 | 0.6 | **19.2** |
| OIL | 1957 | 139.8 | 114.1 | 140.9 | 142.0 | 185.0 | 187.3 | 204.8 | 206.7 | 187.2 | 148.9 | 129.6 | 127.1 | **5,323.6** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 8.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **400.0** |
| H2O | 1956 | 0.5 | 0.5 | 0.7 | 0.1 | 0.9 | 0.4 | 0.4 | 0.4 | 1.2 | 1.2 | 1.0 | 0.9 | **9.5** |
| OIL | 1956 | 295.6 | 273.5 | 281.5 | 69.9 | 293.4 | 259.2 | 262.1 | 254.4 | 242.7 | 253.2 | 224.5 | 176.5 | **3,410.2** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 29.0 | **56.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.5 | 0.4 | **1.3** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 73.5 | 187.8 | 262.4 | **523.7** |

Licence ***989*** Well Name ***Enerplus Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-23-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***989*** Well Name ***Enerplus Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-23-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 27.0 | 31.0 | 1.0 | 6.0 | 0.0 | 0.0 | **1,642.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 36.6 | 7.9 | 8.1 | 0.0 | 3.1 | 0.0 | 0.0 | **396.2** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 33.8 | 35.1 | 12.1 | 4.8 | 9.4 | 0.0 | 0.0 | **1,472.8** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 20.0 | 27.0 | 29.0 | 30.0 | 0.0 | 0.0 | **1,548.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 9.5 | 3.2 | 2.5 | 2.7 | 3.7 | 5.9 | 0.0 | 0.0 | **340.5** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 18.4 | 33.1 | 9.1 | 9.7 | 8.3 | 22.6 | 0.0 | 0.0 | **1,377.6** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 15.0 | 18.0 | 14.0 | 31.0 | 20.0 | 25.0 | 28.0 | 16.0 | 0.0 | **1,381.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 9.5 | 6.0 | 10.2 | 9.2 | 1.9 | 5.2 | 15.6 | 4.5 | 0.0 | **313.0** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 13.7 | 12.1 | 8.4 | 28.6 | 7.5 | 6.5 | 22.1 | 16.7 | 0.0 | **1,276.4** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 11.0 | 28.0 | 29.0 | 30.0 | 24.0 | 16.0 | 26.0 | 14.0 | 0.0 | **1,214.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 1.1 | 11.1 | 7.2 | 6.4 | 7.6 | 2.5 | 2.4 | 2.1 | 0.0 | **250.9** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 14.5 | 28.3 | 27.7 | 14.8 | 13.7 | 6.4 | 17.3 | 6.4 | 0.0 | **1,160.8** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 19.0 | 25.0 | 26.0 | 28.0 | 30.0 | 27.0 | 15.0 | **1,036.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 2.7 | 4.5 | 3.3 | 20.0 | 11.1 | 13.7 | 7.3 | 2.5 | **210.5** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 28.8 | 35.6 | 28.0 | 20.5 | 18.8 | 24.3 | 15.9 | 12.4 | **1,031.7** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 30.0 | 31.0 | 31.0 | 30.0 | 0.0 | 21.0 | 0.0 | **854.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 1.0 | 0.5 | 0.0 | 0.0 | 0.0 | 4.8 | 0.0 | **145.4** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 13.7 | 13.2 | 13.7 | 13.5 | 7.3 | 0.0 | 39.6 | 0.0 | **847.4** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 31.0 | 31.0 | 26.0 | 31.0 | 26.0 | 0.0 | **690.0** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.3 | 13.7 | 13.5 | 8.6 | 13.5 | 7.6 | 0.0 | **746.4** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 26.0 | 0.0 | **520.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 1.9 | 1.3 | 1.3 | 0.0 | **138.1** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.6 | 20.8 | 18.4 | 27.5 | 16.2 | 14.5 | 0.0 | **672.2** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 30.0 | 29.0 | 31.0 | 30.0 | 20.0 | 12.0 | 0.0 | **342.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 5.6 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **132.0** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 20.7 | 11.4 | 24.5 | 27.7 | 17.2 | 7.0 | 0.0 | **545.2** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 31.0 | 31.0 | 16.0 | 11.0 | 21.0 | 0.0 | **180.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 33.4 | 34.2 | 16.9 | 12.2 | 6.5 | 0.0 | **122.4** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 55.7 | 42.3 | 53.5 | 28.6 | 23.5 | 12.6 | 0.0 | **416.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 25.0 | 17.0 | **51.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.7 | 13.5 | **19.2** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 54.9 | 120.5 | 25.1 | **200.5** |

Licence ***990*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1660.2 | 1492.5 | 752.6 | 1315.1 | 1398.1 | 1260.4 | 1288.5 | 1210.3 | 1298.9 | 1336.9 | 1206.0 | 1278.7 | **178,367.7** |
| WIN | 1974 | 1075.7 | 1385.8 | 1508.2 | 1471.5 | 1541.0 | 1443.9 | 1371.7 | 1442.9 | 1165.3 | 1453.1 | 1626.0 | 1515.6 | **162,869.5** |
| WIN | 1973 | 997.9 | 1090.6 | 1121.8 | 1184.4 | 1299.3 | 1223.4 | 1366.0 | 1195.8 | 1238.5 | 1186.6 | 1185.8 | 1040.2 | **145,868.8** |
| WIN | 1972 | 1465.2 | 1434.5 | 1520.2 | 1504.1 | 1522.2 | 1492.7 | 1524.5 | 1546.4 | 1494.4 | 1533.5 | 1487.7 | 1019.7 | **131,738.5** |
| WIN | 1971 | 1104.1 | 1100.0 | 1018.3 | 1328.1 | 1508.9 | 1362.9 | 898.7 | 1282.3 | 1372.0 | 1455.0 | 1256.4 | 1007.0 | **114,193.4** |
| WIN | 1970 | 1521.4 | 1309.7 | 1408.4 | 1361.5 | 1381.5 | 1283.3 | 1203.8 | 1236.5 | 1155.9 | 1220.0 | 1195.1 | 1255.3 | **99,499.7** |
| WIN | 1969 | 1398.5 | 1307.9 | 1235.3 | 1261.7 | 1374.1 | 1277.2 | 1290.6 | 1369.3 | 1184.2 | 1451.0 | 1425.6 | 1470.4 | **83,967.3** |
| WIN | 1968 | 1390.9 | 1377.4 | 1469.8 | 1505.1 | 1390.9 | 1404.1 | 1533.8 | 1419.7 | 1465.6 | 1094.3 | 1330.7 | 1153.2 | **67,921.5** |
| WIN | 1967 | 1385.8 | 995.5 | 1359.0 | 1396.2 | 1368.0 | 1444.3 | 1479.3 | 1192.7 | 1423.8 | 1467.4 | 1360.6 | 1394.7 | **51,386.0** |
| WIN | 1966 | 548.8 | 413.0 | 258.7 | 528.3 | 729.2 | 398.2 | 1133.4 | 1011.1 | 1081.7 | 717.5 | 1737.7 | 1343.1 | **35,118.7** |
| WIN | 1965 | 1174.7 | 1068.0 | 1349.6 | 1119.4 | 1268.5 | 1230.2 | 1165.0 | 913.5 | 596.0 | 718.7 | 469.3 | 486.3 | **25,218.0** |
| WIN | 1964 | 1087.9 | 1313.3 | 1255.3 | 768.8 | 493.6 | 664.5 | 728.9 | 1064.4 | 1002.2 | 1019.1 | 1147.0 | 1147.7 | **13,658.8** |
| DAY | 1963 | 23.0 | 16.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 4.0 | 0.0 | **2,730.0** |
| H2O | 1963 | 28.6 | 18.9 | 39.3 | 35.8 | 34.3 | 46.3 | 52.6 | 57.4 | 19.2 | 18.0 | 1.6 | 0.0 | **1,742.1** |
| OIL | 1963 | 39.7 | 28.4 | 56.0 | 53.9 | 51.3 | 44.5 | 51.0 | 50.2 | 50.7 | 58.5 | 7.3 | 0.0 | **7,427.0** |

# Manitoba Production
## 1950 To 1975

Licence ***990*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 176.8 | 1789.3 | **1,966.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,444.0** |
| H2O | 1962 | 25.1 | 23.1 | 27.0 | 28.9 | 27.5 | 34.3 | 37.7 | 33.4 | 37.0 | 39.0 | 32.3 | 38.8 | **1,390.1** |
| OIL | 1962 | 71.2 | 63.7 | 69.8 | 66.7 | 66.9 | 64.7 | 54.0 | 50.2 | 53.9 | 52.6 | 47.0 | 55.5 | **6,935.5** |
| DAY | 1961 | 28.0 | 25.0 | 24.0 | 19.0 | 19.0 | 23.0 | 25.0 | 25.0 | 30.0 | 28.0 | 29.0 | 31.0 | **2,080.0** |
| H2O | 1961 | 15.1 | 9.5 | 11.0 | 6.4 | 9.5 | 21.5 | 32.0 | 59.8 | 33.5 | 40.9 | 29.4 | 22.1 | **1,006.0** |
| OIL | 1961 | 16.0 | 14.8 | 23.4 | 24.3 | 14.9 | 30.5 | 103.5 | 94.7 | 81.8 | 63.4 | 66.9 | 74.5 | **6,219.3** |
| DAY | 1960 | 31.0 | 29.0 | 27.0 | 24.0 | 25.0 | 24.0 | 25.0 | 25.0 | 23.0 | 25.0 | 24.0 | 31.0 | **1,774.0** |
| H2O | 1960 | 4.9 | 4.6 | 5.9 | 12.2 | 17.3 | 20.3 | 24.6 | 13.2 | 11.3 | 10.3 | 11.8 | 15.6 | **715.3** |
| OIL | 1960 | 35.1 | 32.4 | 33.7 | 29.2 | 28.1 | 26.1 | 32.9 | 32.7 | 30.0 | 37.7 | 30.4 | 14.9 | **5,610.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 26.0 | 31.0 | 25.0 | 29.0 | 28.0 | 27.0 | **1,461.0** |
| H2O | 1959 | 14.9 | 13.4 | 14.9 | 14.5 | 14.3 | 14.1 | 13.5 | 15.4 | 12.1 | 18.4 | 13.0 | 6.0 | **563.3** |
| OIL | 1959 | 39.1 | 31.6 | 34.5 | 33.4 | 36.2 | 36.4 | 31.9 | 25.1 | 20.2 | 19.4 | 14.0 | 35.4 | **5,247.4** |
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **1,115.0** |
| H2O | 1958 | 4.8 | 4.5 | 4.9 | 4.8 | 4.9 | 9.5 | 10.8 | 14.3 | 14.6 | 15.7 | 13.4 | 14.9 | **398.8** |
| OIL | 1958 | 69.4 | 66.6 | 72.1 | 69.8 | 67.9 | 49.3 | 48.8 | 42.3 | 37.8 | 40.4 | 39.7 | 40.0 | **4,890.2** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | **755.0** |
| H2O | 1957 | 9.7 | 8.7 | 9.9 | 8.3 | 10.0 | 23.2 | 6.8 | 4.8 | 4.6 | 4.3 | 4.6 | 7.3 | **281.7** |
| OIL | 1957 | 141.4 | 117.8 | 131.6 | 105.2 | 112.5 | 89.0 | 107.7 | 109.8 | 105.0 | 89.8 | 94.4 | 80.2 | **4,246.1** |
| DAY | 1956 | 26.0 | 29.0 | 31.0 | 28.0 | 20.0 | 27.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **401.0** |
| H2O | 1956 | 13.7 | 14.6 | 8.4 | 5.6 | 6.5 | 15.3 | 19.6 | 26.5 | 11.4 | 14.5 | 15.9 | 6.0 | **179.5** |
| OIL | 1956 | 273.3 | 262.0 | 274.4 | 207.2 | 119.8 | 220.7 | 252.5 | 225.2 | 206.6 | 134.8 | 138.9 | 148.6 | **2,961.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 23.0 | 23.0 | **59.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.9 | 3.2 | 15.4 | **21.5** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 125.7 | 138.7 | 233.3 | **497.7** |

Licence ***991*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,276.0** |
| H2O | 1975 | 108.6 | 95.5 | 111.4 | 107.9 | 111.9 | 107.0 | 107.3 | 100.3 | 80.3 | 86.3 | 86.6 | 88.1 | **15,219.3** |
| OIL | 1975 | 382.2 | 324.7 | 373.0 | 353.9 | 360.4 | 350.4 | 360.6 | 343.1 | 263.3 | 272.4 | 263.3 | 267.6 | **64,404.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,913.0** |
| H2O | 1974 | 107.3 | 99.7 | 111.4 | 90.5 | 91.6 | 92.0 | 93.0 | 85.2 | 81.2 | 108.3 | 107.9 | 107.9 | **14,028.1** |
| OIL | 1974 | 317.2 | 276.7 | 316.4 | 251.4 | 322.0 | 311.6 | 321.8 | 320.5 | 297.3 | 390.9 | 373.1 | 384.9 | **60,489.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,554.0** |
| H2O | 1973 | 131.2 | 125.8 | 110.0 | 109.7 | 111.1 | 106.8 | 107.3 | 115.6 | 113.5 | 113.8 | 106.4 | 103.2 | **12,852.1** |
| OIL | 1973 | 391.4 | 345.2 | 354.8 | 346.6 | 361.7 | 350.7 | 363.6 | 388.9 | 369.9 | 375.7 | 355.8 | 360.9 | **56,605.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,189.0** |
| H2O | 1972 | 98.6 | 85.2 | 96.7 | 86.2 | 93.0 | 117.3 | 0.0 | 0.0 | 121.9 | 132.7 | 131.5 | 133.7 | **11,497.7** |
| OIL | 1972 | 393.0 | 311.8 | 350.6 | 347.9 | 359.1 | 334.7 | 101.2 | 89.8 | 380.6 | 400.8 | 380.7 | 397.1 | **52,240.6** |
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,827.0** |
| H2O | 1971 | 141.5 | 128.5 | 61.7 | 97.5 | 97.5 | 95.1 | 94.4 | 81.4 | 83.0 | 92.8 | 89.3 | 104.8 | **10,400.9** |
| OIL | 1971 | 498.7 | 441.1 | 417.9 | 410.0 | 419.4 | 398.2 | 408.7 | 358.3 | 403.5 | 418.7 | 390.9 | 400.1 | **48,393.3** |
| DAY | 1970 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,464.0** |
| H2O | 1970 | 135.3 | 59.0 | 57.7 | 98.1 | 101.0 | 101.9 | 89.2 | 103.3 | 99.4 | 103.2 | 86.5 | 126.5 | **9,233.4** |
| OIL | 1970 | 442.1 | 423.8 | 432.7 | 458.9 | 473.6 | 461.0 | 453.5 | 458.1 | 451.9 | 476.9 | 378.2 | 438.8 | **43,427.8** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,103.0** |
| H2O | 1969 | 88.7 | 80.6 | 72.5 | 77.1 | 81.7 | 81.2 | 87.9 | 88.6 | 126.7 | 143.1 | 128.0 | 139.4 | **8,072.3** |
| OIL | 1969 | 509.1 | 450.0 | 476.9 | 484.4 | 479.3 | 488.0 | 507.2 | 504.4 | 418.3 | 454.6 | 436.8 | 453.8 | **38,078.3** |
| DAY | 1968 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,741.0** |

# Manitoba Production
## 1950 To 1975

Licence ***991*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1968 | 58.7 | 53.7 | 59.3 | 83.5 | 87.6 | 80.0 | 88.7 | 80.4 | 81.4 | 82.7 | 79.5 | 84.6 | **6,876.8** |
| OIL | 1968 | 507.6 | 449.9 | 498.8 | 502.0 | 503.4 | 494.5 | 510.1 | 506.1 | 491.5 | 495.0 | 494.2 | 508.8 | **32,415.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **4,377.0** |
| H2O | 1967 | 108.1 | 89.3 | 107.5 | 100.2 | 100.3 | 94.3 | 47.4 | 66.8 | 60.7 | 54.7 | 40.1 | 60.9 | **5,956.7** |
| OIL | 1967 | 420.6 | 373.8 | 419.4 | 404.9 | 417.1 | 400.1 | 416.5 | 402.0 | 402.0 | 354.4 | 394.1 | 506.9 | **26,453.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 23.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,016.0** |
| H2O | 1966 | 79.5 | 65.3 | 83.1 | 85.4 | 96.2 | 29.9 | 34.5 | 36.6 | 41.3 | 42.4 | 103.0 | 113.8 | **5,026.4** |
| OIL | 1966 | 314.5 | 284.4 | 315.3 | 308.1 | 322.3 | 270.0 | 327.7 | 349.9 | 356.8 | 369.6 | 391.4 | 421.7 | **21,541.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,660.0** |
| H2O | 1965 | 94.4 | 104.0 | 118.8 | 55.3 | 64.7 | 98.4 | 93.2 | 83.1 | 121.1 | 78.5 | 85.2 | 85.5 | **4,215.4** |
| OIL | 1965 | 188.3 | 187.4 | 202.6 | 227.6 | 229.8 | 332.0 | 371.7 | 349.9 | 310.7 | 352.9 | 338.8 | 327.0 | **17,510.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,295.0** |
| H2O | 1964 | 30.7 | 27.5 | 30.7 | 40.7 | 56.1 | 41.5 | 49.8 | 50.6 | 43.6 | 43.6 | 55.0 | 94.0 | **3,133.2** |
| OIL | 1964 | 97.7 | 92.5 | 100.0 | 100.4 | 104.7 | 116.5 | 127.6 | 128.7 | 138.1 | 140.6 | 162.7 | 186.6 | **14,091.4** |
| DAY | 1963 | 26.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,929.0** |
| H2O | 1963 | 52.6 | 53.6 | 60.4 | 38.0 | 32.7 | 39.7 | 39.7 | 34.5 | 38.5 | 40.2 | 29.6 | 30.2 | **2,569.4** |
| OIL | 1963 | 98.2 | 108.2 | 121.1 | 83.3 | 85.5 | 79.6 | 89.0 | 89.5 | 85.2 | 92.0 | 91.7 | 93.8 | **12,595.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,570.0** |
| H2O | 1962 | 50.4 | 45.0 | 57.7 | 58.8 | 49.0 | 59.3 | 35.0 | 35.5 | 61.8 | 53.3 | 71.4 | 58.2 | **2,079.7** |
| OIL | 1962 | 112.5 | 94.4 | 91.4 | 75.2 | 74.2 | 57.5 | 57.8 | 103.8 | 123.5 | 136.2 | 122.4 | 123.2 | **11,478.2** |
| DAY | 1961 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,206.0** |
| H2O | 1961 | 146.9 | 129.9 | 88.7 | 62.6 | 63.3 | 57.7 | 51.2 | 61.7 | 54.8 | 65.3 | 50.2 | 50.6 | **1,444.3** |
| OIL | 1961 | 172.6 | 143.7 | 134.0 | 113.5 | 124.6 | 117.6 | 108.2 | 120.9 | 109.8 | 114.1 | 108.7 | 103.6 | **10,306.1** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,843.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 93.2 | 120.7 | 157.7 | 153.3 | **561.4** |
| OIL | 1960 | 70.6 | 70.9 | 73.6 | 69.0 | 62.5 | 62.3 | 69.3 | 63.2 | 111.6 | 182.7 | 171.0 | 199.4 | **8,834.8** |
| DAY | 1959 | 31.0 | 23.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,483.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.9 | 1.7 | **36.5** |
| OIL | 1959 | 65.8 | 48.3 | 52.6 | 73.6 | 77.1 | 78.3 | 76.1 | 93.1 | 95.7 | 76.3 | 79.0 | 81.2 | **7,628.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,124.0** |
| H2O | 1958 | 0.3 | 0.2 | 0.2 | 0.0 | 0.0 | 0.2 | 0.3 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | **26.9** |
| OIL | 1958 | 109.5 | 88.0 | 92.3 | 91.5 | 80.7 | 70.2 | 72.8 | 72.9 | 69.9 | 70.2 | 67.1 | 65.3 | **6,731.6** |
| DAY | 1957 | 30.0 | 26.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **760.0** |
| H2O | 1957 | 0.5 | 0.3 | 0.3 | 0.3 | 0.2 | 0.8 | 0.3 | 5.1 | 5.1 | 5.1 | 1.3 | 0.3 | **25.5** |
| OIL | 1957 | 199.6 | 153.7 | 189.1 | 190.7 | 176.5 | 183.7 | 185.3 | 147.5 | 137.9 | 139.2 | 121.6 | 115.8 | **5,781.2** |
| DAY | 1956 | 27.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **403.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.6 | 0.6 | 0.8 | 1.1 | 0.6 | 0.5 | 0.5 | 0.6 | 0.6 | **5.9** |
| OIL | 1956 | 317.5 | 310.5 | 301.6 | 313.2 | 299.5 | 292.9 | 311.9 | 289.1 | 256.3 | 249.2 | 198.0 | 216.9 | **3,840.6** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 27.0 | **44.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.9 | 226.9 | 252.2 | **484.0** |

Licence ***992*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-33-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,335.0** |
| H2O | 1975 | 382.0 | 326.9 | 367.7 | 352.5 | 354.7 | 344.5 | 400.2 | 396.3 | 408.4 | 412.4 | 371.5 | 375.8 | **36,595.5** |
| OIL | 1975 | 63.2 | 57.2 | 62.9 | 61.2 | 48.5 | 49.7 | 59.9 | 58.0 | 42.3 | 39.7 | 37.0 | 44.5 | **8,448.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,970.0** |
| H2O | 1974 | 179.2 | 148.3 | 165.0 | 154.7 | 140.9 | 129.3 | 309.2 | 281.7 | 363.3 | 396.8 | 389.0 | 381.4 | **32,102.6** |
| OIL | 1974 | 15.9 | 14.3 | 15.7 | 15.1 | 17.2 | 13.2 | 48.3 | 51.6 | 62.9 | 65.2 | 63.4 | 64.2 | **7,824.5** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,611.0** |

# Manitoba Production
## 1950 To 1975

Licence ***992*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-33-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 259.1 | 340.4 | 361.2 | 359.0 | 318.0 | 290.5 | 216.4 | 217.0 | **29,063.8** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 53.6 | 58.2 | 46.9 | 38.5 | 29.4 | 27.8 | 23.8 | 19.7 | **7,377.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 0.0 | 0.0 | **5,369.0** |
| H2O | 1972 | 170.7 | 158.0 | 91.3 | 82.5 | 85.5 | 80.8 | 77.3 | 70.1 | 65.7 | 60.1 | 0.0 | 0.0 | **26,702.2** |
| OIL | 1972 | 29.9 | 27.8 | 22.6 | 20.3 | 22.2 | 20.2 | 19.9 | 20.7 | 18.6 | 16.2 | 0.0 | 0.0 | **7,079.6** |
| DAY | 1971 | 31.0 | 5.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 22.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,066.0** |
| H2O | 1971 | 196.2 | 29.4 | 42.0 | 39.3 | 32.0 | 31.2 | 32.9 | 205.7 | 158.5 | 155.3 | 161.7 | 146.3 | **25,760.2** |
| OIL | 1971 | 26.1 | 4.0 | 13.3 | 13.0 | 13.0 | 12.7 | 13.0 | 35.4 | 68.3 | 35.6 | 33.4 | 30.2 | **6,861.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,733.0** |
| H2O | 1970 | 198.7 | 178.1 | 205.6 | 197.8 | 193.2 | 191.4 | 199.5 | 184.3 | 189.0 | 192.8 | 181.9 | 193.6 | **24,529.7** |
| OIL | 1970 | 34.8 | 29.2 | 30.4 | 28.3 | 28.1 | 26.2 | 27.2 | 24.9 | 24.9 | 25.3 | 22.4 | 27.8 | **6,563.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 13.0 | 31.0 | **4,369.0** |
| H2O | 1969 | 197.1 | 178.1 | 197.1 | 190.8 | 197.1 | 190.8 | 197.1 | 197.1 | 190.8 | 186.3 | 95.4 | 196.5 | **22,223.8** |
| OIL | 1969 | 48.8 | 42.6 | 42.1 | 38.9 | 36.2 | 34.0 | 29.2 | 29.2 | 25.3 | 29.7 | 14.3 | 31.5 | **6,233.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **4,021.0** |
| H2O | 1968 | 147.9 | 138.3 | 147.9 | 143.1 | 147.9 | 133.5 | 160.3 | 162.6 | 149.8 | 155.8 | 190.8 | 197.1 | **20,009.6** |
| OIL | 1968 | 36.1 | 33.5 | 30.0 | 28.4 | 29.1 | 25.7 | 25.7 | 25.4 | 29.4 | 32.4 | 54.5 | 50.5 | **5,831.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **3,660.0** |
| H2O | 1967 | 294.0 | 262.6 | 282.2 | 214.3 | 259.8 | 201.7 | 164.7 | 174.4 | 169.2 | 183.3 | 168.2 | 165.3 | **18,134.6** |
| OIL | 1967 | 52.4 | 49.6 | 53.2 | 35.6 | 39.7 | 42.3 | 66.3 | 62.8 | 55.8 | 52.1 | 41.2 | 35.6 | **5,431.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 25.0 | 28.0 | 29.0 | 31.0 | **3,305.0** |
| H2O | 1966 | 203.7 | 187.0 | 207.0 | 197.0 | 195.2 | 187.6 | 159.0 | 145.5 | 110.7 | 343.2 | 290.5 | 294.4 | **15,594.9** |
| OIL | 1966 | 39.3 | 35.6 | 39.4 | 37.5 | 36.5 | 33.1 | 30.5 | 27.7 | 14.9 | 69.1 | 60.1 | 57.8 | **4,844.6** |
| DAY | 1965 | 29.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,951.0** |
| H2O | 1965 | 216.2 | 170.1 | 172.5 | 163.1 | 172.5 | 166.9 | 166.9 | 160.3 | 200.3 | 207.0 | 198.6 | 205.2 | **13,074.1** |
| OIL | 1965 | 86.8 | 65.9 | 59.0 | 57.4 | 64.0 | 62.0 | 56.6 | 45.1 | 44.2 | 44.3 | 40.2 | 39.1 | **4,363.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 27.0 | 17.0 | 27.0 | 31.0 | 29.0 | 31.0 | **2,593.0** |
| H2O | 1964 | 197.1 | 184.4 | 197.1 | 190.8 | 190.8 | 187.6 | 111.3 | 102.9 | 312.7 | 324.3 | 271.9 | 244.8 | **10,874.5** |
| OIL | 1964 | 16.2 | 17.2 | 18.6 | 19.1 | 19.1 | 18.8 | 14.6 | 28.9 | 163.2 | 166.9 | 120.5 | 108.2 | **3,698.5** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 31.0 | 30.0 | 1.0 | 31.0 | 30.0 | 31.0 | **2,250.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 66.8 | 98.6 | 94.6 | 4.0 | 201.9 | 214.6 | 197.1 | **8,358.8** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.7 | 13.5 | 9.4 | 0.8 | 24.9 | 21.9 | 18.9 | **2,987.2** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 0.0 | **2,075.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 110.7 | 114.5 | 118.3 | 118.3 | 114.5 | 110.7 | 106.8 | 0.0 | **7,481.2** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 6.4 | 1.4 | 4.9 | 5.6 | 9.5 | 4.9 | 6.8 | 0.0 | **2,888.1** |
| DAY | 1961 | 26.0 | 26.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 0.0 | 0.0 | **1,865.0** |
| H2O | 1961 | 89.2 | 95.1 | 113.5 | 102.4 | 113.4 | 109.7 | 113.4 | 113.4 | 109.7 | 102.4 | 0.0 | 0.0 | **6,687.4** |
| OIL | 1961 | 11.8 | 12.4 | 13.3 | 11.8 | 11.4 | 14.1 | 14.6 | 16.5 | 19.1 | 14.6 | 0.0 | 0.0 | **2,848.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 21.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,573.0** |
| H2O | 1960 | 103.3 | 115.3 | 123.2 | 119.2 | 123.2 | 119.2 | 123.2 | 83.5 | 119.2 | 123.2 | 112.4 | 109.7 | **5,625.2** |
| OIL | 1960 | 29.9 | 35.3 | 35.0 | 33.4 | 34.5 | 33.1 | 31.6 | 20.2 | 29.6 | 33.7 | 29.6 | 19.4 | **2,709.0** |
| DAY | 1959 | 30.0 | 17.0 | 20.0 | 30.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 30.0 | 28.0 | 27.0 | **1,218.0** |
| H2O | 1959 | 98.7 | 55.6 | 82.5 | 119.2 | 118.0 | 106.2 | 90.6 | 92.2 | 95.4 | 95.4 | 85.8 | 85.8 | **4,250.6** |
| OIL | 1959 | 50.5 | 25.4 | 30.7 | 35.1 | 34.3 | 34.0 | 26.7 | 29.7 | 39.9 | 35.4 | 22.4 | 24.8 | **2,343.7** |
| DAY | 1958 | 31.0 | 23.0 | 31.0 | 14.0 | 23.0 | 30.0 | 31.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | **888.0** |
| H2O | 1958 | 154.1 | 112.1 | 159.0 | 66.0 | 123.7 | 160.9 | 141.5 | 133.5 | 126.2 | 125.4 | 108.9 | 113.0 | **3,125.2** |
| OIL | 1958 | 103.6 | 73.6 | 95.8 | 34.3 | 54.5 | 71.7 | 66.4 | 61.5 | 43.7 | 56.7 | 48.0 | 54.5 | **1,954.8** |
| DAY | 1957 | 11.0 | 23.0 | 0.0 | 19.0 | 29.0 | 30.0 | 31.0 | 31.0 | 27.0 | 25.0 | 30.0 | 31.0 | **556.0** |
| H2O | 1957 | 28.0 | 43.9 | 0.0 | 57.2 | 47.7 | 36.6 | 55.6 | 50.9 | 22.3 | 111.3 | 161.4 | 158.5 | **1,600.9** |
| OIL | 1957 | 17.5 | 29.6 | 0.0 | 29.1 | 25.6 | 25.7 | 39.9 | 25.7 | 16.2 | 106.6 | 115.7 | 110.3 | **1,190.5** |
| DAY | 1956 | 9.0 | 6.0 | 13.0 | 6.0 | 31.0 | 30.0 | 22.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **269.0** |
| H2O | 1956 | 10.5 | 7.9 | 24.3 | 9.5 | 120.0 | 108.4 | 93.2 | 126.9 | 102.1 | 71.2 | 74.6 | 78.9 | **827.5** |

# Manitoba Production
## 1950 To 1975

Licence ***992*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-33-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1956 | 34.6 | 18.3 | 36.9 | 20.5 | 83.4 | 63.1 | 68.6 | 101.9 | 72.8 | 48.0 | 51.6 | 48.9 | **648.6** |

Licence ***993*** Well Name ***Mineraloid Routledge SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-33-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 7055.8 | 5770.5 | 6158.1 | 5742.2 | 5991.0 | 6272.7 | 6380.5 | 5498.6 | 5541.4 | 6099.3 | 5561.4 | 5668.2 | **615,701.5** |
| WIN | 1974 | 7719.6 | 6858.3 | 7035.8 | 7203.2 | 7195.7 | 7159.5 | 7651.4 | 7185.2 | 7523.4 | 7865.2 | 8181.6 | 9077.4 | **543,961.8** |
| WIN | 1973 | 6853.7 | 6163.8 | 6430.7 | 5631.8 | 6537.4 | 6687.0 | 7847.9 | 7252.1 | 8340.3 | 8647.3 | 7232.3 | 7808.9 | **453,305.5** |
| WIN | 1972 | 5551.2 | 6100.5 | 7073.6 | 6895.0 | 7265.3 | 6833.3 | 6708.8 | 6701.2 | 6806.3 | 7463.4 | 6758.6 | 6602.6 | **367,872.3** |
| WIN | 1971 | 6899.9 | 5612.6 | 6098.9 | 5822.0 | 5943.6 | 5723.7 | 6098.0 | 6333.3 | 5897.8 | 5878.7 | 5630.5 | 5909.3 | **287,112.5** |
| WIN | 1970 | 2185.7 | 1940.7 | 1956.9 | 1586.9 | 1749.6 | 1965.3 | 2083.0 | 824.0 | 5124.5 | 5784.0 | 5896.1 | 5779.2 | **215,264.2** |
| WIN | 1969 | 3789.8 | 3428.6 | 3728.0 | 3648.6 | 3192.0 | 3410.1 | 3303.0 | 3094.4 | 3549.6 | 2559.6 | 2065.7 | 2220.5 | **178,388.3** |
| WIN | 1968 | 3611.4 | 3301.5 | 3371.8 | 3251.3 | 3273.4 | 3540.8 | 4087.4 | 4315.4 | 4267.3 | 3955.6 | 3697.1 | 3817.9 | **140,398.4** |
| WIN | 1967 | 3138.1 | 2800.0 | 2911.0 | 2459.2 | 2798.6 | 3924.6 | 4145.1 | 4087.8 | 3516.7 | 3556.1 | 3333.8 | 3652.6 | **95,907.5** |
| WIN | 1966 | 3816.2 | 3419.2 | 3778.2 | 3254.6 | 2763.1 | 3104.6 | 3374.0 | 3430.6 | 3580.4 | 4637.5 | 3591.1 | 3206.9 | **55,583.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 20.0 | 13.0 | 9.0 | 0.0 | 5.0 | 0.0 | 0.0 | 0.0 | **3,331.0** |
| H2O | 1965 | 337.2 | 276.0 | 541.5 | 739.5 | 492.8 | 320.3 | 221.8 | 0.0 | 286.2 | 0.0 | 0.0 | 0.0 | **25,386.7** |
| OIL | 1965 | 24.5 | 20.2 | 19.7 | 19.1 | 12.7 | 7.9 | 4.3 | 0.0 | 9.9 | 0.0 | 0.0 | 0.0 | **5,819.8** |
| WIN | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1795.2 | 3774.4 | 4352.8 | 3705.1 | **13,627.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 28.0 | 30.0 | 30.0 | 26.0 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | **3,164.0** |
| H2O | 1964 | 320.3 | 299.7 | 320.3 | 289.3 | 309.2 | 304.4 | 354.5 | 510.3 | 355.3 | 343.7 | 289.3 | 341.8 | **22,171.4** |
| OIL | 1964 | 16.2 | 17.2 | 18.6 | 17.8 | 19.1 | 19.1 | 21.5 | 24.6 | 20.3 | 23.4 | 20.7 | 24.2 | **5,701.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 22.0 | 30.0 | 31.0 | **2,812.0** |
| H2O | 1963 | 443.6 | 400.6 | 443.6 | 429.2 | 443.6 | 229.7 | 194.0 | 195.5 | 190.8 | 139.9 | 634.3 | 320.3 | **18,133.3** |
| OIL | 1963 | 43.7 | 24.5 | 27.8 | 23.8 | 24.9 | 35.6 | 38.8 | 39.1 | 34.3 | 20.3 | 28.0 | 14.8 | **5,458.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,458.0** |
| H2O | 1962 | 162.6 | 146.9 | 162.6 | 120.7 | 443.6 | 429.2 | 443.6 | 443.6 | 429.2 | 405.4 | 429.2 | 443.6 | **14,068.2** |
| OIL | 1962 | 29.6 | 26.7 | 29.6 | 21.9 | 0.0 | 0.0 | 26.9 | 44.3 | 48.0 | 45.0 | 47.7 | 49.3 | **5,103.2** |
| DAY | 1961 | 26.0 | 26.0 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,100.0** |
| H2O | 1961 | 129.6 | 136.4 | 162.6 | 146.9 | 162.6 | 148.5 | 162.6 | 162.6 | 157.4 | 146.9 | 157.4 | 162.6 | **10,008.0** |
| OIL | 1961 | 19.7 | 20.7 | 22.6 | 17.8 | 19.9 | 17.2 | 25.1 | 31.1 | 28.3 | 27.0 | 28.6 | 31.1 | **4,734.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 21.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,748.0** |
| H2O | 1960 | 162.6 | 152.1 | 162.6 | 157.4 | 162.6 | 157.4 | 162.6 | 110.2 | 157.4 | 162.6 | 152.1 | 162.6 | **8,171.9** |
| OIL | 1960 | 25.7 | 26.2 | 20.8 | 14.5 | 14.8 | 15.3 | 16.4 | 18.0 | 26.2 | 21.0 | 11.9 | 24.6 | **4,445.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 27.0 | **1,393.0** |
| H2O | 1959 | 107.0 | 100.6 | 127.7 | 110.7 | 118.0 | 105.7 | 99.0 | 98.6 | 95.4 | 95.4 | 130.4 | 141.7 | **6,309.7** |
| OIL | 1959 | 63.9 | 55.8 | 52.0 | 42.4 | 42.3 | 42.4 | 44.7 | 28.4 | 22.9 | 19.5 | 30.2 | 27.3 | **4,209.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | **1,037.0** |
| H2O | 1958 | 144.0 | 124.0 | 160.4 | 166.6 | 161.4 | 157.1 | 138.5 | 148.3 | 138.3 | 132.4 | 107.3 | 112.9 | **4,979.5** |
| OIL | 1958 | 94.9 | 77.2 | 82.2 | 75.0 | 72.5 | 69.6 | 88.0 | 98.5 | 79.5 | 83.0 | 69.1 | 69.1 | **3,737.9** |
| DAY | 1957 | 30.0 | 28.0 | 31.0 | 27.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | **677.0** |
| H2O | 1957 | 160.9 | 139.9 | 170.9 | 140.7 | 157.4 | 150.2 | 157.2 | 153.4 | 127.5 | 186.8 | 159.5 | 147.7 | **3,288.3** |
| OIL | 1957 | 113.6 | 98.5 | 119.2 | 98.8 | 109.6 | 100.1 | 96.9 | 100.4 | 79.3 | 79.1 | 105.5 | 99.5 | **2,779.3** |
| DAY | 1956 | 25.0 | 27.0 | 31.0 | 9.0 | 26.0 | 30.0 | 22.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **322.0** |
| H2O | 1956 | 56.6 | 68.0 | 87.9 | 24.5 | 106.7 | 128.6 | 104.4 | 158.3 | 180.4 | 185.8 | 160.4 | 174.6 | **1,436.2** |
| OIL | 1956 | 183.5 | 162.2 | 165.4 | 55.3 | 117.3 | 131.6 | 103.1 | 131.9 | 149.4 | 141.7 | 112.3 | 125.1 | **1,578.8** |

Licence ***994*** Well Name ***CEGO Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 31.0 | 28.0 | 29.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **467.0** |

# Manitoba Production
## 1950 To 1975

Licence ***994*** Well Name ***CEGO Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 305.2 | 311.6 | 322.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,663.4** |
| OIL | 1958 | 9.1 | 13.3 | 13.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **295.1** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 31.0 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | **379.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 181.2 | 301.6 | 298.9 | 237.8 | 300.5 | 333.9 | 295.7 | **3,723.9** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.4 | 4.9 | 4.6 | 3.7 | 5.7 | 15.6 | 13.3 | **258.9** |
| DAY | 1956 | 19.0 | 2.0 | 0.0 | 0.0 | 15.0 | 7.0 | 0.0 | 31.0 | 30.0 | 31.0 | 20.0 | 9.0 | **183.0** |
| H2O | 1956 | 120.7 | 36.9 | 0.0 | 0.0 | 77.6 | 30.8 | 0.0 | 254.2 | 326.9 | 475.4 | 271.1 | 152.9 | **1,774.3** |
| OIL | 1956 | 61.0 | 9.2 | 0.0 | 0.0 | 7.8 | 0.0 | 0.0 | 6.4 | 6.8 | 9.4 | 6.2 | 3.3 | **204.7** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 3.0 | **19.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 26.7 | **27.8** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 76.8 | 17.8 | **94.6** |

Licence ***995*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 15.0 | 0.0 | **4,651.0** |
| H2O | 1968 | 9.3 | 8.3 | 8.7 | 9.1 | 9.2 | 8.6 | 9.7 | 9.2 | 3.8 | 4.6 | 40.2 | 0.0 | **3,857.3** |
| OIL | 1968 | 16.0 | 14.8 | 14.8 | 14.6 | 14.5 | 14.5 | 14.3 | 8.7 | 3.8 | 4.4 | 1.9 | 0.0 | **2,948.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,336.0** |
| H2O | 1967 | 8.4 | 8.4 | 9.9 | 9.9 | 9.5 | 9.1 | 8.4 | 8.4 | 8.9 | 9.1 | 8.9 | 9.4 | **3,736.6** |
| OIL | 1967 | 12.7 | 11.4 | 12.9 | 11.9 | 12.4 | 12.9 | 12.7 | 14.1 | 14.3 | 14.8 | 15.3 | 15.9 | **2,826.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,972.0** |
| H2O | 1966 | 14.3 | 13.0 | 14.8 | 14.3 | 14.8 | 14.3 | 20.0 | 11.4 | 14.3 | 14.8 | 17.2 | 7.6 | **3,628.3** |
| OIL | 1966 | 14.5 | 12.2 | 14.8 | 14.3 | 14.8 | 13.8 | 12.9 | 14.5 | 13.8 | 12.9 | 14.3 | 11.8 | **2,664.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,607.0** |
| H2O | 1965 | 19.4 | 17.8 | 19.2 | 19.1 | 19.2 | 18.3 | 17.3 | 18.1 | 14.3 | 14.8 | 14.3 | 14.8 | **3,457.5** |
| OIL | 1965 | 14.5 | 13.3 | 14.8 | 14.3 | 14.1 | 13.5 | 12.7 | 14.6 | 14.3 | 14.8 | 14.3 | 13.8 | **2,500.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,242.0** |
| H2O | 1964 | 19.7 | 18.4 | 18.8 | 18.8 | 19.4 | 19.1 | 19.7 | 19.7 | 19.1 | 19.7 | 19.1 | 19.7 | **3,250.9** |
| OIL | 1964 | 24.8 | 23.0 | 19.9 | 17.8 | 14.5 | 14.1 | 14.6 | 14.6 | 14.3 | 14.8 | 14.1 | 14.8 | **2,331.2** |
| DAY | 1963 | 29.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,876.0** |
| H2O | 1963 | 18.1 | 16.5 | 19.7 | 19.1 | 19.7 | 18.8 | 19.7 | 19.7 | 19.1 | 19.4 | 19.1 | 19.7 | **3,019.7** |
| OIL | 1963 | 24.9 | 20.8 | 24.6 | 23.8 | 24.3 | 23.4 | 24.5 | 24.5 | 23.8 | 24.2 | 24.0 | 24.9 | **2,129.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,515.0** |
| H2O | 1962 | 9.9 | 8.7 | 9.9 | 9.5 | 13.8 | 33.4 | 33.1 | 24.3 | 19.1 | 17.0 | 15.7 | 12.9 | **2,791.1** |
| OIL | 1962 | 10.0 | 8.9 | 10.0 | 9.5 | 14.6 | 32.6 | 23.2 | 19.2 | 28.6 | 24.6 | 22.6 | 17.8 | **1,842.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,157.0** |
| H2O | 1961 | 9.7 | 8.9 | 9.9 | 9.5 | 9.9 | 9.5 | 9.9 | 9.9 | 9.5 | 9.7 | 9.5 | 9.9 | **2,583.8** |
| OIL | 1961 | 9.9 | 8.9 | 9.9 | 9.4 | 9.7 | 9.5 | 9.7 | 9.7 | 9.5 | 9.7 | 9.5 | 9.7 | **1,620.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,792.0** |
| H2O | 1960 | 9.9 | 9.1 | 9.9 | 9.5 | 9.9 | 9.5 | 9.9 | 9.7 | 9.5 | 9.5 | 8.4 | 13.2 | **2,468.0** |
| OIL | 1960 | 9.9 | 8.9 | 9.9 | 9.7 | 9.9 | 9.5 | 9.7 | 9.4 | 9.9 | 9.4 | 8.7 | 13.8 | **1,505.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,426.0** |
| H2O | 1959 | 4.9 | 4.5 | 7.6 | 9.5 | 10.2 | 9.5 | 9.9 | 9.9 | 9.4 | 9.5 | 9.5 | 9.9 | **2,350.0** |
| OIL | 1959 | 4.8 | 4.4 | 5.1 | 4.8 | 7.5 | 9.4 | 12.2 | 15.3 | 12.2 | 6.0 | 8.4 | 9.9 | **1,386.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 13.0 | 31.0 | 30.0 | 30.0 | **1,062.0** |
| H2O | 1958 | 10.7 | 4.5 | 4.9 | 4.6 | 4.9 | 4.8 | 4.9 | 4.6 | 2.1 | 4.9 | 4.8 | 4.8 | **2,245.7** |
| OIL | 1958 | 18.1 | 13.3 | 14.9 | 13.8 | 14.8 | 12.1 | 4.9 | 3.7 | 1.7 | 4.8 | 4.8 | 5.2 | **1,286.8** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **717.0** |
| H2O | 1957 | 20.0 | 14.8 | 14.9 | 14.3 | 6.5 | 4.8 | 14.3 | 14.1 | 14.3 | 14.8 | 12.2 | 14.8 | **2,185.2** |
| OIL | 1957 | 5.2 | 4.9 | 4.9 | 4.8 | 4.9 | 12.7 | 19.7 | 30.7 | 31.3 | 34.5 | 33.1 | 38.5 | **1,174.7** |

# Manitoba Production
## 1950 To 1975

Licence ***995*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 30.0 | 28.0 | 30.0 | 30.0 | 30.0 | 20.0 | 27.0 | 29.0 | 30.0 | 31.0 | 30.0 | 27.0 | **357.0** |
| H2O | 1956 | 251.2 | 376.1 | 380.3 | 319.9 | 244.7 | 97.0 | 59.1 | 55.8 | 53.7 | 54.2 | 36.1 | 17.0 | **2,025.4** |
| OIL | 1956 | 181.5 | 93.8 | 102.2 | 115.7 | 85.3 | 68.2 | 57.4 | 43.1 | 42.4 | 28.1 | 25.4 | 12.7 | **949.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 9.0 | **15.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 35.8 | 44.5 | **80.3** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 40.5 | 53.2 | **93.7** |

Licence ***996*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **7,160.0** |
| H2O | 1975 | 44.8 | 41.2 | 46.1 | 44.7 | 46.3 | 44.2 | 43.4 | 38.0 | 37.4 | 40.2 | 38.8 | 41.2 | **3,651.2** |
| OIL | 1975 | 91.7 | 81.4 | 89.5 | 84.9 | 86.4 | 84.1 | 84.9 | 70.1 | 68.0 | 70.2 | 65.5 | 69.1 | **11,433.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,796.0** |
| H2O | 1974 | 44.5 | 41.2 | 46.1 | 44.8 | 46.4 | 46.6 | 47.2 | 43.2 | 42.6 | 44.8 | 44.7 | 44.7 | **3,144.9** |
| OIL | 1974 | 94.4 | 82.2 | 94.2 | 89.5 | 93.3 | 90.3 | 93.1 | 92.8 | 89.1 | 93.9 | 89.5 | 92.3 | **10,487.5** |
| DAY | 1973 | 31.0 | 25.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,431.0** |
| H2O | 1973 | 9.9 | 8.1 | 93.6 | 85.5 | 86.6 | 86.2 | 86.5 | 49.0 | 49.1 | 49.4 | 45.9 | 44.7 | **2,608.1** |
| OIL | 1973 | 52.8 | 41.2 | 141.6 | 128.9 | 134.8 | 134.8 | 139.8 | 96.9 | 94.2 | 96.1 | 90.6 | 91.8 | **9,392.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,071.0** |
| H2O | 1972 | 4.1 | 4.0 | 4.5 | 4.0 | 4.3 | 4.3 | 4.8 | 4.5 | 4.5 | 4.9 | 9.9 | 10.0 | **1,913.6** |
| OIL | 1972 | 43.4 | 40.5 | 44.2 | 42.1 | 44.5 | 42.9 | 44.2 | 45.1 | 42.4 | 45.4 | 51.3 | 53.4 | **8,149.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,705.0** |
| H2O | 1971 | 4.0 | 3.5 | 4.1 | 4.1 | 4.1 | 4.1 | 3.8 | 3.8 | 3.5 | 4.0 | 3.8 | 4.5 | **1,849.8** |
| OIL | 1971 | 48.3 | 42.1 | 47.4 | 45.0 | 45.9 | 44.7 | 44.2 | 44.7 | 44.2 | 45.8 | 43.2 | 44.2 | **7,610.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,341.0** |
| H2O | 1970 | 4.1 | 4.0 | 4.3 | 4.0 | 4.0 | 4.0 | 3.2 | 4.3 | 4.0 | 4.3 | 3.8 | 4.3 | **1,802.5** |
| OIL | 1970 | 45.9 | 40.8 | 46.1 | 44.3 | 44.5 | 44.2 | 39.1 | 45.9 | 43.7 | 46.2 | 44.2 | 46.4 | **7,070.3** |
| DAY | 1969 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,982.0** |
| H2O | 1969 | 19.1 | 17.2 | 15.1 | 16.5 | 18.1 | 17.3 | 18.9 | 18.9 | 17.8 | 4.6 | 4.1 | 4.5 | **1,754.2** |
| OIL | 1969 | 48.0 | 42.4 | 43.7 | 45.6 | 46.7 | 45.9 | 47.7 | 47.5 | 46.2 | 48.3 | 46.2 | 48.5 | **6,539.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,619.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 15.6 | 19.1 | 17.3 | 17.3 | 18.6 | 17.0 | 18.3 | **1,582.1** |
| OIL | 1968 | 45.0 | 41.3 | 44.0 | 44.0 | 58.3 | 57.5 | 48.0 | 47.8 | 46.2 | 48.5 | 46.6 | 48.1 | **5,982.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 26.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,253.0** |
| H2O | 1967 | 59.8 | 49.4 | 59.6 | 51.7 | 55.5 | 43.7 | 38.5 | 54.8 | 48.2 | 3.3 | 3.2 | 0.0 | **1,441.9** |
| OIL | 1967 | 40.8 | 36.4 | 40.7 | 36.7 | 40.5 | 32.6 | 37.7 | 40.0 | 38.6 | 45.4 | 44.3 | 45.0 | **5,407.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | **3,896.0** |
| H2O | 1966 | 52.9 | 42.4 | 53.9 | 54.5 | 61.7 | 54.8 | 47.2 | 53.4 | 51.8 | 59.1 | 58.7 | 59.5 | **974.2** |
| OIL | 1966 | 40.2 | 35.4 | 39.3 | 37.8 | 39.7 | 38.6 | 34.8 | 39.6 | 34.6 | 39.9 | 39.3 | 38.8 | **4,928.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **3,539.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 53.6 | 53.1 | 54.5 | 50.1 | **324.3** |
| OIL | 1965 | 61.2 | 55.6 | 60.2 | 58.0 | 58.6 | 58.6 | 59.8 | 60.5 | 40.2 | 41.6 | 39.6 | 36.7 | **4,470.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,177.0** |
| OIL | 1964 | 28.8 | 27.2 | 29.2 | 28.1 | 29.1 | 56.1 | 57.7 | 58.5 | 56.7 | 57.5 | 56.6 | 60.5 | **3,839.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,811.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 2.1 | 0.0 | 0.0 | **113.0** |
| OIL | 1963 | 3.0 | 2.9 | 3.3 | 3.3 | 3.3 | 17.0 | 17.5 | 17.0 | 34.2 | 32.3 | 27.0 | 27.5 | **3,293.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,447.0** |
| OIL | 1962 | 16.7 | 15.6 | 17.0 | 4.4 | 4.3 | 3.2 | 3.2 | 3.2 | 3.0 | 3.0 | 2.9 | 3.0 | **3,105.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 14.0 | 18.0 | 31.0 | 16.0 | 31.0 | 30.0 | 31.0 | **2,083.0** |

# Manitoba Production
## 1950 To 1975

Licence ***996*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1961 | 21.3 | 18.0 | 12.2 | 12.2 | 12.9 | 5.6 | 7.3 | 12.4 | 6.0 | 12.6 | 17.6 | 17.2 | **3,025.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,761.0** |
| OIL | 1960 | 24.8 | 22.2 | 24.5 | 23.8 | 24.3 | 23.7 | 20.3 | 20.3 | 19.1 | 19.5 | 19.5 | 19.7 | **2,870.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 19.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,395.0** |
| OIL | 1959 | 15.7 | 14.3 | 16.0 | 0.8 | 1.1 | 1.1 | 1.1 | 23.4 | 22.9 | 22.4 | 21.1 | 22.9 | **2,608.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,042.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.0 | **108.8** |
| OIL | 1958 | 28.9 | 25.6 | 23.7 | 23.7 | 24.8 | 38.8 | 40.5 | 40.8 | 36.1 | 37.5 | 41.0 | 41.8 | **2,446.1** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **678.0** |
| H2O | 1957 | 4.8 | 0.2 | 0.3 | 6.5 | 4.6 | 7.9 | 0.5 | 0.3 | 0.3 | 0.3 | 0.2 | 6.0 | **108.5** |
| OIL | 1957 | 62.3 | 48.0 | 53.6 | 57.5 | 45.1 | 55.3 | 57.8 | 58.5 | 57.0 | 39.4 | 38.6 | 44.8 | **2,042.9** |
| DAY | 1956 | 0.0 | 19.0 | 30.0 | 30.0 | 29.0 | 29.0 | 31.0 | 28.0 | 30.0 | 30.0 | 27.0 | 31.0 | **314.0** |
| H2O | 1956 | 0.0 | 26.1 | 2.9 | 4.8 | 3.7 | 3.8 | 0.2 | 14.5 | 8.4 | 1.7 | 5.7 | 4.8 | **76.6** |
| OIL | 1956 | 0.0 | 145.7 | 345.3 | 302.7 | 86.8 | 88.0 | 103.0 | 73.4 | 77.5 | 72.1 | 68.2 | 62.3 | **1,425.0** |

Licence ***998*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,251.0** |
| H2O | 1975 | 74.6 | 68.5 | 76.3 | 74.1 | 76.8 | 70.3 | 73.6 | 72.5 | 71.4 | 76.6 | 76.8 | 78.4 | **6,874.5** |
| OIL | 1975 | 568.7 | 505.3 | 554.9 | 526.6 | 536.3 | 499.0 | 536.3 | 539.0 | 522.8 | 540.8 | 523.0 | 531.4 | **69,282.2** |
| DAY | 1974 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,886.0** |
| H2O | 1974 | 49.0 | 40.7 | 50.9 | 49.4 | 66.0 | 66.3 | 64.4 | 61.4 | 60.6 | 61.8 | 63.6 | 74.1 | **5,984.6** |
| OIL | 1974 | 420.2 | 327.0 | 419.0 | 398.9 | 503.1 | 486.7 | 482.6 | 500.6 | 480.7 | 491.2 | 482.9 | 572.7 | **62,898.1** |
| DAY | 1973 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,525.0** |
| H2O | 1973 | 63.4 | 63.0 | 67.4 | 67.4 | 68.2 | 65.7 | 49.1 | 0.0 | 0.0 | 54.7 | 50.7 | 47.9 | **5,276.4** |
| OIL | 1973 | 463.7 | 422.5 | 465.6 | 454.8 | 474.8 | 460.2 | 395.8 | 432.4 | 419.2 | 427.9 | 403.2 | 397.9 | **57,332.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,162.0** |
| H2O | 1972 | 46.9 | 45.9 | 50.6 | 49.0 | 54.1 | 53.7 | 59.6 | 56.6 | 56.4 | 61.4 | 60.9 | 62.0 | **4,678.9** |
| OIL | 1972 | 523.9 | 491.2 | 534.9 | 460.5 | 485.9 | 468.6 | 482.8 | 493.7 | 469.9 | 495.0 | 470.1 | 490.4 | **52,114.5** |
| DAY | 1971 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **5,796.0** |
| H2O | 1971 | 46.9 | 41.8 | 50.6 | 50.7 | 66.9 | 65.8 | 67.1 | 64.7 | 58.0 | 56.6 | 62.3 | 50.2 | **4,021.8** |
| OIL | 1971 | 561.6 | 489.1 | 568.3 | 539.5 | 523.9 | 503.9 | 530.9 | 521.1 | 513.9 | 465.3 | 503.3 | 536.3 | **46,247.6** |
| DAY | 1970 | 31.0 | 28.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 30.0 | **5,436.0** |
| H2O | 1970 | 35.6 | 33.5 | 32.6 | 31.2 | 33.4 | 47.1 | 43.6 | 49.1 | 44.7 | 48.3 | 45.0 | 50.4 | **3,340.2** |
| OIL | 1970 | 512.8 | 466.1 | 471.8 | 473.7 | 506.4 | 436.8 | 453.7 | 446.1 | 416.2 | 519.2 | 510.1 | 538.9 | **39,990.5** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 25.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,078.0** |
| H2O | 1969 | 47.1 | 42.8 | 38.5 | 39.7 | 34.5 | 40.4 | 46.6 | 37.0 | 33.1 | 36.9 | 33.9 | 37.0 | **2,845.7** |
| OIL | 1969 | 537.8 | 475.3 | 503.7 | 495.2 | 400.9 | 483.2 | 532.7 | 523.6 | 485.3 | 519.6 | 510.9 | 535.2 | **34,238.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,722.0** |
| H2O | 1968 | 36.6 | 34.8 | 36.9 | 45.5 | 46.9 | 42.8 | 47.1 | 42.9 | 43.2 | 45.8 | 42.3 | 45.0 | **2,378.2** |
| OIL | 1968 | 342.6 | 314.5 | 335.8 | 482.9 | 476.4 | 465.0 | 490.7 | 490.2 | 517.7 | 544.7 | 521.9 | 537.3 | **28,235.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,356.0** |
| H2O | 1967 | 13.0 | 10.7 | 12.9 | 12.1 | 11.9 | 11.3 | 8.9 | 11.9 | 10.5 | 39.6 | 34.8 | 38.0 | **1,868.4** |
| OIL | 1967 | 321.3 | 285.6 | 319.1 | 309.4 | 318.8 | 305.6 | 317.2 | 314.3 | 302.9 | 345.5 | 336.9 | 342.3 | **22,715.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,991.0** |
| H2O | 1966 | 7.0 | 5.6 | 7.2 | 24.5 | 22.9 | 20.3 | 17.3 | 19.6 | 21.3 | 12.7 | 12.7 | 13.5 | **1,652.8** |
| OIL | 1966 | 340.5 | 299.7 | 332.0 | 326.6 | 339.6 | 326.2 | 293.5 | 329.6 | 325.9 | 313.5 | 307.5 | 322.3 | **18,896.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,630.0** |
| H2O | 1965 | 24.0 | 21.3 | 24.3 | 21.3 | 21.6 | 64.1 | 62.2 | 64.7 | 65.2 | 64.9 | 63.8 | 7.2 | **1,468.2** |
| OIL | 1965 | 171.1 | 156.0 | 168.8 | 162.6 | 164.2 | 298.0 | 299.5 | 307.6 | 291.3 | 303.0 | 276.2 | 344.4 | **15,039.8** |

# Manitoba Production
## 1950 To 1975

Licence ***998*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,267.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.7 | 22.3 | 22.1 | 21.8 | 21.8 | 22.1 | 23.8 | **963.6** |
| OIL | 1964 | 56.7 | 54.5 | 57.5 | 56.3 | 54.5 | 156.7 | 162.4 | 159.4 | 158.4 | 161.6 | 155.6 | 169.7 | **12,097.1** |
| DAY | 1963 | 23.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,902.0** |
| OIL | 1963 | 38.8 | 43.4 | 61.3 | 56.9 | 60.2 | 56.7 | 67.4 | 59.3 | 57.2 | 57.5 | 53.1 | 55.0 | **10,693.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | **2,550.0** |
| H2O | 1962 | 12.1 | 10.8 | 12.1 | 11.8 | 7.9 | 18.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **807.0** |
| OIL | 1962 | 82.3 | 72.6 | 81.2 | 73.9 | 71.7 | 62.8 | 59.1 | 58.0 | 54.0 | 52.9 | 50.1 | 52.3 | **10,027.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,189.0** |
| H2O | 1961 | 11.6 | 12.1 | 12.2 | 13.5 | 17.2 | 16.9 | 17.3 | 15.9 | 14.5 | 14.9 | 13.5 | 12.6 | **734.0** |
| OIL | 1961 | 89.3 | 85.2 | 91.2 | 68.6 | 89.9 | 89.9 | 91.2 | 83.9 | 77.4 | 83.3 | 81.2 | 83.9 | **9,256.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,824.0** |
| H2O | 1960 | 13.5 | 11.9 | 13.7 | 13.5 | 9.7 | 10.7 | 16.7 | 16.2 | 15.9 | 10.8 | 13.5 | 15.1 | **561.8** |
| OIL | 1960 | 98.2 | 92.6 | 88.2 | 88.0 | 89.5 | 85.3 | 87.2 | 90.1 | 87.4 | 89.0 | 86.4 | 88.7 | **8,241.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,459.0** |
| H2O | 1959 | 20.3 | 18.0 | 19.2 | 15.9 | 12.6 | 16.9 | 14.6 | 12.1 | 10.3 | 12.9 | 16.5 | 14.6 | **400.6** |
| OIL | 1959 | 168.4 | 170.2 | 182.4 | 180.4 | 120.6 | 106.2 | 100.6 | 98.2 | 87.9 | 101.1 | 99.8 | 107.1 | **7,170.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 3.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,098.0** |
| H2O | 1958 | 7.5 | 4.6 | 5.2 | 1.0 | 0.0 | 0.2 | 39.6 | 38.0 | 36.7 | 33.2 | 23.7 | 21.0 | **216.7** |
| OIL | 1958 | 54.5 | 43.2 | 47.7 | 55.6 | 55.5 | 45.6 | 241.2 | 244.1 | 221.4 | 220.2 | 202.0 | 189.9 | **5,647.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **763.0** |
| H2O | 1957 | 0.3 | 0.5 | 0.5 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.0 | 0.2 | 0.2 | **6.0** |
| OIL | 1957 | 117.1 | 158.9 | 148.1 | 96.5 | 97.1 | 87.7 | 80.6 | 61.8 | 51.6 | 48.6 | 55.6 | 64.0 | **4,026.7** |
| DAY | 1956 | 27.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **403.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.5 | 0.3 | 0.5 | 0.0 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | **3.0** |
| OIL | 1956 | 330.2 | 288.3 | 359.8 | 205.5 | 189.9 | 168.9 | 195.5 | 161.9 | 138.7 | 131.6 | 121.4 | 110.4 | **2,959.1** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 14.0 | 30.0 | **48.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | **0.2** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 175.3 | 350.7 | **557.0** |

Licence ***999*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-07-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | **6,887.0** |
| H2O | 1974 | 418.6 | 504.1 | 577.8 | 567.6 | 523.1 | 615.6 | 505.5 | 521.2 | 433.1 | 444.1 | 442.8 | 0.0 | **36,176.3** |
| OIL | 1974 | 39.4 | 36.9 | 40.5 | 38.5 | 36.1 | 43.7 | 26.9 | 26.2 | 14.0 | 14.3 | 14.0 | 0.0 | **10,679.6** |
| DAY | 1973 | 31.0 | 27.0 | 30.0 | 29.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,556.0** |
| H2O | 1973 | 527.0 | 440.2 | 515.1 | 549.8 | 487.3 | 431.6 | 451.7 | 459.3 | 452.1 | 455.3 | 442.6 | 446.4 | **30,622.8** |
| OIL | 1973 | 77.4 | 65.2 | 72.9 | 72.1 | 69.6 | 46.2 | 46.6 | 41.0 | 37.7 | 39.7 | 41.3 | 40.7 | **10,349.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,198.0** |
| H2O | 1972 | 717.8 | 506.4 | 504.3 | 465.5 | 472.3 | 497.7 | 531.5 | 565.8 | 541.3 | 561.8 | 484.7 | 499.2 | **24,964.4** |
| OIL | 1972 | 46.7 | 40.8 | 66.6 | 66.7 | 85.3 | 70.7 | 77.2 | 79.8 | 77.2 | 75.8 | 73.3 | 76.6 | **9,698.7** |
| DAY | 1971 | 31.0 | 26.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,833.0** |
| H2O | 1971 | 138.4 | 404.5 | 439.7 | 553.1 | 693.7 | 648.1 | 633.1 | 688.9 | 561.2 | 706.7 | 722.5 | 670.0 | **18,616.1** |
| OIL | 1971 | 43.9 | 67.5 | 80.6 | 100.6 | 130.3 | 125.2 | 127.8 | 131.7 | 84.2 | 87.1 | 67.1 | 45.4 | **8,862.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,472.0** |
| H2O | 1970 | 477.4 | 294.6 | 318.7 | 259.9 | 256.7 | 208.1 | 172.2 | 184.4 | 133.9 | 130.9 | 129.3 | 130.2 | **11,756.2** |
| OIL | 1970 | 34.2 | 34.6 | 38.0 | 27.3 | 28.0 | 27.0 | 32.1 | 32.7 | 35.6 | 37.2 | 40.2 | 42.7 | **7,770.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **5,108.0** |
| H2O | 1969 | 435.9 | 400.0 | 422.7 | 366.3 | 378.6 | 369.5 | 320.0 | 304.6 | 256.9 | 260.1 | 192.2 | 461.4 | **9,059.9** |
| OIL | 1969 | 63.7 | 58.3 | 65.0 | 44.3 | 43.9 | 48.1 | 33.8 | 33.5 | 40.2 | 41.8 | 12.1 | 28.1 | **7,361.0** |

# Manitoba Production
## 1950 To 1975

Licence ***999*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-07-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 26.0 | 31.0 | **4,747.0** |
| H2O | 1968 | 109.6 | 106.5 | 116.1 | 216.1 | 242.6 | 228.6 | 238.8 | 247.2 | 181.1 | 250.7 | 194.8 | 433.9 | **4,891.7** |
| OIL | 1968 | 62.0 | 60.4 | 62.3 | 72.5 | 82.8 | 82.5 | 86.6 | 54.8 | 37.7 | 51.2 | 28.6 | 64.0 | **6,848.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **4,388.0** |
| H2O | 1967 | 4.3 | 4.3 | 4.9 | 4.9 | 4.8 | 4.6 | 220.0 | 26.4 | 27.5 | 79.3 | 63.9 | 101.1 | **2,325.7** |
| OIL | 1967 | 5.9 | 5.2 | 6.0 | 5.6 | 5.7 | 5.9 | 4.3 | 19.4 | 19.9 | 30.7 | 38.5 | 55.1 | **6,102.8** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,026.0** |
| H2O | 1966 | 1.4 | 1.4 | 1.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.9 | 5.1 | 6.7 | 4.0 | **1,779.7** |
| OIL | 1966 | 12.6 | 11.1 | 12.6 | 13.3 | 12.9 | 15.1 | 14.0 | 14.8 | 6.8 | 6.4 | 6.0 | 5.4 | **5,900.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,661.0** |
| H2O | 1965 | 8.6 | 8.3 | 9.7 | 2.1 | 1.6 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.6 | 1.4 | **1,753.8** |
| OIL | 1965 | 11.6 | 11.1 | 13.0 | 14.5 | 14.9 | 13.5 | 13.5 | 14.6 | 13.8 | 13.3 | 12.7 | 12.7 | **5,769.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,296.0** |
| H2O | 1964 | 27.7 | 25.6 | 26.4 | 25.6 | 26.5 | 26.4 | 10.8 | 6.7 | 6.5 | 6.8 | 6.7 | 8.1 | **1,713.5** |
| OIL | 1964 | 18.3 | 19.7 | 20.0 | 20.5 | 15.4 | 14.9 | 16.2 | 11.9 | 12.4 | 11.3 | 11.6 | 12.1 | **5,610.4** |
| DAY | 1963 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,930.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 12.6 | 19.6 | 30.2 | 28.5 | 9.7 | 21.9 | 28.1 | 28.0 | **1,509.7** |
| OIL | 1963 | 24.3 | 24.3 | 28.1 | 31.0 | 24.6 | 22.6 | 24.5 | 24.3 | 21.6 | 19.2 | 21.1 | 18.0 | **5,426.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,569.0** |
| H2O | 1962 | 1.1 | 1.1 | 1.1 | 1.0 | 1.1 | 1.1 | 0.0 | 43.7 | 0.0 | 0.0 | 0.0 | 0.0 | **1,331.1** |
| OIL | 1962 | 55.0 | 43.4 | 47.4 | 45.9 | 47.4 | 47.8 | 30.0 | 39.9 | 29.1 | 25.6 | 27.8 | 28.9 | **5,142.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,207.0** |
| H2O | 1961 | 1.0 | 1.1 | 1.0 | 1.0 | 7.3 | 9.1 | 9.9 | 10.2 | 8.1 | 1.1 | 1.1 | 1.0 | **1,280.9** |
| OIL | 1961 | 42.6 | 37.8 | 43.1 | 42.3 | 44.7 | 48.8 | 49.7 | 54.8 | 54.8 | 52.1 | 47.8 | 46.4 | **4,674.3** |
| DAY | 1960 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,842.0** |
| H2O | 1960 | 2.2 | 3.3 | 5.1 | 4.9 | 5.1 | 1.1 | 2.1 | 2.4 | 1.3 | 1.1 | 1.1 | 1.3 | **1,229.0** |
| OIL | 1960 | 39.9 | 39.4 | 45.1 | 40.7 | 39.7 | 43.4 | 41.3 | 40.7 | 41.2 | 38.8 | 42.3 | 45.8 | **4,109.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,478.0** |
| H2O | 1959 | 4.5 | 4.3 | 4.8 | 0.0 | 0.0 | 2.2 | 2.5 | 1.4 | 0.8 | 1.1 | 1.1 | 1.9 | **1,198.0** |
| OIL | 1959 | 46.2 | 40.8 | 44.0 | 48.6 | 51.2 | 49.4 | 51.8 | 47.8 | 46.1 | 42.9 | 41.3 | 41.0 | **3,611.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,113.0** |
| H2O | 1958 | 1.9 | 1.4 | 1.9 | 3.0 | 2.5 | 4.8 | 0.0 | 0.0 | 0.0 | 0.0 | 2.4 | 1.1 | **1,173.4** |
| OIL | 1958 | 48.8 | 41.0 | 46.2 | 44.5 | 42.9 | 46.2 | 44.7 | 83.0 | 40.8 | 38.9 | 39.1 | 46.2 | **3,060.0** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **748.0** |
| H2O | 1957 | 8.6 | 7.5 | 5.2 | 4.1 | 2.5 | 2.9 | 21.3 | 3.7 | 3.7 | 8.1 | 7.6 | 8.4 | **1,154.4** |
| OIL | 1957 | 75.6 | 65.8 | 57.7 | 60.5 | 44.8 | 38.8 | 75.5 | 79.9 | 73.9 | 61.0 | 61.0 | 68.0 | **2,497.7** |
| DAY | 1956 | 25.0 | 27.0 | 25.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **389.0** |
| H2O | 1956 | 110.3 | 91.9 | 195.2 | 94.3 | 88.1 | 207.6 | 34.0 | 24.2 | 23.7 | 25.1 | 8.1 | 8.4 | **1,070.8** |
| OIL | 1956 | 201.2 | 149.9 | 105.0 | 130.5 | 145.1 | 105.8 | 112.7 | 111.4 | 101.9 | 105.2 | 75.0 | 74.7 | **1,735.2** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 26.0 | **38.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.3 | 131.6 | **159.9** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 79.5 | 237.3 | **316.8** |

Licence ***1001*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,154.0** |
| H2O | 1975 | 88.6 | 80.9 | 90.8 | 88.1 | 91.3 | 87.3 | 87.6 | 84.6 | 150.7 | 161.8 | 162.3 | 165.2 | **21,451.9** |
| OIL | 1975 | 121.7 | 107.3 | 118.9 | 112.8 | 114.9 | 111.7 | 114.9 | 113.1 | 88.0 | 91.1 | 88.0 | 89.5 | **18,115.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,789.0** |
| H2O | 1974 | 97.0 | 90.0 | 100.6 | 97.9 | 91.6 | 92.0 | 93.0 | 85.4 | 83.9 | 88.2 | 88.1 | 87.9 | **20,112.7** |

# Manitoba Production
## 1950 To 1975

Licence ***1001*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1974 | 107.3 | 93.3 | 106.9 | 102.0 | 123.8 | 119.8 | 123.8 | 123.3 | 118.4 | 124.6 | 119.0 | 122.7 | **16,843.1** |
| DAY | 1973 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,424.0** |
| H2O | 1973 | 92.7 | 96.7 | 114.8 | 114.6 | 116.1 | 111.6 | 95.9 | 119.2 | 118.6 | 119.7 | 111.1 | 107.8 | **19,017.1** |
| OIL | 1973 | 97.3 | 93.1 | 90.3 | 88.2 | 92.2 | 89.3 | 79.1 | 97.7 | 94.2 | 96.1 | 90.4 | 91.8 | **15,458.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,060.0** |
| H2O | 1972 | 106.8 | 101.9 | 96.7 | 85.8 | 95.1 | 94.6 | 119.2 | 113.0 | 93.8 | 102.1 | 101.1 | 102.1 | **17,698.3** |
| OIL | 1972 | 117.3 | 107.1 | 113.8 | 108.2 | 114.6 | 110.6 | 109.6 | 112.0 | 102.5 | 108.1 | 102.7 | 106.5 | **14,358.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,694.0** |
| H2O | 1971 | 92.8 | 84.3 | 92.8 | 89.5 | 93.5 | 93.2 | 92.2 | 88.9 | 79.6 | 89.0 | 96.8 | 113.7 | **16,486.1** |
| OIL | 1971 | 163.5 | 144.8 | 89.0 | 81.0 | 86.4 | 84.1 | 86.0 | 84.4 | 83.3 | 86.4 | 116.6 | 119.2 | **13,045.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | **5,330.0** |
| H2O | 1970 | 112.6 | 105.6 | 110.5 | 102.2 | 101.1 | 102.5 | 83.5 | 159.1 | 147.9 | 152.9 | 145.0 | 78.4 | **15,379.8** |
| OIL | 1970 | 116.2 | 104.7 | 114.4 | 110.3 | 118.2 | 115.7 | 105.7 | 114.3 | 109.0 | 114.3 | 114.1 | 125.2 | **11,820.8** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,970.0** |
| H2O | 1969 | 155.0 | 140.5 | 126.5 | 114.3 | 121.1 | 120.2 | 130.0 | 131.0 | 101.4 | 118.9 | 106.5 | 115.9 | **13,978.5** |
| OIL | 1969 | 147.5 | 130.1 | 137.9 | 81.5 | 84.9 | 86.6 | 89.6 | 89.5 | 105.8 | 119.5 | 114.9 | 119.3 | **10,458.7** |
| DAY | 1968 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,608.0** |
| H2O | 1968 | 144.7 | 132.6 | 145.9 | 149.9 | 157.1 | 143.7 | 148.5 | 141.5 | 142.1 | 144.4 | 138.9 | 147.7 | **12,497.2** |
| OIL | 1968 | 148.7 | 131.9 | 146.4 | 145.2 | 145.7 | 143.2 | 141.1 | 147.0 | 142.2 | 143.2 | 143.0 | 147.3 | **9,151.6** |
| DAY | 1967 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **4,245.0** |
| H2O | 1967 | 131.5 | 108.6 | 119.7 | 121.6 | 155.0 | 154.1 | 127.8 | 170.9 | 144.8 | 156.3 | 131.3 | 150.1 | **10,760.2** |
| OIL | 1967 | 94.7 | 84.1 | 86.4 | 91.2 | 101.5 | 91.5 | 118.7 | 117.8 | 109.6 | 150.2 | 140.0 | 148.6 | **7,426.7** |
| DAY | 1966 | 27.0 | 28.0 | 31.0 | 30.0 | 30.0 | 26.0 | 13.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,887.0** |
| H2O | 1966 | 123.4 | 113.5 | 143.2 | 147.9 | 159.9 | 123.7 | 58.7 | 133.7 | 130.7 | 147.7 | 196.7 | 138.3 | **9,088.5** |
| OIL | 1966 | 67.1 | 67.9 | 74.8 | 73.4 | 73.7 | 62.3 | 31.0 | 82.5 | 73.1 | 83.3 | 80.4 | 95.0 | **6,092.4** |
| DAY | 1965 | 30.0 | 28.0 | 3.0 | 0.0 | 28.0 | 30.0 | 29.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **3,550.0** |
| H2O | 1965 | 142.3 | 134.7 | 14.8 | 0.0 | 235.0 | 248.3 | 229.1 | 128.1 | 112.4 | 154.4 | 134.0 | 148.3 | **7,471.1** |
| OIL | 1965 | 20.7 | 20.0 | 2.1 | 0.0 | 29.7 | 32.9 | 31.6 | 43.5 | 49.9 | 48.3 | 52.1 | 77.9 | **5,227.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 16.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,251.0** |
| H2O | 1964 | 5.1 | 4.6 | 5.2 | 25.8 | 73.1 | 76.8 | 59.5 | 121.0 | 125.6 | 125.8 | 132.6 | 127.0 | **5,789.7** |
| OIL | 1964 | 19.5 | 18.4 | 20.0 | 20.3 | 24.5 | 19.1 | 11.3 | 7.3 | 6.7 | 6.8 | 18.0 | 12.1 | **4,819.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,903.0** |
| H2O | 1963 | 38.6 | 31.6 | 35.6 | 52.8 | 52.6 | 18.4 | 4.8 | 42.9 | 48.8 | 52.8 | 4.9 | 4.9 | **4,907.6** |
| OIL | 1963 | 16.5 | 14.8 | 24.3 | 20.0 | 22.9 | 20.3 | 23.0 | 20.5 | 14.8 | 16.5 | 18.3 | 18.3 | **4,635.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 18.0 | **2,540.0** |
| H2O | 1962 | 39.1 | 35.8 | 44.0 | 36.2 | 37.7 | 51.0 | 48.6 | 32.6 | 22.6 | 40.5 | 44.0 | 18.8 | **4,518.9** |
| OIL | 1962 | 29.7 | 25.9 | 22.4 | 21.1 | 23.5 | 20.7 | 28.0 | 23.7 | 12.4 | 18.4 | 17.6 | 9.2 | **4,405.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,189.0** |
| H2O | 1961 | 20.2 | 17.0 | 43.7 | 44.8 | 49.3 | 43.6 | 43.6 | 17.0 | 18.1 | 62.5 | 40.5 | 40.5 | **4,068.0** |
| OIL | 1961 | 26.7 | 24.2 | 41.3 | 31.6 | 27.7 | 24.2 | 22.6 | 27.0 | 21.0 | 29.9 | 26.9 | 28.6 | **4,152.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,824.0** |
| H2O | 1960 | 83.8 | 78.7 | 84.9 | 81.6 | 84.1 | 66.6 | 49.8 | 47.9 | 46.1 | 25.0 | 20.8 | 19.6 | **3,627.2** |
| OIL | 1960 | 29.4 | 31.3 | 36.7 | 45.1 | 42.7 | 37.8 | 35.3 | 31.0 | 33.7 | 31.6 | 28.4 | 28.9 | **3,820.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,459.0** |
| H2O | 1959 | 95.5 | 79.0 | 75.7 | 89.3 | 111.8 | 101.6 | 108.6 | 113.5 | 106.5 | 103.5 | 73.8 | 83.1 | **2,938.3** |
| OIL | 1959 | 68.0 | 60.9 | 58.0 | 41.6 | 46.2 | 39.4 | 38.9 | 43.7 | 43.9 | 40.4 | 40.4 | 35.9 | **3,408.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | **1,097.0** |
| H2O | 1958 | 194.6 | 146.9 | 116.1 | 142.1 | 141.2 | 135.6 | 126.4 | 122.1 | 117.2 | 113.5 | 101.0 | 99.8 | **1,796.4** |
| OIL | 1958 | 141.4 | 91.2 | 85.7 | 80.1 | 72.8 | 68.2 | 72.6 | 72.0 | 69.6 | 69.3 | 65.2 | 67.2 | **2,851.5** |
| DAY | 1957 | 31.0 | 22.0 | 23.0 | 26.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **735.0** |
| H2O | 1957 | 9.7 | 2.7 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 121.0 | 0.2 | 0.0 | 0.3 | 77.4 | **239.9** |
| OIL | 1957 | 46.6 | 25.4 | 38.8 | 38.3 | 46.1 | 37.0 | 30.5 | 42.1 | 34.0 | 30.2 | 25.9 | 79.1 | **1,896.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1001*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 30.0 | 28.0 | 28.0 | 30.0 | 29.0 | 30.0 | 31.0 | 29.0 | 30.0 | 28.0 | 30.0 | 31.0 | **396.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.3 | 0.3 | 0.5 | 0.6 | 0.2 | 0.2 | 5.2 | 10.8 | 10.3 | **28.4** |
| OIL | 1956 | 130.1 | 126.2 | 146.2 | 135.4 | 118.1 | 116.2 | 101.7 | 89.1 | 78.7 | 62.8 | 32.3 | 51.5 | **1,422.2** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 28.0 | **42.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 89.9 | 144.0 | **233.9** |

Licence ***1002*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,259.0** |
| H2O | 1975 | 259.8 | 246.4 | 277.4 | 257.5 | 278.7 | 257.7 | 267.2 | 247.8 | 287.6 | 308.9 | 309.9 | 315.4 | **23,734.8** |
| OIL | 1975 | 166.9 | 153.2 | 169.7 | 154.3 | 164.0 | 154.1 | 164.0 | 155.1 | 163.7 | 169.4 | 163.8 | 166.5 | **45,019.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 23.0 | 31.0 | 30.0 | 30.0 | **6,897.0** |
| H2O | 1974 | 253.6 | 232.9 | 263.0 | 265.3 | 183.1 | 178.1 | 186.0 | 170.6 | 127.5 | 267.4 | 266.8 | 258.0 | **20,420.5** |
| OIL | 1974 | 152.1 | 131.6 | 151.8 | 123.0 | 132.4 | 123.9 | 132.4 | 131.7 | 96.0 | 176.4 | 168.4 | 168.1 | **43,074.4** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,541.0** |
| H2O | 1973 | 119.7 | 86.6 | 92.2 | 93.5 | 93.2 | 91.1 | 90.8 | 257.2 | 255.6 | 257.5 | 237.7 | 234.3 | **17,768.2** |
| OIL | 1973 | 346.7 | 284.1 | 310.8 | 308.6 | 316.9 | 312.1 | 321.0 | 215.8 | 207.7 | 211.7 | 198.2 | 204.4 | **41,386.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,176.0** |
| H2O | 1972 | 197.1 | 187.6 | 210.8 | 97.5 | 113.5 | 94.8 | 98.9 | 98.6 | 111.6 | 122.9 | 121.6 | 123.1 | **15,858.8** |
| OIL | 1972 | 306.9 | 279.4 | 311.6 | 305.1 | 339.7 | 349.8 | 339.1 | 364.5 | 337.8 | 359.9 | 341.7 | 354.7 | **38,148.6** |
| DAY | 1971 | 30.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,813.0** |
| H2O | 1971 | 237.0 | 226.7 | 261.0 | 177.6 | 161.7 | 177.1 | 169.8 | 169.2 | 151.5 | 179.6 | 178.5 | 209.9 | **14,280.8** |
| OIL | 1971 | 309.2 | 288.3 | 319.3 | 281.6 | 261.6 | 279.7 | 277.0 | 281.0 | 277.0 | 312.6 | 305.1 | 312.4 | **34,158.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,452.0** |
| H2O | 1970 | 81.2 | 74.2 | 216.8 | 191.3 | 206.2 | 207.5 | 187.0 | 211.0 | 202.9 | 202.5 | 82.8 | 90.6 | **11,981.2** |
| OIL | 1970 | 390.8 | 343.6 | 293.2 | 270.3 | 291.9 | 283.5 | 287.2 | 282.4 | 278.4 | 283.0 | 383.3 | 395.7 | **30,653.6** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,091.0** |
| H2O | 1969 | 144.8 | 131.5 | 118.3 | 125.9 | 129.3 | 111.3 | 139.1 | 139.9 | 268.2 | 290.5 | 259.9 | 283.0 | **10,027.2** |
| OIL | 1969 | 357.4 | 315.8 | 334.8 | 339.9 | 313.8 | 277.0 | 332.1 | 330.1 | 228.8 | 238.7 | 229.6 | 238.5 | **26,870.3** |
| DAY | 1968 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | **4,732.0** |
| H2O | 1968 | 65.7 | 60.6 | 66.6 | 135.8 | 146.7 | 130.8 | 124.5 | 126.2 | 132.7 | 135.1 | 129.9 | 133.5 | **7,885.5** |
| OIL | 1968 | 365.3 | 326.1 | 361.4 | 341.5 | 353.3 | 338.3 | 307.5 | 340.9 | 345.0 | 347.4 | 346.9 | 345.5 | **23,333.8** |
| DAY | 1967 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **4,374.0** |
| H2O | 1967 | 114.5 | 94.6 | 104.1 | 106.0 | 106.2 | 57.9 | 70.6 | 94.4 | 82.8 | 74.6 | 78.7 | 67.6 | **6,497.4** |
| OIL | 1967 | 287.5 | 255.5 | 262.4 | 276.7 | 284.9 | 309.1 | 341.5 | 338.3 | 325.9 | 286.8 | 335.8 | 362.5 | **19,214.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,015.0** |
| H2O | 1966 | 90.9 | 72.8 | 92.5 | 94.9 | 107.0 | 94.6 | 93.2 | 53.3 | 54.1 | 64.2 | 109.2 | 120.7 | **5,445.4** |
| OIL | 1966 | 258.9 | 227.9 | 252.3 | 246.8 | 258.1 | 248.2 | 257.0 | 246.3 | 227.1 | 271.4 | 267.4 | 288.3 | **15,547.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 26.0 | **3,655.0** |
| H2O | 1965 | 38.6 | 104.0 | 49.8 | 36.4 | 37.2 | 68.7 | 70.1 | 21.1 | 21.3 | 81.9 | 88.9 | 79.0 | **4,398.0** |
| OIL | 1965 | 95.3 | 120.3 | 128.9 | 125.4 | 130.1 | 227.6 | 239.5 | 246.2 | 232.8 | 255.2 | 231.2 | 217.5 | **12,498.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,296.0** |
| H2O | 1964 | 35.6 | 32.1 | 44.5 | 22.9 | 24.2 | 32.7 | 48.3 | 49.1 | 24.2 | 24.2 | 13.8 | 38.5 | **3,701.0** |
| OIL | 1964 | 70.2 | 66.4 | 61.2 | 67.2 | 69.4 | 71.7 | 66.1 | 66.7 | 62.3 | 63.4 | 65.6 | 94.4 | **10,248.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,930.0** |
| H2O | 1963 | 46.9 | 38.3 | 50.7 | 28.8 | 55.0 | 66.6 | 27.0 | 29.6 | 33.7 | 35.3 | 34.5 | 35.1 | **3,310.9** |
| OIL | 1963 | 55.6 | 49.4 | 69.8 | 68.5 | 81.2 | 75.8 | 68.6 | 59.3 | 57.4 | 61.3 | 65.8 | 67.4 | **9,423.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,566.0** |
| H2O | 1962 | 70.6 | 63.1 | 71.7 | 76.9 | 67.6 | 79.5 | 55.3 | 40.1 | 23.5 | 59.1 | 47.9 | 41.7 | **2,829.4** |
| OIL | 1962 | 73.4 | 65.9 | 66.9 | 89.3 | 91.7 | 91.8 | 89.8 | 68.8 | 38.3 | 54.5 | 52.8 | 56.1 | **8,643.4** |

# Manitoba Production
## 1950 To 1975

Licence ***1002*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,204.0** |
| H2O | 1961 | 117.6 | 92.7 | 96.2 | 88.2 | 96.3 | 88.4 | 87.8 | 85.2 | 75.7 | 75.5 | 69.6 | 71.2 | **2,132.4** |
| OIL | 1961 | 97.4 | 92.5 | 95.2 | 88.2 | 94.7 | 99.5 | 93.4 | 90.4 | 72.0 | 76.6 | 69.9 | 73.4 | **7,804.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 16.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,839.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.6 | 112.6 | 123.8 | 161.2 | 146.4 | 139.7 | 126.9 | **1,088.0** |
| OIL | 1960 | 40.2 | 39.6 | 42.6 | 45.3 | 42.4 | 38.0 | 35.3 | 118.9 | 154.6 | 129.5 | 114.7 | 98.5 | **6,760.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,490.0** |
| H2O | 1959 | 5.1 | 5.1 | 3.8 | 7.5 | 19.4 | 12.9 | 10.0 | 2.9 | 0.0 | 0.0 | 7.9 | 2.2 | **257.8** |
| OIL | 1959 | 50.1 | 44.8 | 46.9 | 42.3 | 41.2 | 48.5 | 47.8 | 49.4 | 47.4 | 37.2 | 48.9 | 45.9 | **5,861.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,126.0** |
| H2O | 1958 | 18.4 | 8.1 | 4.9 | 5.7 | 4.9 | 4.8 | 5.1 | 5.1 | 4.6 | 5.1 | 4.8 | 4.9 | **181.0** |
| OIL | 1958 | 97.4 | 88.5 | 97.4 | 83.3 | 50.5 | 48.3 | 48.6 | 47.8 | 46.9 | 47.7 | 47.8 | 47.5 | **5,310.9** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **763.0** |
| H2O | 1957 | 4.9 | 0.3 | 8.3 | 9.4 | 9.7 | 10.0 | 10.0 | 5.7 | 9.1 | 10.0 | 5.7 | 8.9 | **104.6** |
| OIL | 1957 | 123.2 | 111.9 | 129.4 | 121.2 | 125.2 | 114.4 | 115.7 | 117.0 | 104.9 | 106.2 | 97.7 | 94.2 | **4,559.2** |
| DAY | 1956 | 22.0 | 27.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **398.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.6 | 0.6 | 0.8 | 1.1 | 0.3 | 0.3 | 1.9 | 2.1 | 4.9 | **12.6** |
| OIL | 1956 | 238.4 | 264.9 | 311.9 | 273.2 | 292.6 | 231.1 | 188.9 | 201.7 | 183.5 | 195.8 | 196.1 | 165.4 | **3,198.2** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 27.0 | **45.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 180.4 | 274.3 | **454.7** |

Licence ***1003*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,052.0** |
| H2O | 1975 | 79.2 | 66.8 | 80.9 | 78.5 | 81.6 | 77.9 | 78.1 | 77.1 | 89.5 | 96.2 | 96.3 | 98.1 | **18,647.1** |
| OIL | 1975 | 138.6 | 113.1 | 135.2 | 128.2 | 130.8 | 127.1 | 130.6 | 131.4 | 151.4 | 156.5 | 151.4 | 153.8 | **35,651.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **6,689.0** |
| H2O | 1974 | 103.0 | 94.6 | 106.8 | 103.7 | 81.7 | 75.4 | 83.0 | 76.2 | 75.0 | 78.2 | 72.7 | 78.1 | **17,646.9** |
| OIL | 1974 | 178.9 | 154.6 | 178.5 | 169.7 | 141.0 | 125.1 | 140.8 | 140.2 | 134.8 | 140.6 | 125.1 | 138.6 | **34,003.3** |
| DAY | 1973 | 28.0 | 27.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | **6,328.0** |
| H2O | 1973 | 108.4 | 112.2 | 116.9 | 129.6 | 125.9 | 126.2 | 117.0 | 135.6 | 122.4 | 133.1 | 116.4 | 103.2 | **16,618.5** |
| OIL | 1973 | 94.2 | 89.6 | 96.0 | 158.4 | 158.6 | 160.2 | 153.3 | 171.8 | 150.5 | 165.4 | 146.5 | 174.2 | **32,235.4** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 26.0 | 30.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 23.0 | **5,975.0** |
| H2O | 1972 | 136.7 | 133.1 | 141.5 | 112.1 | 138.0 | 138.8 | 154.1 | 113.0 | 105.4 | 122.9 | 121.6 | 91.4 | **15,171.6** |
| OIL | 1972 | 137.9 | 128.6 | 135.6 | 115.2 | 135.6 | 132.1 | 136.0 | 107.7 | 95.8 | 108.1 | 102.5 | 79.1 | **30,516.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,625.0** |
| H2O | 1971 | 196.0 | 179.3 | 132.7 | 135.0 | 130.0 | 123.7 | 133.4 | 128.6 | 115.1 | 128.9 | 123.8 | 145.3 | **13,663.0** |
| OIL | 1971 | 180.5 | 161.0 | 147.9 | 142.4 | 140.0 | 130.0 | 144.8 | 142.1 | 140.2 | 145.4 | 137.1 | 140.5 | **29,102.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,263.0** |
| H2O | 1970 | 153.6 | 144.0 | 150.9 | 224.8 | 206.2 | 209.2 | 193.3 | 204.6 | 202.7 | 210.5 | 192.0 | 213.5 | **11,991.2** |
| OIL | 1970 | 186.4 | 168.1 | 183.4 | 159.1 | 172.7 | 169.2 | 175.8 | 162.2 | 164.9 | 174.2 | 167.0 | 175.1 | **27,350.6** |
| DAY | 1969 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 26.0 | 30.0 | 31.0 | **4,899.0** |
| H2O | 1969 | 159.5 | 133.4 | 131.3 | 142.4 | 156.8 | 154.1 | 130.2 | 130.8 | 114.0 | 168.2 | 145.3 | 159.3 | **9,685.9** |
| OIL | 1969 | 204.4 | 166.7 | 193.1 | 177.0 | 181.8 | 164.2 | 175.1 | 174.2 | 156.5 | 181.6 | 184.2 | 192.9 | **25,292.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,543.0** |
| H2O | 1968 | 43.9 | 41.8 | 44.2 | 123.1 | 129.6 | 137.7 | 149.4 | 222.6 | 214.1 | 154.8 | 142.9 | 152.0 | **7,960.6** |
| OIL | 1968 | 202.9 | 186.4 | 199.3 | 236.3 | 238.2 | 205.2 | 215.2 | 228.5 | 192.9 | 207.1 | 198.3 | 204.2 | **23,140.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 24.0 | 27.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,177.0** |
| H2O | 1967 | 73.0 | 60.3 | 72.5 | 95.2 | 98.9 | 74.1 | 46.9 | 67.9 | 189.3 | 207.0 | 41.8 | 45.6 | **6,404.5** |
| OIL | 1967 | 201.0 | 178.6 | 200.5 | 205.9 | 219.0 | 166.9 | 270.1 | 290.2 | 237.3 | 253.5 | 199.6 | 202.6 | **20,626.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1003*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 18.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,825.0** |
| H2O | 1966 | 97.8 | 78.2 | 99.5 | 97.3 | 92.5 | 38.2 | 20.3 | 32.3 | 39.6 | 80.9 | 70.9 | 76.8 | **5,332.0** |
| OIL | 1966 | 211.7 | 186.2 | 206.4 | 198.3 | 175.3 | 201.8 | 112.3 | 179.1 | 199.0 | 204.2 | 190.7 | 201.7 | **18,001.1** |
| DAY | 1965 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | **3,480.0** |
| H2O | 1965 | 50.6 | 44.8 | 47.9 | 84.7 | 86.3 | 93.8 | 97.6 | 97.9 | 99.0 | 84.4 | 70.9 | 99.2 | **4,507.7** |
| OIL | 1965 | 229.8 | 209.4 | 212.0 | 255.5 | 257.9 | 262.7 | 282.5 | 279.8 | 264.9 | 226.6 | 181.6 | 207.2 | **15,734.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **3,122.0** |
| H2O | 1964 | 8.9 | 8.1 | 8.9 | 40.7 | 22.1 | 21.3 | 38.5 | 39.1 | 53.1 | 53.1 | 55.2 | 42.4 | **3,550.6** |
| OIL | 1964 | 62.1 | 58.6 | 63.6 | 181.6 | 174.5 | 167.8 | 167.0 | 168.4 | 191.3 | 194.8 | 191.0 | 192.9 | **12,864.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,760.0** |
| H2O | 1963 | 37.5 | 33.2 | 37.8 | 33.7 | 34.2 | 44.0 | 48.8 | 53.7 | 12.6 | 12.6 | 8.6 | 8.9 | **3,159.2** |
| OIL | 1963 | 65.8 | 63.7 | 68.3 | 64.5 | 65.0 | 54.0 | 60.5 | 60.2 | 51.6 | 63.2 | 58.2 | 59.6 | **11,050.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **2,396.0** |
| H2O | 1962 | 51.8 | 49.0 | 50.7 | 38.0 | 38.2 | 36.4 | 36.9 | 33.1 | 32.9 | 36.4 | 30.2 | 34.0 | **2,793.6** |
| OIL | 1962 | 88.5 | 76.1 | 79.3 | 68.6 | 66.9 | 66.4 | 65.9 | 61.5 | 60.7 | 62.8 | 56.3 | 62.3 | **10,316.3** |
| DAY | 1961 | 28.0 | 25.0 | 24.0 | 21.0 | 20.0 | 15.0 | 24.0 | 26.0 | 28.0 | 28.0 | 29.0 | 31.0 | **2,033.0** |
| H2O | 1961 | 15.1 | 16.1 | 15.9 | 51.8 | 69.2 | 44.5 | 50.4 | 58.2 | 51.0 | 53.7 | 59.0 | 55.2 | **2,326.0** |
| OIL | 1961 | 39.7 | 9.9 | 6.2 | 118.5 | 96.5 | 71.5 | 122.7 | 111.1 | 89.6 | 103.9 | 97.9 | 90.4 | **9,501.0** |
| DAY | 1960 | 30.0 | 29.0 | 25.0 | 7.0 | 16.0 | 24.0 | 25.0 | 25.0 | 24.0 | 25.0 | 24.0 | 31.0 | **1,734.0** |
| H2O | 1960 | 4.8 | 4.6 | 7.2 | 2.2 | 8.6 | 18.9 | 38.5 | 14.6 | 9.1 | 11.3 | 15.6 | 30.5 | **1,785.9** |
| OIL | 1960 | 33.8 | 32.6 | 29.7 | 6.5 | 36.7 | 50.7 | 55.1 | 47.8 | 36.1 | 47.2 | 35.3 | 42.4 | **8,543.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 27.0 | 31.0 | 25.0 | 29.0 | 28.0 | 28.0 | **1,449.0** |
| H2O | 1959 | 25.0 | 22.4 | 24.8 | 24.0 | 24.0 | 23.1 | 18.9 | 25.1 | 18.4 | 21.6 | 13.7 | 5.7 | **1,620.0** |
| OIL | 1959 | 87.7 | 76.0 | 83.7 | 80.6 | 81.2 | 75.3 | 73.7 | 83.4 | 65.5 | 71.7 | 60.2 | 46.6 | **8,089.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,101.0** |
| H2O | 1958 | 54.7 | 49.0 | 48.3 | 23.8 | 25.0 | 25.1 | 25.9 | 20.7 | 19.2 | 16.7 | 18.9 | 25.0 | **1,373.3** |
| OIL | 1958 | 117.1 | 106.8 | 115.2 | 101.5 | 100.0 | 98.2 | 96.6 | 93.0 | 92.3 | 93.0 | 84.4 | 86.0 | **7,203.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | **739.0** |
| H2O | 1957 | 48.8 | 43.7 | 49.4 | 42.9 | 53.7 | 46.6 | 51.4 | 52.0 | 50.9 | 49.1 | 52.9 | 50.2 | **1,021.0** |
| OIL | 1957 | 246.0 | 203.7 | 225.3 | 176.7 | 177.5 | 140.2 | 150.3 | 154.1 | 150.5 | 134.1 | 138.1 | 125.7 | **6,019.5** |
| DAY | 1956 | 28.0 | 27.0 | 30.0 | 18.0 | 20.0 | 30.0 | 30.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | **383.0** |
| H2O | 1956 | 17.5 | 51.4 | 38.0 | 19.9 | 16.1 | 34.0 | 40.2 | 33.1 | 23.8 | 32.6 | 52.6 | 30.0 | **429.4** |
| OIL | 1956 | 348.8 | 290.2 | 315.2 | 190.1 | 211.5 | 333.0 | 315.1 | 343.0 | 276.2 | 250.0 | 259.3 | 266.0 | **3,997.3** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 30.0 | **51.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.9 | 25.3 | **40.2** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 275.1 | 323.8 | **598.9** |

Licence ***1007*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,036.0** |
| H2O | 1975 | 24.8 | 22.7 | 25.3 | 24.6 | 25.6 | 24.3 | 24.5 | 24.0 | 23.7 | 25.4 | 25.6 | 25.9 | **14,900.2** |
| OIL | 1975 | 43.7 | 38.8 | 42.6 | 40.4 | 41.2 | 40.0 | 41.2 | 41.5 | 40.2 | 41.5 | 40.2 | 40.7 | **15,196.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 20.0 | 0.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,671.0** |
| H2O | 1974 | 44.4 | 41.2 | 46.1 | 44.7 | 40.4 | 26.9 | 0.0 | 30.2 | 37.0 | 39.0 | 38.8 | 24.5 | **14,603.8** |
| OIL | 1974 | 62.1 | 54.2 | 62.0 | 59.1 | 48.6 | 31.5 | 0.0 | 39.1 | 46.6 | 49.1 | 46.7 | 44.0 | **14,704.3** |
| DAY | 1973 | 31.0 | 28.0 | 18.0 | 12.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,353.0** |
| H2O | 1973 | 65.7 | 62.8 | 39.1 | 26.9 | 68.2 | 65.7 | 63.6 | 70.9 | 49.1 | 49.4 | 45.9 | 44.5 | **14,190.6** |
| OIL | 1973 | 83.4 | 73.4 | 47.0 | 31.6 | 82.6 | 80.1 | 80.2 | 88.8 | 62.1 | 63.4 | 59.8 | 60.5 | **14,161.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 6.0 | 29.0 | 30.0 | 30.0 | 23.0 | 31.0 | **6,020.0** |
| H2O | 1972 | 81.2 | 79.0 | 86.8 | 28.3 | 31.3 | 31.2 | 6.7 | 29.6 | 23.7 | 25.0 | 19.7 | 66.9 | **13,538.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1007*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1972 | 81.8 | 76.4 | 83.1 | 63.4 | 66.9 | 64.5 | 13.0 | 61.3 | 55.5 | 56.6 | 42.6 | 84.7 | **13,348.4** |
| DAY | 1971 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 19.0 | 21.0 | 28.0 | 30.0 | 31.0 | **5,689.0** |
| H2O | 1971 | 74.1 | 69.5 | 80.0 | 80.3 | 46.7 | 46.6 | 46.1 | 27.2 | 27.5 | 39.0 | 42.9 | 86.5 | **13,029.4** |
| OIL | 1971 | 88.0 | 80.6 | 89.0 | 84.5 | 96.3 | 93.6 | 95.8 | 57.5 | 64.2 | 83.9 | 90.9 | 83.4 | **12,598.6** |
| DAY | 1970 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **5,349.0** |
| H2O | 1970 | 56.1 | 58.5 | 61.7 | 56.9 | 58.7 | 81.1 | 72.3 | 84.4 | 78.5 | 81.6 | 74.4 | 77.3 | **12,363.0** |
| OIL | 1970 | 117.0 | 117.1 | 128.6 | 123.9 | 127.9 | 84.5 | 85.0 | 86.3 | 82.5 | 86.9 | 83.4 | 81.8 | **11,590.9** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,990.0** |
| H2O | 1969 | 88.9 | 80.6 | 72.5 | 77.1 | 84.9 | 78.1 | 56.9 | 65.0 | 61.2 | 66.1 | 59.5 | 65.2 | **11,521.5** |
| OIL | 1969 | 133.5 | 117.9 | 125.1 | 127.0 | 130.5 | 122.8 | 117.4 | 132.2 | 128.7 | 134.1 | 129.0 | 135.1 | **10,386.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **4,630.0** |
| H2O | 1968 | 113.2 | 107.6 | 112.6 | 101.6 | 113.2 | 104.1 | 107.9 | 102.7 | 81.1 | 86.2 | 79.6 | 77.7 | **10,665.5** |
| OIL | 1968 | 89.9 | 82.6 | 87.1 | 107.4 | 114.6 | 113.1 | 114.3 | 118.9 | 128.6 | 135.2 | 129.5 | 122.8 | **8,852.7** |
| DAY | 1967 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,268.0** |
| H2O | 1967 | 130.2 | 100.8 | 128.8 | 120.5 | 115.7 | 113.7 | 89.3 | 119.4 | 104.8 | 122.3 | 107.5 | 117.5 | **9,478.0** |
| OIL | 1967 | 170.9 | 142.2 | 169.6 | 164.3 | 162.2 | 162.2 | 168.6 | 167.1 | 160.8 | 90.7 | 88.5 | 89.8 | **7,508.7** |
| DAY | 1966 | 31.0 | 28.0 | 28.0 | 27.0 | 29.0 | 30.0 | 29.0 | 31.0 | 29.0 | 25.0 | 30.0 | 31.0 | **3,905.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 168.8 | 200.3 | 181.4 | 163.7 | 183.5 | 190.9 | 163.7 | 127.7 | 137.0 | **8,107.5** |
| OIL | 1966 | 48.3 | 42.6 | 42.4 | 105.2 | 116.0 | 114.4 | 108.4 | 122.0 | 115.1 | 99.3 | 163.2 | 171.3 | **5,771.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,557.0** |
| H2O | 1965 | 22.6 | 20.0 | 22.9 | 20.0 | 20.3 | 18.1 | 19.4 | 19.6 | 19.7 | 19.6 | 19.2 | 0.0 | **6,590.5** |
| OIL | 1965 | 25.6 | 23.4 | 25.3 | 24.3 | 24.6 | 23.0 | 25.7 | 25.4 | 24.0 | 24.9 | 22.9 | 48.8 | **4,523.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,195.0** |
| H2O | 1964 | 21.6 | 19.4 | 21.6 | 20.8 | 20.7 | 19.2 | 21.0 | 21.5 | 20.5 | 20.5 | 21.0 | 21.8 | **6,369.1** |
| OIL | 1964 | 28.8 | 27.3 | 29.4 | 28.3 | 27.2 | 21.1 | 24.3 | 24.5 | 23.8 | 24.2 | 23.5 | 24.5 | **4,205.7** |
| DAY | 1963 | 23.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,833.0** |
| H2O | 1963 | 16.2 | 23.2 | 33.5 | 30.0 | 33.2 | 32.4 | 30.8 | 19.2 | 15.1 | 18.0 | 20.5 | 21.3 | **6,119.5** |
| OIL | 1963 | 19.9 | 21.8 | 30.8 | 28.4 | 30.0 | 29.9 | 33.7 | 30.0 | 28.6 | 29.7 | 26.5 | 27.7 | **3,898.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,481.0** |
| H2O | 1962 | 7.5 | 6.8 | 7.8 | 7.3 | 8.9 | 13.5 | 17.8 | 23.1 | 14.1 | 23.4 | 29.4 | 22.6 | **5,826.1** |
| OIL | 1962 | 19.4 | 18.0 | 23.5 | 21.8 | 26.1 | 16.5 | 29.1 | 29.6 | 26.5 | 26.5 | 26.1 | 26.2 | **3,561.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,119.0** |
| H2O | 1961 | 8.1 | 7.9 | 8.3 | 5.2 | 9.5 | 9.7 | 9.4 | 10.3 | 9.7 | 9.9 | 8.9 | 7.3 | **5,643.9** |
| OIL | 1961 | 17.8 | 18.6 | 19.1 | 10.6 | 19.4 | 17.2 | 20.0 | 15.9 | 18.6 | 19.5 | 18.6 | 21.5 | **3,272.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,754.0** |
| H2O | 1960 | 24.8 | 21.3 | 21.3 | 22.4 | 22.6 | 19.4 | 11.3 | 10.7 | 10.2 | 10.5 | 9.1 | 8.6 | **5,539.7** |
| OIL | 1960 | 35.0 | 38.3 | 48.6 | 38.0 | 25.7 | 16.5 | 9.9 | 9.5 | 9.5 | 19.9 | 18.4 | 19.5 | **3,055.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,389.0** |
| H2O | 1959 | 49.6 | 37.8 | 41.0 | 40.1 | 21.1 | 25.8 | 24.0 | 36.2 | 36.4 | 29.1 | 26.2 | 25.4 | **5,347.5** |
| OIL | 1959 | 30.2 | 30.4 | 30.0 | 31.5 | 24.6 | 23.0 | 18.9 | 21.8 | 21.1 | 27.8 | 38.9 | 38.8 | **2,766.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,026.0** |
| H2O | 1958 | 86.5 | 80.6 | 89.5 | 75.8 | 83.5 | 72.7 | 71.1 | 58.3 | 47.2 | 49.6 | 47.1 | 46.7 | **4,954.8** |
| OIL | 1958 | 48.9 | 42.1 | 48.1 | 51.5 | 57.4 | 58.6 | 62.5 | 47.2 | 42.7 | 48.1 | 39.9 | 36.2 | **2,429.9** |
| DAY | 1957 | 26.0 | 28.0 | 26.0 | 0.0 | 18.0 | 26.0 | 26.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **661.0** |
| H2O | 1957 | 578.1 | 601.1 | 436.4 | 0.0 | 349.9 | 497.1 | 344.5 | 261.8 | 182.8 | 177.4 | 152.8 | 133.2 | **4,146.2** |
| OIL | 1957 | 90.4 | 54.7 | 47.5 | 0.0 | 79.1 | 99.0 | 75.6 | 81.0 | 60.9 | 50.9 | 47.2 | 50.1 | **1,846.7** |
| DAY | 1956 | 23.0 | 14.0 | 28.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 24.0 | 11.0 | **359.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 2.2 | 3.5 | 3.2 | 0.6 | 0.2 | 0.2 | 0.2 | 187.0 | 234.0 | **431.1** |
| OIL | 1956 | 69.8 | 43.5 | 95.0 | 131.4 | 106.5 | 73.7 | 102.7 | 101.9 | 62.3 | 59.8 | 71.8 | 58.5 | **1,110.3** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 30.0 | **47.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 48.5 | 84.9 | **133.4** |

# Manitoba Production
## 1950 To 1975

Licence ***1009*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | **4,296.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 45.0 | 40.9 | 0.0 | 0.0 | 0.0 | **8,343.8** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 16.2 | 0.0 | 0.0 | 0.0 | **5,193.5** |
| DAY | 1970 | 31.0 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,235.0** |
| H2O | 1970 | 51.5 | 11.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **8,257.9** |
| OIL | 1970 | 17.5 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,160.3** |
| DAY | 1969 | 17.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,197.0** |
| H2O | 1969 | 73.0 | 131.5 | 106.7 | 25.9 | 81.4 | 29.9 | 0.0 | 0.0 | 0.0 | 0.0 | 57.6 | 57.1 | **8,195.3** |
| OIL | 1969 | 14.1 | 23.8 | 26.5 | 25.4 | 23.5 | 23.2 | 16.0 | 17.3 | 14.9 | 15.3 | 13.3 | 18.9 | **5,138.8** |
| DAY | 1968 | 15.0 | 29.0 | 31.0 | 30.0 | 31.0 | 25.0 | 22.0 | 31.0 | 30.0 | 30.0 | 30.0 | 28.0 | **3,854.0** |
| H2O | 1968 | 19.6 | 14.9 | 18.4 | 16.4 | 0.0 | 0.0 | 55.0 | 157.4 | 143.2 | 135.9 | 142.8 | 125.6 | **7,632.2** |
| OIL | 1968 | 3.7 | 7.6 | 8.7 | 9.2 | 4.8 | 3.8 | 14.9 | 44.5 | 32.1 | 27.2 | 27.5 | 24.0 | **4,906.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | **3,522.0** |
| H2O | 1967 | 103.0 | 86.5 | 111.0 | 107.3 | 10.8 | 10.3 | 11.0 | 10.5 | 18.8 | 19.7 | 18.1 | 12.4 | **6,803.0** |
| OIL | 1967 | 25.9 | 24.5 | 25.9 | 26.4 | 23.7 | 22.4 | 23.0 | 21.6 | 9.4 | 9.2 | 9.1 | 6.7 | **4,698.6** |
| DAY | 1966 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **3,163.0** |
| H2O | 1966 | 113.4 | 105.4 | 3.7 | 126.5 | 117.3 | 111.1 | 107.0 | 99.0 | 95.2 | 98.2 | 97.5 | 103.7 | **6,283.6** |
| OIL | 1966 | 29.1 | 25.6 | 16.8 | 48.5 | 36.7 | 28.3 | 29.9 | 27.5 | 25.3 | 27.7 | 28.1 | 29.4 | **4,470.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,802.0** |
| H2O | 1965 | 4.0 | 4.9 | 5.6 | 6.5 | 5.9 | 130.4 | 140.7 | 128.9 | 125.0 | 90.0 | 104.1 | 116.7 | **5,105.6** |
| OIL | 1965 | 1.9 | 1.9 | 2.4 | 2.2 | 2.4 | 58.2 | 68.0 | 66.1 | 59.8 | 29.6 | 27.3 | 29.2 | **4,117.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,441.0** |
| H2O | 1964 | 31.6 | 28.6 | 46.1 | 43.9 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.2 | 4.5 | **4,242.9** |
| OIL | 1964 | 16.5 | 14.8 | 16.4 | 18.1 | 14.5 | 6.5 | 7.0 | 7.3 | 6.2 | 6.8 | 2.1 | 2.2 | **3,768.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,075.0** |
| H2O | 1963 | 26.1 | 24.0 | 21.1 | 92.8 | 87.8 | 92.5 | 80.6 | 38.8 | 39.1 | 41.8 | 43.2 | 40.9 | **4,081.4** |
| OIL | 1963 | 22.6 | 20.0 | 22.2 | 28.0 | 29.4 | 23.8 | 21.3 | 24.8 | 24.9 | 25.4 | 17.6 | 17.3 | **3,650.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,711.0** |
| H2O | 1962 | 94.8 | 99.5 | 108.7 | 119.9 | 124.0 | 59.8 | 42.6 | 62.6 | 51.8 | 1.1 | 0.0 | 49.6 | **3,452.7** |
| OIL | 1962 | 40.5 | 31.6 | 47.2 | 37.7 | 38.0 | 32.4 | 25.7 | 24.8 | 20.5 | 26.9 | 30.5 | 27.2 | **3,373.2** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,348.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 110.2 | 142.6 | 139.1 | 140.5 | 121.9 | 140.5 | **2,638.3** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.2 | 53.7 | 46.4 | 45.4 | 43.5 | 33.8 | **2,990.2** |
| DAY | 1959 | 31.0 | 15.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,190.0** |
| OIL | 1959 | 9.9 | 4.9 | 9.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,758.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,113.0** |
| H2O | 1958 | 26.1 | 3.8 | 6.7 | 19.9 | 19.4 | 0.0 | 0.0 | 0.0 | 0.0 | 5.2 | 4.9 | 5.4 | **1,843.5** |
| OIL | 1958 | 35.0 | 37.2 | 38.6 | 31.3 | 33.5 | 24.3 | 13.2 | 22.7 | 22.9 | 4.8 | 4.1 | 4.9 | **2,734.0** |
| DAY | 1957 | 24.0 | 28.0 | 31.0 | 18.0 | 31.0 | 28.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **749.0** |
| H2O | 1957 | 114.6 | 122.4 | 120.8 | 75.8 | 126.2 | 22.1 | 48.2 | 57.6 | 83.0 | 89.7 | 24.2 | 26.9 | **1,752.1** |
| OIL | 1957 | 60.7 | 66.3 | 63.4 | 41.3 | 66.4 | 36.7 | 37.2 | 47.4 | 53.6 | 57.0 | 39.3 | 40.2 | **2,461.5** |
| DAY | 1956 | 27.0 | 28.0 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 27.0 | **407.0** |
| H2O | 1956 | 66.9 | 77.3 | 101.6 | 55.8 | 65.5 | 27.5 | 27.2 | 22.4 | 45.0 | 51.2 | 49.8 | 76.2 | **840.6** |
| OIL | 1956 | 189.9 | 170.0 | 149.9 | 144.4 | 141.1 | 134.0 | 108.2 | 111.7 | 101.5 | 65.5 | 55.8 | 69.0 | **1,852.0** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 31.0 | **57.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 89.3 | 84.9 | **174.2** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 209.3 | 201.7 | **411.0** |

Licence ***1010*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***1010*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 2867.0 | 2757.8 | 1565.0 | 2683.9 | 3055.3 | 2862.9 | 2914.3 | 2823.3 | 2678.2 | 2844.5 | 2797.6 | 2666.4 | **388,279.1** |
| WIN | 1974 | 2511.7 | 2254.5 | 2446.7 | 2334.0 | 2485.5 | 2235.4 | 1956.7 | 3136.7 | 2941.0 | 2985.5 | 2908.5 | 2742.2 | **355,762.9** |
| WIN | 1973 | 1704.9 | 2371.3 | 2389.9 | 2030.3 | 2194.2 | 2722.2 | 2777.5 | 2713.0 | 2734.8 | 2593.1 | 2192.5 | 2452.6 | **324,824.5** |
| WIN | 1972 | 2527.1 | 2786.6 | 2836.0 | 2648.6 | 2804.7 | 2688.2 | 2781.8 | 2768.8 | 2675.8 | 2778.0 | 2671.0 | 1754.7 | **295,948.2** |
| WIN | 1971 | 2234.0 | 2056.2 | 1930.7 | 2400.0 | 2286.8 | 1962.9 | 1889.3 | 2477.1 | 2699.8 | 3068.8 | 2222.7 | 2073.4 | **264,226.9** |
| WIN | 1970 | 3519.0 | 3566.9 | 3519.5 | 3561.0 | 3694.5 | 3375.0 | 3145.3 | 2558.9 | 2687.9 | 2784.7 | 2570.7 | 2598.2 | **236,925.2** |
| WIN | 1969 | 3125.9 | 3210.4 | 3391.4 | 3019.0 | 3017.1 | 2803.8 | 2398.1 | 2356.9 | 2399.2 | 3527.6 | 3121.4 | 3544.9 | **199,343.6** |
| WIN | 1968 | 3178.6 | 2734.1 | 2916.3 | 1976.4 | 3457.8 | 3110.0 | 3319.8 | 3088.0 | 3243.0 | 2633.7 | 3286.6 | 2939.1 | **163,427.9** |
| WIN | 1967 | 3254.2 | 2433.8 | 3193.0 | 3251.8 | 3308.4 | 3301.4 | 3468.5 | 2756.7 | 3243.0 | 3137.6 | 3000.7 | 3266.1 | **127,544.5** |
| WIN | 1966 | 2448.0 | 2673.6 | 2824.3 | 3028.9 | 2641.9 | 2875.6 | 2975.5 | 2890.3 | 3064.5 | 2076.1 | 3211.1 | 2837.3 | **89,929.3** |
| WIN | 1965 | 2588.4 | 2818.2 | 3252.4 | 2775.3 | 3086.1 | 2819.2 | 2482.5 | 2158.6 | 1403.6 | 1883.3 | 2238.3 | 2256.6 | **56,382.2** |
| WIN | 1964 | 1204.9 | 1867.5 | 2578.8 | 1668.2 | 899.7 | 1197.0 | 921.3 | 2386.1 | 2206.3 | 2376.9 | 2723.8 | 2582.8 | **26,619.7** |
| DAY | 1963 | 30.0 | 28.0 | 31.0 | 10.0 | 0.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 4.0 | 0.0 | **2,528.0** |
| H2O | 1963 | 137.8 | 123.6 | 143.8 | 42.2 | 0.0 | 161.3 | 189.0 | 204.9 | 184.3 | 173.3 | 20.0 | 0.0 | **6,675.7** |
| OIL | 1963 | 62.3 | 60.9 | 67.4 | 20.8 | 0.0 | 50.7 | 60.2 | 59.1 | 48.8 | 56.1 | 6.2 | 0.0 | **6,012.7** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 193.6 | 3812.8 | **4,006.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,272.0** |
| H2O | 1962 | 318.9 | 261.0 | 249.8 | 211.9 | 194.9 | 133.5 | 139.1 | 125.3 | 132.9 | 138.6 | 115.1 | 138.3 | **5,295.5** |
| OIL | 1962 | 74.5 | 63.9 | 62.5 | 66.7 | 68.3 | 65.3 | 63.6 | 60.5 | 63.4 | 61.7 | 55.3 | 65.0 | **5,520.2** |
| DAY | 1961 | 29.0 | 24.0 | 23.0 | 19.0 | 20.0 | 15.0 | 23.0 | 25.0 | 20.0 | 0.0 | 30.0 | 31.0 | **1,908.0** |
| H2O | 1961 | 29.6 | 23.5 | 12.7 | 27.5 | 19.1 | 11.0 | 36.1 | 51.8 | 20.8 | 0.0 | 336.4 | 314.8 | **3,136.2** |
| OIL | 1961 | 43.2 | 36.4 | 30.2 | 28.4 | 22.9 | 22.6 | 24.8 | 30.4 | 12.2 | 0.0 | 65.5 | 74.5 | **4,749.5** |
| DAY | 1960 | 31.0 | 29.0 | 28.0 | 24.0 | 25.0 | 24.0 | 25.0 | 25.0 | 24.0 | 25.0 | 24.0 | 31.0 | **1,649.0** |
| H2O | 1960 | 32.3 | 28.1 | 34.8 | 14.9 | 18.8 | 25.3 | 19.1 | 18.3 | 25.6 | 33.1 | 24.2 | 21.0 | **2,252.9** |
| OIL | 1960 | 45.6 | 42.1 | 40.7 | 28.4 | 41.5 | 37.0 | 29.6 | 40.2 | 53.2 | 28.0 | 28.1 | 37.2 | **4,358.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 24.0 | 31.0 | 30.0 | 27.0 | 31.0 | 25.0 | 29.0 | 28.0 | 28.0 | **1,334.0** |
| H2O | 1959 | 29.7 | 26.9 | 29.6 | 49.4 | 56.1 | 33.5 | 26.1 | 21.6 | 16.4 | 20.2 | 15.4 | 35.1 | **1,957.4** |
| OIL | 1959 | 49.4 | 45.3 | 48.9 | 64.5 | 110.8 | 81.4 | 76.4 | 79.5 | 71.5 | 75.2 | 60.1 | 48.6 | **3,906.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 3.0 | 23.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **991.0** |
| H2O | 1958 | 49.6 | 44.2 | 43.2 | 3.8 | 24.6 | 24.5 | 29.4 | 25.1 | 24.0 | 32.6 | 31.5 | 30.2 | **1,597.4** |
| OIL | 1958 | 94.7 | 84.2 | 65.2 | 5.7 | 90.1 | 96.8 | 97.9 | 90.1 | 64.4 | 52.6 | 46.9 | 49.1 | **3,095.2** |
| DAY | 1957 | 29.0 | 28.0 | 29.0 | 26.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 29.0 | 22.0 | 30.0 | **663.0** |
| H2O | 1957 | 39.9 | 40.2 | 111.1 | 112.1 | 99.2 | 87.4 | 44.0 | 19.4 | 14.0 | 13.2 | 30.5 | 47.2 | **1,234.7** |
| OIL | 1957 | 17.8 | 17.8 | 175.0 | 145.1 | 176.2 | 139.0 | 75.3 | 38.9 | 32.4 | 27.0 | 87.6 | 112.3 | **2,257.5** |
| DAY | 1956 | 31.0 | 28.0 | 31.0 | 29.0 | 17.0 | 14.0 | 4.0 | 24.0 | 20.0 | 29.0 | 30.0 | 31.0 | **319.0** |
| H2O | 1956 | 53.1 | 61.0 | 49.4 | 30.8 | 33.7 | 39.7 | 18.6 | 66.6 | 14.9 | 25.8 | 41.8 | 27.0 | **576.5** |
| OIL | 1956 | 196.6 | 144.4 | 159.9 | 112.8 | 69.4 | 50.5 | 11.9 | 38.1 | 37.3 | 46.6 | 24.5 | 20.0 | **1,213.1** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | **31.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 114.1 | **114.1** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 301.1 | **301.1** |

Licence ***1011*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-14-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,351.0** |
| H2O | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 207.6 | 374.6 | 363.9 | 380.0 | 362.2 | 387.3 | **17,457.6** |
| OIL | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 175.6 | 141.9 | 97.3 | 99.0 | 94.7 | 96.0 | **10,705.6** |
| DAY | 1973 | 21.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,171.0** |
| H2O | 1973 | 19.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **15,382.0** |
| OIL | 1973 | 5.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **10,001.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,150.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1011*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-14-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1972 | 24.3 | 17.2 | 18.4 | 8.9 | 9.4 | 8.6 | 13.4 | 15.9 | 15.3 | 15.9 | 26.2 | 27.0 | **15,362.8** |
| OIL | 1972 | 46.7 | 41.0 | 43.5 | 26.4 | 26.9 | 24.0 | 7.9 | 9.1 | 8.7 | 8.7 | 8.3 | 8.7 | **9,995.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,789.0** |
| H2O | 1971 | 18.8 | 17.8 | 18.0 | 18.8 | 20.0 | 42.0 | 41.0 | 44.5 | 43.1 | 24.2 | 23.7 | 22.7 | **15,162.3** |
| OIL | 1971 | 38.1 | 34.0 | 37.5 | 37.0 | 42.4 | 44.8 | 45.9 | 47.2 | 44.7 | 44.2 | 43.9 | 45.3 | **9,735.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,424.0** |
| H2O | 1970 | 9.4 | 8.4 | 9.1 | 9.2 | 4.6 | 23.2 | 23.7 | 24.5 | 22.4 | 17.6 | 17.5 | 17.6 | **14,827.7** |
| OIL | 1970 | 34.2 | 30.4 | 33.4 | 31.8 | 46.9 | 49.4 | 52.8 | 52.0 | 49.6 | 37.0 | 34.8 | 37.0 | **9,230.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 28.0 | 22.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,059.0** |
| H2O | 1969 | 48.2 | 44.4 | 9.1 | 8.4 | 10.7 | 14.8 | 14.9 | 14.1 | 14.1 | 14.6 | 14.6 | 8.7 | **14,640.5** |
| OIL | 1969 | 31.8 | 29.2 | 32.6 | 28.6 | 31.1 | 48.1 | 48.8 | 48.3 | 43.9 | 46.1 | 46.2 | 32.7 | **8,741.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,705.0** |
| H2O | 1968 | 33.1 | 32.1 | 34.5 | 18.9 | 19.6 | 18.3 | 50.1 | 47.7 | 39.7 | 48.5 | 47.4 | 48.0 | **14,423.9** |
| OIL | 1968 | 35.9 | 35.1 | 35.4 | 35.6 | 35.3 | 36.2 | 31.8 | 31.8 | 27.2 | 32.3 | 30.4 | 32.1 | **8,273.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,341.0** |
| H2O | 1967 | 43.6 | 44.2 | 51.8 | 51.7 | 46.4 | 46.6 | 32.9 | 30.5 | 31.8 | 32.7 | 32.0 | 34.0 | **13,986.0** |
| OIL | 1967 | 28.1 | 25.6 | 28.6 | 26.7 | 25.9 | 28.6 | 30.7 | 31.3 | 32.1 | 33.2 | 33.7 | 35.6 | **7,874.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,978.0** |
| H2O | 1966 | 53.9 | 40.1 | 48.2 | 49.0 | 53.3 | 38.5 | 48.8 | 49.3 | 47.7 | 49.3 | 47.7 | 41.0 | **13,507.8** |
| OIL | 1966 | 34.0 | 28.3 | 34.8 | 33.4 | 34.5 | 31.3 | 33.1 | 33.4 | 33.1 | 32.6 | 30.0 | 26.5 | **7,514.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,613.0** |
| H2O | 1965 | 172.5 | 155.8 | 167.9 | 146.3 | 148.6 | 96.2 | 100.5 | 81.2 | 71.9 | 73.9 | 70.3 | 73.9 | **12,941.0** |
| OIL | 1965 | 48.8 | 40.2 | 38.9 | 34.2 | 42.6 | 44.2 | 44.7 | 42.1 | 35.0 | 36.2 | 31.3 | 32.3 | **7,129.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,252.0** |
| H2O | 1964 | 40.1 | 20.8 | 20.7 | 18.1 | 18.0 | 25.8 | 26.2 | 8.1 | 171.1 | 182.2 | 165.3 | 172.5 | **11,582.0** |
| OIL | 1964 | 27.5 | 26.4 | 26.5 | 25.9 | 26.7 | 31.6 | 36.5 | 20.7 | 79.3 | 74.5 | 66.9 | 50.7 | **6,658.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **2,890.0** |
| H2O | 1963 | 68.5 | 63.8 | 70.0 | 64.2 | 104.1 | 41.7 | 28.6 | 41.3 | 56.8 | 87.8 | 21.3 | 36.6 | **10,713.1** |
| OIL | 1963 | 27.7 | 27.2 | 30.5 | 28.9 | 27.3 | 25.4 | 26.7 | 25.6 | 29.7 | 25.7 | 26.5 | 28.0 | **6,165.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,528.0** |
| H2O | 1962 | 50.2 | 47.9 | 58.5 | 60.4 | 55.8 | 56.4 | 54.1 | 55.6 | 56.1 | 57.2 | 67.9 | 68.8 | **10,028.4** |
| OIL | 1962 | 21.8 | 19.4 | 24.6 | 23.7 | 30.2 | 20.8 | 22.6 | 23.0 | 22.2 | 22.9 | 28.3 | 29.4 | **5,836.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,163.0** |
| H2O | 1961 | 61.7 | 48.3 | 59.3 | 51.7 | 21.3 | 52.8 | 29.6 | 45.3 | 46.3 | 57.2 | 81.1 | 83.3 | **9,339.5** |
| OIL | 1961 | 40.5 | 40.5 | 42.9 | 40.4 | 39.4 | 37.0 | 21.6 | 26.5 | 30.4 | 24.9 | 29.1 | 28.1 | **5,547.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,798.0** |
| H2O | 1960 | 96.0 | 87.4 | 91.7 | 91.7 | 57.1 | 111.3 | 138.9 | 73.0 | 70.9 | 74.6 | 69.2 | 73.1 | **8,701.6** |
| OIL | 1960 | 58.3 | 50.5 | 54.7 | 53.7 | 48.3 | 74.1 | 48.0 | 48.6 | 41.0 | 48.6 | 39.6 | 44.2 | **5,146.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,432.0** |
| H2O | 1959 | 209.5 | 247.4 | 247.2 | 191.7 | 212.2 | 225.3 | 225.1 | 197.1 | 167.7 | 129.3 | 108.3 | 107.9 | **7,666.7** |
| OIL | 1959 | 110.1 | 78.3 | 124.9 | 85.7 | 83.0 | 84.5 | 94.7 | 78.0 | 76.8 | 62.9 | 61.0 | 63.6 | **4,536.7** |
| DAY | 1958 | 31.0 | 28.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,072.0** |
| H2O | 1958 | 195.4 | 147.5 | 156.6 | 113.8 | 90.9 | 328.3 | 325.9 | 338.2 | 346.6 | 319.5 | 249.9 | 223.5 | **5,398.0** |
| OIL | 1958 | 78.7 | 57.4 | 62.5 | 55.0 | 54.7 | 130.1 | 174.5 | 150.6 | 117.6 | 126.0 | 107.9 | 100.0 | **3,533.2** |
| DAY | 1957 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **712.0** |
| H2O | 1957 | 64.1 | 86.8 | 58.0 | 67.1 | 26.7 | 130.2 | 37.4 | 180.4 | 359.9 | 114.1 | 308.6 | 180.6 | **2,561.9** |
| OIL | 1957 | 84.4 | 67.1 | 74.4 | 93.6 | 69.6 | 78.7 | 79.9 | 117.4 | 138.6 | 141.7 | 93.8 | 85.3 | **2,318.2** |
| DAY | 1956 | 14.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **349.0** |
| H2O | 1956 | 99.2 | 72.5 | 114.9 | 69.3 | 70.7 | 79.3 | 62.3 | 69.8 | 41.3 | 60.6 | 102.7 | 105.4 | **948.0** |
| OIL | 1956 | 128.9 | 135.9 | 118.2 | 79.9 | 80.4 | 86.8 | 72.1 | 135.4 | 93.3 | 80.2 | 93.1 | 89.5 | **1,193.7** |

Licence ***1012*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
# 1950 To 1975

Licence ***1012*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-14-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,275.0** |
| H2O | 1975 | 389.1 | 342.5 | 370.1 | 371.1 | 318.6 | 291.1 | 282.0 | 319.8 | 305.8 | 308.9 | 309.2 | 330.8 | **18,207.9** |
| OIL | 1975 | 73.7 | 65.5 | 73.3 | 69.8 | 67.5 | 64.7 | 35.8 | 42.0 | 40.2 | 39.6 | 55.5 | 56.3 | **9,363.3** |
| DAY | 1974 | 31.0 | 28.0 | 26.0 | 28.0 | 26.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,916.0** |
| H2O | 1974 | 22.6 | 470.6 | 437.0 | 484.9 | 403.4 | 502.2 | 440.4 | 445.1 | 421.8 | 447.5 | 369.8 | 383.5 | **14,268.9** |
| OIL | 1974 | 23.8 | 95.0 | 71.0 | 76.0 | 64.0 | 82.0 | 80.2 | 79.0 | 79.5 | 83.3 | 72.8 | 73.7 | **8,679.4** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **6,564.0** |
| H2O | 1973 | 23.8 | 20.7 | 18.9 | 30.7 | 30.4 | 43.1 | 47.0 | 45.0 | 24.5 | 24.6 | 20.5 | 23.8 | **9,440.1** |
| OIL | 1973 | 14.1 | 12.2 | 21.6 | 34.6 | 37.5 | 29.9 | 31.5 | 45.3 | 22.6 | 23.8 | 21.3 | 24.3 | **7,799.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,207.0** |
| H2O | 1972 | 35.9 | 25.4 | 27.2 | 14.5 | 15.1 | 15.1 | 14.9 | 15.4 | 15.3 | 15.7 | 21.9 | 22.6 | **9,087.1** |
| OIL | 1972 | 51.5 | 45.1 | 48.0 | 48.6 | 49.7 | 47.4 | 50.1 | 49.9 | 50.1 | 49.1 | 13.5 | 14.1 | **7,480.4** |
| DAY | 1971 | 31.0 | 26.0 | 29.0 | 30.0 | 29.0 | 30.0 | 29.0 | 27.0 | 30.0 | 29.0 | 30.0 | 31.0 | **5,842.0** |
| H2O | 1971 | 27.7 | 24.2 | 24.6 | 27.5 | 18.8 | 18.8 | 17.0 | 17.3 | 19.1 | 22.6 | 23.7 | 33.4 | **8,848.1** |
| OIL | 1971 | 48.6 | 39.9 | 53.1 | 56.1 | 47.8 | 49.3 | 46.9 | 45.3 | 48.9 | 49.9 | 53.2 | 49.9 | **6,963.3** |
| DAY | 1970 | 30.0 | 28.0 | 31.0 | 26.0 | 31.0 | 27.0 | 29.0 | 31.0 | 26.0 | 31.0 | 28.0 | 31.0 | **5,491.0** |
| H2O | 1970 | 28.3 | 25.9 | 28.1 | 13.0 | 14.9 | 4.0 | 4.1 | 107.2 | 73.3 | 82.7 | 24.0 | 26.1 | **8,573.4** |
| OIL | 1970 | 28.4 | 26.2 | 28.8 | 31.3 | 37.0 | 32.1 | 34.2 | 84.7 | 35.4 | 42.7 | 41.2 | 47.0 | **6,374.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,142.0** |
| H2O | 1969 | 19.6 | 18.0 | 18.8 | 18.8 | 19.4 | 18.9 | 28.8 | 27.3 | 27.7 | 27.8 | 28.0 | 27.0 | **8,141.8** |
| OIL | 1969 | 41.8 | 38.1 | 42.6 | 40.2 | 39.7 | 43.7 | 29.1 | 28.9 | 26.4 | 27.3 | 27.5 | 28.3 | **5,905.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,777.0** |
| H2O | 1968 | 12.7 | 12.4 | 13.4 | 12.2 | 12.9 | 13.8 | 15.6 | 13.4 | 12.4 | 15.1 | 19.2 | 18.9 | **7,861.7** |
| OIL | 1968 | 25.9 | 25.4 | 26.2 | 23.5 | 23.2 | 22.9 | 23.0 | 20.8 | 19.9 | 23.4 | 39.7 | 41.0 | **5,491.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,416.0** |
| H2O | 1967 | 43.7 | 44.0 | 51.7 | 51.8 | 46.6 | 46.6 | 49.1 | 11.6 | 12.1 | 12.4 | 12.1 | 12.9 | **7,689.7** |
| OIL | 1967 | 20.2 | 18.4 | 20.7 | 19.4 | 18.8 | 20.8 | 22.9 | 22.6 | 23.0 | 23.8 | 24.3 | 25.7 | **5,176.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **4,053.0** |
| H2O | 1966 | 55.8 | 40.1 | 49.0 | 52.8 | 52.6 | 48.0 | 119.1 | 125.8 | 93.2 | 68.7 | 71.2 | 38.8 | **7,295.1** |
| OIL | 1966 | 24.5 | 22.4 | 24.3 | 23.7 | 24.6 | 23.4 | 29.6 | 24.9 | 23.5 | 22.9 | 21.3 | 18.1 | **4,916.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,693.0** |
| H2O | 1965 | 244.0 | 184.9 | 182.8 | 184.6 | 72.5 | 76.8 | 79.0 | 73.9 | 72.0 | 73.9 | 71.5 | 73.9 | **6,480.0** |
| OIL | 1965 | 45.9 | 40.0 | 38.8 | 32.9 | 15.6 | 40.5 | 39.4 | 37.3 | 28.8 | 24.3 | 22.7 | 23.0 | **4,633.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,329.0** |
| H2O | 1964 | 8.4 | 4.5 | 4.5 | 3.8 | 3.8 | 5.9 | 6.0 | 7.2 | 180.4 | 208.9 | 234.8 | 239.3 | **5,090.2** |
| OIL | 1964 | 13.7 | 13.2 | 13.3 | 13.0 | 13.3 | 15.9 | 18.3 | 14.5 | 64.5 | 62.6 | 47.2 | 48.8 | **4,243.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **2,967.0** |
| H2O | 1963 | 14.8 | 13.8 | 15.3 | 14.0 | 36.6 | 14.6 | 10.0 | 14.5 | 10.7 | 16.4 | 4.5 | 7.6 | **4,182.7** |
| OIL | 1963 | 18.4 | 18.1 | 20.3 | 19.4 | 18.3 | 17.0 | 17.8 | 17.2 | 10.0 | 8.7 | 13.2 | 13.8 | **3,905.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,605.0** |
| H2O | 1962 | 11.9 | 11.8 | 14.0 | 14.5 | 11.9 | 13.5 | 12.9 | 13.2 | 13.4 | 13.7 | 14.8 | 14.9 | **4,009.9** |
| OIL | 1962 | 17.5 | 15.6 | 19.7 | 18.9 | 19.5 | 16.7 | 18.1 | 18.6 | 18.0 | 18.4 | 18.9 | 19.5 | **3,713.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,241.0** |
| H2O | 1961 | 14.1 | 14.1 | 17.3 | 15.6 | 6.4 | 15.6 | 20.7 | 2.1 | 1.7 | 2.2 | 19.1 | 19.7 | **3,849.4** |
| OIL | 1961 | 15.6 | 16.0 | 17.2 | 16.2 | 15.7 | 14.8 | 38.9 | 3.8 | 4.3 | 3.5 | 23.2 | 22.6 | **3,494.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,876.0** |
| H2O | 1960 | 7.9 | 9.4 | 17.5 | 10.2 | 9.7 | 11.4 | 18.4 | 12.2 | 11.8 | 17.5 | 15.7 | 16.7 | **3,700.8** |
| OIL | 1960 | 14.6 | 15.6 | 18.3 | 18.0 | 12.1 | 18.6 | 14.9 | 12.2 | 10.2 | 15.3 | 15.3 | 17.0 | **3,302.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,510.0** |
| H2O | 1959 | 39.6 | 43.7 | 28.1 | 21.5 | 26.2 | 14.8 | 31.5 | 11.3 | 3.7 | 22.9 | 19.2 | 9.1 | **3,542.4** |
| OIL | 1959 | 29.6 | 19.5 | 18.4 | 13.2 | 11.4 | 22.7 | 15.7 | 13.5 | 3.5 | 22.2 | 21.6 | 15.9 | **3,120.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,146.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1012*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-14-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 188.1 | 194.4 | 169.5 | 104.3 | 83.5 | 58.7 | 52.3 | 39.3 | 46.3 | 46.1 | 36.2 | 32.1 | **3,270.8** |
| OIL | 1958 | 113.3 | 82.6 | 89.9 | 60.5 | 60.2 | 37.2 | 49.9 | 35.1 | 50.4 | 34.0 | 20.0 | 26.9 | **2,912.9** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **781.0** |
| H2O | 1957 | 13.4 | 18.0 | 20.0 | 23.7 | 4.1 | 28.3 | 13.0 | 7.8 | 246.1 | 318.1 | 222.3 | 217.2 | **2,220.0** |
| OIL | 1957 | 23.5 | 18.8 | 20.8 | 19.5 | 23.2 | 21.5 | 16.8 | 9.1 | 79.8 | 127.3 | 135.1 | 123.0 | **2,252.9** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **417.0** |
| H2O | 1956 | 164.5 | 184.4 | 56.9 | 88.9 | 67.7 | 98.4 | 59.6 | 9.5 | 8.3 | 37.5 | 25.0 | 25.8 | **1,088.0** |
| OIL | 1956 | 186.1 | 207.6 | 180.5 | 122.0 | 122.8 | 132.5 | 110.1 | 37.2 | 37.3 | 31.1 | 25.9 | 24.9 | **1,634.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 31.0 | **51.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 61.5 | 200.0 | **261.5** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 212.3 | 204.2 | **416.5** |

Licence ***1016*** Well Name ***Rundle Hauk Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.01-35-010-26W1.02*** Field Name ***Virden*** Pool Name ***Ashville*** Field Code ***5*** Pool Code ***11*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1965 | 2279.0 | 1980.5 | 1953.9 | 1819.5 | 2058.7 | 2400.5 | 2126.1 | 2310.7 | 1778.2 | 325.3 | 136.4 | 0.0 | **245,155.9** |
| WIN | 1964 | 2226.1 | 1870.4 | 1942.3 | 2060.6 | 2111.8 | 1955.3 | 1601.2 | 1974.7 | 1992.8 | 2369.5 | 2338.5 | 2283.2 | **225,987.1** |
| WIN | 1963 | 2040.5 | 1714.8 | 1821.6 | 1729.7 | 1791.7 | 1700.5 | 1354.2 | 1920.2 | 1704.3 | 1877.9 | 1866.8 | 1911.8 | **201,260.7** |
| WIN | 1962 | 1774.2 | 1731.6 | 2051.7 | 2080.4 | 1983.5 | 2007.1 | 2155.8 | 2082.5 | 1848.8 | 1924.6 | 1821.3 | 2145.2 | **179,826.7** |
| WIN | 1961 | 956.1 | 1003.6 | 1059.4 | 1103.6 | 1286.1 | 930.2 | 1390.4 | 1819.4 | 1491.4 | 1350.0 | 1357.4 | 1732.6 | **156,220.0** |
| WIN | 1960 | 1870.3 | 1385.7 | 1244.0 | 1204.1 | 1137.2 | 1258.3 | 1309.0 | 955.6 | 970.2 | 1025.2 | 959.2 | 1018.5 | **140,739.8** |
| WIN | 1959 | 573.0 | 1534.6 | 1453.4 | 1539.1 | 1616.4 | 1475.0 | 1414.1 | 1557.7 | 1272.5 | 1331.1 | 2138.2 | 1735.9 | **126,402.5** |
| WIN | 1958 | 4202.4 | 3745.8 | 3723.5 | 3539.4 | 4009.6 | 3372.6 | 3319.7 | 3059.6 | 2299.1 | 2470.7 | 1708.6 | 1300.4 | **108,761.5** |
| WIN | 1957 | 3565.5 | 3521.9 | 3497.9 | 2106.4 | 2975.1 | 3138.3 | 4047.3 | 4995.5 | 4571.3 | 4420.4 | 3633.2 | 4235.2 | **72,010.1** |
| WIN | 1956 | 1155.3 | 1129.0 | 1265.8 | 1707.6 | 1913.3 | 2483.1 | 3100.4 | 2446.0 | 3233.3 | 2847.0 | 2887.5 | 2924.6 | **27,302.1** |
| WIN | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 209.2 | **209.2** |

Licence ***1017*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 2.0 | 5.0 | 31.0 | **7,172.0** |
| H2O | 1975 | 69.0 | 60.9 | 65.8 | 66.0 | 67.6 | 62.3 | 67.1 | 65.7 | 68.2 | 4.6 | 11.3 | 72.7 | **8,002.6** |
| OIL | 1975 | 69.4 | 61.5 | 69.0 | 65.6 | 69.8 | 67.4 | 68.8 | 69.4 | 66.7 | 4.3 | 10.8 | 65.8 | **14,404.7** |
| DAY | 1974 | 31.0 | 26.0 | 31.0 | 30.0 | 27.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,861.0** |
| H2O | 1974 | 67.9 | 50.6 | 62.5 | 60.4 | 56.1 | 61.5 | 64.9 | 65.5 | 64.2 | 63.8 | 65.7 | 68.0 | **7,321.4** |
| OIL | 1974 | 51.2 | 51.3 | 61.0 | 57.0 | 53.6 | 60.5 | 67.5 | 66.4 | 69.1 | 67.7 | 68.5 | 69.6 | **13,716.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 17.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,505.0** |
| H2O | 1973 | 37.7 | 32.6 | 38.0 | 40.7 | 21.9 | 36.4 | 44.0 | 44.8 | 42.6 | 73.8 | 71.2 | 71.7 | **6,570.3** |
| OIL | 1973 | 81.8 | 71.4 | 79.6 | 78.8 | 46.6 | 82.6 | 65.0 | 57.2 | 50.7 | 51.5 | 53.1 | 52.6 | **12,972.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,155.0** |
| H2O | 1972 | 41.7 | 29.4 | 172.2 | 169.0 | 183.0 | 182.5 | 181.6 | 36.7 | 38.8 | 40.2 | 34.5 | 35.6 | **6,014.9** |
| OIL | 1972 | 77.2 | 67.9 | 152.2 | 136.0 | 143.7 | 137.1 | 144.6 | 76.9 | 81.7 | 80.1 | 77.4 | 81.0 | **12,201.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 28.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,792.0** |
| H2O | 1971 | 46.4 | 44.2 | 44.2 | 25.8 | 18.0 | 18.6 | 17.6 | 53.7 | 52.0 | 47.2 | 40.5 | 38.8 | **4,869.7** |
| OIL | 1971 | 86.8 | 77.4 | 85.2 | 65.8 | 88.4 | 94.4 | 93.1 | 131.9 | 124.6 | 102.2 | 72.8 | 75.2 | **10,946.1** |
| DAY | 1970 | 31.0 | 27.0 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 28.0 | 27.0 | 31.0 | 30.0 | 31.0 | **5,433.0** |
| H2O | 1970 | 4.6 | 4.0 | 4.6 | 26.9 | 28.5 | 35.3 | 37.5 | 34.5 | 44.4 | 48.0 | 43.4 | 43.7 | **4,422.7** |
| OIL | 1970 | 59.0 | 50.5 | 57.5 | 59.1 | 65.2 | 43.7 | 48.1 | 42.6 | 89.3 | 103.1 | 79.1 | 84.1 | **9,848.3** |
| DAY | 1969 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **5,078.0** |
| H2O | 1969 | 14.9 | 13.7 | 13.0 | 14.5 | 14.9 | 13.5 | 14.9 | 14.3 | 4.0 | 4.5 | 4.5 | 4.5 | **4,067.3** |
| OIL | 1969 | 46.1 | 42.1 | 42.6 | 44.2 | 43.9 | 79.9 | 87.1 | 86.4 | 47.4 | 54.8 | 55.1 | 56.4 | **9,067.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1017*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,721.0** |
| H2O | 1968 | 24.0 | 21.9 | 23.2 | 23.5 | 24.3 | 21.1 | 25.1 | 14.9 | 12.2 | 14.9 | 14.6 | 14.8 | **3,936.1** |
| OIL | 1968 | 62.0 | 56.9 | 56.4 | 55.8 | 55.3 | 51.3 | 54.8 | 45.9 | 39.4 | 46.7 | 43.9 | 46.4 | **8,381.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,362.0** |
| H2O | 1967 | 21.8 | 22.1 | 25.9 | 25.8 | 24.8 | 23.4 | 23.8 | 21.9 | 23.1 | 22.1 | 23.2 | 24.5 | **3,701.6** |
| OIL | 1967 | 48.3 | 44.0 | 49.3 | 46.2 | 47.7 | 49.3 | 53.1 | 53.9 | 55.1 | 53.6 | 58.0 | 61.5 | **7,766.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,999.0** |
| H2O | 1966 | 29.4 | 26.2 | 29.6 | 28.6 | 29.6 | 28.6 | 28.9 | 24.3 | 23.8 | 19.6 | 25.8 | 20.5 | **3,419.2** |
| OIL | 1966 | 68.6 | 57.2 | 66.9 | 62.3 | 63.7 | 59.9 | 56.4 | 58.2 | 56.1 | 52.0 | 57.0 | 45.6 | **7,146.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | **3,634.0** |
| H2O | 1965 | 24.2 | 22.3 | 24.6 | 23.5 | 28.9 | 36.2 | 21.3 | 24.6 | 23.8 | 14.8 | 28.6 | 28.6 | **3,104.3** |
| OIL | 1965 | 68.0 | 62.6 | 69.1 | 55.6 | 66.1 | 63.4 | 61.0 | 67.9 | 66.4 | 45.9 | 76.6 | 67.1 | **6,442.3** |
| DAY | 1964 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,275.0** |
| H2O | 1964 | 19.7 | 27.8 | 37.5 | 37.5 | 38.8 | 30.0 | 24.6 | 24.6 | 23.8 | 24.6 | 23.8 | 24.6 | **2,802.9** |
| OIL | 1964 | 44.7 | 58.2 | 93.8 | 87.7 | 82.2 | 71.5 | 68.0 | 68.5 | 66.3 | 68.6 | 65.8 | 69.1 | **5,672.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,914.0** |
| H2O | 1963 | 19.4 | 17.8 | 19.7 | 19.1 | 19.7 | 18.8 | 19.7 | 19.7 | 19.1 | 19.4 | 19.1 | 19.7 | **2,465.6** |
| OIL | 1963 | 39.9 | 38.8 | 44.5 | 42.7 | 43.9 | 42.1 | 44.2 | 44.0 | 42.9 | 43.4 | 43.1 | 44.8 | **4,828.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,549.0** |
| H2O | 1962 | 19.7 | 17.5 | 19.7 | 19.1 | 19.7 | 19.1 | 18.9 | 18.8 | 19.1 | 19.4 | 17.6 | 19.6 | **2,234.4** |
| OIL | 1962 | 29.7 | 26.4 | 30.0 | 28.6 | 29.6 | 28.1 | 27.7 | 27.8 | 28.6 | 38.8 | 34.5 | 39.4 | **4,313.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,187.0** |
| H2O | 1961 | 19.6 | 17.8 | 19.7 | 19.1 | 19.7 | 19.1 | 19.7 | 19.7 | 19.1 | 19.2 | 19.1 | 19.7 | **2,006.2** |
| OIL | 1961 | 29.4 | 26.9 | 29.4 | 28.4 | 29.4 | 28.3 | 29.4 | 29.2 | 28.1 | 28.9 | 28.6 | 28.8 | **3,944.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,822.0** |
| H2O | 1960 | 26.1 | 18.4 | 19.7 | 19.1 | 27.7 | 19.1 | 18.8 | 19.4 | 19.1 | 19.2 | 19.1 | 19.7 | **1,774.7** |
| OIL | 1960 | 28.3 | 27.7 | 29.6 | 28.8 | 44.0 | 34.8 | 39.7 | 39.7 | 28.1 | 29.4 | 27.8 | 29.7 | **3,599.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **1,456.0** |
| H2O | 1959 | 19.7 | 17.8 | 30.0 | 33.4 | 34.0 | 33.4 | 34.5 | 34.5 | 33.2 | 33.5 | 33.4 | 28.0 | **1,529.3** |
| OIL | 1959 | 49.9 | 48.6 | 33.5 | 23.5 | 24.8 | 23.5 | 23.4 | 26.2 | 22.7 | 24.3 | 24.0 | 19.5 | **3,212.3** |
| DAY | 1958 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,094.0** |
| H2O | 1958 | 19.7 | 17.8 | 16.5 | 15.9 | 15.9 | 16.5 | 19.7 | 19.7 | 19.1 | 19.7 | 19.1 | 19.1 | **1,163.9** |
| OIL | 1958 | 66.6 | 88.7 | 50.5 | 63.1 | 76.6 | 36.7 | 70.2 | 62.9 | 55.8 | 58.5 | 56.6 | 48.3 | **2,868.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **736.0** |
| H2O | 1957 | 17.8 | 14.8 | 14.9 | 14.3 | 14.5 | 14.3 | 19.4 | 19.4 | 18.4 | 19.1 | 19.1 | 19.7 | **945.2** |
| OIL | 1957 | 37.2 | 39.4 | 67.1 | 77.7 | 72.5 | 63.9 | 54.7 | 75.6 | 82.5 | 61.3 | 44.8 | 49.7 | **2,133.9** |
| DAY | 1956 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 23.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **372.0** |
| H2O | 1956 | 232.6 | 87.3 | 35.5 | 27.0 | 28.6 | 33.1 | 29.9 | 34.2 | 37.5 | 39.4 | 33.2 | 17.0 | **739.5** |
| OIL | 1956 | 177.2 | 136.3 | 160.5 | 182.0 | 92.3 | 91.5 | 86.8 | 81.8 | 73.1 | 79.1 | 73.6 | 43.5 | **1,407.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 10.0 | **19.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 54.8 | 49.4 | **104.2** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 69.6 | 60.2 | **129.8** |

Licence ***1018*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,216.0** |
| H2O | 1975 | 294.7 | 258.5 | 289.8 | 290.5 | 297.9 | 274.9 | 295.2 | 281.7 | 300.9 | 301.3 | 299.4 | 320.0 | **46,517.7** |
| OIL | 1975 | 44.8 | 39.6 | 45.9 | 43.7 | 46.2 | 45.0 | 45.8 | 45.0 | 44.3 | 43.4 | 43.2 | 43.7 | **21,269.2** |
| DAY | 1974 | 30.0 | 28.0 | 31.0 | 30.0 | 27.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,854.0** |
| H2O | 1974 | 265.7 | 260.1 | 274.9 | 270.1 | 245.1 | 268.5 | 281.1 | 286.5 | 280.8 | 287.9 | 287.1 | 297.8 | **43,012.9** |

# Manitoba Production
# 1950 To 1975

Licence ***1018*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1974 | 19.1 | 18.4 | 40.5 | 38.5 | 35.6 | 40.0 | 44.2 | 44.0 | 45.6 | 46.2 | 45.3 | 46.1 | **20,738.6** |
| DAY | 1973 | 30.0 | 27.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 25.0 | 30.0 | **6,496.0** |
| H2O | 1973 | 346.9 | 301.6 | 352.8 | 262.6 | 171.9 | 160.9 | 167.9 | 170.9 | 168.4 | 268.8 | 238.6 | 282.0 | **39,707.3** |
| OIL | 1973 | 78.5 | 68.8 | 76.9 | 49.1 | 54.8 | 55.0 | 55.6 | 48.9 | 44.8 | 17.8 | 17.0 | 19.5 | **20,275.1** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 23.0 | 29.0 | 30.0 | 29.0 | 31.0 | **6,146.0** |
| H2O | 1972 | 544.2 | 383.9 | 399.5 | 405.1 | 359.9 | 365.8 | 363.9 | 278.1 | 358.2 | 372.3 | 320.8 | 341.8 | **36,814.0** |
| OIL | 1972 | 92.0 | 80.9 | 83.1 | 76.8 | 79.5 | 77.4 | 81.5 | 60.5 | 79.0 | 77.5 | 74.8 | 81.0 | **19,688.4** |
| DAY | 1971 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **5,793.0** |
| H2O | 1971 | 488.5 | 903.5 | 788.2 | 946.7 | 1012.4 | 910.2 | 902.8 | 439.4 | 424.3 | 424.8 | 430.7 | 491.4 | **32,320.5** |
| OIL | 1971 | 62.5 | 59.9 | 57.4 | 65.2 | 64.7 | 59.8 | 62.0 | 71.0 | 67.2 | 65.2 | 67.1 | 86.4 | **18,744.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **5,435.0** |
| H2O | 1970 | 546.3 | 962.5 | 1041.5 | 741.5 | 728.9 | 710.0 | 628.8 | 607.8 | 555.8 | 544.8 | 456.9 | 415.9 | **24,157.6** |
| OIL | 1970 | 54.2 | 126.7 | 138.9 | 96.3 | 97.9 | 94.9 | 87.2 | 61.0 | 58.0 | 60.5 | 57.0 | 54.8 | **17,956.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 25.0 | 26.0 | **5,074.0** |
| H2O | 1969 | 522.1 | 479.3 | 506.4 | 453.6 | 502.7 | 617.6 | 613.0 | 543.4 | 569.5 | 613.8 | 425.0 | 410.2 | **16,216.9** |
| OIL | 1969 | 233.8 | 213.7 | 238.8 | 201.7 | 213.9 | 101.2 | 99.5 | 91.7 | 87.1 | 96.5 | 41.0 | 42.0 | **16,968.6** |
| DAY | 1968 | 31.0 | 27.0 | 31.0 | 27.0 | 31.0 | 30.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,723.0** |
| H2O | 1968 | 68.5 | 133.2 | 288.4 | 239.7 | 276.0 | 255.5 | 263.3 | 517.3 | 428.1 | 525.0 | 513.7 | 514.8 | **9,960.3** |
| OIL | 1968 | 106.6 | 240.0 | 414.4 | 334.3 | 368.2 | 366.1 | 337.8 | 233.3 | 199.7 | 237.4 | 222.3 | 233.3 | **15,307.7** |
| DAY | 1967 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,366.0** |
| H2O | 1967 | 17.6 | 17.8 | 19.7 | 21.0 | 20.2 | 18.8 | 19.1 | 17.8 | 18.6 | 19.1 | 66.1 | 70.3 | **5,936.8** |
| OIL | 1967 | 61.0 | 55.3 | 58.6 | 58.2 | 60.1 | 62.3 | 65.6 | 67.7 | 69.6 | 72.1 | 99.8 | 105.7 | **12,014.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,002.0** |
| H2O | 1966 | 24.6 | 21.8 | 24.6 | 23.8 | 24.6 | 23.8 | 18.6 | 21.1 | 23.8 | 19.2 | 21.9 | 16.4 | **5,610.7** |
| OIL | 1966 | 73.6 | 61.3 | 73.9 | 71.4 | 73.6 | 69.0 | 69.0 | 72.9 | 68.6 | 62.1 | 70.4 | 56.4 | **11,178.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **3,637.0** |
| H2O | 1965 | 33.9 | 31.2 | 30.5 | 28.6 | 29.1 | 27.7 | 26.2 | 29.6 | 28.6 | 19.1 | 23.8 | 24.0 | **5,346.5** |
| OIL | 1965 | 87.7 | 80.4 | 88.8 | 77.4 | 75.6 | 72.8 | 70.6 | 77.5 | 76.0 | 92.0 | 95.8 | 73.9 | **10,356.1** |
| DAY | 1964 | 26.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,276.0** |
| H2O | 1964 | 35.0 | 54.5 | 42.4 | 38.5 | 33.9 | 33.4 | 34.5 | 34.5 | 33.4 | 34.5 | 33.4 | 34.5 | **5,014.2** |
| OIL | 1964 | 65.0 | 123.5 | 93.6 | 91.2 | 86.8 | 84.9 | 87.4 | 88.0 | 85.2 | 88.4 | 84.5 | 88.8 | **9,387.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,915.0** |
| H2O | 1963 | 24.3 | 22.3 | 29.6 | 28.6 | 25.3 | 23.5 | 24.6 | 24.6 | 27.8 | 46.1 | 38.2 | 39.4 | **4,571.7** |
| OIL | 1963 | 67.7 | 62.5 | 72.0 | 71.4 | 69.0 | 65.6 | 68.6 | 68.3 | 63.2 | 62.6 | 67.1 | 74.4 | **8,320.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 28.0 | 31.0 | **2,551.0** |
| H2O | 1962 | 19.7 | 17.5 | 19.7 | 19.1 | 19.7 | 19.1 | 19.2 | 18.8 | 23.2 | 24.2 | 22.1 | 24.5 | **4,217.4** |
| OIL | 1962 | 69.3 | 61.7 | 68.3 | 66.4 | 68.8 | 65.9 | 66.1 | 66.1 | 65.3 | 67.7 | 60.9 | 68.3 | **7,507.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,190.0** |
| H2O | 1961 | 19.6 | 17.8 | 19.7 | 19.1 | 19.7 | 19.1 | 19.7 | 19.7 | 19.1 | 19.2 | 19.1 | 19.7 | **3,970.6** |
| OIL | 1961 | 69.0 | 62.5 | 68.6 | 66.6 | 68.3 | 65.9 | 68.3 | 68.2 | 66.4 | 67.2 | 66.7 | 66.9 | **6,713.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,825.0** |
| H2O | 1960 | 38.3 | 30.7 | 34.5 | 30.0 | 32.3 | 33.4 | 35.1 | 34.2 | 23.8 | 19.1 | 19.1 | 19.7 | **3,739.1** |
| OIL | 1960 | 65.9 | 55.1 | 59.3 | 57.4 | 64.2 | 66.3 | 69.6 | 62.6 | 61.2 | 65.9 | 64.5 | 69.4 | **5,908.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,459.0** |
| H2O | 1959 | 77.7 | 66.7 | 97.6 | 104.9 | 100.9 | 95.3 | 93.8 | 72.3 | 55.3 | 44.5 | 47.7 | 49.4 | **3,388.9** |
| OIL | 1959 | 77.2 | 71.5 | 79.3 | 74.1 | 76.8 | 71.4 | 71.2 | 74.1 | 67.2 | 66.7 | 75.2 | 79.5 | **5,147.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,097.0** |
| H2O | 1958 | 119.0 | 71.2 | 78.8 | 72.9 | 78.8 | 76.3 | 78.8 | 76.0 | 73.3 | 78.8 | 76.3 | 75.0 | **2,482.8** |
| OIL | 1958 | 102.3 | 70.9 | 79.3 | 72.6 | 78.2 | 78.7 | 77.5 | 69.8 | 81.2 | 87.9 | 83.4 | 81.0 | **4,262.9** |
| DAY | 1957 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **733.0** |
| H2O | 1957 | 12.4 | 8.9 | 9.9 | 9.5 | 9.2 | 142.5 | 239.3 | 237.7 | 209.9 | 147.9 | 143.1 | 138.4 | **1,527.6** |
| OIL | 1957 | 18.9 | 7.3 | 9.7 | 9.4 | 103.6 | 171.9 | 223.7 | 153.0 | 136.2 | 137.6 | 113.8 | 114.9 | **3,300.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1018*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 20.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 27.0 | **373.0** |
| H2O | 1956 | 12.7 | 18.8 | 29.6 | 25.7 | 28.6 | 8.9 | 10.3 | 10.3 | 18.3 | 10.0 | 6.8 | 8.9 | **218.9** |
| OIL | 1956 | 280.0 | 236.5 | 210.7 | 204.5 | 189.9 | 130.5 | 182.9 | 97.7 | 93.4 | 76.6 | 50.5 | 43.5 | **2,100.1** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | **27.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | **30.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 303.4 | **303.4** |

Licence ***1019*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,646.0** |
| H2O | 1975 | 484.6 | 493.3 | 549.9 | 533.1 | 552.5 | 508.7 | 529.9 | 522.4 | 514.0 | 552.1 | 553.7 | 424.5 | **64,904.3** |
| OIL | 1975 | 101.5 | 100.1 | 109.8 | 104.2 | 106.2 | 99.3 | 106.2 | 106.6 | 103.5 | 107.1 | 103.6 | 80.9 | **21,180.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,285.0** |
| H2O | 1974 | 362.5 | 349.1 | 394.0 | 376.1 | 345.5 | 309.7 | 350.9 | 321.9 | 317.3 | 330.5 | 329.6 | 511.6 | **58,685.6** |
| OIL | 1974 | 80.7 | 73.1 | 84.4 | 79.0 | 97.3 | 84.2 | 97.4 | 96.9 | 93.0 | 97.3 | 92.8 | 108.7 | **19,951.0** |
| DAY | 1973 | 29.0 | 27.0 | 30.0 | 29.0 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 24.0 | 31.0 | **5,923.0** |
| H2O | 1973 | 414.1 | 415.1 | 458.0 | 454.0 | 459.1 | 425.4 | 458.2 | 419.7 | 425.9 | 416.1 | 314.3 | 380.9 | **54,386.9** |
| OIL | 1973 | 119.0 | 109.3 | 124.1 | 120.3 | 125.5 | 117.3 | 130.3 | 89.6 | 88.0 | 84.9 | 65.0 | 82.5 | **18,866.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 25.0 | 26.0 | 31.0 | 29.0 | 29.0 | **5,573.0** |
| H2O | 1972 | 329.6 | 321.1 | 352.5 | 313.8 | 261.4 | 247.1 | 337.0 | 266.1 | 285.7 | 349.0 | 343.6 | 324.5 | **49,346.1** |
| OIL | 1972 | 112.0 | 104.4 | 113.8 | 108.5 | 66.9 | 61.2 | 101.9 | 86.9 | 88.8 | 105.0 | 99.3 | 96.1 | **17,610.4** |
| DAY | 1971 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,221.0** |
| H2O | 1971 | 352.6 | 311.1 | 341.8 | 342.9 | 330.5 | 342.1 | 338.9 | 326.7 | 292.7 | 327.2 | 314.6 | 350.7 | **45,614.7** |
| OIL | 1971 | 76.4 | 65.8 | 93.6 | 88.8 | 87.4 | 88.4 | 90.4 | 88.7 | 87.6 | 90.7 | 85.7 | 114.1 | **16,465.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,858.0** |
| H2O | 1970 | 351.7 | 330.0 | 345.3 | 318.9 | 328.5 | 374.2 | 287.8 | 301.3 | 364.7 | 378.4 | 345.3 | 383.8 | **41,642.9** |
| OIL | 1970 | 92.8 | 83.6 | 91.4 | 88.0 | 90.7 | 71.4 | 61.8 | 56.3 | 69.9 | 73.7 | 70.7 | 74.2 | **15,408.0** |
| DAY | 1969 | 31.0 | 25.0 | 3.0 | 0.0 | 21.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,503.0** |
| H2O | 1969 | 421.0 | 341.3 | 21.3 | 0.0 | 272.0 | 436.9 | 473.3 | 346.4 | 343.1 | 372.5 | 332.6 | 365.0 | **37,533.0** |
| OIL | 1969 | 100.6 | 79.3 | 5.9 | 0.0 | 100.3 | 132.4 | 137.6 | 110.3 | 91.4 | 95.7 | 91.7 | 96.0 | **14,483.5** |
| DAY | 1968 | 30.0 | 29.0 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,209.0** |
| H2O | 1968 | 445.8 | 440.1 | 464.9 | 389.0 | 450.7 | 353.7 | 432.6 | 402.2 | 377.6 | 400.2 | 377.7 | 401.3 | **33,807.6** |
| OIL | 1968 | 92.2 | 87.9 | 93.6 | 104.9 | 116.3 | 97.9 | 114.6 | 114.3 | 105.8 | 110.9 | 97.6 | 100.4 | **13,442.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,849.0** |
| H2O | 1967 | 422.9 | 349.6 | 417.2 | 357.7 | 333.9 | 323.2 | 280.9 | 375.0 | 296.5 | 355.2 | 312.4 | 476.6 | **28,871.8** |
| OIL | 1967 | 146.2 | 129.8 | 144.4 | 120.3 | 115.5 | 113.9 | 120.1 | 118.9 | 106.2 | 124.4 | 121.2 | 94.9 | **12,205.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 25.0 | 31.0 | **3,487.0** |
| H2O | 1966 | 575.3 | 460.7 | 585.8 | 600.8 | 509.2 | 477.9 | 315.9 | 311.1 | 280.0 | 401.6 | 337.7 | 445.1 | **24,570.7** |
| OIL | 1966 | 172.6 | 151.9 | 168.3 | 164.5 | 154.6 | 158.0 | 182.7 | 180.8 | 122.2 | 137.3 | 113.8 | 146.5 | **10,750.1** |
| DAY | 1965 | 31.0 | 28.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | **3,130.0** |
| H2O | 1965 | 363.0 | 318.8 | 281.9 | 370.1 | 376.5 | 359.5 | 360.9 | 362.3 | 353.7 | 377.4 | 387.8 | 567.1 | **19,269.6** |
| OIL | 1965 | 117.3 | 105.7 | 88.7 | 140.5 | 141.7 | 141.9 | 147.9 | 146.5 | 134.0 | 123.3 | 117.3 | 164.3 | **8,896.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,774.0** |
| H2O | 1964 | 158.8 | 143.2 | 159.3 | 276.8 | 293.5 | 343.6 | 338.6 | 332.7 | 329.9 | 329.9 | 341.6 | 361.5 | **14,790.6** |
| OIL | 1964 | 62.1 | 58.8 | 63.6 | 77.9 | 80.2 | 107.4 | 111.2 | 108.7 | 108.7 | 110.8 | 108.5 | 116.2 | **7,327.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,408.0** |
| H2O | 1963 | 145.9 | 129.9 | 147.4 | 132.3 | 137.8 | 184.9 | 192.7 | 210.2 | 232.4 | 225.8 | 153.6 | 157.1 | **11,381.2** |
| OIL | 1963 | 74.1 | 71.8 | 76.9 | 73.1 | 75.5 | 65.5 | 69.0 | 67.9 | 62.8 | 63.2 | 58.2 | 59.6 | **6,213.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,043.0** |
| H2O | 1962 | 208.1 | 180.3 | 199.0 | 177.9 | 161.2 | 150.6 | 143.6 | 138.9 | 138.8 | 146.4 | 118.0 | 141.8 | **9,331.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1019*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 69.4 | 63.7 | 71.8 | 69.0 | 72.6 | 71.4 | 73.3 | 74.7 | 74.4 | 72.8 | 63.2 | 74.8 | **5,396.1** |
| DAY | 1961 | 28.0 | 25.0 | 23.0 | 19.0 | 19.0 | 15.0 | 23.0 | 26.0 | 26.0 | 28.0 | 29.0 | 31.0 | **1,679.0** |
| H2O | 1961 | 183.9 | 168.7 | 179.5 | 122.3 | 115.1 | 84.4 | 120.7 | 126.1 | 164.5 | 182.0 | 216.7 | 215.9 | **7,426.6** |
| OIL | 1961 | 86.3 | 73.3 | 73.4 | 66.4 | 58.2 | 48.5 | 73.9 | 84.7 | 67.7 | 89.1 | 72.1 | 74.1 | **4,545.0** |
| DAY | 1960 | 31.0 | 29.0 | 26.0 | 24.0 | 25.0 | 24.0 | 25.0 | 25.0 | 24.0 | 20.0 | 24.0 | 31.0 | **1,387.0** |
| H2O | 1960 | 401.6 | 384.4 | 312.1 | 180.3 | 161.0 | 139.1 | 110.8 | 169.2 | 181.6 | 132.4 | 155.8 | 179.3 | **5,546.8** |
| OIL | 1960 | 99.8 | 95.3 | 95.5 | 81.7 | 89.0 | 91.2 | 90.1 | 81.0 | 85.0 | 53.6 | 86.8 | 100.0 | **3,677.3** |
| DAY | 1959 | 31.0 | 16.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 31.0 | 30.0 | 27.0 | **1,079.0** |
| H2O | 1959 | 25.0 | 12.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 156.0 | 580.4 | 406.0 | 375.8 | **3,039.2** |
| OIL | 1959 | 14.9 | 7.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 54.7 | 170.5 | 138.7 | 93.8 | **2,628.3** |
| DAY | 1958 | 31.0 | 24.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 22.0 | 30.0 | **935.0** |
| H2O | 1958 | 27.2 | 18.9 | 21.1 | 19.1 | 17.0 | 15.7 | 15.9 | 14.0 | 15.6 | 19.7 | 15.1 | 24.2 | **1,483.3** |
| OIL | 1958 | 26.2 | 18.9 | 21.0 | 18.8 | 16.7 | 13.5 | 14.3 | 16.8 | 19.7 | 23.7 | 15.7 | 18.0 | **2,148.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | 27.0 | 31.0 | 30.0 | 28.0 | 29.0 | 30.0 | 30.0 | **585.0** |
| H2O | 1957 | 64.4 | 58.2 | 64.2 | 54.8 | 106.7 | 90.8 | 100.8 | 96.2 | 93.6 | 37.0 | 33.7 | 32.3 | **1,259.8** |
| OIL | 1957 | 92.5 | 76.0 | 69.1 | 56.3 | 52.0 | 40.0 | 45.1 | 39.1 | 38.0 | 32.1 | 33.4 | 31.0 | **1,925.1** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 17.0 | 13.0 | 24.0 | 31.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | **234.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 26.4 | 32.9 | 81.9 | 83.8 | 51.0 | 20.7 | 35.1 | 59.1 | 36.2 | **427.1** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 134.0 | 124.3 | 220.2 | 242.8 | 147.3 | 142.2 | 109.8 | 92.0 | 107.9 | **1,320.5** |

Licence ***1020*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,117.0** |
| H2O | 1975 | 28.6 | 26.1 | 29.4 | 19.5 | 28.1 | 27.2 | 24.6 | 24.2 | 24.0 | 25.6 | 24.8 | 27.3 | **3,783.3** |
| OIL | 1975 | 24.3 | 22.2 | 24.5 | 23.0 | 23.8 | 23.2 | 29.9 | 27.7 | 28.0 | 29.1 | 28.0 | 24.3 | **6,943.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **5,753.0** |
| H2O | 1974 | 30.5 | 27.0 | 29.9 | 27.8 | 29.6 | 28.1 | 28.6 | 27.2 | 29.6 | 28.3 | 28.4 | 28.6 | **3,473.9** |
| OIL | 1974 | 24.5 | 22.1 | 24.9 | 23.2 | 23.7 | 23.8 | 24.2 | 22.4 | 24.3 | 23.7 | 24.9 | 24.3 | **6,635.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 0.0 | 31.0 | 30.0 | 31.0 | **5,390.0** |
| H2O | 1973 | 32.6 | 24.6 | 27.5 | 27.3 | 28.9 | 28.6 | 24.6 | 23.4 | 28.6 | 30.5 | 22.9 | 29.4 | **3,130.3** |
| OIL | 1973 | 24.5 | 24.5 | 23.4 | 24.9 | 23.0 | 14.5 | 23.7 | 21.6 | 23.4 | 24.6 | 23.0 | 25.1 | **6,349.0** |
| DAY | 1972 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,057.0** |
| H2O | 1972 | 8.4 | 8.4 | 14.5 | 9.4 | 24.0 | 32.3 | 43.4 | 24.2 | 27.2 | 29.7 | 26.7 | 30.0 | **2,801.4** |
| OIL | 1972 | 22.2 | 23.2 | 19.5 | 18.6 | 19.7 | 26.5 | 27.5 | 23.4 | 17.3 | 24.6 | 23.2 | 24.5 | **6,072.8** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 4.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **4,695.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 3.7 | 1.4 | 13.2 | 19.2 | 28.6 | 24.3 | 24.8 | 17.6 | 28.3 | **2,523.2** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 9.4 | 45.1 | 39.6 | 30.4 | 24.9 | 28.6 | 27.7 | 20.0 | 19.1 | **5,802.6** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 27.0 | 30.0 | 21.0 | 0.0 | 0.0 | **4,447.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 18.4 | 24.6 | 9.9 | 0.0 | 0.0 | **2,362.1** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 1.4 | 0.0 | 0.0 | 38.0 | 5.9 | 39.9 | 21.3 | 0.0 | 0.0 | **5,557.8** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 26.0 | 28.0 | 31.0 | 30.0 | 21.0 | **4,341.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 35.6 | 20.5 | 15.6 | 15.1 | 14.5 | 19.7 | **2,292.2** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.4 | 28.6 | 29.7 | 32.1 | 26.4 | 9.1 | **5,451.3** |
| DAY | 1968 | 0.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 24.0 | 31.0 | 21.0 | 31.0 | 30.0 | 9.0 | **4,188.0** |
| H2O | 1968 | 0.0 | 14.3 | 15.9 | 13.5 | 9.2 | 12.7 | 15.9 | 17.2 | 8.6 | 22.7 | 7.9 | 4.8 | **2,171.2** |
| OIL | 1968 | 0.0 | 19.2 | 38.3 | 13.7 | 44.7 | 19.1 | 15.9 | 15.9 | 11.9 | 17.6 | 7.9 | 4.4 | **5,296.0** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 7.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,894.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 2.7 | 15.7 | 19.2 | 11.9 | 15.9 | 12.6 | 9.5 | 17.2 | 12.7 | **2,028.5** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 27.5 | 43.9 | 36.1 | 25.6 | 21.1 | 35.8 | 9.7 | 31.5 | 14.1 | **5,087.4** |
| DAY | 1966 | 24.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 31.0 | 31.0 | 30.0 | 27.0 | 0.0 | 0.0 | **3,642.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1020*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1966 | 17.6 | 0.0 | 0.0 | 0.0 | 0.0 | 12.6 | 28.5 | 25.8 | 24.0 | 21.8 | 0.0 | 0.0 | **1,911.1** |
| OIL | 1966 | 17.6 | 0.0 | 0.0 | 0.0 | 0.0 | 36.5 | 28.6 | 25.6 | 24.2 | 21.8 | 0.0 | 0.0 | **4,842.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 14.0 | 25.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | **3,477.0** |
| H2O | 1965 | 18.6 | 12.6 | 22.6 | 5.7 | 2.9 | 26.2 | 18.8 | 24.6 | 12.1 | 17.5 | 22.4 | 22.3 | **1,780.8** |
| OIL | 1965 | 21.6 | 15.6 | 22.7 | 14.3 | 2.5 | 26.2 | 40.2 | 24.6 | 34.5 | 29.9 | 22.6 | 22.4 | **4,687.8** |
| DAY | 1964 | 31.0 | 24.0 | 31.0 | 22.0 | 31.0 | 27.0 | 31.0 | 26.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,137.0** |
| H2O | 1964 | 28.5 | 24.8 | 15.7 | 25.4 | 18.9 | 22.4 | 24.2 | 14.8 | 15.1 | 10.7 | 23.2 | 18.6 | **1,574.5** |
| OIL | 1964 | 62.1 | 38.9 | 46.6 | 34.2 | 34.2 | 25.1 | 28.8 | 27.0 | 28.3 | 26.5 | 20.2 | 21.8 | **4,410.7** |
| DAY | 1963 | 24.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 19.0 | 19.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,793.0** |
| H2O | 1963 | 20.8 | 28.3 | 34.8 | 30.5 | 25.4 | 12.2 | 11.3 | 21.8 | 32.6 | 38.3 | 34.8 | 27.7 | **1,332.2** |
| OIL | 1963 | 23.8 | 29.9 | 29.1 | 32.1 | 29.2 | 7.6 | 11.8 | 40.8 | 70.2 | 73.9 | 65.9 | 63.9 | **4,017.0** |
| DAY | 1962 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 29.0 | 26.0 | **2,459.0** |
| H2O | 1962 | 22.9 | 18.3 | 21.5 | 31.5 | 21.6 | 23.8 | 25.1 | 22.7 | 14.8 | 22.6 | 17.3 | 26.2 | **1,013.7** |
| OIL | 1962 | 62.0 | 57.0 | 61.8 | 54.3 | 51.8 | 48.0 | 42.6 | 41.6 | 33.4 | 48.9 | 34.2 | 26.9 | **3,538.8** |
| DAY | 1961 | 31.0 | 28.0 | 26.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 29.0 | 29.0 | 31.0 | **2,102.0** |
| H2O | 1961 | 35.9 | 26.5 | 29.4 | 35.5 | 44.2 | 41.2 | 37.0 | 17.0 | 23.8 | 22.4 | 30.4 | 26.4 | **745.4** |
| OIL | 1961 | 108.9 | 88.8 | 85.8 | 82.0 | 80.7 | 73.7 | 72.5 | 65.2 | 56.9 | 60.9 | 42.4 | 58.3 | **2,976.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 26.0 | 28.0 | 31.0 | **1,748.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.9 | 0.0 | 0.0 | 9.2 | 30.7 | 50.6 | 40.4 | **375.7** |
| OIL | 1960 | 16.0 | 14.6 | 15.9 | 15.3 | 15.9 | 15.3 | 15.1 | 17.6 | 11.4 | 9.2 | 141.6 | 123.9 | **2,100.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **1,392.0** |
| OIL | 1959 | 20.7 | 18.8 | 21.3 | 19.5 | 19.9 | 19.7 | 19.4 | 18.9 | 15.4 | 16.4 | 15.3 | 15.3 | **1,688.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,029.0** |
| H2O | 1958 | 4.1 | 4.1 | 4.8 | 3.8 | 4.5 | 4.9 | 4.3 | 5.2 | 5.7 | 5.2 | 4.1 | 4.8 | **241.9** |
| OIL | 1958 | 30.5 | 23.2 | 32.1 | 28.0 | 26.9 | 24.0 | 22.4 | 25.6 | 25.1 | 25.6 | 20.5 | 21.6 | **1,467.8** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | **665.0** |
| H2O | 1957 | 4.8 | 4.3 | 4.6 | 4.6 | 4.8 | 4.6 | 4.1 | 5.2 | 5.7 | 7.0 | 5.7 | 3.7 | **186.4** |
| OIL | 1957 | 23.5 | 17.8 | 21.3 | 23.4 | 24.8 | 26.9 | 20.5 | 31.8 | 30.0 | 36.4 | 30.2 | 39.1 | **1,162.3** |
| DAY | 1956 | 0.0 | 22.0 | 16.0 | 29.0 | 31.0 | 25.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | **310.0** |
| H2O | 1956 | 0.0 | 7.2 | 8.9 | 16.4 | 22.6 | 18.0 | 14.1 | 11.6 | 10.2 | 3.8 | 4.8 | 4.8 | **127.3** |
| OIL | 1956 | 0.0 | 76.8 | 1.1 | 196.3 | 124.9 | 91.4 | 69.6 | 62.5 | 47.7 | 33.8 | 43.7 | 27.3 | **836.6** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | **7.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.9 | **4.9** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.6 | 35.9 | **61.5** |

Licence ***1022*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,215.0** |
| H2O | 1975 | 108.6 | 99.0 | 107.8 | 107.9 | 111.8 | 107.2 | 112.1 | 106.8 | 108.6 | 116.7 | 117.2 | 119.1 | **11,101.3** |
| OIL | 1975 | 117.8 | 103.8 | 111.2 | 109.0 | 111.1 | 108.1 | 106.2 | 103.1 | 103.5 | 107.1 | 103.6 | 105.2 | **22,779.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 25.0 | 28.0 | 31.0 | **6,852.0** |
| H2O | 1974 | 108.1 | 104.0 | 116.4 | 113.4 | 117.2 | 117.6 | 113.7 | 109.2 | 107.6 | 45.3 | 54.7 | 107.9 | **9,778.5** |
| OIL | 1974 | 125.2 | 113.1 | 129.4 | 123.3 | 128.1 | 124.1 | 122.2 | 127.6 | 122.4 | 61.7 | 71.2 | 118.5 | **21,489.4** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,496.0** |
| H2O | 1973 | 15.7 | 15.1 | 16.4 | 16.4 | 16.4 | 15.9 | 54.2 | 43.2 | 122.4 | 124.5 | 116.1 | 112.4 | **8,563.4** |
| OIL | 1973 | 119.3 | 105.2 | 116.0 | 113.3 | 118.2 | 114.6 | 55.0 | 43.5 | 127.6 | 131.7 | 124.4 | 126.2 | **20,122.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,139.0** |
| H2O | 1972 | 76.2 | 75.0 | 82.4 | 12.6 | 14.1 | 14.0 | 15.6 | 14.6 | 14.6 | 16.1 | 15.9 | 16.2 | **7,894.7** |
| OIL | 1972 | 119.7 | 113.1 | 123.2 | 111.9 | 119.8 | 115.7 | 119.0 | 121.9 | 115.1 | 122.0 | 116.0 | 121.1 | **18,827.6** |
| DAY | 1971 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,773.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1022*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1971 | 83.8 | 84.4 | 97.0 | 76.0 | 76.2 | 74.2 | 71.4 | 70.4 | 65.0 | 72.7 | 69.8 | 82.0 | **7,527.4** |
| OIL | 1971 | 99.6 | 97.7 | 108.2 | 125.2 | 127.9 | 121.7 | 120.6 | 121.2 | 123.2 | 127.8 | 120.6 | 123.5 | **17,409.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,412.0** |
| H2O | 1970 | 58.5 | 54.8 | 56.3 | 53.1 | 97.0 | 96.0 | 78.1 | 102.5 | 95.4 | 99.0 | 90.3 | 100.5 | **6,604.5** |
| OIL | 1970 | 186.4 | 168.0 | 179.7 | 176.9 | 105.0 | 100.1 | 91.8 | 104.9 | 100.1 | 105.7 | 101.4 | 106.3 | **15,991.9** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **5,048.0** |
| H2O | 1969 | 42.8 | 38.6 | 34.8 | 35.6 | 39.3 | 38.0 | 41.8 | 41.8 | 39.9 | 59.9 | 53.6 | 60.7 | **5,623.0** |
| OIL | 1969 | 151.9 | 134.3 | 142.2 | 138.6 | 142.9 | 141.4 | 149.2 | 147.6 | 145.4 | 185.9 | 178.0 | 192.9 | **14,465.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | **4,688.0** |
| H2O | 1968 | 39.9 | 37.4 | 39.7 | 41.3 | 42.8 | 39.1 | 40.7 | 37.5 | 39.0 | 41.5 | 38.0 | 39.0 | **5,096.2** |
| OIL | 1968 | 153.5 | 138.7 | 149.7 | 149.7 | 148.6 | 145.2 | 145.1 | 146.5 | 146.2 | 153.8 | 146.5 | 145.4 | **12,615.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,325.0** |
| H2O | 1967 | 45.5 | 37.7 | 45.3 | 41.7 | 40.9 | 39.9 | 30.5 | 44.7 | 39.3 | 42.9 | 37.8 | 41.3 | **4,620.3** |
| OIL | 1967 | 150.8 | 134.0 | 150.3 | 143.2 | 144.8 | 143.5 | 144.9 | 149.7 | 144.4 | 154.6 | 150.8 | 153.3 | **10,846.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 20.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,961.0** |
| H2O | 1966 | 11.4 | 30.5 | 38.6 | 39.6 | 67.7 | 59.8 | 54.4 | 38.0 | 43.6 | 44.8 | 43.4 | 48.0 | **4,132.8** |
| OIL | 1966 | 33.4 | 89.0 | 98.7 | 116.2 | 183.5 | 176.4 | 168.8 | 135.9 | 141.4 | 147.2 | 140.2 | 151.3 | **9,082.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,608.0** |
| H2O | 1965 | 13.2 | 11.8 | 13.5 | 11.8 | 11.9 | 11.4 | 11.4 | 11.4 | 11.6 | 11.4 | 11.9 | 12.1 | **3,613.0** |
| OIL | 1965 | 35.4 | 32.4 | 35.0 | 33.7 | 34.0 | 34.0 | 35.4 | 35.1 | 33.4 | 34.6 | 32.9 | 33.8 | **7,500.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,243.0** |
| H2O | 1964 | 26.5 | 24.0 | 26.7 | 25.9 | 27.3 | 12.6 | 12.2 | 12.6 | 12.1 | 12.1 | 12.6 | 13.2 | **3,469.6** |
| OIL | 1964 | 48.1 | 45.8 | 49.3 | 47.4 | 48.6 | 32.4 | 33.7 | 33.8 | 32.9 | 33.5 | 32.9 | 35.3 | **7,090.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,877.0** |
| H2O | 1963 | 22.1 | 18.1 | 20.5 | 21.9 | 22.1 | 27.0 | 30.2 | 20.2 | 22.9 | 23.8 | 25.8 | 26.4 | **3,251.8** |
| OIL | 1963 | 41.0 | 36.4 | 40.7 | 44.2 | 43.7 | 40.7 | 45.0 | 44.5 | 43.1 | 45.8 | 45.1 | 46.2 | **6,616.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,513.0** |
| H2O | 1962 | 31.2 | 26.9 | 34.7 | 35.3 | 30.4 | 39.7 | 21.6 | 17.6 | 14.8 | 24.8 | 25.3 | 19.7 | **2,970.8** |
| OIL | 1962 | 49.6 | 43.9 | 46.7 | 37.7 | 48.3 | 44.2 | 47.7 | 47.4 | 34.8 | 45.8 | 43.5 | 41.3 | **6,100.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,149.0** |
| H2O | 1961 | 48.6 | 41.3 | 32.9 | 28.3 | 33.2 | 28.9 | 29.3 | 31.2 | 31.5 | 30.0 | 29.4 | 30.2 | **2,648.8** |
| OIL | 1961 | 48.0 | 38.1 | 47.4 | 47.5 | 49.9 | 49.3 | 45.0 | 51.8 | 43.7 | 52.0 | 45.9 | 47.7 | **5,569.4** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,784.0** |
| H2O | 1960 | 49.9 | 46.4 | 50.6 | 48.2 | 48.0 | 44.7 | 24.0 | 49.4 | 46.7 | 48.5 | 52.1 | 48.3 | **2,254.0** |
| OIL | 1960 | 69.6 | 68.5 | 60.4 | 51.3 | 40.4 | 37.8 | 49.7 | 44.2 | 48.0 | 47.8 | 47.7 | 47.7 | **5,003.1** |
| DAY | 1959 | 31.0 | 28.0 | 30.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,421.0** |
| H2O | 1959 | 44.2 | 40.2 | 41.7 | 35.5 | 37.2 | 36.6 | 38.3 | 41.3 | 42.1 | 51.0 | 48.5 | 49.3 | **1,697.2** |
| OIL | 1959 | 69.4 | 61.8 | 59.4 | 42.1 | 41.2 | 49.4 | 52.6 | 49.7 | 45.4 | 46.4 | 46.7 | 65.9 | **4,390.0** |
| DAY | 1958 | 15.0 | 28.0 | 26.0 | 29.0 | 8.0 | 14.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,061.0** |
| H2O | 1958 | 170.4 | 140.7 | 108.3 | 101.1 | 23.1 | 70.9 | 101.0 | 65.8 | 55.6 | 51.5 | 46.7 | 45.3 | **1,191.3** |
| OIL | 1958 | 64.5 | 88.2 | 78.7 | 97.9 | 18.4 | 29.9 | 72.0 | 80.7 | 72.9 | 72.8 | 72.5 | 69.1 | **3,760.0** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **757.0** |
| H2O | 1957 | 17.0 | 13.7 | 15.1 | 14.5 | 14.9 | 14.5 | 7.3 | 5.1 | 3.8 | 0.2 | 0.3 | 0.2 | **210.9** |
| OIL | 1957 | 154.1 | 112.3 | 117.4 | 113.8 | 79.1 | 64.7 | 70.2 | 71.8 | 71.2 | 71.5 | 73.4 | 70.1 | **2,942.4** |
| DAY | 1956 | 28.0 | 25.0 | 29.0 | 30.0 | 29.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **393.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.3 | 0.3 | 0.3 | 0.6 | 21.5 | 21.9 | 20.7 | 19.1 | 19.6 | **104.3** |
| OIL | 1956 | 133.0 | 114.6 | 158.0 | 156.8 | 161.9 | 104.4 | 106.8 | 160.7 | 134.9 | 135.4 | 124.9 | 137.0 | **1,872.8** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 26.0 | **40.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 116.8 | 127.6 | **244.4** |

Licence ***1023*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

# Manitoba Production
## 1950 To 1975

Licence ***1023*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 2960.8 | 2700.6 | 2860.2 | 2931.1 | 2935.1 | 2726.5 | 2880.2 | 2982.8 | 2839.4 | 2986.9 | 3234.6 | 2934.0 | **345,249.8** |
| WIN | 1974 | 1811.7 | 2311.1 | 2414.6 | 2308.1 | 2392.2 | 2564.2 | 2727.0 | 3148.8 | 2962.0 | 3043.4 | 2925.4 | 3049.4 | **310,277.6** |
| WIN | 1973 | 690.1 | 2098.7 | 2318.7 | 2404.9 | 2513.3 | 2280.1 | 2224.8 | 2161.8 | 2185.8 | 1748.5 | 1465.8 | 1695.8 | **278,619.7** |
| WIN | 1972 | 2152.6 | 2319.2 | 2464.3 | 2059.9 | 2661.2 | 2662.1 | 2684.1 | 2438.9 | 2425.2 | 2618.7 | 2403.0 | 1641.9 | **254,831.4** |
| WIN | 1971 | 2758.3 | 3183.7 | 2445.6 | 2360.2 | 2732.7 | 2464.2 | 1577.1 | 1831.4 | 2051.8 | 2610.0 | 2024.6 | 1624.9 | **226,300.3** |
| WIN | 1970 | 2700.1 | 2404.6 | 2588.5 | 2940.7 | 3268.6 | 3502.3 | 3613.6 | 3907.9 | 3885.2 | 3106.6 | 4291.8 | 4378.3 | **198,635.8** |
| WIN | 1969 | 3101.7 | 2769.7 | 3031.3 | 2349.2 | 2175.6 | 2385.2 | 2488.5 | 2554.2 | 2317.9 | 2616.2 | 2523.6 | 2533.0 | **158,047.6** |
| WIN | 1968 | 2816.3 | 2556.1 | 2690.4 | 2517.4 | 2600.0 | 2415.7 | 2495.4 | 2404.3 | 2106.2 | 1243.4 | 2717.0 | 2671.8 | **127,201.5** |
| WIN | 1967 | 2632.9 | 1937.3 | 2896.9 | 3001.9 | 3150.7 | 3112.5 | 3153.4 | 2634.1 | 2479.0 | 2786.6 | 2629.5 | 2719.8 | **97,967.5** |
| WIN | 1966 | 2145.6 | 1872.3 | 2108.2 | 2023.5 | 2004.1 | 1509.8 | 1711.4 | 1734.2 | 2262.1 | 2255.8 | 3172.6 | 2416.3 | **64,832.9** |
| WIN | 1965 | 1918.7 | 1362.6 | 1569.5 | 1445.6 | 1130.0 | 1167.2 | 1219.2 | 1447.0 | 1921.8 | 2072.1 | 2150.7 | 1970.9 | **39,617.0** |
| WIN | 1964 | 909.4 | 1145.1 | 1501.1 | 1659.4 | 903.0 | 2338.4 | 2388.2 | 2006.6 | 1963.2 | 1825.6 | 1709.8 | 1733.7 | **20,241.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 0.0 | **2,879.0** |
| H2O | 1963 | 89.0 | 72.7 | 98.2 | 104.6 | 76.2 | 86.5 | 93.8 | 76.0 | 78.2 | 68.8 | 7.5 | 0.0 | **4,193.1** |
| OIL | 1963 | 65.4 | 58.0 | 77.5 | 84.4 | 82.5 | 77.7 | 82.8 | 80.6 | 61.5 | 61.0 | 50.5 | 0.0 | **10,499.8** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 158.2 | **158.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,552.0** |
| H2O | 1962 | 105.4 | 93.8 | 118.6 | 110.2 | 88.1 | 114.6 | 73.4 | 76.5 | 63.6 | 47.2 | 17.3 | 76.8 | **3,341.6** |
| OIL | 1962 | 98.2 | 87.2 | 88.4 | 73.9 | 75.5 | 58.8 | 68.8 | 72.1 | 53.1 | 18.4 | 17.6 | 64.2 | **9,717.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,188.0** |
| H2O | 1961 | 120.8 | 93.6 | 138.8 | 135.6 | 109.9 | 95.7 | 89.5 | 169.9 | 136.2 | 150.6 | 100.8 | 104.0 | **2,356.1** |
| OIL | 1961 | 99.6 | 93.0 | 124.1 | 96.3 | 52.1 | 47.8 | 34.3 | 118.9 | 101.7 | 105.7 | 98.0 | 94.9 | **8,941.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,823.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 108.3 | 163.9 | 163.7 | 144.0 | 140.1 | 116.9 | **910.7** |
| OIL | 1960 | 47.4 | 49.7 | 47.7 | 42.9 | 42.7 | 44.5 | 94.2 | 142.5 | 145.9 | 106.6 | 110.8 | 98.4 | **7,875.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 25.0 | 31.0 | 30.0 | 31.0 | **1,459.0** |
| H2O | 1959 | 4.9 | 5.4 | 3.8 | 3.0 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **73.8** |
| OIL | 1959 | 62.9 | 55.9 | 54.5 | 50.5 | 46.4 | 49.3 | 49.1 | 34.0 | 42.1 | 40.7 | 59.9 | 61.0 | **6,902.0** |
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,103.0** |
| H2O | 1958 | 0.3 | 0.2 | 0.2 | 4.6 | 4.9 | 4.8 | 5.1 | 4.9 | 4.8 | 5.2 | 4.8 | 5.2 | **55.0** |
| OIL | 1958 | 106.2 | 98.7 | 93.9 | 93.1 | 96.0 | 88.4 | 84.4 | 75.6 | 74.1 | 72.9 | 69.9 | 65.8 | **6,295.7** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **742.0** |
| H2O | 1957 | 0.5 | 0.3 | 0.5 | 0.3 | 0.2 | 0.6 | 0.3 | 0.5 | 0.3 | 0.2 | 0.5 | 0.3 | **10.0** |
| OIL | 1957 | 171.3 | 149.1 | 206.6 | 169.6 | 192.3 | 178.1 | 181.0 | 141.6 | 121.1 | 108.9 | 118.4 | 115.4 | **5,276.7** |
| DAY | 1956 | 26.0 | 21.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **382.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.6 | 0.6 | 1.0 | 0.8 | 0.5 | 0.3 | 0.5 | 0.6 | 0.6 | **5.5** |
| OIL | 1956 | 252.2 | 197.8 | 317.7 | 290.8 | 294.0 | 309.1 | 313.2 | 287.0 | 271.7 | 237.7 | 208.0 | 195.1 | **3,423.3** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | **31.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 249.0 | **249.0** |

Licence ***1024*** Well Name ***Enerplus South Virden CPR*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-07-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 3.0 | **629.0** |
| H2O | 1957 | 16.9 | 14.7 | 1.9 | 1.4 | 1.4 | 1.3 | 1.6 | 9.4 | 0.2 | 0.2 | 0.2 | 0.2 | **463.4** |
| OIL | 1957 | 44.1 | 37.5 | 28.8 | 30.4 | 32.3 | 25.6 | 27.0 | 14.8 | 16.5 | 17.0 | 17.0 | 1.7 | **1,104.7** |
| DAY | 1956 | 0.0 | 17.0 | 22.0 | 23.0 | 24.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **295.0** |
| H2O | 1956 | 0.0 | 18.6 | 15.9 | 24.5 | 20.0 | 19.9 | 24.3 | 84.6 | 84.3 | 89.3 | 15.9 | 16.7 | **414.0** |
| OIL | 1956 | 0.0 | 92.6 | 89.9 | 71.5 | 69.1 | 73.9 | 90.9 | 77.5 | 79.0 | 81.5 | 42.7 | 43.4 | **812.0** |

Licence ***1025*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***1025*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **803.0** |
| H2O | 1958 | 14.2 | 14.0 | 16.5 | 14.6 | 14.6 | 8.9 | 13.7 | 13.4 | 12.2 | 5.2 | 0.0 | 0.0 | **3,215.4** |
| OIL | 1958 | 4.3 | 4.3 | 4.8 | 4.4 | 4.8 | 4.1 | 4.4 | 4.3 | 4.4 | 4.8 | 0.0 | 0.0 | **1,009.2** |
| DAY | 1957 | 23.0 | 28.0 | 29.0 | 17.0 | 31.0 | 28.0 | 25.0 | 0.0 | 12.0 | 31.0 | 30.0 | 30.0 | **499.0** |
| H2O | 1957 | 310.5 | 347.7 | 320.3 | 195.1 | 359.1 | 224.5 | 17.0 | 0.0 | 10.2 | 35.5 | 12.9 | 13.7 | **3,088.1** |
| OIL | 1957 | 68.3 | 78.2 | 69.9 | 44.2 | 78.5 | 88.2 | 9.4 | 0.0 | 5.2 | 12.9 | 4.9 | 4.8 | **964.6** |
| DAY | 1956 | 0.0 | 0.0 | 13.0 | 0.0 | 18.0 | 24.0 | 21.0 | 29.0 | 27.0 | 27.0 | 29.0 | 27.0 | **215.0** |
| H2O | 1956 | 0.0 | 0.0 | 78.7 | 0.0 | 163.4 | 102.1 | 123.5 | 99.4 | 186.8 | 132.9 | 138.6 | 216.2 | **1,241.6** |
| OIL | 1956 | 0.0 | 0.0 | 29.1 | 0.0 | 39.7 | 56.1 | 55.5 | 55.6 | 47.5 | 70.7 | 64.5 | 81.4 | **500.1** |

Licence ***1026*** Well Name ***Tundra Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-31-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole F*** Field Code ***1*** Pool Code ***59F*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,494.0** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,094.7** |
| DAY | 1973 | 0.0 | 0.0 | 15.0 | 25.0 | 28.0 | 25.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,481.0** |
| H2O | 1973 | 0.0 | 0.0 | 108.4 | 346.7 | 325.0 | 352.1 | 39.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,782.6** |
| OIL | 1973 | 0.0 | 0.0 | 7.8 | 4.0 | 2.4 | 3.5 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,091.5** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 16.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,383.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 173.1 | 194.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,610.9** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 11.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,073.2** |
| DAY | 1959 | 30.0 | 28.0 | 31.0 | 30.0 | 15.0 | 30.0 | 31.0 | 29.0 | 30.0 | 15.0 | 0.0 | 0.0 | **1,347.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.6 | 54.5 | 150.6 | 209.7 | 187.8 | 204.6 | 85.1 | 0.0 | 0.0 | **1,243.2** |
| OIL | 1959 | 44.7 | 42.7 | 48.8 | 45.8 | 18.9 | 92.5 | 72.1 | 59.3 | 76.0 | 28.3 | 0.0 | 0.0 | **4,060.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,078.0** |
| H2O | 1958 | 1.1 | 0.8 | 1.3 | 1.7 | 1.9 | 2.7 | 3.3 | 6.8 | 1.3 | 5.6 | 0.6 | 0.6 | **350.3** |
| OIL | 1958 | 57.5 | 51.8 | 58.6 | 54.3 | 58.0 | 59.0 | 53.2 | 62.6 | 57.2 | 59.3 | 51.6 | 52.6 | **3,531.4** |
| DAY | 1957 | 30.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | **715.0** |
| H2O | 1957 | 5.4 | 6.5 | 8.9 | 0.3 | 0.3 | 0.2 | 0.5 | 0.2 | 0.3 | 3.3 | 0.8 | 1.9 | **322.6** |
| OIL | 1957 | 81.0 | 73.6 | 85.0 | 84.4 | 74.4 | 75.0 | 65.5 | 67.7 | 67.5 | 67.4 | 60.5 | 62.6 | **2,855.7** |
| DAY | 1956 | 31.0 | 23.0 | 28.0 | 24.0 | 30.0 | 21.0 | 31.0 | 30.0 | 29.0 | 28.0 | 30.0 | 30.0 | **361.0** |
| H2O | 1956 | 21.3 | 21.6 | 33.1 | 31.8 | 30.0 | 20.7 | 31.2 | 27.5 | 7.0 | 20.5 | 10.7 | 6.7 | **294.0** |
| OIL | 1956 | 287.6 | 192.8 | 199.9 | 149.5 | 143.0 | 109.5 | 146.4 | 117.6 | 99.3 | 87.2 | 97.3 | 92.6 | **1,991.1** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 13.0 | **26.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 7.9 | **31.9** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 141.6 | 126.8 | **268.4** |

Licence ***1027*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,098.0** |
| H2O | 1975 | 117.2 | 108.7 | 116.2 | 114.1 | 101.1 | 94.0 | 97.0 | 95.5 | 94.1 | 86.3 | 86.5 | 88.1 | **34,462.9** |
| OIL | 1975 | 25.9 | 23.2 | 24.5 | 23.5 | 12.9 | 15.7 | 16.7 | 16.8 | 16.2 | 20.7 | 20.2 | 20.5 | **8,277.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 24.0 | 24.0 | 30.0 | 31.0 | **6,734.0** |
| H2O | 1974 | 92.4 | 84.9 | 94.9 | 93.0 | 96.5 | 95.2 | 97.9 | 89.8 | 104.0 | 90.1 | 116.5 | 116.7 | **33,264.1** |
| OIL | 1974 | 31.1 | 26.9 | 30.7 | 29.4 | 30.7 | 29.1 | 30.7 | 30.5 | 146.5 | 20.5 | 25.3 | 26.1 | **8,041.1** |
| DAY | 1973 | 31.0 | 23.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,382.0** |
| H2O | 1973 | 313.2 | 244.2 | 311.8 | 321.5 | 315.3 | 95.9 | 95.6 | 103.0 | 100.0 | 97.0 | 94.1 | 92.5 | **32,092.2** |
| OIL | 1973 | 26.4 | 19.1 | 24.8 | 24.9 | 25.3 | 29.6 | 30.4 | 32.3 | 30.5 | 30.0 | 29.4 | 30.2 | **7,583.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **6,025.0** |
| H2O | 1972 | 244.5 | 238.0 | 261.4 | 215.0 | 255.7 | 256.0 | 323.2 | 306.2 | 306.1 | 332.8 | 282.7 | 319.4 | **29,908.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1027*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-15-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1972 | 43.4 | 40.7 | 44.2 | 38.9 | 44.5 | 42.9 | 34.8 | 35.6 | 34.0 | 35.6 | 30.5 | 26.7 | **7,250.7** |
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | **5,664.0** |
| H2O | 1971 | 165.7 | 148.3 | 86.2 | 80.4 | 89.5 | 89.0 | 88.2 | 85.1 | 206.1 | 230.4 | 221.6 | 193.0 | **26,567.1** |
| OIL | 1971 | 33.5 | 29.1 | 63.4 | 55.9 | 63.6 | 61.7 | 63.2 | 62.0 | 44.2 | 45.9 | 43.2 | 33.1 | **6,798.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **5,311.0** |
| H2O | 1970 | 184.9 | 173.6 | 181.7 | 167.7 | 172.8 | 172.5 | 161.9 | 182.5 | 170.0 | 176.3 | 137.7 | 178.9 | **24,883.6** |
| OIL | 1970 | 32.4 | 29.1 | 31.9 | 30.8 | 31.8 | 30.5 | 32.4 | 31.8 | 30.2 | 32.1 | 26.2 | 32.1 | **6,200.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,950.0** |
| H2O | 1969 | 267.3 | 242.6 | 227.7 | 232.4 | 255.7 | 175.8 | 190.3 | 191.4 | 180.5 | 195.9 | 169.2 | 192.1 | **22,823.1** |
| OIL | 1969 | 47.8 | 42.3 | 46.7 | 45.6 | 46.7 | 31.8 | 33.1 | 32.9 | 31.9 | 33.4 | 31.0 | 33.5 | **5,828.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 25.0 | 29.0 | 30.0 | 31.0 | **4,586.0** |
| H2O | 1968 | 275.7 | 261.8 | 277.3 | 285.5 | 275.2 | 243.2 | 267.4 | 244.2 | 203.5 | 232.6 | 239.7 | 255.6 | **20,302.2** |
| OIL | 1968 | 50.7 | 46.4 | 49.7 | 49.6 | 35.1 | 33.2 | 48.0 | 48.0 | 38.5 | 43.5 | 46.6 | 48.1 | **5,372.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,228.0** |
| H2O | 1967 | 324.6 | 268.0 | 329.1 | 308.4 | 306.5 | 288.5 | 208.3 | 314.1 | 275.7 | 297.5 | 261.7 | 286.0 | **17,240.5** |
| OIL | 1967 | 47.8 | 42.4 | 48.5 | 47.2 | 51.0 | 48.9 | 46.4 | 50.2 | 48.5 | 51.0 | 49.9 | 50.7 | **4,834.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,865.0** |
| H2O | 1966 | 271.7 | 215.1 | 276.6 | 281.9 | 319.1 | 279.6 | 278.2 | 297.3 | 319.9 | 328.9 | 311.8 | 328.0 | **13,772.1** |
| OIL | 1966 | 41.5 | 36.1 | 40.4 | 54.5 | 57.4 | 54.7 | 57.0 | 47.4 | 46.1 | 47.8 | 44.8 | 46.1 | **4,252.2** |
| DAY | 1965 | 11.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,501.0** |
| H2O | 1965 | 112.9 | 246.7 | 333.1 | 284.6 | 296.3 | 282.7 | 283.9 | 285.1 | 287.8 | 430.8 | 298.6 | 284.6 | **10,264.0** |
| OIL | 1965 | 21.6 | 48.0 | 61.3 | 58.0 | 59.8 | 59.8 | 62.3 | 61.7 | 58.5 | 75.2 | 45.3 | 42.0 | **3,678.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 22.0 | 30.0 | 31.0 | 25.0 | 22.0 | **3,160.0** |
| H2O | 1964 | 118.3 | 106.5 | 118.6 | 114.5 | 121.3 | 216.4 | 213.4 | 220.7 | 298.4 | 298.4 | 253.9 | 213.5 | **6,836.9** |
| OIL | 1964 | 28.8 | 27.2 | 29.4 | 28.3 | 29.1 | 42.6 | 44.2 | 42.3 | 57.7 | 58.8 | 47.5 | 40.4 | **3,024.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,817.0** |
| H2O | 1963 | 23.2 | 21.0 | 27.3 | 24.6 | 130.5 | 149.9 | 143.9 | 114.3 | 107.9 | 104.0 | 114.5 | 116.9 | **4,543.0** |
| OIL | 1963 | 26.2 | 24.8 | 28.8 | 28.1 | 23.8 | 23.4 | 24.3 | 24.5 | 23.4 | 27.0 | 26.9 | 27.7 | **2,548.6** |
| DAY | 1962 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,452.0** |
| H2O | 1962 | 99.2 | 76.9 | 91.4 | 89.3 | 131.2 | 122.7 | 129.9 | 125.3 | 23.7 | 23.7 | 21.9 | 24.3 | **3,465.0** |
| OIL | 1962 | 21.0 | 19.9 | 20.8 | 20.7 | 31.3 | 30.7 | 30.8 | 31.0 | 26.4 | 26.2 | 24.6 | 26.7 | **2,239.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,089.0** |
| H2O | 1961 | 186.0 | 132.1 | 153.3 | 144.8 | 146.9 | 150.1 | 80.6 | 98.7 | 96.5 | 101.7 | 99.4 | 96.0 | **2,505.5** |
| OIL | 1961 | 21.3 | 18.0 | 20.2 | 20.2 | 21.0 | 19.5 | 28.1 | 17.0 | 16.2 | 17.0 | 20.3 | 21.5 | **1,929.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 2.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,726.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.8 | 141.2 | 155.6 | 154.5 | 144.4 | 111.3 | 106.5 | **1,019.4** |
| OIL | 1960 | 4.8 | 4.4 | 4.6 | 4.8 | 4.6 | 2.9 | 32.7 | 24.9 | 23.0 | 24.0 | 23.8 | 16.4 | **1,689.3** |
| DAY | 1959 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,393.0** |
| H2O | 1959 | 3.3 | 1.9 | 2.2 | 2.2 | 2.7 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **194.1** |
| OIL | 1959 | 14.6 | 11.9 | 14.9 | 13.8 | 11.9 | 11.1 | 8.7 | 8.7 | 4.4 | 4.9 | 4.4 | 4.4 | **1,518.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,031.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.3 | **179.3** |
| OIL | 1958 | 9.4 | 8.1 | 9.1 | 9.1 | 15.4 | 14.5 | 15.4 | 15.1 | 14.6 | 7.9 | 7.9 | 15.1 | **1,404.7** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **667.0** |
| H2O | 1957 | 3.2 | 2.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 4.0 | 2.7 | 0.0 | 0.2 | 0.0 | **176.0** |
| OIL | 1957 | 29.4 | 27.0 | 25.7 | 24.8 | 23.8 | 27.7 | 30.5 | 20.5 | 19.7 | 7.9 | 7.8 | 7.8 | **1,263.1** |
| DAY | 1956 | 0.0 | 2.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **306.0** |
| H2O | 1956 | 0.0 | 1.1 | 22.6 | 2.2 | 1.4 | 1.3 | 2.5 | 1.7 | 61.4 | 61.5 | 3.2 | 3.7 | **162.6** |
| OIL | 1956 | 0.0 | 23.8 | 349.6 | 94.1 | 86.8 | 83.1 | 84.1 | 84.5 | 51.0 | 53.2 | 48.6 | 49.6 | **1,010.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | **1.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 0.0 | **2.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1028*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,163.0** |
| H2O | 1975 | 1070.3 | 992.0 | 1128.3 | 1149.3 | 1159.3 | 1082.8 | 1142.6 | 1126.2 | 1108.4 | 1190.4 | 1194.1 | 1215.4 | **52,113.8** |
| OIL | 1975 | 413.2 | 370.3 | 379.0 | 377.9 | 374.7 | 355.6 | 385.0 | 386.9 | 375.3 | 388.2 | 375.3 | 381.5 | **129,325.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,799.0** |
| H2O | 1974 | 725.7 | 672.8 | 752.6 | 731.6 | 758.2 | 741.0 | 769.8 | 706.3 | 696.0 | 685.8 | 1072.3 | 1072.0 | **38,554.7** |
| OIL | 1974 | 491.0 | 427.9 | 489.8 | 466.2 | 485.2 | 456.4 | 484.8 | 482.6 | 463.5 | 457.8 | 406.7 | 419.5 | **124,762.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,435.0** |
| H2O | 1973 | 875.0 | 839.6 | 900.1 | 826.2 | 873.3 | 839.7 | 869.1 | 380.4 | 381.6 | 1019.1 | 933.2 | 429.9 | **29,170.6** |
| OIL | 1973 | 594.2 | 523.8 | 577.5 | 564.6 | 614.8 | 596.1 | 560.2 | 128.7 | 125.1 | 537.1 | 499.0 | 513.1 | **119,231.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,071.0** |
| H2O | 1972 | 787.6 | 767.6 | 895.5 | 817.0 | 905.1 | 690.0 | 765.8 | 725.6 | 772.5 | 845.0 | 329.7 | 335.3 | **20,003.4** |
| OIL | 1972 | 743.2 | 693.3 | 653.6 | 639.6 | 676.8 | 643.6 | 663.0 | 678.1 | 680.5 | 720.7 | 684.4 | 714.0 | **113,397.0** |
| DAY | 1971 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,705.0** |
| H2O | 1971 | 279.2 | 102.9 | 118.3 | 118.6 | 116.7 | 118.3 | 710.0 | 732.9 | 656.3 | 713.0 | 697.8 | 828.6 | **11,366.7** |
| OIL | 1971 | 861.9 | 828.4 | 916.6 | 870.4 | 873.1 | 864.8 | 951.7 | 827.4 | 816.2 | 823.2 | 790.3 | 818.1 | **105,206.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | **5,342.0** |
| H2O | 1970 | 174.9 | 165.5 | 173.3 | 160.1 | 164.7 | 158.8 | 75.5 | 88.7 | 298.2 | 317.8 | 270.6 | 311.8 | **6,174.1** |
| OIL | 1970 | 1001.3 | 910.1 | 993.2 | 958.1 | 988.6 | 919.5 | 909.6 | 929.3 | 813.9 | 880.7 | 788.5 | 857.8 | **94,964.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | **4,981.0** |
| H2O | 1969 | 131.3 | 119.2 | 111.8 | 110.5 | 125.1 | 73.0 | 65.2 | 163.6 | 141.8 | 187.0 | 166.9 | 176.1 | **3,814.2** |
| OIL | 1969 | 1014.0 | 896.1 | 989.7 | 933.4 | 984.8 | 875.6 | 748.3 | 1130.6 | 1011.8 | 1041.0 | 997.6 | 1005.4 | **84,013.5** |
| DAY | 1968 | 30.0 | 29.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,622.0** |
| H2O | 1968 | 21.6 | 21.5 | 22.4 | 93.8 | 109.4 | 73.0 | 79.6 | 116.1 | 115.9 | 122.4 | 117.8 | 125.3 | **2,242.7** |
| OIL | 1968 | 910.6 | 867.6 | 923.3 | 954.6 | 1063.4 | 1017.8 | 1095.7 | 1071.7 | 1031.0 | 1077.6 | 984.1 | 1013.2 | **72,385.2** |
| DAY | 1967 | 30.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 26.0 | 29.0 | 31.0 | **4,260.0** |
| H2O | 1967 | 30.2 | 24.0 | 30.5 | 26.4 | 25.6 | 25.0 | 44.7 | 45.5 | 38.2 | 35.1 | 21.1 | 23.5 | **1,223.9** |
| OIL | 1967 | 911.3 | 821.4 | 973.2 | 926.9 | 920.1 | 915.8 | 971.4 | 861.9 | 795.8 | 715.4 | 925.5 | 964.4 | **60,374.6** |
| DAY | 1966 | 31.0 | 27.0 | 28.0 | 30.0 | 31.0 | 30.0 | 30.0 | 27.0 | 29.0 | 30.0 | 30.0 | 31.0 | **3,905.0** |
| H2O | 1966 | 35.8 | 26.7 | 32.7 | 37.2 | 1.3 | 4.8 | 4.3 | 4.0 | 4.8 | 9.7 | 10.3 | 11.0 | **854.1** |
| OIL | 1966 | 774.2 | 639.0 | 679.7 | 737.8 | 767.4 | 753.2 | 701.4 | 642.2 | 698.7 | 752.0 | 765.9 | 802.7 | **49,671.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,551.0** |
| H2O | 1965 | 10.3 | 9.5 | 10.8 | 19.2 | 20.2 | 8.6 | 9.2 | 18.4 | 49.0 | 15.1 | 29.6 | 37.5 | **671.5** |
| OIL | 1965 | 686.0 | 640.7 | 693.0 | 684.7 | 714.9 | 683.5 | 754.2 | 729.6 | 798.0 | 795.3 | 755.8 | 783.1 | **40,957.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,190.0** |
| H2O | 1964 | 1.3 | 1.3 | 7.6 | 7.3 | 4.0 | 4.9 | 1.1 | 26.4 | 7.0 | 7.2 | 7.5 | 10.7 | **434.1** |
| OIL | 1964 | 586.7 | 554.8 | 605.3 | 581.1 | 594.3 | 566.4 | 587.0 | 602.7 | 584.8 | 601.0 | 598.0 | 696.7 | **32,238.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,824.0** |
| H2O | 1963 | 9.7 | 8.4 | 3.7 | 3.3 | 3.3 | 0.0 | 0.0 | 3.5 | 3.8 | 1.7 | 1.3 | 1.1 | **347.8** |
| OIL | 1963 | 239.3 | 230.1 | 388.9 | 369.3 | 364.9 | 446.1 | 449.1 | 588.4 | 545.9 | 607.2 | 509.0 | 562.9 | **25,079.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,463.0** |
| H2O | 1962 | 4.8 | 8.6 | 9.5 | 9.2 | 9.5 | 9.2 | 9.5 | 8.4 | 8.4 | 7.9 | 8.1 | 9.4 | **308.0** |
| OIL | 1962 | 170.8 | 160.8 | 177.7 | 172.7 | 180.2 | 174.5 | 231.2 | 221.7 | 219.3 | 227.1 | 210.1 | 241.5 | **19,778.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,101.0** |
| H2O | 1961 | 4.1 | 4.1 | 9.4 | 8.7 | 9.5 | 9.2 | 9.5 | 9.5 | 9.2 | 9.5 | 9.2 | 9.5 | **205.5** |
| OIL | 1961 | 216.3 | 188.0 | 211.2 | 171.0 | 182.7 | 207.1 | 209.4 | 195.0 | 185.8 | 185.8 | 175.8 | 179.6 | **17,391.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,736.0** |
| H2O | 1960 | 4.6 | 4.3 | 4.8 | 4.8 | 4.6 | 4.5 | 4.3 | 4.3 | 4.1 | 4.6 | 4.5 | 4.5 | **104.1** |
| OIL | 1960 | 212.3 | 209.0 | 219.3 | 222.0 | 225.5 | 206.3 | 209.9 | 202.5 | 225.7 | 231.2 | 177.8 | 173.4 | **15,083.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 29.0 | 31.0 | **1,375.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 4.6 | 4.5 | 4.3 | 4.1 | 4.3 | **50.2** |
| OIL | 1959 | 248.1 | 221.2 | 256.3 | 234.2 | 221.8 | 226.0 | 236.6 | 217.7 | 222.8 | 223.7 | 206.9 | 220.4 | **12,568.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,015.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1028*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **27.3** |
| OIL | 1958 | 287.9 | 252.2 | 279.5 | 249.8 | 258.9 | 249.6 | 276.8 | 250.8 | 250.3 | 258.7 | 251.6 | 246.9 | **9,832.7** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **654.0** |
| H2O | 1957 | 4.5 | 0.2 | 0.0 | 0.0 | 0.0 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **27.1** |
| OIL | 1957 | 262.8 | 301.3 | 340.7 | 275.9 | 315.4 | 277.3 | 258.5 | 275.4 | 241.1 | 237.4 | 244.4 | 260.5 | **6,719.7** |
| DAY | 1956 | 0.0 | 15.0 | 16.0 | 29.0 | 27.0 | 23.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **296.0** |
| H2O | 1956 | 0.0 | 5.9 | 0.0 | 0.0 | 0.6 | 10.7 | 0.6 | 0.8 | 0.8 | 1.9 | 0.5 | 0.0 | **21.8** |
| OIL | 1956 | 0.0 | 211.4 | 203.9 | 348.5 | 336.3 | 267.3 | 357.5 | 354.1 | 324.7 | 342.9 | 326.7 | 339.0 | **3,429.0** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | **2.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.7 | **16.7** |

Licence ***1029*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,191.0** |
| H2O | 1975 | 185.2 | 171.7 | 191.6 | 185.5 | 192.4 | 178.1 | 184.4 | 181.9 | 179.0 | 192.2 | 192.7 | 196.3 | **12,814.3** |
| OIL | 1975 | 413.2 | 370.4 | 406.7 | 385.8 | 393.0 | 369.8 | 393.0 | 394.7 | 383.0 | 396.2 | 383.1 | 389.3 | **81,807.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,826.0** |
| H2O | 1974 | 136.7 | 126.9 | 207.2 | 201.3 | 193.0 | 194.0 | 196.0 | 179.6 | 177.1 | 186.0 | 181.2 | 185.7 | **10,583.3** |
| OIL | 1974 | 486.6 | 424.1 | 418.9 | 398.5 | 423.8 | 410.0 | 423.3 | 421.6 | 404.7 | 426.2 | 397.0 | 419.7 | **77,129.4** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **6,461.0** |
| H2O | 1973 | 131.2 | 125.8 | 135.0 | 134.7 | 179.2 | 172.2 | 173.0 | 150.7 | 150.7 | 152.3 | 131.2 | 137.0 | **8,418.6** |
| OIL | 1973 | 457.0 | 403.0 | 444.0 | 433.8 | 452.9 | 438.9 | 455.0 | 500.6 | 485.6 | 495.8 | 433.2 | 473.6 | **72,075.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **6,098.0** |
| H2O | 1972 | 136.6 | 133.1 | 146.1 | 130.2 | 143.7 | 143.1 | 128.8 | 127.8 | 119.1 | 138.8 | 152.1 | 149.8 | **6,645.6** |
| OIL | 1972 | 561.9 | 524.1 | 570.5 | 544.9 | 574.9 | 554.6 | 456.4 | 476.4 | 423.2 | 477.5 | 427.8 | 432.1 | **66,601.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,734.0** |
| H2O | 1971 | 108.6 | 99.4 | 114.3 | 84.3 | 81.7 | 84.1 | 83.3 | 80.3 | 71.9 | 80.4 | 77.3 | 145.5 | **4,996.4** |
| OIL | 1971 | 447.6 | 399.3 | 441.9 | 512.8 | 507.4 | 509.5 | 521.1 | 511.4 | 504.4 | 523.6 | 493.9 | 572.1 | **60,577.3** |
| DAY | 1970 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,370.0** |
| H2O | 1970 | 34.7 | 33.5 | 35.1 | 114.8 | 118.3 | 115.9 | 107.0 | 113.5 | 110.5 | 116.5 | 106.5 | 118.3 | **3,885.3** |
| OIL | 1970 | 463.5 | 431.8 | 471.3 | 454.6 | 469.1 | 419.7 | 435.7 | 402.5 | 402.0 | 431.4 | 413.8 | 434.1 | **54,632.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 29.0 | 30.0 | 27.0 | 30.0 | 31.0 | **5,007.0** |
| H2O | 1969 | 65.2 | 59.1 | 55.6 | 134.3 | 152.5 | 38.8 | 4.3 | 8.4 | 8.4 | 62.8 | 32.4 | 37.0 | **2,760.7** |
| OIL | 1969 | 557.3 | 492.5 | 543.8 | 521.4 | 553.0 | 459.9 | 498.7 | 466.9 | 486.3 | 430.3 | 455.0 | 496.0 | **49,402.8** |
| DAY | 1968 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,651.0** |
| H2O | 1968 | 63.4 | 62.6 | 72.8 | 75.0 | 78.4 | 73.9 | 79.8 | 51.2 | 64.9 | 49.8 | 58.5 | 62.0 | **2,101.9** |
| OIL | 1968 | 552.8 | 527.1 | 585.9 | 581.9 | 583.5 | 577.6 | 595.8 | 580.5 | 555.5 | 563.7 | 540.8 | 556.7 | **43,441.7** |
| DAY | 1967 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **4,286.0** |
| H2O | 1967 | 2.7 | 2.1 | 2.4 | 48.3 | 48.3 | 45.5 | 35.8 | 71.7 | 62.5 | 56.8 | 59.6 | 67.9 | **1,309.6** |
| OIL | 1967 | 543.5 | 482.9 | 495.0 | 540.9 | 557.5 | 534.6 | 554.9 | 538.4 | 516.6 | 457.2 | 534.4 | 569.1 | **36,639.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,928.0** |
| H2O | 1966 | 9.2 | 7.5 | 16.4 | 16.8 | 18.9 | 1.1 | 1.0 | 3.3 | 186.1 | 191.3 | 2.4 | 2.7 | **806.0** |
| OIL | 1966 | 468.1 | 412.2 | 440.8 | 430.8 | 450.8 | 491.8 | 441.6 | 502.3 | 511.1 | 529.2 | 520.0 | 531.9 | **30,314.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **3,567.0** |
| H2O | 1965 | 1.3 | 1.3 | 1.3 | 0.0 | 4.8 | 4.6 | 4.4 | 1.0 | 14.5 | 14.9 | 4.8 | 8.4 | **349.3** |
| OIL | 1965 | 353.1 | 329.9 | 356.8 | 355.3 | 340.2 | 351.8 | 339.4 | 366.9 | 343.7 | 369.6 | 258.1 | 412.4 | **24,584.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,206.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 5.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **288.0** |
| OIL | 1964 | 278.3 | 263.3 | 284.4 | 313.8 | 323.4 | 300.0 | 314.3 | 317.0 | 306.9 | 288.1 | 382.2 | 409.5 | **20,407.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,841.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1029*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1963 | 4.9 | 4.3 | 0.0 | 0.0 | 0.0 | 6.0 | 6.5 | 1.6 | 1.9 | 1.7 | 0.0 | 0.0 | **281.6** |
| OIL | 1963 | 88.7 | 85.7 | 106.8 | 101.4 | 131.7 | 156.7 | 168.6 | 226.9 | 238.4 | 274.9 | 260.9 | 267.0 | **16,625.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,476.0** |
| H2O | 1962 | 4.8 | 4.3 | 4.8 | 4.6 | 4.8 | 4.6 | 4.8 | 4.6 | 4.0 | 3.8 | 4.0 | 4.8 | **254.7** |
| OIL | 1962 | 89.9 | 89.0 | 104.2 | 107.7 | 106.0 | 110.4 | 87.9 | 90.7 | 81.0 | 84.2 | 77.7 | 89.5 | **14,518.2** |
| DAY | 1961 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,112.0** |
| H2O | 1961 | 4.1 | 4.1 | 4.6 | 4.3 | 4.8 | 4.6 | 4.8 | 4.8 | 4.6 | 4.8 | 4.6 | 4.8 | **200.8** |
| OIL | 1961 | 116.0 | 106.8 | 121.2 | 100.0 | 113.8 | 110.9 | 114.9 | 109.5 | 109.3 | 106.2 | 107.7 | 99.5 | **13,400.0** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,749.0** |
| H2O | 1960 | 4.6 | 4.3 | 4.8 | 4.8 | 4.5 | 4.3 | 4.5 | 4.5 | 4.1 | 4.6 | 4.5 | 4.6 | **145.9** |
| OIL | 1960 | 133.5 | 124.7 | 123.5 | 122.4 | 128.6 | 124.1 | 136.3 | 120.8 | 127.6 | 130.6 | 120.0 | 125.7 | **12,084.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 26.0 | 31.0 | **1,389.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 5.1 | 4.5 | 4.3 | 3.2 | 5.2 | **91.8** |
| OIL | 1959 | 156.0 | 141.4 | 168.8 | 167.5 | 171.8 | 169.1 | 170.2 | 164.8 | 152.6 | 160.2 | 115.2 | 148.9 | **10,566.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,030.0** |
| OIL | 1958 | 216.0 | 185.4 | 196.7 | 184.0 | 165.4 | 170.4 | 179.9 | 162.1 | 161.0 | 144.3 | 153.7 | 155.9 | **8,679.9** |
| DAY | 1957 | 28.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 28.0 | 26.0 | **668.0** |
| H2O | 1957 | 4.3 | 4.6 | 5.1 | 4.6 | 4.9 | 5.4 | 5.6 | 5.7 | 4.9 | 4.1 | 0.0 | 0.0 | **68.4** |
| OIL | 1957 | 329.1 | 294.1 | 336.1 | 311.1 | 292.2 | 255.4 | 252.0 | 254.4 | 225.7 | 191.6 | 170.4 | 157.8 | **6,605.1** |
| DAY | 1956 | 1.0 | 24.0 | 31.0 | 29.0 | 26.0 | 23.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **317.0** |
| H2O | 1956 | 0.0 | 1.9 | 0.2 | 0.0 | 0.6 | 10.0 | 1.0 | 2.2 | 0.6 | 1.7 | 0.0 | 1.0 | **19.2** |
| OIL | 1956 | 12.6 | 310.7 | 363.3 | 318.1 | 315.6 | 251.7 | 356.4 | 351.5 | 318.1 | 342.1 | 321.8 | 273.3 | **3,535.2** |

Licence ***1030*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 30.0 | 26.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,440.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 1.1 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,616.2** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 1.2 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,283.0** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 28.0 | 31.0 | 30.0 | 27.0 | 29.0 | 26.0 | 21.0 | 22.0 | 0.0 | **3,356.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 1.3 | 1.0 | 1.1 | 1.0 | 0.0 | 0.0 | 0.0 | **2,612.9** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 3.0 | 3.3 | 3.3 | 3.0 | 3.2 | 2.7 | 0.6 | 0.8 | 0.0 | **1,279.6** |
| DAY | 1965 | 31.0 | 26.0 | 17.0 | 11.0 | 31.0 | 28.0 | 24.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **3,142.0** |
| OIL | 1965 | 4.9 | 4.0 | 2.5 | 1.7 | 17.6 | 16.5 | 14.1 | 12.1 | 11.4 | 3.5 | 0.0 | 0.0 | **1,259.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 20.0 | 18.0 | 24.0 | 26.0 | **2,882.0** |
| H2O | 1964 | 1.1 | 1.1 | 0.0 | 0.0 | 1.1 | 1.3 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,607.2** |
| OIL | 1964 | 11.4 | 11.0 | 9.5 | 9.1 | 4.8 | 4.6 | 4.8 | 4.8 | 3.0 | 2.7 | 3.7 | 3.8 | **1,171.4** |
| DAY | 1963 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | **2,550.0** |
| H2O | 1963 | 9.7 | 6.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | **2,601.5** |
| OIL | 1963 | 3.5 | 2.7 | 7.5 | 7.0 | 4.9 | 13.5 | 14.5 | 4.3 | 7.0 | 8.1 | 7.5 | 9.2 | **1,098.2** |
| DAY | 1962 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 29.0 | 21.0 | **2,195.0** |
| H2O | 1962 | 9.5 | 8.6 | 8.3 | 9.2 | 9.5 | 9.2 | 9.5 | 7.5 | 8.3 | 7.9 | 8.1 | 6.4 | **2,583.9** |
| OIL | 1962 | 9.2 | 8.6 | 8.3 | 9.1 | 8.9 | 4.4 | 3.8 | 3.0 | 3.2 | 3.3 | 3.2 | 2.4 | **1,008.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,848.0** |
| H2O | 1961 | 13.5 | 17.2 | 19.6 | 14.3 | 15.4 | 13.7 | 15.4 | 15.4 | 14.9 | 15.4 | 9.2 | 9.5 | **2,481.9** |
| OIL | 1961 | 9.7 | 8.3 | 10.0 | 8.1 | 9.5 | 4.1 | 9.7 | 9.2 | 4.6 | 4.9 | 9.4 | 9.7 | **941.1** |
| DAY | 1960 | 12.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,483.0** |
| H2O | 1960 | 11.4 | 18.4 | 19.7 | 11.9 | 19.6 | 14.5 | 18.9 | 13.7 | 13.2 | 15.1 | 14.5 | 14.9 | **2,308.4** |
| OIL | 1960 | 5.9 | 13.8 | 14.9 | 11.3 | 15.3 | 14.6 | 15.1 | 14.0 | 9.1 | 9.2 | 9.4 | 9.4 | **843.9** |
| DAY | 1959 | 31.0 | 27.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 18.0 | **1,141.0** |
| H2O | 1959 | 39.0 | 31.3 | 43.6 | 34.3 | 19.7 | 20.8 | 20.3 | 23.5 | 20.2 | 19.9 | 20.2 | 14.9 | **2,122.6** |

# Manitoba Production
## 1950 To 1975

Licence ***1030*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1959 | 14.9 | 12.7 | 14.9 | 14.3 | 13.5 | 13.8 | 14.6 | 14.6 | 13.3 | 13.8 | 13.5 | 9.5 | **701.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 28.0 | **794.0** |
| H2O | 1958 | 66.5 | 53.4 | 43.6 | 36.7 | 38.0 | 39.0 | 40.9 | 40.2 | 38.3 | 43.2 | 31.3 | 36.9 | **1,814.9** |
| OIL | 1958 | 35.1 | 21.3 | 20.8 | 18.0 | 18.1 | 16.5 | 15.9 | 14.9 | 14.0 | 14.6 | 11.3 | 13.2 | **538.5** |
| DAY | 1957 | 26.0 | 17.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 25.0 | 0.0 | 10.0 | **439.0** |
| H2O | 1957 | 54.2 | 50.2 | 86.2 | 71.7 | 73.1 | 66.8 | 70.6 | 74.4 | 73.1 | 56.4 | 0.0 | 23.8 | **1,306.9** |
| OIL | 1957 | 22.6 | 11.0 | 6.4 | 4.6 | 4.9 | 4.6 | 4.8 | 4.9 | 4.8 | 3.8 | 0.0 | 12.6 | **324.8** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 26.0 | 30.0 | 31.0 | 30.0 | 28.0 | **151.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.7 | 152.5 | 124.8 | 112.7 | 108.6 | 101.1 | **606.4** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.2 | 48.9 | 51.0 | 48.3 | 42.0 | 40.4 | **239.8** |

Licence ***1031*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-34-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 29.0 | 0.0 | **672.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.9 | 9.3 | 0.0 | **120.3** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.8 | 16.6 | 0.0 | **369.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 29.0 | 23.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **618.0** |
| H2O | 1958 | 5.2 | 4.8 | 5.1 | 4.8 | 4.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **103.1** |
| OIL | 1958 | 14.3 | 10.0 | 9.9 | 9.2 | 7.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **338.2** |
| DAY | 1957 | 29.0 | 28.0 | 31.0 | 19.0 | 14.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 27.0 | 12.0 | **476.0** |
| H2O | 1957 | 4.6 | 4.5 | 4.9 | 3.0 | 2.5 | 5.2 | 5.4 | 4.9 | 5.1 | 4.9 | 4.5 | 4.6 | **79.1** |
| OIL | 1957 | 9.4 | 8.9 | 9.9 | 6.0 | 9.5 | 13.5 | 12.9 | 14.8 | 14.9 | 13.0 | 9.7 | 8.3 | **287.3** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 9.0 | 21.0 | 30.0 | 30.0 | 28.0 | 29.0 | **164.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 2.2 | 4.0 | 4.8 | 4.6 | 4.9 | 0.5 | **25.0** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 42.9 | 19.7 | 24.3 | 19.2 | 15.9 | 17.2 | 17.3 | **156.5** |

Licence ***1034*** Well Name ***Shell Hagyard Routledge*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-33-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 1.0 | 0.0 | 0.0 | 4.0 | 24.0 | 22.0 | 26.0 | 28.0 | 21.0 | 8.0 | 2.0 | 0.0 | **137.0** |
| H2O | 1956 | 9.5 | 0.0 | 0.0 | 7.3 | 33.4 | 36.9 | 42.9 | 45.6 | 32.0 | 12.4 | 3.0 | 0.0 | **225.1** |
| OIL | 1956 | 7.7 | 0.0 | 0.0 | 8.9 | 31.0 | 42.4 | 45.9 | 46.4 | 32.7 | 19.4 | 3.0 | 0.0 | **247.9** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | **1.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | **2.1** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.5 | **10.5** |

Licence ***1037*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-07-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1748.7 | 1486.6 | 1486.9 | 1485.4 | 1525.0 | 1336.3 | 1494.3 | 1445.4 | 1544.1 | 1374.1 | 1325.7 | 1232.9 | **142,463.3** |
| WIN | 1974 | 1269.6 | 1585.8 | 1536.2 | 1527.7 | 1437.4 | 1287.8 | 1427.8 | 1315.3 | 1334.0 | 1425.3 | 1439.1 | 1573.7 | **124,977.9** |
| WIN | 1973 | 1882.0 | 1607.1 | 1823.4 | 1953.0 | 2079.0 | 1698.3 | 1789.2 | 1520.2 | 1478.9 | 1512.1 | 1293.8 | 1568.3 | **107,818.2** |
| WIN | 1972 | 1242.2 | 1447.5 | 1750.8 | 1612.3 | 1505.1 | 2043.4 | 2272.5 | 2385.8 | 2220.8 | 2319.4 | 1716.5 | 2012.6 | **87,612.9** |
| WIN | 1971 | 1475.9 | 1224.9 | 1090.3 | 1234.9 | 1017.8 | 994.2 | 1256.8 | 1572.0 | 1368.4 | 1202.5 | 1759.3 | 122.5 | **65,084.0** |
| WIN | 1970 | 1132.4 | 1096.8 | 1228.9 | 1202.8 | 860.8 | 938.0 | 1213.0 | 1038.9 | 982.1 | 1175.1 | 1184.2 | 1312.8 | **50,764.5** |
| WIN | 1969 | 1474.6 | 1317.1 | 1224.7 | 1414.0 | 1088.4 | 1428.9 | 779.5 | 797.1 | 1010.2 | 1445.9 | 1296.8 | 1406.5 | **37,398.7** |
| WIN | 1968 | 1127.0 | 1418.1 | 1177.0 | 1420.4 | 1359.7 | 1143.7 | 1196.5 | 1233.9 | 954.9 | 1293.2 | 1453.0 | 1392.1 | **22,715.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,161.0** |
| H2O | 1967 | 15.8 | 15.8 | 18.7 | 18.5 | 16.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,248.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1037*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-07-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1967 | 44.4 | 40.4 | 45.2 | 42.3 | 39.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **12,173.0** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 404.0 | 1494.8 | 1801.0 | 1391.2 | 1303.6 | 1150.9 | **7,545.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,012.0** |
| H2O | 1966 | 21.5 | 18.3 | 20.8 | 10.5 | 22.4 | 21.6 | 22.7 | 22.1 | 21.9 | 19.2 | 24.6 | 14.8 | **7,163.5** |
| OIL | 1966 | 41.8 | 38.0 | 42.1 | 42.6 | 45.4 | 53.1 | 49.6 | 52.1 | 52.6 | 48.8 | 46.9 | 42.0 | **11,960.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,647.0** |
| H2O | 1965 | 54.5 | 50.6 | 61.0 | 15.1 | 3.3 | 38.5 | 88.9 | 31.5 | 20.8 | 21.3 | 21.0 | 22.7 | **6,923.1** |
| OIL | 1965 | 44.3 | 42.6 | 49.4 | 55.5 | 62.0 | 52.3 | 65.0 | 54.8 | 46.6 | 44.8 | 42.9 | 42.7 | **11,405.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,282.0** |
| H2O | 1964 | 32.9 | 30.5 | 31.5 | 20.5 | 21.5 | 76.6 | 81.9 | 33.7 | 37.0 | 42.9 | 42.1 | 50.7 | **6,493.9** |
| OIL | 1964 | 45.3 | 48.8 | 49.7 | 51.6 | 53.4 | 54.5 | 55.0 | 46.9 | 51.2 | 43.1 | 44.7 | 45.9 | **10,803.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,916.0** |
| H2O | 1963 | 33.9 | 25.4 | 29.4 | 32.0 | 32.6 | 33.7 | 26.1 | 33.9 | 23.5 | 34.3 | 33.5 | 33.4 | **5,992.1** |
| OIL | 1963 | 47.2 | 39.3 | 45.6 | 50.1 | 65.0 | 55.8 | 53.6 | 53.1 | 47.8 | 53.6 | 52.0 | 44.7 | **10,212.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,551.0** |
| H2O | 1962 | 20.2 | 18.8 | 20.5 | 17.3 | 18.4 | 32.3 | 40.1 | 95.4 | 38.2 | 39.0 | 34.7 | 37.0 | **5,620.4** |
| OIL | 1962 | 56.3 | 44.3 | 48.3 | 46.9 | 48.5 | 42.4 | 48.1 | 91.2 | 47.2 | 46.1 | 45.0 | 46.9 | **9,605.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,186.0** |
| H2O | 1961 | 17.6 | 18.1 | 34.0 | 32.4 | 34.8 | 40.1 | 41.0 | 11.8 | 9.4 | 9.7 | 18.1 | 18.6 | **5,208.5** |
| OIL | 1961 | 82.0 | 72.8 | 64.0 | 63.1 | 63.1 | 61.5 | 58.3 | 39.4 | 39.4 | 38.3 | 48.8 | 47.4 | **8,993.9** |
| DAY | 1960 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,823.0** |
| H2O | 1960 | 36.9 | 12.7 | 17.5 | 0.0 | 5.4 | 50.7 | 43.9 | 41.2 | 60.1 | 20.3 | 19.4 | 20.3 | **4,922.9** |
| OIL | 1960 | 66.4 | 73.3 | 66.1 | 63.9 | 61.5 | 64.5 | 62.9 | 61.0 | 63.4 | 72.6 | 81.2 | 87.9 | **8,315.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,459.0** |
| H2O | 1959 | 48.3 | 38.0 | 52.0 | 49.1 | 45.8 | 52.0 | 61.5 | 61.5 | 38.0 | 45.0 | 48.2 | 38.3 | **4,594.5** |
| OIL | 1959 | 79.5 | 65.0 | 84.5 | 73.7 | 80.2 | 73.9 | 83.6 | 70.4 | 75.2 | 71.7 | 71.7 | 62.3 | **7,491.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,094.0** |
| H2O | 1958 | 101.4 | 79.3 | 86.3 | 73.0 | 121.3 | 44.0 | 41.2 | 65.2 | 62.0 | 17.3 | 54.7 | 33.1 | **4,016.8** |
| OIL | 1958 | 122.2 | 102.5 | 108.5 | 92.2 | 138.3 | 93.9 | 95.0 | 78.7 | 72.9 | 70.6 | 86.0 | 77.5 | **6,599.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **729.0** |
| H2O | 1957 | 140.2 | 115.6 | 135.1 | 107.3 | 152.3 | 163.1 | 128.6 | 108.1 | 110.7 | 107.3 | 66.5 | 89.0 | **3,238.0** |
| OIL | 1957 | 246.0 | 209.0 | 243.0 | 255.4 | 274.4 | 221.0 | 181.6 | 161.9 | 149.7 | 147.9 | 109.8 | 120.6 | **5,461.1** |
| DAY | 1956 | 25.0 | 28.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **365.0** |
| H2O | 1956 | 97.3 | 125.6 | 87.4 | 193.3 | 183.6 | 191.6 | 202.9 | 143.4 | 142.6 | 146.1 | 133.4 | 138.9 | **1,814.2** |
| OIL | 1956 | 223.0 | 257.4 | 233.6 | 264.6 | 299.2 | 219.3 | 259.2 | 256.2 | 265.4 | 264.7 | 242.7 | 246.0 | **3,140.8** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 10.0 | **11.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.1 | **28.1** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 109.2 | **109.5** |

Licence ***1038*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-14-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 30.0 | 30.0 | 31.0 | **7,204.0** |
| H2O | 1975 | 263.7 | 234.3 | 253.3 | 253.9 | 260.3 | 240.1 | 238.2 | 233.4 | 200.8 | 243.1 | 241.3 | 258.0 | **20,710.9** |
| OIL | 1975 | 59.1 | 52.8 | 59.3 | 56.3 | 59.6 | 57.7 | 45.8 | 46.2 | 36.9 | 43.4 | 64.8 | 65.8 | **9,444.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,845.0** |
| H2O | 1974 | 254.1 | 239.9 | 274.9 | 269.9 | 232.9 | 243.9 | 279.8 | 291.4 | 285.5 | 292.7 | 294.3 | 260.3 | **17,790.5** |
| OIL | 1974 | 39.4 | 36.9 | 40.5 | 38.5 | 33.5 | 84.9 | 102.8 | 65.9 | 68.3 | 69.3 | 68.5 | 59.3 | **8,796.4** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 26.0 | 31.0 | **6,489.0** |
| H2O | 1973 | 61.5 | 53.3 | 60.1 | 39.3 | 15.3 | 36.4 | 38.0 | 38.8 | 24.2 | 21.0 | 201.6 | 271.2 | **14,570.9** |
| OIL | 1973 | 18.4 | 16.2 | 17.3 | 46.7 | 36.2 | 36.4 | 36.7 | 32.3 | 41.0 | 37.7 | 42.3 | 40.7 | **8,088.6** |

# Manitoba Production
# 1950 To 1975

Licence ***1038*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-14-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 17.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,135.0** |
| H2O | 1972 | 21.6 | 29.4 | 154.7 | 157.0 | 164.2 | 163.9 | 129.7 | 138.1 | 121.6 | 126.2 | 69.9 | 72.2 | **13,710.2** |
| OIL | 1972 | 13.3 | 22.6 | 57.2 | 52.9 | 54.0 | 51.5 | 41.3 | 42.7 | 27.3 | 26.7 | 43.2 | 45.3 | **7,686.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,783.0** |
| H2O | 1971 | 152.6 | 145.3 | 145.6 | 42.0 | 44.8 | 46.3 | 45.2 | 53.9 | 52.0 | 65.5 | 40.7 | 39.0 | **12,361.7** |
| OIL | 1971 | 57.8 | 51.6 | 56.9 | 46.9 | 46.7 | 31.1 | 31.8 | 37.3 | 35.1 | 38.5 | 24.2 | 25.1 | **7,208.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,418.0** |
| H2O | 1970 | 49.1 | 43.7 | 47.2 | 48.5 | 28.5 | 46.4 | 43.1 | 213.7 | 196.0 | 161.0 | 151.0 | 143.9 | **11,488.8** |
| OIL | 1970 | 34.2 | 30.5 | 33.4 | 31.6 | 28.0 | 31.3 | 30.0 | 75.6 | 72.3 | 70.7 | 83.4 | 56.1 | **6,725.7** |
| DAY | 1969 | 24.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,055.0** |
| H2O | 1969 | 122.7 | 145.6 | 135.0 | 134.7 | 139.3 | 140.4 | 143.2 | 77.6 | 78.4 | 79.2 | 79.8 | 45.6 | **10,316.7** |
| OIL | 1969 | 60.2 | 71.2 | 79.5 | 74.8 | 74.1 | 57.4 | 58.0 | 77.2 | 70.7 | 73.3 | 73.7 | 32.7 | **6,148.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | **4,697.0** |
| H2O | 1968 | 11.4 | 11.1 | 12.1 | 7.8 | 8.1 | 8.6 | 9.7 | 9.2 | 7.5 | 8.1 | 52.1 | 52.3 | **8,995.2** |
| OIL | 1968 | 8.7 | 8.6 | 8.6 | 11.1 | 11.0 | 8.9 | 8.9 | 8.7 | 7.5 | 7.8 | 30.2 | 31.8 | **5,345.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,336.0** |
| H2O | 1967 | 43.6 | 44.2 | 51.8 | 51.8 | 45.0 | 46.7 | 49.1 | 44.0 | 18.8 | 11.1 | 11.0 | 11.6 | **8,797.2** |
| OIL | 1967 | 20.3 | 18.4 | 20.7 | 19.4 | 18.3 | 20.7 | 22.9 | 22.6 | 36.4 | 7.9 | 8.1 | 8.6 | **5,194.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,973.0** |
| H2O | 1966 | 70.1 | 61.0 | 51.4 | 49.0 | 54.2 | 48.6 | 49.3 | 49.3 | 47.7 | 49.3 | 47.7 | 41.0 | **8,368.5** |
| OIL | 1966 | 32.3 | 25.4 | 26.9 | 26.1 | 26.9 | 25.4 | 27.7 | 26.5 | 25.6 | 25.6 | 23.8 | 19.1 | **4,969.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,608.0** |
| H2O | 1965 | 195.5 | 155.8 | 167.9 | 149.4 | 154.2 | 143.1 | 147.9 | 147.9 | 113.7 | 99.5 | 92.8 | 86.0 | **7,749.9** |
| OIL | 1965 | 47.0 | 38.3 | 37.5 | 33.7 | 42.0 | 42.0 | 41.3 | 39.4 | 34.6 | 37.5 | 35.8 | 33.7 | **4,658.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,246.0** |
| H2O | 1964 | 42.4 | 22.1 | 21.9 | 19.2 | 19.1 | 21.5 | 21.9 | 12.9 | 147.4 | 186.5 | 187.6 | 197.1 | **6,096.2** |
| OIL | 1964 | 22.9 | 21.9 | 22.1 | 21.5 | 22.1 | 26.4 | 30.4 | 16.4 | 65.8 | 50.2 | 48.1 | 50.7 | **4,195.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **2,885.0** |
| H2O | 1963 | 53.6 | 49.7 | 54.5 | 50.1 | 80.9 | 32.3 | 22.2 | 32.1 | 61.8 | 95.5 | 22.6 | 38.8 | **5,196.6** |
| OIL | 1963 | 23.2 | 22.7 | 25.4 | 24.2 | 22.9 | 21.3 | 22.2 | 21.5 | 24.8 | 21.5 | 22.1 | 23.2 | **3,797.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,523.0** |
| H2O | 1962 | 56.8 | 54.4 | 65.8 | 68.2 | 56.8 | 64.2 | 61.5 | 63.4 | 63.9 | 65.2 | 53.1 | 53.9 | **4,602.5** |
| OIL | 1962 | 26.2 | 23.4 | 29.6 | 28.4 | 30.2 | 25.1 | 27.2 | 27.8 | 26.7 | 27.5 | 23.7 | 24.6 | **3,522.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,158.0** |
| H2O | 1961 | 6.4 | 18.8 | 23.8 | 20.0 | 8.1 | 20.3 | 31.6 | 34.2 | 32.1 | 40.0 | 86.9 | 89.6 | **3,875.3** |
| OIL | 1961 | 9.5 | 16.0 | 17.3 | 16.2 | 15.7 | 14.8 | 26.1 | 22.7 | 26.1 | 21.5 | 35.0 | 33.8 | **3,201.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,793.0** |
| H2O | 1960 | 31.1 | 25.1 | 27.5 | 27.7 | 37.8 | 11.1 | 54.3 | 39.3 | 38.0 | 25.9 | 7.0 | 7.5 | **3,463.5** |
| OIL | 1960 | 21.8 | 19.4 | 22.7 | 22.2 | 24.2 | 27.8 | 18.0 | 24.3 | 20.5 | 15.3 | 9.2 | 10.3 | **2,947.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,427.0** |
| H2O | 1959 | 51.0 | 61.5 | 51.3 | 67.2 | 66.7 | 65.0 | 77.9 | 39.4 | 52.6 | 58.6 | 49.1 | 33.7 | **3,131.2** |
| OIL | 1959 | 38.1 | 27.5 | 28.0 | 35.0 | 31.6 | 29.2 | 39.4 | 17.0 | 28.0 | 28.4 | 27.7 | 23.8 | **2,711.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,062.0** |
| H2O | 1958 | 103.1 | 75.3 | 77.4 | 127.8 | 102.3 | 89.1 | 80.1 | 63.2 | 41.0 | 88.5 | 100.9 | 62.1 | **2,457.2** |
| OIL | 1958 | 69.3 | 50.5 | 55.0 | 82.5 | 82.0 | 62.9 | 68.6 | 50.2 | 22.2 | 43.7 | 35.9 | 34.6 | **2,357.6** |
| DAY | 1957 | 31.0 | 26.0 | 31.0 | 30.0 | 30.0 | 17.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **698.0** |
| H2O | 1957 | 23.8 | 32.3 | 24.2 | 35.3 | 15.7 | 7.9 | 216.8 | 59.9 | 179.9 | 190.5 | 135.9 | 106.0 | **1,446.4** |
| OIL | 1957 | 28.0 | 22.2 | 24.6 | 19.5 | 37.3 | 48.6 | 168.1 | 54.3 | 96.9 | 99.2 | 82.5 | 75.2 | **1,700.2** |
| DAY | 1956 | 14.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **349.0** |
| H2O | 1956 | 24.5 | 30.5 | 45.3 | 33.8 | 23.2 | 25.9 | 31.0 | 26.4 | 31.5 | 59.1 | 43.1 | 43.9 | **418.2** |
| OIL | 1956 | 126.7 | 143.0 | 124.4 | 84.1 | 84.5 | 91.2 | 75.8 | 51.3 | 53.2 | 48.9 | 31.0 | 29.7 | **943.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1039*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-14-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 2434.9 | 2171.7 | 2554.3 | 2570.2 | 2696.9 | 2392.3 | 2537.3 | 2478.0 | 2695.7 | 2673.2 | 2595.3 | 2640.5 | **220,623.3** |
| WIN | 1974 | 1847.0 | 2465.5 | 2413.8 | 2328.6 | 2168.6 | 1959.1 | 2441.1 | 2107.8 | 2431.9 | 2525.7 | 2485.2 | 2461.6 | **190,183.0** |
| WIN | 1973 | 341.5 | 264.2 | 311.6 | 1029.2 | 2692.5 | 2339.7 | 2373.3 | 2265.5 | 2254.2 | 2169.9 | 2160.2 | 2169.1 | **162,547.1** |
| WIN | 1972 | 1288.4 | 861.8 | 1139.1 | 2222.9 | 2190.3 | 2099.2 | 2218.6 | 2153.5 | 2186.6 | 2193.3 | 1596.0 | 865.6 | **142,176.2** |
| WIN | 1971 | 2323.2 | 2255.4 | 2503.6 | 2512.4 | 2292.5 | 2254.3 | 1992.8 | 1812.4 | 1834.9 | 2326.0 | 2045.6 | 2150.8 | **121,160.9** |
| WIN | 1970 | 2584.1 | 2127.5 | 2237.5 | 2089.0 | 2465.1 | 2396.9 | 2226.7 | 2283.4 | 1828.3 | 2471.8 | 2293.0 | 2383.3 | **94,857.0** |
| WIN | 1969 | 2260.5 | 2160.7 | 2270.1 | 2069.1 | 2319.2 | 2710.3 | 2332.7 | 1945.9 | 2441.3 | 2431.8 | 2248.0 | 2068.8 | **67,470.4** |
| WIN | 1968 | 2178.3 | 2117.0 | 2448.3 | 2067.7 | 1857.2 | 2323.0 | 2327.3 | 2205.5 | 1882.0 | 2175.8 | 2202.3 | 2202.0 | **40,212.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 16.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,083.0** |
| H2O | 1967 | 47.8 | 48.2 | 56.8 | 56.6 | 28.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **11,487.1** |
| OIL | 1967 | 31.8 | 29.0 | 32.6 | 30.5 | 16.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,381.3** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 163.4 | 1757.7 | 1966.1 | 1700.8 | 2036.5 | 2085.0 | 2176.4 | 2339.7 | **14,225.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,947.0** |
| H2O | 1966 | 94.9 | 72.7 | 59.5 | 55.0 | 60.6 | 58.8 | 64.2 | 54.1 | 53.6 | 59.5 | 71.5 | 45.0 | **11,249.4** |
| OIL | 1966 | 41.5 | 36.5 | 40.0 | 38.5 | 39.3 | 35.3 | 35.4 | 38.1 | 37.7 | 37.3 | 33.2 | 30.4 | **6,241.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,582.0** |
| H2O | 1965 | 195.5 | 155.8 | 168.7 | 152.6 | 168.2 | 143.1 | 147.9 | 147.9 | 140.5 | 124.6 | 106.2 | 89.3 | **10,500.0** |
| OIL | 1965 | 48.3 | 40.0 | 37.5 | 42.3 | 56.3 | 48.9 | 49.6 | 46.6 | 42.6 | 44.8 | 41.5 | 41.5 | **5,798.0** |
| DAY | 1964 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 28.0 | 30.0 | 31.0 | **3,220.0** |
| H2O | 1964 | 43.4 | 22.6 | 22.3 | 19.6 | 19.4 | 11.1 | 11.3 | 11.6 | 142.4 | 211.8 | 191.3 | 197.1 | **8,759.7** |
| OIL | 1964 | 22.7 | 21.8 | 21.9 | 21.3 | 21.9 | 15.9 | 18.3 | 13.2 | 62.3 | 53.4 | 46.4 | 49.4 | **5,258.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **2,863.0** |
| H2O | 1963 | 118.4 | 110.0 | 120.7 | 111.0 | 204.3 | 81.7 | 56.3 | 81.1 | 63.4 | 97.9 | 23.1 | 39.6 | **7,855.8** |
| OIL | 1963 | 41.6 | 40.8 | 45.8 | 43.4 | 41.0 | 38.0 | 39.9 | 38.3 | 24.8 | 21.5 | 21.9 | 23.0 | **4,889.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,501.0** |
| H2O | 1962 | 97.1 | 92.4 | 113.5 | 116.5 | 125.0 | 109.2 | 104.4 | 107.6 | 108.6 | 110.8 | 117.3 | 119.1 | **6,748.3** |
| OIL | 1962 | 35.0 | 31.0 | 39.6 | 37.8 | 50.5 | 33.4 | 36.1 | 36.9 | 35.6 | 36.5 | 42.6 | 44.2 | **4,469.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,136.0** |
| H2O | 1961 | 21.5 | 14.1 | 17.3 | 15.6 | 6.4 | 15.6 | 7.5 | 7.5 | 7.6 | 9.4 | 15.7 | 16.1 | **5,426.8** |
| OIL | 1961 | 18.6 | 16.0 | 17.2 | 16.2 | 15.7 | 14.8 | 4.3 | 15.1 | 17.5 | 14.5 | 11.6 | 11.3 | **4,010.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,771.0** |
| H2O | 1960 | 31.2 | 30.7 | 33.7 | 33.9 | 23.8 | 24.8 | 20.0 | 27.3 | 26.2 | 17.5 | 24.2 | 25.4 | **5,272.5** |
| OIL | 1960 | 21.8 | 23.4 | 27.3 | 26.9 | 20.2 | 18.6 | 9.2 | 24.3 | 20.5 | 15.3 | 18.3 | 20.3 | **3,837.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | **1,405.0** |
| H2O | 1959 | 75.8 | 46.6 | 29.6 | 29.6 | 31.3 | 35.9 | 0.0 | 78.9 | 41.3 | 26.7 | 22.4 | 33.7 | **4,953.8** |
| OIL | 1959 | 42.3 | 15.7 | 13.8 | 13.2 | 11.8 | 16.2 | 0.0 | 34.0 | 21.0 | 12.9 | 12.4 | 23.8 | **3,591.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,078.0** |
| H2O | 1958 | 187.4 | 132.4 | 152.5 | 454.8 | 363.7 | 61.7 | 66.5 | 58.8 | 74.4 | 12.9 | 29.4 | 8.9 | **4,502.0** |
| OIL | 1958 | 94.4 | 68.8 | 74.8 | 175.9 | 174.8 | 32.6 | 43.7 | 35.1 | 33.7 | 48.5 | 16.0 | 38.5 | **3,374.4** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **713.0** |
| H2O | 1957 | 84.7 | 114.5 | 92.2 | 65.2 | 82.4 | 35.5 | 27.0 | 107.3 | 401.4 | 326.7 | 254.4 | 217.2 | **2,898.6** |
| OIL | 1957 | 89.1 | 70.9 | 78.7 | 54.5 | 54.0 | 21.5 | 21.0 | 110.0 | 166.2 | 141.7 | 112.5 | 102.5 | **2,537.6** |
| DAY | 1956 | 14.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **349.0** |
| H2O | 1956 | 71.1 | 36.7 | 131.5 | 98.7 | 101.3 | 113.4 | 89.3 | 52.1 | 50.6 | 97.1 | 108.7 | 139.6 | **1,090.1** |
| OIL | 1956 | 153.7 | 207.4 | 180.5 | 122.0 | 122.8 | 132.5 | 110.1 | 100.9 | 85.3 | 106.8 | 98.4 | 94.6 | **1,515.0** |

Licence ***1040*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-02-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 31.0 | **6,929.0** |
| H2O | 1975 | 402.2 | 357.0 | 385.8 | 386.7 | 396.6 | 338.6 | 393.3 | 343.2 | 400.6 | 391.2 | 398.5 | 426.2 | **26,764.9** |

# Manitoba Production
# 1950 To 1975

Licence ***1040*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-02-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1975 | 77.7 | 69.4 | 77.7 | 73.9 | 78.5 | 70.2 | 77.5 | 69.4 | 75.0 | 71.5 | 72.9 | 74.1 | **29,592.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,571.0** |
| H2O | 1974 | 291.6 | 265.0 | 303.8 | 298.4 | 270.7 | 296.8 | 315.7 | 316.5 | 310.2 | 386.6 | 382.4 | 396.6 | **22,145.0** |
| OIL | 1974 | 158.3 | 153.8 | 169.4 | 160.5 | 147.6 | 166.7 | 187.5 | 183.1 | 190.1 | 78.7 | 76.4 | 77.9 | **28,704.9** |
| DAY | 1973 | 30.0 | 27.0 | 29.0 | 29.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,212.0** |
| H2O | 1973 | 260.4 | 226.2 | 256.0 | 267.4 | 271.4 | 247.7 | 283.9 | 317.3 | 315.1 | 317.2 | 306.0 | 308.6 | **18,310.7** |
| OIL | 1973 | 175.1 | 153.0 | 165.7 | 135.1 | 149.4 | 146.7 | 183.9 | 163.2 | 150.5 | 159.2 | 164.5 | 162.4 | **26,954.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 30.0 | **5,857.0** |
| H2O | 1972 | 370.7 | 261.4 | 281.2 | 275.8 | 294.7 | 294.4 | 296.3 | 205.7 | 209.4 | 203.2 | 182.0 | 248.5 | **14,933.5** |
| OIL | 1972 | 292.1 | 256.6 | 272.4 | 243.3 | 253.5 | 242.7 | 258.9 | 202.9 | 208.8 | 192.0 | 192.8 | 174.6 | **25,046.2** |
| DAY | 1971 | 30.0 | 27.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,496.0** |
| H2O | 1971 | 174.4 | 220.3 | 233.1 | 248.2 | 240.9 | 377.0 | 368.1 | 234.3 | 223.8 | 275.8 | 279.5 | 345.9 | **11,810.2** |
| OIL | 1971 | 288.7 | 277.9 | 345.2 | 317.3 | 285.9 | 298.9 | 304.9 | 253.6 | 236.9 | 253.0 | 259.8 | 283.7 | **22,255.6** |
| DAY | 1970 | 30.0 | 25.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 28.0 | 31.0 | 28.0 | 29.0 | **5,136.0** |
| H2O | 1970 | 23.7 | 19.6 | 41.5 | 44.0 | 33.2 | 32.1 | 30.8 | 30.4 | 29.1 | 30.4 | 44.2 | 155.8 | **8,588.9** |
| OIL | 1970 | 94.6 | 77.7 | 78.8 | 77.5 | 75.0 | 72.1 | 72.0 | 68.2 | 67.5 | 75.0 | 86.3 | 265.1 | **18,849.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | **4,786.0** |
| H2O | 1969 | 57.6 | 52.8 | 23.4 | 23.4 | 24.2 | 29.4 | 37.8 | 33.7 | 35.1 | 31.3 | 29.1 | 31.5 | **8,074.1** |
| OIL | 1969 | 109.6 | 100.4 | 79.6 | 75.0 | 74.1 | 91.1 | 116.2 | 107.9 | 102.0 | 88.0 | 82.0 | 93.8 | **17,740.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 29.0 | 28.0 | 30.0 | 31.0 | **4,431.0** |
| H2O | 1968 | 28.5 | 27.7 | 30.2 | 26.2 | 29.1 | 26.9 | 29.9 | 104.9 | 110.2 | 51.5 | 54.7 | 57.2 | **7,664.8** |
| OIL | 1968 | 85.3 | 83.4 | 85.8 | 71.8 | 76.3 | 78.0 | 77.7 | 152.6 | 165.7 | 99.5 | 100.7 | 110.6 | **16,620.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,076.0** |
| H2O | 1967 | 82.2 | 83.1 | 97.6 | 97.5 | 87.8 | 87.9 | 86.5 | 21.1 | 23.1 | 28.1 | 27.5 | 29.4 | **7,087.8** |
| OIL | 1967 | 64.8 | 59.0 | 65.9 | 61.8 | 59.8 | 66.1 | 68.2 | 55.5 | 59.6 | 78.7 | 80.2 | 84.5 | **15,432.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,716.0** |
| H2O | 1966 | 92.2 | 78.5 | 93.3 | 85.1 | 83.9 | 81.6 | 88.7 | 93.6 | 90.6 | 95.7 | 95.4 | 76.8 | **6,336.0** |
| OIL | 1966 | 78.8 | 73.7 | 79.5 | 76.3 | 78.8 | 76.3 | 80.1 | 80.7 | 81.0 | 81.5 | 79.6 | 61.0 | **14,628.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 21.0 | 28.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,351.0** |
| H2O | 1965 | 90.9 | 80.1 | 88.7 | 85.8 | 88.7 | 60.1 | 128.8 | 124.6 | 87.1 | 85.8 | 85.8 | 89.0 | **5,280.6** |
| OIL | 1965 | 90.9 | 80.1 | 88.7 | 84.4 | 83.7 | 56.7 | 112.7 | 99.6 | 85.2 | 83.3 | 81.0 | 78.8 | **13,701.5** |
| DAY | 1964 | 27.0 | 29.0 | 31.0 | 23.0 | 24.0 | 28.0 | 23.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | **3,001.0** |
| H2O | 1964 | 39.7 | 34.7 | 31.6 | 20.3 | 39.7 | 36.2 | 33.2 | 96.2 | 92.2 | 93.8 | 95.4 | 98.6 | **4,185.2** |
| OIL | 1964 | 107.3 | 115.2 | 123.2 | 88.4 | 95.3 | 108.5 | 85.7 | 72.3 | 88.8 | 105.0 | 105.4 | 98.5 | **12,676.4** |
| DAY | 1963 | 31.0 | 25.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 27.0 | 26.0 | 31.0 | **2,667.0** |
| H2O | 1963 | 31.8 | 25.1 | 33.7 | 30.8 | 32.7 | 32.7 | 32.7 | 30.8 | 32.7 | 30.7 | 29.7 | 31.6 | **3,473.6** |
| OIL | 1963 | 147.8 | 119.2 | 123.2 | 133.5 | 139.7 | 133.5 | 137.9 | 124.6 | 131.3 | 120.1 | 110.0 | 123.2 | **11,482.8** |
| DAY | 1962 | 29.0 | 27.0 | 28.0 | 21.0 | 29.0 | 28.0 | 31.0 | 31.0 | 27.0 | 28.0 | 30.0 | 31.0 | **2,318.0** |
| H2O | 1962 | 32.0 | 33.7 | 30.8 | 33.7 | 29.9 | 32.6 | 30.8 | 30.8 | 30.8 | 31.8 | 32.7 | 31.8 | **3,098.6** |
| OIL | 1962 | 110.6 | 103.0 | 111.9 | 109.6 | 152.1 | 144.9 | 151.9 | 162.6 | 143.3 | 133.5 | 143.0 | 147.8 | **9,938.8** |
| DAY | 1961 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | **1,978.0** |
| H2O | 1961 | 32.9 | 31.2 | 31.2 | 33.4 | 34.5 | 33.5 | 34.5 | 32.7 | 33.7 | 33.7 | 28.9 | 28.9 | **2,717.2** |
| OIL | 1961 | 117.1 | 111.1 | 108.7 | 119.2 | 118.1 | 114.4 | 123.2 | 116.5 | 103.3 | 106.2 | 109.6 | 114.4 | **8,324.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 24.0 | 31.0 | 29.0 | 31.0 | **1,620.0** |
| H2O | 1960 | 29.6 | 30.0 | 34.0 | 28.6 | 26.1 | 32.7 | 25.8 | 29.6 | 22.9 | 26.1 | 28.9 | 32.7 | **2,328.1** |
| OIL | 1960 | 146.4 | 136.0 | 146.4 | 141.3 | 147.8 | 143.0 | 129.0 | 147.5 | 116.3 | 148.1 | 136.3 | 123.2 | **6,962.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | **1,265.0** |
| H2O | 1959 | 59.1 | 53.4 | 50.6 | 52.9 | 48.2 | 52.1 | 59.1 | 44.8 | 28.6 | 27.0 | 22.3 | 28.9 | **1,981.1** |
| OIL | 1959 | 113.3 | 102.2 | 113.3 | 109.5 | 94.1 | 105.2 | 98.8 | 135.6 | 134.6 | 140.3 | 134.1 | 144.1 | **5,301.5** |
| DAY | 1958 | 30.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 29.0 | 27.0 | 29.0 | 31.0 | **907.0** |
| H2O | 1958 | 66.8 | 65.5 | 67.4 | 54.4 | 73.8 | 53.1 | 31.2 | 36.7 | 32.3 | 40.1 | 54.5 | 59.1 | **1,454.1** |
| OIL | 1958 | 121.6 | 112.8 | 108.7 | 117.4 | 124.7 | 112.7 | 100.1 | 121.2 | 111.6 | 120.9 | 126.3 | 115.1 | **3,876.4** |

# Manitoba Production
## 1950 To 1975

Licence ***1040*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-02-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 31.0 | 28.0 | 22.0 | 22.0 | 28.0 | 30.0 | 31.0 | 9.0 | 6.0 | 30.0 | 29.0 | 24.0 | **554.0** |
| H2O | 1957 | 56.3 | 45.3 | 25.4 | 23.8 | 40.1 | 29.4 | 54.2 | 16.4 | 21.5 | 76.9 | 66.5 | 50.2 | **819.2** |
| OIL | 1957 | 99.0 | 81.2 | 63.9 | 52.6 | 96.1 | 60.7 | 69.3 | 17.3 | 25.9 | 123.5 | 121.4 | 103.6 | **2,483.3** |
| DAY | 1956 | 0.0 | 27.0 | 18.0 | 3.0 | 16.0 | 28.0 | 29.0 | 28.0 | 29.0 | 29.0 | 27.0 | 30.0 | **264.0** |
| H2O | 1956 | 20.5 | 16.7 | 12.4 | 2.2 | 6.5 | 10.3 | 10.7 | 13.5 | 59.6 | 57.2 | 39.7 | 63.9 | **313.2** |
| OIL | 1956 | 213.9 | 159.7 | 120.9 | 20.5 | 96.3 | 139.0 | 155.7 | 146.4 | 168.9 | 116.8 | 81.0 | 110.9 | **1,568.8** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 38.8 | **38.8** |

Licence ***1043*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,384.0** |
| H2O | 1975 | 13.7 | 20.5 | 13.7 | 20.5 | 34.3 | 20.5 | 15.7 | 27.3 | 20.5 | 20.5 | 13.7 | 20.5 | **2,912.1** |
| OIL | 1975 | 25.6 | 22.2 | 24.9 | 23.0 | 25.1 | 23.8 | 22.4 | 23.5 | 24.6 | 22.7 | 20.2 | 23.0 | **7,665.7** |
| DAY | 1974 | 19.0 | 28.0 | 31.0 | 11.0 | 18.0 | 18.0 | 31.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,019.0** |
| H2O | 1974 | 25.1 | 20.5 | 24.8 | 13.7 | 13.7 | 23.5 | 13.7 | 21.1 | 20.5 | 20.5 | 20.5 | 27.3 | **2,670.7** |
| OIL | 1974 | 28.0 | 24.9 | 27.0 | 8.6 | 1.6 | 16.5 | 31.8 | 22.1 | 26.2 | 26.1 | 24.6 | 21.6 | **7,384.7** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 27.0 | 25.0 | 30.0 | 10.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **5,717.0** |
| H2O | 1973 | 13.7 | 27.3 | 13.7 | 18.8 | 20.7 | 20.5 | 13.7 | 35.4 | 20.5 | 20.5 | 21.8 | 27.3 | **2,425.8** |
| OIL | 1973 | 30.2 | 25.7 | 25.4 | 21.5 | 24.0 | 24.9 | 6.8 | 37.2 | 30.4 | 28.4 | 28.1 | 28.4 | **7,125.7** |
| DAY | 1972 | 31.0 | 29.0 | 25.0 | 21.0 | 18.0 | 16.0 | 13.0 | 20.0 | 15.0 | 20.0 | 27.0 | 27.0 | **5,384.0** |
| H2O | 1972 | 19.7 | 20.8 | 10.5 | 13.7 | 26.1 | 27.3 | 20.5 | 20.5 | 13.7 | 20.5 | 27.3 | 22.1 | **2,171.9** |
| OIL | 1972 | 31.1 | 28.8 | 29.6 | 16.2 | 25.6 | 17.8 | 15.9 | 27.2 | 18.1 | 24.8 | 28.1 | 28.8 | **6,814.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 24.0 | 16.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,122.0** |
| H2O | 1971 | 22.6 | 17.3 | 16.5 | 16.5 | 17.3 | 12.1 | 8.9 | 16.5 | 16.5 | 18.0 | 21.9 | 23.8 | **1,929.2** |
| OIL | 1971 | 31.6 | 28.1 | 30.4 | 28.1 | 29.2 | 31.6 | 24.3 | 35.8 | 34.2 | 34.3 | 32.9 | 31.9 | **6,522.7** |
| DAY | 1970 | 31.0 | 0.0 | 0.0 | 24.0 | 26.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,778.0** |
| H2O | 1970 | 12.2 | 0.0 | 0.0 | 17.2 | 24.3 | 19.1 | 9.5 | 12.9 | 16.7 | 22.4 | 16.5 | 21.9 | **1,721.3** |
| OIL | 1970 | 39.7 | 0.0 | 0.0 | 52.3 | 24.3 | 35.3 | 33.1 | 27.3 | 44.0 | 36.7 | 32.4 | 31.9 | **6,150.3** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,487.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.5 | 32.6 | 13.5 | 15.9 | 13.8 | 14.8 | **1,548.6** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 49.7 | 54.3 | 48.1 | 46.6 | 41.2 | 41.8 | **5,793.3** |
| DAY | 1968 | 18.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 22.0 | 8.0 | **4,317.0** |
| H2O | 1968 | 8.6 | 10.3 | 17.5 | 10.3 | 8.3 | 6.4 | 9.5 | 6.0 | 7.9 | 5.7 | 4.5 | 9.7 | **1,431.5** |
| OIL | 1968 | 19.5 | 22.4 | 38.5 | 37.3 | 37.0 | 33.8 | 42.9 | 41.0 | 25.6 | 34.0 | 14.1 | 8.3 | **5,511.6** |
| DAY | 1967 | 0.0 | 24.0 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,998.0** |
| H2O | 1967 | 0.0 | 22.3 | 19.9 | 10.7 | 16.7 | 5.4 | 6.0 | 7.9 | 5.9 | 12.4 | 8.6 | 6.5 | **1,326.8** |
| OIL | 1967 | 0.0 | 65.3 | 48.1 | 44.3 | 50.9 | 47.0 | 48.8 | 48.9 | 42.3 | 41.8 | 37.3 | 35.6 | **5,157.2** |
| DAY | 1966 | 29.0 | 28.0 | 31.0 | 30.0 | 29.0 | 18.0 | 1.0 | 12.0 | 29.0 | 30.0 | 0.0 | 0.0 | **3,672.0** |
| H2O | 1966 | 7.3 | 8.6 | 4.3 | 5.9 | 7.6 | 6.2 | 0.3 | 3.8 | 6.2 | 6.7 | 0.0 | 0.0 | **1,204.5** |
| OIL | 1966 | 38.0 | 27.0 | 37.7 | 30.4 | 35.1 | 5.2 | 0.3 | 23.7 | 34.8 | 26.4 | 0.0 | 0.0 | **4,646.9** |
| DAY | 1965 | 31.0 | 28.0 | 30.0 | 30.0 | 25.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | **3,435.0** |
| H2O | 1965 | 6.7 | 4.3 | 3.5 | 4.3 | 6.2 | 6.8 | 9.4 | 7.6 | 7.3 | 8.1 | 0.6 | 6.4 | **1,147.6** |
| OIL | 1965 | 35.8 | 24.0 | 30.4 | 29.1 | 21.1 | 34.8 | 38.8 | 34.5 | 31.1 | 25.3 | 33.2 | 36.1 | **4,388.3** |
| DAY | 1964 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 20.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **3,080.0** |
| H2O | 1964 | 4.1 | 5.6 | 5.9 | 7.3 | 7.9 | 6.0 | 4.1 | 9.2 | 6.7 | 2.7 | 5.7 | 8.7 | **1,076.4** |
| OIL | 1964 | 27.0 | 22.4 | 39.6 | 25.7 | 31.9 | 30.2 | 19.9 | 38.0 | 48.9 | 40.0 | 26.9 | 40.0 | **4,014.1** |
| DAY | 1963 | 30.0 | 28.0 | 29.0 | 30.0 | 29.0 | 30.0 | 30.0 | 26.0 | 25.0 | 31.0 | 29.0 | 31.0 | **2,730.0** |
| H2O | 1963 | 5.9 | 3.3 | 4.6 | 4.8 | 6.5 | 6.5 | 5.4 | 6.7 | 9.7 | 4.8 | 5.1 | 5.1 | **1,002.5** |
| OIL | 1963 | 27.2 | 32.4 | 34.0 | 32.9 | 43.2 | 33.5 | 28.3 | 24.3 | 31.0 | 35.3 | 28.6 | 38.8 | **3,623.6** |
| DAY | 1962 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **2,382.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1043*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1962 | 6.5 | 4.1 | 4.1 | 5.9 | 5.4 | 4.3 | 2.5 | 4.5 | 5.1 | 5.9 | 4.5 | 4.8 | **934.1** |
| OIL | 1962 | 32.4 | 29.6 | 31.3 | 38.1 | 40.8 | 34.5 | 24.5 | 36.7 | 33.4 | 44.0 | 26.9 | 25.4 | **3,234.1** |
| DAY | 1961 | 31.0 | 26.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 28.0 | 30.0 | 29.0 | 31.0 | **2,023.0** |
| H2O | 1961 | 6.8 | 4.1 | 10.5 | 6.0 | 6.8 | 6.8 | 9.9 | 6.2 | 6.2 | 6.7 | 6.4 | 8.1 | **876.5** |
| OIL | 1961 | 21.9 | 19.5 | 29.2 | 27.8 | 28.8 | 27.2 | 38.3 | 41.0 | 38.8 | 34.5 | 45.9 | 44.7 | **2,836.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,669.0** |
| H2O | 1960 | 5.4 | 6.0 | 7.6 | 6.8 | 6.8 | 8.3 | 7.0 | 7.2 | 6.2 | 4.9 | 7.2 | 4.9 | **792.0** |
| OIL | 1960 | 18.9 | 21.9 | 23.2 | 22.9 | 27.3 | 26.7 | 30.5 | 26.7 | 20.7 | 21.8 | 21.6 | 21.9 | **2,438.9** |
| DAY | 1959 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,307.0** |
| H2O | 1959 | 10.7 | 10.7 | 12.4 | 10.3 | 11.4 | 9.9 | 9.2 | 8.9 | 7.9 | 8.9 | 6.5 | 6.5 | **713.7** |
| OIL | 1959 | 32.1 | 25.7 | 29.1 | 27.0 | 31.1 | 28.9 | 29.1 | 27.2 | 22.4 | 24.5 | 22.7 | 21.8 | **2,154.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **946.0** |
| H2O | 1958 | 13.7 | 13.2 | 15.3 | 14.1 | 13.7 | 12.9 | 12.4 | 14.0 | 11.0 | 13.8 | 14.0 | 11.8 | **600.4** |
| OIL | 1958 | 38.1 | 27.7 | 42.4 | 32.7 | 35.8 | 35.6 | 33.5 | 35.3 | 31.3 | 34.5 | 32.6 | 32.6 | **1,833.2** |
| DAY | 1957 | 27.0 | 24.0 | 11.0 | 0.0 | 16.0 | 30.0 | 31.0 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | **585.0** |
| H2O | 1957 | 16.1 | 18.1 | 17.3 | 0.0 | 18.8 | 15.4 | 13.5 | 11.6 | 13.0 | 16.7 | 18.3 | 13.7 | **440.5** |
| OIL | 1957 | 58.6 | 44.7 | 26.4 | 0.0 | 42.3 | 80.2 | 65.2 | 57.7 | 59.0 | 62.0 | 41.3 | 43.5 | **1,421.1** |
| DAY | 1956 | 0.0 | 27.0 | 29.0 | 29.0 | 2.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 28.0 | 30.0 | **298.0** |
| H2O | 1956 | 0.0 | 13.5 | 42.9 | 39.8 | 9.1 | 43.0 | 33.5 | 16.7 | 18.0 | 23.2 | 14.3 | 14.0 | **268.0** |
| OIL | 1956 | 0.0 | 135.5 | 110.7 | 92.5 | 4.3 | 94.9 | 78.0 | 65.2 | 50.5 | 61.3 | 62.9 | 65.5 | **840.2** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | **3.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.9 | **18.9** |

Licence ***1044*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-14-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,136.0** |
| H2O | 1975 | 635.4 | 588.9 | 656.4 | 636.1 | 659.6 | 617.8 | 632.4 | 623.4 | 613.5 | 502.4 | 503.8 | 512.7 | **85,325.8** |
| OIL | 1975 | 301.6 | 270.3 | 296.7 | 281.6 | 286.8 | 273.0 | 286.8 | 288.1 | 279.5 | 173.4 | 167.7 | 170.4 | **54,555.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,771.0** |
| H2O | 1974 | 608.9 | 564.6 | 626.4 | 614.6 | 636.1 | 637.5 | 671.9 | 616.4 | 607.5 | 633.1 | 631.3 | 631.2 | **78,143.4** |
| OIL | 1974 | 344.0 | 299.9 | 340.4 | 327.2 | 339.9 | 287.0 | 308.9 | 307.6 | 295.4 | 308.6 | 294.5 | 303.8 | **51,480.0** |
| DAY | 1973 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,407.0** |
| H2O | 1973 | 600.8 | 597.3 | 640.7 | 639.3 | 642.3 | 622.8 | 620.2 | 656.6 | 666.3 | 672.5 | 621.0 | 610.5 | **70,663.9** |
| OIL | 1973 | 352.3 | 322.0 | 354.8 | 346.6 | 358.8 | 350.7 | 360.6 | 346.3 | 340.4 | 347.7 | 325.4 | 334.8 | **47,722.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **6,044.0** |
| H2O | 1972 | 564.7 | 550.3 | 603.8 | 537.6 | 594.1 | 551.9 | 616.7 | 584.3 | 683.5 | 752.9 | 649.8 | 628.0 | **63,073.6** |
| OIL | 1972 | 510.1 | 475.8 | 517.9 | 494.7 | 521.9 | 351.7 | 364.5 | 373.0 | 354.7 | 378.2 | 312.7 | 366.4 | **43,582.4** |
| DAY | 1971 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 24.0 | **5,681.0** |
| H2O | 1971 | 561.1 | 488.5 | 566.7 | 587.6 | 581.4 | 513.3 | 551.5 | 531.8 | 476.1 | 520.9 | 473.6 | 458.8 | **55,756.0** |
| OIL | 1971 | 547.1 | 464.5 | 518.2 | 508.4 | 513.4 | 482.6 | 535.0 | 525.2 | 518.0 | 526.3 | 469.3 | 396.5 | **38,560.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,329.0** |
| H2O | 1970 | 721.6 | 677.3 | 708.9 | 654.7 | 673.9 | 655.3 | 598.9 | 694.3 | 635.1 | 575.6 | 544.8 | 605.7 | **49,444.7** |
| OIL | 1970 | 493.4 | 444.8 | 485.6 | 468.5 | 483.4 | 386.3 | 397.1 | 401.1 | 444.3 | 504.1 | 501.7 | 526.3 | **32,556.3** |
| DAY | 1969 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **4,965.0** |
| H2O | 1969 | 1008.0 | 956.2 | 863.3 | 915.7 | 1007.7 | 964.2 | 1044.9 | 1025.3 | 948.8 | 760.4 | 621.0 | 741.9 | **41,698.6** |
| OIL | 1969 | 491.7 | 454.2 | 482.6 | 488.6 | 501.7 | 492.5 | 511.7 | 496.4 | 474.7 | 506.3 | 443.7 | 506.0 | **27,019.7** |
| DAY | 1968 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 27.0 | 29.0 | 29.0 | 29.0 | 31.0 | 29.0 | 31.0 | **4,604.0** |
| H2O | 1968 | 890.9 | 846.4 | 828.8 | 922.6 | 640.5 | 763.5 | 868.5 | 748.2 | 930.7 | 1023.2 | 868.7 | 1007.6 | **30,841.2** |
| OIL | 1968 | 274.6 | 251.9 | 248.7 | 267.9 | 318.9 | 505.3 | 549.7 | 517.9 | 478.2 | 520.4 | 458.5 | 515.3 | **21,169.6** |
| DAY | 1967 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,249.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1044*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-14-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1967 | 482.7 | 304.1 | 476.8 | 446.9 | 447.5 | 396.3 | 289.0 | 389.8 | 364.2 | 917.6 | 825.7 | 924.2 | **20,501.6** |
| OIL | 1967 | 102.8 | 69.6 | 101.7 | 99.2 | 102.0 | 206.1 | 198.0 | 198.2 | 203.4 | 264.3 | 263.6 | 274.1 | **16,262.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **3,893.0** |
| H2O | 1966 | 220.8 | 174.9 | 225.0 | 226.2 | 257.5 | 408.9 | 423.2 | 420.3 | 417.3 | 476.3 | 473.4 | 495.7 | **14,236.8** |
| OIL | 1966 | 24.2 | 21.0 | 23.5 | 22.6 | 23.8 | 89.5 | 97.4 | 97.1 | 87.1 | 100.4 | 98.4 | 100.6 | **14,179.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,533.0** |
| H2O | 1965 | 147.1 | 133.5 | 152.3 | 127.2 | 135.5 | 108.6 | 125.8 | 130.4 | 131.6 | 130.7 | 134.0 | 136.2 | **10,017.3** |
| OIL | 1965 | 99.3 | 92.6 | 100.1 | 92.2 | 97.3 | 81.5 | 98.4 | 100.6 | 95.2 | 99.0 | 94.1 | 96.6 | **13,393.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,170.0** |
| H2O | 1964 | 143.6 | 129.6 | 144.0 | 139.1 | 147.4 | 127.8 | 139.4 | 142.4 | 136.6 | 136.6 | 141.5 | 149.8 | **8,424.4** |
| OIL | 1964 | 95.5 | 90.3 | 97.6 | 93.6 | 96.6 | 83.6 | 95.7 | 97.3 | 94.1 | 95.8 | 93.9 | 100.6 | **12,246.8** |
| DAY | 1963 | 31.0 | 27.0 | 31.0 | 25.0 | 29.0 | 30.0 | 31.0 | 21.0 | 30.0 | 30.0 | 26.0 | 31.0 | **2,807.0** |
| H2O | 1963 | 153.3 | 135.0 | 182.8 | 136.4 | 131.6 | 164.1 | 156.0 | 83.3 | 117.5 | 122.4 | 120.3 | 142.0 | **6,746.6** |
| OIL | 1963 | 83.9 | 76.9 | 92.5 | 75.6 | 87.9 | 93.9 | 96.6 | 64.8 | 91.7 | 86.4 | 77.7 | 91.7 | **11,112.2** |
| DAY | 1962 | 29.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,465.0** |
| H2O | 1962 | 114.1 | 105.1 | 102.5 | 95.4 | 132.9 | 129.1 | 133.5 | 116.4 | 110.5 | 158.5 | 147.4 | 161.7 | **5,101.9** |
| OIL | 1962 | 87.7 | 59.1 | 79.6 | 55.6 | 110.0 | 90.3 | 99.0 | 94.7 | 72.0 | 84.9 | 78.2 | 85.8 | **10,092.6** |
| DAY | 1961 | 25.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,109.0** |
| H2O | 1961 | 197.8 | 204.3 | 195.7 | 171.5 | 172.2 | 150.6 | 159.1 | 168.7 | 161.4 | 152.9 | 135.5 | 140.2 | **3,594.8** |
| OIL | 1961 | 133.6 | 138.1 | 127.1 | 111.7 | 102.0 | 98.2 | 96.6 | 103.8 | 94.9 | 100.3 | 92.8 | 98.7 | **9,095.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 16.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,753.0** |
| H2O | 1960 | 2.9 | 3.0 | 2.9 | 1.3 | 2.7 | 2.4 | 196.7 | 241.3 | 236.1 | 231.6 | 216.7 | 249.0 | **1,584.9** |
| OIL | 1960 | 74.1 | 65.8 | 72.0 | 34.2 | 62.0 | 57.7 | 155.7 | 187.5 | 156.7 | 141.9 | 132.8 | 173.4 | **7,797.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | **1,404.0** |
| H2O | 1959 | 2.5 | 2.7 | 3.5 | 2.2 | 3.2 | 2.5 | 2.5 | 4.8 | 2.5 | 4.3 | 2.5 | 2.4 | **198.3** |
| OIL | 1959 | 83.7 | 71.5 | 70.9 | 69.9 | 79.8 | 76.3 | 75.8 | 74.5 | 65.6 | 72.0 | 62.8 | 70.7 | **6,484.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,044.0** |
| H2O | 1958 | 3.5 | 2.9 | 3.3 | 4.0 | 4.8 | 4.6 | 4.9 | 4.1 | 5.6 | 5.6 | 4.3 | 4.0 | **162.7** |
| OIL | 1958 | 139.0 | 119.0 | 126.7 | 113.6 | 123.0 | 111.9 | 112.8 | 102.5 | 104.1 | 102.0 | 96.5 | 95.5 | **5,610.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 14.0 | 15.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **681.0** |
| H2O | 1957 | 3.2 | 3.7 | 7.2 | 2.7 | 3.5 | 4.9 | 4.9 | 4.8 | 5.1 | 5.1 | 3.5 | 3.3 | **111.1** |
| OIL | 1957 | 173.5 | 147.3 | 159.5 | 66.6 | 80.4 | 130.5 | 114.1 | 134.9 | 144.6 | 131.4 | 138.3 | 141.7 | **4,264.0** |
| DAY | 1956 | 27.0 | 23.0 | 31.0 | 18.0 | 15.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **352.0** |
| H2O | 1956 | 3.8 | 4.8 | 11.3 | 5.6 | 2.7 | 7.2 | 5.6 | 3.5 | 1.4 | 1.3 | 3.3 | 1.7 | **59.2** |
| OIL | 1956 | 228.5 | 219.5 | 275.5 | 142.4 | 130.6 | 221.8 | 221.5 | 220.1 | 202.9 | 203.7 | 178.0 | 182.3 | **2,701.2** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | **27.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | **7.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 274.4 | **274.4** |

Licence ***1046*** Well Name ***Teck Hepburn Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.13-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Ashville*** Field Code ***5*** Pool Code ***11*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1972 | 862.6 | 767.9 | 766.8 | 726.1 | 747.4 | 699.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **280,150.1** |
| WIN | 1971 | 887.1 | 795.5 | 878.0 | 861.0 | 719.4 | 872.8 | 852.6 | 840.5 | 764.3 | 838.3 | 825.1 | 862.4 | **275,580.1** |
| WIN | 1970 | 1136.7 | 1005.4 | 1090.3 | 1003.9 | 1024.4 | 968.8 | 989.5 | 989.6 | 959.1 | 963.9 | 903.3 | 888.7 | **265,583.1** |
| WIN | 1969 | 1103.8 | 986.3 | 1013.5 | 890.6 | 951.8 | 907.7 | 939.2 | 843.2 | 919.8 | 926.8 | 845.9 | 1051.8 | **253,659.5** |
| WIN | 1968 | 1247.0 | 868.1 | 1012.2 | 1207.4 | 1267.2 | 1242.6 | 1256.6 | 1241.6 | 1197.6 | 1155.9 | 1125.4 | 1105.2 | **242,279.1** |
| WIN | 1967 | 1497.1 | 1343.5 | 1482.6 | 1190.6 | 1376.8 | 1137.2 | 1455.0 | 1392.5 | 1417.8 | 980.4 | 1253.7 | 1302.2 | **228,352.3** |
| WIN | 1966 | 1406.0 | 1295.0 | 1396.5 | 1311.9 | 1365.3 | 1383.0 | 1446.7 | 1445.6 | 1412.4 | 1458.2 | 1416.8 | 1476.0 | **212,522.9** |
| WIN | 1965 | 2190.5 | 1975.7 | 2163.1 | 1994.4 | 2009.5 | 2052.5 | 2190.9 | 2337.1 | 1898.9 | 1441.1 | 1386.1 | 1427.8 | **195,709.5** |
| WIN | 1964 | 2112.1 | 1928.0 | 2192.1 | 2186.3 | 2069.9 | 1976.8 | 2214.3 | 2479.2 | 2317.0 | 2316.1 | 2219.7 | 2224.8 | **172,641.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1046*** Well Name ***Teck Hepburn Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.13-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Ashville*** Field Code ***5*** Pool Code ***11*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1963 | 2073.8 | 1807.1 | 2032.4 | 1955.6 | 2023.5 | 1974.6 | 2324.5 | 2183.9 | 2312.7 | 2294.9 | 2443.2 | 2209.5 | **146,405.6** |
| WIN | 1962 | 1264.5 | 1062.9 | 1272.8 | 1282.6 | 1434.3 | 1606.8 | 2049.6 | 2180.8 | 1965.3 | 2032.1 | 2002.4 | 2097.5 | **120,769.9** |
| WIN | 1961 | 1901.9 | 1693.1 | 1797.4 | 1705.4 | 1720.5 | 1483.8 | 1701.4 | 1784.7 | 1579.1 | 1590.1 | 1248.1 | 1300.9 | **100,518.3** |
| WIN | 1960 | 1516.8 | 1445.1 | 1709.8 | 1558.8 | 1660.6 | 1674.9 | 1819.4 | 1847.2 | 1709.0 | 1861.4 | 1795.1 | 1822.6 | **81,011.9** |
| WIN | 1959 | 1083.3 | 1106.6 | 1277.9 | 1146.9 | 1232.4 | 1272.1 | 1583.4 | 1745.5 | 1671.4 | 1223.8 | 1561.8 | 1545.3 | **60,591.2** |
| WIN | 1958 | 2085.7 | 1737.3 | 2131.3 | 2010.0 | 1914.6 | 1637.0 | 1592.3 | 1654.5 | 1448.5 | 1273.7 | 1227.3 | 1279.5 | **44,140.8** |
| WIN | 1957 | 279.8 | 883.9 | 901.4 | 929.2 | 1065.9 | 1104.1 | 1149.4 | 1151.0 | 1105.8 | 1259.1 | 1873.0 | 2090.8 | **24,149.1** |
| WIN | 1956 | 151.0 | 898.2 | 939.5 | 891.7 | 1078.2 | 1036.5 | 877.5 | 915.7 | 893.4 | 972.9 | 731.4 | 969.7 | **10,355.7** |

Licence ***1047*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 3043.4 | 2939.2 | 3124.1 | 3253.0 | 3212.8 | 3051.9 | 2602.7 | 3020.8 | 3093.6 | 3249.6 | 2809.3 | 3045.7 | **368,526.6** |
| WIN | 1974 | 3155.0 | 2506.0 | 3259.1 | 3045.9 | 2761.6 | 2540.7 | 2487.6 | 3000.4 | 2638.8 | 2841.3 | 3020.8 | 3090.9 | **332,080.5** |
| WIN | 1973 | 3752.9 | 3480.4 | 3900.4 | 3654.6 | 3506.0 | 3133.2 | 3314.7 | 2894.2 | 3176.4 | 2940.0 | 2843.7 | 3072.4 | **297,732.4** |
| WIN | 1972 | 3218.2 | 2635.9 | 3415.8 | 3464.5 | 3431.1 | 3263.4 | 3376.7 | 3006.2 | 3437.1 | 3612.8 | 2850.7 | 3371.0 | **258,063.5** |
| WIN | 1971 | 2256.7 | 2066.7 | 2272.0 | 2144.6 | 2231.3 | 2023.7 | 2026.4 | 2226.5 | 1780.6 | 2652.1 | 2992.8 | 3959.1 | **218,980.1** |
| WIN | 1970 | 2347.0 | 2051.2 | 2334.1 | 2412.4 | 2985.6 | 2817.4 | 1790.4 | 2223.8 | 1969.3 | 2486.6 | 2525.9 | 2165.8 | **190,347.6** |
| WIN | 1969 | 2510.1 | 2142.6 | 2158.5 | 1916.8 | 2456.7 | 2165.0 | 2044.3 | 2067.1 | 2278.5 | 2347.8 | 2259.4 | 2325.1 | **162,238.1** |
| WIN | 1968 | 2378.3 | 2247.8 | 1735.4 | 2302.2 | 2482.3 | 2574.7 | 2481.4 | 2632.1 | 2695.2 | 2581.4 | 2364.8 | 2500.0 | **135,566.2** |
| WIN | 1967 | 2351.3 | 1990.1 | 2453.2 | 2286.3 | 2352.9 | 2296.1 | 1431.9 | 2494.4 | 2179.8 | 2394.9 | 2130.2 | 2434.9 | **106,590.6** |
| WIN | 1966 | 1574.5 | 1193.3 | 2220.8 | 2021.3 | 2100.6 | 2029.5 | 2100.1 | 1528.0 | 2199.3 | 2279.6 | 2233.7 | 2276.3 | **79,794.6** |
| WIN | 1965 | 1874.1 | 1625.4 | 1846.2 | 1806.2 | 2091.5 | 2048.6 | 2031.8 | 2118.7 | 2084.9 | 2021.0 | 1896.9 | 2254.0 | **56,037.6** |
| WIN | 1964 | 1311.4 | 1300.0 | 1456.9 | 1512.7 | 1373.9 | 1767.4 | 771.2 | 913.2 | 1262.8 | 1386.0 | 1631.6 | 1800.9 | **32,338.3** |
| WIN | 1963 | 1568.0 | 1277.2 | 1181.2 | 948.6 | 1514.3 | 1290.9 | 1378.4 | 1152.4 | 1238.9 | 1519.7 | 1008.7 | 1270.9 | **15,850.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 13.0 | **2,393.0** |
| H2O | 1962 | 15.4 | 13.8 | 15.4 | 14.9 | 15.4 | 9.2 | 9.5 | 9.4 | 8.4 | 14.8 | 15.1 | 7.0 | **1,313.0** |
| OIL | 1962 | 80.8 | 71.7 | 79.3 | 75.2 | 69.6 | 78.3 | 67.9 | 71.2 | 63.7 | 63.6 | 58.8 | 26.7 | **7,258.7** |
| WIN | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 501.1 | **501.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **2,047.0** |
| H2O | 1961 | 13.5 | 13.2 | 15.1 | 14.3 | 15.4 | 17.5 | 18.8 | 15.4 | 14.9 | 15.4 | 14.9 | 14.1 | **1,164.7** |
| OIL | 1961 | 80.9 | 72.9 | 82.6 | 63.1 | 74.7 | 69.8 | 75.0 | 76.4 | 71.8 | 70.1 | 68.0 | 69.3 | **6,451.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,684.0** |
| H2O | 1960 | 15.6 | 18.4 | 19.7 | 20.3 | 19.4 | 18.6 | 18.9 | 17.6 | 17.2 | 19.6 | 14.5 | 19.6 | **982.2** |
| OIL | 1960 | 74.4 | 75.6 | 85.7 | 80.4 | 74.1 | 75.5 | 73.4 | 71.5 | 80.1 | 77.4 | 72.8 | 77.9 | **5,577.3** |
| DAY | 1959 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | **1,323.0** |
| H2O | 1959 | 33.1 | 20.7 | 23.1 | 24.2 | 24.5 | 24.3 | 21.0 | 9.9 | 9.1 | 8.6 | 8.7 | 14.0 | **762.8** |
| OIL | 1959 | 80.1 | 75.8 | 96.9 | 91.1 | 90.1 | 81.8 | 79.1 | 85.8 | 79.0 | 77.7 | 70.9 | 83.3 | **4,658.5** |
| DAY | 1958 | 31.0 | 26.0 | 31.0 | 30.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | **963.0** |
| H2O | 1958 | 14.5 | 14.5 | 14.6 | 14.8 | 13.7 | 14.8 | 17.3 | 44.8 | 42.3 | 23.4 | 23.4 | 34.8 | **541.6** |
| OIL | 1958 | 50.7 | 58.5 | 78.0 | 74.7 | 72.1 | 72.1 | 84.2 | 156.7 | 125.7 | 93.1 | 77.1 | 78.5 | **3,666.9** |
| DAY | 1957 | 27.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 27.0 | **610.0** |
| H2O | 1957 | 25.4 | 19.9 | 15.7 | 14.8 | 10.5 | 9.1 | 9.4 | 5.4 | 4.9 | 9.2 | 14.0 | 13.5 | **268.7** |
| OIL | 1957 | 101.9 | 74.1 | 65.6 | 53.2 | 47.7 | 36.9 | 34.6 | 45.3 | 43.7 | 34.6 | 44.0 | 49.1 | **2,645.5** |
| DAY | 1956 | 0.0 | 0.0 | 1.0 | 29.0 | 26.0 | 28.0 | 31.0 | 27.0 | 30.0 | 29.0 | 26.0 | 31.0 | **258.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.3 | 13.8 | 11.3 | 8.9 | 15.6 | 9.4 | 25.0 | 16.7 | 9.1 | 6.8 | **116.9** |
| OIL | 1956 | 0.0 | 0.0 | 15.1 | 334.2 | 280.0 | 220.6 | 220.4 | 210.7 | 231.1 | 199.7 | 140.0 | 163.0 | **2,014.8** |

Licence ***1050*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***1050*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,184.0** |
| H2O | 1975 | 137.0 | 127.0 | 141.7 | 137.2 | 142.3 | 132.3 | 136.6 | 134.5 | 132.4 | 142.3 | 142.8 | 145.3 | **23,209.1** |
| OIL | 1975 | 77.5 | 69.4 | 76.3 | 72.5 | 73.7 | 69.4 | 73.7 | 66.1 | 64.0 | 66.3 | 64.2 | 65.2 | **24,275.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,819.0** |
| H2O | 1974 | 116.9 | 105.2 | 116.4 | 108.3 | 142.8 | 143.6 | 145.0 | 132.9 | 131.2 | 137.7 | 137.4 | 137.4 | **21,557.7** |
| OIL | 1974 | 89.0 | 75.2 | 102.5 | 93.4 | 79.5 | 76.9 | 79.5 | 79.1 | 75.8 | 79.9 | 76.3 | 78.7 | **23,437.6** |
| DAY | 1973 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **6,455.0** |
| H2O | 1973 | 70.4 | 67.6 | 74.7 | 72.3 | 73.3 | 70.4 | 70.7 | 131.3 | 126.5 | 130.2 | 112.7 | 117.2 | **20,002.9** |
| OIL | 1973 | 136.2 | 120.1 | 114.4 | 138.3 | 144.3 | 139.8 | 145.1 | 93.3 | 87.1 | 90.7 | 79.8 | 86.6 | **22,451.8** |
| DAY | 1972 | 31.0 | 27.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **6,094.0** |
| H2O | 1972 | 59.6 | 54.1 | 58.8 | 56.8 | 62.8 | 62.5 | 69.2 | 65.7 | 61.2 | 71.4 | 70.7 | 71.9 | **18,885.6** |
| OIL | 1972 | 133.8 | 116.2 | 125.5 | 129.7 | 137.0 | 132.1 | 136.0 | 139.0 | 123.6 | 139.5 | 132.4 | 138.3 | **21,076.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,734.0** |
| H2O | 1971 | 276.8 | 253.1 | 291.3 | 148.2 | 148.3 | 147.9 | 146.3 | 141.2 | 126.4 | 141.3 | 135.9 | 63.4 | **18,120.9** |
| OIL | 1971 | 100.4 | 89.6 | 99.3 | 53.4 | 54.7 | 53.1 | 54.5 | 53.4 | 52.6 | 54.7 | 51.5 | 119.3 | **19,493.0** |
| DAY | 1970 | 31.0 | 26.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,369.0** |
| H2O | 1970 | 72.3 | 63.1 | 323.8 | 318.9 | 328.5 | 279.6 | 272.8 | 289.0 | 286.3 | 297.0 | 271.1 | 301.4 | **16,100.8** |
| OIL | 1970 | 88.4 | 73.9 | 89.6 | 88.0 | 90.9 | 89.3 | 97.9 | 90.4 | 91.8 | 96.9 | 93.0 | 97.4 | **18,656.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,010.0** |
| H2O | 1969 | 201.0 | 182.5 | 171.2 | 114.1 | 125.6 | 116.2 | 87.9 | 80.1 | 70.6 | 76.6 | 68.5 | 75.0 | **12,997.0** |
| OIL | 1969 | 94.9 | 83.9 | 92.5 | 81.4 | 83.6 | 100.6 | 89.9 | 89.6 | 86.9 | 90.9 | 87.2 | 91.4 | **17,569.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,646.0** |
| H2O | 1968 | 255.6 | 242.9 | 157.5 | 161.8 | 156.9 | 143.6 | 155.0 | 269.9 | 128.6 | 195.4 | 180.3 | 191.4 | **11,627.7** |
| OIL | 1968 | 106.2 | 97.4 | 100.7 | 100.1 | 103.8 | 101.9 | 105.0 | 100.6 | 97.1 | 96.1 | 92.0 | 94.7 | **16,496.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 21.0 | 30.0 | 31.0 | **4,280.0** |
| H2O | 1967 | 92.4 | 76.5 | 91.9 | 85.5 | 102.5 | 96.5 | 76.9 | 109.4 | 98.4 | 170.9 | 229.2 | 259.6 | **9,388.8** |
| OIL | 1967 | 107.4 | 95.5 | 107.1 | 103.5 | 95.0 | 91.1 | 97.9 | 97.9 | 97.1 | 86.6 | 98.7 | 103.8 | **15,300.6** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **3,925.0** |
| H2O | 1966 | 89.7 | 71.9 | 88.6 | 217.3 | 245.1 | 101.6 | 104.4 | 67.4 | 72.5 | 91.3 | 84.6 | 97.3 | **7,899.1** |
| OIL | 1966 | 77.1 | 67.9 | 72.6 | 132.7 | 138.7 | 99.2 | 105.4 | 105.0 | 102.5 | 104.9 | 96.0 | 107.7 | **14,119.0** |
| DAY | 1965 | 31.0 | 28.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,564.0** |
| H2O | 1965 | 103.7 | 92.2 | 93.6 | 87.0 | 154.8 | 116.7 | 95.5 | 99.2 | 108.1 | 110.8 | 113.8 | 94.0 | **6,567.4** |
| OIL | 1965 | 86.8 | 79.1 | 76.3 | 68.2 | 84.5 | 78.5 | 86.8 | 82.3 | 79.8 | 86.0 | 81.5 | 77.9 | **12,909.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 23.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,204.0** |
| H2O | 1964 | 2.7 | 2.2 | 12.7 | 66.6 | 78.2 | 53.3 | 73.9 | 98.1 | 94.3 | 93.3 | 97.6 | 103.2 | **5,298.0** |
| OIL | 1964 | 73.6 | 69.6 | 65.8 | 71.2 | 79.1 | 53.7 | 78.2 | 83.0 | 80.4 | 81.0 | 80.2 | 86.0 | **11,941.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,845.0** |
| H2O | 1963 | 50.6 | 45.0 | 51.0 | 56.8 | 60.4 | 45.9 | 49.6 | 0.0 | 0.0 | 0.0 | 2.4 | 2.5 | **4,521.9** |
| OIL | 1963 | 64.7 | 62.5 | 67.1 | 65.9 | 70.9 | 76.0 | 82.6 | 65.9 | 60.1 | 71.4 | 69.1 | 70.7 | **11,039.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,480.0** |
| H2O | 1962 | 59.1 | 44.8 | 54.4 | 52.6 | 54.4 | 48.0 | 49.6 | 48.8 | 43.6 | 40.5 | 42.1 | 49.1 | **4,157.7** |
| OIL | 1962 | 71.8 | 67.5 | 68.8 | 60.5 | 64.2 | 69.6 | 64.0 | 66.3 | 59.3 | 60.5 | 56.7 | 65.3 | **10,212.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,116.0** |
| H2O | 1961 | 56.1 | 46.6 | 53.3 | 50.2 | 59.1 | 51.2 | 59.1 | 59.1 | 52.6 | 54.4 | 48.0 | 49.6 | **3,570.7** |
| OIL | 1961 | 76.1 | 72.9 | 82.6 | 66.9 | 74.7 | 75.3 | 80.1 | 80.9 | 76.3 | 76.1 | 83.1 | 80.1 | **9,438.4** |
| DAY | 1960 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,751.0** |
| H2O | 1960 | 64.2 | 63.8 | 67.7 | 69.5 | 62.2 | 64.1 | 64.7 | 54.2 | 54.8 | 62.3 | 54.2 | 52.8 | **2,931.4** |
| OIL | 1960 | 83.6 | 73.9 | 85.7 | 80.4 | 83.4 | 79.9 | 82.6 | 73.1 | 80.1 | 77.4 | 75.6 | 73.3 | **8,513.3** |
| DAY | 1959 | 30.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | **1,393.0** |
| H2O | 1959 | 75.5 | 60.9 | 61.7 | 67.6 | 70.7 | 76.2 | 79.6 | 68.7 | 67.2 | 66.6 | 61.7 | 67.4 | **2,196.9** |
| OIL | 1959 | 89.9 | 84.5 | 105.5 | 95.7 | 91.2 | 93.0 | 92.2 | 88.5 | 83.6 | 86.8 | 78.8 | 87.9 | **7,564.3** |
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,034.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1050*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 69.8 | 74.6 | 73.3 | 66.5 | 64.4 | 68.7 | 69.8 | 58.7 | 98.9 | 73.9 | 69.6 | 82.8 | **1,373.1** |
| OIL | 1958 | 156.2 | 141.3 | 159.5 | 137.5 | 124.1 | 125.4 | 123.6 | 108.5 | 96.6 | 108.7 | 98.7 | 96.1 | **6,486.7** |
| DAY | 1957 | 27.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 29.0 | 26.0 | **673.0** |
| H2O | 1957 | 16.9 | 18.8 | 17.0 | 17.8 | 15.4 | 13.8 | 13.2 | 14.6 | 14.5 | 10.2 | 12.6 | 14.5 | **502.1** |
| OIL | 1957 | 196.3 | 190.1 | 205.6 | 188.6 | 184.8 | 156.2 | 149.9 | 158.1 | 145.7 | 128.6 | 110.9 | 94.2 | **5,010.5** |
| DAY | 1956 | 7.0 | 26.0 | 31.0 | 29.0 | 25.0 | 26.0 | 31.0 | 29.0 | 30.0 | 27.0 | 29.0 | 31.0 | **322.0** |
| H2O | 1956 | 6.5 | 20.8 | 37.7 | 36.6 | 32.4 | 11.1 | 39.3 | 32.4 | 28.5 | 24.5 | 25.0 | 28.0 | **322.8** |
| OIL | 1956 | 90.4 | 233.8 | 362.3 | 305.6 | 260.9 | 277.9 | 314.3 | 284.0 | 297.8 | 225.3 | 220.1 | 228.0 | **3,101.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | **1.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | **1.1** |

Licence ***1051*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,151.0** |
| H2O | 1975 | 112.6 | 104.3 | 116.2 | 112.7 | 116.9 | 111.6 | 111.9 | 163.3 | 160.7 | 166.6 | 173.1 | 176.1 | **15,907.6** |
| OIL | 1975 | 159.2 | 142.5 | 156.5 | 148.4 | 151.3 | 147.2 | 151.3 | 102.7 | 99.6 | 99.5 | 99.6 | 101.2 | **32,388.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,786.0** |
| H2O | 1974 | 102.9 | 95.2 | 105.2 | 103.5 | 117.2 | 117.8 | 118.9 | 109.2 | 107.6 | 113.0 | 112.7 | 112.6 | **14,281.6** |
| OIL | 1974 | 192.0 | 167.3 | 188.9 | 181.8 | 163.2 | 158.0 | 162.9 | 162.2 | 155.9 | 164.2 | 156.7 | 161.6 | **30,829.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **6,421.0** |
| H2O | 1973 | 55.8 | 53.6 | 57.4 | 57.4 | 63.1 | 60.7 | 61.0 | 115.6 | 113.5 | 114.5 | 99.4 | 103.2 | **12,965.8** |
| OIL | 1973 | 140.5 | 123.8 | 136.5 | 133.3 | 96.1 | 93.3 | 96.6 | 201.2 | 191.5 | 195.5 | 171.8 | 186.7 | **28,815.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **6,058.0** |
| H2O | 1972 | 55.5 | 54.1 | 59.3 | 52.8 | 58.3 | 62.3 | 64.2 | 132.1 | 123.2 | 143.6 | 76.8 | 78.1 | **12,010.6** |
| OIL | 1972 | 173.1 | 161.5 | 175.8 | 167.8 | 177.0 | 192.4 | 183.4 | 188.6 | 167.5 | 189.1 | 260.6 | 271.9 | **27,048.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,696.0** |
| H2O | 1971 | 116.2 | 106.2 | 122.3 | 63.9 | 64.1 | 63.8 | 63.3 | 60.9 | 54.7 | 61.0 | 58.7 | 59.0 | **11,050.3** |
| OIL | 1971 | 257.1 | 229.1 | 253.6 | 201.3 | 205.8 | 200.1 | 204.5 | 200.9 | 198.0 | 205.5 | 194.0 | 176.1 | **24,739.7** |
| DAY | 1970 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,331.0** |
| H2O | 1970 | 31.5 | 52.0 | 61.7 | 41.2 | 42.3 | 76.9 | 66.5 | 96.3 | 120.2 | 124.8 | 113.8 | 126.4 | **10,156.2** |
| OIL | 1970 | 242.2 | 207.1 | 256.0 | 207.7 | 214.4 | 232.2 | 225.7 | 183.5 | 234.9 | 247.7 | 237.7 | 249.3 | **22,213.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **4,978.0** |
| H2O | 1969 | 47.1 | 42.8 | 40.1 | 12.7 | 14.0 | 13.5 | 36.9 | 37.0 | 35.0 | 33.4 | 29.6 | 31.6 | **9,202.6** |
| OIL | 1969 | 271.9 | 240.1 | 265.4 | 244.4 | 250.9 | 246.3 | 242.3 | 240.9 | 234.6 | 249.8 | 239.5 | 242.7 | **19,475.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,614.0** |
| H2O | 1968 | 144.7 | 137.4 | 70.9 | 72.7 | 61.5 | 56.1 | 79.8 | 51.4 | 47.4 | 45.6 | 42.3 | 45.0 | **8,828.9** |
| OIL | 1968 | 268.9 | 246.8 | 266.3 | 264.6 | 266.3 | 261.7 | 266.7 | 281.0 | 262.4 | 275.2 | 263.8 | 271.6 | **16,506.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,248.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 11.9 | 12.1 | 9.7 | 8.9 | 39.4 | 49.3 | 53.1 | 46.7 | 150.1 | **7,974.1** |
| OIL | 1967 | 126.3 | 112.2 | 125.9 | 116.0 | 119.3 | 98.7 | 118.9 | 289.1 | 259.8 | 274.4 | 267.6 | 268.4 | **13,311.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,887.0** |
| H2O | 1966 | 61.0 | 48.8 | 62.0 | 61.5 | 22.9 | 0.0 | 0.0 | 82.4 | 88.7 | 88.9 | 0.0 | 0.0 | **7,592.9** |
| OIL | 1966 | 136.8 | 120.5 | 133.5 | 126.2 | 127.4 | 119.2 | 123.5 | 122.2 | 119.0 | 120.0 | 120.9 | 126.7 | **11,134.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,522.0** |
| H2O | 1965 | 20.0 | 17.6 | 20.3 | 50.7 | 51.5 | 73.3 | 90.8 | 91.3 | 72.2 | 71.7 | 63.9 | 63.9 | **7,076.7** |
| OIL | 1965 | 132.2 | 120.5 | 130.3 | 127.8 | 128.9 | 133.6 | 140.6 | 139.4 | 141.1 | 146.7 | 137.0 | 138.4 | **9,638.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,157.0** |
| H2O | 1964 | 109.2 | 98.7 | 109.7 | 82.0 | 70.4 | 68.0 | 77.6 | 79.5 | 83.5 | 82.4 | 18.8 | 19.9 | **6,389.5** |
| OIL | 1964 | 132.4 | 124.9 | 135.2 | 120.0 | 137.1 | 132.2 | 132.4 | 134.8 | 120.0 | 120.6 | 122.2 | 130.9 | **8,022.2** |
| DAY | 1963 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,792.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1051*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1963 | 51.7 | 53.3 | 94.9 | 71.1 | 90.1 | 16.9 | 17.6 | 18.8 | 20.5 | 120.8 | 103.2 | 107.9 | **5,489.8** |
| OIL | 1963 | 20.7 | 22.9 | 111.9 | 103.9 | 107.4 | 155.3 | 163.0 | 156.8 | 144.9 | 112.3 | 120.9 | 127.0 | **6,479.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,431.0** |
| H2O | 1962 | 59.1 | 49.1 | 54.4 | 52.6 | 20.0 | 48.0 | 59.1 | 57.9 | 51.8 | 49.0 | 50.1 | 58.7 | **4,723.0** |
| OIL | 1962 | 43.4 | 35.4 | 34.5 | 37.0 | 42.1 | 27.7 | 23.8 | 24.5 | 21.9 | 22.7 | 21.0 | 24.2 | **5,132.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,067.0** |
| H2O | 1961 | 69.5 | 58.8 | 65.0 | 61.8 | 68.7 | 52.6 | 68.7 | 59.1 | 52.6 | 54.4 | 52.6 | 49.6 | **4,113.2** |
| OIL | 1961 | 40.0 | 38.9 | 36.4 | 32.3 | 34.5 | 38.1 | 34.6 | 37.7 | 37.7 | 39.9 | 44.5 | 45.6 | **4,774.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,702.0** |
| H2O | 1960 | 74.9 | 63.0 | 67.7 | 69.5 | 66.8 | 63.9 | 60.1 | 58.2 | 59.0 | 66.9 | 64.2 | 66.8 | **3,399.8** |
| OIL | 1960 | 38.9 | 61.8 | 33.2 | 37.5 | 34.0 | 32.7 | 33.8 | 29.7 | 37.3 | 38.3 | 38.1 | 44.2 | **4,314.1** |
| DAY | 1959 | 31.0 | 28.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **1,341.0** |
| H2O | 1959 | 96.3 | 73.3 | 68.2 | 78.9 | 89.7 | 85.5 | 85.5 | 80.3 | 72.8 | 72.0 | 67.9 | 74.9 | **2,618.8** |
| OIL | 1959 | 43.1 | 41.8 | 50.2 | 41.0 | 38.5 | 39.7 | 39.4 | 42.7 | 36.9 | 41.6 | 39.3 | 41.0 | **3,854.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **981.0** |
| H2O | 1958 | 95.4 | 93.5 | 116.4 | 111.6 | 104.1 | 110.2 | 103.3 | 103.0 | 52.6 | 96.5 | 99.5 | 99.5 | **1,673.5** |
| OIL | 1958 | 75.3 | 65.9 | 61.7 | 57.5 | 54.7 | 52.3 | 48.3 | 42.1 | 37.7 | 41.8 | 45.6 | 43.5 | **3,359.4** |
| DAY | 1957 | 27.0 | 28.0 | 31.0 | 25.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 27.0 | **619.0** |
| H2O | 1957 | 2.4 | 4.6 | 5.1 | 4.6 | 5.2 | 5.7 | 5.7 | 9.9 | 9.4 | 54.4 | 190.6 | 127.0 | **487.9** |
| OIL | 1957 | 107.3 | 60.9 | 56.3 | 43.1 | 53.7 | 39.9 | 39.3 | 40.4 | 37.8 | 65.0 | 89.6 | 70.1 | **2,733.0** |
| DAY | 1956 | 0.0 | 1.0 | 27.0 | 30.0 | 11.0 | 27.0 | 31.0 | 31.0 | 30.0 | 30.0 | 26.0 | 26.0 | **270.0** |
| H2O | 1956 | 0.0 | 0.0 | 4.9 | 6.4 | 3.3 | 10.0 | 4.8 | 5.9 | 5.1 | 8.9 | 7.2 | 6.8 | **63.3** |
| OIL | 1956 | 0.0 | 6.0 | 287.5 | 301.1 | 123.6 | 248.4 | 257.1 | 226.8 | 171.8 | 157.5 | 121.4 | 128.4 | **2,029.6** |

Licence ***1052*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 27.0 | 24.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 27.0 | 31.0 | **7,040.0** |
| H2O | 1975 | 84.9 | 77.9 | 101.9 | 101.9 | 113.4 | 100.8 | 134.7 | 189.7 | 184.6 | 155.5 | 132.1 | 152.1 | **15,843.7** |
| OIL | 1975 | 124.7 | 115.2 | 143.0 | 139.4 | 146.2 | 137.3 | 130.8 | 110.6 | 120.9 | 145.4 | 127.0 | 146.5 | **28,017.6** |
| DAY | 1974 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **6,690.0** |
| H2O | 1974 | 155.5 | 138.5 | 132.4 | 120.2 | 114.3 | 124.2 | 102.2 | 102.9 | 103.5 | 106.2 | 92.5 | 95.1 | **14,314.2** |
| OIL | 1974 | 121.6 | 124.1 | 152.6 | 147.2 | 144.1 | 139.8 | 150.3 | 150.6 | 141.9 | 146.5 | 138.4 | 137.5 | **26,430.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **6,328.0** |
| H2O | 1973 | 137.8 | 109.4 | 126.4 | 127.0 | 131.0 | 119.6 | 109.1 | 115.4 | 110.2 | 136.6 | 131.5 | 154.7 | **12,926.7** |
| OIL | 1973 | 126.0 | 139.4 | 155.7 | 156.5 | 154.3 | 153.2 | 163.0 | 157.6 | 144.3 | 128.2 | 125.4 | 122.4 | **24,736.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,965.0** |
| H2O | 1972 | 149.9 | 151.3 | 151.8 | 76.5 | 82.5 | 76.0 | 111.9 | 126.2 | 120.8 | 121.8 | 116.9 | 107.8 | **11,418.0** |
| OIL | 1972 | 139.0 | 134.1 | 141.1 | 132.8 | 138.6 | 134.3 | 150.8 | 146.4 | 145.6 | 153.0 | 152.2 | 154.8 | **23,010.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,599.0** |
| H2O | 1971 | 115.1 | 114.1 | 123.1 | 126.9 | 162.8 | 111.3 | 123.1 | 155.0 | 97.1 | 106.4 | 133.1 | 139.1 | **10,024.6** |
| OIL | 1971 | 164.0 | 148.3 | 166.1 | 158.4 | 160.0 | 128.1 | 172.1 | 169.4 | 153.2 | 160.0 | 130.0 | 140.3 | **21,287.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,239.0** |
| H2O | 1970 | 131.5 | 124.6 | 152.1 | 128.1 | 132.1 | 128.0 | 102.7 | 112.1 | 122.3 | 122.7 | 105.7 | 97.6 | **8,517.5** |
| OIL | 1970 | 173.5 | 153.8 | 170.5 | 161.6 | 164.6 | 153.2 | 141.4 | 156.0 | 153.2 | 157.5 | 154.1 | 162.4 | **19,437.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,877.0** |
| H2O | 1969 | 117.8 | 96.3 | 116.7 | 132.1 | 141.7 | 135.8 | 132.7 | 155.5 | 160.1 | 169.2 | 160.1 | 146.9 | **7,058.0** |
| OIL | 1969 | 160.7 | 138.1 | 155.1 | 174.6 | 169.9 | 168.9 | 159.4 | 172.6 | 175.0 | 184.3 | 170.8 | 173.4 | **17,535.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,514.0** |
| H2O | 1968 | 107.2 | 103.0 | 124.6 | 141.3 | 139.3 | 125.0 | 131.6 | 135.6 | 100.0 | 109.9 | 109.4 | 119.6 | **5,393.1** |
| OIL | 1968 | 163.4 | 141.7 | 165.1 | 164.3 | 167.7 | 167.0 | 173.8 | 175.1 | 152.9 | 157.5 | 153.8 | 163.0 | **15,532.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1052*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 19.0 | 30.0 | 31.0 | **4,148.0** |
| H2O | 1967 | 70.3 | 59.9 | 65.2 | 63.9 | 70.0 | 52.5 | 127.7 | 140.4 | 111.8 | 67.2 | 113.4 | 114.8 | **3,946.6** |
| OIL | 1967 | 147.8 | 128.7 | 139.0 | 138.4 | 145.2 | 107.6 | 155.6 | 152.7 | 162.7 | 102.8 | 166.9 | 168.1 | **13,587.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,800.0** |
| H2O | 1966 | 16.7 | 16.1 | 16.1 | 26.4 | 28.8 | 87.1 | 83.0 | 97.6 | 86.5 | 86.8 | 77.9 | 71.9 | **2,889.5** |
| OIL | 1966 | 45.1 | 40.5 | 50.2 | 72.1 | 68.2 | 154.8 | 155.1 | 152.6 | 159.2 | 171.0 | 151.3 | 147.2 | **11,872.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,435.0** |
| H2O | 1965 | 24.3 | 22.3 | 24.3 | 23.4 | 24.2 | 21.8 | 21.3 | 31.5 | 24.0 | 12.4 | 12.9 | 13.8 | **2,194.6** |
| OIL | 1965 | 63.2 | 58.0 | 63.1 | 60.7 | 61.5 | 56.1 | 58.0 | 50.4 | 54.3 | 27.7 | 29.6 | 35.9 | **10,504.7** |
| DAY | 1964 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,071.0** |
| H2O | 1964 | 23.7 | 23.1 | 22.3 | 23.4 | 24.6 | 23.8 | 23.7 | 24.6 | 24.2 | 24.6 | 23.8 | 23.7 | **1,938.4** |
| OIL | 1964 | 60.9 | 62.6 | 57.8 | 60.7 | 63.4 | 61.3 | 61.5 | 63.6 | 62.3 | 63.6 | 61.8 | 62.3 | **9,886.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,708.0** |
| H2O | 1963 | 29.6 | 26.7 | 29.6 | 28.3 | 28.9 | 27.2 | 28.3 | 27.2 | 28.6 | 29.1 | 28.6 | 24.6 | **1,652.9** |
| OIL | 1963 | 69.3 | 62.5 | 68.2 | 65.5 | 66.6 | 62.3 | 65.5 | 63.2 | 63.4 | 62.5 | 61.8 | 64.0 | **9,144.4** |
| DAY | 1962 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,343.0** |
| H2O | 1962 | 23.1 | 22.3 | 24.6 | 23.8 | 24.8 | 23.8 | 25.3 | 24.6 | 27.7 | 28.1 | 29.7 | 29.6 | **1,316.2** |
| OIL | 1962 | 83.9 | 71.5 | 83.7 | 80.6 | 81.8 | 76.0 | 77.9 | 77.4 | 69.6 | 66.6 | 63.4 | 68.2 | **8,369.6** |
| DAY | 1961 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,980.0** |
| H2O | 1961 | 19.7 | 22.3 | 26.1 | 23.8 | 24.6 | 23.8 | 24.6 | 24.6 | 22.3 | 24.6 | 22.3 | 20.8 | **1,008.8** |
| OIL | 1961 | 83.4 | 75.8 | 85.5 | 85.0 | 87.9 | 83.7 | 85.8 | 86.3 | 77.7 | 86.1 | 77.5 | 67.2 | **7,469.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,618.0** |
| H2O | 1960 | 34.8 | 26.7 | 24.3 | 28.0 | 24.2 | 23.8 | 25.1 | 23.4 | 24.0 | 22.6 | 18.1 | 19.9 | **729.3** |
| OIL | 1960 | 105.0 | 74.4 | 82.6 | 102.3 | 106.2 | 99.0 | 98.2 | 95.7 | 96.6 | 95.7 | 94.1 | 95.2 | **6,487.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,255.0** |
| H2O | 1959 | 9.9 | 8.9 | 9.9 | 11.4 | 12.4 | 14.0 | 10.5 | 17.0 | 14.3 | 18.0 | 18.4 | 33.5 | **434.4** |
| OIL | 1959 | 146.8 | 133.5 | 146.0 | 141.9 | 146.8 | 141.7 | 145.2 | 145.7 | 127.9 | 98.0 | 120.8 | 110.4 | **5,342.1** |
| DAY | 1958 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **891.0** |
| H2O | 1958 | 8.6 | 8.9 | 9.9 | 9.2 | 9.9 | 9.5 | 9.9 | 9.9 | 17.0 | 9.9 | 9.7 | 9.9 | **256.2** |
| OIL | 1958 | 120.5 | 129.8 | 90.9 | 82.6 | 87.7 | 84.7 | 72.3 | 67.9 | 68.8 | 72.6 | 141.7 | 147.3 | **3,737.4** |
| DAY | 1957 | 24.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **530.0** |
| H2O | 1957 | 5.2 | 6.8 | 9.5 | 4.8 | 10.3 | 8.4 | 10.0 | 11.4 | 9.2 | 9.9 | 9.7 | 9.4 | **133.9** |
| OIL | 1957 | 124.3 | 110.1 | 147.8 | 143.3 | 144.4 | 160.5 | 141.4 | 146.8 | 138.9 | 146.2 | 120.3 | 118.7 | **2,570.6** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 29.0 | **179.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.2 | 4.3 | 4.8 | 4.6 | 4.8 | 4.6 | **29.3** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 57.2 | 205.3 | 161.6 | 179.6 | 173.4 | 150.8 | **927.9** |

Licence ***1053*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **7,113.0** |
| H2O | 1975 | 164.6 | 111.3 | 173.5 | 166.6 | 185.2 | 164.4 | 137.4 | 165.8 | 129.6 | 121.8 | 111.8 | 119.1 | **15,045.5** |
| OIL | 1975 | 250.2 | 170.7 | 252.3 | 235.8 | 247.2 | 232.4 | 203.8 | 240.5 | 172.4 | 173.5 | 163.8 | 175.0 | **24,097.7** |
| DAY | 1974 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,759.0** |
| H2O | 1974 | 63.2 | 50.5 | 102.2 | 92.6 | 102.7 | 195.7 | 157.3 | 168.1 | 168.9 | 173.5 | 151.1 | 166.2 | **13,294.4** |
| OIL | 1974 | 100.4 | 92.3 | 244.3 | 235.6 | 239.4 | 228.8 | 239.4 | 254.8 | 239.9 | 247.8 | 233.9 | 248.6 | **21,580.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,396.0** |
| H2O | 1973 | 75.8 | 47.0 | 55.9 | 60.5 | 62.6 | 48.1 | 44.0 | 46.1 | 52.6 | 51.0 | 51.6 | 60.7 | **11,702.4** |
| OIL | 1973 | 130.3 | 95.2 | 109.8 | 105.8 | 104.4 | 84.7 | 90.1 | 86.6 | 94.2 | 97.4 | 100.4 | 97.9 | **18,974.9** |
| DAY | 1972 | 31.0 | 28.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,035.0** |
| H2O | 1972 | 108.1 | 105.4 | 95.5 | 85.5 | 95.3 | 103.3 | 104.6 | 118.0 | 70.9 | 71.5 | 68.5 | 61.8 | **11,046.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1053*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1972 | 83.3 | 77.5 | 155.9 | 162.2 | 175.1 | 148.3 | 150.8 | 146.5 | 145.6 | 152.9 | 129.0 | 128.4 | **17,778.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,674.0** |
| H2O | 1971 | 80.6 | 79.9 | 86.0 | 88.7 | 92.2 | 72.0 | 76.3 | 56.1 | 45.0 | 51.0 | 96.0 | 100.3 | **9,958.1** |
| OIL | 1971 | 127.0 | 114.7 | 128.6 | 122.5 | 122.8 | 109.2 | 116.3 | 105.5 | 89.1 | 96.5 | 78.0 | 84.2 | **16,122.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,310.0** |
| H2O | 1970 | 127.2 | 120.7 | 147.1 | 123.1 | 127.4 | 117.7 | 105.5 | 174.3 | 207.5 | 85.7 | 73.9 | 68.2 | **9,034.0** |
| OIL | 1970 | 155.9 | 138.3 | 153.0 | 130.1 | 133.3 | 118.5 | 122.4 | 114.4 | 122.8 | 121.9 | 119.3 | 125.7 | **14,828.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **4,946.0** |
| H2O | 1969 | 93.0 | 76.2 | 92.5 | 67.9 | 72.8 | 69.6 | 67.6 | 66.8 | 63.6 | 67.2 | 63.6 | 61.7 | **7,555.7** |
| OIL | 1969 | 156.2 | 134.3 | 151.3 | 124.9 | 121.6 | 120.8 | 113.0 | 113.1 | 106.5 | 112.0 | 103.9 | 103.0 | **13,272.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,585.0** |
| H2O | 1968 | 142.4 | 142.4 | 93.0 | 99.0 | 94.9 | 102.5 | 108.1 | 111.4 | 81.6 | 85.4 | 86.5 | 93.3 | **6,693.2** |
| OIL | 1968 | 148.7 | 134.4 | 139.8 | 147.0 | 145.9 | 136.3 | 141.9 | 142.9 | 153.3 | 150.6 | 149.5 | 156.8 | **11,812.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | **4,219.0** |
| H2O | 1967 | 93.0 | 79.2 | 90.0 | 84.7 | 92.4 | 74.9 | 162.2 | 178.4 | 183.5 | 114.1 | 150.9 | 152.5 | **5,452.7** |
| OIL | 1967 | 164.8 | 143.2 | 161.6 | 154.1 | 161.8 | 129.0 | 147.2 | 144.4 | 147.3 | 119.3 | 152.2 | 153.2 | **10,064.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 17.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,862.0** |
| H2O | 1966 | 42.0 | 40.4 | 40.4 | 31.5 | 118.1 | 103.8 | 60.3 | 124.6 | 114.5 | 114.6 | 103.2 | 95.1 | **3,996.9** |
| OIL | 1966 | 52.3 | 47.0 | 58.2 | 42.0 | 200.3 | 155.3 | 94.7 | 164.3 | 177.3 | 190.4 | 168.6 | 164.0 | **8,286.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,514.0** |
| H2O | 1965 | 33.9 | 31.2 | 32.9 | 29.6 | 29.1 | 26.5 | 23.5 | 37.7 | 28.6 | 31.2 | 32.1 | 34.7 | **3,008.4** |
| OIL | 1965 | 39.1 | 35.6 | 38.9 | 37.5 | 37.7 | 34.0 | 31.3 | 29.4 | 31.5 | 32.1 | 34.2 | 41.6 | **6,772.4** |
| DAY | 1964 | 31.0 | 29.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,152.0** |
| H2O | 1964 | 23.7 | 23.1 | 23.8 | 36.9 | 39.4 | 38.2 | 38.2 | 39.4 | 32.6 | 34.5 | 33.4 | 33.4 | **2,637.4** |
| OIL | 1964 | 42.4 | 33.7 | 33.5 | 40.8 | 48.8 | 47.2 | 47.2 | 48.8 | 48.0 | 48.9 | 38.0 | 38.1 | **6,349.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,791.0** |
| H2O | 1963 | 24.6 | 22.3 | 24.6 | 23.5 | 24.2 | 22.4 | 23.7 | 22.7 | 23.8 | 24.2 | 23.8 | 24.6 | **2,240.8** |
| OIL | 1963 | 44.7 | 40.2 | 43.9 | 42.0 | 42.4 | 39.7 | 42.0 | 40.5 | 42.4 | 43.4 | 42.7 | 44.5 | **5,834.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,426.0** |
| H2O | 1962 | 17.5 | 17.8 | 19.7 | 19.1 | 29.1 | 66.3 | 68.5 | 39.0 | 35.8 | 32.7 | 29.6 | 29.6 | **1,956.4** |
| OIL | 1962 | 14.8 | 13.5 | 14.8 | 14.3 | 18.6 | 47.5 | 39.1 | 38.6 | 37.8 | 40.8 | 40.7 | 44.0 | **5,325.7** |
| DAY | 1961 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,063.0** |
| H2O | 1961 | 6.7 | 8.9 | 9.9 | 9.5 | 9.9 | 9.5 | 9.9 | 9.9 | 9.2 | 9.9 | 9.5 | 9.9 | **1,551.7** |
| OIL | 1961 | 17.6 | 13.3 | 14.8 | 14.0 | 14.5 | 13.5 | 14.1 | 14.3 | 13.3 | 14.1 | 14.3 | 14.6 | **4,961.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,700.0** |
| H2O | 1960 | 19.7 | 18.4 | 15.9 | 9.5 | 10.7 | 9.5 | 9.9 | 9.5 | 9.5 | 11.3 | 9.5 | 9.9 | **1,439.0** |
| OIL | 1960 | 43.9 | 41.6 | 38.6 | 28.6 | 29.4 | 28.3 | 29.7 | 28.1 | 28.3 | 29.2 | 28.3 | 29.2 | **4,788.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,336.0** |
| H2O | 1959 | 19.7 | 17.8 | 19.2 | 19.1 | 19.7 | 20.3 | 19.7 | 17.5 | 19.1 | 19.4 | 19.1 | 18.9 | **1,295.7** |
| OIL | 1959 | 42.4 | 40.2 | 44.0 | 22.7 | 19.5 | 82.6 | 80.9 | 77.5 | 40.0 | 42.3 | 43.2 | 48.8 | **4,405.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **971.0** |
| H2O | 1958 | 18.6 | 14.5 | 10.0 | 11.1 | 15.3 | 12.1 | 14.8 | 16.5 | 18.6 | 19.9 | 21.1 | 20.8 | **1,066.2** |
| OIL | 1958 | 96.3 | 76.1 | 66.4 | 61.3 | 63.4 | 61.2 | 63.1 | 62.8 | 62.1 | 62.5 | 40.5 | 32.7 | **3,821.5** |
| DAY | 1957 | 27.0 | 25.0 | 29.0 | 30.0 | 31.0 | 30.0 | 25.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **606.0** |
| H2O | 1957 | 31.0 | 32.0 | 50.7 | 42.4 | 45.9 | 42.6 | 22.4 | 30.2 | 24.6 | 28.9 | 17.0 | 19.2 | **872.9** |
| OIL | 1957 | 122.5 | 114.3 | 139.5 | 138.4 | 138.7 | 132.5 | 112.2 | 130.3 | 102.0 | 132.7 | 133.3 | 136.5 | **3,073.1** |
| DAY | 1956 | 7.0 | 26.0 | 29.0 | 4.0 | 0.0 | 14.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 29.0 | **259.0** |
| H2O | 1956 | 9.7 | 45.2 | 103.7 | 19.7 | 0.0 | 44.4 | 52.6 | 59.1 | 42.4 | 30.8 | 42.6 | 35.8 | **486.0** |
| OIL | 1956 | 36.9 | 149.2 | 185.0 | 24.5 | 0.0 | 97.4 | 201.0 | 184.5 | 186.6 | 178.9 | 157.6 | 138.6 | **1,540.2** |

Licence ***1054*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

# Manitoba Production
## 1950 To 1975

Licence ***1054*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,260.0** |
| H2O | 1975 | 177.3 | 161.5 | 163.0 | 176.1 | 182.5 | 174.6 | 166.1 | 169.2 | 179.0 | 192.2 | 192.7 | 196.2 | **16,136.3** |
| OIL | 1975 | 234.4 | 206.6 | 205.0 | 216.9 | 221.0 | 214.8 | 209.8 | 217.5 | 223.1 | 230.9 | 223.3 | 226.8 | **54,711.7** |
| DAY | 1974 | 29.0 | 28.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **6,898.0** |
| H2O | 1974 | 90.1 | 90.0 | 100.6 | 126.1 | 157.4 | 158.3 | 159.9 | 170.6 | 168.2 | 169.5 | 169.0 | 176.1 | **14,005.9** |
| OIL | 1974 | 253.3 | 237.4 | 271.6 | 161.9 | 203.4 | 196.7 | 203.1 | 237.1 | 227.7 | 230.1 | 219.5 | 236.0 | **52,081.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,542.0** |
| H2O | 1973 | 111.6 | 107.2 | 114.8 | 111.4 | 116.1 | 111.6 | 112.1 | 120.8 | 118.6 | 119.6 | 111.1 | 92.7 | **12,270.1** |
| OIL | 1973 | 330.4 | 291.1 | 367.2 | 348.6 | 374.4 | 363.0 | 376.3 | 402.5 | 383.0 | 391.1 | 368.4 | 321.5 | **49,403.8** |
| DAY | 1972 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,177.0** |
| H2O | 1972 | 81.2 | 67.4 | 86.8 | 77.3 | 85.4 | 84.9 | 94.3 | 89.2 | 103.8 | 112.9 | 111.9 | 113.4 | **10,922.5** |
| OIL | 1972 | 336.9 | 268.2 | 333.6 | 318.6 | 336.3 | 328.5 | 338.3 | 346.1 | 321.2 | 338.2 | 321.3 | 333.2 | **45,086.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,815.0** |
| H2O | 1971 | 85.4 | 77.4 | 75.8 | 73.6 | 76.2 | 75.8 | 75.2 | 72.5 | 64.9 | 72.5 | 73.6 | 86.3 | **9,814.0** |
| OIL | 1971 | 407.6 | 360.7 | 352.9 | 323.9 | 342.6 | 333.1 | 340.5 | 334.2 | 329.7 | 342.1 | 335.1 | 343.1 | **41,165.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,451.0** |
| H2O | 1970 | 157.9 | 148.2 | 124.3 | 114.8 | 118.1 | 119.9 | 107.2 | 120.8 | 116.2 | 120.5 | 74.4 | 90.9 | **8,904.8** |
| OIL | 1970 | 283.7 | 255.7 | 380.1 | 366.8 | 378.4 | 370.4 | 372.3 | 366.1 | 361.0 | 380.9 | 343.2 | 387.4 | **37,020.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,088.0** |
| H2O | 1969 | 93.2 | 84.7 | 79.5 | 81.1 | 111.8 | 92.0 | 115.9 | 116.5 | 97.0 | 105.2 | 94.1 | 103.2 | **7,491.6** |
| OIL | 1969 | 461.3 | 407.8 | 450.2 | 438.6 | 334.3 | 282.7 | 341.0 | 339.1 | 412.7 | 431.8 | 413.8 | 433.3 | **32,774.4** |
| DAY | 1968 | 31.0 | 29.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,727.0** |
| H2O | 1968 | 62.8 | 59.0 | 57.4 | 65.2 | 92.5 | 88.4 | 90.5 | 85.1 | 85.5 | 87.0 | 83.8 | 88.9 | **6,317.4** |
| OIL | 1968 | 444.2 | 401.7 | 394.1 | 433.3 | 435.9 | 446.9 | 448.3 | 461.0 | 445.3 | 448.6 | 447.6 | 460.8 | **28,027.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **4,367.0** |
| H2O | 1967 | 92.4 | 76.5 | 91.7 | 85.5 | 83.9 | 80.6 | 44.8 | 59.6 | 52.3 | 49.6 | 49.8 | 64.5 | **5,371.3** |
| OIL | 1967 | 350.6 | 311.5 | 349.4 | 337.4 | 341.2 | 333.4 | 384.2 | 380.6 | 366.9 | 339.7 | 377.9 | 439.2 | **22,760.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,005.0** |
| H2O | 1966 | 86.3 | 67.4 | 87.9 | 90.1 | 75.8 | 42.1 | 42.9 | 44.2 | 50.1 | 51.4 | 90.5 | 97.1 | **4,540.1** |
| OIL | 1966 | 340.5 | 292.6 | 332.0 | 324.5 | 328.1 | 326.2 | 349.8 | 303.4 | 309.4 | 320.5 | 335.5 | 351.5 | **18,448.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,643.0** |
| H2O | 1965 | 69.5 | 63.8 | 48.6 | 44.8 | 43.9 | 92.7 | 69.0 | 69.2 | 70.0 | 73.9 | 80.6 | 90.5 | **3,714.3** |
| OIL | 1965 | 143.2 | 134.9 | 172.4 | 162.7 | 158.1 | 337.8 | 324.0 | 321.0 | 303.8 | 316.1 | 299.1 | 344.4 | **14,534.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,278.0** |
| H2O | 1964 | 39.4 | 35.6 | 39.6 | 49.3 | 49.6 | 47.9 | 47.2 | 47.9 | 46.1 | 45.9 | 52.5 | 71.5 | **2,897.8** |
| OIL | 1964 | 90.9 | 86.0 | 92.8 | 93.8 | 87.2 | 83.9 | 91.7 | 92.5 | 89.5 | 91.2 | 141.4 | 146.5 | **11,516.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,912.0** |
| H2O | 1963 | 35.1 | 28.8 | 32.4 | 34.5 | 44.4 | 46.9 | 48.2 | 33.7 | 38.5 | 40.2 | 38.2 | 39.0 | **2,325.3** |
| OIL | 1963 | 72.3 | 64.0 | 71.7 | 78.0 | 86.3 | 75.8 | 75.5 | 73.1 | 70.9 | 88.7 | 85.2 | 87.2 | **10,329.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,548.0** |
| H2O | 1962 | 35.1 | 32.3 | 44.0 | 45.0 | 32.9 | 41.8 | 22.9 | 29.9 | 24.8 | 42.0 | 44.0 | 31.2 | **1,865.4** |
| OIL | 1962 | 95.8 | 86.8 | 74.7 | 94.2 | 98.2 | 86.8 | 91.4 | 91.2 | 67.1 | 88.4 | 80.9 | 72.9 | **9,400.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,184.0** |
| H2O | 1961 | 104.4 | 82.7 | 75.7 | 66.5 | 26.1 | 18.8 | 19.4 | 39.4 | 44.8 | 38.2 | 35.3 | 34.5 | **1,439.5** |
| OIL | 1961 | 99.8 | 92.2 | 100.3 | 90.3 | 100.9 | 98.5 | 91.2 | 97.7 | 87.7 | 101.7 | 96.1 | 94.6 | **8,372.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,819.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 65.7 | 263.7 | 173.1 | 123.8 | 113.2 | 103.2 | **853.7** |
| OIL | 1960 | 47.2 | 47.8 | 48.8 | 46.1 | 42.6 | 43.5 | 67.1 | 176.2 | 127.8 | 125.5 | 114.1 | 98.2 | **7,221.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,455.0** |
| OIL | 1959 | 62.0 | 55.8 | 53.7 | 44.8 | 37.0 | 48.8 | 54.0 | 53.2 | 48.5 | 48.8 | 52.4 | 58.0 | **6,236.2** |
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,091.0** |
| H2O | 1958 | 0.3 | 0.2 | 0.2 | 0.0 | 0.0 | 0.2 | 0.3 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | **11.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1054*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1958 | 93.9 | 89.5 | 97.3 | 79.8 | 75.8 | 67.4 | 66.7 | 69.9 | 70.6 | 68.6 | 69.8 | 65.8 | **5,619.2** |
| DAY | 1957 | 29.0 | 28.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **729.0** |
| H2O | 1957 | 0.6 | 0.3 | 0.5 | 0.2 | 0.2 | 0.6 | 0.3 | 0.5 | 0.3 | 0.2 | 0.3 | 0.3 | **9.6** |
| OIL | 1957 | 189.4 | 152.4 | 148.4 | 116.6 | 168.9 | 159.9 | 159.4 | 145.7 | 129.4 | 124.1 | 99.3 | 94.6 | **4,704.1** |
| DAY | 1956 | 21.0 | 26.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **372.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.6 | 0.5 | 0.8 | 1.1 | 0.5 | 0.3 | 0.3 | 0.6 | 0.6 | **5.3** |
| OIL | 1956 | 215.3 | 267.9 | 328.8 | 296.8 | 222.5 | 226.1 | 221.2 | 205.6 | 216.0 | 211.0 | 189.3 | 203.4 | **3,016.0** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | **21.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 212.1 | **212.1** |

Licence ***1058*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-26-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,180.0** |
| H2O | 1975 | 38.6 | 34.7 | 40.1 | 38.8 | 33.4 | 36.4 | 37.0 | 36.1 | 37.4 | 40.2 | 40.2 | 41.0 | **10,436.5** |
| OIL | 1975 | 17.5 | 15.3 | 17.2 | 16.4 | 14.0 | 15.3 | 16.0 | 15.9 | 16.2 | 16.8 | 16.2 | 16.5 | **8,543.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,820.0** |
| H2O | 1974 | 33.9 | 31.0 | 35.0 | 34.3 | 61.0 | 59.3 | 58.7 | 56.8 | 56.1 | 58.3 | 58.3 | 38.5 | **9,982.6** |
| OIL | 1974 | 26.9 | 23.2 | 26.5 | 25.6 | 44.5 | 41.6 | 42.1 | 44.2 | 42.4 | 44.3 | 42.3 | 17.8 | **8,350.0** |
| DAY | 1973 | 31.0 | 28.0 | 25.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,456.0** |
| H2O | 1973 | 46.3 | 44.0 | 36.9 | 47.4 | 46.4 | 25.4 | 25.3 | 26.5 | 26.9 | 37.0 | 33.5 | 34.0 | **9,401.4** |
| OIL | 1973 | 26.4 | 23.2 | 20.0 | 25.1 | 25.3 | 17.2 | 17.6 | 18.4 | 18.0 | 26.9 | 24.8 | 26.1 | **7,928.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **6,099.0** |
| H2O | 1972 | 25.3 | 25.0 | 27.3 | 22.7 | 31.3 | 31.2 | 34.5 | 32.7 | 32.7 | 29.7 | 46.3 | 47.1 | **8,971.8** |
| OIL | 1972 | 55.5 | 52.1 | 56.9 | 50.4 | 44.5 | 42.9 | 44.2 | 45.1 | 42.9 | 37.8 | 25.6 | 26.7 | **7,659.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **5,740.0** |
| H2O | 1971 | 109.5 | 99.4 | 114.3 | 114.6 | 25.4 | 25.3 | 24.2 | 24.2 | 21.6 | 24.3 | 21.8 | 27.3 | **8,586.0** |
| OIL | 1971 | 24.2 | 21.5 | 23.7 | 22.6 | 59.1 | 57.4 | 56.9 | 57.7 | 56.9 | 59.1 | 52.0 | 57.0 | **7,135.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,378.0** |
| H2O | 1970 | 49.6 | 46.7 | 48.8 | 45.2 | 46.4 | 115.9 | 103.7 | 116.9 | 112.4 | 116.5 | 105.2 | 118.3 | **7,954.1** |
| OIL | 1970 | 18.9 | 17.2 | 18.8 | 18.0 | 18.6 | 22.6 | 22.6 | 22.2 | 21.9 | 23.0 | 22.1 | 23.2 | **6,586.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,015.0** |
| H2O | 1969 | 98.9 | 89.7 | 84.3 | 86.0 | 94.4 | 90.6 | 98.1 | 98.7 | 93.0 | 52.8 | 47.1 | 50.2 | **6,928.5** |
| OIL | 1969 | 52.4 | 46.4 | 51.3 | 49.9 | 51.3 | 50.4 | 52.3 | 52.0 | 50.5 | 19.4 | 18.8 | 19.1 | **6,337.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,650.0** |
| H2O | 1968 | 92.4 | 86.6 | 93.2 | 95.5 | 100.2 | 88.6 | 96.0 | 89.7 | 90.6 | 96.0 | 88.6 | 94.3 | **5,944.7** |
| OIL | 1968 | 72.6 | 65.9 | 71.5 | 71.0 | 71.2 | 67.5 | 51.0 | 52.3 | 50.7 | 53.2 | 51.0 | 52.4 | **5,824.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,286.0** |
| H2O | 1967 | 114.6 | 94.6 | 114.0 | 106.0 | 106.2 | 100.2 | 78.7 | 105.2 | 92.2 | 99.5 | 87.6 | 95.7 | **4,833.0** |
| OIL | 1967 | 73.7 | 65.5 | 73.4 | 70.9 | 73.1 | 70.1 | 72.6 | 72.0 | 69.4 | 73.3 | 71.5 | 72.6 | **5,093.7** |
| DAY | 1966 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 11.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,921.0** |
| H2O | 1966 | 8.4 | 249.6 | 310.6 | 325.4 | 119.2 | 105.4 | 34.0 | 102.2 | 110.0 | 113.0 | 112.4 | 120.5 | **3,638.5** |
| OIL | 1966 | 25.1 | 71.8 | 77.9 | 77.7 | 72.3 | 69.4 | 23.5 | 71.2 | 69.4 | 72.0 | 70.6 | 73.9 | **4,235.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **3,578.0** |
| H2O | 1965 | 10.7 | 9.5 | 11.0 | 9.5 | 9.7 | 9.2 | 9.2 | 9.4 | 9.4 | 9.4 | 9.5 | 8.7 | **1,927.8** |
| OIL | 1965 | 29.4 | 26.7 | 28.9 | 27.8 | 28.1 | 28.1 | 29.4 | 29.2 | 27.5 | 28.8 | 27.3 | 25.1 | **3,460.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **3,216.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 10.0 | 10.2 | 8.7 | 9.9 | 10.2 | 10.7 | **1,812.6** |
| OIL | 1964 | 4.8 | 4.4 | 4.8 | 4.3 | 4.4 | 26.9 | 28.0 | 28.1 | 24.6 | 27.8 | 27.2 | 29.1 | **3,124.5** |
| DAY | 1963 | 23.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,854.0** |
| OIL | 1963 | 3.0 | 3.2 | 5.1 | 4.6 | 4.8 | 4.8 | 4.8 | 3.5 | 4.0 | 4.4 | 4.3 | 4.3 | **2,910.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1058*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-26-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,509.0** |
| H2O | 1962 | 1.4 | 0.8 | 1.9 | 0.8 | 0.8 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,742.9** |
| OIL | 1962 | 8.6 | 7.8 | 8.6 | 7.6 | 8.9 | 8.7 | 5.1 | 4.9 | 4.0 | 4.1 | 3.8 | 4.4 | **2,859.3** |
| DAY | 1961 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,145.0** |
| H2O | 1961 | 19.1 | 15.6 | 15.1 | 11.6 | 9.7 | 6.0 | 6.5 | 8.4 | 3.0 | 0.5 | 0.0 | 1.3 | **1,736.7** |
| OIL | 1961 | 17.8 | 17.5 | 18.9 | 17.0 | 17.5 | 16.7 | 17.0 | 9.1 | 8.6 | 7.5 | 8.4 | 9.1 | **2,782.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,781.0** |
| H2O | 1960 | 14.5 | 13.5 | 14.1 | 12.9 | 13.2 | 13.8 | 19.1 | 19.7 | 18.3 | 18.3 | 16.2 | 17.5 | **1,639.9** |
| OIL | 1960 | 50.7 | 43.9 | 52.1 | 49.6 | 50.7 | 40.7 | 23.4 | 22.6 | 22.1 | 22.4 | 19.2 | 19.7 | **2,617.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,418.0** |
| H2O | 1959 | 31.8 | 26.9 | 28.6 | 24.2 | 25.6 | 16.5 | 15.9 | 17.5 | 17.5 | 18.8 | 15.6 | 17.3 | **1,448.8** |
| OIL | 1959 | 41.2 | 33.1 | 39.6 | 37.0 | 39.3 | 36.1 | 38.0 | 36.9 | 49.3 | 52.9 | 47.7 | 49.4 | **2,200.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 29.0 | 30.0 | 30.0 | 29.0 | 31.0 | **1,057.0** |
| H2O | 1958 | 93.3 | 63.8 | 70.1 | 52.9 | 57.6 | 56.4 | 52.6 | 44.2 | 46.1 | 41.3 | 40.5 | 35.6 | **1,192.6** |
| OIL | 1958 | 59.3 | 43.5 | 48.6 | 49.9 | 55.1 | 50.2 | 48.0 | 39.9 | 43.7 | 43.5 | 44.2 | 44.8 | **1,700.1** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 18.0 | 28.0 | **698.0** |
| H2O | 1957 | 19.9 | 18.0 | 15.9 | 13.7 | 14.8 | 14.0 | 15.3 | 14.1 | 2.1 | 0.2 | 1.4 | 95.7 | **538.2** |
| OIL | 1957 | 45.0 | 40.0 | 35.1 | 27.2 | 25.9 | 24.5 | 23.8 | 15.6 | 16.8 | 19.7 | 14.5 | 55.8 | **1,129.4** |
| DAY | 1956 | 26.0 | 22.0 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 26.0 | 29.0 | 26.0 | 31.0 | **350.0** |
| H2O | 1956 | 35.3 | 26.9 | 24.6 | 26.9 | 25.8 | 21.5 | 17.8 | 32.4 | 17.0 | 15.7 | 18.3 | 23.1 | **313.1** |
| OIL | 1956 | 100.1 | 74.5 | 100.3 | 72.1 | 67.9 | 63.1 | 55.5 | 54.3 | 38.6 | 37.7 | 34.0 | 36.5 | **785.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | **11.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.8 | **27.8** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 50.9 | **50.9** |

Licence ***1059*** Well Name ***Dome Imperial Regent*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-21-004-22W1.00*** Field Name ***Regent*** Pool Name ***Lodgepole WL B*** Field Code ***13*** Pool Code ***52B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **159.0** |
| H2O | 1956 | 54.4 | 22.3 | 23.7 | 13.2 | 39.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **152.6** |
| OIL | 1956 | 20.5 | 33.7 | 29.2 | 36.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **171.3** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | **11.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 51.8 | **51.8** |

Licence ***1060*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,708.0** |
| OIL | 1975 | 34.0 | 29.4 | 33.2 | 30.7 | 33.2 | 31.3 | 29.9 | 31.1 | 32.7 | 30.4 | 26.7 | 30.5 | **11,943.7** |
| DAY | 1974 | 19.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,343.0** |
| OIL | 1974 | 37.0 | 33.2 | 35.8 | 31.6 | 33.4 | 33.4 | 40.7 | 38.1 | 35.0 | 34.8 | 32.9 | 28.6 | **11,570.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,993.0** |
| OIL | 1973 | 38.6 | 33.1 | 32.3 | 30.4 | 38.1 | 31.9 | 24.5 | 47.5 | 38.6 | 40.4 | 37.5 | 37.8 | **11,156.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 26.0 | 30.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,631.0** |
| H2O | 1972 | 4.8 | 5.1 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,547.7** |
| OIL | 1972 | 27.5 | 25.4 | 32.4 | 19.7 | 40.8 | 49.4 | 51.5 | 48.3 | 46.2 | 49.3 | 41.2 | 42.0 | **10,725.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,274.0** |
| H2O | 1971 | 5.4 | 4.1 | 4.0 | 4.0 | 4.3 | 15.3 | 18.0 | 4.0 | 4.0 | 4.5 | 5.4 | 5.7 | **1,534.6** |
| OIL | 1971 | 40.4 | 36.1 | 38.6 | 35.8 | 37.2 | 25.3 | 30.7 | 31.6 | 30.0 | 30.4 | 29.1 | 28.3 | **10,251.7** |
| DAY | 1970 | 31.0 | 0.0 | 0.0 | 24.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 28.0 | 30.0 | 31.0 | **4,909.0** |
| H2O | 1970 | 10.0 | 0.0 | 0.0 | 17.0 | 4.9 | 14.3 | 9.5 | 13.2 | 17.5 | 4.9 | 4.0 | 5.4 | **1,455.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1060*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-12-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1970 | 34.6 | 0.0 | 0.0 | 52.1 | 64.2 | 43.7 | 41.5 | 35.8 | 46.1 | 42.1 | 41.3 | 40.7 | **9,858.2** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,616.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.5 | 21.0 | 9.5 | 11.8 | 11.0 | 11.0 | **1,355.2** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 47.7 | 51.3 | 43.5 | 41.6 | 34.8 | 38.5 | **9,416.1** |
| DAY | 1968 | 15.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 22.0 | 8.0 | **4,448.0** |
| H2O | 1968 | 8.6 | 9.5 | 18.1 | 10.5 | 8.3 | 6.7 | 8.9 | 5.7 | 9.2 | 5.9 | 4.8 | 9.7 | **1,264.4** |
| OIL | 1968 | 18.1 | 39.4 | 41.2 | 37.8 | 38.3 | 32.4 | 39.7 | 37.5 | 26.9 | 32.6 | 18.3 | 10.8 | **9,158.7** |
| DAY | 1967 | 0.0 | 24.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 25.0 | 14.0 | 29.0 | 30.0 | **4,131.0** |
| H2O | 1967 | 0.0 | 17.5 | 19.9 | 10.5 | 15.3 | 7.2 | 5.9 | 7.9 | 6.0 | 12.4 | 8.6 | 6.5 | **1,158.5** |
| OIL | 1967 | 0.0 | 40.7 | 53.2 | 43.4 | 45.6 | 46.9 | 47.8 | 45.9 | 30.8 | 18.6 | 38.3 | 32.7 | **8,785.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 27.0 | 30.0 | 30.0 | 0.0 | 0.0 | **3,829.0** |
| H2O | 1966 | 8.3 | 10.8 | 5.9 | 8.6 | 7.6 | 11.6 | 8.3 | 7.3 | 5.1 | 9.4 | 0.0 | 0.0 | **1,040.8** |
| OIL | 1966 | 37.7 | 36.9 | 44.0 | 42.9 | 32.7 | 27.2 | 38.5 | 35.1 | 49.4 | 52.4 | 0.0 | 0.0 | **8,341.8** |
| DAY | 1965 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,532.0** |
| H2O | 1965 | 8.7 | 9.9 | 5.2 | 8.3 | 10.5 | 8.7 | 11.3 | 11.1 | 7.8 | 8.1 | 0.6 | 7.2 | **957.9** |
| OIL | 1965 | 41.8 | 49.1 | 55.1 | 46.6 | 43.4 | 42.9 | 43.9 | 51.2 | 51.5 | 49.3 | 39.1 | 36.1 | **7,945.0** |
| DAY | 1964 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | **3,172.0** |
| H2O | 1964 | 5.1 | 7.8 | 8.3 | 7.3 | 7.8 | 8.4 | 8.4 | 8.4 | 7.6 | 5.4 | 7.6 | 7.2 | **860.5** |
| OIL | 1964 | 54.2 | 52.4 | 40.8 | 36.7 | 53.6 | 54.2 | 51.5 | 50.4 | 33.4 | 42.1 | 47.7 | 36.4 | **7,395.0** |
| DAY | 1963 | 31.0 | 25.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,812.0** |
| H2O | 1963 | 5.9 | 7.3 | 6.2 | 8.3 | 11.8 | 7.9 | 7.6 | 5.1 | 5.7 | 7.8 | 7.3 | 7.6 | **771.2** |
| OIL | 1963 | 54.5 | 48.1 | 46.9 | 45.9 | 43.5 | 51.0 | 57.7 | 52.4 | 51.2 | 50.7 | 51.6 | 41.5 | **6,841.6** |
| DAY | 1962 | 30.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | **2,455.0** |
| H2O | 1962 | 5.9 | 4.3 | 4.1 | 6.0 | 5.4 | 7.8 | 7.0 | 8.7 | 6.4 | 4.6 | 5.6 | 8.7 | **682.7** |
| OIL | 1962 | 62.0 | 55.0 | 62.6 | 45.9 | 49.1 | 54.7 | 66.9 | 52.0 | 53.1 | 46.6 | 37.3 | 61.0 | **6,246.6** |
| DAY | 1961 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 30.0 | **2,097.0** |
| H2O | 1961 | 6.8 | 4.1 | 10.0 | 7.6 | 6.8 | 6.8 | 10.3 | 6.5 | 5.6 | 6.2 | 6.4 | 7.9 | **608.2** |
| OIL | 1961 | 73.3 | 62.8 | 72.5 | 66.7 | 71.7 | 69.3 | 63.6 | 59.4 | 52.0 | 57.7 | 45.9 | 51.0 | **5,600.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,739.0** |
| H2O | 1960 | 4.9 | 4.6 | 4.9 | 4.8 | 5.1 | 4.8 | 7.6 | 7.0 | 7.0 | 4.9 | 7.2 | 9.1 | **523.2** |
| OIL | 1960 | 71.2 | 68.2 | 74.8 | 71.7 | 66.9 | 73.4 | 73.9 | 75.3 | 76.9 | 72.8 | 70.2 | 72.8 | **4,854.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,377.0** |
| H2O | 1959 | 3.3 | 5.2 | 4.9 | 4.8 | 4.9 | 4.8 | 7.3 | 5.9 | 4.8 | 4.9 | 4.8 | 4.9 | **451.3** |
| OIL | 1959 | 74.2 | 74.2 | 77.9 | 73.7 | 78.0 | 73.1 | 69.9 | 72.1 | 71.5 | 74.1 | 68.0 | 70.4 | **3,986.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,012.0** |
| H2O | 1958 | 3.7 | 4.6 | 5.1 | 4.6 | 4.9 | 4.8 | 7.5 | 4.9 | 7.3 | 4.9 | 4.8 | 4.9 | **390.8** |
| OIL | 1958 | 86.1 | 78.2 | 89.3 | 79.8 | 86.9 | 82.6 | 83.6 | 85.8 | 74.7 | 80.1 | 74.4 | 75.0 | **3,109.3** |
| DAY | 1957 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 27.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **647.0** |
| H2O | 1957 | 10.0 | 11.1 | 20.8 | 8.7 | 10.7 | 6.5 | 7.5 | 7.8 | 9.4 | 12.1 | 6.2 | 5.1 | **328.8** |
| OIL | 1957 | 86.9 | 82.6 | 97.4 | 76.4 | 72.5 | 54.0 | 68.6 | 83.7 | 74.4 | 72.3 | 84.7 | 88.2 | **2,132.8** |
| DAY | 1956 | 0.0 | 0.0 | 24.0 | 29.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 27.0 | **291.0** |
| H2O | 1956 | 0.0 | 6.5 | 12.3 | 63.1 | 23.5 | 24.0 | 19.2 | 14.9 | 15.9 | 15.4 | 9.4 | 8.7 | **212.9** |
| OIL | 1956 | 0.0 | 110.9 | 0.0 | 199.7 | 110.9 | 112.5 | 120.3 | 120.3 | 113.8 | 110.8 | 96.9 | 95.0 | **1,191.1** |

Licence ***1061*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-14-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 29.0 | 28.0 | 31.0 | 24.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,218.0** |
| H2O | 1975 | 31.8 | 30.8 | 35.1 | 26.2 | 25.4 | 29.6 | 32.3 | 32.0 | 28.3 | 32.9 | 32.7 | 34.7 | **2,623.0** |
| OIL | 1975 | 104.9 | 95.3 | 110.8 | 85.3 | 92.2 | 102.5 | 103.0 | 104.7 | 98.4 | 102.5 | 96.1 | 105.5 | **27,690.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,866.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1061*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-14-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1974 | 25.6 | 21.6 | 23.7 | 19.6 | 18.8 | 17.6 | 17.6 | 26.9 | 14.9 | 25.8 | 24.8 | 32.6 | **2,251.2** |
| OIL | 1974 | 101.2 | 90.9 | 105.2 | 102.2 | 95.2 | 95.3 | 96.8 | 107.4 | 102.2 | 106.9 | 100.3 | 117.8 | **26,489.2** |
| DAY | 1973 | 31.0 | 28.0 | 24.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 27.0 | 28.0 | 29.0 | 31.0 | **6,501.0** |
| H2O | 1973 | 8.9 | 17.0 | 6.8 | 19.7 | 21.5 | 18.9 | 19.7 | 22.9 | 15.9 | 16.2 | 19.1 | 23.2 | **1,981.7** |
| OIL | 1973 | 97.6 | 87.2 | 74.2 | 100.4 | 78.2 | 95.2 | 101.9 | 101.5 | 80.2 | 83.6 | 99.2 | 104.4 | **25,267.8** |
| DAY | 1972 | 31.0 | 29.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,153.0** |
| H2O | 1972 | 5.2 | 4.3 | 4.3 | 6.5 | 4.1 | 5.4 | 4.6 | 6.2 | 22.6 | 11.0 | 9.9 | 11.6 | **1,771.9** |
| OIL | 1972 | 102.0 | 96.6 | 92.2 | 91.4 | 100.1 | 104.1 | 103.6 | 98.5 | 95.0 | 93.6 | 92.0 | 90.9 | **24,164.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | **5,790.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 2.5 | 3.2 | 5.6 | 4.0 | 0.0 | 3.8 | 4.9 | 3.7 | **1,676.2** |
| OIL | 1971 | 93.9 | 92.2 | 97.7 | 89.9 | 97.3 | 102.0 | 108.7 | 104.1 | 104.9 | 102.2 | 101.2 | 77.9 | **23,004.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 19.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,433.0** |
| H2O | 1970 | 15.3 | 17.3 | 18.1 | 19.6 | 8.4 | 16.7 | 0.0 | 0.0 | 11.4 | 0.0 | 0.0 | 0.0 | **1,648.5** |
| OIL | 1970 | 107.7 | 101.7 | 109.3 | 86.4 | 62.1 | 89.1 | 101.4 | 102.3 | 104.2 | 99.0 | 96.8 | 99.0 | **21,832.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,080.0** |
| H2O | 1969 | 16.2 | 28.3 | 18.4 | 73.9 | 72.8 | 5.1 | 7.0 | 6.5 | 5.1 | 0.0 | 13.2 | 12.9 | **1,541.7** |
| OIL | 1969 | 118.2 | 106.0 | 122.8 | 106.6 | 126.8 | 114.9 | 118.2 | 122.0 | 112.2 | 110.4 | 104.6 | 108.4 | **20,673.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,716.0** |
| H2O | 1968 | 6.7 | 7.6 | 25.6 | 25.4 | 22.9 | 18.8 | 15.6 | 18.4 | 17.8 | 6.7 | 20.7 | 16.2 | **1,282.3** |
| OIL | 1968 | 120.0 | 114.6 | 112.8 | 107.9 | 110.9 | 96.5 | 92.8 | 100.0 | 99.6 | 118.5 | 115.8 | 119.3 | **19,302.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,353.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 4.5 | 6.0 | 17.0 | 17.5 | 11.3 | 5.7 | 6.8 | 7.0 | 13.0 | **1,079.9** |
| OIL | 1967 | 104.9 | 93.6 | 106.3 | 124.1 | 115.8 | 129.2 | 132.2 | 99.0 | 120.8 | 114.9 | 116.5 | 115.2 | **17,993.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,988.0** |
| H2O | 1966 | 4.0 | 2.5 | 5.1 | 4.0 | 6.0 | 4.3 | 16.2 | 15.7 | 33.4 | 28.3 | 12.9 | 0.0 | **991.1** |
| OIL | 1966 | 105.0 | 99.5 | 103.9 | 123.2 | 107.1 | 98.0 | 115.8 | 115.5 | 121.4 | 125.7 | 106.2 | 111.4 | **16,620.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,623.0** |
| H2O | 1965 | 6.2 | 5.2 | 5.7 | 5.2 | 5.9 | 8.1 | 18.4 | 10.3 | 14.9 | 0.0 | 5.9 | 3.5 | **858.7** |
| OIL | 1965 | 109.3 | 96.6 | 113.9 | 106.9 | 118.7 | 108.2 | 111.6 | 108.1 | 113.6 | 109.6 | 112.8 | 110.6 | **15,288.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,259.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 3.2 | 3.2 | 2.4 | 9.5 | 9.1 | 11.3 | 6.5 | 6.0 | 6.2 | **769.4** |
| OIL | 1964 | 118.7 | 108.7 | 117.0 | 120.6 | 120.6 | 117.6 | 120.5 | 131.7 | 124.1 | 111.7 | 107.7 | 110.8 | **13,968.3** |
| DAY | 1963 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,893.0** |
| H2O | 1963 | 3.3 | 3.5 | 0.0 | 0.0 | 0.0 | 0.0 | 7.2 | 7.2 | 8.1 | 7.6 | 16.9 | 17.8 | **712.0** |
| OIL | 1963 | 109.8 | 109.8 | 126.5 | 118.2 | 115.2 | 109.0 | 103.3 | 92.2 | 123.6 | 120.0 | 110.9 | 116.8 | **12,558.6** |
| DAY | 1962 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,532.0** |
| H2O | 1962 | 0.0 | 0.0 | 2.9 | 3.5 | 3.0 | 3.3 | 8.6 | 7.5 | 0.0 | 0.0 | 11.3 | 3.2 | **640.4** |
| OIL | 1962 | 128.4 | 115.4 | 120.3 | 119.2 | 128.4 | 126.8 | 125.9 | 126.2 | 114.7 | 121.7 | 112.2 | 122.4 | **11,203.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,169.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 6.5 | 3.0 | 6.7 | 6.7 | 0.0 | 6.0 | 6.2 | 17.3 | **597.1** |
| OIL | 1961 | 135.7 | 124.1 | 145.4 | 134.0 | 133.5 | 134.3 | 142.4 | 139.8 | 126.8 | 128.9 | 127.6 | 127.6 | **9,741.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,804.0** |
| H2O | 1960 | 0.0 | 8.3 | 0.0 | 3.0 | 6.4 | 9.4 | 12.6 | 10.6 | 8.7 | 9.9 | 10.0 | 0.0 | **544.7** |
| OIL | 1960 | 158.1 | 153.8 | 144.1 | 156.0 | 149.9 | 148.4 | 155.6 | 146.4 | 143.8 | 144.4 | 138.1 | 140.3 | **8,141.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 20.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,438.0** |
| H2O | 1959 | 3.5 | 0.0 | 0.0 | 2.5 | 0.0 | 73.7 | 41.8 | 30.5 | 20.3 | 28.9 | 20.7 | 0.0 | **465.8** |
| OIL | 1959 | 85.7 | 74.2 | 96.9 | 86.3 | 72.3 | 205.3 | 228.8 | 199.9 | 175.4 | 205.1 | 194.8 | 175.3 | **6,362.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,088.0** |
| H2O | 1958 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.3 | 0.0 | **243.9** |
| OIL | 1958 | 89.6 | 84.4 | 91.5 | 90.9 | 93.9 | 86.8 | 77.7 | 78.3 | 79.0 | 79.1 | 76.6 | 93.1 | **4,562.7** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **723.0** |
| H2O | 1957 | 1.7 | 1.9 | 3.3 | 2.7 | 2.4 | 0.2 | 0.3 | 12.1 | 11.6 | 0.3 | 2.5 | 2.7 | **235.4** |

# Manitoba Production
## 1950 To 1975

Licence ***1061*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-14-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1957 | 111.4 | 99.2 | 108.2 | 100.1 | 101.4 | 102.2 | 88.2 | 100.4 | 93.9 | 77.9 | 91.2 | 88.8 | **3,541.8** |
| DAY | 1956 | 28.0 | 26.0 | 28.0 | 23.0 | 24.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **360.0** |
| H2O | 1956 | 15.4 | 14.1 | 13.8 | 14.1 | 11.8 | 14.5 | 12.2 | 36.4 | 28.0 | 1.6 | 1.9 | 1.1 | **193.7** |
| OIL | 1956 | 263.0 | 210.5 | 210.0 | 166.7 | 171.6 | 195.9 | 169.1 | 162.2 | 113.6 | 127.3 | 123.0 | 143.7 | **2,378.9** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | **19.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.8 | **28.8** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 322.3 | **322.3** |

Licence ***1062*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-14-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1117.8 | 906.8 | 1170.1 | 1133.8 | 1071.5 | 1068.8 | 888.9 | 1276.6 | 1660.4 | 1679.6 | 1502.0 | 1465.2 | **202,538.6** |
| WIN | 1974 | 1186.0 | 1022.2 | 1160.9 | 1432.7 | 1315.7 | 1152.1 | 1063.4 | 1225.3 | 1064.2 | 1087.9 | 1106.3 | 1120.0 | **187,597.1** |
| WIN | 1973 | 1370.7 | 1292.8 | 1473.6 | 1217.3 | 1419.9 | 1374.5 | 1302.0 | 1067.7 | 1329.5 | 1400.8 | 1285.8 | 1201.7 | **173,660.4** |
| WIN | 1972 | 1406.7 | 1346.8 | 1529.1 | 1282.8 | 1427.5 | 891.2 | 1639.4 | 1433.0 | 1345.9 | 1479.5 | 1341.0 | 1505.7 | **157,924.1** |
| WIN | 1971 | 1292.0 | 1207.5 | 1293.0 | 1453.6 | 1574.5 | 1066.0 | 1446.6 | 1446.7 | 1628.8 | 772.2 | 1232.7 | 1565.8 | **141,295.5** |
| WIN | 1970 | 1911.9 | 1629.9 | 1650.7 | 1441.9 | 1658.2 | 1366.9 | 1405.7 | 1934.6 | 1626.5 | 1383.1 | 1405.2 | 1100.8 | **125,316.1** |
| WIN | 1969 | 1590.8 | 1523.3 | 1934.2 | 1867.7 | 1768.7 | 1545.8 | 1745.1 | 1987.7 | 1812.4 | 1730.7 | 1711.3 | 1692.0 | **106,800.7** |
| WIN | 1968 | 1765.0 | 1699.8 | 1890.4 | 1863.2 | 1763.7 | 1936.5 | 2190.6 | 2082.5 | 1929.9 | 1913.0 | 1611.3 | 1624.1 | **85,891.0** |
| WIN | 1967 | 1521.9 | 1327.0 | 1742.4 | 1602.2 | 1665.2 | 1513.5 | 979.6 | 1897.7 | 1458.8 | 1804.7 | 1599.3 | 1659.6 | **63,621.0** |
| WIN | 1966 | 1000.9 | 962.5 | 921.4 | 996.0 | 1020.3 | 1048.6 | 1287.1 | 1391.9 | 1749.9 | 1937.2 | 1722.5 | 1697.7 | **44,849.1** |
| WIN | 1965 | 1062.1 | 816.8 | 1031.5 | 931.0 | 1394.1 | 1086.2 | 1042.3 | 1100.6 | 1314.8 | 682.5 | 1230.5 | 1693.8 | **29,113.1** |
| WIN | 1964 | 1125.9 | 1051.5 | 1132.6 | 1194.1 | 1231.6 | 1366.3 | 743.7 | 766.3 | 958.2 | 1065.0 | 1018.6 | 979.0 | **15,726.9** |
| DAY | 1963 | 31.0 | 27.0 | 28.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,551.0** |
| H2O | 1963 | 141.0 | 124.3 | 152.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,752.4** |
| OIL | 1963 | 19.3 | 17.7 | 19.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,671.4** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1763.9 | 1330.2 | **3,094.1** |
| DAY | 1962 | 30.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,465.0** |
| H2O | 1962 | 105.7 | 122.7 | 118.3 | 114.5 | 111.6 | 126.4 | 124.2 | 93.8 | 64.9 | 145.8 | 135.8 | 148.8 | **4,335.1** |
| OIL | 1962 | 25.6 | 27.2 | 30.2 | 24.9 | 29.4 | 26.5 | 22.9 | 24.0 | 18.3 | 19.4 | 17.8 | 19.5 | **2,615.2** |
| DAY | 1961 | 30.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,104.0** |
| H2O | 1961 | 265.2 | 219.7 | 162.3 | 172.0 | 211.3 | 164.9 | 161.4 | 164.5 | 153.6 | 144.7 | 149.0 | 142.9 | **2,922.6** |
| OIL | 1961 | 55.5 | 59.6 | 52.9 | 38.0 | 37.5 | 34.8 | 34.2 | 30.8 | 26.7 | 28.0 | 27.2 | 28.9 | **2,329.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **1,741.0** |
| H2O | 1960 | 4.9 | 4.6 | 4.9 | 4.8 | 4.9 | 4.8 | 8.3 | 6.7 | 6.4 | 5.9 | 4.5 | 10.2 | **811.1** |
| OIL | 1960 | 21.1 | 19.1 | 20.0 | 19.4 | 18.8 | 16.2 | 14.5 | 13.3 | 13.5 | 12.7 | 13.3 | 10.6 | **1,875.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | **1,378.0** |
| H2O | 1959 | 4.9 | 4.5 | 5.2 | 4.6 | 5.7 | 5.9 | 7.5 | 5.7 | 5.1 | 4.9 | 4.8 | 4.9 | **740.2** |
| OIL | 1959 | 27.2 | 24.9 | 27.3 | 26.2 | 24.6 | 24.6 | 24.9 | 23.4 | 21.3 | 22.7 | 20.8 | 21.0 | **1,682.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,018.0** |
| H2O | 1958 | 6.0 | 4.9 | 5.4 | 5.2 | 8.7 | 5.2 | 5.4 | 5.6 | 4.6 | 4.6 | 4.8 | 4.3 | **676.5** |
| OIL | 1958 | 38.6 | 34.0 | 36.5 | 35.9 | 35.3 | 30.4 | 33.2 | 27.7 | 30.0 | 30.4 | 28.6 | 28.1 | **1,394.0** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 27.0 | 18.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **653.0** |
| H2O | 1957 | 47.4 | 44.0 | 63.9 | 42.1 | 28.9 | 45.8 | 46.7 | 24.5 | 11.6 | 12.4 | 8.7 | 7.9 | **611.8** |
| OIL | 1957 | 43.7 | 44.0 | 45.9 | 42.3 | 31.1 | 44.3 | 39.4 | 22.9 | 28.8 | 28.1 | 25.6 | 33.7 | **1,005.3** |
| DAY | 1956 | 17.0 | 26.0 | 27.0 | 26.0 | 3.0 | 30.0 | 31.0 | 30.0 | 27.0 | 30.0 | 28.0 | 30.0 | **305.0** |
| H2O | 1956 | 0.0 | 7.0 | 14.8 | 8.6 | 2.7 | 16.7 | 17.6 | 23.2 | 25.1 | 30.4 | 40.1 | 41.7 | **227.9** |
| OIL | 1956 | 39.6 | 77.2 | 78.3 | 55.6 | 13.7 | 63.1 | 66.4 | 45.6 | 28.1 | 35.1 | 31.0 | 41.8 | **575.5** |

Licence ***1063*** Well Name ***B.A. Hudson's Bay South Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-26-009-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole E*** Field Code ***5*** Pool Code ***59E*** Unit ***0***

# Manitoba Production
## 1950 To 1975

Licence ***1063*** Well Name ***B.A. Hudson's Bay South Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-26-009-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole E*** Field Code ***5*** Pool Code ***59E*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 6.0 | 0.0 | 12.0 | 25.0 | 29.0 | 21.0 | 28.0 | 26.0 | 22.0 | 16.0 | 0.0 | 0.0 | **508.0** |
| H2O | 1958 | 72.5 | 0.0 | 143.1 | 329.9 | 550.9 | 186.5 | 100.0 | 49.3 | 36.2 | 100.0 | 0.0 | 0.0 | **3,967.6** |
| OIL | 1958 | 18.8 | 0.0 | 80.4 | 87.2 | 90.7 | 26.2 | 29.2 | 17.3 | 17.0 | 32.9 | 0.0 | 0.0 | **1,680.6** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 29.0 | 24.0 | 28.0 | 18.0 | 15.0 | 30.0 | 30.0 | **323.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 257.6 | 107.8 | 109.7 | 8.3 | 42.3 | 391.6 | 392.1 | **2,399.2** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 44.8 | 154.5 | 59.1 | 108.9 | 11.6 | 39.7 | 146.5 | 112.7 | **1,280.9** |
| DAY | 1956 | 0.0 | 0.0 | 10.0 | 15.0 | 5.0 | 10.0 | 5.0 | 24.0 | 25.0 | 20.0 | 22.0 | 0.0 | **136.0** |
| H2O | 1956 | 0.0 | 45.9 | 19.1 | 36.6 | 20.7 | 15.9 | 57.9 | 225.0 | 288.2 | 356.5 | 0.0 | 0.0 | **1,065.8** |
| OIL | 1956 | 0.0 | 88.0 | 96.3 | 24.0 | 52.3 | 27.2 | 107.4 | 72.0 | 75.5 | 60.4 | 0.0 | 0.0 | **603.1** |

Licence ***1067*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 27.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,913.0** |
| H2O | 1975 | 9.5 | 8.6 | 9.7 | 8.4 | 9.2 | 9.4 | 9.5 | 9.2 | 9.1 | 9.9 | 9.7 | 10.0 | **4,137.6** |
| OIL | 1975 | 26.1 | 23.2 | 25.4 | 21.6 | 23.0 | 23.8 | 24.6 | 24.6 | 24.0 | 24.8 | 24.0 | 24.3 | **6,048.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,553.0** |
| H2O | 1974 | 24.6 | 22.7 | 25.3 | 24.8 | 9.9 | 9.1 | 10.0 | 9.1 | 9.1 | 9.5 | 9.5 | 9.5 | **4,025.4** |
| OIL | 1974 | 35.4 | 31.0 | 35.3 | 33.5 | 26.5 | 23.5 | 26.4 | 26.4 | 25.3 | 26.7 | 25.4 | 26.2 | **5,758.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 28.0 | 31.0 | **5,190.0** |
| H2O | 1973 | 9.9 | 9.4 | 10.0 | 10.0 | 9.9 | 9.9 | 9.5 | 18.8 | 21.9 | 27.3 | 23.5 | 24.5 | **3,852.3** |
| OIL | 1973 | 30.7 | 27.0 | 21.5 | 21.0 | 21.3 | 21.3 | 21.6 | 27.3 | 31.1 | 36.1 | 31.6 | 34.5 | **5,417.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,833.0** |
| H2O | 1972 | 8.3 | 8.1 | 8.9 | 7.9 | 8.7 | 8.6 | 9.5 | 9.1 | 8.6 | 10.0 | 9.9 | 10.0 | **3,667.7** |
| OIL | 1972 | 30.2 | 28.1 | 30.5 | 29.2 | 30.8 | 29.6 | 30.7 | 31.3 | 27.8 | 31.3 | 29.9 | 31.1 | **5,092.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 22.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,469.0** |
| H2O | 1971 | 100.2 | 91.4 | 105.2 | 8.1 | 8.3 | 8.1 | 8.1 | 5.4 | 6.2 | 7.8 | 7.5 | 8.7 | **3,560.1** |
| OIL | 1971 | 52.4 | 46.7 | 51.8 | 31.1 | 31.8 | 30.8 | 31.5 | 21.9 | 27.5 | 31.8 | 29.9 | 30.7 | **4,731.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,116.0** |
| H2O | 1970 | 68.2 | 63.9 | 66.9 | 61.8 | 105.2 | 106.7 | 98.6 | 104.3 | 103.3 | 107.3 | 97.9 | 108.9 | **3,195.1** |
| OIL | 1970 | 70.4 | 63.4 | 69.3 | 66.7 | 50.2 | 49.3 | 51.2 | 47.4 | 48.0 | 50.7 | 48.6 | 51.0 | **4,313.9** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **3,752.0** |
| H2O | 1969 | 32.6 | 29.6 | 26.9 | 27.3 | 85.4 | 68.8 | 63.0 | 14.5 | 13.8 | 12.6 | 13.4 | 14.8 | **2,102.1** |
| OIL | 1969 | 66.4 | 58.6 | 62.6 | 60.9 | 49.1 | 50.2 | 55.3 | 71.2 | 69.3 | 60.9 | 69.6 | 72.9 | **3,647.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,395.0** |
| H2O | 1968 | 4.1 | 3.8 | 4.3 | 4.3 | 14.8 | 13.5 | 14.6 | 29.9 | 29.9 | 31.6 | 29.3 | 31.0 | **1,699.4** |
| OIL | 1968 | 62.3 | 55.9 | 61.2 | 60.7 | 61.0 | 59.9 | 61.8 | 66.3 | 63.6 | 67.2 | 64.4 | 66.1 | **2,900.7** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 23.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,029.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 3.0 | 3.5 | 4.8 | 4.1 | 4.5 | 4.0 | 4.3 | **1,488.3** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 8.3 | 7.9 | 12.2 | 61.8 | 59.4 | 62.8 | 61.3 | 62.3 | **2,150.3** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 17.0 | 0.0 | **2,803.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 4.8 | 5.6 | 39.6 | 39.0 | 38.3 | 41.3 | 5.2 | 2.9 | 0.0 | **1,457.1** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 16.4 | 17.3 | 23.0 | 23.8 | 23.7 | 23.0 | 12.6 | 7.0 | 0.0 | **1,814.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **2,572.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.8 | 4.5 | 4.6 | 4.6 | 0.0 | 0.0 | **1,280.4** |
| OIL | 1965 | 7.3 | 6.7 | 7.3 | 6.8 | 7.2 | 7.0 | 18.4 | 18.0 | 17.2 | 18.0 | 0.0 | 0.0 | **1,667.5** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **2,268.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 1.1 | 8.9 | 8.4 | 8.4 | 0.0 | 0.0 | **1,261.9** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.7 | 10.0 | 11.6 | 11.3 | 11.4 | 6.7 | 6.5 | **1,553.6** |
| DAY | 1962 | 0.0 | 0.0 | 12.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 24.0 | **2,061.0** |
| H2O | 1962 | 0.0 | 0.0 | 14.3 | 40.9 | 42.0 | 37.0 | 37.5 | 33.7 | 35.8 | 39.0 | 32.3 | 29.7 | **1,234.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1067*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 0.0 | 0.0 | 9.2 | 13.8 | 14.0 | 8.9 | 8.7 | 7.8 | 7.9 | 8.1 | 7.2 | 6.5 | **1,487.4** |
| DAY | 1961 | 28.0 | 24.0 | 24.0 | 19.0 | 19.0 | 14.0 | 23.0 | 26.0 | 30.0 | 28.0 | 29.0 | 25.0 | **1,782.0** |
| H2O | 1961 | 13.5 | 10.2 | 7.9 | 7.9 | 8.3 | 9.5 | 12.7 | 17.5 | 20.7 | 15.9 | 10.8 | 5.6 | **891.9** |
| OIL | 1961 | 14.5 | 12.1 | 13.5 | 13.7 | 11.3 | 10.3 | 14.6 | 17.2 | 15.6 | 10.5 | 9.2 | 5.7 | **1,395.3** |
| DAY | 1960 | 2.0 | 0.0 | 9.0 | 24.0 | 25.0 | 24.0 | 25.0 | 25.0 | 23.0 | 25.0 | 24.0 | 31.0 | **1,493.0** |
| H2O | 1960 | 0.3 | 0.0 | 2.5 | 11.3 | 13.5 | 14.8 | 28.9 | 15.6 | 7.9 | 7.9 | 24.5 | 14.8 | **751.4** |
| OIL | 1960 | 1.3 | 0.0 | 15.3 | 18.0 | 17.2 | 15.1 | 15.3 | 13.3 | 12.6 | 20.7 | 14.9 | 13.8 | **1,247.1** |
| DAY | 1959 | 24.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 26.0 | 31.0 | 25.0 | 25.0 | 28.0 | 27.0 | **1,256.0** |
| H2O | 1959 | 11.6 | 13.4 | 14.9 | 14.5 | 13.7 | 13.7 | 13.2 | 10.7 | 8.6 | 10.3 | 13.5 | 5.9 | **609.4** |
| OIL | 1959 | 11.8 | 13.2 | 14.8 | 14.6 | 22.2 | 26.2 | 22.9 | 14.0 | 16.5 | 17.3 | 13.8 | 19.7 | **1,089.6** |
| DAY | 1958 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 28.0 | 15.0 | **921.0** |
| H2O | 1958 | 18.0 | 17.0 | 19.4 | 14.6 | 14.5 | 16.2 | 19.6 | 21.9 | 21.9 | 14.3 | 13.4 | 7.3 | **465.4** |
| OIL | 1958 | 17.2 | 17.0 | 19.2 | 16.7 | 15.3 | 14.0 | 14.3 | 13.8 | 12.9 | 11.4 | 11.8 | 9.2 | **882.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 29.0 | **578.0** |
| H2O | 1957 | 14.9 | 13.5 | 14.8 | 13.8 | 19.4 | 16.5 | 17.3 | 17.6 | 18.0 | 17.5 | 19.2 | 17.3 | **267.3** |
| OIL | 1957 | 37.7 | 22.7 | 19.7 | 23.0 | 38.0 | 20.5 | 21.8 | 21.1 | 17.8 | 17.6 | 19.1 | 17.0 | **709.8** |
| DAY | 1956 | 0.0 | 0.0 | 2.0 | 5.0 | 15.0 | 23.0 | 30.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | **225.0** |
| H2O | 1956 | 0.0 | 0.0 | 1.3 | 6.5 | 6.0 | 2.9 | 11.1 | 9.4 | 3.8 | 4.8 | 12.6 | 9.1 | **67.5** |
| OIL | 1956 | 0.0 | 0.0 | 9.5 | 25.1 | 57.0 | 59.4 | 61.0 | 51.3 | 47.0 | 46.2 | 37.7 | 39.6 | **433.8** |

Licence ***1068*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,896.0** |
| H2O | 1975 | 185.2 | 171.7 | 191.6 | 185.5 | 192.4 | 183.9 | 184.6 | 181.7 | 198.2 | 212.7 | 213.5 | 217.3 | **23,946.7** |
| OIL | 1975 | 39.3 | 35.1 | 38.8 | 36.7 | 37.3 | 36.2 | 37.3 | 37.5 | 40.0 | 41.5 | 40.0 | 40.8 | **14,931.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,531.0** |
| H2O | 1974 | 195.1 | 179.3 | 202.2 | 193.2 | 188.1 | 174.9 | 190.9 | 175.2 | 172.7 | 179.8 | 178.4 | 183.9 | **21,628.4** |
| OIL | 1974 | 45.0 | 38.9 | 45.0 | 42.1 | 40.4 | 35.9 | 40.2 | 40.0 | 38.5 | 40.0 | 38.1 | 39.4 | **14,470.9** |
| DAY | 1973 | 30.0 | 27.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **6,168.0** |
| H2O | 1973 | 156.3 | 183.0 | 197.0 | 203.2 | 197.5 | 197.9 | 197.1 | 183.3 | 181.6 | 213.8 | 186.6 | 195.5 | **19,414.7** |
| OIL | 1973 | 64.4 | 60.2 | 66.4 | 67.1 | 67.1 | 67.9 | 69.8 | 42.0 | 40.4 | 45.0 | 40.0 | 43.7 | **13,987.4** |
| DAY | 1972 | 31.0 | 24.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 27.0 | 31.0 | 24.0 | 29.0 | **5,809.0** |
| H2O | 1972 | 145.8 | 117.6 | 155.8 | 128.8 | 297.0 | 295.5 | 317.3 | 292.4 | 135.1 | 159.0 | 125.0 | 154.1 | **17,121.9** |
| OIL | 1972 | 65.3 | 50.5 | 66.3 | 58.8 | 123.9 | 119.7 | 119.3 | 118.7 | 58.2 | 66.3 | 49.9 | 63.1 | **13,313.4** |
| DAY | 1971 | 30.0 | 28.0 | 28.0 | 30.0 | 31.0 | 24.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,463.0** |
| H2O | 1971 | 197.6 | 187.1 | 154.7 | 173.6 | 173.9 | 137.5 | 171.4 | 165.3 | 148.0 | 165.5 | 159.1 | 164.1 | **14,798.5** |
| OIL | 1971 | 59.4 | 55.1 | 58.5 | 62.3 | 63.6 | 49.1 | 63.1 | 62.0 | 61.0 | 63.6 | 59.9 | 52.8 | **12,353.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,108.0** |
| H2O | 1970 | 225.1 | 253.9 | 265.7 | 245.3 | 227.3 | 216.5 | 216.8 | 213.8 | 211.8 | 219.7 | 200.5 | 222.9 | **12,800.7** |
| OIL | 1970 | 111.7 | 58.3 | 63.7 | 61.5 | 77.7 | 74.1 | 83.4 | 55.3 | 56.3 | 59.4 | 57.0 | 59.9 | **11,643.0** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 20.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,746.0** |
| H2O | 1969 | 215.4 | 192.2 | 177.6 | 125.0 | 299.7 | 286.8 | 58.5 | 219.2 | 219.6 | 238.5 | 212.9 | 233.7 | **10,081.4** |
| OIL | 1969 | 94.9 | 82.3 | 89.6 | 60.1 | 102.5 | 100.6 | 21.6 | 106.5 | 110.1 | 115.1 | 110.4 | 115.7 | **10,824.7** |
| DAY | 1968 | 26.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,396.0** |
| H2O | 1968 | 59.0 | 66.6 | 209.1 | 204.1 | 213.8 | 222.6 | 224.6 | 286.3 | 287.3 | 209.4 | 193.3 | 205.6 | **7,602.3** |
| OIL | 1968 | 71.5 | 78.3 | 99.5 | 93.4 | 93.8 | 94.2 | 90.3 | 100.6 | 96.9 | 96.1 | 92.0 | 94.7 | **9,715.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,036.0** |
| H2O | 1967 | 43.1 | 35.5 | 42.9 | 60.3 | 68.7 | 62.0 | 41.2 | 59.8 | 52.3 | 56.6 | 66.6 | 72.8 | **5,220.6** |
| OIL | 1967 | 73.6 | 65.5 | 73.4 | 84.4 | 75.5 | 69.3 | 60.5 | 82.3 | 79.1 | 83.7 | 84.1 | 85.3 | **8,614.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,676.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1068*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-28-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1966 | 94.3 | 75.5 | 96.2 | 98.4 | 23.1 | 41.8 | 38.5 | 38.3 | 41.3 | 42.4 | 42.1 | 45.3 | **4,558.8** |
| OIL | 1966 | 81.7 | 71.8 | 79.6 | 77.9 | 86.0 | 78.2 | 75.6 | 71.2 | 69.4 | 71.8 | 70.6 | 73.9 | **7,697.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,312.0** |
| H2O | 1965 | 29.4 | 25.9 | 29.6 | 24.8 | 26.5 | 25.1 | 101.1 | 101.6 | 102.5 | 0.0 | 101.7 | 98.9 | **3,881.6** |
| OIL | 1965 | 66.1 | 60.2 | 64.8 | 60.2 | 63.2 | 63.4 | 105.0 | 104.1 | 98.7 | 86.0 | 80.6 | 82.5 | **6,789.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,948.0** |
| H2O | 1964 | 19.2 | 17.0 | 19.2 | 23.4 | 24.6 | 0.0 | 0.0 | 0.0 | 0.0 | 26.5 | 27.3 | 29.3 | **3,214.5** |
| OIL | 1964 | 35.8 | 33.8 | 36.4 | 43.9 | 45.3 | 57.0 | 56.9 | 53.4 | 57.7 | 62.3 | 61.0 | 65.5 | **5,854.8** |
| DAY | 1963 | 19.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,586.0** |
| H2O | 1963 | 22.9 | 25.9 | 37.0 | 33.7 | 33.9 | 42.3 | 49.4 | 29.3 | 32.6 | 23.5 | 18.4 | 18.8 | **3,028.0** |
| OIL | 1963 | 16.7 | 20.8 | 27.8 | 27.0 | 26.9 | 21.8 | 25.6 | 34.6 | 32.4 | 34.0 | 33.5 | 34.3 | **5,245.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | **2,239.0** |
| H2O | 1962 | 40.5 | 35.6 | 43.2 | 37.8 | 39.1 | 35.5 | 36.2 | 32.6 | 34.8 | 36.4 | 30.2 | 35.1 | **2,660.3** |
| OIL | 1962 | 34.2 | 31.3 | 33.7 | 33.2 | 34.5 | 31.0 | 28.4 | 25.3 | 27.0 | 26.4 | 23.5 | 27.0 | **4,910.4** |
| DAY | 1961 | 29.0 | 24.0 | 23.0 | 19.0 | 18.0 | 15.0 | 24.0 | 26.0 | 30.0 | 28.0 | 29.0 | 31.0 | **1,877.0** |
| H2O | 1961 | 25.8 | 18.9 | 10.2 | 15.7 | 8.3 | 27.0 | 43.6 | 29.9 | 38.3 | 28.3 | 34.8 | 31.8 | **2,223.3** |
| OIL | 1961 | 44.2 | 36.4 | 37.2 | 28.1 | 18.3 | 20.3 | 29.7 | 29.1 | 23.4 | 22.9 | 29.2 | 31.8 | **4,554.9** |
| DAY | 1960 | 31.0 | 29.0 | 28.0 | 24.0 | 25.0 | 24.0 | 25.0 | 25.0 | 24.0 | 25.0 | 24.0 | 31.0 | **1,581.0** |
| H2O | 1960 | 7.0 | 4.6 | 13.5 | 13.5 | 19.7 | 34.7 | 43.4 | 20.2 | 26.5 | 22.7 | 17.5 | 46.3 | **1,910.7** |
| OIL | 1960 | 63.6 | 59.4 | 50.4 | 29.4 | 33.1 | 42.7 | 47.7 | 50.2 | 27.3 | 40.4 | 36.9 | 37.5 | **4,204.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 27.0 | 31.0 | 25.0 | 29.0 | 28.0 | 28.0 | **1,266.0** |
| H2O | 1959 | 29.6 | 26.9 | 29.7 | 28.8 | 28.8 | 26.7 | 19.1 | 21.8 | 15.1 | 19.4 | 14.0 | 11.1 | **1,641.1** |
| OIL | 1959 | 86.6 | 75.3 | 82.6 | 79.8 | 79.9 | 75.3 | 71.0 | 72.0 | 59.1 | 60.5 | 47.4 | 68.3 | **3,685.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **918.0** |
| H2O | 1958 | 31.6 | 30.8 | 34.3 | 33.4 | 26.9 | 26.1 | 37.2 | 39.7 | 36.4 | 24.2 | 23.7 | 29.9 | **1,370.1** |
| OIL | 1958 | 156.7 | 133.5 | 134.9 | 119.3 | 116.5 | 98.7 | 97.4 | 93.0 | 92.3 | 96.3 | 88.7 | 91.2 | **2,827.9** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | 28.0 | 30.0 | 25.0 | 0.0 | 8.0 | 30.0 | 23.0 | **556.0** |
| H2O | 1957 | 94.1 | 85.1 | 79.2 | 59.1 | 49.6 | 44.7 | 44.7 | 38.8 | 0.0 | 12.9 | 28.8 | 25.9 | **995.9** |
| OIL | 1957 | 28.8 | 22.4 | 19.7 | 18.3 | 20.2 | 13.2 | 16.7 | 15.3 | 0.0 | 21.8 | 33.5 | 82.0 | **1,509.4** |
| DAY | 1956 | 0.0 | 0.0 | 14.0 | 27.0 | 12.0 | 26.0 | 29.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | **266.0** |
| H2O | 1956 | 0.0 | 0.0 | 28.3 | 59.9 | 20.2 | 61.7 | 41.5 | 40.9 | 18.0 | 28.8 | 66.6 | 57.1 | **433.0** |
| OIL | 1956 | 0.0 | 0.0 | 106.0 | 218.2 | 82.5 | 168.3 | 160.8 | 151.3 | 119.5 | 90.6 | 57.4 | 29.4 | **1,217.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | **8.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | **10.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 33.5 | **33.5** |

Licence ***1069*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-23-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 992.8 | 926.2 | 990.1 | 981.2 | 972.6 | 935.8 | 942.3 | 991.6 | 972.3 | 989.7 | 868.3 | 863.7 | **118,069.7** |
| WIN | 1974 | 643.6 | 566.3 | 788.5 | 574.9 | 538.8 | 676.1 | 753.7 | 920.8 | 811.0 | 804.8 | 926.5 | 1041.8 | **106,643.1** |
| WIN | 1973 | 641.6 | 703.5 | 695.5 | 778.2 | 833.9 | 784.2 | 770.3 | 769.1 | 785.5 | 619.5 | 604.0 | 674.9 | **97,596.3** |
| WIN | 1972 | 796.6 | 792.5 | 852.3 | 830.0 | 852.1 | 810.5 | 822.2 | 758.8 | 757.4 | 855.8 | 791.7 | 615.7 | **88,936.1** |
| WIN | 1971 | 1062.6 | 1105.7 | 1066.1 | 1037.0 | 1131.5 | 987.4 | 751.5 | 749.0 | 862.5 | 898.2 | 645.8 | 502.5 | **79,400.5** |
| WIN | 1970 | 1068.2 | 957.7 | 1021.1 | 1001.1 | 958.2 | 938.9 | 776.0 | 807.6 | 766.8 | 1061.2 | 1211.4 | 1232.4 | **68,600.7** |
| WIN | 1969 | 1102.2 | 981.2 | 1077.1 | 865.6 | 993.0 | 927.2 | 1007.1 | 1040.7 | 949.9 | 988.9 | 982.2 | 1045.3 | **56,800.1** |
| WIN | 1968 | 1110.5 | 1002.1 | 1053.6 | 977.6 | 1149.4 | 1028.6 | 1111.9 | 1064.8 | 1041.0 | 808.7 | 1087.3 | 907.5 | **44,839.7** |
| WIN | 1967 | 742.8 | 519.4 | 936.4 | 1059.3 | 1124.5 | 1139.6 | 1125.4 | 700.9 | 1134.8 | 1142.1 | 1044.7 | 1074.1 | **32,496.7** |
| WIN | 1966 | 681.1 | 450.4 | 493.8 | 497.9 | 497.8 | 461.5 | 399.2 | 448.2 | 597.1 | 682.5 | 1030.5 | 801.6 | **20,752.7** |
| WIN | 1965 | 575.5 | 436.9 | 494.6 | 489.2 | 503.5 | 490.0 | 361.4 | 484.7 | 504.4 | 502.1 | 492.4 | 484.9 | **13,711.1** |
| WIN | 1964 | 749.7 | 910.2 | 819.2 | 657.2 | 488.7 | 762.2 | 635.4 | 517.6 | 532.1 | 520.5 | 503.0 | 518.1 | **7,891.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1069*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-23-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 29.0 | 0.0 | **2,776.0** |
| H2O | 1963 | 12.6 | 11.1 | 13.5 | 12.9 | 12.2 | 12.6 | 13.8 | 12.4 | 11.1 | 13.8 | 7.0 | 0.0 | **1,092.5** |
| OIL | 1963 | 65.7 | 59.1 | 68.3 | 65.5 | 67.7 | 64.0 | 68.0 | 72.5 | 47.2 | 48.3 | 46.6 | 0.0 | **10,717.2** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 277.6 | **277.6** |
| DAY | 1962 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,445.0** |
| H2O | 1962 | 11.4 | 12.1 | 12.9 | 12.9 | 22.6 | 9.4 | 17.3 | 13.8 | 16.2 | 14.5 | 11.8 | 11.9 | **959.5** |
| OIL | 1962 | 62.5 | 58.2 | 63.6 | 69.6 | 61.0 | 74.4 | 71.4 | 80.9 | 62.5 | 65.0 | 64.0 | 69.4 | **10,044.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,084.0** |
| H2O | 1961 | 16.9 | 14.1 | 17.5 | 22.7 | 16.2 | 22.6 | 19.1 | 21.1 | 1.4 | 16.1 | 13.4 | 13.8 | **792.7** |
| OIL | 1961 | 87.4 | 74.2 | 89.8 | 93.0 | 80.7 | 77.7 | 76.6 | 81.5 | 78.7 | 73.4 | 65.2 | 70.6 | **9,241.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,719.0** |
| H2O | 1960 | 23.8 | 20.0 | 19.6 | 14.8 | 1.3 | 11.0 | 11.9 | 13.7 | 12.2 | 18.9 | 18.3 | 16.5 | **597.8** |
| OIL | 1960 | 139.5 | 118.2 | 115.2 | 89.8 | 149.1 | 101.5 | 100.3 | 86.1 | 74.2 | 90.7 | 77.5 | 81.5 | **8,293.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 22.0 | 31.0 | **1,353.0** |
| H2O | 1959 | 8.6 | 7.8 | 5.2 | 5.2 | 8.3 | 1.4 | 0.0 | 0.0 | 3.2 | 1.1 | 5.9 | 32.6 | **415.8** |
| OIL | 1959 | 78.5 | 72.1 | 92.8 | 66.4 | 79.0 | 82.5 | 79.1 | 81.0 | 46.1 | 63.6 | 156.0 | 160.2 | **7,069.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **996.0** |
| H2O | 1958 | 9.1 | 5.7 | 6.2 | 6.5 | 7.9 | 5.6 | 2.9 | 5.2 | 6.7 | 0.0 | 7.3 | 7.5 | **336.5** |
| OIL | 1958 | 138.6 | 119.3 | 120.0 | 127.3 | 117.0 | 108.2 | 114.9 | 101.5 | 95.2 | 93.4 | 79.9 | 81.4 | **6,012.1** |
| DAY | 1957 | 31.0 | 28.0 | 27.0 | 23.0 | 31.0 | 23.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **633.0** |
| H2O | 1957 | 8.6 | 60.9 | 4.5 | 6.4 | 68.0 | 2.4 | 0.5 | 5.1 | 5.7 | 9.5 | 11.0 | 5.1 | **265.9** |
| OIL | 1957 | 226.4 | 205.9 | 174.0 | 181.6 | 190.7 | 131.3 | 196.3 | 176.2 | 167.2 | 148.6 | 168.9 | 142.7 | **4,715.4** |
| DAY | 1956 | 0.0 | 7.0 | 28.0 | 16.0 | 26.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **289.0** |
| H2O | 1956 | 0.0 | 1.1 | 5.4 | 6.7 | 3.5 | 4.6 | 1.1 | 14.9 | 8.3 | 6.5 | 10.7 | 15.4 | **78.2** |
| OIL | 1956 | 0.0 | 81.2 | 299.5 | 144.4 | 329.6 | 281.1 | 287.5 | 205.8 | 259.7 | 267.6 | 221.0 | 228.2 | **2,605.6** |

Licence ***1070*** Well Name ***Virden Roselea Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,205.0** |
| H2O | 1975 | 265.3 | 239.1 | 280.0 | 268.5 | 274.6 | 265.2 | 279.5 | 289.2 | 274.6 | 258.0 | 245.9 | 252.3 | **22,824.5** |
| OIL | 1975 | 97.9 | 88.8 | 98.5 | 92.2 | 88.8 | 90.9 | 97.4 | 98.4 | 107.4 | 108.1 | 106.0 | 109.2 | **29,358.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,842.0** |
| H2O | 1974 | 160.7 | 138.5 | 126.7 | 115.1 | 127.3 | 138.3 | 91.9 | 114.5 | 115.3 | 235.1 | 242.3 | 267.9 | **19,632.3** |
| OIL | 1974 | 83.4 | 82.5 | 91.8 | 88.5 | 90.1 | 87.4 | 75.6 | 94.1 | 88.5 | 101.2 | 90.9 | 97.1 | **28,174.7** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,483.0** |
| H2O | 1973 | 168.7 | 128.8 | 140.4 | 155.0 | 160.1 | 159.1 | 146.3 | 151.0 | 151.7 | 141.8 | 131.5 | 154.7 | **17,758.7** |
| OIL | 1973 | 111.6 | 110.9 | 117.0 | 105.8 | 104.2 | 100.7 | 108.1 | 102.0 | 98.2 | 88.7 | 83.3 | 81.4 | **27,103.6** |
| DAY | 1972 | 31.0 | 29.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,119.0** |
| H2O | 1972 | 183.8 | 185.4 | 156.4 | 121.9 | 132.1 | 121.8 | 123.2 | 178.2 | 170.9 | 172.2 | 152.6 | 140.9 | **15,969.6** |
| OIL | 1972 | 98.0 | 94.2 | 83.6 | 105.7 | 110.8 | 107.4 | 109.3 | 88.0 | 113.8 | 119.7 | 110.3 | 112.0 | **25,891.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,757.0** |
| H2O | 1971 | 178.2 | 177.1 | 190.6 | 196.3 | 219.7 | 174.4 | 186.8 | 183.1 | 185.2 | 203.0 | 163.3 | 170.4 | **14,130.2** |
| OIL | 1971 | 159.5 | 144.3 | 161.5 | 154.1 | 131.4 | 122.5 | 131.9 | 118.9 | 100.6 | 105.2 | 91.5 | 98.8 | **24,638.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,393.0** |
| H2O | 1970 | 206.0 | 195.4 | 238.5 | 206.2 | 211.8 | 207.9 | 189.2 | 206.5 | 224.8 | 190.0 | 162.3 | 151.0 | **11,902.1** |
| OIL | 1970 | 146.2 | 129.7 | 143.5 | 135.4 | 137.6 | 129.7 | 136.0 | 147.5 | 144.8 | 153.2 | 148.6 | 158.0 | **23,118.7** |
| DAY | 1969 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 22.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **5,028.0** |
| H2O | 1969 | 122.6 | 88.9 | 224.8 | 213.8 | 239.1 | 170.7 | 248.3 | 224.2 | 204.9 | 231.6 | 219.4 | 230.5 | **9,512.5** |
| OIL | 1969 | 96.9 | 73.7 | 159.9 | 174.5 | 165.3 | 122.5 | 172.1 | 154.9 | 139.4 | 157.3 | 146.0 | 164.5 | **21,408.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,676.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1070*** Well Name ***Virden Roselea Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1968 | 94.9 | 95.1 | 110.0 | 120.3 | 111.3 | 111.3 | 117.2 | 120.7 | 107.3 | 114.5 | 113.7 | 124.3 | **7,093.7** |
| OIL | 1968 | 97.7 | 88.2 | 98.5 | 83.9 | 80.4 | 93.1 | 96.8 | 97.4 | 95.0 | 95.0 | 92.8 | 98.2 | **19,681.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,310.0** |
| H2O | 1967 | 128.6 | 109.9 | 124.3 | 117.0 | 127.8 | 104.0 | 85.5 | 93.8 | 96.7 | 92.2 | 95.4 | 101.7 | **5,753.1** |
| OIL | 1967 | 56.1 | 48.8 | 55.0 | 52.4 | 55.1 | 44.2 | 90.6 | 88.8 | 90.6 | 90.9 | 90.4 | 100.6 | **18,564.5** |
| DAY | 1966 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,947.0** |
| H2O | 1966 | 42.1 | 38.8 | 40.2 | 31.6 | 33.5 | 159.6 | 129.7 | 163.1 | 158.5 | 158.5 | 142.8 | 130.8 | **4,476.2** |
| OIL | 1966 | 113.5 | 98.5 | 126.7 | 91.1 | 83.7 | 58.6 | 50.2 | 52.9 | 60.2 | 64.8 | 57.2 | 55.5 | **17,701.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,589.0** |
| H2O | 1965 | 33.9 | 31.2 | 32.9 | 32.7 | 33.9 | 30.5 | 25.4 | 37.7 | 28.6 | 31.3 | 32.0 | 34.8 | **3,247.0** |
| OIL | 1965 | 87.6 | 80.2 | 87.4 | 75.8 | 75.8 | 70.1 | 73.3 | 63.9 | 68.5 | 69.9 | 74.4 | 90.4 | **16,788.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,225.0** |
| H2O | 1964 | 23.7 | 23.1 | 24.6 | 23.4 | 24.6 | 23.8 | 23.7 | 24.6 | 24.0 | 24.6 | 23.8 | 31.8 | **2,862.1** |
| OIL | 1964 | 94.9 | 96.5 | 98.5 | 93.8 | 97.7 | 94.6 | 94.4 | 97.7 | 96.5 | 97.7 | 95.0 | 93.1 | **15,870.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,859.0** |
| H2O | 1963 | 26.2 | 22.3 | 24.6 | 23.7 | 24.2 | 22.4 | 23.7 | 22.9 | 23.8 | 24.3 | 23.8 | 24.6 | **2,566.4** |
| OIL | 1963 | 113.9 | 102.7 | 112.3 | 107.3 | 109.6 | 103.0 | 108.1 | 104.2 | 100.0 | 96.1 | 95.2 | 93.9 | **14,720.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,494.0** |
| H2O | 1962 | 29.6 | 26.7 | 29.6 | 28.6 | 30.2 | 28.6 | 29.6 | 29.6 | 31.5 | 33.4 | 34.2 | 34.3 | **2,279.9** |
| OIL | 1962 | 148.3 | 134.0 | 147.8 | 142.2 | 144.9 | 141.4 | 138.3 | 135.9 | 132.4 | 119.2 | 118.7 | 113.8 | **13,474.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,130.0** |
| H2O | 1961 | 28.9 | 31.2 | 37.0 | 33.4 | 34.5 | 33.4 | 34.5 | 34.5 | 31.2 | 34.2 | 30.4 | 29.6 | **1,914.0** |
| OIL | 1961 | 168.1 | 160.7 | 178.8 | 175.3 | 179.3 | 172.4 | 176.5 | 174.6 | 143.8 | 144.3 | 142.7 | 146.7 | **11,857.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,767.0** |
| H2O | 1960 | 49.0 | 46.3 | 42.8 | 42.9 | 48.2 | 52.3 | 40.7 | 35.6 | 36.9 | 42.1 | 33.7 | 29.6 | **1,521.2** |
| OIL | 1960 | 130.0 | 130.9 | 130.5 | 209.0 | 228.8 | 226.0 | 219.5 | 207.4 | 200.7 | 182.4 | 163.0 | 156.0 | **9,894.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,404.0** |
| H2O | 1959 | 26.9 | 22.3 | 21.3 | 20.2 | 23.2 | 22.6 | 19.7 | 19.7 | 33.4 | 28.5 | 28.9 | 44.0 | **1,021.1** |
| OIL | 1959 | 201.3 | 185.3 | 195.6 | 189.4 | 195.8 | 189.1 | 189.9 | 179.6 | 170.4 | 159.7 | 175.3 | 141.9 | **7,709.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,039.0** |
| H2O | 1958 | 23.5 | 22.7 | 34.5 | 23.7 | 26.7 | 22.7 | 24.6 | 24.6 | 23.8 | 23.1 | 27.5 | 26.9 | **710.4** |
| OIL | 1958 | 128.6 | 112.7 | 141.3 | 136.3 | 146.2 | 141.3 | 136.5 | 126.7 | 123.2 | 97.3 | 185.8 | 196.4 | **5,536.5** |
| DAY | 1957 | 27.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **675.0** |
| H2O | 1957 | 15.3 | 11.8 | 16.7 | 14.9 | 26.1 | 36.1 | 28.1 | 30.5 | 27.2 | 28.5 | 26.4 | 25.4 | **406.1** |
| OIL | 1957 | 125.7 | 117.6 | 147.6 | 138.4 | 142.2 | 179.3 | 155.1 | 157.5 | 144.4 | 143.3 | 142.2 | 145.7 | **3,864.2** |
| DAY | 1956 | 7.0 | 24.0 | 29.0 | 30.0 | 27.0 | 21.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | **318.0** |
| H2O | 1956 | 1.1 | 4.5 | 4.6 | 9.2 | 10.2 | 8.6 | 14.8 | 15.9 | 9.5 | 9.9 | 12.2 | 18.6 | **119.1** |
| OIL | 1956 | 38.6 | 178.3 | 244.1 | 219.8 | 184.2 | 142.1 | 199.1 | 209.8 | 193.4 | 195.6 | 164.5 | 155.7 | **2,125.2** |

Licence ***1071*** Well Name ***Basco Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-34-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 0.0 | 26.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | 9.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,842.0** |
| H2O | 1967 | 0.0 | 47.7 | 45.8 | 33.9 | 32.1 | 12.4 | 17.7 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,034.2** |
| OIL | 1967 | 0.0 | 23.7 | 21.6 | 32.1 | 23.4 | 15.1 | 13.7 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | **5,800.5** |
| DAY | 1966 | 26.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 31.0 | 29.0 | 30.0 | 29.0 | 0.0 | 0.0 | **3,659.0** |
| H2O | 1966 | 16.4 | 0.0 | 0.0 | 0.0 | 0.0 | 30.8 | 49.3 | 25.1 | 19.4 | 26.7 | 0.0 | 0.0 | **2,840.6** |
| OIL | 1966 | 14.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.5 | 42.3 | 26.9 | 26.7 | 30.4 | 0.0 | 0.0 | **5,667.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,495.0** |
| H2O | 1965 | 25.9 | 22.7 | 28.5 | 26.5 | 35.3 | 23.2 | 28.0 | 27.5 | 23.1 | 24.8 | 19.6 | 22.1 | **2,672.9** |
| OIL | 1965 | 30.2 | 28.8 | 29.9 | 24.9 | 27.3 | 23.7 | 32.1 | 28.1 | 28.4 | 26.1 | 25.4 | 10.6 | **5,502.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1071*** Well Name ***Basco Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-34-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 22.0 | 29.0 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | 28.0 | 29.0 | 30.0 | 30.0 | 30.0 | **3,134.0** |
| H2O | 1964 | 21.3 | 29.4 | 26.1 | 25.9 | 28.1 | 43.9 | 26.5 | 27.5 | 19.7 | 20.7 | 23.7 | 24.6 | **2,365.7** |
| OIL | 1964 | 28.6 | 48.1 | 41.6 | 39.3 | 43.9 | 45.4 | 38.9 | 39.3 | 49.6 | 35.8 | 29.9 | 27.0 | **5,187.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | **2,786.0** |
| H2O | 1963 | 22.9 | 19.9 | 25.9 | 23.8 | 14.8 | 14.1 | 14.8 | 16.9 | 14.3 | 16.9 | 22.4 | 24.2 | **2,048.3** |
| OIL | 1963 | 36.9 | 42.9 | 39.7 | 41.2 | 39.1 | 33.1 | 43.1 | 29.2 | 29.9 | 32.7 | 23.8 | 36.4 | **4,720.0** |
| DAY | 1962 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 28.0 | 30.0 | **2,425.0** |
| H2O | 1962 | 49.4 | 45.8 | 41.0 | 28.1 | 21.6 | 24.0 | 25.3 | 54.7 | 37.4 | 35.5 | 29.6 | 18.1 | **1,817.4** |
| OIL | 1962 | 69.0 | 59.0 | 57.5 | 66.3 | 49.3 | 45.0 | 45.9 | 43.2 | 45.9 | 62.0 | 37.0 | 23.5 | **4,292.0** |
| DAY | 1961 | 31.0 | 28.0 | 29.0 | 27.0 | 31.0 | 29.0 | 30.0 | 31.0 | 29.0 | 29.0 | 28.0 | 31.0 | **2,067.0** |
| H2O | 1961 | 46.1 | 47.9 | 59.1 | 47.9 | 47.4 | 40.2 | 39.3 | 56.8 | 46.1 | 32.3 | 64.9 | 48.6 | **1,406.9** |
| OIL | 1961 | 121.7 | 102.5 | 102.2 | 92.0 | 90.3 | 72.9 | 60.1 | 72.8 | 68.6 | 67.5 | 60.7 | 70.9 | **3,688.4** |
| DAY | 1960 | 26.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 17.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,714.0** |
| H2O | 1960 | 5.1 | 4.5 | 4.8 | 4.8 | 4.8 | 4.8 | 40.1 | 100.2 | 135.5 | 83.9 | 72.2 | 57.1 | **830.3** |
| OIL | 1960 | 18.6 | 15.7 | 15.9 | 19.4 | 21.1 | 18.4 | 74.8 | 193.9 | 152.7 | 162.4 | 157.2 | 137.5 | **2,706.2** |
| DAY | 1959 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,369.0** |
| H2O | 1959 | 4.9 | 4.0 | 4.9 | 4.8 | 4.9 | 4.8 | 4.8 | 4.9 | 4.8 | 4.9 | 4.8 | 4.9 | **312.5** |
| OIL | 1959 | 21.0 | 18.9 | 22.9 | 21.0 | 21.5 | 20.2 | 21.1 | 20.3 | 19.2 | 20.2 | 18.1 | 18.3 | **1,718.6** |
| DAY | 1958 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,007.0** |
| H2O | 1958 | 4.6 | 4.5 | 4.9 | 4.8 | 4.9 | 4.8 | 4.9 | 4.9 | 6.0 | 4.9 | 4.8 | 4.9 | **255.1** |
| OIL | 1958 | 24.6 | 25.3 | 30.2 | 26.4 | 28.1 | 27.2 | 25.4 | 26.5 | 23.5 | 24.3 | 22.7 | 24.0 | **1,475.9** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 28.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **644.0** |
| H2O | 1957 | 4.9 | 5.6 | 4.6 | 2.9 | 4.8 | 4.8 | 6.5 | 5.9 | 8.3 | 4.3 | 4.6 | 4.5 | **196.2** |
| OIL | 1957 | 42.3 | 33.1 | 41.0 | 35.4 | 30.0 | 35.4 | 31.3 | 37.3 | 24.8 | 31.9 | 28.6 | 26.9 | **1,167.7** |
| DAY | 1956 | 0.0 | 0.0 | 27.0 | 30.0 | 29.0 | 25.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 30.0 | **291.0** |
| H2O | 1956 | 0.0 | 11.1 | 25.3 | 13.0 | 12.1 | 27.8 | 9.4 | 11.8 | 9.1 | 6.0 | 4.6 | 4.3 | **134.5** |
| OIL | 1956 | 0.0 | 137.5 | 113.1 | 81.0 | 68.5 | 63.9 | 62.0 | 55.1 | 52.1 | 46.7 | 50.5 | 39.3 | **769.7** |

Licence ***1072*** Well Name ***Daly Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-10-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **7,212.0** |
| OIL | 1975 | 48.5 | 44.7 | 48.9 | 46.1 | 47.5 | 46.4 | 50.1 | 47.8 | 46.9 | 48.8 | 46.9 | 45.3 | **13,106.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,849.0** |
| OIL | 1974 | 48.9 | 44.2 | 49.9 | 46.4 | 47.2 | 47.8 | 47.5 | 44.8 | 48.5 | 50.5 | 50.4 | 48.6 | **12,538.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,484.0** |
| OIL | 1973 | 49.3 | 47.7 | 70.4 | 75.0 | 50.7 | 46.7 | 47.2 | 46.7 | 46.9 | 49.3 | 46.2 | 50.4 | **11,964.2** |
| DAY | 1972 | 0.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,119.0** |
| OIL | 1972 | 54.0 | 46.4 | 52.9 | 45.9 | 48.6 | 50.9 | 46.2 | 55.5 | 51.2 | 58.6 | 55.3 | 47.5 | **11,337.7** |
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **5,784.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 5.1 | 6.4 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **568.7** |
| OIL | 1971 | 46.9 | 42.7 | 50.4 | 53.4 | 55.6 | 50.9 | 55.5 | 54.7 | 52.6 | 48.3 | 54.2 | 48.6 | **10,724.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,424.0** |
| OIL | 1970 | 54.2 | 47.4 | 48.5 | 45.4 | 70.9 | 67.1 | 65.8 | 68.0 | 54.8 | 54.3 | 49.4 | 49.7 | **10,110.9** |
| DAY | 1969 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,060.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 1.7 | 3.5 | 5.6 | 4.5 | **555.6** |
| OIL | 1969 | 40.4 | 29.9 | 39.4 | 35.0 | 39.6 | 37.7 | 39.9 | 51.5 | 44.7 | 50.1 | 52.3 | 41.2 | **9,435.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,700.0** |
| OIL | 1968 | 44.8 | 41.5 | 43.5 | 39.9 | 39.6 | 28.9 | 35.0 | 28.3 | 32.6 | 38.8 | 35.8 | 39.7 | **8,933.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,339.0** |
| H2O | 1967 | 1.3 | 0.6 | 0.5 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **539.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1072*** Well Name ***Daly Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-10-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1967 | 45.1 | 35.1 | 38.8 | 39.6 | 48.5 | 44.3 | 47.5 | 42.4 | 40.5 | 42.4 | 41.3 | 43.4 | **8,485.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,974.0** |
| H2O | 1966 | 5.9 | 6.4 | 2.7 | 2.1 | 7.2 | 0.5 | 0.3 | 0.3 | 1.7 | 1.1 | 2.2 | 1.9 | **536.3** |
| OIL | 1966 | 45.4 | 38.3 | 38.9 | 35.9 | 54.8 | 48.6 | 46.4 | 44.5 | 46.2 | 45.9 | 45.4 | 45.9 | **7,976.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,609.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.5 | 5.9 | 9.9 | 8.3 | 12.7 | 4.0 | **504.0** |
| OIL | 1965 | 47.0 | 41.6 | 46.6 | 47.7 | 42.6 | 42.9 | 34.0 | 36.1 | 42.7 | 34.6 | 36.2 | 50.2 | **7,440.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 27.0 | **3,244.0** |
| OIL | 1964 | 53.1 | 50.7 | 52.9 | 60.4 | 59.4 | 62.1 | 60.1 | 62.3 | 46.9 | 45.1 | 40.2 | 44.7 | **6,938.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 26.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,884.0** |
| OIL | 1963 | 56.6 | 49.3 | 52.4 | 48.9 | 60.2 | 56.3 | 51.2 | 62.6 | 54.8 | 59.0 | 56.1 | 57.0 | **6,300.1** |
| DAY | 1962 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,529.0** |
| OIL | 1962 | 52.0 | 51.5 | 55.1 | 52.6 | 56.3 | 47.2 | 59.1 | 60.5 | 52.8 | 54.0 | 55.1 | 55.6 | **5,635.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,170.0** |
| OIL | 1961 | 69.9 | 62.6 | 66.6 | 62.9 | 64.2 | 67.5 | 60.7 | 65.3 | 61.8 | 60.4 | 56.6 | 55.3 | **4,983.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,805.0** |
| H2O | 1960 | 1.4 | 1.4 | 2.1 | 0.8 | 12.2 | 9.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **456.7** |
| OIL | 1960 | 62.3 | 62.1 | 64.7 | 61.8 | 66.3 | 61.3 | 72.8 | 80.6 | 76.3 | 73.1 | 69.8 | 71.4 | **4,230.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,439.0** |
| H2O | 1959 | 9.4 | 7.6 | 7.0 | 8.3 | 4.3 | 6.2 | 14.5 | 7.8 | 11.0 | 11.6 | 6.8 | 1.3 | **429.7** |
| OIL | 1959 | 77.1 | 67.7 | 72.0 | 69.1 | 67.9 | 67.9 | 65.8 | 71.5 | 69.6 | 70.7 | 63.7 | 65.5 | **3,407.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,074.0** |
| H2O | 1958 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 12.4 | 10.2 | 8.4 | 8.1 | 9.2 | 7.3 | **333.9** |
| OIL | 1958 | 68.2 | 59.1 | 57.5 | 64.2 | 73.4 | 71.2 | 67.7 | 62.0 | 62.1 | 68.8 | 80.7 | 78.2 | **2,579.1** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **711.0** |
| H2O | 1957 | 11.4 | 11.4 | 13.5 | 14.0 | 16.9 | 6.0 | 6.5 | 0.8 | 0.2 | 1.7 | 1.3 | 1.4 | **260.7** |
| OIL | 1957 | 59.0 | 57.2 | 64.7 | 56.1 | 70.4 | 87.4 | 71.8 | 56.3 | 39.7 | 67.9 | 62.3 | 67.7 | **1,766.0** |
| DAY | 1956 | 23.0 | 23.0 | 30.0 | 29.0 | 30.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **348.0** |
| H2O | 1956 | 28.0 | 20.2 | 25.8 | 10.7 | 13.4 | 13.2 | 11.4 | 12.7 | 12.4 | 8.1 | 8.9 | 9.5 | **175.6** |
| OIL | 1956 | 233.0 | 146.4 | 134.0 | 61.5 | 55.9 | 53.9 | 50.2 | 40.7 | 39.7 | 56.9 | 55.9 | 65.6 | **1,005.5** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | **2.0** |
| H2O | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | **1.3** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.8 | **11.8** |

Licence ***1074*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,144.0** |
| OIL | 1975 | 114.7 | 101.7 | 113.9 | 108.4 | 114.9 | 111.4 | 113.5 | 114.4 | 110.1 | 111.9 | 107.1 | 108.5 | **36,919.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 26.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,779.0** |
| OIL | 1974 | 98.7 | 91.5 | 100.7 | 96.1 | 88.5 | 92.8 | 111.6 | 109.6 | 113.8 | 111.7 | 113.0 | 114.7 | **35,588.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,423.0** |
| H2O | 1973 | 14.8 | 12.7 | 14.9 | 16.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,419.9** |
| OIL | 1973 | 123.3 | 107.4 | 120.0 | 118.7 | 113.3 | 110.3 | 111.9 | 97.6 | 85.8 | 99.3 | 102.5 | 101.2 | **34,346.1** |
| DAY | 1972 | 31.0 | 29.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,059.0** |
| H2O | 1972 | 11.6 | 8.1 | 7.2 | 8.9 | 9.4 | 9.4 | 9.2 | 14.5 | 15.3 | 15.7 | 13.7 | 14.0 | **5,361.4** |
| OIL | 1972 | 117.8 | 103.6 | 90.6 | 101.5 | 103.6 | 98.8 | 104.4 | 115.7 | 123.0 | 120.9 | 116.8 | 122.2 | **33,054.8** |
| DAY | 1971 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 24.0 | 24.0 | **5,700.0** |
| H2O | 1971 | 26.7 | 25.4 | 26.4 | 8.9 | 15.4 | 14.5 | 14.0 | 9.5 | 8.9 | 11.4 | 8.9 | 8.4 | **5,224.4** |
| OIL | 1971 | 154.0 | 138.6 | 156.7 | 144.6 | 148.3 | 142.5 | 145.6 | 103.6 | 94.6 | 111.6 | 88.7 | 88.5 | **31,735.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 28.0 | 31.0 | **5,350.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1074*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1970 | 107.6 | 95.7 | 103.5 | 4.5 | 4.5 | 14.3 | 14.8 | 13.7 | 14.0 | 13.7 | 24.2 | 26.1 | **5,046.0** |
| OIL | 1970 | 162.4 | 144.6 | 158.8 | 140.6 | 143.3 | 156.7 | 167.3 | 147.9 | 130.3 | 135.6 | 135.9 | 154.6 | **30,218.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,992.0** |
| H2O | 1969 | 4.6 | 4.1 | 0.0 | 0.0 | 0.0 | 9.1 | 9.2 | 8.7 | 101.4 | 102.5 | 103.3 | 99.7 | **4,609.4** |
| OIL | 1969 | 173.4 | 158.8 | 154.6 | 145.7 | 130.3 | 143.5 | 145.4 | 144.1 | 145.7 | 151.4 | 152.1 | 155.7 | **28,440.6** |
| DAY | 1968 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,629.0** |
| H2O | 1968 | 9.2 | 8.3 | 8.7 | 4.5 | 4.8 | 4.3 | 4.8 | 4.5 | 3.8 | 4.8 | 4.6 | 4.8 | **4,166.8** |
| OIL | 1968 | 206.7 | 189.9 | 188.9 | 174.0 | 172.6 | 173.7 | 173.4 | 173.1 | 148.1 | 176.2 | 164.9 | 174.3 | **26,639.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **4,268.0** |
| H2O | 1967 | 13.5 | 13.7 | 16.2 | 16.2 | 15.4 | 14.5 | 14.8 | 13.8 | 12.1 | 9.1 | 8.7 | 9.5 | **4,099.7** |
| OIL | 1967 | 113.1 | 103.0 | 115.2 | 107.9 | 111.6 | 115.4 | 123.9 | 125.7 | 108.7 | 190.7 | 193.7 | 205.0 | **24,524.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,907.0** |
| H2O | 1966 | 19.7 | 17.5 | 19.7 | 19.1 | 19.7 | 19.1 | 19.2 | 16.2 | 19.1 | 19.2 | 24.8 | 12.7 | **3,942.2** |
| OIL | 1966 | 140.0 | 122.4 | 142.7 | 138.1 | 142.1 | 133.5 | 134.1 | 141.3 | 117.3 | 112.2 | 122.8 | 106.9 | **22,910.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,542.0** |
| H2O | 1965 | 29.1 | 26.7 | 29.6 | 24.8 | 28.9 | 27.5 | 26.2 | 26.4 | 19.1 | 19.7 | 19.1 | 19.4 | **3,716.2** |
| OIL | 1965 | 146.2 | 134.0 | 138.4 | 113.8 | 144.0 | 137.9 | 135.6 | 148.9 | 145.9 | 127.4 | 124.6 | 120.5 | **21,356.8** |
| DAY | 1964 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,177.0** |
| H2O | 1964 | 39.4 | 29.3 | 37.5 | 37.5 | 38.8 | 32.7 | 29.6 | 29.6 | 28.6 | 29.6 | 28.6 | 29.6 | **3,419.7** |
| OIL | 1964 | 154.8 | 128.6 | 176.4 | 169.1 | 154.0 | 141.6 | 145.9 | 146.8 | 142.1 | 147.2 | 141.0 | 148.1 | **19,739.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,816.0** |
| H2O | 1963 | 29.1 | 26.7 | 29.6 | 28.6 | 29.6 | 28.1 | 49.3 | 49.3 | 49.3 | 61.4 | 38.2 | 39.4 | **3,028.9** |
| OIL | 1963 | 161.3 | 147.5 | 155.3 | 138.1 | 141.3 | 135.9 | 142.2 | 141.7 | 127.8 | 114.1 | 139.0 | 153.8 | **17,944.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,452.0** |
| H2O | 1962 | 30.0 | 25.4 | 34.5 | 33.4 | 34.5 | 33.4 | 33.1 | 33.1 | 32.1 | 29.1 | 26.5 | 29.3 | **2,570.3** |
| OIL | 1962 | 155.3 | 141.6 | 158.1 | 156.8 | 186.2 | 174.8 | 172.1 | 177.0 | 171.3 | 174.2 | 155.6 | 177.2 | **16,246.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,090.0** |
| H2O | 1961 | 42.6 | 40.1 | 44.4 | 42.9 | 44.4 | 42.9 | 44.4 | 44.4 | 34.0 | 33.7 | 33.4 | 34.5 | **2,195.9** |
| OIL | 1961 | 208.8 | 191.3 | 202.1 | 195.9 | 201.2 | 195.0 | 201.5 | 200.2 | 189.9 | 185.1 | 184.2 | 185.9 | **14,245.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 25.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,725.0** |
| H2O | 1960 | 28.3 | 13.0 | 15.6 | 19.2 | 22.4 | 32.6 | 54.8 | 53.9 | 50.6 | 47.2 | 45.8 | 45.6 | **1,714.2** |
| OIL | 1960 | 169.4 | 154.8 | 157.6 | 140.5 | 142.1 | 161.0 | 249.6 | 167.8 | 256.6 | 228.5 | 191.3 | 210.4 | **11,904.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,367.0** |
| H2O | 1959 | 4.8 | 4.5 | 70.9 | 119.2 | 119.9 | 119.2 | 118.4 | 98.6 | 95.1 | 95.4 | 89.0 | 98.7 | **1,285.2** |
| OIL | 1959 | 180.7 | 178.3 | 189.3 | 188.9 | 179.7 | 182.6 | 178.0 | 183.2 | 157.2 | 153.3 | 158.1 | 182.4 | **9,675.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,003.0** |
| H2O | 1958 | 4.9 | 4.5 | 4.9 | 4.8 | 4.9 | 4.8 | 4.9 | 4.9 | 4.8 | 4.9 | 4.8 | 4.8 | **251.5** |
| OIL | 1958 | 204.8 | 171.6 | 227.1 | 201.3 | 222.6 | 244.2 | 218.0 | 219.3 | 212.6 | 213.6 | 194.5 | 204.0 | **7,563.4** |
| DAY | 1957 | 31.0 | 23.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **639.0** |
| H2O | 1957 | 9.9 | 5.4 | 4.5 | 4.8 | 12.7 | 14.3 | 4.9 | 4.6 | 4.8 | 4.9 | 4.8 | 4.9 | **193.6** |
| OIL | 1957 | 166.9 | 259.7 | 347.7 | 295.4 | 251.4 | 216.6 | 69.4 | 296.4 | 273.0 | 244.7 | 214.2 | 195.9 | **5,029.8** |
| DAY | 1956 | 0.0 | 0.0 | 25.0 | 29.0 | 30.0 | 21.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 27.0 | **283.0** |
| H2O | 1956 | 0.0 | 0.0 | 32.3 | 16.5 | 14.3 | 8.3 | 9.9 | 6.2 | 4.8 | 4.8 | 7.3 | 8.7 | **113.1** |
| OIL | 1956 | 0.0 | 0.0 | 250.3 | 275.2 | 253.1 | 185.6 | 239.5 | 242.2 | 226.4 | 195.8 | 180.7 | 149.7 | **2,198.5** |

Licence ***1079*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-23-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,302.0** |
| H2O | 1975 | 122.6 | 117.5 | 131.0 | 122.3 | 127.8 | 84.7 | 87.6 | 86.2 | 85.1 | 91.1 | 91.6 | 93.2 | **18,193.1** |
| OIL | 1975 | 58.0 | 53.7 | 59.1 | 54.0 | 55.5 | 46.4 | 49.1 | 49.4 | 47.8 | 49.6 | 47.8 | 48.8 | **10,764.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1079*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-23-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 31.0 | 23.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,938.0** |
| H2O | 1974 | 53.7 | 40.5 | 55.8 | 54.2 | 53.9 | 56.4 | 57.1 | 122.9 | 121.1 | 122.4 | 125.8 | 125.9 | **16,952.4** |
| OIL | 1974 | 40.8 | 28.8 | 40.7 | 38.9 | 38.6 | 39.1 | 40.2 | 61.2 | 58.8 | 59.4 | 58.5 | 60.5 | **10,145.1** |
| DAY | 1973 | 31.0 | 28.0 | 27.0 | 30.0 | 30.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,579.0** |
| H2O | 1973 | 55.8 | 53.6 | 26.4 | 57.4 | 56.1 | 55.8 | 52.0 | 57.4 | 58.8 | 59.0 | 55.6 | 53.9 | **15,962.7** |
| OIL | 1973 | 26.5 | 23.2 | 11.9 | 25.1 | 25.3 | 38.6 | 37.0 | 40.5 | 40.2 | 40.8 | 39.1 | 39.7 | **9,579.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,222.0** |
| H2O | 1972 | 98.6 | 96.0 | 105.4 | 93.8 | 103.7 | 43.7 | 50.1 | 47.5 | 47.4 | 51.5 | 56.0 | 56.9 | **15,320.9** |
| OIL | 1972 | 65.3 | 60.9 | 66.4 | 63.4 | 66.9 | 32.7 | 34.8 | 35.6 | 33.8 | 27.0 | 25.6 | 26.7 | **9,191.7** |
| DAY | 1971 | 30.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,857.0** |
| H2O | 1971 | 90.0 | 81.4 | 93.3 | 97.3 | 97.6 | 97.1 | 96.2 | 89.8 | 83.0 | 92.8 | 89.3 | 104.9 | **14,470.3** |
| OIL | 1971 | 70.2 | 61.8 | 68.3 | 67.5 | 69.1 | 67.1 | 68.6 | 65.2 | 66.4 | 69.0 | 65.0 | 66.6 | **8,652.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,496.0** |
| H2O | 1970 | 176.5 | 165.5 | 173.3 | 94.3 | 97.0 | 98.4 | 86.3 | 102.5 | 120.0 | 128.9 | 74.4 | 82.7 | **13,357.6** |
| OIL | 1970 | 60.4 | 54.3 | 59.3 | 66.9 | 69.0 | 67.5 | 66.4 | 68.8 | 126.0 | 137.6 | 57.0 | 59.8 | **7,847.8** |
| DAY | 1969 | 31.0 | 25.0 | 29.0 | 30.0 | 31.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,133.0** |
| H2O | 1969 | 112.2 | 90.9 | 87.6 | 94.6 | 107.3 | 37.4 | 38.2 | 233.1 | 219.6 | 233.2 | 212.9 | 233.5 | **11,957.8** |
| OIL | 1969 | 28.4 | 22.6 | 25.6 | 26.2 | 27.8 | 26.2 | 25.7 | 61.2 | 59.6 | 60.9 | 59.6 | 62.5 | **6,954.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,777.0** |
| H2O | 1968 | 128.9 | 120.0 | 129.7 | 125.1 | 65.7 | 60.4 | 62.6 | 59.6 | 102.7 | 104.9 | 100.8 | 107.0 | **10,257.3** |
| OIL | 1968 | 75.2 | 67.4 | 73.4 | 68.5 | 79.8 | 78.7 | 78.0 | 81.0 | 27.5 | 28.0 | 27.7 | 28.4 | **6,468.5** |
| DAY | 1967 | 31.0 | 23.0 | 22.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **3,414.0** |
| H2O | 1967 | 59.9 | 39.1 | 41.0 | 165.0 | 165.2 | 155.5 | 117.8 | 146.9 | 115.3 | 139.1 | 122.4 | 133.7 | **9,089.9** |
| OIL | 1967 | 46.9 | 33.1 | 32.3 | 54.2 | 55.6 | 53.4 | 53.2 | 74.4 | 64.2 | 75.6 | 73.7 | 74.8 | **5,754.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,067.0** |
| H2O | 1966 | 72.5 | 58.0 | 73.9 | 75.7 | 65.0 | 57.4 | 56.6 | 55.6 | 59.9 | 59.1 | 58.7 | 63.1 | **7,689.0** |
| OIL | 1966 | 59.8 | 52.6 | 58.3 | 56.9 | 40.0 | 38.6 | 39.9 | 39.6 | 38.5 | 38.3 | 44.8 | 47.0 | **5,063.5** |
| DAY | 1965 | 28.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **2,703.0** |
| H2O | 1965 | 56.0 | 46.4 | 66.1 | 33.1 | 33.5 | 32.1 | 70.1 | 70.3 | 73.4 | 72.8 | 46.3 | 70.3 | **6,933.5** |
| OIL | 1965 | 45.1 | 38.3 | 51.8 | 45.3 | 45.8 | 45.8 | 56.3 | 55.8 | 44.7 | 46.4 | 44.3 | 55.9 | **4,509.2** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 31.0 | 30.0 | 31.0 | **2,348.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 50.4 | 151.0 | 205.2 | 86.2 | **6,263.1** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.3 | 53.1 | 67.9 | 46.1 | **3,933.7** |
| DAY | 1962 | 31.0 | 20.0 | 0.0 | 0.0 | 5.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 8.0 | 0.0 | **2,246.0** |
| H2O | 1962 | 11.0 | 7.5 | 0.0 | 0.0 | 6.4 | 39.4 | 33.4 | 17.3 | 12.1 | 10.8 | 2.7 | 0.0 | **5,770.3** |
| OIL | 1962 | 10.3 | 6.4 | 0.0 | 0.0 | 1.6 | 12.9 | 12.4 | 14.0 | 6.7 | 7.0 | 1.9 | 0.0 | **3,749.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,029.0** |
| H2O | 1961 | 0.0 | 0.0 | 4.0 | 29.7 | 19.2 | 3.8 | 17.8 | 17.8 | 16.4 | 13.8 | 11.6 | 12.1 | **5,629.7** |
| OIL | 1961 | 14.9 | 12.7 | 14.3 | 9.1 | 12.1 | 12.9 | 10.2 | 7.6 | 7.5 | 11.1 | 9.9 | 10.6 | **3,676.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,664.0** |
| H2O | 1960 | 39.1 | 32.6 | 31.8 | 18.8 | 23.1 | 20.8 | 22.6 | 20.5 | 18.3 | 0.0 | 0.0 | 0.0 | **5,483.5** |
| OIL | 1960 | 26.1 | 22.1 | 21.5 | 19.1 | 22.4 | 17.8 | 17.6 | 17.8 | 15.1 | 15.6 | 13.2 | 14.0 | **3,543.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,299.0** |
| H2O | 1959 | 203.5 | 190.3 | 108.1 | 90.6 | 91.4 | 83.9 | 89.5 | 80.3 | 42.0 | 55.6 | 53.4 | 53.1 | **5,255.9** |
| OIL | 1959 | 56.4 | 51.8 | 60.4 | 45.8 | 44.8 | 38.5 | 45.0 | 43.2 | 23.0 | 27.0 | 29.7 | 29.9 | **3,320.9** |
| DAY | 1958 | 28.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **934.0** |
| H2O | 1958 | 332.0 | 345.6 | 360.7 | 373.3 | 371.4 | 355.2 | 317.2 | 261.8 | 234.2 | 256.1 | 177.7 | 182.4 | **4,114.2** |
| OIL | 1958 | 81.4 | 77.5 | 75.2 | 80.6 | 82.2 | 73.1 | 75.6 | 71.2 | 67.5 | 65.8 | 57.2 | 58.8 | **2,825.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 23.0 | 31.0 | 30.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **576.0** |
| H2O | 1957 | 48.8 | 2.7 | 3.2 | 4.0 | 1.9 | 4.9 | 20.0 | 4.9 | 6.7 | 19.6 | 28.9 | 27.3 | **546.6** |
| OIL | 1957 | 119.7 | 48.6 | 46.7 | 42.0 | 41.6 | 37.7 | 64.0 | 31.3 | 33.4 | 15.4 | 19.1 | 16.5 | **1,959.3** |
| DAY | 1956 | 0.0 | 0.0 | 8.0 | 10.0 | 2.0 | 30.0 | 31.0 | 30.0 | 20.0 | 31.0 | 30.0 | 31.0 | **223.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1079*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-23-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1956 | 0.0 | 0.0 | 22.9 | 1.4 | 4.0 | 41.5 | 39.7 | 29.6 | 47.1 | 38.2 | 61.2 | 88.1 | **373.7** |
| OIL | 1956 | 0.0 | 0.0 | 127.3 | 81.8 | 30.2 | 206.4 | 245.4 | 235.7 | 137.0 | 142.1 | 116.8 | 120.6 | **1,443.3** |

Licence ***1080*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-26-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,160.0** |
| H2O | 1975 | 279.0 | 258.7 | 288.2 | 279.5 | 289.7 | 203.8 | 204.3 | 201.3 | 198.2 | 212.7 | 213.5 | 217.3 | **23,385.4** |
| OIL | 1975 | 198.3 | 177.7 | 195.1 | 185.0 | 188.5 | 203.6 | 209.3 | 210.2 | 203.9 | 211.0 | 204.0 | 207.2 | **37,270.2** |
| DAY | 1974 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 22.0 | 31.0 | 29.0 | 31.0 | **6,795.0** |
| H2O | 1974 | 217.2 | 208.1 | 232.6 | 220.5 | 234.3 | 235.6 | 237.8 | 211.3 | 157.9 | 225.9 | 268.2 | 279.5 | **20,539.2** |
| OIL | 1974 | 203.2 | 183.1 | 209.6 | 194.5 | 207.5 | 200.9 | 207.4 | 199.7 | 145.6 | 208.8 | 187.5 | 201.3 | **34,876.4** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,441.0** |
| H2O | 1973 | 191.7 | 184.1 | 197.3 | 197.0 | 199.5 | 191.9 | 234.0 | 252.0 | 247.5 | 249.9 | 232.0 | 216.8 | **17,810.3** |
| OIL | 1973 | 251.2 | 221.4 | 244.1 | 196.3 | 205.0 | 198.6 | 205.9 | 220.2 | 209.6 | 214.1 | 201.5 | 196.9 | **32,527.3** |
| DAY | 1972 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,076.0** |
| H2O | 1972 | 178.9 | 170.9 | 207.0 | 203.5 | 212.6 | 223.7 | 248.2 | 235.3 | 235.0 | 194.1 | 186.0 | 195.7 | **15,216.6** |
| OIL | 1972 | 219.6 | 201.0 | 242.2 | 255.4 | 255.1 | 259.8 | 267.8 | 273.8 | 260.6 | 257.3 | 236.0 | 254.9 | **29,962.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **5,714.0** |
| H2O | 1971 | 218.0 | 191.6 | 227.5 | 228.5 | 177.9 | 166.3 | 167.6 | 169.2 | 151.5 | 169.3 | 162.8 | 184.1 | **12,725.7** |
| OIL | 1971 | 311.9 | 267.4 | 305.6 | 290.0 | 233.1 | 212.8 | 221.0 | 227.4 | 224.2 | 232.8 | 219.8 | 216.4 | **26,979.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 27.0 | **5,352.0** |
| H2O | 1970 | 189.3 | 177.6 | 186.0 | 168.4 | 95.9 | 213.7 | 206.2 | 232.4 | 223.5 | 223.4 | 211.8 | 204.9 | **10,511.4** |
| OIL | 1970 | 232.3 | 209.3 | 228.5 | 216.1 | 218.2 | 268.7 | 291.4 | 286.7 | 282.7 | 287.2 | 286.0 | 261.4 | **24,016.6** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,000.0** |
| H2O | 1969 | 163.9 | 148.8 | 133.9 | 142.4 | 151.2 | 135.5 | 162.0 | 247.4 | 229.4 | 200.5 | 179.0 | 195.1 | **8,178.3** |
| OIL | 1969 | 314.0 | 277.5 | 294.1 | 298.6 | 295.6 | 271.7 | 311.5 | 202.5 | 193.7 | 239.6 | 229.6 | 238.5 | **20,948.1** |
| DAY | 1968 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,639.0** |
| H2O | 1968 | 138.3 | 124.5 | 139.6 | 139.9 | 150.1 | 142.0 | 137.4 | 148.8 | 149.8 | 159.1 | 147.1 | 156.1 | **6,089.2** |
| OIL | 1968 | 362.2 | 314.6 | 355.8 | 345.0 | 354.4 | 281.1 | 263.3 | 312.1 | 302.2 | 318.0 | 304.8 | 313.8 | **17,781.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,279.0** |
| H2O | 1967 | 102.9 | 85.1 | 102.2 | 93.8 | 92.7 | 89.7 | 62.5 | 145.6 | 134.5 | 149.4 | 131.2 | 143.6 | **4,356.5** |
| OIL | 1967 | 243.1 | 216.0 | 242.3 | 230.7 | 234.6 | 231.2 | 212.3 | 331.5 | 336.3 | 365.2 | 356.3 | 361.8 | **13,953.9** |
| DAY | 1966 | 31.0 | 23.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,918.0** |
| H2O | 1966 | 19.4 | 59.5 | 92.7 | 86.3 | 107.0 | 91.4 | 93.2 | 73.9 | 98.7 | 101.6 | 97.9 | 105.7 | **3,023.3** |
| OIL | 1966 | 57.5 | 171.8 | 233.4 | 207.2 | 238.7 | 222.5 | 237.7 | 189.6 | 229.0 | 237.3 | 226.1 | 237.9 | **10,592.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,565.0** |
| H2O | 1965 | 22.6 | 20.0 | 22.7 | 19.9 | 20.3 | 19.4 | 19.1 | 19.1 | 19.7 | 18.0 | 19.9 | 20.3 | **1,996.0** |
| OIL | 1965 | 61.2 | 55.8 | 60.2 | 58.2 | 58.6 | 58.6 | 59.6 | 59.6 | 57.4 | 54.8 | 56.1 | 58.3 | **8,103.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 23.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,202.0** |
| H2O | 1964 | 21.6 | 19.4 | 21.6 | 20.8 | 22.1 | 16.5 | 21.0 | 21.3 | 20.5 | 20.3 | 21.1 | 22.4 | **1,755.0** |
| OIL | 1964 | 57.4 | 54.3 | 58.8 | 56.4 | 58.2 | 42.9 | 58.0 | 58.5 | 56.6 | 57.7 | 56.6 | 60.7 | **7,405.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **2,843.0** |
| H2O | 1963 | 21.1 | 17.2 | 19.4 | 20.8 | 20.7 | 25.6 | 28.6 | 19.4 | 21.6 | 22.7 | 20.8 | 18.8 | **1,506.4** |
| OIL | 1963 | 48.8 | 43.4 | 48.5 | 52.8 | 51.2 | 48.5 | 53.6 | 53.9 | 51.3 | 54.8 | 54.0 | 48.1 | **6,729.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,482.0** |
| H2O | 1962 | 29.7 | 26.9 | 35.1 | 32.3 | 26.9 | 35.3 | 20.2 | 16.9 | 14.0 | 23.7 | 24.0 | 18.8 | **1,249.7** |
| OIL | 1962 | 69.4 | 61.0 | 59.9 | 83.1 | 71.5 | 72.5 | 55.3 | 56.4 | 41.5 | 54.5 | 51.8 | 49.3 | **6,120.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,118.0** |
| H2O | 1961 | 9.9 | 8.9 | 9.9 | 9.7 | 23.5 | 28.9 | 29.1 | 29.7 | 30.4 | 29.9 | 27.8 | 30.2 | **945.9** |
| OIL | 1961 | 96.3 | 77.1 | 96.1 | 83.0 | 69.1 | 65.9 | 60.4 | 66.6 | 72.3 | 69.8 | 66.3 | 66.3 | **5,394.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1080*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-26-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 16.0 | 18.0 | 26.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,753.0** |
| H2O | 1960 | 2.9 | 0.0 | 11.3 | 22.7 | 25.0 | 21.6 | 10.0 | 9.7 | 9.9 | 14.1 | 12.2 | 12.9 | **678.0** |
| OIL | 1960 | 7.5 | 18.0 | 123.8 | 198.8 | 167.5 | 165.7 | 133.8 | 106.2 | 101.9 | 103.0 | 97.6 | 93.6 | **4,505.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 22.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,422.0** |
| H2O | 1959 | 12.1 | 10.5 | 9.7 | 9.4 | 11.8 | 11.4 | 10.0 | 5.9 | 9.7 | 11.0 | 5.9 | 6.8 | **525.7** |
| OIL | 1959 | 15.1 | 12.6 | 9.9 | 22.6 | 36.2 | 37.7 | 34.6 | 17.8 | 27.7 | 29.4 | 27.0 | 27.7 | **3,187.7** |
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,066.0** |
| H2O | 1958 | 22.4 | 21.6 | 17.8 | 11.8 | 8.4 | 8.7 | 9.7 | 8.4 | 10.2 | 9.2 | 9.5 | 9.9 | **411.5** |
| OIL | 1958 | 73.3 | 69.6 | 71.0 | 42.7 | 54.5 | 51.5 | 53.2 | 24.3 | 19.7 | 19.2 | 13.8 | 10.8 | **2,889.4** |
| DAY | 1957 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | **704.0** |
| H2O | 1957 | 17.8 | 13.5 | 14.9 | 14.6 | 14.0 | 14.1 | 11.4 | 11.1 | 13.5 | 16.9 | 14.5 | 23.4 | **263.9** |
| OIL | 1957 | 106.0 | 86.9 | 83.4 | 83.7 | 64.4 | 58.0 | 42.7 | 55.3 | 64.8 | 57.8 | 56.7 | 52.8 | **2,385.8** |
| DAY | 1956 | 31.0 | 27.0 | 25.0 | 25.0 | 28.0 | 28.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | **346.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.2 | 0.2 | 0.5 | 0.6 | 21.5 | 20.0 | 16.7 | 9.9 | 14.6 | **84.2** |
| OIL | 1956 | 246.3 | 154.0 | 128.4 | 65.6 | 71.5 | 134.3 | 124.3 | 225.8 | 151.3 | 87.7 | 79.6 | 88.0 | **1,573.3** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | **2.0** |
| OIL | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.5 | **16.5** |

Licence ***1084*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,026.0** |
| H2O | 1975 | 177.3 | 163.0 | 181.7 | 176.0 | 182.5 | 140.9 | 141.2 | 139.1 | 137.0 | 138.8 | 147.5 | 150.1 | **23,076.6** |
| OIL | 1975 | 134.3 | 119.3 | 131.1 | 124.4 | 126.8 | 111.6 | 114.9 | 115.4 | 112.0 | 109.3 | 112.0 | 113.8 | **46,538.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 18.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **6,662.0** |
| H2O | 1974 | 150.7 | 138.6 | 156.4 | 150.9 | 157.5 | 158.3 | 90.1 | 167.4 | 168.2 | 175.2 | 176.1 | 169.0 | **21,201.5** |
| OIL | 1974 | 183.2 | 158.4 | 182.7 | 172.9 | 181.2 | 175.3 | 101.9 | 133.5 | 130.6 | 136.3 | 131.1 | 129.8 | **45,113.6** |
| DAY | 1973 | 30.0 | 28.0 | 27.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,311.0** |
| H2O | 1973 | 315.6 | 315.5 | 290.9 | 337.5 | 319.9 | 328.8 | 325.0 | 168.0 | 165.0 | 158.5 | 153.7 | 151.2 | **19,343.1** |
| OIL | 1973 | 202.6 | 186.1 | 161.3 | 183.4 | 179.1 | 185.6 | 189.3 | 190.5 | 181.3 | 176.1 | 173.4 | 178.3 | **43,296.7** |
| DAY | 1972 | 31.0 | 29.0 | 28.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 27.0 | 30.0 | **5,954.0** |
| H2O | 1972 | 231.0 | 192.0 | 188.7 | 181.4 | 62.8 | 165.5 | 177.9 | 168.4 | 177.9 | 194.8 | 173.1 | 322.5 | **16,313.5** |
| OIL | 1972 | 211.5 | 145.1 | 141.3 | 145.7 | 150.5 | 157.6 | 157.2 | 160.7 | 169.6 | 179.7 | 165.4 | 206.1 | **41,109.7** |
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,599.0** |
| H2O | 1971 | 80.6 | 73.0 | 221.0 | 214.6 | 242.0 | 241.0 | 238.6 | 209.9 | 169.6 | 185.7 | 170.7 | 245.8 | **14,077.5** |
| OIL | 1971 | 259.1 | 229.3 | 210.9 | 166.5 | 191.6 | 186.1 | 190.4 | 191.2 | 184.3 | 187.2 | 168.9 | 215.3 | **39,119.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,239.0** |
| H2O | 1970 | 279.2 | 262.0 | 274.2 | 209.1 | 219.2 | 222.4 | 205.6 | 242.9 | 164.4 | 82.2 | 78.1 | 87.0 | **11,785.0** |
| OIL | 1970 | 307.3 | 276.8 | 302.2 | 260.5 | 269.0 | 263.5 | 273.5 | 248.7 | 241.1 | 237.7 | 237.6 | 249.3 | **36,738.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **4,875.0** |
| H2O | 1969 | 191.9 | 174.4 | 163.6 | 178.7 | 196.5 | 188.2 | 203.8 | 199.4 | 193.3 | 209.9 | 187.3 | 267.9 | **9,458.7** |
| OIL | 1969 | 300.4 | 265.4 | 293.3 | 271.6 | 278.8 | 273.6 | 284.4 | 256.2 | 256.4 | 268.4 | 257.2 | 293.9 | **33,571.3** |
| DAY | 1968 | 30.0 | 27.0 | 28.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,512.0** |
| H2O | 1968 | 149.8 | 137.2 | 140.7 | 176.9 | 178.9 | 168.4 | 164.1 | 167.2 | 188.4 | 197.0 | 172.2 | 183.0 | **7,103.8** |
| OIL | 1968 | 345.0 | 305.7 | 316.1 | 352.5 | 313.8 | 317.2 | 294.9 | 329.1 | 321.8 | 333.1 | 291.5 | 300.0 | **30,271.7** |
| DAY | 1967 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 18.0 | 28.0 | 31.0 | **4,155.0** |
| H2O | 1967 | 127.5 | 105.6 | 120.2 | 138.5 | 119.6 | 111.1 | 83.3 | 164.9 | 137.7 | 83.9 | 132.6 | 161.0 | **5,080.0** |
| OIL | 1967 | 312.0 | 277.1 | 281.8 | 335.3 | 315.1 | 299.2 | 295.4 | 336.1 | 301.6 | 179.6 | 316.5 | 357.1 | **26,451.0** |
| DAY | 1966 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 29.0 | 31.0 | **3,808.0** |
| H2O | 1966 | 43.9 | 34.0 | 0.0 | 0.0 | 2.7 | 2.2 | 77.3 | 73.8 | 54.2 | 64.1 | 61.7 | 130.8 | **3,594.1** |
| OIL | 1966 | 278.5 | 237.9 | 239.3 | 281.7 | 289.2 | 277.9 | 264.6 | 253.2 | 176.5 | 210.2 | 200.1 | 305.4 | **22,844.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1084*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,452.0** |
| H2O | 1965 | 65.2 | 57.9 | 78.4 | 78.9 | 3.7 | 3.5 | 75.7 | 78.5 | 67.6 | 67.1 | 68.8 | 45.8 | **3,049.4** |
| OIL | 1965 | 260.4 | 237.3 | 276.0 | 265.9 | 268.6 | 268.6 | 267.3 | 273.6 | 275.2 | 286.5 | 271.9 | 281.7 | **19,829.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 29.0 | **3,087.0** |
| H2O | 1964 | 81.4 | 73.3 | 81.6 | 78.5 | 43.1 | 39.3 | 38.0 | 49.1 | 37.5 | 30.5 | 21.1 | 20.7 | **2,358.3** |
| OIL | 1964 | 65.6 | 62.1 | 66.9 | 64.2 | 166.2 | 158.1 | 180.2 | 205.8 | 198.2 | 164.5 | 218.2 | 213.7 | **16,596.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 7.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,731.0** |
| H2O | 1963 | 12.1 | 12.1 | 17.5 | 0.0 | 0.0 | 0.0 | 0.0 | 21.5 | 13.2 | 14.6 | 78.7 | 80.3 | **1,764.2** |
| OIL | 1963 | 59.6 | 55.3 | 63.4 | 71.8 | 70.6 | 26.7 | 115.2 | 89.3 | 84.2 | 84.1 | 61.3 | 62.9 | **14,833.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,391.0** |
| H2O | 1962 | 15.4 | 13.8 | 15.4 | 14.9 | 15.4 | 14.9 | 15.4 | 14.6 | 12.9 | 13.4 | 13.7 | 12.9 | **1,514.2** |
| OIL | 1962 | 86.1 | 78.7 | 88.5 | 83.4 | 80.6 | 87.1 | 86.1 | 81.5 | 76.6 | 69.6 | 73.6 | 75.5 | **13,988.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,029.0** |
| H2O | 1961 | 24.8 | 18.0 | 26.4 | 21.5 | 24.8 | 24.0 | 19.7 | 20.0 | 19.4 | 20.0 | 14.9 | 15.4 | **1,341.5** |
| OIL | 1961 | 102.2 | 125.9 | 101.7 | 102.7 | 104.6 | 99.5 | 102.0 | 99.8 | 83.0 | 93.6 | 85.3 | 91.7 | **13,021.3** |
| DAY | 1960 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,664.0** |
| H2O | 1960 | 25.0 | 25.8 | 24.3 | 24.0 | 20.3 | 24.5 | 21.8 | 21.6 | 23.2 | 20.0 | 23.5 | 22.9 | **1,092.6** |
| OIL | 1960 | 137.6 | 115.4 | 128.6 | 120.6 | 127.6 | 125.2 | 113.1 | 112.5 | 111.1 | 102.3 | 100.9 | 107.4 | **11,829.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,301.0** |
| H2O | 1959 | 17.2 | 22.3 | 26.2 | 28.3 | 30.5 | 27.7 | 33.9 | 36.7 | 22.3 | 22.4 | 20.2 | 21.1 | **815.7** |
| OIL | 1959 | 194.5 | 182.1 | 213.9 | 204.4 | 202.3 | 188.8 | 190.4 | 175.4 | 147.0 | 144.6 | 146.7 | 134.8 | **10,427.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **937.0** |
| H2O | 1958 | 32.3 | 27.7 | 29.1 | 24.3 | 20.3 | 14.6 | 17.2 | 17.3 | 15.9 | 14.6 | 19.1 | 19.9 | **506.9** |
| OIL | 1958 | 245.8 | 209.3 | 234.9 | 217.2 | 218.5 | 203.7 | 212.8 | 182.3 | 152.2 | 153.2 | 198.0 | 202.0 | **8,302.1** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 29.0 | **574.0** |
| H2O | 1957 | 7.0 | 6.0 | 9.7 | 9.9 | 11.8 | 16.1 | 26.9 | 27.7 | 19.7 | 25.0 | 28.5 | 27.5 | **254.6** |
| OIL | 1957 | 342.1 | 305.7 | 325.1 | 324.3 | 310.5 | 272.1 | 281.5 | 255.0 | 198.0 | 236.1 | 247.6 | 253.2 | **5,872.2** |
| DAY | 1956 | 0.0 | 6.0 | 24.0 | 1.0 | 0.0 | 21.0 | 27.0 | 29.0 | 20.0 | 31.0 | 30.0 | 26.0 | **215.0** |
| H2O | 1956 | 0.0 | 0.0 | 2.2 | 0.0 | 0.0 | 4.9 | 7.2 | 7.0 | 1.6 | 5.7 | 5.6 | 4.6 | **38.8** |
| OIL | 1956 | 0.0 | 45.4 | 292.8 | 5.7 | 0.0 | 263.1 | 387.4 | 367.2 | 263.9 | 349.8 | 282.2 | 263.5 | **2,521.0** |

Licence ***1085*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-23-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,133.0** |
| H2O | 1975 | 70.0 | 68.4 | 76.3 | 69.0 | 76.8 | 85.5 | 87.4 | 86.3 | 84.9 | 91.3 | 91.4 | 93.0 | **19,542.2** |
| OIL | 1975 | 314.6 | 297.2 | 326.2 | 288.9 | 315.3 | 331.0 | 347.7 | 349.4 | 339.0 | 350.6 | 339.1 | 344.5 | **46,484.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,770.0** |
| H2O | 1974 | 92.4 | 85.5 | 95.9 | 91.7 | 60.9 | 77.4 | 78.1 | 71.7 | 70.7 | 72.0 | 74.1 | 73.4 | **18,561.9** |
| OIL | 1974 | 379.5 | 330.9 | 378.5 | 355.3 | 339.9 | 341.3 | 352.5 | 351.0 | 337.0 | 344.2 | 338.6 | 334.5 | **42,541.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,405.0** |
| H2O | 1973 | 81.2 | 78.1 | 83.6 | 83.3 | 84.6 | 96.0 | 96.3 | 103.8 | 101.9 | 102.9 | 91.6 | 92.5 | **17,618.1** |
| OIL | 1973 | 383.1 | 337.8 | 372.3 | 363.7 | 379.6 | 358.8 | 372.0 | 397.9 | 378.7 | 386.6 | 349.4 | 369.3 | **38,358.0** |
| DAY | 1972 | 31.0 | 27.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,041.0** |
| H2O | 1972 | 185.7 | 165.0 | 201.1 | 171.9 | 196.7 | 148.3 | 164.5 | 156.0 | 156.0 | 160.4 | 81.6 | 82.8 | **16,522.3** |
| OIL | 1972 | 341.2 | 290.2 | 350.6 | 321.6 | 351.4 | 328.3 | 338.3 | 345.9 | 329.4 | 328.3 | 372.6 | 388.7 | **33,908.8** |
| DAY | 1971 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **5,678.0** |
| H2O | 1971 | 93.6 | 84.7 | 84.1 | 84.3 | 84.4 | 84.1 | 83.3 | 80.3 | 62.2 | 80.4 | 170.4 | 200.0 | **14,652.3** |
| OIL | 1971 | 445.7 | 393.0 | 427.3 | 405.7 | 414.8 | 403.2 | 412.2 | 404.6 | 344.7 | 414.3 | 343.4 | 351.5 | **29,822.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 27.0 | 31.0 | **5,319.0** |
| H2O | 1970 | 121.3 | 114.6 | 118.3 | 98.1 | 101.1 | 102.5 | 91.6 | 106.8 | 99.4 | 85.4 | 84.7 | 104.6 | **13,460.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1085*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-23-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1970 | 364.4 | 331.3 | 356.3 | 424.0 | 437.5 | 428.3 | 430.5 | 437.3 | 417.5 | 364.5 | 380.3 | 443.2 | **25,061.9** |
| DAY | 1969 | 29.0 | 27.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,959.0** |
| H2O | 1969 | 188.1 | 170.6 | 162.5 | 174.7 | 192.4 | 101.1 | 120.0 | 118.8 | 109.5 | 121.1 | 110.7 | 121.5 | **12,232.1** |
| OIL | 1969 | 361.0 | 318.8 | 357.4 | 367.1 | 376.9 | 316.2 | 359.5 | 352.1 | 335.3 | 357.1 | 349.8 | 366.3 | **20,246.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **4,600.0** |
| H2O | 1968 | 137.4 | 130.5 | 138.2 | 135.0 | 420.8 | 400.6 | 146.1 | 145.6 | 183.6 | 187.6 | 178.2 | 186.0 | **10,541.1** |
| OIL | 1968 | 284.9 | 261.4 | 279.2 | 281.4 | 417.8 | 426.8 | 340.2 | 371.4 | 371.5 | 375.7 | 370.6 | 374.6 | **16,029.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 16.0 | 25.0 | 31.0 | **4,240.0** |
| H2O | 1967 | 176.9 | 146.4 | 176.0 | 120.3 | 120.7 | 113.7 | 75.8 | 156.6 | 137.2 | 71.9 | 104.4 | 142.4 | **8,151.5** |
| OIL | 1967 | 215.0 | 191.0 | 214.4 | 217.1 | 223.6 | 214.5 | 188.9 | 282.4 | 271.9 | 139.4 | 224.5 | 284.6 | **11,873.8** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,898.0** |
| H2O | 1966 | 135.8 | 108.7 | 138.2 | 141.8 | 135.3 | 119.6 | 118.0 | 116.2 | 125.0 | 113.0 | 173.6 | 181.6 | **6,609.2** |
| OIL | 1966 | 182.0 | 160.0 | 177.3 | 173.4 | 176.7 | 169.9 | 175.9 | 174.0 | 169.7 | 192.8 | 205.8 | 210.4 | **9,206.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,533.0** |
| H2O | 1965 | 105.1 | 93.3 | 106.7 | 95.4 | 97.1 | 133.9 | 134.3 | 135.0 | 131.8 | 130.5 | 143.2 | 142.3 | **5,002.4** |
| OIL | 1965 | 76.9 | 70.1 | 76.0 | 100.0 | 100.7 | 132.5 | 138.1 | 136.8 | 145.6 | 151.4 | 160.8 | 184.0 | **7,038.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,168.0** |
| H2O | 1964 | 33.1 | 29.7 | 33.1 | 32.0 | 64.1 | 61.7 | 60.9 | 61.7 | 59.3 | 59.3 | 120.0 | 104.6 | **3,553.8** |
| OIL | 1964 | 27.7 | 26.2 | 28.3 | 27.0 | 16.2 | 15.7 | 16.2 | 16.4 | 15.9 | 16.0 | 65.6 | 76.3 | **5,565.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,802.0** |
| H2O | 1963 | 33.1 | 29.4 | 35.3 | 33.4 | 32.0 | 32.4 | 36.4 | 32.6 | 28.9 | 35.9 | 32.0 | 31.8 | **2,834.3** |
| OIL | 1963 | 44.7 | 40.2 | 46.4 | 44.5 | 45.9 | 42.9 | 46.2 | 49.3 | 52.4 | 53.6 | 25.9 | 25.7 | **5,218.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,439.0** |
| H2O | 1962 | 34.3 | 33.2 | 36.4 | 45.0 | 69.5 | 33.1 | 28.1 | 36.1 | 42.1 | 37.8 | 30.8 | 31.3 | **2,441.1** |
| OIL | 1962 | 38.9 | 33.1 | 37.5 | 37.8 | 38.9 | 50.5 | 48.5 | 55.0 | 42.4 | 44.2 | 43.5 | 47.2 | **4,700.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,076.0** |
| H2O | 1961 | 50.7 | 42.3 | 39.0 | 64.2 | 67.7 | 38.6 | 53.4 | 63.4 | 46.1 | 43.6 | 37.0 | 38.0 | **1,983.4** |
| OIL | 1961 | 57.5 | 48.9 | 59.1 | 44.0 | 50.1 | 42.0 | 48.0 | 47.8 | 52.1 | 41.8 | 37.2 | 40.2 | **4,183.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,712.0** |
| H2O | 1960 | 84.7 | 70.9 | 69.0 | 77.1 | 77.9 | 58.7 | 63.9 | 83.1 | 74.4 | 56.8 | 55.0 | 48.8 | **1,399.4** |
| OIL | 1960 | 86.4 | 73.1 | 71.4 | 77.9 | 77.2 | 79.3 | 79.6 | 69.4 | 59.9 | 59.8 | 51.2 | 52.9 | **3,614.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | 31.0 | 22.0 | 29.0 | 30.0 | 31.0 | **1,346.0** |
| H2O | 1959 | 2.9 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 1.4 | 1.6 | 123.2 | 142.1 | 111.3 | 115.1 | **579.1** |
| OIL | 1959 | 21.1 | 19.4 | 16.2 | 27.5 | 13.8 | 12.7 | 14.1 | 19.7 | 114.4 | 156.2 | 117.9 | 99.3 | **2,776.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **994.0** |
| H2O | 1958 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 2.7 | 2.5 | 3.5 | 2.4 | 2.5 | **79.0** |
| OIL | 1958 | 29.1 | 27.5 | 27.8 | 26.2 | 33.7 | 32.7 | 24.5 | 24.9 | 23.2 | 22.2 | 21.5 | 21.9 | **2,143.9** |
| DAY | 1957 | 31.0 | 28.0 | 30.0 | 23.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **630.0** |
| H2O | 1957 | 0.5 | 3.5 | 3.2 | 4.0 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 2.4 | 0.2 | **62.2** |
| OIL | 1957 | 88.7 | 52.8 | 54.2 | 48.6 | 48.1 | 46.2 | 50.2 | 40.8 | 36.9 | 37.0 | 33.1 | 27.7 | **1,828.7** |
| DAY | 1956 | 0.0 | 7.0 | 23.0 | 25.0 | 10.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | **275.0** |
| H2O | 1956 | 0.0 | 3.2 | 12.7 | 10.8 | 0.6 | 2.2 | 9.9 | 5.1 | 0.6 | 0.5 | 0.6 | 1.0 | **47.2** |
| OIL | 1956 | 0.0 | 86.1 | 249.6 | 230.7 | 40.2 | 106.3 | 101.4 | 76.8 | 98.2 | 102.0 | 83.6 | 89.5 | **1,264.4** |

Licence ***1087*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-23-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,339.0** |
| H2O | 1975 | 117.3 | 108.6 | 121.1 | 117.5 | 121.6 | 113.0 | 114.5 | 115.1 | 113.2 | 121.6 | 121.9 | 124.2 | **15,319.2** |
| OIL | 1975 | 137.5 | 123.2 | 135.2 | 128.4 | 130.8 | 123.3 | 128.1 | 131.3 | 115.8 | 120.0 | 116.0 | 117.8 | **24,147.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 21.0 | 0.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,974.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1087*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-23-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1974 | 161.4 | 149.4 | 167.2 | 162.6 | 131.8 | 92.8 | 0.0 | 99.0 | 121.1 | 123.4 | 126.9 | 117.5 | **13,909.6** |
| OIL | 1974 | 121.2 | 105.5 | 120.9 | 114.9 | 114.6 | 77.4 | 0.0 | 91.7 | 109.3 | 111.7 | 109.8 | 139.7 | **22,639.9** |
| DAY | 1973 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,655.0** |
| H2O | 1973 | 121.3 | 112.4 | 125.0 | 124.6 | 126.2 | 167.4 | 168.4 | 173.4 | 178.1 | 179.6 | 166.9 | 161.7 | **12,456.5** |
| OIL | 1973 | 87.6 | 74.5 | 85.2 | 83.3 | 86.9 | 114.6 | 118.7 | 121.6 | 120.9 | 123.5 | 116.2 | 117.9 | **21,423.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,292.0** |
| H2O | 1972 | 132.4 | 127.8 | 141.7 | 126.2 | 139.3 | 107.5 | 119.2 | 113.0 | 112.9 | 122.9 | 121.6 | 123.7 | **10,651.5** |
| OIL | 1972 | 129.7 | 119.7 | 131.6 | 125.7 | 132.5 | 85.0 | 87.4 | 89.5 | 85.2 | 89.6 | 85.2 | 88.8 | **20,172.3** |
| DAY | 1971 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 24.0 | 29.0 | 29.0 | **4,926.0** |
| H2O | 1971 | 129.4 | 116.9 | 139.6 | 140.1 | 140.2 | 130.5 | 125.3 | 124.8 | 111.8 | 92.0 | 116.1 | 130.7 | **9,163.3** |
| OIL | 1971 | 126.0 | 110.9 | 127.4 | 120.9 | 123.8 | 133.0 | 131.6 | 133.5 | 131.6 | 100.7 | 124.6 | 122.5 | **18,922.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 30.0 | **4,574.0** |
| H2O | 1970 | 62.8 | 58.8 | 61.7 | 57.1 | 58.7 | 55.5 | 53.9 | 59.9 | 137.2 | 142.4 | 121.1 | 139.7 | **7,665.9** |
| OIL | 1970 | 237.9 | 214.4 | 234.1 | 225.8 | 233.0 | 212.8 | 232.5 | 225.5 | 117.9 | 124.4 | 111.2 | 121.2 | **17,435.9** |
| DAY | 1969 | 31.0 | 27.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,215.0** |
| H2O | 1969 | 149.3 | 130.7 | 122.1 | 125.8 | 137.2 | 131.2 | 148.2 | 149.1 | 133.5 | 152.6 | 59.5 | 65.3 | **6,657.1** |
| OIL | 1969 | 166.7 | 142.1 | 156.0 | 153.5 | 156.4 | 153.3 | 166.1 | 164.9 | 152.9 | 168.1 | 235.2 | 246.3 | **15,145.2** |
| DAY | 1968 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,855.0** |
| H2O | 1968 | 73.6 | 74.6 | 79.2 | 76.3 | 85.1 | 136.1 | 143.6 | 136.6 | 136.6 | 139.4 | 134.0 | 142.3 | **5,152.6** |
| OIL | 1968 | 184.8 | 181.0 | 193.4 | 180.4 | 192.3 | 159.2 | 160.5 | 166.7 | 160.5 | 162.2 | 161.8 | 166.5 | **13,083.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 28.0 | 31.0 | **3,493.0** |
| H2O | 1967 | 61.2 | 50.7 | 60.9 | 56.6 | 51.4 | 53.3 | 74.4 | 80.9 | 75.8 | 84.9 | 69.0 | 81.6 | **3,795.2** |
| OIL | 1967 | 136.7 | 121.4 | 136.2 | 131.6 | 122.5 | 130.0 | 188.1 | 176.5 | 181.6 | 198.8 | 179.3 | 197.0 | **11,014.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | **3,137.0** |
| H2O | 1966 | 114.9 | 92.2 | 117.2 | 120.0 | 46.4 | 45.5 | 44.8 | 42.3 | 42.6 | 48.8 | 59.9 | 64.4 | **2,994.5** |
| OIL | 1966 | 115.1 | 101.2 | 112.2 | 109.6 | 107.7 | 114.7 | 118.7 | 112.8 | 103.1 | 118.7 | 130.8 | 137.0 | **9,114.7** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,779.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.9 | 67.1 | 67.7 | 115.6 | 118.6 | 120.7 | **2,155.5** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.9 | 191.3 | 181.2 | 119.3 | 113.3 | 116.3 | **7,733.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 22.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,622.0** |
| H2O | 1963 | 22.1 | 19.6 | 23.5 | 22.3 | 20.5 | 16.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,656.9** |
| OIL | 1963 | 25.4 | 22.9 | 26.4 | 25.4 | 25.3 | 18.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,992.8** |
| DAY | 1962 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 28.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,450.0** |
| H2O | 1962 | 6.8 | 9.5 | 8.1 | 4.8 | 4.6 | 8.3 | 15.4 | 16.5 | 20.5 | 25.3 | 20.7 | 20.8 | **1,532.8** |
| OIL | 1962 | 35.6 | 36.7 | 42.1 | 40.2 | 40.5 | 37.7 | 28.0 | 28.9 | 31.0 | 25.1 | 24.8 | 26.9 | **6,849.3** |
| DAY | 1961 | 30.0 | 28.0 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 23.0 | 30.0 | 30.0 | 30.0 | **2,093.0** |
| H2O | 1961 | 24.0 | 22.3 | 23.4 | 22.3 | 23.4 | 22.4 | 16.1 | 16.9 | 8.9 | 9.2 | 8.9 | 5.7 | **1,371.5** |
| OIL | 1961 | 54.0 | 48.3 | 49.1 | 48.1 | 51.3 | 53.4 | 47.8 | 52.1 | 47.2 | 49.9 | 43.4 | 42.9 | **6,451.8** |
| DAY | 1960 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 27.0 | 29.0 | 30.0 | 27.0 | 30.0 | 29.0 | 31.0 | **1,743.0** |
| H2O | 1960 | 31.6 | 27.7 | 25.4 | 22.7 | 21.3 | 15.1 | 16.4 | 12.2 | 13.0 | 13.0 | 14.1 | 23.8 | **1,168.0** |
| OIL | 1960 | 76.4 | 68.6 | 68.2 | 64.7 | 62.1 | 51.8 | 54.5 | 52.0 | 49.3 | 52.9 | 51.3 | 54.8 | **5,864.3** |
| DAY | 1959 | 30.0 | 28.0 | 31.0 | 28.0 | 29.0 | 28.0 | 28.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | **1,391.0** |
| H2O | 1959 | 28.8 | 44.0 | 29.7 | 27.3 | 27.7 | 27.0 | 29.9 | 39.0 | 35.6 | 32.9 | 41.7 | 49.3 | **931.7** |
| OIL | 1959 | 126.5 | 86.3 | 102.3 | 93.0 | 98.5 | 86.9 | 91.1 | 86.9 | 79.0 | 83.3 | 72.1 | 75.3 | **5,157.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 26.0 | 30.0 | 29.0 | 27.0 | 28.0 | **1,040.0** |
| H2O | 1958 | 5.7 | 4.6 | 5.1 | 4.5 | 5.4 | 4.8 | 5.1 | 12.7 | 42.9 | 40.7 | 45.5 | 29.9 | **518.8** |
| OIL | 1958 | 59.3 | 52.0 | 53.4 | 50.2 | 52.1 | 51.5 | 47.2 | 58.2 | 145.1 | 122.7 | 118.9 | 113.1 | **4,076.5** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 19.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **690.0** |
| H2O | 1957 | 17.0 | 17.2 | 21.0 | 19.2 | 16.5 | 19.1 | 19.2 | 14.5 | 14.8 | 14.0 | 11.0 | 7.6 | **311.9** |
| OIL | 1957 | 112.5 | 93.1 | 103.6 | 88.7 | 52.9 | 83.7 | 86.1 | 89.1 | 73.9 | 75.6 | 66.4 | 59.8 | **3,152.8** |
| DAY | 1956 | 26.0 | 29.0 | 28.0 | 24.0 | 16.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **337.0** |
| H2O | 1956 | 0.0 | 0.0 | 5.2 | 6.0 | 3.7 | 15.7 | 12.4 | 17.8 | 14.9 | 14.9 | 14.0 | 16.2 | **120.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1087*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-23-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1956 | 252.2 | 261.4 | 240.1 | 178.9 | 126.5 | 194.2 | 183.4 | 146.4 | 161.3 | 162.7 | 140.5 | 119.8 | **2,167.4** |

Licence ***1090*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,632.0** |
| H2O | 1975 | 142.3 | 120.7 | 133.2 | 131.2 | 200.3 | 190.0 | 192.2 | 215.7 | 219.6 | 259.8 | 237.8 | 249.8 | **45,031.6** |
| OIL | 1975 | 21.0 | 18.9 | 20.5 | 20.3 | 18.0 | 16.7 | 17.6 | 19.1 | 18.8 | 9.5 | 8.9 | 9.5 | **16,353.0** |
| DAY | 1974 | 31.0 | 28.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | **6,269.0** |
| H2O | 1974 | 144.5 | 130.0 | 131.5 | 126.5 | 157.1 | 180.9 | 184.6 | 188.6 | 137.0 | 142.1 | 120.7 | 131.3 | **42,739.0** |
| OIL | 1974 | 31.0 | 27.7 | 27.8 | 27.7 | 29.6 | 28.0 | 28.1 | 28.6 | 21.0 | 21.0 | 17.6 | 19.7 | **16,154.2** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | **5,912.0** |
| H2O | 1973 | 293.0 | 287.0 | 294.0 | 231.5 | 248.3 | 260.6 | 275.7 | 316.4 | 128.9 | 113.4 | 125.9 | 146.6 | **40,964.2** |
| OIL | 1973 | 63.7 | 60.4 | 69.1 | 57.5 | 60.1 | 60.1 | 59.3 | 56.4 | 30.4 | 27.5 | 31.5 | 31.1 | **15,846.4** |
| DAY | 1972 | 20.0 | 18.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | **5,552.0** |
| H2O | 1972 | 51.7 | 46.3 | 338.2 | 300.2 | 324.0 | 304.3 | 313.8 | 320.2 | 322.3 | 338.0 | 270.9 | 273.8 | **38,242.9** |
| OIL | 1972 | 16.5 | 14.9 | 80.4 | 67.5 | 111.1 | 100.6 | 101.4 | 104.7 | 65.3 | 69.8 | 58.5 | 62.1 | **15,239.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,212.0** |
| H2O | 1971 | 226.1 | 207.3 | 207.3 | 194.4 | 207.6 | 181.4 | 128.5 | 118.6 | 109.9 | 111.0 | 115.6 | 80.4 | **35,039.2** |
| OIL | 1971 | 45.4 | 41.8 | 47.4 | 45.9 | 46.4 | 40.2 | 41.6 | 41.2 | 40.5 | 39.1 | 36.9 | 26.1 | **14,386.5** |
| DAY | 1970 | 29.0 | 28.0 | 0.0 | 6.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | **4,849.0** |
| H2O | 1970 | 339.9 | 323.4 | 270.9 | 47.7 | 203.7 | 238.9 | 241.3 | 223.5 | 230.0 | 219.6 | 221.3 | 235.8 | **33,151.1** |
| OIL | 1970 | 69.4 | 70.6 | 56.4 | 9.7 | 43.4 | 47.8 | 49.4 | 45.4 | 46.1 | 43.4 | 41.2 | 51.0 | **13,894.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 0.0 | 28.0 | 29.0 | **4,549.0** |
| H2O | 1969 | 279.8 | 222.6 | 267.1 | 286.2 | 277.9 | 269.0 | 274.9 | 273.0 | 264.2 | 257.4 | 208.1 | 347.2 | **30,355.1** |
| OIL | 1969 | 38.0 | 34.0 | 44.2 | 60.9 | 66.9 | 56.4 | 60.1 | 58.2 | 61.3 | 65.5 | 46.1 | 65.9 | **13,320.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,219.0** |
| H2O | 1968 | 303.2 | 276.6 | 317.2 | 310.0 | 279.0 | 310.0 | 309.5 | 310.5 | 300.5 | 286.5 | 286.2 | 295.7 | **27,127.7** |
| OIL | 1968 | 31.5 | 30.0 | 26.1 | 28.6 | 24.8 | 47.4 | 47.4 | 42.6 | 35.4 | 41.3 | 47.8 | 47.0 | **12,662.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 29.0 | 28.0 | **3,859.0** |
| H2O | 1967 | 366.0 | 320.2 | 323.8 | 294.7 | 271.9 | 271.9 | 275.8 | 255.0 | 246.1 | 246.4 | 204.8 | 275.7 | **23,542.8** |
| OIL | 1967 | 67.1 | 55.1 | 51.6 | 49.1 | 52.8 | 52.3 | 49.7 | 49.7 | 43.1 | 46.1 | 35.0 | 33.5 | **12,212.8** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 30.0 | 26.0 | 22.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,501.0** |
| H2O | 1966 | 221.8 | 200.3 | 201.1 | 259.9 | 171.7 | 314.8 | 400.6 | 386.2 | 383.8 | 391.1 | 361.2 | 374.7 | **20,190.5** |
| OIL | 1966 | 57.8 | 43.7 | 43.5 | 36.2 | 27.0 | 70.2 | 98.7 | 85.7 | 76.1 | 70.9 | 62.8 | 70.4 | **11,627.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 29.0 | 24.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **3,152.0** |
| H2O | 1965 | 295.7 | 267.1 | 295.7 | 279.8 | 236.9 | 286.2 | 281.4 | 225.1 | 209.9 | 216.8 | 185.1 | 221.8 | **16,523.3** |
| OIL | 1965 | 86.4 | 77.9 | 83.7 | 75.5 | 61.3 | 66.7 | 62.5 | 95.8 | 64.0 | 76.0 | 63.1 | 59.8 | **10,884.7** |
| DAY | 1964 | 29.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 19.0 | 28.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,801.0** |
| H2O | 1964 | 93.8 | 92.2 | 98.6 | 101.7 | 94.9 | 120.8 | 71.9 | 343.4 | 358.5 | 337.0 | 302.9 | 293.3 | **13,521.8** |
| OIL | 1964 | 58.8 | 55.3 | 57.5 | 54.8 | 47.8 | 47.7 | 24.3 | 125.5 | 120.9 | 108.5 | 84.7 | 87.4 | **10,012.0** |
| DAY | 1963 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,455.0** |
| H2O | 1963 | 167.7 | 139.1 | 174.1 | 178.9 | 126.4 | 95.4 | 98.6 | 81.9 | 95.4 | 98.6 | 95.4 | 98.6 | **11,212.8** |
| OIL | 1963 | 88.4 | 80.4 | 81.0 | 100.7 | 93.3 | 83.7 | 72.3 | 61.2 | 71.5 | 73.9 | 67.1 | 64.0 | **9,138.8** |
| DAY | 1962 | 26.0 | 27.0 | 31.0 | 17.0 | 29.0 | 30.0 | 29.0 | 20.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,098.0** |
| H2O | 1962 | 83.5 | 149.4 | 197.1 | 95.4 | 114.5 | 104.1 | 134.3 | 98.6 | 169.3 | 172.5 | 166.9 | 172.5 | **9,762.7** |
| OIL | 1962 | 48.3 | 58.2 | 73.9 | 38.9 | 50.7 | 63.9 | 76.3 | 77.5 | 120.0 | 123.2 | 113.1 | 106.3 | **8,201.3** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 31.0 | 28.0 | 0.0 | 4.0 | 26.0 | 31.0 | **1,767.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.5 | 37.4 | 39.0 | 0.0 | 3.8 | 81.1 | 123.2 | **8,104.6** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.9 | 37.7 | 18.6 | 0.0 | 2.9 | 39.7 | 51.8 | **7,251.0** |
| DAY | 1960 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 9.0 | **1,631.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1090*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1960 | 151.0 | 141.5 | 130.4 | 111.3 | 114.5 | 117.7 | 90.6 | 104.9 | 98.6 | 97.0 | 71.5 | 15.9 | **7,806.6** |
| OIL | 1960 | 77.9 | 73.9 | 70.7 | 67.5 | 51.6 | 50.9 | 50.9 | 49.3 | 47.7 | 49.3 | 46.9 | 14.3 | **7,084.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 28.0 | 29.0 | 30.0 | 30.0 | 30.0 | 29.0 | 29.0 | **1,289.0** |
| H2O | 1959 | 231.3 | 206.7 | 225.8 | 187.6 | 189.2 | 151.0 | 146.3 | 151.0 | 138.3 | 138.3 | 120.8 | 154.2 | **6,561.7** |
| OIL | 1959 | 125.5 | 114.4 | 127.9 | 120.8 | 108.1 | 95.3 | 91.4 | 95.3 | 93.0 | 92.2 | 93.0 | 88.2 | **6,433.5** |
| DAY | 1958 | 29.0 | 27.0 | 30.0 | 27.0 | 23.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **934.0** |
| H2O | 1958 | 205.1 | 211.6 | 240.7 | 184.9 | 143.4 | 168.5 | 150.2 | 163.7 | 159.8 | 173.3 | 170.1 | 204.3 | **4,521.2** |
| OIL | 1958 | 135.9 | 168.6 | 173.4 | 129.5 | 104.4 | 139.8 | 136.0 | 126.8 | 119.5 | 124.7 | 133.5 | 135.9 | **5,188.4** |
| DAY | 1957 | 17.0 | 27.0 | 30.0 | 30.0 | 29.0 | 28.0 | 31.0 | 29.0 | 27.0 | 29.0 | 19.0 | 13.0 | **585.0** |
| H2O | 1957 | 63.3 | 105.2 | 118.1 | 123.7 | 118.3 | 109.4 | 107.3 | 126.2 | 136.1 | 111.6 | 94.4 | 54.4 | **2,345.6** |
| OIL | 1957 | 104.2 | 159.5 | 169.7 | 154.0 | 149.2 | 132.2 | 135.2 | 105.5 | 69.3 | 65.9 | 59.9 | 23.8 | **3,560.4** |
| DAY | 1956 | 7.0 | 28.0 | 27.0 | 8.0 | 24.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 22.0 | 10.0 | **276.0** |
| H2O | 1956 | 17.3 | 107.3 | 120.8 | 22.3 | 93.6 | 112.6 | 100.3 | 116.4 | 132.3 | 128.3 | 93.3 | 33.1 | **1,077.6** |
| OIL | 1956 | 75.0 | 309.7 | 292.4 | 78.3 | 195.6 | 245.0 | 228.8 | 204.7 | 205.0 | 202.5 | 143.5 | 51.5 | **2,232.0** |

Licence ***1092*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-18-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | **7,199.0** |
| H2O | 1975 | 373.4 | 328.9 | 355.3 | 356.3 | 365.2 | 370.6 | 398.1 | 354.7 | 405.7 | 423.4 | 386.8 | 431.6 | **35,777.6** |
| OIL | 1975 | 137.8 | 122.2 | 136.8 | 130.1 | 138.1 | 147.8 | 150.6 | 137.9 | 146.0 | 148.6 | 136.0 | 144.0 | **27,377.8** |
| DAY | 1974 | 28.0 | 28.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,837.0** |
| H2O | 1974 | 228.5 | 239.7 | 274.9 | 269.9 | 214.6 | 293.0 | 335.0 | 351.5 | 341.3 | 353.3 | 352.3 | 365.3 | **31,227.6** |
| OIL | 1974 | 112.5 | 117.0 | 128.9 | 122.0 | 98.0 | 138.3 | 147.9 | 130.8 | 134.6 | 137.6 | 134.8 | 136.8 | **25,701.9** |
| DAY | 1973 | 30.0 | 27.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,482.0** |
| H2O | 1973 | 319.4 | 277.6 | 237.0 | 245.8 | 250.6 | 234.7 | 245.1 | 249.6 | 245.8 | 276.3 | 268.8 | 271.1 | **27,608.3** |
| OIL | 1973 | 104.9 | 91.8 | 106.8 | 102.7 | 114.1 | 114.6 | 115.5 | 101.7 | 93.0 | 125.9 | 130.9 | 129.4 | **24,162.7** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | **6,122.0** |
| H2O | 1972 | 323.0 | 295.7 | 318.0 | 299.7 | 298.7 | 297.9 | 335.1 | 356.8 | 341.3 | 331.5 | 295.4 | 314.8 | **24,486.5** |
| OIL | 1972 | 143.5 | 166.2 | 176.2 | 158.6 | 149.1 | 132.8 | 108.7 | 112.3 | 108.9 | 100.0 | 100.0 | 108.1 | **22,831.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,759.0** |
| H2O | 1971 | 253.3 | 241.2 | 232.0 | 246.3 | 265.5 | 284.4 | 251.0 | 273.1 | 249.9 | 421.9 | 332.7 | 301.6 | **20,678.6** |
| OIL | 1971 | 173.5 | 154.9 | 161.9 | 166.7 | 162.6 | 152.1 | 145.6 | 150.0 | 147.0 | 189.4 | 144.4 | 139.4 | **21,267.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,394.0** |
| H2O | 1970 | 301.9 | 268.5 | 290.6 | 283.9 | 285.4 | 275.8 | 283.3 | 282.2 | 259.1 | 252.9 | 250.1 | 248.0 | **17,325.7** |
| OIL | 1970 | 215.6 | 191.8 | 210.4 | 195.6 | 200.5 | 192.1 | 191.3 | 202.3 | 192.9 | 200.7 | 188.8 | 177.0 | **19,379.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **5,029.0** |
| H2O | 1969 | 239.3 | 219.6 | 237.7 | 269.3 | 258.8 | 248.2 | 301.6 | 254.5 | 331.0 | 287.9 | 309.1 | 302.9 | **14,044.0** |
| OIL | 1969 | 178.9 | 163.7 | 210.7 | 206.9 | 196.3 | 225.0 | 223.3 | 216.8 | 180.4 | 161.1 | 232.6 | 234.7 | **17,020.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,668.0** |
| H2O | 1968 | 141.8 | 137.7 | 150.2 | 195.9 | 201.3 | 142.9 | 213.8 | 204.0 | 162.0 | 217.5 | 212.9 | 238.0 | **10,784.1** |
| OIL | 1968 | 158.4 | 154.9 | 159.2 | 190.7 | 187.5 | 188.0 | 183.1 | 182.7 | 150.3 | 185.9 | 174.3 | 180.0 | **14,590.1** |
| DAY | 1967 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,305.0** |
| H2O | 1967 | 34.3 | 34.7 | 37.0 | 40.9 | 38.8 | 42.4 | 38.3 | 36.7 | 38.5 | 152.0 | 149.8 | 159.5 | **8,566.1** |
| OIL | 1967 | 44.5 | 40.5 | 41.3 | 42.4 | 43.5 | 51.2 | 35.8 | 37.5 | 38.5 | 126.2 | 128.7 | 157.2 | **12,495.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,942.0** |
| H2O | 1966 | 84.3 | 63.8 | 70.0 | 63.9 | 67.1 | 61.8 | 43.4 | 38.0 | 37.0 | 38.6 | 37.2 | 32.4 | **7,763.2** |
| OIL | 1966 | 62.8 | 50.9 | 60.1 | 56.9 | 59.3 | 54.5 | 55.0 | 54.7 | 51.0 | 52.1 | 47.4 | 42.0 | **11,707.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,577.0** |
| H2O | 1965 | 60.6 | 58.0 | 65.3 | 64.4 | 56.9 | 47.4 | 57.9 | 53.7 | 51.7 | 51.0 | 52.1 | 66.0 | **7,125.7** |
| OIL | 1965 | 76.1 | 68.5 | 77.1 | 71.0 | 59.0 | 55.6 | 64.8 | 62.0 | 61.7 | 62.8 | 61.8 | 63.2 | **11,061.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1092*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-18-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,212.0** |
| H2O | 1964 | 49.3 | 46.3 | 45.5 | 44.7 | 48.6 | 50.1 | 40.7 | 74.7 | 66.1 | 62.8 | 57.1 | 56.0 | **6,440.7** |
| OIL | 1964 | 59.9 | 54.3 | 54.7 | 50.2 | 50.5 | 74.5 | 50.5 | 75.0 | 67.9 | 65.9 | 70.7 | 76.3 | **10,277.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,856.0** |
| H2O | 1963 | 42.0 | 36.4 | 40.1 | 38.8 | 41.0 | 39.3 | 37.0 | 42.0 | 40.4 | 40.9 | 51.2 | 49.4 | **5,798.8** |
| OIL | 1963 | 56.1 | 43.9 | 53.6 | 51.5 | 52.9 | 51.5 | 48.6 | 53.6 | 51.5 | 48.3 | 58.6 | 60.9 | **9,527.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,495.0** |
| H2O | 1962 | 29.7 | 25.9 | 39.7 | 31.2 | 29.4 | 31.5 | 35.9 | 37.4 | 33.1 | 40.4 | 36.1 | 35.1 | **5,300.3** |
| OIL | 1962 | 79.1 | 66.4 | 83.9 | 72.1 | 73.1 | 68.5 | 67.9 | 63.6 | 60.9 | 57.7 | 56.7 | 59.3 | **8,896.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,131.0** |
| H2O | 1961 | 77.4 | 65.3 | 67.2 | 70.0 | 65.7 | 54.7 | 51.8 | 43.4 | 40.1 | 36.1 | 28.3 | 29.3 | **4,894.9** |
| OIL | 1961 | 103.3 | 89.3 | 98.0 | 92.5 | 95.3 | 89.0 | 90.7 | 85.3 | 83.7 | 88.0 | 81.5 | 82.5 | **8,086.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,766.0** |
| H2O | 1960 | 93.0 | 85.1 | 90.0 | 88.4 | 104.4 | 97.6 | 97.3 | 104.1 | 96.8 | 91.3 | 81.2 | 95.9 | **4,265.6** |
| OIL | 1960 | 102.3 | 96.3 | 102.5 | 102.5 | 106.9 | 99.8 | 104.4 | 99.8 | 96.9 | 100.0 | 103.3 | 104.2 | **7,007.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,402.0** |
| H2O | 1959 | 76.9 | 73.3 | 76.9 | 77.9 | 93.8 | 89.3 | 92.8 | 85.5 | 84.4 | 90.3 | 86.0 | 91.7 | **3,140.5** |
| OIL | 1959 | 103.0 | 97.4 | 109.8 | 102.7 | 109.5 | 106.0 | 109.3 | 98.7 | 95.0 | 98.0 | 101.7 | 107.3 | **5,788.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,040.0** |
| H2O | 1958 | 99.2 | 87.8 | 98.9 | 112.4 | 117.5 | 120.7 | 95.1 | 84.9 | 79.0 | 79.0 | 77.3 | 78.2 | **2,121.7** |
| OIL | 1958 | 154.1 | 136.7 | 141.7 | 132.8 | 135.9 | 121.6 | 129.0 | 125.5 | 117.1 | 117.4 | 113.5 | 116.5 | **4,550.5** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **675.0** |
| H2O | 1957 | 19.7 | 21.8 | 19.7 | 29.6 | 26.7 | 19.6 | 22.1 | 69.3 | 131.3 | 122.6 | 104.6 | 110.3 | **991.7** |
| OIL | 1957 | 71.0 | 72.5 | 73.6 | 58.6 | 57.0 | 53.9 | 74.7 | 140.0 | 219.1 | 177.7 | 143.0 | 163.4 | **3,008.7** |
| DAY | 1956 | 10.0 | 28.0 | 31.0 | 11.0 | 30.0 | 26.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **317.0** |
| H2O | 1956 | 2.7 | 12.6 | 13.0 | 4.8 | 42.9 | 24.0 | 35.3 | 57.2 | 33.1 | 26.1 | 18.9 | 23.8 | **294.4** |
| OIL | 1956 | 111.6 | 257.0 | 232.0 | 68.2 | 200.1 | 151.8 | 143.0 | 147.8 | 129.7 | 101.5 | 84.1 | 77.4 | **1,704.2** |

Licence ***1093*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-07-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 2932.5 | 2287.9 | 2203.0 | 738.0 | 667.6 | 826.7 | 896.2 | 1082.8 | 1098.7 | 2263.4 | 2699.8 | 3014.9 | **188,267.8** |
| WIN | 1974 | 1507.4 | 2637.8 | 2702.8 | 2740.0 | 2453.7 | 2214.8 | 2554.3 | 2268.5 | 2569.3 | 2772.1 | 2816.8 | 2794.1 | **167,556.3** |
| WIN | 1973 | 849.7 | 683.0 | 762.0 | 860.2 | 1685.8 | 2304.4 | 2217.1 | 2363.7 | 2490.7 | 2480.4 | 2512.8 | 2298.5 | **137,524.7** |
| WIN | 1972 | 889.0 | 983.8 | 798.6 | 652.3 | 847.8 | 1187.1 | 1054.2 | 1049.0 | 1040.7 | 1125.6 | 800.5 | 908.6 | **116,016.4** |
| WIN | 1971 | 1523.2 | 1908.7 | 1703.0 | 2039.9 | 1695.2 | 1326.5 | 1347.7 | 1785.0 | 2448.6 | 2515.7 | 2525.6 | 96.2 | **104,679.2** |
| WIN | 1970 | 1769.3 | 1710.1 | 1707.0 | 1884.1 | 1250.4 | 1398.1 | 1802.7 | 1591.9 | 1459.8 | 1871.2 | 2062.6 | 1838.3 | **83,763.9** |
| WIN | 1969 | 2444.8 | 2165.0 | 2331.9 | 2348.6 | 1693.5 | 2282.0 | 1264.0 | 1640.8 | 1532.9 | 1924.3 | 2029.4 | 2233.7 | **63,418.4** |
| WIN | 1968 | 2032.7 | 2644.8 | 2118.4 | 2624.1 | 2338.4 | 2124.1 | 2353.2 | 2382.8 | 1844.5 | 2432.7 | 2390.7 | 2259.7 | **39,527.5** |
| DAY | 1967 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,051.0** |
| H2O | 1967 | 115.5 | 116.3 | 142.0 | 141.6 | 127.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **19,360.3** |
| OIL | 1967 | 75.7 | 68.8 | 79.9 | 74.7 | 72.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **24,373.1** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 622.4 | 2252.4 | 2832.1 | 2469.3 | 1869.6 | 1935.6 | **11,981.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,902.0** |
| H2O | 1966 | 185.4 | 159.0 | 179.5 | 158.8 | 179.8 | 208.6 | 215.7 | 210.3 | 169.0 | 146.3 | 181.6 | 112.6 | **18,717.0** |
| OIL | 1966 | 115.2 | 104.1 | 115.5 | 122.5 | 119.8 | 97.6 | 90.9 | 95.3 | 92.8 | 86.3 | 79.3 | 74.2 | **24,001.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,538.0** |
| H2O | 1965 | 307.3 | 285.5 | 343.4 | 257.6 | 225.0 | 198.1 | 205.7 | 208.3 | 216.9 | 184.6 | 181.6 | 195.9 | **16,610.4** |
| OIL | 1965 | 131.9 | 126.8 | 147.5 | 115.2 | 121.7 | 104.7 | 109.3 | 118.7 | 109.8 | 123.6 | 117.8 | 117.8 | **22,808.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,174.0** |
| H2O | 1964 | 234.4 | 218.1 | 224.5 | 216.7 | 246.4 | 243.7 | 298.1 | 299.1 | 230.7 | 241.8 | 237.8 | 285.4 | **13,800.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1093*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-07-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1964 | 147.2 | 158.8 | 161.6 | 164.8 | 160.0 | 154.0 | 151.4 | 149.7 | 139.4 | 128.1 | 132.7 | 136.5 | **21,363.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,808.0** |
| H2O | 1963 | 200.8 | 150.7 | 174.6 | 169.8 | 193.3 | 189.4 | 226.4 | 218.0 | 232.8 | 244.2 | 238.8 | 237.7 | **10,823.8** |
| OIL | 1963 | 185.6 | 154.6 | 179.6 | 160.2 | 194.8 | 174.2 | 183.1 | 165.3 | 163.4 | 174.3 | 169.6 | 145.4 | **19,579.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | **2,445.0** |
| H2O | 1962 | 128.5 | 119.7 | 130.7 | 96.3 | 109.4 | 138.8 | 172.8 | 227.8 | 208.8 | 231.2 | 196.4 | 219.7 | **8,347.3** |
| OIL | 1962 | 206.4 | 162.9 | 177.8 | 155.4 | 171.6 | 169.7 | 192.1 | 175.6 | 171.3 | 181.0 | 169.2 | 184.5 | **17,528.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,085.0** |
| H2O | 1961 | 142.8 | 146.4 | 150.4 | 143.4 | 134.8 | 151.4 | 156.3 | 160.9 | 125.4 | 129.9 | 115.9 | 118.3 | **6,367.2** |
| OIL | 1961 | 191.2 | 169.7 | 193.1 | 190.2 | 181.2 | 175.1 | 176.7 | 194.2 | 201.7 | 195.5 | 179.7 | 174.0 | **15,411.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,720.0** |
| H2O | 1960 | 87.3 | 60.9 | 108.0 | 105.4 | 108.3 | 108.3 | 102.9 | 138.5 | 122.6 | 121.0 | 119.1 | 163.6 | **4,691.3** |
| OIL | 1960 | 222.5 | 209.1 | 228.5 | 204.8 | 200.7 | 210.4 | 212.9 | 213.4 | 205.8 | 194.0 | 196.6 | 205.2 | **13,189.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,354.0** |
| H2O | 1959 | 70.4 | 72.2 | 90.8 | 97.0 | 102.1 | 100.3 | 104.4 | 116.9 | 102.2 | 101.3 | 98.2 | 97.1 | **3,345.4** |
| OIL | 1959 | 234.7 | 219.3 | 241.4 | 227.1 | 239.6 | 230.9 | 242.8 | 231.8 | 227.2 | 220.1 | 214.1 | 222.8 | **10,685.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **989.0** |
| H2O | 1958 | 59.9 | 46.9 | 72.5 | 86.8 | 60.7 | 56.9 | 52.3 | 61.4 | 58.2 | 87.4 | 77.1 | 45.8 | **2,192.5** |
| OIL | 1958 | 256.6 | 215.3 | 268.1 | 257.0 | 255.2 | 250.4 | 263.9 | 236.0 | 241.4 | 256.5 | 240.0 | 235.8 | **7,933.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **625.0** |
| H2O | 1957 | 6.8 | 6.0 | 7.2 | 290.8 | 282.5 | 35.0 | 33.5 | 37.5 | 37.4 | 41.5 | 20.5 | 77.1 | **1,426.6** |
| OIL | 1957 | 227.1 | 197.4 | 229.6 | 143.5 | 152.9 | 258.1 | 275.5 | 268.1 | 241.5 | 243.1 | 243.6 | 266.7 | **4,957.2** |
| DAY | 1956 | 9.0 | 13.0 | 11.0 | 0.0 | 29.0 | 27.0 | 31.0 | 31.0 | 30.0 | 24.0 | 25.0 | 31.0 | **261.0** |
| H2O | 1956 | 3.8 | 64.7 | 53.3 | 0.0 | 174.1 | 54.2 | 103.0 | 73.1 | 6.8 | 5.6 | 5.4 | 6.8 | **550.8** |
| OIL | 1956 | 126.0 | 132.8 | 124.1 | 0.0 | 248.2 | 196.1 | 273.0 | 271.9 | 236.8 | 189.4 | 187.4 | 224.4 | **2,210.1** |

Licence ***1094*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-14-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 19.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,674.0** |
| H2O | 1975 | 53.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,106.4** |
| OIL | 1975 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,165.5** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,655.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 61.8 | 92.0 | 93.0 | 85.4 | 84.1 | 88.2 | 88.1 | 88.1 | **7,052.5** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 11.9 | 25.7 | 26.5 | 26.4 | 25.4 | 26.7 | 25.4 | 8.4 | **6,160.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 23.0 | 0.0 | **5,414.0** |
| H2O | 1973 | 60.7 | 58.3 | 62.5 | 62.3 | 63.1 | 46.1 | 46.3 | 50.1 | 49.1 | 75.5 | 53.4 | 0.0 | **6,371.8** |
| OIL | 1973 | 22.1 | 19.5 | 21.5 | 21.0 | 21.9 | 17.2 | 17.8 | 19.1 | 18.1 | 14.3 | 10.2 | 0.0 | **5,984.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,087.0** |
| H2O | 1972 | 51.2 | 50.1 | 55.0 | 48.8 | 54.1 | 26.9 | 29.7 | 28.3 | 28.1 | 30.7 | 60.9 | 61.8 | **5,744.4** |
| OIL | 1972 | 30.2 | 28.0 | 30.5 | 29.1 | 30.8 | 25.6 | 26.4 | 26.9 | 25.6 | 27.0 | 21.6 | 22.6 | **5,781.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,721.0** |
| H2O | 1971 | 48.3 | 44.0 | 50.6 | 50.7 | 50.9 | 47.2 | 50.1 | 48.3 | 43.2 | 48.3 | 46.6 | 54.7 | **5,218.8** |
| OIL | 1971 | 33.4 | 29.6 | 32.7 | 31.1 | 31.8 | 28.8 | 31.5 | 31.0 | 30.5 | 31.6 | 30.0 | 30.7 | **5,457.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,358.0** |
| H2O | 1970 | 45.5 | 50.7 | 53.1 | 49.1 | 50.6 | 50.4 | 47.4 | 53.4 | 49.8 | 51.7 | 47.1 | 52.3 | **4,635.9** |
| OIL | 1970 | 27.2 | 29.2 | 31.9 | 30.8 | 31.8 | 30.5 | 32.3 | 31.8 | 30.4 | 31.9 | 30.7 | 32.3 | **5,084.4** |
| DAY | 1969 | 29.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **3,993.0** |
| H2O | 1969 | 52.5 | 51.0 | 44.5 | 48.8 | 53.7 | 51.4 | 55.6 | 56.1 | 52.8 | 50.1 | 51.2 | 56.1 | **4,034.8** |
| OIL | 1969 | 31.0 | 29.2 | 30.2 | 31.6 | 32.3 | 31.8 | 32.9 | 32.7 | 31.9 | 29.2 | 32.1 | 33.5 | **4,713.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,635.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1094*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-14-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1968 | 18.9 | 18.0 | 19.1 | 19.7 | 34.8 | 33.9 | 56.1 | 51.4 | 51.4 | 54.5 | 50.4 | 53.7 | **3,411.0** |
| OIL | 1968 | 45.0 | 41.2 | 44.0 | 44.0 | 30.5 | 31.6 | 33.2 | 33.2 | 31.9 | 33.7 | 32.3 | 33.2 | **4,335.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 28.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **3,271.0** |
| H2O | 1967 | 23.4 | 19.2 | 23.2 | 19.9 | 18.1 | 20.5 | 16.1 | 21.6 | 18.9 | 18.4 | 18.0 | 19.6 | **2,949.1** |
| OIL | 1967 | 45.6 | 40.5 | 45.4 | 40.4 | 37.8 | 43.4 | 45.0 | 44.7 | 43.1 | 41.0 | 44.3 | 44.8 | **3,901.4** |
| DAY | 1966 | 31.0 | 28.0 | 27.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,916.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.3 | 20.8 | 22.6 | 23.1 | 23.1 | 24.6 | **2,712.2** |
| OIL | 1966 | 43.7 | 38.3 | 36.9 | 40.8 | 33.2 | 42.0 | 44.5 | 44.0 | 42.9 | 44.3 | 43.7 | 45.6 | **3,385.4** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 31.0 | 30.0 | 31.0 | **2,562.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.2 | 37.7 | 39.3 | 0.0 | **2,576.7** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.9 | 121.9 | 117.9 | 44.2 | **2,885.5** |
| DAY | 1963 | 25.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,466.0** |
| H2O | 1963 | 5.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,494.5** |
| OIL | 1963 | 3.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,585.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 24.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,441.0** |
| H2O | 1962 | 4.9 | 4.4 | 4.9 | 4.8 | 21.8 | 7.5 | 13.5 | 9.5 | 6.7 | 7.5 | 7.2 | 15.3 | **2,488.6** |
| OIL | 1962 | 11.6 | 7.5 | 6.2 | 6.0 | 5.1 | 3.8 | 9.7 | 10.2 | 7.8 | 4.1 | 4.0 | 8.3 | **2,582.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,091.0** |
| H2O | 1961 | 4.9 | 4.4 | 8.1 | 4.8 | 5.6 | 4.6 | 4.8 | 4.9 | 4.8 | 4.9 | 4.8 | 4.9 | **2,380.6** |
| OIL | 1961 | 15.3 | 13.0 | 14.9 | 11.8 | 16.2 | 13.8 | 14.3 | 14.0 | 13.5 | 14.1 | 13.7 | 11.3 | **2,498.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,726.0** |
| H2O | 1960 | 20.0 | 17.0 | 14.8 | 18.9 | 13.5 | 6.8 | 7.2 | 5.9 | 6.8 | 7.2 | 5.1 | 5.1 | **2,319.1** |
| OIL | 1960 | 21.3 | 19.1 | 20.3 | 19.5 | 18.9 | 16.2 | 21.0 | 18.8 | 15.9 | 14.9 | 13.7 | 12.7 | **2,332.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | **1,362.0** |
| H2O | 1959 | 25.6 | 18.8 | 20.7 | 26.2 | 24.6 | 20.5 | 20.3 | 14.0 | 16.0 | 20.8 | 18.4 | 16.2 | **2,190.8** |
| OIL | 1959 | 28.4 | 25.4 | 29.1 | 26.7 | 24.5 | 24.8 | 24.8 | 24.3 | 23.8 | 22.9 | 20.8 | 21.1 | **2,119.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,002.0** |
| H2O | 1958 | 35.9 | 29.9 | 27.3 | 31.5 | 30.5 | 33.1 | 37.2 | 35.0 | 34.8 | 31.5 | 35.1 | 26.9 | **1,948.7** |
| OIL | 1958 | 41.3 | 35.6 | 39.6 | 36.7 | 35.3 | 32.9 | 34.8 | 30.7 | 31.5 | 32.7 | 30.7 | 31.1 | **1,823.2** |
| DAY | 1957 | 30.0 | 28.0 | 30.0 | 30.0 | 18.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **637.0** |
| H2O | 1957 | 81.7 | 68.2 | 75.0 | 64.4 | 40.7 | 62.0 | 62.2 | 55.6 | 38.0 | 39.4 | 33.1 | 35.1 | **1,560.0** |
| OIL | 1957 | 69.3 | 54.8 | 60.2 | 56.9 | 36.9 | 56.6 | 58.5 | 65.3 | 60.1 | 57.0 | 55.5 | 46.9 | **1,410.3** |
| DAY | 1956 | 3.0 | 24.0 | 27.0 | 26.0 | 3.0 | 30.0 | 31.0 | 24.0 | 30.0 | 31.0 | 29.0 | 31.0 | **289.0** |
| H2O | 1956 | 0.0 | 13.8 | 13.7 | 12.2 | 2.7 | 17.0 | 16.9 | 224.6 | 222.7 | 173.8 | 110.2 | 97.0 | **904.6** |
| OIL | 1956 | 10.0 | 67.1 | 58.2 | 45.8 | 14.1 | 48.8 | 35.4 | 88.5 | 109.6 | 95.3 | 85.8 | 73.7 | **732.3** |

Licence ***1095*** Well Name ***West Butler Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-31-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole F*** Field Code ***1*** Pool Code ***59F*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1973 | 431.5 | 13.7 | 199.2 | 355.0 | 333.1 | 536.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,362.0** |
| DAY | 1972 | 0.0 | 0.0 | 15.0 | 5.0 | 25.0 | 30.0 | 31.0 | 27.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,089.0** |
| OIL | 1972 | 0.0 | 0.0 | 25.3 | 10.6 | 56.7 | 41.0 | 35.9 | 33.9 | 0.0 | 0.0 | 0.0 | 0.0 | **3,229.7** |
| WIN | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 199.1 | 156.9 | 553.1 | 583.7 | **1,492.8** |
| DAY | 1971 | 0.0 | 5.0 | 31.0 | 19.0 | 14.0 | 22.0 | 23.0 | 18.0 | 26.0 | 17.0 | 3.0 | 0.0 | **3,956.0** |
| OIL | 1971 | 0.0 | 17.3 | 56.1 | 27.3 | 11.9 | 50.2 | 30.8 | 24.8 | 30.2 | 22.1 | 3.7 | 0.0 | **3,026.3** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 27.0 | 0.0 | 26.0 | 15.0 | 25.0 | 17.0 | 7.0 | 0.0 | 0.0 | **3,778.0** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 17.0 | 0.0 | 17.5 | 6.2 | 10.2 | 6.5 | 1.6 | 0.0 | 0.0 | **2,751.9** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 28.0 | 28.0 | 26.0 | 22.0 | 19.0 | 26.0 | 0.0 | **3,661.0** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 18.1 | 15.1 | 14.1 | 9.2 | 7.5 | 7.3 | 8.4 | 0.0 | **2,692.9** |
| DAY | 1968 | 0.0 | 0.0 | 31.0 | 29.0 | 31.0 | 26.0 | 28.0 | 26.0 | 22.0 | 22.0 | 16.0 | 0.0 | **3,490.0** |
| OIL | 1968 | 0.0 | 0.0 | 39.3 | 24.0 | 23.4 | 17.8 | 16.2 | 7.5 | 13.8 | 14.1 | 8.6 | 0.0 | **2,613.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1095*** Well Name ***West Butler Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-31-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole F*** Field Code ***1*** Pool Code ***59F*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 7.0 | 0.0 | 19.0 | 12.0 | 29.0 | 30.0 | 31.0 | 31.0 | 27.0 | 16.0 | 30.0 | 20.0 | **3,259.0** |
| OIL | 1967 | 2.2 | 0.0 | 7.5 | 6.5 | 18.6 | 12.7 | 11.9 | 11.1 | 9.5 | 10.2 | 16.8 | 23.0 | **2,448.5** |
| DAY | 1966 | 0.0 | 0.0 | 11.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 27.0 | 31.0 | **3,007.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.3 | 0.3 | 0.5 | 0.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **36.4** |
| OIL | 1966 | 0.0 | 0.0 | 15.7 | 13.3 | 13.8 | 12.4 | 11.9 | 11.3 | 10.5 | 10.8 | 10.2 | 10.5 | **2,318.5** |
| DAY | 1965 | 8.0 | 0.0 | 0.0 | 3.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,731.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | **34.6** |
| OIL | 1965 | 4.1 | 0.0 | 0.0 | 8.1 | 30.4 | 22.4 | 21.3 | 21.6 | 20.7 | 17.8 | 15.6 | 16.2 | **2,198.1** |
| DAY | 1964 | 30.0 | 28.0 | 10.0 | 0.0 | 18.0 | 30.0 | 31.0 | 28.0 | 10.0 | 0.0 | 0.0 | 23.0 | **2,477.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.0 | 0.0 | 3.3 | 0.2 | 0.0 | 0.0 | 0.6 | **31.9** |
| OIL | 1964 | 13.5 | 15.7 | 8.6 | 0.0 | 12.7 | 16.8 | 18.6 | 15.9 | 7.0 | 0.0 | 0.0 | 12.2 | **2,019.9** |
| DAY | 1963 | 14.0 | 0.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,269.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **27.5** |
| OIL | 1963 | 5.7 | 0.0 | 20.8 | 15.9 | 16.8 | 17.0 | 16.5 | 12.1 | 11.9 | 12.1 | 13.8 | 11.4 | **1,898.9** |
| DAY | 1962 | 31.0 | 22.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,956.0** |
| H2O | 1962 | 0.0 | 2.2 | 0.5 | 0.0 | 0.5 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **27.2** |
| OIL | 1962 | 7.6 | 12.1 | 13.2 | 14.5 | 11.8 | 12.6 | 12.6 | 12.9 | 12.2 | 13.0 | 12.9 | 11.9 | **1,744.9** |
| DAY | 1961 | 15.0 | 28.0 | 25.0 | 13.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,601.0** |
| OIL | 1961 | 12.6 | 22.9 | 17.6 | 9.9 | 21.0 | 19.7 | 20.3 | 16.5 | 23.8 | 19.1 | 17.2 | 17.5 | **1,597.6** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 23.0 | 31.0 | 18.0 | 16.0 | 28.0 | 30.0 | 31.0 | 9.0 | 0.0 | **1,278.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | **23.8** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 35.3 | 21.1 | 5.6 | 11.4 | 19.7 | 20.3 | 18.9 | 5.7 | 0.0 | **1,379.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 20.0 | 10.0 | 0.0 | 0.0 | 29.0 | 16.0 | 0.0 | **1,092.0** |
| OIL | 1959 | 17.0 | 16.0 | 18.4 | 17.2 | 14.3 | 12.6 | 3.8 | 0.0 | 0.0 | 19.4 | 9.9 | 0.0 | **1,241.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 22.0 | 0.0 | 19.0 | 30.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **868.0** |
| H2O | 1958 | 1.1 | 0.6 | 1.1 | 1.6 | 0.0 | 2.5 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **22.2** |
| OIL | 1958 | 27.7 | 24.9 | 28.3 | 19.2 | 0.0 | 18.0 | 26.5 | 21.9 | 21.5 | 22.2 | 19.4 | 20.0 | **1,112.9** |
| DAY | 1957 | 31.0 | 23.0 | 30.0 | 24.0 | 0.0 | 0.0 | 0.0 | 9.0 | 30.0 | 27.0 | 30.0 | 31.0 | **557.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.2 | 0.3 | 3.2 | 0.6 | 1.7 | **12.1** |
| OIL | 1957 | 24.0 | 18.6 | 21.1 | 18.0 | 0.0 | 0.0 | 0.0 | 13.2 | 46.2 | 30.2 | 29.1 | 30.8 | **863.3** |
| DAY | 1956 | 2.0 | 27.0 | 30.0 | 29.0 | 31.0 | 20.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **322.0** |
| H2O | 1956 | 0.8 | 0.8 | 1.1 | 1.0 | 0.5 | 0.5 | 0.5 | 0.5 | 0.2 | 0.0 | 0.0 | 0.0 | **5.9** |
| OIL | 1956 | 20.0 | 171.0 | 110.0 | 70.2 | 45.0 | 26.9 | 32.6 | 34.0 | 35.9 | 30.4 | 28.3 | 27.8 | **632.1** |

Licence ***1098*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-15-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,072.0** |
| H2O | 1975 | 3271.8 | 2881.4 | 2945.9 | 2844.3 | 3200.4 | 2952.9 | 3173.1 | 3010.4 | 3353.8 | 3388.3 | 3336.8 | 3568.5 | **365,157.9** |
| OIL | 1975 | 59.6 | 52.8 | 55.9 | 51.3 | 59.8 | 57.8 | 59.0 | 57.5 | 57.2 | 56.3 | 55.6 | 56.4 | **19,891.2** |
| DAY | 1974 | 10.0 | 28.0 | 24.0 | 28.0 | 27.0 | 23.0 | 23.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,711.0** |
| H2O | 1974 | 1879.0 | 5872.7 | 5206.8 | 6385.4 | 6015.5 | 5587.2 | 5204.4 | 0.0 | 2596.1 | 3119.7 | 3076.4 | 3226.5 | **327,230.3** |
| OIL | 1974 | 32.9 | 78.0 | 66.6 | 78.7 | 47.5 | 45.6 | 44.7 | 0.0 | 35.0 | 59.9 | 57.8 | 59.8 | **19,212.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 28.0 | 29.0 | 28.0 | 30.0 | 29.0 | 30.0 | 27.0 | 26.0 | 25.0 | **5,426.0** |
| H2O | 1973 | 6578.9 | 5708.7 | 6681.1 | 5820.1 | 6129.5 | 5390.9 | 5737.3 | 5893.4 | 6261.3 | 5519.1 | 5110.9 | 4881.0 | **279,060.6** |
| OIL | 1973 | 62.5 | 54.3 | 61.0 | 99.2 | 113.8 | 107.6 | 110.3 | 98.0 | 96.8 | 89.6 | 89.0 | 83.1 | **18,605.5** |
| DAY | 1972 | 0.0 | 0.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 23.0 | 30.0 | **5,084.0** |
| H2O | 1972 | 0.0 | 0.0 | 4963.7 | 5550.8 | 5773.0 | 5786.6 | 5757.0 | 6384.5 | 5752.5 | 6528.5 | 4548.3 | 6044.7 | **209,348.4** |
| OIL | 1972 | 0.0 | 0.0 | 278.3 | 283.2 | 286.8 | 275.4 | 290.6 | 120.9 | 110.4 | 118.5 | 44.3 | 60.1 | **17,540.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 24.0 | 31.0 | 30.0 | 26.0 | 25.0 | 27.0 | 31.0 | 29.0 | 18.0 | **4,793.0** |
| H2O | 1969 | 4119.8 | 3782.5 | 3995.8 | 3152.4 | 4027.8 | 4006.6 | 3286.0 | 2913.3 | 3463.4 | 3998.3 | 3765.0 | 2405.5 | **152,258.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1098*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-15-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1969 | 69.1 | 63.2 | 70.7 | 52.4 | 64.2 | 72.1 | 58.5 | 54.0 | 58.3 | 69.1 | 48.5 | 32.7 | **15,671.8** |
| DAY | 1968 | 30.0 | 29.0 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,462.0** |
| H2O | 1968 | 3028.9 | 2863.4 | 3352.4 | 2524.8 | 3039.5 | 3912.8 | 4597.9 | 4476.6 | 3508.4 | 4479.6 | 4384.0 | 4101.5 | **109,342.4** |
| OIL | 1968 | 157.8 | 150.0 | 165.6 | 121.1 | 139.5 | 93.9 | 98.8 | 100.6 | 74.7 | 92.6 | 86.6 | 69.6 | **14,959.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 30.0 | 20.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,103.0** |
| H2O | 1967 | 507.8 | 513.2 | 602.7 | 516.4 | 578.5 | 542.8 | 349.0 | 503.8 | 521.3 | 2445.0 | 2986.0 | 3104.1 | **65,072.6** |
| OIL | 1967 | 40.7 | 36.9 | 41.3 | 33.2 | 39.9 | 41.5 | 26.5 | 42.0 | 42.6 | 155.6 | 151.3 | 156.4 | **13,608.2** |
| DAY | 1966 | 31.0 | 27.0 | 30.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 22.0 | 20.0 | 29.0 | 30.0 | **3,754.0** |
| H2O | 1966 | 605.2 | 518.8 | 578.8 | 539.7 | 586.8 | 569.5 | 562.3 | 579.3 | 421.0 | 382.8 | 543.9 | 446.6 | **51,902.0** |
| OIL | 1966 | 48.9 | 50.2 | 51.8 | 46.7 | 52.8 | 47.8 | 48.9 | 50.9 | 37.2 | 38.5 | 51.5 | 36.1 | **12,800.3** |
| DAY | 1965 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 26.0 | 29.0 | 29.0 | 30.0 | **3,417.0** |
| H2O | 1965 | 542.1 | 488.1 | 476.9 | 498.4 | 571.5 | 523.0 | 538.9 | 569.1 | 466.3 | 531.8 | 527.8 | 560.7 | **45,567.3** |
| OIL | 1965 | 56.7 | 47.8 | 43.2 | 39.9 | 67.7 | 52.0 | 52.4 | 59.4 | 44.8 | 49.9 | 50.7 | 51.2 | **12,239.0** |
| DAY | 1964 | 30.0 | 29.0 | 31.0 | 23.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 23.0 | 28.0 | 29.0 | **3,064.0** |
| H2O | 1964 | 476.9 | 461.0 | 492.8 | 365.7 | 492.8 | 476.9 | 445.1 | 467.4 | 596.2 | 463.4 | 544.5 | 588.2 | **39,272.7** |
| OIL | 1964 | 49.7 | 50.1 | 54.0 | 40.4 | 56.1 | 52.9 | 48.6 | 59.1 | 57.4 | 48.9 | 52.6 | 55.5 | **11,623.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,721.0** |
| H2O | 1963 | 492.8 | 445.1 | 492.8 | 461.0 | 492.8 | 476.9 | 492.8 | 492.8 | 476.9 | 492.8 | 476.9 | 492.8 | **33,401.8** |
| OIL | 1963 | 53.7 | 48.5 | 55.0 | 50.9 | 54.0 | 65.3 | 54.3 | 53.4 | 52.9 | 55.0 | 52.6 | 54.3 | **10,998.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 25.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **2,357.0** |
| H2O | 1962 | 492.8 | 445.1 | 492.8 | 461.0 | 492.8 | 397.4 | 492.8 | 492.8 | 476.9 | 492.8 | 476.9 | 476.9 | **27,615.4** |
| OIL | 1962 | 81.0 | 74.4 | 80.9 | 64.7 | 60.5 | 43.4 | 69.4 | 81.2 | 75.2 | 63.7 | 61.7 | 40.7 | **10,348.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,000.0** |
| H2O | 1961 | 443.6 | 410.2 | 457.5 | 468.2 | 467.4 | 453.1 | 468.2 | 481.7 | 476.9 | 492.8 | 476.9 | 492.8 | **21,924.4** |
| OIL | 1961 | 75.8 | 69.3 | 79.3 | 75.2 | 73.7 | 72.6 | 68.6 | 76.0 | 65.3 | 77.4 | 78.8 | 87.4 | **9,551.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | **1,635.0** |
| H2O | 1960 | 443.6 | 399.0 | 432.4 | 429.2 | 414.9 | 429.2 | 414.9 | 443.6 | 343.4 | 443.6 | 429.2 | 443.6 | **16,335.1** |
| OIL | 1960 | 91.7 | 75.8 | 82.8 | 82.0 | 87.1 | 85.7 | 84.9 | 93.0 | 63.7 | 90.4 | 80.1 | 81.2 | **8,651.9** |
| DAY | 1959 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | **1,279.0** |
| H2O | 1959 | 443.6 | 372.0 | 443.6 | 429.2 | 427.7 | 400.6 | 443.6 | 443.6 | 422.1 | 400.6 | 429.2 | 414.9 | **11,268.5** |
| OIL | 1959 | 98.7 | 79.1 | 102.8 | 97.1 | 102.0 | 92.3 | 103.3 | 98.2 | 89.3 | 89.6 | 91.1 | 80.4 | **7,653.5** |
| DAY | 1958 | 31.0 | 16.0 | 29.0 | 20.0 | 30.0 | 26.0 | 27.0 | 30.0 | 25.0 | 30.0 | 30.0 | 31.0 | **922.0** |
| H2O | 1958 | 295.7 | 135.6 | 259.9 | 178.1 | 286.2 | 243.2 | 324.3 | 392.7 | 342.9 | 426.1 | 429.2 | 443.6 | **6,197.8** |
| OIL | 1958 | 176.4 | 84.4 | 149.7 | 86.4 | 109.3 | 105.5 | 111.4 | 123.6 | 102.8 | 106.0 | 103.3 | 108.5 | **6,529.6** |
| DAY | 1957 | 29.0 | 15.0 | 18.0 | 27.0 | 26.0 | 28.0 | 31.0 | 30.0 | 26.0 | 31.0 | 28.0 | 31.0 | **597.0** |
| H2O | 1957 | 5.9 | 80.6 | 100.2 | 196.3 | 181.7 | 212.2 | 240.4 | 284.6 | 248.8 | 288.9 | 267.1 | 295.7 | **2,440.3** |
| OIL | 1957 | 241.4 | 119.7 | 109.2 | 211.7 | 190.4 | 193.9 | 177.7 | 185.1 | 148.4 | 185.3 | 162.7 | 178.8 | **5,162.3** |
| DAY | 1956 | 6.0 | 27.0 | 29.0 | 11.0 | 17.0 | 29.0 | 28.0 | 30.0 | 28.0 | 28.0 | 21.0 | 23.0 | **277.0** |
| H2O | 1956 | 2.1 | 0.6 | 0.6 | 0.2 | 2.7 | 4.5 | 4.5 | 4.8 | 4.5 | 4.5 | 3.3 | 5.6 | **37.9** |
| OIL | 1956 | 106.5 | 302.7 | 324.2 | 120.0 | 192.6 | 314.3 | 308.3 | 324.0 | 314.8 | 315.0 | 225.0 | 210.6 | **3,058.0** |

Licence ***1100*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-23-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 997.3 | 910.3 | 938.1 | 995.1 | 983.8 | 918.3 | 901.7 | 1009.5 | 873.9 | 1045.3 | 1062.6 | 1072.3 | **141,497.4** |
| WIN | 1974 | 696.5 | 564.4 | 822.4 | 790.9 | 838.5 | 832.9 | 944.0 | 1017.6 | 932.9 | 984.7 | 875.0 | 939.3 | **129,789.2** |
| WIN | 1973 | 815.4 | 890.0 | 888.2 | 999.0 | 1049.3 | 988.7 | 961.0 | 953.4 | 973.0 | 761.5 | 623.8 | 692.8 | **119,550.1** |
| WIN | 1972 | 852.5 | 913.2 | 946.6 | 866.3 | 866.8 | 880.6 | 886.5 | 798.1 | 802.7 | 886.9 | 802.5 | 656.6 | **108,954.0** |
| WIN | 1971 | 856.3 | 879.3 | 859.8 | 856.9 | 761.4 | 693.2 | 582.3 | 602.9 | 710.2 | 950.7 | 695.4 | 507.8 | **98,794.7** |
| WIN | 1970 | 1159.9 | 984.9 | 1221.8 | 1134.0 | 1111.7 | 1326.2 | 825.7 | 1034.8 | 1059.8 | 1125.1 | 1039.4 | 1089.0 | **89,838.5** |
| WIN | 1969 | 1303.0 | 1138.8 | 1237.0 | 925.3 | 1116.5 | 981.1 | 1056.1 | 1101.6 | 1176.0 | 1103.6 | 1029.9 | 1082.5 | **76,726.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1100*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-23-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1968 | 1318.4 | 1160.2 | 1218.9 | 1617.1 | 1667.5 | 1361.0 | 1477.4 | 1410.2 | 1355.5 | 885.0 | 605.7 | 1075.0 | **63,474.8** |
| WIN | 1967 | 1184.7 | 821.9 | 1400.6 | 1187.9 | 1258.2 | 1216.5 | 1158.2 | 1145.1 | 1320.6 | 1344.7 | 1294.4 | 1296.5 | **48,322.9** |
| WIN | 1966 | 833.1 | 842.3 | 909.7 | 907.8 | 926.9 | 830.4 | 747.5 | 759.1 | 1016.2 | 878.2 | 1659.0 | 1285.4 | **33,693.6** |
| WIN | 1965 | 1004.8 | 758.0 | 882.7 | 880.9 | 855.5 | 886.2 | 684.1 | 734.2 | 775.0 | 817.0 | 887.7 | 871.1 | **22,098.0** |
| WIN | 1964 | 1329.9 | 976.5 | 1029.6 | 1058.5 | 783.1 | 1423.7 | 1010.5 | 852.3 | 842.8 | 803.0 | 799.7 | 872.0 | **12,060.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 1.0 | **2,787.0** |
| H2O | 1963 | 59.9 | 53.2 | 64.2 | 60.4 | 56.4 | 77.4 | 85.2 | 59.1 | 52.6 | 65.2 | 46.7 | 1.4 | **4,817.9** |
| OIL | 1963 | 40.1 | 36.2 | 41.8 | 40.2 | 40.5 | 57.5 | 60.7 | 40.5 | 42.1 | 43.1 | 44.2 | 1.4 | **5,986.9** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 279.2 | **279.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,454.0** |
| H2O | 1962 | 51.0 | 49.3 | 54.1 | 28.1 | 51.7 | 78.7 | 77.6 | 100.0 | 74.2 | 68.5 | 55.8 | 56.6 | **4,136.2** |
| OIL | 1962 | 41.5 | 35.4 | 39.7 | 30.8 | 33.1 | 32.7 | 27.5 | 31.3 | 37.2 | 39.9 | 39.3 | 42.6 | **5,498.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,091.0** |
| H2O | 1961 | 99.2 | 82.5 | 34.8 | 57.9 | 67.7 | 67.4 | 76.3 | 94.3 | 46.1 | 64.9 | 54.7 | 56.6 | **3,390.6** |
| OIL | 1961 | 60.4 | 51.5 | 36.1 | 42.1 | 46.9 | 40.2 | 54.0 | 53.2 | 40.4 | 44.7 | 39.6 | 42.7 | **5,067.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,726.0** |
| H2O | 1960 | 111.8 | 93.6 | 91.1 | 101.7 | 94.4 | 88.7 | 107.0 | 98.2 | 74.4 | 111.0 | 107.3 | 97.0 | **2,588.2** |
| OIL | 1960 | 58.3 | 49.3 | 48.1 | 52.6 | 45.6 | 55.5 | 55.8 | 55.9 | 67.1 | 62.9 | 53.9 | 56.6 | **4,515.8** |
| DAY | 1959 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 24.0 | 28.0 | 30.0 | 31.0 | **1,360.0** |
| H2O | 1959 | 0.0 | 0.0 | 5.2 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 174.2 | 233.2 | 162.6 | 152.0 | **1,412.0** |
| OIL | 1959 | 28.3 | 26.9 | 23.8 | 19.4 | 20.0 | 19.7 | 20.0 | 19.7 | 88.2 | 130.9 | 86.9 | 67.1 | **3,854.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,005.0** |
| H2O | 1958 | 17.0 | 15.4 | 16.9 | 3.5 | 6.5 | 5.6 | 18.9 | 17.3 | 0.0 | 0.0 | 0.0 | 0.0 | **680.8** |
| OIL | 1958 | 31.1 | 29.6 | 29.9 | 34.8 | 31.3 | 31.8 | 24.5 | 24.9 | 32.1 | 30.8 | 29.7 | 30.5 | **3,303.3** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 23.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **641.0** |
| H2O | 1957 | 47.9 | 0.2 | 2.4 | 3.0 | 0.2 | 4.9 | 4.5 | 3.5 | 4.0 | 3.3 | 4.8 | 8.3 | **579.7** |
| OIL | 1957 | 143.2 | 82.8 | 73.3 | 65.8 | 62.5 | 60.1 | 62.9 | 54.8 | 57.2 | 52.4 | 64.7 | 39.9 | **2,942.3** |
| DAY | 1956 | 0.0 | 6.0 | 25.0 | 17.0 | 28.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 28.0 | 31.0 | **285.0** |
| H2O | 1956 | 0.0 | 3.8 | 17.0 | 36.2 | 44.0 | 57.4 | 64.4 | 46.6 | 45.9 | 34.3 | 57.1 | 86.0 | **492.7** |
| OIL | 1956 | 0.0 | 104.6 | 336.9 | 218.2 | 272.7 | 250.1 | 172.7 | 160.8 | 164.2 | 164.6 | 133.6 | 144.3 | **2,122.7** |

Licence ***1101*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **7,042.0** |
| H2O | 1975 | 290.6 | 276.0 | 307.6 | 298.2 | 296.3 | 266.6 | 267.2 | 263.4 | 241.2 | 262.8 | 279.5 | 284.4 | **27,247.8** |
| OIL | 1975 | 88.8 | 81.5 | 89.5 | 85.0 | 82.8 | 60.2 | 62.0 | 62.3 | 56.1 | 58.8 | 60.4 | 61.3 | **15,057.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 29.0 | 23.0 | 31.0 | 23.0 | 30.0 | **6,680.0** |
| H2O | 1974 | 97.1 | 89.2 | 100.6 | 96.3 | 101.4 | 102.1 | 17.5 | 17.8 | 14.5 | 111.3 | 228.6 | 286.3 | **23,914.0** |
| OIL | 1974 | 40.8 | 35.1 | 40.7 | 38.1 | 40.4 | 38.9 | 7.0 | 7.8 | 6.0 | 34.6 | 68.6 | 88.5 | **14,208.8** |
| DAY | 1973 | 30.0 | 27.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,337.0** |
| H2O | 1973 | 169.9 | 163.9 | 176.5 | 207.9 | 197.1 | 202.5 | 251.2 | 277.4 | 106.2 | 102.1 | 100.5 | 97.5 | **22,651.3** |
| OIL | 1973 | 58.8 | 52.1 | 57.7 | 54.2 | 52.9 | 54.7 | 42.7 | 46.9 | 40.2 | 39.1 | 39.1 | 39.7 | **13,762.3** |
| DAY | 1972 | 23.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,978.0** |
| H2O | 1972 | 33.5 | 45.9 | 50.6 | 252.3 | 269.9 | 242.0 | 268.4 | 259.0 | 93.8 | 98.7 | 101.1 | 102.9 | **20,598.6** |
| OIL | 1972 | 24.3 | 31.9 | 34.8 | 71.4 | 57.4 | 59.4 | 61.2 | 22.7 | 42.9 | 43.9 | 43.1 | 44.8 | **13,184.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,621.0** |
| H2O | 1971 | 221.8 | 201.3 | 231.6 | 46.6 | 46.6 | 46.4 | 154.5 | 148.8 | 130.4 | 141.8 | 134.2 | 50.2 | **18,780.5** |
| OIL | 1971 | 72.6 | 64.0 | 71.2 | 62.1 | 63.4 | 61.8 | 68.5 | 67.2 | 47.4 | 47.8 | 44.5 | 35.0 | **12,646.4** |
| DAY | 1970 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,257.0** |
| H2O | 1970 | 249.3 | 241.5 | 252.9 | 233.7 | 240.5 | 243.4 | 12.2 | 13.8 | 240.5 | 241.5 | 227.8 | 239.6 | **17,226.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1101*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1970 | 68.2 | 63.4 | 69.3 | 66.9 | 69.0 | 67.2 | 70.1 | 68.8 | 69.9 | 71.4 | 70.7 | 69.8 | **11,940.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,894.0** |
| H2O | 1969 | 243.6 | 221.1 | 207.5 | 211.9 | 179.3 | 171.5 | 163.3 | 201.1 | 251.2 | 272.8 | 243.6 | 267.2 | **14,789.6** |
| OIL | 1969 | 94.9 | 83.7 | 92.5 | 90.1 | 51.2 | 59.1 | 54.0 | 66.6 | 69.4 | 72.5 | 69.6 | 72.9 | **11,116.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 26.0 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 23.0 | 31.0 | **4,533.0** |
| H2O | 1968 | 48.2 | 45.8 | 40.2 | 41.3 | 36.1 | 36.4 | 38.2 | 153.9 | 223.4 | 233.5 | 165.5 | 232.1 | **12,155.5** |
| OIL | 1968 | 30.0 | 27.5 | 27.2 | 27.0 | 22.7 | 24.5 | 25.7 | 100.6 | 91.5 | 94.7 | 69.6 | 94.7 | **10,239.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **4,184.0** |
| H2O | 1967 | 154.8 | 128.0 | 139.7 | 130.2 | 130.4 | 135.3 | 106.4 | 135.0 | 118.4 | 115.4 | 45.6 | 49.9 | **10,860.9** |
| OIL | 1967 | 83.0 | 73.7 | 61.8 | 59.8 | 61.3 | 52.1 | 54.2 | 48.0 | 46.1 | 44.2 | 29.6 | 29.9 | **9,604.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,822.0** |
| H2O | 1966 | 114.9 | 92.2 | 137.0 | 140.5 | 158.3 | 129.3 | 122.7 | 125.4 | 148.6 | 152.8 | 152.0 | 163.0 | **9,471.8** |
| OIL | 1966 | 65.5 | 57.7 | 65.2 | 63.7 | 66.6 | 64.0 | 63.7 | 65.6 | 78.0 | 80.9 | 79.5 | 83.1 | **8,960.3** |
| DAY | 1965 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,457.0** |
| H2O | 1965 | 108.1 | 106.4 | 121.3 | 121.5 | 127.2 | 121.3 | 121.9 | 122.4 | 123.5 | 122.4 | 125.6 | 120.7 | **7,835.1** |
| OIL | 1965 | 46.4 | 46.9 | 50.5 | 61.7 | 58.5 | 58.6 | 61.2 | 60.5 | 64.2 | 66.9 | 63.4 | 66.3 | **8,126.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,094.0** |
| H2O | 1964 | 49.4 | 44.7 | 66.5 | 63.9 | 87.3 | 85.2 | 84.4 | 81.9 | 89.3 | 85.7 | 66.5 | 70.1 | **6,392.8** |
| OIL | 1964 | 21.8 | 20.5 | 31.8 | 30.4 | 39.6 | 47.8 | 49.9 | 45.6 | 36.1 | 35.3 | 45.1 | 48.5 | **7,421.7** |
| DAY | 1963 | 31.0 | 28.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,728.0** |
| H2O | 1963 | 34.5 | 34.7 | 54.5 | 59.9 | 39.3 | 56.9 | 23.7 | 37.7 | 19.4 | 21.8 | 48.0 | 49.0 | **5,517.9** |
| OIL | 1963 | 24.5 | 23.0 | 24.6 | 25.3 | 21.9 | 25.7 | 25.3 | 28.6 | 31.6 | 31.6 | 20.5 | 21.0 | **6,969.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,367.0** |
| H2O | 1962 | 63.9 | 57.7 | 63.9 | 61.8 | 59.1 | 50.9 | 54.4 | 51.8 | 45.2 | 46.3 | 42.1 | 39.4 | **5,038.5** |
| OIL | 1962 | 28.8 | 22.1 | 18.9 | 18.9 | 22.6 | 22.4 | 24.0 | 23.0 | 30.7 | 27.5 | 26.2 | 27.0 | **6,665.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,006.0** |
| H2O | 1961 | 74.4 | 70.6 | 79.2 | 84.4 | 74.6 | 61.8 | 63.9 | 63.9 | 66.5 | 63.9 | 66.5 | 68.7 | **4,402.0** |
| OIL | 1961 | 29.1 | 41.8 | 33.5 | 33.7 | 29.7 | 32.9 | 34.2 | 35.0 | 26.2 | 29.6 | 27.0 | 29.1 | **6,373.6** |
| DAY | 1960 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,641.0** |
| H2O | 1960 | 81.2 | 77.3 | 82.2 | 81.1 | 85.4 | 78.2 | 86.2 | 90.3 | 97.5 | 83.6 | 80.9 | 90.1 | **3,563.6** |
| OIL | 1960 | 52.6 | 44.8 | 43.2 | 36.9 | 34.3 | 33.7 | 31.6 | 32.6 | 32.3 | 29.7 | 32.6 | 33.8 | **5,991.8** |
| DAY | 1959 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,277.0** |
| H2O | 1959 | 70.0 | 59.1 | 66.9 | 84.7 | 99.2 | 86.0 | 88.1 | 90.8 | 85.5 | 86.2 | 84.3 | 83.5 | **2,549.6** |
| OIL | 1959 | 68.5 | 65.0 | 73.4 | 75.2 | 78.5 | 75.6 | 73.3 | 64.5 | 60.9 | 60.4 | 56.9 | 58.2 | **5,553.7** |
| DAY | 1958 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **913.0** |
| H2O | 1958 | 115.6 | 124.5 | 131.0 | 117.3 | 72.8 | 70.9 | 94.9 | 103.5 | 102.2 | 93.2 | 94.1 | 72.7 | **1,565.3** |
| OIL | 1958 | 125.2 | 129.0 | 125.4 | 100.0 | 82.0 | 70.7 | 93.6 | 89.0 | 78.8 | 78.0 | 75.8 | 75.3 | **4,743.3** |
| DAY | 1957 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 24.0 | **553.0** |
| H2O | 1957 | 19.7 | 20.3 | 18.1 | 14.6 | 20.5 | 30.8 | 34.7 | 32.4 | 36.2 | 37.4 | 32.7 | 22.9 | **372.6** |
| OIL | 1957 | 192.1 | 170.0 | 189.9 | 196.1 | 176.1 | 157.6 | 174.0 | 154.5 | 73.3 | 56.4 | 50.1 | 34.8 | **3,620.5** |
| DAY | 1956 | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 | 15.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **198.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.3 | 7.8 | 9.2 | 13.0 | 9.5 | 4.9 | 4.6 | **52.3** |
| OIL | 1956 | 0.0 | 23.7 | 0.0 | 0.0 | 0.0 | 184.3 | 333.6 | 342.9 | 335.1 | 330.9 | 223.3 | 221.8 | **1,995.6** |

Licence ***1102*** Well Name ***Mineraloid Routledge SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.03-33-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1965 | 3484.3 | 2825.2 | 3317.0 | 3607.0 | 3037.3 | 2659.7 | 2302.2 | 2426.3 | 1673.4 | 0.0 | 0.0 | 0.0 | **205,469.1** |
| WIN | 1964 | 2653.3 | 2464.9 | 2654.3 | 2466.1 | 2858.9 | 2648.9 | 2506.3 | 3078.2 | 3625.4 | 3576.8 | 3098.5 | 3547.7 | **180,136.7** |
| WIN | 1963 | 1446.2 | 1141.0 | 1325.1 | 1877.6 | 1527.5 | 1786.9 | 2471.0 | 2769.4 | 2217.3 | 2762.6 | 3309.0 | 2867.2 | **144,957.4** |
| WIN | 1962 | 1063.2 | 995.2 | 1105.0 | 931.4 | 2322.6 | 2213.4 | 2048.0 | 2226.1 | 2177.9 | 2008.9 | 2194.9 | 1943.4 | **119,456.6** |

# Manitoba Production
## 1950 To 1975

Licence ***1102*** Well Name ***Mineraloid Routledge SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.03-33-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1961 | 599.7 | 622.6 | 702.6 | 655.7 | 715.8 | 927.0 | 1232.1 | 1134.3 | 820.3 | 823.0 | 1401.9 | 1703.8 | **98,226.6** |
| WIN | 1960 | 2163.8 | 1962.8 | 1268.6 | 1235.9 | 1337.3 | 1411.4 | 1298.4 | 1154.3 | 1251.5 | 1322.1 | 950.5 | 720.1 | **86,887.8** |
| WIN | 1959 | 1980.1 | 1867.9 | 2413.0 | 2507.2 | 2766.9 | 2357.7 | 2593.6 | 2776.4 | 2614.9 | 2399.4 | 2122.1 | 2178.2 | **70,811.1** |
| WIN | 1958 | 1611.1 | 1473.3 | 1808.4 | 1602.5 | 1727.5 | 1637.5 | 1589.6 | 1646.6 | 1633.2 | 1782.0 | 2206.8 | 1738.1 | **42,233.7** |
| WIN | 1957 | 711.0 | 854.2 | 1141.6 | 1350.7 | 1285.3 | 1281.7 | 1232.4 | 1274.5 | 1265.5 | 1677.9 | 1496.2 | 1239.2 | **21,777.1** |
| WIN | 1956 | 0.0 | 0.0 | 237.4 | 236.4 | 727.5 | 715.1 | 665.5 | 1279.3 | 804.2 | 753.5 | 748.7 | 799.3 | **6,966.9** |

Licence ***1103*** Well Name ***Leader et al Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-24-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,202.0** |
| H2O | 1975 | 66.3 | 54.7 | 60.6 | 60.6 | 63.9 | 67.1 | 74.7 | 73.1 | 72.5 | 59.1 | 60.7 | 68.2 | **7,704.2** |
| OIL | 1975 | 83.0 | 79.3 | 88.7 | 82.0 | 97.3 | 91.7 | 95.2 | 97.3 | 93.0 | 89.0 | 88.4 | 91.6 | **40,952.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,837.0** |
| H2O | 1974 | 52.5 | 49.0 | 54.9 | 55.2 | 55.6 | 52.3 | 56.9 | 53.4 | 55.0 | 62.5 | 61.5 | 65.7 | **6,922.7** |
| OIL | 1974 | 107.0 | 95.4 | 107.0 | 104.3 | 98.7 | 104.0 | 104.0 | 96.8 | 94.9 | 100.6 | 92.5 | 91.1 | **39,876.3** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,472.0** |
| H2O | 1973 | 40.9 | 35.8 | 41.7 | 45.3 | 48.0 | 47.7 | 50.1 | 48.3 | 47.7 | 49.1 | 48.2 | 51.2 | **6,248.2** |
| OIL | 1973 | 113.7 | 112.9 | 122.6 | 119.6 | 120.4 | 112.9 | 119.5 | 113.6 | 112.3 | 111.8 | 110.1 | 108.6 | **38,680.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **6,108.0** |
| H2O | 1972 | 49.3 | 46.1 | 49.1 | 45.8 | 41.3 | 47.1 | 35.1 | 31.5 | 37.5 | 38.8 | 38.2 | 36.2 | **5,694.2** |
| OIL | 1972 | 135.0 | 126.9 | 135.7 | 130.3 | 118.0 | 131.9 | 126.9 | 125.5 | 122.6 | 127.2 | 124.5 | 114.7 | **37,302.0** |
| DAY | 1971 | 29.0 | 28.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,747.0** |
| H2O | 1971 | 36.1 | 35.6 | 47.2 | 41.5 | 44.2 | 47.2 | 49.3 | 37.8 | 42.8 | 49.0 | 47.4 | 49.3 | **5,198.2** |
| OIL | 1971 | 125.0 | 129.0 | 143.1 | 136.2 | 141.4 | 134.4 | 139.0 | 127.2 | 136.3 | 136.6 | 132.2 | 136.5 | **35,782.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 29.0 | 31.0 | 30.0 | 30.0 | **5,392.0** |
| H2O | 1970 | 46.4 | 43.6 | 49.0 | 35.3 | 48.7 | 48.2 | 43.1 | 43.1 | 45.9 | 46.3 | 41.3 | 41.5 | **4,670.8** |
| OIL | 1970 | 137.6 | 123.3 | 134.1 | 131.2 | 133.9 | 126.0 | 122.8 | 128.5 | 130.6 | 137.6 | 129.2 | 119.1 | **34,165.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | **5,033.0** |
| H2O | 1969 | 48.8 | 44.2 | 49.1 | 47.1 | 49.3 | 47.1 | 49.3 | 51.7 | 48.3 | 39.9 | 45.5 | 47.7 | **4,138.4** |
| OIL | 1969 | 149.7 | 135.0 | 144.9 | 143.6 | 149.0 | 144.9 | 150.1 | 147.1 | 141.7 | 121.0 | 137.1 | 139.2 | **32,612.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,674.0** |
| H2O | 1968 | 49.3 | 45.9 | 49.1 | 46.1 | 49.4 | 48.7 | 48.8 | 46.3 | 40.5 | 47.4 | 47.7 | 48.0 | **3,570.4** |
| OIL | 1968 | 149.3 | 141.1 | 151.9 | 145.2 | 153.0 | 147.4 | 150.8 | 150.5 | 145.4 | 147.1 | 144.6 | 149.3 | **30,908.7** |
| DAY | 1967 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,311.0** |
| H2O | 1967 | 44.4 | 44.8 | 43.9 | 47.4 | 47.1 | 46.1 | 45.8 | 50.1 | 49.3 | 45.3 | 47.7 | 50.2 | **3,003.2** |
| OIL | 1967 | 164.6 | 144.4 | 151.6 | 161.0 | 164.6 | 157.5 | 158.6 | 159.2 | 145.1 | 148.6 | 149.3 | 150.6 | **29,133.1** |
| DAY | 1966 | 26.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,949.0** |
| H2O | 1966 | 33.1 | 35.6 | 39.4 | 38.2 | 49.3 | 47.7 | 49.0 | 49.3 | 47.7 | 44.4 | 47.7 | 49.3 | **2,441.1** |
| OIL | 1966 | 138.5 | 157.5 | 160.3 | 157.0 | 159.8 | 147.8 | 163.0 | 163.7 | 160.0 | 164.3 | 157.9 | 165.7 | **27,278.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,591.0** |
| H2O | 1965 | 28.5 | 27.2 | 30.0 | 504.0 | 32.8 | 31.5 | 31.8 | 35.9 | 28.0 | 26.4 | 26.4 | 34.0 | **1,910.4** |
| OIL | 1965 | 192.8 | 167.5 | 191.8 | 178.1 | 180.5 | 168.7 | 170.8 | 171.0 | 166.7 | 162.7 | 161.6 | 159.7 | **25,382.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,228.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 4.3 | 16.1 | 28.1 | 23.8 | 25.6 | 26.7 | 28.1 | 25.8 | **1,073.9** |
| OIL | 1964 | 221.5 | 208.8 | 213.6 | 202.0 | 198.2 | 190.4 | 184.6 | 198.5 | 193.9 | 205.9 | 195.6 | 176.9 | **23,310.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,863.0** |
| OIL | 1963 | 258.9 | 221.5 | 242.0 | 220.1 | 256.0 | 246.8 | 247.8 | 244.1 | 236.3 | 234.9 | 227.4 | 216.4 | **20,920.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,498.0** |
| H2O | 1962 | 19.7 | 17.8 | 17.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **895.4** |
| OIL | 1962 | 369.9 | 331.1 | 314.9 | 341.1 | 348.1 | 304.7 | 307.5 | 291.2 | 297.4 | 302.5 | 275.6 | 276.5 | **18,068.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1103*** Well Name ***Leader et al Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-24-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,133.0** |
| H2O | 1961 | 6.8 | 4.5 | 11.3 | 19.1 | 19.7 | 17.5 | 9.9 | 6.8 | 0.0 | 9.9 | 12.9 | 19.6 | **840.9** |
| OIL | 1961 | 387.5 | 346.0 | 384.6 | 345.7 | 352.1 | 378.0 | 346.5 | 395.1 | 376.5 | 384.2 | 378.9 | 395.5 | **14,308.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,768.0** |
| H2O | 1960 | 14.8 | 13.8 | 14.8 | 10.2 | 9.9 | 9.5 | 9.7 | 6.7 | 15.7 | 7.2 | 11.8 | 9.2 | **702.9** |
| OIL | 1960 | 97.8 | 87.8 | 95.8 | 90.0 | 100.4 | 92.9 | 92.1 | 63.2 | 398.3 | 342.7 | 342.7 | 392.9 | **9,837.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,404.0** |
| H2O | 1959 | 14.6 | 13.4 | 14.8 | 14.3 | 14.6 | 14.3 | 14.6 | 14.8 | 14.3 | 14.0 | 14.0 | 14.8 | **569.6** |
| OIL | 1959 | 134.2 | 123.0 | 135.4 | 131.9 | 122.0 | 114.1 | 111.5 | 110.6 | 100.7 | 101.7 | 99.1 | 102.6 | **7,640.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,041.0** |
| H2O | 1958 | 14.8 | 13.2 | 14.6 | 16.7 | 18.6 | 23.8 | 24.6 | 20.0 | 13.7 | 15.1 | 14.3 | 14.5 | **397.1** |
| OIL | 1958 | 146.0 | 128.8 | 146.6 | 136.5 | 133.1 | 132.8 | 138.5 | 131.7 | 130.3 | 132.2 | 128.4 | 132.2 | **6,254.0** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **676.0** |
| H2O | 1957 | 3.3 | 9.2 | 7.5 | 15.3 | 3.2 | 3.5 | 13.2 | 1.3 | 0.0 | 1.1 | 1.6 | 23.7 | **193.2** |
| OIL | 1957 | 178.9 | 146.2 | 149.7 | 156.8 | 171.4 | 168.7 | 168.1 | 169.7 | 165.6 | 166.2 | 164.5 | 154.0 | **4,636.9** |
| DAY | 1956 | 0.0 | 10.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **312.0** |
| H2O | 1956 | 0.0 | 1.3 | 0.2 | 1.2 | 5.8 | 0.2 | 23.9 | 34.4 | 13.9 | 14.4 | 12.0 | 3.0 | **110.3** |
| OIL | 1956 | 0.0 | 170.5 | 411.8 | 336.3 | 298.3 | 241.2 | 235.5 | 245.1 | 184.2 | 195.6 | 181.6 | 177.0 | **2,677.1** |

Licence ***1104*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-24-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 26.0 | 0.0 | 3.0 | 23.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **4,457.0** |
| H2O | 1969 | 1.0 | 0.0 | 0.0 | 14.0 | 11.0 | 6.2 | 12.6 | 6.0 | 7.0 | 3.3 | 0.0 | 0.0 | **809.4** |
| OIL | 1969 | 31.8 | 0.0 | 8.7 | 32.3 | 40.7 | 29.1 | 29.6 | 28.8 | 28.4 | 26.4 | 0.0 | 0.0 | **4,674.7** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,222.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 9.1 | 36.7 | 4.8 | 8.4 | 18.1 | 13.4 | 13.5 | 3.8 | **748.3** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 15.6 | 31.9 | 33.5 | 34.2 | 32.6 | 35.8 | 18.9 | 34.3 | **4,418.9** |
| DAY | 1967 | 17.0 | 1.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 22.0 | 0.0 | 0.0 | **3,999.0** |
| H2O | 1967 | 0.0 | 0.0 | 3.5 | 0.0 | 4.1 | 7.3 | 6.2 | 7.8 | 4.8 | 4.1 | 0.0 | 0.0 | **640.5** |
| OIL | 1967 | 9.4 | 3.2 | 25.4 | 21.5 | 22.6 | 16.5 | 12.4 | 22.1 | 17.6 | 10.5 | 0.0 | 0.0 | **4,182.1** |
| DAY | 1966 | 24.0 | 19.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,748.0** |
| H2O | 1966 | 18.0 | 2.1 | 2.4 | 0.2 | 6.7 | 6.4 | 2.7 | 1.4 | 3.5 | 2.1 | 1.7 | 1.9 | **602.7** |
| OIL | 1966 | 3.0 | 27.3 | 20.5 | 16.0 | 14.6 | 11.6 | 14.1 | 14.6 | 15.4 | 15.1 | 14.1 | 15.1 | **4,020.9** |
| DAY | 1965 | 30.0 | 23.0 | 31.0 | 30.0 | 19.0 | 26.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,399.0** |
| H2O | 1965 | 3.3 | 2.9 | 3.5 | 4.9 | 0.3 | 0.5 | 6.7 | 23.8 | 0.3 | 4.9 | 3.3 | 13.4 | **553.6** |
| OIL | 1965 | 15.3 | 14.9 | 17.0 | 14.9 | 7.6 | 16.2 | 9.9 | 17.2 | 13.7 | 19.4 | 18.0 | 4.3 | **3,839.5** |
| DAY | 1964 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,066.0** |
| H2O | 1964 | 1.6 | 11.0 | 1.1 | 4.6 | 4.5 | 2.7 | 0.3 | 4.5 | 4.5 | 13.0 | 3.8 | 3.8 | **485.8** |
| OIL | 1964 | 20.8 | 11.8 | 23.5 | 22.6 | 19.4 | 21.3 | 15.9 | 14.1 | 15.3 | 11.6 | 16.4 | 15.1 | **3,671.1** |
| DAY | 1963 | 23.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,704.0** |
| H2O | 1963 | 0.0 | 5.1 | 11.8 | 0.0 | 7.6 | 9.2 | 0.0 | 8.3 | 0.0 | 9.9 | 0.0 | 7.3 | **430.4** |
| OIL | 1963 | 14.3 | 14.6 | 16.7 | 17.6 | 21.6 | 15.9 | 19.4 | 15.7 | 18.6 | 14.5 | 12.6 | 24.3 | **3,463.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 29.0 | 30.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **2,352.0** |
| H2O | 1962 | 3.2 | 2.1 | 8.1 | 0.0 | 0.6 | 14.6 | 12.7 | 0.0 | 1.9 | 16.4 | 6.2 | 12.2 | **371.2** |
| OIL | 1962 | 32.4 | 32.1 | 32.1 | 34.2 | 21.5 | 22.1 | 23.4 | 30.2 | 15.3 | 23.0 | 16.8 | 16.4 | **3,257.5** |
| DAY | 1961 | 25.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 6.0 | 11.0 | 31.0 | 27.0 | 30.0 | **1,997.0** |
| H2O | 1961 | 6.2 | 6.4 | 5.9 | 5.4 | 4.1 | 13.8 | 0.0 | 7.3 | 6.7 | 0.0 | 7.0 | 5.7 | **293.2** |
| OIL | 1961 | 42.6 | 45.6 | 38.0 | 37.0 | 44.3 | 29.6 | 35.8 | 12.7 | 16.5 | 33.5 | 31.9 | 42.9 | **2,958.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 29.0 | 27.0 | 30.0 | 29.0 | 15.0 | **1,688.0** |
| H2O | 1960 | 2.2 | 7.8 | 3.0 | 1.4 | 2.9 | 2.1 | 6.4 | 6.8 | 6.7 | 6.0 | 7.0 | 0.0 | **224.7** |

# Manitoba Production
## 1950 To 1975

Licence ***1104*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-24-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1960 | 28.3 | 22.2 | 23.7 | 24.5 | 18.1 | 19.7 | 20.3 | 22.4 | 20.0 | 23.8 | 19.4 | 29.2 | **2,547.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 22.0 | 23.0 | **1,346.0** |
| H2O | 1959 | 1.3 | 1.0 | 1.3 | 1.1 | 2.9 | 0.0 | 2.5 | 3.0 | 3.2 | 2.5 | 1.4 | 4.5 | **172.4** |
| OIL | 1959 | 30.2 | 21.1 | 29.6 | 27.3 | 21.0 | 27.5 | 29.7 | 22.9 | 22.2 | 23.2 | 16.7 | 22.2 | **2,276.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **997.0** |
| H2O | 1958 | 7.8 | 5.1 | 2.1 | 15.3 | 1.4 | 2.7 | 2.7 | 0.0 | 0.0 | 1.1 | 1.4 | 1.3 | **147.7** |
| OIL | 1958 | 41.5 | 40.7 | 43.4 | 39.4 | 31.8 | 31.0 | 30.4 | 31.8 | 27.5 | 34.5 | 30.0 | 23.2 | **1,982.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 28.0 | 30.0 | 27.0 | 17.0 | 10.0 | 31.0 | **634.0** |
| H2O | 1957 | 0.2 | 0.2 | 0.2 | 0.2 | 9.1 | 0.2 | 9.4 | 8.9 | 7.3 | 7.0 | 2.7 | 7.9 | **106.8** |
| OIL | 1957 | 52.8 | 48.1 | 50.7 | 47.0 | 51.6 | 45.4 | 48.9 | 45.0 | 47.4 | 26.5 | 16.8 | 41.5 | **1,577.2** |
| DAY | 1956 | 0.0 | 16.0 | 30.0 | 30.0 | 30.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **316.0** |
| H2O | 1956 | 0.0 | 4.9 | 14.5 | 9.9 | 14.5 | 8.1 | 0.5 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | **53.5** |
| OIL | 1956 | 0.0 | 208.6 | 184.0 | 110.0 | 80.9 | 85.2 | 89.0 | 71.4 | 60.2 | 62.8 | 57.0 | 46.4 | **1,055.5** |

Licence ***1105*** Well Name ***M & C Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-15-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 9.0 | 23.0 | 26.0 | 4.0 | 27.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,083.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 12.7 | 30.8 | 165.4 | 23.2 | 152.3 | 0.0 | 0.0 | 0.0 | 0.0 | **1,206.3** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 30.8 | 38.3 | 23.2 | 2.2 | 16.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,449.9** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 11.0 | 0.0 | **994.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 23.8 | 24.6 | 23.4 | 24.8 | 24.6 | 23.8 | 24.6 | 8.7 | 0.0 | **821.9** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 100.1 | 40.7 | 37.5 | 43.1 | 39.1 | 40.7 | 39.9 | 10.8 | 0.0 | **2,339.4** |
| DAY | 1958 | 0.0 | 0.0 | 18.0 | 6.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 4.0 | **769.0** |
| H2O | 1958 | 0.0 | 0.0 | 14.3 | 4.8 | 24.6 | 23.8 | 24.6 | 23.8 | 22.3 | 24.6 | 23.8 | 3.2 | **643.6** |
| OIL | 1958 | 0.0 | 0.0 | 31.9 | 24.6 | 77.5 | 53.6 | 61.2 | 50.5 | 41.5 | 48.6 | 40.8 | 4.8 | **1,987.5** |
| DAY | 1957 | 22.0 | 0.0 | 15.0 | 26.0 | 24.0 | 28.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 2.0 | **530.0** |
| H2O | 1957 | 11.4 | 0.0 | 4.8 | 16.1 | 17.8 | 22.3 | 21.5 | 24.6 | 23.8 | 24.6 | 23.8 | 1.6 | **453.8** |
| OIL | 1957 | 39.6 | 0.0 | 71.5 | 72.1 | 65.2 | 60.4 | 59.6 | 51.2 | 53.7 | 54.2 | 50.5 | 3.5 | **1,552.5** |
| DAY | 1956 | 0.0 | 17.0 | 31.0 | 9.0 | 17.0 | 30.0 | 28.0 | 30.0 | 27.0 | 29.0 | 29.0 | 17.0 | **264.0** |
| H2O | 1956 | 0.0 | 3.2 | 5.1 | 1.4 | 3.0 | 6.2 | 8.4 | 35.9 | 66.9 | 59.3 | 45.5 | 26.6 | **261.5** |
| OIL | 1956 | 0.0 | 148.7 | 130.6 | 32.1 | 102.0 | 103.9 | 78.8 | 71.5 | 59.1 | 86.6 | 96.8 | 60.9 | **971.0** |

Licence ***1108*** Well Name ***West Butler Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-29-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole F*** Field Code ***1*** Pool Code ***59F*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 28.0 | 30.0 | 28.0 | 30.0 | 31.0 | 30.0 | 29.0 | **5,234.0** |
| OIL | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 36.4 | 61.0 | 53.1 | 28.9 | 27.7 | 24.5 | 25.3 | 17.0 | **5,389.8** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 16.0 | 0.0 | **5,023.0** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 46.1 | 32.3 | 32.1 | 25.6 | 24.0 | 18.1 | 0.0 | **5,115.9** |
| DAY | 1973 | 0.0 | 0.0 | 15.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 0.0 | **4,854.0** |
| H2O | 1973 | 0.0 | 0.0 | 1.1 | 4.0 | 4.0 | 4.0 | 2.2 | 1.4 | 1.3 | 0.0 | 0.0 | 0.0 | **566.4** |
| OIL | 1973 | 0.0 | 0.0 | 14.8 | 31.3 | 18.4 | 25.4 | 23.7 | 23.0 | 22.4 | 21.5 | 17.2 | 0.0 | **4,937.7** |
| DAY | 1972 | 0.0 | 0.0 | 14.0 | 6.0 | 23.0 | 29.0 | 29.0 | 31.0 | 29.0 | 30.0 | 27.0 | 6.0 | **4,598.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 7.9 | 5.6 | 5.4 | 9.5 | 1.6 | 2.7 | 0.0 | 0.0 | **548.4** |
| OIL | 1972 | 0.0 | 0.0 | 11.6 | 9.2 | 20.5 | 17.2 | 14.6 | 14.6 | 15.6 | 27.2 | 12.4 | 4.4 | **4,740.0** |
| DAY | 1971 | 0.0 | 5.0 | 31.0 | 21.0 | 16.0 | 24.0 | 31.0 | 29.0 | 19.0 | 24.0 | 6.0 | 0.0 | **4,374.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.3 | 4.3 | 0.0 | **515.7** |
| OIL | 1971 | 0.0 | 7.5 | 25.6 | 14.9 | 3.8 | 34.2 | 25.4 | 15.9 | 10.0 | 13.7 | 3.5 | 0.0 | **4,592.7** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 27.0 | 0.0 | 20.0 | 20.0 | 28.0 | 30.0 | 31.0 | 1.0 | 0.0 | **4,168.0** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 26.1 | 0.0 | 23.0 | 17.6 | 19.9 | 21.3 | 19.7 | 0.5 | 0.0 | **4,438.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1108*** Well Name ***West Butler Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-29-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole F*** Field Code ***1*** Pool Code ***59F*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 28.0 | 21.0 | 28.0 | 26.0 | 31.0 | 17.0 | 0.0 | **4,011.0** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 26.1 | 23.2 | 18.9 | 11.9 | 20.3 | 23.5 | 13.3 | 0.0 | **4,310.1** |
| DAY | 1968 | 0.0 | 0.0 | 29.0 | 29.0 | 31.0 | 30.0 | 29.0 | 9.0 | 10.0 | 0.0 | 0.0 | 0.0 | **3,839.0** |
| OIL | 1968 | 0.0 | 0.0 | 20.8 | 17.6 | 17.3 | 22.9 | 16.5 | 1.4 | 10.5 | 0.0 | 0.0 | 0.0 | **4,172.9** |
| DAY | 1967 | 8.0 | 0.0 | 9.0 | 9.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 20.0 | **3,672.0** |
| H2O | 1967 | 1.6 | 0.0 | 0.0 | 4.9 | 2.1 | 1.7 | 3.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **508.1** |
| OIL | 1967 | 1.9 | 0.0 | 15.1 | 0.5 | 27.7 | 21.0 | 17.8 | 19.2 | 13.0 | 21.0 | 16.4 | 11.4 | **4,065.9** |
| DAY | 1966 | 0.0 | 0.0 | 11.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 29.0 | 29.0 | **3,417.0** |
| H2O | 1966 | 0.0 | 0.0 | 1.3 | 5.2 | 6.4 | 1.1 | 4.3 | 2.7 | 1.1 | 2.2 | 1.0 | 0.6 | **494.3** |
| OIL | 1966 | 0.0 | 0.0 | 12.6 | 15.4 | 20.7 | 26.1 | 13.5 | 22.1 | 18.4 | 16.4 | 21.9 | 21.1 | **3,900.9** |
| DAY | 1965 | 5.0 | 0.0 | 0.0 | 3.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,138.0** |
| H2O | 1965 | 5.4 | 0.0 | 0.0 | 0.2 | 5.4 | 7.9 | 3.7 | 2.5 | 3.0 | 3.2 | 1.6 | 4.1 | **468.4** |
| OIL | 1965 | 2.4 | 0.0 | 0.0 | 6.4 | 22.6 | 16.5 | 18.9 | 20.5 | 13.8 | 21.8 | 17.3 | 12.6 | **3,712.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,885.0** |
| H2O | 1964 | 0.0 | 0.0 | 1.6 | 1.0 | 6.2 | 3.2 | 1.7 | 8.7 | 0.5 | 4.0 | 1.0 | 1.1 | **431.4** |
| OIL | 1964 | 12.9 | 11.0 | 15.7 | 20.2 | 14.5 | 14.8 | 12.7 | 12.1 | 16.2 | 13.0 | 15.3 | 16.5 | **3,559.9** |
| DAY | 1963 | 22.0 | 0.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 21.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,521.0** |
| OIL | 1963 | 16.2 | 0.0 | 29.2 | 22.1 | 27.3 | 20.7 | 16.8 | 16.0 | 22.1 | 20.7 | 16.4 | 13.8 | **3,385.0** |
| DAY | 1962 | 31.0 | 24.0 | 1.0 | 29.0 | 28.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,206.0** |
| OIL | 1962 | 27.7 | 16.0 | 0.2 | 35.1 | 24.8 | 31.9 | 23.7 | 31.8 | 28.0 | 25.7 | 24.0 | 24.3 | **3,163.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,882.0** |
| H2O | 1961 | 3.0 | 4.1 | 11.0 | 3.2 | 4.6 | 3.7 | 0.0 | 2.9 | 3.2 | 0.0 | 0.0 | 0.0 | **402.4** |
| OIL | 1961 | 30.7 | 25.3 | 23.0 | 26.1 | 30.8 | 25.9 | 28.3 | 21.8 | 25.3 | 31.6 | 20.7 | 24.5 | **2,870.5** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 23.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 25.0 | 31.0 | **1,520.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.8 | 4.6 | 5.6 | 4.6 | 4.1 | 5.4 | 4.6 | 1.1 | 8.1 | **366.7** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 37.5 | 24.2 | 40.4 | 35.6 | 30.7 | 27.8 | 32.4 | 22.6 | 32.3 | **2,556.5** |
| DAY | 1959 | 22.0 | 21.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 29.0 | 30.0 | 29.0 | 16.0 | 0.0 | **1,260.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.7 | 7.2 | 4.9 | 4.3 | 4.1 | 0.5 | 0.0 | **327.8** |
| OIL | 1959 | 21.3 | 21.8 | 32.9 | 27.7 | 28.0 | 30.2 | 31.3 | 32.7 | 33.2 | 32.9 | 17.3 | 0.0 | **2,273.0** |
| DAY | 1958 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **963.0** |
| H2O | 1958 | 10.8 | 8.1 | 11.6 | 18.4 | 11.1 | 9.2 | 8.6 | 15.7 | 0.0 | 0.0 | 0.2 | 0.0 | **301.1** |
| OIL | 1958 | 39.1 | 30.4 | 37.0 | 39.6 | 39.1 | 37.5 | 36.5 | 42.4 | 29.2 | 29.1 | 26.1 | 25.1 | **1,963.7** |
| DAY | 1957 | 25.0 | 26.0 | 31.0 | 30.0 | 27.0 | 30.0 | 29.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **601.0** |
| H2O | 1957 | 0.6 | 0.8 | 0.8 | 0.3 | 0.6 | 0.5 | 11.8 | 6.4 | 11.3 | 21.6 | 8.6 | 14.5 | **207.4** |
| OIL | 1957 | 45.4 | 48.6 | 62.6 | 52.6 | 51.8 | 49.1 | 37.7 | 37.7 | 35.8 | 43.2 | 37.5 | 36.9 | **1,552.6** |
| DAY | 1956 | 0.0 | 0.0 | 27.0 | 15.0 | 10.0 | 20.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **253.0** |
| H2O | 1956 | 0.0 | 0.0 | 31.8 | 26.9 | 16.2 | 21.6 | 13.7 | 8.3 | 6.7 | 1.7 | 1.1 | 1.6 | **129.6** |
| OIL | 1956 | 0.0 | 0.0 | 249.8 | 111.7 | 93.0 | 122.0 | 106.3 | 81.4 | 68.8 | 75.4 | 44.5 | 60.8 | **1,013.7** |

Licence ***1109*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,208.0** |
| H2O | 1975 | 20.0 | 18.1 | 19.9 | 19.9 | 20.5 | 19.4 | 19.7 | 19.1 | 19.2 | 20.5 | 20.7 | 21.0 | **3,665.4** |
| OIL | 1975 | 43.5 | 38.1 | 41.2 | 40.5 | 41.3 | 39.3 | 41.2 | 40.4 | 40.2 | 41.6 | 40.2 | 40.8 | **10,966.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,844.0** |
| H2O | 1974 | 15.3 | 18.4 | 20.5 | 20.0 | 20.7 | 20.8 | 20.8 | 19.2 | 18.9 | 19.9 | 19.9 | 19.9 | **3,427.4** |
| OIL | 1974 | 49.3 | 62.5 | 71.5 | 68.3 | 61.5 | 59.4 | 60.7 | 61.2 | 58.8 | 44.7 | 42.6 | 44.0 | **10,477.7** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,479.0** |
| H2O | 1973 | 15.7 | 15.1 | 16.2 | 16.4 | 16.5 | 15.9 | 15.9 | 17.0 | 16.9 | 17.0 | 15.7 | 15.3 | **3,193.1** |
| OIL | 1973 | 48.6 | 42.9 | 47.2 | 46.1 | 48.1 | 46.6 | 48.3 | 51.6 | 49.3 | 50.2 | 47.4 | 48.0 | **9,793.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1109*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,114.0** |
| H2O | 1972 | 4.1 | 4.1 | 4.5 | 3.8 | 8.7 | 8.6 | 9.7 | 9.1 | 9.1 | 15.9 | 15.9 | 16.1 | **2,999.5** |
| OIL | 1972 | 51.8 | 48.3 | 52.6 | 50.2 | 66.9 | 64.5 | 66.4 | 68.0 | 64.7 | 49.7 | 47.2 | 48.9 | **9,218.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,748.0** |
| H2O | 1971 | 7.8 | 7.0 | 4.1 | 4.1 | 4.0 | 3.7 | 4.0 | 3.7 | 3.5 | 3.8 | 3.8 | 4.5 | **2,889.9** |
| OIL | 1971 | 66.9 | 59.3 | 56.4 | 53.6 | 53.7 | 48.5 | 53.1 | 49.9 | 52.6 | 54.7 | 51.5 | 52.8 | **8,539.7** |
| DAY | 1970 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,387.0** |
| H2O | 1970 | 27.0 | 15.9 | 8.6 | 16.7 | 17.2 | 17.3 | 15.4 | 17.6 | 16.9 | 17.5 | 16.1 | 8.4 | **2,835.9** |
| OIL | 1970 | 74.7 | 72.8 | 73.6 | 61.5 | 63.6 | 62.1 | 61.5 | 61.5 | 60.5 | 63.9 | 61.2 | 64.4 | **7,886.7** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 31.0 | **5,026.0** |
| H2O | 1969 | 9.1 | 8.3 | 7.3 | 7.9 | 8.3 | 4.1 | 4.6 | 4.1 | 26.4 | 26.7 | 25.4 | 28.0 | **2,641.3** |
| OIL | 1969 | 72.0 | 63.6 | 67.4 | 68.5 | 67.7 | 14.3 | 14.8 | 13.0 | 73.7 | 72.1 | 73.9 | 77.4 | **7,105.4** |
| DAY | 1968 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,668.0** |
| H2O | 1968 | 1.9 | 10.0 | 10.5 | 11.0 | 11.3 | 10.5 | 8.7 | 8.1 | 8.3 | 8.7 | 8.1 | 8.6 | **2,481.1** |
| OIL | 1968 | 40.2 | 66.6 | 71.5 | 71.0 | 71.2 | 69.8 | 69.9 | 71.5 | 69.4 | 72.9 | 69.8 | 71.8 | **6,427.0** |
| DAY | 1967 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,306.0** |
| H2O | 1967 | 18.3 | 15.1 | 17.5 | 16.9 | 16.9 | 16.1 | 12.6 | 2.2 | 2.1 | 2.4 | 1.9 | 2.2 | **2,375.4** |
| OIL | 1967 | 44.5 | 39.4 | 42.9 | 42.7 | 44.0 | 42.3 | 43.9 | 44.0 | 44.0 | 46.6 | 45.4 | 46.1 | **5,611.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,942.0** |
| H2O | 1966 | 8.1 | 6.5 | 8.1 | 8.3 | 9.4 | 8.3 | 8.3 | 8.1 | 8.7 | 18.0 | 17.8 | 19.1 | **2,251.2** |
| OIL | 1966 | 29.9 | 26.4 | 29.1 | 28.4 | 29.9 | 28.6 | 29.7 | 29.4 | 28.6 | 43.4 | 42.4 | 44.7 | **5,085.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,577.0** |
| H2O | 1965 | 25.1 | 7.0 | 9.4 | 3.5 | 3.5 | 3.5 | 3.3 | 3.5 | 3.5 | 3.3 | 2.4 | 8.4 | **2,122.5** |
| OIL | 1965 | 23.2 | 16.7 | 20.3 | 29.1 | 29.2 | 29.2 | 30.5 | 30.4 | 28.8 | 29.9 | 39.7 | 30.2 | **4,695.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 26.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **3,212.0** |
| H2O | 1964 | 1.1 | 1.1 | 1.3 | 0.0 | 8.4 | 5.1 | 3.7 | 10.2 | 9.7 | 9.7 | 3.8 | 3.7 | **2,046.1** |
| OIL | 1964 | 19.4 | 18.4 | 19.9 | 1.0 | 19.5 | 20.2 | 21.9 | 17.5 | 17.0 | 17.3 | 29.4 | 29.6 | **4,357.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,853.0** |
| H2O | 1963 | 3.5 | 3.0 | 3.5 | 2.1 | 1.0 | 1.4 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 1.1 | **1,988.3** |
| OIL | 1963 | 17.6 | 15.6 | 17.6 | 15.1 | 19.7 | 18.4 | 20.3 | 18.4 | 18.6 | 19.7 | 18.3 | 18.6 | **4,126.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,490.0** |
| H2O | 1962 | 14.6 | 13.4 | 16.4 | 11.9 | 12.2 | 16.7 | 11.0 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | **1,971.4** |
| OIL | 1962 | 14.8 | 12.7 | 11.1 | 17.5 | 14.3 | 14.5 | 19.9 | 20.2 | 19.2 | 25.1 | 23.8 | 22.7 | **3,908.9** |
| DAY | 1961 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,128.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 2.9 | 7.5 | 5.4 | 4.6 | 0.0 | 3.8 | 17.2 | 15.9 | 14.9 | **1,871.5** |
| OIL | 1961 | 24.8 | 23.4 | 29.4 | 28.6 | 32.3 | 29.4 | 24.3 | 21.8 | 17.2 | 13.8 | 15.7 | 14.3 | **3,693.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,765.0** |
| H2O | 1960 | 20.7 | 18.6 | 20.0 | 19.4 | 20.0 | 12.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,799.3** |
| OIL | 1960 | 24.8 | 26.9 | 30.5 | 31.3 | 28.0 | 29.6 | 40.4 | 37.7 | 36.2 | 34.0 | 28.9 | 29.1 | **3,418.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,400.0** |
| H2O | 1959 | 39.1 | 33.9 | 38.0 | 16.2 | 17.3 | 17.8 | 16.2 | 14.9 | 14.3 | 5.6 | 1.3 | 18.3 | **1,687.7** |
| OIL | 1959 | 66.3 | 58.3 | 61.5 | 43.2 | 61.2 | 58.2 | 49.1 | 47.2 | 47.2 | 50.1 | 47.2 | 31.8 | **3,040.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,036.0** |
| H2O | 1958 | 380.9 | 234.0 | 227.2 | 117.8 | 92.7 | 59.5 | 54.2 | 58.2 | 49.4 | 49.9 | 45.8 | 44.4 | **1,454.8** |
| OIL | 1958 | 70.9 | 82.3 | 86.9 | 94.6 | 96.3 | 93.8 | 96.5 | 89.5 | 80.6 | 78.0 | 73.6 | 70.2 | **2,419.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | **671.0** |
| H2O | 1957 | 0.2 | 0.3 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 37.5 | **40.8** |
| OIL | 1957 | 51.5 | 51.2 | 40.7 | 40.4 | 43.4 | 39.3 | 38.0 | 26.9 | 22.6 | 20.0 | 25.9 | 25.6 | **1,406.2** |
| DAY | 1956 | 0.0 | 9.0 | 31.0 | 29.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **312.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.3 | 0.3 | 0.2 | 0.6 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | **2.4** |
| OIL | 1956 | 0.0 | 51.2 | 177.4 | 117.8 | 110.0 | 65.3 | 89.0 | 84.2 | 76.6 | 78.8 | 75.6 | 54.8 | **980.7** |

# Manitoba Production
# 1950 To 1975

Licence ***1110*** Well Name ***Virden Roselea Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 8.0 | 24.0 | 31.0 | 30.0 | 31.0 | **6,721.0** |
| H2O | 1975 | 137.8 | 124.2 | 145.5 | 139.6 | 155.2 | 137.7 | 68.7 | 18.6 | 288.0 | 338.0 | 322.4 | 330.5 | **18,165.0** |
| OIL | 1975 | 51.0 | 46.6 | 51.5 | 48.1 | 50.4 | 47.5 | 14.1 | 3.7 | 18.8 | 23.5 | 23.2 | 23.8 | **5,794.9** |
| DAY | 1974 | 29.0 | 18.0 | 0.0 | 0.0 | 29.0 | 20.0 | 10.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,385.0** |
| H2O | 1974 | 631.4 | 390.1 | 0.0 | 0.0 | 694.4 | 536.8 | 214.1 | 560.0 | 671.6 | 689.3 | 600.7 | 139.1 | **15,958.8** |
| OIL | 1974 | 45.0 | 31.9 | 0.0 | 0.0 | 50.7 | 35.1 | 18.3 | 47.4 | 53.2 | 55.1 | 52.0 | 50.9 | **5,392.7** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 4.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,131.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 2.5 | 19.7 | 20.2 | 433.5 | 461.4 | 458.8 | 622.0 | 576.8 | 678.6 | **10,831.3** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 3.0 | 22.7 | 22.1 | 42.3 | 41.0 | 39.1 | 53.4 | 50.2 | 48.9 | **4,953.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 0.0 | 0.0 | **5,882.0** |
| H2O | 1972 | 9.2 | 9.1 | 9.1 | 3.8 | 4.0 | 15.4 | 15.7 | 17.6 | 16.9 | 16.1 | 0.0 | 0.0 | **7,557.8** |
| OIL | 1972 | 23.4 | 22.4 | 23.7 | 44.5 | 46.4 | 22.6 | 22.9 | 22.2 | 22.1 | 21.8 | 0.0 | 0.0 | **4,630.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,579.0** |
| H2O | 1971 | 21.3 | 21.3 | 22.9 | 23.5 | 24.5 | 3.8 | 4.1 | 4.6 | 8.1 | 9.1 | 7.9 | 8.4 | **7,440.9** |
| OIL | 1971 | 32.7 | 29.4 | 33.1 | 31.5 | 31.5 | 26.4 | 28.0 | 27.5 | 21.9 | 22.9 | 21.9 | 23.5 | **4,358.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,214.0** |
| H2O | 1970 | 22.1 | 20.8 | 25.4 | 23.1 | 23.7 | 23.1 | 15.7 | 20.8 | 22.6 | 22.7 | 19.6 | 18.1 | **7,281.4** |
| OIL | 1970 | 27.5 | 24.3 | 26.9 | 26.2 | 26.7 | 28.9 | 22.7 | 31.0 | 30.4 | 31.3 | 30.7 | 32.3 | **4,028.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 14.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,856.0** |
| H2O | 1969 | 24.8 | 20.2 | 24.6 | 11.1 | 26.2 | 25.1 | 26.5 | 24.2 | 23.0 | 24.3 | 23.0 | 24.6 | **7,023.7** |
| OIL | 1969 | 27.5 | 23.7 | 26.7 | 12.7 | 26.9 | 26.7 | 27.3 | 27.2 | 25.6 | 27.0 | 24.9 | 27.5 | **3,689.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,507.0** |
| H2O | 1968 | 33.4 | 33.4 | 38.8 | 41.5 | 38.6 | 35.3 | 23.5 | 24.3 | 21.6 | 23.0 | 22.9 | 24.9 | **6,746.1** |
| OIL | 1968 | 21.8 | 19.7 | 22.1 | 23.2 | 22.4 | 22.1 | 27.5 | 27.7 | 27.0 | 27.0 | 26.4 | 28.0 | **3,385.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,141.0** |
| H2O | 1967 | 293.1 | 249.7 | 283.2 | 266.7 | 291.3 | 254.6 | 260.3 | 286.1 | 288.9 | 281.0 | 35.3 | 35.8 | **6,384.9** |
| OIL | 1967 | 55.9 | 48.8 | 55.0 | 52.4 | 55.1 | 47.4 | 53.2 | 52.3 | 52.4 | 53.4 | 22.4 | 22.4 | **3,090.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 24.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,776.0** |
| H2O | 1966 | 21.8 | 20.8 | 21.1 | 16.5 | 17.5 | 14.0 | 16.7 | 19.5 | 17.3 | 17.3 | 325.2 | 299.6 | **3,558.9** |
| OIL | 1966 | 23.5 | 21.0 | 26.2 | 18.8 | 17.2 | 12.2 | 15.3 | 15.1 | 15.7 | 17.0 | 57.4 | 55.8 | **2,519.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 18.0 | 19.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,418.0** |
| H2O | 1965 | 14.5 | 13.3 | 14.5 | 14.0 | 14.5 | 12.7 | 7.8 | 12.7 | 14.9 | 16.2 | 16.7 | 18.1 | **2,751.6** |
| OIL | 1965 | 14.6 | 13.3 | 14.6 | 14.1 | 14.1 | 12.7 | 8.9 | 8.6 | 14.3 | 14.5 | 15.3 | 18.8 | **2,224.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,078.0** |
| H2O | 1964 | 14.1 | 13.8 | 14.8 | 14.0 | 14.8 | 14.3 | 14.1 | 14.8 | 14.5 | 14.8 | 14.3 | 14.1 | **2,581.7** |
| OIL | 1964 | 14.1 | 14.6 | 14.9 | 14.0 | 14.8 | 14.3 | 14.1 | 14.8 | 14.8 | 15.1 | 14.3 | 14.1 | **2,060.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,712.0** |
| H2O | 1963 | 15.1 | 13.4 | 14.8 | 14.1 | 13.8 | 13.4 | 14.1 | 13.8 | 14.3 | 14.6 | 14.3 | 14.8 | **2,409.3** |
| OIL | 1963 | 14.9 | 13.5 | 14.5 | 14.0 | 14.3 | 13.3 | 14.0 | 13.8 | 14.3 | 14.5 | 14.3 | 14.9 | **1,887.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,347.0** |
| H2O | 1962 | 4.9 | 4.5 | 4.9 | 4.8 | 5.1 | 4.8 | 4.9 | 5.6 | 19.2 | 14.5 | 14.1 | 14.8 | **2,238.8** |
| OIL | 1962 | 5.1 | 4.6 | 4.9 | 4.8 | 4.6 | 4.8 | 4.8 | 21.3 | 42.3 | 31.0 | 12.6 | 14.6 | **1,716.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,983.0** |
| H2O | 1961 | 12.2 | 8.9 | 11.9 | 4.8 | 4.9 | 4.8 | 4.9 | 4.9 | 4.8 | 4.9 | 4.8 | 4.9 | **2,136.7** |
| OIL | 1961 | 11.8 | 4.6 | 5.4 | 5.7 | 5.9 | 5.7 | 5.9 | 5.2 | 4.8 | 4.8 | 4.9 | 4.9 | **1,561.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,618.0** |
| H2O | 1960 | 19.7 | 18.8 | 19.1 | 19.1 | 19.7 | 18.9 | 16.5 | 18.0 | 14.3 | 14.8 | 12.1 | 14.3 | **2,060.0** |
| OIL | 1960 | 19.7 | 18.6 | 19.9 | 19.2 | 19.9 | 18.9 | 19.5 | 19.2 | 18.9 | 19.5 | 18.9 | 19.5 | **1,491.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,253.0** |
| H2O | 1959 | 15.4 | 13.4 | 14.8 | 13.8 | 14.8 | 14.3 | 14.8 | 15.6 | 18.8 | 19.2 | 18.8 | 18.3 | **1,854.7** |
| OIL | 1959 | 14.8 | 13.5 | 14.8 | 17.3 | 19.7 | 19.1 | 19.2 | 19.4 | 17.2 | 19.4 | 21.6 | 21.5 | **1,260.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | **889.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1110*** Well Name ***Virden Roselea Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-30-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 32.9 | 26.7 | 21.0 | 13.2 | 17.3 | 14.1 | 15.9 | 14.8 | 15.4 | 15.4 | 14.6 | 13.0 | **1,662.7** |
| OIL | 1958 | 34.3 | 29.9 | 22.1 | 18.3 | 19.5 | 18.9 | 19.4 | 19.4 | 19.1 | 21.0 | 14.1 | 8.3 | **1,042.5** |
| DAY | 1957 | 27.0 | 24.0 | 29.0 | 26.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 28.0 | 31.0 | **531.0** |
| H2O | 1957 | 72.0 | 56.9 | 93.8 | 67.4 | 74.7 | 28.9 | 52.3 | 52.0 | 51.4 | 43.6 | 33.2 | 31.5 | **1,448.4** |
| OIL | 1957 | 36.7 | 27.2 | 33.5 | 33.1 | 33.5 | 25.6 | 27.5 | 18.0 | 19.1 | 19.7 | 24.3 | 34.2 | **798.2** |
| DAY | 1956 | 0.0 | 0.0 | 7.0 | 2.0 | 0.0 | 15.0 | 24.0 | 30.0 | 30.0 | 31.0 | 27.0 | 19.0 | **185.0** |
| H2O | 1956 | 0.0 | 0.0 | 35.9 | 4.0 | 0.0 | 28.5 | 53.6 | 147.4 | 210.0 | 133.9 | 104.1 | 73.3 | **790.7** |
| OIL | 1956 | 0.0 | 0.0 | 21.8 | 3.0 | 0.0 | 21.8 | 48.9 | 88.9 | 105.3 | 75.6 | 64.7 | 35.8 | **465.8** |

Licence ***1111*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-02-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 2266.6 | 1968.5 | 2249.6 | 2331.0 | 2398.1 | 2154.8 | 2322.9 | 2276.1 | 2503.3 | 2435.1 | 2320.9 | 2444.8 | **139,279.5** |
| WIN | 1974 | 1003.5 | 1508.4 | 1640.5 | 1619.8 | 1464.4 | 1353.4 | 1672.0 | 1549.1 | 1736.4 | 1785.3 | 1616.7 | 2219.4 | **111,607.8** |
| WIN | 1973 | 1394.3 | 1199.4 | 1365.4 | 1495.3 | 1553.4 | 1438.0 | 1506.2 | 1409.7 | 1429.0 | 1366.8 | 1400.9 | 1354.1 | **92,438.9** |
| WIN | 1972 | 1022.1 | 934.2 | 1350.1 | 1297.9 | 1357.3 | 1296.1 | 1343.9 | 1365.7 | 1399.4 | 1078.9 | 709.2 | 1092.8 | **75,526.4** |
| WIN | 1971 | 607.4 | 672.2 | 496.2 | 581.0 | 488.9 | 364.4 | 871.8 | 971.5 | 1021.8 | 1353.3 | 1243.2 | 1275.0 | **61,278.8** |
| WIN | 1970 | 992.7 | 983.1 | 999.6 | 1145.5 | 619.9 | 813.3 | 1266.1 | 1016.3 | 743.2 | 1040.5 | 951.4 | 540.2 | **51,332.1** |
| WIN | 1969 | 1540.4 | 1441.5 | 1345.3 | 1356.5 | 974.4 | 1337.4 | 899.2 | 1227.4 | 890.0 | 1116.6 | 915.3 | 1250.0 | **40,220.3** |
| WIN | 1968 | 1480.0 | 2194.5 | 1561.0 | 1971.1 | 1810.9 | 1593.6 | 1765.0 | 1678.8 | 1116.1 | 1587.5 | 1539.8 | 1446.6 | **25,926.3** |
| DAY | 1967 | 31.0 | 28.0 | 20.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,802.0** |
| H2O | 1967 | 95.8 | 96.8 | 70.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,437.7** |
| OIL | 1967 | 76.4 | 69.6 | 48.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **13,459.7** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 174.7 | 651.6 | 807.0 | 1124.7 | 1657.3 | 1766.1 | **6,181.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,723.0** |
| H2O | 1966 | 107.8 | 94.3 | 103.5 | 100.6 | 102.7 | 97.9 | 104.4 | 106.5 | 106.2 | 108.4 | 104.9 | 89.3 | **7,175.0** |
| OIL | 1966 | 106.9 | 91.7 | 98.5 | 95.3 | 98.5 | 91.8 | 92.3 | 95.3 | 94.4 | 89.3 | 86.4 | 71.8 | **13,265.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 21.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,359.0** |
| H2O | 1965 | 71.2 | 61.7 | 73.9 | 71.5 | 73.9 | 50.1 | 116.7 | 132.6 | 114.9 | 114.5 | 113.2 | 110.8 | **5,948.5** |
| OIL | 1965 | 81.0 | 70.6 | 78.8 | 76.3 | 78.8 | 53.4 | 129.5 | 119.5 | 109.8 | 109.6 | 108.4 | 106.8 | **12,153.5** |
| DAY | 1964 | 27.0 | 29.0 | 31.0 | 23.0 | 24.0 | 28.0 | 23.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,006.0** |
| H2O | 1964 | 45.5 | 39.7 | 36.1 | 23.4 | 45.5 | 41.7 | 38.2 | 107.3 | 85.8 | 75.0 | 76.3 | 78.9 | **4,843.5** |
| OIL | 1964 | 93.3 | 99.2 | 106.3 | 77.1 | 73.9 | 88.7 | 64.7 | 106.2 | 98.8 | 91.7 | 89.1 | 88.7 | **11,031.0** |
| DAY | 1963 | 31.0 | 25.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 27.0 | 26.0 | 31.0 | **2,669.0** |
| H2O | 1963 | 36.4 | 28.6 | 38.6 | 35.3 | 37.5 | 37.5 | 37.5 | 35.3 | 37.5 | 35.1 | 34.0 | 36.1 | **4,150.1** |
| OIL | 1963 | 70.4 | 62.0 | 72.0 | 74.7 | 78.7 | 73.6 | 76.1 | 68.3 | 73.3 | 68.2 | 63.9 | 58.6 | **9,953.3** |
| DAY | 1962 | 29.0 | 27.0 | 28.0 | 24.0 | 29.0 | 28.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,320.0** |
| H2O | 1962 | 37.5 | 38.5 | 35.3 | 38.5 | 34.2 | 37.4 | 35.3 | 35.3 | 35.3 | 36.4 | 37.5 | 36.4 | **3,720.7** |
| OIL | 1962 | 81.7 | 75.8 | 67.4 | 45.6 | 60.1 | 55.8 | 58.2 | 62.0 | 67.5 | 62.3 | 67.4 | 71.7 | **9,113.5** |
| DAY | 1961 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | **1,974.0** |
| H2O | 1961 | 37.8 | 35.6 | 36.9 | 38.2 | 39.4 | 39.4 | 39.4 | 37.5 | 38.6 | 38.5 | 33.1 | 33.1 | **3,283.1** |
| OIL | 1961 | 94.2 | 87.2 | 90.6 | 95.0 | 92.6 | 91.4 | 98.5 | 95.0 | 85.2 | 86.4 | 89.1 | 84.9 | **8,338.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | 31.0 | 24.0 | 31.0 | 29.0 | 31.0 | **1,615.0** |
| H2O | 1960 | 51.7 | 53.3 | 58.2 | 47.7 | 38.8 | 55.6 | 39.7 | 52.9 | 38.2 | 42.3 | 37.4 | 30.4 | **2,835.6** |
| OIL | 1960 | 76.0 | 72.1 | 70.2 | 65.5 | 68.8 | 65.9 | 55.8 | 67.9 | 54.5 | 68.6 | 78.2 | 94.1 | **7,247.9** |
| DAY | 1959 | 31.0 | 27.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,262.0** |
| H2O | 1959 | 59.1 | 51.5 | 47.7 | 51.5 | 40.7 | 47.1 | 59.1 | 91.9 | 95.4 | 85.8 | 55.3 | 55.8 | **2,289.4** |
| OIL | 1959 | 145.6 | 121.9 | 132.8 | 121.9 | 86.9 | 124.6 | 118.1 | 65.6 | 91.8 | 76.8 | 59.3 | 91.8 | **6,410.3** |
| DAY | 1958 | 30.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 29.0 | 17.0 | 26.0 | 31.0 | **904.0** |
| H2O | 1958 | 51.5 | 46.1 | 45.3 | 39.3 | 49.3 | 39.7 | 93.8 | 71.4 | 64.5 | 28.9 | 46.9 | 59.1 | **1,548.5** |
| OIL | 1958 | 142.9 | 133.6 | 123.5 | 140.6 | 141.6 | 130.5 | 116.2 | 135.1 | 120.1 | 77.7 | 114.6 | 143.7 | **5,173.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1111*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-02-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 31.0 | 28.0 | 18.0 | 22.0 | 31.0 | 30.0 | 31.0 | 28.0 | 26.0 | 30.0 | 29.0 | 23.0 | **563.0** |
| H2O | 1957 | 64.4 | 50.6 | 19.1 | 37.5 | 72.3 | 72.0 | 65.8 | 67.6 | 67.1 | 48.8 | 24.6 | 28.6 | **912.7** |
| OIL | 1957 | 224.1 | 199.4 | 127.0 | 125.4 | 216.0 | 199.0 | 176.4 | 180.2 | 162.9 | 177.8 | 169.2 | 127.6 | **3,653.1** |
| DAY | 1956 | 0.0 | 0.0 | 18.0 | 3.0 | 20.0 | 27.0 | 23.0 | 30.0 | 28.0 | 28.0 | 29.0 | 30.0 | **236.0** |
| H2O | 1956 | 0.0 | 0.0 | 4.8 | 1.3 | 9.5 | 10.8 | 11.4 | 21.8 | 50.6 | 56.4 | 56.0 | 71.7 | **294.3** |
| OIL | 1956 | 0.0 | 0.0 | 155.3 | 19.7 | 146.0 | 120.6 | 107.4 | 135.9 | 152.1 | 247.7 | 251.9 | 231.5 | **1,568.1** |

Licence ***1112*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,010.0** |
| H2O | 1975 | 133.5 | 122.7 | 136.9 | 132.7 | 137.5 | 128.0 | 132.0 | 130.0 | 162.3 | 182.5 | 182.8 | 186.2 | **36,986.4** |
| OIL | 1975 | 52.1 | 46.2 | 50.9 | 48.1 | 49.1 | 46.4 | 49.1 | 49.3 | 49.4 | 53.6 | 51.8 | 52.6 | **13,092.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,645.0** |
| H2O | 1974 | 253.4 | 232.9 | 263.0 | 251.7 | 264.9 | 266.1 | 223.5 | 128.6 | 126.7 | 132.0 | 131.6 | 131.6 | **35,219.3** |
| OIL | 1974 | 80.4 | 69.6 | 80.2 | 75.2 | 79.5 | 76.9 | 65.9 | 52.8 | 50.7 | 52.9 | 50.4 | 52.1 | **12,494.3** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 29.0 | 31.0 | **6,285.0** |
| H2O | 1973 | 319.2 | 202.1 | 203.2 | 228.1 | 216.1 | 222.3 | 245.5 | 264.2 | 277.4 | 261.0 | 249.1 | 254.2 | **32,813.3** |
| OIL | 1973 | 74.8 | 69.3 | 71.5 | 71.0 | 69.3 | 72.0 | 64.0 | 78.3 | 79.6 | 75.8 | 73.3 | 78.2 | **11,707.7** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | 30.0 | 29.0 | 30.0 | **5,927.0** |
| H2O | 1972 | 380.9 | 371.4 | 348.0 | 285.5 | 315.4 | 331.2 | 355.5 | 330.8 | 341.5 | 349.3 | 309.4 | 315.1 | **29,870.9** |
| OIL | 1972 | 107.9 | 100.6 | 52.8 | 58.5 | 61.5 | 72.6 | 72.5 | 96.8 | 95.2 | 94.2 | 70.4 | 73.6 | **10,830.6** |
| DAY | 1971 | 31.0 | 26.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,568.0** |
| H2O | 1971 | 254.8 | 138.3 | 156.6 | 532.3 | 537.8 | 535.4 | 530.5 | 478.5 | 321.1 | 351.3 | 323.4 | 405.6 | **25,836.9** |
| OIL | 1971 | 72.5 | 68.6 | 74.8 | 120.0 | 123.8 | 120.1 | 123.0 | 112.8 | 109.5 | 111.2 | 100.3 | 109.8 | **9,874.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 28.0 | 29.0 | **5,211.0** |
| H2O | 1970 | 347.2 | 325.9 | 341.2 | 315.1 | 324.3 | 329.1 | 297.9 | 267.1 | 248.3 | 219.1 | 229.6 | 255.2 | **21,271.3** |
| OIL | 1970 | 111.6 | 100.6 | 109.8 | 106.0 | 109.3 | 106.9 | 109.0 | 96.3 | 91.8 | 82.3 | 61.7 | 64.8 | **8,627.6** |
| DAY | 1969 | 29.0 | 27.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,853.0** |
| H2O | 1969 | 439.6 | 397.3 | 327.8 | 411.0 | 452.1 | 417.6 | 357.5 | 350.9 | 338.8 | 356.0 | 328.5 | 360.4 | **17,771.3** |
| OIL | 1969 | 128.6 | 113.1 | 109.8 | 131.4 | 134.9 | 127.8 | 113.6 | 110.3 | 110.0 | 111.6 | 110.3 | 115.5 | **7,477.5** |
| DAY | 1968 | 31.0 | 26.0 | 26.0 | 29.0 | 28.0 | 26.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | **4,496.0** |
| H2O | 1968 | 37.7 | 32.3 | 206.5 | 243.9 | 322.4 | 275.7 | 326.9 | 333.5 | 420.0 | 425.7 | 372.2 | 408.7 | **13,233.8** |
| OIL | 1968 | 41.5 | 34.3 | 39.6 | 45.1 | 81.8 | 75.0 | 85.0 | 94.9 | 133.3 | 134.0 | 121.4 | 125.2 | **6,060.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,152.0** |
| H2O | 1967 | 37.8 | 31.2 | 42.8 | 37.2 | 37.4 | 39.7 | 31.3 | 43.1 | 37.7 | 40.9 | 35.8 | 39.1 | **9,828.3** |
| OIL | 1967 | 45.4 | 40.5 | 44.2 | 42.7 | 44.2 | 27.8 | 43.9 | 41.2 | 39.7 | 41.8 | 40.7 | 41.5 | **5,049.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 25.0 | 7.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,787.0** |
| H2O | 1966 | 52.1 | 42.3 | 52.6 | 50.4 | 56.9 | 25.0 | 5.6 | 30.2 | 32.4 | 33.4 | 37.0 | 38.8 | **9,374.3** |
| OIL | 1966 | 40.8 | 36.4 | 39.4 | 38.3 | 40.2 | 26.4 | 6.4 | 33.8 | 33.1 | 34.2 | 43.5 | 44.7 | **4,555.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,451.0** |
| H2O | 1965 | 28.0 | 24.8 | 28.3 | 20.0 | 20.2 | 19.4 | 19.2 | 0.0 | 0.0 | 24.3 | 24.8 | 55.3 | **8,917.6** |
| OIL | 1965 | 46.4 | 42.3 | 45.9 | 33.7 | 38.5 | 38.8 | 39.7 | 42.3 | 40.0 | 41.6 | 39.7 | 42.0 | **4,138.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,086.0** |
| H2O | 1964 | 50.9 | 45.8 | 51.0 | 38.2 | 38.0 | 30.2 | 29.6 | 22.6 | 16.5 | 15.9 | 17.5 | 18.4 | **8,653.3** |
| OIL | 1964 | 20.7 | 19.5 | 21.1 | 27.2 | 24.5 | 32.4 | 33.4 | 30.4 | 41.6 | 41.3 | 35.1 | 37.5 | **3,647.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,720.0** |
| H2O | 1963 | 22.3 | 24.2 | 32.3 | 33.2 | 22.4 | 31.6 | 48.8 | 25.6 | 22.4 | 28.0 | 49.1 | 50.2 | **8,278.7** |
| OIL | 1963 | 24.5 | 22.1 | 26.4 | 25.3 | 28.8 | 33.2 | 21.9 | 21.9 | 23.2 | 21.9 | 19.5 | 19.9 | **3,283.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,358.0** |
| H2O | 1962 | 59.1 | 62.0 | 68.7 | 66.5 | 68.7 | 60.7 | 63.9 | 60.9 | 24.2 | 24.6 | 25.3 | 25.6 | **7,888.6** |

# Manitoba Production
## 1950 To 1975

Licence ***1112*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 14.9 | 8.4 | 9.1 | 14.5 | 14.0 | 8.7 | 9.2 | 9.2 | 30.7 | 27.5 | 29.4 | 27.0 | **2,994.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,996.0** |
| H2O | 1961 | 113.5 | 97.0 | 104.3 | 95.5 | 80.1 | 81.2 | 79.2 | 79.2 | 85.8 | 83.9 | 72.2 | 68.7 | **7,278.4** |
| OIL | 1961 | 15.1 | 18.8 | 19.5 | 14.5 | 18.3 | 28.3 | 29.4 | 25.3 | 17.8 | 20.0 | 18.3 | 19.7 | **2,791.9** |
| DAY | 1960 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,631.0** |
| H2O | 1960 | 141.0 | 158.7 | 169.0 | 157.7 | 159.9 | 150.7 | 152.9 | 153.9 | 126.2 | 113.0 | 104.9 | 111.9 | **6,237.8** |
| OIL | 1960 | 18.8 | 18.1 | 19.2 | 18.9 | 20.0 | 19.7 | 13.3 | 14.6 | 18.9 | 17.3 | 19.1 | 19.7 | **2,546.9** |
| DAY | 1959 | 29.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **1,269.0** |
| H2O | 1959 | 248.2 | 277.4 | 276.1 | 241.3 | 207.2 | 170.4 | 142.4 | 138.9 | 135.3 | 140.1 | 140.2 | 129.7 | **4,538.0** |
| OIL | 1959 | 16.7 | 17.8 | 18.4 | 18.6 | 17.8 | 18.4 | 18.9 | 19.4 | 19.1 | 19.1 | 19.2 | 17.8 | **2,329.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **911.0** |
| H2O | 1958 | 57.4 | 42.9 | 53.1 | 54.8 | 52.6 | 46.9 | 44.8 | 37.7 | 31.5 | 39.6 | 37.4 | 38.3 | **2,290.8** |
| OIL | 1958 | 51.6 | 39.6 | 49.4 | 49.4 | 38.5 | 39.1 | 41.5 | 31.0 | 27.3 | 24.6 | 16.5 | 14.6 | **2,108.1** |
| DAY | 1957 | 29.0 | 27.0 | 29.0 | 30.0 | 22.0 | 30.0 | 29.0 | 29.0 | 30.0 | 30.0 | 29.0 | 24.0 | **548.0** |
| H2O | 1957 | 111.6 | 103.2 | 104.6 | 72.8 | 40.7 | 59.6 | 69.6 | 122.7 | 206.4 | 133.9 | 92.8 | 45.0 | **1,753.8** |
| OIL | 1957 | 28.4 | 15.3 | 55.6 | 44.0 | 15.7 | 9.7 | 9.4 | 25.7 | 114.3 | 99.5 | 88.5 | 58.6 | **1,685.0** |
| DAY | 1956 | 0.0 | 0.0 | 30.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | **210.0** |
| H2O | 1956 | 0.0 | 0.0 | 2.9 | 0.0 | 0.0 | 0.0 | 120.2 | 97.0 | 98.4 | 108.6 | 74.6 | 89.2 | **590.9** |
| OIL | 1956 | 0.0 | 0.0 | 6.0 | 0.0 | 0.0 | 0.0 | 259.7 | 249.0 | 216.4 | 178.0 | 103.9 | 107.3 | **1,120.3** |

Licence ***1113*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-07-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,677.0** |
| H2O | 1975 | 484.7 | 427.0 | 461.4 | 462.5 | 474.1 | 437.5 | 512.4 | 453.6 | 500.2 | 544.8 | 519.2 | 555.3 | **37,675.1** |
| OIL | 1975 | 42.0 | 37.0 | 41.6 | 39.6 | 42.1 | 40.8 | 63.4 | 57.7 | 58.8 | 62.5 | 59.8 | 60.5 | **6,404.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **6,316.0** |
| H2O | 1974 | 453.6 | 428.5 | 490.9 | 482.3 | 437.8 | 479.5 | 510.2 | 511.6 | 501.4 | 458.5 | 411.0 | 474.1 | **31,842.4** |
| OIL | 1974 | 15.9 | 18.4 | 20.3 | 19.2 | 17.6 | 20.0 | 22.4 | 21.9 | 22.9 | 41.6 | 36.9 | 41.6 | **5,798.7** |
| DAY | 1973 | 31.0 | 27.0 | 30.0 | 29.0 | 30.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,960.0** |
| H2O | 1973 | 256.1 | 214.0 | 250.4 | 267.2 | 264.7 | 236.7 | 310.2 | 376.0 | 370.3 | 493.6 | 479.8 | 484.1 | **26,203.0** |
| OIL | 1973 | 41.5 | 34.8 | 39.1 | 38.6 | 41.8 | 39.9 | 50.4 | 52.9 | 48.3 | 16.0 | 16.7 | 16.4 | **5,500.0** |
| DAY | 1972 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,603.0** |
| H2O | 1972 | 113.4 | 315.9 | 345.1 | 322.9 | 284.7 | 288.7 | 258.3 | 275.0 | 256.6 | 273.0 | 235.6 | 242.6 | **22,199.9** |
| OIL | 1972 | 15.9 | 40.2 | 72.1 | 57.2 | 54.0 | 47.4 | 41.5 | 42.7 | 40.4 | 40.5 | 39.3 | 41.0 | **5,063.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,240.0** |
| H2O | 1971 | 318.4 | 303.2 | 294.3 | 322.3 | 242.9 | 294.3 | 175.5 | 146.4 | 128.0 | 178.1 | 110.5 | 105.9 | **18,988.1** |
| OIL | 1971 | 53.1 | 47.5 | 61.3 | 55.9 | 42.9 | 45.0 | 31.8 | 37.3 | 22.4 | 19.7 | 15.1 | 15.6 | **4,531.4** |
| DAY | 1970 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | **4,877.0** |
| H2O | 1970 | 87.8 | 78.1 | 114.0 | 124.8 | 109.5 | 95.7 | 163.1 | 71.2 | 67.6 | 59.1 | 318.6 | 312.7 | **16,368.3** |
| OIL | 1970 | 20.0 | 17.8 | 16.8 | 23.0 | 23.5 | 22.4 | 14.6 | 4.4 | 18.3 | 17.2 | 66.4 | 60.7 | **4,083.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,520.0** |
| H2O | 1969 | 373.6 | 343.1 | 242.0 | 241.6 | 216.4 | 211.1 | 126.2 | 113.7 | 114.8 | 116.1 | 116.9 | 113.0 | **14,766.1** |
| OIL | 1969 | 50.5 | 46.2 | 37.0 | 35.0 | 26.1 | 28.6 | 28.3 | 24.2 | 18.0 | 18.6 | 14.5 | 14.6 | **3,778.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 30.0 | 27.0 | 31.0 | **4,155.0** |
| H2O | 1968 | 4.6 | 4.5 | 4.9 | 4.5 | 4.8 | 45.2 | 50.2 | 4.5 | 3.7 | 4.3 | 284.7 | 372.0 | **12,437.6** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.3 | 4.4 | 4.3 | 3.7 | 4.3 | 57.7 | 50.9 | **3,437.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,796.0** |
| H2O | 1967 | 65.7 | 66.3 | 77.9 | 77.7 | 74.7 | 70.1 | 7.2 | 6.4 | 4.3 | 4.3 | 1.1 | 4.8 | **11,649.7** |
| OIL | 1967 | 9.7 | 8.9 | 9.7 | 9.2 | 9.4 | 9.9 | 2.2 | 2.2 | 0.0 | 0.0 | 1.1 | 0.0 | **3,307.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,432.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1113*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-07-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1966 | 96.5 | 82.7 | 93.5 | 82.8 | 93.6 | 91.4 | 95.2 | 89.3 | 92.7 | 80.1 | 103.7 | 61.4 | **11,189.2** |
| OIL | 1966 | 15.3 | 13.8 | 15.3 | 16.2 | 9.9 | 11.6 | 10.6 | 11.0 | 11.4 | 10.5 | 10.2 | 9.1 | **3,245.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,067.0** |
| H2O | 1965 | 222.6 | 213.5 | 159.0 | 173.4 | 161.8 | 148.3 | 143.9 | 140.9 | 93.8 | 96.3 | 91.1 | 102.1 | **10,126.3** |
| OIL | 1965 | 23.5 | 23.4 | 21.1 | 19.7 | 21.8 | 19.5 | 17.0 | 15.7 | 16.8 | 16.4 | 15.1 | 15.6 | **3,100.3** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,703.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 129.4 | 225.1 | 258.2 | 180.9 | 177.9 | 212.9 | **8,379.6** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.8 | 23.7 | 34.6 | 23.5 | 24.5 | 24.9 | **2,874.7** |
| DAY | 1963 | 31.0 | 28.0 | 11.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,537.0** |
| H2O | 1963 | 18.6 | 14.1 | 5.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,195.2** |
| OIL | 1963 | 8.1 | 6.7 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,729.7** |
| DAY | 1962 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,467.0** |
| H2O | 1962 | 28.6 | 26.5 | 28.1 | 24.5 | 26.1 | 17.8 | 22.1 | 21.1 | 21.0 | 21.5 | 19.1 | 20.3 | **7,156.8** |
| OIL | 1962 | 11.0 | 8.6 | 9.2 | 9.2 | 9.5 | 8.4 | 9.5 | 7.6 | 7.9 | 7.9 | 7.6 | 8.1 | **2,712.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,103.0** |
| H2O | 1961 | 43.7 | 44.8 | 46.1 | 43.9 | 47.1 | 0.0 | 0.0 | 0.0 | 27.8 | 28.9 | 25.8 | 26.4 | **6,880.1** |
| OIL | 1961 | 13.0 | 11.8 | 13.2 | 13.0 | 13.0 | 18.1 | 16.5 | 20.2 | 10.8 | 10.5 | 9.5 | 9.2 | **2,607.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,741.0** |
| H2O | 1960 | 58.0 | 42.6 | 45.2 | 44.4 | 43.9 | 52.0 | 45.2 | 60.7 | 53.9 | 51.5 | 48.0 | 50.1 | **6,545.6** |
| OIL | 1960 | 19.4 | 13.5 | 14.6 | 13.2 | 12.4 | 11.1 | 10.8 | 11.0 | 10.5 | 9.7 | 12.9 | 14.1 | **2,448.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,376.0** |
| H2O | 1959 | 80.3 | 70.7 | 76.9 | 74.2 | 78.2 | 76.8 | 80.0 | 118.0 | 74.7 | 92.5 | 87.8 | 60.3 | **5,950.1** |
| OIL | 1959 | 20.8 | 21.6 | 24.3 | 23.2 | 24.3 | 23.5 | 24.6 | 24.9 | 16.8 | 26.5 | 25.4 | 57.8 | **2,295.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,012.0** |
| H2O | 1958 | 140.1 | 109.5 | 105.6 | 111.1 | 111.6 | 104.4 | 114.5 | 92.5 | 91.7 | 97.3 | 90.3 | 87.3 | **4,979.7** |
| OIL | 1958 | 34.5 | 28.9 | 32.3 | 34.5 | 26.9 | 27.2 | 29.4 | 38.8 | 31.1 | 24.6 | 21.3 | 20.5 | **1,982.0** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 30.0 | 30.0 | 31.0 | **648.0** |
| H2O | 1957 | 173.3 | 153.1 | 178.7 | 141.8 | 138.2 | 233.2 | 254.2 | 246.9 | 104.9 | 118.0 | 117.2 | 124.6 | **3,723.8** |
| OIL | 1957 | 66.9 | 58.2 | 67.7 | 71.0 | 75.8 | 79.1 | 83.7 | 83.7 | 35.4 | 40.5 | 42.0 | 42.4 | **1,632.0** |
| DAY | 1956 | 0.0 | 7.0 | 23.0 | 25.0 | 27.0 | 25.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **288.0** |
| H2O | 1956 | 0.0 | 65.5 | 143.2 | 276.8 | 232.6 | 54.4 | 69.0 | 184.3 | 183.6 | 195.1 | 165.7 | 169.5 | **1,739.7** |
| OIL | 1956 | 0.0 | 47.0 | 117.3 | 116.2 | 116.4 | 55.3 | 69.9 | 75.2 | 76.6 | 79.3 | 66.3 | 66.1 | **885.6** |

Licence ***1114*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1841.0 | 1354.9 | 765.3 | 1198.8 | 1359.4 | 1631.1 | 1719.2 | 1696.6 | 1626.9 | 1723.0 | 2018.3 | 1633.6 | **237,157.3** |
| WIN | 1974 | 1603.3 | 1423.1 | 1545.2 | 1478.1 | 1563.0 | 1308.8 | 1417.1 | 1465.1 | 1397.7 | 1474.8 | 1505.8 | 1537.9 | **218,589.2** |
| WIN | 1973 | 1239.8 | 1246.7 | 1286.9 | 1132.0 | 1776.1 | 1635.4 | 1628.7 | 1613.6 | 1342.4 | 1095.2 | 1549.4 | 1539.0 | **200,869.3** |
| WIN | 1972 | 1653.3 | 1880.6 | 1947.3 | 1868.3 | 1865.3 | 1806.0 | 1831.6 | 1811.3 | 1725.4 | 1772.8 | 1700.9 | 1266.2 | **183,784.1** |
| WIN | 1971 | 1680.3 | 1723.8 | 1718.1 | 1872.6 | 2022.7 | 1829.1 | 1333.0 | 1460.0 | 1298.0 | 1627.1 | 904.4 | 572.3 | **162,655.1** |
| WIN | 1970 | 2027.2 | 1734.9 | 1751.8 | 1777.9 | 2181.7 | 2075.6 | 2000.9 | 2176.1 | 2042.1 | 2283.9 | 2047.8 | 2041.1 | **144,613.7** |
| WIN | 1969 | 2179.9 | 1951.0 | 2155.8 | 1929.2 | 1919.0 | 1815.7 | 1944.2 | 2015.2 | 1814.4 | 1996.9 | 1882.0 | 1813.2 | **120,472.7** |
| WIN | 1968 | 2082.2 | 1927.2 | 1999.5 | 1461.8 | 2113.3 | 1945.9 | 2041.1 | 1976.3 | 2098.9 | 1747.2 | 2103.0 | 1835.7 | **97,056.2** |
| WIN | 1967 | 1195.6 | 1405.5 | 1746.7 | 1900.6 | 2008.1 | 1965.8 | 1985.8 | 1759.0 | 1395.5 | 1766.4 | 1942.7 | 2028.4 | **73,724.1** |
| WIN | 1966 | 1745.1 | 1595.6 | 1747.0 | 1706.0 | 1708.2 | 1630.0 | 1679.8 | 1639.5 | 1285.6 | 1381.0 | 1976.9 | 1747.0 | **52,624.0** |
| WIN | 1965 | 1673.6 | 1499.6 | 1681.5 | 1608.0 | 1472.6 | 1442.4 | 1534.3 | 1530.0 | 1691.4 | 1783.6 | 1378.6 | 1595.0 | **32,782.3** |
| WIN | 1964 | 444.3 | 657.2 | 969.6 | 753.2 | 895.2 | 333.1 | 755.2 | 1551.4 | 1568.9 | 1605.8 | 1581.0 | 1454.3 | **13,891.7** |
| DAY | 1963 | 26.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 27.0 | 29.0 | 31.0 | 8.0 | 0.0 | **2,694.0** |
| H2O | 1963 | 13.5 | 39.0 | 2.5 | 0.0 | 37.5 | 52.9 | 29.6 | 21.3 | 20.7 | 4.3 | 1.7 | 0.0 | **2,531.3** |
| OIL | 1963 | 64.1 | 122.7 | 112.2 | 110.3 | 93.3 | 107.3 | 119.8 | 111.6 | 130.5 | 76.8 | 16.5 | 0.0 | **16,136.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1114*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 68.7 | 1253.8 | **1,322.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,393.0** |
| H2O | 1962 | 20.0 | 18.1 | 20.0 | 37.8 | 20.0 | 23.7 | 24.8 | 23.7 | 77.3 | 79.0 | 32.7 | 18.8 | **2,308.3** |
| OIL | 1962 | 105.5 | 92.3 | 93.0 | 139.0 | 148.4 | 135.2 | 134.3 | 130.9 | 107.3 | 96.1 | 101.9 | 85.2 | **15,071.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,031.0** |
| H2O | 1961 | 24.8 | 21.9 | 21.3 | 21.0 | 19.9 | 19.4 | 20.0 | 20.0 | 22.4 | 20.0 | 19.4 | 20.0 | **1,912.4** |
| OIL | 1961 | 131.4 | 150.3 | 120.3 | 114.7 | 117.9 | 113.0 | 113.0 | 129.8 | 101.7 | 127.8 | 108.1 | 106.6 | **13,702.1** |
| DAY | 1960 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,666.0** |
| H2O | 1960 | 46.4 | 47.4 | 48.5 | 47.9 | 50.4 | 44.5 | 42.6 | 48.3 | 45.5 | 29.4 | 28.5 | 28.3 | **1,662.3** |
| OIL | 1960 | 130.8 | 115.4 | 133.2 | 126.2 | 127.6 | 130.9 | 117.4 | 164.5 | 157.6 | 136.2 | 140.3 | 141.3 | **12,267.5** |
| DAY | 1959 | 31.0 | 28.0 | 23.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,303.0** |
| H2O | 1959 | 30.4 | 24.0 | 19.2 | 48.6 | 65.3 | 44.8 | 47.5 | 54.1 | 54.1 | 46.9 | 47.1 | 43.4 | **1,154.6** |
| OIL | 1959 | 116.8 | 125.1 | 146.0 | 217.5 | 216.9 | 199.3 | 200.2 | 195.1 | 188.1 | 172.6 | 170.7 | 153.3 | **10,646.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | **946.0** |
| H2O | 1958 | 27.2 | 22.6 | 22.6 | 19.6 | 20.8 | 25.4 | 21.8 | 21.8 | 24.3 | 47.1 | 34.7 | 34.0 | **629.2** |
| OIL | 1958 | 241.7 | 204.8 | 229.3 | 210.9 | 218.3 | 212.3 | 222.6 | 179.4 | 182.4 | 307.8 | 222.6 | 161.5 | **8,544.5** |
| DAY | 1957 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | **585.0** |
| H2O | 1957 | 8.1 | 6.2 | 9.4 | 9.9 | 14.5 | 28.6 | 25.9 | 28.1 | 17.2 | 20.3 | 23.2 | 20.3 | **307.3** |
| OIL | 1957 | 339.0 | 316.9 | 319.4 | 321.0 | 309.9 | 272.8 | 276.7 | 278.3 | 255.8 | 232.2 | 218.0 | 192.8 | **5,950.9** |
| DAY | 1956 | 0.0 | 0.0 | 25.0 | 1.0 | 0.0 | 24.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **229.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.8 | 12.6 | 18.6 | 25.9 | 17.8 | 9.9 | 4.0 | **95.6** |
| OIL | 1956 | 0.0 | 0.0 | 147.3 | 1.4 | 4.4 | 369.9 | 357.7 | 402.7 | 379.0 | 345.3 | 287.3 | 323.1 | **2,618.1** |

Licence ***1115*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-02-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,900.0** |
| H2O | 1975 | 435.9 | 439.7 | 480.9 | 488.1 | 500.3 | 461.8 | 496.2 | 486.5 | 505.4 | 527.8 | 502.9 | 537.8 | **58,046.1** |
| OIL | 1975 | 223.6 | 227.1 | 257.3 | 247.9 | 262.8 | 254.7 | 259.7 | 262.0 | 251.9 | 256.0 | 245.0 | 248.2 | **33,770.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,538.0** |
| H2O | 1974 | 471.9 | 445.5 | 510.3 | 501.6 | 455.5 | 498.6 | 399.8 | 400.9 | 392.8 | 487.8 | 482.3 | 500.5 | **52,182.8** |
| OIL | 1974 | 141.1 | 131.9 | 145.1 | 137.5 | 126.5 | 142.7 | 80.2 | 78.5 | 81.5 | 264.1 | 256.3 | 260.5 | **30,773.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,179.0** |
| H2O | 1973 | 512.7 | 445.0 | 504.8 | 543.1 | 533.1 | 486.8 | 508.4 | 517.8 | 509.8 | 513.2 | 499.0 | 503.3 | **46,635.3** |
| OIL | 1973 | 166.7 | 145.6 | 158.1 | 157.5 | 168.4 | 165.3 | 166.5 | 146.7 | 134.1 | 141.9 | 147.8 | 145.9 | **28,927.9** |
| DAY | 1972 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **5,814.0** |
| H2O | 1972 | 598.6 | 398.2 | 454.2 | 512.7 | 558.0 | 544.5 | 560.4 | 598.6 | 584.6 | 606.7 | 480.4 | 489.5 | **40,558.3** |
| OIL | 1972 | 209.8 | 173.8 | 195.8 | 175.9 | 186.6 | 174.3 | 190.2 | 183.7 | 181.8 | 178.5 | 158.3 | 166.4 | **27,083.4** |
| DAY | 1971 | 19.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,452.0** |
| H2O | 1971 | 288.5 | 232.7 | 509.5 | 506.7 | 560.2 | 307.3 | 305.6 | 517.8 | 500.2 | 629.7 | 617.8 | 558.8 | **34,171.9** |
| OIL | 1971 | 127.4 | 314.0 | 231.7 | 230.6 | 237.3 | 153.3 | 246.3 | 216.3 | 204.5 | 223.0 | 221.7 | 203.7 | **24,908.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 13.0 | 0.0 | 29.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 27.0 | **5,102.0** |
| H2O | 1970 | 492.5 | 496.3 | 487.8 | 207.0 | 0.0 | 463.1 | 481.4 | 474.1 | 504.4 | 456.7 | 478.7 | 380.0 | **28,637.1** |
| OIL | 1970 | 226.0 | 252.3 | 244.9 | 96.3 | 0.0 | 221.5 | 239.5 | 259.0 | 224.4 | 216.1 | 202.5 | 169.6 | **22,298.5** |
| DAY | 1969 | 31.0 | 26.0 | 28.0 | 26.0 | 31.0 | 20.0 | 26.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,792.0** |
| H2O | 1969 | 105.7 | 90.1 | 13.0 | 160.1 | 338.0 | 307.8 | 413.0 | 505.6 | 510.6 | 446.4 | 434.5 | 434.2 | **23,715.1** |
| OIL | 1969 | 100.7 | 85.8 | 38.5 | 113.6 | 189.7 | 171.9 | 228.7 | 292.9 | 267.9 | 246.6 | 239.8 | 253.9 | **19,946.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,452.0** |
| H2O | 1968 | 114.3 | 111.0 | 121.1 | 271.9 | 282.8 | 259.8 | 289.0 | 258.0 | 235.8 | 104.1 | 104.0 | 105.4 | **19,956.1** |
| OIL | 1968 | 78.2 | 76.1 | 78.3 | 177.8 | 176.9 | 179.3 | 178.6 | 167.0 | 157.8 | 100.3 | 96.0 | 101.7 | **17,716.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **4,089.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1115*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-02-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1967 | 121.6 | 122.9 | 144.4 | 139.4 | 129.7 | 130.0 | 154.4 | 140.1 | 146.4 | 101.0 | 110.0 | 117.2 | **17,698.9** |
| OIL | 1967 | 100.7 | 91.5 | 102.5 | 92.8 | 92.8 | 102.5 | 108.1 | 123.8 | 126.8 | 64.7 | 73.1 | 77.4 | **16,148.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,730.0** |
| H2O | 1966 | 141.2 | 120.8 | 134.3 | 132.3 | 133.1 | 128.0 | 135.5 | 135.8 | 130.0 | 132.9 | 130.0 | 113.8 | **16,141.8** |
| OIL | 1966 | 135.1 | 122.7 | 128.1 | 124.9 | 129.0 | 124.3 | 126.5 | 122.0 | 116.0 | 112.5 | 111.2 | 94.6 | **14,991.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,367.0** |
| H2O | 1965 | 112.9 | 97.9 | 108.4 | 176.6 | 271.1 | 236.9 | 187.8 | 180.6 | 159.5 | 149.9 | 151.5 | 150.2 | **14,574.1** |
| OIL | 1965 | 100.7 | 89.0 | 98.5 | 142.4 | 182.3 | 156.7 | 146.8 | 143.8 | 136.8 | 129.0 | 130.8 | 135.2 | **13,544.8** |
| DAY | 1964 | 27.0 | 29.0 | 31.0 | 23.0 | 24.0 | 28.0 | 23.0 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | **3,009.0** |
| H2O | 1964 | 255.8 | 222.9 | 203.3 | 131.2 | 255.6 | 233.5 | 214.5 | 110.5 | 125.6 | 118.8 | 124.0 | 128.1 | **12,590.8** |
| OIL | 1964 | 107.3 | 115.2 | 123.2 | 87.7 | 91.5 | 104.2 | 87.7 | 154.8 | 132.1 | 102.8 | 108.2 | 108.4 | **11,952.8** |
| DAY | 1963 | 31.0 | 25.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 27.0 | 26.0 | 31.0 | **2,677.0** |
| H2O | 1963 | 204.6 | 161.2 | 217.0 | 198.4 | 210.8 | 210.8 | 210.8 | 198.4 | 210.8 | 197.3 | 191.1 | 203.3 | **10,467.0** |
| OIL | 1963 | 108.4 | 81.7 | 89.9 | 95.3 | 100.1 | 95.3 | 98.5 | 89.0 | 93.8 | 85.8 | 82.6 | 64.0 | **10,629.7** |
| DAY | 1962 | 29.0 | 26.0 | 28.0 | 27.0 | 29.0 | 28.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,328.0** |
| H2O | 1962 | 203.3 | 192.4 | 198.4 | 192.4 | 192.2 | 209.9 | 198.4 | 198.4 | 198.4 | 204.6 | 210.8 | 204.6 | **8,052.5** |
| OIL | 1962 | 138.3 | 123.9 | 115.1 | 93.0 | 110.6 | 105.4 | 114.7 | 118.2 | 109.0 | 97.9 | 104.9 | 108.4 | **9,545.3** |
| DAY | 1961 | 31.0 | 28.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | **1,980.0** |
| H2O | 1961 | 95.4 | 89.0 | 92.2 | 95.4 | 95.4 | 213.8 | 221.8 | 210.8 | 217.0 | 192.4 | 186.0 | 186.0 | **5,648.7** |
| OIL | 1961 | 60.2 | 57.2 | 59.0 | 62.0 | 61.7 | 152.9 | 152.6 | 144.9 | 127.1 | 136.7 | 143.0 | 143.0 | **8,205.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | **1,621.0** |
| H2O | 1960 | 101.0 | 97.0 | 101.9 | 100.2 | 93.0 | 110.3 | 85.8 | 102.2 | 76.3 | 88.1 | 90.1 | 87.0 | **3,753.5** |
| OIL | 1960 | 78.8 | 73.3 | 70.4 | 66.1 | 68.8 | 66.6 | 60.1 | 68.8 | 55.8 | 69.1 | 61.2 | 64.2 | **6,905.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 30.0 | **1,265.0** |
| H2O | 1959 | 88.7 | 80.1 | 77.3 | 80.1 | 71.9 | 75.7 | 85.2 | 80.4 | 76.3 | 68.7 | 89.0 | 106.5 | **2,620.6** |
| OIL | 1959 | 108.4 | 97.9 | 108.4 | 104.7 | 91.5 | 100.3 | 93.3 | 75.8 | 83.7 | 77.1 | 64.2 | 76.0 | **6,102.4** |
| DAY | 1958 | 30.0 | 28.0 | 29.0 | 30.0 | 28.0 | 30.0 | 27.0 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | **908.0** |
| H2O | 1958 | 51.5 | 46.1 | 32.1 | 37.2 | 44.5 | 40.4 | 46.7 | 50.2 | 32.9 | 68.2 | 90.6 | 88.7 | **1,640.7** |
| OIL | 1958 | 143.0 | 133.6 | 102.0 | 135.2 | 115.1 | 131.3 | 74.8 | 74.4 | 61.3 | 78.0 | 126.8 | 108.4 | **5,021.1** |
| DAY | 1957 | 31.0 | 28.0 | 24.0 | 26.0 | 13.0 | 30.0 | 30.0 | 29.0 | 26.0 | 29.0 | 30.0 | 30.0 | **558.0** |
| H2O | 1957 | 64.4 | 51.2 | 30.2 | 46.1 | 17.5 | 105.1 | 70.7 | 113.5 | 83.9 | 61.7 | 40.1 | 34.2 | **1,011.6** |
| OIL | 1957 | 223.3 | 199.4 | 166.5 | 145.4 | 47.5 | 188.8 | 172.3 | 183.4 | 163.5 | 180.0 | 173.5 | 167.0 | **3,737.2** |
| DAY | 1956 | 0.0 | 0.0 | 9.0 | 5.0 | 21.0 | 28.0 | 29.0 | 24.0 | 28.0 | 29.0 | 29.0 | 30.0 | **232.0** |
| H2O | 1956 | 0.0 | 0.0 | 3.2 | 2.2 | 4.1 | 6.0 | 4.6 | 11.0 | 50.9 | 70.7 | 67.6 | 72.7 | **293.0** |
| OIL | 1956 | 0.0 | 0.0 | 51.5 | 37.0 | 155.6 | 184.2 | 179.9 | 155.1 | 211.5 | 261.9 | 258.4 | 231.5 | **1,726.6** |

Licence ***1116*** Well Name ***M & C Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-15-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 0.0 | 10.0 | 0.0 | 4.0 | 29.0 | 25.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **206.0** |
| H2O | 1957 | 0.0 | 0.0 | 42.8 | 0.0 | 3.2 | 131.0 | 115.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **599.2** |
| OIL | 1957 | 0.0 | 0.0 | 8.0 | 0.0 | 4.3 | 26.5 | 16.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **360.9** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 24.0 | 29.0 | 28.0 | 28.0 | 12.0 | 0.0 | **138.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.9 | 3.8 | 46.1 | 90.3 | 104.8 | 59.0 | 0.0 | **306.9** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 65.5 | 64.8 | 68.8 | 62.0 | 33.7 | 11.1 | 0.0 | **305.9** |

Licence ***1117*** Well Name ***CEGO Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-14-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 0.0 | 0.0 | 6.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | **567.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.2 | 0.0 | 1.3 | 2.1 | 2.5 | 1.7 | 2.1 | 1.9 | 2.2 | 0.0 | **75.4** |

# Manitoba Production
## 1950 To 1975

Licence ***1117*** Well Name ***CEGO Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-14-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1958 | 0.0 | 0.0 | 0.5 | 1.5 | 1.6 | 3.0 | 3.3 | 6.2 | 4.1 | 2.9 | 3.2 | 0.0 | **179.6** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 30.0 | 31.0 | 1.0 | 20.0 | 31.0 | 28.0 | 8.0 | **318.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 6.7 | 4.8 | 0.2 | 6.2 | 4.9 | 3.2 | 1.0 | **61.4** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 5.4 | 7.8 | 5.1 | 0.3 | 8.6 | 7.3 | 4.3 | 1.3 | **153.3** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 9.0 | 21.0 | 9.0 | 19.0 | 31.0 | 30.0 | 18.0 | 25.0 | 4.0 | **166.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 2.2 | 8.3 | 3.3 | 7.2 | 6.2 | 3.8 | 0.6 | 1.0 | 0.2 | **32.8** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 24.3 | 16.5 | 12.4 | 16.4 | 14.1 | 6.8 | 10.2 | 7.9 | 4.6 | **113.2** |

Licence ***1118*** Well Name ***Enerplus West Butler*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-31-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole F*** Field Code ***1*** Pool Code ***59F*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 0.0 | 0.0 | 8.0 | 28.0 | 0.0 | 0.0 | 0.0 | **42.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 143.1 | 95.4 | 0.0 | 0.0 | 360.7 | 390.1 | 0.0 | 0.0 | 0.0 | **989.3** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.9 | 57.2 | 0.0 | 0.0 | 0.0 | **79.1** |

Licence ***1121*** Well Name ***Enerplus South Virden CPR*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-07-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 17.0 | 0.0 | 0.0 | 0.0 | **1,254.0** |
| H2O | 1959 | 38.4 | 36.9 | 36.9 | 35.5 | 37.4 | 27.2 | 28.3 | 28.3 | 9.4 | 0.0 | 0.0 | 0.0 | **3,142.6** |
| OIL | 1959 | 20.9 | 18.4 | 11.4 | 11.0 | 11.6 | 13.3 | 14.1 | 13.5 | 4.6 | 0.0 | 0.0 | 0.0 | **1,342.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **994.0** |
| H2O | 1958 | 47.2 | 36.9 | 53.4 | 25.4 | 42.8 | 41.0 | 41.2 | 42.1 | 41.0 | 20.8 | 1.9 | 40.2 | **2,864.3** |
| OIL | 1958 | 27.8 | 12.1 | 17.3 | 23.4 | 15.7 | 16.2 | 9.9 | 8.4 | 8.9 | 7.3 | 7.0 | 20.5 | **1,223.5** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **632.0** |
| H2O | 1957 | 132.4 | 117.2 | 104.4 | 82.8 | 70.6 | 70.3 | 76.2 | 60.4 | 52.9 | 61.8 | 59.5 | 64.9 | **2,430.4** |
| OIL | 1957 | 47.2 | 41.0 | 20.0 | 21.0 | 28.6 | 27.0 | 28.4 | 27.5 | 21.8 | 25.9 | 25.9 | 28.9 | **1,049.0** |
| DAY | 1956 | 0.0 | 0.0 | 14.0 | 24.0 | 23.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **271.0** |
| H2O | 1956 | 0.0 | 0.0 | 18.9 | 49.6 | 26.9 | 314.5 | 135.3 | 244.4 | 243.2 | 190.1 | 124.5 | 129.6 | **1,477.0** |
| OIL | 1956 | 0.0 | 0.0 | 56.9 | 76.1 | 48.9 | 104.6 | 88.5 | 88.8 | 90.4 | 59.1 | 45.9 | 46.6 | **705.8** |

Licence ***1122*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-14-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,029.0** |
| H2O | 1975 | 218.8 | 192.5 | 207.9 | 208.6 | 192.7 | 171.9 | 217.0 | 212.9 | 437.2 | 441.8 | 372.0 | 397.9 | **10,844.8** |
| OIL | 1975 | 105.8 | 93.9 | 105.0 | 100.0 | 97.3 | 91.1 | 113.5 | 114.4 | 127.9 | 125.9 | 116.3 | 117.9 | **13,691.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,666.0** |
| H2O | 1974 | 341.0 | 319.4 | 250.6 | 215.3 | 185.8 | 198.6 | 245.0 | 247.5 | 242.6 | 249.0 | 207.8 | 215.6 | **7,573.6** |
| OIL | 1974 | 165.9 | 153.7 | 141.3 | 115.5 | 101.2 | 111.6 | 129.7 | 127.4 | 132.4 | 134.3 | 104.4 | 105.8 | **12,382.7** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,310.0** |
| H2O | 1973 | 23.8 | 20.7 | 33.4 | 35.8 | 32.0 | 31.0 | 425.4 | 371.9 | 368.7 | 371.1 | 357.9 | 360.9 | **4,655.4** |
| OIL | 1973 | 73.1 | 63.7 | 57.4 | 56.7 | 55.3 | 57.5 | 176.5 | 171.3 | 157.8 | 166.7 | 172.4 | 170.2 | **10,859.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,950.0** |
| H2O | 1972 | 11.6 | 8.1 | 8.7 | 8.9 | 9.2 | 9.2 | 9.4 | 25.6 | 24.5 | 25.4 | 22.1 | 22.6 | **2,222.8** |
| OIL | 1972 | 61.3 | 53.9 | 57.4 | 52.9 | 53.4 | 51.6 | 54.3 | 51.6 | 50.1 | 49.1 | 69.1 | 72.3 | **9,480.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,584.0** |
| H2O | 1971 | 14.3 | 13.7 | 13.7 | 14.5 | 29.6 | 27.5 | 26.9 | 15.3 | 14.8 | 11.4 | 11.1 | 10.8 | **2,037.5** |
| OIL | 1971 | 77.4 | 69.3 | 65.8 | 65.2 | 60.1 | 58.0 | 63.4 | 71.0 | 67.2 | 58.0 | 57.8 | 59.6 | **8,803.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,219.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1122*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-14-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1970 | 9.4 | 8.3 | 9.1 | 15.1 | 14.9 | 14.5 | 14.8 | 11.6 | 71.7 | 70.1 | 13.5 | 12.9 | **1,833.9** |
| OIL | 1970 | 78.8 | 70.1 | 76.9 | 77.5 | 79.6 | 67.9 | 72.3 | 54.8 | 153.0 | 159.1 | 70.6 | 72.5 | **8,031.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,860.0** |
| H2O | 1969 | 14.9 | 13.7 | 14.5 | 14.5 | 14.9 | 14.6 | 9.4 | 8.7 | 8.1 | 8.9 | 9.1 | 8.7 | **1,568.0** |
| OIL | 1969 | 59.3 | 54.2 | 60.5 | 57.0 | 56.4 | 62.1 | 77.9 | 77.1 | 65.3 | 73.4 | 73.9 | 75.5 | **6,998.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | **4,496.0** |
| H2O | 1968 | 4.6 | 4.6 | 4.8 | 9.1 | 9.4 | 8.6 | 9.5 | 9.2 | 7.6 | 9.4 | 13.7 | 14.8 | **1,428.0** |
| OIL | 1968 | 40.8 | 40.0 | 41.2 | 53.7 | 53.1 | 55.0 | 54.8 | 59.3 | 50.2 | 60.2 | 52.6 | 59.4 | **6,205.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,134.0** |
| H2O | 1967 | 17.6 | 17.8 | 20.8 | 20.8 | 18.9 | 18.8 | 17.6 | 4.3 | 4.4 | 4.4 | 4.4 | 4.8 | **1,322.7** |
| OIL | 1967 | 28.1 | 25.6 | 28.6 | 26.7 | 25.7 | 28.6 | 28.0 | 35.4 | 36.5 | 37.8 | 38.3 | 40.7 | **5,585.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,774.0** |
| H2O | 1966 | 3.8 | 20.0 | 19.7 | 4.8 | 17.0 | 11.8 | 15.4 | 9.5 | 21.3 | 35.4 | 4.4 | 16.5 | **1,168.1** |
| OIL | 1966 | 50.2 | 27.2 | 34.3 | 47.7 | 37.2 | 40.5 | 38.6 | 45.0 | 35.9 | 18.8 | 62.0 | 26.7 | **5,205.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 24.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,409.0** |
| H2O | 1965 | 0.8 | 18.1 | 3.5 | 22.2 | 19.4 | 22.9 | 29.6 | 13.7 | 24.6 | 4.9 | 14.8 | 28.0 | **988.5** |
| OIL | 1965 | 50.2 | 33.5 | 46.2 | 40.8 | 49.3 | 31.5 | 24.9 | 46.7 | 33.2 | 49.4 | 42.3 | 26.2 | **4,741.0** |
| DAY | 1964 | 31.0 | 24.0 | 29.0 | 30.0 | 9.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,053.0** |
| H2O | 1964 | 2.7 | 5.1 | 58.8 | 23.0 | 5.2 | 26.2 | 6.5 | 8.7 | 5.2 | 11.0 | 6.4 | 11.4 | **786.0** |
| OIL | 1964 | 38.0 | 48.5 | 14.8 | 35.4 | 10.5 | 25.6 | 47.7 | 54.0 | 47.4 | 43.2 | 47.2 | 43.4 | **4,266.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 24.0 | 31.0 | 30.0 | 24.0 | 31.0 | 30.0 | 28.0 | 27.0 | 31.0 | **2,716.0** |
| H2O | 1963 | 14.0 | 8.9 | 5.1 | 6.4 | 8.7 | 4.8 | 7.8 | 7.0 | 2.5 | 8.3 | 9.1 | 8.1 | **615.8** |
| OIL | 1963 | 45.1 | 39.7 | 48.9 | 35.4 | 46.1 | 48.0 | 34.0 | 46.9 | 49.9 | 40.5 | 31.8 | 37.7 | **3,811.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,370.0** |
| H2O | 1962 | 12.4 | 9.5 | 9.2 | 7.8 | 10.0 | 13.7 | 11.9 | 8.7 | 6.4 | 9.4 | 16.0 | 35.4 | **525.1** |
| OIL | 1962 | 28.0 | 27.2 | 31.5 | 31.5 | 30.5 | 25.9 | 28.9 | 27.7 | 31.9 | 20.5 | 48.0 | 17.8 | **3,307.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,005.0** |
| H2O | 1961 | 5.7 | 5.6 | 6.0 | 5.2 | 23.5 | 10.8 | 14.6 | 13.4 | 18.3 | 16.9 | 13.4 | 12.4 | **374.7** |
| OIL | 1961 | 35.0 | 31.1 | 34.8 | 30.7 | 7.8 | 21.0 | 14.1 | 24.9 | 19.2 | 23.5 | 26.7 | 28.0 | **2,957.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,640.0** |
| H2O | 1960 | 5.2 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.9 | 4.9 | 5.7 | 6.0 | 5.7 | 5.7 | **228.9** |
| OIL | 1960 | 29.7 | 19.7 | 19.9 | 22.7 | 24.5 | 32.9 | 40.7 | 27.2 | 19.9 | 38.1 | 37.5 | 24.8 | **2,660.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,274.0** |
| H2O | 1959 | 4.9 | 5.4 | 5.2 | 4.6 | 4.9 | 4.0 | 4.8 | 4.8 | 5.2 | 4.9 | 6.0 | 6.5 | **166.8** |
| OIL | 1959 | 21.1 | 35.8 | 36.4 | 30.7 | 35.4 | 22.9 | 26.4 | 35.0 | 18.8 | 28.8 | 25.3 | 25.7 | **2,323.3** |
| DAY | 1958 | 20.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **909.0** |
| H2O | 1958 | 3.2 | 1.1 | 1.7 | 0.5 | 0.8 | 2.1 | 3.5 | 2.5 | 2.9 | 1.9 | 2.4 | 2.9 | **105.6** |
| OIL | 1958 | 34.5 | 42.9 | 42.1 | 24.5 | 16.8 | 38.1 | 32.6 | 36.2 | 34.0 | 40.4 | 34.2 | 42.9 | **1,981.0** |
| DAY | 1957 | 14.0 | 23.0 | 31.0 | 24.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | **555.0** |
| H2O | 1957 | 4.3 | 10.2 | 5.2 | 4.3 | 8.6 | 6.7 | 4.6 | 4.9 | 4.6 | 4.9 | 1.9 | 1.6 | **80.1** |
| OIL | 1957 | 52.6 | 80.7 | 83.9 | 64.8 | 68.8 | 69.0 | 63.4 | 57.5 | 52.6 | 51.5 | 43.4 | 37.8 | **1,561.8** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 2.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 25.0 | 18.0 | **226.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.3 | 4.5 | 4.8 | 3.3 | 2.4 | 0.3 | 0.3 | 0.2 | 2.2 | **18.3** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 19.5 | 147.8 | 116.0 | 112.5 | 114.7 | 104.9 | 98.8 | 51.8 | 69.8 | **835.8** |

Licence ***1123*** Well Name ***Eureka Rossen Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-21-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1966 | 48.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **24,488.5** |
| WIN | 1965 | 33.7 | 8.6 | 25.8 | 8.6 | 68.2 | 694.8 | 530.2 | 592.4 | 740.4 | 436.7 | 117.3 | 64.9 | **24,440.2** |
| WIN | 1964 | 506.5 | 849.4 | 916.3 | 916.5 | 972.6 | 853.4 | 137.2 | 111.3 | 208.9 | 50.9 | 59.5 | 43.7 | **21,118.6** |

# Manitoba Production
## 1950 To 1975

Licence ***1123*** Well Name ***Eureka Rossen Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-21-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1963 | 1510.0 | 789.5 | 747.3 | 1085.8 | 1467.2 | 989.3 | 1186.1 | 1021.7 | 1319.5 | 1447.5 | 494.5 | 332.9 | **15,492.4** |
| WIN | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1195.2 | 1905.9 | **3,101.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **859.0** |
| H2O | 1959 | 0.8 | 0.5 | 0.6 | 0.5 | 0.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **82.6** |
| OIL | 1959 | 21.9 | 9.1 | 8.1 | 5.2 | 8.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,357.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | **708.0** |
| H2O | 1958 | 0.5 | 0.5 | 0.5 | 0.6 | 0.5 | 0.3 | 0.0 | 0.0 | 3.8 | 1.6 | 3.2 | 0.8 | **79.5** |
| OIL | 1958 | 116.5 | 106.8 | 103.8 | 98.8 | 88.2 | 86.8 | 87.4 | 88.0 | 72.0 | 75.6 | 61.8 | 30.2 | **2,304.5** |
| DAY | 1957 | 0.0 | 0.0 | 13.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **348.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.3 | 0.6 | 1.0 | 0.5 | 0.5 | 0.6 | 0.5 | 0.6 | 0.6 | 0.6 | **67.2** |
| OIL | 1957 | 0.0 | 0.0 | 60.9 | 133.2 | 182.0 | 109.2 | 115.7 | 124.4 | 111.9 | 121.1 | 124.4 | 119.8 | **1,288.6** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 0.0 | 3.0 | 0.0 | 30.0 | 0.0 | 0.0 | 0.0 | **62.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 61.2 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **61.4** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 64.0 | 0.0 | 10.6 | 0.0 | 11.4 | 0.0 | 0.0 | 0.0 | **86.0** |

Licence ***1125*** Well Name ***CEGO Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-14-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 7.0 | 19.0 | 8.0 | 14.0 | 31.0 | 30.0 | 13.0 | 15.0 | 1.0 | **138.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 1.2 | 3.7 | 1.9 | 3.5 | 5.4 | 3.8 | 0.8 | 1.3 | 0.0 | **21.6** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 8.1 | 10.6 | 7.6 | 5.6 | 10.6 | 6.2 | 1.6 | 28.0 | 1.3 | **79.6** |

Licence ***1126*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-07-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,174.0** |
| H2O | 1975 | 452.9 | 398.7 | 431.0 | 431.9 | 442.9 | 408.7 | 379.0 | 416.7 | 447.4 | 466.9 | 445.1 | 476.1 | **31,249.3** |
| OIL | 1975 | 31.9 | 28.3 | 31.8 | 30.2 | 32.1 | 31.1 | 27.2 | 31.0 | 30.8 | 31.3 | 29.9 | 30.4 | **12,421.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,814.0** |
| H2O | 1974 | 493.0 | 457.7 | 524.3 | 515.3 | 467.7 | 375.4 | 425.0 | 426.2 | 417.5 | 428.3 | 427.0 | 442.9 | **26,052.0** |
| OIL | 1974 | 7.8 | 14.9 | 16.4 | 15.6 | 14.3 | 19.5 | 31.1 | 30.4 | 31.5 | 31.9 | 31.3 | 31.6 | **12,055.6** |
| DAY | 1973 | 31.0 | 27.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,456.0** |
| H2O | 1973 | 137.7 | 115.1 | 134.5 | 79.5 | 78.7 | 71.9 | 74.6 | 357.4 | 338.3 | 531.8 | 517.3 | 521.8 | **20,651.7** |
| OIL | 1973 | 36.1 | 30.4 | 33.8 | 17.3 | 18.6 | 14.0 | 14.0 | 44.5 | 39.3 | 7.6 | 7.9 | 7.8 | **11,779.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,097.0** |
| H2O | 1972 | 262.8 | 185.4 | 172.2 | 157.1 | 129.1 | 144.4 | 138.8 | 147.9 | 136.9 | 146.7 | 126.7 | 130.4 | **17,693.1** |
| OIL | 1972 | 51.3 | 45.1 | 43.5 | 40.4 | 49.1 | 47.4 | 35.9 | 37.2 | 34.6 | 35.3 | 34.2 | 35.8 | **11,508.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,731.0** |
| H2O | 1971 | 193.5 | 171.5 | 171.9 | 149.4 | 108.4 | 445.9 | 493.2 | 297.6 | 263.7 | 344.8 | 338.2 | 324.3 | **15,814.7** |
| OIL | 1971 | 44.0 | 39.3 | 43.2 | 35.3 | 23.4 | 63.4 | 73.3 | 65.5 | 53.2 | 62.8 | 62.5 | 64.4 | **11,018.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,373.0** |
| H2O | 1970 | 283.0 | 238.3 | 262.5 | 202.7 | 265.0 | 223.0 | 264.1 | 218.3 | 191.7 | 200.6 | 189.2 | 186.6 | **12,512.3** |
| OIL | 1970 | 59.0 | 52.3 | 66.7 | 46.1 | 55.9 | 53.2 | 28.8 | 55.1 | 58.2 | 56.1 | 44.3 | 51.5 | **10,387.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,012.0** |
| H2O | 1969 | 345.0 | 281.7 | 297.6 | 297.1 | 311.8 | 304.3 | 261.4 | 268.5 | 256.9 | 260.1 | 250.1 | 244.2 | **9,787.3** |
| OIL | 1969 | 91.1 | 79.5 | 88.5 | 83.4 | 74.1 | 76.9 | 69.1 | 77.2 | 61.2 | 63.7 | 63.2 | 65.5 | **9,760.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 27.0 | 31.0 | 28.0 | 31.0 | **4,648.0** |
| H2O | 1968 | 43.4 | 42.1 | 107.6 | 176.1 | 253.7 | 211.8 | 238.9 | 227.8 | 173.0 | 226.5 | 231.3 | 343.4 | **6,408.6** |
| OIL | 1968 | 16.2 | 15.6 | 52.1 | 64.5 | 83.0 | 84.1 | 77.7 | 77.7 | 62.3 | 79.0 | 64.7 | 91.8 | **8,867.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,288.0** |
| H2O | 1967 | 3.0 | 3.2 | 3.7 | 3.8 | 3.5 | 4.5 | 11.6 | 10.5 | 34.0 | 36.9 | 41.8 | 44.7 | **4,133.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1126*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-07-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1967 | 21.3 | 19.4 | 21.8 | 20.2 | 21.0 | 16.7 | 12.1 | 11.8 | 23.2 | 19.4 | 15.1 | 16.0 | **8,098.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,923.0** |
| H2O | 1966 | 9.2 | 7.9 | 8.9 | 0.0 | 4.5 | 4.3 | 4.5 | 4.5 | 4.6 | 3.7 | 4.9 | 2.4 | **3,931.8** |
| OIL | 1966 | 21.9 | 19.9 | 21.9 | 15.1 | 21.9 | 25.4 | 23.8 | 24.9 | 25.1 | 23.5 | 22.2 | 17.3 | **7,880.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **3,558.0** |
| H2O | 1965 | 49.0 | 45.6 | 54.8 | 14.9 | 21.1 | 8.9 | 72.5 | 19.6 | 12.1 | 9.2 | 9.1 | 9.4 | **3,872.4** |
| OIL | 1965 | 29.4 | 28.4 | 33.1 | 19.9 | 24.2 | 23.7 | 43.2 | 28.0 | 22.1 | 23.5 | 22.4 | 21.8 | **7,617.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,194.0** |
| H2O | 1964 | 18.4 | 17.2 | 17.6 | 60.7 | 19.1 | 17.0 | 81.9 | 47.1 | 36.9 | 38.6 | 38.2 | 45.6 | **3,546.2** |
| OIL | 1964 | 23.2 | 24.8 | 25.4 | 22.6 | 34.5 | 24.5 | 60.7 | 29.9 | 31.3 | 28.6 | 29.7 | 30.5 | **7,298.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,834.0** |
| H2O | 1963 | 4.8 | 3.5 | 4.1 | 4.5 | 12.6 | 18.3 | 19.1 | 16.9 | 23.5 | 19.2 | 18.0 | 18.6 | **3,107.9** |
| OIL | 1963 | 40.2 | 33.2 | 38.9 | 42.7 | 32.4 | 30.8 | 30.4 | 33.5 | 31.9 | 31.9 | 25.7 | 22.9 | **6,932.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,469.0** |
| H2O | 1962 | 4.8 | 4.5 | 4.9 | 6.0 | 6.5 | 6.7 | 8.4 | 7.9 | 5.2 | 5.4 | 4.8 | 5.1 | **2,944.8** |
| OIL | 1962 | 35.4 | 28.0 | 30.5 | 31.6 | 32.6 | 32.9 | 37.2 | 29.6 | 40.2 | 39.3 | 38.3 | 39.9 | **6,537.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,104.0** |
| H2O | 1961 | 8.3 | 8.6 | 8.9 | 8.4 | 9.1 | 10.3 | 11.4 | 8.9 | 7.0 | 7.3 | 4.3 | 4.5 | **2,874.6** |
| OIL | 1961 | 35.0 | 31.0 | 35.3 | 34.6 | 34.8 | 35.0 | 35.8 | 37.0 | 36.9 | 35.9 | 30.8 | 29.9 | **6,122.3** |
| DAY | 1960 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,739.0** |
| H2O | 1960 | 7.8 | 4.6 | 5.1 | 7.3 | 7.6 | 18.1 | 6.2 | 5.6 | 9.1 | 10.0 | 9.2 | 9.5 | **2,777.6** |
| OIL | 1960 | 45.8 | 38.1 | 42.7 | 36.4 | 35.4 | 38.9 | 34.8 | 38.8 | 42.9 | 31.8 | 34.6 | 37.5 | **5,710.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,374.0** |
| H2O | 1959 | 73.6 | 58.8 | 52.0 | 17.2 | 22.7 | 21.3 | 28.3 | 12.2 | 4.6 | 0.0 | 9.5 | 7.0 | **2,677.5** |
| OIL | 1959 | 47.4 | 43.4 | 53.2 | 48.6 | 51.2 | 44.8 | 49.4 | 48.8 | 49.4 | 48.3 | 42.4 | 44.5 | **5,252.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,009.0** |
| H2O | 1958 | 30.0 | 23.4 | 28.8 | 151.7 | 172.2 | 139.9 | 102.1 | 100.0 | 88.1 | 101.4 | 83.5 | 79.2 | **2,370.3** |
| OIL | 1958 | 66.6 | 55.9 | 69.3 | 53.4 | 48.3 | 50.7 | 50.4 | 76.4 | 58.0 | 52.9 | 46.4 | 42.9 | **4,681.2** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **645.0** |
| H2O | 1957 | 112.1 | 15.9 | 18.8 | 14.8 | 17.8 | 19.1 | 21.0 | 20.2 | 20.7 | 19.4 | 2.2 | 2.4 | **1,270.0** |
| OIL | 1957 | 183.2 | 124.9 | 145.4 | 152.7 | 176.4 | 142.1 | 150.5 | 149.2 | 137.9 | 133.2 | 68.8 | 76.9 | **4,010.0** |
| DAY | 1956 | 0.0 | 0.0 | 12.0 | 28.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **282.0** |
| H2O | 1956 | 0.0 | 0.0 | 47.7 | 65.5 | 58.0 | 91.7 | 157.2 | 110.8 | 116.9 | 118.4 | 108.4 | 111.0 | **985.6** |
| OIL | 1956 | 0.0 | 0.0 | 142.9 | 287.3 | 303.5 | 303.0 | 275.2 | 271.9 | 218.5 | 199.7 | 183.7 | 183.1 | **2,368.8** |

Licence ***1127*** Well Name ***West Butler Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-31-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole F*** Field Code ***1*** Pool Code ***59F*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | **5,345.0** |
| OIL | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 28.3 | 25.3 | 21.6 | 40.5 | 35.3 | 29.1 | 32.1 | 23.2 | **7,872.9** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | **5,124.0** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 62.5 | 34.8 | 42.7 | 34.2 | 31.8 | 14.9 | 0.0 | **7,637.5** |
| DAY | 1973 | 0.0 | 0.0 | 15.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 0.0 | **4,946.0** |
| H2O | 1973 | 0.0 | 0.0 | 1.3 | 4.3 | 4.1 | 4.0 | 2.5 | 1.6 | 1.1 | 0.0 | 0.0 | 0.0 | **144.7** |
| OIL | 1973 | 0.0 | 0.0 | 19.9 | 42.0 | 24.5 | 33.4 | 32.6 | 31.1 | 29.6 | 27.3 | 22.9 | 0.0 | **7,416.6** |
| DAY | 1972 | 0.0 | 0.0 | 14.0 | 5.0 | 23.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 27.0 | 6.0 | **4,690.0** |
| OIL | 1972 | 0.0 | 0.0 | 15.6 | 7.0 | 34.8 | 26.1 | 23.5 | 26.1 | 20.2 | 38.9 | 16.7 | 6.0 | **7,153.3** |
| DAY | 1971 | 0.0 | 5.0 | 31.0 | 21.0 | 18.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 7.0 | 0.0 | **4,464.0** |
| OIL | 1971 | 0.0 | 13.7 | 36.9 | 19.9 | 9.9 | 42.0 | 27.3 | 28.1 | 23.5 | 25.7 | 5.4 | 0.0 | **6,938.4** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 25.0 | 0.0 | 24.0 | 25.0 | 29.0 | 30.0 | 31.0 | 1.0 | 0.0 | **4,232.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.4 | 0.0 | 5.4 | 0.0 | **125.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1127*** Well Name ***West Butler Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-31-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole F*** Field Code ***1*** Pool Code ***59F*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 63.7 | 0.0 | 73.9 | 47.4 | 52.9 | 52.1 | 38.9 | 1.3 | 0.0 | **6,706.0** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 29.0 | 28.0 | 30.0 | 29.0 | 31.0 | 28.0 | 0.0 | **4,067.0** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 82.8 | 69.0 | 59.9 | 53.7 | 44.5 | 54.7 | 40.7 | 0.0 | **6,375.8** |
| DAY | 1968 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 29.0 | 30.0 | 31.0 | 16.0 | 0.0 | **3,869.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.2 | 0.0 | 1.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **109.0** |
| OIL | 1968 | 0.0 | 0.0 | 68.5 | 47.2 | 40.5 | 38.8 | 33.5 | 16.5 | 38.6 | 38.1 | 16.4 | 0.0 | **5,970.5** |
| DAY | 1967 | 8.0 | 0.0 | 9.0 | 8.0 | 26.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 3.0 | 19.0 | **3,613.0** |
| H2O | 1967 | 0.6 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.2 | **106.9** |
| OIL | 1967 | 8.3 | 0.0 | 27.2 | 14.8 | 59.8 | 46.1 | 40.4 | 39.9 | 38.3 | 35.1 | 2.1 | 38.8 | **5,632.4** |
| DAY | 1966 | 0.0 | 0.0 | 11.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 28.0 | 31.0 | **3,388.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 0.2 | 0.2 | **105.6** |
| OIL | 1966 | 0.0 | 0.0 | 29.9 | 54.2 | 48.0 | 42.3 | 36.1 | 38.3 | 34.5 | 37.0 | 37.2 | 37.0 | **5,281.6** |
| DAY | 1965 | 13.0 | 0.0 | 0.0 | 3.0 | 30.0 | 29.0 | 27.0 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,107.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **104.7** |
| OIL | 1965 | 12.7 | 0.0 | 0.0 | 15.3 | 56.1 | 39.7 | 34.5 | 34.5 | 33.4 | 30.5 | 35.9 | 33.4 | **4,887.1** |
| DAY | 1964 | 27.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 26.0 | 23.0 | 31.0 | 30.0 | 31.0 | **2,857.0** |
| H2O | 1964 | 0.3 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 0.2 | 0.0 | 0.0 | 0.3 | **104.4** |
| OIL | 1964 | 27.0 | 22.6 | 54.3 | 41.5 | 42.9 | 31.1 | 29.9 | 24.5 | 28.8 | 38.1 | 34.3 | 39.1 | **4,561.1** |
| DAY | 1963 | 14.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,515.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.5 | 0.2 | 0.3 | 0.0 | 2.9 | 0.0 | 0.2 | 0.0 | 0.2 | 0.0 | **101.7** |
| OIL | 1963 | 13.5 | 0.0 | 48.9 | 37.7 | 30.7 | 28.0 | 27.2 | 29.1 | 33.5 | 33.8 | 31.0 | 28.0 | **4,147.0** |
| DAY | 1962 | 9.0 | 28.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,201.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.5 | 0.0 | 0.6 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.2 | 0.2 | **97.4** |
| OIL | 1962 | 4.3 | 27.8 | 24.5 | 26.9 | 28.1 | 29.9 | 29.6 | 30.5 | 29.1 | 30.7 | 30.7 | 28.6 | **3,805.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 29.0 | **1,862.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 0.0 | 0.0 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | **95.7** |
| OIL | 1961 | 44.0 | 38.6 | 38.3 | 38.8 | 35.4 | 33.2 | 34.2 | 27.7 | 30.0 | 32.7 | 32.1 | 28.4 | **3,484.9** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 23.0 | 31.0 | 29.0 | 28.0 | 28.0 | 30.0 | 31.0 | 25.0 | 31.0 | **1,502.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.3 | 0.0 | 0.0 | 0.0 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | **93.6** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 77.5 | 46.9 | 26.4 | 59.1 | 45.4 | 47.2 | 44.0 | 36.4 | 47.2 | **3,071.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 16.0 | 0.0 | **1,246.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.2 | 1.3 | 0.0 | **91.6** |
| OIL | 1959 | 60.7 | 57.0 | 65.3 | 61.3 | 50.7 | 49.9 | 38.5 | 52.1 | 62.3 | 42.6 | 21.3 | 0.0 | **2,641.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 6.0 | 29.0 | 31.0 | 30.0 | 30.0 | **931.0** |
| H2O | 1958 | 1.1 | 0.8 | 1.3 | 1.7 | 1.9 | 2.7 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **88.1** |
| OIL | 1958 | 41.0 | 36.5 | 42.0 | 38.8 | 41.5 | 42.1 | 40.0 | 8.9 | 109.0 | 79.3 | 68.8 | 69.3 | **2,079.7** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 24.0 | 27.0 | 30.0 | 28.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | **593.0** |
| H2O | 1957 | 1.1 | 1.3 | 1.7 | 10.2 | 11.6 | 9.1 | 11.1 | 3.5 | 10.2 | 3.2 | 0.8 | 1.7 | **75.4** |
| OIL | 1957 | 52.4 | 47.4 | 53.4 | 46.4 | 51.2 | 50.5 | 44.0 | 46.4 | 46.1 | 48.0 | 42.4 | 45.6 | **1,462.5** |
| DAY | 1956 | 0.0 | 0.0 | 4.0 | 13.0 | 25.0 | 20.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **244.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.3 | 2.2 | 1.7 | 0.8 | 0.5 | 0.5 | 0.2 | 0.2 | 2.1 | 1.4 | **9.9** |
| OIL | 1956 | 0.0 | 0.0 | 45.4 | 153.8 | 116.6 | 72.0 | 106.0 | 102.0 | 92.5 | 78.5 | 61.5 | 60.4 | **888.7** |

Licence ***1128*** Well Name ***Mineraloid Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.14-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1966 | 1679.7 | 1389.5 | 1682.8 | 1498.5 | 1797.0 | 1524.9 | 1732.4 | 1755.3 | 1304.3 | 1058.5 | 1318.2 | 236.9 | **162,028.6** |
| WIN | 1965 | 1997.8 | 1752.8 | 1866.4 | 1669.8 | 2007.6 | 2560.3 | 3167.2 | 3180.2 | 2079.2 | 1963.3 | 1787.1 | 1282.0 | **145,050.6** |
| WIN | 1964 | 1657.4 | 1577.6 | 1619.1 | 926.3 | 1148.4 | 1131.7 | 969.7 | 1669.6 | 2084.3 | 2208.9 | 2590.1 | 2687.0 | **119,736.9** |
| WIN | 1963 | 893.1 | 811.4 | 871.0 | 785.4 | 1153.4 | 1125.2 | 1153.4 | 1282.5 | 1168.2 | 1104.6 | 1451.0 | 1410.9 | **99,466.8** |
| WIN | 1962 | 1136.7 | 810.1 | 961.2 | 821.6 | 986.3 | 744.1 | 968.8 | 967.7 | 871.2 | 923.2 | 749.8 | 834.0 | **86,256.7** |

# Manitoba Production
## 1950 To 1975

Licence ***1128*** Well Name ***Mineraloid Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.14-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1961 | 885.2 | 855.1 | 948.8 | 958.9 | 959.2 | 1454.8 | 1193.8 | 1475.2 | 981.0 | 994.9 | 838.6 | 895.8 | **75,482.0** |
| WIN | 1960 | 739.9 | 685.6 | 759.8 | 767.9 | 1399.0 | 1991.9 | 3011.2 | 3068.1 | 2771.5 | 1999.4 | 1518.1 | 1020.3 | **63,040.7** |
| WIN | 1959 | 732.9 | 634.5 | 741.5 | 862.1 | 976.1 | 1018.7 | 1074.7 | 1190.9 | 1027.8 | 838.4 | 741.1 | 721.5 | **43,308.0** |
| WIN | 1958 | 851.8 | 594.3 | 1278.5 | 555.2 | 1189.9 | 1210.3 | 1484.7 | 1386.0 | 1433.0 | 1351.6 | 1008.5 | 841.1 | **32,747.8** |
| WIN | 1957 | 929.5 | 538.0 | 798.8 | 800.4 | 986.0 | 1479.3 | 1924.2 | 1420.2 | 1461.0 | 1678.8 | 1135.1 | 939.2 | **19,562.9** |
| WIN | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 403.0 | 625.5 | 351.7 | 669.7 | 1172.6 | 1123.2 | 1126.7 | **5,472.4** |

Licence ***1129*** Well Name ***Landa et al Wardle Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-24-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1961 | 11.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 31.0 | 12.0 | 0.0 | 0.0 | 0.0 | **1,688.0** |
| H2O | 1961 | 176.3 | 238.6 | 0.0 | 0.0 | 0.0 | 0.0 | 52.9 | 347.5 | 0.0 | 0.0 | 0.0 | 0.0 | **7,667.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 8.0 | 18.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 20.0 | 0.0 | **1,621.0** |
| H2O | 1960 | 118.3 | 110.7 | 118.3 | 28.3 | 69.3 | 139.6 | 137.8 | 122.6 | 93.3 | 105.3 | 71.5 | 0.0 | **6,851.8** |
| OIL | 1960 | 78.7 | 67.1 | 76.0 | 17.8 | 40.4 | 60.9 | 74.5 | 72.1 | 74.4 | 91.8 | 55.5 | 0.0 | **6,291.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,331.0** |
| H2O | 1959 | 129.7 | 116.2 | 126.9 | 121.0 | 118.3 | 119.6 | 123.2 | 123.2 | 88.9 | 116.4 | 116.1 | 118.1 | **5,736.8** |
| OIL | 1959 | 86.3 | 79.5 | 89.0 | 88.8 | 81.0 | 80.7 | 79.6 | 79.5 | 68.6 | 91.7 | 83.1 | 79.6 | **5,582.7** |
| DAY | 1958 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **969.0** |
| H2O | 1958 | 133.7 | 114.8 | 182.8 | 160.1 | 119.4 | 114.9 | 107.6 | 102.4 | 118.6 | 119.4 | 135.0 | 119.6 | **4,319.2** |
| OIL | 1958 | 133.6 | 113.3 | 157.6 | 142.5 | 127.3 | 107.3 | 105.7 | 101.4 | 95.3 | 86.3 | 93.4 | 90.1 | **4,595.3** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 28.0 | 29.0 | 31.0 | **607.0** |
| H2O | 1957 | 474.9 | 366.8 | 318.0 | 217.5 | 238.3 | 214.2 | 125.0 | 142.0 | 143.9 | 114.5 | 119.9 | 134.7 | **2,790.9** |
| OIL | 1957 | 210.9 | 184.8 | 194.5 | 144.6 | 145.1 | 145.4 | 135.7 | 133.5 | 134.8 | 130.9 | 126.8 | 131.7 | **3,241.5** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 12.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 23.0 | **248.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 3.2 | 20.5 | 18.1 | 27.2 | 41.3 | 21.5 | 18.6 | 16.5 | 14.3 | **181.2** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 116.6 | 237.4 | 179.6 | 192.0 | 196.7 | 145.7 | 138.9 | 134.1 | 81.8 | **1,422.8** |

Licence ***1130*** Well Name ***Leader et al Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-24-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,073.0** |
| H2O | 1975 | 48.2 | 43.9 | 49.3 | 47.7 | 49.8 | 36.9 | 67.1 | 51.4 | 48.5 | 48.2 | 48.0 | 49.6 | **12,528.8** |
| OIL | 1975 | 25.0 | 21.9 | 25.0 | 24.3 | 27.0 | 26.7 | 51.0 | 30.2 | 33.1 | 32.6 | 32.1 | 30.7 | **11,156.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | **6,708.0** |
| H2O | 1974 | 26.2 | 24.5 | 26.7 | 26.1 | 27.0 | 26.2 | 41.5 | 26.9 | 27.7 | 29.6 | 27.7 | 55.0 | **11,940.2** |
| OIL | 1974 | 26.9 | 22.9 | 25.6 | 25.0 | 24.3 | 25.3 | 34.8 | 23.2 | 27.0 | 28.8 | 26.7 | 32.1 | **10,796.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,345.0** |
| H2O | 1973 | 28.5 | 26.7 | 30.5 | 30.5 | 30.0 | 28.8 | 47.9 | 30.7 | 30.4 | 30.0 | 28.8 | 28.6 | **11,575.1** |
| OIL | 1973 | 26.6 | 27.2 | 29.7 | 30.7 | 31.2 | 29.1 | 32.6 | 31.3 | 29.7 | 30.4 | 26.2 | 28.1 | **10,473.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,980.0** |
| H2O | 1972 | 30.0 | 28.1 | 29.7 | 28.3 | 28.8 | 31.2 | 19.4 | 21.3 | 21.9 | 24.2 | 24.3 | 29.6 | **11,203.7** |
| OIL | 1972 | 42.0 | 40.4 | 40.4 | 38.8 | 35.1 | 40.7 | 29.7 | 30.0 | 28.3 | 29.6 | 28.1 | 29.3 | **10,121.1** |
| DAY | 1971 | 31.0 | 28.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,615.0** |
| H2O | 1971 | 50.4 | 44.8 | 39.4 | 37.4 | 39.3 | 38.0 | 39.4 | 33.5 | 37.5 | 39.0 | 37.8 | 37.4 | **10,886.9** |
| OIL | 1971 | 38.8 | 35.8 | 39.6 | 39.7 | 42.6 | 40.7 | 39.7 | 38.5 | 42.0 | 42.1 | 40.2 | 40.7 | **9,708.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | **5,258.0** |
| H2O | 1970 | 36.4 | 33.2 | 36.7 | 26.7 | 35.9 | 37.4 | 36.2 | 33.7 | 65.7 | 49.4 | 53.9 | 55.6 | **10,413.0** |
| OIL | 1970 | 40.9 | 35.5 | 35.6 | 33.1 | 35.1 | 32.8 | 33.2 | 30.5 | 49.0 | 42.6 | 44.8 | 39.1 | **9,228.3** |
| DAY | 1969 | 31.0 | 25.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 21.0 | 30.0 | 31.0 | **4,899.0** |
| H2O | 1969 | 66.1 | 56.3 | 54.2 | 65.0 | 41.3 | 35.1 | 37.8 | 42.1 | 36.9 | 27.5 | 37.8 | 38.3 | **9,912.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1130*** Well Name ***Leader et al Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-24-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1969 | 42.3 | 31.6 | 35.0 | 35.3 | 37.7 | 35.0 | 36.2 | 36.6 | 33.5 | 32.9 | 45.2 | 44.5 | **8,776.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,552.0** |
| H2O | 1968 | 90.8 | 78.4 | 85.2 | 85.4 | 88.2 | 84.9 | 75.0 | 69.8 | 54.1 | 64.4 | 65.5 | 66.8 | **9,373.8** |
| OIL | 1968 | 60.3 | 55.6 | 56.0 | 54.5 | 54.1 | 56.1 | 55.2 | 52.3 | 47.5 | 50.2 | 46.7 | 45.6 | **8,330.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,190.0** |
| H2O | 1967 | 103.5 | 78.5 | 90.8 | 81.2 | 79.0 | 73.9 | 69.2 | 75.8 | 69.8 | 37.0 | 76.5 | 98.1 | **8,465.3** |
| OIL | 1967 | 50.2 | 44.5 | 50.2 | 48.3 | 51.0 | 48.0 | 47.1 | 49.0 | 42.6 | 33.9 | 51.2 | 60.6 | **7,696.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,825.0** |
| H2O | 1966 | 114.2 | 111.3 | 123.2 | 121.5 | 127.2 | 91.6 | 93.6 | 98.6 | 95.4 | 98.6 | 95.4 | 93.6 | **7,532.0** |
| OIL | 1966 | 45.0 | 45.3 | 48.7 | 50.9 | 56.3 | 54.2 | 56.4 | 53.7 | 49.9 | 51.2 | 47.9 | 51.7 | **7,119.6** |
| DAY | 1965 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,460.0** |
| H2O | 1965 | 69.8 | 59.6 | 66.0 | 92.7 | 76.3 | 73.5 | 74.2 | 52.0 | 104.9 | 105.6 | 104.6 | 113.5 | **6,267.8** |
| OIL | 1965 | 35.5 | 30.7 | 35.3 | 32.8 | 33.2 | 31.0 | 31.5 | 31.3 | 50.1 | 46.4 | 50.9 | 50.7 | **6,508.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 12.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,101.0** |
| H2O | 1964 | 87.1 | 85.9 | 94.0 | 90.5 | 74.6 | 22.6 | 71.4 | 76.2 | 75.8 | 71.5 | 71.9 | 71.1 | **5,275.1** |
| OIL | 1964 | 35.5 | 36.1 | 38.2 | 35.8 | 39.6 | 16.9 | 58.7 | 50.4 | 46.3 | 44.8 | 35.1 | 32.4 | **6,049.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 21.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,753.0** |
| H2O | 1963 | 46.6 | 41.5 | 41.0 | 42.4 | 26.7 | 24.8 | 58.2 | 45.9 | 65.0 | 80.4 | 83.5 | 87.4 | **4,382.5** |
| OIL | 1963 | 23.8 | 23.7 | 26.7 | 23.8 | 26.4 | 29.9 | 37.2 | 25.6 | 39.9 | 38.2 | 36.4 | 36.2 | **5,579.2** |
| DAY | 1962 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **2,401.0** |
| H2O | 1962 | 43.7 | 43.6 | 45.9 | 31.5 | 37.5 | 43.1 | 28.0 | 32.6 | 40.4 | 45.2 | 52.6 | 41.5 | **3,739.1** |
| OIL | 1962 | 39.0 | 35.8 | 37.5 | 23.5 | 27.5 | 24.3 | 18.1 | 17.0 | 13.8 | 15.9 | 20.0 | 25.6 | **5,211.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 20.0 | 0.0 | 28.0 | 31.0 | **2,041.0** |
| H2O | 1961 | 49.3 | 44.5 | 42.6 | 24.2 | 28.8 | 24.3 | 21.3 | 19.4 | 15.7 | 0.0 | 46.3 | 45.3 | **3,253.5** |
| OIL | 1961 | 82.2 | 86.5 | 77.1 | 54.2 | 69.5 | 53.3 | 46.7 | 48.8 | 17.6 | 0.0 | 76.6 | 52.0 | **4,913.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,719.0** |
| H2O | 1960 | 52.0 | 45.8 | 49.3 | 41.0 | 48.5 | 47.7 | 47.4 | 48.5 | 42.8 | 42.3 | 48.5 | 47.7 | **2,891.8** |
| OIL | 1960 | 48.2 | 43.8 | 46.0 | 45.8 | 47.1 | 40.1 | 40.4 | 43.8 | 45.8 | 75.7 | 69.2 | 89.9 | **4,248.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,354.0** |
| H2O | 1959 | 49.1 | 44.5 | 50.6 | 47.4 | 48.7 | 46.6 | 42.3 | 49.4 | 47.5 | 49.3 | 47.7 | 62.6 | **2,330.3** |
| OIL | 1959 | 53.0 | 47.4 | 56.3 | 51.1 | 51.4 | 56.0 | 49.5 | 49.7 | 45.7 | 49.2 | 47.3 | 48.9 | **3,613.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **992.0** |
| H2O | 1958 | 57.4 | 47.7 | 64.7 | 48.7 | 58.0 | 68.0 | 50.4 | 39.9 | 45.9 | 50.6 | 50.4 | 49.4 | **1,744.6** |
| OIL | 1958 | 82.6 | 62.2 | 62.5 | 40.9 | 71.0 | 84.8 | 74.8 | 57.5 | 70.5 | 64.6 | 55.1 | 54.6 | **3,007.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **627.0** |
| H2O | 1957 | 42.8 | 48.3 | 32.0 | 6.0 | 19.4 | 45.9 | 47.4 | 37.8 | 73.6 | 47.9 | 51.0 | 85.5 | **1,113.5** |
| OIL | 1957 | 89.7 | 74.5 | 73.2 | 54.4 | 66.5 | 84.5 | 65.7 | 82.6 | 93.7 | 97.0 | 71.9 | 62.2 | **2,226.5** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 21.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **264.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 16.0 | 54.3 | 33.8 | 110.4 | 108.8 | 79.9 | 62.5 | 51.5 | 58.7 | **575.9** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 182.7 | 175.1 | 112.1 | 212.8 | 197.0 | 135.4 | 99.6 | 103.2 | 92.7 | **1,310.6** |

Licence ***1131*** Well Name ***Norcoul Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-15-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,639.0** |
| H2O | 1975 | 576.8 | 600.7 | 684.4 | 494.5 | 581.1 | 577.1 | 437.7 | 506.9 | 488.4 | 435.3 | 439.3 | 418.3 | **93,967.1** |
| OIL | 1975 | 22.3 | 17.6 | 21.9 | 14.5 | 23.5 | 18.9 | 14.6 | 20.2 | 12.9 | 14.0 | 11.3 | 12.9 | **8,453.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,275.0** |
| H2O | 1974 | 508.8 | 483.2 | 488.4 | 605.3 | 615.1 | 618.9 | 614.5 | 561.9 | 571.2 | 570.8 | 572.4 | 576.8 | **87,726.6** |
| OIL | 1974 | 21.0 | 16.9 | 24.8 | 21.8 | 36.1 | 28.1 | 24.8 | 22.4 | 21.1 | 20.4 | 23.2 | 19.2 | **8,248.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,910.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1131*** Well Name ***Norcoul Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-15-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1973 | 712.1 | 685.2 | 718.5 | 686.0 | 711.0 | 632.8 | 500.2 | 710.8 | 728.2 | 695.7 | 371.2 | 383.0 | **80,939.3** |
| OIL | 1973 | 32.1 | 25.8 | 28.9 | 32.6 | 31.0 | 26.6 | 25.3 | 28.6 | 29.1 | 31.2 | 20.5 | 29.6 | **7,969.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,545.0** |
| H2O | 1972 | 565.2 | 617.5 | 567.4 | 748.2 | 748.8 | 653.6 | 528.8 | 675.2 | 719.1 | 638.0 | 774.7 | 778.9 | **73,404.6** |
| OIL | 1972 | 31.5 | 27.8 | 26.1 | 35.0 | 33.4 | 33.2 | 22.1 | 32.9 | 30.8 | 32.9 | 31.2 | 35.0 | **7,627.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,179.0** |
| H2O | 1971 | 582.1 | 436.4 | 681.7 | 663.9 | 708.4 | 586.2 | 794.0 | 668.1 | 528.3 | 542.9 | 512.6 | 586.0 | **65,389.2** |
| OIL | 1971 | 30.8 | 24.8 | 34.3 | 38.6 | 35.1 | 24.6 | 36.7 | 33.5 | 35.3 | 26.2 | 24.6 | 24.6 | **7,255.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,814.0** |
| H2O | 1970 | 753.6 | 664.2 | 641.5 | 679.7 | 657.9 | 528.8 | 704.3 | 649.9 | 672.0 | 644.1 | 754.4 | 493.5 | **58,098.6** |
| OIL | 1970 | 36.2 | 33.5 | 31.8 | 34.2 | 31.8 | 38.6 | 32.8 | 32.3 | 34.5 | 37.8 | 32.1 | 38.6 | **6,886.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,449.0** |
| H2O | 1969 | 659.8 | 922.1 | 541.8 | 661.7 | 720.5 | 709.7 | 708.3 | 704.2 | 648.7 | 656.3 | 717.0 | 780.5 | **50,254.7** |
| OIL | 1969 | 32.1 | 37.0 | 27.3 | 34.7 | 38.6 | 35.5 | 35.1 | 39.3 | 29.7 | 33.1 | 35.6 | 36.1 | **6,472.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,084.0** |
| H2O | 1968 | 560.3 | 650.9 | 672.5 | 572.0 | 512.3 | 602.7 | 657.9 | 680.1 | 741.0 | 759.2 | 627.7 | 729.6 | **41,824.1** |
| OIL | 1968 | 42.3 | 28.6 | 47.4 | 42.6 | 34.7 | 39.9 | 40.4 | 44.8 | 37.2 | 43.2 | 42.1 | 38.2 | **6,058.4** |
| DAY | 1967 | 23.0 | 0.0 | 0.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,718.0** |
| H2O | 1967 | 411.9 | 0.0 | 0.0 | 290.0 | 577.1 | 576.0 | 628.5 | 746.4 | 620.1 | 687.5 | 491.6 | 617.2 | **34,057.9** |
| OIL | 1967 | 24.3 | 0.0 | 0.0 | 22.6 | 36.7 | 37.7 | 39.9 | 35.3 | 33.4 | 31.8 | 22.3 | 34.3 | **5,577.0** |
| DAY | 1966 | 0.0 | 0.0 | 19.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,423.0** |
| H2O | 1966 | 0.0 | 0.0 | 305.3 | 372.0 | 517.8 | 530.7 | 530.5 | 584.3 | 506.1 | 574.4 | 537.9 | 537.5 | **28,411.6** |
| OIL | 1966 | 0.0 | 0.0 | 16.7 | 31.5 | 34.7 | 35.1 | 35.1 | 39.7 | 33.1 | 33.1 | 32.8 | 36.6 | **5,258.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,129.0** |
| H2O | 1965 | 321.3 | 283.2 | 326.6 | 286.3 | 307.2 | 297.8 | 671.4 | 488.7 | 534.7 | 431.5 | 428.2 | 511.9 | **23,415.1** |
| OIL | 1965 | 25.3 | 21.9 | 22.9 | 20.5 | 25.0 | 22.4 | 27.7 | 32.6 | 36.6 | 29.4 | 24.3 | 32.4 | **4,930.3** |
| DAY | 1964 | 27.0 | 28.0 | 29.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 24.0 | 28.0 | 26.0 | 31.0 | **2,764.0** |
| H2O | 1964 | 350.6 | 272.3 | 161.4 | 366.0 | 411.6 | 334.4 | 417.7 | 411.8 | 390.3 | 433.9 | 296.0 | 395.4 | **18,526.3** |
| OIL | 1964 | 20.0 | 19.1 | 17.5 | 27.5 | 30.7 | 27.7 | 28.6 | 31.2 | 22.3 | 25.4 | 20.7 | 28.0 | **4,609.3** |
| DAY | 1963 | 28.0 | 28.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,422.0** |
| H2O | 1963 | 367.1 | 370.0 | 318.5 | 384.6 | 394.6 | 383.5 | 378.4 | 378.4 | 394.1 | 376.8 | 380.0 | 376.8 | **14,284.9** |
| OIL | 1963 | 25.8 | 31.3 | 26.1 | 31.5 | 28.1 | 31.0 | 26.9 | 25.8 | 22.4 | 29.4 | 30.4 | 20.7 | **4,310.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 21.0 | 29.0 | 0.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **2,067.0** |
| H2O | 1962 | 225.6 | 167.3 | 93.0 | 185.9 | 326.9 | 240.2 | 314.0 | 314.3 | 336.3 | 393.7 | 388.1 | 356.8 | **9,782.1** |
| OIL | 1962 | 27.7 | 18.9 | 9.5 | 38.8 | 54.4 | 40.4 | 44.8 | 39.4 | 42.4 | 53.1 | 49.4 | 33.1 | **3,981.2** |
| DAY | 1961 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,745.0** |
| H2O | 1961 | 187.7 | 156.7 | 182.9 | 181.2 | 191.1 | 191.1 | 231.6 | 281.6 | 252.9 | 236.6 | 311.8 | 369.2 | **6,440.0** |
| OIL | 1961 | 35.9 | 31.8 | 34.5 | 33.1 | 34.0 | 34.8 | 42.9 | 41.5 | 35.5 | 32.8 | 60.1 | 56.4 | **3,529.3** |
| DAY | 1960 | 28.0 | 29.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **1,383.0** |
| H2O | 1960 | 53.0 | 48.2 | 60.0 | 58.7 | 60.6 | 66.4 | 78.4 | 74.5 | 62.2 | 187.0 | 180.8 | 198.3 | **3,665.6** |
| OIL | 1960 | 8.8 | 9.4 | 9.8 | 15.6 | 18.7 | 20.3 | 26.2 | 26.6 | 21.8 | 37.7 | 39.0 | 40.9 | **3,056.0** |
| DAY | 1959 | 25.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,027.0** |
| H2O | 1959 | 72.4 | 77.5 | 63.0 | 77.8 | 69.1 | 60.8 | 55.1 | 54.4 | 45.7 | 39.3 | 48.9 | 49.3 | **2,537.5** |
| OIL | 1959 | 24.9 | 28.8 | 30.3 | 29.2 | 26.3 | 23.1 | 21.8 | 24.2 | 19.0 | 15.0 | 13.1 | 13.7 | **2,781.2** |
| DAY | 1958 | 30.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 30.0 | **668.0** |
| H2O | 1958 | 75.7 | 81.3 | 123.6 | 116.6 | 107.7 | 95.8 | 102.3 | 91.5 | 98.2 | 102.4 | 114.2 | 91.8 | **1,824.2** |
| OIL | 1958 | 91.3 | 71.6 | 75.6 | 68.1 | 64.8 | 54.1 | 53.2 | 45.8 | 47.9 | 45.2 | 36.5 | 32.2 | **2,511.8** |
| DAY | 1957 | 0.0 | 4.0 | 21.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 19.0 | 25.0 | **310.0** |
| H2O | 1957 | 0.0 | 25.8 | 53.0 | 27.9 | 29.8 | 34.1 | 54.4 | 52.7 | 52.8 | 53.8 | 23.6 | 47.8 | **623.1** |
| OIL | 1957 | 0.0 | 4.8 | 143.0 | 250.8 | 232.8 | 205.5 | 206.7 | 190.7 | 163.8 | 147.6 | 57.0 | 98.0 | **1,825.5** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 2.0 | 16.0 | 9.0 | 0.0 | 0.0 | **28.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 100.5 | 66.7 | 0.0 | 0.0 | **167.4** |

# Manitoba Production
## 1950 To 1975

Licence ***1131*** Well Name ***Norcoul Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-15-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.1 | 13.1 | 52.8 | 42.8 | 0.0 | 0.0 | **124.8** |

Licence ***1132*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,513.0** |
| H2O | 1975 | 63.4 | 58.7 | 65.5 | 63.4 | 65.8 | 60.6 | 63.1 | 66.8 | 65.7 | 66.5 | 70.7 | 72.0 | **7,734.9** |
| OIL | 1975 | 90.9 | 81.5 | 89.5 | 84.9 | 86.4 | 81.0 | 86.4 | 57.2 | 55.5 | 54.2 | 55.6 | 56.4 | **11,041.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 23.0 | 27.0 | 30.0 | 30.0 | **6,150.0** |
| H2O | 1974 | 29.3 | 27.0 | 30.2 | 29.4 | 30.5 | 30.7 | 28.8 | 28.0 | 21.5 | 25.8 | 63.4 | 61.4 | **6,952.7** |
| OIL | 1974 | 76.1 | 66.4 | 75.8 | 72.3 | 75.2 | 72.8 | 69.6 | 73.3 | 55.0 | 65.9 | 89.6 | 89.5 | **10,161.6** |
| DAY | 1973 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,799.0** |
| H2O | 1973 | 58.7 | 58.3 | 62.3 | 26.1 | 48.0 | 46.1 | 46.3 | 71.1 | 32.3 | 30.7 | 30.2 | 29.3 | **6,546.7** |
| OIL | 1973 | 72.6 | 65.9 | 72.8 | 75.0 | 65.9 | 64.0 | 328.9 | 79.8 | 76.0 | 72.9 | 72.9 | 74.1 | **9,280.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,436.0** |
| H2O | 1972 | 39.0 | 66.9 | 73.4 | 65.5 | 68.0 | 67.9 | 45.3 | 31.8 | 19.1 | 20.8 | 51.0 | 51.8 | **6,007.3** |
| OIL | 1972 | 73.6 | 76.4 | 83.3 | 79.5 | 79.6 | 76.6 | 83.3 | 82.5 | 81.0 | 85.3 | 81.0 | 84.7 | **8,159.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **5,071.0** |
| H2O | 1971 | 40.7 | 36.9 | 25.3 | 24.5 | 25.4 | 25.3 | 25.1 | 16.4 | 14.1 | 12.6 | 11.3 | 41.7 | **5,406.8** |
| OIL | 1971 | 105.8 | 93.8 | 169.2 | 154.0 | 164.2 | 159.5 | 163.2 | 102.3 | 97.7 | 82.0 | 72.5 | 74.8 | **7,192.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **4,709.0** |
| H2O | 1970 | 85.5 | 80.3 | 84.1 | 77.6 | 39.6 | 43.1 | 39.7 | 44.8 | 41.7 | 43.2 | 36.6 | 43.9 | **5,107.5** |
| OIL | 1970 | 116.2 | 104.7 | 114.3 | 110.3 | 94.1 | 98.4 | 102.2 | 100.6 | 96.0 | 101.2 | 89.9 | 101.9 | **5,753.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,348.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.1 | 0.0 | 77.4 | 69.0 | 88.2 | 80.8 | 88.7 | **4,447.4** |
| OIL | 1969 | 66.3 | 58.6 | 64.8 | 62.9 | 64.7 | 41.6 | 34.0 | 118.9 | 109.5 | 116.5 | 114.7 | 120.3 | **4,523.7** |
| DAY | 1968 | 26.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,988.0** |
| H2O | 1968 | 0.8 | 171.2 | 140.7 | 158.5 | 122.9 | 102.1 | 96.5 | 98.4 | 47.4 | 49.6 | 0.0 | 0.0 | **4,039.2** |
| OIL | 1968 | 16.4 | 101.5 | 91.8 | 100.3 | 80.1 | 85.3 | 76.8 | 85.7 | 73.7 | 76.6 | 64.4 | 66.1 | **3,550.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,632.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 1.1 | 1.0 | 1.0 | 1.1 | **3,051.1** |
| OIL | 1967 | 11.6 | 10.3 | 11.6 | 11.3 | 28.0 | 26.9 | 27.3 | 19.2 | 18.8 | 19.7 | 18.8 | 19.5 | **2,632.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,267.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 8.1 | 7.0 | 7.2 | 7.2 | 7.5 | 0.0 | 0.0 | 0.0 | **3,045.8** |
| OIL | 1966 | 28.8 | 25.4 | 16.8 | 16.4 | 14.9 | 14.3 | 14.8 | 14.8 | 14.3 | 11.4 | 11.3 | 11.6 | **2,409.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,902.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 1.1 | 1.1 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,008.8** |
| OIL | 1965 | 16.0 | 14.5 | 15.6 | 17.5 | 17.6 | 17.6 | 25.6 | 25.3 | 21.8 | 22.7 | 27.5 | 29.1 | **2,214.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,537.0** |
| H2O | 1964 | 59.8 | 53.9 | 59.9 | 56.0 | 61.4 | 3.8 | 4.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,005.5** |
| OIL | 1964 | 4.8 | 4.4 | 4.8 | 4.4 | 4.8 | 5.6 | 11.4 | 7.0 | 9.1 | 9.1 | 14.8 | 15.9 | **1,963.6** |
| DAY | 1963 | 31.0 | 26.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 20.0 | 31.0 | **2,171.0** |
| H2O | 1963 | 9.5 | 8.7 | 13.7 | 14.0 | 10.3 | 1.3 | 0.8 | 0.6 | 29.4 | 32.9 | 38.5 | 59.0 | **2,705.9** |
| OIL | 1963 | 4.0 | 3.5 | 4.3 | 4.1 | 4.0 | 4.8 | 4.6 | 4.8 | 4.9 | 4.9 | 2.9 | 4.4 | **1,867.5** |
| DAY | 1962 | 28.0 | 22.0 | 17.0 | 27.0 | 29.0 | 22.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,820.0** |
| H2O | 1962 | 2.1 | 2.1 | 2.7 | 1.9 | 2.1 | 1.4 | 2.4 | 4.0 | 4.0 | 9.2 | 8.4 | 10.8 | **2,487.2** |
| OIL | 1962 | 7.6 | 6.7 | 5.4 | 7.9 | 7.2 | 4.3 | 12.9 | 29.6 | 28.4 | 31.6 | 30.5 | 4.3 | **1,816.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | **1,501.0** |
| H2O | 1961 | 2.5 | 2.7 | 2.9 | 2.7 | 2.4 | 2.7 | 2.7 | 2.7 | 2.4 | 2.4 | 1.4 | 1.9 | **2,436.1** |
| OIL | 1961 | 12.4 | 10.8 | 11.9 | 11.4 | 11.0 | 10.8 | 11.1 | 10.8 | 10.2 | 10.5 | 9.4 | 9.5 | **1,639.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 24.0 | 30.0 | 30.0 | 31.0 | **1,145.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1132*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.9 | 3.0 | 3.3 | **2,406.7** |
| OIL | 1960 | 8.6 | 7.8 | 8.1 | 7.6 | 7.8 | 7.2 | 7.5 | 10.0 | 23.5 | 16.5 | 12.6 | 12.2 | **1,510.1** |
| DAY | 1959 | 4.0 | 4.0 | 5.0 | 4.0 | 4.0 | 5.0 | 3.0 | 5.0 | 4.0 | 3.0 | 5.0 | 24.0 | **790.0** |
| H2O | 1959 | 4.6 | 5.2 | 5.9 | 4.9 | 5.1 | 12.4 | 3.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,397.5** |
| OIL | 1959 | 2.9 | 2.7 | 3.3 | 2.5 | 2.5 | 3.0 | 1.7 | 6.4 | 4.8 | 3.7 | 5.7 | 9.4 | **1,380.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | 4.0 | 3.0 | 4.0 | 5.0 | 5.0 | **720.0** |
| H2O | 1958 | 11.8 | 12.9 | 49.8 | 47.2 | 24.3 | 20.5 | 14.3 | 3.2 | 4.3 | 7.8 | 7.9 | 7.6 | **2,356.1** |
| OIL | 1958 | 48.6 | 48.1 | 18.9 | 18.9 | 18.1 | 9.1 | 7.5 | 1.9 | 2.5 | 3.0 | 3.7 | 3.5 | **1,332.1** |
| DAY | 1957 | 30.0 | 10.0 | 25.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 25.0 | **495.0** |
| H2O | 1957 | 364.7 | 96.8 | 190.8 | 134.8 | 88.7 | 65.5 | 48.8 | 51.4 | 21.8 | 14.3 | 11.4 | 10.3 | **2,144.5** |
| OIL | 1957 | 106.2 | 32.7 | 76.4 | 75.3 | 62.6 | 60.2 | 57.5 | 56.4 | 65.2 | 55.0 | 59.0 | 46.4 | **1,148.3** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 30.0 | 15.0 | 17.0 | 29.0 | 0.0 | 18.0 | 18.0 | 15.0 | 21.0 | **163.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 319.9 | 236.2 | 195.1 | 293.8 | **1,045.2** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 32.9 | 30.7 | 33.1 | 61.8 | 0.0 | 55.1 | 55.0 | 50.7 | 76.1 | **395.4** |

Licence ***1135*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 31.0 | 25.0 | 30.0 | 19.0 | 0.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **288.0** |
| H2O | 1957 | 254.9 | 201.3 | 202.4 | 165.0 | 0.0 | 48.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,456.2** |
| OIL | 1957 | 306.1 | 246.3 | 257.1 | 158.4 | 0.0 | 47.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,659.2** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 30.0 | 30.0 | 30.0 | 30.0 | 24.0 | 31.0 | **178.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.4 | 145.3 | 254.5 | 319.2 | 294.4 | 250.2 | 310.8 | **1,583.8** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.9 | 150.0 | 242.0 | 315.6 | 339.9 | 240.0 | 333.4 | **1,643.8** |

Licence ***1136*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,956.0** |
| H2O | 1975 | 87.9 | 81.6 | 90.8 | 88.1 | 91.3 | 77.9 | 87.4 | 134.7 | 132.4 | 134.2 | 142.6 | 145.3 | **8,498.6** |
| OIL | 1975 | 163.2 | 146.4 | 160.7 | 152.4 | 155.3 | 134.6 | 155.3 | 127.4 | 123.6 | 120.6 | 123.6 | 125.7 | **35,076.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,595.0** |
| H2O | 1974 | 87.8 | 81.2 | 90.9 | 86.3 | 91.6 | 92.0 | 81.4 | 76.6 | 84.1 | 88.2 | 88.1 | 88.1 | **7,204.4** |
| OIL | 1974 | 183.2 | 159.7 | 182.7 | 169.7 | 181.0 | 175.3 | 151.0 | 154.0 | 160.0 | 168.3 | 160.7 | 165.7 | **33,387.7** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,233.0** |
| H2O | 1973 | 116.4 | 111.8 | 103.8 | 103.5 | 131.3 | 126.2 | 126.9 | 141.8 | 96.7 | 91.7 | 90.6 | 87.9 | **6,168.1** |
| OIL | 1973 | 176.1 | 155.4 | 179.6 | 167.3 | 196.6 | 190.5 | 197.5 | 211.4 | 182.9 | 175.8 | 175.9 | 178.3 | **31,376.4** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,869.0** |
| H2O | 1972 | 73.0 | 71.1 | 96.7 | 86.0 | 95.1 | 94.6 | 81.1 | 89.3 | 89.2 | 112.9 | 111.9 | 113.8 | **4,839.5** |
| OIL | 1972 | 215.6 | 201.2 | 179.9 | 171.9 | 181.5 | 170.8 | 154.9 | 184.2 | 175.4 | 189.1 | 179.6 | 187.4 | **29,189.1** |
| DAY | 1971 | 31.0 | 27.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,507.0** |
| H2O | 1971 | 48.3 | 42.3 | 63.8 | 105.6 | 116.7 | 80.0 | 79.2 | 76.3 | 68.5 | 76.6 | 68.8 | 104.9 | **3,724.8** |
| OIL | 1971 | 249.8 | 213.1 | 201.8 | 197.8 | 223.3 | 208.5 | 213.1 | 209.3 | 206.4 | 214.2 | 189.3 | 180.5 | **26,997.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,147.0** |
| H2O | 1970 | 72.5 | 68.0 | 71.1 | 65.7 | 67.6 | 68.5 | 63.3 | 231.6 | 213.8 | 51.5 | 47.1 | 52.3 | **2,793.8** |
| OIL | 1970 | 246.6 | 222.5 | 242.8 | 234.2 | 241.5 | 236.6 | 245.7 | 241.5 | 228.7 | 238.8 | 229.1 | 240.3 | **24,490.5** |
| DAY | 1969 | 30.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,782.0** |
| H2O | 1969 | 49.6 | 46.7 | 43.9 | 52.6 | 46.4 | 55.5 | 60.3 | 57.1 | 57.1 | 61.8 | 64.9 | 75.2 | **1,720.8** |
| OIL | 1969 | 251.7 | 231.1 | 255.2 | 248.7 | 203.9 | 250.8 | 260.5 | 270.6 | 279.5 | 292.6 | 230.6 | 255.4 | **21,642.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **4,426.0** |
| H2O | 1968 | 58.8 | 55.2 | 59.3 | 49.9 | 52.3 | 47.9 | 47.9 | 21.6 | 21.6 | 21.8 | 21.1 | 4.1 | **1,049.7** |

# Manitoba Production
## 1950 To 1975

Licence ***1136*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1968 | 202.9 | 184.5 | 199.4 | 279.2 | 279.8 | 274.9 | 265.2 | 247.9 | 239.2 | 239.5 | 240.4 | 178.3 | **18,611.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **4,064.0** |
| H2O | 1967 | 1.1 | 1.1 | 27.2 | 7.3 | 7.3 | 8.9 | 18.8 | 25.1 | 18.9 | 20.3 | 15.3 | 60.1 | **588.2** |
| OIL | 1967 | 162.4 | 144.4 | 160.8 | 152.9 | 157.6 | 140.0 | 145.4 | 144.0 | 137.6 | 145.2 | 121.7 | 200.4 | **15,780.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,703.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 6.0 | 1.3 | 1.3 | 37.2 | 40.5 | 43.7 | 44.8 | 1.3 | 1.3 | **376.8** |
| OIL | 1966 | 164.5 | 144.8 | 160.3 | 166.7 | 168.6 | 162.1 | 142.1 | 156.0 | 152.1 | 157.3 | 155.4 | 162.9 | **13,968.0** |
| DAY | 1965 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,340.0** |
| H2O | 1965 | 2.7 | 2.1 | 1.3 | 2.2 | 2.4 | 2.2 | 0.0 | 0.0 | 0.0 | 9.4 | 9.1 | 0.0 | **199.4** |
| OIL | 1965 | 138.1 | 112.8 | 173.5 | 176.5 | 178.1 | 178.1 | 199.3 | 197.5 | 187.0 | 192.0 | 173.7 | 166.4 | **12,075.2** |
| DAY | 1964 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,978.0** |
| H2O | 1964 | 1.3 | 1.1 | 1.3 | 1.3 | 0.0 | 0.0 | 3.7 | 3.7 | 0.0 | 1.1 | 2.4 | 2.7 | **168.0** |
| OIL | 1964 | 35.6 | 32.1 | 36.5 | 34.8 | 87.2 | 84.1 | 90.4 | 91.4 | 104.2 | 119.7 | 127.9 | 136.8 | **10,002.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 28.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,613.0** |
| H2O | 1963 | 1.7 | 1.7 | 2.5 | 2.5 | 1.7 | 2.7 | 1.6 | 1.3 | 31.5 | 0.6 | 1.3 | 1.3 | **149.4** |
| OIL | 1963 | 37.2 | 35.0 | 40.2 | 38.5 | 37.7 | 44.5 | 42.0 | 40.5 | 30.5 | 37.8 | 33.5 | 34.2 | **9,021.5** |
| DAY | 1962 | 28.0 | 22.0 | 17.0 | 27.0 | 29.0 | 26.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,256.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 2.5 | 7.0 | 9.7 | 8.6 | 8.6 | 2.2 | 2.1 | 1.9 | **99.0** |
| OIL | 1962 | 31.9 | 27.7 | 22.7 | 33.4 | 42.9 | 42.6 | 41.0 | 33.5 | 32.4 | 41.5 | 39.9 | 41.0 | **8,569.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 29.0 | 27.0 | 30.0 | 31.0 | **1,925.0** |
| OIL | 1961 | 51.2 | 44.7 | 49.3 | 47.2 | 45.8 | 44.8 | 45.8 | 45.1 | 44.0 | 42.1 | 38.5 | 39.3 | **8,139.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 25.0 | 29.0 | 30.0 | 31.0 | **1,569.0** |
| OIL | 1960 | 60.2 | 55.0 | 57.4 | 54.5 | 55.1 | 51.6 | 53.4 | 45.1 | 43.2 | 52.9 | 52.0 | 50.4 | **7,601.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,214.0** |
| OIL | 1959 | 86.1 | 77.2 | 82.2 | 76.8 | 77.2 | 65.2 | 71.2 | 71.4 | 62.1 | 61.3 | 60.1 | 56.7 | **6,970.8** |
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 21.0 | 31.0 | 30.0 | 3.0 | **855.0** |
| H2O | 1958 | 0.3 | 1.7 | 8.9 | 8.4 | 4.8 | 8.1 | 2.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **56.4** |
| OIL | 1958 | 126.2 | 124.6 | 138.1 | 134.4 | 126.2 | 116.0 | 130.8 | 103.5 | 68.0 | 96.6 | 87.2 | 88.2 | **6,123.3** |
| DAY | 1957 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 19.0 | 23.0 | **528.0** |
| H2O | 1957 | 0.6 | 0.5 | 0.6 | 0.6 | 0.5 | 0.3 | 0.3 | 0.3 | 0.6 | 0.5 | 0.2 | 0.5 | **21.3** |
| OIL | 1957 | 324.7 | 275.1 | 273.8 | 250.8 | 223.1 | 201.5 | 194.3 | 188.8 | 199.0 | 157.8 | 103.6 | 120.5 | **4,783.5** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 29.0 | 24.0 | 29.0 | 27.0 | 28.0 | 29.0 | **184.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 0.8 | 10.3 | 1.7 | 0.8 | 0.6 | 1.0 | **15.8** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 197.8 | 361.0 | 301.8 | 383.1 | 345.8 | 334.7 | 346.3 | **2,270.5** |

Licence ***1137*** Well Name ***CEGO Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.06-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Ashville*** Field Code ***5*** Pool Code ***11*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1966 | 622.0 | 545.0 | 608.5 | 584.6 | 542.0 | 372.5 | 61.4 | 9.5 | 21.3 | 35.5 | 0.0 | 0.0 | **69,875.7** |
| WIN | 1965 | 932.2 | 823.2 | 891.2 | 956.5 | 998.8 | 930.5 | 558.2 | 525.3 | 541.0 | 544.7 | 548.2 | 705.0 | **66,473.4** |
| WIN | 1964 | 778.7 | 885.5 | 1055.9 | 1047.8 | 1040.5 | 960.7 | 937.5 | 901.2 | 839.7 | 871.0 | 952.6 | 948.3 | **57,518.6** |
| WIN | 1963 | 790.2 | 852.7 | 912.8 | 867.0 | 849.5 | 801.7 | 805.8 | 853.8 | 794.5 | 836.7 | 774.6 | 735.3 | **46,299.2** |
| WIN | 1962 | 484.9 | 432.8 | 484.6 | 819.2 | 591.8 | 1072.1 | 1237.6 | 764.3 | 814.2 | 736.4 | 777.9 | 874.0 | **36,424.6** |
| WIN | 1961 | 481.6 | 461.5 | 534.2 | 561.7 | 776.2 | 770.0 | 729.8 | 663.0 | 633.1 | 547.4 | 462.5 | 459.6 | **27,334.8** |
| WIN | 1960 | 201.3 | 164.4 | 176.8 | 167.1 | 189.0 | 179.8 | 211.0 | 212.4 | 685.6 | 656.6 | 546.1 | 511.6 | **20,254.2** |
| WIN | 1959 | 194.0 | 164.4 | 304.8 | 379.2 | 372.7 | 369.2 | 370.1 | 332.0 | 303.8 | 286.3 | 240.6 | 256.9 | **16,352.5** |
| WIN | 1958 | 550.3 | 486.0 | 507.5 | 174.3 | 180.1 | 184.0 | 191.1 | 190.8 | 176.8 | 189.5 | 184.6 | 178.5 | **12,778.5** |
| WIN | 1957 | 167.4 | 141.0 | 164.2 | 200.5 | 415.6 | 514.0 | 901.2 | 676.7 | 732.6 | 600.2 | 613.4 | 569.2 | **9,585.0** |
| WIN | 1956 | 0.0 | 0.0 | 0.0 | 415.3 | 465.2 | 279.5 | 213.4 | 510.8 | 548.2 | 725.6 | 455.2 | 275.8 | **3,889.0** |

Licence ***1139*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***1139*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,010.0** |
| H2O | 1975 | 103.7 | 99.8 | 111.3 | 107.9 | 111.9 | 63.0 | 63.1 | 101.3 | 99.8 | 107.0 | 107.5 | 109.4 | **9,602.4** |
| OIL | 1975 | 265.4 | 247.1 | 271.3 | 257.4 | 262.2 | 179.6 | 184.7 | 172.7 | 167.7 | 173.2 | 167.7 | 170.2 | **50,883.0** |
| DAY | 1974 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 26.0 | 27.0 | 30.0 | 31.0 | 29.0 | 29.0 | **6,646.0** |
| H2O | 1974 | 107.5 | 95.4 | 111.4 | 105.7 | 108.6 | 112.9 | 95.5 | 89.0 | 103.0 | 108.1 | 104.4 | 101.0 | **8,416.7** |
| OIL | 1974 | 286.2 | 239.0 | 285.4 | 265.1 | 273.6 | 273.5 | 236.9 | 239.8 | 270.1 | 284.4 | 262.4 | 262.0 | **48,363.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,295.0** |
| H2O | 1973 | 65.7 | 87.4 | 93.6 | 93.5 | 94.6 | 121.3 | 112.1 | 120.7 | 118.6 | 114.9 | 111.1 | 107.8 | **7,174.2** |
| OIL | 1973 | 298.8 | 240.1 | 264.6 | 258.5 | 269.8 | 278.7 | 280.5 | 300.0 | 285.6 | 279.7 | 274.6 | 278.4 | **45,185.4** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,931.0** |
| H2O | 1972 | 34.0 | 33.1 | 91.3 | 86.0 | 72.3 | 71.9 | 99.2 | 93.8 | 93.8 | 92.2 | 65.7 | 66.8 | **5,932.9** |
| OIL | 1972 | 289.4 | 269.8 | 271.6 | 280.5 | 279.0 | 269.2 | 281.3 | 287.8 | 273.8 | 305.9 | 290.5 | 303.0 | **41,876.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **5,565.0** |
| H2O | 1971 | 44.5 | 40.4 | 46.4 | 46.6 | 46.6 | 46.4 | 33.2 | 56.1 | 50.4 | 76.5 | 68.7 | 34.8 | **5,032.8** |
| OIL | 1971 | 340.9 | 301.6 | 333.7 | 316.9 | 324.0 | 314.8 | 313.2 | 302.2 | 298.1 | 163.8 | 144.8 | 282.5 | **38,474.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,202.0** |
| H2O | 1970 | 63.0 | 58.8 | 61.7 | 16.7 | 17.0 | 17.3 | 15.3 | 53.4 | 49.8 | 51.2 | 43.2 | 48.0 | **4,442.2** |
| OIL | 1970 | 372.0 | 335.1 | 365.8 | 340.2 | 336.9 | 329.7 | 327.2 | 332.4 | 317.2 | 332.4 | 312.6 | 327.8 | **35,037.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,837.0** |
| H2O | 1969 | 51.5 | 46.1 | 44.0 | 44.5 | 62.3 | 59.6 | 62.2 | 63.3 | 59.3 | 66.6 | 56.9 | 65.3 | **3,946.8** |
| OIL | 1969 | 375.8 | 326.1 | 366.8 | 354.2 | 371.4 | 364.5 | 364.4 | 367.4 | 354.4 | 383.6 | 353.1 | 385.0 | **31,008.5** |
| DAY | 1968 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,474.0** |
| H2O | 1968 | 35.6 | 35.9 | 37.8 | 39.1 | 40.9 | 62.5 | 56.9 | 59.6 | 51.5 | 53.9 | 50.4 | 49.1 | **3,265.2** |
| OIL | 1968 | 361.4 | 352.5 | 374.6 | 374.9 | 376.0 | 374.7 | 337.7 | 386.2 | 372.5 | 385.7 | 374.7 | 375.3 | **26,641.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 17.0 | 28.0 | 31.0 | **4,113.0** |
| H2O | 1967 | 36.4 | 30.0 | 36.2 | 47.1 | 46.1 | 44.4 | 39.4 | 66.9 | 58.7 | 33.1 | 49.0 | 39.3 | **2,692.0** |
| OIL | 1967 | 362.2 | 322.0 | 361.0 | 354.4 | 357.2 | 350.1 | 383.1 | 380.7 | 366.9 | 202.0 | 332.8 | 383.6 | **22,195.6** |
| DAY | 1966 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | **3,764.0** |
| H2O | 1966 | 29.7 | 61.2 | 78.4 | 113.0 | 127.2 | 112.4 | 37.4 | 25.0 | 25.0 | 29.6 | 35.8 | 37.4 | **2,165.4** |
| OIL | 1966 | 281.9 | 353.3 | 394.9 | 339.7 | 360.1 | 346.3 | 298.9 | 336.7 | 304.5 | 363.7 | 346.7 | 354.5 | **18,039.6** |
| DAY | 1965 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **3,404.0** |
| H2O | 1965 | 13.4 | 10.5 | 13.4 | 19.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.5 | 13.0 | 11.9 | **1,453.3** |
| OIL | 1965 | 201.8 | 164.2 | 196.7 | 297.3 | 289.5 | 289.5 | 301.9 | 292.9 | 284.4 | 280.3 | 272.1 | 253.0 | **13,958.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,043.0** |
| H2O | 1964 | 14.0 | 12.7 | 14.0 | 16.1 | 12.9 | 12.6 | 15.6 | 7.6 | 12.1 | 11.9 | 12.6 | 13.2 | **1,344.7** |
| OIL | 1964 | 70.2 | 66.4 | 71.7 | 145.6 | 169.7 | 163.5 | 162.4 | 183.7 | 186.9 | 187.2 | 186.6 | 199.9 | **10,834.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,678.0** |
| H2O | 1963 | 8.6 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.5 | 2.2 | 1.9 | 2.1 | 13.4 | 13.8 | **1,189.4** |
| OIL | 1963 | 69.3 | 61.7 | 75.0 | 71.8 | 70.6 | 81.0 | 70.2 | 72.6 | 74.4 | 74.4 | 65.6 | 67.4 | **9,041.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,315.0** |
| H2O | 1962 | 20.0 | 18.1 | 20.0 | 19.4 | 20.0 | 14.3 | 15.4 | 14.0 | 10.0 | 10.3 | 10.5 | 9.9 | **1,143.9** |
| OIL | 1962 | 66.7 | 66.1 | 74.8 | 70.1 | 67.7 | 71.2 | 72.5 | 67.4 | 77.7 | 69.6 | 74.5 | 76.4 | **8,187.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,954.0** |
| H2O | 1961 | 24.8 | 21.9 | 21.3 | 21.0 | 24.8 | 19.4 | 20.0 | 15.4 | 19.4 | 20.0 | 19.4 | 20.0 | **962.0** |
| OIL | 1961 | 102.3 | 108.5 | 86.6 | 86.1 | 89.1 | 84.9 | 88.4 | 95.0 | 78.8 | 83.9 | 72.3 | 73.1 | **7,332.3** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 25.0 | 30.0 | 31.0 | **1,589.0** |
| H2O | 1960 | 4.3 | 4.1 | 4.6 | 4.1 | 4.9 | 4.8 | 10.3 | 10.0 | 5.6 | 39.1 | 43.4 | 17.5 | **714.6** |
| OIL | 1960 | 20.5 | 13.8 | 19.2 | 21.1 | 15.4 | 15.1 | 123.0 | 83.0 | 60.1 | 118.1 | 121.2 | 92.3 | **6,283.3** |
| DAY | 1959 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,234.0** |
| H2O | 1959 | 4.9 | 4.5 | 4.8 | 4.6 | 4.9 | 4.8 | 4.8 | 4.9 | 4.3 | 4.5 | 4.6 | 4.5 | **561.9** |
| OIL | 1959 | 43.7 | 34.6 | 25.1 | 22.7 | 22.2 | 18.8 | 22.6 | 32.3 | 32.7 | 14.5 | 19.2 | 19.7 | **5,580.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **870.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1139*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 28.0 | 20.7 | 22.9 | 19.2 | 16.4 | 12.1 | 10.2 | 12.4 | 11.0 | 10.7 | 4.8 | 4.9 | **505.8** |
| OIL | 1958 | 203.7 | 146.7 | 170.0 | 148.3 | 116.0 | 72.9 | 41.8 | 138.9 | 125.9 | 124.3 | 59.4 | 46.1 | **5,272.4** |
| DAY | 1957 | 31.0 | 24.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 26.0 | **506.0** |
| H2O | 1957 | 9.9 | 7.3 | 9.1 | 9.5 | 10.2 | 5.1 | 5.7 | 5.2 | 4.8 | 4.9 | 4.8 | 22.7 | **332.5** |
| OIL | 1957 | 301.3 | 154.1 | 202.0 | 207.1 | 192.3 | 174.0 | 173.5 | 172.9 | 149.7 | 154.0 | 153.7 | 188.6 | **3,878.4** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 31.0 | 30.0 | 31.0 | 27.0 | 28.0 | **154.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.5 | 53.6 | 52.9 | 54.4 | 36.4 | 26.5 | **233.3** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 74.8 | 381.9 | 356.9 | 329.6 | 226.3 | 285.7 | **1,655.2** |

Licence ***1142*** Well Name ***Dome Naco East Hargrave*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-07-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 30.0 | 6.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **46.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 59.1 | 226.1 | 46.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **331.5** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 39.2 | 78.3 | 15.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **132.8** |

Licence ***1144*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-06-010-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 14.0 | 0.0 | 0.0 | **2,147.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 9.2 | 9.9 | 9.1 | 9.1 | 9.9 | 4.9 | 0.0 | 0.0 | **914.8** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 21.9 | 23.0 | 24.8 | 22.4 | 23.0 | 11.0 | 0.0 | 0.0 | **1,700.3** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 11.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **1,984.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 11.9 | 7.9 | 8.7 | 9.9 | 16.0 | 21.0 | 8.4 | 0.0 | 0.0 | **862.7** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 18.1 | 18.6 | 22.9 | 24.3 | 24.8 | 23.2 | 23.5 | 0.0 | 0.0 | **1,574.2** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 0.0 | 0.0 | **1,796.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 10.5 | 14.0 | 2.4 | 16.0 | 8.9 | 0.0 | 0.0 | **778.9** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 25.4 | 19.1 | 8.6 | 19.2 | 4.4 | 8.3 | 0.0 | 0.0 | **1,418.8** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 31.0 | 31.0 | 30.0 | 29.0 | 0.0 | 0.0 | **1,626.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.8 | 15.4 | 11.4 | 10.0 | 4.9 | 0.0 | 0.0 | **721.1** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.6 | 13.2 | 24.5 | 19.9 | 14.6 | 0.0 | 0.0 | **1,333.8** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 29.0 | 7.0 | 0.0 | 0.0 | 0.0 | **1,500.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.6 | 15.7 | 0.5 | 0.0 | 0.0 | 0.0 | **672.6** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 6.4 | 2.1 | 0.0 | 0.0 | 0.0 | **1,257.0** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 6.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 12.0 | **1,451.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 11.1 | 12.7 | 6.7 | 8.3 | 13.4 | 2.2 | 3.5 | 19.2 | 0.8 | **651.8** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 10.5 | 18.8 | 19.9 | 15.6 | 9.7 | 12.6 | 5.1 | 38.9 | 6.0 | **1,234.5** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 30.0 | 30.0 | 31.0 | 19.0 | 0.0 | **1,219.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 32.3 | 12.7 | 13.5 | 12.1 | 5.1 | 0.0 | **573.9** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 11.1 | 23.5 | 14.0 | 7.3 | 0.0 | **1,097.4** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 26.0 | 28.0 | 28.0 | 31.0 | 26.0 | 24.0 | 0.0 | 0.0 | 0.0 | **1,079.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 3.3 | 5.9 | 8.9 | 6.0 | 4.0 | 0.0 | 0.0 | 0.0 | **498.2** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 14.6 | 15.9 | 10.8 | 18.9 | 15.9 | 8.7 | 0.0 | 0.0 | 0.0 | **1,023.5** |
| DAY | 1959 | 0.0 | 0.0 | 21.0 | 24.0 | 28.0 | 27.0 | 28.0 | 28.0 | 26.0 | 31.0 | 5.0 | 0.0 | **916.0** |
| H2O | 1959 | 0.0 | 0.0 | 10.5 | 10.2 | 14.8 | 11.3 | 10.8 | 8.7 | 11.6 | 0.0 | 0.0 | 0.0 | **470.1** |
| OIL | 1959 | 0.0 | 0.0 | 13.8 | 15.7 | 17.0 | 17.5 | 17.6 | 17.8 | 16.8 | 16.5 | 2.9 | 0.0 | **938.7** |
| DAY | 1958 | 0.0 | 0.0 | 1.0 | 21.0 | 28.0 | 23.0 | 30.0 | 26.0 | 28.0 | 28.0 | 23.0 | 0.0 | **698.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.2 | 9.9 | 16.9 | 12.4 | 12.9 | 12.9 | 12.4 | 12.2 | 14.9 | 0.0 | **392.2** |
| OIL | 1958 | 0.0 | 0.0 | 0.5 | 18.3 | 18.1 | 14.9 | 19.1 | 16.5 | 17.8 | 17.6 | 14.8 | 0.0 | **803.1** |
| DAY | 1957 | 20.0 | 0.0 | 11.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 28.0 | 29.0 | 27.0 | 0.0 | **490.0** |
| H2O | 1957 | 14.5 | 0.0 | 11.4 | 28.6 | 9.9 | 27.0 | 15.9 | 3.7 | 3.0 | 2.5 | 3.2 | 0.0 | **287.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1144*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-06-010-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1957 | 32.6 | 0.0 | 18.6 | 52.1 | 29.4 | 49.9 | 48.1 | 23.7 | 22.7 | 18.1 | 17.8 | 0.0 | **665.5** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 19.0 | 26.0 | 30.0 | 31.0 | 31.0 | 12.0 | 21.0 | 26.0 | 31.0 | **227.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 25.8 | 18.4 | 20.8 | 15.6 | 17.5 | 9.5 | 14.1 | 15.4 | 30.7 | **167.8** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 59.3 | 43.1 | 41.2 | 42.1 | 41.8 | 17.8 | 29.1 | 29.6 | 48.5 | **352.5** |

Licence ***1145*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-18-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 0.0 | 0.0 | **347.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 123.0 | 492.2 | 441.6 | 389.0 | 353.7 | 333.5 | 0.0 | 0.0 | **3,619.3** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 35.0 | 120.3 | 72.6 | 52.4 | 49.4 | 36.9 | 29.6 | 0.0 | **849.6** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 14.0 | 22.0 | 23.0 | 29.0 | 25.0 | 28.0 | 31.0 | 15.0 | 0.0 | **187.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 21.3 | 31.3 | 247.7 | 46.4 | 249.8 | 361.0 | 372.0 | 156.8 | 0.0 | **1,486.3** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 77.9 | 70.7 | 61.2 | 63.4 | 50.9 | 56.6 | 59.3 | 13.4 | 0.0 | **453.4** |

Licence ***1146*** Well Name ***Basco Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-18-010-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 1.0 | 9.0 | 3.0 | 0.0 | 0.0 | **16.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 64.4 | 0.0 | 174.2 | 0.0 | 0.0 | 0.0 | **238.6** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.5 | 0.6 | 16.5 | 5.7 | 0.0 | 0.0 | **30.3** |

Licence ***1148*** Well Name ***West Butler Unit No. 1 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.16-30-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole F*** Field Code ***1*** Pool Code ***59F*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1974 | 0.0 | 0.0 | 645.0 | 816.7 | 608.9 | 574.4 | 532.8 | 524.7 | 391.9 | 60.1 | 0.0 | 0.0 | **7,778.2** |
| WIN | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 473.3 | 622.0 | 638.2 | 530.4 | 473.9 | 437.4 | 448.5 | **3,623.7** |
| DAY | 1972 | 0.0 | 0.0 | 14.0 | 4.0 | 23.0 | 28.0 | 31.0 | 31.0 | 29.0 | 4.0 | 25.0 | 2.0 | **4,629.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 7.9 | 5.2 | 5.9 | 9.1 | 1.6 | 0.3 | 0.0 | 0.0 | **1,914.8** |
| OIL | 1972 | 0.0 | 0.0 | 15.6 | 7.3 | 27.0 | 21.1 | 21.0 | 18.4 | 20.7 | 5.1 | 15.1 | 1.5 | **5,132.6** |
| DAY | 1971 | 0.0 | 5.0 | 31.0 | 21.0 | 18.0 | 18.0 | 31.0 | 31.0 | 26.0 | 31.0 | 3.0 | 0.0 | **4,438.0** |
| H2O | 1971 | 0.0 | 6.7 | 15.7 | 0.0 | 4.8 | 7.9 | 6.7 | 10.8 | 0.0 | 4.6 | 2.7 | 0.0 | **1,884.8** |
| OIL | 1971 | 0.0 | 8.1 | 34.0 | 20.0 | 6.0 | 34.0 | 33.7 | 22.7 | 18.8 | 24.3 | 2.5 | 0.0 | **4,979.8** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 27.0 | 0.0 | 23.0 | 26.0 | 30.0 | 28.0 | 31.0 | 1.0 | 0.0 | **4,223.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 4.3 | 0.0 | 13.8 | 3.3 | 11.3 | 10.2 | 5.1 | 6.4 | 0.0 | **1,824.9** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 34.5 | 0.0 | 36.7 | 30.4 | 28.9 | 26.1 | 26.1 | 0.8 | 0.0 | **4,775.7** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 22.0 | 0.0 | **4,057.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 9.4 | 14.0 | 8.4 | 14.5 | 9.7 | 2.2 | 1.4 | 0.0 | **1,770.5** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 38.0 | 30.8 | 37.3 | 17.3 | 31.1 | 32.9 | 22.7 | 0.0 | **4,592.2** |
| DAY | 1968 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 15.0 | 24.0 | 31.0 | 15.0 | 0.0 | **3,861.0** |
| H2O | 1968 | 0.0 | 0.0 | 8.6 | 18.9 | 5.1 | 0.2 | 3.0 | 4.0 | 4.9 | 5.4 | 3.3 | 0.0 | **1,710.9** |
| OIL | 1968 | 0.0 | 0.0 | 29.9 | 23.5 | 22.2 | 30.5 | 22.1 | 3.7 | 37.8 | 28.6 | 12.6 | 0.0 | **4,382.1** |
| DAY | 1967 | 7.0 | 0.0 | 9.0 | 8.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 20.0 | **3,624.0** |
| H2O | 1967 | 3.2 | 0.0 | 0.3 | 10.2 | 7.5 | 5.6 | 11.1 | 5.9 | 5.4 | 1.9 | 4.6 | 5.9 | **1,657.5** |
| OIL | 1967 | 1.7 | 0.0 | 16.2 | 0.8 | 29.7 | 21.9 | 19.2 | 25.7 | 16.8 | 27.2 | 21.0 | 14.8 | **4,171.2** |
| DAY | 1966 | 0.0 | 0.0 | 11.0 | 22.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 28.0 | **3,369.0** |
| H2O | 1966 | 0.0 | 0.0 | 2.9 | 12.6 | 20.3 | 3.8 | 13.5 | 8.1 | 3.8 | 7.0 | 3.0 | 2.1 | **1,595.9** |
| OIL | 1966 | 0.0 | 0.0 | 27.2 | 12.6 | 22.1 | 27.2 | 14.1 | 21.9 | 20.2 | 16.0 | 23.4 | 21.8 | **3,976.2** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 3.0 | 31.0 | 28.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | **3,097.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.3 | 10.0 | 11.0 | 5.9 | 4.5 | 5.1 | 5.9 | 2.7 | 6.7 | **1,518.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1148*** Well Name ***West Butler Unit No. 1 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.16-30-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole F*** Field Code ***1*** Pool Code ***59F*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 10.2 | 37.3 | 20.5 | 27.7 | 31.8 | 19.7 | 34.6 | 26.4 | 18.1 | **3,769.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 28.0 | 28.0 | 31.0 | 30.0 | 27.0 | **2,854.0** |
| H2O | 1964 | 26.9 | 10.8 | 2.9 | 1.9 | 11.1 | 4.8 | 2.7 | 14.3 | 1.1 | 7.2 | 2.1 | 1.7 | **1,466.7** |
| OIL | 1964 | 20.7 | 17.3 | 24.0 | 31.3 | 22.9 | 19.9 | 17.8 | 17.8 | 23.0 | 20.7 | 24.0 | 21.1 | **3,543.4** |
| DAY | 1963 | 22.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,498.0** |
| H2O | 1963 | 6.2 | 0.0 | 16.5 | 10.2 | 2.5 | 0.5 | 22.9 | 6.0 | 8.3 | 5.2 | 7.3 | 8.1 | **1,379.2** |
| OIL | 1963 | 14.6 | 0.0 | 26.4 | 19.7 | 24.5 | 19.9 | 13.5 | 21.1 | 20.7 | 18.4 | 24.9 | 22.1 | **3,282.9** |
| DAY | 1962 | 31.0 | 26.0 | 1.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,173.0** |
| H2O | 1962 | 9.9 | 8.7 | 4.1 | 7.6 | 7.9 | 7.2 | 11.0 | 1.9 | 0.8 | 3.2 | 11.0 | 2.7 | **1,285.5** |
| OIL | 1962 | 24.3 | 16.7 | 0.0 | 31.0 | 24.5 | 30.8 | 21.1 | 29.4 | 25.1 | 23.0 | 21.6 | 22.6 | **3,057.1** |
| DAY | 1961 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,842.0** |
| H2O | 1961 | 3.2 | 4.3 | 10.2 | 3.3 | 5.1 | 3.7 | 0.0 | 3.0 | 7.3 | 1.3 | 10.2 | 12.7 | **1,209.5** |
| OIL | 1961 | 35.6 | 28.9 | 24.8 | 29.2 | 35.1 | 29.1 | 31.8 | 24.5 | 24.8 | 25.3 | 18.3 | 21.8 | **2,787.0** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 23.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 25.0 | 31.0 | **1,481.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 1.3 | 6.2 | 7.5 | 6.2 | 4.1 | 5.1 | 4.5 | 1.1 | 8.3 | **1,145.2** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 34.5 | 22.1 | 37.0 | 32.9 | 30.8 | 34.3 | 32.6 | 22.7 | 36.7 | **2,457.8** |
| DAY | 1959 | 20.0 | 18.0 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 16.0 | 16.0 | 0.0 | **1,221.0** |
| H2O | 1959 | 0.5 | 0.0 | 0.0 | 2.2 | 7.9 | 4.1 | 5.4 | 5.2 | 4.3 | 3.0 | 0.8 | 0.0 | **1,100.9** |
| OIL | 1959 | 25.1 | 24.5 | 43.4 | 34.6 | 37.0 | 28.3 | 30.0 | 25.6 | 24.0 | 17.2 | 15.9 | 0.0 | **2,174.2** |
| DAY | 1958 | 27.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **943.0** |
| H2O | 1958 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.6 | 19.1 | 2.9 | 8.3 | 4.5 | **1,067.5** |
| OIL | 1958 | 34.6 | 31.3 | 36.5 | 39.3 | 39.1 | 37.3 | 36.5 | 26.5 | 36.2 | 38.8 | 35.3 | 32.9 | **1,868.6** |
| DAY | 1957 | 22.0 | 25.0 | 31.0 | 30.0 | 27.0 | 30.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **587.0** |
| H2O | 1957 | 30.5 | 36.9 | 36.1 | 15.7 | 27.0 | 17.8 | 9.1 | 4.8 | 8.4 | 0.8 | 0.3 | 0.6 | **1,027.9** |
| OIL | 1957 | 35.1 | 42.6 | 55.1 | 47.2 | 46.4 | 44.0 | 56.9 | 57.0 | 53.9 | 44.3 | 37.7 | 36.9 | **1,444.3** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 9.0 | 31.0 | 22.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **242.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 67.4 | 196.3 | 106.5 | 131.8 | 81.6 | 70.3 | 79.2 | 58.2 | 48.6 | **839.9** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 60.9 | 245.2 | 126.5 | 118.5 | 93.6 | 82.0 | 64.7 | 39.9 | 55.9 | **887.2** |

Licence ***1150*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-07-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | **6,734.0** |
| H2O | 1974 | 467.6 | 436.4 | 500.0 | 491.4 | 446.1 | 488.5 | 519.9 | 366.0 | 358.5 | 367.7 | 366.8 | 0.0 | **20,960.8** |
| OIL | 1974 | 19.9 | 21.9 | 24.2 | 23.0 | 21.1 | 23.8 | 26.9 | 17.8 | 18.4 | 18.8 | 18.3 | 0.0 | **6,824.9** |
| DAY | 1973 | 31.0 | 27.0 | 30.0 | 29.0 | 30.0 | 30.0 | 26.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,406.0** |
| H2O | 1973 | 76.2 | 63.8 | 74.4 | 79.5 | 29.4 | 40.1 | 227.3 | 272.0 | 274.6 | 508.4 | 494.7 | 498.9 | **16,151.9** |
| OIL | 1973 | 31.6 | 26.7 | 29.7 | 29.4 | 31.8 | 13.7 | 46.2 | 47.7 | 44.7 | 19.9 | 20.7 | 20.5 | **6,590.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,051.0** |
| H2O | 1972 | 185.2 | 130.7 | 104.4 | 101.7 | 94.8 | 106.0 | 76.8 | 81.7 | 76.3 | 81.2 | 70.1 | 72.2 | **13,512.6** |
| OIL | 1972 | 51.5 | 45.3 | 43.5 | 30.7 | 44.7 | 21.6 | 31.5 | 32.6 | 30.8 | 31.1 | 30.0 | 31.5 | **6,228.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **5,685.0** |
| H2O | 1971 | 97.3 | 92.5 | 26.4 | 36.4 | 14.8 | 12.9 | 176.3 | 171.1 | 227.2 | 320.8 | 228.0 | 211.9 | **12,331.5** |
| OIL | 1971 | 24.3 | 21.6 | 14.8 | 14.8 | 14.0 | 12.6 | 51.2 | 71.0 | 73.9 | 77.7 | 82.0 | 69.1 | **5,803.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,327.0** |
| H2O | 1970 | 38.6 | 17.6 | 37.2 | 38.2 | 37.8 | 42.0 | 43.1 | 33.9 | 57.9 | 43.9 | 91.1 | 91.7 | **10,715.9** |
| OIL | 1970 | 29.4 | 21.9 | 19.4 | 18.4 | 18.9 | 18.1 | 19.4 | 19.1 | 18.3 | 23.5 | 22.1 | 23.4 | **5,276.4** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 6.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,962.0** |
| H2O | 1969 | 38.0 | 35.0 | 35.6 | 42.3 | 8.1 | 98.9 | 88.2 | 81.9 | 82.8 | 83.8 | 37.2 | 35.8 | **10,142.9** |
| OIL | 1969 | 22.9 | 21.0 | 22.7 | 22.1 | 4.0 | 52.9 | 52.1 | 43.9 | 40.0 | 41.6 | 27.5 | 28.3 | **5,024.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,623.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1150*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-07-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1968 | 37.8 | 36.7 | 39.9 | 28.1 | 28.9 | 35.5 | 39.4 | 23.5 | 18.9 | 38.3 | 37.4 | 37.8 | **9,475.3** |
| OIL | 1968 | 19.9 | 19.4 | 19.9 | 16.7 | 16.5 | 18.8 | 18.6 | 27.0 | 22.6 | 23.4 | 21.9 | 23.2 | **4,645.5** |
| DAY | 1967 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,260.0** |
| H2O | 1967 | 17.0 | 17.8 | 20.8 | 20.8 | 20.0 | 18.8 | 19.9 | 17.8 | 26.5 | 28.1 | 36.4 | 38.6 | **9,073.1** |
| OIL | 1967 | 7.5 | 7.0 | 7.9 | 7.5 | 7.8 | 7.9 | 8.7 | 8.6 | 8.4 | 9.2 | 18.4 | 19.5 | **4,397.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 22.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,897.0** |
| H2O | 1966 | 20.0 | 17.0 | 19.4 | 17.2 | 16.4 | 15.9 | 16.5 | 16.2 | 24.8 | 21.6 | 27.8 | 16.5 | **8,790.6** |
| OIL | 1966 | 6.7 | 6.0 | 6.7 | 7.0 | 3.0 | 3.5 | 3.2 | 3.3 | 9.2 | 8.6 | 8.1 | 7.3 | **4,279.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,540.0** |
| H2O | 1965 | 56.1 | 52.3 | 62.8 | 19.4 | 14.5 | 13.4 | 16.2 | 19.6 | 19.4 | 19.9 | 19.6 | 21.1 | **8,561.3** |
| OIL | 1965 | 22.1 | 21.3 | 24.8 | 11.1 | 11.4 | 10.2 | 10.3 | 7.8 | 7.3 | 7.0 | 6.8 | 6.8 | **4,206.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,175.0** |
| H2O | 1964 | 55.3 | 51.4 | 52.9 | 51.2 | 39.4 | 40.2 | 42.9 | 41.8 | 42.0 | 44.2 | 43.4 | 52.1 | **8,227.0** |
| OIL | 1964 | 16.2 | 17.5 | 18.0 | 18.1 | 16.7 | 10.6 | 10.8 | 20.2 | 23.4 | 21.6 | 22.2 | 23.0 | **4,059.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,809.0** |
| H2O | 1963 | 28.1 | 21.0 | 24.5 | 48.5 | 55.2 | 49.4 | 42.6 | 51.8 | 29.1 | 43.9 | 56.3 | 56.1 | **7,670.2** |
| OIL | 1963 | 25.1 | 21.0 | 24.3 | 23.4 | 28.6 | 17.8 | 17.6 | 21.0 | 21.6 | 17.2 | 18.8 | 16.2 | **3,841.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,444.0** |
| H2O | 1962 | 29.7 | 27.7 | 30.2 | 25.6 | 27.0 | 27.8 | 34.5 | 31.8 | 31.6 | 32.3 | 28.6 | 30.7 | **7,163.7** |
| OIL | 1962 | 25.6 | 20.2 | 22.1 | 21.5 | 22.1 | 22.2 | 25.1 | 23.7 | 25.1 | 24.5 | 24.0 | 24.9 | **3,588.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,079.0** |
| H2O | 1961 | 40.5 | 41.7 | 42.8 | 40.9 | 45.0 | 51.7 | 71.1 | 73.3 | 28.9 | 30.0 | 26.9 | 27.3 | **6,806.2** |
| OIL | 1961 | 27.3 | 24.3 | 27.7 | 27.2 | 33.7 | 22.2 | 27.0 | 29.7 | 24.9 | 24.3 | 22.2 | 21.6 | **3,307.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,714.0** |
| H2O | 1960 | 76.9 | 71.9 | 45.2 | 44.4 | 45.3 | 48.3 | 42.0 | 62.8 | 78.9 | 73.9 | 44.7 | 46.6 | **6,286.1** |
| OIL | 1960 | 39.9 | 37.0 | 34.2 | 30.8 | 30.0 | 29.9 | 29.6 | 30.8 | 35.0 | 31.6 | 27.0 | 29.2 | **2,995.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,348.0** |
| H2O | 1959 | 121.0 | 118.3 | 122.9 | 114.3 | 122.3 | 120.3 | 125.4 | 118.6 | 94.9 | 102.5 | 97.1 | 88.4 | **5,605.2** |
| OIL | 1959 | 42.9 | 40.2 | 47.8 | 50.7 | 41.8 | 39.3 | 41.2 | 41.5 | 44.0 | 40.7 | 39.3 | 40.2 | **2,610.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **983.0** |
| H2O | 1958 | 236.1 | 184.4 | 204.3 | 162.2 | 174.6 | 151.0 | 158.2 | 150.1 | 140.2 | 147.5 | 133.1 | 126.2 | **4,259.2** |
| OIL | 1958 | 62.3 | 52.1 | 55.5 | 44.5 | 58.0 | 49.9 | 51.5 | 44.0 | 31.1 | 47.4 | 46.9 | 45.3 | **2,101.1** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 25.0 | 30.0 | 30.0 | 31.0 | **619.0** |
| H2O | 1957 | 43.2 | 38.3 | 10.8 | 8.6 | 7.6 | 276.0 | 301.3 | 220.2 | 195.5 | 226.5 | 225.0 | 201.7 | **2,291.3** |
| OIL | 1957 | 38.3 | 33.4 | 23.2 | 24.5 | 24.0 | 69.0 | 73.1 | 70.9 | 42.6 | 50.2 | 52.0 | 46.7 | **1,512.6** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 21.0 | 29.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **263.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 59.0 | 67.4 | 53.3 | 142.1 | 42.8 | 42.8 | 45.3 | 41.5 | 42.4 | **536.6** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 202.3 | 275.7 | 233.6 | 56.7 | 39.3 | 40.0 | 41.3 | 38.0 | 37.8 | **964.7** |

Licence ***1151*** Well Name ***Enerplus North Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-24-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 31.0 | 7.0 | 0.0 | 18.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **590.0** |
| H2O | 1958 | 68.8 | 11.0 | 0.0 | 82.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,201.2** |
| OIL | 1958 | 15.7 | 3.8 | 0.0 | 9.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **809.8** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 29.0 | 30.0 | 26.0 | 30.0 | 29.0 | 31.0 | **534.0** |
| H2O | 1957 | 106.5 | 90.6 | 96.8 | 93.2 | 85.2 | 91.7 | 79.0 | 76.2 | 75.0 | 71.7 | 64.5 | 68.7 | **2,038.9** |
| OIL | 1957 | 45.4 | 42.0 | 43.9 | 40.7 | 27.0 | 39.3 | 9.5 | 28.4 | 21.8 | 19.2 | 18.6 | 15.7 | **781.2** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **183.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 212.4 | 202.4 | 155.3 | 129.1 | 119.9 | 110.2 | 109.9 | **1,039.8** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 105.0 | 70.4 | 58.8 | 52.1 | 54.2 | 47.7 | 40.2 | **429.7** |

# Manitoba Production
## 1950 To 1975

Licence ***1153*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-07-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 14.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,637.0** |
| H2O | 1969 | 628.0 | 576.5 | 609.1 | 389.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **64,069.9** |
| OIL | 1969 | 14.2 | 13.0 | 14.6 | 1.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **13,703.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,533.0** |
| H2O | 1968 | 496.8 | 598.1 | 653.1 | 603.3 | 594.7 | 472.5 | 612.7 | 613.8 | 494.4 | 631.2 | 617.8 | 625.0 | **61,866.6** |
| OIL | 1968 | 30.8 | 22.9 | 23.7 | 21.3 | 28.8 | 23.7 | 27.3 | 14.0 | 11.6 | 14.5 | 13.7 | 14.3 | **13,660.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,170.0** |
| H2O | 1967 | 371.2 | 375.4 | 440.7 | 440.2 | 396.0 | 388.2 | 387.6 | 350.2 | 345.1 | 489.0 | 478.7 | 509.8 | **54,853.2** |
| OIL | 1967 | 52.3 | 47.5 | 53.4 | 49.7 | 48.3 | 52.1 | 45.6 | 45.1 | 43.7 | 28.6 | 29.1 | 30.7 | **13,413.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,808.0** |
| H2O | 1966 | 556.3 | 476.8 | 538.5 | 500.2 | 603.2 | 591.6 | 612.4 | 597.1 | 524.3 | 453.9 | 587.0 | 347.8 | **49,881.1** |
| OIL | 1966 | 58.2 | 52.4 | 58.3 | 58.8 | 49.4 | 58.0 | 54.0 | 56.6 | 61.8 | 57.4 | 55.0 | 49.3 | **12,887.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,443.0** |
| H2O | 1965 | 402.1 | 373.6 | 447.1 | 819.7 | 613.3 | 562.0 | 561.0 | 563.3 | 539.4 | 554.0 | 544.8 | 587.7 | **43,492.0** |
| OIL | 1965 | 45.3 | 43.5 | 50.4 | 69.8 | 72.1 | 64.7 | 65.0 | 74.8 | 64.4 | 62.3 | 59.3 | 59.3 | **12,218.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,078.0** |
| H2O | 1964 | 464.9 | 432.3 | 445.0 | 339.6 | 354.4 | 350.6 | 273.8 | 274.7 | 263.4 | 316.2 | 311.1 | 372.3 | **36,924.0** |
| OIL | 1964 | 127.9 | 66.3 | 67.5 | 58.2 | 59.9 | 57.7 | 56.1 | 55.5 | 52.3 | 44.0 | 45.6 | 46.7 | **11,487.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,712.0** |
| H2O | 1963 | 423.8 | 314.8 | 368.5 | 401.4 | 455.6 | 429.9 | 437.0 | 489.7 | 469.8 | 498.2 | 473.4 | 471.4 | **32,725.7** |
| OIL | 1963 | 75.3 | 62.1 | 72.8 | 75.8 | 86.6 | 73.6 | 69.6 | 78.5 | 72.9 | 74.2 | 70.9 | 126.3 | **10,749.7** |
| DAY | 1962 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 26.0 | 30.0 | 29.0 | 31.0 | **2,351.0** |
| H2O | 1962 | 288.7 | 269.3 | 351.3 | 350.2 | 410.6 | 409.2 | 485.7 | 432.7 | 414.1 | 472.0 | 398.7 | 463.6 | **27,492.2** |
| OIL | 1962 | 62.3 | 49.3 | 45.4 | 52.1 | 87.4 | 85.7 | 87.2 | 64.2 | 65.3 | 71.0 | 65.9 | 74.8 | **9,811.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 26.0 | **1,999.0** |
| H2O | 1961 | 327.0 | 335.3 | 347.8 | 340.2 | 354.4 | 172.0 | 189.2 | 252.9 | 300.9 | 244.0 | 260.7 | 220.3 | **22,746.1** |
| OIL | 1961 | 68.8 | 61.0 | 67.7 | 60.9 | 61.0 | 57.4 | 58.5 | 59.4 | 58.6 | 46.1 | 54.2 | 43.4 | **9,000.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,642.0** |
| H2O | 1960 | 369.6 | 386.2 | 415.4 | 401.7 | 362.8 | 379.2 | 327.8 | 448.0 | 396.3 | 378.7 | 335.4 | 374.9 | **19,401.4** |
| OIL | 1960 | 90.4 | 86.9 | 96.6 | 84.2 | 81.7 | 85.2 | 80.6 | 82.0 | 79.1 | 67.2 | 63.6 | 73.9 | **8,303.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 21.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,277.0** |
| H2O | 1959 | 366.6 | 362.6 | 398.6 | 390.8 | 406.2 | 403.8 | 285.1 | 412.2 | 378.1 | 411.3 | 383.3 | 386.6 | **14,825.4** |
| OIL | 1959 | 116.8 | 107.7 | 116.3 | 108.1 | 112.5 | 110.0 | 78.2 | 108.9 | 105.7 | 103.5 | 92.2 | 95.8 | **7,332.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **923.0** |
| H2O | 1958 | 381.7 | 298.2 | 428.9 | 345.1 | 392.0 | 365.3 | 412.4 | 420.8 | 390.0 | 400.2 | 404.0 | 383.3 | **10,240.2** |
| OIL | 1958 | 168.9 | 141.6 | 153.8 | 145.7 | 145.4 | 146.5 | 146.7 | 123.6 | 123.3 | 139.4 | 116.0 | 108.4 | **6,076.4** |
| DAY | 1957 | 31.0 | 26.0 | 22.0 | 26.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **561.0** |
| H2O | 1957 | 287.3 | 238.6 | 211.4 | 259.3 | 290.8 | 311.1 | 331.8 | 345.8 | 346.1 | 340.2 | 339.4 | 236.4 | **5,618.3** |
| OIL | 1957 | 277.5 | 226.6 | 200.1 | 194.0 | 238.5 | 192.1 | 172.1 | 176.9 | 160.0 | 160.2 | 153.7 | 165.9 | **4,417.1** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 23.0 | 30.0 | 31.0 | 30.0 | 31.0 | 22.0 | 31.0 | **213.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 99.7 | 235.1 | 374.7 | 306.4 | 232.6 | 303.7 | 247.1 | 280.8 | **2,080.1** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 157.8 | 244.7 | 328.8 | 306.7 | 237.9 | 302.7 | 247.3 | 273.6 | **2,099.5** |

Licence ***1154*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-05-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,030.0** |
| H2O | 1975 | 63.9 | 58.7 | 65.5 | 61.2 | 65.8 | 63.0 | 33.9 | 31.5 | 32.7 | 35.3 | 35.3 | 36.1 | **6,982.3** |
| OIL | 1975 | 134.3 | 119.5 | 131.1 | 120.3 | 126.7 | 123.2 | 122.8 | 116.8 | 119.7 | 123.8 | 119.7 | 121.7 | **22,278.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 24.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,667.0** |
| H2O | 1974 | 4.6 | 4.5 | 4.8 | 3.8 | 4.9 | 30.7 | 29.1 | 28.3 | 60.6 | 63.6 | 63.4 | 63.4 | **6,399.4** |

# Manitoba Production
## 1950 To 1975

Licence ***1154*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-05-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1974 | 26.9 | 23.4 | 25.9 | 20.3 | 26.5 | 153.8 | 147.9 | 158.1 | 130.6 | 137.5 | 131.1 | 135.4 | **20,798.7** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,310.0** |
| H2O | 1973 | 9.9 | 9.4 | 10.0 | 10.0 | 10.2 | 9.7 | 9.4 | 5.1 | 5.2 | 5.1 | 4.9 | 4.8 | **6,037.7** |
| OIL | 1973 | 96.9 | 85.5 | 94.2 | 92.2 | 96.1 | 93.3 | 92.8 | 27.5 | 26.7 | 26.2 | 25.6 | 26.1 | **19,681.3** |
| DAY | 1972 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,947.0** |
| H2O | 1972 | 12.6 | 12.9 | 14.3 | 12.7 | 8.7 | 8.4 | 9.7 | 9.1 | 9.1 | 10.0 | 9.9 | 10.0 | **5,944.0** |
| OIL | 1972 | 88.7 | 88.8 | 96.8 | 92.5 | 97.6 | 92.2 | 96.9 | 99.2 | 94.4 | 99.3 | 94.2 | 98.4 | **18,898.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,583.0** |
| H2O | 1971 | 32.1 | 131.8 | 151.7 | 152.3 | 152.5 | 151.8 | 150.4 | 145.0 | 11.3 | 12.6 | 11.3 | 14.1 | **5,816.6** |
| OIL | 1971 | 110.4 | 186.4 | 206.4 | 195.9 | 200.4 | 194.7 | 199.1 | 195.5 | 96.8 | 100.4 | 88.7 | 96.9 | **17,759.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,219.0** |
| H2O | 1970 | 68.2 | 63.9 | 66.9 | 61.8 | 63.8 | 64.7 | 53.6 | 90.5 | 32.7 | 32.6 | 31.2 | 34.5 | **4,699.7** |
| OIL | 1970 | 83.7 | 75.5 | 82.3 | 79.5 | 82.0 | 80.4 | 75.0 | 108.9 | 144.1 | 145.7 | 101.4 | 106.3 | **15,887.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 29.0 | 31.0 | **4,861.0** |
| H2O | 1969 | 70.7 | 64.1 | 60.4 | 61.7 | 67.7 | 47.2 | 51.2 | 51.4 | 42.0 | 52.8 | 61.8 | 70.7 | **4,035.3** |
| OIL | 1969 | 114.3 | 100.9 | 111.4 | 108.5 | 111.6 | 100.7 | 104.6 | 103.9 | 87.6 | 106.0 | 79.5 | 86.8 | **14,722.8** |
| DAY | 1968 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,501.0** |
| H2O | 1968 | 34.7 | 32.9 | 41.8 | 47.7 | 50.1 | 45.8 | 70.9 | 64.7 | 65.0 | 67.7 | 63.6 | 67.4 | **3,333.6** |
| OIL | 1968 | 57.7 | 52.9 | 101.7 | 112.7 | 112.8 | 110.9 | 114.4 | 114.3 | 110.3 | 114.1 | 110.8 | 113.9 | **13,507.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,138.0** |
| H2O | 1967 | 10.5 | 8.6 | 10.5 | 9.7 | 32.1 | 37.5 | 29.6 | 39.4 | 34.7 | 37.4 | 32.0 | 35.9 | **2,681.3** |
| OIL | 1967 | 78.2 | 69.4 | 78.0 | 75.3 | 46.7 | 55.6 | 57.7 | 57.0 | 55.0 | 58.2 | 55.5 | 57.7 | **12,280.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,779.0** |
| H2O | 1966 | 15.1 | 11.9 | 15.3 | 15.6 | 47.4 | 41.8 | 35.9 | 32.6 | 35.1 | 10.3 | 10.3 | 10.7 | **2,363.4** |
| OIL | 1966 | 74.8 | 65.8 | 72.9 | 71.2 | 79.1 | 76.1 | 68.5 | 69.0 | 67.2 | 90.1 | 74.8 | 76.8 | **11,536.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,418.0** |
| H2O | 1965 | 17.3 | 15.3 | 17.6 | 15.4 | 15.6 | 14.9 | 14.9 | 14.9 | 15.3 | 15.1 | 15.4 | 15.7 | **2,081.4** |
| OIL | 1965 | 79.5 | 72.5 | 78.3 | 75.5 | 76.1 | 76.3 | 79.5 | 78.8 | 74.5 | 77.5 | 73.7 | 75.6 | **10,649.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,053.0** |
| H2O | 1964 | 5.2 | 4.6 | 5.2 | 4.9 | 5.2 | 16.5 | 16.2 | 16.4 | 15.7 | 15.7 | 16.4 | 17.3 | **1,894.0** |
| OIL | 1964 | 66.7 | 63.2 | 68.2 | 65.5 | 67.5 | 72.8 | 75.5 | 76.1 | 73.6 | 75.0 | 73.4 | 78.8 | **9,732.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,687.0** |
| H2O | 1963 | 13.8 | 15.1 | 16.1 | 13.8 | 14.5 | 4.0 | 4.9 | 4.9 | 5.7 | 5.4 | 4.9 | 5.1 | **1,754.7** |
| OIL | 1963 | 62.8 | 60.2 | 64.4 | 57.0 | 59.0 | 51.8 | 63.1 | 60.9 | 60.9 | 64.8 | 62.6 | 64.2 | **8,875.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,324.0** |
| H2O | 1962 | 22.3 | 20.0 | 21.1 | 20.5 | 17.2 | 19.1 | 16.5 | 19.2 | 22.7 | 18.9 | 17.6 | 15.3 | **1,646.5** |
| OIL | 1962 | 99.3 | 90.1 | 98.7 | 95.5 | 98.2 | 91.4 | 91.2 | 68.8 | 65.6 | 65.2 | 62.3 | 64.4 | **8,144.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,962.0** |
| H2O | 1961 | 31.8 | 31.0 | 32.9 | 31.8 | 29.1 | 28.3 | 18.8 | 14.3 | 11.8 | 17.6 | 19.1 | 19.7 | **1,416.1** |
| OIL | 1961 | 115.2 | 102.5 | 113.0 | 106.0 | 108.5 | 102.3 | 104.1 | 102.2 | 93.8 | 89.1 | 95.5 | 99.3 | **7,153.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,599.0** |
| H2O | 1960 | 14.0 | 12.9 | 16.7 | 14.6 | 13.5 | 25.1 | 40.5 | 38.3 | 23.5 | 41.3 | 27.2 | 34.0 | **1,129.9** |
| OIL | 1960 | 89.0 | 82.6 | 89.1 | 85.7 | 86.4 | 88.2 | 73.9 | 28.8 | 82.8 | 124.3 | 110.0 | 117.8 | **5,921.9** |
| DAY | 1959 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,236.0** |
| H2O | 1959 | 9.2 | 12.6 | 14.8 | 15.3 | 15.1 | 14.3 | 13.5 | 18.6 | 20.7 | 15.3 | 12.2 | 14.0 | **828.3** |
| OIL | 1959 | 61.7 | 76.4 | 83.1 | 84.1 | 80.6 | 76.6 | 89.9 | 98.2 | 91.1 | 88.7 | 81.5 | 81.7 | **4,863.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **877.0** |
| H2O | 1958 | 33.9 | 38.0 | 30.8 | 20.8 | 16.7 | 9.5 | 13.5 | 14.6 | 19.1 | 24.0 | 19.2 | 19.7 | **652.7** |
| OIL | 1958 | 74.8 | 86.6 | 105.0 | 89.0 | 86.1 | 85.2 | 85.7 | 83.0 | 80.4 | 83.6 | 76.3 | 76.3 | **3,869.7** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **513.0** |
| H2O | 1957 | 23.2 | 179.8 | 17.0 | 9.5 | 7.2 | 25.4 | 12.7 | 10.8 | 16.9 | 16.7 | 14.3 | 15.4 | **392.9** |
| OIL | 1957 | 221.2 | 186.7 | 192.0 | 153.2 | 152.2 | 130.0 | 94.7 | 86.4 | 85.8 | 90.4 | 87.9 | 77.2 | **2,857.7** |

# Manitoba Production
## 1950 To 1975

Licence ***1154*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-05-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 25.0 | 28.0 | 31.0 | 30.0 | 25.0 | **153.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.7 | 13.5 | 2.9 | 6.8 | 9.5 | 5.6 | **44.0** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 175.1 | 229.3 | 254.3 | 248.2 | 220.7 | 172.4 | **1,300.0** |

Licence ***1155*** Well Name ***Hegion & Atkinson Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-27-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 24.0 | 31.0 | 24.0 | 0.0 | **873.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 217.1 | 450.6 | 521.8 | 529.1 | 0.0 | **2,226.3** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 52.2 | 69.9 | 69.9 | 42.4 | 0.0 | **2,456.9** |
| DAY | 1959 | 0.0 | 0.0 | 10.0 | 28.0 | 31.0 | 25.0 | 29.0 | 16.0 | 11.0 | 0.0 | 7.0 | 0.0 | **780.0** |
| H2O | 1959 | 0.0 | 0.0 | 1.6 | 4.8 | 4.8 | 3.2 | 4.0 | 1.6 | 9.2 | 0.0 | 0.0 | 0.0 | **507.7** |
| OIL | 1959 | 0.0 | 0.0 | 16.4 | 47.0 | 45.3 | 34.0 | 48.1 | 21.9 | 12.2 | 0.0 | 0.5 | 0.0 | **2,222.5** |
| DAY | 1958 | 27.0 | 19.0 | 25.0 | 25.0 | 20.0 | 21.0 | 29.0 | 30.0 | 30.0 | 29.0 | 21.0 | 0.0 | **623.0** |
| H2O | 1958 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 9.5 | 2.4 | 2.2 | 5.9 | 5.4 | 3.8 | 0.0 | **478.5** |
| OIL | 1958 | 51.0 | 36.7 | 76.0 | 60.1 | 38.0 | 35.1 | 52.6 | 51.0 | 51.3 | 48.6 | 35.1 | 0.0 | **1,997.1** |
| DAY | 1957 | 22.0 | 22.0 | 25.0 | 0.0 | 19.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **347.0** |
| H2O | 1957 | 0.6 | 0.5 | 0.5 | 0.0 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.2 | **448.0** |
| OIL | 1957 | 120.5 | 106.0 | 107.4 | 0.0 | 104.4 | 110.6 | 112.8 | 105.0 | 94.2 | 91.7 | 93.3 | 72.6 | **1,461.6** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 1.0 | 29.0 | **51.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 164.9 | 277.9 | 0.3 | 1.0 | **444.1** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 115.1 | 53.1 | 11.1 | 163.8 | **343.1** |

Licence ***1157*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-07-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **5,844.0** |
| H2O | 1975 | 1033.5 | 910.2 | 983.5 | 986.2 | 1011.0 | 932.7 | 837.2 | 820.8 | 852.9 | 890.6 | 848.6 | 878.2 | **44,670.4** |
| OIL | 1975 | 46.2 | 41.0 | 45.9 | 43.7 | 46.4 | 44.8 | 45.8 | 46.1 | 44.3 | 45.1 | 43.1 | 42.3 | **7,853.1** |
| DAY | 1974 | 31.0 | 24.0 | 31.0 | 30.0 | 26.0 | 28.0 | 26.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,480.0** |
| H2O | 1974 | 645.6 | 503.6 | 673.4 | 661.5 | 578.1 | 132.0 | 117.8 | 928.4 | 973.1 | 998.1 | 974.4 | 1011.0 | **33,685.0** |
| OIL | 1974 | 43.5 | 43.7 | 56.3 | 53.1 | 47.0 | 16.0 | 15.3 | 7.8 | 8.6 | 8.7 | 45.3 | 46.1 | **7,318.4** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 6.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **5,133.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 24.8 | 126.5 | 284.3 | 450.1 | 536.1 | 528.1 | 625.1 | 677.6 | 683.3 | **25,488.0** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.8 | 4.6 | 8.9 | 31.6 | 32.6 | 29.9 | 38.0 | 45.3 | 44.7 | **6,927.0** |
| DAY | 1970 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,890.0** |
| H2O | 1970 | 29.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **21,552.1** |
| OIL | 1970 | 4.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,690.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 16.0 | 0.0 | 4.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,859.0** |
| H2O | 1969 | 38.0 | 35.0 | 36.9 | 36.9 | 9.2 | 4.8 | 0.0 | 7.6 | 59.6 | 60.3 | 42.8 | 41.2 | **21,522.8** |
| OIL | 1969 | 8.9 | 7.9 | 9.1 | 8.4 | 0.0 | 0.0 | 0.0 | 3.7 | 22.2 | 23.0 | 8.9 | 9.2 | **6,685.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,566.0** |
| H2O | 1968 | 33.2 | 32.1 | 35.1 | 23.5 | 24.3 | 35.5 | 39.4 | 33.1 | 22.6 | 28.9 | 37.4 | 37.8 | **21,150.5** |
| OIL | 1968 | 21.0 | 20.7 | 21.1 | 11.1 | 11.1 | 14.3 | 14.3 | 8.9 | 7.2 | 9.1 | 8.4 | 8.7 | **6,584.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,203.0** |
| H2O | 1967 | 2.1 | 2.1 | 2.4 | 2.4 | 2.4 | 2.1 | 14.9 | 13.7 | 14.5 | 58.2 | 61.7 | 34.0 | **20,767.6** |
| OIL | 1967 | 14.5 | 13.2 | 14.8 | 14.0 | 14.3 | 14.8 | 10.6 | 10.8 | 11.0 | 21.6 | 17.5 | 20.7 | **6,428.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,838.0** |
| H2O | 1966 | 24.6 | 21.1 | 23.8 | 27.7 | 3.0 | 2.9 | 3.2 | 3.0 | 2.9 | 2.7 | 3.3 | 2.1 | **20,557.1** |
| OIL | 1966 | 23.0 | 20.7 | 23.0 | 17.3 | 14.9 | 17.3 | 16.4 | 17.2 | 17.3 | 16.0 | 15.4 | 13.8 | **6,250.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,473.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1157*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-07-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1965 | 105.4 | 97.1 | 117.6 | 4.3 | 0.0 | 8.9 | 10.5 | 45.2 | 26.9 | 24.5 | 24.0 | 25.9 | **20,436.8** |
| OIL | 1965 | 23.4 | 22.2 | 25.9 | 38.9 | 26.4 | 21.6 | 19.7 | 22.2 | 20.2 | 24.6 | 23.5 | 23.5 | **6,038.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,109.0** |
| H2O | 1964 | 62.0 | 57.6 | 59.5 | 91.4 | 92.8 | 90.5 | 96.8 | 95.7 | 79.2 | 82.8 | 81.6 | 97.8 | **19,946.5** |
| OIL | 1964 | 17.3 | 18.8 | 19.1 | 27.0 | 32.3 | 37.5 | 37.8 | 26.9 | 24.6 | 22.7 | 23.4 | 24.2 | **5,746.4** |
| DAY | 1963 | 23.0 | 17.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,743.0** |
| H2O | 1963 | 73.6 | 44.5 | 86.3 | 93.8 | 102.7 | 59.9 | 101.6 | 75.4 | 80.3 | 69.8 | 63.1 | 63.0 | **18,958.8** |
| OIL | 1963 | 35.6 | 23.8 | 46.6 | 51.3 | 32.4 | 29.9 | 32.6 | 27.8 | 27.3 | 25.1 | 20.0 | 17.2 | **5,434.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,397.0** |
| H2O | 1962 | 153.1 | 143.1 | 156.3 | 103.0 | 109.4 | 112.1 | 117.3 | 108.9 | 111.9 | 114.3 | 101.6 | 108.7 | **18,044.8** |
| OIL | 1962 | 68.6 | 53.9 | 59.1 | 48.9 | 50.7 | 51.0 | 57.7 | 44.3 | 48.3 | 46.9 | 45.9 | 48.0 | **5,065.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,033.0** |
| H2O | 1961 | 152.1 | 155.8 | 160.3 | 144.5 | 141.2 | 179.6 | 196.7 | 188.9 | 149.8 | 155.0 | 138.5 | 141.5 | **16,605.1** |
| OIL | 1961 | 52.3 | 46.6 | 52.9 | 52.9 | 54.3 | 49.3 | 51.2 | 66.7 | 66.7 | 64.7 | 59.6 | 57.8 | **4,441.9** |
| DAY | 1960 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,668.0** |
| H2O | 1960 | 199.0 | 206.5 | 209.7 | 206.5 | 210.5 | 202.4 | 154.2 | 237.4 | 188.9 | 180.4 | 167.1 | 174.2 | **14,701.2** |
| OIL | 1960 | 60.7 | 58.2 | 59.8 | 59.6 | 60.4 | 62.5 | 60.9 | 62.5 | 52.8 | 47.8 | 52.0 | 56.3 | **3,766.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,303.0** |
| H2O | 1959 | 156.3 | 136.2 | 166.6 | 160.1 | 168.4 | 158.5 | 233.4 | 246.3 | 234.5 | 253.1 | 227.2 | 200.5 | **12,364.4** |
| OIL | 1959 | 34.5 | 41.8 | 41.0 | 43.1 | 45.6 | 46.6 | 68.6 | 73.7 | 64.0 | 63.9 | 61.5 | 57.8 | **3,073.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **938.0** |
| H2O | 1958 | 43.7 | 341.8 | 419.4 | 285.2 | 313.0 | 335.4 | 316.4 | 304.1 | 199.7 | 173.0 | 160.4 | 152.6 | **10,023.3** |
| OIL | 1958 | 83.3 | 69.8 | 86.8 | 66.7 | 67.4 | 89.5 | 76.1 | 60.4 | 27.2 | 51.5 | 55.9 | 40.8 | **2,431.3** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 26.0 | 29.0 | 30.0 | 31.0 | **573.0** |
| H2O | 1957 | 444.7 | 381.6 | 446.1 | 353.3 | 343.2 | 211.0 | 390.0 | 373.1 | 340.9 | 370.3 | 362.2 | 369.2 | **6,978.6** |
| OIL | 1957 | 91.1 | 77.4 | 90.1 | 94.2 | 100.6 | 81.0 | 84.5 | 83.3 | 68.8 | 76.1 | 84.7 | 83.9 | **1,655.9** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **216.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 42.9 | 0.0 | 340.2 | 434.3 | 433.5 | 469.5 | 431.3 | 441.3 | **2,593.0** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 74.1 | 69.4 | 103.3 | 98.4 | 99.3 | 91.5 | 91.2 | **640.2** |

Licence ***1160*** Well Name ***Enerplus South Virden Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.01-18-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 8.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **20.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.6 | 67.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **71.7** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.8 | 5.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **19.5** |

Licence ***1161*** Well Name ***Enerplus South Virden Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***102.02-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Ashville*** Field Code ***5*** Pool Code ***11*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1957 | 14763.9 | 12034.7 | 14594.3 | 13784.7 | 15262.8 | 18065.3 | 17232.8 | 3646.0 | 0.0 | 0.0 | 0.0 | 0.0 | **156,382.3** |
| WIN | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 34.0 | 717.7 | 2204.9 | 8577.2 | 11053.9 | 11187.2 | 13222.9 | **46,997.8** |

Licence ***1162*** Well Name ***Leader et al Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-24-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,988.0** |
| H2O | 1975 | 891.0 | 816.9 | 910.2 | 883.3 | 919.3 | 898.1 | 921.5 | 953.8 | 911.0 | 894.1 | 863.9 | 895.4 | **177,407.8** |
| OIL | 1975 | 125.1 | 113.0 | 123.9 | 119.2 | 124.3 | 114.3 | 103.8 | 120.0 | 110.0 | 111.5 | 108.4 | 108.3 | **33,512.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,623.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1162*** Well Name ***Leader et al Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-24-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1974 | 888.1 | 804.6 | 893.0 | 865.1 | 898.0 | 853.3 | 859.6 | 890.0 | 862.8 | 889.1 | 859.3 | 893.0 | **166,649.3** |
| OIL | 1974 | 130.8 | 119.9 | 131.3 | 126.1 | 125.3 | 128.0 | 113.7 | 132.4 | 125.0 | 127.7 | 124.5 | 124.5 | **32,131.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,258.0** |
| H2O | 1973 | 869.7 | 782.7 | 864.6 | 846.6 | 864.9 | 830.6 | 826.1 | 864.7 | 836.8 | 863.1 | 850.3 | 888.1 | **156,193.4** |
| OIL | 1973 | 119.7 | 118.6 | 125.4 | 124.8 | 127.0 | 121.8 | 122.3 | 126.7 | 120.4 | 123.7 | 128.9 | 131.5 | **30,621.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,893.0** |
| H2O | 1972 | 809.1 | 761.4 | 811.8 | 777.0 | 765.4 | 774.9 | 808.0 | 913.2 | 919.6 | 884.0 | 844.5 | 866.3 | **146,005.2** |
| OIL | 1972 | 115.9 | 113.0 | 116.4 | 111.3 | 106.5 | 110.3 | 127.5 | 141.7 | 134.5 | 134.2 | 127.5 | 127.3 | **29,131.1** |
| DAY | 1971 | 0.0 | 0.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,531.0** |
| H2O | 1971 | 872.2 | 784.4 | 863.1 | 822.9 | 835.3 | 758.4 | 767.9 | 661.1 | 711.0 | 810.2 | 783.8 | 796.7 | **136,070.0** |
| OIL | 1971 | 97.8 | 93.5 | 103.2 | 100.2 | 105.6 | 98.8 | 102.1 | 93.4 | 106.5 | 126.1 | 112.9 | 118.4 | **27,665.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | **5,233.0** |
| H2O | 1970 | 892.6 | 794.5 | 865.2 | 625.5 | 809.1 | 777.0 | 738.3 | 702.6 | 861.1 | 918.5 | 838.8 | 814.7 | **126,603.0** |
| OIL | 1970 | 101.8 | 91.8 | 98.3 | 91.8 | 96.2 | 92.3 | 88.3 | 81.6 | 90.5 | 103.9 | 93.2 | 81.6 | **26,406.5** |
| DAY | 1969 | 31.0 | 27.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 29.0 | 25.0 | 30.0 | 31.0 | **4,872.0** |
| H2O | 1969 | 932.8 | 836.1 | 929.4 | 891.8 | 975.1 | 919.7 | 913.4 | 869.2 | 897.6 | 800.2 | 914.7 | 914.7 | **116,965.1** |
| OIL | 1969 | 102.6 | 91.8 | 111.5 | 105.6 | 111.8 | 110.6 | 108.5 | 94.7 | 98.0 | 92.4 | 107.1 | 105.0 | **25,295.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 28.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,521.0** |
| H2O | 1968 | 924.8 | 876.2 | 920.2 | 880.2 | 945.8 | 908.3 | 930.7 | 814.7 | 890.0 | 847.9 | 818.3 | 926.1 | **106,170.4** |
| OIL | 1968 | 101.0 | 96.9 | 102.6 | 103.2 | 106.7 | 102.6 | 104.0 | 90.2 | 100.1 | 93.9 | 89.3 | 105.0 | **24,055.6** |
| DAY | 1967 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,162.0** |
| H2O | 1967 | 906.9 | 943.3 | 1024.5 | 980.5 | 1025.6 | 956.8 | 941.5 | 818.6 | 793.8 | 766.8 | 865.7 | 951.9 | **95,487.2** |
| OIL | 1967 | 113.1 | 98.5 | 106.1 | 100.2 | 99.7 | 99.3 | 101.0 | 97.8 | 96.6 | 98.9 | 101.3 | 101.7 | **22,860.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,798.0** |
| H2O | 1966 | 846.3 | 752.5 | 803.0 | 828.2 | 970.1 | 990.0 | 1084.6 | 1040.6 | 898.3 | 1056.2 | 1022.5 | 1037.7 | **84,511.3** |
| OIL | 1966 | 112.0 | 99.9 | 110.4 | 111.5 | 132.5 | 127.7 | 129.2 | 122.3 | 115.2 | 123.1 | 114.1 | 111.8 | **21,645.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,433.0** |
| H2O | 1965 | 957.8 | 852.1 | 942.4 | 431.9 | 981.0 | 944.8 | 955.1 | 863.0 | 757.3 | 748.0 | 748.8 | 891.8 | **73,181.3** |
| OIL | 1965 | 165.4 | 143.6 | 164.5 | 152.7 | 154.8 | 144.7 | 146.3 | 146.5 | 130.9 | 122.8 | 123.0 | 124.4 | **20,236.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,069.0** |
| H2O | 1964 | 864.5 | 820.3 | 881.8 | 820.9 | 845.6 | 868.1 | 897.9 | 1010.7 | 859.7 | 863.0 | 928.7 | 910.3 | **63,107.3** |
| OIL | 1964 | 149.3 | 137.9 | 144.3 | 132.5 | 139.3 | 150.6 | 160.3 | 158.1 | 148.9 | 162.9 | 151.9 | 151.6 | **18,516.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,703.0** |
| H2O | 1963 | 809.8 | 699.8 | 789.7 | 679.1 | 720.6 | 774.2 | 861.5 | 874.2 | 886.6 | 931.6 | 898.7 | 908.4 | **52,535.8** |
| OIL | 1963 | 146.6 | 122.6 | 145.2 | 125.7 | 104.4 | 143.1 | 146.5 | 141.7 | 147.6 | 150.8 | 148.6 | 150.3 | **16,729.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,338.0** |
| H2O | 1962 | 754.3 | 668.3 | 701.8 | 651.9 | 630.3 | 638.9 | 677.5 | 660.8 | 760.2 | 887.8 | 810.1 | 847.0 | **42,701.6** |
| OIL | 1962 | 158.4 | 126.5 | 132.5 | 122.0 | 119.8 | 115.5 | 115.8 | 110.7 | 132.2 | 152.8 | 143.8 | 155.9 | **15,055.9** |
| DAY | 1961 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 18.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,975.0** |
| H2O | 1961 | 643.5 | 555.2 | 660.2 | 671.5 | 694.0 | 666.5 | 682.0 | 390.2 | 647.6 | 687.5 | 726.2 | 773.7 | **34,012.7** |
| OIL | 1961 | 161.7 | 141.6 | 175.3 | 177.3 | 174.5 | 154.8 | 166.8 | 95.0 | 142.8 | 169.2 | 163.2 | 158.4 | **13,470.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 28.0 | **1,627.0** |
| H2O | 1960 | 511.7 | 559.5 | 594.7 | 608.2 | 582.0 | 634.3 | 586.1 | 644.1 | 620.3 | 598.2 | 609.0 | 585.1 | **26,214.6** |
| OIL | 1960 | 164.5 | 182.3 | 170.5 | 185.6 | 159.0 | 183.2 | 166.4 | 183.2 | 170.7 | 149.3 | 165.7 | 143.8 | **11,589.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,266.0** |
| H2O | 1959 | 498.2 | 471.1 | 487.4 | 442.7 | 518.5 | 594.8 | 590.5 | 603.7 | 547.6 | 587.4 | 588.5 | 614.1 | **19,081.4** |
| OIL | 1959 | 176.7 | 167.0 | 172.1 | 157.3 | 176.2 | 209.6 | 213.3 | 211.7 | 187.2 | 202.0 | 192.1 | 188.3 | **9,565.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **903.0** |
| H2O | 1958 | 394.3 | 350.8 | 408.5 | 451.3 | 463.0 | 459.5 | 499.6 | 479.9 | 459.4 | 510.2 | 490.2 | 502.9 | **12,536.9** |
| OIL | 1958 | 236.8 | 201.5 | 205.6 | 205.5 | 218.5 | 210.1 | 222.5 | 214.1 | 202.5 | 199.9 | 187.0 | 190.7 | **7,311.7** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **538.0** |
| H2O | 1957 | 351.9 | 385.4 | 510.9 | 470.5 | 423.6 | 437.8 | 365.9 | 393.7 | 428.5 | 373.2 | 394.0 | 439.7 | **7,067.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1162*** Well Name ***Leader et al Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-24-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1957 | 268.7 | 233.1 | 292.6 | 276.4 | 263.8 | 289.6 | 271.5 | 277.7 | 269.5 | 224.9 | 235.4 | 248.2 | **4,817.0** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **179.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 255.6 | 345.5 | 396.7 | 387.7 | 364.3 | 342.4 | **2,092.2** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 219.1 | 262.7 | 314.7 | 295.5 | 271.6 | 302.0 | **1,665.6** |

Licence ***1165*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-23-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,660.0** |
| H2O | 1975 | 117.2 | 108.7 | 121.1 | 117.3 | 121.8 | 113.0 | 114.3 | 115.1 | 47.5 | 51.0 | 51.2 | 52.1 | **28,890.2** |
| OIL | 1975 | 25.9 | 23.2 | 25.4 | 24.0 | 24.6 | 23.2 | 24.0 | 24.8 | 3.8 | 4.0 | 3.8 | 4.0 | **5,677.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,295.0** |
| H2O | 1974 | 409.1 | 379.3 | 424.3 | 412.4 | 427.3 | 422.3 | 433.9 | 398.1 | 392.4 | 396.7 | 407.6 | 116.5 | **27,759.9** |
| OIL | 1974 | 53.6 | 46.7 | 53.4 | 51.0 | 52.9 | 50.4 | 52.9 | 52.8 | 50.5 | 51.2 | 50.5 | 26.1 | **5,466.8** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 12.0 | 29.0 | 29.0 | 26.0 | 25.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,930.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 6.4 | 430.2 | 430.5 | 370.9 | 379.6 | 469.1 | 451.8 | 402.5 | 410.2 | **23,140.0** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 1.6 | 40.7 | 41.0 | 36.5 | 37.2 | 44.5 | 54.0 | 49.1 | 52.1 | **4,874.8** |
| DAY | 1972 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **5,688.0** |
| H2O | 1972 | 162.3 | 145.6 | 173.6 | 154.5 | 170.7 | 14.0 | 15.6 | 14.8 | 14.8 | 15.9 | 0.0 | 0.0 | **19,788.8** |
| OIL | 1972 | 17.5 | 15.1 | 17.8 | 17.0 | 18.0 | 4.1 | 4.3 | 4.3 | 4.1 | 4.4 | 0.0 | 0.0 | **4,518.1** |
| DAY | 1971 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | **5,384.0** |
| H2O | 1971 | 143.2 | 134.0 | 159.8 | 160.4 | 160.7 | 159.9 | 158.5 | 152.8 | 136.9 | 112.6 | 147.1 | 172.8 | **18,907.0** |
| OIL | 1971 | 18.3 | 16.7 | 19.2 | 18.3 | 18.4 | 18.0 | 18.4 | 18.1 | 17.8 | 13.7 | 17.5 | 17.8 | **4,411.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | **5,029.0** |
| H2O | 1970 | 162.3 | 152.5 | 159.5 | 147.2 | 142.6 | 205.1 | 185.8 | 213.7 | 157.1 | 163.0 | 148.8 | 128.0 | **17,108.3** |
| OIL | 1970 | 14.6 | 13.0 | 14.3 | 13.8 | 13.3 | 62.1 | 63.1 | 63.4 | 17.8 | 18.8 | 18.0 | 14.6 | **4,199.3** |
| DAY | 1969 | 31.0 | 27.0 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,672.0** |
| H2O | 1969 | 168.5 | 147.5 | 137.7 | 137.0 | 161.2 | 148.0 | 167.1 | 167.9 | 145.0 | 171.9 | 153.4 | 168.4 | **15,142.7** |
| OIL | 1969 | 14.9 | 12.7 | 14.0 | 13.3 | 14.6 | 13.7 | 14.8 | 14.8 | 13.2 | 14.9 | 14.3 | 15.1 | **3,872.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,313.0** |
| H2O | 1968 | 167.7 | 159.5 | 168.7 | 162.6 | 177.6 | 158.0 | 162.0 | 153.9 | 153.9 | 157.2 | 151.0 | 160.6 | **13,269.1** |
| OIL | 1968 | 31.1 | 28.6 | 30.4 | 28.4 | 29.7 | 14.5 | 14.3 | 14.9 | 14.1 | 14.5 | 14.5 | 14.9 | **3,702.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **3,950.0** |
| H2O | 1967 | 316.2 | 261.4 | 304.4 | 292.8 | 177.4 | 166.9 | 131.5 | 191.1 | 167.6 | 180.0 | 138.2 | 173.9 | **11,336.4** |
| OIL | 1967 | 73.6 | 65.5 | 71.2 | 70.9 | 46.4 | 44.5 | 46.1 | 30.8 | 29.6 | 31.1 | 26.5 | 31.0 | **3,452.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,588.0** |
| H2O | 1966 | 153.1 | 122.6 | 155.8 | 158.8 | 328.9 | 290.6 | 284.1 | 236.6 | 293.5 | 312.1 | 310.2 | 332.9 | **8,835.0** |
| OIL | 1966 | 36.7 | 32.4 | 35.9 | 35.0 | 72.3 | 69.4 | 71.5 | 59.8 | 66.9 | 71.8 | 70.6 | 73.9 | **2,885.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,229.0** |
| H2O | 1965 | 7.9 | 7.2 | 8.1 | 154.4 | 143.9 | 152.3 | 152.9 | 133.7 | 155.0 | 153.7 | 157.7 | 160.4 | **5,855.8** |
| OIL | 1965 | 35.4 | 32.4 | 35.1 | 33.7 | 35.1 | 37.5 | 39.1 | 33.7 | 36.7 | 38.1 | 36.2 | 37.3 | **2,188.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,869.0** |
| H2O | 1964 | 34.3 | 31.0 | 34.3 | 33.1 | 52.3 | 50.2 | 12.4 | 12.4 | 12.1 | 11.9 | 7.5 | 7.9 | **4,468.6** |
| OIL | 1964 | 2.4 | 2.1 | 2.4 | 2.2 | 7.0 | 6.7 | 12.9 | 13.0 | 12.4 | 12.7 | 32.7 | 35.1 | **1,758.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,503.0** |
| H2O | 1963 | 37.8 | 33.5 | 40.5 | 38.2 | 36.6 | 38.0 | 33.2 | 39.7 | 36.1 | 46.3 | 33.1 | 33.9 | **4,169.2** |
| OIL | 1963 | 8.7 | 7.9 | 9.1 | 8.7 | 8.9 | 8.6 | 7.2 | 1.7 | 2.1 | 2.1 | 2.1 | 2.2 | **1,617.0** |
| DAY | 1962 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,148.0** |
| H2O | 1962 | 57.4 | 75.8 | 72.2 | 66.8 | 64.7 | 74.9 | 64.1 | 31.2 | 35.1 | 43.2 | 35.3 | 35.8 | **3,722.3** |
| OIL | 1962 | 12.6 | 13.0 | 9.5 | 10.2 | 8.9 | 9.5 | 18.3 | 11.0 | 10.8 | 8.7 | 8.4 | 9.2 | **1,547.7** |
| DAY | 1961 | 30.0 | 28.0 | 30.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 23.0 | 30.0 | 30.0 | 30.0 | **1,787.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1165*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-23-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1961 | 86.0 | 82.4 | 86.8 | 74.4 | 73.3 | 75.7 | 66.5 | 76.5 | 84.9 | 90.1 | 83.0 | 85.1 | **3,065.8** |
| OIL | 1961 | 21.3 | 22.6 | 24.3 | 19.5 | 18.9 | 19.1 | 18.1 | 13.5 | 14.1 | 14.9 | 11.6 | 12.2 | **1,417.6** |
| DAY | 1960 | 31.0 | 28.0 | 22.0 | 29.0 | 30.0 | 16.0 | 12.0 | 9.0 | 10.0 | 17.0 | 29.0 | 31.0 | **1,438.0** |
| H2O | 1960 | 6.0 | 4.5 | 3.2 | 49.0 | 34.8 | 65.0 | 57.2 | 31.6 | 43.2 | 44.4 | 70.4 | 107.2 | **2,101.1** |
| OIL | 1960 | 4.9 | 4.8 | 0.0 | 1.9 | 14.3 | 15.7 | 12.4 | 10.0 | 13.7 | 14.8 | 27.3 | 23.4 | **1,207.5** |
| DAY | 1959 | 30.0 | 28.0 | 31.0 | 28.0 | 29.0 | 29.0 | 29.0 | 24.0 | 15.0 | 15.0 | 28.0 | 31.0 | **1,174.0** |
| H2O | 1959 | 28.6 | 44.0 | 29.6 | 27.2 | 28.0 | 28.9 | 23.2 | 19.1 | 9.4 | 10.0 | 8.6 | 9.9 | **1,584.6** |
| OIL | 1959 | 5.7 | 4.9 | 5.6 | 6.4 | 4.6 | 5.7 | 4.9 | 4.8 | 4.8 | 5.6 | 5.6 | 5.1 | **1,064.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 27.0 | 28.0 | **857.0** |
| H2O | 1958 | 27.5 | 23.1 | 25.9 | 26.9 | 25.6 | 28.5 | 26.5 | 26.9 | 31.0 | 31.6 | 28.5 | 26.4 | **1,318.1** |
| OIL | 1958 | 32.3 | 27.2 | 28.3 | 24.9 | 24.5 | 20.3 | 22.2 | 8.1 | 4.4 | 4.6 | 4.3 | 5.1 | **1,000.6** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 19.0 | 29.0 | 27.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **502.0** |
| H2O | 1957 | 73.0 | 66.3 | 78.5 | 63.0 | 36.2 | 46.3 | 39.9 | 41.7 | 39.1 | 42.0 | 34.2 | 28.6 | **989.7** |
| OIL | 1957 | 48.8 | 42.4 | 47.7 | 39.9 | 36.5 | 31.3 | 27.7 | 18.6 | 28.8 | 28.4 | 27.7 | 34.3 | **794.4** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **157.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.8 | 68.8 | 69.3 | 68.5 | 115.1 | 68.4 | **400.9** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.4 | 134.8 | 70.4 | 47.5 | 50.7 | 48.5 | **382.3** |

Licence ***1166*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.01-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 20.0 | 0.0 | 0.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,859.0** |
| H2O | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.9 | 5.1 | 5.4 | 4.9 | 5.4 | **21,915.8** |
| OIL | 1975 | 27.5 | 24.5 | 27.3 | 16.7 | 0.0 | 0.0 | 25.6 | 8.9 | 8.6 | 14.1 | 13.5 | 13.7 | **10,566.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 28.0 | 26.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | **6,567.0** |
| H2O | 1974 | 152.8 | 143.1 | 163.9 | 162.5 | 147.7 | 161.8 | 8.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **21,890.1** |
| OIL | 1974 | 36.1 | 33.4 | 36.9 | 35.1 | 32.3 | 36.5 | 18.8 | 26.4 | 27.3 | 26.9 | 27.2 | 25.9 | **10,386.3** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,216.0** |
| H2O | 1973 | 236.9 | 185.4 | 229.9 | 153.6 | 151.8 | 224.8 | 216.2 | 211.4 | 194.3 | 136.9 | 132.1 | 161.7 | **20,950.2** |
| OIL | 1973 | 68.6 | 39.9 | 53.1 | 48.3 | 52.1 | 46.2 | 51.0 | 41.3 | 29.7 | 31.5 | 32.6 | 37.0 | **10,023.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 10.0 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,851.0** |
| H2O | 1972 | 30.2 | 21.1 | 0.0 | 23.1 | 7.8 | 0.0 | 0.0 | 254.2 | 258.3 | 268.2 | 231.3 | 238.3 | **18,715.2** |
| OIL | 1972 | 20.8 | 18.3 | 24.0 | 18.0 | 5.9 | 0.0 | 0.0 | 93.4 | 63.1 | 62.0 | 60.1 | 62.8 | **9,492.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,567.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 112.1 | 126.7 | 123.4 | 49.1 | 47.2 | 24.2 | 29.3 | 28.1 | **17,382.7** |
| OIL | 1971 | 15.1 | 13.3 | 14.8 | 14.6 | 52.4 | 61.0 | 62.1 | 28.3 | 26.5 | 9.4 | 19.5 | 20.2 | **9,063.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,207.0** |
| OIL | 1970 | 15.3 | 13.5 | 15.1 | 14.3 | 14.6 | 14.1 | 13.3 | 14.8 | 14.0 | 14.6 | 13.8 | 14.6 | **8,726.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,845.0** |
| H2O | 1969 | 48.2 | 44.2 | 46.7 | 46.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **16,842.6** |
| OIL | 1969 | 27.3 | 25.1 | 28.0 | 26.4 | 8.4 | 9.4 | 8.9 | 9.4 | 8.6 | 8.7 | 14.3 | 14.8 | **8,554.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 29.0 | 31.0 | **4,480.0** |
| H2O | 1968 | 9.2 | 9.1 | 9.7 | 11.1 | 11.4 | 14.0 | 15.6 | 14.8 | 12.6 | 14.1 | 73.0 | 48.0 | **16,656.8** |
| OIL | 1968 | 10.0 | 9.7 | 10.0 | 6.7 | 6.7 | 4.4 | 8.9 | 8.9 | 7.8 | 8.4 | 54.2 | 27.7 | **8,365.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,117.0** |
| H2O | 1967 | 8.4 | 8.4 | 10.0 | 9.9 | 8.9 | 8.9 | 4.6 | 4.3 | 4.5 | 4.5 | 8.9 | 9.5 | **16,414.2** |
| OIL | 1967 | 6.7 | 6.2 | 6.8 | 6.4 | 6.4 | 6.8 | 8.6 | 8.7 | 8.9 | 9.2 | 9.4 | 9.9 | **8,201.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **3,754.0** |
| H2O | 1966 | 11.1 | 9.5 | 10.7 | 11.9 | 10.0 | 9.9 | 9.2 | 9.7 | 9.5 | 9.9 | 8.4 | 7.9 | **16,323.4** |
| OIL | 1966 | 15.1 | 13.7 | 15.6 | 13.2 | 7.6 | 7.5 | 7.6 | 7.5 | 7.3 | 8.3 | 5.4 | 6.4 | **8,107.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,393.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1166*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.01-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1965 | 69.0 | 63.6 | 69.8 | 84.4 | 7.6 | 19.6 | 21.0 | 7.9 | 10.5 | 10.5 | 10.3 | 10.5 | **16,205.7** |
| OIL | 1965 | 21.5 | 19.7 | 21.1 | 24.9 | 30.5 | 20.3 | 21.5 | 17.6 | 17.8 | 15.7 | 16.0 | 15.1 | **7,992.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,028.0** |
| H2O | 1964 | 85.4 | 91.1 | 93.2 | 104.3 | 107.2 | 69.2 | 25.8 | 28.8 | 58.5 | 59.6 | 55.0 | 67.9 | **15,821.0** |
| OIL | 1964 | 43.9 | 41.0 | 41.2 | 35.3 | 38.0 | 40.7 | 42.3 | 43.7 | 22.2 | 21.6 | 19.7 | 20.7 | **7,751.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,662.0** |
| H2O | 1963 | 122.6 | 113.2 | 113.0 | 72.2 | 86.2 | 90.3 | 76.5 | 75.4 | 89.3 | 78.4 | 70.3 | 59.6 | **14,975.0** |
| OIL | 1963 | 48.1 | 47.5 | 50.9 | 51.5 | 59.9 | 57.0 | 48.1 | 46.9 | 56.1 | 44.0 | 38.6 | 42.6 | **7,340.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,298.0** |
| H2O | 1962 | 145.1 | 173.4 | 195.1 | 185.4 | 147.2 | 145.8 | 148.3 | 118.1 | 125.9 | 136.7 | 113.7 | 130.7 | **13,928.0** |
| OIL | 1962 | 62.9 | 60.1 | 64.5 | 62.3 | 47.2 | 59.9 | 58.6 | 45.9 | 51.6 | 52.6 | 45.8 | 46.9 | **6,749.5** |
| DAY | 1961 | 31.0 | 28.0 | 30.0 | 30.0 | 23.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,942.0** |
| H2O | 1961 | 267.6 | 252.6 | 248.6 | 267.1 | 188.2 | 240.2 | 244.4 | 178.9 | 184.6 | 176.8 | 140.9 | 134.3 | **12,162.6** |
| OIL | 1961 | 36.7 | 33.1 | 41.5 | 42.7 | 35.6 | 40.2 | 45.8 | 61.3 | 59.9 | 69.3 | 64.2 | 62.6 | **6,091.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,587.0** |
| H2O | 1960 | 401.1 | 352.9 | 310.3 | 356.1 | 360.1 | 322.1 | 346.7 | 286.8 | 291.9 | 312.4 | 321.1 | 288.4 | **9,638.4** |
| OIL | 1960 | 39.4 | 33.4 | 37.8 | 38.6 | 40.4 | 45.9 | 44.0 | 44.3 | 40.4 | 35.4 | 37.3 | 37.0 | **5,498.3** |
| DAY | 1959 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | 29.0 | 31.0 | 9.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,223.0** |
| H2O | 1959 | 5.4 | 14.9 | 16.5 | 44.4 | 53.9 | 49.9 | 58.5 | 182.4 | 463.7 | 415.7 | 379.5 | 480.6 | **5,688.5** |
| OIL | 1959 | 49.7 | 54.8 | 46.6 | 53.9 | 52.9 | 49.4 | 48.6 | 19.9 | 59.1 | 43.2 | 39.1 | 45.1 | **5,024.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **886.0** |
| H2O | 1958 | 57.7 | 50.4 | 50.4 | 51.8 | 58.2 | 67.1 | 57.7 | 38.0 | 48.0 | 51.4 | 39.6 | 18.1 | **3,523.1** |
| OIL | 1958 | 106.0 | 76.4 | 98.5 | 85.2 | 83.4 | 91.4 | 68.3 | 74.5 | 69.0 | 78.2 | 60.5 | 55.0 | **4,462.1** |
| DAY | 1957 | 31.0 | 25.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **521.0** |
| H2O | 1957 | 247.4 | 109.5 | 104.4 | 130.0 | 185.1 | 94.0 | 80.8 | 95.1 | 98.2 | 76.0 | 74.1 | 71.2 | **2,934.7** |
| OIL | 1957 | 315.4 | 183.1 | 175.1 | 164.8 | 184.2 | 137.6 | 136.2 | 126.2 | 133.3 | 115.8 | 93.6 | 90.7 | **3,515.7** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 29.0 | 29.0 | 29.0 | 23.0 | 19.0 | 27.0 | **162.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.8 | 305.6 | 272.5 | 283.0 | 218.9 | 199.2 | 264.9 | **1,568.9** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 51.0 | 333.1 | 233.6 | 268.7 | 268.6 | 203.1 | 301.6 | **1,659.7** |

Licence ***1167*** Well Name ***Enerplus Woodnorth Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.08-29-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole C*** Field Code ***1*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 5.0 | 0.0 | 0.0 | 16.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **153.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 61.4 | 0.0 | 0.0 | 372.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,852.4** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 0.0 | 3.0 | 11.0 | 0.0 | 0.0 | 0.0 | 0.0 | **132.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 62.2 | 0.0 | 0.0 | 151.8 | 0.0 | 0.0 | 0.0 | 0.0 | **1,418.3** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 28.8 | 0.0 | 5.9 | 5.6 | 0.0 | 0.0 | 0.0 | 0.0 | **600.5** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 18.0 | 25.0 | 23.0 | 25.0 | 13.0 | 0.0 | **110.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.1 | 207.3 | 235.1 | 200.0 | 392.2 | 160.6 | 0.0 | **1,204.3** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 36.1 | 134.4 | 133.3 | 130.1 | 86.4 | 39.9 | 0.0 | **560.2** |

Licence ***1169*** Well Name ***Leader et al Daly SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-24-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1005.4 | 915.4 | 1020.0 | 991.5 | 1032.9 | 1002.0 | 1063.2 | 1078.2 | 1031.9 | 1013.1 | 972.6 | 1013.1 | **185,061.8** |
| WIN | 1974 | 966.7 | 878.0 | 974.5 | 946.2 | 980.6 | 931.7 | 958.0 | 970.2 | 945.4 | 981.0 | 948.4 | 1013.6 | **172,922.5** |
| WIN | 1973 | 938.9 | 845.1 | 936.7 | 922.4 | 942.9 | 906.9 | 923.9 | 943.7 | 914.7 | 942.2 | 927.1 | 967.8 | **161,428.2** |
| WIN | 1972 | 888.3 | 835.6 | 890.6 | 851.0 | 835.4 | 853.0 | 862.4 | 965.9 | 979.0 | 946.8 | 906.9 | 932.1 | **150,315.9** |
| WIN | 1971 | 958.6 | 864.8 | 949.7 | 901.7 | 918.7 | 843.5 | 856.5 | 732.5 | 791.3 | 898.0 | 868.9 | 883.2 | **139,568.9** |
| WIN | 1970 | 975.3 | 871.2 | 950.8 | 687.5 | 893.6 | 862.4 | 817.6 | 779.4 | 972.6 | 1014.1 | 934.0 | 911.7 | **129,101.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1169*** Well Name ***Leader et al Daly SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-24-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1969 | 1047.6 | 936.5 | 1032.7 | 1003.8 | 1065.6 | 1001.9 | 1000.4 | 962.9 | 982.8 | 867.5 | 997.9 | 1000.6 | **118,431.3** |
| WIN | 1968 | 1064.8 | 1000.4 | 1054.5 | 1011.6 | 1083.4 | 1041.8 | 1054.5 | 930.6 | 984.5 | 959.6 | 931.4 | 1040.8 | **106,531.1** |
| WIN | 1967 | 1054.6 | 1066.6 | 1159.1 | 1109.0 | 1151.6 | 1076.7 | 1056.4 | 944.5 | 912.8 | 849.1 | 989.8 | 1100.1 | **94,373.2** |
| WIN | 1966 | 993.4 | 899.3 | 965.6 | 987.7 | 1146.5 | 1129.2 | 1227.1 | 1188.4 | 333.6 | 1199.0 | 1165.5 | 1180.6 | **81,902.9** |
| WIN | 1965 | 1319.0 | 1393.9 | 1579.0 | 1060.4 | 1307.3 | 1496.8 | 1554.0 | 1278.0 | 890.1 | 879.9 | 871.8 | 2167.7 | **69,487.0** |
| WIN | 1964 | 1613.6 | 906.1 | 975.8 | 911.4 | 924.4 | 906.8 | 997.4 | 1110.8 | 961.2 | 961.3 | 1148.0 | 1229.7 | **53,689.1** |
| WIN | 1963 | 1965.5 | 1740.5 | 1927.2 | 1749.1 | 1733.5 | 1457.0 | 1759.0 | 1759.0 | 1997.0 | 1703.3 | 1632.1 | 1662.9 | **41,042.6** |
| WIN | 1962 | 1306.2 | 1128.1 | 1222.7 | 1058.1 | 714.8 | 1158.8 | 1531.0 | 1541.0 | 1791.7 | 1986.6 | 1907.1 | 1920.0 | **19,956.5** |
| DAY | 1961 | 31.0 | 27.0 | 31.0 | 30.0 | 24.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,752.0** |
| H2O | 1961 | 300.7 | 266.8 | 351.8 | 376.3 | 288.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **17,634.4** |
| OIL | 1961 | 28.8 | 18.3 | 20.5 | 20.8 | 15.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,198.2** |
| WIN | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1443.2 | 1247.2 | **2,690.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 22.0 | 28.0 | 31.0 | **1,609.0** |
| H2O | 1960 | 302.9 | 299.7 | 320.4 | 303.2 | 319.9 | 310.0 | 319.4 | 299.7 | 305.3 | 201.8 | 276.0 | 340.6 | **16,049.9** |
| OIL | 1960 | 34.3 | 34.2 | 36.7 | 24.5 | 18.9 | 16.7 | 17.2 | 15.9 | 17.3 | 11.0 | 33.1 | 29.4 | **3,094.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,254.0** |
| H2O | 1959 | 317.8 | 274.6 | 298.6 | 311.9 | 320.5 | 310.0 | 318.0 | 315.8 | 284.6 | 301.0 | 310.0 | 320.4 | **12,451.0** |
| OIL | 1959 | 40.4 | 36.7 | 43.7 | 41.8 | 39.9 | 38.5 | 39.4 | 38.0 | 32.4 | 35.0 | 34.3 | 36.7 | **2,805.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **891.0** |
| H2O | 1958 | 269.8 | 262.7 | 270.8 | 296.8 | 306.2 | 296.0 | 311.5 | 319.1 | 279.0 | 324.8 | 309.1 | 315.4 | **8,767.8** |
| OIL | 1958 | 52.9 | 37.5 | 37.2 | 31.5 | 25.3 | 34.6 | 35.6 | 52.8 | 40.5 | 45.3 | 45.3 | 42.6 | **2,348.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **526.0** |
| H2O | 1957 | 309.1 | 338.5 | 341.0 | 252.0 | 272.7 | 261.7 | 189.0 | 195.6 | 183.8 | 273.0 | 242.8 | 277.9 | **5,206.6** |
| OIL | 1957 | 126.7 | 111.4 | 121.4 | 123.5 | 114.7 | 117.9 | 71.5 | 106.8 | 81.4 | 65.3 | 53.1 | 49.4 | **1,867.3** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | **162.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 137.4 | 408.1 | 376.5 | 397.2 | 373.8 | 376.5 | **2,069.5** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 48.9 | 139.0 | 146.7 | 143.8 | 117.9 | 127.9 | **724.2** |

Licence ***1170*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-12-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 31.0 | 21.0 | 0.0 | 0.0 | 5.0 | 30.0 | 29.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,316.0** |
| H2O | 1968 | 276.5 | 157.4 | 0.0 | 0.0 | 35.3 | 313.5 | 542.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **17,254.9** |
| OIL | 1968 | 3.8 | 2.2 | 0.0 | 0.0 | 6.0 | 4.5 | 4.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **9,672.4** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 14.0 | 29.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 16.0 | 31.0 | **3,200.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 107.6 | 208.6 | 202.1 | 215.4 | 226.2 | 236.6 | 272.0 | 134.8 | 283.6 | **15,929.4** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 14.3 | 29.4 | 31.5 | 35.1 | 4.4 | 4.4 | 3.3 | 1.7 | 3.7 | **9,651.8** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 15.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **2,958.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 462.2 | 301.4 | 282.0 | 249.6 | 247.1 | 306.5 | 266.3 | 0.0 | 0.0 | **14,042.5** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 36.7 | 10.5 | 8.4 | 42.9 | 38.3 | 7.6 | 20.8 | 0.0 | 0.0 | **9,524.0** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 24.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 11.0 | **2,759.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 200.3 | 277.4 | 284.4 | 138.3 | 249.3 | 211.1 | 286.0 | 255.2 | 19.7 | **11,927.4** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 33.7 | 36.1 | 28.1 | 31.6 | 47.0 | 34.3 | 41.8 | 46.9 | 0.0 | **9,358.8** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 29.0 | 30.0 | 30.0 | 27.0 | 0.0 | 0.0 | **2,512.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 176.0 | 209.2 | 279.5 | 244.8 | 245.6 | 0.0 | 0.0 | **10,005.7** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.6 | 39.7 | 24.0 | 35.0 | 24.2 | 0.0 | 0.0 | **9,059.3** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 3.0 | 0.0 | **2,384.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 43.7 | 5.6 | 0.0 | 21.5 | 0.0 | **8,850.6** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 9.2 | 12.4 | 10.8 | 0.0 | 5.6 | 6.2 | 0.5 | 0.0 | **8,914.8** |
| DAY | 1962 | 16.0 | 0.0 | 0.0 | 15.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 17.0 | 0.0 | **2,209.0** |
| H2O | 1962 | 18.1 | 0.0 | 0.0 | 9.9 | 99.5 | 20.0 | 0.0 | 0.0 | 35.5 | 3.8 | 49.4 | 0.0 | **8,779.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1170*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-12-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 35.4 | 0.0 | 0.0 | 15.3 | 0.0 | 1.4 | 5.1 | 22.1 | 14.9 | 14.1 | 0.3 | 0.0 | **8,870.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **1,980.0** |
| H2O | 1961 | 93.2 | 83.1 | 96.5 | 111.6 | 103.5 | 89.8 | 92.5 | 87.9 | 88.4 | 72.8 | 69.8 | 35.3 | **8,543.6** |
| OIL | 1961 | 50.1 | 35.0 | 37.2 | 32.3 | 34.0 | 31.1 | 28.9 | 28.1 | 14.1 | 27.5 | 16.7 | 31.0 | **8,761.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,617.0** |
| H2O | 1960 | 101.9 | 102.7 | 108.9 | 107.0 | 96.2 | 92.4 | 71.7 | 91.7 | 116.9 | 80.8 | 120.3 | 103.3 | **7,519.2** |
| OIL | 1960 | 73.4 | 69.0 | 65.2 | 55.5 | 53.4 | 46.4 | 54.8 | 32.1 | 41.6 | 39.4 | 30.2 | 39.9 | **8,395.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,251.0** |
| H2O | 1959 | 115.6 | 107.3 | 106.0 | 77.9 | 45.3 | 69.0 | 129.9 | 129.9 | 100.2 | 104.6 | 121.5 | 110.2 | **6,325.4** |
| OIL | 1959 | 103.0 | 76.9 | 86.6 | 79.3 | 58.3 | 83.1 | 92.2 | 96.1 | 83.3 | 82.8 | 77.2 | 77.2 | **7,794.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **887.0** |
| H2O | 1958 | 162.3 | 170.3 | 164.5 | 128.3 | 100.0 | 82.4 | 72.2 | 64.5 | 60.1 | 56.9 | 60.1 | 82.5 | **5,108.0** |
| OIL | 1958 | 215.8 | 169.2 | 177.5 | 145.1 | 149.7 | 134.9 | 110.9 | 103.5 | 95.5 | 91.2 | 88.2 | 92.2 | **6,798.6** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **523.0** |
| H2O | 1957 | 241.0 | 226.5 | 340.7 | 292.8 | 276.6 | 210.5 | 227.3 | 240.1 | 194.1 | 166.9 | 220.2 | 210.0 | **3,903.9** |
| OIL | 1957 | 296.5 | 289.7 | 309.9 | 306.7 | 324.2 | 268.7 | 320.7 | 331.3 | 313.4 | 309.7 | 293.8 | 269.0 | **5,224.9** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 25.0 | 30.0 | 25.0 | 20.0 | 25.0 | 31.0 | **160.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.1 | 137.0 | 256.1 | 168.8 | 147.7 | 144.7 | 187.8 | **1,057.2** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 45.4 | 277.6 | 326.2 | 254.1 | 226.8 | 209.8 | 251.4 | **1,591.3** |

Licence ***1172*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-18-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 22.0 | 31.0 | 30.0 | 31.0 | **6,938.0** |
| H2O | 1975 | 639.4 | 563.3 | 608.6 | 610.2 | 625.4 | 524.0 | 465.2 | 456.1 | 343.6 | 494.7 | 471.5 | 504.1 | **76,615.6** |
| OIL | 1975 | 124.6 | 110.4 | 123.6 | 117.8 | 124.9 | 84.7 | 182.1 | 183.7 | 128.2 | 179.6 | 171.8 | 174.2 | **18,010.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,581.0** |
| H2O | 1974 | 476.0 | 457.5 | 524.3 | 515.3 | 479.3 | 558.8 | 590.6 | 601.7 | 589.7 | 604.9 | 603.0 | 625.6 | **70,309.5** |
| OIL | 1974 | 157.0 | 131.7 | 145.1 | 137.5 | 129.7 | 155.7 | 111.6 | 118.1 | 122.7 | 124.4 | 121.9 | 123.6 | **16,305.2** |
| DAY | 1973 | 30.0 | 27.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,219.0** |
| H2O | 1973 | 607.0 | 526.9 | 603.0 | 643.7 | 637.5 | 573.9 | 599.4 | 610.2 | 600.9 | 517.8 | 503.6 | 507.9 | **63,682.8** |
| OIL | 1973 | 74.4 | 65.0 | 47.2 | 46.6 | 50.4 | 73.7 | 74.4 | 65.3 | 59.8 | 157.8 | 164.5 | 162.2 | **14,726.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 25.0 | 25.0 | 31.0 | **5,859.0** |
| H2O | 1972 | 867.1 | 611.9 | 576.3 | 589.5 | 617.2 | 697.4 | 636.1 | 677.1 | 626.2 | 538.5 | 460.7 | 581.2 | **56,751.0** |
| OIL | 1972 | 56.4 | 49.6 | 105.2 | 110.0 | 112.3 | 120.5 | 77.1 | 79.8 | 74.7 | 60.7 | 58.2 | 74.5 | **13,684.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 27.0 | 19.0 | 19.0 | 31.0 | 30.0 | 31.0 | **5,505.0** |
| H2O | 1971 | 631.3 | 592.8 | 580.1 | 602.4 | 664.2 | 546.1 | 545.1 | 389.3 | 501.6 | 914.9 | 757.5 | 809.5 | **49,271.8** |
| OIL | 1971 | 106.3 | 94.9 | 100.0 | 98.7 | 64.7 | 78.0 | 69.8 | 47.0 | 62.1 | 106.8 | 106.2 | 54.7 | **12,705.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,168.0** |
| H2O | 1970 | 702.1 | 572.3 | 619.2 | 606.2 | 540.1 | 496.3 | 669.3 | 661.4 | 598.9 | 593.0 | 608.1 | 595.1 | **41,737.0** |
| OIL | 1970 | 142.4 | 92.2 | 101.2 | 90.9 | 83.7 | 72.0 | 95.8 | 113.0 | 106.3 | 112.2 | 101.2 | 107.6 | **11,716.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,804.0** |
| H2O | 1969 | 555.5 | 483.5 | 510.8 | 456.7 | 673.6 | 632.3 | 655.3 | 686.8 | 596.5 | 559.3 | 590.6 | 646.9 | **34,475.0** |
| OIL | 1969 | 96.6 | 75.3 | 84.1 | 70.9 | 127.3 | 119.5 | 113.0 | 134.8 | 95.3 | 92.0 | 96.9 | 112.8 | **10,498.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,441.0** |
| H2O | 1968 | 314.1 | 305.2 | 324.2 | 409.1 | 423.2 | 394.0 | 557.7 | 531.9 | 414.8 | 558.5 | 546.6 | 552.9 | **27,427.2** |
| OIL | 1968 | 92.8 | 90.7 | 90.9 | 74.5 | 73.7 | 73.6 | 100.7 | 100.6 | 81.2 | 98.2 | 91.8 | 97.4 | **9,279.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,078.0** |
| H2O | 1967 | 129.9 | 131.5 | 154.4 | 154.2 | 147.1 | 111.1 | 117.0 | 105.2 | 110.0 | 250.6 | 246.6 | 322.4 | **22,095.0** |
| OIL | 1967 | 36.9 | 33.4 | 37.5 | 35.1 | 35.9 | 24.6 | 27.2 | 27.0 | 27.5 | 55.8 | 56.9 | 92.2 | **8,213.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,713.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1172*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-18-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1966 | 323.0 | 244.5 | 268.8 | 246.3 | 258.7 | 239.1 | 168.4 | 147.7 | 144.4 | 150.9 | 145.6 | 122.3 | **20,115.0** |
| OIL | 1966 | 48.6 | 39.3 | 46.4 | 44.2 | 46.2 | 42.6 | 43.1 | 42.9 | 40.2 | 41.2 | 37.5 | 34.8 | **7,723.6** |
| DAY | 1965 | 31.0 | 28.0 | 19.0 | 0.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,348.0** |
| H2O | 1965 | 31.8 | 30.4 | 21.1 | 0.0 | 290.6 | 258.8 | 226.4 | 209.2 | 202.5 | 209.2 | 199.5 | 252.6 | **17,655.3** |
| OIL | 1965 | 4.0 | 3.5 | 2.5 | 0.0 | 71.0 | 71.5 | 50.1 | 47.7 | 47.5 | 48.5 | 47.7 | 48.9 | **7,216.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,027.0** |
| H2O | 1964 | 255.6 | 242.4 | 243.1 | 222.9 | 225.1 | 197.8 | 179.2 | 164.2 | 114.1 | 101.1 | 60.7 | 29.4 | **15,723.2** |
| OIL | 1964 | 64.8 | 60.1 | 62.8 | 58.5 | 57.4 | 27.2 | 26.4 | 26.9 | 24.6 | 22.2 | 4.8 | 4.0 | **6,773.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,661.0** |
| H2O | 1963 | 294.4 | 271.9 | 299.4 | 277.4 | 299.4 | 292.0 | 279.0 | 298.4 | 293.6 | 301.3 | 263.4 | 263.1 | **13,687.6** |
| OIL | 1963 | 86.0 | 69.1 | 80.9 | 75.2 | 79.8 | 76.6 | 71.8 | 78.0 | 75.0 | 75.6 | 62.6 | 65.3 | **6,334.0** |
| DAY | 1962 | 31.0 | 26.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,301.0** |
| H2O | 1962 | 312.7 | 243.4 | 264.5 | 281.7 | 285.2 | 285.1 | 309.1 | 328.3 | 330.4 | 317.8 | 311.9 | 295.7 | **10,254.3** |
| OIL | 1962 | 109.5 | 104.4 | 86.3 | 95.3 | 88.2 | 84.5 | 89.9 | 94.1 | 87.9 | 85.0 | 83.9 | 82.8 | **5,438.1** |
| DAY | 1961 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 27.0 | 30.0 | **1,941.0** |
| H2O | 1961 | 52.9 | 46.9 | 47.2 | 52.6 | 72.8 | 68.0 | 83.5 | 68.4 | 58.5 | 227.5 | 296.3 | 329.1 | **6,688.5** |
| OIL | 1961 | 35.1 | 34.8 | 31.8 | 32.3 | 38.0 | 36.4 | 37.0 | 38.3 | 35.6 | 18.3 | 121.2 | 127.0 | **4,346.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,588.0** |
| H2O | 1960 | 98.2 | 90.0 | 95.5 | 81.7 | 59.0 | 71.5 | 72.2 | 75.7 | 58.5 | 64.1 | 63.1 | 55.8 | **5,284.8** |
| OIL | 1960 | 57.8 | 53.9 | 57.5 | 50.9 | 43.4 | 43.4 | 37.0 | 37.7 | 40.5 | 37.7 | 35.4 | 32.6 | **3,760.5** |
| DAY | 1959 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,223.0** |
| H2O | 1959 | 122.6 | 108.4 | 114.6 | 107.3 | 117.2 | 105.1 | 109.4 | 104.8 | 103.7 | 92.4 | 99.8 | 99.4 | **4,399.5** |
| OIL | 1959 | 69.0 | 77.1 | 90.9 | 78.8 | 64.7 | 59.4 | 59.1 | 56.7 | 53.1 | 53.7 | 55.6 | 59.0 | **3,232.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **861.0** |
| H2O | 1958 | 178.9 | 155.5 | 171.1 | 165.0 | 153.9 | 147.1 | 136.2 | 135.0 | 135.8 | 132.6 | 136.2 | 132.7 | **3,114.8** |
| OIL | 1958 | 91.8 | 72.3 | 77.7 | 70.6 | 72.8 | 76.8 | 82.5 | 81.7 | 79.1 | 81.0 | 82.5 | 79.0 | **2,455.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **496.0** |
| H2O | 1957 | 19.1 | 22.1 | 20.5 | 17.2 | 21.0 | 20.3 | 43.9 | 264.2 | 245.8 | 202.1 | 190.1 | 173.9 | **1,334.8** |
| OIL | 1957 | 76.4 | 64.8 | 68.5 | 43.4 | 43.1 | 45.9 | 69.9 | 191.2 | 127.9 | 113.9 | 106.5 | 107.6 | **1,507.8** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 30.0 | 31.0 | 30.0 | 31.0 | **136.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.5 | 11.8 | 21.3 | 13.4 | 31.6 | **94.6** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 68.8 | 115.7 | 95.3 | 79.3 | 89.6 | **448.7** |

Licence ***1174*** Well Name ***Hudson's Bay South Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-08-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 1.0 | 20.0 | 30.0 | 30.0 | 28.0 | 26.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | 0.0 | **207.0** |
| H2O | 1957 | 0.0 | 24.5 | 37.6 | 23.9 | 29.2 | 52.0 | 45.5 | 38.3 | 0.0 | 0.0 | 0.0 | 0.0 | **260.6** |
| OIL | 1957 | 1.2 | 21.3 | 17.8 | 19.0 | 7.5 | 11.3 | 22.6 | 10.6 | 0.0 | 0.0 | 0.0 | 0.0 | **132.5** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | **11.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 9.1 | **9.6** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.9 | 0.0 | 0.0 | 0.0 | 0.0 | 15.3 | **21.2** |

Licence ***1175*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,979.0** |
| H2O | 1975 | 190.3 | 168.8 | 173.8 | 183.0 | 365.3 | 336.9 | 331.2 | 263.7 | 274.2 | 286.2 | 287.9 | 307.9 | **45,114.2** |
| OIL | 1975 | 73.3 | 65.5 | 69.8 | 69.8 | 55.3 | 53.6 | 45.8 | 46.2 | 44.3 | 45.1 | 34.0 | 34.5 | **29,035.8** |
| DAY | 1974 | 31.0 | 28.0 | 30.0 | 30.0 | 27.0 | 16.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,615.0** |
| H2O | 1974 | 342.6 | 303.0 | 332.4 | 340.4 | 309.1 | 194.0 | 348.5 | 361.0 | 353.9 | 366.0 | 180.9 | 187.6 | **41,945.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1175*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1974 | 66.7 | 79.0 | 53.7 | 53.2 | 48.8 | 31.6 | 60.2 | 60.5 | 62.9 | 64.5 | 72.1 | 73.3 | **28,398.6** |
| DAY | 1973 | 31.0 | 27.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,270.0** |
| H2O | 1973 | 360.7 | 285.4 | 333.9 | 356.3 | 353.9 | 330.5 | 345.1 | 371.2 | 360.6 | 386.8 | 376.1 | 365.7 | **38,325.6** |
| OIL | 1973 | 136.3 | 126.7 | 141.7 | 76.1 | 82.5 | 82.6 | 83.3 | 73.4 | 66.1 | 74.7 | 77.9 | 69.0 | **27,672.1** |
| DAY | 1972 | 31.0 | 27.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,908.0** |
| H2O | 1972 | 449.4 | 269.8 | 258.8 | 253.3 | 406.2 | 379.8 | 363.7 | 392.2 | 375.2 | 389.5 | 336.1 | 341.6 | **34,099.4** |
| OIL | 1972 | 108.1 | 80.7 | 90.6 | 110.1 | 128.1 | 107.1 | 108.9 | 107.9 | 104.4 | 102.7 | 99.0 | 89.8 | **26,581.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,551.0** |
| H2O | 1971 | 207.9 | 197.9 | 198.2 | 207.5 | 159.9 | 389.8 | 356.3 | 400.6 | 376.8 | 474.7 | 465.5 | 419.4 | **29,883.8** |
| OIL | 1971 | 77.4 | 69.3 | 76.0 | 75.0 | 65.2 | 129.2 | 132.4 | 141.0 | 115.1 | 125.5 | 124.7 | 109.5 | **25,344.4** |
| DAY | 1970 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,189.0** |
| H2O | 1970 | 78.2 | 206.5 | 443.4 | 399.5 | 394.9 | 382.7 | 298.1 | 316.1 | 290.1 | 283.5 | 280.3 | 282.3 | **26,029.3** |
| OIL | 1970 | 108.2 | 86.4 | 171.1 | 145.6 | 149.1 | 143.3 | 120.1 | 122.0 | 116.5 | 98.7 | 92.8 | 98.7 | **24,104.1** |
| DAY | 1969 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 22.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,827.0** |
| H2O | 1969 | 371.2 | 321.1 | 365.8 | 287.3 | 254.2 | 174.7 | 248.0 | 512.2 | 409.2 | 414.0 | 412.4 | 402.5 | **22,373.7** |
| OIL | 1969 | 161.5 | 137.6 | 165.7 | 136.2 | 104.4 | 80.9 | 113.8 | 93.8 | 145.6 | 151.4 | 150.5 | 155.7 | **22,651.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | **4,474.0** |
| H2O | 1968 | 195.2 | 189.8 | 207.0 | 300.2 | 310.6 | 206.0 | 183.9 | 214.3 | 110.0 | 86.6 | 77.3 | 358.3 | **18,201.1** |
| OIL | 1968 | 109.0 | 106.3 | 109.6 | 139.5 | 138.3 | 105.5 | 86.6 | 100.7 | 72.8 | 64.8 | 55.1 | 165.7 | **21,054.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,111.0** |
| H2O | 1967 | 166.5 | 168.2 | 197.5 | 197.3 | 177.4 | 177.9 | 177.9 | 159.8 | 167.2 | 323.8 | 317.0 | 200.5 | **15,761.9** |
| OIL | 1967 | 100.7 | 91.7 | 102.5 | 96.0 | 92.6 | 102.7 | 90.4 | 89.3 | 91.7 | 81.0 | 82.5 | 108.2 | **19,800.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,748.0** |
| H2O | 1966 | 219.6 | 189.8 | 213.5 | 83.1 | 313.0 | 309.5 | 294.6 | 204.9 | 189.7 | 194.4 | 199.4 | 155.2 | **13,330.9** |
| OIL | 1966 | 89.0 | 80.9 | 92.3 | 66.4 | 138.7 | 137.3 | 139.7 | 102.7 | 109.3 | 121.6 | 97.1 | 94.4 | **18,671.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,383.0** |
| H2O | 1965 | 242.8 | 223.7 | 245.8 | 128.1 | 362.2 | 248.2 | 233.9 | 242.3 | 211.1 | 199.5 | 207.3 | 203.7 | **10,764.2** |
| OIL | 1965 | 134.1 | 123.2 | 131.1 | 67.1 | 140.3 | 122.2 | 119.8 | 70.1 | 105.5 | 89.0 | 94.9 | 86.4 | **17,401.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,021.0** |
| H2O | 1964 | 14.0 | 15.1 | 15.3 | 0.0 | 0.0 | 0.0 | 159.6 | 175.8 | 205.7 | 210.3 | 193.5 | 239.1 | **8,015.6** |
| OIL | 1964 | 60.1 | 56.3 | 56.4 | 26.7 | 28.8 | 26.9 | 145.7 | 148.1 | 139.5 | 135.4 | 123.0 | 129.4 | **16,118.2** |
| DAY | 1963 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 24.0 | 26.0 | **2,658.0** |
| H2O | 1963 | 148.3 | 125.9 | 136.7 | 135.3 | 4.9 | 1.1 | 1.3 | 1.3 | 1.3 | 1.3 | 0.0 | 8.1 | **6,787.2** |
| OIL | 1963 | 122.7 | 111.9 | 129.8 | 123.9 | 44.8 | 33.1 | 32.1 | 30.4 | 28.1 | 28.9 | 18.4 | 48.8 | **15,041.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **2,306.0** |
| H2O | 1962 | 91.7 | 109.7 | 124.2 | 117.3 | 124.3 | 136.9 | 104.6 | 97.0 | 26.4 | 28.6 | 130.8 | 158.2 | **6,221.7** |
| OIL | 1962 | 262.2 | 249.6 | 269.7 | 259.8 | 258.7 | 201.5 | 153.0 | 134.1 | 72.6 | 74.1 | 111.4 | 119.5 | **14,289.0** |
| DAY | 1961 | 31.0 | 24.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,944.0** |
| H2O | 1961 | 14.3 | 18.6 | 23.8 | 25.6 | 24.3 | 107.5 | 113.8 | 106.7 | 113.8 | 108.7 | 89.2 | 85.1 | **4,972.0** |
| OIL | 1961 | 65.5 | 32.1 | 40.5 | 41.8 | 47.0 | 265.7 | 314.3 | 257.8 | 295.9 | 280.5 | 267.8 | 260.3 | **12,122.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,585.0** |
| H2O | 1960 | 47.9 | 43.1 | 17.2 | 47.2 | 26.7 | 11.4 | 46.3 | 7.9 | 8.4 | 9.5 | 13.4 | 15.4 | **4,140.6** |
| OIL | 1960 | 170.7 | 153.2 | 64.0 | 144.9 | 91.2 | 40.7 | 114.9 | 52.6 | 49.6 | 50.1 | 55.6 | 65.3 | **9,953.6** |
| DAY | 1959 | 31.0 | 28.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | **1,221.0** |
| H2O | 1959 | 0.0 | 22.9 | 41.3 | 79.8 | 110.3 | 124.2 | 114.9 | 82.7 | 56.4 | 38.0 | 79.8 | 94.1 | **3,846.2** |
| OIL | 1959 | 188.6 | 132.1 | 162.1 | 259.0 | 271.6 | 299.2 | 260.6 | 210.9 | 185.0 | 164.5 | 255.4 | 269.8 | **8,900.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **863.0** |
| H2O | 1958 | 1.6 | 2.4 | 0.2 | 8.6 | 42.8 | 101.3 | 84.6 | 73.0 | 23.4 | 30.5 | 42.0 | 59.8 | **3,001.8** |
| OIL | 1958 | 42.1 | 39.7 | 35.3 | 23.2 | 100.0 | 284.0 | 253.0 | 219.9 | 139.8 | 81.7 | 123.8 | 264.3 | **6,242.0** |
| DAY | 1957 | 11.0 | 20.0 | 31.0 | 30.0 | 31.0 | 24.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **499.0** |
| H2O | 1957 | 69.6 | 125.3 | 159.1 | 132.0 | 174.1 | 96.8 | 116.7 | 92.4 | 83.5 | 51.5 | 47.4 | 49.0 | **2,531.6** |
| OIL | 1957 | 123.0 | 225.8 | 298.3 | 293.3 | 342.8 | 268.2 | 321.8 | 257.1 | 225.8 | 125.2 | 113.6 | 118.1 | **4,635.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1175*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 23.0 | 26.0 | 29.0 | 28.0 | 29.0 | 30.0 | **171.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.9 | 209.5 | 207.5 | 237.8 | 190.6 | 234.8 | 232.1 | **1,334.2** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 56.4 | 229.3 | 285.9 | 343.2 | 324.3 | 332.1 | 351.0 | **1,922.2** |

Licence ***1176*** Well Name ***Daly Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.09-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,996.0** |
| H2O | 1975 | 28.6 | 30.2 | 19.9 | 28.8 | 23.5 | 22.9 | 29.4 | 24.9 | 24.0 | 20.5 | 24.8 | 22.9 | **1,230.4** |
| OIL | 1975 | 24.3 | 22.2 | 19.9 | 23.0 | 23.8 | 23.2 | 29.9 | 28.6 | 28.0 | 28.8 | 23.5 | 24.2 | **9,578.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,631.0** |
| H2O | 1974 | 0.0 | 22.7 | 69.3 | 27.8 | 34.3 | 32.7 | 33.2 | 31.6 | 29.6 | 30.2 | 28.6 | 28.6 | **930.0** |
| OIL | 1974 | 24.5 | 22.1 | 24.9 | 23.2 | 23.7 | 23.8 | 33.5 | 31.1 | 33.5 | 35.0 | 34.8 | 33.7 | **9,278.7** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **6,266.0** |
| H2O | 1973 | 5.2 | 3.8 | 4.4 | 4.4 | 4.6 | 14.3 | 9.5 | 0.0 | 4.6 | 4.6 | 14.3 | 15.3 | **561.4** |
| OIL | 1973 | 49.3 | 47.7 | 55.8 | 79.8 | 73.7 | 49.4 | 28.1 | 32.3 | 28.0 | 31.8 | 27.5 | 30.0 | **8,934.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,903.0** |
| H2O | 1972 | 4.8 | 4.1 | 8.9 | 4.6 | 4.6 | 4.8 | 4.6 | 4.4 | 4.4 | 4.8 | 0.0 | 9.7 | **476.4** |
| OIL | 1972 | 54.0 | 51.0 | 48.1 | 45.9 | 44.2 | 46.1 | 46.2 | 46.6 | 42.9 | 49.1 | 46.4 | 48.9 | **8,401.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 7.0 | 0.0 | 12.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,537.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.5 | 9.4 | 4.9 | 4.0 | 5.6 | **416.7** |
| OIL | 1971 | 36.4 | 33.2 | 43.5 | 53.4 | 55.6 | 12.2 | 17.8 | 55.8 | 66.3 | 66.3 | 58.6 | 62.6 | **7,832.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,246.0** |
| OIL | 1970 | 28.4 | 24.8 | 25.4 | 24.8 | 43.4 | 52.3 | 46.7 | 52.0 | 41.0 | 42.3 | 38.3 | 38.6 | **7,270.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,883.0** |
| OIL | 1969 | 40.5 | 35.8 | 39.4 | 35.0 | 31.1 | 29.6 | 31.5 | 31.3 | 27.2 | 30.7 | 32.1 | 25.3 | **6,812.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **4,520.0** |
| OIL | 1968 | 50.2 | 46.4 | 48.6 | 44.5 | 43.4 | 43.4 | 35.1 | 33.8 | 31.5 | 37.5 | 35.8 | 39.9 | **6,422.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,156.0** |
| H2O | 1967 | 1.3 | 0.8 | 0.5 | 1.1 | 1.4 | 0.8 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **390.3** |
| OIL | 1967 | 40.2 | 32.6 | 34.6 | 35.3 | 34.8 | 31.8 | 34.3 | 47.5 | 45.3 | 47.4 | 46.2 | 48.6 | **5,932.8** |
| DAY | 1966 | 31.0 | 28.0 | 22.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,791.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.3 | 0.2 | 0.3 | 1.6 | 1.1 | 2.1 | 1.7 | **383.6** |
| OIL | 1966 | 36.9 | 31.0 | 22.2 | 29.1 | 47.8 | 43.2 | 41.3 | 39.7 | 41.3 | 40.8 | 40.5 | 39.7 | **5,454.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,435.0** |
| OIL | 1965 | 39.7 | 35.8 | 39.4 | 40.2 | 35.0 | 36.2 | 30.4 | 32.9 | 38.3 | 28.1 | 29.4 | 40.8 | **5,000.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,070.0** |
| H2O | 1964 | 1.6 | 0.6 | 1.1 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **375.5** |
| OIL | 1964 | 34.0 | 32.1 | 33.7 | 38.5 | 37.0 | 38.8 | 34.5 | 38.8 | 39.4 | 38.1 | 37.3 | 43.2 | **4,574.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,707.0** |
| H2O | 1963 | 2.2 | 1.9 | 2.2 | 1.9 | 1.6 | 2.2 | 3.5 | 3.2 | 8.7 | 5.4 | 0.0 | 1.0 | **371.2** |
| OIL | 1963 | 38.6 | 34.8 | 35.8 | 33.4 | 39.3 | 40.5 | 43.9 | 40.8 | 39.7 | 38.5 | 35.3 | 36.2 | **4,129.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,343.0** |
| H2O | 1962 | 1.6 | 1.4 | 1.6 | 1.6 | 2.1 | 0.5 | 2.9 | 2.2 | 2.1 | 2.2 | 2.1 | 2.1 | **337.4** |
| OIL | 1962 | 27.3 | 23.7 | 24.6 | 24.3 | 25.9 | 32.3 | 40.4 | 41.3 | 35.9 | 41.2 | 37.7 | 37.8 | **3,672.3** |
| DAY | 1961 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,978.0** |
| H2O | 1961 | 5.6 | 4.4 | 4.8 | 17.2 | 6.0 | 2.2 | 3.2 | 2.1 | 1.9 | 1.6 | 1.4 | 1.6 | **315.0** |
| OIL | 1961 | 38.6 | 34.6 | 33.1 | 34.8 | 35.4 | 31.1 | 28.0 | 30.0 | 28.4 | 27.8 | 25.3 | 25.4 | **3,279.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,617.0** |
| H2O | 1960 | 2.2 | 2.4 | 3.3 | 1.1 | 19.9 | 14.3 | 18.9 | 21.3 | 18.9 | 19.4 | 18.0 | 5.4 | **263.0** |
| OIL | 1960 | 33.5 | 33.4 | 34.8 | 33.2 | 35.8 | 31.9 | 40.2 | 44.5 | 42.1 | 40.5 | 38.5 | 39.4 | **2,907.4** |

# Manitoba Production
## 1950 To 1975

Licence ***1176*** Well Name ***Daly Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.09-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,252.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 18.1 | 18.9 | 11.3 | 2.1 | **117.9** |
| OIL | 1959 | 42.0 | 37.0 | 39.3 | 37.7 | 35.4 | 35.4 | 40.0 | 41.6 | 37.5 | 38.1 | 34.2 | 35.3 | **2,459.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **887.0** |
| H2O | 1958 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **47.5** |
| OIL | 1958 | 45.0 | 38.9 | 38.0 | 42.3 | 40.0 | 38.9 | 37.0 | 33.8 | 33.8 | 37.5 | 44.0 | 42.6 | **2,006.1** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **524.0** |
| H2O | 1957 | 1.3 | 1.1 | 1.4 | 1.6 | 1.6 | 3.7 | 0.2 | 0.2 | 0.2 | 0.8 | 0.6 | 0.6 | **46.9** |
| OIL | 1957 | 79.3 | 77.1 | 87.1 | 82.0 | 92.6 | 58.3 | 65.2 | 44.5 | 47.0 | 45.0 | 41.0 | 44.7 | **1,534.3** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **161.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.3 | 6.0 | 4.3 | 1.0 | 1.0 | 1.0 | **33.6** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 111.1 | 231.5 | 187.4 | 76.8 | 75.3 | 88.4 | **770.5** |

Licence ***1177*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-12-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 0.0 | 0.0 | 0.0 | 0.0 | **741.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 156.9 | 0.0 | 0.0 | 0.0 | 0.0 | **8,821.3** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 2.0 | 20.0 | 29.0 | 31.0 | 31.0 | 3.0 | 0.0 | 0.0 | 0.0 | **724.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 24.3 | 128.8 | 152.6 | 80.9 | 81.1 | 4.6 | 0.0 | 0.0 | 0.0 | **8,664.4** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 1.6 | 11.0 | 12.3 | 4.0 | 4.0 | 0.3 | 0.0 | 0.0 | 0.0 | **923.9** |
| DAY | 1958 | 7.0 | 0.0 | 7.0 | 9.0 | 25.0 | 30.0 | 29.0 | 31.0 | 30.0 | 27.0 | 16.0 | 0.0 | **608.0** |
| H2O | 1958 | 76.3 | 0.0 | 101.1 | 130.0 | 256.9 | 262.2 | 230.5 | 217.8 | 204.3 | 169.2 | 110.2 | 0.0 | **8,192.1** |
| OIL | 1958 | 6.4 | 0.0 | 6.0 | 8.3 | 21.9 | 24.5 | 29.7 | 29.1 | 27.2 | 22.7 | 13.5 | 0.0 | **890.7** |
| DAY | 1957 | 0.0 | 0.0 | 18.0 | 27.0 | 23.0 | 28.0 | 28.0 | 29.0 | 30.0 | 31.0 | 27.0 | 22.0 | **397.0** |
| H2O | 1957 | 0.0 | 0.0 | 328.3 | 465.8 | 394.4 | 499.4 | 516.4 | 544.7 | 463.6 | 405.4 | 275.4 | 209.5 | **6,433.6** |
| OIL | 1957 | 0.0 | 0.0 | 26.1 | 38.6 | 34.8 | 65.6 | 50.2 | 40.0 | 39.9 | 40.0 | 21.3 | 15.6 | **701.4** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 28.0 | 30.0 | 31.0 | 21.0 | 4.0 | **134.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 274.1 | 458.0 | 564.7 | 598.1 | 365.8 | 70.0 | **2,330.7** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 62.1 | 78.0 | 87.6 | 55.5 | 38.5 | 7.0 | **329.3** |

Licence ***1180*** Well Name ***Cdn-Sup Hauk Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-35-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 16.0 | 0.0 | 0.0 | 0.0 | **794.0** |
| H2O | 1958 | 915.1 | 729.9 | 850.1 | 807.2 | 696.4 | 603.4 | 523.7 | 666.2 | 479.4 | 0.0 | 0.0 | 0.0 | **20,046.2** |
| OIL | 1958 | 16.4 | 12.5 | 11.3 | 11.8 | 9.4 | 7.0 | 4.8 | 7.5 | 4.3 | 0.0 | 0.0 | 0.0 | **625.1** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **535.0** |
| H2O | 1957 | 745.3 | 775.6 | 700.5 | 624.0 | 1004.3 | 1012.4 | 1143.8 | 1423.9 | 496.7 | 521.6 | 618.9 | 829.1 | **13,774.8** |
| OIL | 1957 | 26.1 | 22.4 | 17.8 | 15.9 | 27.2 | 21.3 | 61.0 | 50.9 | 15.1 | 12.4 | 14.6 | 17.5 | **540.1** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **170.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 631.5 | 699.4 | 736.1 | 609.9 | 577.9 | 623.9 | **3,878.7** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 50.1 | 53.9 | 43.5 | 38.1 | 26.4 | 25.9 | **237.9** |

Licence ***1183*** Well Name ***Imperial Chevron Hernefield Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.01-30-001-25W1.00*** Field Name ***Waskada*** Pool Name ***Mission Canyon 1 A*** Field Code ***3*** Pool Code ***44A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **100.0** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **363.8** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 30.0 | 31.0 | 20.0 | 0.0 | **99.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1183*** Well Name ***Imperial Chevron Hernefield Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.01-30-001-25W1.00*** Field Name ***Waskada*** Pool Name ***Mission Canyon 1 A*** Field Code ***3*** Pool Code ***44A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.8 | 108.7 | 110.3 | 106.0 | 0.0 | **356.8** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 86.3 | 120.6 | 107.9 | 37.7 | 0.0 | **352.5** |

Licence ***1184*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,596.0** |
| H2O | 1971 | 32.0 | 28.9 | 33.5 | 33.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,241.5** |
| OIL | 1971 | 9.2 | 8.3 | 9.2 | 8.6 | 4.4 | 4.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,588.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,415.0** |
| H2O | 1970 | 35.8 | 33.5 | 35.1 | 32.4 | 33.5 | 33.2 | 26.5 | 35.3 | 32.9 | 34.0 | 31.2 | 34.7 | **7,113.7** |
| OIL | 1970 | 9.1 | 8.1 | 8.9 | 8.6 | 8.7 | 8.6 | 7.6 | 8.9 | 8.4 | 8.7 | 8.6 | 8.9 | **2,544.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | **4,054.0** |
| H2O | 1969 | 37.0 | 33.7 | 31.6 | 32.3 | 35.5 | 34.0 | 36.9 | 37.0 | 35.0 | 37.8 | 33.9 | 27.3 | **6,715.6** |
| OIL | 1969 | 9.2 | 8.1 | 9.1 | 8.7 | 9.1 | 8.7 | 9.2 | 9.1 | 8.9 | 9.2 | 8.9 | 7.0 | **2,441.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **3,697.0** |
| H2O | 1968 | 30.4 | 28.9 | 30.5 | 31.5 | 32.9 | 30.2 | 32.6 | 33.9 | 34.0 | 36.1 | 33.4 | 34.3 | **6,303.6** |
| OIL | 1968 | 17.3 | 15.9 | 17.0 | 16.8 | 17.0 | 16.7 | 19.4 | 9.1 | 8.9 | 9.2 | 8.9 | 8.7 | **2,336.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,332.0** |
| H2O | 1967 | 67.7 | 55.8 | 67.2 | 62.5 | 62.6 | 59.0 | 46.4 | 62.2 | 54.4 | 58.8 | 28.9 | 31.6 | **5,914.9** |
| OIL | 1967 | 11.6 | 10.3 | 11.6 | 11.3 | 11.6 | 11.0 | 11.4 | 11.3 | 11.0 | 11.6 | 17.0 | 17.3 | **2,171.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 22.0 | 10.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,967.0** |
| H2O | 1966 | 16.1 | 12.9 | 16.4 | 16.9 | 18.4 | 11.9 | 5.2 | 16.4 | 64.9 | 66.8 | 66.3 | 71.4 | **5,257.8** |
| OIL | 1966 | 7.0 | 6.0 | 6.8 | 6.5 | 6.7 | 4.8 | 2.2 | 6.8 | 11.0 | 11.3 | 11.3 | 11.8 | **2,024.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,632.0** |
| H2O | 1965 | 18.6 | 16.5 | 18.8 | 16.5 | 16.9 | 16.1 | 16.1 | 16.1 | 16.4 | 16.2 | 16.5 | 16.9 | **4,874.2** |
| OIL | 1965 | 7.3 | 6.7 | 7.3 | 7.0 | 7.0 | 7.0 | 7.5 | 7.3 | 6.8 | 7.2 | 6.8 | 7.2 | **1,932.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 16.0 | 22.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,267.0** |
| H2O | 1964 | 39.4 | 35.6 | 39.6 | 38.0 | 40.4 | 17.6 | 9.1 | 12.4 | 16.9 | 16.9 | 17.5 | 18.4 | **4,672.6** |
| OIL | 1964 | 4.8 | 4.3 | 4.8 | 4.6 | 4.8 | 6.7 | 3.5 | 5.1 | 6.7 | 7.0 | 6.7 | 7.3 | **1,847.1** |
| DAY | 1963 | 0.0 | 0.0 | 12.0 | 30.0 | 31.0 | 0.0 | 22.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,925.0** |
| H2O | 1963 | 0.0 | 0.0 | 27.0 | 47.4 | 0.0 | 0.0 | 61.2 | 56.0 | 38.3 | 39.1 | 38.2 | 39.0 | **4,370.8** |
| OIL | 1963 | 0.0 | 0.0 | 14.1 | 6.5 | 2.2 | 0.0 | 15.1 | 12.1 | 8.9 | 9.4 | 4.3 | 4.4 | **1,780.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,680.0** |
| H2O | 1961 | 28.5 | 37.4 | 38.2 | 46.9 | 1.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,024.6** |
| OIL | 1961 | 9.1 | 8.3 | 4.8 | 3.2 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,703.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,559.0** |
| H2O | 1960 | 21.1 | 25.0 | 3.7 | 21.9 | 39.6 | 42.9 | 20.2 | 10.8 | 13.2 | 29.6 | 35.5 | 45.0 | **3,872.2** |
| OIL | 1960 | 9.2 | 9.2 | 8.6 | 7.0 | 8.9 | 6.4 | 5.4 | 70.2 | 89.8 | 6.8 | 7.5 | 9.1 | **1,678.2** |
| DAY | 1959 | 31.0 | 9.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,200.0** |
| H2O | 1959 | 33.7 | 10.3 | 28.5 | 39.4 | 22.4 | 19.4 | 44.4 | 27.8 | 36.4 | 40.5 | 46.4 | 30.8 | **3,563.7** |
| OIL | 1959 | 10.0 | 2.9 | 6.0 | 10.2 | 7.9 | 7.5 | 5.2 | 7.9 | 2.5 | 2.4 | 7.0 | 11.4 | **1,440.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **854.0** |
| H2O | 1958 | 79.2 | 73.9 | 88.4 | 34.8 | 40.4 | 39.4 | 60.1 | 39.6 | 39.6 | 35.9 | 33.9 | 34.0 | **3,183.7** |
| OIL | 1958 | 11.3 | 15.7 | 15.1 | 16.0 | 12.9 | 12.1 | 9.5 | 8.7 | 8.3 | 11.0 | 10.6 | 10.3 | **1,359.2** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 15.0 | 14.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **490.0** |
| H2O | 1957 | 196.8 | 163.9 | 120.3 | 59.0 | 64.7 | 161.4 | 152.5 | 120.0 | 76.6 | 97.0 | 92.8 | 84.6 | **2,584.5** |
| OIL | 1957 | 100.3 | 89.6 | 42.9 | 22.2 | 20.3 | 40.8 | 27.2 | 40.0 | 45.1 | 46.7 | 18.0 | 8.6 | **1,217.7** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 29.0 | 30.0 | 31.0 | 28.0 | 31.0 | **160.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.8 | 259.6 | 272.7 | 201.3 | 237.8 | 208.7 | **1,194.9** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 84.5 | 186.4 | 115.2 | 123.3 | 102.5 | 104.1 | **716.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1185*** Well Name ***Shell Wilton Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-15-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 3.0 | 27.0 | 31.0 | 30.0 | 29.0 | 30.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,136.0** |
| H2O | 1960 | 5.9 | 28.2 | 32.5 | 27.6 | 32.7 | 29.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,715.2** |
| OIL | 1960 | 1.4 | 4.5 | 5.4 | 5.1 | 5.6 | 6.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,222.5** |
| DAY | 1959 | 17.0 | 27.0 | 30.0 | 29.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **986.0** |
| H2O | 1959 | 42.3 | 59.0 | 58.3 | 44.4 | 42.3 | 47.9 | 55.6 | 51.2 | 42.6 | 41.5 | 45.9 | 43.7 | **5,558.4** |
| OIL | 1959 | 8.1 | 12.6 | 13.7 | 13.2 | 12.4 | 9.2 | 9.2 | 7.6 | 5.9 | 7.9 | 5.9 | 7.0 | **1,194.1** |
| DAY | 1958 | 31.0 | 17.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 24.0 | 15.0 | **645.0** |
| H2O | 1958 | 130.5 | 78.5 | 107.8 | 120.7 | 105.6 | 104.6 | 102.7 | 106.8 | 82.2 | 83.5 | 65.2 | 39.3 | **4,983.7** |
| OIL | 1958 | 28.8 | 14.0 | 22.1 | 19.7 | 17.6 | 18.0 | 14.0 | 14.3 | 15.4 | 14.1 | 10.8 | 6.8 | **1,081.4** |
| DAY | 1957 | 31.0 | 23.0 | 9.0 | 0.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 13.0 | 12.0 | **315.0** |
| H2O | 1957 | 352.0 | 281.7 | 112.6 | 0.0 | 349.6 | 471.9 | 464.3 | 486.0 | 472.0 | 402.6 | 53.3 | 45.5 | **3,856.3** |
| OIL | 1957 | 111.4 | 53.4 | 28.1 | 0.0 | 58.0 | 48.3 | 44.5 | 39.4 | 33.8 | 28.0 | 20.8 | 16.4 | **885.8** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 0.0 | 0.0 | 0.0 | 16.0 | 31.0 | **54.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.5 | 0.0 | 0.0 | 0.0 | 57.7 | 304.6 | **364.8** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 87.1 | 0.0 | 0.0 | 0.0 | 162.6 | 154.0 | **403.7** |

Licence ***1186*** Well Name ***Eureka Rossen Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-21-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 8.0 | 15.0 | 8.0 | 1.0 | 0.0 | **2,552.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 39.3 | 25.3 | 162.6 | 84.2 | 0.0 | 0.0 | **9,928.3** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.8 | 9.5 | 2.2 | 23.5 | 0.5 | 0.0 | **13,380.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,504.0** |
| H2O | 1963 | 297.8 | 243.1 | 250.7 | 273.3 | 288.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **9,616.9** |
| OIL | 1963 | 22.3 | 20.5 | 25.1 | 21.6 | 22.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **13,323.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,353.0** |
| H2O | 1962 | 176.2 | 251.5 | 348.7 | 332.8 | 368.9 | 340.1 | 379.3 | 450.1 | 584.8 | 707.2 | 679.0 | 325.9 | **8,263.8** |
| OIL | 1962 | 110.2 | 124.6 | 136.3 | 116.4 | 129.7 | 115.9 | 96.8 | 65.2 | 57.7 | 51.2 | 39.9 | 25.0 | **13,211.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,989.0** |
| H2O | 1961 | 70.9 | 74.2 | 90.1 | 213.4 | 321.0 | 235.0 | 235.0 | 299.8 | 202.9 | 341.8 | 325.9 | 247.9 | **3,319.3** |
| OIL | 1961 | 168.0 | 153.0 | 165.1 | 166.1 | 174.6 | 147.7 | 180.9 | 160.3 | 123.5 | 168.8 | 139.4 | 113.7 | **12,142.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 26.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,628.0** |
| H2O | 1960 | 8.6 | 8.7 | 8.6 | 9.5 | 14.3 | 15.1 | 56.8 | 75.0 | 71.5 | 67.1 | 67.4 | 77.4 | **661.4** |
| OIL | 1960 | 187.7 | 193.4 | 195.5 | 175.6 | 194.3 | 150.8 | 168.9 | 182.1 | 170.7 | 174.0 | 165.7 | 167.3 | **10,281.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,271.0** |
| H2O | 1959 | 10.3 | 8.7 | 9.4 | 8.7 | 8.1 | 10.3 | 10.3 | 9.5 | 8.9 | 9.5 | 8.6 | 8.7 | **181.4** |
| OIL | 1959 | 239.8 | 206.9 | 222.0 | 212.3 | 210.1 | 187.7 | 204.0 | 205.2 | 185.8 | 191.0 | 191.6 | 195.5 | **8,155.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **906.0** |
| H2O | 1958 | 1.0 | 1.0 | 1.3 | 1.3 | 1.3 | 0.6 | 0.0 | 0.0 | 7.6 | 9.5 | 11.1 | 12.6 | **70.4** |
| OIL | 1958 | 199.4 | 181.5 | 192.4 | 192.1 | 190.4 | 189.6 | 198.8 | 196.6 | 181.5 | 189.6 | 185.8 | 193.5 | **5,703.3** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **545.0** |
| H2O | 1957 | 1.1 | 1.0 | 1.0 | 0.8 | 0.6 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.1 | 1.3 | **23.1** |
| OIL | 1957 | 217.1 | 199.4 | 202.9 | 166.8 | 118.8 | 174.3 | 175.7 | 188.1 | 178.9 | 183.4 | 188.9 | 203.1 | **3,412.1** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **181.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.2 | 0.8 | 1.1 | 1.0 | 1.0 | 1.1 | **11.2** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 205.6 | 189.1 | 220.6 | 193.2 | 195.5 | 210.7 | **1,214.7** |

Licence ***1187*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,991.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1187*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1975 | 149.6 | 131.8 | 142.5 | 142.8 | 146.3 | 135.0 | 137.6 | 101.1 | 104.9 | 109.5 | 104.4 | 111.7 | **23,310.4** |
| OIL | 1975 | 128.9 | 114.3 | 127.9 | 121.9 | 129.2 | 125.1 | 120.9 | 91.5 | 88.0 | 89.3 | 85.5 | 86.6 | **28,652.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,626.0** |
| H2O | 1974 | 124.0 | 118.0 | 135.0 | 133.9 | 121.7 | 133.1 | 140.4 | 142.0 | 139.1 | 138.0 | 142.3 | 147.6 | **21,793.2** |
| OIL | 1974 | 109.3 | 102.7 | 113.3 | 108.1 | 99.6 | 112.3 | 125.4 | 123.3 | 128.1 | 125.5 | 127.0 | 129.2 | **27,343.4** |
| DAY | 1973 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,268.0** |
| H2O | 1973 | 59.6 | 57.2 | 119.8 | 127.9 | 126.6 | 114.5 | 134.5 | 138.0 | 136.1 | 136.9 | 132.2 | 133.3 | **20,178.1** |
| OIL | 1973 | 86.6 | 83.6 | 79.6 | 78.8 | 85.0 | 82.6 | 129.8 | 115.2 | 105.4 | 111.6 | 115.2 | 113.8 | **25,939.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,906.0** |
| H2O | 1972 | 126.4 | 89.1 | 95.8 | 97.3 | 100.4 | 101.5 | 101.1 | 70.9 | 67.9 | 70.4 | 60.7 | 62.6 | **18,761.5** |
| OIL | 1972 | 97.1 | 85.2 | 90.6 | 83.6 | 84.1 | 81.5 | 85.8 | 98.8 | 95.8 | 94.1 | 90.9 | 95.2 | **24,752.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,540.0** |
| H2O | 1971 | 125.0 | 119.0 | 119.3 | 123.7 | 131.0 | 124.7 | 117.1 | 103.0 | 98.5 | 125.6 | 123.1 | 118.0 | **17,717.4** |
| OIL | 1971 | 110.9 | 99.2 | 108.9 | 106.6 | 105.0 | 102.8 | 100.9 | 89.1 | 83.4 | 91.7 | 91.2 | 94.2 | **23,669.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,175.0** |
| H2O | 1970 | 117.1 | 103.9 | 112.8 | 115.5 | 114.2 | 125.0 | 109.5 | 132.0 | 121.2 | 118.2 | 117.1 | 118.0 | **16,289.4** |
| OIL | 1970 | 103.6 | 92.0 | 101.2 | 96.1 | 98.7 | 103.3 | 94.2 | 108.5 | 103.5 | 107.6 | 101.2 | 107.6 | **22,485.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 19.0 | 31.0 | **4,812.0** |
| H2O | 1969 | 105.7 | 97.0 | 102.5 | 102.4 | 115.1 | 112.4 | 114.6 | 109.1 | 110.3 | 90.3 | 69.6 | 107.3 | **14,884.9** |
| OIL | 1969 | 100.9 | 92.3 | 103.1 | 97.1 | 91.8 | 101.2 | 102.3 | 101.5 | 92.8 | 78.2 | 60.1 | 98.2 | **21,268.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,463.0** |
| H2O | 1968 | 57.1 | 55.5 | 59.1 | 55.8 | 57.9 | 53.6 | 59.6 | 103.8 | 89.7 | 106.4 | 104.1 | 105.4 | **13,648.6** |
| OIL | 1968 | 100.4 | 98.0 | 98.4 | 90.3 | 89.6 | 91.4 | 91.1 | 99.6 | 89.1 | 102.3 | 95.8 | 101.7 | **20,148.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,098.0** |
| H2O | 1967 | 52.0 | 52.6 | 61.7 | 61.7 | 55.5 | 55.6 | 58.5 | 46.3 | 54.8 | 56.1 | 55.0 | 58.7 | **12,740.6** |
| OIL | 1967 | 78.3 | 71.2 | 79.9 | 74.7 | 72.3 | 79.9 | 88.4 | 76.6 | 89.0 | 92.6 | 94.1 | 99.5 | **19,001.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,738.0** |
| H2O | 1966 | 168.8 | 138.8 | 156.9 | 96.7 | 90.9 | 93.2 | 88.9 | 94.0 | 144.4 | 147.2 | 62.3 | 48.6 | **12,072.1** |
| OIL | 1966 | 105.8 | 86.8 | 99.0 | 86.6 | 80.4 | 76.0 | 85.8 | 88.4 | 88.7 | 83.9 | 75.6 | 73.4 | **18,004.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,373.0** |
| H2O | 1965 | 83.0 | 80.9 | 84.1 | 78.7 | 77.3 | 76.2 | 81.1 | 61.7 | 181.1 | 191.9 | 152.5 | 160.1 | **10,741.4** |
| OIL | 1965 | 69.1 | 63.1 | 69.6 | 65.9 | 81.7 | 83.0 | 81.5 | 68.3 | 125.1 | 121.6 | 109.5 | 111.7 | **16,974.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,013.0** |
| H2O | 1964 | 80.6 | 76.5 | 82.4 | 78.9 | 79.2 | 76.3 | 75.2 | 75.5 | 72.3 | 73.0 | 80.9 | 83.6 | **9,432.8** |
| OIL | 1964 | 83.6 | 79.1 | 80.2 | 83.6 | 80.7 | 72.5 | 71.7 | 50.7 | 62.9 | 63.2 | 55.6 | 61.3 | **15,924.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,647.0** |
| H2O | 1963 | 65.5 | 60.4 | 63.6 | 71.4 | 74.6 | 71.7 | 98.1 | 84.9 | 59.0 | 87.4 | 86.3 | 79.3 | **8,498.4** |
| OIL | 1963 | 92.0 | 98.5 | 103.3 | 84.5 | 85.2 | 55.5 | 99.0 | 93.4 | 88.7 | 85.7 | 81.5 | 81.7 | **15,079.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,282.0** |
| H2O | 1962 | 104.1 | 103.5 | 107.0 | 47.7 | 46.4 | 91.1 | 62.5 | 66.8 | 66.8 | 65.5 | 62.8 | 67.4 | **7,596.2** |
| OIL | 1962 | 93.4 | 91.4 | 91.4 | 77.7 | 91.1 | 108.4 | 98.8 | 100.6 | 100.4 | 103.6 | 97.4 | 93.3 | **14,030.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,918.0** |
| H2O | 1961 | 89.0 | 81.6 | 99.4 | 92.2 | 105.1 | 107.5 | 108.9 | 91.3 | 112.9 | 78.1 | 105.1 | 116.4 | **6,704.6** |
| OIL | 1961 | 109.3 | 99.3 | 115.2 | 118.5 | 132.4 | 116.5 | 118.4 | 112.8 | 94.2 | 94.1 | 103.8 | 104.9 | **12,882.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,553.0** |
| H2O | 1960 | 111.8 | 143.2 | 27.2 | 89.3 | 127.2 | 93.8 | 93.2 | 92.2 | 106.4 | 80.4 | 79.0 | 86.5 | **5,517.1** |
| OIL | 1960 | 159.5 | 175.1 | 163.8 | 158.9 | 166.5 | 151.3 | 141.0 | 109.8 | 110.1 | 115.8 | 107.3 | 109.2 | **11,563.1** |
| DAY | 1959 | 31.0 | 27.0 | 8.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,187.0** |
| H2O | 1959 | 235.8 | 200.2 | 49.1 | 155.8 | 238.5 | 198.6 | 185.2 | 176.9 | 159.5 | 128.6 | 129.4 | 113.7 | **4,386.9** |
| OIL | 1959 | 250.0 | 222.0 | 64.7 | 226.8 | 230.1 | 245.5 | 220.7 | 223.7 | 204.7 | 176.5 | 183.9 | 172.4 | **9,894.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **852.0** |
| H2O | 1958 | 86.5 | 98.4 | 105.1 | 113.2 | 138.3 | 128.8 | 156.6 | 163.1 | 135.9 | 210.4 | 168.7 | 196.5 | **2,415.6** |

# Manitoba Production
## 1950 To 1975

Licence ***1187*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1958 | 266.7 | 262.0 | 322.4 | 285.1 | 277.6 | 268.1 | 303.2 | 252.0 | 242.7 | 242.5 | 260.0 | 258.4 | **7,473.8** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **488.0** |
| H2O | 1957 | 48.3 | 10.0 | 12.6 | 0.6 | 11.9 | 64.9 | 72.3 | 29.4 | 70.3 | 79.2 | 66.9 | 70.6 | **714.1** |
| OIL | 1957 | 223.4 | 192.0 | 248.9 | 213.7 | 254.7 | 282.5 | 321.2 | 336.6 | 298.1 | 267.4 | 228.8 | 236.5 | **4,233.1** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 27.0 | 31.0 | 29.0 | 31.0 | **125.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.5 | 28.3 | 42.3 | 37.5 | 38.5 | **177.1** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 108.9 | 248.1 | 284.0 | 253.6 | 234.7 | **1,129.3** |

Licence ***1188*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-02-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1502.4 | 1350.9 | 1492.2 | 1545.4 | 1493.0 | 1204.3 | 1281.7 | 1226.1 | 1340.8 | 1327.2 | 1270.7 | 1271.4 | **170,498.6** |
| WIN | 1974 | 700.1 | 886.5 | 1013.5 | 1013.3 | 868.0 | 810.8 | 1001.3 | 1043.2 | 1218.3 | 1255.0 | 1460.7 | 1326.5 | **154,192.5** |
| WIN | 1973 | 1635.7 | 1440.5 | 1648.8 | 1879.5 | 1548.0 | 1577.7 | 1157.9 | 1135.0 | 1165.5 | 1017.8 | 1007.1 | 949.3 | **141,595.3** |
| WIN | 1972 | 1264.4 | 1273.0 | 2003.3 | 2575.0 | 2155.0 | 1962.4 | 1480.6 | 1978.7 | 1800.0 | 2028.6 | 1579.8 | 1676.8 | **125,432.5** |
| WIN | 1971 | 1621.1 | 1450.5 | 1651.5 | 1752.3 | 1648.5 | 1290.8 | 1155.5 | 993.0 | 1019.5 | 1107.9 | 1311.4 | 1324.0 | **103,654.9** |
| WIN | 1970 | 473.1 | 362.3 | 363.6 | 388.1 | 491.7 | 486.3 | 395.2 | 694.3 | 607.6 | 995.4 | 1141.2 | 1370.6 | **87,328.9** |
| WIN | 1969 | 3074.2 | 2822.5 | 2999.3 | 2774.0 | 3135.7 | 3260.0 | 3181.2 | 3338.9 | 3180.7 | 3498.8 | 2978.0 | 390.0 | **79,559.5** |
| WIN | 1968 | 2578.5 | 2677.4 | 3242.9 | 2822.1 | 2882.0 | 2959.4 | 3020.1 | 2988.8 | 1945.0 | 2785.3 | 2872.0 | 2716.7 | **44,926.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 22.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,892.0** |
| H2O | 1967 | 331.9 | 335.7 | 393.9 | 393.4 | 268.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **37,654.1** |
| OIL | 1967 | 42.7 | 38.9 | 43.5 | 40.6 | 29.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **23,468.1** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 311.6 | 1710.8 | 1613.6 | 2384.5 | 2677.9 | 2737.6 | **11,436.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,750.0** |
| H2O | 1966 | 454.5 | 424.0 | 465.3 | 409.2 | 431.0 | 418.1 | 419.4 | 429.1 | 396.5 | 397.8 | 379.2 | 310.0 | **35,930.8** |
| OIL | 1966 | 69.1 | 62.6 | 67.7 | 62.0 | 54.2 | 51.3 | 54.0 | 48.3 | 48.3 | 48.0 | 47.0 | 39.9 | **23,272.5** |
| DAY | 1965 | 31.0 | 28.0 | 18.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,385.0** |
| H2O | 1965 | 179.6 | 170.9 | 111.0 | 472.5 | 421.1 | 465.5 | 478.1 | 411.1 | 444.3 | 447.2 | 223.4 | 467.7 | **30,996.7** |
| OIL | 1965 | 60.9 | 52.3 | 31.8 | 69.1 | 84.5 | 78.0 | 78.8 | 61.8 | 78.0 | 45.4 | 12.6 | 71.5 | **22,620.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,033.0** |
| H2O | 1964 | 207.3 | 217.6 | 232.1 | 233.9 | 243.6 | 229.4 | 206.5 | 209.1 | 196.8 | 190.9 | 176.6 | 191.7 | **26,704.3** |
| OIL | 1964 | 82.6 | 82.2 | 79.8 | 80.4 | 78.2 | 76.8 | 79.5 | 76.6 | 72.1 | 73.9 | 58.8 | 69.3 | **21,895.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,668.0** |
| H2O | 1963 | 342.4 | 368.2 | 298.1 | 255.0 | 226.4 | 208.6 | 169.6 | 193.8 | 185.5 | 167.9 | 158.8 | 152.0 | **24,168.8** |
| OIL | 1963 | 106.6 | 113.6 | 111.6 | 116.0 | 120.5 | 85.8 | 103.5 | 94.4 | 93.8 | 112.7 | 98.5 | 98.8 | **20,985.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,303.0** |
| H2O | 1962 | 296.8 | 284.3 | 310.8 | 295.2 | 282.0 | 301.4 | 302.7 | 298.2 | 287.6 | 299.4 | 299.5 | 307.0 | **21,442.5** |
| OIL | 1962 | 182.4 | 171.8 | 185.1 | 178.0 | 168.9 | 186.4 | 181.8 | 164.0 | 162.1 | 128.1 | 130.0 | 100.4 | **19,729.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,945.0** |
| H2O | 1961 | 320.0 | 296.5 | 308.3 | 307.5 | 328.9 | 321.6 | 304.6 | 299.8 | 301.4 | 309.2 | 305.1 | 308.9 | **17,877.6** |
| OIL | 1961 | 271.7 | 252.7 | 261.2 | 262.0 | 257.6 | 248.9 | 216.4 | 209.0 | 205.9 | 207.5 | 198.6 | 194.7 | **17,790.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | **1,581.0** |
| H2O | 1960 | 302.1 | 276.3 | 295.9 | 298.7 | 300.6 | 272.0 | 268.2 | 257.7 | 262.8 | 246.7 | 241.2 | 288.9 | **14,165.8** |
| OIL | 1960 | 317.8 | 294.9 | 314.0 | 301.9 | 305.7 | 302.2 | 288.6 | 277.1 | 265.1 | 271.6 | 256.3 | 277.3 | **15,004.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,220.0** |
| H2O | 1959 | 293.5 | 254.4 | 288.1 | 277.4 | 284.6 | 271.2 | 270.1 | 280.3 | 142.9 | 157.4 | 300.2 | 296.3 | **10,854.7** |
| OIL | 1959 | 249.6 | 219.5 | 249.3 | 281.9 | 283.5 | 272.8 | 276.0 | 283.8 | 276.3 | 303.7 | 312.3 | 314.3 | **11,531.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 28.0 | 30.0 | 25.0 | **858.0** |
| H2O | 1958 | 354.5 | 327.8 | 370.3 | 252.0 | 280.6 | 269.3 | 296.8 | 325.1 | 269.8 | 272.2 | 283.8 | 236.1 | **7,738.3** |
| OIL | 1958 | 317.8 | 283.8 | 324.5 | 288.6 | 298.9 | 282.2 | 286.0 | 271.1 | 238.5 | 236.3 | 247.7 | 199.4 | **8,208.7** |
| DAY | 1957 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **504.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1188*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-02-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1957 | 235.4 | 200.6 | 185.8 | 203.8 | 167.2 | 254.2 | 278.9 | 332.7 | 220.7 | 335.6 | 427.5 | 387.4 | **4,200.0** |
| OIL | 1957 | 301.6 | 260.8 | 268.4 | 232.8 | 224.2 | 308.1 | 328.1 | 331.0 | 283.0 | 308.8 | 324.7 | 324.3 | **4,933.9** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 29.0 | 30.0 | 21.0 | 24.0 | 31.0 | **143.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.1 | 184.4 | 217.0 | 121.9 | 181.9 | 253.9 | **970.2** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 55.1 | 303.8 | 302.9 | 218.2 | 246.0 | 312.1 | **1,438.1** |

Licence ***1189*** Well Name ***Daly Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-14-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 29.0 | 30.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,525.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 367.1 | 366.8 | 324.5 | 421.5 | 0.0 | 0.0 | 0.0 | 0.0 | **65,136.2** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 15.1 | 4.0 | 4.1 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | **12,296.3** |
| DAY | 1971 | 31.0 | 27.0 | 29.0 | 21.0 | 30.0 | 14.0 | 20.0 | 31.0 | 30.0 | 28.0 | 0.0 | 0.0 | **5,404.0** |
| H2O | 1971 | 352.3 | 352.0 | 386.6 | 238.9 | 172.2 | 105.2 | 345.9 | 337.5 | 488.2 | 311.6 | 0.0 | 0.0 | **63,656.3** |
| OIL | 1971 | 43.1 | 40.7 | 38.0 | 23.8 | 35.3 | 17.8 | 19.5 | 0.0 | 15.6 | 13.3 | 0.0 | 0.0 | **12,269.1** |
| DAY | 1970 | 26.0 | 28.0 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,143.0** |
| H2O | 1970 | 271.5 | 376.3 | 343.6 | 366.6 | 304.1 | 361.5 | 354.5 | 251.0 | 291.1 | 348.0 | 341.0 | 327.2 | **60,565.9** |
| OIL | 1970 | 36.7 | 42.0 | 39.6 | 30.8 | 41.8 | 32.9 | 36.4 | 36.5 | 41.6 | 43.9 | 44.3 | 45.3 | **12,022.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,789.0** |
| H2O | 1969 | 311.0 | 548.0 | 341.3 | 327.7 | 292.5 | 264.2 | 353.7 | 332.6 | 253.1 | 348.2 | 338.0 | 334.2 | **56,629.5** |
| OIL | 1969 | 47.5 | 42.9 | 48.0 | 39.9 | 34.0 | 33.4 | 34.0 | 35.0 | 31.8 | 33.7 | 33.1 | 34.3 | **11,550.2** |
| DAY | 1968 | 31.0 | 23.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,428.0** |
| H2O | 1968 | 475.7 | 414.6 | 494.7 | 409.2 | 440.4 | 367.1 | 334.0 | 380.8 | 333.4 | 408.4 | 395.7 | 314.5 | **52,585.0** |
| OIL | 1968 | 58.0 | 35.8 | 45.3 | 35.9 | 44.0 | 48.6 | 50.9 | 50.7 | 45.9 | 49.7 | 46.7 | 48.1 | **11,102.6** |
| DAY | 1967 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 22.0 | 21.0 | **4,074.0** |
| H2O | 1967 | 502.5 | 445.3 | 473.9 | 484.7 | 466.4 | 385.8 | 413.0 | 433.1 | 437.2 | 513.8 | 363.7 | 438.6 | **47,816.5** |
| OIL | 1967 | 71.2 | 65.3 | 61.7 | 64.5 | 62.6 | 62.0 | 65.6 | 69.1 | 68.3 | 60.5 | 42.7 | 41.3 | **10,543.0** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,729.0** |
| H2O | 1966 | 621.1 | 418.3 | 754.2 | 668.2 | 640.1 | 496.7 | 501.1 | 490.0 | 453.6 | 395.4 | 380.0 | 379.5 | **42,458.5** |
| OIL | 1966 | 54.7 | 51.8 | 53.1 | 64.0 | 38.6 | 38.3 | 15.4 | 15.4 | 18.9 | 16.2 | 15.9 | 7.3 | **9,808.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,365.0** |
| H2O | 1965 | 389.5 | 341.2 | 364.1 | 391.6 | 428.1 | 404.4 | 902.1 | 411.0 | 563.9 | 524.5 | 886.8 | 506.8 | **36,260.3** |
| OIL | 1965 | 55.8 | 49.3 | 58.2 | 50.9 | 57.0 | 53.1 | 54.7 | 24.3 | 23.8 | 23.5 | 47.0 | 46.2 | **9,418.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,001.0** |
| H2O | 1964 | 379.3 | 374.2 | 451.8 | 440.1 | 417.3 | 303.8 | 294.6 | 279.5 | 342.6 | 398.1 | 371.2 | 391.7 | **30,146.3** |
| OIL | 1964 | 75.2 | 56.9 | 65.6 | 63.7 | 61.7 | 62.1 | 65.9 | 72.1 | 68.0 | 66.7 | 63.7 | 56.4 | **8,874.8** |
| DAY | 1963 | 23.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,636.0** |
| H2O | 1963 | 244.0 | 360.9 | 511.0 | 442.4 | 366.6 | 397.3 | 469.8 | 402.1 | 405.9 | 414.3 | 257.1 | 221.6 | **25,702.1** |
| OIL | 1963 | 32.7 | 45.1 | 51.5 | 44.2 | 36.4 | 57.5 | 63.2 | 57.8 | 57.0 | 64.8 | 54.3 | 7.2 | **8,096.8** |
| DAY | 1962 | 30.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 22.0 | **2,283.0** |
| H2O | 1962 | 333.9 | 275.7 | 325.4 | 383.0 | 339.9 | 320.5 | 437.4 | 319.2 | 409.7 | 471.4 | 431.3 | 250.4 | **21,209.1** |
| OIL | 1962 | 61.7 | 50.1 | 57.2 | 44.3 | 48.9 | 52.1 | 60.5 | 47.0 | 45.6 | 59.8 | 56.3 | 39.6 | **7,525.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,929.0** |
| H2O | 1961 | 282.5 | 226.9 | 279.2 | 262.5 | 200.8 | 364.5 | 338.8 | 309.7 | 350.4 | 345.5 | 320.7 | 304.8 | **16,911.3** |
| OIL | 1961 | 78.3 | 69.9 | 74.7 | 70.7 | 57.0 | 34.6 | 43.9 | 39.1 | 48.6 | 51.5 | 50.1 | 61.2 | **6,902.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | 31.0 | **1,571.0** |
| H2O | 1960 | 245.5 | 236.2 | 226.5 | 284.9 | 253.1 | 249.9 | 242.8 | 200.0 | 246.3 | 243.1 | 260.6 | 278.5 | **13,325.0** |
| OIL | 1960 | 75.6 | 76.9 | 70.7 | 85.7 | 82.3 | 81.7 | 79.6 | 78.0 | 87.6 | 80.4 | 81.0 | 84.1 | **6,222.4** |
| DAY | 1959 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 30.0 | 29.0 | 29.0 | 29.0 | 31.0 | **1,209.0** |
| H2O | 1959 | 246.6 | 239.6 | 261.2 | 268.4 | 262.6 | 231.0 | 231.0 | 269.2 | 264.1 | 274.7 | 264.4 | 247.4 | **10,357.6** |
| OIL | 1959 | 112.2 | 104.6 | 93.0 | 81.7 | 107.9 | 97.1 | 84.5 | 65.2 | 62.1 | 65.0 | 70.2 | 97.1 | **5,258.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1189*** Well Name ***Daly Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-14-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **853.0** |
| H2O | 1958 | 278.4 | 237.5 | 313.0 | 262.0 | 316.4 | 305.4 | 285.8 | 306.0 | 238.0 | 263.6 | 271.2 | 274.2 | **7,297.4** |
| OIL | 1958 | 107.7 | 106.8 | 108.5 | 111.2 | 123.8 | 107.3 | 116.3 | 118.9 | 104.9 | 97.9 | 95.0 | 98.0 | **4,218.2** |
| DAY | 1957 | 31.0 | 28.0 | 29.0 | 16.0 | 30.0 | 29.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **495.0** |
| H2O | 1957 | 159.0 | 165.5 | 261.7 | 194.3 | 296.7 | 287.4 | 275.2 | 293.0 | 291.7 | 259.3 | 251.8 | 291.6 | **3,945.9** |
| OIL | 1957 | 196.4 | 175.3 | 181.5 | 102.2 | 185.8 | 151.4 | 110.4 | 138.7 | 132.8 | 125.5 | 123.3 | 124.1 | **2,921.9** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 29.0 | 27.0 | 31.0 | 28.0 | 27.0 | **152.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 63.9 | 164.2 | 166.8 | 230.5 | 137.2 | 156.1 | **918.7** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 80.4 | 254.6 | 236.1 | 231.8 | 163.5 | 208.1 | **1,174.5** |

Licence ***1192*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-12-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 563.3 | 503.8 | 490.3 | 775.0 | 770.3 | 683.6 | 676.9 | 592.8 | 608.7 | 586.6 | 564.1 | 574.7 | **64,890.8** |
| WIN | 1974 | 326.5 | 481.2 | 520.0 | 513.3 | 473.9 | 360.4 | 561.5 | 448.3 | 533.2 | 549.0 | 573.9 | 586.6 | **57,500.7** |
| WIN | 1973 | 528.3 | 454.0 | 518.3 | 559.6 | 621.5 | 564.5 | 466.3 | 573.0 | 555.6 | 478.1 | 495.4 | 456.6 | **51,572.9** |
| WIN | 1972 | 465.2 | 487.9 | 768.8 | 623.7 | 606.7 | 628.3 | 583.3 | 660.7 | 589.8 | 614.6 | 436.2 | 395.9 | **45,301.7** |
| WIN | 1971 | 401.6 | 469.6 | 423.7 | 481.6 | 399.0 | 330.5 | 398.9 | 499.5 | 473.3 | 491.1 | 510.3 | 36.9 | **38,440.6** |
| WIN | 1970 | 633.2 | 603.8 | 445.6 | 552.9 | 465.2 | 465.0 | 600.6 | 489.5 | 432.6 | 580.1 | 540.7 | 462.5 | **33,524.6** |
| WIN | 1969 | 938.8 | 1138.5 | 1170.7 | 833.7 | 585.7 | 862.8 | 640.4 | 514.0 | 601.1 | 850.9 | 669.5 | 788.1 | **27,252.9** |
| WIN | 1968 | 988.4 | 1148.3 | 980.0 | 1196.5 | 1082.2 | 974.4 | 1067.7 | 1056.7 | 609.4 | 967.7 | 917.8 | 884.9 | **17,658.7** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 227.2 | 1244.5 | 1264.4 | 1074.4 | 1001.4 | 972.8 | **5,784.7** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **304.0** |
| H2O | 1957 | 389.0 | 290.0 | 388.2 | 329.4 | 322.6 | 6.2 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,412.7** |
| OIL | 1957 | 87.0 | 72.3 | 67.5 | 81.5 | 92.3 | 6.5 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **830.8** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 29.0 | 31.0 | 30.0 | 31.0 | **123.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.4 | 396.2 | 455.6 | 425.7 | 402.9 | **1,686.8** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 20.3 | 103.6 | 103.0 | 98.7 | 96.0 | **423.2** |

Licence ***1194*** Well Name ***Enerplus South Virden CPR*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-07-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1961 | 21.0 | 24.0 | 31.0 | 30.0 | 31.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,538.0** |
| H2O | 1961 | 324.9 | 458.9 | 567.3 | 542.2 | 550.2 | 79.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **27,341.8** |
| OIL | 1961 | 8.0 | 10.0 | 16.8 | 21.1 | 18.9 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,754.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | 30.0 | 25.0 | 17.0 | 30.0 | 29.0 | 29.0 | 31.0 | **1,396.0** |
| H2O | 1960 | 562.2 | 588.2 | 632.4 | 620.5 | 619.5 | 575.5 | 360.4 | 329.9 | 536.2 | 500.3 | 547.2 | 611.3 | **24,818.7** |
| OIL | 1960 | 20.0 | 18.8 | 20.7 | 23.4 | 64.4 | 36.7 | 25.9 | 7.2 | 13.0 | 10.6 | 12.2 | 14.1 | **2,678.8** |
| DAY | 1959 | 30.0 | 28.0 | 29.0 | 16.0 | 0.0 | 30.0 | 6.0 | 4.0 | 0.0 | 26.0 | 29.0 | 31.0 | **1,056.0** |
| H2O | 1959 | 500.9 | 508.6 | 527.0 | 295.2 | 0.0 | 593.9 | 116.7 | 79.8 | 0.0 | 544.2 | 524.2 | 608.7 | **18,335.1** |
| OIL | 1959 | 54.0 | 52.8 | 55.5 | 27.7 | 0.0 | 34.6 | 5.2 | 3.3 | 0.0 | 22.2 | 12.4 | 11.3 | **2,411.8** |
| DAY | 1958 | 31.0 | 24.0 | 31.0 | 29.0 | 31.0 | 29.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **827.0** |
| H2O | 1958 | 637.7 | 435.3 | 618.4 | 520.5 | 562.8 | 527.0 | 539.9 | 605.1 | 566.1 | 563.7 | 516.7 | 457.7 | **14,035.9** |
| OIL | 1958 | 90.1 | 65.9 | 79.8 | 82.8 | 67.5 | 68.2 | 69.1 | 52.1 | 55.0 | 61.0 | 51.8 | 40.8 | **2,132.8** |
| DAY | 1957 | 31.0 | 20.0 | 24.0 | 18.0 | 31.0 | 29.0 | 30.0 | 31.0 | 26.0 | 30.0 | 30.0 | 31.0 | **471.0** |
| H2O | 1957 | 496.5 | 324.6 | 399.2 | 247.2 | 400.8 | 421.8 | 450.4 | 492.5 | 425.9 | 488.5 | 489.8 | 536.4 | **7,485.0** |
| OIL | 1957 | 89.9 | 57.8 | 70.9 | 58.0 | 103.1 | 81.7 | 84.7 | 75.2 | 58.8 | 68.6 | 80.9 | 90.4 | **1,348.7** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 30.0 | 31.0 | 28.0 | 28.0 | **140.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 378.8 | 509.5 | 525.1 | 448.6 | 449.4 | **2,311.4** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 69.1 | 95.0 | 98.2 | 84.2 | 82.2 | **428.7** |

# Manitoba Production
## 1950 To 1975

Licence ***1195*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-07-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1041.2 | 1298.2 | 1612.1 | 1857.5 | 1960.2 | 1669.8 | 1672.5 | 1361.5 | 2280.6 | 2026.7 | 1963.1 | 1951.3 | **147,004.1** |
| WIN | 1974 | 1376.8 | 2324.9 | 2426.5 | 2484.9 | 2278.8 | 1801.6 | 2215.7 | 1896.3 | 1516.0 | 1135.8 | 1231.3 | 949.0 | **126,309.4** |
| WIN | 1973 | 324.2 | 272.7 | 270.9 | 312.9 | 350.7 | 1292.0 | 2313.8 | 2595.2 | 2537.0 | 2376.1 | 2016.0 | 1978.7 | **104,671.8** |
| WIN | 1972 | 768.7 | 186.3 | 275.8 | 400.5 | 245.1 | 225.4 | 290.6 | 240.1 | 263.9 | 521.9 | 313.8 | 337.7 | **88,031.6** |
| WIN | 1971 | 337.2 | 59.9 | 77.1 | 175.7 | 92.4 | 38.6 | 133.7 | 94.4 | 66.5 | 190.1 | 187.3 | 11.4 | **83,961.8** |
| WIN | 1970 | 2734.0 | 2600.6 | 2620.5 | 2495.0 | 1602.8 | 366.8 | 0.0 | 62.6 | 0.0 | 0.0 | 0.0 | 100.3 | **82,497.5** |
| WIN | 1969 | 3309.5 | 2737.2 | 3049.1 | 3068.6 | 2137.6 | 2951.8 | 1566.6 | 2390.7 | 2404.3 | 2424.1 | 3193.7 | 3527.4 | **69,914.9** |
| WIN | 1968 | 1303.3 | 1473.6 | 938.0 | 1916.2 | 2509.5 | 3110.9 | 3391.5 | 3671.8 | 2596.1 | 3444.1 | 3332.2 | 3065.3 | **37,154.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,891.0** |
| H2O | 1967 | 271.4 | 274.6 | 322.4 | 321.8 | 290.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **49,983.6** |
| OIL | 1967 | 6.7 | 6.2 | 6.8 | 6.4 | 6.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,707.3** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 568.8 | 901.4 | 1110.5 | 993.5 | 1649.7 | 1177.9 | **6,401.8** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,741.0** |
| H2O | 1966 | 455.2 | 440.1 | 496.8 | 440.1 | 309.1 | 301.4 | 313.8 | 306.0 | 383.5 | 323.4 | 429.2 | 254.4 | **48,502.8** |
| OIL | 1966 | 13.2 | 12.1 | 13.3 | 14.1 | 9.9 | 11.6 | 10.8 | 11.1 | 7.9 | 7.3 | 7.2 | 6.4 | **7,674.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,376.0** |
| H2O | 1965 | 384.4 | 357.2 | 429.7 | 473.8 | 616.5 | 487.0 | 491.4 | 476.5 | 441.3 | 453.6 | 445.6 | 480.9 | **44,049.8** |
| OIL | 1965 | 13.8 | 13.2 | 15.3 | 14.5 | 17.2 | 19.2 | 19.5 | 18.9 | 14.8 | 14.3 | 13.7 | 13.7 | **7,549.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,011.0** |
| H2O | 1964 | 330.5 | 307.5 | 316.5 | 305.6 | 318.8 | 274.1 | 293.8 | 294.9 | 288.5 | 302.4 | 297.6 | 356.1 | **38,511.9** |
| OIL | 1964 | 7.6 | 8.3 | 8.4 | 8.7 | 9.1 | 7.5 | 14.1 | 13.8 | 14.5 | 13.3 | 14.0 | 14.0 | **7,361.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,645.0** |
| H2O | 1963 | 423.8 | 314.8 | 368.5 | 303.2 | 325.8 | 367.9 | 355.3 | 312.6 | 342.4 | 313.0 | 336.6 | 335.1 | **34,825.6** |
| OIL | 1963 | 28.1 | 23.2 | 27.2 | 16.0 | 18.3 | 4.8 | 10.5 | 16.7 | 9.1 | 8.3 | 8.9 | 7.6 | **7,228.5** |
| DAY | 1962 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 26.0 | 30.0 | 30.0 | 31.0 | **2,283.0** |
| H2O | 1962 | 465.7 | 434.5 | 442.9 | 400.3 | 412.7 | 411.4 | 485.7 | 432.7 | 414.1 | 472.0 | 413.0 | 463.6 | **30,726.6** |
| OIL | 1962 | 36.7 | 28.9 | 29.4 | 30.7 | 32.6 | 31.9 | 32.6 | 24.0 | 24.5 | 26.5 | 25.6 | 27.8 | **7,049.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,928.0** |
| H2O | 1961 | 413.0 | 428.1 | 439.7 | 416.5 | 448.0 | 518.6 | 569.9 | 527.2 | 460.7 | 471.2 | 420.5 | 429.2 | **25,478.0** |
| OIL | 1961 | 43.2 | 38.8 | 43.1 | 35.9 | 38.3 | 40.4 | 41.2 | 37.5 | 38.1 | 34.6 | 31.9 | 30.8 | **6,698.6** |
| DAY | 1960 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,566.0** |
| H2O | 1960 | 409.9 | 420.8 | 460.4 | 444.7 | 472.8 | 459.5 | 363.6 | 493.0 | 466.6 | 451.2 | 427.5 | 478.7 | **19,935.4** |
| OIL | 1960 | 66.4 | 62.6 | 71.0 | 68.0 | 58.0 | 54.5 | 54.0 | 55.3 | 57.0 | 46.9 | 50.5 | 46.9 | **6,244.8** |
| DAY | 1959 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 22.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,203.0** |
| H2O | 1959 | 374.2 | 371.5 | 394.1 | 392.4 | 406.2 | 403.8 | 316.1 | 445.1 | 418.3 | 456.4 | 422.1 | 425.3 | **14,586.7** |
| OIL | 1959 | 91.5 | 78.7 | 83.4 | 80.4 | 76.9 | 75.0 | 56.1 | 76.0 | 73.1 | 69.8 | 59.4 | 64.5 | **5,553.7** |
| DAY | 1958 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **849.0** |
| H2O | 1958 | 443.2 | 346.3 | 275.5 | 368.4 | 394.3 | 369.0 | 397.3 | 405.6 | 385.0 | 420.2 | 404.1 | 389.0 | **9,761.2** |
| OIL | 1958 | 143.3 | 120.3 | 141.1 | 119.0 | 121.2 | 103.8 | 119.7 | 102.2 | 117.1 | 105.8 | 92.6 | 89.0 | **4,668.9** |
| DAY | 1957 | 31.0 | 26.0 | 22.0 | 26.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **487.0** |
| H2O | 1957 | 301.7 | 252.5 | 222.1 | 260.7 | 292.0 | 500.6 | 321.6 | 339.7 | 340.1 | 334.5 | 340.1 | 372.0 | **5,163.3** |
| OIL | 1957 | 239.5 | 197.0 | 172.7 | 168.8 | 207.4 | 167.2 | 152.1 | 152.6 | 138.3 | 138.3 | 139.8 | 156.2 | **3,293.8** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 28.0 | 29.0 | 25.0 | 28.0 | **140.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 240.9 | 230.8 | 300.8 | 239.9 | 273.3 | **1,285.7** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 303.5 | 297.5 | 246.5 | 197.4 | 219.0 | **1,263.9** |

Licence ***1196*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,866.0** |
| H2O | 1975 | 380.6 | 338.0 | 365.2 | 366.1 | 448.0 | 419.2 | 422.4 | 420.7 | 437.2 | 456.4 | 425.1 | 454.5 | **38,270.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1196*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1975 | 69.0 | 61.5 | 69.1 | 65.6 | 64.2 | 67.5 | 64.5 | 69.3 | 66.7 | 67.9 | 64.8 | 65.8 | **11,856.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 21.0 | 1.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,502.0** |
| H2O | 1974 | 186.8 | 143.1 | 163.9 | 161.0 | 147.5 | 208.1 | 7.9 | 276.8 | 294.7 | 304.9 | 361.8 | 375.4 | **33,336.9** |
| OIL | 1974 | 31.0 | 65.9 | 72.6 | 68.8 | 63.9 | 56.6 | 2.2 | 130.1 | 135.7 | 138.6 | 68.0 | 69.0 | **11,060.6** |
| DAY | 1973 | 31.0 | 27.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 28.0 | 31.0 | **6,182.0** |
| H2O | 1973 | 223.0 | 182.5 | 213.5 | 226.7 | 252.1 | 211.4 | 220.8 | 225.0 | 192.4 | 190.6 | 182.2 | 199.4 | **30,705.0** |
| OIL | 1973 | 41.5 | 45.8 | 51.3 | 50.5 | 43.1 | 27.7 | 27.8 | 24.5 | 28.0 | 29.1 | 29.9 | 32.3 | **10,158.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,826.0** |
| H2O | 1972 | 287.1 | 202.5 | 240.5 | 244.4 | 200.0 | 206.8 | 225.0 | 223.7 | 214.0 | 242.8 | 209.4 | 215.7 | **28,185.4** |
| OIL | 1972 | 40.7 | 35.6 | 48.0 | 44.5 | 49.1 | 47.4 | 41.5 | 70.9 | 68.6 | 67.4 | 65.2 | 68.2 | **9,726.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,460.0** |
| H2O | 1971 | 207.8 | 197.9 | 198.4 | 280.3 | 295.1 | 271.2 | 264.9 | 283.3 | 273.8 | 350.6 | 308.9 | 268.0 | **25,473.5** |
| OIL | 1971 | 48.5 | 43.4 | 47.5 | 47.0 | 55.6 | 49.3 | 50.2 | 56.4 | 53.2 | 44.3 | 33.5 | 39.4 | **9,079.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,095.0** |
| H2O | 1970 | 287.8 | 294.6 | 316.8 | 322.1 | 318.4 | 308.6 | 316.2 | 219.4 | 201.4 | 196.7 | 194.4 | 196.0 | **22,273.3** |
| OIL | 1970 | 49.3 | 48.1 | 52.6 | 59.0 | 60.5 | 58.2 | 62.0 | 47.4 | 45.1 | 47.0 | 44.2 | 46.9 | **8,511.3** |
| DAY | 1969 | 31.0 | 27.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,730.0** |
| H2O | 1969 | 296.8 | 253.7 | 269.2 | 287.3 | 293.2 | 295.5 | 308.6 | 268.7 | 271.4 | 274.6 | 273.4 | 267.1 | **19,100.9** |
| OIL | 1969 | 45.9 | 39.4 | 43.9 | 44.2 | 63.6 | 72.5 | 61.3 | 48.3 | 44.2 | 45.9 | 45.8 | 47.2 | **7,891.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,368.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 301.4 | 276.9 | 308.1 | 275.7 | 235.8 | 289.0 | 235.4 | 238.0 | **15,741.4** |
| OIL | 1968 | 5.1 | 4.8 | 4.9 | 4.4 | 50.1 | 36.2 | 36.2 | 41.6 | 36.9 | 42.4 | 48.0 | 50.7 | **7,288.8** |
| DAY | 1967 | 29.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 22.0 | 31.0 | **4,006.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 2.4 | 0.0 | **13,581.1** |
| OIL | 1967 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 7.8 | 8.7 | 8.6 | 8.9 | 9.2 | 18.8 | 4.9 | **6,927.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 24.0 | 22.0 | 30.0 | 31.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,772.0** |
| H2O | 1966 | 11.0 | 9.5 | 10.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **13,577.6** |
| OIL | 1966 | 4.0 | 3.7 | 4.1 | 2.4 | 2.4 | 3.2 | 3.2 | 2.4 | 3.2 | 3.5 | 2.7 | 2.7 | **6,858.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,429.0** |
| H2O | 1965 | 45.9 | 42.3 | 46.4 | 56.0 | 61.0 | 10.5 | 11.1 | 10.7 | 10.3 | 10.3 | 10.3 | 10.5 | **13,546.4** |
| OIL | 1965 | 20.5 | 18.8 | 20.0 | 23.7 | 24.5 | 15.9 | 17.0 | 15.9 | 4.6 | 4.1 | 4.3 | 4.0 | **6,820.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,064.0** |
| H2O | 1964 | 75.7 | 80.8 | 82.7 | 77.3 | 98.4 | 43.4 | 39.9 | 43.9 | 39.0 | 39.7 | 36.6 | 45.3 | **13,221.1** |
| OIL | 1964 | 26.5 | 24.9 | 24.9 | 24.5 | 29.9 | 24.6 | 22.7 | 23.0 | 21.3 | 20.7 | 18.9 | 19.7 | **6,647.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,698.0** |
| H2O | 1963 | 94.8 | 87.4 | 87.3 | 56.9 | 51.0 | 50.1 | 63.8 | 49.3 | 49.1 | 65.0 | 62.3 | 52.9 | **12,518.4** |
| OIL | 1963 | 26.5 | 26.2 | 28.0 | 37.7 | 26.5 | 27.2 | 32.1 | 27.0 | 27.0 | 24.9 | 23.4 | 25.7 | **6,365.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,333.0** |
| H2O | 1962 | 92.7 | 111.0 | 125.4 | 118.6 | 125.6 | 107.6 | 115.6 | 98.6 | 97.3 | 105.9 | 92.8 | 101.0 | **11,748.5** |
| OIL | 1962 | 36.5 | 34.8 | 37.7 | 36.2 | 36.1 | 39.7 | 41.0 | 27.3 | 28.4 | 29.1 | 26.7 | 25.9 | **6,033.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,969.0** |
| H2O | 1961 | 128.6 | 120.2 | 106.7 | 114.9 | 108.9 | 104.3 | 104.8 | 107.6 | 115.1 | 113.0 | 90.1 | 85.8 | **10,456.4** |
| OIL | 1961 | 57.7 | 51.3 | 34.0 | 35.0 | 39.4 | 33.4 | 37.3 | 40.8 | 41.3 | 40.2 | 37.3 | 36.4 | **5,634.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,604.0** |
| H2O | 1960 | 144.4 | 130.5 | 101.6 | 121.9 | 138.9 | 131.2 | 144.2 | 127.5 | 129.1 | 135.5 | 128.8 | 137.2 | **9,156.4** |
| OIL | 1960 | 52.3 | 46.9 | 40.8 | 47.2 | 60.9 | 57.7 | 56.4 | 54.3 | 49.4 | 53.7 | 52.6 | 57.5 | **5,150.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,238.0** |
| H2O | 1959 | 70.3 | 118.4 | 132.1 | 135.3 | 150.1 | 137.0 | 170.3 | 191.1 | 128.8 | 132.4 | 120.3 | 133.5 | **7,585.6** |
| OIL | 1959 | 63.4 | 60.9 | 77.9 | 65.2 | 70.6 | 66.7 | 62.6 | 62.9 | 59.1 | 58.2 | 61.0 | 54.3 | **4,520.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **873.0** |
| H2O | 1958 | 266.3 | 189.7 | 198.9 | 159.9 | 165.0 | 163.0 | 165.3 | 103.8 | 102.5 | 126.9 | 114.3 | 142.9 | **5,966.0** |
| OIL | 1958 | 130.9 | 91.1 | 96.0 | 97.4 | 97.9 | 81.0 | 95.3 | 76.3 | 63.4 | 89.0 | 70.6 | 73.6 | **3,757.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1196*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **508.0** |
| H2O | 1957 | 233.9 | 199.7 | 191.9 | 196.8 | 245.5 | 166.8 | 149.0 | 101.9 | 106.2 | 363.7 | 395.5 | 243.1 | **4,067.5** |
| OIL | 1957 | 195.8 | 170.4 | 170.0 | 127.6 | 117.4 | 108.5 | 111.1 | 65.0 | 72.0 | 206.4 | 183.7 | 108.2 | **2,695.0** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 30.0 | 30.0 | 31.0 | 21.0 | 27.0 | **149.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 116.7 | 332.0 | 292.8 | 279.2 | 202.4 | 250.4 | **1,473.5** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 67.7 | 242.3 | 201.8 | 224.7 | 135.2 | 187.2 | **1,058.9** |

Licence ***1197*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-12-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 19.0 | 0.0 | 17.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **6,360.0** |
| H2O | 1975 | 32.0 | 28.1 | 18.6 | 0.0 | 16.9 | 28.8 | 31.0 | 30.4 | 31.5 | 30.8 | 31.3 | 33.7 | **8,867.7** |
| OIL | 1975 | 41.8 | 37.0 | 25.4 | 0.0 | 22.7 | 40.7 | 18.4 | 18.6 | 18.0 | 17.2 | 17.3 | 17.6 | **9,200.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 26.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,053.0** |
| H2O | 1974 | 22.6 | 21.1 | 24.2 | 23.8 | 21.9 | 22.4 | 25.3 | 25.4 | 29.7 | 29.6 | 30.4 | 31.5 | **8,554.6** |
| OIL | 1974 | 36.1 | 33.2 | 36.9 | 35.3 | 32.3 | 34.2 | 40.7 | 40.0 | 41.6 | 40.8 | 41.5 | 42.0 | **8,925.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,697.0** |
| H2O | 1973 | 28.5 | 24.6 | 28.6 | 30.7 | 25.4 | 23.1 | 24.3 | 24.8 | 24.3 | 24.5 | 23.7 | 23.8 | **8,246.7** |
| OIL | 1973 | 41.5 | 36.1 | 40.4 | 39.9 | 43.1 | 42.0 | 42.4 | 37.5 | 34.3 | 36.2 | 37.5 | 37.0 | **8,471.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,332.0** |
| H2O | 1972 | 24.2 | 17.3 | 18.4 | 18.8 | 29.1 | 28.8 | 28.6 | 28.0 | 29.3 | 30.2 | 26.1 | 26.9 | **7,940.4** |
| OIL | 1972 | 61.5 | 53.9 | 57.2 | 40.2 | 41.0 | 38.8 | 41.3 | 38.9 | 41.3 | 40.7 | 39.3 | 41.2 | **8,003.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,968.0** |
| H2O | 1971 | 27.7 | 26.4 | 17.8 | 13.5 | 19.9 | 23.2 | 31.3 | 29.3 | 32.9 | 41.5 | 23.7 | 22.7 | **7,634.7** |
| OIL | 1971 | 57.8 | 51.6 | 65.9 | 56.7 | 55.6 | 45.0 | 54.7 | 71.0 | 53.2 | 58.2 | 57.8 | 59.6 | **7,468.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,604.0** |
| H2O | 1970 | 15.3 | 13.5 | 14.8 | 28.8 | 28.6 | 32.1 | 32.9 | 33.9 | 22.4 | 21.9 | 21.8 | 26.1 | **7,324.8** |
| OIL | 1970 | 38.9 | 34.6 | 57.5 | 63.4 | 65.2 | 67.9 | 72.1 | 71.2 | 62.6 | 65.2 | 61.2 | 55.9 | **6,781.0** |
| DAY | 1969 | 31.0 | 28.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,239.0** |
| H2O | 1969 | 24.2 | 22.1 | 17.3 | 27.8 | 28.8 | 23.5 | 14.8 | 14.1 | 14.5 | 14.5 | 14.6 | 14.1 | **7,032.7** |
| OIL | 1969 | 50.4 | 46.2 | 38.0 | 70.7 | 69.8 | 76.9 | 66.7 | 67.1 | 34.8 | 36.2 | 36.5 | 37.3 | **6,065.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,881.0** |
| H2O | 1968 | 33.1 | 32.3 | 35.3 | 32.4 | 67.2 | 62.3 | 20.2 | 19.2 | 19.9 | 24.2 | 23.8 | 24.0 | **6,802.4** |
| OIL | 1968 | 10.0 | 9.9 | 10.0 | 9.1 | 42.1 | 41.8 | 59.3 | 59.1 | 54.5 | 51.2 | 48.0 | 50.7 | **5,434.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,518.0** |
| H2O | 1967 | 25.9 | 26.2 | 31.0 | 30.8 | 29.6 | 27.8 | 27.3 | 192.4 | 201.6 | 205.7 | 201.6 | 34.0 | **6,408.5** |
| OIL | 1967 | 40.5 | 37.0 | 41.3 | 38.6 | 40.2 | 41.5 | 42.7 | 47.2 | 48.6 | 50.2 | 51.0 | 10.0 | **4,989.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,153.0** |
| H2O | 1966 | 16.9 | 14.5 | 15.1 | 14.9 | 16.4 | 18.8 | 16.2 | 16.4 | 15.1 | 14.6 | 14.3 | 24.5 | **5,374.6** |
| OIL | 1966 | 38.6 | 34.3 | 36.7 | 33.5 | 34.8 | 34.8 | 35.1 | 35.1 | 32.1 | 33.8 | 31.3 | 38.5 | **4,500.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,791.0** |
| H2O | 1965 | 18.0 | 15.3 | 17.3 | 16.4 | 16.1 | 14.8 | 14.5 | 13.5 | 16.9 | 16.4 | 17.6 | 17.2 | **5,176.9** |
| OIL | 1965 | 48.0 | 41.3 | 45.8 | 42.7 | 42.9 | 43.1 | 43.2 | 43.1 | 40.2 | 39.9 | 40.7 | 39.3 | **4,081.6** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 3.0 | 29.0 | 25.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,428.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 5.7 | 28.9 | 20.2 | 25.8 | 16.9 | 17.0 | 15.6 | 17.3 | 18.8 | **4,982.9** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 5.7 | 49.9 | 44.2 | 62.3 | 51.8 | 46.7 | 55.3 | 47.2 | 49.7 | **3,571.4** |
| DAY | 1963 | 13.0 | 0.0 | 0.0 | 22.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 9.0 | 0.0 | 0.0 | **2,190.0** |
| H2O | 1963 | 17.8 | 0.0 | 0.0 | 49.6 | 47.1 | 54.8 | 48.3 | 46.7 | 4.9 | 1.4 | 0.0 | 0.0 | **4,816.7** |
| OIL | 1963 | 9.7 | 0.0 | 0.0 | 15.3 | 27.0 | 22.7 | 26.4 | 14.5 | 3.0 | 0.8 | 0.0 | 0.0 | **3,158.6** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 3.0 | 11.0 | 15.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,994.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.6 | 1.0 | 1.6 | 76.2 | 76.0 | 70.1 | 61.2 | 56.1 | 44.2 | **4,546.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1197*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-12-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.3 | 0.8 | 1.3 | 28.9 | 23.2 | 21.3 | 26.2 | 23.4 | 23.2 | **3,039.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 23.0 | 22.0 | 19.0 | 17.0 | 21.0 | 16.0 | 24.0 | 4.0 | 0.0 | **1,784.0** |
| H2O | 1961 | 15.7 | 17.8 | 18.9 | 15.1 | 1.9 | 2.4 | 1.6 | 1.7 | 1.3 | 1.0 | 0.0 | 0.0 | **4,159.1** |
| OIL | 1961 | 30.7 | 28.4 | 29.1 | 20.0 | 1.7 | 2.2 | 1.6 | 1.9 | 1.1 | 2.2 | 0.2 | 0.0 | **2,890.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 22.0 | 30.0 | 31.0 | **1,548.0** |
| H2O | 1960 | 19.6 | 19.1 | 19.9 | 20.0 | 18.4 | 17.6 | 18.0 | 17.5 | 14.9 | 13.2 | 15.7 | 17.6 | **4,081.7** |
| OIL | 1960 | 36.9 | 31.6 | 33.4 | 31.8 | 31.9 | 31.1 | 32.1 | 28.8 | 25.4 | 24.0 | 30.0 | 32.4 | **2,771.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,195.0** |
| H2O | 1959 | 24.8 | 24.3 | 24.5 | 26.1 | 22.4 | 24.5 | 25.1 | 26.7 | 24.5 | 20.7 | 21.0 | 21.0 | **3,870.2** |
| OIL | 1959 | 23.0 | 20.7 | 23.0 | 22.7 | 21.5 | 21.1 | 20.7 | 34.2 | 38.9 | 37.2 | 36.9 | 36.5 | **2,402.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **836.0** |
| H2O | 1958 | 56.9 | 52.9 | 59.1 | 55.6 | 52.6 | 49.0 | 19.6 | 29.1 | 25.3 | 31.3 | 27.7 | 27.3 | **3,584.6** |
| OIL | 1958 | 50.7 | 45.4 | 45.1 | 43.1 | 53.9 | 50.7 | 39.3 | 42.7 | 34.0 | 39.6 | 24.8 | 23.4 | **2,065.7** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **478.0** |
| H2O | 1957 | 378.4 | 175.7 | 234.8 | 199.4 | 171.9 | 105.9 | 108.9 | 109.1 | 76.2 | 79.6 | 65.3 | 63.6 | **3,098.2** |
| OIL | 1957 | 122.5 | 110.1 | 102.7 | 123.9 | 195.3 | 73.9 | 59.0 | 61.5 | 74.1 | 79.0 | 57.8 | 55.3 | **1,573.0** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 31.0 | 30.0 | 31.0 | **115.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 85.8 | 439.4 | 413.7 | 390.5 | **1,329.4** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 40.2 | 144.0 | 138.9 | 134.8 | **457.9** |

Licence ***1198*** Well Name ***Virden Roselea Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 3332.5 | 2881.8 | 3268.8 | 3302.2 | 3430.3 | 3161.5 | 3257.3 | 3342.2 | 3611.9 | 3482.8 | 3385.2 | 3486.3 | **254,276.2** |
| WIN | 1974 | 2278.8 | 2959.4 | 3076.6 | 3080.2 | 2828.9 | 2607.0 | 3144.1 | 2920.1 | 3017.4 | 3029.0 | 3179.0 | 3317.0 | **214,333.4** |
| WIN | 1973 | 2411.7 | 2065.5 | 2340.0 | 2482.8 | 2693.0 | 2387.4 | 2457.5 | 2279.6 | 2380.2 | 2273.6 | 2223.0 | 2285.5 | **178,895.9** |
| WIN | 1972 | 1833.2 | 1704.7 | 2193.3 | 2126.7 | 2631.1 | 2706.0 | 2860.7 | 2949.2 | 2752.3 | 2871.7 | 2187.2 | 2351.0 | **150,616.1** |
| WIN | 1971 | 2822.4 | 2436.8 | 2754.8 | 2739.1 | 2734.0 | 2304.1 | 2415.4 | 2210.5 | 2093.8 | 2455.1 | 2000.1 | 1886.0 | **121,449.0** |
| WIN | 1970 | 2533.2 | 2137.8 | 2261.6 | 2158.3 | 2458.3 | 2239.1 | 2246.4 | 2256.1 | 2494.1 | 2498.8 | 2533.7 | 2745.1 | **92,596.9** |
| WIN | 1969 | 2292.2 | 2069.4 | 2168.2 | 1968.5 | 2155.0 | 2248.1 | 2185.7 | 2187.4 | 1994.9 | 2347.2 | 2135.4 | 2214.1 | **64,034.4** |
| WIN | 1968 | 2043.7 | 2186.9 | 2480.7 | 1946.1 | 2218.1 | 2295.2 | 2207.6 | 2077.6 | 1828.4 | 2089.0 | 2027.5 | 1957.4 | **38,068.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,858.0** |
| H2O | 1967 | 28.2 | 28.4 | 33.5 | 33.3 | 7.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **9,233.1** |
| OIL | 1967 | 40.8 | 37.0 | 41.3 | 38.8 | 9.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **13,375.3** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 55.0 | 1197.1 | 1531.5 | 1544.2 | 1833.4 | 2133.5 | 2190.6 | 2224.8 | **12,710.1** |
| DAY | 1966 | 20.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,731.0** |
| H2O | 1966 | 30.5 | 44.7 | 37.2 | 33.2 | 33.2 | 32.6 | 31.0 | 32.4 | 32.0 | 32.7 | 33.4 | 26.4 | **9,102.5** |
| OIL | 1966 | 26.4 | 40.8 | 52.0 | 51.0 | 45.4 | 44.7 | 45.4 | 44.8 | 44.2 | 48.9 | 38.9 | 38.3 | **13,208.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,377.0** |
| H2O | 1965 | 129.3 | 119.1 | 131.0 | 49.3 | 47.5 | 36.7 | 44.5 | 42.3 | 49.3 | 48.5 | 49.0 | 49.4 | **8,703.2** |
| OIL | 1965 | 90.3 | 82.6 | 88.2 | 48.6 | 44.7 | 43.5 | 45.3 | 42.0 | 52.6 | 46.2 | 48.0 | 45.0 | **12,687.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,015.0** |
| H2O | 1964 | 29.4 | 31.3 | 32.0 | 96.8 | 121.9 | 122.3 | 112.2 | 123.7 | 109.5 | 112.1 | 103.0 | 127.3 | **7,907.3** |
| OIL | 1964 | 50.9 | 47.5 | 47.7 | 101.5 | 138.9 | 108.5 | 99.3 | 101.2 | 93.8 | 90.9 | 82.6 | 86.9 | **12,010.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,652.0** |
| H2O | 1963 | 49.0 | 45.3 | 45.2 | 44.8 | 3.7 | 66.5 | 71.4 | 73.4 | 26.4 | 27.0 | 24.2 | 20.3 | **6,785.8** |
| OIL | 1963 | 51.0 | 50.5 | 54.0 | 51.5 | 7.0 | 95.0 | 93.0 | 51.8 | 49.4 | 50.9 | 44.8 | 49.1 | **10,960.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,287.0** |
| H2O | 1962 | 69.2 | 82.5 | 93.3 | 88.2 | 93.6 | 40.1 | 42.4 | 40.7 | 50.4 | 52.8 | 48.2 | 52.3 | **6,288.6** |
| OIL | 1962 | 78.2 | 76.4 | 80.4 | 77.5 | 77.2 | 50.7 | 51.6 | 46.6 | 54.7 | 53.9 | 51.5 | 49.7 | **10,312.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 20.0 | 26.0 | 30.0 | 31.0 | **1,923.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1198*** Well Name ***Virden Roselea Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1961 | 34.3 | 32.1 | 35.3 | 36.4 | 35.9 | 34.3 | 6.7 | 7.0 | 4.9 | 69.2 | 67.1 | 63.9 | **5,534.9** |
| OIL | 1961 | 57.7 | 51.3 | 55.6 | 55.0 | 64.4 | 54.7 | 52.0 | 56.7 | 38.3 | 70.7 | 79.8 | 77.7 | **9,564.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,573.0** |
| H2O | 1960 | 57.2 | 91.4 | 64.1 | 61.5 | 62.3 | 58.7 | 64.7 | 57.2 | 56.1 | 36.2 | 34.3 | 36.7 | **5,107.8** |
| OIL | 1960 | 94.6 | 83.3 | 78.7 | 70.9 | 74.2 | 70.4 | 69.0 | 66.4 | 59.1 | 53.7 | 52.6 | 57.5 | **8,850.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,207.0** |
| H2O | 1959 | 88.7 | 86.3 | 95.2 | 116.4 | 129.3 | 118.9 | 118.0 | 115.9 | 93.6 | 97.8 | 94.8 | 55.6 | **4,427.4** |
| OIL | 1959 | 131.1 | 119.8 | 137.1 | 123.3 | 128.4 | 122.4 | 118.2 | 92.5 | 97.3 | 105.0 | 100.3 | 96.1 | **8,020.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **846.0** |
| H2O | 1958 | 143.6 | 157.5 | 147.2 | 118.3 | 132.4 | 146.6 | 160.6 | 109.5 | 109.4 | 147.7 | 91.4 | 65.0 | **3,216.9** |
| OIL | 1958 | 235.8 | 215.5 | 200.5 | 197.0 | 198.0 | 211.2 | 194.2 | 156.0 | 157.6 | 170.5 | 156.7 | 153.0 | **6,648.5** |
| DAY | 1957 | 28.0 | 27.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **482.0** |
| H2O | 1957 | 46.4 | 44.8 | 42.1 | 96.2 | 146.1 | 159.9 | 145.0 | 140.5 | 146.6 | 147.2 | 140.9 | 172.2 | **1,687.7** |
| OIL | 1957 | 255.8 | 251.2 | 245.4 | 184.0 | 275.9 | 287.8 | 298.3 | 274.1 | 285.1 | 289.9 | 261.4 | 240.3 | **4,402.5** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 30.0 | 31.0 | 29.0 | 30.0 | **123.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 64.4 | 61.4 | 61.0 | 62.0 | **259.8** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 61.5 | 294.8 | 324.3 | 268.4 | 304.3 | **1,253.3** |

Licence ***1199*** Well Name ***Norcoul Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-15-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,791.0** |
| H2O | 1975 | 576.8 | 600.7 | 684.4 | 494.5 | 581.1 | 577.1 | 437.7 | 506.9 | 488.4 | 435.5 | 439.1 | 418.5 | **96,555.3** |
| OIL | 1975 | 22.3 | 17.6 | 21.8 | 14.5 | 23.5 | 18.9 | 14.6 | 20.0 | 13.0 | 13.8 | 11.4 | 12.7 | **14,152.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,427.0** |
| H2O | 1974 | 508.8 | 483.2 | 488.4 | 605.3 | 615.1 | 618.9 | 614.5 | 561.9 | 571.2 | 570.8 | 572.4 | 576.8 | **90,314.6** |
| OIL | 1974 | 20.8 | 16.9 | 24.8 | 21.8 | 36.1 | 28.1 | 25.0 | 22.4 | 21.1 | 20.4 | 23.2 | 19.2 | **13,948.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,062.0** |
| H2O | 1973 | 711.9 | 685.2 | 718.5 | 686.0 | 711.0 | 632.8 | 500.0 | 710.8 | 728.2 | 695.7 | 371.2 | 383.0 | **83,527.3** |
| OIL | 1973 | 32.1 | 25.8 | 29.1 | 32.4 | 31.0 | 26.6 | 25.4 | 28.5 | 29.1 | 31.2 | 20.5 | 29.7 | **13,668.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,697.0** |
| H2O | 1972 | 565.0 | 617.5 | 567.4 | 748.0 | 748.8 | 653.6 | 528.8 | 675.4 | 718.9 | 638.0 | 774.7 | 778.9 | **75,993.0** |
| OIL | 1972 | 31.5 | 27.7 | 26.2 | 34.8 | 33.4 | 33.2 | 22.3 | 32.9 | 31.0 | 32.9 | 31.2 | 35.0 | **13,326.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,331.0** |
| H2O | 1971 | 582.1 | 436.4 | 681.7 | 663.9 | 708.4 | 586.2 | 794.0 | 668.1 | 528.3 | 542.9 | 512.6 | 586.0 | **67,978.0** |
| OIL | 1971 | 30.8 | 24.8 | 34.3 | 38.6 | 35.0 | 24.8 | 36.7 | 33.4 | 35.1 | 26.2 | 24.8 | 24.6 | **12,954.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,966.0** |
| H2O | 1970 | 753.4 | 664.1 | 641.5 | 679.8 | 657.9 | 528.8 | 704.3 | 649.9 | 672.0 | 643.7 | 754.4 | 493.5 | **60,687.4** |
| OIL | 1970 | 36.2 | 33.5 | 31.8 | 34.0 | 31.6 | 38.8 | 32.8 | 32.1 | 34.7 | 37.7 | 32.1 | 38.8 | **12,585.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,601.0** |
| H2O | 1969 | 659.6 | 922.1 | 541.8 | 661.7 | 720.5 | 709.7 | 708.3 | 704.2 | 648.7 | 656.3 | 717.0 | 780.5 | **52,844.1** |
| OIL | 1969 | 32.1 | 37.0 | 27.3 | 34.7 | 38.6 | 35.6 | 35.1 | 39.3 | 29.7 | 33.1 | 35.5 | 36.2 | **12,171.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,236.0** |
| H2O | 1968 | 560.1 | 650.7 | 672.5 | 571.9 | 512.4 | 602.6 | 657.9 | 680.1 | 741.0 | 759.2 | 627.7 | 729.6 | **44,413.7** |
| OIL | 1968 | 42.1 | 28.6 | 47.4 | 42.6 | 34.8 | 39.9 | 40.4 | 44.7 | 37.2 | 43.4 | 42.0 | 38.2 | **11,757.4** |
| DAY | 1967 | 23.0 | 0.0 | 0.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,870.0** |
| H2O | 1967 | 411.9 | 0.0 | 0.0 | 290.0 | 577.1 | 576.0 | 628.3 | 746.3 | 620.1 | 687.5 | 491.6 | 617.2 | **36,648.0** |
| OIL | 1967 | 24.3 | 0.0 | 0.0 | 22.6 | 36.9 | 37.8 | 39.7 | 35.1 | 33.4 | 31.8 | 22.3 | 34.3 | **11,276.1** |
| DAY | 1966 | 0.0 | 0.0 | 19.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,575.0** |
| H2O | 1966 | 0.0 | 0.0 | 305.3 | 371.9 | 517.8 | 530.7 | 530.4 | 584.1 | 506.1 | 574.6 | 537.7 | 537.5 | **31,002.0** |
| OIL | 1966 | 0.0 | 0.0 | 16.9 | 31.3 | 34.7 | 35.1 | 35.1 | 39.7 | 33.1 | 33.1 | 32.8 | 36.6 | **10,957.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1199*** Well Name ***Norcoul Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-15-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,281.0** |
| H2O | 1965 | 223.4 | 197.0 | 227.2 | 199.2 | 213.7 | 207.0 | 449.3 | 325.8 | 428.0 | 431.5 | 428.2 | 511.8 | **26,005.9** |
| OIL | 1965 | 37.8 | 32.8 | 34.2 | 30.8 | 37.5 | 33.7 | 27.5 | 32.3 | 36.6 | 29.4 | 24.3 | 32.4 | **10,629.5** |
| DAY | 1964 | 27.0 | 29.0 | 30.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 24.0 | 28.0 | 26.0 | 31.0 | **2,916.0** |
| H2O | 1964 | 138.6 | 178.9 | 108.6 | 254.5 | 286.0 | 232.4 | 290.5 | 286.3 | 271.1 | 301.4 | 205.7 | 274.9 | **22,163.8** |
| OIL | 1964 | 28.0 | 29.4 | 26.4 | 41.2 | 46.1 | 41.5 | 42.9 | 46.9 | 33.2 | 38.0 | 31.0 | 42.1 | **10,240.2** |
| DAY | 1963 | 29.0 | 20.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,572.0** |
| H2O | 1963 | 255.8 | 146.7 | 242.5 | 257.6 | 257.1 | 251.5 | 248.0 | 235.0 | 258.8 | 236.6 | 252.8 | 194.8 | **19,334.9** |
| OIL | 1963 | 49.6 | 33.9 | 50.4 | 53.6 | 54.5 | 49.4 | 45.8 | 52.9 | 45.3 | 55.6 | 61.1 | 30.5 | **9,793.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 20.0 | 30.0 | 0.0 | 24.0 | 28.0 | 29.0 | 31.0 | 29.0 | 31.0 | **2,221.0** |
| H2O | 1962 | 126.1 | 131.6 | 75.7 | 185.7 | 257.2 | 264.4 | 212.6 | 246.3 | 266.9 | 301.6 | 259.3 | 266.8 | **16,497.7** |
| OIL | 1962 | 21.8 | 16.1 | 8.0 | 41.1 | 50.6 | 46.8 | 39.7 | 50.2 | 49.3 | 46.6 | 44.7 | 53.6 | **9,210.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **1,909.0** |
| H2O | 1961 | 267.3 | 221.9 | 277.8 | 285.4 | 300.5 | 282.7 | 266.1 | 252.0 | 257.6 | 270.9 | 157.1 | 201.8 | **13,903.5** |
| OIL | 1961 | 71.9 | 63.7 | 70.8 | 68.3 | 70.2 | 67.6 | 63.5 | 67.6 | 61.0 | 65.4 | 50.5 | 48.2 | **8,742.4** |
| DAY | 1960 | 28.0 | 29.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,547.0** |
| H2O | 1960 | 287.7 | 250.0 | 301.3 | 296.9 | 290.4 | 302.0 | 311.5 | 307.5 | 319.8 | 249.0 | 247.1 | 285.8 | **10,862.4** |
| OIL | 1960 | 83.5 | 98.6 | 97.0 | 90.4 | 82.7 | 88.5 | 92.1 | 88.8 | 79.9 | 76.4 | 65.1 | 72.6 | **7,973.7** |
| DAY | 1959 | 23.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **1,188.0** |
| H2O | 1959 | 268.9 | 308.5 | 291.0 | 274.5 | 286.4 | 278.3 | 301.7 | 290.1 | 275.3 | 257.1 | 266.0 | 266.5 | **7,413.4** |
| OIL | 1959 | 84.2 | 107.1 | 108.3 | 101.8 | 110.9 | 106.9 | 110.9 | 109.0 | 103.2 | 103.4 | 92.4 | 92.6 | **6,958.1** |
| DAY | 1958 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **835.0** |
| H2O | 1958 | 232.8 | 196.1 | 191.0 | 176.7 | 168.7 | 148.9 | 159.4 | 150.9 | 150.5 | 178.3 | 176.5 | 307.4 | **4,049.1** |
| OIL | 1958 | 200.9 | 163.0 | 178.9 | 157.9 | 154.1 | 148.7 | 152.8 | 145.9 | 143.1 | 138.4 | 121.7 | 118.2 | **5,727.4** |
| DAY | 1957 | 31.0 | 26.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **471.0** |
| H2O | 1957 | 104.5 | 118.0 | 143.5 | 96.1 | 137.3 | 125.0 | 134.4 | 132.7 | 129.2 | 136.9 | 146.6 | 178.3 | **1,811.9** |
| OIL | 1957 | 308.7 | 270.2 | 275.1 | 219.0 | 246.5 | 219.5 | 213.1 | 204.8 | 187.5 | 168.9 | 179.6 | 199.9 | **3,903.8** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 0.0 | 22.0 | 29.0 | 30.0 | 31.0 | **114.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 47.0 | 83.5 | 98.5 | **229.4** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.5 | 0.0 | 178.0 | 406.0 | 337.3 | 272.2 | **1,211.0** |

Licence ***1202*** Well Name ***Virden Roselea Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.14-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1429.4 | 1055.1 | 1576.2 | 1700.5 | 1740.1 | 1528.3 | 1641.7 | 1577.0 | 1606.9 | 1578.1 | 1439.5 | 1548.0 | **162,829.2** |
| WIN | 1974 | 1340.7 | 1504.5 | 1567.4 | 1562.2 | 923.4 | 1486.4 | 1747.7 | 1633.6 | 1721.8 | 1741.2 | 1652.3 | 1482.1 | **144,408.4** |
| WIN | 1973 | 1452.3 | 1268.1 | 1475.6 | 1618.0 | 1753.0 | 1590.8 | 1620.7 | 1355.5 | 1533.6 | 1479.5 | 1462.8 | 1294.2 | **126,045.1** |
| WIN | 1972 | 1351.7 | 1350.4 | 1744.1 | 1650.7 | 1696.5 | 1628.7 | 1732.5 | 1790.0 | 1639.9 | 1716.9 | 1225.3 | 1510.4 | **108,141.0** |
| WIN | 1971 | 1729.8 | 1541.7 | 1697.8 | 1707.7 | 1509.6 | 1572.2 | 1508.1 | 1302.4 | 1405.9 | 1734.1 | 1473.5 | 1569.5 | **89,103.9** |
| WIN | 1970 | 1821.7 | 1483.2 | 1542.5 | 1438.4 | 1671.6 | 1627.4 | 1520.9 | 1618.2 | 1765.5 | 1700.2 | 1645.2 | 1699.6 | **70,351.6** |
| WIN | 1969 | 1816.7 | 1608.3 | 1683.5 | 1515.5 | 1724.2 | 1765.8 | 1707.3 | 1582.2 | 1589.2 | 1778.6 | 1664.3 | 1880.3 | **50,817.2** |
| WIN | 1968 | 1631.2 | 1593.2 | 1822.1 | 1505.1 | 1579.5 | 1604.8 | 1589.5 | 1513.5 | 1323.4 | 1663.8 | 1681.0 | 1681.0 | **30,501.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 18.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,896.0** |
| H2O | 1967 | 1.0 | 1.1 | 1.3 | 1.1 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **17,918.6** |
| OIL | 1967 | 33.9 | 30.8 | 34.5 | 32.4 | 18.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **11,881.7** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 181.2 | 1238.4 | 1547.7 | 1471.4 | 1661.4 | 1683.3 | 1729.0 | 1800.8 | **11,313.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,758.0** |
| H2O | 1966 | 101.5 | 83.7 | 94.5 | 102.9 | 97.1 | 99.4 | 94.8 | 100.3 | 2.9 | 2.7 | 1.1 | 0.8 | **17,913.5** |
| OIL | 1966 | 39.9 | 32.7 | 37.5 | 40.8 | 45.6 | 43.1 | 48.6 | 49.9 | 38.5 | 36.2 | 32.7 | 32.1 | **11,731.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,393.0** |
| H2O | 1965 | 164.4 | 160.1 | 166.6 | 156.1 | 136.7 | 134.8 | 143.6 | 134.3 | 111.6 | 113.8 | 91.9 | 96.5 | **17,131.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1202*** Well Name ***Virden Roselea Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.14-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1965 | 60.4 | 55.5 | 60.9 | 57.7 | 62.0 | 63.1 | 62.0 | 63.6 | 29.2 | 45.3 | 41.3 | 42.3 | **11,254.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,028.0** |
| H2O | 1964 | 135.9 | 128.8 | 138.6 | 133.2 | 134.3 | 178.4 | 177.1 | 144.8 | 143.2 | 144.2 | 160.3 | 165.7 | **15,521.4** |
| OIL | 1964 | 62.8 | 59.4 | 60.1 | 62.8 | 60.9 | 67.2 | 67.1 | 63.9 | 55.1 | 55.5 | 48.8 | 53.7 | **10,610.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,662.0** |
| H2O | 1963 | 171.5 | 158.2 | 166.5 | 154.5 | 162.8 | 156.1 | 132.0 | 130.8 | 138.2 | 147.5 | 145.8 | 134.0 | **13,736.9** |
| OIL | 1963 | 68.2 | 72.9 | 76.6 | 72.6 | 91.7 | 50.4 | 55.0 | 58.8 | 65.6 | 64.4 | 61.2 | 61.3 | **9,893.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,297.0** |
| H2O | 1962 | 124.2 | 123.2 | 127.5 | 182.5 | 177.4 | 166.3 | 174.2 | 186.8 | 175.0 | 177.3 | 168.5 | 181.4 | **11,939.0** |
| OIL | 1962 | 59.4 | 58.2 | 58.0 | 71.5 | 83.7 | 86.3 | 87.2 | 88.8 | 74.5 | 79.3 | 74.1 | 71.2 | **9,094.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,932.0** |
| H2O | 1961 | 165.2 | 152.3 | 162.2 | 152.1 | 170.1 | 176.5 | 178.9 | 143.2 | 141.0 | 143.2 | 125.3 | 138.8 | **9,974.7** |
| OIL | 1961 | 91.4 | 83.6 | 85.0 | 88.5 | 87.9 | 81.0 | 82.3 | 80.2 | 85.7 | 73.4 | 65.9 | 66.7 | **8,202.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,567.0** |
| H2O | 1960 | 162.2 | 132.6 | 215.1 | 172.0 | 166.0 | 125.3 | 195.4 | 163.0 | 102.9 | 155.2 | 155.0 | 160.6 | **8,125.9** |
| OIL | 1960 | 119.2 | 72.5 | 107.4 | 108.2 | 108.2 | 80.9 | 84.9 | 91.8 | 85.0 | 90.4 | 76.4 | 91.4 | **7,231.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,201.0** |
| H2O | 1959 | 164.9 | 146.4 | 136.7 | 127.3 | 128.9 | 122.7 | 160.4 | 144.7 | 149.3 | 140.9 | 168.5 | 160.1 | **6,220.6** |
| OIL | 1959 | 109.5 | 102.0 | 102.8 | 107.1 | 74.5 | 79.8 | 135.1 | 119.5 | 118.9 | 110.3 | 131.1 | 117.3 | **6,114.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 19.0 | 30.0 | 31.0 | **836.0** |
| H2O | 1958 | 120.7 | 85.4 | 91.1 | 76.3 | 88.1 | 73.8 | 69.6 | 53.7 | 123.5 | 102.2 | 186.2 | 213.5 | **4,469.8** |
| OIL | 1958 | 141.0 | 98.8 | 125.9 | 108.4 | 102.3 | 82.3 | 78.8 | 74.2 | 103.9 | 98.0 | 145.7 | 147.5 | **4,806.8** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **484.0** |
| H2O | 1957 | 333.9 | 213.0 | 232.9 | 137.8 | 163.4 | 185.4 | 164.5 | 179.8 | 171.1 | 150.6 | 123.2 | 129.9 | **3,185.7** |
| OIL | 1957 | 225.3 | 206.6 | 287.9 | 242.5 | 225.5 | 202.1 | 180.7 | 164.2 | 188.5 | 150.8 | 141.7 | 146.7 | **3,500.0** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 30.0 | 22.0 | 28.0 | 31.0 | **120.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 38.2 | 245.1 | 207.2 | 244.5 | 265.2 | **1,000.2** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 114.4 | 341.5 | 203.1 | 241.9 | 236.6 | **1,137.5** |

Licence ***1204*** Well Name ***Virden Roselea Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.08-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1351.7 | 1176.8 | 1387.8 | 1371.0 | 1403.6 | 938.0 | 1353.6 | 1337.6 | 1453.5 | 1432.8 | 1388.1 | 1418.7 | **89,995.4** |
| WIN | 1974 | 677.1 | 957.1 | 952.8 | 1159.3 | 1098.7 | 1008.3 | 1178.1 | 1121.0 | 1220.9 | 1312.4 | 1342.7 | 1349.9 | **73,982.2** |
| WIN | 1973 | 751.0 | 646.3 | 750.6 | 811.5 | 1012.4 | 898.4 | 969.1 | 936.1 | 939.7 | 913.8 | 924.5 | 866.1 | **60,603.9** |
| WIN | 1972 | 789.9 | 842.1 | 1068.5 | 1023.4 | 1011.7 | 889.5 | 1020.5 | 1066.4 | 1016.4 | 1034.8 | 720.2 | 810.1 | **50,184.4** |
| WIN | 1971 | 638.3 | 655.5 | 551.8 | 614.5 | 501.4 | 416.4 | 516.7 | 730.7 | 658.0 | 708.9 | 752.7 | 54.7 | **38,890.9** |
| WIN | 1970 | 749.9 | 592.4 | 660.4 | 773.9 | 553.3 | 611.9 | 640.4 | 500.0 | 421.1 | 606.0 | 481.4 | 723.5 | **32,091.3** |
| WIN | 1969 | 775.9 | 789.0 | 866.6 | 892.0 | 749.9 | 965.0 | 625.6 | 619.2 | 600.8 | 999.3 | 866.1 | 1032.1 | **24,777.1** |
| WIN | 1968 | 751.3 | 897.6 | 767.5 | 1160.1 | 959.9 | 901.7 | 901.6 | 892.4 | 611.6 | 913.2 | 795.6 | 775.8 | **14,995.6** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 188.1 | 683.6 | 1080.9 | 967.2 | 897.4 | 850.1 | **4,667.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 4.0 | 0.0 | **3,587.0** |
| H2O | 1966 | 58.8 | 50.8 | 57.2 | 41.8 | 48.2 | 47.2 | 43.7 | 46.7 | 45.2 | 46.4 | 5.1 | 0.0 | **7,335.0** |
| OIL | 1966 | 18.0 | 16.3 | 18.7 | 17.4 | 18.4 | 18.1 | 18.0 | 18.1 | 22.1 | 24.6 | 2.2 | 0.0 | **3,455.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,279.0** |
| H2O | 1965 | 77.7 | 71.5 | 78.7 | 94.9 | 103.0 | 49.8 | 53.1 | 51.7 | 52.8 | 54.8 | 55.5 | 56.0 | **6,843.9** |
| OIL | 1965 | 24.6 | 22.6 | 24.2 | 28.6 | 29.4 | 26.7 | 28.3 | 18.9 | 20.0 | 18.6 | 19.4 | 18.1 | **3,263.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 22.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,915.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.7 | 74.2 | 65.8 | 67.4 | 61.8 | 76.6 | **6,044.4** |
| OIL | 1964 | 8.1 | 7.6 | 7.6 | 7.5 | 7.5 | 6.4 | 20.5 | 27.7 | 25.7 | 24.9 | 22.6 | 23.8 | **2,984.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,563.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1204*** Well Name ***Virden Roselea Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.08-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1963 | 31.2 | 28.8 | 28.8 | 4.1 | 4.9 | 2.4 | 2.4 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | **5,675.9** |
| OIL | 1963 | 17.6 | 17.5 | 18.8 | 18.0 | 20.8 | 17.6 | 18.6 | 18.6 | 9.1 | 9.4 | 7.2 | 7.9 | **2,794.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,200.0** |
| H2O | 1962 | 2.9 | 3.5 | 4.0 | 3.8 | 3.8 | 3.5 | 3.2 | 33.1 | 32.1 | 34.8 | 30.7 | 33.2 | **5,570.9** |
| OIL | 1962 | 19.2 | 18.4 | 19.9 | 19.2 | 17.8 | 21.0 | 20.5 | 18.6 | 19.1 | 19.4 | 18.0 | 17.2 | **2,613.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,837.0** |
| H2O | 1961 | 17.8 | 16.7 | 3.3 | 3.8 | 3.5 | 3.3 | 3.3 | 3.2 | 3.5 | 3.5 | 2.9 | 2.7 | **5,382.3** |
| OIL | 1961 | 28.3 | 25.3 | 18.0 | 18.4 | 20.7 | 17.6 | 19.7 | 19.9 | 21.6 | 21.1 | 19.7 | 19.2 | **2,384.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 23.0 | 0.0 | 0.0 | 0.0 | 13.0 | 30.0 | 31.0 | **1,474.0** |
| H2O | 1960 | 0.0 | 4.3 | 25.9 | 29.7 | 28.6 | 16.9 | 0.0 | 0.0 | 0.0 | 37.2 | 17.8 | 18.9 | **5,314.8** |
| OIL | 1960 | 17.2 | 14.9 | 17.8 | 18.3 | 16.4 | 4.9 | 0.0 | 0.0 | 0.0 | 13.2 | 25.9 | 28.3 | **2,135.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,225.0** |
| H2O | 1959 | 10.7 | 14.9 | 46.9 | 31.0 | 56.6 | 37.2 | 35.0 | 38.0 | 23.8 | 32.1 | 16.7 | 19.7 | **5,135.5** |
| OIL | 1959 | 23.7 | 23.4 | 25.6 | 27.3 | 27.0 | 25.4 | 24.3 | 29.1 | 23.8 | 24.0 | 22.9 | 16.2 | **1,978.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **865.0** |
| H2O | 1958 | 82.2 | 74.2 | 86.2 | 62.3 | 69.6 | 71.5 | 71.2 | 94.4 | 92.4 | 53.6 | 62.3 | 33.7 | **4,772.9** |
| OIL | 1958 | 35.0 | 26.2 | 40.2 | 31.0 | 31.1 | 29.7 | 34.2 | 34.5 | 38.1 | 29.7 | 30.2 | 32.7 | **1,685.6** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **500.0** |
| H2O | 1957 | 345.8 | 200.3 | 165.3 | 205.7 | 239.9 | 180.8 | 165.0 | 130.5 | 134.5 | 109.5 | 100.0 | 83.9 | **3,919.3** |
| OIL | 1957 | 117.3 | 70.4 | 66.3 | 62.3 | 55.3 | 53.2 | 55.6 | 52.1 | 57.0 | 44.0 | 35.0 | 29.6 | **1,293.0** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 30.0 | 31.0 | 25.0 | 20.0 | **136.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 387.1 | 432.7 | 412.7 | 353.3 | 272.3 | **1,858.1** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 146.2 | 120.0 | 134.6 | 95.7 | 98.4 | **594.9** |

Licence ***1205*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-32-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 22.0 | 16.0 | 5.0 | 0.0 | 6.0 | 17.0 | 0.0 | **2,454.0** |
| H2O | 1965 | 591.4 | 440.4 | 492.8 | 466.6 | 492.8 | 341.8 | 261.8 | 95.2 | 0.0 | 314.8 | 878.5 | 0.0 | **28,310.3** |
| OIL | 1965 | 52.8 | 29.6 | 49.3 | 47.4 | 46.7 | 35.3 | 14.9 | 6.8 | 0.0 | 9.5 | 27.2 | 0.0 | **5,015.3** |
| DAY | 1964 | 31.0 | 29.0 | 29.0 | 29.0 | 30.0 | 28.0 | 29.0 | 31.0 | 29.0 | 31.0 | 25.0 | 31.0 | **2,239.0** |
| H2O | 1964 | 690.0 | 645.5 | 619.9 | 524.2 | 715.4 | 604.1 | 434.0 | 542.1 | 542.1 | 564.4 | 478.5 | 583.5 | **23,934.2** |
| OIL | 1964 | 62.5 | 54.0 | 50.7 | 42.7 | 81.0 | 52.3 | 65.6 | 72.1 | 55.9 | 58.8 | 72.6 | 58.8 | **4,695.8** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 26.0 | 31.0 | 27.0 | 28.0 | 23.0 | 27.0 | 31.0 | 26.0 | 31.0 | **1,887.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 153.4 | 152.6 | 444.4 | 561.2 | 477.0 | 514.3 | 642.3 | 572.4 | 690.0 | **16,990.5** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 23.0 | 20.8 | 74.8 | 93.3 | 73.6 | 79.3 | 92.5 | 56.9 | 68.2 | **3,968.8** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 3.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 25.0 | 26.0 | 27.0 | **1,637.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 36.6 | 346.6 | 296.5 | 195.5 | 246.4 | 201.1 | 143.1 | 283.0 | 193.2 | **12,782.9** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 8.1 | 84.7 | 68.8 | 54.8 | 68.0 | 56.7 | 28.8 | 52.0 | 26.7 | **3,386.4** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 31.0 | 28.0 | 0.0 | 3.0 | 23.0 | 25.0 | **1,407.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.6 | 108.9 | 87.4 | 0.0 | 15.1 | 278.2 | 367.2 | **10,840.9** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.9 | 14.8 | 13.3 | 0.0 | 6.7 | 59.1 | 56.1 | **2,937.8** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 18.0 | 19.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 6.0 | 0.0 | **1,282.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 44.5 | 63.6 | 70.7 | 84.3 | 67.6 | 77.9 | 88.2 | 19.1 | 0.0 | **9,955.5** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 14.3 | 15.1 | 13.5 | 20.7 | 10.3 | 15.9 | 19.9 | 4.8 | 0.0 | **2,779.9** |
| DAY | 1959 | 17.0 | 28.0 | 29.0 | 26.0 | 30.0 | 22.0 | 27.0 | 24.0 | 30.0 | 22.0 | 14.0 | 3.0 | **1,087.0** |
| H2O | 1959 | 88.2 | 138.3 | 181.2 | 179.6 | 246.4 | 157.4 | 163.7 | 228.9 | 243.2 | 166.9 | 42.9 | 1.6 | **9,439.6** |
| OIL | 1959 | 30.5 | 45.3 | 46.9 | 35.8 | 55.6 | 34.2 | 22.2 | 56.4 | 53.9 | 25.4 | 11.0 | 3.3 | **2,665.4** |
| DAY | 1958 | 30.0 | 25.0 | 31.0 | 29.0 | 28.0 | 30.0 | 30.0 | 25.0 | 30.0 | 30.0 | 28.0 | 6.0 | **815.0** |
| H2O | 1958 | 272.8 | 226.5 | 227.2 | 145.5 | 116.5 | 47.7 | 60.7 | 54.8 | 69.6 | 106.5 | 317.6 | 42.9 | **7,601.3** |
| OIL | 1958 | 51.6 | 58.8 | 50.9 | 30.7 | 30.2 | 21.3 | 24.3 | 19.2 | 31.6 | 28.1 | 75.5 | 13.5 | **2,244.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1205*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-32-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **493.0** |
| H2O | 1957 | 326.1 | 364.9 | 299.8 | 512.2 | 420.8 | 381.7 | 342.4 | 265.2 | 358.5 | 585.2 | 383.9 | 257.2 | **5,913.0** |
| OIL | 1957 | 152.4 | 17.2 | 81.8 | 134.4 | 95.0 | 83.0 | 74.5 | 57.4 | 84.5 | 116.0 | 69.0 | 49.1 | **1,809.2** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 27.0 | 31.0 | 30.0 | 31.0 | **134.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 273.8 | 444.3 | 322.9 | 374.1 | **1,415.1** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.3 | 289.2 | 224.9 | 139.2 | 137.3 | **794.9** |

Licence ***1206*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.16-10-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 27.0 | 23.0 | 28.0 | 30.0 | 31.0 | 14.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **880.0** |
| H2O | 1963 | 432.3 | 332.6 | 428.0 | 462.0 | 360.7 | 199.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **14,806.4** |
| OIL | 1963 | 2.7 | 2.4 | 2.4 | 3.0 | 3.5 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **907.9** |
| DAY | 1962 | 31.0 | 27.0 | 31.0 | 30.0 | 7.0 | 23.0 | 1.0 | 29.0 | 25.0 | 26.0 | 19.0 | 14.0 | **727.0** |
| H2O | 1962 | 448.6 | 403.5 | 470.7 | 442.3 | 102.4 | 354.0 | 11.1 | 469.6 | 385.8 | 413.3 | 293.3 | 184.1 | **12,591.3** |
| OIL | 1962 | 46.6 | 40.0 | 45.0 | 43.1 | 8.3 | 31.1 | 1.7 | 3.3 | 2.4 | 3.0 | 1.7 | 1.3 | **893.4** |
| DAY | 1961 | 0.0 | 0.0 | 2.0 | 12.0 | 11.0 | 20.0 | 31.0 | 27.0 | 22.0 | 28.0 | 27.0 | 22.0 | **464.0** |
| H2O | 1961 | 0.0 | 0.0 | 42.1 | 195.9 | 220.7 | 426.1 | 613.3 | 490.6 | 410.0 | 429.2 | 380.8 | 314.8 | **8,612.6** |
| OIL | 1961 | 0.0 | 0.0 | 7.9 | 18.1 | 21.8 | 35.1 | 49.4 | 42.7 | 35.6 | 43.1 | 39.3 | 31.5 | **665.9** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 12.0 | 8.0 | 19.0 | 12.0 | 18.0 | 7.0 | 0.0 | **262.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 373.9 | 207.0 | 145.3 | 429.2 | 224.3 | 363.3 | 123.2 | 0.0 | **5,089.1** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 19.2 | 13.3 | 8.7 | 25.7 | 14.5 | 21.9 | 7.6 | 0.0 | **341.4** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 31.0 | 25.0 | 31.0 | 4.0 | 0.0 | **169.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 495.4 | 701.7 | 527.2 | 630.2 | 49.8 | 0.0 | **3,222.9** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.1 | 29.9 | 22.6 | 32.6 | 4.0 | 0.0 | **230.5** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 29.0 | 9.0 | 0.0 | 0.0 | **54.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 196.2 | 485.7 | 136.7 | 0.0 | 0.0 | **818.6** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 42.3 | 67.1 | 12.9 | 0.0 | 0.0 | **122.3** |

Licence ***1208*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-05-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,840.0** |
| H2O | 1975 | 19.9 | 18.4 | 20.5 | 19.9 | 20.5 | 19.7 | 19.7 | 19.6 | 19.2 | 20.5 | 20.7 | 21.0 | **8,103.1** |
| OIL | 1975 | 69.8 | 62.0 | 68.0 | 64.5 | 65.8 | 63.9 | 61.8 | 62.3 | 60.4 | 62.5 | 60.4 | 61.3 | **14,034.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 0.0 | 26.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,475.0** |
| H2O | 1974 | 19.9 | 18.3 | 20.5 | 20.0 | 0.0 | 18.1 | 19.7 | 19.2 | 19.1 | 19.9 | 20.0 | 19.9 | **7,863.5** |
| OIL | 1974 | 71.7 | 62.6 | 71.7 | 68.3 | 0.0 | 59.4 | 66.3 | 70.6 | 67.7 | 71.2 | 68.0 | 70.1 | **13,271.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | **6,147.0** |
| H2O | 1973 | 20.5 | 19.9 | 21.1 | 21.1 | 21.3 | 20.5 | 18.4 | 21.1 | 21.8 | 20.0 | 20.5 | 19.9 | **7,648.9** |
| OIL | 1973 | 57.0 | 50.2 | 55.5 | 54.2 | 56.6 | 54.8 | 50.9 | 71.4 | 71.5 | 66.6 | 69.0 | 69.8 | **12,523.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,788.0** |
| H2O | 1972 | 17.3 | 16.9 | 18.6 | 16.5 | 18.3 | 18.0 | 20.2 | 19.2 | 19.1 | 20.8 | 20.5 | 20.8 | **7,402.8** |
| OIL | 1972 | 52.0 | 48.3 | 52.6 | 50.2 | 57.4 | 54.0 | 57.0 | 58.3 | 55.5 | 58.5 | 55.5 | 57.8 | **11,796.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,422.0** |
| H2O | 1971 | 28.1 | 25.6 | 29.4 | 29.4 | 29.6 | 29.4 | 29.1 | 16.4 | 14.6 | 16.4 | 14.8 | 18.4 | **7,176.6** |
| OIL | 1971 | 139.4 | 123.2 | 136.3 | 129.3 | 132.3 | 128.5 | 131.5 | 53.4 | 52.8 | 54.7 | 48.1 | 52.8 | **11,139.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | **5,058.0** |
| H2O | 1970 | 31.3 | 29.4 | 30.8 | 28.5 | 29.4 | 29.7 | 27.3 | 31.0 | 28.9 | 27.7 | 26.1 | 30.7 | **6,895.4** |
| OIL | 1970 | 135.0 | 121.7 | 132.7 | 128.1 | 132.1 | 129.4 | 133.9 | 132.1 | 126.1 | 123.2 | 122.5 | 133.6 | **9,957.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 26.0 | 28.0 | 30.0 | 31.0 | **4,696.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1208*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-05-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1969 | 19.1 | 17.3 | 16.2 | 16.5 | 18.3 | 11.6 | 14.5 | 14.6 | 11.9 | 13.4 | 29.7 | 32.6 | **6,544.6** |
| OIL | 1969 | 47.8 | 42.4 | 46.7 | 45.6 | 46.7 | 31.3 | 37.7 | 37.3 | 31.5 | 34.2 | 133.4 | 139.8 | **8,406.6** |
| DAY | 1968 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,342.0** |
| H2O | 1968 | 17.8 | 16.9 | 22.1 | 25.1 | 26.1 | 24.0 | 18.9 | 16.4 | 17.3 | 18.4 | 17.0 | 18.1 | **6,328.9** |
| OIL | 1968 | 72.8 | 66.6 | 55.3 | 60.7 | 61.0 | 59.8 | 48.0 | 44.8 | 46.2 | 48.5 | 46.6 | 48.0 | **7,732.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,981.0** |
| H2O | 1967 | 16.9 | 14.0 | 16.9 | 15.7 | 18.4 | 19.2 | 14.9 | 20.3 | 17.8 | 19.2 | 16.9 | 18.4 | **6,090.8** |
| OIL | 1967 | 38.6 | 34.3 | 38.5 | 37.2 | 65.9 | 70.1 | 72.0 | 72.1 | 69.4 | 73.4 | 71.5 | 72.6 | **7,073.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 27.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **3,619.0** |
| H2O | 1966 | 62.2 | 49.8 | 63.4 | 65.0 | 2.5 | 2.4 | 2.1 | 2.2 | 2.4 | 4.9 | 15.9 | 18.0 | **5,882.2** |
| OIL | 1966 | 52.9 | 46.6 | 51.5 | 50.4 | 42.9 | 44.0 | 39.9 | 45.3 | 44.0 | 23.2 | 35.8 | 38.8 | **6,358.3** |
| DAY | 1965 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,262.0** |
| H2O | 1965 | 71.9 | 63.9 | 70.4 | 63.6 | 64.9 | 61.8 | 62.2 | 62.5 | 63.0 | 62.5 | 64.1 | 65.2 | **5,591.4** |
| OIL | 1965 | 56.3 | 51.2 | 53.6 | 53.4 | 54.0 | 53.9 | 56.3 | 55.6 | 52.8 | 54.8 | 52.1 | 53.6 | **5,843.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,898.0** |
| H2O | 1964 | 24.0 | 21.8 | 24.2 | 23.4 | 24.6 | 61.2 | 66.9 | 68.0 | 63.1 | 65.3 | 67.6 | 71.5 | **4,815.4** |
| OIL | 1964 | 55.1 | 52.1 | 56.4 | 54.2 | 55.8 | 46.4 | 53.4 | 53.7 | 50.4 | 53.1 | 52.0 | 55.6 | **5,195.4** |
| DAY | 1963 | 21.0 | 22.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,535.0** |
| H2O | 1963 | 13.4 | 17.0 | 23.1 | 19.9 | 20.7 | 18.8 | 22.7 | 23.5 | 27.3 | 25.4 | 23.5 | 23.8 | **4,233.8** |
| OIL | 1963 | 32.3 | 35.8 | 48.8 | 43.4 | 44.7 | 44.3 | 53.4 | 51.5 | 51.3 | 54.8 | 51.8 | 52.9 | **4,557.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,189.0** |
| H2O | 1962 | 34.3 | 30.0 | 33.4 | 30.0 | 27.8 | 31.5 | 23.5 | 28.5 | 32.6 | 27.2 | 25.1 | 21.9 | **3,974.7** |
| OIL | 1962 | 52.3 | 47.5 | 53.2 | 50.4 | 52.1 | 47.5 | 50.9 | 54.2 | 49.7 | 49.4 | 47.2 | 48.8 | **3,992.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,826.0** |
| H2O | 1961 | 47.5 | 43.7 | 49.3 | 45.8 | 47.4 | 47.1 | 47.1 | 37.5 | 31.3 | 45.5 | 31.6 | 34.0 | **3,628.9** |
| OIL | 1961 | 76.4 | 67.1 | 73.9 | 69.3 | 69.3 | 65.2 | 66.1 | 67.5 | 63.7 | 56.6 | 51.5 | 52.4 | **3,389.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,463.0** |
| H2O | 1960 | 30.5 | 20.8 | 24.3 | 28.1 | 23.8 | 53.3 | 92.2 | 55.5 | 54.8 | 45.6 | 44.8 | 49.9 | **3,121.1** |
| OIL | 1960 | 10.3 | 13.3 | 14.8 | 14.3 | 14.5 | 32.7 | 82.6 | 77.2 | 78.3 | 77.9 | 72.5 | 76.1 | **2,610.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,100.0** |
| H2O | 1959 | 29.6 | 33.2 | 36.1 | 32.1 | 27.2 | 23.7 | 22.4 | 19.9 | 21.9 | 22.6 | 32.0 | 33.4 | **2,597.5** |
| OIL | 1959 | 44.3 | 38.0 | 39.3 | 9.7 | 4.9 | 4.8 | 6.8 | 10.3 | 18.8 | 19.1 | 9.7 | 9.1 | **2,045.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **735.0** |
| H2O | 1958 | 62.2 | 41.7 | 46.3 | 32.0 | 27.3 | 20.2 | 27.3 | 23.2 | 28.6 | 40.1 | 29.3 | 29.6 | **2,263.4** |
| OIL | 1958 | 67.9 | 52.6 | 57.7 | 63.1 | 61.2 | 46.6 | 62.1 | 58.0 | 56.4 | 58.8 | 55.0 | 45.4 | **1,830.7** |
| DAY | 1957 | 6.0 | 28.0 | 29.0 | 5.0 | 8.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **370.0** |
| H2O | 1957 | 100.0 | 132.6 | 234.9 | 31.8 | 50.9 | 164.9 | 124.5 | 90.9 | 91.3 | 98.6 | 95.7 | 73.8 | **1,855.6** |
| OIL | 1957 | 18.8 | 53.4 | 95.5 | 19.7 | 27.7 | 99.8 | 83.9 | 102.0 | 99.8 | 121.1 | 85.5 | 75.5 | **1,145.9** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 29.0 | 30.0 | 3.0 | **80.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 117.6 | 239.5 | 200.7 | 7.9 | **565.7** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 46.4 | 111.9 | 101.7 | 3.2 | **263.2** |

Licence ***1210*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-12-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 22.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,118.0** |
| H2O | 1975 | 649.9 | 572.2 | 598.6 | 454.5 | 615.1 | 505.7 | 543.4 | 532.7 | 553.6 | 577.9 | 555.6 | 594.1 | **24,819.5** |
| OIL | 1975 | 23.2 | 20.5 | 22.2 | 16.0 | 22.4 | 45.0 | 45.8 | 46.2 | 44.3 | 45.0 | 59.8 | 60.7 | **7,433.8** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,763.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.9 | 167.6 | 366.3 | 363.6 | 617.8 | 640.8 | **18,066.2** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.6 | 131.7 | 27.3 | 26.9 | 22.7 | 23.2 | **6,982.7** |

# Manitoba Production
## 1950 To 1975

Licence ***1210*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-12-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 5.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 0.0 | 0.0 | **5,606.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 1.6 | 8.1 | 8.9 | 62.8 | 63.8 | 19.7 | 18.9 | 0.0 | 0.0 | **15,883.2** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.6 | 3.8 | 4.4 | 28.0 | 24.6 | 7.3 | 7.3 | 0.0 | 0.0 | **6,729.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 18.0 | 0.0 | 0.0 | **5,423.0** |
| H2O | 1972 | 47.5 | 33.4 | 14.1 | 14.5 | 14.9 | 15.1 | 14.9 | 9.9 | 9.4 | 5.7 | 0.0 | 0.0 | **15,699.4** |
| OIL | 1972 | 20.7 | 18.3 | 14.9 | 18.0 | 8.6 | 8.4 | 8.9 | 4.6 | 4.3 | 2.4 | 0.0 | 0.0 | **6,653.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 15.0 | 15.0 | 31.0 | 30.0 | 31.0 | **5,131.0** |
| H2O | 1971 | 32.1 | 30.5 | 17.8 | 18.6 | 15.4 | 14.1 | 13.5 | 7.5 | 60.4 | 76.9 | 46.3 | 44.4 | **15,520.0** |
| OIL | 1971 | 28.8 | 25.9 | 9.2 | 9.1 | 4.4 | 8.6 | 8.4 | 4.4 | 24.2 | 19.5 | 19.5 | 20.2 | **6,544.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,797.0** |
| H2O | 1970 | 146.3 | 130.0 | 140.7 | 144.4 | 142.8 | 74.1 | 75.8 | 49.0 | 45.0 | 43.7 | 30.0 | 30.2 | **15,142.5** |
| OIL | 1970 | 34.2 | 30.4 | 33.4 | 31.8 | 32.4 | 22.6 | 24.2 | 19.1 | 18.3 | 18.9 | 26.4 | 28.0 | **6,362.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **4,432.0** |
| H2O | 1969 | 153.1 | 140.4 | 148.3 | 120.3 | 162.6 | 131.3 | 139.6 | 136.6 | 137.8 | 139.4 | 138.9 | 125.4 | **14,090.5** |
| OIL | 1969 | 36.4 | 33.2 | 37.0 | 30.7 | 43.7 | 38.0 | 37.3 | 38.1 | 34.8 | 36.2 | 35.9 | 34.3 | **6,042.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,069.0** |
| H2O | 1968 | 131.5 | 127.5 | 139.4 | 169.9 | 178.5 | 165.2 | 180.0 | 187.4 | 161.2 | 197.6 | 193.5 | 195.9 | **12,416.8** |
| OIL | 1968 | 35.9 | 35.1 | 36.1 | 34.6 | 42.1 | 41.8 | 40.8 | 30.7 | 27.2 | 32.3 | 30.2 | 36.5 | **5,606.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,705.0** |
| H2O | 1967 | 43.6 | 44.2 | 51.8 | 51.8 | 49.6 | 46.6 | 49.1 | 44.0 | 46.1 | 47.2 | 46.1 | 134.8 | **10,389.2** |
| OIL | 1967 | 18.4 | 16.7 | 18.8 | 17.5 | 18.0 | 18.8 | 20.7 | 20.3 | 20.8 | 21.6 | 22.1 | 35.6 | **5,183.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,340.0** |
| H2O | 1966 | 42.4 | 35.9 | 37.7 | 37.5 | 30.0 | 31.2 | 26.9 | 26.4 | 25.1 | 24.2 | 23.7 | 41.0 | **9,734.3** |
| OIL | 1966 | 19.2 | 17.0 | 18.3 | 16.7 | 17.3 | 15.7 | 15.7 | 15.3 | 14.5 | 15.3 | 14.0 | 17.5 | **4,934.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,975.0** |
| H2O | 1965 | 67.4 | 56.9 | 64.7 | 60.9 | 44.2 | 37.2 | 36.1 | 33.7 | 42.1 | 41.2 | 44.2 | 43.1 | **9,352.3** |
| OIL | 1965 | 35.4 | 30.4 | 33.7 | 31.5 | 23.5 | 21.5 | 21.5 | 21.5 | 20.0 | 19.9 | 20.2 | 19.5 | **4,737.6** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 3.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 26.0 | 21.0 | 31.0 | **2,610.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 18.8 | 113.4 | 81.9 | 62.5 | 68.4 | 65.8 | 48.6 | 45.5 | 70.3 | **8,780.6** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 8.1 | 49.4 | 45.0 | 44.5 | 41.3 | 35.4 | 34.0 | 24.3 | 36.7 | **4,439.0** |
| DAY | 1963 | 25.0 | 0.0 | 0.0 | 22.0 | 31.0 | 29.0 | 30.0 | 31.0 | 27.0 | 31.0 | 1.0 | 0.0 | **2,380.0** |
| H2O | 1963 | 49.4 | 0.0 | 0.0 | 75.5 | 72.2 | 81.1 | 69.2 | 67.7 | 82.0 | 87.1 | 0.5 | 0.0 | **8,205.4** |
| OIL | 1963 | 28.9 | 0.0 | 0.0 | 24.6 | 43.7 | 35.4 | 53.9 | 29.7 | 34.8 | 32.6 | 4.0 | 0.0 | **4,120.3** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 13.0 | 27.0 | 30.0 | 27.0 | 22.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,153.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 73.9 | 98.4 | 128.1 | 101.6 | 90.6 | 107.2 | 93.6 | 85.7 | 67.6 | **7,620.7** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 45.0 | 42.9 | 53.9 | 40.7 | 29.2 | 34.3 | 42.3 | 37.8 | 37.5 | **3,832.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 23.0 | 24.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 19.0 | **1,912.0** |
| H2O | 1961 | 59.3 | 67.1 | 71.4 | 56.4 | 98.1 | 73.8 | 76.6 | 94.9 | 91.1 | 44.2 | 90.5 | 26.2 | **6,774.0** |
| OIL | 1961 | 43.9 | 40.8 | 41.5 | 28.6 | 46.6 | 50.7 | 57.8 | 57.2 | 44.7 | 57.8 | 45.6 | 5.9 | **3,469.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,574.0** |
| H2O | 1960 | 89.2 | 86.2 | 90.5 | 91.1 | 83.0 | 80.1 | 80.1 | 79.3 | 78.9 | 83.5 | 72.0 | 66.5 | **5,924.4** |
| OIL | 1960 | 59.9 | 51.6 | 54.5 | 51.8 | 52.6 | 50.9 | 51.8 | 46.9 | 48.1 | 54.2 | 48.6 | 46.6 | **2,948.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,208.0** |
| H2O | 1959 | 126.4 | 124.5 | 125.9 | 133.4 | 119.2 | 79.2 | 84.9 | 87.4 | 92.7 | 97.3 | 96.2 | 94.1 | **4,944.0** |
| OIL | 1959 | 93.4 | 83.9 | 92.8 | 91.2 | 90.4 | 84.1 | 85.8 | 70.4 | 69.0 | 63.1 | 60.1 | 59.8 | **2,330.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 29.0 | **846.0** |
| H2O | 1958 | 25.1 | 23.4 | 7.3 | 12.2 | 1.7 | 0.2 | 8.4 | 39.4 | 187.8 | 151.0 | 143.2 | 130.4 | **3,682.8** |
| OIL | 1958 | 10.5 | 9.5 | 10.3 | 7.8 | 4.1 | 5.6 | 6.8 | 31.9 | 140.5 | 89.9 | 99.8 | 88.4 | **1,386.5** |
| DAY | 1957 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **488.0** |
| H2O | 1957 | 191.4 | 136.4 | 65.3 | 80.8 | 58.2 | 64.5 | 56.3 | 42.1 | 2.9 | 31.3 | 30.4 | 29.4 | **2,952.7** |
| OIL | 1957 | 61.3 | 48.8 | 68.3 | 29.7 | 24.2 | 21.0 | 21.1 | 21.6 | 9.9 | 17.8 | 12.1 | 11.4 | **881.4** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 27.0 | 31.0 | 27.0 | 28.0 | **126.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1210*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-12-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 254.4 | 423.8 | 566.8 | 471.5 | 447.2 | **2,163.7** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 54.2 | 100.4 | 141.4 | 120.6 | 117.6 | **534.2** |

Licence ***1211*** Well Name ***Virden Roselea Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.16-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 965.8 | 985.2 | 786.3 | 798.4 | 815.2 | 720.0 | 794.9 | 775.0 | 869.3 | 817.8 | 809.4 | 806.3 | **97,952.5** |
| WIN | 1974 | 589.3 | 661.4 | 917.6 | 730.5 | 754.8 | 1073.3 | 780.9 | 797.8 | 897.3 | 915.2 | 913.5 | 858.5 | **88,008.9** |
| WIN | 1973 | 772.5 | 662.6 | 760.9 | 837.2 | 835.6 | 857.7 | 897.8 | 855.6 | 869.3 | 817.5 | 796.3 | 881.7 | **78,118.8** |
| WIN | 1972 | 777.9 | 738.8 | 995.5 | 916.5 | 946.1 | 915.4 | 968.7 | 1012.5 | 931.5 | 962.8 | 668.0 | 831.8 | **68,274.1** |
| WIN | 1971 | 953.7 | 744.3 | 998.1 | 1009.4 | 944.7 | 933.7 | 821.0 | 774.2 | 874.1 | 1210.6 | 885.5 | 916.2 | **57,608.6** |
| WIN | 1970 | 1024.3 | 881.7 | 901.1 | 843.5 | 958.5 | 932.1 | 871.8 | 791.7 | 1066.4 | 988.4 | 951.3 | 1143.4 | **46,543.1** |
| WIN | 1969 | 1145.6 | 994.3 | 1024.1 | 907.9 | 1009.7 | 1025.1 | 987.4 | 1000.3 | 929.4 | 1014.1 | 905.7 | 1042.7 | **35,188.9** |
| WIN | 1968 | 1186.3 | 1177.4 | 1302.7 | 1115.4 | 1229.1 | 1248.5 | 1189.3 | 1134.3 | 934.3 | 1139.1 | 1075.3 | 1069.3 | **23,202.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 17.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,826.0** |
| H2O | 1967 | 6.3 | 6.1 | 7.4 | 7.2 | 3.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,298.5** |
| OIL | 1967 | 23.9 | 22.0 | 24.6 | 23.2 | 13.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,583.8** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 36.1 | 1361.7 | 1368.0 | 1283.8 | 1335.9 | 1325.3 | 1310.5 | 1380.3 | **9,401.6** |
| DAY | 1966 | 28.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,689.0** |
| H2O | 1966 | 6.5 | 6.2 | 6.4 | 7.6 | 7.3 | 7.5 | 6.4 | 7.6 | 17.3 | 17.8 | 7.5 | 6.0 | **5,267.9** |
| OIL | 1966 | 20.8 | 19.7 | 20.8 | 23.5 | 26.4 | 24.8 | 24.8 | 28.8 | 26.4 | 24.9 | 23.4 | 22.9 | **7,476.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,332.0** |
| H2O | 1965 | 13.5 | 13.0 | 13.7 | 12.7 | 11.1 | 11.0 | 11.8 | 11.0 | 1.4 | 8.6 | 6.8 | 7.2 | **5,163.8** |
| OIL | 1965 | 44.7 | 40.8 | 45.0 | 42.6 | 45.8 | 46.6 | 45.6 | 46.9 | 46.1 | 27.7 | 24.9 | 25.4 | **7,189.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,967.0** |
| H2O | 1964 | 4.0 | 3.8 | 4.1 | 4.0 | 4.0 | 0.0 | 1.4 | 1.1 | 11.8 | 11.8 | 13.2 | 13.5 | **5,042.0** |
| OIL | 1964 | 19.9 | 18.9 | 19.1 | 20.0 | 19.2 | 15.9 | 8.6 | 6.7 | 40.7 | 40.8 | 36.1 | 39.6 | **6,707.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,606.0** |
| H2O | 1963 | 6.2 | 5.7 | 6.2 | 17.3 | 28.6 | 0.0 | 0.0 | 12.6 | 13.4 | 4.3 | 4.5 | 4.0 | **4,969.3** |
| OIL | 1963 | 16.4 | 17.3 | 18.4 | 31.6 | 38.6 | 34.5 | 44.3 | 26.1 | 27.3 | 20.3 | 19.5 | 19.4 | **6,422.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,243.0** |
| H2O | 1962 | 18.8 | 18.6 | 19.4 | 24.6 | 6.5 | 5.7 | 6.0 | 6.4 | 6.4 | 6.5 | 6.4 | 6.7 | **4,866.5** |
| OIL | 1962 | 42.1 | 40.8 | 40.8 | 44.5 | 18.3 | 17.3 | 17.5 | 17.8 | 17.8 | 19.1 | 17.8 | 16.7 | **6,108.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,878.0** |
| H2O | 1961 | 17.5 | 16.2 | 16.9 | 4.8 | 0.0 | 14.0 | 15.7 | 14.8 | 18.9 | 19.6 | 19.1 | 21.0 | **4,734.5** |
| OIL | 1961 | 45.3 | 41.2 | 42.6 | 34.6 | 33.5 | 55.5 | 59.0 | 56.3 | 51.5 | 44.5 | 46.4 | 47.4 | **5,797.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,513.0** |
| H2O | 1960 | 26.1 | 25.6 | 22.7 | 22.1 | 20.7 | 18.3 | 19.1 | 15.7 | 23.1 | 19.4 | 19.7 | 17.2 | **4,556.0** |
| OIL | 1960 | 36.2 | 44.8 | 52.0 | 49.6 | 53.2 | 53.9 | 51.8 | 56.4 | 47.8 | 47.5 | 48.0 | 45.3 | **5,240.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,147.0** |
| H2O | 1959 | 62.2 | 51.4 | 32.9 | 37.2 | 54.1 | 62.6 | 58.8 | 51.8 | 49.6 | 42.1 | 42.0 | 32.1 | **4,306.3** |
| OIL | 1959 | 68.3 | 63.6 | 56.9 | 73.9 | 56.7 | 53.4 | 57.4 | 58.5 | 57.0 | 51.5 | 50.7 | 50.5 | **4,653.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **785.0** |
| H2O | 1958 | 222.9 | 138.8 | 131.2 | 129.3 | 91.7 | 112.6 | 69.6 | 77.4 | 80.3 | 77.3 | 45.5 | 42.1 | **3,729.5** |
| OIL | 1958 | 245.8 | 115.8 | 126.0 | 102.8 | 103.5 | 109.6 | 70.6 | 74.1 | 65.0 | 40.7 | 34.0 | 63.7 | **3,955.1** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 23.0 | 30.0 | 30.0 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | **420.0** |
| H2O | 1957 | 191.6 | 213.5 | 270.6 | 254.8 | 101.7 | 121.0 | 118.4 | 85.7 | 77.9 | 233.7 | 190.3 | 205.9 | **2,510.8** |
| OIL | 1957 | 175.3 | 206.6 | 274.3 | 229.6 | 126.5 | 145.4 | 162.7 | 127.6 | 118.4 | 221.0 | 207.1 | 219.8 | **2,803.5** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 28.0 | 31.0 | **69.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 77.3 | 179.2 | 189.2 | **445.7** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 106.0 | 247.7 | 235.5 | **589.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1212*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-12-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 0.0 | 0.0 | 0.0 | **237.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 109.9 | 0.0 | 0.0 | 0.0 | **209.7** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 0.0 | 0.0 | 0.0 | **122.7** |
| DAY | 1957 | 31.0 | 16.0 | 17.0 | 23.0 | 28.0 | 26.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **220.0** |
| H2O | 1957 | 14.0 | 6.5 | 9.1 | 11.8 | 14.0 | 9.9 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **99.8** |
| OIL | 1957 | 16.4 | 9.1 | 8.9 | 12.1 | 15.4 | 12.7 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **118.7** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 27.0 | 26.0 | **77.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 11.4 | 11.1 | **33.5** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.2 | 15.3 | 14.3 | **42.8** |

Licence ***1213*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,935.0** |
| H2O | 1975 | 117.2 | 112.9 | 125.9 | 122.1 | 126.5 | 121.1 | 121.5 | 100.8 | 117.8 | 126.5 | 126.9 | 129.1 | **8,274.2** |
| OIL | 1975 | 149.1 | 138.9 | 152.4 | 144.8 | 147.3 | 131.7 | 135.7 | 114.7 | 132.2 | 136.7 | 132.2 | 134.4 | **42,294.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,575.0** |
| H2O | 1974 | 112.1 | 104.0 | 116.4 | 110.3 | 117.2 | 117.8 | 99.8 | 115.9 | 116.7 | 122.4 | 122.3 | 122.1 | **6,825.9** |
| OIL | 1974 | 183.2 | 159.7 | 182.7 | 169.7 | 181.2 | 175.3 | 151.8 | 155.1 | 151.8 | 159.7 | 152.6 | 157.3 | **40,644.4** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,215.0** |
| H2O | 1973 | 100.8 | 96.7 | 172.3 | 172.0 | 174.2 | 167.6 | 163.0 | 125.9 | 123.7 | 119.7 | 115.9 | 112.4 | **5,448.9** |
| OIL | 1973 | 206.9 | 182.3 | 175.3 | 171.3 | 178.8 | 173.4 | 173.8 | 192.1 | 182.9 | 179.1 | 175.8 | 178.3 | **38,664.3** |
| DAY | 1972 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,852.0** |
| H2O | 1972 | 34.0 | 28.1 | 86.8 | 77.3 | 103.7 | 101.0 | 69.3 | 108.4 | 89.2 | 97.1 | 101.1 | 102.9 | **3,804.7** |
| OIL | 1972 | 194.8 | 154.6 | 180.0 | 171.9 | 203.6 | 192.1 | 198.3 | 211.2 | 183.5 | 193.4 | 201.0 | 209.8 | **36,494.3** |
| DAY | 1971 | 26.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,490.0** |
| H2O | 1971 | 33.9 | 36.9 | 42.4 | 17.2 | 17.3 | 58.7 | 58.2 | 52.3 | 46.7 | 32.0 | 28.6 | 36.1 | **2,805.8** |
| OIL | 1971 | 228.5 | 242.3 | 268.4 | 238.8 | 246.3 | 212.6 | 217.5 | 195.5 | 192.8 | 205.5 | 181.5 | 198.3 | **34,200.1** |
| DAY | 1970 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,131.0** |
| H2O | 1970 | 135.3 | 126.9 | 128.6 | 122.7 | 126.2 | 13.4 | 31.8 | 40.5 | 28.8 | 29.9 | 27.2 | 30.4 | **2,345.5** |
| OIL | 1970 | 316.1 | 284.9 | 301.0 | 300.0 | 309.6 | 245.2 | 246.3 | 287.6 | 248.4 | 262.0 | 251.4 | 263.8 | **31,572.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **4,768.0** |
| H2O | 1969 | 4.5 | 4.0 | 3.8 | 4.0 | 8.7 | 8.3 | 8.9 | 9.1 | 8.4 | 143.2 | 128.0 | 129.9 | **1,503.8** |
| OIL | 1969 | 333.7 | 294.6 | 325.4 | 316.9 | 315.6 | 309.9 | 322.0 | 320.0 | 311.6 | 325.9 | 312.3 | 302.9 | **28,255.8** |
| DAY | 1968 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,405.0** |
| H2O | 1968 | 13.0 | 12.7 | 13.7 | 14.1 | 14.8 | 15.6 | 18.8 | 17.5 | 34.0 | 35.9 | 4.0 | 4.1 | **1,043.0** |
| OIL | 1968 | 306.2 | 286.5 | 310.5 | 309.6 | 310.4 | 323.7 | 331.3 | 331.8 | 317.5 | 333.2 | 323.5 | 315.9 | **24,465.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,040.0** |
| H2O | 1967 | 9.1 | 7.5 | 7.8 | 7.2 | 3.3 | 3.5 | 6.2 | 15.6 | 13.7 | 14.8 | 12.6 | 14.1 | **844.8** |
| OIL | 1967 | 293.3 | 260.8 | 293.5 | 283.3 | 288.3 | 289.1 | 304.5 | 314.3 | 302.9 | 319.9 | 304.6 | 316.7 | **20,664.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,676.0** |
| H2O | 1966 | 25.4 | 20.2 | 25.8 | 26.4 | 1.3 | 1.1 | 1.1 | 1.1 | 1.3 | 9.1 | 8.9 | 9.5 | **729.4** |
| OIL | 1966 | 283.0 | 249.0 | 275.9 | 269.7 | 275.2 | 264.7 | 240.3 | 259.8 | 260.3 | 286.2 | 280.6 | 294.0 | **17,093.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,316.0** |
| H2O | 1965 | 8.1 | 2.2 | 2.5 | 2.2 | 2.4 | 2.2 | 2.2 | 2.2 | 2.2 | 25.4 | 25.9 | 26.7 | **598.2** |
| OIL | 1965 | 226.1 | 210.6 | 214.4 | 212.6 | 214.5 | 214.7 | 223.7 | 215.6 | 209.9 | 293.3 | 278.7 | 286.2 | **13,855.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,951.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 2.4 | 2.5 | 2.4 | 10.0 | 10.2 | 2.4 | 0.0 | 0.0 | 8.1 | **494.0** |
| OIL | 1964 | 57.5 | 54.3 | 58.8 | 134.3 | 138.3 | 133.3 | 151.9 | 153.3 | 186.7 | 185.8 | 189.9 | 224.1 | **11,054.7** |
| DAY | 1963 | 31.0 | 28.0 | 29.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,586.0** |
| H2O | 1963 | 3.5 | 3.5 | 0.0 | 0.0 | 0.0 | 2.7 | 0.8 | 0.6 | 0.5 | 0.0 | 0.0 | 0.0 | **456.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1213*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1963 | 54.8 | 51.6 | 62.9 | 62.5 | 60.7 | 69.1 | 61.0 | 61.0 | 59.4 | 60.9 | 53.9 | 55.3 | **9,386.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 21.0 | 17.0 | 28.0 | 30.0 | 31.0 | **2,229.0** |
| H2O | 1962 | 4.8 | 0.0 | 4.8 | 4.6 | 4.8 | 4.5 | 4.8 | 3.0 | 2.2 | 4.1 | 4.3 | 4.0 | **444.4** |
| OIL | 1962 | 62.0 | 44.0 | 74.8 | 64.5 | 58.0 | 62.8 | 66.6 | 42.6 | 34.6 | 54.8 | 58.8 | 60.4 | **8,673.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **1,890.0** |
| H2O | 1961 | 4.8 | 4.5 | 5.1 | 4.9 | 4.8 | 4.5 | 4.8 | 4.8 | 4.6 | 4.8 | 4.6 | 4.5 | **398.5** |
| OIL | 1961 | 82.5 | 42.0 | 77.4 | 72.3 | 74.8 | 73.6 | 78.8 | 75.8 | 70.2 | 68.6 | 62.8 | 49.9 | **7,989.5** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,527.0** |
| H2O | 1960 | 7.2 | 8.3 | 4.6 | 4.6 | 4.8 | 9.4 | 10.3 | 10.2 | 5.6 | 4.8 | 4.6 | 5.4 | **341.8** |
| OIL | 1960 | 88.7 | 88.7 | 89.9 | 88.2 | 93.4 | 86.9 | 86.0 | 88.8 | 87.7 | 76.8 | 79.6 | 83.0 | **7,160.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,162.0** |
| H2O | 1959 | 4.9 | 4.5 | 4.9 | 4.8 | 4.9 | 4.8 | 6.5 | 9.9 | 8.4 | 9.1 | 8.9 | 10.0 | **262.0** |
| OIL | 1959 | 102.3 | 99.8 | 130.9 | 126.7 | 123.3 | 116.0 | 114.1 | 106.2 | 91.1 | 88.5 | 85.5 | 90.6 | **6,123.1** |
| DAY | 1958 | 31.0 | 25.0 | 31.0 | 19.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | **797.0** |
| H2O | 1958 | 4.8 | 4.0 | 7.2 | 5.7 | 11.0 | 9.5 | 9.4 | 11.3 | 4.8 | 4.9 | 4.6 | 4.9 | **180.4** |
| OIL | 1958 | 150.5 | 124.4 | 137.8 | 72.8 | 146.5 | 133.3 | 121.2 | 178.0 | 149.1 | 149.1 | 106.8 | 106.2 | **4,848.1** |
| DAY | 1957 | 31.0 | 28.0 | 30.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 24.0 | **449.0** |
| H2O | 1957 | 6.0 | 6.2 | 9.9 | 9.1 | 10.0 | 9.9 | 6.4 | 5.2 | 4.8 | 4.5 | 4.8 | 3.7 | **98.3** |
| OIL | 1957 | 322.9 | 317.8 | 331.3 | 179.7 | 137.5 | 135.9 | 145.2 | 151.6 | 136.5 | 138.1 | 145.9 | 129.4 | **3,272.4** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 30.0 | 28.0 | 30.0 | **99.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 4.9 | 4.9 | 7.2 | **17.8** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 125.4 | 283.2 | 252.0 | 340.0 | **1,000.6** |

Licence ***1217*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-26-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 14.0 | 8.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,924.0** |
| H2O | 1975 | 79.2 | 72.7 | 81.1 | 78.5 | 36.1 | 20.8 | 53.6 | 52.9 | 52.0 | 56.0 | 56.0 | 57.1 | **12,375.2** |
| OIL | 1975 | 13.5 | 12.1 | 13.2 | 12.7 | 5.7 | 3.3 | 28.6 | 28.8 | 27.8 | 28.8 | 27.8 | 28.3 | **7,958.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,598.0** |
| H2O | 1974 | 83.0 | 76.9 | 83.8 | 83.8 | 56.1 | 54.5 | 57.1 | 52.3 | 51.5 | 53.6 | 53.6 | 78.1 | **11,679.2** |
| OIL | 1974 | 31.1 | 27.2 | 30.2 | 29.6 | 30.8 | 28.8 | 30.7 | 30.7 | 29.4 | 30.7 | 29.1 | 13.5 | **7,727.8** |
| DAY | 1973 | 31.0 | 25.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,234.0** |
| H2O | 1973 | 50.9 | 43.6 | 135.0 | 134.7 | 132.0 | 131.2 | 9.7 | 10.5 | 10.2 | 90.9 | 85.8 | 83.3 | **10,894.9** |
| OIL | 1973 | 30.7 | 24.2 | 29.7 | 29.1 | 29.4 | 29.4 | 0.0 | 0.0 | 0.0 | 31.1 | 29.9 | 30.4 | **7,386.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | **5,873.0** |
| H2O | 1972 | 72.5 | 71.1 | 77.9 | 37.2 | 41.0 | 40.9 | 45.5 | 42.9 | 42.9 | 51.5 | 47.7 | 49.9 | **9,977.1** |
| OIL | 1972 | 25.7 | 24.2 | 26.4 | 29.2 | 30.8 | 29.7 | 30.7 | 31.3 | 29.9 | 31.3 | 27.8 | 29.9 | **7,122.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **5,510.0** |
| H2O | 1971 | 89.2 | 78.4 | 93.0 | 93.2 | 72.2 | 71.7 | 68.8 | 68.7 | 61.4 | 68.2 | 66.1 | 74.6 | **9,356.1** |
| OIL | 1971 | 38.1 | 32.6 | 37.2 | 35.3 | 27.3 | 26.5 | 26.4 | 26.7 | 26.4 | 27.2 | 25.7 | 25.3 | **6,775.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 27.0 | **5,147.0** |
| H2O | 1970 | 99.5 | 93.5 | 97.0 | 90.3 | 92.8 | 94.3 | 82.0 | 95.1 | 91.4 | 94.8 | 83.9 | 83.8 | **8,450.6** |
| OIL | 1970 | 36.9 | 33.4 | 36.1 | 35.0 | 36.2 | 35.4 | 34.6 | 35.0 | 34.6 | 36.4 | 33.8 | 31.9 | **6,420.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 20.0 | 21.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,788.0** |
| H2O | 1969 | 103.2 | 93.8 | 87.9 | 89.8 | 63.9 | 65.3 | 102.2 | 103.0 | 97.1 | 105.4 | 94.1 | 103.2 | **7,352.2** |
| OIL | 1969 | 37.8 | 33.4 | 36.9 | 35.9 | 23.7 | 24.9 | 37.5 | 37.3 | 36.4 | 38.0 | 36.4 | 38.1 | **6,001.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,443.0** |
| H2O | 1968 | 60.9 | 57.7 | 61.4 | 61.5 | 90.0 | 95.7 | 100.3 | 93.8 | 94.6 | 100.3 | 92.7 | 98.4 | **6,243.3** |
| OIL | 1968 | 28.9 | 26.5 | 28.3 | 27.5 | 47.4 | 36.7 | 36.5 | 37.5 | 36.4 | 38.3 | 36.5 | 37.5 | **5,584.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,078.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1217*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-26-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1967 | 115.7 | 95.7 | 115.1 | 107.3 | 107.5 | 101.1 | 78.2 | 69.3 | 60.7 | 65.7 | 57.9 | 63.1 | **5,236.0** |
| OIL | 1967 | 36.2 | 32.3 | 36.2 | 35.0 | 35.9 | 34.5 | 35.1 | 28.4 | 27.5 | 29.1 | 28.3 | 28.8 | **5,166.9** |
| DAY | 1966 | 31.0 | 26.0 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 26.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,713.0** |
| H2O | 1966 | 15.1 | 21.1 | 29.3 | 23.5 | 120.5 | 106.4 | 104.9 | 83.3 | 106.5 | 114.3 | 113.7 | 121.8 | **4,198.7** |
| OIL | 1966 | 52.9 | 12.2 | 14.6 | 11.1 | 35.6 | 34.0 | 35.4 | 28.1 | 32.7 | 35.4 | 34.6 | 36.4 | **4,779.6** |
| DAY | 1965 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,362.0** |
| H2O | 1965 | 17.3 | 13.0 | 17.6 | 15.4 | 15.6 | 14.9 | 14.9 | 15.1 | 15.3 | 15.1 | 15.4 | 15.7 | **3,238.3** |
| OIL | 1965 | 56.3 | 43.5 | 55.5 | 53.4 | 53.9 | 53.9 | 56.1 | 55.6 | 52.8 | 54.8 | 52.1 | 53.4 | **4,416.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,001.0** |
| H2O | 1964 | 16.5 | 14.9 | 16.7 | 16.1 | 17.0 | 14.6 | 16.2 | 15.9 | 15.7 | 15.7 | 16.4 | 17.3 | **3,053.0** |
| OIL | 1964 | 52.9 | 50.1 | 54.0 | 52.0 | 53.4 | 46.4 | 53.2 | 52.1 | 52.1 | 52.9 | 52.0 | 55.6 | **3,775.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,639.0** |
| H2O | 1963 | 15.3 | 12.4 | 14.0 | 14.9 | 13.0 | 17.2 | 20.5 | 13.8 | 15.6 | 16.4 | 16.1 | 15.6 | **2,860.0** |
| OIL | 1963 | 44.8 | 39.9 | 44.7 | 48.5 | 41.2 | 41.6 | 49.3 | 49.6 | 47.2 | 50.4 | 49.6 | 48.6 | **3,148.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,279.0** |
| H2O | 1962 | 14.6 | 13.5 | 17.5 | 11.0 | 12.2 | 18.4 | 14.1 | 12.1 | 10.2 | 17.2 | 17.3 | 13.5 | **2,675.2** |
| OIL | 1962 | 4.4 | 4.3 | 7.5 | 11.9 | 28.3 | 30.2 | 52.6 | 51.8 | 38.1 | 50.1 | 47.7 | 45.3 | **2,593.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,915.0** |
| H2O | 1961 | 21.5 | 15.7 | 19.2 | 18.6 | 20.3 | 14.8 | 14.6 | 15.7 | 17.5 | 14.8 | 14.3 | 15.1 | **2,503.6** |
| OIL | 1961 | 9.9 | 8.6 | 9.9 | 9.5 | 9.2 | 4.8 | 4.8 | 5.6 | 4.8 | 5.1 | 5.6 | 4.9 | **2,221.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,550.0** |
| H2O | 1960 | 10.0 | 9.4 | 10.0 | 10.0 | 10.2 | 9.7 | 10.2 | 9.7 | 9.9 | 50.6 | 97.5 | 46.3 | **2,301.5** |
| OIL | 1960 | 9.2 | 9.1 | 8.9 | 9.2 | 9.7 | 8.9 | 9.2 | 9.9 | 8.9 | 33.2 | 14.1 | 9.9 | **2,138.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,185.0** |
| H2O | 1959 | 28.9 | 23.8 | 23.4 | 17.8 | 11.8 | 11.4 | 9.4 | 11.1 | 9.7 | 10.3 | 9.7 | 9.5 | **2,018.0** |
| OIL | 1959 | 39.1 | 35.0 | 36.4 | 26.4 | 9.9 | 10.8 | 13.3 | 14.1 | 19.1 | 19.4 | 10.2 | 9.7 | **1,998.1** |
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **821.0** |
| H2O | 1958 | 51.0 | 46.4 | 45.9 | 27.3 | 25.1 | 29.1 | 28.9 | 27.3 | 28.1 | 30.7 | 28.8 | 29.9 | **1,841.2** |
| OIL | 1958 | 59.6 | 55.8 | 55.5 | 34.5 | 45.8 | 42.0 | 42.9 | 40.0 | 36.7 | 38.6 | 37.5 | 37.7 | **1,754.7** |
| DAY | 1957 | 30.0 | 27.0 | 27.0 | 0.0 | 19.0 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **457.0** |
| H2O | 1957 | 164.7 | 111.8 | 108.9 | 0.0 | 105.9 | 151.8 | 68.7 | 90.6 | 85.5 | 112.6 | 40.1 | 54.5 | **1,442.7** |
| OIL | 1957 | 96.0 | 94.1 | 78.5 | 0.0 | 45.0 | 64.5 | 49.7 | 60.9 | 62.1 | 60.2 | 47.0 | 49.6 | **1,228.1** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 30.0 | 31.0 | 22.0 | 31.0 | **143.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.4 | 22.1 | 19.1 | 92.5 | 202.5 | **347.6** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 99.3 | 77.5 | 80.1 | 117.1 | 146.5 | **520.5** |

Licence ***1219*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,989.0** |
| H2O | 1975 | 53.9 | 50.1 | 55.8 | 49.8 | 56.0 | 92.0 | 92.2 | 86.2 | 89.3 | 96.2 | 96.3 | 98.1 | **14,528.3** |
| OIL | 1975 | 137.5 | 123.2 | 135.2 | 118.2 | 130.8 | 143.3 | 147.3 | 140.5 | 143.5 | 148.7 | 143.7 | 146.0 | **25,828.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,627.0** |
| H2O | 1974 | 116.9 | 108.4 | 119.9 | 118.0 | 122.1 | 122.7 | 104.0 | 51.5 | 50.2 | 54.2 | 53.9 | 54.1 | **13,612.4** |
| OIL | 1974 | 138.3 | 120.6 | 136.3 | 131.6 | 136.7 | 132.4 | 114.6 | 137.5 | 131.3 | 141.7 | 135.2 | 139.5 | **24,170.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,267.0** |
| H2O | 1973 | 146.7 | 102.4 | 109.9 | 134.7 | 132.0 | 151.7 | 152.3 | 131.3 | 128.9 | 125.0 | 121.0 | 117.2 | **12,536.5** |
| OIL | 1973 | 136.2 | 105.2 | 116.0 | 121.2 | 122.4 | 122.5 | 127.1 | 144.9 | 137.9 | 135.2 | 132.7 | 134.6 | **22,575.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,904.0** |
| H2O | 1972 | 149.8 | 146.1 | 160.3 | 138.8 | 153.3 | 152.6 | 144.2 | 127.8 | 127.7 | 138.8 | 147.2 | 149.8 | **10,983.4** |
| OIL | 1972 | 133.8 | 120.8 | 131.6 | 129.7 | 136.8 | 132.1 | 131.7 | 161.8 | 154.0 | 162.1 | 132.4 | 138.3 | **21,039.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1219*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **5,538.0** |
| H2O | 1971 | 52.3 | 72.3 | 89.0 | 89.3 | 89.5 | 114.5 | 113.4 | 24.2 | 36.2 | 40.7 | 36.7 | 154.4 | **9,247.0** |
| OIL | 1971 | 139.2 | 135.2 | 160.0 | 151.9 | 155.3 | 141.6 | 144.8 | 147.3 | 135.9 | 141.1 | 124.4 | 131.9 | **19,374.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **5,176.0** |
| H2O | 1970 | 108.1 | 101.6 | 106.2 | 98.1 | 101.1 | 102.5 | 94.8 | 106.8 | 53.7 | 55.8 | 50.9 | 50.7 | **8,334.5** |
| OIL | 1970 | 130.5 | 117.8 | 128.6 | 123.9 | 127.9 | 125.2 | 130.0 | 127.8 | 126.3 | 133.2 | 127.8 | 120.3 | **17,665.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,814.0** |
| H2O | 1969 | 112.4 | 102.1 | 95.5 | 97.6 | 103.2 | 98.7 | 111.4 | 109.4 | 105.6 | 114.6 | 102.4 | 112.2 | **7,304.2** |
| OIL | 1969 | 129.0 | 113.9 | 125.9 | 122.8 | 121.1 | 132.4 | 133.0 | 129.0 | 128.6 | 134.6 | 129.0 | 135.1 | **16,146.2** |
| DAY | 1968 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,450.0** |
| H2O | 1968 | 90.1 | 79.2 | 97.1 | 99.8 | 104.6 | 95.1 | 92.7 | 4.1 | 4.1 | 107.6 | 100.8 | 107.0 | **6,039.1** |
| OIL | 1968 | 136.0 | 128.6 | 149.5 | 148.6 | 149.1 | 145.4 | 136.2 | 162.2 | 156.5 | 142.7 | 138.4 | 128.9 | **14,611.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **4,091.0** |
| H2O | 1967 | 102.9 | 85.1 | 99.8 | 80.4 | 87.0 | 81.7 | 64.4 | 80.0 | 70.1 | 75.7 | 60.1 | 93.5 | **5,056.9** |
| OIL | 1967 | 120.3 | 106.9 | 117.1 | 105.8 | 108.9 | 104.4 | 108.4 | 97.1 | 93.6 | 98.7 | 86.8 | 136.0 | **12,889.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,729.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 7.2 | 8.3 | 88.6 | 72.3 | 103.2 | 111.1 | 87.3 | 100.8 | 105.7 | **4,076.2** |
| OIL | 1966 | 105.2 | 94.2 | 104.2 | 103.1 | 107.9 | 116.8 | 100.6 | 149.1 | 145.2 | 126.5 | 115.2 | 117.9 | **11,605.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,364.0** |
| H2O | 1965 | 7.9 | 30.8 | 41.8 | 36.6 | 15.7 | 14.9 | 14.9 | 35.5 | 36.2 | 0.0 | 0.0 | 0.0 | **3,391.7** |
| OIL | 1965 | 84.2 | 66.9 | 78.3 | 75.5 | 79.8 | 79.8 | 83.1 | 119.3 | 113.6 | 110.9 | 105.4 | 108.2 | **10,219.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,999.0** |
| H2O | 1964 | 56.0 | 50.4 | 56.1 | 39.3 | 41.8 | 0.0 | 38.2 | 35.3 | 45.9 | 44.8 | 47.5 | 7.9 | **3,157.4** |
| OIL | 1964 | 24.0 | 22.9 | 24.6 | 57.5 | 59.3 | 67.1 | 73.7 | 78.3 | 75.8 | 75.3 | 75.6 | 83.6 | **9,114.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,633.0** |
| H2O | 1963 | 7.0 | 31.2 | 45.0 | 45.9 | 19.7 | 27.7 | 17.5 | 31.5 | 27.0 | 30.8 | 54.2 | 55.3 | **2,694.2** |
| OIL | 1963 | 41.0 | 48.8 | 55.9 | 53.7 | 35.8 | 41.2 | 41.5 | 24.2 | 25.3 | 25.6 | 22.7 | 23.0 | **8,397.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,271.0** |
| H2O | 1962 | 29.6 | 26.7 | 29.6 | 22.6 | 0.0 | 28.6 | 24.8 | 23.7 | 8.1 | 8.1 | 8.4 | 7.9 | **2,301.4** |
| OIL | 1962 | 62.0 | 56.7 | 51.5 | 52.0 | 80.6 | 59.4 | 57.4 | 55.1 | 45.9 | 41.2 | 44.2 | 45.3 | **7,958.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,910.0** |
| H2O | 1961 | 34.3 | 34.8 | 41.5 | 36.6 | 34.3 | 33.2 | 34.3 | 29.6 | 28.6 | 24.8 | 33.2 | 29.6 | **2,083.3** |
| OIL | 1961 | 62.8 | 33.7 | 67.1 | 58.3 | 59.4 | 65.6 | 63.7 | 75.8 | 61.0 | 63.9 | 62.8 | 67.4 | **7,307.1** |
| DAY | 1960 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,545.0** |
| H2O | 1960 | 32.1 | 29.9 | 44.0 | 43.6 | 45.8 | 44.5 | 42.1 | 42.0 | 52.3 | 39.0 | 37.7 | 39.1 | **1,688.5** |
| OIL | 1960 | 77.9 | 84.4 | 80.7 | 74.7 | 74.5 | 73.1 | 68.2 | 71.0 | 70.1 | 59.4 | 56.1 | 58.5 | **6,565.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,182.0** |
| H2O | 1959 | 21.1 | 24.5 | 27.0 | 34.0 | 40.7 | 34.2 | 40.5 | 37.5 | 32.4 | 32.9 | 33.7 | 32.4 | **1,196.4** |
| OIL | 1959 | 107.1 | 99.5 | 123.0 | 119.3 | 120.6 | 111.2 | 112.5 | 100.7 | 89.1 | 83.9 | 80.7 | 82.5 | **5,717.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **817.0** |
| H2O | 1958 | 28.6 | 18.4 | 19.4 | 21.0 | 95.4 | 65.3 | 59.3 | 53.3 | 42.4 | 33.9 | 20.7 | 19.4 | **805.5** |
| OIL | 1958 | 151.4 | 129.4 | 134.4 | 109.6 | 192.8 | 147.0 | 140.0 | 131.6 | 117.4 | 117.8 | 125.2 | 119.7 | **4,486.9** |
| DAY | 1957 | 21.0 | 24.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 27.0 | **457.0** |
| H2O | 1957 | 6.5 | 3.7 | 18.3 | 22.3 | 20.7 | 23.7 | 39.4 | 35.5 | 32.6 | 31.6 | 32.0 | 27.8 | **328.4** |
| OIL | 1957 | 73.6 | 29.6 | 172.7 | 191.8 | 181.0 | 165.7 | 182.6 | 156.7 | 145.1 | 153.2 | 153.7 | 146.7 | **2,870.6** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 23.0 | 31.0 | 29.0 | 31.0 | **115.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.3 | 9.4 | 8.1 | 2.5 | **34.3** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.5 | 330.7 | 327.7 | 219.8 | 232.5 | **1,118.2** |

Licence ***1220*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

# Manitoba Production
## 1950 To 1975

Licence ***1220*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1006.5 | 901.1 | 507.6 | 993.0 | 1170.7 | 779.6 | 871.7 | 799.5 | 828.2 | 892.7 | 867.9 | 804.4 | **146,031.7** |
| WIN | 1974 | 1046.4 | 939.3 | 1002.2 | 980.6 | 1030.3 | 963.3 | 948.2 | 959.1 | 959.0 | 1008.1 | 995.9 | 1018.7 | **135,608.8** |
| WIN | 1973 | 575.5 | 518.4 | 462.8 | 637.7 | 1143.1 | 1051.8 | 1017.0 | 1012.1 | 1061.7 | 1021.9 | 1003.6 | 1003.8 | **123,757.7** |
| WIN | 1972 | 927.5 | 809.2 | 844.3 | 819.4 | 878.4 | 631.3 | 816.4 | 778.0 | 811.4 | 836.9 | 792.8 | 572.0 | **113,248.3** |
| WIN | 1971 | 795.9 | 785.2 | 770.4 | 862.1 | 924.6 | 797.8 | 571.7 | 612.5 | 620.3 | 984.7 | 1058.6 | 535.6 | **103,730.7** |
| WIN | 1970 | 1262.3 | 1161.5 | 1244.8 | 1352.8 | 1399.5 | 1472.6 | 1414.6 | 1528.3 | 1415.4 | 977.7 | 873.4 | 887.4 | **94,411.3** |
| WIN | 1969 | 1360.1 | 1206.0 | 1324.0 | 1163.6 | 1248.6 | 892.5 | 1019.4 | 1193.5 | 1035.9 | 1183.6 | 1109.5 | 1214.1 | **79,421.0** |
| WIN | 1968 | 1317.1 | 1206.5 | 1145.5 | 1114.8 | 1275.3 | 1185.2 | 1300.3 | 1207.3 | 1275.0 | 1040.5 | 1298.4 | 1112.1 | **65,470.2** |
| WIN | 1967 | 728.0 | 914.1 | 1166.9 | 1229.7 | 1302.8 | 1287.4 | 1299.8 | 1198.9 | 1261.5 | 1322.6 | 1217.0 | 1281.4 | **50,992.2** |
| WIN | 1966 | 1141.2 | 1050.4 | 1151.3 | 1146.9 | 1099.8 | 1086.8 | 1108.7 | 1081.2 | 735.8 | 913.8 | 1276.6 | 1148.5 | **36,782.1** |
| WIN | 1965 | 1162.0 | 1027.2 | 1261.2 | 1061.7 | 968.5 | 990.8 | 1059.8 | 1063.3 | 1094.7 | 1144.2 | 1014.9 | 1150.4 | **23,841.1** |
| WIN | 1964 | 596.5 | 522.1 | 727.8 | 633.5 | 582.7 | 417.8 | 636.9 | 902.1 | 1170.6 | 1197.8 | 1161.7 | 1186.1 | **10,842.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 28.0 | 26.0 | 31.0 | 11.0 | 0.0 | **2,582.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 0.0 | 0.0 | 3.5 | 2.7 | 0.0 | **490.0** |
| OIL | 1963 | 107.5 | 101.5 | 89.9 | 86.1 | 84.5 | 122.7 | 122.0 | 110.6 | 106.9 | 121.9 | 39.6 | 0.0 | **15,456.9** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 48.2 | 1058.6 | **1,106.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,275.0** |
| H2O | 1962 | 4.7 | 8.5 | 9.4 | 9.0 | 4.8 | 4.6 | 4.8 | 4.8 | 1.0 | 1.1 | 1.1 | 0.0 | **472.8** |
| OIL | 1962 | 124.1 | 113.3 | 120.9 | 137.5 | 125.7 | 124.4 | 129.8 | 126.5 | 111.9 | 100.0 | 107.1 | 118.5 | **14,363.7** |
| DAY | 1961 | 30.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | **1,913.0** |
| H2O | 1961 | 4.8 | 4.5 | 5.1 | 4.9 | 4.8 | 9.2 | 8.6 | 9.5 | 9.2 | 4.8 | 7.9 | 4.8 | **419.0** |
| OIL | 1961 | 145.2 | 78.0 | 135.2 | 129.7 | 134.4 | 136.8 | 138.6 | 145.4 | 127.1 | 143.0 | 120.9 | 135.6 | **12,924.0** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,555.0** |
| H2O | 1960 | 3.8 | 4.1 | 4.6 | 4.6 | 4.8 | 4.6 | 5.2 | 5.1 | 5.6 | 4.8 | 4.6 | 5.4 | **340.9** |
| OIL | 1960 | 158.3 | 160.3 | 170.7 | 167.5 | 172.4 | 164.5 | 162.2 | 175.3 | 162.1 | 145.2 | 159.4 | 155.4 | **11,354.1** |
| DAY | 1959 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,190.0** |
| H2O | 1959 | 4.9 | 4.5 | 4.6 | 4.8 | 4.9 | 4.8 | 4.9 | 4.9 | 5.4 | 5.6 | 5.7 | 4.5 | **283.7** |
| OIL | 1959 | 194.3 | 181.3 | 196.1 | 204.7 | 203.6 | 195.8 | 198.6 | 195.1 | 188.1 | 186.4 | 179.7 | 178.9 | **9,400.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **826.0** |
| H2O | 1958 | 12.1 | 10.7 | 12.2 | 9.2 | 8.1 | 9.4 | 10.0 | 9.5 | 4.8 | 5.1 | 4.8 | 5.1 | **224.2** |
| OIL | 1958 | 237.7 | 210.6 | 214.5 | 194.0 | 207.7 | 184.5 | 164.9 | 232.3 | 245.4 | 242.8 | 203.1 | 201.3 | **7,098.2** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 23.0 | **462.0** |
| H2O | 1957 | 7.9 | 9.5 | 7.8 | 4.9 | 5.7 | 10.8 | 10.7 | 10.2 | 9.4 | 9.7 | 6.5 | 3.7 | **123.2** |
| OIL | 1957 | 336.7 | 317.0 | 344.7 | 330.7 | 325.0 | 303.2 | 278.7 | 295.9 | 242.0 | 248.5 | 247.9 | 191.0 | **4,559.4** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 30.0 | 29.0 | 30.0 | **107.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 9.2 | 8.9 | 7.2 | **26.4** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 229.8 | 306.4 | 244.2 | 317.7 | **1,098.1** |

Licence ***1222*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 28.0 | 15.0 | 0.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,925.0** |
| H2O | 1975 | 16.7 | 14.5 | 15.7 | 14.8 | 7.5 | 0.0 | 13.5 | 86.3 | 41.8 | 43.6 | 41.7 | 44.5 | **41,019.6** |
| OIL | 1975 | 64.0 | 56.7 | 63.6 | 56.4 | 29.4 | 0.0 | 53.2 | 50.5 | 44.3 | 45.1 | 43.1 | 43.7 | **22,763.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 28.0 | 31.0 | 31.0 | 25.0 | 29.0 | 30.0 | 31.0 | **6,612.0** |
| H2O | 1974 | 103.3 | 96.8 | 110.8 | 109.9 | 99.8 | 109.4 | 15.6 | 9.7 | 7.8 | 14.8 | 15.7 | 16.4 | **40,679.0** |
| OIL | 1974 | 63.4 | 59.0 | 64.8 | 61.8 | 57.0 | 64.4 | 53.6 | 34.8 | 30.0 | 60.2 | 63.1 | 64.0 | **22,213.5** |
| DAY | 1973 | 29.0 | 20.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,260.0** |
| H2O | 1973 | 141.7 | 89.8 | 249.4 | 266.6 | 177.4 | 154.1 | 131.0 | 113.4 | 111.6 | 105.7 | 108.4 | 109.2 | **39,969.0** |
| OIL | 1973 | 89.8 | 57.4 | 101.9 | 100.7 | 94.1 | 87.7 | 93.0 | 65.9 | 60.4 | 60.1 | 65.8 | 65.2 | **21,537.4** |
| DAY | 1972 | 31.0 | 27.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,907.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1222*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1972 | 442.3 | 285.1 | 214.6 | 295.2 | 240.9 | 240.2 | 238.8 | 254.4 | 243.2 | 252.5 | 266.0 | 273.9 | **38,210.7** |
| OIL | 1972 | 148.4 | 119.3 | 87.9 | 110.1 | 103.6 | 98.8 | 104.2 | 107.9 | 104.4 | 102.7 | 129.0 | 135.2 | **20,595.4** |
| DAY | 1971 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 28.0 | 28.0 | **5,549.0** |
| H2O | 1971 | 299.5 | 285.4 | 249.0 | 438.3 | 437.7 | 404.4 | 395.1 | 429.9 | 332.4 | 433.4 | 401.9 | 365.0 | **34,963.6** |
| OIL | 1971 | 125.1 | 111.6 | 106.8 | 152.1 | 143.7 | 142.5 | 145.4 | 149.9 | 137.0 | 154.5 | 126.0 | 127.4 | **19,243.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,194.0** |
| H2O | 1970 | 326.4 | 290.3 | 314.1 | 322.1 | 318.6 | 308.6 | 288.5 | 325.6 | 292.5 | 291.7 | 288.5 | 282.5 | **30,491.6** |
| OIL | 1970 | 162.4 | 144.4 | 158.8 | 150.8 | 154.5 | 121.7 | 118.1 | 127.8 | 119.3 | 126.8 | 119.2 | 121.1 | **17,621.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | **4,831.0** |
| H2O | 1969 | 273.6 | 251.2 | 218.6 | 218.1 | 225.4 | 220.0 | 313.0 | 304.8 | 307.8 | 311.4 | 293.0 | 292.7 | **26,842.2** |
| OIL | 1969 | 128.2 | 117.4 | 121.1 | 114.1 | 112.7 | 124.1 | 146.7 | 148.7 | 136.0 | 141.6 | 137.8 | 150.3 | **15,997.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,470.0** |
| H2O | 1968 | 181.6 | 176.5 | 192.7 | 212.7 | 220.3 | 241.5 | 284.3 | 271.2 | 232.0 | 275.2 | 269.3 | 272.3 | **23,612.6** |
| OIL | 1968 | 83.0 | 81.0 | 83.3 | 128.4 | 127.1 | 133.0 | 128.1 | 127.9 | 113.5 | 130.3 | 122.0 | 129.2 | **14,418.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,105.0** |
| H2O | 1967 | 56.3 | 56.9 | 66.8 | 66.6 | 59.8 | 59.9 | 110.0 | 98.7 | 103.5 | 105.7 | 103.5 | 186.3 | **20,783.0** |
| OIL | 1967 | 88.8 | 81.0 | 90.6 | 84.9 | 82.0 | 90.7 | 80.7 | 79.6 | 81.7 | 84.5 | 86.0 | 82.2 | **13,031.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 19.0 | 31.0 | 30.0 | 31.0 | 29.0 | 27.0 | 31.0 | 29.0 | 31.0 | **3,742.0** |
| H2O | 1966 | 137.7 | 113.2 | 128.1 | 84.9 | 177.4 | 181.7 | 173.1 | 171.2 | 140.4 | 159.0 | 64.5 | 52.8 | **19,709.0** |
| OIL | 1966 | 78.8 | 64.7 | 73.7 | 46.2 | 88.0 | 83.1 | 93.9 | 90.4 | 90.7 | 95.3 | 82.3 | 84.2 | **12,018.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,394.0** |
| H2O | 1965 | 71.4 | 69.5 | 72.3 | 58.2 | 186.2 | 183.8 | 195.4 | 183.0 | 145.8 | 154.2 | 124.5 | 129.9 | **18,125.0** |
| OIL | 1965 | 51.0 | 46.6 | 51.3 | 41.8 | 113.1 | 115.2 | 113.1 | 116.2 | 92.0 | 89.3 | 81.7 | 82.8 | **11,047.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,033.0** |
| H2O | 1964 | 142.8 | 135.1 | 145.6 | 139.6 | 141.0 | 175.5 | 139.3 | 102.7 | 62.3 | 62.6 | 69.6 | 72.0 | **16,550.8** |
| OIL | 1964 | 86.9 | 82.2 | 83.3 | 86.8 | 84.2 | 67.2 | 66.1 | 42.0 | 46.6 | 46.7 | 41.2 | 45.3 | **10,053.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,667.0** |
| H2O | 1963 | 162.2 | 149.6 | 157.4 | 139.9 | 174.1 | 149.6 | 161.0 | 145.8 | 162.2 | 173.3 | 152.9 | 139.9 | **15,162.7** |
| OIL | 1963 | 87.7 | 93.8 | 98.5 | 87.7 | 110.0 | 68.5 | 90.3 | 84.1 | 97.4 | 98.5 | 84.7 | 84.5 | **9,274.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,302.0** |
| H2O | 1962 | 169.0 | 168.0 | 173.8 | 136.6 | 169.5 | 160.9 | 171.4 | 182.7 | 165.5 | 162.3 | 159.5 | 171.7 | **13,294.8** |
| OIL | 1962 | 93.4 | 91.4 | 91.4 | 81.8 | 100.3 | 93.1 | 94.2 | 95.3 | 95.7 | 98.7 | 95.2 | 91.5 | **8,189.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,939.0** |
| H2O | 1961 | 146.1 | 134.7 | 174.4 | 161.7 | 134.8 | 163.6 | 187.1 | 143.2 | 136.4 | 175.8 | 170.7 | 189.0 | **11,303.9** |
| OIL | 1961 | 91.4 | 83.6 | 95.0 | 97.9 | 95.8 | 91.4 | 92.8 | 90.4 | 87.6 | 99.2 | 103.8 | 104.9 | **7,067.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,575.0** |
| H2O | 1960 | 136.4 | 151.2 | 167.1 | 162.0 | 149.0 | 162.0 | 173.6 | 159.8 | 171.9 | 131.8 | 162.5 | 141.8 | **9,386.4** |
| OIL | 1960 | 77.7 | 79.3 | 73.9 | 79.5 | 87.6 | 63.4 | 106.2 | 112.2 | 107.7 | 83.7 | 93.6 | 91.4 | **5,933.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,209.0** |
| H2O | 1959 | 91.9 | 81.6 | 141.7 | 127.3 | 105.9 | 110.8 | 103.5 | 102.5 | 126.9 | 164.7 | 152.5 | 172.2 | **7,517.3** |
| OIL | 1959 | 64.0 | 59.4 | 62.0 | 64.2 | 46.6 | 53.7 | 48.1 | 58.0 | 105.2 | 121.6 | 105.7 | 109.0 | **4,877.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **845.0** |
| H2O | 1958 | 194.8 | 150.6 | 186.3 | 171.9 | 178.5 | 163.9 | 172.8 | 165.3 | 147.9 | 70.6 | 139.3 | 82.4 | **6,035.8** |
| OIL | 1958 | 94.1 | 80.1 | 96.9 | 89.5 | 94.2 | 91.2 | 98.4 | 93.4 | 67.4 | 59.3 | 66.4 | 66.1 | **3,979.7** |
| DAY | 1957 | 31.0 | 27.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **480.0** |
| H2O | 1957 | 388.1 | 253.6 | 307.6 | 297.3 | 265.3 | 247.8 | 256.8 | 257.4 | 214.0 | 214.3 | 164.9 | 168.8 | **4,211.5** |
| OIL | 1957 | 213.6 | 202.8 | 257.4 | 221.0 | 149.7 | 135.4 | 149.7 | 153.2 | 106.2 | 106.6 | 86.6 | 84.1 | **2,982.7** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 28.0 | 23.0 | 29.0 | 31.0 | **119.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.8 | 283.3 | 260.4 | 292.8 | 307.3 | **1,175.6** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 109.0 | 337.0 | 210.7 | 236.3 | 223.4 | **1,116.4** |

Licence ***1223*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***1223*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-12-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 13.0 | 0.0 | 0.0 | 0.0 | **344.0** |
| H2O | 1957 | 101.6 | 78.4 | 101.7 | 86.3 | 85.2 | 108.6 | 110.5 | 108.6 | 43.4 | 0.0 | 0.0 | 0.0 | **1,146.2** |
| OIL | 1957 | 10.8 | 9.2 | 8.4 | 10.2 | 11.6 | 13.2 | 13.3 | 13.7 | 5.1 | 0.0 | 0.0 | 0.0 | **131.1** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 30.0 | 31.0 | **89.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 104.6 | 112.2 | 105.1 | **321.9** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.3 | 12.4 | 11.9 | **35.6** |

Licence ***1224*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-01-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1190.3 | 1058.8 | 1269.6 | 1295.7 | 1251.2 | 1144.7 | 1109.7 | 1212.2 | 1406.0 | 1406.2 | 1404.1 | 1249.4 | **117,071.2** |
| WIN | 1974 | 894.1 | 1190.9 | 1269.1 | 1224.3 | 945.6 | 846.1 | 1140.5 | 1062.0 | 1188.2 | 1107.6 | 1168.7 | 1235.1 | **102,073.3** |
| WIN | 1973 | 1134.1 | 999.3 | 1156.7 | 1304.7 | 1658.4 | 1284.2 | 1394.8 | 1331.2 | 1310.9 | 1283.7 | 1247.9 | 1159.0 | **88,801.1** |
| WIN | 1972 | 1113.1 | 1095.2 | 1373.4 | 1307.1 | 1326.4 | 1198.5 | 1348.4 | 1382.9 | 1294.0 | 1356.7 | 1016.5 | 1172.0 | **73,536.2** |
| WIN | 1971 | 842.8 | 864.2 | 769.6 | 880.1 | 706.9 | 589.1 | 555.0 | 1237.1 | 1226.6 | 1429.0 | 1259.9 | 1263.2 | **58,552.0** |
| WIN | 1970 | 852.1 | 769.9 | 723.0 | 1239.3 | 867.2 | 852.2 | 1085.5 | 936.8 | 868.0 | 1147.0 | 1063.2 | 899.6 | **46,928.5** |
| WIN | 1969 | 1277.2 | 1153.4 | 1273.2 | 1321.2 | 969.7 | 1325.5 | 820.7 | 905.0 | 903.3 | 1283.5 | 1104.1 | 1163.6 | **35,624.7** |
| WIN | 1968 | 773.4 | 1344.4 | 1087.2 | 1410.1 | 1355.7 | 1165.5 | 1239.2 | 1377.7 | 926.5 | 1240.8 | 1197.7 | 1159.6 | **22,124.3** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1855.2 | 1212.6 | 1455.2 | 1269.9 | 1076.9 | 976.7 | **7,846.5** |
| DAY | 1962 | 31.0 | 28.0 | 30.0 | 30.0 | 27.0 | 28.0 | 26.0 | 24.0 | 30.0 | 30.0 | 21.0 | 0.0 | **2,197.0** |
| H2O | 1962 | 12.6 | 65.9 | 15.8 | 20.1 | 29.2 | 31.0 | 13.7 | 15.7 | 20.7 | 18.1 | 11.9 | 0.0 | **9,880.3** |
| OIL | 1962 | 5.0 | 4.4 | 5.2 | 6.0 | 7.2 | 8.4 | 8.4 | 8.3 | 9.1 | 9.1 | 5.1 | 0.0 | **2,740.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 19.0 | 30.0 | 31.0 | 30.0 | 10.0 | **1,892.0** |
| H2O | 1961 | 14.0 | 17.5 | 18.0 | 20.4 | 16.9 | 12.4 | 8.6 | 8.6 | 16.1 | 16.2 | 19.1 | 4.9 | **9,625.6** |
| OIL | 1961 | 8.1 | 8.1 | 7.9 | 7.2 | 6.7 | 5.2 | 5.1 | 3.8 | 5.9 | 6.4 | 6.5 | 1.7 | **2,663.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,560.0** |
| H2O | 1960 | 41.0 | 39.3 | 40.7 | 38.5 | 36.6 | 16.4 | 16.4 | 17.6 | 15.1 | 15.4 | 15.3 | 15.3 | **9,452.9** |
| OIL | 1960 | 9.7 | 9.1 | 9.4 | 8.6 | 8.9 | 11.8 | 9.1 | 9.2 | 8.7 | 8.9 | 8.3 | 8.3 | **2,591.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,195.0** |
| H2O | 1959 | 99.2 | 83.2 | 84.4 | 85.5 | 94.6 | 31.5 | 30.5 | 29.3 | 46.1 | 46.6 | 42.6 | 43.9 | **9,145.3** |
| OIL | 1959 | 29.4 | 26.5 | 27.0 | 23.8 | 28.3 | 18.0 | 17.2 | 18.3 | 11.1 | 10.6 | 9.9 | 10.3 | **2,481.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **830.0** |
| H2O | 1958 | 280.9 | 277.3 | 269.5 | 203.5 | 202.2 | 150.2 | 149.8 | 127.0 | 121.6 | 138.6 | 110.8 | 108.6 | **8,427.9** |
| OIL | 1958 | 79.5 | 75.5 | 83.3 | 55.3 | 51.3 | 43.7 | 43.7 | 39.1 | 27.7 | 27.3 | 31.5 | 29.9 | **2,250.8** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **467.0** |
| H2O | 1957 | 512.6 | 385.8 | 418.8 | 455.0 | 346.6 | 363.7 | 387.8 | 542.0 | 407.8 | 286.0 | 302.5 | 290.9 | **6,287.9** |
| OIL | 1957 | 110.8 | 95.5 | 102.2 | 63.6 | 86.4 | 100.7 | 98.0 | 138.3 | 106.3 | 100.3 | 88.2 | 84.2 | **1,663.0** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 24.0 | 27.0 | 25.0 | 28.0 | **105.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.9 | 359.5 | 414.8 | 402.5 | 403.7 | **1,588.4** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.4 | 144.1 | 120.1 | 100.6 | 112.3 | **488.5** |

Licence ***1229*** Well Name ***Daly Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.10-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 30.0 | 1.0 | 0.0 | 0.0 | **1,513.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 183.2 | 468.7 | 18.6 | 0.0 | 0.0 | **1,664.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 21.0 | 0.0 | 0.0 | 20.0 | 0.0 | **1,470.0** |
| H2O | 1960 | 1.0 | 1.0 | 1.4 | 0.5 | 8.9 | 6.7 | 8.4 | 6.4 | 284.4 | 251.3 | 180.3 | 0.0 | **994.3** |
| OIL | 1960 | 52.0 | 51.8 | 54.0 | 51.5 | 55.3 | 42.4 | 51.8 | 38.8 | 0.0 | 0.0 | 0.0 | 0.0 | **3,395.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,216.0** |
| H2O | 1959 | 4.1 | 3.3 | 3.0 | 3.7 | 8.6 | 6.2 | 4.1 | 11.1 | 8.1 | 8.4 | 5.1 | 1.0 | **244.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1229*** Well Name ***Daly Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.10-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1959 | 68.2 | 59.9 | 63.7 | 61.3 | 57.5 | 45.0 | 50.9 | 61.5 | 58.0 | 59.1 | 53.1 | 54.7 | **2,998.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **851.0** |
| H2O | 1958 | 9.1 | 8.7 | 7.3 | 8.3 | 21.1 | 9.4 | 7.0 | 5.7 | 3.7 | 3.5 | 4.1 | 3.3 | **177.3** |
| OIL | 1958 | 72.6 | 63.2 | 61.5 | 68.6 | 71.7 | 69.6 | 66.1 | 60.7 | 55.0 | 60.9 | 71.5 | 69.1 | **2,305.2** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **489.0** |
| H2O | 1957 | 2.2 | 2.1 | 2.5 | 2.9 | 9.9 | 1.1 | 1.9 | 7.3 | 5.4 | 7.5 | 5.6 | 6.4 | **86.1** |
| OIL | 1957 | 72.8 | 70.7 | 79.9 | 75.2 | 85.0 | 108.1 | 103.9 | 82.0 | 86.3 | 72.5 | 66.6 | 72.3 | **1,514.7** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 30.0 | 31.0 | 29.0 | 31.0 | **125.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.4 | 10.3 | 15.3 | 1.6 | 1.7 | **31.3** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 52.0 | 216.9 | 123.9 | 65.6 | 81.0 | **539.4** |

Licence ***1230*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.10-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,958.0** |
| H2O | 1975 | 470.7 | 418.0 | 451.5 | 452.6 | 464.1 | 428.1 | 460.1 | 451.0 | 437.2 | 456.4 | 435.0 | 465.2 | **40,452.6** |
| OIL | 1975 | 104.9 | 93.8 | 105.0 | 100.0 | 106.2 | 102.8 | 104.7 | 105.7 | 101.5 | 103.3 | 98.8 | 100.1 | **17,500.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 28.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **6,593.0** |
| H2O | 1974 | 408.7 | 386.0 | 442.4 | 434.7 | 330.7 | 362.2 | 357.4 | 386.5 | 353.3 | 370.7 | 366.8 | 464.2 | **35,062.7** |
| OIL | 1974 | 97.9 | 91.4 | 100.7 | 95.5 | 77.7 | 87.6 | 116.3 | 122.2 | 118.4 | 106.5 | 103.5 | 105.0 | **16,273.8** |
| DAY | 1973 | 31.0 | 27.0 | 19.0 | 7.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,238.0** |
| H2O | 1973 | 446.3 | 345.1 | 255.8 | 124.0 | 509.5 | 476.9 | 435.9 | 443.9 | 441.8 | 444.8 | 432.6 | 436.4 | **30,399.1** |
| OIL | 1973 | 96.0 | 88.0 | 62.5 | 41.0 | 183.1 | 184.0 | 97.6 | 85.8 | 93.1 | 98.4 | 102.5 | 101.2 | **15,051.1** |
| DAY | 1972 | 31.0 | 22.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,909.0** |
| H2O | 1972 | 466.4 | 249.9 | 342.6 | 359.5 | 418.4 | 384.4 | 382.3 | 413.0 | 395.4 | 410.3 | 353.9 | 364.4 | **25,606.1** |
| OIL | 1972 | 122.7 | 81.7 | 110.8 | 105.8 | 110.4 | 103.1 | 108.7 | 103.1 | 100.1 | 98.2 | 94.9 | 99.3 | **13,817.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,551.0** |
| H2O | 1971 | 276.3 | 382.2 | 369.2 | 386.2 | 481.4 | 449.9 | 395.1 | 410.0 | 396.2 | 476.6 | 465.5 | 435.6 | **21,065.6** |
| OIL | 1971 | 124.9 | 107.4 | 113.6 | 112.0 | 134.8 | 129.7 | 109.3 | 112.8 | 106.5 | 119.5 | 96.0 | 119.2 | **12,579.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,186.0** |
| H2O | 1970 | 702.1 | 602.1 | 380.6 | 390.5 | 375.5 | 359.6 | 368.2 | 379.2 | 267.9 | 261.5 | 258.5 | 260.6 | **16,141.4** |
| OIL | 1970 | 156.7 | 134.4 | 148.3 | 141.1 | 140.2 | 130.3 | 138.7 | 136.7 | 116.5 | 121.1 | 113.9 | 121.1 | **11,193.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,821.0** |
| H2O | 1969 | 24.2 | 22.3 | 23.4 | 23.4 | 24.2 | 19.1 | 19.1 | 184.3 | 341.0 | 377.3 | 375.7 | 366.9 | **11,535.1** |
| OIL | 1969 | 23.0 | 21.0 | 23.5 | 22.1 | 21.9 | 28.8 | 28.4 | 174.0 | 172.7 | 196.3 | 195.0 | 202.2 | **9,594.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,461.0** |
| H2O | 1968 | 3.3 | 3.3 | 3.5 | 3.3 | 3.3 | 4.3 | 25.0 | 23.8 | 20.5 | 24.2 | 23.8 | 24.2 | **9,734.2** |
| OIL | 1968 | 7.5 | 7.3 | 7.6 | 6.7 | 6.8 | 4.4 | 23.0 | 23.0 | 20.3 | 23.4 | 21.9 | 23.4 | **8,485.5** |
| DAY | 1967 | 31.0 | 28.0 | 25.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 27.0 | 28.0 | 30.0 | 31.0 | **4,096.0** |
| H2O | 1967 | 1.0 | 1.1 | 1.0 | 1.3 | 1.1 | 1.1 | 1.1 | 3.2 | 2.9 | 3.0 | 3.3 | 3.5 | **9,571.7** |
| OIL | 1967 | 9.7 | 8.7 | 7.6 | 9.2 | 8.9 | 9.9 | 10.8 | 6.5 | 5.7 | 6.2 | 6.8 | 7.5 | **8,310.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 23.0 | 30.0 | 31.0 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | **3,745.0** |
| H2O | 1966 | 22.4 | 18.4 | 20.7 | 22.9 | 24.6 | 35.6 | 34.0 | 35.9 | 2.4 | 2.9 | 1.3 | 1.0 | **9,548.1** |
| OIL | 1966 | 21.9 | 18.1 | 20.7 | 21.3 | 0.0 | 0.0 | 0.0 | 0.0 | 8.6 | 10.3 | 9.4 | 9.1 | **8,212.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,394.0** |
| H2O | 1965 | 82.8 | 80.9 | 84.1 | 78.7 | 39.9 | 39.6 | 42.1 | 39.3 | 23.7 | 25.4 | 20.2 | 21.1 | **9,326.0** |
| OIL | 1965 | 55.3 | 50.5 | 55.6 | 52.6 | 26.2 | 26.5 | 26.1 | 26.9 | 25.6 | 25.3 | 22.7 | 23.2 | **8,093.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,029.0** |
| H2O | 1964 | 34.2 | 32.6 | 35.0 | 33.7 | 33.9 | 1.6 | 3.0 | 52.5 | 72.2 | 72.8 | 80.9 | 83.6 | **8,748.2** |
| OIL | 1964 | 29.2 | 27.8 | 28.1 | 29.4 | 28.4 | 17.8 | 24.0 | 43.7 | 50.4 | 50.5 | 44.5 | 48.9 | **7,676.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,667.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1230*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.10-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1963 | 65.5 | 60.4 | 63.6 | 56.4 | 42.4 | 47.2 | 42.6 | 41.8 | 34.8 | 37.2 | 36.7 | 33.7 | **8,212.2** |
| OIL | 1963 | 35.6 | 38.3 | 40.0 | 35.8 | 34.5 | 26.9 | 34.2 | 28.0 | 30.7 | 30.0 | 28.6 | 28.6 | **7,254.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,302.0** |
| H2O | 1962 | 50.2 | 49.9 | 51.5 | 65.8 | 64.1 | 56.9 | 69.6 | 63.6 | 66.8 | 65.5 | 64.2 | 69.2 | **7,649.9** |
| OIL | 1962 | 34.0 | 33.4 | 33.2 | 36.2 | 42.4 | 40.2 | 37.0 | 41.2 | 39.1 | 40.2 | 38.8 | 37.3 | **6,862.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,938.0** |
| H2O | 1961 | 82.7 | 76.0 | 79.5 | 93.3 | 73.3 | 85.1 | 86.2 | 105.7 | 73.0 | 74.2 | 50.6 | 56.1 | **6,912.6** |
| OIL | 1961 | 64.2 | 58.6 | 60.4 | 58.3 | 50.9 | 52.4 | 53.4 | 49.7 | 52.0 | 44.5 | 37.8 | 38.1 | **6,409.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,576.0** |
| H2O | 1960 | 88.7 | 20.2 | 20.8 | 97.8 | 67.1 | 84.6 | 85.1 | 78.9 | 95.9 | 88.4 | 98.7 | 80.3 | **5,976.9** |
| OIL | 1960 | 70.4 | 71.4 | 69.1 | 66.7 | 68.2 | 65.6 | 62.0 | 64.8 | 63.6 | 62.1 | 68.5 | 64.2 | **5,789.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,210.0** |
| H2O | 1959 | 71.2 | 51.5 | 62.8 | 42.9 | 49.4 | 71.2 | 48.2 | 40.9 | 110.0 | 103.5 | 72.8 | 73.4 | **5,070.4** |
| OIL | 1959 | 57.0 | 59.4 | 57.5 | 59.8 | 70.1 | 62.0 | 50.5 | 47.4 | 86.9 | 86.3 | 72.6 | 62.1 | **4,993.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **845.0** |
| H2O | 1958 | 138.8 | 98.4 | 120.5 | 106.8 | 122.3 | 103.2 | 108.6 | 94.0 | 61.8 | 70.1 | 48.3 | 63.8 | **4,272.6** |
| OIL | 1958 | 117.0 | 93.9 | 112.0 | 100.6 | 102.3 | 93.4 | 95.8 | 89.5 | 50.5 | 61.0 | 69.9 | 59.1 | **4,221.4** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **480.0** |
| H2O | 1957 | 308.7 | 199.8 | 225.1 | 212.1 | 173.8 | 158.7 | 151.2 | 183.0 | 157.2 | 151.5 | 124.0 | 119.7 | **3,136.0** |
| OIL | 1957 | 234.3 | 220.2 | 232.3 | 194.0 | 150.3 | 151.1 | 162.2 | 164.5 | 134.8 | 122.7 | 115.4 | 104.6 | **3,176.4** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 26.0 | 23.0 | 28.0 | 31.0 | **116.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 50.6 | 240.7 | 201.7 | 230.8 | 247.4 | **971.2** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 119.2 | 343.4 | 222.6 | 256.8 | 248.0 | **1,190.0** |

Licence ***1231*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-01-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,930.0** |
| H2O | 1975 | 285.5 | 253.4 | 273.8 | 274.6 | 281.6 | 297.9 | 320.0 | 313.8 | 326.1 | 340.5 | 435.0 | 465.2 | **28,139.4** |
| OIL | 1975 | 45.9 | 41.0 | 45.9 | 43.7 | 46.4 | 71.7 | 72.9 | 73.6 | 70.9 | 72.0 | 55.5 | 56.4 | **6,860.7** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **5,565.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 81.4 | 316.5 | 289.5 | 274.4 | 269.9 | 281.6 | **24,272.0** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.8 | 78.5 | 76.1 | 46.6 | 45.0 | 46.1 | **6,164.8** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 0.0 | 0.0 | **5,406.0** |
| H2O | 1973 | 431.5 | 371.5 | 421.8 | 450.1 | 87.4 | 82.5 | 318.9 | 15.1 | 303.5 | 295.4 | 0.0 | 0.0 | **22,758.7** |
| OIL | 1973 | 45.6 | 39.7 | 43.1 | 42.6 | 22.9 | 23.0 | 37.0 | 16.5 | 67.2 | 68.6 | 0.0 | 0.0 | **5,851.7** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 30.0 | 29.0 | 30.0 | 29.0 | 28.0 | 31.0 | **5,105.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 127.0 | 183.5 | 329.2 | 333.9 | 319.4 | 350.4 | 408.6 | **19,981.0** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 33.8 | 52.1 | 48.5 | 49.6 | 45.0 | 38.3 | 45.3 | **5,445.5** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **4,908.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 43.1 | 49.6 | 14.5 | 14.1 | 15.3 | 4.6 | 18.6 | 0.0 | 0.0 | **17,929.0** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 4.1 | 4.4 | 4.3 | 4.3 | 4.6 | 8.6 | 15.3 | 0.0 | 0.0 | **5,132.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **4,696.0** |
| H2O | 1970 | 224.6 | 199.8 | 99.2 | 48.5 | 47.9 | 46.4 | 44.5 | 48.3 | 44.8 | 42.8 | 0.0 | 0.0 | **17,769.2** |
| OIL | 1970 | 38.9 | 34.5 | 9.4 | 14.3 | 14.6 | 14.0 | 14.0 | 14.5 | 4.3 | 4.3 | 0.0 | 0.0 | **5,087.3** |
| DAY | 1969 | 31.0 | 26.0 | 25.0 | 30.0 | 31.0 | 19.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 26.0 | **4,393.0** |
| H2O | 1969 | 167.9 | 32.4 | 29.3 | 36.7 | 37.7 | 81.6 | 124.0 | 118.0 | 109.5 | 120.7 | 23.5 | 19.1 | **16,922.4** |
| OIL | 1969 | 45.9 | 7.5 | 7.2 | 8.4 | 8.3 | 26.1 | 38.5 | 38.1 | 31.8 | 36.4 | 14.3 | 12.2 | **4,924.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | **4,053.0** |
| H2O | 1968 | 19.4 | 18.8 | 20.5 | 14.6 | 12.7 | 14.0 | 15.6 | 14.9 | 12.4 | 15.1 | 14.8 | 155.3 | **16,022.0** |
| OIL | 1968 | 4.9 | 4.9 | 5.1 | 3.3 | 2.9 | 4.4 | 4.4 | 4.4 | 3.8 | 4.4 | 4.3 | 43.1 | **4,649.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1231*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-01-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 20.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,696.0** |
| H2O | 1967 | 136.2 | 137.7 | 161.8 | 161.5 | 155.3 | 145.6 | 92.8 | 137.8 | 18.6 | 19.1 | 18.6 | 19.9 | **15,693.9** |
| OIL | 1967 | 33.8 | 30.8 | 34.5 | 32.3 | 33.2 | 34.6 | 23.2 | 37.5 | 4.4 | 4.6 | 4.6 | 4.9 | **4,559.9** |
| DAY | 1966 | 30.0 | 28.0 | 28.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,342.0** |
| H2O | 1966 | 119.1 | 95.1 | 92.7 | 87.0 | 95.1 | 72.5 | 87.3 | 91.6 | 90.3 | 84.6 | 86.2 | 128.3 | **14,489.0** |
| OIL | 1966 | 32.3 | 28.1 | 26.2 | 24.0 | 27.2 | 23.7 | 25.1 | 24.2 | 25.3 | 23.0 | 22.2 | 32.1 | **4,281.5** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 27.0 | 31.0 | 30.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 29.0 | **2,983.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 130.0 | 128.3 | 114.1 | 94.9 | 87.8 | 59.8 | 66.5 | 147.7 | 121.8 | **13,359.2** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 65.8 | 61.7 | 55.0 | 42.0 | 41.2 | 44.8 | 41.8 | 35.9 | 35.1 | **3,968.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 31.0 | 0.0 | 0.0 | **2,718.0** |
| H2O | 1964 | 86.6 | 74.9 | 81.4 | 82.8 | 74.6 | 91.3 | 155.0 | 69.5 | 50.2 | 38.0 | 0.0 | 0.0 | **12,408.3** |
| OIL | 1964 | 18.6 | 16.0 | 16.4 | 15.7 | 14.8 | 11.9 | 25.1 | 26.9 | 16.2 | 20.8 | 0.0 | 0.0 | **3,544.8** |
| DAY | 1963 | 18.0 | 0.0 | 0.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **2,418.0** |
| H2O | 1963 | 25.9 | 0.0 | 0.0 | 88.4 | 98.4 | 87.0 | 67.7 | 70.4 | 90.0 | 96.8 | 97.9 | 95.9 | **11,604.0** |
| OIL | 1963 | 8.4 | 0.0 | 0.0 | 19.7 | 20.0 | 16.5 | 17.8 | 18.3 | 17.6 | 22.1 | 19.1 | 19.7 | **3,362.4** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 14.0 | 27.0 | 28.0 | 26.0 | 28.0 | 30.0 | 30.0 | 29.0 | 31.0 | **2,133.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 34.5 | 99.4 | 104.6 | 46.4 | 91.4 | 101.4 | 88.7 | 80.3 | 68.2 | **10,785.6** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 3.3 | 7.9 | 9.4 | 9.4 | 23.7 | 21.6 | 21.5 | 16.8 | 18.0 | **3,183.2** |
| DAY | 1961 | 27.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 20.0 | 30.0 | 31.0 | 30.0 | 0.0 | **1,890.0** |
| H2O | 1961 | 3.8 | 5.1 | 5.6 | 6.2 | 123.7 | 90.8 | 63.3 | 30.7 | 54.5 | 54.4 | 64.1 | 0.0 | **10,070.7** |
| OIL | 1961 | 4.4 | 4.6 | 4.9 | 4.4 | 25.7 | 20.3 | 19.9 | 4.4 | 6.7 | 7.0 | 7.3 | 0.0 | **3,051.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,573.0** |
| H2O | 1960 | 6.0 | 5.9 | 6.0 | 5.7 | 5.4 | 5.4 | 3.7 | 5.4 | 4.6 | 4.8 | 4.8 | 4.6 | **9,568.5** |
| OIL | 1960 | 11.6 | 10.8 | 11.3 | 10.2 | 10.6 | 9.7 | 6.8 | 5.7 | 5.4 | 5.6 | 5.2 | 5.1 | **2,942.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,208.0** |
| H2O | 1959 | 167.4 | 140.4 | 142.4 | 144.4 | 76.3 | 57.4 | 55.3 | 66.5 | 1.9 | 7.0 | 6.4 | 6.5 | **9,506.2** |
| OIL | 1959 | 48.6 | 43.7 | 44.8 | 39.4 | 26.2 | 19.1 | 18.3 | 14.6 | 11.1 | 12.9 | 11.9 | 12.4 | **2,844.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **843.0** |
| H2O | 1958 | 338.6 | 335.1 | 325.6 | 300.3 | 320.0 | 247.1 | 248.5 | 208.9 | 209.5 | 210.3 | 187.0 | 183.1 | **8,634.3** |
| OIL | 1958 | 111.2 | 106.0 | 117.1 | 106.3 | 91.5 | 81.8 | 73.1 | 51.2 | 52.1 | 48.8 | 33.1 | 49.6 | **2,541.0** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **479.0** |
| H2O | 1957 | 513.0 | 436.7 | 321.8 | 375.2 | 238.0 | 188.4 | 210.8 | 194.4 | 216.2 | 343.2 | 364.2 | 350.2 | **5,520.3** |
| OIL | 1957 | 110.3 | 108.7 | 95.8 | 62.1 | 74.5 | 62.3 | 68.6 | 97.1 | 72.0 | 140.3 | 123.8 | 118.2 | **1,619.2** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 30.0 | 26.0 | 31.0 | **115.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 442.1 | 461.5 | 419.1 | 445.5 | **1,768.2** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 125.4 | 132.7 | 104.1 | 123.3 | **485.5** |

Licence ***1232*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 900.5 | 807.0 | 475.2 | 834.3 | 885.7 | 781.2 | 804.9 | 845.3 | 876.3 | 923.2 | 852.6 | 938.6 | **106,582.1** |
| WIN | 1974 | 857.5 | 776.6 | 837.2 | 807.8 | 850.4 | 803.6 | 796.0 | 800.6 | 842.8 | 853.6 | 854.0 | 861.8 | **96,657.3** |
| WIN | 1973 | 684.1 | 695.9 | 621.5 | 714.5 | 886.8 | 822.9 | 820.5 | 838.1 | 865.8 | 846.9 | 819.1 | 824.9 | **86,715.4** |
| WIN | 1972 | 1217.3 | 826.1 | 882.3 | 843.4 | 831.5 | 823.2 | 777.3 | 848.0 | 817.8 | 868.7 | 825.3 | 691.7 | **77,274.4** |
| WIN | 1971 | 748.5 | 747.4 | 726.2 | 795.7 | 826.5 | 728.4 | 533.9 | 603.8 | 760.9 | 775.2 | 614.1 | 493.2 | **67,021.8** |
| WIN | 1970 | 796.6 | 700.0 | 736.6 | 743.9 | 829.4 | 787.4 | 786.5 | 849.3 | 802.4 | 850.9 | 839.1 | 828.3 | **58,668.0** |
| WIN | 1969 | 511.0 | 567.2 | 546.9 | 424.8 | 400.9 | 462.0 | 494.6 | 527.2 | 680.0 | 682.7 | 627.8 | 715.7 | **49,117.6** |
| WIN | 1968 | 842.6 | 776.6 | 817.2 | 607.1 | 508.6 | 468.0 | 513.2 | 471.9 | 494.7 | 365.3 | 510.3 | 439.7 | **42,476.8** |
| WIN | 1967 | 456.6 | 566.8 | 728.6 | 736.9 | 784.7 | 835.4 | 832.7 | 547.8 | 866.4 | 861.7 | 791.6 | 908.9 | **35,661.6** |
| WIN | 1966 | 734.2 | 661.5 | 714.0 | 885.2 | 699.8 | 618.8 | 733.9 | 706.7 | 427.8 | 569.5 | 831.8 | 713.0 | **26,743.5** |
| WIN | 1965 | 862.9 | 759.6 | 829.4 | 780.6 | 700.3 | 723.2 | 787.7 | 783.3 | 781.5 | 802.5 | 740.4 | 788.9 | **18,447.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1232*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1964 | 645.3 | 509.2 | 673.8 | 579.5 | 510.3 | 407.5 | 511.9 | 896.5 | 929.9 | 909.8 | 871.1 | 884.6 | **9,107.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 15.0 | 0.0 | **2,585.0** |
| H2O | 1963 | 6.9 | 7.6 | 0.0 | 0.0 | 3.0 | 4.5 | 4.8 | 4.9 | 4.5 | 4.0 | 1.9 | 0.0 | **704.0** |
| OIL | 1963 | 87.5 | 83.8 | 90.9 | 80.6 | 80.2 | 74.4 | 88.2 | 90.3 | 89.3 | 94.9 | 40.8 | 0.0 | **10,905.7** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 777.6 | **777.6** |
| DAY | 1962 | 24.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,266.0** |
| H2O | 1962 | 6.7 | 9.2 | 10.5 | 7.6 | 0.0 | 6.8 | 7.0 | 7.9 | 6.5 | 5.4 | 7.5 | 6.7 | **661.9** |
| OIL | 1962 | 105.0 | 94.9 | 100.7 | 97.1 | 113.5 | 96.9 | 98.7 | 97.7 | 93.8 | 93.4 | 86.8 | 89.9 | **10,004.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,908.0** |
| H2O | 1961 | 10.8 | 4.5 | 17.2 | 12.2 | 11.1 | 8.1 | 7.2 | 10.3 | 5.6 | 5.1 | 7.0 | 5.2 | **580.1** |
| OIL | 1961 | 94.9 | 70.7 | 141.7 | 136.2 | 127.6 | 123.2 | 110.8 | 116.2 | 100.1 | 105.2 | 104.9 | 109.2 | **8,836.4** |
| DAY | 1960 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | **1,543.0** |
| H2O | 1960 | 1.3 | 1.1 | 4.3 | 1.3 | 3.2 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 5.4 | **475.8** |
| OIL | 1960 | 67.7 | 59.0 | 54.0 | 43.7 | 55.6 | 51.5 | 45.9 | 49.4 | 46.1 | 47.5 | 41.0 | 54.0 | **7,495.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,185.0** |
| H2O | 1959 | 12.2 | 6.0 | 4.3 | 8.3 | 5.4 | 3.5 | 5.6 | 25.1 | 0.2 | 1.1 | 0.6 | 1.4 | **457.4** |
| OIL | 1959 | 117.9 | 104.7 | 108.2 | 98.4 | 100.0 | 94.7 | 96.6 | 92.6 | 85.2 | 79.0 | 69.6 | 73.9 | **6,880.3** |
| DAY | 1958 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **820.0** |
| H2O | 1958 | 11.4 | 10.7 | 17.2 | 9.5 | 2.2 | 8.4 | 12.7 | 9.1 | 6.5 | 7.9 | 0.6 | 4.3 | **383.7** |
| OIL | 1958 | 169.7 | 142.1 | 153.8 | 143.8 | 139.2 | 129.7 | 130.3 | 135.6 | 125.1 | 132.1 | 123.9 | 129.2 | **5,759.5** |
| DAY | 1957 | 23.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **457.0** |
| H2O | 1957 | 31.8 | 10.0 | 2.9 | 0.3 | 59.8 | 0.8 | 11.6 | 6.5 | 7.6 | 10.8 | 10.7 | 14.1 | **283.2** |
| OIL | 1957 | 312.3 | 256.5 | 188.9 | 142.4 | 365.3 | 289.5 | 265.1 | 184.2 | 215.8 | 212.5 | 176.2 | 152.4 | **4,105.0** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 28.0 | 25.0 | 29.0 | **104.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.1 | 24.6 | 35.1 | 37.5 | **116.3** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 257.4 | 329.1 | 360.6 | 396.8 | **1,343.9** |

Licence ***1233*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-26-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 942.1 | 895.2 | 945.5 | 935.9 | 917.6 | 887.1 | 923.7 | 949.4 | 880.9 | 967.9 | 931.3 | 933.1 | **136,795.4** |
| WIN | 1974 | 673.6 | 640.1 | 679.5 | 663.4 | 637.2 | 748.3 | 868.0 | 944.7 | 859.1 | 900.0 | 966.4 | 1006.7 | **125,685.7** |
| WIN | 1973 | 626.4 | 737.7 | 765.6 | 867.2 | 914.9 | 870.4 | 838.9 | 838.3 | 850.7 | 651.0 | 602.1 | 656.9 | **116,098.7** |
| WIN | 1972 | 1087.4 | 1083.0 | 1139.9 | 955.0 | 984.6 | 972.0 | 972.0 | 822.1 | 798.6 | 885.5 | 823.8 | 638.5 | **106,878.6** |
| WIN | 1971 | 955.3 | 1012.9 | 965.3 | 1152.4 | 1216.8 | 962.0 | 1419.4 | 1355.8 | 1351.3 | 1254.8 | 871.1 | 645.6 | **95,716.2** |
| WIN | 1970 | 1137.3 | 1006.2 | 1047.4 | 1076.3 | 1142.6 | 924.3 | 1158.8 | 1193.5 | 1117.8 | 1177.6 | 1095.2 | 1125.1 | **82,553.5** |
| WIN | 1969 | 1294.3 | 1320.8 | 1247.5 | 976.3 | 1122.9 | 1032.9 | 1028.3 | 1084.7 | 967.7 | 1011.3 | 1013.7 | 919.2 | **69,351.4** |
| WIN | 1968 | 1323.2 | 1180.7 | 1221.0 | 1166.8 | 1271.7 | 1128.0 | 1263.3 | 1198.9 | 1171.7 | 861.0 | 1276.5 | 995.1 | **56,331.8** |
| WIN | 1967 | 1074.1 | 740.2 | 1343.2 | 1453.6 | 1473.4 | 1451.5 | 1422.2 | 1234.3 | 1305.2 | 1394.3 | 1242.6 | 1277.1 | **42,273.9** |
| WIN | 1966 | 742.6 | 651.2 | 726.4 | 734.2 | 741.2 | 565.2 | 617.5 | 619.2 | 867.1 | 989.7 | 1633.5 | 1199.0 | **26,862.2** |
| WIN | 1965 | 767.4 | 587.7 | 660.9 | 658.0 | 679.0 | 684.7 | 604.8 | 687.3 | 767.1 | 766.1 | 759.9 | 710.6 | **16,775.4** |
| WIN | 1964 | 739.1 | 739.9 | 880.1 | 700.6 | 471.9 | 884.2 | 756.4 | 609.1 | 631.2 | 633.1 | 604.0 | 646.4 | **8,441.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 0.0 | **2,610.0** |
| H2O | 1963 | 3.4 | 5.3 | 5.9 | 5.9 | 5.9 | 5.6 | 6.5 | 5.9 | 11.8 | 12.6 | 14.3 | 0.0 | **1,721.3** |
| OIL | 1963 | 62.7 | 62.1 | 79.7 | 72.6 | 69.3 | 67.5 | 73.4 | 65.5 | 62.5 | 69.1 | 61.0 | 0.0 | **9,244.4** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 145.9 | **145.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,280.0** |
| H2O | 1962 | 1.9 | 2.1 | 1.4 | 1.0 | 1.0 | 1.3 | 12.6 | 2.1 | 1.7 | 1.7 | 2.2 | 2.2 | **1,638.2** |
| OIL | 1962 | 65.2 | 58.5 | 68.3 | 64.0 | 70.1 | 65.3 | 74.2 | 76.6 | 62.3 | 62.9 | 59.6 | 68.8 | **8,499.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,916.0** |
| H2O | 1961 | 12.6 | 11.0 | 11.0 | 6.0 | 4.6 | 3.7 | 5.1 | 8.4 | 2.2 | 0.5 | 0.2 | 1.4 | **1,607.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1233*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-26-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1961 | 69.6 | 62.8 | 71.0 | 68.6 | 69.9 | 63.9 | 66.7 | 69.4 | 60.5 | 66.9 | 66.7 | 66.9 | **7,703.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,551.0** |
| H2O | 1960 | 22.3 | 18.3 | 18.9 | 17.2 | 17.5 | 15.7 | 14.6 | 14.8 | 13.7 | 13.4 | 13.7 | 12.7 | **1,540.3** |
| OIL | 1960 | 69.8 | 57.4 | 66.9 | 64.5 | 66.4 | 65.9 | 75.3 | 74.2 | 71.2 | 72.8 | 71.4 | 74.2 | **6,900.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,187.0** |
| H2O | 1959 | 35.1 | 33.5 | 34.0 | 31.5 | 29.6 | 28.1 | 27.8 | 24.0 | 24.5 | 24.0 | 23.1 | 21.1 | **1,347.5** |
| OIL | 1959 | 98.8 | 89.5 | 101.9 | 98.4 | 98.2 | 94.1 | 93.1 | 82.5 | 75.2 | 73.4 | 69.6 | 70.7 | **6,070.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **824.0** |
| H2O | 1958 | 95.7 | 72.0 | 77.1 | 56.1 | 46.1 | 51.7 | 44.5 | 45.3 | 38.5 | 38.5 | 39.6 | 37.2 | **1,011.2** |
| OIL | 1958 | 233.8 | 198.5 | 201.8 | 167.5 | 143.3 | 138.1 | 127.9 | 128.1 | 116.2 | 115.2 | 109.2 | 109.6 | **5,024.9** |
| DAY | 1957 | 29.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 30.0 | 28.0 | 29.0 | **460.0** |
| H2O | 1957 | 0.0 | 0.6 | 0.6 | 0.5 | 0.3 | 0.3 | 0.3 | 4.5 | 45.0 | 101.3 | 111.8 | 101.6 | **368.9** |
| OIL | 1957 | 235.3 | 213.6 | 205.6 | 170.5 | 161.6 | 137.1 | 129.5 | 113.1 | 147.6 | 228.0 | 231.8 | 226.1 | **3,235.7** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 24.0 | 29.0 | 31.0 | **106.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 0.5 | 0.5 | 0.6 | **2.1** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 223.1 | 216.9 | 286.7 | 309.2 | **1,035.9** |

Licence ***1234*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,770.0** |
| H2O | 1975 | 59.1 | 54.4 | 60.6 | 58.7 | 60.7 | 56.0 | 58.3 | 57.6 | 94.1 | 95.2 | 101.4 | 103.2 | **5,795.2** |
| OIL | 1975 | 178.0 | 158.3 | 173.7 | 164.9 | 168.0 | 157.0 | 168.0 | 168.8 | 167.5 | 163.7 | 167.7 | 170.4 | **30,114.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,407.0** |
| H2O | 1974 | 63.3 | 58.5 | 65.5 | 63.8 | 66.0 | 66.3 | 57.4 | 55.3 | 56.1 | 58.8 | 58.3 | 58.7 | **4,935.9** |
| OIL | 1974 | 174.8 | 152.2 | 174.3 | 166.2 | 172.6 | 167.2 | 188.1 | 196.7 | 194.2 | 182.1 | 172.4 | 179.3 | **28,108.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 24.0 | 29.0 | 30.0 | 31.0 | **5,044.0** |
| H2O | 1973 | 46.1 | 44.2 | 47.5 | 47.4 | 63.1 | 60.6 | 61.0 | 70.9 | 53.4 | 62.0 | 65.3 | 63.3 | **4,207.9** |
| OIL | 1973 | 158.3 | 139.5 | 153.8 | 150.3 | 152.7 | 143.8 | 149.2 | 183.2 | 134.0 | 156.8 | 167.8 | 170.0 | **25,988.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,687.0** |
| H2O | 1972 | 59.6 | 58.0 | 4.5 | 48.8 | 54.1 | 45.0 | 50.1 | 61.0 | 61.0 | 46.7 | 51.0 | 51.8 | **3,523.1** |
| OIL | 1972 | 163.8 | 152.7 | 30.5 | 167.8 | 177.2 | 153.5 | 158.1 | 170.4 | 162.2 | 184.8 | 167.3 | 174.5 | **24,129.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 18.0 | 29.0 | 31.0 | 29.0 | 31.0 | **4,321.0** |
| H2O | 1971 | 32.1 | 29.1 | 33.4 | 33.5 | 38.6 | 38.5 | 38.0 | 21.3 | 41.8 | 48.5 | 43.6 | 59.0 | **2,931.5** |
| OIL | 1971 | 245.4 | 217.1 | 240.1 | 228.0 | 214.5 | 208.5 | 213.1 | 121.6 | 174.0 | 186.9 | 165.1 | 145.6 | **22,266.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,971.0** |
| H2O | 1970 | 0.0 | 21.3 | 22.3 | 20.5 | 21.3 | 47.1 | 43.2 | 49.1 | 45.3 | 34.0 | 31.2 | 34.7 | **2,474.1** |
| OIL | 1970 | 195.5 | 243.6 | 265.9 | 256.3 | 264.6 | 254.9 | 263.2 | 260.1 | 246.3 | 234.4 | 225.0 | 236.0 | **19,906.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 29.0 | 30.0 | 31.0 | **3,606.0** |
| H2O | 1969 | 9.1 | 8.3 | 7.8 | 7.8 | 8.7 | 8.3 | 9.1 | 22.9 | 0.0 | 0.0 | 0.0 | 0.0 | **2,104.1** |
| OIL | 1969 | 199.7 | 176.5 | 195.0 | 190.1 | 195.1 | 191.5 | 199.1 | 188.1 | 160.5 | 183.1 | 193.1 | 202.3 | **16,960.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,248.0** |
| H2O | 1968 | 21.9 | 20.8 | 22.1 | 28.1 | 29.6 | 27.0 | 28.0 | 25.6 | 4.1 | 4.3 | 4.1 | 8.6 | **2,022.1** |
| OIL | 1968 | 263.0 | 241.4 | 258.4 | 229.8 | 230.3 | 226.1 | 231.5 | 233.1 | 216.0 | 223.7 | 198.3 | 199.7 | **14,686.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 0.0 | 30.0 | 31.0 | **2,882.0** |
| H2O | 1967 | 14.3 | 11.9 | 14.3 | 7.3 | 7.3 | 14.5 | 11.6 | 27.3 | 21.3 | 0.0 | 21.0 | 22.9 | **1,797.9** |
| OIL | 1967 | 165.9 | 147.5 | 165.4 | 155.3 | 159.9 | 147.8 | 157.0 | 188.6 | 160.0 | 0.0 | 258.9 | 262.7 | **11,935.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 28.0 | 28.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,551.0** |
| H2O | 1966 | 20.8 | 16.7 | 21.1 | 0.0 | 2.5 | 2.2 | 2.1 | 7.3 | 7.5 | 14.1 | 14.0 | 14.3 | **1,624.2** |
| OIL | 1966 | 172.6 | 151.9 | 168.3 | 156.8 | 157.6 | 163.4 | 146.4 | 144.9 | 134.3 | 161.9 | 158.8 | 157.5 | **9,966.5** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,196.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1234*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 7.0 | 0.0 | 0.0 | 20.7 | 21.5 | 21.8 | **1,501.6** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 67.4 | 226.1 | 171.9 | 151.1 | 178.9 | 170.0 | 174.5 | **8,092.1** |
| DAY | 1962 | 28.0 | 22.0 | 17.0 | 28.0 | 28.0 | 22.0 | 0.0 | 15.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,004.0** |
| H2O | 1962 | 4.1 | 4.1 | 5.4 | 4.0 | 3.0 | 1.4 | 0.0 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | **1,428.5** |
| OIL | 1962 | 27.2 | 23.5 | 19.4 | 29.4 | 18.3 | 0.0 | 0.0 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | **6,952.2** |
| DAY | 1961 | 30.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | **1,844.0** |
| H2O | 1961 | 5.2 | 5.2 | 5.6 | 5.2 | 4.6 | 5.6 | 5.4 | 5.6 | 4.6 | 4.8 | 2.9 | 3.8 | **1,404.9** |
| OIL | 1961 | 43.7 | 38.1 | 42.0 | 40.2 | 38.9 | 38.1 | 38.9 | 38.3 | 36.2 | 37.2 | 32.9 | 33.4 | **6,832.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 25.0 | 29.0 | 30.0 | 31.0 | **1,489.0** |
| H2O | 1960 | 69.8 | 54.7 | 54.4 | 76.8 | 78.1 | 72.7 | 72.0 | 67.2 | 49.1 | 6.7 | 6.2 | 6.5 | **1,346.4** |
| OIL | 1960 | 47.7 | 43.5 | 45.4 | 43.2 | 43.7 | 41.0 | 42.3 | 35.8 | 34.2 | 45.0 | 44.2 | 42.9 | **6,374.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,134.0** |
| H2O | 1959 | 6.2 | 6.4 | 6.4 | 6.5 | 7.0 | 11.8 | 7.8 | 111.9 | 79.5 | 76.2 | 51.5 | 70.7 | **732.2** |
| OIL | 1959 | 95.3 | 85.8 | 90.9 | 85.0 | 85.5 | 72.1 | 80.1 | 54.2 | 49.1 | 48.6 | 47.7 | 44.8 | **5,866.0** |
| DAY | 1958 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **771.0** |
| H2O | 1958 | 16.7 | 18.3 | 27.2 | 24.2 | 11.1 | 4.6 | 7.0 | 10.2 | 5.9 | 7.5 | 8.3 | 8.3 | **290.3** |
| OIL | 1958 | 142.5 | 149.9 | 143.8 | 138.9 | 137.5 | 121.4 | 139.5 | 120.1 | 102.0 | 109.0 | 96.6 | 97.7 | **5,026.9** |
| DAY | 1957 | 16.0 | 18.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 19.0 | 30.0 | **410.0** |
| H2O | 1957 | 1.7 | 22.9 | 4.3 | 5.4 | 4.9 | 3.7 | 2.5 | 3.2 | 9.1 | 22.4 | 11.1 | 19.1 | **141.0** |
| OIL | 1957 | 118.4 | 164.9 | 308.3 | 283.8 | 277.9 | 241.7 | 215.2 | 217.4 | 194.2 | 180.0 | 118.2 | 178.9 | **3,528.0** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 25.0 | 26.0 | 30.0 | **85.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 3.3 | 11.1 | 16.1 | **30.7** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 55.9 | 336.6 | 313.4 | 323.2 | **1,029.1** |

UWI ***100.07-33-011-26W1.02*** Field Name ***Virden*** Pool Name ***Ashville*** Field Code ***5*** Pool Code ***11*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1962 | 45.2 | 44.5 | 59.0 | 42.5 | 38.2 | 28.6 | 37.8 | 37.7 | 35.1 | 3.7 | 0.0 | 0.0 | **8,314.1** |
| WIN | 1961 | 56.3 | 56.0 | 60.1 | 57.4 | 50.2 | 58.7 | 57.9 | 59.0 | 49.8 | 49.9 | 31.2 | 41.2 | **7,941.8** |
| WIN | 1960 | 134.6 | 106.0 | 105.1 | 148.5 | 151.2 | 138.5 | 137.0 | 130.4 | 103.5 | 70.0 | 63.6 | 64.5 | **7,314.1** |
| WIN | 1959 | 175.2 | 155.0 | 185.2 | 183.6 | 201.8 | 340.7 | 166.8 | 190.6 | 153.7 | 147.7 | 99.4 | 137.0 | **5,961.2** |
| WIN | 1958 | 51.0 | 39.6 | 99.8 | 469.3 | 392.2 | 366.3 | 328.2 | 337.2 | 227.4 | 287.1 | 242.8 | 242.0 | **3,824.5** |
| WIN | 1957 | 0.0 | 23.8 | 92.7 | 144.4 | 89.8 | 37.2 | 79.8 | 49.1 | 58.7 | 74.7 | 37.5 | 53.9 | **741.6** |

Licence ***1236*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.09-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **7,007.0** |
| H2O | 1975 | 25.1 | 23.5 | 25.6 | 25.6 | 26.2 | 19.6 | 19.7 | 20.7 | 31.5 | 31.8 | 31.3 | 33.7 | **22,010.1** |
| OIL | 1975 | 39.1 | 37.2 | 41.6 | 39.6 | 42.0 | 31.0 | 29.4 | 31.9 | 13.8 | 13.3 | 13.3 | 13.7 | **10,325.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 28.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,645.0** |
| H2O | 1974 | 75.8 | 71.5 | 81.9 | 80.6 | 17.5 | 19.2 | 20.2 | 25.3 | 24.8 | 25.6 | 25.3 | 26.2 | **21,695.8** |
| OIL | 1974 | 27.3 | 25.4 | 28.0 | 26.5 | 10.8 | 12.4 | 32.6 | 39.7 | 41.2 | 42.3 | 40.8 | 41.5 | **9,979.1** |
| DAY | 1973 | 31.0 | 27.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,292.0** |
| H2O | 1973 | 109.2 | 59.9 | 70.1 | 74.9 | 49.3 | 44.4 | 43.6 | 29.4 | 81.9 | 82.4 | 80.1 | 80.8 | **21,201.9** |
| OIL | 1973 | 27.3 | 38.5 | 43.1 | 42.6 | 59.3 | 57.0 | 14.3 | 32.4 | 25.9 | 27.5 | 28.6 | 28.1 | **9,610.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,932.0** |
| H2O | 1972 | 227.1 | 160.1 | 172.3 | 110.5 | 114.1 | 95.9 | 110.2 | 117.2 | 112.2 | 116.4 | 100.5 | 103.5 | **20,395.9** |
| OIL | 1972 | 40.5 | 35.8 | 37.8 | 26.4 | 26.5 | 25.7 | 27.2 | 28.1 | 27.2 | 26.7 | 25.7 | 27.0 | **9,186.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,566.0** |
| H2O | 1971 | 263.3 | 250.6 | 251.0 | 211.9 | 226.5 | 211.5 | 197.2 | 214.7 | 179.0 | 222.8 | 221.1 | 211.9 | **18,855.9** |
| OIL | 1971 | 48.5 | 43.4 | 47.7 | 42.6 | 42.4 | 45.0 | 45.9 | 47.2 | 44.7 | 48.1 | 38.1 | 39.4 | **8,831.4** |

# Manitoba Production
## 1950 To 1975

Licence ***1236*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.09-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,201.0** |
| H2O | 1970 | 112.2 | 99.8 | 108.1 | 24.3 | 24.0 | 23.2 | 23.8 | 212.2 | 205.7 | 200.9 | 246.4 | 248.1 | **16,194.4** |
| OIL | 1970 | 24.8 | 21.9 | 24.0 | 22.9 | 23.4 | 22.6 | 24.0 | 49.3 | 49.6 | 51.5 | 44.3 | 47.0 | **8,298.4** |
| DAY | 1969 | 31.0 | 25.0 | 26.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,837.0** |
| H2O | 1969 | 38.0 | 29.7 | 77.3 | 106.8 | 110.5 | 102.2 | 107.8 | 104.8 | 105.9 | 107.0 | 106.7 | 103.5 | **14,665.7** |
| OIL | 1969 | 18.6 | 14.6 | 31.0 | 22.2 | 21.9 | 22.7 | 24.0 | 24.2 | 22.2 | 23.0 | 23.0 | 23.5 | **7,893.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,481.0** |
| H2O | 1968 | 21.6 | 21.0 | 22.9 | 49.4 | 51.0 | 49.4 | 55.0 | 37.7 | 32.3 | 38.3 | 37.4 | 37.8 | **13,565.5** |
| OIL | 1968 | 28.4 | 27.8 | 28.6 | 16.7 | 16.5 | 18.6 | 18.6 | 18.4 | 16.4 | 18.9 | 17.6 | 18.8 | **7,622.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 27.0 | 28.0 | 30.0 | 31.0 | **4,116.0** |
| H2O | 1967 | 19.7 | 20.0 | 23.4 | 23.5 | 21.1 | 21.1 | 21.6 | 19.9 | 18.1 | 19.1 | 21.0 | 22.3 | **13,111.7** |
| OIL | 1967 | 22.2 | 20.3 | 22.7 | 21.3 | 20.5 | 22.7 | 24.3 | 24.8 | 21.9 | 23.5 | 26.9 | 28.3 | **7,376.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,759.0** |
| H2O | 1966 | 47.1 | 38.6 | 42.9 | 48.3 | 22.6 | 23.2 | 22.1 | 23.4 | 54.8 | 55.6 | 23.7 | 18.6 | **12,860.9** |
| OIL | 1966 | 22.9 | 18.8 | 21.0 | 22.4 | 24.9 | 23.5 | 26.5 | 27.3 | 25.3 | 23.7 | 21.5 | 21.1 | **7,097.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,394.0** |
| H2O | 1965 | 63.1 | 61.3 | 63.9 | 59.9 | 52.4 | 51.6 | 55.0 | 51.5 | 50.5 | 53.6 | 42.6 | 44.7 | **12,440.0** |
| OIL | 1965 | 24.3 | 22.2 | 24.5 | 23.4 | 24.9 | 25.4 | 24.9 | 25.6 | 27.2 | 26.2 | 23.7 | 24.2 | **6,818.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,029.0** |
| H2O | 1964 | 80.6 | 76.3 | 82.2 | 78.7 | 79.5 | 2.9 | 37.8 | 30.8 | 55.0 | 55.3 | 61.5 | 63.6 | **11,789.9** |
| OIL | 1964 | 27.0 | 25.6 | 25.9 | 27.0 | 26.2 | 33.4 | 23.0 | 21.9 | 22.2 | 22.2 | 19.7 | 21.6 | **6,522.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,663.0** |
| H2O | 1963 | 107.6 | 99.2 | 104.2 | 89.9 | 71.2 | 110.3 | 50.5 | 76.0 | 84.4 | 4.3 | 86.1 | 79.3 | **11,085.7** |
| OIL | 1963 | 35.6 | 38.3 | 40.0 | 33.5 | 41.3 | 25.6 | 27.5 | 28.0 | 27.3 | 24.6 | 26.4 | 26.4 | **6,226.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,299.0** |
| H2O | 1962 | 83.7 | 83.4 | 86.1 | 110.1 | 106.9 | 79.6 | 102.7 | 110.1 | 109.8 | 107.7 | 105.7 | 113.9 | **10,122.7** |
| OIL | 1962 | 33.1 | 32.3 | 32.4 | 35.3 | 41.3 | 35.6 | 38.5 | 39.1 | 39.1 | 40.2 | 38.8 | 37.3 | **5,851.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,935.0** |
| H2O | 1961 | 72.9 | 67.2 | 70.4 | 70.4 | 86.6 | 12.9 | 12.7 | 92.5 | 90.4 | 97.7 | 94.9 | 93.8 | **8,923.0** |
| OIL | 1961 | 46.2 | 42.3 | 43.7 | 36.2 | 49.6 | 41.0 | 40.7 | 43.1 | 45.6 | 45.4 | 47.7 | 37.2 | **5,408.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,570.0** |
| H2O | 1960 | 125.3 | 110.6 | 144.1 | 84.4 | 95.3 | 104.7 | 105.2 | 102.5 | 115.3 | 69.9 | 79.0 | 70.9 | **8,060.6** |
| OIL | 1960 | 83.9 | 61.8 | 61.2 | 46.1 | 52.3 | 50.5 | 47.5 | 61.2 | 53.9 | 53.4 | 37.7 | 46.2 | **4,890.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,204.0** |
| H2O | 1959 | 82.4 | 89.7 | 91.7 | 84.4 | 89.2 | 84.3 | 100.6 | 94.1 | 90.1 | 85.8 | 72.8 | 68.8 | **6,853.4** |
| OIL | 1959 | 66.3 | 72.3 | 70.7 | 69.8 | 69.1 | 73.1 | 74.8 | 70.9 | 68.6 | 61.2 | 58.5 | 46.9 | **4,234.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **839.0** |
| H2O | 1958 | 140.1 | 142.1 | 134.3 | 149.0 | 149.3 | 119.4 | 105.9 | 118.4 | 82.0 | 146.6 | 93.8 | 73.9 | **5,819.5** |
| OIL | 1958 | 90.7 | 85.0 | 79.3 | 104.9 | 104.6 | 89.0 | 103.0 | 93.6 | 61.3 | 89.1 | 87.4 | 68.5 | **3,432.3** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 27.0 | 29.0 | 31.0 | **475.0** |
| H2O | 1957 | 500.9 | 323.7 | 186.1 | 190.4 | 301.7 | 138.6 | 156.1 | 139.9 | 77.4 | 300.0 | 273.4 | 295.9 | **4,364.7** |
| OIL | 1957 | 137.8 | 129.4 | 118.4 | 100.7 | 154.8 | 86.9 | 85.5 | 78.7 | 66.9 | 247.6 | 259.7 | 275.5 | **2,375.9** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 29.0 | 31.0 | 25.0 | 31.0 | **117.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.8 | 365.5 | 379.8 | 329.7 | 400.8 | **1,480.6** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 197.5 | 156.8 | 133.0 | 145.7 | **634.0** |

Licence ***1237*** Well Name ***Virden Roselea Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1120.3 | 982.9 | 1115.7 | 1147.0 | 1209.2 | 1081.8 | 1183.6 | 1157.0 | 1255.3 | 1286.8 | 1268.8 | 1299.7 | **15,422.7** |
| DAY | 1974 | 31.0 | 26.0 | 31.0 | 8.0 | 6.0 | 0.0 | 28.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,247.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1237*** Well Name ***Virden Roselea Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1974 | 18.2 | 27.0 | 15.1 | 4.0 | 3.0 | 0.0 | 18.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,960.8** |
| OIL | 1974 | 19.6 | 30.9 | 36.6 | 9.4 | 7.2 | 0.0 | 20.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **14,358.9** |
| WIN | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 279.0 | 1035.6 | **1,314.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 25.0 | 13.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,117.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 30.4 | 23.1 | 12.2 | 0.0 | 19.7 | 19.9 | 19.1 | 19.2 | **5,875.1** |
| OIL | 1973 | 22.9 | 20.0 | 22.2 | 22.1 | 47.5 | 38.5 | 19.7 | 3.5 | 18.9 | 20.0 | 20.7 | 20.3 | **14,235.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 18.0 | 29.0 | 30.0 | 6.0 | 28.0 | 30.0 | 31.0 | 30.0 | 28.0 | **5,779.0** |
| OIL | 1972 | 40.5 | 35.6 | 37.8 | 21.0 | 33.2 | 34.0 | 7.2 | 21.3 | 22.9 | 22.4 | 21.8 | 20.3 | **13,958.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 15.0 | 26.0 | 23.0 | 30.0 | 31.0 | **5,458.0** |
| H2O | 1971 | 27.7 | 26.2 | 26.4 | 8.7 | 9.5 | 8.1 | 8.7 | 7.5 | 12.9 | 13.7 | 0.0 | 0.0 | **5,731.5** |
| OIL | 1971 | 28.9 | 25.7 | 28.4 | 32.3 | 32.4 | 28.4 | 31.8 | 18.1 | 30.5 | 14.8 | 38.3 | 39.4 | **13,640.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,123.0** |
| H2O | 1970 | 9.5 | 8.4 | 9.1 | 9.4 | 7.9 | 27.7 | 12.6 | 15.1 | 14.0 | 13.7 | 13.4 | 25.9 | **5,582.1** |
| OIL | 1970 | 44.8 | 39.9 | 43.7 | 23.0 | 20.8 | 35.6 | 62.1 | 71.2 | 68.0 | 70.6 | 66.6 | 28.1 | **13,291.7** |
| DAY | 1969 | 31.0 | 18.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,764.0** |
| H2O | 1969 | 19.6 | 11.0 | 17.0 | 4.1 | 14.9 | 14.6 | 14.9 | 13.7 | 14.5 | 14.5 | 9.1 | 8.4 | **5,415.4** |
| OIL | 1969 | 36.2 | 20.5 | 33.4 | 32.6 | 39.7 | 43.7 | 44.3 | 42.0 | 40.2 | 41.6 | 41.8 | 41.5 | **12,717.3** |
| DAY | 1968 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,414.0** |
| H2O | 1968 | 16.1 | 15.6 | 14.8 | 26.9 | 28.0 | 26.9 | 20.3 | 19.1 | 16.5 | 19.6 | 19.1 | 19.4 | **5,259.1** |
| OIL | 1968 | 38.5 | 37.7 | 33.7 | 63.6 | 63.1 | 63.9 | 36.2 | 35.8 | 31.9 | 36.9 | 34.5 | 36.5 | **12,259.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,052.0** |
| H2O | 1967 | 15.6 | 15.7 | 18.6 | 18.4 | 16.7 | 16.7 | 16.4 | 14.8 | 15.4 | 15.7 | 15.4 | 16.4 | **5,016.8** |
| OIL | 1967 | 40.7 | 37.0 | 41.3 | 38.6 | 37.3 | 41.3 | 33.8 | 33.4 | 34.2 | 35.4 | 35.9 | 38.1 | **11,747.5** |
| DAY | 1966 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,689.0** |
| H2O | 1966 | 17.3 | 15.4 | 16.9 | 19.1 | 18.1 | 18.4 | 17.6 | 18.6 | 43.2 | 44.4 | 18.8 | 14.6 | **4,821.0** |
| OIL | 1966 | 39.3 | 34.3 | 38.5 | 40.7 | 45.6 | 43.1 | 48.6 | 49.9 | 46.1 | 43.5 | 39.3 | 38.1 | **11,300.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 15.0 | 26.0 | **3,326.0** |
| H2O | 1965 | 13.5 | 13.0 | 13.7 | 12.7 | 9.7 | 9.4 | 10.2 | 9.5 | 2.5 | 21.3 | 7.8 | 14.9 | **4,558.6** |
| OIL | 1965 | 40.4 | 36.9 | 40.7 | 38.5 | 43.5 | 44.2 | 43.5 | 44.8 | 54.2 | 48.0 | 20.2 | 37.2 | **10,793.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,981.0** |
| H2O | 1964 | 18.4 | 17.3 | 18.8 | 18.1 | 18.3 | 0.0 | 21.9 | 17.3 | 11.6 | 11.8 | 13.0 | 13.5 | **4,420.4** |
| OIL | 1964 | 57.5 | 54.5 | 55.0 | 57.4 | 55.8 | 51.3 | 50.5 | 39.9 | 36.9 | 37.0 | 32.7 | 35.9 | **10,301.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,616.0** |
| H2O | 1963 | 6.2 | 5.7 | 6.0 | 25.6 | 32.1 | 21.6 | 36.6 | 31.6 | 5.4 | 24.3 | 19.9 | 18.3 | **4,240.4** |
| OIL | 1963 | 50.9 | 54.5 | 57.2 | 52.1 | 67.5 | 43.9 | 56.1 | 53.1 | 41.6 | 60.1 | 55.9 | 56.1 | **9,737.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,252.0** |
| H2O | 1962 | 12.4 | 12.4 | 12.9 | 27.0 | 27.0 | 15.4 | 9.1 | 9.7 | 6.4 | 6.4 | 5.9 | 6.4 | **4,007.1** |
| OIL | 1962 | 62.9 | 62.0 | 62.0 | 71.0 | 86.3 | 56.9 | 55.8 | 56.7 | 55.5 | 57.2 | 53.9 | 51.6 | **9,088.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **1,889.0** |
| H2O | 1961 | 30.2 | 27.8 | 12.2 | 11.4 | 29.3 | 12.9 | 13.2 | 10.5 | 11.0 | 12.7 | 12.7 | 13.7 | **3,856.1** |
| OIL | 1961 | 74.8 | 68.5 | 75.0 | 77.1 | 78.0 | 74.2 | 75.5 | 73.6 | 70.1 | 65.6 | 70.2 | 69.9 | **8,356.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,528.0** |
| H2O | 1960 | 28.6 | 26.4 | 20.8 | 30.4 | 40.2 | 44.2 | 33.2 | 27.8 | 10.7 | 86.3 | 19.9 | 29.3 | **3,658.5** |
| OIL | 1960 | 73.6 | 79.3 | 93.6 | 78.3 | 86.3 | 83.3 | 71.8 | 77.5 | 75.5 | 76.0 | 76.4 | 74.8 | **7,483.7** |
| DAY | 1959 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,162.0** |
| H2O | 1959 | 15.1 | 6.5 | 28.9 | 42.9 | 11.1 | 10.5 | 16.1 | 23.8 | 20.5 | 18.6 | 29.6 | 33.1 | **3,260.7** |
| OIL | 1959 | 104.9 | 63.1 | 73.9 | 83.0 | 79.0 | 82.8 | 78.2 | 73.3 | 79.8 | 76.4 | 75.0 | 79.8 | **6,537.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **800.0** |
| H2O | 1958 | 172.8 | 175.5 | 153.9 | 147.7 | 119.9 | 105.4 | 117.6 | 89.2 | 70.1 | 7.0 | 28.0 | 16.7 | **3,004.0** |
| OIL | 1958 | 218.7 | 266.0 | 215.2 | 213.3 | 203.2 | 175.8 | 173.5 | 183.1 | 149.1 | 127.8 | 136.3 | 127.3 | **5,588.1** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 22.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **435.0** |
| H2O | 1957 | 23.1 | 15.3 | 6.5 | 4.6 | 4.3 | 231.8 | 275.4 | 290.5 | 294.7 | 235.1 | 197.1 | 150.1 | **1,800.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1237*** Well Name ***Virden Roselea Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1957 | 251.4 | 238.7 | 120.6 | 124.1 | 108.9 | 189.4 | 273.5 | 282.9 | 280.6 | 251.2 | 243.0 | 195.5 | **3,398.8** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 23.0 | 12.0 | 31.0 | **82.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 17.0 | 8.3 | 18.4 | **71.7** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 176.2 | 268.7 | 130.0 | 264.1 | **839.0** |

Licence ***1238*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-23-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,916.0** |
| H2O | 1975 | 297.9 | 276.0 | 292.7 | 298.1 | 309.1 | 287.0 | 365.0 | 354.4 | 345.0 | 385.4 | 386.6 | 393.5 | **42,615.4** |
| OIL | 1975 | 116.6 | 104.6 | 109.2 | 109.0 | 111.1 | 104.9 | 104.7 | 103.6 | 99.3 | 107.1 | 103.6 | 105.2 | **14,026.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,553.0** |
| H2O | 1974 | 326.1 | 299.7 | 338.2 | 329.2 | 306.8 | 403.8 | 407.9 | 359.5 | 368.8 | 372.6 | 383.1 | 296.2 | **38,624.7** |
| OIL | 1974 | 125.4 | 108.2 | 124.9 | 119.2 | 111.7 | 110.8 | 114.4 | 109.3 | 109.3 | 110.8 | 108.9 | 117.8 | **12,747.9** |
| DAY | 1973 | 31.0 | 26.0 | 30.0 | 28.0 | 26.0 | 29.0 | 29.0 | 25.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,191.0** |
| H2O | 1973 | 455.2 | 405.6 | 453.1 | 421.9 | 373.9 | 435.1 | 315.3 | 288.5 | 356.8 | 363.1 | 318.0 | 327.0 | **34,432.8** |
| OIL | 1973 | 44.2 | 36.2 | 41.6 | 38.0 | 35.0 | 41.0 | 113.9 | 103.6 | 123.9 | 127.6 | 113.3 | 121.9 | **11,377.2** |
| DAY | 1972 | 31.0 | 29.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,846.0** |
| H2O | 1972 | 387.1 | 379.2 | 373.6 | 367.6 | 396.2 | 403.2 | 447.4 | 423.8 | 423.4 | 460.6 | 456.4 | 464.1 | **29,919.3** |
| OIL | 1972 | 17.5 | 16.4 | 16.2 | 17.0 | 17.3 | 43.1 | 44.2 | 45.3 | 43.1 | 45.3 | 42.9 | 44.8 | **10,437.0** |
| DAY | 1971 | 30.0 | 27.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,484.0** |
| H2O | 1971 | 66.6 | 60.3 | 71.7 | 72.0 | 72.2 | 383.5 | 367.9 | 366.4 | 328.1 | 356.6 | 338.0 | 414.3 | **24,936.7** |
| OIL | 1971 | 42.4 | 37.3 | 42.9 | 40.8 | 225.0 | 18.0 | 17.8 | 18.1 | 17.8 | 18.1 | 16.7 | 17.8 | **10,043.9** |
| DAY | 1970 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,126.0** |
| H2O | 1970 | 83.3 | 81.2 | 88.2 | 81.6 | 50.4 | 51.4 | 47.4 | 53.4 | 49.8 | 51.7 | 47.1 | 52.3 | **22,039.1** |
| OIL | 1970 | 30.0 | 28.1 | 31.8 | 30.7 | 63.6 | 62.1 | 64.5 | 63.6 | 60.5 | 64.0 | 61.2 | 64.4 | **9,531.2** |
| DAY | 1969 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,764.0** |
| H2O | 1969 | 261.5 | 229.1 | 214.0 | 227.5 | 250.4 | 224.5 | 92.5 | 93.0 | 84.7 | 93.0 | 84.9 | 93.2 | **21,301.3** |
| OIL | 1969 | 28.6 | 24.3 | 26.9 | 27.2 | 27.8 | 25.7 | 33.1 | 32.7 | 30.8 | 32.7 | 32.1 | 33.5 | **8,906.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,403.0** |
| H2O | 1968 | 181.2 | 172.3 | 182.5 | 175.8 | 165.5 | 151.8 | 141.8 | 222.7 | 239.3 | 254.2 | 234.7 | 249.3 | **19,353.0** |
| OIL | 1968 | 52.9 | 48.6 | 52.0 | 48.5 | 75.2 | 74.2 | 66.3 | 81.0 | 27.5 | 28.9 | 27.7 | 28.4 | **8,551.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,042.0** |
| H2O | 1967 | 227.8 | 188.2 | 226.4 | 210.8 | 184.6 | 173.8 | 133.7 | 210.2 | 181.4 | 195.7 | 172.2 | 188.1 | **16,981.9** |
| OIL | 1967 | 95.8 | 85.2 | 95.5 | 92.2 | 70.7 | 67.9 | 68.6 | 76.6 | 50.7 | 53.6 | 52.1 | 52.9 | **7,940.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,677.0** |
| H2O | 1966 | 247.1 | 199.8 | 254.2 | 252.3 | 284.4 | 251.0 | 247.4 | 243.7 | 262.5 | 224.8 | 223.4 | 234.0 | **14,689.0** |
| OIL | 1966 | 89.8 | 80.1 | 88.7 | 81.2 | 84.9 | 81.5 | 84.5 | 83.7 | 81.5 | 93.4 | 91.5 | 93.8 | **7,078.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,312.0** |
| H2O | 1965 | 279.2 | 248.2 | 300.5 | 255.6 | 267.4 | 255.3 | 242.4 | 243.6 | 225.0 | 223.0 | 252.5 | 261.5 | **11,764.4** |
| OIL | 1965 | 112.5 | 102.5 | 113.3 | 123.0 | 117.3 | 117.3 | 113.8 | 112.7 | 92.8 | 96.8 | 85.0 | 91.8 | **6,043.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,947.0** |
| H2O | 1964 | 73.8 | 66.6 | 73.9 | 71.4 | 152.5 | 251.7 | 248.2 | 252.0 | 241.5 | 241.6 | 254.1 | 278.1 | **8,710.2** |
| OIL | 1964 | 28.8 | 27.2 | 29.4 | 28.3 | 36.1 | 132.2 | 137.0 | 138.1 | 133.6 | 136.2 | 113.0 | 111.4 | **4,764.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,581.0** |
| H2O | 1963 | 31.5 | 28.0 | 33.7 | 31.8 | 30.5 | 115.4 | 126.7 | 85.7 | 80.3 | 99.5 | 71.4 | 72.8 | **6,504.8** |
| OIL | 1963 | 35.9 | 32.3 | 37.3 | 35.8 | 37.0 | 49.9 | 52.6 | 22.9 | 25.7 | 26.2 | 27.0 | 27.5 | **3,713.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,219.0** |
| H2O | 1962 | 88.7 | 85.5 | 94.1 | 60.4 | 79.0 | 47.1 | 40.2 | 51.8 | 40.2 | 36.1 | 29.4 | 29.7 | **5,697.5** |
| OIL | 1962 | 50.2 | 42.6 | 48.1 | 27.2 | 41.5 | 27.8 | 26.5 | 30.2 | 34.2 | 35.4 | 35.0 | 38.0 | **3,303.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,856.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1238*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-23-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1961 | 120.5 | 100.8 | 134.2 | 101.3 | 83.9 | 76.2 | 81.4 | 61.7 | 84.6 | 110.2 | 95.1 | 98.2 | **5,015.3** |
| OIL | 1961 | 24.5 | 21.1 | 27.3 | 36.2 | 30.5 | 23.7 | 28.6 | 31.5 | 30.0 | 52.6 | 47.8 | 51.8 | **2,866.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,491.0** |
| H2O | 1960 | 231.2 | 193.8 | 188.4 | 210.3 | 132.7 | 144.5 | 153.1 | 136.4 | 122.1 | 135.1 | 131.0 | 118.4 | **3,867.2** |
| OIL | 1960 | 87.4 | 73.9 | 72.1 | 78.8 | 33.5 | 37.7 | 44.5 | 40.4 | 35.0 | 40.2 | 34.3 | 23.2 | **2,461.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 18.0 | **1,126.0** |
| H2O | 1959 | 24.0 | 22.4 | 9.2 | 4.0 | 2.9 | 5.4 | 10.7 | 13.2 | 8.4 | 9.9 | 0.0 | 185.8 | **1,970.2** |
| OIL | 1959 | 15.1 | 14.0 | 12.9 | 11.4 | 14.1 | 9.2 | 12.9 | 22.1 | 13.5 | 17.8 | 4.8 | 59.4 | **1,860.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **775.0** |
| H2O | 1958 | 37.2 | 34.0 | 27.5 | 24.5 | 27.8 | 29.3 | 18.9 | 17.3 | 22.7 | 29.3 | 21.0 | 21.5 | **1,674.3** |
| OIL | 1958 | 35.4 | 33.7 | 33.8 | 27.2 | 24.3 | 22.9 | 24.5 | 24.9 | 16.5 | 16.0 | 15.4 | 15.7 | **1,653.0** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 15.0 | 15.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **411.0** |
| H2O | 1957 | 103.0 | 101.6 | 95.5 | 65.7 | 49.9 | 89.8 | 95.9 | 70.6 | 67.1 | 56.1 | 62.5 | 44.5 | **1,363.3** |
| OIL | 1957 | 100.4 | 93.1 | 95.8 | 48.5 | 47.8 | 58.0 | 60.4 | 52.6 | 44.5 | 41.2 | 29.2 | 48.3 | **1,362.7** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 27.0 | 30.0 | **79.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 75.4 | 151.7 | 234.0 | **461.1** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 201.3 | 208.8 | 231.2 | **642.9** |

Licence ***1239*** Well Name ***Enerplus South Virden CPR*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-01-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 29.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,069.0** |
| H2O | 1959 | 28.7 | 24.1 | 24.5 | 24.8 | 8.3 | 4.9 | 5.2 | 6.2 | 0.0 | 0.0 | 0.0 | 0.0 | **7,416.7** |
| OIL | 1959 | 14.9 | 13.1 | 13.6 | 12.0 | 2.2 | 2.1 | 2.2 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | **1,395.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **832.0** |
| H2O | 1958 | 210.8 | 207.9 | 202.1 | 44.4 | 5.6 | 338.6 | 205.4 | 153.6 | 101.4 | 80.8 | 32.0 | 31.5 | **7,290.0** |
| OIL | 1958 | 33.8 | 32.1 | 35.6 | 11.9 | 4.9 | 52.4 | 31.3 | 25.6 | 16.5 | 23.8 | 15.7 | 14.9 | **1,333.2** |
| DAY | 1957 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **470.0** |
| H2O | 1957 | 580.4 | 478.4 | 560.2 | 468.2 | 356.9 | 197.6 | 212.4 | 198.9 | 42.8 | 218.1 | 230.4 | 220.8 | **5,675.9** |
| OIL | 1957 | 94.6 | 90.3 | 104.2 | 42.6 | 58.0 | 32.7 | 33.4 | 62.9 | 4.1 | 42.9 | 37.7 | 35.9 | **1,034.7** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 29.0 | 27.0 | 28.0 | **109.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 440.5 | 516.7 | 487.9 | 465.7 | **1,910.8** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 94.7 | 111.2 | 91.8 | 97.7 | **395.4** |

Licence ***1240*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-14-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1962 | 30.0 | 28.0 | 31.0 | 29.0 | 31.0 | 20.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,068.0** |
| H2O | 1962 | 0.0 | 2.5 | 2.8 | 0.0 | 0.0 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **387.2** |
| OIL | 1962 | 73.1 | 66.6 | 75.2 | 64.4 | 73.6 | 46.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,168.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,899.0** |
| H2O | 1961 | 0.0 | 5.7 | 0.0 | 0.0 | 0.0 | 6.2 | 6.7 | 12.9 | 0.0 | 0.0 | 0.0 | 0.0 | **380.6** |
| OIL | 1961 | 69.8 | 45.3 | 82.6 | 79.6 | 78.0 | 71.0 | 75.5 | 74.1 | 58.5 | 68.0 | 67.4 | 75.2 | **6,769.0** |
| DAY | 1960 | 25.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,536.0** |
| H2O | 1960 | 0.0 | 0.0 | 2.9 | 3.0 | 6.4 | 5.9 | 5.6 | 5.4 | 6.0 | 6.5 | 0.0 | 0.0 | **349.1** |
| OIL | 1960 | 73.3 | 86.0 | 76.8 | 83.3 | 75.3 | 70.4 | 69.0 | 77.5 | 84.9 | 72.8 | 79.8 | 63.4 | **5,924.0** |
| DAY | 1959 | 31.0 | 24.0 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,178.0** |
| H2O | 1959 | 3.5 | 2.9 | 5.9 | 5.2 | 6.8 | 5.9 | 4.8 | 7.2 | 7.0 | 7.3 | 7.3 | 8.4 | **307.4** |
| OIL | 1959 | 92.8 | 70.9 | 99.5 | 80.6 | 85.7 | 76.3 | 80.7 | 79.3 | 75.5 | 80.7 | 79.6 | 80.7 | **5,011.5** |
| DAY | 1958 | 31.0 | 27.0 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **821.0** |
| H2O | 1958 | 11.6 | 10.3 | 6.5 | 5.1 | 5.6 | 6.0 | 6.0 | 6.7 | 4.9 | 2.7 | 2.7 | 2.9 | **235.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1240*** Well Name ***Daly Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-14-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1958 | 108.9 | 97.9 | 106.2 | 102.2 | 107.9 | 102.3 | 104.9 | 110.0 | 110.9 | 93.0 | 86.6 | 95.7 | **4,029.2** |
| DAY | 1957 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **461.0** |
| H2O | 1957 | 3.7 | 3.5 | 6.4 | 3.3 | 3.2 | 89.2 | 6.0 | 5.6 | 5.9 | 5.6 | 0.2 | 0.2 | **164.2** |
| OIL | 1957 | 218.2 | 186.5 | 207.4 | 138.4 | 140.2 | 141.0 | 134.1 | 130.5 | 132.8 | 151.3 | 116.3 | 117.0 | **2,802.7** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 31.0 | 27.0 | 28.0 | **100.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.7 | 11.3 | 7.5 | 5.9 | **31.4** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 202.7 | 345.1 | 171.4 | 269.8 | **989.0** |

Licence ***1241*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-12-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,101.0** |
| H2O | 1975 | 346.6 | 305.2 | 329.7 | 330.8 | 339.1 | 250.4 | 336.1 | 308.3 | 342.4 | 357.5 | 340.7 | 364.4 | **19,055.2** |
| OIL | 1975 | 105.8 | 93.8 | 105.0 | 100.0 | 106.2 | 82.2 | 104.7 | 98.8 | 101.5 | 103.3 | 98.8 | 100.1 | **11,799.0** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 5.0 | 27.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,744.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 21.6 | 117.3 | 123.8 | 222.9 | 232.7 | 322.3 | 330.4 | 329.6 | 341.8 | **15,104.0** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 14.0 | 78.2 | 85.3 | 99.5 | 101.2 | 105.0 | 106.5 | 104.2 | 105.8 | **10,598.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 0.0 | 0.0 | **5,502.0** |
| H2O | 1973 | 56.9 | 49.3 | 57.5 | 61.5 | 4.9 | 4.4 | 4.6 | 4.8 | 4.8 | 128.1 | 0.0 | 0.0 | **13,061.6** |
| OIL | 1973 | 36.1 | 31.5 | 35.1 | 34.8 | 9.1 | 8.9 | 9.1 | 7.9 | 7.2 | 84.9 | 0.0 | 0.0 | **9,799.1** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 26.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 18.0 | 22.0 | 31.0 | **5,199.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 36.2 | 43.9 | 42.3 | 43.7 | 0.0 | 0.0 | 35.3 | 38.5 | 54.0 | **12,684.8** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 22.7 | 27.0 | 24.8 | 27.2 | 4.4 | 4.4 | 20.5 | 24.9 | 35.8 | **9,534.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **4,950.0** |
| H2O | 1971 | 36.5 | 34.8 | 35.0 | 4.3 | 9.5 | 8.7 | 22.6 | 24.5 | 9.1 | 11.4 | 0.0 | 0.0 | **12,390.9** |
| OIL | 1971 | 28.9 | 25.7 | 28.4 | 22.9 | 18.9 | 18.1 | 18.6 | 19.1 | 18.1 | 19.7 | 0.0 | 0.0 | **9,342.8** |
| DAY | 1970 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,646.0** |
| H2O | 1970 | 164.3 | 156.1 | 168.9 | 28.9 | 28.4 | 23.8 | 179.0 | 184.4 | 49.3 | 48.1 | 30.0 | 34.5 | **12,194.5** |
| OIL | 1970 | 73.7 | 70.2 | 76.9 | 36.1 | 37.0 | 30.7 | 81.4 | 80.2 | 41.0 | 42.6 | 26.4 | 28.1 | **9,124.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **4,287.0** |
| H2O | 1969 | 9.2 | 8.6 | 14.5 | 92.3 | 95.5 | 23.5 | 143.4 | 132.2 | 119.3 | 120.7 | 65.3 | 56.4 | **11,098.8** |
| OIL | 1969 | 31.8 | 29.1 | 28.1 | 119.3 | 118.9 | 28.6 | 131.9 | 91.1 | 70.7 | 73.4 | 36.4 | 33.4 | **8,500.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,927.0** |
| H2O | 1968 | 69.8 | 67.7 | 73.9 | 99.6 | 103.1 | 62.3 | 69.3 | 28.4 | 23.7 | 9.4 | 9.1 | 9.1 | **10,217.9** |
| OIL | 1968 | 70.6 | 69.0 | 71.0 | 72.5 | 71.8 | 55.0 | 54.8 | 36.2 | 31.0 | 32.4 | 30.4 | 32.1 | **7,707.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,564.0** |
| H2O | 1967 | 158.2 | 155.2 | 187.4 | 187.3 | 180.4 | 169.0 | 173.6 | 159.9 | 167.1 | 170.9 | 167.2 | 71.5 | **9,592.5** |
| OIL | 1967 | 48.3 | 42.7 | 49.3 | 46.1 | 47.7 | 49.3 | 53.1 | 53.9 | 55.1 | 57.0 | 58.0 | 69.9 | **7,080.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,199.0** |
| H2O | 1966 | 102.4 | 87.1 | 90.8 | 90.8 | 98.9 | 113.4 | 98.1 | 99.2 | 90.8 | 88.1 | 86.0 | 148.6 | **7,644.8** |
| OIL | 1966 | 45.6 | 41.0 | 43.7 | 40.2 | 41.3 | 41.3 | 41.8 | 41.8 | 38.1 | 40.2 | 37.2 | 45.6 | **6,450.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,837.0** |
| H2O | 1965 | 109.1 | 92.0 | 104.8 | 98.6 | 96.8 | 89.8 | 87.4 | 81.1 | 101.6 | 99.4 | 106.5 | 103.8 | **6,450.6** |
| OIL | 1965 | 57.0 | 49.3 | 54.3 | 50.7 | 51.0 | 51.0 | 51.5 | 51.2 | 48.0 | 47.4 | 48.6 | 46.7 | **5,952.4** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,474.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 153.7 | 156.1 | 114.3 | 103.3 | 94.1 | 104.9 | 113.7 | **5,279.7** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 66.1 | 74.2 | 69.0 | 55.8 | 65.8 | 56.3 | 59.1 | **5,345.7** |
| DAY | 1963 | 25.0 | 0.0 | 0.0 | 20.0 | 31.0 | 29.0 | 30.0 | 31.0 | 27.0 | 9.0 | 0.0 | 0.0 | **2,260.0** |
| H2O | 1963 | 2.4 | 0.0 | 0.0 | 3.3 | 3.7 | 4.0 | 3.7 | 3.7 | 4.3 | 1.4 | 0.0 | 0.0 | **4,439.6** |
| OIL | 1963 | 11.8 | 0.0 | 0.0 | 9.2 | 17.6 | 14.3 | 17.3 | 9.5 | 11.1 | 3.0 | 0.0 | 0.0 | **4,899.4** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 11.0 | 27.0 | 27.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,058.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1241*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-12-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 18.1 | 13.4 | 14.0 | 12.6 | 6.4 | 5.4 | 4.6 | 4.3 | 3.3 | **4,413.1** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 19.4 | 17.3 | 19.7 | 16.5 | 16.7 | 13.8 | 17.2 | 15.3 | 15.1 | **4,805.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 27.0 | 23.0 | 19.0 | 13.0 | 21.0 | 16.0 | 24.0 | 14.0 | 4.0 | **1,813.0** |
| H2O | 1961 | 46.4 | 52.5 | 56.0 | 50.4 | 39.4 | 22.6 | 12.6 | 17.8 | 13.8 | 9.7 | 12.1 | 1.0 | **4,331.0** |
| OIL | 1961 | 31.9 | 29.7 | 30.2 | 23.7 | 28.0 | 21.9 | 11.1 | 18.9 | 11.9 | 22.4 | 10.6 | 3.5 | **4,654.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,562.0** |
| H2O | 1960 | 58.0 | 56.0 | 59.0 | 59.1 | 53.9 | 52.0 | 53.3 | 51.5 | 51.2 | 54.8 | 46.9 | 52.0 | **3,996.7** |
| OIL | 1960 | 38.3 | 32.9 | 34.8 | 33.2 | 33.7 | 32.6 | 33.8 | 30.0 | 30.8 | 35.0 | 31.1 | 33.8 | **4,410.8** |
| DAY | 1959 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,196.0** |
| H2O | 1959 | 44.8 | 43.2 | 44.7 | 47.4 | 42.4 | 45.9 | 46.1 | 36.6 | 46.9 | 66.6 | 62.5 | 61.2 | **3,349.0** |
| OIL | 1959 | 53.7 | 46.9 | 53.4 | 52.4 | 52.0 | 50.5 | 48.3 | 54.5 | 49.9 | 42.4 | 38.5 | 38.1 | **4,010.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **833.0** |
| H2O | 1958 | 87.4 | 81.6 | 113.2 | 68.0 | 76.6 | 70.9 | 96.5 | 86.6 | 64.9 | 52.8 | 51.0 | 49.6 | **2,760.7** |
| OIL | 1958 | 99.3 | 89.3 | 107.3 | 77.7 | 76.8 | 72.1 | 77.9 | 72.8 | 63.2 | 57.0 | 57.2 | 54.5 | **3,430.2** |
| DAY | 1957 | 31.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **468.0** |
| H2O | 1957 | 112.1 | 162.6 | 100.3 | 88.6 | 121.5 | 128.9 | 135.3 | 122.6 | 114.3 | 114.1 | 100.3 | 97.6 | **1,861.6** |
| OIL | 1957 | 210.6 | 110.4 | 123.8 | 149.4 | 53.9 | 165.1 | 163.5 | 142.4 | 122.5 | 127.6 | 113.5 | 108.5 | **2,525.1** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 25.0 | 30.0 | 31.0 | **110.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 119.9 | 105.2 | 122.6 | 115.7 | **463.4** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 263.5 | 199.9 | 238.8 | 231.7 | **933.9** |

Licence ***1242*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,981.0** |
| H2O | 1975 | 74.6 | 68.4 | 58.3 | 73.9 | 76.6 | 73.4 | 73.6 | 38.0 | 37.4 | 40.2 | 40.4 | 41.2 | **7,477.7** |
| OIL | 1975 | 169.7 | 150.8 | 126.8 | 157.2 | 160.2 | 155.7 | 160.2 | 140.2 | 135.9 | 140.6 | 135.9 | 138.3 | **38,138.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 29.0 | 23.0 | 31.0 | 28.0 | 31.0 | **6,623.0** |
| H2O | 1974 | 53.7 | 49.8 | 55.6 | 54.2 | 56.1 | 56.4 | 53.1 | 48.0 | 49.8 | 68.4 | 63.6 | 74.1 | **6,781.7** |
| OIL | 1974 | 147.9 | 128.9 | 147.5 | 140.6 | 146.2 | 141.6 | 136.3 | 133.3 | 107.1 | 147.2 | 130.8 | 171.0 | **36,366.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **6,271.0** |
| H2O | 1973 | 65.7 | 63.0 | 67.6 | 65.0 | 68.0 | 81.2 | 78.4 | 86.0 | 69.8 | 64.1 | 65.2 | 63.3 | **6,098.9** |
| OIL | 1973 | 127.8 | 112.5 | 124.1 | 117.1 | 126.5 | 126.7 | 126.2 | 137.5 | 133.6 | 124.4 | 128.6 | 130.5 | **34,688.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,910.0** |
| H2O | 1972 | 59.6 | 58.0 | 63.8 | 56.8 | 68.0 | 67.7 | 75.2 | 65.7 | 65.5 | 71.4 | 70.7 | 71.9 | **5,261.6** |
| OIL | 1972 | 143.0 | 133.3 | 145.2 | 138.7 | 150.5 | 145.2 | 149.5 | 139.2 | 132.4 | 139.5 | 132.4 | 138.1 | **33,172.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 28.0 | 31.0 | **5,544.0** |
| H2O | 1971 | 40.7 | 36.9 | 42.4 | 29.6 | 29.4 | 29.4 | 33.2 | 32.1 | 28.6 | 87.8 | 86.5 | 63.4 | **4,467.3** |
| OIL | 1971 | 187.7 | 166.1 | 183.7 | 125.2 | 127.9 | 124.4 | 140.5 | 137.8 | 135.9 | 166.7 | 161.5 | 145.7 | **31,485.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,185.0** |
| H2O | 1970 | 22.7 | 21.3 | 22.4 | 20.5 | 21.1 | 21.5 | 19.7 | 22.4 | 20.8 | 21.6 | 19.7 | 43.9 | **3,927.3** |
| OIL | 1970 | 251.2 | 226.4 | 247.3 | 238.5 | 246.0 | 240.9 | 250.3 | 246.0 | 234.7 | 247.7 | 237.7 | 180.5 | **29,682.5** |
| DAY | 1969 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,820.0** |
| H2O | 1969 | 21.3 | 21.3 | 20.0 | 40.9 | 45.0 | 43.1 | 46.7 | 46.9 | 39.1 | 24.2 | 21.5 | 23.5 | **3,649.7** |
| OIL | 1969 | 176.7 | 172.6 | 190.5 | 240.0 | 246.5 | 241.9 | 251.2 | 249.8 | 214.8 | 259.0 | 248.2 | 260.0 | **26,835.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,460.0** |
| H2O | 1968 | 34.7 | 32.7 | 4.3 | 20.7 | 21.6 | 19.7 | 23.7 | 21.5 | 21.6 | 21.9 | 21.1 | 22.6 | **3,256.2** |
| OIL | 1968 | 222.6 | 204.2 | 226.6 | 209.3 | 209.9 | 206.3 | 215.0 | 204.7 | 197.4 | 189.7 | 189.4 | 195.0 | **24,084.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,095.0** |
| H2O | 1967 | 50.7 | 42.0 | 29.7 | 27.8 | 27.8 | 28.5 | 22.4 | 41.8 | 34.7 | 35.8 | 32.1 | 36.1 | **2,990.1** |
| OIL | 1967 | 262.8 | 233.8 | 210.9 | 203.6 | 209.8 | 209.0 | 216.9 | 212.8 | 212.6 | 215.3 | 213.7 | 222.3 | **21,614.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1242*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 30.0 | 29.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,731.0** |
| H2O | 1966 | 7.0 | 5.4 | 6.8 | 15.1 | 16.4 | 44.4 | 42.6 | 42.3 | 48.8 | 50.1 | 49.8 | 52.3 | **2,580.7** |
| OIL | 1966 | 178.3 | 157.2 | 167.8 | 180.5 | 181.3 | 237.1 | 238.4 | 237.6 | 247.7 | 256.5 | 251.6 | 257.8 | **18,990.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,372.0** |
| H2O | 1965 | 14.6 | 13.0 | 14.9 | 15.4 | 15.6 | 14.9 | 14.9 | 25.4 | 25.6 | 17.3 | 17.8 | 7.3 | **2,199.7** |
| OIL | 1965 | 174.8 | 159.4 | 172.3 | 183.5 | 185.3 | 185.3 | 193.1 | 204.7 | 193.7 | 196.9 | 187.0 | 180.4 | **16,398.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,007.0** |
| H2O | 1964 | 10.2 | 9.2 | 10.3 | 3.8 | 5.2 | 4.9 | 13.7 | 14.0 | 13.2 | 21.8 | 13.7 | 14.5 | **2,003.0** |
| OIL | 1964 | 79.3 | 75.0 | 81.0 | 100.4 | 106.9 | 103.0 | 148.4 | 149.7 | 140.3 | 164.8 | 161.8 | 173.2 | **14,182.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,641.0** |
| H2O | 1963 | 6.0 | 6.5 | 9.2 | 7.9 | 1.0 | 1.1 | 1.1 | 7.5 | 8.6 | 8.1 | 9.9 | 10.0 | **1,868.5** |
| OIL | 1963 | 64.8 | 62.1 | 78.7 | 69.8 | 64.0 | 63.2 | 68.6 | 72.6 | 72.3 | 76.9 | 74.4 | 76.1 | **12,698.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,276.0** |
| H2O | 1962 | 5.6 | 7.6 | 6.0 | 11.0 | 6.7 | 6.8 | 5.2 | 5.9 | 4.9 | 4.0 | 3.8 | 6.7 | **1,791.6** |
| OIL | 1962 | 78.8 | 71.0 | 69.9 | 86.1 | 80.7 | 73.6 | 78.5 | 77.7 | 74.5 | 74.2 | 70.7 | 66.6 | **11,855.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 23.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,912.0** |
| H2O | 1961 | 18.0 | 4.3 | 24.5 | 46.7 | 30.2 | 24.2 | 47.7 | 19.1 | 25.0 | 14.6 | 6.0 | 0.0 | **1,717.4** |
| OIL | 1961 | 79.3 | 75.6 | 111.1 | 109.8 | 111.2 | 96.1 | 161.8 | 106.8 | 108.7 | 105.0 | 93.0 | 91.4 | **10,952.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,554.0** |
| H2O | 1960 | 10.2 | 9.5 | 15.4 | 6.8 | 10.7 | 4.6 | 16.9 | 19.7 | 14.6 | 22.1 | 17.6 | 13.7 | **1,457.1** |
| OIL | 1960 | 117.1 | 108.5 | 117.6 | 93.6 | 106.5 | 103.1 | 98.2 | 105.8 | 89.0 | 92.0 | 85.5 | 85.8 | **9,702.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **1,188.0** |
| H2O | 1959 | 41.0 | 51.2 | 75.0 | 48.2 | 14.5 | 66.8 | 48.3 | 43.6 | 44.2 | 27.0 | 22.7 | 0.0 | **1,295.3** |
| OIL | 1959 | 180.2 | 154.6 | 169.1 | 159.1 | 148.9 | 153.2 | 158.9 | 170.8 | 162.4 | 148.4 | 151.9 | 99.8 | **8,500.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **827.0** |
| H2O | 1958 | 51.8 | 45.6 | 50.6 | 14.1 | 2.2 | 24.0 | 5.6 | 17.0 | 12.9 | 21.3 | 8.7 | 46.1 | **812.8** |
| OIL | 1958 | 202.1 | 189.6 | 196.9 | 195.5 | 201.3 | 181.3 | 188.9 | 175.8 | 171.9 | 179.1 | 174.3 | 171.3 | **6,642.9** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **462.0** |
| H2O | 1957 | 35.8 | 35.0 | 37.5 | 63.0 | 2.2 | 62.0 | 26.2 | 61.0 | 47.2 | 11.0 | 10.5 | 25.4 | **512.9** |
| OIL | 1957 | 390.1 | 289.5 | 310.0 | 363.1 | 290.2 | 274.0 | 245.0 | 253.5 | 241.9 | 179.9 | 168.1 | 232.8 | **4,414.9** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 28.0 | 25.0 | 30.0 | **100.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.9 | 25.0 | 22.9 | 32.3 | **96.1** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 204.7 | 329.6 | 262.2 | 380.3 | **1,176.8** |

Licence ***1243*** Well Name ***M & C Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-15-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 22.0 | 0.0 | 0.0 | 1.0 | 4.0 | 30.0 | 29.0 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | **177.0** |
| H2O | 1957 | 314.8 | 0.0 | 0.0 | 2.4 | 38.2 | 251.7 | 268.1 | 69.7 | 0.0 | 0.0 | 0.0 | 0.0 | **2,214.4** |
| OIL | 1957 | 23.7 | 0.0 | 0.0 | 1.6 | 11.3 | 43.9 | 35.1 | 8.8 | 0.0 | 0.0 | 0.0 | 0.0 | **282.7** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 27.0 | 31.0 | **84.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 331.3 | 452.5 | 485.7 | **1,269.5** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 93.6 | 35.6 | 29.1 | **158.3** |

Licence ***1244*** Well Name ***Enerplus South Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-36-009-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 25.0 | 28.0 | 29.0 | 30.0 | 27.0 | 0.0 | **1,497.0** |
| H2O | 1960 | 40.1 | 37.3 | 38.2 | 37.2 | 35.8 | 2.7 | 25.1 | 22.3 | 16.9 | 26.9 | 55.0 | 0.0 | **10,114.0** |
| OIL | 1960 | 24.8 | 22.4 | 21.9 | 22.6 | 21.5 | 10.8 | 3.0 | 2.7 | 2.2 | 4.1 | 1.3 | 0.0 | **2,608.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | 29.0 | 29.0 | 31.0 | **1,180.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1244*** Well Name ***Enerplus South Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-36-009-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1959 | 154.7 | 155.6 | 194.3 | 193.6 | 21.9 | 27.8 | 28.0 | 31.2 | 36.4 | 36.7 | 42.8 | 38.6 | **9,776.5** |
| OIL | 1959 | 17.8 | 18.4 | 27.3 | 24.6 | 24.8 | 22.4 | 22.1 | 3.2 | 29.6 | 26.2 | 26.1 | 26.7 | **2,470.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **824.0** |
| H2O | 1958 | 532.3 | 489.5 | 669.8 | 295.7 | 264.9 | 249.8 | 192.2 | 161.0 | 146.1 | 145.3 | 158.7 | 165.7 | **8,814.9** |
| OIL | 1958 | 93.8 | 75.0 | 76.4 | 44.8 | 66.4 | 52.4 | 44.5 | 31.1 | 27.5 | 26.4 | 26.9 | 25.6 | **2,201.7** |
| DAY | 1957 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **460.0** |
| H2O | 1957 | 139.6 | 159.5 | 312.1 | 242.0 | 255.6 | 405.1 | 375.2 | 249.8 | 252.9 | 469.8 | 491.1 | 614.1 | **5,343.9** |
| OIL | 1957 | 76.3 | 73.4 | 81.8 | 51.3 | 74.1 | 119.8 | 94.9 | 111.6 | 62.5 | 134.6 | 107.6 | 111.4 | **1,610.9** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 31.0 | 27.0 | 28.0 | **99.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 289.0 | 433.1 | 345.5 | 309.5 | **1,377.1** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 79.6 | 161.1 | 137.1 | 133.8 | **511.6** |

Licence ***1245*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-32-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,180.0** |
| H2O | 1975 | 29.6 | 27.2 | 30.2 | 29.4 | 30.4 | 29.1 | 29.3 | 28.8 | 9.1 | 9.9 | 9.9 | 10.0 | **4,936.9** |
| OIL | 1975 | 30.4 | 26.9 | 29.6 | 28.0 | 28.4 | 27.7 | 28.4 | 28.8 | 20.2 | 20.8 | 20.0 | 20.5 | **4,887.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 19.0 | 1.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,815.0** |
| H2O | 1974 | 24.5 | 22.6 | 25.4 | 24.5 | 25.6 | 16.4 | 0.8 | 23.8 | 23.5 | 24.5 | 29.3 | 29.1 | **4,664.0** |
| OIL | 1974 | 26.7 | 23.2 | 26.9 | 25.1 | 26.5 | 16.2 | 0.8 | 26.4 | 25.3 | 26.5 | 29.2 | 30.2 | **4,577.7** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 10.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,491.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 17.5 | 51.2 | 40.2 | 38.5 | 26.1 | 26.9 | 26.1 | 25.4 | 24.5 | **4,394.0** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 4.4 | 13.2 | 17.2 | 16.8 | 26.5 | 26.5 | 25.9 | 25.7 | 26.1 | **4,294.7** |
| DAY | 1972 | 19.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **5,240.0** |
| H2O | 1972 | 8.3 | 13.0 | 14.3 | 12.7 | 14.0 | 52.5 | 54.8 | 52.0 | 52.0 | 51.5 | 0.0 | 0.0 | **4,117.6** |
| OIL | 1972 | 11.0 | 16.4 | 17.8 | 17.0 | 18.0 | 25.1 | 26.4 | 27.0 | 25.7 | 14.1 | 0.0 | 0.0 | **4,112.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,947.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 59.8 | 68.7 | 61.5 | 12.7 | 11.4 | 14.1 | **3,792.5** |
| OIL | 1971 | 52.9 | 46.9 | 51.8 | 49.1 | 8.9 | 8.6 | 26.5 | 31.1 | 30.5 | 18.4 | 16.4 | 18.0 | **3,913.9** |
| DAY | 1970 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 27.0 | 30.0 | 31.0 | **4,588.0** |
| H2O | 1970 | 12.6 | 13.0 | 13.8 | 12.9 | 13.2 | 13.4 | 11.8 | 13.8 | 12.4 | 11.8 | 12.4 | 0.0 | **3,564.3** |
| OIL | 1970 | 17.2 | 17.2 | 18.6 | 18.0 | 18.6 | 18.1 | 18.0 | 18.4 | 17.2 | 16.4 | 17.8 | 51.0 | **3,554.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,232.0** |
| H2O | 1969 | 14.8 | 13.2 | 12.6 | 41.0 | 14.0 | 13.4 | 14.5 | 14.1 | 13.8 | 14.9 | 13.4 | 14.8 | **3,423.2** |
| OIL | 1969 | 19.4 | 17.2 | 18.8 | 22.9 | 18.9 | 18.4 | 19.2 | 18.8 | 18.8 | 19.5 | 18.8 | 19.5 | **3,308.3** |
| DAY | 1968 | 11.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,867.0** |
| H2O | 1968 | 6.2 | 12.9 | 17.8 | 18.4 | 19.2 | 17.5 | 17.0 | 4.1 | 4.1 | 4.5 | 13.0 | 13.8 | **3,228.7** |
| OIL | 1968 | 4.0 | 8.1 | 11.3 | 11.1 | 11.3 | 11.1 | 8.1 | 24.0 | 23.0 | 24.2 | 18.8 | 19.2 | **3,078.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,531.0** |
| H2O | 1967 | 40.5 | 33.2 | 40.1 | 11.9 | 12.1 | 11.3 | 8.9 | 19.6 | 17.8 | 19.2 | 16.7 | 18.4 | **3,080.2** |
| OIL | 1967 | 28.1 | 24.8 | 28.1 | 16.8 | 17.5 | 16.5 | 17.5 | 11.1 | 11.0 | 11.6 | 11.1 | 11.4 | **2,903.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 10.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,166.0** |
| H2O | 1966 | 4.6 | 3.7 | 4.6 | 4.8 | 11.0 | 8.4 | 3.0 | 9.4 | 10.0 | 39.9 | 39.4 | 42.6 | **2,830.5** |
| OIL | 1966 | 19.4 | 17.2 | 19.1 | 18.6 | 21.8 | 18.3 | 6.8 | 21.3 | 21.0 | 27.3 | 26.9 | 28.3 | **2,698.4** |
| DAY | 1965 | 27.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,825.0** |
| H2O | 1965 | 50.6 | 49.4 | 59.1 | 49.4 | 50.2 | 48.0 | 48.2 | 72.7 | 73.4 | 4.6 | 4.8 | 4.9 | **2,649.1** |
| OIL | 1965 | 19.1 | 19.1 | 21.8 | 24.3 | 24.6 | 24.6 | 25.7 | 60.5 | 57.4 | 13.0 | 19.2 | 19.7 | **2,452.4** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 31.0 | **2,465.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.2 | 58.2 | **2,133.8** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.4 | 21.8 | **2,123.4** |

# Manitoba Production
## 1950 To 1975

Licence ***1245*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-32-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 2.0 | 0.0 | 0.0 | **2,417.0** |
| H2O | 1963 | 32.7 | 32.9 | 45.9 | 48.6 | 35.5 | 10.5 | 27.7 | 37.8 | 33.2 | 1.3 | 0.0 | 0.0 | **2,044.4** |
| OIL | 1963 | 4.0 | 3.7 | 4.1 | 4.1 | 4.0 | 9.1 | 3.3 | 1.1 | 1.3 | 0.2 | 0.0 | 0.0 | **2,090.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 14.0 | 30.0 | 30.0 | 31.0 | **2,145.0** |
| H2O | 1962 | 9.5 | 8.6 | 9.5 | 9.2 | 9.5 | 9.2 | 15.4 | 42.8 | 17.8 | 41.8 | 40.1 | 37.5 | **1,738.3** |
| OIL | 1962 | 6.4 | 5.4 | 5.4 | 5.2 | 6.4 | 6.5 | 2.1 | 4.6 | 1.9 | 4.3 | 4.1 | 4.3 | **2,055.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,797.0** |
| H2O | 1961 | 15.1 | 12.6 | 15.6 | 14.9 | 15.4 | 14.5 | 15.4 | 15.4 | 13.8 | 15.4 | 14.9 | 15.4 | **1,487.4** |
| OIL | 1961 | 10.6 | 9.1 | 9.2 | 8.6 | 8.6 | 7.5 | 4.9 | 5.9 | 6.4 | 0.0 | 11.4 | 6.2 | **1,998.7** |
| DAY | 1960 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,434.0** |
| H2O | 1960 | 21.9 | 20.2 | 21.5 | 17.5 | 18.3 | 20.3 | 20.3 | 20.0 | 20.0 | 18.9 | 15.6 | 15.6 | **1,309.0** |
| OIL | 1960 | 13.5 | 13.8 | 14.1 | 13.0 | 13.7 | 14.3 | 12.9 | 13.2 | 12.7 | 12.1 | 11.0 | 11.4 | **1,910.3** |
| DAY | 1959 | 31.0 | 28.0 | 20.0 | 22.0 | 31.0 | 28.0 | 31.0 | 31.0 | 29.0 | 31.0 | 28.0 | 30.0 | **1,072.0** |
| H2O | 1959 | 41.0 | 27.8 | 28.0 | 39.6 | 42.6 | 43.2 | 45.8 | 39.0 | 31.0 | 30.8 | 24.6 | 26.5 | **1,078.9** |
| OIL | 1959 | 39.6 | 28.9 | 28.6 | 31.8 | 34.0 | 32.7 | 31.3 | 28.6 | 22.6 | 24.2 | 17.3 | 18.0 | **1,754.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | **732.0** |
| H2O | 1958 | 21.3 | 18.6 | 17.3 | 16.2 | 28.0 | 40.5 | 49.3 | 49.1 | 46.9 | 45.8 | 44.8 | 44.4 | **659.0** |
| OIL | 1958 | 43.9 | 42.9 | 40.5 | 27.2 | 49.6 | 51.3 | 55.0 | 52.3 | 46.4 | 44.7 | 44.2 | 42.6 | **1,417.0** |
| DAY | 1957 | 31.0 | 28.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 29.0 | 30.0 | **373.0** |
| H2O | 1957 | 20.7 | 22.4 | 24.3 | 18.4 | 17.0 | 17.8 | 21.0 | 18.1 | 17.3 | 14.8 | 16.7 | 16.5 | **236.8** |
| OIL | 1957 | 98.4 | 83.9 | 85.8 | 78.3 | 70.4 | 68.5 | 64.2 | 56.9 | 51.8 | 44.0 | 41.5 | 37.3 | **876.4** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 9.0 | 0.0 | 8.0 | **18.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.5 | 0.0 | 7.3 | **11.8** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 50.4 | 0.0 | 34.0 | **95.4** |

Licence ***1246*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-05-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 28.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,559.0** |
| H2O | 1975 | 192.7 | 176.9 | 183.1 | 191.4 | 198.4 | 144.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,611.2** |
| OIL | 1975 | 17.6 | 15.6 | 16.0 | 16.4 | 16.7 | 11.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,800.3** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,382.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.2 | 9.2 | 182.7 | 192.0 | 191.4 | 191.4 | **5,524.2** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 4.1 | 17.2 | 18.1 | 17.3 | 17.8 | **2,706.4** |
| DAY | 1973 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,200.0** |
| H2O | 1973 | 4.6 | 4.6 | 5.1 | 4.9 | 5.1 | 4.9 | 4.8 | 10.2 | 0.0 | 0.0 | 0.0 | 0.0 | **4,748.3** |
| OIL | 1973 | 33.2 | 30.8 | 33.8 | 33.1 | 34.5 | 33.4 | 33.4 | 4.3 | 0.0 | 0.0 | 0.0 | 0.0 | **2,627.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,959.0** |
| H2O | 1972 | 81.1 | 79.2 | 86.8 | 77.3 | 4.3 | 4.3 | 4.8 | 4.6 | 4.6 | 4.9 | 4.9 | 5.1 | **4,704.1** |
| OIL | 1972 | 25.9 | 24.3 | 26.4 | 25.1 | 35.1 | 33.7 | 34.8 | 35.6 | 33.8 | 35.8 | 34.0 | 35.4 | **2,391.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 26.0 | 31.0 | 18.0 | 29.0 | 31.0 | 29.0 | 31.0 | **1,593.0** |
| H2O | 1971 | 76.5 | 69.5 | 80.0 | 80.1 | 76.3 | 66.9 | 79.2 | 44.4 | 66.1 | 76.6 | 68.8 | 86.5 | **4,342.2** |
| OIL | 1971 | 28.8 | 25.6 | 28.1 | 26.9 | 26.1 | 22.4 | 27.2 | 15.4 | 25.4 | 27.3 | 24.3 | 26.4 | **2,011.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 28.0 | 29.0 | 30.0 | 17.0 | 24.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,248.0** |
| H2O | 1970 | 85.5 | 80.3 | 83.9 | 72.0 | 73.3 | 81.1 | 40.9 | 65.3 | 78.5 | 78.2 | 74.4 | 82.7 | **3,471.3** |
| OIL | 1970 | 28.0 | 25.3 | 27.5 | 24.6 | 25.3 | 26.7 | 15.3 | 21.1 | 26.1 | 26.4 | 26.4 | 27.7 | **1,707.6** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 22.0 | 27.0 | 12.0 | 24.0 | 27.0 | 31.0 | **909.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 39.3 | 113.2 | 136.9 | 63.3 | 133.1 | 72.0 | 88.7 | **2,575.2** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.8 | 16.2 | 19.4 | 9.1 | 18.6 | 24.6 | 28.8 | **1,407.2** |
| DAY | 1959 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **759.0** |
| H2O | 1959 | 43.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,928.7** |

# Manitoba Production
## 1950 To 1975

Licence ***1246*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-05-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1959 | 18.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,285.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 11.0 | 30.0 | 31.0 | **728.0** |
| H2O | 1958 | 29.7 | 20.8 | 18.8 | 14.9 | 23.7 | 14.8 | 21.0 | 19.2 | 42.9 | 21.3 | 44.0 | 40.4 | **1,885.1** |
| OIL | 1958 | 30.7 | 48.5 | 34.5 | 22.7 | 28.9 | 25.7 | 4.8 | 3.7 | 4.8 | 12.7 | 27.0 | 22.6 | **1,267.3** |
| DAY | 1957 | 22.0 | 28.0 | 27.0 | 5.0 | 9.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **383.0** |
| H2O | 1957 | 133.2 | 304.6 | 130.7 | 15.9 | 28.0 | 124.5 | 118.3 | 64.2 | 56.4 | 61.4 | 57.2 | 44.8 | **1,573.6** |
| OIL | 1957 | 88.5 | 127.1 | 103.0 | 18.1 | 28.3 | 98.8 | 77.1 | 48.1 | 53.4 | 50.4 | 48.8 | 53.1 | **1,000.7** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 31.0 | 28.0 | 4.0 | **79.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 76.6 | 178.4 | 145.5 | 33.9 | **434.4** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 49.1 | 72.8 | 67.7 | 16.4 | **206.0** |

Licence ***1247*** Well Name ***Imperial Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.02-23-010-26W1.00*** Field Name ***Virden*** Pool Name ***Ashville*** Field Code ***5*** Pool Code ***11*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1967 | 405.2 | 365.6 | 404.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **135,806.1** |
| WIN | 1966 | 1307.0 | 1205.4 | 1335.9 | 1297.3 | 1327.5 | 1181.8 | 1314.3 | 1534.8 | 1511.9 | 1284.2 | 1297.3 | 569.5 | **134,631.1** |
| WIN | 1965 | 965.3 | 894.7 | 1015.2 | 982.5 | 971.2 | 1564.5 | 1626.4 | 1580.6 | 1351.5 | 1318.4 | 1193.4 | 1340.5 | **119,464.2** |
| WIN | 1964 | 863.2 | 808.5 | 864.6 | 830.8 | 683.7 | 899.9 | 1131.0 | 1202.3 | 1092.2 | 889.9 | 968.3 | 1002.6 | **104,660.0** |
| WIN | 1963 | 1414.3 | 1282.6 | 1397.4 | 1296.0 | 1254.0 | 968.5 | 903.8 | 989.5 | 838.7 | 836.8 | 836.8 | 864.6 | **93,423.0** |
| WIN | 1962 | 1053.0 | 599.2 | 1016.0 | 918.2 | 1010.0 | 770.3 | 1274.5 | 1067.5 | 1304.9 | 1108.9 | 1374.7 | 1410.3 | **80,540.0** |
| WIN | 1961 | 639.0 | 587.5 | 736.8 | 638.2 | 529.9 | 2409.0 | 1008.5 | 1307.3 | 775.6 | 726.1 | 723.6 | 847.6 | **67,632.5** |
| WIN | 1960 | 1344.6 | 1171.2 | 1262.8 | 1398.2 | 1117.9 | 694.9 | 987.2 | 847.5 | 916.3 | 695.4 | 634.7 | 695.6 | **56,703.4** |
| WIN | 1959 | 1405.8 | 1262.1 | 1472.0 | 1694.6 | 1684.7 | 1257.8 | 1588.5 | 747.7 | 1236.8 | 1374.5 | 1424.6 | 1355.6 | **44,937.1** |
| WIN | 1958 | 959.9 | 1101.9 | 1454.0 | 1234.5 | 1703.8 | 1573.1 | 1072.3 | 1648.5 | 1635.4 | 1715.2 | 1580.1 | 1242.9 | **28,432.4** |
| WIN | 1957 | 0.0 | 192.4 | 1157.7 | 1245.6 | 1035.1 | 1158.6 | 1230.5 | 1143.8 | 1207.4 | 1394.7 | 915.8 | 829.2 | **11,510.8** |

Licence ***1248*** Well Name ***Enerplus East Cromer Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.09-11-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 30.0 | 28.0 | 31.0 | 14.0 | 27.0 | 21.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,125.0** |
| H2O | 1972 | 1444.8 | 1392.6 | 1373.7 | 550.0 | 1098.7 | 746.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **135,044.4** |
| OIL | 1972 | 53.2 | 49.7 | 48.9 | 25.6 | 45.4 | 29.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **8,522.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 25.0 | 22.0 | 0.0 | 20.0 | 27.0 | 27.0 | 31.0 | 30.0 | 30.0 | **4,974.0** |
| H2O | 1971 | 1422.1 | 1320.8 | 1349.1 | 1130.9 | 694.6 | 0.0 | 841.6 | 1083.2 | 1204.7 | 1366.0 | 1316.9 | 1284.3 | **128,438.5** |
| OIL | 1971 | 57.2 | 48.0 | 55.5 | 42.0 | 34.0 | 0.0 | 42.3 | 55.1 | 56.4 | 60.1 | 55.9 | 53.2 | **8,270.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 27.0 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | **4,672.0** |
| H2O | 1970 | 1213.0 | 1170.4 | 1314.1 | 1302.3 | 1291.8 | 1170.9 | 963.0 | 1143.1 | 1076.1 | 1202.5 | 1193.3 | 1392.1 | **115,424.3** |
| OIL | 1970 | 57.7 | 52.1 | 57.5 | 52.8 | 52.4 | 45.3 | 45.0 | 49.4 | 42.1 | 45.6 | 46.6 | 59.4 | **7,710.4** |
| DAY | 1969 | 0.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 0.0 | 24.0 | 31.0 | 30.0 | 26.0 | **4,317.0** |
| H2O | 1969 | 1473.0 | 1200.1 | 1160.1 | 1221.6 | 1381.3 | 1308.8 | 1433.9 | 1485.3 | 865.9 | 1252.2 | 1107.3 | 897.2 | **100,991.7** |
| OIL | 1969 | 56.7 | 31.8 | 34.6 | 37.8 | 35.3 | 33.7 | 34.2 | 31.8 | 30.4 | 44.2 | 44.7 | 46.4 | **7,104.5** |
| DAY | 1968 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 27.0 | **4,026.0** |
| H2O | 1968 | 1214.1 | 1256.2 | 1158.6 | 1103.5 | 1261.3 | 1113.3 | 1145.1 | 1142.4 | 1124.0 | 1080.3 | 1183.8 | 1229.1 | **86,205.0** |
| OIL | 1968 | 55.0 | 49.1 | 39.9 | 24.9 | 37.0 | 28.3 | 38.0 | 35.6 | 36.5 | 35.6 | 39.4 | 43.7 | **6,642.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | **3,669.0** |
| H2O | 1967 | 1732.5 | 1653.6 | 1780.0 | 1068.2 | 1170.1 | 1262.7 | 1273.1 | 1445.2 | 1143.5 | 1185.8 | 1259.4 | 1285.5 | **72,193.3** |
| OIL | 1967 | 45.0 | 38.5 | 44.7 | 30.5 | 37.3 | 36.5 | 35.4 | 40.8 | 32.3 | 36.7 | 56.3 | 55.8 | **6,179.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 27.0 | 28.0 | 29.0 | 27.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,310.0** |
| H2O | 1966 | 862.2 | 885.4 | 983.0 | 1462.7 | 1573.4 | 1637.5 | 1661.5 | 1961.7 | 1925.6 | 1732.2 | 1675.1 | 1708.7 | **55,933.7** |
| OIL | 1966 | 39.9 | 39.3 | 38.3 | 38.6 | 50.1 | 43.1 | 44.7 | 48.9 | 45.3 | 40.7 | 45.8 | 46.2 | **5,690.1** |
| DAY | 1965 | 27.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 24.0 | 29.0 | 31.0 | 24.0 | 31.0 | **2,958.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1248*** Well Name ***Enerplus East Cromer Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.09-11-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1965 | 812.9 | 870.3 | 996.5 | 809.4 | 854.4 | 710.4 | 700.6 | 382.2 | 568.3 | 590.1 | 586.6 | 907.8 | **37,864.7** |
| OIL | 1965 | 39.4 | 35.3 | 36.7 | 30.8 | 34.0 | 30.0 | 31.1 | 19.4 | 26.2 | 26.9 | 23.0 | 45.9 | **5,169.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 22.0 | 31.0 | 30.0 | 31.0 | 26.0 | 26.0 | 25.0 | 30.0 | 15.0 | **2,613.0** |
| H2O | 1964 | 464.3 | 480.0 | 421.3 | 352.0 | 596.9 | 587.9 | 582.9 | 381.1 | 433.7 | 377.5 | 546.9 | 375.4 | **29,075.2** |
| OIL | 1964 | 28.3 | 24.6 | 22.7 | 23.0 | 39.7 | 30.7 | 29.7 | 23.5 | 22.9 | 20.3 | 29.9 | 21.6 | **4,790.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 20.0 | 30.0 | 28.0 | 31.0 | 31.0 | 14.0 | 31.0 | 30.0 | 31.0 | **2,286.0** |
| H2O | 1963 | 480.8 | 606.5 | 544.7 | 318.2 | 357.1 | 316.0 | 327.0 | 308.2 | 131.5 | 312.8 | 227.7 | 331.3 | **23,475.3** |
| OIL | 1963 | 31.6 | 38.6 | 44.5 | 21.3 | 29.2 | 23.7 | 23.5 | 21.1 | 11.3 | 24.2 | 20.7 | 28.4 | **4,473.6** |
| DAY | 1962 | 29.0 | 27.0 | 31.0 | 21.0 | 31.0 | 29.0 | 31.0 | 25.0 | 28.0 | 25.0 | 30.0 | 30.0 | **1,950.0** |
| H2O | 1962 | 448.5 | 353.5 | 432.1 | 256.7 | 390.5 | 384.6 | 379.0 | 334.7 | 377.6 | 317.1 | 370.8 | 363.9 | **19,213.5** |
| OIL | 1962 | 33.7 | 29.7 | 35.9 | 26.2 | 40.5 | 31.8 | 30.8 | 25.9 | 48.0 | 28.3 | 42.6 | 37.8 | **4,155.5** |
| DAY | 1961 | 31.0 | 28.0 | 30.0 | 29.0 | 6.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | **1,613.0** |
| H2O | 1961 | 307.6 | 231.0 | 293.3 | 295.5 | 496.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 460.3 | 408.2 | **14,804.5** |
| OIL | 1961 | 46.2 | 36.4 | 46.2 | 48.3 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 43.7 | 38.6 | **3,744.3** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 26.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,428.0** |
| H2O | 1960 | 306.3 | 289.6 | 299.0 | 226.7 | 284.4 | 277.9 | 244.2 | 292.0 | 290.3 | 280.2 | 285.6 | 310.3 | **12,312.4** |
| OIL | 1960 | 54.3 | 48.8 | 50.9 | 42.4 | 45.1 | 40.2 | 41.5 | 45.8 | 51.2 | 52.0 | 44.8 | 47.5 | **3,474.9** |
| DAY | 1959 | 28.0 | 25.0 | 29.0 | 28.0 | 30.0 | 27.0 | 30.0 | 29.0 | 25.0 | 26.0 | 27.0 | 29.0 | **1,073.0** |
| H2O | 1959 | 316.8 | 281.5 | 333.0 | 292.0 | 315.7 | 275.3 | 341.6 | 312.4 | 280.1 | 250.4 | 260.7 | 310.0 | **8,925.9** |
| OIL | 1959 | 67.5 | 67.7 | 74.8 | 77.2 | 88.0 | 14.5 | 18.1 | 15.3 | 12.1 | 48.1 | 46.2 | 53.1 | **2,910.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | **740.0** |
| H2O | 1958 | 174.9 | 160.1 | 178.2 | 141.8 | 219.9 | 225.4 | 229.3 | 305.4 | 295.2 | 343.3 | 364.4 | 368.1 | **5,356.4** |
| OIL | 1958 | 89.3 | 76.3 | 81.5 | 78.3 | 73.6 | 75.8 | 72.8 | 80.2 | 79.6 | 84.4 | 78.5 | 79.1 | **2,327.8** |
| DAY | 1957 | 30.0 | 28.0 | 25.0 | 0.0 | 0.0 | 18.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **383.0** |
| H2O | 1957 | 210.2 | 192.4 | 183.0 | 0.0 | 0.0 | 86.6 | 160.7 | 205.6 | 195.4 | 194.4 | 204.3 | 206.8 | **2,350.4** |
| OIL | 1957 | 72.5 | 71.2 | 57.8 | 0.0 | 0.0 | 88.4 | 128.9 | 96.6 | 97.7 | 96.0 | 93.9 | 89.9 | **1,378.4** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 21.0 | 29.0 | 31.0 | **100.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.8 | 15.7 | 313.8 | 174.7 | **511.0** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 70.7 | 138.4 | 188.0 | 88.4 | **485.5** |

Licence ***1249*** Well Name ***Cdn. Res. et al Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-10-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.5 | 0.0 | 0.0 | **8,462.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 5.0 | 0.0 | 0.0 | **3,976.0** |
| H2O | 1968 | 730.8 | 683.6 | 730.8 | 708.2 | 731.8 | 708.3 | 731.8 | 731.8 | 548.5 | 91.4 | 0.0 | 0.0 | **53,997.6** |
| OIL | 1968 | 6.2 | 7.3 | 5.1 | 4.8 | 4.9 | 7.5 | 7.5 | 8.7 | 9.4 | 0.0 | 0.0 | 0.0 | **8,455.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 26.0 | 28.0 | 30.0 | 31.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,697.0** |
| H2O | 1967 | 731.8 | 661.1 | 731.8 | 613.9 | 661.1 | 708.3 | 731.8 | 566.5 | 708.3 | 731.8 | 728.5 | 731.8 | **47,600.6** |
| OIL | 1967 | 8.3 | 8.9 | 10.0 | 7.2 | 5.2 | 7.0 | 6.2 | 3.3 | 8.7 | 5.9 | 8.3 | 5.4 | **8,393.6** |
| DAY | 1966 | 0.0 | 7.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,346.0** |
| H2O | 1966 | 0.0 | 72.3 | 493.7 | 429.3 | 862.5 | 238.5 | 731.8 | 731.8 | 661.1 | 731.8 | 708.3 | 731.8 | **39,293.9** |
| OIL | 1966 | 0.0 | 1.9 | 12.6 | 13.5 | 13.2 | 9.1 | 11.0 | 10.6 | 8.7 | 10.2 | 8.9 | 9.7 | **8,309.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 10.0 | 31.0 | 29.0 | 27.0 | 31.0 | 1.0 | 0.0 | **3,035.0** |
| H2O | 1965 | 369.7 | 333.9 | 369.7 | 357.7 | 314.0 | 130.4 | 416.6 | 381.6 | 353.3 | 394.0 | 75.7 | 0.0 | **32,901.0** |
| OIL | 1965 | 4.9 | 5.4 | 6.4 | 6.8 | 7.0 | 4.6 | 12.4 | 8.9 | 7.6 | 7.8 | 0.3 | 0.0 | **8,199.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 28.0 | 27.0 | 12.0 | 25.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,759.0** |
| H2O | 1964 | 300.0 | 261.9 | 290.5 | 390.6 | 376.3 | 201.6 | 342.9 | 359.6 | 369.0 | 370.1 | 357.7 | 369.7 | **29,404.4** |
| OIL | 1964 | 13.8 | 13.7 | 11.6 | 9.5 | 8.7 | 4.9 | 11.9 | 4.9 | 4.8 | 4.9 | 4.6 | 5.1 | **8,127.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 24.0 | 29.0 | 28.0 | 30.0 | 21.0 | 28.0 | 30.0 | 31.0 | **2,428.0** |
| H2O | 1963 | 203.0 | 185.4 | 241.2 | 243.4 | 169.3 | 225.6 | 269.3 | 256.6 | 169.5 | 239.9 | 221.2 | 256.9 | **25,414.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1249*** Well Name ***Cdn. Res. et al Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-10-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1963 | 17.8 | 17.6 | 19.2 | 16.2 | 12.7 | 14.9 | 13.2 | 11.8 | 10.8 | 14.8 | 14.1 | 14.0 | **8,029.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 26.0 | 20.0 | 11.0 | 14.0 | 30.0 | 29.0 | 29.0 | 22.0 | 15.0 | **2,087.0** |
| H2O | 1962 | 600.2 | 471.1 | 462.5 | 426.6 | 255.2 | 184.7 | 233.6 | 272.7 | 216.7 | 202.2 | 142.3 | 102.1 | **22,733.2** |
| OIL | 1962 | 43.1 | 25.4 | 25.9 | 25.4 | 21.9 | 10.2 | 23.4 | 27.2 | 21.9 | 22.2 | 15.3 | 11.1 | **7,852.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 19.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 26.0 | **1,801.0** |
| H2O | 1961 | 642.0 | 584.4 | 661.2 | 486.5 | 371.4 | 424.8 | 706.6 | 624.4 | 603.7 | 593.4 | 595.6 | 545.5 | **19,163.3** |
| OIL | 1961 | 42.6 | 34.6 | 39.4 | 38.9 | 26.1 | 38.8 | 38.9 | 40.0 | 38.1 | 38.1 | 39.1 | 44.2 | **7,579.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 22.0 | 27.0 | 29.0 | 24.0 | 29.0 | 25.0 | 31.0 | 29.0 | 31.0 | **1,454.0** |
| H2O | 1960 | 166.5 | 102.1 | 133.7 | 100.8 | 110.0 | 296.0 | 551.4 | 930.4 | 567.9 | 643.4 | 729.4 | 673.0 | **12,323.8** |
| OIL | 1960 | 35.0 | 26.7 | 40.0 | 25.7 | 38.0 | 44.3 | 62.6 | 48.5 | 40.2 | 39.9 | 31.5 | 41.2 | **7,120.4** |
| DAY | 1959 | 31.0 | 24.0 | 31.0 | 29.0 | 30.0 | 26.0 | 28.0 | 27.0 | 27.0 | 25.0 | 30.0 | 31.0 | **1,116.0** |
| H2O | 1959 | 74.2 | 326.2 | 329.4 | 336.7 | 381.4 | 154.2 | 235.9 | 335.5 | 388.9 | 345.8 | 370.1 | 300.2 | **7,319.2** |
| OIL | 1959 | 144.0 | 37.7 | 46.2 | 50.9 | 55.8 | 38.6 | 65.5 | 64.8 | 66.9 | 46.7 | 48.6 | 41.5 | **6,646.8** |
| DAY | 1958 | 27.0 | 28.0 | 29.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **777.0** |
| H2O | 1958 | 103.8 | 112.4 | 181.4 | 149.1 | 105.6 | 129.9 | 266.0 | 185.2 | 154.9 | 185.5 | 315.8 | 370.3 | **3,740.7** |
| OIL | 1958 | 266.3 | 267.0 | 255.4 | 251.9 | 229.3 | 225.3 | 72.0 | 155.4 | 80.7 | 151.8 | 151.4 | 109.8 | **5,939.6** |
| DAY | 1957 | 23.0 | 23.0 | 31.0 | 24.0 | 29.0 | 28.0 | 30.0 | 28.0 | 26.0 | 28.0 | 28.0 | 24.0 | **422.0** |
| H2O | 1957 | 16.1 | 19.7 | 50.6 | 43.2 | 75.5 | 111.0 | 151.7 | 173.3 | 181.7 | 247.9 | 283.0 | 66.0 | **1,480.8** |
| OIL | 1957 | 208.3 | 191.6 | 294.0 | 244.7 | 285.2 | 254.3 | 271.7 | 255.8 | 229.1 | 168.4 | 75.5 | 237.7 | **3,723.3** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 31.0 | 30.0 | 25.0 | **100.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.5 | 29.9 | 15.6 | 12.1 | **61.1** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 197.4 | 280.5 | 286.0 | 243.1 | **1,007.0** |

Licence ***1250*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,975.0** |
| H2O | 1975 | 185.2 | 171.7 | 184.1 | 179.3 | 192.4 | 183.9 | 184.4 | 159.1 | 165.3 | 177.6 | 178.1 | 181.2 | **19,813.2** |
| OIL | 1975 | 383.3 | 343.4 | 362.5 | 345.9 | 364.4 | 354.2 | 364.4 | 358.2 | 366.8 | 379.5 | 366.9 | 372.8 | **73,210.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 29.0 | 29.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,613.0** |
| H2O | 1974 | 238.3 | 214.5 | 247.4 | 226.4 | 166.6 | 170.3 | 168.8 | 163.0 | 163.6 | 171.9 | 171.5 | 185.5 | **17,670.9** |
| OIL | 1974 | 406.3 | 343.6 | 405.2 | 363.3 | 392.5 | 385.7 | 390.8 | 409.5 | 400.8 | 421.7 | 402.7 | 389.2 | **68,848.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,254.0** |
| H2O | 1973 | 212.4 | 203.8 | 218.4 | 239.1 | 242.3 | 232.9 | 238.6 | 49.9 | 49.0 | 47.4 | 246.7 | 239.1 | **15,383.1** |
| OIL | 1973 | 430.6 | 379.8 | 418.6 | 354.7 | 370.3 | 358.8 | 382.2 | 425.9 | 405.4 | 397.1 | 389.8 | 395.4 | **64,137.3** |
| DAY | 1972 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,891.0** |
| H2O | 1972 | 106.8 | 104.1 | 103.2 | 150.2 | 170.7 | 166.0 | 188.4 | 197.8 | 197.6 | 214.8 | 212.9 | 216.5 | **13,163.5** |
| OIL | 1972 | 423.2 | 394.7 | 387.9 | 423.2 | 459.6 | 433.2 | 456.4 | 439.9 | 418.6 | 440.8 | 418.7 | 436.8 | **59,428.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,528.0** |
| H2O | 1971 | 225.8 | 204.8 | 235.6 | 114.6 | 114.9 | 106.2 | 129.3 | 124.6 | 111.8 | 100.6 | 90.6 | 113.7 | **11,134.5** |
| OIL | 1971 | 498.7 | 441.1 | 488.3 | 481.7 | 492.5 | 444.0 | 416.7 | 408.9 | 403.3 | 446.1 | 393.8 | 430.6 | **54,295.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,166.0** |
| H2O | 1970 | 144.0 | 133.5 | 128.5 | 126.7 | 130.5 | 132.3 | 117.8 | 137.8 | 128.3 | 197.9 | 180.8 | 243.7 | **9,462.0** |
| OIL | 1970 | 549.4 | 489.4 | 549.4 | 530.0 | 546.8 | 535.2 | 535.7 | 546.5 | 521.7 | 495.3 | 475.1 | 479.9 | **48,950.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | **4,802.0** |
| H2O | 1969 | 79.6 | 72.3 | 67.9 | 69.3 | 76.3 | 73.0 | 102.4 | 103.0 | 118.1 | 145.8 | 135.0 | 149.4 | **7,660.2** |
| OIL | 1969 | 404.3 | 357.2 | 394.6 | 384.6 | 394.7 | 387.4 | 417.3 | 414.9 | 455.8 | 542.0 | 538.5 | 568.6 | **42,695.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,441.0** |
| H2O | 1968 | 75.5 | 71.7 | 76.3 | 87.9 | 92.0 | 84.3 | 87.4 | 59.9 | 73.0 | 76.5 | 71.5 | 75.8 | **6,468.1** |
| OIL | 1968 | 408.2 | 374.9 | 401.2 | 426.7 | 427.9 | 420.2 | 427.6 | 389.3 | 413.3 | 427.9 | 392.3 | 403.8 | **37,435.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **4,077.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1250*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1967 | 249.8 | 206.5 | 248.5 | 83.1 | 83.1 | 48.8 | 38.5 | 51.4 | 72.3 | 78.2 | 70.0 | 78.2 | **5,536.3** |
| OIL | 1967 | 449.9 | 399.8 | 448.4 | 377.9 | 389.5 | 390.1 | 404.9 | 401.1 | 373.8 | 395.2 | 392.2 | 407.9 | **32,522.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,714.0** |
| H2O | 1966 | 39.7 | 52.6 | 40.9 | 77.4 | 88.1 | 227.2 | 207.8 | 197.9 | 239.9 | 245.3 | 245.0 | 256.9 | **4,227.9** |
| OIL | 1966 | 399.0 | 362.5 | 403.6 | 439.4 | 463.5 | 413.5 | 397.4 | 386.5 | 424.0 | 436.8 | 430.6 | 440.8 | **27,691.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,352.0** |
| H2O | 1965 | 22.6 | 20.0 | 22.7 | 20.0 | 20.3 | 18.6 | 19.4 | 0.0 | 46.6 | 46.4 | 47.4 | 42.1 | **2,309.2** |
| OIL | 1965 | 280.0 | 255.2 | 276.2 | 266.0 | 268.4 | 256.2 | 276.2 | 305.3 | 291.3 | 303.0 | 287.8 | 408.2 | **22,694.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,988.0** |
| H2O | 1964 | 16.5 | 14.8 | 24.2 | 23.4 | 23.5 | 22.7 | 32.1 | 32.6 | 31.5 | 37.5 | 21.1 | 22.6 | **1,983.1** |
| OIL | 1964 | 87.4 | 82.6 | 192.8 | 185.1 | 227.9 | 219.3 | 230.9 | 233.0 | 225.5 | 264.1 | 258.9 | 277.6 | **19,220.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,622.0** |
| H2O | 1963 | 10.8 | 11.9 | 12.7 | 10.8 | 5.1 | 5.4 | 5.7 | 22.4 | 25.9 | 17.5 | 22.3 | 16.4 | **1,680.6** |
| OIL | 1963 | 93.0 | 89.1 | 95.3 | 84.5 | 77.1 | 76.3 | 77.5 | 75.6 | 75.5 | 84.9 | 77.5 | 83.9 | **16,735.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,259.0** |
| H2O | 1962 | 12.4 | 16.7 | 10.5 | 15.1 | 22.7 | 18.6 | 19.4 | 21.8 | 18.0 | 14.6 | 13.7 | 12.1 | **1,513.7** |
| OIL | 1962 | 101.7 | 91.7 | 101.9 | 86.8 | 94.7 | 100.4 | 102.2 | 101.2 | 97.3 | 94.2 | 92.2 | 95.5 | **15,745.0** |
| DAY | 1961 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,894.0** |
| H2O | 1961 | 14.8 | 0.0 | 11.6 | 11.3 | 12.7 | 12.9 | 13.2 | 19.1 | 18.3 | 21.1 | 19.7 | 13.0 | **1,318.1** |
| OIL | 1961 | 111.4 | 98.2 | 108.7 | 99.3 | 114.7 | 109.0 | 111.7 | 117.3 | 103.1 | 117.8 | 112.7 | 98.5 | **14,585.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,530.0** |
| H2O | 1960 | 10.2 | 15.3 | 4.6 | 11.6 | 3.2 | 11.1 | 14.5 | 17.2 | 14.6 | 22.1 | 23.1 | 0.0 | **1,150.4** |
| OIL | 1960 | 164.0 | 142.1 | 164.5 | 128.7 | 160.8 | 153.3 | 142.1 | 153.0 | 142.7 | 147.5 | 135.1 | 135.4 | **13,282.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,164.0** |
| H2O | 1959 | 0.0 | 0.0 | 14.3 | 9.2 | 38.3 | 43.6 | 0.0 | 31.0 | 28.3 | 5.6 | 1.3 | 5.9 | **1,002.9** |
| OIL | 1959 | 251.1 | 228.7 | 231.7 | 239.6 | 231.4 | 231.4 | 247.3 | 230.4 | 211.2 | 217.9 | 198.3 | 174.2 | **11,513.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **799.0** |
| H2O | 1958 | 47.1 | 51.0 | 19.6 | 16.4 | 25.6 | 7.2 | 4.9 | 17.0 | 34.0 | 8.9 | 0.6 | 0.0 | **825.4** |
| OIL | 1958 | 340.7 | 307.0 | 349.6 | 289.5 | 343.1 | 307.5 | 307.3 | 295.3 | 283.5 | 285.9 | 267.4 | 270.8 | **8,820.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 22.0 | 26.0 | 30.0 | 27.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **437.0** |
| H2O | 1957 | 21.6 | 98.4 | 23.7 | 36.7 | 30.8 | 36.9 | 34.7 | 40.4 | 58.7 | 55.3 | 47.9 | 47.1 | **593.1** |
| OIL | 1957 | 390.1 | 350.6 | 307.6 | 246.0 | 332.8 | 359.1 | 336.3 | 348.8 | 352.9 | 347.4 | 359.6 | 350.6 | **5,172.8** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 28.0 | 25.0 | 31.0 | **91.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 24.6 | 15.4 | 19.9 | **60.9** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 86.4 | 327.2 | 291.4 | 386.0 | **1,091.0** |

Licence ***1253*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,718.0** |
| H2O | 1975 | 433.9 | 385.2 | 416.2 | 417.3 | 317.8 | 293.1 | 274.1 | 215.4 | 231.3 | 241.5 | 152.0 | 162.7 | **112,788.0** |
| OIL | 1975 | 45.9 | 41.0 | 45.9 | 43.7 | 32.1 | 31.1 | 36.1 | 31.0 | 30.7 | 31.3 | 21.6 | 21.8 | **24,738.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,354.0** |
| H2O | 1974 | 546.7 | 512.0 | 586.8 | 581.4 | 528.3 | 526.2 | 465.8 | 436.9 | 403.5 | 417.0 | 412.6 | 427.8 | **109,247.5** |
| OIL | 1974 | 43.7 | 40.5 | 44.5 | 42.4 | 39.1 | 40.2 | 49.3 | 48.0 | 45.6 | 46.6 | 45.3 | 46.1 | **24,326.7** |
| DAY | 1973 | 12.0 | 0.0 | 0.0 | 13.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,996.0** |
| H2O | 1973 | 245.9 | 0.0 | 0.0 | 291.4 | 684.6 | 620.2 | 649.4 | 639.4 | 629.7 | 633.9 | 616.6 | 578.7 | **103,402.5** |
| OIL | 1973 | 16.0 | 0.0 | 0.0 | 16.8 | 61.2 | 59.4 | 60.2 | 61.5 | 56.4 | 59.6 | 62.1 | 44.7 | **23,795.4** |
| DAY | 1972 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,726.0** |
| H2O | 1972 | 634.4 | 608.0 | 758.1 | 631.5 | 622.8 | 654.1 | 589.1 | 627.0 | 600.0 | 622.6 | 584.1 | 601.8 | **97,812.7** |
| OIL | 1972 | 71.2 | 77.1 | 95.0 | 79.3 | 79.8 | 64.4 | 85.8 | 88.7 | 86.1 | 84.5 | 39.3 | 41.2 | **23,297.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1253*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,365.0** |
| H2O | 1971 | 640.2 | 609.7 | 610.6 | 606.3 | 635.0 | 586.0 | 573.9 | 624.6 | 546.6 | 688.5 | 664.1 | 592.2 | **90,279.2** |
| OIL | 1971 | 115.7 | 103.3 | 113.6 | 83.4 | 81.2 | 77.1 | 73.1 | 75.5 | 61.8 | 67.4 | 57.7 | 69.3 | **22,405.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **5,000.0** |
| H2O | 1970 | 765.6 | 656.3 | 741.0 | 703.0 | 728.4 | 705.7 | 567.4 | 744.3 | 683.3 | 667.2 | 558.8 | 584.9 | **82,901.5** |
| OIL | 1970 | 112.3 | 96.5 | 110.3 | 97.1 | 103.0 | 99.0 | 82.6 | 103.9 | 99.2 | 103.1 | 98.5 | 108.7 | **21,426.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 14.0 | 0.0 | 0.0 | 14.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,644.0** |
| H2O | 1969 | 752.0 | 690.5 | 729.4 | 321.8 | 0.0 | 0.0 | 380.0 | 805.9 | 814.0 | 716.4 | 713.3 | 714.1 | **74,795.6** |
| OIL | 1969 | 100.9 | 92.3 | 103.1 | 42.9 | 0.0 | 0.0 | 59.0 | 130.3 | 119.2 | 105.2 | 104.7 | 108.4 | **20,211.8** |
| DAY | 1968 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 27.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,373.0** |
| H2O | 1968 | 759.8 | 860.6 | 964.1 | 920.0 | 901.6 | 735.6 | 736.1 | 953.6 | 816.4 | 977.9 | 739.9 | 748.6 | **68,158.2** |
| OIL | 1968 | 95.3 | 132.5 | 139.7 | 129.5 | 121.4 | 97.4 | 87.2 | 126.8 | 112.2 | 130.3 | 96.0 | 101.7 | **19,245.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,014.0** |
| H2O | 1967 | 533.7 | 524.3 | 624.0 | 632.4 | 562.3 | 451.5 | 472.6 | 597.8 | 618.6 | 752.0 | 736.2 | 779.5 | **58,044.0** |
| OIL | 1967 | 76.4 | 67.7 | 76.8 | 72.8 | 69.6 | 51.2 | 56.4 | 86.0 | 86.9 | 114.3 | 116.0 | 94.6 | **17,875.8** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 12.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,650.0** |
| H2O | 1966 | 682.7 | 590.8 | 614.1 | 335.4 | 686.8 | 673.4 | 637.5 | 667.4 | 608.3 | 526.2 | 639.6 | 501.9 | **50,759.1** |
| OIL | 1966 | 97.1 | 88.0 | 93.0 | 56.1 | 85.7 | 84.1 | 85.2 | 84.5 | 83.0 | 78.0 | 73.9 | 72.5 | **16,907.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,306.0** |
| H2O | 1965 | 522.9 | 481.4 | 529.4 | 335.3 | 688.1 | 629.4 | 715.6 | 669.6 | 657.4 | 639.1 | 643.1 | 631.8 | **43,595.0** |
| OIL | 1965 | 92.2 | 84.5 | 90.1 | 51.6 | 86.6 | 97.3 | 109.6 | 105.7 | 114.9 | 99.8 | 103.0 | 94.1 | **15,926.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,942.0** |
| H2O | 1964 | 501.1 | 534.6 | 547.1 | 469.5 | 526.1 | 480.4 | 438.6 | 449.0 | 425.0 | 453.3 | 416.7 | 515.4 | **36,451.9** |
| OIL | 1964 | 98.0 | 91.8 | 92.3 | 83.1 | 97.6 | 83.7 | 76.3 | 72.3 | 91.8 | 93.1 | 84.5 | 89.0 | **14,796.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,579.0** |
| H2O | 1963 | 424.8 | 391.9 | 391.4 | 387.4 | 438.8 | 457.4 | 488.2 | 439.6 | 450.7 | 460.4 | 412.6 | 348.5 | **30,695.1** |
| OIL | 1963 | 106.0 | 105.0 | 112.2 | 107.1 | 102.5 | 106.2 | 103.3 | 83.6 | 95.7 | 98.4 | 86.4 | 94.9 | **13,743.1** |
| DAY | 1962 | 31.0 | 28.0 | 25.0 | 30.0 | 28.0 | 30.0 | 30.0 | 29.0 | 29.0 | 30.0 | 29.0 | 31.0 | **2,215.0** |
| H2O | 1962 | 335.4 | 401.1 | 365.8 | 428.9 | 398.9 | 364.9 | 343.4 | 313.3 | 421.6 | 459.8 | 392.4 | 440.1 | **25,603.4** |
| OIL | 1962 | 111.7 | 106.3 | 92.6 | 110.8 | 96.8 | 87.9 | 88.2 | 76.0 | 110.0 | 112.3 | 100.6 | 100.3 | **12,541.8** |
| DAY | 1961 | 27.0 | 27.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,865.0** |
| H2O | 1961 | 314.0 | 329.4 | 378.2 | 396.0 | 344.2 | 369.5 | 373.8 | 389.8 | 399.4 | 409.1 | 325.9 | 310.6 | **20,937.8** |
| OIL | 1961 | 97.3 | 97.3 | 110.3 | 110.6 | 114.1 | 108.4 | 114.4 | 124.7 | 121.1 | 122.8 | 114.1 | 110.9 | **11,348.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,509.0** |
| H2O | 1960 | 395.4 | 357.2 | 320.7 | 391.2 | 395.7 | 373.4 | 406.5 | 367.2 | 356.3 | 370.6 | 369.9 | 393.6 | **16,597.9** |
| OIL | 1960 | 147.3 | 132.2 | 137.6 | 138.6 | 145.2 | 137.8 | 131.9 | 130.0 | 120.9 | 111.2 | 104.1 | 114.1 | **10,002.3** |
| DAY | 1959 | 30.0 | 27.0 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,145.0** |
| H2O | 1959 | 365.8 | 239.9 | 250.9 | 226.9 | 433.9 | 406.0 | 457.1 | 449.9 | 362.5 | 376.8 | 378.8 | 388.9 | **12,100.2** |
| OIL | 1959 | 158.1 | 104.4 | 113.6 | 99.5 | 185.9 | 180.2 | 187.5 | 143.8 | 151.3 | 162.6 | 151.8 | 154.0 | **8,451.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **790.0** |
| H2O | 1958 | 401.6 | 385.0 | 469.3 | 371.7 | 416.2 | 406.2 | 459.6 | 461.4 | 428.8 | 428.5 | 376.5 | 386.0 | **7,762.8** |
| OIL | 1958 | 308.1 | 274.3 | 294.0 | 263.5 | 264.7 | 234.9 | 262.4 | 248.5 | 227.1 | 247.6 | 215.6 | 178.9 | **6,658.7** |
| DAY | 1957 | 25.0 | 25.0 | 21.0 | 25.0 | 31.0 | 30.0 | 30.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | **426.0** |
| H2O | 1957 | 77.7 | 75.7 | 79.8 | 119.1 | 177.1 | 96.5 | 66.1 | 328.3 | 324.2 | 312.7 | 315.9 | 324.0 | **2,772.0** |
| OIL | 1957 | 261.2 | 259.5 | 143.5 | 161.5 | 184.0 | 135.7 | 103.5 | 301.3 | 300.0 | 292.9 | 296.5 | 268.6 | **3,639.1** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 31.0 | 29.0 | 28.0 | **90.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.9 | 238.5 | 115.6 | 104.9 | **474.9** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.9 | 288.9 | 310.5 | 315.6 | **930.9** |

Licence ***1254*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-23-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

# Manitoba Production
## 1950 To 1975

Licence ***1254*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-23-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,732.0** |
| H2O | 1975 | 278.9 | 258.5 | 274.2 | 279.5 | 289.7 | 269.0 | 266.5 | 268.2 | 253.4 | 283.5 | 284.3 | 289.3 | **20,488.5** |
| OIL | 1975 | 73.3 | 65.6 | 68.6 | 68.5 | 69.8 | 65.8 | 68.5 | 69.9 | 65.3 | 70.4 | 68.0 | 69.0 | **12,211.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,369.0** |
| H2O | 1974 | 267.6 | 245.9 | 277.6 | 270.3 | 300.3 | 301.9 | 304.9 | 279.8 | 275.7 | 278.5 | 286.5 | 277.6 | **17,193.5** |
| OIL | 1974 | 102.8 | 88.8 | 102.5 | 97.7 | 70.9 | 68.6 | 70.9 | 70.6 | 67.7 | 68.8 | 67.5 | 73.9 | **11,389.0** |
| DAY | 1973 | 29.0 | 28.0 | 29.0 | 28.0 | 30.0 | 30.0 | 29.0 | 25.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,004.0** |
| H2O | 1973 | 229.6 | 237.5 | 238.3 | 237.2 | 213.8 | 217.2 | 202.4 | 187.1 | 292.8 | 286.0 | 272.2 | 268.4 | **13,826.9** |
| OIL | 1973 | 130.1 | 123.8 | 127.6 | 124.3 | 58.8 | 46.6 | 44.7 | 41.2 | 101.9 | 100.4 | 97.1 | 100.1 | **10,438.3** |
| DAY | 1972 | 31.0 | 21.0 | 28.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 28.0 | 30.0 | **2,655.0** |
| H2O | 1972 | 368.7 | 228.8 | 367.9 | 362.6 | 220.3 | 219.2 | 235.4 | 230.5 | 222.7 | 250.6 | 231.8 | 244.4 | **10,944.4** |
| OIL | 1972 | 163.7 | 97.1 | 154.9 | 164.0 | 141.1 | 136.2 | 135.7 | 143.5 | 131.9 | 143.8 | 127.4 | 137.9 | **9,341.7** |
| DAY | 1971 | 30.0 | 27.0 | 28.0 | 29.0 | 30.0 | 28.0 | 30.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,305.0** |
| H2O | 1971 | 106.0 | 95.7 | 241.6 | 261.8 | 278.4 | 201.1 | 206.0 | 205.9 | 166.0 | 206.2 | 196.2 | 405.4 | **7,761.5** |
| OIL | 1971 | 83.6 | 73.7 | 176.7 | 181.0 | 242.5 | 124.1 | 131.3 | 133.5 | 118.5 | 136.5 | 127.4 | 172.1 | **7,664.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,953.0** |
| H2O | 1970 | 76.8 | 72.0 | 35.1 | 32.4 | 31.3 | 13.4 | 12.1 | 13.8 | 112.4 | 116.5 | 106.4 | 118.3 | **5,191.2** |
| OIL | 1970 | 182.0 | 164.0 | 78.0 | 75.2 | 72.6 | 80.2 | 82.0 | 82.0 | 78.3 | 82.6 | 79.1 | 83.1 | **5,963.6** |
| DAY | 1969 | 31.0 | 27.0 | 30.0 | 30.0 | 25.0 | 20.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,590.0** |
| H2O | 1969 | 163.9 | 143.6 | 134.0 | 142.4 | 126.5 | 70.9 | 108.3 | 79.5 | 74.9 | 81.4 | 72.7 | 79.8 | **4,450.7** |
| OIL | 1969 | 138.3 | 117.8 | 129.4 | 131.3 | 108.9 | 40.5 | 59.4 | 184.3 | 179.4 | 187.7 | 179.9 | 188.5 | **4,824.5** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,246.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 115.7 | 144.5 | 153.9 | 149.8 | 152.9 | 146.9 | 156.3 | **3,172.8** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 140.6 | 167.8 | 195.3 | 133.0 | 134.4 | 134.1 | 138.1 | **3,179.1** |
| DAY | 1960 | 7.0 | 0.0 | 18.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 22.0 | 0.0 | 0.0 | 0.0 | **1,042.0** |
| H2O | 1960 | 11.4 | 0.0 | 15.7 | 19.7 | 25.6 | 25.1 | 26.7 | 24.5 | 15.4 | 0.0 | 0.0 | 0.0 | **2,152.8** |
| OIL | 1960 | 5.4 | 0.0 | 7.6 | 9.1 | 9.4 | 8.4 | 8.3 | 8.3 | 5.1 | 0.0 | 0.0 | 0.0 | **2,135.8** |
| DAY | 1959 | 0.0 | 0.0 | 19.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 11.0 | 7.0 | 20.0 | 2.0 | **842.0** |
| H2O | 1959 | 0.0 | 0.0 | 52.9 | 56.4 | 58.7 | 35.0 | 37.0 | 33.1 | 5.9 | 12.9 | 36.4 | 4.6 | **1,988.7** |
| OIL | 1959 | 0.0 | 0.0 | 16.7 | 24.0 | 24.8 | 16.4 | 9.5 | 10.0 | 2.1 | 5.6 | 18.3 | 1.9 | **2,074.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 20.0 | 0.0 | 0.0 | 0.0 | **631.0** |
| H2O | 1958 | 64.2 | 58.8 | 63.8 | 36.1 | 62.5 | 53.3 | 28.8 | 41.3 | 11.3 | 0.0 | 0.0 | 0.0 | **1,655.8** |
| OIL | 1958 | 43.1 | 40.8 | 41.2 | 35.9 | 35.9 | 27.3 | 27.5 | 26.2 | 7.8 | 0.0 | 0.0 | 0.0 | **1,944.9** |
| DAY | 1957 | 29.0 | 28.0 | 31.0 | 10.0 | 14.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **369.0** |
| H2O | 1957 | 135.5 | 143.1 | 141.2 | 64.4 | 68.8 | 113.4 | 138.8 | 93.0 | 66.0 | 54.5 | 51.2 | 63.6 | **1,235.7** |
| OIL | 1957 | 209.1 | 214.2 | 162.6 | 54.5 | 75.6 | 98.8 | 89.1 | 73.3 | 64.7 | 59.8 | 49.6 | 42.1 | **1,659.2** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 30.0 | **43.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.1 | 73.1 | **102.2** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 165.9 | 299.9 | **465.8** |

Licence ***1256*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-24-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 31.0 | 14.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,425.0** |
| H2O | 1973 | 497.5 | 225.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **29,696.8** |
| OIL | 1973 | 14.8 | 6.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,799.7** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 25.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,380.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 3.0 | 7.5 | 457.5 | 435.9 | 487.0 | 451.0 | 470.3 | 450.9 | 416.1 | **28,973.9** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 3.7 | 13.5 | 8.6 | 8.7 | 13.8 | 13.2 | 14.5 | 14.3 | 14.6 | **2,778.2** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **4,113.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 7.5 | 4.8 | 3.8 | 4.1 | 4.5 | 4.1 | 4.5 | 0.0 | 0.0 | **25,794.7** |

# Manitoba Production
## 1950 To 1975

Licence ***1256*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-24-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 11.8 | 4.4 | 4.3 | 4.4 | 4.4 | 4.1 | 4.4 | 0.0 | 0.0 | **2,673.3** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 14.0 | 31.0 | 20.0 | 31.0 | 31.0 | 30.0 | 30.0 | 0.0 | 0.0 | **3,904.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 8.3 | 9.4 | 5.7 | 8.3 | 7.5 | 8.6 | 8.1 | 0.0 | 0.0 | **25,761.4** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 1.9 | 14.3 | 8.7 | 13.8 | 13.3 | 13.5 | 13.2 | 0.0 | 0.0 | **2,635.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 29.0 | 13.0 | 0.0 | **3,717.0** |
| H2O | 1969 | 59.0 | 48.2 | 58.5 | 58.5 | 62.6 | 53.6 | 5.1 | 4.8 | 4.5 | 4.5 | 8.1 | 0.0 | **25,705.5** |
| OIL | 1969 | 8.9 | 7.6 | 8.6 | 8.9 | 8.6 | 7.6 | 4.4 | 4.3 | 4.1 | 4.0 | 0.0 | 0.0 | **2,556.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,405.0** |
| H2O | 1968 | 60.6 | 60.6 | 70.4 | 75.2 | 50.4 | 44.8 | 47.2 | 48.6 | 50.7 | 55.0 | 54.7 | 59.6 | **25,338.1** |
| OIL | 1968 | 13.7 | 12.1 | 13.7 | 14.3 | 8.7 | 8.6 | 8.9 | 9.1 | 8.6 | 8.7 | 8.6 | 8.9 | **2,489.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,039.0** |
| H2O | 1967 | 141.7 | 120.7 | 136.9 | 128.9 | 140.9 | 127.2 | 125.9 | 71.9 | 73.9 | 70.6 | 63.9 | 64.9 | **24,660.3** |
| OIL | 1967 | 14.6 | 12.6 | 14.3 | 13.7 | 14.3 | 12.7 | 13.8 | 13.7 | 13.8 | 14.0 | 13.8 | 14.0 | **2,365.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,674.0** |
| H2O | 1966 | 277.4 | 266.0 | 266.0 | 208.6 | 180.0 | 175.7 | 167.1 | 196.7 | 163.7 | 174.6 | 157.1 | 144.8 | **23,392.9** |
| OIL | 1966 | 14.5 | 13.0 | 16.2 | 11.6 | 17.8 | 15.3 | 15.3 | 14.9 | 14.8 | 16.8 | 15.1 | 14.5 | **2,200.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,310.0** |
| H2O | 1965 | 304.0 | 244.5 | 273.4 | 302.7 | 246.6 | 228.8 | 164.9 | 264.5 | 188.9 | 192.7 | 211.1 | 229.4 | **21,015.2** |
| OIL | 1965 | 34.0 | 29.4 | 31.9 | 34.6 | 9.1 | 8.6 | 9.1 | 8.7 | 8.7 | 8.3 | 9.5 | 11.6 | **2,020.8** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,946.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 3.7 | 464.4 | 496.8 | 473.0 | 342.1 | 386.2 | 302.2 | 301.6 | **18,163.7** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 23.0 | 26.1 | 27.3 | 22.4 | 23.7 | 33.7 | 34.8 | **1,817.3** |
| DAY | 1963 | 31.0 | 0.0 | 0.0 | 24.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **1,728.0** |
| H2O | 1963 | 102.7 | 0.0 | 0.0 | 94.3 | 129.6 | 25.6 | 42.9 | 34.2 | 32.7 | 33.4 | 0.0 | 0.0 | **15,393.7** |
| OIL | 1963 | 22.4 | 0.0 | 0.0 | 16.7 | 23.5 | 14.1 | 12.2 | 3.3 | 3.3 | 3.3 | 0.0 | 0.0 | **1,626.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | **1,489.0** |
| H2O | 1962 | 116.7 | 103.2 | 117.8 | 112.2 | 117.2 | 110.5 | 117.2 | 103.7 | 102.9 | 116.5 | 140.9 | 95.5 | **14,898.3** |
| OIL | 1962 | 19.5 | 17.6 | 20.0 | 19.1 | 19.7 | 19.4 | 20.2 | 18.9 | 18.3 | 16.8 | 20.7 | 17.5 | **1,527.2** |
| DAY | 1961 | 7.0 | 20.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,128.0** |
| H2O | 1961 | 93.5 | 185.1 | 278.2 | 333.4 | 321.3 | 343.7 | 135.1 | 144.8 | 128.8 | 128.9 | 128.3 | 127.7 | **13,544.0** |
| OIL | 1961 | 0.6 | 1.7 | 2.2 | 3.0 | 3.0 | 3.0 | 23.5 | 21.8 | 21.1 | 19.4 | 20.3 | 20.7 | **1,299.5** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 22.0 | **805.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 291.9 | 372.5 | 358.8 | 355.5 | 378.1 | 244.8 | **11,195.2** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 4.0 | 3.5 | 3.5 | 3.2 | 2.1 | **1,159.2** |
| DAY | 1959 | 22.0 | 27.0 | 30.0 | 28.0 | 31.0 | 23.0 | 29.0 | 30.0 | 25.0 | 0.0 | 0.0 | 0.0 | **638.0** |
| H2O | 1959 | 306.4 | 352.3 | 428.0 | 677.3 | 396.8 | 349.8 | 407.3 | 411.0 | 258.7 | 0.0 | 0.0 | 0.0 | **9,193.6** |
| OIL | 1959 | 30.8 | 35.6 | 38.1 | 35.3 | 38.9 | 36.7 | 43.4 | 45.3 | 31.1 | 0.0 | 0.0 | 0.0 | **1,139.9** |
| DAY | 1958 | 28.0 | 2.0 | 6.0 | 9.0 | 0.0 | 0.0 | 0.0 | 21.0 | 24.0 | 10.0 | 21.0 | 25.0 | **393.0** |
| H2O | 1958 | 223.8 | 12.7 | 46.3 | 70.3 | 0.0 | 0.0 | 0.0 | 344.4 | 416.5 | 137.5 | 262.8 | 309.9 | **5,606.0** |
| OIL | 1958 | 33.8 | 1.7 | 6.4 | 9.1 | 0.0 | 0.0 | 0.0 | 22.7 | 25.3 | 11.1 | 26.4 | 29.1 | **804.7** |
| DAY | 1957 | 4.0 | 17.0 | 21.0 | 25.0 | 16.0 | 24.0 | 19.0 | 17.0 | 20.0 | 22.0 | 29.0 | 24.0 | **247.0** |
| H2O | 1957 | 39.0 | 235.0 | 272.7 | 312.1 | 215.7 | 491.7 | 439.4 | 376.9 | 295.9 | 318.3 | 370.3 | 309.1 | **3,781.8** |
| OIL | 1957 | 13.7 | 58.2 | 66.4 | 86.3 | 63.6 | 78.5 | 55.8 | 55.0 | 27.7 | 30.5 | 36.2 | 28.9 | **639.1** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 3.0 | 0.0 | **9.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 69.5 | 36.2 | 0.0 | **105.7** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.7 | 12.6 | 0.0 | **38.3** |

Licence ***1258*** Well Name ***Enerplus South Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-36-009-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 15.0 | 31.0 | 30.0 | 31.0 | 11.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **126.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1258*** Well Name ***Enerplus South Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-36-009-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1957 | 0.0 | 60.7 | 208.6 | 667.2 | 640.2 | 182.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,848.8** |
| OIL | 1957 | 0.0 | 7.8 | 15.3 | 34.6 | 33.4 | 15.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **142.5** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 0.0 | 0.0 | 1.0 | **8.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.2 | 0.0 | 0.0 | 72.5 | **89.7** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.7 | 0.0 | 0.0 | 8.7 | **36.4** |

Licence ***1260*** Well Name ***M & C Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-15-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 0.0 | 0.0 | 31.0 | 29.0 | 26.0 | 5.0 | 31.0 | 14.0 | 26.0 | 18.0 | 0.0 | 0.0 | **550.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 78.8 | 87.3 | 384.0 | 253.6 | 0.0 | 0.0 | **3,889.8** |
| OIL | 1958 | 0.0 | 0.0 | 33.8 | 42.4 | 17.6 | 6.7 | 49.6 | 16.7 | 24.0 | 19.4 | 0.0 | 0.0 | **1,518.4** |
| DAY | 1957 | 30.0 | 12.0 | 18.0 | 30.0 | 24.0 | 29.0 | 30.0 | 31.0 | 28.0 | 31.0 | 29.0 | 6.0 | **370.0** |
| H2O | 1957 | 263.1 | 80.8 | 145.5 | 152.8 | 144.0 | 212.1 | 293.7 | 295.7 | 269.0 | 349.3 | 326.2 | 55.6 | **3,086.1** |
| OIL | 1957 | 115.5 | 41.2 | 86.0 | 114.1 | 68.0 | 69.0 | 58.3 | 49.9 | 33.8 | 39.1 | 26.2 | 5.2 | **1,308.2** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 25.0 | 20.0 | **72.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 248.0 | 248.2 | **498.3** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 205.0 | 241.5 | 155.4 | **601.9** |

Licence ***1261*** Well Name ***Shell Moir North Scallion SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.06-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Ashville*** Field Code ***5*** Pool Code ***11*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1963 | 179.5 | 225.2 | 258.7 | 263.0 | 31.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **20,160.4** |
| WIN | 1962 | 227.2 | 213.7 | 241.5 | 246.0 | 202.4 | 211.5 | 223.7 | 46.9 | 166.1 | 169.2 | 116.5 | 213.8 | **19,202.5** |
| WIN | 1961 | 321.3 | 285.7 | 319.7 | 304.8 | 283.5 | 267.3 | 266.0 | 257.9 | 268.7 | 257.7 | 253.1 | 247.1 | **16,924.0** |
| WIN | 1960 | 363.0 | 321.6 | 403.4 | 385.1 | 394.6 | 381.6 | 391.9 | 401.4 | 381.4 | 352.6 | 343.7 | 336.3 | **13,591.2** |
| WIN | 1959 | 440.9 | 446.6 | 457.9 | 490.8 | 500.3 | 420.7 | 414.5 | 416.7 | 378.7 | 378.4 | 328.8 | 461.4 | **9,134.6** |
| WIN | 1958 | 142.0 | 47.5 | 106.0 | 35.3 | 61.4 | 176.5 | 314.8 | 313.1 | 215.0 | 292.1 | 262.7 | 241.7 | **3,998.9** |
| WIN | 1957 | 0.0 | 103.0 | 206.2 | 149.3 | 150.1 | 199.2 | 237.1 | 166.1 | 80.8 | 254.7 | 164.6 | 79.7 | **1,790.8** |

Licence ***1262*** Well Name ***Shell Moir South Scallion SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.15-21-011-26W1.00*** Field Name ***Virden*** Pool Name ***Ashville*** Field Code ***5*** Pool Code ***11*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1963 | 1739.2 | 1015.5 | 849.1 | 805.5 | 1261.3 | 1869.5 | 1391.7 | 1781.7 | 1636.1 | 304.8 | 0.0 | 0.0 | **27,833.9** |
| WIN | 1962 | 152.8 | 129.3 | 146.7 | 143.2 | 113.7 | 128.3 | 142.1 | 131.2 | 124.5 | 132.0 | 1943.6 | 1974.4 | **15,179.5** |
| WIN | 1961 | 160.9 | 144.0 | 166.9 | 153.7 | 164.4 | 148.8 | 176.3 | 163.4 | 234.8 | 153.9 | 138.6 | 137.2 | **9,917.7** |
| WIN | 1960 | 119.9 | 131.6 | 170.8 | 180.8 | 177.0 | 169.8 | 171.4 | 152.5 | 152.5 | 173.1 | 156.3 | 163.1 | **7,974.8** |
| WIN | 1959 | 201.0 | 250.4 | 119.6 | 89.2 | 204.6 | 206.8 | 208.8 | 192.1 | 178.2 | 175.7 | 111.8 | 147.7 | **6,056.0** |
| WIN | 1958 | 127.8 | 167.4 | 245.6 | 227.7 | 217.8 | 230.9 | 229.9 | 220.4 | 180.6 | 203.3 | 197.5 | 202.2 | **3,970.1** |
| WIN | 1957 | 253.7 | 95.9 | 126.4 | 111.6 | 107.2 | 99.5 | 103.0 | 108.0 | 104.9 | 74.9 | 182.2 | 151.7 | **1,519.0** |

Licence ***1263*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-24-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 16.0 | 31.0 | 16.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,204.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 9.5 | 9.4 | 4.8 | 7.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,954.8** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 2.2 | 8.9 | 4.3 | 8.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,604.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 13.0 | 0.0 | **2,110.0** |
| H2O | 1969 | 24.6 | 20.2 | 24.5 | 24.5 | 26.4 | 20.3 | 21.5 | 19.4 | 17.5 | 19.6 | 8.1 | 0.0 | **5,923.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1263*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-24-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1969 | 8.9 | 7.6 | 8.6 | 8.9 | 8.7 | 4.3 | 4.3 | 4.4 | 3.8 | 4.4 | 1.6 | 0.0 | **1,580.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,795.0** |
| H2O | 1968 | 35.5 | 35.5 | 41.2 | 43.9 | 42.0 | 35.3 | 37.4 | 24.3 | 21.6 | 23.1 | 22.9 | 25.1 | **5,696.6** |
| OIL | 1968 | 13.5 | 12.2 | 13.8 | 14.5 | 14.3 | 13.7 | 14.3 | 8.9 | 8.7 | 8.6 | 8.4 | 8.9 | **1,514.8** |
| DAY | 1967 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,429.0** |
| H2O | 1967 | 149.3 | 121.5 | 144.4 | 135.8 | 148.5 | 134.2 | 132.4 | 32.7 | 33.5 | 32.1 | 37.5 | 37.7 | **5,308.8** |
| OIL | 1967 | 19.1 | 15.9 | 18.6 | 17.8 | 18.6 | 16.7 | 18.1 | 13.7 | 14.0 | 14.0 | 13.8 | 13.8 | **1,375.0** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 12.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,065.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 2.1 | 191.1 | 170.4 | 170.6 | 159.9 | 152.6 | **4,169.2** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.4 | 7.8 | 43.9 | 45.9 | 49.3 | 18.8 | 18.9 | **1,180.9** |
| DAY | 1960 | 28.0 | 29.0 | 30.0 | 30.0 | 31.0 | 12.0 | 0.0 | 0.0 | 7.0 | 7.0 | 0.0 | 0.0 | **895.0** |
| H2O | 1960 | 11.6 | 12.7 | 13.4 | 13.4 | 14.5 | 6.7 | 0.0 | 0.0 | 4.0 | 2.1 | 0.0 | 0.0 | **3,321.7** |
| OIL | 1960 | 17.5 | 18.8 | 18.6 | 19.1 | 21.3 | 8.3 | 0.0 | 0.0 | 4.3 | 2.5 | 0.0 | 0.0 | **993.9** |
| DAY | 1959 | 29.0 | 27.0 | 31.0 | 16.0 | 8.0 | 7.0 | 9.0 | 8.0 | 14.0 | 2.0 | 21.0 | 31.0 | **721.0** |
| H2O | 1959 | 17.2 | 14.6 | 18.1 | 16.2 | 4.3 | 4.5 | 5.4 | 4.8 | 6.2 | 1.3 | 10.8 | 14.6 | **3,243.3** |
| OIL | 1959 | 23.5 | 20.3 | 22.4 | 11.6 | 5.7 | 6.2 | 7.8 | 7.0 | 10.2 | 1.6 | 15.3 | 20.3 | **883.5** |
| DAY | 1958 | 8.0 | 24.0 | 25.0 | 26.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 29.0 | 26.0 | 31.0 | **518.0** |
| H2O | 1958 | 44.8 | 133.7 | 140.4 | 151.0 | 126.1 | 43.6 | 45.6 | 21.6 | 20.5 | 16.7 | 13.5 | 16.4 | **3,125.3** |
| OIL | 1958 | 8.1 | 38.6 | 38.5 | 39.6 | 62.1 | 24.3 | 22.1 | 19.5 | 16.8 | 18.6 | 18.4 | 21.0 | **731.6** |
| DAY | 1957 | 9.0 | 0.0 | 0.0 | 16.0 | 23.0 | 0.0 | 11.0 | 25.0 | 27.0 | 23.0 | 28.0 | 13.0 | **198.0** |
| H2O | 1957 | 103.3 | 0.0 | 0.0 | 225.9 | 353.9 | 0.0 | 142.8 | 334.8 | 279.5 | 230.0 | 255.3 | 117.6 | **2,351.4** |
| OIL | 1957 | 26.2 | 0.0 | 0.0 | 43.4 | 75.5 | 0.0 | 34.5 | 39.1 | 32.4 | 27.3 | 31.0 | 13.7 | **404.0** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 12.0 | 5.0 | **23.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 97.1 | 155.6 | 55.6 | **308.3** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.1 | 38.9 | 15.9 | **80.9** |

Licence ***1264*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-34-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,891.0** |
| H2O | 1975 | 34.0 | 31.5 | 35.1 | 34.0 | 34.3 | 87.3 | 87.4 | 81.7 | 84.9 | 91.3 | 91.4 | 93.2 | **11,241.6** |
| OIL | 1975 | 202.5 | 181.5 | 199.1 | 188.9 | 186.2 | 231.1 | 237.6 | 226.3 | 231.7 | 239.6 | 231.7 | 235.3 | **37,065.6** |
| DAY | 1974 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,528.0** |
| H2O | 1974 | 29.3 | 27.0 | 29.1 | 28.8 | 30.5 | 35.8 | 34.8 | 33.1 | 32.4 | 34.2 | 34.0 | 34.0 | **10,455.5** |
| OIL | 1974 | 236.8 | 206.6 | 226.8 | 219.3 | 234.1 | 209.1 | 209.0 | 215.0 | 198.3 | 208.8 | 199.3 | 205.5 | **34,474.1** |
| DAY | 1973 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,165.0** |
| H2O | 1973 | 55.8 | 51.7 | 57.1 | 129.4 | 131.1 | 30.4 | 30.4 | 32.9 | 32.3 | 32.4 | 30.2 | 29.3 | **10,072.5** |
| OIL | 1973 | 206.7 | 175.8 | 199.7 | 129.4 | 134.9 | 224.1 | 232.3 | 248.4 | 236.3 | 240.0 | 227.2 | 230.4 | **31,905.5** |
| DAY | 1972 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,801.0** |
| H2O | 1972 | 55.5 | 49.9 | 59.5 | 12.7 | 14.0 | 35.6 | 39.4 | 37.4 | 37.4 | 40.5 | 38.6 | 56.9 | **9,429.5** |
| OIL | 1972 | 224.9 | 193.6 | 228.4 | 201.0 | 212.1 | 204.7 | 210.9 | 215.5 | 205.2 | 216.1 | 196.9 | 209.8 | **29,420.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,438.0** |
| H2O | 1971 | 61.0 | 55.3 | 63.8 | 64.1 | 55.0 | 51.0 | 54.2 | 52.3 | 46.9 | 52.3 | 48.0 | 59.0 | **8,952.1** |
| OIL | 1971 | 225.7 | 199.7 | 220.9 | 209.8 | 237.4 | 215.3 | 236.0 | 231.7 | 228.5 | 237.1 | 213.9 | 229.0 | **26,901.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **5,076.0** |
| H2O | 1970 | 89.8 | 84.4 | 88.2 | 81.6 | 83.9 | 85.1 | 76.8 | 67.2 | 62.6 | 65.0 | 59.3 | 61.7 | **8,289.2** |
| OIL | 1970 | 251.2 | 226.6 | 247.3 | 238.5 | 246.2 | 240.9 | 244.7 | 214.2 | 204.5 | 215.8 | 206.9 | 203.1 | **24,216.2** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,713.0** |
| H2O | 1969 | 93.3 | 84.7 | 76.3 | 81.1 | 85.8 | 85.4 | 89.3 | 93.0 | 86.5 | 95.1 | 84.9 | 93.3 | **7,383.6** |
| OIL | 1969 | 257.0 | 227.1 | 240.7 | 244.4 | 241.9 | 246.2 | 247.1 | 254.4 | 244.6 | 259.2 | 248.2 | 260.1 | **21,476.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,351.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1264*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-34-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1968 | 67.1 | 63.6 | 67.7 | 14.1 | 14.8 | 13.7 | 14.8 | 13.4 | 85.5 | 90.6 | 83.8 | 88.9 | **6,334.9** |
| OIL | 1968 | 386.5 | 354.8 | 379.5 | 290.5 | 291.3 | 286.2 | 295.3 | 294.9 | 248.1 | 260.3 | 249.3 | 256.6 | **18,505.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,985.0** |
| H2O | 1967 | 73.0 | 60.3 | 45.2 | 42.1 | 62.6 | 59.0 | 46.6 | 28.9 | 27.2 | 26.9 | 24.6 | 67.7 | **5,716.9** |
| OIL | 1967 | 229.0 | 203.6 | 223.6 | 216.0 | 243.3 | 233.4 | 242.2 | 284.4 | 252.3 | 244.1 | 249.0 | 375.5 | **14,912.1** |
| DAY | 1966 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 25.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,622.0** |
| H2O | 1966 | 52.8 | 39.3 | 65.7 | 67.2 | 76.0 | 63.9 | 73.1 | 75.5 | 76.2 | 83.6 | 71.4 | 73.3 | **5,152.8** |
| OIL | 1966 | 199.0 | 162.1 | 175.1 | 171.0 | 178.9 | 183.9 | 234.1 | 232.8 | 213.1 | 235.0 | 219.1 | 219.3 | **11,915.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,267.0** |
| H2O | 1965 | 83.9 | 74.4 | 85.1 | 74.2 | 75.7 | 72.2 | 72.5 | 62.3 | 61.4 | 64.7 | 54.4 | 55.3 | **4,334.8** |
| OIL | 1965 | 77.1 | 70.2 | 76.0 | 73.3 | 73.9 | 73.9 | 77.1 | 95.7 | 130.3 | 144.3 | 139.5 | 201.3 | **9,492.3** |
| DAY | 1964 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,903.0** |
| H2O | 1964 | 80.1 | 67.9 | 80.3 | 77.6 | 82.2 | 79.3 | 78.2 | 76.0 | 76.2 | 76.2 | 78.9 | 83.5 | **3,498.7** |
| OIL | 1964 | 72.5 | 64.4 | 74.1 | 71.0 | 73.4 | 70.6 | 73.1 | 70.7 | 71.4 | 72.8 | 71.4 | 76.4 | **8,259.7** |
| DAY | 1963 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,539.0** |
| H2O | 1963 | 46.9 | 49.9 | 49.9 | 51.8 | 51.7 | 46.9 | 58.8 | 40.9 | 65.2 | 43.6 | 77.6 | 79.2 | **2,562.3** |
| OIL | 1963 | 66.7 | 53.6 | 61.7 | 61.2 | 62.1 | 55.1 | 57.5 | 47.7 | 59.9 | 62.9 | 68.0 | 69.4 | **7,397.9** |
| DAY | 1962 | 30.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,177.0** |
| H2O | 1962 | 51.4 | 42.4 | 54.4 | 44.2 | 39.9 | 35.9 | 39.3 | 29.9 | 31.8 | 31.8 | 12.7 | 56.4 | **1,899.9** |
| OIL | 1962 | 72.1 | 62.3 | 82.6 | 75.6 | 71.8 | 65.3 | 67.7 | 77.2 | 72.8 | 73.9 | 72.3 | 58.8 | **6,672.1** |
| DAY | 1961 | 30.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | **1,816.0** |
| H2O | 1961 | 39.1 | 35.5 | 50.2 | 38.6 | 49.4 | 52.1 | 48.6 | 47.4 | 54.4 | 54.8 | 50.2 | 49.4 | **1,429.8** |
| OIL | 1961 | 51.3 | 52.8 | 73.3 | 34.3 | 91.4 | 83.7 | 81.5 | 77.1 | 72.1 | 69.4 | 69.6 | 83.4 | **5,819.7** |
| DAY | 1960 | 4.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,458.0** |
| H2O | 1960 | 18.0 | 99.4 | 92.4 | 76.6 | 80.0 | 77.1 | 80.6 | 78.1 | 67.1 | 55.3 | 60.6 | 70.3 | **860.1** |
| OIL | 1960 | 20.0 | 131.1 | 123.9 | 104.2 | 104.2 | 97.9 | 101.7 | 97.3 | 88.5 | 81.2 | 83.9 | 85.3 | **4,979.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 20.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 21.0 | **1,119.0** |
| H2O | 1959 | 0.2 | 0.2 | 0.2 | 0.2 | 0.0 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.0 | **4.6** |
| OIL | 1959 | 80.1 | 72.5 | 77.4 | 73.3 | 74.2 | 70.4 | 72.0 | 69.1 | 63.6 | 65.0 | 61.3 | 43.1 | **3,860.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **774.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 0.2 | 0.3 | 0.2 | 0.2 | 0.3 | **2.5** |
| OIL | 1958 | 106.8 | 92.5 | 99.2 | 86.6 | 64.0 | 96.6 | 92.6 | 89.1 | 84.1 | 85.5 | 79.3 | 81.7 | **3,038.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 19.0 | 14.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **411.0** |
| H2O | 1957 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1.1** |
| OIL | 1957 | 165.7 | 139.2 | 152.7 | 93.3 | 82.6 | 135.1 | 129.0 | 133.5 | 133.6 | 108.5 | 110.4 | 104.7 | **1,980.6** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 28.0 | 30.0 | **75.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | **0.8** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 118.7 | 189.1 | 184.5 | **492.3** |

Licence ***1265*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-14-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 20.0 | 14.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,398.0** |
| OIL | 1972 | 13.5 | 12.2 | 12.6 | 14.9 | 14.5 | 12.9 | 8.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,880.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,214.0** |
| OIL | 1971 | 21.6 | 18.6 | 17.2 | 17.0 | 17.0 | 16.4 | 16.5 | 12.9 | 12.4 | 14.1 | 13.0 | 13.7 | **5,791.1** |
| DAY | 1970 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **4,849.0** |
| OIL | 1970 | 23.2 | 23.0 | 27.3 | 19.5 | 21.8 | 16.8 | 18.1 | 17.6 | 21.9 | 22.1 | 21.3 | 18.8 | **5,600.7** |
| DAY | 1969 | 25.0 | 26.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,491.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.3 | 5.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **408.3** |
| OIL | 1969 | 14.8 | 16.4 | 18.3 | 22.7 | 29.6 | 20.8 | 22.4 | 21.3 | 17.6 | 18.1 | 27.0 | 25.7 | **5,349.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1265*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-14-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 20.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **4,137.0** |
| OIL | 1968 | 13.2 | 20.7 | 31.9 | 28.6 | 29.2 | 24.3 | 23.5 | 24.9 | 28.0 | 20.2 | 22.4 | 16.8 | **5,094.6** |
| DAY | 1967 | 23.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 21.0 | 31.0 | **3,785.0** |
| H2O | 1967 | 0.0 | 0.0 | 1.4 | 0.0 | 2.9 | 1.4 | 2.4 | 0.0 | 0.0 | 0.0 | 1.7 | 2.7 | **398.2** |
| OIL | 1967 | 19.9 | 25.3 | 25.9 | 22.6 | 23.2 | 19.5 | 21.8 | 21.8 | 21.9 | 30.0 | 14.0 | 20.5 | **4,810.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 21.0 | 30.0 | 31.0 | **3,438.0** |
| OIL | 1966 | 25.7 | 23.4 | 26.7 | 25.3 | 24.8 | 25.6 | 24.8 | 20.3 | 26.2 | 24.8 | 26.9 | 28.8 | **4,544.5** |
| DAY | 1965 | 27.0 | 20.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,086.0** |
| H2O | 1965 | 1.1 | 1.0 | 1.4 | 1.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **385.7** |
| OIL | 1965 | 30.7 | 23.8 | 33.1 | 34.5 | 25.4 | 27.3 | 28.8 | 23.8 | 27.2 | 29.9 | 27.3 | 28.0 | **4,241.2** |
| DAY | 1964 | 31.0 | 29.0 | 19.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,736.0** |
| H2O | 1964 | 3.0 | 2.9 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 1.9 | 3.7 | 1.4 | 1.4 | 1.4 | **380.8** |
| OIL | 1964 | 38.3 | 31.6 | 21.5 | 0.0 | 0.0 | 0.0 | 0.0 | 31.3 | 40.5 | 37.3 | 36.1 | 36.1 | **3,901.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,508.0** |
| H2O | 1963 | 0.0 | 0.0 | 1.1 | 2.1 | 1.0 | 1.0 | 1.0 | 1.0 | 0.0 | 1.1 | 2.9 | 2.5 | **363.8** |
| OIL | 1963 | 22.7 | 21.3 | 21.8 | 19.2 | 19.2 | 20.2 | 20.7 | 22.7 | 36.2 | 34.5 | 39.3 | 34.3 | **3,628.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,146.0** |
| H2O | 1962 | 2.4 | 2.1 | 0.0 | 2.2 | 4.6 | 5.1 | 5.6 | 4.9 | 0.0 | 0.0 | 0.0 | 0.0 | **350.1** |
| OIL | 1962 | 22.6 | 20.7 | 21.6 | 24.6 | 24.5 | 24.5 | 25.6 | 19.4 | 15.1 | 24.3 | 23.2 | 24.0 | **3,316.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,781.0** |
| H2O | 1961 | 1.1 | 1.1 | 3.5 | 3.5 | 1.1 | 1.1 | 1.1 | 1.3 | 4.8 | 4.8 | 4.6 | 2.4 | **323.2** |
| OIL | 1961 | 34.2 | 31.3 | 30.5 | 30.5 | 32.1 | 31.8 | 32.9 | 33.2 | 24.9 | 30.0 | 27.3 | 22.9 | **3,046.5** |
| DAY | 1960 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 29.0 | 24.0 | 31.0 | 30.0 | 31.0 | **1,416.0** |
| H2O | 1960 | 1.3 | 1.4 | 1.3 | 4.0 | 4.0 | 3.2 | 3.7 | 4.1 | 3.5 | 1.1 | 1.1 | 1.1 | **292.8** |
| OIL | 1960 | 37.5 | 32.7 | 36.7 | 32.3 | 27.0 | 24.3 | 37.7 | 35.0 | 30.7 | 41.6 | 28.3 | 33.2 | **2,684.9** |
| DAY | 1959 | 28.0 | 25.0 | 27.0 | 26.0 | 28.0 | 28.0 | 29.0 | 31.0 | 26.0 | 28.0 | 30.0 | 28.0 | **1,063.0** |
| H2O | 1959 | 1.3 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 1.1 | 1.1 | 1.1 | 1.3 | **263.0** |
| OIL | 1959 | 50.5 | 41.2 | 46.6 | 50.7 | 39.6 | 41.2 | 44.0 | 44.0 | 35.0 | 34.5 | 39.1 | 36.7 | **2,287.9** |
| DAY | 1958 | 26.0 | 23.0 | 29.0 | 28.0 | 28.0 | 28.0 | 29.0 | 29.0 | 27.0 | 31.0 | 27.0 | 29.0 | **729.0** |
| H2O | 1958 | 2.2 | 3.8 | 0.0 | 4.9 | 4.9 | 7.8 | 8.4 | 8.6 | 3.5 | 4.1 | 3.2 | 1.3 | **254.7** |
| OIL | 1958 | 55.5 | 49.1 | 51.2 | 76.4 | 54.8 | 47.5 | 52.4 | 55.1 | 41.0 | 48.9 | 41.0 | 53.4 | **1,784.8** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 24.0 | 28.0 | 31.0 | 29.0 | 28.0 | 27.0 | 29.0 | **395.0** |
| H2O | 1957 | 0.2 | 1.4 | 2.2 | 1.7 | 1.7 | 2.9 | 16.2 | 2.5 | 4.9 | 5.2 | 5.1 | 2.1 | **202.0** |
| OIL | 1957 | 97.1 | 95.8 | 94.2 | 86.9 | 87.2 | 62.5 | 71.4 | 68.8 | 79.0 | 63.9 | 63.7 | 60.1 | **1,158.5** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 29.0 | **50.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 155.3 | **155.9** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 149.1 | 78.8 | **227.9** |

Licence ***1266*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1163.1 | 1029.7 | 586.5 | 1107.9 | 1151.3 | 1055.9 | 1057.4 | 1047.7 | 1062.0 | 1001.4 | 1179.5 | 1255.3 | **170,474.4** |
| WIN | 1974 | 1197.1 | 1034.8 | 1183.0 | 1151.3 | 1333.2 | 1244.3 | 1182.2 | 1262.5 | 1202.4 | 1126.7 | 1121.8 | 1166.9 | **157,776.7** |
| WIN | 1973 | 884.9 | 873.1 | 914.3 | 958.8 | 1004.9 | 915.4 | 904.4 | 890.1 | 945.3 | 895.5 | 933.4 | 1118.4 | **143,570.5** |
| WIN | 1972 | 1324.5 | 1279.3 | 1210.6 | 1256.4 | 1330.8 | 1260.6 | 1270.6 | 1255.6 | 1204.6 | 1262.5 | 1219.9 | 1003.2 | **132,332.0** |
| WIN | 1971 | 1120.2 | 1190.8 | 1230.7 | 1402.5 | 1685.7 | 1346.2 | 955.3 | 1012.7 | 1212.9 | 1391.2 | 1188.7 | 761.8 | **117,453.4** |
| WIN | 1970 | 1739.1 | 1490.9 | 1654.5 | 1755.3 | 1741.8 | 1095.2 | 1370.9 | 1513.0 | 1328.3 | 1321.0 | 1171.7 | 1213.8 | **102,954.7** |
| WIN | 1969 | 1506.8 | 1390.9 | 1492.7 | 1293.1 | 1344.0 | 1227.8 | 1255.6 | 1416.5 | 1203.3 | 1660.9 | 1570.1 | 1690.1 | **85,559.2** |
| WIN | 1968 | 1487.9 | 1378.8 | 1449.1 | 1168.8 | 1276.3 | 1195.4 | 1025.9 | 1033.1 | 1095.5 | 1124.6 | 1409.0 | 1168.2 | **68,507.4** |
| WIN | 1967 | 745.3 | 896.0 | 1236.2 | 1397.4 | 1522.4 | 1498.5 | 1488.8 | 1305.2 | 1403.8 | 1487.3 | 1328.1 | 1377.2 | **53,694.8** |
| WIN | 1966 | 1294.4 | 1172.0 | 1254.0 | 1230.8 | 1117.9 | 1110.0 | 1124.8 | 1093.1 | 728.9 | 870.1 | 1422.4 | 1398.4 | **38,008.6** |

# Manitoba Production
## 1950 To 1975

Licence ***1266*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1965 | 1213.7 | 1082.0 | 1180.4 | 1123.0 | 988.4 | 1026.9 | 1157.9 | 1123.8 | 1111.7 | 1188.2 | 776.5 | 1297.8 | **24,191.8** |
| WIN | 1964 | 674.9 | 540.5 | 763.4 | 685.2 | 581.4 | 388.5 | 492.0 | 1179.2 | 1186.0 | 1264.5 | 1196.3 | 1235.6 | **10,921.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 25.0 | 0.0 | **2,526.0** |
| H2O | 1963 | 16.6 | 18.2 | 19.4 | 14.8 | 15.6 | 16.4 | 20.2 | 22.4 | 38.8 | 33.2 | 27.7 | 0.0 | **2,194.6** |
| OIL | 1963 | 195.5 | 187.6 | 200.8 | 184.9 | 169.6 | 167.7 | 179.3 | 185.0 | 170.8 | 166.9 | 146.2 | 0.0 | **23,668.2** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 734.0 | **734.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,199.0** |
| H2O | 1962 | 16.9 | 22.9 | 22.3 | 24.5 | 9.1 | 30.5 | 31.5 | 35.5 | 29.3 | 24.5 | 22.6 | 18.6 | **1,951.3** |
| OIL | 1962 | 250.1 | 225.7 | 250.8 | 231.8 | 237.4 | 241.9 | 246.0 | 243.8 | 233.9 | 232.6 | 221.8 | 200.9 | **21,713.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,834.0** |
| H2O | 1961 | 11.1 | 8.4 | 8.7 | 11.0 | 12.7 | 10.5 | 7.2 | 10.3 | 13.0 | 15.6 | 37.8 | 19.6 | **1,663.1** |
| OIL | 1961 | 204.8 | 175.0 | 199.7 | 187.7 | 171.5 | 173.5 | 172.9 | 177.7 | 158.6 | 183.2 | 264.3 | 260.0 | **18,897.2** |
| DAY | 1960 | 29.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,472.0** |
| H2O | 1960 | 18.3 | 17.6 | 21.6 | 17.3 | 16.2 | 16.1 | 16.9 | 3.7 | 3.5 | 1.7 | 1.7 | 8.3 | **1,497.2** |
| OIL | 1960 | 351.4 | 343.9 | 332.9 | 309.2 | 359.1 | 340.2 | 338.5 | 257.0 | 248.9 | 252.8 | 246.5 | 232.8 | **16,568.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | 26.0 | 30.0 | **1,111.0** |
| H2O | 1959 | 74.4 | 39.0 | 50.1 | 32.1 | 60.3 | 3.2 | 48.3 | 23.7 | 35.1 | 27.7 | 30.2 | 31.3 | **1,354.3** |
| OIL | 1959 | 331.2 | 296.4 | 325.4 | 324.7 | 353.4 | 291.4 | 314.0 | 346.3 | 312.4 | 322.4 | 272.4 | 366.3 | **12,955.1** |
| DAY | 1958 | 28.0 | 14.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 25.0 | 29.0 | 31.0 | **754.0** |
| H2O | 1958 | 44.0 | 15.4 | 30.8 | 33.1 | 16.2 | 36.7 | 20.3 | 27.0 | 12.7 | 18.3 | 91.1 | 60.4 | **898.9** |
| OIL | 1958 | 371.5 | 201.0 | 326.6 | 332.4 | 316.1 | 314.5 | 350.9 | 387.4 | 363.6 | 314.8 | 296.0 | 332.9 | **9,098.8** |
| DAY | 1957 | 31.0 | 26.0 | 29.0 | 30.0 | 31.0 | 30.0 | 16.0 | 28.0 | 27.0 | 24.0 | 27.0 | 31.0 | **414.0** |
| H2O | 1957 | 43.1 | 41.8 | 16.9 | 6.5 | 2.2 | 39.1 | 18.0 | 36.1 | 36.4 | 55.6 | 61.7 | 28.3 | **492.9** |
| OIL | 1957 | 390.1 | 327.5 | 320.2 | 386.3 | 280.5 | 399.7 | 231.5 | 371.4 | 365.8 | 335.0 | 360.2 | 413.3 | **5,191.1** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 24.0 | 30.0 | **84.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 40.1 | 29.1 | 38.0 | **107.2** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 362.0 | 275.1 | 371.4 | **1,009.6** |

Licence ***1267*** Well Name ***Enerplus South Virden CPR*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-31-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 28.0 | 21.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **595.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 16.5 | 31.0 | 9.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,161.8** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 4.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **327.9** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 29.0 | 19.0 | 0.0 | 0.0 | **531.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 56.9 | 75.7 | 76.5 | 43.1 | 44.4 | 40.7 | 25.3 | 0.0 | 0.0 | **3,104.5** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 5.6 | 7.9 | 8.6 | 6.5 | 6.2 | 5.1 | 3.0 | 0.0 | 0.0 | **321.3** |
| DAY | 1957 | 17.0 | 19.0 | 29.0 | 15.0 | 2.0 | 23.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 5.0 | **332.0** |
| H2O | 1957 | 200.2 | 186.8 | 258.4 | 115.6 | 21.6 | 183.5 | 159.3 | 139.0 | 123.1 | 127.2 | 103.2 | 9.5 | **2,741.9** |
| OIL | 1957 | 16.2 | 21.9 | 31.9 | 3.1 | 0.0 | 10.0 | 18.0 | 13.7 | 12.2 | 13.0 | 11.0 | 0.0 | **278.4** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 27.0 | 28.0 | **71.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 335.8 | 435.0 | 343.7 | **1,114.5** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 45.6 | 51.0 | 30.8 | **127.4** |

Licence ***1268*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-05-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,794.0** |
| H2O | 1975 | 39.1 | 35.6 | 40.1 | 39.0 | 40.2 | 87.3 | 87.6 | 86.2 | 84.9 | 86.3 | 86.6 | 88.1 | **11,136.4** |
| OIL | 1975 | 65.6 | 58.0 | 64.0 | 60.9 | 61.8 | 20.0 | 20.7 | 20.7 | 20.0 | 20.8 | 20.2 | 20.3 | **11,819.5** |
| DAY | 1974 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,429.0** |

# Manitoba Production
# 1950 To 1975

Licence ***1268*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-05-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1974 | 79.2 | 81.4 | 90.9 | 88.4 | 91.6 | 92.0 | 38.2 | 37.7 | 37.0 | 39.0 | 38.8 | 39.0 | **10,335.4** |
| OIL | 1974 | 31.9 | 30.8 | 35.3 | 33.7 | 35.1 | 34.0 | 62.1 | 66.4 | 63.7 | 67.2 | 64.0 | 66.1 | **11,366.5** |
| DAY | 1973 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 20.0 | 29.0 | 30.0 | 31.0 | **6,069.0** |
| H2O | 1973 | 55.8 | 49.1 | 57.4 | 57.4 | 58.0 | 55.8 | 53.7 | 74.6 | 49.8 | 68.8 | 90.6 | 87.9 | **9,582.2** |
| OIL | 1973 | 83.4 | 67.5 | 81.0 | 79.1 | 82.6 | 80.1 | 79.6 | 31.9 | 20.7 | 28.9 | 34.0 | 34.5 | **10,776.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,719.0** |
| H2O | 1972 | 59.8 | 58.2 | 63.8 | 56.8 | 47.9 | 49.4 | 54.8 | 51.8 | 52.0 | 56.4 | 56.0 | 56.9 | **8,823.3** |
| OIL | 1972 | 43.4 | 40.5 | 44.0 | 42.3 | 80.6 | 80.9 | 83.3 | 85.2 | 81.0 | 85.3 | 81.0 | 84.7 | **10,072.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,354.0** |
| H2O | 1971 | 44.5 | 40.4 | 46.4 | 46.7 | 46.6 | 46.6 | 42.3 | 56.1 | 50.4 | 56.1 | 50.6 | 63.4 | **8,159.5** |
| OIL | 1971 | 57.5 | 51.0 | 56.4 | 53.6 | 54.8 | 53.2 | 49.7 | 44.8 | 44.2 | 45.8 | 40.5 | 44.3 | **9,240.7** |
| DAY | 1970 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,992.0** |
| H2O | 1970 | 81.2 | 76.2 | 74.1 | 73.6 | 75.7 | 76.8 | 68.7 | 80.1 | 74.6 | 47.5 | 43.2 | 48.2 | **7,569.4** |
| OIL | 1970 | 70.4 | 63.4 | 64.4 | 66.7 | 69.0 | 67.5 | 67.9 | 69.0 | 65.8 | 55.0 | 52.8 | 55.3 | **8,644.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 27.0 | 31.0 | 28.0 | 31.0 | **4,630.0** |
| H2O | 1969 | 112.2 | 101.9 | 95.5 | 97.6 | 107.3 | 68.0 | 79.0 | 79.5 | 66.3 | 81.4 | 71.1 | 84.3 | **6,749.5** |
| OIL | 1969 | 72.0 | 63.4 | 70.2 | 68.5 | 70.2 | 59.3 | 65.9 | 65.6 | 56.3 | 66.7 | 64.4 | 72.9 | **7,877.7** |
| DAY | 1968 | 31.0 | 29.0 | 26.0 | 30.0 | 30.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,272.0** |
| H2O | 1968 | 46.1 | 43.9 | 44.2 | 54.2 | 53.6 | 46.9 | 112.4 | 102.5 | 103.0 | 109.1 | 100.6 | 107.0 | **5,705.4** |
| OIL | 1968 | 62.3 | 57.2 | 42.0 | 49.6 | 46.9 | 44.0 | 72.1 | 72.1 | 69.4 | 72.9 | 69.9 | 71.8 | **7,082.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,915.0** |
| H2O | 1967 | 65.2 | 53.7 | 64.7 | 59.9 | 53.1 | 50.1 | 39.3 | 52.5 | 46.1 | 49.8 | 43.9 | 47.9 | **4,781.9** |
| OIL | 1967 | 73.7 | 65.5 | 73.4 | 70.6 | 62.6 | 60.1 | 62.0 | 61.8 | 59.6 | 62.8 | 61.3 | 62.3 | **6,352.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 19.0 | 31.0 | 27.0 | 30.0 | 28.0 | 29.0 | 31.0 | **3,550.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 22.9 | 15.7 | 84.9 | 70.4 | 89.8 | 58.0 | 61.7 | 68.5 | **4,155.7** |
| OIL | 1966 | 24.2 | 21.3 | 23.5 | 23.0 | 26.9 | 20.3 | 104.9 | 87.7 | 101.2 | 64.8 | 68.0 | 73.7 | **5,576.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,210.0** |
| OIL | 1965 | 25.6 | 23.4 | 25.3 | 24.5 | 24.5 | 24.6 | 25.6 | 25.4 | 24.0 | 24.5 | 23.7 | 24.3 | **4,936.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,845.0** |
| H2O | 1964 | 21.6 | 19.4 | 21.6 | 20.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,683.8** |
| OIL | 1964 | 38.1 | 35.9 | 38.9 | 37.3 | 22.9 | 20.3 | 22.7 | 24.6 | 23.8 | 24.2 | 23.7 | 25.4 | **4,641.5** |
| DAY | 1963 | 21.0 | 22.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,486.0** |
| H2O | 1963 | 9.7 | 12.7 | 17.3 | 14.8 | 15.6 | 13.0 | 18.0 | 18.6 | 21.6 | 20.2 | 20.8 | 21.1 | **3,600.4** |
| OIL | 1963 | 24.8 | 28.6 | 38.8 | 34.5 | 35.4 | 28.1 | 38.1 | 36.9 | 36.7 | 39.1 | 35.6 | 36.5 | **4,303.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,143.0** |
| H2O | 1962 | 26.1 | 24.3 | 26.5 | 23.8 | 21.1 | 23.8 | 17.8 | 22.9 | 24.3 | 20.3 | 18.8 | 16.5 | **3,397.0** |
| OIL | 1962 | 39.9 | 36.2 | 40.0 | 38.1 | 39.4 | 34.8 | 41.0 | 46.1 | 39.6 | 39.1 | 37.5 | 38.8 | **3,890.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,778.0** |
| H2O | 1961 | 36.4 | 32.7 | 33.5 | 29.9 | 31.0 | 32.1 | 16.9 | 14.3 | 14.8 | 27.8 | 23.7 | 28.9 | **3,130.8** |
| OIL | 1961 | 46.7 | 40.5 | 44.5 | 42.0 | 40.5 | 37.3 | 37.8 | 38.3 | 38.3 | 36.2 | 38.1 | 39.9 | **3,420.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,415.0** |
| H2O | 1960 | 18.4 | 14.0 | 16.2 | 14.5 | 12.2 | 38.0 | 32.6 | 43.6 | 50.1 | 27.0 | 35.5 | 40.1 | **2,808.8** |
| OIL | 1960 | 93.4 | 77.2 | 80.6 | 74.2 | 72.9 | 67.5 | 42.1 | 46.1 | 46.1 | 48.8 | 45.3 | 49.6 | **2,940.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,058.0** |
| H2O | 1959 | 56.9 | 53.4 | 59.1 | 58.5 | 44.5 | 36.4 | 28.3 | 27.0 | 31.8 | 20.0 | 11.8 | 23.8 | **2,466.6** |
| OIL | 1959 | 74.1 | 64.5 | 68.8 | 68.2 | 65.5 | 55.3 | 55.8 | 57.8 | 40.8 | 40.4 | 44.5 | 73.3 | **2,196.2** |
| DAY | 1958 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | 24.0 | 25.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **693.0** |
| H2O | 1958 | 45.0 | 20.0 | 17.5 | 22.4 | 27.3 | 13.4 | 11.1 | 16.7 | 131.6 | 101.6 | 101.4 | 90.3 | **2,015.1** |
| OIL | 1958 | 60.7 | 11.1 | 7.3 | 4.6 | 1.9 | 0.0 | 0.3 | 11.6 | 96.9 | 69.6 | 71.2 | 68.8 | **1,487.2** |
| DAY | 1957 | 21.0 | 28.0 | 29.0 | 5.0 | 8.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **353.0** |
| H2O | 1957 | 184.4 | 17.8 | 184.9 | 31.8 | 50.9 | 163.6 | 116.9 | 61.8 | 51.7 | 59.6 | 52.9 | 59.6 | **1,416.8** |
| OIL | 1957 | 94.7 | 157.6 | 128.5 | 24.9 | 38.6 | 113.5 | 89.9 | 48.6 | 45.0 | 49.7 | 55.9 | 53.1 | **1,083.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1268*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-05-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 29.0 | 7.0 | **51.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 138.9 | 193.5 | 48.5 | **380.9** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 58.3 | 91.1 | 33.8 | **183.2** |

Licence ***1269*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-02-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 28.0 | 28.0 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **6,874.0** |
| H2O | 1975 | 839.3 | 825.6 | 892.2 | 827.5 | 850.5 | 846.3 | 909.4 | 879.3 | 926.4 | 698.6 | 717.8 | 767.7 | **121,336.7** |
| OIL | 1975 | 37.5 | 37.0 | 41.6 | 36.5 | 38.9 | 40.8 | 41.5 | 41.3 | 40.4 | 45.8 | 47.2 | 48.0 | **13,329.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 28.0 | 26.0 | 27.0 | 31.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | **6,518.0** |
| H2O | 1974 | 538.6 | 498.2 | 586.8 | 278.4 | 260.9 | 286.0 | 315.9 | 316.5 | 310.3 | 258.7 | 884.1 | 917.2 | **111,356.1** |
| OIL | 1974 | 70.1 | 64.2 | 72.6 | 32.4 | 30.8 | 35.0 | 40.8 | 39.7 | 41.3 | 34.0 | 41.0 | 41.6 | **12,833.3** |
| DAY | 1973 | 30.0 | 27.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 29.0 | **6,169.0** |
| H2O | 1973 | 794.3 | 689.5 | 775.5 | 856.4 | 848.2 | 963.7 | 1006.7 | 595.1 | 586.0 | 585.2 | 511.4 | 536.6 | **105,904.5** |
| OIL | 1973 | 56.7 | 49.6 | 74.4 | 76.1 | 82.3 | 101.4 | 102.2 | 73.3 | 67.1 | 70.4 | 65.9 | 67.7 | **12,289.8** |
| DAY | 1972 | 28.0 | 29.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 27.0 | 28.0 | 29.0 | 30.0 | 31.0 | **5,815.0** |
| H2O | 1972 | 943.2 | 742.6 | 798.4 | 783.6 | 800.6 | 837.8 | 841.5 | 815.4 | 841.5 | 875.2 | 738.0 | 781.7 | **97,155.9** |
| OIL | 1972 | 86.9 | 85.2 | 90.4 | 80.9 | 80.6 | 80.6 | 86.0 | 52.6 | 54.8 | 54.0 | 54.3 | 58.5 | **11,402.7** |
| DAY | 1971 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,462.0** |
| H2O | 1971 | 726.1 | 793.9 | 795.2 | 831.9 | 884.9 | 795.7 | 811.9 | 883.5 | 820.2 | 1044.8 | 1024.6 | 982.3 | **87,356.4** |
| OIL | 1971 | 79.5 | 81.5 | 89.8 | 88.5 | 92.5 | 85.7 | 50.2 | 51.8 | 83.1 | 91.7 | 91.2 | 94.2 | **10,537.9** |
| DAY | 1970 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **5,102.0** |
| H2O | 1970 | 492.5 | 404.8 | 473.9 | 486.2 | 480.4 | 465.7 | 420.0 | 491.1 | 450.9 | 764.1 | 779.8 | 728.9 | **76,961.4** |
| OIL | 1970 | 24.6 | 20.3 | 24.2 | 23.0 | 23.5 | 22.6 | 21.3 | 23.7 | 22.6 | 86.0 | 83.4 | 82.2 | **9,558.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,742.0** |
| H2O | 1969 | 239.1 | 219.6 | 232.0 | 199.4 | 493.5 | 481.9 | 434.0 | 478.4 | 483.3 | 488.7 | 486.8 | 456.9 | **70,523.1** |
| OIL | 1969 | 31.9 | 29.1 | 32.6 | 26.4 | 17.6 | 19.4 | 4.0 | 4.6 | 4.1 | 4.4 | 4.3 | 23.5 | **9,100.8** |
| DAY | 1968 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **4,385.0** |
| H2O | 1968 | 446.6 | 452.8 | 494.4 | 454.7 | 473.0 | 438.0 | 487.3 | 464.9 | 397.8 | 232.7 | 235.4 | 238.0 | **65,829.5** |
| OIL | 1968 | 47.4 | 48.5 | 49.9 | 44.3 | 44.3 | 46.1 | 45.9 | 45.8 | 40.7 | 31.3 | 30.2 | 32.1 | **8,898.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **4,022.0** |
| H2O | 1967 | 424.5 | 429.2 | 503.8 | 503.2 | 452.6 | 453.9 | 474.9 | 429.1 | 444.0 | 458.8 | 407.1 | 478.4 | **61,013.9** |
| OIL | 1967 | 38.8 | 35.3 | 39.6 | 37.0 | 35.6 | 39.6 | 43.4 | 43.2 | 43.7 | 45.8 | 42.1 | 49.1 | **8,392.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,661.0** |
| H2O | 1966 | 643.7 | 597.9 | 656.3 | 628.9 | 636.2 | 617.2 | 619.1 | 633.7 | 507.0 | 492.8 | 484.9 | 396.5 | **55,554.4** |
| OIL | 1966 | 44.7 | 40.4 | 43.5 | 44.2 | 49.3 | 46.6 | 49.3 | 44.0 | 43.9 | 42.1 | 42.7 | 36.5 | **7,899.2** |
| DAY | 1965 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,296.0** |
| H2O | 1965 | 627.3 | 596.5 | 681.7 | 652.8 | 628.0 | 596.8 | 644.2 | 612.4 | 609.2 | 645.5 | 683.0 | 659.8 | **48,640.2** |
| OIL | 1965 | 42.7 | 36.7 | 39.3 | 40.2 | 56.3 | 49.1 | 49.1 | 50.5 | 56.3 | 33.8 | 52.1 | 46.1 | **7,372.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,933.0** |
| H2O | 1964 | 468.0 | 546.9 | 583.3 | 588.2 | 630.2 | 672.5 | 625.0 | 652.6 | 604.0 | 615.9 | 617.0 | 669.8 | **41,003.0** |
| OIL | 1964 | 42.0 | 56.4 | 54.7 | 55.3 | 62.8 | 65.0 | 53.7 | 62.6 | 52.4 | 51.5 | 41.3 | 48.8 | **6,819.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,568.0** |
| H2O | 1963 | 453.4 | 487.3 | 394.6 | 436.9 | 598.9 | 618.8 | 556.1 | 432.6 | 455.2 | 582.3 | 525.7 | 503.0 | **33,729.6** |
| OIL | 1963 | 37.2 | 49.3 | 48.5 | 32.3 | 41.8 | 44.5 | 46.9 | 41.2 | 45.1 | 49.3 | 44.2 | 44.2 | **6,173.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,205.0** |
| H2O | 1962 | 480.1 | 459.9 | 502.5 | 477.6 | 424.5 | 487.8 | 505.9 | 471.9 | 413.7 | 382.8 | 396.5 | 403.0 | **27,684.8** |
| OIL | 1962 | 58.5 | 55.1 | 59.4 | 57.2 | 50.5 | 59.9 | 60.5 | 51.5 | 45.9 | 53.7 | 56.6 | 43.2 | **5,648.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,846.0** |
| H2O | 1961 | 433.7 | 406.4 | 422.4 | 412.9 | 421.1 | 472.6 | 493.0 | 485.0 | 487.8 | 500.3 | 493.8 | 507.5 | **22,278.6** |

# Manitoba Production
## 1950 To 1975

Licence ***1269*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-02-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1961 | 38.9 | 36.5 | 38.0 | 37.2 | 45.4 | 50.4 | 69.6 | 67.1 | 66.1 | 66.6 | 63.7 | 63.6 | **4,996.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | 27.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,486.0** |
| H2O | 1960 | 475.7 | 435.1 | 465.8 | 423.2 | 473.3 | 435.9 | 487.0 | 462.6 | 359.0 | 338.0 | 330.7 | 412.7 | **16,742.1** |
| OIL | 1960 | 70.9 | 65.8 | 70.1 | 60.7 | 68.3 | 66.1 | 71.2 | 64.7 | 36.4 | 37.5 | 35.3 | 41.8 | **4,353.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 26.0 | 30.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | **1,128.0** |
| H2O | 1959 | 547.1 | 473.9 | 537.0 | 448.5 | 521.3 | 505.9 | 518.3 | 522.7 | 503.5 | 554.2 | 436.4 | 466.6 | **11,643.1** |
| OIL | 1959 | 181.3 | 160.2 | 181.2 | 105.5 | 120.3 | 117.8 | 122.7 | 122.7 | 72.9 | 79.9 | 64.5 | 70.1 | **3,664.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 20.0 | 29.0 | 30.0 | 30.0 | 25.0 | **772.0** |
| H2O | 1958 | 94.4 | 87.4 | 98.9 | 16.7 | 0.0 | 0.0 | 0.0 | 254.2 | 519.1 | 543.4 | 528.6 | 440.1 | **5,607.7** |
| OIL | 1958 | 39.7 | 35.4 | 40.5 | 49.7 | 28.9 | 27.2 | 27.5 | 88.7 | 178.8 | 183.5 | 179.9 | 144.9 | **2,265.8** |
| DAY | 1957 | 30.0 | 24.0 | 27.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **426.0** |
| H2O | 1957 | 446.9 | 336.6 | 303.5 | 303.3 | 299.4 | 29.4 | 43.2 | 60.1 | 44.5 | 35.1 | 44.4 | 40.2 | **3,024.9** |
| OIL | 1957 | 139.4 | 106.6 | 106.6 | 95.3 | 110.4 | 77.5 | 50.4 | 48.3 | 30.4 | 38.6 | 40.5 | 40.5 | **1,241.1** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 29.0 | 24.0 | **75.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 242.6 | 420.2 | 375.5 | **1,038.3** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 105.7 | 138.4 | 112.5 | **356.6** |

Licence ***1270*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-12-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,179.0** |
| H2O | 1975 | 425.9 | 375.2 | 405.2 | 406.5 | 416.7 | 384.4 | 413.2 | 394.1 | 421.0 | 439.4 | 555.6 | 594.3 | **12,316.2** |
| OIL | 1975 | 55.0 | 48.9 | 54.7 | 52.1 | 55.1 | 53.6 | 54.5 | 53.6 | 52.9 | 53.9 | 25.7 | 26.1 | **2,166.8** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 29.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,814.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 87.6 | 368.5 | 391.1 | 359.8 | 406.2 | 405.1 | 420.0 | **7,084.7** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.5 | 49.4 | 51.0 | 49.7 | 55.5 | 54.3 | 55.1 | **1,580.7** |
| DAY | 1961 | 31.0 | 22.0 | 31.0 | 23.0 | 15.0 | 20.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,624.0** |
| H2O | 1961 | 25.1 | 21.9 | 30.0 | 24.3 | 24.0 | 6.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,646.4** |
| OIL | 1961 | 5.2 | 3.8 | 5.1 | 3.7 | 4.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,258.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,482.0** |
| H2O | 1960 | 31.2 | 30.2 | 31.6 | 32.0 | 28.9 | 28.0 | 28.0 | 27.7 | 27.7 | 29.6 | 25.3 | 28.0 | **4,514.3** |
| OIL | 1960 | 6.5 | 5.6 | 5.9 | 5.6 | 5.7 | 5.4 | 5.6 | 5.1 | 5.2 | 5.9 | 5.2 | 5.7 | **1,236.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,116.0** |
| H2O | 1959 | 22.4 | 22.1 | 22.4 | 23.7 | 19.1 | 20.8 | 21.5 | 30.5 | 32.4 | 35.9 | 33.7 | 32.9 | **4,166.1** |
| OIL | 1959 | 14.0 | 12.6 | 13.7 | 13.5 | 19.7 | 19.1 | 18.9 | 7.6 | 7.5 | 7.2 | 6.5 | 6.4 | **1,168.9** |
| DAY | 1958 | 31.0 | 3.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **751.0** |
| H2O | 1958 | 114.6 | 12.1 | 47.1 | 39.0 | 50.2 | 25.6 | 19.6 | 26.2 | 11.1 | 5.1 | 2.5 | 24.8 | **3,848.7** |
| OIL | 1958 | 14.3 | 1.4 | 15.6 | 17.8 | 28.9 | 15.9 | 14.8 | 14.1 | 14.9 | 15.4 | 14.8 | 14.1 | **1,022.2** |
| DAY | 1957 | 30.0 | 27.0 | 25.0 | 14.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **411.0** |
| H2O | 1957 | 306.8 | 238.3 | 239.7 | 117.2 | 269.3 | 337.5 | 263.7 | 226.1 | 210.8 | 155.8 | 128.6 | 126.1 | **3,470.8** |
| OIL | 1957 | 114.9 | 99.6 | 37.0 | 25.7 | 55.8 | 54.2 | 32.6 | 25.7 | 22.4 | 9.5 | 16.4 | 15.7 | **840.2** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 25.0 | 25.0 | **74.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 285.2 | 297.8 | 267.9 | **850.9** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 108.1 | 115.7 | 106.9 | **330.7** |

Licence ***1272*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-01-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 28.0 | 28.0 | 27.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,899.0** |
| H2O | 1975 | 144.4 | 140.9 | 131.5 | 146.3 | 156.3 | 144.2 | 155.0 | 146.0 | 158.1 | 164.9 | 157.1 | 168.1 | **22,484.3** |
| OIL | 1975 | 41.8 | 41.2 | 39.7 | 42.0 | 46.2 | 44.8 | 45.8 | 44.5 | 44.3 | 45.1 | 43.2 | 43.7 | **8,281.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1272*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-01-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 22.0 | 25.0 | 26.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,543.0** |
| H2O | 1974 | 88.5 | 125.0 | 144.4 | 103.8 | 119.1 | 132.2 | 150.1 | 145.7 | 147.4 | 152.5 | 150.9 | 156.5 | **20,671.5** |
| OIL | 1974 | 86.4 | 36.5 | 40.7 | 28.1 | 32.7 | 37.5 | 45.0 | 42.6 | 45.4 | 46.4 | 45.3 | 45.9 | **7,758.8** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 19.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **5,197.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 91.2 | 137.4 | 128.8 | 95.5 | 97.3 | 89.3 | 96.5 | 93.6 | 94.6 | **19,055.4** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 33.2 | 54.8 | 55.1 | 102.2 | 89.9 | 76.8 | 86.9 | 90.6 | 89.3 | **7,226.3** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 24.0 | 30.0 | 29.0 | 29.0 | 29.0 | 30.0 | 20.0 | 0.0 | 0.0 | **4,935.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 14.9 | 55.8 | 55.8 | 53.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **18,131.2** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 3.5 | 21.9 | 21.0 | 21.3 | 4.1 | 4.3 | 2.7 | 0.0 | 0.0 | **6,547.5** |
| DAY | 1971 | 31.0 | 25.0 | 27.0 | 27.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **4,744.0** |
| H2O | 1971 | 197.7 | 247.1 | 236.1 | 192.8 | 123.3 | 114.3 | 53.7 | 58.5 | 56.6 | 24.0 | 0.0 | 0.0 | **17,951.1** |
| OIL | 1971 | 38.3 | 49.9 | 52.3 | 50.1 | 31.3 | 29.9 | 8.9 | 9.1 | 8.6 | 4.6 | 0.0 | 0.0 | **6,468.7** |
| DAY | 1970 | 31.0 | 26.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | 30.0 | 29.0 | 28.0 | 28.0 | 26.0 | **4,452.0** |
| H2O | 1970 | 224.5 | 80.1 | 104.4 | 110.8 | 73.1 | 78.5 | 80.4 | 52.0 | 46.4 | 43.4 | 20.0 | 149.9 | **16,647.0** |
| OIL | 1970 | 58.8 | 24.5 | 42.3 | 41.6 | 25.3 | 27.0 | 28.8 | 14.3 | 13.2 | 13.2 | 0.0 | 29.7 | **6,185.7** |
| DAY | 1969 | 29.0 | 28.0 | 31.0 | 28.0 | 29.0 | 30.0 | 26.0 | 27.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,105.0** |
| H2O | 1969 | 80.1 | 79.2 | 83.6 | 77.4 | 78.7 | 84.1 | 0.0 | 365.7 | 428.0 | 404.9 | 431.8 | 421.1 | **15,583.5** |
| OIL | 1969 | 8.1 | 8.1 | 9.1 | 7.8 | 7.6 | 9.2 | 16.2 | 87.6 | 93.0 | 90.1 | 96.0 | 99.3 | **5,867.0** |
| DAY | 1968 | 30.0 | 29.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 28.0 | 28.0 | 31.0 | 26.0 | 27.0 | **3,757.0** |
| H2O | 1968 | 155.8 | 157.5 | 168.0 | 17.2 | 19.6 | 18.3 | 20.2 | 77.1 | 70.7 | 86.8 | 73.6 | 74.6 | **13,048.9** |
| OIL | 1968 | 45.3 | 45.9 | 46.2 | 8.1 | 8.9 | 8.7 | 8.9 | 7.9 | 7.5 | 9.1 | 7.2 | 7.8 | **5,334.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 22.0 | 30.0 | 29.0 | **3,408.0** |
| H2O | 1967 | 147.7 | 148.5 | 175.2 | 175.0 | 168.2 | 157.9 | 163.9 | 135.5 | 151.0 | 112.4 | 156.3 | 154.5 | **12,109.5** |
| OIL | 1967 | 36.9 | 33.2 | 37.5 | 35.1 | 36.2 | 37.5 | 40.8 | 37.2 | 40.4 | 30.5 | 44.2 | 43.4 | **5,123.4** |
| DAY | 1966 | 30.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,057.0** |
| H2O | 1966 | 203.5 | 155.5 | 166.6 | 166.9 | 166.9 | 131.0 | 115.3 | 58.5 | 32.6 | 47.4 | 47.7 | 138.0 | **10,263.4** |
| OIL | 1966 | 57.0 | 52.6 | 53.6 | 44.5 | 48.9 | 45.3 | 38.3 | 33.5 | 31.0 | 32.7 | 29.6 | 34.6 | **4,670.5** |
| DAY | 1965 | 29.0 | 26.0 | 30.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 29.0 | 31.0 | 26.0 | 29.0 | **2,697.0** |
| H2O | 1965 | 178.9 | 143.1 | 145.8 | 231.8 | 253.7 | 239.9 | 168.5 | 146.3 | 161.8 | 150.2 | 151.8 | 231.6 | **8,833.5** |
| OIL | 1965 | 65.2 | 46.2 | 47.4 | 91.5 | 71.0 | 49.4 | 38.6 | 42.1 | 44.0 | 45.9 | 37.2 | 86.3 | **4,168.9** |
| DAY | 1964 | 25.0 | 29.0 | 28.0 | 27.0 | 28.0 | 27.0 | 28.0 | 29.0 | 27.0 | 30.0 | 24.0 | 29.0 | **2,350.0** |
| H2O | 1964 | 88.1 | 144.7 | 133.5 | 123.2 | 132.0 | 128.8 | 133.5 | 111.3 | 85.8 | 84.3 | 182.8 | 171.7 | **6,630.1** |
| OIL | 1964 | 51.8 | 103.6 | 87.4 | 70.9 | 68.6 | 64.2 | 55.8 | 47.8 | 38.6 | 39.9 | 82.6 | 84.1 | **3,504.1** |
| DAY | 1963 | 30.0 | 28.0 | 29.0 | 29.0 | 29.0 | 29.0 | 28.0 | 29.0 | 29.0 | 29.0 | 30.0 | 30.0 | **2,019.0** |
| H2O | 1963 | 53.7 | 63.3 | 64.5 | 63.9 | 63.9 | 64.5 | 60.7 | 68.4 | 56.4 | 46.1 | 47.7 | 43.4 | **5,110.4** |
| OIL | 1963 | 38.3 | 41.2 | 42.0 | 40.7 | 37.7 | 35.8 | 30.5 | 35.0 | 25.9 | 23.0 | 22.9 | 17.0 | **2,708.8** |
| DAY | 1962 | 3.0 | 0.0 | 0.0 | 15.0 | 31.0 | 27.0 | 29.0 | 29.0 | 30.0 | 28.0 | 27.0 | 30.0 | **1,670.0** |
| H2O | 1962 | 4.5 | 0.0 | 0.0 | 7.0 | 4.9 | 4.3 | 128.5 | 49.3 | 47.7 | 45.8 | 58.7 | 46.7 | **4,413.9** |
| OIL | 1962 | 1.9 | 0.0 | 0.0 | 5.7 | 4.8 | 4.3 | 44.8 | 35.6 | 38.0 | 32.4 | 21.9 | 35.3 | **2,318.8** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 11.0 | 0.0 | **1,421.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 21.5 | 15.9 | 14.8 | 13.7 | 9.5 | 7.2 | 3.5 | 0.0 | **4,016.5** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 16.2 | 10.2 | 5.2 | 4.9 | 4.8 | 3.5 | 1.9 | 0.0 | **2,094.1** |
| DAY | 1960 | 3.0 | 29.0 | 0.0 | 16.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 22.0 | 0.0 | 0.0 | **1,230.0** |
| H2O | 1960 | 1.7 | 0.0 | 0.0 | 32.0 | 35.6 | 23.7 | 18.6 | 17.5 | 12.7 | 10.5 | 0.0 | 0.0 | **3,930.4** |
| OIL | 1960 | 1.7 | 0.0 | 0.0 | 9.2 | 10.2 | 14.3 | 14.6 | 12.6 | 13.3 | 9.2 | 0.0 | 0.0 | **2,047.4** |
| DAY | 1959 | 27.0 | 28.0 | 31.0 | 30.0 | 2.0 | 29.0 | 31.0 | 31.0 | 30.0 | 24.0 | 16.0 | 19.0 | **1,007.0** |
| H2O | 1959 | 24.6 | 21.9 | 35.5 | 32.4 | 2.5 | 81.7 | 57.6 | 51.2 | 43.1 | 40.9 | 32.1 | 18.3 | **3,778.1** |
| OIL | 1959 | 6.4 | 4.9 | 8.3 | 8.1 | 0.6 | 29.2 | 15.4 | 8.7 | 5.2 | 6.2 | 2.5 | 9.1 | **1,962.3** |
| DAY | 1958 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 19.0 | 13.0 | **709.0** |
| H2O | 1958 | 135.1 | 110.8 | 121.8 | 145.9 | 128.5 | 133.5 | 138.0 | 138.0 | 165.8 | 189.8 | 93.6 | 43.6 | **3,336.3** |
| OIL | 1958 | 65.6 | 14.0 | 16.2 | 14.1 | 14.5 | 15.3 | 11.8 | 9.9 | 8.9 | 8.6 | 5.4 | 4.4 | **1,857.7** |
| DAY | 1957 | 25.0 | 25.0 | 28.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 14.0 | **374.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1272*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-01-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1957 | 150.9 | 157.2 | 135.6 | 116.9 | 142.0 | 179.6 | 162.2 | 162.0 | 151.2 | 172.8 | 175.4 | 48.0 | **1,791.9** |
| OIL | 1957 | 180.2 | 148.6 | 150.2 | 138.3 | 151.0 | 104.9 | 68.2 | 85.2 | 87.4 | 93.4 | 93.0 | 36.1 | **1,669.0** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 25.0 | 12.0 | **41.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 8.9 | 28.6 | **38.1** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.9 | 221.8 | 95.8 | **332.5** |

Licence ***1273*** Well Name ***Crescent Point Tilston*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-31-005-29W1.00*** Field Name ***Tilston*** Pool Name ***Mission Canyon 1 A*** Field Code ***2*** Pool Code ***44A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 31.0 | 28.0 | 4.0 | 0.0 | 0.0 | 0.0 | **4,676.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 530.9 | 990.7 | 894.8 | 125.9 | 0.0 | 0.0 | 0.0 | **53,541.4** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.7 | 9.1 | 1.3 | 0.0 | 0.0 | 0.0 | **7,039.3** |
| DAY | 1971 | 25.0 | 28.0 | 29.0 | 26.0 | 27.0 | 28.0 | 31.0 | 10.0 | 2.0 | 0.0 | 0.0 | 0.0 | **4,592.0** |
| H2O | 1971 | 729.1 | 789.2 | 801.9 | 652.6 | 628.5 | 624.5 | 867.4 | 181.2 | 47.7 | 0.0 | 0.0 | 0.0 | **50,999.1** |
| OIL | 1971 | 15.9 | 19.2 | 27.7 | 15.4 | 15.3 | 17.5 | 18.1 | 4.8 | 1.0 | 0.0 | 0.0 | 0.0 | **7,020.2** |
| DAY | 1970 | 20.0 | 22.0 | 30.0 | 30.0 | 31.0 | 28.0 | 28.0 | 31.0 | 24.0 | 29.0 | 7.0 | 0.0 | **4,386.0** |
| H2O | 1970 | 572.4 | 593.7 | 825.5 | 935.6 | 971.1 | 890.3 | 760.0 | 716.6 | 572.4 | 691.6 | 222.6 | 0.0 | **45,677.0** |
| OIL | 1970 | 25.4 | 25.4 | 35.0 | 35.8 | 32.1 | 34.3 | 34.7 | 39.4 | 30.5 | 36.9 | 6.7 | 0.0 | **6,885.3** |
| DAY | 1969 | 31.0 | 26.0 | 23.0 | 29.0 | 11.0 | 29.0 | 9.0 | 19.0 | 4.0 | 31.0 | 30.0 | 31.0 | **4,106.0** |
| H2O | 1969 | 656.0 | 584.4 | 551.7 | 780.3 | 293.8 | 774.6 | 183.6 | 387.1 | 81.4 | 768.5 | 806.4 | 802.1 | **37,925.2** |
| OIL | 1969 | 32.0 | 30.7 | 25.6 | 41.2 | 8.7 | 54.7 | 13.7 | 30.8 | 4.0 | 42.6 | 36.9 | 36.2 | **6,549.1** |
| DAY | 1968 | 31.0 | 16.0 | 31.0 | 30.0 | 29.0 | 30.0 | 28.0 | 31.0 | 27.0 | 31.0 | 28.0 | 31.0 | **3,833.0** |
| H2O | 1968 | 422.0 | 229.4 | 822.9 | 815.0 | 748.5 | 663.6 | 655.2 | 662.2 | 647.9 | 645.8 | 594.1 | 677.6 | **31,255.3** |
| OIL | 1968 | 35.9 | 31.3 | 57.4 | 34.8 | 32.8 | 28.6 | 28.5 | 26.6 | 31.5 | 33.5 | 29.7 | 31.3 | **6,192.0** |
| DAY | 1967 | 31.0 | 28.0 | 24.0 | 0.0 | 19.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,490.0** |
| H2O | 1967 | 516.4 | 497.3 | 309.1 | 0.0 | 198.7 | 256.6 | 263.9 | 270.3 | 369.6 | 372.7 | 355.0 | 414.6 | **23,671.1** |
| OIL | 1967 | 35.3 | 31.0 | 27.2 | 0.0 | 32.6 | 42.8 | 42.4 | 42.8 | 35.9 | 34.5 | 33.2 | 37.7 | **5,790.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 18.0 | 19.0 | 30.0 | 31.0 | 21.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,174.0** |
| H2O | 1966 | 230.9 | 222.6 | 253.9 | 143.4 | 151.4 | 350.2 | 490.3 | 321.3 | 522.3 | 519.9 | 509.6 | 520.7 | **19,846.9** |
| OIL | 1966 | 34.8 | 23.7 | 28.8 | 17.3 | 10.0 | 33.2 | 46.4 | 27.3 | 34.7 | 46.4 | 35.3 | 38.0 | **5,394.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 26.0 | 24.0 | 30.0 | 31.0 | **2,843.0** |
| H2O | 1965 | 303.2 | 273.8 | 305.1 | 270.6 | 234.2 | 282.7 | 270.9 | 265.8 | 216.9 | 162.5 | 213.0 | 222.3 | **15,610.4** |
| OIL | 1965 | 32.8 | 26.6 | 26.6 | 23.8 | 30.4 | 39.1 | 30.7 | 32.8 | 35.1 | 30.5 | 36.6 | 37.7 | **5,018.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,496.0** |
| H2O | 1964 | 246.6 | 228.9 | 244.8 | 262.8 | 237.2 | 245.0 | 243.4 | 242.0 | 237.7 | 230.1 | 257.4 | 312.6 | **12,589.4** |
| OIL | 1964 | 47.5 | 44.4 | 47.5 | 46.4 | 39.9 | 41.0 | 32.3 | 19.1 | 14.9 | 19.7 | 27.8 | 38.6 | **4,636.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 23.0 | 24.0 | 18.0 | 31.0 | 28.0 | 30.0 | 28.0 | 22.0 | 31.0 | **2,132.0** |
| H2O | 1963 | 272.8 | 251.8 | 231.6 | 130.8 | 107.6 | 76.0 | 141.0 | 139.4 | 186.0 | 272.2 | 238.5 | 263.3 | **9,600.9** |
| OIL | 1963 | 48.3 | 38.6 | 43.2 | 28.0 | 32.4 | 18.0 | 51.7 | 38.3 | 34.2 | 34.5 | 31.2 | 45.8 | **4,217.0** |
| DAY | 1962 | 28.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 3.0 | 1.0 | 0.0 | 23.0 | 31.0 | **1,807.0** |
| H2O | 1962 | 200.5 | 199.8 | 216.4 | 239.3 | 256.4 | 239.0 | 243.6 | 23.8 | 1.9 | 0.0 | 300.0 | 293.0 | **7,289.9** |
| OIL | 1962 | 46.6 | 43.4 | 49.3 | 51.8 | 50.1 | 45.8 | 53.3 | 4.8 | 1.6 | 0.0 | 45.0 | 47.7 | **3,772.8** |
| DAY | 1961 | 30.0 | 28.0 | 31.0 | 30.0 | 7.0 | 25.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,542.0** |
| H2O | 1961 | 183.0 | 168.5 | 189.7 | 143.7 | 36.7 | 120.0 | 194.3 | 243.1 | 246.7 | 261.9 | 247.1 | 230.1 | **5,076.2** |
| OIL | 1961 | 74.1 | 62.0 | 63.9 | 51.0 | 7.3 | 49.9 | 70.3 | 67.6 | 65.8 | 66.9 | 60.7 | 53.7 | **3,333.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 14.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **1,207.0** |
| H2O | 1960 | 13.7 | 15.6 | 14.5 | 18.9 | 14.8 | 14.5 | 6.2 | 32.4 | 188.6 | 178.1 | 178.2 | 172.3 | **2,811.4** |
| OIL | 1960 | 27.4 | 26.2 | 23.8 | 16.9 | 13.5 | 12.6 | 6.2 | 48.5 | 76.3 | 94.1 | 71.7 | 68.5 | **2,640.2** |
| DAY | 1959 | 31.0 | 26.0 | 30.0 | 23.0 | 29.0 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **860.0** |
| H2O | 1959 | 15.3 | 14.4 | 23.6 | 17.4 | 16.1 | 15.0 | 13.7 | 15.2 | 13.9 | 12.5 | 10.7 | 14.9 | **1,963.6** |
| OIL | 1959 | 12.3 | 62.7 | 63.7 | 37.4 | 36.3 | 34.2 | 37.4 | 27.1 | 29.0 | 34.1 | 26.0 | 25.5 | **2,154.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1273*** Well Name ***Crescent Point Tilston*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-31-005-29W1.00*** Field Name ***Tilston*** Pool Name ***Mission Canyon 1 A*** Field Code ***2*** Pool Code ***44A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **513.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.6 | 32.8 | 11.2 | 10.1 | 17.1 | 14.7 | 16.4 | **1,780.9** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 147.4 | 174.9 | 145.9 | 48.4 | 49.7 | 47.9 | 29.8 | 26.1 | **1,728.8** |
| DAY | 1957 | 31.0 | 28.0 | 27.0 | 11.0 | 17.0 | 30.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | 0.0 | **277.0** |
| H2O | 1957 | 146.2 | 138.2 | 309.8 | 70.6 | 108.8 | 276.4 | 286.1 | 167.5 | 0.0 | 0.0 | 0.0 | 0.0 | **1,656.0** |
| OIL | 1957 | 130.3 | 100.4 | 118.5 | 39.6 | 71.1 | 76.2 | 98.2 | 72.7 | 0.0 | 0.0 | 0.0 | 0.0 | **1,058.7** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 30.0 | 29.0 | **72.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.2 | 134.2 | **152.4** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 38.1 | 170.3 | 143.3 | **351.7** |

Licence ***1274*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 669.0 | 418.6 | 380.6 | 665.6 | 747.7 | 696.0 | 714.8 | 711.1 | 725.9 | 634.2 | 727.7 | 732.3 | **8,997.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 23.0 | 31.0 | 19.0 | 1.0 | 31.0 | 30.0 | 29.0 | 0.0 | 0.0 | **6,280.0** |
| H2O | 1974 | 49.0 | 45.1 | 50.6 | 37.4 | 9.9 | 6.0 | 0.3 | 9.2 | 9.1 | 8.9 | 0.0 | 0.0 | **17,464.8** |
| OIL | 1974 | 31.0 | 26.9 | 30.8 | 22.2 | 4.3 | 2.5 | 0.2 | 4.3 | 4.0 | 4.0 | 0.0 | 0.0 | **12,162.2** |
| WIN | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 490.2 | 684.0 | **1,174.2** |
| DAY | 1973 | 31.0 | 28.0 | 18.0 | 11.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,026.0** |
| H2O | 1973 | 60.6 | 58.2 | 36.2 | 22.9 | 101.6 | 100.8 | 93.8 | 108.3 | 58.7 | 52.0 | 49.9 | 49.1 | **17,239.3** |
| OIL | 1973 | 40.0 | 35.3 | 22.6 | 14.0 | 38.5 | 38.6 | 37.0 | 42.4 | 35.1 | 30.2 | 29.4 | 30.2 | **12,032.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 6.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,696.0** |
| H2O | 1972 | 55.5 | 54.1 | 59.3 | 52.8 | 58.3 | 58.2 | 12.6 | 55.2 | 61.0 | 66.3 | 65.8 | 66.9 | **16,447.2** |
| OIL | 1972 | 39.6 | 36.7 | 40.0 | 38.3 | 40.4 | 38.9 | 7.8 | 36.9 | 39.1 | 41.0 | 39.1 | 40.7 | **11,638.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 17.0 | 18.0 | 31.0 | 29.0 | 31.0 | **5,358.0** |
| H2O | 1971 | 52.3 | 47.5 | 54.7 | 63.9 | 64.1 | 63.8 | 63.1 | 33.4 | 32.7 | 61.0 | 50.6 | 59.1 | **15,781.2** |
| OIL | 1971 | 53.1 | 46.9 | 51.8 | 45.0 | 45.9 | 44.5 | 45.6 | 24.6 | 26.5 | 45.8 | 44.3 | 40.2 | **11,200.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,020.0** |
| H2O | 1970 | 76.8 | 72.0 | 75.4 | 69.6 | 71.7 | 72.8 | 67.2 | 75.8 | 70.6 | 73.3 | 50.7 | 56.6 | **15,135.0** |
| OIL | 1970 | 55.8 | 50.4 | 54.8 | 52.9 | 54.8 | 53.6 | 55.5 | 54.7 | 52.3 | 55.0 | 48.5 | 51.0 | **10,686.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 22.0 | 22.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,655.0** |
| H2O | 1969 | 75.2 | 68.4 | 64.1 | 65.3 | 63.3 | 61.8 | 79.0 | 79.5 | 74.9 | 81.2 | 72.7 | 79.6 | **14,302.5** |
| OIL | 1969 | 61.7 | 54.5 | 60.2 | 58.6 | 42.6 | 42.9 | 66.1 | 65.8 | 55.1 | 57.7 | 55.1 | 57.8 | **10,046.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,307.0** |
| H2O | 1968 | 104.8 | 99.7 | 105.7 | 100.5 | 105.7 | 96.8 | 103.2 | 94.4 | 55.6 | 58.0 | 67.4 | 71.7 | **13,437.5** |
| OIL | 1968 | 72.8 | 66.6 | 71.5 | 72.8 | 73.4 | 72.0 | 76.6 | 76.4 | 69.4 | 71.8 | 59.9 | 61.7 | **9,368.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,941.0** |
| H2O | 1967 | 115.7 | 95.7 | 115.1 | 115.6 | 106.2 | 105.2 | 89.3 | 119.4 | 104.6 | 108.6 | 99.5 | 108.6 | **12,374.0** |
| OIL | 1967 | 73.7 | 65.3 | 73.4 | 67.5 | 72.9 | 66.4 | 72.6 | 72.0 | 69.4 | 70.4 | 71.5 | 72.6 | **8,523.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 13.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,580.0** |
| H2O | 1966 | 119.7 | 95.9 | 121.8 | 120.2 | 134.3 | 0.0 | 0.0 | 106.8 | 119.9 | 123.2 | 113.7 | 119.1 | **11,090.5** |
| OIL | 1966 | 87.2 | 76.9 | 85.2 | 86.6 | 89.8 | 2.2 | 1.0 | 81.2 | 82.6 | 85.5 | 70.6 | 72.1 | **7,676.0** |
| DAY | 1965 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,233.0** |
| H2O | 1965 | 123.7 | 102.7 | 125.3 | 113.0 | 115.1 | 136.2 | 136.7 | 130.4 | 120.2 | 118.9 | 122.1 | 125.4 | **9,915.9** |
| OIL | 1965 | 100.3 | 85.3 | 98.8 | 111.4 | 112.5 | 107.9 | 112.5 | 123.5 | 101.1 | 104.9 | 99.8 | 88.4 | **6,855.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 26.0 | 22.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,869.0** |
| H2O | 1964 | 26.7 | 24.0 | 26.7 | 29.6 | 31.5 | 26.1 | 75.8 | 97.8 | 103.8 | 103.8 | 107.6 | 123.2 | **8,446.2** |
| OIL | 1964 | 43.9 | 41.3 | 44.7 | 45.1 | 46.6 | 38.6 | 70.1 | 89.9 | 86.1 | 87.6 | 100.6 | 99.3 | **5,608.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,519.0** |
| H2O | 1963 | 43.4 | 47.7 | 50.4 | 43.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 39.0 | 20.8 | 26.4 | **7,669.6** |
| OIL | 1963 | 50.9 | 48.8 | 52.1 | 46.2 | 38.6 | 38.1 | 40.2 | 40.0 | 39.4 | 41.3 | 41.2 | 42.0 | **4,814.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1274*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,154.0** |
| H2O | 1962 | 63.0 | 42.6 | 52.3 | 59.8 | 99.8 | 74.7 | 76.9 | 87.0 | 71.5 | 59.6 | 55.2 | 48.2 | **7,398.3** |
| OIL | 1962 | 48.0 | 54.7 | 58.5 | 53.6 | 54.7 | 54.8 | 55.9 | 55.3 | 53.1 | 52.9 | 50.4 | 52.1 | **4,296.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,789.0** |
| H2O | 1961 | 50.1 | 38.6 | 69.6 | 88.9 | 84.3 | 91.9 | 84.6 | 81.6 | 70.7 | 71.5 | 54.4 | 73.0 | **6,607.7** |
| OIL | 1961 | 78.3 | 66.9 | 72.9 | 65.5 | 75.3 | 78.5 | 74.2 | 66.1 | 67.5 | 70.4 | 52.8 | 49.9 | **3,652.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,424.0** |
| H2O | 1960 | 187.3 | 147.9 | 154.4 | 114.3 | 106.4 | 110.2 | 111.0 | 106.5 | 91.1 | 101.9 | 93.0 | 79.2 | **5,748.5** |
| OIL | 1960 | 142.9 | 117.3 | 108.4 | 97.6 | 113.3 | 111.9 | 106.8 | 97.7 | 91.2 | 83.1 | 77.4 | 60.2 | **2,833.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 20.0 | 30.0 | 31.0 | **1,059.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 1.7 | 0.0 | 5.6 | 1.3 | 4.8 | 166.0 | 195.7 | 222.1 | **4,345.3** |
| OIL | 1959 | 9.4 | 8.6 | 9.4 | 9.1 | 11.6 | 9.2 | 1.1 | 4.8 | 6.8 | 104.1 | 161.3 | 154.9 | **1,626.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **705.0** |
| H2O | 1958 | 108.3 | 69.3 | 106.8 | 89.8 | 145.9 | 89.5 | 113.8 | 69.5 | 102.1 | 89.2 | 8.7 | 9.4 | **3,748.1** |
| OIL | 1958 | 33.1 | 23.0 | 28.0 | 21.8 | 19.9 | 21.9 | 15.7 | 15.7 | 15.7 | 9.7 | 2.2 | 2.5 | **1,135.7** |
| DAY | 1957 | 30.0 | 22.0 | 20.0 | 0.0 | 1.0 | 29.0 | 25.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **342.0** |
| H2O | 1957 | 355.0 | 227.5 | 149.3 | 0.0 | 9.5 | 238.9 | 184.4 | 157.9 | 158.0 | 171.7 | 165.8 | 179.0 | **2,745.8** |
| OIL | 1957 | 138.4 | 60.9 | 51.5 | 0.0 | 2.9 | 58.5 | 41.8 | 61.7 | 51.5 | 55.0 | 51.3 | 49.1 | **926.5** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 22.0 | 27.0 | **65.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 191.6 | 259.6 | 297.6 | **748.8** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 72.6 | 106.2 | 125.1 | **303.9** |

Licence ***1275*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,892.0** |
| H2O | 1975 | 16.7 | 14.6 | 15.7 | 15.9 | 36.4 | 33.5 | 36.1 | 30.5 | 31.6 | 32.9 | 10.2 | 10.5 | **8,729.5** |
| OIL | 1975 | 69.4 | 61.5 | 69.0 | 65.8 | 69.6 | 67.4 | 73.1 | 86.9 | 83.7 | 85.0 | 73.1 | 72.1 | **35,613.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,527.0** |
| H2O | 1974 | 49.1 | 46.4 | 53.1 | 52.6 | 47.7 | 19.2 | 20.4 | 20.5 | 20.0 | 20.7 | 15.9 | 16.5 | **8,444.9** |
| OIL | 1974 | 66.7 | 62.3 | 68.6 | 65.6 | 60.4 | 36.5 | 40.7 | 40.0 | 41.6 | 42.3 | 68.5 | 69.4 | **34,736.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,168.0** |
| H2O | 1973 | 28.5 | 16.7 | 19.6 | 16.1 | 15.7 | 14.3 | 69.5 | 83.8 | 53.4 | 53.9 | 52.0 | 52.3 | **8,062.8** |
| OIL | 1973 | 86.1 | 75.2 | 83.7 | 87.2 | 94.1 | 91.5 | 90.7 | 94.6 | 64.0 | 67.7 | 69.9 | 69.0 | **34,074.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,807.0** |
| H2O | 1972 | 113.5 | 80.0 | 54.4 | 23.2 | 24.2 | 67.1 | 76.9 | 81.7 | 380.1 | 394.4 | 340.2 | 350.4 | **7,587.0** |
| OIL | 1972 | 132.5 | 116.5 | 100.7 | 97.3 | 99.2 | 103.1 | 108.7 | 112.3 | 104.4 | 102.5 | 99.2 | 103.6 | **33,100.6** |
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,441.0** |
| H2O | 1971 | 91.7 | 87.4 | 84.9 | 44.4 | 49.6 | 46.3 | 45.2 | 49.1 | 84.9 | 65.5 | 64.2 | 106.0 | **5,600.9** |
| OIL | 1971 | 149.1 | 133.2 | 141.7 | 121.4 | 125.9 | 121.1 | 109.3 | 112.7 | 120.5 | 106.8 | 106.2 | 128.7 | **31,820.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,078.0** |
| H2O | 1970 | 34.0 | 30.2 | 9.1 | 9.2 | 9.2 | 64.7 | 72.3 | 82.8 | 76.2 | 86.8 | 85.8 | 86.5 | **4,781.7** |
| OIL | 1970 | 133.2 | 118.2 | 114.9 | 109.2 | 112.0 | 133.0 | 154.8 | 169.6 | 161.8 | 144.6 | 136.2 | 144.6 | **30,344.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,719.0** |
| H2O | 1969 | 19.4 | 18.0 | 18.9 | 18.8 | 9.2 | 4.5 | 4.6 | 14.1 | 41.7 | 46.7 | 47.2 | 45.6 | **4,134.9** |
| OIL | 1969 | 151.4 | 138.6 | 154.6 | 145.7 | 112.8 | 119.5 | 120.9 | 81.8 | 134.8 | 155.6 | 156.4 | 160.2 | **28,711.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | **4,357.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 1.1 | 1.1 | 4.3 | 4.8 | 4.5 | 4.0 | 39.7 | 19.2 | 19.4 | **3,846.2** |
| OIL | 1968 | 154.8 | 151.4 | 152.2 | 116.0 | 115.1 | 118.7 | 118.4 | 129.8 | 117.3 | 154.9 | 144.0 | 152.6 | **27,079.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,995.0** |
| H2O | 1967 | 6.2 | 6.2 | 7.5 | 7.5 | 6.7 | 6.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,748.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1275*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1967 | 106.3 | 96.8 | 108.4 | 101.5 | 98.2 | 108.5 | 104.6 | 103.3 | 105.8 | 142.7 | 145.1 | 153.5 | **25,454.4** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,632.0** |
| H2O | 1966 | 19.1 | 16.5 | 16.7 | 16.7 | 17.3 | 16.9 | 16.1 | 15.1 | 7.2 | 7.3 | 7.5 | 5.9 | **3,707.3** |
| OIL | 1966 | 125.9 | 114.4 | 117.3 | 128.7 | 136.5 | 134.0 | 136.2 | 121.7 | 115.5 | 128.9 | 102.8 | 100.6 | **24,079.7** |
| DAY | 1965 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,271.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 5.4 | 0.0 | 0.0 | 5.6 | 25.0 | 18.0 | 18.0 | 18.0 | 18.1 | **3,545.0** |
| OIL | 1965 | 117.8 | 108.1 | 104.9 | 174.3 | 173.1 | 150.6 | 147.9 | 98.5 | 145.6 | 131.4 | 134.3 | 125.9 | **22,617.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,908.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 9.9 | 10.2 | 9.5 | 8.6 | 9.5 | 0.0 | 0.0 | 0.0 | 0.0 | **3,436.9** |
| OIL | 1964 | 153.7 | 143.7 | 144.4 | 134.0 | 144.8 | 155.1 | 140.3 | 144.8 | 122.5 | 118.7 | 108.1 | 113.5 | **21,004.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,542.0** |
| H2O | 1963 | 4.5 | 4.1 | 4.1 | 4.1 | 0.0 | 54.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,389.2** |
| OIL | 1963 | 143.3 | 141.9 | 151.6 | 144.8 | 155.4 | 133.3 | 150.5 | 149.7 | 149.5 | 154.0 | 135.2 | 148.9 | **19,381.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,177.0** |
| H2O | 1962 | 18.8 | 22.4 | 25.3 | 2.4 | 25.3 | 4.6 | 4.9 | 4.8 | 4.6 | 5.1 | 4.5 | 4.6 | **3,317.6** |
| OIL | 1962 | 148.3 | 141.3 | 152.6 | 147.0 | 146.4 | 101.5 | 164.2 | 150.6 | 153.7 | 156.8 | 144.4 | 135.7 | **17,623.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,812.0** |
| H2O | 1961 | 38.8 | 36.2 | 39.7 | 42.6 | 9.4 | 8.9 | 9.1 | 24.0 | 23.2 | 22.7 | 18.3 | 17.3 | **3,190.3** |
| OIL | 1961 | 188.8 | 168.0 | 182.1 | 187.2 | 188.9 | 160.3 | 180.0 | 179.4 | 188.0 | 183.2 | 170.2 | 165.4 | **15,880.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,447.0** |
| H2O | 1960 | 39.4 | 35.6 | 31.6 | 36.2 | 36.7 | 34.7 | 39.9 | 35.6 | 36.4 | 41.5 | 39.0 | 41.3 | **2,900.1** |
| OIL | 1960 | 267.3 | 240.0 | 246.6 | 252.3 | 264.3 | 250.9 | 204.0 | 194.3 | 177.0 | 178.8 | 171.8 | 188.1 | **13,739.1** |
| DAY | 1959 | 30.0 | 28.0 | 27.0 | 30.0 | 23.0 | 30.0 | 31.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,081.0** |
| H2O | 1959 | 42.4 | 66.5 | 64.2 | 73.4 | 60.9 | 75.0 | 84.6 | 73.4 | 55.0 | 63.3 | 61.2 | 38.3 | **2,452.2** |
| OIL | 1959 | 307.2 | 280.0 | 280.5 | 310.5 | 241.7 | 308.1 | 321.0 | 258.5 | 294.5 | 277.9 | 265.1 | 271.9 | **11,103.7** |
| DAY | 1958 | 31.0 | 23.0 | 26.0 | 26.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 22.0 | 27.0 | **735.0** |
| H2O | 1958 | 95.7 | 66.6 | 71.7 | 58.5 | 75.4 | 78.1 | 79.8 | 67.1 | 33.1 | 86.6 | 54.1 | 71.4 | **1,694.0** |
| OIL | 1958 | 352.8 | 237.4 | 278.9 | 271.4 | 314.0 | 282.1 | 321.2 | 255.2 | 313.1 | 330.5 | 229.0 | 280.0 | **7,686.8** |
| DAY | 1957 | 18.0 | 22.0 | 28.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **401.0** |
| H2O | 1957 | 24.5 | 29.7 | 31.3 | 43.2 | 58.5 | 29.6 | 78.5 | 68.2 | 56.3 | 56.6 | 56.3 | 77.6 | **855.9** |
| OIL | 1957 | 209.9 | 260.1 | 285.1 | 297.2 | 315.6 | 298.6 | 279.2 | 274.3 | 322.7 | 328.1 | 284.0 | 268.6 | **4,221.2** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 27.0 | 22.0 | **62.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 160.4 | 48.0 | 37.2 | **245.6** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 183.4 | 329.3 | 285.1 | **797.8** |

Licence ***1276*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-01-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,577.0** |
| H2O | 1975 | 185.2 | 164.5 | 177.7 | 178.2 | 182.7 | 355.6 | 358.5 | 374.6 | 389.3 | 406.4 | 387.3 | 414.3 | **15,633.6** |
| OIL | 1975 | 14.3 | 12.6 | 14.3 | 13.7 | 14.5 | 31.0 | 29.7 | 31.9 | 30.7 | 31.1 | 29.9 | 30.4 | **6,448.4** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **5,213.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.9 | 25.3 | 151.7 | 178.1 | 166.8 | 182.5 | **12,059.3** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 4.3 | 34.6 | 14.5 | 13.3 | 14.3 | **6,164.3** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 12.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 0.0 | 0.0 | **5,056.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 4.0 | 24.8 | 23.2 | 24.3 | 24.8 | 24.3 | 23.7 | 0.0 | 0.0 | **11,350.0** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 1.7 | 4.3 | 4.4 | 4.6 | 4.0 | 3.7 | 3.8 | 0.0 | 0.0 | **6,082.5** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 12.0 | 0.0 | 29.0 | 31.0 | 29.0 | 30.0 | 23.0 | 0.0 | 0.0 | **4,861.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 12.6 | 0.0 | 55.2 | 57.4 | 9.2 | 9.4 | 7.2 | 0.0 | 0.0 | **11,200.9** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 3.3 | 0.0 | 28.6 | 31.5 | 4.1 | 4.3 | 3.2 | 0.0 | 0.0 | **6,056.0** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 28.0 | 31.0 | 30.0 | 31.0 | 18.0 | 18.0 | 31.0 | 0.0 | 0.0 | **4,707.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1276*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-01-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 110.3 | 63.8 | 54.2 | 74.6 | 46.3 | 45.3 | 71.2 | 0.0 | 0.0 | **11,049.9** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 17.6 | 9.1 | 22.2 | 18.1 | 10.6 | 8.3 | 33.8 | 0.0 | 0.0 | **5,981.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **4,520.0** |
| H2O | 1970 | 229.2 | 95.7 | 103.5 | 106.2 | 80.9 | 74.1 | 65.8 | 67.7 | 115.7 | 110.2 | 0.0 | 0.0 | **10,584.2** |
| OIL | 1970 | 59.0 | 8.4 | 9.2 | 8.9 | 14.6 | 22.6 | 14.9 | 14.6 | 18.3 | 18.6 | 0.0 | 0.0 | **5,861.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,216.0** |
| H2O | 1969 | 72.5 | 30.5 | 32.3 | 32.3 | 33.4 | 32.6 | 32.9 | 45.8 | 200.3 | 218.8 | 218.0 | 212.7 | **9,535.2** |
| OIL | 1969 | 41.8 | 17.0 | 18.9 | 17.8 | 17.8 | 19.5 | 19.5 | 15.1 | 48.9 | 54.8 | 54.7 | 56.4 | **5,672.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,853.0** |
| H2O | 1968 | 32.0 | 31.2 | 33.9 | 67.1 | 69.5 | 62.3 | 75.4 | 71.7 | 59.5 | 72.8 | 71.2 | 71.7 | **8,373.1** |
| OIL | 1968 | 12.2 | 12.1 | 12.4 | 12.2 | 12.2 | 14.3 | 22.9 | 23.0 | 19.7 | 23.4 | 21.8 | 41.8 | **5,290.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | **3,489.0** |
| H2O | 1967 | 73.8 | 74.7 | 87.8 | 87.4 | 84.1 | 78.9 | 81.9 | 74.6 | 78.2 | 79.8 | 30.8 | 24.3 | **7,654.8** |
| OIL | 1967 | 5.9 | 5.2 | 6.0 | 5.4 | 5.7 | 5.9 | 6.5 | 6.5 | 6.7 | 7.0 | 11.6 | 9.2 | **5,062.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,131.0** |
| H2O | 1966 | 76.6 | 57.4 | 62.0 | 53.1 | 57.4 | 43.9 | 41.8 | 53.3 | 54.7 | 51.0 | 46.7 | 69.3 | **6,798.5** |
| OIL | 1966 | 6.0 | 4.9 | 5.1 | 4.3 | 4.8 | 4.1 | 3.5 | 4.1 | 4.4 | 4.1 | 4.0 | 5.6 | **4,980.4** |
| DAY | 1965 | 0.0 | 0.0 | 7.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **2,774.0** |
| H2O | 1965 | 0.0 | 0.0 | 31.3 | 118.1 | 86.8 | 93.0 | 85.4 | 76.8 | 48.6 | 54.2 | 89.2 | 73.4 | **6,131.3** |
| OIL | 1965 | 0.0 | 0.0 | 32.1 | 68.6 | 47.7 | 51.3 | 43.4 | 41.3 | 41.8 | 39.3 | 6.2 | 6.2 | **4,925.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **2,500.0** |
| H2O | 1964 | 34.2 | 29.4 | 32.3 | 32.6 | 29.1 | 38.8 | 42.0 | 62.5 | 41.0 | 30.8 | 0.0 | 0.0 | **5,374.5** |
| OIL | 1964 | 30.4 | 26.1 | 26.9 | 25.6 | 23.8 | 21.1 | 26.9 | 27.8 | 15.3 | 19.4 | 0.0 | 0.0 | **4,547.6** |
| DAY | 1963 | 18.0 | 0.0 | 0.0 | 27.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,199.0** |
| H2O | 1963 | 11.0 | 0.0 | 0.0 | 38.5 | 41.5 | 34.0 | 42.4 | 44.0 | 40.1 | 38.0 | 40.1 | 37.7 | **5,001.8** |
| OIL | 1963 | 10.2 | 0.0 | 0.0 | 24.5 | 24.3 | 18.6 | 37.5 | 38.6 | 32.7 | 34.2 | 32.1 | 32.1 | **4,304.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 28.0 | 28.0 | 25.0 | 30.0 | 30.0 | 29.0 | 30.0 | **1,910.0** |
| H2O | 1962 | 12.7 | 66.0 | 16.4 | 20.2 | 29.3 | 31.0 | 30.5 | 34.5 | 42.6 | 37.5 | 33.9 | 28.8 | **4,634.5** |
| OIL | 1962 | 45.1 | 39.9 | 48.1 | 53.4 | 64.2 | 75.8 | 26.4 | 25.6 | 26.1 | 26.1 | 20.5 | 21.8 | **4,019.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 19.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,563.0** |
| H2O | 1961 | 60.9 | 75.7 | 76.9 | 87.0 | 72.2 | 12.4 | 8.6 | 8.6 | 16.1 | 16.2 | 19.1 | 15.3 | **4,251.1** |
| OIL | 1961 | 33.5 | 33.2 | 32.4 | 29.2 | 27.5 | 47.2 | 45.9 | 34.8 | 53.9 | 56.4 | 57.7 | 47.8 | **3,546.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,210.0** |
| H2O | 1960 | 66.6 | 63.9 | 66.3 | 62.8 | 59.6 | 66.9 | 68.8 | 75.8 | 64.5 | 66.1 | 66.0 | 65.5 | **3,782.1** |
| OIL | 1960 | 52.4 | 48.3 | 50.5 | 46.2 | 48.1 | 40.5 | 36.4 | 37.8 | 35.6 | 36.4 | 34.0 | 34.0 | **3,047.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **845.0** |
| H2O | 1959 | 84.3 | 70.7 | 71.7 | 72.8 | 64.2 | 136.9 | 137.0 | 77.3 | 75.4 | 75.8 | 69.3 | 71.2 | **2,989.3** |
| OIL | 1959 | 84.9 | 76.3 | 78.0 | 68.6 | 73.1 | 67.1 | 66.3 | 59.8 | 59.6 | 57.8 | 53.2 | 55.9 | **2,546.8** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **481.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 97.3 | 104.9 | 96.3 | 86.5 | 101.9 | 112.9 | 94.1 | 92.2 | **1,982.7** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 87.6 | 131.9 | 104.2 | 111.6 | 102.0 | 97.6 | 90.9 | 86.3 | **1,746.2** |
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 26.0 | 29.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **252.0** |
| H2O | 1957 | 163.4 | 138.3 | 156.1 | 151.8 | 97.0 | 112.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,196.6** |
| OIL | 1957 | 125.2 | 122.8 | 136.7 | 53.4 | 60.9 | 75.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **934.1** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 30.0 | 29.0 | **78.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 95.4 | 150.4 | 131.5 | **377.3** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 96.5 | 133.3 | 129.8 | **359.6** |

Licence ***1278*** Well Name ***GLCC Coulter*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-21-001-27W1.00*** Field Name ***Coulter*** Pool Name ***Mission Canyon 3 A*** Field Code ***11*** Pool Code ***41A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***1278*** Well Name ***GLCC Coulter*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-21-001-27W1.00*** Field Name ***Coulter*** Pool Name ***Mission Canyon 3 A*** Field Code ***11*** Pool Code ***41A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 19.0 | 26.0 | 24.0 | 21.0 | 25.0 | 17.0 | 15.0 | 0.0 | 0.0 | **756.0** |
| H2O | 1960 | 24.6 | 23.1 | 24.6 | 15.1 | 21.5 | 19.1 | 16.7 | 19.9 | 13.5 | 9.5 | 0.0 | 0.0 | **716.8** |
| OIL | 1960 | 27.5 | 23.2 | 26.0 | 16.2 | 24.5 | 21.6 | 23.5 | 21.3 | 12.6 | 11.4 | 0.0 | 0.0 | **766.6** |
| DAY | 1959 | 31.0 | 28.0 | 19.0 | 15.0 | 21.0 | 19.0 | 31.0 | 30.0 | 29.0 | 20.0 | 30.0 | 31.0 | **518.0** |
| H2O | 1959 | 24.6 | 21.5 | 14.0 | 11.9 | 16.7 | 15.9 | 24.6 | 23.8 | 23.1 | 15.9 | 23.8 | 24.6 | **529.2** |
| OIL | 1959 | 34.0 | 26.7 | 14.9 | 16.5 | 26.4 | 23.0 | 32.7 | 27.3 | 27.2 | 19.4 | 28.8 | 27.3 | **558.8** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 26.0 | 20.0 | 27.0 | 25.0 | 31.0 | **214.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 0.0 | 15.9 | 21.5 | 21.5 | 24.6 | **288.8** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 35.3 | 35.6 | 31.9 | 35.8 | 26.5 | 34.8 | **254.6** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 28.0 | 0.0 | **59.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 113.2 | 90.8 | 0.0 | **204.0** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 33.1 | 21.6 | 0.0 | **54.7** |

Licence ***1279*** Well Name ***Enerplus South Virden CPR*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-31-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 7.0 | 28.0 | 28.0 | 27.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | **677.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 115.7 | 443.4 | 468.1 | 308.4 | 247.2 | 158.6 | 0.0 | 0.0 | 0.0 | **8,863.0** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 9.2 | 30.7 | 49.6 | 27.2 | 18.4 | 13.1 | 0.0 | 0.0 | 0.0 | **1,625.6** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 19.0 | 0.0 | 0.0 | **526.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 425.8 | 600.8 | 606.4 | 693.8 | 668.4 | 631.7 | 387.6 | 0.0 | 0.0 | **7,121.6** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 55.0 | 83.1 | 87.4 | 80.7 | 72.1 | 61.0 | 35.4 | 0.0 | 0.0 | **1,477.4** |
| DAY | 1957 | 26.0 | 27.0 | 28.0 | 4.0 | 0.0 | 11.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 5.0 | **326.0** |
| H2O | 1957 | 249.3 | 201.9 | 191.7 | 24.3 | 0.0 | 162.3 | 326.2 | 275.1 | 232.1 | 252.3 | 202.7 | 28.6 | **3,107.1** |
| OIL | 1957 | 102.8 | 40.0 | 40.0 | 3.3 | 0.0 | 18.3 | 63.6 | 46.7 | 39.9 | 44.7 | 37.2 | 0.0 | **1,002.7** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 28.0 | 27.0 | **74.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 326.1 | 361.8 | 272.7 | **960.6** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 225.5 | 216.1 | 124.6 | **566.2** |

Licence ***1280*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-01-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 27.0 | 30.0 | 29.0 | 30.0 | 31.0 | **6,290.0** |
| H2O | 1975 | 1114.0 | 981.1 | 1060.1 | 1062.8 | 1039.7 | 1005.4 | 1045.5 | 885.5 | 1100.6 | 1065.6 | 1094.9 | 1171.0 | **105,991.8** |
| OIL | 1975 | 69.4 | 61.5 | 69.0 | 65.6 | 66.3 | 67.4 | 66.4 | 57.8 | 66.6 | 62.8 | 64.8 | 65.6 | **17,679.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 26.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,933.0** |
| H2O | 1974 | 888.4 | 877.7 | 1005.9 | 988.2 | 835.8 | 920.2 | 1045.5 | 1014.1 | 1027.2 | 1062.1 | 1050.4 | 1089.6 | **93,365.6** |
| OIL | 1974 | 66.1 | 55.3 | 60.9 | 57.7 | 49.4 | 56.1 | 67.5 | 63.7 | 68.3 | 69.9 | 67.9 | 69.0 | **16,896.0** |
| DAY | 1973 | 31.0 | 27.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,578.0** |
| H2O | 1973 | 889.3 | 753.1 | 881.1 | 940.7 | 955.0 | 872.2 | 877.6 | 893.6 | 966.4 | 973.0 | 946.2 | 954.4 | **81,560.5** |
| OIL | 1973 | 215.2 | 183.4 | 205.3 | 202.9 | 224.7 | 220.2 | 125.4 | 110.3 | 63.4 | 67.1 | 69.8 | 69.0 | **16,144.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 27.0 | 31.0 | **5,216.0** |
| H2O | 1972 | 1465.6 | 1034.3 | 1034.6 | 1015.4 | 1071.5 | 1096.6 | 1090.6 | 1002.7 | 974.1 | 528.4 | 746.1 | 853.9 | **70,657.9** |
| OIL | 1972 | 148.4 | 130.3 | 119.0 | 106.3 | 109.3 | 107.1 | 113.0 | 138.3 | 136.0 | 155.1 | 185.8 | 216.1 | **14,387.5** |
| DAY | 1971 | 31.0 | 28.0 | 29.0 | 30.0 | 29.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **4,855.0** |
| H2O | 1971 | 282.8 | 149.4 | 1015.2 | 1071.4 | 998.7 | 1072.6 | 1009.4 | 1216.0 | 1164.4 | 1466.6 | 675.2 | 1349.4 | **58,744.1** |
| OIL | 1971 | 47.2 | 25.7 | 132.7 | 130.9 | 118.7 | 121.6 | 119.3 | 136.3 | 128.7 | 140.5 | 119.3 | 134.6 | **12,722.8** |
| DAY | 1970 | 31.0 | 28.0 | 27.0 | 6.0 | 31.0 | 30.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,500.0** |
| H2O | 1970 | 677.4 | 389.7 | 898.7 | 213.5 | 905.7 | 884.9 | 734.6 | 578.5 | 495.7 | 370.1 | 266.8 | 274.1 | **47,273.0** |
| OIL | 1970 | 88.2 | 51.6 | 103.1 | 22.7 | 111.1 | 107.6 | 92.8 | 80.1 | 71.4 | 55.9 | 48.5 | 46.9 | **11,367.3** |
| DAY | 1969 | 28.0 | 22.0 | 23.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,168.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1280*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-01-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1969 | 757.9 | 553.9 | 564.7 | 948.6 | 838.6 | 795.9 | 776.9 | 713.7 | 771.1 | 795.5 | 626.1 | 628.4 | **40,583.3** |
| OIL | 1969 | 86.8 | 63.1 | 68.0 | 118.4 | 104.2 | 111.6 | 97.1 | 93.0 | 90.9 | 96.5 | 79.5 | 84.5 | **10,487.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 28.0 | 29.0 | **3,822.0** |
| H2O | 1968 | 783.1 | 770.1 | 821.4 | 755.3 | 782.3 | 722.6 | 806.0 | 742.1 | 593.9 | 755.9 | 387.1 | 741.6 | **31,812.0** |
| OIL | 1968 | 112.5 | 111.2 | 111.9 | 98.2 | 97.3 | 96.5 | 96.5 | 90.4 | 75.0 | 92.5 | 43.2 | 85.8 | **9,393.8** |
| DAY | 1967 | 31.0 | 28.0 | 29.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **3,462.0** |
| H2O | 1967 | 181.9 | 183.9 | 200.6 | 215.7 | 194.0 | 194.6 | 202.2 | 345.9 | 362.0 | 486.8 | 440.7 | 813.3 | **23,150.6** |
| OIL | 1967 | 31.9 | 29.1 | 30.2 | 30.4 | 29.4 | 32.6 | 35.4 | 67.7 | 69.4 | 81.0 | 76.1 | 112.8 | **8,282.8** |
| DAY | 1966 | 30.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,103.0** |
| H2O | 1966 | 238.5 | 213.0 | 230.0 | 253.4 | 195.4 | 160.6 | 105.7 | 26.4 | 18.3 | 20.7 | 38.2 | 169.9 | **19,329.0** |
| OIL | 1966 | 44.2 | 44.0 | 43.7 | 35.9 | 32.1 | 29.4 | 23.4 | 19.1 | 18.3 | 18.9 | 17.5 | 30.0 | **7,656.8** |
| DAY | 1965 | 30.0 | 26.0 | 30.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 29.0 | 27.0 | 28.0 | 29.0 | **2,743.0** |
| H2O | 1965 | 230.5 | 181.2 | 228.9 | 214.6 | 235.3 | 223.4 | 195.2 | 187.6 | 201.9 | 267.4 | 203.5 | 272.7 | **17,658.9** |
| OIL | 1965 | 53.6 | 37.7 | 56.1 | 46.4 | 47.4 | 41.5 | 44.2 | 47.4 | 37.5 | 39.7 | 45.4 | 47.7 | **7,300.3** |
| DAY | 1964 | 31.0 | 24.0 | 28.0 | 27.0 | 28.0 | 27.0 | 28.0 | 29.0 | 27.0 | 30.0 | 29.0 | 29.0 | **2,397.0** |
| H2O | 1964 | 274.2 | 294.1 | 376.0 | 341.8 | 325.0 | 275.0 | 267.1 | 254.4 | 257.5 | 283.0 | 273.4 | 256.0 | **15,016.7** |
| OIL | 1964 | 75.0 | 56.1 | 68.3 | 59.6 | 56.7 | 45.0 | 40.5 | 41.8 | 43.4 | 48.5 | 53.1 | 48.6 | **6,755.7** |
| DAY | 1963 | 30.0 | 28.0 | 29.0 | 29.0 | 29.0 | 29.0 | 27.0 | 29.0 | 28.0 | 29.0 | 30.0 | 30.0 | **2,060.0** |
| H2O | 1963 | 268.7 | 374.9 | 390.1 | 359.1 | 341.5 | 325.0 | 289.8 | 340.2 | 281.4 | 276.6 | 269.5 | 245.1 | **11,539.2** |
| OIL | 1963 | 68.2 | 86.3 | 88.7 | 83.6 | 80.1 | 69.3 | 65.2 | 75.6 | 60.5 | 76.4 | 79.3 | 73.4 | **6,119.1** |
| DAY | 1962 | 3.0 | 0.0 | 0.0 | 15.0 | 31.0 | 27.0 | 31.0 | 29.0 | 30.0 | 28.0 | 27.0 | 30.0 | **1,713.0** |
| H2O | 1962 | 3.8 | 0.0 | 0.0 | 9.5 | 87.6 | 268.5 | 251.8 | 215.3 | 266.4 | 234.5 | 231.3 | 303.0 | **7,777.3** |
| OIL | 1962 | 3.7 | 0.0 | 0.0 | 13.7 | 30.4 | 96.1 | 104.2 | 59.4 | 90.9 | 72.3 | 36.5 | 76.0 | **5,212.5** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 11.0 | 0.0 | **1,462.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 36.4 | 25.4 | 18.3 | 13.7 | 9.5 | 7.2 | 3.5 | 0.0 | **5,905.6** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 25.4 | 17.5 | 21.8 | 22.2 | 15.9 | 5.9 | 5.2 | 0.0 | **4,629.3** |
| DAY | 1960 | 3.0 | 0.0 | 0.0 | 16.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 22.0 | 0.0 | 0.0 | **1,271.0** |
| H2O | 1960 | 3.3 | 0.0 | 0.0 | 55.1 | 82.0 | 88.2 | 46.2 | 35.9 | 20.3 | 14.3 | 0.0 | 0.0 | **5,791.6** |
| OIL | 1960 | 4.8 | 0.0 | 0.0 | 35.1 | 55.6 | 41.8 | 38.6 | 28.6 | 18.1 | 12.4 | 0.0 | 0.0 | **4,515.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 24.0 | 16.0 | 19.0 | **1,077.0** |
| H2O | 1959 | 207.5 | 149.8 | 161.7 | 168.5 | 127.2 | 118.6 | 102.7 | 84.2 | 68.2 | 67.2 | 47.4 | 27.5 | **5,446.3** |
| OIL | 1959 | 98.4 | 79.3 | 75.0 | 73.7 | 66.4 | 76.1 | 73.1 | 76.4 | 68.0 | 47.4 | 31.6 | 31.8 | **4,280.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **745.0** |
| H2O | 1958 | 180.1 | 151.9 | 181.4 | 181.1 | 160.9 | 167.0 | 172.5 | 124.2 | 166.2 | 161.2 | 184.6 | 187.9 | **4,115.8** |
| OIL | 1958 | 109.8 | 141.4 | 170.5 | 175.1 | 164.6 | 158.9 | 149.1 | 113.1 | 157.3 | 143.7 | 121.2 | 87.2 | **3,483.2** |
| DAY | 1957 | 24.0 | 24.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **384.0** |
| H2O | 1957 | 181.6 | 179.7 | 242.0 | 116.9 | 142.0 | 198.7 | 177.8 | 165.5 | 161.2 | 174.4 | 175.9 | 133.7 | **2,096.8** |
| OIL | 1957 | 156.7 | 106.3 | 128.7 | 140.8 | 143.0 | 117.1 | 116.6 | 119.5 | 135.9 | 138.6 | 121.7 | 79.9 | **1,791.3** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 13.0 | 14.0 | **33.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.9 | 2.7 | 42.8 | **47.4** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 63.9 | 98.0 | 124.6 | **286.5** |

Licence ***1282*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-12-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,660.0** |
| H2O | 1975 | 185.2 | 164.4 | 177.7 | 178.1 | 182.7 | 168.5 | 165.0 | 161.8 | 168.0 | 175.5 | 167.2 | 178.9 | **21,997.5** |
| OIL | 1975 | 23.0 | 20.5 | 22.9 | 21.8 | 23.2 | 22.4 | 18.4 | 18.6 | 18.0 | 18.3 | 17.3 | 17.6 | **5,311.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,295.0** |
| H2O | 1974 | 399.2 | 365.2 | 428.5 | 421.0 | 371.5 | 418.6 | 445.3 | 446.6 | 172.2 | 178.1 | 176.0 | 182.7 | **19,924.5** |
| OIL | 1974 | 59.8 | 54.0 | 61.0 | 57.8 | 51.6 | 60.1 | 67.5 | 65.8 | 22.7 | 23.4 | 22.7 | 23.0 | **5,069.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1282*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-12-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 18.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,937.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 34.0 | 25.4 | 234.7 | 288.2 | 292.8 | 274.2 | 290.3 | 282.3 | 422.6 | **15,919.6** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 2.5 | 9.1 | 36.4 | 55.6 | 48.8 | 42.6 | 47.2 | 49.1 | 61.3 | **4,499.9** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 26.0 | 31.0 | 30.0 | 24.0 | 25.0 | 30.0 | 8.0 | 0.0 | 0.0 | **3,674.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 63.8 | 57.9 | 57.7 | 44.5 | 49.3 | 58.5 | 15.6 | 0.0 | 0.0 | **13,775.1** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 3.7 | 14.1 | 13.3 | 10.8 | 11.8 | 14.3 | 3.7 | 0.0 | 0.0 | **4,147.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **3,500.0** |
| H2O | 1971 | 184.4 | 175.8 | 176.1 | 8.9 | 7.3 | 8.9 | 8.7 | 9.4 | 75.7 | 95.4 | 0.0 | 0.0 | **13,427.8** |
| OIL | 1971 | 24.3 | 21.6 | 23.7 | 9.1 | 7.0 | 4.3 | 4.4 | 4.6 | 4.3 | 4.8 | 0.0 | 0.0 | **4,075.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,202.0** |
| H2O | 1970 | 33.9 | 30.2 | 32.7 | 33.5 | 66.3 | 64.2 | 65.8 | 67.7 | 178.9 | 174.7 | 172.5 | 174.1 | **12,677.2** |
| OIL | 1970 | 15.3 | 13.5 | 15.1 | 14.3 | 14.6 | 14.1 | 14.9 | 14.8 | 22.6 | 23.5 | 22.1 | 23.5 | **3,967.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **2,837.0** |
| H2O | 1969 | 158.7 | 145.6 | 154.1 | 153.7 | 158.8 | 155.0 | 32.4 | 31.6 | 32.0 | 32.4 | 29.4 | 31.5 | **11,582.7** |
| OIL | 1969 | 36.2 | 33.2 | 37.0 | 34.8 | 34.5 | 38.0 | 14.6 | 15.1 | 13.8 | 14.3 | 12.9 | 14.8 | **3,759.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,475.0** |
| H2O | 1968 | 209.1 | 203.2 | 221.8 | 204.9 | 212.2 | 196.5 | 234.0 | 223.4 | 384.9 | 149.1 | 145.9 | 157.9 | **10,467.5** |
| OIL | 1968 | 54.5 | 53.2 | 54.7 | 49.1 | 48.6 | 46.2 | 45.9 | 45.8 | 82.6 | 32.4 | 30.4 | 36.4 | **3,460.0** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,111.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 176.3 | 307.0 | 321.3 | 328.1 | 321.3 | 214.6 | **7,924.6** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 46.7 | 89.3 | 91.7 | 95.0 | 96.5 | 54.0 | **2,880.2** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 11.0 | 27.0 | 27.0 | 27.0 | 28.0 | 30.0 | 31.0 | 22.0 | 0.0 | **1,941.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 14.5 | 17.2 | 18.4 | 16.2 | 18.6 | 17.3 | 15.1 | 10.2 | 0.0 | **6,256.0** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 3.5 | 6.2 | 7.0 | 5.9 | 5.4 | 4.9 | 6.0 | 4.0 | 0.0 | **2,407.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 25.0 | 13.0 | 15.0 | 2.0 | 21.0 | 17.0 | 24.0 | 10.0 | 0.0 | **1,738.0** |
| H2O | 1961 | 12.9 | 14.5 | 15.6 | 12.7 | 9.9 | 14.3 | 1.6 | 14.0 | 11.9 | 7.8 | 7.0 | 0.0 | **6,128.5** |
| OIL | 1961 | 7.9 | 7.5 | 7.6 | 1.9 | 1.9 | 3.2 | 0.3 | 3.3 | 2.4 | 4.3 | 1.4 | 0.0 | **2,364.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,521.0** |
| H2O | 1960 | 22.2 | 21.6 | 22.6 | 22.7 | 20.7 | 14.5 | 14.8 | 14.3 | 14.3 | 15.3 | 13.0 | 14.5 | **6,006.3** |
| OIL | 1960 | 28.8 | 24.8 | 26.1 | 24.8 | 25.3 | 19.1 | 19.7 | 17.5 | 18.0 | 20.3 | 18.1 | 8.4 | **2,322.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,155.0** |
| H2O | 1959 | 76.0 | 74.8 | 75.6 | 80.2 | 78.7 | 85.5 | 88.2 | 68.2 | 65.8 | 25.7 | 24.0 | 23.5 | **5,795.8** |
| OIL | 1959 | 28.8 | 25.7 | 28.6 | 28.0 | 19.7 | 19.1 | 18.9 | 20.7 | 21.9 | 31.9 | 28.6 | 28.8 | **2,071.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **790.0** |
| H2O | 1958 | 169.5 | 158.1 | 160.4 | 142.8 | 159.6 | 132.2 | 114.2 | 117.7 | 105.2 | 89.3 | 86.1 | 84.2 | **5,029.6** |
| OIL | 1958 | 42.0 | 37.8 | 36.1 | 47.7 | 46.9 | 43.2 | 45.4 | 45.9 | 38.0 | 38.3 | 30.7 | 29.2 | **1,770.8** |
| DAY | 1957 | 30.0 | 27.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **426.0** |
| H2O | 1957 | 287.0 | 224.3 | 270.9 | 226.1 | 242.8 | 254.2 | 263.0 | 289.8 | 204.6 | 209.2 | 191.4 | 186.6 | **3,510.3** |
| OIL | 1957 | 119.8 | 104.4 | 80.9 | 96.0 | 88.5 | 69.4 | 86.4 | 92.3 | 59.4 | 66.3 | 48.0 | 45.9 | **1,289.6** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 24.0 | 30.0 | **66.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 153.1 | 238.5 | 268.8 | **660.4** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 91.2 | 111.7 | 129.4 | **332.3** |

Licence ***1285*** Well Name ***Tundra Tilston*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-31-005-29W1.00*** Field Name ***Tilston*** Pool Name ***Mission Canyon 1 A*** Field Code ***2*** Pool Code ***44A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 23.0 | 31.0 | 0.0 | 31.0 | 23.0 | 30.0 | 30.0 | 30.0 | 31.0 | 3.0 | 0.0 | **6,040.0** |
| H2O | 1975 | 373.3 | 263.3 | 404.5 | 0.0 | 0.0 | 374.7 | 665.4 | 660.4 | 686.5 | 692.2 | 87.2 | 0.0 | **116,167.5** |
| OIL | 1975 | 26.7 | 20.2 | 28.8 | 0.0 | 17.6 | 48.8 | 36.9 | 33.8 | 26.9 | 21.1 | 1.9 | 0.0 | **10,655.4** |
| DAY | 1974 | 31.0 | 25.0 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **5,777.0** |
| H2O | 1974 | 1254.3 | 985.7 | 1106.4 | 249.0 | 418.9 | 405.4 | 328.6 | 386.3 | 356.0 | 403.7 | 402.2 | 382.8 | **111,960.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1285*** Well Name ***Tundra Tilston*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-31-005-29W1.00*** Field Name ***Tilston*** Pool Name ***Mission Canyon 1 A*** Field Code ***2*** Pool Code ***44A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1974 | 37.7 | 30.0 | 35.8 | 40.4 | 40.4 | 40.0 | 20.3 | 23.8 | 28.8 | 28.6 | 27.0 | 27.0 | **10,392.7** |
| DAY | 1973 | 17.0 | 18.0 | 26.0 | 28.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,421.0** |
| H2O | 1973 | 400.8 | 429.3 | 921.8 | 890.3 | 896.7 | 934.8 | 1036.7 | 1017.3 | 1445.1 | 1448.3 | 1136.4 | 1269.9 | **105,280.7** |
| OIL | 1973 | 56.4 | 12.7 | 76.0 | 46.1 | 32.9 | 50.1 | 39.6 | 48.6 | 41.8 | 69.6 | 52.6 | 39.4 | **10,012.9** |
| DAY | 1972 | 30.0 | 1.0 | 29.0 | 30.0 | 21.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | **5,089.0** |
| H2O | 1972 | 2257.4 | 41.7 | 1106.6 | 1704.9 | 1191.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 428.9 | **93,453.3** |
| OIL | 1972 | 52.4 | 1.6 | 46.1 | 59.3 | 35.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 45.1 | **9,447.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 27.0 | 28.0 | 29.0 | 20.0 | 26.0 | 28.0 | 28.0 | 30.0 | 28.0 | **4,954.0** |
| H2O | 1971 | 1473.7 | 1450.2 | 1483.3 | 1467.4 | 2235.8 | 1844.1 | 1484.8 | 1555.0 | 2336.9 | 2239.3 | 2289.2 | 2028.0 | **86,722.1** |
| OIL | 1971 | 39.6 | 31.1 | 34.5 | 28.6 | 51.8 | 39.4 | 37.0 | 46.2 | 53.4 | 57.8 | 52.4 | 45.3 | **9,206.8** |
| DAY | 1970 | 29.0 | 27.0 | 30.0 | 30.0 | 31.0 | 26.0 | 29.0 | 31.0 | 18.0 | 26.0 | 20.0 | 31.0 | **4,620.0** |
| H2O | 1970 | 783.8 | 755.2 | 841.7 | 869.7 | 905.3 | 1137.4 | 1374.5 | 1413.0 | 1695.6 | 2534.8 | 1013.5 | 1774.1 | **64,834.4** |
| OIL | 1970 | 40.7 | 39.7 | 49.1 | 49.7 | 38.9 | 37.3 | 67.4 | 66.6 | 54.8 | 46.9 | 36.2 | 46.6 | **8,689.7** |
| DAY | 1969 | 31.0 | 26.0 | 30.0 | 30.0 | 28.0 | 29.0 | 0.0 | 29.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,292.0** |
| H2O | 1969 | 806.1 | 734.4 | 870.0 | 1029.4 | 961.6 | 909.7 | 909.7 | 779.7 | 806.7 | 802.6 | 834.4 | 829.9 | **49,735.8** |
| OIL | 1969 | 40.5 | 39.1 | 46.9 | 62.9 | 53.7 | 55.0 | 55.5 | 55.3 | 55.9 | 51.8 | 48.1 | 47.5 | **8,115.8** |
| DAY | 1968 | 15.0 | 18.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 21.0 | 31.0 | **3,969.0** |
| H2O | 1968 | 526.2 | 629.6 | 887.1 | 879.2 | 812.3 | 813.7 | 805.3 | 812.3 | 798.0 | 795.9 | 744.2 | 827.7 | **39,461.6** |
| OIL | 1968 | 30.2 | 52.4 | 81.2 | 66.4 | 51.6 | 49.9 | 49.3 | 46.1 | 45.4 | 42.6 | 38.3 | 39.9 | **7,503.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **3,642.0** |
| H2O | 1967 | 376.0 | 365.7 | 491.9 | 672.5 | 558.0 | 747.9 | 747.9 | 754.2 | 793.3 | 787.9 | 564.4 | 760.8 | **30,130.1** |
| OIL | 1967 | 37.5 | 33.2 | 49.3 | 43.7 | 34.0 | 46.7 | 46.4 | 44.8 | 43.7 | 48.5 | 39.9 | 43.9 | **6,910.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 21.0 | 30.0 | 26.0 | 30.0 | 31.0 | **3,285.0** |
| H2O | 1966 | 387.3 | 375.8 | 402.1 | 557.1 | 559.6 | 476.6 | 492.1 | 333.2 | 442.6 | 371.1 | 368.9 | 376.8 | **22,509.6** |
| OIL | 1966 | 37.2 | 31.9 | 33.2 | 40.2 | 50.4 | 41.2 | 43.9 | 33.4 | 44.0 | 41.0 | 38.8 | 38.1 | **6,398.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **2,936.0** |
| H2O | 1965 | 256.8 | 228.3 | 293.3 | 267.1 | 126.2 | 144.2 | 142.1 | 151.7 | 240.7 | 274.4 | 359.6 | 353.0 | **17,366.4** |
| OIL | 1965 | 38.9 | 35.0 | 37.8 | 31.5 | 30.0 | 41.3 | 39.1 | 42.1 | 52.3 | 46.9 | 45.1 | 45.6 | **5,925.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,583.0** |
| H2O | 1964 | 258.2 | 233.2 | 233.7 | 249.3 | 199.8 | 200.5 | 198.9 | 200.6 | 200.2 | 208.1 | 221.0 | 267.3 | **14,529.0** |
| OIL | 1964 | 37.7 | 36.1 | 27.2 | 36.2 | 34.0 | 36.4 | 37.8 | 42.0 | 38.6 | 44.0 | 42.6 | 44.7 | **5,439.8** |
| DAY | 1963 | 31.0 | 12.0 | 21.0 | 29.0 | 24.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,221.0** |
| H2O | 1963 | 165.5 | 70.4 | 124.6 | 164.9 | 126.4 | 150.4 | 223.9 | 239.1 | 176.3 | 150.2 | 230.4 | 262.6 | **11,858.2** |
| OIL | 1963 | 38.0 | 15.4 | 38.8 | 39.4 | 33.5 | 43.5 | 53.9 | 46.1 | 34.8 | 33.2 | 34.2 | 32.6 | **4,982.5** |
| DAY | 1962 | 30.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **1,894.0** |
| H2O | 1962 | 138.0 | 131.0 | 144.2 | 163.9 | 159.9 | 181.2 | 160.4 | 189.4 | 117.2 | 132.6 | 166.0 | 165.7 | **9,773.5** |
| OIL | 1962 | 45.9 | 42.4 | 45.8 | 47.7 | 45.0 | 40.7 | 47.7 | 43.1 | 34.5 | 41.8 | 43.9 | 43.1 | **4,539.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 16.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **1,536.0** |
| H2O | 1961 | 174.4 | 156.3 | 173.9 | 135.5 | 90.6 | 75.8 | 94.1 | 102.9 | 105.4 | 144.2 | 153.7 | 157.2 | **7,924.0** |
| OIL | 1961 | 51.3 | 44.5 | 44.3 | 44.7 | 41.8 | 51.3 | 57.7 | 58.3 | 52.8 | 46.7 | 48.9 | 48.3 | **4,017.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **1,190.0** |
| H2O | 1960 | 168.2 | 169.6 | 156.1 | 157.9 | 150.7 | 152.3 | 138.3 | 170.8 | 178.5 | 167.9 | 168.1 | 164.7 | **6,360.0** |
| OIL | 1960 | 73.6 | 67.7 | 61.7 | 48.9 | 41.5 | 35.6 | 44.8 | 55.1 | 52.4 | 62.9 | 54.5 | 49.3 | **3,426.9** |
| DAY | 1959 | 31.0 | 28.0 | 30.0 | 25.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **828.0** |
| H2O | 1959 | 163.4 | 164.6 | 167.6 | 139.1 | 166.8 | 150.9 | 132.4 | 141.8 | 146.4 | 150.7 | 174.4 | 174.3 | **4,416.9** |
| OIL | 1959 | 85.2 | 76.3 | 70.1 | 80.1 | 101.4 | 88.0 | 95.7 | 91.8 | 80.9 | 81.2 | 69.1 | 74.4 | **2,778.9** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 27.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **472.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 6.8 | 68.7 | 91.3 | 110.3 | 117.3 | 117.3 | 152.2 | 156.1 | **2,544.5** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 58.0 | 175.0 | 149.9 | 111.9 | 103.8 | 101.5 | 93.6 | 86.4 | **1,784.7** |
| DAY | 1957 | 31.0 | 28.0 | 30.0 | 8.0 | 17.0 | 22.0 | 30.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | **247.0** |
| H2O | 1957 | 216.2 | 192.4 | 357.7 | 83.9 | 89.0 | 184.4 | 270.3 | 157.1 | 0.0 | 0.0 | 0.0 | 0.0 | **1,724.5** |
| OIL | 1957 | 106.9 | 90.1 | 108.1 | 20.2 | 64.4 | 85.8 | 103.8 | 89.0 | 0.0 | 0.0 | 0.0 | 0.0 | **904.6** |

# Manitoba Production
## 1950 To 1975

Licence ***1285*** Well Name ***Tundra Tilston*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-31-005-29W1.00*** Field Name ***Tilston*** Pool Name ***Mission Canyon 1 A*** Field Code ***2*** Pool Code ***44A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 27.0 | **50.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.3 | 165.2 | **173.5** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 112.8 | 123.5 | **236.3** |

Licence ***1286*** Well Name ***Cdn. Res. et al Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-15-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.6 | 0.0 | 0.0 | **195,147.3** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.1 | 0.0 | 0.0 | **12,064.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 5.0 | 0.0 | 0.0 | **3,990.0** |
| H2O | 1968 | 2717.3 | 2541.9 | 2717.3 | 2629.5 | 2717.3 | 2628.5 | 2716.3 | 2716.3 | 2789.0 | 464.0 | 0.0 | 0.0 | **195,141.7** |
| OIL | 1968 | 25.2 | 24.3 | 19.3 | 21.6 | 21.2 | 23.8 | 23.5 | 24.3 | 23.8 | 0.0 | 0.0 | 0.0 | **12,049.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 26.0 | 28.0 | 30.0 | 31.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,711.0** |
| H2O | 1967 | 2718.3 | 2455.1 | 2718.3 | 2279.8 | 2455.1 | 2630.5 | 2718.3 | 2104.6 | 2630.5 | 2718.3 | 2705.7 | 2718.3 | **170,504.3** |
| OIL | 1967 | 27.7 | 28.1 | 30.8 | 23.2 | 23.7 | 34.0 | 24.2 | 9.1 | 24.9 | 22.1 | 46.2 | 24.0 | **11,842.7** |
| DAY | 1966 | 31.0 | 27.0 | 31.0 | 30.0 | 25.0 | 20.0 | 31.0 | 31.0 | 28.0 | 31.0 | 21.0 | 31.0 | **3,360.0** |
| H2O | 1966 | 2927.3 | 2916.7 | 3203.6 | 3100.3 | 2384.9 | 3100.3 | 2718.3 | 2718.3 | 2455.1 | 2718.3 | 2630.5 | 2718.3 | **139,651.5** |
| OIL | 1966 | 33.5 | 35.0 | 37.3 | 37.3 | 23.7 | 34.6 | 34.5 | 28.4 | 26.5 | 36.5 | 31.9 | 34.8 | **11,524.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 10.0 | 31.0 | 29.0 | 27.0 | 31.0 | 29.0 | 31.0 | **3,023.0** |
| H2O | 1965 | 2244.0 | 2337.2 | 2881.7 | 2981.1 | 2285.5 | 1017.5 | 3169.5 | 2960.4 | 2740.7 | 3056.1 | 2910.0 | 3203.6 | **106,059.6** |
| OIL | 1965 | 58.8 | 51.3 | 66.7 | 57.0 | 46.9 | 30.7 | 53.4 | 45.3 | 35.3 | 38.0 | 35.0 | 42.6 | **11,130.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 28.0 | 28.0 | 15.0 | 31.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,688.0** |
| H2O | 1964 | 1694.7 | 658.1 | 1667.5 | 2350.5 | 2913.7 | 1429.3 | 3216.5 | 1700.7 | 2036.8 | 2089.4 | 2022.0 | 2089.8 | **74,272.3** |
| OIL | 1964 | 63.4 | 16.4 | 66.4 | 57.8 | 62.9 | 24.9 | 77.7 | 46.2 | 65.0 | 65.3 | 57.0 | 63.2 | **10,569.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 23.0 | 24.0 | 29.0 | 28.0 | 30.0 | 21.0 | 28.0 | 30.0 | 31.0 | **2,348.0** |
| H2O | 1963 | 1540.5 | 1423.4 | 1621.7 | 1196.6 | 1322.3 | 1636.3 | 1529.2 | 1391.3 | 1252.4 | 1515.5 | 1583.1 | 1686.7 | **50,403.3** |
| OIL | 1963 | 99.5 | 78.8 | 78.7 | 59.0 | 68.6 | 85.0 | 79.9 | 66.1 | 62.1 | 77.1 | 72.6 | 76.3 | **9,903.5** |
| DAY | 1962 | 17.0 | 21.0 | 31.0 | 26.0 | 20.0 | 11.0 | 14.0 | 30.0 | 29.0 | 29.0 | 22.0 | 15.0 | **2,014.0** |
| H2O | 1962 | 1078.7 | 1193.7 | 1667.8 | 1296.6 | 1038.2 | 786.8 | 923.9 | 1576.9 | 1511.2 | 1382.3 | 1043.8 | 739.3 | **32,704.3** |
| OIL | 1962 | 88.2 | 131.7 | 162.6 | 104.4 | 96.9 | 81.2 | 82.0 | 112.7 | 100.4 | 94.9 | 60.2 | 60.1 | **8,999.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 17.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 26.0 | **1,749.0** |
| H2O | 1961 | 246.1 | 192.2 | 210.7 | 552.8 | 438.5 | 777.1 | 772.4 | 779.1 | 766.8 | 734.7 | 639.1 | 1666.5 | **18,465.1** |
| OIL | 1961 | 76.1 | 55.9 | 61.2 | 100.6 | 74.8 | 139.0 | 122.8 | 128.9 | 123.3 | 116.2 | 96.8 | 170.7 | **7,824.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 21.0 | 21.0 | 23.0 | 28.0 | 28.0 | 11.0 | 31.0 | 29.0 | 31.0 | **1,404.0** |
| H2O | 1960 | 311.0 | 236.4 | 262.7 | 192.9 | 53.9 | 218.8 | 326.2 | 281.9 | 124.0 | 210.8 | 214.3 | 263.1 | **10,689.1** |
| OIL | 1960 | 55.5 | 41.3 | 55.5 | 32.9 | 34.6 | 43.4 | 43.5 | 57.2 | 26.9 | 76.6 | 55.5 | 65.9 | **6,558.2** |
| DAY | 1959 | 31.0 | 23.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 28.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,090.0** |
| H2O | 1959 | 394.0 | 335.9 | 327.0 | 318.3 | 333.1 | 334.8 | 458.7 | 286.5 | 277.6 | 301.3 | 195.9 | 173.8 | **7,993.1** |
| OIL | 1959 | 111.9 | 34.6 | 76.1 | 54.7 | 52.8 | 114.1 | 107.1 | 97.4 | 86.8 | 96.5 | 78.8 | 66.7 | **5,969.4** |
| DAY | 1958 | 27.0 | 28.0 | 29.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | 25.0 | 31.0 | **740.0** |
| H2O | 1958 | 236.7 | 284.8 | 228.6 | 126.2 | 236.4 | 308.8 | 264.9 | 253.1 | 211.8 | 247.5 | 238.3 | 370.3 | **4,256.2** |
| OIL | 1958 | 163.0 | 142.1 | 184.5 | 104.6 | 157.5 | 109.6 | 129.5 | 144.3 | 49.9 | 52.6 | 74.7 | 66.3 | **4,991.9** |
| DAY | 1957 | 30.0 | 19.0 | 27.0 | 24.0 | 29.0 | 28.0 | 30.0 | 28.0 | 25.0 | 29.0 | 30.0 | 24.0 | **391.0** |
| H2O | 1957 | 0.0 | 12.4 | 58.0 | 57.2 | 76.8 | 105.6 | 136.6 | 135.0 | 155.2 | 148.8 | 151.7 | 211.5 | **1,248.8** |
| OIL | 1957 | 272.1 | 173.4 | 270.1 | 242.3 | 284.4 | 237.1 | 271.3 | 251.2 | 229.0 | 228.2 | 260.9 | 210.4 | **3,613.3** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 30.0 | 25.0 | **68.0** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 163.0 | 286.0 | 233.9 | **682.9** |

Licence ***1287*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.15-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***1287*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.15-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,897.0** |
| H2O | 1975 | 36.7 | 32.7 | 35.3 | 35.5 | 36.2 | 33.5 | 47.2 | 46.1 | 48.2 | 50.2 | 47.9 | 56.4 | **8,832.9** |
| OIL | 1975 | 113.8 | 101.7 | 113.9 | 108.4 | 114.9 | 111.4 | 81.8 | 82.5 | 97.3 | 98.8 | 94.7 | 65.8 | **19,329.5** |
| DAY | 1974 | 31.0 | 23.0 | 29.0 | 30.0 | 27.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,532.0** |
| H2O | 1974 | 8.6 | 6.5 | 8.6 | 9.1 | 13.4 | 14.8 | 85.2 | 85.4 | 83.8 | 85.8 | 85.7 | 36.6 | **8,327.0** |
| OIL | 1974 | 94.2 | 72.3 | 89.6 | 91.7 | 87.7 | 99.0 | 98.5 | 96.3 | 99.8 | 101.2 | 99.2 | 114.7 | **18,144.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,180.0** |
| H2O | 1973 | 0.0 | 7.9 | 19.4 | 4.9 | 4.9 | 4.5 | 44.2 | 49.6 | 9.1 | 9.4 | 9.1 | 9.2 | **7,803.5** |
| OIL | 1973 | 145.2 | 118.9 | 110.3 | 109.2 | 117.8 | 114.7 | 126.5 | 98.5 | 88.2 | 93.8 | 98.5 | 97.1 | **17,000.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,815.0** |
| H2O | 1972 | 35.9 | 25.3 | 27.3 | 13.8 | 14.8 | 15.1 | 14.9 | 15.9 | 15.3 | 15.9 | 13.7 | 14.0 | **7,631.3** |
| OIL | 1972 | 148.4 | 130.5 | 138.4 | 119.7 | 120.0 | 116.5 | 117.6 | 121.4 | 117.6 | 115.5 | 111.6 | 116.8 | **15,681.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,450.0** |
| H2O | 1971 | 83.0 | 79.0 | 22.1 | 23.1 | 33.1 | 30.8 | 18.3 | 279.0 | 19.2 | 24.2 | 40.5 | 33.5 | **7,409.4** |
| OIL | 1971 | 153.8 | 137.5 | 161.3 | 157.8 | 148.4 | 143.2 | 127.9 | 56.3 | 124.6 | 135.9 | 91.2 | 144.1 | **14,207.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | **5,086.0** |
| H2O | 1970 | 15.3 | 13.5 | 14.6 | 15.1 | 57.1 | 55.3 | 23.8 | 24.5 | 21.6 | 72.8 | 77.6 | 78.1 | **6,723.6** |
| OIL | 1970 | 127.3 | 113.3 | 124.1 | 118.1 | 140.0 | 134.6 | 152.4 | 150.3 | 138.7 | 138.4 | 140.5 | 149.1 | **12,625.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 18.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,724.0** |
| H2O | 1969 | 19.4 | 18.0 | 0.0 | 0.0 | 302.5 | 31.6 | 32.6 | 29.6 | 36.4 | 32.0 | 32.6 | 31.6 | **6,254.3** |
| OIL | 1969 | 118.5 | 108.5 | 126.7 | 119.3 | 170.2 | 89.3 | 122.8 | 115.7 | 145.6 | 144.1 | 146.7 | 150.2 | **10,998.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,373.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 8.1 | 4.5 | 9.7 | 9.1 | 16.5 | 19.6 | 19.1 | 19.6 | **5,688.0** |
| OIL | 1968 | 40.8 | 40.0 | 41.2 | 36.9 | 91.8 | 109.8 | 105.2 | 105.2 | 104.7 | 120.5 | 112.8 | 119.3 | **9,441.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,008.0** |
| H2O | 1967 | 7.3 | 7.3 | 8.6 | 8.6 | 7.5 | 7.8 | 8.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,581.8** |
| OIL | 1967 | 25.1 | 22.9 | 25.6 | 23.8 | 22.4 | 25.6 | 28.3 | 35.6 | 31.6 | 37.7 | 38.3 | 40.7 | **8,413.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,649.0** |
| H2O | 1966 | 1.3 | 1.0 | 1.1 | 7.6 | 8.4 | 8.4 | 8.3 | 8.6 | 20.0 | 20.7 | 8.7 | 6.8 | **5,526.6** |
| OIL | 1966 | 38.0 | 31.0 | 35.4 | 26.1 | 28.1 | 26.5 | 30.2 | 31.0 | 28.4 | 27.0 | 24.3 | 23.7 | **8,055.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,284.0** |
| H2O | 1965 | 69.5 | 9.7 | 10.2 | 9.4 | 8.4 | 8.3 | 8.7 | 8.3 | 5.1 | 1.4 | 1.0 | 1.1 | **5,425.7** |
| OIL | 1965 | 86.1 | 33.8 | 37.3 | 35.4 | 38.0 | 38.6 | 38.1 | 39.1 | 36.1 | 43.5 | 39.3 | 40.0 | **7,705.7** |
| DAY | 1964 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,919.0** |
| H2O | 1964 | 66.1 | 62.6 | 61.0 | 64.7 | 65.2 | 76.5 | 74.9 | 51.8 | 60.6 | 61.2 | 67.9 | 70.3 | **5,284.6** |
| OIL | 1964 | 59.6 | 56.4 | 51.8 | 59.4 | 57.8 | 59.6 | 58.8 | 80.7 | 78.5 | 78.8 | 69.4 | 76.4 | **7,200.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,555.0** |
| H2O | 1963 | 3.2 | 2.7 | 3.0 | 9.4 | 11.9 | 13.0 | 11.8 | 49.4 | 52.3 | 71.7 | 70.7 | 64.9 | **4,501.8** |
| OIL | 1963 | 35.6 | 38.3 | 40.0 | 42.3 | 51.8 | 36.4 | 46.1 | 53.1 | 55.8 | 61.0 | 58.0 | 58.0 | **6,413.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,190.0** |
| H2O | 1962 | 39.0 | 38.6 | 40.1 | 50.9 | 49.4 | 44.0 | 46.1 | 49.6 | 3.0 | 3.2 | 3.0 | 3.3 | **4,137.8** |
| OIL | 1962 | 42.7 | 42.0 | 41.8 | 45.6 | 53.4 | 50.7 | 51.0 | 52.0 | 39.1 | 41.6 | 38.8 | 37.3 | **5,836.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,825.0** |
| H2O | 1961 | 73.0 | 67.4 | 70.4 | 68.0 | 82.0 | 85.1 | 77.9 | 70.4 | 69.3 | 70.4 | 68.4 | 43.6 | **3,767.6** |
| OIL | 1961 | 59.4 | 54.3 | 55.9 | 41.6 | 49.6 | 45.6 | 42.0 | 49.7 | 53.1 | 45.4 | 47.7 | 48.0 | **5,300.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,466.0** |
| H2O | 1960 | 62.6 | 71.7 | 96.0 | 45.5 | 60.3 | 7.5 | 7.3 | 69.3 | 88.7 | 47.5 | 70.0 | 70.9 | **2,921.7** |
| OIL | 1960 | 88.0 | 70.1 | 69.1 | 55.3 | 55.9 | 92.6 | 89.3 | 55.1 | 53.9 | 57.8 | 57.0 | 59.3 | **4,708.5** |
| DAY | 1959 | 31.0 | 28.0 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **1,100.0** |
| H2O | 1959 | 95.4 | 85.1 | 76.2 | 134.3 | 89.2 | 110.8 | 105.1 | 109.5 | 79.8 | 91.6 | 66.1 | 46.4 | **2,224.4** |
| OIL | 1959 | 90.3 | 83.9 | 75.6 | 110.3 | 91.1 | 94.7 | 95.5 | 92.2 | 71.5 | 94.4 | 54.0 | 68.0 | **3,905.1** |
| DAY | 1958 | 28.0 | 26.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **746.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1287*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.15-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 80.4 | 76.8 | 125.8 | 94.4 | 86.8 | 80.8 | 95.1 | 74.4 | 77.7 | 87.3 | 74.9 | 85.7 | **1,134.9** |
| OIL | 1958 | 247.2 | 208.7 | 255.7 | 180.0 | 176.5 | 146.2 | 144.3 | 102.7 | 89.9 | 74.7 | 82.6 | 83.9 | **2,883.6** |
| DAY | 1957 | 31.0 | 24.0 | 31.0 | 30.0 | 29.0 | 26.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **387.0** |
| H2O | 1957 | 2.1 | 17.5 | 0.2 | 0.2 | 13.2 | 11.1 | 20.3 | 7.8 | 2.7 | 6.8 | 5.4 | 5.9 | **94.8** |
| OIL | 1957 | 253.2 | 80.2 | 92.6 | 77.5 | 48.3 | 38.8 | 55.9 | 44.0 | 38.5 | 26.1 | 24.5 | 25.4 | **1,091.2** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 29.0 | **33.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 1.4 | **1.6** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 37.0 | 249.2 | **286.2** |

Licence ***1288*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 0.0 | 13.0 | 0.0 | 0.0 | 18.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,224.0** |
| H2O | 1966 | 0.0 | 141.8 | 0.0 | 0.0 | 179.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **9,759.6** |
| OIL | 1966 | 0.0 | 6.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,648.0** |
| DAY | 1965 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 22.0 | 18.0 | 0.0 | 12.0 | **3,193.0** |
| H2O | 1965 | 120.5 | 111.9 | 127.7 | 125.9 | 136.6 | 140.9 | 207.0 | 220.3 | 82.2 | 149.9 | 0.0 | 140.1 | **9,438.6** |
| OIL | 1965 | 45.8 | 43.1 | 50.4 | 47.7 | 46.6 | 67.5 | 24.9 | 19.2 | 7.9 | 11.1 | 0.0 | 9.5 | **5,641.4** |
| DAY | 1964 | 31.0 | 29.0 | 28.0 | 27.0 | 31.0 | 30.0 | 29.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,901.0** |
| H2O | 1964 | 80.4 | 75.7 | 204.9 | 70.4 | 203.3 | 94.4 | 96.8 | 113.2 | 102.9 | 111.3 | 110.8 | 117.3 | **7,875.6** |
| OIL | 1964 | 34.3 | 29.6 | 31.1 | 41.6 | 89.5 | 48.1 | 42.0 | 44.8 | 42.7 | 50.5 | 46.7 | 48.3 | **5,267.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | **2,546.0** |
| H2O | 1963 | 69.8 | 62.6 | 70.9 | 68.4 | 73.8 | 78.7 | 78.2 | 77.1 | 72.3 | 75.2 | 56.3 | 79.8 | **6,494.2** |
| OIL | 1963 | 44.3 | 42.3 | 45.9 | 44.2 | 31.3 | 35.1 | 29.7 | 33.5 | 28.0 | 35.4 | 41.6 | 34.0 | **4,718.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 21.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,189.0** |
| H2O | 1962 | 86.0 | 76.8 | 83.9 | 82.2 | 89.0 | 72.7 | 60.3 | 43.4 | 75.7 | 69.0 | 63.3 | 68.8 | **5,631.1** |
| OIL | 1962 | 39.7 | 34.5 | 38.3 | 37.2 | 38.5 | 46.7 | 42.4 | 31.9 | 41.8 | 48.9 | 47.5 | 45.3 | **4,273.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,837.0** |
| H2O | 1961 | 61.5 | 52.6 | 57.4 | 51.7 | 56.0 | 75.8 | 90.5 | 90.8 | 84.6 | 81.1 | 86.2 | 87.9 | **4,760.0** |
| OIL | 1961 | 49.9 | 44.7 | 44.3 | 37.3 | 38.3 | 41.6 | 50.7 | 46.9 | 44.0 | 41.0 | 39.9 | 39.9 | **3,780.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 28.0 | 30.0 | 28.0 | 27.0 | 31.0 | **1,478.0** |
| H2O | 1960 | 90.9 | 75.7 | 77.9 | 75.4 | 78.4 | 58.5 | 60.6 | 66.8 | 61.5 | 56.9 | 60.6 | 62.2 | **3,883.9** |
| OIL | 1960 | 62.9 | 60.8 | 63.2 | 58.6 | 60.5 | 62.8 | 55.7 | 63.7 | 62.9 | 57.6 | 50.1 | 50.5 | **3,262.0** |
| DAY | 1959 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,125.0** |
| H2O | 1959 | 62.5 | 65.5 | 80.3 | 76.6 | 52.1 | 74.2 | 102.5 | 89.3 | 84.7 | 96.7 | 88.7 | 92.4 | **3,058.5** |
| OIL | 1959 | 35.9 | 39.4 | 51.3 | 52.0 | 76.0 | 54.5 | 52.6 | 73.8 | 69.3 | 56.7 | 52.8 | 49.7 | **2,552.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | **762.0** |
| H2O | 1958 | 71.1 | 61.2 | 65.5 | 45.6 | 51.0 | 59.1 | 63.8 | 78.1 | 72.0 | 72.2 | 64.1 | 64.2 | **2,093.0** |
| OIL | 1958 | 59.4 | 51.2 | 56.8 | 38.0 | 42.9 | 50.1 | 60.2 | 61.6 | 56.4 | 60.6 | 54.3 | 54.5 | **1,888.7** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 30.0 | 26.0 | 30.0 | 29.0 | 31.0 | **401.0** |
| H2O | 1957 | 98.1 | 125.4 | 114.0 | 111.9 | 98.9 | 93.3 | 101.9 | 76.3 | 69.0 | 77.7 | 72.0 | 73.6 | **1,325.1** |
| OIL | 1957 | 108.1 | 93.3 | 95.2 | 94.8 | 124.3 | 75.2 | 90.5 | 79.5 | 55.9 | 53.6 | 59.2 | 58.7 | **1,242.7** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 30.0 | **48.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 126.4 | 86.6 | **213.0** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 152.0 | 102.4 | **254.4** |

Licence ***1290*** Well Name ***Enerplus South Virden CPR*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-31-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **534.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 10.7 | 7.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,051.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1290*** Well Name ***Enerplus South Virden CPR*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-31-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 1.9 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **337.0** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 23.0 | 19.0 | 0.0 | 0.0 | **521.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 74.9 | 99.8 | 100.6 | 64.5 | 66.6 | 48.2 | 38.6 | 0.0 | 0.0 | **2,033.8** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 5.7 | 8.1 | 8.4 | 4.3 | 4.1 | 2.7 | 1.9 | 0.0 | 0.0 | **334.0** |
| DAY | 1957 | 25.0 | 24.0 | 29.0 | 17.0 | 2.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 5.0 | **328.0** |
| H2O | 1957 | 93.8 | 76.9 | 83.3 | 42.0 | 4.5 | 163.0 | 212.7 | 180.8 | 157.7 | 164.4 | 132.4 | 12.4 | **1,540.6** |
| OIL | 1957 | 27.7 | 32.9 | 37.5 | 4.4 | 0.0 | 39.6 | 16.5 | 12.2 | 10.8 | 11.6 | 9.7 | 0.0 | **298.8** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 27.0 | 18.0 | **48.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 142.8 | 73.9 | **216.7** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.8 | 60.9 | 24.2 | **95.9** |

Licence ***1291*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-02-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **6,616.0** |
| H2O | 1975 | 111.6 | 99.2 | 102.9 | 107.5 | 110.2 | 101.7 | 105.7 | 105.6 | 111.3 | 104.0 | 110.8 | 116.4 | **90,076.9** |
| OIL | 1975 | 18.4 | 16.5 | 17.8 | 17.6 | 18.6 | 18.1 | 17.8 | 18.6 | 18.0 | 16.4 | 17.5 | 17.3 | **17,843.7** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,256.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.8 | 69.8 | 68.4 | 107.3 | 106.0 | 110.0 | **88,790.0** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.8 | 17.6 | 18.3 | 18.8 | 18.3 | 18.4 | **17,631.1** |
| DAY | 1973 | 30.0 | 27.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 0.0 | 0.0 | **6,095.0** |
| H2O | 1973 | 173.0 | 150.4 | 125.8 | 138.8 | 137.7 | 128.9 | 134.5 | 67.9 | 66.9 | 65.2 | 0.0 | 0.0 | **88,310.7** |
| OIL | 1973 | 30.5 | 26.7 | 16.8 | 17.3 | 18.6 | 18.6 | 18.8 | 16.5 | 15.3 | 15.4 | 0.0 | 0.0 | **17,534.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 26.0 | 27.0 | 29.0 | 31.0 | 30.0 | 30.0 | 22.0 | 29.0 | 31.0 | **5,798.0** |
| H2O | 1972 | 126.4 | 89.2 | 95.9 | 84.3 | 87.3 | 98.2 | 101.1 | 52.6 | 53.7 | 38.5 | 159.9 | 170.4 | **87,121.6** |
| OIL | 1972 | 25.7 | 22.6 | 24.0 | 19.2 | 19.4 | 20.8 | 22.7 | 34.6 | 36.1 | 24.0 | 28.9 | 31.3 | **17,340.4** |
| DAY | 1971 | 31.0 | 28.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,452.0** |
| H2O | 1971 | 36.6 | 34.8 | 26.7 | 36.6 | 88.6 | 82.7 | 94.9 | 103.2 | 98.6 | 125.6 | 123.2 | 118.0 | **85,964.1** |
| OIL | 1971 | 38.3 | 34.2 | 28.8 | 37.0 | 55.8 | 53.6 | 23.0 | 23.7 | 22.2 | 24.3 | 24.2 | 24.9 | **17,031.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,092.0** |
| H2O | 1970 | 68.0 | 60.4 | 65.3 | 66.9 | 66.3 | 64.2 | 65.8 | 67.7 | 62.2 | 60.7 | 34.2 | 34.3 | **84,994.6** |
| OIL | 1970 | 44.8 | 39.7 | 43.7 | 41.5 | 42.6 | 41.0 | 43.7 | 43.1 | 41.0 | 42.6 | 34.8 | 37.0 | **16,641.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,727.0** |
| H2O | 1969 | 66.8 | 61.4 | 64.9 | 64.7 | 66.8 | 70.7 | 66.6 | 63.4 | 62.6 | 64.9 | 65.3 | 63.0 | **84,278.6** |
| OIL | 1969 | 54.8 | 50.2 | 55.9 | 52.8 | 52.1 | 38.0 | 44.3 | 43.9 | 39.3 | 41.8 | 41.8 | 42.9 | **16,145.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,362.0** |
| H2O | 1968 | 804.3 | 781.4 | 853.1 | 676.3 | 102.1 | 115.9 | 129.1 | 100.3 | 85.7 | 67.2 | 65.7 | 66.5 | **83,497.5** |
| OIL | 1968 | 78.2 | 76.1 | 78.5 | 60.4 | 64.2 | 63.9 | 63.7 | 63.6 | 56.3 | 55.8 | 52.3 | 55.1 | **15,587.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,001.0** |
| H2O | 1967 | 641.6 | 648.8 | 761.8 | 760.7 | 693.0 | 686.0 | 718.3 | 648.6 | 671.5 | 673.9 | 768.5 | 825.3 | **79,649.9** |
| OIL | 1967 | 60.9 | 55.5 | 62.1 | 58.2 | 56.9 | 62.1 | 68.2 | 67.7 | 68.8 | 69.9 | 72.5 | 77.5 | **14,819.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,637.0** |
| H2O | 1966 | 813.8 | 756.1 | 829.7 | 892.2 | 912.2 | 897.3 | 887.6 | 908.6 | 766.4 | 745.5 | 733.2 | 599.7 | **71,151.9** |
| OIL | 1966 | 71.4 | 64.4 | 69.6 | 74.2 | 70.4 | 67.2 | 70.1 | 62.6 | 69.1 | 66.6 | 67.4 | 57.4 | **14,039.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,272.0** |
| H2O | 1965 | 779.2 | 740.8 | 877.4 | 818.0 | 807.3 | 765.8 | 843.4 | 845.3 | 770.3 | 816.0 | 863.4 | 834.2 | **61,409.6** |
| OIL | 1965 | 108.2 | 93.3 | 102.7 | 71.2 | 83.6 | 75.6 | 88.8 | 78.2 | 90.1 | 54.3 | 83.4 | 73.6 | **13,229.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,907.0** |
| H2O | 1964 | 591.7 | 738.3 | 787.1 | 747.5 | 871.5 | 882.5 | 838.0 | 803.6 | 769.1 | 745.9 | 766.4 | 831.8 | **51,648.5** |
| OIL | 1964 | 75.2 | 96.0 | 93.1 | 89.9 | 100.0 | 91.4 | 89.9 | 86.6 | 83.1 | 85.2 | 104.4 | 123.0 | **12,226.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,541.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1291*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-02-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1963 | 567.9 | 610.5 | 494.3 | 401.7 | 573.3 | 695.9 | 652.6 | 561.8 | 604.4 | 673.6 | 637.7 | 607.5 | **42,275.1** |
| OIL | 1963 | 72.6 | 77.5 | 76.1 | 75.2 | 101.2 | 84.7 | 88.7 | 75.6 | 84.5 | 80.9 | 71.0 | 70.7 | **11,108.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 26.0 | 30.0 | 29.0 | 31.0 | **2,179.0** |
| H2O | 1962 | 515.6 | 493.6 | 539.6 | 512.7 | 485.5 | 519.2 | 538.8 | 531.3 | 476.8 | 513.0 | 516.0 | 509.1 | **35,193.9** |
| OIL | 1962 | 94.9 | 89.3 | 96.5 | 92.6 | 75.0 | 82.6 | 83.6 | 75.2 | 69.1 | 94.1 | 96.0 | 68.5 | **10,149.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,822.0** |
| H2O | 1961 | 603.0 | 558.8 | 581.1 | 596.8 | 563.3 | 550.4 | 493.6 | 520.8 | 523.5 | 537.2 | 530.0 | 545.0 | **29,042.7** |
| OIL | 1961 | 142.2 | 132.1 | 136.7 | 137.0 | 130.6 | 126.2 | 105.0 | 108.7 | 107.3 | 108.1 | 103.3 | 103.0 | **9,132.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,460.0** |
| H2O | 1960 | 498.6 | 456.3 | 488.4 | 493.0 | 496.3 | 512.4 | 507.6 | 499.7 | 495.2 | 459.1 | 453.4 | 567.6 | **22,439.2** |
| OIL | 1960 | 163.2 | 151.4 | 161.1 | 154.9 | 157.0 | 150.0 | 143.7 | 141.4 | 131.6 | 133.3 | 127.0 | 151.1 | **7,691.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | **1,097.0** |
| H2O | 1959 | 528.3 | 457.7 | 518.6 | 480.8 | 518.9 | 512.1 | 501.6 | 520.3 | 528.0 | 580.9 | 457.7 | 489.2 | **16,511.6** |
| OIL | 1959 | 173.4 | 154.6 | 173.1 | 162.1 | 171.6 | 170.8 | 170.0 | 174.8 | 167.7 | 184.2 | 147.9 | 161.5 | **5,926.2** |
| DAY | 1958 | 28.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 25.0 | **740.0** |
| H2O | 1958 | 307.0 | 316.2 | 357.1 | 494.4 | 544.7 | 522.9 | 581.5 | 547.4 | 501.3 | 524.8 | 510.5 | 425.1 | **10,417.5** |
| OIL | 1958 | 150.5 | 149.9 | 171.1 | 172.7 | 189.6 | 178.9 | 183.4 | 176.1 | 171.0 | 175.6 | 171.9 | 138.6 | **3,914.5** |
| DAY | 1957 | 30.0 | 21.0 | 31.0 | 20.0 | 29.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **389.0** |
| H2O | 1957 | 286.8 | 213.8 | 327.2 | 166.6 | 191.6 | 322.9 | 534.0 | 714.5 | 342.1 | 322.3 | 411.0 | 373.0 | **4,784.6** |
| OIL | 1957 | 105.2 | 79.6 | 135.2 | 68.8 | 92.8 | 141.4 | 189.3 | 187.4 | 169.9 | 162.4 | 171.1 | 171.1 | **1,885.2** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 31.0 | **47.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 202.2 | 376.6 | **578.8** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 78.3 | 132.7 | **211.0** |

Licence ***1292*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-12-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1428.7 | 1242.0 | 1397.5 | 1430.4 | 1326.6 | 1000.6 | 1085.2 | 1384.2 | 1534.0 | 1472.9 | 1437.3 | 1445.9 | **124,925.3** |
| WIN | 1974 | 616.1 | 931.9 | 1128.0 | 1215.7 | 1124.8 | 989.6 | 1221.8 | 1149.6 | 1310.6 | 1371.0 | 1413.0 | 1412.0 | **108,740.0** |
| WIN | 1973 | 1022.2 | 888.5 | 1015.7 | 1143.2 | 1191.6 | 1045.6 | 1095.8 | 1037.3 | 1046.1 | 970.2 | 971.5 | 900.1 | **94,855.9** |
| WIN | 1972 | 922.7 | 984.8 | 1358.7 | 1322.3 | 1317.6 | 1246.1 | 1309.0 | 1328.7 | 1215.2 | 1265.9 | 863.4 | 1082.7 | **82,528.1** |
| WIN | 1971 | 782.9 | 815.8 | 676.6 | 778.3 | 620.1 | 490.0 | 639.0 | 926.5 | 814.9 | 1267.5 | 1212.4 | 84.7 | **68,311.0** |
| WIN | 1970 | 1078.4 | 993.6 | 1005.4 | 1152.0 | 905.3 | 858.1 | 1176.6 | 975.0 | 756.4 | 1122.9 | 1049.1 | 827.9 | **59,202.3** |
| WIN | 1969 | 1899.1 | 1622.3 | 1728.2 | 1720.4 | 1162.9 | 1577.4 | 1021.1 | 984.2 | 1065.2 | 1481.8 | 1211.3 | 1489.1 | **47,301.6** |
| WIN | 1968 | 1567.3 | 1841.8 | 1507.6 | 1956.0 | 1994.8 | 1860.3 | 2111.0 | 2174.4 | 1519.7 | 2010.5 | 1891.6 | 1790.6 | **30,338.6** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 296.7 | 1446.5 | 1632.3 | 1681.6 | 1521.2 | 1534.7 | **8,113.0** |
| DAY | 1963 | 24.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,991.0** |
| H2O | 1963 | 14.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **8,699.4** |
| OIL | 1963 | 6.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,305.8** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 13.0 | 26.0 | 27.0 | 27.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,967.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 29.1 | 32.1 | 35.6 | 30.0 | 35.9 | 33.1 | 28.9 | 26.5 | 20.8 | **8,684.6** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 8.4 | 9.9 | 11.6 | 9.2 | 8.9 | 8.3 | 10.0 | 9.1 | 8.9 | **3,299.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 25.0 | 13.0 | 19.0 | 17.0 | 21.0 | 17.0 | 24.0 | 14.0 | 4.0 | **1,724.0** |
| H2O | 1961 | 50.1 | 56.4 | 60.3 | 21.8 | 16.7 | 31.2 | 22.6 | 24.6 | 20.2 | 13.4 | 16.5 | 1.3 | **8,412.6** |
| OIL | 1961 | 25.9 | 24.2 | 24.6 | 3.8 | 3.8 | 8.3 | 5.6 | 7.2 | 4.8 | 8.6 | 4.1 | 0.2 | **3,214.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,480.0** |
| H2O | 1960 | 87.3 | 84.4 | 88.7 | 89.3 | 81.2 | 78.5 | 80.1 | 77.7 | 77.3 | 82.7 | 70.7 | 56.0 | **8,077.5** |
| OIL | 1960 | 31.1 | 26.9 | 28.3 | 27.0 | 27.3 | 26.4 | 27.5 | 24.5 | 25.1 | 28.4 | 25.3 | 27.5 | **3,093.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,114.0** |
| H2O | 1959 | 121.0 | 119.1 | 120.5 | 127.8 | 114.1 | 130.0 | 138.2 | 106.5 | 90.9 | 100.5 | 94.3 | 92.2 | **7,123.6** |
| OIL | 1959 | 46.2 | 41.5 | 45.9 | 45.1 | 44.8 | 41.6 | 42.3 | 43.7 | 35.9 | 34.5 | 31.3 | 31.0 | **2,768.4** |

# Manitoba Production
## 1950 To 1975

Licence ***1292*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-12-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **750.0** |
| H2O | 1958 | 257.1 | 239.6 | 190.5 | 216.4 | 195.2 | 185.8 | 180.4 | 178.4 | 122.7 | 149.8 | 137.2 | 134.2 | **5,768.5** |
| OIL | 1958 | 98.2 | 88.5 | 85.7 | 91.8 | 74.8 | 84.5 | 80.1 | 77.5 | 49.9 | 63.7 | 49.4 | 47.0 | **2,284.6** |
| DAY | 1957 | 31.0 | 27.0 | 21.0 | 11.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **385.0** |
| H2O | 1957 | 299.7 | 228.6 | 199.7 | 77.7 | 257.7 | 288.4 | 335.8 | 239.4 | 250.6 | 283.8 | 294.3 | 286.3 | **3,581.2** |
| OIL | 1957 | 126.3 | 107.6 | 65.5 | 31.8 | 103.0 | 99.0 | 120.3 | 92.6 | 87.7 | 93.3 | 112.5 | 107.4 | **1,393.5** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 30.0 | **51.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 236.2 | 303.0 | **539.2** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 103.3 | 136.2 | **246.5** |

Licence ***1293*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-10-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,618.0** |
| H2O | 1975 | 342.5 | 314.3 | 273.9 | 334.9 | 349.2 | 322.1 | 346.1 | 228.5 | 262.9 | 274.4 | 261.7 | 279.8 | **23,487.8** |
| OIL | 1975 | 57.2 | 52.8 | 47.7 | 55.1 | 59.6 | 57.7 | 59.0 | 32.9 | 35.0 | 35.4 | 34.0 | 34.5 | **10,787.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 18.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,263.0** |
| H2O | 1974 | 22.4 | 21.1 | 24.3 | 23.8 | 214.2 | 149.3 | 335.0 | 324.9 | 328.9 | 340.3 | 336.6 | 349.2 | **19,897.5** |
| OIL | 1974 | 15.9 | 14.9 | 16.4 | 15.6 | 42.3 | 30.2 | 58.0 | 54.7 | 58.8 | 59.9 | 58.3 | 59.1 | **10,226.2** |
| DAY | 1973 | 28.0 | 28.0 | 29.0 | 29.0 | 30.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **5,915.0** |
| H2O | 1973 | 80.4 | 77.2 | 85.0 | 39.3 | 38.9 | 20.5 | 23.4 | 24.6 | 24.2 | 24.5 | 19.7 | 23.8 | **17,427.5** |
| OIL | 1973 | 32.3 | 31.1 | 32.9 | 29.6 | 31.8 | 16.7 | 18.3 | 16.5 | 15.3 | 16.0 | 14.0 | 16.5 | **9,742.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 29.0 | 29.0 | 29.0 | 29.0 | 30.0 | 30.0 | 30.0 | 21.0 | 31.0 | **5,564.0** |
| H2O | 1972 | 24.3 | 17.2 | 317.9 | 312.2 | 324.4 | 340.4 | 313.6 | 254.5 | 253.7 | 247.7 | 55.5 | 85.2 | **16,946.0** |
| OIL | 1972 | 20.8 | 18.3 | 52.6 | 47.0 | 45.1 | 45.3 | 44.5 | 67.9 | 68.6 | 63.4 | 22.9 | 35.8 | **9,471.1** |
| DAY | 1971 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,215.0** |
| H2O | 1971 | 412.1 | 443.2 | 444.0 | 460.7 | 63.7 | 59.4 | 58.2 | 19.2 | 19.1 | 24.0 | 23.7 | 22.7 | **14,399.4** |
| OIL | 1971 | 38.9 | 39.3 | 43.2 | 42.1 | 18.9 | 18.1 | 18.4 | 18.4 | 18.0 | 19.7 | 19.5 | 20.2 | **8,938.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | **4,853.0** |
| H2O | 1970 | 194.6 | 167.9 | 188.1 | 192.9 | 190.6 | 280.9 | 258.8 | 296.4 | 330.1 | 418.1 | 406.2 | 438.7 | **12,349.4** |
| OIL | 1970 | 38.8 | 33.4 | 38.0 | 36.1 | 37.0 | 40.8 | 39.1 | 43.1 | 62.6 | 41.2 | 37.3 | 42.7 | **8,624.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 20.0 | 19.0 | 31.0 | **4,493.0** |
| H2O | 1969 | 15.1 | 13.7 | 14.5 | 14.6 | 14.9 | 14.6 | 14.8 | 8.7 | 8.7 | 5.4 | 5.4 | 179.3 | **8,986.1** |
| OIL | 1969 | 23.0 | 21.1 | 23.5 | 22.2 | 21.9 | 24.0 | 24.2 | 24.2 | 22.1 | 14.1 | 14.1 | 36.9 | **8,134.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,150.0** |
| H2O | 1968 | 14.8 | 14.3 | 15.3 | 14.6 | 14.6 | 14.0 | 15.6 | 14.8 | 12.6 | 15.1 | 14.8 | 14.8 | **8,676.4** |
| OIL | 1968 | 26.1 | 25.4 | 25.3 | 23.5 | 22.2 | 23.0 | 23.0 | 22.9 | 20.3 | 23.4 | 21.9 | 23.2 | **7,862.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,786.0** |
| H2O | 1967 | 13.5 | 13.7 | 16.1 | 16.2 | 14.3 | 14.5 | 15.1 | 11.9 | 14.1 | 14.8 | 14.3 | 15.3 | **8,501.1** |
| OIL | 1967 | 20.3 | 18.4 | 20.8 | 19.4 | 18.6 | 20.7 | 22.9 | 19.7 | 23.2 | 23.8 | 24.3 | 25.7 | **7,582.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,426.0** |
| H2O | 1966 | 36.6 | 34.8 | 42.1 | 37.8 | 13.4 | 14.9 | 15.4 | 14.8 | 13.2 | 12.7 | 12.1 | 12.7 | **8,327.3** |
| OIL | 1966 | 10.8 | 10.6 | 12.2 | 11.4 | 20.7 | 21.8 | 22.2 | 23.8 | 24.0 | 24.2 | 19.9 | 19.2 | **7,324.8** |
| DAY | 1965 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,065.0** |
| H2O | 1965 | 62.3 | 62.5 | 68.2 | 53.9 | 8.4 | 8.3 | 23.2 | 21.5 | 13.7 | 15.6 | 10.2 | 38.3 | **8,066.8** |
| OIL | 1965 | 31.3 | 30.8 | 36.1 | 32.1 | 28.9 | 27.3 | 10.5 | 10.3 | 8.1 | 7.8 | 6.5 | 8.1 | **7,104.0** |
| DAY | 1964 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **2,702.0** |
| H2O | 1964 | 25.8 | 27.3 | 29.9 | 27.7 | 24.3 | 39.4 | 37.5 | 28.3 | 24.3 | 14.6 | 36.7 | 64.4 | **7,680.7** |
| OIL | 1964 | 29.9 | 31.8 | 38.0 | 36.1 | 33.2 | 28.4 | 27.2 | 23.2 | 20.0 | 16.4 | 19.4 | 37.2 | **6,866.2** |
| DAY | 1963 | 17.0 | 1.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | **2,344.0** |
| H2O | 1963 | 17.5 | 1.0 | 26.4 | 28.6 | 25.4 | 13.4 | 14.3 | 12.6 | 10.8 | 17.8 | 26.5 | 30.8 | **7,300.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1293*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-10-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1963 | 24.0 | 1.3 | 48.1 | 44.7 | 41.8 | 16.7 | 16.2 | 14.1 | 15.1 | 18.0 | 32.9 | 35.8 | **6,525.4** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 14.0 | 31.0 | 29.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,026.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 54.1 | 180.0 | 171.5 | 236.2 | 220.0 | 174.1 | 35.3 | 29.3 | 28.0 | **7,075.4** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 30.0 | 35.9 | 46.4 | 62.3 | 61.5 | 49.3 | 50.7 | 48.1 | 48.6 | **6,216.7** |
| DAY | 1961 | 21.0 | 18.0 | 31.0 | 30.0 | 25.0 | 23.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 17.0 | **1,770.0** |
| H2O | 1961 | 7.5 | 6.0 | 12.7 | 22.4 | 139.3 | 272.5 | 238.3 | 311.9 | 300.5 | 285.7 | 166.1 | 39.7 | **5,946.9** |
| OIL | 1961 | 23.5 | 30.5 | 35.1 | 34.6 | 29.7 | 56.1 | 55.6 | 69.6 | 57.8 | 49.3 | 47.2 | 18.9 | **5,783.9** |
| DAY | 1960 | 31.0 | 29.0 | 22.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **1,456.0** |
| H2O | 1960 | 4.9 | 3.8 | 3.0 | 3.5 | 3.7 | 2.2 | 1.4 | 1.4 | 4.3 | 3.3 | 5.7 | 3.7 | **4,144.3** |
| OIL | 1960 | 35.6 | 28.6 | 26.4 | 26.7 | 26.1 | 24.3 | 24.5 | 22.9 | 37.0 | 37.8 | 36.9 | 32.6 | **5,276.0** |
| DAY | 1959 | 31.0 | 7.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **1,103.0** |
| H2O | 1959 | 23.5 | 1.6 | 9.9 | 20.5 | 13.7 | 5.1 | 13.0 | 10.8 | 0.0 | 7.3 | 6.2 | 6.7 | **4,103.4** |
| OIL | 1959 | 44.8 | 11.3 | 56.3 | 41.2 | 34.6 | 45.1 | 47.0 | 43.5 | 30.7 | 43.5 | 40.2 | 39.7 | **4,916.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **761.0** |
| H2O | 1958 | 271.4 | 235.9 | 250.4 | 20.2 | 18.6 | 18.0 | 24.2 | 28.9 | 27.5 | 23.7 | 26.2 | 26.5 | **3,985.1** |
| OIL | 1958 | 199.0 | 180.5 | 192.6 | 103.6 | 102.2 | 95.7 | 60.9 | 59.8 | 53.4 | 54.5 | 49.9 | 49.6 | **4,438.7** |
| DAY | 1957 | 31.0 | 27.0 | 28.0 | 27.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **397.0** |
| H2O | 1957 | 85.2 | 89.7 | 130.0 | 134.7 | 275.2 | 294.9 | 368.0 | 397.4 | 329.9 | 296.7 | 255.2 | 267.4 | **3,013.6** |
| OIL | 1957 | 327.2 | 254.4 | 262.4 | 254.3 | 240.3 | 204.2 | 208.8 | 223.4 | 207.5 | 218.3 | 189.4 | 199.6 | **3,237.0** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 25.0 | **41.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 34.0 | 55.3 | **89.3** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.5 | 148.9 | 294.8 | **447.2** |

Licence ***1296*** Well Name ***2928419 MB Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-17-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,632.0** |
| H2O | 1975 | 5205.1 | 5094.4 | 5593.8 | 5227.5 | 6219.1 | 5664.7 | 6375.6 | 6223.1 | 5970.5 | 6346.3 | 6311.3 | 6425.5 | **236,367.1** |
| OIL | 1975 | 74.6 | 63.3 | 64.7 | 58.3 | 60.3 | 55.3 | 60.3 | 55.3 | 50.9 | 57.7 | 55.8 | 58.7 | **18,989.3** |
| DAY | 1974 | 27.0 | 0.0 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **6,268.0** |
| H2O | 1974 | 4657.8 | 3577.1 | 4084.3 | 3370.4 | 4316.1 | 3454.5 | 5003.7 | 4789.2 | 4201.6 | 5224.6 | 5130.2 | 5341.2 | **165,710.2** |
| OIL | 1974 | 90.3 | 85.2 | 97.3 | 76.6 | 67.9 | 79.2 | 83.3 | 77.7 | 68.2 | 64.9 | 61.8 | 64.4 | **18,274.1** |
| DAY | 1973 | 29.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | **5,940.0** |
| H2O | 1973 | 663.2 | 669.1 | 716.9 | 3347.9 | 2584.2 | 3038.2 | 2816.4 | 3058.0 | 2996.8 | 552.9 | 768.1 | 3799.7 | **112,559.5** |
| OIL | 1973 | 36.9 | 36.4 | 39.0 | 87.8 | 73.0 | 92.5 | 86.0 | 87.6 | 77.6 | 86.3 | 77.3 | 109.2 | **17,357.3** |
| DAY | 1972 | 11.0 | 29.0 | 30.0 | 30.0 | 19.0 | 27.0 | 20.0 | 23.0 | 26.0 | 24.0 | 22.0 | 31.0 | **5,582.0** |
| H2O | 1972 | 677.0 | 798.3 | 821.5 | 688.5 | 593.6 | 1038.4 | 747.1 | 859.2 | 828.2 | 597.2 | 570.7 | 598.0 | **87,548.1** |
| OIL | 1972 | 18.8 | 52.0 | 52.9 | 55.5 | 41.3 | 52.1 | 35.8 | 36.7 | 55.0 | 35.9 | 38.5 | 40.1 | **16,467.7** |
| DAY | 1971 | 26.0 | 28.0 | 27.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 29.0 | 16.0 | 30.0 | 27.0 | **5,290.0** |
| H2O | 1971 | 1484.8 | 1421.3 | 1430.9 | 1414.6 | 1456.2 | 1426.0 | 1478.5 | 1478.5 | 1462.6 | 818.7 | 1685.2 | 1558.0 | **78,730.4** |
| OIL | 1971 | 40.7 | 38.5 | 42.9 | 50.1 | 51.7 | 44.8 | 43.6 | 43.7 | 41.0 | 28.8 | 43.7 | 47.7 | **15,953.1** |
| DAY | 1970 | 31.0 | 26.0 | 26.0 | 25.0 | 30.0 | 26.0 | 31.0 | 30.0 | 29.0 | 29.0 | 30.0 | 20.0 | **4,958.0** |
| H2O | 1970 | 399.4 | 401.0 | 1394.2 | 1383.1 | 1383.1 | 1268.6 | 1400.6 | 1400.6 | 1353.8 | 1327.4 | 1453.0 | 1182.8 | **61,615.1** |
| OIL | 1970 | 48.0 | 46.6 | 41.8 | 49.3 | 52.5 | 41.3 | 49.3 | 49.6 | 48.0 | 46.1 | 47.7 | 38.2 | **15,435.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | **4,625.0** |
| H2O | 1969 | 670.8 | 444.9 | 484.8 | 439.5 | 453.8 | 422.0 | 454.3 | 468.6 | 429.2 | 365.6 | 389.4 | 399.4 | **47,267.5** |
| OIL | 1969 | 73.1 | 49.4 | 54.4 | 49.3 | 51.7 | 48.5 | 47.7 | 49.1 | 46.6 | 39.0 | 42.9 | 48.0 | **14,877.5** |
| DAY | 1968 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,264.0** |
| H2O | 1968 | 334.7 | 310.9 | 439.3 | 367.2 | 352.7 | 355.4 | 366.5 | 358.4 | 355.7 | 355.7 | 343.0 | 696.7 | **41,845.2** |
| OIL | 1968 | 51.8 | 44.0 | 55.6 | 52.6 | 54.4 | 53.1 | 53.7 | 52.0 | 50.4 | 50.1 | 47.7 | 77.4 | **14,277.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 14.0 | 0.0 | 0.0 | 22.0 | **3,899.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1296*** Well Name ***2928419 MB Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-17-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1967 | 371.5 | 335.2 | 371.6 | 364.1 | 379.7 | 369.4 | 377.0 | 393.7 | 100.1 | 0.0 | 0.0 | 208.8 | **37,209.0** |
| OIL | 1967 | 16.1 | 14.0 | 15.4 | 14.3 | 14.0 | 13.7 | 12.9 | 12.4 | 16.5 | 0.0 | 0.0 | 35.9 | **13,635.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,620.0** |
| H2O | 1966 | 349.2 | 305.3 | 354.4 | 338.9 | 347.4 | 326.5 | 328.1 | 309.9 | 307.9 | 324.7 | 338.9 | 352.4 | **33,937.9** |
| OIL | 1966 | 19.1 | 19.2 | 20.0 | 19.4 | 19.2 | 18.1 | 18.0 | 15.3 | 15.9 | 15.4 | 15.6 | 15.9 | **13,469.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,259.0** |
| H2O | 1965 | 237.7 | 215.3 | 278.4 | 312.9 | 323.8 | 302.1 | 327.1 | 332.8 | 320.7 | 344.1 | 337.1 | 348.1 | **29,954.3** |
| OIL | 1965 | 23.7 | 21.7 | 25.0 | 25.5 | 25.7 | 23.3 | 23.0 | 24.1 | 21.4 | 22.2 | 20.3 | 19.9 | **13,258.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,894.0** |
| H2O | 1964 | 247.3 | 214.2 | 219.5 | 218.8 | 215.3 | 227.7 | 260.2 | 193.7 | 241.1 | 242.2 | 227.9 | 235.8 | **26,274.2** |
| OIL | 1964 | 25.8 | 24.7 | 25.5 | 29.9 | 27.9 | 25.8 | 31.5 | 21.4 | 26.0 | 26.5 | 25.5 | 25.7 | **12,982.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,534.0** |
| H2O | 1963 | 403.4 | 338.7 | 394.8 | 416.6 | 453.0 | 437.9 | 434.6 | 393.4 | 352.4 | 382.7 | 308.0 | 214.4 | **23,530.5** |
| OIL | 1963 | 80.0 | 61.6 | 83.1 | 76.1 | 78.4 | 72.2 | 63.7 | 61.1 | 55.4 | 62.7 | 26.9 | 26.8 | **12,666.7** |
| DAY | 1962 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,169.0** |
| H2O | 1962 | 296.1 | 280.7 | 417.2 | 388.8 | 411.5 | 399.9 | 413.9 | 413.6 | 400.5 | 398.5 | 392.9 | 402.5 | **19,000.6** |
| OIL | 1962 | 93.5 | 76.4 | 100.4 | 95.1 | 81.1 | 77.2 | 80.0 | 79.1 | 76.8 | 77.2 | 78.1 | 81.1 | **11,918.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | **1,806.0** |
| H2O | 1961 | 282.7 | 272.6 | 321.5 | 216.8 | 226.5 | 232.8 | 240.8 | 241.4 | 231.7 | 331.4 | 309.6 | 319.0 | **14,384.5** |
| OIL | 1961 | 154.8 | 112.8 | 122.6 | 97.0 | 104.2 | 101.8 | 104.2 | 103.9 | 73.8 | 102.3 | 102.1 | 98.5 | **10,922.7** |
| DAY | 1960 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,450.0** |
| H2O | 1960 | 364.3 | 349.5 | 335.7 | 351.7 | 359.7 | 290.8 | 282.4 | 279.7 | 288.0 | 285.0 | 286.6 | 284.2 | **11,157.7** |
| OIL | 1960 | 172.7 | 177.2 | 158.6 | 150.5 | 145.4 | 119.0 | 127.2 | 120.1 | 123.1 | 122.5 | 121.4 | 122.6 | **9,644.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,086.0** |
| H2O | 1959 | 321.4 | 293.7 | 325.2 | 316.0 | 290.5 | 312.2 | 305.3 | 340.6 | 343.3 | 312.8 | 306.4 | 366.2 | **7,400.1** |
| OIL | 1959 | 159.2 | 151.6 | 163.7 | 160.2 | 142.2 | 156.2 | 153.0 | 153.2 | 143.6 | 145.4 | 137.3 | 181.0 | **7,984.4** |
| DAY | 1958 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **726.0** |
| H2O | 1958 | 191.5 | 171.3 | 180.7 | 171.8 | 176.4 | 247.4 | 314.7 | 277.2 | 288.0 | 307.2 | 314.7 | 312.8 | **3,566.5** |
| OIL | 1958 | 295.8 | 217.7 | 224.5 | 207.5 | 195.1 | 196.7 | 215.8 | 188.5 | 183.7 | 166.2 | 163.7 | 161.7 | **6,137.8** |
| DAY | 1957 | 31.0 | 28.0 | 20.0 | 27.0 | 30.0 | 30.0 | 30.0 | 30.0 | 28.0 | 28.0 | 28.0 | 29.0 | **363.0** |
| H2O | 1957 | 39.1 | 23.5 | 20.7 | 37.2 | 48.2 | 49.8 | 55.3 | 63.0 | 61.2 | 53.9 | 47.2 | 113.4 | **612.8** |
| OIL | 1957 | 363.4 | 264.1 | 197.4 | 255.7 | 309.4 | 327.7 | 340.8 | 315.2 | 311.0 | 289.3 | 261.2 | 253.3 | **3,720.9** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 10.0 | **24.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.0 | **0.3** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 161.5 | 70.9 | **232.4** |

Licence ***1299*** Well Name ***Crescent Point Tilston*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-31-005-29W1.00*** Field Name ***Tilston*** Pool Name ***Mission Canyon 1 A*** Field Code ***2*** Pool Code ***44A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 4.0 | 7.0 | 28.0 | 17.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,353.0** |
| H2O | 1971 | 951.1 | 113.5 | 183.6 | 652.2 | 391.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **54,379.1** |
| OIL | 1971 | 19.7 | 1.9 | 4.5 | 13.8 | 5.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,518.6** |
| DAY | 1970 | 20.0 | 3.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 25.0 | 18.0 | 8.0 | 17.0 | 24.0 | **4,266.0** |
| H2O | 1970 | 667.9 | 100.2 | 889.1 | 966.5 | 966.5 | 937.9 | 937.9 | 755.2 | 544.6 | 241.7 | 568.3 | 736.6 | **52,087.0** |
| OIL | 1970 | 22.3 | 4.3 | 34.0 | 32.9 | 27.7 | 26.7 | 26.4 | 11.9 | 8.6 | 5.1 | 8.1 | 19.1 | **5,473.3** |
| DAY | 1969 | 31.0 | 26.0 | 23.0 | 23.0 | 15.0 | 20.0 | 0.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | **4,002.0** |
| H2O | 1969 | 586.2 | 514.6 | 609.1 | 614.5 | 400.4 | 476.8 | 548.6 | 560.5 | 539.5 | 1049.2 | 1052.4 | 1048.1 | **43,774.6** |
| OIL | 1969 | 26.2 | 25.0 | 21.5 | 25.3 | 16.7 | 20.4 | 26.1 | 54.0 | 54.4 | 39.4 | 35.1 | 34.5 | **5,246.2** |
| DAY | 1968 | 30.0 | 18.0 | 31.0 | 30.0 | 28.0 | 30.0 | 28.0 | 31.0 | 30.0 | 29.0 | 28.0 | 31.0 | **3,714.0** |
| H2O | 1968 | 604.7 | 396.2 | 660.0 | 652.0 | 585.6 | 594.2 | 585.8 | 592.4 | 578.1 | 576.1 | 524.3 | 607.8 | **35,774.7** |
| OIL | 1968 | 26.2 | 19.1 | 33.7 | 27.5 | 24.6 | 27.3 | 27.7 | 22.1 | 23.8 | 27.3 | 24.2 | 25.6 | **4,867.6** |

# Manitoba Production
## 1950 To 1975

Licence ***1299*** Well Name ***Crescent Point Tilston*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-31-005-29W1.00*** Field Name ***Tilston*** Pool Name ***Mission Canyon 1 A*** Field Code ***2*** Pool Code ***44A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 31.0 | 28.0 | 23.0 | 26.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,370.0** |
| H2O | 1967 | 473.9 | 442.4 | 252.1 | 631.4 | 456.1 | 578.3 | 578.9 | 585.3 | 680.7 | 664.8 | 544.0 | 611.0 | **28,817.5** |
| OIL | 1967 | 33.1 | 28.1 | 16.5 | 27.8 | 24.3 | 32.1 | 31.8 | 31.5 | 30.8 | 29.6 | 21.5 | 19.2 | **4,558.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 21.0 | 0.0 | 2.0 | 27.0 | 20.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,022.0** |
| H2O | 1966 | 371.8 | 353.7 | 365.2 | 212.6 | 0.0 | 10.5 | 491.5 | 297.9 | 462.5 | 456.1 | 455.3 | 472.0 | **22,318.6** |
| OIL | 1966 | 24.2 | 19.2 | 19.7 | 12.4 | 0.0 | 1.6 | 37.2 | 28.6 | 39.1 | 42.0 | 32.6 | 31.8 | **4,232.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | **2,740.0** |
| H2O | 1965 | 331.4 | 361.8 | 370.7 | 306.2 | 306.2 | 427.8 | 422.4 | 441.6 | 413.2 | 316.5 | 326.0 | 368.3 | **18,369.5** |
| OIL | 1965 | 29.9 | 23.5 | 29.7 | 22.3 | 19.2 | 28.0 | 25.4 | 23.7 | 24.0 | 21.1 | 28.1 | 24.8 | **3,943.8** |
| DAY | 1964 | 31.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,388.0** |
| H2O | 1964 | 208.0 | 222.3 | 218.9 | 266.3 | 238.5 | 249.1 | 241.0 | 222.7 | 237.7 | 270.9 | 265.9 | 347.8 | **13,977.4** |
| OIL | 1964 | 30.5 | 28.1 | 27.8 | 31.3 | 29.9 | 25.9 | 29.3 | 23.1 | 26.1 | 25.0 | 29.9 | 32.1 | **3,644.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 23.0 | 24.0 | 30.0 | 31.0 | 31.0 | 25.0 | 11.0 | 30.0 | 31.0 | **2,026.0** |
| H2O | 1963 | 228.1 | 204.3 | 208.3 | 152.5 | 194.4 | 231.3 | 218.4 | 222.3 | 182.8 | 84.1 | 219.1 | 206.2 | **10,988.3** |
| OIL | 1963 | 35.5 | 28.8 | 37.2 | 21.3 | 21.8 | 27.0 | 44.8 | 41.2 | 22.7 | 9.4 | 36.1 | 28.6 | **3,305.1** |
| DAY | 1962 | 30.0 | 28.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **1,700.0** |
| H2O | 1962 | 214.2 | 192.9 | 209.1 | 224.2 | 210.0 | 208.8 | 202.7 | 199.5 | 161.5 | 182.5 | 212.4 | 236.6 | **8,636.5** |
| OIL | 1962 | 43.4 | 37.7 | 43.1 | 43.7 | 43.7 | 37.5 | 47.2 | 39.0 | 31.8 | 37.8 | 41.2 | 37.2 | **2,950.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 16.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,343.0** |
| H2O | 1961 | 158.7 | 145.6 | 158.7 | 154.7 | 129.7 | 186.7 | 264.2 | 275.6 | 232.6 | 209.4 | 230.2 | 214.0 | **6,182.1** |
| OIL | 1961 | 49.4 | 42.9 | 46.1 | 43.9 | 37.4 | 41.7 | 50.0 | 47.9 | 51.4 | 49.6 | 44.2 | 45.3 | **2,467.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 29.0 | 18.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **995.0** |
| H2O | 1960 | 199.4 | 206.0 | 205.7 | 219.6 | 182.2 | 228.8 | 118.9 | 192.1 | 214.0 | 203.5 | 203.8 | 203.5 | **3,822.0** |
| OIL | 1960 | 55.9 | 46.3 | 48.5 | 39.7 | 37.5 | 55.9 | 35.5 | 54.9 | 75.6 | 84.6 | 68.6 | 62.4 | **1,917.6** |
| DAY | 1959 | 26.0 | 13.0 | 30.0 | 23.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **644.0** |
| H2O | 1959 | 15.3 | 15.6 | 50.6 | 78.7 | 119.2 | 118.1 | 106.2 | 117.3 | 108.3 | 135.6 | 149.3 | 200.0 | **1,444.5** |
| OIL | 1959 | 11.3 | 56.8 | 82.6 | 62.4 | 62.5 | 43.9 | 40.2 | 42.3 | 40.2 | 40.4 | 46.6 | 47.2 | **1,252.2** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 24.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 29.0 | **311.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 2.9 | 24.0 | 28.0 | 15.4 | 13.2 | 0.6 | 15.4 | 16.7 | **230.3** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 24.5 | 114.4 | 141.6 | 79.2 | 63.8 | 59.5 | 46.9 | 39.7 | **675.8** |
| DAY | 1957 | 23.0 | 0.0 | 5.0 | 0.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **94.0** |
| H2O | 1957 | 65.5 | 0.0 | 14.6 | 0.0 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **114.1** |
| OIL | 1957 | 14.8 | 0.0 | 5.2 | 0.0 | 4.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **106.2** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | **61.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.7 | 29.1 | **30.8** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 69.5 | 12.6 | **82.1** |

Licence ***1300*** Well Name ***Enerplus South Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-36-009-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 26.0 | 18.0 | 26.0 | 30.0 | 30.0 | 30.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **207.0** |
| H2O | 1957 | 169.5 | 131.6 | 320.2 | 116.1 | 107.0 | 8.7 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,253.1** |
| OIL | 1957 | 348.0 | 190.5 | 263.9 | 218.3 | 202.5 | 65.5 | 9.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,933.9** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 18.0 | 25.0 | **44.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 204.0 | 194.9 | **398.9** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.3 | 304.8 | 317.0 | **636.1** |

Licence ***1303*** Well Name ***Virden Roselea Unit No. 1 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-29-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 2620.1 | 2508.5 | 2528.9 | 2540.2 | 2186.1 | 1834.5 | 2578.2 | 2437.2 | 2423.7 | 2529.4 | 2446.4 | 2456.5 | **248,464.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1303*** Well Name ***Virden Roselea Unit No. 1 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-29-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1974 | 2613.9 | 2540.2 | 2865.3 | 2888.3 | 2745.6 | 2510.6 | 2569.0 | 2701.5 | 1166.0 | 2425.2 | 2367.1 | 2722.9 | **219,375.2** |
| WIN | 1973 | 1646.7 | 1494.8 | 2089.3 | 1996.9 | 2004.3 | 1709.5 | 1980.4 | 1784.6 | 2537.2 | 2280.1 | 2926.2 | 2956.9 | **189,259.6** |
| WIN | 1972 | 2039.7 | 2338.6 | 2380.6 | 2222.9 | 2000.9 | 1495.1 | 2071.8 | 2060.4 | 1964.0 | 2007.6 | 1675.8 | 1816.7 | **163,852.7** |
| WIN | 1971 | 2120.2 | 1897.9 | 2077.4 | 2043.5 | 1759.1 | 1954.7 | 1466.7 | 1294.2 | 0.0 | 1499.8 | 2058.9 | 947.4 | **139,778.6** |
| WIN | 1970 | 2012.5 | 1735.1 | 2091.1 | 1871.0 | 2037.2 | 1444.7 | 1612.4 | 1975.5 | 1676.6 | 1934.0 | 2089.0 | 2158.0 | **120,658.8** |
| WIN | 1969 | 2265.9 | 637.0 | 1803.3 | 2054.2 | 2100.8 | 2072.5 | 1544.3 | 1653.6 | 1974.7 | 2039.2 | 1984.9 | 2096.2 | **98,021.7** |
| WIN | 1968 | 1714.3 | 2106.3 | 2139.6 | 1927.0 | 1752.6 | 2012.4 | 2057.8 | 2257.2 | 1781.5 | 2301.2 | 2168.6 | 2214.1 | **75,795.1** |
| WIN | 1967 | 1936.4 | 1813.5 | 1955.9 | 1979.9 | 2143.7 | 1790.4 | 1699.3 | 1852.1 | 2023.5 | 1744.3 | 1635.6 | 1736.1 | **51,362.5** |
| WIN | 1966 | 2563.4 | 2059.3 | 2191.4 | 2153.9 | 1987.4 | 1507.6 | 2037.2 | 2024.1 | 2047.0 | 2079.0 | 1921.0 | 1925.2 | **29,051.8** |
| DAY | 1965 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 17.0 | 0.0 | 0.0 | **2,970.0** |
| H2O | 1965 | 318.1 | 251.3 | 317.3 | 324.6 | 311.1 | 275.2 | 209.4 | 333.1 | 245.8 | 140.6 | 0.0 | 0.0 | **25,941.4** |
| OIL | 1965 | 143.2 | 132.7 | 137.9 | 165.7 | 134.3 | 143.0 | 147.9 | 138.6 | 144.4 | 77.2 | 0.0 | 0.0 | **13,090.2** |
| WIN | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 370.1 | 1650.1 | 2535.1 | **4,555.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,683.0** |
| H2O | 1964 | 285.4 | 277.4 | 302.2 | 301.1 | 300.6 | 288.1 | 239.4 | 265.2 | 292.4 | 311.4 | 174.7 | 340.1 | **23,214.9** |
| OIL | 1964 | 139.8 | 136.2 | 140.0 | 141.0 | 139.0 | 135.1 | 127.8 | 164.3 | 149.7 | 154.3 | 146.7 | 147.6 | **11,725.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,317.0** |
| H2O | 1963 | 336.4 | 239.3 | 360.6 | 292.7 | 310.2 | 296.7 | 310.8 | 308.1 | 301.9 | 530.8 | 298.1 | 308.7 | **19,836.9** |
| OIL | 1963 | 146.2 | 128.2 | 151.1 | 144.3 | 140.5 | 141.0 | 158.8 | 131.3 | 150.3 | 144.0 | 146.0 | 149.2 | **10,003.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,952.0** |
| H2O | 1962 | 341.5 | 285.4 | 384.1 | 371.7 | 342.9 | 323.2 | 337.7 | 304.3 | 294.0 | 326.1 | 351.7 | 348.5 | **15,942.6** |
| OIL | 1962 | 137.8 | 118.9 | 142.7 | 121.2 | 148.6 | 149.5 | 165.4 | 164.2 | 136.0 | 148.7 | 128.4 | 136.8 | **8,272.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,587.0** |
| H2O | 1961 | 335.0 | 301.6 | 314.8 | 296.8 | 318.8 | 274.6 | 301.4 | 303.2 | 300.2 | 306.5 | 326.1 | 336.2 | **11,931.5** |
| OIL | 1961 | 124.9 | 119.0 | 138.6 | 142.7 | 149.1 | 144.4 | 140.5 | 142.2 | 133.2 | 163.5 | 159.7 | 135.9 | **6,574.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,222.0** |
| H2O | 1960 | 289.3 | 319.4 | 357.2 | 337.7 | 332.7 | 319.1 | 332.6 | 312.4 | 311.0 | 315.3 | 305.1 | 313.5 | **8,216.3** |
| OIL | 1960 | 117.8 | 120.3 | 133.3 | 132.7 | 123.6 | 123.5 | 130.1 | 123.6 | 125.1 | 127.6 | 113.5 | 127.8 | **4,881.0** |
| DAY | 1959 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 20.0 | 0.0 | 19.0 | 30.0 | **857.0** |
| H2O | 1959 | 88.9 | 79.6 | 98.9 | 30.4 | 34.7 | 36.9 | 36.1 | 31.8 | 22.9 | 0.0 | 188.6 | 269.2 | **4,371.0** |
| OIL | 1959 | 95.0 | 85.5 | 93.6 | 45.4 | 49.1 | 46.4 | 43.7 | 42.6 | 28.8 | 0.0 | 66.6 | 117.8 | **3,382.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **547.0** |
| H2O | 1958 | 250.4 | 216.1 | 265.2 | 256.3 | 249.6 | 176.5 | 122.9 | 126.9 | 99.8 | 108.4 | 98.2 | 95.7 | **3,453.0** |
| OIL | 1958 | 162.4 | 158.9 | 195.5 | 184.7 | 186.2 | 132.4 | 109.6 | 108.2 | 99.8 | 100.6 | 96.5 | 99.2 | **2,667.6** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 17.0 | 1.0 | 0.0 | 26.0 | 31.0 | 16.0 | 31.0 | 30.0 | 31.0 | **183.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 104.4 | 9.2 | 0.0 | 208.1 | 261.8 | 139.3 | 237.0 | 204.0 | 223.2 | **1,387.0** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 103.9 | 5.9 | 0.0 | 150.3 | 152.1 | 93.6 | 188.3 | 169.6 | 169.9 | **1,033.6** |

Licence ***1306*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-02-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 30.0 | 21.0 | 27.0 | 25.0 | 31.0 | 29.0 | 21.0 | 28.0 | 0.0 | 0.0 | 0.0 | 0.0 | **222.0** |
| H2O | 1957 | 460.6 | 304.4 | 311.8 | 312.9 | 308.9 | 484.7 | 284.1 | 408.4 | 0.0 | 0.0 | 0.0 | 0.0 | **3,035.1** |
| OIL | 1957 | 46.8 | 31.4 | 35.8 | 32.1 | 37.2 | 52.8 | 33.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **284.9** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | **10.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 159.3 | **159.3** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.6 | **15.6** |

Licence ***1307*** Well Name ***Enerplus South Virden CPR*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-01-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***1307*** Well Name ***Enerplus South Virden CPR*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-01-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 19.0 | 23.0 | 24.0 | 29.0 | 10.0 | 0.0 | 0.0 | **287.0** |
| H2O | 1957 | 373.7 | 322.7 | 358.7 | 102.7 | 554.2 | 377.6 | 458.5 | 695.2 | 684.6 | 383.5 | 0.0 | 0.0 | **4,664.0** |
| OIL | 1957 | 31.4 | 31.4 | 34.5 | 248.2 | 38.6 | 22.9 | 27.7 | 37.7 | 38.0 | 13.2 | 0.0 | 0.0 | **561.1** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 27.0 | **32.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 65.3 | 287.3 | **352.6** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.4 | 31.1 | **37.5** |

Licence ***1308*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-19-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 8.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **821.0** |
| H2O | 1960 | 3.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,159.0** |
| OIL | 1960 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **313.7** |
| DAY | 1959 | 0.0 | 0.0 | 17.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 21.0 | 30.0 | 31.0 | **813.0** |
| H2O | 1959 | 0.0 | 0.0 | 36.2 | 12.7 | 9.9 | 9.5 | 14.9 | 17.2 | 13.5 | 19.1 | 14.3 | 17.2 | **1,155.6** |
| OIL | 1959 | 0.0 | 0.0 | 10.3 | 4.1 | 5.9 | 5.2 | 4.6 | 4.9 | 3.8 | 0.3 | 5.9 | 5.1 | **312.6** |
| DAY | 1958 | 15.0 | 28.0 | 31.0 | 26.0 | 31.0 | 27.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **531.0** |
| H2O | 1958 | 42.3 | 72.5 | 68.0 | 59.0 | 67.4 | 48.5 | 51.5 | 50.2 | 42.3 | 42.4 | 36.7 | 32.6 | **991.1** |
| OIL | 1958 | 8.4 | 16.9 | 15.7 | 5.2 | 4.8 | 3.3 | 1.6 | 8.4 | 6.4 | 7.3 | 4.0 | 5.9 | **262.5** |
| DAY | 1957 | 14.0 | 3.0 | 20.0 | 26.0 | 31.0 | 30.0 | 31.0 | 19.0 | 0.0 | 0.0 | 0.0 | 0.0 | **191.0** |
| H2O | 1957 | 68.2 | 45.2 | 41.7 | 57.2 | 47.9 | 24.0 | 26.9 | 10.5 | 0.0 | 0.0 | 0.0 | 0.0 | **377.7** |
| OIL | 1957 | 12.2 | 10.5 | 18.1 | 45.8 | 22.9 | 12.2 | 4.9 | 11.0 | 0.0 | 0.0 | 0.0 | 0.0 | **174.6** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | **17.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 56.1 | **56.1** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 37.0 | **37.0** |

Licence ***1309*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-10-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 2.0 | 29.0 | 27.0 | 30.0 | 31.0 | 30.0 | 29.0 | **6,385.0** |
| H2O | 1975 | 888.1 | 788.5 | 852.0 | 854.4 | 875.8 | 53.9 | 805.2 | 718.6 | 1081.5 | 1164.8 | 1088.5 | 1101.1 | **68,992.4** |
| OIL | 1975 | 69.0 | 61.5 | 69.0 | 65.6 | 69.6 | 4.4 | 63.9 | 58.6 | 120.1 | 125.7 | 118.1 | 113.1 | **20,700.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 21.0 | 1.0 | 29.0 | 29.0 | 31.0 | 25.0 | 31.0 | **6,056.0** |
| H2O | 1974 | 802.2 | 769.0 | 881.2 | 865.6 | 785.8 | 567.7 | 4.3 | 787.7 | 797.8 | 853.6 | 702.2 | 875.8 | **58,720.0** |
| OIL | 1974 | 188.9 | 179.3 | 197.5 | 187.0 | 172.1 | 53.2 | 0.5 | 61.7 | 66.1 | 69.9 | 56.4 | 69.0 | **19,762.3** |
| DAY | 1973 | 30.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **5,742.0** |
| H2O | 1973 | 442.0 | 395.5 | 412.9 | 440.7 | 436.4 | 408.6 | 269.8 | 410.0 | 403.7 | 809.2 | 861.7 | 827.0 | **50,027.1** |
| OIL | 1973 | 60.9 | 54.7 | 55.5 | 54.8 | 59.3 | 59.4 | 22.6 | 89.9 | 82.3 | 176.2 | 200.9 | 188.8 | **18,460.7** |
| DAY | 1972 | 31.0 | 29.0 | 29.0 | 29.0 | 27.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 15.0 | 31.0 | **5,384.0** |
| H2O | 1972 | 71.7 | 50.7 | 51.0 | 53.6 | 49.3 | 55.3 | 56.0 | 283.9 | 283.0 | 276.3 | 76.9 | 165.8 | **43,909.6** |
| OIL | 1972 | 15.9 | 14.0 | 13.8 | 13.2 | 11.8 | 12.9 | 13.8 | 45.3 | 45.6 | 42.1 | 12.1 | 26.2 | **17,355.4** |
| DAY | 1971 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,043.0** |
| H2O | 1971 | 239.1 | 254.8 | 255.2 | 264.9 | 78.9 | 73.9 | 72.0 | 56.6 | 56.6 | 71.2 | 69.3 | 66.9 | **42,436.1** |
| OIL | 1971 | 43.4 | 43.2 | 47.5 | 46.7 | 18.8 | 18.1 | 18.6 | 14.1 | 13.8 | 15.3 | 14.9 | 15.4 | **17,088.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,682.0** |
| H2O | 1970 | 67.9 | 60.4 | 65.3 | 67.1 | 66.3 | 64.2 | 59.1 | 67.2 | 74.1 | 252.9 | 250.2 | 252.1 | **40,876.7** |
| OIL | 1970 | 24.6 | 21.9 | 24.2 | 22.9 | 23.5 | 22.6 | 21.5 | 23.5 | 34.5 | 47.0 | 44.2 | 47.0 | **16,778.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 19.0 | 31.0 | **4,319.0** |
| H2O | 1969 | 459.9 | 422.3 | 446.1 | 445.3 | 460.1 | 65.2 | 66.6 | 63.4 | 63.9 | 53.1 | 40.4 | 62.2 | **39,529.9** |
| OIL | 1969 | 100.9 | 92.3 | 103.0 | 96.9 | 96.0 | 24.2 | 24.3 | 24.2 | 22.1 | 18.9 | 14.5 | 23.5 | **16,421.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,969.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1309*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-10-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1968 | 455.8 | 442.8 | 473.0 | 446.6 | 462.6 | 429.2 | 477.7 | 450.9 | 390.0 | 446.3 | 452.5 | 457.9 | **36,881.4** |
| OIL | 1968 | 113.9 | 111.2 | 112.2 | 102.7 | 101.7 | 101.1 | 100.7 | 99.6 | 89.1 | 99.0 | 96.0 | 101.9 | **15,780.7** |
| DAY | 1967 | 29.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,604.0** |
| H2O | 1967 | 388.2 | 419.5 | 492.7 | 492.0 | 442.4 | 443.9 | 467.1 | 368.2 | 427.5 | 448.6 | 439.1 | 467.7 | **31,496.1** |
| OIL | 1967 | 83.3 | 81.0 | 90.7 | 84.9 | 82.0 | 90.7 | 100.1 | 86.9 | 98.8 | 105.0 | 106.8 | 112.8 | **14,551.6** |
| DAY | 1966 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,246.0** |
| H2O | 1966 | 380.9 | 332.3 | 437.8 | 420.5 | 451.2 | 452.3 | 469.3 | 452.1 | 398.7 | 389.2 | 366.6 | 389.3 | **26,199.2** |
| OIL | 1966 | 97.6 | 87.1 | 110.3 | 108.7 | 99.6 | 95.3 | 96.8 | 104.1 | 105.2 | 105.4 | 86.4 | 84.1 | **13,428.6** |
| DAY | 1965 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,883.0** |
| H2O | 1965 | 345.8 | 313.2 | 364.4 | 287.8 | 328.6 | 324.5 | 241.5 | 222.9 | 141.7 | 161.8 | 104.9 | 349.8 | **21,259.0** |
| OIL | 1965 | 85.2 | 75.5 | 93.9 | 83.9 | 108.5 | 103.1 | 93.8 | 92.2 | 71.8 | 69.0 | 57.7 | 63.9 | **12,248.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 23.0 | 31.0 | **2,520.0** |
| H2O | 1964 | 343.2 | 391.9 | 400.9 | 368.5 | 330.8 | 232.9 | 199.2 | 150.9 | 129.6 | 77.7 | 170.4 | 343.4 | **18,072.1** |
| OIL | 1964 | 93.9 | 107.7 | 120.3 | 113.8 | 107.1 | 82.3 | 71.4 | 60.5 | 52.1 | 42.7 | 43.7 | 97.3 | **11,249.5** |
| DAY | 1963 | 16.0 | 4.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,161.0** |
| H2O | 1963 | 160.4 | 43.6 | 248.8 | 285.7 | 258.2 | 260.7 | 294.3 | 259.1 | 226.4 | 368.2 | 351.0 | 401.7 | **14,932.7** |
| OIL | 1963 | 37.0 | 10.5 | 76.1 | 74.5 | 71.7 | 95.0 | 97.9 | 85.5 | 91.1 | 108.9 | 99.5 | 109.6 | **10,256.7** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 14.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,837.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.5 | 1.3 | 151.3 | 210.8 | 196.5 | 189.3 | 336.7 | 289.2 | 288.1 | **11,774.6** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 1.1 | 1.3 | 71.8 | 97.9 | 96.5 | 90.7 | 81.0 | 79.9 | 84.4 | **9,299.4** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 19.0 | 24.0 | 29.0 | 30.0 | 31.0 | 30.0 | 5.0 | **1,582.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 33.9 | 31.8 | 74.7 | 8.4 | 8.9 | 8.4 | 4.9 | 0.0 | **10,110.9** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 29.4 | 10.3 | 25.1 | 9.4 | 8.3 | 7.2 | 6.8 | 0.2 | **8,694.8** |
| DAY | 1960 | 31.0 | 29.0 | 21.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 20.0 | **1,383.0** |
| H2O | 1960 | 87.6 | 67.9 | 49.4 | 66.3 | 66.3 | 39.3 | 25.0 | 24.8 | 30.4 | 22.6 | 40.4 | 18.4 | **9,939.9** |
| OIL | 1960 | 73.7 | 59.8 | 50.9 | 57.4 | 54.0 | 50.4 | 51.0 | 47.4 | 25.7 | 26.2 | 25.7 | 16.2 | **8,598.1** |
| DAY | 1959 | 21.0 | 0.0 | 0.0 | 26.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 28.0 | **1,038.0** |
| H2O | 1959 | 243.1 | 0.0 | 0.0 | 266.1 | 207.0 | 173.4 | 133.1 | 102.7 | 121.0 | 134.2 | 112.2 | 111.3 | **9,401.5** |
| OIL | 1959 | 149.9 | 0.0 | 0.0 | 172.1 | 170.8 | 136.3 | 126.8 | 110.3 | 92.0 | 92.6 | 83.3 | 76.9 | **8,059.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **752.0** |
| H2O | 1958 | 220.7 | 191.9 | 203.7 | 401.9 | 372.2 | 361.0 | 372.2 | 439.3 | 410.2 | 363.3 | 400.9 | 404.1 | **7,797.4** |
| OIL | 1958 | 245.4 | 222.8 | 237.6 | 299.2 | 296.7 | 279.2 | 302.2 | 294.5 | 257.8 | 270.5 | 246.0 | 244.4 | **6,848.7** |
| DAY | 1957 | 29.0 | 23.0 | 30.0 | 23.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **389.0** |
| H2O | 1957 | 317.0 | 244.0 | 321.1 | 320.2 | 246.4 | 241.0 | 300.9 | 326.2 | 268.8 | 238.9 | 211.1 | 207.5 | **3,656.0** |
| OIL | 1957 | 241.1 | 196.1 | 249.6 | 233.3 | 296.2 | 324.8 | 332.4 | 357.2 | 259.0 | 269.2 | 239.8 | 237.1 | **3,652.4** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 30.0 | **44.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 147.7 | 265.2 | **412.9** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 137.6 | 279.0 | **416.6** |

Licence ***1312*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,746.0** |
| H2O | 1975 | 71.1 | 68.4 | 76.3 | 74.1 | 76.6 | 70.4 | 73.4 | 72.5 | 84.9 | 86.2 | 91.4 | 93.0 | **18,385.6** |
| OIL | 1975 | 174.0 | 162.1 | 178.0 | 168.8 | 171.9 | 160.5 | 171.9 | 172.7 | 171.5 | 167.5 | 171.5 | 174.3 | **44,301.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,384.0** |
| H2O | 1974 | 126.4 | 117.0 | 131.0 | 127.5 | 132.0 | 132.6 | 124.0 | 71.9 | 70.7 | 74.2 | 74.1 | 74.1 | **17,447.3** |
| OIL | 1974 | 255.1 | 222.3 | 254.4 | 242.7 | 252.2 | 244.1 | 233.3 | 149.1 | 177.0 | 186.4 | 177.8 | 183.5 | **42,256.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,022.0** |
| H2O | 1973 | 151.7 | 145.6 | 135.0 | 134.7 | 136.4 | 131.2 | 131.6 | 142.0 | 139.3 | 132.3 | 130.5 | 126.5 | **16,191.8** |
| OIL | 1973 | 228.8 | 201.8 | 244.1 | 238.5 | 248.9 | 241.4 | 250.1 | 267.5 | 254.6 | 244.6 | 244.7 | 248.4 | **39,679.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1312*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,658.0** |
| H2O | 1972 | 188.1 | 183.1 | 36.2 | 135.0 | 149.1 | 138.8 | 153.9 | 136.7 | 136.6 | 153.4 | 162.0 | 160.7 | **14,555.0** |
| OIL | 1972 | 229.1 | 213.7 | 293.7 | 234.4 | 247.3 | 222.0 | 228.7 | 260.8 | 248.2 | 270.0 | 252.5 | 257.0 | **36,765.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 23.0 | 26.0 | 31.0 | **5,292.0** |
| H2O | 1971 | 96.8 | 87.9 | 109.2 | 109.7 | 46.7 | 46.6 | 104.3 | 100.6 | 90.0 | 32.7 | 35.0 | 195.5 | **12,821.4** |
| OIL | 1971 | 297.2 | 263.0 | 277.2 | 263.2 | 200.4 | 194.7 | 253.6 | 248.9 | 245.4 | 167.2 | 174.6 | 233.3 | **33,808.2** |
| DAY | 1970 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,939.0** |
| H2O | 1970 | 112.6 | 105.7 | 178.1 | 90.8 | 97.0 | 102.5 | 90.9 | 106.7 | 96.0 | 103.2 | 94.1 | 104.6 | **11,766.4** |
| OIL | 1970 | 311.5 | 281.0 | 265.1 | 263.5 | 282.2 | 281.7 | 280.8 | 287.6 | 265.1 | 284.1 | 272.3 | 285.9 | **30,989.5** |
| DAY | 1969 | 26.0 | 28.0 | 29.0 | 24.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | **4,578.0** |
| H2O | 1969 | 30.8 | 93.6 | 82.2 | 95.2 | 84.9 | 81.2 | 59.6 | 59.0 | 87.6 | 119.2 | 98.9 | 113.0 | **10,484.2** |
| OIL | 1969 | 158.3 | 285.7 | 295.1 | 222.3 | 302.1 | 296.5 | 201.8 | 197.7 | 298.1 | 321.3 | 285.7 | 312.1 | **27,628.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,229.0** |
| H2O | 1968 | 81.7 | 77.7 | 82.5 | 84.7 | 78.4 | 71.9 | 71.4 | 72.8 | 73.0 | 31.2 | 29.1 | 34.7 | **9,479.0** |
| OIL | 1968 | 303.5 | 278.4 | 298.1 | 296.0 | 263.0 | 258.4 | 238.5 | 266.2 | 257.0 | 199.7 | 193.9 | 186.1 | **24,452.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,866.0** |
| H2O | 1967 | 76.3 | 64.5 | 77.6 | 77.3 | 82.0 | 77.3 | 65.5 | 88.4 | 93.2 | 104.0 | 91.4 | 84.7 | **8,689.9** |
| OIL | 1967 | 296.5 | 269.9 | 302.9 | 277.2 | 302.4 | 290.0 | 294.5 | 294.9 | 288.4 | 315.2 | 307.3 | 303.0 | **21,413.2** |
| DAY | 1966 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,502.0** |
| H2O | 1966 | 40.7 | 40.5 | 51.5 | 42.0 | 44.4 | 40.1 | 85.1 | 73.9 | 80.4 | 83.5 | 76.6 | 82.0 | **7,707.7** |
| OIL | 1966 | 244.1 | 267.2 | 296.0 | 286.2 | 280.2 | 275.0 | 269.3 | 305.9 | 301.6 | 316.0 | 290.8 | 304.6 | **17,871.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,144.0** |
| H2O | 1965 | 7.9 | 7.0 | 39.1 | 34.2 | 0.0 | 56.1 | 55.6 | 4.6 | 65.2 | 64.9 | 66.1 | 50.9 | **6,967.0** |
| OIL | 1965 | 107.6 | 98.0 | 226.6 | 218.3 | 239.2 | 201.7 | 207.4 | 237.4 | 207.4 | 216.0 | 286.8 | 294.8 | **14,434.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,779.0** |
| H2O | 1964 | 62.3 | 56.1 | 62.6 | 59.1 | 41.8 | 40.2 | 38.5 | 41.7 | 39.9 | 0.0 | 0.0 | 7.9 | **6,515.4** |
| OIL | 1964 | 72.5 | 68.5 | 74.1 | 69.8 | 124.4 | 119.7 | 111.2 | 103.0 | 99.6 | 102.2 | 100.6 | 106.8 | **11,892.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 23.0 | 31.0 | 28.0 | 14.0 | **2,413.0** |
| H2O | 1963 | 25.0 | 25.1 | 36.2 | 37.0 | 27.2 | 25.8 | 16.1 | 13.7 | 8.9 | 34.3 | 56.3 | 27.5 | **6,065.3** |
| OIL | 1963 | 77.2 | 72.8 | 83.6 | 79.9 | 78.3 | 78.3 | 77.1 | 78.0 | 61.8 | 76.8 | 63.4 | 31.0 | **10,740.5** |
| DAY | 1962 | 28.0 | 22.0 | 17.0 | 28.0 | 28.0 | 26.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,075.0** |
| H2O | 1962 | 30.0 | 29.6 | 39.4 | 28.3 | 21.8 | 11.9 | 16.4 | 14.8 | 14.0 | 32.1 | 30.5 | 28.6 | **5,732.2** |
| OIL | 1962 | 74.1 | 63.9 | 52.6 | 80.1 | 85.8 | 99.2 | 95.2 | 80.4 | 74.1 | 83.4 | 83.0 | 85.2 | **9,882.3** |
| DAY | 1961 | 30.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | **1,744.0** |
| H2O | 1961 | 38.3 | 37.8 | 40.4 | 38.6 | 33.9 | 39.6 | 38.8 | 39.7 | 33.7 | 34.7 | 21.0 | 27.3 | **5,434.8** |
| OIL | 1961 | 118.7 | 103.5 | 114.1 | 109.3 | 105.7 | 103.8 | 106.2 | 104.2 | 98.4 | 101.1 | 89.5 | 90.9 | **8,925.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 27.0 | 25.0 | 29.0 | 30.0 | 27.0 | **1,389.0** |
| H2O | 1960 | 65.8 | 51.7 | 51.2 | 72.3 | 73.8 | 66.3 | 65.7 | 63.4 | 52.9 | 48.3 | 44.4 | 41.3 | **5,011.0** |
| OIL | 1960 | 147.3 | 134.3 | 140.5 | 133.2 | 135.1 | 122.2 | 126.2 | 110.3 | 101.1 | 122.5 | 120.1 | 101.5 | **7,679.9** |
| DAY | 1959 | 30.0 | 23.0 | 31.0 | 29.0 | 31.0 | 27.0 | 30.0 | 25.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,040.0** |
| H2O | 1959 | 162.2 | 141.0 | 170.9 | 169.5 | 186.6 | 316.7 | 152.8 | 88.4 | 74.9 | 72.0 | 48.5 | 66.8 | **4,313.9** |
| OIL | 1959 | 179.7 | 136.8 | 177.2 | 160.0 | 166.7 | 140.5 | 152.6 | 140.5 | 151.8 | 149.9 | 146.8 | 138.6 | **6,185.6** |
| DAY | 1958 | 31.0 | 28.0 | 18.0 | 27.0 | 30.0 | 30.0 | 29.0 | 28.0 | 21.0 | 28.0 | 30.0 | 31.0 | **694.0** |
| H2O | 1958 | 6.2 | 1.0 | 4.8 | 377.6 | 341.8 | 330.0 | 300.8 | 319.1 | 213.8 | 267.6 | 223.7 | 222.9 | **2,663.6** |
| OIL | 1958 | 150.0 | 54.3 | 20.8 | 97.9 | 137.9 | 158.3 | 164.3 | 202.9 | 164.9 | 188.5 | 188.1 | 190.2 | **4,344.5** |
| DAY | 1957 | 25.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 29.0 | 22.0 | 20.0 | **363.0** |
| H2O | 1957 | 4.0 | 3.2 | 1.3 | 9.9 | 4.3 | 1.1 | 2.4 | 2.5 | 7.3 | 7.5 | 4.1 | 4.3 | **54.3** |
| OIL | 1957 | 279.5 | 262.2 | 227.2 | 181.0 | 176.1 | 181.3 | 192.9 | 206.3 | 174.6 | 164.2 | 124.6 | 114.1 | **2,626.4** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 27.0 | **31.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 2.2 | **2.4** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 47.0 | 295.4 | **342.4** |

# Manitoba Production
## 1950 To 1975

Licence ***1313*** Well Name ***Humber Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-34-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 31.0 | 18.0 | 0.0 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **852.0** |
| H2O | 1960 | 134.7 | 59.1 | 0.0 | 19.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,300.1** |
| OIL | 1960 | 51.2 | 25.1 | 0.0 | 12.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,762.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 29.0 | 27.0 | 7.0 | 0.0 | 0.0 | 0.0 | 29.0 | **796.0** |
| H2O | 1959 | 53.1 | 49.8 | 53.3 | 50.1 | 46.4 | 45.2 | 37.0 | 10.5 | 0.0 | 0.0 | 0.0 | 192.4 | **3,086.6** |
| OIL | 1959 | 19.4 | 17.2 | 19.4 | 17.0 | 14.5 | 15.4 | 14.5 | 3.8 | 0.0 | 0.0 | 0.0 | 63.6 | **1,674.5** |
| DAY | 1958 | 30.0 | 14.0 | 0.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | **555.0** |
| H2O | 1958 | 240.4 | 110.2 | 0.0 | 199.2 | 190.6 | 127.2 | 93.6 | 73.5 | 53.1 | 60.9 | 80.6 | 52.9 | **2,548.8** |
| OIL | 1958 | 82.0 | 31.6 | 0.0 | 62.3 | 55.5 | 46.7 | 38.1 | 35.6 | 25.1 | 41.8 | 43.5 | 18.9 | **1,489.7** |
| DAY | 1957 | 0.0 | 19.0 | 0.0 | 0.0 | 18.0 | 27.0 | 31.0 | 31.0 | 29.0 | 29.0 | 25.0 | 29.0 | **242.0** |
| H2O | 1957 | 0.0 | 42.6 | 0.0 | 0.0 | 33.4 | 114.8 | 204.3 | 180.3 | 147.5 | 139.9 | 191.6 | 211.9 | **1,266.6** |
| OIL | 1957 | 0.0 | 148.1 | 0.0 | 0.0 | 72.6 | 131.4 | 132.4 | 140.8 | 92.2 | 86.1 | 84.1 | 81.8 | **1,008.6** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | **4.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | **0.3** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 39.1 | **39.1** |

Licence ***1314*** Well Name ***Enerplus South Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-36-009-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 24.0 | 25.0 | 16.0 | 23.0 | 24.0 | 23.0 | 5.0 | **1,369.0** |
| H2O | 1960 | 20.5 | 17.6 | 18.1 | 17.6 | 17.0 | 13.5 | 19.7 | 10.0 | 10.7 | 16.2 | 19.6 | 20.5 | **1,590.1** |
| OIL | 1960 | 18.4 | 15.6 | 15.4 | 15.7 | 15.1 | 12.9 | 9.5 | 4.6 | 5.2 | 8.3 | 18.3 | 9.4 | **1,923.9** |
| DAY | 1959 | 27.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,077.0** |
| H2O | 1959 | 15.4 | 15.9 | 22.3 | 22.3 | 25.0 | 21.1 | 21.1 | 15.6 | 17.3 | 18.8 | 21.0 | 18.3 | **1,389.1** |
| OIL | 1959 | 18.9 | 20.2 | 33.5 | 30.2 | 30.4 | 36.9 | 36.4 | 29.9 | 20.7 | 19.7 | 18.9 | 18.8 | **1,775.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **725.0** |
| H2O | 1958 | 1.6 | 1.6 | 33.4 | 7.3 | 122.4 | 115.6 | 28.1 | 18.6 | 16.9 | 16.7 | 18.3 | 19.1 | **1,155.0** |
| OIL | 1958 | 39.1 | 38.8 | 40.8 | 42.4 | 26.7 | 21.1 | 33.8 | 38.3 | 33.5 | 32.6 | 32.6 | 31.3 | **1,461.0** |
| DAY | 1957 | 30.0 | 23.0 | 31.0 | 29.0 | 30.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **360.0** |
| H2O | 1957 | 107.3 | 96.2 | 129.3 | 96.7 | 94.4 | 36.2 | 25.4 | 41.8 | 36.9 | 37.4 | 0.2 | 0.2 | **755.4** |
| OIL | 1957 | 235.5 | 178.1 | 85.0 | 51.3 | 50.4 | 56.1 | 67.1 | 54.5 | 40.4 | 60.4 | 55.5 | 57.7 | **1,050.0** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | **5.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 53.4 | **53.4** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 58.0 | **58.0** |

Licence ***1315*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-23-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1425.1 | 1433.2 | 1319.9 | 1363.9 | 1507.0 | 1462.3 | 1228.3 | 1330.5 | 1655.1 | 1638.8 | 1597.6 | 1282.5 | **185,582.6** |
| WIN | 1974 | 810.2 | 788.2 | 844.2 | 746.6 | 669.5 | 730.8 | 752.8 | 1329.1 | 1453.9 | 1549.4 | 1496.3 | 1471.0 | **168,338.4** |
| WIN | 1973 | 1089.0 | 1275.5 | 1221.0 | 1438.1 | 1540.7 | 1365.8 | 1402.0 | 1387.6 | 1437.8 | 1054.0 | 767.2 | 812.4 | **155,696.4** |
| WIN | 1972 | 1648.3 | 1728.6 | 1837.2 | 1594.7 | 1642.7 | 1794.2 | 1817.0 | 1732.4 | 1541.3 | 1785.7 | 1614.6 | 1082.8 | **140,905.3** |
| WIN | 1971 | 924.5 | 1083.9 | 1060.7 | 1342.0 | 1448.1 | 1255.9 | 444.0 | 814.0 | 397.4 | 1017.5 | 511.3 | 1015.6 | **121,085.8** |
| WIN | 1970 | 1481.1 | 1327.8 | 1408.7 | 1369.8 | 1259.6 | 1304.4 | 1112.9 | 1195.7 | 1186.5 | 1207.3 | 1011.4 | 1211.0 | **109,770.9** |
| WIN | 1969 | 1435.0 | 1269.0 | 1374.1 | 996.3 | 1172.3 | 967.9 | 1220.8 | 1418.6 | 1271.5 | 1294.6 | 1255.5 | 1367.5 | **94,694.7** |
| WIN | 1968 | 1644.6 | 1430.0 | 1444.0 | 1244.8 | 1471.8 | 1301.7 | 1453.4 | 1371.2 | 1324.0 | 856.3 | 1391.4 | 1101.7 | **79,651.6** |
| WIN | 1967 | 1508.2 | 1013.8 | 1732.4 | 1924.1 | 1910.8 | 1850.7 | 1806.0 | 1760.2 | 1699.5 | 1768.0 | 1578.7 | 1603.9 | **63,616.7** |
| WIN | 1966 | 1401.7 | 1153.6 | 1253.2 | 980.1 | 1150.1 | 1033.1 | 833.7 | 979.3 | 1104.1 | 1383.0 | 2068.8 | 1414.6 | **43,460.4** |
| WIN | 1965 | 1118.9 | 888.9 | 1092.7 | 1111.6 | 1086.2 | 1140.7 | 993.6 | 1170.4 | 967.7 | 1390.1 | 1378.8 | 1259.9 | **28,705.1** |
| WIN | 1964 | 1049.0 | 1275.8 | 1605.5 | 1698.1 | 1276.1 | 2113.0 | 1193.9 | 978.2 | 862.3 | 912.7 | 949.0 | 1018.4 | **15,105.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 2.0 | **2,391.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1315*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-23-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1963 | 39.3 | 34.9 | 42.0 | 39.6 | 38.0 | 39.4 | 43.6 | 36.9 | 56.6 | 70.3 | 51.5 | 3.5 | **8,674.6** |
| OIL | 1963 | 18.3 | 16.4 | 19.0 | 18.3 | 18.9 | 18.0 | 19.1 | 19.4 | 19.5 | 19.9 | 21.6 | 1.6 | **4,483.0** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 173.6 | **173.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,058.0** |
| H2O | 1962 | 52.9 | 50.9 | 56.0 | 81.1 | 50.1 | 88.1 | 44.2 | 42.9 | 50.2 | 45.0 | 36.7 | 37.2 | **8,179.0** |
| OIL | 1962 | 30.2 | 25.7 | 28.9 | 33.7 | 33.8 | 26.9 | 43.7 | 22.4 | 17.5 | 18.1 | 17.8 | 19.4 | **4,273.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,695.0** |
| H2O | 1961 | 86.8 | 72.7 | 96.5 | 94.6 | 79.3 | 84.9 | 71.2 | 35.8 | 93.5 | 62.6 | 56.4 | 58.5 | **7,543.7** |
| OIL | 1961 | 45.6 | 38.8 | 50.4 | 36.4 | 35.1 | 49.6 | 32.7 | 31.5 | 37.2 | 30.4 | 28.9 | 31.3 | **3,954.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,331.0** |
| H2O | 1960 | 136.7 | 114.8 | 111.3 | 124.5 | 108.6 | 118.1 | 107.0 | 98.2 | 88.1 | 97.5 | 94.3 | 85.2 | **6,650.9** |
| OIL | 1960 | 71.4 | 60.4 | 58.8 | 64.4 | 47.5 | 53.2 | 47.5 | 47.7 | 41.2 | 47.5 | 40.7 | 42.6 | **3,507.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 4.0 | 4.0 | 0.0 | 8.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **965.0** |
| H2O | 1959 | 16.9 | 16.1 | 1.3 | 1.3 | 0.0 | 0.0 | 42.8 | 197.6 | 208.1 | 207.6 | 209.1 | 185.8 | **5,366.6** |
| OIL | 1959 | 12.1 | 11.1 | 2.2 | 2.1 | 0.2 | 0.0 | 24.9 | 117.1 | 110.3 | 116.0 | 115.4 | 81.8 | **2,884.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **708.0** |
| H2O | 1958 | 89.0 | 81.6 | 40.4 | 58.3 | 25.3 | 17.8 | 19.4 | 17.3 | 16.1 | 20.7 | 14.6 | 15.3 | **4,280.0** |
| OIL | 1958 | 51.5 | 48.9 | 49.7 | 27.2 | 26.5 | 18.1 | 20.2 | 20.2 | 13.3 | 12.6 | 12.1 | 12.6 | **2,290.9** |
| DAY | 1957 | 29.0 | 28.0 | 31.0 | 10.0 | 15.0 | 30.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 13.0 | **344.0** |
| H2O | 1957 | 312.4 | 347.1 | 325.6 | 98.2 | 169.2 | 316.7 | 397.8 | 474.7 | 446.1 | 368.7 | 239.1 | 164.9 | **3,864.2** |
| OIL | 1957 | 152.1 | 175.1 | 179.7 | 60.2 | 89.5 | 181.6 | 184.0 | 243.1 | 230.1 | 212.0 | 111.9 | 97.6 | **1,978.0** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 29.0 | **40.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 50.1 | 153.6 | **203.7** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.1 | 42.0 | **61.1** |

Licence ***1316*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-10-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 31.0 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,767.0** |
| H2O | 1966 | 944.7 | 132.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **62,983.1** |
| OIL | 1966 | 6.8 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,819.8** |
| DAY | 1965 | 21.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 31.0 | **2,732.0** |
| H2O | 1965 | 837.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 842.9 | 1035.0 | **61,905.9** |
| OIL | 1965 | 6.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.2 | 9.2 | **6,811.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 28.0 | 26.0 | 23.0 | 0.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,654.0** |
| H2O | 1964 | 737.3 | 1543.0 | 713.3 | 596.6 | 574.5 | 1150.4 | 0.0 | 1176.8 | 1205.9 | 1236.5 | 1197.1 | 1237.0 | **59,190.9** |
| OIL | 1964 | 17.6 | 59.0 | 16.2 | 12.7 | 11.9 | 36.2 | 0.0 | 16.5 | 10.3 | 9.9 | 9.1 | 9.9 | **6,786.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 24.0 | 29.0 | 28.0 | 30.0 | 21.0 | 28.0 | 30.0 | 31.0 | **2,340.0** |
| H2O | 1963 | 852.9 | 736.3 | 752.9 | 676.2 | 523.5 | 613.3 | 677.0 | 623.8 | 464.9 | 654.5 | 646.7 | 691.0 | **47,822.5** |
| OIL | 1963 | 26.2 | 22.6 | 21.0 | 17.0 | 14.5 | 16.4 | 15.3 | 13.7 | 13.5 | 19.5 | 17.8 | 18.0 | **6,577.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 26.0 | 20.0 | 11.0 | 14.0 | 30.0 | 29.0 | 29.0 | 22.0 | 15.0 | **1,999.0** |
| H2O | 1962 | 111.3 | 1071.0 | 1500.1 | 1228.0 | 839.5 | 374.7 | 865.0 | 1010.3 | 923.8 | 901.7 | 647.9 | 417.5 | **39,909.5** |
| OIL | 1962 | 7.0 | 36.7 | 37.7 | 31.9 | 28.3 | 11.9 | 21.1 | 33.5 | 30.0 | 28.9 | 17.6 | 13.5 | **6,362.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 15.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 26.0 | **1,713.0** |
| H2O | 1961 | 1146.6 | 981.6 | 1104.4 | 1025.1 | 521.4 | 1123.7 | 1443.2 | 1641.7 | 1578.0 | 1564.5 | 1543.8 | 1352.8 | **30,018.7** |
| OIL | 1961 | 62.8 | 38.6 | 46.6 | 43.9 | 24.6 | 47.5 | 39.7 | 61.3 | 47.7 | 51.0 | 51.5 | 50.9 | **6,063.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 22.0 | 16.0 | 23.0 | 27.0 | 27.0 | 26.0 | 31.0 | 29.0 | 31.0 | **1,372.0** |
| H2O | 1960 | 214.3 | 145.1 | 168.2 | 69.5 | 154.8 | 235.4 | 959.4 | 1008.7 | 1033.5 | 1131.1 | 1047.8 | 1156.9 | **14,991.9** |
| OIL | 1960 | 34.2 | 27.0 | 40.0 | 26.4 | 28.8 | 65.9 | 67.7 | 69.4 | 55.1 | 46.2 | 39.4 | 50.2 | **5,497.8** |
| DAY | 1959 | 31.0 | 21.0 | 30.0 | 26.0 | 30.0 | 28.0 | 18.0 | 27.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,049.0** |
| H2O | 1959 | 406.4 | 262.3 | 340.4 | 321.0 | 399.4 | 158.0 | 192.7 | 299.8 | 318.8 | 315.9 | 230.4 | 202.7 | **7,667.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1316*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-10-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1959 | 132.4 | 50.9 | 107.7 | 87.6 | 112.0 | 42.6 | 36.9 | 59.0 | 59.1 | 56.9 | 52.3 | 41.3 | **4,947.5** |
| DAY | 1958 | 31.0 | 28.0 | 29.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | **719.0** |
| H2O | 1958 | 325.1 | 259.5 | 249.8 | 296.0 | 301.1 | 308.9 | 149.6 | 231.3 | 216.1 | 175.5 | 85.7 | 212.4 | **4,219.4** |
| OIL | 1958 | 130.3 | 86.9 | 51.5 | 48.3 | 65.3 | 72.5 | 192.3 | 69.9 | 123.0 | 129.7 | 73.3 | 93.4 | **4,108.8** |
| DAY | 1957 | 20.0 | 23.0 | 31.0 | 28.0 | 29.0 | 28.0 | 30.0 | 27.0 | 25.0 | 30.0 | 30.0 | 29.0 | **361.0** |
| H2O | 1957 | 12.4 | 11.9 | 35.5 | 35.8 | 63.1 | 101.9 | 80.9 | 128.8 | 134.8 | 204.1 | 329.7 | 267.6 | **1,408.4** |
| OIL | 1957 | 168.4 | 250.0 | 292.9 | 257.0 | 284.3 | 256.0 | 231.8 | 242.8 | 227.6 | 182.7 | 122.5 | 116.8 | **2,972.4** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 18.0 | **31.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.9 | **1.9** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 139.2 | 200.4 | **339.6** |

Licence ***1317*** Well Name ***Enerplus South Virden CPR*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-01-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 0.0 | 9.0 | 27.0 | 31.0 | 29.0 | 31.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | **158.0** |
| H2O | 1957 | 0.0 | 0.0 | 132.3 | 187.9 | 160.7 | 89.7 | 72.5 | 104.3 | 0.0 | 0.0 | 0.0 | 0.0 | **747.4** |
| OIL | 1957 | 0.0 | 0.0 | 12.7 | 15.1 | 23.0 | 22.1 | 4.3 | 5.6 | 0.0 | 0.0 | 0.0 | 0.0 | **82.8** |

Licence ***1319*** Well Name ***Daly Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-14-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 20.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,656.0** |
| OIL | 1975 | 16.7 | 14.1 | 16.5 | 15.9 | 10.6 | 24.5 | 24.6 | 25.1 | 23.5 | 23.4 | 22.9 | 25.1 | **5,658.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 5.0 | 30.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,303.0** |
| OIL | 1974 | 23.2 | 20.8 | 24.2 | 23.4 | 3.5 | 21.8 | 17.0 | 24.6 | 23.4 | 15.9 | 14.9 | 17.5 | **5,415.3** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 15.0 | 17.0 | 29.0 | 31.0 | **5,971.0** |
| OIL | 1973 | 23.4 | 21.0 | 22.9 | 24.0 | 20.8 | 22.7 | 23.4 | 23.2 | 10.3 | 10.3 | 22.7 | 23.8 | **5,185.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,636.0** |
| OIL | 1972 | 19.7 | 18.8 | 19.1 | 18.4 | 19.4 | 21.9 | 22.7 | 20.8 | 22.7 | 22.4 | 22.1 | 21.8 | **4,936.6** |
| DAY | 1971 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,270.0** |
| OIL | 1971 | 19.2 | 18.9 | 19.7 | 19.4 | 18.8 | 19.7 | 21.0 | 20.2 | 20.2 | 19.7 | 19.5 | 20.3 | **4,686.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,907.0** |
| OIL | 1970 | 24.6 | 23.2 | 24.9 | 19.9 | 23.0 | 21.0 | 18.8 | 19.2 | 20.0 | 20.2 | 19.9 | 20.3 | **4,450.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,542.0** |
| OIL | 1969 | 19.4 | 17.3 | 20.0 | 15.6 | 20.0 | 19.5 | 20.2 | 20.8 | 20.0 | 20.5 | 24.0 | 24.8 | **4,195.2** |
| DAY | 1968 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,179.0** |
| OIL | 1968 | 17.8 | 18.8 | 19.2 | 18.4 | 18.9 | 19.7 | 20.7 | 20.7 | 19.9 | 20.2 | 18.9 | 19.5 | **3,953.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,816.0** |
| OIL | 1967 | 21.6 | 19.9 | 22.6 | 18.1 | 21.0 | 23.2 | 23.7 | 25.1 | 22.6 | 21.6 | 22.2 | 19.5 | **3,720.4** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,453.0** |
| OIL | 1966 | 16.5 | 15.6 | 15.9 | 19.4 | 16.8 | 16.0 | 18.0 | 17.8 | 17.0 | 22.1 | 21.6 | 23.5 | **3,459.3** |
| DAY | 1965 | 5.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,089.0** |
| OIL | 1965 | 4.3 | 29.6 | 33.8 | 32.1 | 21.5 | 20.0 | 20.7 | 16.2 | 20.7 | 21.1 | 17.6 | 17.5 | **3,239.1** |
| DAY | 1964 | 31.0 | 9.0 | 0.0 | 0.0 | 3.0 | 28.0 | 29.0 | 15.0 | 28.0 | 10.0 | 30.0 | 31.0 | **2,753.0** |
| H2O | 1964 | 1.4 | 0.5 | 0.0 | 0.0 | 0.3 | 1.3 | 1.3 | 0.5 | 1.3 | 0.5 | 1.4 | 0.0 | **115.7** |
| OIL | 1964 | 17.8 | 4.9 | 0.0 | 0.0 | 1.7 | 16.0 | 17.2 | 8.6 | 38.9 | 14.0 | 42.0 | 32.9 | **2,984.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,539.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.7 | 1.3 | 1.4 | **107.2** |
| OIL | 1963 | 17.0 | 15.9 | 17.6 | 17.3 | 15.7 | 16.0 | 18.3 | 18.3 | 17.8 | 18.4 | 18.1 | 18.8 | **2,790.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,175.0** |
| H2O | 1962 | 1.6 | 1.4 | 1.4 | 1.7 | 1.4 | 1.6 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **102.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1319*** Well Name ***Daly Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-14-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 12.1 | 10.6 | 11.9 | 10.6 | 11.6 | 11.4 | 12.1 | 15.9 | 14.5 | 15.6 | 17.5 | 17.6 | **2,580.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,810.0** |
| H2O | 1961 | 3.3 | 2.9 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 3.0 | 3.2 | **91.6** |
| OIL | 1961 | 34.0 | 31.9 | 34.3 | 22.9 | 23.5 | 23.7 | 22.7 | 22.2 | 21.9 | 22.2 | 22.1 | 22.6 | **2,419.4** |
| DAY | 1960 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 12.0 | 6.0 | 29.0 | **1,445.0** |
| H2O | 1960 | 2.9 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.3 | **72.5** |
| OIL | 1960 | 29.4 | 17.0 | 18.3 | 19.9 | 19.5 | 19.5 | 17.6 | 18.0 | 17.5 | 6.5 | 3.3 | 30.4 | **2,115.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,127.0** |
| H2O | 1959 | 0.0 | 0.0 | 5.9 | 2.7 | 3.5 | 3.0 | 2.7 | 2.7 | 2.2 | 2.2 | 2.4 | 2.9 | **63.3** |
| OIL | 1959 | 41.0 | 36.9 | 30.7 | 31.0 | 31.8 | 28.4 | 31.3 | 31.8 | 29.1 | 31.6 | 31.1 | 29.2 | **1,898.5** |
| DAY | 1958 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **764.0** |
| H2O | 1958 | 2.7 | 2.5 | 3.3 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **33.1** |
| OIL | 1958 | 37.3 | 37.3 | 39.6 | 39.3 | 40.2 | 39.4 | 40.5 | 41.2 | 41.3 | 41.3 | 40.0 | 40.5 | **1,514.6** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **402.0** |
| H2O | 1957 | 2.5 | 1.1 | 1.9 | 5.6 | 4.8 | 0.2 | 0.2 | 4.0 | 0.2 | 0.3 | 0.2 | 0.2 | **22.2** |
| OIL | 1957 | 83.0 | 74.8 | 81.7 | 61.8 | 62.5 | 47.7 | 56.7 | 43.7 | 84.9 | 96.6 | 53.7 | 53.7 | **1,036.7** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 31.0 | **37.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.8 | **1.0** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 62.1 | 173.8 | **235.9** |

Licence ***1321*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-01-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 13.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,530.0** |
| H2O | 1975 | 333.7 | 296.2 | 320.2 | 321.0 | 329.1 | 303.7 | 215.3 | 537.5 | 558.5 | 583.0 | 555.6 | 594.3 | **52,286.5** |
| OIL | 1975 | 82.0 | 73.3 | 82.0 | 78.2 | 82.8 | 80.4 | 33.8 | 87.1 | 83.6 | 85.2 | 81.4 | 78.2 | **21,709.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **6,183.0** |
| H2O | 1974 | 475.7 | 445.5 | 510.5 | 505.7 | 527.7 | 589.7 | 575.0 | 553.1 | 526.9 | 320.8 | 317.2 | 329.1 | **47,338.4** |
| OIL | 1974 | 102.5 | 95.0 | 104.6 | 100.0 | 105.7 | 56.1 | 57.8 | 54.0 | 54.7 | 83.3 | 80.9 | 82.2 | **20,781.1** |
| DAY | 1973 | 30.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,821.0** |
| H2O | 1973 | 495.7 | 441.2 | 500.5 | 522.1 | 422.9 | 376.8 | 483.5 | 488.4 | 456.6 | 459.8 | 447.2 | 503.2 | **41,661.5** |
| OIL | 1973 | 158.4 | 141.9 | 154.0 | 148.7 | 105.7 | 101.1 | 116.3 | 101.7 | 118.9 | 125.9 | 130.9 | 105.0 | **19,804.3** |
| DAY | 1972 | 30.0 | 29.0 | 28.0 | 30.0 | 30.0 | 29.0 | 30.0 | 29.0 | 30.0 | 29.0 | 29.0 | 31.0 | **5,459.0** |
| H2O | 1972 | 574.0 | 430.5 | 434.7 | 410.2 | 427.5 | 409.2 | 412.2 | 538.2 | 540.0 | 539.2 | 455.3 | 485.2 | **36,063.6** |
| OIL | 1972 | 135.1 | 126.0 | 125.9 | 110.0 | 102.7 | 98.5 | 105.2 | 100.0 | 101.7 | 96.0 | 149.7 | 162.1 | **18,295.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 20.0 | 17.0 | 29.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,105.0** |
| H2O | 1971 | 331.8 | 315.9 | 320.8 | 361.5 | 309.2 | 465.3 | 468.5 | 424.3 | 486.0 | 493.2 | 611.5 | 602.9 | **30,407.4** |
| OIL | 1971 | 144.4 | 129.0 | 122.7 | 127.4 | 101.4 | 159.1 | 164.3 | 138.9 | 145.7 | 135.7 | 140.3 | 164.6 | **16,882.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 29.0 | 29.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,769.0** |
| H2O | 1970 | 530.9 | 472.3 | 436.9 | 409.7 | 367.2 | 405.9 | 380.3 | 403.7 | 352.5 | 340.0 | 353.6 | 312.6 | **25,216.5** |
| OIL | 1970 | 210.7 | 187.7 | 181.6 | 158.4 | 147.3 | 161.5 | 157.2 | 160.5 | 161.8 | 140.2 | 145.7 | 140.0 | **15,209.4** |
| DAY | 1969 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | 31.0 | 16.0 | 27.0 | 29.0 | 31.0 | **4,409.0** |
| H2O | 1969 | 293.3 | 290.3 | 306.7 | 148.2 | 283.0 | 276.3 | 204.3 | 86.3 | 46.4 | 453.1 | 497.9 | 506.5 | **20,450.9** |
| OIL | 1969 | 123.2 | 108.5 | 121.1 | 70.7 | 104.2 | 114.9 | 84.2 | 48.3 | 23.7 | 203.1 | 222.8 | 240.4 | **13,256.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 17.0 | 30.0 | 31.0 | **4,071.0** |
| H2O | 1968 | 21.6 | 21.0 | 23.1 | 9.1 | 9.2 | 8.6 | 9.5 | 9.2 | 7.5 | 5.1 | 296.3 | 279.5 | **17,058.6** |
| OIL | 1968 | 18.8 | 18.1 | 18.6 | 11.3 | 11.0 | 14.5 | 14.3 | 14.1 | 12.2 | 7.9 | 121.6 | 132.7 | **11,791.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,721.0** |
| H2O | 1967 | 112.6 | 113.7 | 133.4 | 133.2 | 128.1 | 108.1 | 126.5 | 113.7 | 118.9 | 121.5 | 21.0 | 22.3 | **16,358.9** |
| OIL | 1967 | 64.7 | 59.0 | 65.9 | 61.8 | 63.9 | 59.4 | 72.8 | 72.0 | 73.9 | 76.4 | 17.5 | 18.4 | **11,396.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,359.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1321*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-01-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1966 | 104.8 | 78.4 | 84.9 | 72.5 | 75.7 | 59.8 | 71.9 | 72.8 | 74.6 | 69.8 | 70.9 | 104.9 | **15,105.9** |
| OIL | 1966 | 65.6 | 54.0 | 55.5 | 46.2 | 50.4 | 45.3 | 48.1 | 44.8 | 48.1 | 44.2 | 42.7 | 60.9 | **10,690.9** |
| DAY | 1965 | 0.0 | 0.0 | 7.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **2,997.0** |
| H2O | 1965 | 0.0 | 0.0 | 34.2 | 127.5 | 109.5 | 100.5 | 92.0 | 82.5 | 52.5 | 58.2 | 121.8 | 100.5 | **14,164.9** |
| OIL | 1965 | 0.0 | 0.0 | 12.2 | 26.2 | 21.6 | 19.5 | 16.7 | 15.9 | 16.0 | 15.1 | 68.8 | 67.1 | **10,085.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **2,718.0** |
| H2O | 1964 | 76.6 | 65.9 | 72.6 | 73.3 | 65.9 | 87.2 | 38.1 | 67.2 | 44.3 | 33.2 | 0.0 | 0.0 | **13,285.7** |
| OIL | 1964 | 36.2 | 31.1 | 32.1 | 30.5 | 28.6 | 25.1 | 30.2 | 10.8 | 5.7 | 7.5 | 0.0 | 0.0 | **9,806.0** |
| DAY | 1963 | 18.0 | 0.0 | 0.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,413.0** |
| H2O | 1963 | 39.7 | 0.0 | 0.0 | 139.6 | 150.6 | 133.4 | 97.4 | 101.7 | 82.6 | 85.5 | 89.8 | 84.7 | **12,661.4** |
| OIL | 1963 | 33.7 | 0.0 | 0.0 | 80.1 | 77.2 | 63.4 | 53.4 | 55.1 | 41.8 | 42.6 | 38.1 | 38.3 | **9,568.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 26.0 | 25.0 | 30.0 | 30.0 | 29.0 | 31.0 | **2,126.0** |
| H2O | 1962 | 158.9 | 82.5 | 204.6 | 251.5 | 254.4 | 233.9 | 103.1 | 125.0 | 155.2 | 135.7 | 123.1 | 104.6 | **11,656.4** |
| OIL | 1962 | 86.4 | 76.3 | 92.3 | 102.5 | 76.9 | 79.0 | 79.8 | 83.3 | 85.0 | 85.2 | 66.7 | 71.2 | **9,044.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 19.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,776.0** |
| H2O | 1961 | 155.0 | 194.9 | 197.8 | 223.8 | 185.4 | 150.7 | 107.4 | 108.2 | 201.9 | 202.1 | 237.4 | 191.7 | **9,723.9** |
| OIL | 1961 | 164.9 | 164.8 | 161.0 | 145.2 | 136.3 | 88.2 | 88.0 | 66.6 | 103.1 | 108.1 | 110.8 | 92.2 | **8,059.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,423.0** |
| H2O | 1960 | 281.8 | 270.4 | 280.3 | 265.5 | 254.8 | 214.9 | 227.8 | 194.9 | 166.2 | 170.0 | 169.7 | 168.7 | **7,567.6** |
| OIL | 1960 | 211.7 | 194.7 | 204.2 | 186.7 | 188.5 | 186.7 | 201.8 | 187.8 | 176.9 | 180.8 | 169.1 | 168.8 | **6,630.7** |
| DAY | 1959 | 31.0 | 28.0 | 27.0 | 16.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,058.0** |
| H2O | 1959 | 287.9 | 241.5 | 213.4 | 131.2 | 271.0 | 252.9 | 246.3 | 286.6 | 316.8 | 311.9 | 291.4 | 301.6 | **4,902.6** |
| OIL | 1959 | 186.9 | 167.7 | 149.5 | 79.6 | 177.7 | 246.0 | 240.4 | 287.8 | 239.5 | 226.6 | 213.7 | 225.3 | **4,373.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **715.0** |
| H2O | 1958 | 0.2 | 0.2 | 0.2 | 11.3 | 0.0 | 8.6 | 0.0 | 243.9 | 335.6 | 347.5 | 321.6 | 315.3 | **1,750.1** |
| OIL | 1958 | 27.7 | 26.2 | 29.1 | 4.4 | 20.8 | 9.1 | 19.1 | 130.9 | 162.2 | 177.7 | 200.1 | 190.1 | **1,932.3** |
| DAY | 1957 | 25.0 | 23.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **354.0** |
| H2O | 1957 | 15.7 | 32.1 | 21.5 | 25.1 | 14.9 | 15.6 | 26.0 | 0.2 | 13.2 | 0.2 | 0.2 | 0.2 | **165.7** |
| OIL | 1957 | 227.7 | 124.1 | 120.0 | 77.7 | 75.5 | 50.9 | 52.8 | 54.8 | 42.6 | 35.0 | 30.7 | 29.4 | **934.9** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | **1.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | **0.8** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.7 | **13.7** |

Licence ***1322*** Well Name ***Virden Roselea Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.08-10-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1589.8 | 1049.3 | 453.4 | 309.1 | 417.3 | 413.3 | 286.2 | 95.4 | 270.3 | 318.0 | 256.0 | 1149.4 | **132,618.5** |
| WIN | 1974 | 379.6 | 604.9 | 373.1 | 296.2 | 211.8 | 371.1 | 497.6 | 577.1 | 1631.0 | 3511.2 | 2428.4 | 1244.7 | **126,011.0** |
| WIN | 1973 | 311.3 | 265.7 | 276.3 | 995.9 | 1887.9 | 1666.4 | 3507.1 | 3089.0 | 3150.7 | 2926.3 | 3475.6 | 4163.2 | **113,884.3** |
| WIN | 1972 | 278.7 | 195.7 | 195.4 | 404.1 | 352.3 | 345.3 | 542.0 | 427.7 | 327.3 | 376.6 | 144.0 | 168.4 | **88,168.9** |
| WIN | 1971 | 212.4 | 939.4 | 666.0 | 1559.8 | 1762.3 | 2980.1 | 2104.9 | 430.7 | 304.0 | 431.9 | 404.0 | 348.3 | **84,411.4** |
| WIN | 1970 | 1702.4 | 996.2 | 1143.7 | 1021.4 | 1325.3 | 1995.5 | 2498.4 | 3370.1 | 1960.1 | 997.9 | 1200.8 | 331.0 | **72,267.6** |
| WIN | 1969 | 2565.0 | 2308.2 | 2516.2 | 2230.3 | 2259.7 | 1338.8 | 1750.1 | 2564.3 | 3523.2 | 1994.6 | 2200.0 | 5437.6 | **53,724.8** |
| WIN | 1968 | 719.1 | 245.5 | 522.7 | 1511.9 | 1656.3 | 1208.4 | 2714.6 | 2955.9 | 2134.3 | 2201.6 | 2444.0 | 3710.8 | **23,036.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 22.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,728.0** |
| H2O | 1967 | 894.5 | 904.4 | 1062.0 | 1060.2 | 723.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **96,421.8** |
| OIL | 1967 | 42.5 | 38.8 | 43.2 | 40.5 | 29.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **10,736.0** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 339.6 | 435.9 | 0.0 | 0.0 | 0.0 | 236.2 | **1,011.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,586.0** |
| H2O | 1966 | 1219.9 | 1055.2 | 1186.6 | 1021.4 | 1060.2 | 1039.7 | 989.5 | 1030.5 | 1019.7 | 916.0 | 1072.2 | 841.3 | **91,777.0** |
| OIL | 1966 | 44.0 | 39.9 | 45.6 | 45.0 | 47.7 | 46.9 | 47.5 | 47.0 | 46.2 | 45.0 | 41.2 | 40.2 | **10,541.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1322*** Well Name ***Virden Roselea Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.08-10-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,223.0** |
| H2O | 1965 | 744.0 | 685.2 | 753.4 | 908.7 | 627.0 | 1157.1 | 1247.2 | 1184.1 | 1174.5 | 1118.1 | 1152.0 | 1163.1 | **79,324.8** |
| OIL | 1965 | 28.6 | 26.2 | 28.0 | 33.2 | 34.0 | 46.1 | 49.6 | 46.1 | 52.1 | 44.3 | 46.9 | 43.9 | **10,005.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,858.0** |
| H2O | 1964 | 793.2 | 849.7 | 869.3 | 812.9 | 835.8 | 905.4 | 819.7 | 709.7 | 629.6 | 617.2 | 592.8 | 731.5 | **67,410.4** |
| OIL | 1964 | 35.8 | 33.5 | 33.7 | 32.9 | 35.6 | 40.7 | 36.7 | 36.9 | 34.0 | 27.7 | 26.4 | 27.7 | **9,526.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,493.0** |
| H2O | 1963 | 1012.7 | 934.0 | 933.4 | 923.7 | 1094.6 | 1076.1 | 1003.2 | 807.6 | 711.4 | 726.2 | 655.8 | 556.0 | **58,243.6** |
| OIL | 1963 | 67.7 | 66.9 | 71.7 | 68.5 | 79.3 | 81.4 | 57.0 | 47.2 | 35.0 | 35.9 | 31.5 | 34.8 | **9,124.5** |
| DAY | 1962 | 29.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 30.0 | 29.0 | 29.0 | 24.0 | 28.0 | 31.0 | **2,129.0** |
| H2O | 1962 | 688.1 | 884.4 | 1000.8 | 946.2 | 847.5 | 1045.9 | 1074.1 | 959.4 | 981.4 | 864.9 | 898.7 | 1048.2 | **47,808.9** |
| OIL | 1962 | 63.7 | 64.5 | 69.8 | 67.4 | 56.7 | 78.3 | 77.7 | 65.2 | 68.6 | 56.4 | 61.8 | 64.2 | **8,447.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 22.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **1,783.0** |
| H2O | 1961 | 732.7 | 691.2 | 758.8 | 817.2 | 619.2 | 848.3 | 853.7 | 827.3 | 887.7 | 873.1 | 718.9 | 685.4 | **36,569.3** |
| OIL | 1961 | 81.5 | 72.9 | 79.3 | 81.7 | 56.4 | 68.5 | 77.1 | 73.1 | 74.1 | 72.3 | 69.8 | 67.5 | **7,653.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,429.0** |
| H2O | 1960 | 1012.5 | 914.9 | 821.8 | 943.1 | 973.4 | 919.2 | 748.2 | 680.4 | 693.9 | 721.9 | 742.4 | 789.7 | **27,255.8** |
| OIL | 1960 | 138.3 | 124.1 | 129.2 | 132.2 | 128.2 | 121.7 | 83.9 | 83.7 | 77.1 | 71.0 | 74.7 | 81.7 | **6,779.1** |
| DAY | 1959 | 29.0 | 27.0 | 31.0 | 30.0 | 29.0 | 15.0 | 31.0 | 27.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,065.0** |
| H2O | 1959 | 499.5 | 453.3 | 514.5 | 508.7 | 533.7 | 256.6 | 589.2 | 553.6 | 945.3 | 977.4 | 916.4 | 996.5 | **17,294.4** |
| OIL | 1959 | 110.9 | 104.6 | 123.2 | 117.6 | 115.7 | 57.7 | 122.4 | 106.6 | 142.7 | 152.7 | 128.7 | 142.4 | **5,533.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **725.0** |
| H2O | 1958 | 588.2 | 547.4 | 673.6 | 540.7 | 567.4 | 525.3 | 501.3 | 489.7 | 456.9 | 495.4 | 421.9 | 527.5 | **9,549.7** |
| OIL | 1958 | 230.7 | 201.0 | 221.2 | 177.3 | 177.8 | 160.3 | 137.6 | 115.8 | 114.7 | 125.9 | 118.7 | 123.9 | **4,108.1** |
| DAY | 1957 | 31.0 | 26.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **362.0** |
| H2O | 1957 | 249.1 | 203.5 | 181.4 | 106.2 | 153.7 | 422.6 | 377.7 | 280.9 | 102.2 | 420.2 | 214.1 | 474.7 | **3,214.4** |
| OIL | 1957 | 172.6 | 143.8 | 196.3 | 184.3 | 209.3 | 311.8 | 213.9 | 160.7 | 69.1 | 195.1 | 84.4 | 244.4 | **2,203.2** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | **4.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.1 | **28.1** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.5 | **17.5** |

Licence ***1323*** Well Name ***Enerplus South Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-02-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 6.0 | 19.0 | 18.0 | 31.0 | 28.0 | 29.0 | 25.0 | 28.0 | 29.0 | 0.0 | 0.0 | **213.0** |
| H2O | 1957 | 0.0 | 14.8 | 31.5 | 40.7 | 21.5 | 40.5 | 35.6 | 15.6 | 7.6 | 20.7 | 0.0 | 0.0 | **228.5** |
| OIL | 1957 | 0.0 | 12.4 | 56.3 | 5.2 | 12.2 | 13.8 | 12.9 | 9.7 | 12.1 | 12.9 | 0.0 | 0.0 | **147.5** |

Licence ***1324*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,748.0** |
| H2O | 1975 | 24.8 | 22.9 | 25.4 | 23.8 | 24.6 | 24.3 | 24.5 | 21.1 | 61.2 | 63.4 | 66.0 | 67.1 | **3,380.5** |
| OIL | 1975 | 490.6 | 436.0 | 478.8 | 439.1 | 447.8 | 449.7 | 462.6 | 407.4 | 395.5 | 396.0 | 395.7 | 402.0 | **63,734.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | **6,388.0** |
| H2O | 1974 | 15.3 | 14.1 | 15.4 | 14.8 | 14.9 | 15.9 | 14.9 | 14.0 | 23.5 | 24.6 | 24.6 | 23.8 | **2,931.4** |
| OIL | 1974 | 531.7 | 463.4 | 516.0 | 492.1 | 493.6 | 508.4 | 489.6 | 493.9 | 476.6 | 501.8 | 478.8 | 478.2 | **58,533.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,027.0** |
| H2O | 1973 | 20.5 | 19.7 | 21.1 | 16.2 | 16.5 | 25.4 | 25.1 | 17.2 | 16.9 | 15.9 | 15.9 | 15.4 | **2,715.6** |
| OIL | 1973 | 501.4 | 442.1 | 487.2 | 483.9 | 505.2 | 485.5 | 492.5 | 557.5 | 530.4 | 511.1 | 510.1 | 517.4 | **52,609.4** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,663.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1324*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1972 | 17.3 | 16.9 | 17.8 | 16.7 | 18.3 | 26.2 | 29.7 | 43.1 | 42.9 | 35.6 | 34.5 | 9.9 | **2,489.8** |
| OIL | 1972 | 458.3 | 427.5 | 444.0 | 444.3 | 468.9 | 496.3 | 522.7 | 476.4 | 453.5 | 531.6 | 493.7 | 517.3 | **46,585.1** |
| DAY | 1971 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | **5,298.0** |
| H2O | 1971 | 12.7 | 10.0 | 25.3 | 25.3 | 25.3 | 25.3 | 71.1 | 68.5 | 18.1 | 20.3 | 11.4 | 13.2 | **2,180.9** |
| OIL | 1971 | 436.5 | 340.7 | 516.5 | 490.4 | 492.5 | 478.6 | 489.4 | 480.4 | 447.5 | 464.7 | 438.1 | 443.8 | **40,850.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,939.0** |
| H2O | 1970 | 45.0 | 42.6 | 44.5 | 139.3 | 143.6 | 137.4 | 119.7 | 146.1 | 136.4 | 13.5 | 12.4 | 13.7 | **1,854.4** |
| OIL | 1970 | 395.5 | 360.4 | 393.3 | 405.9 | 418.9 | 386.8 | 378.8 | 402.8 | 386.3 | 417.3 | 400.3 | 419.8 | **35,331.5** |
| DAY | 1969 | 31.0 | 25.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 23.0 | **4,578.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 7.9 | 8.3 | 14.5 | 14.6 | 12.2 | 14.9 | 42.9 | 34.7 | **860.2** |
| OIL | 1969 | 408.9 | 314.0 | 384.9 | 388.9 | 366.4 | 387.4 | 483.2 | 480.5 | 417.0 | 489.3 | 395.2 | 303.7 | **30,565.4** |
| DAY | 1968 | 25.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **4,229.0** |
| H2O | 1968 | 0.8 | 1.0 | 1.0 | 1.0 | 11.4 | 10.3 | 8.9 | 8.3 | 8.3 | 7.5 | 8.1 | 0.0 | **710.2** |
| OIL | 1968 | 304.9 | 348.3 | 373.0 | 370.4 | 406.3 | 399.0 | 406.0 | 409.0 | 394.6 | 389.0 | 438.8 | 408.4 | **25,746.0** |
| DAY | 1967 | 28.0 | 28.0 | 28.0 | 30.0 | 31.0 | 15.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,873.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 2.5 | 0.0 | 3.7 | 4.8 | 10.5 | 11.3 | 1.0 | 1.0 | **643.6** |
| OIL | 1967 | 291.8 | 289.7 | 291.9 | 313.8 | 328.0 | 250.4 | 428.1 | 424.1 | 384.4 | 405.9 | 373.1 | 379.0 | **21,098.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,529.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 8.1 | 7.2 | 6.4 | 6.5 | 4.9 | 5.1 | 0.0 | 0.0 | **608.8** |
| OIL | 1966 | 303.7 | 267.4 | 296.0 | 289.5 | 301.8 | 290.0 | 270.5 | 270.0 | 350.2 | 375.2 | 312.1 | 327.0 | **16,938.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,169.0** |
| H2O | 1965 | 5.2 | 1.3 | 1.3 | 1.3 | 1.1 | 1.1 | 0.0 | 0.0 | 1.1 | 1.1 | 1.3 | 0.0 | **570.6** |
| OIL | 1965 | 249.5 | 243.0 | 262.8 | 253.1 | 255.5 | 255.7 | 339.7 | 336.7 | 311.3 | 325.4 | 309.4 | 307.2 | **13,284.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,804.0** |
| H2O | 1964 | 1.1 | 1.1 | 1.3 | 1.1 | 4.0 | 3.7 | 3.7 | 3.7 | 3.7 | 3.5 | 3.8 | 5.2 | **555.8** |
| OIL | 1964 | 32.3 | 30.5 | 32.9 | 31.8 | 133.8 | 143.0 | 154.5 | 155.7 | 150.8 | 202.3 | 199.0 | 247.1 | **9,835.4** |
| DAY | 1963 | 22.0 | 23.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | **2,439.0** |
| H2O | 1963 | 7.6 | 9.1 | 16.1 | 16.5 | 12.1 | 17.8 | 10.8 | 9.7 | 8.1 | 0.8 | 1.3 | 1.1 | **519.9** |
| OIL | 1963 | 17.3 | 18.8 | 26.5 | 24.9 | 24.6 | 29.2 | 28.8 | 29.9 | 30.7 | 34.2 | 30.4 | 29.7 | **8,321.7** |
| DAY | 1962 | 28.0 | 22.0 | 17.0 | 28.0 | 28.0 | 26.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,091.0** |
| H2O | 1962 | 6.7 | 6.7 | 8.7 | 6.4 | 6.7 | 5.4 | 7.3 | 6.7 | 6.5 | 14.8 | 13.8 | 12.6 | **408.9** |
| OIL | 1962 | 42.1 | 36.4 | 29.7 | 45.4 | 39.7 | 31.3 | 30.2 | 25.4 | 24.5 | 27.2 | 26.4 | 26.7 | **7,996.7** |
| DAY | 1961 | 30.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 28.0 | 28.0 | 29.0 | 31.0 | **1,760.0** |
| H2O | 1961 | 8.6 | 8.4 | 9.1 | 8.7 | 7.5 | 8.9 | 8.7 | 8.9 | 7.5 | 7.0 | 4.5 | 6.2 | **306.6** |
| OIL | 1961 | 67.5 | 58.8 | 64.8 | 62.0 | 60.1 | 59.0 | 60.2 | 59.3 | 55.8 | 51.2 | 49.1 | 51.5 | **7,611.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 25.0 | 29.0 | 22.0 | 31.0 | **1,406.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.4 | 10.8 | 7.3 | 10.7 | **212.6** |
| OIL | 1960 | 99.5 | 90.9 | 95.0 | 87.1 | 91.2 | 85.5 | 88.0 | 74.5 | 66.9 | 69.6 | 50.1 | 66.3 | **6,912.4** |
| DAY | 1959 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,060.0** |
| H2O | 1959 | 3.0 | 3.2 | 3.2 | 3.2 | 3.5 | 5.9 | 3.3 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | **181.4** |
| OIL | 1959 | 113.6 | 105.2 | 111.9 | 104.6 | 105.2 | 88.7 | 96.9 | 112.3 | 102.7 | 101.4 | 99.3 | 93.8 | **5,947.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **701.0** |
| H2O | 1958 | 18.0 | 7.6 | 8.7 | 8.6 | 8.3 | 1.6 | 3.7 | 5.2 | 4.1 | 5.6 | 4.1 | 4.1 | **155.8** |
| OIL | 1958 | 168.9 | 171.3 | 202.0 | 199.0 | 173.4 | 169.9 | 102.8 | 124.3 | 120.3 | 131.1 | 118.7 | 120.1 | **4,712.2** |
| DAY | 1957 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 22.0 | 31.0 | 30.0 | 29.0 | 22.0 | 20.0 | **340.0** |
| H2O | 1957 | 0.5 | 0.5 | 0.8 | 0.6 | 2.9 | 3.7 | 2.1 | 2.5 | 16.7 | 21.0 | 11.8 | 12.9 | **76.2** |
| OIL | 1957 | 313.7 | 267.6 | 307.2 | 297.0 | 287.8 | 267.6 | 192.4 | 239.6 | 196.4 | 184.8 | 140.2 | 131.1 | **2,910.4** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | **7.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | **0.2** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 85.0 | **85.0** |

Licence ***1325*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***1325*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-23-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | **6,805.0** |
| H2O | 1975 | 185.2 | 171.7 | 182.2 | 185.5 | 192.4 | 178.5 | 214.1 | 220.7 | 201.7 | 233.4 | 213.0 | 238.3 | **57,494.3** |
| OIL | 1975 | 95.0 | 85.2 | 89.0 | 88.7 | 90.3 | 85.3 | 77.9 | 82.0 | 73.7 | 82.2 | 72.3 | 80.9 | **18,351.8** |
| DAY | 1974 | 31.0 | 27.0 | 31.0 | 26.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,446.0** |
| H2O | 1974 | 243.2 | 216.1 | 252.1 | 196.7 | 233.5 | 255.3 | 257.9 | 225.8 | 233.2 | 235.6 | 242.1 | 185.7 | **55,077.6** |
| OIL | 1974 | 98.5 | 82.3 | 98.4 | 75.2 | 89.6 | 94.2 | 97.3 | 92.5 | 93.1 | 94.4 | 92.6 | 96.5 | **17,349.3** |
| DAY | 1973 | 30.0 | 26.0 | 30.0 | 28.0 | 30.0 | 30.0 | 29.0 | 25.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,089.0** |
| H2O | 1973 | 1208.6 | 1069.9 | 1243.4 | 1186.0 | 1256.9 | 1248.9 | 1163.3 | 1064.2 | 1315.7 | 1328.3 | 237.0 | 243.9 | **52,300.4** |
| OIL | 1973 | 115.5 | 93.9 | 112.2 | 104.9 | 114.4 | 114.7 | 110.3 | 100.0 | 119.8 | 122.5 | 89.3 | 95.8 | **16,244.7** |
| DAY | 1972 | 15.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,740.0** |
| H2O | 1972 | 112.9 | 1097.3 | 1336.2 | 1189.8 | 1314.4 | 1106.2 | 1227.5 | 1163.1 | 1161.8 | 1263.9 | 1252.6 | 1273.4 | **39,734.3** |
| OIL | 1972 | 35.4 | 90.6 | 109.5 | 104.6 | 110.4 | 115.7 | 119.2 | 121.9 | 116.0 | 122.0 | 116.0 | 121.1 | **14,951.4** |
| DAY | 1971 | 30.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 28.0 | 28.0 | 26.0 | 31.0 | **5,392.0** |
| H2O | 1971 | 378.8 | 350.9 | 408.6 | 382.7 | 410.6 | 408.9 | 392.0 | 365.5 | 326.4 | 337.7 | 190.1 | 264.4 | **26,235.2** |
| OIL | 1971 | 153.8 | 138.9 | 155.6 | 137.8 | 151.1 | 146.8 | 145.2 | 137.8 | 135.6 | 130.1 | 65.3 | 79.1 | **13,669.0** |
| DAY | 1970 | 31.0 | 28.0 | 28.0 | 30.0 | 30.0 | 27.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **5,042.0** |
| H2O | 1970 | 45.3 | 21.3 | 20.2 | 20.5 | 443.9 | 152.3 | 155.2 | 916.4 | 852.6 | 792.0 | 807.5 | 868.7 | **22,018.6** |
| OIL | 1970 | 51.3 | 71.5 | 70.4 | 75.2 | 52.9 | 131.7 | 150.5 | 237.3 | 226.3 | 213.7 | 229.1 | 232.6 | **12,091.9** |
| DAY | 1969 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,686.0** |
| H2O | 1969 | 112.2 | 98.2 | 91.7 | 97.6 | 107.3 | 97.1 | 46.7 | 47.1 | 44.0 | 47.9 | 42.9 | 47.1 | **16,922.7** |
| OIL | 1969 | 28.4 | 24.3 | 26.9 | 27.2 | 27.8 | 25.7 | 52.3 | 52.0 | 50.2 | 52.9 | 50.9 | 53.1 | **10,349.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,324.0** |
| H2O | 1968 | 146.7 | 139.3 | 147.7 | 142.3 | 44.4 | 134.2 | 139.3 | 94.3 | 102.7 | 104.9 | 100.8 | 107.0 | **16,042.9** |
| OIL | 1968 | 81.8 | 75.2 | 80.4 | 74.8 | 21.0 | 36.5 | 36.2 | 37.8 | 27.7 | 27.8 | 27.7 | 28.4 | **9,877.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,963.0** |
| H2O | 1967 | 249.8 | 206.5 | 240.4 | 231.2 | 164.1 | 154.5 | 118.9 | 162.5 | 146.7 | 158.5 | 139.3 | 152.3 | **14,639.3** |
| OIL | 1967 | 178.8 | 158.8 | 172.4 | 172.1 | 91.5 | 87.7 | 89.1 | 78.8 | 78.2 | 82.6 | 80.6 | 81.8 | **9,322.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **3,598.0** |
| H2O | 1966 | 69.0 | 55.2 | 70.3 | 72.2 | 81.2 | 55.0 | 54.1 | 53.4 | 57.6 | 36.7 | 37.0 | 35.8 | **12,514.6** |
| OIL | 1966 | 43.9 | 38.5 | 42.6 | 41.6 | 43.7 | 34.2 | 35.4 | 35.0 | 34.2 | 31.6 | 31.3 | 29.6 | **7,970.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,236.0** |
| H2O | 1965 | 122.3 | 108.6 | 123.8 | 0.0 | 259.9 | 95.1 | 89.7 | 90.0 | 70.0 | 69.3 | 79.3 | 72.2 | **11,837.1** |
| OIL | 1965 | 61.2 | 55.8 | 61.3 | 61.7 | 104.2 | 53.9 | 61.0 | 60.5 | 45.9 | 47.8 | 56.6 | 44.2 | **7,528.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,871.0** |
| H2O | 1964 | 17.6 | 16.1 | 18.0 | 16.9 | 96.5 | 98.2 | 96.7 | 98.2 | 94.3 | 94.1 | 196.3 | 121.8 | **10,656.9** |
| OIL | 1964 | 50.5 | 47.8 | 51.6 | 48.3 | 44.3 | 51.5 | 53.2 | 53.7 | 52.0 | 52.9 | 81.4 | 60.7 | **6,814.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,505.0** |
| H2O | 1963 | 29.9 | 26.5 | 32.0 | 30.2 | 28.8 | 28.8 | 32.9 | 29.4 | 26.2 | 31.8 | 17.3 | 17.6 | **9,692.2** |
| OIL | 1963 | 39.4 | 35.4 | 41.0 | 39.3 | 40.7 | 37.2 | 40.8 | 43.5 | 46.2 | 46.1 | 47.5 | 48.5 | **6,166.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,143.0** |
| H2O | 1962 | 17.5 | 17.0 | 18.6 | 30.8 | 46.7 | 26.7 | 24.0 | 32.9 | 38.3 | 34.2 | 28.0 | 28.3 | **9,360.8** |
| OIL | 1962 | 18.1 | 15.4 | 17.3 | 21.3 | 30.5 | 18.0 | 21.0 | 27.0 | 37.5 | 38.9 | 38.5 | 41.6 | **5,660.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,780.0** |
| H2O | 1961 | 30.0 | 25.3 | 33.5 | 43.9 | 47.7 | 41.2 | 40.5 | 45.5 | 31.2 | 22.4 | 18.8 | 19.4 | **9,017.8** |
| OIL | 1961 | 28.8 | 24.5 | 27.3 | 28.4 | 27.8 | 23.7 | 24.5 | 22.9 | 22.2 | 19.5 | 17.3 | 18.8 | **5,335.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,415.0** |
| H2O | 1960 | 244.2 | 204.6 | 198.9 | 77.1 | 99.5 | 88.4 | 86.2 | 79.2 | 70.9 | 20.3 | 19.7 | 29.6 | **8,618.4** |
| OIL | 1960 | 96.3 | 81.7 | 79.5 | 48.9 | 50.2 | 45.8 | 43.4 | 43.5 | 37.5 | 31.9 | 27.3 | 26.9 | **5,050.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,049.0** |
| H2O | 1959 | 314.0 | 293.3 | 379.6 | 379.3 | 372.6 | 373.4 | 391.7 | 420.5 | 244.0 | 274.4 | 198.6 | 231.6 | **7,399.8** |
| OIL | 1959 | 137.0 | 125.9 | 155.3 | 168.4 | 171.0 | 173.1 | 181.2 | 195.0 | 119.2 | 138.4 | 103.0 | 106.2 | **4,437.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 13.0 | 30.0 | 30.0 | **686.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1325*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-23-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 180.3 | 104.3 | 112.9 | 75.8 | 65.0 | 84.6 | 78.5 | 66.5 | 56.1 | 55.0 | 273.9 | 291.4 | **3,526.8** |
| OIL | 1958 | 124.6 | 86.6 | 87.4 | 71.2 | 65.9 | 62.8 | 55.3 | 56.1 | 46.4 | 52.6 | 139.2 | 151.1 | **2,663.4** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 10.0 | 15.0 | 29.0 | 28.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | **343.0** |
| H2O | 1957 | 200.3 | 219.9 | 206.5 | 94.1 | 107.3 | 230.7 | 218.0 | 151.7 | 140.1 | 121.9 | 121.0 | 191.4 | **2,082.5** |
| OIL | 1957 | 186.9 | 178.0 | 182.9 | 61.3 | 91.1 | 163.7 | 145.1 | 130.3 | 103.8 | 100.6 | 98.2 | 128.2 | **1,664.2** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | **22.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 79.6 | **79.6** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 94.1 | **94.1** |

Licence ***1326*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-20-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 3017.8 | 2872.0 | 2885.0 | 3217.3 | 2583.6 | 2127.3 | 3176.7 | 2889.6 | 2920.9 | 3072.4 | 3094.7 | 3142.9 | **299,483.7** |
| WIN | 1974 | 3344.8 | 2868.0 | 3043.4 | 3079.0 | 2800.6 | 2915.7 | 2818.4 | 2924.1 | 2779.6 | 2555.4 | 2618.6 | 3006.0 | **264,483.5** |
| WIN | 1973 | 3062.3 | 2990.9 | 3275.0 | 2955.4 | 2884.5 | 2983.1 | 2951.8 | 2080.1 | 2623.2 | 2530.0 | 3041.0 | 3252.9 | **229,729.9** |
| WIN | 1972 | 3096.8 | 3082.3 | 2553.7 | 2788.8 | 2579.6 | 2575.5 | 3062.4 | 3132.5 | 3086.0 | 3120.5 | 2658.8 | 3221.6 | **195,099.7** |
| WIN | 1971 | 3168.6 | 2844.0 | 3115.8 | 2973.2 | 2480.6 | 2792.6 | 2120.0 | 1880.6 | 0.0 | 2332.6 | 2626.5 | 2990.3 | **160,141.2** |
| WIN | 1970 | 2580.7 | 2273.7 | 2681.5 | 2383.6 | 2725.7 | 2022.1 | 1999.8 | 2631.1 | 2302.2 | 2561.3 | 2989.8 | 3136.0 | **130,816.4** |
| WIN | 1969 | 2766.7 | 805.9 | 2237.0 | 2610.1 | 2559.7 | 2369.6 | 1902.4 | 2226.7 | 2441.0 | 2546.2 | 2524.3 | 2638.1 | **100,528.9** |
| WIN | 1968 | 2293.9 | 2757.8 | 2789.0 | 2542.2 | 2149.3 | 2533.0 | 2672.6 | 2806.0 | 2243.5 | 2844.2 | 2665.0 | 2790.6 | **72,901.2** |
| WIN | 1967 | 1340.8 | 1255.5 | 1368.5 | 1262.0 | 2345.3 | 2189.5 | 1838.6 | 2398.8 | 2524.0 | 2258.6 | 2226.0 | 2339.9 | **41,814.1** |
| WIN | 1966 | 931.9 | 863.6 | 935.8 | 729.1 | 814.8 | 1159.0 | 1186.5 | 1180.7 | 1214.9 | 1247.4 | 1513.6 | 1467.4 | **18,466.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 25.0 | 0.0 | 0.0 | **3,103.0** |
| H2O | 1965 | 412.7 | 376.0 | 423.2 | 390.9 | 396.3 | 383.1 | 336.9 | 509.2 | 381.2 | 325.4 | 0.0 | 0.0 | **20,945.5** |
| OIL | 1965 | 139.5 | 117.4 | 149.5 | 141.1 | 140.6 | 134.1 | 135.2 | 120.3 | 126.8 | 101.2 | 0.0 | 0.0 | **9,939.8** |
| WIN | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 512.4 | 2380.9 | 2328.6 | **5,221.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,805.0** |
| H2O | 1964 | 443.6 | 389.0 | 415.6 | 419.9 | 445.9 | 394.0 | 374.6 | 402.1 | 391.1 | 398.9 | 407.8 | 422.6 | **17,010.6** |
| OIL | 1964 | 162.9 | 146.2 | 157.0 | 152.2 | 158.3 | 145.2 | 133.8 | 157.5 | 146.2 | 145.4 | 141.7 | 143.7 | **8,634.1** |
| DAY | 1963 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 26.0 | 27.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,444.0** |
| H2O | 1963 | 313.7 | 284.6 | 317.6 | 265.3 | 284.7 | 221.9 | 236.9 | 247.7 | 325.3 | 308.4 | 285.1 | 444.5 | **12,105.5** |
| OIL | 1963 | 103.5 | 86.6 | 91.5 | 90.4 | 85.3 | 70.6 | 76.1 | 80.2 | 90.9 | 85.2 | 90.3 | 165.1 | **6,844.0** |
| DAY | 1962 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,092.0** |
| H2O | 1962 | 418.8 | 332.6 | 397.9 | 380.8 | 396.0 | 331.0 | 339.7 | 313.5 | 311.4 | 322.7 | 315.9 | 303.2 | **8,569.8** |
| OIL | 1962 | 132.8 | 104.9 | 130.0 | 122.5 | 126.7 | 107.6 | 117.3 | 109.3 | 96.0 | 97.3 | 103.5 | 94.4 | **5,728.3** |
| DAY | 1961 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,736.0** |
| H2O | 1961 | 43.1 | 33.4 | 30.7 | 29.9 | 32.6 | 276.5 | 286.2 | 328.5 | 364.1 | 441.3 | 430.0 | 428.5 | **4,406.3** |
| OIL | 1961 | 35.0 | 30.4 | 34.3 | 32.4 | 33.7 | 69.8 | 74.4 | 118.2 | 116.8 | 141.0 | 134.8 | 134.6 | **4,386.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 17.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,375.0** |
| H2O | 1960 | 104.3 | 96.2 | 101.4 | 43.1 | 66.6 | 66.5 | 67.2 | 56.8 | 52.5 | 43.2 | 45.6 | 49.1 | **1,681.5** |
| OIL | 1960 | 116.6 | 106.9 | 112.8 | 52.4 | 85.8 | 85.0 | 82.6 | 63.1 | 56.6 | 44.8 | 34.8 | 40.5 | **3,430.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 22.0 | 31.0 | 31.0 | 29.0 | 26.0 | 30.0 | 31.0 | **1,024.0** |
| H2O | 1959 | 4.9 | 6.8 | 9.9 | 9.5 | 15.7 | 30.8 | 101.6 | 96.2 | 92.5 | 72.5 | 88.6 | 111.4 | **889.0** |
| OIL | 1959 | 37.7 | 33.8 | 36.2 | 38.3 | 40.7 | 54.0 | 156.4 | 124.7 | 115.7 | 93.8 | 101.1 | 126.5 | **2,548.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **673.0** |
| H2O | 1958 | 8.6 | 8.3 | 7.5 | 5.4 | 8.1 | 8.9 | 5.7 | 4.9 | 4.9 | 4.9 | 4.8 | 5.2 | **248.6** |
| OIL | 1958 | 53.4 | 44.3 | 47.5 | 48.9 | 44.5 | 41.0 | 38.5 | 39.3 | 38.5 | 38.5 | 38.3 | 36.7 | **1,589.8** |
| DAY | 1957 | 26.0 | 28.0 | 31.0 | 1.0 | 5.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **308.0** |
| H2O | 1957 | 18.6 | 20.2 | 20.3 | 0.3 | 5.1 | 20.3 | 18.6 | 17.8 | 11.8 | 11.8 | 13.0 | 10.7 | **171.4** |
| OIL | 1957 | 178.0 | 124.6 | 130.5 | 1.6 | 27.3 | 120.9 | 103.8 | 85.2 | 75.5 | 69.0 | 65.8 | 56.7 | **1,080.4** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | **3.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1326*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-20-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.9 | **2.9** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 41.5 | **41.5** |

Licence ***1328*** Well Name ***Enerplus South Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-36-009-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1970 | 1.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,576.0** |
| OIL | 1970 | 1.7 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,991.9** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 0.0 | 1.0 | 1.0 | 1.0 | **2,574.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.2 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **63,078.0** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 2.4 | 1.6 | 1.6 | 2.1 | 1.4 | 0.0 | 1.1 | 1.6 | 0.8 | **6,989.4** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 27.0 | 31.0 | 30.0 | 21.0 | 0.0 | 0.0 | **2,566.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1310.9 | 1418.8 | 2020.7 | 1945.9 | 1088.8 | 0.0 | 0.0 | **63,077.6** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 88.8 | 55.0 | 78.3 | 67.9 | 42.1 | 0.0 | 0.0 | **6,976.8** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 0.0 | 0.0 | **2,435.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 621.6 | 1128.9 | 1167.5 | 1106.8 | 1053.8 | 1067.0 | 920.8 | 0.0 | 0.0 | **55,292.5** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 52.3 | 62.8 | 52.6 | 55.3 | 46.6 | 42.6 | 53.9 | 0.0 | 0.0 | **6,644.7** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 0.0 | 0.0 | **2,226.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 205.7 | 1050.6 | 1095.8 | 841.8 | 590.0 | 630.7 | 0.0 | 0.0 | **48,226.1** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 17.3 | 48.9 | 53.4 | 44.2 | 29.9 | 28.3 | 0.0 | 0.0 | **6,278.6** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **2,058.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 683.1 | 632.3 | 710.5 | 623.8 | 566.6 | 407.9 | 0.0 | 0.0 | **43,811.5** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 36.2 | 34.8 | 32.1 | 39.1 | 42.9 | 22.1 | 0.0 | 0.0 | **6,056.6** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 1.0 | 0.0 | **1,881.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 558.2 | 938.9 | 613.5 | 694.7 | 643.7 | 589.3 | 14.1 | 0.0 | **40,187.3** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 49.3 | 57.4 | 34.5 | 34.3 | 34.2 | 29.9 | 1.7 | 0.0 | **5,849.4** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 15.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 22.0 | 0.0 | 0.0 | **1,710.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 435.4 | 1056.8 | 799.4 | 755.3 | 477.7 | 533.5 | 355.5 | 0.0 | 0.0 | **36,134.9** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 38.9 | 68.0 | 47.2 | 46.9 | 40.4 | 23.5 | 10.6 | 0.0 | 0.0 | **5,608.1** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 4.0 | 0.0 | **1,522.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 689.2 | 1052.9 | 879.0 | 625.9 | 850.2 | 776.8 | 63.3 | 0.0 | **31,721.3** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 73.1 | 63.6 | 59.9 | 36.9 | 53.1 | 40.4 | 0.0 | 0.0 | **5,332.6** |
| DAY | 1960 | 31.0 | 28.0 | 25.0 | 30.0 | 31.0 | 30.0 | 19.0 | 17.0 | 28.0 | 23.0 | 24.0 | 0.0 | **1,345.0** |
| H2O | 1960 | 965.8 | 795.2 | 690.5 | 832.7 | 800.3 | 831.8 | 444.5 | 298.6 | 385.5 | 485.2 | 717.6 | 0.0 | **26,784.0** |
| OIL | 1960 | 67.2 | 53.4 | 45.0 | 57.2 | 54.7 | 60.7 | 48.5 | 30.5 | 43.2 | 64.2 | 41.6 | 0.0 | **5,005.6** |
| DAY | 1959 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | 30.0 | 30.0 | 30.0 | **1,059.0** |
| H2O | 1959 | 561.2 | 564.4 | 607.0 | 701.7 | 779.3 | 1005.2 | 1011.4 | 697.3 | 814.8 | 866.4 | 989.3 | 840.8 | **19,536.3** |
| OIL | 1959 | 61.2 | 63.4 | 80.7 | 84.1 | 83.4 | 80.6 | 79.5 | 73.9 | 75.3 | 70.1 | 68.2 | 66.3 | **4,439.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **706.0** |
| H2O | 1958 | 245.8 | 252.1 | 856.1 | 476.5 | 525.1 | 495.5 | 553.9 | 583.5 | 529.7 | 526.4 | 575.0 | 600.3 | **10,097.5** |
| OIL | 1958 | 132.7 | 74.2 | 188.0 | 133.0 | 154.5 | 122.0 | 123.0 | 106.8 | 94.1 | 90.7 | 91.1 | 87.2 | **3,552.7** |
| DAY | 1957 | 10.0 | 27.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **341.0** |
| H2O | 1957 | 256.3 | 307.9 | 600.3 | 200.6 | 163.6 | 225.0 | 421.6 | 410.5 | 345.1 | 368.2 | 225.6 | 279.6 | **3,877.6** |
| OIL | 1957 | 87.7 | 237.1 | 263.3 | 200.5 | 164.8 | 199.9 | 211.7 | 160.7 | 129.0 | 175.8 | 150.5 | 154.5 | **2,155.4** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | **2.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 73.3 | **73.3** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.9 | **19.9** |

Licence ***1329*** Well Name ***Enerplus South Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-36-009-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***1329*** Well Name ***Enerplus South Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-36-009-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 8.0 | 0.0 | 30.0 | 27.0 | 29.0 | 29.0 | 30.0 | 25.0 | 0.0 | 0.0 | 0.0 | 0.0 | **181.0** |
| H2O | 1957 | 195.1 | 0.0 | 498.4 | 571.5 | 584.6 | 363.6 | 409.4 | 329.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,046.2** |
| OIL | 1957 | 89.0 | 0.0 | 28.1 | 30.0 | 30.8 | 31.9 | 31.1 | 14.4 | 0.0 | 0.0 | 0.0 | 0.0 | **289.5** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | **3.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 94.6 | **94.6** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 34.2 | **34.2** |

Licence ***1330*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.01-10-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,798.0** |
| H2O | 1975 | 1634.0 | 1450.7 | 1567.7 | 1572.0 | 1611.4 | 1487.0 | 1597.7 | 1421.4 | 1501.4 | 1567.2 | 1493.7 | 1597.4 | **140,607.5** |
| OIL | 1975 | 31.8 | 28.4 | 31.8 | 30.2 | 32.1 | 31.1 | 31.8 | 68.2 | 66.7 | 67.7 | 65.0 | 65.8 | **27,226.8** |
| DAY | 1974 | 31.0 | 24.0 | 31.0 | 30.0 | 27.0 | 18.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,433.0** |
| H2O | 1974 | 403.5 | 287.7 | 384.6 | 377.9 | 343.1 | 239.1 | 1546.3 | 1499.9 | 1459.6 | 1570.9 | 1553.4 | 1611.3 | **122,105.9** |
| OIL | 1974 | 47.4 | 37.7 | 48.5 | 45.9 | 42.1 | 30.4 | 31.1 | 29.2 | 30.2 | 32.3 | 31.3 | 31.8 | **26,676.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,089.0** |
| H2O | 1973 | 1701.4 | 1487.3 | 1706.9 | 767.2 | 753.5 | 711.4 | 743.0 | 439.3 | 432.6 | 435.6 | 423.5 | 427.2 | **110,828.6** |
| OIL | 1973 | 80.7 | 70.9 | 77.9 | 144.1 | 154.5 | 156.4 | 157.6 | 48.9 | 44.7 | 47.2 | 49.3 | 48.6 | **26,238.3** |
| DAY | 1972 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 29.0 | 28.0 | 30.0 | 30.0 | 31.0 | **5,726.0** |
| H2O | 1972 | 1611.6 | 1194.4 | 1329.9 | 1333.2 | 1383.0 | 1304.0 | 1401.7 | 1649.4 | 1655.6 | 1781.5 | 1563.9 | 1635.6 | **100,799.7** |
| OIL | 1972 | 60.9 | 56.3 | 61.8 | 56.4 | 57.0 | 51.5 | 58.8 | 75.0 | 76.3 | 77.5 | 76.3 | 81.0 | **25,157.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | **5,370.0** |
| H2O | 1971 | 1866.1 | 1777.4 | 1696.1 | 1773.8 | 1696.4 | 1719.9 | 1745.5 | 1899.1 | 1834.3 | 1665.4 | 1614.4 | 1495.6 | **82,955.9** |
| OIL | 1971 | 91.4 | 81.5 | 93.6 | 92.3 | 82.0 | 85.7 | 90.7 | 93.6 | 88.5 | 59.9 | 59.0 | 58.8 | **24,368.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 26.0 | 30.0 | 25.0 | 31.0 | 27.0 | 31.0 | **5,013.0** |
| H2O | 1970 | 1755.3 | 1608.7 | 1731.3 | 1468.2 | 1384.6 | 1244.3 | 1033.2 | 550.4 | 593.5 | 701.3 | 1554.0 | 1759.3 | **62,171.9** |
| OIL | 1970 | 142.9 | 131.1 | 143.0 | 93.8 | 91.7 | 89.5 | 76.9 | 75.6 | 59.3 | 74.5 | 66.3 | 88.5 | **23,391.7** |
| DAY | 1969 | 31.0 | 25.0 | 31.0 | 14.0 | 10.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **4,664.0** |
| H2O | 1969 | 543.2 | 1178.0 | 1394.1 | 614.6 | 462.0 | 1403.8 | 1366.9 | 1301.6 | 1314.8 | 1325.7 | 1320.2 | 1237.5 | **46,787.8** |
| OIL | 1969 | 136.3 | 82.5 | 103.1 | 42.9 | 30.8 | 105.5 | 120.9 | 120.0 | 109.6 | 113.9 | 113.3 | 112.7 | **22,258.6** |
| DAY | 1968 | 31.0 | 26.0 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | **4,340.0** |
| H2O | 1968 | 11.4 | 314.3 | 377.1 | 1042.6 | 1156.3 | 2156.1 | 698.4 | 657.4 | 449.3 | 488.7 | 537.5 | 543.7 | **33,325.4** |
| OIL | 1968 | 48.3 | 28.0 | 31.6 | 173.5 | 184.2 | 184.5 | 159.2 | 156.8 | 117.6 | 123.9 | 130.3 | 138.3 | **21,067.1** |
| DAY | 1967 | 31.0 | 25.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,985.0** |
| H2O | 1967 | 63.6 | 55.0 | 75.4 | 75.2 | 67.7 | 67.9 | 71.4 | 61.5 | 67.1 | 68.5 | 11.0 | 11.6 | **24,892.6** |
| OIL | 1967 | 82.3 | 64.2 | 83.7 | 78.3 | 76.0 | 83.9 | 92.5 | 87.7 | 93.8 | 97.1 | 45.3 | 48.0 | **19,590.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,626.0** |
| H2O | 1966 | 317.6 | 274.7 | 308.9 | 276.8 | 74.7 | 73.6 | 70.1 | 73.0 | 72.2 | 74.2 | 76.0 | 59.1 | **24,196.7** |
| OIL | 1966 | 128.9 | 117.1 | 133.6 | 131.9 | 91.5 | 90.3 | 91.8 | 90.7 | 89.1 | 99.5 | 79.3 | 77.1 | **18,658.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,261.0** |
| H2O | 1965 | 471.2 | 435.1 | 478.5 | 577.1 | 626.9 | 304.3 | 324.3 | 308.3 | 305.7 | 301.6 | 299.8 | 302.9 | **22,445.8** |
| OIL | 1965 | 115.2 | 106.0 | 113.1 | 134.1 | 137.8 | 137.0 | 145.7 | 135.1 | 152.7 | 134.6 | 137.5 | 128.9 | **17,437.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,896.0** |
| H2O | 1964 | 508.1 | 542.0 | 554.5 | 518.6 | 512.7 | 275.7 | 385.5 | 477.7 | 400.6 | 409.5 | 376.5 | 465.8 | **17,710.1** |
| OIL | 1964 | 144.3 | 134.9 | 135.6 | 132.8 | 122.8 | 95.5 | 110.3 | 126.2 | 120.3 | 116.6 | 106.2 | 111.6 | **15,859.6** |
| DAY | 1963 | 24.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,533.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 358.2 | 353.4 | 341.5 | 339.3 | 234.2 | 464.1 | 418.3 | 354.7 | **12,282.9** |
| OIL | 1963 | 30.5 | 39.9 | 42.6 | 40.7 | 129.5 | 133.3 | 124.1 | 121.6 | 72.0 | 144.0 | 127.0 | 139.8 | **14,402.5** |
| DAY | 1962 | 29.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,175.0** |
| OIL | 1962 | 38.5 | 29.7 | 42.9 | 41.3 | 41.2 | 45.3 | 37.0 | 41.3 | 43.2 | 42.6 | 39.7 | 38.0 | **13,257.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1330*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.01-10-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,819.0** |
| H2O | 1961 | 180.6 | 168.7 | 185.2 | 199.5 | 188.9 | 180.9 | 181.9 | 187.0 | 0.0 | 0.0 | 0.0 | 0.0 | **9,419.2** |
| OIL | 1961 | 139.8 | 124.4 | 134.9 | 139.0 | 156.2 | 132.5 | 148.7 | 162.4 | 47.0 | 45.8 | 42.6 | 41.3 | **12,776.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,454.0** |
| H2O | 1960 | 263.6 | 238.3 | 211.6 | 194.6 | 181.2 | 171.1 | 188.2 | 152.9 | 169.3 | 193.6 | 181.1 | 192.7 | **7,946.5** |
| OIL | 1960 | 208.2 | 186.9 | 192.0 | 156.7 | 161.0 | 152.7 | 149.4 | 132.4 | 131.1 | 132.5 | 127.3 | 139.4 | **11,462.2** |
| DAY | 1959 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,089.0** |
| H2O | 1959 | 270.4 | 221.0 | 269.3 | 282.3 | 315.7 | 296.2 | 333.4 | 361.8 | 252.5 | 263.7 | 252.6 | 256.6 | **5,608.3** |
| OIL | 1959 | 254.3 | 215.2 | 246.5 | 226.4 | 237.6 | 218.0 | 226.9 | 228.4 | 207.2 | 224.1 | 192.3 | 211.8 | **9,592.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **726.0** |
| H2O | 1958 | 25.8 | 32.0 | 71.5 | 88.2 | 109.2 | 135.5 | 160.1 | 210.3 | 308.9 | 262.3 | 223.4 | 265.2 | **2,232.8** |
| OIL | 1958 | 300.8 | 286.7 | 331.6 | 291.1 | 278.1 | 248.1 | 266.3 | 293.2 | 260.6 | 282.1 | 266.5 | 263.2 | **6,903.9** |
| DAY | 1957 | 29.0 | 18.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **361.0** |
| H2O | 1957 | 139.7 | 86.5 | 3.5 | 4.8 | 13.8 | 10.8 | 2.5 | 11.1 | 30.8 | 0.6 | 0.6 | 0.6 | **340.4** |
| OIL | 1957 | 342.0 | 216.0 | 285.1 | 297.2 | 211.0 | 210.7 | 298.9 | 291.0 | 285.1 | 307.2 | 335.9 | 325.4 | **3,535.6** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | **11.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 35.1 | **35.1** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 130.1 | **130.1** |

Licence ***1331*** Well Name ***Virada Virden Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-34-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 0.0 | 0.0 | 8.0 | 2.0 | 0.0 | 30.0 | 31.0 | 28.0 | 30.0 | 10.0 | 0.0 | 0.0 | **1,337.0** |
| H2O | 1965 | 0.0 | 0.0 | 4.5 | 3.8 | 0.0 | 49.8 | 73.4 | 49.6 | 70.9 | 7.9 | 0.0 | 0.0 | **2,436.6** |
| OIL | 1965 | 0.0 | 0.0 | 7.4 | 2.7 | 0.0 | 15.3 | 18.5 | 14.4 | 18.1 | 6.6 | 0.0 | 0.0 | **1,344.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 28.0 | 30.0 | 31.0 | 14.0 | 29.0 | 30.0 | 17.0 | **1,198.0** |
| H2O | 1964 | 61.4 | 70.3 | 65.8 | 45.5 | 31.0 | 41.5 | 46.4 | 51.5 | 34.3 | 50.9 | 68.0 | 34.3 | **2,176.7** |
| OIL | 1964 | 20.0 | 16.9 | 19.4 | 17.0 | 13.8 | 14.5 | 14.3 | 14.1 | 6.0 | 17.2 | 13.5 | 7.9 | **1,261.4** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 29.0 | 30.0 | 31.0 | **869.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 78.2 | 68.0 | 75.8 | 86.5 | **1,575.8** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.5 | 27.5 | 25.4 | 19.2 | **1,086.8** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 8.0 | 8.0 | 25.0 | 31.0 | 28.0 | 25.0 | 3.0 | 0.0 | 0.0 | **757.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 7.9 | 7.2 | 25.4 | 27.7 | 32.6 | 18.0 | 5.6 | 0.0 | 0.0 | **1,267.3** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 12.7 | 10.8 | 23.7 | 22.9 | 24.5 | 12.6 | 4.8 | 0.0 | 0.0 | **986.2** |
| DAY | 1959 | 0.0 | 0.0 | 17.0 | 16.0 | 30.0 | 29.0 | 28.0 | 29.0 | 29.0 | 8.0 | 5.0 | 3.0 | **629.0** |
| H2O | 1959 | 0.0 | 0.0 | 23.7 | 15.1 | 43.7 | 38.3 | 23.7 | 32.6 | 25.4 | 4.1 | 4.8 | 0.8 | **1,142.9** |
| OIL | 1959 | 0.0 | 0.0 | 27.8 | 22.9 | 28.9 | 24.0 | 22.6 | 21.0 | 17.2 | 4.8 | 11.1 | 2.4 | **874.2** |
| DAY | 1958 | 16.0 | 6.0 | 24.0 | 0.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 13.0 | 0.0 | **435.0** |
| H2O | 1958 | 44.5 | 11.0 | 76.5 | 0.0 | 109.1 | 66.5 | 23.4 | 16.9 | 30.0 | 33.2 | 13.7 | 0.0 | **930.7** |
| OIL | 1958 | 36.2 | 12.7 | 47.9 | 0.0 | 38.6 | 37.7 | 32.3 | 27.8 | 36.7 | 30.4 | 9.4 | 0.0 | **691.5** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 30.0 | 28.0 | 21.0 | 26.0 | 29.0 | 30.0 | 30.0 | **197.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 8.3 | 140.7 | 123.2 | 86.8 | 48.8 | 78.2 | 19.9 | 0.0 | **505.9** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 125.6 | 71.1 | 41.7 | 38.3 | 49.8 | 41.3 | 0.0 | **381.8** |

Licence ***1332*** Well Name ***North Virden Scallion No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-16-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 0.0 | 6.0 | 6.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,706.0** |
| H2O | 1971 | 0.0 | 147.7 | 134.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **167,948.4** |
| OIL | 1971 | 0.0 | 3.2 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **17,281.3** |
| DAY | 1970 | 31.0 | 28.0 | 28.0 | 25.0 | 28.0 | 27.0 | 28.0 | 25.0 | 26.0 | 24.0 | 16.0 | 24.0 | **4,694.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1332*** Well Name ***North Virden Scallion No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-16-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1970 | 1341.5 | 1153.4 | 1108.2 | 1032.7 | 924.0 | 825.7 | 1017.9 | 1113.5 | 1092.4 | 581.5 | 449.3 | 602.4 | **167,665.8** |
| OIL | 1970 | 54.7 | 44.7 | 53.2 | 59.3 | 42.1 | 62.0 | 63.2 | 71.5 | 57.0 | 16.0 | 26.2 | 20.2 | **17,274.9** |
| DAY | 1969 | 31.0 | 6.0 | 29.0 | 30.0 | 27.0 | 30.0 | 23.0 | 30.0 | 28.0 | 25.0 | 28.0 | 31.0 | **4,384.0** |
| H2O | 1969 | 1421.8 | 259.1 | 1695.7 | 1338.3 | 1118.7 | 1190.4 | 816.8 | 1136.5 | 1186.5 | 790.3 | 893.5 | 1216.5 | **156,423.3** |
| OIL | 1969 | 54.2 | 9.2 | 89.8 | 50.5 | 53.6 | 50.2 | 31.1 | 44.8 | 52.1 | 41.3 | 45.3 | 57.4 | **16,704.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 19.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,066.0** |
| H2O | 1968 | 1147.4 | 1008.6 | 1056.1 | 1065.8 | 851.8 | 1462.0 | 1419.1 | 1457.8 | 1435.6 | 1823.8 | 1510.0 | 1413.3 | **143,359.2** |
| OIL | 1968 | 45.1 | 42.0 | 42.6 | 39.6 | 31.5 | 48.9 | 49.9 | 45.6 | 45.6 | 50.1 | 45.3 | 50.4 | **16,125.3** |
| DAY | 1967 | 30.0 | 28.0 | 28.0 | 24.0 | 29.0 | 26.0 | 19.0 | 22.0 | 19.0 | 28.0 | 28.0 | 27.0 | **3,713.0** |
| H2O | 1967 | 904.0 | 835.4 | 953.7 | 728.3 | 985.5 | 908.9 | 577.7 | 783.5 | 576.1 | 982.8 | 923.4 | 755.8 | **127,707.9** |
| OIL | 1967 | 36.7 | 30.4 | 39.4 | 40.4 | 42.0 | 37.8 | 24.5 | 33.2 | 25.9 | 39.7 | 39.6 | 33.4 | **15,588.7** |
| DAY | 1966 | 11.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 29.0 | 29.0 | 31.0 | **3,405.0** |
| H2O | 1966 | 525.3 | 1331.9 | 1242.3 | 930.7 | 1016.8 | 972.5 | 1144.5 | 1124.3 | 1084.4 | 1086.0 | 890.9 | 942.6 | **117,792.8** |
| OIL | 1966 | 15.1 | 39.7 | 39.1 | 39.9 | 41.5 | 40.0 | 55.6 | 64.5 | 56.3 | 55.8 | 35.4 | 37.3 | **15,165.7** |
| DAY | 1965 | 26.0 | 15.0 | 15.0 | 29.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 27.0 | **3,066.0** |
| H2O | 1965 | 1163.3 | 658.5 | 561.5 | 1095.1 | 1462.8 | 1402.0 | 1362.8 | 1534.5 | 1479.9 | 1448.1 | 1282.0 | 1316.2 | **105,500.6** |
| OIL | 1965 | 39.6 | 21.5 | 19.4 | 36.4 | 45.9 | 43.4 | 41.6 | 43.9 | 43.2 | 40.0 | 35.6 | 36.5 | **14,645.5** |
| DAY | 1964 | 30.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 27.0 | 28.0 | 21.0 | 24.0 | **2,745.0** |
| H2O | 1964 | 1223.8 | 1253.4 | 1361.3 | 1273.6 | 1198.7 | 1177.4 | 1372.6 | 1269.6 | 1032.4 | 975.3 | 886.8 | 1097.1 | **90,733.9** |
| OIL | 1964 | 37.2 | 40.2 | 43.1 | 39.3 | 37.5 | 42.1 | 50.5 | 40.4 | 30.4 | 29.9 | 34.8 | 35.8 | **14,198.5** |
| DAY | 1963 | 31.0 | 28.0 | 26.0 | 24.0 | 27.0 | 28.0 | 20.0 | 30.0 | 26.0 | 29.0 | 30.0 | 30.0 | **2,404.0** |
| H2O | 1963 | 1337.0 | 1058.0 | 1017.6 | 970.9 | 1126.7 | 1133.1 | 818.4 | 1358.2 | 1231.1 | 1094.1 | 1185.5 | 1118.4 | **76,611.9** |
| OIL | 1963 | 54.5 | 44.3 | 42.1 | 40.4 | 48.8 | 51.5 | 30.2 | 56.4 | 44.7 | 44.5 | 40.8 | 38.1 | **13,737.3** |
| DAY | 1962 | 7.0 | 6.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | **2,075.0** |
| H2O | 1962 | 395.1 | 315.6 | 1705.5 | 1460.9 | 1527.2 | 1562.1 | 1590.4 | 1646.4 | 1451.8 | 1504.9 | 1343.7 | 1343.2 | **63,162.9** |
| OIL | 1962 | 20.3 | 13.5 | 76.0 | 79.5 | 80.7 | 66.7 | 76.6 | 69.4 | 79.3 | 71.5 | 60.9 | 58.2 | **13,201.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 22.0 | 24.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,759.0** |
| H2O | 1961 | 1272.3 | 1146.1 | 1213.8 | 1314.4 | 1012.2 | 1360.9 | 1571.2 | 1688.4 | 1661.8 | 1715.1 | 1718.9 | 1743.5 | **47,316.1** |
| OIL | 1961 | 148.6 | 142.1 | 151.8 | 138.7 | 97.4 | 127.3 | 75.2 | 108.5 | 103.5 | 101.1 | 94.4 | 97.3 | **12,448.4** |
| DAY | 1960 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,412.0** |
| H2O | 1960 | 1153.9 | 1058.5 | 1018.4 | 1096.6 | 1052.6 | 1101.7 | 1153.9 | 965.2 | 1046.7 | 1155.0 | 1154.7 | 1233.5 | **29,897.5** |
| OIL | 1960 | 197.5 | 170.4 | 170.4 | 176.4 | 174.2 | 163.8 | 165.7 | 144.4 | 136.2 | 151.1 | 142.2 | 156.2 | **11,062.5** |
| DAY | 1959 | 31.0 | 25.0 | 28.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 27.0 | **1,049.0** |
| H2O | 1959 | 983.8 | 845.1 | 752.8 | 1019.7 | 916.5 | 1040.7 | 1068.2 | 1090.4 | 1066.6 | 1111.1 | 1027.8 | 1167.5 | **16,706.8** |
| OIL | 1959 | 266.8 | 195.3 | 235.3 | 235.7 | 225.0 | 236.6 | 224.1 | 231.2 | 216.3 | 209.9 | 195.6 | 210.6 | **9,114.0** |
| DAY | 1958 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 28.0 | **698.0** |
| H2O | 1958 | 246.4 | 271.5 | 333.2 | 308.3 | 324.8 | 282.3 | 82.0 | 370.6 | 359.1 | 364.9 | 100.0 | 105.2 | **4,616.6** |
| OIL | 1958 | 302.9 | 210.2 | 233.6 | 230.1 | 228.5 | 192.3 | 175.9 | 201.5 | 205.8 | 184.7 | 158.4 | 152.6 | **6,431.6** |
| DAY | 1957 | 22.0 | 20.0 | 25.0 | 29.0 | 26.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **340.0** |
| H2O | 1957 | 0.5 | 1.0 | 0.8 | 0.8 | 0.8 | 131.3 | 139.5 | 143.0 | 356.0 | 242.7 | 221.5 | 229.8 | **1,468.3** |
| OIL | 1957 | 251.1 | 333.7 | 298.8 | 322.3 | 308.6 | 289.5 | 373.0 | 358.3 | 278.6 | 278.3 | 269.4 | 287.9 | **3,955.1** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | **14.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | **0.6** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 305.6 | **305.6** |

Licence ***1333*** Well Name ***Cdn. Res. et al Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-15-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1968 | 3449.1 | 3227.3 | 3449.9 | 3338.6 | 3449.9 | 3338.6 | 3449.9 | 3449.9 | 3338.6 | 556.5 | 0.0 | 0.0 | **286,540.8** |
| WIN | 1967 | 3449.9 | 3116.0 | 3449.9 | 2893.4 | 3116.0 | 3338.6 | 3671.5 | 2879.4 | 3435.4 | 3490.6 | 3434.0 | 3449.9 | **255,492.5** |
| WIN | 1966 | 3872.6 | 3122.2 | 3697.1 | 3529.4 | 3247.2 | 3338.6 | 3449.9 | 3449.4 | 3115.7 | 3449.9 | 3338.1 | 3449.9 | **215,767.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1333*** Well Name ***Cdn. Res. et al Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-15-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1965 | 3451.5 | 2670.7 | 3251.1 | 3338.3 | 2599.3 | 1147.8 | 3585.7 | 3341.6 | 3093.6 | 3449.9 | 3828.1 | 3284.5 | **174,707.9** |
| WIN | 1964 | 2731.9 | 2462.6 | 2670.7 | 3336.8 | 3864.2 | 2781.0 | 3559.1 | 3236.8 | 3611.6 | 3695.7 | 3576.4 | 3696.3 | **137,665.8** |
| WIN | 1963 | 2603.7 | 2352.5 | 2675.0 | 2132.1 | 2041.8 | 2474.6 | 2491.8 | 2292.2 | 1890.0 | 2409.5 | 2450.6 | 2634.3 | **98,442.7** |
| WIN | 1962 | 1789.8 | 2735.4 | 3629.7 | 2950.7 | 2132.3 | 1345.9 | 2022.1 | 2859.4 | 2651.0 | 2485.6 | 1878.8 | 1276.1 | **69,994.6** |
| WIN | 1961 | 2034.2 | 1757.9 | 1976.0 | 2063.9 | 1331.1 | 2325.1 | 2921.4 | 3044.6 | 2947.6 | 2892.0 | 2777.8 | 3564.2 | **42,237.8** |
| DAY | 1960 | 0.0 | 17.0 | 27.0 | 21.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,053.0** |
| H2O | 1960 | 0.0 | 173.5 | 360.0 | 300.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **9,212.6** |
| OIL | 1960 | 0.0 | 18.3 | 47.5 | 45.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,896.5** |
| WIN | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 750.3 | 1836.9 | 2220.5 | 1725.1 | 1985.0 | 1991.2 | 2093.0 | **12,602.0** |
| DAY | 1959 | 31.0 | 24.0 | 28.0 | 26.0 | 27.0 | 30.0 | 28.0 | 29.0 | 25.0 | 20.0 | 30.0 | 12.0 | **988.0** |
| H2O | 1959 | 344.5 | 289.8 | 506.2 | 304.3 | 479.8 | 373.5 | 352.6 | 372.0 | 426.4 | 306.7 | 364.1 | 129.1 | **8,378.9** |
| OIL | 1959 | 68.3 | 53.6 | 129.5 | 89.1 | 105.7 | 49.7 | 100.0 | 69.3 | 53.7 | 33.1 | 34.6 | 19.5 | **4,785.4** |
| DAY | 1958 | 27.0 | 28.0 | 29.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 30.0 | 24.0 | 31.0 | **678.0** |
| H2O | 1958 | 263.3 | 281.3 | 271.6 | 224.2 | 313.7 | 343.1 | 346.9 | 293.2 | 209.7 | 218.5 | 102.7 | 256.1 | **4,129.9** |
| OIL | 1958 | 159.9 | 139.2 | 69.3 | 63.9 | 93.9 | 71.7 | 85.7 | 88.5 | 132.4 | 76.3 | 62.6 | 41.0 | **3,979.3** |
| DAY | 1957 | 20.0 | 18.0 | 31.0 | 27.0 | 28.0 | 26.0 | 27.0 | 28.0 | 26.0 | 29.0 | 30.0 | 24.0 | **331.0** |
| H2O | 1957 | 2.7 | 11.6 | 37.2 | 30.8 | 51.2 | 100.6 | 101.9 | 140.7 | 137.5 | 91.6 | 115.7 | 184.1 | **1,005.6** |
| OIL | 1957 | 157.2 | 153.7 | 294.1 | 200.9 | 241.4 | 215.3 | 266.3 | 258.5 | 228.0 | 207.2 | 277.6 | 230.1 | **2,894.9** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | **17.0** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 164.6 | **164.6** |

Licence ***1334*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-02-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 29.0 | 28.0 | 31.0 | 30.0 | 24.0 | 27.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **4,209.0** |
| H2O | 1975 | 64.7 | 60.9 | 65.8 | 65.9 | 51.8 | 55.6 | 78.2 | 75.5 | 79.6 | 83.7 | 89.3 | 95.3 | **24,376.8** |
| OIL | 1975 | 34.0 | 32.3 | 36.2 | 34.5 | 28.0 | 31.5 | 27.3 | 27.2 | 26.4 | 28.0 | 29.9 | 30.4 | **4,644.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 29.0 | 27.0 | 20.0 | 4.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,859.0** |
| H2O | 1974 | 152.7 | 46.2 | 53.1 | 59.1 | 55.6 | 43.2 | 8.4 | 54.3 | 63.7 | 65.8 | 65.2 | 67.5 | **23,510.5** |
| OIL | 1974 | 83.4 | 25.4 | 28.1 | 29.2 | 27.8 | 22.2 | 4.6 | 28.9 | 35.8 | 36.5 | 35.6 | 36.2 | **4,278.7** |
| DAY | 1973 | 30.0 | 27.0 | 30.0 | 29.0 | 30.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 29.0 | **3,541.0** |
| H2O | 1973 | 217.3 | 190.3 | 222.6 | 134.2 | 132.9 | 119.1 | 135.0 | 136.9 | 163.8 | 163.6 | 143.1 | 150.1 | **22,775.7** |
| OIL | 1973 | 17.8 | 15.6 | 17.5 | 25.4 | 27.5 | 21.5 | 23.2 | 20.5 | 78.7 | 82.5 | 77.2 | 79.5 | **3,885.0** |
| DAY | 1972 | 31.0 | 20.0 | 21.0 | 27.0 | 29.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 28.0 | 31.0 | **3,188.0** |
| H2O | 1972 | 52.9 | 26.5 | 27.5 | 37.8 | 41.2 | 44.0 | 43.5 | 276.6 | 283.0 | 285.8 | 195.6 | 215.7 | **20,866.8** |
| OIL | 1972 | 15.6 | 9.5 | 9.9 | 12.2 | 13.0 | 13.5 | 14.1 | 39.9 | 41.3 | 39.6 | 16.4 | 18.4 | **3,398.1** |
| DAY | 1971 | 31.0 | 25.0 | 31.0 | 27.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,850.0** |
| H2O | 1971 | 91.7 | 74.4 | 87.6 | 80.2 | 40.4 | 42.0 | 41.0 | 44.5 | 42.6 | 54.3 | 53.2 | 51.0 | **19,336.7** |
| OIL | 1971 | 24.3 | 18.4 | 23.8 | 20.8 | 13.0 | 14.0 | 14.3 | 14.8 | 13.7 | 15.3 | 15.1 | 15.4 | **3,154.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,494.0** |
| H2O | 1970 | 200.0 | 177.9 | 192.4 | 197.5 | 195.2 | 91.7 | 94.1 | 97.0 | 89.0 | 87.0 | 86.0 | 86.6 | **18,633.8** |
| OIL | 1970 | 19.9 | 17.8 | 19.5 | 18.6 | 18.9 | 22.7 | 24.0 | 23.7 | 22.6 | 23.5 | 22.1 | 23.4 | **2,951.8** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,129.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 124.8 | 167.6 | 190.8 | 190.0 | 185.7 | **17,039.4** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.3 | 16.0 | 18.6 | 18.4 | 19.1 | **2,695.1** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 23.0 | 28.0 | 28.0 | 31.0 | 31.0 | 29.0 | 31.0 | 1.0 | 0.0 | **1,986.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 179.6 | 121.3 | 108.7 | 132.9 | 88.6 | 66.9 | 73.9 | 0.8 | 0.0 | **16,180.5** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 17.2 | 19.7 | 19.7 | 25.4 | 7.9 | 5.9 | 7.0 | 1.4 | 0.0 | **2,598.7** |
| DAY | 1962 | 19.0 | 28.0 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 28.0 | 28.0 | 30.0 | 23.0 | 0.0 | **1,784.0** |
| H2O | 1962 | 166.5 | 135.5 | 124.2 | 183.5 | 159.0 | 153.7 | 137.8 | 154.2 | 147.4 | 157.5 | 88.7 | 0.0 | **15,407.8** |
| OIL | 1962 | 24.8 | 15.9 | 13.5 | 14.1 | 25.7 | 23.0 | 26.2 | 27.8 | 24.3 | 31.9 | 24.2 | 0.0 | **2,494.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1334*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-02-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1961 | 31.0 | 26.0 | 29.0 | 30.0 | 27.0 | 30.0 | 27.0 | 31.0 | 27.0 | 28.0 | 30.0 | 30.0 | **1,480.0** |
| H2O | 1961 | 337.6 | 303.8 | 306.8 | 318.1 | 288.4 | 293.2 | 296.5 | 317.5 | 271.1 | 250.2 | 263.3 | 251.7 | **13,799.8** |
| OIL | 1961 | 39.9 | 41.6 | 42.3 | 41.3 | 39.7 | 38.3 | 40.0 | 45.9 | 40.0 | 43.2 | 43.2 | 42.3 | **2,243.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 28.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,134.0** |
| H2O | 1960 | 455.3 | 414.2 | 427.7 | 401.8 | 331.3 | 372.9 | 348.7 | 299.5 | 329.4 | 355.9 | 344.5 | 352.6 | **10,301.6** |
| OIL | 1960 | 37.0 | 34.6 | 36.5 | 34.3 | 35.4 | 51.8 | 44.3 | 42.4 | 43.4 | 45.3 | 46.2 | 47.2 | **1,745.4** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **776.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 125.4 | 652.6 | 643.8 | 583.7 | 498.7 | 490.3 | 460.2 | 479.8 | **5,867.8** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 11.6 | 50.5 | 43.2 | 38.3 | 35.4 | 37.7 | 32.3 | 38.5 | **1,247.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 28.0 | 30.0 | 0.0 | 0.0 | 0.0 | **561.0** |
| H2O | 1958 | 74.7 | 64.1 | 65.7 | 56.6 | 52.5 | 45.6 | 45.3 | 18.1 | 193.0 | 0.0 | 0.0 | 0.0 | **1,933.3** |
| OIL | 1958 | 45.8 | 38.9 | 39.4 | 35.4 | 32.7 | 29.1 | 27.2 | 30.2 | 16.4 | 0.0 | 0.0 | 0.0 | **959.5** |
| DAY | 1957 | 0.0 | 5.0 | 31.0 | 30.0 | 30.0 | 27.0 | 29.0 | 21.0 | 28.0 | 31.0 | 30.0 | 31.0 | **293.0** |
| H2O | 1957 | 0.0 | 28.1 | 170.1 | 161.8 | 139.6 | 153.4 | 145.9 | 107.2 | 115.4 | 115.6 | 92.5 | 88.1 | **1,317.7** |
| OIL | 1957 | 0.0 | 19.7 | 121.7 | 78.2 | 68.0 | 57.5 | 53.1 | 46.9 | 58.2 | 57.8 | 53.6 | 49.7 | **664.4** |

Licence ***1337*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-23-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 23.0 | 30.0 | 31.0 | 28.0 | 31.0 | **6,648.0** |
| H2O | 1975 | 756.5 | 628.9 | 787.1 | 741.3 | 865.4 | 1156.7 | 594.7 | 499.6 | 665.0 | 710.6 | 407.9 | 642.1 | **130,355.8** |
| OIL | 1975 | 51.6 | 51.8 | 47.8 | 49.3 | 51.2 | 52.3 | 50.9 | 36.1 | 48.3 | 49.4 | 42.0 | 46.9 | **25,099.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 21.0 | **6,293.0** |
| H2O | 1974 | 601.1 | 550.9 | 600.6 | 567.4 | 592.8 | 576.1 | 601.1 | 616.2 | 590.6 | 597.3 | 603.6 | 469.2 | **121,900.0** |
| OIL | 1974 | 59.8 | 55.1 | 57.0 | 63.2 | 65.6 | 62.6 | 64.7 | 64.7 | 64.8 | 53.2 | 50.5 | 32.7 | **24,522.0** |
| DAY | 1973 | 31.0 | 28.0 | 28.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,938.0** |
| H2O | 1973 | 717.1 | 775.4 | 652.3 | 601.3 | 753.3 | 660.4 | 598.6 | 557.4 | 634.3 | 607.9 | 599.8 | 610.5 | **114,933.1** |
| OIL | 1973 | 76.3 | 70.4 | 70.6 | 68.6 | 70.2 | 71.0 | 66.7 | 62.8 | 60.2 | 61.2 | 60.2 | 63.1 | **23,828.1** |
| DAY | 1972 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 14.0 | 11.0 | 30.0 | 28.0 | 30.0 | **5,580.0** |
| H2O | 1972 | 599.5 | 449.3 | 477.5 | 561.7 | 491.9 | 608.6 | 549.8 | 394.7 | 289.5 | 740.3 | 681.4 | 619.1 | **107,164.8** |
| OIL | 1972 | 55.3 | 49.1 | 55.6 | 62.0 | 60.5 | 72.9 | 72.6 | 34.5 | 28.8 | 69.1 | 72.1 | 74.8 | **23,026.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **5,258.0** |
| H2O | 1971 | 507.3 | 511.6 | 564.4 | 553.4 | 580.6 | 494.0 | 569.6 | 485.9 | 360.2 | 415.4 | 373.1 | 584.7 | **100,701.5** |
| OIL | 1971 | 69.0 | 61.8 | 68.2 | 63.4 | 63.1 | 55.0 | 59.9 | 50.9 | 46.1 | 59.0 | 54.3 | 54.8 | **22,319.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **4,899.0** |
| H2O | 1970 | 537.5 | 578.8 | 627.0 | 476.5 | 557.2 | 582.2 | 538.9 | 448.2 | 602.5 | 624.0 | 507.1 | 562.6 | **94,701.3** |
| OIL | 1970 | 73.4 | 65.5 | 77.4 | 76.9 | 78.3 | 64.0 | 66.7 | 76.3 | 75.8 | 66.4 | 61.2 | 66.4 | **21,614.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 16.0 | 24.0 | 30.0 | 31.0 | **4,542.0** |
| H2O | 1969 | 476.4 | 487.7 | 553.9 | 579.0 | 625.1 | 536.1 | 710.8 | 706.3 | 287.8 | 589.7 | 569.6 | 617.3 | **88,058.8** |
| OIL | 1969 | 66.4 | 60.1 | 66.6 | 64.2 | 81.4 | 86.3 | 94.1 | 98.7 | 41.5 | 60.9 | 81.0 | 73.3 | **20,765.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,198.0** |
| H2O | 1968 | 606.2 | 582.7 | 627.2 | 599.7 | 503.0 | 647.4 | 578.2 | 806.8 | 788.2 | 612.4 | 634.3 | 587.7 | **81,319.1** |
| OIL | 1968 | 70.9 | 66.6 | 75.5 | 83.1 | 71.7 | 72.9 | 68.0 | 84.5 | 79.6 | 77.1 | 75.8 | 68.3 | **19,891.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 31.0 | 27.0 | 31.0 | 21.0 | 23.0 | **3,838.0** |
| H2O | 1967 | 720.0 | 641.5 | 742.9 | 615.3 | 620.0 | 619.4 | 476.8 | 518.9 | 494.6 | 639.1 | 428.7 | 461.9 | **73,745.3** |
| OIL | 1967 | 95.0 | 85.0 | 95.2 | 80.7 | 83.3 | 81.5 | 75.3 | 85.8 | 61.7 | 73.4 | 48.9 | 50.5 | **18,997.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,496.0** |
| H2O | 1966 | 799.0 | 700.3 | 765.9 | 797.5 | 822.2 | 775.8 | 665.3 | 718.8 | 746.7 | 705.9 | 673.9 | 690.1 | **66,766.2** |
| OIL | 1966 | 109.2 | 100.0 | 113.1 | 106.8 | 113.5 | 108.5 | 102.7 | 97.6 | 96.6 | 99.0 | 92.2 | 96.5 | **18,080.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,131.0** |
| H2O | 1965 | 712.4 | 680.0 | 729.0 | 738.9 | 760.0 | 714.7 | 714.6 | 657.9 | 678.5 | 781.8 | 744.3 | 818.2 | **57,904.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1337*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-23-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1965 | 117.9 | 110.3 | 108.5 | 113.6 | 112.5 | 121.1 | 121.1 | 117.4 | 110.4 | 121.9 | 111.6 | 118.5 | **16,845.2** |
| DAY | 1964 | 30.0 | 29.0 | 27.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,766.0** |
| H2O | 1964 | 694.9 | 705.6 | 511.0 | 565.0 | 696.8 | 632.9 | 675.3 | 546.3 | 589.5 | 716.9 | 705.1 | 731.9 | **49,174.5** |
| OIL | 1964 | 125.7 | 110.1 | 113.6 | 126.0 | 135.4 | 133.2 | 134.6 | 136.3 | 108.7 | 122.2 | 119.0 | 118.4 | **15,460.4** |
| DAY | 1963 | 31.0 | 25.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 29.0 | 29.0 | 30.0 | **2,406.0** |
| H2O | 1963 | 627.8 | 396.0 | 586.6 | 477.5 | 469.5 | 481.3 | 478.4 | 211.9 | 604.9 | 500.3 | 340.7 | 603.0 | **41,403.3** |
| OIL | 1963 | 126.5 | 91.2 | 138.7 | 123.5 | 133.8 | 133.8 | 132.1 | 66.7 | 134.8 | 112.5 | 79.6 | 114.3 | **13,977.2** |
| DAY | 1962 | 31.0 | 28.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **2,053.0** |
| H2O | 1962 | 508.4 | 447.9 | 382.7 | 388.1 | 530.5 | 555.5 | 439.8 | 416.9 | 323.2 | 395.4 | 560.1 | 585.8 | **35,625.4** |
| OIL | 1962 | 141.9 | 130.1 | 107.4 | 98.2 | 146.7 | 142.1 | 96.6 | 100.7 | 81.0 | 82.3 | 139.5 | 133.3 | **12,589.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,697.0** |
| H2O | 1961 | 492.4 | 444.4 | 512.2 | 404.9 | 544.5 | 514.6 | 531.8 | 596.2 | 525.9 | 529.2 | 514.6 | 561.0 | **30,091.1** |
| OIL | 1961 | 145.7 | 137.8 | 165.1 | 143.3 | 155.9 | 156.4 | 157.5 | 168.9 | 159.4 | 151.8 | 149.2 | 138.9 | **11,189.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 29.0 | 29.0 | 31.0 | **1,337.0** |
| H2O | 1960 | 569.9 | 589.5 | 604.0 | 567.4 | 564.7 | 501.6 | 532.9 | 673.3 | 514.8 | 509.2 | 499.6 | 514.3 | **23,919.4** |
| OIL | 1960 | 189.4 | 170.0 | 179.3 | 181.6 | 181.0 | 172.4 | 171.5 | 168.4 | 192.9 | 171.3 | 155.3 | 163.8 | **9,360.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **976.0** |
| H2O | 1959 | 580.9 | 528.6 | 578.1 | 504.1 | 584.9 | 568.4 | 555.0 | 563.1 | 557.2 | 531.8 | 516.5 | 565.2 | **17,278.2** |
| OIL | 1959 | 213.4 | 183.5 | 194.2 | 200.9 | 216.9 | 179.7 | 187.2 | 204.2 | 199.9 | 180.0 | 183.9 | 191.8 | **7,263.1** |
| DAY | 1958 | 31.0 | 28.0 | 30.0 | 27.0 | 28.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **611.0** |
| H2O | 1958 | 591.9 | 491.1 | 537.5 | 479.9 | 519.1 | 590.6 | 608.6 | 613.5 | 552.0 | 597.8 | 522.6 | 597.6 | **10,644.4** |
| OIL | 1958 | 272.0 | 227.9 | 239.3 | 199.6 | 221.8 | 240.0 | 260.9 | 269.1 | 243.5 | 240.7 | 228.2 | 235.5 | **4,927.5** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 27.0 | 30.0 | 28.0 | 17.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **254.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 230.2 | 260.4 | 418.0 | 333.5 | 453.9 | 519.9 | 568.0 | 573.3 | 585.0 | **3,942.2** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 134.0 | 157.2 | 254.7 | 171.6 | 310.8 | 293.4 | 240.3 | 238.8 | 248.2 | **2,049.0** |

Licence ***1338*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-26-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,675.0** |
| H2O | 1975 | 156.0 | 144.7 | 161.2 | 156.3 | 162.0 | 154.8 | 155.2 | 153.1 | 150.7 | 161.8 | 162.2 | 165.2 | **11,185.2** |
| OIL | 1975 | 111.6 | 100.0 | 109.8 | 104.2 | 106.2 | 87.7 | 90.4 | 90.7 | 88.0 | 91.1 | 88.0 | 89.5 | **24,819.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,310.0** |
| H2O | 1974 | 87.8 | 81.2 | 90.9 | 88.4 | 101.4 | 102.1 | 102.9 | 94.4 | 93.0 | 97.8 | 97.6 | 156.1 | **9,302.0** |
| OIL | 1974 | 115.8 | 100.9 | 115.5 | 110.1 | 128.2 | 123.9 | 128.1 | 127.4 | 122.4 | 128.9 | 123.0 | 113.5 | **23,661.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **5,945.0** |
| H2O | 1973 | 100.8 | 96.2 | 103.7 | 103.5 | 104.9 | 90.9 | 90.8 | 97.3 | 90.1 | 97.5 | 90.6 | 87.9 | **8,108.4** |
| OIL | 1973 | 136.2 | 119.5 | 132.2 | 129.4 | 134.9 | 109.5 | 112.5 | 120.0 | 107.9 | 117.6 | 111.1 | 112.8 | **22,224.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,582.0** |
| H2O | 1972 | 76.2 | 75.0 | 82.4 | 65.3 | 72.2 | 71.9 | 79.8 | 75.7 | 75.5 | 82.2 | 101.1 | 102.7 | **6,954.2** |
| OIL | 1972 | 145.7 | 137.3 | 149.4 | 154.9 | 163.5 | 157.6 | 162.4 | 166.1 | 158.0 | 166.5 | 132.4 | 138.1 | **20,780.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 18.0 | 22.0 | 31.0 | 30.0 | 31.0 | **5,216.0** |
| H2O | 1971 | 92.8 | 82.2 | 97.1 | 76.2 | 76.3 | 73.3 | 72.8 | 42.1 | 47.2 | 72.7 | 69.8 | 81.9 | **5,994.2** |
| OIL | 1971 | 143.8 | 124.3 | 140.8 | 151.9 | 155.4 | 145.9 | 149.5 | 88.0 | 108.9 | 155.1 | 146.4 | 149.9 | **18,948.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,874.0** |
| H2O | 1970 | 81.1 | 76.2 | 79.6 | 73.6 | 101.0 | 102.5 | 91.7 | 103.3 | 88.6 | 98.9 | 90.3 | 100.3 | **5,109.8** |
| OIL | 1970 | 126.2 | 113.8 | 124.3 | 119.8 | 136.7 | 134.0 | 134.4 | 132.2 | 116.3 | 137.6 | 131.9 | 138.6 | **17,288.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 28.0 | 31.0 | **4,513.0** |
| H2O | 1969 | 88.7 | 80.6 | 75.5 | 77.3 | 84.9 | 81.2 | 87.9 | 82.0 | 83.3 | 86.0 | 69.0 | 84.1 | **4,022.7** |
| OIL | 1969 | 199.7 | 176.7 | 195.0 | 190.1 | 195.1 | 191.6 | 199.0 | 183.7 | 192.6 | 130.1 | 112.2 | 130.8 | **15,742.9** |
| DAY | 1968 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,152.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1338*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-26-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1968 | 52.5 | 48.0 | 52.9 | 54.2 | 56.1 | 81.2 | 86.0 | 80.4 | 81.4 | 86.3 | 79.6 | 84.6 | **3,042.2** |
| OIL | 1968 | 279.2 | 247.3 | 274.1 | 272.4 | 269.4 | 193.1 | 194.2 | 198.5 | 192.8 | 202.5 | 194.0 | 199.7 | **13,646.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 12.0 | 24.0 | 31.0 | **3,788.0** |
| H2O | 1967 | 32.6 | 26.9 | 32.3 | 30.2 | 30.2 | 28.3 | 22.3 | 29.7 | 26.2 | 11.0 | 39.6 | 54.4 | **2,199.0** |
| OIL | 1967 | 117.0 | 103.9 | 116.5 | 112.5 | 115.8 | 111.1 | 115.4 | 114.3 | 110.1 | 45.1 | 218.2 | 278.7 | **10,929.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,448.0** |
| H2O | 1966 | 33.4 | 26.7 | 34.0 | 35.0 | 31.8 | 25.9 | 29.4 | 29.1 | 31.2 | 32.0 | 32.0 | 34.2 | **1,835.3** |
| OIL | 1966 | 239.5 | 210.7 | 233.4 | 228.0 | 107.9 | 95.7 | 113.6 | 113.0 | 110.1 | 113.6 | 111.9 | 117.1 | **9,370.5** |
| DAY | 1965 | 27.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,088.0** |
| H2O | 1965 | 32.7 | 33.2 | 39.1 | 31.5 | 34.8 | 33.2 | 33.4 | 33.5 | 33.9 | 33.5 | 34.3 | 35.0 | **1,460.6** |
| OIL | 1965 | 123.6 | 128.6 | 143.3 | 127.4 | 139.5 | 139.5 | 145.4 | 144.1 | 136.5 | 141.9 | 134.8 | 138.4 | **7,576.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 23.0 | 21.0 | 5.0 | 8.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,729.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 3.8 | 3.5 | 1.0 | 1.3 | 35.0 | 35.1 | 36.2 | 38.3 | **1,052.5** |
| OIL | 1964 | 24.2 | 22.7 | 24.8 | 23.7 | 3.5 | 3.2 | 0.6 | 1.3 | 134.8 | 137.1 | 134.4 | 144.1 | **5,933.0** |
| DAY | 1963 | 22.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,429.0** |
| OIL | 1963 | 13.7 | 15.6 | 25.3 | 23.0 | 23.5 | 23.5 | 23.4 | 21.5 | 20.5 | 21.9 | 22.7 | 23.2 | **5,278.6** |
| DAY | 1962 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,079.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 0.8 | 0.2 | 0.0 | 0.0 | **898.3** |
| OIL | 1962 | 19.2 | 16.7 | 20.5 | 19.9 | 19.9 | 19.4 | 19.7 | 21.3 | 21.9 | 23.4 | 18.9 | 21.8 | **5,020.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,719.0** |
| OIL | 1961 | 23.8 | 21.1 | 21.8 | 22.4 | 25.6 | 21.1 | 21.9 | 21.8 | 20.3 | 21.0 | 19.4 | 20.2 | **4,778.2** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | **1,355.0** |
| OIL | 1960 | 62.6 | 63.4 | 64.4 | 61.7 | 34.8 | 28.6 | 34.8 | 32.3 | 28.6 | 28.4 | 23.7 | 26.2 | **4,517.8** |
| DAY | 1959 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **996.0** |
| H2O | 1959 | 9.2 | 8.9 | 3.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **896.8** |
| OIL | 1959 | 60.7 | 56.9 | 64.5 | 66.1 | 63.2 | 64.0 | 68.2 | 65.2 | 66.4 | 69.0 | 63.1 | 68.0 | **4,028.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **635.0** |
| H2O | 1958 | 22.3 | 19.2 | 24.3 | 14.5 | 17.0 | 9.9 | 9.5 | 9.9 | 9.5 | 9.4 | 9.5 | 9.9 | **875.4** |
| OIL | 1958 | 131.6 | 122.0 | 110.6 | 105.2 | 102.7 | 100.7 | 96.9 | 78.7 | 82.0 | 78.7 | 73.9 | 69.0 | **3,253.0** |
| DAY | 1957 | 7.0 | 28.0 | 21.0 | 0.0 | 7.0 | 29.0 | 31.0 | 31.0 | 30.0 | 29.0 | 27.0 | 31.0 | **271.0** |
| H2O | 1957 | 0.0 | 114.3 | 128.1 | 0.0 | 27.5 | 111.8 | 99.4 | 96.8 | 52.3 | 28.1 | 33.1 | 19.1 | **710.5** |
| OIL | 1957 | 65.6 | 326.9 | 173.2 | 0.0 | 80.4 | 270.6 | 236.0 | 231.8 | 209.4 | 205.8 | 165.4 | 135.9 | **2,101.0** |

Licence ***1339*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,768.0** |
| H2O | 1975 | 401.9 | 343.9 | 372.8 | 262.3 | 265.2 | 258.8 | 328.0 | 324.8 | 327.3 | 354.2 | 323.5 | 339.7 | **35,300.7** |
| OIL | 1975 | 50.2 | 45.4 | 48.1 | 32.1 | 37.5 | 34.2 | 45.6 | 44.0 | 55.5 | 50.4 | 60.5 | 63.1 | **19,398.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 25.0 | 0.0 | 15.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,404.0** |
| H2O | 1974 | 234.0 | 210.6 | 234.3 | 221.6 | 204.1 | 193.8 | 0.0 | 157.2 | 266.0 | 424.0 | 404.4 | 401.3 | **31,398.3** |
| OIL | 1974 | 50.7 | 45.3 | 50.2 | 48.6 | 38.5 | 30.2 | 0.0 | 32.7 | 67.4 | 47.2 | 46.4 | 51.0 | **18,832.0** |
| DAY | 1973 | 31.0 | 28.0 | 29.0 | 30.0 | 26.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,091.0** |
| H2O | 1973 | 199.7 | 158.8 | 157.4 | 102.9 | 229.9 | 290.5 | 345.0 | 370.1 | 302.7 | 263.7 | 225.8 | 237.5 | **28,447.0** |
| OIL | 1973 | 48.0 | 48.8 | 49.9 | 43.1 | 66.4 | 74.8 | 80.6 | 73.3 | 58.6 | 60.2 | 47.7 | 50.9 | **18,323.8** |
| DAY | 1972 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,734.0** |
| H2O | 1972 | 164.9 | 251.5 | 251.3 | 226.5 | 235.0 | 129.7 | 159.0 | 230.4 | 216.1 | 166.1 | 188.6 | 186.8 | **25,563.0** |
| OIL | 1972 | 50.9 | 64.4 | 76.1 | 64.7 | 70.7 | 61.5 | 61.3 | 67.5 | 52.9 | 57.4 | 48.5 | 55.8 | **17,621.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **5,371.0** |
| H2O | 1971 | 256.8 | 222.9 | 239.4 | 216.4 | 235.3 | 227.8 | 255.6 | 195.9 | 141.8 | 293.2 | 138.8 | 165.5 | **23,157.1** |
| OIL | 1971 | 86.8 | 68.0 | 77.2 | 73.7 | 75.6 | 72.6 | 78.5 | 62.9 | 60.7 | 53.7 | 40.4 | 52.0 | **16,889.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1339*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 23.0 | 31.0 | **5,008.0** |
| H2O | 1970 | 179.5 | 153.6 | 184.7 | 149.0 | 142.4 | 141.0 | 93.3 | 88.2 | 89.7 | 91.6 | 55.2 | 276.7 | **20,567.7** |
| OIL | 1970 | 76.9 | 70.1 | 76.6 | 61.0 | 61.2 | 56.9 | 44.7 | 42.0 | 42.0 | 42.4 | 26.9 | 83.3 | **16,087.7** |
| DAY | 1969 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,650.0** |
| H2O | 1969 | 128.0 | 116.4 | 102.5 | 124.0 | 326.4 | 308.9 | 274.6 | 228.3 | 236.1 | 244.4 | 159.9 | 197.9 | **18,922.8** |
| OIL | 1969 | 69.1 | 58.6 | 71.0 | 68.2 | 98.8 | 97.1 | 90.3 | 97.6 | 85.7 | 87.7 | 68.6 | 83.1 | **15,403.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,287.0** |
| H2O | 1968 | 263.4 | 242.9 | 297.8 | 197.1 | 213.4 | 197.5 | 190.5 | 130.0 | 137.8 | 135.0 | 137.2 | 132.9 | **16,475.4** |
| OIL | 1968 | 93.1 | 91.1 | 103.9 | 95.7 | 98.5 | 90.9 | 86.9 | 78.2 | 74.1 | 75.5 | 73.7 | 71.2 | **14,427.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **3,921.0** |
| H2O | 1967 | 229.7 | 189.2 | 247.5 | 239.6 | 159.0 | 139.1 | 160.9 | 152.5 | 95.5 | 98.2 | 281.9 | 249.6 | **14,199.9** |
| OIL | 1967 | 95.5 | 88.0 | 95.2 | 96.8 | 86.9 | 74.8 | 84.5 | 79.5 | 57.8 | 55.9 | 105.2 | 98.8 | **13,395.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 14.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,560.0** |
| H2O | 1966 | 212.9 | 197.9 | 232.1 | 115.7 | 67.4 | 27.3 | 97.1 | 199.4 | 198.2 | 226.9 | 217.5 | 229.7 | **11,957.2** |
| OIL | 1966 | 111.2 | 97.1 | 109.3 | 82.0 | 60.7 | 47.5 | 57.2 | 116.3 | 110.6 | 105.4 | 103.5 | 107.6 | **12,376.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,215.0** |
| H2O | 1965 | 214.5 | 259.0 | 206.7 | 261.4 | 238.9 | 201.3 | 185.2 | 166.0 | 164.4 | 168.8 | 193.3 | 219.1 | **9,935.1** |
| OIL | 1965 | 142.2 | 141.4 | 135.1 | 131.7 | 135.4 | 119.8 | 119.3 | 113.3 | 104.9 | 113.1 | 103.1 | 111.2 | **11,267.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,850.0** |
| H2O | 1964 | 4.9 | 4.6 | 7.3 | 6.8 | 4.5 | 233.4 | 257.1 | 277.7 | 235.1 | 277.9 | 276.3 | 233.5 | **7,456.5** |
| OIL | 1964 | 30.5 | 27.8 | 30.2 | 33.8 | 25.7 | 164.0 | 164.3 | 172.4 | 150.8 | 163.0 | 154.0 | 150.5 | **9,797.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,487.0** |
| H2O | 1963 | 64.7 | 59.3 | 52.5 | 32.3 | 40.7 | 31.8 | 20.8 | 11.6 | 11.6 | 12.6 | 6.8 | 6.5 | **5,637.4** |
| OIL | 1963 | 77.4 | 68.3 | 76.6 | 50.4 | 48.9 | 47.5 | 47.5 | 38.0 | 38.1 | 38.8 | 32.7 | 32.1 | **8,530.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,122.0** |
| H2O | 1962 | 115.3 | 86.6 | 57.7 | 107.6 | 108.3 | 112.2 | 81.1 | 65.3 | 156.8 | 126.2 | 146.9 | 75.0 | **5,286.2** |
| OIL | 1962 | 112.8 | 93.9 | 106.8 | 103.8 | 88.7 | 94.6 | 96.9 | 80.4 | 105.0 | 113.6 | 103.3 | 85.2 | **7,934.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,763.0** |
| H2O | 1961 | 152.5 | 130.0 | 104.4 | 136.1 | 135.0 | 133.5 | 129.6 | 116.4 | 123.5 | 126.1 | 182.0 | 73.3 | **4,047.2** |
| OIL | 1961 | 163.8 | 143.0 | 168.4 | 152.1 | 150.3 | 143.2 | 127.1 | 132.2 | 136.8 | 124.4 | 129.7 | 120.9 | **6,749.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,400.0** |
| H2O | 1960 | 14.8 | 12.1 | 17.5 | 11.4 | 13.2 | 57.2 | 122.4 | 138.9 | 143.1 | 129.6 | 147.2 | 148.0 | **2,504.8** |
| OIL | 1960 | 44.5 | 37.7 | 50.1 | 35.1 | 43.7 | 89.1 | 170.2 | 176.7 | 192.4 | 187.7 | 181.2 | 185.0 | **5,057.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,040.0** |
| H2O | 1959 | 17.8 | 5.9 | 32.4 | 7.3 | 2.2 | 27.0 | 32.0 | 11.6 | 20.2 | 15.6 | 16.2 | 18.0 | **1,549.4** |
| OIL | 1959 | 53.7 | 40.2 | 46.7 | 40.4 | 57.2 | 39.9 | 36.9 | 43.4 | 41.3 | 38.5 | 40.7 | 48.6 | **3,663.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **678.0** |
| H2O | 1958 | 34.3 | 33.4 | 4.6 | 4.0 | 20.8 | 17.6 | 20.5 | 17.2 | 22.1 | 23.1 | 25.6 | 10.7 | **1,343.2** |
| OIL | 1958 | 83.4 | 81.7 | 75.8 | 72.5 | 62.5 | 74.5 | 73.4 | 57.0 | 48.1 | 51.3 | 56.4 | 50.5 | **3,136.2** |
| DAY | 1957 | 20.0 | 4.0 | 21.0 | 25.0 | 25.0 | 30.0 | 30.0 | 29.0 | 30.0 | 27.0 | 29.0 | 31.0 | **314.0** |
| H2O | 1957 | 72.7 | 11.8 | 62.6 | 90.3 | 87.8 | 62.6 | 132.0 | 118.9 | 169.3 | 162.8 | 57.7 | 54.1 | **1,109.3** |
| OIL | 1957 | 219.8 | 36.2 | 188.0 | 239.6 | 224.2 | 236.3 | 229.0 | 202.8 | 207.4 | 156.0 | 148.4 | 114.1 | **2,349.1** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | **13.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.7 | **26.7** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 147.3 | **147.3** |

Licence ***1340*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-10-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,765.0** |
| H2O | 1975 | 2061.8 | 1830.3 | 1977.9 | 1983.1 | 2033.0 | 1875.8 | 2015.7 | 1832.7 | 2011.7 | 2100.3 | 2001.4 | 2140.5 | **116,565.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1340*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-10-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1975 | 90.7 | 81.0 | 90.9 | 86.4 | 91.8 | 88.8 | 90.6 | 84.7 | 229.5 | 233.4 | 223.1 | 226.3 | **15,640.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 29.0 | 26.0 | 18.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,402.0** |
| H2O | 1974 | 1652.0 | 1847.5 | 2117.0 | 2027.6 | 1817.6 | 1316.2 | 2037.5 | 1941.3 | 1886.5 | 2103.8 | 1960.1 | 2033.0 | **92,701.6** |
| OIL | 1974 | 390.0 | 36.9 | 40.5 | 37.5 | 34.2 | 25.4 | 83.3 | 77.2 | 79.5 | 87.7 | 89.5 | 90.9 | **14,022.8** |
| DAY | 1973 | 30.0 | 28.0 | 27.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **6,058.0** |
| H2O | 1973 | 1085.4 | 972.6 | 979.6 | 1544.2 | 1828.1 | 1725.9 | 1807.4 | 1617.8 | 1812.2 | 1824.3 | 1774.1 | 1659.4 | **69,961.5** |
| OIL | 1973 | 92.2 | 83.3 | 80.2 | 232.5 | 54.3 | 55.1 | 55.6 | 404.6 | 376.5 | 398.1 | 414.6 | 379.6 | **12,950.2** |
| DAY | 1972 | 31.0 | 20.0 | 29.0 | 29.0 | 29.0 | 30.0 | 31.0 | 29.0 | 28.0 | 30.0 | 28.0 | 31.0 | **5,702.0** |
| H2O | 1972 | 1029.2 | 501.1 | 730.5 | 763.1 | 764.1 | 819.7 | 823.2 | 786.3 | 748.6 | 1029.1 | 969.3 | 1069.6 | **51,330.5** |
| OIL | 1972 | 61.3 | 37.2 | 53.6 | 51.0 | 49.9 | 51.0 | 54.3 | 78.8 | 76.1 | 123.6 | 84.7 | 95.2 | **10,323.6** |
| DAY | 1971 | 24.0 | 28.0 | 31.0 | 30.0 | 28.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,357.0** |
| H2O | 1971 | 558.2 | 754.8 | 795.4 | 825.1 | 794.1 | 804.1 | 816.2 | 888.2 | 857.9 | 1021.8 | 1002.2 | 960.7 | **41,296.7** |
| OIL | 1971 | 34.2 | 43.4 | 52.3 | 51.0 | 45.8 | 47.5 | 50.2 | 51.8 | 49.1 | 58.0 | 57.7 | 59.6 | **9,506.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 27.0 | 31.0 | 29.0 | 31.0 | **5,003.0** |
| H2O | 1970 | 214.1 | 156.1 | 169.0 | 279.3 | 276.1 | 267.7 | 246.6 | 170.7 | 143.2 | 156.9 | 478.7 | 722.1 | **31,218.0** |
| OIL | 1970 | 49.4 | 34.6 | 38.0 | 31.8 | 32.4 | 31.3 | 29.9 | 27.7 | 24.2 | 28.0 | 33.5 | 45.4 | **8,906.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **4,644.0** |
| H2O | 1969 | 38.0 | 34.8 | 218.6 | 189.0 | 225.4 | 220.0 | 224.8 | 214.0 | 216.2 | 191.7 | 203.3 | 198.7 | **27,937.5** |
| OIL | 1969 | 36.2 | 33.2 | 32.6 | 26.5 | 30.2 | 33.4 | 33.8 | 33.5 | 30.5 | 27.8 | 45.8 | 47.4 | **8,500.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,285.0** |
| H2O | 1968 | 19.4 | 18.8 | 20.0 | 19.1 | 19.7 | 18.3 | 20.2 | 19.1 | 16.2 | 19.6 | 19.2 | 37.8 | **25,763.0** |
| OIL | 1968 | 21.0 | 20.5 | 20.5 | 18.9 | 18.8 | 18.6 | 18.6 | 18.4 | 16.2 | 18.9 | 17.6 | 36.4 | **8,089.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,920.0** |
| H2O | 1967 | 17.6 | 17.8 | 20.8 | 21.0 | 18.1 | 18.8 | 19.9 | 13.8 | 18.8 | 19.1 | 18.8 | 19.9 | **25,515.6** |
| OIL | 1967 | 16.4 | 14.9 | 16.8 | 15.7 | 14.6 | 16.7 | 18.4 | 14.0 | 18.6 | 19.4 | 19.5 | 20.8 | **7,844.8** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,565.0** |
| H2O | 1966 | 103.5 | 89.7 | 100.6 | 57.1 | 59.3 | 58.0 | 55.2 | 57.4 | 20.0 | 20.7 | 21.1 | 16.7 | **25,291.2** |
| OIL | 1966 | 35.9 | 32.7 | 37.3 | 29.7 | 31.5 | 30.8 | 31.5 | 31.1 | 17.8 | 19.9 | 15.9 | 15.6 | **7,639.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,200.0** |
| H2O | 1965 | 103.2 | 95.2 | 104.8 | 126.2 | 137.2 | 75.8 | 80.9 | 100.5 | 99.8 | 98.4 | 97.8 | 98.7 | **24,631.9** |
| OIL | 1965 | 35.8 | 32.9 | 35.0 | 41.5 | 42.7 | 44.7 | 47.5 | 37.8 | 42.7 | 37.5 | 38.3 | 36.1 | **7,309.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,835.0** |
| H2O | 1964 | 81.2 | 86.6 | 88.7 | 83.0 | 85.4 | 78.7 | 85.5 | 72.7 | 64.5 | 89.7 | 82.4 | 102.1 | **23,413.4** |
| OIL | 1964 | 48.5 | 45.3 | 45.6 | 44.7 | 48.1 | 51.6 | 37.0 | 41.3 | 38.3 | 36.1 | 32.7 | 34.5 | **6,836.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,469.0** |
| H2O | 1963 | 36.9 | 34.0 | 33.9 | 33.5 | 46.3 | 45.5 | 26.7 | 68.2 | 49.1 | 77.1 | 66.9 | 56.8 | **22,412.9** |
| OIL | 1963 | 51.0 | 50.5 | 54.0 | 51.5 | 48.3 | 49.4 | 56.3 | 42.6 | 45.0 | 44.0 | 42.7 | 46.9 | **6,333.1** |
| DAY | 1962 | 29.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,104.0** |
| H2O | 1962 | 49.0 | 62.5 | 70.6 | 66.9 | 59.8 | 60.7 | 62.5 | 62.2 | 45.8 | 38.0 | 36.1 | 38.2 | **21,838.0** |
| OIL | 1962 | 61.7 | 62.9 | 68.0 | 65.5 | 55.1 | 71.8 | 70.7 | 66.7 | 52.6 | 51.6 | 51.5 | 48.3 | **5,750.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 23.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,748.0** |
| H2O | 1961 | 34.0 | 32.1 | 35.3 | 37.5 | 25.0 | 32.3 | 32.4 | 60.7 | 64.9 | 63.8 | 50.9 | 48.5 | **21,185.7** |
| OIL | 1961 | 97.7 | 87.9 | 95.2 | 92.8 | 59.1 | 67.7 | 76.0 | 73.9 | 74.5 | 72.6 | 67.4 | 65.6 | **5,024.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 26.0 | 27.0 | 29.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,391.0** |
| H2O | 1960 | 665.8 | 595.1 | 525.7 | 613.3 | 592.4 | 484.7 | 124.0 | 116.2 | 32.1 | 33.5 | 34.3 | 36.7 | **20,668.3** |
| OIL | 1960 | 17.2 | 15.1 | 15.6 | 16.0 | 24.8 | 20.3 | 129.5 | 132.1 | 92.6 | 85.2 | 89.9 | 98.5 | **4,094.1** |
| DAY | 1959 | 30.0 | 27.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 29.0 | 29.0 | 31.0 | **1,037.0** |
| H2O | 1959 | 651.7 | 572.5 | 587.7 | 664.4 | 731.3 | 684.1 | 767.9 | 721.1 | 597.0 | 588.9 | 595.7 | 648.0 | **16,814.5** |
| OIL | 1959 | 35.8 | 32.4 | 34.5 | 32.6 | 33.4 | 38.9 | 40.5 | 35.3 | 15.9 | 16.2 | 15.7 | 17.5 | **3,357.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **684.0** |
| H2O | 1958 | 415.1 | 485.5 | 591.2 | 462.9 | 527.8 | 499.7 | 458.5 | 627.8 | 565.3 | 625.7 | 533.1 | 666.6 | **9,004.2** |
| OIL | 1958 | 85.3 | 78.5 | 81.4 | 97.4 | 67.9 | 62.5 | 34.0 | 36.5 | 35.0 | 39.1 | 37.0 | 38.5 | **3,008.6** |

# Manitoba Production
## 1950 To 1975

Licence ***1340*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-10-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 14.0 | 18.0 | 18.0 | 18.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **320.0** |
| H2O | 1957 | 54.5 | 34.0 | 21.8 | 27.7 | 43.9 | 153.4 | 166.1 | 228.0 | 439.9 | 457.7 | 455.5 | 437.4 | **2,545.0** |
| OIL | 1957 | 348.3 | 221.5 | 147.8 | 141.7 | 300.3 | 229.6 | 167.5 | 123.9 | 164.5 | 120.3 | 104.9 | 101.5 | **2,315.5** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | **11.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.1 | **25.1** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 143.7 | **143.7** |

Licence ***1341*** Well Name ***Mineraloid Homestead*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-32-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 23.0 | 0.0 | 0.0 | 0.0 | 0.0 | **277.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 278.6 | 480.7 | 0.0 | 0.0 | 0.0 | 0.0 | **4,314.7** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.4 | 21.1 | 0.0 | 0.0 | 0.0 | 0.0 | **796.9** |
| DAY | 1958 | 0.0 | 4.0 | 25.0 | 0.0 | 19.0 | 18.0 | 17.0 | 11.0 | 15.0 | 7.0 | 0.0 | 0.0 | **240.0** |
| H2O | 1958 | 0.0 | 31.8 | 445.2 | 0.0 | 284.1 | 230.2 | 166.5 | 148.7 | 78.4 | 31.2 | 0.0 | 0.0 | **3,555.4** |
| OIL | 1958 | 0.0 | 25.6 | 67.9 | 0.0 | 52.6 | 42.4 | 30.0 | 16.5 | 23.4 | 7.9 | 0.0 | 0.0 | **756.4** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 12.0 | 28.0 | 16.0 | 29.0 | 30.0 | 3.0 | 0.0 | **124.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 46.4 | 144.2 | 472.5 | 164.2 | 639.0 | 637.9 | 35.1 | 0.0 | **2,139.3** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 48.5 | 78.7 | 160.2 | 32.4 | 87.2 | 75.8 | 7.3 | 0.0 | **490.1** |

Licence ***1342*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-24-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 2369.6 | 2324.9 | 2429.2 | 2503.5 | 2724.9 | 2283.0 | 2292.2 | 2404.1 | 2354.5 | 2466.9 | 2472.9 | 2420.8 | **227,077.1** |
| WIN | 1974 | 1156.7 | 1099.5 | 1380.1 | 1434.2 | 1466.3 | 1709.8 | 1880.9 | 2278.3 | 1383.4 | 1973.9 | 2144.2 | 2447.7 | **198,030.6** |
| WIN | 1973 | 1048.2 | 1315.4 | 1276.5 | 1528.0 | 1497.6 | 803.5 | 2115.7 | 1974.4 | 2022.2 | 1516.4 | 873.8 | 1181.4 | **177,675.6** |
| WIN | 1972 | 1544.6 | 1852.8 | 1965.5 | 1855.3 | 1994.1 | 1992.8 | 1972.1 | 1762.6 | 1783.0 | 1986.1 | 1858.0 | 1091.7 | **160,522.5** |
| WIN | 1971 | 1593.6 | 1739.4 | 1540.5 | 1905.2 | 2136.5 | 1876.0 | 1757.4 | 1757.4 | 1669.3 | 2056.6 | 1354.8 | 527.0 | **138,863.9** |
| WIN | 1970 | 26.5 | 15.9 | 12.1 | 15.9 | 15.9 | 1770.7 | 2083.3 | 2284.7 | 2117.8 | 2224.4 | 2020.2 | 2051.8 | **118,950.2** |
| WIN | 1969 | 2229.1 | 1706.2 | 2345.0 | 1452.8 | 1766.6 | 1644.3 | 1829.5 | 1862.3 | 646.6 | 0.0 | 15.4 | 15.9 | **104,311.0** |
| WIN | 1968 | 2357.5 | 2055.5 | 2151.3 | 1580.4 | 2310.1 | 1978.3 | 2222.9 | 2073.6 | 1996.5 | 1101.4 | 1573.6 | 1376.0 | **88,797.3** |
| WIN | 1967 | 1844.6 | 1037.2 | 2246.4 | 1092.4 | 2922.1 | 2696.0 | 2601.9 | 2386.1 | 2370.6 | 2510.0 | 2212.0 | 2265.6 | **66,020.2** |
| WIN | 1966 | 1170.1 | 974.2 | 1070.3 | 1058.8 | 1077.4 | 495.7 | 902.7 | 910.2 | 1367.5 | 1536.2 | 2702.0 | 1893.0 | **39,835.3** |
| WIN | 1965 | 1019.1 | 706.7 | 845.8 | 835.9 | 766.4 | 788.4 | 614.3 | 800.5 | 1076.6 | 1072.0 | 1112.5 | 988.1 | **24,677.2** |
| WIN | 1964 | 660.6 | 656.7 | 1206.0 | 1474.9 | 1235.4 | 2053.4 | 1517.5 | 1098.4 | 1104.4 | 987.1 | 909.7 | 927.2 | **14,050.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 19.0 | 30.0 | 30.0 | 29.0 | 3.0 | **2,466.0** |
| H2O | 1963 | 76.2 | 76.6 | 77.4 | 86.0 | 83.8 | 77.6 | 84.9 | 44.0 | 69.5 | 73.0 | 84.3 | 8.6 | **5,908.5** |
| OIL | 1963 | 85.7 | 78.4 | 83.3 | 83.1 | 85.0 | 80.9 | 79.0 | 48.8 | 79.8 | 78.5 | 86.6 | 8.9 | **8,422.4** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 219.6 | **219.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,145.0** |
| H2O | 1962 | 69.8 | 61.7 | 64.1 | 60.9 | 75.5 | 69.3 | 74.1 | 67.6 | 72.8 | 81.1 | 78.4 | 83.8 | **5,066.6** |
| OIL | 1962 | 87.4 | 78.2 | 83.7 | 80.2 | 86.3 | 81.4 | 81.7 | 81.4 | 77.1 | 89.6 | 83.3 | 87.2 | **7,544.4** |
| DAY | 1961 | 31.0 | 28.0 | 29.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **1,782.0** |
| H2O | 1961 | 154.8 | 138.2 | 100.0 | 94.6 | 70.9 | 73.3 | 71.4 | 69.3 | 65.5 | 69.0 | 74.2 | 71.5 | **4,207.5** |
| OIL | 1961 | 120.1 | 106.3 | 95.0 | 93.4 | 105.2 | 91.1 | 97.6 | 95.2 | 89.1 | 97.1 | 89.8 | 90.7 | **6,546.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,426.0** |
| H2O | 1960 | 170.6 | 141.2 | 143.2 | 134.2 | 132.9 | 149.9 | 121.0 | 121.1 | 100.6 | 103.8 | 208.6 | 169.2 | **3,154.8** |
| OIL | 1960 | 208.3 | 177.3 | 157.2 | 146.5 | 103.1 | 94.6 | 101.9 | 95.8 | 85.7 | 86.3 | 129.0 | 129.7 | **5,376.3** |
| DAY | 1959 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 19.0 | 25.0 | 27.0 | 31.0 | **1,062.0** |
| H2O | 1959 | 5.6 | 4.0 | 4.1 | 1.4 | 1.7 | 21.5 | 13.7 | 17.2 | 77.7 | 151.8 | 188.9 | 173.8 | **1,458.5** |
| OIL | 1959 | 44.5 | 38.1 | 41.2 | 42.6 | 39.3 | 32.3 | 33.1 | 31.1 | 106.9 | 228.5 | 183.2 | 222.5 | **3,860.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1342*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-24-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **718.0** |
| H2O | 1958 | 52.5 | 46.7 | 46.3 | 41.8 | 35.1 | 6.5 | 9.2 | 25.8 | 21.8 | 7.9 | 6.2 | 5.1 | **797.1** |
| OIL | 1958 | 75.5 | 68.0 | 69.3 | 63.4 | 64.8 | 42.4 | 55.8 | 48.3 | 45.1 | 56.6 | 49.1 | 48.3 | **2,817.6** |
| DAY | 1957 | 27.0 | 27.0 | 23.0 | 20.0 | 22.0 | 27.0 | 31.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | **357.0** |
| H2O | 1957 | 18.9 | 45.2 | 35.3 | 48.2 | 43.1 | 52.8 | 51.2 | 58.5 | 24.3 | 39.1 | 41.3 | 34.3 | **492.2** |
| OIL | 1957 | 288.4 | 275.9 | 200.4 | 223.1 | 177.7 | 168.6 | 177.7 | 156.2 | 140.0 | 142.9 | 78.3 | 71.4 | **2,131.0** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | **31.0** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.4 | **30.4** |

Licence ***1345*** Well Name ***CEGO Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-01-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 2.0 | 31.0 | 27.0 | 10.0 | 0.0 | 0.0 | 0.0 | **498.0** |
| H2O | 1958 | 311.8 | 285.9 | 340.9 | 325.6 | 308.6 | 314.8 | 325.3 | 178.5 | 77.4 | 0.0 | 0.0 | 0.0 | **5,178.9** |
| OIL | 1958 | 39.6 | 27.0 | 27.5 | 28.4 | 28.1 | 28.6 | 33.4 | 16.8 | 3.0 | 0.0 | 0.0 | 0.0 | **624.8** |
| DAY | 1957 | 0.0 | 8.0 | 16.0 | 14.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **278.0** |
| H2O | 1957 | 0.0 | 70.1 | 174.1 | 84.3 | 219.4 | 325.9 | 284.1 | 326.4 | 317.8 | 323.5 | 314.2 | 270.3 | **2,710.1** |
| OIL | 1957 | 0.0 | 34.0 | 62.8 | 35.1 | 51.3 | 18.8 | 22.4 | 30.7 | 45.1 | 40.5 | 35.0 | 16.7 | **392.4** |

Licence ***1346*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-23-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 22.0 | 30.0 | 30.0 | 28.0 | 31.0 | **6,583.0** |
| H2O | 1975 | 715.4 | 628.9 | 786.8 | 741.0 | 865.0 | 1178.8 | 597.3 | 462.8 | 664.9 | 678.0 | 407.9 | 642.0 | **139,897.9** |
| OIL | 1975 | 48.9 | 51.8 | 47.8 | 49.3 | 51.2 | 53.2 | 51.3 | 33.2 | 48.3 | 47.0 | 41.8 | 46.7 | **15,377.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 21.0 | **6,231.0** |
| H2O | 1974 | 616.8 | 565.3 | 616.4 | 582.2 | 608.3 | 571.2 | 616.8 | 632.3 | 570.6 | 597.3 | 603.8 | 469.5 | **131,529.1** |
| OIL | 1974 | 55.0 | 50.7 | 52.6 | 58.3 | 60.4 | 55.8 | 59.8 | 59.6 | 34.0 | 53.2 | 50.7 | 32.7 | **14,806.6** |
| DAY | 1973 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,876.0** |
| H2O | 1973 | 615.7 | 706.8 | 677.4 | 548.3 | 785.7 | 689.3 | 592.4 | 572.0 | 650.9 | 623.7 | 615.4 | 626.4 | **124,478.6** |
| OIL | 1973 | 84.9 | 83.1 | 94.7 | 81.0 | 66.9 | 67.7 | 59.3 | 57.8 | 55.5 | 56.3 | 55.5 | 58.0 | **14,183.8** |
| DAY | 1972 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 28.0 | 30.0 | **5,515.0** |
| H2O | 1972 | 615.9 | 471.2 | 500.6 | 464.2 | 582.8 | 554.7 | 501.3 | 771.1 | 695.9 | 675.0 | 621.1 | 577.1 | **116,774.6** |
| OIL | 1972 | 75.5 | 68.0 | 76.9 | 62.0 | 107.6 | 86.1 | 85.8 | 86.9 | 89.1 | 81.5 | 85.2 | 90.3 | **13,363.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **5,159.0** |
| H2O | 1971 | 552.0 | 556.6 | 662.9 | 559.1 | 561.0 | 473.4 | 569.0 | 509.5 | 419.5 | 435.4 | 391.1 | 608.1 | **109,743.7** |
| OIL | 1971 | 77.5 | 69.4 | 76.4 | 75.2 | 75.2 | 64.8 | 73.7 | 70.9 | 70.9 | 81.8 | 75.6 | 75.5 | **12,368.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | **4,797.0** |
| H2O | 1970 | 528.4 | 568.8 | 480.3 | 425.6 | 412.9 | 516.8 | 595.9 | 423.2 | 610.0 | 652.9 | 613.0 | 575.5 | **103,446.1** |
| OIL | 1970 | 77.5 | 69.1 | 54.7 | 53.9 | 35.9 | 65.0 | 77.1 | 75.3 | 69.8 | 76.0 | 76.1 | 69.9 | **11,481.3** |
| DAY | 1969 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 28.0 | 30.0 | 31.0 | **4,438.0** |
| H2O | 1969 | 410.2 | 483.5 | 545.0 | 568.8 | 633.9 | 533.2 | 752.3 | 706.3 | 416.1 | 631.0 | 547.2 | 606.7 | **97,042.8** |
| OIL | 1969 | 47.7 | 49.4 | 54.5 | 67.7 | 88.5 | 82.2 | 104.9 | 104.2 | 61.0 | 66.7 | 80.9 | 77.5 | **10,681.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,083.0** |
| H2O | 1968 | 793.5 | 762.8 | 818.4 | 914.1 | 909.4 | 753.2 | 619.7 | 683.8 | 562.2 | 662.2 | 624.2 | 596.0 | **90,208.6** |
| OIL | 1968 | 87.1 | 82.0 | 39.6 | 11.0 | 11.3 | 80.1 | 69.0 | 68.8 | 54.8 | 69.1 | 61.8 | 57.4 | **9,795.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 21.0 | 23.0 | **3,723.0** |
| H2O | 1967 | 859.0 | 766.0 | 886.6 | 765.6 | 798.7 | 798.1 | 712.2 | 647.2 | 702.7 | 837.2 | 561.5 | 604.9 | **81,509.1** |
| OIL | 1967 | 107.9 | 96.5 | 108.1 | 95.7 | 102.3 | 100.1 | 90.7 | 82.2 | 78.0 | 87.2 | 60.4 | 62.0 | **9,103.8** |
| DAY | 1966 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **3,381.0** |
| H2O | 1966 | 871.7 | 736.9 | 835.8 | 870.3 | 868.0 | 846.4 | 836.4 | 903.3 | 807.8 | 879.8 | 822.7 | 826.9 | **72,569.4** |

# Manitoba Production
## 1950 To 1975

Licence ***1346*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-23-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1966 | 109.3 | 96.5 | 113.1 | 106.8 | 109.6 | 108.5 | 93.6 | 89.3 | 77.7 | 91.7 | 106.9 | 110.1 | **8,032.7** |
| DAY | 1965 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | 25.0 | 28.0 | 31.0 | **3,020.0** |
| H2O | 1965 | 862.2 | 762.8 | 852.3 | 889.0 | 943.1 | 816.7 | 880.6 | 632.0 | 721.9 | 613.9 | 795.3 | 892.8 | **62,463.4** |
| OIL | 1965 | 83.3 | 72.1 | 74.1 | 79.9 | 82.6 | 75.0 | 84.4 | 59.6 | 69.4 | 56.3 | 76.1 | 94.4 | **6,819.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,670.0** |
| H2O | 1964 | 895.9 | 748.9 | 658.3 | 697.0 | 826.3 | 750.7 | 788.6 | 652.0 | 713.5 | 928.8 | 853.4 | 885.5 | **52,800.8** |
| OIL | 1964 | 82.5 | 55.1 | 92.2 | 91.8 | 93.8 | 92.3 | 83.7 | 87.6 | 94.1 | 91.1 | 84.1 | 83.6 | **5,912.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,304.0** |
| H2O | 1963 | 531.6 | 452.1 | 518.4 | 293.4 | 616.1 | 616.9 | 568.4 | 669.6 | 809.7 | 647.2 | 917.2 | 736.5 | **43,401.9** |
| OIL | 1963 | 45.3 | 39.4 | 44.7 | 6.5 | 101.4 | 83.0 | 73.6 | 76.6 | 91.4 | 68.0 | 94.7 | 86.9 | **4,880.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | 29.0 | 21.0 | 27.0 | **1,941.0** |
| H2O | 1962 | 523.0 | 466.8 | 510.9 | 500.0 | 480.3 | 502.7 | 559.7 | 465.3 | 475.3 | 484.7 | 346.6 | 470.7 | **36,024.8** |
| OIL | 1962 | 58.5 | 53.9 | 53.7 | 45.9 | 57.0 | 51.6 | 58.5 | 40.7 | 58.6 | 45.9 | 34.6 | 44.8 | **4,069.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,594.0** |
| H2O | 1961 | 537.2 | 492.0 | 520.5 | 493.5 | 519.8 | 502.0 | 518.7 | 532.4 | 474.1 | 491.9 | 497.0 | 522.7 | **30,238.8** |
| OIL | 1961 | 71.5 | 56.9 | 55.5 | 61.7 | 61.8 | 67.4 | 67.7 | 57.4 | 55.8 | 58.0 | 59.4 | 60.1 | **3,465.3** |
| DAY | 1960 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | 31.0 | **1,230.0** |
| H2O | 1960 | 565.7 | 555.1 | 528.4 | 539.4 | 543.7 | 525.2 | 525.4 | 637.2 | 496.6 | 470.9 | 476.5 | 521.6 | **24,137.0** |
| OIL | 1960 | 57.5 | 57.0 | 65.8 | 67.2 | 67.1 | 65.0 | 63.2 | 62.1 | 60.4 | 52.9 | 58.6 | 63.9 | **2,732.1** |
| DAY | 1959 | 31.0 | 28.0 | 30.0 | 30.0 | 29.0 | 25.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **870.0** |
| H2O | 1959 | 569.5 | 500.0 | 594.9 | 500.8 | 514.9 | 475.5 | 557.7 | 556.3 | 542.4 | 509.2 | 453.4 | 563.7 | **17,751.3** |
| OIL | 1959 | 72.6 | 55.8 | 61.2 | 72.5 | 68.2 | 55.5 | 67.9 | 73.6 | 66.4 | 63.1 | 61.2 | 69.8 | **1,991.4** |
| DAY | 1958 | 0.0 | 19.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **515.0** |
| H2O | 1958 | 0.0 | 407.3 | 498.2 | 487.9 | 507.3 | 551.2 | 593.5 | 564.1 | 551.8 | 571.2 | 494.3 | 564.2 | **11,413.0** |
| OIL | 1958 | 0.0 | 68.2 | 87.1 | 77.9 | 81.4 | 80.7 | 70.7 | 67.1 | 65.9 | 79.8 | 69.3 | 76.6 | **1,203.6** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 25.0 | 30.0 | 27.0 | 21.0 | 31.0 | 28.0 | 23.0 | 7.0 | 1.0 | **193.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 568.0 | 680.4 | 709.1 | 852.5 | 884.6 | 882.3 | 789.2 | 244.8 | 11.1 | **5,622.0** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 38.5 | 47.8 | 48.6 | 43.7 | 76.8 | 67.5 | 46.4 | 9.1 | 0.5 | **378.9** |

Licence ***1347*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-34-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 4.0 | 28.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **37.0** |
| H2O | 1957 | 31.0 | 169.8 | 28.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **229.1** |
| OIL | 1957 | 4.0 | 22.8 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **30.0** |

Licence ***1348*** Well Name ***Virden Roselea Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.08-02-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1062.3 | 932.7 | 1045.8 | 1045.9 | 1092.0 | 800.8 | 818.1 | 726.2 | 853.7 | 849.7 | 804.8 | 874.4 | **72,253.4** |
| WIN | 1974 | 615.3 | 922.4 | 935.3 | 983.5 | 848.6 | 669.6 | 814.0 | 715.7 | 771.2 | 838.1 | 1032.3 | 901.9 | **61,347.0** |
| WIN | 1973 | 774.1 | 664.7 | 739.7 | 898.6 | 1078.1 | 900.8 | 693.2 | 827.3 | 789.8 | 761.5 | 813.5 | 822.7 | **51,299.1** |
| WIN | 1972 | 734.1 | 692.5 | 946.0 | 845.9 | 848.3 | 714.3 | 684.2 | 599.2 | 315.5 | 522.5 | 293.5 | 813.3 | **41,535.1** |
| WIN | 1971 | 529.2 | 595.9 | 488.1 | 560.7 | 343.4 | 517.7 | 513.5 | 694.6 | 709.8 | 915.5 | 793.0 | 816.4 | **33,525.8** |
| WIN | 1970 | 629.8 | 572.1 | 531.4 | 428.1 | 300.6 | 335.4 | 508.8 | 444.8 | 445.1 | 694.1 | 626.6 | 555.6 | **26,048.0** |
| WIN | 1969 | 765.7 | 657.4 | 725.6 | 731.1 | 542.6 | 744.6 | 349.1 | 404.3 | 491.0 | 682.0 | 680.1 | 778.2 | **19,975.6** |
| WIN | 1968 | 618.4 | 770.1 | 634.0 | 752.1 | 788.9 | 694.4 | 775.3 | 751.1 | 533.6 | 838.8 | 698.0 | 693.3 | **12,423.9** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 190.9 | 743.5 | 882.0 | 789.8 | 728.4 | 541.3 | **3,875.9** |
| DAY | 1962 | 21.0 | 28.0 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 29.0 | 28.0 | 30.0 | 24.0 | 0.0 | **2,012.0** |
| H2O | 1962 | 40.0 | 117.0 | 107.3 | 31.3 | 27.2 | 26.2 | 23.7 | 28.0 | 25.1 | 26.9 | 15.9 | 0.0 | **6,750.3** |
| OIL | 1962 | 20.3 | 20.8 | 17.5 | 36.9 | 6.7 | 6.0 | 7.0 | 7.8 | 6.2 | 8.3 | 6.5 | 0.0 | **4,477.4** |

# Manitoba Production
## 1950 To 1975

Licence ***1348*** Well Name ***Virden Roselea Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.08-02-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1961 | 30.0 | 26.0 | 29.0 | 30.0 | 25.0 | 30.0 | 24.0 | 27.0 | 28.0 | 31.0 | 30.0 | 30.0 | **1,704.0** |
| H2O | 1961 | 65.7 | 62.8 | 61.8 | 63.9 | 60.4 | 65.2 | 55.3 | 57.2 | 52.8 | 66.9 | 55.5 | 55.0 | **6,281.7** |
| OIL | 1961 | 30.2 | 33.7 | 33.4 | 32.6 | 29.4 | 30.2 | 26.5 | 30.2 | 32.4 | 34.6 | 32.4 | 31.8 | **4,333.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | **1,364.0** |
| H2O | 1960 | 72.0 | 65.3 | 67.6 | 63.6 | 103.5 | 81.9 | 59.1 | 75.8 | 72.3 | 58.7 | 71.1 | 72.7 | **5,559.2** |
| OIL | 1960 | 59.3 | 55.1 | 58.3 | 55.0 | 53.2 | 37.3 | 24.6 | 35.1 | 31.1 | 29.7 | 38.3 | 38.9 | **3,956.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,007.0** |
| H2O | 1959 | 116.4 | 104.8 | 111.4 | 101.1 | 97.8 | 91.7 | 85.1 | 92.2 | 78.9 | 77.6 | 80.9 | 76.0 | **4,695.6** |
| OIL | 1959 | 68.5 | 62.6 | 74.1 | 68.0 | 70.9 | 56.3 | 57.7 | 61.5 | 56.7 | 60.1 | 57.0 | 61.3 | **3,440.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 22.0 | **649.0** |
| H2O | 1958 | 122.1 | 104.6 | 107.3 | 92.5 | 85.7 | 74.4 | 78.7 | 143.6 | 139.4 | 215.6 | 118.8 | 74.2 | **3,581.7** |
| OIL | 1958 | 101.5 | 86.8 | 87.6 | 78.5 | 72.8 | 64.7 | 64.2 | 86.0 | 77.1 | 86.8 | 78.2 | 61.0 | **2,685.4** |
| DAY | 1957 | 0.0 | 6.0 | 31.0 | 22.0 | 30.0 | 30.0 | 31.0 | 21.0 | 30.0 | 31.0 | 30.0 | 31.0 | **293.0** |
| H2O | 1957 | 0.0 | 78.9 | 385.5 | 225.1 | 270.9 | 241.5 | 214.3 | 149.1 | 200.6 | 188.1 | 127.7 | 143.1 | **2,224.8** |
| OIL | 1957 | 11.1 | 55.1 | 267.0 | 184.7 | 224.2 | 210.1 | 185.0 | 106.6 | 138.4 | 128.7 | 118.7 | 110.6 | **1,740.2** |

Licence ***1349*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-26-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,568.0** |
| H2O | 1975 | 49.6 | 45.6 | 50.7 | 49.1 | 51.0 | 67.6 | 67.9 | 66.8 | 65.7 | 70.6 | 70.9 | 72.2 | **7,238.2** |
| OIL | 1975 | 138.6 | 123.2 | 135.2 | 128.2 | 130.8 | 111.7 | 114.7 | 115.5 | 112.0 | 115.8 | 112.0 | 113.8 | **24,043.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,203.0** |
| H2O | 1974 | 29.1 | 27.0 | 30.2 | 29.6 | 30.5 | 30.7 | 31.0 | 47.7 | 47.1 | 49.4 | 49.3 | 49.3 | **6,510.5** |
| OIL | 1974 | 165.1 | 144.0 | 164.6 | 157.0 | 163.0 | 158.0 | 163.0 | 140.2 | 134.8 | 141.7 | 135.2 | 139.5 | **22,591.8** |
| DAY | 1973 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **5,838.0** |
| H2O | 1973 | 49.3 | 48.6 | 52.5 | 52.1 | 52.9 | 30.4 | 30.4 | 32.4 | 30.2 | 32.6 | 30.2 | 29.3 | **6,059.6** |
| OIL | 1973 | 135.9 | 123.2 | 136.5 | 133.2 | 139.0 | 156.0 | 161.9 | 170.9 | 153.8 | 167.7 | 158.4 | 160.7 | **20,785.7** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,476.0** |
| H2O | 1972 | 59.0 | 58.2 | 63.8 | 56.8 | 18.1 | 18.3 | 20.2 | 19.1 | 19.2 | 20.7 | 51.0 | 52.0 | **5,588.7** |
| OIL | 1972 | 141.6 | 133.3 | 145.4 | 138.7 | 169.1 | 166.8 | 171.7 | 175.7 | 167.2 | 176.0 | 136.5 | 142.5 | **18,988.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,110.0** |
| H2O | 1971 | 28.1 | 25.6 | 29.3 | 29.4 | 59.0 | 58.8 | 56.3 | 56.1 | 50.2 | 56.1 | 54.1 | 63.4 | **5,132.3** |
| OIL | 1971 | 192.3 | 169.9 | 188.3 | 178.5 | 151.1 | 146.8 | 145.2 | 147.3 | 145.4 | 151.0 | 142.4 | 145.6 | **17,124.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,746.0** |
| H2O | 1970 | 54.1 | 50.7 | 53.1 | 49.1 | 29.4 | 29.7 | 26.5 | 29.9 | 28.8 | 30.0 | 27.3 | 30.4 | **4,565.9** |
| OIL | 1970 | 186.4 | 168.0 | 183.3 | 176.8 | 182.5 | 178.5 | 179.5 | 176.6 | 174.1 | 183.8 | 176.3 | 184.9 | **15,220.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,383.0** |
| H2O | 1969 | 42.8 | 38.6 | 36.4 | 37.0 | 40.9 | 39.1 | 42.4 | 42.6 | 40.2 | 57.2 | 51.2 | 56.3 | **4,126.9** |
| OIL | 1969 | 200.1 | 176.4 | 195.3 | 189.9 | 195.3 | 191.5 | 199.2 | 198.0 | 192.8 | 192.3 | 184.2 | 193.1 | **13,069.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,018.0** |
| H2O | 1968 | 43.9 | 41.8 | 44.4 | 45.6 | 47.7 | 39.6 | 41.3 | 38.8 | 39.1 | 41.3 | 38.3 | 40.7 | **3,602.2** |
| OIL | 1968 | 163.7 | 150.3 | 161.0 | 159.9 | 160.2 | 194.2 | 194.5 | 198.8 | 193.1 | 202.8 | 194.1 | 199.9 | **10,761.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | **3,653.0** |
| H2O | 1967 | 65.0 | 53.7 | 64.7 | 60.3 | 60.3 | 56.8 | 43.4 | 57.7 | 52.5 | 45.0 | 41.7 | 45.6 | **3,099.7** |
| OIL | 1967 | 195.2 | 173.3 | 194.7 | 187.7 | 193.6 | 185.6 | 186.4 | 184.2 | 183.8 | 144.9 | 161.0 | 163.5 | **8,588.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,293.0** |
| H2O | 1966 | 119.7 | 95.9 | 121.9 | 124.5 | 67.7 | 55.3 | 57.6 | 58.0 | 62.5 | 64.2 | 62.0 | 66.8 | **2,453.0** |
| OIL | 1966 | 143.8 | 126.7 | 140.2 | 136.5 | 191.5 | 170.1 | 186.1 | 188.6 | 183.6 | 190.4 | 181.5 | 191.0 | **6,435.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,930.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 125.4 | **1,496.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1349*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-26-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1965 | 35.4 | 32.4 | 35.0 | 33.7 | 34.0 | 34.0 | 35.4 | 35.1 | 33.2 | 34.6 | 32.9 | 145.4 | **4,405.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 27.0 | 28.0 | 30.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,565.0** |
| H2O | 1964 | 1.3 | 1.3 | 1.3 | 1.1 | 4.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,371.5** |
| OIL | 1964 | 43.7 | 41.3 | 44.7 | 42.9 | 17.2 | 30.2 | 32.6 | 34.0 | 29.6 | 33.5 | 32.9 | 35.1 | **3,883.9** |
| DAY | 1963 | 22.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,209.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.6 | 1.1 | 1.3 | 1.3 | 1.3 | **1,361.9** |
| OIL | 1963 | 17.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.7 | 40.8 | 38.0 | 41.6 | 41.0 | 41.8 | **3,466.2** |
| DAY | 1962 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,025.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 0.8 | 0.3 | 0.0 | 0.0 | **1,356.1** |
| OIL | 1962 | 33.1 | 28.8 | 35.4 | 34.8 | 34.8 | 34.0 | 33.8 | 30.5 | 28.6 | 30.2 | 24.5 | 28.4 | **3,232.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | **1,662.0** |
| OIL | 1961 | 36.2 | 36.5 | 39.9 | 37.0 | 35.4 | 27.3 | 36.1 | 35.3 | 34.0 | 37.3 | 34.8 | 35.1 | **2,855.6** |
| DAY | 1960 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,300.0** |
| OIL | 1960 | 15.7 | 13.5 | 16.7 | 17.3 | 42.3 | 46.7 | 41.2 | 42.4 | 40.2 | 41.6 | 37.8 | 40.7 | **2,430.7** |
| DAY | 1959 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **940.0** |
| H2O | 1959 | 18.8 | 17.8 | 5.1 | 1.9 | 0.6 | 1.3 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,354.4** |
| OIL | 1959 | 44.2 | 31.8 | 35.4 | 29.2 | 32.4 | 28.0 | 26.9 | 24.9 | 23.5 | 20.8 | 19.2 | 17.5 | **2,034.6** |
| DAY | 1958 | 31.0 | 28.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **579.0** |
| H2O | 1958 | 51.8 | 46.1 | 44.5 | 25.9 | 12.4 | 18.8 | 19.4 | 19.7 | 18.4 | 18.8 | 19.1 | 19.7 | **1,307.9** |
| OIL | 1958 | 79.0 | 55.6 | 63.9 | 61.0 | 51.6 | 46.7 | 49.3 | 55.3 | 38.6 | 41.3 | 38.8 | 42.9 | **1,700.8** |
| DAY | 1957 | 0.0 | 0.0 | 21.0 | 0.0 | 3.0 | 24.0 | 28.0 | 27.0 | 30.0 | 30.0 | 30.0 | 26.0 | **219.0** |
| H2O | 1957 | 0.0 | 0.0 | 141.5 | 0.0 | 7.5 | 161.4 | 195.2 | 187.8 | 109.9 | 93.5 | 59.5 | 37.0 | **993.3** |
| OIL | 1957 | 0.0 | 0.0 | 246.6 | 0.0 | 28.4 | 183.1 | 154.9 | 116.0 | 95.7 | 74.7 | 91.4 | 86.0 | **1,076.8** |

Licence ***1350*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,803.0** |
| H2O | 1975 | 700.3 | 598.2 | 678.7 | 650.4 | 675.8 | 670.6 | 730.7 | 745.9 | 740.7 | 644.7 | 580.8 | 609.8 | **85,830.5** |
| OIL | 1975 | 128.6 | 116.2 | 128.9 | 125.1 | 70.6 | 69.0 | 77.9 | 77.7 | 74.2 | 80.4 | 74.8 | 78.2 | **27,200.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 24.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,438.0** |
| H2O | 1974 | 626.9 | 564.7 | 627.8 | 567.9 | 535.8 | 468.0 | 618.9 | 642.4 | 561.5 | 595.9 | 588.9 | 704.0 | **77,803.9** |
| OIL | 1974 | 164.3 | 146.5 | 162.7 | 150.8 | 177.7 | 128.2 | 166.4 | 172.6 | 113.9 | 116.2 | 113.6 | 131.4 | **26,099.2** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 28.0 | **6,080.0** |
| H2O | 1973 | 415.6 | 428.0 | 538.1 | 474.6 | 450.1 | 235.3 | 251.7 | 284.7 | 517.5 | 562.8 | 530.5 | 553.6 | **70,701.2** |
| OIL | 1973 | 170.4 | 169.9 | 81.5 | 78.3 | 72.1 | 42.1 | 42.1 | 39.6 | 148.9 | 166.7 | 162.2 | 143.3 | **24,354.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 30.0 | 29.0 | 30.0 | 29.0 | 30.0 | **5,726.0** |
| H2O | 1972 | 492.8 | 455.5 | 459.9 | 313.3 | 322.3 | 311.4 | 249.3 | 312.9 | 396.0 | 421.8 | 402.4 | 408.1 | **65,458.7** |
| OIL | 1972 | 47.2 | 44.2 | 47.7 | 133.5 | 144.4 | 134.8 | 105.4 | 134.3 | 165.9 | 179.7 | 163.2 | 174.5 | **23,037.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **5,370.0** |
| H2O | 1971 | 523.4 | 454.5 | 312.2 | 476.1 | 515.6 | 400.9 | 492.0 | 463.6 | 421.0 | 398.1 | 442.6 | 491.1 | **60,913.0** |
| OIL | 1971 | 69.9 | 60.9 | 47.2 | 66.1 | 67.5 | 52.0 | 45.8 | 45.9 | 44.2 | 40.2 | 40.4 | 47.7 | **21,563.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,012.0** |
| H2O | 1970 | 372.0 | 386.2 | 427.2 | 405.9 | 515.4 | 510.3 | 532.6 | 475.4 | 504.3 | 514.6 | 481.2 | 517.2 | **55,521.9** |
| OIL | 1970 | 78.8 | 69.3 | 75.6 | 72.6 | 75.6 | 70.4 | 72.6 | 64.0 | 67.1 | 67.7 | 59.3 | 74.2 | **20,935.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 22.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **4,649.0** |
| H2O | 1969 | 412.7 | 388.7 | 450.5 | 384.7 | 422.3 | 317.2 | 440.2 | 445.6 | 539.9 | 536.7 | 385.5 | 430.5 | **49,879.6** |
| OIL | 1969 | 72.0 | 59.8 | 76.3 | 62.6 | 72.3 | 53.1 | 73.9 | 74.2 | 58.6 | 62.5 | 74.8 | 73.7 | **20,088.0** |
| DAY | 1968 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,296.0** |
| H2O | 1968 | 361.7 | 368.0 | 473.0 | 475.7 | 472.8 | 431.3 | 443.1 | 585.0 | 433.2 | 431.9 | 413.0 | 420.3 | **44,725.1** |
| OIL | 1968 | 74.2 | 79.0 | 85.5 | 89.1 | 87.6 | 78.5 | 78.7 | 92.2 | 67.4 | 75.6 | 70.9 | 72.3 | **19,274.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1350*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | **3,931.0** |
| H2O | 1967 | 353.7 | 304.6 | 338.0 | 493.6 | 503.0 | 466.1 | 501.3 | 477.1 | 328.1 | 417.0 | 378.2 | 384.1 | **39,416.1** |
| OIL | 1967 | 74.7 | 60.7 | 65.3 | 97.1 | 97.4 | 92.3 | 96.5 | 85.7 | 77.1 | 87.2 | 73.7 | 79.8 | **18,323.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,571.0** |
| H2O | 1966 | 246.4 | 218.6 | 239.6 | 550.5 | 363.6 | 381.7 | 403.3 | 369.5 | 311.6 | 366.8 | 364.4 | 367.2 | **34,471.3** |
| OIL | 1966 | 21.3 | 23.8 | 43.4 | 167.7 | 55.5 | 91.7 | 96.5 | 73.6 | 65.2 | 73.3 | 79.0 | 80.1 | **17,335.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,212.0** |
| H2O | 1965 | 179.5 | 168.2 | 191.7 | 290.3 | 414.3 | 464.4 | 549.1 | 270.1 | 287.0 | 286.5 | 263.9 | 249.6 | **30,288.1** |
| OIL | 1965 | 47.2 | 48.5 | 47.2 | 41.5 | 63.6 | 71.7 | 89.0 | 52.0 | 47.4 | 47.0 | 62.8 | 35.9 | **16,464.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 28.0 | 31.0 | **2,854.0** |
| H2O | 1964 | 379.3 | 357.1 | 468.8 | 381.9 | 338.8 | 314.1 | 308.6 | 331.8 | 278.5 | 290.3 | 214.6 | 209.1 | **26,673.5** |
| OIL | 1964 | 116.2 | 106.6 | 110.3 | 104.4 | 101.9 | 94.2 | 93.1 | 97.3 | 81.4 | 82.2 | 66.1 | 59.6 | **15,810.8** |
| DAY | 1963 | 19.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,493.0** |
| H2O | 1963 | 139.9 | 265.0 | 237.0 | 232.3 | 233.7 | 219.6 | 191.1 | 190.6 | 264.5 | 260.1 | 357.2 | 377.6 | **22,800.6** |
| OIL | 1963 | 51.6 | 70.7 | 79.3 | 45.8 | 43.2 | 38.9 | 59.0 | 48.6 | 79.0 | 75.2 | 122.4 | 116.2 | **14,697.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 29.0 | 28.0 | 30.0 | 30.0 | 31.0 | **2,142.0** |
| H2O | 1962 | 363.4 | 289.7 | 320.2 | 293.5 | 301.6 | 318.1 | 321.9 | 292.2 | 247.2 | 268.4 | 241.8 | 226.4 | **19,832.0** |
| OIL | 1962 | 116.0 | 106.2 | 114.1 | 106.5 | 103.3 | 106.6 | 109.6 | 102.0 | 92.6 | 91.2 | 85.7 | 79.8 | **13,867.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,783.0** |
| H2O | 1961 | 393.2 | 354.7 | 394.3 | 375.2 | 388.2 | 393.6 | 394.9 | 334.8 | 358.5 | 362.2 | 372.8 | 362.2 | **16,347.6** |
| OIL | 1961 | 186.1 | 162.6 | 182.3 | 168.1 | 151.6 | 151.8 | 153.2 | 134.6 | 141.9 | 142.1 | 132.8 | 119.0 | **12,654.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | **1,423.0** |
| H2O | 1960 | 409.9 | 382.5 | 388.1 | 351.3 | 351.3 | 409.7 | 418.8 | 411.4 | 386.6 | 411.9 | 406.5 | 363.7 | **11,863.0** |
| OIL | 1960 | 216.6 | 195.8 | 201.0 | 181.2 | 171.1 | 197.8 | 200.5 | 186.7 | 178.3 | 188.9 | 178.6 | 180.2 | **10,827.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 26.0 | 30.0 | 31.0 | **1,060.0** |
| H2O | 1959 | 270.9 | 244.5 | 285.1 | 283.0 | 291.4 | 271.1 | 330.5 | 310.8 | 322.9 | 331.2 | 391.9 | 398.2 | **7,171.3** |
| OIL | 1959 | 247.7 | 222.2 | 247.3 | 265.0 | 270.2 | 243.3 | 268.9 | 250.0 | 250.8 | 196.3 | 210.1 | 212.8 | **8,551.2** |
| DAY | 1958 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **703.0** |
| H2O | 1958 | 94.0 | 85.1 | 90.5 | 98.2 | 219.4 | 197.5 | 231.5 | 213.7 | 205.2 | 269.5 | 262.8 | 266.5 | **3,439.8** |
| OIL | 1958 | 197.8 | 181.5 | 188.0 | 195.0 | 280.2 | 257.8 | 262.6 | 258.3 | 240.1 | 258.4 | 246.5 | 251.5 | **5,666.6** |
| DAY | 1957 | 29.0 | 24.0 | 23.0 | 30.0 | 29.0 | 27.0 | 31.0 | 29.0 | 30.0 | 29.0 | 29.0 | 30.0 | **340.0** |
| H2O | 1957 | 76.9 | 80.4 | 50.1 | 144.5 | 112.1 | 162.8 | 121.3 | 92.4 | 109.7 | 85.5 | 86.3 | 83.9 | **1,205.9** |
| OIL | 1957 | 321.9 | 255.3 | 238.4 | 318.8 | 253.7 | 228.2 | 212.8 | 212.8 | 217.4 | 201.0 | 193.1 | 195.5 | **2,848.9** |

Licence ***1351*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,832.0** |
| H2O | 1975 | 275.4 | 253.3 | 282.3 | 264.4 | 283.6 | 271.4 | 272.0 | 167.9 | 174.4 | 187.3 | 187.8 | 191.3 | **26,165.1** |
| OIL | 1975 | 152.1 | 135.1 | 148.4 | 136.2 | 143.3 | 139.5 | 143.3 | 59.0 | 60.4 | 62.5 | 60.5 | 61.3 | **26,027.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,469.0** |
| H2O | 1974 | 272.3 | 250.2 | 282.5 | 222.9 | 284.6 | 286.0 | 257.7 | 256.4 | 261.4 | 272.2 | 271.5 | 271.4 | **23,354.0** |
| OIL | 1974 | 156.5 | 135.2 | 156.0 | 120.8 | 154.6 | 149.7 | 137.9 | 148.9 | 147.8 | 154.3 | 147.2 | 151.9 | **24,726.3** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **6,111.0** |
| H2O | 1973 | 282.8 | 271.4 | 290.9 | 290.5 | 284.7 | 282.8 | 263.4 | 301.9 | 297.9 | 273.9 | 276.9 | 273.1 | **20,164.9** |
| OIL | 1973 | 154.0 | 135.9 | 149.7 | 146.2 | 147.6 | 147.9 | 142.2 | 161.9 | 154.8 | 144.0 | 147.6 | 152.2 | **22,965.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 26.0 | **5,750.0** |
| H2O | 1972 | 274.1 | 267.1 | 293.0 | 257.5 | 288.4 | 237.5 | 263.6 | 233.7 | 249.6 | 266.5 | 264.1 | 223.0 | **16,774.7** |
| OIL | 1972 | 189.7 | 176.9 | 192.6 | 181.5 | 194.3 | 149.4 | 153.8 | 147.2 | 149.7 | 153.3 | 145.6 | 126.3 | **21,181.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 29.0 | 25.0 | 31.0 | 28.0 | 31.0 | **5,391.0** |
| H2O | 1971 | 258.7 | 216.2 | 336.9 | 338.0 | 322.1 | 329.4 | 334.0 | 297.6 | 192.7 | 253.1 | 224.5 | 291.7 | **13,656.6** |

# Manitoba Production
## 1950 To 1975

Licence ***1351*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1971 | 206.1 | 170.2 | 206.4 | 195.9 | 190.5 | 190.4 | 199.1 | 180.7 | 160.7 | 195.6 | 170.4 | 193.2 | **19,221.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,036.0** |
| H2O | 1970 | 301.9 | 283.3 | 296.5 | 273.9 | 281.9 | 283.9 | 258.5 | 288.4 | 277.4 | 279.5 | 255.0 | 279.2 | **10,261.7** |
| OIL | 1970 | 214.4 | 193.2 | 210.9 | 203.4 | 209.9 | 204.0 | 209.0 | 203.1 | 200.2 | 197.0 | 189.1 | 198.3 | **16,962.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 26.0 | 31.0 | 30.0 | 31.0 | **4,672.0** |
| H2O | 1969 | 180.9 | 170.3 | 159.6 | 163.1 | 179.2 | 102.7 | 111.4 | 241.5 | 235.3 | 295.9 | 285.5 | 313.3 | **6,902.3** |
| OIL | 1969 | 216.0 | 197.7 | 218.5 | 212.8 | 218.5 | 123.8 | 128.6 | 141.9 | 142.5 | 172.6 | 211.7 | 221.8 | **14,529.5** |
| DAY | 1968 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,316.0** |
| H2O | 1968 | 189.5 | 187.1 | 198.9 | 204.1 | 213.8 | 171.7 | 187.4 | 171.4 | 171.9 | 182.0 | 168.0 | 178.7 | **4,463.6** |
| OIL | 1968 | 226.6 | 216.1 | 231.4 | 229.6 | 230.3 | 217.2 | 224.2 | 223.9 | 216.0 | 226.8 | 217.1 | 223.7 | **12,323.1** |
| DAY | 1967 | 30.0 | 28.0 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 18.0 | 25.0 | 31.0 | **3,951.0** |
| H2O | 1967 | 31.5 | 26.9 | 32.4 | 25.9 | 24.0 | 27.2 | 21.5 | 27.5 | 197.0 | 116.5 | 153.7 | 204.4 | **2,239.1** |
| OIL | 1967 | 61.2 | 56.1 | 62.9 | 46.2 | 44.0 | 34.5 | 35.9 | 34.0 | 224.7 | 130.0 | 60.7 | 235.0 | **9,640.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 23.0 | 10.0 | 29.0 | 29.0 | 25.0 | 30.0 | 31.0 | **3,611.0** |
| H2O | 1966 | 6.8 | 5.6 | 7.2 | 7.2 | 14.9 | 14.9 | 6.2 | 27.0 | 30.2 | 25.9 | 32.0 | 33.5 | **1,350.6** |
| OIL | 1966 | 38.1 | 33.4 | 37.0 | 36.2 | 52.8 | 38.9 | 16.8 | 56.6 | 57.5 | 49.6 | 60.4 | 61.8 | **8,615.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,283.0** |
| H2O | 1965 | 8.1 | 7.0 | 8.3 | 7.2 | 7.3 | 6.8 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.3 | **1,139.2** |
| OIL | 1965 | 40.4 | 36.7 | 39.9 | 38.5 | 38.8 | 38.8 | 40.4 | 40.0 | 37.8 | 39.4 | 37.0 | 38.5 | **8,075.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | **2,918.0** |
| H2O | 1964 | 5.1 | 4.6 | 5.1 | 4.9 | 5.2 | 7.5 | 7.3 | 7.6 | 5.9 | 7.3 | 7.5 | 8.1 | **1,052.2** |
| OIL | 1964 | 32.1 | 30.5 | 32.9 | 31.8 | 32.4 | 37.0 | 38.0 | 38.8 | 29.9 | 38.1 | 37.3 | 40.0 | **7,609.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,558.0** |
| H2O | 1963 | 2.9 | 3.2 | 3.3 | 3.0 | 3.0 | 3.3 | 3.5 | 3.7 | 4.5 | 5.4 | 4.9 | 5.1 | **976.1** |
| OIL | 1963 | 45.3 | 43.5 | 46.6 | 41.3 | 42.6 | 42.1 | 45.8 | 44.2 | 44.0 | 31.1 | 30.2 | 30.8 | **7,190.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,193.0** |
| H2O | 1962 | 6.7 | 9.2 | 8.9 | 11.1 | 6.8 | 11.8 | 5.2 | 5.9 | 4.9 | 4.0 | 3.8 | 3.2 | **930.3** |
| OIL | 1962 | 72.0 | 64.8 | 72.1 | 55.9 | 58.5 | 51.3 | 49.9 | 49.4 | 47.5 | 47.2 | 45.0 | 46.6 | **6,703.4** |
| DAY | 1961 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,828.0** |
| H2O | 1961 | 1.3 | 76.9 | 124.5 | 63.4 | 73.1 | 57.1 | 37.0 | 31.2 | 23.7 | 11.9 | 12.2 | 7.8 | **848.8** |
| OIL | 1961 | 24.2 | 88.5 | 125.1 | 130.1 | 136.8 | 130.0 | 103.0 | 96.3 | 92.0 | 70.2 | 72.3 | 74.8 | **6,043.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,466.0** |
| H2O | 1960 | 0.0 | 0.2 | 1.4 | 3.5 | 3.2 | 33.1 | 3.3 | 3.8 | 3.3 | 5.1 | 5.4 | 1.3 | **328.7** |
| OIL | 1960 | 51.5 | 47.2 | 49.6 | 38.0 | 43.1 | 40.8 | 40.7 | 43.9 | 40.8 | 26.5 | 25.9 | 28.9 | **4,899.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,100.0** |
| H2O | 1959 | 0.0 | 8.3 | 3.5 | 8.9 | 1.7 | 5.1 | 5.6 | 0.0 | 4.6 | 3.2 | 5.2 | 0.0 | **265.1** |
| OIL | 1959 | 81.4 | 72.1 | 75.3 | 73.9 | 72.1 | 76.0 | 60.1 | 45.4 | 58.6 | 60.9 | 60.2 | 52.8 | **4,423.0** |
| DAY | 1958 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **736.0** |
| H2O | 1958 | 2.7 | 14.6 | 3.8 | 3.3 | 6.8 | 2.7 | 5.6 | 3.2 | 6.5 | 7.0 | 22.4 | 4.3 | **219.0** |
| OIL | 1958 | 114.1 | 100.7 | 120.0 | 108.1 | 111.2 | 93.1 | 108.1 | 110.3 | 83.7 | 96.1 | 91.8 | 85.8 | **3,634.2** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **374.0** |
| H2O | 1957 | 0.5 | 0.6 | 15.4 | 26.1 | 1.1 | 24.2 | 18.0 | 31.0 | 11.0 | 2.7 | 2.5 | 2.7 | **136.1** |
| OIL | 1957 | 210.4 | 320.5 | 205.2 | 234.1 | 190.7 | 196.4 | 150.3 | 217.7 | 136.2 | 135.4 | 130.9 | 124.6 | **2,411.2** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | **12.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | **0.3** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 158.8 | **158.8** |

Licence ***1352*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-10-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 25.0 | 30.0 | 28.0 | 31.0 | 24.0 | 26.0 | 27.0 | 30.0 | 27.0 | 29.0 | 29.0 | **5,961.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1352*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-10-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1975 | 10446.0 | 8213.7 | 9619.7 | 9302.4 | 10218.0 | 7542.2 | 8496.4 | 8383.3 | 10320.0 | 9094.5 | 9925.6 | 10184.0 | **380,704.5** |
| OIL | 1975 | 184.0 | 145.7 | 176.9 | 162.4 | 184.3 | 143.0 | 152.7 | 155.3 | 176.7 | 151.8 | 166.1 | 161.6 | **20,235.0** |
| DAY | 1974 | 10.0 | 28.0 | 26.0 | 28.0 | 26.0 | 18.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 28.0 | **5,624.0** |
| H2O | 1974 | 2963.5 | 8231.7 | 7910.8 | 8643.9 | 7941.2 | 5947.4 | 9198.6 | 8645.7 | 8575.2 | 9563.4 | 9822.1 | 9221.0 | **268,958.7** |
| OIL | 1974 | 53.6 | 219.6 | 202.9 | 213.7 | 199.0 | 153.7 | 165.4 | 151.3 | 159.1 | 175.3 | 179.4 | 164.9 | **18,274.5** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 19.0 | 29.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **5,310.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 4561.0 | 9668.0 | 8711.5 | 9901.2 | 10081.9 | 9875.9 | 9995.0 | 9641.4 | 8352.1 | **172,294.2** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 100.3 | 184.7 | 178.6 | 195.8 | 172.4 | 156.8 | 166.9 | 172.3 | 146.2 | **16,236.6** |
| DAY | 1972 | 30.0 | 29.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 14.0 | 7.0 | **5,053.0** |
| H2O | 1972 | 1517.0 | 5997.9 | 6580.9 | 6431.0 | 6317.0 | 6345.3 | 6936.4 | 6638.1 | 6099.5 | 6947.3 | 2805.2 | 1459.0 | **91,506.2** |
| OIL | 1972 | 45.3 | 132.2 | 143.0 | 127.1 | 121.7 | 117.3 | 135.9 | 253.6 | 236.0 | 254.4 | 71.0 | 37.7 | **14,762.6** |
| DAY | 1971 | 31.0 | 26.0 | 31.0 | 30.0 | 25.0 | 29.0 | 30.0 | 6.0 | 10.0 | 31.0 | 18.0 | 22.0 | **4,734.0** |
| H2O | 1971 | 755.2 | 645.3 | 1108.4 | 1194.9 | 981.9 | 1158.5 | 1128.4 | 213.2 | 404.9 | 1556.4 | 915.7 | 991.4 | **27,431.6** |
| OIL | 1971 | 24.2 | 19.5 | 41.5 | 42.3 | 32.1 | 39.1 | 39.9 | 7.2 | 13.2 | 44.2 | 26.4 | 30.8 | **13,087.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,445.0** |
| H2O | 1970 | 44.5 | 39.4 | 42.8 | 44.0 | 43.4 | 27.7 | 25.4 | 29.3 | 553.7 | 714.3 | 706.2 | 711.9 | **16,377.4** |
| OIL | 1970 | 54.0 | 48.1 | 52.8 | 50.2 | 51.5 | 31.1 | 30.0 | 32.9 | 4.1 | 23.5 | 22.1 | 23.5 | **12,727.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 14.0 | 10.0 | 30.0 | 31.0 | 31.0 | 2.0 | 14.0 | 30.0 | 31.0 | **4,084.0** |
| H2O | 1969 | 38.0 | 35.0 | 27.8 | 12.4 | 9.4 | 28.0 | 43.6 | 41.5 | 2.7 | 18.8 | 42.8 | 41.2 | **13,394.8** |
| OIL | 1969 | 36.4 | 33.2 | 46.9 | 19.7 | 14.1 | 48.1 | 53.6 | 52.9 | 3.2 | 22.4 | 50.7 | 51.8 | **12,303.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,801.0** |
| H2O | 1968 | 23.8 | 23.4 | 24.8 | 23.5 | 57.9 | 49.3 | 55.0 | 36.9 | 32.3 | 38.2 | 37.4 | 37.8 | **13,053.6** |
| OIL | 1968 | 43.2 | 42.4 | 42.4 | 39.1 | 48.5 | 41.8 | 41.6 | 35.4 | 32.1 | 36.9 | 34.5 | 36.4 | **11,870.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,436.0** |
| H2O | 1967 | 43.6 | 44.2 | 51.8 | 51.7 | 46.6 | 46.6 | 49.0 | 49.6 | 53.9 | 55.2 | 23.1 | 24.6 | **12,613.3** |
| OIL | 1967 | 48.3 | 44.0 | 49.3 | 46.1 | 44.5 | 49.3 | 54.5 | 40.2 | 43.1 | 44.5 | 40.5 | 42.9 | **11,395.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,074.0** |
| H2O | 1966 | 28.5 | 24.6 | 27.8 | 67.6 | 69.0 | 67.7 | 64.5 | 3.7 | 49.8 | 51.2 | 52.1 | 40.7 | **12,073.4** |
| OIL | 1966 | 58.2 | 52.6 | 60.2 | 50.1 | 43.4 | 42.6 | 43.4 | 47.5 | 52.6 | 58.6 | 46.7 | 45.3 | **10,848.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,710.0** |
| H2O | 1965 | 34.5 | 31.6 | 35.0 | 42.3 | 45.9 | 41.7 | 44.5 | 27.8 | 27.5 | 27.2 | 27.0 | 27.2 | **11,526.2** |
| OIL | 1965 | 67.5 | 62.1 | 65.9 | 78.3 | 80.4 | 71.0 | 75.5 | 60.9 | 68.8 | 60.7 | 62.0 | 58.0 | **10,247.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | **2,345.0** |
| H2O | 1964 | 46.3 | 49.3 | 50.6 | 47.2 | 23.4 | 32.7 | 29.7 | 42.6 | 37.7 | 30.0 | 27.5 | 27.8 | **11,114.0** |
| OIL | 1964 | 96.9 | 90.9 | 91.2 | 89.5 | 66.7 | 77.7 | 70.6 | 78.2 | 72.6 | 68.2 | 62.0 | 53.7 | **9,436.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,984.0** |
| H2O | 1963 | 60.3 | 55.6 | 55.5 | 39.7 | 47.4 | 46.6 | 39.6 | 39.1 | 26.4 | 41.2 | 35.5 | 32.3 | **10,669.2** |
| OIL | 1963 | 94.2 | 93.3 | 99.6 | 80.2 | 93.3 | 95.5 | 89.5 | 87.4 | 93.3 | 82.2 | 79.6 | 94.1 | **8,518.2** |
| DAY | 1962 | 29.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,621.0** |
| H2O | 1962 | 52.6 | 66.9 | 76.0 | 71.9 | 64.5 | 65.2 | 58.3 | 56.6 | 55.0 | 65.2 | 59.0 | 60.9 | **10,150.0** |
| OIL | 1962 | 133.0 | 134.6 | 146.2 | 140.8 | 118.7 | 154.6 | 127.1 | 116.6 | 119.0 | 99.8 | 94.7 | 86.9 | **7,436.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,263.0** |
| H2O | 1961 | 129.7 | 121.1 | 132.7 | 66.8 | 64.9 | 62.0 | 62.5 | 62.0 | 69.6 | 68.5 | 54.5 | 52.1 | **9,397.9** |
| OIL | 1961 | 186.1 | 165.3 | 179.3 | 136.5 | 157.2 | 133.3 | 149.9 | 158.3 | 160.5 | 156.4 | 145.2 | 141.3 | **5,964.0** |
| DAY | 1960 | 0.0 | 0.0 | 4.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **899.0** |
| H2O | 1960 | 0.0 | 0.0 | 1.6 | 63.8 | 145.6 | 137.4 | 151.2 | 133.7 | 121.5 | 138.8 | 129.9 | 138.3 | **8,451.5** |
| OIL | 1960 | 0.0 | 0.0 | 40.4 | 250.1 | 253.1 | 240.3 | 235.0 | 226.6 | 174.2 | 176.1 | 169.1 | 185.3 | **4,094.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 5.0 | 0.0 | **620.0** |
| H2O | 1958 | 372.0 | 339.3 | 430.7 | 607.1 | 680.0 | 643.9 | 287.3 | 287.6 | 259.0 | 190.5 | 270.1 | 0.0 | **7,289.7** |
| OIL | 1958 | 42.1 | 30.4 | 40.2 | 46.4 | 46.7 | 43.2 | 19.9 | 18.9 | 18.0 | 15.3 | 5.7 | 0.0 | **2,144.5** |
| DAY | 1957 | 20.0 | 17.0 | 18.0 | 10.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **312.0** |
| H2O | 1957 | 3.3 | 1.9 | 62.6 | 43.7 | 194.6 | 335.6 | 308.9 | 362.5 | 417.3 | 421.5 | 385.7 | 383.6 | **2,922.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1352*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-10-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1957 | 348.3 | 206.6 | 140.6 | 74.2 | 259.0 | 179.3 | 133.8 | 114.6 | 95.7 | 64.7 | 53.4 | 53.6 | **1,817.7** |
| DAY | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | **6.0** |
| H2O | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | **1.0** |
| OIL | 1956 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 93.9 | **93.9** |

Licence ***1354*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-24-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 25.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,247.0** |
| H2O | 1975 | 74.4 | 68.4 | 61.5 | 71.5 | 76.6 | 71.9 | 70.6 | 114.9 | 113.4 | 121.6 | 121.9 | 124.2 | **19,297.5** |
| OIL | 1975 | 34.3 | 30.7 | 27.0 | 30.8 | 32.6 | 30.8 | 31.3 | 32.6 | 31.6 | 32.7 | 31.6 | 32.1 | **7,354.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 20.0 | 0.0 | 25.0 | 23.0 | 31.0 | 29.0 | 31.0 | **5,889.0** |
| H2O | 1974 | 204.4 | 189.7 | 212.1 | 206.5 | 132.0 | 88.2 | 0.0 | 99.0 | 92.7 | 127.3 | 122.6 | 74.1 | **18,206.6** |
| OIL | 1974 | 49.3 | 43.1 | 49.1 | 46.9 | 26.4 | 17.0 | 0.0 | 21.1 | 19.4 | 26.7 | 24.5 | 34.8 | **6,976.3** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 12.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,579.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 43.7 | 305.4 | 303.3 | 213.4 | 222.4 | 217.0 | 227.7 | 207.9 | 205.1 | **16,658.0** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 3.2 | 84.1 | 84.1 | 48.3 | 50.1 | 47.2 | 50.2 | 46.6 | 48.0 | **6,618.0** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 30.0 | 6.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **5,325.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 23.8 | 31.2 | 6.7 | 32.6 | 32.7 | 108.1 | 0.0 | 0.0 | **14,712.1** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 50.9 | 64.5 | 12.9 | 67.5 | 64.8 | 8.7 | 0.0 | 0.0 | **6,156.2** |
| DAY | 1971 | 26.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **5,173.0** |
| H2O | 1971 | 57.7 | 62.3 | 71.7 | 72.0 | 72.0 | 4.1 | 4.1 | 4.0 | 3.5 | 4.0 | 0.0 | 0.0 | **14,477.0** |
| OIL | 1971 | 36.7 | 38.6 | 42.9 | 40.8 | 41.6 | 4.3 | 4.3 | 4.3 | 4.3 | 4.4 | 0.0 | 0.0 | **5,886.9** |
| DAY | 1970 | 30.0 | 26.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,874.0** |
| H2O | 1970 | 30.4 | 66.9 | 75.5 | 69.6 | 55.5 | 72.8 | 67.2 | 75.8 | 70.6 | 70.9 | 66.8 | 74.2 | **14,121.6** |
| OIL | 1970 | 18.3 | 35.4 | 41.8 | 40.4 | 32.3 | 40.7 | 42.3 | 41.6 | 39.7 | 40.5 | 40.2 | 42.1 | **5,664.7** |
| DAY | 1969 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 19.0 | **4,520.0** |
| H2O | 1969 | 34.8 | 33.4 | 31.6 | 32.3 | 35.5 | 33.9 | 36.7 | 31.8 | 30.7 | 33.2 | 29.7 | 20.0 | **13,325.4** |
| OIL | 1969 | 18.1 | 17.2 | 18.9 | 18.4 | 18.9 | 18.6 | 19.4 | 18.9 | 18.8 | 19.4 | 18.8 | 12.2 | **5,209.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,169.0** |
| H2O | 1968 | 74.4 | 70.7 | 75.0 | 77.1 | 37.7 | 34.3 | 37.2 | 33.9 | 31.6 | 36.1 | 33.2 | 35.8 | **12,941.8** |
| OIL | 1968 | 57.7 | 53.1 | 56.6 | 56.3 | 19.1 | 18.8 | 19.4 | 19.4 | 17.3 | 19.5 | 18.8 | 19.5 | **4,991.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,805.0** |
| H2O | 1967 | 149.8 | 123.8 | 148.8 | 138.5 | 138.0 | 70.0 | 63.4 | 84.9 | 74.2 | 80.3 | 70.6 | 77.1 | **12,364.8** |
| OIL | 1967 | 17.6 | 15.6 | 17.6 | 17.0 | 17.3 | 48.1 | 57.7 | 57.2 | 55.1 | 58.2 | 56.7 | 57.5 | **4,616.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,444.0** |
| H2O | 1966 | 132.4 | 106.0 | 134.8 | 138.2 | 155.6 | 127.0 | 135.8 | 133.7 | 143.7 | 147.7 | 146.7 | 157.5 | **11,145.4** |
| OIL | 1966 | 17.3 | 15.1 | 16.8 | 16.4 | 17.2 | 15.4 | 17.2 | 17.0 | 16.4 | 17.2 | 16.8 | 17.6 | **4,140.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,081.0** |
| H2O | 1965 | 66.5 | 59.1 | 67.4 | 58.5 | 138.0 | 131.6 | 132.3 | 132.7 | 134.0 | 132.9 | 136.2 | 138.8 | **9,486.3** |
| OIL | 1965 | 23.2 | 21.3 | 22.9 | 21.9 | 17.6 | 17.6 | 18.4 | 18.3 | 17.2 | 18.0 | 17.0 | 17.5 | **3,940.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,716.0** |
| H2O | 1964 | 63.4 | 57.2 | 63.8 | 61.5 | 65.3 | 63.0 | 62.0 | 63.0 | 60.4 | 60.4 | 60.7 | 66.1 | **8,158.3** |
| OIL | 1964 | 21.9 | 20.7 | 22.2 | 21.5 | 22.1 | 21.3 | 22.1 | 22.1 | 21.6 | 21.8 | 20.8 | 22.9 | **3,709.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 29.0 | 30.0 | **2,350.0** |
| H2O | 1963 | 53.7 | 53.9 | 54.5 | 60.6 | 59.0 | 54.7 | 63.9 | 48.6 | 49.3 | 48.0 | 59.5 | 60.4 | **7,411.5** |
| OIL | 1963 | 19.5 | 18.0 | 19.1 | 19.1 | 19.4 | 18.6 | 19.4 | 17.5 | 18.4 | 16.8 | 19.9 | 20.2 | **3,448.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,991.0** |
| H2O | 1962 | 77.7 | 68.7 | 71.4 | 67.7 | 51.5 | 48.8 | 52.1 | 47.7 | 53.1 | 57.1 | 55.3 | 59.0 | **6,745.4** |
| OIL | 1962 | 24.2 | 21.8 | 23.2 | 22.2 | 19.1 | 18.6 | 18.6 | 18.8 | 18.3 | 20.5 | 19.1 | 20.0 | **3,222.5** |
| DAY | 1961 | 31.0 | 28.0 | 27.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | **1,628.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1354*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-24-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1961 | 38.0 | 33.9 | 38.5 | 39.1 | 47.9 | 52.1 | 49.9 | 48.3 | 70.6 | 76.8 | 82.5 | 79.6 | **6,035.3** |
| OIL | 1961 | 44.2 | 39.1 | 44.3 | 46.7 | 34.3 | 31.3 | 32.9 | 32.1 | 23.8 | 26.9 | 24.9 | 25.1 | **2,978.1** |
| DAY | 1960 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,276.0** |
| H2O | 1960 | 211.3 | 174.9 | 166.1 | 166.5 | 137.4 | 159.0 | 125.1 | 125.1 | 104.0 | 107.5 | 47.9 | 41.5 | **5,378.1** |
| OIL | 1960 | 88.5 | 75.2 | 62.5 | 62.1 | 74.2 | 69.8 | 73.4 | 69.0 | 61.7 | 62.1 | 44.3 | 47.7 | **2,572.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 9.0 | 27.0 | 31.0 | **913.0** |
| H2O | 1959 | 49.3 | 35.1 | 36.2 | 48.6 | 63.8 | 18.4 | 12.1 | 14.9 | 6.0 | 1.7 | 238.8 | 215.6 | **3,811.8** |
| OIL | 1959 | 22.2 | 18.3 | 19.7 | 18.4 | 18.6 | 16.0 | 16.7 | 15.6 | 10.8 | 4.4 | 79.1 | 94.4 | **1,782.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **577.0** |
| H2O | 1958 | 127.0 | 98.6 | 97.5 | 88.2 | 74.1 | 85.8 | 73.8 | 69.2 | 58.3 | 63.1 | 54.2 | 44.7 | **3,071.3** |
| OIL | 1958 | 76.9 | 60.2 | 61.7 | 56.3 | 57.5 | 48.1 | 47.2 | 26.2 | 24.5 | 25.4 | 23.7 | 23.2 | **1,447.8** |
| DAY | 1957 | 23.0 | 24.0 | 21.0 | 0.0 | 0.0 | 0.0 | 27.0 | 14.0 | 21.0 | 29.0 | 27.0 | 31.0 | **217.0** |
| H2O | 1957 | 281.6 | 292.8 | 235.8 | 0.0 | 0.0 | 0.0 | 266.0 | 166.3 | 234.7 | 237.2 | 219.9 | 202.5 | **2,136.8** |
| OIL | 1957 | 142.1 | 127.3 | 95.2 | 0.0 | 0.0 | 0.0 | 101.2 | 48.8 | 65.9 | 94.7 | 120.0 | 121.7 | **916.9** |

Licence ***1355*** Well Name ***Interlake Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-17-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 27.0 | 19.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **6,341.0** |
| H2O | 1975 | 512.7 | 501.8 | 550.9 | 381.1 | 453.4 | 413.0 | 464.9 | 453.8 | 435.3 | 462.7 | 460.1 | 468.4 | **97,803.3** |
| OIL | 1975 | 73.6 | 58.8 | 54.1 | 40.1 | 51.2 | 54.1 | 56.3 | 54.7 | 56.4 | 35.6 | 27.0 | 29.9 | **27,689.0** |
| DAY | 1974 | 31.0 | 0.0 | 31.0 | 30.0 | 0.0 | 13.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **5,995.0** |
| H2O | 1974 | 362.5 | 248.0 | 303.5 | 279.8 | 0.0 | 266.5 | 386.0 | 369.5 | 328.8 | 408.9 | 401.6 | 526.1 | **92,245.2** |
| OIL | 1974 | 33.1 | 28.5 | 34.8 | 32.0 | 0.0 | 30.7 | 62.6 | 62.2 | 55.3 | 45.3 | 50.2 | 65.8 | **27,097.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 29.0 | 30.0 | 30.0 | 31.0 | **5,709.0** |
| H2O | 1973 | 1802.1 | 1700.7 | 1882.9 | 361.7 | 380.8 | 378.4 | 384.0 | 275.0 | 260.7 | 259.1 | 357.6 | 295.7 | **88,364.0** |
| OIL | 1973 | 78.9 | 72.7 | 80.4 | 34.3 | 34.7 | 37.0 | 38.8 | 28.6 | 30.7 | 30.4 | 33.2 | 33.4 | **26,596.7** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 27.0 | 25.0 | 24.0 | 27.0 | 31.0 | 30.0 | 31.0 | **5,350.0** |
| H2O | 1972 | 2592.0 | 3056.2 | 3286.6 | 2754.6 | 2374.8 | 2625.4 | 2362.2 | 2267.8 | 2186.4 | 1961.1 | 1977.8 | 2071.9 | **80,025.3** |
| OIL | 1972 | 153.9 | 134.3 | 139.8 | 99.2 | 114.2 | 89.4 | 78.2 | 69.8 | 104.6 | 85.4 | 96.8 | 100.8 | **26,063.6** |
| DAY | 1971 | 26.0 | 25.0 | 31.0 | 28.0 | 27.0 | 26.0 | 26.0 | 6.0 | 9.0 | 0.0 | 0.0 | 7.0 | **5,005.0** |
| H2O | 1971 | 1275.1 | 1025.5 | 1281.4 | 1395.3 | 1271.9 | 683.6 | 683.6 | 102.5 | 213.0 | 0.0 | 0.0 | 548.5 | **50,508.5** |
| OIL | 1971 | 96.5 | 70.9 | 93.6 | 90.9 | 83.0 | 44.7 | 42.3 | 6.4 | 17.2 | 0.0 | 0.0 | 35.8 | **24,797.2** |
| DAY | 1970 | 29.0 | 26.0 | 23.0 | 20.0 | 22.0 | 25.0 | 26.0 | 26.0 | 28.0 | 21.0 | 20.0 | 20.0 | **4,794.0** |
| H2O | 1970 | 772.2 | 726.1 | 1512.0 | 1271.9 | 890.3 | 1065.2 | 1073.2 | 1095.4 | 1055.7 | 834.7 | 1152.7 | 973.0 | **42,028.1** |
| OIL | 1970 | 110.3 | 105.9 | 72.7 | 95.4 | 70.0 | 113.4 | 115.7 | 120.5 | 116.7 | 80.3 | 89.2 | 91.4 | **24,215.9** |
| DAY | 1969 | 29.0 | 27.0 | 28.0 | 20.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 27.0 | 27.0 | 28.0 | **4,508.0** |
| H2O | 1969 | 748.8 | 1201.9 | 1179.7 | 656.6 | 1101.0 | 1039.8 | 1073.2 | 1101.0 | 1323.6 | 794.9 | 881.3 | 453.1 | **29,605.7** |
| OIL | 1969 | 92.1 | 150.1 | 147.4 | 76.8 | 169.9 | 160.2 | 159.0 | 163.4 | 148.3 | 109.9 | 125.6 | 109.2 | **23,034.4** |
| DAY | 1968 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | 25.0 | 30.0 | 31.0 | 28.0 | 31.0 | **4,170.0** |
| H2O | 1968 | 185.1 | 175.0 | 230.9 | 202.9 | 194.9 | 196.3 | 177.4 | 147.1 | 196.3 | 196.3 | 164.6 | 532.3 | **18,050.8** |
| OIL | 1968 | 59.7 | 51.6 | 60.8 | 60.5 | 62.4 | 61.0 | 54.1 | 44.3 | 57.9 | 57.6 | 49.5 | 59.0 | **21,422.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 16.0 | 30.0 | 16.0 | 20.0 | **3,817.0** |
| H2O | 1967 | 232.6 | 209.5 | 232.4 | 227.7 | 237.4 | 230.9 | 219.2 | 246.0 | 63.6 | 130.5 | 62.2 | 102.9 | **15,451.7** |
| OIL | 1967 | 128.8 | 110.6 | 122.5 | 113.4 | 111.8 | 109.4 | 95.1 | 98.2 | 21.8 | 46.6 | 21.0 | 36.8 | **20,744.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,492.0** |
| H2O | 1966 | 217.5 | 190.8 | 221.8 | 211.9 | 217.3 | 204.1 | 205.3 | 208.0 | 192.5 | 203.2 | 211.9 | 220.2 | **13,256.8** |
| OIL | 1966 | 150.8 | 153.3 | 159.8 | 154.1 | 153.5 | 144.3 | 142.5 | 130.0 | 126.9 | 122.8 | 123.3 | 126.5 | **19,728.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,129.0** |
| H2O | 1965 | 148.7 | 134.5 | 174.1 | 195.7 | 202.4 | 188.9 | 191.3 | 185.1 | 200.5 | 215.3 | 210.8 | 217.5 | **10,752.3** |
| OIL | 1965 | 189.7 | 172.6 | 199.6 | 203.9 | 204.4 | 185.9 | 171.1 | 171.1 | 171.8 | 176.5 | 162.4 | 159.5 | **18,040.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1355*** Well Name ***Interlake Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-17-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,769.0** |
| H2O | 1964 | 101.9 | 87.8 | 87.1 | 90.1 | 88.7 | 83.8 | 92.4 | 151.2 | 151.2 | 151.5 | 142.6 | 147.5 | **8,487.5** |
| OIL | 1964 | 128.2 | 121.7 | 121.7 | 148.2 | 137.7 | 113.7 | 134.4 | 213.4 | 208.5 | 212.0 | 203.1 | 204.5 | **15,871.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,410.0** |
| H2O | 1963 | 84.1 | 72.5 | 88.2 | 93.2 | 101.3 | 97.9 | 97.1 | 87.9 | 78.7 | 85.5 | 113.8 | 88.2 | **7,111.7** |
| OIL | 1963 | 193.1 | 166.4 | 185.6 | 170.2 | 175.7 | 161.9 | 142.7 | 137.1 | 124.5 | 141.1 | 133.0 | 132.7 | **13,924.7** |
| DAY | 1962 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,046.0** |
| H2O | 1962 | 56.0 | 87.3 | 130.3 | 113.3 | 101.7 | 93.9 | 87.0 | 63.6 | 62.0 | 60.1 | 83.8 | 85.4 | **6,023.3** |
| OIL | 1962 | 203.2 | 210.2 | 232.5 | 210.2 | 213.3 | 196.4 | 198.0 | 198.8 | 194.2 | 154.8 | 193.9 | 196.9 | **12,060.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | **1,685.0** |
| H2O | 1961 | 156.8 | 137.7 | 157.8 | 145.5 | 174.5 | 117.1 | 118.8 | 121.4 | 44.7 | 55.1 | 29.9 | 46.3 | **4,998.9** |
| OIL | 1961 | 202.3 | 164.9 | 171.4 | 138.1 | 132.7 | 164.0 | 168.9 | 140.3 | 106.6 | 140.3 | 43.9 | 109.6 | **9,658.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,329.0** |
| H2O | 1960 | 69.1 | 69.9 | 88.6 | 68.6 | 88.6 | 85.9 | 84.0 | 67.3 | 28.5 | 72.4 | 161.0 | 159.8 | **3,693.3** |
| OIL | 1960 | 135.0 | 136.9 | 133.9 | 108.6 | 133.0 | 129.8 | 141.2 | 117.6 | 60.5 | 127.7 | 246.8 | 205.6 | **7,975.3** |
| DAY | 1959 | 31.0 | 23.0 | 31.0 | 29.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **968.0** |
| H2O | 1959 | 33.1 | 25.0 | 33.4 | 24.1 | 130.6 | 232.5 | 230.8 | 178.8 | 141.2 | 63.8 | 69.9 | 77.2 | **2,649.6** |
| OIL | 1959 | 64.4 | 52.0 | 65.1 | 46.3 | 172.7 | 230.4 | 224.9 | 206.9 | 194.0 | 188.5 | 161.9 | 138.9 | **6,298.7** |
| DAY | 1958 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **614.0** |
| H2O | 1958 | 153.8 | 140.4 | 153.3 | 119.0 | 70.3 | 40.0 | 36.8 | 33.4 | 33.1 | 32.8 | 33.3 | 32.2 | **1,409.2** |
| OIL | 1958 | 337.0 | 270.5 | 256.5 | 170.8 | 175.4 | 136.6 | 143.6 | 143.5 | 139.5 | 110.1 | 87.5 | 71.4 | **4,552.7** |
| DAY | 1957 | 0.0 | 18.0 | 1.0 | 0.0 | 27.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 28.0 | 29.0 | **252.0** |
| H2O | 1957 | 0.0 | 39.6 | 1.9 | 0.0 | 39.7 | 50.1 | 62.0 | 69.5 | 66.5 | 63.0 | 48.0 | 90.5 | **530.8** |
| OIL | 1957 | 0.0 | 162.2 | 10.5 | 0.0 | 210.6 | 327.5 | 335.8 | 318.3 | 311.1 | 310.0 | 258.1 | 266.2 | **2,510.3** |

Licence ***1356*** Well Name ***Sun W.C. Tapp Scallion SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.08-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Ashville*** Field Code ***5*** Pool Code ***11*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1963 | 1871.6 | 1927.5 | 2550.3 | 2308.9 | 1779.0 | 1549.6 | 2164.1 | 1802.1 | 1317.0 | 642.8 | 0.0 | 0.0 | **61,314.3** |
| WIN | 1962 | 557.7 | 498.4 | 742.3 | 1124.0 | 856.4 | 1300.3 | 1241.8 | 778.7 | 868.5 | 1663.3 | 1582.8 | 2039.9 | **43,401.4** |
| WIN | 1961 | 820.4 | 681.6 | 760.0 | 729.4 | 681.6 | 650.9 | 600.7 | 667.8 | 593.4 | 645.2 | 464.1 | 498.3 | **30,147.3** |
| WIN | 1960 | 370.9 | 330.9 | 394.1 | 368.2 | 404.3 | 363.3 | 681.3 | 1046.1 | 1026.5 | 957.5 | 830.5 | 818.1 | **22,353.9** |
| WIN | 1959 | 416.7 | 425.8 | 426.6 | 400.5 | 432.6 | 478.9 | 479.2 | 479.4 | 453.9 | 366.6 | 335.2 | 396.2 | **14,762.2** |
| WIN | 1958 | 1219.7 | 997.2 | 992.2 | 746.5 | 575.5 | 606.5 | 713.4 | 659.6 | 580.2 | 536.3 | 511.9 | 533.4 | **9,670.6** |
| WIN | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 293.2 | 705.0 | **998.2** |

Licence ***1358*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,814.0** |
| H2O | 1975 | 221.0 | 187.4 | 209.2 | 198.6 | 195.7 | 189.8 | 228.3 | 226.1 | 224.5 | 211.9 | 190.9 | 200.5 | **38,456.2** |
| OIL | 1975 | 54.2 | 48.6 | 53.1 | 48.5 | 61.2 | 55.8 | 59.9 | 58.0 | 55.6 | 60.1 | 55.9 | 58.5 | **29,097.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,449.0** |
| H2O | 1974 | 231.0 | 206.5 | 229.6 | 221.6 | 204.0 | 221.0 | 241.6 | 280.1 | 232.9 | 414.6 | 241.5 | 220.5 | **35,972.3** |
| OIL | 1974 | 47.2 | 41.8 | 46.4 | 52.3 | 63.9 | 56.1 | 78.5 | 90.7 | 63.4 | 50.4 | 54.8 | 55.1 | **28,428.3** |
| DAY | 1973 | 26.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,086.0** |
| H2O | 1973 | 91.3 | 269.0 | 252.8 | 207.6 | 222.7 | 224.2 | 397.6 | 245.8 | 176.0 | 201.6 | 177.9 | 232.7 | **33,027.4** |
| OIL | 1973 | 43.4 | 75.0 | 77.4 | 66.3 | 69.3 | 65.2 | 62.8 | 61.3 | 63.7 | 55.3 | 55.3 | 47.0 | **27,727.7** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,729.0** |
| H2O | 1972 | 260.6 | 124.0 | 219.4 | 200.5 | 206.4 | 173.3 | 203.5 | 220.5 | 211.0 | 180.0 | 197.6 | 200.3 | **30,328.2** |
| OIL | 1972 | 81.0 | 76.4 | 80.4 | 76.3 | 82.8 | 73.4 | 73.1 | 67.5 | 64.7 | 62.1 | 56.6 | 60.5 | **26,985.7** |

# Manitoba Production
## 1950 To 1975

Licence ***1358*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,363.0** |
| H2O | 1971 | 286.2 | 251.0 | 294.4 | 258.8 | 280.4 | 271.7 | 288.7 | 249.4 | 194.4 | 237.7 | 234.0 | 259.8 | **27,931.1** |
| OIL | 1971 | 103.5 | 90.9 | 98.8 | 94.7 | 96.6 | 92.8 | 95.3 | 91.8 | 88.5 | 82.0 | 80.7 | 82.2 | **26,130.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,998.0** |
| H2O | 1970 | 302.7 | 258.7 | 311.3 | 293.5 | 280.4 | 269.6 | 289.8 | 267.2 | 274.2 | 271.1 | 255.0 | 272.3 | **24,824.6** |
| OIL | 1970 | 123.9 | 112.8 | 123.5 | 136.8 | 136.8 | 123.6 | 131.1 | 120.0 | 120.9 | 109.3 | 96.1 | 120.0 | **25,033.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,634.0** |
| H2O | 1969 | 208.7 | 206.0 | 167.1 | 202.5 | 231.8 | 219.4 | 222.3 | 289.7 | 338.2 | 335.1 | 275.4 | 334.5 | **21,478.8** |
| OIL | 1969 | 120.6 | 111.4 | 124.1 | 119.0 | 107.9 | 105.8 | 86.8 | 140.6 | 150.6 | 145.9 | 128.4 | 134.6 | **23,578.3** |
| DAY | 1968 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **4,271.0** |
| H2O | 1968 | 163.6 | 150.9 | 177.6 | 167.1 | 45.0 | 132.0 | 265.5 | 277.1 | 293.3 | 298.4 | 224.0 | 215.9 | **18,448.1** |
| OIL | 1968 | 96.9 | 95.0 | 104.1 | 81.8 | 84.4 | 67.5 | 117.1 | 155.6 | 147.3 | 140.8 | 128.9 | 123.6 | **22,102.6** |
| DAY | 1967 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,911.0** |
| H2O | 1967 | 252.3 | 198.1 | 269.5 | 100.6 | 102.9 | 62.6 | 270.7 | 270.6 | 186.8 | 199.0 | 182.0 | 155.0 | **16,037.7** |
| OIL | 1967 | 130.0 | 114.3 | 128.4 | 76.9 | 82.3 | 58.3 | 133.8 | 147.3 | 115.5 | 115.7 | 113.9 | 103.1 | **20,759.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **3,550.0** |
| H2O | 1966 | 71.4 | 66.3 | 77.9 | 62.2 | 253.6 | 241.2 | 275.7 | 257.4 | 256.1 | 264.1 | 238.8 | 225.9 | **13,787.6** |
| OIL | 1966 | 88.7 | 77.7 | 87.1 | 81.2 | 130.0 | 148.7 | 164.9 | 152.4 | 145.1 | 159.4 | 140.8 | 130.6 | **19,440.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,190.0** |
| H2O | 1965 | 164.1 | 175.0 | 217.8 | 152.0 | 123.5 | 76.6 | 69.8 | 63.9 | 62.0 | 63.6 | 108.7 | 73.6 | **11,497.0** |
| OIL | 1965 | 138.6 | 129.8 | 134.9 | 139.8 | 141.7 | 97.4 | 96.3 | 93.3 | 84.5 | 105.2 | 92.6 | 88.8 | **17,933.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,825.0** |
| H2O | 1964 | 108.6 | 99.8 | 158.5 | 70.3 | 52.9 | 180.6 | 196.5 | 212.7 | 180.0 | 212.9 | 211.6 | 178.7 | **10,146.4** |
| OIL | 1964 | 110.3 | 100.0 | 108.9 | 83.0 | 88.8 | 127.6 | 159.9 | 167.8 | 146.5 | 158.8 | 149.7 | 146.4 | **16,590.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,462.0** |
| H2O | 1963 | 103.2 | 94.8 | 130.5 | 132.4 | 150.7 | 169.5 | 169.5 | 140.2 | 146.3 | 174.9 | 148.5 | 140.7 | **8,283.3** |
| OIL | 1963 | 166.7 | 147.2 | 137.8 | 126.3 | 140.6 | 139.2 | 142.4 | 125.7 | 131.1 | 130.9 | 117.8 | 115.5 | **15,042.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,098.0** |
| H2O | 1962 | 171.2 | 154.4 | 195.1 | 167.6 | 176.3 | 173.9 | 205.9 | 178.5 | 164.7 | 153.1 | 133.2 | 128.1 | **6,582.1** |
| OIL | 1962 | 222.2 | 206.4 | 193.7 | 199.4 | 201.3 | 198.5 | 192.6 | 200.1 | 183.1 | 181.0 | 169.1 | 172.9 | **13,421.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,733.0** |
| H2O | 1961 | 169.6 | 152.3 | 160.7 | 195.2 | 207.0 | 200.5 | 191.1 | 186.5 | 186.3 | 193.8 | 219.7 | 201.7 | **4,580.1** |
| OIL | 1961 | 271.9 | 241.7 | 295.7 | 291.4 | 282.5 | 285.2 | 249.0 | 255.1 | 252.5 | 251.7 | 221.4 | 228.5 | **11,101.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 22.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,368.0** |
| H2O | 1960 | 7.9 | 6.7 | 9.1 | 0.0 | 5.4 | 3.3 | 7.0 | 83.3 | 153.4 | 136.4 | 149.6 | 152.6 | **2,315.7** |
| OIL | 1960 | 51.0 | 43.4 | 56.9 | 47.5 | 32.1 | 24.5 | 33.5 | 157.3 | 288.3 | 282.5 | 280.0 | 274.9 | **7,974.8** |
| DAY | 1959 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,011.0** |
| H2O | 1959 | 17.8 | 26.1 | 39.3 | 25.3 | 42.8 | 32.0 | 4.6 | 5.2 | 0.0 | 15.3 | 23.7 | 9.7 | **1,601.0** |
| OIL | 1959 | 112.5 | 103.8 | 103.0 | 95.5 | 95.2 | 89.9 | 86.4 | 73.3 | 64.4 | 77.7 | 53.6 | 55.8 | **6,402.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **648.0** |
| H2O | 1958 | 94.8 | 74.7 | 88.2 | 83.8 | 85.5 | 54.2 | 64.1 | 53.6 | 46.6 | 59.0 | 96.5 | 27.8 | **1,359.2** |
| OIL | 1958 | 321.0 | 273.0 | 292.7 | 231.7 | 250.1 | 202.0 | 201.8 | 170.8 | 145.4 | 157.8 | 134.8 | 119.5 | **5,391.8** |
| DAY | 1957 | 17.0 | 3.0 | 16.0 | 21.0 | 26.0 | 30.0 | 30.0 | 31.0 | 29.0 | 26.0 | 29.0 | 29.0 | **287.0** |
| H2O | 1957 | 5.9 | 1.0 | 4.6 | 6.8 | 7.9 | 11.1 | 66.6 | 56.9 | 92.8 | 150.9 | 60.6 | 65.3 | **530.4** |
| OIL | 1957 | 198.2 | 30.4 | 151.8 | 226.6 | 257.6 | 264.9 | 322.1 | 328.3 | 253.0 | 281.3 | 297.6 | 279.4 | **2,891.2** |

Licence ***1359*** Well Name ***Sun M. Welch Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-20-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1965 | 464.7 | 423.4 | 477.4 | 464.3 | 470.8 | 455.7 | 467.6 | 235.3 | 0.0 | 0.0 | 0.0 | 0.0 | **26,036.2** |
| WIN | 1964 | 529.1 | 472.0 | 504.3 | 505.7 | 533.7 | 479.8 | 460.9 | 487.0 | 477.0 | 479.0 | 454.7 | 476.8 | **22,577.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1359*** Well Name ***Sun M. Welch Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-20-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1963 | 559.6 | 512.7 | 566.8 | 478.6 | 511.2 | 429.3 | 441.7 | 443.9 | 479.5 | 551.7 | 513.4 | 535.2 | **16,717.0** |
| WIN | 1962 | 690.2 | 571.6 | 666.2 | 632.8 | 652.8 | 568.2 | 607.5 | 576.7 | 557.9 | 579.2 | 562.8 | 545.3 | **10,693.4** |
| DAY | 1961 | 7.0 | 28.0 | 24.0 | 14.0 | 17.0 | 21.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,365.0** |
| H2O | 1961 | 73.4 | 90.3 | 219.2 | 125.3 | 148.2 | 231.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,619.0** |
| OIL | 1961 | 10.4 | 12.0 | 18.2 | 9.1 | 14.3 | 19.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **782.6** |
| WIN | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 124.3 | 559.0 | 641.7 | 733.6 | 711.5 | 712.1 | **3,482.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 18.0 | 29.0 | 21.0 | 20.0 | 25.0 | 27.0 | 29.0 | 30.0 | 23.0 | **1,254.0** |
| H2O | 1960 | 6.0 | 4.0 | 4.6 | 3.2 | 9.2 | 163.3 | 255.2 | 326.7 | 342.6 | 367.4 | 281.7 | 190.9 | **2,731.0** |
| OIL | 1960 | 5.2 | 4.6 | 5.2 | 2.7 | 4.6 | 0.8 | 14.3 | 28.6 | 22.1 | 35.4 | 27.2 | 22.2 | **699.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | **941.0** |
| H2O | 1959 | 19.6 | 13.7 | 14.8 | 14.1 | 14.5 | 14.3 | 13.8 | 15.6 | 14.0 | 7.5 | 8.1 | 7.8 | **776.2** |
| OIL | 1959 | 17.6 | 16.0 | 19.5 | 22.6 | 12.1 | 9.2 | 7.5 | 4.0 | 4.3 | 4.6 | 5.1 | 4.9 | **526.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **579.0** |
| H2O | 1958 | 21.3 | 18.1 | 20.2 | 21.3 | 20.5 | 19.2 | 19.9 | 19.7 | 19.1 | 19.7 | 19.1 | 17.6 | **618.4** |
| OIL | 1958 | 15.1 | 15.7 | 15.7 | 13.2 | 15.1 | 18.4 | 18.4 | 19.5 | 19.1 | 18.9 | 19.2 | 14.9 | **398.9** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 30.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | **214.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 9.1 | 84.4 | 65.0 | 42.0 | 53.6 | 36.1 | 66.9 | 25.6 | **382.7** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 15.1 | 43.9 | 27.3 | 18.1 | 20.7 | 18.9 | 31.8 | 19.9 | **195.7** |

Licence ***1360*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.01-09-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,762.0** |
| H2O | 1975 | 85.9 | 91.6 | 79.7 | 192.2 | 220.2 | 81.7 | 146.3 | 78.4 | 81.2 | 96.5 | 88.7 | 81.9 | **10,210.7** |
| OIL | 1975 | 95.9 | 79.8 | 97.1 | 91.3 | 89.5 | 101.8 | 109.4 | 106.0 | 111.6 | 102.4 | 93.0 | 91.4 | **14,475.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **6,402.0** |
| H2O | 1974 | 152.0 | 180.3 | 338.2 | 324.3 | 370.0 | 305.6 | 119.1 | 107.6 | 59.1 | 60.6 | 132.1 | 157.9 | **8,886.4** |
| OIL | 1974 | 222.9 | 197.8 | 198.6 | 152.6 | 141.0 | 114.2 | 119.9 | 101.9 | 153.9 | 150.6 | 106.2 | 115.9 | **13,305.8** |
| DAY | 1973 | 31.0 | 28.0 | 0.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **6,039.0** |
| H2O | 1973 | 27.5 | 20.0 | 36.4 | 31.6 | 50.9 | 52.5 | 52.8 | 25.0 | 38.3 | 45.9 | 182.5 | 171.7 | **6,579.6** |
| OIL | 1973 | 108.0 | 104.5 | 120.7 | 128.8 | 251.0 | 301.6 | 320.8 | 323.4 | 335.3 | 350.1 | 239.0 | 200.6 | **11,530.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,708.0** |
| H2O | 1972 | 24.5 | 25.9 | 27.8 | 15.1 | 27.7 | 44.2 | 41.8 | 37.8 | 36.1 | 23.5 | 22.4 | 25.3 | **5,844.5** |
| OIL | 1972 | 39.0 | 42.0 | 38.0 | 31.8 | 47.2 | 64.2 | 44.0 | 55.5 | 55.3 | 97.1 | 101.8 | 107.3 | **8,746.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,346.0** |
| H2O | 1971 | 36.7 | 29.1 | 33.1 | 39.7 | 33.9 | 40.2 | 33.1 | 33.2 | 28.9 | 30.7 | 26.1 | 34.8 | **5,492.4** |
| OIL | 1971 | 32.6 | 25.9 | 31.3 | 30.5 | 31.8 | 31.2 | 39.9 | 39.3 | 37.8 | 37.7 | 38.8 | 33.7 | **8,023.3** |
| DAY | 1970 | 28.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,981.0** |
| H2O | 1970 | 25.8 | 17.3 | 20.0 | 28.3 | 24.3 | 21.9 | 29.3 | 37.2 | 39.9 | 43.7 | 36.2 | 36.9 | **5,092.9** |
| OIL | 1970 | 36.7 | 41.7 | 48.7 | 47.4 | 49.4 | 46.6 | 49.6 | 34.7 | 34.7 | 34.5 | 33.5 | 33.1 | **7,612.8** |
| DAY | 1969 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,621.0** |
| H2O | 1969 | 29.1 | 26.9 | 39.3 | 45.8 | 34.2 | 61.4 | 42.8 | 28.0 | 20.0 | 30.7 | 23.5 | 22.9 | **4,732.1** |
| OIL | 1969 | 43.2 | 40.7 | 41.2 | 44.7 | 45.5 | 52.9 | 53.3 | 56.9 | 50.2 | 50.7 | 47.7 | 47.5 | **7,122.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,259.0** |
| H2O | 1968 | 52.9 | 53.6 | 57.9 | 45.2 | 42.1 | 46.9 | 44.0 | 57.9 | 46.9 | 40.1 | 36.4 | 38.6 | **4,327.5** |
| OIL | 1968 | 23.8 | 21.9 | 23.5 | 22.7 | 23.7 | 21.3 | 20.7 | 21.9 | 21.0 | 42.8 | 44.7 | 47.2 | **6,547.7** |
| DAY | 1967 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,894.0** |
| H2O | 1967 | 55.2 | 45.8 | 55.2 | 49.9 | 65.8 | 51.7 | 50.7 | 49.3 | 60.6 | 63.3 | 41.0 | 58.0 | **3,765.0** |
| OIL | 1967 | 41.7 | 37.8 | 38.2 | 41.8 | 42.6 | 36.1 | 40.1 | 23.8 | 25.1 | 24.3 | 22.7 | 24.0 | **6,212.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,530.0** |
| H2O | 1966 | 41.2 | 36.2 | 32.4 | 40.9 | 77.3 | 165.8 | 44.0 | 63.3 | 62.5 | 65.5 | 55.3 | 50.6 | **3,118.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1360*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.01-09-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1966 | 42.1 | 37.4 | 31.2 | 43.1 | 52.5 | 51.2 | 50.7 | 47.7 | 40.1 | 41.5 | 42.0 | 42.9 | **5,814.3** |
| DAY | 1965 | 26.0 | 28.0 | 31.0 | 27.0 | 31.0 | 26.0 | 31.0 | 27.0 | 30.0 | 26.0 | 30.0 | 31.0 | **3,167.0** |
| H2O | 1965 | 64.2 | 36.7 | 60.3 | 53.4 | 37.7 | 36.2 | 41.5 | 35.6 | 68.4 | 36.2 | 37.7 | 44.5 | **2,383.5** |
| OIL | 1965 | 51.5 | 55.5 | 61.1 | 55.2 | 50.1 | 40.1 | 49.4 | 42.3 | 47.2 | 39.7 | 46.7 | 46.7 | **5,291.9** |
| DAY | 1964 | 30.0 | 29.0 | 29.0 | 30.0 | 17.0 | 29.0 | 31.0 | 31.0 | 22.0 | 25.0 | 27.0 | 28.0 | **2,823.0** |
| H2O | 1964 | 57.6 | 48.8 | 60.9 | 51.8 | 24.6 | 41.0 | 45.3 | 53.3 | 32.6 | 62.0 | 82.4 | 44.5 | **1,831.1** |
| OIL | 1964 | 51.7 | 50.3 | 51.4 | 55.6 | 31.3 | 88.9 | 93.6 | 91.3 | 75.8 | 63.9 | 56.9 | 60.9 | **4,706.4** |
| DAY | 1963 | 28.0 | 28.0 | 28.0 | 30.0 | 28.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,495.0** |
| H2O | 1963 | 80.3 | 72.8 | 82.8 | 45.2 | 50.2 | 46.7 | 45.3 | 43.1 | 71.4 | 65.3 | 53.7 | 53.6 | **1,226.3** |
| OIL | 1963 | 78.8 | 77.0 | 54.9 | 59.0 | 49.2 | 53.8 | 48.9 | 54.0 | 54.3 | 54.0 | 55.2 | 56.3 | **3,934.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 31.0 | 23.0 | 31.0 | **2,142.0** |
| H2O | 1962 | 18.1 | 7.8 | 7.5 | 5.9 | 17.8 | 28.9 | 47.1 | 49.3 | 30.4 | 35.9 | 46.1 | 76.5 | **515.9** |
| OIL | 1962 | 39.6 | 33.8 | 34.9 | 33.1 | 51.1 | 82.6 | 88.3 | 82.7 | 74.3 | 90.4 | 53.6 | 103.1 | **3,239.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 12.0 | 30.0 | 30.0 | 31.0 | **1,787.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.2 | 17.2 | 20.8 | **144.6** |
| OIL | 1961 | 23.4 | 21.5 | 22.5 | 21.0 | 20.3 | 16.6 | 16.6 | 14.7 | 7.1 | 49.2 | 42.7 | 42.5 | **2,471.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,441.0** |
| H2O | 1960 | 1.0 | 0.8 | 0.6 | 0.8 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **80.4** |
| OIL | 1960 | 22.6 | 20.4 | 21.7 | 22.8 | 23.7 | 23.4 | 24.1 | 23.0 | 23.0 | 23.3 | 22.3 | 22.5 | **2,173.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,075.0** |
| H2O | 1959 | 1.9 | 1.3 | 2.4 | 2.2 | 2.7 | 1.1 | 1.3 | 1.3 | 1.1 | 1.1 | 0.5 | 1.0 | **76.2** |
| OIL | 1959 | 27.7 | 24.4 | 28.0 | 27.4 | 27.2 | 23.7 | 23.7 | 23.3 | 22.3 | 23.7 | 20.9 | 22.2 | **1,901.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **711.0** |
| H2O | 1958 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.3 | 0.0 | 2.1 | 3.8 | 2.5 | 2.1 | **58.3** |
| OIL | 1958 | 58.4 | 51.1 | 54.9 | 51.3 | 44.7 | 40.9 | 26.6 | 34.9 | 30.6 | 30.9 | 29.3 | 29.2 | **1,606.5** |
| DAY | 1957 | 17.0 | 26.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **346.0** |
| H2O | 1957 | 4.4 | 12.8 | 2.9 | 2.8 | 8.5 | 2.5 | 1.9 | 1.3 | 5.2 | 0.3 | 0.3 | 0.3 | **43.2** |
| OIL | 1957 | 156.2 | 165.6 | 157.6 | 82.9 | 80.7 | 84.8 | 82.7 | 71.3 | 60.8 | 62.2 | 60.0 | 58.9 | **1,123.7** |

Licence ***1362*** Well Name ***CEGO Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-01-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 1.0 | 30.0 | 16.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **49.0** |
| H2O | 1957 | 0.0 | 10.5 | 118.1 | 50.9 | 19.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **198.6** |
| OIL | 1957 | 0.0 | 7.9 | 108.8 | 42.0 | 4.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **163.5** |

Licence ***1364*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-29-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 27.0 | 31.0 | 27.0 | 0.0 | 26.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,634.0** |
| H2O | 1975 | 1080.3 | 937.9 | 1194.6 | 1022.1 | 0.0 | 955.7 | 1040.4 | 1221.8 | 1159.5 | 1045.5 | 936.8 | 970.6 | **97,313.3** |
| OIL | 1975 | 239.2 | 209.6 | 247.6 | 206.4 | 0.0 | 192.6 | 214.4 | 250.3 | 266.5 | 257.3 | 210.9 | 219.3 | **64,443.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 17.0 | 0.0 | 6.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,313.0** |
| H2O | 1974 | 1148.2 | 996.2 | 1242.1 | 629.7 | 0.0 | 252.1 | 1328.9 | 1377.4 | 1384.7 | 1103.0 | 1016.2 | 1090.8 | **85,748.1** |
| OIL | 1974 | 307.1 | 306.3 | 312.9 | 168.4 | 0.0 | 55.3 | 317.6 | 328.1 | 308.7 | 254.3 | 253.5 | 237.6 | **61,929.6** |
| DAY | 1973 | 31.0 | 28.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,017.0** |
| H2O | 1973 | 852.8 | 787.6 | 975.8 | 936.7 | 1009.4 | 1104.0 | 1022.1 | 1015.7 | 955.2 | 904.3 | 946.7 | 1086.6 | **74,178.8** |
| OIL | 1973 | 398.0 | 356.9 | 380.6 | 387.0 | 361.9 | 361.7 | 390.3 | 321.4 | 322.3 | 291.0 | 309.1 | 294.3 | **59,079.8** |
| DAY | 1972 | 30.0 | 29.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 30.0 | 29.0 | 30.0 | 29.0 | 30.0 | **5,656.0** |
| H2O | 1972 | 727.4 | 758.7 | 864.4 | 695.1 | 657.1 | 713.1 | 671.7 | 774.1 | 680.1 | 714.5 | 684.4 | 685.4 | **62,581.9** |
| OIL | 1972 | 376.5 | 375.1 | 423.3 | 394.0 | 360.6 | 456.6 | 440.8 | 428.1 | 352.2 | 366.5 | 364.6 | 385.4 | **54,905.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1364*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-29-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,300.0** |
| H2O | 1971 | 789.4 | 728.0 | 834.8 | 598.1 | 593.7 | 456.1 | 637.7 | 851.7 | 606.1 | 688.6 | 650.6 | 696.8 | **53,955.9** |
| OIL | 1971 | 458.5 | 384.8 | 459.1 | 456.9 | 476.0 | 429.1 | 386.5 | 454.3 | 346.3 | 379.0 | 351.4 | 392.9 | **50,181.6** |
| DAY | 1970 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,941.0** |
| H2O | 1970 | 731.8 | 694.1 | 828.8 | 773.2 | 794.8 | 758.1 | 767.0 | 646.4 | 779.0 | 782.4 | 740.4 | 665.2 | **45,824.3** |
| OIL | 1970 | 498.7 | 442.1 | 466.9 | 451.5 | 459.6 | 421.3 | 493.6 | 406.4 | 441.8 | 454.0 | 474.9 | 487.4 | **45,206.8** |
| DAY | 1969 | 30.0 | 28.0 | 31.0 | 12.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 26.0 | 30.0 | 31.0 | **4,578.0** |
| H2O | 1969 | 678.0 | 577.9 | 718.7 | 284.4 | 718.6 | 714.8 | 746.7 | 686.5 | 619.2 | 545.0 | 845.5 | 852.6 | **36,863.1** |
| OIL | 1969 | 436.5 | 390.3 | 419.8 | 172.6 | 395.3 | 406.9 | 410.2 | 397.5 | 356.2 | 313.1 | 528.7 | 525.1 | **39,708.6** |
| DAY | 1968 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,240.0** |
| H2O | 1968 | 591.4 | 553.7 | 746.6 | 99.0 | 728.6 | 645.9 | 684.7 | 734.5 | 608.3 | 696.0 | 709.8 | 713.7 | **28,875.2** |
| OIL | 1968 | 463.4 | 391.4 | 476.1 | 39.7 | 481.4 | 467.1 | 471.8 | 479.6 | 435.6 | 467.5 | 460.9 | 459.3 | **34,956.4** |
| DAY | 1967 | 30.0 | 28.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,877.0** |
| H2O | 1967 | 557.4 | 503.3 | 633.4 | 683.0 | 607.6 | 602.5 | 578.5 | 604.9 | 655.5 | 604.4 | 673.6 | 654.7 | **21,363.0** |
| OIL | 1967 | 461.8 | 419.8 | 534.3 | 584.3 | 494.9 | 478.2 | 545.2 | 509.2 | 547.0 | 528.9 | 505.2 | 492.7 | **29,862.6** |
| DAY | 1966 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **3,518.0** |
| H2O | 1966 | 85.8 | 253.1 | 252.9 | 211.1 | 204.6 | 196.7 | 190.3 | 223.5 | 198.4 | 198.7 | 178.7 | 268.5 | **14,004.2** |
| OIL | 1966 | 179.4 | 337.2 | 417.8 | 319.1 | 283.4 | 239.8 | 244.6 | 240.8 | 250.9 | 269.5 | 238.5 | 193.4 | **23,761.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,160.0** |
| H2O | 1965 | 69.6 | 55.0 | 73.4 | 66.3 | 85.8 | 74.4 | 54.8 | 89.8 | 66.5 | 71.4 | 74.4 | 80.0 | **11,541.9** |
| OIL | 1965 | 131.7 | 122.4 | 121.2 | 128.4 | 116.8 | 121.6 | 122.2 | 117.6 | 122.7 | 123.2 | 133.2 | 160.7 | **20,546.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,798.0** |
| H2O | 1964 | 108.1 | 99.4 | 111.9 | 77.7 | 88.9 | 85.4 | 108.3 | 134.3 | 168.5 | 179.3 | 38.3 | 74.6 | **10,680.5** |
| OIL | 1964 | 187.8 | 173.3 | 183.8 | 166.3 | 178.2 | 173.1 | 166.9 | 161.4 | 156.8 | 161.7 | 135.3 | 135.9 | **19,025.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,432.0** |
| H2O | 1963 | 141.6 | 126.0 | 182.0 | 147.6 | 104.4 | 99.8 | 116.7 | 111.1 | 105.1 | 184.8 | 105.1 | 114.3 | **9,405.8** |
| OIL | 1963 | 187.8 | 172.3 | 194.2 | 185.4 | 207.9 | 208.5 | 237.4 | 207.5 | 202.0 | 193.6 | 190.2 | 195.9 | **17,044.5** |
| DAY | 1962 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,067.0** |
| H2O | 1962 | 230.1 | 179.3 | 168.4 | 167.9 | 2.0 | 73.6 | 131.5 | 117.9 | 43.8 | 41.4 | 57.7 | 65.8 | **7,867.3** |
| OIL | 1962 | 290.4 | 234.1 | 280.7 | 245.7 | 263.8 | 251.9 | 237.4 | 234.6 | 220.6 | 233.1 | 222.2 | 220.4 | **14,661.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,704.0** |
| H2O | 1961 | 248.7 | 238.2 | 248.7 | 217.0 | 235.8 | 200.6 | 227.4 | 228.6 | 233.7 | 201.9 | 215.0 | 222.4 | **6,587.9** |
| OIL | 1961 | 285.8 | 243.2 | 283.1 | 259.8 | 274.5 | 263.0 | 298.6 | 301.5 | 291.6 | 288.6 | 281.6 | 288.3 | **11,726.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,339.0** |
| H2O | 1960 | 234.2 | 258.4 | 219.9 | 207.8 | 212.1 | 201.8 | 240.5 | 233.4 | 232.3 | 242.0 | 222.1 | 228.9 | **3,869.9** |
| OIL | 1960 | 286.1 | 292.3 | 301.5 | 300.4 | 289.9 | 272.2 | 269.4 | 264.5 | 272.1 | 285.4 | 240.6 | 287.5 | **8,367.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 25.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **975.0** |
| H2O | 1959 | 0.0 | 0.1 | 7.5 | 5.5 | 6.3 | 5.5 | 129.8 | 195.4 | 212.2 | 157.6 | 192.9 | 216.7 | **1,136.5** |
| OIL | 1959 | 79.2 | 69.8 | 52.5 | 72.7 | 78.4 | 46.6 | 175.9 | 237.0 | 238.9 | 197.8 | 217.6 | 273.5 | **5,005.4** |
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **622.0** |
| H2O | 1958 | 0.1 | 2.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7.0** |
| OIL | 1958 | 232.0 | 105.2 | 106.3 | 101.1 | 101.7 | 99.5 | 107.3 | 84.5 | 83.6 | 81.7 | 78.7 | 78.2 | **3,265.5** |
| DAY | 1957 | 0.0 | 0.0 | 9.0 | 26.0 | 31.0 | 30.0 | 24.0 | 28.0 | 22.0 | 31.0 | 29.0 | 29.0 | **259.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.1 | 0.4 | 0.8 | 0.9 | 0.7 | 0.4 | 0.4 | 0.3 | 0.3 | 0.4 | **4.7** |
| OIL | 1957 | 0.0 | 0.0 | 128.1 | 247.7 | 290.6 | 204.2 | 214.1 | 164.6 | 152.6 | 222.2 | 191.5 | 190.1 | **2,005.7** |

Licence ***1365*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,713.0** |
| H2O | 1975 | 332.6 | 284.7 | 320.3 | 306.8 | 312.2 | 309.9 | 347.8 | 344.5 | 330.7 | 438.9 | 395.4 | 415.3 | **80,611.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1365*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1975 | 46.1 | 42.0 | 45.8 | 44.5 | 35.0 | 34.0 | 39.6 | 38.3 | 35.4 | 55.3 | 51.5 | 53.7 | **27,732.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,348.0** |
| H2O | 1974 | 582.7 | 524.6 | 583.5 | 551.8 | 498.1 | 573.8 | 559.5 | 597.0 | 219.1 | 232.4 | 229.7 | 335.0 | **76,472.7** |
| OIL | 1974 | 144.6 | 128.9 | 143.2 | 138.7 | 156.4 | 148.7 | 142.4 | 152.1 | 38.1 | 38.9 | 38.1 | 47.2 | **27,210.8** |
| DAY | 1973 | 31.0 | 27.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | **5,984.0** |
| H2O | 1973 | 419.5 | 398.4 | 421.0 | 221.9 | 239.3 | 251.0 | 264.4 | 293.6 | 495.5 | 523.0 | 493.0 | 591.6 | **70,985.5** |
| OIL | 1973 | 63.7 | 58.6 | 69.1 | 49.4 | 51.6 | 51.6 | 51.0 | 47.0 | 134.9 | 147.0 | 142.9 | 144.9 | **25,893.5** |
| DAY | 1972 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | **5,628.0** |
| H2O | 1972 | 479.0 | 381.9 | 452.1 | 487.6 | 505.7 | 484.6 | 494.9 | 505.1 | 355.8 | 379.2 | 386.3 | 391.9 | **66,373.3** |
| OIL | 1972 | 128.6 | 103.3 | 131.1 | 100.6 | 109.8 | 101.7 | 101.2 | 104.7 | 84.7 | 91.7 | 58.2 | 62.0 | **24,881.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,270.0** |
| H2O | 1971 | 480.9 | 417.5 | 638.8 | 590.3 | 639.4 | 619.1 | 587.4 | 553.1 | 502.5 | 413.7 | 430.4 | 477.6 | **61,069.2** |
| OIL | 1971 | 96.1 | 83.4 | 90.6 | 86.8 | 88.7 | 85.3 | 74.5 | 74.8 | 72.3 | 116.6 | 109.6 | 130.0 | **23,704.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 27.0 | 31.0 | **4,905.0** |
| H2O | 1970 | 610.6 | 634.0 | 701.1 | 670.1 | 473.8 | 469.0 | 489.3 | 436.7 | 463.4 | 427.0 | 406.7 | 474.9 | **54,718.5** |
| OIL | 1970 | 125.2 | 110.1 | 120.5 | 116.2 | 103.8 | 96.6 | 99.6 | 88.2 | 91.8 | 84.1 | 75.0 | 102.0 | **22,595.5** |
| DAY | 1969 | 31.0 | 24.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | **4,547.0** |
| H2O | 1969 | 439.6 | 272.7 | 372.6 | 482.0 | 709.5 | 693.0 | 691.9 | 700.8 | 590.1 | 563.9 | 661.2 | 706.5 | **48,461.9** |
| OIL | 1969 | 104.7 | 59.8 | 89.9 | 103.8 | 153.2 | 146.2 | 146.5 | 147.0 | 140.3 | 143.8 | 124.1 | 117.1 | **21,382.4** |
| DAY | 1968 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,192.0** |
| H2O | 1968 | 459.1 | 456.7 | 452.9 | 493.3 | 490.3 | 450.4 | 459.5 | 488.4 | 411.0 | 460.1 | 441.0 | 448.8 | **41,578.1** |
| OIL | 1968 | 106.2 | 110.8 | 102.0 | 115.2 | 113.0 | 103.6 | 103.3 | 92.2 | 87.6 | 110.1 | 103.8 | 105.8 | **19,906.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,832.0** |
| H2O | 1967 | 362.5 | 311.9 | 346.1 | 195.7 | 213.8 | 198.1 | 213.0 | 153.7 | 447.4 | 529.9 | 481.4 | 490.6 | **36,066.6** |
| OIL | 1967 | 105.5 | 85.5 | 91.8 | 41.3 | 44.5 | 42.1 | 44.2 | 34.3 | 118.5 | 125.1 | 106.0 | 115.1 | **18,652.4** |
| DAY | 1966 | 31.0 | 28.0 | 29.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | **3,473.0** |
| H2O | 1966 | 307.8 | 272.8 | 283.0 | 87.4 | 384.9 | 334.7 | 358.2 | 347.1 | 288.1 | 363.4 | 373.3 | 373.9 | **32,122.5** |
| OIL | 1966 | 60.1 | 67.5 | 116.5 | 48.9 | 76.9 | 105.7 | 112.8 | 99.3 | 86.6 | 119.8 | 111.4 | 112.3 | **17,698.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,117.0** |
| H2O | 1965 | 161.8 | 151.5 | 172.8 | 97.8 | 121.0 | 121.8 | 160.4 | 373.8 | 358.0 | 357.7 | 330.4 | 313.2 | **28,347.9** |
| OIL | 1965 | 48.6 | 50.1 | 48.6 | 69.6 | 92.0 | 93.6 | 129.0 | 163.4 | 134.1 | 133.3 | 179.3 | 102.7 | **16,580.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,756.0** |
| H2O | 1964 | 290.8 | 273.8 | 359.3 | 292.7 | 285.8 | 283.3 | 279.0 | 299.0 | 251.2 | 261.7 | 207.8 | 188.6 | **25,627.7** |
| OIL | 1964 | 113.9 | 104.2 | 107.9 | 102.2 | 98.4 | 97.6 | 96.5 | 100.7 | 84.1 | 84.9 | 73.3 | 61.7 | **15,336.4** |
| DAY | 1963 | 15.0 | 21.0 | 29.0 | 29.0 | 31.0 | 30.0 | 28.0 | 27.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,395.0** |
| H2O | 1963 | 88.6 | 154.1 | 135.5 | 137.7 | 143.2 | 134.5 | 132.3 | 141.5 | 364.9 | 389.2 | 289.0 | 289.5 | **22,354.7** |
| OIL | 1963 | 35.9 | 45.1 | 55.3 | 79.3 | 77.4 | 69.6 | 52.1 | 46.2 | 142.4 | 146.7 | 107.6 | 113.8 | **14,211.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | **2,066.0** |
| H2O | 1962 | 349.3 | 278.5 | 307.8 | 282.2 | 289.8 | 249.1 | 252.1 | 236.1 | 193.8 | 210.3 | 189.3 | 177.3 | **19,954.7** |
| OIL | 1962 | 127.4 | 116.8 | 125.4 | 117.3 | 113.8 | 92.0 | 94.6 | 90.9 | 79.8 | 78.8 | 73.9 | 69.0 | **13,239.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,705.0** |
| H2O | 1961 | 395.4 | 356.8 | 396.5 | 377.3 | 373.4 | 378.5 | 379.6 | 322.1 | 335.0 | 348.2 | 357.5 | 350.9 | **16,939.1** |
| OIL | 1961 | 173.7 | 151.9 | 170.5 | 157.0 | 166.7 | 167.0 | 168.4 | 147.9 | 151.8 | 156.4 | 145.7 | 131.9 | **12,059.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,346.0** |
| H2O | 1960 | 359.8 | 335.9 | 340.7 | 308.4 | 307.3 | 359.8 | 367.6 | 361.4 | 339.6 | 361.7 | 358.8 | 391.1 | **12,567.9** |
| OIL | 1960 | 224.2 | 202.8 | 208.2 | 187.5 | 176.4 | 204.7 | 207.5 | 193.1 | 184.7 | 195.1 | 186.1 | 180.2 | **10,171.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | **981.0** |
| H2O | 1959 | 332.3 | 299.2 | 348.6 | 446.3 | 465.5 | 433.1 | 432.3 | 407.6 | 421.9 | 341.8 | 344.0 | 343.1 | **8,375.8** |
| OIL | 1959 | 234.7 | 210.2 | 233.9 | 237.1 | 244.9 | 220.4 | 228.4 | 212.8 | 213.3 | 238.8 | 217.5 | 216.0 | **7,820.5** |
| DAY | 1958 | 30.0 | 28.0 | 25.0 | 30.0 | 31.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **620.0** |
| H2O | 1958 | 166.5 | 145.5 | 124.6 | 168.4 | 231.8 | 198.9 | 275.7 | 260.6 | 251.2 | 329.7 | 321.3 | 326.1 | **3,760.1** |
| OIL | 1958 | 266.8 | 236.5 | 197.5 | 254.6 | 265.5 | 201.2 | 242.3 | 244.1 | 227.2 | 244.6 | 233.3 | 238.2 | **5,112.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1365*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 5.0 | 1.0 | 8.0 | 29.0 | 23.0 | 25.0 | 27.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | **268.0** |
| H2O | 1957 | 4.0 | 3.0 | 2.7 | 25.1 | 83.8 | 48.5 | 134.0 | 137.7 | 156.3 | 123.4 | 124.3 | 117.0 | **959.8** |
| OIL | 1957 | 24.8 | 8.9 | 51.0 | 216.1 | 206.1 | 211.5 | 243.3 | 290.6 | 283.0 | 250.1 | 240.3 | 235.0 | **2,260.7** |

Licence ***1367*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-01-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 29.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | **3,272.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 57.1 | 44.8 | 42.9 | 41.7 | 49.1 | 47.4 | 0.0 | 0.0 | 0.0 | **8,133.5** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 8.6 | 18.8 | 4.1 | 4.0 | 4.6 | 4.3 | 0.0 | 0.0 | 0.0 | **3,146.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **3,093.0** |
| H2O | 1970 | 248.2 | 221.6 | 239.9 | 77.3 | 76.2 | 73.9 | 52.1 | 53.6 | 49.3 | 55.2 | 0.0 | 0.0 | **7,850.5** |
| OIL | 1970 | 9.4 | 8.3 | 9.2 | 8.7 | 8.9 | 8.6 | 4.6 | 4.6 | 4.3 | 8.7 | 0.0 | 0.0 | **3,102.2** |
| DAY | 1969 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,789.0** |
| H2O | 1969 | 37.7 | 237.5 | 251.0 | 250.6 | 258.8 | 88.9 | 87.3 | 85.8 | 86.6 | 88.2 | 87.8 | 231.3 | **6,703.2** |
| OIL | 1969 | 20.0 | 38.1 | 42.6 | 40.2 | 391.2 | 28.8 | 28.0 | 28.8 | 26.2 | 27.5 | 27.2 | 9.2 | **3,026.9** |
| DAY | 1968 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,428.0** |
| H2O | 1968 | 35.1 | 35.6 | 38.8 | 34.8 | 40.5 | 57.9 | 20.2 | 19.4 | 16.1 | 43.4 | 43.1 | 43.4 | **4,911.7** |
| OIL | 1968 | 46.4 | 47.0 | 48.5 | 42.3 | 29.9 | 0.0 | 27.3 | 27.5 | 23.5 | 23.2 | 21.9 | 23.2 | **2,319.1** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,065.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.3 | 24.5 | 8.7 | 37.5 | **4,483.4** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 72.8 | 49.9 | 39.6 | 48.0 | **1,958.4** |
| DAY | 1963 | 18.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,943.0** |
| H2O | 1963 | 20.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,385.4** |
| OIL | 1963 | 6.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,748.1** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 14.0 | 27.0 | 28.0 | 26.0 | 25.0 | 15.0 | 30.0 | 29.0 | 31.0 | **1,925.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 36.6 | 115.1 | 121.6 | 53.6 | 65.0 | 40.5 | 70.6 | 64.2 | 54.4 | **4,364.6** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 4.8 | 12.6 | 14.8 | 14.8 | 15.6 | 7.9 | 15.9 | 12.4 | 13.3 | **1,741.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 19.0 | 30.0 | 31.0 | 30.0 | 2.0 | **1,700.0** |
| H2O | 1961 | 66.3 | 82.5 | 83.8 | 94.8 | 78.5 | 57.7 | 40.2 | 33.9 | 63.3 | 63.1 | 74.2 | 3.8 | **3,743.0** |
| OIL | 1961 | 19.2 | 19.2 | 18.6 | 16.8 | 15.7 | 12.4 | 12.1 | 6.7 | 10.5 | 11.0 | 11.3 | 0.6 | **1,629.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,376.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 66.9 | 75.2 | 82.7 | 70.3 | 72.0 | 71.9 | 71.5 | **3,000.9** |
| OIL | 1960 | 16.4 | 15.1 | 15.9 | 14.6 | 15.1 | 20.3 | 21.0 | 21.8 | 20.5 | 20.8 | 19.5 | 19.5 | **1,475.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,011.0** |
| H2O | 1959 | 72.5 | 60.9 | 61.7 | 30.4 | 33.5 | 47.4 | 45.6 | 97.5 | 0.0 | 0.0 | 0.0 | 0.0 | **2,490.4** |
| OIL | 1959 | 21.5 | 19.4 | 19.7 | 17.5 | 20.7 | 22.7 | 21.5 | 20.7 | 18.8 | 18.0 | 17.2 | 17.3 | **1,255.2** |
| DAY | 1958 | 24.0 | 11.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **646.0** |
| H2O | 1958 | 17.3 | 0.8 | 78.7 | 96.7 | 113.7 | 84.4 | 92.7 | 95.2 | 101.9 | 100.0 | 81.1 | 79.3 | **2,040.9** |
| OIL | 1958 | 20.2 | 9.5 | 25.3 | 27.2 | 34.2 | 30.7 | 31.3 | 33.4 | 36.4 | 20.5 | 23.0 | 21.8 | **1,020.2** |
| DAY | 1957 | 1.0 | 26.0 | 31.0 | 30.0 | 30.0 | 25.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 13.0 | **307.0** |
| H2O | 1957 | 3.2 | 48.2 | 180.3 | 210.0 | 125.1 | 147.1 | 154.2 | 33.7 | 104.4 | 89.5 | 2.4 | 1.0 | **1,099.1** |
| OIL | 1957 | 9.5 | 169.1 | 75.2 | 48.6 | 111.6 | 69.1 | 47.7 | 57.0 | 38.3 | 40.7 | 28.8 | 11.1 | **706.7** |

Licence ***1369*** Well Name ***Enerplus Routledge Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1959 | 9.0 | 0.0 | 0.0 | 0.0 | 10.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **556.0** |
| H2O | 1959 | 1.6 | 0.0 | 0.0 | 0.0 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,996.9** |
| OIL | 1959 | 1.3 | 0.0 | 0.0 | 0.0 | 1.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,268.7** |
| DAY | 1958 | 23.0 | 28.0 | 31.0 | 28.0 | 29.0 | 28.0 | 31.0 | 26.0 | 28.0 | 31.0 | 30.0 | 31.0 | **527.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1369*** Well Name ***Enerplus Routledge Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 191.6 | 207.5 | 231.8 | 241.5 | 96.3 | 89.5 | 112.2 | 86.0 | 93.0 | 5.1 | 5.1 | 5.2 | **2,992.8** |
| OIL | 1958 | 79.5 | 87.1 | 95.0 | 94.4 | 44.3 | 41.5 | 45.1 | 36.9 | 38.6 | 4.1 | 4.1 | 4.1 | **1,266.0** |
| DAY | 1957 | 0.0 | 6.0 | 4.0 | 2.0 | 0.0 | 25.0 | 25.0 | 19.0 | 17.0 | 26.0 | 29.0 | 30.0 | **183.0** |
| H2O | 1957 | 0.0 | 76.8 | 1.6 | 1.9 | 0.0 | 343.6 | 251.2 | 156.3 | 158.0 | 198.9 | 224.3 | 215.4 | **1,628.0** |
| OIL | 1957 | 0.0 | 55.6 | 31.8 | 19.1 | 0.0 | 76.6 | 86.6 | 70.9 | 61.5 | 91.8 | 98.7 | 98.7 | **691.3** |

Licence ***1370*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-03-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1085.0 | 1094.4 | 966.4 | 602.2 | 1766.3 | 1621.1 | 1290.8 | 1600.6 | 1632.6 | 1444.8 | 1586.1 | 1951.0 | **212,060.3** |
| WIN | 1974 | 1576.4 | 3241.1 | 3685.2 | 3955.3 | 3686.4 | 2999.2 | 3594.1 | 2199.6 | 811.6 | 1013.0 | 1044.3 | 1053.1 | **195,419.0** |
| WIN | 1973 | 241.6 | 180.9 | 346.1 | 328.8 | 401.7 | 415.7 | 1354.0 | 2060.2 | 2041.9 | 1819.8 | 2221.7 | 2058.5 | **166,559.7** |
| WIN | 1972 | 900.3 | 162.8 | 373.4 | 278.2 | 340.5 | 163.6 | 101.3 | 890.4 | 471.5 | 507.3 | 369.3 | 215.7 | **153,088.8** |
| WIN | 1971 | 3890.9 | 3590.2 | 3988.5 | 4018.4 | 3568.6 | 3283.4 | 2883.6 | 2255.8 | 2228.4 | 2949.2 | 2791.2 | 2700.0 | **148,314.5** |
| WIN | 1970 | 4501.7 | 3812.5 | 3975.1 | 2867.0 | 2902.5 | 2786.9 | 1927.8 | 1977.2 | 1508.7 | 2553.1 | 3576.1 | 3640.3 | **110,166.3** |
| WIN | 1969 | 3583.3 | 3306.5 | 3339.9 | 3206.9 | 3471.8 | 3544.8 | 3305.0 | 3178.2 | 2899.6 | 3338.4 | 3230.8 | 3983.1 | **74,137.4** |
| WIN | 1968 | 1137.7 | 1312.5 | 1834.5 | 2193.1 | 2766.3 | 2915.9 | 3020.1 | 2931.8 | 2445.3 | 2937.0 | 3124.9 | 3365.3 | **33,749.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 19.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,672.0** |
| H2O | 1967 | 101.1 | 102.1 | 119.9 | 119.4 | 69.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **9,859.9** |
| OIL | 1967 | 36.8 | 33.4 | 37.5 | 35.1 | 21.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **18,698.3** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 76.5 | 563.4 | 559.1 | 690.9 | 839.7 | 1035.1 | **3,764.7** |
| DAY | 1966 | 31.0 | 28.0 | 26.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,533.0** |
| H2O | 1966 | 107.0 | 99.4 | 90.6 | 52.1 | 102.1 | 100.3 | 91.7 | 99.0 | 120.5 | 121.0 | 115.3 | 94.3 | **9,348.1** |
| OIL | 1966 | 53.4 | 48.1 | 43.2 | 52.1 | 56.7 | 54.3 | 52.3 | 49.4 | 41.8 | 41.6 | 40.8 | 34.6 | **18,533.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,175.0** |
| H2O | 1965 | 179.6 | 170.6 | 202.4 | 85.1 | 149.0 | 131.3 | 124.8 | 78.2 | 103.3 | 107.3 | 113.4 | 109.7 | **8,154.8** |
| OIL | 1965 | 82.3 | 70.9 | 78.2 | 62.0 | 56.4 | 60.1 | 64.7 | 67.9 | 68.8 | 40.7 | 62.3 | 55.1 | **17,965.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **2,810.0** |
| H2O | 1964 | 120.0 | 117.3 | 125.1 | 85.2 | 135.1 | 132.0 | 111.3 | 108.9 | 118.4 | 114.9 | 124.3 | 120.8 | **6,600.1** |
| OIL | 1964 | 85.0 | 82.2 | 79.8 | 65.9 | 67.5 | 55.6 | 70.1 | 69.6 | 65.6 | 67.2 | 65.3 | 69.0 | **17,196.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,447.0** |
| H2O | 1963 | 143.9 | 79.3 | 125.3 | 107.0 | 146.9 | 139.6 | 158.3 | 181.2 | 155.0 | 142.1 | 124.5 | 122.3 | **5,186.8** |
| OIL | 1963 | 72.6 | 47.7 | 67.7 | 70.2 | 86.1 | 76.4 | 80.4 | 73.7 | 78.0 | 63.4 | 70.1 | 79.3 | **16,353.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,082.0** |
| H2O | 1962 | 108.3 | 90.3 | 106.2 | 92.2 | 97.0 | 134.2 | 105.9 | 120.3 | 134.5 | 245.1 | 164.7 | 129.1 | **3,561.4** |
| OIL | 1962 | 128.4 | 111.1 | 124.4 | 105.0 | 116.5 | 119.7 | 115.4 | 108.5 | 106.0 | 97.1 | 76.4 | 68.5 | **15,487.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,721.0** |
| H2O | 1961 | 106.2 | 96.7 | 108.1 | 117.2 | 102.4 | 122.9 | 86.8 | 99.8 | 110.0 | 106.7 | 103.5 | 108.4 | **2,033.6** |
| OIL | 1961 | 186.4 | 160.5 | 172.3 | 160.2 | 152.7 | 146.5 | 142.9 | 132.4 | 113.9 | 134.6 | 131.6 | 131.6 | **14,210.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,359.0** |
| H2O | 1960 | 7.9 | 7.2 | 8.3 | 38.0 | 28.9 | 75.0 | 80.1 | 82.0 | 0.0 | 98.2 | 99.8 | 104.9 | **764.9** |
| OIL | 1960 | 326.2 | 300.0 | 323.4 | 250.6 | 276.7 | 273.8 | 249.3 | 246.8 | 193.4 | 208.5 | 197.4 | 191.2 | **12,445.0** |
| DAY | 1959 | 25.0 | 17.0 | 31.0 | 30.0 | 31.0 | 27.0 | 29.0 | 31.0 | 29.0 | 27.0 | 29.0 | 31.0 | **999.0** |
| H2O | 1959 | 0.0 | 2.1 | 0.0 | 2.7 | 5.7 | 6.2 | 11.8 | 18.3 | 6.8 | 6.2 | 7.6 | 7.3 | **134.6** |
| OIL | 1959 | 225.8 | 191.5 | 284.9 | 285.9 | 340.5 | 300.7 | 305.1 | 256.2 | 245.7 | 237.6 | 226.0 | 326.4 | **9,407.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **662.0** |
| H2O | 1958 | 3.2 | 2.9 | 2.7 | 2.5 | 2.5 | 4.0 | 4.0 | 2.4 | 0.0 | 0.0 | 0.0 | 0.5 | **59.9** |
| OIL | 1958 | 287.3 | 230.1 | 300.5 | 336.9 | 352.0 | 319.1 | 330.1 | 279.4 | 227.1 | 264.9 | 284.9 | 263.3 | **6,181.4** |
| DAY | 1957 | 0.0 | 15.0 | 25.0 | 23.0 | 30.0 | 26.0 | 30.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **298.0** |
| H2O | 1957 | 0.0 | 18.8 | 0.5 | 0.6 | 1.3 | 1.1 | 0.3 | 0.5 | 6.2 | 1.0 | 2.2 | 2.7 | **35.2** |
| OIL | 1957 | 6.4 | 111.6 | 210.7 | 163.2 | 206.6 | 151.1 | 300.5 | 341.0 | 340.9 | 300.2 | 288.7 | 284.9 | **2,705.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1371*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-01-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1172.8 | 1022.6 | 1127.2 | 1135.6 | 1234.2 | 1235.4 | 1154.0 | 1144.5 | 1264.4 | 1262.8 | 1180.6 | 1194.3 | **116,781.6** |
| WIN | 1974 | 845.8 | 1094.9 | 1116.5 | 1114.3 | 992.5 | 916.4 | 1144.2 | 1052.9 | 1138.3 | 1165.5 | 1184.9 | 1174.5 | **102,653.2** |
| WIN | 1973 | 905.0 | 776.3 | 915.0 | 997.5 | 1130.1 | 1113.4 | 1164.3 | 1070.2 | 972.7 | 1130.4 | 1161.6 | 1132.2 | **89,712.5** |
| WIN | 1972 | 1172.6 | 1066.7 | 1321.6 | 1251.3 | 1287.1 | 1241.7 | 1313.5 | 1496.6 | 1282.8 | 1311.9 | 782.1 | 832.5 | **77,243.8** |
| WIN | 1971 | 581.3 | 589.6 | 252.0 | 558.8 | 310.2 | 309.5 | 553.6 | 670.5 | 529.2 | 1290.4 | 1213.9 | 1210.9 | **62,883.4** |
| WIN | 1970 | 1153.0 | 1086.7 | 1209.8 | 1233.5 | 753.1 | 915.6 | 964.9 | 706.1 | 694.5 | 901.3 | 777.6 | 626.5 | **54,813.5** |
| WIN | 1969 | 1412.9 | 1397.4 | 1419.7 | 1457.5 | 1037.3 | 1415.2 | 1067.7 | 1380.6 | 1010.7 | 1419.4 | 1275.5 | 1423.5 | **43,790.9** |
| WIN | 1968 | 1497.0 | 1874.8 | 1279.6 | 1771.7 | 1750.3 | 1596.8 | 1781.3 | 1797.3 | 1216.6 | 1559.9 | 1562.8 | 1453.6 | **28,073.5** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 457.5 | 1799.9 | 1987.5 | 1727.2 | 1603.0 | 1356.7 | **8,931.8** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 7.0 | 24.0 | 28.0 | 9.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,687.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 16.3 | 90.6 | 101.9 | 109.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,364.4** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 1.6 | 7.1 | 8.8 | 7.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,591.3** |
| DAY | 1961 | 16.0 | 0.0 | 2.0 | 30.0 | 25.0 | 30.0 | 31.0 | 19.0 | 30.0 | 31.0 | 3.0 | 0.0 | **1,619.0** |
| H2O | 1961 | 245.0 | 0.0 | 18.3 | 370.1 | 244.0 | 225.3 | 156.9 | 29.9 | 56.0 | 55.8 | 6.4 | 0.0 | **2,046.4** |
| OIL | 1961 | 0.6 | 0.0 | 3.8 | 61.2 | 45.6 | 45.3 | 44.0 | 4.4 | 6.7 | 6.8 | 0.6 | 0.0 | **1,566.5** |
| DAY | 1960 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,402.0** |
| H2O | 1960 | 1.4 | 1.3 | 1.4 | 1.4 | 1.3 | 3.5 | 3.7 | 4.1 | 3.5 | 3.3 | 3.5 | 3.5 | **638.7** |
| OIL | 1960 | 11.0 | 10.8 | 11.3 | 10.2 | 10.8 | 10.5 | 11.1 | 11.3 | 10.8 | 11.0 | 10.3 | 10.2 | **1,347.5** |
| DAY | 1959 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,039.0** |
| H2O | 1959 | 1.9 | 1.6 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | 1.4 | 1.7 | 1.6 | 1.3 | 1.6 | **606.8** |
| OIL | 1959 | 13.0 | 13.2 | 13.5 | 10.8 | 13.2 | 11.9 | 11.3 | 14.8 | 13.2 | 12.7 | 11.9 | 12.4 | **1,218.2** |
| DAY | 1958 | 31.0 | 15.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **678.0** |
| H2O | 1958 | 0.2 | 0.2 | 0.2 | 11.8 | 29.1 | 24.6 | 23.8 | 24.6 | 24.3 | 2.5 | 2.4 | 2.4 | **594.0** |
| OIL | 1958 | 29.6 | 15.1 | 31.0 | 29.4 | 23.4 | 16.2 | 21.5 | 21.5 | 21.5 | 14.1 | 15.7 | 14.8 | **1,066.3** |
| DAY | 1957 | 3.0 | 26.0 | 27.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **326.0** |
| H2O | 1957 | 0.2 | 52.5 | 52.9 | 70.7 | 64.4 | 58.8 | 35.6 | 51.5 | 55.0 | 5.9 | 0.2 | 0.2 | **447.9** |
| OIL | 1957 | 34.3 | 130.5 | 125.4 | 93.4 | 59.3 | 64.4 | 63.1 | 82.2 | 59.3 | 40.7 | 32.9 | 27.0 | **812.5** |

Licence ***1372*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-24-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,767.0** |
| H2O | 1975 | 182.0 | 124.0 | 186.5 | 180.8 | 187.4 | 175.5 | 179.8 | 331.5 | 326.1 | 350.2 | 351.3 | 357.7 | **22,111.0** |
| OIL | 1975 | 104.2 | 68.6 | 101.7 | 96.5 | 98.2 | 93.4 | 98.2 | 136.2 | 132.2 | 136.8 | 132.2 | 134.4 | **18,223.6** |
| DAY | 1974 | 30.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,409.0** |
| H2O | 1974 | 297.6 | 284.9 | 318.9 | 310.5 | 175.8 | 189.0 | 190.9 | 175.2 | 172.7 | 181.2 | 180.9 | 180.8 | **19,178.2** |
| OIL | 1974 | 91.4 | 82.2 | 94.2 | 89.8 | 99.2 | 102.5 | 105.8 | 105.4 | 101.2 | 106.5 | 101.7 | 104.9 | **16,891.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,047.0** |
| H2O | 1973 | 237.8 | 228.3 | 244.7 | 244.2 | 239.4 | 319.4 | 320.5 | 327.2 | 339.1 | 342.3 | 318.0 | 308.3 | **16,519.8** |
| OIL | 1973 | 251.2 | 221.4 | 244.1 | 238.5 | 219.6 | 89.3 | 92.5 | 93.6 | 94.2 | 96.1 | 90.6 | 91.8 | **15,706.2** |
| DAY | 1972 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,683.0** |
| H2O | 1972 | 76.9 | 75.0 | 140.5 | 135.0 | 96.2 | 96.2 | 109.7 | 102.2 | 103.8 | 240.7 | 238.6 | 242.4 | **13,050.6** |
| OIL | 1972 | 4.1 | 4.0 | 248.1 | 255.4 | 286.8 | 273.6 | 289.9 | 291.6 | 282.1 | 257.3 | 244.4 | 254.9 | **13,883.3** |
| DAY | 1971 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 22.0 | 18.0 | 31.0 | 30.0 | 31.0 | **5,320.0** |
| H2O | 1971 | 38.8 | 40.4 | 46.4 | 46.7 | 46.7 | 46.4 | 46.1 | 31.6 | 24.0 | 44.4 | 42.9 | 50.2 | **11,393.4** |
| OIL | 1971 | 71.2 | 72.3 | 80.1 | 76.0 | 77.7 | 75.5 | 77.2 | 53.9 | 45.0 | 77.5 | 73.1 | 74.8 | **11,191.1** |
| DAY | 1970 | 28.0 | 28.0 | 31.0 | 30.0 | 24.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,980.0** |
| H2O | 1970 | 56.1 | 46.6 | 48.8 | 45.2 | 36.1 | 47.2 | 41.5 | 49.1 | 45.6 | 45.8 | 43.2 | 48.2 | **10,888.8** |
| OIL | 1970 | 33.1 | 71.5 | 78.0 | 75.3 | 60.1 | 76.0 | 75.2 | 77.5 | 74.1 | 75.6 | 75.0 | 78.7 | **10,336.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 19.0 | **4,627.0** |
| H2O | 1969 | 163.9 | 147.9 | 139.6 | 142.4 | 156.9 | 150.1 | 162.6 | 63.4 | 61.2 | 66.6 | 59.5 | 39.7 | **10,335.4** |

# Manitoba Production
# 1950 To 1975

Licence ***1372*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-24-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1969 | 81.0 | 71.2 | 79.1 | 77.1 | 79.1 | 77.7 | 80.6 | 36.4 | 36.4 | 38.1 | 36.4 | 23.2 | **9,486.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **4,274.0** |
| H2O | 1968 | 78.5 | 74.7 | 79.2 | 81.4 | 109.1 | 99.8 | 107.8 | 85.2 | 85.5 | 142.0 | 147.1 | 156.3 | **8,981.6** |
| OIL | 1968 | 67.1 | 61.3 | 65.5 | 65.5 | 37.3 | 36.5 | 37.8 | 33.2 | 32.1 | 73.3 | 78.7 | 81.0 | **8,770.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,911.0** |
| H2O | 1967 | 130.2 | 107.5 | 129.4 | 120.5 | 120.0 | 79.5 | 64.1 | 89.5 | 78.5 | 84.9 | 74.6 | 81.6 | **7,735.0** |
| OIL | 1967 | 78.2 | 69.6 | 77.9 | 75.3 | 77.2 | 60.2 | 63.9 | 66.3 | 63.9 | 67.5 | 65.8 | 66.9 | **8,101.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,549.0** |
| H2O | 1966 | 48.2 | 38.6 | 49.1 | 110.0 | 130.0 | 106.2 | 113.0 | 116.1 | 125.0 | 128.5 | 127.7 | 133.7 | **6,574.7** |
| OIL | 1966 | 43.9 | 38.5 | 42.6 | 70.2 | 76.9 | 68.2 | 76.4 | 75.6 | 73.7 | 76.3 | 74.8 | 76.6 | **7,268.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,187.0** |
| H2O | 1965 | 55.8 | 49.6 | 56.6 | 48.3 | 50.2 | 48.0 | 48.2 | 48.3 | 48.8 | 48.5 | 49.6 | 50.6 | **5,348.6** |
| OIL | 1965 | 46.6 | 42.3 | 45.8 | 43.1 | 44.7 | 44.7 | 46.4 | 46.1 | 43.5 | 45.4 | 43.2 | 44.2 | **6,474.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,822.0** |
| H2O | 1964 | 53.4 | 48.2 | 53.6 | 51.5 | 54.7 | 52.8 | 52.1 | 52.9 | 50.7 | 50.7 | 52.5 | 55.6 | **4,746.1** |
| OIL | 1964 | 43.7 | 41.2 | 44.7 | 43.1 | 44.3 | 42.6 | 44.0 | 44.7 | 43.1 | 43.9 | 43.1 | 46.1 | **5,938.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 30.0 | **2,456.0** |
| H2O | 1963 | 44.0 | 45.3 | 45.8 | 50.9 | 49.4 | 45.9 | 53.7 | 41.8 | 41.5 | 43.1 | 59.5 | 50.9 | **4,117.4** |
| OIL | 1963 | 38.3 | 35.9 | 38.1 | 38.1 | 38.9 | 37.0 | 38.6 | 35.9 | 37.0 | 36.1 | 48.0 | 40.4 | **5,414.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,095.0** |
| H2O | 1962 | 39.4 | 34.8 | 36.1 | 34.3 | 44.7 | 41.0 | 43.7 | 40.1 | 44.7 | 47.9 | 46.4 | 49.6 | **3,545.6** |
| OIL | 1962 | 42.3 | 37.7 | 40.4 | 38.8 | 39.4 | 37.2 | 37.3 | 37.2 | 36.5 | 41.0 | 38.0 | 39.9 | **4,951.9** |
| DAY | 1961 | 31.0 | 28.0 | 29.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 24.0 | 30.0 | 30.0 | 31.0 | **1,731.0** |
| H2O | 1961 | 44.4 | 39.4 | 86.2 | 81.9 | 69.0 | 80.9 | 77.4 | 75.0 | 35.6 | 37.7 | 41.8 | 40.4 | **3,042.9** |
| OIL | 1961 | 48.0 | 42.4 | 47.2 | 46.7 | 50.5 | 49.4 | 52.1 | 51.2 | 41.5 | 45.3 | 43.4 | 43.7 | **4,486.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,380.0** |
| H2O | 1960 | 164.7 | 136.2 | 138.6 | 100.6 | 107.0 | 120.8 | 97.3 | 94.6 | 82.8 | 85.4 | 55.6 | 48.3 | **2,333.2** |
| OIL | 1960 | 149.4 | 127.1 | 112.7 | 105.0 | 125.4 | 115.1 | 123.9 | 112.8 | 103.9 | 105.0 | 48.1 | 51.8 | **3,924.8** |
| DAY | 1959 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 23.0 | 14.0 | 27.0 | 31.0 | **1,016.0** |
| H2O | 1959 | 21.3 | 15.1 | 15.3 | 5.6 | 7.2 | 21.5 | 13.8 | 17.3 | 5.6 | 109.5 | 182.5 | 167.9 | **1,101.3** |
| OIL | 1959 | 29.6 | 24.3 | 25.4 | 21.6 | 19.9 | 21.0 | 21.6 | 20.2 | 11.4 | 91.1 | 131.4 | 159.5 | **2,644.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 26.0 | 29.0 | 31.0 | 30.0 | 31.0 | **679.0** |
| H2O | 1958 | 32.4 | 25.0 | 24.6 | 22.4 | 18.8 | 6.5 | 5.2 | 13.4 | 13.0 | 29.1 | 23.4 | 19.2 | **518.7** |
| OIL | 1958 | 65.9 | 51.6 | 52.8 | 48.1 | 49.4 | 47.5 | 43.4 | 51.5 | 55.1 | 36.1 | 31.0 | 30.7 | **2,067.6** |
| DAY | 1957 | 13.0 | 24.0 | 27.0 | 27.0 | 29.0 | 24.0 | 31.0 | 28.0 | 30.0 | 30.0 | 27.0 | 31.0 | **321.0** |
| H2O | 1957 | 7.6 | 14.3 | 15.1 | 50.7 | 44.2 | 30.5 | 37.0 | 35.6 | 16.4 | 12.7 | 11.3 | 10.3 | **285.7** |
| OIL | 1957 | 168.6 | 272.4 | 264.1 | 148.7 | 115.1 | 96.0 | 111.9 | 93.0 | 91.8 | 41.5 | 50.4 | 51.0 | **1,504.5** |

Licence ***1373*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-01-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 27.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 24.0 | 29.0 | 31.0 | **5,589.0** |
| H2O | 1975 | 479.6 | 422.3 | 393.8 | 438.8 | 469.3 | 432.9 | 465.2 | 442.6 | 473.8 | 383.0 | 452.0 | 504.1 | **48,740.1** |
| OIL | 1975 | 50.7 | 44.8 | 43.4 | 45.8 | 50.9 | 49.3 | 50.2 | 49.1 | 48.8 | 38.3 | 45.3 | 48.0 | **12,935.7** |
| DAY | 1974 | 31.0 | 28.0 | 29.0 | 29.0 | 27.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,237.0** |
| H2O | 1974 | 369.3 | 348.8 | 370.4 | 382.7 | 359.8 | 427.0 | 450.2 | 436.9 | 442.4 | 457.2 | 452.3 | 469.3 | **43,382.7** |
| OIL | 1974 | 82.8 | 77.2 | 79.0 | 78.5 | 74.8 | 44.2 | 49.1 | 46.4 | 49.9 | 51.0 | 49.4 | 50.2 | **12,371.1** |
| DAY | 1973 | 30.0 | 27.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,882.0** |
| H2O | 1973 | 520.3 | 455.6 | 533.1 | 361.0 | 356.8 | 504.6 | 528.3 | 516.2 | 440.7 | 456.9 | 451.8 | 394.1 | **38,416.4** |
| OIL | 1973 | 86.4 | 76.1 | 85.2 | 33.7 | 36.1 | 46.2 | 46.7 | 39.6 | 124.7 | 135.9 | 143.8 | 85.7 | **11,638.6** |
| DAY | 1972 | 31.0 | 29.0 | 21.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 30.0 | 28.0 | 31.0 | **4,522.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1373*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-01-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1972 | 789.5 | 557.2 | 394.0 | 567.4 | 578.8 | 563.4 | 542.3 | 461.8 | 472.5 | 560.9 | 468.0 | 516.5 | **32,897.0** |
| OIL | 1972 | 101.9 | 89.6 | 76.4 | 79.3 | 80.9 | 73.1 | 74.7 | 96.6 | 100.1 | 106.3 | 79.9 | 89.8 | **10,698.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 9.0 | 8.0 | 20.0 | 21.0 | 31.0 | 29.0 | 29.0 | **4,172.0** |
| H2O | 1971 | 446.7 | 447.5 | 474.7 | 483.6 | 506.2 | 129.4 | 112.2 | 312.2 | 343.4 | 279.3 | 337.4 | 684.4 | **26,424.7** |
| OIL | 1971 | 82.0 | 73.3 | 104.4 | 74.4 | 74.5 | 19.5 | 17.8 | 46.9 | 60.2 | 33.7 | 36.9 | 106.9 | **9,649.9** |
| DAY | 1970 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 25.0 | 29.0 | 28.0 | 30.0 | 30.0 | 29.0 | 31.0 | **3,874.0** |
| H2O | 1970 | 404.8 | 347.2 | 413.2 | 423.8 | 418.9 | 315.3 | 337.0 | 443.2 | 442.4 | 415.7 | 422.4 | 460.6 | **21,867.7** |
| OIL | 1970 | 113.0 | 97.1 | 95.5 | 90.7 | 93.0 | 67.4 | 74.7 | 86.3 | 80.9 | 80.9 | 89.1 | 79.6 | **8,919.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | **3,522.0** |
| H2O | 1969 | 302.4 | 193.2 | 204.1 | 195.2 | 192.0 | 159.3 | 158.7 | 148.3 | 110.3 | 111.6 | 99.2 | 436.1 | **17,023.2** |
| OIL | 1969 | 91.1 | 67.2 | 75.0 | 67.7 | 60.5 | 66.7 | 65.8 | 63.9 | 44.2 | 45.9 | 41.0 | 108.7 | **7,871.2** |
| DAY | 1968 | 7.0 | 7.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | **3,162.0** |
| H2O | 1968 | 11.8 | 12.2 | 100.6 | 103.0 | 106.7 | 299.5 | 333.4 | 346.3 | 183.1 | 443.9 | 415.1 | 350.7 | **14,712.8** |
| OIL | 1968 | 3.0 | 3.2 | 16.8 | 16.7 | 16.7 | 82.5 | 86.6 | 96.3 | 58.5 | 96.6 | 104.4 | 96.8 | **7,073.5** |
| DAY | 1967 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 26.0 | 31.0 | 30.0 | 24.0 | **2,849.0** |
| H2O | 1967 | 140.4 | 126.1 | 166.6 | 161.5 | 160.1 | 146.7 | 147.5 | 101.0 | 88.9 | 111.8 | 50.7 | 41.5 | **12,006.5** |
| OIL | 1967 | 42.4 | 34.3 | 43.2 | 39.6 | 42.0 | 42.4 | 44.8 | 41.0 | 35.3 | 12.1 | 12.7 | 10.3 | **6,395.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,499.0** |
| H2O | 1966 | 221.9 | 166.0 | 179.6 | 153.6 | 105.1 | 74.6 | 89.7 | 94.1 | 93.2 | 83.3 | 88.6 | 130.7 | **10,563.7** |
| OIL | 1966 | 86.3 | 70.9 | 72.9 | 60.9 | 36.7 | 29.7 | 31.6 | 30.4 | 31.6 | 27.8 | 28.1 | 39.7 | **5,995.3** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,135.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 247.7 | 279.8 | 155.5 | 227.3 | **9,083.3** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 102.5 | 97.6 | 102.7 | 94.4 | **5,448.7** |
| DAY | 1962 | 24.0 | 17.0 | 16.0 | 30.0 | 27.0 | 29.0 | 26.0 | 23.0 | 30.0 | 31.0 | 23.0 | 0.0 | **2,013.0** |
| H2O | 1962 | 25.4 | 17.6 | 22.4 | 53.9 | 79.2 | 43.6 | 19.9 | 7.9 | 11.0 | 10.0 | 6.7 | 0.0 | **8,173.0** |
| OIL | 1962 | 25.1 | 29.9 | 18.4 | 40.0 | 48.1 | 21.3 | 22.1 | 13.0 | 14.8 | 15.3 | 8.9 | 0.0 | **5,051.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 22.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,737.0** |
| H2O | 1961 | 89.3 | 112.4 | 114.1 | 129.1 | 107.0 | 78.7 | 54.7 | 27.8 | 43.4 | 43.2 | 50.9 | 41.0 | **7,875.4** |
| OIL | 1961 | 52.3 | 52.1 | 51.0 | 46.1 | 43.2 | 34.0 | 33.2 | 31.3 | 40.4 | 42.3 | 43.4 | 36.1 | **4,794.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | **1,381.0** |
| H2O | 1960 | 141.0 | 135.1 | 140.2 | 132.9 | 126.1 | 100.8 | 100.8 | 112.4 | 89.3 | 98.1 | 97.8 | 97.1 | **6,983.8** |
| OIL | 1960 | 83.6 | 76.9 | 80.4 | 73.6 | 76.8 | 59.8 | 56.4 | 59.6 | 52.3 | 57.4 | 53.7 | 53.6 | **4,289.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,018.0** |
| H2O | 1959 | 84.3 | 70.7 | 71.7 | 77.7 | 81.9 | 63.3 | 7.3 | 91.1 | 159.3 | 160.6 | 147.1 | 150.9 | **5,612.2** |
| OIL | 1959 | 54.3 | 48.8 | 49.9 | 72.0 | 81.5 | 43.1 | 13.8 | 52.8 | 94.9 | 92.0 | 84.5 | 89.0 | **3,505.1** |
| DAY | 1958 | 25.0 | 12.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **663.0** |
| H2O | 1958 | 192.7 | 101.7 | 239.9 | 254.8 | 288.2 | 214.1 | 189.3 | 146.6 | 144.7 | 80.8 | 94.0 | 92.2 | **4,446.3** |
| OIL | 1958 | 104.4 | 52.9 | 107.7 | 135.6 | 134.4 | 125.4 | 118.9 | 82.6 | 82.8 | 85.7 | 58.0 | 55.3 | **2,728.5** |
| DAY | 1957 | 0.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 23.0 | **320.0** |
| H2O | 1957 | 0.0 | 168.0 | 242.8 | 283.0 | 213.4 | 254.4 | 230.4 | 83.0 | 242.1 | 247.8 | 259.1 | 183.3 | **2,407.3** |
| OIL | 1957 | 0.0 | 221.2 | 182.6 | 118.4 | 145.2 | 136.3 | 147.2 | 44.2 | 174.5 | 169.1 | 144.6 | 101.5 | **1,584.8** |

Licence ***1377*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 671.5 | 579.5 | 303.3 | 593.2 | 658.2 | 589.7 | 619.7 | 556.0 | 503.6 | 560.6 | 601.4 | 600.5 | **95,181.4** |
| WIN | 1974 | 711.9 | 832.4 | 690.5 | 671.4 | 708.9 | 659.4 | 634.3 | 676.8 | 622.6 | 697.1 | 665.2 | 674.2 | **88,344.2** |
| WIN | 1973 | 715.3 | 818.6 | 818.1 | 893.5 | 1020.3 | 944.8 | 878.5 | 913.5 | 794.9 | 701.7 | 683.9 | 672.0 | **80,099.5** |
| WIN | 1972 | 1046.6 | 1027.0 | 1057.2 | 1054.4 | 1053.7 | 1009.7 | 1020.0 | 1017.8 | 980.6 | 1028.4 | 962.0 | 745.5 | **70,244.4** |
| WIN | 1971 | 840.5 | 823.5 | 786.5 | 962.8 | 1089.5 | 929.9 | 580.8 | 671.8 | 918.0 | 1128.1 | 767.6 | 504.3 | **58,241.5** |
| WIN | 1970 | 863.6 | 733.7 | 827.8 | 833.4 | 804.3 | 899.2 | 843.9 | 964.5 | 902.4 | 938.3 | 918.6 | 968.7 | **48,238.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1377*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1969 | 550.7 | 495.4 | 549.6 | 486.0 | 542.6 | 494.3 | 560.1 | 628.0 | 635.0 | 746.3 | 735.0 | 804.1 | **37,739.8** |
| WIN | 1968 | 528.9 | 481.9 | 506.5 | 490.3 | 522.1 | 481.4 | 524.8 | 481.4 | 503.0 | 397.9 | 516.4 | 429.6 | **30,512.7** |
| WIN | 1967 | 267.1 | 341.0 | 456.6 | 459.6 | 490.0 | 548.0 | 545.3 | 570.3 | 454.7 | 535.0 | 485.7 | 586.5 | **24,648.5** |
| WIN | 1966 | 525.1 | 477.4 | 520.0 | 499.0 | 476.3 | 459.9 | 468.2 | 455.6 | 278.2 | 369.9 | 548.3 | 482.8 | **18,908.7** |
| WIN | 1965 | 645.0 | 540.8 | 579.5 | 549.0 | 479.0 | 495.7 | 539.4 | 547.5 | 552.9 | 569.0 | 490.0 | 545.9 | **13,348.0** |
| WIN | 1964 | 432.4 | 367.9 | 499.5 | 427.5 | 371.4 | 247.7 | 383.6 | 648.8 | 717.2 | 662.5 | 625.6 | 631.8 | **6,814.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 25.0 | 3.0 | 0.0 | 0.0 | **2,263.0** |
| H2O | 1963 | 4.0 | 4.2 | 4.5 | 4.0 | 4.1 | 1.0 | 1.1 | 3.7 | 3.3 | 0.3 | 0.0 | 0.0 | **1,006.0** |
| OIL | 1963 | 51.7 | 49.8 | 53.1 | 47.2 | 48.8 | 9.9 | 12.1 | 32.6 | 34.8 | 4.4 | 0.0 | 0.0 | **7,182.1** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 79.5 | 718.9 | **798.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,993.0** |
| H2O | 1962 | 4.9 | 4.5 | 4.9 | 4.8 | 4.9 | 4.8 | 4.9 | 1.1 | 4.5 | 5.4 | 5.1 | 42.0 | **975.8** |
| OIL | 1962 | 68.6 | 61.7 | 69.0 | 65.3 | 66.9 | 64.0 | 64.4 | 59.4 | 62.6 | 65.3 | 51.5 | 51.0 | **6,837.7** |
| DAY | 1961 | 31.0 | 27.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,633.0** |
| H2O | 1961 | 4.9 | 4.3 | 4.8 | 4.3 | 4.9 | 4.8 | 4.9 | 4.9 | 4.8 | 5.1 | 4.8 | 4.9 | **884.0** |
| OIL | 1961 | 88.7 | 77.5 | 85.8 | 76.9 | 88.7 | 89.1 | 83.9 | 78.8 | 72.6 | 76.8 | 70.2 | 65.6 | **6,088.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 28.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,273.0** |
| H2O | 1960 | 9.9 | 7.9 | 4.9 | 4.5 | 4.6 | 6.4 | 5.1 | 4.9 | 4.6 | 5.1 | 4.9 | 5.4 | **826.6** |
| OIL | 1960 | 88.7 | 83.0 | 88.7 | 84.5 | 80.6 | 78.8 | 86.1 | 86.8 | 80.1 | 88.7 | 79.6 | 88.7 | **5,133.4** |
| DAY | 1959 | 30.0 | 25.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **913.0** |
| H2O | 1959 | 19.1 | 15.3 | 13.4 | 14.5 | 24.2 | 15.3 | 14.8 | 11.3 | 9.2 | 9.9 | 12.7 | 9.9 | **758.4** |
| OIL | 1959 | 113.5 | 88.0 | 55.5 | 59.4 | 49.6 | 75.5 | 88.2 | 88.0 | 83.0 | 88.7 | 82.6 | 88.7 | **4,119.1** |
| DAY | 1958 | 31.0 | 28.0 | 30.0 | 6.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | **556.0** |
| H2O | 1958 | 13.8 | 14.0 | 17.3 | 3.8 | 17.8 | 19.1 | 18.4 | 19.7 | 19.1 | 19.7 | 18.4 | 17.8 | **588.8** |
| OIL | 1958 | 122.8 | 153.7 | 148.6 | 34.5 | 132.1 | 131.7 | 109.2 | 124.6 | 124.3 | 122.4 | 103.0 | 100.9 | **3,158.4** |
| DAY | 1957 | 0.0 | 0.0 | 21.0 | 0.0 | 0.0 | 17.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **222.0** |
| H2O | 1957 | 0.0 | 0.0 | 56.1 | 0.0 | 0.0 | 45.9 | 72.2 | 72.8 | 65.5 | 42.4 | 19.9 | 15.1 | **389.9** |
| OIL | 1957 | 0.0 | 0.0 | 237.7 | 0.0 | 0.0 | 191.6 | 276.7 | 260.9 | 227.6 | 202.8 | 178.0 | 175.3 | **1,750.6** |

Licence ***1378*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-03-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 14.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,764.0** |
| H2O | 1973 | 102.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **22,702.2** |
| OIL | 1973 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **9,625.5** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 3.0 | 28.0 | 30.0 | 23.0 | 30.0 | 31.0 | **4,750.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.9 | 1.4 | 14.1 | 15.3 | 127.8 | 209.4 | 215.6 | **22,599.3** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.2 | 0.3 | 4.0 | 4.4 | 3.0 | 4.1 | 4.4 | **9,623.8** |
| DAY | 1971 | 12.0 | 0.0 | 2.0 | 30.0 | 31.0 | 30.0 | 31.0 | 16.0 | 15.0 | 31.0 | 0.0 | 0.0 | **4,581.0** |
| H2O | 1971 | 30.0 | 0.0 | 4.6 | 81.4 | 88.6 | 82.7 | 80.8 | 7.5 | 7.2 | 18.6 | 0.0 | 0.0 | **22,003.8** |
| OIL | 1971 | 13.8 | 0.0 | 2.2 | 36.4 | 36.7 | 35.4 | 36.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **9,600.4** |
| DAY | 1970 | 30.0 | 26.0 | 31.0 | 25.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,383.0** |
| H2O | 1970 | 31.8 | 26.9 | 32.6 | 27.8 | 0.0 | 0.0 | 0.0 | 0.0 | 27.8 | 78.4 | 77.4 | 78.2 | **21,602.4** |
| OIL | 1970 | 36.4 | 30.8 | 38.0 | 30.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.9 | 37.0 | 35.0 | 37.0 | **9,439.8** |
| DAY | 1969 | 31.0 | 26.0 | 26.0 | 14.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 31.0 | **4,152.0** |
| H2O | 1969 | 33.4 | 27.8 | 27.0 | 14.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.8 | 31.5 | **21,221.5** |
| OIL | 1969 | 36.2 | 30.0 | 31.0 | 15.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.4 | 37.3 | **9,163.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,011.0** |
| H2O | 1968 | 59.3 | 57.7 | 63.0 | 45.0 | 59.0 | 53.7 | 59.6 | 56.9 | 48.6 | 33.5 | 32.7 | 33.2 | **21,073.9** |
| OIL | 1968 | 38.5 | 37.7 | 38.6 | 26.7 | 33.5 | 36.4 | 36.2 | 36.2 | 32.1 | 36.9 | 34.5 | 36.4 | **8,998.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **3,652.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1378*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-03-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1967 | 54.2 | 54.7 | 64.2 | 64.1 | 51.2 | 57.7 | 60.9 | 54.7 | 57.1 | 58.5 | 42.8 | 61.1 | **20,471.7** |
| OIL | 1967 | 30.0 | 27.3 | 30.5 | 28.6 | 24.5 | 30.5 | 33.8 | 33.4 | 34.2 | 35.4 | 26.9 | 38.1 | **8,574.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,296.0** |
| H2O | 1966 | 84.4 | 78.4 | 86.0 | 2.7 | 51.7 | 51.0 | 46.3 | 51.5 | 64.5 | 64.9 | 61.8 | 50.9 | **19,790.5** |
| OIL | 1966 | 56.4 | 51.0 | 55.1 | 42.1 | 40.8 | 39.1 | 37.3 | 36.4 | 34.0 | 33.8 | 33.1 | 28.4 | **8,201.5** |
| DAY | 1965 | 25.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,933.0** |
| H2O | 1965 | 71.5 | 83.8 | 99.7 | 63.6 | 18.1 | 51.4 | 51.5 | 68.5 | 83.0 | 84.6 | 89.7 | 86.5 | **19,096.4** |
| OIL | 1965 | 47.4 | 50.2 | 55.8 | 50.5 | 28.3 | 36.7 | 39.6 | 38.6 | 74.1 | 42.9 | 66.1 | 58.2 | **7,714.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **2,575.0** |
| H2O | 1964 | 70.4 | 68.7 | 73.3 | 73.9 | 29.3 | 28.8 | 18.6 | 18.1 | 7.9 | 7.6 | 8.1 | 7.6 | **18,244.5** |
| OIL | 1964 | 50.9 | 49.1 | 47.5 | 48.0 | 24.3 | 20.5 | 29.2 | 28.9 | 28.4 | 29.1 | 27.7 | 28.0 | **7,125.6** |
| DAY | 1963 | 30.0 | 20.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,213.0** |
| H2O | 1963 | 46.6 | 20.0 | 51.2 | 45.6 | 53.3 | 62.3 | 67.4 | 76.5 | 91.6 | 79.2 | 74.7 | 71.7 | **17,832.2** |
| OIL | 1963 | 43.4 | 20.2 | 45.0 | 48.5 | 60.4 | 55.8 | 60.1 | 54.5 | 51.8 | 53.9 | 47.2 | 47.4 | **6,714.0** |
| DAY | 1962 | 31.0 | 28.0 | 25.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,858.0** |
| H2O | 1962 | 96.2 | 80.1 | 75.0 | 64.5 | 59.8 | 105.9 | 78.2 | 88.9 | 99.2 | 85.1 | 59.1 | 44.4 | **17,092.1** |
| OIL | 1962 | 48.8 | 42.3 | 37.7 | 56.1 | 58.3 | 76.4 | 69.0 | 65.0 | 63.6 | 70.7 | 57.7 | 43.4 | **6,125.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,505.0** |
| H2O | 1961 | 87.9 | 79.8 | 89.2 | 95.7 | 84.7 | 101.0 | 71.7 | 82.5 | 82.7 | 97.9 | 92.1 | 96.2 | **16,155.7** |
| OIL | 1961 | 101.2 | 87.1 | 93.6 | 86.0 | 83.0 | 79.6 | 77.5 | 71.8 | 88.5 | 52.9 | 49.9 | 50.1 | **5,436.8** |
| DAY | 1960 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,142.0** |
| H2O | 1960 | 657.9 | 597.0 | 297.0 | 53.7 | 36.4 | 69.2 | 74.2 | 75.7 | 76.5 | 81.1 | 82.4 | 86.8 | **15,094.3** |
| OIL | 1960 | 57.7 | 53.1 | 162.1 | 263.2 | 257.3 | 194.2 | 177.8 | 175.1 | 111.4 | 113.3 | 107.1 | 103.9 | **4,515.6** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 26.0 | 31.0 | 27.0 | 29.0 | 27.0 | 28.0 | **781.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 485.4 | 559.5 | 493.0 | 607.2 | 524.5 | 556.5 | 596.4 | 558.8 | **12,906.4** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 21.9 | 23.4 | 46.7 | 51.8 | 44.5 | 49.9 | 40.7 | 53.2 | **2,739.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 18.0 | 0.0 | 0.0 | 0.0 | **552.0** |
| H2O | 1958 | 438.6 | 404.3 | 457.9 | 466.9 | 427.5 | 701.4 | 711.1 | 619.1 | 362.0 | 0.0 | 0.0 | 0.0 | **8,525.1** |
| OIL | 1958 | 163.2 | 130.8 | 80.4 | 39.1 | 34.3 | 34.3 | 33.2 | 99.0 | 20.7 | 0.0 | 0.0 | 0.0 | **2,407.3** |
| DAY | 1957 | 0.0 | 15.0 | 13.0 | 29.0 | 31.0 | 27.0 | 29.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **294.0** |
| H2O | 1957 | 0.0 | 0.2 | 37.0 | 323.4 | 430.5 | 444.3 | 434.2 | 481.1 | 398.7 | 452.0 | 448.6 | 486.3 | **3,936.3** |
| OIL | 1957 | 30.0 | 135.6 | 106.5 | 175.9 | 184.5 | 138.3 | 206.7 | 173.1 | 161.5 | 134.6 | 163.8 | 161.8 | **1,772.3** |

Licence ***1381*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-26-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,739.0** |
| H2O | 1975 | 185.2 | 171.7 | 191.4 | 185.5 | 192.4 | 183.9 | 184.4 | 181.9 | 179.0 | 192.2 | 208.6 | 212.2 | **25,294.7** |
| OIL | 1975 | 659.2 | 590.7 | 648.5 | 615.5 | 626.7 | 609.4 | 626.7 | 629.8 | 611.0 | 632.0 | 646.6 | 656.9 | **103,319.0** |
| DAY | 1974 | 31.0 | 27.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 30.0 | 30.0 | 30.0 | **6,374.0** |
| H2O | 1974 | 209.2 | 186.0 | 200.6 | 211.1 | 193.0 | 194.0 | 196.0 | 173.9 | 157.7 | 173.0 | 185.5 | 177.6 | **23,026.3** |
| OIL | 1974 | 714.8 | 597.2 | 659.3 | 679.8 | 675.8 | 653.9 | 675.2 | 650.7 | 574.8 | 632.3 | 648.7 | 640.6 | **95,766.0** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,018.0** |
| H2O | 1973 | 185.5 | 179.3 | 186.2 | 191.9 | 225.9 | 217.2 | 215.9 | 232.3 | 230.8 | 232.9 | 211.0 | 209.7 | **20,768.7** |
| OIL | 1973 | 747.4 | 663.4 | 707.6 | 714.3 | 697.3 | 676.0 | 693.3 | 740.5 | 713.3 | 728.1 | 668.7 | 695.7 | **87,962.9** |
| DAY | 1972 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **5,654.0** |
| H2O | 1972 | 216.2 | 225.1 | 247.1 | 219.9 | 243.1 | 215.1 | 238.6 | 226.1 | 225.9 | 189.2 | 187.6 | 178.7 | **18,250.1** |
| OIL | 1972 | 719.5 | 717.5 | 781.0 | 745.9 | 787.1 | 818.7 | 843.2 | 862.4 | 820.8 | 770.4 | 731.8 | 716.2 | **79,517.3** |
| DAY | 1971 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | **5,290.0** |
| H2O | 1971 | 214.6 | 191.7 | 190.1 | 190.8 | 191.1 | 190.3 | 182.5 | 181.9 | 152.0 | 178.1 | 198.7 | 243.2 | **15,637.5** |
| OIL | 1971 | 771.2 | 671.4 | 841.0 | 798.5 | 816.5 | 793.4 | 785.2 | 796.5 | 733.2 | 797.9 | 725.7 | 774.7 | **70,202.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1381*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-26-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1970 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | **4,931.0** |
| H2O | 1970 | 195.5 | 203.0 | 212.6 | 192.5 | 202.1 | 205.1 | 183.3 | 213.7 | 198.7 | 191.9 | 179.3 | 239.6 | **13,332.5** |
| OIL | 1970 | 865.4 | 863.7 | 942.7 | 891.6 | 938.4 | 918.7 | 923.3 | 938.0 | 895.3 | 878.5 | 863.2 | 766.6 | **60,897.6** |
| DAY | 1969 | 31.0 | 27.0 | 30.0 | 28.0 | 31.0 | 25.0 | 28.0 | 31.0 | 29.0 | 27.0 | 26.0 | 31.0 | **4,573.0** |
| H2O | 1969 | 243.6 | 213.4 | 197.1 | 191.9 | 233.1 | 172.7 | 213.4 | 222.4 | 202.2 | 193.2 | 175.0 | 224.6 | **10,915.2** |
| OIL | 1969 | 994.6 | 847.6 | 922.3 | 856.5 | 970.9 | 546.5 | 647.4 | 963.6 | 904.8 | 832.7 | 810.0 | 991.8 | **50,212.2** |
| DAY | 1968 | 30.0 | 29.0 | 28.0 | 20.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **4,229.0** |
| H2O | 1968 | 130.0 | 132.4 | 123.8 | 91.9 | 266.5 | 276.9 | 288.2 | 273.9 | 222.7 | 227.5 | 208.6 | 232.1 | **8,432.6** |
| OIL | 1968 | 728.4 | 715.6 | 674.6 | 484.0 | 798.5 | 891.2 | 883.7 | 918.5 | 957.3 | 968.1 | 920.9 | 993.7 | **39,923.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 16.0 | 24.0 | 31.0 | **3,883.0** |
| H2O | 1967 | 119.7 | 111.8 | 132.0 | 122.9 | 128.0 | 120.3 | 98.4 | 161.2 | 139.4 | 73.0 | 105.4 | 144.2 | **5,958.1** |
| OIL | 1967 | 476.9 | 494.4 | 568.6 | 549.0 | 677.8 | 650.1 | 721.1 | 730.5 | 744.5 | 381.4 | 611.5 | 776.6 | **29,989.0** |
| DAY | 1966 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,539.0** |
| H2O | 1966 | 90.3 | 75.7 | 96.2 | 98.4 | 109.7 | 96.7 | 82.7 | 81.2 | 87.6 | 100.0 | 117.3 | 123.1 | **4,501.8** |
| OIL | 1966 | 385.4 | 354.5 | 392.5 | 383.8 | 433.5 | 417.0 | 433.0 | 428.4 | 417.5 | 460.7 | 456.2 | 466.6 | **22,606.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,175.0** |
| H2O | 1965 | 46.6 | 41.3 | 75.5 | 55.3 | 78.1 | 76.6 | 72.7 | 87.6 | 88.6 | 87.6 | 86.6 | 98.9 | **3,342.9** |
| OIL | 1965 | 215.0 | 196.3 | 262.8 | 262.5 | 262.7 | 256.8 | 312.4 | 414.1 | 380.6 | 395.8 | 363.7 | 407.3 | **17,577.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,811.0** |
| H2O | 1964 | 22.9 | 20.5 | 22.6 | 22.3 | 37.8 | 44.0 | 43.4 | 44.0 | 42.3 | 42.1 | 49.9 | 67.6 | **2,447.5** |
| OIL | 1964 | 90.9 | 86.0 | 91.7 | 89.3 | 88.4 | 81.8 | 84.5 | 85.5 | 82.6 | 84.1 | 141.3 | 168.3 | **13,847.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,445.0** |
| H2O | 1963 | 47.2 | 42.0 | 50.4 | 47.7 | 28.8 | 30.0 | 38.2 | 37.8 | 31.8 | 39.4 | 22.1 | 22.6 | **1,988.1** |
| OIL | 1963 | 63.9 | 57.5 | 66.4 | 63.7 | 73.9 | 70.4 | 73.4 | 79.6 | 80.2 | 82.0 | 85.2 | 87.2 | **12,673.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | **2,080.0** |
| H2O | 1962 | 47.9 | 39.0 | 38.2 | 43.4 | 42.4 | 37.2 | 35.3 | 41.8 | 37.0 | 54.1 | 44.0 | 44.7 | **1,550.1** |
| OIL | 1962 | 86.4 | 74.4 | 81.2 | 85.3 | 86.0 | 83.9 | 86.8 | 82.6 | 69.1 | 63.2 | 62.3 | 67.5 | **11,789.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,718.0** |
| H2O | 1961 | 29.9 | 24.6 | 30.0 | 25.9 | 23.7 | 24.5 | 20.2 | 23.2 | 32.4 | 35.3 | 33.5 | 48.6 | **1,045.1** |
| OIL | 1961 | 134.8 | 121.9 | 132.1 | 122.8 | 113.8 | 106.3 | 105.2 | 103.8 | 99.8 | 101.9 | 92.2 | 86.8 | **10,861.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 28.0 | 27.0 | 28.0 | 28.0 | 30.0 | 30.0 | 31.0 | **1,353.0** |
| H2O | 1960 | 9.7 | 9.7 | 10.0 | 11.4 | 23.8 | 25.6 | 23.2 | 24.5 | 25.8 | 30.4 | 25.9 | 26.2 | **693.3** |
| OIL | 1960 | 122.2 | 102.2 | 112.7 | 124.7 | 145.6 | 129.0 | 112.0 | 100.6 | 116.2 | 138.3 | 136.8 | 137.9 | **9,539.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 26.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,002.0** |
| H2O | 1959 | 12.7 | 12.6 | 19.1 | 17.6 | 19.9 | 9.1 | 7.5 | 13.0 | 33.7 | 43.2 | 42.9 | 15.4 | **447.1** |
| OIL | 1959 | 210.6 | 188.6 | 198.6 | 169.6 | 122.8 | 141.1 | 101.7 | 135.7 | 158.3 | 158.1 | 139.0 | 139.5 | **8,061.4** |
| DAY | 1958 | 31.0 | 28.0 | 29.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | **646.0** |
| H2O | 1958 | 4.9 | 4.5 | 16.5 | 8.1 | 10.5 | 21.1 | 17.6 | 19.1 | 13.7 | 17.6 | 6.8 | 15.9 | **200.4** |
| OIL | 1958 | 337.5 | 309.4 | 289.9 | 325.8 | 313.1 | 301.6 | 321.8 | 274.8 | 271.7 | 248.2 | 235.8 | 225.2 | **6,197.8** |
| DAY | 1957 | 0.0 | 25.0 | 23.0 | 23.0 | 27.0 | 28.0 | 20.0 | 24.0 | 30.0 | 30.0 | 30.0 | 28.0 | **288.0** |
| H2O | 1957 | 0.0 | 3.8 | 8.7 | 15.1 | 1.7 | 4.3 | 4.1 | 2.1 | 0.0 | 0.0 | 0.0 | 4.3 | **44.1** |
| OIL | 1957 | 0.0 | 305.1 | 210.2 | 190.4 | 179.1 | 167.2 | 131.9 | 263.5 | 330.4 | 333.7 | 318.1 | 313.4 | **2,743.0** |

Licence ***1382*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-26-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,814.0** |
| H2O | 1975 | 146.6 | 135.9 | 151.5 | 146.7 | 152.1 | 145.5 | 204.3 | 201.3 | 198.1 | 212.7 | 213.5 | 217.2 | **13,136.5** |
| OIL | 1975 | 129.2 | 115.7 | 127.1 | 120.5 | 122.8 | 119.3 | 126.7 | 127.3 | 123.6 | 127.8 | 123.6 | 125.7 | **25,405.2** |
| DAY | 1974 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,449.0** |
| H2O | 1974 | 67.7 | 53.9 | 70.3 | 68.5 | 70.9 | 71.2 | 71.9 | 142.1 | 140.1 | 136.9 | 146.7 | 146.9 | **11,011.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1382*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-26-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1974 | 67.5 | 50.4 | 67.4 | 64.4 | 66.7 | 64.7 | 66.7 | 131.7 | 126.5 | 123.8 | 127.1 | 131.1 | **23,915.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,089.0** |
| H2O | 1973 | 81.2 | 78.1 | 83.6 | 83.3 | 84.6 | 81.2 | 70.7 | 75.2 | 74.9 | 75.5 | 70.1 | 67.9 | **9,824.0** |
| OIL | 1973 | 105.5 | 93.0 | 102.7 | 100.3 | 104.6 | 101.4 | 66.1 | 69.9 | 67.4 | 68.8 | 64.8 | 65.8 | **22,827.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,724.0** |
| H2O | 1972 | 98.6 | 96.0 | 105.4 | 93.8 | 103.7 | 89.2 | 99.0 | 94.0 | 93.8 | 82.2 | 81.4 | 82.8 | **8,897.7** |
| OIL | 1972 | 229.1 | 213.7 | 232.5 | 222.2 | 234.4 | 192.4 | 198.2 | 202.8 | 192.9 | 108.1 | 102.7 | 106.9 | **21,817.6** |
| DAY | 1971 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 23.0 | 27.0 | 31.0 | **5,358.0** |
| H2O | 1971 | 97.5 | 88.1 | 105.1 | 105.6 | 105.7 | 105.4 | 101.0 | 100.5 | 90.1 | 73.6 | 146.6 | 191.3 | **7,777.8** |
| OIL | 1971 | 102.5 | 90.4 | 103.8 | 98.5 | 100.6 | 97.9 | 96.8 | 98.2 | 96.8 | 73.4 | 169.9 | 193.2 | **19,581.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,007.0** |
| H2O | 1970 | 35.8 | 33.5 | 35.1 | 32.4 | 33.4 | 33.9 | 31.3 | 35.3 | 32.9 | 34.2 | 31.0 | 34.7 | **6,467.3** |
| OIL | 1970 | 135.1 | 121.7 | 132.8 | 128.2 | 132.2 | 129.5 | 134.4 | 132.2 | 126.2 | 133.2 | 127.8 | 134.0 | **18,259.7** |
| DAY | 1969 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,642.0** |
| H2O | 1969 | 107.8 | 94.3 | 88.1 | 93.6 | 103.0 | 33.5 | 36.9 | 37.0 | 34.8 | 37.8 | 33.9 | 37.2 | **6,063.8** |
| OIL | 1969 | 162.1 | 138.1 | 151.9 | 154.1 | 158.1 | 130.8 | 137.5 | 136.8 | 133.2 | 139.4 | 133.5 | 139.8 | **16,692.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,279.0** |
| H2O | 1968 | 70.1 | 66.8 | 69.8 | 66.1 | 75.8 | 117.5 | 121.9 | 116.1 | 98.4 | 100.6 | 96.7 | 102.9 | **5,325.9** |
| OIL | 1968 | 308.0 | 282.5 | 298.3 | 273.0 | 300.2 | 153.0 | 151.8 | 157.6 | 156.0 | 157.8 | 157.3 | 162.1 | **14,977.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,916.0** |
| H2O | 1967 | 78.1 | 62.5 | 75.2 | 70.0 | 70.0 | 69.3 | 32.1 | 45.5 | 48.2 | 96.0 | 66.5 | 72.7 | **4,223.2** |
| OIL | 1967 | 150.8 | 123.6 | 138.6 | 133.8 | 137.9 | 142.4 | 144.3 | 151.0 | 131.1 | 181.3 | 302.9 | 307.5 | **12,419.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,552.0** |
| H2O | 1966 | 46.1 | 36.9 | 46.9 | 48.0 | 54.2 | 47.9 | 61.2 | 67.4 | 52.1 | 53.7 | 66.3 | 80.3 | **3,437.1** |
| OIL | 1966 | 108.1 | 95.3 | 105.4 | 98.7 | 103.3 | 99.3 | 117.9 | 130.1 | 117.9 | 123.2 | 130.8 | 147.6 | **10,374.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,190.0** |
| H2O | 1965 | 33.1 | 29.4 | 35.0 | 27.2 | 34.8 | 37.8 | 41.3 | 41.7 | 45.5 | 44.0 | 27.3 | 48.3 | **2,776.1** |
| OIL | 1965 | 114.1 | 104.9 | 98.8 | 111.4 | 105.5 | 112.5 | 116.2 | 115.1 | 106.6 | 114.4 | 111.1 | 109.3 | **8,996.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 16.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,825.0** |
| H2O | 1964 | 12.6 | 11.4 | 12.7 | 12.2 | 19.6 | 16.4 | 8.3 | 14.5 | 15.7 | 15.7 | 18.8 | 42.3 | **2,330.7** |
| OIL | 1964 | 29.9 | 28.3 | 30.5 | 29.2 | 32.6 | 34.6 | 18.6 | 31.9 | 35.0 | 35.8 | 89.3 | 104.2 | **7,676.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,477.0** |
| H2O | 1963 | 37.8 | 33.5 | 40.5 | 38.2 | 36.6 | 17.3 | 17.3 | 20.7 | 18.1 | 22.3 | 12.4 | 12.6 | **2,130.5** |
| OIL | 1963 | 46.4 | 41.8 | 48.1 | 46.4 | 47.8 | 22.2 | 26.2 | 23.8 | 24.6 | 25.3 | 28.0 | 28.6 | **7,176.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,113.0** |
| H2O | 1962 | 43.4 | 37.5 | 35.6 | 36.2 | 37.5 | 32.6 | 29.6 | 34.8 | 31.3 | 43.2 | 35.3 | 35.8 | **1,823.2** |
| OIL | 1962 | 62.8 | 54.7 | 50.7 | 50.9 | 49.6 | 41.6 | 39.1 | 37.5 | 53.1 | 45.9 | 45.3 | 49.1 | **6,767.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,750.0** |
| H2O | 1961 | 15.4 | 12.4 | 15.1 | 16.5 | 18.4 | 18.3 | 11.9 | 23.7 | 30.0 | 29.6 | 27.7 | 31.8 | **1,390.4** |
| OIL | 1961 | 38.5 | 37.3 | 42.3 | 40.4 | 42.1 | 41.3 | 40.4 | 37.7 | 42.9 | 46.7 | 52.1 | 61.2 | **6,187.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | **1,385.0** |
| H2O | 1960 | 44.5 | 32.7 | 38.2 | 20.7 | 15.1 | 16.9 | 20.2 | 22.1 | 13.8 | 15.4 | 12.7 | 14.6 | **1,139.6** |
| OIL | 1960 | 80.2 | 66.7 | 69.0 | 59.3 | 54.2 | 58.5 | 48.6 | 53.9 | 45.9 | 45.8 | 46.7 | 40.4 | **5,664.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,025.0** |
| H2O | 1959 | 25.8 | 11.4 | 14.1 | 13.4 | 21.5 | 28.8 | 32.6 | 61.0 | 36.1 | 37.7 | 19.2 | 30.8 | **872.7** |
| OIL | 1959 | 101.2 | 90.3 | 99.3 | 109.6 | 185.1 | 113.0 | 83.1 | 73.7 | 76.9 | 77.1 | 65.6 | 87.7 | **4,995.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **660.0** |
| H2O | 1958 | 50.4 | 72.0 | 25.8 | 20.7 | 25.1 | 25.0 | 23.8 | 27.8 | 14.8 | 14.1 | 12.4 | 21.5 | **540.3** |
| OIL | 1958 | 214.1 | 161.5 | 151.1 | 185.8 | 148.6 | 119.0 | 126.5 | 117.4 | 117.1 | 111.4 | 126.7 | 104.9 | **3,832.7** |
| DAY | 1957 | 0.0 | 26.0 | 23.0 | 23.0 | 26.0 | 28.0 | 31.0 | 26.0 | 28.0 | 30.0 | 30.0 | 28.0 | **299.0** |
| H2O | 1957 | 0.0 | 4.0 | 11.4 | 8.1 | 3.3 | 4.5 | 7.3 | 10.0 | 15.4 | 46.1 | 55.6 | 41.2 | **206.9** |
| OIL | 1957 | 0.0 | 326.6 | 260.5 | 204.5 | 171.6 | 175.3 | 167.5 | 130.0 | 112.8 | 200.2 | 210.7 | 188.9 | **2,148.6** |

# Manitoba Production
## 1950 To 1975

Licence ***1383*** Well Name ***2928419 MB Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-17-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,344.0** |
| H2O | 1975 | 1813.4 | 1774.9 | 1949.0 | 1815.6 | 2160.0 | 1967.5 | 2214.4 | 2161.4 | 2073.7 | 2204.2 | 2192.0 | 2231.9 | **194,899.7** |
| OIL | 1975 | 77.6 | 67.3 | 76.5 | 70.8 | 72.2 | 62.5 | 61.9 | 59.7 | 57.6 | 59.2 | 56.3 | 55.7 | **46,747.3** |
| DAY | 1974 | 30.0 | 0.0 | 30.0 | 28.0 | 29.0 | 14.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,980.0** |
| H2O | 1974 | 2065.9 | 2190.8 | 2190.8 | 2146.3 | 2748.6 | 1352.5 | 1959.0 | 1875.1 | 1432.3 | 1781.0 | 1748.9 | 1860.8 | **170,341.7** |
| OIL | 1974 | 132.8 | 117.9 | 117.9 | 104.5 | 114.5 | 66.4 | 117.4 | 114.4 | 87.3 | 78.3 | 71.9 | 76.5 | **45,970.0** |
| DAY | 1973 | 31.0 | 28.0 | 23.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 28.0 | 14.0 | 30.0 | 31.0 | **5,666.0** |
| H2O | 1973 | 6611.8 | 6016.9 | 5125.4 | 0.0 | 0.0 | 0.0 | 0.0 | 1661.4 | 3295.8 | 1208.3 | 3595.8 | 1685.3 | **146,989.7** |
| OIL | 1973 | 94.7 | 84.0 | 71.6 | 0.0 | 0.0 | 0.0 | 0.0 | 77.5 | 102.0 | 56.3 | 117.2 | 119.3 | **44,770.2** |
| DAY | 1972 | 30.0 | 29.0 | 30.0 | 16.0 | 15.0 | 26.0 | 20.0 | 22.0 | 13.0 | 31.0 | 30.0 | 31.0 | **5,466.0** |
| H2O | 1972 | 2544.0 | 2999.6 | 3169.3 | 2656.2 | 2289.9 | 4873.4 | 3640.7 | 4004.7 | 3862.0 | 7194.5 | 7256.7 | 7602.1 | **117,789.0** |
| OIL | 1972 | 139.5 | 125.5 | 130.0 | 75.1 | 81.3 | 107.4 | 77.5 | 76.7 | 60.2 | 102.1 | 115.6 | 120.4 | **44,047.6** |
| DAY | 1971 | 26.0 | 24.0 | 27.0 | 30.0 | 28.0 | 26.0 | 26.0 | 23.0 | 29.0 | 16.0 | 22.0 | 4.0 | **5,173.0** |
| H2O | 1971 | 1311.7 | 1037.6 | 858.5 | 1434.1 | 715.4 | 1147.9 | 1147.9 | 909.4 | 966.6 | 559.6 | 683.6 | 318.0 | **65,695.9** |
| OIL | 1971 | 54.1 | 38.2 | 49.5 | 64.0 | 31.9 | 55.4 | 53.2 | 40.6 | 49.7 | 25.7 | 42.8 | 19.0 | **42,836.3** |
| DAY | 1970 | 31.0 | 26.0 | 26.0 | 8.0 | 27.0 | 30.0 | 31.0 | 30.0 | 29.0 | 24.0 | 30.0 | 20.0 | **4,892.0** |
| H2O | 1970 | 777.4 | 748.8 | 1473.8 | 492.9 | 1264.0 | 1287.8 | 1311.7 | 1311.7 | 1268.7 | 1046.1 | 1523.1 | 1009.6 | **54,605.6** |
| OIL | 1970 | 91.3 | 87.8 | 81.0 | 25.3 | 64.6 | 71.4 | 73.0 | 73.4 | 71.0 | 54.0 | 71.4 | 51.6 | **42,312.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 26.0 | 30.0 | 31.0 | **4,580.0** |
| H2O | 1969 | 634.3 | 758.3 | 1055.6 | 976.1 | 928.4 | 864.8 | 874.4 | 898.3 | 802.9 | 713.9 | 764.7 | 777.4 | **41,090.0** |
| OIL | 1969 | 72.2 | 84.2 | 123.1 | 115.2 | 120.4 | 112.5 | 105.0 | 107.5 | 98.0 | 81.9 | 89.9 | 91.3 | **41,496.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,221.0** |
| H2O | 1968 | 1462.0 | 1433.8 | 1913.3 | 1602.8 | 1794.6 | 1552.3 | 1600.7 | 1564.7 | 1553.1 | 1553.1 | 1054.8 | 1064.5 | **31,040.9** |
| OIL | 1968 | 196.2 | 176.5 | 209.9 | 199.3 | 205.8 | 200.5 | 203.4 | 196.6 | 190.4 | 189.7 | 138.7 | 118.2 | **40,295.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **3,855.0** |
| H2O | 1967 | 186.7 | 167.5 | 179.6 | 181.9 | 189.6 | 184.6 | 188.3 | 196.7 | 843.5 | 1031.3 | 970.4 | 1300.4 | **12,891.2** |
| OIL | 1967 | 184.3 | 157.6 | 168.9 | 161.7 | 159.4 | 156.0 | 146.2 | 140.1 | 120.6 | 153.8 | 137.7 | 193.9 | **38,070.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 27.0 | 31.0 | **3,494.0** |
| H2O | 1966 | 174.6 | 152.5 | 177.3 | 169.2 | 173.7 | 163.2 | 164.0 | 154.9 | 153.8 | 162.4 | 145.7 | 176.1 | **7,270.7** |
| OIL | 1966 | 216.0 | 218.7 | 227.7 | 219.8 | 219.0 | 205.6 | 203.2 | 172.6 | 181.0 | 175.1 | 150.9 | 180.4 | **36,189.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,136.0** |
| H2O | 1965 | 118.8 | 107.5 | 138.5 | 156.5 | 161.7 | 150.9 | 163.5 | 165.4 | 160.0 | 172.1 | 168.4 | 174.2 | **5,303.3** |
| OIL | 1965 | 270.8 | 246.2 | 283.5 | 290.7 | 291.3 | 265.5 | 260.9 | 273.0 | 245.1 | 252.0 | 231.5 | 227.4 | **33,819.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,771.0** |
| H2O | 1964 | 123.6 | 107.1 | 109.8 | 109.4 | 107.5 | 113.4 | 130.1 | 120.7 | 120.6 | 121.0 | 113.9 | 117.9 | **3,465.8** |
| OIL | 1964 | 294.8 | 281.1 | 290.4 | 340.9 | 316.9 | 292.3 | 358.6 | 304.4 | 296.4 | 302.3 | 289.4 | 291.6 | **30,681.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,405.0** |
| H2O | 1963 | 14.7 | 13.3 | 15.5 | 16.3 | 17.7 | 17.1 | 16.9 | 15.3 | 13.7 | 15.0 | 52.8 | 107.1 | **2,070.8** |
| OIL | 1963 | 344.1 | 309.1 | 356.8 | 327.1 | 337.6 | 311.0 | 273.9 | 263.1 | 238.9 | 270.8 | 293.2 | 305.3 | **27,022.8** |
| DAY | 1962 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 28.0 | 28.0 | 27.0 | 27.0 | 27.0 | **2,041.0** |
| H2O | 1962 | 14.4 | 13.3 | 14.0 | 14.0 | 14.4 | 13.7 | 14.2 | 14.2 | 14.2 | 14.0 | 13.7 | 14.2 | **1,755.4** |
| OIL | 1962 | 352.5 | 323.4 | 344.9 | 331.1 | 342.4 | 332.5 | 344.6 | 338.7 | 345.4 | 343.5 | 335.0 | 338.9 | **23,391.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 28.0 | 28.0 | 21.0 | 31.0 | 30.0 | 31.0 | **1,696.0** |
| H2O | 1961 | 13.3 | 12.3 | 12.9 | 11.8 | 12.8 | 13.1 | 13.7 | 14.2 | 10.2 | 14.7 | 14.2 | 14.2 | **1,587.1** |
| OIL | 1961 | 356.0 | 331.5 | 345.2 | 342.7 | 346.0 | 331.2 | 338.7 | 349.0 | 261.2 | 358.1 | 362.2 | 343.8 | **19,319.0** |
| DAY | 1960 | 31.0 | 29.0 | 29.0 | 22.0 | 22.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,348.0** |
| H2O | 1960 | 19.3 | 17.1 | 18.3 | 19.3 | 17.7 | 13.6 | 14.4 | 14.2 | 13.3 | 14.5 | 14.2 | 14.7 | **1,429.7** |
| OIL | 1960 | 322.8 | 326.9 | 349.2 | 334.7 | 348.4 | 330.0 | 352.5 | 342.7 | 326.9 | 352.5 | 346.0 | 354.1 | **15,253.4** |
| DAY | 1959 | 29.0 | 28.0 | 31.0 | 29.0 | 28.0 | 30.0 | 30.0 | 29.0 | 29.0 | 30.0 | 28.0 | 31.0 | **1,003.0** |
| H2O | 1959 | 18.2 | 14.5 | 18.7 | 20.1 | 18.8 | 18.2 | 19.5 | 18.2 | 18.3 | 18.0 | 18.5 | 19.6 | **1,239.1** |
| OIL | 1959 | 337.9 | 316.9 | 339.5 | 323.6 | 307.9 | 330.3 | 339.3 | 342.2 | 330.9 | 348.6 | 334.4 | 359.8 | **11,166.7** |
| DAY | 1958 | 30.0 | 26.0 | 28.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **651.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1383*** Well Name ***2928419 MB Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-17-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 104.4 | 85.6 | 66.8 | 51.6 | 66.5 | 36.5 | 38.5 | 38.2 | 38.1 | 26.9 | 17.1 | 12.6 | **1,018.5** |
| OIL | 1958 | 326.6 | 284.6 | 325.3 | 352.4 | 326.8 | 312.8 | 347.0 | 337.7 | 326.6 | 328.2 | 298.3 | 231.5 | **7,155.4** |
| DAY | 1957 | 0.0 | 21.0 | 22.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | 25.0 | 23.0 | 28.0 | **296.0** |
| H2O | 1957 | 0.0 | 1.6 | 3.5 | 6.8 | 45.0 | 42.6 | 51.0 | 72.5 | 50.7 | 55.8 | 33.5 | 72.7 | **435.7** |
| OIL | 1957 | 0.0 | 366.9 | 273.9 | 352.6 | 306.1 | 327.2 | 340.4 | 318.1 | 311.3 | 265.0 | 230.9 | 265.2 | **3,357.6** |

Licence ***1384*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-29-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 27.0 | 0.0 | 23.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 27.0 | **6,017.0** |
| H2O | 1975 | 223.2 | 201.1 | 235.4 | 174.2 | 0.0 | 141.3 | 243.7 | 242.6 | 230.0 | 206.2 | 179.3 | 159.1 | **25,707.0** |
| OIL | 1975 | 92.3 | 83.9 | 93.1 | 70.6 | 0.0 | 57.2 | 85.3 | 83.0 | 88.5 | 79.9 | 82.8 | 73.7 | **17,907.9** |
| DAY | 1974 | 29.0 | 28.0 | 30.0 | 17.0 | 0.0 | 5.0 | 30.0 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | **5,698.0** |
| H2O | 1974 | 338.0 | 311.1 | 262.0 | 132.4 | 0.0 | 45.0 | 221.1 | 233.1 | 210.8 | 199.0 | 185.2 | 225.4 | **23,470.9** |
| OIL | 1974 | 70.6 | 74.5 | 111.4 | 59.8 | 0.0 | 16.7 | 94.9 | 99.6 | 84.4 | 81.5 | 82.2 | 91.8 | **17,017.6** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,410.0** |
| H2O | 1973 | 182.5 | 177.3 | 149.4 | 155.0 | 171.4 | 188.9 | 173.0 | 201.9 | 200.3 | 197.6 | 295.9 | 347.8 | **21,107.8** |
| OIL | 1973 | 88.2 | 81.5 | 75.3 | 78.2 | 76.3 | 78.7 | 84.2 | 89.6 | 85.2 | 88.7 | 75.3 | 73.4 | **16,150.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | 30.0 | 6.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,048.0** |
| H2O | 1972 | 220.8 | 222.9 | 147.2 | 170.3 | 141.0 | 127.8 | 25.3 | 151.3 | 145.8 | 146.9 | 165.2 | 152.5 | **18,666.8** |
| OIL | 1972 | 102.3 | 98.5 | 103.8 | 106.5 | 115.2 | 109.8 | 22.1 | 94.4 | 96.9 | 101.9 | 87.2 | 88.5 | **15,175.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,711.0** |
| H2O | 1971 | 199.7 | 196.7 | 199.2 | 205.4 | 204.4 | 168.4 | 169.9 | 183.1 | 118.3 | 134.2 | 179.2 | 204.8 | **16,849.8** |
| OIL | 1971 | 140.5 | 126.0 | 146.7 | 140.0 | 122.7 | 118.7 | 116.3 | 124.4 | 97.3 | 105.2 | 95.5 | 103.1 | **14,048.5** |
| DAY | 1970 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 27.0 | 30.0 | 31.0 | **4,347.0** |
| H2O | 1970 | 123.1 | 99.8 | 177.6 | 137.0 | 136.9 | 135.5 | 114.9 | 90.3 | 153.4 | 133.1 | 183.3 | 159.3 | **14,686.5** |
| OIL | 1970 | 124.1 | 94.2 | 153.0 | 109.2 | 111.4 | 106.0 | 98.0 | 79.3 | 87.1 | 77.2 | 132.1 | 130.9 | **12,612.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 14.0 | 17.0 | 30.0 | 31.0 | 29.0 | 25.0 | 12.0 | 30.0 | 31.0 | **3,994.0** |
| H2O | 1969 | 97.8 | 72.2 | 83.1 | 36.4 | 48.8 | 30.0 | 31.8 | 103.3 | 91.4 | 40.4 | 183.1 | 196.3 | **13,042.3** |
| OIL | 1969 | 86.9 | 74.7 | 79.9 | 36.4 | 44.2 | 26.7 | 27.2 | 32.4 | 28.1 | 12.4 | 141.9 | 155.7 | **11,309.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **3,685.0** |
| H2O | 1968 | 117.2 | 117.2 | 136.2 | 111.6 | 105.1 | 106.8 | 99.2 | 102.1 | 103.2 | 91.4 | 90.8 | 81.7 | **12,027.7** |
| OIL | 1968 | 100.9 | 91.1 | 102.0 | 110.4 | 107.9 | 97.1 | 86.9 | 92.0 | 103.6 | 85.2 | 83.3 | 72.6 | **10,563.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,322.0** |
| H2O | 1967 | 122.3 | 103.8 | 101.4 | 111.3 | 102.2 | 99.0 | 106.8 | 123.4 | 126.7 | 121.1 | 123.1 | 123.7 | **10,765.2** |
| OIL | 1967 | 140.2 | 121.6 | 140.6 | 131.1 | 117.4 | 107.7 | 112.5 | 116.2 | 118.1 | 118.7 | 106.3 | 102.5 | **9,430.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,958.0** |
| H2O | 1966 | 107.6 | 103.2 | 103.0 | 168.2 | 126.2 | 124.0 | 119.9 | 127.3 | 124.0 | 189.2 | 112.9 | 124.8 | **9,400.4** |
| OIL | 1966 | 133.3 | 119.8 | 148.7 | 156.0 | 118.7 | 102.7 | 104.4 | 93.0 | 106.5 | 186.4 | 102.2 | 139.4 | **7,997.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,596.0** |
| H2O | 1965 | 118.8 | 93.8 | 119.7 | 96.7 | 94.6 | 81.9 | 64.9 | 99.0 | 73.3 | 80.0 | 81.9 | 88.9 | **7,870.1** |
| OIL | 1965 | 84.9 | 78.8 | 93.1 | 92.0 | 76.4 | 79.5 | 85.7 | 77.1 | 80.2 | 82.0 | 87.1 | 106.3 | **6,486.1** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,231.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 47.4 | 246.9 | 152.0 | 176.9 | 188.4 | 65.2 | 129.1 | **6,776.6** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.8 | 114.3 | 96.5 | 111.9 | 115.4 | 87.1 | 89.0 | **5,463.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 19.0 | **2,044.0** |
| H2O | 1962 | 9.7 | 8.6 | 0.0 | 0.0 | 12.6 | 11.1 | 10.2 | 48.9 | 12.1 | 10.3 | 3.3 | 1.6 | **5,770.7** |
| OIL | 1962 | 17.0 | 15.6 | 30.8 | 26.2 | 22.2 | 20.5 | 21.0 | 35.6 | 21.1 | 11.6 | 15.4 | 9.5 | **4,831.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,691.0** |
| H2O | 1961 | 74.2 | 22.7 | 23.8 | 28.3 | 65.5 | 56.1 | 32.7 | 32.7 | 33.5 | 17.6 | 18.6 | 10.2 | **5,642.3** |
| OIL | 1961 | 29.2 | 39.3 | 45.9 | 39.6 | 36.1 | 34.8 | 23.5 | 24.0 | 23.2 | 21.5 | 21.1 | 17.8 | **4,584.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1384*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-29-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,326.0** |
| H2O | 1960 | 218.8 | 96.0 | 67.5 | 63.6 | 65.0 | 62.0 | 84.2 | 79.1 | 74.1 | 58.0 | 54.2 | 68.3 | **5,226.4** |
| OIL | 1960 | 113.1 | 68.5 | 51.3 | 51.3 | 49.4 | 46.7 | 49.1 | 46.6 | 45.4 | 33.7 | 28.6 | 29.6 | **4,228.5** |
| DAY | 1959 | 24.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | **961.0** |
| H2O | 1959 | 262.0 | 302.3 | 387.1 | 425.6 | 483.6 | 425.9 | 416.7 | 356.6 | 237.0 | 214.5 | 222.7 | 202.6 | **4,235.6** |
| OIL | 1959 | 105.7 | 122.5 | 138.3 | 156.4 | 168.4 | 171.3 | 161.6 | 154.5 | 102.2 | 99.3 | 96.3 | 108.5 | **3,615.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **606.0** |
| H2O | 1958 | 9.7 | 8.4 | 10.5 | 9.9 | 11.9 | 12.2 | 0.2 | 0.0 | 3.8 | 3.8 | 3.8 | 3.5 | **299.0** |
| OIL | 1958 | 66.4 | 64.7 | 73.7 | 69.8 | 55.0 | 54.0 | 61.7 | 61.0 | 56.7 | 55.6 | 53.4 | 54.8 | **2,030.2** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 29.0 | 23.0 | 28.0 | 16.0 | 31.0 | 22.0 | 31.0 | 30.0 | 31.0 | **241.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 8.6 | 31.6 | 34.3 | 25.1 | 28.8 | 18.8 | 26.2 | 22.6 | 25.3 | **221.3** |
| OIL | 1957 | 0.0 | 1.6 | 0.0 | 168.8 | 156.2 | 140.6 | 140.3 | 130.9 | 111.2 | 161.9 | 145.7 | 146.2 | **1,303.4** |

Licence ***1389*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-03-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **6,082.0** |
| H2O | 1975 | 48.2 | 42.8 | 46.3 | 46.6 | 47.7 | 43.9 | 47.1 | 45.6 | 48.2 | 50.2 | 47.9 | 43.2 | **14,129.8** |
| OIL | 1975 | 63.4 | 56.7 | 63.6 | 60.5 | 64.0 | 62.1 | 63.2 | 63.1 | 61.5 | 62.5 | 59.8 | 51.2 | **7,371.4** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,721.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 48.2 | 52.0 | 45.8 | 43.2 | 46.4 | 45.6 | 47.5 | **13,572.1** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.5 | 4.0 | 60.7 | 60.7 | 64.5 | 62.5 | 63.4 | **6,639.8** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 19.0 | 31.0 | 30.0 | 25.0 | 6.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,513.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 35.3 | 55.8 | 50.7 | 42.6 | 10.5 | 0.0 | 0.0 | 0.0 | 0.0 | **13,243.4** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 2.5 | 4.6 | 4.4 | 3.7 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | **6,320.5** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 0.0 | 0.0 | **5,402.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 34.5 | 82.0 | 81.4 | 56.3 | 53.7 | 52.1 | 0.0 | 0.0 | **13,048.5** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 7.6 | 17.5 | 18.4 | 4.6 | 4.4 | 4.1 | 0.0 | 0.0 | **6,304.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **5,238.0** |
| H2O | 1971 | 115.1 | 109.5 | 109.7 | 114.8 | 108.4 | 101.3 | 76.5 | 83.1 | 80.3 | 101.1 | 0.0 | 0.0 | **12,688.5** |
| OIL | 1971 | 15.1 | 13.3 | 14.8 | 14.6 | 18.9 | 18.1 | 18.6 | 19.1 | 18.0 | 19.7 | 0.0 | 0.0 | **6,247.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,934.0** |
| H2O | 1970 | 141.5 | 125.9 | 136.2 | 139.7 | 138.0 | 106.2 | 106.5 | 121.5 | 111.3 | 108.9 | 107.6 | 108.4 | **11,688.7** |
| OIL | 1970 | 4.8 | 4.1 | 4.8 | 4.4 | 4.4 | 8.6 | 13.5 | 14.8 | 14.0 | 14.6 | 13.8 | 14.6 | **6,077.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,571.0** |
| H2O | 1969 | 139.1 | 127.7 | 134.8 | 134.7 | 139.1 | 135.8 | 138.8 | 125.9 | 133.4 | 135.0 | 133.1 | 131.3 | **10,237.0** |
| OIL | 1969 | 4.4 | 4.0 | 4.4 | 4.1 | 4.3 | 4.6 | 4.8 | 4.3 | 4.1 | 4.4 | 4.3 | 4.6 | **5,961.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | **4,207.0** |
| H2O | 1968 | 74.4 | 72.2 | 78.9 | 72.8 | 74.4 | 71.9 | 80.0 | 76.3 | 65.3 | 126.4 | 136.9 | 138.5 | **8,628.3** |
| OIL | 1968 | 26.1 | 25.4 | 26.1 | 23.4 | 23.0 | 23.0 | 23.0 | 22.9 | 20.3 | 4.0 | 4.3 | 4.4 | **5,909.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **3,845.0** |
| H2O | 1967 | 67.6 | 68.4 | 80.3 | 80.1 | 58.7 | 72.3 | 76.2 | 68.4 | 71.5 | 73.1 | 64.9 | 76.2 | **7,560.3** |
| OIL | 1967 | 20.2 | 18.4 | 20.7 | 19.4 | 15.3 | 20.7 | 22.9 | 22.6 | 23.2 | 24.0 | 22.1 | 25.9 | **5,683.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,488.0** |
| H2O | 1966 | 55.3 | 51.4 | 56.4 | 60.7 | 8.3 | 7.9 | 7.3 | 8.3 | 80.8 | 81.1 | 77.3 | 63.8 | **6,702.6** |
| OIL | 1966 | 23.5 | 21.1 | 22.9 | 24.3 | 25.7 | 24.8 | 23.8 | 23.0 | 23.0 | 22.7 | 22.4 | 19.2 | **5,427.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,125.0** |
| H2O | 1965 | 32.7 | 31.2 | 36.9 | 3.8 | 27.8 | 27.5 | 29.7 | 101.4 | 54.2 | 55.5 | 58.7 | 56.8 | **6,144.0** |
| OIL | 1965 | 21.3 | 18.6 | 20.2 | 18.6 | 18.4 | 16.7 | 19.4 | 32.3 | 30.5 | 17.8 | 27.3 | 24.3 | **5,151.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,763.0** |
| H2O | 1964 | 52.9 | 51.7 | 54.7 | 32.9 | 38.5 | 38.0 | 54.2 | 53.3 | 25.0 | 24.3 | 26.2 | 28.6 | **5,627.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1389*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-03-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1964 | 18.6 | 18.1 | 17.3 | 13.7 | 15.3 | 12.7 | 19.9 | 19.7 | 18.6 | 19.1 | 18.4 | 21.8 | **4,885.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,397.0** |
| H2O | 1963 | 244.4 | 199.8 | 161.8 | 25.4 | 84.1 | 78.5 | 58.7 | 59.9 | 59.1 | 59.6 | 56.4 | 54.1 | **5,147.5** |
| OIL | 1963 | 110.0 | 73.1 | 71.7 | 20.7 | 2.4 | 19.7 | 22.7 | 24.2 | 24.8 | 19.9 | 17.5 | 17.5 | **4,672.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 27.0 | 28.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | **2,035.0** |
| H2O | 1962 | 76.8 | 63.9 | 75.2 | 65.3 | 90.1 | 149.4 | 110.2 | 118.9 | 135.3 | 120.2 | 80.8 | 213.0 | **4,005.7** |
| OIL | 1962 | 61.7 | 53.2 | 59.8 | 50.4 | 38.8 | 47.4 | 42.9 | 38.3 | 38.1 | 43.9 | 34.8 | 100.7 | **4,248.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 27.0 | 30.0 | 30.0 | 31.0 | **1,680.0** |
| H2O | 1961 | 82.5 | 75.0 | 84.1 | 89.7 | 79.8 | 95.5 | 67.6 | 77.3 | 70.1 | 75.5 | 73.4 | 76.8 | **2,706.6** |
| OIL | 1961 | 62.5 | 53.7 | 57.8 | 52.9 | 51.3 | 49.1 | 48.0 | 44.0 | 49.3 | 64.5 | 63.1 | 63.1 | **3,638.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 27.0 | 27.0 | 31.0 | 28.0 | 25.0 | 30.0 | 31.0 | **1,321.0** |
| H2O | 1960 | 17.0 | 15.3 | 17.8 | 22.9 | 16.4 | 13.5 | 27.8 | 32.6 | 67.9 | 62.0 | 77.6 | 81.7 | **1,759.3** |
| OIL | 1960 | 31.1 | 28.6 | 30.8 | 28.1 | 28.9 | 28.4 | 38.5 | 43.5 | 82.0 | 79.3 | 66.1 | 64.0 | **2,979.2** |
| DAY | 1959 | 25.0 | 18.0 | 31.0 | 30.0 | 29.0 | 30.0 | 24.0 | 31.0 | 28.0 | 27.0 | 27.0 | 28.0 | **972.0** |
| H2O | 1959 | 8.3 | 23.5 | 11.3 | 11.8 | 7.5 | 43.1 | 34.3 | 45.8 | 14.5 | 13.2 | 16.1 | 14.3 | **1,306.8** |
| OIL | 1959 | 73.3 | 63.4 | 92.5 | 72.1 | 81.4 | 50.1 | 38.8 | 46.7 | 25.7 | 24.8 | 22.7 | 28.6 | **2,429.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 26.0 | 26.0 | 31.0 | **644.0** |
| H2O | 1958 | 74.6 | 33.9 | 32.1 | 20.7 | 47.1 | 69.6 | 70.6 | 53.4 | 10.0 | 9.7 | 9.9 | 12.1 | **1,063.1** |
| OIL | 1958 | 60.9 | 72.8 | 95.0 | 111.9 | 61.8 | 56.3 | 54.0 | 65.0 | 73.6 | 72.0 | 79.1 | 85.3 | **1,809.8** |
| DAY | 1957 | 0.0 | 13.0 | 20.0 | 19.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **293.0** |
| H2O | 1957 | 0.0 | 0.2 | 135.0 | 70.1 | 140.9 | 56.1 | 28.0 | 53.7 | 54.5 | 28.0 | 25.4 | 27.5 | **619.4** |
| OIL | 1957 | 0.0 | 96.6 | 134.9 | 57.8 | 91.7 | 64.8 | 130.9 | 103.1 | 65.9 | 54.8 | 61.2 | 60.4 | **922.1** |

Licence ***1390*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-19-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 10.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 7.0 | 0.0 | 0.0 | **1,324.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 58.0 | 165.4 | 165.3 | 173.6 | 132.3 | 140.5 | 16.5 | 0.0 | 0.0 | **2,926.2** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 1.2 | 19.2 | 17.8 | 11.6 | 14.6 | 3.5 | 0.0 | 0.0 | 0.0 | **1,938.5** |
| DAY | 1960 | 16.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 11.0 | 30.0 | 31.0 | 26.0 | 0.0 | **1,154.0** |
| H2O | 1960 | 31.0 | 31.8 | 38.8 | 31.8 | 53.4 | 40.1 | 38.8 | 19.4 | 72.5 | 66.1 | 41.3 | 0.0 | **2,074.6** |
| OIL | 1960 | 7.8 | 13.5 | 14.5 | 23.2 | 26.7 | 19.1 | 25.4 | 8.9 | 5.7 | 21.8 | 13.5 | 0.0 | **1,870.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 21.0 | 30.0 | 31.0 | **858.0** |
| H2O | 1959 | 70.6 | 64.2 | 33.9 | 54.4 | 52.1 | 46.6 | 53.1 | 52.8 | 48.2 | 34.3 | 51.2 | 52.1 | **1,609.6** |
| OIL | 1959 | 48.5 | 37.7 | 32.7 | 29.2 | 36.7 | 34.6 | 31.0 | 27.5 | 16.8 | 1.1 | 23.5 | 22.2 | **1,690.5** |
| DAY | 1958 | 15.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **503.0** |
| H2O | 1958 | 24.0 | 43.2 | 44.8 | 59.3 | 53.9 | 72.7 | 48.8 | 44.7 | 37.2 | 40.2 | 34.5 | 39.9 | **996.1** |
| OIL | 1958 | 39.4 | 76.6 | 76.8 | 89.8 | 85.8 | 78.7 | 79.0 | 71.2 | 67.7 | 65.0 | 47.2 | 50.4 | **1,349.0** |
| DAY | 1957 | 0.0 | 0.0 | 14.0 | 27.0 | 30.0 | 30.0 | 31.0 | 23.0 | 0.0 | 0.0 | 0.0 | 0.0 | **155.0** |
| H2O | 1957 | 0.0 | 0.0 | 65.3 | 96.2 | 116.1 | 78.5 | 56.3 | 40.5 | 0.0 | 0.0 | 0.0 | 0.0 | **452.9** |
| OIL | 1957 | 0.0 | 0.0 | 105.5 | 117.0 | 100.0 | 81.0 | 77.4 | 40.5 | 0.0 | 0.0 | 0.0 | 0.0 | **521.4** |

Licence ***1391*** Well Name ***North Virden Scallion No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-17-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 24.0 | 30.0 | **6,729.0** |
| H2O | 1975 | 426.1 | 382.5 | 441.0 | 411.8 | 428.0 | 398.6 | 406.7 | 417.0 | 491.4 | 484.7 | 389.1 | 536.8 | **131,721.7** |
| OIL | 1975 | 61.7 | 51.2 | 58.5 | 56.1 | 57.2 | 52.6 | 47.4 | 48.0 | 58.3 | 54.0 | 50.9 | 56.4 | **31,873.5** |
| DAY | 1974 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,371.0** |
| H2O | 1974 | 1175.0 | 1027.5 | 1148.5 | 1136.9 | 1192.2 | 1111.4 | 1179.9 | 1229.5 | 1276.6 | 431.0 | 445.5 | 430.7 | **126,508.0** |
| OIL | 1974 | 47.5 | 42.1 | 45.8 | 44.0 | 44.0 | 40.7 | 40.0 | 40.8 | 43.9 | 57.5 | 64.0 | 62.9 | **31,221.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1391*** Well Name ***North Virden Scallion No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-17-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,011.0** |
| H2O | 1973 | 1311.0 | 1203.4 | 1202.2 | 1188.5 | 1175.3 | 1131.8 | 1288.1 | 1169.6 | 1175.6 | 1229.5 | 1133.8 | 1194.2 | **114,723.3** |
| OIL | 1973 | 46.6 | 40.7 | 56.6 | 29.2 | 41.3 | 43.5 | 45.3 | 42.7 | 45.1 | 47.0 | 47.5 | 49.4 | **30,648.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,648.0** |
| H2O | 1972 | 345.5 | 312.0 | 353.3 | 396.4 | 1402.8 | 1364.7 | 1412.0 | 1397.9 | 1338.1 | 1379.3 | 1314.0 | 1337.5 | **100,320.3** |
| OIL | 1972 | 24.8 | 25.6 | 27.0 | 28.6 | 55.8 | 47.8 | 47.2 | 47.0 | 46.1 | 43.4 | 41.3 | 46.2 | **30,113.1** |
| DAY | 1971 | 31.0 | 22.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,283.0** |
| H2O | 1971 | 510.1 | 308.1 | 421.3 | 447.5 | 456.7 | 425.4 | 470.4 | 472.6 | 359.2 | 392.7 | 364.1 | 401.4 | **87,966.8** |
| OIL | 1971 | 34.6 | 21.3 | 30.5 | 32.7 | 32.4 | 29.1 | 32.7 | 31.8 | 28.3 | 31.3 | 26.2 | 27.7 | **29,632.3** |
| DAY | 1970 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 19.0 | 19.0 | 28.0 | 31.0 | **4,927.0** |
| H2O | 1970 | 2078.5 | 1673.2 | 2072.3 | 427.5 | 413.4 | 393.5 | 376.0 | 376.5 | 247.0 | 254.4 | 399.5 | 487.9 | **82,937.3** |
| OIL | 1970 | 86.8 | 72.8 | 91.1 | 30.0 | 31.1 | 31.6 | 26.9 | 24.3 | 17.0 | 19.4 | 31.1 | 38.5 | **29,273.7** |
| DAY | 1969 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 25.0 | 30.0 | 29.0 | 31.0 | **4,589.0** |
| H2O | 1969 | 633.1 | 582.3 | 1216.0 | 992.8 | 946.2 | 898.6 | 1004.4 | 937.0 | 711.9 | 820.8 | 786.0 | 838.9 | **73,737.6** |
| OIL | 1969 | 74.8 | 69.4 | 126.2 | 102.0 | 110.4 | 102.0 | 106.0 | 106.3 | 77.4 | 86.4 | 82.3 | 47.0 | **28,773.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 20.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,233.0** |
| H2O | 1968 | 800.9 | 705.7 | 808.3 | 797.0 | 494.6 | 729.2 | 749.1 | 746.1 | 688.2 | 674.6 | 783.1 | 692.8 | **63,369.6** |
| OIL | 1968 | 108.1 | 103.3 | 121.9 | 103.6 | 55.3 | 80.7 | 82.0 | 62.9 | 91.8 | 92.3 | 77.7 | 70.9 | **27,682.9** |
| DAY | 1967 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 20.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **3,879.0** |
| H2O | 1967 | 832.3 | 745.0 | 869.8 | 845.0 | 854.4 | 854.0 | 550.4 | 775.0 | 731.0 | 779.6 | 642.9 | 802.4 | **54,700.0** |
| OIL | 1967 | 149.1 | 120.8 | 145.4 | 130.0 | 137.8 | 134.3 | 86.4 | 132.8 | 129.2 | 121.1 | 97.3 | 123.0 | **26,632.4** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | **3,529.0** |
| H2O | 1966 | 468.0 | 437.2 | 495.2 | 512.1 | 523.7 | 500.2 | 431.9 | 508.7 | 482.5 | 510.0 | 492.7 | 797.1 | **45,418.2** |
| OIL | 1966 | 87.9 | 77.2 | 99.8 | 95.7 | 100.0 | 96.0 | 85.7 | 99.5 | 94.6 | 97.9 | 100.7 | 134.8 | **25,125.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,169.0** |
| H2O | 1965 | 520.2 | 458.8 | 459.0 | 397.9 | 466.0 | 436.7 | 423.2 | 433.7 | 416.1 | 425.3 | 395.2 | 422.3 | **39,258.9** |
| OIL | 1965 | 89.5 | 87.2 | 86.8 | 79.8 | 93.0 | 88.2 | 88.2 | 87.6 | 82.2 | 84.4 | 83.9 | 83.0 | **23,955.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 27.0 | 31.0 | 30.0 | 21.0 | **2,804.0** |
| H2O | 1964 | 416.2 | 470.7 | 476.6 | 528.0 | 487.4 | 498.7 | 458.5 | 460.9 | 478.8 | 536.2 | 506.0 | 333.1 | **34,004.5** |
| OIL | 1964 | 98.5 | 93.4 | 101.2 | 99.6 | 91.5 | 91.5 | 83.6 | 85.5 | 85.2 | 96.8 | 96.1 | 62.9 | **22,921.6** |
| DAY | 1963 | 31.0 | 28.0 | 29.0 | 27.0 | 29.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,454.0** |
| H2O | 1963 | 669.3 | 536.1 | 551.0 | 421.8 | 515.4 | 420.2 | 376.3 | 464.9 | 494.0 | 458.7 | 397.1 | 445.1 | **28,353.4** |
| OIL | 1963 | 153.5 | 134.8 | 122.2 | 96.5 | 117.9 | 104.1 | 92.8 | 110.8 | 106.5 | 103.1 | 82.5 | 108.7 | **21,835.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **2,099.0** |
| H2O | 1962 | 696.3 | 617.5 | 683.3 | 644.2 | 431.9 | 414.0 | 783.6 | 752.3 | 714.5 | 749.4 | 678.8 | 687.6 | **22,603.5** |
| OIL | 1962 | 278.4 | 249.3 | 274.8 | 250.1 | 260.0 | 245.0 | 190.4 | 183.9 | 172.4 | 180.2 | 159.5 | 165.7 | **20,502.4** |
| DAY | 1961 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,736.0** |
| H2O | 1961 | 317.6 | 317.5 | 725.6 | 655.5 | 669.6 | 628.1 | 575.7 | 680.8 | 643.6 | 693.6 | 647.7 | 692.4 | **14,750.1** |
| OIL | 1961 | 240.3 | 260.0 | 297.0 | 264.9 | 277.8 | 259.5 | 231.8 | 305.7 | 290.8 | 300.7 | 276.5 | 283.2 | **17,892.7** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,380.0** |
| H2O | 1960 | 246.9 | 234.3 | 278.9 | 216.5 | 307.5 | 359.0 | 314.1 | 297.9 | 312.1 | 315.4 | 334.3 | 352.6 | **7,502.4** |
| OIL | 1960 | 260.6 | 249.5 | 250.6 | 280.2 | 305.7 | 294.8 | 301.8 | 279.7 | 240.9 | 283.8 | 264.4 | 270.1 | **14,604.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,016.0** |
| H2O | 1959 | 156.8 | 146.9 | 167.4 | 161.0 | 98.9 | 58.2 | 60.6 | 79.3 | 118.4 | 126.5 | 246.3 | 224.3 | **3,932.9** |
| OIL | 1959 | 309.9 | 270.5 | 299.9 | 288.7 | 350.6 | 369.8 | 382.2 | 379.2 | 354.4 | 328.5 | 268.7 | 284.9 | **11,322.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **653.0** |
| H2O | 1958 | 104.1 | 93.6 | 122.9 | 148.8 | 55.3 | 119.7 | 150.9 | 136.2 | 149.9 | 129.9 | 151.3 | 158.7 | **2,288.3** |
| OIL | 1958 | 324.5 | 288.3 | 314.5 | 361.2 | 397.9 | 383.8 | 355.3 | 307.0 | 328.5 | 323.1 | 313.7 | 323.9 | **7,435.1** |
| DAY | 1957 | 0.0 | 9.0 | 26.0 | 30.0 | 30.0 | 17.0 | 31.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | **293.0** |
| H2O | 1957 | 0.0 | 2.5 | 7.2 | 32.7 | 46.9 | 270.3 | 147.4 | 1.3 | 0.8 | 76.6 | 61.0 | 120.3 | **767.0** |
| OIL | 1957 | 0.0 | 110.4 | 291.8 | 301.8 | 357.2 | 216.1 | 326.1 | 340.9 | 383.6 | 355.2 | 357.7 | 372.6 | **3,413.4** |

# Manitoba Production
## 1950 To 1975

Licence ***1392*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **6,392.0** |
| H2O | 1975 | 737.3 | 683.5 | 762.0 | 738.3 | 733.7 | 703.8 | 641.5 | 590.1 | 540.4 | 588.5 | 625.7 | 637.0 | **19,620.9** |
| OIL | 1975 | 21.8 | 19.4 | 21.3 | 20.2 | 19.9 | 19.2 | 18.1 | 74.1 | 66.9 | 70.1 | 71.8 | 72.9 | **8,595.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,033.0** |
| H2O | 1974 | 438.1 | 406.5 | 454.5 | 430.2 | 249.1 | 552.3 | 722.1 | 701.9 | 705.1 | 740.5 | 738.6 | 738.5 | **11,639.1** |
| OIL | 1974 | 138.3 | 120.5 | 137.9 | 127.8 | 106.0 | 115.8 | 20.7 | 21.8 | 21.3 | 22.4 | 21.5 | 22.1 | **8,099.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **5,670.0** |
| H2O | 1973 | 0.0 | 4.6 | 266.0 | 88.4 | 605.7 | 410.3 | 475.8 | 525.3 | 483.6 | 451.2 | 453.3 | 439.4 | **4,761.7** |
| OIL | 1973 | 44.3 | 30.8 | 116.0 | 100.1 | 50.2 | 109.5 | 98.4 | 107.7 | 137.9 | 130.3 | 132.7 | 134.6 | **7,223.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,308.0** |
| H2O | 1972 | 4.1 | 4.0 | 201.0 | 4.0 | 4.3 | 4.3 | 4.8 | 4.6 | 0.0 | 0.0 | 0.0 | 0.0 | **558.1** |
| OIL | 1972 | 30.0 | 28.1 | 232.6 | 29.1 | 35.1 | 42.9 | 44.2 | 45.1 | 43.1 | 45.3 | 42.9 | 45.0 | **6,031.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **4,942.0** |
| H2O | 1971 | 0.0 | 0.0 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 3.8 | 3.5 | 4.0 | 3.3 | 4.5 | **327.0** |
| OIL | 1971 | 57.7 | 50.9 | 47.4 | 44.8 | 45.8 | 44.7 | 45.6 | 44.8 | 30.7 | 31.8 | 27.0 | 30.7 | **5,367.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,579.0** |
| OIL | 1970 | 51.3 | 46.2 | 50.5 | 48.8 | 50.4 | 49.3 | 55.5 | 54.7 | 52.1 | 55.1 | 52.9 | 55.5 | **4,866.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,214.0** |
| OIL | 1969 | 61.8 | 54.5 | 60.2 | 58.6 | 60.2 | 50.4 | 52.3 | 48.9 | 50.7 | 52.9 | 50.9 | 53.1 | **4,243.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 25.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,851.0** |
| H2O | 1968 | 1.0 | 1.0 | 1.0 | 1.1 | 1.1 | 8.6 | 8.9 | 8.3 | 4.1 | 4.3 | 0.0 | 0.0 | **287.4** |
| OIL | 1968 | 29.9 | 27.5 | 29.4 | 29.2 | 27.5 | 67.1 | 80.6 | 81.0 | 73.7 | 76.4 | 59.9 | 61.7 | **3,589.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,492.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 1.3 | 1.0 | 1.0 | 1.0 | 1.0 | **248.0** |
| OIL | 1967 | 32.7 | 29.1 | 32.6 | 31.6 | 33.7 | 32.3 | 29.9 | 29.7 | 28.6 | 30.2 | 29.4 | 29.9 | **2,945.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 25.0 | 17.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,127.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 1.1 | 1.3 | 3.8 | 2.4 | 4.6 | 5.1 | 0.0 | 0.0 | 0.0 | **241.9** |
| OIL | 1966 | 32.3 | 28.4 | 31.3 | 30.8 | 32.1 | 14.9 | 9.9 | 19.1 | 18.8 | 31.9 | 31.3 | 32.6 | **2,575.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,781.0** |
| H2O | 1965 | 20.0 | 17.8 | 20.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **223.6** |
| OIL | 1965 | 30.7 | 27.8 | 30.0 | 15.3 | 15.3 | 15.3 | 35.4 | 35.1 | 33.4 | 33.2 | 31.8 | 32.6 | **2,262.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,416.0** |
| H2O | 1964 | 1.3 | 1.1 | 1.1 | 1.3 | 1.1 | 1.3 | 3.7 | 3.7 | 3.7 | 2.4 | 18.8 | 20.0 | **165.5** |
| OIL | 1964 | 10.5 | 9.9 | 10.6 | 10.2 | 9.2 | 10.2 | 12.9 | 12.9 | 12.6 | 12.7 | 28.3 | 30.2 | **1,926.3** |
| DAY | 1963 | 22.0 | 23.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,053.0** |
| H2O | 1963 | 2.4 | 2.9 | 5.1 | 5.1 | 3.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 1.1 | **106.0** |
| OIL | 1963 | 5.6 | 6.0 | 8.6 | 8.1 | 7.9 | 8.1 | 8.1 | 8.3 | 11.0 | 11.0 | 9.7 | 9.7 | **1,756.1** |
| DAY | 1962 | 28.0 | 22.0 | 17.0 | 27.0 | 29.0 | 22.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,704.0** |
| H2O | 1962 | 2.1 | 2.1 | 2.7 | 1.9 | 2.1 | 1.4 | 2.1 | 2.1 | 2.1 | 4.6 | 4.3 | 4.0 | **84.5** |
| OIL | 1962 | 7.6 | 6.7 | 5.4 | 7.9 | 2.9 | 0.0 | 6.8 | 17.3 | 16.5 | 18.4 | 17.8 | 8.6 | **1,654.0** |
| DAY | 1961 | 30.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 29.0 | 27.0 | 30.0 | 31.0 | **1,379.0** |
| H2O | 1961 | 2.7 | 2.5 | 2.9 | 2.7 | 2.4 | 2.7 | 2.7 | 2.7 | 2.4 | 2.1 | 1.4 | 1.9 | **53.0** |
| OIL | 1961 | 12.4 | 10.6 | 11.9 | 11.4 | 11.0 | 10.8 | 11.1 | 11.0 | 10.5 | 9.5 | 9.2 | 9.5 | **1,538.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 24.0 | 30.0 | 30.0 | 31.0 | **1,024.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.9 | 3.2 | 3.3 | **23.9** |
| OIL | 1960 | 25.9 | 23.7 | 24.8 | 23.5 | 23.8 | 21.5 | 22.9 | 23.0 | 35.8 | 8.9 | 12.6 | 12.2 | **1,409.2** |
| DAY | 1959 | 15.0 | 16.0 | 19.0 | 15.0 | 15.0 | 14.0 | 15.0 | 16.0 | 15.0 | 14.0 | 16.0 | 31.0 | **669.0** |
| OIL | 1959 | 25.1 | 26.5 | 24.0 | 23.0 | 22.6 | 20.3 | 21.5 | 20.7 | 26.7 | 25.4 | 26.7 | 48.8 | **1,150.6** |
| DAY | 1958 | 15.0 | 14.0 | 16.0 | 17.0 | 23.0 | 15.0 | 15.0 | 15.0 | 15.0 | 16.0 | 15.0 | 16.0 | **468.0** |
| H2O | 1958 | 0.0 | 0.0 | 3.5 | 4.8 | 3.5 | 2.1 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **15.5** |
| OIL | 1958 | 10.8 | 12.9 | 30.5 | 36.5 | 49.7 | 31.1 | 36.7 | 33.1 | 32.4 | 29.9 | 26.2 | 27.3 | **839.3** |
| DAY | 1957 | 0.0 | 13.0 | 30.0 | 30.0 | 11.0 | 30.0 | 20.0 | 31.0 | 30.0 | 31.0 | 25.0 | 25.0 | **276.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1392*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1957 | 0.0 | 0.0 | 0.2 | 0.2 | 0.0 | 0.2 | 0.0 | 0.2 | 0.3 | 0.0 | 0.0 | 0.0 | **1.1** |
| OIL | 1957 | 0.0 | 34.2 | 87.6 | 72.6 | 25.9 | 69.4 | 45.4 | 60.5 | 38.3 | 25.1 | 10.2 | 13.0 | **482.2** |

Licence ***1393*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-26-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 26.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,785.0** |
| H2O | 1975 | 166.5 | 154.2 | 171.9 | 166.6 | 172.8 | 165.3 | 137.7 | 163.3 | 165.3 | 177.6 | 178.1 | 181.2 | **19,836.6** |
| OIL | 1975 | 142.5 | 127.8 | 140.2 | 133.2 | 135.6 | 131.7 | 112.7 | 136.3 | 135.9 | 140.6 | 135.9 | 138.1 | **21,285.6** |
| DAY | 1974 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | **6,430.0** |
| H2O | 1974 | 229.1 | 203.5 | 237.5 | 231.2 | 183.0 | 184.1 | 180.0 | 151.0 | 159.1 | 155.6 | 166.8 | 161.2 | **17,836.1** |
| OIL | 1974 | 255.2 | 213.3 | 254.4 | 242.7 | 158.9 | 153.7 | 153.7 | 136.0 | 139.7 | 136.8 | 140.3 | 140.2 | **19,675.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 27.0 | 28.0 | 30.0 | 31.0 | **6,071.0** |
| H2O | 1973 | 101.0 | 96.7 | 103.7 | 103.5 | 104.8 | 100.8 | 97.9 | 109.1 | 95.4 | 97.0 | 236.9 | 229.7 | **15,594.0** |
| OIL | 1973 | 75.0 | 66.1 | 72.8 | 71.0 | 74.2 | 71.8 | 72.3 | 79.8 | 67.7 | 69.6 | 244.7 | 248.2 | **17,550.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | **5,713.0** |
| H2O | 1972 | 340.1 | 404.3 | 443.6 | 394.9 | 436.4 | 407.8 | 481.9 | 456.6 | 456.1 | 87.1 | 66.8 | 87.8 | **14,117.5** |
| OIL | 1972 | 343.2 | 318.1 | 346.4 | 330.7 | 349.0 | 316.1 | 346.7 | 354.7 | 337.5 | 62.8 | 45.9 | 62.3 | **16,337.0** |
| DAY | 1971 | 28.0 | 27.0 | 28.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 26.0 | 29.0 | 30.0 | 30.0 | **5,354.0** |
| H2O | 1971 | 43.7 | 208.6 | 222.1 | 338.0 | 338.5 | 337.0 | 322.3 | 322.1 | 249.8 | 292.0 | 310.0 | 352.3 | **10,054.1** |
| OIL | 1971 | 43.5 | 241.7 | 247.4 | 356.4 | 364.5 | 354.2 | 349.4 | 355.5 | 304.0 | 329.7 | 343.4 | 340.2 | **13,123.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 28.0 | **5,004.0** |
| H2O | 1970 | 62.8 | 58.8 | 61.7 | 57.1 | 50.6 | 51.4 | 46.6 | 51.7 | 49.6 | 51.5 | 45.3 | 47.2 | **6,717.7** |
| OIL | 1970 | 70.4 | 63.4 | 69.3 | 66.7 | 45.9 | 45.0 | 45.9 | 44.3 | 43.7 | 46.1 | 42.6 | 42.1 | **9,493.7** |
| DAY | 1969 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,644.0** |
| H2O | 1969 | 56.1 | 49.1 | 45.9 | 48.8 | 53.7 | 58.8 | 64.4 | 65.0 | 60.9 | 66.6 | 59.5 | 65.2 | **6,083.4** |
| OIL | 1969 | 90.1 | 76.9 | 84.4 | 85.8 | 88.2 | 67.9 | 71.4 | 71.2 | 68.8 | 72.6 | 69.6 | 72.8 | **8,868.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,281.0** |
| H2O | 1968 | 78.5 | 74.7 | 78.2 | 76.3 | 84.9 | 97.9 | 103.7 | 98.4 | 98.6 | 52.5 | 50.4 | 53.6 | **5,389.4** |
| OIL | 1968 | 85.3 | 78.3 | 82.5 | 78.0 | 83.1 | 51.0 | 50.5 | 52.6 | 50.5 | 87.7 | 87.6 | 90.1 | **7,948.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,918.0** |
| H2O | 1967 | 119.6 | 98.9 | 118.9 | 84.3 | 84.6 | 89.8 | 73.9 | 89.5 | 78.5 | 84.9 | 74.7 | 81.6 | **4,441.7** |
| OIL | 1967 | 107.4 | 95.5 | 107.1 | 85.5 | 87.9 | 91.1 | 89.1 | 84.7 | 81.7 | 86.1 | 83.9 | 85.3 | **7,071.4** |
| DAY | 1966 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,555.0** |
| H2O | 1966 | 21.8 | 17.6 | 20.2 | 128.1 | 135.5 | 119.6 | 118.0 | 133.7 | 143.6 | 97.6 | 112.4 | 120.7 | **3,362.5** |
| OIL | 1966 | 46.1 | 40.5 | 40.7 | 104.9 | 89.5 | 86.1 | 89.0 | 86.9 | 84.7 | 92.5 | 93.0 | 97.3 | **5,986.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,192.0** |
| H2O | 1965 | 42.4 | 37.8 | 22.9 | 37.7 | 42.0 | 41.2 | 35.8 | 35.8 | 36.1 | 35.8 | 7.2 | 22.9 | **2,193.7** |
| OIL | 1965 | 68.6 | 62.3 | 63.9 | 67.5 | 55.1 | 58.6 | 61.2 | 60.5 | 57.4 | 59.6 | 59.0 | 46.6 | **5,034.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,827.0** |
| H2O | 1964 | 42.1 | 37.8 | 42.1 | 40.7 | 10.5 | 10.2 | 4.8 | 5.1 | 4.9 | 4.6 | 53.9 | 53.1 | **1,796.1** |
| OIL | 1964 | 29.9 | 28.3 | 30.4 | 29.4 | 19.7 | 21.3 | 27.0 | 28.1 | 27.3 | 26.5 | 64.4 | 73.9 | **4,314.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,463.0** |
| H2O | 1963 | 31.5 | 28.0 | 33.7 | 31.8 | 30.5 | 1.6 | 1.6 | 6.7 | 5.6 | 6.8 | 40.5 | 41.5 | **1,486.3** |
| OIL | 1963 | 21.9 | 19.7 | 22.7 | 21.8 | 22.6 | 8.6 | 0.8 | 11.4 | 11.3 | 11.6 | 28.0 | 28.6 | **3,908.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,098.0** |
| H2O | 1962 | 23.1 | 18.3 | 19.1 | 22.1 | 24.6 | 26.5 | 23.8 | 28.0 | 26.1 | 36.1 | 29.4 | 29.7 | **1,226.5** |
| OIL | 1962 | 24.2 | 21.8 | 24.2 | 28.9 | 31.3 | 31.0 | 29.7 | 28.3 | 24.9 | 21.6 | 21.3 | 23.2 | **3,699.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,735.0** |
| H2O | 1961 | 5.1 | 5.2 | 4.6 | 7.5 | 10.2 | 6.7 | 8.6 | 7.2 | 9.5 | 10.0 | 11.8 | 19.6 | **919.7** |
| OIL | 1961 | 16.8 | 17.5 | 16.0 | 15.6 | 12.7 | 12.7 | 12.9 | 17.3 | 19.4 | 20.7 | 20.5 | 21.9 | **3,389.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1393*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-26-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 27.0 | 29.0 | 30.0 | 30.0 | 31.0 | **1,370.0** |
| H2O | 1960 | 9.7 | 15.9 | 14.8 | 8.3 | 9.1 | 7.2 | 11.6 | 13.8 | 13.4 | 6.0 | 4.3 | 5.2 | **813.7** |
| OIL | 1960 | 39.6 | 56.3 | 55.5 | 36.9 | 15.7 | 18.0 | 23.8 | 29.2 | 21.3 | 17.2 | 16.5 | 10.0 | **3,185.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,012.0** |
| H2O | 1959 | 10.0 | 4.9 | 7.5 | 8.9 | 9.2 | 12.4 | 12.4 | 10.5 | 8.9 | 5.1 | 4.1 | 2.2 | **694.4** |
| OIL | 1959 | 31.0 | 31.9 | 39.7 | 38.3 | 32.6 | 42.4 | 25.1 | 36.9 | 32.4 | 43.4 | 40.7 | 21.8 | **2,845.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | **649.0** |
| H2O | 1958 | 59.1 | 51.0 | 27.7 | 39.4 | 33.1 | 23.5 | 10.5 | 15.7 | 7.6 | 13.8 | 7.8 | 12.7 | **598.3** |
| OIL | 1958 | 105.0 | 95.7 | 90.7 | 54.2 | 51.6 | 48.1 | 58.6 | 37.3 | 37.2 | 44.8 | 34.3 | 43.2 | **2,428.8** |
| DAY | 1957 | 0.0 | 18.0 | 23.0 | 21.0 | 27.0 | 27.0 | 31.0 | 26.0 | 29.0 | 30.0 | 30.0 | 29.0 | **291.0** |
| H2O | 1957 | 0.0 | 3.0 | 9.1 | 17.2 | 7.5 | 30.7 | 35.1 | 34.0 | 34.8 | 38.2 | 38.2 | 48.6 | **296.4** |
| OIL | 1957 | 0.0 | 211.8 | 232.6 | 172.3 | 185.8 | 184.5 | 192.1 | 122.7 | 112.3 | 127.6 | 95.5 | 90.9 | **1,728.1** |

Licence ***1394*** Well Name ***2928419 MB Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-17-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,194.0** |
| H2O | 1975 | 3267.5 | 3198.0 | 3511.7 | 2824.4 | 3360.2 | 3060.7 | 3444.8 | 3362.4 | 3225.9 | 3428.9 | 3410.0 | 3471.7 | **179,483.6** |
| OIL | 1975 | 59.8 | 56.6 | 62.8 | 40.1 | 49.6 | 49.8 | 54.4 | 56.0 | 50.4 | 51.5 | 51.0 | 54.1 | **14,541.6** |
| DAY | 1974 | 31.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 22.0 | 31.0 | 30.0 | 31.0 | **5,835.0** |
| H2O | 1974 | 3001.4 | 2074.8 | 2571.1 | 2321.2 | 2972.4 | 3177.2 | 4601.9 | 4404.7 | 2858.6 | 3554.6 | 3490.4 | 3353.0 | **139,917.4** |
| OIL | 1974 | 47.1 | 40.5 | 50.2 | 45.6 | 50.4 | 63.0 | 64.1 | 63.0 | 40.9 | 53.1 | 60.6 | 58.2 | **13,905.5** |
| DAY | 1973 | 31.0 | 28.0 | 25.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 0.0 | 30.0 | 30.0 | 31.0 | **5,506.0** |
| H2O | 1973 | 601.4 | 567.6 | 506.9 | 0.0 | 0.0 | 0.0 | 0.0 | 889.1 | 0.0 | 2198.0 | 3052.9 | 2448.4 | **101,536.1** |
| OIL | 1973 | 39.4 | 36.2 | 32.4 | 0.0 | 0.0 | 0.0 | 0.0 | 34.0 | 0.0 | 66.1 | 51.5 | 47.4 | **13,268.8** |
| DAY | 1972 | 29.0 | 29.0 | 30.0 | 30.0 | 29.0 | 29.0 | 25.0 | 24.0 | 27.0 | 30.0 | 8.0 | 0.0 | **5,318.0** |
| H2O | 1972 | 811.5 | 956.8 | 1056.5 | 885.2 | 763.1 | 939.9 | 787.5 | 756.0 | 729.4 | 633.2 | 176.0 | 0.0 | **91,271.8** |
| OIL | 1972 | 49.4 | 47.7 | 48.2 | 50.6 | 57.9 | 51.8 | 41.0 | 34.8 | 52.6 | 41.7 | 13.0 | 0.0 | **12,961.8** |
| DAY | 1971 | 26.0 | 28.0 | 29.0 | 30.0 | 31.0 | 28.0 | 29.0 | 29.0 | 29.0 | 16.0 | 30.0 | 27.0 | **5,028.0** |
| H2O | 1971 | 888.7 | 820.4 | 691.6 | 739.3 | 756.0 | 663.0 | 686.8 | 661.4 | 645.5 | 384.0 | 715.4 | 707.5 | **82,776.7** |
| OIL | 1971 | 38.0 | 34.2 | 42.1 | 48.2 | 49.3 | 44.2 | 43.6 | 42.0 | 42.0 | 38.2 | 44.0 | 46.1 | **12,473.1** |
| DAY | 1970 | 31.0 | 26.0 | 26.0 | 8.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 29.0 | 30.0 | 20.0 | **4,696.0** |
| H2O | 1970 | 381.5 | 367.2 | 810.7 | 262.2 | 540.6 | 620.1 | 637.5 | 637.5 | 615.9 | 605.7 | 812.4 | 694.8 | **74,417.1** |
| OIL | 1970 | 47.4 | 45.6 | 39.7 | 18.3 | 46.1 | 47.7 | 49.3 | 49.8 | 48.0 | 44.7 | 49.3 | 35.0 | **11,961.2** |
| DAY | 1969 | 26.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | **4,376.0** |
| H2O | 1969 | 534.1 | 371.9 | 435.5 | 402.9 | 414.9 | 383.9 | 397.4 | 409.3 | 361.6 | 341.7 | 365.6 | 381.5 | **67,431.0** |
| OIL | 1969 | 47.7 | 41.3 | 49.3 | 46.1 | 50.1 | 46.9 | 47.7 | 49.1 | 46.6 | 39.7 | 45.3 | 47.4 | **11,440.3** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | **4,020.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 833.2 | 918.7 | 926.2 | 954.9 | 907.4 | 926.5 | 926.5 | 862.9 | 430.8 | **62,630.7** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 34.8 | 41.3 | 40.2 | 40.7 | 38.3 | 38.0 | 38.0 | 35.3 | 49.3 | **10,883.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 14.0 | 0.0 | 0.0 | 0.0 | **3,753.0** |
| H2O | 1967 | 973.2 | 873.2 | 968.3 | 948.7 | 988.8 | 962.1 | 981.6 | 1025.2 | 261.0 | 0.0 | 0.0 | 0.0 | **54,943.6** |
| OIL | 1967 | 12.2 | 10.5 | 11.6 | 10.8 | 10.7 | 10.3 | 9.7 | 9.4 | 12.6 | 0.0 | 0.0 | 0.0 | **10,527.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 18.0 | 30.0 | 31.0 | 25.0 | 31.0 | **3,496.0** |
| H2O | 1966 | 909.9 | 795.2 | 923.6 | 882.8 | 905.3 | 850.6 | 854.8 | 525.7 | 802.0 | 846.3 | 736.0 | 917.6 | **46,961.5** |
| OIL | 1966 | 14.3 | 14.6 | 15.3 | 14.6 | 14.6 | 13.7 | 13.5 | 7.5 | 12.1 | 11.8 | 9.7 | 12.1 | **10,429.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,149.0** |
| H2O | 1965 | 619.3 | 561.0 | 707.9 | 813.1 | 843.3 | 786.7 | 852.4 | 867.2 | 835.2 | 896.7 | 878.5 | 906.6 | **37,011.7** |
| OIL | 1965 | 18.1 | 16.4 | 18.6 | 19.2 | 19.4 | 17.8 | 17.3 | 18.3 | 16.4 | 16.9 | 15.4 | 15.3 | **10,275.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,784.0** |
| H2O | 1964 | 644.4 | 558.1 | 571.9 | 570.3 | 560.8 | 591.2 | 667.0 | 629.8 | 630.0 | 631.1 | 594.0 | 614.4 | **27,443.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1394*** Well Name ***2928419 MB Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-17-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1964 | 19.6 | 18.8 | 19.4 | 22.7 | 21.1 | 19.4 | 23.5 | 20.4 | 19.9 | 20.2 | 19.2 | 19.6 | **10,066.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,418.0** |
| H2O | 1963 | 302.5 | 261.0 | 306.3 | 323.1 | 351.4 | 339.8 | 337.3 | 305.3 | 273.5 | 297.2 | 436.0 | 558.4 | **20,180.8** |
| OIL | 1963 | 40.4 | 31.9 | 39.0 | 35.8 | 36.9 | 34.1 | 29.9 | 28.8 | 26.1 | 29.6 | 20.3 | 20.3 | **9,822.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,053.0** |
| H2O | 1962 | 256.2 | 229.2 | 260.5 | 251.4 | 247.9 | 301.2 | 335.0 | 333.9 | 303.6 | 307.2 | 300.4 | 302.6 | **16,089.0** |
| OIL | 1962 | 50.5 | 44.4 | 49.2 | 47.3 | 48.7 | 53.6 | 58.4 | 57.9 | 53.3 | 45.1 | 44.4 | 39.3 | **9,449.6** |
| DAY | 1961 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | **1,691.0** |
| H2O | 1961 | 253.0 | 225.3 | 251.3 | 219.0 | 263.5 | 265.1 | 275.6 | 275.9 | 196.2 | 275.6 | 261.9 | 263.7 | **12,659.9** |
| OIL | 1961 | 98.8 | 89.1 | 98.2 | 81.3 | 90.0 | 80.2 | 82.6 | 78.0 | 37.9 | 53.3 | 52.0 | 52.0 | **8,857.5** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,337.0** |
| H2O | 1960 | 208.5 | 214.2 | 242.4 | 238.4 | 246.3 | 243.3 | 230.8 | 245.1 | 242.2 | 239.0 | 240.4 | 251.9 | **9,633.8** |
| OIL | 1960 | 144.1 | 157.1 | 153.6 | 147.0 | 147.8 | 122.8 | 108.0 | 105.2 | 102.1 | 99.7 | 99.4 | 98.5 | **7,964.1** |
| DAY | 1959 | 22.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **972.0** |
| H2O | 1959 | 201.2 | 265.9 | 307.5 | 298.5 | 275.1 | 287.8 | 269.5 | 251.4 | 243.0 | 236.3 | 213.1 | 221.7 | **6,791.3** |
| OIL | 1959 | 105.2 | 157.1 | 165.9 | 159.0 | 121.7 | 117.7 | 132.2 | 142.5 | 150.6 | 150.1 | 149.3 | 165.6 | **6,478.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **620.0** |
| H2O | 1958 | 178.3 | 178.1 | 200.7 | 227.9 | 220.1 | 266.2 | 278.0 | 261.6 | 269.1 | 275.4 | 288.8 | 294.3 | **3,720.3** |
| OIL | 1958 | 297.8 | 244.1 | 235.0 | 219.9 | 171.6 | 174.9 | 184.2 | 175.6 | 175.4 | 166.7 | 152.2 | 144.6 | **4,761.9** |
| DAY | 1957 | 0.0 | 2.0 | 15.0 | 13.0 | 28.0 | 30.0 | 30.0 | 29.0 | 28.0 | 24.0 | 28.0 | 29.0 | **256.0** |
| H2O | 1957 | 0.0 | 0.0 | 11.6 | 5.2 | 42.1 | 52.5 | 37.7 | 139.4 | 178.5 | 116.9 | 56.1 | 141.8 | **781.8** |
| OIL | 1957 | 0.0 | 27.3 | 142.9 | 93.8 | 277.9 | 323.0 | 222.2 | 317.9 | 304.6 | 258.2 | 212.9 | 239.2 | **2,419.9** |

Licence ***1395*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-20-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 24.0 | 31.0 | 25.0 | 0.0 | 25.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,563.0** |
| H2O | 1975 | 271.7 | 209.9 | 286.6 | 229.2 | 0.0 | 226.2 | 401.4 | 482.2 | 435.3 | 409.1 | 389.8 | 399.8 | **20,542.0** |
| OIL | 1975 | 97.9 | 76.3 | 98.5 | 76.8 | 0.0 | 75.8 | 59.3 | 69.6 | 70.7 | 71.0 | 69.6 | 71.7 | **20,524.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 17.0 | 10.0 | 21.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,247.0** |
| H2O | 1974 | 303.7 | 295.9 | 359.8 | 157.7 | 99.4 | 234.2 | 255.3 | 277.3 | 278.9 | 277.1 | 249.4 | 274.2 | **16,800.8** |
| OIL | 1974 | 133.8 | 112.2 | 125.1 | 53.1 | 30.7 | 65.0 | 92.0 | 99.6 | 93.9 | 93.9 | 91.5 | 97.3 | **19,686.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,928.0** |
| H2O | 1973 | 204.9 | 185.8 | 214.6 | 215.4 | 222.6 | 223.0 | 210.8 | 221.5 | 243.6 | 268.0 | 248.5 | 292.4 | **13,737.9** |
| OIL | 1973 | 130.3 | 114.7 | 128.2 | 129.0 | 127.1 | 119.3 | 131.6 | 126.2 | 131.3 | 141.9 | 133.5 | 130.1 | **18,598.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **5,564.0** |
| H2O | 1972 | 164.4 | 166.1 | 166.5 | 161.2 | 145.3 | 160.3 | 177.6 | 200.2 | 191.9 | 193.3 | 185.4 | 165.5 | **10,986.8** |
| OIL | 1972 | 130.0 | 125.4 | 132.1 | 132.7 | 115.8 | 134.3 | 127.8 | 123.9 | 123.2 | 129.5 | 129.0 | 126.8 | **17,055.6** |
| DAY | 1971 | 31.0 | 23.0 | 31.0 | 18.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **5,204.0** |
| H2O | 1971 | 29.6 | 24.2 | 31.0 | 163.6 | 282.7 | 248.3 | 246.4 | 290.0 | 243.6 | 161.8 | 146.1 | 152.5 | **8,909.1** |
| OIL | 1971 | 70.9 | 52.4 | 70.2 | 142.2 | 248.9 | 209.9 | 209.6 | 219.9 | 195.8 | 128.1 | 121.6 | 131.3 | **15,525.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,859.0** |
| H2O | 1970 | 145.1 | 137.5 | 168.0 | 151.5 | 155.8 | 154.5 | 140.9 | 69.6 | 81.1 | 112.9 | 97.3 | 89.8 | **6,889.3** |
| OIL | 1970 | 187.8 | 166.5 | 184.3 | 179.3 | 182.6 | 174.2 | 182.6 | 58.0 | 60.9 | 41.2 | 40.2 | 42.4 | **13,724.3** |
| DAY | 1969 | 31.0 | 28.0 | 20.0 | 14.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **4,496.0** |
| H2O | 1969 | 34.2 | 28.0 | 36.1 | 25.8 | 50.6 | 60.1 | 61.5 | 57.4 | 55.0 | 58.0 | 149.8 | 146.4 | **5,385.3** |
| OIL | 1969 | 50.7 | 43.5 | 18.9 | 75.2 | 133.2 | 164.6 | 162.9 | 167.7 | 157.6 | 165.9 | 169.1 | 169.2 | **12,224.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,167.0** |
| H2O | 1968 | 14.9 | 15.1 | 17.8 | 18.0 | 18.1 | 18.1 | 29.6 | 33.7 | 30.0 | 29.1 | 31.6 | 34.7 | **4,622.4** |
| OIL | 1968 | 57.5 | 52.6 | 59.0 | 59.3 | 61.5 | 57.0 | 45.8 | 50.9 | 49.6 | 45.1 | 48.5 | 51.3 | **10,745.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,807.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1395*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-20-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1967 | 16.2 | 14.0 | 15.7 | 14.8 | 16.2 | 12.6 | 14.0 | 15.9 | 16.4 | 15.6 | 16.1 | 16.1 | **4,331.7** |
| OIL | 1967 | 62.9 | 54.5 | 61.5 | 58.8 | 61.8 | 47.4 | 57.5 | 58.6 | 59.8 | 59.9 | 59.4 | 59.4 | **10,107.7** |
| DAY | 1966 | 31.0 | 28.0 | 27.0 | 17.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **3,447.0** |
| H2O | 1966 | 21.8 | 20.8 | 18.0 | 9.4 | 39.7 | 39.0 | 37.0 | 43.6 | 38.6 | 32.7 | 18.0 | 16.5 | **4,148.1** |
| OIL | 1966 | 37.7 | 34.2 | 36.2 | 17.2 | 93.9 | 80.9 | 81.0 | 79.8 | 83.3 | 75.6 | 63.9 | 62.5 | **9,406.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 27.0 | 30.0 | 31.0 | **3,103.0** |
| H2O | 1965 | 14.5 | 13.2 | 14.9 | 14.8 | 14.9 | 14.9 | 13.2 | 18.6 | 14.9 | 13.8 | 16.7 | 18.1 | **3,813.0** |
| OIL | 1965 | 29.1 | 24.5 | 31.1 | 23.7 | 23.5 | 22.6 | 24.3 | 20.2 | 22.7 | 19.7 | 24.8 | 30.0 | **8,660.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,744.0** |
| H2O | 1964 | 29.6 | 27.7 | 29.6 | 28.6 | 28.6 | 28.6 | 28.8 | 29.6 | 28.6 | 21.0 | 14.9 | 14.8 | **3,630.5** |
| OIL | 1964 | 35.8 | 31.9 | 35.1 | 33.5 | 33.2 | 33.1 | 33.4 | 34.5 | 33.4 | 30.8 | 28.6 | 29.9 | **8,363.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **2,380.0** |
| H2O | 1963 | 25.6 | 23.1 | 27.3 | 23.5 | 24.6 | 21.8 | 21.5 | 22.3 | 29.1 | 28.0 | 26.2 | 26.7 | **3,320.1** |
| OIL | 1963 | 69.9 | 68.0 | 75.5 | 66.6 | 68.3 | 62.8 | 64.8 | 69.1 | 77.4 | 71.5 | 69.0 | 33.8 | **7,970.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,018.0** |
| H2O | 1962 | 22.6 | 17.0 | 30.4 | 26.1 | 29.4 | 26.9 | 31.2 | 27.3 | 25.0 | 27.7 | 24.8 | 20.0 | **3,020.4** |
| OIL | 1962 | 72.8 | 70.7 | 74.8 | 71.8 | 74.4 | 70.2 | 72.6 | 71.2 | 67.5 | 71.7 | 71.4 | 64.0 | **7,173.9** |
| DAY | 1961 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,654.0** |
| H2O | 1961 | 47.2 | 36.9 | 35.3 | 32.6 | 27.5 | 33.4 | 34.0 | 29.6 | 28.0 | 38.5 | 28.0 | 23.5 | **2,712.0** |
| OIL | 1961 | 113.1 | 98.0 | 107.9 | 98.5 | 93.8 | 86.9 | 112.5 | 76.4 | 72.5 | 79.0 | 79.1 | 65.9 | **6,320.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 19.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,291.0** |
| H2O | 1960 | 101.0 | 89.2 | 91.6 | 45.0 | 74.6 | 75.8 | 78.5 | 73.3 | 71.5 | 52.3 | 51.2 | 56.1 | **2,317.5** |
| OIL | 1960 | 162.4 | 142.1 | 146.0 | 85.7 | 143.5 | 138.4 | 135.6 | 118.2 | 113.5 | 115.1 | 116.2 | 113.5 | **5,237.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 21.0 | 29.0 | 31.0 | **939.0** |
| H2O | 1959 | 79.0 | 66.1 | 73.9 | 72.3 | 72.7 | 74.4 | 76.8 | 87.3 | 79.8 | 59.9 | 108.3 | 107.8 | **1,457.4** |
| OIL | 1959 | 180.5 | 165.1 | 176.1 | 167.5 | 177.7 | 168.8 | 173.5 | 166.7 | 149.5 | 115.1 | 174.8 | 181.6 | **3,707.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 25.0 | **587.0** |
| H2O | 1958 | 8.7 | 8.3 | 7.6 | 5.7 | 8.1 | 8.6 | 5.7 | 23.4 | 80.6 | 84.4 | 78.7 | 58.3 | **499.1** |
| OIL | 1958 | 53.7 | 44.5 | 47.4 | 39.6 | 39.6 | 38.1 | 36.5 | 65.3 | 191.8 | 185.3 | 179.3 | 138.7 | **1,710.1** |
| DAY | 1957 | 0.0 | 0.0 | 14.0 | 1.0 | 5.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **231.0** |
| H2O | 1957 | 0.0 | 0.0 | 5.9 | 0.3 | 4.8 | 24.0 | 18.9 | 21.6 | 13.0 | 12.6 | 11.3 | 8.6 | **121.0** |
| OIL | 1957 | 0.0 | 0.0 | 78.5 | 1.6 | 25.3 | 98.7 | 100.3 | 85.2 | 69.1 | 66.9 | 66.9 | 57.8 | **650.3** |

Licence ***1397*** Well Name ***North Virden Scallion No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-17-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 24.0 | 30.0 | **6,310.0** |
| H2O | 1975 | 623.5 | 559.8 | 645.6 | 620.0 | 626.4 | 600.9 | 595.4 | 610.3 | 719.4 | 709.5 | 569.6 | 792.7 | **172,557.0** |
| OIL | 1975 | 40.2 | 33.4 | 38.1 | 37.8 | 37.3 | 35.4 | 30.8 | 31.1 | 38.1 | 35.3 | 33.2 | 37.0 | **12,871.6** |
| DAY | 1974 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 26.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,952.0** |
| H2O | 1974 | 659.1 | 566.4 | 649.4 | 632.3 | 676.1 | 580.4 | 585.4 | 684.1 | 716.0 | 631.0 | 652.0 | 625.4 | **164,883.9** |
| OIL | 1974 | 55.0 | 47.8 | 53.4 | 50.5 | 51.5 | 43.9 | 40.8 | 46.7 | 50.7 | 37.5 | 41.8 | 40.7 | **12,443.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,596.0** |
| H2O | 1973 | 735.4 | 675.2 | 697.1 | 666.8 | 675.8 | 635.0 | 727.5 | 656.1 | 659.4 | 689.7 | 635.9 | 669.9 | **157,226.3** |
| OIL | 1973 | 53.9 | 47.0 | 67.7 | 33.8 | 49.1 | 50.4 | 52.8 | 49.4 | 52.3 | 54.5 | 55.0 | 57.4 | **11,883.6** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **5,231.0** |
| H2O | 1972 | 748.6 | 676.1 | 736.7 | 888.2 | 708.6 | 765.5 | 792.2 | 784.1 | 750.7 | 773.8 | 715.9 | 726.1 | **149,102.5** |
| OIL | 1972 | 57.4 | 59.3 | 60.1 | 68.5 | 58.2 | 55.3 | 54.5 | 54.5 | 53.2 | 50.2 | 46.4 | 51.8 | **11,260.3** |
| DAY | 1971 | 23.0 | 22.0 | 31.0 | 30.0 | 27.0 | 30.0 | 28.0 | 31.0 | 30.0 | 25.0 | 29.0 | 31.0 | **4,870.0** |
| H2O | 1971 | 820.0 | 619.4 | 999.7 | 969.8 | 808.7 | 919.1 | 913.8 | 991.1 | 760.9 | 626.7 | 762.5 | 869.8 | **140,036.0** |
| OIL | 1971 | 59.4 | 45.4 | 77.4 | 75.6 | 61.5 | 66.9 | 68.0 | 71.0 | 63.7 | 53.4 | 58.5 | 64.2 | **10,590.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1397*** Well Name ***North Virden Scallion No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-17-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 20.0 | 30.0 | 30.0 | 28.0 | 31.0 | 24.0 | 30.0 | 23.0 | 24.0 | **4,533.0** |
| H2O | 1970 | 765.6 | 651.2 | 763.4 | 577.3 | 807.9 | 815.4 | 678.0 | 761.8 | 676.1 | 881.5 | 681.5 | 818.6 | **129,974.5** |
| OIL | 1970 | 26.1 | 23.0 | 27.3 | 33.2 | 49.6 | 53.7 | 39.7 | 40.2 | 49.7 | 71.4 | 56.6 | 68.8 | **9,825.9** |
| DAY | 1969 | 31.0 | 23.0 | 29.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,203.0** |
| H2O | 1969 | 817.5 | 486.6 | 1081.5 | 974.5 | 815.1 | 877.9 | 918.6 | 857.1 | 729.2 | 775.8 | 761.2 | 767.2 | **121,096.2** |
| OIL | 1969 | 34.8 | 18.8 | 36.1 | 32.3 | 12.9 | 13.5 | 13.2 | 13.2 | 10.6 | 11.1 | 10.8 | 28.0 | **9,286.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 23.0 | 7.0 | 0.0 | 0.0 | 0.0 | 4.0 | 14.0 | 0.0 | 27.0 | **3,849.0** |
| H2O | 1968 | 1025.3 | 894.4 | 1034.6 | 720.8 | 204.0 | 0.0 | 0.0 | 0.0 | 125.9 | 400.8 | 0.0 | 781.2 | **111,234.0** |
| OIL | 1968 | 22.1 | 20.8 | 24.9 | 24.6 | 10.3 | 0.0 | 0.0 | 0.0 | 5.1 | 16.5 | 0.0 | 28.6 | **9,051.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 28.0 | 17.0 | 29.0 | 23.0 | 30.0 | 23.0 | 31.0 | **3,683.0** |
| H2O | 1967 | 931.0 | 891.7 | 973.0 | 911.1 | 956.9 | 850.5 | 521.1 | 901.4 | 694.6 | 965.8 | 720.8 | 1027.2 | **106,047.0** |
| OIL | 1967 | 30.7 | 26.5 | 30.0 | 25.9 | 28.4 | 24.6 | 15.1 | 27.8 | 19.5 | 23.8 | 17.5 | 25.1 | **8,898.4** |
| DAY | 1966 | 13.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 26.0 | 31.0 | **3,352.0** |
| H2O | 1966 | 407.3 | 925.4 | 1083.1 | 901.9 | 901.7 | 889.7 | 839.6 | 905.2 | 799.2 | 907.3 | 732.6 | 951.0 | **95,701.9** |
| OIL | 1966 | 18.6 | 40.0 | 53.6 | 28.4 | 29.1 | 28.9 | 28.3 | 29.9 | 26.5 | 29.4 | 25.3 | 29.7 | **8,603.5** |
| DAY | 1965 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 28.0 | **3,013.0** |
| H2O | 1965 | 958.6 | 747.4 | 840.1 | 741.6 | 858.8 | 804.9 | 788.5 | 808.3 | 766.6 | 780.6 | 720.3 | 780.9 | **85,457.9** |
| OIL | 1965 | 39.4 | 34.0 | 38.1 | 35.6 | 41.0 | 39.1 | 39.4 | 39.1 | 36.2 | 37.2 | 37.3 | 37.7 | **8,235.8** |
| DAY | 1964 | 31.0 | 28.0 | 28.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 20.0 | **2,657.0** |
| H2O | 1964 | 784.1 | 875.7 | 804.6 | 940.4 | 898.2 | 919.2 | 877.9 | 849.3 | 855.3 | 982.8 | 903.8 | 589.0 | **75,861.3** |
| OIL | 1964 | 44.5 | 41.6 | 40.8 | 42.6 | 40.4 | 40.5 | 38.3 | 37.7 | 36.4 | 42.4 | 41.2 | 26.7 | **7,781.7** |
| DAY | 1963 | 22.0 | 22.0 | 28.0 | 26.0 | 16.0 | 22.0 | 24.0 | 24.0 | 30.0 | 30.0 | 30.0 | 30.0 | **2,311.0** |
| H2O | 1963 | 739.4 | 707.8 | 893.8 | 694.4 | 470.4 | 656.0 | 715.3 | 673.9 | 909.0 | 843.7 | 711.4 | 780.4 | **65,581.0** |
| OIL | 1963 | 34.8 | 45.4 | 50.5 | 40.7 | 27.5 | 39.7 | 43.4 | 40.4 | 49.3 | 47.5 | 35.4 | 45.6 | **7,308.6** |
| DAY | 1962 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 29.0 | **2,007.0** |
| H2O | 1962 | 894.4 | 853.6 | 945.3 | 885.4 | 993.3 | 952.0 | 1222.6 | 1210.0 | 1201.7 | 1169.5 | 1059.3 | 1034.5 | **56,785.5** |
| OIL | 1962 | 48.8 | 47.0 | 52.0 | 47.0 | 48.8 | 45.9 | 61.0 | 60.5 | 59.4 | 57.7 | 51.0 | 51.2 | **6,808.4** |
| DAY | 1961 | 29.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,649.0** |
| H2O | 1961 | 1038.0 | 997.0 | 943.1 | 878.8 | 1112.1 | 1043.2 | 955.5 | 945.1 | 893.1 | 962.9 | 899.7 | 949.6 | **44,363.9** |
| OIL | 1961 | 73.3 | 76.3 | 71.7 | 66.1 | 63.2 | 59.0 | 52.8 | 57.4 | 54.7 | 56.4 | 52.0 | 52.4 | **6,178.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,293.0** |
| H2O | 1960 | 973.4 | 885.0 | 1054.4 | 831.3 | 1022.6 | 1193.6 | 1044.2 | 990.9 | 1037.5 | 1049.0 | 988.7 | 1047.0 | **32,745.8** |
| OIL | 1960 | 166.9 | 153.0 | 153.8 | 77.1 | 84.2 | 81.4 | 83.4 | 77.2 | 66.6 | 78.2 | 73.1 | 75.0 | **5,442.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **928.0** |
| H2O | 1959 | 1045.0 | 979.2 | 1115.6 | 1083.4 | 1013.2 | 1038.0 | 1117.3 | 1123.7 | 907.6 | 1011.6 | 821.3 | 847.4 | **20,628.2** |
| OIL | 1959 | 143.0 | 125.1 | 138.6 | 133.6 | 103.6 | 61.3 | 65.5 | 59.3 | 106.2 | 94.1 | 145.6 | 174.8 | **4,272.9** |
| DAY | 1958 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **568.0** |
| H2O | 1958 | 156.8 | 156.3 | 203.8 | 520.7 | 596.5 | 517.6 | 588.7 | 621.5 | 753.1 | 768.5 | 1015.6 | 1057.4 | **8,524.9** |
| OIL | 1958 | 169.1 | 166.4 | 180.4 | 45.1 | 127.1 | 108.7 | 98.2 | 99.8 | 118.1 | 132.5 | 145.7 | 149.7 | **2,922.2** |
| DAY | 1957 | 0.0 | 4.0 | 6.0 | 0.0 | 1.0 | 27.0 | 28.0 | 26.0 | 30.0 | 31.0 | 29.0 | 29.0 | **211.0** |
| H2O | 1957 | 0.0 | 9.2 | 21.8 | 0.0 | 0.0 | 175.7 | 279.5 | 256.6 | 283.1 | 165.7 | 166.8 | 210.0 | **1,568.4** |
| OIL | 1957 | 0.0 | 39.9 | 87.7 | 0.0 | 11.1 | 214.5 | 205.6 | 108.1 | 137.5 | 225.7 | 179.4 | 171.9 | **1,381.4** |

Licence ***1398*** Well Name ***Sun G. Clark Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-20-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 26.0 | 2.0 | 1.0 | 0.0 | 0.0 | **1,828.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.4 | 26.5 | 9.5 | 4.0 | 0.0 | 0.0 | **7,296.5** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.8 | 6.7 | 2.9 | 0.6 | 0.0 | 0.0 | **3,295.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 12.0 | 31.0 | 16.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,796.0** |
| H2O | 1962 | 291.9 | 264.4 | 239.0 | 256.0 | 228.5 | 248.5 | 238.6 | 131.3 | 0.0 | 0.0 | 0.0 | 0.0 | **7,248.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1398*** Well Name ***Sun G. Clark Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-20-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 38.3 | 27.0 | 39.9 | 43.4 | 43.9 | 44.2 | 49.3 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | **3,280.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,586.0** |
| H2O | 1961 | 4.9 | 4.6 | 201.3 | 256.3 | 270.6 | 187.9 | 238.0 | 111.3 | 167.9 | 272.8 | 275.5 | 274.4 | **5,349.9** |
| OIL | 1961 | 5.4 | 4.4 | 72.1 | 47.0 | 20.8 | 32.7 | 36.9 | 33.4 | 43.1 | 43.5 | 29.7 | 31.3 | **2,992.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,221.0** |
| H2O | 1960 | 4.9 | 4.9 | 5.1 | 4.6 | 4.9 | 5.1 | 4.8 | 5.6 | 6.0 | 4.9 | 4.1 | 5.1 | **3,084.4** |
| OIL | 1960 | 5.7 | 4.8 | 4.3 | 4.6 | 4.1 | 4.3 | 4.1 | 4.6 | 4.9 | 4.6 | 4.4 | 4.9 | **2,592.2** |
| DAY | 1959 | 31.0 | 18.0 | 31.0 | 30.0 | 24.0 | 19.0 | 19.0 | 16.0 | 15.0 | 16.0 | 15.0 | 29.0 | **858.0** |
| H2O | 1959 | 112.7 | 33.2 | 159.9 | 170.1 | 97.6 | 40.9 | 39.4 | 9.2 | 5.4 | 5.4 | 7.6 | 6.2 | **3,024.4** |
| OIL | 1959 | 60.2 | 33.7 | 47.8 | 23.0 | 18.6 | 14.0 | 22.7 | 7.8 | 4.8 | 5.6 | 4.8 | 5.1 | **2,536.9** |
| DAY | 1958 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 20.0 | 18.0 | **595.0** |
| H2O | 1958 | 195.6 | 178.2 | 159.1 | 139.4 | 121.8 | 99.4 | 96.8 | 85.2 | 88.7 | 69.0 | 70.6 | 68.2 | **2,336.8** |
| OIL | 1958 | 56.3 | 46.9 | 46.1 | 36.7 | 37.5 | 32.6 | 31.8 | 30.7 | 24.0 | 24.6 | 23.7 | 40.5 | **2,288.8** |
| DAY | 1957 | 0.0 | 0.0 | 13.0 | 26.0 | 20.0 | 19.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **257.0** |
| H2O | 1957 | 0.0 | 0.0 | 12.1 | 34.5 | 28.6 | 22.7 | 23.2 | 59.5 | 151.2 | 214.8 | 205.9 | 212.3 | **964.8** |
| OIL | 1957 | 0.0 | 0.0 | 194.2 | 281.6 | 187.4 | 132.8 | 277.3 | 350.6 | 179.7 | 106.5 | 80.6 | 66.7 | **1,857.4** |

Licence ***1402*** Well Name ***Enerplus South Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-03-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 0.0 | 17.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 29.0 | 31.0 | 0.0 | 0.0 | **227.0** |
| H2O | 1957 | 0.0 | 0.0 | 162.0 | 319.3 | 329.4 | 321.8 | 327.2 | 244.5 | 177.8 | 148.3 | 15.3 | 0.0 | **2,045.6** |
| OIL | 1957 | 0.0 | 0.0 | 133.9 | 177.3 | 99.8 | 70.4 | 51.2 | 35.9 | 23.2 | 12.6 | 0.0 | 0.0 | **604.3** |

Licence ***1405*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-29-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 603.8 | 574.7 | 564.1 | 693.0 | 568.0 | 542.6 | 838.5 | 794.3 | 780.6 | 859.3 | 1053.9 | 1017.2 | **237,696.4** |
| WIN | 1974 | 686.3 | 591.1 | 718.4 | 719.9 | 651.8 | 1050.9 | 676.0 | 631.2 | 518.1 | 692.5 | 725.1 | 622.6 | **228,806.4** |
| WIN | 1973 | 1376.3 | 996.8 | 638.5 | 794.7 | 971.7 | 1545.0 | 1519.4 | 980.3 | 520.2 | 233.1 | 308.9 | 577.1 | **220,522.5** |
| WIN | 1972 | 2315.4 | 453.7 | 1459.4 | 169.9 | 234.2 | 1178.2 | 1071.0 | 1005.7 | 977.9 | 835.4 | 989.7 | 1528.8 | **210,060.5** |
| WIN | 1971 | 3433.8 | 3136.7 | 3501.5 | 3396.8 | 2783.6 | 3171.8 | 2350.5 | 1974.8 | 0.0 | 2100.4 | 2892.3 | 2970.7 | **197,841.2** |
| WIN | 1970 | 3252.4 | 2603.9 | 3625.5 | 3210.8 | 3568.6 | 2568.5 | 2503.6 | 3351.5 | 2880.2 | 3270.9 | 3485.6 | 3365.6 | **166,128.3** |
| WIN | 1969 | 3389.1 | 989.7 | 2460.2 | 3149.9 | 1435.9 | 2889.6 | 2495.8 | 2426.5 | 3023.8 | 3221.9 | 3153.4 | 3325.4 | **128,441.2** |
| WIN | 1968 | 2538.6 | 3018.4 | 3170.4 | 2949.9 | 2715.9 | 2989.6 | 3136.0 | 3783.6 | 2764.8 | 3415.4 | 3290.1 | 3396.6 | **96,480.0** |
| WIN | 1967 | 2567.2 | 2444.6 | 2686.8 | 2585.3 | 3055.3 | 2712.0 | 2466.3 | 2653.7 | 2886.6 | 2672.9 | 2505.5 | 2609.7 | **59,310.7** |
| WIN | 1966 | 1900.1 | 1898.2 | 2171.2 | 2256.7 | 2293.0 | 2146.1 | 2094.7 | 2059.6 | 1607.9 | 2313.0 | 2324.9 | 2523.0 | **27,464.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 16.0 | 0.0 | 0.0 | **2,219.0** |
| H2O | 1965 | 79.2 | 62.5 | 79.8 | 49.9 | 59.3 | 53.7 | 41.3 | 67.2 | 48.0 | 17.4 | 0.0 | 0.0 | **7,750.9** |
| OIL | 1965 | 47.0 | 43.5 | 51.6 | 36.2 | 28.0 | 24.8 | 25.9 | 24.8 | 25.1 | 8.2 | 0.0 | 0.0 | **4,325.2** |
| WIN | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 153.9 | 535.9 | 1186.6 | **1,876.4** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,931.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 133.5 | 170.9 | 75.2 | 74.1 | 43.4 | 86.0 | **7,192.6** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 45.3 | 65.2 | 40.7 | 48.1 | 48.3 | 49.3 | **4,010.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,755.0** |
| H2O | 1962 | 2.9 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,609.5** |
| OIL | 1962 | 9.2 | 8.3 | 2.4 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,713.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,635.0** |
| H2O | 1961 | 22.1 | 0.0 | 0.0 | 12.2 | 13.2 | 28.5 | 13.8 | 14.0 | 14.1 | 4.0 | 4.3 | 2.9 | **6,604.2** |
| OIL | 1961 | 23.5 | 19.7 | 22.9 | 20.2 | 17.3 | 12.4 | 23.5 | 9.1 | 8.6 | 9.2 | 8.9 | 9.4 | **3,691.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,270.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1405*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-29-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1960 | 205.9 | 153.1 | 162.3 | 153.3 | 156.4 | 148.8 | 52.6 | 49.9 | 46.9 | 26.4 | 25.0 | 26.5 | **6,475.1** |
| OIL | 1960 | 101.1 | 83.1 | 86.4 | 86.1 | 83.1 | 78.2 | 38.9 | 37.5 | 38.0 | 33.4 | 28.8 | 34.3 | **3,506.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 18.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **905.0** |
| H2O | 1959 | 14.8 | 12.9 | 16.5 | 18.1 | 20.5 | 14.1 | 154.7 | 358.0 | 269.0 | 201.7 | 209.5 | 190.5 | **5,268.0** |
| OIL | 1959 | 27.3 | 24.2 | 27.2 | 28.1 | 30.4 | 11.1 | 70.9 | 180.8 | 104.6 | 91.8 | 85.8 | 96.8 | **2,777.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **553.0** |
| H2O | 1958 | 306.2 | 264.2 | 222.3 | 214.8 | 130.7 | 134.3 | 141.0 | 112.1 | 106.2 | 43.4 | 51.5 | 15.6 | **3,787.7** |
| OIL | 1958 | 145.2 | 142.1 | 129.5 | 122.7 | 87.7 | 73.1 | 78.8 | 65.5 | 64.5 | 47.0 | 39.9 | 28.0 | **1,998.6** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 24.0 | 22.0 | 28.0 | 25.0 | 31.0 | 30.0 | 26.0 | **188.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 13.4 | 343.1 | 254.1 | 317.8 | 298.9 | 309.2 | 264.1 | 244.8 | **2,045.4** |
| OIL | 1957 | 0.0 | 12.6 | 0.0 | 0.0 | 25.1 | 141.9 | 141.3 | 142.2 | 154.6 | 134.6 | 120.3 | 102.0 | **974.6** |

Licence ***1406*** Well Name ***Interlake Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-17-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 17288.6 | 16921.2 | 18580.1 | 15346.0 | 18256.9 | 16629.7 | 18716.2 | 18268.7 | 17526.8 | 18629.9 | 18527.0 | 18862.3 | **897,757.8** |
| WIN | 1974 | 16763.9 | 14252.6 | 16211.7 | 13506.9 | 16938.3 | 12339.5 | 17873.0 | 17107.2 | 14314.9 | 17800.1 | 17478.6 | 17740.9 | **684,204.4** |
| WIN | 1973 | 10852.3 | 10034.7 | 9321.6 | 7123.8 | 6225.6 | 6897.4 | 7032.5 | 8345.0 | 9476.3 | 9427.2 | 14683.9 | 14947.7 | **491,876.8** |
| WIN | 1972 | 9432.6 | 11109.5 | 11806.2 | 9903.4 | 8548.6 | 11501.1 | 9381.4 | 10507.7 | 10088.4 | 11589.0 | 11210.5 | 11560.3 | **377,508.8** |
| WIN | 1971 | 6779.1 | 6412.6 | 6807.1 | 7272.7 | 6722.8 | 6404.5 | 6387.8 | 5844.9 | 5925.3 | 3321.1 | 6063.6 | 6420.7 | **250,870.1** |
| WIN | 1970 | 4006.2 | 3558.6 | 6456.5 | 4031.7 | 6093.8 | 6404.4 | 6665.4 | 6796.1 | 6817.9 | 6093.2 | 6937.0 | 5343.7 | **176,507.9** |
| WIN | 1969 | 4319.5 | 4341.6 | 4720.1 | 4068.3 | 4672.4 | 4499.1 | 4084.8 | 4561.8 | 4311.5 | 4028.5 | 4118.0 | 4003.5 | **107,303.4** |
| WIN | 1968 | 3496.9 | 3343.7 | 4257.9 | 4706.6 | 5055.7 | 4732.8 | 4942.5 | 4783.2 | 4761.8 | 4671.1 | 4021.8 | 4396.9 | **55,574.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 19.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,701.0** |
| H2O | 1967 | 665.0 | 596.7 | 661.8 | 648.3 | 675.4 | 657.8 | 671.6 | 431.2 | 0.0 | 0.0 | 0.0 | 0.0 | **45,409.3** |
| OIL | 1967 | 13.4 | 11.4 | 12.7 | 11.7 | 11.4 | 11.3 | 10.5 | 6.2 | 0.0 | 0.0 | 0.0 | 0.0 | **8,072.3** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2403.4 | **2,403.4** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 18.0 | 30.0 | 31.0 | 25.0 | 31.0 | **3,470.0** |
| H2O | 1966 | 622.4 | 543.9 | 593.7 | 603.7 | 619.1 | 581.7 | 584.8 | 359.5 | 548.5 | 578.9 | 503.5 | 627.7 | **40,401.5** |
| OIL | 1966 | 15.6 | 15.7 | 15.4 | 15.7 | 15.7 | 14.8 | 14.6 | 8.1 | 13.0 | 12.6 | 10.5 | 13.0 | **7,983.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,124.0** |
| H2O | 1965 | 423.7 | 383.6 | 496.0 | 557.7 | 576.8 | 538.2 | 582.9 | 593.0 | 571.2 | 613.2 | 601.1 | 620.1 | **33,634.1** |
| OIL | 1965 | 19.5 | 17.6 | 20.5 | 20.8 | 21.0 | 19.2 | 18.8 | 19.7 | 17.6 | 18.1 | 16.7 | 16.4 | **7,819.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,759.0** |
| H2O | 1964 | 440.7 | 381.7 | 391.1 | 390.2 | 383.6 | 404.5 | 463.6 | 431.0 | 430.9 | 431.7 | 406.4 | 420.2 | **27,076.6** |
| OIL | 1964 | 21.3 | 20.2 | 21.0 | 24.5 | 22.7 | 21.1 | 25.7 | 21.9 | 21.3 | 21.8 | 20.8 | 21.0 | **7,593.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 18.0 | 31.0 | **2,393.0** |
| H2O | 1963 | 260.6 | 227.2 | 264.9 | 279.3 | 303.7 | 293.7 | 291.4 | 263.8 | 236.3 | 256.6 | 87.1 | 381.9 | **22,101.0** |
| OIL | 1963 | 23.0 | 17.6 | 19.5 | 18.0 | 18.6 | 17.2 | 15.1 | 14.5 | 13.2 | 14.9 | 3.0 | 22.1 | **7,329.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,040.0** |
| H2O | 1962 | 335.0 | 299.5 | 333.6 | 315.8 | 312.7 | 281.1 | 286.5 | 284.7 | 267.1 | 265.0 | 263.9 | 266.6 | **18,954.5** |
| OIL | 1962 | 39.6 | 35.6 | 39.4 | 37.8 | 38.9 | 35.3 | 34.2 | 33.8 | 29.2 | 21.0 | 23.8 | 21.5 | **7,133.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | **1,676.0** |
| H2O | 1961 | 340.2 | 306.8 | 340.1 | 294.4 | 342.6 | 367.1 | 374.9 | 374.4 | 260.3 | 366.2 | 356.9 | 347.2 | **15,443.0** |
| OIL | 1961 | 63.2 | 58.0 | 64.0 | 55.3 | 61.5 | 37.8 | 38.9 | 38.6 | 25.4 | 34.6 | 38.0 | 38.3 | **6,743.0** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,320.0** |
| H2O | 1960 | 332.6 | 328.2 | 354.9 | 343.6 | 354.9 | 341.5 | 337.2 | 335.1 | 324.3 | 320.2 | 306.7 | 335.8 | **11,371.9** |
| OIL | 1960 | 66.3 | 64.8 | 59.4 | 57.0 | 57.4 | 54.2 | 59.8 | 58.3 | 55.9 | 57.0 | 49.4 | 64.0 | **6,189.4** |
| DAY | 1959 | 22.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **956.0** |
| H2O | 1959 | 224.5 | 325.5 | 367.3 | 348.7 | 318.9 | 286.2 | 280.6 | 295.7 | 281.1 | 282.7 | 283.6 | 345.2 | **7,356.9** |
| OIL | 1959 | 88.0 | 117.6 | 122.2 | 118.9 | 105.0 | 94.4 | 93.6 | 96.0 | 100.4 | 104.6 | 93.9 | 69.0 | **5,485.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1406*** Well Name ***Interlake Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-17-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 31.0 | 28.0 | 29.0 | 30.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **604.0** |
| H2O | 1958 | 143.1 | 140.2 | 161.9 | 232.1 | 249.6 | 266.1 | 359.5 | 244.4 | 290.2 | 313.5 | 333.4 | 339.0 | **3,716.9** |
| OIL | 1958 | 252.8 | 221.5 | 158.0 | 153.7 | 149.4 | 154.9 | 166.7 | 134.8 | 131.1 | 124.3 | 118.5 | 118.7 | **4,282.3** |
| DAY | 1957 | 0.0 | 0.0 | 8.0 | 21.0 | 27.0 | 27.0 | 29.0 | 30.0 | 27.0 | 21.0 | 23.0 | 30.0 | **243.0** |
| H2O | 1957 | 0.0 | 0.0 | 17.8 | 11.4 | 41.0 | 39.1 | 39.9 | 82.7 | 63.3 | 96.7 | 131.6 | 120.4 | **643.9** |
| OIL | 1957 | 0.0 | 0.0 | 142.9 | 219.3 | 275.7 | 276.8 | 234.1 | 318.1 | 301.9 | 210.6 | 198.3 | 220.2 | **2,397.9** |

Licence ***1407*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-29-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 29.0 | 27.0 | 0.0 | 24.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,586.0** |
| H2O | 1975 | 218.1 | 196.7 | 241.5 | 221.1 | 0.0 | 189.0 | 271.6 | 243.7 | 225.4 | 211.9 | 179.3 | 183.9 | **26,708.1** |
| OIL | 1975 | 166.9 | 151.8 | 183.5 | 163.5 | 0.0 | 139.5 | 190.5 | 143.3 | 149.1 | 150.0 | 137.9 | 141.9 | **37,606.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 17.0 | 0.0 | 6.0 | 24.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,265.0** |
| H2O | 1974 | 200.6 | 172.8 | 215.7 | 111.1 | 0.0 | 43.9 | 209.9 | 303.4 | 263.0 | 279.4 | 243.6 | 218.0 | **24,325.9** |
| OIL | 1974 | 138.7 | 137.1 | 147.2 | 80.4 | 0.0 | 26.1 | 171.8 | 184.7 | 167.8 | 179.6 | 169.4 | 164.2 | **35,889.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,976.0** |
| H2O | 1973 | 168.7 | 254.6 | 195.7 | 191.9 | 189.0 | 189.0 | 173.8 | 205.4 | 171.5 | 176.9 | 164.1 | 193.2 | **22,064.5** |
| OIL | 1973 | 186.2 | 155.1 | 223.9 | 211.7 | 181.3 | 161.8 | 173.2 | 161.1 | 162.1 | 147.2 | 138.6 | 135.1 | **34,322.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,611.0** |
| H2O | 1972 | 136.2 | 137.5 | 123.2 | 99.7 | 128.1 | 111.4 | 186.5 | 234.7 | 153.9 | 155.0 | 152.6 | 140.9 | **19,790.7** |
| OIL | 1972 | 134.6 | 129.7 | 150.2 | 141.3 | 175.1 | 160.2 | 223.9 | 243.0 | 198.0 | 208.3 | 184.2 | 187.2 | **32,284.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,249.0** |
| H2O | 1971 | 131.5 | 130.5 | 140.4 | 88.7 | 92.2 | 79.8 | 131.3 | 131.3 | 126.5 | 138.5 | 125.1 | 126.4 | **18,031.0** |
| OIL | 1971 | 177.5 | 160.5 | 179.9 | 167.0 | 163.0 | 171.1 | 176.7 | 156.0 | 139.5 | 145.9 | 138.3 | 135.7 | **30,149.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,884.0** |
| H2O | 1970 | 123.1 | 107.7 | 161.9 | 146.0 | 117.4 | 112.8 | 105.8 | 103.1 | 162.2 | 162.7 | 140.3 | 108.1 | **16,588.8** |
| OIL | 1970 | 183.4 | 162.7 | 184.3 | 179.3 | 178.1 | 164.8 | 177.8 | 178.5 | 171.1 | 175.9 | 172.1 | 166.2 | **28,237.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 14.0 | 29.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,519.0** |
| H2O | 1969 | 142.5 | 116.6 | 137.1 | 60.1 | 136.3 | 158.1 | 185.1 | 143.8 | 137.1 | 154.1 | 128.2 | 137.6 | **15,037.7** |
| OIL | 1969 | 197.0 | 169.4 | 177.8 | 81.0 | 178.8 | 196.6 | 222.3 | 181.6 | 170.8 | 179.9 | 166.9 | 182.9 | **26,143.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,174.0** |
| H2O | 1968 | 159.8 | 159.6 | 139.3 | 146.6 | 146.5 | 125.0 | 121.8 | 120.7 | 107.3 | 114.5 | 113.9 | 144.5 | **13,401.1** |
| OIL | 1968 | 199.7 | 180.4 | 217.7 | 218.8 | 216.0 | 193.6 | 211.2 | 180.5 | 197.5 | 197.5 | 192.9 | 199.7 | **24,038.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,808.0** |
| H2O | 1967 | 80.1 | 70.1 | 79.3 | 29.6 | 54.3 | 83.4 | 103.8 | 114.0 | 72.6 | 118.2 | 129.6 | 170.9 | **11,801.6** |
| OIL | 1967 | 190.7 | 166.5 | 187.8 | 73.4 | 171.8 | 180.7 | 210.1 | 206.1 | 211.2 | 209.6 | 213.7 | 205.5 | **21,633.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,447.0** |
| H2O | 1966 | 107.4 | 103.0 | 309.1 | 174.6 | 121.0 | 118.2 | 112.3 | 132.2 | 105.2 | 105.2 | 64.8 | 58.6 | **10,695.7** |
| OIL | 1966 | 239.6 | 215.6 | 307.0 | 288.9 | 237.1 | 204.2 | 204.4 | 201.3 | 214.8 | 230.4 | 189.3 | 192.0 | **19,406.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,082.0** |
| H2O | 1965 | 45.9 | 35.9 | 17.5 | 16.5 | 19.2 | 85.7 | 67.9 | 107.3 | 76.6 | 83.6 | 85.7 | 93.0 | **9,184.1** |
| OIL | 1965 | 116.5 | 106.8 | 107.6 | 119.3 | 103.3 | 118.2 | 127.3 | 118.5 | 119.3 | 121.9 | 129.7 | 157.6 | **16,681.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,717.0** |
| H2O | 1964 | 0.0 | 0.0 | 27.0 | 27.2 | 6.8 | 5.6 | 123.2 | 55.6 | 40.4 | 43.1 | 25.3 | 49.9 | **8,449.3** |
| OIL | 1964 | 69.3 | 65.0 | 68.5 | 69.4 | 72.5 | 54.2 | 158.4 | 121.2 | 116.2 | 119.5 | 119.7 | 122.2 | **15,235.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,355.0** |
| H2O | 1963 | 5.4 | 4.8 | 6.8 | 11.1 | 12.6 | 11.9 | 0.0 | 4.5 | 4.5 | 0.0 | 0.0 | 0.0 | **8,045.2** |
| OIL | 1963 | 93.9 | 85.2 | 96.6 | 102.0 | 101.7 | 102.0 | 43.5 | 89.8 | 76.9 | 93.4 | 76.9 | 71.2 | **14,079.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,990.0** |
| H2O | 1962 | 18.4 | 20.5 | 20.7 | 9.4 | 12.6 | 8.9 | 28.6 | 1.4 | 8.7 | 0.0 | 0.0 | 0.0 | **7,983.6** |

# Manitoba Production
## 1950 To 1975

Licence ***1407*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-29-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 122.8 | 109.6 | 110.6 | 104.2 | 117.4 | 109.2 | 110.9 | 101.7 | 102.0 | 105.5 | 92.0 | 97.7 | **13,046.3** |
| DAY | 1961 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,625.0** |
| H2O | 1961 | 43.9 | 41.5 | 59.0 | 49.0 | 33.2 | 29.6 | 39.0 | 44.2 | 45.2 | 30.7 | 18.1 | 18.6 | **7,854.4** |
| OIL | 1961 | 167.0 | 141.6 | 166.2 | 144.9 | 149.5 | 149.9 | 154.5 | 141.1 | 136.5 | 134.1 | 117.0 | 125.4 | **11,762.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,261.0** |
| H2O | 1960 | 100.0 | 77.9 | 82.4 | 77.9 | 79.5 | 94.6 | 96.5 | 90.9 | 65.3 | 68.0 | 64.1 | 68.4 | **7,402.4** |
| OIL | 1960 | 227.7 | 192.1 | 199.7 | 199.0 | 192.0 | 193.1 | 199.3 | 190.2 | 188.5 | 198.0 | 171.1 | 203.6 | **10,035.0** |
| DAY | 1959 | 30.0 | 28.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **896.0** |
| H2O | 1959 | 195.7 | 175.2 | 185.2 | 204.0 | 218.8 | 239.9 | 234.7 | 83.6 | 86.3 | 79.5 | 82.7 | 92.5 | **6,436.9** |
| OIL | 1959 | 288.1 | 259.3 | 306.9 | 321.2 | 334.7 | 333.9 | 313.8 | 266.3 | 254.4 | 261.9 | 244.6 | 217.9 | **7,680.7** |
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **537.0** |
| H2O | 1958 | 247.2 | 186.8 | 235.0 | 173.3 | 223.5 | 233.7 | 245.5 | 253.6 | 240.5 | 237.4 | 210.8 | 210.5 | **4,558.8** |
| OIL | 1958 | 199.3 | 229.5 | 262.5 | 230.9 | 297.6 | 291.1 | 314.0 | 310.0 | 306.1 | 309.2 | 285.4 | 300.7 | **4,277.7** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 28.0 | 26.0 | 31.0 | 30.0 | 31.0 | **175.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 335.0 | 563.6 | 248.2 | 257.1 | 221.3 | 235.8 | **1,861.0** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 103.8 | 140.3 | 158.3 | 194.0 | 174.6 | 170.4 | **941.4** |

Licence ***1408*** Well Name ***Enerplus South Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-36-009-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 22.0 | 5.0 | 15.0 | 26.0 | 5.0 | 0.0 | 0.0 | **1,078.0** |
| H2O | 1960 | 583.0 | 506.1 | 516.9 | 502.6 | 483.0 | 298.4 | 152.3 | 332.4 | 463.0 | 83.2 | 0.0 | 0.0 | **17,432.0** |
| OIL | 1960 | 10.8 | 8.9 | 8.9 | 9.1 | 8.7 | 5.7 | 4.9 | 10.0 | 15.3 | 14.2 | 0.0 | 0.0 | **1,703.0** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 27.0 | 31.0 | 28.0 | 31.0 | 25.0 | 30.0 | 30.0 | 25.0 | 31.0 | **853.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 524.7 | 651.7 | 561.1 | 603.8 | 420.7 | 491.8 | 516.6 | 491.8 | 518.6 | **13,511.1** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 17.8 | 19.7 | 19.1 | 20.0 | 11.8 | 12.1 | 11.0 | 8.9 | 10.8 | **1,606.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 5.0 | 0.0 | **595.0** |
| H2O | 1958 | 456.0 | 421.8 | 59.5 | 456.1 | 446.1 | 421.0 | 516.1 | 518.1 | 468.4 | 467.6 | 79.7 | 0.0 | **8,730.3** |
| OIL | 1958 | 27.3 | 21.9 | 27.8 | 64.0 | 51.2 | 40.4 | 37.8 | 38.3 | 33.5 | 32.6 | 4.9 | 0.0 | **1,475.3** |
| DAY | 1957 | 0.0 | 1.0 | 31.0 | 30.0 | 15.0 | 29.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **286.0** |
| H2O | 1957 | 0.0 | 0.2 | 1.0 | 0.6 | 0.3 | 610.5 | 737.4 | 755.2 | 927.5 | 437.1 | 421.0 | 529.1 | **4,419.9** |
| OIL | 1957 | 0.0 | 11.1 | 300.7 | 191.8 | 88.2 | 79.3 | 101.4 | 110.1 | 112.7 | 36.4 | 31.3 | 32.6 | **1,095.6** |

Licence ***1409*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-02-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 29.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,439.0** |
| H2O | 1975 | 184.3 | 173.4 | 187.4 | 187.9 | 178.7 | 177.7 | 191.1 | 187.3 | 194.6 | 105.2 | 104.4 | 111.6 | **25,522.8** |
| OIL | 1975 | 29.9 | 28.4 | 31.8 | 30.2 | 29.7 | 31.1 | 31.6 | 31.9 | 30.8 | 8.3 | 8.3 | 8.4 | **12,226.5** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 4.0 | 27.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,079.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 52.5 | 471.7 | 497.9 | 549.8 | 115.4 | 113.2 | 168.4 | 166.5 | 192.8 | **23,539.2** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 6.2 | 56.4 | 61.5 | 71.8 | 8.4 | 8.7 | 32.3 | 31.3 | 31.6 | **11,926.1** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 4.0 | 30.0 | 27.0 | 31.0 | 31.0 | 30.0 | 30.0 | 0.0 | 0.0 | **4,837.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 2.1 | 15.3 | 286.8 | 293.2 | 297.6 | 528.3 | 514.5 | 0.0 | 0.0 | **21,211.0** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.6 | 4.4 | 32.4 | 36.7 | 32.3 | 59.9 | 61.2 | 0.0 | 0.0 | **11,617.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | 29.0 | 0.0 | 0.0 | **4,654.0** |
| H2O | 1972 | 107.6 | 76.0 | 81.7 | 77.4 | 82.8 | 86.5 | 86.2 | 14.8 | 15.3 | 14.3 | 0.0 | 0.0 | **19,273.2** |
| OIL | 1972 | 40.5 | 35.8 | 37.8 | 32.7 | 34.2 | 34.0 | 36.1 | 4.3 | 4.4 | 3.8 | 0.0 | 0.0 | **11,390.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,356.0** |
| H2O | 1971 | 101.6 | 96.8 | 97.0 | 101.4 | 88.4 | 82.7 | 80.8 | 87.9 | 83.9 | 106.8 | 104.8 | 100.5 | **18,630.6** |
| OIL | 1971 | 28.9 | 25.9 | 28.3 | 28.0 | 32.3 | 31.0 | 36.1 | 37.2 | 34.8 | 38.3 | 38.1 | 39.4 | **11,126.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1409*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-02-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,991.0** |
| H2O | 1970 | 145.6 | 130.0 | 140.9 | 132.3 | 142.8 | 91.9 | 94.1 | 97.0 | 83.0 | 103.7 | 95.1 | 95.9 | **17,498.0** |
| OIL | 1970 | 44.7 | 39.7 | 43.7 | 38.0 | 42.6 | 35.6 | 38.0 | 37.5 | 33.2 | 32.3 | 26.4 | 28.1 | **10,728.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,630.0** |
| H2O | 1969 | 66.1 | 61.4 | 64.9 | 64.7 | 66.9 | 65.2 | 143.2 | 136.4 | 137.8 | 139.4 | 140.5 | 135.6 | **16,145.7** |
| OIL | 1969 | 81.7 | 75.3 | 84.1 | 79.1 | 78.2 | 86.1 | 44.2 | 43.9 | 40.0 | 41.6 | 42.0 | 42.9 | **10,288.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,265.0** |
| H2O | 1968 | 52.5 | 51.0 | 55.6 | 51.4 | 67.4 | 62.3 | 69.3 | 66.1 | 56.6 | 67.1 | 65.8 | 66.3 | **14,923.6** |
| OIL | 1968 | 25.9 | 25.4 | 26.2 | 23.4 | 83.0 | 82.5 | 82.3 | 82.0 | 72.8 | 83.6 | 78.3 | 83.0 | **9,549.6** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 31.0 | 31.0 | 30.0 | 28.0 | 28.0 | 31.0 | **2,900.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 49.4 | 53.6 | 48.3 | 50.6 | 43.9 | 45.9 | 53.9 | **14,192.2** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 22.9 | 22.6 | 23.0 | 20.3 | 22.1 | 25.7 | **8,801.2** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 31.0 | 31.0 | 27.0 | 29.0 | 0.0 | 0.0 | **2,692.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 133.2 | 100.0 | 65.5 | 87.8 | 54.1 | 0.0 | 0.0 | **13,846.6** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 61.7 | 70.2 | 67.5 | 44.5 | 38.9 | 0.0 | 0.0 | **8,644.6** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 29.0 | 31.0 | 30.0 | 0.0 | **2,545.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 110.5 | 123.4 | 196.5 | 108.7 | 0.0 | **13,406.0** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 52.9 | 42.7 | 76.9 | 46.7 | 0.0 | **8,361.8** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 3.0 | 31.0 | 30.0 | 26.0 | 31.0 | 28.0 | 31.0 | 0.0 | 0.0 | **2,438.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 5.6 | 109.4 | 85.5 | 80.9 | 79.5 | 73.4 | 49.3 | 0.0 | 0.0 | **12,866.9** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 13.2 | 50.1 | 49.1 | 41.2 | 45.3 | 40.7 | 62.6 | 0.0 | 0.0 | **8,142.6** |
| DAY | 1963 | 10.0 | 0.0 | 0.0 | 23.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 1.0 | 0.0 | **2,258.0** |
| H2O | 1963 | 36.7 | 0.0 | 0.0 | 78.4 | 81.2 | 70.1 | 78.2 | 107.6 | 86.8 | 89.8 | 0.5 | 0.0 | **12,383.3** |
| OIL | 1963 | 41.5 | 0.0 | 0.0 | 32.9 | 40.7 | 39.4 | 45.9 | 56.7 | 46.1 | 49.9 | 4.1 | 0.0 | **7,840.4** |
| DAY | 1962 | 23.0 | 26.0 | 31.0 | 26.0 | 31.0 | 29.0 | 28.0 | 31.0 | 26.0 | 27.0 | 29.0 | 23.0 | **2,043.0** |
| H2O | 1962 | 50.2 | 58.3 | 64.7 | 70.1 | 71.4 | 63.0 | 51.4 | 66.3 | 59.8 | 63.8 | 50.7 | 74.9 | **11,754.0** |
| OIL | 1962 | 33.1 | 66.3 | 75.5 | 41.8 | 66.1 | 61.0 | 53.9 | 47.7 | 43.1 | 56.4 | 60.5 | 16.5 | **7,483.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 27.0 | 28.0 | 29.0 | 31.0 | 28.0 | 30.0 | **1,713.0** |
| H2O | 1961 | 164.9 | 143.6 | 151.2 | 146.6 | 124.5 | 132.4 | 106.7 | 94.8 | 104.9 | 78.2 | 71.1 | 62.0 | **11,009.4** |
| OIL | 1961 | 83.1 | 80.4 | 85.2 | 77.5 | 64.0 | 69.4 | 57.4 | 63.2 | 62.6 | 52.3 | 43.9 | 46.1 | **6,861.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,362.0** |
| H2O | 1960 | 364.9 | 335.6 | 325.0 | 362.6 | 316.5 | 323.4 | 315.9 | 293.6 | 236.7 | 192.4 | 189.2 | 174.1 | **9,628.5** |
| OIL | 1960 | 119.7 | 112.0 | 109.6 | 119.7 | 124.1 | 125.7 | 127.4 | 129.2 | 109.3 | 110.6 | 90.4 | 91.8 | **6,076.2** |
| DAY | 1959 | 27.0 | 28.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **998.0** |
| H2O | 1959 | 313.0 | 362.8 | 382.3 | 400.5 | 385.7 | 350.9 | 387.9 | 385.8 | 362.0 | 344.4 | 363.7 | 366.1 | **6,198.6** |
| OIL | 1959 | 98.7 | 114.9 | 119.7 | 120.5 | 121.9 | 115.2 | 126.8 | 125.1 | 116.8 | 109.0 | 114.7 | 117.6 | **4,706.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 16.0 | 30.0 | 31.0 | **643.0** |
| H2O | 1958 | 39.7 | 49.0 | 42.4 | 46.1 | 49.1 | 23.7 | 51.8 | 46.9 | 48.5 | 304.0 | 391.1 | 396.3 | **1,793.5** |
| OIL | 1958 | 125.9 | 109.2 | 89.1 | 107.4 | 105.8 | 98.2 | 96.3 | 91.4 | 86.1 | 78.8 | 125.7 | 115.8 | **3,305.8** |
| DAY | 1957 | 0.0 | 2.0 | 28.0 | 27.0 | 24.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **293.0** |
| H2O | 1957 | 0.0 | 0.2 | 0.6 | 43.1 | 27.5 | 17.5 | 25.9 | 32.7 | 23.4 | 63.3 | 32.7 | 38.0 | **304.9** |
| OIL | 1957 | 0.0 | 48.6 | 286.0 | 308.6 | 230.9 | 232.8 | 211.5 | 180.4 | 146.5 | 154.0 | 140.8 | 136.0 | **2,076.1** |

Licence ***1411*** Well Name ***North Virden Scallion No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-17-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 0.0 | 0.0 | 29.0 | 28.0 | 12.0 | 24.0 | 30.0 | 31.0 | 26.0 | 27.0 | 22.0 | 0.0 | **3,176.0** |
| H2O | 1966 | 0.0 | 0.0 | 795.0 | 790.3 | 309.4 | 680.5 | 758.5 | 871.6 | 738.6 | 735.0 | 569.6 | 0.0 | **83,263.1** |
| OIL | 1966 | 0.0 | 0.0 | 26.7 | 26.0 | 10.3 | 22.9 | 26.4 | 29.9 | 25.4 | 24.8 | 20.3 | 0.0 | **6,039.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **2,947.0** |
| H2O | 1965 | 868.7 | 759.7 | 761.2 | 672.2 | 778.3 | 729.4 | 714.5 | 732.3 | 694.8 | 707.3 | 636.8 | 612.4 | **77,014.6** |

# Manitoba Production
## 1950 To 1975

Licence ***1411*** Well Name ***North Virden Scallion No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-17-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1965 | 24.9 | 24.0 | 23.8 | 22.4 | 25.9 | 24.5 | 24.8 | 24.6 | 22.9 | 23.4 | 22.6 | 19.9 | **5,827.2** |
| DAY | 1964 | 31.0 | 29.0 | 28.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 27.0 | 24.0 | 30.0 | 20.0 | **2,586.0** |
| H2O | 1964 | 695.3 | 822.1 | 722.5 | 852.3 | 814.0 | 833.1 | 795.6 | 769.5 | 775.1 | 693.4 | 819.3 | 534.2 | **68,347.0** |
| OIL | 1964 | 27.3 | 27.2 | 25.6 | 26.7 | 25.4 | 25.4 | 24.2 | 23.8 | 23.0 | 20.8 | 25.9 | 16.7 | **5,543.5** |
| DAY | 1963 | 31.0 | 27.0 | 17.0 | 26.0 | 11.0 | 11.0 | 26.0 | 22.0 | 30.0 | 30.0 | 30.0 | 30.0 | **2,246.0** |
| H2O | 1963 | 953.6 | 801.6 | 445.5 | 625.6 | 292.9 | 305.1 | 699.6 | 563.3 | 825.8 | 766.5 | 644.9 | 707.3 | **59,220.6** |
| OIL | 1963 | 29.9 | 34.2 | 16.7 | 24.3 | 11.3 | 12.2 | 28.1 | 22.4 | 29.7 | 28.8 | 22.2 | 28.8 | **5,251.5** |
| DAY | 1962 | 15.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 29.0 | **1,955.0** |
| H2O | 1962 | 506.5 | 922.6 | 1021.5 | 956.8 | 1073.3 | 1024.2 | 1110.5 | 1098.9 | 1091.6 | 1062.2 | 962.2 | 939.5 | **51,588.9** |
| OIL | 1962 | 18.8 | 34.3 | 38.0 | 34.3 | 35.8 | 33.5 | 36.9 | 36.7 | 35.9 | 34.8 | 30.8 | 30.8 | **4,962.9** |
| DAY | 1961 | 29.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **1,611.0** |
| H2O | 1961 | 963.2 | 921.0 | 875.1 | 890.0 | 1091.6 | 1023.9 | 937.9 | 1021.4 | 965.2 | 1040.4 | 874.8 | 1026.0 | **39,819.1** |
| OIL | 1961 | 48.9 | 50.7 | 47.8 | 68.2 | 63.2 | 59.0 | 52.8 | 42.0 | 39.7 | 41.2 | 34.2 | 38.3 | **4,562.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,258.0** |
| H2O | 1960 | 977.6 | 896.2 | 106.8 | 568.7 | 699.7 | 816.8 | 714.5 | 754.5 | 764.5 | 677.9 | 925.1 | 975.5 | **28,188.6** |
| OIL | 1960 | 68.6 | 63.6 | 63.9 | 44.7 | 48.9 | 47.2 | 48.3 | 57.8 | 48.1 | 49.7 | 49.1 | 50.2 | **3,976.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 27.0 | 31.0 | **895.0** |
| H2O | 1959 | 874.7 | 819.9 | 934.0 | 906.8 | 828.0 | 905.7 | 1009.7 | 950.7 | 925.3 | 994.1 | 831.8 | 858.2 | **19,310.8** |
| OIL | 1959 | 100.1 | 87.4 | 96.8 | 93.4 | 78.0 | 75.5 | 83.6 | 60.2 | 78.7 | 65.5 | 60.5 | 72.6 | **3,336.2** |
| DAY | 1958 | 28.0 | 28.0 | 30.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **537.0** |
| H2O | 1958 | 156.8 | 156.1 | 201.0 | 239.4 | 318.0 | 824.0 | 882.2 | 960.2 | 924.0 | 641.5 | 850.2 | 885.4 | **8,471.9** |
| OIL | 1958 | 99.5 | 97.7 | 104.6 | 125.5 | 86.8 | 130.1 | 146.5 | 132.1 | 101.5 | 92.5 | 102.0 | 104.9 | **2,383.9** |
| DAY | 1957 | 0.0 | 2.0 | 6.0 | 0.0 | 0.0 | 19.0 | 28.0 | 24.0 | 30.0 | 31.0 | 15.0 | 29.0 | **184.0** |
| H2O | 1957 | 0.0 | 16.0 | 85.7 | 0.0 | 0.0 | 43.9 | 233.8 | 336.7 | 214.3 | 208.7 | 85.0 | 209.0 | **1,433.1** |
| OIL | 1957 | 0.0 | 18.3 | 89.0 | 0.0 | 0.0 | 142.4 | 245.2 | 194.8 | 110.6 | 104.8 | 54.0 | 101.1 | **1,060.2** |

Licence ***1414*** Well Name ***Enerplus South Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-03-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | **900.0** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.5 | 0.0 | 0.0 | 0.0 | **1,032.6** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 19.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **899.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 504.0 | 600.0 | 715.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **13,804.9** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 2.2 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,024.1** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 2.0 | 31.0 | 27.0 | 31.0 | 26.0 | 26.0 | 18.0 | 0.0 | 0.0 | **860.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 732.1 | 598.2 | 735.3 | 578.1 | 572.5 | 394.6 | 0.0 | 0.0 | **11,985.5** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 7.9 | 26.5 | 18.0 | 18.8 | 14.3 | 15.6 | 11.4 | 0.0 | 0.0 | **1,019.8** |
| DAY | 1959 | 25.0 | 0.0 | 20.0 | 30.0 | 30.0 | 30.0 | 27.0 | 31.0 | 19.0 | 29.0 | 12.0 | 0.0 | **699.0** |
| H2O | 1959 | 298.2 | 0.0 | 256.4 | 418.3 | 577.4 | 688.7 | 595.7 | 711.0 | 428.0 | 651.5 | 309.5 | 0.0 | **8,374.7** |
| OIL | 1959 | 35.3 | 0.0 | 28.3 | 34.8 | 19.2 | 21.1 | 17.3 | 18.6 | 11.1 | 18.0 | 6.5 | 0.0 | **907.3** |
| DAY | 1958 | 20.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **446.0** |
| H2O | 1958 | 118.1 | 203.2 | 192.5 | 117.3 | 108.9 | 161.4 | 163.7 | 342.3 | 348.3 | 395.4 | 401.7 | 419.9 | **3,440.0** |
| OIL | 1958 | 9.4 | 23.0 | 30.0 | 32.4 | 50.7 | 45.9 | 44.2 | 39.7 | 35.9 | 41.3 | 44.5 | 41.0 | **697.1** |
| DAY | 1957 | 0.0 | 0.0 | 3.0 | 17.0 | 29.0 | 27.0 | 16.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **92.0** |
| H2O | 1957 | 0.0 | 0.0 | 2.2 | 10.5 | 22.3 | 24.5 | 407.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **467.3** |
| OIL | 1957 | 0.0 | 0.0 | 20.7 | 52.3 | 85.5 | 68.2 | 32.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **259.1** |

Licence ***1415*** Well Name ***Can Delhi Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-17-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 29.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,422.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1415*** Well Name ***Can Delhi Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-17-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1964 | 11.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **17,737.7** |
| OIL | 1964 | 11.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,134.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 9.0 | 16.0 | **2,393.0** |
| H2O | 1963 | 200.4 | 171.7 | 202.0 | 213.3 | 232.3 | 224.5 | 222.9 | 201.7 | 180.8 | 196.3 | 40.0 | 57.7 | **17,725.8** |
| OIL | 1963 | 19.7 | 17.0 | 19.5 | 18.0 | 18.6 | 17.2 | 15.1 | 14.5 | 13.2 | 14.9 | 2.5 | 6.7 | **7,122.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,064.0** |
| H2O | 1962 | 255.5 | 230.1 | 266.0 | 252.5 | 250.6 | 222.0 | 225.8 | 226.0 | 204.7 | 203.1 | 197.3 | 203.9 | **15,582.2** |
| OIL | 1962 | 40.8 | 35.8 | 39.4 | 37.7 | 38.9 | 37.7 | 38.9 | 38.6 | 20.7 | 18.3 | 19.1 | 19.5 | **6,945.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | **1,700.0** |
| H2O | 1961 | 267.9 | 253.1 | 275.5 | 243.4 | 291.0 | 305.0 | 313.2 | 309.3 | 196.0 | 276.6 | 258.7 | 264.2 | **12,844.7** |
| OIL | 1961 | 59.4 | 53.6 | 59.1 | 51.6 | 58.5 | 52.3 | 53.6 | 53.1 | 31.0 | 44.0 | 42.6 | 42.3 | **6,560.1** |
| DAY | 1960 | 31.0 | 29.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,344.0** |
| H2O | 1960 | 355.6 | 325.6 | 24.6 | 21.6 | 22.2 | 24.1 | 202.7 | 222.6 | 256.6 | 313.2 | 313.4 | 270.7 | **9,590.8** |
| OIL | 1960 | 42.6 | 38.9 | 15.6 | 14.1 | 13.5 | 6.7 | 110.4 | 92.5 | 61.2 | 33.2 | 39.3 | 57.7 | **5,959.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **984.0** |
| H2O | 1959 | 345.3 | 314.2 | 357.7 | 351.2 | 326.4 | 295.0 | 283.9 | 340.7 | 347.5 | 296.1 | 302.3 | 358.3 | **7,237.9** |
| OIL | 1959 | 80.9 | 99.0 | 102.5 | 99.8 | 89.8 | 98.8 | 96.0 | 89.6 | 80.1 | 75.3 | 71.4 | 45.4 | **5,433.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **624.0** |
| H2O | 1958 | 148.5 | 133.0 | 175.5 | 207.5 | 213.7 | 228.3 | 236.1 | 239.5 | 213.9 | 322.0 | 334.8 | 328.6 | **3,319.3** |
| OIL | 1958 | 344.2 | 288.4 | 197.0 | 132.1 | 130.9 | 124.9 | 134.0 | 131.3 | 89.9 | 98.8 | 108.7 | 92.0 | **4,404.7** |
| DAY | 1957 | 0.0 | 0.0 | 12.0 | 25.0 | 28.0 | 30.0 | 30.0 | 30.0 | 28.0 | 25.0 | 25.0 | 28.0 | **261.0** |
| H2O | 1957 | 0.0 | 0.0 | 5.6 | 14.0 | 41.5 | 43.5 | 46.0 | 59.0 | 64.3 | 52.2 | 75.7 | 136.1 | **537.9** |
| OIL | 1957 | 0.0 | 0.0 | 147.8 | 244.2 | 274.1 | 316.5 | 282.1 | 269.4 | 295.4 | 232.0 | 238.0 | 233.0 | **2,532.5** |

Licence ***1416*** Well Name ***North Virden Scallion No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-17-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 24.0 | 30.0 | **6,340.0** |
| H2O | 1975 | 1883.0 | 1769.8 | 2103.0 | 2019.7 | 2040.5 | 1835.1 | 1939.7 | 2049.4 | 2343.8 | 2311.4 | 1855.6 | 2560.9 | **269,171.4** |
| OIL | 1975 | 45.4 | 39.4 | 46.4 | 45.8 | 45.3 | 40.2 | 37.3 | 38.9 | 46.1 | 42.6 | 40.5 | 44.7 | **17,847.1** |
| DAY | 1974 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,984.0** |
| H2O | 1974 | 1707.9 | 1431.8 | 1669.1 | 1620.2 | 1751.8 | 1615.2 | 1714.9 | 1772.5 | 1855.5 | 2055.6 | 2124.0 | 2037.6 | **244,459.5** |
| OIL | 1974 | 74.8 | 63.6 | 72.1 | 68.2 | 70.1 | 64.2 | 62.9 | 63.9 | 69.1 | 45.4 | 50.7 | 49.4 | **17,334.5** |
| DAY | 1973 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,625.0** |
| H2O | 1973 | 1905.5 | 1671.4 | 1806.0 | 1727.6 | 1751.3 | 1645.1 | 1818.9 | 1714.0 | 1665.5 | 1758.0 | 1676.0 | 1735.9 | **223,103.4** |
| OIL | 1973 | 73.3 | 61.2 | 92.3 | 46.1 | 66.9 | 68.6 | 69.4 | 68.2 | 69.4 | 72.9 | 76.3 | 78.2 | **16,580.1** |
| DAY | 1972 | 31.0 | 29.0 | 27.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **5,261.0** |
| H2O | 1972 | 1944.5 | 1756.1 | 1710.3 | 2307.0 | 1840.5 | 1988.4 | 2052.6 | 2031.8 | 1945.0 | 2004.7 | 1854.8 | 1881.2 | **202,228.2** |
| OIL | 1972 | 78.3 | 80.9 | 73.4 | 93.3 | 79.1 | 75.3 | 74.2 | 74.4 | 72.6 | 68.5 | 63.4 | 70.6 | **15,737.3** |
| DAY | 1971 | 28.0 | 22.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,903.0** |
| H2O | 1971 | 2592.7 | 1672.9 | 2596.5 | 2427.6 | 2570.6 | 2353.2 | 2554.9 | 2516.9 | 1976.1 | 2055.8 | 2048.8 | 2258.9 | **178,911.3** |
| OIL | 1971 | 98.7 | 64.7 | 105.5 | 99.2 | 102.5 | 90.1 | 99.8 | 94.6 | 86.8 | 92.2 | 82.5 | 87.6 | **14,833.3** |
| DAY | 1970 | 31.0 | 28.0 | 30.0 | 22.0 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 31.0 | 26.0 | 28.0 | **4,549.0** |
| H2O | 1970 | 837.0 | 711.9 | 807.8 | 1751.0 | 2325.9 | 2055.5 | 2245.3 | 2050.5 | 2048.6 | 2365.6 | 2066.3 | 2465.8 | **151,286.4** |
| OIL | 1970 | 43.7 | 38.8 | 44.3 | 68.6 | 97.6 | 92.5 | 90.1 | 74.1 | 79.1 | 100.6 | 90.1 | 108.9 | **13,729.1** |
| DAY | 1969 | 31.0 | 27.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,205.0** |
| H2O | 1969 | 643.7 | 1115.7 | 2323.0 | 2204.6 | 1907.4 | 2383.0 | 2493.6 | 2326.4 | 2121.3 | 2106.2 | 2066.4 | 2083.0 | **129,555.2** |
| OIL | 1969 | 34.8 | 69.6 | 126.2 | 101.9 | 89.5 | 108.7 | 106.0 | 106.3 | 93.0 | 89.3 | 86.9 | 93.0 | **12,800.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 25.0 | 6.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | **3,847.0** |
| H2O | 1968 | 1044.5 | 920.7 | 1054.0 | 701.7 | 153.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 503.5 | **105,780.9** |
| OIL | 1968 | 37.0 | 35.4 | 42.1 | 29.7 | 8.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.5 | **11,695.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1416*** Well Name ***North Virden Scallion No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-17-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 18.0 | 30.0 | 26.0 | 31.0 | 25.0 | 31.0 | **3,703.0** |
| H2O | 1967 | 948.5 | 908.6 | 991.4 | 963.1 | 975.2 | 866.8 | 562.8 | 937.5 | 827.3 | 1016.8 | 774.7 | 1046.4 | **101,403.2** |
| OIL | 1967 | 51.8 | 44.7 | 50.5 | 45.1 | 48.0 | 41.5 | 26.9 | 47.7 | 38.6 | 41.6 | 30.8 | 42.3 | **11,519.1** |
| DAY | 1966 | 13.0 | 28.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 29.0 | 31.0 | **3,363.0** |
| H2O | 1966 | 344.4 | 782.3 | 844.3 | 918.9 | 918.6 | 906.3 | 855.3 | 922.2 | 814.3 | 924.3 | 863.3 | 968.8 | **90,584.1** |
| OIL | 1966 | 23.4 | 49.7 | 37.5 | 47.7 | 48.9 | 48.5 | 47.2 | 50.2 | 44.5 | 49.4 | 49.1 | 50.1 | **11,009.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **3,024.0** |
| H2O | 1965 | 930.7 | 813.7 | 815.6 | 686.2 | 833.9 | 759.4 | 765.5 | 784.7 | 744.2 | 757.9 | 682.2 | 656.1 | **80,521.1** |
| OIL | 1965 | 57.7 | 55.6 | 55.3 | 49.6 | 59.8 | 55.1 | 57.4 | 56.9 | 52.9 | 54.0 | 52.1 | 46.2 | **10,463.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 29.0 | 27.0 | 30.0 | 30.0 | 21.0 | **2,663.0** |
| H2O | 1964 | 761.4 | 885.8 | 888.7 | 913.0 | 872.0 | 892.5 | 852.3 | 746.9 | 804.0 | 894.9 | 905.2 | 595.9 | **71,291.0** |
| OIL | 1964 | 64.8 | 63.1 | 67.9 | 62.0 | 59.0 | 59.0 | 55.9 | 50.1 | 51.3 | 58.0 | 62.0 | 40.5 | **9,810.8** |
| DAY | 1963 | 31.0 | 27.0 | 28.0 | 26.0 | 14.0 | 22.0 | 19.0 | 23.0 | 26.0 | 30.0 | 30.0 | 30.0 | **2,315.0** |
| H2O | 1963 | 727.0 | 611.1 | 619.1 | 476.3 | 298.6 | 454.2 | 369.3 | 608.3 | 767.7 | 821.0 | 690.8 | 757.7 | **61,278.4** |
| OIL | 1963 | 41.2 | 47.2 | 42.1 | 33.5 | 21.1 | 33.2 | 26.9 | 52.3 | 59.6 | 66.4 | 51.6 | 66.6 | **9,117.2** |
| DAY | 1962 | 17.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | **2,009.0** |
| H2O | 1962 | 629.2 | 1017.6 | 1125.7 | 1061.7 | 1191.1 | 1141.3 | 821.6 | 833.5 | 832.3 | 809.8 | 733.7 | 716.4 | **54,077.3** |
| OIL | 1962 | 25.3 | 41.3 | 45.6 | 41.5 | 43.2 | 40.7 | 58.5 | 50.2 | 49.6 | 48.0 | 42.6 | 42.4 | **8,575.5** |
| DAY | 1961 | 29.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,662.0** |
| H2O | 1961 | 976.8 | 938.5 | 883.8 | 853.4 | 1046.7 | 981.9 | 899.2 | 1133.4 | 1071.0 | 1154.7 | 1078.7 | 1152.4 | **43,163.4** |
| OIL | 1961 | 107.1 | 111.2 | 104.4 | 99.6 | 92.2 | 86.1 | 76.9 | 50.9 | 48.3 | 49.9 | 45.9 | 47.0 | **8,046.6** |
| DAY | 1960 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,306.0** |
| H2O | 1960 | 878.0 | 818.0 | 1016.7 | 789.7 | 985.4 | 1150.2 | 1006.3 | 954.8 | 999.8 | 1010.8 | 938.5 | 989.3 | **30,992.9** |
| OIL | 1960 | 113.5 | 106.6 | 111.9 | 124.9 | 112.3 | 108.5 | 111.1 | 103.0 | 88.7 | 104.4 | 107.7 | 110.0 | **7,127.1** |
| DAY | 1959 | 31.0 | 26.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **944.0** |
| H2O | 1959 | 868.7 | 756.1 | 927.5 | 900.8 | 928.8 | 874.2 | 974.9 | 949.1 | 886.5 | 940.4 | 792.0 | 817.2 | **19,455.4** |
| OIL | 1959 | 204.4 | 165.9 | 197.8 | 190.9 | 148.3 | 131.6 | 145.6 | 128.7 | 119.7 | 113.6 | 105.8 | 127.1 | **5,824.5** |
| DAY | 1958 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **587.0** |
| H2O | 1958 | 335.1 | 334.2 | 438.0 | 520.7 | 447.7 | 68.7 | 217.3 | 893.9 | 830.0 | 696.0 | 844.3 | 879.3 | **8,839.2** |
| OIL | 1958 | 185.4 | 182.3 | 199.1 | 147.6 | 152.9 | 69.8 | 106.3 | 218.2 | 216.6 | 206.3 | 208.2 | 213.9 | **4,045.1** |
| DAY | 1957 | 0.0 | 0.0 | 7.0 | 16.0 | 2.0 | 24.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 29.0 | **228.0** |
| H2O | 1957 | 0.0 | 0.0 | 49.9 | 74.1 | 9.1 | 207.2 | 242.9 | 400.2 | 283.0 | 428.5 | 344.5 | 294.6 | **2,334.0** |
| OIL | 1957 | 0.0 | 0.0 | 89.3 | 176.7 | 23.5 | 253.0 | 294.5 | 267.3 | 255.7 | 199.6 | 190.1 | 188.8 | **1,938.5** |

Licence ***1417*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-10-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1184.7 | 1078.8 | 1201.4 | 1165.8 | 1216.5 | 863.7 | 1083.9 | 1046.1 | 1072.0 | 1049.4 | 965.2 | 986.6 | **63,828.4** |
| WIN | 1974 | 873.1 | 992.2 | 1073.4 | 1118.4 | 1019.5 | 874.4 | 977.9 | 951.8 | 1089.3 | 1077.6 | 1077.2 | 1150.5 | **50,914.3** |
| WIN | 1973 | 494.9 | 316.5 | 267.2 | 410.8 | 167.7 | 136.6 | 635.1 | 946.9 | 1107.6 | 1043.5 | 940.2 | 894.9 | **38,639.0** |
| WIN | 1972 | 799.5 | 775.8 | 924.2 | 906.8 | 958.0 | 951.0 | 984.9 | 1012.9 | 985.8 | 1039.4 | 837.3 | 690.5 | **31,277.1** |
| WIN | 1971 | 803.0 | 775.5 | 894.1 | 879.6 | 821.1 | 705.9 | 548.0 | 682.7 | 719.9 | 838.5 | 797.3 | 828.0 | **20,411.0** |
| WIN | 1970 | 408.4 | 397.4 | 455.6 | 466.3 | 520.7 | 504.9 | 477.3 | 498.1 | 507.0 | 549.8 | 563.9 | 477.1 | **11,117.4** |
| WIN | 1969 | 209.1 | 192.8 | 213.5 | 205.4 | 228.0 | 233.9 | 222.9 | 250.6 | 259.8 | 332.7 | 323.4 | 333.1 | **5,290.9** |
| WIN | 1968 | 122.3 | 114.3 | 127.0 | 135.6 | 154.1 | 148.5 | 168.4 | 165.7 | 151.5 | 182.0 | 161.4 | 178.4 | **2,285.7** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 38.3 | 61.2 | 63.1 | 73.0 | 78.4 | 70.9 | 91.6 | **476.5** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 7.0 | 0.0 | **2,361.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 14.9 | 15.8 | 13.9 | 14.2 | 19.2 | 14.8 | 4.0 | 0.0 | **4,439.7** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 15.5 | 18.1 | 15.8 | 16.8 | 14.1 | 14.1 | 2.9 | 0.0 | **3,531.0** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 29.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 0.0 | **2,183.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 26.2 | 22.1 | 21.1 | 28.6 | 13.0 | 13.5 | 12.9 | 0.0 | **4,342.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1417*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-10-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 31.9 | 26.1 | 18.0 | 15.7 | 15.6 | 26.2 | 14.0 | 0.0 | **3,433.7** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 23.0 | 30.0 | 28.0 | 30.0 | 30.0 | 29.0 | 30.0 | 15.0 | 0.0 | **1,975.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 11.3 | 7.8 | 8.3 | 14.1 | 15.6 | 13.8 | 12.6 | 7.9 | 0.0 | **4,205.5** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 27.8 | 18.8 | 22.7 | 18.1 | 18.9 | 20.7 | 11.9 | 5.7 | 0.0 | **3,286.2** |
| DAY | 1963 | 0.0 | 0.0 | 10.0 | 29.0 | 29.0 | 29.0 | 30.0 | 26.0 | 29.0 | 30.0 | 18.0 | 0.0 | **1,760.0** |
| H2O | 1963 | 0.0 | 0.0 | 62.8 | 18.6 | 18.1 | 11.3 | 9.9 | 15.7 | 10.0 | 8.4 | 8.4 | 0.0 | **4,114.1** |
| OIL | 1963 | 0.0 | 0.0 | 14.9 | 29.1 | 30.5 | 31.0 | 34.0 | 32.1 | 30.2 | 18.8 | 15.9 | 0.0 | **3,141.6** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 25.0 | 30.0 | 27.0 | 30.0 | 31.0 | 26.0 | 30.0 | 30.0 | 9.0 | **1,530.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 21.1 | 17.8 | 11.1 | 19.7 | 11.9 | 11.0 | 10.0 | 9.2 | 2.7 | **3,950.9** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 35.1 | 34.8 | 21.9 | 24.3 | 27.8 | 23.0 | 24.9 | 17.8 | 4.9 | **2,905.1** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 27.0 | 0.0 | **1,292.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 19.6 | 17.3 | 12.7 | 20.2 | 15.9 | 18.3 | 18.3 | 15.4 | 0.0 | **3,836.4** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 26.2 | 38.1 | 33.1 | 33.5 | 23.7 | 30.4 | 30.8 | 22.9 | 0.0 | **2,690.6** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 19.0 | 30.0 | 29.0 | 28.0 | 30.0 | 29.0 | 30.0 | 28.0 | 18.0 | **1,059.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 12.7 | 26.1 | 58.0 | 18.0 | 20.8 | 13.0 | 18.6 | 15.4 | 9.7 | **3,698.7** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 55.6 | 45.3 | 42.7 | 32.7 | 35.3 | 33.4 | 28.1 | 30.0 | 17.3 | **2,451.9** |
| DAY | 1959 | 28.0 | 26.0 | 30.0 | 27.0 | 28.0 | 30.0 | 28.0 | 31.0 | 26.0 | 27.0 | 23.0 | 16.0 | **818.0** |
| H2O | 1959 | 8.9 | 4.5 | 9.5 | 8.6 | 8.7 | 13.7 | 10.2 | 11.9 | 9.7 | 8.4 | 7.2 | 5.7 | **3,506.4** |
| OIL | 1959 | 81.0 | 43.1 | 90.3 | 51.3 | 42.9 | 45.8 | 43.5 | 54.3 | 46.2 | 43.5 | 34.8 | 29.9 | **2,131.5** |
| DAY | 1958 | 29.0 | 28.0 | 9.0 | 0.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **498.0** |
| H2O | 1958 | 409.5 | 415.3 | 129.7 | 0.0 | 4.8 | 47.5 | 32.4 | 0.0 | 0.0 | 5.4 | 10.7 | 9.9 | **3,399.4** |
| OIL | 1958 | 52.6 | 45.4 | 17.8 | 0.0 | 148.6 | 101.5 | 113.6 | 106.5 | 81.8 | 73.7 | 96.6 | 102.0 | **1,524.9** |
| DAY | 1957 | 0.0 | 0.0 | 4.0 | 0.0 | 5.0 | 24.0 | 27.0 | 25.0 | 24.0 | 25.0 | 29.0 | 25.0 | **188.0** |
| H2O | 1957 | 0.0 | 0.0 | 4.1 | 0.0 | 29.4 | 198.1 | 294.3 | 339.6 | 302.9 | 348.3 | 433.4 | 384.1 | **2,334.2** |
| OIL | 1957 | 0.0 | 0.0 | 24.2 | 0.0 | 63.1 | 140.3 | 80.2 | 61.8 | 54.2 | 55.8 | 58.5 | 46.7 | **584.8** |

Licence ***1418*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-29-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 29.0 | 27.0 | 0.0 | 25.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,491.0** |
| H2O | 1975 | 260.1 | 234.5 | 293.3 | 268.2 | 0.0 | 245.0 | 257.9 | 235.6 | 225.6 | 183.8 | 175.0 | 179.5 | **27,725.6** |
| OIL | 1975 | 74.4 | 67.7 | 100.6 | 89.6 | 0.0 | 81.7 | 69.0 | 60.4 | 65.0 | 71.0 | 69.6 | 71.7 | **16,168.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 21.0 | 0.0 | 6.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,169.0** |
| H2O | 1974 | 373.3 | 216.5 | 263.6 | 165.5 | 0.0 | 53.4 | 273.0 | 287.6 | 289.2 | 287.3 | 258.8 | 262.6 | **25,167.1** |
| OIL | 1974 | 65.5 | 53.6 | 59.8 | 39.7 | 0.0 | 10.5 | 72.3 | 75.8 | 71.4 | 71.4 | 307.6 | 73.9 | **15,347.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | **5,870.0** |
| H2O | 1973 | 248.8 | 225.6 | 274.9 | 276.3 | 285.1 | 248.6 | 228.5 | 264.1 | 252.9 | 180.1 | 332.9 | 369.0 | **22,436.3** |
| OIL | 1973 | 79.1 | 69.6 | 77.9 | 78.3 | 77.1 | 74.5 | 79.9 | 68.0 | 80.9 | 46.9 | 83.3 | 65.5 | **14,446.1** |
| DAY | 1972 | 26.0 | 29.0 | 31.0 | 30.0 | 23.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,512.0** |
| H2O | 1972 | 185.4 | 208.3 | 208.7 | 161.4 | 125.1 | 246.9 | 231.3 | 260.7 | 237.8 | 239.7 | 225.1 | 207.6 | **19,249.5** |
| OIL | 1972 | 73.7 | 76.1 | 80.2 | 75.5 | 56.7 | 95.5 | 109.3 | 106.2 | 92.8 | 97.6 | 97.3 | 98.7 | **13,565.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 19.0 | 22.0 | 31.0 | 30.0 | 31.0 | **5,160.0** |
| H2O | 1971 | 258.7 | 256.9 | 263.4 | 271.5 | 161.4 | 224.3 | 237.4 | 146.6 | 178.4 | 189.7 | 171.1 | 204.8 | **16,711.5** |
| OIL | 1971 | 103.3 | 93.4 | 128.5 | 122.7 | 99.8 | 100.7 | 107.3 | 55.9 | 80.1 | 86.6 | 82.2 | 88.8 | **12,505.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,815.0** |
| H2O | 1970 | 179.6 | 170.4 | 208.1 | 196.3 | 201.7 | 186.3 | 178.1 | 173.8 | 193.3 | 269.2 | 257.1 | 219.2 | **14,147.3** |
| OIL | 1970 | 63.7 | 89.5 | 99.2 | 96.5 | 98.2 | 89.0 | 98.0 | 98.4 | 87.1 | 89.5 | 96.9 | 102.3 | **11,356.2** |
| DAY | 1969 | 31.0 | 28.0 | 16.0 | 20.0 | 31.0 | 17.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,453.0** |
| H2O | 1969 | 250.7 | 184.9 | 114.9 | 160.3 | 245.8 | 162.0 | 257.7 | 258.5 | 171.7 | 218.0 | 206.4 | 221.1 | **11,714.2** |
| OIL | 1969 | 156.4 | 98.4 | 56.6 | 75.8 | 129.9 | 70.7 | 115.1 | 127.2 | 102.2 | 103.5 | 95.8 | 105.2 | **10,247.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | **4,130.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1418*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-29-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1968 | 63.8 | 63.8 | 74.1 | 61.4 | 74.6 | 174.4 | 121.8 | 125.3 | 79.5 | 248.0 | 269.0 | 259.1 | **9,262.2** |
| OIL | 1968 | 47.8 | 43.2 | 48.3 | 39.7 | 133.9 | 105.7 | 78.0 | 78.5 | 63.1 | 134.7 | 131.6 | 120.6 | **9,011.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 19.0 | 24.0 | 31.0 | **3,771.0** |
| H2O | 1967 | 89.8 | 69.2 | 78.4 | 66.9 | 73.1 | 58.2 | 45.2 | 178.4 | 97.6 | 57.1 | 76.3 | 68.2 | **7,647.4** |
| OIL | 1967 | 71.7 | 56.6 | 63.7 | 55.6 | 58.3 | 43.2 | 46.4 | 108.9 | 65.0 | 39.9 | 51.5 | 49.3 | **7,986.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 15.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,427.0** |
| H2O | 1966 | 63.9 | 61.2 | 117.6 | 118.9 | 128.9 | 126.2 | 58.0 | 231.2 | 188.9 | 189.2 | 143.9 | 132.6 | **6,689.0** |
| OIL | 1966 | 7.2 | 6.5 | 150.6 | 108.2 | 102.2 | 87.9 | 42.7 | 115.7 | 110.9 | 119.2 | 81.5 | 79.1 | **7,275.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,078.0** |
| H2O | 1965 | 88.7 | 70.0 | 6.5 | 1.4 | 1.4 | 5.1 | 3.8 | 6.5 | 4.6 | 10.0 | 10.3 | 52.9 | **5,128.5** |
| OIL | 1965 | 72.6 | 67.2 | 45.0 | 26.2 | 21.6 | 22.6 | 23.5 | 22.7 | 22.9 | 30.0 | 31.8 | 5.9 | **6,264.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 24.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,714.0** |
| H2O | 1964 | 10.3 | 9.9 | 0.0 | 0.0 | 0.0 | 100.2 | 43.2 | 73.4 | 78.1 | 83.1 | 48.6 | 96.5 | **4,867.3** |
| OIL | 1964 | 28.4 | 26.5 | 31.8 | 31.9 | 29.2 | 82.8 | 76.8 | 63.7 | 72.1 | 74.4 | 74.4 | 76.0 | **5,872.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,357.0** |
| H2O | 1963 | 13.2 | 11.8 | 16.9 | 13.8 | 15.6 | 14.9 | 3.2 | 4.5 | 8.7 | 15.6 | 7.2 | 10.8 | **4,324.0** |
| OIL | 1963 | 33.7 | 30.5 | 34.8 | 34.3 | 34.3 | 34.3 | 39.9 | 33.5 | 20.7 | 19.9 | 21.6 | 29.1 | **5,204.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,992.0** |
| H2O | 1962 | 35.3 | 30.0 | 15.7 | 4.8 | 18.8 | 16.5 | 21.8 | 21.1 | 10.5 | 16.5 | 0.0 | 13.7 | **4,187.8** |
| OIL | 1962 | 49.4 | 43.5 | 47.7 | 42.7 | 43.7 | 41.0 | 39.6 | 42.6 | 43.2 | 36.4 | 36.5 | 31.5 | **4,837.6** |
| DAY | 1961 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,627.0** |
| H2O | 1961 | 0.0 | 114.1 | 96.8 | 84.7 | 77.3 | 57.1 | 62.8 | 63.1 | 64.1 | 38.8 | 35.6 | 35.6 | **3,983.1** |
| OIL | 1961 | 17.2 | 95.5 | 72.1 | 66.3 | 57.4 | 59.8 | 59.3 | 59.8 | 57.4 | 48.8 | 47.7 | 50.4 | **4,339.8** |
| DAY | 1960 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,265.0** |
| H2O | 1960 | 28.3 | 30.4 | 33.1 | 31.2 | 2.4 | 29.1 | 32.9 | 30.7 | 20.5 | 21.3 | 6.0 | 6.4 | **3,253.1** |
| OIL | 1960 | 73.6 | 74.5 | 79.5 | 79.3 | 60.5 | 48.6 | 55.6 | 52.6 | 39.4 | 41.5 | 27.8 | 33.2 | **3,648.1** |
| DAY | 1959 | 31.0 | 28.0 | 30.0 | 29.0 | 26.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | **902.0** |
| H2O | 1959 | 37.4 | 32.9 | 13.7 | 14.8 | 92.8 | 54.1 | 52.8 | 109.4 | 121.3 | 106.0 | 110.2 | 98.4 | **2,980.8** |
| OIL | 1959 | 41.0 | 36.2 | 32.6 | 33.8 | 143.9 | 161.8 | 152.2 | 117.4 | 120.9 | 117.9 | 110.3 | 121.7 | **2,982.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **546.0** |
| H2O | 1958 | 160.7 | 119.6 | 150.2 | 122.1 | 118.9 | 78.4 | 61.4 | 62.0 | 53.7 | 54.2 | 49.1 | 47.9 | **2,137.0** |
| OIL | 1958 | 145.1 | 97.4 | 111.4 | 105.4 | 106.2 | 89.9 | 60.5 | 58.5 | 18.9 | 50.4 | 48.3 | 49.6 | **1,792.3** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 28.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **182.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 59.1 | 161.7 | 212.1 | 160.4 | 166.0 | 142.9 | 156.6 | **1,058.8** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 47.7 | 175.2 | 140.5 | 110.0 | 134.5 | 121.2 | 121.6 | **850.7** |

Licence ***1419*** Well Name ***Enerplus South Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-10-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 30.0 | 31.0 | 26.0 | 22.0 | 0.0 | 0.0 | 0.0 | **669.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 507.9 | 605.9 | 645.8 | 532.4 | 459.1 | 0.0 | 0.0 | 0.0 | **10,216.7** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 10.7 | 12.6 | 12.4 | 10.5 | 7.6 | 0.0 | 0.0 | 0.0 | **1,719.6** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 27.0 | 31.0 | 12.0 | 0.0 | **535.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 406.4 | 482.0 | 576.0 | 231.8 | 0.0 | **7,465.6** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.7 | 36.5 | 38.1 | 3.5 | 0.0 | **1,665.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 16.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **449.0** |
| H2O | 1958 | 522.4 | 545.1 | 691.1 | 501.3 | 436.4 | 485.7 | 305.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,769.4** |
| OIL | 1958 | 67.9 | 45.6 | 49.4 | 55.0 | 47.0 | 45.1 | 23.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,567.0** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 20.0 | 22.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **252.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 110.2 | 122.9 | 0.6 | 41.7 | 346.1 | 393.8 | 382.3 | 416.2 | 468.0 | **2,281.8** |
| OIL | 1957 | 0.0 | 0.0 | 15.3 | 192.8 | 212.9 | 213.7 | 250.0 | 70.6 | 69.8 | 71.4 | 69.1 | 68.0 | **1,233.6** |

# Manitoba Production
## 1950 To 1975

Licence ***1422*** Well Name ***Enerplus South Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-03-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1959 | 0.0 | 0.0 | 31.0 | 30.0 | 28.0 | 30.0 | 26.0 | 31.0 | 27.0 | 9.0 | 0.0 | 0.0 | **839.0** |
| OIL | 1959 | 0.0 | 0.0 | 32.2 | 25.3 | 27.8 | 31.6 | 27.0 | 30.0 | 25.1 | 9.1 | 0.0 | 0.0 | **1,396.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **627.0** |
| H2O | 1958 | 28.0 | 25.8 | 24.3 | 34.2 | 19.4 | 28.6 | 29.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,751.3** |
| OIL | 1958 | 57.5 | 46.1 | 60.1 | 11.3 | 47.8 | 43.4 | 41.8 | 28.8 | 25.9 | 30.0 | 32.3 | 27.0 | **1,188.2** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 23.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **265.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 313.3 | 531.0 | 548.6 | 52.9 | 0.2 | 25.3 | 31.3 | 28.5 | 30.8 | **1,561.9** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 113.6 | 151.8 | 113.8 | 25.9 | 107.7 | 56.9 | 51.8 | 57.7 | 57.0 | **736.2** |

Licence ***1423*** Well Name ***North Virden Scallion No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-17-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 16.0 | 26.0 | 30.0 | 24.0 | 30.0 | **6,469.0** |
| H2O | 1975 | 2736.4 | 2456.7 | 2832.5 | 2720.5 | 2748.6 | 2636.5 | 2496.5 | 1328.3 | 2692.0 | 2971.2 | 2499.2 | 3449.4 | **326,498.8** |
| OIL | 1975 | 71.2 | 59.0 | 67.4 | 66.4 | 65.9 | 62.5 | 52.0 | 27.5 | 57.2 | 59.3 | 58.8 | 65.2 | **20,811.1** |
| DAY | 1974 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,132.0** |
| H2O | 1974 | 1882.3 | 1646.1 | 1854.8 | 1806.2 | 1930.8 | 1780.4 | 1890.1 | 1572.5 | 2045.3 | 2768.6 | 2860.7 | 2744.3 | **294,931.0** |
| OIL | 1974 | 67.4 | 59.6 | 65.3 | 62.1 | 62.9 | 57.8 | 56.7 | 46.2 | 62.3 | 66.3 | 73.7 | 71.8 | **20,098.7** |
| DAY | 1973 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 30.0 | **5,778.0** |
| H2O | 1973 | 2100.1 | 1870.7 | 1812.5 | 1904.3 | 1930.3 | 1813.2 | 2063.6 | 1675.8 | 1883.4 | 1969.4 | 1847.2 | 1815.7 | **270,148.9** |
| OIL | 1973 | 65.9 | 55.8 | 75.6 | 41.3 | 60.2 | 61.7 | 64.2 | 54.3 | 64.0 | 66.6 | 68.6 | 66.4 | **19,346.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **5,420.0** |
| H2O | 1972 | 2138.1 | 1931.0 | 2186.1 | 2536.7 | 2023.8 | 2186.3 | 2262.3 | 2239.6 | 2143.7 | 2209.7 | 2044.3 | 2073.4 | **247,462.7** |
| OIL | 1972 | 70.4 | 72.5 | 76.4 | 83.6 | 71.4 | 67.9 | 66.9 | 66.7 | 65.3 | 61.5 | 56.9 | 63.4 | **18,602.0** |
| DAY | 1971 | 19.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **5,058.0** |
| H2O | 1971 | 1875.3 | 1769.3 | 2855.3 | 2769.3 | 2743.0 | 2624.9 | 2774.2 | 2830.6 | 2172.9 | 2221.3 | 2252.7 | 2483.9 | **221,487.7** |
| OIL | 1971 | 58.2 | 55.9 | 95.0 | 92.6 | 89.3 | 82.0 | 88.5 | 87.1 | 78.2 | 81.2 | 74.1 | 78.3 | **17,779.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 26.0 | 28.0 | **4,714.0** |
| H2O | 1970 | 2625.4 | 2232.9 | 2533.2 | 2562.9 | 2877.2 | 2834.0 | 2303.3 | 2621.1 | 2366.7 | 2601.2 | 2298.2 | 2711.1 | **192,115.0** |
| OIL | 1970 | 130.3 | 115.7 | 132.4 | 111.2 | 133.5 | 141.1 | 102.0 | 104.6 | 74.7 | 90.3 | 81.8 | 97.7 | **16,818.7** |
| DAY | 1969 | 31.0 | 28.0 | 29.0 | 30.0 | 23.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,364.0** |
| H2O | 1969 | 703.0 | 1279.5 | 2462.3 | 2513.6 | 2216.8 | 2717.4 | 2989.3 | 2938.4 | 2679.4 | 2660.7 | 2610.3 | 2631.0 | **161,547.8** |
| OIL | 1969 | 66.4 | 69.9 | 117.3 | 101.9 | 125.1 | 149.4 | 152.7 | 161.5 | 141.1 | 135.6 | 132.4 | 140.0 | **15,503.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 27.0 | 15.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | **4,012.0** |
| H2O | 1968 | 964.1 | 849.6 | 972.8 | 863.4 | 503.2 | 989.2 | 1016.5 | 1012.4 | 967.6 | 881.1 | 720.7 | 774.7 | **133,146.1** |
| OIL | 1968 | 59.1 | 56.6 | 66.9 | 51.2 | 35.8 | 69.4 | 66.1 | 50.5 | 52.9 | 49.4 | 56.9 | 63.4 | **14,010.1** |
| DAY | 1967 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 28.0 | 18.0 | 30.0 | 26.0 | 31.0 | 26.0 | 31.0 | **3,670.0** |
| H2O | 1967 | 875.3 | 838.5 | 876.8 | 888.7 | 900.1 | 799.8 | 519.5 | 877.9 | 747.4 | 938.5 | 744.3 | 965.8 | **122,630.8** |
| OIL | 1967 | 82.5 | 71.5 | 77.1 | 71.8 | 76.3 | 66.1 | 42.9 | 77.4 | 60.4 | 66.4 | 51.3 | 67.4 | **13,331.9** |
| DAY | 1966 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 29.0 | 31.0 | **3,330.0** |
| H2O | 1966 | 1040.7 | 943.4 | 779.3 | 882.7 | 859.4 | 836.6 | 776.6 | 775.5 | 802.5 | 853.2 | 760.1 | 901.6 | **112,658.2** |
| OIL | 1966 | 87.9 | 74.8 | 59.9 | 79.3 | 79.0 | 77.2 | 74.2 | 73.1 | 75.8 | 78.8 | 74.8 | 80.1 | **12,520.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 26.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,973.0** |
| H2O | 1965 | 1156.6 | 1011.4 | 1013.7 | 716.0 | 969.3 | 944.0 | 951.3 | 975.0 | 925.1 | 941.8 | 847.8 | 934.0 | **102,446.6** |
| OIL | 1965 | 89.5 | 86.4 | 86.1 | 64.5 | 86.8 | 85.8 | 89.3 | 88.4 | 82.2 | 83.9 | 81.0 | 82.5 | **11,605.9** |
| DAY | 1964 | 30.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 20.0 | **2,614.0** |
| H2O | 1964 | 880.0 | 1002.7 | 1098.6 | 1134.8 | 936.6 | 1109.0 | 1059.3 | 1024.6 | 1031.9 | 1192.3 | 1106.5 | 711.0 | **91,060.6** |
| OIL | 1964 | 93.8 | 89.5 | 104.9 | 96.3 | 79.1 | 91.4 | 86.8 | 85.5 | 82.5 | 96.8 | 94.4 | 60.4 | **10,599.5** |
| DAY | 1963 | 31.0 | 26.0 | 28.0 | 26.0 | 19.0 | 22.0 | 19.0 | 24.0 | 30.0 | 30.0 | 19.0 | 30.0 | **2,270.0** |
| H2O | 1963 | 1217.6 | 981.7 | 1036.4 | 781.5 | 655.0 | 787.6 | 670.3 | 821.0 | 1091.4 | 1013.0 | 546.4 | 942.0 | **78,773.3** |
| OIL | 1963 | 116.2 | 127.9 | 118.9 | 92.8 | 77.7 | 86.3 | 73.3 | 88.5 | 106.5 | 103.0 | 55.1 | 103.3 | **9,538.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1423*** Well Name ***North Virden Scallion No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-17-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | **1,966.0** |
| H2O | 1962 | 1500.6 | 1323.3 | 1464.2 | 1371.4 | 1538.6 | 1474.5 | 1417.6 | 1395.5 | 1393.6 | 1356.1 | 1228.4 | 1199.5 | **68,229.4** |
| OIL | 1962 | 125.1 | 111.6 | 122.8 | 111.1 | 115.5 | 108.9 | 143.7 | 141.9 | 140.2 | 135.7 | 120.3 | 120.3 | **8,388.6** |
| DAY | 1961 | 29.0 | 28.0 | 29.0 | 30.0 | 30.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **1,605.0** |
| H2O | 1961 | 1180.3 | 1238.8 | 1171.5 | 1123.4 | 1368.8 | 1349.1 | 1096.8 | 1464.0 | 1383.6 | 1491.6 | 1254.2 | 1489.0 | **51,566.1** |
| OIL | 1961 | 133.2 | 151.4 | 142.4 | 134.9 | 148.6 | 146.2 | 116.0 | 135.7 | 129.2 | 133.5 | 110.6 | 125.7 | **6,891.5** |
| DAY | 1960 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,254.0** |
| H2O | 1960 | 1157.2 | 1124.8 | 1339.9 | 1040.5 | 1259.8 | 1470.4 | 1293.5 | 1179.8 | 1278.0 | 1283.3 | 1228.3 | 1306.0 | **35,955.0** |
| OIL | 1960 | 158.1 | 155.1 | 155.7 | 174.2 | 164.9 | 159.1 | 163.7 | 146.0 | 130.1 | 152.1 | 145.1 | 149.5 | **5,284.1** |
| DAY | 1959 | 30.0 | 28.0 | 31.0 | 29.0 | 28.0 | 27.0 | 31.0 | 31.0 | 30.0 | 25.0 | 27.0 | 31.0 | **892.0** |
| H2O | 1959 | 543.1 | 523.7 | 596.7 | 563.4 | 1112.5 | 1095.5 | 1251.2 | 1236.9 | 1171.5 | 1017.0 | 1043.9 | 1076.9 | **20,993.5** |
| OIL | 1959 | 119.2 | 107.1 | 118.9 | 111.4 | 168.0 | 146.4 | 165.9 | 207.5 | 172.7 | 130.0 | 147.5 | 177.0 | **3,430.5** |
| DAY | 1958 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **544.0** |
| H2O | 1958 | 436.7 | 435.3 | 567.7 | 616.7 | 562.6 | 519.5 | 540.4 | 575.0 | 534.0 | 431.0 | 543.2 | 565.7 | **9,761.2** |
| OIL | 1958 | 39.7 | 39.3 | 42.7 | 138.3 | 56.1 | 57.2 | 127.4 | 130.9 | 130.0 | 119.0 | 124.9 | 128.2 | **1,658.9** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 25.0 | 19.0 | 25.0 | 31.0 | 28.0 | 29.0 | **186.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 215.3 | 522.2 | 555.5 | 519.5 | 585.5 | 450.5 | 584.9 | **3,433.4** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 2.4 | 263.6 | 71.2 | 25.9 | 38.5 | 42.1 | 41.0 | 40.5 | **525.2** |

Licence ***1425*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.01-29-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 27.0 | 22.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,615.0** |
| H2O | 1975 | 279.6 | 251.7 | 297.3 | 225.4 | 199.7 | 276.4 | 275.3 | 281.1 | 250.7 | 201.6 | 192.2 | 179.7 | **32,885.7** |
| OIL | 1975 | 46.4 | 42.1 | 46.9 | 35.4 | 29.7 | 47.5 | 49.7 | 49.6 | 45.3 | 42.7 | 42.1 | 52.1 | **18,656.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 21.0 | 0.0 | 6.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,262.0** |
| H2O | 1974 | 272.7 | 236.6 | 287.8 | 180.8 | 0.0 | 58.3 | 291.6 | 295.5 | 286.8 | 294.6 | 285.5 | 282.3 | **29,975.0** |
| OIL | 1974 | 49.9 | 53.7 | 59.8 | 39.9 | 0.0 | 10.5 | 64.5 | 65.0 | 52.9 | 54.7 | 47.4 | 46.1 | **18,126.9** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,961.0** |
| H2O | 1973 | 240.1 | 215.9 | 333.4 | 239.7 | 251.5 | 264.2 | 238.9 | 237.4 | 235.9 | 252.3 | 225.0 | 264.5 | **27,202.5** |
| OIL | 1973 | 83.6 | 73.1 | 97.7 | 75.6 | 113.1 | 60.9 | 59.6 | 62.0 | 59.0 | 62.0 | 50.2 | 48.9 | **17,582.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **5,598.0** |
| H2O | 1972 | 234.3 | 251.3 | 237.2 | 191.7 | 202.7 | 186.6 | 197.1 | 219.2 | 199.8 | 201.3 | 193.2 | 171.5 | **24,203.7** |
| OIL | 1972 | 83.4 | 98.5 | 84.5 | 79.6 | 87.6 | 84.9 | 81.8 | 77.1 | 70.6 | 74.1 | 73.9 | 72.3 | **16,736.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,233.0** |
| H2O | 1971 | 271.9 | 270.1 | 276.6 | 163.7 | 161.2 | 244.4 | 258.5 | 252.8 | 210.5 | 212.7 | 204.3 | 217.3 | **21,717.8** |
| OIL | 1971 | 93.4 | 84.4 | 100.1 | 95.5 | 95.7 | 87.1 | 92.8 | 91.4 | 92.3 | 73.3 | 78.0 | 84.2 | **15,768.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **4,868.0** |
| H2O | 1970 | 123.1 | 116.7 | 107.0 | 96.5 | 127.3 | 126.5 | 119.4 | 124.0 | 135.1 | 234.0 | 249.6 | 216.8 | **18,973.8** |
| OIL | 1970 | 100.9 | 56.6 | 67.9 | 66.1 | 67.1 | 64.4 | 57.7 | 57.7 | 60.9 | 90.1 | 93.0 | 86.9 | **14,700.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 20.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,508.0** |
| H2O | 1969 | 221.5 | 182.0 | 175.7 | 115.3 | 204.4 | 195.9 | 200.3 | 181.6 | 151.5 | 159.9 | 151.3 | 151.8 | **17,197.8** |
| OIL | 1969 | 114.6 | 91.2 | 98.0 | 63.7 | 98.8 | 88.8 | 90.4 | 90.4 | 72.6 | 76.4 | 71.0 | 77.9 | **13,831.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **4,153.0** |
| H2O | 1968 | 142.4 | 142.4 | 176.0 | 196.7 | 178.9 | 156.1 | 159.8 | 164.7 | 146.4 | 151.2 | 150.9 | 225.0 | **15,106.6** |
| OIL | 1968 | 130.0 | 117.4 | 120.6 | 122.5 | 141.4 | 105.7 | 110.0 | 110.8 | 103.6 | 103.1 | 101.1 | 139.5 | **12,797.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,789.0** |
| H2O | 1967 | 84.3 | 74.6 | 84.7 | 58.0 | 75.5 | 152.8 | 177.6 | 193.2 | 198.7 | 189.8 | 130.5 | 176.5 | **13,116.1** |
| OIL | 1967 | 88.7 | 77.1 | 86.9 | 77.7 | 81.8 | 179.7 | 149.2 | 139.4 | 141.9 | 142.2 | 106.3 | 130.6 | **11,391.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,426.0** |
| H2O | 1966 | 90.9 | 87.0 | 0.0 | 100.0 | 105.9 | 103.2 | 98.2 | 115.4 | 107.8 | 146.4 | 88.9 | 81.7 | **11,519.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1425*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.01-29-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1966 | 120.6 | 108.7 | 180.8 | 138.6 | 130.8 | 103.3 | 103.3 | 101.9 | 115.8 | 104.9 | 89.5 | 86.9 | **9,990.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,061.0** |
| H2O | 1965 | 0.0 | 78.7 | 100.6 | 66.5 | 65.0 | 56.4 | 44.7 | 70.4 | 50.4 | 55.0 | 69.2 | 75.0 | **10,394.5** |
| OIL | 1965 | 104.2 | 83.4 | 98.7 | 106.9 | 88.8 | 92.3 | 99.3 | 92.6 | 93.3 | 95.3 | 78.8 | 96.0 | **8,604.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 26.0 | 24.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,696.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 82.8 | 21.8 | 21.5 | 0.0 | 0.0 | 0.0 | 0.0 | **9,662.6** |
| OIL | 1964 | 9.2 | 8.6 | 6.5 | 6.7 | 7.2 | 142.5 | 145.2 | 131.1 | 116.2 | 119.7 | 106.9 | 109.3 | **7,475.3** |
| DAY | 1963 | 26.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,341.0** |
| H2O | 1963 | 0.0 | 29.4 | 42.6 | 34.5 | 0.0 | 0.0 | 0.0 | 0.0 | 1.4 | 10.3 | 0.0 | 0.0 | **9,536.5** |
| OIL | 1963 | 7.6 | 37.2 | 42.0 | 40.0 | 18.3 | 4.6 | 32.7 | 36.9 | 9.2 | 11.0 | 8.7 | 9.4 | **6,566.2** |
| DAY | 1962 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,982.0** |
| H2O | 1962 | 41.0 | 33.9 | 3.2 | 9.4 | 0.0 | 0.0 | 4.9 | 4.5 | 0.0 | 0.0 | 0.0 | 0.0 | **9,418.3** |
| OIL | 1962 | 90.7 | 77.7 | 49.9 | 90.7 | 32.3 | 30.2 | 31.0 | 26.1 | 25.6 | 18.8 | 13.7 | 8.7 | **6,308.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,618.0** |
| H2O | 1961 | 160.3 | 163.0 | 115.3 | 98.9 | 71.1 | 73.0 | 81.7 | 82.2 | 52.9 | 54.8 | 41.3 | 41.3 | **9,321.4** |
| OIL | 1961 | 182.7 | 166.5 | 149.4 | 134.6 | 119.0 | 111.4 | 102.8 | 103.8 | 91.8 | 96.5 | 87.6 | 92.6 | **5,813.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 27.0 | 30.0 | 31.0 | 25.0 | 31.0 | **1,253.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 3.8 | 3.7 | 3.3 | 9.7 | 10.2 | 137.4 | 202.4 | **8,285.6** |
| OIL | 1960 | 13.2 | 9.1 | 9.4 | 9.4 | 11.1 | 10.5 | 10.2 | 9.5 | 25.3 | 26.4 | 112.5 | 203.6 | **4,374.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **897.0** |
| H2O | 1959 | 340.1 | 297.5 | 221.5 | 241.2 | 129.1 | 96.7 | 93.2 | 20.5 | 22.4 | 19.6 | 20.3 | 0.0 | **7,911.1** |
| OIL | 1959 | 191.0 | 168.1 | 137.3 | 141.9 | 107.6 | 75.5 | 69.9 | 52.9 | 53.2 | 52.0 | 48.5 | 12.6 | **3,924.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **532.0** |
| H2O | 1958 | 369.0 | 345.6 | 434.5 | 406.5 | 397.1 | 415.1 | 390.9 | 421.3 | 403.0 | 405.2 | 367.2 | 353.7 | **6,409.0** |
| OIL | 1958 | 127.9 | 149.1 | 170.5 | 172.9 | 164.6 | 160.8 | 184.3 | 195.5 | 194.8 | 198.2 | 189.7 | 192.9 | **2,813.8** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 29.0 | 26.0 | 31.0 | 30.0 | 31.0 | **168.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 126.4 | 167.7 | 361.8 | 372.3 | 320.8 | 350.9 | **1,699.9** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 137.0 | 146.0 | 97.4 | 118.5 | 106.8 | 106.9 | **712.6** |

Licence ***1426*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-10-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 20.0 | 31.0 | 30.0 | 20.0 | 29.0 | 8.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,905.0** |
| H2O | 1971 | 1667.1 | 1068.1 | 1565.0 | 1663.9 | 1042.6 | 1754.7 | 467.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **157,246.8** |
| OIL | 1971 | 44.0 | 26.5 | 42.4 | 42.6 | 24.9 | 16.7 | 4.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **10,677.8** |
| DAY | 1970 | 29.0 | 13.0 | 0.0 | 0.0 | 30.0 | 30.0 | 27.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | **4,736.0** |
| H2O | 1970 | 1743.2 | 665.6 | 0.0 | 0.0 | 1772.1 | 1774.3 | 1343.7 | 1871.5 | 1408.9 | 1562.3 | 1559.4 | 1470.2 | **148,017.7** |
| OIL | 1970 | 31.6 | 12.1 | 0.0 | 0.0 | 31.5 | 31.3 | 24.8 | 32.7 | 35.8 | 42.3 | 40.2 | 39.9 | **10,475.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | 25.0 | 29.0 | 27.0 | 21.0 | 31.0 | **4,458.0** |
| H2O | 1969 | 957.9 | 852.0 | 929.1 | 927.5 | 942.9 | 934.0 | 759.9 | 699.4 | 862.6 | 709.5 | 511.0 | 1741.2 | **132,846.5** |
| OIL | 1969 | 18.6 | 16.7 | 18.9 | 18.0 | 17.5 | 19.4 | 15.9 | 14.9 | 16.8 | 14.3 | 12.6 | 32.7 | **10,153.7** |
| DAY | 1968 | 30.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,119.0** |
| H2O | 1968 | 1048.8 | 1038.8 | 1135.8 | 994.7 | 1085.2 | 999.8 | 1122.6 | 1091.6 | 899.2 | 931.9 | 942.6 | 947.0 | **122,019.5** |
| OIL | 1968 | 15.4 | 15.4 | 15.9 | 13.5 | 14.1 | 14.0 | 14.0 | 14.3 | 12.1 | 18.3 | 17.6 | 18.6 | **9,937.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 28.0 | 28.0 | 30.0 | 23.0 | 29.0 | 31.0 | **3,757.0** |
| H2O | 1967 | 973.9 | 1007.6 | 1183.0 | 1177.7 | 1076.1 | 1065.3 | 993.1 | 884.2 | 1020.7 | 746.9 | 975.2 | 1094.4 | **109,781.5** |
| OIL | 1967 | 12.2 | 11.3 | 12.7 | 11.9 | 11.8 | 12.9 | 12.6 | 12.2 | 14.0 | 10.2 | 14.0 | 15.6 | **9,754.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 26.0 | 31.0 | **3,408.0** |
| H2O | 1966 | 1366.1 | 1216.5 | 1348.3 | 1314.4 | 947.5 | 959.1 | 920.8 | 952.9 | 955.8 | 846.9 | 835.0 | 937.5 | **97,583.4** |
| OIL | 1966 | 22.6 | 19.2 | 24.9 | 25.6 | 14.9 | 16.4 | 15.4 | 15.6 | 16.0 | 14.8 | 13.7 | 11.9 | **9,602.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,052.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1426*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-10-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1965 | 1222.1 | 1067.7 | 1168.8 | 1212.9 | 1192.7 | 994.4 | 1240.7 | 1195.8 | 1121.4 | 1245.6 | 1301.1 | 1346.9 | **84,982.6** |
| OIL | 1965 | 35.3 | 31.5 | 35.8 | 36.4 | 25.4 | 21.5 | 23.2 | 23.2 | 21.6 | 30.0 | 27.2 | 27.7 | **9,391.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,690.0** |
| H2O | 1964 | 1279.5 | 1109.8 | 1194.3 | 1176.6 | 1231.6 | 1065.0 | 1149.4 | 1189.6 | 1111.6 | 1181.7 | 1147.7 | 1166.9 | **70,672.5** |
| OIL | 1964 | 33.1 | 30.8 | 34.2 | 32.7 | 33.8 | 29.1 | 40.7 | 46.2 | 34.0 | 40.2 | 38.3 | 39.3 | **9,053.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,325.0** |
| H2O | 1963 | 945.9 | 867.7 | 957.2 | 956.7 | 991.1 | 835.4 | 950.2 | 950.1 | 1081.7 | 1124.1 | 1074.1 | 1252.6 | **56,668.8** |
| OIL | 1963 | 35.0 | 32.7 | 49.9 | 47.7 | 47.0 | 42.3 | 30.2 | 30.8 | 32.9 | 36.4 | 35.1 | 32.4 | **8,620.6** |
| DAY | 1962 | 31.0 | 27.0 | 24.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 30.0 | 28.0 | 31.0 | **1,968.0** |
| H2O | 1962 | 945.0 | 852.8 | 806.8 | 861.8 | 1016.2 | 964.4 | 1036.5 | 1031.8 | 939.1 | 1000.1 | 951.5 | 1001.6 | **44,682.0** |
| OIL | 1962 | 60.2 | 55.3 | 45.8 | 46.9 | 34.5 | 37.7 | 37.7 | 35.3 | 49.1 | 51.8 | 46.7 | 43.1 | **8,168.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 29.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,619.0** |
| H2O | 1961 | 1065.0 | 961.8 | 1053.6 | 1017.9 | 867.9 | 906.2 | 972.5 | 934.3 | 965.3 | 996.5 | 1024.3 | 1015.2 | **33,274.4** |
| OIL | 1961 | 52.0 | 49.6 | 53.6 | 45.0 | 62.8 | 62.0 | 40.2 | 62.5 | 66.1 | 64.7 | 59.8 | 66.6 | **7,624.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 21.0 | 31.0 | **1,260.0** |
| H2O | 1960 | 1104.8 | 1079.6 | 1158.8 | 1100.8 | 1113.3 | 1045.0 | 1113.8 | 1074.1 | 1010.6 | 1062.1 | 728.8 | 1095.4 | **21,493.9** |
| OIL | 1960 | 52.0 | 48.8 | 49.7 | 44.3 | 45.8 | 42.4 | 42.3 | 41.8 | 45.4 | 52.0 | 36.4 | 49.7 | **6,939.2** |
| DAY | 1959 | 28.0 | 1.0 | 20.0 | 30.0 | 24.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **906.0** |
| H2O | 1959 | 212.7 | 4.1 | 112.9 | 446.4 | 472.2 | 689.8 | 709.8 | 672.3 | 968.2 | 1041.0 | 949.7 | 1119.9 | **8,806.8** |
| OIL | 1959 | 118.2 | 5.7 | 88.0 | 80.2 | 73.6 | 108.1 | 127.1 | 109.5 | 65.6 | 61.5 | 55.3 | 56.4 | **6,388.6** |
| DAY | 1958 | 31.0 | 25.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 23.0 | 31.0 | **592.0** |
| H2O | 1958 | 0.2 | 8.9 | 12.7 | 8.1 | 69.5 | 92.0 | 81.7 | 189.3 | 201.1 | 199.5 | 163.1 | 257.7 | **1,407.8** |
| OIL | 1958 | 312.3 | 250.8 | 303.8 | 323.4 | 231.8 | 264.6 | 287.8 | 250.1 | 207.2 | 190.9 | 125.4 | 141.3 | **5,439.4** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 26.0 | 19.0 | 19.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **244.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 5.2 | 8.9 | 18.1 | 31.8 | 10.3 | 11.9 | 11.4 | 12.4 | 14.0 | **124.0** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 242.8 | 247.1 | 205.6 | 240.3 | 325.0 | 325.6 | 332.9 | 317.2 | 313.5 | **2,550.0** |

Licence ***1427*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-29-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 27.0 | 0.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,849.0** |
| H2O | 1975 | 211.3 | 190.1 | 258.2 | 221.1 | 0.0 | 209.4 | 190.5 | 194.3 | 154.7 | 131.8 | 134.2 | 137.7 | **24,719.1** |
| OIL | 1975 | 36.4 | 33.2 | 32.6 | 27.0 | 0.0 | 25.6 | 35.8 | 35.6 | 51.5 | 32.6 | 42.0 | 43.2 | **7,874.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 17.0 | 0.0 | 6.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,522.0** |
| H2O | 1974 | 154.1 | 133.7 | 162.6 | 82.5 | 0.0 | 32.9 | 138.0 | 166.6 | 167.4 | 139.3 | 125.4 | 213.2 | **22,685.8** |
| OIL | 1974 | 33.1 | 32.9 | 36.5 | 19.7 | 0.0 | 6.5 | 35.3 | 32.6 | 30.7 | 26.5 | 25.7 | 36.2 | **7,479.2** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 12.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,227.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 33.7 | 193.5 | 199.5 | 183.5 | 208.9 | 218.6 | 137.0 | 127.2 | 149.4 | **21,170.1** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 5.7 | 49.9 | 48.3 | 51.8 | 32.9 | 33.1 | 35.3 | 33.2 | 32.3 | **7,163.5** |
| DAY | 1972 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 21.0 | 30.0 | 29.0 | 0.0 | 0.0 | **4,973.0** |
| H2O | 1972 | 123.4 | 124.8 | 114.0 | 92.2 | 53.6 | 48.5 | 69.5 | 166.9 | 245.8 | 70.6 | 0.0 | 0.0 | **19,718.8** |
| OIL | 1972 | 41.0 | 39.6 | 32.9 | 30.8 | 27.7 | 26.5 | 18.4 | 63.6 | 96.8 | 13.3 | 0.0 | 0.0 | **6,841.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 19.0 | 22.0 | 31.0 | 30.0 | 31.0 | **4,681.0** |
| H2O | 1971 | 140.5 | 139.6 | 150.2 | 107.6 | 102.9 | 82.8 | 112.9 | 83.5 | 89.0 | 119.9 | 113.2 | 118.1 | **18,609.5** |
| OIL | 1971 | 23.5 | 21.5 | 23.8 | 27.2 | 22.7 | 21.6 | 29.9 | 19.5 | 22.1 | 27.3 | 39.6 | 42.7 | **6,450.4** |
| DAY | 1970 | 29.0 | 28.0 | 31.0 | 14.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **4,338.0** |
| H2O | 1970 | 145.1 | 137.7 | 147.2 | 132.7 | 131.8 | 117.2 | 143.7 | 149.0 | 162.0 | 158.3 | 129.1 | 115.3 | **17,249.3** |
| OIL | 1970 | 36.4 | 32.3 | 26.9 | 26.2 | 61.8 | 52.9 | 25.1 | 26.7 | 26.2 | 22.6 | 22.1 | 22.7 | **6,129.0** |
| DAY | 1969 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,994.0** |
| H2O | 1969 | 151.5 | 136.7 | 107.6 | 47.2 | 91.7 | 109.7 | 116.5 | 105.7 | 100.3 | 155.8 | 151.5 | 162.5 | **15,580.2** |
| OIL | 1969 | 28.9 | 27.5 | 71.4 | 32.6 | 57.2 | 71.0 | 72.9 | 72.9 | 68.0 | 66.1 | 33.1 | 36.2 | **5,747.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1427*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-29-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 9.0 | 30.0 | 31.0 | 30.0 | 30.0 | **3,632.0** |
| H2O | 1968 | 90.0 | 89.8 | 104.6 | 16.4 | 15.6 | 13.0 | 14.8 | 4.3 | 150.7 | 179.3 | 178.4 | 154.8 | **14,143.5** |
| OIL | 1968 | 32.3 | 29.2 | 32.6 | 32.1 | 31.8 | 28.9 | 31.9 | 9.2 | 35.6 | 45.3 | 44.3 | 29.6 | **5,109.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,290.0** |
| H2O | 1967 | 107.2 | 91.3 | 103.5 | 97.5 | 82.8 | 148.8 | 90.3 | 77.1 | 78.9 | 75.7 | 95.4 | 94.9 | **13,131.8** |
| OIL | 1967 | 35.9 | 31.1 | 35.1 | 33.5 | 55.0 | 37.3 | 53.2 | 30.4 | 30.8 | 31.1 | 33.1 | 32.7 | **4,726.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,925.0** |
| H2O | 1966 | 139.6 | 133.9 | 133.7 | 5.2 | 5.6 | 117.5 | 113.5 | 133.4 | 118.4 | 118.4 | 106.8 | 98.2 | **11,988.4** |
| OIL | 1966 | 82.6 | 74.5 | 92.3 | 30.4 | 28.4 | 37.0 | 37.5 | 37.0 | 38.6 | 41.5 | 36.7 | 35.8 | **4,287.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,560.0** |
| H2O | 1965 | 50.7 | 40.1 | 51.2 | 48.3 | 57.7 | 53.7 | 41.3 | 65.0 | 48.0 | 103.8 | 106.2 | 115.4 | **10,764.2** |
| OIL | 1965 | 25.6 | 23.8 | 28.1 | 31.1 | 17.6 | 24.8 | 26.1 | 23.8 | 24.9 | 51.0 | 54.0 | 65.8 | **3,715.0** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,196.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 98.2 | 199.0 | 184.9 | 203.3 | 47.5 | 27.8 | 54.2 | **9,982.8** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.2 | 74.4 | 77.4 | 70.4 | 26.4 | 26.2 | 26.4 | **3,318.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 19.0 | **1,997.0** |
| H2O | 1962 | 29.6 | 25.6 | 33.2 | 33.2 | 43.9 | 38.6 | 35.1 | 32.0 | 36.7 | 33.5 | 34.7 | 17.0 | **9,167.9** |
| OIL | 1962 | 24.0 | 21.5 | 24.9 | 21.8 | 24.2 | 22.6 | 23.0 | 23.0 | 23.2 | 23.7 | 21.9 | 13.5 | **3,004.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,644.0** |
| H2O | 1961 | 17.8 | 0.0 | 0.0 | 0.0 | 0.0 | 23.8 | 26.4 | 26.5 | 26.4 | 28.0 | 29.9 | 29.9 | **8,774.8** |
| OIL | 1961 | 32.9 | 13.3 | 15.7 | 14.5 | 15.1 | 23.7 | 23.5 | 23.7 | 22.2 | 23.8 | 23.2 | 24.6 | **2,736.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,279.0** |
| H2O | 1960 | 15.3 | 16.9 | 18.0 | 17.0 | 17.3 | 16.5 | 17.2 | 16.2 | 15.7 | 16.4 | 15.4 | 16.4 | **8,566.1** |
| OIL | 1960 | 30.8 | 31.5 | 32.6 | 32.7 | 31.5 | 29.6 | 31.1 | 29.9 | 30.8 | 32.1 | 27.8 | 33.2 | **2,480.5** |
| DAY | 1959 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **913.0** |
| H2O | 1959 | 289.8 | 257.5 | 320.3 | 192.7 | 218.8 | 197.3 | 179.2 | 156.6 | 170.1 | 148.8 | 154.5 | 140.5 | **8,367.8** |
| OIL | 1959 | 72.6 | 65.0 | 71.2 | 42.3 | 45.6 | 43.2 | 54.2 | 52.9 | 53.2 | 52.0 | 48.5 | 54.7 | **2,106.9** |
| DAY | 1958 | 31.0 | 28.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **549.0** |
| H2O | 1958 | 383.0 | 290.3 | 343.4 | 352.8 | 332.6 | 402.5 | 426.7 | 452.1 | 331.3 | 349.1 | 318.0 | 309.7 | **5,941.7** |
| OIL | 1958 | 56.9 | 55.6 | 59.9 | 60.1 | 58.6 | 76.8 | 83.6 | 84.5 | 78.0 | 76.3 | 73.4 | 75.5 | **1,451.5** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 26.0 | 30.0 | 22.0 | 31.0 | 29.0 | 30.0 | **189.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 141.2 | 141.8 | 159.0 | 121.3 | 394.7 | 328.5 | 363.7 | **1,650.2** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.6 | 135.9 | 122.4 | 108.1 | 52.8 | 45.9 | 46.6 | **612.3** |

Licence ***1428*** Well Name ***B.A. Security Duncan Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-10-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 31.0 | 28.0 | 6.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **178.0** |
| H2O | 1958 | 420.4 | 427.3 | 84.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,582.0** |
| OIL | 1958 | 51.6 | 25.5 | 5.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **413.6** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 0.0 | 2.0 | 30.0 | 26.0 | 26.0 | 26.0 | **113.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 76.5 | 0.0 | 37.7 | 447.2 | 359.3 | 374.6 | 354.4 | **1,649.7** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.4 | 0.0 | 8.6 | 114.6 | 86.1 | 56.1 | 61.5 | **331.3** |

Licence ***1430*** Well Name ***2928419 MB Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-18-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 23.0 | 31.0 | 27.0 | 23.0 | 31.0 | 30.0 | 31.0 | **6,308.0** |
| H2O | 1975 | 1407.2 | 1377.3 | 1512.3 | 1281.1 | 1524.1 | 1388.3 | 1562.4 | 1525.2 | 1463.2 | 1555.2 | 1546.6 | 1574.6 | **164,292.6** |
| OIL | 1975 | 76.0 | 69.2 | 76.0 | 66.8 | 72.8 | 56.1 | 65.0 | 62.5 | 46.4 | 61.8 | 59.6 | 56.9 | **16,384.8** |
| DAY | 1974 | 30.0 | 0.0 | 26.0 | 30.0 | 31.0 | 19.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 27.0 | **5,962.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1430*** Well Name ***2928419 MB Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-18-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1974 | 1501.0 | 1685.3 | 1607.2 | 1780.7 | 2280.4 | 970.8 | 1406.1 | 1345.8 | 1381.0 | 1717.1 | 1686.1 | 1444.1 | **146,575.1** |
| OIL | 1974 | 106.4 | 68.7 | 65.5 | 70.6 | 58.0 | 38.8 | 63.4 | 73.1 | 75.0 | 68.8 | 70.9 | 60.7 | **15,615.7** |
| DAY | 1973 | 31.0 | 27.0 | 22.0 | 0.0 | 0.0 | 4.0 | 31.0 | 23.0 | 0.0 | 30.0 | 28.0 | 17.0 | **5,652.0** |
| H2O | 1973 | 804.2 | 731.7 | 596.2 | 0.0 | 0.0 | 201.9 | 1953.2 | 1730.9 | 0.0 | 1872.1 | 2429.0 | 1224.5 | **127,769.5** |
| OIL | 1973 | 23.7 | 21.1 | 17.2 | 0.0 | 0.0 | 9.2 | 74.7 | 60.9 | 0.0 | 77.3 | 90.5 | 61.5 | **14,795.8** |
| DAY | 1972 | 23.0 | 29.0 | 30.0 | 30.0 | 24.0 | 1.0 | 16.0 | 24.0 | 27.0 | 17.0 | 28.0 | 31.0 | **5,439.0** |
| H2O | 1972 | 947.9 | 1117.7 | 1173.8 | 983.8 | 848.2 | 43.4 | 674.4 | 1011.6 | 975.5 | 479.8 | 823.7 | 863.1 | **116,225.8** |
| OIL | 1972 | 21.5 | 26.1 | 28.9 | 31.5 | 26.1 | 1.0 | 14.3 | 21.8 | 32.6 | 14.6 | 28.3 | 29.6 | **14,359.7** |
| DAY | 1971 | 26.0 | 28.0 | 31.0 | 28.0 | 30.0 | 28.0 | 29.0 | 31.0 | 29.0 | 16.0 | 30.0 | 29.0 | **5,159.0** |
| H2O | 1971 | 631.2 | 736.1 | 911.0 | 815.6 | 820.4 | 834.7 | 863.3 | 953.9 | 925.3 | 508.8 | 1017.5 | 1120.9 | **106,282.9** |
| OIL | 1971 | 31.3 | 31.2 | 34.2 | 32.3 | 34.5 | 31.2 | 32.0 | 35.1 | 32.9 | 14.9 | 25.4 | 27.0 | **14,083.4** |
| DAY | 1970 | 31.0 | 26.0 | 25.0 | 13.0 | 31.0 | 27.0 | 31.0 | 26.0 | 29.0 | 31.0 | 30.0 | 20.0 | **4,824.0** |
| H2O | 1970 | 1058.9 | 880.8 | 901.1 | 413.4 | 1261.6 | 1238.5 | 1248.1 | 1152.7 | 1204.0 | 1248.1 | 920.5 | 529.4 | **96,144.2** |
| OIL | 1970 | 34.8 | 28.3 | 21.5 | 10.3 | 34.3 | 32.0 | 33.4 | 30.5 | 33.4 | 35.3 | 34.0 | 26.2 | **13,721.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **4,504.0** |
| H2O | 1969 | 634.4 | 572.4 | 620.1 | 605.7 | 1114.5 | 1144.7 | 977.8 | 1083.7 | 1092.2 | 1119.3 | 1071.6 | 1057.3 | **84,087.1** |
| OIL | 1969 | 54.7 | 49.4 | 51.5 | 49.9 | 29.9 | 33.4 | 30.4 | 36.2 | 38.3 | 30.0 | 35.0 | 33.4 | **13,367.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,143.0** |
| H2O | 1968 | 550.1 | 517.2 | 607.8 | 617.3 | 651.7 | 600.8 | 660.9 | 655.5 | 628.2 | 609.4 | 642.3 | 610.5 | **72,993.4** |
| OIL | 1968 | 61.2 | 52.9 | 62.3 | 60.9 | 59.6 | 51.4 | 54.4 | 56.6 | 52.3 | 49.9 | 53.6 | 52.0 | **12,895.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 13.0 | 0.0 | 0.0 | 22.0 | **3,777.0** |
| H2O | 1967 | 634.7 | 491.3 | 621.2 | 604.2 | 620.9 | 613.3 | 615.5 | 595.6 | 249.0 | 0.0 | 0.0 | 382.2 | **65,641.7** |
| OIL | 1967 | 65.3 | 51.5 | 61.8 | 62.5 | 64.1 | 62.3 | 63.4 | 61.4 | 22.6 | 0.0 | 0.0 | 50.2 | **12,228.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 18.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,499.0** |
| H2O | 1966 | 629.3 | 569.6 | 633.6 | 614.2 | 630.1 | 606.0 | 622.7 | 358.3 | 605.3 | 613.4 | 597.7 | 637.6 | **60,213.8** |
| OIL | 1966 | 48.3 | 48.0 | 51.7 | 50.9 | 53.6 | 53.7 | 57.7 | 35.0 | 64.1 | 60.3 | 61.5 | 65.3 | **11,663.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,147.0** |
| H2O | 1965 | 564.9 | 563.2 | 627.4 | 596.1 | 621.1 | 610.1 | 647.9 | 642.7 | 613.8 | 632.7 | 612.8 | 633.9 | **53,096.0** |
| OIL | 1965 | 51.2 | 51.0 | 55.6 | 51.8 | 53.9 | 51.0 | 50.2 | 54.4 | 46.6 | 44.0 | 45.0 | 47.5 | **11,013.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,782.0** |
| H2O | 1964 | 504.8 | 480.2 | 502.6 | 494.7 | 529.0 | 541.7 | 578.0 | 561.6 | 523.1 | 571.3 | 547.1 | 554.9 | **45,729.4** |
| OIL | 1964 | 53.3 | 53.0 | 54.6 | 53.3 | 57.3 | 51.9 | 53.5 | 52.0 | 48.9 | 51.7 | 44.0 | 49.0 | **10,410.8** |
| DAY | 1963 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,417.0** |
| H2O | 1963 | 613.9 | 556.0 | 620.1 | 609.6 | 635.4 | 620.4 | 651.6 | 626.0 | 577.8 | 506.9 | 576.4 | 660.3 | **39,340.4** |
| OIL | 1963 | 50.6 | 46.6 | 53.3 | 50.8 | 50.8 | 47.1 | 47.3 | 46.5 | 42.7 | 39.3 | 47.6 | 47.3 | **9,788.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,053.0** |
| H2O | 1962 | 757.2 | 660.3 | 705.3 | 675.0 | 690.5 | 666.4 | 689.9 | 689.1 | 667.6 | 644.9 | 664.0 | 638.4 | **32,086.0** |
| OIL | 1962 | 81.3 | 71.1 | 76.4 | 71.6 | 70.8 | 67.6 | 71.9 | 70.6 | 69.2 | 66.2 | 65.2 | 56.3 | **9,218.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | **1,690.0** |
| H2O | 1961 | 668.3 | 575.8 | 582.7 | 627.4 | 635.1 | 603.4 | 620.7 | 606.8 | 581.5 | 646.8 | 615.7 | 744.4 | **23,937.4** |
| OIL | 1961 | 143.8 | 126.8 | 136.0 | 133.1 | 132.3 | 123.0 | 117.6 | 98.9 | 76.8 | 87.7 | 73.8 | 83.4 | **8,380.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,334.0** |
| H2O | 1960 | 571.9 | 517.6 | 585.5 | 565.9 | 597.9 | 602.9 | 620.0 | 548.4 | 620.4 | 643.8 | 668.6 | 670.3 | **16,428.8** |
| OIL | 1960 | 162.7 | 146.6 | 166.4 | 159.7 | 163.3 | 158.6 | 161.0 | 157.1 | 156.2 | 152.7 | 146.8 | 139.2 | **7,047.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **968.0** |
| H2O | 1959 | 320.3 | 289.3 | 320.3 | 309.8 | 271.6 | 307.7 | 279.2 | 384.0 | 238.2 | 132.3 | 317.7 | 635.4 | **9,215.6** |
| OIL | 1959 | 140.3 | 130.0 | 148.4 | 141.6 | 119.0 | 138.9 | 121.7 | 142.5 | 109.8 | 73.0 | 110.4 | 184.3 | **5,176.7** |
| DAY | 1958 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **607.0** |
| H2O | 1958 | 300.4 | 262.4 | 253.3 | 323.6 | 343.0 | 364.9 | 391.6 | 391.3 | 312.6 | 358.1 | 354.9 | 328.4 | **5,409.8** |
| OIL | 1958 | 186.6 | 132.3 | 138.7 | 143.0 | 143.3 | 142.8 | 171.1 | 170.5 | 150.6 | 155.7 | 151.9 | 151.3 | **3,616.8** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 13.0 | 30.0 | 29.0 | 27.0 | 29.0 | 30.0 | 28.0 | 29.0 | 30.0 | **245.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 2.1 | 66.9 | 119.9 | 142.5 | 181.4 | 234.7 | 220.4 | 225.3 | 232.1 | **1,425.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1430*** Well Name ***2928419 MB Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-18-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 70.2 | 257.0 | 225.6 | 203.5 | 210.5 | 221.6 | 206.2 | 187.4 | 197.0 | **1,779.0** |

Licence ***1432*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.08-29-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 27.0 | 31.0 | 27.0 | 3.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,462.0** |
| H2O | 1975 | 395.9 | 343.7 | 426.4 | 354.4 | 42.8 | 339.1 | 404.6 | 475.5 | 440.1 | 328.9 | 313.5 | 330.4 | **80,831.5** |
| OIL | 1975 | 64.0 | 55.9 | 65.0 | 50.5 | 5.7 | 48.1 | 50.4 | 53.9 | 55.9 | 65.5 | 64.0 | 56.9 | **20,696.8** |
| DAY | 1974 | 30.0 | 27.0 | 29.0 | 21.0 | 0.0 | 15.0 | 30.0 | 31.0 | 30.0 | 19.0 | 8.0 | 30.0 | **6,134.0** |
| H2O | 1974 | 643.7 | 357.1 | 370.3 | 248.8 | 0.0 | 308.4 | 487.1 | 404.1 | 406.2 | 242.6 | 97.6 | 386.6 | **76,636.2** |
| OIL | 1974 | 112.8 | 71.8 | 60.1 | 42.7 | 0.0 | 38.5 | 34.6 | 56.3 | 61.3 | 36.9 | 16.0 | 61.3 | **20,061.0** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,864.0** |
| H2O | 1973 | 419.5 | 387.6 | 505.2 | 425.4 | 414.0 | 434.0 | 253.7 | 405.4 | 383.5 | 356.0 | 548.8 | 645.6 | **72,683.7** |
| OIL | 1973 | 95.5 | 85.7 | 83.9 | 75.8 | 71.7 | 70.2 | 35.3 | 67.4 | 68.0 | 83.6 | 117.3 | 114.4 | **19,468.7** |
| DAY | 1972 | 25.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | 30.0 | **5,502.0** |
| H2O | 1972 | 496.3 | 541.0 | 646.4 | 430.4 | 414.0 | 416.7 | 385.8 | 407.6 | 365.5 | 381.9 | 366.0 | 338.0 | **67,505.0** |
| OIL | 1972 | 86.1 | 97.1 | 122.0 | 88.2 | 87.6 | 97.1 | 90.7 | 88.5 | 73.7 | 80.4 | 80.1 | 81.4 | **18,499.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **5,151.0** |
| H2O | 1971 | 628.4 | 589.8 | 634.8 | 654.2 | 345.8 | 284.7 | 534.5 | 576.3 | 430.7 | 498.9 | 458.5 | 497.0 | **62,315.4** |
| OIL | 1971 | 136.0 | 101.5 | 113.8 | 108.4 | 104.4 | 100.7 | 111.7 | 105.5 | 91.4 | 100.7 | 86.4 | 93.9 | **17,427.0** |
| DAY | 1970 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 27.0 | **4,790.0** |
| H2O | 1970 | 329.1 | 298.7 | 380.8 | 320.2 | 329.1 | 329.4 | 258.5 | 252.1 | 257.1 | 220.0 | 202.7 | 163.1 | **56,181.8** |
| OIL | 1970 | 118.7 | 100.6 | 116.5 | 104.7 | 106.6 | 90.7 | 88.4 | 88.8 | 66.3 | 57.8 | 66.4 | 61.0 | **16,172.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 13.0 | 26.0 | 30.0 | 31.0 | 31.0 | 25.0 | 25.0 | 30.0 | 31.0 | **4,434.0** |
| H2O | 1969 | 382.5 | 291.7 | 317.5 | 135.5 | 420.8 | 480.4 | 390.5 | 253.9 | 247.8 | 364.2 | 452.9 | 391.7 | **52,841.0** |
| OIL | 1969 | 133.3 | 103.5 | 110.9 | 49.1 | 97.4 | 115.5 | 100.1 | 104.4 | 70.7 | 137.1 | 153.9 | 123.8 | **15,106.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,102.0** |
| H2O | 1968 | 271.9 | 271.9 | 313.8 | 337.2 | 389.2 | 312.2 | 445.9 | 444.5 | 369.3 | 371.7 | 369.6 | 386.6 | **48,711.6** |
| OIL | 1968 | 111.2 | 100.6 | 113.6 | 127.1 | 140.3 | 122.0 | 173.7 | 161.5 | 143.4 | 143.6 | 140.4 | 134.7 | **13,806.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,736.0** |
| H2O | 1967 | 348.2 | 295.9 | 330.0 | 305.9 | 331.0 | 257.5 | 283.9 | 325.1 | 279.5 | 292.4 | 309.5 | 312.7 | **44,427.8** |
| OIL | 1967 | 127.9 | 107.1 | 118.9 | 115.4 | 125.5 | 116.6 | 120.3 | 113.1 | 95.3 | 121.7 | 115.1 | 115.7 | **12,194.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,374.0** |
| H2O | 1966 | 220.3 | 211.0 | 211.3 | 405.9 | 472.3 | 461.5 | 441.3 | 519.1 | 445.1 | 401.6 | 369.5 | 358.3 | **40,756.2** |
| OIL | 1966 | 86.4 | 78.0 | 96.3 | 155.9 | 149.8 | 129.0 | 137.6 | 135.3 | 136.4 | 139.6 | 129.8 | 130.1 | **10,801.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,010.0** |
| H2O | 1965 | 498.9 | 392.8 | 512.2 | 454.5 | 445.0 | 385.2 | 304.4 | 482.3 | 301.1 | 163.7 | 167.7 | 182.2 | **36,239.0** |
| OIL | 1965 | 98.0 | 78.8 | 95.2 | 124.4 | 103.1 | 107.6 | 115.5 | 107.9 | 104.1 | 53.1 | 56.7 | 68.8 | **9,297.5** |
| DAY | 1964 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,645.0** |
| H2O | 1964 | 508.7 | 439.7 | 462.2 | 445.6 | 460.2 | 503.8 | 410.6 | 368.4 | 307.8 | 321.8 | 758.0 | 538.9 | **31,949.0** |
| OIL | 1964 | 113.6 | 99.0 | 98.2 | 110.1 | 93.3 | 102.8 | 95.3 | 95.8 | 74.4 | 68.2 | 62.9 | 102.3 | **8,184.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,280.0** |
| H2O | 1963 | 479.3 | 390.0 | 563.1 | 469.6 | 507.5 | 526.1 | 521.0 | 499.0 | 509.2 | 895.1 | 487.1 | 516.8 | **26,423.3** |
| OIL | 1963 | 119.3 | 102.0 | 115.1 | 115.7 | 110.4 | 114.6 | 98.0 | 104.6 | 113.6 | 109.0 | 113.3 | 113.8 | **7,068.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,916.0** |
| H2O | 1962 | 532.1 | 459.5 | 538.0 | 525.0 | 652.1 | 562.9 | 524.0 | 441.0 | 584.9 | 582.5 | 529.2 | 484.3 | **20,059.5** |
| OIL | 1962 | 106.8 | 95.3 | 139.1 | 119.2 | 122.0 | 112.0 | 117.0 | 93.4 | 116.8 | 124.3 | 109.0 | 107.6 | **5,739.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 29.0 | 28.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,553.0** |
| H2O | 1961 | 445.0 | 436.2 | 455.3 | 382.0 | 385.5 | 305.4 | 474.7 | 481.2 | 467.1 | 497.9 | 536.7 | 537.4 | **13,644.0** |
| OIL | 1961 | 108.2 | 95.2 | 110.8 | 97.9 | 92.6 | 77.9 | 111.9 | 115.2 | 105.2 | 112.5 | 103.1 | 109.0 | **4,376.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,195.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1432*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.08-29-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1960 | 511.6 | 508.9 | 538.6 | 509.1 | 517.8 | 414.3 | 494.4 | 469.6 | 474.4 | 494.0 | 462.5 | 495.9 | **8,239.6** |
| OIL | 1960 | 102.3 | 100.0 | 103.9 | 103.6 | 99.6 | 78.3 | 103.6 | 99.5 | 91.1 | 95.7 | 82.2 | 98.2 | **3,137.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 20.0 | 31.0 | 30.0 | 31.0 | **832.0** |
| H2O | 1959 | 41.0 | 35.8 | 45.8 | 8.3 | 9.5 | 8.4 | 8.4 | 7.3 | 170.4 | 340.2 | 353.4 | 473.6 | **2,348.5** |
| OIL | 1959 | 40.2 | 35.3 | 39.9 | 22.7 | 24.5 | 23.2 | 21.9 | 21.3 | 51.0 | 103.9 | 96.9 | 97.9 | **1,979.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **477.0** |
| H2O | 1958 | 71.1 | 61.2 | 58.0 | 53.7 | 52.3 | 54.7 | 45.6 | 42.0 | 10.2 | 9.5 | 20.5 | 43.2 | **846.4** |
| OIL | 1958 | 95.3 | 93.4 | 96.6 | 91.4 | 92.0 | 89.9 | 74.4 | 58.6 | 55.6 | 50.4 | 45.4 | 41.0 | **1,400.3** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 16.0 | 31.0 | 30.0 | 31.0 | **112.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.3 | 8.6 | 108.6 | 93.5 | 102.4 | **324.4** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 58.8 | 50.9 | 145.0 | 130.7 | 130.9 | **516.3** |

Licence ***1433*** Well Name ***Sun G. Clarke Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-20-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,538.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 43.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,829.7** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,795.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 9.0 | 5.0 | 0.0 | **1,536.0** |
| H2O | 1961 | 72.0 | 68.7 | 274.3 | 140.9 | 113.0 | 130.2 | 124.2 | 163.3 | 112.9 | 74.6 | 71.5 | 0.0 | **4,786.1** |
| OIL | 1961 | 73.5 | 57.2 | 21.1 | 16.7 | 18.4 | 55.9 | 52.9 | 4.4 | 5.4 | 0.0 | 0.0 | 0.0 | **3,795.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,252.0** |
| H2O | 1960 | 164.1 | 167.9 | 153.4 | 129.7 | 131.3 | 118.6 | 88.2 | 19.4 | 29.6 | 63.1 | 52.1 | 72.3 | **3,440.5** |
| OIL | 1960 | 61.5 | 62.8 | 57.4 | 44.0 | 44.2 | 44.5 | 41.8 | 55.5 | 50.4 | 65.9 | 60.7 | 67.1 | **3,490.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 24.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **892.0** |
| H2O | 1959 | 78.4 | 89.4 | 70.0 | 44.5 | 42.3 | 47.4 | 49.8 | 36.4 | 32.3 | 45.6 | 87.9 | 185.2 | **2,250.8** |
| OIL | 1959 | 73.7 | 84.4 | 73.9 | 61.3 | 67.5 | 69.0 | 74.1 | 60.4 | 52.6 | 55.1 | 55.5 | 50.7 | **2,834.4** |
| DAY | 1958 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 21.0 | **535.0** |
| H2O | 1958 | 90.0 | 82.8 | 74.7 | 84.7 | 84.7 | 77.7 | 86.6 | 71.7 | 76.5 | 70.3 | 69.8 | 52.5 | **1,441.6** |
| OIL | 1958 | 114.6 | 87.4 | 82.3 | 102.7 | 106.3 | 94.9 | 87.9 | 84.1 | 76.4 | 75.3 | 62.6 | 45.0 | **2,056.2** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 17.0 | 23.0 | 30.0 | 25.0 | 31.0 | 29.0 | 31.0 | **187.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.6 | 3.3 | 54.2 | 121.8 | 139.8 | 95.7 | 99.2 | **519.6** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 4.1 | 104.4 | 225.0 | 170.0 | 129.5 | 160.0 | 120.1 | 123.6 | **1,036.7** |

Licence ***1435*** Well Name ***Tundra Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-20-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,594.0** |
| H2O | 1975 | 469.6 | 475.2 | 594.5 | 492.4 | 548.8 | 480.0 | 446.3 | 469.8 | 450.7 | 439.0 | 434.7 | 388.2 | **71,608.5** |
| OIL | 1975 | 37.8 | 33.2 | 35.3 | 32.1 | 33.4 | 43.6 | 41.7 | 48.0 | 46.1 | 42.8 | 34.7 | 38.0 | **22,019.7** |
| DAY | 1974 | 31.0 | 26.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,229.0** |
| H2O | 1974 | 521.2 | 417.8 | 486.7 | 442.5 | 525.9 | 541.8 | 487.0 | 473.3 | 451.2 | 500.3 | 511.0 | 584.4 | **65,919.3** |
| OIL | 1974 | 57.4 | 33.1 | 38.3 | 33.2 | 43.7 | 40.7 | 43.2 | 38.3 | 39.4 | 41.3 | 39.1 | 42.8 | **21,553.0** |
| DAY | 1973 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,868.0** |
| H2O | 1973 | 506.7 | 515.1 | 555.5 | 591.3 | 433.7 | 527.0 | 540.4 | 525.5 | 339.1 | 435.8 | 491.3 | 494.6 | **59,976.2** |
| OIL | 1973 | 52.1 | 48.8 | 68.8 | 68.0 | 57.4 | 56.9 | 64.1 | 61.8 | 43.1 | 44.5 | 46.9 | 59.8 | **21,062.5** |
| DAY | 1972 | 29.0 | 29.0 | 31.0 | 30.0 | 26.0 | 30.0 | 26.0 | 31.0 | 30.0 | 23.0 | 30.0 | 31.0 | **5,505.0** |
| H2O | 1972 | 407.5 | 408.9 | 424.3 | 410.5 | 353.0 | 432.4 | 342.8 | 417.0 | 410.0 | 345.3 | 661.5 | 625.9 | **54,020.2** |
| OIL | 1972 | 65.8 | 78.7 | 77.3 | 72.3 | 57.7 | 54.5 | 42.0 | 53.9 | 48.0 | 38.3 | 51.2 | 54.7 | **20,390.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,159.0** |
| H2O | 1971 | 354.7 | 315.7 | 374.4 | 277.3 | 292.7 | 385.9 | 424.0 | 428.8 | 425.3 | 442.0 | 431.3 | 445.5 | **48,781.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1435*** Well Name ***Tundra Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-20-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1971 | 54.9 | 50.7 | 57.4 | 57.1 | 57.4 | 88.4 | 70.3 | 77.3 | 71.5 | 71.5 | 69.6 | 72.2 | **19,695.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **4,794.0** |
| H2O | 1970 | 260.9 | 235.6 | 258.7 | 246.7 | 249.8 | 243.3 | 224.3 | 248.5 | 235.6 | 214.2 | 316.4 | 366.8 | **44,183.5** |
| OIL | 1970 | 54.7 | 48.5 | 52.3 | 51.2 | 49.0 | 42.9 | 48.8 | 52.3 | 49.4 | 45.0 | 51.0 | 53.3 | **18,897.6** |
| DAY | 1969 | 31.0 | 28.0 | 22.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | **4,433.0** |
| H2O | 1969 | 451.4 | 411.9 | 302.6 | 410.2 | 424.7 | 314.6 | 303.7 | 355.8 | 222.3 | 263.3 | 241.0 | 250.6 | **41,082.7** |
| OIL | 1969 | 79.0 | 66.0 | 52.0 | 82.0 | 59.0 | 59.8 | 56.9 | 61.7 | 53.6 | 70.3 | 57.2 | 55.2 | **18,299.2** |
| DAY | 1968 | 31.0 | 25.0 | 28.0 | 30.0 | 29.0 | 28.0 | 29.0 | 28.0 | 28.0 | 28.0 | 25.0 | 31.0 | **4,081.0** |
| H2O | 1968 | 415.8 | 291.9 | 425.0 | 477.6 | 438.6 | 439.9 | 425.3 | 435.0 | 376.2 | 380.1 | 337.1 | 456.6 | **37,130.6** |
| OIL | 1968 | 79.0 | 74.6 | 97.3 | 87.8 | 96.3 | 64.2 | 61.2 | 63.6 | 70.1 | 68.5 | 59.0 | 84.9 | **17,546.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 28.0 | 30.0 | 30.0 | 30.0 | 28.0 | 30.0 | 29.0 | **3,741.0** |
| H2O | 1967 | 97.6 | 81.9 | 106.5 | 146.0 | 355.3 | 392.4 | 488.1 | 434.7 | 390.0 | 359.2 | 374.9 | 389.2 | **32,231.5** |
| OIL | 1967 | 86.0 | 73.6 | 85.7 | 84.7 | 85.2 | 74.6 | 74.4 | 83.2 | 79.3 | 76.3 | 85.4 | 95.1 | **16,640.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 27.0 | **3,387.0** |
| H2O | 1966 | 214.0 | 163.6 | 195.9 | 187.4 | 183.5 | 139.0 | 146.0 | 168.7 | 169.5 | 162.5 | 166.9 | 95.7 | **28,615.7** |
| OIL | 1966 | 57.6 | 46.5 | 48.7 | 52.5 | 50.9 | 37.8 | 43.6 | 42.6 | 40.2 | 37.7 | 40.9 | 78.5 | **15,656.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | **3,033.0** |
| H2O | 1965 | 360.9 | 360.4 | 408.6 | 317.8 | 340.9 | 318.6 | 317.7 | 303.7 | 265.0 | 240.1 | 238.8 | 220.5 | **26,623.0** |
| OIL | 1965 | 100.1 | 103.4 | 107.4 | 71.9 | 74.5 | 91.2 | 51.3 | 73.4 | 71.3 | 56.3 | 61.9 | 57.8 | **15,079.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | **2,672.0** |
| H2O | 1964 | 357.9 | 325.1 | 350.1 | 364.7 | 409.2 | 405.7 | 375.2 | 365.0 | 328.9 | 279.8 | 302.9 | 299.1 | **22,930.0** |
| OIL | 1964 | 80.3 | 68.4 | 71.9 | 77.0 | 75.9 | 75.7 | 69.4 | 64.6 | 63.8 | 69.1 | 84.2 | 82.7 | **14,158.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 27.0 | 25.0 | 29.0 | 26.0 | 30.0 | 30.0 | 31.0 | **2,310.0** |
| H2O | 1963 | 291.4 | 254.9 | 294.6 | 292.5 | 171.5 | 318.6 | 328.3 | 368.5 | 314.8 | 324.0 | 346.3 | 352.0 | **18,766.4** |
| OIL | 1963 | 98.0 | 83.5 | 97.5 | 92.9 | 49.7 | 68.1 | 71.4 | 78.1 | 76.7 | 75.4 | 74.3 | 79.1 | **13,275.5** |
| DAY | 1962 | 31.0 | 21.0 | 27.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,964.0** |
| H2O | 1962 | 369.0 | 184.4 | 286.0 | 326.9 | 304.6 | 300.8 | 326.2 | 314.6 | 291.4 | 276.0 | 284.4 | 297.5 | **15,109.0** |
| OIL | 1962 | 88.9 | 43.5 | 81.3 | 87.0 | 88.3 | 86.9 | 87.5 | 96.2 | 96.9 | 97.7 | 100.2 | 96.4 | **12,330.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,613.0** |
| H2O | 1961 | 256.2 | 245.6 | 301.0 | 333.2 | 335.6 | 276.8 | 311.3 | 244.7 | 249.5 | 347.5 | 343.1 | 362.3 | **11,547.2** |
| OIL | 1961 | 119.5 | 95.5 | 126.0 | 121.5 | 123.9 | 92.4 | 88.6 | 112.6 | 112.8 | 108.8 | 103.7 | 82.7 | **11,280.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,248.0** |
| H2O | 1960 | 245.2 | 254.3 | 248.2 | 230.8 | 235.5 | 206.9 | 225.8 | 245.9 | 253.5 | 250.0 | 231.2 | 250.1 | **7,940.4** |
| OIL | 1960 | 167.3 | 154.9 | 148.4 | 130.3 | 130.0 | 120.7 | 123.4 | 119.3 | 110.2 | 119.6 | 114.7 | 117.7 | **9,992.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **885.0** |
| H2O | 1959 | 214.1 | 172.9 | 236.2 | 277.0 | 288.0 | 300.4 | 284.2 | 301.7 | 285.6 | 281.0 | 293.2 | 273.2 | **5,063.0** |
| OIL | 1959 | 266.7 | 255.2 | 253.3 | 223.6 | 218.2 | 203.7 | 186.9 | 204.5 | 191.6 | 206.7 | 191.8 | 183.8 | **8,435.5** |
| DAY | 1958 | 22.0 | 28.0 | 30.0 | 26.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 14.0 | **522.0** |
| H2O | 1958 | 47.6 | 68.7 | 109.9 | 121.7 | 154.4 | 153.0 | 177.0 | 188.1 | 192.4 | 195.5 | 186.7 | 85.8 | **1,855.5** |
| OIL | 1958 | 278.4 | 318.4 | 347.9 | 317.1 | 361.4 | 317.7 | 312.8 | 330.8 | 307.9 | 306.1 | 255.1 | 92.1 | **5,849.5** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 31.0 | 29.0 | 30.0 | 31.0 | 26.0 | 30.0 | **193.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.4 | 5.3 | 23.9 | 3.2 | 27.9 | 44.9 | 65.1 | **174.7** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 138.2 | 302.1 | 323.1 | 395.3 | 408.5 | 325.2 | 411.4 | **2,303.8** |

Licence ***1436*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-20-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 24.0 | 31.0 | 25.0 | 0.0 | 27.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,278.0** |
| H2O | 1975 | 199.8 | 155.7 | 212.6 | 168.2 | 0.0 | 180.1 | 156.3 | 180.9 | 180.0 | 169.0 | 153.9 | 165.2 | **62,081.0** |
| OIL | 1975 | 73.7 | 58.0 | 75.0 | 57.8 | 0.0 | 61.7 | 37.2 | 42.1 | 46.9 | 47.2 | 44.3 | 47.7 | **11,895.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 16.0 | 14.0 | 22.0 | 29.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **5,961.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1436*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-20-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1974 | 522.3 | 359.7 | 437.7 | 110.3 | 101.2 | 179.8 | 184.4 | 197.8 | 204.9 | 189.8 | 178.4 | 203.7 | **60,159.3** |
| OIL | 1974 | 124.6 | 37.8 | 42.1 | 38.0 | 32.3 | 51.0 | 68.3 | 73.1 | 70.7 | 65.9 | 67.2 | 73.9 | **11,303.5** |
| DAY | 1973 | 30.0 | 28.0 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **5,640.0** |
| H2O | 1973 | 409.7 | 383.8 | 432.8 | 396.7 | 443.9 | 447.1 | 391.9 | 434.7 | 370.0 | 453.1 | 430.7 | 506.5 | **57,289.3** |
| OIL | 1973 | 84.5 | 76.9 | 83.9 | 127.1 | 135.9 | 128.1 | 130.8 | 132.8 | 108.4 | 130.1 | 125.5 | 122.4 | **10,558.6** |
| DAY | 1972 | 26.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 27.0 | 27.0 | 25.0 | 28.0 | 27.0 | **5,284.0** |
| H2O | 1972 | 374.4 | 450.4 | 451.5 | 371.7 | 414.0 | 363.6 | 351.4 | 354.9 | 359.7 | 324.8 | 360.6 | 300.0 | **52,188.4** |
| OIL | 1972 | 77.5 | 89.0 | 93.8 | 77.1 | 83.1 | 76.9 | 82.0 | 71.4 | 75.0 | 70.7 | 81.4 | 74.5 | **9,172.2** |
| DAY | 1971 | 29.0 | 28.0 | 31.0 | 18.0 | 28.0 | 28.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **4,944.0** |
| H2O | 1971 | 415.0 | 443.1 | 476.8 | 260.7 | 416.1 | 391.8 | 473.1 | 529.3 | 484.6 | 396.7 | 396.4 | 413.7 | **47,711.4** |
| OIL | 1971 | 100.3 | 97.6 | 109.2 | 55.3 | 84.9 | 66.3 | 80.7 | 80.6 | 78.0 | 82.3 | 86.3 | 93.3 | **8,219.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 21.0 | 25.0 | 30.0 | **4,601.0** |
| H2O | 1970 | 529.9 | 502.6 | 613.0 | 552.5 | 568.8 | 475.5 | 464.4 | 435.8 | 486.1 | 321.9 | 341.2 | 366.0 | **42,614.1** |
| OIL | 1970 | 91.2 | 80.7 | 89.5 | 87.1 | 88.7 | 71.4 | 79.9 | 69.9 | 70.2 | 70.1 | 84.4 | 103.3 | **7,205.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 11.0 | 24.0 | 30.0 | 25.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,255.0** |
| H2O | 1969 | 722.0 | 590.2 | 715.3 | 262.6 | 572.3 | 716.9 | 456.0 | 517.5 | 515.1 | 583.9 | 546.3 | 592.8 | **36,956.4** |
| OIL | 1969 | 110.1 | 94.6 | 106.3 | 40.5 | 80.1 | 104.1 | 64.5 | 80.7 | 79.1 | 89.6 | 82.0 | 91.2 | **6,218.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 27.0 | 28.0 | 30.0 | 30.0 | **3,924.0** |
| H2O | 1968 | 420.2 | 426.6 | 496.0 | 506.1 | 494.3 | 434.0 | 367.8 | 365.2 | 298.7 | 567.0 | 651.8 | 700.6 | **30,165.5** |
| OIL | 1968 | 48.3 | 44.2 | 49.4 | 49.6 | 50.2 | 46.9 | 55.9 | 54.5 | 48.8 | 90.7 | 102.5 | 106.8 | **5,195.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 17.0 | 30.0 | 31.0 | **3,568.0** |
| H2O | 1967 | 456.3 | 388.9 | 441.0 | 415.1 | 453.6 | 354.3 | 386.7 | 443.1 | 457.9 | 236.4 | 451.8 | 456.6 | **24,437.2** |
| OIL | 1967 | 52.6 | 45.8 | 51.6 | 49.1 | 51.6 | 39.7 | 47.8 | 48.9 | 50.1 | 27.2 | 50.1 | 50.4 | **4,448.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,222.0** |
| H2O | 1966 | 77.2 | 74.1 | 73.9 | 58.0 | 63.1 | 53.4 | 55.5 | 56.6 | 61.0 | 562.3 | 503.2 | 466.3 | **19,495.5** |
| OIL | 1966 | 14.5 | 12.9 | 16.0 | 11.6 | 11.0 | 8.1 | 8.7 | 7.5 | 9.7 | 60.9 | 53.6 | 52.3 | **3,883.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 27.0 | 30.0 | 31.0 | **2,866.0** |
| H2O | 1965 | 38.5 | 35.0 | 39.3 | 58.5 | 59.4 | 57.5 | 46.6 | 65.9 | 52.6 | 49.7 | 58.8 | 63.7 | **17,390.9** |
| OIL | 1965 | 9.7 | 8.1 | 10.2 | 9.4 | 9.2 | 8.6 | 9.2 | 7.8 | 8.7 | 7.8 | 9.4 | 11.4 | **3,616.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,507.0** |
| H2O | 1964 | 55.9 | 55.3 | 59.1 | 57.2 | 59.1 | 57.2 | 57.5 | 55.3 | 57.2 | 59.1 | 31.9 | 39.4 | **16,765.4** |
| OIL | 1964 | 10.2 | 9.2 | 10.0 | 9.5 | 9.9 | 9.4 | 9.5 | 9.2 | 9.5 | 9.9 | 7.8 | 10.0 | **3,506.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 25.0 | 31.0 | 30.0 | 30.0 | **2,144.0** |
| H2O | 1963 | 220.3 | 205.1 | 221.8 | 189.7 | 203.3 | 185.5 | 183.3 | 173.9 | 125.1 | 215.3 | 202.1 | 63.9 | **16,121.2** |
| OIL | 1963 | 47.4 | 45.1 | 45.9 | 46.6 | 44.3 | 44.2 | 42.6 | 40.5 | 37.0 | 43.9 | 39.1 | 9.5 | **3,392.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,787.0** |
| H2O | 1962 | 248.8 | 221.9 | 237.8 | 225.9 | 227.3 | 210.3 | 236.6 | 235.8 | 221.5 | 228.8 | 222.1 | 222.1 | **13,931.9** |
| OIL | 1962 | 56.3 | 47.7 | 55.6 | 48.8 | 50.2 | 46.9 | 52.1 | 49.7 | 47.7 | 48.1 | 47.5 | 45.0 | **2,906.6** |
| DAY | 1961 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,422.0** |
| H2O | 1961 | 200.0 | 168.8 | 203.5 | 193.8 | 190.0 | 220.2 | 187.6 | 208.9 | 255.2 | 260.1 | 253.4 | 260.1 | **11,193.0** |
| OIL | 1961 | 49.4 | 42.3 | 49.3 | 47.7 | 46.1 | 46.2 | 55.6 | 44.2 | 52.4 | 59.9 | 60.2 | 60.2 | **2,311.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 2.0 | 29.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,059.0** |
| H2O | 1960 | 204.3 | 189.5 | 195.9 | 12.4 | 210.6 | 190.5 | 211.8 | 212.4 | 204.9 | 212.9 | 210.0 | 211.8 | **8,591.4** |
| OIL | 1960 | 37.5 | 31.8 | 29.1 | 1.6 | 37.5 | 33.5 | 35.8 | 66.6 | 70.1 | 66.9 | 55.3 | 53.6 | **1,697.5** |
| DAY | 1959 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 19.0 | 29.0 | 31.0 | **726.0** |
| H2O | 1959 | 250.6 | 222.7 | 225.1 | 239.4 | 248.3 | 251.5 | 246.1 | 240.2 | 221.1 | 134.7 | 202.7 | 220.2 | **6,324.4** |
| OIL | 1959 | 48.1 | 38.8 | 36.1 | 36.7 | 40.7 | 40.2 | 38.0 | 55.5 | 49.7 | 31.0 | 35.3 | 44.7 | **1,178.2** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | **378.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 9.7 | 245.8 | 249.6 | 248.2 | 243.6 | 250.6 | 243.4 | 187.1 | **3,621.8** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 5.1 | 48.8 | 42.7 | 39.7 | 42.3 | 42.7 | 42.9 | 38.0 | **683.4** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 30.0 | 31.0 | 28.0 | 30.0 | 30.0 | 2.0 | **171.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 222.9 | 340.5 | 358.3 | 308.6 | 309.2 | 390.0 | 14.3 | **1,943.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1436*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-20-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 45.3 | 67.2 | 73.4 | 63.6 | 60.7 | 68.5 | 2.5 | **381.2** |

Licence ***1437*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-10-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1970 | 8.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,299.0** |
| H2O | 1970 | 539.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **78,538.6** |
| OIL | 1970 | 12.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,258.2** |
| DAY | 1969 | 31.0 | 28.0 | 28.0 | 28.0 | 31.0 | 29.0 | 26.0 | 26.0 | 30.0 | 27.0 | 27.0 | 31.0 | **3,291.0** |
| H2O | 1969 | 2170.7 | 1889.0 | 1846.0 | 1853.3 | 2060.2 | 1960.9 | 1740.0 | 1662.3 | 2021.4 | 1694.5 | 1676.8 | 1857.0 | **77,998.8** |
| OIL | 1969 | 45.9 | 40.0 | 42.6 | 40.4 | 42.7 | 45.9 | 40.4 | 40.4 | 44.3 | 39.1 | 38.5 | 45.3 | **7,245.3** |
| DAY | 1968 | 30.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,949.0** |
| H2O | 1968 | 2091.6 | 1998.6 | 2259.1 | 1984.1 | 2197.1 | 2053.1 | 2189.2 | 2179.3 | 1767.8 | 2159.0 | 2135.9 | 2160.9 | **55,566.7** |
| OIL | 1968 | 62.9 | 60.5 | 64.5 | 54.8 | 58.2 | 59.4 | 56.7 | 59.1 | 49.6 | 46.2 | 43.9 | 46.6 | **6,739.8** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,588.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 312.3 | 1218.2 | 1324.8 | 1578.8 | 1733.0 | 2079.5 | 2188.5 | **30,391.0** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.1 | 90.4 | 77.4 | 90.4 | 100.6 | 60.9 | 63.6 | **6,077.4** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 7.0 | 0.0 | **2,396.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 397.8 | 462.5 | 496.2 | 509.3 | 497.3 | 513.7 | 113.4 | 0.0 | **19,955.9** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 45.0 | 42.1 | 41.0 | 44.5 | 38.0 | 37.8 | 6.4 | 0.0 | **5,572.0** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 29.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 0.0 | **2,217.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 222.7 | 253.5 | 526.9 | 522.2 | 487.6 | 528.8 | 489.4 | 0.0 | **16,965.7** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 36.5 | 39.7 | 48.0 | 48.0 | 48.3 | 29.2 | 36.9 | 0.0 | **5,317.2** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 23.0 | 30.0 | 29.0 | 30.0 | 30.0 | 29.0 | 31.0 | 16.0 | 0.0 | **2,009.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 106.0 | 138.3 | 156.4 | 198.2 | 184.7 | 195.5 | 181.8 | 151.6 | 0.0 | **13,934.6** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 36.4 | 49.6 | 38.0 | 39.7 | 39.6 | 41.3 | 32.1 | 12.2 | 0.0 | **5,030.6** |
| DAY | 1963 | 0.0 | 0.0 | 10.0 | 29.0 | 30.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 18.0 | 0.0 | **1,791.0** |
| H2O | 1963 | 0.0 | 0.0 | 9.2 | 161.5 | 160.5 | 160.4 | 143.7 | 141.9 | 134.6 | 138.3 | 67.5 | 0.0 | **12,622.1** |
| OIL | 1963 | 0.0 | 0.0 | 18.0 | 48.5 | 47.7 | 34.8 | 34.3 | 33.7 | 31.9 | 44.3 | 28.0 | 0.0 | **4,741.7** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 25.0 | 30.0 | 27.0 | 30.0 | 31.0 | 25.0 | 31.0 | 30.0 | 9.0 | **1,556.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 181.7 | 199.6 | 143.5 | 217.9 | 198.7 | 194.9 | 192.5 | 210.8 | 60.2 | **11,504.5** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 59.4 | 61.2 | 49.3 | 55.3 | 53.2 | 51.5 | 50.2 | 52.8 | 15.1 | **4,420.5** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 28.0 | 30.0 | 27.0 | 0.0 | **1,318.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 83.9 | 195.4 | 201.3 | 196.2 | 195.0 | 176.8 | 200.7 | 203.5 | 0.0 | **9,904.7** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 46.4 | 61.5 | 56.3 | 56.9 | 63.9 | 50.9 | 52.0 | 50.9 | 0.0 | **3,972.5** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 24.0 | 30.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 29.0 | 18.0 | **1,086.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 105.7 | 180.4 | 147.4 | 193.4 | 189.0 | 198.7 | 188.5 | 195.7 | 116.7 | **8,451.9** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 59.8 | 64.0 | 64.4 | 69.8 | 66.3 | 61.3 | 63.4 | 63.4 | 35.6 | **3,533.7** |
| DAY | 1959 | 31.0 | 23.0 | 29.0 | 29.0 | 29.0 | 29.0 | 28.0 | 30.0 | 28.0 | 27.0 | 27.0 | 16.0 | **837.0** |
| H2O | 1959 | 172.6 | 70.7 | 163.8 | 170.2 | 170.0 | 159.4 | 122.6 | 70.7 | 53.7 | 39.3 | 45.2 | 42.6 | **6,936.4** |
| OIL | 1959 | 92.8 | 38.5 | 98.4 | 110.6 | 114.9 | 101.9 | 71.0 | 81.2 | 56.6 | 60.9 | 57.0 | 33.2 | **2,985.7** |
| DAY | 1958 | 29.0 | 28.0 | 27.0 | 23.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **511.0** |
| H2O | 1958 | 390.0 | 426.3 | 106.8 | 73.3 | 105.1 | 195.8 | 387.2 | 467.3 | 326.6 | 273.4 | 159.4 | 161.1 | **5,655.6** |
| OIL | 1958 | 27.7 | 28.4 | 244.1 | 178.0 | 108.2 | 146.4 | 129.8 | 128.1 | 94.6 | 88.4 | 107.9 | 97.7 | **2,068.7** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 28.0 | 26.0 | 25.0 | 25.0 | 29.0 | 22.0 | **167.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 104.3 | 401.8 | 489.4 | 355.9 | 388.7 | 453.0 | 390.2 | **2,583.3** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 120.8 | 188.5 | 142.7 | 88.2 | 60.2 | 57.5 | 31.5 | **689.4** |

Licence ***1438*** Well Name ***Interlake Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-18-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***1438*** Well Name ***Interlake Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-18-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 25.0 | 31.0 | 17.0 | 27.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,274.0** |
| H2O | 1975 | 3232.2 | 3163.5 | 3473.7 | 1899.9 | 2260.3 | 2058.9 | 2317.2 | 2261.8 | 2169.9 | 2306.4 | 2293.7 | 2335.2 | **181,395.3** |
| OIL | 1975 | 58.5 | 44.8 | 62.3 | 32.9 | 65.0 | 62.5 | 58.2 | 51.7 | 56.3 | 58.5 | 56.8 | 49.6 | **12,242.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 22.0 | 27.0 | 31.0 | 22.0 | 31.0 | 29.0 | 27.0 | **5,930.0** |
| H2O | 1974 | 3586.0 | 3462.7 | 4275.3 | 2766.4 | 3542.6 | 2126.3 | 3079.7 | 2947.8 | 2623.5 | 3262.1 | 3203.1 | 3316.8 | **151,622.6** |
| OIL | 1974 | 69.2 | 59.6 | 73.6 | 65.7 | 60.9 | 50.9 | 48.0 | 49.1 | 43.7 | 63.8 | 53.7 | 55.6 | **11,585.1** |
| DAY | 1973 | 0.0 | 0.0 | 10.0 | 30.0 | 31.0 | 30.0 | 16.0 | 5.0 | 26.0 | 30.0 | 29.0 | 31.0 | **5,590.0** |
| H2O | 1973 | 0.0 | 0.0 | 78.9 | 2891.3 | 2837.9 | 2853.8 | 1450.0 | 342.6 | 1923.8 | 2217.9 | 2976.7 | 2925.4 | **113,430.3** |
| OIL | 1973 | 0.0 | 0.0 | 24.6 | 82.0 | 79.2 | 81.4 | 39.6 | 20.7 | 52.8 | 59.8 | 67.4 | 65.2 | **10,891.3** |
| DAY | 1972 | 22.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 18.0 | 25.0 | 19.0 | 10.0 | 0.0 | 0.0 | **5,352.0** |
| H2O | 1972 | 1402.9 | 1654.3 | 1760.8 | 1475.7 | 1272.2 | 1511.2 | 889.4 | 1235.3 | 1191.5 | 489.8 | 0.0 | 0.0 | **92,932.0** |
| OIL | 1972 | 41.0 | 52.0 | 52.9 | 55.5 | 67.4 | 57.9 | 32.1 | 41.5 | 41.8 | 15.6 | 0.0 | 0.0 | **10,318.6** |
| DAY | 1971 | 26.0 | 28.0 | 31.0 | 28.0 | 30.0 | 28.0 | 26.0 | 31.0 | 29.0 | 16.0 | 30.0 | 29.0 | **5,108.0** |
| H2O | 1971 | 866.5 | 1032.6 | 1218.0 | 1089.9 | 1308.5 | 1256.0 | 1165.4 | 1381.6 | 1365.7 | 788.6 | 1571.1 | 1733.0 | **80,048.9** |
| OIL | 1971 | 50.6 | 49.9 | 57.7 | 48.8 | 62.0 | 55.0 | 47.9 | 56.9 | 53.3 | 35.1 | 47.7 | 44.5 | **9,860.9** |
| DAY | 1970 | 31.0 | 26.0 | 27.0 | 13.0 | 31.0 | 30.0 | 29.0 | 31.0 | 29.0 | 25.0 | 20.0 | 20.0 | **4,776.0** |
| H2O | 1970 | 462.7 | 383.2 | 391.7 | 198.7 | 554.9 | 654.4 | 750.4 | 928.5 | 979.4 | 720.2 | 787.0 | 734.5 | **65,272.0** |
| OIL | 1970 | 35.6 | 28.6 | 20.7 | 10.3 | 31.0 | 45.5 | 51.8 | 64.1 | 72.7 | 52.0 | 42.3 | 43.1 | **9,251.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **4,464.0** |
| H2O | 1969 | 497.6 | 449.9 | 464.2 | 456.3 | 492.9 | 500.8 | 328.8 | 469.0 | 472.2 | 511.9 | 477.0 | 462.7 | **57,726.4** |
| OIL | 1969 | 31.8 | 28.6 | 29.6 | 28.8 | 33.4 | 34.2 | 29.4 | 35.0 | 37.0 | 29.9 | 36.4 | 34.5 | **8,753.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,103.0** |
| H2O | 1968 | 439.7 | 412.8 | 485.9 | 493.6 | 520.9 | 502.0 | 538.5 | 524.1 | 502.1 | 483.4 | 497.6 | 481.7 | **52,143.1** |
| OIL | 1968 | 38.2 | 33.1 | 39.1 | 38.2 | 37.2 | 33.5 | 34.7 | 35.3 | 32.8 | 31.2 | 32.8 | 31.2 | **8,365.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 13.0 | 0.0 | 0.0 | 22.0 | **3,737.0** |
| H2O | 1967 | 507.4 | 392.9 | 496.7 | 483.1 | 496.4 | 490.4 | 487.4 | 476.2 | 199.0 | 0.0 | 0.0 | 298.0 | **46,260.8** |
| OIL | 1967 | 40.7 | 32.1 | 38.6 | 39.1 | 40.2 | 39.1 | 39.1 | 38.3 | 14.0 | 0.0 | 0.0 | 30.8 | **7,947.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 18.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,459.0** |
| H2O | 1966 | 503.3 | 455.4 | 506.6 | 491.2 | 503.9 | 484.5 | 497.7 | 286.2 | 483.9 | 479.6 | 480.0 | 509.8 | **41,933.3** |
| OIL | 1966 | 30.2 | 29.9 | 32.3 | 31.8 | 33.5 | 33.7 | 35.9 | 21.9 | 40.1 | 36.9 | 38.6 | 41.0 | **7,595.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,107.0** |
| H2O | 1965 | 451.7 | 450.3 | 501.7 | 476.5 | 496.4 | 487.7 | 518.0 | 513.7 | 490.9 | 505.8 | 489.9 | 506.8 | **36,251.2** |
| OIL | 1965 | 32.1 | 31.8 | 34.7 | 32.4 | 33.7 | 31.8 | 31.3 | 34.0 | 29.1 | 27.5 | 28.1 | 29.7 | **7,190.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,742.0** |
| H2O | 1964 | 402.0 | 383.9 | 401.8 | 395.5 | 423.0 | 433.1 | 462.1 | 448.9 | 418.2 | 456.8 | 436.0 | 443.2 | **30,361.8** |
| OIL | 1964 | 33.2 | 33.2 | 34.2 | 33.4 | 35.8 | 32.6 | 33.4 | 32.6 | 30.7 | 32.4 | 27.3 | 30.5 | **6,813.9** |
| DAY | 1963 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,377.0** |
| H2O | 1963 | 302.6 | 269.1 | 297.5 | 292.4 | 304.8 | 297.7 | 312.6 | 300.4 | 277.3 | 243.3 | 276.7 | 317.1 | **25,257.3** |
| OIL | 1963 | 41.6 | 39.1 | 48.7 | 46.3 | 46.3 | 42.9 | 43.1 | 42.3 | 39.0 | 35.9 | 43.4 | 43.2 | **6,424.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,013.0** |
| H2O | 1962 | 416.9 | 366.7 | 403.3 | 381.5 | 394.0 | 380.7 | 394.2 | 393.7 | 381.5 | 368.4 | 379.4 | 339.3 | **21,765.8** |
| OIL | 1962 | 59.8 | 49.8 | 54.8 | 51.1 | 54.0 | 51.9 | 53.3 | 53.5 | 51.7 | 49.3 | 51.7 | 47.1 | **5,912.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | **1,650.0** |
| H2O | 1961 | 180.5 | 161.3 | 257.5 | 369.5 | 407.4 | 416.1 | 430.8 | 428.7 | 408.7 | 331.7 | 399.6 | 419.8 | **17,166.2** |
| OIL | 1961 | 44.4 | 40.3 | 56.7 | 73.0 | 83.4 | 80.2 | 82.4 | 82.6 | 74.6 | 53.0 | 58.6 | 60.5 | **5,284.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,294.0** |
| H2O | 1960 | 207.4 | 202.6 | 230.0 | 228.2 | 218.3 | 207.4 | 272.6 | 170.3 | 167.3 | 168.3 | 170.0 | 177.8 | **12,954.6** |
| OIL | 1960 | 82.3 | 73.0 | 79.2 | 74.6 | 72.6 | 66.7 | 58.6 | 42.8 | 42.3 | 42.7 | 41.7 | 42.8 | **4,495.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **928.0** |
| H2O | 1959 | 223.0 | 214.4 | 251.6 | 226.5 | 209.6 | 225.0 | 293.4 | 374.3 | 325.3 | 334.1 | 253.2 | 223.9 | **10,534.4** |
| OIL | 1959 | 57.9 | 58.2 | 64.3 | 61.6 | 61.7 | 66.7 | 92.4 | 114.7 | 91.5 | 95.6 | 86.4 | 89.4 | **3,775.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **566.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1438*** Well Name ***Interlake Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-18-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 544.6 | 450.3 | 481.3 | 412.2 | 247.9 | 217.1 | 506.9 | 379.2 | 239.5 | 231.7 | 284.3 | 207.2 | **7,380.1** |
| OIL | 1958 | 175.4 | 146.5 | 156.8 | 150.1 | 88.5 | 71.0 | 140.3 | 126.9 | 90.0 | 115.6 | 94.5 | 74.9 | **2,835.4** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 31.0 | 28.0 | 30.0 | 30.0 | 29.0 | 31.0 | **202.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 173.9 | 417.7 | 472.8 | 546.9 | 549.0 | 482.4 | 535.2 | **3,177.9** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 150.8 | 230.9 | 228.2 | 220.4 | 217.7 | 170.7 | 186.2 | **1,404.9** |

Licence ***1439*** Well Name ***Enerplus South Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-10-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 20.0 | 0.0 | 0.0 | 0.0 | **1,024.0** |
| H2O | 1960 | 56.2 | 54.9 | 59.0 | 56.1 | 56.6 | 53.3 | 58.0 | 45.8 | 125.9 | 0.0 | 0.0 | 0.0 | **7,763.3** |
| OIL | 1960 | 15.3 | 14.3 | 14.6 | 12.9 | 13.3 | 12.4 | 12.6 | 10.2 | 5.9 | 0.0 | 0.0 | 0.0 | **1,913.6** |
| DAY | 1959 | 17.0 | 21.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | 31.0 | 27.0 | 30.0 | 28.0 | 31.0 | **764.0** |
| H2O | 1959 | 227.2 | 150.7 | 302.1 | 24.2 | 30.7 | 37.5 | 67.6 | 63.9 | 44.4 | 50.9 | 49.1 | 57.1 | **7,197.5** |
| OIL | 1959 | 19.1 | 31.5 | 35.8 | 37.3 | 41.3 | 50.7 | 27.3 | 23.5 | 17.3 | 17.3 | 16.4 | 16.5 | **1,802.1** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 23.0 | 31.0 | **429.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 105.9 | 203.2 | 297.8 | 324.2 | 343.9 | 341.5 | 279.0 | 441.0 | **6,092.1** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 159.1 | 126.2 | 84.5 | 64.8 | 53.7 | 49.6 | 32.6 | 36.7 | **1,468.1** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 23.0 | 28.0 | 27.0 | 30.0 | 31.0 | 27.0 | 30.0 | 4.0 | 0.0 | **200.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 167.4 | 255.6 | 498.9 | 740.7 | 616.7 | 668.7 | 699.7 | 107.9 | 0.0 | **3,755.6** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 212.0 | 187.7 | 150.3 | 119.8 | 100.9 | 40.2 | 44.0 | 6.0 | 0.0 | **860.9** |

Licence ***1440*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-28-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **6,352.0** |
| H2O | 1975 | 186.8 | 180.0 | 212.6 | 183.3 | 203.8 | 154.5 | 175.4 | 183.3 | 165.5 | 155.6 | 148.3 | 120.5 | **17,068.9** |
| OIL | 1975 | 47.4 | 46.1 | 51.5 | 34.6 | 36.2 | 42.0 | 45.3 | 46.4 | 42.6 | 42.9 | 42.0 | 48.9 | **12,271.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 19.0 | 9.0 | 30.0 | 30.0 | 22.0 | 30.0 | 30.0 | **5,991.0** |
| H2O | 1974 | 398.2 | 118.4 | 210.2 | 114.1 | 127.5 | 98.2 | 37.5 | 136.1 | 114.1 | 82.8 | 102.2 | 108.6 | **14,999.3** |
| OIL | 1974 | 49.9 | 41.8 | 59.6 | 34.8 | 35.9 | 21.8 | 10.8 | 31.9 | 35.0 | 25.4 | 34.2 | 35.0 | **11,745.7** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 25.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **5,670.0** |
| H2O | 1973 | 106.8 | 85.1 | 98.4 | 103.3 | 115.9 | 107.5 | 153.7 | 200.0 | 181.4 | 191.6 | 295.4 | 386.2 | **13,351.4** |
| OIL | 1973 | 51.2 | 45.1 | 50.4 | 42.0 | 45.6 | 39.7 | 82.8 | 98.5 | 34.0 | 35.3 | 45.1 | 48.9 | **11,329.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,317.0** |
| H2O | 1972 | 169.2 | 137.7 | 138.0 | 104.3 | 112.2 | 95.2 | 88.9 | 95.9 | 99.8 | 100.8 | 96.5 | 89.2 | **11,326.1** |
| OIL | 1972 | 60.1 | 62.3 | 65.6 | 57.4 | 59.9 | 76.3 | 63.4 | 53.1 | 56.9 | 51.0 | 50.7 | 51.5 | **10,711.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,951.0** |
| H2O | 1971 | 242.4 | 198.2 | 167.7 | 172.8 | 125.3 | 108.7 | 160.9 | 173.1 | 139.6 | 147.5 | 133.2 | 156.8 | **9,998.4** |
| OIL | 1971 | 79.6 | 72.1 | 133.0 | 127.0 | 65.0 | 66.3 | 55.9 | 69.3 | 66.1 | 54.8 | 52.0 | 60.5 | **10,002.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 28.0 | 26.0 | 26.0 | 30.0 | 31.0 | **4,587.0** |
| H2O | 1970 | 66.3 | 62.8 | 35.3 | 36.2 | 56.3 | 54.2 | 108.1 | 98.2 | 97.5 | 182.0 | 233.9 | 205.6 | **8,072.2** |
| OIL | 1970 | 69.3 | 61.3 | 68.0 | 60.9 | 53.4 | 49.3 | 58.0 | 54.3 | 57.4 | 71.5 | 83.4 | 79.0 | **9,101.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,236.0** |
| H2O | 1969 | 147.1 | 120.3 | 132.4 | 94.4 | 141.8 | 135.8 | 143.4 | 129.9 | 124.0 | 73.0 | 69.2 | 74.1 | **6,835.8** |
| OIL | 1969 | 110.1 | 94.6 | 75.6 | 63.4 | 80.6 | 80.2 | 72.9 | 72.8 | 68.5 | 80.9 | 75.0 | 69.1 | **8,335.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,876.0** |
| H2O | 1968 | 61.7 | 61.7 | 7.0 | 7.5 | 58.8 | 55.6 | 192.5 | 193.6 | 163.1 | 146.3 | 145.6 | 149.4 | **5,450.4** |
| OIL | 1968 | 67.7 | 61.0 | 72.5 | 76.3 | 62.5 | 55.0 | 105.5 | 106.3 | 95.0 | 99.3 | 96.9 | 111.6 | **7,391.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,511.0** |
| H2O | 1967 | 97.3 | 83.0 | 94.1 | 75.7 | 72.2 | 77.7 | 59.6 | 66.6 | 104.1 | 79.8 | 82.4 | 66.0 | **4,207.6** |

# Manitoba Production
## 1950 To 1975

Licence ***1440*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-28-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1967 | 75.0 | 87.7 | 99.0 | 62.9 | 71.8 | 63.7 | 68.3 | 68.0 | 53.4 | 64.0 | 63.9 | 69.6 | **6,382.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **3,146.0** |
| H2O | 1966 | 1.6 | 1.7 | 0.0 | 0.0 | 2.7 | 192.8 | 137.8 | 162.2 | 128.9 | 112.4 | 117.6 | 90.6 | **3,249.1** |
| OIL | 1966 | 55.8 | 50.1 | 66.3 | 47.8 | 51.8 | 96.9 | 91.7 | 90.1 | 80.7 | 75.5 | 83.7 | 80.4 | **5,534.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,789.0** |
| H2O | 1965 | 4.6 | 3.7 | 4.6 | 1.4 | 1.3 | 1.1 | 1.0 | 1.6 | 1.1 | 1.1 | 1.3 | 1.4 | **2,300.8** |
| OIL | 1965 | 35.6 | 33.1 | 39.1 | 34.8 | 28.8 | 33.2 | 34.8 | 33.5 | 33.5 | 34.3 | 36.4 | 44.5 | **4,664.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,425.0** |
| H2O | 1964 | 19.2 | 17.8 | 19.6 | 8.9 | 20.2 | 21.0 | 16.1 | 5.1 | 4.1 | 4.3 | 2.5 | 4.9 | **2,276.6** |
| OIL | 1964 | 54.3 | 51.0 | 52.4 | 48.3 | 43.7 | 45.6 | 40.0 | 35.8 | 32.4 | 36.5 | 36.5 | 37.3 | **4,242.4** |
| DAY | 1963 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,063.0** |
| H2O | 1963 | 19.9 | 16.5 | 32.3 | 18.0 | 20.3 | 29.6 | 49.8 | 48.3 | 24.8 | 64.1 | 18.4 | 20.0 | **2,132.9** |
| OIL | 1963 | 56.9 | 48.5 | 58.8 | 44.7 | 44.5 | 47.4 | 56.9 | 50.7 | 56.1 | 49.6 | 54.3 | 55.9 | **3,728.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,703.0** |
| H2O | 1962 | 8.6 | 20.7 | 26.9 | 0.0 | 0.0 | 12.1 | 4.9 | 3.0 | 5.4 | 45.0 | 1.6 | 20.7 | **1,770.9** |
| OIL | 1962 | 63.1 | 47.0 | 54.7 | 47.8 | 52.9 | 50.4 | 54.5 | 48.5 | 52.1 | 55.1 | 45.9 | 53.2 | **3,104.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,340.0** |
| H2O | 1961 | 4.6 | 0.0 | 140.1 | 85.1 | 89.8 | 92.4 | 101.7 | 102.4 | 104.6 | 108.4 | 18.6 | 8.6 | **1,622.0** |
| OIL | 1961 | 30.2 | 14.5 | 31.8 | 27.3 | 79.8 | 92.2 | 91.7 | 92.6 | 89.5 | 93.1 | 66.4 | 64.4 | **2,479.1** |
| DAY | 1960 | 14.0 | 23.0 | 25.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 26.0 | 30.0 | 31.0 | **980.0** |
| H2O | 1960 | 2.7 | 1.1 | 1.1 | 1.1 | 13.7 | 12.7 | 14.5 | 14.0 | 12.9 | 1.4 | 0.0 | 5.1 | **765.7** |
| OIL | 1960 | 7.0 | 6.4 | 6.5 | 6.7 | 73.4 | 66.9 | 76.8 | 75.6 | 73.1 | 43.9 | 66.6 | 49.7 | **1,705.6** |
| DAY | 1959 | 26.0 | 28.0 | 31.0 | 7.0 | 8.0 | 10.0 | 11.0 | 7.0 | 7.0 | 9.0 | 28.0 | 30.0 | **653.0** |
| H2O | 1959 | 3.8 | 4.0 | 5.1 | 1.3 | 1.7 | 1.9 | 21.6 | 12.6 | 14.6 | 0.0 | 5.2 | 5.2 | **685.4** |
| OIL | 1959 | 25.7 | 27.0 | 30.4 | 7.3 | 8.7 | 10.8 | 13.5 | 8.7 | 9.4 | 5.1 | 10.6 | 14.1 | **1,153.0** |
| DAY | 1958 | 31.0 | 25.0 | 28.0 | 29.0 | 30.0 | 30.0 | 29.0 | 28.0 | 26.0 | 31.0 | 28.0 | 25.0 | **451.0** |
| H2O | 1958 | 27.7 | 21.5 | 12.7 | 21.0 | 21.9 | 23.7 | 22.1 | 15.7 | 8.9 | 4.9 | 9.2 | 3.8 | **608.4** |
| OIL | 1958 | 71.4 | 62.9 | 53.1 | 51.5 | 44.0 | 44.3 | 36.4 | 33.5 | 30.2 | 15.3 | 30.8 | 25.3 | **981.7** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 0.0 | 5.0 | 31.0 | 30.0 | 31.0 | **111.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 88.9 | 0.0 | 33.1 | 103.8 | 90.5 | 99.0 | **415.3** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 64.2 | 0.0 | 22.2 | 140.5 | 127.9 | 128.2 | **483.0** |

Licence ***1441*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-26-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 27.0 | 28.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,733.0** |
| H2O | 1975 | 34.3 | 30.0 | 31.6 | 28.5 | 35.3 | 44.4 | 44.4 | 43.7 | 43.1 | 46.3 | 46.4 | 47.2 | **4,666.5** |
| OIL | 1975 | 91.7 | 77.9 | 80.4 | 70.7 | 86.4 | 87.7 | 90.4 | 90.7 | 88.0 | 91.1 | 88.0 | 89.6 | **21,842.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,377.0** |
| H2O | 1974 | 9.5 | 8.7 | 9.9 | 9.5 | 40.4 | 40.5 | 41.0 | 37.7 | 37.0 | 39.0 | 38.8 | 34.0 | **4,191.3** |
| OIL | 1974 | 129.7 | 113.0 | 129.4 | 123.3 | 110.3 | 106.6 | 110.1 | 109.6 | 105.2 | 110.9 | 105.8 | 92.3 | **20,810.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,012.0** |
| H2O | 1973 | 9.9 | 9.4 | 10.0 | 10.2 | 10.2 | 9.9 | 9.7 | 10.5 | 10.3 | 10.3 | 9.9 | 9.5 | **3,845.3** |
| OIL | 1973 | 114.1 | 100.1 | 110.9 | 108.4 | 113.1 | 122.7 | 125.9 | 134.3 | 129.4 | 131.7 | 124.4 | 126.2 | **19,463.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,647.0** |
| H2O | 1972 | 13.2 | 12.9 | 14.3 | 12.9 | 14.0 | 14.0 | 15.6 | 14.8 | 14.6 | 16.1 | 9.7 | 10.0 | **3,725.5** |
| OIL | 1972 | 120.0 | 113.1 | 123.0 | 117.6 | 123.9 | 119.7 | 123.3 | 126.0 | 120.0 | 126.5 | 110.9 | 115.7 | **18,022.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,281.0** |
| H2O | 1971 | 12.7 | 11.3 | 13.2 | 13.4 | 13.2 | 12.7 | 12.7 | 12.6 | 11.3 | 12.7 | 12.1 | 14.3 | **3,563.4** |
| OIL | 1971 | 144.0 | 127.4 | 141.0 | 133.8 | 127.9 | 120.3 | 123.2 | 124.9 | 123.2 | 127.8 | 120.6 | 123.5 | **16,583.0** |
| DAY | 1970 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,918.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1441*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-26-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1970 | 8.7 | 7.9 | 8.6 | 7.8 | 8.1 | 8.3 | 11.9 | 13.5 | 13.0 | 13.4 | 12.2 | 13.7 | **3,411.2** |
| OIL | 1970 | 144.0 | 125.2 | 141.7 | 136.8 | 141.1 | 138.3 | 134.6 | 132.2 | 130.5 | 137.6 | 132.1 | 138.4 | **15,045.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,556.0** |
| H2O | 1969 | 18.9 | 17.3 | 16.2 | 16.5 | 18.1 | 17.3 | 18.8 | 19.1 | 17.2 | 19.4 | 8.3 | 8.9 | **3,284.1** |
| OIL | 1969 | 162.1 | 143.3 | 158.1 | 154.1 | 158.3 | 155.3 | 161.5 | 160.5 | 149.9 | 163.4 | 142.4 | 149.1 | **13,412.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,192.0** |
| H2O | 1968 | 4.3 | 4.0 | 4.1 | 4.3 | 4.6 | 4.1 | 18.6 | 17.3 | 17.5 | 18.6 | 17.2 | 18.1 | **3,088.1** |
| OIL | 1968 | 124.6 | 114.4 | 122.4 | 121.6 | 122.0 | 119.7 | 157.6 | 161.1 | 156.5 | 164.2 | 157.3 | 161.9 | **11,554.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,827.0** |
| H2O | 1967 | 5.2 | 4.5 | 5.2 | 4.8 | 4.9 | 4.6 | 3.3 | 4.8 | 4.0 | 4.6 | 4.1 | 4.5 | **2,955.4** |
| OIL | 1967 | 92.3 | 82.0 | 92.0 | 89.0 | 91.7 | 87.7 | 90.1 | 90.3 | 85.5 | 91.8 | 122.5 | 124.4 | **9,871.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,462.0** |
| H2O | 1966 | 9.2 | 7.3 | 9.4 | 9.7 | 10.0 | 9.7 | 9.1 | 9.4 | 10.0 | 10.3 | 5.2 | 5.6 | **2,900.9** |
| OIL | 1966 | 48.1 | 42.4 | 47.0 | 45.9 | 44.3 | 46.2 | 47.0 | 47.4 | 46.2 | 47.8 | 88.4 | 92.5 | **8,732.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,099.0** |
| H2O | 1965 | 10.7 | 9.5 | 10.8 | 9.5 | 9.1 | 9.2 | 9.2 | 9.4 | 9.1 | 9.4 | 9.5 | 9.7 | **2,796.0** |
| OIL | 1965 | 51.3 | 46.7 | 50.5 | 48.6 | 47.5 | 49.3 | 51.3 | 50.7 | 46.6 | 50.1 | 47.5 | 48.8 | **8,089.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 28.0 | 26.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,736.0** |
| H2O | 1964 | 16.5 | 14.3 | 16.5 | 16.1 | 16.4 | 9.5 | 8.3 | 10.2 | 8.7 | 9.7 | 10.2 | 10.5 | **2,680.9** |
| OIL | 1964 | 57.5 | 52.3 | 58.8 | 56.4 | 55.9 | 43.9 | 40.8 | 49.1 | 42.7 | 48.3 | 47.4 | 50.7 | **7,500.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,381.0** |
| H2O | 1963 | 4.8 | 7.6 | 8.7 | 8.3 | 8.4 | 7.9 | 9.2 | 7.9 | 16.4 | 17.6 | 15.9 | 15.6 | **2,534.0** |
| OIL | 1963 | 50.1 | 49.1 | 63.2 | 57.5 | 55.0 | 53.7 | 58.3 | 50.4 | 49.9 | 54.8 | 53.9 | 53.1 | **6,896.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,019.0** |
| H2O | 1962 | 1.9 | 1.9 | 2.1 | 3.3 | 3.7 | 2.1 | 16.9 | 2.9 | 2.7 | 2.4 | 2.9 | 3.0 | **2,405.7** |
| OIL | 1962 | 74.2 | 63.9 | 70.4 | 65.8 | 73.1 | 62.6 | 59.4 | 60.9 | 49.4 | 50.1 | 45.9 | 54.7 | **6,247.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,655.0** |
| H2O | 1961 | 12.9 | 11.0 | 11.0 | 6.0 | 4.3 | 3.7 | 5.1 | 8.4 | 2.1 | 0.3 | 0.2 | 1.4 | **2,359.9** |
| OIL | 1961 | 77.2 | 70.7 | 74.8 | 72.5 | 74.2 | 68.8 | 70.9 | 73.7 | 66.1 | 71.8 | 71.5 | 71.2 | **5,517.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,290.0** |
| H2O | 1960 | 24.3 | 21.9 | 24.0 | 22.3 | 21.1 | 20.3 | 15.1 | 14.6 | 13.8 | 13.4 | 13.5 | 12.6 | **2,293.5** |
| OIL | 1960 | 79.9 | 67.4 | 77.1 | 74.5 | 72.9 | 72.0 | 84.2 | 86.3 | 79.5 | 79.1 | 77.7 | 79.3 | **4,653.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **924.0** |
| H2O | 1959 | 44.0 | 39.9 | 39.7 | 39.0 | 37.2 | 36.6 | 36.9 | 32.1 | 31.2 | 28.6 | 28.0 | 25.6 | **2,076.6** |
| OIL | 1959 | 91.1 | 85.8 | 94.2 | 88.0 | 90.3 | 87.2 | 87.6 | 90.4 | 80.7 | 84.5 | 83.1 | 83.1 | **3,723.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **561.0** |
| H2O | 1958 | 97.6 | 77.4 | 83.6 | 71.9 | 81.2 | 72.2 | 68.7 | 68.2 | 61.4 | 57.7 | 50.6 | 50.9 | **1,657.8** |
| OIL | 1958 | 123.8 | 103.1 | 108.5 | 93.6 | 112.8 | 111.6 | 117.3 | 115.5 | 105.4 | 99.8 | 96.9 | 98.2 | **2,677.7** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | **199.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 42.4 | 131.3 | 150.7 | 138.3 | 139.1 | 114.8 | 99.8 | **816.4** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 179.4 | 282.7 | 246.2 | 193.9 | 186.9 | 165.4 | 136.7 | **1,391.2** |

Licence ***1443*** Well Name ***Murphy Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.16-22-010-26W1.00*** Field Name ***Virden*** Pool Name ***Ashville*** Field Code ***5*** Pool Code ***11*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1961 | 1896.9 | 1786.3 | 2123.1 | 2043.1 | 2497.4 | 2396.6 | 2506.0 | 1933.4 | 0.0 | 321.0 | 0.0 | 0.0 | **110,665.2** |
| WIN | 1960 | 2416.3 | 2155.0 | 2403.9 | 2364.6 | 2209.7 | 2238.5 | 2162.3 | 2120.5 | 2013.3 | 2164.5 | 1923.8 | 1954.8 | **93,161.4** |
| WIN | 1959 | 2177.6 | 1606.7 | 2092.8 | 2132.8 | 2311.6 | 2173.9 | 2334.8 | 2538.4 | 2503.6 | 2469.4 | 2343.1 | 2442.0 | **67,034.2** |
| WIN | 1958 | 2448.1 | 2316.2 | 2546.7 | 2470.0 | 2512.5 | 2439.2 | 2513.1 | 2613.1 | 2481.3 | 2599.4 | 2390.5 | 2622.5 | **39,907.5** |
| WIN | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 522.6 | 584.6 | 557.9 | 1460.1 | 1889.5 | 2415.0 | 2525.2 | **9,954.9** |

Licence ***1445*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***1445*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,728.0** |
| H2O | 1975 | 401.9 | 344.0 | 386.8 | 352.3 | 344.7 | 360.9 | 421.3 | 411.8 | 414.5 | 449.1 | 376.0 | 394.9 | **60,561.8** |
| OIL | 1975 | 83.3 | 75.5 | 83.0 | 89.1 | 93.0 | 90.7 | 105.4 | 100.7 | 97.7 | 105.7 | 98.7 | 102.8 | **37,481.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,363.0** |
| H2O | 1974 | 360.1 | 326.9 | 363.4 | 372.0 | 339.9 | 397.4 | 399.0 | 392.7 | 376.9 | 436.9 | 424.6 | 386.0 | **55,903.6** |
| OIL | 1974 | 89.5 | 80.4 | 89.1 | 86.4 | 93.3 | 88.7 | 88.8 | 86.8 | 91.8 | 90.9 | 87.6 | 89.6 | **36,355.4** |
| DAY | 1973 | 31.0 | 27.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,999.0** |
| H2O | 1973 | 318.3 | 326.5 | 336.7 | 350.4 | 337.8 | 360.6 | 354.7 | 397.6 | 351.8 | 317.3 | 294.9 | 368.5 | **51,327.8** |
| OIL | 1973 | 103.6 | 91.4 | 95.8 | 106.8 | 99.3 | 105.5 | 101.9 | 89.6 | 109.3 | 95.3 | 89.1 | 90.4 | **35,292.5** |
| DAY | 1972 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | **5,638.0** |
| H2O | 1972 | 346.1 | 313.2 | 370.9 | 347.7 | 343.2 | 315.6 | 318.1 | 310.5 | 310.6 | 317.5 | 329.1 | 343.4 | **47,212.7** |
| OIL | 1972 | 102.8 | 89.0 | 107.3 | 113.0 | 119.3 | 114.3 | 97.3 | 99.0 | 95.3 | 108.1 | 90.7 | 99.6 | **34,114.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,281.0** |
| H2O | 1971 | 345.3 | 295.9 | 335.4 | 318.4 | 340.2 | 329.4 | 298.9 | 312.6 | 311.9 | 302.7 | 310.8 | 344.8 | **43,246.8** |
| OIL | 1971 | 118.2 | 106.2 | 116.2 | 117.0 | 117.9 | 113.3 | 107.4 | 107.9 | 96.3 | 100.9 | 87.7 | 103.9 | **32,878.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,916.0** |
| H2O | 1970 | 390.0 | 333.2 | 401.1 | 317.5 | 303.7 | 300.5 | 357.1 | 329.4 | 338.2 | 335.1 | 307.3 | 332.3 | **39,400.5** |
| OIL | 1970 | 136.3 | 124.1 | 135.9 | 141.1 | 141.3 | 131.4 | 139.8 | 127.8 | 129.0 | 122.2 | 103.1 | 129.7 | **31,585.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,552.0** |
| H2O | 1969 | 428.3 | 432.3 | 350.2 | 501.4 | 514.3 | 486.8 | 473.0 | 388.9 | 364.1 | 411.8 | 338.2 | 431.0 | **35,355.1** |
| OIL | 1969 | 159.4 | 150.5 | 167.8 | 156.7 | 154.9 | 152.1 | 158.0 | 159.4 | 150.6 | 155.4 | 136.5 | 147.8 | **30,024.2** |
| DAY | 1968 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,187.0** |
| H2O | 1968 | 393.2 | 362.5 | 427.0 | 394.3 | 436.2 | 416.2 | 401.4 | 433.1 | 470.9 | 461.7 | 469.3 | 455.0 | **30,234.8** |
| OIL | 1968 | 169.7 | 166.1 | 182.1 | 184.3 | 187.5 | 173.1 | 165.4 | 184.8 | 175.0 | 178.0 | 174.0 | 167.8 | **28,175.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,822.0** |
| H2O | 1967 | 361.4 | 303.3 | 386.0 | 424.8 | 467.7 | 448.8 | 400.8 | 402.4 | 428.0 | 478.5 | 425.4 | 372.5 | **25,114.0** |
| OIL | 1967 | 173.4 | 163.0 | 171.5 | 180.7 | 208.6 | 197.0 | 186.6 | 176.2 | 182.4 | 202.5 | 194.0 | 180.2 | **26,067.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **3,459.0** |
| H2O | 1966 | 187.4 | 174.2 | 328.0 | 286.8 | 347.1 | 229.7 | 246.6 | 281.6 | 280.0 | 287.9 | 276.8 | 336.6 | **20,214.4** |
| OIL | 1966 | 160.3 | 140.3 | 169.9 | 176.9 | 197.2 | 128.4 | 139.8 | 147.9 | 140.8 | 154.3 | 151.9 | 181.6 | **23,851.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,096.0** |
| H2O | 1965 | 230.4 | 278.4 | 298.7 | 378.7 | 359.9 | 302.4 | 336.9 | 306.5 | 299.4 | 307.3 | 171.9 | 192.8 | **16,951.7** |
| OIL | 1965 | 176.9 | 175.8 | 202.0 | 187.2 | 203.7 | 179.6 | 156.8 | 151.1 | 137.8 | 171.5 | 150.5 | 160.5 | **21,961.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **2,732.0** |
| H2O | 1964 | 188.1 | 173.0 | 274.6 | 268.4 | 399.7 | 279.2 | 281.6 | 290.8 | 217.6 | 298.7 | 297.0 | 249.8 | **13,488.4** |
| OIL | 1964 | 216.1 | 195.9 | 213.6 | 211.5 | 218.0 | 204.7 | 208.2 | 209.0 | 161.5 | 202.8 | 191.5 | 185.8 | **19,908.5** |
| DAY | 1963 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,370.0** |
| H2O | 1963 | 227.0 | 208.4 | 242.0 | 287.3 | 302.7 | 264.5 | 302.9 | 307.1 | 321.6 | 343.9 | 257.2 | 243.6 | **10,269.9** |
| OIL | 1963 | 223.7 | 197.5 | 247.3 | 239.3 | 254.4 | 229.8 | 254.7 | 233.1 | 238.4 | 242.2 | 231.2 | 226.8 | **17,489.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,008.0** |
| H2O | 1962 | 200.8 | 183.0 | 261.7 | 210.3 | 213.7 | 194.6 | 249.8 | 256.1 | 236.4 | 218.6 | 251.5 | 282.0 | **6,961.7** |
| OIL | 1962 | 263.9 | 237.1 | 264.6 | 240.4 | 257.9 | 242.5 | 253.9 | 240.3 | 219.9 | 216.1 | 223.1 | 232.0 | **14,671.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,643.0** |
| H2O | 1961 | 147.9 | 140.5 | 345.0 | 164.5 | 178.4 | 175.2 | 182.7 | 183.5 | 172.7 | 172.0 | 228.0 | 200.5 | **4,203.2** |
| OIL | 1961 | 308.6 | 275.2 | 298.1 | 278.6 | 288.6 | 288.9 | 255.4 | 279.7 | 260.6 | 285.1 | 269.4 | 260.1 | **11,779.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,278.0** |
| H2O | 1960 | 31.6 | 26.2 | 12.1 | 15.6 | 10.7 | 15.9 | 15.9 | 17.3 | 66.0 | 150.2 | 133.2 | 145.8 | **1,912.3** |
| OIL | 1960 | 103.3 | 87.9 | 92.5 | 73.7 | 74.7 | 73.7 | 65.6 | 65.2 | 130.0 | 268.2 | 287.9 | 312.3 | **8,431.5** |
| DAY | 1959 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | **913.0** |
| H2O | 1959 | 37.2 | 47.9 | 41.8 | 40.2 | 28.1 | 28.3 | 35.6 | 37.7 | 50.2 | 36.7 | 41.2 | 38.6 | **1,271.8** |
| OIL | 1959 | 190.9 | 175.0 | 180.0 | 173.5 | 154.8 | 145.4 | 145.2 | 138.3 | 131.1 | 118.9 | 116.5 | 112.8 | **6,796.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **555.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1445*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 43.9 | 33.4 | 29.1 | 63.8 | 73.4 | 49.9 | 55.2 | 50.6 | 42.4 | 55.2 | 40.4 | 46.4 | **808.3** |
| OIL | 1958 | 312.4 | 250.1 | 278.7 | 303.5 | 313.2 | 257.6 | 223.1 | 256.5 | 230.1 | 219.8 | 196.3 | 219.5 | **5,014.1** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 31.0 | 24.0 | 30.0 | 27.0 | 30.0 | 29.0 | **200.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 8.7 | 39.7 | 38.8 | 56.4 | 39.0 | 41.5 | **224.6** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 311.5 | 279.5 | 217.2 | 303.0 | 255.7 | 250.3 | 336.1 | **1,953.3** |

Licence ***1450*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-10-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | **6,618.0** |
| H2O | 1975 | 2132.1 | 1877.6 | 2028.9 | 1966.4 | 2085.5 | 1924.3 | 1951.0 | 1716.8 | 1843.4 | 2062.1 | 1965.2 | 2101.6 | **311,910.5** |
| OIL | 1975 | 91.5 | 81.2 | 90.9 | 83.7 | 91.8 | 89.0 | 85.3 | 82.5 | 82.0 | 89.5 | 85.5 | 86.6 | **28,399.4** |
| DAY | 1974 | 29.0 | 28.0 | 31.0 | 30.0 | 26.0 | 18.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,260.0** |
| H2O | 1974 | 2020.0 | 2306.0 | 2642.4 | 2618.1 | 2224.8 | 1666.3 | 2746.7 | 2686.8 | 2721.3 | 2790.4 | 1959.7 | 2102.4 | **288,255.6** |
| OIL | 1974 | 266.2 | 77.4 | 85.2 | 81.4 | 69.9 | 54.2 | 94.2 | 89.9 | 96.3 | 97.7 | 87.2 | 91.7 | **27,359.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | **5,916.0** |
| H2O | 1973 | 2964.2 | 2588.8 | 2222.7 | 2774.7 | 2656.6 | 2400.8 | 2618.6 | 2400.6 | 2364.8 | 2379.9 | 2295.8 | 1867.4 | **259,770.7** |
| OIL | 1973 | 149.4 | 131.3 | 75.3 | 87.2 | 91.1 | 88.4 | 93.0 | 299.5 | 274.1 | 289.9 | 299.4 | 238.4 | **26,168.6** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 20.0 | 31.0 | **5,558.0** |
| H2O | 1972 | 3815.8 | 2638.8 | 2801.7 | 2886.1 | 2202.3 | 2075.0 | 2248.0 | 3138.4 | 3061.0 | 3185.5 | 1790.0 | 2830.3 | **230,235.8** |
| OIL | 1972 | 174.2 | 149.9 | 157.3 | 147.6 | 87.1 | 78.7 | 90.3 | 151.8 | 149.9 | 147.6 | 92.8 | 149.2 | **24,051.6** |
| DAY | 1971 | 31.0 | 26.0 | 31.0 | 30.0 | 28.0 | 29.0 | 31.0 | 21.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,204.0** |
| H2O | 1971 | 3008.1 | 2575.3 | 2847.0 | 3002.3 | 2851.3 | 2864.7 | 2719.8 | 2115.2 | 2874.0 | 3788.5 | 3715.5 | 3562.1 | **197,562.9** |
| OIL | 1971 | 96.0 | 76.9 | 93.6 | 93.1 | 173.8 | 179.9 | 178.6 | 131.6 | 144.6 | 164.8 | 164.0 | 169.2 | **22,475.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 27.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,856.0** |
| H2O | 1970 | 2812.7 | 2501.6 | 2706.8 | 2699.2 | 2744.3 | 2304.6 | 1955.1 | 2654.0 | 2509.5 | 2845.6 | 2813.6 | 2835.9 | **161,639.1** |
| OIL | 1970 | 230.7 | 205.5 | 225.2 | 208.3 | 219.5 | 182.9 | 161.3 | 209.6 | 77.2 | 93.1 | 87.6 | 93.0 | **20,809.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 22.0 | 31.0 | **4,499.0** |
| H2O | 1969 | 1859.1 | 1653.7 | 1803.3 | 1800.1 | 1830.2 | 1815.9 | 1784.7 | 1765.6 | 1776.1 | 1610.5 | 1036.2 | 2581.0 | **130,256.2** |
| OIL | 1969 | 14.3 | 12.6 | 14.6 | 13.7 | 13.2 | 15.1 | 14.5 | 15.1 | 13.7 | 88.5 | 56.4 | 218.8 | **18,815.2** |
| DAY | 1968 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,143.0** |
| H2O | 1968 | 1617.9 | 1640.2 | 1790.8 | 1640.4 | 1701.7 | 1583.1 | 1749.7 | 1685.2 | 1388.5 | 1709.8 | 1673.3 | 1838.6 | **108,939.8** |
| OIL | 1968 | 168.4 | 171.8 | 176.5 | 157.0 | 155.9 | 155.7 | 154.1 | 155.3 | 132.5 | 158.1 | 148.1 | 14.3 | **18,324.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,779.0** |
| H2O | 1967 | 985.0 | 996.0 | 1169.5 | 1167.5 | 1063.9 | 1047.5 | 1084.6 | 1550.1 | 1579.1 | 1518.4 | 1613.2 | 1728.0 | **88,920.6** |
| OIL | 1967 | 69.8 | 63.6 | 71.0 | 66.4 | 65.2 | 70.7 | 76.6 | 152.6 | 152.1 | 148.4 | 163.5 | 174.0 | **16,577.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 26.0 | 31.0 | **3,416.0** |
| H2O | 1966 | 702.1 | 625.1 | 696.7 | 675.7 | 1037.2 | 948.3 | 940.8 | 942.3 | 945.0 | 837.2 | 825.6 | 926.5 | **73,417.8** |
| OIL | 1966 | 71.8 | 61.2 | 79.8 | 81.5 | 92.8 | 90.4 | 88.2 | 86.1 | 88.5 | 82.6 | 76.6 | 66.1 | **15,303.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 29.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,056.0** |
| H2O | 1965 | 635.4 | 555.2 | 607.8 | 630.7 | 553.7 | 552.3 | 637.7 | 614.6 | 538.0 | 640.2 | 668.7 | 692.4 | **63,315.3** |
| OIL | 1965 | 64.7 | 57.7 | 65.3 | 66.9 | 73.4 | 73.7 | 73.7 | 73.9 | 64.0 | 96.0 | 86.1 | 88.0 | **14,337.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,697.0** |
| H2O | 1964 | 668.2 | 579.6 | 623.8 | 614.5 | 643.4 | 556.1 | 563.4 | 618.8 | 578.1 | 614.5 | 597.0 | 607.0 | **55,988.6** |
| OIL | 1964 | 83.6 | 77.7 | 86.0 | 82.8 | 85.5 | 73.6 | 70.1 | 84.4 | 62.5 | 73.4 | 70.1 | 71.7 | **13,454.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,334.0** |
| H2O | 1963 | 877.4 | 810.0 | 887.9 | 887.6 | 919.4 | 830.4 | 735.9 | 782.5 | 787.0 | 818.0 | 781.5 | 654.4 | **48,724.2** |
| OIL | 1963 | 61.2 | 57.4 | 87.2 | 83.1 | 82.3 | 79.3 | 80.7 | 87.9 | 83.0 | 91.2 | 88.8 | 81.7 | **12,532.7** |
| DAY | 1962 | 31.0 | 27.0 | 23.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **1,971.0** |
| H2O | 1962 | 810.6 | 731.3 | 662.9 | 916.0 | 930.0 | 882.5 | 948.3 | 928.4 | 933.5 | 927.8 | 914.6 | 934.5 | **38,952.2** |
| OIL | 1962 | 101.5 | 93.3 | 74.2 | 90.1 | 104.6 | 114.3 | 113.6 | 105.0 | 92.0 | 90.7 | 84.5 | 75.8 | **11,568.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1450*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-10-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,617.0** |
| H2O | 1961 | 812.9 | 726.1 | 795.4 | 768.7 | 851.8 | 799.7 | 895.2 | 856.7 | 828.0 | 854.5 | 878.5 | 870.7 | **28,431.8** |
| OIL | 1961 | 144.4 | 136.2 | 147.6 | 124.1 | 112.0 | 99.2 | 142.4 | 112.5 | 111.7 | 109.3 | 101.1 | 112.7 | **10,429.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 21.0 | 31.0 | **1,253.0** |
| H2O | 1960 | 838.9 | 819.9 | 879.8 | 817.2 | 845.5 | 793.5 | 827.0 | 842.6 | 817.3 | 801.9 | 550.1 | 826.9 | **18,493.6** |
| OIL | 1960 | 198.0 | 185.9 | 189.6 | 164.9 | 174.2 | 161.5 | 157.2 | 164.3 | 147.2 | 157.5 | 110.4 | 136.7 | **8,976.1** |
| DAY | 1959 | 29.0 | 21.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 27.0 | 31.0 | 28.0 | 31.0 | **896.0** |
| H2O | 1959 | 324.8 | 130.0 | 261.0 | 349.4 | 471.7 | 537.5 | 530.2 | 954.4 | 661.7 | 790.4 | 730.8 | 850.4 | **8,833.0** |
| OIL | 1959 | 127.8 | 126.8 | 144.4 | 147.6 | 174.3 | 199.9 | 225.2 | 306.2 | 224.9 | 234.1 | 212.9 | 214.8 | **7,028.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 23.0 | 29.0 | **547.0** |
| H2O | 1958 | 22.9 | 13.5 | 17.2 | 104.4 | 109.5 | 130.0 | 199.5 | 280.0 | 297.3 | 294.6 | 241.2 | 358.2 | **2,240.7** |
| OIL | 1958 | 264.7 | 281.0 | 303.8 | 263.2 | 270.1 | 275.9 | 232.0 | 261.9 | 217.1 | 199.4 | 131.1 | 139.0 | **4,689.8** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **195.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.9 | 26.7 | 53.7 | 18.0 | 17.5 | 18.3 | 21.3 | **172.4** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 197.5 | 275.5 | 295.7 | 276.2 | 281.3 | 258.5 | 265.9 | **1,850.6** |

Licence ***1452*** Well Name ***Sun I. Welch Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.05-18-010-25W1.00*** Field Name ***Virden*** Pool Name ***Ashville*** Field Code ***5*** Pool Code ***11*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1966 | 843.1 | 652.3 | 720.5 | 665.2 | 692.4 | 600.3 | 331.8 | 282.0 | 284.1 | 296.7 | 286.3 | 49.3 | **56,279.9** |
| WIN | 1965 | 356.1 | 331.2 | 342.8 | 301.8 | 666.0 | 565.8 | 560.4 | 521.2 | 491.9 | 492.2 | 475.4 | 659.5 | **50,575.9** |
| WIN | 1964 | 401.3 | 372.8 | 370.6 | 344.7 | 364.7 | 346.9 | 312.1 | 378.9 | 517.2 | 476.5 | 403.7 | 342.1 | **44,811.6** |
| WIN | 1963 | 440.7 | 398.7 | 457.7 | 425.1 | 472.2 | 453.6 | 426.3 | 466.6 | 451.1 | 459.2 | 429.0 | 409.2 | **40,180.1** |
| WIN | 1962 | 394.0 | 347.9 | 389.0 | 442.3 | 467.7 | 467.4 | 357.1 | 515.3 | 507.3 | 513.1 | 493.5 | 444.4 | **34,890.7** |
| WIN | 1961 | 401.9 | 340.1 | 355.8 | 358.4 | 367.7 | 319.7 | 305.3 | 272.8 | 272.8 | 436.4 | 463.0 | 477.3 | **29,551.7** |
| WIN | 1960 | 587.0 | 524.8 | 569.2 | 528.0 | 525.8 | 503.8 | 501.8 | 488.4 | 456.8 | 474.6 | 441.2 | 440.6 | **25,180.5** |
| WIN | 1959 | 877.4 | 781.0 | 851.5 | 770.9 | 787.2 | 725.3 | 724.4 | 628.0 | 669.2 | 666.8 | 618.3 | 605.9 | **19,138.5** |
| WIN | 1958 | 491.9 | 422.0 | 461.9 | 439.9 | 433.2 | 434.7 | 414.2 | 923.3 | 913.1 | 888.5 | 899.6 | 887.2 | **10,432.6** |
| WIN | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 261.4 | 471.6 | 562.2 | 529.9 | 507.8 | 490.2 | **2,823.1** |

Licence ***1453*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-34-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,663.0** |
| H2O | 1975 | 104.0 | 95.5 | 106.7 | 99.8 | 107.0 | 102.5 | 102.7 | 86.3 | 84.9 | 91.3 | 91.4 | 93.2 | **12,970.6** |
| OIL | 1975 | 21.8 | 19.4 | 21.3 | 19.5 | 20.7 | 20.0 | 20.7 | 20.7 | 20.0 | 20.8 | 20.2 | 20.5 | **9,249.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 29.0 | 18.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,299.0** |
| H2O | 1974 | 97.0 | 89.2 | 99.8 | 97.1 | 94.0 | 103.3 | 62.5 | 100.0 | 97.3 | 102.7 | 102.5 | 102.4 | **11,805.3** |
| OIL | 1974 | 22.4 | 19.4 | 22.2 | 21.3 | 20.7 | 20.7 | 12.6 | 22.1 | 21.0 | 22.2 | 21.1 | 21.9 | **9,003.8** |
| DAY | 1973 | 30.0 | 27.0 | 29.0 | 29.0 | 30.0 | 27.0 | 31.0 | 23.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,950.0** |
| H2O | 1973 | 146.9 | 140.4 | 145.9 | 150.6 | 152.6 | 86.3 | 95.4 | 75.2 | 101.0 | 103.0 | 100.3 | 97.3 | **10,657.5** |
| OIL | 1973 | 55.1 | 48.5 | 52.0 | 52.3 | 54.7 | 19.1 | 21.9 | 17.0 | 22.4 | 21.8 | 21.6 | 21.9 | **8,756.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 27.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,603.0** |
| H2O | 1972 | 85.4 | 83.0 | 91.3 | 73.1 | 126.4 | 134.3 | 149.1 | 141.2 | 141.2 | 153.6 | 146.1 | 102.9 | **9,262.6** |
| OIL | 1972 | 39.4 | 36.7 | 40.0 | 34.3 | 53.6 | 55.3 | 57.0 | 58.3 | 55.5 | 58.3 | 53.2 | 57.8 | **8,347.9** |
| DAY | 1971 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 20.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,243.0** |
| H2O | 1971 | 89.0 | 71.7 | 93.0 | 93.3 | 84.6 | 56.0 | 58.8 | 80.3 | 71.9 | 80.4 | 77.4 | 90.8 | **7,835.0** |
| OIL | 1971 | 48.3 | 37.8 | 47.4 | 44.8 | 41.6 | 27.0 | 29.2 | 40.5 | 40.0 | 41.6 | 39.3 | 40.0 | **7,748.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,900.0** |
| H2O | 1970 | 14.1 | 13.0 | 13.8 | 12.7 | 13.2 | 13.4 | 12.4 | 98.2 | 91.4 | 94.8 | 86.5 | 96.2 | **6,887.8** |
| OIL | 1970 | 28.0 | 25.1 | 27.5 | 26.4 | 27.3 | 26.7 | 27.8 | 45.8 | 43.9 | 46.1 | 44.3 | 46.6 | **7,271.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1453*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-34-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 31.0 | 27.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,535.0** |
| H2O | 1969 | 127.0 | 109.1 | 103.7 | 110.3 | 116.9 | 116.2 | 125.9 | 126.5 | 12.9 | 14.9 | 13.4 | 14.6 | **6,328.1** |
| OIL | 1969 | 33.2 | 27.7 | 31.0 | 31.6 | 31.1 | 31.8 | 33.1 | 32.9 | 25.9 | 28.8 | 27.7 | 28.8 | **6,855.5** |
| DAY | 1968 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,174.0** |
| H2O | 1968 | 34.7 | 29.4 | 35.0 | 35.9 | 85.4 | 78.1 | 84.3 | 77.1 | 116.4 | 118.3 | 113.8 | 121.0 | **5,336.7** |
| OIL | 1968 | 46.2 | 38.1 | 45.4 | 45.0 | 89.1 | 87.6 | 90.3 | 90.3 | 32.1 | 32.3 | 32.1 | 33.1 | **6,491.9** |
| DAY | 1967 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,812.0** |
| H2O | 1967 | 52.0 | 41.3 | 51.8 | 48.2 | 48.3 | 45.5 | 35.8 | 47.9 | 34.7 | 37.4 | 32.9 | 35.9 | **4,407.3** |
| OIL | 1967 | 31.6 | 26.9 | 31.5 | 30.4 | 31.3 | 29.9 | 31.1 | 31.0 | 44.0 | 46.7 | 45.4 | 46.2 | **5,830.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,448.0** |
| H2O | 1966 | 19.4 | 15.6 | 19.9 | 50.2 | 51.5 | 20.3 | 57.9 | 54.7 | 57.4 | 59.0 | 51.0 | 54.8 | **3,895.6** |
| OIL | 1966 | 28.8 | 25.3 | 28.0 | 27.3 | 31.9 | 51.8 | 33.1 | 31.6 | 31.9 | 33.1 | 30.2 | 31.6 | **5,404.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,083.0** |
| H2O | 1965 | 28.0 | 23.8 | 28.3 | 24.6 | 25.1 | 24.0 | 24.2 | 19.6 | 19.7 | 19.6 | 20.0 | 20.3 | **3,383.9** |
| OIL | 1965 | 20.8 | 18.1 | 20.5 | 19.7 | 19.9 | 19.9 | 20.8 | 30.2 | 28.8 | 29.9 | 28.3 | 29.1 | **5,019.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,718.0** |
| H2O | 1964 | 26.5 | 24.2 | 26.7 | 25.8 | 27.3 | 24.6 | 26.1 | 26.4 | 25.4 | 25.3 | 26.2 | 27.8 | **3,106.7** |
| OIL | 1964 | 19.5 | 18.4 | 19.9 | 19.1 | 19.7 | 17.6 | 19.5 | 19.9 | 19.2 | 19.5 | 19.1 | 20.5 | **4,733.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,354.0** |
| H2O | 1963 | 14.1 | 16.4 | 14.9 | 15.6 | 15.6 | 14.1 | 17.8 | 12.7 | 19.7 | 13.2 | 25.8 | 26.2 | **2,794.4** |
| OIL | 1963 | 18.0 | 15.7 | 16.5 | 16.4 | 16.7 | 14.9 | 15.6 | 13.3 | 16.0 | 17.0 | 18.3 | 18.8 | **4,501.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,989.0** |
| H2O | 1962 | 33.4 | 29.6 | 33.7 | 32.4 | 32.6 | 27.7 | 22.6 | 14.5 | 17.6 | 18.9 | 14.6 | 17.5 | **2,588.3** |
| OIL | 1962 | 27.2 | 21.8 | 23.0 | 23.4 | 22.6 | 17.6 | 20.7 | 17.2 | 18.9 | 17.8 | 17.6 | 16.4 | **4,304.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,624.0** |
| H2O | 1961 | 39.0 | 32.9 | 36.4 | 29.9 | 32.7 | 40.2 | 35.0 | 35.1 | 35.1 | 36.7 | 32.3 | 33.4 | **2,293.2** |
| OIL | 1961 | 32.7 | 30.2 | 35.3 | 29.9 | 29.9 | 32.4 | 37.0 | 32.9 | 32.4 | 32.7 | 32.1 | 29.7 | **4,060.4** |
| DAY | 1960 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,259.0** |
| H2O | 1960 | 75.5 | 44.2 | 44.5 | 47.7 | 57.6 | 52.0 | 37.4 | 34.0 | 32.0 | 42.3 | 40.2 | 40.9 | **1,874.5** |
| OIL | 1960 | 44.0 | 31.1 | 52.8 | 52.6 | 43.9 | 46.6 | 44.7 | 45.1 | 41.6 | 38.3 | 35.6 | 34.3 | **3,673.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 26.0 | 27.0 | 30.0 | 27.0 | 30.0 | 30.0 | 31.0 | **900.0** |
| H2O | 1959 | 38.6 | 31.0 | 35.8 | 30.0 | 34.2 | 19.4 | 37.8 | 35.3 | 35.9 | 47.7 | 57.4 | 82.8 | **1,326.2** |
| OIL | 1959 | 90.7 | 43.5 | 79.9 | 66.3 | 41.0 | 39.3 | 61.5 | 87.2 | 58.3 | 52.6 | 53.7 | 54.5 | **3,162.6** |
| DAY | 1958 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **550.0** |
| H2O | 1958 | 54.7 | 71.2 | 33.2 | 23.4 | 68.0 | 48.5 | 65.8 | 76.9 | 53.4 | 129.3 | 37.8 | 37.0 | **840.3** |
| OIL | 1958 | 144.3 | 118.9 | 105.7 | 123.2 | 134.3 | 114.9 | 124.9 | 120.1 | 106.5 | 98.8 | 90.3 | 75.2 | **2,434.1** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 27.0 | 26.0 | 26.0 | 29.0 | 30.0 | 31.0 | **192.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.5 | 3.2 | 14.1 | 13.8 | 28.8 | 37.0 | 40.7 | **141.1** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 203.9 | 156.4 | 127.6 | 48.0 | 174.8 | 202.1 | 164.2 | **1,077.0** |

Licence ***1457*** Well Name ***Mead S. Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-26-009-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole E*** Field Code ***5*** Pool Code ***59E*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 28.0 | 28.0 | 26.0 | 30.0 | 27.0 | 0.0 | 0.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,455.0** |
| H2O | 1975 | 3694.9 | 3118.7 | 3119.5 | 3715.5 | 3348.3 | 0.0 | 0.0 | 2687.0 | 3100.3 | 3203.6 | 2438.1 | 3033.5 | **130,712.5** |
| OIL | 1975 | 61.4 | 32.3 | 52.0 | 44.8 | 37.0 | 0.0 | 0.0 | 42.6 | 47.4 | 48.5 | 42.1 | 45.6 | **10,491.1** |
| DAY | 1974 | 0.0 | 11.0 | 28.0 | 22.0 | 31.0 | 24.0 | 20.0 | 24.0 | 22.0 | 31.0 | 30.0 | 31.0 | **3,167.0** |
| H2O | 1974 | 0.0 | 1383.2 | 3553.4 | 2648.7 | 3982.6 | 3098.7 | 2516.8 | 3167.0 | 2693.2 | 4090.7 | 3958.8 | 4055.5 | **99,253.1** |
| OIL | 1974 | 0.0 | 38.0 | 90.9 | 57.4 | 89.4 | 61.2 | 62.3 | 78.7 | 52.5 | 66.8 | 88.4 | 77.6 | **10,037.4** |
| DAY | 1973 | 31.0 | 24.0 | 31.0 | 30.0 | 8.0 | 29.0 | 31.0 | 23.0 | 25.0 | 30.0 | 29.0 | 13.0 | **2,893.0** |
| H2O | 1973 | 2760.3 | 2102.5 | 2753.7 | 2302.1 | 571.6 | 2835.5 | 2999.3 | 2307.7 | 2399.1 | 2740.2 | 2416.6 | 1051.7 | **64,104.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1457*** Well Name ***Mead S. Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-26-009-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole E*** Field Code ***5*** Pool Code ***59E*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1973 | 128.0 | 87.3 | 106.5 | 96.0 | 22.3 | 102.1 | 86.5 | 80.0 | 81.9 | 86.2 | 69.6 | 22.9 | **9,274.2** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 27.0 | 31.0 | **2,589.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 553.1 | 2127.3 | 2879.7 | **36,864.2** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.8 | 43.1 | 144.5 | **8,304.9** |
| DAY | 1971 | 0.0 | 3.0 | 29.0 | 24.0 | 31.0 | 30.0 | 30.0 | 8.0 | 12.0 | 0.0 | 14.0 | 0.0 | **2,523.0** |
| H2O | 1971 | 0.0 | 74.2 | 1649.7 | 1350.3 | 2254.3 | 1905.3 | 2349.4 | 503.8 | 7.5 | 0.0 | 25.8 | 0.0 | **31,304.1** |
| OIL | 1971 | 0.0 | 4.6 | 100.2 | 98.9 | 120.5 | 101.3 | 126.1 | 27.2 | 4.0 | 0.0 | 2.7 | 0.0 | **8,092.5** |
| DAY | 1970 | 31.0 | 28.0 | 27.0 | 28.0 | 5.0 | 30.0 | 29.0 | 31.0 | 26.0 | 30.0 | 29.0 | 12.0 | **2,342.0** |
| H2O | 1970 | 1028.3 | 930.9 | 884.1 | 918.6 | 1.7 | 358.2 | 1274.0 | 1228.2 | 197.8 | 810.0 | 1208.9 | 166.1 | **21,183.8** |
| OIL | 1970 | 113.7 | 98.4 | 86.2 | 80.8 | 3.2 | 39.7 | 113.2 | 123.4 | 57.1 | 66.3 | 103.3 | 24.3 | **7,507.0** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 7.0 | 0.0 | 11.0 | 16.0 | 30.0 | 29.0 | **2,036.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 343.1 | 166.9 | 0.0 | 221.0 | 280.1 | 865.2 | 818.5 | **12,177.0** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 61.2 | 24.0 | 0.0 | 45.6 | 50.7 | 132.6 | 94.9 | **6,597.4** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 18.0 | 18.0 | 24.0 | 30.0 | 31.0 | 30.0 | 10.0 | **1,927.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 29.7 | 18.3 | 144.5 | 217.3 | 461.2 | 565.0 | 608.9 | 206.7 | **9,482.2** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 57.7 | 23.4 | 49.3 | 62.5 | 117.7 | 135.3 | 134.3 | 39.6 | **6,188.4** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 0.0 | 0.0 | **1,743.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 3.5 | 59.1 | 100.8 | 66.3 | 39.3 | 31.8 | 0.0 | 0.0 | **7,230.6** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 30.2 | 40.1 | 43.1 | 33.4 | 24.2 | 19.2 | 0.0 | 0.0 | **5,568.6** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 30.0 | 29.0 | 24.0 | 0.0 | 0.0 | **1,575.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.7 | 9.4 | 7.4 | 8.9 | 0.0 | 0.0 | **6,929.8** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.1 | 34.3 | 35.5 | 18.6 | 0.0 | 0.0 | **5,378.4** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 1.0 | 21.0 | 23.0 | 28.0 | 30.0 | 12.0 | 0.0 | 0.0 | 0.0 | **1,468.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 11.8 | 19.8 | 121.8 | 294.2 | 9.9 | 0.0 | 0.0 | 0.0 | **6,899.4** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.8 | 22.1 | 15.1 | 32.4 | 51.5 | 7.0 | 0.0 | 0.0 | 0.0 | **5,260.9** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 10.0 | 29.0 | 30.0 | 30.0 | 30.0 | 28.0 | 28.0 | 12.0 | 0.0 | **1,353.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 49.2 | 221.7 | 324.2 | 312.3 | 358.4 | 348.9 | 267.0 | 95.3 | 0.0 | **6,441.9** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 35.7 | 105.6 | 110.4 | 104.8 | 114.8 | 86.3 | 73.1 | 28.6 | 0.0 | **5,132.0** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 19.0 | 27.0 | 26.0 | 31.0 | 30.0 | 30.0 | 26.0 | 30.0 | 11.0 | **1,156.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 29.5 | 50.0 | 176.2 | 352.9 | 347.3 | 351.3 | 352.9 | 470.5 | 196.1 | **4,464.9** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 52.0 | 40.8 | 82.4 | 120.7 | 112.6 | 98.3 | 95.3 | 97.2 | 49.5 | **4,472.7** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 23.0 | 1.0 | 0.0 | 0.0 | 0.0 | 5.0 | 9.0 | **926.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.9 | 22.3 | 0.2 | 0.0 | 0.0 | 0.0 | 13.4 | 4.2 | **2,138.2** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 4.5 | 42.3 | 1.5 | 0.0 | 0.0 | 0.0 | 21.7 | 14.2 | **3,723.9** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 31.0 | 28.0 | 0.0 | 0.0 | 20.0 | 0.0 | **882.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.8 | 23.9 | 5.8 | 0.0 | 0.0 | 7.7 | 0.0 | **2,097.2** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 42.5 | 47.3 | 7.4 | 0.0 | 0.0 | 31.1 | 0.0 | **3,639.7** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 4.0 | 5.0 | 30.0 | 31.0 | 31.0 | 29.0 | 24.0 | 4.0 | 0.0 | **788.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 6.3 | 7.8 | 66.7 | 57.9 | 77.0 | 61.9 | 25.3 | 5.5 | 0.0 | **2,037.0** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 12.6 | 14.2 | 83.4 | 61.9 | 73.8 | 39.6 | 21.4 | 6.3 | 0.0 | **3,511.4** |
| DAY | 1959 | 0.0 | 0.0 | 7.0 | 15.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 8.0 | 0.0 | 0.0 | **630.0** |
| H2O | 1959 | 0.0 | 0.0 | 14.2 | 32.5 | 124.2 | 253.6 | 190.2 | 225.7 | 210.6 | 23.7 | 0.0 | 0.0 | **1,728.6** |
| OIL | 1959 | 0.0 | 0.0 | 26.3 | 27.7 | 80.2 | 87.3 | 81.8 | 86.4 | 91.3 | 21.4 | 0.0 | 0.0 | **3,198.2** |
| DAY | 1958 | 30.0 | 27.0 | 24.0 | 0.0 | 31.0 | 30.0 | 25.0 | 31.0 | 29.0 | 22.0 | 16.0 | 0.0 | **448.0** |
| H2O | 1958 | 8.8 | 14.5 | 26.8 | 0.0 | 65.7 | 147.8 | 58.7 | 56.3 | 92.3 | 96.1 | 57.6 | 0.0 | **653.9** |
| OIL | 1958 | 241.6 | 192.3 | 76.4 | 0.0 | 133.8 | 143.8 | 111.2 | 93.7 | 80.0 | 67.5 | 25.2 | 0.0 | **2,695.8** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **183.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 3.9 | 4.7 | 5.3 | 6.1 | 8.0 | **29.3** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 289.9 | 271.0 | 238.4 | 246.3 | 238.4 | 246.3 | **1,530.3** |

Licence ***1463*** Well Name ***Sun G. Clark Scallion SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-20-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

# Manitoba Production
## 1950 To 1975

Licence ***1463*** Well Name ***Sun G. Clark Scallion SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-20-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1967 | 1203.6 | 1006.3 | 1312.7 | 1126.2 | 1015.4 | 1198.5 | 1179.3 | 1315.5 | 1249.2 | 1107.1 | 968.5 | 0.0 | **111,166.6** |
| WIN | 1966 | 861.9 | 659.0 | 940.5 | 1090.1 | 1100.9 | 827.6 | 728.8 | 1324.1 | 1194.1 | 833.2 | 1121.4 | 1179.8 | **98,484.3** |
| WIN | 1965 | 1311.9 | 1188.7 | 1353.1 | 1310.8 | 1370.9 | 1311.9 | 1384.1 | 1198.5 | 1226.7 | 1036.8 | 1134.3 | 1084.8 | **86,622.9** |
| WIN | 1964 | 1314.6 | 1180.2 | 1353.7 | 880.7 | 1287.2 | 1214.6 | 1080.9 | 1155.1 | 1193.9 | 1306.3 | 1223.5 | 1498.5 | **71,710.4** |
| WIN | 1963 | 911.9 | 448.7 | 1169.0 | 1812.4 | 1157.7 | 1291.5 | 739.6 | 848.6 | 759.0 | 914.3 | 1236.7 | 1138.6 | **57,021.2** |
| WIN | 1962 | 388.4 | 1239.7 | 727.4 | 824.6 | 1192.8 | 1134.5 | 1337.8 | 1324.0 | 1252.9 | 1026.2 | 1052.7 | 932.9 | **44,593.2** |
| WIN | 1961 | 420.4 | 656.8 | 1001.2 | 985.5 | 577.6 | 939.4 | 985.6 | 887.9 | 602.1 | 737.9 | 1036.5 | 1096.6 | **32,159.3** |
| WIN | 1960 | 487.6 | 562.0 | 493.3 | 706.1 | 511.8 | 350.7 | 610.8 | 871.2 | 986.9 | 1155.1 | 1135.1 | 621.7 | **22,231.8** |
| WIN | 1959 | 0.0 | 587.2 | 818.4 | 264.7 | 444.4 | 642.3 | 520.9 | 887.1 | 126.7 | 146.7 | 316.4 | 533.6 | **13,739.5** |
| WIN | 1958 | 0.0 | 0.0 | 0.0 | 1243.0 | 1224.6 | 1264.8 | 1448.6 | 1095.2 | 1054.0 | 774.8 | 346.1 | 0.0 | **8,451.1** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 8.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **9.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.4 | 57.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **79.6** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.6 | 12.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **16.7** |

Licence ***1465*** Well Name ***Tundra Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-20-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,370.0** |
| H2O | 1975 | 564.9 | 513.2 | 641.8 | 531.5 | 592.4 | 518.5 | 482.0 | 507.2 | 486.7 | 474.1 | 469.3 | 419.3 | **88,714.5** |
| OIL | 1975 | 42.3 | 33.2 | 35.3 | 32.1 | 33.4 | 43.6 | 41.7 | 48.0 | 46.1 | 42.8 | 34.7 | 38.0 | **17,465.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,005.0** |
| H2O | 1974 | 631.3 | 553.1 | 630.4 | 536.3 | 576.5 | 594.0 | 533.7 | 511.0 | 487.1 | 540.2 | 551.7 | 631.2 | **82,513.6** |
| OIL | 1974 | 51.0 | 32.3 | 35.6 | 28.9 | 38.0 | 40.2 | 42.6 | 38.3 | 39.4 | 41.3 | 39.1 | 42.8 | **16,994.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 20.0 | **5,648.0** |
| H2O | 1973 | 215.6 | 557.6 | 573.9 | 594.9 | 428.3 | 546.4 | 560.3 | 544.8 | 493.0 | 631.5 | 711.9 | 535.0 | **75,737.1** |
| OIL | 1973 | 49.8 | 60.1 | 61.7 | 65.2 | 59.5 | 59.0 | 66.5 | 64.1 | 66.3 | 69.0 | 72.7 | 47.2 | **16,525.1** |
| DAY | 1972 | 28.0 | 25.0 | 31.0 | 30.0 | 26.0 | 30.0 | 26.0 | 31.0 | 30.0 | 23.0 | 28.0 | 31.0 | **5,294.0** |
| H2O | 1972 | 341.5 | 304.5 | 366.5 | 479.8 | 304.9 | 459.8 | 388.6 | 507.6 | 495.9 | 395.2 | 254.2 | 257.7 | **69,343.9** |
| OIL | 1972 | 38.2 | 40.7 | 46.4 | 43.4 | 34.7 | 59.0 | 42.0 | 58.3 | 53.6 | 40.7 | 44.0 | 50.6 | **15,784.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,955.0** |
| H2O | 1971 | 255.0 | 227.0 | 269.2 | 465.8 | 454.5 | 398.9 | 469.2 | 501.9 | 497.8 | 517.2 | 373.0 | 385.2 | **64,787.7** |
| OIL | 1971 | 39.4 | 36.6 | 41.3 | 62.2 | 68.4 | 63.1 | 67.6 | 56.4 | 52.3 | 52.3 | 42.0 | 43.6 | **15,232.4** |
| DAY | 1970 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 24.0 | 10.0 | 31.0 | **4,595.0** |
| H2O | 1970 | 310.5 | 284.3 | 312.1 | 297.6 | 301.1 | 293.7 | 273.0 | 302.4 | 286.7 | 224.8 | 75.8 | 263.6 | **59,973.0** |
| OIL | 1970 | 43.9 | 39.6 | 42.8 | 41.8 | 40.1 | 31.6 | 45.6 | 49.0 | 46.3 | 29.4 | 12.2 | 38.3 | **14,607.2** |
| DAY | 1969 | 31.0 | 28.0 | 28.0 | 26.0 | 20.0 | 22.0 | 26.0 | 31.0 | 28.0 | 21.0 | 27.0 | 31.0 | **4,261.0** |
| H2O | 1969 | 437.1 | 393.8 | 463.4 | 475.2 | 306.2 | 308.9 | 333.6 | 386.7 | 259.1 | 222.6 | 214.5 | 331.0 | **56,747.4** |
| OIL | 1969 | 46.3 | 37.0 | 52.8 | 58.7 | 41.3 | 43.7 | 52.0 | 53.3 | 44.5 | 35.0 | 31.2 | 50.6 | **14,146.6** |
| DAY | 1968 | 7.0 | 24.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 26.0 | 30.0 | 31.0 | 27.0 | 30.0 | **3,942.0** |
| H2O | 1968 | 136.1 | 406.4 | 484.9 | 360.3 | 319.7 | 235.5 | 275.8 | 171.1 | 590.5 | 611.5 | 543.4 | 442.1 | **52,615.3** |
| OIL | 1968 | 14.6 | 34.3 | 39.0 | 61.2 | 60.4 | 53.9 | 47.9 | 41.7 | 69.0 | 62.6 | 58.5 | 49.8 | **13,600.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 28.0 | 23.0 | 0.0 | **3,615.0** |
| H2O | 1967 | 500.2 | 418.9 | 544.8 | 472.8 | 449.9 | 473.0 | 453.8 | 635.9 | 627.8 | 539.6 | 535.3 | 0.0 | **48,038.0** |
| OIL | 1967 | 103.2 | 88.1 | 102.4 | 93.2 | 87.4 | 79.5 | 63.6 | 66.9 | 68.0 | 58.5 | 47.7 | 0.0 | **13,007.3** |
| DAY | 1966 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | 31.0 | 30.0 | 28.0 | 25.0 | 26.0 | **3,293.0** |
| H2O | 1966 | 530.7 | 540.9 | 640.9 | 627.8 | 636.1 | 447.2 | 464.2 | 659.3 | 574.3 | 340.6 | 601.3 | 491.3 | **42,386.0** |
| OIL | 1966 | 32.1 | 38.0 | 44.5 | 42.3 | 44.4 | 28.1 | 34.8 | 58.3 | 59.6 | 51.7 | 52.6 | 94.4 | **12,148.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 26.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,950.0** |
| H2O | 1965 | 686.0 | 610.7 | 677.1 | 503.0 | 635.0 | 616.2 | 619.4 | 620.1 | 582.2 | 532.4 | 535.0 | 516.1 | **35,831.4** |
| OIL | 1965 | 71.1 | 59.8 | 68.1 | 31.4 | 35.2 | 37.9 | 37.1 | 37.9 | 37.6 | 32.2 | 36.6 | 36.9 | **11,568.0** |
| DAY | 1964 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 23.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,596.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1465*** Well Name ***Tundra Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-20-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1964 | 630.2 | 630.7 | 675.5 | 413.4 | 532.1 | 473.8 | 391.1 | 341.2 | 618.6 | 642.2 | 573.8 | 704.2 | **28,698.2** |
| OIL | 1964 | 54.3 | 51.9 | 53.5 | 49.2 | 61.0 | 58.1 | 42.8 | 38.1 | 53.2 | 52.7 | 45.5 | 72.9 | **11,046.2** |
| DAY | 1963 | 20.0 | 23.0 | 30.0 | 30.0 | 0.0 | 1.0 | 25.0 | 23.0 | 28.0 | 26.0 | 30.0 | 31.0 | **2,241.0** |
| H2O | 1963 | 163.9 | 426.1 | 501.1 | 373.5 | 0.0 | 22.9 | 483.2 | 521.8 | 652.6 | 586.0 | 677.0 | 676.5 | **22,071.4** |
| OIL | 1963 | 50.0 | 70.6 | 75.1 | 51.3 | 0.0 | 1.3 | 27.6 | 29.8 | 36.8 | 41.7 | 54.1 | 57.6 | **10,413.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,974.0** |
| H2O | 1962 | 386.5 | 472.7 | 481.7 | 480.0 | 478.6 | 431.5 | 447.7 | 449.3 | 437.5 | 369.5 | 332.4 | 335.1 | **16,986.8** |
| OIL | 1962 | 102.3 | 110.1 | 104.7 | 118.7 | 103.6 | 106.1 | 103.2 | 102.0 | 98.8 | 93.4 | 90.7 | 81.1 | **9,917.1** |
| DAY | 1961 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,610.0** |
| H2O | 1961 | 327.6 | 365.1 | 510.4 | 396.1 | 344.4 | 353.0 | 388.6 | 408.8 | 462.8 | 463.6 | 435.8 | 399.2 | **11,884.3** |
| OIL | 1961 | 87.3 | 90.4 | 108.8 | 94.5 | 86.5 | 116.4 | 110.2 | 95.0 | 103.9 | 102.3 | 99.9 | 97.0 | **8,702.4** |
| DAY | 1960 | 31.0 | 29.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,247.0** |
| H2O | 1960 | 91.6 | 80.2 | 209.1 | 89.9 | 102.4 | 88.1 | 87.5 | 88.8 | 307.9 | 349.2 | 310.9 | 300.7 | **7,028.9** |
| OIL | 1960 | 83.1 | 70.8 | 64.1 | 65.6 | 83.4 | 76.7 | 72.2 | 79.2 | 87.0 | 84.3 | 71.6 | 81.0 | **7,510.2** |
| DAY | 1959 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 27.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **888.0** |
| H2O | 1959 | 158.3 | 154.6 | 203.4 | 186.4 | 198.8 | 140.1 | 172.4 | 117.1 | 107.4 | 123.4 | 138.5 | 136.5 | **4,922.6** |
| OIL | 1959 | 159.8 | 146.3 | 157.3 | 150.5 | 140.0 | 103.1 | 115.5 | 95.9 | 91.6 | 104.0 | 109.1 | 107.2 | **6,591.2** |
| DAY | 1958 | 30.0 | 28.0 | 29.0 | 21.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **530.0** |
| H2O | 1958 | 126.0 | 119.0 | 150.5 | 146.2 | 307.9 | 307.4 | 311.5 | 292.9 | 284.3 | 259.4 | 249.0 | 213.9 | **3,085.7** |
| OIL | 1958 | 322.5 | 281.8 | 273.2 | 196.4 | 283.9 | 243.3 | 237.6 | 222.5 | 235.2 | 209.3 | 188.6 | 175.4 | **5,110.9** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 28.0 | 25.0 | 29.0 | 27.0 | 29.0 | 28.0 | **180.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 9.8 | 0.7 | 37.4 | 48.2 | 101.2 | 119.1 | **317.7** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 251.9 | 334.7 | 276.9 | 356.7 | 341.4 | 347.6 | 332.0 | **2,241.2** |

Licence ***1466*** Well Name ***Landa et al Wardle Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-24-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,350.0** |
| H2O | 1964 | 661.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **25,886.1** |
| OIL | 1964 | 21.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,573.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 24.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,319.0** |
| H2O | 1963 | 631.7 | 571.6 | 633.4 | 588.9 | 621.3 | 464.4 | 538.3 | 699.6 | 664.6 | 690.9 | 649.5 | 666.6 | **25,224.4** |
| OIL | 1963 | 52.6 | 47.4 | 52.9 | 48.3 | 50.4 | 13.7 | 17.5 | 25.1 | 24.9 | 21.8 | 22.6 | 23.5 | **7,551.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **1,965.0** |
| H2O | 1962 | 488.4 | 445.2 | 457.9 | 374.7 | 363.5 | 330.1 | 360.3 | 357.4 | 527.5 | 604.6 | 603.2 | 631.5 | **17,803.6** |
| OIL | 1962 | 62.6 | 52.0 | 52.3 | 43.9 | 41.5 | 40.0 | 39.4 | 38.0 | 33.8 | 37.3 | 42.3 | 52.9 | **7,150.6** |
| DAY | 1961 | 31.0 | 26.0 | 31.0 | 30.0 | 26.0 | 21.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,604.0** |
| H2O | 1961 | 308.1 | 261.2 | 297.0 | 289.0 | 245.0 | 198.7 | 313.5 | 331.3 | 348.7 | 361.7 | 337.5 | 474.7 | **12,259.3** |
| OIL | 1961 | 103.5 | 94.4 | 117.4 | 148.7 | 127.1 | 97.6 | 110.4 | 126.8 | 102.0 | 93.3 | 69.4 | 64.8 | **6,614.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,255.0** |
| H2O | 1960 | 168.5 | 162.8 | 172.5 | 165.3 | 300.7 | 286.2 | 265.2 | 269.5 | 232.9 | 316.7 | 271.4 | 284.0 | **8,492.9** |
| OIL | 1960 | 123.6 | 124.9 | 116.6 | 121.7 | 143.8 | 106.5 | 80.6 | 83.3 | 92.8 | 99.2 | 96.6 | 117.0 | **5,359.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **889.0** |
| H2O | 1959 | 191.1 | 169.2 | 184.6 | 183.3 | 192.4 | 190.0 | 196.2 | 192.9 | 174.1 | 186.2 | 175.2 | 177.4 | **5,597.2** |
| OIL | 1959 | 139.0 | 125.2 | 135.9 | 132.7 | 136.7 | 133.3 | 143.2 | 142.7 | 130.0 | 137.0 | 131.6 | 135.2 | **4,052.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **526.0** |
| H2O | 1958 | 195.6 | 187.8 | 207.2 | 193.3 | 199.4 | 204.5 | 219.7 | 211.0 | 207.6 | 218.3 | 212.4 | 196.4 | **3,384.6** |
| OIL | 1958 | 144.4 | 136.8 | 152.6 | 141.6 | 139.5 | 141.6 | 148.9 | 144.3 | 144.9 | 144.3 | 136.7 | 142.9 | **2,430.1** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 31.0 | 16.0 | 25.0 | 30.0 | 31.0 | **161.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 146.9 | 140.4 | 117.5 | 143.6 | 191.3 | 191.7 | **931.4** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 48.9 | 117.8 | 106.8 | 127.1 | 147.2 | 163.8 | **711.6** |

# Manitoba Production
## 1950 To 1975

Licence ***1469*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,590.0** |
| H2O | 1975 | 780.3 | 734.2 | 833.4 | 807.6 | 882.3 | 826.4 | 846.1 | 833.9 | 821.0 | 881.7 | 884.4 | 900.0 | **107,083.8** |
| OIL | 1975 | 45.9 | 42.0 | 46.7 | 44.3 | 49.3 | 46.7 | 49.1 | 49.3 | 47.8 | 49.6 | 48.0 | 48.6 | **18,958.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,226.0** |
| H2O | 1974 | 842.6 | 774.4 | 386.0 | 377.7 | 391.9 | 377.6 | 397.9 | 365.0 | 771.2 | 803.3 | 801.1 | 795.9 | **97,052.5** |
| OIL | 1974 | 49.3 | 42.6 | 35.1 | 33.5 | 35.0 | 32.4 | 35.0 | 34.8 | 46.6 | 48.6 | 46.2 | 47.5 | **18,391.1** |
| DAY | 1973 | 30.0 | 27.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | **5,862.0** |
| H2O | 1973 | 356.9 | 341.5 | 367.4 | 366.1 | 371.4 | 146.9 | 145.1 | 158.8 | 171.5 | 135.9 | 871.4 | 844.8 | **89,967.9** |
| OIL | 1973 | 25.4 | 22.4 | 24.8 | 24.2 | 25.3 | 33.5 | 34.2 | 37.2 | 18.1 | 14.5 | 47.4 | 48.0 | **17,904.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **5,508.0** |
| H2O | 1972 | 543.4 | 523.4 | 580.9 | 526.1 | 564.9 | 573.0 | 651.2 | 617.2 | 585.8 | 616.5 | 385.7 | 376.3 | **85,690.2** |
| OIL | 1972 | 60.2 | 55.5 | 61.0 | 54.3 | 43.7 | 42.9 | 52.8 | 54.0 | 48.8 | 49.6 | 29.9 | 26.7 | **17,549.5** |
| DAY | 1971 | 31.0 | 27.0 | 29.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 25.0 | 25.0 | 24.0 | **5,144.0** |
| H2O | 1971 | 605.6 | 520.8 | 571.2 | 612.9 | 611.6 | 570.6 | 649.0 | 644.8 | 556.6 | 498.2 | 482.8 | 548.6 | **79,145.8** |
| OIL | 1971 | 72.6 | 60.7 | 52.8 | 53.6 | 54.5 | 49.6 | 57.0 | 57.7 | 54.8 | 45.4 | 43.2 | 30.4 | **16,970.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **4,802.0** |
| H2O | 1970 | 771.5 | 723.8 | 757.7 | 631.0 | 749.6 | 760.7 | 645.1 | 772.2 | 581.4 | 623.8 | 588.2 | 653.7 | **72,273.1** |
| OIL | 1970 | 92.8 | 83.6 | 91.4 | 53.2 | 63.6 | 62.1 | 59.1 | 61.8 | 61.5 | 67.2 | 66.6 | 69.9 | **16,337.8** |
| DAY | 1969 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 29.0 | 27.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | **4,443.0** |
| H2O | 1969 | 738.9 | 670.7 | 565.0 | 642.4 | 684.9 | 653.7 | 613.5 | 752.5 | 752.6 | 812.7 | 660.7 | 796.5 | **64,014.4** |
| OIL | 1969 | 100.6 | 88.8 | 88.0 | 95.7 | 94.9 | 93.0 | 83.7 | 88.5 | 91.4 | 95.0 | 83.0 | 95.3 | **15,505.0** |
| DAY | 1968 | 31.0 | 29.0 | 28.0 | 29.0 | 30.0 | 29.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,089.0** |
| H2O | 1968 | 694.9 | 639.3 | 633.2 | 634.6 | 671.4 | 611.6 | 683.1 | 675.3 | 620.8 | 694.6 | 658.2 | 706.8 | **55,670.3** |
| OIL | 1968 | 168.4 | 149.7 | 149.4 | 97.1 | 98.4 | 96.1 | 100.7 | 100.6 | 89.0 | 98.5 | 96.9 | 100.9 | **14,407.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 22.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | **3,731.0** |
| H2O | 1967 | 479.0 | 385.4 | 454.4 | 443.4 | 444.0 | 623.4 | 363.3 | 763.3 | 552.8 | 747.8 | 659.6 | 720.8 | **47,746.5** |
| OIL | 1967 | 114.6 | 99.2 | 109.0 | 110.3 | 113.5 | 148.7 | 114.1 | 161.0 | 128.1 | 169.2 | 165.6 | 168.1 | **13,061.4** |
| DAY | 1966 | 27.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,382.0** |
| H2O | 1966 | 270.9 | 250.6 | 318.8 | 310.3 | 347.1 | 322.4 | 316.4 | 310.2 | 433.5 | 260.6 | 448.2 | 491.9 | **41,109.3** |
| OIL | 1966 | 59.6 | 60.7 | 67.2 | 62.5 | 65.0 | 65.5 | 67.5 | 66.6 | 106.8 | 92.5 | 104.6 | 111.9 | **11,460.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 27.0 | **3,023.0** |
| H2O | 1965 | 361.7 | 318.1 | 364.9 | 320.3 | 315.6 | 308.7 | 290.8 | 312.7 | 316.8 | 275.0 | 322.3 | 285.7 | **37,028.4** |
| OIL | 1965 | 73.3 | 66.1 | 71.8 | 69.6 | 68.0 | 69.8 | 68.2 | 72.5 | 68.8 | 62.8 | 67.9 | 60.9 | **10,529.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,666.0** |
| H2O | 1964 | 402.9 | 363.3 | 381.4 | 376.9 | 374.1 | 392.2 | 306.7 | 335.1 | 286.2 | 328.6 | 324.2 | 360.2 | **33,235.8** |
| OIL | 1964 | 76.9 | 72.9 | 74.2 | 73.1 | 70.6 | 73.6 | 63.4 | 68.8 | 59.1 | 69.1 | 64.7 | 72.6 | **9,709.9** |
| DAY | 1963 | 31.0 | 28.0 | 28.0 | 24.0 | 31.0 | 26.0 | 27.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | **2,305.0** |
| H2O | 1963 | 367.6 | 356.4 | 371.7 | 284.4 | 396.8 | 300.9 | 319.7 | 359.8 | 375.5 | 403.3 | 378.8 | 380.9 | **29,004.0** |
| OIL | 1963 | 57.8 | 60.9 | 53.9 | 44.3 | 53.1 | 48.8 | 48.8 | 57.0 | 64.0 | 67.9 | 70.4 | 70.7 | **8,870.9** |
| DAY | 1962 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | **1,961.0** |
| H2O | 1962 | 459.8 | 385.7 | 440.5 | 420.5 | 393.0 | 366.6 | 421.3 | 388.7 | 368.4 | 367.1 | 349.9 | 356.1 | **24,708.2** |
| OIL | 1962 | 66.7 | 66.4 | 83.4 | 73.9 | 75.0 | 58.8 | 71.5 | 68.2 | 60.2 | 57.8 | 60.1 | 56.1 | **8,173.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,602.0** |
| H2O | 1961 | 436.4 | 398.7 | 363.3 | 406.8 | 372.3 | 368.2 | 409.9 | 399.5 | 391.6 | 421.8 | 415.6 | 426.7 | **19,990.6** |
| OIL | 1961 | 106.0 | 96.9 | 107.4 | 95.5 | 94.2 | 84.9 | 99.3 | 84.7 | 87.7 | 87.9 | 90.1 | 77.5 | **7,375.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | 25.0 | 31.0 | **1,238.0** |
| H2O | 1960 | 307.3 | 261.0 | 456.3 | 460.4 | 417.2 | 393.2 | 349.1 | 409.7 | 433.5 | 417.8 | 342.3 | 415.3 | **15,179.8** |
| OIL | 1960 | 61.8 | 48.3 | 126.5 | 117.9 | 115.5 | 113.9 | 130.3 | 126.0 | 92.2 | 115.1 | 92.3 | 112.7 | **6,263.1** |
| DAY | 1959 | 31.0 | 26.0 | 25.0 | 29.0 | 31.0 | 29.0 | 30.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | **881.0** |
| H2O | 1959 | 404.8 | 366.9 | 352.9 | 361.4 | 353.9 | 286.8 | 292.7 | 313.3 | 307.8 | 345.0 | 310.3 | 314.5 | **10,516.7** |
| OIL | 1959 | 169.1 | 143.8 | 138.6 | 131.7 | 104.1 | 94.4 | 90.1 | 107.3 | 106.3 | 103.6 | 99.6 | 94.1 | **5,010.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 28.0 | 27.0 | 29.0 | 29.0 | 28.0 | 22.0 | 29.0 | 29.0 | 31.0 | **531.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1469*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-10-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 365.2 | 376.0 | 390.5 | 427.5 | 400.3 | 387.9 | 397.6 | 378.4 | 296.0 | 411.1 | 400.2 | 410.8 | **6,506.4** |
| OIL | 1958 | 235.7 | 210.2 | 224.2 | 200.1 | 186.6 | 190.5 | 184.3 | 172.1 | 124.9 | 174.5 | 175.1 | 173.2 | **3,627.9** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 27.0 | 31.0 | 26.0 | 30.0 | 29.0 | 30.0 | **189.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 111.1 | 219.7 | 257.1 | 333.2 | 278.5 | 307.8 | 357.5 | **1,864.9** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 87.7 | 154.1 | 229.9 | 234.4 | 211.4 | 202.8 | 256.2 | **1,376.5** |

Licence ***1470*** Well Name ***Virden Roselea Unit No. 1 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-28-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1438.0 | 1329.5 | 1037.0 | 1261.3 | 1190.9 | 1050.2 | 1342.9 | 1312.2 | 1387.9 | 1479.6 | 1450.9 | 1512.5 | **261,556.8** |
| WIN | 1974 | 961.0 | 760.4 | 796.0 | 1170.6 | 1046.1 | 1511.4 | 1488.8 | 1502.2 | 1358.2 | 1614.1 | 1693.9 | 1839.7 | **245,763.9** |
| WIN | 1973 | 1259.8 | 698.7 | 1235.4 | 983.1 | 937.5 | 703.8 | 488.7 | 1274.4 | 799.4 | 674.1 | 709.2 | 908.1 | **230,021.5** |
| WIN | 1972 | 1871.5 | 1272.6 | 1431.8 | 1512.1 | 1386.9 | 1318.3 | 923.0 | 0.0 | 480.8 | 830.0 | 0.0 | 1141.3 | **219,349.3** |
| WIN | 1971 | 1393.6 | 1487.9 | 1790.3 | 1732.1 | 1442.6 | 1634.0 | 1324.8 | 1169.1 | 0.0 | 1330.8 | 1863.1 | 1988.4 | **207,181.0** |
| WIN | 1970 | 1458.2 | 1098.2 | 1370.7 | 1123.8 | 1376.6 | 989.7 | 878.8 | 1146.7 | 1108.1 | 1253.6 | 1319.2 | 1376.6 | **190,024.3** |
| WIN | 1969 | 1343.1 | 394.6 | 978.0 | 1220.3 | 1325.3 | 1305.1 | 1022.7 | 1026.5 | 1168.2 | 1084.9 | 1247.8 | 1457.7 | **175,524.1** |
| WIN | 1968 | 1168.2 | 1409.7 | 1404.6 | 1310.6 | 1039.1 | 1390.6 | 1477.6 | 1573.1 | 900.8 | 1317.3 | 1270.6 | 1333.8 | **161,949.9** |
| WIN | 1967 | 1231.6 | 1248.8 | 1326.2 | 1266.0 | 1470.4 | 1463.1 | 1166.0 | 1220.8 | 1190.8 | 1219.5 | 1130.2 | 1187.7 | **146,353.9** |
| WIN | 1966 | 1558.0 | 1318.6 | 1414.0 | 1421.3 | 1436.9 | 1174.1 | 1387.9 | 1416.7 | 1414.0 | 1445.9 | 1354.0 | 1361.2 | **131,232.8** |
| WIN | 1965 | 1266.7 | 1072.7 | 1219.5 | 1124.2 | 1141.4 | 1097.0 | 1382.3 | 2799.2 | 1582.6 | 118.3 | 972.3 | 1446.4 | **114,530.2** |
| WIN | 1964 | 931.0 | 839.6 | 903.1 | 884.3 | 867.6 | 1118.0 | 1535.4 | 1367.5 | 1343.8 | 1223.4 | 1158.4 | 1347.6 | **99,307.6** |
| WIN | 1963 | 1004.3 | 795.3 | 1202.1 | 1009.3 | 925.2 | 999.3 | 1005.5 | 965.5 | 948.7 | 1625.0 | 920.1 | 938.7 | **85,787.9** |
| WIN | 1962 | 1269.1 | 1067.3 | 1186.5 | 1110.7 | 1078.7 | 1047.4 | 1081.1 | 1034.5 | 994.5 | 1062.5 | 987.2 | 937.9 | **73,448.9** |
| WIN | 1961 | 1345.9 | 1316.8 | 1449.0 | 1276.5 | 1256.7 | 1074.8 | 1434.1 | 1379.1 | 1271.3 | 1354.8 | 1234.6 | 1211.7 | **60,591.5** |
| WIN | 1960 | 1598.8 | 1465.6 | 1482.1 | 1390.7 | 1401.0 | 1317.9 | 1369.7 | 1301.0 | 1227.2 | 1261.6 | 1295.3 | 1430.3 | **44,986.2** |
| WIN | 1959 | 1286.1 | 1193.4 | 1286.7 | 1137.9 | 1195.6 | 1085.6 | 1325.0 | 1303.2 | 1349.0 | 1241.7 | 1563.5 | 1698.3 | **28,445.0** |
| DAY | 1958 | 31.0 | 28.0 | 13.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **167.0** |
| H2O | 1958 | 283.9 | 245.1 | 129.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,798.7** |
| OIL | 1958 | 37.5 | 36.9 | 17.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **256.0** |
| WIN | 1958 | 0.0 | 0.0 | 591.4 | 1586.9 | 1548.6 | 1523.4 | 1438.9 | 1379.6 | 1269.5 | 1227.4 | 1113.4 | 1099.9 | **12,779.0** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 0.0 | 6.0 | 30.0 | 26.0 | 17.0 | **95.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 151.8 | 0.0 | 60.3 | 404.2 | 315.3 | 208.9 | **1,140.5** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 36.5 | 0.0 | 13.5 | 49.3 | 40.2 | 24.5 | **164.0** |

Licence ***1472*** Well Name ***Tundra Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-20-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 27.0 | 31.0 | **6,095.0** |
| H2O | 1975 | 180.1 | 166.1 | 204.6 | 169.5 | 152.3 | 150.2 | 138.5 | 137.0 | 155.2 | 151.0 | 133.7 | 133.7 | **71,100.6** |
| OIL | 1975 | 42.3 | 33.9 | 35.3 | 32.1 | 26.7 | 39.9 | 37.5 | 40.5 | 46.1 | 42.8 | 31.0 | 37.8 | **19,873.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,742.0** |
| H2O | 1974 | 594.6 | 511.5 | 593.7 | 505.1 | 297.1 | 287.9 | 258.7 | 217.7 | 186.5 | 172.3 | 176.0 | 201.4 | **69,228.7** |
| OIL | 1974 | 178.5 | 110.7 | 126.2 | 102.2 | 57.7 | 56.0 | 59.3 | 48.5 | 45.5 | 41.3 | 39.1 | 42.8 | **19,427.2** |
| DAY | 1973 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,380.0** |
| H2O | 1973 | 924.0 | 587.9 | 598.7 | 578.7 | 407.0 | 1083.2 | 1110.7 | 1080.0 | 526.6 | 569.2 | 641.7 | 555.2 | **65,226.2** |
| OIL | 1973 | 156.3 | 131.3 | 166.1 | 128.1 | 118.0 | 116.9 | 131.6 | 127.2 | 143.7 | 132.1 | 139.0 | 182.8 | **18,519.4** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **5,016.0** |
| H2O | 1972 | 498.4 | 469.3 | 487.0 | 682.7 | 436.3 | 637.2 | 556.3 | 784.1 | 698.7 | 815.1 | 1045.7 | 1141.5 | **56,563.3** |
| OIL | 1972 | 176.2 | 199.1 | 195.7 | 197.9 | 157.6 | 181.4 | 141.3 | 179.7 | 174.6 | 191.7 | 133.1 | 164.2 | **16,846.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,662.0** |
| H2O | 1971 | 379.3 | 337.7 | 400.3 | 388.2 | 419.4 | 585.7 | 404.6 | 467.6 | 463.8 | 481.9 | 493.7 | 509.7 | **48,311.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1472*** Well Name ***Tundra Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-20-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1971 | 136.3 | 126.1 | 142.6 | 119.2 | 114.2 | 189.0 | 176.3 | 174.1 | 187.4 | 187.3 | 174.6 | 180.9 | **14,753.8** |
| DAY | 1970 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **4,297.0** |
| H2O | 1970 | 347.5 | 360.1 | 395.2 | 377.0 | 419.9 | 408.1 | 369.6 | 409.7 | 388.4 | 400.6 | 338.0 | 392.2 | **42,979.1** |
| OIL | 1970 | 84.7 | 101.3 | 109.5 | 107.2 | 127.8 | 115.9 | 156.8 | 168.1 | 158.8 | 164.6 | 126.9 | 132.6 | **12,845.8** |
| DAY | 1969 | 0.0 | 3.0 | 6.0 | 1.0 | 15.0 | 8.0 | 31.0 | 31.0 | 30.0 | 9.0 | 28.0 | 23.0 | **3,938.0** |
| H2O | 1969 | 0.0 | 11.6 | 21.6 | 3.8 | 62.2 | 39.0 | 303.5 | 305.9 | 318.1 | 74.1 | 211.9 | 178.5 | **38,372.8** |
| OIL | 1969 | 0.0 | 11.1 | 22.1 | 4.3 | 69.8 | 38.8 | 51.7 | 63.9 | 63.9 | 16.5 | 43.6 | 34.0 | **11,291.6** |
| DAY | 1968 | 30.0 | 29.0 | 10.0 | 1.0 | 0.0 | 0.0 | 0.0 | 2.0 | 0.0 | 30.0 | 3.0 | 0.0 | **3,753.0** |
| H2O | 1968 | 286.3 | 272.2 | 88.2 | 0.8 | 0.0 | 0.0 | 0.0 | 7.5 | 0.0 | 251.4 | 35.1 | 0.0 | **36,842.6** |
| OIL | 1968 | 87.1 | 55.5 | 13.4 | 0.2 | 0.0 | 0.0 | 0.0 | 8.1 | 0.0 | 24.5 | 3.3 | 0.0 | **10,871.9** |
| DAY | 1967 | 29.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **3,648.0** |
| H2O | 1967 | 390.8 | 327.4 | 425.8 | 369.6 | 250.1 | 238.8 | 229.3 | 308.1 | 277.8 | 225.0 | 293.5 | 259.8 | **35,901.1** |
| OIL | 1967 | 79.3 | 67.7 | 78.9 | 71.9 | 69.2 | 55.8 | 44.7 | 44.7 | 70.4 | 56.4 | 62.5 | 66.8 | **10,679.8** |
| DAY | 1966 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,294.0** |
| H2O | 1966 | 208.1 | 212.1 | 251.4 | 246.3 | 249.6 | 175.5 | 182.4 | 339.4 | 295.7 | 175.5 | 310.0 | 383.8 | **32,305.1** |
| OIL | 1966 | 64.6 | 76.5 | 89.9 | 85.6 | 90.0 | 57.4 | 71.2 | 87.0 | 89.0 | 77.4 | 79.2 | 72.5 | **9,911.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,938.0** |
| H2O | 1965 | 260.3 | 232.8 | 258.2 | 232.9 | 261.2 | 237.2 | 238.3 | 238.5 | 233.1 | 221.2 | 209.5 | 202.2 | **29,275.3** |
| OIL | 1965 | 76.7 | 68.4 | 78.0 | 86.4 | 85.0 | 85.6 | 83.8 | 86.1 | 80.2 | 76.2 | 73.2 | 74.0 | **8,971.2** |
| DAY | 1964 | 31.0 | 29.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,574.0** |
| H2O | 1964 | 330.9 | 289.8 | 254.1 | 304.5 | 326.4 | 288.6 | 250.2 | 274.4 | 277.4 | 287.0 | 254.9 | 267.3 | **26,449.9** |
| OIL | 1964 | 95.5 | 91.0 | 76.7 | 99.6 | 96.2 | 91.6 | 94.5 | 90.7 | 89.1 | 81.5 | 76.4 | 79.4 | **8,017.6** |
| DAY | 1963 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,213.0** |
| H2O | 1963 | 369.6 | 299.5 | 353.4 | 317.0 | 304.3 | 277.3 | 272.0 | 299.4 | 273.8 | 310.8 | 340.4 | 327.8 | **23,044.4** |
| OIL | 1963 | 74.0 | 64.0 | 68.4 | 71.4 | 78.8 | 85.4 | 75.4 | 85.3 | 79.1 | 92.7 | 89.9 | 91.8 | **6,955.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,853.0** |
| H2O | 1962 | 387.6 | 471.7 | 470.4 | 415.3 | 433.1 | 411.0 | 393.8 | 394.1 | 380.6 | 361.4 | 384.9 | 368.4 | **19,299.1** |
| OIL | 1962 | 64.9 | 80.3 | 84.6 | 78.8 | 86.9 | 85.0 | 87.0 | 85.6 | 83.8 | 75.9 | 72.4 | 67.9 | **5,999.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,489.0** |
| H2O | 1961 | 328.0 | 365.2 | 495.2 | 397.2 | 323.2 | 333.6 | 372.0 | 408.0 | 527.8 | 463.6 | 435.8 | 396.0 | **14,426.8** |
| OIL | 1961 | 62.2 | 55.4 | 57.3 | 56.5 | 52.7 | 69.9 | 75.1 | 65.4 | 87.2 | 71.1 | 69.1 | 63.2 | **5,046.1** |
| DAY | 1960 | 31.0 | 29.0 | 24.0 | 12.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,126.0** |
| H2O | 1960 | 178.7 | 169.2 | 168.7 | 98.7 | 267.6 | 240.5 | 318.9 | 384.6 | 410.2 | 351.5 | 268.1 | 300.6 | **9,581.2** |
| OIL | 1960 | 56.3 | 51.7 | 48.2 | 18.8 | 68.7 | 65.6 | 86.1 | 98.5 | 69.4 | 66.7 | 60.3 | 56.2 | **4,261.0** |
| DAY | 1959 | 18.0 | 27.0 | 15.0 | 0.0 | 0.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **788.0** |
| H2O | 1959 | 172.7 | 262.2 | 139.5 | 0.0 | 0.0 | 130.9 | 106.3 | 176.5 | 166.5 | 99.3 | 222.5 | 327.3 | **6,423.9** |
| OIL | 1959 | 42.8 | 74.0 | 44.6 | 0.0 | 0.0 | 71.9 | 48.9 | 72.9 | 72.1 | 33.0 | 40.8 | 57.0 | **3,514.5** |
| DAY | 1958 | 31.0 | 28.0 | 28.0 | 14.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 24.0 | **517.0** |
| H2O | 1958 | 320.7 | 294.2 | 285.6 | 125.8 | 374.3 | 364.1 | 368.3 | 338.1 | 333.1 | 321.8 | 319.5 | 230.9 | **4,620.2** |
| OIL | 1958 | 159.2 | 123.8 | 108.8 | 67.9 | 154.0 | 140.9 | 133.9 | 120.6 | 117.9 | 109.4 | 99.9 | 71.1 | **2,956.5** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 26.0 | 24.0 | 28.0 | 30.0 | 28.0 | 29.0 | **179.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 4.5 | 81.8 | 185.3 | 182.1 | 217.4 | 268.7 | **943.8** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 128.0 | 268.3 | 253.2 | 282.1 | 259.0 | 185.0 | 173.5 | **1,549.1** |

Licence ***1476*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 30.0 | 14.0 | 8.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,536.0** |
| H2O | 1975 | 113.4 | 104.3 | 112.6 | 112.7 | 51.8 | 29.7 | 75.8 | 86.3 | 85.1 | 91.1 | 91.4 | 93.0 | **6,221.6** |
| OIL | 1975 | 100.0 | 88.8 | 94.4 | 92.6 | 42.0 | 24.3 | 63.9 | 70.1 | 68.0 | 70.2 | 68.0 | 69.0 | **7,850.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 25.0 | 29.0 | **6,221.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1476*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1974 | 58.3 | 53.7 | 60.6 | 58.0 | 61.0 | 61.4 | 57.4 | 56.9 | 56.1 | 57.6 | 91.9 | 104.4 | **5,174.4** |
| OIL | 1974 | 49.3 | 42.4 | 49.1 | 46.2 | 48.6 | 47.0 | 45.0 | 48.3 | 38.6 | 39.7 | 79.6 | 93.3 | **6,999.4** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 27.0 | **5,865.0** |
| H2O | 1973 | 76.6 | 78.1 | 83.5 | 72.3 | 70.9 | 60.7 | 60.1 | 65.2 | 63.9 | 59.8 | 59.5 | 51.0 | **4,397.1** |
| OIL | 1973 | 44.3 | 39.1 | 42.9 | 38.1 | 38.6 | 46.6 | 47.5 | 51.2 | 48.6 | 46.2 | 46.6 | 41.8 | **6,372.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,507.0** |
| H2O | 1972 | 59.6 | 58.0 | 63.8 | 56.8 | 68.2 | 67.7 | 75.2 | 71.2 | 71.2 | 77.4 | 76.6 | 78.1 | **3,595.5** |
| OIL | 1972 | 43.4 | 40.5 | 44.2 | 42.1 | 48.8 | 47.0 | 48.5 | 49.6 | 43.1 | 45.4 | 43.1 | 45.0 | **5,840.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,141.0** |
| H2O | 1971 | 52.3 | 47.5 | 21.1 | 21.3 | 8.3 | 8.1 | 7.3 | 7.8 | 7.0 | 7.8 | 7.0 | 63.4 | **2,771.7** |
| OIL | 1971 | 43.7 | 38.6 | 19.2 | 18.1 | 4.4 | 4.3 | 3.8 | 4.3 | 4.3 | 4.4 | 4.0 | 44.2 | **5,300.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,780.0** |
| H2O | 1970 | 49.8 | 46.7 | 48.8 | 45.2 | 43.2 | 47.2 | 43.6 | 49.0 | 45.6 | 47.4 | 43.4 | 56.4 | **2,512.8** |
| OIL | 1970 | 42.4 | 38.1 | 41.8 | 40.4 | 38.6 | 40.8 | 42.4 | 41.6 | 39.7 | 42.0 | 40.2 | 42.1 | **5,106.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,417.0** |
| H2O | 1969 | 9.1 | 8.1 | 7.5 | 7.9 | 8.6 | 8.3 | 9.1 | 48.8 | 48.6 | 52.8 | 47.1 | 51.7 | **1,946.5** |
| OIL | 1969 | 43.5 | 38.3 | 41.0 | 41.3 | 42.4 | 41.6 | 43.2 | 40.7 | 41.8 | 43.7 | 42.1 | 43.9 | **4,616.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,053.0** |
| H2O | 1968 | 21.9 | 20.8 | 22.1 | 22.7 | 23.8 | 8.4 | 9.1 | 8.3 | 8.3 | 8.9 | 8.1 | 8.6 | **1,638.9** |
| OIL | 1968 | 33.5 | 30.8 | 32.9 | 32.7 | 36.1 | 27.7 | 28.6 | 28.6 | 27.5 | 44.0 | 42.3 | 43.2 | **4,113.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 29.0 | **3,687.0** |
| H2O | 1967 | 7.9 | 6.4 | 7.8 | 7.3 | 0.0 | 0.0 | 18.8 | 25.1 | 22.1 | 23.7 | 18.8 | 21.3 | **1,467.9** |
| OIL | 1967 | 37.3 | 33.2 | 37.3 | 35.9 | 32.4 | 31.1 | 33.5 | 33.2 | 31.9 | 33.7 | 29.7 | 31.0 | **3,705.3** |
| DAY | 1966 | 31.0 | 20.0 | 31.0 | 30.0 | 31.0 | 27.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,327.0** |
| H2O | 1966 | 4.6 | 2.5 | 4.8 | 4.8 | 5.6 | 4.5 | 4.5 | 4.6 | 7.5 | 7.8 | 7.6 | 8.4 | **1,308.7** |
| OIL | 1966 | 19.5 | 12.1 | 19.1 | 18.6 | 19.5 | 16.8 | 18.0 | 19.2 | 35.3 | 36.5 | 35.6 | 37.5 | **3,305.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,975.0** |
| H2O | 1965 | 2.7 | 2.2 | 2.7 | 2.2 | 2.4 | 2.2 | 11.4 | 11.4 | 4.6 | 4.6 | 4.8 | 4.9 | **1,241.5** |
| OIL | 1965 | 23.2 | 21.3 | 22.9 | 22.1 | 22.1 | 22.2 | 17.0 | 17.0 | 19.4 | 20.3 | 19.1 | 19.7 | **3,017.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,610.0** |
| H2O | 1964 | 3.8 | 3.5 | 3.8 | 3.8 | 3.8 | 3.8 | 8.6 | 8.7 | 3.8 | 3.7 | 3.8 | 2.7 | **1,185.4** |
| OIL | 1964 | 11.4 | 11.0 | 11.8 | 11.3 | 9.4 | 8.9 | 17.5 | 17.5 | 7.8 | 8.1 | 7.9 | 22.9 | **2,771.1** |
| DAY | 1963 | 12.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,244.0** |
| H2O | 1963 | 1.6 | 3.7 | 4.6 | 64.4 | 67.1 | 71.2 | 4.8 | 4.9 | 5.7 | 4.0 | 3.8 | 3.7 | **1,131.6** |
| OIL | 1963 | 6.2 | 13.2 | 16.7 | 111.2 | 114.9 | 113.5 | 19.7 | 18.9 | 18.9 | 11.1 | 10.8 | 11.0 | **2,625.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,902.0** |
| H2O | 1962 | 4.9 | 4.5 | 4.9 | 4.8 | 4.9 | 4.8 | 4.9 | 1.1 | 4.3 | 5.4 | 5.1 | 4.5 | **892.1** |
| OIL | 1962 | 29.6 | 26.7 | 32.7 | 28.6 | 29.6 | 28.3 | 29.2 | 26.4 | 26.1 | 28.1 | 16.0 | 16.7 | **2,159.5** |
| DAY | 1961 | 31.0 | 27.0 | 30.0 | 23.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,541.0** |
| H2O | 1961 | 4.9 | 4.3 | 4.8 | 3.7 | 4.9 | 4.8 | 4.9 | 4.9 | 4.8 | 4.5 | 4.8 | 5.1 | **838.0** |
| OIL | 1961 | 34.8 | 26.5 | 28.6 | 22.1 | 29.6 | 29.7 | 29.6 | 29.6 | 28.3 | 26.9 | 28.4 | 29.6 | **1,841.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,188.0** |
| H2O | 1960 | 14.8 | 11.3 | 4.9 | 4.3 | 4.9 | 4.6 | 5.2 | 5.1 | 4.6 | 5.1 | 4.9 | 5.4 | **781.6** |
| OIL | 1960 | 31.0 | 33.2 | 29.6 | 28.6 | 29.9 | 27.5 | 29.6 | 29.1 | 26.7 | 29.6 | 28.6 | 29.6 | **1,497.8** |
| DAY | 1959 | 30.0 | 25.0 | 29.0 | 30.0 | 28.0 | 27.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **826.0** |
| H2O | 1959 | 19.1 | 14.1 | 18.4 | 17.3 | 15.7 | 16.1 | 18.4 | 16.2 | 13.8 | 14.8 | 19.1 | 14.8 | **706.5** |
| OIL | 1959 | 26.7 | 20.3 | 28.6 | 34.8 | 35.6 | 45.3 | 30.2 | 27.3 | 27.7 | 29.6 | 26.7 | 29.6 | **1,144.8** |
| DAY | 1958 | 31.0 | 19.0 | 20.0 | 5.0 | 29.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 29.0 | 29.0 | **474.0** |
| H2O | 1958 | 36.7 | 18.6 | 15.1 | 3.2 | 17.8 | 19.1 | 18.1 | 19.1 | 19.1 | 19.7 | 18.4 | 18.4 | **508.7** |
| OIL | 1958 | 99.0 | 40.2 | 22.2 | 10.6 | 32.4 | 30.5 | 27.5 | 45.1 | 38.1 | 37.0 | 36.4 | 28.0 | **782.4** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 24.0 | 30.0 | 28.0 | 30.0 | 31.0 | **162.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.6 | 22.9 | 92.5 | 72.8 | 50.9 | 33.7 | **285.4** |

# Manitoba Production
## 1950 To 1975

Licence ***1476*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 49.6 | 43.1 | 52.4 | 62.5 | 67.7 | 60.1 | **335.4** |

Licence ***1478*** Well Name ***Campbell Tilston SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-06-006-29W1.00*** Field Name ***Tilston*** Pool Name ***Mission Canyon 1 A*** Field Code ***2*** Pool Code ***44A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 95.4 | 0.0 | 0.0 | 0.0 | 0.0 | 230.5 | 246.4 | 238.5 | 238.5 | 184.4 | 238.5 | 246.4 | **4,213.2** |
| WIN | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 457.9 | 209.9 | 295.7 | 222.6 | 238.5 | 449.9 | 381.6 | 238.5 | **2,494.6** |

Licence ***1479*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 31.0 | 7.0 | 21.0 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,081.0** |
| H2O | 1969 | 613.2 | 133.4 | 332.4 | 139.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **53,310.6** |
| OIL | 1969 | 17.5 | 3.5 | 12.2 | 4.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,965.4** |
| DAY | 1968 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 27.0 | 30.0 | **4,015.0** |
| H2O | 1968 | 442.0 | 407.6 | 480.1 | 421.9 | 382.2 | 338.6 | 336.4 | 362.8 | 331.8 | 511.9 | 568.0 | 596.0 | **52,092.5** |
| OIL | 1968 | 17.5 | 17.2 | 18.8 | 15.1 | 11.9 | 8.6 | 8.4 | 9.5 | 7.8 | 19.1 | 16.2 | 16.8 | **3,928.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,656.0** |
| H2O | 1967 | 308.6 | 259.1 | 329.7 | 321.9 | 473.1 | 440.2 | 485.8 | 453.7 | 471.4 | 537.8 | 494.9 | 404.1 | **46,913.2** |
| OIL | 1967 | 10.3 | 9.7 | 10.3 | 10.6 | 20.2 | 18.6 | 20.0 | 18.6 | 19.4 | 20.7 | 20.8 | 18.0 | **3,761.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,292.0** |
| H2O | 1966 | 212.7 | 197.9 | 231.2 | 707.1 | 652.0 | 595.9 | 447.5 | 297.1 | 295.5 | 304.9 | 292.2 | 310.6 | **41,932.9** |
| OIL | 1966 | 14.6 | 12.7 | 14.3 | 22.1 | 30.4 | 26.7 | 18.0 | 11.0 | 10.3 | 11.4 | 11.3 | 11.6 | **3,564.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,927.0** |
| H2O | 1965 | 412.4 | 135.0 | 152.9 | 141.8 | 395.9 | 332.4 | 305.9 | 280.1 | 253.3 | 278.9 | 195.2 | 219.1 | **37,388.3** |
| OIL | 1965 | 49.6 | 3.0 | 3.3 | 2.7 | 16.7 | 14.8 | 14.6 | 14.1 | 11.9 | 16.0 | 13.8 | 14.6 | **3,369.6** |
| DAY | 1964 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 12.0 | 1.0 | 27.0 | 31.0 | **2,568.0** |
| H2O | 1964 | 438.3 | 389.3 | 640.1 | 609.2 | 827.6 | 581.4 | 623.2 | 644.2 | 220.7 | 21.5 | 466.8 | 449.8 | **34,285.4** |
| OIL | 1964 | 28.3 | 24.8 | 28.0 | 31.1 | 32.7 | 27.7 | 33.7 | 33.8 | 11.9 | 1.1 | 47.0 | 52.1 | **3,194.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,254.0** |
| H2O | 1963 | 486.8 | 446.9 | 395.2 | 373.9 | 424.5 | 409.9 | 432.1 | 425.6 | 439.3 | 427.5 | 603.0 | 568.0 | **28,373.3** |
| OIL | 1963 | 21.5 | 18.9 | 21.1 | 21.3 | 30.5 | 28.1 | 21.3 | 17.3 | 17.8 | 16.5 | 30.4 | 29.7 | **2,842.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | 31.0 | 29.0 | 27.0 | **1,892.0** |
| H2O | 1962 | 420.0 | 389.0 | 370.4 | 387.4 | 416.5 | 435.3 | 468.5 | 463.7 | 394.7 | 409.4 | 403.7 | 448.6 | **22,940.6** |
| OIL | 1962 | 27.0 | 24.0 | 29.9 | 29.6 | 26.4 | 26.7 | 27.0 | 24.3 | 20.5 | 22.4 | 27.5 | 25.9 | **2,567.9** |
| DAY | 1961 | 31.0 | 26.0 | 20.0 | 30.0 | 31.0 | 24.0 | 31.0 | 31.0 | 16.0 | 31.0 | 30.0 | 31.0 | **1,536.0** |
| H2O | 1961 | 585.7 | 498.2 | 318.4 | 552.0 | 545.5 | 400.3 | 411.3 | 385.2 | 211.1 | 383.5 | 507.3 | 449.8 | **17,933.4** |
| OIL | 1961 | 45.1 | 38.0 | 23.5 | 40.5 | 45.8 | 35.8 | 26.5 | 27.0 | 14.8 | 26.2 | 24.9 | 26.7 | **2,256.7** |
| DAY | 1960 | 31.0 | 29.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 24.0 | 26.0 | 21.0 | 30.0 | 31.0 | **1,204.0** |
| H2O | 1960 | 388.1 | 322.1 | 291.4 | 142.1 | 578.2 | 568.7 | 536.6 | 424.0 | 512.6 | 367.2 | 514.1 | 604.6 | **12,685.1** |
| OIL | 1960 | 32.3 | 27.5 | 25.4 | 17.0 | 38.8 | 44.2 | 39.4 | 28.4 | 36.1 | 28.4 | 39.9 | 42.0 | **1,881.9** |
| DAY | 1959 | 31.0 | 28.0 | 27.0 | 30.0 | 30.0 | 30.0 | 26.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **863.0** |
| H2O | 1959 | 157.2 | 231.6 | 262.5 | 542.6 | 478.8 | 346.9 | 477.3 | 501.9 | 401.7 | 247.4 | 583.5 | 474.4 | **7,435.4** |
| OIL | 1959 | 18.4 | 17.3 | 27.5 | 53.2 | 48.8 | 43.4 | 44.2 | 50.5 | 32.3 | 22.9 | 50.2 | 35.3 | **1,482.5** |
| DAY | 1958 | 24.0 | 28.0 | 31.0 | 30.0 | 30.0 | 26.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **513.0** |
| H2O | 1958 | 4.6 | 5.6 | 0.2 | 0.0 | 0.0 | 393.8 | 676.6 | 492.8 | 262.0 | 273.6 | 214.0 | 254.7 | **2,729.6** |
| OIL | 1958 | 18.0 | 54.2 | 7.0 | 6.7 | 7.2 | 82.8 | 83.0 | 64.2 | 35.1 | 37.3 | 25.7 | 26.5 | **1,038.5** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 22.0 | 16.0 | 12.0 | 31.0 | 30.0 | 31.0 | **162.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 52.8 | 3.7 | 4.3 | 40.2 | 14.0 | 15.7 | **151.7** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 242.2 | 193.9 | 26.9 | 24.0 | 36.4 | 33.4 | 34.0 | **590.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1481*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-24-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,855.0** |
| H2O | 1975 | 329.9 | 300.5 | 327.0 | 327.5 | 339.6 | 318.0 | 318.6 | 283.0 | 278.4 | 299.2 | 300.0 | 305.4 | **12,296.5** |
| OIL | 1975 | 156.4 | 137.6 | 147.5 | 144.6 | 147.3 | 140.3 | 144.1 | 197.5 | 191.5 | 198.2 | 191.6 | 194.7 | **7,007.8** |
| DAY | 1974 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,491.0** |
| H2O | 1974 | 141.0 | 134.0 | 156.4 | 152.1 | 356.4 | 358.3 | 361.8 | 332.1 | 312.9 | 328.5 | 327.8 | 327.5 | **8,569.4** |
| OIL | 1974 | 33.1 | 29.6 | 35.3 | 33.7 | 119.8 | 115.8 | 119.7 | 119.2 | 151.8 | 159.7 | 152.6 | 157.3 | **5,016.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | **2,129.0** |
| H2O | 1973 | 30.4 | 29.1 | 31.2 | 30.2 | 31.5 | 156.6 | 157.4 | 169.3 | 166.3 | 163.9 | 156.0 | 126.7 | **5,280.6** |
| OIL | 1973 | 40.0 | 35.4 | 39.1 | 36.7 | 39.7 | 33.5 | 34.8 | 37.2 | 35.4 | 35.1 | 34.0 | 28.9 | **3,788.9** |
| DAY | 1972 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,770.0** |
| H2O | 1972 | 4.3 | 3.7 | 4.5 | 24.5 | 26.2 | 26.9 | 29.9 | 28.3 | 28.1 | 30.7 | 30.4 | 31.0 | **4,032.0** |
| OIL | 1972 | 77.7 | 65.0 | 79.0 | 38.3 | 39.3 | 38.9 | 40.0 | 41.0 | 38.9 | 41.0 | 38.9 | 40.7 | **3,359.1** |
| DAY | 1971 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **1,407.0** |
| H2O | 1971 | 140.9 | 145.1 | 168.8 | 4.1 | 4.1 | 4.1 | 4.0 | 3.8 | 3.3 | 3.8 | 3.5 | 4.5 | **3,763.5** |
| OIL | 1971 | 67.2 | 67.5 | 75.5 | 80.2 | 82.0 | 79.8 | 81.7 | 80.1 | 79.0 | 79.1 | 74.7 | 79.1 | **2,780.4** |
| DAY | 1970 | 29.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | **1,048.0** |
| H2O | 1970 | 169.0 | 169.6 | 177.3 | 153.3 | 168.7 | 171.1 | 154.7 | 178.2 | 154.8 | 162.0 | 157.1 | 174.6 | **3,273.5** |
| OIL | 1970 | 69.9 | 67.4 | 73.4 | 66.3 | 73.1 | 71.7 | 72.9 | 73.1 | 65.2 | 69.4 | 70.7 | 74.2 | **1,854.5** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 30.0 | 31.0 | **689.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 125.9 | 136.1 | 147.7 | **1,283.1** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 67.5 | 78.3 | 81.2 | **1,007.2** |
| DAY | 1959 | 11.0 | 0.0 | 0.0 | 8.0 | 21.0 | 22.0 | 11.0 | 0.0 | 26.0 | 0.0 | 0.0 | 0.0 | **602.0** |
| H2O | 1959 | 3.5 | 0.0 | 0.0 | 6.5 | 26.1 | 12.7 | 6.0 | 0.0 | 248.0 | 0.0 | 0.0 | 0.0 | **873.4** |
| OIL | 1959 | 3.3 | 0.0 | 0.0 | 5.1 | 14.6 | 11.9 | 5.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **780.2** |
| DAY | 1958 | 31.0 | 28.0 | 28.0 | 25.0 | 31.0 | 30.0 | 31.0 | 29.0 | 27.0 | 31.0 | 29.0 | 20.0 | **503.0** |
| H2O | 1958 | 34.8 | 29.7 | 30.7 | 23.8 | 65.8 | 32.7 | 33.2 | 30.2 | 13.8 | 9.2 | 9.2 | 6.5 | **570.6** |
| OIL | 1958 | 35.3 | 25.7 | 25.1 | 29.6 | 48.1 | 26.4 | 23.2 | 16.7 | 7.5 | 5.1 | 5.2 | 4.4 | **740.2** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 30.0 | 30.0 | 30.0 | 30.0 | 29.0 | **163.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.5 | 57.6 | 47.1 | 44.4 | 45.2 | 40.2 | **251.0** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 91.5 | 154.8 | 87.9 | 53.9 | 56.9 | 42.9 | **487.9** |

Licence ***1485*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-27-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,659.0** |
| H2O | 1975 | 137.5 | 113.2 | 132.3 | 126.7 | 129.3 | 273.1 | 306.5 | 303.7 | 301.6 | 280.4 | 248.8 | 265.2 | **29,572.9** |
| OIL | 1975 | 29.1 | 25.4 | 28.9 | 28.3 | 30.2 | 39.3 | 45.6 | 44.0 | 42.3 | 45.6 | 41.8 | 44.5 | **19,607.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,294.0** |
| H2O | 1974 | 194.6 | 175.2 | 194.9 | 181.7 | 200.0 | 192.4 | 0.0 | 238.9 | 276.3 | 295.5 | 287.9 | 283.9 | **26,954.6** |
| OIL | 1974 | 46.9 | 41.8 | 46.6 | 44.3 | 25.3 | 20.2 | 0.0 | 24.6 | 38.1 | 39.3 | 38.0 | 38.8 | **19,162.8** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,964.0** |
| H2O | 1973 | 224.0 | 220.3 | 225.6 | 211.4 | 226.9 | 226.2 | 151.2 | 213.2 | 191.3 | 174.7 | 169.6 | 197.6 | **24,433.3** |
| OIL | 1973 | 67.4 | 64.2 | 73.3 | 78.3 | 81.8 | 77.4 | 40.5 | 48.8 | 50.7 | 47.7 | 47.8 | 47.0 | **18,758.9** |
| DAY | 1972 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 30.0 | **5,603.0** |
| H2O | 1972 | 215.7 | 207.8 | 201.0 | 184.7 | 195.5 | 185.2 | 187.8 | 179.8 | 179.5 | 191.1 | 208.6 | 210.2 | **22,001.3** |
| OIL | 1972 | 70.6 | 68.6 | 76.1 | 66.3 | 73.9 | 67.5 | 66.9 | 65.0 | 62.6 | 67.9 | 62.1 | 65.8 | **18,034.0** |
| DAY | 1971 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | **5,243.0** |
| H2O | 1971 | 83.0 | 67.7 | 193.2 | 185.1 | 197.8 | 151.8 | 157.4 | 205.6 | 135.3 | 187.8 | 200.3 | 216.4 | **19,654.4** |
| OIL | 1971 | 51.6 | 42.1 | 79.5 | 79.0 | 79.6 | 48.3 | 48.5 | 66.9 | 46.9 | 62.1 | 62.3 | 71.8 | **17,220.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,887.0** |
| H2O | 1970 | 96.5 | 84.9 | 90.3 | 83.0 | 82.8 | 82.0 | 85.5 | 79.6 | 80.9 | 82.7 | 80.6 | 83.0 | **17,673.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1485*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-27-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1970 | 59.8 | 53.6 | 55.5 | 48.0 | 56.4 | 52.6 | 54.0 | 49.9 | 50.1 | 50.7 | 46.2 | 55.5 | **16,482.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **4,522.0** |
| H2O | 1969 | 150.2 | 121.0 | 88.6 | 104.4 | 155.0 | 133.5 | 144.4 | 139.7 | 135.6 | 91.3 | 77.7 | 112.6 | **16,661.2** |
| OIL | 1969 | 59.4 | 52.8 | 50.7 | 59.1 | 47.4 | 43.2 | 43.5 | 42.6 | 49.3 | 62.5 | 58.6 | 69.9 | **15,849.8** |
| DAY | 1968 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **4,159.0** |
| H2O | 1968 | 82.8 | 79.3 | 116.4 | 88.4 | 145.9 | 119.6 | 138.6 | 132.3 | 63.4 | 77.4 | 52.3 | 149.3 | **15,207.2** |
| OIL | 1968 | 55.1 | 49.7 | 63.4 | 61.2 | 59.6 | 56.6 | 53.1 | 53.4 | 66.3 | 73.7 | 76.3 | 62.0 | **15,210.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 27.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,797.0** |
| H2O | 1967 | 116.7 | 104.8 | 185.5 | 76.8 | 69.6 | 63.9 | 76.2 | 66.3 | 121.1 | 132.0 | 114.1 | 91.9 | **13,961.5** |
| OIL | 1967 | 79.5 | 67.9 | 94.1 | 54.8 | 49.1 | 45.8 | 56.3 | 49.6 | 64.2 | 63.9 | 54.7 | 57.4 | **14,480.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 24.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **3,439.0** |
| H2O | 1966 | 356.1 | 285.8 | 271.5 | 148.6 | 163.7 | 158.8 | 148.3 | 149.8 | 135.8 | 124.6 | 119.7 | 122.1 | **12,742.6** |
| OIL | 1966 | 98.4 | 83.9 | 88.8 | 85.5 | 97.7 | 99.0 | 96.9 | 91.8 | 78.7 | 78.8 | 82.2 | 81.4 | **13,743.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **3,084.0** |
| H2O | 1965 | 276.8 | 266.8 | 288.2 | 287.6 | 272.8 | 263.6 | 257.9 | 223.0 | 181.7 | 205.1 | 272.7 | 327.8 | **10,557.8** |
| OIL | 1965 | 112.2 | 106.9 | 113.9 | 108.9 | 110.4 | 100.3 | 95.3 | 93.3 | 88.4 | 77.2 | 90.7 | 91.4 | **12,680.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,722.0** |
| H2O | 1964 | 149.1 | 127.0 | 152.5 | 121.6 | 132.6 | 129.7 | 128.8 | 135.5 | 158.2 | 191.7 | 306.0 | 305.7 | **7,433.8** |
| OIL | 1964 | 113.0 | 107.9 | 112.8 | 99.5 | 103.1 | 98.0 | 109.8 | 103.3 | 92.8 | 106.0 | 121.7 | 121.2 | **11,491.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 27.0 | 31.0 | **2,363.0** |
| H2O | 1963 | 67.2 | 84.1 | 92.7 | 82.4 | 62.0 | 66.8 | 70.3 | 78.9 | 74.1 | 66.5 | 105.6 | 132.7 | **5,395.4** |
| OIL | 1963 | 72.8 | 85.0 | 94.7 | 80.7 | 79.5 | 76.9 | 79.6 | 83.9 | 87.4 | 87.4 | 100.6 | 122.0 | **10,202.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,004.0** |
| H2O | 1962 | 74.7 | 61.7 | 70.4 | 64.1 | 68.5 | 61.8 | 51.7 | 84.7 | 87.0 | 70.0 | 67.1 | 79.6 | **4,412.1** |
| OIL | 1962 | 79.8 | 69.6 | 81.4 | 69.4 | 70.9 | 65.6 | 53.9 | 78.3 | 83.7 | 79.1 | 74.4 | 73.4 | **9,151.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,643.0** |
| H2O | 1961 | 103.0 | 92.5 | 94.3 | 89.0 | 85.7 | 80.4 | 81.2 | 79.6 | 74.9 | 74.9 | 71.7 | 75.2 | **3,570.8** |
| OIL | 1961 | 102.0 | 89.6 | 95.7 | 89.1 | 95.8 | 90.4 | 89.1 | 89.5 | 85.2 | 86.1 | 80.6 | 82.0 | **8,272.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **1,278.0** |
| H2O | 1960 | 95.1 | 89.2 | 94.9 | 87.8 | 106.4 | 48.2 | 56.0 | 52.1 | 46.1 | 43.9 | 50.4 | 95.4 | **2,568.4** |
| OIL | 1960 | 131.9 | 118.5 | 127.8 | 119.8 | 130.0 | 130.8 | 126.7 | 123.8 | 116.2 | 112.5 | 113.5 | 100.3 | **7,196.9** |
| DAY | 1959 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **914.0** |
| H2O | 1959 | 28.1 | 33.5 | 56.4 | 57.4 | 56.8 | 49.6 | 55.0 | 56.4 | 50.4 | 94.8 | 87.4 | 104.1 | **1,702.9** |
| OIL | 1959 | 153.5 | 159.7 | 147.2 | 136.5 | 135.4 | 127.0 | 130.5 | 127.1 | 120.0 | 150.3 | 124.7 | 134.4 | **5,745.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **553.0** |
| H2O | 1958 | 56.8 | 54.2 | 60.7 | 63.9 | 70.1 | 66.6 | 59.5 | 49.0 | 46.6 | 24.8 | 37.8 | 37.0 | **973.0** |
| OIL | 1958 | 253.0 | 201.2 | 216.1 | 189.7 | 174.2 | 158.6 | 178.9 | 167.3 | 155.4 | 189.6 | 187.8 | 181.3 | **4,098.8** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 30.0 | 30.0 | 30.0 | 30.0 | 27.0 | 31.0 | **188.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.9 | 49.4 | 56.0 | 57.6 | 54.4 | 49.0 | 70.7 | **346.0** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 122.8 | 277.3 | 266.3 | 305.1 | 318.3 | 271.9 | 284.0 | **1,845.7** |

Licence ***1486*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-34-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,243.0** |
| H2O | 1975 | 24.8 | 22.9 | 25.4 | 24.5 | 25.6 | 24.5 | 24.5 | 24.2 | 23.8 | 25.4 | 25.6 | 26.1 | **2,586.5** |
| OIL | 1975 | 21.9 | 19.4 | 21.3 | 20.2 | 20.5 | 20.0 | 28.6 | 28.6 | 27.8 | 28.8 | 27.8 | 28.3 | **5,324.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,878.0** |
| H2O | 1974 | 24.6 | 21.9 | 24.5 | 24.8 | 22.4 | 25.8 | 26.1 | 23.8 | 23.5 | 24.6 | 24.6 | 24.6 | **2,289.2** |
| OIL | 1974 | 22.6 | 19.1 | 21.6 | 21.3 | 19.4 | 21.5 | 22.2 | 22.1 | 21.1 | 22.4 | 21.3 | 21.9 | **5,031.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 25.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,517.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1486*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-34-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1973 | 25.4 | 24.5 | 26.2 | 23.5 | 25.6 | 25.4 | 25.6 | 21.9 | 27.0 | 25.9 | 25.4 | 24.5 | **1,998.0** |
| OIL | 1973 | 22.1 | 19.5 | 21.5 | 18.9 | 21.1 | 21.3 | 21.9 | 18.8 | 22.4 | 21.8 | 21.5 | 21.9 | **4,775.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 22.0 | 31.0 | **5,163.0** |
| H2O | 1972 | 13.5 | 12.9 | 14.3 | 12.7 | 14.1 | 14.0 | 15.6 | 13.7 | 14.6 | 30.7 | 22.1 | 31.0 | **1,697.1** |
| OIL | 1972 | 13.5 | 12.6 | 13.7 | 17.2 | 18.0 | 17.3 | 17.8 | 17.2 | 17.5 | 27.0 | 18.6 | 26.7 | **4,522.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 20.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,807.0** |
| H2O | 1971 | 3.8 | 3.5 | 4.1 | 3.8 | 4.0 | 8.7 | 9.1 | 12.6 | 11.3 | 12.7 | 12.2 | 14.3 | **1,487.9** |
| OIL | 1971 | 38.1 | 33.7 | 37.3 | 33.1 | 36.2 | 9.1 | 10.0 | 14.0 | 13.7 | 14.3 | 13.5 | 13.7 | **4,305.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,463.0** |
| H2O | 1970 | 4.5 | 4.1 | 4.3 | 4.0 | 4.0 | 4.1 | 3.7 | 4.1 | 4.0 | 4.1 | 3.8 | 4.3 | **1,387.8** |
| OIL | 1970 | 14.5 | 13.0 | 14.3 | 13.8 | 14.3 | 14.0 | 14.3 | 35.3 | 34.5 | 35.3 | 34.8 | 36.7 | **4,038.5** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | **4,099.0** |
| H2O | 1969 | 9.1 | 8.1 | 7.3 | 7.9 | 8.1 | 8.3 | 8.9 | 9.1 | 4.0 | 4.3 | 4.1 | 4.5 | **1,338.8** |
| OIL | 1969 | 33.1 | 28.6 | 31.0 | 31.6 | 31.1 | 31.8 | 33.1 | 32.7 | 13.5 | 13.5 | 14.5 | 15.1 | **3,763.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,740.0** |
| H2O | 1968 | 1.0 | 1.0 | 1.0 | 1.1 | 1.0 | 1.1 | 0.0 | 0.0 | 8.3 | 8.7 | 8.1 | 8.6 | **1,255.1** |
| OIL | 1968 | 32.3 | 29.7 | 31.6 | 31.5 | 31.6 | 31.1 | 33.2 | 33.2 | 31.9 | 33.5 | 32.3 | 33.1 | **3,454.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,374.0** |
| H2O | 1967 | 3.8 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 1.1 | 1.0 | 1.0 | **1,215.2** |
| OIL | 1967 | 45.6 | 40.5 | 33.8 | 32.7 | 33.5 | 32.3 | 33.5 | 33.2 | 30.8 | 32.4 | 31.8 | 32.3 | **3,069.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,009.0** |
| H2O | 1966 | 2.4 | 1.7 | 2.4 | 2.4 | 4.0 | 3.5 | 3.2 | 3.5 | 3.7 | 3.8 | 4.0 | 4.0 | **1,204.0** |
| OIL | 1966 | 17.3 | 15.3 | 16.8 | 16.4 | 28.6 | 26.7 | 26.4 | 40.7 | 41.2 | 44.5 | 43.7 | 45.8 | **2,656.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,648.0** |
| H2O | 1965 | 28.0 | 24.8 | 28.1 | 24.6 | 25.1 | 24.0 | 24.2 | 24.2 | 24.5 | 24.2 | 2.2 | 2.4 | **1,165.4** |
| OIL | 1965 | 20.7 | 18.9 | 20.3 | 19.7 | 19.7 | 19.9 | 20.7 | 20.5 | 19.4 | 20.2 | 17.0 | 17.6 | **2,293.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 17.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,283.0** |
| H2O | 1964 | 26.5 | 24.0 | 26.7 | 25.8 | 27.3 | 26.4 | 13.8 | 24.0 | 25.4 | 25.3 | 26.2 | 27.8 | **909.1** |
| OIL | 1964 | 19.5 | 18.4 | 20.0 | 19.2 | 19.7 | 19.1 | 10.3 | 17.8 | 19.1 | 19.4 | 19.1 | 20.5 | **2,058.7** |
| DAY | 1963 | 19.0 | 24.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,934.0** |
| H2O | 1963 | 7.9 | 13.8 | 14.9 | 15.6 | 15.6 | 13.8 | 17.6 | 12.7 | 19.7 | 13.2 | 25.8 | 26.4 | **609.9** |
| OIL | 1963 | 10.3 | 13.3 | 16.5 | 16.4 | 16.7 | 14.5 | 15.4 | 13.3 | 16.0 | 17.0 | 18.3 | 18.8 | **1,836.6** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,586.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.1 | 22.6 | 14.5 | 17.6 | 18.9 | 14.6 | 16.9 | **412.9** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.1 | 20.7 | 17.2 | 18.9 | 17.8 | 17.6 | 15.7 | **1,650.1** |
| DAY | 1961 | 30.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 29.0 | 31.0 | 15.0 | 0.0 | 0.0 | 0.0 | **1,374.0** |
| H2O | 1961 | 1.4 | 0.0 | 0.0 | 0.0 | 0.0 | 3.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **289.7** |
| OIL | 1961 | 5.4 | 0.0 | 0.0 | 0.0 | 0.0 | 18.9 | 17.8 | 23.8 | 9.5 | 0.0 | 0.0 | 0.0 | **1,521.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 29.0 | 28.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,239.0** |
| H2O | 1960 | 4.9 | 13.0 | 14.6 | 11.8 | 9.5 | 0.0 | 0.0 | 4.1 | 3.7 | 4.5 | 4.5 | 4.5 | **284.5** |
| OIL | 1960 | 26.4 | 35.6 | 40.5 | 30.0 | 18.9 | 12.7 | 14.1 | 16.4 | 28.0 | 19.9 | 18.3 | 17.8 | **1,445.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | **882.0** |
| H2O | 1959 | 10.3 | 9.1 | 9.2 | 5.1 | 7.5 | 4.6 | 10.0 | 13.5 | 17.3 | 14.3 | 16.4 | 5.1 | **209.4** |
| OIL | 1959 | 26.2 | 34.2 | 25.7 | 18.0 | 18.8 | 22.7 | 34.2 | 25.9 | 51.8 | 30.4 | 34.6 | 24.6 | **1,167.1** |
| DAY | 1958 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 29.0 | 26.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **527.0** |
| H2O | 1958 | 0.0 | 0.2 | 7.8 | 8.4 | 11.8 | 10.7 | 10.2 | 6.4 | 5.4 | 17.6 | 6.2 | 0.6 | **87.0** |
| OIL | 1958 | 47.2 | 37.8 | 59.6 | 58.3 | 35.0 | 30.0 | 24.5 | 29.6 | 22.1 | 28.6 | 26.5 | 33.1 | **820.0** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 19.0 | 30.0 | 29.0 | 28.0 | 29.0 | 31.0 | **170.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.3 | 0.3 | 0.3 | 0.5 | **1.7** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.3 | 46.1 | 87.2 | 65.5 | 68.0 | 61.7 | 50.9 | **387.7** |

Licence ***1487*** Well Name ***Upton Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***1487*** Well Name ***Upton Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-20-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,514.0** |
| H2O | 1975 | 403.8 | 458.2 | 573.1 | 474.7 | 529.1 | 462.8 | 423.5 | 387.1 | 434.7 | 423.4 | 419.1 | 374.4 | **77,482.5** |
| OIL | 1975 | 33.7 | 33.2 | 35.3 | 32.1 | 33.4 | 43.6 | 41.0 | 40.9 | 46.1 | 42.8 | 34.5 | 37.8 | **17,835.0** |
| DAY | 1974 | 0.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,153.0** |
| H2O | 1974 | 551.7 | 483.3 | 551.1 | 468.7 | 537.9 | 554.1 | 497.9 | 456.3 | 420.5 | 482.4 | 492.5 | 563.5 | **72,118.6** |
| OIL | 1974 | 63.8 | 40.2 | 45.3 | 36.6 | 28.8 | 30.4 | 32.3 | 38.3 | 38.2 | 41.3 | 39.1 | 42.8 | **17,380.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,821.0** |
| H2O | 1973 | 585.2 | 612.1 | 623.4 | 583.6 | 607.0 | 377.0 | 386.5 | 375.8 | 550.4 | 551.7 | 622.0 | 523.7 | **66,058.7** |
| OIL | 1973 | 33.1 | 45.0 | 56.9 | 46.3 | 41.0 | 40.7 | 45.8 | 44.2 | 47.9 | 49.3 | 51.8 | 66.3 | **16,903.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 19.0 | 30.0 | 26.0 | 31.0 | 30.0 | 22.0 | 25.0 | 31.0 | **5,456.0** |
| H2O | 1972 | 460.9 | 424.2 | 448.5 | 433.6 | 258.4 | 459.8 | 369.3 | 462.3 | 441.8 | 333.6 | 616.2 | 699.7 | **59,660.3** |
| OIL | 1972 | 37.0 | 42.0 | 41.2 | 33.7 | 21.3 | 49.9 | 42.0 | 40.4 | 35.8 | 26.2 | 26.2 | 33.7 | **16,335.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 24.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **5,121.0** |
| H2O | 1971 | 332.4 | 295.9 | 350.9 | 427.0 | 425.1 | 359.5 | 482.2 | 492.5 | 488.6 | 507.5 | 456.1 | 471.2 | **54,252.0** |
| OIL | 1971 | 51.4 | 47.5 | 53.7 | 51.8 | 49.1 | 42.1 | 34.7 | 40.5 | 37.5 | 37.5 | 36.6 | 38.0 | **15,905.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | **4,766.0** |
| H2O | 1970 | 511.5 | 462.2 | 507.2 | 483.6 | 489.4 | 476.6 | 400.2 | 443.4 | 420.4 | 332.4 | 296.5 | 343.7 | **49,163.1** |
| OIL | 1970 | 54.7 | 48.5 | 52.3 | 51.2 | 49.0 | 45.8 | 45.6 | 49.0 | 46.3 | 37.4 | 47.9 | 49.9 | **15,385.4** |
| DAY | 1969 | 21.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 22.0 | 27.0 | 31.0 | **4,409.0** |
| H2O | 1969 | 625.0 | 837.1 | 861.4 | 423.5 | 502.7 | 488.7 | 533.9 | 531.2 | 552.5 | 394.1 | 443.9 | 491.3 | **43,996.0** |
| OIL | 1969 | 83.8 | 102.9 | 112.4 | 54.7 | 53.6 | 57.6 | 56.8 | 69.3 | 69.3 | 47.7 | 49.0 | 55.3 | **14,807.8** |
| DAY | 1968 | 24.0 | 6.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **4,068.0** |
| H2O | 1968 | 360.9 | 81.9 | 522.9 | 476.2 | 463.4 | 380.9 | 437.7 | 338.5 | 528.3 | 534.8 | 493.3 | 632.3 | **37,310.7** |
| OIL | 1968 | 61.7 | 11.0 | 55.6 | 54.5 | 73.5 | 76.3 | 64.9 | 63.1 | 74.4 | 82.5 | 75.7 | 90.1 | **13,995.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **3,736.0** |
| H2O | 1967 | 271.6 | 227.4 | 295.7 | 256.8 | 217.0 | 579.7 | 562.8 | 551.5 | 518.8 | 446.1 | 442.6 | 498.3 | **32,059.6** |
| OIL | 1967 | 62.3 | 53.3 | 62.0 | 56.3 | 52.5 | 47.9 | 51.2 | 74.2 | 54.2 | 46.7 | 38.2 | 57.9 | **13,212.1** |
| DAY | 1966 | 28.0 | 28.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,374.0** |
| H2O | 1966 | 207.8 | 211.8 | 250.9 | 245.8 | 249.0 | 175.0 | 181.7 | 236.1 | 205.6 | 121.9 | 215.3 | 266.6 | **27,191.3** |
| OIL | 1966 | 64.5 | 76.3 | 89.5 | 85.1 | 89.4 | 56.8 | 70.3 | 68.8 | 70.4 | 61.1 | 62.3 | 56.9 | **12,555.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,021.0** |
| H2O | 1965 | 231.5 | 206.4 | 228.9 | 210.5 | 235.0 | 213.4 | 214.3 | 214.6 | 209.7 | 221.0 | 209.5 | 202.1 | **24,623.8** |
| OIL | 1965 | 70.0 | 59.8 | 68.1 | 81.7 | 80.1 | 80.8 | 79.2 | 81.2 | 75.4 | 71.9 | 73.3 | 74.1 | **11,704.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,657.0** |
| H2O | 1964 | 232.8 | 209.2 | 220.4 | 228.3 | 236.9 | 205.1 | 222.7 | 239.3 | 221.2 | 243.4 | 223.5 | 237.7 | **22,026.9** |
| OIL | 1964 | 77.8 | 72.2 | 73.7 | 73.8 | 78.4 | 73.4 | 80.2 | 81.5 | 84.5 | 78.6 | 70.0 | 72.2 | **10,808.4** |
| DAY | 1963 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,291.0** |
| H2O | 1963 | 306.1 | 285.5 | 344.4 | 306.2 | 266.8 | 272.2 | 253.4 | 286.5 | 266.3 | 237.8 | 233.7 | 240.5 | **19,306.4** |
| OIL | 1963 | 76.2 | 67.0 | 69.2 | 74.1 | 85.3 | 94.2 | 85.8 | 93.7 | 85.3 | 79.2 | 72.7 | 78.0 | **9,892.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,928.0** |
| H2O | 1962 | 294.1 | 399.2 | 445.8 | 468.9 | 437.5 | 394.0 | 391.0 | 394.8 | 383.5 | 357.4 | 395.7 | 368.4 | **16,007.0** |
| OIL | 1962 | 73.8 | 94.5 | 84.0 | 81.1 | 62.9 | 78.6 | 92.6 | 94.5 | 90.2 | 84.2 | 80.2 | 71.0 | **8,931.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,564.0** |
| H2O | 1961 | 88.3 | 132.8 | 235.0 | 259.0 | 275.2 | 244.5 | 287.9 | 318.0 | 326.1 | 339.0 | 329.3 | 296.8 | **11,276.7** |
| OIL | 1961 | 105.6 | 110.6 | 90.4 | 71.4 | 60.2 | 72.7 | 68.4 | 65.6 | 67.2 | 86.1 | 78.0 | 64.3 | **7,943.8** |
| DAY | 1960 | 31.0 | 29.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,199.0** |
| H2O | 1960 | 276.7 | 268.6 | 256.3 | 284.5 | 316.9 | 251.7 | 179.6 | 182.1 | 115.5 | 92.0 | 93.7 | 80.3 | **8,144.8** |
| OIL | 1960 | 106.3 | 83.4 | 74.9 | 91.5 | 120.7 | 99.9 | 84.6 | 88.0 | 98.5 | 98.8 | 91.6 | 89.9 | **7,003.3** |
| DAY | 1959 | 31.0 | 27.0 | 22.0 | 25.0 | 29.0 | 26.0 | 27.0 | 29.0 | 29.0 | 25.0 | 30.0 | 31.0 | **840.0** |
| H2O | 1959 | 69.4 | 124.5 | 85.8 | 92.0 | 312.6 | 280.4 | 311.4 | 320.6 | 306.9 | 269.9 | 333.9 | 340.1 | **5,746.9** |
| OIL | 1959 | 37.6 | 133.9 | 116.6 | 128.8 | 128.5 | 108.3 | 114.8 | 130.4 | 118.8 | 105.8 | 137.7 | 123.4 | **5,875.2** |
| DAY | 1958 | 31.0 | 28.0 | 28.0 | 21.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 25.0 | 30.0 | **509.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1487*** Well Name ***Upton Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-20-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 75.1 | 99.3 | 160.5 | 203.4 | 379.7 | 371.6 | 357.8 | 326.3 | 295.0 | 263.5 | 128.0 | 125.8 | **2,899.4** |
| OIL | 1958 | 368.6 | 325.2 | 295.3 | 198.6 | 283.9 | 239.8 | 231.5 | 213.7 | 161.6 | 109.1 | 46.6 | 46.8 | **4,490.6** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 26.0 | 25.0 | 27.0 | 30.0 | 28.0 | 27.0 | **165.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.7 | 1.0 | 13.3 | 56.8 | 40.9 | **113.4** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.2 | 240.6 | 274.5 | 355.4 | 383.9 | 364.6 | 328.7 | **1,969.9** |

Licence ***1488*** Well Name ***Tundra Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-20-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 28.0 | 15.0 | 29.0 | 30.0 | 15.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,682.0** |
| H2O | 1975 | 1114.0 | 1162.7 | 1313.2 | 1087.8 | 1255.5 | 1174.1 | 510.7 | 1149.0 | 1102.6 | 1027.9 | 1027.7 | 949.8 | **113,022.3** |
| OIL | 1975 | 51.2 | 46.4 | 44.5 | 21.9 | 43.2 | 60.9 | 27.2 | 66.6 | 64.1 | 57.1 | 46.4 | 52.6 | **8,771.3** |
| DAY | 1974 | 30.0 | 28.0 | 22.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,354.0** |
| H2O | 1974 | 1164.3 | 1090.2 | 848.8 | 1057.4 | 1263.2 | 1301.0 | 1169.2 | 1108.0 | 1103.9 | 1171.3 | 1249.6 | 1429.6 | **100,147.3** |
| OIL | 1974 | 65.7 | 44.2 | 33.9 | 40.2 | 52.9 | 56.0 | 59.3 | 51.0 | 54.9 | 55.0 | 54.2 | 59.6 | **8,189.2** |
| DAY | 1973 | 31.0 | 28.0 | 27.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | **5,000.0** |
| H2O | 1973 | 2199.1 | 2163.7 | 1198.9 | 1098.4 | 965.1 | 518.6 | 531.7 | 517.0 | 1779.7 | 1185.9 | 1336.9 | 1127.2 | **86,190.8** |
| OIL | 1973 | 53.9 | 48.8 | 28.9 | 57.1 | 56.4 | 56.0 | 63.0 | 60.7 | 48.3 | 51.7 | 54.4 | 69.6 | **7,562.3** |
| DAY | 1972 | 31.0 | 29.0 | 23.0 | 10.0 | 19.0 | 30.0 | 26.0 | 31.0 | 30.0 | 24.0 | 26.0 | 31.0 | **4,646.0** |
| H2O | 1972 | 983.0 | 947.9 | 730.1 | 313.7 | 598.0 | 974.1 | 792.1 | 983.3 | 973.8 | 830.1 | 1569.2 | 162.0 | **71,568.6** |
| OIL | 1972 | 68.0 | 78.7 | 57.4 | 24.2 | 42.1 | 85.9 | 80.1 | 85.4 | 84.9 | 68.4 | 63.8 | 75.8 | **6,913.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 25.0 | 26.0 | 23.0 | 29.0 | 28.0 | 30.0 | 31.0 | **4,336.0** |
| H2O | 1971 | 928.6 | 826.6 | 980.2 | 959.5 | 969.8 | 829.4 | 887.9 | 700.5 | 694.9 | 722.1 | 973.0 | 1005.1 | **61,711.3** |
| OIL | 1971 | 76.9 | 71.2 | 80.8 | 77.7 | 77.7 | 67.7 | 53.7 | 46.7 | 76.0 | 75.8 | 67.6 | 70.0 | **6,098.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 24.0 | 13.0 | 0.0 | 0.0 | 4.0 | 28.0 | 31.0 | **3,993.0** |
| H2O | 1970 | 517.0 | 466.6 | 512.1 | 488.6 | 395.7 | 385.5 | 212.4 | 0.0 | 0.0 | 64.4 | 774.4 | 960.1 | **51,233.7** |
| OIL | 1970 | 50.2 | 44.0 | 47.5 | 46.4 | 32.0 | 23.8 | 13.8 | 0.0 | 0.0 | 4.0 | 66.9 | 74.7 | **5,257.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | 26.0 | 30.0 | 21.0 | 27.0 | 31.0 | **3,742.0** |
| H2O | 1969 | 253.3 | 228.1 | 499.4 | 475.7 | 564.1 | 414.5 | 444.8 | 437.5 | 543.3 | 318.5 | 133.5 | 496.5 | **46,456.9** |
| OIL | 1969 | 25.1 | 20.5 | 29.3 | 32.9 | 32.1 | 22.4 | 46.6 | 42.3 | 50.9 | 24.6 | 17.3 | 50.7 | **4,853.7** |
| DAY | 1968 | 8.0 | 20.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **3,399.0** |
| H2O | 1968 | 72.5 | 267.4 | 437.2 | 332.8 | 192.9 | 173.3 | 215.9 | 83.9 | 131.3 | 222.3 | 229.6 | 256.3 | **41,647.7** |
| OIL | 1968 | 13.0 | 52.6 | 55.6 | 49.1 | 39.0 | 35.1 | 32.1 | 23.8 | 23.5 | 30.0 | 25.3 | 27.0 | **4,459.0** |
| DAY | 1967 | 19.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 25.0 | 30.0 | 0.0 | **3,069.0** |
| H2O | 1967 | 603.8 | 505.9 | 657.9 | 571.1 | 462.3 | 426.2 | 397.3 | 400.5 | 395.4 | 328.3 | 325.8 | 0.0 | **39,032.3** |
| OIL | 1967 | 23.4 | 20.0 | 23.4 | 21.3 | 46.1 | 43.7 | 59.3 | 44.8 | 45.6 | 58.7 | 47.9 | 0.0 | **4,052.9** |
| DAY | 1966 | 25.0 | 28.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | 31.0 | 27.0 | 29.0 | 30.0 | 31.0 | **2,753.0** |
| H2O | 1966 | 461.5 | 470.3 | 557.3 | 546.0 | 553.3 | 389.0 | 404.0 | 524.8 | 457.2 | 271.2 | 478.9 | 593.0 | **33,957.8** |
| OIL | 1966 | 24.2 | 28.6 | 33.7 | 32.1 | 33.7 | 21.5 | 26.6 | 26.1 | 26.6 | 23.1 | 23.5 | 21.5 | **3,618.7** |
| DAY | 1965 | 31.0 | 26.0 | 31.0 | 26.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 27.0 | 30.0 | 31.0 | **2,405.0** |
| H2O | 1965 | 533.2 | 440.4 | 525.9 | 425.1 | 537.2 | 521.5 | 524.2 | 524.7 | 489.0 | 412.1 | 465.2 | 448.8 | **28,251.3** |
| OIL | 1965 | 28.8 | 23.8 | 29.3 | 23.7 | 26.4 | 28.6 | 27.8 | 28.8 | 28.3 | 22.6 | 27.5 | 27.8 | **3,297.5** |
| DAY | 1964 | 30.0 | 27.0 | 31.0 | 30.0 | 26.0 | 30.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,055.0** |
| H2O | 1964 | 478.9 | 402.1 | 489.0 | 437.5 | 446.8 | 496.0 | 449.9 | 539.4 | 518.3 | 572.5 | 519.3 | 547.4 | **22,404.0** |
| OIL | 1964 | 28.9 | 24.8 | 26.9 | 26.7 | 23.1 | 26.2 | 25.6 | 31.5 | 26.6 | 26.2 | 28.0 | 30.0 | **2,974.1** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 23.0 | 28.0 | 26.0 | 29.0 | 31.0 | **1,701.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 234.9 | 395.9 | 447.9 | 392.9 | 489.7 | 505.6 | **16,506.9** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.9 | 29.9 | 36.9 | 35.5 | 28.3 | 29.6 | **2,649.6** |
| DAY | 1962 | 19.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 31.0 | 30.0 | 26.0 | 7.0 | 0.0 | **1,544.0** |
| H2O | 1962 | 214.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 258.1 | 496.9 | 520.3 | 307.4 | 189.6 | 0.0 | **14,040.0** |
| OIL | 1962 | 8.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.6 | 35.8 | 23.7 | 23.5 | 8.3 | 0.0 | **2,473.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1488*** Well Name ***Tundra Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-20-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 1.0 | 6.0 | 10.0 | 31.0 | 10.0 | 5.0 | 7.0 | 30.0 | 31.0 | **1,416.0** |
| H2O | 1961 | 372.6 | 427.7 | 469.1 | 5.1 | 87.2 | 264.8 | 287.8 | 124.7 | 19.0 | 98.3 | 279.6 | 275.7 | **12,053.3** |
| OIL | 1961 | 34.7 | 15.8 | 21.4 | 2.3 | 39.5 | 25.3 | 24.5 | 15.1 | 14.8 | 17.6 | 18.1 | 13.7 | **2,352.5** |
| DAY | 1960 | 31.0 | 29.0 | 24.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,195.0** |
| H2O | 1960 | 44.4 | 52.8 | 53.2 | 65.4 | 68.6 | 47.1 | 50.3 | 472.9 | 129.6 | 70.0 | 74.3 | 69.7 | **9,341.7** |
| OIL | 1960 | 20.3 | 18.3 | 18.3 | 18.7 | 21.7 | 18.8 | 16.6 | 27.9 | 14.8 | 13.4 | 13.3 | 11.5 | **2,109.7** |
| DAY | 1959 | 28.0 | 23.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **839.0** |
| H2O | 1959 | 194.8 | 190.0 | 305.5 | 274.8 | 65.7 | 51.9 | 57.1 | 56.8 | 62.9 | 48.9 | 51.7 | 46.0 | **8,143.4** |
| OIL | 1959 | 20.4 | 19.5 | 20.1 | 27.1 | 21.7 | 25.5 | 31.4 | 24.1 | 23.7 | 24.1 | 24.2 | 25.5 | **1,896.1** |
| DAY | 1958 | 31.0 | 28.0 | 26.0 | 9.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 21.0 | **486.0** |
| H2O | 1958 | 584.8 | 534.4 | 440.9 | 85.1 | 373.4 | 369.7 | 370.5 | 340.3 | 325.5 | 320.4 | 307.7 | 195.9 | **6,737.3** |
| OIL | 1958 | 140.8 | 112.3 | 91.3 | 38.5 | 83.2 | 66.2 | 67.8 | 60.6 | 52.8 | 49.5 | 33.0 | 17.1 | **1,608.8** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 29.0 | 22.0 | 18.0 | 31.0 | 28.0 | 29.0 | **158.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 388.3 | 414.9 | 341.1 | 432.5 | 404.2 | 507.7 | **2,488.7** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.9 | 155.7 | 80.2 | 55.1 | 168.0 | 171.6 | 162.2 | **795.7** |

Licence ***1489*** Well Name ***Bravo Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-18-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 19.0 | 19.0 | **6,440.0** |
| H2O | 1975 | 1851.3 | 1812.0 | 1989.6 | 1917.1 | 2280.7 | 2077.3 | 2337.9 | 2281.9 | 2189.3 | 2327.1 | 2314.2 | 2356.0 | **118,284.7** |
| OIL | 1975 | 67.3 | 55.2 | 56.8 | 46.6 | 48.3 | 52.6 | 56.0 | 50.9 | 52.8 | 54.1 | 22.1 | 13.4 | **7,865.9** |
| DAY | 1974 | 31.0 | 26.0 | 28.0 | 24.0 | 22.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,100.0** |
| H2O | 1974 | 1590.2 | 1014.3 | 1180.0 | 842.6 | 1079.1 | 992.4 | 1437.4 | 1375.9 | 1489.9 | 1852.5 | 1819.1 | 1899.7 | **92,550.3** |
| OIL | 1974 | 46.9 | 39.0 | 45.3 | 34.8 | 26.7 | 41.3 | 43.1 | 51.8 | 56.1 | 59.0 | 57.4 | 59.9 | **7,289.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 20.0 | 29.0 | 30.0 | 29.0 | 31.0 | **5,757.0** |
| H2O | 1973 | 370.0 | 349.1 | 386.3 | 448.5 | 422.9 | 425.3 | 429.3 | 388.2 | 999.6 | 1119.3 | 1504.3 | 1297.3 | **75,977.2** |
| OIL | 1973 | 27.7 | 25.4 | 28.1 | 35.1 | 35.6 | 34.8 | 32.9 | 26.2 | 42.3 | 39.3 | 41.8 | 47.7 | **6,728.5** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 16.0 | 25.0 | 19.0 | 18.0 | 30.0 | 31.0 | **5,406.0** |
| H2O | 1972 | 389.0 | 458.7 | 469.5 | 393.5 | 339.3 | 404.1 | 209.9 | 328.0 | 315.7 | 233.7 | 406.1 | 425.5 | **67,837.1** |
| OIL | 1972 | 24.0 | 21.6 | 24.0 | 26.1 | 29.9 | 24.8 | 11.9 | 26.2 | 26.4 | 17.8 | 34.8 | 36.2 | **6,311.6** |
| DAY | 1971 | 26.0 | 28.0 | 31.0 | 28.0 | 30.0 | 28.0 | 29.0 | 31.0 | 29.0 | 16.0 | 30.0 | 31.0 | **5,086.0** |
| H2O | 1971 | 201.1 | 234.5 | 304.5 | 272.7 | 283.0 | 278.2 | 268.7 | 285.4 | 269.5 | 174.7 | 318.0 | 365.7 | **63,464.1** |
| OIL | 1971 | 30.5 | 30.4 | 33.2 | 31.0 | 32.1 | 29.3 | 27.3 | 29.1 | 27.5 | 12.7 | 25.4 | 27.0 | **6,007.9** |
| DAY | 1970 | 31.0 | 26.0 | 27.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 20.0 | **4,749.0** |
| H2O | 1970 | 154.2 | 128.8 | 131.6 | 124.0 | 166.9 | 166.9 | 166.9 | 192.4 | 189.2 | 201.9 | 194.0 | 166.9 | **60,208.1** |
| OIL | 1970 | 34.0 | 28.6 | 20.7 | 22.4 | 33.4 | 33.4 | 34.5 | 39.4 | 32.3 | 35.8 | 33.4 | 25.4 | **5,672.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **4,407.0** |
| H2O | 1969 | 599.4 | 542.1 | 551.7 | 539.0 | 166.9 | 143.1 | 151.0 | 147.9 | 147.9 | 181.2 | 168.5 | 154.2 | **58,224.4** |
| OIL | 1969 | 21.0 | 19.1 | 19.7 | 19.1 | 35.8 | 32.6 | 29.4 | 35.0 | 37.0 | 29.9 | 34.5 | 32.9 | **5,299.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,046.0** |
| H2O | 1968 | 525.3 | 493.8 | 580.6 | 589.5 | 622.1 | 599.7 | 643.3 | 625.9 | 599.7 | 580.9 | 612.1 | 580.3 | **54,731.5** |
| OIL | 1968 | 25.9 | 22.4 | 26.6 | 25.8 | 25.3 | 22.7 | 23.5 | 23.8 | 22.1 | 20.8 | 21.0 | 20.2 | **4,953.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 13.0 | 0.0 | 0.0 | 22.0 | **3,680.0** |
| H2O | 1967 | 606.1 | 469.2 | 593.2 | 577.0 | 593.0 | 585.9 | 587.8 | 568.7 | 237.8 | 0.0 | 0.0 | 356.1 | **47,678.3** |
| OIL | 1967 | 27.7 | 21.8 | 26.2 | 26.4 | 27.2 | 26.4 | 26.7 | 26.1 | 9.5 | 0.0 | 0.0 | 21.0 | **4,673.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 18.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,402.0** |
| H2O | 1966 | 601.0 | 543.7 | 605.1 | 586.7 | 601.8 | 578.7 | 594.6 | 342.1 | 578.1 | 585.9 | 573.3 | 608.9 | **42,503.5** |
| OIL | 1966 | 20.4 | 20.4 | 21.8 | 21.5 | 22.7 | 22.7 | 24.3 | 14.8 | 27.2 | 25.8 | 26.2 | 27.8 | **4,434.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,050.0** |
| H2O | 1965 | 537.9 | 537.9 | 599.2 | 569.3 | 593.0 | 566.9 | 618.6 | 613.7 | 586.3 | 604.3 | 585.2 | 605.3 | **35,703.6** |

# Manitoba Production
## 1950 To 1975

Licence ***1489*** Well Name ***Bravo Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-18-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1965 | 21.6 | 21.6 | 23.5 | 21.9 | 22.9 | 21.0 | 21.1 | 23.1 | 19.9 | 18.6 | 19.1 | 20.2 | **4,158.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,685.0** |
| H2O | 1964 | 482.0 | 458.4 | 480.1 | 472.4 | 505.3 | 517.5 | 551.8 | 536.3 | 499.5 | 545.5 | 522.4 | 530.1 | **28,686.0** |
| OIL | 1964 | 22.6 | 22.6 | 23.1 | 22.7 | 24.3 | 22.1 | 22.6 | 22.1 | 20.8 | 21.9 | 18.8 | 20.7 | **3,903.9** |
| DAY | 1963 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,320.0** |
| H2O | 1963 | 404.9 | 365.0 | 406.8 | 399.9 | 416.9 | 407.0 | 427.4 | 410.5 | 378.9 | 332.4 | 378.1 | 433.2 | **22,584.7** |
| OIL | 1963 | 23.5 | 22.1 | 24.3 | 23.2 | 23.2 | 21.6 | 21.8 | 21.3 | 19.6 | 18.0 | 21.6 | 21.5 | **3,639.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | **1,956.0** |
| H2O | 1962 | 204.6 | 177.6 | 180.6 | 290.6 | 344.4 | 302.6 | 286.2 | 321.9 | 364.7 | 349.8 | 352.2 | 403.0 | **17,823.7** |
| OIL | 1962 | 25.0 | 20.2 | 19.9 | 27.8 | 30.2 | 23.7 | 15.3 | 18.6 | 18.0 | 15.9 | 14.1 | 22.6 | **3,377.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | **1,595.0** |
| H2O | 1961 | 332.8 | 302.7 | 256.0 | 222.9 | 232.1 | 224.6 | 232.8 | 231.6 | 221.2 | 217.0 | 192.7 | 199.5 | **14,245.5** |
| OIL | 1961 | 39.6 | 35.9 | 32.4 | 34.7 | 36.4 | 34.5 | 34.0 | 34.2 | 32.6 | 32.1 | 25.3 | 24.3 | **3,126.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,239.0** |
| H2O | 1960 | 322.3 | 300.3 | 320.4 | 310.0 | 322.6 | 321.8 | 337.7 | 325.0 | 325.8 | 324.3 | 324.0 | 335.1 | **11,379.6** |
| OIL | 1960 | 40.1 | 36.7 | 40.7 | 36.9 | 34.3 | 33.1 | 34.2 | 35.5 | 37.8 | 38.0 | 37.2 | 38.2 | **2,730.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 23.0 | 30.0 | 31.0 | 30.0 | 31.0 | **873.0** |
| H2O | 1959 | 247.2 | 228.1 | 260.4 | 239.3 | 207.5 | 151.0 | 174.6 | 256.4 | 346.1 | 316.7 | 242.8 | 346.4 | **7,510.3** |
| OIL | 1959 | 58.7 | 55.3 | 63.4 | 61.5 | 52.5 | 39.3 | 8.7 | 40.1 | 52.6 | 63.1 | 48.0 | 49.0 | **2,287.9** |
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **520.0** |
| H2O | 1958 | 215.7 | 215.1 | 264.7 | 277.6 | 255.7 | 272.5 | 363.3 | 379.7 | 320.0 | 288.2 | 282.5 | 249.8 | **4,493.8** |
| OIL | 1958 | 104.1 | 82.4 | 92.1 | 84.5 | 89.1 | 87.7 | 107.4 | 116.1 | 91.0 | 68.8 | 66.3 | 63.8 | **1,695.7** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 23.0 | 29.0 | 28.0 | 28.0 | 30.0 | **156.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 163.9 | 193.0 | 200.0 | 165.2 | 182.2 | 204.7 | **1,109.0** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 112.2 | 123.9 | 114.1 | 98.2 | 95.7 | 98.3 | **642.4** |

Licence ***1490*** Well Name ***Can Delhi Scallion SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-18-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1967 | 4178.6 | 3536.4 | 4125.6 | 4035.8 | 4181.9 | 4094.6 | 4128.7 | 3933.7 | 1561.5 | 0.0 | 0.0 | 0.0 | **242,812.2** |
| WIN | 1966 | 3976.5 | 3556.7 | 4016.4 | 3898.9 | 3998.9 | 3795.7 | 3852.1 | 2544.9 | 3672.3 | 3794.7 | 3587.4 | 4050.4 | **209,035.4** |
| WIN | 1965 | 3103.1 | 2953.7 | 3523.7 | 3678.4 | 3818.9 | 3631.9 | 3902.1 | 3914.0 | 3779.0 | 3984.5 | 3884.2 | 4012.6 | **164,290.5** |
| WIN | 1964 | 3245.1 | 2671.6 | 2764.3 | 2741.7 | 2813.6 | 2913.3 | 3205.5 | 3073.6 | 3014.9 | 3151.5 | 2990.7 | 3064.3 | **120,104.4** |
| WIN | 1963 | 2854.3 | 2506.3 | 2867.2 | 2929.3 | 3126.7 | 3035.9 | 3089.5 | 2873.9 | 2610.9 | 2578.5 | 2320.2 | 3067.4 | **84,454.3** |
| WIN | 1962 | 2924.3 | 2652.4 | 3055.0 | 3008.2 | 3088.3 | 2949.5 | 3025.4 | 3030.8 | 2936.7 | 2880.5 | 2916.6 | 2928.1 | **50,594.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 15.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,349.0** |
| H2O | 1961 | 31.8 | 26.7 | 26.9 | 15.6 | 11.8 | 7.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,219.7** |
| OIL | 1961 | 33.9 | 31.6 | 29.1 | 18.0 | 14.8 | 7.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,812.5** |
| WIN | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1235.1 | 2960.5 | 2400.9 | 2866.5 | 2777.0 | 2958.4 | **15,198.4** |
| DAY | 1960 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,183.0** |
| H2O | 1960 | 24.6 | 24.3 | 28.5 | 28.6 | 29.6 | 27.8 | 29.6 | 28.6 | 28.3 | 30.5 | 28.6 | 31.2 | **3,099.3** |
| OIL | 1960 | 34.8 | 30.2 | 34.6 | 33.4 | 34.2 | 32.1 | 34.2 | 33.1 | 32.6 | 32.7 | 32.6 | 33.4 | **2,677.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 18.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **819.0** |
| H2O | 1959 | 10.0 | 8.9 | 10.0 | 10.0 | 44.4 | 13.7 | 9.4 | 9.9 | 16.1 | 28.8 | 28.6 | 25.0 | **2,759.1** |
| OIL | 1959 | 55.0 | 51.3 | 59.1 | 46.4 | 31.1 | 73.4 | 65.8 | 68.3 | 38.9 | 38.6 | 38.3 | 35.9 | **2,279.6** |
| DAY | 1958 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | 30.0 | 6.0 | 19.0 | 25.0 | 31.0 | **470.0** |
| H2O | 1958 | 226.7 | 202.9 | 240.6 | 311.9 | 316.9 | 371.7 | 157.7 | 1.9 | 0.0 | 12.1 | 2.4 | 9.9 | **2,544.3** |
| OIL | 1958 | 113.3 | 96.9 | 112.0 | 139.2 | 142.1 | 148.1 | 67.7 | 10.5 | 0.8 | 12.6 | 22.7 | 60.5 | **1,677.5** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 23.0 | 30.0 | 28.0 | 28.0 | 27.0 | **155.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.2 | 16.9 | 93.6 | 147.5 | 211.9 | 210.5 | **689.6** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 175.9 | 127.6 | 130.0 | 108.4 | 109.6 | 99.6 | **751.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1492*** Well Name ***Tundra Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-20-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 0.0 | 0.0 | **4,225.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 111.8 | 0.0 | 0.0 | **6,227.2** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 0.0 | 0.0 | **4,311.1** |
| DAY | 1969 | 31.0 | 28.0 | 21.0 | 28.0 | 28.0 | 21.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,215.0** |
| H2O | 1969 | 47.2 | 40.2 | 83.8 | 114.5 | 257.4 | 243.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,115.4** |
| OIL | 1969 | 12.1 | 12.2 | 9.9 | 15.9 | 14.6 | 13.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,305.1** |
| DAY | 1968 | 31.0 | 22.0 | 29.0 | 30.0 | 28.0 | 27.0 | 29.0 | 30.0 | 29.0 | 30.0 | 25.0 | 29.0 | **4,058.0** |
| H2O | 1968 | 51.8 | 22.1 | 31.3 | 34.2 | 50.4 | 44.7 | 20.8 | 52.9 | 39.4 | 32.0 | 42.8 | 47.7 | **5,328.4** |
| OIL | 1968 | 20.8 | 8.1 | 14.3 | 13.2 | 27.2 | 30.8 | 8.7 | 18.1 | 18.1 | 9.4 | 12.2 | 13.0 | **4,226.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 28.0 | 29.0 | 29.0 | 28.0 | 26.0 | 30.0 | 29.0 | **3,719.0** |
| H2O | 1967 | 20.0 | 16.7 | 21.8 | 32.9 | 32.3 | 18.0 | 13.8 | 21.1 | 23.1 | 32.3 | 26.2 | 22.7 | **4,858.3** |
| OIL | 1967 | 14.3 | 12.2 | 14.1 | 15.4 | 32.6 | 29.1 | 30.4 | 6.0 | 9.9 | 12.7 | 13.8 | 11.3 | **4,032.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | **3,374.0** |
| H2O | 1966 | 29.3 | 24.5 | 24.6 | 28.1 | 29.9 | 26.9 | 29.7 | 29.9 | 27.3 | 22.7 | 15.7 | 19.6 | **4,577.4** |
| OIL | 1966 | 24.3 | 19.6 | 22.3 | 18.3 | 18.8 | 16.7 | 18.8 | 19.4 | 17.3 | 14.5 | 14.3 | 13.0 | **3,830.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,012.0** |
| H2O | 1965 | 26.9 | 30.4 | 42.1 | 34.7 | 35.0 | 35.0 | 34.0 | 34.2 | 36.4 | 39.0 | 34.2 | 35.0 | **4,269.2** |
| OIL | 1965 | 20.2 | 21.1 | 23.7 | 18.9 | 18.9 | 19.1 | 19.1 | 22.6 | 22.1 | 24.2 | 24.5 | 24.8 | **3,613.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 13.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 20.0 | 31.0 | **2,649.0** |
| H2O | 1964 | 49.3 | 46.1 | 49.3 | 47.7 | 20.7 | 50.4 | 49.3 | 50.1 | 47.7 | 43.6 | 19.6 | 38.8 | **3,852.3** |
| OIL | 1964 | 35.0 | 32.8 | 33.7 | 33.7 | 13.2 | 23.8 | 24.5 | 24.5 | 23.8 | 24.0 | 20.5 | 21.5 | **3,354.4** |
| DAY | 1963 | 31.0 | 27.0 | 29.0 | 29.0 | 31.0 | 29.0 | 26.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,311.0** |
| H2O | 1963 | 49.3 | 44.5 | 49.3 | 34.2 | 35.0 | 59.9 | 40.5 | 42.9 | 47.7 | 42.9 | 63.6 | 49.3 | **3,339.7** |
| OIL | 1963 | 36.6 | 26.7 | 45.3 | 37.4 | 37.8 | 30.4 | 32.1 | 33.5 | 36.2 | 32.1 | 32.8 | 35.3 | **3,043.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **1,957.0** |
| H2O | 1962 | 34.5 | 31.2 | 30.4 | 34.5 | 44.5 | 42.9 | 49.3 | 49.3 | 47.7 | 49.3 | 47.7 | 42.9 | **2,780.6** |
| OIL | 1962 | 23.8 | 23.8 | 38.6 | 35.5 | 41.3 | 39.7 | 41.3 | 41.7 | 34.0 | 37.5 | 35.6 | 30.0 | **2,627.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,596.0** |
| H2O | 1961 | 21.5 | 17.5 | 31.0 | 25.8 | 31.0 | 25.0 | 23.7 | 34.3 | 43.2 | 42.9 | 39.0 | 31.0 | **2,276.4** |
| OIL | 1961 | 18.8 | 21.6 | 22.1 | 30.8 | 36.9 | 32.6 | 36.9 | 29.7 | 26.4 | 28.3 | 26.4 | 29.3 | **2,204.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,232.0** |
| H2O | 1960 | 51.7 | 49.6 | 52.0 | 56.6 | 61.2 | 47.2 | 21.1 | 18.4 | 17.6 | 36.6 | 39.7 | 21.0 | **1,910.5** |
| OIL | 1960 | 47.9 | 39.9 | 34.5 | 49.3 | 24.3 | 24.8 | 15.7 | 25.4 | 19.2 | 19.9 | 18.0 | 17.2 | **1,864.6** |
| DAY | 1959 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 29.0 | 29.0 | 29.0 | 30.0 | 31.0 | **875.0** |
| H2O | 1959 | 46.1 | 51.7 | 46.9 | 50.9 | 50.1 | 44.5 | 65.2 | 49.1 | 42.9 | 44.5 | 66.1 | 67.9 | **1,437.8** |
| OIL | 1959 | 41.2 | 43.6 | 53.1 | 50.2 | 31.2 | 34.5 | 38.6 | 45.5 | 40.4 | 43.2 | 47.4 | 51.0 | **1,528.5** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **517.0** |
| H2O | 1958 | 26.1 | 29.9 | 39.6 | 30.2 | 43.2 | 58.0 | 65.2 | 54.9 | 54.7 | 53.7 | 52.5 | 44.4 | **811.9** |
| OIL | 1958 | 60.5 | 39.5 | 46.8 | 29.0 | 43.3 | 46.2 | 48.6 | 47.0 | 44.6 | 49.5 | 43.6 | 24.5 | **1,008.6** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **164.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.9 | 71.6 | 45.2 | 58.9 | 33.4 | 26.5 | **259.5** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 96.7 | 118.0 | 89.4 | 55.2 | 63.2 | 63.0 | **485.5** |

Licence ***1493*** Well Name ***Enerplus Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-13-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 15.0 | 0.0 | 0.0 | 0.0 | 0.0 | **32.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 85.4 | 187.3 | 0.0 | 0.0 | 0.0 | 0.0 | **272.7** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 53.8 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | **54.9** |

Licence ***1494*** Well Name ***Ka-Bert Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***1494*** Well Name ***Ka-Bert Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-15-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,294.0** |
| H2O | 1975 | 577.0 | 600.5 | 684.4 | 494.5 | 581.1 | 577.1 | 437.7 | 506.7 | 488.4 | 435.3 | 439.3 | 418.3 | **134,204.3** |
| OIL | 1975 | 22.3 | 17.6 | 21.9 | 14.3 | 23.5 | 18.9 | 14.6 | 20.0 | 12.9 | 14.0 | 11.3 | 12.9 | **9,572.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,930.0** |
| H2O | 1974 | 551.1 | 523.5 | 529.1 | 655.8 | 666.5 | 670.6 | 665.7 | 561.9 | 571.2 | 570.8 | 572.4 | 576.8 | **127,964.0** |
| OIL | 1974 | 17.2 | 13.8 | 21.8 | 17.8 | 27.7 | 19.7 | 16.4 | 22.4 | 21.1 | 20.4 | 23.4 | 19.2 | **9,368.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,565.0** |
| H2O | 1973 | 771.4 | 742.5 | 778.4 | 743.1 | 770.1 | 685.6 | 541.8 | 770.1 | 788.9 | 753.8 | 402.2 | 415.0 | **120,848.6** |
| OIL | 1973 | 24.6 | 18.0 | 21.1 | 23.7 | 22.6 | 18.8 | 17.8 | 21.3 | 21.8 | 23.8 | 16.9 | 24.2 | **9,127.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,200.0** |
| H2O | 1972 | 612.1 | 668.9 | 614.8 | 810.4 | 811.3 | 708.0 | 572.8 | 731.5 | 778.9 | 691.1 | 839.1 | 843.9 | **112,685.7** |
| OIL | 1972 | 24.6 | 22.1 | 21.0 | 26.9 | 25.3 | 25.0 | 17.0 | 24.3 | 22.6 | 24.5 | 22.9 | 27.5 | **8,872.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,834.0** |
| H2O | 1971 | 630.5 | 472.8 | 738.5 | 719.3 | 767.6 | 635.2 | 859.8 | 723.9 | 572.4 | 588.3 | 555.2 | 634.8 | **104,002.9** |
| OIL | 1971 | 23.1 | 19.9 | 26.1 | 31.8 | 27.0 | 19.9 | 29.4 | 25.4 | 27.2 | 21.0 | 19.1 | 17.5 | **8,588.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,469.0** |
| H2O | 1970 | 816.2 | 719.6 | 694.8 | 736.3 | 712.6 | 573.0 | 762.8 | 704.2 | 728.0 | 697.6 | 817.4 | 534.7 | **96,104.6** |
| OIL | 1970 | 30.2 | 27.3 | 25.6 | 27.7 | 25.0 | 32.0 | 26.4 | 25.4 | 26.4 | 29.9 | 25.4 | 31.8 | **8,301.4** |
| DAY | 1969 | 31.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,104.0** |
| H2O | 1969 | 714.6 | 0.0 | 587.0 | 716.7 | 750.1 | 768.9 | 603.4 | 763.0 | 702.7 | 711.0 | 776.7 | 845.5 | **87,607.4** |
| OIL | 1969 | 25.8 | 0.0 | 22.4 | 28.3 | 32.9 | 30.2 | 28.6 | 32.8 | 24.3 | 26.2 | 29.1 | 29.6 | **7,968.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,767.0** |
| H2O | 1968 | 607.0 | 705.0 | 747.2 | 762.5 | 683.0 | 776.8 | 837.4 | 865.7 | 741.2 | 759.2 | 679.8 | 790.3 | **79,667.8** |
| OIL | 1968 | 42.1 | 28.6 | 37.2 | 33.5 | 27.3 | 33.7 | 31.8 | 35.3 | 29.3 | 34.0 | 33.1 | 30.0 | **7,658.1** |
| DAY | 1967 | 23.0 | 0.0 | 0.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,401.0** |
| H2O | 1967 | 446.1 | 0.0 | 0.0 | 314.2 | 625.1 | 624.0 | 680.8 | 808.6 | 671.7 | 481.1 | 393.5 | 668.7 | **70,712.7** |
| OIL | 1967 | 24.5 | 0.0 | 0.0 | 22.7 | 36.9 | 37.7 | 39.7 | 35.1 | 33.4 | 22.3 | 17.8 | 34.3 | **7,262.2** |
| DAY | 1966 | 0.0 | 0.0 | 19.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,106.0** |
| H2O | 1966 | 0.0 | 0.0 | 330.7 | 402.9 | 560.9 | 575.1 | 574.6 | 632.9 | 548.3 | 622.3 | 582.4 | 582.4 | **64,998.9** |
| OIL | 1966 | 0.0 | 0.0 | 16.9 | 31.3 | 34.8 | 35.3 | 35.0 | 39.6 | 33.2 | 33.1 | 32.8 | 36.7 | **6,957.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,812.0** |
| H2O | 1965 | 645.3 | 568.9 | 656.0 | 575.2 | 617.0 | 598.0 | 750.7 | 547.6 | 641.7 | 467.4 | 463.8 | 554.5 | **59,586.4** |
| OIL | 1965 | 34.2 | 29.4 | 30.7 | 27.8 | 34.0 | 30.5 | 29.9 | 34.8 | 36.7 | 29.4 | 24.3 | 32.4 | **6,629.1** |
| DAY | 1964 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 28.0 | 26.0 | 31.0 | **2,447.0** |
| H2O | 1964 | 671.2 | 739.8 | 648.7 | 735.3 | 826.6 | 671.7 | 839.0 | 826.9 | 783.5 | 633.2 | 594.0 | 794.1 | **52,500.3** |
| OIL | 1964 | 39.7 | 49.3 | 40.7 | 45.6 | 38.5 | 34.5 | 35.8 | 39.0 | 45.2 | 35.3 | 28.1 | 37.8 | **6,255.0** |
| DAY | 1963 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,093.0** |
| H2O | 1963 | 775.8 | 737.3 | 777.7 | 758.0 | 710.3 | 611.4 | 712.2 | 726.9 | 656.2 | 742.8 | 842.8 | 739.3 | **43,736.3** |
| OIL | 1963 | 52.8 | 46.4 | 50.2 | 46.6 | 44.5 | 35.0 | 42.6 | 38.0 | 43.6 | 49.4 | 65.3 | 45.6 | **5,785.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **1,731.0** |
| H2O | 1962 | 689.3 | 635.1 | 709.5 | 681.3 | 700.4 | 668.9 | 698.3 | 774.6 | 768.0 | 731.7 | 642.7 | 826.2 | **34,945.6** |
| OIL | 1962 | 57.8 | 53.0 | 60.1 | 57.9 | 59.3 | 60.1 | 62.0 | 53.6 | 55.5 | 45.0 | 44.2 | 51.7 | **5,225.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 28.0 | 21.0 | 30.0 | 30.0 | 30.0 | 22.0 | 31.0 | 26.0 | 31.0 | **1,369.0** |
| H2O | 1961 | 793.6 | 793.9 | 846.3 | 734.4 | 434.9 | 563.7 | 418.8 | 352.5 | 253.3 | 780.5 | 602.1 | 674.6 | **26,419.6** |
| OIL | 1961 | 73.4 | 72.1 | 76.8 | 66.7 | 43.3 | 65.6 | 47.9 | 37.4 | 24.9 | 65.1 | 53.3 | 56.3 | **4,565.3** |
| DAY | 1960 | 30.0 | 21.0 | 9.0 | 13.0 | 6.0 | 0.0 | 17.0 | 21.0 | 16.0 | 27.0 | 29.0 | 30.0 | **1,030.0** |
| H2O | 1960 | 714.2 | 720.9 | 199.0 | 298.5 | 158.1 | 0.0 | 470.2 | 337.0 | 15.3 | 729.2 | 549.8 | 400.7 | **19,171.0** |
| OIL | 1960 | 67.6 | 63.3 | 19.6 | 38.1 | 12.5 | 0.0 | 41.6 | 62.7 | 31.1 | 60.8 | 46.6 | 37.7 | **3,882.5** |
| DAY | 1959 | 22.0 | 0.0 | 24.0 | 30.0 | 24.0 | 30.0 | 31.0 | 18.0 | 30.0 | 31.0 | 30.0 | 31.0 | **811.0** |
| H2O | 1959 | 172.9 | 0.0 | 416.6 | 684.5 | 373.4 | 660.5 | 688.0 | 722.0 | 701.0 | 510.2 | 925.2 | 660.2 | **14,578.1** |
| OIL | 1959 | 64.3 | 0.0 | 77.5 | 74.5 | 64.3 | 82.1 | 81.5 | 81.3 | 81.3 | 83.5 | 78.8 | 69.9 | **3,400.9** |
| DAY | 1958 | 30.0 | 28.0 | 29.0 | 23.0 | 25.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **510.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1494*** Well Name ***Ka-Bert Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-15-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 492.8 | 572.4 | 581.2 | 473.7 | 535.4 | 495.8 | 453.3 | 379.6 | 427.7 | 459.2 | 429.3 | 419.3 | **8,063.6** |
| OIL | 1958 | 147.9 | 133.1 | 131.7 | 103.7 | 107.7 | 96.2 | 108.5 | 108.5 | 105.0 | 109.4 | 105.0 | 105.9 | **2,561.9** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 30.0 | 30.0 | 31.0 | 28.0 | 28.0 | **163.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 172.4 | 423.6 | 421.7 | 423.0 | 451.3 | 451.9 | **2,343.9** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 166.4 | 271.5 | 242.7 | 214.1 | 165.9 | 138.7 | **1,199.3** |

Licence ***1495*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-34-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 30.0 | 0.0 | **5,276.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 80.9 | 83.3 | 0.0 | **4,693.9** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.5 | 17.3 | 0.0 | **3,999.9** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 12.0 | 31.0 | 30.0 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,216.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 2.1 | 5.1 | 9.9 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,529.7** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 3.2 | 8.4 | 13.2 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,965.1** |
| DAY | 1972 | 21.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **5,136.0** |
| H2O | 1972 | 5.6 | 8.1 | 8.7 | 7.8 | 14.1 | 14.0 | 15.6 | 14.8 | 14.8 | 4.9 | 0.0 | 0.0 | **4,510.4** |
| OIL | 1972 | 14.8 | 20.2 | 22.1 | 21.1 | 30.8 | 29.7 | 30.5 | 31.3 | 29.7 | 8.7 | 0.0 | 0.0 | **3,937.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 20.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **4,841.0** |
| H2O | 1971 | 7.8 | 7.2 | 8.1 | 8.1 | 8.1 | 5.4 | 5.7 | 7.8 | 7.0 | 7.8 | 7.5 | 7.9 | **4,402.0** |
| OIL | 1971 | 19.4 | 17.3 | 19.1 | 18.1 | 22.9 | 14.9 | 16.0 | 22.4 | 22.1 | 22.9 | 21.6 | 20.0 | **3,698.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,498.0** |
| H2O | 1970 | 45.3 | 42.6 | 44.7 | 41.2 | 42.3 | 43.1 | 39.7 | 8.6 | 7.9 | 8.3 | 7.6 | 8.4 | **4,313.6** |
| OIL | 1970 | 8.9 | 8.1 | 8.9 | 8.6 | 8.7 | 8.7 | 9.1 | 18.6 | 17.6 | 18.6 | 18.0 | 18.8 | **3,461.7** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,133.0** |
| H2O | 1969 | 107.6 | 96.2 | 88.1 | 93.6 | 99.4 | 98.6 | 106.8 | 107.5 | 42.8 | 48.2 | 42.9 | 47.1 | **3,973.9** |
| OIL | 1969 | 19.2 | 16.8 | 18.1 | 18.3 | 18.3 | 18.6 | 19.2 | 19.1 | 8.6 | 9.2 | 8.9 | 9.4 | **3,309.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,770.0** |
| H2O | 1968 | 14.6 | 13.5 | 14.8 | 15.3 | 14.8 | 14.5 | 14.6 | 12.7 | 98.7 | 100.5 | 96.7 | 102.7 | **2,995.1** |
| OIL | 1968 | 17.3 | 15.3 | 17.2 | 16.8 | 15.9 | 16.7 | 19.4 | 18.6 | 18.6 | 18.8 | 18.9 | 19.4 | **3,125.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,408.0** |
| H2O | 1967 | 32.6 | 26.9 | 32.4 | 30.2 | 30.2 | 28.5 | 22.3 | 29.9 | 14.6 | 15.9 | 14.0 | 15.3 | **2,481.7** |
| OIL | 1967 | 17.6 | 15.6 | 17.5 | 16.8 | 17.5 | 16.7 | 17.3 | 17.2 | 16.5 | 17.5 | 17.0 | 17.3 | **2,912.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,043.0** |
| H2O | 1966 | 45.0 | 127.2 | 161.8 | 32.4 | 36.6 | 50.1 | 49.4 | 38.3 | 43.7 | 44.8 | 32.0 | 34.2 | **2,188.9** |
| OIL | 1966 | 25.4 | 317.0 | 351.0 | 14.3 | 15.1 | 14.5 | 14.9 | 23.7 | 15.4 | 16.0 | 16.7 | 17.6 | **2,708.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,678.0** |
| H2O | 1965 | 22.4 | 20.0 | 22.7 | 20.0 | 18.3 | 19.4 | 19.4 | 0.0 | 36.1 | 35.9 | 36.7 | 47.1 | **1,493.4** |
| OIL | 1965 | 15.9 | 14.5 | 15.6 | 15.1 | 13.7 | 15.3 | 15.9 | 9.9 | 19.4 | 20.2 | 19.2 | 25.6 | **1,866.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,316.0** |
| H2O | 1964 | 21.6 | 19.4 | 21.6 | 21.0 | 22.1 | 21.3 | 21.0 | 21.3 | 20.5 | 20.5 | 21.3 | 22.4 | **1,195.4** |
| OIL | 1964 | 14.9 | 14.0 | 15.4 | 14.8 | 15.1 | 14.6 | 15.1 | 15.3 | 14.8 | 14.9 | 14.8 | 15.7 | **1,666.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,950.0** |
| H2O | 1963 | 11.1 | 13.0 | 11.9 | 12.2 | 12.4 | 11.3 | 14.1 | 10.2 | 15.4 | 10.5 | 20.8 | 21.3 | **941.4** |
| OIL | 1963 | 13.8 | 11.9 | 12.7 | 12.7 | 12.9 | 11.4 | 11.9 | 10.2 | 12.4 | 13.0 | 14.1 | 14.5 | **1,486.7** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,585.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.9 | 18.3 | 11.8 | 14.0 | 15.1 | 11.4 | 14.0 | **777.2** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.9 | 15.7 | 13.5 | 14.5 | 13.8 | 13.5 | 12.6 | **1,335.2** |
| DAY | 1961 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 31.0 | 15.0 | 0.0 | 6.0 | 12.0 | **1,374.0** |
| H2O | 1961 | 1.4 | 0.0 | 0.0 | 0.0 | 0.0 | 7.8 | 4.9 | 4.9 | 2.4 | 0.0 | 13.5 | 7.5 | **675.7** |
| OIL | 1961 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 9.1 | 9.1 | 9.2 | 4.6 | 0.0 | 3.3 | 1.9 | **1,235.7** |

# Manitoba Production
## 1950 To 1975

Licence ***1495*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-34-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 28.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,239.0** |
| H2O | 1960 | 11.3 | 17.8 | 19.1 | 14.0 | 4.9 | 7.2 | 8.9 | 8.9 | 8.7 | 4.5 | 4.5 | 4.5 | **633.3** |
| OIL | 1960 | 23.4 | 24.8 | 15.6 | 14.5 | 10.3 | 15.4 | 10.0 | 9.1 | 9.2 | 9.4 | 8.7 | 8.4 | **1,196.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 27.0 | 28.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | **881.0** |
| H2O | 1959 | 9.9 | 6.0 | 8.4 | 6.4 | 8.4 | 41.2 | 13.7 | 16.4 | 23.4 | 4.9 | 4.8 | 8.4 | **519.0** |
| OIL | 1959 | 24.9 | 9.1 | 25.6 | 24.6 | 35.4 | 21.1 | 23.8 | 23.8 | 19.7 | 15.3 | 20.7 | 21.1 | **1,037.2** |
| DAY | 1958 | 31.0 | 28.0 | 30.0 | 30.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **528.0** |
| H2O | 1958 | 21.5 | 22.3 | 19.7 | 16.7 | 24.8 | 7.5 | 9.4 | 4.9 | 7.9 | 25.0 | 21.8 | 6.0 | **367.1** |
| OIL | 1958 | 37.0 | 28.6 | 65.6 | 46.9 | 31.1 | 32.4 | 26.2 | 19.9 | 26.5 | 29.6 | 24.6 | 22.1 | **772.1** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | **170.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 82.5 | 38.2 | 19.7 | 18.4 | 20.3 | **179.6** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 61.7 | 89.5 | 69.4 | 63.4 | 50.1 | 47.5 | **381.6** |

Licence ***1496*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-27-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 29.0 | 31.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | **5,244.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 98.6 | 100.5 | 52.9 | 65.3 | 58.5 | 0.0 | 0.0 | 0.0 | **21,727.2** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 20.8 | 20.3 | 7.2 | 12.6 | 13.5 | 0.0 | 0.0 | 0.0 | **4,705.5** |
| DAY | 1972 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 30.0 | 0.0 | 0.0 | **5,094.0** |
| H2O | 1972 | 105.4 | 101.9 | 109.7 | 101.0 | 105.7 | 101.3 | 102.5 | 98.4 | 98.1 | 104.4 | 0.0 | 0.0 | **21,351.4** |
| OIL | 1972 | 16.8 | 16.5 | 22.4 | 19.7 | 21.6 | 20.0 | 19.7 | 19.2 | 18.4 | 20.0 | 0.0 | 0.0 | **4,631.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 19.0 | **4,794.0** |
| H2O | 1971 | 75.0 | 63.8 | 50.7 | 47.5 | 50.7 | 44.8 | 44.5 | 202.9 | 189.5 | 192.5 | 98.1 | 66.8 | **20,323.0** |
| OIL | 1971 | 13.5 | 11.6 | 4.1 | 4.0 | 4.0 | 7.9 | 7.3 | 24.2 | 24.0 | 23.4 | 14.9 | 10.8 | **4,436.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,444.0** |
| H2O | 1970 | 86.0 | 75.7 | 80.6 | 74.1 | 73.9 | 73.3 | 76.3 | 70.9 | 72.3 | 73.8 | 72.0 | 74.1 | **19,196.2** |
| OIL | 1970 | 15.6 | 13.8 | 14.5 | 12.4 | 14.8 | 13.8 | 14.1 | 13.0 | 13.0 | 13.0 | 12.1 | 14.5 | **4,287.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 29.0 | 27.0 | 30.0 | 31.0 | **4,079.0** |
| H2O | 1969 | 219.1 | 177.3 | 129.9 | 153.9 | 74.1 | 73.4 | 79.8 | 75.2 | 87.9 | 71.1 | 74.7 | 100.5 | **18,293.2** |
| OIL | 1969 | 22.9 | 20.3 | 19.7 | 23.0 | 20.7 | 21.6 | 21.8 | 21.0 | 14.5 | 14.0 | 16.5 | 18.1 | **4,122.5** |
| DAY | 1968 | 31.0 | 29.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,723.0** |
| H2O | 1968 | 215.4 | 206.2 | 108.1 | 88.4 | 145.9 | 116.4 | 138.5 | 132.1 | 154.5 | 184.9 | 124.8 | 218.8 | **16,976.3** |
| OIL | 1968 | 55.0 | 49.7 | 35.9 | 37.3 | 36.4 | 33.5 | 32.4 | 32.6 | 16.0 | 17.5 | 18.1 | 24.2 | **3,888.4** |
| DAY | 1967 | 31.0 | 26.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,361.0** |
| H2O | 1967 | 159.3 | 132.7 | 248.2 | 330.0 | 374.6 | 366.9 | 394.0 | 342.0 | 293.6 | 349.1 | 297.0 | 238.5 | **15,142.3** |
| OIL | 1967 | 20.0 | 15.9 | 23.5 | 62.6 | 70.2 | 69.8 | 77.1 | 67.7 | 59.8 | 65.2 | 54.7 | 57.4 | **3,499.8** |
| DAY | 1966 | 31.0 | 28.0 | 29.0 | 24.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 26.0 | 31.0 | **3,009.0** |
| H2O | 1966 | 176.0 | 141.2 | 123.2 | 289.2 | 318.8 | 308.7 | 288.9 | 291.9 | 264.4 | 124.6 | 151.5 | 162.0 | **11,616.4** |
| OIL | 1966 | 22.9 | 19.4 | 19.1 | 39.9 | 45.6 | 46.2 | 45.3 | 42.9 | 36.7 | 25.3 | 19.4 | 20.0 | **2,855.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 26.0 | **2,659.0** |
| H2O | 1965 | 174.1 | 168.5 | 182.0 | 181.9 | 172.3 | 166.5 | 163.0 | 141.0 | 114.8 | 121.1 | 163.6 | 150.4 | **8,976.0** |
| OIL | 1965 | 24.3 | 23.2 | 24.8 | 23.7 | 24.0 | 21.9 | 20.8 | 20.3 | 19.2 | 15.7 | 18.8 | 19.7 | **2,473.2** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,302.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.1 | 103.0 | 121.1 | 193.5 | 193.3 | **7,076.8** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.7 | 20.8 | 23.0 | 26.5 | 26.4 | **2,216.8** |
| DAY | 1963 | 21.0 | 0.0 | 0.0 | 25.0 | 31.0 | 25.0 | 14.0 | 21.0 | 30.0 | 31.0 | 0.0 | 0.0 | **2,178.0** |
| H2O | 1963 | 21.6 | 0.0 | 0.0 | 40.2 | 36.6 | 31.8 | 18.8 | 30.0 | 37.0 | 33.2 | 0.0 | 0.0 | **6,461.8** |
| OIL | 1963 | 4.1 | 0.0 | 0.0 | 14.3 | 17.0 | 13.3 | 7.8 | 11.0 | 14.9 | 14.9 | 0.0 | 0.0 | **2,118.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,980.0** |
| H2O | 1962 | 40.5 | 33.4 | 38.2 | 34.8 | 37.2 | 33.7 | 34.8 | 34.8 | 36.9 | 33.1 | 31.8 | 37.7 | **6,212.6** |

# Manitoba Production
## 1950 To 1975

Licence ***1496*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-27-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 7.3 | 6.4 | 7.5 | 6.4 | 6.5 | 6.0 | 5.9 | 5.7 | 6.4 | 6.7 | 6.4 | 6.4 | **2,021.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,623.0** |
| H2O | 1961 | 42.0 | 37.8 | 38.5 | 36.2 | 46.4 | 43.7 | 52.1 | 43.2 | 36.6 | 40.5 | 39.0 | 40.7 | **5,785.7** |
| OIL | 1961 | 19.7 | 17.3 | 18.4 | 17.2 | 8.7 | 8.3 | 8.1 | 8.3 | 6.8 | 7.9 | 7.3 | 7.5 | **1,943.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **1,261.0** |
| H2O | 1960 | 66.8 | 62.6 | 66.8 | 61.5 | 51.2 | 73.1 | 84.7 | 79.2 | 69.8 | 70.4 | 75.8 | 36.2 | **5,289.0** |
| OIL | 1960 | 20.7 | 18.6 | 20.0 | 18.8 | 7.5 | 6.5 | 6.4 | 6.2 | 5.9 | 6.0 | 5.7 | 18.0 | **1,808.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **899.0** |
| H2O | 1959 | 88.2 | 89.7 | 108.3 | 110.8 | 108.9 | 95.2 | 105.6 | 108.3 | 96.7 | 66.5 | 61.4 | 73.1 | **4,490.9** |
| OIL | 1959 | 12.7 | 11.3 | 30.8 | 28.8 | 28.4 | 26.5 | 27.3 | 26.5 | 25.1 | 23.5 | 19.5 | 21.1 | **1,667.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **534.0** |
| H2O | 1958 | 190.6 | 181.1 | 203.7 | 214.8 | 197.0 | 187.1 | 183.0 | 150.7 | 142.6 | 112.9 | 101.3 | 99.2 | **3,378.2** |
| OIL | 1958 | 101.5 | 80.1 | 86.9 | 76.1 | 54.7 | 49.9 | 63.1 | 58.8 | 54.5 | 31.1 | 13.2 | 12.9 | **1,386.2** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 28.0 | 26.0 | 29.0 | 27.0 | 29.0 | 29.0 | **169.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.9 | 215.4 | 224.5 | 264.9 | 230.4 | 242.9 | 220.2 | **1,414.2** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.9 | 155.4 | 90.4 | 119.2 | 114.3 | 114.4 | 106.8 | **703.4** |

Licence ***1497*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-24-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1101.6 | 1017.9 | 1105.1 | 1124.8 | 1137.5 | 1070.4 | 1067.6 | 1156.9 | 1117.8 | 1187.6 | 1239.9 | 1197.9 | **165,777.6** |
| WIN | 1974 | 637.5 | 628.3 | 720.2 | 711.8 | 782.3 | 922.1 | 1062.6 | 1189.2 | 1068.5 | 1188.9 | 1118.7 | 1144.7 | **152,252.6** |
| WIN | 1973 | 693.2 | 892.5 | 819.2 | 990.8 | 1055.9 | 1029.1 | 953.6 | 953.1 | 962.5 | 725.3 | 489.0 | 614.6 | **141,077.8** |
| WIN | 1972 | 1071.7 | 1057.7 | 1102.1 | 1059.1 | 1071.0 | 1158.2 | 1065.0 | 976.9 | 994.6 | 1101.1 | 999.7 | 569.9 | **130,899.0** |
| WIN | 1971 | 1012.5 | 1025.3 | 810.5 | 1135.8 | 1188.1 | 918.4 | 489.5 | 651.3 | 821.0 | 1184.7 | 737.5 | 315.7 | **118,672.0** |
| WIN | 1970 | 1600.8 | 1437.5 | 1382.0 | 1517.1 | 1627.6 | 1493.3 | 1332.7 | 1476.0 | 1324.9 | 1680.1 | 1314.0 | 1319.1 | **108,381.7** |
| WIN | 1969 | 1604.6 | 1595.2 | 1207.5 | 951.5 | 1254.4 | 1164.7 | 1273.9 | 1321.3 | 1132.1 | 1240.4 | 1317.1 | 1459.1 | **90,876.6** |
| WIN | 1968 | 1706.0 | 1422.6 | 1433.8 | 1416.2 | 1555.9 | 1292.0 | 1505.9 | 1411.1 | 1336.7 | 759.9 | 1556.9 | 995.5 | **75,354.8** |
| WIN | 1967 | 1365.5 | 748.6 | 1943.4 | 2245.4 | 2175.3 | 2047.7 | 1928.7 | 1583.0 | 1637.2 | 1790.4 | 1540.8 | 1587.3 | **58,962.3** |
| WIN | 1966 | 886.8 | 840.2 | 897.3 | 1092.0 | 1021.8 | 822.4 | 611.9 | 667.9 | 1058.3 | 1395.4 | 3212.3 | 1692.8 | **38,369.0** |
| WIN | 1965 | 1044.5 | 754.8 | 880.1 | 864.5 | 855.9 | 887.3 | 735.1 | 962.1 | 974.7 | 939.4 | 953.4 | 635.3 | **24,169.9** |
| WIN | 1964 | 671.1 | 1134.3 | 1460.7 | 1421.3 | 1046.2 | 1733.5 | 1272.5 | 860.6 | 977.6 | 934.3 | 913.0 | 940.4 | **13,682.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 29.0 | 29.0 | 31.0 | 30.0 | 6.0 | **2,018.0** |
| H2O | 1963 | 163.2 | 164.0 | 165.7 | 184.0 | 179.4 | 166.0 | 175.1 | 146.3 | 145.3 | 161.5 | 207.8 | 41.0 | **10,552.1** |
| OIL | 1963 | 43.5 | 39.8 | 42.1 | 42.0 | 42.9 | 40.8 | 38.6 | 38.5 | 39.4 | 41.0 | 45.1 | 8.9 | **3,054.6** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 317.3 | **317.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,684.0** |
| H2O | 1962 | 172.5 | 155.8 | 168.5 | 151.0 | 144.4 | 138.3 | 143.7 | 192.4 | 156.0 | 173.6 | 168.1 | 179.5 | **8,652.8** |
| OIL | 1962 | 33.2 | 28.0 | 30.0 | 28.6 | 30.0 | 28.6 | 29.6 | 46.2 | 39.1 | 45.3 | 42.1 | 44.2 | **2,592.0** |
| DAY | 1961 | 29.0 | 28.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,320.0** |
| H2O | 1961 | 219.7 | 174.6 | 209.7 | 227.2 | 232.8 | 224.2 | 231.6 | 226.1 | 202.9 | 207.6 | 209.9 | 182.7 | **6,709.0** |
| OIL | 1961 | 45.8 | 37.0 | 33.8 | 38.5 | 49.1 | 52.1 | 49.3 | 48.5 | 36.9 | 33.7 | 33.4 | 35.6 | **2,167.1** |
| DAY | 1960 | 30.0 | 28.0 | 19.0 | 30.0 | 25.0 | 26.0 | 31.0 | 28.0 | 30.0 | 31.0 | 27.0 | 25.0 | **963.0** |
| H2O | 1960 | 273.3 | 249.5 | 147.7 | 143.9 | 228.2 | 233.1 | 219.7 | 181.6 | 170.4 | 191.4 | 169.3 | 192.4 | **4,160.0** |
| OIL | 1960 | 48.0 | 55.3 | 36.2 | 130.0 | 60.1 | 58.0 | 60.5 | 48.5 | 57.5 | 50.5 | 37.5 | 41.0 | **1,673.4** |
| DAY | 1959 | 14.0 | 0.0 | 0.0 | 5.0 | 1.0 | 0.0 | 0.0 | 8.0 | 21.0 | 26.0 | 23.0 | 31.0 | **633.0** |
| H2O | 1959 | 4.9 | 0.0 | 0.0 | 5.6 | 1.1 | 0.0 | 0.0 | 107.6 | 281.6 | 256.6 | 236.3 | 278.7 | **1,759.5** |
| OIL | 1959 | 10.6 | 0.0 | 0.0 | 3.5 | 0.5 | 0.0 | 0.0 | 16.4 | 46.9 | 48.9 | 41.5 | 53.7 | **990.3** |
| DAY | 1958 | 30.0 | 28.0 | 28.0 | 23.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 29.0 | 28.0 | **504.0** |
| H2O | 1958 | 67.1 | 39.7 | 27.0 | 33.7 | 39.4 | 37.8 | 38.2 | 33.1 | 23.7 | 15.3 | 13.8 | 11.9 | **587.1** |
| OIL | 1958 | 9.5 | 23.5 | 21.0 | 17.5 | 39.1 | 13.5 | 14.1 | 15.4 | 21.1 | 19.2 | 15.6 | 23.8 | **768.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1497*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-24-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 27.0 | 30.0 | 30.0 | 30.0 | 17.0 | **158.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.4 | 37.7 | 45.6 | 35.0 | 31.0 | 33.7 | **206.4** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 183.2 | 110.0 | 86.0 | 58.3 | 57.0 | 40.5 | **535.0** |

Licence ***1500*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-34-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1166.3 | 1046.7 | 591.6 | 1026.4 | 1163.4 | 1085.4 | 1118.7 | 1111.9 | 1118.3 | 1155.6 | 1057.4 | 1124.1 | **99,897.7** |
| WIN | 1974 | 960.4 | 950.4 | 1055.9 | 985.0 | 1180.4 | 1108.9 | 1073.1 | 1159.0 | 1124.3 | 1132.3 | 1129.6 | 1169.3 | **87,131.9** |
| WIN | 1973 | 790.3 | 859.3 | 908.6 | 1011.3 | 851.2 | 1004.8 | 831.6 | 965.6 | 1044.7 | 1027.6 | 1019.7 | 831.0 | **74,103.3** |
| WIN | 1972 | 712.1 | 863.6 | 891.7 | 841.0 | 850.5 | 870.9 | 901.6 | 896.8 | 737.5 | 942.6 | 909.0 | 792.8 | **62,957.6** |
| WIN | 1971 | 842.6 | 817.2 | 868.3 | 893.1 | 942.8 | 615.3 | 574.4 | 701.1 | 442.8 | 859.1 | 689.7 | 564.2 | **52,747.5** |
| WIN | 1970 | 1049.1 | 896.3 | 909.0 | 879.3 | 898.6 | 844.8 | 783.3 | 834.5 | 782.7 | 830.0 | 808.1 | 884.9 | **43,936.9** |
| WIN | 1969 | 820.0 | 748.0 | 836.9 | 768.8 | 800.1 | 865.0 | 843.4 | 898.4 | 856.4 | 922.4 | 901.3 | 957.7 | **33,536.3** |
| WIN | 1968 | 542.0 | 512.1 | 538.5 | 533.5 | 597.3 | 606.2 | 644.7 | 626.4 | 710.8 | 609.7 | 672.0 | 700.8 | **23,317.9** |
| WIN | 1967 | 263.6 | 320.5 | 408.7 | 438.1 | 471.2 | 484.9 | 465.7 | 460.4 | 487.0 | 511.1 | 487.9 | 578.7 | **16,023.9** |
| WIN | 1966 | 335.4 | 336.6 | 349.4 | 370.4 | 362.5 | 353.3 | 366.3 | 342.4 | 382.5 | 278.1 | 443.9 | 372.2 | **10,646.1** |
| WIN | 1965 | 306.7 | 266.5 | 304.6 | 304.1 | 327.7 | 270.9 | 323.7 | 223.5 | 360.9 | 372.0 | 336.1 | 305.1 | **6,353.1** |
| WIN | 1964 | 180.1 | 120.0 | 152.8 | 0.0 | 114.0 | 101.3 | 262.5 | 279.0 | 256.3 | 288.5 | 287.0 | 303.0 | **2,651.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **2,017.0** |
| H2O | 1963 | 11.2 | 13.0 | 11.9 | 12.2 | 11.9 | 11.3 | 13.8 | 9.7 | 15.4 | 10.5 | 0.0 | 0.0 | **1,121.7** |
| OIL | 1963 | 8.7 | 7.6 | 8.0 | 7.8 | 7.6 | 5.6 | 7.3 | 6.0 | 7.6 | 8.1 | 0.0 | 0.0 | **2,041.4** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 41.5 | 265.3 | **306.8** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,715.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.8 | 18.3 | 11.0 | 13.7 | 14.5 | 11.4 | 14.0 | **1,000.8** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.9 | 9.5 | 7.8 | 8.7 | 8.1 | 8.3 | 7.8 | **1,967.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 15.0 | 0.0 | 0.0 | 0.0 | **1,501.0** |
| H2O | 1961 | 22.7 | 19.2 | 21.3 | 17.3 | 19.1 | 20.2 | 20.3 | 20.5 | 10.3 | 0.0 | 0.0 | 0.0 | **899.1** |
| OIL | 1961 | 20.8 | 19.2 | 22.4 | 19.1 | 18.9 | 18.9 | 18.9 | 19.2 | 9.5 | 0.0 | 0.0 | 0.0 | **1,895.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,243.0** |
| H2O | 1960 | 42.9 | 13.7 | 14.3 | 18.3 | 24.5 | 17.6 | 22.1 | 23.4 | 22.4 | 23.4 | 23.4 | 23.8 | **728.2** |
| OIL | 1960 | 53.6 | 45.4 | 26.7 | 28.0 | 39.6 | 23.8 | 30.4 | 28.9 | 28.0 | 24.3 | 22.6 | 21.8 | **1,728.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 26.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **881.0** |
| H2O | 1959 | 18.1 | 6.7 | 11.1 | 9.7 | 16.9 | 18.1 | 11.3 | 12.4 | 22.7 | 24.3 | 1.6 | 55.8 | **458.4** |
| OIL | 1959 | 42.1 | 17.2 | 37.3 | 36.7 | 38.1 | 20.0 | 26.1 | 28.6 | 31.1 | 31.1 | 1.6 | 54.0 | **1,355.0** |
| DAY | 1958 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **524.0** |
| H2O | 1958 | 11.8 | 13.4 | 25.9 | 22.4 | 15.7 | 13.0 | 14.8 | 9.7 | 10.7 | 19.9 | 23.2 | 11.3 | **249.7** |
| OIL | 1958 | 39.9 | 35.8 | 59.4 | 55.6 | 55.1 | 50.9 | 48.1 | 29.6 | 35.6 | 36.5 | 38.0 | 38.6 | **991.1** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 28.0 | 29.0 | 30.0 | 30.0 | 29.0 | **166.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.5 | 10.7 | 10.8 | 14.5 | 9.2 | 9.2 | **57.9** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 103.6 | 60.7 | 108.4 | 48.9 | 46.4 | **468.0** |

Licence ***1502*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-24-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,647.0** |
| H2O | 1975 | 364.1 | 331.6 | 373.1 | 350.6 | 359.6 | 351.0 | 359.5 | 354.4 | 348.8 | 374.6 | 375.8 | 382.3 | **18,450.0** |
| OIL | 1975 | 78.0 | 68.8 | 76.3 | 70.1 | 70.7 | 70.2 | 73.6 | 90.7 | 88.0 | 91.1 | 88.0 | 89.6 | **5,643.6** |
| DAY | 1974 | 30.0 | 27.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,283.0** |
| H2O | 1974 | 384.7 | 374.1 | 434.0 | 422.4 | 353.7 | 365.3 | 381.9 | 338.9 | 345.3 | 362.6 | 361.7 | 361.8 | **14,124.6** |
| OIL | 1974 | 90.6 | 83.0 | 98.4 | 93.6 | 74.7 | 74.4 | 79.5 | 76.4 | 75.8 | 79.9 | 76.3 | 78.7 | **4,688.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1502*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-24-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,923.0** |
| H2O | 1973 | 191.7 | 184.1 | 197.5 | 196.8 | 187.6 | 20.5 | 19.2 | 61.5 | 58.0 | 63.6 | 60.4 | 419.5 | **9,638.2** |
| OIL | 1973 | 44.3 | 38.9 | 42.9 | 42.1 | 41.3 | 8.3 | 7.8 | 13.5 | 12.4 | 13.8 | 13.3 | 95.8 | **3,707.2** |
| DAY | 1972 | 31.0 | 27.0 | 27.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,566.0** |
| H2O | 1972 | 72.8 | 66.1 | 64.5 | 334.3 | 337.7 | 367.6 | 407.8 | 386.5 | 386.2 | 194.3 | 192.4 | 195.5 | **7,977.8** |
| OIL | 1972 | 21.8 | 18.9 | 18.4 | 146.7 | 141.6 | 149.4 | 153.8 | 157.3 | 149.9 | 45.3 | 43.1 | 44.8 | **3,332.8** |
| DAY | 1971 | 27.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,208.0** |
| H2O | 1971 | 126.5 | 127.0 | 151.7 | 69.8 | 72.2 | 71.7 | 71.2 | 68.7 | 61.5 | 64.7 | 66.1 | 77.6 | **4,972.1** |
| OIL | 1971 | 67.1 | 65.8 | 75.3 | 21.8 | 23.0 | 22.4 | 22.7 | 22.2 | 22.1 | 21.6 | 21.8 | 22.2 | **2,241.8** |
| DAY | 1970 | 27.0 | 5.0 | 0.0 | 0.0 | 25.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **849.0** |
| H2O | 1970 | 141.3 | 26.7 | 0.0 | 0.0 | 247.7 | 311.8 | 287.9 | 324.6 | 292.0 | 295.1 | 141.2 | 156.9 | **3,943.4** |
| OIL | 1970 | 65.2 | 11.9 | 0.0 | 0.0 | 73.3 | 89.0 | 92.3 | 90.9 | 83.7 | 86.0 | 70.6 | 74.1 | **1,833.8** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 30.0 | **580.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 163.4 | 330.4 | **1,718.2** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 48.1 | 92.8 | **1,096.8** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 4.0 | 0.0 | 0.0 | 0.0 | **534.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 44.7 | 50.7 | 0.0 | 0.0 | 0.0 | **1,224.4** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.1 | 1.6 | 0.0 | 0.0 | 0.0 | **955.9** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 19.0 | 8.0 | 0.0 | 0.0 | **524.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 260.6 | 225.8 | 82.2 | 0.0 | 0.0 | **1,129.0** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.1 | 19.7 | 7.6 | 0.0 | 0.0 | **949.2** |
| DAY | 1958 | 30.0 | 28.0 | 26.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 19.0 | 0.0 | **475.0** |
| H2O | 1958 | 37.2 | 29.7 | 28.6 | 28.1 | 30.0 | 27.7 | 28.3 | 28.1 | 18.1 | 15.3 | 9.1 | 0.0 | **560.4** |
| OIL | 1958 | 36.9 | 27.7 | 34.3 | 25.6 | 44.8 | 25.1 | 23.5 | 19.4 | 13.7 | 14.6 | 6.4 | 0.0 | **890.8** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | **165.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.6 | 71.5 | 45.6 | 44.8 | 50.7 | 45.0 | **280.2** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 144.0 | 190.4 | 120.8 | 60.4 | 57.0 | 46.2 | **618.8** |

Licence ***1503*** Well Name ***Tundra Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-20-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 28.0 | 28.0 | 29.0 | 29.0 | 15.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,378.0** |
| H2O | 1975 | 2003.7 | 2242.7 | 2533.3 | 2098.3 | 2422.2 | 2226.3 | 1132.6 | 2145.1 | 2126.9 | 2027.4 | 2051.1 | 1832.3 | **142,663.6** |
| OIL | 1975 | 133.7 | 130.2 | 124.6 | 115.9 | 121.6 | 167.9 | 67.9 | 181.1 | 179.7 | 163.3 | 135.0 | 147.9 | **21,634.9** |
| DAY | 1974 | 30.0 | 28.0 | 23.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 28.0 | 30.0 | **6,038.0** |
| H2O | 1974 | 2263.7 | 2123.9 | 1734.9 | 2103.7 | 2408.7 | 2471.8 | 2221.4 | 2001.3 | 2129.5 | 2259.5 | 2327.1 | 2662.1 | **117,821.7** |
| OIL | 1974 | 174.9 | 118.1 | 94.6 | 109.2 | 163.4 | 150.4 | 159.5 | 154.9 | 153.9 | 154.1 | 146.9 | 161.4 | **19,966.1** |
| DAY | 1973 | 29.0 | 23.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | **5,686.0** |
| H2O | 1973 | 3388.3 | 2927.3 | 3395.2 | 2262.7 | 1759.2 | 1581.5 | 1621.4 | 1576.7 | 1498.9 | 2360.5 | 2661.3 | 2110.9 | **91,114.1** |
| OIL | 1973 | 193.5 | 154.4 | 221.9 | 159.9 | 172.3 | 170.6 | 192.2 | 185.7 | 156.9 | 140.9 | 148.2 | 178.7 | **18,224.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 26.0 | 30.0 | 26.0 | 31.0 | 30.0 | 28.0 | 30.0 | 29.0 | **5,334.0** |
| H2O | 1972 | 600.8 | 576.2 | 598.0 | 544.4 | 497.5 | 541.7 | 453.3 | 553.0 | 915.1 | 885.6 | 457.7 | 4051.2 | **63,970.2** |
| OIL | 1972 | 101.9 | 115.3 | 113.2 | 106.2 | 84.7 | 81.7 | 68.7 | 89.8 | 111.9 | 102.1 | 197.1 | 197.0 | **16,149.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,983.0** |
| H2O | 1971 | 640.4 | 570.1 | 676.0 | 604.6 | 637.4 | 601.9 | 583.0 | 600.2 | 595.2 | 618.5 | 603.7 | 614.3 | **53,295.7** |
| OIL | 1971 | 99.0 | 91.7 | 103.8 | 98.6 | 99.8 | 84.6 | 88.2 | 101.9 | 87.0 | 86.8 | 101.0 | 104.6 | **14,780.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **4,620.0** |
| H2O | 1970 | 637.1 | 573.1 | 629.0 | 599.9 | 423.4 | 411.1 | 564.7 | 625.8 | 593.5 | 524.3 | 571.6 | 662.2 | **45,950.4** |
| OIL | 1970 | 100.2 | 88.1 | 94.9 | 93.0 | 86.6 | 76.0 | 101.3 | 108.6 | 102.7 | 83.2 | 92.2 | 96.2 | **13,633.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 23.0 | 28.0 | 31.0 | **4,262.0** |
| H2O | 1969 | 634.7 | 577.4 | 650.6 | 625.0 | 653.4 | 626.9 | 649.0 | 635.0 | 660.4 | 508.8 | 566.3 | 611.8 | **39,134.7** |

# Manitoba Production
## 1950 To 1975

Licence ***1503*** Well Name ***Tundra Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-20-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1969 | 111.0 | 94.8 | 78.2 | 87.4 | 90.9 | 80.6 | 93.0 | 101.3 | 101.3 | 80.6 | 79.7 | 101.3 | **12,510.0** |
| DAY | 1968 | 31.0 | 20.0 | 29.0 | 30.0 | 30.0 | 28.0 | 30.0 | 29.0 | 28.0 | 29.0 | 25.0 | 30.0 | **3,911.0** |
| H2O | 1968 | 156.4 | 195.4 | 346.9 | 389.5 | 390.0 | 256.6 | 520.8 | 655.3 | 525.5 | 571.7 | 494.8 | 642.2 | **31,735.4** |
| OIL | 1968 | 56.4 | 56.4 | 90.1 | 80.9 | 66.6 | 105.7 | 137.2 | 142.0 | 103.0 | 105.1 | 109.4 | 119.4 | **11,409.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 28.0 | 29.0 | 28.0 | 30.0 | 29.0 | 28.0 | 27.0 | 30.0 | 29.0 | **3,572.0** |
| H2O | 1967 | 230.9 | 193.3 | 251.4 | 59.8 | 48.2 | 65.8 | 59.3 | 54.5 | 69.6 | 59.5 | 48.7 | 68.4 | **26,590.3** |
| OIL | 1967 | 47.4 | 40.6 | 47.3 | 52.2 | 36.3 | 43.6 | 34.7 | 46.2 | 40.0 | 16.4 | 17.9 | 30.4 | **10,237.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 27.0 | **3,224.0** |
| H2O | 1966 | 329.8 | 275.3 | 277.0 | 316.3 | 337.7 | 304.7 | 337.9 | 340.7 | 313.5 | 262.0 | 183.2 | 226.7 | **25,380.9** |
| OIL | 1966 | 78.4 | 62.9 | 71.4 | 58.6 | 60.5 | 54.1 | 61.3 | 63.5 | 57.1 | 48.2 | 47.6 | 43.5 | **9,784.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,866.0** |
| H2O | 1965 | 234.2 | 265.4 | 369.1 | 373.8 | 391.3 | 390.1 | 380.2 | 384.3 | 406.4 | 434.6 | 382.6 | 392.9 | **21,876.1** |
| OIL | 1965 | 70.6 | 73.7 | 83.2 | 83.8 | 80.8 | 80.8 | 81.6 | 76.5 | 71.1 | 77.6 | 78.1 | 79.6 | **9,077.6** |
| DAY | 1964 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,501.0** |
| H2O | 1964 | 399.0 | 368.8 | 394.2 | 381.5 | 394.2 | 404.2 | 394.2 | 401.3 | 367.2 | 361.4 | 310.6 | 339.2 | **17,471.2** |
| OIL | 1964 | 95.5 | 83.1 | 82.4 | 80.8 | 85.3 | 91.0 | 92.9 | 90.5 | 86.7 | 83.7 | 66.8 | 74.9 | **8,140.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,136.0** |
| H2O | 1963 | 256.2 | 231.4 | 256.2 | 202.5 | 208.2 | 210.2 | 143.8 | 197.0 | 190.7 | 171.8 | 215.3 | 197.0 | **12,955.4** |
| OIL | 1963 | 67.9 | 57.8 | 73.2 | 71.0 | 67.0 | 66.5 | 56.7 | 67.3 | 64.8 | 56.0 | 58.4 | 63.0 | **7,126.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | **1,777.0** |
| H2O | 1962 | 187.2 | 169.1 | 168.9 | 136.6 | 224.4 | 232.0 | 256.2 | 256.2 | 231.4 | 256.2 | 247.9 | 239.7 | **10,475.1** |
| OIL | 1962 | 76.5 | 74.6 | 64.1 | 70.8 | 73.2 | 72.4 | 75.9 | 75.3 | 55.9 | 69.7 | 63.5 | 60.2 | **6,357.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,416.0** |
| H2O | 1961 | 145.4 | 115.6 | 179.9 | 196.4 | 204.2 | 197.7 | 191.5 | 191.3 | 192.8 | 194.5 | 203.9 | 170.3 | **7,869.3** |
| OIL | 1961 | 68.4 | 66.4 | 81.9 | 72.7 | 78.3 | 71.0 | 80.3 | 85.0 | 81.5 | 84.0 | 82.4 | 77.2 | **5,524.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,052.0** |
| H2O | 1960 | 95.5 | 78.9 | 74.9 | 92.9 | 99.6 | 139.7 | 199.6 | 207.1 | 159.2 | 145.5 | 120.4 | 134.6 | **5,685.8** |
| OIL | 1960 | 48.2 | 39.8 | 57.0 | 59.0 | 16.9 | 44.1 | 56.3 | 71.3 | 71.1 | 68.4 | 62.9 | 69.9 | **4,595.8** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 29.0 | 31.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | **694.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 7.8 | 88.9 | 130.4 | 100.1 | 108.0 | 137.7 | 104.5 | 107.2 | **4,137.9** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 29.2 | 198.8 | 80.5 | 85.3 | 75.1 | 70.8 | 47.4 | 52.5 | **3,930.9** |
| DAY | 1958 | 30.0 | 28.0 | 31.0 | 21.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 27.0 | 30.0 | 7.0 | **481.0** |
| H2O | 1958 | 296.4 | 308.2 | 341.7 | 181.0 | 168.7 | 206.6 | 174.5 | 215.3 | 246.2 | 226.1 | 254.0 | 29.9 | **3,353.3** |
| OIL | 1958 | 228.4 | 211.5 | 210.9 | 102.6 | 142.7 | 146.2 | 125.7 | 133.6 | 123.6 | 105.3 | 100.9 | 5.3 | **3,291.3** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | **155.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.6 | 1.2 | 1.0 | 140.1 | 253.6 | 305.2 | **704.7** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 170.2 | 239.3 | 310.7 | 366.7 | 294.8 | 272.9 | **1,654.6** |

Licence ***1506*** Well Name ***Routledge Unit No. 1 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-22-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 3090.9 | 2409.0 | 2693.9 | 2984.8 | 2577.7 | 2203.3 | 2241.8 | 2904.7 | 3098.0 | 2391.9 | 2783.4 | 2964.2 | **56,097.4** |
| DAY | 1974 | 31.0 | 21.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,914.0** |
| H2O | 1974 | 199.4 | 173.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **20,213.5** |
| OIL | 1974 | 62.7 | 54.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **16,473.6** |
| WIN | 1974 | 0.0 | 0.0 | 635.8 | 1503.9 | 2044.8 | 2497.3 | 2996.0 | 2614.0 | 2489.6 | 2965.5 | 2872.6 | 3134.3 | **23,753.8** |
| DAY | 1973 | 28.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **5,862.0** |
| H2O | 1973 | 79.3 | 172.7 | 176.9 | 135.8 | 145.8 | 152.9 | 119.2 | 158.2 | 141.7 | 172.0 | 208.1 | 242.4 | **19,840.2** |
| OIL | 1973 | 31.9 | 71.4 | 81.5 | 66.3 | 69.3 | 69.1 | 14.9 | 16.5 | 17.2 | 41.3 | 51.5 | 50.9 | **16,356.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,508.0** |
| H2O | 1972 | 161.5 | 150.6 | 141.7 | 134.7 | 141.2 | 135.1 | 136.9 | 116.9 | 109.5 | 89.5 | 85.5 | 86.8 | **17,935.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1506*** Well Name ***Routledge Unit No. 1 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-22-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1972 | 77.1 | 72.5 | 67.7 | 61.0 | 67.2 | 62.1 | 61.3 | 58.5 | 52.9 | 37.5 | 34.2 | 36.4 | **15,774.8** |
| DAY | 1971 | 31.0 | 28.0 | 23.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,142.0** |
| H2O | 1971 | 168.2 | 142.1 | 122.9 | 180.9 | 176.8 | 170.4 | 181.2 | 174.6 | 145.9 | 147.4 | 145.1 | 160.9 | **16,445.3** |
| OIL | 1971 | 74.2 | 62.8 | 54.2 | 83.0 | 87.1 | 83.4 | 85.7 | 88.0 | 76.1 | 73.7 | 65.8 | 78.0 | **15,086.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,785.0** |
| H2O | 1970 | 137.7 | 122.1 | 131.3 | 121.8 | 165.7 | 164.1 | 171.1 | 159.0 | 162.0 | 165.3 | 161.4 | 166.0 | **14,528.9** |
| OIL | 1970 | 67.5 | 59.4 | 62.8 | 56.4 | 80.2 | 74.7 | 76.9 | 70.9 | 70.9 | 71.8 | 65.6 | 78.7 | **14,174.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 20.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,420.0** |
| H2O | 1969 | 119.4 | 98.4 | 101.6 | 94.4 | 124.3 | 109.9 | 155.6 | 183.3 | 161.8 | 159.3 | 145.8 | 146.6 | **12,701.4** |
| OIL | 1969 | 79.6 | 70.6 | 74.1 | 66.3 | 61.5 | 65.6 | 86.3 | 92.2 | 77.4 | 79.0 | 73.3 | 69.4 | **13,338.6** |
| DAY | 1968 | 31.0 | 29.0 | 28.0 | 30.0 | 28.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,070.0** |
| H2O | 1968 | 66.3 | 58.7 | 145.1 | 128.9 | 156.0 | 219.9 | 74.2 | 129.7 | 148.3 | 140.2 | 127.3 | 132.4 | **11,101.0** |
| OIL | 1968 | 79.6 | 72.0 | 92.6 | 80.9 | 86.0 | 100.7 | 104.9 | 91.4 | 94.6 | 86.9 | 82.2 | 82.3 | **12,443.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 26.0 | 30.0 | 28.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **3,712.0** |
| H2O | 1967 | 80.3 | 81.9 | 57.1 | 107.2 | 132.7 | 79.0 | 79.8 | 77.1 | 71.4 | 65.2 | 65.3 | 65.5 | **9,574.0** |
| OIL | 1967 | 45.9 | 44.2 | 47.4 | 49.6 | 118.9 | 97.9 | 95.2 | 99.6 | 86.1 | 88.8 | 83.4 | 83.3 | **11,389.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 24.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 28.0 | 28.0 | 31.0 | **3,356.0** |
| H2O | 1966 | 93.5 | 72.7 | 83.1 | 110.5 | 121.3 | 125.3 | 145.8 | 145.5 | 96.5 | 70.6 | 88.9 | 91.1 | **8,611.5** |
| OIL | 1966 | 65.8 | 57.0 | 62.0 | 72.6 | 71.7 | 76.4 | 71.2 | 69.8 | 59.0 | 50.7 | 48.3 | 54.7 | **10,448.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 24.0 | 23.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,005.0** |
| H2O | 1965 | 74.6 | 64.1 | 71.5 | 60.4 | 51.8 | 95.9 | 97.1 | 102.5 | 90.6 | 100.6 | 90.3 | 89.8 | **7,366.7** |
| OIL | 1965 | 54.5 | 46.2 | 49.6 | 44.8 | 42.7 | 71.8 | 80.4 | 82.5 | 73.9 | 74.7 | 85.0 | 53.2 | **9,689.7** |
| DAY | 1964 | 30.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 26.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,661.0** |
| H2O | 1964 | 158.3 | 147.2 | 156.6 | 152.5 | 168.0 | 154.8 | 154.4 | 132.6 | 83.0 | 81.2 | 80.4 | 77.1 | **6,377.5** |
| OIL | 1964 | 131.7 | 127.1 | 128.4 | 119.5 | 117.3 | 115.7 | 111.2 | 90.6 | 73.9 | 70.1 | 62.5 | 62.1 | **8,930.4** |
| DAY | 1963 | 22.0 | 16.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 22.0 | 30.0 | 29.0 | 27.0 | 27.0 | **2,305.0** |
| H2O | 1963 | 26.5 | 21.8 | 39.4 | 39.3 | 35.6 | 32.4 | 18.1 | 12.2 | 13.5 | 11.3 | 11.4 | 16.5 | **4,831.4** |
| OIL | 1963 | 26.9 | 22.1 | 37.0 | 33.8 | 34.2 | 34.2 | 20.3 | 26.7 | 25.7 | 21.1 | 22.1 | 38.6 | **7,720.3** |
| DAY | 1962 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,979.0** |
| H2O | 1962 | 73.8 | 65.5 | 57.4 | 53.6 | 56.3 | 56.9 | 45.3 | 41.7 | 41.8 | 41.0 | 40.2 | 41.2 | **4,553.4** |
| OIL | 1962 | 49.6 | 44.5 | 46.1 | 46.2 | 46.4 | 51.8 | 45.0 | 44.3 | 43.9 | 42.3 | 39.6 | 39.4 | **7,377.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,617.0** |
| H2O | 1961 | 94.6 | 79.2 | 87.4 | 149.4 | 61.7 | 62.8 | 60.6 | 57.7 | 50.2 | 54.4 | 53.6 | 53.3 | **3,938.7** |
| OIL | 1961 | 89.9 | 77.2 | 92.8 | 90.6 | 50.1 | 47.4 | 46.7 | 45.3 | 39.4 | 42.4 | 40.7 | 40.8 | **6,838.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,258.0** |
| H2O | 1960 | 59.5 | 56.9 | 56.9 | 63.9 | 86.2 | 83.8 | 85.2 | 87.4 | 82.4 | 76.3 | 57.4 | 94.6 | **3,073.8** |
| OIL | 1960 | 120.8 | 108.1 | 111.1 | 104.1 | 67.5 | 64.5 | 64.2 | 61.3 | 59.1 | 58.2 | 106.3 | 95.0 | **6,135.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **892.0** |
| H2O | 1959 | 82.4 | 77.9 | 28.6 | 31.3 | 34.3 | 62.6 | 72.3 | 70.3 | 34.2 | 59.5 | 57.1 | 62.6 | **2,183.3** |
| OIL | 1959 | 120.0 | 106.5 | 154.6 | 132.2 | 135.7 | 95.0 | 101.7 | 99.8 | 119.0 | 126.7 | 122.5 | 120.8 | **5,115.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **530.0** |
| H2O | 1958 | 115.1 | 110.8 | 161.4 | 77.4 | 96.7 | 96.7 | 65.3 | 66.1 | 65.7 | 78.7 | 87.8 | 83.0 | **1,510.2** |
| OIL | 1958 | 274.9 | 243.6 | 210.6 | 202.9 | 184.8 | 155.1 | 155.9 | 161.5 | 149.5 | 144.3 | 124.4 | 124.6 | **3,680.5** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 31.0 | 29.0 | 28.0 | 29.0 | 31.0 | **166.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 61.0 | 87.1 | 72.3 | 82.4 | 102.7 | **405.5** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 180.7 | 292.4 | 253.3 | 272.2 | 274.1 | 275.7 | **1,548.4** |

Licence ***1509*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-09-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 9.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 17.0 | 0.0 | 0.0 | 0.0 | 0.0 | **336.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1509*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-09-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1974 | 14.9 | 41.0 | 114.6 | 125.5 | 268.5 | 1565.3 | 1047.2 | 420.3 | 0.0 | 0.0 | 0.0 | 0.0 | **4,897.9** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **15.3** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 31.0 | 13.0 | 0.0 | 22.0 | 30.0 | 20.0 | **133.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 158.4 | 490.3 | 169.0 | 0.0 | 170.4 | 182.5 | 59.9 | **1,300.6** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 0.0 | 0.0 | 0.0 | 0.0 | **8.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 70.1 | 0.0 | 0.0 | 0.0 | 0.0 | **70.1** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.3 | 0.0 | 0.0 | 0.0 | 0.0 | **7.3** |

Licence ***1510*** Well Name ***Can Delhi Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-17-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 29.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,320.0** |
| H2O | 1964 | 285.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **17,724.5** |
| OIL | 1964 | 7.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **8,219.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 9.0 | 29.0 | **2,291.0** |
| H2O | 1963 | 266.1 | 231.0 | 270.1 | 284.9 | 309.9 | 299.5 | 297.3 | 269.2 | 241.2 | 262.0 | 50.7 | 248.7 | **17,439.5** |
| OIL | 1963 | 27.2 | 21.3 | 24.5 | 22.4 | 23.0 | 21.1 | 18.6 | 17.8 | 16.2 | 18.4 | 1.4 | 8.4 | **8,212.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,949.0** |
| H2O | 1962 | 332.8 | 307.3 | 343.7 | 325.0 | 320.2 | 287.8 | 292.4 | 289.7 | 270.3 | 269.0 | 268.7 | 271.7 | **14,408.9** |
| OIL | 1962 | 49.6 | 44.7 | 49.3 | 47.4 | 48.6 | 43.9 | 43.9 | 43.5 | 39.1 | 29.6 | 28.8 | 26.7 | **7,991.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | **1,585.0** |
| H2O | 1961 | 344.1 | 311.6 | 345.0 | 316.2 | 383.3 | 353.1 | 364.7 | 362.8 | 249.9 | 351.0 | 337.4 | 339.6 | **10,830.3** |
| OIL | 1961 | 69.1 | 62.5 | 69.0 | 59.8 | 68.0 | 56.7 | 53.6 | 53.6 | 39.3 | 53.6 | 53.1 | 48.5 | **7,496.6** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,229.0** |
| H2O | 1960 | 263.9 | 267.3 | 299.5 | 291.0 | 299.1 | 285.1 | 187.6 | 127.5 | 133.6 | 131.8 | 196.4 | 340.9 | **6,771.6** |
| OIL | 1960 | 103.6 | 115.5 | 113.9 | 107.9 | 108.4 | 103.9 | 78.7 | 63.1 | 60.5 | 61.7 | 63.2 | 71.7 | **6,809.8** |
| DAY | 1959 | 21.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **865.0** |
| H2O | 1959 | 66.8 | 92.5 | 109.4 | 119.9 | 148.0 | 225.1 | 228.3 | 243.4 | 235.6 | 237.2 | 228.5 | 275.5 | **3,947.9** |
| OIL | 1959 | 102.3 | 147.6 | 156.5 | 142.7 | 126.0 | 131.9 | 131.7 | 135.4 | 134.3 | 135.9 | 120.0 | 121.7 | **5,757.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **514.0** |
| H2O | 1958 | 104.6 | 105.3 | 105.3 | 101.4 | 98.7 | 94.4 | 96.7 | 88.9 | 89.2 | 91.4 | 92.2 | 95.6 | **1,737.7** |
| OIL | 1958 | 249.3 | 225.2 | 242.0 | 261.9 | 235.2 | 229.1 | 242.5 | 235.2 | 232.3 | 220.7 | 179.1 | 156.2 | **4,171.7** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 30.0 | 27.0 | 27.0 | 30.0 | 30.0 | **150.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.4 | 41.2 | 31.5 | 93.2 | 252.0 | 154.7 | **574.0** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 68.8 | 325.9 | 294.3 | 277.1 | 262.7 | 234.2 | **1,463.0** |

Licence ***1515*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-22-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 20.0 | 26.0 | 0.0 | **6,181.0** |
| H2O | 1974 | 80.0 | 72.0 | 80.0 | 75.7 | 97.9 | 111.6 | 114.9 | 117.3 | 37.8 | 25.9 | 51.5 | 0.0 | **28,226.9** |
| OIL | 1974 | 27.2 | 24.3 | 27.0 | 26.1 | 17.2 | 16.2 | 16.4 | 16.7 | 7.9 | 5.4 | 7.0 | 0.0 | **16,822.1** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,862.0** |
| H2O | 1973 | 140.7 | 114.3 | 117.3 | 111.9 | 120.0 | 103.3 | 102.7 | 123.5 | 112.4 | 102.9 | 69.6 | 81.2 | **27,362.3** |
| OIL | 1973 | 36.5 | 38.0 | 43.4 | 45.6 | 47.5 | 43.4 | 40.4 | 40.2 | 42.6 | 39.9 | 27.8 | 27.3 | **16,630.7** |
| DAY | 1972 | 26.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **5,501.0** |
| H2O | 1972 | 83.9 | 82.8 | 164.5 | 156.6 | 162.5 | 156.9 | 159.0 | 180.6 | 169.3 | 180.1 | 132.9 | 118.3 | **26,062.5** |
| OIL | 1972 | 24.9 | 24.9 | 40.7 | 36.7 | 40.2 | 37.5 | 37.0 | 54.3 | 49.3 | 53.4 | 34.2 | 32.1 | **16,158.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,146.0** |
| H2O | 1971 | 215.1 | 186.8 | 211.8 | 95.1 | 101.6 | 86.8 | 94.4 | 88.9 | 85.5 | 86.5 | 90.0 | 99.8 | **24,315.1** |
| OIL | 1971 | 60.7 | 52.6 | 59.8 | 33.1 | 33.2 | 31.1 | 32.9 | 33.1 | 28.0 | 27.0 | 25.6 | 30.2 | **15,692.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1515*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-22-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,781.0** |
| H2O | 1970 | 176.1 | 156.3 | 168.0 | 156.0 | 211.9 | 209.7 | 218.9 | 203.7 | 205.7 | 211.6 | 206.4 | 212.6 | **22,872.8** |
| OIL | 1970 | 55.3 | 48.8 | 51.2 | 46.4 | 65.6 | 61.0 | 62.9 | 58.0 | 57.5 | 58.6 | 53.6 | 64.5 | **15,245.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 27.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,416.0** |
| H2O | 1969 | 170.1 | 140.4 | 145.0 | 134.7 | 107.9 | 125.1 | 124.8 | 148.8 | 214.6 | 204.0 | 186.5 | 187.6 | **20,535.9** |
| OIL | 1969 | 63.4 | 56.1 | 59.0 | 52.9 | 37.0 | 31.5 | 29.2 | 31.6 | 65.6 | 64.5 | 59.8 | 56.7 | **14,562.2** |
| DAY | 1968 | 31.0 | 29.0 | 27.0 | 30.0 | 28.0 | 23.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,063.0** |
| H2O | 1968 | 259.3 | 229.7 | 117.0 | 107.9 | 130.4 | 142.1 | 60.9 | 250.9 | 211.4 | 200.2 | 181.4 | 188.9 | **18,646.4** |
| OIL | 1968 | 39.7 | 36.1 | 52.3 | 47.5 | 50.5 | 46.6 | 61.5 | 74.5 | 75.3 | 69.4 | 65.5 | 65.5 | **13,954.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 24.0 | 27.0 | 26.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,711.0** |
| H2O | 1967 | 122.3 | 124.6 | 85.8 | 150.1 | 294.4 | 274.9 | 318.4 | 301.6 | 279.2 | 262.8 | 255.2 | 256.3 | **16,566.3** |
| OIL | 1967 | 54.0 | 52.1 | 55.1 | 53.7 | 47.2 | 43.5 | 48.6 | 49.9 | 43.2 | 45.9 | 41.6 | 41.6 | **13,270.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 24.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 25.0 | 28.0 | 31.0 | **3,361.0** |
| H2O | 1966 | 230.7 | 179.0 | 204.8 | 149.0 | 163.9 | 169.0 | 196.7 | 196.3 | 130.2 | 95.1 | 135.3 | 138.8 | **13,840.7** |
| OIL | 1966 | 79.6 | 69.0 | 75.0 | 68.5 | 67.5 | 72.0 | 67.2 | 65.8 | 55.8 | 52.9 | 56.9 | 64.5 | **12,694.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 23.0 | 28.0 | 26.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,013.0** |
| H2O | 1965 | 131.6 | 113.0 | 126.2 | 106.7 | 80.6 | 174.4 | 170.3 | 243.9 | 223.4 | 248.0 | 221.8 | 221.5 | **11,851.9** |
| OIL | 1965 | 62.0 | 52.6 | 56.3 | 50.9 | 42.9 | 72.9 | 78.5 | 96.5 | 89.1 | 90.6 | 102.8 | 64.7 | **11,899.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 28.0 | 29.0 | 25.0 | 31.0 | 30.0 | 31.0 | **2,666.0** |
| H2O | 1964 | 163.6 | 147.2 | 156.6 | 152.5 | 168.0 | 154.8 | 137.8 | 126.5 | 132.1 | 143.2 | 141.8 | 135.9 | **9,790.5** |
| OIL | 1964 | 58.2 | 54.3 | 54.8 | 51.0 | 50.2 | 49.6 | 42.4 | 65.8 | 75.6 | 79.5 | 70.7 | 70.4 | **11,039.6** |
| DAY | 1963 | 22.0 | 17.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 21.0 | 30.0 | 29.0 | 27.0 | 31.0 | **2,312.0** |
| H2O | 1963 | 94.3 | 84.6 | 145.8 | 144.0 | 131.6 | 119.7 | 127.2 | 119.9 | 137.4 | 116.1 | 206.4 | 351.8 | **8,030.5** |
| OIL | 1963 | 51.6 | 46.4 | 74.1 | 67.2 | 68.5 | 68.2 | 69.6 | 77.9 | 78.7 | 64.8 | 76.6 | 159.7 | **10,317.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | **1,982.0** |
| H2O | 1962 | 108.9 | 100.8 | 158.5 | 138.0 | 144.4 | 146.6 | 167.1 | 153.4 | 138.5 | 147.9 | 149.1 | 151.8 | **6,251.7** |
| OIL | 1962 | 88.7 | 82.8 | 87.1 | 81.2 | 81.7 | 90.9 | 89.9 | 88.5 | 78.7 | 82.6 | 79.3 | 79.0 | **9,413.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,620.0** |
| H2O | 1961 | 99.2 | 83.1 | 80.0 | 61.8 | 84.7 | 96.5 | 92.8 | 86.6 | 85.8 | 80.6 | 82.2 | 81.9 | **4,546.7** |
| OIL | 1961 | 93.3 | 80.1 | 94.6 | 77.2 | 83.3 | 88.0 | 86.9 | 82.5 | 81.5 | 76.6 | 75.6 | 76.1 | **8,403.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,262.0** |
| H2O | 1960 | 111.6 | 106.8 | 106.8 | 106.2 | 135.0 | 104.4 | 106.2 | 108.9 | 102.7 | 95.2 | 128.8 | 99.2 | **3,531.5** |
| OIL | 1960 | 141.4 | 126.3 | 130.0 | 106.3 | 104.6 | 112.3 | 111.9 | 106.8 | 103.0 | 101.4 | 96.8 | 98.7 | **7,407.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **896.0** |
| H2O | 1959 | 123.2 | 116.2 | 114.5 | 62.3 | 66.0 | 79.5 | 91.7 | 89.5 | 91.3 | 115.4 | 107.2 | 117.3 | **2,219.7** |
| OIL | 1959 | 166.1 | 147.3 | 185.8 | 194.0 | 192.4 | 152.7 | 163.2 | 160.3 | 153.0 | 152.9 | 143.3 | 141.3 | **6,068.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **532.0** |
| H2O | 1958 | 14.3 | 13.5 | 20.3 | 116.9 | 54.8 | 56.3 | 117.2 | 116.5 | 115.4 | 129.4 | 131.2 | 124.2 | **1,045.6** |
| OIL | 1958 | 244.4 | 214.8 | 244.4 | 284.4 | 276.5 | 237.9 | 223.0 | 223.4 | 206.6 | 192.9 | 172.3 | 172.6 | **4,115.9** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 31.0 | 30.0 | 27.0 | 28.0 | 31.0 | **168.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 1.0 | 9.4 | 10.8 | 13.8 | **35.6** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 220.1 | 262.5 | 228.7 | 231.5 | 235.8 | 244.1 | **1,422.7** |

Licence ***1516*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***102.03-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Devonian Undifferentiated*** Field Code ***5*** Pool Code ***78*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1579.9 | 0.0 | 0.0 | **1,329,712.4** |
| WIN | 1967 | 11333.3 | 11626.7 | 13729.2 | 13729.0 | 10253.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,328,132.5** |
| WIN | 1966 | 10857.9 | 9348.9 | 10032.3 | 9897.0 | 11267.9 | 11145.9 | 11034.4 | 10856.0 | 10723.2 | 9674.5 | 8060.2 | 7661.8 | **1,267,460.9** |
| WIN | 1965 | 8956.3 | 8287.1 | 9193.8 | 9805.2 | 10133.4 | 10435.0 | 11092.1 | 10447.9 | 10115.4 | 10989.9 | 9820.5 | 10452.5 | **1,146,900.9** |
| WIN | 1964 | 8005.2 | 8033.6 | 8415.1 | 8077.7 | 9363.4 | 8934.7 | 9271.1 | 9267.4 | 8562.7 | 8556.2 | 7739.0 | 8809.5 | **1,027,171.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1516*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***102.03-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Devonian Undifferentiated*** Field Code ***5*** Pool Code ***78*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1963 | 7855.5 | 6801.6 | 7141.9 | 7441.9 | 9036.6 | 9278.9 | 8773.4 | 8538.5 | 8288.0 | 8868.9 | 7722.2 | 7372.1 | **924,136.2** |
| WIN | 1962 | 7173.5 | 7247.8 | 7494.7 | 8326.7 | 9741.8 | 9819.4 | 9641.8 | 9238.5 | 9010.5 | 8922.2 | 8114.4 | 8861.0 | **827,016.7** |
| WIN | 1961 | 10672.4 | 9706.0 | 10263.6 | 9649.2 | 10378.7 | 10746.9 | 10481.1 | 9234.0 | 10759.6 | 9344.0 | 8033.5 | 7473.5 | **723,424.4** |
| WIN | 1960 | 13883.7 | 12881.1 | 12830.6 | 12574.3 | 13462.7 | 12493.0 | 11569.3 | 11781.9 | 11226.3 | 11958.7 | 10281.5 | 10596.6 | **606,681.9** |
| WIN | 1959 | 15935.0 | 12216.7 | 16102.8 | 17608.2 | 18434.8 | 18009.0 | 17566.7 | 17163.7 | 16931.9 | 16986.9 | 16705.4 | 14698.2 | **461,142.2** |
| WIN | 1958 | 14892.3 | 13950.8 | 16065.1 | 14605.6 | 14189.0 | 14887.8 | 16669.2 | 16628.4 | 16783.7 | 17209.1 | 16681.5 | 16464.9 | **262,782.9** |
| WIN | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13800.6 | 15153.5 | 16279.6 | 13948.8 | 14573.0 | **73,755.5** |

UWI ***102.03-11-010-26W1.02*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **764.0** |
| H2O | 1975 | 237.5 | 216.2 | 228.1 | 234.3 | 232.3 | 221.6 | 233.7 | 559.8 | 716.4 | 748.0 | 712.9 | 762.2 | **8,899.0** |
| OIL | 1975 | 48.9 | 45.0 | 49.1 | 47.8 | 49.1 | 49.3 | 49.3 | 127.0 | 150.2 | 152.7 | 146.0 | 148.1 | **1,807.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 22.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **405.0** |
| H2O | 1974 | 291.6 | 323.5 | 370.7 | 323.8 | 291.6 | 247.7 | 331.5 | 231.2 | 214.5 | 226.4 | 231.5 | 240.2 | **3,796.0** |
| OIL | 1974 | 39.7 | 62.5 | 68.8 | 69.3 | 63.4 | 55.5 | 78.5 | 48.1 | 47.4 | 49.3 | 49.4 | 50.4 | **745.4** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 28.0 | **53.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 195.5 | 276.3 | **471.8** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.4 | 36.7 | **63.1** |

Licence ***1519*** Well Name ***Upton Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-20-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 3373.9 | 3621.8 | 4209.2 | 3857.9 | 3840.4 | 3982.6 | 2393.1 | 3145.7 | 3102.8 | 2961.4 | 3029.1 | 421.5 | **426,563.2** |
| WIN | 1974 | 4209.2 | 3816.5 | 3541.5 | 3729.1 | 4204.4 | 4147.9 | 3564.6 | 3174.3 | 3315.8 | 3786.3 | 3702.1 | 4333.2 | **388,623.8** |
| WIN | 1973 | 5346.9 | 4531.0 | 4832.8 | 3761.9 | 2783.0 | 3035.2 | 3152.1 | 3059.9 | 3557.4 | 3661.5 | 4117.7 | 4070.8 | **343,098.9** |
| WIN | 1972 | 2479.6 | 3204.6 | 3951.2 | 3729.9 | 2777.6 | 1656.2 | 1461.1 | 2336.8 | 2670.9 | 3212.1 | 3462.0 | 4456.6 | **297,188.7** |
| WIN | 1971 | 3530.7 | 3142.9 | 3726.7 | 3616.2 | 4088.3 | 3868.2 | 4208.9 | 4107.5 | 4244.7 | 4095.7 | 3345.5 | 2202.0 | **261,790.1** |
| WIN | 1970 | 3237.2 | 2905.4 | 3263.3 | 3080.4 | 3040.5 | 2508.1 | 2474.2 | 2675.3 | 2368.0 | 2027.8 | 2943.7 | 3650.4 | **217,612.8** |
| WIN | 1969 | 2917.1 | 2968.3 | 3322.3 | 3005.2 | 3358.3 | 2993.1 | 3157.4 | 3325.4 | 3133.7 | 2094.1 | 2334.1 | 2978.5 | **183,438.5** |
| WIN | 1968 | 1594.5 | 1406.6 | 2362.4 | 2405.7 | 2521.6 | 2087.9 | 2519.0 | 2508.7 | 2699.3 | 2955.0 | 2640.5 | 3021.1 | **147,851.0** |
| WIN | 1967 | 1202.8 | 1006.4 | 1312.8 | 1126.1 | 1015.6 | 1198.6 | 1179.4 | 1315.5 | 1249.2 | 1107.2 | 1307.4 | 1403.2 | **119,128.7** |
| WIN | 1966 | 1507.1 | 1557.9 | 1610.6 | 1467.2 | 1511.0 | 1127.1 | 1351.1 | 1326.0 | 1194.2 | 833.3 | 1121.5 | 1179.9 | **104,704.5** |
| WIN | 1965 | 1264.4 | 1110.1 | 1346.3 | 1048.9 | 1389.6 | 1317.7 | 1240.9 | 1390.0 | 1264.4 | 1420.9 | 1392.3 | 1372.7 | **88,917.6** |
| WIN | 1964 | 1330.1 | 1241.7 | 1243.3 | 1465.3 | 1260.9 | 1275.6 | 1214.8 | 1219.8 | 1342.7 | 1241.9 | 1137.1 | 1312.0 | **73,359.4** |
| WIN | 1963 | 745.3 | 1286.4 | 847.3 | 0.0 | 0.0 | 45.9 | 1182.2 | 1469.2 | 1602.5 | 1315.3 | 1297.8 | 1377.0 | **58,074.2** |
| WIN | 1962 | 1183.5 | 896.4 | 1377.8 | 1282.7 | 1150.0 | 938.4 | 1032.2 | 1378.4 | 1256.7 | 1157.9 | 1053.9 | 940.3 | **46,905.3** |
| WIN | 1961 | 1301.3 | 1091.5 | 1537.0 | 1126.8 | 1212.3 | 1090.5 | 1286.1 | 1109.8 | 1304.7 | 991.5 | 1111.5 | 1128.0 | **33,257.1** |
| WIN | 1960 | 570.0 | 727.2 | 623.1 | 376.5 | 766.2 | 761.7 | 636.6 | 660.6 | 724.2 | 390.6 | 232.9 | 817.5 | **18,966.1** |
| WIN | 1959 | 67.4 | 539.0 | 325.1 | 753.5 | 744.4 | 394.6 | 527.1 | 300.5 | 836.6 | 984.3 | 782.9 | 943.1 | **11,679.0** |
| WIN | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 172.2 | 1017.2 | 1015.2 | 1102.4 | 885.6 | 287.9 | **4,480.5** |

Licence ***1520*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-22-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,555.0** |
| H2O | 1975 | 65.7 | 57.7 | 65.8 | 63.0 | 298.6 | 296.5 | 325.8 | 329.7 | 313.8 | 385.7 | 347.5 | 365.0 | **30,138.6** |
| OIL | 1975 | 12.6 | 11.8 | 13.0 | 12.7 | 44.2 | 43.2 | 49.3 | 48.6 | 44.7 | 69.8 | 65.0 | 67.9 | **17,434.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,192.0** |
| H2O | 1974 | 308.1 | 277.6 | 308.6 | 291.7 | 280.6 | 319.7 | 329.4 | 254.4 | 237.4 | 252.0 | 249.6 | 68.0 | **27,223.8** |
| OIL | 1974 | 39.4 | 35.1 | 38.9 | 37.8 | 59.0 | 55.5 | 56.1 | 37.3 | 38.3 | 39.1 | 38.1 | 13.2 | **16,951.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1520*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-22-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 27.0 | 27.0 | 30.0 | 29.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,827.0** |
| H2O | 1973 | 69.6 | 387.3 | 415.6 | 366.4 | 393.3 | 354.4 | 338.8 | 425.1 | 381.4 | 348.5 | 268.7 | 307.8 | **24,046.7** |
| OIL | 1973 | 27.0 | 50.1 | 59.9 | 62.5 | 65.2 | 55.8 | 86.1 | 89.6 | 93.1 | 87.7 | 40.0 | 38.8 | **16,463.4** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **5,472.0** |
| H2O | 1972 | 137.7 | 128.3 | 109.7 | 104.4 | 108.3 | 104.8 | 104.0 | 95.1 | 89.3 | 94.9 | 77.3 | 71.5 | **19,989.8** |
| OIL | 1972 | 51.5 | 48.3 | 40.8 | 36.7 | 40.2 | 37.5 | 36.2 | 38.3 | 34.8 | 37.5 | 29.7 | 28.9 | **15,707.6** |
| DAY | 1971 | 31.0 | 24.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,108.0** |
| H2O | 1971 | 187.1 | 139.4 | 159.3 | 180.9 | 193.3 | 171.4 | 185.2 | 174.4 | 134.2 | 135.6 | 123.7 | 137.2 | **18,764.5** |
| OIL | 1971 | 56.4 | 42.1 | 48.0 | 54.0 | 54.5 | 43.9 | 45.8 | 45.9 | 44.3 | 42.9 | 43.9 | 52.0 | **15,247.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,751.0** |
| H2O | 1970 | 153.1 | 135.8 | 145.9 | 135.5 | 184.3 | 182.5 | 190.5 | 177.1 | 180.3 | 183.9 | 179.5 | 184.9 | **16,842.8** |
| OIL | 1970 | 51.3 | 45.1 | 47.7 | 42.9 | 61.0 | 56.9 | 58.5 | 53.9 | 54.0 | 54.7 | 50.1 | 59.9 | **14,673.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,386.0** |
| H2O | 1969 | 105.9 | 87.3 | 90.1 | 83.9 | 64.7 | 179.3 | 173.3 | 200.5 | 181.4 | 176.8 | 162.2 | 163.0 | **14,809.5** |
| OIL | 1969 | 38.1 | 33.7 | 35.6 | 31.8 | 29.9 | 73.1 | 65.5 | 68.8 | 59.3 | 59.9 | 55.6 | 52.8 | **14,037.5** |
| DAY | 1968 | 31.0 | 29.0 | 25.0 | 30.0 | 28.0 | 27.0 | 26.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **4,027.0** |
| H2O | 1968 | 172.3 | 152.8 | 161.7 | 161.2 | 142.1 | 187.8 | 53.4 | 114.1 | 112.2 | 120.5 | 113.0 | 117.5 | **13,141.1** |
| OIL | 1968 | 54.8 | 49.6 | 61.8 | 60.7 | 50.5 | 55.6 | 48.9 | 52.1 | 38.6 | 40.4 | 39.4 | 39.4 | **13,433.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 27.0 | 28.0 | 28.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,680.0** |
| H2O | 1967 | 115.7 | 118.3 | 82.4 | 153.9 | 104.1 | 205.4 | 214.1 | 200.5 | 185.7 | 174.7 | 169.8 | 170.4 | **11,532.5** |
| OIL | 1967 | 54.0 | 52.0 | 55.6 | 50.4 | 47.0 | 67.5 | 67.7 | 68.6 | 59.4 | 63.1 | 57.5 | 57.4 | **12,841.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 24.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 24.0 | 30.0 | 31.0 | **3,324.0** |
| H2O | 1966 | 201.0 | 156.1 | 178.7 | 146.9 | 149.1 | 154.1 | 179.2 | 178.9 | 118.4 | 114.1 | 137.7 | 130.8 | **9,637.5** |
| OIL | 1966 | 84.5 | 73.3 | 79.5 | 69.9 | 75.5 | 80.6 | 75.2 | 73.6 | 62.1 | 63.7 | 60.9 | 63.9 | **12,141.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 23.0 | 24.0 | 26.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,975.0** |
| H2O | 1965 | 120.3 | 103.3 | 115.4 | 97.6 | 73.8 | 156.1 | 235.9 | 212.9 | 194.6 | 216.4 | 189.3 | 193.2 | **7,792.5** |
| OIL | 1965 | 73.3 | 62.1 | 66.7 | 60.1 | 50.7 | 97.4 | 116.5 | 102.5 | 94.6 | 96.1 | 106.6 | 68.5 | **11,278.7** |
| DAY | 1964 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 25.0 | 31.0 | 30.0 | 31.0 | **2,632.0** |
| H2O | 1964 | 209.9 | 195.4 | 207.5 | 202.1 | 160.1 | 137.8 | 140.1 | 103.8 | 120.8 | 131.2 | 129.7 | 124.2 | **5,883.7** |
| OIL | 1964 | 140.8 | 135.7 | 137.1 | 127.6 | 131.7 | 121.6 | 119.0 | 69.6 | 89.5 | 94.1 | 83.7 | 83.4 | **10,283.6** |
| DAY | 1963 | 18.0 | 14.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 16.0 | 30.0 | 26.0 | 27.0 | 31.0 | **2,277.0** |
| H2O | 1963 | 12.7 | 11.0 | 23.1 | 22.9 | 20.8 | 23.4 | 24.8 | 14.5 | 23.2 | 69.5 | 80.9 | 132.7 | **4,021.1** |
| OIL | 1963 | 19.1 | 16.7 | 32.3 | 29.4 | 29.9 | 17.8 | 18.1 | 10.2 | 14.3 | 60.1 | 71.5 | 143.8 | **8,949.8** |
| DAY | 1962 | 30.0 | 26.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | **1,962.0** |
| H2O | 1962 | 62.2 | 53.4 | 50.1 | 47.1 | 49.3 | 21.3 | 26.4 | 23.7 | 21.8 | 23.5 | 23.5 | 24.0 | **3,561.6** |
| OIL | 1962 | 70.7 | 61.3 | 68.3 | 68.5 | 68.8 | 35.8 | 39.1 | 37.8 | 34.2 | 35.9 | 34.5 | 34.3 | **8,486.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,606.0** |
| H2O | 1961 | 56.6 | 47.2 | 45.6 | 35.3 | 48.3 | 55.0 | 52.9 | 49.4 | 49.0 | 47.5 | 46.9 | 46.6 | **3,135.3** |
| OIL | 1961 | 74.4 | 63.9 | 75.2 | 61.3 | 66.3 | 70.1 | 69.1 | 65.6 | 64.8 | 62.9 | 60.1 | 60.5 | **7,897.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,247.0** |
| H2O | 1960 | 64.9 | 62.2 | 62.2 | 39.4 | 49.9 | 59.5 | 60.4 | 62.0 | 58.5 | 54.2 | 73.4 | 56.4 | **2,555.0** |
| OIL | 1960 | 111.7 | 100.1 | 102.8 | 115.2 | 113.3 | 89.5 | 89.1 | 85.0 | 82.0 | 80.7 | 77.1 | 78.5 | **7,103.2** |
| DAY | 1959 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **881.0** |
| H2O | 1959 | 54.1 | 51.2 | 127.7 | 146.9 | 156.6 | 32.1 | 37.0 | 36.2 | 37.8 | 67.1 | 62.3 | 68.2 | **1,852.0** |
| OIL | 1959 | 192.9 | 171.1 | 90.4 | 81.4 | 81.0 | 149.5 | 159.9 | 157.2 | 145.9 | 120.9 | 113.3 | 111.7 | **5,978.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **518.0** |
| H2O | 1958 | 48.3 | 46.4 | 69.0 | 94.8 | 88.1 | 90.1 | 95.9 | 58.0 | 57.7 | 59.5 | 57.7 | 54.5 | **974.8** |
| OIL | 1958 | 308.8 | 273.6 | 308.8 | 223.3 | 251.9 | 216.8 | 239.6 | 216.4 | 200.7 | 207.2 | 200.1 | 200.4 | **4,403.0** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 31.0 | 25.0 | 25.0 | 29.0 | 31.0 | **154.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 40.5 | 29.4 | 37.7 | 46.6 | **154.8** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 144.1 | 260.1 | 263.0 | 273.2 | 307.8 | 307.2 | **1,555.4** |

# Manitoba Production
## 1950 To 1975

Licence ***1522*** Well Name ***Crescent Point Tilston*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-06-006-29W1.00*** Field Name ***Tilston*** Pool Name ***Mission Canyon 1 A*** Field Code ***2*** Pool Code ***44A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,103.0** |
| H2O | 1975 | 95.4 | 0.0 | 0.0 | 0.0 | 0.0 | 230.5 | 246.4 | 238.5 | 238.5 | 184.4 | 238.5 | 246.4 | **13,128.1** |
| OIL | 1975 | 23.1 | 0.0 | 0.0 | 0.0 | 0.0 | 72.2 | 75.0 | 75.8 | 61.5 | 56.0 | 54.0 | 48.3 | **3,886.7** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 22.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,859.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 457.9 | 209.9 | 295.7 | 222.6 | 238.5 | 246.4 | 222.6 | 238.5 | **11,409.5** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 95.9 | 73.5 | 97.5 | 85.0 | 83.5 | 78.5 | 64.4 | 62.2 | **3,420.8** |
| DAY | 1970 | 31.0 | 24.0 | 30.0 | 27.0 | 0.0 | 1.0 | 29.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,638.0** |
| H2O | 1970 | 439.6 | 324.3 | 405.4 | 376.0 | 0.0 | 15.1 | 438.0 | 151.0 | 0.0 | 0.0 | 0.0 | 0.0 | **9,277.4** |
| OIL | 1970 | 58.5 | 45.8 | 57.2 | 51.4 | 0.0 | 1.6 | 55.2 | 19.1 | 0.0 | 0.0 | 0.0 | 0.0 | **2,780.3** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 26.0 | 0.0 | 27.0 | 30.0 | 29.0 | 29.0 | 19.0 | **1,486.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 108.1 | 268.7 | 289.4 | 279.0 | 310.0 | 313.5 | 438.0 | 271.9 | **7,128.0** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 17.8 | 53.6 | 58.5 | 49.0 | 51.4 | 50.6 | 55.2 | 36.2 | **2,491.5** |
| DAY | 1968 | 29.0 | 6.0 | 21.0 | 7.0 | 10.0 | 30.0 | 29.0 | 14.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,318.0** |
| H2O | 1968 | 245.3 | 54.4 | 163.6 | 89.0 | 95.4 | 248.0 | 253.6 | 230.5 | 0.0 | 0.0 | 0.0 | 0.0 | **4,849.4** |
| OIL | 1968 | 71.2 | 15.9 | 47.5 | 16.4 | 24.6 | 68.5 | 67.3 | 28.8 | 0.0 | 0.0 | 0.0 | 0.0 | **2,119.2** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 31.0 | 16.0 | 29.0 | 30.0 | 31.0 | **1,172.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 256.4 | 312.3 | 160.4 | 345.8 | 188.6 | 221.8 | **3,469.6** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.1 | 18.8 | 39.3 | 126.8 | 81.4 | 93.5 | **1,779.0** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 20.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,004.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 86.8 | 114.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,984.3** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.1 | 16.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,403.1** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 29.0 | 25.0 | 24.0 | 29.0 | 21.0 | **954.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 80.1 | 90.6 | 144.2 | 161.7 | 342.9 | 225.3 | **1,782.6** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 38.5 | 27.2 | 29.6 | 32.0 | 36.6 | 22.9 | **1,361.9** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 31.0 | 23.0 | 20.0 | 8.0 | 0.0 | **805.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 71.4 | 25.3 | 46.4 | 86.8 | 103.5 | 0.0 | **737.8** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.7 | 25.6 | 27.8 | 22.7 | 17.8 | 0.0 | **1,175.1** |
| DAY | 1963 | 15.0 | 0.0 | 0.0 | 0.0 | 23.0 | 14.0 | 30.0 | 15.0 | 10.0 | 15.0 | 15.0 | 0.0 | **699.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 47.7 | 0.0 | 39.7 | 13.5 | 15.9 | 15.9 | 0.0 | **404.4** |
| OIL | 1963 | 7.9 | 0.0 | 0.0 | 0.0 | 43.9 | 24.6 | 31.8 | 25.1 | 41.8 | 31.8 | 23.8 | 38.4 | **1,070.5** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 10.0 | 0.0 | 15.0 | 2.0 | 0.0 | **562.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 47.7 | 15.9 | 0.0 | 0.0 | 0.0 | 0.0 | **271.7** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 47.1 | 15.9 | 0.0 | 9.5 | 1.6 | 0.0 | **801.4** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 30.0 | 0.0 | 0.0 | 0.0 | 30.0 | 0.0 | 0.0 | 0.0 | 25.0 | **513.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.3 | **208.1** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 25.4 | 0.0 | 0.0 | 0.0 | 34.0 | 0.0 | 0.0 | 0.0 | 21.9 | **727.3** |
| DAY | 1959 | 30.0 | 2.0 | 20.0 | 20.0 | 20.0 | 30.0 | 27.0 | 20.0 | 20.0 | 5.0 | 0.0 | 0.0 | **428.0** |
| H2O | 1959 | 0.0 | 3.8 | 23.4 | 16.2 | 14.3 | 17.5 | 15.1 | 25.4 | 17.8 | 10.3 | 0.0 | 0.0 | **206.0** |
| OIL | 1959 | 43.1 | 10.8 | 44.8 | 22.1 | 51.4 | 56.3 | 39.0 | 44.8 | 31.5 | 20.2 | 0.0 | 0.0 | **646.0** |
| DAY | 1958 | 30.0 | 28.0 | 10.0 | 10.0 | 8.0 | 11.0 | 5.0 | 6.0 | 6.0 | 0.0 | 0.0 | 0.0 | **234.0** |
| H2O | 1958 | 0.0 | 0.0 | 20.6 | 13.3 | 1.8 | 0.0 | 2.3 | 8.6 | 15.6 | 0.0 | 0.0 | 0.0 | **62.2** |
| OIL | 1958 | 7.9 | 7.9 | 32.4 | 44.5 | 12.9 | 47.1 | 15.7 | 25.3 | 37.7 | 0.0 | 0.0 | 0.0 | **282.0** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 30.0 | 30.0 | 30.0 | **120.0** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.7 | 11.2 | 7.9 | 7.9 | 7.9 | **50.6** |

Licence ***1525*** Well Name ***Can Delhi Scallion SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.16-17-011-26W1.00*** Field Name ***Virden*** Pool Name ***Ashville*** Field Code ***5*** Pool Code ***11*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1961 | 2872.2 | 2586.4 | 2827.6 | 2683.1 | 2980.9 | 2905.5 | 1751.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **108,941.8** |
| WIN | 1960 | 2854.1 | 2845.7 | 2514.4 | 2474.0 | 2558.3 | 2440.9 | 2599.3 | 2364.4 | 2428.7 | 2543.5 | 2710.3 | 2872.9 | **90,334.8** |
| WIN | 1959 | 2002.1 | 2081.1 | 2763.8 | 2430.8 | 2413.7 | 2630.8 | 2620.0 | 2813.8 | 2627.3 | 2310.8 | 2262.8 | 3045.3 | **59,128.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1525*** Well Name ***Can Delhi Scallion SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.16-17-011-26W1.00*** Field Name ***Virden*** Pool Name ***Ashville*** Field Code ***5*** Pool Code ***11*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1958 | 2290.2 | 2103.5 | 2269.0 | 2452.4 | 2062.0 | 2417.9 | 2774.7 | 2337.4 | 2091.1 | 2268.1 | 2327.8 | 2220.8 | **29,126.0** |
| WIN | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1511.1 | **1,511.1** |

Licence ***1526*** Well Name ***Recovery West Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-30-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 31.0 | 28.0 | 31.0 | 25.0 | 0.0 | 14.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,464.0** |
| H2O | 1964 | 75.8 | 74.6 | 89.2 | 67.1 | 0.0 | 59.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,040.3** |
| OIL | 1964 | 22.1 | 19.1 | 20.8 | 18.4 | 0.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,669.5** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 12.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 24.0 | 30.0 | 31.0 | **1,335.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 43.7 | 99.4 | 71.5 | 53.6 | 80.4 | 77.4 | 54.5 | 64.4 | 58.8 | **2,674.6** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 17.5 | 36.2 | 33.1 | 18.3 | 26.7 | 27.7 | 25.9 | 31.1 | 32.6 | **1,579.1** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 10.0 | 22.0 | 24.0 | 31.0 | 29.0 | 30.0 | 23.0 | 15.0 | 0.0 | **1,087.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 23.7 | 55.6 | 74.9 | 88.7 | 87.6 | 67.4 | 47.9 | 30.5 | 0.0 | **2,070.9** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 7.6 | 28.3 | 38.0 | 40.5 | 32.1 | 35.6 | 17.8 | 0.0 | 0.0 | **1,330.0** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 19.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 12.0 | 13.0 | 0.0 | **903.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 32.8 | 48.5 | 46.7 | 45.6 | 47.1 | 44.5 | 29.4 | 6.7 | 0.0 | **1,594.6** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 20.5 | 26.5 | 26.5 | 26.7 | 25.4 | 22.1 | 10.2 | 0.0 | 0.0 | **1,130.1** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 19.0 | 31.0 | 29.0 | 22.0 | 0.0 | 29.0 | 31.0 | 10.0 | 0.0 | **708.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 39.3 | 56.9 | 52.9 | 41.2 | 0.0 | 34.8 | 50.6 | 17.6 | 0.0 | **1,293.3** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 27.5 | 28.4 | 31.6 | 24.5 | 0.0 | 22.2 | 29.7 | 9.4 | 0.0 | **972.2** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 10.0 | 10.0 | 0.0 | **537.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 41.3 | 64.5 | 54.9 | 58.2 | 54.9 | 43.6 | 28.6 | 9.5 | 0.0 | **1,000.0** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 36.1 | 32.1 | 34.5 | 34.2 | 35.0 | 28.0 | 10.8 | 10.3 | 0.0 | **798.9** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 21.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 12.0 | 0.0 | **335.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 35.9 | 49.8 | 54.5 | 53.3 | 54.1 | 50.7 | 66.5 | 15.9 | 0.0 | **644.5** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 40.0 | 49.9 | 48.0 | 37.5 | 45.4 | 40.4 | 35.3 | 18.1 | 0.0 | **577.9** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 29.0 | 30.0 | 28.0 | 6.0 | **118.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 61.7 | 60.6 | 63.6 | 58.7 | 19.2 | **263.8** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 73.7 | 68.5 | 60.4 | 59.1 | 1.6 | **263.3** |

Licence ***1527*** Well Name ***Humber Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-34-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 29.0 | 29.0 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | **626.0** |
| H2O | 1959 | 314.9 | 302.5 | 323.3 | 290.7 | 271.9 | 273.9 | 242.3 | 64.2 | 0.0 | 0.0 | 0.0 | 0.0 | **3,393.0** |
| OIL | 1959 | 55.6 | 50.9 | 57.4 | 48.0 | 41.0 | 45.4 | 45.6 | 11.0 | 0.0 | 0.0 | 0.0 | 0.0 | **863.2** |
| DAY | 1958 | 29.0 | 14.0 | 0.0 | 27.0 | 27.0 | 22.0 | 18.0 | 26.0 | 30.0 | 27.0 | 28.0 | 30.0 | **412.0** |
| H2O | 1958 | 34.7 | 17.0 | 0.0 | 26.7 | 25.8 | 17.8 | 10.2 | 8.3 | 23.1 | 179.0 | 208.8 | 310.8 | **1,309.3** |
| OIL | 1958 | 26.5 | 11.8 | 0.0 | 23.0 | 19.7 | 15.1 | 9.5 | 9.9 | 14.9 | 24.0 | 23.5 | 53.7 | **508.3** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 29.0 | 29.0 | 27.0 | 29.0 | **134.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 90.0 | 138.6 | 146.3 | 37.7 | 34.5 | **447.1** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 68.6 | 82.6 | 62.6 | 33.5 | 29.4 | **276.7** |

Licence ***1528*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.14-22-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,552.0** |
| H2O | 1975 | 244.4 | 209.4 | 235.3 | 225.6 | 232.9 | 231.0 | 252.3 | 256.9 | 255.0 | 280.4 | 252.5 | 265.2 | **27,870.5** |
| OIL | 1975 | 54.2 | 49.1 | 53.9 | 52.3 | 57.0 | 55.6 | 62.9 | 62.8 | 59.9 | 65.0 | 60.5 | 63.1 | **17,147.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1528*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.14-22-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 31.0 | 28.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,187.0** |
| H2O | 1974 | 89.7 | 80.6 | 81.4 | 78.5 | 208.1 | 239.7 | 244.5 | 244.7 | 228.1 | 246.1 | 249.6 | 242.1 | **24,929.6** |
| OIL | 1974 | 39.4 | 35.1 | 35.4 | 35.1 | 59.0 | 55.9 | 56.1 | 49.4 | 50.4 | 52.1 | 54.5 | 54.5 | **16,450.7** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,826.0** |
| H2O | 1973 | 159.1 | 154.5 | 158.3 | 147.4 | 158.2 | 165.8 | 114.5 | 152.9 | 133.9 | 121.0 | 78.1 | 90.9 | **22,696.5** |
| OIL | 1973 | 68.2 | 64.0 | 73.3 | 62.5 | 65.2 | 65.0 | 55.3 | 61.5 | 62.0 | 57.8 | 40.0 | 39.6 | **15,873.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,464.0** |
| H2O | 1972 | 90.0 | 83.8 | 63.8 | 60.7 | 63.6 | 50.9 | 61.5 | 230.4 | 216.1 | 229.9 | 219.6 | 222.3 | **21,061.9** |
| OIL | 1972 | 33.8 | 31.9 | 49.3 | 44.3 | 49.1 | 38.1 | 44.8 | 92.8 | 84.1 | 90.7 | 82.6 | 88.2 | **15,159.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,102.0** |
| H2O | 1971 | 205.1 | 178.1 | 201.9 | 65.2 | 68.5 | 96.7 | 104.4 | 98.4 | 93.2 | 94.3 | 80.8 | 89.7 | **19,469.3** |
| OIL | 1971 | 78.5 | 68.0 | 77.2 | 71.0 | 70.4 | 39.9 | 41.6 | 41.8 | 24.0 | 23.4 | 28.9 | 34.3 | **14,429.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,737.0** |
| H2O | 1970 | 168.0 | 149.1 | 160.3 | 148.8 | 202.1 | 200.0 | 208.9 | 194.3 | 197.6 | 201.7 | 196.8 | 202.7 | **18,093.0** |
| OIL | 1970 | 71.5 | 62.9 | 66.3 | 59.9 | 84.7 | 78.8 | 81.4 | 75.0 | 75.0 | 76.0 | 69.3 | 83.3 | **13,830.7** |
| DAY | 1969 | 31.0 | 25.0 | 29.0 | 30.0 | 25.0 | 27.0 | 31.0 | 30.0 | 27.0 | 31.0 | 28.0 | 31.0 | **4,372.0** |
| H2O | 1969 | 146.1 | 104.3 | 116.2 | 116.5 | 96.2 | 166.8 | 172.5 | 203.7 | 173.8 | 177.4 | 166.1 | 178.9 | **15,862.7** |
| OIL | 1969 | 63.1 | 48.3 | 54.8 | 52.9 | 44.5 | 84.4 | 80.9 | 86.8 | 70.6 | 74.7 | 72.1 | 73.4 | **12,946.6** |
| DAY | 1968 | 31.0 | 29.0 | 27.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,027.0** |
| H2O | 1968 | 41.0 | 36.2 | 48.0 | 138.3 | 223.8 | 327.8 | 103.3 | 180.4 | 182.7 | 173.0 | 156.9 | 157.7 | **14,044.2** |
| OIL | 1968 | 71.7 | 65.0 | 32.3 | 67.1 | 95.3 | 92.6 | 90.1 | 78.7 | 75.5 | 69.4 | 65.5 | 63.4 | **12,140.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 27.0 | 29.0 | 26.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,670.0** |
| H2O | 1967 | 154.2 | 157.4 | 108.9 | 68.5 | 49.9 | 45.3 | 51.5 | 47.7 | 44.0 | 41.5 | 40.2 | 40.5 | **12,275.1** |
| OIL | 1967 | 73.3 | 70.4 | 74.8 | 90.9 | 91.4 | 82.0 | 89.8 | 89.8 | 77.7 | 82.6 | 75.2 | 75.0 | **11,273.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 24.0 | 26.0 | 29.0 | 18.0 | 31.0 | 29.0 | 24.0 | 28.0 | 31.0 | **3,315.0** |
| H2O | 1966 | 180.3 | 140.1 | 160.3 | 89.3 | 135.0 | 150.9 | 104.0 | 181.9 | 120.7 | 116.1 | 171.1 | 174.1 | **11,425.5** |
| OIL | 1966 | 111.2 | 96.3 | 104.6 | 49.1 | 72.6 | 83.7 | 46.4 | 79.6 | 67.4 | 69.0 | 76.9 | 86.6 | **10,300.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 23.0 | 25.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,985.0** |
| H2O | 1965 | 90.5 | 77.6 | 86.8 | 73.3 | 67.4 | 112.4 | 126.9 | 197.5 | 174.7 | 194.1 | 173.6 | 173.3 | **9,701.7** |
| OIL | 1965 | 44.2 | 37.5 | 40.2 | 36.2 | 37.2 | 56.3 | 69.9 | 139.4 | 124.4 | 126.5 | 143.5 | 90.3 | **9,357.2** |
| DAY | 1964 | 30.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 26.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,638.0** |
| H2O | 1964 | 143.4 | 133.5 | 141.8 | 138.2 | 152.3 | 140.2 | 139.9 | 120.3 | 98.1 | 98.4 | 97.3 | 93.3 | **8,153.6** |
| OIL | 1964 | 93.6 | 90.3 | 91.2 | 84.9 | 83.4 | 82.2 | 79.0 | 64.4 | 58.2 | 56.6 | 50.4 | 50.2 | **8,411.6** |
| DAY | 1963 | 22.0 | 14.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 22.0 | 30.0 | 29.0 | 27.0 | 28.0 | **2,283.0** |
| H2O | 1963 | 52.3 | 37.7 | 77.7 | 77.6 | 70.3 | 63.9 | 68.0 | 43.4 | 47.2 | 40.1 | 40.1 | 60.6 | **6,656.9** |
| OIL | 1963 | 34.0 | 24.5 | 46.7 | 42.7 | 43.2 | 43.1 | 43.9 | 29.7 | 28.6 | 23.5 | 22.2 | 45.0 | **7,527.2** |
| DAY | 1962 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 28.0 | **1,958.0** |
| H2O | 1962 | 93.3 | 83.1 | 72.7 | 68.0 | 71.1 | 72.3 | 54.1 | 81.9 | 82.5 | 80.8 | 79.5 | 80.9 | **5,978.0** |
| OIL | 1962 | 49.7 | 44.5 | 46.1 | 46.1 | 46.6 | 51.8 | 56.7 | 55.9 | 55.6 | 53.2 | 50.1 | 49.9 | **7,100.1** |
| DAY | 1961 | 31.0 | 28.0 | 29.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,599.0** |
| H2O | 1961 | 123.5 | 103.3 | 78.1 | 64.5 | 74.7 | 78.9 | 76.6 | 71.5 | 63.8 | 68.7 | 67.7 | 67.6 | **5,057.8** |
| OIL | 1961 | 89.8 | 77.1 | 47.5 | 41.5 | 47.8 | 46.7 | 46.7 | 44.3 | 39.4 | 42.6 | 40.7 | 40.8 | **6,493.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,243.0** |
| H2O | 1960 | 101.6 | 97.1 | 97.5 | 109.2 | 58.8 | 57.2 | 58.0 | 59.6 | 56.0 | 52.0 | 65.2 | 123.4 | **4,118.9** |
| OIL | 1960 | 51.5 | 45.9 | 47.2 | 44.5 | 89.3 | 85.3 | 84.9 | 81.2 | 78.2 | 77.1 | 68.2 | 95.0 | **5,889.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **879.0** |
| H2O | 1959 | 119.6 | 112.9 | 111.1 | 125.1 | 133.2 | 183.6 | 163.9 | 159.9 | 200.0 | 104.9 | 97.3 | 106.8 | **3,183.3** |
| OIL | 1959 | 150.8 | 133.8 | 168.4 | 148.3 | 148.1 | 122.4 | 82.6 | 81.0 | 35.9 | 55.8 | 52.1 | 51.5 | **5,040.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **515.0** |
| H2O | 1958 | 103.7 | 99.7 | 68.8 | 50.2 | 118.4 | 122.6 | 113.0 | 127.2 | 127.5 | 131.2 | 127.3 | 120.5 | **1,565.0** |
| OIL | 1958 | 290.6 | 257.6 | 270.6 | 230.4 | 189.1 | 147.6 | 172.6 | 163.2 | 152.4 | 161.8 | 156.2 | 156.5 | **3,810.0** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 31.0 | 28.0 | 28.0 | 29.0 | 30.0 | **151.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1528*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.14-22-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.6 | 7.8 | 68.2 | 78.4 | 94.9 | **254.9** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 71.8 | 290.6 | 240.4 | 285.7 | 289.9 | 283.0 | **1,461.4** |

Licence ***1530*** Well Name ***Mineraloid Homestead*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-32-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 23.0 | 25.0 | 11.0 | 0.0 | 0.0 | **60.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 284.0 | 730.6 | 230.9 | 0.0 | 0.0 | **1,246.3** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.5 | 23.8 | 48.1 | 14.9 | 0.0 | 0.0 | **96.3** |

Licence ***1531*** Well Name ***Fargo et al Scallion SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-34-011-26W1.00*** Field Name ***Virden*** Pool Name ***Ashville*** Field Code ***5*** Pool Code ***11*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1963 | 611.2 | 1096.1 | 1662.8 | 2220.0 | 1227.0 | 1112.2 | 1263.6 | 1014.1 | 56.9 | 0.0 | 0.0 | 0.0 | **63,202.8** |
| WIN | 1962 | 1154.0 | 979.9 | 1062.6 | 1017.4 | 1002.6 | 978.5 | 987.2 | 1082.3 | 947.2 | 984.8 | 887.7 | 771.4 | **52,938.9** |
| WIN | 1961 | 670.8 | 504.0 | 592.1 | 530.2 | 710.7 | 655.7 | 609.6 | 608.3 | 453.7 | 755.2 | 1113.3 | 1173.4 | **41,083.3** |
| WIN | 1960 | 489.2 | 517.7 | 605.4 | 427.0 | 395.9 | 403.7 | 950.7 | 726.4 | 696.5 | 722.9 | 768.7 | 620.7 | **32,706.3** |
| WIN | 1959 | 991.5 | 834.4 | 1069.4 | 1204.6 | 1015.4 | 1127.5 | 1213.8 | 1093.8 | 1216.8 | 1266.1 | 1610.0 | 890.4 | **25,381.5** |
| WIN | 1958 | 525.0 | 1366.3 | 1280.4 | 578.7 | 1147.5 | 1097.9 | 1020.3 | 910.6 | 871.2 | 1042.2 | 1019.8 | 843.2 | **11,847.8** |
| WIN | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 64.1 | 80.6 | **144.7** |

Licence ***1533*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-21-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,671.0** |
| H2O | 1975 | 465.2 | 394.7 | 448.0 | 393.6 | 242.6 | 244.5 | 396.5 | 273.0 | 271.1 | 333.7 | 209.2 | 219.9 | **43,501.6** |
| OIL | 1975 | 79.3 | 71.2 | 78.8 | 85.3 | 87.6 | 78.2 | 97.3 | 102.0 | 97.7 | 99.8 | 98.5 | 102.8 | **37,986.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,306.0** |
| H2O | 1974 | 149.3 | 134.5 | 165.0 | 156.0 | 76.5 | 338.6 | 382.0 | 393.8 | 337.8 | 346.7 | 450.1 | 464.5 | **39,609.6** |
| OIL | 1974 | 93.8 | 83.7 | 89.1 | 86.4 | 101.4 | 104.4 | 91.1 | 105.5 | 100.7 | 99.3 | 96.6 | 80.6 | **36,908.1** |
| DAY | 1973 | 31.0 | 27.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,942.0** |
| H2O | 1973 | 276.9 | 279.2 | 225.8 | 275.4 | 256.8 | 291.7 | 292.4 | 337.4 | 293.3 | 290.5 | 151.8 | 141.8 | **36,214.8** |
| OIL | 1973 | 99.8 | 94.9 | 107.4 | 103.1 | 103.5 | 111.6 | 104.7 | 101.4 | 109.3 | 99.2 | 91.7 | 94.1 | **35,775.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,582.0** |
| H2O | 1972 | 369.8 | 326.9 | 361.0 | 335.1 | 351.0 | 369.6 | 335.9 | 324.5 | 298.1 | 321.6 | 308.9 | 264.9 | **33,101.8** |
| OIL | 1972 | 110.9 | 113.1 | 125.4 | 120.8 | 123.3 | 134.1 | 117.8 | 122.0 | 103.1 | 111.9 | 98.8 | 102.0 | **34,554.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,217.0** |
| H2O | 1971 | 284.7 | 231.6 | 122.9 | 297.8 | 318.1 | 276.0 | 336.2 | 325.3 | 267.4 | 270.3 | 255.5 | 292.7 | **29,134.5** |
| OIL | 1971 | 134.9 | 117.1 | 50.7 | 141.9 | 126.0 | 137.5 | 124.3 | 145.9 | 120.3 | 120.3 | 109.6 | 121.6 | **33,171.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,852.0** |
| H2O | 1970 | 312.1 | 285.7 | 317.6 | 327.0 | 276.1 | 314.9 | 328.6 | 305.6 | 311.1 | 317.5 | 309.7 | 281.2 | **25,856.0** |
| OIL | 1970 | 158.6 | 145.4 | 161.0 | 143.8 | 150.3 | 140.0 | 144.1 | 133.0 | 133.0 | 147.6 | 134.9 | 143.2 | **31,721.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,487.0** |
| H2O | 1969 | 254.1 | 228.9 | 239.3 | 264.7 | 319.1 | 324.0 | 304.0 | 299.2 | 326.5 | 300.0 | 302.2 | 316.8 | **22,168.9** |
| OIL | 1969 | 158.3 | 138.3 | 151.4 | 165.9 | 181.0 | 174.6 | 173.1 | 172.9 | 167.7 | 150.3 | 158.8 | 164.6 | **29,986.6** |
| DAY | 1968 | 31.0 | 26.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,122.0** |
| H2O | 1968 | 312.1 | 291.3 | 313.0 | 305.2 | 280.0 | 277.3 | 285.2 | 252.8 | 182.0 | 190.3 | 160.1 | 172.7 | **18,690.1** |
| OIL | 1968 | 152.2 | 154.1 | 191.8 | 201.8 | 187.2 | 183.4 | 190.5 | 185.6 | 151.4 | 179.4 | 169.7 | 169.1 | **28,029.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,761.0** |
| H2O | 1967 | 250.2 | 221.3 | 246.6 | 254.8 | 231.8 | 250.1 | 240.5 | 216.7 | 273.9 | 316.1 | 313.3 | 270.9 | **15,668.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1533*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-21-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1967 | 201.8 | 184.0 | 199.4 | 200.5 | 163.7 | 155.7 | 157.0 | 156.2 | 145.1 | 166.4 | 157.3 | 150.8 | **25,913.5** |
| DAY | 1966 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,396.0** |
| H2O | 1966 | 207.9 | 203.7 | 138.3 | 263.4 | 266.1 | 253.3 | 273.4 | 242.3 | 226.5 | 260.6 | 247.4 | 250.4 | **12,581.9** |
| OIL | 1966 | 192.4 | 182.7 | 126.8 | 228.5 | 230.6 | 216.4 | 249.6 | 215.3 | 204.5 | 209.4 | 205.3 | 208.2 | **23,875.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,034.0** |
| H2O | 1965 | 99.7 | 88.4 | 63.1 | 145.1 | 209.7 | 240.4 | 243.7 | 228.6 | 225.1 | 232.6 | 218.9 | 211.4 | **9,748.6** |
| OIL | 1965 | 154.3 | 133.6 | 89.3 | 148.4 | 226.8 | 231.5 | 247.9 | 229.9 | 211.7 | 230.9 | 186.2 | 196.3 | **21,405.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,670.0** |
| H2O | 1964 | 115.4 | 114.0 | 122.4 | 119.6 | 134.5 | 128.8 | 113.5 | 110.7 | 109.5 | 92.2 | 93.0 | 102.4 | **7,541.9** |
| OIL | 1964 | 171.8 | 186.4 | 162.7 | 163.0 | 168.0 | 166.7 | 168.9 | 163.8 | 153.5 | 150.3 | 149.2 | 151.4 | **19,119.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,304.0** |
| H2O | 1963 | 104.6 | 69.8 | 76.8 | 92.2 | 90.1 | 59.1 | 56.6 | 47.7 | 167.6 | 173.8 | 161.8 | 129.6 | **6,185.9** |
| OIL | 1963 | 160.2 | 141.6 | 157.3 | 147.5 | 144.3 | 110.3 | 102.5 | 86.1 | 194.5 | 197.7 | 201.3 | 193.9 | **17,163.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,940.0** |
| H2O | 1962 | 127.2 | 103.2 | 119.2 | 108.7 | 106.0 | 101.9 | 119.9 | 134.8 | 123.4 | 115.3 | 105.1 | 120.0 | **4,956.2** |
| OIL | 1962 | 244.7 | 222.6 | 242.0 | 220.9 | 215.2 | 216.0 | 209.0 | 222.8 | 197.5 | 189.7 | 170.0 | 174.6 | **15,326.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,575.0** |
| H2O | 1961 | 152.3 | 113.5 | 137.7 | 128.0 | 131.3 | 127.8 | 142.1 | 171.5 | 128.1 | 140.9 | 132.9 | 102.1 | **3,571.5** |
| OIL | 1961 | 309.1 | 276.1 | 301.0 | 281.7 | 284.8 | 292.2 | 274.5 | 282.7 | 274.4 | 285.1 | 264.0 | 252.0 | **12,801.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,210.0** |
| H2O | 1960 | 38.5 | 27.2 | 18.4 | 20.0 | 21.8 | 4.8 | 21.5 | 19.6 | 21.0 | 112.9 | 141.3 | 133.4 | **1,963.3** |
| OIL | 1960 | 143.0 | 128.1 | 117.1 | 89.6 | 87.2 | 84.2 | 81.8 | 76.8 | 73.9 | 226.1 | 302.2 | 304.8 | **9,423.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **845.0** |
| H2O | 1959 | 64.9 | 58.5 | 71.4 | 71.7 | 74.1 | 64.4 | 80.9 | 91.3 | 73.9 | 79.0 | 66.0 | 44.8 | **1,382.9** |
| OIL | 1959 | 294.3 | 271.2 | 302.7 | 261.8 | 284.4 | 270.9 | 284.8 | 302.6 | 254.0 | 213.4 | 195.5 | 195.3 | **7,708.8** |
| DAY | 1958 | 31.0 | 20.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **486.0** |
| H2O | 1958 | 49.9 | 33.4 | 20.3 | 13.2 | 5.6 | 26.4 | 62.0 | 51.5 | 51.5 | 56.4 | 62.3 | 64.4 | **542.0** |
| OIL | 1958 | 330.1 | 205.5 | 213.7 | 188.9 | 187.5 | 180.8 | 339.8 | 329.4 | 313.8 | 324.3 | 308.3 | 310.2 | **4,577.9** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 28.0 | 27.0 | 29.0 | 31.0 | **129.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 7.3 | 4.8 | 12.9 | 19.9 | **45.1** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 178.0 | 289.2 | 304.6 | 290.8 | 283.0 | **1,345.6** |

Licence ***1534*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,857.0** |
| H2O | 1969 | 301.3 | 267.1 | 290.9 | 238.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **21,149.6** |
| OIL | 1969 | 20.8 | 14.6 | 15.4 | 13.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,229.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 20.0 | 30.0 | 31.0 | **3,737.0** |
| H2O | 1968 | 128.3 | 115.3 | 123.2 | 119.2 | 123.2 | 115.3 | 123.2 | 123.2 | 119.2 | 97.0 | 276.5 | 320.1 | **20,052.1** |
| OIL | 1968 | 31.9 | 31.5 | 26.2 | 28.6 | 28.6 | 27.7 | 25.6 | 23.8 | 23.5 | 14.9 | 37.2 | 25.9 | **7,165.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,383.0** |
| H2O | 1967 | 221.8 | 196.5 | 197.6 | 188.2 | 173.8 | 176.5 | 179.6 | 169.0 | 166.9 | 172.5 | 147.2 | 135.8 | **18,268.4** |
| OIL | 1967 | 57.2 | 45.4 | 44.7 | 38.0 | 38.9 | 38.1 | 34.5 | 31.6 | 28.6 | 29.6 | 26.7 | 32.4 | **6,840.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 23.0 | 24.0 | 31.0 | 28.0 | 30.0 | **3,022.0** |
| H2O | 1966 | 197.1 | 178.1 | 174.1 | 141.5 | 100.1 | 95.4 | 98.6 | 73.1 | 178.2 | 238.0 | 215.9 | 220.8 | **16,143.0** |
| OIL | 1966 | 34.5 | 31.1 | 34.5 | 32.7 | 29.4 | 28.6 | 29.6 | 21.9 | 63.1 | 65.5 | 54.2 | 57.7 | **6,394.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 25.0 | 31.0 | **2,676.0** |
| H2O | 1965 | 197.1 | 178.1 | 197.1 | 190.8 | 187.6 | 184.4 | 197.1 | 159.6 | 162.2 | 167.6 | 150.6 | 197.1 | **14,232.1** |
| OIL | 1965 | 62.0 | 55.6 | 59.1 | 53.6 | 50.9 | 46.1 | 49.3 | 31.5 | 29.9 | 31.6 | 28.8 | 34.5 | **5,911.8** |
| DAY | 1964 | 29.0 | 29.0 | 31.0 | 30.0 | 30.0 | 25.0 | 31.0 | 31.0 | 19.0 | 28.0 | 30.0 | 31.0 | **2,320.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1534*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1964 | 140.7 | 138.3 | 147.9 | 143.1 | 142.1 | 83.8 | 46.6 | 29.6 | 41.0 | 209.9 | 207.4 | 195.5 | **12,062.8** |
| OIL | 1964 | 23.4 | 23.0 | 23.0 | 19.1 | 24.0 | 21.6 | 21.1 | 14.8 | 12.4 | 64.0 | 66.9 | 62.9 | **5,378.9** |
| DAY | 1963 | 29.0 | 28.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,976.0** |
| H2O | 1963 | 198.7 | 178.1 | 194.0 | 190.8 | 139.9 | 119.3 | 123.3 | 135.2 | 143.1 | 147.9 | 143.1 | 147.9 | **10,536.9** |
| OIL | 1963 | 51.3 | 44.5 | 45.9 | 45.3 | 37.7 | 32.9 | 29.6 | 28.4 | 28.6 | 29.6 | 24.2 | 24.6 | **5,002.7** |
| DAY | 1962 | 26.0 | 10.0 | 6.0 | 17.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,617.0** |
| H2O | 1962 | 94.6 | 42.1 | 19.1 | 46.1 | 144.7 | 151.9 | 200.2 | 221.8 | 214.6 | 221.8 | 214.6 | 221.8 | **8,675.6** |
| OIL | 1962 | 32.6 | 12.9 | 5.7 | 15.6 | 24.6 | 46.6 | 92.0 | 83.0 | 71.4 | 73.9 | 68.0 | 68.5 | **4,580.1** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 31.0 | 28.0 | 0.0 | 10.0 | 23.0 | 31.0 | **1,316.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.8 | 49.3 | 23.8 | 0.0 | 17.3 | 96.9 | 152.7 | **6,882.3** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.4 | 24.5 | 11.8 | 0.0 | 8.6 | 35.8 | 38.0 | **3,985.3** |
| DAY | 1960 | 31.0 | 29.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 9.0 | **1,177.0** |
| H2O | 1960 | 190.8 | 151.1 | 138.4 | 120.9 | 135.2 | 125.6 | 96.9 | 109.6 | 93.8 | 104.9 | 73.1 | 17.5 | **6,517.5** |
| OIL | 1960 | 73.9 | 69.1 | 69.1 | 63.6 | 49.3 | 25.4 | 35.0 | 26.2 | 23.8 | 25.4 | 23.8 | 7.2 | **3,857.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | 30.0 | 30.0 | 30.0 | 29.0 | 29.0 | **836.0** |
| H2O | 1959 | 243.2 | 217.8 | 230.5 | 192.4 | 198.7 | 171.7 | 164.6 | 197.1 | 167.0 | 174.9 | 152.7 | 178.1 | **5,159.7** |
| OIL | 1959 | 122.4 | 111.2 | 123.2 | 108.1 | 98.5 | 79.5 | 87.4 | 89.8 | 83.4 | 71.5 | 75.5 | 70.7 | **3,365.4** |
| DAY | 1958 | 28.0 | 26.0 | 28.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **480.0** |
| H2O | 1958 | 198.7 | 181.1 | 201.3 | 235.1 | 214.9 | 182.8 | 162.2 | 170.1 | 176.5 | 190.8 | 210.7 | 246.4 | **2,871.0** |
| OIL | 1958 | 158.7 | 143.4 | 151.3 | 129.6 | 132.3 | 122.4 | 125.4 | 113.5 | 115.1 | 98.5 | 97.4 | 123.2 | **2,244.2** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 25.0 | 29.0 | 30.0 | 30.0 | **129.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 32.1 | 78.4 | 120.2 | 140.4 | 129.3 | **500.4** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 138.8 | 190.5 | 134.3 | 126.4 | 143.4 | **733.4** |

Licence ***1536*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-36-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,432.0** |
| H2O | 1975 | 228.3 | 201.9 | 240.7 | 231.0 | 256.9 | 228.1 | 227.3 | 237.8 | 214.6 | 173.6 | 169.7 | 174.3 | **34,081.5** |
| OIL | 1975 | 27.8 | 24.8 | 28.1 | 26.2 | 27.5 | 25.7 | 27.0 | 27.7 | 28.0 | 19.2 | 23.2 | 23.8 | **7,350.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,067.0** |
| H2O | 1974 | 204.6 | 266.3 | 323.8 | 291.9 | 259.1 | 281.2 | 190.5 | 231.0 | 232.3 | 238.5 | 208.0 | 228.6 | **31,497.3** |
| OIL | 1974 | 99.8 | 24.9 | 27.7 | 26.5 | 27.2 | 26.4 | 23.2 | 28.3 | 26.5 | 27.3 | 25.7 | 27.5 | **7,041.5** |
| DAY | 1973 | 31.0 | 26.0 | 30.0 | 29.0 | 30.0 | 30.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 25.0 | **3,707.0** |
| H2O | 1973 | 259.6 | 222.6 | 270.4 | 244.2 | 252.3 | 269.0 | 287.3 | 333.0 | 319.0 | 180.8 | 168.7 | 158.5 | **28,541.5** |
| OIL | 1973 | 35.8 | 29.9 | 35.1 | 49.1 | 48.3 | 48.1 | 46.2 | 49.3 | 45.0 | 106.0 | 100.4 | 78.2 | **6,650.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 27.0 | 7.0 | 28.0 | 14.0 | 30.0 | 29.0 | 30.0 | 29.0 | 30.0 | **3,357.0** |
| H2O | 1972 | 160.0 | 161.6 | 162.0 | 117.9 | 28.1 | 213.7 | 102.0 | 134.4 | 128.7 | 243.6 | 233.4 | 215.6 | **25,576.1** |
| OIL | 1972 | 32.3 | 31.1 | 32.9 | 27.8 | 6.5 | 33.2 | 15.9 | 0.0 | 0.0 | 35.4 | 35.3 | 35.9 | **5,979.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | **3,042.0** |
| H2O | 1971 | 191.6 | 190.1 | 204.8 | 194.3 | 213.8 | 176.1 | 186.3 | 65.2 | 261.0 | 286.2 | 249.8 | 138.8 | **23,675.1** |
| OIL | 1971 | 84.2 | 76.3 | 85.3 | 74.8 | 41.3 | 39.9 | 42.4 | 41.8 | 60.9 | 63.7 | 58.3 | 30.5 | **5,692.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **2,682.0** |
| H2O | 1970 | 236.6 | 224.5 | 273.8 | 246.7 | 253.9 | 237.2 | 229.6 | 186.5 | 203.2 | 204.1 | 147.5 | 162.3 | **21,317.1** |
| OIL | 1970 | 59.3 | 52.6 | 58.3 | 56.6 | 57.7 | 51.8 | 57.7 | 80.1 | 78.7 | 80.9 | 66.4 | 83.4 | **4,993.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,322.0** |
| H2O | 1969 | 255.3 | 208.9 | 254.1 | 253.6 | 272.0 | 260.6 | 275.0 | 249.3 | 238.2 | 260.7 | 246.7 | 264.7 | **18,711.2** |
| OIL | 1969 | 69.4 | 59.6 | 67.1 | 69.6 | 67.7 | 67.5 | 68.6 | 68.6 | 64.5 | 58.2 | 54.0 | 59.3 | **4,209.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,957.0** |
| H2O | 1968 | 240.5 | 233.7 | 279.8 | 298.2 | 200.3 | 227.8 | 258.0 | 265.7 | 236.4 | 238.6 | 237.2 | 255.6 | **15,672.1** |
| OIL | 1968 | 52.1 | 45.6 | 52.4 | 55.1 | 23.0 | 57.2 | 50.5 | 50.9 | 49.6 | 68.0 | 66.4 | 69.3 | **3,435.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1536*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-36-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,591.0** |
| H2O | 1967 | 249.9 | 213.0 | 241.5 | 227.3 | 232.4 | 224.5 | 228.6 | 251.3 | 232.4 | 246.7 | 255.0 | 257.5 | **12,700.3** |
| OIL | 1967 | 51.6 | 44.8 | 50.5 | 48.3 | 47.4 | 45.1 | 53.4 | 52.4 | 48.0 | 53.6 | 53.1 | 53.6 | **2,795.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,231.0** |
| H2O | 1966 | 280.8 | 269.2 | 269.0 | 211.1 | 229.2 | 224.0 | 213.0 | 250.6 | 222.3 | 222.6 | 186.0 | 255.3 | **9,840.2** |
| OIL | 1966 | 59.6 | 53.7 | 66.4 | 60.7 | 57.2 | 49.3 | 49.4 | 48.6 | 50.7 | 54.3 | 44.8 | 51.5 | **2,193.9** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 16.0 | 28.0 | 28.0 | 31.0 | 27.0 | 25.0 | 31.0 | 30.0 | 31.0 | **868.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 173.8 | 205.4 | 202.2 | 0.0 | 464.5 | 432.7 | 208.7 | 213.8 | 232.1 | **7,007.1** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 29.2 | 52.3 | 43.4 | 42.0 | 38.5 | 31.0 | 36.7 | 39.1 | 47.5 | **1,547.7** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 28.0 | 26.0 | 31.0 | 18.0 | 0.0 | **621.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 234.0 | 324.3 | 303.3 | 360.1 | 188.9 | 0.0 | **4,873.9** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.2 | 55.8 | 58.2 | 69.3 | 39.6 | 0.0 | **1,188.0** |
| DAY | 1959 | 31.0 | 14.0 | 28.0 | 20.0 | 24.0 | 27.0 | 30.0 | 19.0 | 0.0 | 0.0 | 0.0 | 0.0 | **505.0** |
| H2O | 1959 | 193.6 | 113.8 | 235.4 | 166.0 | 96.3 | 162.8 | 207.9 | 202.7 | 0.0 | 0.0 | 0.0 | 0.0 | **3,463.3** |
| OIL | 1959 | 56.3 | 24.6 | 56.1 | 36.9 | 7.6 | 15.1 | 29.4 | 18.3 | 0.0 | 0.0 | 0.0 | 0.0 | **935.9** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 23.0 | 31.0 | 27.0 | 30.0 | 15.0 | 27.0 | 31.0 | 0.0 | 0.0 | **312.0** |
| H2O | 1958 | 175.2 | 194.9 | 210.5 | 182.4 | 215.3 | 176.9 | 193.3 | 100.2 | 184.1 | 218.1 | 0.0 | 0.0 | **2,084.8** |
| OIL | 1958 | 82.2 | 92.3 | 73.4 | 48.1 | 70.4 | 55.1 | 55.6 | 26.1 | 45.9 | 52.9 | 0.0 | 0.0 | **691.6** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 31.0 | **38.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 64.1 | 169.8 | **233.9** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 62.6 | **89.6** |

Licence ***1538*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-34-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 0.0 | **6,192.0** |
| H2O | 1974 | 92.4 | 84.9 | 95.9 | 91.6 | 96.5 | 48.2 | 52.0 | 47.7 | 46.4 | 46.3 | 47.2 | 0.0 | **9,593.9** |
| OIL | 1974 | 35.4 | 30.7 | 35.4 | 33.2 | 35.1 | 16.2 | 18.0 | 17.8 | 17.0 | 16.8 | 16.5 | 0.0 | **9,739.6** |
| DAY | 1973 | 27.0 | 25.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 25.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,863.0** |
| H2O | 1973 | 26.4 | 82.2 | 95.5 | 95.2 | 96.5 | 95.9 | 92.5 | 81.4 | 101.1 | 98.1 | 95.5 | 92.7 | **8,844.8** |
| OIL | 1973 | 15.7 | 27.5 | 32.7 | 31.9 | 33.5 | 33.5 | 33.4 | 29.2 | 35.0 | 34.3 | 34.0 | 34.5 | **9,467.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 22.0 | 31.0 | **5,516.0** |
| H2O | 1972 | 39.0 | 37.2 | 41.8 | 37.2 | 45.2 | 45.2 | 50.1 | 47.4 | 47.4 | 25.8 | 18.6 | 25.9 | **7,791.8** |
| OIL | 1972 | 69.4 | 63.2 | 70.4 | 67.2 | 13.8 | 13.3 | 13.7 | 14.0 | 13.3 | 14.1 | 9.7 | 14.0 | **9,092.3** |
| DAY | 1971 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 20.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,158.0** |
| H2O | 1971 | 61.2 | 53.3 | 63.8 | 63.9 | 38.6 | 25.6 | 27.0 | 36.9 | 32.9 | 36.7 | 35.3 | 41.7 | **7,331.0** |
| OIL | 1971 | 72.6 | 61.8 | 71.0 | 67.5 | 73.3 | 47.5 | 51.5 | 71.5 | 70.6 | 73.1 | 69.0 | 70.7 | **8,716.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,813.0** |
| H2O | 1970 | 81.1 | 76.2 | 79.6 | 73.6 | 75.8 | 76.9 | 70.3 | 67.2 | 62.6 | 65.0 | 59.3 | 65.8 | **6,814.1** |
| OIL | 1970 | 98.4 | 88.5 | 96.6 | 93.4 | 96.3 | 94.2 | 96.8 | 69.0 | 65.8 | 69.4 | 66.6 | 69.8 | **7,916.1** |
| DAY | 1969 | 31.0 | 23.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,448.0** |
| H2O | 1969 | 70.7 | 52.8 | 57.9 | 61.5 | 65.3 | 64.9 | 70.3 | 70.6 | 75.5 | 85.8 | 76.8 | 84.3 | **5,960.7** |
| OIL | 1969 | 19.4 | 14.1 | 18.1 | 18.3 | 18.3 | 18.6 | 19.2 | 19.2 | 92.5 | 101.4 | 97.1 | 101.9 | **6,911.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,091.0** |
| H2O | 1968 | 39.9 | 37.8 | 40.2 | 41.3 | 43.2 | 38.0 | 42.6 | 39.0 | 65.0 | 68.8 | 63.4 | 67.4 | **5,124.3** |
| OIL | 1968 | 75.0 | 68.6 | 73.7 | 73.3 | 73.4 | 69.3 | 76.6 | 76.4 | 18.6 | 19.5 | 18.8 | 19.4 | **6,373.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,726.0** |
| H2O | 1967 | 115.9 | 95.7 | 115.1 | 107.2 | 107.3 | 101.1 | 79.6 | 99.2 | 87.0 | 42.9 | 37.8 | 41.3 | **4,537.7** |
| OIL | 1967 | 57.2 | 50.9 | 57.2 | 55.1 | 56.9 | 54.5 | 56.6 | 47.8 | 46.2 | 75.6 | 73.7 | 74.8 | **5,710.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,361.0** |
| H2O | 1966 | 20.7 | 16.5 | 21.0 | 21.8 | 24.3 | 20.0 | 102.4 | 99.8 | 110.0 | 113.0 | 112.9 | 121.9 | **3,507.6** |

# Manitoba Production
## 1950 To 1975

Licence ***1538*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-34-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1966 | 25.3 | 22.2 | 24.8 | 24.2 | 25.4 | 22.6 | 59.0 | 61.0 | 56.1 | 58.0 | 54.5 | 57.5 | **5,004.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,000.0** |
| H2O | 1965 | 22.4 | 20.0 | 22.9 | 20.0 | 20.3 | 19.4 | 19.4 | 19.6 | 19.7 | 19.6 | 21.5 | 21.8 | **2,723.3** |
| OIL | 1965 | 15.9 | 14.5 | 15.7 | 15.3 | 15.4 | 15.3 | 15.9 | 15.7 | 14.9 | 15.6 | 24.8 | 25.6 | **4,513.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 28.0 | 29.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,635.0** |
| H2O | 1964 | 21.6 | 19.4 | 21.6 | 18.9 | 20.5 | 20.7 | 21.0 | 21.3 | 20.3 | 20.5 | 21.1 | 22.4 | **2,476.7** |
| OIL | 1964 | 14.9 | 14.1 | 15.3 | 13.3 | 14.0 | 14.0 | 15.3 | 15.3 | 14.8 | 15.1 | 14.8 | 15.9 | **4,308.9** |
| DAY | 1963 | 19.0 | 24.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,274.0** |
| H2O | 1963 | 6.4 | 11.0 | 11.9 | 12.2 | 12.4 | 10.5 | 14.1 | 10.0 | 15.4 | 10.5 | 20.8 | 21.3 | **2,227.4** |
| OIL | 1963 | 7.8 | 10.2 | 12.7 | 12.7 | 12.9 | 10.6 | 11.9 | 10.0 | 12.2 | 13.0 | 14.0 | 14.3 | **4,132.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 23.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,926.0** |
| H2O | 1962 | 43.9 | 42.6 | 44.2 | 42.6 | 42.8 | 28.8 | 18.3 | 11.1 | 14.0 | 15.1 | 11.4 | 14.0 | **2,070.9** |
| OIL | 1962 | 27.3 | 29.6 | 27.3 | 28.0 | 26.9 | 17.3 | 15.7 | 12.9 | 14.5 | 13.8 | 13.5 | 12.6 | **3,989.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,568.0** |
| H2O | 1961 | 49.8 | 42.0 | 46.6 | 38.2 | 40.4 | 44.2 | 44.0 | 45.9 | 46.1 | 40.9 | 42.1 | 48.3 | **1,742.1** |
| OIL | 1961 | 41.5 | 38.3 | 44.7 | 38.0 | 36.5 | 46.9 | 31.3 | 32.9 | 32.6 | 36.1 | 32.3 | 34.6 | **3,750.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 28.0 | 28.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,206.0** |
| H2O | 1960 | 64.9 | 56.9 | 48.5 | 44.8 | 44.7 | 50.6 | 23.2 | 14.5 | 41.0 | 51.2 | 51.4 | 52.3 | **1,213.6** |
| OIL | 1960 | 68.5 | 55.8 | 50.7 | 45.6 | 32.1 | 47.8 | 59.3 | 47.2 | 67.4 | 48.8 | 45.1 | 43.7 | **3,304.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **849.0** |
| H2O | 1959 | 26.5 | 13.5 | 9.2 | 9.9 | 14.5 | 19.7 | 10.0 | 14.6 | 29.3 | 71.5 | 54.7 | 61.4 | **669.6** |
| OIL | 1959 | 45.1 | 41.2 | 66.9 | 58.6 | 45.1 | 48.0 | 48.6 | 48.1 | 21.9 | 75.8 | 60.5 | 73.6 | **2,692.7** |
| DAY | 1958 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 28.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **492.0** |
| H2O | 1958 | 24.6 | 21.8 | 13.4 | 8.6 | 52.6 | 24.8 | 19.1 | 23.5 | 20.0 | 69.8 | 16.7 | 25.6 | **334.8** |
| OIL | 1958 | 139.8 | 111.7 | 98.5 | 79.8 | 103.5 | 84.9 | 95.2 | 82.5 | 73.1 | 59.4 | 66.1 | 66.1 | **2,059.3** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 28.0 | 30.0 | 29.0 | 31.0 | **134.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 1.1 | 1.0 | 0.6 | 11.1 | **14.3** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 189.4 | 279.8 | 218.2 | 160.3 | 151.0 | **998.7** |

Licence ***1539*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-21-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,655.0** |
| H2O | 1975 | 632.3 | 536.2 | 608.7 | 537.7 | 452.1 | 467.4 | 468.4 | 503.8 | 445.1 | 476.0 | 443.6 | 465.7 | **88,186.3** |
| OIL | 1975 | 75.2 | 67.7 | 74.8 | 72.6 | 83.4 | 85.7 | 88.7 | 96.5 | 87.7 | 95.0 | 88.5 | 92.3 | **35,657.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | **6,292.0** |
| H2O | 1974 | 422.9 | 380.6 | 597.8 | 142.6 | 447.1 | 88.2 | 489.0 | 499.2 | 349.1 | 732.1 | 750.2 | 620.8 | **82,149.3** |
| OIL | 1974 | 74.2 | 66.1 | 69.8 | 66.1 | 76.1 | 72.5 | 68.6 | 70.1 | 62.5 | 91.4 | 92.8 | 97.7 | **34,648.9** |
| DAY | 1973 | 31.0 | 27.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,931.0** |
| H2O | 1973 | 536.2 | 489.3 | 492.7 | 454.5 | 547.4 | 534.3 | 509.4 | 630.4 | 543.2 | 496.3 | 407.9 | 414.5 | **76,629.7** |
| OIL | 1973 | 91.4 | 87.9 | 94.9 | 92.0 | 111.7 | 99.2 | 84.7 | 92.3 | 93.1 | 87.7 | 87.9 | 74.4 | **33,741.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 23.0 | **5,570.0** |
| H2O | 1972 | 527.0 | 499.5 | 530.2 | 483.6 | 485.2 | 462.5 | 438.8 | 446.6 | 388.1 | 413.3 | 390.3 | 407.6 | **70,573.6** |
| OIL | 1972 | 85.3 | 92.8 | 102.8 | 88.8 | 75.3 | 86.8 | 78.0 | 83.7 | 69.8 | 67.7 | 61.7 | 63.4 | **32,643.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,214.0** |
| H2O | 1971 | 537.0 | 426.4 | 500.9 | 454.7 | 489.2 | 456.3 | 539.7 | 426.4 | 403.0 | 403.0 | 422.3 | 453.6 | **65,100.9** |
| OIL | 1971 | 108.7 | 86.4 | 107.1 | 98.5 | 100.0 | 92.6 | 87.4 | 86.9 | 91.1 | 84.4 | 80.7 | 103.9 | **31,687.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,851.0** |
| H2O | 1970 | 596.0 | 545.9 | 607.0 | 540.2 | 456.0 | 533.5 | 556.7 | 507.8 | 527.0 | 528.0 | 515.1 | 530.5 | **59,588.4** |
| OIL | 1970 | 138.9 | 127.4 | 141.0 | 135.1 | 141.3 | 118.9 | 122.5 | 110.8 | 113.0 | 105.4 | 96.1 | 115.5 | **30,560.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,486.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1539*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-21-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1969 | 574.9 | 537.8 | 541.5 | 513.0 | 618.4 | 627.8 | 584.4 | 585.5 | 617.8 | 591.1 | 577.6 | 605.4 | **53,144.7** |
| OIL | 1969 | 154.0 | 139.4 | 147.3 | 134.6 | 147.0 | 141.6 | 139.4 | 137.3 | 137.9 | 128.7 | 135.1 | 144.3 | **29,094.1** |
| DAY | 1968 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,122.0** |
| H2O | 1968 | 509.4 | 472.2 | 585.5 | 565.0 | 537.8 | 614.6 | 658.3 | 583.5 | 560.1 | 566.9 | 566.9 | 611.4 | **46,169.5** |
| OIL | 1968 | 150.3 | 151.3 | 161.8 | 151.9 | 172.4 | 160.2 | 165.9 | 161.6 | 152.7 | 152.6 | 160.7 | 160.0 | **27,407.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,758.0** |
| H2O | 1967 | 507.5 | 449.3 | 496.5 | 517.0 | 567.1 | 615.7 | 583.8 | 524.5 | 482.8 | 556.4 | 552.6 | 441.2 | **39,337.9** |
| OIL | 1967 | 166.1 | 151.6 | 162.9 | 165.3 | 176.7 | 169.4 | 168.1 | 167.0 | 154.5 | 176.7 | 167.3 | 148.6 | **25,506.1** |
| DAY | 1966 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,393.0** |
| H2O | 1966 | 322.7 | 299.2 | 565.8 | 540.8 | 559.6 | 530.4 | 616.2 | 543.2 | 511.1 | 545.1 | 502.1 | 507.9 | **33,043.5** |
| OIL | 1966 | 117.6 | 105.7 | 203.2 | 190.2 | 199.7 | 191.6 | 209.0 | 178.9 | 171.0 | 177.8 | 169.2 | 171.5 | **23,531.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **3,029.0** |
| H2O | 1965 | 407.3 | 360.1 | 425.6 | 369.2 | 328.8 | 332.0 | 305.9 | 291.3 | 300.3 | 360.9 | 339.7 | 298.1 | **26,999.4** |
| OIL | 1965 | 168.1 | 145.6 | 169.4 | 140.3 | 143.8 | 142.2 | 123.3 | 122.0 | 119.2 | 141.3 | 113.8 | 108.9 | **21,446.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,666.0** |
| H2O | 1964 | 316.2 | 312.4 | 289.7 | 283.1 | 355.2 | 372.3 | 397.6 | 451.2 | 446.3 | 376.0 | 379.2 | 417.6 | **22,880.2** |
| OIL | 1964 | 168.6 | 183.1 | 168.6 | 169.2 | 160.5 | 164.6 | 170.4 | 178.6 | 167.2 | 163.8 | 162.4 | 165.3 | **19,808.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,300.0** |
| H2O | 1963 | 361.4 | 347.1 | 348.0 | 335.9 | 375.4 | 337.7 | 354.5 | 341.2 | 372.0 | 383.5 | 347.2 | 354.8 | **18,483.4** |
| OIL | 1963 | 210.4 | 185.6 | 173.7 | 190.9 | 180.0 | 181.8 | 191.0 | 184.7 | 191.8 | 194.3 | 192.1 | 181.6 | **17,786.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,936.0** |
| H2O | 1962 | 362.6 | 280.3 | 304.8 | 293.3 | 281.7 | 250.6 | 221.5 | 218.1 | 351.3 | 383.9 | 367.6 | 419.2 | **14,224.7** |
| OIL | 1962 | 208.8 | 189.9 | 198.0 | 187.8 | 179.3 | 158.8 | 139.7 | 135.6 | 179.4 | 204.8 | 200.5 | 207.4 | **15,528.4** |
| DAY | 1961 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,574.0** |
| H2O | 1961 | 321.6 | 260.6 | 262.5 | 285.1 | 230.5 | 230.2 | 204.9 | 228.6 | 238.0 | 256.9 | 297.6 | 296.8 | **10,489.8** |
| OIL | 1961 | 239.3 | 204.0 | 187.5 | 207.1 | 190.2 | 193.2 | 172.6 | 190.5 | 171.8 | 178.5 | 167.5 | 199.9 | **13,338.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,213.0** |
| H2O | 1960 | 336.4 | 263.4 | 287.8 | 306.8 | 292.2 | 270.9 | 298.7 | 270.1 | 259.8 | 272.2 | 318.1 | 317.6 | **7,376.5** |
| OIL | 1960 | 281.0 | 250.8 | 272.8 | 262.0 | 263.2 | 251.6 | 264.6 | 248.2 | 242.5 | 248.7 | 231.5 | 230.1 | **11,036.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **847.0** |
| H2O | 1959 | 186.2 | 183.1 | 224.0 | 204.0 | 211.1 | 175.0 | 217.0 | 212.1 | 215.4 | 193.6 | 253.9 | 285.2 | **3,882.5** |
| OIL | 1959 | 294.3 | 264.9 | 295.6 | 267.6 | 269.2 | 260.6 | 262.4 | 266.5 | 249.3 | 218.3 | 274.4 | 274.0 | **7,989.3** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 24.0 | 27.0 | 28.0 | 31.0 | **487.0** |
| H2O | 1958 | 41.2 | 53.7 | 72.5 | 60.6 | 52.6 | 111.0 | 124.0 | 135.5 | 113.2 | 128.6 | 128.9 | 173.1 | **1,321.9** |
| OIL | 1958 | 306.2 | 254.1 | 314.0 | 292.2 | 292.1 | 276.8 | 330.5 | 329.4 | 245.4 | 275.4 | 273.3 | 298.4 | **4,792.2** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 30.0 | 29.0 | 30.0 | 31.0 | **134.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 30.5 | 20.3 | 21.3 | 54.7 | **127.0** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 178.0 | 344.8 | 211.7 | 247.9 | 322.0 | **1,304.4** |

Licence ***1540*** Well Name ***Peacock Homestead*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-31-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 28.0 | 27.0 | 3.0 | 0.0 | **74.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 141.7 | 1014.8 | 825.3 | 82.4 | 0.0 | **2,064.2** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 48.4 | 58.2 | 37.0 | 4.8 | 0.0 | **148.4** |

Licence ***1541*** Well Name ***Enerplus Scallion Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***102.09-16-011-26W1.00*** Field Name ***Virden*** Pool Name ***Devonian Undifferentiated*** Field Code ***5*** Pool Code ***78*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1974 | 700.0 | 780.3 | 1043.3 | 1298.2 | 93.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,207,854.6** |
| WIN | 1973 | 2789.3 | 4595.0 | 6912.9 | 7652.8 | 8339.1 | 7573.1 | 8185.2 | 8232.3 | 7266.6 | 6852.5 | 3108.2 | 1855.7 | **1,203,939.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1541*** Well Name ***Enerplus Scallion Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***102.09-16-011-26W1.00*** Field Name ***Virden*** Pool Name ***Devonian Undifferentiated*** Field Code ***5*** Pool Code ***78*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1972 | 1969.5 | 2712.3 | 5686.1 | 1057.7 | 2868.2 | 2848.5 | 3464.8 | 2095.1 | 3475.5 | 6339.0 | 3998.8 | 4264.3 | **1,130,576.5** |
| WIN | 1970 | 0.0 | 1774.9 | 950.8 | 1325.8 | 1947.1 | 2422.5 | 2298.8 | 6739.3 | 2211.2 | 4696.7 | 4717.6 | 162.8 | **1,089,796.7** |
| WIN | 1969 | 0.0 | 150.1 | 860.0 | 1414.8 | 2613.1 | 2031.9 | 2380.4 | 1841.7 | 1901.0 | 2131.1 | 2897.8 | 398.7 | **1,060,549.2** |
| WIN | 1968 | 439.9 | 485.9 | 752.8 | 521.5 | 1333.7 | 678.1 | 1297.2 | 1228.3 | 1555.5 | 750.9 | 322.9 | 65.0 | **1,041,928.6** |
| WIN | 1967 | 1431.0 | 582.9 | 578.4 | 510.0 | 502.7 | 649.8 | 1499.4 | 1146.5 | 774.4 | 1850.8 | 1854.7 | 973.2 | **1,032,496.9** |
| WIN | 1966 | 952.4 | 1980.7 | 904.7 | 936.6 | 1512.4 | 902.3 | 1061.2 | 777.3 | 158.7 | 96.7 | 768.7 | 1153.7 | **1,020,143.1** |
| WIN | 1965 | 2585.9 | 4425.8 | 3083.1 | 623.1 | 188.7 | 553.3 | 1080.4 | 1023.6 | 1238.0 | 1415.6 | 708.1 | 1297.5 | **1,008,937.7** |
| WIN | 1964 | 3194.2 | 2766.6 | 3431.6 | 2978.3 | 5556.4 | 2214.1 | 4663.4 | 4631.4 | 4391.8 | 3030.1 | 3283.7 | 2218.7 | **990,714.6** |
| H2O | 1963 | 428.2 | 1392.1 | 2380.4 | 3323.2 | 11869.7 | 12006.9 | 8217.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **39,618.2** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 619.7 | 1998.9 | 4066.2 | 3156.2 | 2523.7 | **948,354.3** |
| WIN | 1962 | 15716.4 | 16028.3 | 19192.5 | 18131.0 | 26372.0 | 10162.7 | 20117.7 | 20007.4 | 19732.8 | 20181.5 | 16930.2 | 13177.4 | **935,989.6** |
| WIN | 1961 | 17503.5 | 16872.6 | 18347.1 | 17617.6 | 18013.2 | 18529.1 | 18320.4 | 19273.8 | 18135.5 | 18941.4 | 17960.1 | 19765.9 | **720,239.7** |
| WIN | 1960 | 17924.2 | 16824.6 | 16025.6 | 12637.6 | 15568.0 | 16845.4 | 16472.0 | 15214.8 | 16519.0 | 16371.6 | 17085.9 | 17363.8 | **500,959.5** |
| WIN | 1959 | 13463.6 | 12114.2 | 13640.4 | 13864.9 | 14011.5 | 13817.1 | 14500.4 | 15409.7 | 14711.1 | 14934.6 | 13169.1 | 17158.8 | **306,107.0** |
| WIN | 1958 | 8113.5 | 7813.0 | 8094.7 | 6659.9 | 10253.5 | 9006.5 | 9348.0 | 10516.4 | 11563.8 | 12512.3 | 11810.6 | 12760.6 | **135,311.6** |
| WIN | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 58.5 | 2722.8 | 2240.8 | 3883.0 | 7953.7 | **16,858.8** |

Licence ***1542*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-24-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,478.0** |
| H2O | 1975 | 222.3 | 197.6 | 227.8 | 220.7 | 197.5 | 214.3 | 219.4 | 209.9 | 213.0 | 228.6 | 229.4 | 233.5 | **32,998.9** |
| OIL | 1975 | 190.7 | 164.0 | 186.1 | 176.5 | 155.3 | 171.0 | 179.9 | 175.3 | 175.3 | 181.3 | 175.4 | 178.1 | **44,496.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | **6,117.0** |
| H2O | 1974 | 229.1 | 212.4 | 237.5 | 231.3 | 218.6 | 219.7 | 221.9 | 203.7 | 153.9 | 210.8 | 220.8 | 220.7 | **30,384.9** |
| OIL | 1974 | 263.6 | 229.8 | 263.0 | 250.8 | 154.6 | 149.7 | 154.5 | 153.8 | 113.3 | 155.6 | 186.1 | 192.0 | **42,387.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,759.0** |
| H2O | 1973 | 182.0 | 174.6 | 187.3 | 187.0 | 189.3 | 237.8 | 238.9 | 249.0 | 252.8 | 250.9 | 233.1 | 229.7 | **27,804.5** |
| OIL | 1973 | 298.8 | 263.5 | 290.3 | 283.5 | 296.0 | 249.2 | 258.5 | 267.6 | 263.2 | 264.3 | 248.9 | 256.6 | **40,120.3** |
| DAY | 1972 | 31.0 | 29.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,395.0** |
| H2O | 1972 | 187.9 | 183.1 | 144.8 | 173.0 | 192.4 | 156.9 | 169.5 | 155.3 | 169.3 | 184.1 | 178.5 | 185.7 | **25,192.1** |
| OIL | 1972 | 380.4 | 354.8 | 261.4 | 356.6 | 378.8 | 281.4 | 282.1 | 278.9 | 290.3 | 305.9 | 284.0 | 303.2 | **36,879.9** |
| DAY | 1971 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **5,034.0** |
| H2O | 1971 | 158.7 | 160.9 | 190.1 | 189.5 | 186.0 | 185.4 | 183.5 | 176.9 | 151.3 | 167.2 | 170.4 | 200.0 | **23,111.6** |
| OIL | 1971 | 158.6 | 156.5 | 178.3 | 168.0 | 401.6 | 390.3 | 399.2 | 391.9 | 369.3 | 378.5 | 378.2 | 387.3 | **33,122.1** |
| DAY | 1970 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **4,675.0** |
| H2O | 1970 | 380.3 | 381.4 | 402.9 | 368.8 | 383.1 | 196.7 | 153.4 | 200.8 | 186.8 | 185.5 | 165.3 | 196.7 | **20,991.7** |
| OIL | 1970 | 288.9 | 278.3 | 306.7 | 293.3 | 305.1 | 164.9 | 151.4 | 172.7 | 164.9 | 166.4 | 156.0 | 175.1 | **29,364.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **4,317.0** |
| H2O | 1969 | 317.8 | 286.6 | 270.6 | 270.6 | 304.0 | 290.9 | 315.3 | 246.3 | 237.5 | 202.1 | 230.2 | 250.1 | **17,790.0** |
| OIL | 1969 | 323.2 | 283.8 | 315.4 | 300.8 | 315.6 | 309.7 | 321.8 | 244.2 | 243.1 | 199.3 | 243.8 | 252.8 | **26,740.7** |
| DAY | 1968 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,956.0** |
| H2O | 1968 | 153.9 | 153.3 | 162.5 | 167.2 | 314.9 | 288.1 | 308.9 | 290.5 | 291.4 | 308.7 | 285.2 | 303.3 | **14,568.0** |
| OIL | 1968 | 346.3 | 333.4 | 356.0 | 354.5 | 378.2 | 371.5 | 380.9 | 323.4 | 312.1 | 327.4 | 313.7 | 323.4 | **23,387.2** |
| DAY | 1967 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **3,591.0** |
| H2O | 1967 | 157.4 | 130.0 | 136.4 | 145.8 | 145.1 | 175.0 | 137.8 | 183.9 | 161.4 | 174.2 | 153.3 | 158.0 | **11,540.1** |
| OIL | 1967 | 345.8 | 307.3 | 300.3 | 332.9 | 341.2 | 350.1 | 363.4 | 360.1 | 346.9 | 366.3 | 357.4 | 342.5 | **19,266.4** |
| DAY | 1966 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 27.0 | **3,230.0** |
| H2O | 1966 | 335.3 | 292.0 | 371.4 | 230.7 | 259.9 | 133.4 | 138.8 | 140.4 | 151.0 | 155.3 | 147.1 | 132.3 | **9,681.8** |
| OIL | 1966 | 335.1 | 321.0 | 355.5 | 320.0 | 335.0 | 301.0 | 329.1 | 334.3 | 325.9 | 337.5 | 315.4 | 276.3 | **15,152.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 25.0 | 30.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,874.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1542*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-24-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1965 | 38.6 | 34.2 | 39.1 | 28.1 | 63.9 | 60.1 | 48.6 | 65.8 | 66.5 | 182.5 | 187.4 | 355.5 | **7,194.2** |
| OIL | 1965 | 103.8 | 94.7 | 102.3 | 81.5 | 210.9 | 208.5 | 175.0 | 233.8 | 221.5 | 283.8 | 269.7 | 343.2 | **11,266.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,522.0** |
| H2O | 1964 | 35.8 | 33.2 | 37.0 | 35.8 | 35.9 | 36.6 | 34.3 | 30.5 | 35.1 | 35.0 | 36.4 | 36.1 | **6,023.9** |
| OIL | 1964 | 94.9 | 92.5 | 99.8 | 95.8 | 94.1 | 95.0 | 94.1 | 83.4 | 96.3 | 97.9 | 96.1 | 97.1 | **8,937.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,162.0** |
| H2O | 1963 | 31.2 | 31.3 | 31.6 | 35.1 | 34.3 | 31.0 | 33.4 | 27.0 | 28.8 | 30.8 | 35.8 | 35.0 | **5,602.2** |
| OIL | 1963 | 87.7 | 80.4 | 85.2 | 85.0 | 86.9 | 80.9 | 78.2 | 75.0 | 82.6 | 83.0 | 91.7 | 90.3 | **7,800.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,804.0** |
| H2O | 1962 | 98.6 | 89.0 | 99.4 | 95.4 | 98.6 | 95.4 | 99.8 | 33.2 | 30.8 | 33.2 | 32.3 | 34.2 | **5,216.9** |
| OIL | 1962 | 111.7 | 100.4 | 114.4 | 108.5 | 107.1 | 107.4 | 110.3 | 84.4 | 81.7 | 91.7 | 85.7 | 89.3 | **6,793.5** |
| DAY | 1961 | 29.0 | 28.0 | 24.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,441.0** |
| H2O | 1961 | 92.2 | 88.2 | 89.3 | 95.4 | 83.9 | 95.4 | 98.6 | 97.8 | 95.4 | 95.4 | 95.4 | 98.6 | **4,377.0** |
| OIL | 1961 | 121.2 | 109.3 | 78.2 | 128.4 | 103.8 | 120.6 | 118.5 | 111.7 | 111.9 | 117.8 | 116.0 | 117.3 | **5,600.9** |
| DAY | 1960 | 26.0 | 28.0 | 27.0 | 21.0 | 26.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 26.0 | 30.0 | **1,090.0** |
| H2O | 1960 | 124.0 | 128.8 | 119.9 | 188.6 | 123.4 | 143.1 | 147.7 | 134.0 | 143.1 | 148.5 | 120.2 | 97.0 | **3,251.4** |
| OIL | 1960 | 107.6 | 116.2 | 107.3 | 51.2 | 126.0 | 141.6 | 146.0 | 133.3 | 137.9 | 145.4 | 109.6 | 111.6 | **4,246.2** |
| DAY | 1959 | 13.0 | 0.0 | 4.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **756.0** |
| H2O | 1959 | 4.6 | 0.0 | 19.2 | 128.1 | 127.7 | 139.4 | 192.7 | 182.0 | 145.9 | 157.5 | 160.9 | 144.7 | **1,633.1** |
| OIL | 1959 | 23.4 | 0.0 | 19.1 | 151.4 | 128.2 | 133.0 | 135.1 | 144.6 | 138.4 | 132.4 | 133.6 | 128.9 | **2,812.5** |
| DAY | 1958 | 27.0 | 28.0 | 31.0 | 22.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **467.0** |
| H2O | 1958 | 22.7 | 25.4 | 24.0 | 3.5 | 5.6 | 7.6 | 9.4 | 9.9 | 9.5 | 9.5 | 9.2 | 9.5 | **230.4** |
| OIL | 1958 | 114.3 | 105.4 | 85.0 | 56.6 | 71.8 | 64.8 | 57.2 | 53.1 | 49.1 | 49.4 | 48.5 | 35.8 | **1,544.4** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 31.0 | 30.0 | 31.0 | **117.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.8 | 23.4 | 21.8 | 21.6 | **84.6** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 217.9 | 232.5 | 158.1 | 144.9 | **753.4** |

Licence ***1547*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-21-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,610.0** |
| H2O | 1975 | 181.1 | 153.6 | 174.2 | 166.9 | 172.3 | 167.1 | 181.6 | 190.3 | 188.9 | 248.6 | 224.0 | 235.3 | **19,460.8** |
| OIL | 1975 | 13.0 | 11.8 | 13.0 | 12.7 | 13.8 | 13.0 | 14.8 | 15.1 | 14.5 | 105.8 | 98.5 | 102.8 | **15,054.7** |
| DAY | 1974 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 21.0 | 27.0 | 31.0 | **6,246.0** |
| H2O | 1974 | 100.0 | 72.5 | 99.2 | 94.0 | 84.7 | 97.6 | 99.5 | 101.6 | 66.1 | 45.5 | 164.5 | 180.8 | **17,176.9** |
| OIL | 1974 | 31.3 | 22.4 | 30.7 | 29.7 | 33.5 | 31.9 | 31.9 | 32.7 | 21.1 | 14.0 | 11.8 | 13.3 | **14,625.9** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,898.0** |
| H2O | 1973 | 54.5 | 53.4 | 54.2 | 47.9 | 51.4 | 53.9 | 120.3 | 147.7 | 132.6 | 121.1 | 86.5 | 100.6 | **15,970.9** |
| OIL | 1973 | 12.4 | 11.8 | 13.5 | 12.9 | 13.5 | 13.3 | 36.4 | 37.0 | 38.5 | 36.2 | 31.6 | 31.1 | **14,321.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 17.0 | 31.0 | **5,537.0** |
| H2O | 1972 | 80.8 | 75.4 | 77.9 | 52.3 | 54.1 | 52.3 | 52.9 | 54.1 | 50.7 | 54.1 | 27.5 | 52.1 | **14,946.8** |
| OIL | 1972 | 39.1 | 36.7 | 40.8 | 12.7 | 13.7 | 12.7 | 12.7 | 13.0 | 11.9 | 12.9 | 6.2 | 12.4 | **14,033.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 17.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,184.0** |
| H2O | 1971 | 19.1 | 16.5 | 18.6 | 17.5 | 18.6 | 16.9 | 10.7 | 205.4 | 186.5 | 1228.3 | 1277.6 | 80.6 | **14,262.6** |
| OIL | 1971 | 21.9 | 19.1 | 21.6 | 21.0 | 21.1 | 18.9 | 11.4 | 50.1 | 48.1 | 362.0 | 340.4 | 39.4 | **13,808.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,835.0** |
| H2O | 1970 | 51.5 | 47.2 | 52.5 | 22.3 | 18.4 | 18.6 | 19.4 | 18.0 | 18.3 | 18.6 | 18.3 | 18.8 | **11,166.3** |
| OIL | 1970 | 28.8 | 26.4 | 29.2 | 22.7 | 23.5 | 21.9 | 22.7 | 21.0 | 21.0 | 21.1 | 19.4 | 23.2 | **12,833.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,470.0** |
| H2O | 1969 | 66.0 | 61.7 | 62.2 | 85.4 | 103.8 | 69.5 | 65.5 | 62.8 | 49.9 | 45.8 | 43.7 | 52.3 | **10,844.4** |
| OIL | 1969 | 58.6 | 53.1 | 56.1 | 57.8 | 63.6 | 47.7 | 47.5 | 46.4 | 38.0 | 34.2 | 22.6 | 29.9 | **12,552.7** |

# Manitoba Production
## 1950 To 1975

Licence ***1547*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-21-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,106.0** |
| H2O | 1968 | 128.6 | 133.5 | 147.9 | 92.2 | 9.7 | 5.4 | 5.7 | 10.0 | 9.9 | 0.0 | 0.0 | 87.1 | **10,075.8** |
| OIL | 1968 | 58.2 | 65.5 | 62.5 | 49.9 | 51.6 | 42.9 | 44.5 | 37.7 | 36.5 | 35.6 | 32.9 | 51.8 | **11,997.2** |
| DAY | 1967 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,740.0** |
| H2O | 1967 | 91.4 | 78.7 | 37.2 | 38.5 | 56.3 | 60.4 | 56.0 | 147.2 | 162.5 | 186.5 | 185.8 | 111.4 | **9,445.8** |
| OIL | 1967 | 58.8 | 52.3 | 37.2 | 37.5 | 44.5 | 42.3 | 41.2 | 38.9 | 42.9 | 48.9 | 46.6 | 57.4 | **11,427.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,380.0** |
| H2O | 1966 | 202.7 | 198.4 | 156.9 | 146.9 | 117.6 | 109.2 | 111.9 | 99.2 | 92.8 | 99.8 | 91.3 | 92.4 | **8,233.9** |
| OIL | 1966 | 96.8 | 91.8 | 86.0 | 84.7 | 80.7 | 76.0 | 80.9 | 64.4 | 61.2 | 64.0 | 60.5 | 61.2 | **10,879.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **3,015.0** |
| H2O | 1965 | 145.9 | 129.1 | 78.4 | 66.1 | 84.9 | 97.1 | 98.1 | 76.3 | 185.7 | 255.2 | 240.4 | 205.9 | **6,714.8** |
| OIL | 1965 | 95.7 | 83.0 | 80.1 | 73.6 | 66.6 | 67.9 | 66.1 | 43.2 | 58.6 | 103.0 | 83.0 | 98.8 | **9,970.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 26.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,655.0** |
| H2O | 1964 | 99.5 | 105.6 | 97.9 | 95.7 | 56.6 | 122.7 | 142.6 | 161.7 | 159.9 | 134.8 | 135.8 | 149.8 | **5,051.7** |
| OIL | 1964 | 70.1 | 77.1 | 71.0 | 71.2 | 68.5 | 66.3 | 74.4 | 101.7 | 95.2 | 93.3 | 92.5 | 93.9 | **9,051.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,295.0** |
| H2O | 1963 | 7.8 | 7.3 | 8.1 | 9.4 | 4.3 | 4.1 | 4.8 | 8.3 | 8.7 | 8.4 | 112.7 | 115.1 | **3,589.1** |
| OIL | 1963 | 24.9 | 21.9 | 24.5 | 19.9 | 22.6 | 21.6 | 21.9 | 20.8 | 21.0 | 20.0 | 76.1 | 72.1 | **8,076.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 16.0 | 31.0 | 30.0 | 31.0 | **1,931.0** |
| H2O | 1962 | 1.6 | 4.9 | 27.2 | 19.9 | 27.2 | 25.9 | 21.5 | 15.9 | 14.5 | 11.1 | 10.5 | 7.3 | **3,290.1** |
| OIL | 1962 | 56.4 | 44.8 | 47.7 | 47.8 | 49.9 | 40.0 | 36.9 | 31.8 | 28.3 | 29.1 | 31.8 | 25.7 | **7,708.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,580.0** |
| H2O | 1961 | 66.3 | 52.5 | 36.9 | 60.7 | 70.1 | 52.6 | 66.1 | 58.2 | 44.0 | 21.0 | 18.9 | 1.1 | **3,102.6** |
| OIL | 1961 | 94.9 | 84.9 | 89.1 | 91.7 | 88.7 | 80.9 | 70.6 | 69.8 | 69.1 | 58.8 | 51.6 | 54.3 | **7,238.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **1,216.0** |
| H2O | 1960 | 70.4 | 51.4 | 41.2 | 29.3 | 51.0 | 46.6 | 50.9 | 45.9 | 36.6 | 33.4 | 62.3 | 83.9 | **2,554.2** |
| OIL | 1960 | 92.0 | 79.1 | 76.3 | 74.2 | 66.6 | 65.2 | 68.8 | 64.4 | 50.1 | 52.4 | 102.5 | 116.8 | **6,334.2** |
| DAY | 1959 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **854.0** |
| H2O | 1959 | 79.5 | 76.9 | 94.1 | 99.0 | 88.1 | 61.8 | 80.9 | 80.9 | 63.8 | 51.2 | 57.2 | 30.0 | **1,951.3** |
| OIL | 1959 | 180.2 | 165.3 | 184.7 | 166.2 | 161.5 | 141.1 | 131.7 | 128.9 | 108.1 | 82.6 | 93.6 | 87.9 | **5,425.8** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **495.0** |
| H2O | 1958 | 31.2 | 29.3 | 94.4 | 102.9 | 106.8 | 118.6 | 72.8 | 67.1 | 66.1 | 61.2 | 85.4 | 76.2 | **1,087.9** |
| OIL | 1958 | 277.3 | 242.2 | 280.3 | 258.2 | 301.5 | 289.5 | 192.3 | 172.3 | 163.2 | 161.9 | 194.8 | 188.1 | **3,794.0** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 20.0 | 24.0 | 30.0 | 31.0 | **135.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.5 | 51.4 | 55.5 | 54.5 | **175.9** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.7 | 190.7 | 243.5 | 328.0 | 306.5 | **1,072.4** |

Licence ***1549*** Well Name ***Great Northern Kirkella Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.01-10-012-29W1.00*** Field Name ***Kirkella*** Pool Name ***Lodgepole Daly A*** Field Code ***9*** Pool Code ***54A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 6621.5 | 6363.2 | 6523.0 | 6220.9 | 7096.9 | 6939.5 | 6441.9 | 6957.0 | 6420.4 | 6439.5 | 6323.4 | 6643.8 | **405,188.3** |
| WIN | 1974 | 905.7 | 324.2 | 5334.9 | 4079.4 | 6353.6 | 5916.4 | 6439.5 | 6850.5 | 6750.3 | 6143.0 | 6310.7 | 6848.1 | **326,197.3** |
| WIN | 1973 | 4926.0 | 4824.3 | 4904.5 | 4798.0 | 4104.8 | 4751.9 | 5574.6 | 5158.1 | 4437.9 | 5383.1 | 5574.6 | 4401.3 | **263,941.0** |
| WIN | 1972 | 0.0 | 0.0 | 0.0 | 87.0 | 530.9 | 491.3 | 339.9 | 2246.0 | 3765.5 | 4358.6 | 4808.7 | 4825.0 | **205,101.9** |
| WIN | 1971 | 470.5 | 0.0 | 287.5 | 997.2 | 1141.4 | 2294.4 | 2563.5 | 2424.2 | 2060.7 | 1905.4 | 1058.8 | 682.9 | **183,649.0** |
| WIN | 1970 | 233.1 | 0.0 | 0.0 | 610.8 | 1345.9 | 1750.9 | 1660.1 | 1737.5 | 2031.2 | 1817.0 | 1782.7 | 1294.7 | **167,762.5** |
| WIN | 1969 | 0.0 | 0.0 | 0.0 | 637.5 | 1716.4 | 1945.1 | 2093.2 | 1954.0 | 2571.6 | 2598.2 | 1778.5 | 1042.1 | **153,498.6** |
| WIN | 1968 | 496.0 | 1388.8 | 1411.4 | 1600.9 | 1644.8 | 1555.5 | 1626.4 | 1768.0 | 1676.1 | 1486.8 | 1690.6 | 1471.4 | **137,162.0** |
| WIN | 1967 | 1683.6 | 1239.4 | 1127.5 | 1125.5 | 1325.2 | 1400.3 | 1505.2 | 1438.6 | 1272.1 | 1528.9 | 1098.5 | 1057.8 | **119,345.3** |
| WIN | 1966 | 1505.4 | 1478.3 | 1699.2 | 1465.5 | 1839.1 | 1690.1 | 1553.4 | 1389.8 | 1358.2 | 1298.4 | 1153.1 | 1601.7 | **103,542.7** |
| WIN | 1965 | 0.0 | 1238.0 | 1276.6 | 1124.4 | 1474.7 | 1291.2 | 1469.4 | 1413.3 | 1366.9 | 1523.5 | 906.6 | 1686.5 | **85,510.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1549*** Well Name ***Great Northern Kirkella Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.01-10-012-29W1.00*** Field Name ***Kirkella*** Pool Name ***Lodgepole Daly A*** Field Code ***9*** Pool Code ***54A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1964 | 1292.8 | 1250.5 | 1253.7 | 1322.2 | 1356.7 | 1450.5 | 1489.6 | 1472.5 | 1327.6 | 1323.5 | 1384.4 | 406.9 | **70,739.4** |
| WIN | 1963 | 54.1 | 57.1 | 360.0 | 656.0 | 852.7 | 845.1 | 986.4 | 971.0 | 1012.7 | 1130.0 | 1220.0 | 1339.2 | **55,408.5** |
| WIN | 1962 | 581.9 | 544.4 | 807.3 | 1636.9 | 2043.6 | 2076.0 | 2173.6 | 1990.3 | 1361.8 | 733.7 | 722.5 | 474.4 | **45,924.2** |
| WIN | 1961 | 1649.4 | 1388.7 | 1516.2 | 932.1 | 1496.2 | 1651.2 | 1829.4 | 1703.5 | 1643.9 | 1764.1 | 1610.2 | 713.9 | **30,777.8** |
| WIN | 1960 | 571.3 | 400.0 | 368.5 | 236.6 | 1323.0 | 1084.7 | 1231.1 | 1692.0 | 1661.5 | 1633.7 | 1509.5 | 357.6 | **12,879.0** |
| DAY | 1959 | 0.0 | 0.0 | 2.0 | 17.0 | 15.0 | 14.0 | 19.0 | 14.0 | 4.0 | 0.0 | 5.0 | 0.0 | **446.0** |
| H2O | 1959 | 0.0 | 0.0 | 18.0 | 183.8 | 169.5 | 135.1 | 221.5 | 190.9 | 47.5 | 0.0 | 47.9 | 0.0 | **2,998.1** |
| OIL | 1959 | 0.0 | 0.0 | 3.7 | 59.6 | 54.3 | 47.8 | 35.0 | 23.3 | 8.1 | 0.0 | 9.0 | 0.0 | **2,305.2** |
| WIN | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 64.9 | 744.6 | **809.5** |
| DAY | 1958 | 30.0 | 28.0 | 28.0 | 6.0 | 29.0 | 30.0 | 23.0 | 25.0 | 30.0 | 29.0 | 16.0 | 4.0 | **356.0** |
| H2O | 1958 | 90.1 | 128.8 | 168.8 | 25.0 | 152.5 | 271.6 | 185.1 | 205.1 | 284.7 | 288.4 | 64.5 | 31.6 | **1,983.9** |
| OIL | 1958 | 248.7 | 209.5 | 172.5 | 38.6 | 209.7 | 153.4 | 97.3 | 94.6 | 140.5 | 101.4 | 51.5 | 6.5 | **2,064.4** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 22.0 | 20.0 | 25.0 | **78.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.9 | 17.8 | 18.0 | 35.0 | **87.7** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 119.7 | 137.0 | 105.9 | 177.6 | **540.2** |

Licence ***1551*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-27-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 14.0 | **6,330.0** |
| H2O | 1975 | 142.1 | 121.6 | 136.9 | 131.2 | 135.5 | 37.5 | 46.9 | 47.1 | 46.7 | 36.9 | 33.2 | 15.7 | **36,437.7** |
| OIL | 1975 | 25.1 | 22.7 | 24.9 | 24.2 | 26.4 | 15.6 | 20.2 | 19.7 | 18.8 | 4.9 | 4.4 | 2.1 | **14,678.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **5,985.0** |
| H2O | 1974 | 263.9 | 237.7 | 264.2 | 249.8 | 99.7 | 142.1 | 144.8 | 147.4 | 118.4 | 147.7 | 145.3 | 142.0 | **35,506.4** |
| OIL | 1974 | 66.6 | 59.4 | 65.9 | 63.9 | 61.5 | 24.2 | 24.2 | 24.5 | 21.6 | 26.1 | 25.3 | 25.4 | **14,469.1** |
| DAY | 1973 | 31.0 | 28.0 | 29.0 | 29.0 | 30.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,627.0** |
| H2O | 1973 | 318.3 | 309.2 | 306.2 | 324.3 | 355.3 | 347.8 | 232.3 | 283.6 | 241.8 | 236.9 | 230.0 | 267.9 | **33,403.4** |
| OIL | 1973 | 68.2 | 64.2 | 70.9 | 20.3 | 21.6 | 20.2 | 44.2 | 44.8 | 44.2 | 67.7 | 67.7 | 66.7 | **13,980.5** |
| DAY | 1972 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 27.0 | 23.0 | **5,269.0** |
| H2O | 1972 | 270.9 | 261.0 | 269.9 | 256.9 | 266.5 | 257.4 | 260.7 | 250.6 | 249.4 | 265.3 | 228.0 | 185.1 | **29,949.8** |
| OIL | 1972 | 32.9 | 31.9 | 35.4 | 31.9 | 35.0 | 32.6 | 32.3 | 31.5 | 30.2 | 32.7 | 26.7 | 22.9 | **13,379.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,917.0** |
| H2O | 1971 | 196.3 | 170.1 | 59.6 | 55.8 | 59.6 | 49.1 | 48.6 | 293.0 | 272.0 | 278.1 | 251.3 | 278.9 | **26,928.1** |
| OIL | 1971 | 29.6 | 25.7 | 13.5 | 13.0 | 13.2 | 7.8 | 7.5 | 40.5 | 40.0 | 39.1 | 28.9 | 34.3 | **13,003.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,555.0** |
| H2O | 1970 | 306.2 | 269.3 | 287.0 | 263.7 | 185.8 | 195.7 | 204.3 | 189.8 | 193.3 | 197.3 | 192.5 | 198.3 | **24,915.7** |
| OIL | 1970 | 45.6 | 40.8 | 42.4 | 36.5 | 30.8 | 30.5 | 31.5 | 29.1 | 29.1 | 29.4 | 26.7 | 32.3 | **12,710.7** |
| DAY | 1969 | 31.0 | 21.0 | 13.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 28.0 | 28.0 | 30.0 | 30.0 | **4,191.0** |
| H2O | 1969 | 278.4 | 162.8 | 114.8 | 326.4 | 332.4 | 306.5 | 331.2 | 314.3 | 285.4 | 344.5 | 349.9 | 346.1 | **22,232.5** |
| OIL | 1969 | 59.4 | 38.5 | 22.7 | 63.6 | 66.6 | 64.8 | 65.2 | 62.9 | 55.0 | 42.7 | 48.3 | 51.6 | **12,306.0** |
| DAY | 1968 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **3,859.0** |
| H2O | 1968 | 189.3 | 181.2 | 243.7 | 183.9 | 304.0 | 248.6 | 288.4 | 275.4 | 244.2 | 269.3 | 201.6 | 279.8 | **18,739.8** |
| OIL | 1968 | 72.8 | 65.8 | 74.5 | 71.4 | 69.6 | 66.1 | 62.0 | 62.3 | 47.4 | 47.7 | 54.8 | 62.9 | **11,664.7** |
| DAY | 1967 | 30.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,498.0** |
| H2O | 1967 | 277.9 | 247.5 | 438.1 | 325.0 | 329.2 | 322.6 | 341.6 | 300.6 | 267.4 | 309.5 | 260.1 | 209.7 | **15,830.4** |
| OIL | 1967 | 94.1 | 79.8 | 110.6 | 92.5 | 92.8 | 92.0 | 100.3 | 89.3 | 81.8 | 86.6 | 71.8 | 75.6 | **10,907.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 26.0 | 27.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,140.0** |
| H2O | 1966 | 278.5 | 223.5 | 212.4 | 112.9 | 193.5 | 225.8 | 211.0 | 213.2 | 193.0 | 297.0 | 284.9 | 290.9 | **12,201.2** |
| OIL | 1966 | 118.2 | 100.7 | 106.6 | 43.4 | 77.2 | 93.9 | 92.0 | 87.2 | 74.7 | 93.3 | 97.4 | 96.5 | **9,840.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 28.0 | **2,784.0** |
| H2O | 1965 | 276.8 | 266.9 | 288.2 | 287.8 | 272.3 | 263.6 | 257.9 | 224.3 | 181.7 | 185.2 | 272.8 | 238.5 | **9,464.6** |

# Manitoba Production
## 1950 To 1975

Licence ***1551*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-27-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1965 | 126.5 | 120.3 | 128.2 | 122.7 | 123.8 | 113.1 | 107.6 | 105.7 | 99.5 | 78.7 | 102.2 | 101.9 | **8,759.1** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 23.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,425.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 26.2 | 31.8 | 135.0 | 120.7 | 140.2 | 171.2 | 191.7 | 306.2 | 305.9 | **6,448.6** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 16.4 | 18.8 | 86.4 | 87.1 | 120.3 | 113.0 | 119.5 | 137.3 | 136.5 | **7,428.9** |
| DAY | 1963 | 31.0 | 2.0 | 0.0 | 26.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 0.0 | 0.0 | **2,161.0** |
| H2O | 1963 | 55.6 | 3.2 | 0.0 | 29.6 | 26.4 | 28.3 | 29.9 | 15.4 | 14.6 | 13.0 | 0.0 | 0.0 | **5,019.7** |
| OIL | 1963 | 43.4 | 2.5 | 0.0 | 18.1 | 21.1 | 20.5 | 21.1 | 2.5 | 2.7 | 2.7 | 0.0 | 0.0 | **6,593.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 28.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,921.0** |
| H2O | 1962 | 70.9 | 58.8 | 66.8 | 60.9 | 65.0 | 58.8 | 58.7 | 59.1 | 64.7 | 58.0 | 55.3 | 65.8 | **4,803.7** |
| OIL | 1962 | 50.7 | 44.2 | 51.6 | 44.2 | 45.0 | 41.8 | 40.0 | 38.6 | 45.0 | 47.2 | 44.2 | 43.9 | **6,459.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,566.0** |
| H2O | 1961 | 97.9 | 87.9 | 89.7 | 84.6 | 81.6 | 76.6 | 74.1 | 75.5 | 71.1 | 71.2 | 68.0 | 71.4 | **4,060.9** |
| OIL | 1961 | 64.8 | 56.9 | 60.9 | 56.6 | 61.0 | 57.5 | 54.5 | 56.9 | 54.2 | 54.8 | 51.2 | 52.3 | **5,922.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **1,201.0** |
| H2O | 1960 | 66.8 | 62.6 | 66.8 | 61.5 | 74.6 | 84.7 | 98.2 | 91.9 | 80.9 | 81.7 | 88.7 | 90.8 | **3,111.3** |
| OIL | 1960 | 86.3 | 77.4 | 83.6 | 78.3 | 84.9 | 78.2 | 75.6 | 73.9 | 69.4 | 71.0 | 67.9 | 63.9 | **5,241.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **837.0** |
| H2O | 1959 | 121.1 | 123.1 | 103.8 | 105.6 | 104.4 | 91.4 | 101.3 | 103.8 | 92.8 | 66.6 | 61.5 | 70.6 | **2,162.1** |
| OIL | 1959 | 128.1 | 113.9 | 134.0 | 124.1 | 123.5 | 115.5 | 118.7 | 115.7 | 109.2 | 98.2 | 81.5 | 84.9 | **4,330.6** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **473.0** |
| H2O | 1958 | 50.7 | 48.5 | 54.1 | 57.2 | 52.5 | 49.8 | 89.5 | 72.5 | 69.8 | 91.3 | 139.1 | 136.1 | **1,016.1** |
| OIL | 1958 | 235.2 | 187.0 | 200.9 | 176.2 | 204.4 | 186.1 | 143.2 | 131.3 | 123.8 | 135.4 | 134.0 | 129.4 | **2,983.3** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 27.0 | 30.0 | 29.0 | **109.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.8 | 26.4 | 29.4 | 25.4 | **105.0** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 214.5 | 259.5 | 275.5 | 246.9 | **996.4** |

Licence ***1557*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,440.0** |
| H2O | 1975 | 151.7 | 129.9 | 145.9 | 130.4 | 120.8 | 129.9 | 131.6 | 144.5 | 127.5 | 166.1 | 133.5 | 140.4 | **14,815.3** |
| OIL | 1975 | 29.1 | 26.4 | 28.9 | 26.2 | 34.8 | 43.2 | 27.0 | 29.1 | 27.8 | 34.3 | 51.5 | 53.7 | **8,438.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,077.0** |
| H2O | 1974 | 119.4 | 107.6 | 119.6 | 165.0 | 144.8 | 153.3 | 129.4 | 138.3 | 120.3 | 138.0 | 105.2 | 151.3 | **13,163.1** |
| OIL | 1974 | 35.6 | 31.8 | 35.3 | 26.1 | 38.6 | 34.6 | 36.7 | 28.6 | 27.2 | 30.0 | 21.0 | 29.6 | **8,026.5** |
| DAY | 1973 | 31.0 | 27.0 | 30.0 | 29.0 | 30.0 | 29.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,714.0** |
| H2O | 1973 | 186.3 | 77.3 | 63.0 | 103.5 | 94.4 | 101.4 | 75.7 | 152.9 | 134.3 | 142.6 | 130.0 | 121.3 | **11,570.9** |
| OIL | 1973 | 44.2 | 33.4 | 25.9 | 24.8 | 17.6 | 20.3 | 16.2 | 38.3 | 45.6 | 39.9 | 36.4 | 35.8 | **7,651.4** |
| DAY | 1972 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 23.0 | **5,358.0** |
| H2O | 1972 | 4.3 | 114.6 | 160.1 | 130.5 | 135.3 | 112.1 | 52.9 | 55.2 | 33.5 | 89.7 | 77.3 | 118.8 | **10,188.2** |
| OIL | 1972 | 12.4 | 52.3 | 44.8 | 40.5 | 44.3 | 32.3 | 28.3 | 27.8 | 26.5 | 20.7 | 22.4 | 34.5 | **7,273.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,004.0** |
| H2O | 1971 | 79.5 | 69.0 | 55.2 | 43.4 | 46.3 | 44.8 | 37.7 | 32.7 | 32.1 | 7.9 | 4.1 | 4.6 | **9,103.9** |
| OIL | 1971 | 17.8 | 15.4 | 17.3 | 13.0 | 13.0 | 12.7 | 13.0 | 12.1 | 12.7 | 12.2 | 11.4 | 13.5 | **6,886.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,640.0** |
| H2O | 1970 | 46.9 | 39.9 | 48.2 | 144.5 | 91.7 | 86.6 | 78.7 | 75.2 | 76.6 | 55.2 | 52.0 | 78.5 | **8,646.6** |
| OIL | 1970 | 47.0 | 42.9 | 47.0 | 37.3 | 37.3 | 33.2 | 30.5 | 29.1 | 28.9 | 17.2 | 15.1 | 18.8 | **6,722.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **4,277.0** |
| H2O | 1969 | 90.8 | 89.7 | 72.7 | 129.3 | 19.6 | 11.4 | 25.4 | 169.3 | 40.9 | 22.1 | 171.4 | 51.7 | **7,772.6** |
| OIL | 1969 | 34.0 | 31.5 | 35.1 | 21.3 | 28.1 | 23.0 | 22.9 | 4.6 | 9.1 | 9.4 | 49.7 | 51.0 | **6,337.8** |
| DAY | 1968 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **3,915.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1557*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1968 | 23.7 | 21.8 | 23.2 | 189.7 | 179.3 | 120.0 | 115.7 | 130.0 | 63.4 | 62.0 | 97.5 | 85.1 | **6,878.3** |
| OIL | 1968 | 30.2 | 29.4 | 28.9 | 65.6 | 61.7 | 50.2 | 48.1 | 53.7 | 46.4 | 47.2 | 36.5 | 31.6 | **6,018.1** |
| DAY | 1967 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,555.0** |
| H2O | 1967 | 154.4 | 121.3 | 166.3 | 137.5 | 141.8 | 135.9 | 113.8 | 150.9 | 79.8 | 85.2 | 26.4 | 22.4 | **5,766.9** |
| OIL | 1967 | 62.3 | 54.8 | 62.1 | 50.1 | 54.2 | 51.2 | 43.9 | 54.2 | 36.9 | 37.0 | 35.1 | 31.9 | **5,488.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,191.0** |
| H2O | 1966 | 183.6 | 170.9 | 164.1 | 111.9 | 102.4 | 103.2 | 101.7 | 82.2 | 79.3 | 81.7 | 146.3 | 155.2 | **4,431.2** |
| OIL | 1966 | 110.0 | 96.3 | 79.5 | 77.4 | 82.3 | 65.6 | 67.1 | 55.8 | 54.2 | 59.6 | 67.5 | 70.4 | **4,914.9** |
| DAY | 1965 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **2,826.0** |
| H2O | 1965 | 22.3 | 4.8 | 82.7 | 176.5 | 41.7 | 133.7 | 121.9 | 111.6 | 108.4 | 67.7 | 78.4 | 159.9 | **2,948.7** |
| OIL | 1965 | 39.6 | 34.3 | 96.1 | 99.2 | 93.0 | 81.5 | 80.6 | 78.0 | 70.7 | 49.3 | 45.3 | 93.0 | **4,029.2** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 22.0 | 27.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,468.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 14.1 | 11.6 | 99.7 | 122.9 | 82.2 | 69.6 | 82.2 | 28.5 | 24.2 | **1,839.1** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 13.0 | 19.2 | 104.7 | 98.8 | 64.7 | 56.7 | 61.2 | 42.7 | 41.8 | **3,168.6** |
| DAY | 1963 | 18.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **2,208.0** |
| H2O | 1963 | 13.5 | 17.5 | 3.3 | 3.7 | 17.0 | 21.6 | 23.7 | 24.5 | 24.5 | 26.2 | 0.0 | 0.0 | **1,304.1** |
| OIL | 1963 | 17.3 | 21.5 | 21.1 | 20.2 | 20.7 | 17.8 | 18.8 | 17.8 | 17.8 | 18.3 | 0.0 | 0.0 | **2,665.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,922.0** |
| H2O | 1962 | 33.1 | 14.8 | 49.8 | 31.5 | 25.6 | 23.7 | 16.9 | 5.6 | 5.1 | 4.8 | 4.1 | 0.0 | **1,128.6** |
| OIL | 1962 | 34.3 | 27.3 | 36.1 | 33.1 | 27.7 | 24.2 | 27.0 | 30.7 | 28.1 | 26.9 | 28.1 | 18.6 | **2,474.5** |
| DAY | 1961 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,557.0** |
| H2O | 1961 | 53.6 | 52.8 | 39.4 | 42.8 | 32.0 | 28.5 | 27.0 | 29.3 | 29.4 | 36.4 | 40.4 | 35.5 | **913.6** |
| OIL | 1961 | 55.5 | 54.2 | 50.4 | 44.2 | 35.0 | 38.0 | 33.2 | 38.6 | 28.9 | 33.4 | 32.1 | 33.8 | **2,132.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,194.0** |
| H2O | 1960 | 7.9 | 6.7 | 9.4 | 4.3 | 7.9 | 9.9 | 9.1 | 10.0 | 10.3 | 9.2 | 2.2 | 2.2 | **466.5** |
| OIL | 1960 | 21.0 | 18.0 | 23.7 | 21.6 | 24.2 | 22.2 | 20.3 | 23.5 | 25.7 | 25.3 | 11.8 | 12.1 | **1,655.1** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **828.0** |
| H2O | 1959 | 16.2 | 2.9 | 9.1 | 4.9 | 1.1 | 12.2 | 4.6 | 11.6 | 14.3 | 7.8 | 10.8 | 9.7 | **377.4** |
| OIL | 1959 | 30.5 | 28.8 | 28.1 | 25.4 | 26.9 | 21.1 | 28.9 | 24.0 | 24.2 | 26.7 | 29.1 | 23.0 | **1,405.7** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **464.0** |
| H2O | 1958 | 8.6 | 0.2 | 0.2 | 0.0 | 5.7 | 0.0 | 2.9 | 13.4 | 9.9 | 10.3 | 18.3 | 5.4 | **272.2** |
| OIL | 1958 | 68.8 | 71.4 | 67.7 | 64.8 | 50.4 | 34.2 | 37.3 | 45.0 | 31.8 | 34.0 | 32.3 | 33.7 | **1,089.0** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 27.0 | 30.0 | 31.0 | **100.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.2 | 122.6 | 49.8 | 8.7 | **197.3** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 106.0 | 161.3 | 171.5 | 78.8 | **517.6** |

Licence ***1559*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-21-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,614.0** |
| H2O | 1975 | 979.2 | 838.0 | 942.4 | 871.5 | 886.0 | 832.7 | 785.0 | 843.4 | 771.2 | 835.0 | 752.1 | 789.8 | **112,723.7** |
| OIL | 1975 | 96.3 | 87.4 | 95.8 | 89.1 | 101.4 | 99.0 | 108.9 | 116.0 | 106.5 | 99.8 | 93.0 | 97.1 | **31,985.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,250.0** |
| H2O | 1974 | 905.1 | 815.2 | 906.5 | 801.9 | 753.1 | 845.8 | 948.8 | 969.5 | 917.6 | 1058.8 | 1024.9 | 972.6 | **102,597.4** |
| OIL | 1974 | 97.6 | 87.1 | 100.4 | 89.9 | 109.6 | 101.7 | 100.6 | 97.7 | 104.9 | 95.5 | 92.8 | 97.7 | **30,795.4** |
| DAY | 1973 | 31.0 | 28.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **5,887.0** |
| H2O | 1973 | 790.4 | 744.0 | 716.4 | 684.9 | 722.9 | 789.5 | 761.7 | 935.3 | 812.1 | 799.7 | 776.3 | 899.5 | **91,677.6** |
| OIL | 1973 | 112.3 | 99.5 | 107.7 | 106.6 | 111.7 | 111.7 | 105.4 | 107.4 | 102.0 | 95.3 | 103.1 | 94.1 | **29,619.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **5,528.0** |
| H2O | 1972 | 877.3 | 822.1 | 846.1 | 809.2 | 825.7 | 798.6 | 813.0 | 825.1 | 756.6 | 826.7 | 792.5 | 830.8 | **82,244.9** |
| OIL | 1972 | 120.1 | 104.4 | 115.8 | 109.2 | 110.3 | 115.2 | 110.1 | 104.9 | 98.5 | 111.7 | 101.5 | 112.2 | **28,363.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1559*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-21-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,165.0** |
| H2O | 1971 | 719.5 | 746.4 | 804.3 | 719.5 | 755.3 | 744.2 | 852.3 | 802.7 | 649.9 | 680.0 | 698.2 | 765.5 | **72,421.2** |
| OIL | 1971 | 139.2 | 117.3 | 132.7 | 113.0 | 111.9 | 109.5 | 103.3 | 103.9 | 114.7 | 100.7 | 91.4 | 121.4 | **27,049.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,800.0** |
| H2O | 1970 | 797.4 | 708.6 | 787.9 | 681.2 | 575.2 | 569.5 | 594.4 | 524.3 | 559.5 | 590.0 | 690.1 | 710.7 | **63,483.4** |
| OIL | 1970 | 148.1 | 140.2 | 155.1 | 130.6 | 136.7 | 127.3 | 130.9 | 114.7 | 120.3 | 98.4 | 123.0 | 147.6 | **25,690.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,435.0** |
| H2O | 1969 | 772.3 | 779.8 | 809.5 | 753.2 | 907.9 | 921.9 | 888.9 | 835.1 | 890.3 | 809.2 | 835.3 | 809.8 | **55,694.6** |
| OIL | 1969 | 156.8 | 138.9 | 151.4 | 157.2 | 171.5 | 165.4 | 168.6 | 160.7 | 163.0 | 144.6 | 163.0 | 153.8 | **24,117.3** |
| DAY | 1968 | 31.0 | 27.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,071.0** |
| H2O | 1968 | 386.8 | 361.5 | 753.7 | 804.8 | 712.1 | 722.9 | 704.4 | 686.3 | 675.8 | 641.6 | 641.6 | 828.3 | **45,681.4** |
| OIL | 1968 | 75.6 | 76.9 | 156.0 | 162.7 | 171.0 | 155.6 | 141.3 | 157.0 | 152.2 | 138.6 | 145.9 | 164.3 | **22,222.4** |
| DAY | 1967 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **3,709.0** |
| H2O | 1967 | 546.3 | 483.5 | 511.1 | 541.0 | 510.2 | 549.9 | 515.7 | 275.4 | 595.7 | 454.8 | 446.6 | 336.7 | **37,761.6** |
| OIL | 1967 | 131.6 | 120.0 | 123.3 | 127.1 | 132.4 | 126.0 | 123.9 | 64.4 | 134.8 | 119.5 | 110.8 | 75.3 | **20,525.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,348.0** |
| H2O | 1966 | 380.3 | 361.0 | 381.4 | 353.1 | 371.1 | 352.8 | 318.1 | 590.0 | 516.2 | 598.2 | 546.4 | 550.2 | **31,994.7** |
| OIL | 1966 | 117.9 | 108.5 | 112.5 | 105.0 | 113.5 | 108.9 | 102.0 | 160.3 | 142.5 | 161.0 | 151.9 | 141.9 | **19,136.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,989.0** |
| H2O | 1965 | 300.9 | 266.0 | 258.2 | 341.3 | 355.5 | 401.6 | 319.5 | 372.8 | 270.7 | 412.1 | 387.9 | 374.6 | **26,675.9** |
| OIL | 1965 | 102.3 | 88.7 | 96.3 | 123.2 | 135.2 | 135.9 | 108.5 | 118.5 | 88.0 | 137.1 | 110.6 | 116.6 | **17,610.3** |
| DAY | 1964 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,624.0** |
| H2O | 1964 | 256.4 | 253.3 | 212.2 | 200.8 | 237.4 | 269.0 | 290.3 | 333.4 | 329.7 | 277.9 | 279.2 | 308.4 | **22,614.8** |
| OIL | 1964 | 87.2 | 94.9 | 78.8 | 85.7 | 90.6 | 98.2 | 100.9 | 108.7 | 101.9 | 99.8 | 98.7 | 100.6 | **16,249.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,261.0** |
| H2O | 1963 | 337.2 | 313.8 | 446.4 | 366.4 | 375.4 | 325.3 | 288.7 | 252.5 | 279.0 | 276.5 | 262.8 | 268.5 | **19,366.8** |
| OIL | 1963 | 141.3 | 126.8 | 191.2 | 162.4 | 174.2 | 146.7 | 115.4 | 112.7 | 136.8 | 133.0 | 115.8 | 109.6 | **15,103.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | 31.0 | 29.0 | 27.0 | **1,897.0** |
| H2O | 1962 | 199.4 | 219.7 | 223.2 | 171.2 | 152.3 | 159.1 | 103.0 | 99.2 | 284.4 | 348.6 | 318.0 | 226.1 | **15,574.3** |
| OIL | 1962 | 145.1 | 124.4 | 123.5 | 107.1 | 88.4 | 90.3 | 77.2 | 79.6 | 119.3 | 140.0 | 128.7 | 94.2 | **13,437.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,541.0** |
| H2O | 1961 | 280.8 | 230.2 | 253.6 | 248.8 | 256.6 | 258.8 | 252.6 | 290.6 | 351.2 | 279.3 | 323.7 | 289.3 | **13,070.1** |
| OIL | 1961 | 163.5 | 140.6 | 155.9 | 150.5 | 151.6 | 153.0 | 127.6 | 182.9 | 163.5 | 161.6 | 151.8 | 156.0 | **12,119.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,176.0** |
| H2O | 1960 | 250.4 | 330.4 | 352.3 | 370.9 | 349.9 | 330.7 | 358.5 | 324.2 | 311.8 | 326.7 | 288.4 | 266.9 | **9,754.6** |
| OIL | 1960 | 252.1 | 248.7 | 265.8 | 255.3 | 272.3 | 244.7 | 240.9 | 226.0 | 220.7 | 226.4 | 171.1 | 175.1 | **10,261.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **810.0** |
| H2O | 1959 | 235.4 | 237.5 | 297.3 | 263.6 | 305.1 | 260.4 | 287.9 | 292.8 | 289.2 | 247.8 | 279.5 | 290.6 | **5,893.5** |
| OIL | 1959 | 270.1 | 238.4 | 257.9 | 254.5 | 277.4 | 270.9 | 274.2 | 279.7 | 261.0 | 226.1 | 264.2 | 241.7 | **7,462.1** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **450.0** |
| H2O | 1958 | 153.4 | 143.7 | 159.5 | 187.0 | 185.2 | 186.6 | 215.7 | 218.3 | 193.5 | 210.6 | 220.8 | 218.9 | **2,606.4** |
| OIL | 1958 | 327.8 | 285.6 | 330.7 | 310.2 | 282.7 | 297.6 | 297.3 | 306.1 | 248.4 | 285.4 | 266.3 | 273.9 | **4,346.0** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 27.0 | 27.0 | 31.0 | **91.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.9 | 100.6 | 97.8 | 109.9 | **313.2** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 49.6 | 241.9 | 260.9 | 281.6 | **834.0** |

Licence ***1561*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-25-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,552.0** |
| H2O | 1975 | 107.9 | 99.8 | 111.4 | 107.9 | 111.9 | 107.2 | 73.6 | 72.5 | 71.4 | 76.8 | 76.8 | 78.2 | **15,358.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1561*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-25-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1975 | 163.4 | 146.4 | 160.5 | 152.4 | 155.3 | 150.8 | 175.9 | 176.7 | 171.5 | 177.3 | 171.5 | 174.3 | **40,015.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 23.0 | 30.0 | 29.0 | 31.0 | **6,187.0** |
| H2O | 1974 | 136.7 | 126.7 | 141.8 | 138.0 | 46.4 | 46.7 | 47.1 | 43.2 | 32.1 | 42.0 | 104.4 | 107.9 | **14,262.7** |
| OIL | 1974 | 290.3 | 253.1 | 289.7 | 276.3 | 105.8 | 102.5 | 105.8 | 105.4 | 76.1 | 100.0 | 155.3 | 165.9 | **38,039.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,831.0** |
| H2O | 1973 | 142.0 | 136.2 | 145.9 | 145.8 | 147.5 | 142.0 | 142.4 | 149.8 | 150.7 | 152.3 | 141.3 | 137.0 | **13,249.7** |
| OIL | 1973 | 286.0 | 252.2 | 277.8 | 271.4 | 283.3 | 274.8 | 284.8 | 297.0 | 289.7 | 295.9 | 278.7 | 282.5 | **36,013.7** |
| DAY | 1972 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,466.0** |
| H2O | 1972 | 141.0 | 272.2 | 325.0 | 288.5 | 319.5 | 116.1 | 128.8 | 122.3 | 122.1 | 138.8 | 137.7 | 139.9 | **11,516.8** |
| OIL | 1972 | 176.2 | 318.3 | 376.9 | 358.8 | 379.8 | 161.8 | 166.7 | 170.4 | 162.1 | 143.8 | 136.7 | 142.5 | **32,639.6** |
| DAY | 1971 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 27.0 | 31.0 | **5,102.0** |
| H2O | 1971 | 113.4 | 101.3 | 130.5 | 130.8 | 38.8 | 38.6 | 38.2 | 36.7 | 31.8 | 35.6 | 115.6 | 150.9 | **9,264.9** |
| OIL | 1971 | 204.0 | 113.8 | 141.0 | 133.8 | 73.3 | 71.2 | 72.8 | 71.5 | 68.0 | 70.9 | 158.8 | 180.5 | **29,945.6** |
| DAY | 1970 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,746.0** |
| H2O | 1970 | 92.2 | 89.3 | 93.6 | 86.3 | 88.9 | 90.1 | 108.7 | 129.1 | 120.2 | 124.8 | 106.2 | 126.5 | **8,302.7** |
| OIL | 1970 | 139.4 | 129.8 | 141.7 | 136.7 | 141.1 | 138.3 | 193.1 | 200.1 | 191.0 | 201.5 | 180.0 | 202.8 | **28,586.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 25.0 | 29.0 | 19.0 | **4,384.0** |
| H2O | 1969 | 261.7 | 236.1 | 222.9 | 227.7 | 250.2 | 236.1 | 98.1 | 96.2 | 93.0 | 75.0 | 85.2 | 60.6 | **7,046.8** |
| OIL | 1969 | 219.1 | 192.8 | 213.9 | 208.5 | 214.1 | 207.1 | 146.8 | 142.4 | 141.9 | 110.6 | 134.9 | 91.4 | **26,590.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | **4,038.0** |
| H2O | 1968 | 74.4 | 70.6 | 74.9 | 77.1 | 90.0 | 82.2 | 107.8 | 98.6 | 98.7 | 189.7 | 226.9 | 249.8 | **5,104.0** |
| OIL | 1968 | 303.4 | 278.4 | 297.2 | 296.0 | 282.2 | 277.3 | 233.3 | 233.1 | 224.9 | 316.5 | 205.6 | 219.5 | **24,567.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,675.0** |
| H2O | 1967 | 75.5 | 62.5 | 72.8 | 70.0 | 69.6 | 52.6 | 51.2 | 84.7 | 74.4 | 80.3 | 70.6 | 77.3 | **3,663.3** |
| OIL | 1967 | 263.0 | 233.6 | 254.6 | 253.0 | 259.3 | 184.8 | 194.7 | 300.8 | 289.7 | 305.9 | 298.4 | 303.0 | **21,399.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,316.0** |
| H2O | 1966 | 86.3 | 69.2 | 87.9 | 90.1 | 101.6 | 82.7 | 88.4 | 87.1 | 93.8 | 96.3 | 74.1 | 77.4 | **2,821.8** |
| OIL | 1966 | 354.4 | 311.9 | 345.5 | 337.8 | 353.3 | 313.2 | 351.8 | 348.2 | 339.3 | 351.4 | 251.6 | 257.4 | **18,258.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 20.0 | 31.0 | 30.0 | 31.0 | **2,953.0** |
| H2O | 1965 | 7.9 | 7.0 | 8.1 | 24.6 | 25.1 | 23.1 | 22.7 | 24.2 | 22.3 | 33.5 | 34.5 | 90.5 | **1,786.9** |
| OIL | 1965 | 73.3 | 66.7 | 72.3 | 106.8 | 107.7 | 103.5 | 105.5 | 111.2 | 185.0 | 293.3 | 278.7 | 358.5 | **14,343.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,598.0** |
| H2O | 1964 | 7.6 | 6.8 | 7.6 | 7.3 | 7.8 | 7.5 | 7.0 | 7.6 | 7.2 | 7.3 | 7.3 | 7.9 | **1,463.4** |
| OIL | 1964 | 69.0 | 65.3 | 70.6 | 67.7 | 69.6 | 67.2 | 65.3 | 70.1 | 67.9 | 69.1 | 65.6 | 72.6 | **12,480.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 30.0 | **2,235.0** |
| H2O | 1963 | 6.5 | 6.5 | 6.5 | 7.3 | 7.2 | 6.5 | 7.6 | 6.0 | 5.9 | 6.2 | 7.2 | 7.3 | **1,374.5** |
| OIL | 1963 | 62.0 | 56.7 | 60.1 | 59.4 | 61.3 | 58.5 | 61.0 | 56.7 | 58.3 | 56.7 | 62.6 | 63.9 | **11,660.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,874.0** |
| H2O | 1962 | 2.9 | 3.2 | 4.3 | 3.3 | 7.9 | 7.0 | 7.9 | 5.6 | 6.2 | 6.8 | 6.7 | 7.2 | **1,293.8** |
| OIL | 1962 | 67.5 | 59.9 | 66.4 | 65.0 | 69.9 | 64.4 | 70.1 | 56.9 | 55.8 | 64.7 | 60.2 | 63.1 | **10,943.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,509.0** |
| H2O | 1961 | 4.0 | 3.2 | 1.4 | 3.5 | 28.1 | 17.3 | 23.2 | 14.8 | 8.4 | 7.9 | 4.8 | 2.4 | **1,224.8** |
| OIL | 1961 | 81.2 | 75.0 | 80.1 | 76.8 | 78.3 | 79.5 | 80.6 | 78.5 | 70.4 | 73.3 | 61.8 | 69.4 | **10,179.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,149.0** |
| H2O | 1960 | 7.3 | 6.2 | 5.7 | 18.3 | 18.8 | 16.1 | 18.0 | 16.2 | 12.4 | 14.6 | 5.1 | 4.3 | **1,105.8** |
| OIL | 1960 | 153.7 | 135.1 | 138.3 | 118.7 | 117.6 | 109.5 | 110.9 | 110.0 | 104.7 | 105.7 | 88.0 | 88.2 | **9,274.5** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **784.0** |
| H2O | 1959 | 45.6 | 42.8 | 42.3 | 43.4 | 41.5 | 21.8 | 20.2 | 19.1 | 17.3 | 17.2 | 8.4 | 7.8 | **962.8** |
| OIL | 1959 | 359.3 | 297.8 | 333.7 | 306.9 | 299.1 | 254.9 | 248.1 | 226.9 | 206.7 | 188.3 | 176.2 | 161.9 | **7,894.1** |
| DAY | 1958 | 31.0 | 27.0 | 31.0 | 29.0 | 26.0 | 28.0 | 29.0 | 29.0 | 30.0 | 30.0 | 30.0 | 29.0 | **420.0** |
| H2O | 1958 | 52.9 | 32.9 | 49.9 | 49.3 | 42.8 | 50.2 | 44.0 | 40.4 | 38.5 | 37.0 | 32.0 | 46.6 | **635.4** |
| OIL | 1958 | 355.3 | 270.3 | 317.0 | 335.6 | 290.5 | 333.4 | 340.2 | 336.3 | 352.9 | 340.7 | 328.3 | 360.4 | **4,834.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1561*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-25-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 29.0 | 31.0 | **71.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.6 | 45.9 | 54.4 | **118.9** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 179.1 | 339.3 | 355.0 | **873.4** |

Licence ***1564*** Well Name ***Landa et al Wardle Daly SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.03-24-010-28W1.00*** Field Name ***Daly*** Pool Name ***Melita Formation*** Field Code ***1*** Pool Code ***19*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1961 | 1497.5 | 1410.8 | 2361.4 | 875.9 | 1222.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **61,769.6** |
| WIN | 1960 | 1571.0 | 1722.2 | 1674.5 | 1653.7 | 1772.8 | 1660.7 | 1446.7 | 1857.9 | 1823.5 | 1212.2 | 1292.2 | 1250.8 | **54,401.7** |
| WIN | 1959 | 1347.8 | 1215.9 | 1355.0 | 1485.7 | 1615.9 | 1698.9 | 1766.6 | 1806.0 | 1552.6 | 1566.3 | 1677.7 | 1818.7 | **35,463.5** |
| WIN | 1958 | 1067.2 | 975.3 | 1153.4 | 1163.7 | 1169.4 | 1162.1 | 1382.2 | 1182.8 | 1234.0 | 1367.2 | 1359.6 | 1400.6 | **16,556.4** |
| WIN | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 787.3 | 1151.6 | **1,938.9** |

Licence ***1567*** Well Name ***Hopco Heaman*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-05-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | **9.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | **11.0** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.3 | **4.3** |

Licence ***1569*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-22-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,783.0** |
| H2O | 1975 | 225.8 | 193.0 | 217.2 | 208.1 | 214.8 | 342.3 | 376.6 | 382.0 | 388.7 | 402.1 | 390.8 | 410.5 | **54,310.0** |
| OIL | 1975 | 38.1 | 34.6 | 38.0 | 36.9 | 40.2 | 92.2 | 104.9 | 104.2 | 102.0 | 110.4 | 107.4 | 112.2 | **32,678.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 17.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,418.0** |
| H2O | 1974 | 403.7 | 524.8 | 583.6 | 551.8 | 497.9 | 573.6 | 584.7 | 325.1 | 219.2 | 225.0 | 230.5 | 225.3 | **50,558.1** |
| OIL | 1974 | 93.9 | 76.9 | 85.5 | 82.8 | 93.3 | 88.7 | 89.0 | 49.6 | 38.1 | 37.7 | 38.3 | 38.6 | **31,757.2** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **5,068.0** |
| H2O | 1973 | 213.5 | 207.5 | 212.6 | 107.9 | 116.1 | 121.8 | 121.0 | 147.7 | 128.8 | 291.3 | 351.8 | 409.7 | **45,612.9** |
| OIL | 1973 | 103.8 | 97.6 | 111.6 | 62.5 | 65.2 | 65.2 | 60.5 | 61.5 | 61.8 | 76.8 | 95.5 | 94.1 | **30,944.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,712.0** |
| H2O | 1972 | 251.5 | 234.5 | 233.9 | 222.6 | 230.7 | 122.4 | 124.0 | 125.6 | 107.5 | 211.4 | 201.7 | 204.4 | **43,183.2** |
| OIL | 1972 | 106.9 | 100.6 | 40.8 | 36.9 | 40.2 | 32.6 | 32.3 | 33.1 | 27.3 | 106.6 | 97.1 | 103.6 | **29,988.7** |
| DAY | 1971 | 31.0 | 28.0 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,348.0** |
| H2O | 1971 | 254.7 | 786.5 | 55.6 | 50.2 | 327.7 | 335.8 | 1610.1 | 1516.5 | 1356.4 | 1392.2 | 225.9 | 250.6 | **40,913.0** |
| OIL | 1971 | 73.6 | 185.3 | 24.0 | 22.4 | 73.7 | 74.7 | 319.1 | 320.5 | 304.5 | 299.4 | 91.2 | 108.2 | **29,230.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,988.0** |
| H2O | 1970 | 289.8 | 244.8 | 273.1 | 240.4 | 244.7 | 250.4 | 261.2 | 228.6 | 247.4 | 252.3 | 246.3 | 253.4 | **32,750.8** |
| OIL | 1970 | 88.2 | 79.8 | 86.4 | 73.4 | 77.5 | 74.7 | 76.9 | 66.6 | 70.9 | 71.8 | 65.6 | 78.8 | **27,334.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,627.0** |
| H2O | 1969 | 308.9 | 280.4 | 311.3 | 312.9 | 311.1 | 295.7 | 276.0 | 307.6 | 303.0 | 311.4 | 300.5 | 310.5 | **29,718.4** |
| OIL | 1969 | 119.8 | 106.6 | 119.7 | 122.7 | 113.3 | 104.9 | 99.0 | 116.6 | 105.4 | 98.7 | 95.3 | 95.0 | **26,423.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | **3,268.0** |
| H2O | 1968 | 338.3 | 348.6 | 360.4 | 310.3 | 330.2 | 291.1 | 318.3 | 315.4 | 305.1 | 294.3 | 310.0 | 303.2 | **26,089.1** |
| OIL | 1968 | 121.4 | 117.6 | 128.7 | 122.4 | 128.1 | 110.9 | 122.5 | 123.9 | 120.5 | 116.0 | 117.9 | 116.0 | **25,126.5** |
| H2O | 1967 | 315.9 | 271.7 | 291.1 | 256.6 | 253.7 | 269.6 | 263.1 | 267.2 | 257.5 | 338.8 | 350.7 | 359.6 | **22,263.9** |
| OIL | 1967 | 129.2 | 107.1 | 118.2 | 110.6 | 113.6 | 116.8 | 117.4 | 121.6 | 121.6 | 148.4 | 139.7 | 139.0 | **23,680.6** |
| H2O | 1966 | 251.3 | 227.7 | 251.3 | 236.2 | 246.1 | 252.3 | 341.2 | 339.7 | 335.0 | 331.0 | 324.3 | 325.6 | **18,768.4** |

# Manitoba Production
## 1950 To 1975

Licence ***1569*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-22-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1966 | 186.4 | 164.9 | 188.1 | 168.6 | 165.3 | 167.0 | 192.6 | 187.8 | 169.6 | 154.3 | 142.4 | 142.7 | **22,197.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 21.0 | 29.0 | 31.0 | **2,906.0** |
| H2O | 1965 | 153.7 | 136.7 | 147.9 | 145.3 | 149.4 | 143.9 | 145.5 | 54.2 | 42.8 | 129.6 | 236.9 | 251.3 | **15,306.7** |
| OIL | 1965 | 123.6 | 110.0 | 118.2 | 111.7 | 104.1 | 108.4 | 105.0 | 48.3 | 38.0 | 104.6 | 197.0 | 197.2 | **20,167.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | **2,552.0** |
| H2O | 1964 | 246.4 | 230.5 | 248.0 | 245.1 | 256.3 | 214.3 | 169.2 | 170.9 | 162.8 | 154.1 | 148.5 | 157.1 | **13,569.5** |
| OIL | 1964 | 177.3 | 164.9 | 167.7 | 160.8 | 166.7 | 152.7 | 142.9 | 135.4 | 130.5 | 126.8 | 124.3 | 129.0 | **18,801.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,192.0** |
| H2O | 1963 | 261.2 | 227.0 | 246.4 | 234.5 | 241.6 | 225.6 | 236.6 | 236.2 | 235.3 | 246.4 | 230.5 | 246.4 | **11,166.3** |
| OIL | 1963 | 230.6 | 198.2 | 217.4 | 210.4 | 216.3 | 203.7 | 214.8 | 212.3 | 202.5 | 200.1 | 169.7 | 180.7 | **17,022.6** |
| DAY | 1962 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,828.0** |
| H2O | 1962 | 234.5 | 201.9 | 218.4 | 209.9 | 216.8 | 222.4 | 231.5 | 239.6 | 222.7 | 226.7 | 238.6 | 272.2 | **8,298.6** |
| OIL | 1962 | 270.6 | 215.5 | 224.2 | 218.8 | 230.7 | 222.2 | 223.4 | 241.1 | 226.6 | 229.3 | 227.4 | 241.9 | **14,565.9** |
| DAY | 1961 | 30.0 | 27.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 27.0 | 31.0 | **1,465.0** |
| H2O | 1961 | 131.2 | 109.7 | 144.7 | 141.5 | 127.2 | 101.0 | 75.5 | 212.4 | 223.8 | 240.9 | 198.1 | 249.1 | **5,563.4** |
| OIL | 1961 | 215.3 | 166.1 | 209.0 | 209.8 | 195.9 | 161.3 | 161.3 | 265.2 | 245.7 | 261.1 | 229.3 | 293.8 | **11,794.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,109.0** |
| H2O | 1960 | 160.7 | 156.6 | 167.9 | 159.5 | 163.4 | 166.0 | 159.1 | 139.9 | 155.6 | 187.3 | 145.5 | 147.9 | **3,608.3** |
| OIL | 1960 | 290.3 | 277.0 | 294.0 | 277.1 | 281.0 | 279.0 | 262.7 | 235.8 | 250.1 | 255.7 | 258.9 | 266.2 | **9,180.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **745.0** |
| H2O | 1959 | 68.7 | 62.3 | 65.8 | 66.1 | 46.6 | 87.0 | 121.3 | 87.4 | 95.4 | 89.0 | 95.4 | 129.9 | **1,698.9** |
| OIL | 1959 | 265.5 | 219.3 | 143.3 | 110.6 | 83.3 | 149.7 | 313.7 | 289.7 | 237.9 | 244.7 | 237.6 | 266.5 | **5,952.6** |
| DAY | 1958 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **382.0** |
| H2O | 1958 | 14.1 | 35.9 | 36.7 | 45.5 | 51.8 | 70.4 | 63.4 | 69.5 | 69.0 | 78.1 | 78.2 | 71.4 | **684.0** |
| OIL | 1958 | 294.3 | 255.1 | 292.1 | 271.7 | 253.0 | 241.9 | 244.1 | 240.4 | 242.7 | 277.1 | 277.3 | 259.2 | **3,390.8** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | **21.0** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 241.9 | **241.9** |

Licence ***1570*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-22-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,502.0** |
| H2O | 1975 | 132.7 | 113.7 | 128.0 | 122.6 | 126.4 | 134.2 | 142.9 | 149.3 | 148.3 | 153.6 | 162.3 | 170.4 | **31,681.6** |
| OIL | 1975 | 50.1 | 45.4 | 49.9 | 48.5 | 52.8 | 111.4 | 122.5 | 125.2 | 120.0 | 129.8 | 51.5 | 53.7 | **25,543.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **6,137.0** |
| H2O | 1974 | 169.5 | 152.6 | 169.8 | 160.6 | 144.8 | 166.9 | 129.7 | 138.3 | 128.9 | 132.3 | 135.6 | 132.6 | **29,997.2** |
| OIL | 1974 | 101.4 | 90.4 | 100.4 | 97.3 | 109.6 | 104.4 | 46.4 | 49.3 | 50.4 | 49.7 | 50.4 | 51.0 | **24,582.8** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **5,773.0** |
| H2O | 1973 | 145.1 | 140.9 | 144.4 | 127.3 | 141.8 | 148.8 | 157.1 | 130.8 | 117.0 | 122.3 | 147.7 | 172.0 | **28,235.6** |
| OIL | 1973 | 60.5 | 56.9 | 65.0 | 62.3 | 95.0 | 94.9 | 94.2 | 28.1 | 29.2 | 82.8 | 103.1 | 101.7 | **23,682.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,416.0** |
| H2O | 1972 | 137.7 | 128.3 | 145.9 | 138.9 | 144.8 | 134.5 | 141.0 | 143.7 | 135.0 | 143.4 | 137.2 | 138.9 | **26,540.4** |
| OIL | 1972 | 72.8 | 68.6 | 62.1 | 56.1 | 61.5 | 55.1 | 56.6 | 58.5 | 52.9 | 62.3 | 56.6 | 60.4 | **22,808.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,051.0** |
| H2O | 1971 | 140.1 | 121.6 | 124.8 | 109.1 | 153.4 | 165.0 | 179.6 | 169.2 | 151.2 | 155.3 | 123.7 | 137.2 | **24,871.1** |
| OIL | 1971 | 52.3 | 45.3 | 77.1 | 70.1 | 59.3 | 63.6 | 66.4 | 66.9 | 63.6 | 62.5 | 62.3 | 73.7 | **22,084.9** |
| DAY | 1970 | 30.0 | 28.0 | 31.0 | 27.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 27.0 | 31.0 | **4,689.0** |
| H2O | 1970 | 183.1 | 169.2 | 187.3 | 163.1 | 174.6 | 117.6 | 140.4 | 125.9 | 135.0 | 136.1 | 117.0 | 138.5 | **23,140.9** |
| OIL | 1970 | 61.7 | 58.2 | 64.0 | 55.8 | 61.2 | 45.3 | 53.4 | 47.5 | 50.1 | 49.9 | 40.0 | 55.5 | **21,321.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,334.0** |
| H2O | 1969 | 182.4 | 164.7 | 182.4 | 180.9 | 187.3 | 181.2 | 169.5 | 198.2 | 184.4 | 192.2 | 186.0 | 192.2 | **21,353.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1570*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-22-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1969 | 73.7 | 66.7 | 73.9 | 71.7 | 73.9 | 71.5 | 67.9 | 76.8 | 64.0 | 64.0 | 62.0 | 64.0 | **20,679.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,973.0** |
| H2O | 1968 | 198.7 | 179.8 | 183.9 | 173.1 | 188.1 | 170.3 | 180.3 | 183.3 | 177.9 | 172.3 | 181.2 | 180.4 | **19,151.7** |
| OIL | 1968 | 111.7 | 97.9 | 91.8 | 87.2 | 91.7 | 80.4 | 83.6 | 81.4 | 74.8 | 73.9 | 76.3 | 73.7 | **19,849.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 29.0 | 31.0 | **3,609.0** |
| H2O | 1967 | 195.4 | 170.1 | 175.8 | 149.3 | 148.8 | 140.5 | 142.9 | 142.9 | 189.3 | 232.3 | 196.2 | 202.2 | **16,982.4** |
| OIL | 1967 | 106.5 | 93.4 | 101.2 | 89.5 | 91.4 | 81.8 | 84.1 | 86.1 | 91.5 | 119.2 | 115.2 | 116.8 | **18,824.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 26.0 | 25.0 | 31.0 | 27.0 | 31.0 | 30.0 | 27.0 | **3,247.0** |
| H2O | 1966 | 98.6 | 89.8 | 98.6 | 87.9 | 99.8 | 85.5 | 272.8 | 339.7 | 223.7 | 180.4 | 176.5 | 164.1 | **14,896.7** |
| OIL | 1966 | 91.2 | 78.5 | 86.0 | 75.0 | 82.8 | 69.0 | 81.5 | 96.1 | 84.7 | 102.7 | 100.1 | 92.5 | **17,648.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 28.0 | 30.0 | **2,901.0** |
| H2O | 1965 | 129.1 | 112.2 | 124.8 | 123.2 | 124.8 | 120.0 | 121.3 | 95.7 | 101.0 | 103.5 | 92.7 | 95.9 | **12,979.3** |
| OIL | 1965 | 109.0 | 95.0 | 103.1 | 97.6 | 89.1 | 93.1 | 93.6 | 88.0 | 91.5 | 91.1 | 83.0 | 91.8 | **16,607.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,542.0** |
| H2O | 1964 | 177.4 | 180.8 | 174.1 | 146.3 | 147.9 | 132.1 | 132.1 | 127.5 | 111.6 | 133.1 | 128.8 | 131.3 | **11,635.1** |
| OIL | 1964 | 141.1 | 127.8 | 133.2 | 124.9 | 130.1 | 117.3 | 121.4 | 118.4 | 106.3 | 117.6 | 114.4 | 110.9 | **15,482.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,181.0** |
| H2O | 1963 | 172.5 | 145.0 | 158.7 | 162.2 | 167.6 | 160.3 | 167.6 | 168.0 | 169.2 | 177.4 | 166.0 | 177.4 | **9,912.1** |
| OIL | 1963 | 157.3 | 130.1 | 143.2 | 142.9 | 144.3 | 134.8 | 147.6 | 149.1 | 140.5 | 141.6 | 127.9 | 142.1 | **14,018.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,817.0** |
| H2O | 1962 | 171.7 | 152.9 | 169.2 | 162.2 | 176.3 | 201.3 | 214.3 | 236.4 | 226.7 | 222.7 | 168.0 | 172.5 | **7,920.2** |
| OIL | 1962 | 199.7 | 177.3 | 183.4 | 177.0 | 186.7 | 188.8 | 190.7 | 191.5 | 176.4 | 168.8 | 157.8 | 160.0 | **12,317.2** |
| DAY | 1961 | 30.0 | 27.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **1,454.0** |
| H2O | 1961 | 162.2 | 112.9 | 139.4 | 119.2 | 122.1 | 116.9 | 124.8 | 233.1 | 227.0 | 253.1 | 219.6 | 178.1 | **5,646.0** |
| OIL | 1961 | 189.1 | 189.9 | 180.4 | 164.5 | 169.6 | 147.0 | 197.0 | 257.3 | 227.1 | 251.6 | 215.8 | 214.2 | **10,159.1** |
| DAY | 1960 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,096.0** |
| H2O | 1960 | 99.4 | 90.6 | 98.2 | 93.5 | 89.3 | 87.8 | 107.9 | 173.0 | 181.6 | 187.3 | 188.6 | 197.1 | **3,637.6** |
| OIL | 1960 | 224.7 | 194.0 | 207.9 | 197.8 | 180.5 | 155.9 | 189.7 | 208.8 | 180.0 | 182.7 | 170.0 | 172.4 | **7,755.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | **735.0** |
| H2O | 1959 | 74.9 | 75.0 | 89.2 | 86.0 | 77.4 | 91.7 | 108.6 | 128.3 | 162.5 | 136.1 | 136.9 | 122.7 | **2,043.3** |
| OIL | 1959 | 197.8 | 175.8 | 235.7 | 227.9 | 232.5 | 216.3 | 245.2 | 259.0 | 250.1 | 246.0 | 231.5 | 233.3 | **5,491.2** |
| DAY | 1958 | 28.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | **375.0** |
| H2O | 1958 | 29.3 | 69.8 | 57.9 | 58.8 | 59.5 | 67.6 | 52.9 | 61.8 | 59.5 | 69.8 | 73.3 | 93.8 | **754.0** |
| OIL | 1958 | 184.2 | 228.8 | 316.4 | 281.0 | 228.5 | 251.4 | 254.7 | 238.2 | 162.6 | 118.2 | 155.4 | 120.8 | **2,740.1** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | **19.0** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 199.9 | **199.9** |

Licence ***1571*** Well Name ***Drevzoil Vanderschaeghe SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-15-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1970 | 1579.2 | 1411.8 | 1564.4 | 1356.7 | 1173.4 | 1073.4 | 1167.7 | 1096.8 | 675.7 | 0.0 | 0.0 | 0.0 | **147,988.7** |
| WIN | 1969 | 1718.3 | 1493.1 | 1581.2 | 1589.2 | 1606.5 | 1517.5 | 1413.2 | 1659.1 | 1582.3 | 1650.9 | 1597.7 | 1617.8 | **136,889.6** |
| WIN | 1968 | 1682.3 | 1591.1 | 1586.9 | 1427.9 | 1563.4 | 1428.1 | 1500.9 | 1545.8 | 1495.0 | 1433.8 | 1618.6 | 1696.2 | **117,862.8** |
| WIN | 1967 | 1341.6 | 1229.1 | 1291.2 | 1172.3 | 1148.0 | 1072.1 | 1067.7 | 1080.4 | 1140.3 | 1699.7 | 1644.0 | 1685.4 | **99,292.8** |
| WIN | 1966 | 1119.0 | 1005.8 | 1103.8 | 1026.5 | 1101.4 | 1057.3 | 1501.9 | 1576.0 | 1365.9 | 1353.4 | 1338.3 | 1337.5 | **83,721.0** |
| WIN | 1965 | 1138.3 | 1022.7 | 1112.7 | 1164.0 | 1195.0 | 1035.7 | 1058.0 | 878.5 | 888.5 | 1000.7 | 1039.4 | 1096.1 | **68,834.2** |
| WIN | 1964 | 1250.8 | 1209.2 | 1263.9 | 1210.1 | 1268.2 | 1196.9 | 1249.9 | 1243.5 | 1120.6 | 1160.1 | 1139.7 | 1169.0 | **56,204.6** |
| WIN | 1963 | 1158.6 | 993.4 | 1063.5 | 1072.3 | 1181.2 | 1115.9 | 1177.1 | 1196.9 | 1185.6 | 1244.8 | 1178.5 | 1254.5 | **41,722.7** |
| WIN | 1962 | 935.4 | 807.7 | 890.2 | 858.4 | 948.1 | 1000.3 | 1056.1 | 1135.2 | 1085.5 | 1090.4 | 1061.3 | 1116.5 | **27,900.4** |
| WIN | 1961 | 633.6 | 543.7 | 610.0 | 536.6 | 539.5 | 489.8 | 503.0 | 927.3 | 931.7 | 1012.0 | 899.8 | 996.3 | **15,915.3** |
| WIN | 1960 | 470.6 | 444.9 | 451.4 | 442.9 | 448.8 | 465.7 | 498.0 | 593.0 | 631.3 | 669.3 | 620.2 | 640.7 | **7,292.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1571*** Well Name ***Drevzoil Vanderschaeghe SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-15-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.3 | 418.3 | 474.6 | **915.2** |

Licence ***1572*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-17-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,539.0** |
| H2O | 1975 | 104.1 | 87.6 | 99.5 | 99.6 | 102.7 | 102.1 | 110.3 | 113.6 | 108.1 | 137.5 | 123.4 | 130.1 | **5,815.7** |
| OIL | 1975 | 219.3 | 195.6 | 216.4 | 210.2 | 228.8 | 223.6 | 250.4 | 251.6 | 231.1 | 256.0 | 238.4 | 249.0 | **58,233.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,174.0** |
| H2O | 1974 | 99.2 | 89.3 | 99.2 | 93.9 | 76.6 | 88.2 | 84.2 | 88.8 | 83.9 | 107.2 | 104.5 | 103.0 | **4,497.1** |
| OIL | 1974 | 211.2 | 188.3 | 209.1 | 202.6 | 220.1 | 209.4 | 196.4 | 207.1 | 214.2 | 220.7 | 216.8 | 221.2 | **55,462.7** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,811.0** |
| H2O | 1973 | 104.6 | 101.4 | 99.8 | 99.5 | 106.7 | 112.1 | 118.6 | 134.5 | 112.6 | 102.9 | 86.4 | 100.5 | **3,379.1** |
| OIL | 1973 | 204.7 | 192.4 | 253.9 | 219.0 | 228.5 | 228.2 | 226.1 | 212.5 | 231.7 | 218.3 | 214.8 | 211.8 | **52,945.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | **5,449.0** |
| H2O | 1972 | 28.4 | 93.3 | 91.1 | 86.8 | 103.5 | 144.8 | 146.6 | 149.6 | 4.0 | 83.7 | 83.3 | 83.7 | **2,099.5** |
| OIL | 1972 | 274.3 | 225.3 | 255.1 | 237.6 | 245.4 | 238.4 | 235.7 | 243.9 | 205.6 | 207.9 | 196.7 | 208.6 | **50,303.7** |
| DAY | 1971 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,087.0** |
| H2O | 1971 | 55.9 | 23.4 | 27.5 | 25.6 | 27.7 | 26.9 | 28.3 | 26.7 | 24.0 | 24.6 | 25.4 | 28.3 | **1,000.7** |
| OIL | 1971 | 226.8 | 233.9 | 274.6 | 263.3 | 269.0 | 258.4 | 265.4 | 266.7 | 254.3 | 249.0 | 234.2 | 277.3 | **47,529.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,723.0** |
| H2O | 1970 | 10.6 | 8.9 | 9.9 | 9.1 | 32.1 | 29.7 | 27.5 | 30.7 | 8.4 | 8.6 | 8.6 | 55.5 | **656.4** |
| OIL | 1970 | 287.6 | 264.6 | 288.1 | 273.8 | 240.7 | 210.4 | 191.3 | 212.8 | 232.0 | 229.3 | 215.3 | 240.7 | **44,456.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,365.0** |
| H2O | 1969 | 14.8 | 20.8 | 22.1 | 14.8 | 18.3 | 18.9 | 11.1 | 9.9 | 10.3 | 10.3 | 10.2 | 9.9 | **416.8** |
| OIL | 1969 | 287.0 | 250.8 | 276.3 | 278.1 | 299.9 | 295.1 | 282.1 | 296.7 | 282.7 | 288.4 | 278.6 | 285.7 | **41,569.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,001.0** |
| H2O | 1968 | 3.3 | 3.3 | 2.9 | 2.7 | 3.8 | 3.2 | 3.0 | 4.1 | 3.2 | 4.8 | 6.0 | 9.5 | **245.4** |
| OIL | 1968 | 306.7 | 274.4 | 298.8 | 287.5 | 296.7 | 288.4 | 296.5 | 296.7 | 288.4 | 289.7 | 286.0 | 290.0 | **38,168.3** |
| DAY | 1967 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **3,636.0** |
| H2O | 1967 | 1.9 | 2.1 | 3.3 | 4.0 | 3.3 | 3.5 | 3.3 | 6.0 | 3.2 | 2.7 | 2.5 | 2.4 | **195.6** |
| OIL | 1967 | 295.3 | 260.5 | 257.6 | 292.9 | 294.0 | 270.0 | 291.6 | 289.5 | 290.0 | 281.1 | 278.3 | 292.7 | **34,668.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,274.0** |
| H2O | 1966 | 2.5 | 2.2 | 2.4 | 2.4 | 2.5 | 2.4 | 2.7 | 2.5 | 3.0 | 4.4 | 3.2 | 3.7 | **157.4** |
| OIL | 1966 | 308.0 | 262.8 | 282.5 | 290.8 | 294.5 | 294.0 | 299.4 | 276.3 | 272.4 | 284.9 | 294.0 | 305.1 | **31,275.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,909.0** |
| H2O | 1965 | 2.5 | 2.4 | 2.4 | 2.4 | 2.5 | 2.5 | 2.5 | 2.5 | 2.4 | 2.4 | 2.4 | 2.4 | **123.5** |
| OIL | 1965 | 289.4 | 256.6 | 266.5 | 287.6 | 302.7 | 290.8 | 282.2 | 306.7 | 287.6 | 240.1 | 253.0 | 288.9 | **27,810.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,545.0** |
| H2O | 1964 | 2.1 | 2.4 | 2.5 | 3.0 | 2.9 | 2.7 | 2.9 | 2.9 | 2.4 | 2.5 | 2.4 | 2.9 | **94.2** |
| OIL | 1964 | 294.8 | 276.5 | 295.6 | 286.0 | 290.8 | 290.0 | 299.9 | 298.0 | 271.4 | 291.9 | 286.0 | 301.1 | **24,458.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,180.0** |
| H2O | 1963 | 1.4 | 1.4 | 1.6 | 1.4 | 1.4 | 1.4 | 1.4 | 1.9 | 1.7 | 2.1 | 2.9 | 2.2 | **62.6** |
| OIL | 1963 | 296.8 | 272.7 | 296.8 | 288.7 | 294.0 | 277.8 | 303.4 | 297.0 | 277.1 | 301.9 | 286.8 | 295.6 | **20,976.2** |
| DAY | 1962 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,818.0** |
| H2O | 1962 | 1.1 | 1.3 | 3.2 | 2.2 | 1.9 | 1.6 | 1.4 | 1.3 | 1.4 | 1.3 | 1.3 | 1.3 | **41.8** |
| OIL | 1962 | 296.4 | 259.7 | 288.3 | 287.7 | 306.2 | 290.5 | 290.5 | 298.2 | 287.2 | 293.6 | 279.2 | 296.9 | **17,487.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,457.0** |
| H2O | 1961 | 0.8 | 0.8 | 1.0 | 0.8 | 0.8 | 0.8 | 0.6 | 0.8 | 0.6 | 0.6 | 0.8 | 1.0 | **22.5** |
| OIL | 1961 | 298.0 | 270.1 | 296.4 | 290.0 | 310.7 | 291.6 | 299.5 | 325.0 | 299.9 | 294.0 | 287.6 | 294.8 | **14,013.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,094.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1572*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-17-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1960 | 0.8 | 0.6 | 0.8 | 0.6 | 0.8 | 0.8 | 0.6 | 0.6 | 0.8 | 0.6 | 0.8 | 1.1 | **13.1** |
| OIL | 1960 | 292.4 | 287.9 | 284.6 | 269.5 | 285.2 | 267.4 | 271.9 | 275.9 | 266.7 | 296.7 | 287.6 | 298.0 | **10,455.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **729.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.5 | 0.6 | 0.8 | 0.6 | 0.6 | 0.8 | **4.2** |
| OIL | 1959 | 216.6 | 228.4 | 333.4 | 318.0 | 280.8 | 320.2 | 327.7 | 242.3 | 276.5 | 304.2 | 308.0 | 315.0 | **7,071.8** |
| DAY | 1958 | 31.0 | 28.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **370.0** |
| OIL | 1958 | 277.9 | 294.9 | 218.0 | 332.1 | 302.9 | 284.6 | 308.9 | 303.5 | 291.9 | 280.6 | 260.8 | 237.7 | **3,600.7** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | **12.0** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 206.9 | **206.9** |

Licence ***1575*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-13-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 670.3 | 578.8 | 590.3 | 572.6 | 556.9 | 715.3 | 882.5 | 969.3 | 931.3 | 964.2 | 1017.6 | 925.6 | **96,950.6** |
| WIN | 1974 | 441.5 | 401.4 | 431.0 | 429.7 | 603.0 | 454.7 | 664.5 | 823.0 | 835.4 | 915.2 | 865.8 | 871.5 | **87,575.9** |
| WIN | 1973 | 632.3 | 773.6 | 740.1 | 866.0 | 935.6 | 772.5 | 583.8 | 608.3 | 598.7 | 510.0 | 261.4 | 429.9 | **79,839.2** |
| WIN | 1972 | 131.2 | 459.5 | 864.7 | 771.5 | 882.8 | 838.1 | 838.3 | 743.4 | 778.8 | 896.6 | 879.0 | 569.5 | **72,127.0** |
| WIN | 1971 | 596.8 | 711.6 | 613.3 | 790.6 | 866.1 | 678.5 | 390.1 | 480.0 | 570.6 | 852.3 | 422.4 | 80.9 | **63,473.6** |
| WIN | 1970 | 545.3 | 495.9 | 504.6 | 504.9 | 430.2 | 675.8 | 808.9 | 713.5 | 788.9 | 828.4 | 766.1 | 783.8 | **56,420.4** |
| WIN | 1969 | 586.3 | 502.1 | 534.8 | 367.1 | 501.4 | 389.0 | 526.1 | 575.5 | 504.4 | 644.0 | 482.0 | 524.8 | **48,574.1** |
| WIN | 1968 | 769.0 | 1156.6 | 1034.3 | 777.3 | 636.9 | 502.5 | 566.9 | 526.9 | 502.5 | 261.0 | 569.3 | 391.2 | **42,436.6** |
| WIN | 1967 | 838.5 | 550.2 | 974.1 | 1000.5 | 968.2 | 964.4 | 923.0 | 562.9 | 1472.6 | 1215.7 | 1121.9 | 1111.6 | **34,742.2** |
| WIN | 1966 | 496.7 | 581.7 | 608.3 | 607.1 | 621.5 | 599.0 | 509.7 | 322.4 | 733.4 | 677.3 | 1004.9 | 871.8 | **23,038.6** |
| WIN | 1965 | 803.3 | 464.7 | 562.6 | 552.3 | 515.1 | 528.0 | 397.4 | 506.5 | 591.2 | 600.9 | 636.7 | 611.6 | **15,404.8** |
| WIN | 1964 | 480.3 | 640.4 | 956.3 | 932.3 | 708.9 | 1248.2 | 778.8 | 630.0 | 412.2 | 552.5 | 516.2 | 591.1 | **8,634.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 2.0 | **2,194.0** |
| H2O | 1963 | 26.0 | 26.0 | 26.3 | 29.2 | 4.9 | 26.2 | 16.5 | 20.0 | 31.6 | 34.0 | 3.7 | 0.2 | **4,357.2** |
| OIL | 1963 | 43.3 | 39.6 | 42.0 | 35.0 | 36.9 | 34.0 | 39.6 | 31.1 | 32.1 | 32.3 | 34.5 | 2.2 | **8,884.2** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 187.3 | **187.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,859.0** |
| H2O | 1962 | 45.0 | 41.0 | 42.9 | 35.1 | 57.2 | 30.8 | 39.9 | 30.0 | 31.0 | 36.6 | 26.7 | 28.3 | **4,112.6** |
| OIL | 1962 | 55.1 | 48.1 | 50.7 | 51.8 | 53.1 | 46.1 | 47.7 | 47.0 | 36.7 | 45.3 | 42.3 | 44.2 | **8,481.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,494.0** |
| H2O | 1961 | 32.6 | 26.7 | 42.6 | 72.8 | 6.7 | 9.4 | 29.6 | 55.8 | 57.7 | 39.1 | 75.4 | 36.9 | **3,668.1** |
| OIL | 1961 | 70.7 | 64.5 | 68.3 | 56.7 | 60.4 | 57.2 | 53.6 | 49.3 | 46.7 | 52.0 | 57.0 | 55.9 | **7,913.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,129.0** |
| H2O | 1960 | 93.6 | 80.9 | 6.7 | 4.1 | 54.7 | 55.8 | 58.3 | 68.4 | 60.6 | 41.7 | 35.6 | 37.2 | **3,182.8** |
| OIL | 1960 | 96.3 | 81.5 | 90.4 | 81.7 | 82.2 | 71.5 | 81.7 | 81.7 | 65.2 | 73.7 | 72.8 | 72.8 | **7,221.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **763.0** |
| H2O | 1959 | 96.5 | 111.0 | 23.8 | 83.8 | 85.5 | 28.9 | 77.7 | 93.2 | 0.0 | 11.4 | 13.8 | 74.2 | **2,585.2** |
| OIL | 1959 | 220.6 | 204.4 | 202.5 | 173.1 | 162.7 | 138.3 | 138.3 | 141.0 | 130.6 | 121.1 | 110.4 | 100.1 | **6,269.7** |
| DAY | 1958 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **398.0** |
| H2O | 1958 | 181.2 | 112.9 | 189.8 | 159.9 | 122.9 | 120.3 | 151.8 | 135.9 | 141.5 | 110.8 | 118.3 | 126.9 | **1,885.4** |
| OIL | 1958 | 363.6 | 235.3 | 337.2 | 327.4 | 322.6 | 312.9 | 353.3 | 364.4 | 344.0 | 345.2 | 304.6 | 241.5 | **4,426.6** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 29.0 | **42.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 37.5 | 175.7 | **213.2** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 185.4 | 389.2 | **574.6** |

Licence ***1576*** Well Name ***Enerplus Kirkella*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-03-012-29W1.00*** Field Name ***Kirkella*** Pool Name ***Lodgepole Daly A*** Field Code ***9*** Pool Code ***54A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***1576*** Well Name ***Enerplus Kirkella*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-03-012-29W1.00*** Field Name ***Kirkella*** Pool Name ***Lodgepole Daly A*** Field Code ***9*** Pool Code ***54A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 10.0 | 28.0 | 16.0 | 29.0 | 31.0 | 30.0 | 28.0 | 31.0 | 28.0 | 18.0 | 16.0 | 30.0 | **2,509.0** |
| H2O | 1975 | 1060.5 | 1023.9 | 585.1 | 557.9 | 636.4 | 1093.2 | 1036.1 | 1130.4 | 1078.4 | 664.2 | 586.5 | 1096.1 | **55,460.1** |
| OIL | 1975 | 46.1 | 43.7 | 17.6 | 44.4 | 49.3 | 46.9 | 44.7 | 48.8 | 43.6 | 27.3 | 29.6 | 47.1 | **4,322.5** |
| DAY | 1974 | 3.0 | 0.0 | 30.0 | 16.0 | 29.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 10.0 | **2,214.0** |
| H2O | 1974 | 143.1 | 0.0 | 694.8 | 762.7 | 981.0 | 966.6 | 1045.7 | 1114.0 | 1099.6 | 1140.3 | 1057.9 | 1102.3 | **44,911.4** |
| OIL | 1974 | 4.9 | 0.0 | 37.0 | 28.9 | 48.0 | 45.8 | 47.2 | 49.6 | 47.2 | 47.2 | 44.4 | 45.3 | **3,833.4** |
| DAY | 1973 | 29.0 | 28.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 29.0 | 17.0 | 24.0 | 30.0 | 13.0 | **1,946.0** |
| H2O | 1973 | 806.9 | 779.0 | 837.9 | 783.8 | 783.8 | 810.8 | 936.4 | 876.0 | 513.5 | 725.0 | 785.4 | 381.1 | **34,803.4** |
| OIL | 1973 | 37.4 | 35.6 | 39.4 | 36.9 | 34.2 | 39.6 | 42.8 | 41.8 | 22.1 | 31.6 | 36.6 | 23.2 | **3,387.9** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 30.0 | 31.0 | 22.0 | 26.0 | **1,626.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 295.7 | 775.9 | 890.3 | 763.1 | 826.7 | **25,783.8** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 39.7 | 50.6 | 45.3 | 27.5 | 27.8 | **2,966.7** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 25.0 | 29.0 | 31.0 | 29.0 | 23.0 | 6.0 | 0.0 | **1,502.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 66.6 | 409.4 | 482.8 | 475.8 | 490.2 | 424.0 | 101.1 | 0.0 | **22,232.1** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 7.6 | 35.8 | 36.2 | 43.9 | 46.4 | 38.8 | 9.5 | 0.0 | **2,775.8** |
| DAY | 1970 | 5.0 | 0.0 | 0.0 | 0.0 | 25.0 | 25.0 | 8.0 | 19.0 | 27.0 | 31.0 | 28.0 | 25.0 | **1,355.0** |
| H2O | 1970 | 94.0 | 0.0 | 0.0 | 0.0 | 423.2 | 443.7 | 135.1 | 313.7 | 476.8 | 528.0 | 507.5 | 407.3 | **19,782.2** |
| OIL | 1970 | 6.4 | 0.0 | 0.0 | 0.0 | 55.6 | 35.9 | 12.7 | 24.0 | 34.3 | 38.5 | 32.4 | 31.2 | **2,557.6** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 | 9.0 | 30.0 | 29.0 | 8.0 | 3.0 | **1,162.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 13.4 | 0.0 | 0.0 | 0.0 | 125.9 | 462.7 | 493.3 | 99.2 | 51.0 | **16,452.9** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 6.7 | 0.0 | 0.0 | 0.0 | 20.0 | 38.2 | 36.9 | 7.6 | 3.8 | **2,286.6** |
| DAY | 1968 | 0.0 | 0.0 | 30.0 | 30.0 | 26.0 | 17.0 | 26.0 | 30.0 | 29.0 | 26.0 | 19.0 | 12.0 | **1,081.0** |
| H2O | 1968 | 0.0 | 0.0 | 359.3 | 373.6 | 320.8 | 202.9 | 400.3 | 452.0 | 439.8 | 388.6 | 284.0 | 163.0 | **15,207.4** |
| OIL | 1968 | 0.0 | 0.0 | 49.8 | 46.1 | 35.0 | 23.8 | 41.3 | 47.7 | 42.9 | 41.3 | 27.2 | 16.2 | **2,173.4** |
| DAY | 1967 | 31.0 | 23.0 | 5.0 | 14.0 | 31.0 | 27.0 | 31.0 | 16.0 | 17.0 | 0.0 | 0.0 | 0.0 | **836.0** |
| H2O | 1967 | 611.5 | 453.3 | 71.4 | 275.9 | 611.0 | 489.3 | 530.1 | 315.4 | 291.9 | 0.0 | 0.0 | 0.0 | **11,823.1** |
| OIL | 1967 | 42.9 | 32.9 | 10.3 | 29.7 | 44.4 | 34.3 | 39.6 | 26.1 | 24.6 | 0.0 | 0.0 | 0.0 | **1,802.1** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 27.0 | 28.0 | 19.0 | 20.0 | 29.0 | **641.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 103.6 | 515.0 | 557.0 | 358.3 | 375.1 | 528.1 | **8,173.3** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.2 | 57.6 | 39.1 | 26.6 | 38.5 | 46.1 | **1,517.3** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 24.0 | 23.0 | 28.0 | 15.0 | 0.0 | 0.0 | 0.0 | **511.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 196.1 | 255.7 | 263.7 | 316.1 | 184.8 | 0.0 | 0.0 | 0.0 | **5,736.2** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 53.5 | 38.2 | 38.5 | 38.8 | 17.8 | 0.0 | 0.0 | 0.0 | **1,285.2** |
| DAY | 1959 | 0.0 | 0.0 | 9.0 | 14.0 | 23.0 | 21.0 | 26.0 | 21.0 | 16.0 | 3.0 | 2.0 | 0.0 | **402.0** |
| H2O | 1959 | 0.0 | 0.0 | 142.4 | 172.9 | 304.8 | 234.1 | 311.4 | 252.2 | 178.3 | 32.3 | 8.3 | 0.0 | **4,519.8** |
| OIL | 1959 | 0.0 | 0.0 | 29.3 | 33.4 | 50.1 | 39.8 | 38.9 | 32.2 | 25.0 | 5.6 | 3.7 | 0.0 | **1,098.4** |
| DAY | 1958 | 20.0 | 5.0 | 18.0 | 9.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 18.0 | 0.0 | **267.0** |
| H2O | 1958 | 190.7 | 44.9 | 81.9 | 66.2 | 283.1 | 314.9 | 367.0 | 433.5 | 420.6 | 396.7 | 254.4 | 0.0 | **2,883.1** |
| OIL | 1958 | 113.1 | 25.3 | 64.4 | 39.0 | 79.2 | 81.5 | 85.9 | 84.6 | 76.4 | 76.2 | 40.8 | 0.0 | **840.4** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | **15.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.2 | **29.2** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 74.0 | **74.0** |

Licence ***1577*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-03-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,489.0** |
| H2O | 1975 | 88.1 | 81.4 | 90.8 | 88.1 | 91.3 | 87.3 | 87.6 | 101.3 | 96.0 | 107.0 | 107.5 | 109.2 | **7,100.7** |
| OIL | 1975 | 90.7 | 81.5 | 89.5 | 84.9 | 86.4 | 84.1 | 86.4 | 62.1 | 58.0 | 62.5 | 60.4 | 61.3 | **14,636.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,124.0** |
| H2O | 1974 | 107.3 | 99.7 | 111.4 | 108.6 | 109.2 | 92.0 | 93.0 | 85.2 | 84.1 | 88.4 | 88.1 | 88.1 | **5,965.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1577*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-03-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1974 | 67.5 | 58.8 | 67.4 | 64.4 | 65.0 | 90.3 | 93.3 | 92.8 | 89.1 | 93.8 | 89.6 | 92.3 | **13,728.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,759.0** |
| H2O | 1973 | 15.7 | 15.1 | 16.2 | 16.2 | 16.4 | 15.7 | 15.9 | 13.7 | 118.6 | 117.2 | 111.1 | 107.8 | **4,810.0** |
| OIL | 1973 | 34.8 | 30.7 | 33.8 | 33.2 | 34.5 | 33.5 | 34.6 | 30.0 | 67.5 | 67.4 | 64.8 | 65.8 | **12,764.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,400.0** |
| H2O | 1972 | 68.8 | 65.5 | 73.4 | 65.3 | 27.0 | 26.9 | 29.9 | 28.3 | 28.1 | 16.1 | 15.3 | 16.2 | **4,230.4** |
| OIL | 1972 | 69.4 | 63.1 | 70.6 | 67.4 | 75.3 | 72.6 | 74.8 | 76.4 | 72.8 | 35.8 | 32.4 | 35.4 | **12,233.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 20.0 | 22.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,035.0** |
| H2O | 1971 | 64.9 | 57.6 | 67.7 | 67.9 | 68.0 | 45.2 | 47.4 | 64.7 | 57.9 | 64.9 | 59.6 | 73.1 | **3,769.6** |
| OIL | 1971 | 77.1 | 66.7 | 75.5 | 71.5 | 73.3 | 47.7 | 51.5 | 71.5 | 70.4 | 73.1 | 65.9 | 70.7 | **11,487.6** |
| DAY | 1970 | 27.0 | 28.0 | 25.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | **4,690.0** |
| H2O | 1970 | 63.1 | 68.0 | 57.4 | 65.7 | 67.7 | 68.7 | 57.9 | 69.2 | 66.5 | 69.2 | 57.7 | 70.0 | **3,030.7** |
| OIL | 1970 | 65.2 | 67.4 | 59.3 | 70.9 | 73.3 | 71.7 | 67.9 | 70.9 | 69.9 | 73.7 | 64.8 | 74.2 | **10,672.7** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 25.0 | 30.0 | 31.0 | **4,340.0** |
| H2O | 1969 | 70.7 | 64.1 | 57.9 | 61.5 | 65.3 | 64.7 | 70.1 | 23.5 | 21.5 | 59.5 | 68.5 | 75.2 | **2,249.6** |
| OIL | 1969 | 90.3 | 79.8 | 84.4 | 85.8 | 84.7 | 86.6 | 89.9 | 37.3 | 35.1 | 59.6 | 73.9 | 77.4 | **9,843.5** |
| DAY | 1968 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,984.0** |
| H2O | 1968 | 26.4 | 27.5 | 29.6 | 60.7 | 63.8 | 58.2 | 65.2 | 64.7 | 65.0 | 68.8 | 63.4 | 67.2 | **1,547.1** |
| OIL | 1968 | 58.2 | 58.3 | 63.6 | 103.6 | 103.8 | 101.9 | 105.0 | 90.3 | 87.2 | 91.4 | 87.6 | 90.1 | **8,958.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,621.0** |
| H2O | 1967 | 32.6 | 26.9 | 32.4 | 29.3 | 29.4 | 28.5 | 21.6 | 29.9 | 26.2 | 28.3 | 28.0 | 30.4 | **886.6** |
| OIL | 1967 | 92.3 | 82.0 | 92.0 | 86.6 | 89.1 | 87.9 | 87.4 | 90.3 | 87.1 | 91.8 | 63.6 | 64.7 | **7,917.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,257.0** |
| H2O | 1966 | 24.0 | 19.4 | 24.5 | 25.3 | 28.5 | 23.2 | 23.7 | 24.3 | 26.2 | 30.0 | 32.0 | 33.5 | **543.1** |
| OIL | 1966 | 85.3 | 76.0 | 84.1 | 82.2 | 86.1 | 76.8 | 82.3 | 84.7 | 82.6 | 84.4 | 88.5 | 90.4 | **6,902.9** |
| DAY | 1965 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,897.0** |
| H2O | 1965 | 0.0 | 0.0 | 5.6 | 4.8 | 4.9 | 4.6 | 4.5 | 4.3 | 4.8 | 24.2 | 24.8 | 25.3 | **228.5** |
| OIL | 1965 | 4.6 | 4.4 | 125.4 | 120.9 | 121.6 | 122.0 | 122.8 | 119.2 | 119.2 | 89.5 | 85.0 | 87.2 | **5,899.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 18.0 | **2,535.0** |
| OIL | 1964 | 4.6 | 4.3 | 4.8 | 4.6 | 4.6 | 4.4 | 4.6 | 4.6 | 4.6 | 4.6 | 4.6 | 2.7 | **4,777.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 19.0 | 31.0 | **2,182.0** |
| H2O | 1963 | 2.4 | 4.1 | 2.5 | 6.4 | 3.5 | 4.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **120.7** |
| OIL | 1963 | 12.6 | 8.4 | 12.4 | 9.9 | 10.8 | 9.9 | 4.3 | 4.0 | 4.1 | 4.0 | 2.7 | 4.4 | **4,724.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,831.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 7.0 | 2.9 | 1.3 | 4.0 | **97.5** |
| OIL | 1962 | 24.6 | 22.2 | 24.6 | 23.8 | 24.6 | 23.8 | 22.7 | 14.3 | 14.0 | 14.1 | 13.3 | 13.0 | **4,637.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,470.0** |
| OIL | 1961 | 39.6 | 37.7 | 37.8 | 33.4 | 34.5 | 28.4 | 30.8 | 29.6 | 27.7 | 23.8 | 23.8 | 24.6 | **4,402.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,108.0** |
| OIL | 1960 | 40.4 | 39.4 | 38.1 | 28.1 | 25.3 | 19.1 | 18.1 | 28.0 | 31.6 | 39.1 | 49.3 | 39.3 | **4,030.5** |
| DAY | 1959 | 31.0 | 27.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **743.0** |
| H2O | 1959 | 4.8 | 4.3 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **81.2** |
| OIL | 1959 | 198.5 | 172.9 | 165.3 | 145.6 | 80.2 | 63.7 | 54.3 | 58.5 | 58.5 | 62.0 | 50.5 | 43.5 | **3,634.7** |
| DAY | 1958 | 31.0 | 24.0 | 29.0 | 15.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **384.0** |
| H2O | 1958 | 2.4 | 2.7 | 19.1 | 4.8 | 6.7 | 4.8 | 4.8 | 4.9 | 4.8 | 4.8 | 4.3 | 4.8 | **71.9** |
| OIL | 1958 | 215.2 | 142.1 | 201.3 | 126.8 | 216.8 | 168.3 | 169.6 | 163.0 | 180.4 | 175.8 | 154.1 | 193.1 | **2,481.2** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 31.0 | **43.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 2.2 | **3.0** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 106.8 | 267.9 | **374.7** |

Licence ***1578*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-13-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

# Manitoba Production
## 1950 To 1975

Licence ***1578*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-13-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,485.0** |
| H2O | 1975 | 850.1 | 787.7 | 878.0 | 851.0 | 882.2 | 819.4 | 846.1 | 834.0 | 820.8 | 881.5 | 884.2 | 900.1 | **69,186.0** |
| OIL | 1975 | 405.1 | 363.0 | 398.4 | 377.9 | 385.0 | 363.4 | 384.9 | 386.9 | 375.3 | 388.2 | 375.5 | 381.4 | **52,301.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,120.0** |
| H2O | 1974 | 893.0 | 848.6 | 949.3 | 893.1 | 955.9 | 849.4 | 855.0 | 800.8 | 812.7 | 846.7 | 851.3 | 845.5 | **58,950.9** |
| OIL | 1974 | 549.2 | 490.6 | 561.3 | 517.3 | 556.0 | 377.9 | 389.0 | 395.1 | 396.6 | 414.3 | 398.4 | 408.6 | **47,716.0** |
| DAY | 1973 | 31.0 | 25.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,755.0** |
| H2O | 1973 | 1108.1 | 939.7 | 596.0 | 618.0 | 595.9 | 601.9 | 599.7 | 1010.2 | 1001.3 | 969.8 | 946.6 | 917.6 | **48,549.6** |
| OIL | 1973 | 519.3 | 404.6 | 460.8 | 467.8 | 464.7 | 473.2 | 486.6 | 579.7 | 556.8 | 545.4 | 539.8 | 547.6 | **42,261.7** |
| DAY | 1972 | 23.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,394.0** |
| H2O | 1972 | 279.6 | 354.2 | 1147.5 | 1017.9 | 1147.5 | 1151.2 | 1089.0 | 1032.1 | 1031.0 | 1121.3 | 1074.2 | 1129.9 | **38,644.8** |
| OIL | 1972 | 120.1 | 420.5 | 594.8 | 565.9 | 609.3 | 592.4 | 518.5 | 530.3 | 504.7 | 531.6 | 488.0 | 526.6 | **36,215.4** |
| DAY | 1971 | 27.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 22.0 | 30.0 | 31.0 | 28.0 | 27.0 | **5,040.0** |
| H2O | 1971 | 309.5 | 322.6 | 371.1 | 266.9 | 258.8 | 254.1 | 333.9 | 228.5 | 288.4 | 338.8 | 298.2 | 333.1 | **27,069.4** |
| OIL | 1971 | 267.9 | 271.9 | 301.0 | 138.1 | 136.7 | 130.9 | 240.4 | 167.5 | 232.6 | 254.7 | 219.9 | 214.2 | **30,212.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,696.0** |
| H2O | 1970 | 397.1 | 372.5 | 390.0 | 360.2 | 369.3 | 376.1 | 243.9 | 391.9 | 364.7 | 366.3 | 345.3 | 383.8 | **23,465.5** |
| OIL | 1970 | 298.1 | 268.9 | 293.3 | 282.9 | 290.6 | 285.9 | 208.3 | 291.8 | 278.6 | 284.4 | 281.9 | 295.7 | **27,636.9** |
| DAY | 1969 | 30.0 | 23.0 | 30.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,339.0** |
| H2O | 1969 | 497.8 | 383.5 | 421.5 | 447.2 | 382.8 | 470.7 | 506.0 | 506.2 | 382.0 | 418.3 | 375.5 | 412.1 | **19,104.4** |
| OIL | 1969 | 322.6 | 242.0 | 313.2 | 317.0 | 253.3 | 319.6 | 329.4 | 325.6 | 289.9 | 305.7 | 294.6 | 308.6 | **24,276.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 26.0 | 27.0 | 29.0 | 30.0 | 31.0 | **3,987.0** |
| H2O | 1968 | 58.7 | 54.7 | 58.2 | 60.9 | 71.7 | 65.7 | 66.1 | 199.0 | 411.1 | 424.5 | 452.1 | 494.7 | **13,900.8** |
| OIL | 1968 | 128.1 | 115.1 | 123.8 | 124.9 | 91.5 | 89.8 | 84.5 | 173.7 | 272.8 | 286.7 | 317.3 | 336.3 | **20,655.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 19.0 | 24.0 | 25.0 | **3,633.0** |
| H2O | 1967 | 217.2 | 180.8 | 217.5 | 202.5 | 202.4 | 190.8 | 67.1 | 89.5 | 66.1 | 41.8 | 49.8 | 55.3 | **11,483.4** |
| OIL | 1967 | 161.3 | 144.3 | 161.9 | 156.4 | 160.8 | 154.5 | 118.9 | 117.6 | 101.4 | 62.9 | 82.8 | 85.5 | **18,510.5** |
| DAY | 1966 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 18.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,292.0** |
| H2O | 1966 | 49.6 | 135.6 | 134.8 | 138.2 | 121.9 | 107.6 | 58.5 | 97.6 | 266.9 | 247.8 | 214.6 | 230.0 | **9,902.6** |
| OIL | 1966 | 122.0 | 140.5 | 154.8 | 151.3 | 136.3 | 131.3 | 75.0 | 118.5 | 190.7 | 187.0 | 155.4 | 162.9 | **17,002.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,944.0** |
| H2O | 1965 | 102.4 | 90.8 | 103.8 | 165.3 | 195.5 | 87.0 | 41.3 | 28.8 | 29.1 | 28.9 | 29.6 | 65.2 | **8,099.5** |
| OIL | 1965 | 140.6 | 128.2 | 138.6 | 226.0 | 264.9 | 150.2 | 164.9 | 146.5 | 138.7 | 144.3 | 137.0 | 133.8 | **15,276.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,583.0** |
| H2O | 1964 | 39.6 | 35.5 | 53.4 | 71.4 | 75.7 | 152.3 | 78.2 | 100.2 | 113.7 | 99.7 | 96.3 | 102.1 | **7,131.8** |
| OIL | 1964 | 69.0 | 65.3 | 81.0 | 84.5 | 87.1 | 176.9 | 126.5 | 160.8 | 160.8 | 155.9 | 130.0 | 139.4 | **13,362.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,227.0** |
| H2O | 1963 | 36.6 | 36.7 | 30.5 | 34.0 | 33.1 | 14.3 | 35.1 | 25.0 | 23.7 | 3.2 | 38.2 | 39.0 | **6,113.7** |
| OIL | 1963 | 55.8 | 51.0 | 51.0 | 51.0 | 52.1 | 54.5 | 55.9 | 56.4 | 55.3 | 55.8 | 64.7 | 66.3 | **11,925.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,862.0** |
| H2O | 1962 | 59.1 | 53.9 | 56.3 | 77.3 | 60.9 | 55.6 | 60.6 | 46.9 | 48.0 | 43.4 | 44.4 | 47.2 | **5,764.3** |
| OIL | 1962 | 82.2 | 71.7 | 75.6 | 83.9 | 93.4 | 71.5 | 76.4 | 77.2 | 63.7 | 64.7 | 63.6 | 66.3 | **11,255.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,498.0** |
| H2O | 1961 | 45.6 | 37.5 | 44.4 | 59.1 | 51.2 | 75.7 | 75.2 | 66.5 | 56.4 | 60.4 | 99.0 | 48.5 | **5,110.7** |
| OIL | 1961 | 104.4 | 95.2 | 100.9 | 100.1 | 97.6 | 97.3 | 100.3 | 100.7 | 95.7 | 98.4 | 85.0 | 83.3 | **10,365.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,133.0** |
| H2O | 1960 | 124.8 | 108.1 | 142.3 | 109.1 | 97.6 | 90.9 | 54.5 | 72.8 | 63.6 | 73.3 | 49.9 | 51.7 | **4,391.2** |
| OIL | 1960 | 167.0 | 186.9 | 148.9 | 153.7 | 161.0 | 143.5 | 114.7 | 108.2 | 93.6 | 108.9 | 107.3 | 106.6 | **9,206.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **767.0** |
| H2O | 1959 | 113.4 | 145.6 | 130.2 | 143.1 | 181.4 | 177.9 | 158.0 | 127.5 | 160.4 | 132.3 | 175.7 | 98.9 | **3,352.6** |
| OIL | 1959 | 317.0 | 263.0 | 296.5 | 288.6 | 298.8 | 254.7 | 258.7 | 228.8 | 206.9 | 228.5 | 205.9 | 174.0 | **7,606.4** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **403.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1578*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-13-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 74.9 | 63.1 | 37.2 | 126.7 | 122.1 | 152.1 | 136.7 | 142.0 | 159.1 | 142.0 | 169.5 | 181.7 | **1,608.2** |
| OIL | 1958 | 355.2 | 340.1 | 347.7 | 344.2 | 344.2 | 367.4 | 370.1 | 328.1 | 343.7 | 345.3 | 322.3 | 342.1 | **4,585.0** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 27.0 | **42.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.9 | 71.2 | **101.1** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 167.0 | 267.6 | **434.6** |

Licence ***1581*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-13-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1133.2 | 1115.6 | 1195.5 | 1192.2 | 1157.4 | 1055.2 | 767.1 | 1284.4 | 1217.3 | 1303.3 | 1266.8 | 1237.5 | **159,494.6** |
| WIN | 1974 | 742.6 | 723.7 | 834.3 | 825.7 | 856.7 | 1002.5 | 1178.5 | 1323.0 | 1261.7 | 1240.2 | 1217.5 | 1228.4 | **145,569.1** |
| WIN | 1973 | 759.0 | 904.8 | 870.1 | 1039.6 | 1121.1 | 1048.6 | 981.7 | 974.7 | 1022.2 | 759.9 | 546.9 | 781.7 | **133,134.3** |
| WIN | 1972 | 952.0 | 1079.5 | 1161.8 | 1141.5 | 1170.6 | 1099.7 | 1153.9 | 912.5 | 546.6 | 1185.4 | 1074.9 | 705.2 | **122,324.0** |
| WIN | 1971 | 686.3 | 900.1 | 920.8 | 1196.3 | 982.5 | 874.4 | 331.3 | 668.2 | 778.5 | 831.6 | 844.0 | 433.1 | **110,140.4** |
| WIN | 1970 | 1381.7 | 1215.4 | 1252.0 | 1250.9 | 1142.7 | 1124.6 | 1033.7 | 1180.9 | 1107.0 | 1142.1 | 1086.8 | 1128.9 | **100,693.3** |
| WIN | 1969 | 894.3 | 1039.6 | 1430.3 | 959.8 | 1284.4 | 1196.0 | 1317.8 | 1360.2 | 1226.1 | 1268.3 | 1248.3 | 1348.0 | **86,646.6** |
| WIN | 1968 | 1533.4 | 1350.7 | 1400.9 | 1313.2 | 1435.1 | 1257.7 | 1413.0 | 1112.1 | 1346.1 | 875.7 | 1441.9 | 812.4 | **72,073.5** |
| WIN | 1967 | 1355.3 | 850.1 | 1645.8 | 1766.9 | 1761.8 | 1702.7 | 1635.1 | 1438.3 | 1523.8 | 1604.1 | 1428.3 | 1475.3 | **56,781.3** |
| WIN | 1966 | 1004.9 | 853.4 | 949.4 | 927.6 | 882.7 | 823.7 | 604.3 | 719.1 | 1285.7 | 1348.8 | 2098.1 | 1392.2 | **38,593.8** |
| WIN | 1965 | 1302.2 | 915.2 | 953.6 | 929.1 | 885.2 | 920.3 | 777.6 | 920.0 | 982.0 | 972.8 | 978.0 | 998.9 | **25,703.9** |
| WIN | 1964 | 918.3 | 716.8 | 1416.4 | 1363.4 | 927.5 | 1838.1 | 1429.7 | 1019.5 | 1139.6 | 1099.7 | 1069.5 | 1107.9 | **14,169.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | **2,165.0** |
| H2O | 1963 | 20.4 | 20.6 | 10.9 | 12.1 | 5.9 | 5.2 | 3.7 | 14.6 | 13.8 | 14.8 | 9.5 | 0.0 | **9,465.5** |
| OIL | 1963 | 15.7 | 14.2 | 17.1 | 17.0 | 11.3 | 10.5 | 16.7 | 15.9 | 9.7 | 9.7 | 15.7 | 0.0 | **5,111.5** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 122.6 | **122.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,832.0** |
| H2O | 1962 | 40.7 | 37.0 | 38.6 | 25.8 | 20.3 | 22.6 | 18.3 | 13.4 | 8.6 | 25.1 | 21.1 | 22.4 | **9,334.0** |
| OIL | 1962 | 15.6 | 13.7 | 14.5 | 18.8 | 21.5 | 18.6 | 25.7 | 24.6 | 21.1 | 14.1 | 15.1 | 15.7 | **4,958.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,467.0** |
| H2O | 1961 | 99.0 | 81.6 | 114.1 | 152.0 | 110.8 | 44.8 | 38.5 | 53.7 | 78.2 | 54.4 | 68.0 | 33.4 | **9,040.1** |
| OIL | 1961 | 35.9 | 32.7 | 29.1 | 28.8 | 29.2 | 22.7 | 23.8 | 24.5 | 23.4 | 18.6 | 16.0 | 15.9 | **4,739.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,102.0** |
| H2O | 1960 | 109.2 | 73.4 | 164.2 | 116.4 | 99.0 | 103.8 | 100.3 | 117.6 | 94.0 | 101.6 | 108.3 | 113.2 | **8,111.6** |
| OIL | 1960 | 56.9 | 44.0 | 54.8 | 42.9 | 44.8 | 42.0 | 42.6 | 43.2 | 35.6 | 37.5 | 36.9 | 37.0 | **4,438.4** |
| DAY | 1959 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **736.0** |
| H2O | 1959 | 205.4 | 140.9 | 193.5 | 214.6 | 188.9 | 207.0 | 156.6 | 174.7 | 210.5 | 115.3 | 155.2 | 159.1 | **6,810.6** |
| OIL | 1959 | 107.9 | 102.8 | 98.5 | 90.9 | 86.9 | 79.6 | 73.7 | 73.4 | 67.2 | 69.9 | 59.6 | 67.7 | **3,920.2** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 25.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **372.0** |
| H2O | 1958 | 392.7 | 434.0 | 413.5 | 313.3 | 462.8 | 428.3 | 406.2 | 411.3 | 390.8 | 296.5 | 353.7 | 270.7 | **4,688.9** |
| OIL | 1958 | 320.7 | 279.0 | 287.5 | 216.6 | 272.5 | 251.2 | 227.2 | 244.4 | 203.2 | 178.5 | 166.4 | 119.5 | **2,942.1** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | **15.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 115.1 | **115.1** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.2 | 162.2 | **175.4** |

Licence ***1585*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-13-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1775.8 | 1751.0 | 1871.0 | 1846.7 | 1797.0 | 1685.0 | 1619.7 | 1535.9 | 1672.6 | 1598.7 | 1614.0 | 1567.5 | **207,025.8** |
| WIN | 1974 | 925.6 | 903.3 | 1186.8 | 1109.7 | 1144.0 | 1237.3 | 1212.7 | 1706.2 | 1690.3 | 1510.8 | 1738.6 | 1946.6 | **186,690.9** |
| WIN | 1973 | 1092.7 | 1068.5 | 1197.1 | 1380.9 | 1469.3 | 1376.8 | 1312.9 | 1314.1 | 1326.5 | 799.8 | 607.6 | 788.2 | **170,379.0** |
| WIN | 1972 | 1200.1 | 1435.0 | 1640.7 | 1581.1 | 1624.5 | 1603.9 | 1622.1 | 1462.1 | 1472.8 | 1655.3 | 1559.0 | 1174.4 | **156,644.6** |

# Manitoba Production
## 1950 To 1975

Licence ***1585*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-13-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1971 | 1346.9 | 1425.7 | 1365.8 | 1515.2 | 1075.5 | 1419.1 | 1018.4 | 998.1 | 1151.2 | 1805.5 | 1226.8 | 710.2 | **138,613.6** |
| WIN | 1970 | 1479.9 | 1358.6 | 1582.6 | 1696.3 | 1435.7 | 1654.2 | 1114.0 | 1605.4 | 1335.3 | 1412.5 | 1471.4 | 1558.8 | **123,555.2** |
| WIN | 1969 | 1845.4 | 1613.2 | 1725.6 | 1307.8 | 1490.3 | 1176.6 | 1444.3 | 1521.1 | 1355.6 | 1366.0 | 1303.0 | 1479.1 | **105,850.5** |
| WIN | 1968 | 1968.5 | 1800.9 | 1905.5 | 1060.7 | 1887.4 | 1711.3 | 1866.3 | 1797.7 | 1778.2 | 1073.6 | 1855.1 | 1278.4 | **88,222.5** |
| WIN | 1967 | 1483.1 | 1117.9 | 1646.6 | 1570.9 | 1592.0 | 1528.4 | 1531.3 | 851.8 | 1767.5 | 1843.1 | 1893.0 | 1942.9 | **68,238.9** |
| WIN | 1966 | 1273.4 | 1119.7 | 1210.5 | 1336.9 | 1333.4 | 993.0 | 1083.8 | 1117.0 | 1601.2 | 1628.9 | 2004.7 | 1349.9 | **49,470.4** |
| WIN | 1965 | 1643.2 | 1343.7 | 1526.2 | 1424.3 | 923.7 | 1061.4 | 1205.1 | 1450.2 | 1588.1 | 1520.8 | 1405.9 | 1422.1 | **33,418.0** |
| WIN | 1964 | 556.9 | 918.6 | 1144.3 | 1735.3 | 1420.5 | 2210.1 | 1366.9 | 989.8 | 1706.3 | 1475.2 | 1564.5 | 1626.0 | **16,903.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 3.0 | **2,167.0** |
| H2O | 1963 | 57.8 | 58.1 | 58.8 | 50.9 | 49.4 | 33.9 | 1.3 | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | **4,252.1** |
| OIL | 1963 | 127.2 | 116.3 | 123.3 | 111.1 | 113.6 | 101.2 | 99.5 | 93.3 | 100.1 | 96.8 | 106.8 | 8.1 | **12,840.9** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 188.9 | **188.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,833.0** |
| H2O | 1962 | 47.9 | 43.4 | 45.3 | 44.5 | 60.9 | 53.6 | 58.8 | 43.6 | 55.5 | 32.0 | 27.7 | 29.6 | **3,939.9** |
| OIL | 1962 | 140.2 | 122.4 | 129.4 | 106.0 | 111.2 | 116.3 | 119.5 | 115.2 | 106.3 | 92.8 | 86.6 | 90.4 | **11,643.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,468.0** |
| H2O | 1961 | 70.3 | 57.9 | 64.7 | 86.3 | 69.5 | 89.7 | 90.8 | 63.0 | 34.8 | 59.3 | 80.6 | 39.1 | **3,397.1** |
| OIL | 1961 | 164.6 | 150.3 | 160.3 | 159.2 | 158.9 | 153.3 | 158.3 | 155.7 | 147.8 | 150.3 | 148.4 | 142.7 | **10,307.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,103.0** |
| H2O | 1960 | 6.7 | 7.8 | 54.7 | 58.7 | 52.3 | 55.8 | 58.5 | 68.8 | 62.2 | 73.3 | 77.0 | 80.8 | **2,591.1** |
| OIL | 1960 | 95.0 | 36.9 | 173.8 | 159.1 | 166.5 | 158.4 | 178.8 | 162.4 | 152.9 | 177.7 | 169.2 | 169.4 | **8,457.5** |
| DAY | 1959 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **738.0** |
| H2O | 1959 | 238.8 | 107.0 | 96.2 | 89.5 | 89.8 | 87.3 | 30.7 | 57.2 | 71.2 | 29.9 | 53.4 | 26.5 | **1,934.5** |
| OIL | 1959 | 328.6 | 271.3 | 295.4 | 261.9 | 230.7 | 184.3 | 119.0 | 135.1 | 145.6 | 126.0 | 114.6 | 103.9 | **6,657.4** |
| DAY | 1958 | 31.0 | 21.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **374.0** |
| H2O | 1958 | 63.0 | 36.9 | 55.6 | 52.5 | 51.7 | 53.9 | 52.3 | 115.6 | 114.9 | 114.6 | 111.5 | 118.1 | **957.0** |
| OIL | 1958 | 395.4 | 234.6 | 319.9 | 303.7 | 307.0 | 316.9 | 322.3 | 383.0 | 366.0 | 379.2 | 342.1 | 358.5 | **4,341.0** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | **21.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.4 | **16.4** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 312.4 | **312.4** |

Licence ***1586*** Well Name ***Ka-Bert Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-26-009-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole E*** Field Code ***5*** Pool Code ***59E*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 6613.4 | 6027.4 | 6336.3 | 6825.5 | 4780.5 | 0.0 | 0.0 | 4565.7 | 6194.5 | 6394.0 | 5526.0 | 6229.1 | **212,424.3** |
| WIN | 1974 | 221.3 | 2448.4 | 6798.2 | 5277.9 | 7210.2 | 5588.1 | 4705.0 | 5746.0 | 5780.8 | 7338.8 | 7066.9 | 7082.6 | **152,931.9** |
| WIN | 1973 | 5249.1 | 4063.0 | 4947.5 | 4861.6 | 1364.7 | 5493.0 | 5213.9 | 4304.5 | 4554.8 | 5263.9 | 4932.7 | 2140.9 | **87,667.7** |
| WIN | 1972 | 0.0 | 0.0 | 0.0 | 991.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 800.4 | 4647.8 | 5409.0 | **35,278.1** |
| WIN | 1971 | 0.0 | 74.2 | 1649.6 | 1350.2 | 2254.2 | 1905.2 | 2349.3 | 503.8 | 26.1 | 130.8 | 440.1 | 558.7 | **23,429.4** |
| WIN | 1970 | 1028.2 | 930.8 | 884.0 | 918.5 | 1.7 | 358.2 | 1222.4 | 1228.1 | 197.8 | 810.0 | 1208.9 | 166.1 | **12,187.2** |
| WIN | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 76.2 | 280.1 | 865.1 | 818.4 | **3,232.5** |
| WIN | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 290.3 | 670.6 | 231.8 | **1,192.7** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 0.0 | 0.0 | **306.0** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.6 | 0.0 | 0.0 | **403.2** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 23.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **288.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **443.7** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 3.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **399.6** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **258.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **443.1** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **394.2** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **250.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1586*** Well Name ***Ka-Bert Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-26-009-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole E*** Field Code ***5*** Pool Code ***59E*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **442.5** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **392.1** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 14.0 | 15.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **249.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 20.2 | 20.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **441.7** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 13.5 | 11.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **390.5** |
| DAY | 1958 | 11.0 | 8.0 | 24.0 | 0.0 | 30.0 | 30.0 | 25.0 | 30.0 | 29.0 | 21.0 | 12.0 | 0.0 | **220.0** |
| H2O | 1958 | 6.5 | 10.7 | 44.7 | 0.0 | 51.0 | 99.1 | 19.1 | 29.4 | 74.2 | 55.0 | 11.1 | 0.0 | **400.8** |
| OIL | 1958 | 108.5 | 36.2 | 48.5 | 0.0 | 23.0 | 34.6 | 28.6 | 34.2 | 24.5 | 19.5 | 7.5 | 0.0 | **365.1** |

Licence ***1588*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-13-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,006.0** |
| H2O | 1975 | 156.0 | 144.5 | 161.2 | 145.8 | 162.0 | 140.2 | 150.6 | 153.1 | 150.7 | 161.8 | 162.3 | 165.2 | **26,687.7** |
| OIL | 1975 | 189.1 | 169.4 | 186.1 | 164.8 | 179.7 | 158.1 | 174.5 | 180.7 | 175.3 | 181.3 | 175.3 | 178.3 | **23,990.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,643.0** |
| H2O | 1974 | 249.0 | 221.8 | 258.2 | 250.6 | 260.1 | 261.5 | 264.1 | 151.3 | 149.1 | 155.3 | 153.9 | 155.2 | **24,834.3** |
| OIL | 1974 | 152.2 | 127.6 | 151.8 | 144.4 | 150.3 | 145.6 | 150.2 | 192.9 | 185.1 | 193.4 | 183.2 | 190.5 | **21,877.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,278.0** |
| H2O | 1973 | 177.1 | 170.1 | 182.2 | 181.9 | 178.2 | 177.1 | 257.5 | 279.8 | 263.3 | 272.7 | 257.5 | 243.6 | **22,304.2** |
| OIL | 1973 | 149.7 | 132.1 | 145.6 | 142.2 | 143.7 | 144.0 | 148.1 | 159.5 | 145.6 | 152.6 | 146.0 | 144.6 | **19,910.7** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,915.0** |
| H2O | 1972 | 197.1 | 192.0 | 210.8 | 187.8 | 205.7 | 206.4 | 228.9 | 164.9 | 164.9 | 179.3 | 177.7 | 180.8 | **19,663.2** |
| OIL | 1972 | 143.2 | 133.3 | 145.2 | 138.9 | 145.2 | 141.3 | 145.4 | 153.0 | 145.6 | 153.3 | 145.7 | 152.1 | **18,157.0** |
| DAY | 1971 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,549.0** |
| H2O | 1971 | 175.5 | 177.9 | 210.5 | 211.1 | 211.4 | 210.5 | 208.7 | 201.1 | 180.1 | 185.8 | 178.7 | 209.9 | **17,366.9** |
| OIL | 1971 | 133.3 | 131.9 | 150.0 | 142.4 | 145.7 | 141.4 | 144.6 | 142.1 | 140.2 | 151.0 | 142.4 | 145.6 | **16,414.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,188.0** |
| H2O | 1970 | 261.7 | 245.8 | 257.1 | 212.9 | 210.2 | 206.2 | 194.6 | 222.3 | 206.8 | 207.6 | 195.9 | 217.6 | **15,005.7** |
| OIL | 1970 | 158.4 | 142.9 | 155.9 | 141.1 | 145.6 | 137.6 | 146.2 | 145.6 | 138.9 | 141.7 | 140.5 | 147.3 | **14,704.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 26.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | **3,825.0** |
| H2O | 1969 | 144.8 | 131.5 | 123.4 | 125.9 | 32.9 | 315.3 | 334.2 | 312.6 | 316.7 | 277.3 | 247.5 | 263.0 | **12,367.0** |
| OIL | 1969 | 151.9 | 134.3 | 148.4 | 144.4 | 77.4 | 146.0 | 166.1 | 153.5 | 160.7 | 163.5 | 156.7 | 158.8 | **12,962.5** |
| DAY | 1968 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,469.0** |
| H2O | 1968 | 249.4 | 336.4 | 356.6 | 237.7 | 249.0 | 129.9 | 139.1 | 132.4 | 132.4 | 140.7 | 130.0 | 139.4 | **9,741.9** |
| OIL | 1968 | 140.8 | 185.3 | 198.0 | 183.5 | 184.0 | 140.5 | 146.0 | 151.9 | 146.2 | 154.0 | 147.5 | 153.2 | **11,200.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,107.0** |
| H2O | 1967 | 51.8 | 42.9 | 51.8 | 39.7 | 39.7 | 37.7 | 29.6 | 51.8 | 47.1 | 28.1 | 25.0 | 27.2 | **7,368.9** |
| OIL | 1967 | 120.8 | 108.1 | 121.2 | 93.4 | 96.1 | 92.3 | 95.8 | 87.2 | 86.9 | 91.8 | 81.7 | 83.0 | **9,269.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,743.0** |
| H2O | 1966 | 74.7 | 59.5 | 76.3 | 78.2 | 73.1 | 64.5 | 63.8 | 62.6 | 67.6 | 51.4 | 51.0 | 54.8 | **6,896.5** |
| OIL | 1966 | 151.9 | 132.5 | 148.1 | 129.5 | 134.1 | 128.9 | 133.5 | 132.2 | 128.7 | 118.7 | 116.3 | 122.0 | **8,111.6** |
| DAY | 1965 | 31.0 | 28.0 | 28.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **2,378.0** |
| H2O | 1965 | 236.6 | 210.3 | 216.7 | 178.9 | 213.4 | 203.8 | 204.6 | 205.4 | 207.5 | 205.6 | 211.0 | 72.7 | **6,119.0** |
| OIL | 1965 | 166.2 | 151.4 | 148.1 | 134.6 | 159.4 | 159.4 | 166.2 | 164.8 | 156.0 | 162.2 | 154.1 | 142.5 | **6,535.2** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,022.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.5 | 132.7 | 132.9 | 222.7 | 235.6 | **3,752.5** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.7 | 75.8 | 77.1 | 153.7 | 164.8 | **4,670.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,892.0** |
| H2O | 1963 | 1.0 | 1.1 | 1.0 | 1.1 | 1.1 | 1.1 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,008.1** |
| OIL | 1963 | 11.4 | 10.3 | 11.1 | 14.0 | 14.3 | 13.7 | 4.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,179.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1588*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-13-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1962 | 0.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,701.0** |
| H2O | 1962 | 0.0 | 12.7 | 17.6 | 16.2 | 7.3 | 6.2 | 2.1 | 1.6 | 0.0 | 4.6 | 1.1 | 1.1 | **3,001.4** |
| OIL | 1962 | 0.0 | 28.6 | 40.2 | 23.2 | 24.2 | 19.7 | 21.9 | 21.3 | 16.4 | 15.1 | 11.1 | 11.6 | **4,099.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 10.0 | 0.0 | 0.0 | **1,374.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.2 | 0.0 | 1.6 | 2.4 | 13.8 | 7.0 | 7.2 | 24.3 | 0.0 | 0.0 | **2,930.9** |
| OIL | 1961 | 9.2 | 8.4 | 9.2 | 8.9 | 14.8 | 14.1 | 12.6 | 12.7 | 12.2 | 1.1 | 0.0 | 0.0 | **3,866.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,091.0** |
| H2O | 1960 | 8.9 | 7.6 | 0.0 | 0.0 | 0.0 | 3.8 | 3.8 | 4.5 | 4.5 | 4.9 | 0.0 | 0.0 | **2,874.4** |
| OIL | 1960 | 28.9 | 25.1 | 28.6 | 25.7 | 17.0 | 21.0 | 17.8 | 14.3 | 12.2 | 13.3 | 9.5 | 9.7 | **3,763.3** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **725.0** |
| H2O | 1959 | 24.8 | 37.4 | 31.6 | 13.8 | 14.9 | 17.8 | 10.3 | 11.6 | 16.1 | 8.6 | 10.3 | 7.0 | **2,836.4** |
| OIL | 1959 | 78.3 | 59.6 | 62.8 | 57.2 | 48.9 | 45.1 | 42.0 | 39.3 | 43.9 | 42.0 | 38.1 | 25.4 | **3,540.2** |
| DAY | 1958 | 31.0 | 28.0 | 26.0 | 25.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **361.0** |
| H2O | 1958 | 390.6 | 393.0 | 421.6 | 278.9 | 275.5 | 263.4 | 179.3 | 125.6 | 87.0 | 57.7 | 68.8 | 32.1 | **2,632.2** |
| OIL | 1958 | 276.2 | 284.3 | 277.1 | 289.7 | 369.8 | 350.9 | 291.3 | 204.8 | 160.5 | 136.0 | 127.0 | 96.6 | **2,957.6** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | **8.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 58.7 | **58.7** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 93.4 | **93.4** |

Licence ***1591*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-13-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,455.0** |
| H2O | 1975 | 317.6 | 294.4 | 328.3 | 307.5 | 329.7 | 309.1 | 316.2 | 301.6 | 306.8 | 329.6 | 315.4 | 336.6 | **29,882.9** |
| OIL | 1975 | 69.1 | 62.0 | 68.0 | 62.5 | 65.8 | 62.6 | 65.8 | 63.9 | 64.0 | 66.3 | 61.2 | 65.2 | **14,315.2** |
| DAY | 1974 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,093.0** |
| H2O | 1974 | 126.4 | 111.8 | 131.0 | 127.0 | 132.0 | 132.6 | 381.9 | 350.4 | 303.8 | 316.4 | 315.6 | 316.1 | **26,090.1** |
| OIL | 1974 | 40.7 | 33.8 | 40.7 | 38.6 | 40.4 | 39.1 | 110.1 | 109.6 | 67.7 | 70.9 | 67.5 | 69.8 | **13,538.8** |
| DAY | 1973 | 31.0 | 23.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,729.0** |
| H2O | 1973 | 146.7 | 114.6 | 146.1 | 145.6 | 147.9 | 146.7 | 146.3 | 159.0 | 138.2 | 138.3 | 130.5 | 126.5 | **23,345.1** |
| OIL | 1973 | 13.7 | 9.9 | 13.0 | 12.6 | 13.2 | 13.2 | 13.7 | 14.8 | 40.4 | 40.8 | 39.3 | 39.7 | **12,809.9** |
| DAY | 1972 | 31.0 | 18.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,372.0** |
| H2O | 1972 | 141.7 | 76.3 | 151.5 | 135.0 | 149.0 | 148.5 | 164.7 | 133.9 | 136.6 | 148.6 | 147.2 | 149.6 | **21,658.7** |
| OIL | 1972 | 8.4 | 4.3 | 8.4 | 8.1 | 8.6 | 8.3 | 8.4 | 13.7 | 13.3 | 14.1 | 13.3 | 14.0 | **12,545.6** |
| DAY | 1971 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,017.0** |
| H2O | 1971 | 90.7 | 94.9 | 109.2 | 109.6 | 109.8 | 106.3 | 138.3 | 133.5 | 119.5 | 133.5 | 128.4 | 150.8 | **19,976.1** |
| OIL | 1971 | 20.8 | 21.3 | 23.5 | 22.4 | 23.0 | 21.8 | 8.9 | 8.6 | 8.6 | 8.7 | 8.3 | 8.6 | **12,422.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,656.0** |
| H2O | 1970 | 149.3 | 140.1 | 146.7 | 98.9 | 109.1 | 107.0 | 99.0 | 115.4 | 107.3 | 107.9 | 101.6 | 113.0 | **18,551.6** |
| OIL | 1970 | 36.9 | 33.4 | 36.4 | 20.7 | 22.9 | 21.8 | 22.6 | 22.9 | 21.8 | 22.2 | 22.1 | 23.2 | **12,238.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 22.0 | 31.0 | 30.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,296.0** |
| H2O | 1969 | 196.5 | 178.4 | 167.4 | 124.3 | 187.9 | 179.8 | 173.6 | 196.0 | 130.4 | 158.2 | 141.3 | 155.0 | **17,156.3** |
| OIL | 1969 | 28.4 | 25.3 | 28.0 | 19.7 | 28.0 | 27.3 | 25.3 | 28.3 | 32.6 | 38.1 | 36.5 | 38.3 | **11,931.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,945.0** |
| H2O | 1968 | 172.0 | 164.2 | 174.1 | 113.5 | 179.8 | 164.4 | 177.6 | 162.2 | 172.2 | 190.8 | 176.3 | 187.6 | **15,167.5** |
| OIL | 1968 | 104.2 | 96.3 | 102.8 | 35.8 | 63.2 | 62.1 | 61.8 | 61.8 | 26.2 | 28.9 | 27.7 | 28.6 | **11,575.5** |
| DAY | 1967 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,584.0** |
| H2O | 1967 | 143.7 | 126.9 | 152.8 | 142.1 | 142.3 | 144.2 | 147.7 | 197.1 | 172.8 | 186.8 | 164.1 | 179.5 | **13,132.8** |
| OIL | 1967 | 41.6 | 39.4 | 44.3 | 42.7 | 44.0 | 74.4 | 105.0 | 103.9 | 100.3 | 105.8 | 103.3 | 104.9 | **10,876.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **3,220.0** |
| H2O | 1966 | 325.8 | 258.5 | 331.8 | 340.1 | 370.9 | 301.7 | 333.7 | 328.6 | 353.6 | 150.7 | 150.6 | 151.2 | **11,232.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1591*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-13-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1966 | 192.0 | 167.7 | 187.2 | 182.9 | 185.3 | 164.2 | 190.7 | 188.6 | 183.9 | 43.1 | 42.6 | 41.6 | **9,966.5** |
| DAY | 1965 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,861.0** |
| H2O | 1965 | 155.5 | 123.5 | 157.7 | 137.8 | 140.4 | 133.9 | 121.5 | 126.2 | 136.2 | 135.1 | 335.4 | 341.3 | **7,835.6** |
| OIL | 1965 | 91.7 | 74.7 | 90.4 | 87.1 | 87.9 | 87.9 | 82.8 | 84.9 | 86.0 | 89.5 | 189.1 | 194.2 | **8,196.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,504.0** |
| H2O | 1964 | 45.6 | 41.3 | 74.1 | 61.5 | 63.6 | 167.9 | 191.1 | 194.0 | 186.2 | 136.6 | 126.2 | 154.8 | **5,791.1** |
| OIL | 1964 | 36.5 | 34.8 | 63.6 | 65.5 | 65.8 | 76.6 | 91.7 | 92.5 | 89.5 | 83.0 | 99.5 | 90.9 | **6,950.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 25.0 | 29.0 | 29.0 | 30.0 | 30.0 | 30.0 | 28.0 | 30.0 | 27.0 | **2,142.0** |
| H2O | 1963 | 35.5 | 35.6 | 36.1 | 33.2 | 36.6 | 33.7 | 40.5 | 32.9 | 32.7 | 31.6 | 44.2 | 38.5 | **4,348.2** |
| OIL | 1963 | 32.1 | 29.2 | 31.1 | 25.7 | 29.7 | 28.3 | 30.5 | 29.4 | 30.0 | 27.3 | 34.5 | 29.9 | **6,060.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,794.0** |
| H2O | 1962 | 45.0 | 41.0 | 42.9 | 89.0 | 51.7 | 63.8 | 47.5 | 55.3 | 35.3 | 37.7 | 36.7 | 39.0 | **3,917.1** |
| OIL | 1962 | 40.5 | 35.4 | 37.3 | 44.2 | 45.4 | 38.5 | 38.5 | 34.6 | 29.9 | 33.5 | 31.1 | 32.6 | **5,702.9** |
| DAY | 1961 | 25.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,429.0** |
| H2O | 1961 | 51.0 | 89.0 | 54.5 | 72.8 | 59.4 | 99.2 | 75.2 | 73.4 | 73.4 | 59.3 | 59.1 | 36.9 | **3,332.2** |
| OIL | 1961 | 24.9 | 46.4 | 65.0 | 64.5 | 61.3 | 61.5 | 63.9 | 58.8 | 56.7 | 53.4 | 42.0 | 41.2 | **5,261.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 13.0 | 31.0 | 30.0 | 31.0 | **1,070.0** |
| H2O | 1960 | 2.2 | 5.9 | 2.2 | 5.4 | 4.8 | 3.8 | 1.3 | 4.5 | 4.0 | 0.0 | 4.3 | 4.5 | **2,529.0** |
| OIL | 1960 | 25.6 | 18.9 | 17.8 | 19.4 | 20.3 | 19.9 | 16.5 | 14.3 | 6.4 | 18.1 | 4.8 | 4.8 | **4,621.8** |
| DAY | 1959 | 31.0 | 26.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **721.0** |
| H2O | 1959 | 107.6 | 90.6 | 55.3 | 55.0 | 46.4 | 44.7 | 13.7 | 14.3 | 3.5 | 1.3 | 7.0 | 17.6 | **2,486.1** |
| OIL | 1959 | 143.7 | 103.8 | 84.2 | 59.6 | 45.0 | 62.3 | 40.8 | 41.5 | 35.8 | 29.1 | 24.5 | 28.9 | **4,435.0** |
| DAY | 1958 | 28.0 | 28.0 | 29.0 | 27.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **361.0** |
| H2O | 1958 | 95.9 | 102.5 | 124.6 | 135.0 | 173.3 | 179.2 | 225.1 | 226.4 | 230.2 | 190.5 | 190.3 | 141.8 | **2,029.1** |
| OIL | 1958 | 325.6 | 339.3 | 319.4 | 302.6 | 306.5 | 318.8 | 372.6 | 377.3 | 321.0 | 275.5 | 218.2 | 180.5 | **3,735.8** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | **7.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.3 | **14.3** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 78.5 | **78.5** |

Licence ***1592*** Well Name ***Enerplus Kirkella Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-11-012-29W1.00*** Field Name ***Kirkella*** Pool Name ***Lodgepole Daly A*** Field Code ***9*** Pool Code ***54A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1969 | 0.0 | 0.0 | 0.0 | 89.0 | 315.9 | 408.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **67,217.9** |
| WIN | 1968 | 267.1 | 236.7 | 1207.0 | 1187.6 | 1113.5 | 996.1 | 1214.6 | 1375.8 | 1364.4 | 1269.9 | 1097.9 | 802.0 | **66,404.3** |
| WIN | 1967 | 1814.0 | 1028.9 | 732.6 | 1394.2 | 1659.4 | 1404.3 | 1460.1 | 1223.6 | 1127.3 | 1172.8 | 654.2 | 646.5 | **54,271.7** |
| WIN | 1966 | 0.0 | 0.0 | 0.0 | 980.9 | 1279.5 | 1262.0 | 1311.9 | 1939.4 | 1756.3 | 1151.3 | 577.6 | 1951.5 | **39,953.8** |
| WIN | 1965 | 1439.2 | 0.0 | 0.0 | 465.2 | 1191.5 | 996.6 | 1166.3 | 1034.0 | 990.4 | 1328.6 | 236.1 | 0.0 | **27,743.4** |
| WIN | 1964 | 0.0 | 701.0 | 376.8 | 503.2 | 707.5 | 929.0 | 1165.5 | 1166.4 | 1159.4 | 1248.0 | 628.0 | 1044.9 | **18,895.5** |
| WIN | 1963 | 136.3 | 0.0 | 291.3 | 701.9 | 822.8 | 769.7 | 741.4 | 844.5 | 866.2 | 817.1 | 561.6 | 182.0 | **9,265.8** |
| DAY | 1962 | 0.0 | 0.0 | 6.0 | 30.0 | 30.0 | 29.0 | 31.0 | 31.0 | 15.0 | 0.0 | 0.0 | 0.0 | **879.0** |
| H2O | 1962 | 0.0 | 0.0 | 58.3 | 304.0 | 320.8 | 247.1 | 262.8 | 268.5 | 118.0 | 0.0 | 0.0 | 0.0 | **7,689.5** |
| OIL | 1962 | 0.0 | 0.0 | 9.7 | 40.5 | 31.2 | 23.1 | 22.6 | 21.4 | 11.7 | 0.0 | 0.0 | 0.0 | **2,366.6** |
| WIN | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 314.8 | 788.9 | 836.2 | 591.1 | **2,531.0** |
| DAY | 1961 | 23.0 | 24.0 | 26.0 | 17.0 | 23.0 | 30.0 | 29.0 | 28.0 | 29.0 | 29.0 | 6.0 | 0.0 | **707.0** |
| H2O | 1961 | 204.9 | 228.6 | 225.6 | 143.1 | 218.4 | 320.4 | 342.1 | 324.8 | 470.0 | 494.9 | 74.1 | 0.0 | **6,110.0** |
| OIL | 1961 | 48.3 | 35.0 | 27.0 | 18.9 | 32.9 | 44.7 | 41.7 | 31.0 | 47.4 | 49.1 | 8.6 | 0.0 | **2,206.4** |
| DAY | 1960 | 11.0 | 1.0 | 3.0 | 0.0 | 21.0 | 12.0 | 20.0 | 30.0 | 23.0 | 20.0 | 14.0 | 3.0 | **443.0** |
| H2O | 1960 | 112.1 | 4.0 | 18.6 | 0.0 | 198.3 | 97.9 | 172.5 | 334.4 | 269.8 | 235.3 | 150.4 | 20.7 | **3,063.1** |
| OIL | 1960 | 33.4 | 1.3 | 6.4 | 0.0 | 50.9 | 25.4 | 52.8 | 46.9 | 30.4 | 36.6 | 32.0 | 4.5 | **1,821.8** |
| DAY | 1959 | 0.0 | 3.0 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 16.0 | 0.0 | 0.0 | 20.0 | **285.0** |
| H2O | 1959 | 0.0 | 20.5 | 31.3 | 0.0 | 0.0 | 0.0 | 0.0 | 181.6 | 151.4 | 0.0 | 0.0 | 229.1 | **1,449.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1592*** Well Name ***Enerplus Kirkella Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-11-012-29W1.00*** Field Name ***Kirkella*** Pool Name ***Lodgepole Daly A*** Field Code ***9*** Pool Code ***54A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1959 | 0.0 | 12.7 | 21.6 | 0.0 | 0.0 | 0.0 | 0.0 | 70.6 | 50.6 | 0.0 | 0.0 | 55.6 | **1,501.2** |
| DAY | 1958 | 28.0 | 19.0 | 15.0 | 8.0 | 27.0 | 30.0 | 18.0 | 9.0 | 15.0 | 31.0 | 15.0 | 0.0 | **222.0** |
| H2O | 1958 | 0.0 | 6.4 | 9.2 | 0.8 | 97.6 | 180.3 | 105.6 | 45.3 | 88.7 | 207.5 | 93.8 | 0.0 | **835.2** |
| OIL | 1958 | 282.8 | 164.8 | 73.3 | 36.1 | 173.7 | 138.8 | 75.4 | 38.5 | 66.5 | 115.0 | 52.9 | 0.0 | **1,290.1** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | **7.0** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 72.3 | **72.3** |

Licence ***1593*** Well Name ***Tundra et al Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-19-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 23.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,195.0** |
| H2O | 1975 | 887.1 | 801.3 | 887.1 | 829.9 | 801.3 | 658.2 | 596.2 | 887.1 | 858.5 | 887.1 | 858.5 | 887.1 | **122,109.1** |
| OIL | 1975 | 54.2 | 49.0 | 49.3 | 46.1 | 50.7 | 36.7 | 31.2 | 49.6 | 47.7 | 44.8 | 38.0 | 37.0 | **22,159.5** |
| DAY | 1974 | 31.0 | 28.0 | 0.0 | 25.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,850.0** |
| H2O | 1974 | 860.9 | 791.8 | 257.6 | 715.4 | 801.3 | 858.5 | 839.5 | 887.1 | 858.5 | 858.5 | 858.5 | 887.1 | **112,269.7** |
| OIL | 1974 | 56.9 | 52.8 | 10.7 | 71.5 | 80.1 | 76.3 | 65.0 | 62.0 | 60.6 | 57.2 | 51.2 | 53.9 | **21,625.2** |
| DAY | 1973 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,526.0** |
| H2O | 1973 | 887.1 | 763.1 | 887.1 | 839.5 | 820.4 | 858.5 | 872.8 | 725.0 | 858.5 | 887.1 | 858.5 | 887.1 | **102,795.0** |
| OIL | 1973 | 68.5 | 60.7 | 67.3 | 59.5 | 59.1 | 61.7 | 62.8 | 52.1 | 61.8 | 62.0 | 61.2 | 63.9 | **20,927.0** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,168.0** |
| H2O | 1972 | 961.7 | 899.6 | 930.6 | 930.6 | 941.0 | 853.1 | 887.1 | 872.8 | 858.5 | 887.1 | 844.2 | 887.1 | **92,650.3** |
| OIL | 1972 | 73.5 | 68.4 | 71.1 | 71.4 | 67.4 | 60.9 | 67.7 | 67.4 | 66.3 | 68.5 | 66.5 | 68.7 | **20,186.4** |
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 0.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,805.0** |
| H2O | 1971 | 961.7 | 816.9 | 899.6 | 925.5 | 961.7 | 930.7 | 961.7 | 961.7 | 930.7 | 956.5 | 930.6 | 961.7 | **81,896.9** |
| OIL | 1971 | 83.8 | 73.0 | 78.2 | 76.8 | 77.7 | 70.7 | 73.6 | 79.3 | 78.1 | 77.7 | 76.0 | 74.7 | **19,368.6** |
| DAY | 1970 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 23.0 | 31.0 | 30.0 | 16.0 | 31.0 | 30.0 | 31.0 | **4,471.0** |
| H2O | 1970 | 936.8 | 795.7 | 936.8 | 899.6 | 936.8 | 661.9 | 961.7 | 920.4 | 480.8 | 961.7 | 930.7 | 961.7 | **70,697.9** |
| OIL | 1970 | 98.9 | 82.5 | 92.8 | 92.4 | 92.1 | 59.5 | 87.9 | 90.5 | 48.8 | 94.6 | 84.7 | 86.8 | **18,449.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,129.0** |
| H2O | 1969 | 634.2 | 541.8 | 675.1 | 572.8 | 583.3 | 570.9 | 675.7 | 666.2 | 644.7 | 652.3 | 906.5 | 936.8 | **60,313.3** |
| OIL | 1969 | 49.0 | 42.8 | 49.6 | 47.9 | 49.1 | 46.9 | 48.7 | 48.7 | 47.4 | 42.8 | 95.9 | 103.8 | **17,437.5** |
| DAY | 1968 | 15.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,764.0** |
| H2O | 1968 | 240.7 | 515.1 | 611.1 | 737.7 | 832.5 | 715.9 | 697.2 | 828.5 | 620.4 | 641.0 | 579.0 | 622.1 | **52,253.0** |
| OIL | 1968 | 23.1 | 52.8 | 44.5 | 50.2 | 80.9 | 68.7 | 75.2 | 79.2 | 61.7 | 59.3 | 47.5 | 48.7 | **16,764.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 13.0 | 31.0 | **3,416.0** |
| H2O | 1967 | 774.9 | 87.6 | 742.2 | 759.2 | 725.0 | 720.7 | 645.2 | 619.3 | 612.6 | 612.6 | 235.8 | 72.7 | **44,611.8** |
| OIL | 1967 | 48.6 | 51.1 | 74.5 | 56.0 | 56.0 | 52.3 | 55.2 | 52.9 | 52.5 | 50.9 | 21.1 | 51.0 | **16,073.1** |
| DAY | 1966 | 31.0 | 18.0 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | **3,069.0** |
| H2O | 1966 | 663.6 | 410.2 | 714.3 | 878.6 | 645.2 | 691.3 | 711.9 | 679.8 | 620.8 | 676.0 | 527.5 | 763.0 | **38,004.0** |
| OIL | 1966 | 72.7 | 41.9 | 116.4 | 65.2 | 44.3 | 74.5 | 79.1 | 77.6 | 70.6 | 76.5 | 72.1 | 77.6 | **15,451.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,722.0** |
| H2O | 1965 | 542.0 | 466.6 | 510.7 | 475.1 | 433.2 | 538.5 | 497.2 | 466.5 | 469.8 | 716.2 | 668.4 | 688.3 | **30,021.8** |
| OIL | 1965 | 102.3 | 84.6 | 93.2 | 80.8 | 70.5 | 65.7 | 66.5 | 71.1 | 60.6 | 61.3 | 116.4 | 100.4 | **14,582.5** |
| DAY | 1964 | 30.0 | 29.0 | 31.0 | 22.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 27.0 | 31.0 | **2,360.0** |
| H2O | 1964 | 299.7 | 267.4 | 299.5 | 244.7 | 220.2 | 396.2 | 593.5 | 724.0 | 525.6 | 555.7 | 530.9 | 591.6 | **23,549.3** |
| OIL | 1964 | 101.7 | 96.6 | 106.6 | 96.7 | 129.5 | 237.3 | 156.2 | 141.1 | 137.7 | 101.3 | 107.7 | 132.5 | **13,609.1** |
| DAY | 1963 | 22.0 | 19.0 | 25.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,011.0** |
| H2O | 1963 | 116.1 | 258.6 | 410.9 | 239.7 | 301.3 | 430.4 | 449.5 | 433.0 | 304.9 | 234.7 | 235.5 | 252.6 | **18,300.3** |
| OIL | 1963 | 60.5 | 98.9 | 99.7 | 105.3 | 113.4 | 118.5 | 115.8 | 106.7 | 100.9 | 100.5 | 95.0 | 109.8 | **12,064.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 29.0 | 31.0 | 16.0 | 19.0 | 25.0 | 30.0 | 29.0 | **1,671.0** |
| H2O | 1962 | 150.1 | 146.2 | 166.0 | 75.6 | 69.9 | 226.8 | 200.1 | 133.0 | 135.4 | 141.4 | 174.2 | 154.6 | **14,633.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1593*** Well Name ***Tundra et al Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-19-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 93.9 | 70.5 | 98.0 | 88.1 | 57.6 | 163.2 | 103.4 | 54.8 | 64.6 | 64.4 | 86.4 | 75.1 | **10,839.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **1,344.0** |
| H2O | 1961 | 170.7 | 147.0 | 218.2 | 210.1 | 170.8 | 185.6 | 231.4 | 244.3 | 224.7 | 217.7 | 187.5 | 185.6 | **12,859.8** |
| OIL | 1961 | 135.7 | 135.7 | 141.2 | 120.1 | 151.3 | 129.3 | 130.7 | 137.6 | 115.8 | 121.4 | 107.4 | 92.4 | **9,819.2** |
| DAY | 1960 | 27.0 | 29.0 | 30.0 | 28.0 | 31.0 | 28.0 | 31.0 | 24.0 | 29.0 | 30.0 | 30.0 | 29.0 | **982.0** |
| H2O | 1960 | 639.8 | 816.5 | 706.3 | 619.6 | 437.0 | 407.9 | 380.8 | 289.7 | 346.3 | 324.6 | 177.5 | 165.4 | **10,466.2** |
| OIL | 1960 | 282.4 | 309.1 | 242.8 | 209.1 | 219.8 | 181.5 | 181.3 | 153.2 | 171.6 | 173.0 | 147.4 | 141.7 | **8,300.6** |
| DAY | 1959 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 29.0 | 29.0 | 21.0 | 26.0 | 19.0 | 30.0 | 25.0 | **636.0** |
| H2O | 1959 | 259.8 | 301.0 | 334.1 | 364.3 | 405.3 | 357.1 | 214.9 | 222.0 | 138.7 | 61.6 | 142.4 | 230.4 | **5,154.8** |
| OIL | 1959 | 240.1 | 247.3 | 288.8 | 278.8 | 237.6 | 197.7 | 229.8 | 271.9 | 200.4 | 138.2 | 170.8 | 205.9 | **5,887.7** |
| DAY | 1958 | 16.0 | 28.0 | 26.0 | 8.0 | 27.0 | 26.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 27.0 | **308.0** |
| H2O | 1958 | 17.5 | 51.1 | 64.1 | 20.1 | 132.7 | 176.9 | 138.2 | 216.6 | 335.2 | 166.5 | 436.2 | 368.1 | **2,123.2** |
| OIL | 1958 | 143.0 | 298.8 | 288.0 | 86.2 | 317.7 | 362.1 | 287.2 | 298.0 | 302.8 | 258.7 | 278.9 | 259.0 | **3,180.4** |

Licence ***1594*** Well Name ***Cdn. Res. et al Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-18-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,524.0** |
| H2O | 1971 | 566.1 | 499.0 | 529.6 | 544.8 | 547.8 | 547.8 | 566.6 | 54.9 | 0.0 | 0.0 | 0.0 | 0.0 | **73,687.1** |
| OIL | 1971 | 20.0 | 18.3 | 18.6 | 19.4 | 28.4 | 28.4 | 18.7 | 1.8 | 0.0 | 0.0 | 0.0 | 0.0 | **6,220.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 23.0 | 31.0 | 30.0 | 15.0 | 29.0 | 30.0 | 31.0 | **4,310.0** |
| H2O | 1970 | 1109.6 | 978.2 | 1109.6 | 1050.0 | 1232.5 | 887.9 | 1232.5 | 1153.0 | 596.4 | 530.1 | 548.3 | 566.6 | **69,830.5** |
| OIL | 1970 | 34.5 | 29.9 | 29.4 | 28.1 | 29.1 | 24.0 | 34.0 | 30.8 | 14.1 | 18.9 | 19.1 | 19.7 | **6,067.1** |
| DAY | 1969 | 31.0 | 28.0 | 28.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **3,970.0** |
| H2O | 1969 | 585.1 | 499.9 | 562.5 | 528.5 | 416.5 | 526.7 | 600.0 | 591.6 | 496.2 | 579.5 | 1073.8 | 1109.6 | **58,835.8** |
| OIL | 1969 | 39.1 | 38.2 | 35.6 | 38.2 | 30.5 | 37.7 | 38.8 | 34.3 | 28.8 | 33.7 | 28.9 | 29.4 | **5,755.5** |
| DAY | 1968 | 15.0 | 9.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,619.0** |
| H2O | 1968 | 274.3 | 164.6 | 493.7 | 548.5 | 566.8 | 548.5 | 566.8 | 548.5 | 572.4 | 591.4 | 534.2 | 573.9 | **51,265.9** |
| OIL | 1968 | 14.3 | 10.3 | 33.7 | 38.2 | 39.4 | 37.2 | 39.6 | 42.4 | 38.2 | 39.4 | 35.3 | 38.0 | **5,342.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 13.0 | 31.0 | **3,294.0** |
| H2O | 1967 | 566.8 | 511.9 | 566.8 | 548.5 | 566.8 | 548.5 | 566.8 | 566.8 | 548.5 | 548.5 | 237.7 | 566.8 | **45,282.3** |
| OIL | 1967 | 29.6 | 26.7 | 29.6 | 28.0 | 29.6 | 28.6 | 29.6 | 30.5 | 28.6 | 28.5 | 12.4 | 28.9 | **4,936.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,947.0** |
| H2O | 1966 | 549.3 | 511.9 | 566.8 | 530.2 | 511.9 | 548.5 | 566.8 | 566.8 | 511.9 | 566.8 | 548.5 | 566.8 | **38,937.9** |
| OIL | 1966 | 25.9 | 24.5 | 29.4 | 27.0 | 26.1 | 28.6 | 29.6 | 29.6 | 26.6 | 29.6 | 28.6 | 29.3 | **4,605.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,588.0** |
| H2O | 1965 | 474.6 | 469.8 | 480.9 | 465.0 | 573.1 | 540.6 | 558.0 | 553.3 | 524.0 | 540.7 | 530.2 | 566.8 | **32,391.7** |
| OIL | 1965 | 29.7 | 26.6 | 29.7 | 28.6 | 29.3 | 28.5 | 29.3 | 29.1 | 26.2 | 28.6 | 26.7 | 28.5 | **4,270.9** |
| DAY | 1964 | 30.0 | 29.0 | 31.0 | 22.0 | 28.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,224.0** |
| H2O | 1964 | 525.5 | 463.1 | 516.7 | 319.4 | 436.9 | 489.2 | 644.2 | 648.5 | 555.2 | 380.1 | 422.9 | 468.2 | **26,114.7** |
| OIL | 1964 | 41.3 | 42.8 | 44.2 | 26.2 | 36.2 | 37.5 | 30.0 | 29.6 | 27.5 | 25.1 | 26.9 | 29.6 | **3,930.1** |
| DAY | 1963 | 22.0 | 3.0 | 1.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,873.0** |
| H2O | 1963 | 272.5 | 44.7 | 14.8 | 316.1 | 501.6 | 501.4 | 507.8 | 517.7 | 503.7 | 518.9 | 478.6 | 535.5 | **20,244.8** |
| OIL | 1963 | 23.8 | 4.8 | 1.0 | 30.0 | 41.2 | 37.2 | 36.7 | 36.2 | 30.2 | 38.0 | 38.8 | 42.0 | **3,533.2** |
| DAY | 1962 | 31.0 | 28.0 | 18.0 | 30.0 | 28.0 | 27.0 | 31.0 | 15.0 | 19.0 | 25.0 | 30.0 | 31.0 | **1,574.0** |
| H2O | 1962 | 400.0 | 335.6 | 197.5 | 383.2 | 331.5 | 332.8 | 298.3 | 174.9 | 190.3 | 229.7 | 244.8 | 235.6 | **15,531.5** |
| OIL | 1962 | 37.7 | 26.9 | 17.0 | 31.6 | 26.2 | 30.5 | 31.2 | 15.6 | 19.6 | 20.8 | 22.1 | 21.0 | **3,173.3** |
| DAY | 1961 | 31.0 | 19.0 | 31.0 | 18.0 | 29.0 | 29.0 | 31.0 | 31.0 | 25.0 | 30.0 | 30.0 | 31.0 | **1,261.0** |
| H2O | 1961 | 398.7 | 247.2 | 307.2 | 250.9 | 382.5 | 471.1 | 369.0 | 304.1 | 263.0 | 326.1 | 303.2 | 395.6 | **12,177.3** |
| OIL | 1961 | 60.7 | 41.3 | 38.2 | 31.0 | 59.0 | 59.1 | 53.7 | 49.6 | 31.3 | 25.8 | 39.7 | 34.8 | **2,873.1** |
| DAY | 1960 | 1.0 | 6.0 | 0.0 | 15.0 | 30.0 | 28.0 | 27.0 | 30.0 | 26.0 | 30.0 | 30.0 | 29.0 | **926.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1594*** Well Name ***Cdn. Res. et al Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-18-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1960 | 9.5 | 50.9 | 0.0 | 94.6 | 320.4 | 308.0 | 267.4 | 387.5 | 300.0 | 340.1 | 372.5 | 392.1 | **8,158.7** |
| OIL | 1960 | 1.0 | 3.8 | 0.0 | 12.9 | 98.6 | 73.1 | 61.4 | 66.3 | 46.1 | 46.4 | 59.6 | 66.6 | **2,348.9** |
| DAY | 1959 | 31.0 | 27.0 | 28.0 | 30.0 | 30.0 | 29.0 | 30.0 | 30.0 | 28.0 | 25.0 | 30.0 | 31.0 | **674.0** |
| H2O | 1959 | 174.6 | 183.5 | 165.7 | 225.8 | 177.0 | 171.5 | 271.9 | 235.0 | 258.4 | 222.6 | 224.2 | 298.9 | **5,315.7** |
| OIL | 1959 | 42.6 | 62.8 | 39.1 | 56.6 | 37.8 | 67.4 | 63.3 | 51.7 | 58.8 | 41.7 | 48.2 | 47.7 | **1,813.1** |
| DAY | 1958 | 29.0 | 26.0 | 29.0 | 17.0 | 26.0 | 30.0 | 25.0 | 31.0 | 29.0 | 31.0 | 27.0 | 17.0 | **325.0** |
| H2O | 1958 | 268.4 | 325.9 | 424.5 | 270.8 | 353.3 | 281.7 | 231.0 | 148.5 | 91.6 | 108.9 | 101.8 | 68.7 | **2,706.6** |
| OIL | 1958 | 293.0 | 211.0 | 134.0 | 69.8 | 75.5 | 67.7 | 55.5 | 29.4 | 61.8 | 32.3 | 22.4 | 19.2 | **1,195.4** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | **8.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.5 | **31.5** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 123.8 | **123.8** |

Licence ***1595*** Well Name ***Dillman Kirkella SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-03-012-29W1.00*** Field Name ***Kirkella*** Pool Name ***Ashville*** Field Code ***9*** Pool Code ***11*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1959 | 0.0 | 0.0 | 226.1 | 502.0 | 697.5 | 708.5 | 1040.3 | 1265.3 | 899.6 | 235.1 | 170.3 | 0.0 | **10,292.2** |
| WIN | 1958 | 0.0 | 0.0 | 0.0 | 91.3 | 438.8 | 745.7 | 643.9 | 595.6 | 684.0 | 830.0 | 437.9 | 80.3 | **4,547.5** |

Licence ***1596*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-20-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **6,475.0** |
| H2O | 1975 | 1897.6 | 1678.0 | 1858.0 | 1754.8 | 1837.6 | 1712.1 | 1907.8 | 1945.1 | 2115.1 | 2022.9 | 2053.2 | 2331.1 | **258,911.7** |
| OIL | 1975 | 51.8 | 48.6 | 52.6 | 55.5 | 56.4 | 51.5 | 55.0 | 55.0 | 70.1 | 51.2 | 59.9 | 67.7 | **40,006.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **6,112.0** |
| H2O | 1974 | 1998.5 | 1819.5 | 1933.4 | 1865.5 | 1624.5 | 1821.9 | 1694.6 | 1897.7 | 2179.1 | 2072.3 | 1856.6 | 1870.2 | **235,798.4** |
| OIL | 1974 | 53.9 | 48.5 | 54.0 | 52.3 | 59.0 | 54.5 | 49.7 | 56.4 | 57.4 | 59.8 | 47.8 | 52.1 | **39,331.3** |
| DAY | 1973 | 31.0 | 28.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 23.0 | 20.0 | 31.0 | 30.0 | 31.0 | **5,749.0** |
| H2O | 1973 | 2783.9 | 2771.2 | 3456.7 | 3174.0 | 3563.4 | 3554.3 | 3760.0 | 2774.8 | 1673.4 | 2456.1 | 2189.5 | 2413.5 | **213,164.6** |
| OIL | 1973 | 89.9 | 86.6 | 98.0 | 94.6 | 92.8 | 88.0 | 91.8 | 70.9 | 61.0 | 69.1 | 60.2 | 56.3 | **38,685.9** |
| DAY | 1972 | 29.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 21.0 | **5,406.0** |
| H2O | 1972 | 3290.7 | 3174.7 | 3443.7 | 3167.4 | 2952.3 | 3240.5 | 3392.8 | 3439.2 | 3523.8 | 3374.2 | 3227.3 | 1993.3 | **178,593.8** |
| OIL | 1972 | 155.6 | 123.2 | 138.4 | 123.9 | 134.1 | 107.9 | 111.1 | 95.2 | 320.5 | 100.6 | 93.4 | 63.1 | **37,726.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,056.0** |
| H2O | 1971 | 1390.0 | 1459.8 | 1654.8 | 1477.4 | 1794.4 | 1655.5 | 1837.3 | 1881.5 | 3357.3 | 3303.1 | 3262.6 | 3620.1 | **140,373.9** |
| OIL | 1971 | 112.0 | 113.5 | 128.6 | 119.2 | 121.9 | 111.6 | 107.4 | 124.7 | 213.7 | 168.0 | 146.5 | 173.4 | **36,159.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,693.0** |
| H2O | 1970 | 1865.0 | 1625.6 | 1934.8 | 1777.1 | 1656.1 | 1623.7 | 1281.1 | 1591.1 | 1349.9 | 1340.7 | 1344.2 | 1384.0 | **113,680.1** |
| OIL | 1970 | 164.3 | 113.8 | 144.3 | 134.9 | 141.3 | 130.1 | 101.4 | 124.9 | 108.1 | 106.3 | 99.8 | 119.8 | **34,519.2** |
| DAY | 1969 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,335.0** |
| H2O | 1969 | 1973.6 | 1797.4 | 2085.2 | 2011.9 | 2135.3 | 2003.1 | 2090.1 | 2043.4 | 1881.2 | 1943.1 | 1946.1 | 1959.4 | **94,906.8** |
| OIL | 1969 | 169.2 | 144.8 | 164.8 | 170.5 | 174.0 | 167.8 | 171.3 | 165.1 | 146.7 | 157.8 | 158.3 | 158.4 | **33,030.2** |
| DAY | 1968 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,971.0** |
| H2O | 1968 | 1797.6 | 1859.3 | 2100.8 | 1793.6 | 2067.4 | 1976.9 | 2078.5 | 2090.4 | 2115.9 | 2211.4 | 2156.1 | 1882.3 | **71,037.0** |
| OIL | 1968 | 199.4 | 181.6 | 220.7 | 182.9 | 189.4 | 157.3 | 165.3 | 166.7 | 176.9 | 184.8 | 164.2 | 175.1 | **31,081.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,606.0** |
| H2O | 1967 | 1474.2 | 1294.4 | 1501.9 | 1556.6 | 1668.3 | 1627.8 | 1695.4 | 1645.1 | 1715.7 | 1816.8 | 1849.9 | 1834.6 | **46,906.8** |
| OIL | 1967 | 275.7 | 239.3 | 268.7 | 235.7 | 248.2 | 238.2 | 248.2 | 237.4 | 224.2 | 241.9 | 178.5 | 192.6 | **28,917.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,241.0** |
| H2O | 1966 | 847.7 | 755.5 | 813.2 | 797.0 | 846.9 | 890.3 | 959.4 | 846.1 | 768.0 | 661.0 | 661.4 | 650.7 | **27,226.1** |
| OIL | 1966 | 271.1 | 232.0 | 254.3 | 234.9 | 218.3 | 205.3 | 216.3 | 178.0 | 160.7 | 124.9 | 120.6 | 123.5 | **26,088.6** |

# Manitoba Production
## 1950 To 1975

Licence ***1596*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-20-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,877.0** |
| H2O | 1965 | 334.2 | 315.7 | 321.3 | 404.9 | 425.6 | 431.8 | 502.2 | 856.1 | 752.8 | 859.0 | 831.1 | 853.2 | **17,728.9** |
| OIL | 1965 | 138.1 | 120.3 | 129.5 | 188.1 | 202.0 | 200.4 | 319.6 | 283.3 | 260.1 | 289.7 | 272.2 | 277.5 | **23,748.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,515.0** |
| H2O | 1964 | 265.8 | 240.9 | 263.7 | 263.4 | 289.5 | 281.1 | 283.8 | 292.8 | 272.5 | 290.5 | 289.0 | 325.1 | **10,841.0** |
| OIL | 1964 | 198.2 | 176.5 | 190.7 | 180.4 | 174.2 | 171.6 | 172.1 | 180.8 | 161.1 | 165.7 | 159.5 | 145.6 | **21,067.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,149.0** |
| H2O | 1963 | 237.0 | 215.4 | 226.1 | 250.2 | 253.3 | 249.8 | 237.4 | 256.8 | 259.6 | 278.7 | 256.9 | 268.5 | **7,482.9** |
| OIL | 1963 | 212.0 | 192.6 | 203.4 | 201.8 | 198.5 | 191.6 | 187.8 | 189.6 | 192.1 | 203.7 | 201.5 | 203.2 | **18,991.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,784.0** |
| H2O | 1962 | 174.2 | 166.8 | 192.7 | 204.0 | 229.9 | 220.7 | 226.4 | 239.6 | 236.2 | 245.0 | 235.0 | 255.6 | **4,493.2** |
| OIL | 1962 | 271.6 | 245.5 | 250.1 | 235.0 | 245.2 | 236.1 | 242.7 | 234.4 | 233.9 | 236.9 | 214.1 | 224.5 | **16,613.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,419.0** |
| H2O | 1961 | 71.4 | 87.1 | 94.8 | 104.6 | 145.1 | 158.2 | 161.5 | 176.3 | 162.0 | 184.9 | 170.6 | 169.9 | **1,867.1** |
| OIL | 1961 | 277.8 | 316.4 | 368.5 | 331.6 | 321.5 | 301.6 | 305.7 | 298.6 | 285.2 | 288.6 | 275.2 | 266.0 | **13,743.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,054.0** |
| H2O | 1960 | 0.6 | 0.0 | 4.9 | 4.8 | 17.2 | 17.2 | 13.8 | 13.5 | 12.9 | 18.0 | 18.0 | 16.5 | **180.7** |
| OIL | 1960 | 293.7 | 272.4 | 300.8 | 281.6 | 291.9 | 284.3 | 250.8 | 264.6 | 256.8 | 239.8 | 239.8 | 264.3 | **10,107.0** |
| DAY | 1959 | 29.0 | 22.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **689.0** |
| H2O | 1959 | 0.8 | 0.5 | 0.6 | 0.6 | 0.5 | 0.8 | 0.5 | 0.5 | 1.1 | 7.5 | 0.5 | 0.8 | **43.3** |
| OIL | 1959 | 296.5 | 243.9 | 309.9 | 308.8 | 265.4 | 317.3 | 267.3 | 277.0 | 292.6 | 308.4 | 283.5 | 294.3 | **6,866.2** |
| DAY | 1958 | 31.0 | 24.0 | 31.0 | 30.0 | 30.0 | 30.0 | 25.0 | 31.0 | 25.0 | 25.0 | 26.0 | 27.0 | **336.0** |
| H2O | 1958 | 0.6 | 1.0 | 0.3 | 6.0 | 2.2 | 2.2 | 12.6 | 0.6 | 0.5 | 0.5 | 0.5 | 0.6 | **28.6** |
| OIL | 1958 | 293.0 | 232.6 | 246.3 | 274.0 | 284.0 | 296.5 | 265.5 | 351.0 | 276.7 | 280.8 | 285.7 | 291.0 | **3,401.3** |
| DAY | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | **1.0** |
| H2O | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | **1.0** |
| OIL | 1957 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.2 | **24.2** |

Licence ***1597*** Well Name ***Corvair et al Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-19-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | **5,662.0** |
| H2O | 1975 | 739.3 | 667.7 | 739.3 | 691.6 | 667.7 | 715.4 | 71.5 | 0.0 | 0.0 | 0.0 | 0.0 | 739.3 | **116,943.0** |
| OIL | 1975 | 24.6 | 22.4 | 24.6 | 23.1 | 25.4 | 24.0 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 20.2 | **7,537.2** |
| DAY | 1974 | 30.0 | 28.0 | 0.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 20.0 | **5,450.0** |
| H2O | 1974 | 715.4 | 659.8 | 739.3 | 715.4 | 667.7 | 715.4 | 723.4 | 739.3 | 715.4 | 739.3 | 715.4 | 477.0 | **111,911.2** |
| OIL | 1974 | 23.8 | 22.1 | 25.0 | 24.0 | 22.3 | 23.8 | 24.3 | 24.5 | 23.5 | 24.8 | 23.4 | 15.9 | **7,370.4** |
| DAY | 1973 | 27.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 29.0 | **5,131.0** |
| H2O | 1973 | 643.9 | 639.9 | 739.3 | 699.5 | 699.5 | 715.4 | 727.4 | 604.2 | 715.4 | 739.3 | 715.4 | 691.6 | **103,588.4** |
| OIL | 1973 | 29.9 | 30.5 | 34.3 | 27.5 | 28.0 | 28.6 | 29.1 | 24.2 | 28.6 | 28.6 | 28.3 | 27.7 | **7,093.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 23.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,778.0** |
| H2O | 1972 | 739.3 | 691.6 | 715.4 | 715.4 | 723.4 | 655.8 | 739.3 | 536.6 | 715.4 | 739.3 | 703.5 | 739.3 | **95,257.6** |
| OIL | 1972 | 38.5 | 36.4 | 38.0 | 38.2 | 38.3 | 34.7 | 34.5 | 24.8 | 33.2 | 34.3 | 32.6 | 34.3 | **6,747.7** |
| DAY | 1971 | 28.0 | 27.0 | 30.0 | 28.0 | 24.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,422.0** |
| H2O | 1971 | 846.1 | 795.7 | 876.3 | 841.2 | 725.3 | 906.5 | 906.5 | 887.1 | 715.4 | 735.3 | 715.4 | 739.3 | **86,843.3** |
| OIL | 1971 | 35.3 | 34.0 | 36.4 | 35.3 | 30.0 | 37.8 | 36.9 | 39.3 | 36.9 | 39.0 | 37.5 | 39.3 | **6,329.9** |
| DAY | 1970 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 23.0 | 31.0 | 30.0 | 15.0 | 30.0 | 30.0 | 31.0 | **4,072.0** |
| H2O | 1970 | 912.0 | 774.7 | 912.0 | 886.5 | 906.5 | 674.9 | 936.8 | 920.4 | 465.4 | 906.5 | 906.5 | 936.8 | **77,153.2** |
| OIL | 1970 | 29.7 | 24.8 | 29.4 | 28.1 | 28.1 | 20.8 | 29.3 | 31.5 | 16.4 | 38.3 | 37.4 | 38.3 | **5,892.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | **3,733.0** |
| H2O | 1969 | 902.3 | 770.9 | 1581.6 | 1541.1 | 1214.8 | 1535.7 | 874.9 | 862.7 | 779.0 | 733.2 | 882.5 | 912.0 | **67,014.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1597*** Well Name ***Corvair et al Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-19-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1969 | 38.6 | 38.8 | 43.2 | 47.9 | 38.2 | 46.9 | 28.9 | 24.3 | 22.1 | 20.4 | 28.8 | 29.4 | **5,540.1** |
| DAY | 1968 | 15.0 | 9.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,381.0** |
| H2O | 1968 | 398.6 | 274.1 | 618.6 | 890.5 | 1004.8 | 878.9 | 841.4 | 1000.0 | 884.1 | 912.0 | 823.7 | 885.1 | **54,423.5** |
| OIL | 1968 | 25.3 | 14.3 | 16.7 | 15.6 | 21.8 | 18.8 | 25.0 | 42.4 | 37.7 | 39.1 | 34.2 | 38.3 | **5,132.6** |
| DAY | 1967 | 30.0 | 28.0 | 31.0 | 26.0 | 26.0 | 29.0 | 31.0 | 27.0 | 30.0 | 30.0 | 13.0 | 31.0 | **3,059.0** |
| H2O | 1967 | 1290.0 | 1450.3 | 1228.7 | 1071.9 | 1029.1 | 1153.3 | 1068.1 | 879.7 | 1014.0 | 1014.0 | 390.6 | 1202.4 | **45,011.7** |
| OIL | 1967 | 53.3 | 55.8 | 59.1 | 44.0 | 44.0 | 50.6 | 55.2 | 45.5 | 52.5 | 50.9 | 21.1 | 51.0 | **4,803.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 29.0 | 28.0 | 29.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,727.0** |
| H2O | 1966 | 1126.7 | 1071.6 | 1182.7 | 1507.8 | 1068.4 | 1106.4 | 1178.7 | 1125.6 | 1028.0 | 1119.1 | 903.5 | 1232.3 | **32,219.6** |
| OIL | 1966 | 60.7 | 57.1 | 62.8 | 62.3 | 52.0 | 66.3 | 59.1 | 58.0 | 52.8 | 57.2 | 56.0 | 56.6 | **4,220.4** |
| DAY | 1965 | 5.0 | 26.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 21.0 | 30.0 | 29.0 | 31.0 | **2,369.0** |
| H2O | 1965 | 179.7 | 906.2 | 714.2 | 686.5 | 742.3 | 843.0 | 823.4 | 742.5 | 629.4 | 1312.1 | 1106.6 | 1139.5 | **18,568.8** |
| OIL | 1965 | 9.1 | 19.9 | 68.7 | 61.7 | 62.2 | 61.1 | 59.9 | 61.1 | 37.0 | 137.5 | 75.0 | 72.0 | **3,519.5** |
| DAY | 1964 | 30.0 | 29.0 | 31.0 | 22.0 | 28.0 | 30.0 | 30.0 | 30.0 | 9.0 | 0.0 | 0.0 | 0.0 | **2,045.0** |
| H2O | 1964 | 284.9 | 271.9 | 299.5 | 94.1 | 100.3 | 180.0 | 297.3 | 353.1 | 150.2 | 0.0 | 0.0 | 0.0 | **8,743.4** |
| OIL | 1964 | 46.4 | 41.7 | 50.9 | 14.1 | 10.5 | 18.4 | 36.2 | 32.6 | 0.0 | 0.0 | 0.0 | 0.0 | **2,794.3** |
| DAY | 1963 | 22.0 | 17.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,806.0** |
| H2O | 1963 | 59.8 | 115.9 | 294.4 | 210.3 | 95.2 | 96.3 | 97.5 | 100.5 | 115.9 | 324.8 | 320.4 | 291.6 | **6,712.1** |
| OIL | 1963 | 6.8 | 26.2 | 25.0 | 24.2 | 14.8 | 14.9 | 15.1 | 15.1 | 9.7 | 49.9 | 48.0 | 52.3 | **2,543.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 27.0 | 31.0 | 16.0 | 19.0 | 26.0 | 30.0 | 31.0 | **1,465.0** |
| H2O | 1962 | 75.6 | 88.5 | 92.6 | 105.6 | 85.3 | 84.8 | 75.1 | 39.8 | 51.1 | 70.0 | 84.7 | 85.5 | **4,589.5** |
| OIL | 1962 | 84.3 | 60.6 | 41.3 | 32.4 | 27.5 | 28.8 | 29.3 | 18.3 | 17.5 | 19.4 | 19.6 | 19.4 | **2,241.5** |
| DAY | 1961 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 25.0 | 31.0 | 29.0 | 30.0 | 29.0 | 31.0 | **1,136.0** |
| H2O | 1961 | 28.4 | 0.0 | 0.0 | 0.0 | 0.0 | 162.7 | 7.2 | 25.0 | 73.4 | 68.7 | 59.0 | 74.0 | **3,650.9** |
| OIL | 1961 | 22.6 | 0.0 | 0.0 | 0.0 | 0.0 | 13.4 | 11.8 | 49.4 | 8.6 | 14.1 | 46.4 | 97.1 | **1,843.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 26.0 | 29.0 | 27.0 | 29.0 | 30.0 | 30.0 | 29.0 | **903.0** |
| H2O | 1960 | 44.4 | 57.6 | 59.5 | 90.2 | 39.0 | 25.0 | 31.9 | 144.3 | 244.1 | 213.4 | 29.5 | 27.6 | **3,152.5** |
| OIL | 1960 | 19.0 | 28.0 | 29.8 | 26.6 | 9.3 | 41.9 | 18.5 | 25.2 | 35.8 | 28.9 | 24.6 | 23.7 | **1,579.7** |
| DAY | 1959 | 31.0 | 13.0 | 4.0 | 30.0 | 28.0 | 30.0 | 29.0 | 21.0 | 12.0 | 0.0 | 26.0 | 31.0 | **553.0** |
| H2O | 1959 | 26.9 | 8.6 | 19.3 | 162.4 | 45.2 | 147.4 | 170.0 | 59.4 | 17.4 | 0.0 | 185.1 | 51.3 | **2,146.0** |
| OIL | 1959 | 36.1 | 19.1 | 6.9 | 38.5 | 34.1 | 40.9 | 26.8 | 36.3 | 11.5 | 0.0 | 63.3 | 18.7 | **1,268.4** |
| DAY | 1958 | 8.0 | 26.0 | 21.0 | 9.0 | 27.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 27.0 | **298.0** |
| H2O | 1958 | 28.5 | 214.9 | 165.7 | 54.0 | 128.8 | 144.4 | 189.1 | 122.8 | 35.0 | 70.5 | 52.7 | 46.6 | **1,253.0** |
| OIL | 1958 | 82.7 | 231.2 | 94.8 | 49.8 | 47.1 | 57.5 | 118.8 | 60.0 | 58.4 | 46.5 | 43.6 | 45.8 | **936.2** |

Licence ***1598*** Well Name ***Tundra et al Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-19-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 26.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 16.0 | 22.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,070.0** |
| H2O | 1975 | 144.8 | 156.0 | 172.7 | 161.5 | 715.3 | 825.3 | 410.3 | 605.3 | 807.0 | 852.8 | 825.1 | 852.8 | **62,805.2** |
| OIL | 1975 | 12.9 | 13.8 | 15.4 | 14.1 | 28.1 | 90.1 | 44.2 | 63.1 | 74.4 | 74.4 | 64.4 | 64.9 | **18,866.5** |
| DAY | 1974 | 31.0 | 28.0 | 0.0 | 27.0 | 28.0 | 30.0 | 1.0 | 0.0 | 11.0 | 31.0 | 21.0 | 31.0 | **5,739.0** |
| H2O | 1974 | 394.1 | 351.5 | 394.0 | 343.1 | 355.8 | 381.3 | 4.3 | 0.0 | 139.8 | 394.0 | 266.8 | 172.7 | **56,276.3** |
| OIL | 1974 | 63.4 | 57.1 | 45.2 | 50.4 | 53.4 | 52.5 | 0.5 | 0.0 | 24.3 | 58.0 | 33.5 | 13.0 | **18,306.7** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,500.0** |
| H2O | 1973 | 394.0 | 341.0 | 394.0 | 372.7 | 355.8 | 326.1 | 387.6 | 394.0 | 372.7 | 394.0 | 381.6 | 394.0 | **53,078.9** |
| OIL | 1973 | 74.4 | 65.3 | 68.5 | 73.9 | 70.4 | 65.5 | 76.6 | 77.9 | 75.0 | 76.8 | 75.4 | 74.4 | **17,855.4** |
| DAY | 1972 | 31.0 | 29.0 | 29.0 | 12.0 | 31.0 | 27.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,139.0** |
| H2O | 1972 | 468.4 | 438.2 | 383.5 | 181.2 | 443.3 | 390.3 | 241.3 | 387.6 | 381.3 | 394.0 | 374.9 | 394.0 | **48,571.4** |
| OIL | 1972 | 102.5 | 102.2 | 96.7 | 40.2 | 84.3 | 73.9 | 72.8 | 85.9 | 82.2 | 74.4 | 70.9 | 73.3 | **16,981.3** |
| DAY | 1971 | 31.0 | 27.0 | 30.0 | 30.0 | 29.0 | 0.0 | 31.0 | 30.0 | 30.0 | 31.0 | 15.0 | 31.0 | **4,801.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1598*** Well Name ***Tundra et al Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-19-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1971 | 172.7 | 42.1 | 46.4 | 47.9 | 46.4 | 48.0 | 49.6 | 48.0 | 453.3 | 465.8 | 216.5 | 468.4 | **44,093.4** |
| OIL | 1971 | 54.4 | 47.2 | 50.7 | 52.6 | 89.4 | 87.9 | 82.5 | 81.4 | 82.7 | 82.5 | 64.2 | 129.3 | **16,022.0** |
| DAY | 1970 | 31.0 | 28.0 | 29.0 | 30.0 | 30.0 | 23.0 | 31.0 | 30.0 | 16.0 | 30.0 | 30.0 | 31.0 | **4,486.0** |
| H2O | 1970 | 689.7 | 608.0 | 689.7 | 350.4 | 358.4 | 258.8 | 370.3 | 189.0 | 98.7 | 167.1 | 167.1 | 172.7 | **41,988.3** |
| OIL | 1970 | 109.4 | 95.1 | 96.7 | 74.2 | 65.5 | 40.4 | 58.5 | 63.1 | 34.0 | 53.3 | 52.0 | 53.3 | **15,117.2** |
| DAY | 1969 | 31.0 | 28.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,147.0** |
| H2O | 1969 | 243.4 | 208.0 | 259.1 | 219.9 | 224.0 | 219.1 | 249.6 | 230.2 | 238.2 | 241.0 | 667.4 | 689.7 | **37,868.4** |
| OIL | 1969 | 38.5 | 38.8 | 39.1 | 37.7 | 38.8 | 36.9 | 38.3 | 35.8 | 37.4 | 37.2 | 106.0 | 108.3 | **14,321.7** |
| DAY | 1968 | 21.0 | 29.0 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,815.0** |
| H2O | 1968 | 174.7 | 276.3 | 316.7 | 47.9 | 57.9 | 49.8 | 227.5 | 260.1 | 238.6 | 246.1 | 222.3 | 238.8 | **34,178.8** |
| OIL | 1968 | 48.5 | 81.9 | 92.5 | 47.1 | 48.8 | 96.0 | 50.2 | 45.3 | 47.9 | 49.6 | 43.2 | 38.3 | **13,728.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,465.0** |
| H2O | 1967 | 417.3 | 453.9 | 384.6 | 393.5 | 384.1 | 373.5 | 328.8 | 326.2 | 317.5 | 317.5 | 282.2 | 376.5 | **31,822.1** |
| OIL | 1967 | 87.1 | 83.6 | 93.5 | 79.7 | 80.9 | 76.2 | 79.0 | 78.2 | 76.5 | 73.9 | 70.7 | 74.2 | **13,039.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,101.0** |
| H2O | 1966 | 343.4 | 329.4 | 370.3 | 448.3 | 334.4 | 358.4 | 369.0 | 352.3 | 321.8 | 350.2 | 282.8 | 385.7 | **27,466.5** |
| OIL | 1966 | 84.3 | 79.6 | 95.5 | 80.5 | 112.7 | 93.3 | 98.4 | 96.5 | 87.8 | 95.1 | 111.6 | 94.0 | **12,086.1** |
| DAY | 1965 | 27.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,742.0** |
| H2O | 1965 | 140.7 | 248.2 | 223.5 | 211.5 | 221.8 | 257.4 | 247.2 | 233.2 | 254.7 | 399.5 | 346.1 | 356.6 | **23,220.5** |
| OIL | 1965 | 39.0 | 114.5 | 124.2 | 109.3 | 112.5 | 112.8 | 109.1 | 108.3 | 89.9 | 100.2 | 98.5 | 94.8 | **10,956.8** |
| DAY | 1964 | 30.0 | 29.0 | 31.0 | 20.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,385.0** |
| H2O | 1964 | 294.0 | 267.4 | 279.2 | 130.8 | 145.8 | 235.9 | 141.3 | 181.2 | 141.2 | 133.2 | 166.1 | 135.5 | **20,080.1** |
| OIL | 1964 | 69.7 | 69.1 | 70.3 | 66.0 | 3.4 | 5.6 | 41.7 | 39.2 | 33.9 | 26.3 | 41.1 | 31.7 | **9,743.7** |
| DAY | 1963 | 22.0 | 22.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,033.0** |
| H2O | 1963 | 182.8 | 256.8 | 407.3 | 362.0 | 324.5 | 290.2 | 298.1 | 297.5 | 256.1 | 345.5 | 325.9 | 301.3 | **17,828.5** |
| OIL | 1963 | 60.3 | 75.4 | 109.6 | 100.9 | 104.2 | 104.5 | 106.4 | 102.1 | 81.5 | 78.3 | 72.1 | 72.4 | **9,245.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 27.0 | 31.0 | 16.0 | 19.0 | 21.0 | 30.0 | 30.0 | **1,685.0** |
| H2O | 1962 | 500.8 | 400.2 | 348.3 | 470.4 | 436.4 | 425.8 | 323.2 | 157.6 | 180.1 | 159.8 | 193.3 | 186.3 | **14,180.5** |
| OIL | 1962 | 123.4 | 98.5 | 110.1 | 106.9 | 83.4 | 112.0 | 107.5 | 64.3 | 70.2 | 54.0 | 83.8 | 79.1 | **8,178.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **1,364.0** |
| H2O | 1961 | 379.1 | 326.6 | 371.0 | 357.0 | 288.1 | 273.0 | 506.1 | 594.1 | 516.9 | 453.6 | 490.8 | 514.5 | **10,398.3** |
| OIL | 1961 | 97.7 | 97.7 | 122.0 | 103.9 | 129.6 | 138.2 | 154.3 | 117.7 | 131.4 | 117.1 | 139.8 | 126.5 | **7,084.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 27.0 | 29.0 | 30.0 | 30.0 | 29.0 | **1,002.0** |
| H2O | 1960 | 231.4 | 244.9 | 238.2 | 41.7 | 423.9 | 236.0 | 260.5 | 279.7 | 233.8 | 194.5 | 394.0 | 367.5 | **5,327.5** |
| OIL | 1960 | 176.4 | 154.6 | 149.3 | 137.6 | 158.9 | 156.8 | 138.7 | 141.4 | 135.7 | 119.9 | 106.1 | 102.0 | **5,608.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 27.0 | 20.0 | 25.0 | 13.0 | 30.0 | 31.0 | **649.0** |
| H2O | 1959 | 43.0 | 45.1 | 109.0 | 39.5 | 50.6 | 52.5 | 116.3 | 87.3 | 276.5 | 143.3 | 322.8 | 426.8 | **2,181.4** |
| OIL | 1959 | 108.6 | 111.2 | 135.8 | 107.1 | 132.0 | 98.6 | 96.2 | 88.8 | 238.1 | 80.5 | 219.6 | 234.1 | **3,931.5** |
| DAY | 1958 | 26.0 | 28.0 | 25.0 | 11.0 | 29.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | 30.0 | 27.0 | **325.0** |
| H2O | 1958 | 34.1 | 44.1 | 47.4 | 16.3 | 23.3 | 43.5 | 43.9 | 36.5 | 37.6 | 63.5 | 36.6 | 41.9 | **468.7** |
| OIL | 1958 | 269.7 | 309.9 | 230.0 | 85.0 | 247.0 | 240.1 | 226.6 | 210.1 | 51.1 | 147.1 | 130.7 | 133.6 | **2,280.9** |

Licence ***1600*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-20-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 30.0 | 31.0 | 29.0 | 27.0 | 30.0 | 31.0 | **6,371.0** |
| H2O | 1975 | 1137.0 | 997.0 | 1131.1 | 1084.1 | 1051.8 | 1360.1 | 1387.6 | 1492.5 | 1452.1 | 1277.9 | 1333.8 | 1400.8 | **165,724.9** |
| OIL | 1975 | 24.3 | 22.7 | 24.9 | 24.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.8 | 23.5 | 24.6 | **27,112.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | **6,018.0** |
| H2O | 1974 | 1193.9 | 1075.3 | 1195.7 | 1121.1 | 1020.5 | 1070.9 | 982.3 | 1211.7 | 1118.9 | 1221.0 | 1153.1 | 868.0 | **150,619.1** |
| OIL | 1974 | 23.5 | 21.0 | 23.2 | 22.4 | 25.3 | 22.1 | 19.9 | 24.3 | 24.6 | 26.1 | 24.3 | 18.9 | **26,946.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1600*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-20-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 31.0 | 28.0 | 29.0 | 30.0 | 22.0 | 30.0 | 27.0 | 3.0 | 15.0 | 31.0 | 30.0 | 31.0 | **5,666.0** |
| H2O | 1973 | 1108.7 | 1076.8 | 1039.7 | 981.5 | 720.2 | 1076.9 | 974.4 | 127.7 | 566.8 | 1024.5 | 1040.7 | 1179.6 | **137,386.7** |
| OIL | 1973 | 20.0 | 19.1 | 24.8 | 25.4 | 18.1 | 25.9 | 21.8 | 2.4 | 12.2 | 22.7 | 23.8 | 22.9 | **26,671.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,359.0** |
| H2O | 1972 | 1152.4 | 1109.5 | 1158.3 | 1434.0 | 1104.3 | 1021.4 | 1078.0 | 1090.9 | 1022.7 | 1097.1 | 1047.4 | 1049.9 | **126,469.2** |
| OIL | 1972 | 38.6 | 23.2 | 35.0 | 24.0 | 22.2 | 19.9 | 20.5 | 21.0 | 18.9 | 20.7 | 18.9 | 20.0 | **26,432.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 25.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,994.0** |
| H2O | 1971 | 1083.8 | 941.2 | 1158.3 | 1070.4 | 1009.8 | 907.6 | 1193.1 | 1088.2 | 900.8 | 982.5 | 1085.8 | 1158.0 | **113,103.3** |
| OIL | 1971 | 48.0 | 41.8 | 43.2 | 41.3 | 36.7 | 32.9 | 41.8 | 42.0 | 36.9 | 39.1 | 35.8 | 39.6 | **26,149.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,640.0** |
| H2O | 1970 | 1242.3 | 1056.7 | 1288.9 | 1273.6 | 1186.8 | 1153.9 | 1168.7 | 1140.2 | 1161.0 | 1152.9 | 1039.6 | 1070.6 | **100,523.8** |
| OIL | 1970 | 64.4 | 43.5 | 56.4 | 35.6 | 37.3 | 34.0 | 34.0 | 33.1 | 33.1 | 32.4 | 42.6 | 51.0 | **25,670.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,275.0** |
| H2O | 1969 | 1280.4 | 1228.3 | 1341.8 | 1293.8 | 1373.3 | 1290.3 | 1283.3 | 1305.4 | 1267.9 | 1311.4 | 1281.9 | 1304.9 | **86,588.6** |
| OIL | 1969 | 62.1 | 55.9 | 59.9 | 53.9 | 58.0 | 65.3 | 63.1 | 63.4 | 55.8 | 60.1 | 60.2 | 62.1 | **25,172.8** |
| DAY | 1968 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | 28.0 | 31.0 | **3,910.0** |
| H2O | 1968 | 713.0 | 654.4 | 1485.5 | 1254.0 | 1441.3 | 1397.8 | 1475.0 | 1516.4 | 1367.5 | 1266.9 | 1290.8 | 1221.1 | **71,025.9** |
| OIL | 1968 | 109.0 | 88.4 | 50.4 | 52.4 | 54.0 | 54.0 | 66.1 | 68.3 | 60.5 | 55.5 | 51.5 | 64.2 | **24,453.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,553.0** |
| H2O | 1967 | 900.8 | 791.7 | 929.2 | 807.3 | 737.2 | 719.1 | 749.0 | 727.0 | 758.2 | 802.5 | 734.6 | 723.5 | **55,942.2** |
| OIL | 1967 | 174.5 | 151.4 | 172.3 | 164.9 | 125.4 | 120.3 | 125.2 | 120.0 | 113.3 | 121.9 | 97.7 | 104.7 | **23,678.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,188.0** |
| H2O | 1966 | 1098.4 | 979.0 | 1048.2 | 1032.9 | 994.3 | 868.7 | 880.6 | 810.8 | 806.7 | 905.7 | 902.2 | 887.3 | **46,562.1** |
| OIL | 1966 | 196.7 | 168.3 | 183.4 | 170.4 | 198.0 | 173.1 | 188.8 | 159.7 | 160.8 | 185.8 | 178.5 | 182.7 | **22,087.1** |
| DAY | 1965 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,825.0** |
| H2O | 1965 | 570.9 | 539.3 | 521.5 | 650.2 | 687.4 | 658.0 | 752.1 | 1285.5 | 1032.9 | 1113.0 | 1077.2 | 1105.9 | **35,347.3** |
| OIL | 1965 | 99.0 | 86.3 | 88.4 | 103.6 | 109.2 | 109.6 | 222.8 | 225.7 | 257.9 | 210.1 | 197.5 | 201.2 | **19,940.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,463.0** |
| H2O | 1964 | 566.4 | 513.7 | 562.0 | 561.5 | 496.8 | 482.5 | 485.5 | 475.2 | 465.7 | 496.0 | 493.6 | 555.2 | **25,353.4** |
| OIL | 1964 | 156.0 | 138.9 | 150.2 | 141.9 | 124.1 | 121.4 | 129.4 | 119.5 | 115.5 | 119.0 | 114.4 | 104.4 | **18,029.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,097.0** |
| H2O | 1963 | 414.3 | 376.3 | 407.1 | 425.7 | 434.5 | 436.6 | 411.9 | 448.6 | 453.7 | 487.1 | 547.5 | 572.5 | **19,199.3** |
| OIL | 1963 | 160.3 | 145.6 | 158.6 | 148.6 | 138.1 | 141.4 | 137.6 | 140.0 | 141.7 | 150.5 | 158.4 | 160.0 | **16,494.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 29.0 | 27.0 | **1,732.0** |
| H2O | 1962 | 365.7 | 362.0 | 392.4 | 401.6 | 416.4 | 393.6 | 408.7 | 418.6 | 372.6 | 428.0 | 396.0 | 374.6 | **13,783.5** |
| OIL | 1962 | 208.3 | 182.1 | 202.6 | 196.9 | 202.5 | 189.6 | 180.8 | 177.2 | 159.7 | 179.3 | 156.2 | 142.4 | **14,714.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,374.0** |
| H2O | 1961 | 340.2 | 285.4 | 332.9 | 320.3 | 367.4 | 360.1 | 384.7 | 380.4 | 361.4 | 395.1 | 380.4 | 356.6 | **9,053.3** |
| OIL | 1961 | 283.7 | 228.5 | 261.4 | 254.4 | 251.9 | 232.8 | 244.4 | 223.6 | 215.6 | 229.0 | 210.6 | 204.0 | **12,536.5** |
| DAY | 1960 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,009.0** |
| H2O | 1960 | 232.1 | 211.3 | 243.1 | 239.7 | 263.6 | 263.7 | 318.8 | 322.1 | 308.9 | 287.6 | 309.5 | 339.3 | **4,788.4** |
| OIL | 1960 | 307.8 | 268.2 | 291.3 | 268.4 | 286.2 | 278.7 | 292.6 | 293.5 | 275.7 | 269.5 | 257.3 | 265.4 | **9,696.6** |
| DAY | 1959 | 31.0 | 21.0 | 31.0 | 30.0 | 30.0 | 27.0 | 31.0 | 24.0 | 27.0 | 31.0 | 30.0 | 21.0 | **644.0** |
| H2O | 1959 | 37.8 | 21.0 | 32.0 | 72.3 | 104.0 | 114.3 | 145.5 | 110.3 | 125.9 | 150.6 | 178.9 | 157.2 | **1,448.7** |
| OIL | 1959 | 310.5 | 227.7 | 278.1 | 267.8 | 284.1 | 231.4 | 307.6 | 246.6 | 266.0 | 271.7 | 309.4 | 214.7 | **6,342.0** |
| DAY | 1958 | 1.0 | 28.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | 31.0 | 20.0 | 27.0 | 26.0 | 27.0 | **310.0** |
| H2O | 1958 | 0.0 | 1.0 | 3.5 | 6.0 | 17.8 | 16.1 | 14.3 | 34.8 | 20.7 | 28.0 | 28.9 | 27.8 | **198.9** |
| OIL | 1958 | 4.9 | 266.7 | 250.3 | 274.0 | 310.8 | 282.1 | 303.4 | 353.6 | 220.6 | 296.5 | 280.0 | 283.5 | **3,126.4** |

Licence ***1603*** Well Name ***Tundra et al Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-19-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

# Manitoba Production
## 1950 To 1975

Licence ***1603*** Well Name ***Tundra et al Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-19-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 2682.6 | 2454.4 | 2905.2 | 2713.6 | 3137.0 | 3196.0 | 653.0 | 475.9 | 540.7 | 508.3 | 864.0 | 3378.7 | **497,923.9** |
| WIN | 1974 | 2752.9 | 2561.6 | 2352.3 | 2701.2 | 2726.6 | 2826.0 | 2481.8 | 2548.1 | 2622.8 | 2952.6 | 2751.3 | 2646.0 | **474,414.5** |
| WIN | 1973 | 2913.1 | 2626.3 | 3039.7 | 2801.7 | 2752.6 | 2814.1 | 2914.1 | 2571.1 | 2857.0 | 2981.5 | 2885.5 | 2933.3 | **442,491.3** |
| WIN | 1972 | 3385.2 | 3147.2 | 3207.7 | 3003.9 | 3297.4 | 2925.5 | 2887.1 | 2778.8 | 2941.8 | 3039.7 | 2892.6 | 3039.7 | **408,401.3** |
| WIN | 1971 | 3700.9 | 3275.2 | 3637.0 | 3675.5 | 3742.9 | 3878.4 | 3937.5 | 3385.5 | 3267.2 | 3358.6 | 2685.1 | 3376.1 | **371,854.7** |
| WIN | 1970 | 4683.9 | 4090.5 | 4708.7 | 4213.1 | 4617.9 | 3335.3 | 4685.0 | 4312.8 | 2235.9 | 3836.2 | 3744.0 | 3843.5 | **329,934.8** |
| WIN | 1969 | 3545.6 | 3116.0 | 4427.6 | 4030.1 | 3491.2 | 4030.1 | 3942.8 | 3921.6 | 3593.0 | 3738.9 | 4532.8 | 4683.9 | **281,628.0** |
| WIN | 1968 | 1678.5 | 2021.0 | 3298.4 | 3694.4 | 4061.1 | 3646.1 | 3804.6 | 3964.7 | 3572.9 | 3696.2 | 3341.9 | 3586.5 | **234,574.4** |
| WIN | 1967 | 3942.8 | 3561.2 | 3942.8 | 3815.1 | 3741.8 | 3807.8 | 3880.1 | 3610.5 | 3810.9 | 3813.0 | 1753.1 | 3694.6 | **194,208.1** |
| WIN | 1966 | 3404.9 | 2990.4 | 3573.1 | 4103.2 | 3226.8 | 3416.0 | 3566.7 | 3639.2 | 3418.1 | 3790.1 | 3044.8 | 3815.6 | **150,834.4** |
| WIN | 1965 | 1885.7 | 2621.4 | 2530.1 | 2353.6 | 2584.5 | 2740.0 | 2729.2 | 2582.6 | 2446.0 | 3572.1 | 3341.6 | 3484.7 | **108,845.5** |
| WIN | 1964 | 1417.0 | 1278.5 | 1594.9 | 1232.2 | 1748.5 | 2039.1 | 2163.4 | 2408.5 | 1826.2 | 1403.5 | 1624.3 | 1783.3 | **75,974.0** |
| WIN | 1963 | 669.0 | 704.5 | 1145.1 | 1143.4 | 1254.2 | 1341.1 | 1366.9 | 1368.2 | 1192.8 | 1435.9 | 1369.0 | 1391.4 | **55,454.6** |
| WIN | 1962 | 1195.3 | 1031.6 | 872.8 | 1084.2 | 927.3 | 1119.0 | 936.8 | 539.3 | 588.9 | 639.9 | 750.3 | 713.2 | **41,073.1** |
| WIN | 1961 | 1030.5 | 752.0 | 910.3 | 831.3 | 852.2 | 1134.1 | 1150.0 | 1215.9 | 1105.8 | 1113.3 | 1111.4 | 1242.9 | **30,674.5** |
| WIN | 1960 | 992.5 | 1259.9 | 1699.2 | 1068.9 | 1615.9 | 1838.3 | 1706.0 | 1478.8 | 1830.0 | 1766.3 | 1039.9 | 1031.9 | **18,224.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 24.0 | 29.0 | 25.0 | 20.0 | 26.0 | 22.0 | 0.0 | 0.0 | **565.0** |
| H2O | 1959 | 266.4 | 188.2 | 227.0 | 281.1 | 162.3 | 159.6 | 143.9 | 199.7 | 109.1 | 107.0 | 0.0 | 0.0 | **4,126.3** |
| OIL | 1959 | 68.1 | 61.8 | 49.7 | 51.5 | 43.2 | 42.9 | 23.4 | 35.4 | 28.1 | 27.0 | 0.0 | 0.0 | **1,581.2** |
| WIN | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.4 | 871.8 | **897.2** |
| DAY | 1958 | 6.0 | 28.0 | 24.0 | 7.0 | 28.0 | 29.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 27.0 | **299.0** |
| H2O | 1958 | 33.7 | 237.1 | 207.5 | 53.6 | 244.2 | 210.3 | 221.3 | 205.3 | 194.9 | 291.4 | 210.2 | 172.5 | **2,282.0** |
| OIL | 1958 | 52.8 | 273.2 | 129.2 | 31.6 | 125.5 | 39.9 | 66.4 | 51.8 | 116.8 | 83.7 | 95.8 | 83.4 | **1,150.1** |

Licence ***1604*** Well Name ***Cdn. Res. et al Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-18-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 28.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,041.0** |
| H2O | 1971 | 511.3 | 499.0 | 529.6 | 544.8 | 548.0 | 547.9 | 566.6 | 54.9 | 0.0 | 0.0 | 0.0 | 0.0 | **49,501.0** |
| OIL | 1971 | 31.0 | 30.3 | 27.0 | 28.1 | 19.2 | 19.4 | 29.6 | 2.9 | 0.0 | 0.0 | 0.0 | 0.0 | **2,992.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 23.0 | 31.0 | 30.0 | 15.0 | 28.0 | 30.0 | 31.0 | **3,830.0** |
| H2O | 1970 | 345.3 | 304.6 | 345.3 | 326.9 | 443.6 | 319.6 | 443.6 | 415.0 | 214.6 | 511.8 | 548.3 | 566.6 | **45,698.9** |
| OIL | 1970 | 25.0 | 21.8 | 24.6 | 23.7 | 24.5 | 20.8 | 29.3 | 26.6 | 9.7 | 31.3 | 32.8 | 33.7 | **2,805.1** |
| DAY | 1969 | 28.0 | 28.0 | 31.0 | 30.0 | 24.0 | 30.0 | 29.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **3,491.0** |
| H2O | 1969 | 594.3 | 562.8 | 701.3 | 595.1 | 469.2 | 593.0 | 632.0 | 666.2 | 558.7 | 652.3 | 334.2 | 345.3 | **40,913.7** |
| OIL | 1969 | 26.4 | 26.7 | 29.6 | 28.6 | 22.9 | 28.3 | 26.1 | 24.6 | 20.5 | 24.0 | 24.2 | 24.8 | **2,501.3** |
| DAY | 1968 | 15.0 | 9.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,142.0** |
| H2O | 1968 | 298.1 | 178.9 | 536.6 | 596.2 | 616.1 | 596.2 | 616.1 | 596.2 | 643.9 | 666.0 | 601.4 | 646.3 | **34,209.3** |
| OIL | 1968 | 11.4 | 8.3 | 24.8 | 28.6 | 29.6 | 28.6 | 28.8 | 32.6 | 28.6 | 29.6 | 26.6 | 28.6 | **2,194.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 30.0 | 13.0 | 31.0 | **2,817.0** |
| H2O | 1967 | 616.1 | 556.5 | 616.1 | 596.2 | 616.1 | 596.2 | 616.1 | 556.5 | 596.2 | 596.2 | 258.4 | 616.1 | **27,617.3** |
| OIL | 1967 | 19.7 | 17.8 | 19.7 | 18.6 | 19.7 | 19.1 | 19.7 | 17.8 | 19.1 | 19.1 | 8.3 | 19.1 | **1,888.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,473.0** |
| H2O | 1966 | 600.2 | 556.5 | 616.1 | 576.3 | 556.5 | 596.2 | 616.1 | 616.1 | 556.5 | 616.1 | 596.2 | 616.1 | **20,780.6** |
| OIL | 1966 | 19.7 | 17.8 | 19.6 | 18.3 | 17.3 | 19.1 | 19.7 | 19.7 | 17.6 | 19.7 | 19.1 | 19.6 | **1,670.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,114.0** |
| H2O | 1965 | 522.3 | 510.3 | 555.7 | 463.4 | 573.1 | 514.3 | 557.3 | 545.3 | 516.4 | 524.0 | 576.3 | 616.1 | **13,661.7** |
| OIL | 1965 | 19.7 | 17.8 | 19.9 | 19.1 | 19.4 | 18.3 | 19.4 | 18.9 | 18.8 | 20.4 | 17.8 | 19.6 | **1,443.6** |
| DAY | 1964 | 30.0 | 29.0 | 30.0 | 22.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,752.0** |
| H2O | 1964 | 4.9 | 5.7 | 191.4 | 407.0 | 557.9 | 673.5 | 455.5 | 473.0 | 431.3 | 313.4 | 477.0 | 566.0 | **7,187.2** |
| OIL | 1964 | 7.6 | 5.1 | 7.6 | 12.2 | 12.2 | 14.3 | 19.1 | 19.7 | 18.3 | 16.1 | 17.6 | 19.7 | **1,214.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1604*** Well Name ***Cdn. Res. et al Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-18-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 22.0 | 0.0 | 0.0 | 0.0 | 22.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,400.0** |
| H2O | 1963 | 20.5 | 0.0 | 0.0 | 0.0 | 27.5 | 18.6 | 9.9 | 14.9 | 7.9 | 7.6 | 4.9 | 6.5 | **2,630.6** |
| OIL | 1963 | 11.6 | 0.0 | 0.0 | 0.0 | 11.9 | 12.4 | 13.8 | 13.4 | 10.8 | 12.4 | 9.7 | 10.8 | **1,045.0** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 30.0 | 15.0 | 18.0 | 22.0 | 30.0 | 31.0 | **1,144.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 41.5 | 31.6 | 15.1 | 17.2 | 18.9 | 28.3 | 26.2 | **2,512.3** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 38.3 | 26.9 | 12.1 | 12.9 | 14.8 | 19.6 | 17.0 | **938.2** |
| DAY | 1961 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 31.0 | 31.0 | 26.0 | 30.0 | 0.0 | 0.0 | **972.0** |
| H2O | 1961 | 16.5 | 0.0 | 0.0 | 0.0 | 0.0 | 35.5 | 22.4 | 24.0 | 23.7 | 39.3 | 0.0 | 0.0 | **2,333.5** |
| OIL | 1961 | 2.9 | 0.0 | 0.0 | 0.0 | 0.0 | 21.8 | 23.4 | 43.9 | 11.9 | 17.2 | 0.0 | 0.0 | **796.6** |
| DAY | 1960 | 1.0 | 6.0 | 0.0 | 15.0 | 30.0 | 29.0 | 28.0 | 31.0 | 26.0 | 30.0 | 30.0 | 29.0 | **815.0** |
| H2O | 1960 | 1.6 | 9.5 | 0.0 | 23.1 | 62.0 | 63.9 | 112.6 | 63.9 | 25.6 | 27.5 | 27.8 | 43.4 | **2,172.1** |
| OIL | 1960 | 0.3 | 1.4 | 0.0 | 4.3 | 33.1 | 20.8 | 18.3 | 17.5 | 10.3 | 8.7 | 11.6 | 11.3 | **675.5** |
| DAY | 1959 | 31.0 | 0.0 | 26.0 | 27.0 | 30.0 | 28.0 | 30.0 | 29.0 | 28.0 | 27.0 | 30.0 | 30.0 | **560.0** |
| H2O | 1959 | 43.6 | 0.0 | 89.7 | 45.2 | 33.4 | 85.5 | 59.5 | 77.6 | 43.2 | 40.9 | 37.4 | 47.7 | **1,711.2** |
| OIL | 1959 | 22.1 | 0.0 | 28.8 | 14.9 | 7.3 | 28.6 | 22.1 | 15.4 | 18.4 | 12.9 | 13.7 | 12.9 | **537.9** |
| DAY | 1958 | 11.0 | 16.0 | 0.0 | 0.0 | 26.0 | 30.0 | 22.0 | 31.0 | 29.0 | 31.0 | 29.0 | 19.0 | **244.0** |
| H2O | 1958 | 272.8 | 449.9 | 0.0 | 0.0 | 76.6 | 81.1 | 46.7 | 36.6 | 31.5 | 44.4 | 48.3 | 19.6 | **1,107.5** |
| OIL | 1958 | 39.6 | 17.6 | 0.0 | 0.0 | 75.0 | 56.0 | 39.4 | 35.6 | 36.9 | 17.3 | 15.3 | 8.1 | **340.8** |

Licence ***1605*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-26-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1866.3 | 1847.7 | 1865.6 | 1900.3 | 1877.6 | 1517.5 | 1768.3 | 2283.9 | 2065.6 | 2130.2 | 2075.6 | 2014.0 | **233,254.8** |
| WIN | 1974 | 1413.3 | 1336.5 | 1476.1 | 1447.2 | 1522.9 | 1703.9 | 1742.4 | 2086.5 | 2014.8 | 2005.7 | 1867.5 | 1920.0 | **210,042.2** |
| WIN | 1973 | 755.6 | 1917.9 | 1822.2 | 2048.9 | 2156.9 | 1907.9 | 1879.3 | 1858.6 | 1953.2 | 1497.9 | 1159.0 | 1212.4 | **189,505.4** |
| WIN | 1972 | 1998.2 | 2011.4 | 2054.7 | 1943.1 | 1955.8 | 1937.2 | 1901.4 | 1741.5 | 1740.0 | 1855.8 | 1943.5 | 1337.2 | **169,335.6** |
| WIN | 1971 | 1658.2 | 1754.3 | 1327.0 | 2127.3 | 1558.3 | 1779.5 | 1286.1 | 1207.8 | 1344.8 | 1493.8 | 1364.7 | 1092.4 | **146,915.8** |
| WIN | 1970 | 2476.9 | 2718.2 | 2891.7 | 2926.0 | 2254.3 | 2267.5 | 1561.2 | 2394.4 | 2561.3 | 2850.2 | 2615.9 | 2564.3 | **128,921.6** |
| WIN | 1969 | 2537.2 | 2152.3 | 2344.5 | 1697.1 | 1983.3 | 1786.3 | 1879.5 | 1997.1 | 2146.7 | 1982.8 | 2010.5 | 2268.6 | **98,839.7** |
| WIN | 1968 | 2404.9 | 2067.1 | 2104.4 | 1638.1 | 2090.3 | 1647.8 | 1594.9 | 1875.3 | 1818.4 | 1130.2 | 2040.7 | 1829.1 | **74,053.8** |
| WIN | 1967 | 1524.6 | 978.7 | 2147.3 | 2387.2 | 2342.9 | 2061.8 | 1915.7 | 1797.6 | 1933.8 | 2029.7 | 1771.5 | 2454.5 | **51,812.6** |
| WIN | 1966 | 737.7 | 812.7 | 666.8 | 719.9 | 731.8 | 619.5 | 583.8 | 545.0 | 894.1 | 964.5 | 2367.2 | 1620.2 | **28,467.3** |
| WIN | 1965 | 331.5 | 623.8 | 459.9 | 657.2 | 617.3 | 874.2 | 361.5 | 603.0 | 646.3 | 695.5 | 1005.2 | 758.8 | **17,204.1** |
| WIN | 1964 | 783.3 | 985.7 | 975.3 | 663.4 | 469.9 | 1249.3 | 1277.1 | 356.3 | 549.9 | 711.9 | 601.7 | 773.8 | **9,569.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 0.0 | **2,080.0** |
| H2O | 1963 | 59.9 | 53.0 | 64.0 | 60.7 | 98.7 | 113.4 | 118.1 | 121.1 | 105.1 | 130.0 | 94.9 | 0.0 | **3,985.2** |
| OIL | 1963 | 63.4 | 57.4 | 66.4 | 63.9 | 55.0 | 58.5 | 54.7 | 68.5 | 71.0 | 72.6 | 69.3 | 0.0 | **5,820.2** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 172.3 | **172.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | **1,752.0** |
| H2O | 1962 | 44.7 | 45.9 | 41.8 | 49.1 | 50.4 | 46.1 | 44.2 | 53.1 | 46.7 | 68.5 | 55.8 | 56.6 | **2,966.3** |
| OIL | 1962 | 85.7 | 75.3 | 81.2 | 85.3 | 86.1 | 83.9 | 86.9 | 82.8 | 69.1 | 63.2 | 62.5 | 67.2 | **5,119.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,390.0** |
| H2O | 1961 | 119.2 | 99.2 | 125.9 | 126.9 | 127.7 | 119.7 | 112.7 | 107.0 | 85.2 | 78.2 | 83.0 | 56.1 | **2,363.4** |
| OIL | 1961 | 99.0 | 89.8 | 94.1 | 111.1 | 127.9 | 116.0 | 118.1 | 103.0 | 88.8 | 94.2 | 94.1 | 88.5 | **4,190.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 26.0 | 25.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | **1,026.0** |
| H2O | 1960 | 5.2 | 4.9 | 5.1 | 5.6 | 14.6 | 7.0 | 126.4 | 199.7 | 161.8 | 151.3 | 123.7 | 111.9 | **1,122.6** |
| OIL | 1960 | 47.5 | 35.8 | 39.1 | 37.2 | 36.7 | 28.6 | 287.6 | 314.5 | 199.1 | 161.0 | 117.0 | 123.6 | **2,965.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **674.0** |
| H2O | 1959 | 8.1 | 4.8 | 7.9 | 8.7 | 6.5 | 5.7 | 5.7 | 10.8 | 11.1 | 5.4 | 5.4 | 4.3 | **205.4** |
| OIL | 1959 | 44.3 | 43.5 | 52.8 | 47.8 | 39.6 | 59.6 | 53.2 | 53.2 | 54.2 | 51.3 | 49.4 | 51.3 | **1,538.0** |
| DAY | 1958 | 0.0 | 12.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **312.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1605*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-26-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 0.0 | 0.0 | 7.2 | 9.7 | 12.1 | 20.0 | 11.3 | 17.8 | 9.2 | 11.8 | 6.5 | 15.4 | **121.0** |
| OIL | 1958 | 0.0 | 63.9 | 150.8 | 109.6 | 127.4 | 113.8 | 115.4 | 58.0 | 48.3 | 50.9 | 50.1 | 49.6 | **937.8** |

Licence ***1606*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-21-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 22.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,495.0** |
| H2O | 1971 | 65.0 | 56.4 | 64.1 | 60.3 | 45.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **30,869.3** |
| OIL | 1971 | 8.4 | 7.3 | 8.3 | 7.8 | 5.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,159.8** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 18.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,353.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 45.6 | 55.8 | 63.4 | 66.1 | 60.4 | 62.6 | 63.9 | 62.3 | 64.4 | **30,578.0** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 5.2 | 7.9 | 8.4 | 8.7 | 7.8 | 8.1 | 8.1 | 7.5 | 8.9 | **6,122.3** |
| DAY | 1969 | 29.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 1.0 | 0.0 | 25.0 | 31.0 | 9.0 | 0.0 | **4,094.0** |
| H2O | 1969 | 450.9 | 414.3 | 455.3 | 386.8 | 34.2 | 34.8 | 1.1 | 0.0 | 55.3 | 63.3 | 18.8 | 0.0 | **30,033.5** |
| OIL | 1969 | 42.4 | 37.8 | 43.5 | 45.3 | 15.3 | 14.8 | 0.5 | 0.0 | 7.3 | 8.3 | 2.7 | 0.0 | **6,051.7** |
| DAY | 1968 | 31.0 | 29.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **3,851.0** |
| H2O | 1968 | 533.4 | 554.0 | 587.4 | 516.8 | 475.5 | 516.7 | 553.6 | 490.5 | 483.1 | 476.8 | 476.6 | 497.4 | **28,118.7** |
| OIL | 1968 | 69.9 | 78.7 | 71.8 | 61.7 | 51.6 | 47.5 | 48.9 | 47.7 | 46.2 | 45.0 | 47.4 | 45.9 | **5,833.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,490.0** |
| H2O | 1967 | 193.6 | 171.4 | 190.9 | 197.3 | 217.6 | 235.0 | 222.7 | 515.6 | 448.8 | 539.1 | 534.5 | 461.7 | **21,956.9** |
| OIL | 1967 | 32.7 | 29.9 | 32.3 | 32.6 | 38.9 | 37.0 | 36.9 | 73.1 | 63.9 | 76.1 | 72.0 | 69.1 | **5,171.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,126.0** |
| H2O | 1966 | 257.7 | 244.5 | 221.1 | 207.5 | 211.3 | 203.7 | 235.0 | 208.4 | 179.8 | 209.7 | 191.4 | 193.8 | **18,028.7** |
| OIL | 1966 | 37.5 | 34.5 | 38.3 | 37.7 | 37.7 | 36.7 | 41.0 | 35.4 | 30.8 | 35.3 | 33.2 | 33.8 | **4,577.0** |
| DAY | 1965 | 31.0 | 28.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,763.0** |
| H2O | 1965 | 144.5 | 127.8 | 214.8 | 497.4 | 445.6 | 216.8 | 221.0 | 227.3 | 232.6 | 279.2 | 263.0 | 253.9 | **15,464.8** |
| OIL | 1965 | 28.8 | 24.8 | 27.2 | 95.2 | 98.2 | 36.4 | 35.9 | 38.0 | 36.9 | 43.5 | 35.1 | 37.2 | **4,145.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 20.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,404.0** |
| H2O | 1964 | 168.8 | 166.9 | 154.8 | 151.2 | 6.8 | 6.8 | 4.9 | 8.7 | 158.5 | 133.5 | 134.5 | 148.2 | **12,340.9** |
| OIL | 1964 | 29.9 | 32.4 | 29.9 | 29.9 | 6.5 | 6.7 | 4.8 | 7.3 | 28.8 | 28.0 | 27.8 | 28.3 | **3,607.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 17.0 | 25.0 | 23.0 | 14.0 | 26.0 | 30.0 | 30.0 | 21.0 | 31.0 | **2,049.0** |
| H2O | 1963 | 39.6 | 38.0 | 1.3 | 0.6 | 4.5 | 36.7 | 24.0 | 45.8 | 57.7 | 56.0 | 129.7 | 189.5 | **11,097.3** |
| OIL | 1963 | 18.0 | 15.6 | 3.5 | 1.9 | 7.2 | 3.5 | 2.1 | 4.0 | 4.8 | 4.4 | 23.7 | 32.1 | **3,347.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,742.0** |
| H2O | 1962 | 222.9 | 249.9 | 260.7 | 221.6 | 195.1 | 104.4 | 115.4 | 122.3 | 22.3 | 23.1 | 33.7 | 47.4 | **10,473.9** |
| OIL | 1962 | 71.8 | 41.5 | 46.2 | 47.7 | 46.6 | 36.5 | 33.5 | 26.7 | 25.6 | 28.9 | 17.0 | 16.4 | **3,226.8** |
| DAY | 1961 | 20.0 | 28.0 | 27.0 | 30.0 | 23.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,379.0** |
| H2O | 1961 | 152.5 | 360.4 | 368.2 | 393.8 | 309.5 | 390.9 | 404.6 | 300.0 | 255.3 | 225.8 | 94.0 | 246.7 | **8,855.1** |
| OIL | 1961 | 14.3 | 72.0 | 71.5 | 84.9 | 63.4 | 83.0 | 72.3 | 64.0 | 57.7 | 51.5 | 42.7 | 57.4 | **2,788.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 0.0 | **1,038.0** |
| H2O | 1960 | 102.9 | 65.7 | 70.0 | 27.2 | 24.3 | 20.8 | 47.2 | 43.7 | 42.0 | 0.0 | 0.0 | 0.0 | **5,353.4** |
| OIL | 1960 | 26.7 | 20.8 | 24.5 | 15.9 | 16.0 | 14.6 | 9.2 | 8.9 | 8.7 | 8.9 | 8.9 | 0.0 | **2,053.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **706.0** |
| H2O | 1959 | 230.0 | 207.0 | 248.3 | 200.8 | 205.9 | 240.4 | 145.1 | 125.9 | 112.2 | 100.8 | 29.3 | 90.9 | **4,909.6** |
| OIL | 1959 | 65.9 | 61.5 | 67.4 | 61.0 | 59.4 | 47.4 | 49.4 | 39.9 | 33.4 | 27.2 | 1.1 | 25.4 | **1,890.6** |
| DAY | 1958 | 10.0 | 27.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **341.0** |
| H2O | 1958 | 124.2 | 357.1 | 314.6 | 291.1 | 268.8 | 210.5 | 256.4 | 233.1 | 221.5 | 224.8 | 241.3 | 229.6 | **2,973.0** |
| OIL | 1958 | 62.1 | 166.4 | 171.8 | 142.7 | 125.1 | 114.4 | 106.0 | 107.1 | 105.0 | 93.3 | 79.0 | 78.7 | **1,351.6** |

Licence ***1607*** Well Name ***Enerplus Kirkella Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-11-012-29W1.00*** Field Name ***Kirkella*** Pool Name ***Lodgepole Daly A*** Field Code ***9*** Pool Code ***54A*** Unit ***0***

# Manitoba Production
## 1950 To 1975

Licence ***1607*** Well Name ***Enerplus Kirkella Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-11-012-29W1.00*** Field Name ***Kirkella*** Pool Name ***Lodgepole Daly A*** Field Code ***9*** Pool Code ***54A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 29.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | **3,862.0** |
| H2O | 1975 | 1014.3 | 979.4 | 1092.2 | 1041.7 | 1188.3 | 1045.7 | 991.1 | 1084.3 | 1031.7 | 1058.9 | 1051.9 | 1048.4 | **69,558.8** |
| OIL | 1975 | 46.1 | 43.7 | 51.7 | 42.0 | 47.9 | 46.9 | 44.7 | 49.1 | 43.6 | 45.6 | 46.3 | 47.1 | **8,980.7** |
| DAY | 1974 | 4.0 | 0.0 | 20.0 | 19.0 | 30.0 | 29.0 | 29.0 | 31.0 | 30.0 | 26.0 | 29.0 | 31.0 | **3,508.0** |
| H2O | 1974 | 143.1 | 0.0 | 694.8 | 692.2 | 1015.0 | 999.6 | 1045.8 | 1114.0 | 1099.6 | 960.8 | 1057.9 | 1126.6 | **56,930.9** |
| OIL | 1974 | 4.9 | 0.0 | 37.0 | 34.8 | 49.6 | 48.8 | 47.2 | 49.6 | 47.2 | 39.7 | 44.4 | 46.3 | **8,426.0** |
| DAY | 1973 | 28.0 | 28.0 | 31.0 | 26.0 | 23.0 | 26.0 | 29.0 | 28.0 | 29.0 | 27.0 | 29.0 | 29.0 | **3,230.0** |
| H2O | 1973 | 779.0 | 779.0 | 788.6 | 661.4 | 585.1 | 661.4 | 806.9 | 779.0 | 806.9 | 751.2 | 806.9 | 850.1 | **46,981.5** |
| OIL | 1973 | 66.8 | 63.6 | 62.0 | 52.0 | 42.6 | 54.1 | 58.5 | 58.8 | 55.0 | 52.0 | 59.3 | 55.0 | **7,976.5** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 29.0 | 20.0 | 25.0 | 31.0 | **2,897.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 195.7 | 751.2 | 489.7 | 763.1 | 844.2 | **37,926.0** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 44.8 | 60.4 | 44.5 | 50.9 | 48.5 | **7,296.8** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | **2,782.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 44.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **34,882.1** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 9.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | **7,047.7** |
| DAY | 1968 | 10.0 | 7.0 | 31.0 | 28.0 | 26.0 | 27.0 | 26.0 | 29.0 | 28.0 | 30.0 | 24.0 | 15.0 | **2,777.0** |
| H2O | 1968 | 122.4 | 85.7 | 379.5 | 375.2 | 344.0 | 347.9 | 409.2 | 456.5 | 449.0 | 456.3 | 374.1 | 217.8 | **34,837.9** |
| OIL | 1968 | 11.1 | 7.8 | 34.5 | 27.5 | 19.4 | 29.6 | 33.1 | 36.9 | 30.8 | 38.2 | 28.3 | 17.0 | **7,036.2** |
| DAY | 1967 | 20.0 | 4.0 | 6.0 | 28.0 | 29.0 | 26.0 | 25.0 | 13.0 | 30.0 | 31.0 | 2.0 | 21.0 | **2,496.0** |
| H2O | 1967 | 451.5 | 89.0 | 85.9 | 527.8 | 500.0 | 429.9 | 413.4 | 223.2 | 473.0 | 549.8 | 85.9 | 232.1 | **30,820.3** |
| OIL | 1967 | 24.0 | 5.1 | 10.2 | 45.3 | 34.5 | 29.1 | 27.8 | 16.9 | 35.0 | 36.6 | 5.7 | 19.7 | **6,722.0** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 21.0 | 20.0 | 12.0 | 30.0 | **2,261.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 303.5 | 440.9 | 442.0 | 423.1 | 673.9 | 470.8 | 448.3 | 358.7 | 672.5 | **26,758.8** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 35.9 | 37.2 | 31.3 | 29.1 | 40.4 | 26.7 | 28.6 | 28.9 | 40.5 | **6,432.1** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 15.0 | 31.0 | 17.0 | 29.0 | 28.0 | 28.0 | 23.0 | 6.0 | 0.0 | **2,033.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 186.2 | 803.7 | 262.3 | 777.1 | 509.4 | 483.3 | 305.3 | 79.2 | 0.0 | **22,525.1** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 23.2 | 84.1 | 26.1 | 64.5 | 40.4 | 32.3 | 27.2 | 6.7 | 0.0 | **6,133.5** |
| DAY | 1964 | 0.0 | 27.0 | 14.0 | 23.0 | 30.0 | 24.0 | 30.0 | 29.0 | 30.0 | 31.0 | 19.0 | 0.0 | **1,856.0** |
| H2O | 1964 | 0.0 | 300.5 | 155.0 | 184.7 | 240.9 | 490.8 | 383.3 | 382.4 | 377.3 | 406.2 | 234.8 | 0.0 | **19,118.6** |
| OIL | 1964 | 0.0 | 34.3 | 18.9 | 31.3 | 31.2 | 31.5 | 38.0 | 36.4 | 37.7 | 39.0 | 23.7 | 0.0 | **5,829.0** |
| DAY | 1963 | 4.0 | 0.0 | 13.0 | 27.0 | 29.0 | 29.0 | 29.0 | 29.0 | 30.0 | 28.0 | 23.0 | 8.0 | **1,599.0** |
| H2O | 1963 | 52.1 | 0.0 | 122.6 | 300.0 | 363.3 | 360.7 | 369.0 | 493.3 | 506.1 | 456.6 | 200.6 | 66.1 | **15,962.7** |
| OIL | 1963 | 10.3 | 0.0 | 28.8 | 54.5 | 52.9 | 49.9 | 38.0 | 59.9 | 56.8 | 37.2 | 31.2 | 8.7 | **5,507.0** |
| DAY | 1962 | 0.0 | 0.0 | 8.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 27.0 | 30.0 | 29.0 | 19.0 | **1,350.0** |
| H2O | 1962 | 0.0 | 0.0 | 104.5 | 422.5 | 437.6 | 432.7 | 445.7 | 426.0 | 443.8 | 436.0 | 368.9 | 239.6 | **12,672.3** |
| OIL | 1962 | 0.0 | 0.0 | 14.5 | 46.7 | 48.2 | 51.0 | 48.5 | 42.8 | 48.8 | 50.1 | 49.3 | 36.7 | **5,078.8** |
| DAY | 1961 | 31.0 | 26.0 | 31.0 | 24.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 0.0 | **1,089.0** |
| H2O | 1961 | 406.4 | 370.2 | 395.1 | 276.7 | 342.5 | 374.8 | 389.1 | 319.5 | 333.3 | 344.4 | 395.6 | 0.0 | **8,915.0** |
| OIL | 1961 | 57.1 | 56.0 | 95.8 | 74.1 | 90.5 | 54.0 | 49.2 | 34.2 | 32.8 | 30.9 | 38.2 | 0.0 | **4,642.2** |
| DAY | 1960 | 16.0 | 14.0 | 9.0 | 5.0 | 30.0 | 24.0 | 21.0 | 31.0 | 29.0 | 30.0 | 28.0 | 8.0 | **769.0** |
| H2O | 1960 | 164.1 | 168.7 | 85.9 | 44.7 | 310.7 | 321.2 | 317.9 | 435.7 | 391.2 | 439.8 | 419.3 | 100.7 | **4,967.4** |
| OIL | 1960 | 53.6 | 52.7 | 34.4 | 20.9 | 103.1 | 59.2 | 51.3 | 76.4 | 82.4 | 75.1 | 52.8 | 14.0 | **4,029.4** |
| DAY | 1959 | 4.0 | 6.0 | 30.0 | 23.0 | 30.0 | 30.0 | 25.0 | 26.0 | 20.0 | 6.0 | 14.0 | 20.0 | **524.0** |
| H2O | 1959 | 16.1 | 17.9 | 158.6 | 153.8 | 205.5 | 240.4 | 180.2 | 185.6 | 141.7 | 50.9 | 83.8 | 188.6 | **1,767.5** |
| OIL | 1959 | 18.3 | 42.8 | 145.4 | 107.5 | 136.2 | 131.5 | 113.3 | 90.5 | 59.4 | 40.6 | 88.8 | 101.0 | **3,353.5** |
| DAY | 1958 | 14.0 | 28.0 | 29.0 | 6.0 | 30.0 | 30.0 | 31.0 | 28.0 | 29.0 | 17.0 | 30.0 | 18.0 | **290.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.4 | 5.6 | 54.1 | 77.3 | **144.4** |
| OIL | 1958 | 156.5 | 249.5 | 227.1 | 43.1 | 281.1 | 280.5 | 309.9 | 204.5 | 101.2 | 43.1 | 230.6 | 151.1 | **2,278.2** |

Licence ***1608*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-03-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

# Manitoba Production
## 1950 To 1975

Licence ***1608*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-03-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1959 | 9.0 | 0.0 | 0.0 | 9.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **299.0** |
| H2O | 1959 | 15.1 | 0.0 | 0.0 | 5.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,969.6** |
| OIL | 1959 | 4.9 | 0.0 | 0.0 | 6.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **598.5** |
| DAY | 1958 | 0.0 | 9.0 | 23.0 | 11.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | **281.0** |
| H2O | 1958 | 0.0 | 98.4 | 239.9 | 110.8 | 348.5 | 319.5 | 299.5 | 246.4 | 133.5 | 81.1 | 38.0 | 33.1 | **1,948.7** |
| OIL | 1958 | 0.0 | 20.5 | 52.4 | 23.4 | 86.0 | 87.2 | 84.4 | 76.3 | 55.1 | 40.5 | 33.2 | 27.8 | **586.8** |

Licence ***1609*** Well Name ***Tundra et al Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-19-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 27.0 | 29.0 | 28.0 | 30.0 | 16.0 | 20.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,199.0** |
| H2O | 1975 | 24.8 | 22.4 | 21.6 | 22.4 | 22.4 | 24.0 | 13.5 | 16.1 | 24.0 | 24.8 | 23.8 | 24.8 | **12,013.8** |
| OIL | 1975 | 34.2 | 31.0 | 29.7 | 30.7 | 35.1 | 33.1 | 14.6 | 59.6 | 71.5 | 68.5 | 56.4 | 46.9 | **16,659.8** |
| DAY | 1974 | 31.0 | 28.0 | 0.0 | 28.0 | 31.0 | 30.0 | 27.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,868.0** |
| H2O | 1974 | 24.8 | 22.1 | 24.8 | 22.4 | 24.8 | 24.0 | 18.0 | 24.8 | 23.2 | 24.8 | 24.0 | 24.8 | **11,749.2** |
| OIL | 1974 | 77.4 | 62.3 | 57.1 | 75.8 | 75.7 | 58.0 | 35.8 | 49.1 | 45.5 | 49.6 | 42.3 | 34.0 | **16,148.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,541.0** |
| H2O | 1973 | 49.6 | 42.9 | 49.6 | 23.5 | 24.3 | 24.0 | 24.5 | 24.0 | 24.0 | 24.5 | 23.8 | 24.8 | **11,466.7** |
| OIL | 1973 | 59.1 | 52.6 | 59.1 | 55.2 | 57.7 | 57.1 | 58.2 | 76.6 | 132.5 | 93.8 | 84.7 | 83.8 | **15,485.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,178.0** |
| H2O | 1972 | 49.6 | 45.6 | 49.6 | 48.0 | 48.7 | 47.2 | 49.6 | 48.8 | 48.0 | 49.6 | 47.2 | 49.6 | **11,107.2** |
| OIL | 1972 | 102.5 | 84.4 | 103.2 | 91.1 | 58.2 | 56.3 | 59.3 | 58.0 | 57.1 | 59.1 | 56.3 | 58.3 | **14,615.5** |
| DAY | 1971 | 31.0 | 28.0 | 25.0 | 30.0 | 31.0 | 0.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,812.0** |
| H2O | 1971 | 9.5 | 0.0 | 95.2 | 94.4 | 98.3 | 95.1 | 96.8 | 98.3 | 47.2 | 49.4 | 45.8 | 49.6 | **10,525.7** |
| OIL | 1971 | 45.0 | 30.8 | 126.0 | 147.8 | 140.3 | 132.3 | 134.6 | 133.9 | 99.8 | 107.2 | 98.3 | 103.2 | **13,771.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,483.0** |
| H2O | 1970 | 24.8 | 21.9 | 24.8 | 22.7 | 24.8 | 23.8 | 24.8 | 13.4 | 14.9 | 9.4 | 9.2 | 9.5 | **9,746.1** |
| OIL | 1970 | 39.3 | 34.0 | 38.8 | 40.2 | 38.6 | 46.3 | 44.5 | 53.7 | 52.1 | 45.0 | 43.1 | 44.0 | **12,472.5** |
| DAY | 1969 | 31.0 | 28.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,123.0** |
| H2O | 1969 | 49.1 | 42.0 | 52.3 | 44.4 | 45.2 | 43.2 | 274.9 | 271.1 | 262.2 | 265.5 | 24.0 | 24.8 | **9,522.1** |
| OIL | 1969 | 107.5 | 94.0 | 108.6 | 104.8 | 107.6 | 100.3 | 96.3 | 96.3 | 93.6 | 88.9 | 38.2 | 39.0 | **11,952.9** |
| DAY | 1968 | 15.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,789.0** |
| H2O | 1968 | 41.3 | 88.7 | 105.3 | 127.0 | 143.4 | 125.4 | 120.0 | 39.4 | 46.6 | 49.6 | 46.4 | 48.2 | **8,123.4** |
| OIL | 1968 | 34.7 | 79.0 | 92.5 | 90.0 | 96.3 | 83.2 | 84.9 | 133.6 | 137.9 | 138.4 | 120.6 | 116.0 | **10,877.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,445.0** |
| H2O | 1967 | 138.6 | 150.9 | 127.8 | 130.7 | 123.5 | 124.2 | 109.2 | 108.4 | 105.4 | 105.4 | 94.3 | 125.0 | **7,142.1** |
| OIL | 1967 | 91.6 | 83.6 | 98.3 | 84.4 | 82.8 | 80.6 | 83.8 | 78.2 | 81.1 | 78.4 | 74.9 | 74.2 | **9,670.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,082.0** |
| H2O | 1966 | 122.3 | 111.5 | 123.1 | 162.2 | 111.1 | 119.1 | 122.7 | 117.0 | 106.8 | 116.4 | 94.0 | 127.3 | **5,698.7** |
| OIL | 1966 | 88.9 | 85.7 | 99.5 | 92.2 | 85.1 | 98.1 | 98.4 | 96.5 | 83.5 | 95.2 | 92.7 | 93.3 | **8,678.8** |
| DAY | 1965 | 31.0 | 28.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,722.0** |
| H2O | 1965 | 27.2 | 21.3 | 46.1 | 53.1 | 41.5 | 47.2 | 47.5 | 42.8 | 52.5 | 80.6 | 115.1 | 118.6 | **4,265.2** |
| OIL | 1965 | 86.3 | 55.2 | 106.0 | 109.4 | 115.0 | 112.8 | 105.6 | 112.8 | 104.6 | 104.6 | 93.2 | 94.9 | **7,569.7** |
| DAY | 1964 | 30.0 | 29.0 | 31.0 | 22.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,364.0** |
| H2O | 1964 | 9.2 | 4.3 | 9.5 | 37.0 | 288.2 | 65.2 | 32.8 | 29.4 | 23.5 | 21.6 | 27.8 | 22.7 | **3,571.7** |
| OIL | 1964 | 174.6 | 114.2 | 100.6 | 68.4 | 84.1 | 153.4 | 91.3 | 86.0 | 71.1 | 55.3 | 82.2 | 70.0 | **6,369.3** |
| DAY | 1963 | 22.0 | 17.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,013.0** |
| H2O | 1963 | 17.8 | 28.6 | 18.1 | 16.1 | 4.6 | 4.6 | 4.8 | 4.9 | 4.6 | 4.9 | 4.6 | 4.8 | **3,000.5** |
| OIL | 1963 | 11.1 | 26.2 | 18.3 | 14.9 | 4.6 | 4.6 | 4.8 | 4.8 | 4.9 | 4.9 | 4.6 | 5.1 | **5,218.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 27.0 | 31.0 | 16.0 | 19.0 | 26.0 | 30.0 | 31.0 | **1,672.0** |
| H2O | 1962 | 69.8 | 61.8 | 69.2 | 50.2 | 4.8 | 8.3 | 9.4 | 19.2 | 15.1 | 20.7 | 25.1 | 25.3 | **2,882.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1609*** Well Name ***Tundra et al Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-19-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 118.7 | 88.7 | 115.0 | 70.3 | 28.3 | 24.8 | 28.6 | 16.5 | 17.5 | 19.4 | 24.2 | 19.4 | **5,109.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,342.0** |
| H2O | 1961 | 37.7 | 32.4 | 14.5 | 13.8 | 11.4 | 6.7 | 14.8 | 25.1 | 4.9 | 8.4 | 71.9 | 74.1 | **2,503.2** |
| OIL | 1961 | 26.1 | 26.3 | 37.3 | 31.7 | 39.8 | 27.7 | 32.3 | 38.9 | 32.3 | 89.0 | 154.4 | 131.2 | **4,537.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 27.0 | 29.0 | 26.0 | 29.0 | 30.0 | 30.0 | 29.0 | **981.0** |
| H2O | 1960 | 66.8 | 81.6 | 77.9 | 118.4 | 79.3 | 215.6 | 241.7 | 72.8 | 65.2 | 46.7 | 39.1 | 36.4 | **2,187.5** |
| OIL | 1960 | 157.4 | 140.4 | 144.3 | 129.2 | 130.1 | 111.5 | 105.9 | 51.9 | 35.8 | 29.0 | 38.2 | 27.2 | **3,870.9** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 21.0 | 26.0 | 22.0 | 30.0 | 31.0 | **631.0** |
| H2O | 1959 | 54.1 | 30.0 | 40.9 | 13.0 | 27.7 | 26.2 | 128.5 | 88.7 | 56.3 | 65.3 | 85.5 | 77.1 | **1,046.0** |
| OIL | 1959 | 47.0 | 53.6 | 63.3 | 51.4 | 30.9 | 45.1 | 153.4 | 196.8 | 148.1 | 138.5 | 162.6 | 154.5 | **2,770.0** |
| DAY | 1958 | 0.0 | 23.0 | 27.0 | 7.0 | 28.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 27.0 | **293.0** |
| H2O | 1958 | 0.0 | 36.2 | 36.3 | 9.3 | 18.1 | 57.5 | 32.5 | 25.2 | 31.2 | 37.7 | 31.5 | 37.2 | **352.7** |
| OIL | 1958 | 0.0 | 257.1 | 202.7 | 75.4 | 178.9 | 166.3 | 133.0 | 104.7 | 159.3 | 108.6 | 74.0 | 64.8 | **1,524.8** |

Licence ***1610*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-22-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,470.0** |
| H2O | 1975 | 196.2 | 166.5 | 188.7 | 167.2 | 186.8 | 369.8 | 395.7 | 411.3 | 408.3 | 338.8 | 314.3 | 330.0 | **43,327.1** |
| OIL | 1975 | 50.2 | 45.0 | 49.9 | 44.8 | 52.8 | 39.3 | 43.2 | 44.2 | 42.3 | 60.1 | 55.9 | 58.3 | **23,746.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | **6,107.0** |
| H2O | 1974 | 328.5 | 295.7 | 328.8 | 310.8 | 280.8 | 323.2 | 165.5 | 168.8 | 157.4 | 128.6 | 200.3 | 195.9 | **39,853.5** |
| OIL | 1974 | 89.9 | 80.4 | 89.1 | 86.4 | 97.4 | 92.6 | 40.5 | 41.5 | 42.3 | 33.1 | 50.4 | 51.0 | **23,160.5** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,749.0** |
| H2O | 1973 | 318.3 | 309.2 | 316.7 | 279.3 | 271.9 | 296.2 | 316.1 | 359.6 | 322.7 | 294.7 | 286.2 | 333.4 | **36,969.2** |
| OIL | 1973 | 40.2 | 38.0 | 43.4 | 41.6 | 95.7 | 99.2 | 98.8 | 93.6 | 97.1 | 91.4 | 91.7 | 90.4 | **22,365.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,387.0** |
| H2O | 1972 | 161.5 | 150.6 | 128.5 | 108.9 | 126.7 | 305.6 | 309.5 | 315.9 | 296.0 | 315.1 | 300.6 | 304.6 | **33,264.9** |
| OIL | 1972 | 39.1 | 36.7 | 35.4 | 28.4 | 35.0 | 41.3 | 40.8 | 42.4 | 38.3 | 41.5 | 37.7 | 40.2 | **21,444.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,024.0** |
| H2O | 1971 | 294.9 | 255.8 | 290.1 | 271.9 | 193.2 | 183.0 | 198.9 | 187.3 | 167.6 | 172.0 | 145.0 | 161.0 | **30,441.4** |
| OIL | 1971 | 65.9 | 57.2 | 65.0 | 62.9 | 54.5 | 51.0 | 53.7 | 53.9 | 51.2 | 50.4 | 33.4 | 39.4 | **20,988.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 25.0 | 29.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 27.0 | 31.0 | **4,659.0** |
| H2O | 1970 | 309.1 | 270.1 | 309.1 | 266.1 | 269.3 | 247.7 | 300.2 | 264.7 | 284.1 | 285.8 | 245.8 | 285.1 | **27,920.7** |
| OIL | 1970 | 74.7 | 66.9 | 73.3 | 59.3 | 66.1 | 57.0 | 68.3 | 59.8 | 63.1 | 62.8 | 50.5 | 68.5 | **20,349.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 24.0 | 31.0 | 29.0 | 27.0 | 30.0 | 31.0 | **4,307.0** |
| H2O | 1969 | 300.5 | 309.1 | 309.1 | 317.6 | 334.8 | 274.7 | 292.2 | 309.1 | 291.6 | 317.6 | 300.5 | 295.9 | **24,583.6** |
| OIL | 1969 | 88.8 | 79.3 | 81.2 | 86.0 | 85.0 | 78.5 | 68.6 | 79.0 | 74.1 | 72.9 | 65.9 | 84.5 | **19,579.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **3,955.0** |
| H2O | 1968 | 334.8 | 295.9 | 323.8 | 300.5 | 329.4 | 300.5 | 343.4 | 309.1 | 325.6 | 309.1 | 300.5 | 300.5 | **20,930.9** |
| OIL | 1968 | 104.2 | 94.9 | 99.3 | 95.2 | 96.0 | 91.8 | 93.0 | 92.5 | 91.1 | 84.4 | 84.4 | 86.3 | **18,635.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,591.0** |
| H2O | 1967 | 308.9 | 292.7 | 261.0 | 299.5 | 325.3 | 300.2 | 290.1 | 352.0 | 321.5 | 344.7 | 317.6 | 331.2 | **17,157.8** |
| OIL | 1967 | 80.9 | 68.3 | 109.5 | 110.3 | 113.8 | 115.2 | 97.1 | 112.8 | 96.6 | 112.3 | 105.0 | 105.7 | **17,522.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,229.0** |
| H2O | 1966 | 225.8 | 171.7 | 214.3 | 194.0 | 316.8 | 292.5 | 303.7 | 280.1 | 284.1 | 312.7 | 296.0 | 351.0 | **13,413.1** |
| OIL | 1966 | 109.2 | 95.7 | 95.3 | 104.7 | 153.8 | 129.7 | 139.4 | 127.6 | 129.2 | 133.3 | 117.4 | 87.9 | **16,294.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,869.0** |
| H2O | 1965 | 263.6 | 241.5 | 256.3 | 254.8 | 242.8 | 235.8 | 258.7 | 250.4 | 244.0 | 251.2 | 244.8 | 219.7 | **10,170.4** |
| OIL | 1965 | 165.1 | 144.6 | 156.5 | 152.4 | 154.5 | 147.0 | 151.9 | 141.3 | 134.0 | 128.2 | 127.0 | 121.1 | **14,871.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,504.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1610*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-22-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1964 | 209.5 | 170.6 | 169.8 | 171.2 | 263.6 | 255.5 | 272.3 | 264.7 | 248.8 | 273.4 | 260.9 | 266.9 | **7,206.8** |
| OIL | 1964 | 207.1 | 194.5 | 198.3 | 194.3 | 189.7 | 200.2 | 201.2 | 206.4 | 152.2 | 184.8 | 172.6 | 170.8 | **13,148.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **2,139.0** |
| H2O | 1963 | 81.9 | 59.3 | 89.3 | 72.5 | 78.4 | 70.4 | 72.3 | 64.7 | 54.2 | 61.0 | 56.8 | 142.6 | **4,379.6** |
| OIL | 1963 | 86.9 | 76.0 | 84.5 | 78.3 | 79.5 | 74.2 | 74.8 | 74.4 | 68.6 | 62.1 | 67.1 | 161.6 | **10,875.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,776.0** |
| H2O | 1962 | 73.9 | 67.6 | 72.7 | 72.8 | 73.3 | 68.8 | 70.0 | 79.8 | 92.8 | 83.5 | 82.8 | 81.4 | **3,476.2** |
| OIL | 1962 | 100.9 | 88.7 | 100.1 | 93.1 | 92.6 | 79.1 | 90.4 | 90.9 | 124.7 | 97.6 | 91.7 | 87.6 | **9,887.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **1,412.0** |
| H2O | 1961 | 93.8 | 81.4 | 93.5 | 89.7 | 89.7 | 94.4 | 91.3 | 85.8 | 63.1 | 81.6 | 43.4 | 76.0 | **2,556.8** |
| OIL | 1961 | 165.7 | 147.8 | 157.8 | 145.9 | 143.5 | 144.6 | 136.3 | 134.1 | 97.1 | 117.0 | 104.2 | 104.9 | **8,750.5** |
| DAY | 1960 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,054.0** |
| H2O | 1960 | 45.2 | 25.3 | 69.6 | 58.8 | 46.4 | 41.2 | 38.8 | 32.9 | 29.3 | 37.8 | 60.9 | 95.2 | **1,573.1** |
| OIL | 1960 | 143.8 | 129.5 | 136.0 | 127.0 | 101.1 | 100.3 | 92.8 | 77.9 | 70.4 | 104.9 | 196.7 | 179.9 | **7,151.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **689.0** |
| H2O | 1959 | 60.6 | 40.2 | 49.4 | 62.3 | 67.9 | 61.7 | 59.3 | 59.6 | 64.9 | 69.2 | 39.6 | 50.7 | **991.7** |
| OIL | 1959 | 264.1 | 235.3 | 265.2 | 249.2 | 244.1 | 219.8 | 220.6 | 192.8 | 176.1 | 176.2 | 172.4 | 157.6 | **5,691.3** |
| DAY | 1958 | 0.0 | 21.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **326.0** |
| H2O | 1958 | 0.0 | 0.8 | 9.4 | 3.2 | 10.2 | 12.4 | 33.5 | 40.4 | 42.1 | 47.1 | 57.6 | 49.6 | **306.3** |
| OIL | 1958 | 0.0 | 240.9 | 280.3 | 286.8 | 293.7 | 295.7 | 306.1 | 297.5 | 284.9 | 287.6 | 270.1 | 274.3 | **3,117.9** |

Licence ***1611*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-15-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 7.0 | 24.0 | 31.0 | 30.0 | 31.0 | **6,183.0** |
| H2O | 1975 | 161.2 | 138.8 | 156.1 | 149.6 | 154.4 | 55.5 | 58.3 | 12.4 | 326.1 | 419.9 | 390.8 | 445.3 | **61,732.6** |
| OIL | 1975 | 21.0 | 19.1 | 21.0 | 20.3 | 22.1 | 8.4 | 9.1 | 1.9 | 14.6 | 19.7 | 19.1 | 15.3 | **13,259.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,848.0** |
| H2O | 1974 | 298.4 | 309.7 | 337.0 | 322.7 | 294.0 | 284.4 | 345.1 | 372.0 | 344.8 | 288.2 | 165.5 | 161.8 | **59,264.2** |
| OIL | 1974 | 27.2 | 27.7 | 30.0 | 29.4 | 33.5 | 24.2 | 31.9 | 32.6 | 32.9 | 25.6 | 21.1 | 21.3 | **13,067.5** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 19.0 | 0.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,483.0** |
| H2O | 1973 | 406.0 | 397.3 | 112.2 | 99.5 | 106.8 | 28.5 | 0.0 | 413.2 | 396.5 | 139.1 | 143.7 | 318.9 | **55,740.6** |
| OIL | 1973 | 43.9 | 41.5 | 17.5 | 16.8 | 17.5 | 5.2 | 0.0 | 19.2 | 21.3 | 11.6 | 12.4 | 27.3 | **12,730.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,165.0** |
| H2O | 1972 | 463.7 | 406.4 | 420.3 | 400.0 | 413.7 | 414.5 | 419.7 | 428.3 | 355.5 | 404.6 | 386.3 | 391.2 | **53,178.9** |
| OIL | 1972 | 33.5 | 44.5 | 49.3 | 44.5 | 48.5 | 57.2 | 56.6 | 58.5 | 39.3 | 45.4 | 41.3 | 44.0 | **12,495.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | 30.0 | 30.0 | 27.0 | 30.0 | 31.0 | **4,800.0** |
| H2O | 1971 | 112.1 | 97.5 | 110.3 | 103.5 | 97.5 | 101.1 | 113.5 | 4.1 | 12.7 | 353.4 | 422.3 | 468.5 | **48,274.7** |
| OIL | 1971 | 56.4 | 49.1 | 55.6 | 54.0 | 48.1 | 49.4 | 53.7 | 3.8 | 3.8 | 26.9 | 29.1 | 34.3 | **11,933.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 3.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,443.0** |
| H2O | 1970 | 369.6 | 311.6 | 345.0 | 327.5 | 322.4 | 317.5 | 326.9 | 299.8 | 315.3 | 321.8 | 104.0 | 110.7 | **46,278.2** |
| OIL | 1970 | 49.3 | 35.6 | 39.4 | 38.1 | 37.3 | 34.5 | 35.1 | 31.9 | 33.1 | 33.4 | 48.3 | 59.9 | **11,469.1** |
| DAY | 1969 | 31.0 | 28.0 | 27.0 | 28.0 | 30.0 | 30.0 | 28.0 | 27.0 | 28.0 | 31.0 | 29.0 | 31.0 | **4,108.0** |
| H2O | 1969 | 381.6 | 311.6 | 300.5 | 333.9 | 357.7 | 357.7 | 267.1 | 257.5 | 267.1 | 295.7 | 357.7 | 369.6 | **42,806.1** |
| OIL | 1969 | 49.3 | 31.1 | 27.3 | 44.5 | 47.7 | 47.7 | 35.6 | 21.5 | 22.2 | 24.6 | 46.1 | 49.3 | **10,993.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **3,760.0** |
| H2O | 1968 | 147.9 | 138.3 | 155.8 | 372.0 | 384.4 | 359.3 | 369.6 | 369.6 | 368.8 | 381.6 | 370.4 | 370.4 | **38,948.4** |
| OIL | 1968 | 29.6 | 27.7 | 29.6 | 47.7 | 49.3 | 46.1 | 49.3 | 49.3 | 52.4 | 54.2 | 52.4 | 52.4 | **10,546.3** |
| DAY | 1967 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **3,396.0** |
| H2O | 1967 | 345.0 | 364.9 | 510.3 | 381.6 | 345.0 | 333.9 | 335.1 | 335.4 | 335.1 | 186.8 | 100.2 | 101.7 | **35,160.3** |
| OIL | 1967 | 54.0 | 48.9 | 29.6 | 28.6 | 24.6 | 19.1 | 18.8 | 14.9 | 14.8 | 19.1 | 14.3 | 14.3 | **10,006.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1611*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-15-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,034.0** |
| H2O | 1966 | 394.3 | 356.1 | 394.3 | 419.7 | 351.3 | 276.6 | 285.8 | 295.7 | 157.4 | 157.4 | 333.9 | 383.9 | **31,485.3** |
| OIL | 1966 | 59.1 | 53.4 | 62.1 | 64.7 | 54.2 | 53.2 | 59.1 | 54.2 | 38.1 | 38.1 | 45.3 | 54.2 | **9,705.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,672.0** |
| H2O | 1965 | 399.0 | 345.0 | 374.6 | 326.2 | 384.7 | 384.7 | 394.3 | 393.5 | 372.0 | 379.2 | 132.0 | 238.5 | **27,678.9** |
| OIL | 1965 | 73.9 | 66.7 | 62.0 | 51.5 | 69.0 | 67.2 | 69.6 | 70.2 | 66.7 | 69.0 | 23.8 | 39.7 | **9,069.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,310.0** |
| H2O | 1964 | 394.3 | 368.8 | 394.3 | 310.0 | 336.4 | 286.2 | 357.7 | 364.1 | 329.1 | 333.9 | 384.7 | 402.2 | **23,555.2** |
| OIL | 1964 | 64.0 | 64.5 | 69.0 | 57.4 | 50.1 | 47.7 | 59.6 | 60.4 | 52.1 | 48.3 | 76.3 | 79.1 | **8,340.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,945.0** |
| H2O | 1963 | 374.6 | 329.4 | 374.6 | 362.5 | 368.8 | 381.6 | 394.3 | 394.3 | 391.1 | 394.3 | 381.6 | 394.3 | **19,293.5** |
| OIL | 1963 | 72.0 | 66.3 | 78.7 | 66.1 | 69.4 | 66.7 | 68.3 | 69.0 | 62.0 | 57.7 | 63.9 | 62.1 | **7,611.8** |
| DAY | 1962 | 7.0 | 0.0 | 10.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,580.0** |
| H2O | 1962 | 74.4 | 0.0 | 90.9 | 248.0 | 256.3 | 256.3 | 248.0 | 198.4 | 355.5 | 413.3 | 362.5 | 374.6 | **14,752.1** |
| OIL | 1962 | 22.2 | 0.0 | 32.7 | 88.4 | 86.0 | 85.7 | 80.7 | 64.7 | 81.4 | 75.2 | 65.9 | 78.8 | **6,809.6** |
| DAY | 1961 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,294.0** |
| H2O | 1961 | 372.0 | 297.6 | 338.9 | 314.1 | 322.4 | 347.2 | 347.2 | 355.5 | 372.0 | 388.5 | 347.2 | 355.5 | **11,873.9** |
| OIL | 1961 | 114.6 | 110.6 | 121.1 | 114.4 | 119.5 | 108.5 | 113.6 | 105.0 | 98.4 | 102.5 | 98.2 | 95.3 | **6,047.9** |
| DAY | 1960 | 31.0 | 27.0 | 13.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | **932.0** |
| H2O | 1960 | 260.7 | 235.3 | 209.2 | 151.3 | 115.1 | 94.8 | 160.9 | 272.2 | 281.1 | 304.0 | 289.3 | 272.8 | **7,715.8** |
| OIL | 1960 | 126.2 | 91.2 | 91.4 | 63.9 | 54.5 | 40.4 | 52.3 | 104.9 | 101.2 | 106.6 | 107.4 | 94.6 | **4,746.2** |
| DAY | 1959 | 31.0 | 27.0 | 31.0 | 27.0 | 25.0 | 30.0 | 31.0 | 30.0 | 30.0 | 24.0 | 29.0 | 30.0 | **590.0** |
| H2O | 1959 | 302.1 | 270.3 | 300.2 | 254.4 | 303.3 | 303.3 | 319.2 | 292.5 | 293.8 | 209.9 | 268.0 | 269.0 | **5,069.1** |
| OIL | 1959 | 210.1 | 162.7 | 202.3 | 173.1 | 151.8 | 167.5 | 172.7 | 154.3 | 148.6 | 115.1 | 136.7 | 130.1 | **3,711.6** |
| DAY | 1958 | 0.0 | 0.0 | 14.0 | 0.0 | 20.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **245.0** |
| H2O | 1958 | 0.0 | 0.0 | 43.2 | 0.0 | 77.9 | 148.5 | 172.8 | 176.9 | 241.0 | 276.6 | 256.1 | 290.1 | **1,683.1** |
| OIL | 1958 | 0.0 | 0.0 | 107.4 | 0.0 | 150.6 | 217.7 | 205.5 | 213.7 | 245.8 | 226.4 | 209.1 | 210.4 | **1,786.6** |

Licence ***1612*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-14-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 2011.4 | 1865.9 | 2013.3 | 1950.7 | 1910.0 | 1628.4 | 2070.1 | 2521.6 | 2526.5 | 2565.3 | 2489.6 | 2462.9 | **240,750.3** |
| WIN | 1974 | 1268.0 | 1180.3 | 1328.4 | 1190.3 | 1247.8 | 1341.3 | 1339.7 | 1914.6 | 1828.1 | 1637.3 | 1951.6 | 2164.8 | **214,734.6** |
| WIN | 1973 | 978.5 | 1736.9 | 1811.7 | 2101.6 | 2230.0 | 2017.1 | 1974.8 | 2124.8 | 2262.4 | 1232.9 | 707.3 | 978.5 | **196,342.4** |
| WIN | 1972 | 1704.6 | 2065.9 | 2097.9 | 1945.0 | 1897.4 | 1788.5 | 1933.4 | 1749.3 | 1679.6 | 1487.6 | 1890.6 | 1331.1 | **176,185.9** |
| WIN | 1971 | 1781.2 | 1953.1 | 1820.0 | 2241.8 | 2336.5 | 1987.2 | 1141.0 | 1106.5 | 1111.9 | 2462.9 | 1848.5 | 384.1 | **154,615.0** |
| WIN | 1970 | 2503.9 | 1724.6 | 2030.8 | 1613.2 | 1815.2 | 2322.2 | 1565.6 | 2099.8 | 2044.2 | 2188.5 | 1797.7 | 2185.5 | **134,440.3** |
| WIN | 1969 | 2415.4 | 2142.1 | 2450.0 | 1629.1 | 1779.8 | 1153.2 | 950.5 | 1160.6 | 2240.5 | 2330.5 | 2271.5 | 2404.1 | **110,549.1** |
| WIN | 1968 | 1625.3 | 2772.1 | 2773.1 | 2346.2 | 2559.3 | 2291.9 | 2612.5 | 1986.0 | 2109.7 | 1112.7 | 1686.6 | 1851.8 | **87,621.8** |
| WIN | 1967 | 2189.5 | 1421.0 | 2429.2 | 2536.2 | 2672.1 | 2620.5 | 2495.8 | 2330.2 | 2332.7 | 2644.3 | 1679.3 | 1807.1 | **61,894.6** |
| WIN | 1966 | 1247.8 | 1111.0 | 1174.4 | 1235.8 | 1164.1 | 1028.0 | 812.9 | 1039.6 | 1265.5 | 575.2 | 1606.0 | 2220.6 | **34,736.7** |
| WIN | 1965 | 545.6 | 488.1 | 761.2 | 719.4 | 766.3 | 707.1 | 594.9 | 756.4 | 1240.7 | 1134.2 | 1098.1 | 1168.5 | **20,255.8** |
| WIN | 1964 | 1388.1 | 1032.4 | 1328.6 | 1376.6 | 706.0 | 1404.3 | 835.3 | 353.7 | 476.1 | 430.8 | 359.0 | 403.8 | **10,275.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 28.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 28.0 | 0.0 | **1,949.0** |
| H2O | 1963 | 111.8 | 112.2 | 113.5 | 101.1 | 99.4 | 98.4 | 111.3 | 89.7 | 89.0 | 99.8 | 107.3 | 0.0 | **9,824.6** |
| OIL | 1963 | 81.5 | 74.7 | 79.3 | 72.5 | 74.7 | 76.0 | 76.9 | 73.7 | 75.8 | 62.6 | 64.0 | 0.0 | **7,866.0** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 180.6 | **180.6** |
| DAY | 1962 | 30.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,623.0** |
| H2O | 1962 | 166.9 | 155.8 | 182.0 | 147.9 | 145.5 | 91.4 | 125.0 | 103.7 | 111.0 | 118.8 | 113.4 | 122.9 | **8,691.1** |
| OIL | 1962 | 103.6 | 78.7 | 89.8 | 81.7 | 76.6 | 72.6 | 69.4 | 80.4 | 76.4 | 85.3 | 78.2 | 83.0 | **7,054.3** |
| DAY | 1961 | 30.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | **1,262.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1612*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-14-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1961 | 181.2 | 140.9 | 211.1 | 206.7 | 178.1 | 158.3 | 195.7 | 192.7 | 189.2 | 194.4 | 179.3 | 181.7 | **7,106.8** |
| OIL | 1961 | 158.8 | 149.9 | 171.3 | 156.0 | 123.6 | 108.1 | 129.0 | 122.5 | 112.5 | 111.9 | 101.2 | 95.8 | **6,078.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 22.0 | 28.0 | 26.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **904.0** |
| H2O | 1960 | 246.4 | 226.9 | 246.4 | 202.5 | 302.4 | 268.8 | 269.6 | 248.8 | 219.4 | 184.6 | 195.1 | 197.1 | **4,897.5** |
| OIL | 1960 | 162.6 | 153.3 | 162.6 | 124.7 | 146.2 | 131.9 | 151.6 | 151.1 | 130.1 | 122.4 | 137.5 | 168.3 | **4,538.0** |
| DAY | 1959 | 24.0 | 2.0 | 0.0 | 25.0 | 15.0 | 25.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **554.0** |
| H2O | 1959 | 17.5 | 1.6 | 0.0 | 12.6 | 68.0 | 188.6 | 245.9 | 261.0 | 281.4 | 251.5 | 232.1 | 246.4 | **2,089.5** |
| OIL | 1959 | 43.1 | 3.2 | 0.0 | 28.8 | 56.1 | 121.4 | 157.3 | 162.6 | 157.3 | 158.1 | 152.4 | 157.2 | **2,795.7** |
| DAY | 1958 | 0.0 | 7.0 | 30.0 | 7.0 | 30.0 | 30.0 | 28.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | **279.0** |
| H2O | 1958 | 0.0 | 11.3 | 49.4 | 6.4 | 30.2 | 30.0 | 31.8 | 32.0 | 27.0 | 24.6 | 18.1 | 22.1 | **282.9** |
| OIL | 1958 | 0.0 | 58.8 | 268.1 | 74.2 | 331.3 | 266.5 | 188.0 | 132.7 | 96.5 | 74.5 | 55.3 | 52.3 | **1,598.2** |

Licence ***1613*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,326.0** |
| H2O | 1973 | 459.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **19,208.9** |
| OIL | 1973 | 84.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,081.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,295.0** |
| H2O | 1969 | 213.8 | 178.0 | 197.0 | 190.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **18,749.1** |
| OIL | 1969 | 17.5 | 9.7 | 12.7 | 12.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,997.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,175.0** |
| H2O | 1968 | 220.2 | 207.5 | 221.8 | 214.6 | 221.8 | 207.5 | 221.8 | 221.8 | 214.6 | 221.8 | 214.6 | 221.8 | **17,969.6** |
| OIL | 1968 | 31.6 | 31.3 | 26.2 | 28.6 | 28.3 | 27.7 | 25.7 | 23.8 | 23.0 | 16.4 | 19.1 | 21.9 | **3,944.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 23.0 | 28.0 | 31.0 | **2,810.0** |
| H2O | 1967 | 202.1 | 180.8 | 188.6 | 170.5 | 164.5 | 166.8 | 169.2 | 162.5 | 162.2 | 193.5 | 258.3 | 232.0 | **15,359.8** |
| OIL | 1967 | 44.3 | 40.0 | 35.9 | 31.0 | 28.9 | 28.6 | 29.1 | 22.2 | 19.1 | 24.6 | 34.8 | 29.6 | **3,641.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 23.0 | 31.0 | 24.0 | 31.0 | **2,457.0** |
| H2O | 1966 | 172.4 | 155.8 | 174.0 | 128.8 | 117.6 | 117.3 | 123.2 | 118.8 | 113.7 | 214.3 | 198.0 | 204.9 | **13,108.8** |
| OIL | 1966 | 34.5 | 29.1 | 29.1 | 25.6 | 23.5 | 23.4 | 24.6 | 22.9 | 23.4 | 44.0 | 40.7 | 43.9 | **3,272.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | 29.0 | 30.0 | 23.0 | 27.0 | 31.0 | **2,107.0** |
| H2O | 1965 | 271.2 | 244.8 | 271.2 | 262.4 | 271.2 | 253.7 | 218.6 | 181.3 | 190.7 | 155.8 | 183.5 | 189.9 | **11,270.0** |
| OIL | 1965 | 51.5 | 46.7 | 49.3 | 44.0 | 44.3 | 41.5 | 36.1 | 25.1 | 20.3 | 27.8 | 53.4 | 38.8 | **2,908.2** |
| DAY | 1964 | 29.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 28.0 | 31.0 | 21.0 | 26.0 | 29.0 | 30.0 | **1,759.0** |
| H2O | 1964 | 93.8 | 92.2 | 98.6 | 95.4 | 94.9 | 95.4 | 70.9 | 24.6 | 68.4 | 268.8 | 272.0 | 270.4 | **8,575.7** |
| OIL | 1964 | 14.1 | 13.8 | 14.8 | 14.3 | 19.4 | 19.1 | 14.3 | 9.9 | 16.2 | 40.5 | 45.4 | 47.2 | **2,429.4** |
| DAY | 1963 | 31.0 | 25.0 | 15.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,415.0** |
| H2O | 1963 | 170.0 | 119.2 | 46.1 | 209.9 | 143.1 | 95.4 | 98.6 | 97.8 | 95.4 | 98.6 | 95.4 | 98.6 | **7,030.3** |
| OIL | 1963 | 19.9 | 15.9 | 4.8 | 32.1 | 28.0 | 23.8 | 19.7 | 19.4 | 19.1 | 19.7 | 14.6 | 14.8 | **2,160.4** |
| DAY | 1962 | 24.0 | 2.0 | 0.0 | 6.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,073.0** |
| H2O | 1962 | 100.2 | 7.2 | 0.0 | 14.3 | 189.9 | 166.1 | 155.0 | 172.4 | 166.8 | 172.4 | 166.8 | 172.4 | **5,662.2** |
| OIL | 1962 | 19.2 | 1.1 | 0.0 | 5.4 | 28.1 | 23.8 | 23.5 | 24.6 | 23.7 | 24.6 | 24.0 | 24.5 | **1,928.6** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 31.0 | 28.0 | 0.0 | 4.0 | 23.0 | 31.0 | **798.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.6 | 49.3 | 29.4 | 0.0 | 6.2 | 97.0 | 152.6 | **4,178.7** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 24.5 | 15.3 | 0.0 | 2.7 | 23.2 | 24.6 | **1,706.1** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 7.0 | 0.0 | **667.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 125.6 | 143.1 | 143.1 | 117.7 | 122.4 | 101.8 | 111.3 | 22.3 | 0.0 | **3,822.6** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 38.1 | 49.3 | 47.7 | 47.7 | 46.1 | 45.3 | 31.8 | 7.2 | 0.0 | **1,605.8** |
| DAY | 1959 | 0.0 | 0.0 | 14.0 | 30.0 | 31.0 | 22.0 | 26.0 | 30.0 | 28.0 | 25.0 | 6.0 | 0.0 | **450.0** |
| H2O | 1959 | 0.0 | 0.0 | 95.4 | 224.2 | 235.3 | 135.1 | 153.4 | 232.1 | 176.4 | 160.6 | 38.2 | 0.0 | **2,935.3** |
| OIL | 1959 | 0.0 | 0.0 | 27.0 | 47.7 | 49.3 | 35.0 | 39.7 | 71.5 | 65.9 | 42.9 | 9.5 | 0.0 | **1,292.6** |

# Manitoba Production
## 1950 To 1975

Licence ***1613*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-28-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1958 | 0.0 | 0.0 | 12.0 | 22.0 | 28.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 24.0 | 1.0 | **238.0** |
| H2O | 1958 | 0.0 | 0.0 | 104.5 | 146.7 | 192.3 | 155.0 | 163.0 | 172.4 | 174.0 | 193.9 | 176.4 | 6.4 | **1,484.6** |
| OIL | 1958 | 0.0 | 0.0 | 65.6 | 99.3 | 123.8 | 108.7 | 123.9 | 115.5 | 101.4 | 103.9 | 59.6 | 2.4 | **904.1** |

Licence ***1614*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-03-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 860.2 | 761.0 | 437.4 | 571.9 | 837.7 | 790.8 | 803.8 | 862.3 | 1121.8 | 1162.5 | 1053.4 | 1130.7 | **93,423.7** |
| WIN | 1974 | 782.2 | 707.8 | 771.5 | 758.3 | 809.5 | 766.0 | 734.6 | 799.0 | 769.1 | 797.8 | 806.2 | 862.8 | **83,030.2** |
| WIN | 1973 | 719.4 | 701.9 | 691.7 | 761.2 | 818.0 | 576.5 | 767.4 | 764.7 | 769.9 | 769.6 | 742.9 | 556.0 | **73,665.4** |
| WIN | 1972 | 1008.9 | 975.5 | 1030.3 | 1000.8 | 1027.0 | 995.1 | 1015.9 | 972.3 | 875.5 | 896.0 | 899.2 | 783.9 | **65,026.2** |
| WIN | 1971 | 935.8 | 874.4 | 833.5 | 955.5 | 1030.3 | 914.1 | 712.4 | 272.8 | 604.1 | 539.4 | 782.8 | 542.9 | **53,545.8** |
| WIN | 1970 | 849.7 | 788.9 | 812.1 | 799.4 | 955.2 | 965.3 | 921.4 | 997.4 | 975.0 | 969.6 | 974.5 | 1019.1 | **44,547.8** |
| WIN | 1969 | 878.8 | 797.3 | 883.0 | 814.8 | 774.4 | 744.8 | 804.3 | 837.2 | 793.2 | 846.7 | 765.8 | 862.3 | **33,520.2** |
| WIN | 1968 | 700.6 | 653.9 | 696.8 | 660.9 | 721.9 | 677.9 | 732.7 | 737.2 | 775.2 | 670.6 | 817.0 | 745.3 | **23,717.6** |
| WIN | 1967 | 430.0 | 474.9 | 574.6 | 640.4 | 693.3 | 697.8 | 725.1 | 628.9 | 708.4 | 745.3 | 693.5 | 706.8 | **15,127.6** |
| WIN | 1966 | 538.9 | 506.8 | 536.7 | 531.9 | 534.3 | 507.0 | 527.3 | 517.6 | 414.8 | 411.8 | 643.4 | 574.4 | **7,408.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 0.0 | 0.0 | **2,741.0** |
| OIL | 1965 | 130.8 | 119.1 | 128.8 | 124.0 | 125.1 | 125.4 | 126.2 | 129.7 | 122.7 | 107.1 | 0.0 | 0.0 | **20,117.1** |
| WIN | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 592.8 | 570.9 | **1,163.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,442.0** |
| OIL | 1964 | 122.5 | 116.5 | 125.7 | 120.6 | 124.4 | 119.8 | 124.1 | 125.2 | 121.1 | 123.3 | 120.9 | 129.7 | **18,878.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,076.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.1 | 3.5 | 1.9 | 0.2 | 0.0 | 0.0 | **23.6** |
| OIL | 1963 | 158.3 | 103.5 | 152.1 | 121.4 | 133.8 | 120.5 | 134.8 | 125.2 | 126.3 | 122.8 | 115.4 | 118.1 | **17,404.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,713.0** |
| OIL | 1962 | 190.4 | 170.8 | 174.3 | 174.8 | 182.3 | 174.2 | 170.5 | 187.8 | 172.9 | 174.6 | 164.5 | 154.5 | **15,872.2** |
| DAY | 1961 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,349.0** |
| OIL | 1961 | 250.6 | 192.9 | 237.4 | 224.9 | 229.8 | 227.2 | 216.6 | 220.6 | 205.0 | 200.7 | 199.7 | 195.3 | **13,780.6** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **988.0** |
| OIL | 1960 | 344.0 | 322.6 | 343.1 | 330.1 | 336.7 | 329.6 | 332.3 | 313.2 | 286.2 | 284.9 | 250.3 | 259.5 | **11,179.9** |
| DAY | 1959 | 27.0 | 27.0 | 28.0 | 25.0 | 30.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **623.0** |
| OIL | 1959 | 344.8 | 310.8 | 347.1 | 293.2 | 381.1 | 328.8 | 352.5 | 333.9 | 327.0 | 345.0 | 335.5 | 344.2 | **7,447.4** |
| DAY | 1958 | 0.0 | 9.0 | 30.0 | 7.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 27.0 | 27.0 | 25.0 | **275.0** |
| H2O | 1958 | 0.0 | 1.4 | 9.1 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **12.9** |
| OIL | 1958 | 0.0 | 50.7 | 286.7 | 80.1 | 407.8 | 394.4 | 394.4 | 413.8 | 350.4 | 340.9 | 352.8 | 331.5 | **3,403.5** |

Licence ***1616*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-20-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 16.0 | 12.0 | 30.0 | 31.0 | **6,234.0** |
| H2O | 1975 | 4215.8 | 3735.1 | 4098.8 | 3852.9 | 4013.1 | 3659.4 | 4293.7 | 4390.7 | 2435.1 | 2094.9 | 4945.4 | 5139.7 | **298,813.3** |
| OIL | 1975 | 80.6 | 75.5 | 80.9 | 89.0 | 100.4 | 87.9 | 86.6 | 86.4 | 46.2 | 20.5 | 46.2 | 47.8 | **23,525.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **5,902.0** |
| H2O | 1974 | 4832.0 | 4435.9 | 3936.2 | 3592.3 | 3669.6 | 4091.2 | 3828.2 | 4296.8 | 4022.5 | 4461.9 | 4256.4 | 4161.8 | **251,938.7** |
| OIL | 1974 | 107.6 | 98.0 | 85.5 | 82.2 | 76.1 | 70.6 | 64.8 | 72.6 | 90.1 | 94.6 | 79.9 | 80.7 | **22,677.3** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 28.0 | 17.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **5,539.0** |
| H2O | 1973 | 3943.3 | 3830.0 | 4165.8 | 3917.9 | 2516.7 | 4516.0 | 4706.8 | 4967.5 | 4939.2 | 4364.3 | 4366.5 | 4315.0 | **202,353.9** |
| OIL | 1973 | 132.5 | 124.6 | 118.1 | 117.3 | 73.3 | 125.2 | 112.5 | 103.9 | 119.5 | 104.1 | 99.5 | 94.9 | **21,674.6** |
| DAY | 1972 | 0.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 14.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,194.0** |
| H2O | 1972 | 0.0 | 3825.9 | 4471.9 | 4361.5 | 4511.2 | 4240.3 | 1789.2 | 4290.4 | 4055.9 | 4131.1 | 3793.7 | 3782.0 | **151,804.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1616*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-20-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1972 | 0.0 | 169.1 | 174.6 | 144.1 | 158.1 | 144.0 | 59.3 | 132.1 | 120.5 | 133.5 | 127.4 | 134.0 | **20,349.2** |
| DAY | 1971 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 17.0 | 20.0 | 30.0 | 23.0 | 0.0 | 0.0 | **4,879.0** |
| H2O | 1971 | 1414.8 | 3041.3 | 3406.6 | 3184.7 | 3520.5 | 3214.9 | 1931.0 | 1103.6 | 1389.0 | 2931.3 | 0.0 | 0.0 | **108,551.8** |
| OIL | 1971 | 176.5 | 340.5 | 304.5 | 287.0 | 273.2 | 247.4 | 128.7 | 25.7 | 36.7 | 147.5 | 0.0 | 0.0 | **18,852.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 18.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,610.0** |
| H2O | 1970 | 613.0 | 543.1 | 646.3 | 626.9 | 584.1 | 572.8 | 335.0 | 561.2 | 561.5 | 1340.0 | 1308.6 | 1384.0 | **83,414.1** |
| OIL | 1970 | 38.6 | 27.3 | 34.6 | 45.3 | 47.4 | 43.7 | 25.3 | 42.0 | 40.5 | 238.8 | 181.0 | 181.0 | **16,884.8** |
| DAY | 1969 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | 25.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,259.0** |
| H2O | 1969 | 704.3 | 670.7 | 641.6 | 730.7 | 804.1 | 600.3 | 604.6 | 588.5 | 641.8 | 658.3 | 642.9 | 654.4 | **74,337.6** |
| OIL | 1969 | 45.0 | 40.2 | 37.8 | 44.2 | 49.1 | 37.8 | 36.7 | 35.3 | 39.6 | 42.3 | 36.9 | 38.0 | **15,939.3** |
| DAY | 1968 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **3,903.0** |
| H2O | 1968 | 680.9 | 704.4 | 795.7 | 668.8 | 774.9 | 765.0 | 906.7 | 911.9 | 786.8 | 822.4 | 814.1 | 652.6 | **66,395.4** |
| OIL | 1968 | 55.9 | 51.0 | 62.0 | 52.4 | 54.7 | 55.3 | 73.4 | 74.2 | 65.0 | 67.9 | 61.3 | 45.3 | **15,456.4** |
| DAY | 1967 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,539.0** |
| H2O | 1967 | 706.7 | 593.5 | 728.8 | 631.0 | 676.3 | 659.9 | 677.9 | 667.7 | 695.5 | 737.3 | 513.0 | 676.3 | **57,111.2** |
| OIL | 1967 | 72.3 | 59.9 | 71.4 | 70.4 | 74.2 | 71.2 | 73.3 | 71.0 | 67.1 | 72.5 | 35.0 | 52.6 | **14,738.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,175.0** |
| H2O | 1966 | 662.0 | 590.0 | 635.3 | 610.8 | 588.1 | 681.9 | 502.4 | 690.3 | 666.8 | 716.2 | 707.8 | 696.0 | **49,147.3** |
| OIL | 1966 | 73.6 | 62.8 | 69.0 | 79.3 | 92.2 | 92.0 | 52.9 | 59.8 | 58.5 | 77.5 | 73.9 | 75.6 | **13,947.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,811.0** |
| H2O | 1965 | 603.5 | 570.1 | 580.3 | 632.3 | 668.7 | 650.2 | 380.6 | 249.6 | 199.8 | 671.1 | 649.3 | 666.4 | **41,399.7** |
| OIL | 1965 | 59.9 | 52.4 | 56.3 | 74.5 | 78.5 | 78.8 | 27.3 | 22.2 | 20.5 | 78.5 | 73.7 | 75.3 | **13,080.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **2,447.0** |
| H2O | 1964 | 655.0 | 593.8 | 649.9 | 625.0 | 541.5 | 498.2 | 541.5 | 502.2 | 492.2 | 524.5 | 521.9 | 525.1 | **34,877.8** |
| OIL | 1964 | 83.6 | 74.4 | 80.4 | 73.3 | 71.7 | 58.3 | 77.9 | 72.3 | 70.1 | 72.0 | 69.3 | 56.6 | **12,382.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,084.0** |
| H2O | 1963 | 577.4 | 524.6 | 550.7 | 609.7 | 545.1 | 381.2 | 552.8 | 628.6 | 550.1 | 682.5 | 633.1 | 661.8 | **28,207.0** |
| OIL | 1963 | 108.5 | 98.7 | 104.4 | 103.5 | 61.2 | 56.3 | 78.0 | 83.6 | 73.3 | 89.8 | 84.9 | 85.7 | **11,522.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 25.0 | 18.0 | 31.0 | 29.0 | 27.0 | **1,723.0** |
| H2O | 1962 | 558.7 | 534.5 | 601.3 | 594.3 | 613.3 | 585.4 | 505.1 | 473.0 | 327.5 | 596.5 | 552.0 | 522.1 | **21,309.4** |
| OIL | 1962 | 134.6 | 121.7 | 143.3 | 141.0 | 126.5 | 124.9 | 108.7 | 97.4 | 68.2 | 121.4 | 105.8 | 96.6 | **10,494.3** |
| DAY | 1961 | 29.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,384.0** |
| H2O | 1961 | 280.0 | 502.9 | 486.0 | 531.6 | 580.9 | 562.8 | 602.9 | 597.3 | 548.8 | 621.1 | 550.9 | 566.3 | **14,845.7** |
| OIL | 1961 | 52.0 | 125.5 | 126.8 | 142.9 | 151.3 | 130.1 | 138.7 | 142.2 | 135.9 | 147.9 | 135.6 | 139.8 | **9,104.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,025.0** |
| H2O | 1960 | 427.0 | 366.3 | 355.6 | 365.0 | 401.6 | 374.1 | 394.7 | 402.1 | 369.6 | 324.6 | 325.1 | 308.9 | **8,414.2** |
| OIL | 1960 | 193.9 | 179.7 | 161.6 | 162.6 | 173.4 | 163.2 | 160.5 | 166.4 | 156.0 | 132.5 | 132.4 | 119.3 | **7,535.5** |
| DAY | 1959 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 22.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 30.0 | **660.0** |
| H2O | 1959 | 29.7 | 126.7 | 142.4 | 234.5 | 355.0 | 274.6 | 345.6 | 358.2 | 336.4 | 298.4 | 306.0 | 456.0 | **3,999.6** |
| OIL | 1959 | 285.9 | 208.3 | 187.5 | 189.6 | 219.8 | 163.8 | 254.7 | 244.4 | 215.5 | 180.8 | 210.1 | 245.5 | **5,634.0** |
| DAY | 1958 | 0.0 | 13.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **311.0** |
| H2O | 1958 | 0.0 | 14.1 | 35.1 | 21.9 | 66.1 | 124.3 | 124.6 | 145.8 | 76.3 | 78.2 | 27.0 | 22.7 | **736.1** |
| OIL | 1958 | 0.0 | 133.5 | 247.3 | 274.0 | 260.1 | 259.5 | 314.8 | 308.8 | 324.5 | 326.7 | 307.3 | 271.6 | **3,028.1** |

Licence ***1619*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,394.0** |
| H2O | 1975 | 50.1 | 49.9 | 55.6 | 54.1 | 56.0 | 53.6 | 53.7 | 52.8 | 52.0 | 55.8 | 56.0 | 57.1 | **3,509.6** |
| OIL | 1975 | 123.5 | 119.5 | 131.1 | 124.4 | 126.8 | 123.3 | 111.1 | 111.6 | 108.2 | 111.9 | 108.4 | 110.0 | **28,286.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 27.0 | 29.0 | 31.0 | **6,031.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1619*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1974 | 24.6 | 22.7 | 25.3 | 24.5 | 25.8 | 25.8 | 24.3 | 23.4 | 51.7 | 47.1 | 51.8 | 54.1 | **2,862.9** |
| OIL | 1974 | 187.5 | 163.5 | 185.1 | 177.3 | 185.3 | 179.4 | 172.9 | 181.0 | 130.5 | 119.8 | 126.0 | 135.4 | **26,876.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,673.0** |
| H2O | 1973 | 24.8 | 24.3 | 26.2 | 26.2 | 26.5 | 25.4 | 25.6 | 27.7 | 27.0 | 25.8 | 25.3 | 24.6 | **2,461.8** |
| OIL | 1973 | 188.0 | 170.4 | 187.7 | 183.4 | 191.3 | 177.3 | 183.9 | 196.7 | 187.2 | 180.4 | 179.9 | 182.4 | **24,932.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | **5,309.0** |
| H2O | 1972 | 29.7 | 29.1 | 31.8 | 28.3 | 31.3 | 31.2 | 34.7 | 32.7 | 32.7 | 35.8 | 28.0 | 25.9 | **2,152.4** |
| OIL | 1972 | 168.9 | 157.5 | 171.6 | 164.0 | 119.8 | 115.7 | 119.2 | 121.9 | 116.0 | 122.2 | 91.5 | 196.1 | **22,723.9** |
| DAY | 1971 | 31.0 | 24.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | **4,949.0** |
| H2O | 1971 | 32.1 | 24.3 | 45.0 | 46.7 | 46.7 | 46.4 | 37.0 | 36.9 | 32.9 | 28.1 | 25.3 | 28.6 | **1,781.2** |
| OIL | 1971 | 172.7 | 128.7 | 291.3 | 285.7 | 292.2 | 284.0 | 236.8 | 240.3 | 236.9 | 178.1 | 157.3 | 155.4 | **21,059.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,594.0** |
| H2O | 1970 | 22.6 | 21.3 | 22.3 | 19.4 | 21.1 | 21.5 | 19.6 | 21.1 | 20.8 | 34.0 | 31.0 | 34.7 | **1,351.2** |
| OIL | 1970 | 218.8 | 197.2 | 215.3 | 195.6 | 214.4 | 209.9 | 214.7 | 202.8 | 204.5 | 165.1 | 158.4 | 166.1 | **18,400.1** |
| DAY | 1969 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,231.0** |
| H2O | 1969 | 14.0 | 11.9 | 12.4 | 12.7 | 14.0 | 21.5 | 23.4 | 21.1 | 22.1 | 24.0 | 21.5 | 23.5 | **1,061.8** |
| OIL | 1969 | 239.0 | 195.6 | 241.9 | 235.5 | 241.9 | 214.5 | 223.0 | 200.1 | 215.6 | 225.7 | 216.1 | 226.4 | **16,037.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,873.0** |
| H2O | 1968 | 15.7 | 14.9 | 15.9 | 16.2 | 12.6 | 13.7 | 14.8 | 13.5 | 13.5 | 14.0 | 12.9 | 14.0 | **839.7** |
| OIL | 1968 | 264.3 | 242.5 | 259.7 | 257.8 | 241.5 | 240.6 | 248.2 | 247.9 | 239.2 | 249.6 | 240.0 | 247.6 | **13,362.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 16.0 | 27.0 | 28.0 | **3,507.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.2 | 14.6 | **668.0** |
| OIL | 1967 | 134.4 | 119.3 | 134.0 | 125.1 | 133.3 | 127.8 | 132.1 | 131.6 | 126.7 | 65.5 | 231.7 | 236.1 | **10,383.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,164.0** |
| H2O | 1966 | 1.1 | 1.0 | 1.1 | 4.9 | 5.4 | 4.8 | 4.5 | 4.8 | 4.9 | 0.0 | 0.0 | 0.0 | **640.2** |
| OIL | 1966 | 111.6 | 98.4 | 108.9 | 111.7 | 117.0 | 112.3 | 108.1 | 115.4 | 112.2 | 131.1 | 128.6 | 134.9 | **8,685.5** |
| DAY | 1965 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,800.0** |
| H2O | 1965 | 4.0 | 3.5 | 4.0 | 3.5 | 3.5 | 3.5 | 3.3 | 3.5 | 3.5 | 3.3 | 1.3 | 1.1 | **607.7** |
| OIL | 1965 | 86.8 | 79.1 | 82.6 | 82.5 | 83.3 | 83.3 | 85.7 | 86.0 | 81.4 | 84.5 | 110.0 | 113.0 | **7,295.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,436.0** |
| H2O | 1964 | 3.8 | 3.5 | 3.7 | 3.8 | 3.8 | 4.0 | 3.7 | 3.7 | 3.7 | 3.5 | 3.8 | 3.8 | **569.7** |
| OIL | 1964 | 73.6 | 69.6 | 73.9 | 72.1 | 74.5 | 79.5 | 82.3 | 83.1 | 80.2 | 81.8 | 80.2 | 86.0 | **6,237.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,070.0** |
| H2O | 1963 | 2.9 | 3.2 | 3.3 | 3.0 | 3.0 | 2.9 | 3.5 | 3.7 | 4.5 | 4.0 | 3.3 | 3.8 | **524.9** |
| OIL | 1963 | 37.8 | 36.2 | 38.8 | 34.5 | 35.4 | 55.3 | 69.8 | 68.2 | 67.1 | 69.6 | 35.0 | 70.6 | **5,300.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | **1,710.0** |
| H2O | 1962 | 4.9 | 4.5 | 4.9 | 4.8 | 4.9 | 4.8 | 4.9 | 1.1 | 4.5 | 5.4 | 3.8 | 29.7 | **483.8** |
| OIL | 1962 | 34.5 | 28.4 | 33.2 | 28.6 | 29.6 | 28.3 | 29.2 | 28.3 | 26.9 | 28.1 | 37.5 | 35.1 | **4,682.0** |
| DAY | 1961 | 31.0 | 27.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,349.0** |
| H2O | 1961 | 4.9 | 4.3 | 4.8 | 4.0 | 4.9 | 4.8 | 4.9 | 4.9 | 4.8 | 5.1 | 4.8 | 4.8 | **405.6** |
| OIL | 1961 | 41.5 | 36.1 | 41.2 | 33.8 | 39.7 | 34.6 | 34.5 | 34.5 | 33.2 | 34.6 | 33.2 | 33.4 | **4,314.3** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **992.0** |
| H2O | 1960 | 9.5 | 7.9 | 4.9 | 4.5 | 5.2 | 4.6 | 5.1 | 4.9 | 4.6 | 5.1 | 4.9 | 5.4 | **348.6** |
| OIL | 1960 | 85.7 | 77.7 | 71.2 | 58.6 | 68.0 | 74.7 | 62.9 | 54.8 | 59.0 | 58.8 | 41.6 | 42.4 | **3,884.0** |
| DAY | 1959 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **629.0** |
| H2O | 1959 | 13.8 | 12.4 | 13.7 | 13.5 | 16.2 | 13.5 | 14.8 | 11.3 | 9.5 | 9.9 | 12.7 | 9.9 | **282.0** |
| OIL | 1959 | 143.3 | 126.7 | 150.6 | 154.3 | 153.0 | 120.0 | 123.2 | 117.9 | 113.9 | 103.1 | 95.3 | 93.8 | **3,128.6** |
| DAY | 1958 | 0.0 | 0.0 | 23.0 | 6.0 | 29.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 29.0 | 30.0 | **268.0** |
| H2O | 1958 | 0.0 | 0.0 | 14.9 | 3.2 | 13.4 | 13.8 | 14.5 | 13.8 | 14.3 | 14.8 | 13.8 | 14.3 | **130.8** |
| OIL | 1958 | 0.0 | 0.0 | 221.5 | 69.1 | 243.3 | 185.6 | 165.1 | 149.9 | 164.8 | 150.8 | 135.1 | 148.3 | **1,633.5** |

Licence ***1620*** Well Name ***Shannon Scallion SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***1620*** Well Name ***Shannon Scallion SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-18-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1391.7 | 1372.5 | 1174.8 | 810.0 | 1134.1 | 1032.7 | 1097.9 | 868.6 | 537.5 | 646.8 | 1057.0 | 784.1 | **87,205.6** |
| WIN | 1974 | 202.2 | 0.0 | 0.0 | 0.0 | 243.1 | 743.9 | 1210.0 | 1190.9 | 1554.5 | 1638.0 | 1525.1 | 1378.7 | **75,297.9** |
| WIN | 1973 | 1038.4 | 920.6 | 1027.6 | 746.1 | 1029.4 | 989.0 | 825.4 | 790.8 | 353.1 | 932.4 | 1203.3 | 1217.4 | **65,611.5** |
| WIN | 1972 | 947.5 | 712.9 | 776.8 | 1052.7 | 805.3 | 1141.3 | 1175.9 | 1033.5 | 921.2 | 1051.5 | 928.9 | 1040.0 | **54,538.0** |
| WIN | 1971 | 0.0 | 0.0 | 0.0 | 604.5 | 865.3 | 921.7 | 1144.0 | 1131.0 | 798.8 | 768.1 | 1195.7 | 950.0 | **42,950.5** |
| WIN | 1970 | 753.5 | 0.0 | 0.0 | 278.4 | 744.9 | 738.5 | 741.5 | 737.9 | 762.0 | 1521.6 | 1576.8 | 601.8 | **34,571.4** |
| WIN | 1969 | 964.7 | 821.1 | 230.4 | 566.3 | 875.6 | 950.3 | 1588.4 | 1601.4 | 1678.4 | 1282.8 | 794.5 | 1103.8 | **26,114.5** |
| WIN | 1968 | 228.9 | 542.5 | 732.6 | 704.6 | 1017.0 | 1132.5 | 1523.5 | 1394.1 | 1292.6 | 1248.8 | 1552.1 | 1511.3 | **13,656.8** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 41.3 | 49.3 | 378.1 | 307.6 | **776.3** |
| DAY | 1958 | 0.0 | 0.0 | 4.0 | 30.0 | 14.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **48.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 7.5 | 4.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **12.3** |
| OIL | 1958 | 0.0 | 0.0 | 4.8 | 16.2 | 6.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **27.5** |

Licence ***1621*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-22-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,421.0** |
| H2O | 1975 | 465.3 | 398.2 | 447.8 | 429.4 | 442.9 | 564.1 | 600.0 | 627.3 | 623.0 | 644.7 | 505.2 | 530.5 | **73,378.3** |
| OIL | 1975 | 88.2 | 79.9 | 87.9 | 85.3 | 92.8 | 51.6 | 56.9 | 58.0 | 55.5 | 60.1 | 75.0 | 78.3 | **23,684.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,056.0** |
| H2O | 1974 | 582.7 | 524.6 | 569.5 | 543.2 | 498.1 | 573.8 | 474.4 | 468.7 | 451.8 | 479.8 | 475.2 | 464.5 | **67,099.9** |
| OIL | 1974 | 86.3 | 76.9 | 83.4 | 81.5 | 93.4 | 88.7 | 85.2 | 83.9 | 88.5 | 90.4 | 88.7 | 89.6 | **22,814.7** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **5,692.0** |
| H2O | 1973 | 454.5 | 441.6 | 452.5 | 398.9 | 470.4 | 493.3 | 488.1 | 268.2 | 243.2 | 421.9 | 507.9 | 591.7 | **60,993.6** |
| OIL | 1973 | 76.0 | 71.4 | 81.7 | 78.3 | 69.3 | 69.1 | 64.0 | 31.6 | 33.4 | 70.7 | 87.7 | 86.6 | **21,778.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,336.0** |
| H2O | 1972 | 502.9 | 468.8 | 484.9 | 461.4 | 483.8 | 462.5 | 468.5 | 478.1 | 448.2 | 449.8 | 429.6 | 435.1 | **55,761.4** |
| OIL | 1972 | 72.8 | 68.6 | 76.0 | 68.5 | 75.8 | 69.9 | 69.1 | 71.7 | 64.8 | 78.0 | 71.0 | 75.8 | **20,958.4** |
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,970.0** |
| H2O | 1971 | 476.3 | 413.7 | 163.6 | 143.2 | 375.5 | 361.8 | 393.2 | 370.3 | 331.2 | 339.9 | 451.7 | 501.1 | **50,187.8** |
| OIL | 1971 | 78.3 | 68.0 | 49.6 | 45.0 | 70.4 | 67.2 | 70.6 | 70.9 | 67.2 | 66.1 | 62.3 | 73.7 | **20,096.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 27.0 | 31.0 | **4,609.0** |
| H2O | 1970 | 360.9 | 320.5 | 354.8 | 295.5 | 320.5 | 443.9 | 484.7 | 425.4 | 459.0 | 462.3 | 397.3 | 470.6 | **45,866.3** |
| OIL | 1970 | 58.6 | 58.2 | 64.0 | 50.7 | 59.1 | 75.5 | 81.4 | 70.7 | 75.0 | 74.8 | 60.2 | 83.3 | **19,307.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **4,254.0** |
| H2O | 1969 | 481.7 | 421.5 | 452.5 | 416.2 | 404.3 | 367.4 | 361.4 | 406.2 | 381.7 | 388.7 | 376.8 | 373.3 | **41,070.9** |
| OIL | 1969 | 83.7 | 68.5 | 65.6 | 67.2 | 71.8 | 61.8 | 56.6 | 65.3 | 59.6 | 58.8 | 58.8 | 59.4 | **18,495.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **3,895.0** |
| H2O | 1968 | 497.6 | 447.1 | 428.0 | 392.7 | 420.5 | 363.1 | 422.6 | 425.4 | 414.9 | 402.2 | 461.5 | 473.9 | **36,239.2** |
| OIL | 1968 | 92.0 | 86.0 | 82.0 | 76.3 | 78.8 | 67.7 | 78.8 | 78.8 | 76.3 | 77.7 | 92.6 | 84.4 | **17,718.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **3,535.0** |
| H2O | 1967 | 433.1 | 387.0 | 409.7 | 363.7 | 369.2 | 345.9 | 349.9 | 346.6 | 336.2 | 487.0 | 475.7 | 504.3 | **31,089.7** |
| OIL | 1967 | 95.3 | 82.0 | 84.2 | 81.0 | 85.7 | 79.8 | 78.8 | 78.8 | 79.9 | 97.7 | 91.5 | 98.5 | **16,747.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 27.0 | **3,172.0** |
| H2O | 1966 | 404.1 | 365.8 | 404.1 | 358.7 | 400.2 | 407.8 | 457.5 | 446.6 | 416.2 | 440.4 | 429.2 | 391.9 | **26,281.4** |
| OIL | 1966 | 103.5 | 93.4 | 103.5 | 91.1 | 100.6 | 97.1 | 118.2 | 116.8 | 105.5 | 102.7 | 95.3 | 86.1 | **15,713.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 28.0 | 30.0 | **2,816.0** |
| H2O | 1965 | 370.6 | 326.1 | 356.4 | 347.1 | 356.4 | 344.2 | 354.8 | 341.5 | 391.9 | 404.1 | 361.5 | 391.1 | **21,358.9** |
| OIL | 1965 | 94.2 | 81.7 | 88.4 | 83.3 | 83.1 | 88.4 | 83.6 | 93.8 | 106.0 | 108.4 | 97.1 | 100.9 | **14,500.1** |
| DAY | 1964 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,458.0** |
| H2O | 1964 | 341.3 | 335.4 | 346.6 | 333.9 | 345.0 | 340.2 | 391.1 | 394.3 | 360.9 | 377.7 | 362.5 | 374.2 | **17,013.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1621*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-22-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1964 | 101.2 | 93.3 | 103.5 | 99.2 | 100.6 | 98.5 | 110.3 | 104.4 | 94.6 | 100.3 | 95.3 | 97.9 | **13,391.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,095.0** |
| H2O | 1963 | 354.8 | 306.7 | 335.8 | 333.9 | 343.6 | 325.0 | 322.7 | 341.0 | 329.1 | 345.0 | 311.6 | 345.0 | **12,710.1** |
| OIL | 1963 | 159.7 | 129.2 | 142.7 | 140.3 | 139.0 | 129.4 | 124.1 | 129.4 | 121.7 | 120.5 | 96.6 | 107.3 | **12,192.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,734.0** |
| H2O | 1962 | 312.4 | 262.3 | 276.0 | 253.1 | 271.1 | 266.1 | 270.6 | 292.4 | 277.6 | 285.8 | 314.5 | 342.4 | **8,715.9** |
| OIL | 1962 | 183.2 | 157.6 | 161.6 | 141.4 | 161.6 | 158.4 | 150.5 | 161.3 | 150.2 | 148.9 | 143.3 | 157.0 | **10,652.2** |
| DAY | 1961 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | **1,373.0** |
| H2O | 1961 | 183.6 | 158.2 | 151.8 | 119.2 | 143.9 | 128.8 | 177.3 | 238.8 | 241.3 | 259.8 | 277.4 | 346.6 | **5,291.6** |
| OIL | 1961 | 200.2 | 161.3 | 164.0 | 139.8 | 144.6 | 135.9 | 81.0 | 226.9 | 213.7 | 214.1 | 199.4 | 202.9 | **8,777.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,016.0** |
| H2O | 1960 | 113.0 | 105.6 | 113.7 | 109.7 | 107.3 | 114.0 | 122.4 | 149.8 | 166.1 | 166.9 | 165.8 | 172.5 | **2,864.9** |
| OIL | 1960 | 183.2 | 169.4 | 181.3 | 175.4 | 168.1 | 160.3 | 180.7 | 220.9 | 225.3 | 226.6 | 214.5 | 221.7 | **6,693.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **653.0** |
| H2O | 1959 | 51.5 | 46.3 | 24.6 | 47.4 | 69.6 | 76.9 | 104.0 | 83.6 | 122.4 | 105.2 | 100.2 | 115.7 | **1,258.1** |
| OIL | 1959 | 170.8 | 133.8 | 164.2 | 162.2 | 168.9 | 193.9 | 263.2 | 267.6 | 257.6 | 243.9 | 218.7 | 194.0 | **4,366.0** |
| DAY | 1958 | 0.0 | 0.0 | 15.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **289.0** |
| H2O | 1958 | 0.0 | 0.0 | 11.9 | 22.7 | 23.4 | 36.7 | 31.3 | 36.1 | 31.6 | 37.5 | 40.2 | 39.3 | **310.7** |
| OIL | 1958 | 0.0 | 0.0 | 136.3 | 248.5 | 239.0 | 236.8 | 190.7 | 151.1 | 143.7 | 197.8 | 186.7 | 196.6 | **1,927.2** |

Licence ***1622*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-22-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,424.0** |
| H2O | 1975 | 220.8 | 189.2 | 212.7 | 203.8 | 232.9 | 231.0 | 247.2 | 256.9 | 255.0 | 264.1 | 219.4 | 230.4 | **37,782.2** |
| OIL | 1975 | 38.0 | 34.5 | 38.0 | 36.9 | 52.8 | 51.5 | 57.2 | 58.0 | 55.5 | 60.1 | 46.9 | 48.9 | **22,622.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 20.0 | 27.0 | 31.0 | **6,059.0** |
| H2O | 1974 | 196.0 | 170.7 | 199.5 | 187.1 | 170.4 | 191.6 | 28.8 | 30.7 | 27.3 | 19.4 | 200.3 | 220.5 | **35,018.8** |
| OIL | 1974 | 49.7 | 43.1 | 50.2 | 48.3 | 54.8 | 51.0 | 7.3 | 7.8 | 7.8 | 5.4 | 34.0 | 38.6 | **22,044.5** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **5,708.0** |
| H2O | 1973 | 226.9 | 216.2 | 225.8 | 199.0 | 167.4 | 175.5 | 185.7 | 49.8 | 44.5 | 144.0 | 173.6 | 202.4 | **33,376.5** |
| OIL | 1973 | 51.8 | 47.8 | 55.8 | 53.6 | 39.4 | 39.4 | 38.8 | 12.7 | 13.2 | 41.3 | 51.6 | 50.9 | **21,646.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,351.0** |
| H2O | 1972 | 133.1 | 124.0 | 118.6 | 112.9 | 117.0 | 280.4 | 318.0 | 324.3 | 304.3 | 224.5 | 214.3 | 217.2 | **31,365.7** |
| OIL | 1972 | 39.1 | 36.5 | 26.9 | 24.2 | 26.4 | 51.2 | 56.4 | 58.5 | 52.9 | 53.4 | 48.5 | 51.8 | **21,150.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,988.0** |
| H2O | 1971 | 205.2 | 178.1 | 202.1 | 91.1 | 255.6 | 275.8 | 293.2 | 191.6 | 171.4 | 175.8 | 119.6 | 132.7 | **28,877.1** |
| OIL | 1971 | 60.7 | 52.8 | 59.8 | 21.0 | 48.8 | 52.3 | 53.7 | 49.9 | 47.5 | 46.7 | 33.4 | 39.6 | **20,624.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,626.0** |
| H2O | 1970 | 220.7 | 195.9 | 216.8 | 188.7 | 202.2 | 200.2 | 208.9 | 184.1 | 197.6 | 201.7 | 196.8 | 202.7 | **26,584.9** |
| OIL | 1970 | 65.9 | 62.3 | 69.0 | 59.9 | 65.6 | 61.0 | 62.9 | 55.0 | 58.2 | 58.8 | 53.7 | 64.4 | **20,058.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,265.0** |
| H2O | 1969 | 230.2 | 209.2 | 231.6 | 224.2 | 231.6 | 218.1 | 168.5 | 232.0 | 218.4 | 226.7 | 219.4 | 226.7 | **24,168.6** |
| OIL | 1969 | 78.8 | 71.2 | 78.8 | 76.3 | 77.7 | 68.3 | 63.2 | 74.8 | 70.2 | 69.9 | 66.6 | 69.0 | **19,321.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,904.0** |
| H2O | 1968 | 239.4 | 220.7 | 219.7 | 209.2 | 229.7 | 217.3 | 227.8 | 226.7 | 219.4 | 209.9 | 219.4 | 223.5 | **21,532.0** |
| OIL | 1968 | 78.2 | 78.0 | 83.7 | 81.8 | 86.9 | 85.2 | 86.3 | 83.3 | 81.0 | 78.2 | 81.0 | 79.1 | **18,456.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 29.0 | 31.0 | **3,540.0** |
| H2O | 1967 | 235.4 | 212.7 | 225.4 | 191.9 | 189.7 | 171.1 | 165.8 | 167.6 | 176.9 | 262.0 | 235.1 | 245.1 | **18,869.3** |
| OIL | 1967 | 102.3 | 89.3 | 95.0 | 91.5 | 96.5 | 79.5 | 82.0 | 82.8 | 76.4 | 91.2 | 71.0 | 78.8 | **17,474.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 25.0 | 26.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,178.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1622*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-22-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1966 | 88.7 | 81.2 | 88.7 | 87.1 | 89.8 | 72.7 | 175.7 | 219.4 | 228.6 | 247.1 | 236.6 | 232.7 | **16,390.6** |
| OIL | 1966 | 83.7 | 75.6 | 83.7 | 80.7 | 81.2 | 63.4 | 81.5 | 96.3 | 101.7 | 113.9 | 106.8 | 103.8 | **16,437.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,825.0** |
| H2O | 1965 | 267.1 | 237.8 | 256.3 | 251.2 | 249.6 | 139.1 | 147.9 | 89.8 | 81.9 | 83.8 | 79.2 | 87.9 | **14,542.3** |
| OIL | 1965 | 99.5 | 87.7 | 93.6 | 88.5 | 85.2 | 54.3 | 58.0 | 74.4 | 80.7 | 83.7 | 79.1 | 83.7 | **15,365.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,465.0** |
| H2O | 1964 | 197.1 | 184.4 | 198.7 | 213.8 | 221.8 | 230.5 | 269.0 | 271.1 | 240.5 | 224.2 | 263.9 | 270.3 | **12,570.7** |
| OIL | 1964 | 123.2 | 115.2 | 123.2 | 120.3 | 117.4 | 116.0 | 123.2 | 119.2 | 107.9 | 96.5 | 113.3 | 106.5 | **14,397.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,100.0** |
| H2O | 1963 | 197.1 | 166.0 | 173.9 | 176.5 | 179.8 | 165.3 | 177.4 | 178.9 | 187.6 | 197.1 | 184.4 | 197.1 | **9,785.4** |
| OIL | 1963 | 137.5 | 119.0 | 128.9 | 126.0 | 125.5 | 113.6 | 124.1 | 124.4 | 117.0 | 117.0 | 109.2 | 122.4 | **13,015.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,737.0** |
| H2O | 1962 | 216.8 | 190.6 | 203.8 | 187.6 | 201.3 | 211.3 | 224.0 | 242.9 | 234.5 | 231.2 | 200.3 | 197.1 | **7,604.3** |
| OIL | 1962 | 182.4 | 154.5 | 166.4 | 154.1 | 173.2 | 171.1 | 170.0 | 171.9 | 160.5 | 155.3 | 138.6 | 135.9 | **11,550.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,374.0** |
| H2O | 1961 | 156.6 | 163.0 | 174.1 | 156.6 | 146.3 | 143.2 | 125.4 | 243.1 | 239.6 | 258.3 | 204.8 | 222.6 | **5,062.9** |
| OIL | 1961 | 197.0 | 178.0 | 182.0 | 154.9 | 142.2 | 143.0 | 147.8 | 248.2 | 232.2 | 227.4 | 178.9 | 194.7 | **9,616.6** |
| DAY | 1960 | 31.0 | 29.0 | 27.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,015.0** |
| H2O | 1960 | 97.5 | 92.0 | 71.5 | 80.3 | 88.7 | 97.9 | 108.4 | 130.4 | 128.0 | 127.8 | 120.3 | 123.2 | **2,829.3** |
| OIL | 1960 | 196.7 | 180.2 | 141.6 | 132.1 | 146.5 | 141.6 | 187.2 | 188.6 | 224.9 | 226.6 | 214.5 | 212.1 | **7,390.3** |
| DAY | 1959 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **658.0** |
| H2O | 1959 | 71.4 | 79.0 | 83.6 | 82.2 | 78.5 | 62.3 | 80.1 | 67.6 | 85.8 | 82.0 | 85.8 | 106.2 | **1,563.3** |
| OIL | 1959 | 206.9 | 223.0 | 237.7 | 233.6 | 243.9 | 238.0 | 250.3 | 249.6 | 237.9 | 238.7 | 239.5 | 232.6 | **5,197.7** |
| DAY | 1958 | 0.0 | 0.0 | 23.0 | 30.0 | 29.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **295.0** |
| H2O | 1958 | 0.0 | 0.0 | 51.4 | 58.5 | 33.5 | 59.0 | 58.3 | 59.9 | 63.8 | 72.0 | 73.4 | 69.0 | **598.8** |
| OIL | 1958 | 0.0 | 0.0 | 209.1 | 189.6 | 183.5 | 243.3 | 236.8 | 235.3 | 238.7 | 276.5 | 281.3 | 271.9 | **2,366.0** |

Licence ***1623*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-17-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **6,417.0** |
| H2O | 1975 | 519.0 | 436.7 | 495.5 | 434.2 | 479.9 | 476.3 | 507.6 | 529.8 | 526.0 | 470.4 | 472.2 | 495.7 | **57,104.2** |
| OIL | 1975 | 58.8 | 52.3 | 58.0 | 52.6 | 61.3 | 59.9 | 65.9 | 67.4 | 64.5 | 76.6 | 79.5 | 82.8 | **33,425.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | 31.0 | 30.0 | 29.0 | 28.0 | 31.0 | **6,056.0** |
| H2O | 1974 | 493.1 | 444.0 | 493.9 | 466.9 | 278.7 | 325.9 | 349.8 | 353.9 | 329.5 | 504.6 | 474.2 | 513.8 | **51,260.9** |
| OIL | 1974 | 78.0 | 69.4 | 77.2 | 74.8 | 79.0 | 76.1 | 80.4 | 81.2 | 82.6 | 70.2 | 52.8 | 59.1 | **32,646.2** |
| DAY | 1973 | 30.0 | 28.0 | 28.0 | 27.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **5,698.0** |
| H2O | 1973 | 353.6 | 357.9 | 463.7 | 390.2 | 449.8 | 471.8 | 491.7 | 565.1 | 455.2 | 415.9 | 397.6 | 500.8 | **46,232.6** |
| OIL | 1973 | 92.0 | 90.3 | 72.3 | 104.2 | 117.0 | 116.8 | 113.9 | 108.7 | 84.1 | 79.1 | 73.4 | 78.2 | **31,765.4** |
| DAY | 1972 | 30.0 | 28.0 | 28.0 | 27.0 | 30.0 | 27.0 | 31.0 | 29.0 | 26.0 | 28.0 | 29.0 | 31.0 | **5,343.0** |
| H2O | 1972 | 436.1 | 403.0 | 404.5 | 369.3 | 439.0 | 417.0 | 465.8 | 457.5 | 238.1 | 418.0 | 427.2 | 447.8 | **40,919.3** |
| OIL | 1972 | 82.5 | 77.1 | 89.1 | 77.1 | 94.9 | 79.5 | 86.6 | 86.4 | 69.6 | 92.8 | 90.4 | 99.8 | **30,635.4** |
| DAY | 1971 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 29.0 | 30.0 | 31.0 | **4,999.0** |
| H2O | 1971 | 354.4 | 385.4 | 427.5 | 403.7 | 437.2 | 423.4 | 435.5 | 423.7 | 346.5 | 363.9 | 404.8 | 449.1 | **35,996.0** |
| OIL | 1971 | 69.4 | 75.3 | 83.4 | 81.7 | 83.7 | 80.4 | 79.9 | 83.0 | 72.0 | 72.5 | 72.8 | 86.3 | **29,609.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 25.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | **4,641.0** |
| H2O | 1970 | 516.3 | 467.4 | 519.4 | 489.0 | 441.7 | 434.8 | 348.4 | 424.3 | 397.5 | 421.8 | 415.3 | 362.2 | **31,140.9** |
| OIL | 1970 | 63.6 | 58.3 | 60.9 | 55.5 | 103.9 | 96.3 | 76.1 | 91.8 | 65.9 | 69.3 | 63.9 | 76.1 | **28,669.2** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 28.0 | 28.0 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,286.0** |
| H2O | 1969 | 506.3 | 393.2 | 388.1 | 438.3 | 448.2 | 444.4 | 427.5 | 500.0 | 486.8 | 513.5 | 509.8 | 505.4 | **25,902.8** |
| OIL | 1969 | 92.3 | 73.7 | 64.4 | 60.9 | 67.9 | 71.5 | 75.2 | 83.7 | 76.4 | 69.6 | 66.4 | 65.3 | **27,787.6** |

# Manitoba Production
## 1950 To 1975

Licence ***1623*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-17-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,932.0** |
| H2O | 1968 | 398.3 | 394.9 | 404.3 | 325.2 | 390.8 | 384.8 | 351.1 | 395.6 | 371.3 | 351.7 | 436.4 | 502.7 | **20,341.3** |
| OIL | 1968 | 117.9 | 108.2 | 110.1 | 99.8 | 113.1 | 104.6 | 102.7 | 103.6 | 100.1 | 93.1 | 99.2 | 96.3 | **26,920.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 24.0 | 30.0 | 29.0 | 31.0 | **3,569.0** |
| H2O | 1967 | 159.6 | 180.3 | 194.6 | 196.8 | 186.8 | 143.9 | 140.7 | 147.9 | 180.5 | 373.0 | 385.7 | 374.9 | **15,634.2** |
| OIL | 1967 | 63.4 | 58.2 | 64.0 | 60.1 | 64.0 | 62.0 | 58.2 | 54.2 | 79.9 | 120.0 | 114.9 | 118.7 | **25,671.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,212.0** |
| H2O | 1966 | 273.7 | 242.3 | 267.2 | 249.3 | 268.5 | 237.0 | 247.5 | 235.1 | 149.0 | 157.6 | 156.0 | 226.5 | **12,969.5** |
| OIL | 1966 | 100.4 | 90.9 | 100.6 | 95.8 | 98.0 | 93.6 | 98.0 | 102.8 | 88.0 | 58.5 | 56.7 | 61.2 | **24,754.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,847.0** |
| H2O | 1965 | 225.3 | 202.9 | 225.4 | 297.7 | 310.0 | 291.7 | 277.1 | 300.8 | 261.5 | 278.2 | 262.1 | 273.3 | **10,259.8** |
| OIL | 1965 | 141.1 | 123.5 | 137.1 | 128.2 | 137.6 | 133.2 | 134.3 | 115.1 | 114.4 | 114.4 | 98.5 | 95.5 | **23,709.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,485.0** |
| H2O | 1964 | 290.9 | 272.3 | 293.4 | 272.0 | 290.1 | 278.5 | 278.8 | 278.8 | 248.6 | 268.3 | 239.1 | 220.2 | **7,053.8** |
| OIL | 1964 | 246.3 | 230.4 | 246.3 | 238.4 | 244.7 | 215.3 | 188.3 | 192.0 | 173.5 | 169.7 | 156.4 | 148.7 | **22,236.6** |
| DAY | 1963 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,119.0** |
| H2O | 1963 | 143.6 | 149.2 | 160.6 | 164.6 | 239.6 | 235.9 | 266.1 | 276.4 | 267.9 | 276.1 | 272.2 | 309.0 | **3,822.8** |
| OIL | 1963 | 261.1 | 232.5 | 253.6 | 247.9 | 286.5 | 257.9 | 256.2 | 256.2 | 241.9 | 246.3 | 238.4 | 246.3 | **19,786.6** |
| DAY | 1962 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,755.0** |
| H2O | 1962 | 0.8 | 1.0 | 30.0 | 60.7 | 84.4 | 95.9 | 107.8 | 118.1 | 123.5 | 142.6 | 136.9 | 139.0 | **1,061.6** |
| OIL | 1962 | 297.2 | 266.5 | 293.2 | 288.9 | 288.3 | 288.9 | 300.0 | 298.3 | 285.3 | 280.2 | 252.7 | 261.1 | **16,761.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | **1,391.0** |
| H2O | 1961 | 0.5 | 0.6 | 0.5 | 0.6 | 0.5 | 0.6 | 0.6 | 0.6 | 0.5 | 0.6 | 0.6 | 0.6 | **20.9** |
| OIL | 1961 | 300.3 | 273.3 | 298.3 | 290.0 | 311.5 | 293.2 | 301.9 | 266.8 | 256.5 | 287.6 | 294.0 | 294.0 | **13,361.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,029.0** |
| H2O | 1960 | 0.8 | 0.6 | 0.8 | 0.6 | 0.6 | 0.8 | 0.6 | 0.6 | 0.8 | 0.6 | 0.8 | 0.8 | **14.1** |
| OIL | 1960 | 321.3 | 298.1 | 314.8 | 308.3 | 308.0 | 303.2 | 313.2 | 291.1 | 307.8 | 299.2 | 286.0 | 295.6 | **9,893.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **664.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 1.3 | 0.6 | 0.8 | 0.8 | 0.6 | 0.8 | **5.7** |
| OIL | 1959 | 257.1 | 225.5 | 267.6 | 292.6 | 291.8 | 282.7 | 289.4 | 271.1 | 278.7 | 291.6 | 296.2 | 306.7 | **6,247.2** |
| DAY | 1958 | 0.0 | 1.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **302.0** |
| OIL | 1958 | 0.0 | 17.3 | 316.9 | 260.9 | 276.0 | 268.7 | 330.7 | 315.3 | 300.3 | 287.8 | 260.9 | 261.4 | **2,896.2** |

Licence ***1624*** Well Name ***Bralorne South Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-26-009-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole E*** Field Code ***5*** Pool Code ***59E*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **550.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 9.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **862.4** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 4.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **356.9** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 3.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **546.0** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 2.4 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **352.3** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 10.0 | 12.0 | 13.0 | 0.0 | 0.0 | 0.0 | 0.0 | **540.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 5.6 | 11.9 | 10.8 | 0.0 | 0.0 | 0.0 | 0.0 | **853.1** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 4.0 | 6.4 | 4.4 | 0.0 | 0.0 | 0.0 | 0.0 | **346.7** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 6.0 | 0.0 | **493.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 1.6 | 0.0 | **823.8** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.7 | 1.6 | 0.0 | **327.9** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 4.0 | 0.0 | 0.0 | 22.0 | 11.0 | 9.0 | 0.0 | 0.0 | 0.0 | **481.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 3.2 | 0.0 | 0.0 | 17.5 | 3.5 | 5.7 | 0.0 | 0.0 | 0.0 | **820.6** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 3.2 | 0.0 | 0.0 | 3.5 | 3.5 | 2.9 | 0.0 | 0.0 | 0.0 | **324.6** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 9.0 | 14.0 | 18.0 | 0.0 | 9.0 | 7.0 | 0.0 | **435.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1624*** Well Name ***Bralorne South Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-26-009-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole E*** Field Code ***5*** Pool Code ***59E*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 3.2 | 4.5 | 10.5 | 0.0 | 1.6 | 3.3 | 0.0 | **790.7** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 1.4 | 4.4 | 5.4 | 0.0 | 1.4 | 1.1 | 0.0 | **311.5** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 3.0 | 22.0 | 20.0 | 29.0 | 25.0 | 18.0 | 7.0 | 0.0 | 0.0 | **369.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 13.2 | 2.7 | 12.1 | 19.7 | 2.9 | 2.2 | 0.0 | 0.0 | **765.5** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 4.8 | 3.7 | 3.2 | 4.9 | 4.8 | 2.9 | 1.1 | 0.0 | 0.0 | **295.7** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 21.0 | 21.0 | 15.0 | 0.0 | 0.0 | **245.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.9 | 19.9 | 16.7 | 11.9 | 0.0 | 0.0 | **712.7** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.7 | 3.5 | 3.3 | 2.4 | 0.0 | 0.0 | **270.3** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 11.0 | 19.0 | 13.0 | 0.0 | 22.0 | 10.0 | 5.0 | 0.0 | 0.0 | **176.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 4.6 | 5.7 | 4.1 | 0.0 | 47.5 | 22.9 | 9.5 | 0.0 | 0.0 | **659.3** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 7.0 | 2.9 | 2.2 | 0.0 | 29.6 | 11.4 | 4.9 | 0.0 | 0.0 | **258.4** |
| DAY | 1958 | 0.0 | 0.0 | 10.0 | 0.0 | 14.0 | 12.0 | 26.0 | 23.0 | 11.0 | 0.0 | 0.0 | 0.0 | **96.0** |
| H2O | 1958 | 0.0 | 0.0 | 64.1 | 0.0 | 20.8 | 30.7 | 215.0 | 190.2 | 44.2 | 0.0 | 0.0 | 0.0 | **565.0** |
| OIL | 1958 | 0.0 | 0.0 | 71.5 | 0.0 | 20.2 | 23.5 | 31.6 | 30.4 | 23.2 | 0.0 | 0.0 | 0.0 | **200.4** |

Licence ***1625*** Well Name ***Enerplus West Routledge*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-19-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 5.0 | 0.0 | 5.0 | 0.0 | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | **286.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 17.6 | 0.0 | 11.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,304.3** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 8.8 | 0.0 | 11.9 | 0.0 | 1.6 | 3.2 | 0.0 | 0.0 | 0.0 | **1,621.2** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 1.0 | 3.0 | 4.0 | 3.0 | 2.0 | 0.0 | 0.0 | **274.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.2 | 0.0 | 0.0 | 0.0 | **2,275.6** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 12.9 | 5.9 | 4.1 | 9.5 | 8.9 | 2.9 | 0.0 | 0.0 | **1,595.7** |
| DAY | 1958 | 0.0 | 7.0 | 27.0 | 27.0 | 19.0 | 30.0 | 31.0 | 29.0 | 28.0 | 30.0 | 25.0 | 0.0 | **253.0** |
| H2O | 1958 | 0.0 | 11.4 | 6.0 | 73.9 | 245.0 | 274.1 | 386.5 | 288.9 | 293.3 | 336.6 | 357.7 | 0.0 | **2,273.4** |
| OIL | 1958 | 0.0 | 88.8 | 250.1 | 281.1 | 102.7 | 161.9 | 194.7 | 172.9 | 165.7 | 95.5 | 38.1 | 0.0 | **1,551.5** |

Licence ***1627*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-19-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,327.0** |
| H2O | 1975 | 4495.8 | 3977.7 | 4424.9 | 3962.4 | 4335.5 | 4220.4 | 4664.0 | 4882.8 | 4686.6 | 5139.3 | 4534.3 | 4761.9 | **337,989.1** |
| OIL | 1975 | 64.8 | 60.9 | 66.1 | 50.1 | 61.2 | 58.0 | 65.6 | 67.4 | 62.3 | 39.7 | 37.0 | 38.8 | **19,382.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | **5,963.0** |
| H2O | 1974 | 5050.8 | 4512.2 | 4419.2 | 4187.7 | 3767.5 | 4339.5 | 4236.5 | 4566.9 | 4530.5 | 4721.9 | 4439.7 | 4469.6 | **283,903.5** |
| OIL | 1974 | 102.2 | 90.6 | 73.4 | 74.7 | 84.2 | 80.2 | 77.7 | 77.7 | 80.1 | 82.2 | 63.2 | 65.6 | **18,710.4** |
| DAY | 1973 | 28.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 30.0 | 23.0 | 30.0 | 29.0 | 30.0 | 31.0 | **5,602.0** |
| H2O | 1973 | 2626.2 | 2331.9 | 3447.3 | 3096.8 | 2720.3 | 3285.0 | 3318.2 | 2556.4 | 3373.6 | 4206.8 | 4366.4 | 5086.6 | **230,661.5** |
| OIL | 1973 | 72.0 | 62.9 | 80.1 | 72.8 | 68.2 | 85.8 | 68.5 | 43.9 | 67.4 | 89.0 | 103.1 | 101.7 | **17,758.6** |
| DAY | 1972 | 30.0 | 29.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,257.0** |
| H2O | 1972 | 3376.9 | 4172.4 | 4124.1 | 3439.2 | 4589.1 | 4932.7 | 4929.3 | 4789.7 | 4491.5 | 3726.3 | 3969.9 | 4022.4 | **190,246.0** |
| OIL | 1972 | 111.4 | 124.7 | 134.0 | 105.8 | 124.7 | 123.2 | 117.8 | 114.1 | 103.1 | 86.9 | 93.4 | 99.6 | **16,843.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 26.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | **4,895.0** |
| H2O | 1971 | 2536.7 | 2737.6 | 3434.3 | 3113.1 | 3372.4 | 3079.6 | 2798.8 | 4486.3 | 2787.9 | 3527.4 | 3160.2 | 3506.8 | **139,682.5** |
| OIL | 1971 | 126.5 | 102.7 | 146.0 | 136.0 | 139.0 | 126.0 | 110.6 | 195.8 | 111.6 | 122.8 | 99.2 | 117.6 | **15,504.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 26.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,539.0** |
| H2O | 1970 | 2344.2 | 2341.3 | 2291.2 | 2166.9 | 2498.5 | 2391.2 | 2085.3 | 2323.2 | 2260.5 | 2276.3 | 2433.3 | 2411.4 | **101,141.4** |
| OIL | 1970 | 60.4 | 149.7 | 91.5 | 85.2 | 136.7 | 123.0 | 106.0 | 117.0 | 112.0 | 111.9 | 111.7 | 129.2 | **13,970.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,181.0** |
| H2O | 1969 | 657.4 | 603.8 | 673.9 | 706.2 | 822.9 | 805.4 | 825.7 | 858.3 | 1861.5 | 2288.5 | 2112.2 | 2335.1 | **73,318.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1627*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-19-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1969 | 65.6 | 58.5 | 65.8 | 66.3 | 71.4 | 67.1 | 69.8 | 73.3 | 107.9 | 114.7 | 108.1 | 108.1 | **12,636.4** |
| DAY | 1968 | 18.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **3,818.0** |
| H2O | 1968 | 408.3 | 701.1 | 834.8 | 612.2 | 619.7 | 717.6 | 745.9 | 736.7 | 680.4 | 671.8 | 695.9 | 930.0 | **58,767.2** |
| OIL | 1968 | 47.2 | 67.9 | 68.6 | 63.9 | 66.1 | 67.4 | 65.9 | 66.9 | 66.3 | 60.2 | 55.3 | 59.0 | **11,659.8** |
| DAY | 1967 | 31.0 | 26.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,468.0** |
| H2O | 1967 | 923.0 | 563.9 | 661.5 | 668.7 | 632.1 | 693.9 | 691.2 | 699.7 | 640.7 | 714.3 | 663.6 | 155.6 | **50,412.8** |
| OIL | 1967 | 83.4 | 69.6 | 82.5 | 82.2 | 74.7 | 77.7 | 79.0 | 78.2 | 70.9 | 74.4 | 67.5 | 65.2 | **10,905.1** |
| DAY | 1966 | 31.0 | 27.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | **3,108.0** |
| H2O | 1966 | 602.7 | 492.7 | 680.6 | 681.7 | 776.9 | 749.0 | 825.9 | 752.0 | 728.4 | 705.9 | 692.2 | 683.5 | **42,704.6** |
| OIL | 1966 | 60.4 | 47.4 | 78.8 | 71.2 | 76.8 | 73.7 | 73.7 | 73.6 | 64.8 | 75.8 | 70.2 | 71.2 | **9,999.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,750.0** |
| H2O | 1965 | 374.4 | 324.0 | 341.8 | 385.8 | 696.3 | 597.6 | 580.9 | 590.9 | 537.0 | 564.5 | 540.8 | 607.8 | **34,333.1** |
| OIL | 1965 | 44.2 | 42.7 | 46.1 | 46.1 | 89.0 | 78.3 | 73.9 | 72.1 | 66.4 | 65.0 | 59.8 | 62.9 | **9,162.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,386.0** |
| H2O | 1964 | 497.9 | 490.5 | 534.3 | 472.2 | 450.1 | 307.3 | 337.0 | 330.7 | 313.2 | 304.4 | 359.1 | 377.6 | **28,191.3** |
| OIL | 1964 | 72.0 | 66.9 | 67.5 | 59.8 | 55.8 | 55.1 | 57.7 | 54.7 | 51.8 | 49.4 | 50.4 | 52.0 | **8,415.7** |
| DAY | 1963 | 31.0 | 28.0 | 23.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | **2,022.0** |
| H2O | 1963 | 364.9 | 319.2 | 276.8 | 325.0 | 399.7 | 370.3 | 391.7 | 558.0 | 489.2 | 407.5 | 499.2 | 494.6 | **23,417.0** |
| OIL | 1963 | 67.9 | 80.9 | 64.0 | 65.9 | 77.1 | 85.2 | 82.3 | 86.1 | 80.6 | 74.1 | 78.0 | 72.0 | **7,722.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 27.0 | 29.0 | 31.0 | **1,675.0** |
| H2O | 1962 | 419.9 | 366.8 | 368.5 | 183.0 | 654.8 | 664.7 | 668.2 | 458.8 | 414.9 | 355.0 | 333.9 | 363.1 | **18,520.9** |
| OIL | 1962 | 60.5 | 51.8 | 52.6 | 57.0 | 115.5 | 111.9 | 108.1 | 83.6 | 72.8 | 69.8 | 64.5 | 69.1 | **6,808.5** |
| DAY | 1961 | 31.0 | 25.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,317.0** |
| H2O | 1961 | 396.7 | 248.8 | 311.4 | 327.7 | 493.3 | 423.8 | 362.0 | 348.5 | 386.2 | 415.6 | 384.3 | 418.6 | **13,269.3** |
| OIL | 1961 | 100.7 | 56.3 | 61.2 | 62.6 | 94.7 | 79.9 | 78.7 | 68.8 | 70.4 | 71.5 | 63.2 | 64.4 | **5,891.3** |
| DAY | 1960 | 24.0 | 27.0 | 30.0 | 26.0 | 31.0 | 27.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **958.0** |
| H2O | 1960 | 223.8 | 335.0 | 421.5 | 310.3 | 396.2 | 358.2 | 311.9 | 380.3 | 369.8 | 333.1 | 392.0 | 437.0 | **8,752.4** |
| OIL | 1960 | 96.9 | 110.0 | 97.1 | 85.0 | 110.8 | 108.7 | 100.1 | 108.9 | 103.6 | 85.5 | 103.9 | 106.9 | **5,018.9** |
| DAY | 1959 | 31.0 | 28.0 | 27.0 | 30.0 | 27.0 | 30.0 | 30.0 | 16.0 | 21.0 | 22.0 | 30.0 | 31.0 | **614.0** |
| H2O | 1959 | 226.1 | 211.6 | 183.5 | 204.9 | 226.5 | 255.6 | 266.6 | 175.7 | 151.7 | 150.7 | 233.5 | 306.4 | **4,483.3** |
| OIL | 1959 | 185.3 | 165.6 | 153.7 | 134.8 | 121.4 | 126.7 | 119.2 | 79.0 | 78.7 | 75.3 | 97.1 | 105.8 | **3,801.5** |
| DAY | 1958 | 0.0 | 1.0 | 27.0 | 28.0 | 29.0 | 23.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **291.0** |
| H2O | 1958 | 0.0 | 0.5 | 0.6 | 44.0 | 200.5 | 165.5 | 245.1 | 249.8 | 255.2 | 231.3 | 236.2 | 261.8 | **1,890.5** |
| OIL | 1958 | 0.0 | 27.0 | 246.8 | 294.6 | 214.5 | 249.5 | 315.1 | 245.0 | 205.9 | 203.6 | 204.7 | 152.2 | **2,358.9** |

Licence ***1630*** Well Name ***Routledge Unit No. 1 SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-17-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 20238.2 | 17360.6 | 18521.2 | 15667.5 | 14546.8 | 16867.8 | 17201.6 | 19374.3 | 17434.7 | 17917.1 | 19689.7 | 21192.1 | **1,132,657.7** |
| WIN | 1974 | 23257.2 | 20715.4 | 21661.1 | 21085.2 | 19832.8 | 20504.5 | 21343.1 | 22659.2 | 20254.1 | 19014.0 | 18044.3 | 20444.9 | **916,646.1** |
| WIN | 1973 | 23929.6 | 22055.2 | 24304.5 | 25317.6 | 19771.1 | 24214.7 | 23638.3 | 23807.4 | 26854.2 | 26675.3 | 25350.6 | 24135.2 | **667,830.3** |
| WIN | 1972 | 20639.0 | 19764.3 | 23415.8 | 17608.6 | 18969.4 | 17372.7 | 18789.0 | 17955.9 | 18702.2 | 21499.9 | 22440.5 | 24373.8 | **377,776.6** |
| WIN | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22750.2 | 20368.3 | 22263.5 | 23013.2 | 24019.9 | 23830.4 | **136,245.5** |
| DAY | 1967 | 31.0 | 14.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,063.0** |
| H2O | 1967 | 751.2 | 251.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **33,165.4** |
| OIL | 1967 | 17.4 | 6.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **12,980.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | **3,018.0** |
| H2O | 1966 | 344.7 | 293.0 | 389.3 | 323.2 | 424.5 | 407.0 | 451.3 | 413.2 | 388.5 | 576.9 | 565.5 | 564.5 | **32,162.5** |
| OIL | 1966 | 18.3 | 14.8 | 23.8 | 20.0 | 24.8 | 23.7 | 23.8 | 23.8 | 20.3 | 16.0 | 14.8 | 15.1 | **12,956.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,662.0** |
| H2O | 1965 | 571.2 | 494.3 | 521.5 | 588.7 | 346.9 | 337.2 | 326.1 | 340.4 | 314.0 | 322.9 | 313.7 | 347.8 | **27,020.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1630*** Well Name ***Routledge Unit No. 1 SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-17-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1965 | 62.3 | 60.5 | 64.8 | 64.8 | 23.4 | 23.2 | 21.8 | 21.9 | 20.5 | 19.5 | 18.3 | 18.9 | **12,717.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 23.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **2,301.0** |
| H2O | 1964 | 541.8 | 533.9 | 581.5 | 513.7 | 512.7 | 385.4 | 503.6 | 504.4 | 408.9 | 475.8 | 547.8 | 576.0 | **22,196.2** |
| OIL | 1964 | 75.6 | 70.2 | 71.0 | 62.8 | 61.7 | 63.7 | 79.6 | 77.1 | 62.5 | 71.4 | 70.9 | 72.9 | **12,297.1** |
| DAY | 1963 | 31.0 | 28.0 | 22.0 | 26.0 | 31.0 | 25.0 | 31.0 | 27.0 | 25.0 | 27.0 | 30.0 | 31.0 | **1,946.0** |
| H2O | 1963 | 385.5 | 337.5 | 279.8 | 358.5 | 415.4 | 286.0 | 342.6 | 421.9 | 370.6 | 430.2 | 543.2 | 552.9 | **16,110.7** |
| OIL | 1963 | 100.7 | 120.3 | 91.2 | 102.2 | 112.5 | 93.8 | 102.3 | 106.9 | 102.0 | 78.0 | 82.3 | 77.7 | **11,457.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 28.0 | 28.0 | 27.0 | 29.0 | 27.0 | **1,612.0** |
| H2O | 1962 | 418.1 | 358.0 | 359.5 | 553.1 | 405.9 | 504.1 | 506.7 | 426.2 | 438.6 | 374.9 | 357.4 | 321.8 | **11,386.6** |
| OIL | 1962 | 147.5 | 123.5 | 125.9 | 143.5 | 113.0 | 133.8 | 129.2 | 109.0 | 108.1 | 103.6 | 97.1 | 86.0 | **10,287.8** |
| DAY | 1961 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,266.0** |
| H2O | 1961 | 67.2 | 175.7 | 228.1 | 224.2 | 165.2 | 150.1 | 353.3 | 383.1 | 376.8 | 405.6 | 397.6 | 408.4 | **6,362.3** |
| OIL | 1961 | 141.4 | 100.7 | 113.9 | 108.7 | 117.1 | 104.9 | 177.0 | 185.3 | 168.3 | 170.7 | 160.0 | 153.7 | **8,867.6** |
| DAY | 1960 | 27.0 | 27.0 | 29.0 | 28.0 | 27.0 | 26.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **905.0** |
| H2O | 1960 | 103.8 | 129.6 | 184.6 | 150.9 | 148.3 | 102.7 | 61.5 | 75.8 | 73.8 | 58.7 | 66.9 | 74.4 | **3,027.0** |
| OIL | 1960 | 218.3 | 218.7 | 215.8 | 209.4 | 205.5 | 180.2 | 119.0 | 130.8 | 124.6 | 124.7 | 146.7 | 150.3 | **7,165.9** |
| DAY | 1959 | 17.0 | 11.0 | 26.0 | 30.0 | 28.0 | 29.0 | 31.0 | 26.0 | 30.0 | 22.0 | 29.0 | 28.0 | **561.0** |
| H2O | 1959 | 79.0 | 51.8 | 111.8 | 59.8 | 68.7 | 73.1 | 81.4 | 80.9 | 54.1 | 48.0 | 73.1 | 91.9 | **1,796.0** |
| OIL | 1959 | 176.4 | 110.4 | 255.5 | 249.2 | 284.1 | 279.7 | 280.8 | 224.1 | 242.5 | 184.8 | 233.9 | 244.1 | **5,121.9** |
| DAY | 1958 | 0.0 | 0.0 | 13.0 | 26.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 30.0 | 24.0 | 12.0 | **254.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.2 | 29.6 | 56.6 | 41.2 | 55.8 | 173.4 | 186.6 | 165.5 | 145.5 | 68.0 | **922.4** |
| OIL | 1958 | 0.0 | 0.0 | 118.1 | 270.6 | 228.8 | 235.2 | 271.3 | 297.0 | 301.9 | 291.8 | 232.2 | 109.5 | **2,356.4** |

Licence ***1631*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-14-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 28.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **6,191.0** |
| H2O | 1975 | 1759.7 | 1750.8 | 2024.0 | 1961.7 | 1992.5 | 2384.9 | 2441.5 | 2406.3 | 2368.5 | 2543.8 | 2456.1 | 2597.3 | **232,260.1** |
| OIL | 1975 | 290.5 | 279.4 | 318.1 | 301.8 | 301.3 | 343.1 | 360.4 | 362.3 | 351.4 | 363.6 | 338.3 | 357.2 | **102,427.9** |
| DAY | 1974 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,831.0** |
| H2O | 1974 | 1159.4 | 1078.5 | 1333.4 | 1294.3 | 1301.1 | 1200.0 | 1363.6 | 1251.0 | 1173.1 | 1967.2 | 1962.3 | 1961.8 | **205,573.0** |
| OIL | 1974 | 310.4 | 271.4 | 343.2 | 326.4 | 339.9 | 292.4 | 339.7 | 338.3 | 308.9 | 333.4 | 318.3 | 328.5 | **98,460.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 29.0 | 29.0 | 28.0 | 29.0 | 31.0 | 27.0 | 28.0 | 30.0 | 31.0 | **5,472.0** |
| H2O | 1973 | 3189.5 | 3053.8 | 3303.8 | 3186.9 | 3007.4 | 2952.7 | 2948.1 | 1417.1 | 1237.0 | 1293.0 | 1329.5 | 1289.0 | **188,527.3** |
| OIL | 1973 | 695.2 | 611.5 | 680.0 | 642.2 | 624.4 | 617.8 | 636.6 | 353.9 | 299.4 | 316.5 | 330.1 | 334.8 | **94,609.7** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 26.0 | 31.0 | **5,120.0** |
| H2O | 1972 | 2070.7 | 2090.0 | 2226.5 | 2031.4 | 2179.9 | 2427.3 | 2693.4 | 2922.4 | 2684.9 | 3249.6 | 2665.9 | 3256.9 | **160,319.5** |
| OIL | 1972 | 696.5 | 673.0 | 711.3 | 696.0 | 676.0 | 729.7 | 751.5 | 698.4 | 611.3 | 716.5 | 563.0 | 706.0 | **88,467.3** |
| DAY | 1971 | 29.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,762.0** |
| H2O | 1971 | 1434.3 | 1413.3 | 1626.0 | 1581.9 | 1256.6 | 1550.4 | 1612.5 | 1554.7 | 1268.3 | 1496.2 | 1467.5 | 1757.5 | **129,820.6** |
| OIL | 1971 | 627.7 | 603.1 | 667.4 | 614.2 | 498.0 | 599.9 | 643.9 | 632.0 | 568.1 | 622.0 | 598.6 | 624.8 | **80,238.1** |
| DAY | 1970 | 30.0 | 28.0 | 31.0 | 28.0 | 31.0 | 25.0 | 26.0 | 31.0 | 28.0 | 29.0 | 28.0 | 31.0 | **4,405.0** |
| H2O | 1970 | 1800.8 | 1806.3 | 1890.6 | 1503.5 | 1797.7 | 1371.5 | 1189.2 | 1717.3 | 1449.3 | 1535.7 | 1408.1 | 1596.2 | **111,801.4** |
| OIL | 1970 | 779.3 | 751.0 | 819.5 | 680.8 | 815.8 | 527.3 | 514.1 | 647.1 | 560.2 | 603.5 | 581.8 | 622.5 | **72,938.4** |
| DAY | 1969 | 31.0 | 27.0 | 31.0 | 29.0 | 29.0 | 24.0 | 31.0 | 29.0 | 29.0 | 31.0 | 25.0 | 31.0 | **4,059.0** |
| H2O | 1969 | 1848.0 | 1583.1 | 1574.1 | 1535.6 | 1644.3 | 311.0 | 441.2 | 1868.2 | 1783.8 | 2014.3 | 1517.0 | 1997.9 | **92,735.2** |
| OIL | 1969 | 1094.1 | 912.3 | 1067.6 | 994.0 | 993.5 | 800.9 | 1089.6 | 797.6 | 779.9 | 848.4 | 686.0 | 862.1 | **65,035.5** |
| DAY | 1968 | 29.0 | 29.0 | 31.0 | 29.0 | 31.0 | 28.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,712.0** |
| H2O | 1968 | 1626.0 | 1629.7 | 1719.7 | 1724.9 | 1841.8 | 1598.2 | 1620.6 | 1689.0 | 1694.2 | 1679.5 | 1657.8 | 1763.6 | **74,616.7** |
| OIL | 1968 | 1111.9 | 1076.5 | 1075.0 | 1043.1 | 1066.1 | 993.5 | 960.0 | 1094.7 | 1056.0 | 1036.6 | 1061.7 | 1094.4 | **54,109.5** |
| DAY | 1967 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | 30.0 | 20.0 | 29.0 | 30.0 | 27.0 | 30.0 | 27.0 | **3,355.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1631*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-14-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1967 | 1681.1 | 1396.6 | 1583.9 | 1704.7 | 1510.9 | 1400.8 | 657.1 | 1744.8 | 1708.6 | 1538.9 | 1535.7 | 1570.6 | **54,371.7** |
| OIL | 1967 | 984.0 | 878.9 | 866.7 | 967.6 | 1090.1 | 1029.3 | 636.9 | 1038.6 | 1117.6 | 984.1 | 1089.5 | 1034.0 | **41,440.0** |
| DAY | 1966 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | 31.0 | 29.0 | 27.0 | 29.0 | 31.0 | **3,015.0** |
| H2O | 1966 | 1064.2 | 783.9 | 1083.8 | 1124.5 | 1267.5 | 1118.7 | 1335.0 | 1814.8 | 1568.0 | 1456.3 | 1585.7 | 1786.1 | **36,338.0** |
| OIL | 1966 | 814.6 | 659.5 | 794.1 | 715.9 | 749.1 | 720.0 | 800.1 | 1092.5 | 912.8 | 854.3 | 905.6 | 996.2 | **29,722.7** |
| DAY | 1965 | 30.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 25.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | **2,665.0** |
| H2O | 1965 | 873.1 | 814.1 | 923.7 | 782.0 | 855.0 | 779.5 | 545.0 | 949.7 | 895.1 | 1049.3 | 1086.6 | 1115.2 | **20,349.5** |
| OIL | 1965 | 683.6 | 654.1 | 703.5 | 656.5 | 651.7 | 664.9 | 482.6 | 794.9 | 675.0 | 830.6 | 796.8 | 823.9 | **19,708.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 27.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **2,314.0** |
| H2O | 1964 | 100.5 | 180.1 | 304.8 | 302.7 | 311.8 | 400.8 | 431.2 | 520.2 | 506.2 | 396.0 | 753.9 | 817.3 | **9,681.2** |
| OIL | 1964 | 90.9 | 140.2 | 273.8 | 270.9 | 291.9 | 396.8 | 410.9 | 492.6 | 476.6 | 379.6 | 596.9 | 648.4 | **11,289.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 21.0 | **1,960.0** |
| H2O | 1963 | 81.4 | 85.7 | 90.9 | 106.5 | 77.9 | 89.2 | 97.8 | 78.7 | 78.2 | 83.9 | 90.1 | 67.1 | **4,655.7** |
| OIL | 1963 | 83.9 | 75.6 | 72.8 | 64.5 | 77.9 | 76.3 | 78.2 | 76.6 | 78.7 | 79.3 | 79.1 | 59.1 | **6,820.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,608.0** |
| H2O | 1962 | 100.5 | 94.1 | 93.6 | 92.2 | 97.6 | 76.9 | 95.5 | 100.0 | 92.0 | 82.5 | 67.6 | 82.5 | **3,628.3** |
| OIL | 1962 | 107.9 | 89.9 | 101.2 | 94.2 | 98.0 | 94.1 | 94.4 | 92.8 | 86.8 | 83.9 | 81.0 | 83.1 | **5,918.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,247.0** |
| H2O | 1961 | 85.2 | 68.0 | 82.5 | 82.0 | 71.9 | 78.1 | 77.6 | 92.8 | 91.9 | 87.3 | 94.8 | 89.7 | **2,553.3** |
| OIL | 1961 | 120.5 | 106.6 | 114.6 | 99.3 | 97.1 | 107.1 | 110.1 | 103.3 | 109.8 | 102.8 | 119.0 | 112.7 | **4,811.1** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 15.0 | 0.0 | 25.0 | 27.0 | 26.0 | 29.0 | 31.0 | 30.0 | 31.0 | **884.0** |
| H2O | 1960 | 86.5 | 115.3 | 113.7 | 81.2 | 0.0 | 148.6 | 104.1 | 84.9 | 52.6 | 70.3 | 125.6 | 71.2 | **1,551.5** |
| OIL | 1960 | 89.0 | 76.8 | 78.2 | 18.3 | 0.0 | 13.8 | 34.5 | 91.2 | 116.5 | 107.6 | 122.4 | 110.1 | **3,508.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 9.0 | 29.0 | 29.0 | 23.0 | 30.0 | 31.0 | **580.0** |
| H2O | 1959 | 4.8 | 4.5 | 4.9 | 4.8 | 4.9 | 4.8 | 1.4 | 59.0 | 53.3 | 47.2 | 133.1 | 134.0 | **497.5** |
| OIL | 1959 | 99.0 | 53.4 | 63.4 | 49.6 | 52.6 | 36.4 | 64.2 | 131.7 | 154.3 | 142.9 | 148.7 | 118.1 | **2,649.8** |
| DAY | 1958 | 0.0 | 0.0 | 6.0 | 12.0 | 26.0 | 25.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **248.0** |
| H2O | 1958 | 0.0 | 0.0 | 2.5 | 4.5 | 3.8 | 4.0 | 4.8 | 3.2 | 4.0 | 4.8 | 4.6 | 4.6 | **40.8** |
| OIL | 1958 | 0.0 | 0.0 | 72.8 | 132.8 | 257.9 | 227.7 | 216.1 | 148.3 | 157.6 | 137.5 | 108.5 | 76.3 | **1,535.5** |

Licence ***1632*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-20-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | **6,141.0** |
| H2O | 1975 | 68.0 | 57.7 | 65.8 | 63.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.5 | 23.8 | 25.1 | **11,563.3** |
| OIL | 1975 | 38.1 | 34.2 | 38.0 | 36.9 | 46.1 | 51.5 | 56.4 | 57.2 | 55.5 | 23.0 | 28.0 | 29.1 | **10,453.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **5,786.0** |
| H2O | 1974 | 69.3 | 62.3 | 69.5 | 65.0 | 59.3 | 63.0 | 56.6 | 71.1 | 64.9 | 70.9 | 69.0 | 59.6 | **11,239.4** |
| OIL | 1974 | 35.6 | 31.8 | 35.3 | 33.8 | 38.6 | 33.8 | 30.0 | 37.5 | 37.5 | 39.3 | 38.0 | 34.0 | **9,959.8** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,431.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 18.3 | 71.9 | 62.5 | 67.4 | 62.3 | 60.4 | 70.4 | **10,458.9** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 8.4 | 8.3 | 25.7 | 18.4 | 38.1 | 36.2 | 36.2 | 35.8 | **9,534.6** |
| DAY | 1972 | 30.0 | 29.0 | 31.0 | 30.0 | 11.0 | 15.0 | 31.0 | 30.0 | 29.0 | 30.0 | 0.0 | 0.0 | **5,193.0** |
| H2O | 1972 | 14.5 | 26.4 | 18.4 | 17.2 | 6.7 | 8.7 | 16.9 | 17.8 | 16.7 | 17.6 | 0.0 | 0.0 | **10,027.7** |
| OIL | 1972 | 45.8 | 28.0 | 8.6 | 7.6 | 3.0 | 3.8 | 7.3 | 7.8 | 7.2 | 7.8 | 0.0 | 0.0 | **9,327.5** |
| DAY | 1971 | 31.0 | 28.0 | 29.0 | 30.0 | 22.0 | 26.0 | 31.0 | 31.0 | 27.0 | 31.0 | 28.0 | 31.0 | **4,927.0** |
| H2O | 1971 | 0.0 | 0.0 | 25.8 | 25.4 | 18.9 | 23.2 | 28.5 | 26.9 | 21.9 | 24.6 | 12.4 | 14.3 | **9,866.8** |
| OIL | 1971 | 34.6 | 30.0 | 40.4 | 41.5 | 28.9 | 35.1 | 41.6 | 42.0 | 36.4 | 19.5 | 37.7 | 46.6 | **9,200.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,582.0** |
| H2O | 1970 | 4.9 | 4.3 | 5.1 | 4.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **9,644.9** |
| OIL | 1970 | 45.3 | 31.3 | 39.9 | 41.0 | 37.3 | 31.8 | 35.9 | 33.1 | 33.1 | 32.3 | 30.5 | 36.7 | **8,766.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1632*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-20-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,219.0** |
| H2O | 1969 | 4.9 | 4.8 | 5.4 | 5.1 | 10.8 | 10.2 | 9.4 | 9.9 | 9.9 | 10.3 | 10.3 | 5.2 | **9,625.8** |
| OIL | 1969 | 35.4 | 31.9 | 34.8 | 35.6 | 38.8 | 37.2 | 33.4 | 35.1 | 34.0 | 36.9 | 36.9 | 43.7 | **8,338.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,856.0** |
| H2O | 1968 | 4.9 | 5.1 | 5.9 | 3.7 | 3.5 | 5.6 | 5.9 | 5.9 | 5.4 | 5.6 | 5.6 | 4.8 | **9,529.6** |
| OIL | 1968 | 41.0 | 37.2 | 47.0 | 46.6 | 41.5 | 51.5 | 54.0 | 29.4 | 28.0 | 29.4 | 44.3 | 36.5 | **7,904.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,494.0** |
| H2O | 1967 | 5.4 | 4.8 | 5.4 | 4.6 | 5.1 | 5.1 | 5.1 | 5.1 | 5.2 | 5.6 | 5.1 | 5.1 | **9,467.7** |
| OIL | 1967 | 38.8 | 33.8 | 38.3 | 35.6 | 38.6 | 37.2 | 38.3 | 37.0 | 35.0 | 38.0 | 36.9 | 39.4 | **7,418.0** |
| DAY | 1966 | 10.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,130.0** |
| H2O | 1966 | 1.7 | 4.3 | 4.9 | 1.1 | 4.6 | 4.6 | 5.2 | 5.1 | 5.1 | 5.2 | 5.4 | 5.2 | **9,406.1** |
| OIL | 1966 | 13.8 | 35.0 | 40.2 | 41.0 | 39.7 | 37.5 | 42.0 | 37.3 | 38.0 | 41.5 | 39.9 | 40.7 | **6,971.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,787.0** |
| H2O | 1965 | 11.9 | 11.3 | 11.6 | 3.7 | 3.8 | 3.7 | 4.5 | 4.1 | 4.8 | 5.1 | 5.1 | 5.1 | **9,353.7** |
| OIL | 1965 | 171.0 | 149.2 | 160.5 | 34.5 | 36.5 | 35.4 | 34.5 | 34.0 | 43.1 | 45.9 | 43.1 | 44.0 | **6,524.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,424.0** |
| H2O | 1964 | 4.9 | 4.5 | 4.9 | 4.9 | 0.0 | 4.9 | 5.1 | 9.9 | 9.7 | 10.3 | 10.3 | 11.4 | **9,279.0** |
| OIL | 1964 | 43.4 | 38.6 | 41.6 | 39.6 | 50.1 | 33.8 | 34.8 | 38.6 | 37.3 | 38.5 | 36.9 | 180.4 | **5,692.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,058.0** |
| H2O | 1963 | 5.1 | 4.6 | 5.1 | 5.4 | 1.1 | 4.8 | 4.5 | 4.1 | 4.9 | 5.2 | 4.8 | 4.9 | **9,198.2** |
| OIL | 1963 | 32.7 | 29.7 | 32.4 | 31.1 | 50.9 | 44.5 | 43.5 | 36.9 | 44.7 | 47.2 | 44.0 | 44.5 | **5,079.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,698.0** |
| H2O | 1962 | 10.0 | 9.5 | 10.8 | 3.8 | 3.8 | 3.8 | 5.1 | 5.2 | 4.6 | 5.2 | 5.2 | 5.6 | **9,143.7** |
| OIL | 1962 | 50.5 | 45.8 | 52.1 | 54.8 | 56.4 | 52.1 | 37.2 | 36.2 | 32.7 | 36.5 | 33.8 | 34.6 | **4,597.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,335.0** |
| H2O | 1961 | 0.2 | 0.0 | 8.1 | 5.6 | 7.5 | 2.5 | 1.3 | 5.4 | 4.9 | 10.7 | 9.9 | 9.9 | **9,071.1** |
| OIL | 1961 | 66.1 | 56.6 | 62.3 | 62.1 | 63.9 | 65.5 | 64.0 | 56.4 | 54.0 | 52.4 | 50.1 | 49.6 | **4,074.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 29.0 | 29.0 | 29.0 | 21.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **970.0** |
| H2O | 1960 | 365.3 | 458.7 | 613.2 | 575.3 | 559.1 | 223.7 | 18.3 | 1.3 | 4.0 | 3.5 | 3.7 | 3.8 | **9,005.1** |
| OIL | 1960 | 53.4 | 22.6 | 49.3 | 44.2 | 56.3 | 56.1 | 73.9 | 76.0 | 71.8 | 70.1 | 69.0 | 70.2 | **3,371.4** |
| DAY | 1959 | 30.0 | 18.0 | 21.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **621.0** |
| H2O | 1959 | 229.1 | 111.1 | 136.1 | 449.0 | 526.4 | 503.0 | 390.3 | 382.2 | 319.7 | 329.7 | 294.6 | 380.6 | **6,175.2** |
| OIL | 1959 | 127.0 | 82.0 | 80.1 | 83.4 | 85.3 | 68.5 | 52.8 | 54.7 | 45.0 | 32.4 | 29.6 | 52.3 | **2,658.5** |
| DAY | 1958 | 0.0 | 0.0 | 11.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | **281.0** |
| H2O | 1958 | 0.0 | 0.0 | 50.4 | 210.0 | 250.2 | 294.9 | 225.0 | 268.4 | 223.2 | 199.0 | 199.4 | 202.9 | **2,123.4** |
| OIL | 1958 | 0.0 | 0.0 | 87.7 | 274.0 | 263.2 | 186.1 | 266.8 | 204.2 | 171.1 | 142.5 | 130.3 | 139.5 | **1,865.4** |

Licence ***1633*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-32-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 30.0 | 31.0 | 19.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,027.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 359.4 | 477.0 | 483.5 | 296.0 | 0.0 | 0.0 | 0.0 | 0.0 | **13,024.3** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 11.4 | 14.3 | 13.3 | 5.9 | 0.0 | 0.0 | 0.0 | 0.0 | **1,764.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 28.0 | 10.0 | 28.0 | 9.0 | 0.0 | **1,925.0** |
| H2O | 1966 | 241.5 | 240.4 | 241.5 | 176.3 | 169.3 | 159.0 | 172.5 | 155.8 | 28.6 | 561.4 | 187.6 | 0.0 | **11,408.4** |
| OIL | 1966 | 34.5 | 31.1 | 34.5 | 30.2 | 29.1 | 27.2 | 26.7 | 22.2 | 3.3 | 12.1 | 3.3 | 0.0 | **1,719.3** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 20.0 | 31.0 | 30.0 | 29.0 | 28.0 | 30.0 | 24.0 | 30.0 | 31.0 | **1,640.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 155.0 | 271.1 | 262.3 | 253.6 | 117.5 | 233.7 | 187.4 | 231.2 | 241.5 | **9,074.5** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 31.3 | 48.1 | 42.9 | 32.4 | 30.0 | 47.7 | 38.1 | 43.4 | 38.0 | **1,465.1** |
| DAY | 1964 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 22.0 | **1,387.0** |
| H2O | 1964 | 197.1 | 171.7 | 197.1 | 190.8 | 190.8 | 23.8 | 25.1 | 24.6 | 58.8 | 73.9 | 71.5 | 51.7 | **7,121.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1633*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-32-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1964 | 23.0 | 15.9 | 22.4 | 19.4 | 19.1 | 14.0 | 9.9 | 9.9 | 12.9 | 14.8 | 14.3 | 10.3 | **1,113.2** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 18.0 | 31.0 | 25.0 | 30.0 | 29.0 | 27.0 | 28.0 | 26.0 | 31.0 | **1,033.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 63.6 | 104.1 | 112.9 | 141.5 | 138.3 | 135.1 | 273.4 | 165.3 | 174.9 | **5,844.3** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 4.6 | 6.0 | 11.6 | 14.1 | 11.6 | 9.7 | 39.9 | 24.8 | 24.3 | **927.3** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 3.0 | 30.0 | 30.0 | 23.0 | 31.0 | 30.0 | 21.0 | 24.0 | 25.0 | **788.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 25.4 | 376.8 | 311.6 | 182.8 | 295.7 | 264.7 | 167.7 | 176.8 | 102.5 | **4,535.2** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 3.0 | 30.2 | 21.0 | 17.8 | 24.6 | 17.2 | 6.7 | 8.9 | 6.2 | **780.7** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 31.0 | 28.0 | 0.0 | 1.0 | 22.0 | 24.0 | **571.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.8 | 106.5 | 87.0 | 0.0 | 4.0 | 77.6 | 108.9 | **2,631.2** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.1 | 10.0 | 8.9 | 0.0 | 2.4 | 22.2 | 14.6 | **645.1** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 13.0 | 19.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 6.0 | 0.0 | **451.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 25.4 | 65.2 | 73.9 | 76.3 | 67.6 | 71.5 | 81.1 | 15.9 | 0.0 | **2,219.4** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 11.9 | 28.6 | 21.0 | 22.2 | 14.3 | 19.9 | 21.5 | 4.8 | 0.0 | **581.9** |
| DAY | 1959 | 0.0 | 0.0 | 29.0 | 26.0 | 30.0 | 22.0 | 27.0 | 29.0 | 30.0 | 21.0 | 5.0 | 0.0 | **261.0** |
| H2O | 1959 | 0.0 | 0.0 | 200.3 | 155.8 | 211.4 | 138.3 | 130.4 | 194.0 | 209.9 | 133.5 | 19.1 | 0.0 | **1,742.5** |
| OIL | 1959 | 0.0 | 0.0 | 52.4 | 38.9 | 69.9 | 39.7 | 38.9 | 43.4 | 31.8 | 17.5 | 4.0 | 0.0 | **437.7** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 28.0 | 3.0 | **42.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 17.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 35.0 | 271.1 | 26.2 | **349.8** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 18.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.9 | 67.7 | 7.2 | **101.2** |

Licence ***1635*** Well Name ***Routledge Unit No. 1 SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-17-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 3592.5 | 3247.5 | 4515.9 | 3883.9 | 4878.2 | 4290.8 | 6993.3 | 6051.2 | 5782.5 | 5912.6 | 5247.1 | 5912.1 | **2,276,417.1** |
| WIN | 1974 | 6443.9 | 5564.3 | 6462.5 | 5961.7 | 1115.2 | 5080.8 | 2926.1 | 3878.4 | 3116.5 | 3328.7 | 3858.8 | 612.4 | **2,216,109.5** |
| WIN | 1973 | 4087.3 | 5911.8 | 3997.9 | 725.0 | 6160.5 | 6509.0 | 6144.6 | 7491.4 | 2563.3 | 3272.0 | 2693.2 | 6654.6 | **2,167,760.2** |
| WIN | 1972 | 9331.5 | 13485.8 | 11736.7 | 11765.8 | 12353.8 | 12473.3 | 9734.7 | 13916.7 | 10149.8 | 11061.7 | 9104.4 | 6162.1 | **2,111,549.6** |
| WIN | 1971 | 18212.2 | 17985.6 | 20879.0 | 20771.3 | 21923.4 | 19598.9 | 2079.5 | 5938.2 | 5918.0 | 9304.1 | 6652.4 | 6162.7 | **1,980,273.3** |
| WIN | 1970 | 22780.5 | 20761.6 | 23169.0 | 21395.9 | 20882.6 | 22207.2 | 20548.7 | 23184.4 | 15986.9 | 17741.9 | 16479.7 | 17710.1 | **1,824,848.0** |
| WIN | 1969 | 22563.7 | 19762.5 | 21431.2 | 20975.1 | 22454.1 | 22044.7 | 22081.8 | 22429.8 | 22684.7 | 24176.2 | 23116.2 | 23814.5 | **1,581,999.5** |
| WIN | 1968 | 16737.8 | 17384.6 | 20765.1 | 20245.4 | 21405.0 | 22443.3 | 23678.4 | 23482.4 | 21736.3 | 22913.9 | 23003.7 | 23506.2 | **1,314,465.0** |
| WIN | 1967 | 16690.7 | 15134.1 | 16435.4 | 15933.3 | 17490.3 | 17843.6 | 18558.9 | 17899.7 | 18049.4 | 19590.0 | 18047.0 | 15666.4 | **1,057,162.9** |
| WIN | 1966 | 14353.1 | 12444.9 | 14633.3 | 14900.4 | 15793.2 | 15490.5 | 15698.1 | 15246.1 | 14682.9 | 15242.2 | 15129.0 | 15585.9 | **849,824.1** |
| WIN | 1965 | 12371.3 | 11064.1 | 12163.5 | 12724.2 | 12168.4 | 12666.5 | 13725.9 | 14488.1 | 12680.3 | 14740.1 | 14334.9 | 14451.4 | **670,624.5** |
| WIN | 1964 | 9609.7 | 9004.6 | 10397.0 | 9692.2 | 10042.8 | 9794.6 | 10461.4 | 10482.4 | 10267.0 | 10787.2 | 11837.5 | 12434.2 | **513,045.8** |
| WIN | 1963 | 7422.7 | 6877.5 | 7169.5 | 7848.5 | 7952.7 | 7169.2 | 7395.6 | 7980.0 | 8093.8 | 8770.8 | 9208.3 | 9806.4 | **388,235.2** |
| WIN | 1962 | 8554.4 | 7591.6 | 8485.4 | 8236.0 | 8820.3 | 8526.3 | 8615.6 | 7963.6 | 7059.9 | 8075.7 | 7919.7 | 7299.0 | **292,540.2** |
| WIN | 1961 | 7378.9 | 6837.0 | 7474.4 | 8603.1 | 8640.9 | 8238.5 | 8664.1 | 8821.9 | 6464.6 | 8895.1 | 8534.2 | 8470.3 | **195,392.7** |
| WIN | 1960 | 6618.7 | 6714.5 | 6984.5 | 7139.1 | 7392.5 | 6797.5 | 7145.6 | 6395.9 | 7153.4 | 5339.6 | 7094.9 | 7390.9 | **98,369.7** |
| WIN | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 176.0 | 1886.6 | 1977.9 | 1971.4 | 1908.3 | 1660.9 | 1505.1 | 5116.4 | **16,202.6** |
| DAY | 1958 | 0.0 | 0.0 | 10.0 | 30.0 | 31.0 | 28.0 | 30.0 | 26.0 | 29.0 | 25.0 | 24.0 | 0.0 | **233.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.3 | 0.2 | 10.8 | 7.0 | 9.9 | 206.2 | 244.2 | 251.2 | 345.5 | 0.0 | **1,075.3** |
| OIL | 1958 | 0.0 | 0.0 | 88.7 | 187.4 | 253.6 | 226.0 | 270.6 | 73.9 | 82.6 | 35.3 | 19.5 | 0.0 | **1,237.6** |

Licence ***1636*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-20-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 28.0 | 31.0 | 16.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,170.0** |
| H2O | 1972 | 583.9 | 544.2 | 557.5 | 530.5 | 509.8 | 360.7 | 406.3 | 216.2 | 0.0 | 0.0 | 0.0 | 0.0 | **75,968.0** |
| OIL | 1972 | 17.3 | 16.4 | 18.3 | 16.4 | 16.5 | 11.4 | 12.2 | 6.8 | 0.0 | 0.0 | 0.0 | 0.0 | **12,182.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 21.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,945.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1636*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-20-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1971 | 569.5 | 494.4 | 602.4 | 543.4 | 588.5 | 398.9 | 561.7 | 570.4 | 498.7 | 504.1 | 524.3 | 581.9 | **72,258.9** |
| OIL | 1971 | 13.7 | 11.8 | 13.3 | 12.7 | 13.0 | 8.9 | 12.1 | 13.0 | 16.4 | 15.9 | 14.8 | 17.6 | **12,067.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 18.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,591.0** |
| H2O | 1970 | 616.0 | 561.0 | 667.9 | 621.9 | 579.6 | 568.2 | 332.4 | 556.9 | 566.9 | 546.3 | 546.3 | 562.3 | **65,820.7** |
| OIL | 1970 | 28.6 | 20.7 | 26.1 | 26.9 | 28.3 | 25.9 | 14.9 | 24.9 | 25.1 | 12.7 | 12.1 | 14.5 | **11,904.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,239.0** |
| H2O | 1969 | 626.7 | 601.1 | 656.7 | 619.9 | 624.6 | 583.0 | 579.6 | 589.8 | 642.3 | 663.3 | 669.5 | 676.5 | **59,095.0** |
| OIL | 1969 | 31.0 | 28.0 | 30.0 | 29.2 | 34.2 | 32.7 | 31.6 | 31.8 | 21.6 | 23.4 | 23.4 | 28.8 | **11,643.3** |
| DAY | 1968 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,875.0** |
| H2O | 1968 | 596.3 | 613.5 | 693.2 | 593.3 | 680.9 | 657.4 | 703.3 | 707.5 | 645.0 | 677.7 | 698.7 | 603.5 | **51,562.0** |
| OIL | 1968 | 37.7 | 34.0 | 41.3 | 26.5 | 27.3 | 27.0 | 29.1 | 29.4 | 27.8 | 29.4 | 30.5 | 32.6 | **11,297.6** |
| DAY | 1967 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,510.0** |
| H2O | 1967 | 665.8 | 558.2 | 686.8 | 596.7 | 626.7 | 611.4 | 636.7 | 618.9 | 644.7 | 683.3 | 624.8 | 605.2 | **43,691.7** |
| OIL | 1967 | 35.4 | 29.4 | 35.0 | 33.5 | 36.7 | 35.1 | 36.7 | 35.1 | 33.2 | 35.6 | 34.6 | 36.1 | **10,925.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,146.0** |
| H2O | 1966 | 449.0 | 397.1 | 430.8 | 573.0 | 551.8 | 294.4 | 314.9 | 304.0 | 606.7 | 647.4 | 666.8 | 655.8 | **36,132.5** |
| OIL | 1966 | 42.9 | 36.4 | 40.2 | 34.3 | 39.7 | 35.8 | 39.7 | 35.3 | 33.2 | 36.7 | 36.4 | 37.2 | **10,508.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,782.0** |
| H2O | 1965 | 613.8 | 579.8 | 590.1 | 494.1 | 611.9 | 613.7 | 743.2 | 724.9 | 404.1 | 455.0 | 440.2 | 452.0 | **30,240.8** |
| OIL | 1965 | 46.1 | 40.0 | 43.2 | 51.0 | 55.3 | 53.9 | 52.3 | 82.0 | 40.2 | 45.9 | 43.1 | 43.9 | **10,060.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,419.0** |
| H2O | 1964 | 515.3 | 467.1 | 511.1 | 491.6 | 545.3 | 529.6 | 540.1 | 511.0 | 500.6 | 533.4 | 530.8 | 597.0 | **23,518.0** |
| OIL | 1964 | 60.1 | 53.6 | 57.8 | 52.6 | 60.9 | 59.4 | 58.8 | 55.5 | 53.6 | 55.3 | 53.1 | 48.5 | **9,463.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,053.0** |
| H2O | 1963 | 444.8 | 404.1 | 424.3 | 469.6 | 493.3 | 487.9 | 449.1 | 544.7 | 476.5 | 550.9 | 498.1 | 520.7 | **17,245.1** |
| OIL | 1963 | 99.2 | 90.1 | 95.2 | 94.4 | 81.7 | 72.0 | 71.5 | 65.5 | 57.4 | 68.0 | 61.0 | 61.8 | **8,794.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 23.0 | 18.0 | 31.0 | 28.0 | 27.0 | **1,691.0** |
| H2O | 1962 | 427.8 | 400.0 | 472.5 | 433.2 | 478.1 | 412.6 | 441.3 | 335.3 | 252.5 | 459.6 | 410.2 | 402.2 | **11,481.1** |
| OIL | 1962 | 127.8 | 110.3 | 119.7 | 111.9 | 113.9 | 118.1 | 112.3 | 81.8 | 62.3 | 110.8 | 93.3 | 88.2 | **7,876.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,352.0** |
| H2O | 1961 | 338.8 | 294.4 | 359.9 | 349.3 | 389.7 | 399.5 | 420.7 | 462.3 | 390.5 | 437.7 | 389.8 | 401.6 | **6,555.8** |
| OIL | 1961 | 199.1 | 174.0 | 180.0 | 160.0 | 164.3 | 160.3 | 153.7 | 159.9 | 138.1 | 150.2 | 138.4 | 123.9 | **6,626.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **988.0** |
| H2O | 1960 | 12.7 | 19.7 | 78.7 | 106.2 | 129.9 | 143.4 | 157.7 | 176.1 | 136.4 | 236.1 | 298.2 | 317.6 | **1,921.6** |
| OIL | 1960 | 90.6 | 158.3 | 168.6 | 163.7 | 153.5 | 134.6 | 143.3 | 141.1 | 144.6 | 175.3 | 198.2 | 202.9 | **4,724.6** |
| DAY | 1959 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **623.0** |
| H2O | 1959 | 5.9 | 5.1 | 6.2 | 11.3 | 7.9 | 8.3 | 2.5 | 2.5 | 2.2 | 4.1 | 4.1 | 13.4 | **108.9** |
| OIL | 1959 | 153.7 | 122.0 | 115.7 | 92.2 | 104.9 | 94.9 | 104.6 | 108.2 | 112.2 | 83.1 | 96.5 | 88.8 | **2,849.9** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 23.0 | 31.0 | 29.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | **264.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 5.7 | 3.5 | 3.0 | 2.4 | 0.3 | 5.1 | 5.1 | 5.4 | 4.9 | **35.4** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 234.1 | 176.2 | 172.4 | 195.1 | 152.4 | 163.4 | 165.1 | 157.2 | 157.2 | **1,573.1** |

Licence ***1639*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-20-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 21.0 | 24.0 | 31.0 | 22.0 | 0.0 | 0.0 | 0.0 | **4,833.0** |
| H2O | 1971 | 597.6 | 527.3 | 597.9 | 284.4 | 308.1 | 208.9 | 232.6 | 298.6 | 227.0 | 0.0 | 0.0 | 0.0 | **77,288.3** |
| OIL | 1971 | 13.7 | 15.4 | 17.5 | 7.9 | 8.3 | 5.4 | 5.9 | 8.1 | 11.7 | 0.0 | 0.0 | 0.0 | **8,740.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 16.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **4,584.0** |
| H2O | 1970 | 653.9 | 579.2 | 689.5 | 642.1 | 598.4 | 586.6 | 300.8 | 574.9 | 585.2 | 583.0 | 573.1 | 567.9 | **74,005.9** |
| OIL | 1970 | 24.6 | 17.3 | 21.9 | 22.7 | 23.7 | 21.9 | 11.1 | 20.8 | 21.0 | 20.8 | 12.1 | 13.8 | **8,646.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1639*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-20-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,235.0** |
| H2O | 1969 | 606.8 | 536.2 | 635.9 | 618.6 | 731.1 | 682.3 | 678.7 | 677.3 | 662.0 | 684.6 | 685.7 | 698.1 | **67,071.3** |
| OIL | 1969 | 31.1 | 25.7 | 30.0 | 31.3 | 24.5 | 23.5 | 22.9 | 22.4 | 21.8 | 23.4 | 23.4 | 24.0 | **8,415.1** |
| DAY | 1968 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,872.0** |
| H2O | 1968 | 523.7 | 538.5 | 611.9 | 517.3 | 711.3 | 712.2 | 714.9 | 713.2 | 653.9 | 685.2 | 676.6 | 578.8 | **59,174.0** |
| OIL | 1968 | 24.3 | 22.1 | 27.0 | 22.1 | 33.8 | 32.6 | 34.2 | 34.0 | 32.4 | 34.0 | 30.7 | 32.1 | **8,111.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,507.0** |
| H2O | 1967 | 553.4 | 486.5 | 570.7 | 495.9 | 531.5 | 518.8 | 540.2 | 524.8 | 546.7 | 579.6 | 529.7 | 459.5 | **51,536.5** |
| OIL | 1967 | 34.6 | 29.9 | 34.2 | 32.6 | 34.3 | 33.1 | 34.3 | 32.9 | 31.0 | 33.5 | 32.6 | 28.1 | **7,751.8** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,142.0** |
| H2O | 1966 | 513.8 | 461.5 | 496.8 | 487.1 | 457.4 | 495.1 | 541.0 | 521.9 | 524.8 | 556.3 | 554.4 | 545.1 | **45,199.2** |
| OIL | 1966 | 23.5 | 20.3 | 22.2 | 20.5 | 23.2 | 32.9 | 37.3 | 33.1 | 33.7 | 36.5 | 35.1 | 36.2 | **7,360.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,777.0** |
| H2O | 1965 | 687.7 | 649.6 | 661.4 | 553.7 | 410.3 | 411.6 | 494.3 | 480.1 | 499.5 | 524.8 | 507.8 | 521.3 | **39,044.0** |
| OIL | 1965 | 28.0 | 24.5 | 26.2 | 31.3 | 32.7 | 32.1 | 31.8 | 33.2 | 23.7 | 25.4 | 23.7 | 24.3 | **7,006.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,412.0** |
| H2O | 1964 | 580.3 | 525.9 | 575.7 | 575.0 | 577.7 | 560.9 | 566.3 | 572.3 | 561.0 | 597.8 | 594.7 | 668.8 | **32,641.9** |
| OIL | 1964 | 62.5 | 55.6 | 60.1 | 56.7 | 33.4 | 32.7 | 32.7 | 33.7 | 32.7 | 33.5 | 32.4 | 29.6 | **6,669.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,046.0** |
| H2O | 1963 | 470.4 | 425.0 | 446.3 | 491.7 | 559.6 | 542.8 | 515.1 | 557.9 | 488.1 | 605.6 | 560.7 | 586.3 | **25,685.5** |
| OIL | 1963 | 50.5 | 45.9 | 48.6 | 48.0 | 67.2 | 63.9 | 62.6 | 63.2 | 55.5 | 68.0 | 63.4 | 64.0 | **6,173.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 25.0 | 18.0 | 31.0 | 30.0 | 31.0 | **1,684.0** |
| H2O | 1962 | 506.4 | 484.6 | 473.9 | 465.0 | 482.0 | 442.6 | 466.4 | 385.2 | 266.9 | 485.8 | 479.0 | 506.8 | **19,436.0** |
| OIL | 1962 | 65.6 | 59.3 | 59.3 | 55.9 | 57.5 | 55.6 | 57.4 | 45.3 | 31.8 | 56.6 | 52.6 | 53.6 | **5,472.9** |
| DAY | 1961 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,337.0** |
| H2O | 1961 | 449.4 | 390.6 | 388.5 | 428.1 | 479.2 | 494.6 | 520.3 | 539.1 | 495.2 | 541.3 | 482.2 | 493.6 | **13,991.4** |
| OIL | 1961 | 64.5 | 56.3 | 59.6 | 77.1 | 76.9 | 63.2 | 66.4 | 67.1 | 63.9 | 68.0 | 62.6 | 64.2 | **4,822.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **976.0** |
| H2O | 1960 | 395.1 | 338.8 | 372.6 | 267.2 | 246.7 | 246.7 | 257.7 | 218.0 | 219.1 | 210.8 | 435.0 | 463.9 | **8,289.3** |
| OIL | 1960 | 84.7 | 78.5 | 85.0 | 61.0 | 62.9 | 61.2 | 62.0 | 58.8 | 47.7 | 48.1 | 109.8 | 112.5 | **4,032.6** |
| DAY | 1959 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 26.0 | 30.0 | 31.0 | **611.0** |
| H2O | 1959 | 83.5 | 43.1 | 49.1 | 14.6 | 10.5 | 22.4 | 456.7 | 438.6 | 469.5 | 416.5 | 375.4 | 413.0 | **4,617.7** |
| OIL | 1959 | 135.9 | 95.8 | 87.9 | 72.8 | 70.7 | 54.0 | 179.1 | 182.0 | 123.9 | 93.8 | 92.0 | 83.3 | **3,160.4** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 21.0 | 31.0 | 29.0 | 30.0 | 30.0 | 27.0 | 30.0 | 29.0 | 31.0 | **258.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 4.1 | 17.3 | 16.1 | 160.4 | 187.6 | 215.3 | 365.8 | 429.7 | 428.5 | **1,824.8** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 215.6 | 309.7 | 292.4 | 224.1 | 219.3 | 175.8 | 174.8 | 135.4 | 142.1 | **1,889.2** |

Licence ***1640*** Well Name ***Shannon Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-18-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 28.0 | 20.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **2,571.0** |
| H2O | 1975 | 640.7 | 601.3 | 555.2 | 209.2 | 591.4 | 545.8 | 585.4 | 487.3 | 393.8 | 446.4 | 432.1 | 447.2 | **49,768.8** |
| OIL | 1975 | 19.7 | 17.8 | 17.8 | 10.8 | 19.7 | 19.1 | 19.1 | 19.7 | 14.0 | 19.7 | 19.1 | 17.8 | **2,428.2** |
| DAY | 1974 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,223.0** |
| H2O | 1974 | 23.1 | 0.0 | 0.0 | 0.0 | 0.0 | 330.5 | 693.3 | 606.4 | 705.4 | 726.6 | 688.7 | 678.6 | **43,833.0** |
| OIL | 1974 | 1.9 | 0.0 | 0.0 | 0.0 | 0.0 | 20.4 | 30.7 | 26.6 | 19.1 | 19.7 | 19.1 | 19.7 | **2,213.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 23.0 | 31.0 | 30.0 | 24.0 | 23.0 | 7.0 | 23.0 | 29.0 | 31.0 | **2,023.0** |
| H2O | 1973 | 744.9 | 672.2 | 733.4 | 530.5 | 737.5 | 715.0 | 546.1 | 510.3 | 152.8 | 512.4 | 675.9 | 689.7 | **39,380.4** |
| OIL | 1973 | 19.1 | 17.8 | 17.8 | 15.1 | 19.7 | 17.8 | 15.9 | 15.6 | 6.4 | 15.9 | 18.3 | 16.2 | **2,056.7** |
| DAY | 1972 | 27.0 | 29.0 | 30.0 | 25.0 | 12.0 | 27.0 | 28.0 | 29.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,712.0** |
| H2O | 1972 | 657.3 | 697.0 | 686.8 | 577.6 | 285.7 | 651.2 | 668.7 | 704.2 | 722.4 | 747.9 | 668.2 | 740.1 | **32,159.7** |

# Manitoba Production
## 1950 To 1975

Licence ***1640*** Well Name ***Shannon Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-18-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1972 | 16.5 | 15.9 | 21.8 | 17.5 | 11.3 | 18.8 | 18.6 | 18.4 | 19.1 | 19.7 | 17.2 | 19.7 | **1,861.1** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 22.0 | 31.0 | 25.0 | 24.0 | 22.0 | 12.0 | 9.0 | 26.0 | 18.0 | **1,385.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 534.2 | 760.3 | 586.2 | 639.1 | 598.0 | 332.6 | 246.4 | 661.4 | 416.4 | **24,352.6** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 22.9 | 24.3 | 19.9 | 18.1 | 15.6 | 12.2 | 9.7 | 19.9 | 13.4 | **1,646.6** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 28.0 | 21.0 | **1,196.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 682.5 | 745.2 | 524.2 | **19,578.0** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.4 | 21.5 | 14.8 | **1,490.6** |
| DAY | 1969 | 31.0 | 25.0 | 11.0 | 15.0 | 30.0 | 30.0 | 29.0 | 28.0 | 30.0 | 31.0 | 9.0 | 12.0 | **1,124.0** |
| H2O | 1969 | 887.1 | 727.4 | 118.3 | 467.4 | 841.8 | 886.8 | 835.2 | 802.3 | 868.1 | 828.5 | 144.7 | 285.9 | **17,626.1** |
| OIL | 1969 | 17.2 | 15.1 | 7.2 | 12.7 | 15.7 | 19.9 | 19.6 | 15.9 | 19.1 | 19.7 | 7.9 | 7.6 | **1,424.9** |
| DAY | 1968 | 5.0 | 0.0 | 28.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **843.0** |
| H2O | 1968 | 73.3 | 0.0 | 53.4 | 97.8 | 421.8 | 606.4 | 748.5 | 635.6 | 545.8 | 462.8 | 783.2 | 743.9 | **9,932.6** |
| OIL | 1968 | 1.6 | 0.0 | 17.8 | 14.1 | 38.2 | 37.5 | 28.6 | 14.6 | 15.9 | 21.0 | 23.4 | 19.7 | **1,247.3** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 5.0 | 3.0 | 30.0 | 31.0 | **540.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.2 | 27.0 | 42.9 | 332.3 | 255.2 | **4,760.1** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 6.0 | 7.8 | 33.4 | 22.9 | **1,014.9** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | **469.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.7 | 0.0 | 0.0 | 0.0 | 0.0 | **4,099.5** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.3 | 0.0 | 0.0 | 0.0 | 0.0 | **943.2** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 30.0 | 10.0 | 3.0 | 0.0 | 0.0 | **464.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 64.9 | 192.4 | 0.0 | 0.0 | 0.0 | **4,078.8** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.2 | 21.9 | 14.0 | 2.2 | 0.0 | 0.0 | **932.9** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 3.0 | 3.0 | 3.0 | 5.0 | 3.0 | 0.0 | 0.0 | **419.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 31.7 | 23.7 | 23.7 | 23.7 | 41.2 | 23.4 | 0.0 | 0.0 | **3,819.9** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 23.5 | 11.9 | 13.0 | 13.0 | 19.4 | 9.4 | 0.0 | 0.0 | **891.6** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 4.0 | 4.0 | 3.0 | 4.0 | 6.0 | 0.0 | 0.0 | **398.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 40.4 | 34.9 | 31.7 | 23.7 | 33.3 | 47.6 | 0.0 | 0.0 | **3,652.5** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 28.8 | 19.9 | 14.9 | 12.1 | 16.1 | 22.9 | 0.0 | 0.0 | **801.4** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 28.0 | 23.0 | 4.0 | 2.0 | 0.0 | 0.0 | **372.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 421.5 | 485.4 | 390.1 | 6.3 | 17.4 | 0.0 | 0.0 | **3,440.9** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 92.3 | 52.9 | 30.4 | 11.6 | 7.2 | 0.0 | 0.0 | **686.7** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 29.0 | 17.0 | 8.0 | 17.0 | 0.0 | 0.0 | **285.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 41.2 | 423.8 | 24.7 | 103.9 | 210.6 | 0.0 | 0.0 | **2,120.2** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 71.6 | 47.4 | 23.4 | 25.7 | 13.4 | 0.0 | 0.0 | **492.3** |
| DAY | 1959 | 0.0 | 0.0 | 27.0 | 8.0 | 29.0 | 30.0 | 24.0 | 13.0 | 13.0 | 3.0 | 0.0 | 0.0 | **185.0** |
| H2O | 1959 | 0.0 | 0.0 | 413.3 | 115.8 | 138.9 | 216.8 | 198.0 | 71.4 | 61.0 | 11.3 | 0.0 | 0.0 | **1,316.0** |
| OIL | 1959 | 0.0 | 0.0 | 53.0 | 27.9 | 30.1 | 31.2 | 40.1 | 31.4 | 25.0 | 1.3 | 0.0 | 0.0 | **310.8** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 26.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **38.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 62.9 | 26.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **89.5** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 8.2 | 39.0 | 23.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **70.8** |

Licence ***1646*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.01-20-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 29.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **6,195.0** |
| H2O | 1975 | 2601.7 | 2209.0 | 2484.2 | 2281.4 | 1873.4 | 2230.2 | 2548.3 | 2634.0 | 2542.7 | 2577.5 | 2609.5 | 2740.5 | **203,516.9** |
| OIL | 1975 | 105.2 | 94.6 | 103.8 | 96.6 | 76.1 | 89.3 | 105.7 | 106.6 | 99.2 | 98.4 | 103.0 | 107.4 | **46,601.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 26.0 | **5,838.0** |
| H2O | 1974 | 3059.9 | 2733.7 | 3039.4 | 2873.9 | 2266.4 | 2610.6 | 2571.5 | 2713.5 | 2321.6 | 2457.7 | 2392.8 | 2150.5 | **174,184.5** |
| OIL | 1974 | 118.2 | 104.6 | 116.2 | 112.7 | 84.4 | 80.2 | 77.5 | 81.8 | 91.4 | 93.0 | 89.6 | 88.5 | **45,416.0** |
| DAY | 1973 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,480.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1646*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.01-20-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1973 | 1748.6 | 1713.8 | 2235.9 | 2176.1 | 2342.9 | 2378.2 | 2536.8 | 2910.9 | 2923.5 | 2629.7 | 2645.3 | 3081.5 | **142,993.0** |
| OIL | 1973 | 103.8 | 98.4 | 132.8 | 141.0 | 147.5 | 142.5 | 142.4 | 135.6 | 123.9 | 115.2 | 119.5 | 117.8 | **44,277.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 16.0 | 31.0 | 24.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,118.0** |
| H2O | 1972 | 3451.6 | 3217.6 | 3406.3 | 1631.1 | 2098.4 | 1417.5 | 1809.4 | 1896.6 | 1701.6 | 1815.7 | 1652.3 | 1674.1 | **113,669.8** |
| OIL | 1972 | 295.9 | 278.4 | 218.7 | 92.2 | 102.5 | 82.2 | 102.3 | 108.9 | 85.5 | 82.0 | 96.9 | 103.6 | **42,757.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 15.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,772.0** |
| H2O | 1971 | 1377.2 | 1208.6 | 2178.0 | 2037.8 | 1880.1 | 1060.1 | 2344.3 | 2089.2 | 2883.6 | 3045.9 | 3100.1 | 3440.0 | **87,897.6** |
| OIL | 1971 | 125.1 | 109.8 | 196.9 | 191.0 | 166.4 | 93.1 | 198.8 | 188.9 | 234.2 | 237.1 | 252.7 | 299.2 | **41,108.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,428.0** |
| H2O | 1970 | 1548.6 | 1349.7 | 1606.7 | 1515.2 | 1412.1 | 1277.9 | 1459.1 | 1356.7 | 1381.2 | 1322.9 | 1283.6 | 1374.9 | **61,252.7** |
| OIL | 1970 | 168.9 | 117.1 | 148.3 | 143.5 | 150.5 | 127.8 | 144.1 | 132.8 | 133.0 | 118.2 | 107.4 | 134.3 | **38,815.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,066.0** |
| H2O | 1969 | 1572.6 | 1483.9 | 1648.1 | 1603.2 | 1757.2 | 1080.7 | 1119.7 | 1068.5 | 1465.2 | 1627.2 | 1598.1 | 1627.0 | **44,364.1** |
| OIL | 1969 | 201.2 | 178.3 | 194.3 | 202.8 | 194.0 | 123.5 | 124.3 | 126.5 | 164.2 | 190.1 | 158.3 | 162.9 | **37,189.3** |
| DAY | 1968 | 31.0 | 25.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **3,706.0** |
| H2O | 1968 | 577.7 | 491.9 | 669.9 | 1786.3 | 1530.3 | 1758.8 | 1854.2 | 1859.9 | 1705.2 | 1771.0 | 1753.5 | 1514.1 | **26,712.7** |
| OIL | 1968 | 221.5 | 166.2 | 243.3 | 331.3 | 216.0 | 235.8 | 248.5 | 250.3 | 238.4 | 219.9 | 198.3 | 210.4 | **35,168.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,349.0** |
| H2O | 1967 | 335.4 | 294.7 | 346.1 | 480.4 | 515.1 | 502.4 | 523.4 | 508.6 | 529.6 | 562.5 | 598.1 | 586.5 | **9,439.9** |
| OIL | 1967 | 233.3 | 202.6 | 230.1 | 252.3 | 266.0 | 255.2 | 265.9 | 254.7 | 240.3 | 259.7 | 199.4 | 212.8 | **32,389.0** |
| DAY | 1966 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,984.0** |
| H2O | 1966 | 111.6 | 95.4 | 110.5 | 106.4 | 185.1 | 232.9 | 220.7 | 212.9 | 214.0 | 337.0 | 335.9 | 329.1 | **3,657.1** |
| OIL | 1966 | 297.6 | 244.1 | 288.1 | 260.9 | 264.9 | 259.8 | 293.2 | 260.0 | 264.6 | 248.4 | 238.7 | 243.3 | **29,516.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,621.0** |
| H2O | 1965 | 14.6 | 13.8 | 14.0 | 36.7 | 99.4 | 87.1 | 0.0 | 104.9 | 93.0 | 107.9 | 113.0 | 115.9 | **1,165.6** |
| OIL | 1965 | 265.1 | 231.1 | 248.7 | 276.5 | 342.6 | 329.4 | 300.0 | 286.0 | 294.5 | 291.9 | 308.6 | 314.3 | **26,353.1** |
| DAY | 1964 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | **2,259.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 7.3 | 7.5 | 8.3 | 11.0 | 17.0 | 16.9 | 18.0 | 10.2 | 14.3 | **365.3** |
| OIL | 1964 | 312.9 | 220.9 | 301.1 | 274.4 | 323.4 | 299.9 | 275.2 | 307.0 | 301.1 | 310.0 | 244.7 | 279.5 | **22,864.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,908.0** |
| H2O | 1963 | 7.6 | 7.0 | 7.6 | 0.0 | 0.0 | 1.1 | 1.1 | 7.3 | 7.3 | 2.7 | 0.0 | 0.0 | **254.8** |
| OIL | 1963 | 281.6 | 255.7 | 278.4 | 257.9 | 297.8 | 301.1 | 295.3 | 300.2 | 300.7 | 328.6 | 317.8 | 321.0 | **19,414.3** |
| DAY | 1962 | 30.0 | 28.0 | 28.0 | 30.0 | 26.0 | 30.0 | 28.0 | 31.0 | 25.0 | 27.0 | 28.0 | 31.0 | **1,543.0** |
| H2O | 1962 | 1.1 | 1.3 | 1.3 | 0.0 | 4.5 | 1.3 | 7.8 | 7.8 | 6.4 | 6.8 | 7.2 | 8.3 | **213.1** |
| OIL | 1962 | 302.7 | 280.5 | 291.3 | 303.2 | 255.8 | 308.8 | 296.8 | 313.8 | 260.9 | 276.2 | 275.1 | 300.7 | **15,878.2** |
| DAY | 1961 | 31.0 | 26.0 | 27.0 | 24.0 | 26.0 | 25.0 | 27.0 | 26.0 | 26.0 | 26.0 | 28.0 | 30.0 | **1,201.0** |
| H2O | 1961 | 0.6 | 0.0 | 4.1 | 26.7 | 4.1 | 8.4 | 3.3 | 3.3 | 4.3 | 1.1 | 1.3 | 1.1 | **159.3** |
| OIL | 1961 | 337.4 | 265.7 | 290.2 | 260.6 | 287.5 | 282.4 | 309.6 | 278.1 | 284.3 | 278.1 | 295.3 | 303.2 | **12,412.4** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 26.0 | 26.0 | 30.0 | 25.0 | 22.0 | 26.0 | 30.0 | 26.0 | 28.0 | **879.0** |
| H2O | 1960 | 0.6 | 6.7 | 7.3 | 4.1 | 3.3 | 10.5 | 8.9 | 7.6 | 2.1 | 8.1 | 1.0 | 0.6 | **101.0** |
| OIL | 1960 | 339.3 | 315.4 | 341.5 | 277.9 | 295.7 | 335.3 | 273.6 | 242.8 | 279.8 | 319.1 | 280.8 | 298.1 | **8,940.0** |
| DAY | 1959 | 31.0 | 28.0 | 30.0 | 30.0 | 29.0 | 30.0 | 29.0 | 27.0 | 27.0 | 31.0 | 30.0 | 31.0 | **550.0** |
| H2O | 1959 | 0.6 | 3.2 | 3.5 | 3.5 | 3.7 | 2.7 | 2.4 | 4.3 | 4.1 | 4.9 | 3.2 | 1.0 | **40.2** |
| OIL | 1959 | 251.4 | 282.7 | 249.6 | 258.4 | 275.1 | 286.8 | 307.8 | 303.2 | 306.9 | 353.4 | 321.3 | 344.4 | **5,340.7** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | **197.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 0.6 | 0.5 | 0.5 | 0.5 | 0.5 | **3.1** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 212.1 | 235.0 | 308.8 | 274.1 | 276.0 | 245.0 | 248.7 | **1,799.7** |

Licence ***1647*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-20-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***1647*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-20-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **6,157.0** |
| H2O | 1975 | 1632.7 | 1446.6 | 1626.7 | 1559.1 | 1522.2 | 1365.3 | 1713.0 | 1780.6 | 1768.0 | 1538.4 | 1400.6 | 1576.1 | **149,287.1** |
| OIL | 1975 | 20.3 | 19.1 | 21.0 | 20.3 | 20.8 | 18.4 | 24.0 | 24.3 | 23.2 | 32.1 | 30.4 | 33.8 | **11,329.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **5,795.0** |
| H2O | 1974 | 696.2 | 626.9 | 697.1 | 653.7 | 595.1 | 569.1 | 654.5 | 706.5 | 665.5 | 717.8 | 672.2 | 1456.4 | **130,357.8** |
| OIL | 1974 | 27.2 | 24.3 | 27.0 | 25.9 | 29.4 | 23.2 | 26.2 | 28.3 | 29.1 | 30.4 | 28.0 | 18.6 | **11,041.5** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 30.0 | 13.0 | 30.0 | 27.0 | 19.0 | 16.0 | 30.0 | 30.0 | 31.0 | **5,439.0** |
| H2O | 1973 | 756.9 | 708.9 | 768.2 | 700.6 | 315.1 | 762.6 | 701.9 | 418.3 | 367.9 | 583.8 | 606.7 | 706.8 | **121,646.8** |
| OIL | 1973 | 27.7 | 24.9 | 21.8 | 21.6 | 9.5 | 21.6 | 18.6 | 15.4 | 15.7 | 25.7 | 27.7 | 27.3 | **10,723.9** |
| DAY | 1972 | 30.0 | 29.0 | 31.0 | 29.0 | 29.0 | 27.0 | 31.0 | 30.0 | 29.0 | 31.0 | 29.0 | 30.0 | **5,124.0** |
| H2O | 1972 | 739.1 | 711.8 | 823.0 | 757.1 | 735.0 | 679.3 | 769.3 | 784.7 | 735.3 | 809.2 | 746.7 | 757.4 | **114,249.1** |
| OIL | 1972 | 28.9 | 28.1 | 26.9 | 23.4 | 24.0 | 21.3 | 23.5 | 24.3 | 22.1 | 24.8 | 21.8 | 23.2 | **10,466.4** |
| DAY | 1971 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 21.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,769.0** |
| H2O | 1971 | 742.1 | 656.9 | 763.3 | 705.2 | 764.1 | 518.1 | 559.8 | 718.0 | 652.3 | 659.1 | 664.9 | 761.0 | **105,201.2** |
| OIL | 1971 | 21.0 | 19.1 | 25.7 | 24.8 | 25.3 | 17.0 | 21.0 | 29.1 | 28.0 | 27.2 | 24.6 | 30.2 | **10,174.1** |
| DAY | 1970 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 18.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,421.0** |
| H2O | 1970 | 939.9 | 768.2 | 991.1 | 923.0 | 860.1 | 707.9 | 414.1 | 693.8 | 635.6 | 740.1 | 739.9 | 741.2 | **97,036.4** |
| OIL | 1970 | 38.8 | 25.3 | 34.6 | 35.6 | 37.3 | 30.4 | 17.5 | 29.1 | 26.2 | 20.7 | 19.4 | 22.7 | **9,881.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,072.0** |
| H2O | 1969 | 956.1 | 917.2 | 1002.1 | 974.5 | 1040.0 | 970.7 | 967.9 | 981.9 | 964.5 | 989.3 | 985.7 | 1003.6 | **87,881.5** |
| OIL | 1969 | 45.0 | 40.5 | 43.5 | 45.3 | 38.8 | 37.2 | 36.1 | 36.1 | 30.2 | 32.3 | 36.9 | 38.0 | **9,543.5** |
| DAY | 1968 | 31.0 | 16.0 | 21.0 | 28.0 | 30.0 | 30.0 | 31.0 | 31.0 | 27.0 | 30.0 | 30.0 | 30.0 | **3,707.0** |
| H2O | 1968 | 941.0 | 508.9 | 730.2 | 867.7 | 1037.7 | 1035.4 | 1117.3 | 1123.5 | 921.3 | 1079.5 | 963.7 | 915.6 | **76,128.0** |
| OIL | 1968 | 40.8 | 19.5 | 30.0 | 34.5 | 42.3 | 45.3 | 48.9 | 49.3 | 42.0 | 49.3 | 40.0 | 46.9 | **9,083.6** |
| DAY | 1967 | 31.0 | 27.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,372.0** |
| H2O | 1967 | 586.5 | 492.5 | 473.3 | 525.7 | 993.5 | 969.3 | 1009.5 | 977.1 | 1021.6 | 1083.1 | 994.4 | 960.1 | **64,886.2** |
| OIL | 1967 | 42.4 | 35.1 | 32.6 | 40.0 | 46.6 | 44.7 | 46.4 | 44.3 | 42.0 | 45.4 | 44.3 | 39.3 | **8,594.8** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,011.0** |
| H2O | 1966 | 886.6 | 766.8 | 850.7 | 854.8 | 823.2 | 875.0 | 936.2 | 903.3 | 534.3 | 594.3 | 587.4 | 577.7 | **54,799.6** |
| OIL | 1966 | 32.9 | 27.3 | 30.8 | 38.3 | 44.3 | 42.3 | 46.9 | 41.6 | 39.7 | 45.4 | 43.4 | 44.3 | **8,091.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 21.0 | 0.0 | 18.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,647.0** |
| H2O | 1965 | 693.6 | 655.3 | 666.9 | 555.8 | 0.0 | 522.2 | 1049.6 | 1016.8 | 778.8 | 898.6 | 869.5 | 892.5 | **45,609.3** |
| OIL | 1965 | 38.1 | 33.2 | 35.8 | 31.8 | 0.0 | 41.2 | 68.2 | 52.4 | 46.7 | 35.1 | 33.1 | 33.7 | **7,614.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,336.0** |
| H2O | 1964 | 632.6 | 573.6 | 627.7 | 603.6 | 629.9 | 593.8 | 631.3 | 577.3 | 565.8 | 602.9 | 600.0 | 674.9 | **37,009.7** |
| OIL | 1964 | 46.7 | 41.6 | 45.0 | 41.0 | 50.1 | 47.7 | 50.2 | 45.9 | 44.5 | 45.8 | 44.0 | 40.2 | **7,165.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,970.0** |
| H2O | 1963 | 629.9 | 569.8 | 598.1 | 657.5 | 591.9 | 586.2 | 549.1 | 613.2 | 540.2 | 670.7 | 621.1 | 639.3 | **29,696.3** |
| OIL | 1963 | 52.6 | 47.8 | 50.7 | 50.1 | 60.1 | 52.4 | 50.9 | 52.0 | 43.5 | 53.2 | 49.9 | 48.0 | **6,622.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 25.0 | 18.0 | 31.0 | 29.0 | 27.0 | **1,608.0** |
| H2O | 1962 | 528.8 | 505.9 | 569.0 | 538.6 | 558.0 | 532.9 | 581.4 | 515.7 | 357.1 | 645.6 | 601.9 | 569.1 | **22,429.3** |
| OIL | 1962 | 62.1 | 56.3 | 64.2 | 60.7 | 62.5 | 61.7 | 57.8 | 47.2 | 33.2 | 58.3 | 51.5 | 47.0 | **6,011.3** |
| DAY | 1961 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,266.0** |
| H2O | 1961 | 460.7 | 400.2 | 410.8 | 438.0 | 488.7 | 458.8 | 530.7 | 546.7 | 518.4 | 594.9 | 503.6 | 515.3 | **15,925.3** |
| OIL | 1961 | 77.4 | 67.5 | 48.3 | 53.1 | 54.2 | 48.9 | 73.6 | 68.5 | 67.4 | 68.0 | 59.3 | 61.0 | **5,348.8** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **905.0** |
| H2O | 1960 | 367.2 | 404.9 | 444.8 | 429.7 | 501.1 | 501.4 | 512.4 | 506.0 | 528.0 | 491.2 | 491.9 | 520.8 | **10,058.5** |
| OIL | 1960 | 95.2 | 116.3 | 126.0 | 115.4 | 100.3 | 97.4 | 88.5 | 89.1 | 96.5 | 93.9 | 94.1 | 95.8 | **4,601.6** |
| DAY | 1959 | 29.0 | 26.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **544.0** |
| H2O | 1959 | 291.1 | 212.4 | 255.6 | 307.5 | 351.5 | 371.7 | 343.2 | 335.8 | 332.1 | 294.4 | 301.7 | 383.6 | **4,359.1** |
| OIL | 1959 | 153.3 | 148.7 | 143.2 | 124.7 | 137.8 | 127.6 | 145.4 | 150.5 | 123.9 | 93.8 | 109.0 | 93.6 | **3,393.1** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 31.0 | 24.0 | 30.0 | 30.0 | 30.0 | 31.0 | **189.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1647*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-20-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.9 | 7.9 | 23.4 | 135.0 | 145.0 | 258.3 | **578.5** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 155.9 | 332.0 | 250.1 | 293.3 | 305.3 | 299.2 | 205.8 | **1,841.6** |

Licence ***1648*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-25-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,338.0** |
| H2O | 1975 | 263.7 | 244.5 | 272.5 | 264.1 | 273.8 | 261.8 | 248.6 | 245.1 | 241.2 | 259.0 | 259.9 | 264.5 | **18,073.9** |
| OIL | 1975 | 69.1 | 62.0 | 68.2 | 64.5 | 65.8 | 64.0 | 90.3 | 90.7 | 88.0 | 91.1 | 88.2 | 89.5 | **19,774.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 23.0 | 30.0 | 29.0 | 31.0 | **5,973.0** |
| H2O | 1974 | 126.2 | 115.9 | 131.0 | 127.5 | 132.0 | 132.6 | 134.0 | 122.9 | 91.9 | 118.1 | 121.5 | 262.5 | **14,975.2** |
| OIL | 1974 | 169.4 | 146.2 | 168.9 | 161.0 | 167.5 | 162.1 | 167.2 | 166.5 | 121.2 | 156.5 | 154.0 | 69.8 | **18,843.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,617.0** |
| H2O | 1973 | 131.0 | 125.9 | 135.0 | 134.7 | 132.1 | 131.2 | 130.7 | 138.9 | 138.2 | 139.3 | 128.6 | 126.5 | **13,359.1** |
| OIL | 1973 | 166.7 | 147.0 | 162.1 | 158.4 | 159.9 | 160.2 | 164.6 | 174.0 | 167.7 | 171.0 | 160.0 | 164.9 | **17,033.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,253.0** |
| H2O | 1972 | 128.3 | 125.1 | 137.4 | 122.3 | 135.1 | 143.1 | 158.8 | 150.4 | 150.2 | 113.0 | 111.9 | 113.4 | **11,767.0** |
| OIL | 1972 | 103.8 | 96.6 | 105.2 | 100.6 | 106.2 | 90.1 | 92.8 | 94.9 | 90.4 | 103.8 | 98.4 | 102.0 | **15,076.7** |
| DAY | 1971 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | **4,887.0** |
| H2O | 1971 | 82.7 | 124.0 | 159.8 | 160.4 | 127.0 | 126.4 | 125.3 | 120.8 | 104.6 | 109.4 | 116.4 | 136.6 | **10,178.0** |
| OIL | 1971 | 120.5 | 64.5 | 79.9 | 76.0 | 109.5 | 106.3 | 108.9 | 106.8 | 101.9 | 98.7 | 103.0 | 105.5 | **13,891.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,530.0** |
| H2O | 1970 | 234.8 | 220.3 | 230.5 | 212.9 | 219.2 | 222.4 | 79.3 | 94.1 | 87.6 | 90.8 | 79.5 | 92.0 | **8,684.6** |
| OIL | 1970 | 148.6 | 134.0 | 146.2 | 141.1 | 145.6 | 142.4 | 114.3 | 118.2 | 112.8 | 119.0 | 109.6 | 119.7 | **12,710.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 19.0 | **4,167.0** |
| H2O | 1969 | 93.2 | 84.1 | 79.5 | 81.1 | 89.2 | 85.4 | 36.7 | 36.1 | 34.8 | 31.3 | 221.9 | 149.4 | **6,821.2** |
| OIL | 1969 | 195.3 | 171.5 | 190.5 | 185.6 | 190.5 | 187.2 | 113.8 | 110.4 | 110.1 | 95.2 | 146.8 | 94.2 | **11,158.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **3,819.0** |
| H2O | 1968 | 17.8 | 16.9 | 17.8 | 18.3 | 19.2 | 17.6 | 56.1 | 51.4 | 51.5 | 81.7 | 83.6 | 89.7 | **5,798.5** |
| OIL | 1968 | 197.2 | 181.0 | 193.4 | 192.4 | 192.9 | 189.4 | 152.2 | 151.9 | 146.7 | 178.6 | 189.4 | 196.9 | **9,367.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 23.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,456.0** |
| H2O | 1967 | 23.5 | 19.4 | 22.9 | 21.8 | 21.5 | 47.1 | 48.3 | 20.3 | 17.8 | 19.1 | 16.9 | 18.4 | **5,276.9** |
| OIL | 1967 | 71.4 | 63.4 | 69.3 | 68.6 | 70.2 | 145.7 | 240.1 | 195.3 | 188.3 | 198.8 | 194.0 | 196.9 | **7,205.8** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 14.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,098.0** |
| H2O | 1966 | 20.7 | 16.5 | 21.0 | 21.8 | 24.3 | 18.4 | 8.9 | 20.8 | 22.6 | 23.1 | 23.1 | 24.6 | **4,979.9** |
| OIL | 1966 | 70.2 | 61.8 | 68.5 | 66.7 | 70.1 | 57.5 | 29.1 | 69.0 | 67.2 | 69.6 | 68.2 | 71.5 | **5,503.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,753.0** |
| H2O | 1965 | 10.8 | 9.5 | 10.8 | 9.5 | 21.6 | 20.7 | 20.3 | 20.0 | 21.0 | 20.8 | 21.3 | 21.6 | **4,734.1** |
| OIL | 1965 | 30.5 | 28.0 | 30.0 | 28.9 | 71.5 | 71.5 | 73.4 | 71.2 | 69.9 | 72.8 | 69.0 | 71.0 | **4,734.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,389.0** |
| H2O | 1964 | 16.5 | 14.9 | 10.3 | 10.0 | 10.7 | 10.2 | 10.0 | 10.0 | 9.7 | 9.7 | 10.0 | 10.7 | **4,526.2** |
| OIL | 1964 | 72.5 | 68.5 | 29.4 | 28.1 | 29.1 | 28.0 | 28.9 | 29.2 | 28.3 | 28.9 | 28.3 | 30.4 | **4,046.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 30.0 | **2,023.0** |
| H2O | 1963 | 6.7 | 6.4 | 6.7 | 7.2 | 7.0 | 6.7 | 7.5 | 6.0 | 5.9 | 5.7 | 15.4 | 15.6 | **4,393.5** |
| OIL | 1963 | 31.9 | 29.6 | 30.8 | 30.7 | 31.9 | 30.0 | 31.3 | 29.2 | 30.2 | 29.2 | 39.6 | 66.9 | **3,617.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,662.0** |
| H2O | 1962 | 6.2 | 6.8 | 9.5 | 7.5 | 7.5 | 7.2 | 7.9 | 5.4 | 6.0 | 7.0 | 6.5 | 7.3 | **4,296.7** |
| OIL | 1962 | 37.8 | 33.4 | 37.0 | 36.2 | 33.8 | 33.4 | 36.4 | 28.8 | 29.1 | 33.5 | 30.8 | 32.3 | **3,205.8** |
| DAY | 1961 | 29.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,299.0** |
| H2O | 1961 | 23.5 | 21.0 | 9.2 | 23.1 | 24.5 | 14.9 | 20.2 | 13.0 | 17.8 | 17.0 | 10.5 | 5.4 | **4,211.9** |
| OIL | 1961 | 42.4 | 42.1 | 44.8 | 42.9 | 40.0 | 39.1 | 39.7 | 38.6 | 38.0 | 40.8 | 34.5 | 38.8 | **2,803.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1648*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-25-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **941.0** |
| H2O | 1960 | 74.1 | 63.4 | 57.7 | 33.1 | 36.2 | 31.2 | 34.7 | 39.0 | 27.3 | 32.0 | 26.9 | 25.8 | **4,011.8** |
| OIL | 1960 | 62.9 | 55.1 | 56.6 | 54.3 | 57.8 | 53.7 | 54.3 | 48.0 | 43.1 | 43.4 | 44.5 | 49.9 | **2,321.6** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | 29.0 | 30.0 | 31.0 | 26.0 | 31.0 | **580.0** |
| H2O | 1959 | 181.9 | 170.9 | 168.8 | 149.9 | 134.3 | 143.6 | 142.3 | 127.5 | 121.5 | 121.0 | 77.9 | 80.1 | **3,530.4** |
| OIL | 1959 | 80.4 | 66.7 | 74.7 | 65.2 | 59.6 | 62.3 | 64.5 | 55.9 | 53.9 | 48.9 | 50.4 | 66.1 | **1,698.0** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 29.0 | 31.0 | 27.0 | 30.0 | 29.0 | 30.0 | 30.0 | **224.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 212.1 | 341.5 | 278.7 | 234.2 | 235.8 | 217.5 | 195.7 | 195.2 | **1,910.7** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 93.6 | 184.2 | 140.2 | 106.0 | 117.4 | 111.6 | 111.9 | 84.5 | **949.4** |

Licence ***1652*** Well Name ***Mead S. Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-26-009-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole E*** Field Code ***5*** Pool Code ***59E*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 28.0 | 28.0 | 31.0 | 30.0 | 27.0 | 0.0 | 0.0 | 17.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,676.0** |
| H2O | 1975 | 2804.5 | 2806.8 | 3105.0 | 3004.9 | 2704.4 | 0.0 | 0.0 | 1605.8 | 3011.2 | 3105.0 | 3004.9 | 3111.4 | **90,798.6** |
| OIL | 1975 | 20.8 | 14.1 | 21.6 | 23.4 | 18.4 | 0.0 | 0.0 | 12.1 | 22.9 | 17.3 | 25.0 | 23.2 | **2,234.9** |
| DAY | 1974 | 0.0 | 9.0 | 31.0 | 25.0 | 31.0 | 24.0 | 21.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,393.0** |
| H2O | 1974 | 0.0 | 886.3 | 3081.9 | 2483.3 | 3074.0 | 2351.4 | 2054.1 | 2454.8 | 3004.9 | 3136.8 | 3004.9 | 3105.0 | **62,534.7** |
| OIL | 1974 | 0.0 | 19.4 | 37.8 | 21.6 | 33.4 | 18.6 | 17.6 | 21.9 | 24.6 | 24.0 | 23.2 | 22.3 | **2,036.1** |
| DAY | 1973 | 31.0 | 25.0 | 27.0 | 30.0 | 10.0 | 29.0 | 30.0 | 24.0 | 27.0 | 29.0 | 30.0 | 11.0 | **1,105.0** |
| H2O | 1973 | 2488.9 | 1960.7 | 2193.9 | 2559.6 | 730.4 | 2573.9 | 2128.0 | 1914.9 | 2082.6 | 2422.1 | 2383.9 | 848.9 | **33,897.3** |
| OIL | 1973 | 67.7 | 43.4 | 50.4 | 52.0 | 14.1 | 46.1 | 42.0 | 26.2 | 28.8 | 26.6 | 25.4 | 7.2 | **1,771.7** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 22.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 29.0 | 31.0 | **802.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 991.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 247.3 | 2520.6 | 2529.4 | **9,609.5** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 38.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.4 | 97.3 | 84.4 | **1,341.8** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 31.0 | 15.0 | 9.0 | **716.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.5 | 130.7 | 414.2 | 558.6 | **3,320.7** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 38.0 | 18.0 | 25.9 | 28.0 | **1,102.2** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 16.0 | 20.0 | 0.0 | 10.0 | 0.0 | 0.0 | 0.0 | **652.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 39.6 | 38.1 | 48.7 | 0.0 | 16.6 | 0.0 | 0.0 | 0.0 | **2,198.7** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 22.4 | 21.6 | 10.3 | 0.0 | 13.0 | 0.0 | 0.0 | 0.0 | **992.3** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 4.0 | 6.0 | 6.0 | 6.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **589.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 3.6 | 19.9 | 20.3 | 19.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,055.7** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 9.5 | 9.5 | 10.0 | 10.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **925.0** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 3.0 | 3.0 | 7.0 | 15.0 | 5.0 | 5.0 | 6.0 | 0.0 | 0.0 | **567.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.3 | 10.7 | 7.1 | 34.9 | 20.6 | 0.0 | 0.0 | **1,992.9** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 5.6 | 7.3 | 19.1 | 20.7 | 15.1 | 8.4 | 11.1 | 0.0 | 0.0 | **885.5** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 10.0 | 12.0 | 13.0 | 0.0 | 0.0 | 0.0 | 0.0 | **523.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 3.9 | 20.6 | 37.6 | 31.5 | 0.0 | 0.0 | 0.0 | 0.0 | **1,913.3** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 16.5 | 11.1 | 18.9 | 13.0 | 0.0 | 0.0 | 0.0 | 0.0 | **798.2** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 6.0 | 0.0 | **476.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.3 | 7.1 | 0.0 | **1,819.7** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.4 | 19.1 | 0.0 | **738.7** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 4.0 | 0.0 | 0.0 | 22.0 | 11.0 | 9.0 | 0.0 | 0.0 | 0.0 | **464.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 13.3 | 0.0 | 0.0 | 48.6 | 7.5 | 19.0 | 0.0 | 0.0 | 0.0 | **1,806.3** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 15.9 | 0.0 | 0.0 | 10.5 | 17.5 | 14.3 | 0.0 | 0.0 | 0.0 | **706.2** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 9.0 | 9.0 | 14.0 | 18.0 | 0.0 | 9.0 | 7.0 | 0.0 | 0.0 | **418.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 22.3 | 13.3 | 28.8 | 36.5 | 0.0 | 14.8 | 12.9 | 0.0 | 0.0 | **1,717.9** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 22.4 | 8.4 | 21.9 | 29.1 | 0.0 | 14.1 | 11.3 | 0.0 | 0.0 | **648.0** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 3.0 | 22.0 | 20.0 | 29.0 | 25.0 | 18.0 | 7.0 | 0.0 | 0.0 | **352.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 67.3 | 7.5 | 29.3 | 50.1 | 29.9 | 11.0 | 0.0 | 0.0 | **1,589.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1652*** Well Name ***Mead S. Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-26-009-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole E*** Field Code ***5*** Pool Code ***59E*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 20.0 | 25.6 | 9.5 | 14.9 | 30.5 | 21.1 | 10.0 | 0.0 | 0.0 | **540.8** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 21.0 | 21.0 | 15.0 | 0.0 | 0.0 | **228.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 41.6 | 94.3 | 70.0 | 29.6 | 0.0 | 0.0 | **1,394.2** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.6 | 35.9 | 20.2 | 14.6 | 0.0 | 0.0 | **409.2** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 11.0 | 19.0 | 13.0 | 0.0 | 21.0 | 16.0 | 5.0 | 0.0 | 0.0 | **160.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 36.6 | 93.4 | 103.2 | 0.0 | 43.3 | 34.9 | 6.3 | 0.0 | 0.0 | **1,158.7** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 29.4 | 30.0 | 20.4 | 0.0 | 38.5 | 27.7 | 8.7 | 0.0 | 0.0 | **316.9** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 27.0 | 27.0 | 6.0 | 0.0 | 0.0 | 0.0 | **75.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.9 | 377.7 | 377.7 | 68.7 | 0.0 | 0.0 | 0.0 | **841.0** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 38.5 | 67.7 | 38.8 | 17.2 | 0.0 | 0.0 | 0.0 | **162.2** |

Licence ***1653*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-14-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 2223.8 | 1735.3 | 1920.8 | 2087.4 | 2105.5 | 2135.4 | 1815.6 | 1637.5 | 1291.9 | 1897.4 | 1842.6 | 1898.9 | **305,249.7** |
| WIN | 1974 | 1690.9 | 1330.3 | 1265.5 | 1084.6 | 974.9 | 993.6 | 2200.0 | 2024.1 | 1882.6 | 1851.6 | 2016.3 | 2173.6 | **282,657.6** |
| WIN | 1973 | 1882.8 | 1635.6 | 1788.7 | 1688.5 | 1882.2 | 1696.2 | 1639.2 | 1561.3 | 1340.4 | 1817.3 | 1656.6 | 1609.0 | **263,169.6** |
| WIN | 1972 | 2921.6 | 2548.4 | 3908.5 | 2021.6 | 2541.8 | 2333.3 | 2399.6 | 1881.5 | 1886.3 | 1910.1 | 1672.8 | 2114.3 | **242,971.8** |
| WIN | 1971 | 2091.1 | 1967.9 | 2439.1 | 2251.3 | 2178.0 | 1828.3 | 2019.7 | 1990.4 | 2042.9 | 1945.9 | 1520.3 | 2219.5 | **214,832.0** |
| WIN | 1970 | 2760.4 | 2367.2 | 2549.1 | 2217.8 | 2450.4 | 2207.0 | 1861.7 | 1476.4 | 2558.3 | 2361.8 | 2292.8 | 2022.5 | **190,337.6** |
| WIN | 1969 | 2384.9 | 2255.0 | 2690.4 | 2124.4 | 2658.9 | 2187.1 | 2779.9 | 3104.6 | 2970.2 | 2822.2 | 2712.7 | 2751.6 | **163,212.2** |
| WIN | 1968 | 2412.5 | 2258.5 | 2490.4 | 2344.0 | 2234.8 | 2323.0 | 2255.1 | 2319.4 | 2377.7 | 2660.2 | 2284.5 | 2341.0 | **131,770.3** |
| WIN | 1967 | 2170.4 | 2261.5 | 2468.5 | 2515.2 | 2504.1 | 2390.1 | 1425.3 | 2082.5 | 2107.8 | 2512.8 | 2263.2 | 2456.4 | **103,469.2** |
| WIN | 1966 | 2253.7 | 2045.9 | 2400.4 | 2266.3 | 2452.9 | 2335.9 | 2226.8 | 2412.7 | 2565.0 | 2662.4 | 2578.3 | 2535.1 | **76,311.4** |
| WIN | 1965 | 2216.3 | 1772.3 | 2070.2 | 1849.7 | 2107.8 | 2158.9 | 2212.5 | 2319.8 | 1535.4 | 2411.4 | 2069.8 | 709.2 | **47,576.0** |
| WIN | 1964 | 2519.0 | 2274.4 | 1578.7 | 515.3 | 0.0 | 546.4 | 1444.7 | 1874.1 | 1783.0 | 1844.0 | 1924.6 | 1948.9 | **24,142.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 27.0 | 0.0 | 0.0 | **1,923.0** |
| H2O | 1963 | 77.9 | 82.4 | 87.4 | 102.4 | 74.9 | 85.8 | 9.4 | 75.8 | 77.3 | 70.4 | 0.0 | 0.0 | **3,432.1** |
| OIL | 1963 | 114.3 | 103.6 | 99.8 | 88.5 | 106.6 | 104.6 | 107.3 | 104.9 | 55.3 | 47.4 | 0.0 | 0.0 | **5,798.5** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3113.8 | 2775.8 | **5,889.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,624.0** |
| H2O | 1962 | 150.7 | 113.8 | 110.3 | 91.7 | 89.3 | 87.4 | 88.1 | 96.2 | 86.5 | 79.3 | 64.9 | 79.3 | **2,688.4** |
| OIL | 1962 | 180.8 | 144.4 | 155.4 | 134.1 | 141.6 | 128.9 | 127.3 | 127.3 | 116.0 | 115.2 | 110.9 | 113.9 | **4,866.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 29.0 | 31.0 | **1,263.0** |
| H2O | 1961 | 28.3 | 16.2 | 23.4 | 25.4 | 15.7 | 5.9 | 7.6 | 4.9 | 5.9 | 11.8 | 73.6 | 149.6 | **1,550.9** |
| OIL | 1961 | 27.3 | 25.4 | 23.4 | 18.9 | 16.8 | 11.8 | 13.7 | 9.9 | 10.0 | 14.6 | 63.2 | 194.2 | **3,270.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 27.0 | 29.0 | 31.0 | 30.0 | 31.0 | **904.0** |
| H2O | 1960 | 96.3 | 116.5 | 119.1 | 70.6 | 78.5 | 40.1 | 42.8 | 33.9 | 33.2 | 34.2 | 28.6 | 17.3 | **1,182.6** |
| OIL | 1960 | 115.8 | 85.7 | 86.8 | 59.8 | 69.8 | 39.6 | 58.6 | 62.6 | 35.6 | 31.0 | 28.9 | 22.7 | **2,841.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 29.0 | 17.0 | 23.0 | 30.0 | 31.0 | **547.0** |
| H2O | 1959 | 4.8 | 4.5 | 4.9 | 4.8 | 4.9 | 4.8 | 4.5 | 4.8 | 22.7 | 90.8 | 146.9 | 134.5 | **471.5** |
| OIL | 1959 | 84.7 | 69.4 | 79.5 | 69.1 | 67.1 | 77.5 | 60.4 | 54.0 | 57.8 | 125.2 | 174.5 | 173.7 | **2,144.3** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **208.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.2 | 5.4 | 6.7 | 5.2 | 4.9 | 4.6 | 4.6 | **38.6** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 296.5 | 175.9 | 141.4 | 126.7 | 115.1 | 98.5 | 97.3 | **1,051.4** |

Licence ***1655*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-34-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 24.0 | 29.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,298.0** |
| H2O | 1975 | 167.9 | 153.1 | 133.2 | 161.2 | 172.8 | 165.3 | 152.5 | 168.0 | 165.3 | 177.6 | 178.1 | 181.2 | **5,489.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1655*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-34-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1975 | 60.5 | 53.2 | 45.8 | 54.2 | 57.0 | 55.5 | 52.4 | 70.1 | 68.0 | 70.4 | 68.0 | 69.1 | **3,560.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 28.0 | 31.0 | **3,943.0** |
| H2O | 1974 | 24.6 | 22.7 | 25.4 | 24.6 | 25.8 | 20.8 | 20.7 | 19.4 | 19.1 | 18.0 | 18.4 | 165.5 | **3,513.7** |
| OIL | 1974 | 8.7 | 7.5 | 8.7 | 8.1 | 8.6 | 13.5 | 13.7 | 13.8 | 13.3 | 12.6 | 12.4 | 60.4 | **2,836.3** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **3,583.0** |
| H2O | 1973 | 60.7 | 58.3 | 62.5 | 62.3 | 61.2 | 25.6 | 25.4 | 27.5 | 26.9 | 27.0 | 22.9 | 24.6 | **3,108.7** |
| OIL | 1973 | 22.2 | 19.5 | 21.6 | 21.1 | 21.3 | 8.3 | 8.4 | 9.1 | 8.6 | 8.7 | 7.5 | 8.4 | **2,655.0** |
| DAY | 1972 | 31.0 | 29.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,222.0** |
| H2O | 1972 | 4.3 | 4.1 | 4.0 | 4.0 | 54.1 | 53.9 | 59.8 | 56.6 | 56.6 | 61.5 | 58.5 | 62.0 | **2,623.8** |
| OIL | 1972 | 13.7 | 12.6 | 11.9 | 13.2 | 22.2 | 21.6 | 22.2 | 22.7 | 21.6 | 22.7 | 20.8 | 22.6 | **2,490.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,861.0** |
| H2O | 1971 | 28.1 | 25.6 | 29.4 | 29.6 | 29.6 | 7.6 | 6.8 | 7.9 | 3.5 | 4.0 | 3.8 | 4.5 | **2,144.4** |
| OIL | 1971 | 9.4 | 8.3 | 9.2 | 8.7 | 8.9 | 28.9 | 26.4 | 31.1 | 13.8 | 14.3 | 13.5 | 13.8 | **2,262.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,503.0** |
| H2O | 1970 | 31.5 | 29.6 | 31.0 | 28.6 | 29.4 | 29.9 | 27.5 | 31.2 | 28.0 | 30.0 | 27.3 | 30.5 | **1,964.0** |
| OIL | 1970 | 9.1 | 8.1 | 8.9 | 8.6 | 8.9 | 8.7 | 9.1 | 8.9 | 8.3 | 8.9 | 8.6 | 9.1 | **2,076.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,139.0** |
| H2O | 1969 | 23.7 | 21.5 | 20.2 | 20.5 | 22.6 | 21.6 | 23.4 | 23.5 | 30.7 | 33.4 | 29.7 | 32.7 | **1,609.5** |
| OIL | 1969 | 33.2 | 29.4 | 32.4 | 31.6 | 32.4 | 31.8 | 33.1 | 32.9 | 8.9 | 9.4 | 8.9 | 9.4 | **1,971.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,774.0** |
| H2O | 1968 | 17.8 | 17.0 | 18.0 | 18.4 | 19.4 | 19.7 | 23.7 | 20.2 | 21.6 | 22.9 | 21.1 | 22.6 | **1,306.0** |
| OIL | 1968 | 28.9 | 26.5 | 28.4 | 28.3 | 28.3 | 29.1 | 33.2 | 31.1 | 32.1 | 33.7 | 32.3 | 33.2 | **1,677.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,413.0** |
| H2O | 1967 | 37.8 | 31.3 | 37.7 | 35.0 | 35.1 | 33.1 | 26.1 | 34.8 | 30.5 | 32.9 | 17.0 | 18.4 | **1,063.6** |
| OIL | 1967 | 34.0 | 30.2 | 33.8 | 32.7 | 33.7 | 32.4 | 33.5 | 33.2 | 32.1 | 33.8 | 28.4 | 28.9 | **1,312.5** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 30.0 | 29.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,048.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.2 | 27.3 | 24.3 | 36.4 | 37.4 | 37.2 | 39.0 | **693.9** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 38.6 | 35.8 | 31.8 | 32.1 | 33.2 | 32.6 | 33.4 | **925.8** |
| DAY | 1963 | 10.0 | 24.0 | 24.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **834.0** |
| H2O | 1963 | 4.5 | 13.8 | 11.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **461.1** |
| OIL | 1963 | 5.2 | 13.2 | 13.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **688.0** |
| DAY | 1962 | 28.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **776.0** |
| H2O | 1962 | 13.5 | 0.0 | 0.0 | 0.0 | 0.0 | 22.4 | 22.6 | 14.5 | 17.6 | 19.1 | 14.6 | 17.5 | **430.9** |
| OIL | 1962 | 16.7 | 0.0 | 0.0 | 0.0 | 0.0 | 21.1 | 20.7 | 17.2 | 18.9 | 17.8 | 17.6 | 16.2 | **656.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 26.0 | 30.0 | 30.0 | 31.0 | **535.0** |
| H2O | 1961 | 18.3 | 15.4 | 17.2 | 14.0 | 15.3 | 7.6 | 9.2 | 15.7 | 8.3 | 14.1 | 14.5 | 14.9 | **289.1** |
| OIL | 1961 | 28.8 | 26.5 | 30.8 | 26.2 | 26.2 | 19.1 | 18.4 | 14.6 | 7.6 | 8.7 | 8.9 | 9.7 | **510.4** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 9.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **176.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.6 | 28.8 | 19.6 | 11.4 | 18.9 | 18.9 | 19.4 | **124.6** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 34.2 | 61.8 | 56.4 | 37.3 | 33.7 | 31.3 | 30.2 | **284.9** |

Licence ***1658*** Well Name ***Shannon Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-18-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 17.0 | 0.0 | 20.0 | 30.0 | 10.0 | **2,646.0** |
| H2O | 1975 | 235.9 | 324.3 | 321.6 | 373.9 | 354.9 | 329.4 | 331.8 | 240.2 | 0.0 | 31.8 | 434.7 | 143.7 | **8,698.4** |
| OIL | 1975 | 14.3 | 13.4 | 14.6 | 9.5 | 14.3 | 11.6 | 11.8 | 5.4 | 0.0 | 6.4 | 9.5 | 3.2 | **1,674.1** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 30.0 | 31.0 | 30.0 | 24.0 | **2,358.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 101.6 | 343.4 | 386.2 | 368.2 | 261.9 | **5,576.2** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.9 | 17.5 | 15.3 | 12.7 | 14.5 | **1,560.1** |
| DAY | 1972 | 23.0 | 25.0 | 8.0 | 25.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,233.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1658*** Well Name ***Shannon Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-18-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1972 | 18.4 | 15.9 | 5.1 | 41.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,114.9** |
| OIL | 1972 | 2.1 | 2.2 | 2.5 | 4.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,492.2** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 19.0 | 31.0 | 11.0 | 0.0 | 11.0 | 25.0 | 30.0 | 27.0 | 17.0 | **2,152.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 70.3 | 105.1 | 40.2 | 0.0 | 40.1 | 64.4 | 90.3 | 42.9 | 16.2 | **4,034.0** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 6.7 | 9.9 | 3.5 | 0.0 | 4.8 | 6.4 | 7.2 | 4.1 | 2.7 | **1,480.6** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 28.0 | 22.0 | **1,981.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 61.2 | 100.5 | 77.6 | **3,564.5** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.2 | 10.0 | 7.0 | **1,435.3** |
| DAY | 1969 | 19.0 | 18.0 | 31.0 | 30.0 | 10.0 | 17.0 | 29.0 | 28.0 | 30.0 | 31.0 | 10.0 | 24.0 | **1,915.0** |
| H2O | 1969 | 77.6 | 93.8 | 112.1 | 98.9 | 33.9 | 63.6 | 102.4 | 98.9 | 105.4 | 114.9 | 36.6 | 94.4 | **3,325.2** |
| OIL | 1969 | 6.0 | 6.4 | 10.5 | 9.5 | 3.2 | 6.4 | 9.5 | 8.7 | 8.9 | 7.2 | 3.5 | 5.6 | **1,408.1** |
| DAY | 1968 | 5.0 | 0.0 | 25.0 | 30.0 | 28.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,638.0** |
| H2O | 1968 | 7.9 | 0.0 | 93.2 | 27.7 | 96.7 | 103.7 | 105.4 | 106.7 | 96.2 | 113.2 | 101.1 | 104.0 | **2,292.7** |
| OIL | 1968 | 0.6 | 0.0 | 9.5 | 7.9 | 11.3 | 7.6 | 15.6 | 13.5 | 13.5 | 11.8 | 11.1 | 10.0 | **1,322.7** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 15.0 | 4.0 | 29.0 | 31.0 | **1,340.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 22.3 | 6.4 | 45.8 | 52.5 | **1,336.9** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.2 | 3.5 | 6.4 | 21.5 | 8.9 | **1,210.3** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,251.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.3 | 0.0 | 0.0 | 0.0 | 0.0 | **1,208.3** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.7 | 0.0 | 0.0 | 0.0 | 0.0 | **1,166.8** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 30.0 | 19.0 | 0.0 | 0.0 | **1,231.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.5 | 146.3 | 61.2 | 18.1 | 0.0 | 0.0 | **1,186.0** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.3 | 27.0 | 23.8 | 12.7 | 0.0 | 0.0 | **1,153.1** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 28.0 | 13.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,121.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 12.1 | 5.6 | 9.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **950.9** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 14.8 | 15.3 | 8.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,068.3** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 0.0 | 0.0 | **1,062.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 20.7 | 20.7 | 20.7 | 18.3 | 18.4 | 16.2 | 0.0 | 0.0 | **923.7** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 23.8 | 18.8 | 17.6 | 14.0 | 14.1 | 11.8 | 0.0 | 0.0 | **1,029.5** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 28.0 | 29.0 | 30.0 | 30.0 | 0.0 | 0.0 | **882.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 19.9 | 19.1 | 15.9 | 14.3 | 15.1 | 22.3 | 0.0 | 0.0 | **808.7** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 30.5 | 20.5 | 19.1 | 17.8 | 13.7 | 13.4 | 0.0 | 0.0 | **929.4** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 30.0 | 28.0 | 31.0 | 30.0 | 29.0 | 0.0 | 0.0 | **704.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 16.5 | 27.0 | 27.0 | 25.4 | 4.0 | 19.1 | 0.0 | 0.0 | **702.1** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 9.5 | 30.2 | 24.5 | 23.4 | 18.8 | 23.7 | 0.0 | 0.0 | **814.4** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 30.0 | 29.0 | 26.0 | 30.0 | 17.0 | 0.0 | 0.0 | **546.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 8.3 | 21.6 | 20.7 | 59.1 | 71.5 | 37.4 | 0.0 | 0.0 | **583.1** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 14.3 | 28.3 | 26.2 | 24.5 | 19.2 | 13.8 | 0.0 | 0.0 | **684.3** |
| DAY | 1959 | 29.0 | 28.0 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 7.0 | 0.0 | 0.0 | **403.0** |
| H2O | 1959 | 4.8 | 11.0 | 13.3 | 39.3 | 49.3 | 47.7 | 49.3 | 58.8 | 57.2 | 21.0 | 0.0 | 0.0 | **364.5** |
| OIL | 1959 | 60.8 | 46.8 | 41.7 | 38.2 | 38.8 | 37.8 | 28.9 | 28.5 | 26.4 | 5.6 | 0.0 | 0.0 | **558.0** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 25.0 | 19.0 | 24.0 | 21.0 | 22.0 | **130.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.4 | 1.6 | 2.0 | 2.0 | 1.6 | 3.2 | **12.8** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 22.3 | 40.6 | 36.5 | 38.1 | 42.0 | **204.5** |

Licence ***1662*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-23-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 20.0 | 29.0 | 30.0 | 28.0 | 31.0 | **5,355.0** |
| H2O | 1975 | 1230.0 | 1022.7 | 1279.6 | 1205.1 | 1352.0 | 1879.8 | 959.3 | 711.9 | 1045.3 | 1093.6 | 663.4 | 1044.2 | **137,801.9** |
| OIL | 1975 | 26.1 | 26.1 | 24.0 | 24.8 | 24.8 | 26.2 | 25.4 | 15.9 | 23.4 | 23.5 | 21.0 | 23.5 | **7,042.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1662*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-23-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 21.0 | **5,007.0** |
| H2O | 1974 | 1012.4 | 927.8 | 1011.4 | 955.6 | 998.2 | 984.1 | 1012.4 | 1037.7 | 994.6 | 845.1 | 981.7 | 763.1 | **124,315.0** |
| OIL | 1974 | 39.9 | 36.9 | 38.0 | 42.3 | 43.7 | 42.4 | 43.1 | 43.2 | 43.2 | 23.2 | 25.4 | 16.4 | **6,757.3** |
| DAY | 1973 | 31.0 | 28.0 | 27.0 | 27.0 | 29.0 | 30.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,656.0** |
| H2O | 1973 | 845.0 | 912.4 | 744.0 | 636.9 | 916.2 | 831.9 | 972.3 | 938.6 | 968.2 | 1023.8 | 1010.2 | 1028.0 | **112,790.9** |
| OIL | 1973 | 33.1 | 30.5 | 29.7 | 26.9 | 32.4 | 34.0 | 42.9 | 42.0 | 36.5 | 40.8 | 40.2 | 42.0 | **6,319.6** |
| DAY | 1972 | 30.0 | 28.0 | 31.0 | 30.0 | 29.0 | 29.0 | 30.0 | 14.0 | 11.0 | 30.0 | 29.0 | 26.0 | **4,304.0** |
| H2O | 1972 | 821.3 | 636.4 | 676.0 | 795.1 | 649.9 | 716.0 | 647.0 | 464.5 | 340.7 | 871.2 | 806.5 | 629.1 | **101,963.4** |
| OIL | 1972 | 28.9 | 26.4 | 29.9 | 33.4 | 30.5 | 31.8 | 31.6 | 14.9 | 12.6 | 30.0 | 31.5 | 28.0 | **5,888.6** |
| DAY | 1971 | 31.0 | 28.0 | 18.0 | 26.0 | 30.0 | 28.0 | 31.0 | 27.0 | 30.0 | 31.0 | 28.0 | 29.0 | **3,987.0** |
| H2O | 1971 | 753.6 | 765.0 | 496.2 | 755.6 | 867.4 | 784.9 | 934.6 | 743.9 | 566.6 | 588.1 | 493.0 | 789.2 | **93,909.7** |
| OIL | 1971 | 34.0 | 30.7 | 18.4 | 28.4 | 31.1 | 28.9 | 32.6 | 27.0 | 27.5 | 31.8 | 27.3 | 28.3 | **5,559.1** |
| DAY | 1970 | 31.0 | 28.0 | 28.0 | 26.0 | 29.0 | 28.0 | 31.0 | 20.0 | 30.0 | 10.0 | 20.0 | 29.0 | **3,650.0** |
| H2O | 1970 | 931.8 | 1003.2 | 954.0 | 784.2 | 1069.3 | 883.5 | 936.7 | 401.3 | 926.1 | 281.1 | 537.4 | 762.9 | **85,371.6** |
| OIL | 1970 | 39.4 | 35.1 | 36.5 | 30.4 | 36.1 | 28.9 | 34.5 | 20.3 | 34.6 | 9.9 | 21.3 | 29.7 | **5,213.1** |
| DAY | 1969 | 24.0 | 28.0 | 31.0 | 27.0 | 31.0 | 29.0 | 31.0 | 31.0 | 16.0 | 23.0 | 30.0 | 29.0 | **3,340.0** |
| H2O | 1969 | 580.0 | 813.7 | 916.8 | 846.1 | 1066.3 | 923.4 | 1284.1 | 1129.1 | 487.4 | 923.0 | 935.4 | 937.7 | **75,900.1** |
| OIL | 1969 | 26.2 | 32.4 | 35.8 | 30.4 | 45.0 | 44.0 | 50.5 | 47.4 | 21.0 | 28.6 | 39.7 | 34.5 | **4,856.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 27.0 | 28.0 | 27.0 | 31.0 | 29.0 | 29.0 | **3,010.0** |
| H2O | 1968 | 904.3 | 869.3 | 935.8 | 894.7 | 787.4 | 965.5 | 749.1 | 923.8 | 886.9 | 1114.0 | 970.1 | 870.3 | **65,057.1** |
| OIL | 1968 | 22.1 | 20.8 | 23.5 | 26.1 | 23.5 | 19.7 | 16.0 | 17.8 | 16.5 | 45.4 | 37.5 | 32.9 | **4,420.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 23.0 | 22.0 | 30.0 | 29.0 | 30.0 | 21.0 | 30.0 | 21.0 | 21.0 | **2,659.0** |
| H2O | 1967 | 777.4 | 689.0 | 802.4 | 550.4 | 491.7 | 722.4 | 812.7 | 874.1 | 535.3 | 922.7 | 639.9 | 629.4 | **54,185.9** |
| OIL | 1967 | 15.4 | 13.7 | 15.4 | 10.8 | 10.0 | 14.3 | 34.2 | 38.6 | 14.1 | 22.2 | 15.4 | 14.5 | **4,119.1** |
| DAY | 1966 | 31.0 | 27.0 | 31.0 | 29.0 | 31.0 | 30.0 | 26.0 | 31.0 | 27.0 | 31.0 | 26.0 | 28.0 | **2,342.0** |
| H2O | 1966 | 748.0 | 632.1 | 717.0 | 715.6 | 769.5 | 726.2 | 597.9 | 776.5 | 700.0 | 762.5 | 625.7 | 675.8 | **45,738.5** |
| OIL | 1966 | 14.0 | 12.4 | 14.6 | 13.2 | 14.5 | 14.0 | 13.7 | 15.7 | 13.5 | 16.0 | 12.9 | 14.1 | **3,900.5** |
| DAY | 1965 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 20.0 | 5.0 | 13.0 | 28.0 | 31.0 | **1,994.0** |
| H2O | 1965 | 697.8 | 678.0 | 763.1 | 769.1 | 764.7 | 748.3 | 728.8 | 527.2 | 106.0 | 308.1 | 644.7 | 766.0 | **37,291.7** |
| OIL | 1965 | 14.0 | 13.5 | 14.0 | 14.5 | 13.8 | 15.6 | 15.1 | 11.6 | 2.5 | 6.7 | 13.3 | 15.3 | **3,731.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,687.0** |
| H2O | 1964 | 466.6 | 449.4 | 853.9 | 615.4 | 720.8 | 655.0 | 698.6 | 485.4 | 550.2 | 691.9 | 738.3 | 766.1 | **29,789.9** |
| OIL | 1964 | 30.7 | 25.6 | 56.9 | 14.9 | 15.3 | 14.9 | 15.1 | 13.0 | 12.4 | 14.5 | 15.3 | 15.3 | **3,582.0** |
| DAY | 1963 | 13.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 27.0 | 30.0 | 30.0 | **1,324.0** |
| H2O | 1963 | 282.5 | 538.9 | 677.7 | 678.0 | 603.5 | 618.8 | 614.9 | 557.1 | 573.8 | 457.1 | 754.8 | 589.7 | **22,098.3** |
| OIL | 1963 | 14.3 | 35.9 | 46.4 | 49.7 | 48.8 | 48.6 | 47.8 | 38.1 | 33.5 | 26.9 | 38.3 | 32.3 | **3,338.1** |
| DAY | 1962 | 0.0 | 16.0 | 28.0 | 27.0 | 18.0 | 27.0 | 15.0 | 27.0 | 30.0 | 29.0 | 19.0 | 27.0 | **989.0** |
| H2O | 1962 | 0.0 | 140.9 | 341.6 | 326.9 | 204.9 | 306.7 | 194.0 | 332.7 | 531.5 | 548.0 | 352.5 | 492.8 | **15,151.5** |
| OIL | 1962 | 0.0 | 0.0 | 36.4 | 33.2 | 21.8 | 29.9 | 17.6 | 33.7 | 43.1 | 32.3 | 21.5 | 28.6 | **2,877.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 22.0 | 14.0 | 8.0 | 20.0 | 25.0 | 19.0 | 0.0 | 0.0 | 0.0 | **726.0** |
| H2O | 1960 | 575.0 | 608.9 | 556.4 | 266.3 | 320.3 | 220.3 | 120.8 | 155.8 | 348.3 | 0.0 | 0.0 | 0.0 | **11,379.0** |
| OIL | 1960 | 78.5 | 82.0 | 87.1 | 53.1 | 40.4 | 17.3 | 34.6 | 42.4 | 39.7 | 0.0 | 0.0 | 0.0 | **2,579.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 18.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **527.0** |
| H2O | 1959 | 419.4 | 467.2 | 495.5 | 533.9 | 436.4 | 322.7 | 529.4 | 589.7 | 566.0 | 465.0 | 588.2 | 612.4 | **8,206.9** |
| OIL | 1959 | 112.0 | 100.6 | 106.5 | 98.4 | 86.1 | 65.2 | 108.7 | 104.9 | 93.8 | 78.2 | 78.8 | 90.9 | **2,104.3** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **176.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 185.5 | 267.4 | 335.8 | 447.7 | 383.8 | 560.9 | **2,181.1** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 226.7 | 208.1 | 165.8 | 127.0 | 125.9 | 126.7 | **980.2** |

Licence ***1663*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-13-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

# Manitoba Production
## 1950 To 1975

Licence ***1663*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-13-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 2161.7 | 2375.6 | 2580.9 | 2724.4 | 2568.2 | 2799.0 | 2192.5 | 2368.8 | 2341.6 | 2394.6 | 2420.5 | 2339.1 | **218,284.9** |
| WIN | 1974 | 1137.5 | 751.7 | 1317.3 | 1246.7 | 1338.5 | 1595.8 | 1709.8 | 2199.8 | 1884.2 | 2127.8 | 2350.8 | 2388.0 | **189,018.0** |
| WIN | 1973 | 1022.7 | 1426.7 | 1360.2 | 561.2 | 2322.9 | 1947.3 | 1666.1 | 1615.2 | 1818.7 | 1281.1 | 636.4 | 1062.8 | **168,970.1** |
| WIN | 1972 | 1620.8 | 1803.0 | 1660.4 | 1783.3 | 1848.1 | 910.3 | 2065.0 | 1693.8 | 1340.8 | 1966.9 | 1744.0 | 879.0 | **152,248.8** |
| WIN | 1971 | 1199.5 | 1533.8 | 1195.1 | 1958.2 | 2203.3 | 1369.5 | 567.7 | 896.0 | 1266.8 | 2146.5 | 991.7 | 330.8 | **132,933.4** |
| WIN | 1970 | 2374.0 | 2051.2 | 1989.0 | 1943.1 | 2030.8 | 1820.0 | 1525.6 | 1919.0 | 1755.1 | 1871.5 | 1754.0 | 1784.4 | **117,274.5** |
| WIN | 1969 | 2422.9 | 2117.0 | 2314.9 | 1468.2 | 1794.7 | 1667.4 | 2023.5 | 2046.7 | 1729.5 | 1765.5 | 1561.3 | 2159.4 | **94,456.8** |
| WIN | 1968 | 2452.7 | 2072.3 | 1796.8 | 1893.1 | 2287.1 | 1815.1 | 2190.4 | 2053.9 | 1955.6 | 996.2 | 2064.2 | 1321.4 | **71,385.8** |
| WIN | 1967 | 1138.5 | 719.4 | 1524.1 | 1696.6 | 1701.2 | 2987.6 | 2797.1 | 2050.4 | 2003.5 | 2460.9 | 2190.3 | 2199.5 | **48,487.0** |
| WIN | 1966 | 574.7 | 482.3 | 543.9 | 563.9 | 482.2 | 495.9 | 395.9 | 400.5 | 676.5 | 872.6 | 2050.7 | 1354.2 | **25,017.9** |
| WIN | 1965 | 637.4 | 402.5 | 526.4 | 700.8 | 623.7 | 549.1 | 474.6 | 596.3 | 609.8 | 582.8 | 455.5 | 572.5 | **16,124.6** |
| WIN | 1964 | 598.6 | 873.3 | 1100.1 | 888.9 | 655.0 | 996.0 | 869.1 | 581.1 | 971.0 | 610.5 | 571.7 | 563.6 | **9,393.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 0.0 | **1,970.0** |
| H2O | 1963 | 37.5 | 37.8 | 38.2 | 15.9 | 15.4 | 30.7 | 49.8 | 25.9 | 25.8 | 27.7 | 14.9 | 0.0 | **5,126.0** |
| OIL | 1963 | 65.1 | 59.5 | 63.1 | 47.0 | 48.1 | 48.6 | 55.0 | 48.3 | 49.6 | 49.7 | 50.7 | 0.0 | **6,339.4** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 114.3 | **114.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,638.0** |
| H2O | 1962 | 56.9 | 52.9 | 61.2 | 52.9 | 56.9 | 63.9 | 83.0 | 50.6 | 37.4 | 39.9 | 38.8 | 41.3 | **4,806.4** |
| OIL | 1962 | 71.2 | 61.5 | 74.1 | 59.0 | 64.4 | 65.6 | 65.6 | 60.5 | 60.9 | 68.0 | 63.6 | 66.3 | **5,754.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,276.0** |
| H2O | 1961 | 25.1 | 22.6 | 23.4 | 28.8 | 39.3 | 39.0 | 36.4 | 36.1 | 38.6 | 44.0 | 42.4 | 44.5 | **4,170.7** |
| OIL | 1961 | 62.5 | 61.7 | 63.7 | 67.5 | 72.0 | 78.2 | 80.1 | 80.1 | 80.4 | 84.2 | 75.2 | 75.0 | **4,974.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **911.0** |
| H2O | 1960 | 85.2 | 72.0 | 48.5 | 49.1 | 60.7 | 51.0 | 56.1 | 63.8 | 52.8 | 47.9 | 42.9 | 25.8 | **3,750.5** |
| OIL | 1960 | 112.8 | 113.5 | 112.0 | 108.7 | 109.8 | 101.4 | 108.1 | 109.8 | 108.1 | 102.2 | 89.0 | 75.0 | **4,093.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **545.0** |
| H2O | 1959 | 198.9 | 153.3 | 137.7 | 111.4 | 95.1 | 122.7 | 105.1 | 86.8 | 81.6 | 78.2 | 68.0 | 90.1 | **3,094.7** |
| OIL | 1959 | 131.4 | 126.7 | 138.4 | 130.6 | 138.6 | 135.6 | 125.4 | 126.5 | 126.0 | 121.6 | 115.7 | 121.2 | **2,843.0** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 30.0 | 31.0 | 28.0 | 30.0 | 28.0 | 31.0 | **181.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.5 | 329.9 | 337.0 | 312.7 | 330.4 | 238.3 | 204.0 | **1,765.8** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.4 | 220.6 | 226.1 | 270.0 | 208.8 | 201.8 | 154.6 | **1,305.3** |

Licence ***1664*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-13-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 11.0 | 0.0 | 0.0 | **4,584.0** |
| H2O | 1971 | 56.6 | 58.8 | 67.5 | 67.9 | 68.0 | 67.7 | 67.1 | 64.7 | 58.3 | 23.0 | 0.0 | 0.0 | **7,660.3** |
| OIL | 1971 | 8.1 | 8.3 | 9.1 | 8.7 | 8.7 | 8.6 | 8.9 | 8.6 | 8.8 | 3.0 | 0.0 | 0.0 | **4,146.4** |
| DAY | 1970 | 31.0 | 27.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,304.0** |
| H2O | 1970 | 27.0 | 24.5 | 26.5 | 22.9 | 67.5 | 68.6 | 63.4 | 71.4 | 66.4 | 66.7 | 62.9 | 69.9 | **7,060.7** |
| OIL | 1970 | 18.9 | 16.5 | 18.6 | 16.7 | 8.9 | 8.7 | 9.1 | 8.7 | 8.4 | 8.6 | 8.4 | 8.9 | **4,065.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,943.0** |
| H2O | 1969 | 23.5 | 21.5 | 20.0 | 20.5 | 22.4 | 21.6 | 27.7 | 28.0 | 26.4 | 28.8 | 25.6 | 28.0 | **6,423.0** |
| OIL | 1969 | 14.9 | 13.0 | 14.5 | 14.1 | 14.5 | 14.3 | 19.1 | 19.2 | 18.6 | 19.4 | 18.8 | 19.5 | **3,925.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,578.0** |
| H2O | 1968 | 11.4 | 11.0 | 11.6 | 7.6 | 7.9 | 7.2 | 9.1 | 8.3 | 8.1 | 18.4 | 21.1 | 22.4 | **6,129.0** |
| OIL | 1968 | 19.5 | 18.0 | 19.2 | 20.3 | 20.3 | 20.0 | 19.4 | 19.4 | 18.4 | 15.1 | 14.5 | 14.9 | **3,725.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,212.0** |
| H2O | 1967 | 5.2 | 4.5 | 3.8 | 3.7 | 3.5 | 3.3 | 13.4 | 18.0 | 11.4 | 12.6 | 10.8 | 11.9 | **5,984.9** |
| OIL | 1967 | 17.5 | 15.6 | 17.5 | 16.8 | 17.5 | 16.7 | 19.5 | 19.2 | 18.8 | 19.7 | 19.2 | 19.5 | **3,506.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,847.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1664*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-13-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1966 | 4.8 | 3.7 | 36.4 | 37.2 | 9.5 | 8.3 | 15.3 | 4.8 | 5.1 | 5.2 | 5.1 | 5.6 | **5,882.8** |
| OIL | 1966 | 14.9 | 13.0 | 19.1 | 18.6 | 16.0 | 15.4 | 14.9 | 14.6 | 14.3 | 14.8 | 16.8 | 17.6 | **3,288.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,482.0** |
| H2O | 1965 | 71.9 | 63.8 | 72.8 | 63.8 | 48.2 | 45.8 | 45.9 | 21.9 | 22.3 | 21.9 | 22.6 | 4.9 | **5,741.8** |
| OIL | 1965 | 28.1 | 25.7 | 27.7 | 26.9 | 24.6 | 24.6 | 25.6 | 21.8 | 20.7 | 21.5 | 20.5 | 15.1 | **3,098.8** |
| DAY | 1964 | 0.0 | 0.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 19.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,117.0** |
| H2O | 1964 | 0.0 | 0.0 | 14.5 | 12.4 | 13.0 | 12.6 | 18.6 | 11.4 | 2.4 | 2.4 | 67.6 | 71.5 | **5,236.0** |
| OIL | 1964 | 0.0 | 0.0 | 11.3 | 17.0 | 17.6 | 16.8 | 19.7 | 12.2 | 2.1 | 2.4 | 26.1 | 27.8 | **2,816.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 14.0 | 27.0 | 30.0 | 31.0 | 30.0 | 2.0 | 0.0 | 0.0 | 0.0 | **1,827.0** |
| H2O | 1963 | 10.7 | 10.8 | 10.8 | 5.7 | 2.1 | 2.1 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,009.6** |
| OIL | 1963 | 17.5 | 16.0 | 17.0 | 7.9 | 3.7 | 4.0 | 2.1 | 1.0 | 0.2 | 0.0 | 0.0 | 0.0 | **2,663.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,603.0** |
| H2O | 1962 | 30.0 | 28.0 | 32.4 | 2.5 | 22.3 | 25.1 | 14.8 | 15.1 | 10.7 | 11.3 | 11.1 | 11.8 | **4,964.9** |
| OIL | 1962 | 14.5 | 12.6 | 15.1 | 22.7 | 16.5 | 16.8 | 19.2 | 17.0 | 16.4 | 18.3 | 17.0 | 17.8 | **2,593.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,241.0** |
| H2O | 1961 | 44.7 | 40.1 | 41.5 | 45.0 | 55.5 | 58.2 | 56.3 | 26.4 | 30.0 | 32.7 | 28.1 | 23.4 | **4,749.8** |
| OIL | 1961 | 31.3 | 30.8 | 31.8 | 31.5 | 26.1 | 24.6 | 24.8 | 20.0 | 19.4 | 20.0 | 24.8 | 15.3 | **2,389.7** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **876.0** |
| H2O | 1960 | 104.6 | 65.5 | 48.5 | 95.2 | 65.5 | 67.2 | 69.2 | 56.3 | 52.0 | 42.3 | 42.4 | 41.3 | **4,267.9** |
| OIL | 1960 | 63.1 | 55.9 | 60.7 | 51.2 | 50.2 | 48.1 | 46.1 | 42.0 | 38.0 | 36.9 | 32.1 | 35.6 | **2,089.3** |
| DAY | 1959 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **510.0** |
| H2O | 1959 | 198.6 | 196.2 | 204.8 | 209.1 | 197.6 | 144.4 | 145.6 | 129.3 | 109.1 | 101.4 | 93.6 | 108.9 | **3,517.9** |
| OIL | 1959 | 69.4 | 72.1 | 78.2 | 92.2 | 97.7 | 76.1 | 83.0 | 81.5 | 77.5 | 74.5 | 63.9 | 68.0 | **1,529.4** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 30.0 | 26.0 | 26.0 | 28.0 | 31.0 | **149.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 107.2 | 381.2 | 343.2 | 355.8 | 263.1 | 228.8 | **1,679.3** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 38.9 | 142.2 | 134.9 | 82.6 | 105.0 | 91.7 | **595.3** |

Licence ***1667*** Well Name ***Enerplus Kirkella Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.08-10-012-29W1.00*** Field Name ***Kirkella*** Pool Name ***Lodgepole Daly A*** Field Code ***9*** Pool Code ***54A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 29.0 | 27.0 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 31.0 | 24.0 | 30.0 | 30.0 | 25.0 | **5,478.0** |
| H2O | 1975 | 1014.3 | 961.9 | 1059.7 | 1010.5 | 1152.8 | 1033.7 | 968.6 | 1059.7 | 723.4 | 1034.9 | 1027.9 | 853.9 | **75,150.0** |
| OIL | 1975 | 36.9 | 42.3 | 51.7 | 43.9 | 49.3 | 46.9 | 44.7 | 49.1 | 37.4 | 45.5 | 46.3 | 35.3 | **15,832.8** |
| DAY | 1974 | 3.0 | 0.0 | 24.0 | 17.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 25.0 | 24.0 | 30.0 | **5,133.0** |
| H2O | 1974 | 107.3 | 0.0 | 833.7 | 627.7 | 1048.8 | 948.5 | 1009.7 | 1114.0 | 1099.6 | 917.4 | 873.5 | 1102.3 | **63,248.7** |
| OIL | 1974 | 2.7 | 0.0 | 32.3 | 21.8 | 36.9 | 30.2 | 33.2 | 36.1 | 33.9 | 27.3 | 26.2 | 32.4 | **15,303.5** |
| DAY | 1973 | 30.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 13.0 | **4,860.0** |
| H2O | 1973 | 810.8 | 779.0 | 837.9 | 810.8 | 675.7 | 810.8 | 936.4 | 876.0 | 876.0 | 936.4 | 906.2 | 400.0 | **53,566.2** |
| OIL | 1973 | 52.0 | 40.4 | 52.9 | 51.2 | 39.4 | 47.4 | 51.2 | 49.9 | 45.0 | 48.8 | 50.2 | 18.3 | **14,990.5** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 9.0 | 31.0 | 22.0 | 31.0 | 15.0 | 30.0 | 29.0 | 30.0 | 30.0 | **4,520.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 45.2 | 225.9 | 187.0 | 201.6 | 295.7 | 537.1 | 667.7 | 862.5 | 891.1 | **43,910.2** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 19.1 | 48.3 | 29.1 | 39.7 | 47.7 | 66.8 | 50.9 | 47.7 | 44.5 | **14,443.8** |
| DAY | 1971 | 9.0 | 0.0 | 15.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 24.0 | 27.0 | 22.0 | **4,293.0** |
| H2O | 1971 | 134.3 | 0.0 | 120.5 | 232.9 | 186.8 | 429.3 | 451.5 | 427.7 | 443.9 | 391.4 | 356.3 | 291.1 | **39,996.4** |
| OIL | 1971 | 10.5 | 0.0 | 25.4 | 42.9 | 39.0 | 37.4 | 35.0 | 38.8 | 38.2 | 33.1 | 32.9 | 28.8 | **14,050.0** |
| DAY | 1970 | 5.0 | 0.0 | 0.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 25.0 | **4,019.0** |
| H2O | 1970 | 48.5 | 0.0 | 0.0 | 216.2 | 338.6 | 372.0 | 394.0 | 354.5 | 396.2 | 401.8 | 400.6 | 287.8 | **36,530.7** |
| OIL | 1970 | 5.6 | 0.0 | 0.0 | 34.7 | 38.2 | 35.8 | 39.0 | 32.6 | 33.4 | 33.4 | 34.2 | 28.6 | **13,688.0** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 13.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,747.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 137.2 | 353.7 | 412.3 | 334.4 | 407.5 | 434.0 | 448.5 | 429.7 | 290.8 | **33,320.5** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 28.0 | 43.4 | 40.5 | 36.6 | 39.4 | 38.2 | 39.4 | 39.1 | 34.5 | **13,372.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1667*** Well Name ***Enerplus Kirkella Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.08-10-012-29W1.00*** Field Name ***Kirkella*** Pool Name ***Lodgepole Daly A*** Field Code ***9*** Pool Code ***54A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 11.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | **3,490.0** |
| H2O | 1968 | 92.8 | 295.1 | 284.9 | 333.9 | 343.4 | 325.9 | 333.9 | 359.8 | 351.8 | 372.0 | 359.6 | 343.7 | **30,072.4** |
| OIL | 1968 | 12.2 | 32.3 | 31.2 | 31.8 | 28.1 | 32.1 | 33.4 | 35.0 | 32.6 | 33.4 | 32.3 | 31.5 | **13,033.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,152.0** |
| H2O | 1967 | 404.1 | 365.0 | 334.0 | 391.1 | 353.0 | 345.8 | 353.7 | 360.6 | 311.6 | 415.8 | 354.5 | 271.9 | **26,275.6** |
| OIL | 1967 | 30.5 | 28.9 | 38.6 | 39.0 | 33.4 | 32.3 | 36.1 | 35.9 | 35.3 | 39.7 | 33.1 | 28.3 | **12,667.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 21.0 | 31.0 | **2,792.0** |
| H2O | 1966 | 428.8 | 355.5 | 414.0 | 337.1 | 421.5 | 404.5 | 367.9 | 368.4 | 337.1 | 329.1 | 237.1 | 399.2 | **22,014.5** |
| OIL | 1966 | 37.0 | 35.6 | 39.3 | 36.6 | 36.4 | 32.6 | 35.5 | 34.2 | 30.8 | 40.5 | 30.0 | 34.5 | **12,256.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 22.0 | 31.0 | **2,438.0** |
| H2O | 1965 | 360.7 | 289.0 | 293.5 | 301.1 | 332.1 | 314.0 | 335.9 | 346.3 | 329.1 | 375.2 | 276.3 | 423.9 | **17,614.3** |
| OIL | 1965 | 39.3 | 34.9 | 35.8 | 32.8 | 38.4 | 37.4 | 37.7 | 36.8 | 33.4 | 35.6 | 28.0 | 34.5 | **11,833.4** |
| DAY | 1964 | 30.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | **2,082.0** |
| H2O | 1964 | 333.9 | 322.7 | 360.9 | 359.3 | 399.2 | 407.8 | 403.8 | 324.0 | 298.1 | 271.9 | 332.9 | 358.5 | **13,637.2** |
| OIL | 1964 | 71.4 | 73.7 | 59.2 | 40.0 | 44.3 | 50.5 | 48.7 | 36.6 | 31.9 | 34.7 | 38.2 | 39.6 | **11,408.8** |
| DAY | 1963 | 6.0 | 12.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **1,726.0** |
| H2O | 1963 | 50.3 | 47.9 | 249.4 | 243.0 | 244.2 | 231.3 | 247.4 | 248.8 | 253.6 | 294.1 | 294.0 | 322.4 | **9,464.2** |
| OIL | 1963 | 22.8 | 29.9 | 76.4 | 70.6 | 71.6 | 65.9 | 49.5 | 49.2 | 47.6 | 49.0 | 47.4 | 89.4 | **10,840.0** |
| DAY | 1962 | 27.0 | 25.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | **1,404.0** |
| H2O | 1962 | 261.8 | 242.4 | 260.5 | 240.1 | 325.7 | 310.7 | 362.7 | 290.7 | 238.2 | 225.0 | 273.0 | 280.4 | **6,737.8** |
| OIL | 1962 | 145.4 | 135.0 | 148.9 | 134.6 | 139.0 | 134.6 | 139.5 | 128.0 | 124.5 | 113.1 | 120.4 | 119.8 | **10,170.7** |
| DAY | 1961 | 20.0 | 21.0 | 23.0 | 5.0 | 27.0 | 30.0 | 28.0 | 31.0 | 20.0 | 29.0 | 30.0 | 31.0 | **1,053.0** |
| H2O | 1961 | 161.9 | 114.1 | 148.6 | 24.4 | 116.3 | 154.4 | 284.5 | 162.9 | 104.0 | 200.2 | 289.1 | 299.9 | **3,426.6** |
| OIL | 1961 | 171.4 | 114.1 | 148.6 | 24.4 | 116.3 | 144.7 | 149.0 | 167.5 | 96.6 | 157.3 | 162.1 | 172.2 | **8,587.9** |
| DAY | 1960 | 25.0 | 15.0 | 10.0 | 22.0 | 31.0 | 16.0 | 18.0 | 30.0 | 30.0 | 30.0 | 30.0 | 18.0 | **758.0** |
| H2O | 1960 | 23.0 | 24.5 | 23.6 | 48.9 | 97.2 | 53.5 | 66.2 | 107.4 | 228.8 | 224.9 | 262.2 | 145.9 | **1,366.3** |
| OIL | 1960 | 267.3 | 127.2 | 91.8 | 202.1 | 270.3 | 150.1 | 171.6 | 243.5 | 228.8 | 223.6 | 225.7 | 145.9 | **6,963.7** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 20.0 | 21.0 | 24.0 | **483.0** |
| H2O | 1959 | 0.5 | 0.4 | 0.2 | 0.1 | 0.4 | 5.9 | 10.2 | 9.8 | 5.0 | 10.7 | 5.1 | 6.4 | **60.2** |
| OIL | 1959 | 309.9 | 288.6 | 274.0 | 229.6 | 246.3 | 294.7 | 252.8 | 238.1 | 272.4 | 216.1 | 192.8 | 254.0 | **4,615.8** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 30.0 | 30.0 | 30.0 | 27.0 | 27.0 | **154.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 1.3 | 1.5 | 1.3 | 1.0 | 0.0 | **5.5** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 122.5 | 295.6 | 309.9 | 285.1 | 257.5 | 275.9 | **1,546.5** |

Licence ***1668*** Well Name ***Tundra Tilston*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-31-005-29W1.00*** Field Name ***Tilston*** Pool Name ***Mission Canyon 1 A*** Field Code ***2*** Pool Code ***44A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,337.0** |
| H2O | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **29,292.6** |
| OIL | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,336.3** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,337.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **29,292.6** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,336.3** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,337.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **29,292.6** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,336.3** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,337.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **29,292.6** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,336.3** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,337.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **29,292.6** |

# Manitoba Production
## 1950 To 1975

Licence ***1668*** Well Name ***Tundra Tilston*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-31-005-29W1.00*** Field Name ***Tilston*** Pool Name ***Mission Canyon 1 A*** Field Code ***2*** Pool Code ***44A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,336.3** |
| DAY | 1970 | 27.0 | 25.0 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,337.0** |
| H2O | 1970 | 695.4 | 678.1 | 92.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **29,292.6** |
| OIL | 1970 | 25.8 | 19.9 | 5.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,336.3** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 5.0 | 8.0 | 29.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,278.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 94.1 | 341.2 | 472.2 | 515.1 | 715.4 | 739.3 | 806.1 | 801.8 | **27,826.6** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 3.5 | 10.2 | 36.6 | 35.3 | 43.7 | 36.7 | 33.2 | 28.3 | 27.5 | **4,285.0** |
| DAY | 1968 | 18.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,083.0** |
| H2O | 1968 | 363.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **23,341.4** |
| OIL | 1968 | 5.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,030.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,065.0** |
| H2O | 1967 | 526.6 | 511.9 | 520.7 | 522.9 | 432.0 | 631.3 | 630.4 | 636.7 | 711.9 | 681.4 | 594.1 | 627.5 | **22,978.0** |
| OIL | 1967 | 31.8 | 25.9 | 27.7 | 29.1 | 21.6 | 33.2 | 32.9 | 28.0 | 29.9 | 31.6 | 26.9 | 25.1 | **4,024.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 18.0 | 29.0 | 27.0 | 0.0 | 21.0 | 30.0 | 27.0 | 30.0 | 31.0 | **2,705.0** |
| H2O | 1966 | 248.2 | 224.8 | 251.2 | 145.8 | 239.8 | 64.7 | 0.0 | 274.1 | 577.1 | 515.9 | 510.3 | 524.7 | **15,950.6** |
| OIL | 1966 | 23.2 | 19.7 | 21.1 | 11.0 | 14.9 | 12.7 | 0.0 | 23.2 | 39.4 | 43.4 | 32.0 | 28.6 | **3,680.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | **2,402.0** |
| H2O | 1965 | 231.6 | 265.0 | 323.9 | 305.9 | 189.4 | 213.7 | 213.0 | 245.6 | 242.3 | 147.5 | 216.9 | 234.2 | **12,374.0** |
| OIL | 1965 | 29.7 | 22.9 | 27.2 | 23.1 | 18.8 | 27.5 | 24.5 | 23.8 | 27.0 | 22.6 | 25.9 | 24.6 | **3,411.4** |
| DAY | 1964 | 31.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 10.0 | 22.0 | **2,050.0** |
| H2O | 1964 | 222.4 | 230.4 | 233.6 | 257.1 | 218.3 | 214.6 | 249.6 | 95.2 | 108.3 | 104.9 | 35.1 | 163.4 | **9,545.0** |
| OIL | 1964 | 30.8 | 27.3 | 27.3 | 28.5 | 26.9 | 26.4 | 29.1 | 47.1 | 44.8 | 29.9 | 4.8 | 25.4 | **3,113.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 16.0 | 18.0 | 19.0 | 20.0 | 5.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,717.0** |
| H2O | 1963 | 251.8 | 225.8 | 217.8 | 106.5 | 66.0 | 19.7 | 4.8 | 45.9 | 187.0 | 182.7 | 227.2 | 216.7 | **7,412.1** |
| OIL | 1963 | 35.3 | 29.4 | 36.2 | 16.4 | 9.9 | 7.0 | 3.2 | 4.8 | 27.8 | 25.9 | 39.1 | 29.6 | **2,765.5** |
| DAY | 1962 | 30.0 | 28.0 | 22.0 | 0.0 | 21.0 | 30.0 | 31.0 | 20.0 | 26.0 | 31.0 | 30.0 | 31.0 | **1,430.0** |
| H2O | 1962 | 199.4 | 180.9 | 115.4 | 0.0 | 114.5 | 191.4 | 208.0 | 114.6 | 193.2 | 210.2 | 257.1 | 252.0 | **5,660.2** |
| OIL | 1962 | 42.4 | 39.0 | 26.1 | 0.0 | 24.8 | 40.7 | 46.1 | 28.0 | 32.4 | 34.3 | 39.9 | 37.7 | **2,500.9** |
| DAY | 1961 | 31.0 | 24.0 | 24.0 | 30.0 | 16.0 | 30.0 | 29.0 | 31.0 | 29.0 | 26.0 | 28.0 | 31.0 | **1,130.0** |
| H2O | 1961 | 100.5 | 89.7 | 94.4 | 92.7 | 137.4 | 222.6 | 256.4 | 247.1 | 224.6 | 182.7 | 179.7 | 217.0 | **3,623.5** |
| OIL | 1961 | 47.2 | 32.9 | 35.1 | 41.7 | 37.2 | 44.8 | 47.2 | 48.0 | 44.0 | 40.5 | 42.0 | 46.1 | **2,109.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **801.0** |
| H2O | 1960 | 83.9 | 72.8 | 71.1 | 79.0 | 87.9 | 118.1 | 105.1 | 126.1 | 134.0 | 123.4 | 123.5 | 123.1 | **1,578.7** |
| OIL | 1960 | 56.0 | 56.0 | 51.1 | 46.1 | 47.4 | 39.1 | 53.6 | 71.2 | 66.1 | 80.3 | 68.4 | 59.8 | **1,602.8** |
| DAY | 1959 | 28.0 | 28.0 | 30.0 | 23.0 | 30.0 | 30.0 | 31.0 | 31.0 | 24.0 | 0.0 | 9.0 | 31.0 | **437.0** |
| H2O | 1959 | 18.3 | 19.1 | 20.3 | 15.5 | 14.4 | 20.9 | 19.2 | 21.8 | 17.0 | 0.0 | 5.1 | 71.9 | **330.7** |
| OIL | 1959 | 46.5 | 55.2 | 47.6 | 40.4 | 42.8 | 45.5 | 46.8 | 46.2 | 22.5 | 0.0 | 22.5 | 66.4 | **907.7** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 28.0 | 31.0 | 30.0 | 31.0 | **142.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.4 | 35.2 | 17.7 | 15.6 | 16.3 | **87.2** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 88.1 | 116.0 | 100.2 | 70.5 | 50.5 | **425.3** |

Licence ***1669*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-14-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 1.0 | 8.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **66.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 3.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **82.0** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.2 | 5.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **45.9** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 31.0 | 17.0 | 0.0 | **57.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 38.3 | 30.2 | 0.0 | **78.5** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.4 | 32.4 | 2.4 | 0.0 | **40.2** |

Licence ***1673*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***1673*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-21-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,177.0** |
| H2O | 1975 | 494.7 | 423.5 | 469.3 | 456.4 | 391.6 | 359.0 | 397.1 | 432.1 | 429.1 | 322.4 | 290.3 | 295.1 | **84,046.1** |
| OIL | 1975 | 46.1 | 41.8 | 45.1 | 44.5 | 22.1 | 20.0 | 22.9 | 24.3 | 23.4 | 35.0 | 32.4 | 32.9 | **19,422.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **5,813.0** |
| H2O | 1974 | 622.1 | 287.1 | 312.1 | 301.7 | 272.3 | 401.9 | 409.7 | 520.0 | 479.8 | 459.1 | 492.5 | 481.2 | **79,285.5** |
| OIL | 1974 | 137.0 | 35.1 | 38.1 | 37.8 | 42.6 | 52.3 | 52.3 | 45.3 | 45.9 | 45.8 | 45.1 | 45.6 | **19,032.2** |
| DAY | 1973 | 31.0 | 28.0 | 28.0 | 29.0 | 26.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,450.0** |
| H2O | 1973 | 538.3 | 537.8 | 500.5 | 311.0 | 280.9 | 350.1 | 298.1 | 310.0 | 313.2 | 544.8 | 520.3 | 631.6 | **74,246.0** |
| OIL | 1973 | 15.9 | 15.3 | 15.9 | 37.5 | 33.1 | 39.4 | 42.1 | 36.2 | 42.4 | 135.9 | 133.8 | 137.3 | **18,409.3** |
| DAY | 1972 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | **5,096.0** |
| H2O | 1972 | 702.7 | 672.0 | 700.1 | 643.9 | 663.7 | 609.4 | 707.0 | 697.8 | 644.5 | 583.6 | 572.5 | 530.4 | **69,109.4** |
| OIL | 1972 | 78.7 | 76.0 | 84.7 | 73.7 | 80.1 | 71.0 | 89.6 | 89.8 | 79.9 | 116.2 | 108.5 | 16.2 | **17,724.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 22.0 | **4,737.0** |
| H2O | 1971 | 373.3 | 324.0 | 146.7 | 137.5 | 152.5 | 147.7 | 156.8 | 147.7 | 134.2 | 69.6 | 141.2 | 54.7 | **61,381.8** |
| OIL | 1971 | 56.6 | 49.1 | 25.6 | 24.9 | 25.1 | 24.2 | 24.8 | 24.9 | 24.2 | 15.9 | 21.9 | 12.1 | **16,760.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 27.0 | 31.0 | **4,381.0** |
| H2O | 1970 | 657.5 | 570.7 | 623.2 | 573.9 | 356.0 | 364.1 | 380.0 | 333.9 | 359.6 | 367.1 | 319.2 | 368.7 | **59,395.9** |
| OIL | 1970 | 83.1 | 59.1 | 73.7 | 67.4 | 59.1 | 56.9 | 58.5 | 51.0 | 54.0 | 54.7 | 44.5 | 60.1 | **16,430.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 26.0 | 27.0 | 27.0 | 31.0 | 29.0 | 31.0 | **4,022.0** |
| H2O | 1969 | 850.4 | 672.6 | 859.8 | 787.1 | 782.2 | 695.2 | 608.9 | 471.1 | 484.1 | 656.9 | 666.0 | 656.1 | **54,122.0** |
| OIL | 1969 | 131.7 | 116.3 | 122.4 | 112.3 | 111.2 | 93.8 | 81.2 | 72.6 | 72.6 | 91.2 | 86.6 | 85.7 | **15,708.7** |
| DAY | 1968 | 31.0 | 26.0 | 29.0 | 30.0 | 29.0 | 29.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | **3,671.0** |
| H2O | 1968 | 381.6 | 493.3 | 735.6 | 688.4 | 350.4 | 350.4 | 394.3 | 333.2 | 331.6 | 345.0 | 333.9 | 822.7 | **45,931.6** |
| OIL | 1968 | 39.4 | 39.6 | 83.0 | 85.8 | 83.0 | 83.0 | 93.0 | 59.9 | 57.2 | 47.7 | 47.7 | 125.4 | **14,531.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **3,316.0** |
| H2O | 1967 | 653.4 | 578.7 | 595.9 | 538.1 | 523.5 | 491.9 | 491.9 | 564.5 | 418.9 | 374.4 | 403.8 | 413.5 | **40,371.2** |
| OIL | 1967 | 84.5 | 84.5 | 85.2 | 75.3 | 77.7 | 54.0 | 57.2 | 59.1 | 54.7 | 54.0 | 53.2 | 47.0 | **13,686.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 29.0 | **2,955.0** |
| H2O | 1966 | 657.5 | 535.4 | 601.4 | 584.4 | 604.1 | 511.1 | 465.5 | 645.5 | 643.9 | 645.6 | 566.0 | 666.6 | **34,322.7** |
| OIL | 1966 | 112.2 | 94.7 | 102.7 | 99.5 | 102.5 | 86.6 | 80.6 | 64.5 | 62.1 | 64.4 | 56.7 | 75.5 | **12,900.0** |
| DAY | 1965 | 29.0 | 26.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,595.0** |
| H2O | 1965 | 235.6 | 293.3 | 516.7 | 484.3 | 357.7 | 359.0 | 583.1 | 600.1 | 639.1 | 667.4 | 623.0 | 643.9 | **27,195.7** |
| OIL | 1965 | 85.0 | 140.2 | 146.0 | 116.5 | 85.8 | 84.2 | 106.5 | 111.6 | 138.3 | 118.5 | 114.6 | 118.2 | **11,898.0** |
| DAY | 1964 | 29.0 | 29.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,236.0** |
| H2O | 1964 | 414.9 | 427.7 | 463.4 | 184.4 | 281.2 | 271.9 | 271.7 | 243.2 | 262.3 | 259.1 | 262.3 | 270.6 | **21,192.5** |
| OIL | 1964 | 81.8 | 138.6 | 139.7 | 116.0 | 98.5 | 94.4 | 86.4 | 72.1 | 84.9 | 83.6 | 95.3 | 89.0 | **10,532.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,876.0** |
| H2O | 1963 | 498.4 | 453.1 | 445.1 | 403.8 | 394.3 | 403.8 | 397.4 | 416.5 | 405.4 | 443.6 | 424.5 | 429.2 | **17,579.8** |
| OIL | 1963 | 146.5 | 127.4 | 128.9 | 111.1 | 105.0 | 117.6 | 112.7 | 104.2 | 99.2 | 105.0 | 79.8 | 66.3 | **9,352.3** |
| DAY | 1962 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 22.0 | 30.0 | 31.0 | **1,512.0** |
| H2O | 1962 | 338.6 | 300.5 | 378.4 | 339.6 | 355.3 | 342.6 | 353.7 | 352.9 | 351.3 | 311.6 | 427.7 | 476.9 | **12,464.7** |
| OIL | 1962 | 134.1 | 115.7 | 147.0 | 137.3 | 143.5 | 132.8 | 131.1 | 130.8 | 117.0 | 123.8 | 142.1 | 139.8 | **8,048.6** |
| DAY | 1961 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,162.0** |
| H2O | 1961 | 169.8 | 178.1 | 286.2 | 276.6 | 333.9 | 410.2 | 387.9 | 369.6 | 297.3 | 351.3 | 333.9 | 394.3 | **8,135.6** |
| OIL | 1961 | 95.2 | 71.7 | 75.2 | 190.4 | 152.7 | 137.5 | 161.5 | 147.0 | 143.2 | 143.3 | 161.1 | 147.8 | **6,453.6** |
| DAY | 1960 | 30.0 | 29.0 | 29.0 | 29.0 | 30.0 | 29.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **799.0** |
| H2O | 1960 | 209.2 | 200.6 | 192.7 | 270.3 | 269.0 | 273.6 | 185.5 | 174.1 | 219.1 | 159.6 | 211.0 | 157.4 | **4,346.5** |
| OIL | 1960 | 136.2 | 91.2 | 69.3 | 170.0 | 142.4 | 141.9 | 143.5 | 133.5 | 114.6 | 125.7 | 113.0 | 104.2 | **4,827.0** |
| DAY | 1959 | 27.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **441.0** |
| H2O | 1959 | 79.5 | 95.2 | 86.0 | 78.9 | 116.7 | 140.5 | 185.7 | 139.9 | 142.4 | 211.4 | 209.9 | 216.8 | **1,824.4** |
| OIL | 1959 | 251.6 | 250.1 | 284.1 | 245.2 | 281.6 | 279.7 | 258.5 | 248.4 | 233.6 | 194.7 | 180.7 | 162.9 | **3,341.5** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 28.0 | 28.0 | **83.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1673*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-21-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.2 | 17.8 | 86.5 | **121.5** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 129.8 | 93.8 | 246.8 | **470.4** |

Licence ***1674*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-13-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 10.0 | 0.0 | 0.0 | **4,627.0** |
| H2O | 1971 | 49.0 | 51.0 | 58.7 | 59.0 | 59.0 | 58.7 | 58.3 | 56.1 | 50.2 | 17.8 | 0.0 | 0.0 | **8,363.8** |
| OIL | 1971 | 21.0 | 21.5 | 23.7 | 22.4 | 22.9 | 22.2 | 22.7 | 22.4 | 22.1 | 7.2 | 0.0 | 0.0 | **7,180.2** |
| DAY | 1970 | 31.0 | 28.0 | 29.0 | 22.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,348.0** |
| H2O | 1970 | 62.8 | 58.3 | 57.2 | 41.7 | 53.1 | 59.6 | 53.3 | 62.0 | 56.1 | 57.9 | 54.7 | 60.9 | **7,846.0** |
| OIL | 1970 | 23.4 | 20.8 | 21.3 | 16.4 | 20.8 | 22.4 | 22.6 | 23.0 | 21.3 | 22.4 | 22.2 | 23.4 | **6,972.1** |
| DAY | 1969 | 31.0 | 28.0 | 17.0 | 18.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,998.0** |
| H2O | 1969 | 32.6 | 29.6 | 13.4 | 16.9 | 31.2 | 34.0 | 59.6 | 60.4 | 57.1 | 62.0 | 59.3 | 65.2 | **7,168.4** |
| OIL | 1969 | 24.0 | 21.1 | 11.1 | 13.8 | 23.4 | 41.6 | 28.3 | 28.3 | 27.5 | 28.8 | 23.0 | 24.2 | **6,712.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | **3,659.0** |
| H2O | 1968 | 74.4 | 70.7 | 74.9 | 52.1 | 54.5 | 50.1 | 56.1 | 28.8 | 43.1 | 45.8 | 29.3 | 27.8 | **6,647.1** |
| OIL | 1968 | 40.4 | 37.2 | 39.6 | 28.3 | 28.3 | 27.7 | 28.6 | 32.1 | 27.7 | 28.9 | 23.4 | 21.5 | **6,417.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 19.0 | 19.0 | 30.0 | 26.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,298.0** |
| H2O | 1967 | 37.5 | 31.3 | 60.7 | 22.4 | 34.8 | 12.6 | 7.9 | 73.9 | 74.4 | 80.3 | 70.6 | 77.1 | **6,039.5** |
| OIL | 1967 | 27.8 | 24.9 | 29.1 | 11.3 | 17.8 | 35.6 | 29.7 | 35.0 | 38.5 | 40.5 | 39.7 | 40.2 | **6,053.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,965.0** |
| H2O | 1966 | 111.6 | 88.6 | 36.4 | 38.3 | 62.3 | 54.8 | 58.8 | 40.5 | 43.7 | 44.8 | 37.0 | 39.7 | **5,456.0** |
| OIL | 1966 | 57.5 | 50.1 | 33.7 | 34.0 | 29.9 | 28.8 | 23.8 | 26.1 | 25.3 | 26.2 | 26.9 | 28.1 | **5,683.2** |
| DAY | 1965 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **2,600.0** |
| H2O | 1965 | 34.5 | 24.8 | 35.0 | 30.7 | 51.5 | 49.3 | 42.4 | 72.8 | 73.6 | 72.8 | 74.7 | 105.1 | **4,799.5** |
| OIL | 1965 | 40.5 | 29.7 | 39.9 | 38.5 | 36.4 | 36.4 | 32.6 | 40.0 | 37.8 | 39.4 | 37.5 | 52.3 | **5,292.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | **2,245.0** |
| H2O | 1964 | 21.5 | 19.6 | 12.7 | 48.0 | 14.5 | 13.8 | 12.4 | 1.3 | 154.7 | 124.6 | 32.4 | 34.3 | **4,132.3** |
| OIL | 1964 | 20.8 | 19.5 | 17.6 | 28.3 | 17.6 | 16.8 | 17.3 | 36.4 | 57.7 | 47.5 | 37.5 | 40.0 | **4,831.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,885.0** |
| H2O | 1963 | 34.3 | 34.5 | 34.8 | 29.1 | 3.5 | 3.3 | 3.8 | 18.9 | 18.8 | 20.2 | 21.0 | 21.3 | **3,642.5** |
| OIL | 1963 | 21.6 | 19.9 | 21.0 | 19.1 | 15.4 | 14.6 | 15.3 | 21.8 | 22.4 | 22.4 | 19.4 | 19.9 | **4,474.8** |
| DAY | 1962 | 28.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,521.0** |
| H2O | 1962 | 27.3 | 28.0 | 21.9 | 52.8 | 24.5 | 14.8 | 20.7 | 60.6 | 42.6 | 45.8 | 35.5 | 37.8 | **3,399.0** |
| OIL | 1962 | 29.2 | 27.8 | 24.2 | 28.1 | 27.8 | 28.3 | 32.3 | 23.0 | 22.2 | 24.8 | 21.1 | 22.1 | **4,242.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,165.0** |
| H2O | 1961 | 79.0 | 70.9 | 73.4 | 40.9 | 40.5 | 24.8 | 35.6 | 55.3 | 30.0 | 32.7 | 18.8 | 23.4 | **2,986.7** |
| OIL | 1961 | 52.8 | 52.0 | 53.7 | 47.0 | 51.0 | 41.0 | 40.5 | 38.8 | 36.5 | 36.4 | 27.8 | 34.0 | **3,931.1** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **800.0** |
| H2O | 1960 | 33.4 | 56.3 | 112.4 | 29.1 | 53.6 | 59.5 | 67.1 | 55.3 | 42.1 | 73.8 | 66.0 | 78.1 | **2,461.4** |
| OIL | 1960 | 93.9 | 79.3 | 84.5 | 74.1 | 78.3 | 72.3 | 74.7 | 62.9 | 63.1 | 62.9 | 55.0 | 60.5 | **3,419.6** |
| DAY | 1959 | 26.0 | 26.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **434.0** |
| H2O | 1959 | 180.1 | 131.3 | 126.1 | 97.9 | 76.9 | 92.8 | 101.1 | 95.1 | 83.9 | 98.1 | 83.5 | 36.7 | **1,734.7** |
| OIL | 1959 | 258.2 | 192.9 | 193.6 | 160.3 | 142.4 | 132.1 | 141.1 | 136.5 | 110.4 | 110.3 | 108.4 | 99.5 | **2,558.1** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 22.0 | 31.0 | **78.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 198.1 | 144.4 | 188.7 | **531.2** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 279.4 | 182.6 | 310.4 | **772.4** |

Licence ***1675*** Well Name ***Enerplus West Routledge Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.10-20-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***0***

# Manitoba Production
## 1950 To 1975

Licence ***1675*** Well Name ***Enerplus West Routledge Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.10-20-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1962 | 31.0 | 6.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,158.0** |
| H2O | 1962 | 222.5 | 45.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **15,194.3** |
| OIL | 1962 | 19.2 | 3.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,196.0** |
| DAY | 1961 | 23.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,121.0** |
| H2O | 1961 | 364.1 | 438.9 | 479.0 | 456.0 | 259.5 | 266.6 | 205.9 | 229.9 | 218.0 | 238.2 | 212.1 | 217.2 | **14,926.0** |
| OIL | 1961 | 29.1 | 35.3 | 41.2 | 40.4 | 21.3 | 21.1 | 16.2 | 23.8 | 23.5 | 24.9 | 18.6 | 19.1 | **2,173.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 29.0 | 29.0 | 23.0 | 28.0 | **765.0** |
| H2O | 1960 | 509.1 | 553.3 | 359.3 | 354.2 | 389.7 | 338.6 | 353.7 | 554.8 | 510.3 | 449.3 | 364.1 | 470.6 | **11,340.6** |
| OIL | 1960 | 90.6 | 77.5 | 42.0 | 39.3 | 42.0 | 24.8 | 25.3 | 40.4 | 38.0 | 35.1 | 28.4 | 35.3 | **1,858.7** |
| DAY | 1959 | 26.0 | 20.0 | 27.0 | 30.0 | 21.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **417.0** |
| H2O | 1959 | 612.7 | 368.4 | 553.7 | 483.5 | 239.7 | 573.4 | 488.7 | 478.2 | 354.7 | 314.6 | 206.8 | 530.2 | **6,133.6** |
| OIL | 1959 | 115.1 | 92.0 | 110.6 | 104.6 | 40.7 | 85.3 | 91.2 | 94.4 | 59.3 | 45.0 | 31.8 | 88.7 | **1,340.0** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 24.0 | 29.0 | 30.0 | **84.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 261.8 | 333.4 | 333.5 | **929.0** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.6 | 186.7 | 105.5 | 78.5 | **381.3** |

Licence ***1677*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-14-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,064.0** |
| H2O | 1975 | 630.5 | 584.6 | 651.7 | 589.3 | 654.8 | 608.1 | 627.8 | 618.9 | 609.2 | 654.2 | 656.3 | 668.0 | **99,995.0** |
| OIL | 1975 | 168.4 | 151.0 | 165.7 | 146.7 | 160.2 | 151.0 | 160.0 | 160.8 | 156.0 | 161.6 | 156.0 | 158.8 | **54,913.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,700.0** |
| H2O | 1974 | 499.5 | 474.6 | 526.7 | 429.2 | 526.1 | 515.1 | 666.9 | 611.9 | 603.2 | 628.1 | 590.6 | 627.5 | **92,441.6** |
| OIL | 1974 | 235.3 | 210.2 | 238.7 | 190.5 | 234.6 | 221.2 | 172.6 | 171.8 | 164.9 | 172.3 | 154.9 | 169.9 | **53,017.1** |
| DAY | 1973 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,341.0** |
| H2O | 1973 | 783.9 | 662.6 | 800.0 | 804.9 | 802.4 | 783.9 | 529.6 | 565.2 | 560.1 | 527.0 | 529.6 | 500.8 | **85,742.2** |
| OIL | 1973 | 290.2 | 225.5 | 279.8 | 275.4 | 282.9 | 278.7 | 234.6 | 248.5 | 238.7 | 227.2 | 231.5 | 229.1 | **50,680.2** |
| DAY | 1972 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,980.0** |
| H2O | 1972 | 941.6 | 917.6 | 887.7 | 896.5 | 939.4 | 967.4 | 1073.4 | 715.4 | 729.4 | 793.3 | 786.3 | 799.4 | **77,892.2** |
| OIL | 1972 | 406.5 | 379.2 | 363.9 | 394.1 | 397.8 | 397.1 | 409.0 | 290.5 | 282.2 | 297.0 | 282.2 | 294.5 | **47,638.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 27.0 | 25.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,617.0** |
| H2O | 1971 | 726.5 | 659.3 | 758.5 | 674.2 | 586.0 | 718.9 | 601.6 | 561.4 | 479.2 | 549.8 | 547.7 | 655.8 | **67,444.8** |
| OIL | 1971 | 383.6 | 339.3 | 375.5 | 315.9 | 280.2 | 335.5 | 326.2 | 310.0 | 291.3 | 310.4 | 303.2 | 316.7 | **43,444.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 29.0 | 27.0 | 30.0 | 31.0 | **4,263.0** |
| H2O | 1970 | 682.8 | 761.5 | 797.1 | 736.1 | 757.9 | 724.2 | 658.7 | 548.0 | 476.5 | 455.2 | 482.8 | 536.7 | **59,925.9** |
| OIL | 1970 | 301.6 | 323.1 | 352.6 | 340.2 | 351.0 | 323.5 | 331.0 | 838.4 | 748.0 | 726.4 | 810.0 | 849.5 | **39,556.3** |
| DAY | 1969 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | **3,904.0** |
| H2O | 1969 | 886.0 | 900.3 | 844.5 | 862.1 | 948.5 | 762.6 | 846.4 | 840.1 | 765.2 | 856.1 | 712.1 | 842.3 | **52,308.4** |
| OIL | 1969 | 365.3 | 361.4 | 399.0 | 388.9 | 399.2 | 344.0 | 366.0 | 363.0 | 341.3 | 368.2 | 328.6 | 370.9 | **33,261.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,548.0** |
| H2O | 1968 | 821.8 | 755.9 | 810.2 | 811.0 | 964.4 | 882.2 | 992.2 | 906.2 | 909.0 | 932.1 | 889.5 | 946.1 | **42,242.2** |
| OIL | 1968 | 452.1 | 401.9 | 434.1 | 420.5 | 412.1 | 404.6 | 409.5 | 409.0 | 394.6 | 400.8 | 396.8 | 408.9 | **28,865.2** |
| DAY | 1967 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 23.0 | 30.0 | 28.0 | 30.0 | 31.0 | **3,184.0** |
| H2O | 1967 | 893.0 | 768.0 | 919.1 | 860.1 | 837.2 | 845.1 | 639.4 | 640.2 | 821.3 | 729.4 | 780.0 | 847.8 | **31,621.6** |
| OIL | 1967 | 449.2 | 415.5 | 463.4 | 449.9 | 450.5 | 448.9 | 448.0 | 332.8 | 431.8 | 374.9 | 444.6 | 449.1 | **23,920.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,832.0** |
| H2O | 1966 | 546.6 | 433.9 | 556.6 | 595.9 | 664.4 | 592.2 | 605.9 | 1043.9 | 1190.9 | 1234.0 | 844.0 | 954.4 | **22,041.0** |
| OIL | 1966 | 403.6 | 352.3 | 393.6 | 377.1 | 390.4 | 370.7 | 372.3 | 480.1 | 495.8 | 517.9 | 414.3 | 457.5 | **18,761.7** |
| DAY | 1965 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **2,470.0** |
| H2O | 1965 | 511.6 | 459.8 | 504.1 | 433.1 | 484.7 | 515.1 | 517.2 | 519.2 | 455.8 | 539.4 | 553.4 | 572.6 | **12,778.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1677*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-14-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1965 | 407.9 | 376.3 | 391.1 | 370.3 | 370.1 | 426.8 | 444.9 | 440.8 | 341.8 | 424.6 | 403.3 | 408.4 | **13,736.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,111.0** |
| H2O | 1964 | 100.5 | 97.5 | 108.3 | 149.9 | 173.6 | 192.5 | 209.5 | 212.7 | 204.3 | 204.1 | 265.0 | 282.2 | **6,712.3** |
| OIL | 1964 | 101.4 | 105.5 | 114.1 | 131.9 | 158.3 | 184.7 | 225.0 | 226.9 | 219.8 | 223.7 | 204.5 | 220.4 | **8,929.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,745.0** |
| H2O | 1963 | 100.0 | 108.6 | 114.9 | 134.8 | 98.6 | 112.9 | 123.8 | 99.7 | 98.9 | 106.2 | 123.1 | 99.2 | **4,512.2** |
| OIL | 1963 | 111.6 | 103.6 | 99.8 | 88.4 | 106.5 | 104.4 | 107.1 | 104.9 | 107.7 | 108.5 | 122.0 | 97.1 | **6,813.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,381.0** |
| H2O | 1962 | 105.9 | 101.4 | 112.1 | 109.7 | 111.9 | 108.3 | 111.8 | 126.5 | 114.1 | 115.6 | 85.5 | 104.3 | **3,191.5** |
| OIL | 1962 | 141.9 | 118.4 | 142.2 | 124.3 | 128.6 | 126.8 | 123.2 | 127.3 | 116.6 | 127.4 | 110.9 | 113.9 | **5,552.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 20.0 | 1.0 | 0.0 | 0.0 | 0.0 | 28.0 | 31.0 | **1,018.0** |
| H2O | 1961 | 51.4 | 22.3 | 34.3 | 29.7 | 19.9 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 126.5 | 104.1 | **1,884.4** |
| OIL | 1961 | 33.7 | 27.2 | 22.7 | 25.7 | 18.3 | 6.5 | 0.8 | 0.0 | 0.0 | 0.0 | 113.5 | 144.3 | **4,050.5** |
| DAY | 1960 | 28.0 | 29.0 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | 25.0 | 29.0 | 31.0 | 28.0 | 31.0 | **789.0** |
| H2O | 1960 | 69.5 | 110.7 | 108.7 | 74.9 | 72.2 | 70.7 | 51.2 | 64.2 | 49.4 | 54.5 | 87.0 | 63.6 | **1,493.8** |
| OIL | 1960 | 135.6 | 187.2 | 173.1 | 113.0 | 75.6 | 45.4 | 60.7 | 92.3 | 87.7 | 56.1 | 70.1 | 60.4 | **3,657.8** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 29.0 | 27.0 | 26.0 | 30.0 | 31.0 | **439.0** |
| H2O | 1959 | 4.8 | 4.5 | 4.9 | 4.8 | 4.9 | 4.8 | 4.5 | 4.9 | 101.3 | 206.2 | 140.4 | 125.8 | **617.2** |
| OIL | 1959 | 210.4 | 145.7 | 162.9 | 147.3 | 134.9 | 117.8 | 95.8 | 75.2 | 186.9 | 146.2 | 130.8 | 159.2 | **2,500.6** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 30.0 | 31.0 | **87.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.8 | 1.0 | 0.6 | **5.4** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 299.7 | 249.3 | 238.5 | **787.5** |

Licence ***1678*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-34-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,169.0** |
| H2O | 1975 | 127.7 | 111.9 | 130.8 | 126.9 | 131.5 | 125.8 | 116.7 | 114.9 | 113.2 | 121.6 | 122.1 | 124.2 | **10,583.3** |
| OIL | 1975 | 112.5 | 95.5 | 109.8 | 104.2 | 106.3 | 103.3 | 102.2 | 102.8 | 99.6 | 103.0 | 99.6 | 101.2 | **31,685.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,805.0** |
| H2O | 1974 | 121.5 | 112.7 | 126.2 | 122.7 | 126.9 | 132.6 | 134.0 | 122.9 | 121.1 | 127.2 | 122.7 | 126.9 | **9,116.0** |
| OIL | 1974 | 138.3 | 120.5 | 137.9 | 131.6 | 136.7 | 110.8 | 114.3 | 113.9 | 109.3 | 115.1 | 106.2 | 113.5 | **30,445.6** |
| DAY | 1973 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,441.0** |
| H2O | 1973 | 111.6 | 103.2 | 114.8 | 114.6 | 116.1 | 110.0 | 108.4 | 120.7 | 118.6 | 117.2 | 123.8 | 121.9 | **7,618.6** |
| OIL | 1973 | 290.2 | 246.8 | 282.1 | 275.5 | 287.6 | 274.9 | 279.7 | 308.9 | 294.1 | 293.8 | 130.9 | 134.6 | **28,997.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,078.0** |
| H2O | 1972 | 42.9 | 42.0 | 45.9 | 90.0 | 42.1 | 92.2 | 109.5 | 104.0 | 103.8 | 112.9 | 107.6 | 113.7 | **6,237.7** |
| OIL | 1972 | 125.4 | 117.0 | 127.4 | 113.6 | 119.2 | 262.5 | 289.9 | 296.4 | 282.1 | 297.2 | 270.8 | 294.5 | **25,898.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 20.0 | 22.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,717.0** |
| H2O | 1971 | 32.1 | 29.1 | 33.4 | 33.5 | 33.7 | 70.1 | 73.8 | 100.5 | 36.4 | 40.5 | 37.4 | 45.8 | **5,231.1** |
| OIL | 1971 | 254.4 | 225.2 | 249.0 | 236.5 | 241.9 | 88.7 | 96.1 | 133.3 | 127.4 | 132.2 | 119.2 | 127.8 | **23,302.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,372.0** |
| H2O | 1970 | 68.2 | 63.9 | 66.9 | 61.8 | 63.8 | 64.5 | 59.8 | 35.3 | 31.8 | 34.0 | 31.2 | 34.5 | **4,664.8** |
| OIL | 1970 | 111.7 | 100.7 | 110.0 | 106.0 | 109.3 | 107.1 | 111.2 | 241.5 | 222.8 | 243.3 | 233.4 | 244.7 | **21,270.7** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,008.0** |
| H2O | 1969 | 60.6 | 55.0 | 49.6 | 52.8 | 56.0 | 55.5 | 60.3 | 60.6 | 66.6 | 66.1 | 64.5 | 70.7 | **4,049.1** |
| OIL | 1969 | 204.5 | 180.7 | 191.5 | 194.3 | 192.3 | 195.9 | 203.6 | 202.5 | 110.1 | 105.5 | 110.4 | 115.5 | **19,329.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,647.0** |
| H2O | 1968 | 58.8 | 55.8 | 59.3 | 60.7 | 63.8 | 58.2 | 60.7 | 55.5 | 55.6 | 59.0 | 54.5 | 57.7 | **3,330.8** |
| OIL | 1968 | 208.8 | 191.6 | 205.2 | 203.7 | 204.4 | 200.5 | 204.8 | 204.5 | 197.4 | 207.1 | 198.3 | 204.2 | **17,322.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **3,281.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1678*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-34-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1967 | 93.8 | 77.4 | 93.2 | 86.8 | 87.0 | 81.7 | 64.4 | 69.3 | 60.7 | 56.8 | 57.7 | 61.0 | **2,631.2** |
| OIL | 1967 | 217.4 | 193.2 | 216.8 | 209.1 | 215.6 | 206.6 | 214.7 | 207.1 | 199.3 | 182.0 | 205.3 | 208.5 | **14,891.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,920.0** |
| H2O | 1966 | 77.1 | 61.8 | 78.2 | 80.4 | 107.2 | 94.4 | 85.2 | 95.1 | 98.7 | 92.5 | 91.7 | 98.7 | **1,741.4** |
| OIL | 1966 | 148.6 | 130.8 | 144.0 | 141.6 | 224.9 | 216.1 | 191.2 | 214.8 | 211.4 | 212.1 | 207.9 | 217.9 | **12,416.1** |
| DAY | 1965 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **2,557.0** |
| H2O | 1965 | 2.7 | 2.4 | 2.9 | 2.4 | 2.5 | 2.2 | 2.4 | 4.8 | 4.8 | 4.8 | 4.9 | 69.6 | **680.4** |
| OIL | 1965 | 112.5 | 96.5 | 110.9 | 106.8 | 107.9 | 107.1 | 112.5 | 100.7 | 95.3 | 99.2 | 94.2 | 129.2 | **10,154.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,197.0** |
| H2O | 1964 | 2.7 | 2.4 | 2.7 | 2.5 | 2.7 | 2.5 | 2.5 | 2.5 | 2.4 | 2.5 | 2.5 | 2.7 | **574.0** |
| OIL | 1964 | 105.8 | 100.1 | 108.1 | 103.8 | 106.9 | 103.0 | 106.8 | 107.7 | 104.2 | 106.2 | 104.1 | 111.4 | **8,882.0** |
| DAY | 1963 | 19.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,831.0** |
| H2O | 1963 | 0.8 | 1.4 | 1.4 | 1.7 | 1.3 | 1.4 | 1.9 | 1.3 | 1.9 | 1.3 | 2.5 | 2.5 | **543.4** |
| OIL | 1963 | 55.3 | 72.0 | 87.6 | 89.1 | 87.6 | 80.7 | 81.8 | 66.7 | 85.2 | 92.3 | 99.3 | 101.5 | **7,613.9** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,485.0** |
| H2O | 1962 | 12.7 | 11.4 | 12.6 | 11.9 | 10.5 | 9.9 | 8.9 | 2.2 | 1.7 | 2.1 | 1.4 | 1.9 | **524.0** |
| OIL | 1962 | 105.7 | 93.4 | 101.4 | 97.9 | 99.3 | 95.7 | 103.9 | 107.4 | 102.3 | 96.9 | 95.0 | 88.5 | **6,614.8** |
| DAY | 1961 | 31.0 | 27.0 | 31.0 | 29.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,120.0** |
| H2O | 1961 | 7.0 | 7.2 | 9.5 | 9.7 | 8.4 | 21.5 | 13.5 | 10.8 | 11.4 | 12.2 | 12.7 | 12.9 | **436.8** |
| OIL | 1961 | 124.6 | 110.4 | 118.2 | 112.2 | 133.2 | 141.0 | 140.3 | 127.6 | 118.1 | 121.1 | 107.9 | 106.6 | **5,427.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 26.0 | 17.0 | 29.0 | 30.0 | 31.0 | **759.0** |
| H2O | 1960 | 10.0 | 8.7 | 9.7 | 11.1 | 15.9 | 18.0 | 15.9 | 20.8 | 5.4 | 5.4 | 4.9 | 5.7 | **300.0** |
| OIL | 1960 | 173.5 | 147.2 | 157.0 | 154.6 | 171.6 | 142.9 | 156.7 | 133.0 | 88.4 | 121.6 | 126.7 | 125.9 | **3,966.2** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 28.0 | 31.0 | 26.0 | 30.0 | 27.0 | 30.0 | 31.0 | **414.0** |
| H2O | 1959 | 5.2 | 4.5 | 4.6 | 9.9 | 11.0 | 9.1 | 10.2 | 15.1 | 11.8 | 31.2 | 16.4 | 10.2 | **168.5** |
| OIL | 1959 | 120.3 | 65.2 | 82.5 | 180.4 | 180.0 | 160.2 | 194.7 | 159.2 | 184.3 | 158.3 | 173.1 | 176.7 | **2,267.1** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 30.0 | 31.0 | **63.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.1 | 10.2 | **29.3** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 255.5 | 173.7 | **432.2** |

Licence ***1679*** Well Name ***Kiwi Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-08-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,524.0** |
| OIL | 1975 | 3.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **9,734.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 23.0 | 10.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,519.0** |
| H2O | 1974 | 1338.7 | 1206.9 | 1341.3 | 1373.6 | 1381.5 | 1225.1 | 327.4 | 988.6 | 988.6 | 988.6 | 988.6 | 988.2 | **118,764.3** |
| OIL | 1974 | 36.6 | 35.0 | 37.0 | 38.2 | 41.3 | 26.1 | 7.6 | 25.6 | 26.1 | 26.1 | 26.1 | 26.1 | **9,730.6** |
| DAY | 1973 | 30.0 | 28.0 | 31.0 | 28.0 | 26.0 | 27.0 | 20.0 | 21.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,185.0** |
| H2O | 1973 | 1311.6 | 1001.5 | 1108.8 | 1108.8 | 0.0 | 1029.8 | 717.8 | 736.7 | 1084.2 | 1376.3 | 1329.5 | 1341.3 | **105,627.2** |
| OIL | 1973 | 34.2 | 32.0 | 37.0 | 37.0 | 33.1 | 35.3 | 19.9 | 20.8 | 27.2 | 30.7 | 29.7 | 37.0 | **9,378.8** |
| DAY | 1972 | 31.0 | 29.0 | 27.0 | 29.0 | 28.0 | 29.0 | 31.0 | 26.0 | 10.0 | 31.0 | 30.0 | 24.0 | **3,852.0** |
| H2O | 1972 | 1335.4 | 1267.8 | 1355.3 | 1414.9 | 1406.9 | 1152.6 | 1359.2 | 1136.7 | 437.2 | 1330.6 | 1291.7 | 874.7 | **93,480.9** |
| OIL | 1972 | 31.8 | 30.2 | 27.0 | 29.4 | 27.0 | 27.8 | 27.0 | 22.3 | 14.3 | 31.0 | 30.2 | 31.8 | **9,004.9** |
| DAY | 1971 | 31.0 | 26.0 | 22.0 | 21.0 | 29.0 | 27.0 | 22.0 | 27.0 | 29.0 | 31.0 | 27.0 | 31.0 | **3,527.0** |
| H2O | 1971 | 1355.3 | 1136.7 | 961.9 | 961.9 | 1267.8 | 1180.4 | 961.9 | 1178.8 | 1244.0 | 1331.4 | 1180.4 | 1335.4 | **79,117.9** |
| OIL | 1971 | 55.6 | 41.3 | 35.0 | 22.3 | 28.6 | 34.3 | 28.0 | 27.0 | 30.2 | 30.2 | 41.0 | 39.0 | **8,675.1** |
| DAY | 1970 | 31.0 | 28.0 | 29.0 | 27.0 | 6.0 | 23.0 | 27.0 | 26.0 | 0.0 | 0.0 | 26.0 | 23.0 | **3,204.0** |
| H2O | 1970 | 381.9 | 421.0 | 420.2 | 394.6 | 89.8 | 332.3 | 386.0 | 517.4 | 0.0 | 0.0 | 3352.7 | 924.5 | **65,022.0** |
| OIL | 1970 | 42.8 | 37.2 | 34.7 | 33.4 | 9.2 | 33.2 | 39.7 | 40.2 | 0.0 | 0.0 | 35.3 | 38.5 | **8,262.6** |
| DAY | 1969 | 0.0 | 4.0 | 12.0 | 27.0 | 30.0 | 28.0 | 29.0 | 5.0 | 19.0 | 28.0 | 29.0 | 28.0 | **2,958.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1679*** Well Name ***Kiwi Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-08-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1969 | 425.6 | 71.7 | 138.3 | 370.4 | 491.3 | 511.7 | 431.5 | 69.3 | 257.6 | 416.2 | 468.2 | 441.2 | **57,801.6** |
| OIL | 1969 | 43.7 | 5.9 | 26.1 | 44.2 | 50.9 | 40.4 | 39.4 | 6.4 | 31.5 | 40.2 | 40.9 | 40.2 | **7,918.4** |
| DAY | 1968 | 29.0 | 22.0 | 30.0 | 24.0 | 31.0 | 29.0 | 28.0 | 30.0 | 29.0 | 27.0 | 27.0 | 0.0 | **2,719.0** |
| H2O | 1968 | 332.4 | 251.2 | 324.5 | 248.2 | 314.8 | 333.6 | 342.0 | 415.8 | 403.0 | 415.1 | 392.1 | 471.7 | **53,708.6** |
| OIL | 1968 | 45.0 | 31.5 | 47.1 | 40.5 | 47.7 | 43.4 | 43.9 | 56.1 | 54.9 | 52.0 | 48.5 | 54.2 | **7,508.6** |
| DAY | 1967 | 31.0 | 28.0 | 3.0 | 0.0 | 8.0 | 14.0 | 23.0 | 31.0 | 29.0 | 26.0 | 27.0 | 28.0 | **2,413.0** |
| H2O | 1967 | 682.6 | 665.7 | 71.5 | 0.0 | 182.4 | 319.1 | 416.1 | 721.8 | 788.3 | 461.2 | 471.1 | 448.3 | **49,464.2** |
| OIL | 1967 | 58.5 | 51.7 | 5.2 | 0.0 | 19.9 | 38.5 | 63.8 | 78.1 | 54.1 | 56.9 | 53.1 | 54.7 | **6,943.8** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 13.0 | 0.0 | 0.0 | 29.0 | 31.0 | 30.0 | 21.0 | 26.0 | 11.0 | **2,165.0** |
| H2O | 1966 | 261.9 | 172.3 | 96.8 | 69.5 | 0.0 | 0.0 | 274.3 | 340.1 | 352.3 | 234.2 | 519.0 | 205.9 | **44,236.1** |
| OIL | 1966 | 57.2 | 33.7 | 45.6 | 25.9 | 0.0 | 0.0 | 58.8 | 65.2 | 58.8 | 33.4 | 42.8 | 19.1 | **6,409.3** |
| DAY | 1965 | 5.0 | 6.0 | 29.0 | 6.0 | 14.0 | 25.0 | 31.0 | 31.0 | 25.0 | 12.0 | 30.0 | 31.0 | **1,914.0** |
| H2O | 1965 | 108.9 | 114.0 | 600.2 | 108.6 | 283.3 | 417.5 | 484.8 | 285.5 | 202.9 | 78.1 | 217.8 | 287.1 | **41,709.8** |
| OIL | 1965 | 10.5 | 14.6 | 68.7 | 14.6 | 35.9 | 59.3 | 73.9 | 62.2 | 52.8 | 22.6 | 67.3 | 67.4 | **5,968.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 28.0 | 30.0 | 30.0 | 24.0 | 25.0 | 23.0 | 29.0 | **1,669.0** |
| H2O | 1964 | 819.3 | 795.3 | 853.0 | 788.9 | 784.4 | 709.9 | 713.3 | 677.7 | 571.6 | 593.1 | 519.8 | 657.0 | **38,521.1** |
| OIL | 1964 | 68.4 | 66.6 | 70.0 | 68.2 | 66.5 | 61.8 | 64.9 | 63.9 | 53.7 | 58.3 | 55.6 | 64.7 | **5,419.0** |
| DAY | 1963 | 0.0 | 0.0 | 10.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 24.0 | 30.0 | 31.0 | **1,329.0** |
| H2O | 1963 | 0.0 | 0.0 | 251.2 | 695.0 | 756.9 | 735.2 | 744.4 | 720.2 | 816.6 | 641.7 | 779.7 | 784.8 | **30,037.8** |
| OIL | 1963 | 0.0 | 0.0 | 55.0 | 101.0 | 85.7 | 88.6 | 93.8 | 81.6 | 90.5 | 66.5 | 79.0 | 81.1 | **4,656.4** |
| DAY | 1962 | 31.0 | 28.0 | 26.0 | 29.0 | 26.0 | 29.0 | 31.0 | 31.0 | 30.0 | 15.0 | 2.0 | 7.0 | **1,055.0** |
| H2O | 1962 | 985.7 | 850.6 | 826.7 | 890.3 | 800.5 | 922.1 | 944.4 | 1060.4 | 1049.2 | 524.6 | 74.7 | 222.6 | **23,112.1** |
| OIL | 1962 | 105.0 | 74.7 | 90.5 | 93.5 | 82.7 | 101.3 | 90.9 | 97.9 | 94.3 | 47.7 | 10.3 | 27.2 | **3,833.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 31.0 | 28.0 | 22.0 | 11.0 | 31.0 | **770.0** |
| H2O | 1961 | 699.9 | 675.0 | 953.6 | 791.0 | 884.0 | 831.8 | 863.6 | 862.5 | 882.4 | 700.7 | 337.1 | 985.7 | **13,960.3** |
| OIL | 1961 | 146.6 | 111.1 | 138.5 | 111.0 | 116.4 | 101.5 | 108.2 | 102.3 | 89.5 | 70.6 | 41.3 | 122.9 | **2,917.6** |
| DAY | 1960 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 9.0 | 29.0 | 29.0 | **438.0** |
| H2O | 1960 | 45.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 102.1 | 428.2 | 623.8 | **4,493.0** |
| OIL | 1960 | 13.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 50.4 | 148.2 | 158.1 | **1,657.7** |
| DAY | 1959 | 28.0 | 28.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 22.0 | 26.0 | 25.0 | 22.0 | 30.0 | **365.0** |
| H2O | 1959 | 255.2 | 314.2 | 360.3 | 327.4 | 313.2 | 386.2 | 318.3 | 56.3 | 108.9 | 181.2 | 135.3 | 311.1 | **3,289.6** |
| OIL | 1959 | 160.3 | 136.7 | 118.1 | 109.4 | 109.9 | 111.9 | 110.6 | 33.7 | 39.0 | 41.5 | 30.5 | 70.4 | **1,284.0** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 19.0 | **34.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 111.3 | 110.7 | **222.0** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 117.7 | 94.3 | **212.0** |

Licence ***1680*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.08-20-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,095.0** |
| H2O | 1975 | 1886.0 | 1601.4 | 1800.9 | 1670.7 | 1715.2 | 1698.2 | 1876.9 | 1908.9 | 1851.3 | 1930.0 | 1738.4 | 1825.7 | **163,904.5** |
| OIL | 1975 | 46.4 | 41.8 | 45.9 | 43.2 | 59.6 | 58.2 | 66.7 | 66.3 | 61.8 | 60.1 | 55.9 | 58.5 | **19,567.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 28.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **5,731.0** |
| H2O | 1974 | 1284.2 | 1116.7 | 1275.7 | 1206.2 | 1433.7 | 1735.3 | 1654.5 | 1954.5 | 1557.7 | 1898.2 | 1793.8 | 1883.0 | **142,400.9** |
| OIL | 1974 | 71.0 | 61.0 | 69.6 | 67.5 | 84.9 | 84.9 | 79.5 | 93.9 | 59.8 | 69.9 | 65.5 | 47.2 | **18,903.5** |
| DAY | 1973 | 28.0 | 28.0 | 27.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 27.0 | 31.0 | 29.0 | 31.0 | **5,375.0** |
| H2O | 1973 | 1149.1 | 1224.6 | 635.6 | 1612.1 | 1821.8 | 1746.7 | 1887.7 | 2117.3 | 1014.9 | 1143.7 | 1070.3 | 1293.5 | **123,607.4** |
| OIL | 1973 | 65.0 | 67.2 | 37.7 | 89.5 | 98.2 | 89.8 | 90.9 | 84.5 | 61.5 | 71.5 | 69.1 | 70.7 | **18,048.8** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 23.0 | 28.0 | 30.0 | 27.0 | 31.0 | 27.0 | 29.0 | 26.0 | 31.0 | **5,023.0** |
| H2O | 1972 | 882.3 | 857.2 | 1001.1 | 507.8 | 645.8 | 1162.6 | 1012.7 | 1261.2 | 963.3 | 1108.6 | 1041.8 | 1217.8 | **106,890.1** |
| OIL | 1972 | 176.4 | 173.2 | 58.6 | 23.4 | 31.3 | 59.0 | 50.1 | 63.2 | 52.9 | 83.9 | 58.5 | 71.8 | **17,153.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1680*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.08-20-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 28.0 | 29.0 | 30.0 | 29.0 | 28.0 | 31.0 | 31.0 | 27.0 | 31.0 | 27.0 | 30.0 | **4,681.0** |
| H2O | 1971 | 1133.4 | 1014.1 | 1019.4 | 1004.6 | 1300.3 | 1160.7 | 1392.0 | 1311.1 | 940.7 | 1125.9 | 1024.8 | 879.5 | **95,227.9** |
| OIL | 1971 | 76.1 | 68.0 | 59.0 | 60.1 | 34.8 | 82.3 | 95.3 | 95.8 | 47.2 | 54.0 | 104.4 | 178.5 | **16,250.9** |
| DAY | 1970 | 31.0 | 28.0 | 28.0 | 21.0 | 2.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | **4,329.0** |
| H2O | 1970 | 1359.9 | 1222.4 | 1310.3 | 836.2 | 5.4 | 1128.0 | 1188.5 | 1105.2 | 1125.3 | 1043.4 | 1076.9 | 1153.8 | **81,921.4** |
| OIL | 1970 | 100.6 | 71.8 | 82.0 | 54.3 | 5.1 | 78.2 | 81.2 | 75.0 | 75.0 | 68.8 | 66.6 | 83.3 | **15,295.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,008.0** |
| H2O | 1969 | 1249.3 | 1188.4 | 1319.9 | 1282.3 | 1399.7 | 1316.8 | 1446.9 | 1447.7 | 1399.8 | 1458.0 | 1460.2 | 1486.6 | **69,366.1** |
| OIL | 1969 | 97.7 | 87.2 | 95.0 | 92.6 | 102.3 | 99.0 | 105.4 | 103.8 | 98.8 | 97.9 | 98.2 | 101.2 | **14,453.5** |
| DAY | 1968 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,643.0** |
| H2O | 1968 | 350.9 | 361.2 | 523.2 | 443.1 | 509.1 | 512.2 | 502.7 | 501.4 | 424.0 | 1365.5 | 1352.0 | 1201.1 | **52,910.5** |
| OIL | 1968 | 62.1 | 56.4 | 74.8 | 66.1 | 68.2 | 70.2 | 63.4 | 63.6 | 55.8 | 132.2 | 119.3 | 102.0 | **13,274.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,280.0** |
| H2O | 1967 | 619.5 | 539.7 | 638.9 | 555.3 | 540.4 | 527.3 | 538.8 | 533.7 | 555.8 | 426.1 | 391.2 | 356.3 | **44,864.1** |
| OIL | 1967 | 85.5 | 73.7 | 84.4 | 80.9 | 69.9 | 67.1 | 68.5 | 66.9 | 63.1 | 58.5 | 57.0 | 59.6 | **12,340.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 19.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,915.0** |
| H2O | 1966 | 430.0 | 383.3 | 412.7 | 404.4 | 522.2 | 550.2 | 371.4 | 584.3 | 587.4 | 622.7 | 620.5 | 610.2 | **38,641.1** |
| OIL | 1966 | 72.3 | 61.8 | 67.7 | 62.6 | 94.4 | 81.0 | 56.6 | 82.2 | 83.4 | 91.2 | 87.6 | 89.6 | **11,505.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,562.0** |
| H2O | 1965 | 570.9 | 539.4 | 549.0 | 459.6 | 482.3 | 463.6 | 556.6 | 540.7 | 387.1 | 435.9 | 421.9 | 433.1 | **32,541.8** |
| OIL | 1965 | 77.9 | 68.0 | 73.1 | 86.9 | 88.0 | 78.8 | 78.3 | 82.0 | 67.7 | 77.2 | 72.6 | 73.9 | **10,574.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,199.0** |
| H2O | 1964 | 379.3 | 343.9 | 376.5 | 362.0 | 431.2 | 418.4 | 430.0 | 475.0 | 465.5 | 496.2 | 493.6 | 555.2 | **26,701.7** |
| OIL | 1964 | 80.2 | 71.5 | 77.2 | 70.2 | 88.4 | 86.4 | 79.8 | 94.1 | 91.2 | 93.8 | 90.1 | 82.2 | **9,650.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,833.0** |
| H2O | 1963 | 487.0 | 442.3 | 464.4 | 514.0 | 400.8 | 388.7 | 366.8 | 399.5 | 349.6 | 423.2 | 391.9 | 383.3 | **21,474.9** |
| OIL | 1963 | 109.6 | 99.6 | 105.4 | 104.4 | 102.0 | 96.9 | 94.4 | 96.0 | 84.1 | 90.9 | 84.7 | 82.3 | **8,645.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 25.0 | 18.0 | 31.0 | 29.0 | 27.0 | **1,471.0** |
| H2O | 1962 | 283.6 | 160.7 | 503.3 | 476.5 | 493.8 | 478.8 | 483.0 | 398.7 | 276.1 | 503.0 | 465.5 | 440.2 | **16,463.4** |
| OIL | 1962 | 97.7 | 57.4 | 141.0 | 133.2 | 136.8 | 118.1 | 124.4 | 98.4 | 68.8 | 122.7 | 106.9 | 97.4 | **7,495.0** |
| DAY | 1961 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,129.0** |
| H2O | 1961 | 378.1 | 343.6 | 334.2 | 293.6 | 327.7 | 321.9 | 333.7 | 345.8 | 297.0 | 331.3 | 262.3 | 276.5 | **11,500.2** |
| OIL | 1961 | 137.0 | 110.6 | 115.4 | 103.6 | 106.5 | 114.1 | 117.6 | 118.7 | 100.0 | 110.8 | 90.7 | 95.7 | **6,192.2** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **768.0** |
| H2O | 1960 | 392.4 | 336.6 | 355.5 | 365.0 | 371.4 | 371.5 | 430.4 | 419.5 | 368.4 | 354.7 | 355.2 | 390.1 | **7,654.5** |
| OIL | 1960 | 175.3 | 162.6 | 152.7 | 141.9 | 154.8 | 150.8 | 150.2 | 145.6 | 135.6 | 137.0 | 136.8 | 132.7 | **4,871.5** |
| DAY | 1959 | 28.0 | 17.0 | 30.0 | 30.0 | 27.0 | 24.0 | 28.0 | 30.0 | 30.0 | 26.0 | 30.0 | 31.0 | **403.0** |
| H2O | 1959 | 363.1 | 0.6 | 175.5 | 143.4 | 166.6 | 161.4 | 252.5 | 267.6 | 267.1 | 248.2 | 252.3 | 327.2 | **3,143.8** |
| OIL | 1959 | 214.7 | 21.6 | 283.5 | 250.9 | 276.7 | 236.9 | 198.6 | 236.9 | 226.0 | 154.5 | 177.0 | 178.0 | **3,095.5** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 23.0 | 30.0 | **72.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 102.4 | 144.2 | 271.7 | **518.3** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 180.5 | 198.0 | 261.7 | **640.2** |

Licence ***1681*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-21-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 18.0 | 6.0 | **5,816.0** |
| H2O | 1975 | 3307.9 | 2708.5 | 3022.8 | 2909.3 | 1911.2 | 3162.4 | 3489.8 | 3643.2 | 3396.3 | 3865.3 | 1878.4 | 665.4 | **214,203.8** |
| OIL | 1975 | 42.4 | 36.7 | 40.1 | 39.3 | 34.8 | 32.9 | 14.9 | 15.1 | 13.7 | 39.7 | 10.3 | 3.7 | **16,026.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,490.0** |
| H2O | 1974 | 3947.3 | 3526.3 | 3920.9 | 3213.3 | 2900.3 | 3340.5 | 3404.9 | 3472.4 | 3096.4 | 3232.4 | 3257.0 | 3302.5 | **180,243.3** |

# Manitoba Production
# 1950 To 1975

Licence ***1681*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-21-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1974 | 23.7 | 21.0 | 23.2 | 29.7 | 33.7 | 31.8 | 32.0 | 32.4 | 38.2 | 38.5 | 41.0 | 43.1 | **15,702.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 25.0 | 27.0 | 30.0 | 24.0 | 26.0 | 24.0 | 19.0 | 30.0 | 31.0 | **5,126.0** |
| H2O | 1973 | 1344.4 | 1305.6 | 1371.3 | 979.7 | 1120.2 | 1305.9 | 914.7 | 1108.0 | 3775.2 | 2813.6 | 4661.2 | 4031.0 | **139,629.1** |
| OIL | 1973 | 36.4 | 34.3 | 40.2 | 31.3 | 34.8 | 38.6 | 29.3 | 29.4 | 45.8 | 35.3 | 60.3 | 31.2 | **15,314.6** |
| DAY | 1972 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 26.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,800.0** |
| H2O | 1972 | 1169.8 | 1136.3 | 1175.4 | 1104.5 | 1148.8 | 1033.7 | 970.6 | 925.3 | 1194.8 | 1230.2 | 1224.4 | 1286.8 | **114,898.3** |
| OIL | 1972 | 37.4 | 36.7 | 40.7 | 36.2 | 39.9 | 34.5 | 31.6 | 30.5 | 33.2 | 34.7 | 32.9 | 36.4 | **14,867.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,443.0** |
| H2O | 1971 | 1200.5 | 1042.3 | 1181.4 | 1085.7 | 1182.6 | 992.6 | 1217.1 | 1146.3 | 1033.9 | 1052.3 | 1094.6 | 1214.7 | **101,297.7** |
| OIL | 1971 | 39.7 | 34.5 | 39.3 | 37.2 | 38.3 | 31.8 | 37.8 | 38.0 | 36.4 | 35.6 | 33.4 | 39.6 | **14,443.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 28.0 | 27.0 | 30.0 | 30.0 | 31.0 | 27.0 | 31.0 | **4,082.0** |
| H2O | 1970 | 1075.3 | 1073.7 | 1051.0 | 881.5 | 1146.0 | 1008.5 | 997.7 | 1003.4 | 1120.9 | 1148.8 | 1030.1 | 1153.9 | **87,853.7** |
| OIL | 1970 | 25.0 | 62.0 | 37.8 | 31.2 | 56.6 | 46.7 | 45.8 | 45.6 | 50.1 | 37.5 | 31.5 | 41.0 | **14,001.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 22.0 | 31.0 | 30.0 | 30.0 | **3,730.0** |
| H2O | 1969 | 1170.5 | 1065.3 | 1206.8 | 894.8 | 1160.8 | 1126.6 | 1155.1 | 1128.4 | 684.2 | 1049.9 | 974.3 | 1036.3 | **75,162.9** |
| OIL | 1969 | 60.9 | 53.7 | 61.4 | 51.8 | 62.2 | 57.7 | 60.4 | 50.1 | 35.8 | 47.5 | 45.0 | 43.2 | **13,490.6** |
| DAY | 1968 | 18.0 | 29.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **3,378.0** |
| H2O | 1968 | 780.8 | 1353.4 | 1687.1 | 935.5 | 1061.5 | 1148.6 | 1284.0 | 1258.0 | 1211.7 | 1201.5 | 1239.2 | 1687.7 | **62,509.9** |
| OIL | 1968 | 57.1 | 82.5 | 66.0 | 50.4 | 61.8 | 58.5 | 61.7 | 61.8 | 61.5 | 56.0 | 51.4 | 56.0 | **12,860.9** |
| DAY | 1967 | 30.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **3,031.0** |
| H2O | 1967 | 620.0 | 1171.8 | 1218.7 | 1290.7 | 1220.5 | 1339.5 | 1334.3 | 1352.6 | 1236.8 | 1379.0 | 1277.2 | 287.3 | **47,660.9** |
| OIL | 1967 | 107.0 | 91.3 | 95.9 | 99.8 | 90.9 | 94.4 | 96.2 | 95.1 | 86.2 | 90.3 | 82.0 | 76.2 | **12,136.2** |
| DAY | 1966 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | **2,671.0** |
| H2O | 1966 | 248.6 | 219.1 | 301.3 | 503.4 | 535.5 | 513.4 | 569.4 | 521.1 | 502.3 | 486.7 | 477.0 | 476.2 | **33,932.5** |
| OIL | 1966 | 73.1 | 61.5 | 102.4 | 101.3 | 101.6 | 97.1 | 97.8 | 97.8 | 85.7 | 100.6 | 93.2 | 94.6 | **11,030.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,313.0** |
| H2O | 1965 | 275.1 | 238.1 | 251.3 | 283.5 | 283.4 | 265.9 | 255.7 | 264.8 | 239.0 | 251.3 | 243.9 | 270.7 | **28,578.5** |
| OIL | 1965 | 134.9 | 131.1 | 140.4 | 140.6 | 105.9 | 102.0 | 95.0 | 94.5 | 86.6 | 84.7 | 78.7 | 82.0 | **9,924.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,951.0** |
| H2O | 1964 | 196.1 | 193.1 | 210.4 | 185.8 | 185.4 | 217.9 | 242.5 | 243.0 | 230.3 | 229.3 | 264.0 | 277.5 | **25,455.8** |
| OIL | 1964 | 257.0 | 238.7 | 241.2 | 213.3 | 209.1 | 162.4 | 172.6 | 166.8 | 158.1 | 154.4 | 153.6 | 158.3 | **8,647.8** |
| DAY | 1963 | 24.0 | 27.0 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 27.0 | 30.0 | 31.0 | **1,588.0** |
| H2O | 1963 | 0.0 | 0.0 | 42.3 | 35.4 | 44.7 | 31.9 | 32.0 | 116.0 | 85.3 | 160.3 | 196.6 | 200.1 | **22,780.5** |
| OIL | 1963 | 184.3 | 277.7 | 359.8 | 262.4 | 315.3 | 262.9 | 240.4 | 270.5 | 216.1 | 264.6 | 279.4 | 264.0 | **6,362.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 28.0 | 18.0 | 4.0 | 29.0 | 27.0 | **1,246.0** |
| H2O | 1962 | 616.3 | 527.4 | 549.8 | 541.1 | 668.1 | 678.1 | 681.5 | 567.3 | 379.4 | 28.4 | 182.1 | 164.0 | **21,835.9** |
| OIL | 1962 | 28.2 | 23.6 | 24.1 | 35.8 | 23.7 | 23.1 | 22.2 | 18.7 | 11.8 | 0.0 | 0.0 | 0.0 | **3,164.9** |
| DAY | 1961 | 31.0 | 20.0 | 27.0 | 30.0 | 25.0 | 30.0 | 27.0 | 31.0 | 17.0 | 25.0 | 30.0 | 31.0 | **933.0** |
| H2O | 1961 | 775.1 | 387.8 | 528.7 | 620.6 | 514.7 | 561.3 | 529.3 | 637.0 | 301.5 | 478.8 | 585.9 | 588.0 | **16,252.4** |
| OIL | 1961 | 57.3 | 31.4 | 37.3 | 42.5 | 39.8 | 42.8 | 42.5 | 49.3 | 17.4 | 26.1 | 30.7 | 28.7 | **2,953.7** |
| DAY | 1960 | 24.0 | 28.0 | 29.0 | 30.0 | 27.0 | 27.0 | 24.0 | 24.0 | 30.0 | 24.0 | 24.0 | 16.0 | **609.0** |
| H2O | 1960 | 331.1 | 473.5 | 441.2 | 633.5 | 580.5 | 602.8 | 482.9 | 489.4 | 653.2 | 533.6 | 589.1 | 422.3 | **9,743.7** |
| OIL | 1960 | 98.9 | 113.4 | 101.7 | 72.2 | 65.9 | 50.0 | 43.3 | 39.2 | 51.3 | 39.6 | 45.4 | 29.8 | **2,507.9** |
| DAY | 1959 | 0.0 | 3.0 | 30.0 | 30.0 | 28.0 | 30.0 | 30.0 | 20.0 | 14.0 | 22.0 | 28.0 | 28.0 | **302.0** |
| H2O | 1959 | 0.0 | 23.3 | 177.8 | 346.3 | 412.0 | 456.5 | 475.9 | 215.3 | 147.8 | 215.6 | 316.8 | 414.5 | **3,510.6** |
| OIL | 1959 | 0.0 | 10.1 | 257.1 | 171.9 | 202.8 | 207.7 | 195.0 | 69.7 | 52.8 | 74.5 | 91.0 | 99.1 | **1,757.2** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 23.0 | 7.0 | **39.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 63.7 | 189.9 | 55.2 | **308.8** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 77.2 | 192.1 | 56.2 | **325.5** |

Licence ***1682*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-21-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

# Manitoba Production
## 1950 To 1975

Licence ***1682*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-21-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 24.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,043.0** |
| H2O | 1973 | 504.9 | 490.6 | 502.4 | 356.4 | 491.2 | 486.2 | 512.6 | 451.3 | 0.0 | 0.0 | 0.0 | 0.0 | **65,786.5** |
| OIL | 1973 | 16.3 | 15.2 | 17.4 | 13.6 | 18.0 | 16.9 | 16.9 | 12.6 | 0.0 | 0.0 | 0.0 | 0.0 | **9,641.3** |
| DAY | 1972 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 24.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,813.0** |
| H2O | 1972 | 491.1 | 473.1 | 489.3 | 450.2 | 481.7 | 433.7 | 439.7 | 295.5 | 452.6 | 461.8 | 451.0 | 478.1 | **61,990.9** |
| OIL | 1972 | 16.8 | 16.4 | 18.3 | 15.9 | 17.8 | 15.6 | 15.4 | 10.5 | 14.9 | 15.6 | 14.5 | 16.2 | **9,514.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,457.0** |
| H2O | 1971 | 327.3 | 284.1 | 322.1 | 297.6 | 322.4 | 270.6 | 331.8 | 312.4 | 430.5 | 438.1 | 455.8 | 488.2 | **56,593.1** |
| OIL | 1971 | 21.9 | 19.1 | 21.5 | 20.7 | 21.1 | 17.6 | 21.0 | 21.0 | 16.4 | 15.7 | 14.8 | 17.0 | **9,326.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 24.0 | 0.0 | 24.0 | **4,096.0** |
| H2O | 1970 | 302.5 | 302.2 | 295.7 | 284.4 | 322.3 | 313.3 | 333.1 | 298.9 | 311.9 | 249.1 | 0.0 | 250.2 | **52,312.2** |
| OIL | 1970 | 10.5 | 26.1 | 15.9 | 15.1 | 23.7 | 21.8 | 22.7 | 20.2 | 20.8 | 16.4 | 0.0 | 18.1 | **9,098.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 23.0 | 31.0 | 29.0 | 31.0 | **3,775.0** |
| H2O | 1969 | 535.8 | 492.0 | 549.3 | 424.6 | 498.7 | 484.3 | 487.0 | 495.2 | 307.5 | 451.0 | 265.0 | 303.0 | **49,048.6** |
| OIL | 1969 | 35.4 | 31.6 | 35.6 | 24.0 | 26.1 | 24.3 | 24.9 | 21.5 | 15.7 | 20.0 | 18.3 | 18.9 | **8,887.4** |
| DAY | 1968 | 18.0 | 29.0 | 27.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 28.0 | 30.0 | 28.0 | 31.0 | **3,420.0** |
| H2O | 1968 | 181.4 | 314.1 | 336.6 | 492.7 | 426.1 | 539.7 | 587.7 | 575.7 | 489.8 | 549.9 | 512.7 | 766.3 | **43,755.2** |
| OIL | 1968 | 17.3 | 25.1 | 28.0 | 29.6 | 31.5 | 35.0 | 35.8 | 36.1 | 31.5 | 32.6 | 27.0 | 32.1 | **8,591.1** |
| DAY | 1967 | 31.0 | 23.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **3,079.0** |
| H2O | 1967 | 431.0 | 245.8 | 320.2 | 339.3 | 320.7 | 352.1 | 344.5 | 355.5 | 325.1 | 320.2 | 297.5 | 66.8 | **37,982.5** |
| OIL | 1967 | 33.7 | 21.9 | 28.9 | 30.2 | 27.5 | 28.6 | 28.6 | 28.9 | 26.2 | 27.5 | 24.9 | 22.9 | **8,229.5** |
| DAY | 1966 | 31.0 | 27.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | **2,723.0** |
| H2O | 1966 | 526.2 | 430.0 | 594.3 | 289.7 | 365.3 | 350.2 | 388.4 | 355.6 | 342.4 | 332.0 | 325.6 | 325.0 | **34,263.8** |
| OIL | 1966 | 41.5 | 32.4 | 54.2 | 26.4 | 31.5 | 30.0 | 30.2 | 30.4 | 26.5 | 31.1 | 28.8 | 29.4 | **7,899.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,367.0** |
| H2O | 1965 | 614.3 | 531.5 | 560.9 | 633.1 | 471.5 | 521.8 | 504.6 | 519.5 | 469.0 | 492.8 | 478.8 | 530.8 | **29,639.1** |
| OIL | 1965 | 41.2 | 39.9 | 42.7 | 42.7 | 47.4 | 53.6 | 50.4 | 49.7 | 45.6 | 44.5 | 41.5 | 43.2 | **7,507.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,009.0** |
| H2O | 1964 | 549.0 | 540.8 | 589.2 | 520.7 | 519.5 | 468.2 | 541.8 | 542.4 | 513.8 | 511.8 | 589.2 | 619.4 | **23,310.5** |
| OIL | 1964 | 66.1 | 61.5 | 62.1 | 55.0 | 53.9 | 47.5 | 52.6 | 50.9 | 48.1 | 47.0 | 46.7 | 48.1 | **6,964.9** |
| DAY | 1963 | 31.0 | 28.0 | 21.0 | 30.0 | 31.0 | 25.0 | 31.0 | 27.0 | 29.0 | 27.0 | 30.0 | 31.0 | **1,647.0** |
| H2O | 1963 | 351.5 | 307.8 | 229.6 | 412.6 | 421.3 | 285.2 | 343.7 | 421.0 | 504.6 | 439.6 | 550.5 | 560.2 | **16,804.7** |
| OIL | 1963 | 76.3 | 90.9 | 61.8 | 95.5 | 92.6 | 76.0 | 83.3 | 84.7 | 79.0 | 69.9 | 72.0 | 68.0 | **6,325.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 24.0 | 26.0 | 30.0 | 31.0 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | **1,306.0** |
| H2O | 1962 | 249.6 | 213.7 | 214.5 | 210.3 | 193.0 | 239.9 | 241.3 | 442.0 | 399.8 | 341.6 | 347.1 | 349.9 | **11,977.1** |
| OIL | 1962 | 66.7 | 56.1 | 57.0 | 81.4 | 80.2 | 95.0 | 91.5 | 94.1 | 81.7 | 78.2 | 78.2 | 77.4 | **5,375.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **958.0** |
| H2O | 1961 | 437.5 | 191.3 | 212.7 | 210.5 | 173.4 | 189.0 | 181.9 | 214.3 | 225.1 | 242.1 | 237.4 | 238.2 | **8,534.4** |
| OIL | 1961 | 153.2 | 73.3 | 71.0 | 68.5 | 63.6 | 68.3 | 69.3 | 78.7 | 76.6 | 77.4 | 72.5 | 68.2 | **4,437.9** |
| DAY | 1960 | 28.0 | 26.0 | 27.0 | 28.0 | 31.0 | 23.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **603.0** |
| H2O | 1960 | 358.8 | 411.9 | 373.6 | 337.4 | 408.6 | 293.5 | 327.7 | 379.2 | 368.7 | 349.1 | 435.1 | 483.0 | **5,781.0** |
| OIL | 1960 | 196.9 | 181.3 | 162.4 | 174.5 | 155.9 | 122.8 | 139.5 | 144.0 | 137.1 | 123.5 | 158.9 | 162.9 | **3,497.3** |
| DAY | 1959 | 0.0 | 4.0 | 31.0 | 30.0 | 28.0 | 30.0 | 28.0 | 20.0 | 14.0 | 22.0 | 28.0 | 28.0 | **263.0** |
| H2O | 1959 | 0.0 | 0.6 | 147.4 | 114.0 | 125.4 | 137.5 | 137.5 | 98.1 | 66.9 | 97.6 | 143.2 | 186.2 | **1,254.4** |
| OIL | 1959 | 0.0 | 19.1 | 150.2 | 195.8 | 213.1 | 216.1 | 194.5 | 117.6 | 88.8 | 124.7 | 152.6 | 165.1 | **1,637.6** |

Licence ***1685*** Well Name ***Great Northern Kirkella*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-10-012-29W1.00*** Field Name ***Kirkella*** Pool Name ***Lodgepole Daly A*** Field Code ***9*** Pool Code ***54A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 29.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 28.0 | 30.0 | 30.0 | 30.0 | **4,530.0** |
| H2O | 1975 | 1014.3 | 979.4 | 1092.2 | 1041.7 | 1188.4 | 1045.7 | 991.1 | 1054.1 | 1031.7 | 1058.9 | 1051.9 | 1048.5 | **71,236.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1685*** Well Name ***Great Northern Kirkella*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-10-012-29W1.00*** Field Name ***Kirkella*** Pool Name ***Lodgepole Daly A*** Field Code ***9*** Pool Code ***54A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1975 | 41.5 | 39.4 | 46.7 | 37.7 | 44.4 | 42.1 | 40.2 | 42.8 | 39.3 | 41.0 | 41.7 | 42.3 | **9,363.4** |
| DAY | 1974 | 4.0 | 0.0 | 28.0 | 20.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 28.0 | 29.0 | 31.0 | **4,177.0** |
| H2O | 1974 | 155.2 | 0.0 | 1054.9 | 134.8 | 1136.9 | 1057.1 | 1134.1 | 1208.0 | 1192.1 | 1115.6 | 1146.9 | 1208.1 | **58,638.3** |
| OIL | 1974 | 4.9 | 0.0 | 51.8 | 35.6 | 51.2 | 45.8 | 47.2 | 49.6 | 47.2 | 42.6 | 44.4 | 45.9 | **8,864.3** |
| DAY | 1973 | 24.0 | 28.0 | 31.0 | 27.0 | 24.0 | 26.0 | 26.0 | 25.0 | 16.0 | 31.0 | 30.0 | 22.0 | **3,886.0** |
| H2O | 1973 | 763.1 | 823.6 | 739.3 | 643.9 | 572.4 | 620.1 | 682.1 | 655.8 | 419.7 | 813.2 | 787.0 | 866.8 | **48,094.6** |
| OIL | 1973 | 54.1 | 47.7 | 59.6 | 51.8 | 42.8 | 51.8 | 56.1 | 56.3 | 32.6 | 64.1 | 66.0 | 42.0 | **8,398.1** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 27.0 | 31.0 | 26.0 | 26.0 | **3,576.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 295.7 | 703.7 | 858.5 | 839.5 | 839.5 | **39,707.6** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 47.7 | 68.4 | 62.0 | 39.0 | 39.9 | **7,773.2** |
| DAY | 1971 | 9.0 | 0.0 | 0.0 | 0.0 | 4.0 | 30.0 | 31.0 | 30.0 | 30.0 | 24.0 | 6.0 | 0.0 | **3,451.0** |
| H2O | 1971 | 114.8 | 0.0 | 0.0 | 0.0 | 54.5 | 424.5 | 446.6 | 408.6 | 439.6 | 391.3 | 86.8 | 0.0 | **36,170.7** |
| OIL | 1971 | 13.0 | 0.0 | 0.0 | 0.0 | 7.6 | 37.8 | 36.6 | 37.8 | 38.2 | 33.1 | 7.6 | 0.0 | **7,516.2** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 12.0 | 30.0 | 21.0 | 28.0 | 25.0 | **3,287.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 346.0 | 159.6 | 438.2 | 305.6 | 302.2 | 216.1 | **33,804.0** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 34.5 | 16.2 | 38.2 | 25.4 | 37.5 | 31.5 | **7,304.5** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 5.0 | 30.0 | 30.0 | 31.0 | 15.0 | 28.0 | 25.0 | 30.0 | 14.0 | **3,148.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 49.3 | 351.4 | 425.3 | 329.4 | 191.7 | 391.7 | 365.7 | 438.8 | 160.3 | **32,036.3** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 11.8 | 42.9 | 39.4 | 36.2 | 18.1 | 35.6 | 33.9 | 38.6 | 15.6 | **7,121.2** |
| DAY | 1968 | 10.0 | 29.0 | 30.0 | 30.0 | 31.0 | 27.0 | 30.0 | 26.0 | 30.0 | 22.0 | 28.0 | 22.0 | **2,940.0** |
| H2O | 1968 | 109.7 | 318.1 | 333.9 | 362.5 | 371.4 | 316.7 | 362.5 | 314.2 | 351.4 | 276.3 | 342.8 | 253.1 | **29,332.7** |
| OIL | 1968 | 11.1 | 32.6 | 38.2 | 36.9 | 34.7 | 33.7 | 38.2 | 33.1 | 36.6 | 28.0 | 35.6 | 27.0 | **6,849.1** |
| DAY | 1967 | 31.0 | 24.0 | 31.0 | 10.0 | 11.0 | 28.0 | 31.0 | 20.0 | 27.0 | 26.0 | 16.0 | 31.0 | **2,625.0** |
| H2O | 1967 | 369.6 | 293.8 | 342.3 | 122.4 | 134.7 | 338.3 | 358.7 | 266.0 | 277.4 | 359.0 | 195.2 | 321.9 | **25,620.1** |
| OIL | 1967 | 35.6 | 30.5 | 38.0 | 13.4 | 12.2 | 35.6 | 39.0 | 28.3 | 32.4 | 32.8 | 17.2 | 31.2 | **6,463.4** |
| DAY | 1966 | 10.0 | 26.0 | 26.0 | 27.0 | 29.0 | 29.0 | 27.0 | 26.0 | 30.0 | 28.0 | 9.0 | 31.0 | **2,339.0** |
| H2O | 1966 | 144.7 | 322.4 | 372.0 | 367.4 | 402.7 | 398.6 | 323.7 | 330.7 | 338.6 | 316.1 | 103.7 | 359.8 | **22,240.8** |
| OIL | 1966 | 14.6 | 33.1 | 36.4 | 36.2 | 39.1 | 38.8 | 36.2 | 35.6 | 39.6 | 40.1 | 15.7 | 39.4 | **6,117.2** |
| DAY | 1965 | 31.0 | 27.0 | 31.0 | 17.0 | 23.0 | 20.0 | 30.0 | 31.0 | 30.0 | 30.0 | 22.0 | 31.0 | **2,041.0** |
| H2O | 1965 | 446.4 | 326.6 | 361.9 | 157.9 | 292.5 | 242.3 | 362.5 | 374.6 | 362.5 | 408.8 | 281.4 | 399.2 | **18,460.4** |
| OIL | 1965 | 39.6 | 32.0 | 36.1 | 25.8 | 35.3 | 30.2 | 47.5 | 44.4 | 40.5 | 42.9 | 28.3 | 39.4 | **5,712.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | **1,718.0** |
| H2O | 1964 | 384.4 | 391.9 | 422.9 | 380.6 | 406.7 | 391.1 | 395.1 | 368.4 | 362.8 | 361.2 | 411.9 | 443.4 | **14,443.8** |
| OIL | 1964 | 54.2 | 63.0 | 64.1 | 56.3 | 59.1 | 58.3 | 58.5 | 39.7 | 37.2 | 37.4 | 38.3 | 39.9 | **5,270.4** |
| DAY | 1963 | 0.0 | 0.0 | 5.0 | 28.0 | 30.0 | 27.0 | 29.0 | 29.0 | 30.0 | 28.0 | 27.0 | 31.0 | **1,358.0** |
| H2O | 1963 | 0.0 | 0.0 | 66.4 | 371.0 | 379.7 | 330.4 | 340.1 | 319.3 | 329.0 | 307.1 | 377.3 | 452.3 | **9,723.4** |
| OIL | 1963 | 0.0 | 0.0 | 17.5 | 62.2 | 55.8 | 50.4 | 56.4 | 50.2 | 46.9 | 29.9 | 42.1 | 66.0 | **4,664.4** |
| DAY | 1962 | 25.0 | 24.0 | 23.0 | 24.0 | 20.0 | 30.0 | 29.0 | 29.0 | 26.0 | 27.0 | 25.0 | 11.0 | **1,094.0** |
| H2O | 1962 | 254.3 | 244.1 | 222.0 | 175.9 | 203.9 | 286.1 | 276.5 | 285.3 | 256.5 | 230.4 | 330.6 | 164.1 | **6,450.8** |
| OIL | 1962 | 70.8 | 72.7 | 66.5 | 58.7 | 46.8 | 62.1 | 53.2 | 50.1 | 42.8 | 38.1 | 46.1 | 15.6 | **4,187.0** |
| DAY | 1961 | 19.0 | 11.0 | 29.0 | 9.0 | 30.0 | 28.0 | 27.0 | 27.0 | 20.0 | 26.0 | 27.0 | 26.0 | **801.0** |
| H2O | 1961 | 60.3 | 43.3 | 132.2 | 37.1 | 167.2 | 174.2 | 248.6 | 248.9 | 133.6 | 229.8 | 257.8 | 263.2 | **3,521.1** |
| OIL | 1961 | 42.2 | 28.8 | 66.0 | 18.5 | 83.5 | 63.2 | 64.3 | 64.3 | 43.9 | 58.6 | 59.0 | 60.8 | **3,563.5** |
| DAY | 1960 | 15.0 | 10.0 | 19.0 | 20.0 | 30.0 | 12.0 | 19.0 | 30.0 | 27.0 | 28.0 | 25.0 | 18.0 | **522.0** |
| H2O | 1960 | 56.0 | 34.7 | 40.9 | 37.9 | 57.0 | 22.5 | 67.0 | 61.1 | 124.9 | 45.1 | 73.8 | 58.1 | **1,524.9** |
| OIL | 1960 | 76.5 | 54.4 | 128.7 | 103.9 | 138.4 | 53.3 | 84.0 | 106.7 | 83.7 | 84.5 | 73.8 | 58.1 | **2,910.4** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 10.0 | 12.0 | 15.0 | 28.0 | 23.0 | 19.0 | 5.0 | 3.0 | 20.0 | **269.0** |
| H2O | 1959 | 0.5 | 0.4 | 3.7 | 0.0 | 64.8 | 107.2 | 202.5 | 200.4 | 145.9 | 39.2 | 12.5 | 68.4 | **845.9** |
| OIL | 1959 | 327.9 | 269.4 | 211.2 | 12.1 | 54.4 | 98.5 | 158.7 | 121.5 | 87.3 | 32.3 | 14.7 | 94.3 | **1,864.4** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 29.0 | **44.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | **0.4** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 116.4 | 265.7 | **382.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1686*** Well Name ***Enerplus Kirkella Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-10-012-29W1.00*** Field Name ***Kirkella*** Pool Name ***Crinoidal C*** Field Code ***9*** Pool Code ***55C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | **5,516.0** |
| H2O | 1975 | 443.6 | 400.6 | 443.6 | 423.1 | 482.7 | 427.8 | 405.4 | 443.6 | 422.0 | 433.1 | 430.2 | 428.9 | **40,741.1** |
| OIL | 1975 | 33.7 | 21.9 | 27.0 | 21.9 | 24.6 | 23.4 | 22.4 | 24.6 | 21.8 | 22.7 | 23.1 | 23.5 | **24,941.8** |
| DAY | 1974 | 4.0 | 6.0 | 31.0 | 21.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 29.0 | 9.0 | **5,159.0** |
| H2O | 1974 | 30.2 | 38.6 | 191.4 | 688.7 | 186.7 | 147.2 | 192.2 | 191.6 | 195.7 | 203.0 | 188.4 | 200.5 | **35,556.5** |
| OIL | 1974 | 5.1 | 12.6 | 52.3 | 35.0 | 46.7 | 43.7 | 44.5 | 43.6 | 43.1 | 43.1 | 40.4 | 42.3 | **24,651.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 18.0 | 31.0 | 29.0 | 31.0 | 27.0 | 27.0 | 27.0 | 0.0 | 28.0 | **4,877.0** |
| H2O | 1973 | 267.9 | 267.1 | 394.3 | 228.9 | 394.3 | 368.9 | 443.6 | 386.3 | 386.3 | 386.3 | 429.3 | 286.2 | **33,102.3** |
| OIL | 1973 | 42.9 | 38.2 | 41.8 | 24.3 | 38.8 | 40.7 | 44.0 | 39.9 | 36.1 | 36.7 | 43.2 | 42.4 | **24,198.8** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 9.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,569.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 31.8 | 155.2 | 180.8 | 138.3 | 532.3 | 159.0 | 228.3 | 251.5 | 267.9 | **28,862.9** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 29.3 | 73.8 | 62.5 | 60.7 | 47.7 | 45.3 | 46.1 | 46.1 | 42.9 | **23,729.8** |
| DAY | 1971 | 9.0 | 0.0 | 18.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 22.0 | **4,319.0** |
| H2O | 1971 | 120.8 | 0.0 | 104.9 | 218.6 | 218.8 | 290.9 | 310.3 | 300.6 | 306.1 | 351.8 | 261.9 | 199.4 | **26,917.8** |
| OIL | 1971 | 13.5 | 0.0 | 62.6 | 49.0 | 51.8 | 48.5 | 46.1 | 48.3 | 61.5 | 66.5 | 47.2 | 45.5 | **23,275.4** |
| DAY | 1970 | 5.0 | 0.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | **4,029.0** |
| H2O | 1970 | 46.9 | 0.0 | 0.0 | 207.0 | 216.9 | 252.8 | 270.8 | 243.7 | 305.3 | 310.7 | 305.3 | 207.5 | **24,233.7** |
| OIL | 1970 | 7.9 | 0.0 | 0.0 | 48.5 | 56.8 | 50.1 | 53.3 | 48.7 | 45.3 | 46.9 | 44.0 | 36.9 | **22,734.9** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 23.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,755.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 249.6 | 359.3 | 411.0 | 345.3 | 402.6 | 405.4 | 438.6 | 424.5 | 271.1 | **21,866.8** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 69.3 | 58.8 | 55.2 | 50.9 | 54.2 | 50.1 | 54.4 | 52.8 | 49.3 | **22,296.5** |
| DAY | 1968 | 14.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | **3,488.0** |
| H2O | 1968 | 149.1 | 308.9 | 330.2 | 345.0 | 351.7 | 335.5 | 354.9 | 354.9 | 348.7 | 357.7 | 345.8 | 314.0 | **18,559.4** |
| OIL | 1968 | 24.4 | 50.6 | 54.1 | 49.2 | 47.8 | 51.3 | 54.1 | 54.2 | 45.3 | 46.3 | 39.7 | 38.5 | **21,801.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,143.0** |
| H2O | 1967 | 320.4 | 302.7 | 256.4 | 310.0 | 295.7 | 281.2 | 284.7 | 345.0 | 278.2 | 359.3 | 333.9 | 270.3 | **14,663.0** |
| OIL | 1967 | 67.5 | 57.9 | 70.6 | 70.2 | 64.0 | 59.8 | 64.0 | 64.0 | 61.9 | 70.6 | 60.0 | 52.0 | **21,246.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 21.0 | 31.0 | **2,779.0** |
| H2O | 1966 | 340.1 | 275.4 | 336.3 | 324.8 | 354.2 | 339.9 | 315.7 | 325.3 | 298.3 | 300.6 | 207.0 | 305.6 | **11,025.2** |
| OIL | 1966 | 115.6 | 111.2 | 113.1 | 104.8 | 104.4 | 97.8 | 100.4 | 100.2 | 85.1 | 88.6 | 63.0 | 78.8 | **20,483.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 22.0 | 31.0 | **2,425.0** |
| H2O | 1965 | 276.8 | 252.2 | 256.3 | 263.0 | 342.1 | 323.4 | 346.1 | 332.9 | 245.8 | 300.5 | 220.4 | 335.1 | **7,302.0** |
| OIL | 1965 | 139.5 | 132.0 | 135.7 | 116.3 | 135.7 | 132.5 | 133.8 | 123.1 | 109.6 | 116.1 | 84.2 | 118.2 | **19,320.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | **2,069.0** |
| H2O | 1964 | 219.6 | 211.3 | 258.5 | 255.2 | 210.3 | 228.0 | 216.2 | 203.7 | 194.3 | 224.0 | 255.3 | 270.1 | **3,807.4** |
| OIL | 1964 | 197.2 | 133.1 | 142.4 | 140.6 | 133.6 | 151.9 | 166.4 | 190.2 | 171.6 | 132.0 | 135.7 | 138.5 | **17,843.8** |
| DAY | 1963 | 26.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 28.0 | **1,710.0** |
| H2O | 1963 | 1.0 | 1.3 | 1.4 | 4.5 | 26.1 | 28.1 | 31.0 | 54.2 | 150.6 | 217.0 | 237.1 | 224.2 | **1,060.9** |
| OIL | 1963 | 219.6 | 282.1 | 298.6 | 237.1 | 239.3 | 232.7 | 244.3 | 232.7 | 219.3 | 213.1 | 209.0 | 119.0 | **16,010.6** |
| DAY | 1962 | 31.0 | 26.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,355.0** |
| H2O | 1962 | 1.4 | 1.3 | 1.4 | 1.3 | 1.3 | 1.4 | 1.4 | 1.4 | 1.3 | 1.3 | 1.4 | 1.4 | **84.4** |
| OIL | 1962 | 283.4 | 268.1 | 299.6 | 285.1 | 285.8 | 299.1 | 301.0 | 299.9 | 299.1 | 294.0 | 290.1 | 300.4 | **13,263.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 9.0 | 30.0 | 29.0 | 31.0 | 31.0 | 23.0 | 30.0 | 30.0 | 31.0 | **993.0** |
| H2O | 1961 | 1.3 | 1.2 | 1.3 | 0.4 | 1.6 | 1.4 | 1.4 | 1.4 | 1.1 | 1.4 | 1.3 | 1.3 | **68.1** |
| OIL | 1961 | 290.8 | 267.0 | 295.6 | 88.9 | 358.3 | 292.8 | 286.4 | 291.6 | 243.0 | 286.7 | 274.9 | 271.1 | **9,758.2** |
| DAY | 1960 | 22.0 | 17.0 | 27.0 | 21.0 | 30.0 | 16.0 | 20.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | **659.0** |
| H2O | 1960 | 1.6 | 0.7 | 1.2 | 0.4 | 1.3 | 0.5 | 0.7 | 1.0 | 1.3 | 1.2 | 1.0 | 1.3 | **53.0** |
| OIL | 1960 | 233.9 | 147.6 | 260.0 | 197.7 | 281.3 | 154.9 | 202.5 | 291.6 | 308.5 | 315.3 | 276.5 | 286.7 | **6,511.1** |
| DAY | 1959 | 31.0 | 20.0 | 29.0 | 20.0 | 21.0 | 30.0 | 31.0 | 30.0 | 22.0 | 19.0 | 27.0 | 24.0 | **356.0** |
| H2O | 1959 | 0.5 | 0.2 | 0.4 | 1.8 | 2.9 | 1.3 | 5.8 | 6.7 | 3.6 | 3.2 | 1.8 | 1.8 | **40.8** |
| OIL | 1959 | 299.0 | 208.5 | 250.8 | 198.6 | 232.0 | 282.9 | 288.9 | 300.1 | 243.9 | 210.7 | 243.3 | 242.2 | **3,554.6** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 30.0 | **52.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1686*** Well Name ***Enerplus Kirkella Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-10-012-29W1.00*** Field Name ***Kirkella*** Pool Name ***Crinoidal C*** Field Code ***9*** Pool Code ***55C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.7 | 6.1 | **10.8** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 244.7 | 309.0 | **553.7** |

Licence ***1687*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-21-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,913.0** |
| H2O | 1975 | 754.0 | 644.0 | 720.0 | 652.6 | 725.1 | 836.6 | 915.6 | 957.1 | 960.2 | 1071.2 | 980.7 | 996.6 | **107,319.5** |
| OIL | 1975 | 53.9 | 48.8 | 53.2 | 48.8 | 51.2 | 58.0 | 65.8 | 67.4 | 46.6 | 29.6 | 28.0 | 28.1 | **17,830.6** |
| DAY | 1974 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 23.0 | 20.0 | 31.0 | **5,554.0** |
| H2O | 1974 | 875.3 | 788.2 | 793.8 | 821.9 | 748.2 | 784.9 | 864.1 | 809.4 | 56.1 | 45.2 | 495.2 | 738.5 | **97,105.8** |
| OIL | 1974 | 27.2 | 24.3 | 24.3 | 25.9 | 29.4 | 25.4 | 27.5 | 25.7 | 4.0 | 3.2 | 34.6 | 53.7 | **17,251.2** |
| DAY | 1973 | 31.0 | 27.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,214.0** |
| H2O | 1973 | 694.3 | 661.4 | 673.3 | 676.0 | 701.4 | 720.3 | 642.0 | 701.9 | 638.6 | 766.9 | 738.3 | 888.7 | **89,285.0** |
| OIL | 1973 | 99.2 | 91.4 | 103.8 | 43.1 | 43.4 | 42.4 | 29.1 | 26.4 | 27.8 | 27.0 | 26.9 | 27.3 | **16,946.0** |
| DAY | 1972 | 22.0 | 29.0 | 31.0 | 16.0 | 0.0 | 4.0 | 24.0 | 0.0 | 9.0 | 30.0 | 29.0 | 31.0 | **4,854.0** |
| H2O | 1972 | 217.0 | 309.7 | 320.3 | 162.6 | 0.0 | 40.7 | 227.5 | 0.0 | 192.5 | 652.5 | 622.2 | 659.1 | **80,781.9** |
| OIL | 1972 | 19.4 | 28.0 | 31.1 | 14.9 | 0.0 | 3.8 | 20.7 | 0.0 | 31.0 | 103.3 | 93.9 | 98.0 | **16,358.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,629.0** |
| H2O | 1971 | 672.5 | 583.9 | 519.5 | 487.0 | 538.9 | 521.8 | 554.7 | 509.7 | 458.5 | 479.6 | 298.4 | 323.2 | **77,377.8** |
| OIL | 1971 | 65.8 | 57.2 | 59.8 | 58.2 | 63.6 | 61.0 | 62.6 | 61.3 | 58.6 | 58.8 | 25.4 | 29.4 | **15,914.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 27.0 | 31.0 | **4,265.0** |
| H2O | 1970 | 736.1 | 572.3 | 711.9 | 639.6 | 662.5 | 655.8 | 684.4 | 601.3 | 626.4 | 661.2 | 557.4 | 664.4 | **71,430.1** |
| OIL | 1970 | 82.3 | 79.1 | 76.3 | 58.2 | 71.2 | 66.3 | 68.3 | 59.4 | 60.7 | 63.7 | 50.4 | 69.9 | **15,252.4** |
| DAY | 1969 | 31.0 | 24.0 | 31.0 | 30.0 | 30.0 | 30.0 | 26.0 | 27.0 | 27.0 | 30.0 | 30.0 | 31.0 | **3,909.0** |
| H2O | 1969 | 704.3 | 572.3 | 653.4 | 629.6 | 624.8 | 537.4 | 448.8 | 435.6 | 519.9 | 715.4 | 750.4 | 771.1 | **63,656.8** |
| OIL | 1969 | 88.7 | 68.6 | 88.7 | 85.8 | 83.0 | 81.0 | 70.2 | 64.4 | 64.4 | 85.8 | 85.8 | 84.2 | **14,446.6** |
| DAY | 1968 | 28.0 | 28.0 | 29.0 | 29.0 | 31.0 | 20.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | **3,562.0** |
| H2O | 1968 | 490.8 | 521.5 | 700.5 | 661.7 | 788.9 | 482.2 | 756.7 | 723.0 | 723.0 | 685.0 | 540.1 | 686.8 | **56,293.8** |
| OIL | 1968 | 54.2 | 62.3 | 105.2 | 91.2 | 100.1 | 60.7 | 85.8 | 100.3 | 96.8 | 81.8 | 76.1 | 85.8 | **13,496.0** |
| DAY | 1967 | 31.0 | 27.0 | 30.0 | 28.0 | 29.0 | 29.0 | 29.0 | 29.0 | 30.0 | 30.0 | 27.0 | 30.0 | **3,217.0** |
| H2O | 1967 | 616.5 | 575.2 | 592.4 | 534.8 | 519.1 | 599.4 | 623.4 | 599.4 | 561.2 | 524.6 | 458.8 | 542.1 | **48,533.6** |
| OIL | 1967 | 91.1 | 76.8 | 77.5 | 67.5 | 57.7 | 66.7 | 71.5 | 74.2 | 59.1 | 58.0 | 49.3 | 63.9 | **12,495.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 23.0 | 30.0 | 30.0 | 31.0 | **2,868.0** |
| H2O | 1966 | 732.3 | 602.4 | 684.2 | 667.4 | 690.0 | 682.3 | 666.1 | 403.7 | 270.6 | 597.9 | 602.7 | 616.5 | **41,786.7** |
| OIL | 1966 | 100.4 | 84.1 | 92.0 | 88.8 | 91.7 | 85.7 | 85.7 | 100.3 | 72.1 | 87.9 | 87.9 | 91.1 | **11,682.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 25.0 | **2,511.0** |
| H2O | 1965 | 478.1 | 431.6 | 564.4 | 531.8 | 639.1 | 422.9 | 646.9 | 663.6 | 659.8 | 667.7 | 639.1 | 718.6 | **34,570.6** |
| OIL | 1965 | 87.7 | 79.1 | 87.7 | 100.9 | 83.0 | 55.0 | 77.1 | 82.2 | 81.0 | 114.4 | 110.6 | 106.5 | **10,614.7** |
| DAY | 1964 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 26.0 | 30.0 | 31.0 | **2,157.0** |
| H2O | 1964 | 421.3 | 442.6 | 492.8 | 473.8 | 542.1 | 524.6 | 494.4 | 453.1 | 459.5 | 447.8 | 460.6 | 471.7 | **27,507.0** |
| OIL | 1964 | 37.0 | 83.9 | 70.6 | 84.4 | 90.7 | 74.2 | 60.1 | 51.6 | 37.5 | 31.5 | 78.3 | 76.3 | **9,549.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,800.0** |
| H2O | 1963 | 464.2 | 566.0 | 542.1 | 524.6 | 524.6 | 524.6 | 508.7 | 476.9 | 469.0 | 542.1 | 523.0 | 442.0 | **21,822.7** |
| OIL | 1963 | 111.7 | 97.1 | 98.2 | 101.5 | 83.4 | 60.5 | 53.4 | 40.4 | 34.2 | 24.9 | 19.1 | 28.1 | **8,773.4** |
| DAY | 1962 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 22.0 | 30.0 | 31.0 | **1,435.0** |
| H2O | 1962 | 442.0 | 445.1 | 559.6 | 524.6 | 542.1 | 524.6 | 542.1 | 542.1 | 507.1 | 419.7 | 572.3 | 640.7 | **15,714.9** |
| OIL | 1962 | 88.7 | 80.9 | 101.7 | 136.3 | 134.0 | 118.9 | 120.9 | 121.2 | 116.2 | 90.1 | 119.2 | 106.3 | **8,020.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,081.0** |
| H2O | 1961 | 246.4 | 217.8 | 266.3 | 265.5 | 286.2 | 434.0 | 466.6 | 443.6 | 546.1 | 569.1 | 465.8 | 500.8 | **9,452.9** |
| OIL | 1961 | 188.3 | 174.2 | 188.5 | 115.7 | 170.5 | 159.1 | 120.6 | 113.3 | 95.3 | 118.5 | 141.4 | 137.8 | **6,686.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1687*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-21-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 27.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **716.0** |
| H2O | 1960 | 161.8 | 181.2 | 197.1 | 255.0 | 236.9 | 278.2 | 198.6 | 196.0 | 233.5 | 195.7 | 238.5 | 243.2 | **4,744.7** |
| OIL | 1960 | 163.4 | 174.3 | 190.2 | 148.4 | 185.0 | 177.7 | 191.3 | 189.1 | 179.4 | 197.0 | 190.1 | 195.5 | **4,963.3** |
| DAY | 1959 | 26.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **357.0** |
| H2O | 1959 | 109.9 | 144.5 | 131.3 | 139.9 | 192.8 | 200.0 | 245.6 | 218.1 | 170.1 | 188.9 | 190.8 | 197.1 | **2,129.0** |
| OIL | 1959 | 255.4 | 222.0 | 234.9 | 233.8 | 260.9 | 270.6 | 239.6 | 241.4 | 209.3 | 222.5 | 194.5 | 197.0 | **2,781.9** |

Licence ***1688*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-21-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,173.0** |
| H2O | 1975 | 431.3 | 366.0 | 415.1 | 325.3 | 256.3 | 246.4 | 346.3 | 277.7 | 240.2 | 148.5 | 209.2 | 211.3 | **55,954.9** |
| OIL | 1975 | 75.3 | 67.7 | 74.8 | 72.6 | 87.7 | 83.0 | 85.3 | 82.3 | 78.7 | 80.4 | 79.5 | 79.8 | **32,746.2** |
| DAY | 1974 | 31.0 | 28.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,808.0** |
| H2O | 1974 | 34.7 | 31.2 | 68.4 | 249.0 | 382.7 | 381.9 | 405.1 | 419.4 | 370.9 | 383.9 | 399.8 | 430.5 | **52,481.3** |
| OIL | 1974 | 62.9 | 56.1 | 48.8 | 65.8 | 80.2 | 80.1 | 72.6 | 73.1 | 75.5 | 77.1 | 71.7 | 76.4 | **31,799.1** |
| DAY | 1973 | 31.0 | 28.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,447.0** |
| H2O | 1973 | 372.8 | 335.6 | 213.8 | 304.9 | 316.2 | 291.9 | 321.1 | 332.3 | 279.0 | 138.2 | 143.7 | 35.1 | **48,923.8** |
| OIL | 1973 | 84.5 | 75.0 | 87.7 | 81.0 | 91.1 | 81.7 | 84.5 | 77.1 | 71.8 | 61.7 | 63.9 | 63.1 | **30,958.8** |
| DAY | 1972 | 30.0 | 19.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **5,086.0** |
| H2O | 1972 | 77.7 | 327.2 | 470.7 | 433.1 | 487.8 | 414.5 | 398.1 | 418.4 | 388.2 | 379.0 | 444.0 | 347.1 | **45,839.2** |
| OIL | 1972 | 57.4 | 65.3 | 115.8 | 105.5 | 128.4 | 101.1 | 101.9 | 105.4 | 103.1 | 91.7 | 98.0 | 90.6 | **30,035.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,733.0** |
| H2O | 1971 | 256.8 | 129.4 | 229.6 | 202.7 | 216.4 | 218.1 | 275.0 | 259.0 | 173.9 | 171.9 | 178.9 | 183.9 | **41,253.4** |
| OIL | 1971 | 96.1 | 60.9 | 69.0 | 83.1 | 83.7 | 76.6 | 62.8 | 62.9 | 55.9 | 54.2 | 50.9 | 63.6 | **28,871.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,368.0** |
| H2O | 1970 | 428.5 | 294.9 | 328.0 | 354.4 | 299.0 | 271.7 | 285.2 | 265.2 | 269.9 | 271.1 | 331.3 | 253.4 | **38,757.8** |
| OIL | 1970 | 143.5 | 92.6 | 102.7 | 112.5 | 117.6 | 96.3 | 99.6 | 91.8 | 92.0 | 71.7 | 92.3 | 102.0 | **28,051.8** |
| DAY | 1969 | 31.0 | 27.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,003.0** |
| H2O | 1969 | 208.7 | 186.3 | 196.7 | 243.7 | 472.6 | 498.7 | 434.2 | 420.3 | 349.6 | 428.9 | 429.1 | 435.1 | **35,105.2** |
| OIL | 1969 | 126.8 | 109.5 | 121.4 | 99.8 | 146.0 | 146.2 | 149.2 | 146.4 | 109.6 | 131.9 | 144.1 | 149.1 | **26,837.2** |
| DAY | 1968 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,641.0** |
| H2O | 1968 | 260.4 | 259.6 | 459.8 | 402.4 | 380.6 | 271.2 | 290.8 | 252.8 | 325.8 | 321.5 | 321.5 | 221.9 | **30,801.3** |
| OIL | 1968 | 103.0 | 111.7 | 152.7 | 151.9 | 163.8 | 155.7 | 161.3 | 154.1 | 137.9 | 134.3 | 141.4 | 131.9 | **25,257.2** |
| DAY | 1967 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,277.0** |
| H2O | 1967 | 175.0 | 313.5 | 361.4 | 371.1 | 416.7 | 452.0 | 413.3 | 249.6 | 225.9 | 259.0 | 258.7 | 225.4 | **27,033.0** |
| OIL | 1967 | 70.4 | 137.1 | 153.5 | 153.5 | 174.6 | 167.2 | 160.2 | 149.5 | 136.0 | 154.9 | 147.5 | 101.9 | **23,557.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,916.0** |
| H2O | 1966 | 291.6 | 285.7 | 278.7 | 292.5 | 266.1 | 218.1 | 76.2 | 263.7 | 253.1 | 271.9 | 248.3 | 251.3 | **23,311.4** |
| OIL | 1966 | 145.1 | 137.8 | 140.5 | 130.3 | 126.2 | 105.4 | 57.2 | 119.2 | 115.8 | 121.7 | 114.7 | 116.3 | **21,851.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,554.0** |
| H2O | 1965 | 343.1 | 303.2 | 330.5 | 314.6 | 250.1 | 283.8 | 279.0 | 293.0 | 290.9 | 326.1 | 307.0 | 296.5 | **20,314.2** |
| OIL | 1965 | 184.3 | 159.4 | 180.0 | 159.5 | 157.0 | 158.8 | 150.5 | 163.2 | 153.5 | 174.2 | 140.3 | 147.9 | **20,421.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,191.0** |
| H2O | 1964 | 292.7 | 289.3 | 326.1 | 308.9 | 338.2 | 311.9 | 321.1 | 380.0 | 375.7 | 316.7 | 318.4 | 351.7 | **16,696.4** |
| OIL | 1964 | 182.9 | 198.8 | 184.2 | 178.9 | 175.4 | 170.0 | 169.6 | 195.6 | 183.4 | 179.4 | 177.7 | 181.2 | **18,492.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,828.0** |
| H2O | 1963 | 308.9 | 284.3 | 312.9 | 362.6 | 339.7 | 280.8 | 326.9 | 326.4 | 344.4 | 344.8 | 321.5 | 311.6 | **12,765.7** |
| OIL | 1963 | 249.5 | 225.3 | 250.6 | 242.2 | 251.7 | 232.0 | 240.1 | 225.8 | 226.9 | 222.8 | 227.2 | 212.5 | **16,315.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,463.0** |
| H2O | 1962 | 315.4 | 260.9 | 283.9 | 293.3 | 298.6 | 301.4 | 351.8 | 367.2 | 347.1 | 328.3 | 323.2 | 339.3 | **8,900.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1688*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-21-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 291.4 | 269.7 | 287.0 | 281.1 | 286.2 | 266.2 | 270.8 | 287.2 | 263.2 | 263.8 | 258.5 | 268.2 | **13,508.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,100.0** |
| H2O | 1961 | 170.7 | 172.3 | 193.5 | 171.5 | 207.0 | 175.8 | 159.5 | 156.8 | 120.0 | 320.3 | 271.7 | 240.9 | **5,090.5** |
| OIL | 1961 | 280.2 | 256.6 | 271.3 | 245.4 | 247.1 | 231.8 | 190.2 | 185.6 | 169.7 | 291.1 | 288.7 | 290.6 | **10,215.4** |
| DAY | 1960 | 28.0 | 27.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **738.0** |
| H2O | 1960 | 144.4 | 124.5 | 126.2 | 154.2 | 149.9 | 147.2 | 142.1 | 136.9 | 150.4 | 157.5 | 165.3 | 168.2 | **2,730.5** |
| OIL | 1960 | 296.5 | 283.3 | 279.0 | 304.2 | 277.3 | 284.1 | 282.1 | 281.6 | 259.8 | 266.5 | 257.8 | 287.3 | **7,267.1** |
| DAY | 1959 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 23.0 | 30.0 | 26.0 | **383.0** |
| H2O | 1959 | 28.3 | 39.9 | 63.8 | 64.1 | 80.0 | 49.9 | 99.2 | 74.6 | 113.5 | 87.1 | 119.9 | 114.9 | **963.7** |
| OIL | 1959 | 297.3 | 277.6 | 301.9 | 296.2 | 305.4 | 271.1 | 295.3 | 266.5 | 337.5 | 265.4 | 323.5 | 274.4 | **3,907.6** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 27.0 | **36.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.5 | 24.0 | **28.5** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 120.3 | 275.2 | **395.5** |

Licence ***1689*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1072.8 | 957.2 | 540.1 | 996.6 | 1039.4 | 932.1 | 968.5 | 962.5 | 973.6 | 1019.2 | 947.4 | 997.0 | **172,973.1** |
| WIN | 1974 | 1136.7 | 993.5 | 1034.3 | 1099.2 | 1201.6 | 1100.3 | 1034.0 | 1097.0 | 963.1 | 1082.3 | 1026.5 | 1076.3 | **161,566.7** |
| WIN | 1973 | 881.7 | 712.1 | 963.9 | 861.7 | 983.6 | 1128.6 | 1123.7 | 1109.5 | 1147.5 | 1177.7 | 1088.4 | 993.5 | **148,721.9** |
| WIN | 1972 | 1237.0 | 1163.9 | 1197.8 | 1153.2 | 1169.8 | 1134.3 | 1135.8 | 1153.7 | 1111.7 | 1161.2 | 1159.4 | 786.8 | **136,550.0** |
| WIN | 1971 | 1237.5 | 1073.1 | 1030.5 | 1239.9 | 1331.0 | 1181.5 | 846.6 | 966.4 | 1153.9 | 1160.1 | 949.4 | 543.6 | **122,985.4** |
| WIN | 1970 | 1558.3 | 1418.7 | 1445.4 | 1402.0 | 1491.6 | 1381.9 | 1319.5 | 1442.1 | 1324.0 | 1376.1 | 1325.1 | 1372.8 | **110,271.9** |
| WIN | 1969 | 1511.3 | 1340.4 | 1469.0 | 1267.1 | 1454.2 | 1074.1 | 1254.2 | 1420.5 | 1242.6 | 1170.7 | 1353.2 | 1445.6 | **93,414.4** |
| WIN | 1968 | 1547.0 | 1427.0 | 1471.7 | 1397.3 | 1584.1 | 1154.7 | 1349.1 | 1317.1 | 1496.2 | 1330.7 | 1570.1 | 1025.1 | **77,411.5** |
| WIN | 1967 | 818.7 | 1098.9 | 1235.6 | 1442.7 | 1517.0 | 1500.1 | 1501.1 | 1392.5 | 1446.1 | 1504.6 | 1358.3 | 1475.8 | **60,741.4** |
| WIN | 1966 | 1407.0 | 1292.8 | 1346.1 | 1396.6 | 1330.5 | 1295.8 | 1324.5 | 1289.5 | 857.9 | 1076.5 | 1573.7 | 1378.2 | **44,450.0** |
| WIN | 1965 | 1030.3 | 1228.6 | 1419.7 | 1326.2 | 1104.1 | 1243.7 | 1538.3 | 1493.9 | 1515.6 | 1536.9 | 1257.8 | 1474.2 | **28,880.9** |
| WIN | 1964 | 778.4 | 718.7 | 993.1 | 941.8 | 806.8 | 587.3 | 673.9 | 1119.5 | 1218.7 | 1275.0 | 1313.0 | 1150.1 | **12,711.6** |
| DAY | 1963 | 18.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 14.0 | 0.0 | **1,378.0** |
| H2O | 1963 | 37.4 | 67.1 | 72.8 | 75.5 | 75.4 | 70.9 | 85.7 | 55.8 | 94.9 | 63.9 | 50.4 | 0.0 | **4,037.7** |
| OIL | 1963 | 16.9 | 22.7 | 28.4 | 28.1 | 28.6 | 26.4 | 26.4 | 20.5 | 27.7 | 29.1 | 14.5 | 0.0 | **1,662.4** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 46.6 | 1088.7 | **1,135.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,079.0** |
| H2O | 1962 | 92.5 | 88.6 | 98.7 | 93.6 | 99.2 | 92.5 | 101.3 | 96.3 | 85.5 | 92.0 | 70.4 | 85.1 | **3,287.9** |
| OIL | 1962 | 43.5 | 40.5 | 44.3 | 40.7 | 43.9 | 42.1 | 48.0 | 31.6 | 32.3 | 30.7 | 30.0 | 28.0 | **1,393.1** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 9.0 | 27.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **717.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 74.4 | 160.9 | 125.1 | 131.6 | 123.4 | 116.7 | 89.8 | 89.2 | 92.0 | **2,192.2** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 15.9 | 43.9 | 40.0 | 44.0 | 42.6 | 42.9 | 45.0 | 42.6 | 43.9 | **937.5** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 12.0 | 21.0 | 8.0 | 26.0 | 26.0 | 20.0 | 30.0 | 28.0 | 30.0 | **470.0** |
| H2O | 1960 | 29.6 | 23.1 | 22.1 | 9.7 | 21.5 | 65.0 | 163.7 | 225.4 | 178.2 | 201.0 | 118.3 | 0.0 | **1,189.1** |
| OIL | 1960 | 20.7 | 18.6 | 23.8 | 10.2 | 24.2 | 11.4 | 27.3 | 37.0 | 29.4 | 60.2 | 45.0 | 34.0 | **576.7** |
| DAY | 1959 | 27.0 | 13.0 | 19.0 | 0.0 | 26.0 | 19.0 | 31.0 | 31.0 | 4.0 | 0.0 | 0.0 | 9.0 | **179.0** |
| H2O | 1959 | 18.4 | 10.7 | 8.7 | 0.0 | 24.5 | 17.5 | 18.8 | 20.0 | 4.5 | 0.0 | 0.0 | 8.4 | **131.5** |
| OIL | 1959 | 55.6 | 19.5 | 29.4 | 0.0 | 45.4 | 16.0 | 23.7 | 34.0 | 4.8 | 0.0 | 0.0 | 6.5 | **234.9** |

Licence ***1690*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-21-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,117.0** |
| H2O | 1975 | 797.1 | 680.9 | 761.0 | 740.5 | 666.9 | 763.6 | 871.8 | 911.4 | 904.9 | 883.1 | 795.5 | 808.6 | **110,148.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1690*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-21-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1975 | 49.7 | 45.0 | 49.3 | 48.5 | 24.6 | 28.0 | 32.9 | 33.7 | 32.3 | 34.8 | 32.6 | 32.9 | **23,108.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 30.0 | 22.0 | 31.0 | **5,757.0** |
| H2O | 1974 | 911.0 | 820.5 | 912.4 | 855.5 | 778.7 | 720.7 | 616.8 | 774.4 | 716.4 | 718.1 | 547.5 | 780.8 | **100,563.0** |
| OIL | 1974 | 31.0 | 27.7 | 30.8 | 29.4 | 33.5 | 24.2 | 20.2 | 20.8 | 21.0 | 24.8 | 33.7 | 49.7 | **22,663.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,405.0** |
| H2O | 1973 | 563.4 | 551.8 | 579.5 | 375.2 | 402.2 | 358.8 | 680.4 | 748.5 | 699.0 | 817.8 | 768.7 | 924.9 | **91,410.2** |
| OIL | 1973 | 12.4 | 11.9 | 13.8 | 17.3 | 18.1 | 15.4 | 24.9 | 22.7 | 24.6 | 31.6 | 30.5 | 31.1 | **22,317.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,044.0** |
| H2O | 1972 | 736.2 | 711.0 | 740.8 | 698.1 | 729.1 | 652.6 | 419.9 | 437.7 | 541.0 | 597.8 | 570.7 | 538.0 | **83,940.0** |
| OIL | 1972 | 50.9 | 44.2 | 49.3 | 44.0 | 48.6 | 42.0 | 43.5 | 46.1 | 41.6 | 49.3 | 44.8 | 12.4 | **22,062.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,680.0** |
| H2O | 1971 | 1004.3 | 872.0 | 790.9 | 741.0 | 828.1 | 775.3 | 817.8 | 763.7 | 729.1 | 695.7 | 723.7 | 783.5 | **76,567.1** |
| OIL | 1971 | 65.9 | 57.0 | 64.8 | 62.9 | 58.5 | 54.3 | 55.3 | 55.1 | 55.9 | 58.8 | 55.5 | 63.9 | **21,546.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 26.0 | 31.0 | **4,318.0** |
| H2O | 1970 | 718.6 | 559.6 | 656.0 | 619.5 | 761.8 | 966.0 | 952.0 | 825.3 | 903.2 | 987.6 | 773.4 | 991.9 | **67,042.0** |
| OIL | 1970 | 72.8 | 69.6 | 76.0 | 68.6 | 54.8 | 65.3 | 63.7 | 54.7 | 58.8 | 63.9 | 46.7 | 69.9 | **20,838.1** |
| DAY | 1969 | 31.0 | 27.0 | 31.0 | 30.0 | 29.0 | 30.0 | 26.0 | 27.0 | 24.0 | 31.0 | 30.0 | 31.0 | **3,966.0** |
| H2O | 1969 | 759.9 | 665.3 | 746.1 | 720.2 | 704.3 | 729.7 | 626.4 | 593.0 | 524.3 | 739.3 | 729.7 | 742.4 | **57,327.1** |
| OIL | 1969 | 78.5 | 60.1 | 69.0 | 66.7 | 64.5 | 66.7 | 57.8 | 51.5 | 52.1 | 69.0 | 75.0 | 73.4 | **20,073.3** |
| DAY | 1968 | 30.0 | 29.0 | 29.0 | 29.0 | 29.0 | 29.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 30.0 | **3,619.0** |
| H2O | 1968 | 537.7 | 529.4 | 624.2 | 594.6 | 691.6 | 691.6 | 688.5 | 637.0 | 630.5 | 502.4 | 476.9 | 715.4 | **49,046.5** |
| OIL | 1968 | 79.8 | 83.0 | 96.8 | 92.2 | 64.5 | 64.5 | 69.3 | 59.9 | 55.3 | 49.3 | 50.1 | 76.3 | **19,289.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 30.0 | **3,264.0** |
| H2O | 1967 | 516.7 | 492.8 | 510.0 | 452.5 | 437.2 | 537.4 | 553.3 | 542.1 | 532.3 | 496.0 | 475.4 | 616.0 | **41,726.7** |
| OIL | 1967 | 81.8 | 75.6 | 76.4 | 66.4 | 68.5 | 92.2 | 97.4 | 98.5 | 93.6 | 92.5 | 82.0 | 86.0 | **18,448.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,906.0** |
| H2O | 1966 | 780.0 | 645.3 | 743.1 | 726.2 | 593.3 | 569.5 | 490.0 | 534.2 | 542.1 | 454.7 | 506.2 | 570.7 | **35,565.0** |
| OIL | 1966 | 154.1 | 127.9 | 138.9 | 121.9 | 99.3 | 95.0 | 85.5 | 75.6 | 65.8 | 78.7 | 78.7 | 81.8 | **17,437.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **2,546.0** |
| H2O | 1965 | 431.6 | 384.7 | 545.3 | 512.7 | 667.1 | 634.6 | 655.3 | 672.0 | 610.3 | 635.6 | 667.7 | 766.3 | **28,409.7** |
| OIL | 1965 | 132.2 | 119.5 | 132.2 | 124.1 | 162.2 | 158.1 | 162.9 | 168.0 | 135.6 | 115.2 | 147.3 | 160.2 | **16,233.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,186.0** |
| H2O | 1964 | 391.1 | 402.2 | 423.7 | 449.6 | 492.8 | 476.9 | 442.0 | 408.4 | 414.9 | 413.3 | 417.8 | 428.9 | **21,226.5** |
| OIL | 1964 | 144.3 | 149.9 | 147.8 | 129.0 | 145.6 | 142.2 | 146.5 | 134.3 | 131.4 | 122.0 | 132.5 | 119.2 | **14,516.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,823.0** |
| H2O | 1963 | 487.3 | 421.3 | 443.6 | 333.9 | 349.8 | 359.3 | 375.2 | 372.0 | 359.3 | 394.3 | 387.9 | 395.9 | **16,064.9** |
| OIL | 1963 | 176.4 | 145.7 | 172.3 | 141.0 | 143.0 | 143.0 | 143.8 | 147.0 | 137.1 | 145.4 | 133.5 | 154.1 | **12,871.7** |
| DAY | 1962 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 22.0 | 30.0 | 31.0 | **1,458.0** |
| H2O | 1962 | 290.9 | 267.1 | 345.0 | 328.1 | 334.7 | 325.1 | 336.2 | 337.0 | 346.6 | 305.2 | 465.0 | 492.8 | **11,385.1** |
| OIL | 1962 | 176.1 | 169.9 | 199.4 | 180.8 | 161.6 | 148.6 | 175.8 | 168.9 | 153.7 | 141.1 | 193.2 | 195.1 | **11,089.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,108.0** |
| H2O | 1961 | 246.4 | 222.6 | 249.6 | 240.1 | 286.2 | 357.7 | 345.0 | 345.0 | 262.3 | 308.4 | 286.2 | 303.7 | **7,211.4** |
| OIL | 1961 | 241.4 | 223.7 | 231.2 | 183.1 | 189.9 | 188.8 | 195.8 | 193.9 | 177.0 | 182.6 | 217.7 | 195.5 | **9,025.2** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **743.0** |
| H2O | 1960 | 94.6 | 90.6 | 98.6 | 228.9 | 274.2 | 278.2 | 243.9 | 238.5 | 237.7 | 243.2 | 262.3 | 243.2 | **3,758.2** |
| OIL | 1960 | 285.9 | 269.5 | 283.0 | 253.6 | 269.8 | 239.2 | 257.3 | 238.4 | 204.8 | 245.2 | 238.0 | 243.9 | **6,604.6** |
| DAY | 1959 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **380.0** |
| H2O | 1959 | 91.1 | 90.9 | 83.5 | 59.0 | 105.2 | 117.5 | 122.6 | 111.3 | 125.6 | 95.1 | 95.4 | 98.6 | **1,224.3** |
| OIL | 1959 | 300.2 | 263.5 | 284.4 | 260.9 | 285.7 | 287.8 | 277.9 | 285.9 | 286.0 | 284.1 | 281.3 | 295.6 | **3,576.0** |
| DAY | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | **18.0** |
| H2O | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.5 | **28.5** |
| OIL | 1958 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 182.7 | **182.7** |

# Manitoba Production
## 1950 To 1975

Licence ***1692*** Well Name ***Kiwi Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-07-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1974 | 7994.8 | 9818.5 | 8875.2 | 9268.8 | 9291.7 | 6619.8 | 2980.5 | 5763.1 | 4499.3 | 3652.9 | 3652.9 | 3589.8 | **541,202.1** |
| WIN | 1973 | 7114.4 | 6928.4 | 7668.5 | 6361.9 | 6361.9 | 7159.8 | 5047.0 | 4567.6 | 7334.7 | 10794.7 | 10275.1 | 10329.8 | **465,194.8** |
| WIN | 1972 | 10071.4 | 12032.4 | 12856.7 | 11436.2 | 11436.2 | 11436.2 | 12404.4 | 10329.7 | 3763.9 | 11109.5 | 9859.2 | 7392.5 | **375,251.0** |
| WIN | 1971 | 11701.8 | 10512.5 | 12196.1 | 9954.6 | 12366.2 | 10686.6 | 9283.6 | 8999.8 | 9181.1 | 8579.4 | 7370.3 | 8645.4 | **251,122.7** |
| WIN | 1970 | 4384.6 | 3774.9 | 3891.2 | 3213.9 | 662.7 | 2501.2 | 2380.1 | 2540.8 | 0.0 | 0.0 | 19747.7 | 7537.2 | **131,645.3** |
| WIN | 1969 | 2794.8 | 1918.3 | 2750.5 | 3299.5 | 3974.8 | 4008.8 | 4376.7 | 640.1 | 2528.5 | 3535.1 | 4269.1 | 4178.6 | **81,011.0** |
| WIN | 1968 | 3456.7 | 2639.8 | 3108.8 | 2820.1 | 3504.6 | 3583.6 | 3962.6 | 4429.5 | 3897.0 | 3763.3 | 3640.5 | 3929.7 | **42,736.2** |
| DAY | 1967 | 21.0 | 0.0 | 0.0 | 9.0 | 25.0 | 11.0 | 23.0 | 31.0 | 30.0 | 26.0 | 3.0 | 0.0 | **2,126.0** |
| H2O | 1967 | 492.2 | 0.0 | 0.0 | 130.2 | 429.7 | 287.7 | 465.7 | 601.5 | 598.1 | 521.2 | 48.0 | 0.0 | **42,622.7** |
| OIL | 1967 | 15.4 | 0.0 | 0.0 | 10.6 | 16.5 | 10.3 | 18.4 | 19.1 | 14.5 | 17.2 | 1.9 | 0.0 | **2,341.1** |
| DAY | 1966 | 31.0 | 27.0 | 29.0 | 27.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 25.0 | 27.0 | 11.0 | **1,947.0** |
| H2O | 1966 | 500.3 | 440.4 | 470.0 | 404.8 | 363.0 | 344.7 | 349.5 | 367.7 | 357.6 | 288.1 | 557.6 | 215.6 | **39,048.4** |
| OIL | 1966 | 19.6 | 17.3 | 27.0 | 19.2 | 20.2 | 24.0 | 24.5 | 24.5 | 22.3 | 18.1 | 20.5 | 8.9 | **2,217.2** |
| DAY | 1965 | 5.0 | 7.0 | 0.0 | 1.0 | 21.0 | 25.0 | 31.0 | 31.0 | 28.0 | 12.0 | 28.0 | 31.0 | **1,619.0** |
| H2O | 1965 | 80.9 | 105.7 | 0.0 | 11.1 | 381.4 | 466.9 | 691.8 | 703.8 | 468.2 | 179.2 | 423.5 | 502.9 | **34,389.1** |
| OIL | 1965 | 3.3 | 5.4 | 0.0 | 1.6 | 20.7 | 20.0 | 24.5 | 23.8 | 12.1 | 8.1 | 18.6 | 18.9 | **1,971.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 25.0 | 25.0 | 22.0 | 28.0 | **1,399.0** |
| H2O | 1964 | 758.7 | 702.4 | 701.9 | 629.6 | 644.5 | 517.3 | 571.2 | 563.3 | 495.6 | 489.4 | 287.6 | 472.4 | **30,373.7** |
| OIL | 1964 | 38.8 | 37.8 | 43.2 | 42.1 | 42.4 | 27.8 | 31.5 | 35.1 | 23.8 | 19.2 | 14.5 | 20.8 | **1,814.1** |
| DAY | 1963 | 0.0 | 0.0 | 27.0 | 29.0 | 31.0 | 29.0 | 30.0 | 31.0 | 29.0 | 25.0 | 29.0 | 31.0 | **1,057.0** |
| H2O | 1963 | 0.0 | 0.0 | 632.6 | 683.3 | 754.4 | 675.1 | 728.6 | 769.7 | 709.4 | 585.9 | 686.7 | 760.8 | **23,539.8** |
| OIL | 1963 | 0.0 | 0.0 | 41.5 | 48.2 | 34.3 | 32.4 | 28.1 | 37.5 | 31.5 | 26.4 | 30.8 | 41.2 | **1,437.1** |
| DAY | 1962 | 0.0 | 0.0 | 2.0 | 27.0 | 29.0 | 28.0 | 31.0 | 30.0 | 30.0 | 4.0 | 3.0 | 5.0 | **766.0** |
| H2O | 1962 | 0.0 | 0.0 | 55.6 | 841.0 | 963.5 | 877.6 | 782.2 | 799.7 | 810.8 | 108.1 | 85.9 | 104.9 | **16,553.3** |
| OIL | 1962 | 0.0 | 0.0 | 2.9 | 37.5 | 38.3 | 30.8 | 25.3 | 28.3 | 27.2 | 3.5 | 6.5 | 6.5 | **1,085.2** |
| DAY | 1961 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 29.0 | 21.0 | 0.0 | 11.0 | 27.0 | **577.0** |
| H2O | 1961 | 744.2 | 445.0 | 874.4 | 884.0 | 845.3 | 686.2 | 868.1 | 793.3 | 546.9 | 0.0 | 320.4 | 760.8 | **11,124.0** |
| OIL | 1961 | 39.7 | 38.0 | 54.1 | 44.8 | 42.3 | 36.2 | 45.6 | 42.3 | 23.1 | 0.0 | 17.0 | 28.6 | **878.4** |
| DAY | 1960 | 0.0 | 0.0 | 13.0 | 3.0 | 16.0 | 24.0 | 23.0 | 25.0 | 28.0 | 23.0 | 28.0 | 29.0 | **283.0** |
| H2O | 1960 | 0.0 | 0.0 | 71.4 | 33.9 | 160.1 | 190.8 | 279.2 | 273.6 | 271.2 | 278.4 | 525.3 | 624.0 | **3,355.4** |
| OIL | 1960 | 0.0 | 0.0 | 20.8 | 8.4 | 30.8 | 36.1 | 43.7 | 41.0 | 44.8 | 30.4 | 36.1 | 46.1 | **466.7** |
| DAY | 1959 | 21.0 | 9.0 | 0.0 | 0.0 | 5.0 | 0.0 | 12.0 | 24.0 | 0.0 | 0.0 | 0.0 | 0.0 | **71.0** |
| H2O | 1959 | 238.0 | 114.5 | 0.0 | 0.0 | 34.3 | 0.0 | 151.5 | 109.2 | 0.0 | 0.0 | 0.0 | 0.0 | **647.5** |
| OIL | 1959 | 71.5 | 23.1 | 0.0 | 0.0 | 0.0 | 0.0 | 17.8 | 16.1 | 0.0 | 0.0 | 0.0 | 0.0 | **128.5** |

Licence ***1694*** Well Name ***Routledge Unit No. 1 Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.08-16-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 7910.2 | 6169.9 | 7302.1 | 6898.6 | 3355.3 | 6089.5 | 7445.4 | 8542.7 | 8966.7 | 9393.0 | 8173.5 | 8366.3 | **1,079,485.9** |
| WIN | 1974 | 7896.5 | 7384.0 | 8091.9 | 5697.4 | 6202.9 | 6902.8 | 6892.9 | 6886.8 | 7707.5 | 8132.0 | 7321.9 | 7535.3 | **990,872.7** |
| WIN | 1973 | 6613.2 | 6143.7 | 7807.0 | 7244.1 | 6929.1 | 6173.3 | 7028.5 | 7131.9 | 5939.1 | 7860.4 | 7348.0 | 8215.8 | **904,220.8** |
| WIN | 1972 | 8798.5 | 8747.4 | 8605.3 | 7785.6 | 7875.7 | 7400.9 | 7624.3 | 7499.5 | 7588.7 | 8709.6 | 7668.5 | 6176.5 | **819,786.7** |
| WIN | 1971 | 12653.2 | 12321.5 | 14207.1 | 13836.6 | 13941.9 | 11787.5 | 11797.9 | 11946.6 | 9069.5 | 8942.1 | 8768.6 | 8973.4 | **725,306.2** |
| WIN | 1970 | 6991.3 | 6097.8 | 6708.9 | 6292.2 | 6306.8 | 5931.8 | 5445.9 | 5017.1 | 9076.6 | 11408.9 | 12078.1 | 12740.2 | **587,060.3** |
| WIN | 1969 | 6855.3 | 5729.7 | 6125.6 | 5941.2 | 6015.9 | 7311.9 | 6305.4 | 6147.4 | 5907.1 | 6922.8 | 6082.2 | 6574.7 | **492,964.7** |
| WIN | 1968 | 5565.0 | 4537.0 | 5503.6 | 5997.6 | 7121.4 | 6590.9 | 6649.6 | 6765.5 | 6181.9 | 5872.3 | 6476.8 | 6661.2 | **417,045.5** |
| WIN | 1967 | 6593.0 | 6568.5 | 7514.8 | 7273.6 | 7840.3 | 8111.8 | 8991.3 | 7514.6 | 7352.7 | 7998.6 | 7341.4 | 6578.1 | **343,122.7** |
| WIN | 1966 | 6636.1 | 5866.0 | 6585.1 | 7018.2 | 7149.7 | 6903.7 | 7048.3 | 7204.4 | 6515.6 | 6262.0 | 6902.2 | 6843.7 | **253,444.0** |
| WIN | 1965 | 3423.7 | 2871.5 | 4977.7 | 4739.2 | 5842.1 | 5346.5 | 5771.2 | 6011.4 | 6339.6 | 5713.0 | 5425.1 | 6648.5 | **172,509.0** |
| WIN | 1964 | 5256.4 | 4159.0 | 3812.0 | 3301.0 | 3338.2 | 3723.7 | 3863.0 | 4318.5 | 3581.7 | 3631.3 | 3311.5 | 3534.0 | **109,399.5** |
| WIN | 1963 | 6134.0 | 4607.7 | 4489.9 | 4992.9 | 5211.7 | 6868.4 | 5010.7 | 4727.3 | 4515.0 | 4977.7 | 4980.5 | 5197.1 | **63,569.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1694*** Well Name ***Routledge Unit No. 1 Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.08-16-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1856.3 | **1,856.3** |
| DAY | 1961 | 0.0 | 0.0 | 20.0 | 29.0 | 31.0 | 30.0 | 19.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **229.0** |
| H2O | 1961 | 0.0 | 0.0 | 216.9 | 446.7 | 630.2 | 496.0 | 435.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,526.8** |
| OIL | 1961 | 0.0 | 0.0 | 53.7 | 63.1 | 73.9 | 71.5 | 35.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **403.0** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 0.0 | **100.0** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.1 | 0.0 | **105.0** |
| DAY | 1959 | 0.0 | 9.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **70.0** |
| H2O | 1959 | 0.0 | 54.8 | 144.5 | 102.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **301.4** |
| OIL | 1959 | 0.0 | 20.7 | 41.8 | 33.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **95.9** |

Licence ***1695*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-36-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,581.0** |
| H2O | 1975 | 181.2 | 161.7 | 179.8 | 145.8 | 197.3 | 164.2 | 148.2 | 174.4 | 162.2 | 190.0 | 194.6 | 195.1 | **33,862.5** |
| OIL | 1975 | 50.1 | 44.8 | 52.0 | 48.6 | 52.4 | 49.4 | 50.7 | 51.2 | 49.6 | 49.4 | 50.5 | 51.3 | **16,740.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,216.0** |
| H2O | 1974 | 145.9 | 133.2 | 128.5 | 145.0 | 160.6 | 148.6 | 178.1 | 165.7 | 157.4 | 138.5 | 169.8 | 190.1 | **31,768.0** |
| OIL | 1974 | 46.9 | 42.0 | 44.8 | 43.4 | 45.6 | 47.2 | 49.3 | 47.5 | 44.0 | 46.2 | 46.6 | 52.6 | **16,140.4** |
| DAY | 1973 | 28.0 | 28.0 | 30.0 | 30.0 | 25.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,851.0** |
| H2O | 1973 | 359.1 | 359.3 | 387.1 | 388.7 | 173.3 | 190.9 | 212.4 | 120.2 | 112.1 | 134.0 | 161.7 | 155.8 | **29,906.6** |
| OIL | 1973 | 80.9 | 76.1 | 88.2 | 95.5 | 40.7 | 48.3 | 48.3 | 104.7 | 98.2 | 107.9 | 51.0 | 48.5 | **15,584.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 11.0 | 29.0 | 30.0 | 29.0 | 30.0 | **4,499.0** |
| H2O | 1972 | 218.9 | 207.0 | 223.0 | 155.5 | 176.6 | 180.6 | 181.4 | 62.3 | 418.0 | 428.1 | 405.9 | 428.3 | **27,152.0** |
| OIL | 1972 | 58.0 | 53.9 | 57.2 | 49.9 | 51.2 | 50.5 | 50.1 | 14.9 | 79.1 | 85.0 | 81.2 | 86.4 | **14,696.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,158.0** |
| H2O | 1971 | 362.6 | 340.5 | 338.8 | 262.0 | 272.8 | 273.3 | 228.5 | 211.4 | 199.2 | 220.5 | 210.3 | 217.8 | **24,066.4** |
| OIL | 1971 | 80.1 | 72.6 | 77.7 | 56.6 | 59.8 | 58.2 | 62.3 | 57.0 | 55.9 | 59.6 | 56.1 | 60.4 | **13,978.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 21.0 | 27.0 | 31.0 | **3,794.0** |
| H2O | 1970 | 305.9 | 293.2 | 326.5 | 320.5 | 317.5 | 333.7 | 300.5 | 323.8 | 302.1 | 141.8 | 302.9 | 311.3 | **20,928.7** |
| OIL | 1970 | 118.4 | 102.7 | 111.2 | 108.4 | 117.8 | 117.9 | 123.8 | 112.3 | 102.0 | 43.9 | 71.2 | 79.0 | **13,222.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 27.0 | 30.0 | **3,443.0** |
| H2O | 1969 | 174.1 | 139.4 | 173.9 | 172.8 | 165.8 | 177.9 | 179.3 | 162.2 | 151.3 | 147.4 | 138.3 | 302.5 | **17,349.0** |
| OIL | 1969 | 110.0 | 96.9 | 105.5 | 103.8 | 103.0 | 106.9 | 101.5 | 100.0 | 94.1 | 66.3 | 56.9 | 116.5 | **12,013.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,083.0** |
| H2O | 1968 | 178.2 | 168.5 | 266.3 | 267.2 | 272.2 | 264.8 | 260.4 | 174.3 | 151.9 | 184.4 | 170.0 | 170.8 | **15,264.1** |
| OIL | 1968 | 75.8 | 72.5 | 103.3 | 98.5 | 102.7 | 104.9 | 106.9 | 104.1 | 106.5 | 116.3 | 105.8 | 107.3 | **10,852.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,717.0** |
| H2O | 1967 | 199.8 | 184.1 | 188.2 | 171.6 | 187.8 | 205.4 | 217.8 | 177.0 | 187.8 | 167.9 | 160.6 | 182.1 | **12,735.1** |
| OIL | 1967 | 116.3 | 110.4 | 118.2 | 111.6 | 111.4 | 108.9 | 113.6 | 73.6 | 82.6 | 79.5 | 72.6 | 80.4 | **9,647.7** |
| DAY | 1966 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,355.0** |
| H2O | 1966 | 120.9 | 151.7 | 154.2 | 204.6 | 167.8 | 134.1 | 263.7 | 266.3 | 246.9 | 223.1 | 195.7 | 173.5 | **10,505.0** |
| OIL | 1966 | 69.8 | 94.1 | 97.6 | 127.4 | 110.3 | 84.2 | 98.8 | 91.8 | 103.6 | 94.1 | 102.0 | 111.1 | **8,468.6** |
| DAY | 1965 | 26.0 | 24.0 | 31.0 | 30.0 | 31.0 | 29.0 | 24.0 | 31.0 | 29.0 | 23.0 | 27.0 | 25.0 | **1,994.0** |
| H2O | 1965 | 137.4 | 214.6 | 255.9 | 170.9 | 159.2 | 151.4 | 168.1 | 189.0 | 246.4 | 68.3 | 136.4 | 138.4 | **8,202.5** |
| OIL | 1965 | 73.6 | 83.4 | 131.7 | 86.9 | 101.4 | 98.0 | 104.4 | 103.5 | 75.3 | 37.0 | 87.9 | 93.6 | **7,283.8** |
| DAY | 1964 | 31.0 | 26.0 | 30.0 | 26.0 | 31.0 | 30.0 | 21.0 | 31.0 | 21.0 | 31.0 | 29.0 | 31.0 | **1,664.0** |
| H2O | 1964 | 87.1 | 79.1 | 88.8 | 77.5 | 87.2 | 68.5 | 92.2 | 157.6 | 92.2 | 123.3 | 108.1 | 137.2 | **6,166.5** |
| OIL | 1964 | 51.8 | 65.2 | 79.9 | 72.3 | 83.4 | 75.2 | 97.4 | 146.5 | 85.3 | 112.3 | 87.7 | 98.2 | **6,207.1** |
| DAY | 1963 | 28.0 | 23.0 | 14.0 | 26.0 | 24.0 | 30.0 | 29.0 | 29.0 | 30.0 | 23.0 | 27.0 | 31.0 | **1,326.0** |
| H2O | 1963 | 87.6 | 86.9 | 96.0 | 93.4 | 89.1 | 93.8 | 85.2 | 86.3 | 96.6 | 80.1 | 81.7 | 84.2 | **4,967.7** |

# Manitoba Production
## 1950 To 1975

Licence ***1695*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-36-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1963 | 71.8 | 43.5 | 42.3 | 52.9 | 51.0 | 69.9 | 68.5 | 80.4 | 73.6 | 58.6 | 63.6 | 60.9 | **5,151.9** |
| DAY | 1962 | 22.0 | 13.0 | 15.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 29.0 | 21.0 | 26.0 | 27.0 | **1,012.0** |
| H2O | 1962 | 138.3 | 69.2 | 142.3 | 237.4 | 205.9 | 198.1 | 171.7 | 127.2 | 129.9 | 100.8 | 109.2 | 83.1 | **3,906.8** |
| OIL | 1962 | 103.9 | 49.7 | 72.8 | 150.5 | 147.2 | 145.7 | 142.5 | 106.6 | 93.4 | 68.0 | 89.1 | 65.6 | **4,414.9** |
| DAY | 1961 | 17.0 | 28.0 | 29.0 | 30.0 | 31.0 | 21.0 | 27.0 | 18.0 | 21.0 | 28.0 | 30.0 | 28.0 | **710.0** |
| H2O | 1961 | 41.3 | 82.7 | 57.9 | 74.4 | 57.9 | 49.3 | 9.5 | 94.3 | 144.2 | 150.4 | 224.2 | 185.4 | **2,193.7** |
| OIL | 1961 | 63.9 | 70.1 | 57.8 | 56.9 | 51.2 | 33.4 | 32.6 | 63.2 | 83.6 | 107.1 | 133.6 | 128.6 | **3,179.9** |
| DAY | 1960 | 30.0 | 26.0 | 10.0 | 10.0 | 31.0 | 19.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **402.0** |
| H2O | 1960 | 120.2 | 106.2 | 54.1 | 48.3 | 61.7 | 40.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,022.2** |
| OIL | 1960 | 146.5 | 130.6 | 37.8 | 38.5 | 45.1 | 24.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,297.9** |
| DAY | 1959 | 0.0 | 21.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 12.0 | 15.0 | 19.0 | **276.0** |
| H2O | 1959 | 0.0 | 2.5 | 8.7 | 42.6 | 49.9 | 47.7 | 35.6 | 39.0 | 137.4 | 41.3 | 82.0 | 104.3 | **591.0** |
| OIL | 1959 | 0.0 | 172.0 | 244.1 | 212.0 | 218.5 | 208.3 | 197.2 | 188.1 | 173.2 | 61.5 | 89.8 | 110.1 | **1,874.8** |

Licence ***1696*** Well Name ***Adnac Tilston*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-05-006-29W1.00*** Field Name ***Tilston*** Pool Name ***Mission Canyon 1 A*** Field Code ***2*** Pool Code ***44A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | **746.0** |
| OIL | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 50.9 | 14.1 | 6.4 | **999.0** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 10.0 | 0.0 | **654.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 203.5 | 159.0 | 0.0 | **428.6** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 0.0 | 0.0 | **631.0** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 51.4 | 0.0 | 0.0 | **927.6** |
| DAY | 1963 | 12.0 | 0.0 | 0.0 | 0.0 | 8.0 | 8.0 | 0.0 | 10.0 | 6.0 | 0.0 | 0.0 | 0.0 | **601.0** |
| OIL | 1963 | 7.2 | 0.0 | 0.0 | 0.0 | 4.1 | 7.8 | 10.2 | 4.8 | 2.5 | 0.0 | 0.0 | 0.0 | **876.2** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 5.0 | 6.0 | 0.0 | 20.0 | 0.0 | **557.0** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.3 | 12.6 | 11.9 | 0.0 | 16.9 | 0.0 | **839.6** |
| DAY | 1961 | 18.0 | 8.0 | 23.0 | 25.0 | 0.0 | 21.0 | 0.0 | 15.0 | 8.0 | 0.0 | 0.0 | 0.0 | **514.0** |
| H2O | 1961 | 0.6 | 0.3 | 0.6 | 0.8 | 0.0 | 0.2 | 0.0 | 0.2 | 0.2 | 0.0 | 0.0 | 0.0 | **66.1** |
| OIL | 1961 | 24.8 | 2.5 | 12.9 | 13.4 | 0.0 | 26.2 | 0.0 | 8.4 | 3.5 | 0.0 | 0.0 | 0.0 | **768.9** |
| DAY | 1960 | 10.0 | 0.0 | 0.0 | 30.0 | 0.0 | 0.0 | 10.0 | 29.0 | 18.0 | 11.0 | 8.0 | 31.0 | **396.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.6 | 1.0 | 1.9 | 1.3 | 15.6 | 7.5 | 0.5 | **63.2** |
| OIL | 1960 | 7.3 | 0.0 | 0.0 | 53.6 | 0.0 | 45.6 | 9.1 | 35.3 | 26.1 | 12.9 | 11.6 | 20.5 | **677.2** |
| DAY | 1959 | 10.0 | 19.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 15.0 | 11.0 | 10.0 | 4.0 | **249.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 9.6 | 5.7 | 10.5 | 0.0 | 0.0 | **33.8** |
| OIL | 1959 | 32.7 | 61.6 | 63.0 | 37.7 | 36.8 | 43.0 | 64.9 | 40.3 | 36.0 | 29.0 | 6.9 | 3.3 | **455.2** |

Licence ***1697*** Well Name ***Bralorne Routledge SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-21-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1970 | 2111.3 | 1701.8 | 1990.2 | 1832.2 | 1696.1 | 1588.4 | 1549.2 | 186.9 | 0.0 | 0.0 | 0.0 | 0.0 | **269,026.8** |
| WIN | 1969 | 2313.7 | 1909.4 | 2258.4 | 2136.0 | 2110.4 | 1961.4 | 1683.2 | 1498.8 | 1527.4 | 2111.3 | 2146.2 | 2169.7 | **256,370.7** |
| WIN | 1968 | 1410.1 | 1544.3 | 2060.4 | 1944.8 | 1830.9 | 1524.2 | 1839.7 | 1693.4 | 1685.3 | 1532.5 | 1350.9 | 2225.1 | **232,544.8** |
| WIN | 1967 | 1786.7 | 1646.8 | 1698.3 | 1525.5 | 1479.9 | 1628.7 | 1668.6 | 1706.1 | 1512.5 | 1395.1 | 1338.1 | 1571.8 | **211,903.2** |
| WIN | 1966 | 2169.9 | 1783.2 | 2028.9 | 1978.2 | 1887.5 | 1763.0 | 1621.7 | 1583.4 | 1456.7 | 1698.3 | 1553.3 | 1854.0 | **192,945.1** |
| WIN | 1965 | 1145.4 | 1109.8 | 1626.5 | 1528.8 | 1664.0 | 1416.6 | 1885.5 | 1935.9 | 1909.3 | 1970.8 | 1930.0 | 2128.9 | **171,567.0** |
| WIN | 1964 | 1930.1 | 1595.0 | 1380.0 | 1107.8 | 1316.3 | 1273.5 | 1208.2 | 1104.8 | 1136.8 | 1120.4 | 1140.8 | 1171.3 | **151,315.5** |
| WIN | 1963 | 598.4 | 2012.2 | 2299.0 | 2491.1 | 2765.8 | 1585.4 | 1645.2 | 1607.4 | 1541.9 | 1725.2 | 1706.8 | 1679.3 | **135,830.5** |
| WIN | 1962 | 3719.9 | 3347.5 | 4314.2 | 4557.0 | 4292.9 | 3965.7 | 3876.8 | 4242.8 | 4820.9 | 5231.9 | 5608.2 | 4297.5 | **114,172.8** |
| WIN | 1961 | 2948.0 | 2552.9 | 3074.7 | 3092.0 | 3850.7 | 4044.7 | 4071.4 | 4037.6 | 3965.2 | 3894.0 | 3537.2 | 4232.2 | **61,897.5** |
| WIN | 1960 | 0.0 | 292.7 | 1067.8 | 1381.6 | 1363.7 | 1407.5 | 1840.2 | 2278.0 | 2070.4 | 1845.1 | 2472.8 | 2577.1 | **18,596.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1697*** Well Name ***Bralorne Routledge SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-21-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1959 | 0.0 | 0.0 | 11.0 | 29.0 | 21.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **66.0** |
| H2O | 1959 | 0.0 | 0.0 | 38.2 | 201.7 | 180.4 | 71.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **491.4** |
| OIL | 1959 | 0.0 | 0.0 | 43.8 | 118.5 | 58.6 | 1.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **222.3** |

Licence ***1703*** Well Name ***Kiwi Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-07-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,120.0** |
| OIL | 1975 | 3.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,467.6** |
| DAY | 1974 | 0.0 | 28.0 | 31.0 | 30.0 | 29.0 | 29.0 | 18.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,116.0** |
| H2O | 1974 | 550.9 | 497.3 | 550.9 | 534.2 | 535.5 | 534.2 | 274.2 | 541.5 | 541.5 | 541.5 | 541.5 | 540.9 | **63,042.4** |
| OIL | 1974 | 19.9 | 19.1 | 19.9 | 19.1 | 19.4 | 19.1 | 11.4 | 22.3 | 22.3 | 22.3 | 22.3 | 22.3 | **3,464.5** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 10.0 | 20.0 | 21.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,800.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 63.6 | 98.1 | 105.1 | 157.7 | 569.4 | 550.0 | 550.8 | **56,858.3** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 2.9 | 7.2 | 14.1 | 14.6 | 17.3 | 17.2 | 16.7 | 19.9 | **3,225.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 0.0 | 18.0 | 29.0 | 31.0 | 30.0 | 10.0 | 31.0 | 30.0 | 24.0 | **3,621.0** |
| H2O | 1972 | 826.7 | 771.1 | 818.8 | 0.0 | 472.1 | 771.1 | 818.8 | 794.9 | 278.3 | 810.8 | 794.9 | 667.6 | **54,763.6** |
| OIL | 1972 | 15.9 | 15.1 | 12.7 | 0.0 | 12.1 | 11.1 | 12.7 | 11.9 | 4.8 | 15.9 | 15.3 | 11.4 | **3,115.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 21.0 | 29.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,327.0** |
| H2O | 1971 | 862.5 | 779.0 | 862.5 | 612.0 | 806.9 | 782.2 | 855.4 | 855.4 | 826.7 | 826.7 | 826.7 | 826.7 | **46,938.5** |
| OIL | 1971 | 26.1 | 14.6 | 19.7 | 14.0 | 13.8 | 16.7 | 16.7 | 16.7 | 15.9 | 15.9 | 15.9 | 15.9 | **2,976.3** |
| DAY | 1970 | 31.0 | 28.0 | 29.0 | 11.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 27.0 | **2,975.0** |
| H2O | 1970 | 372.6 | 316.8 | 334.6 | 130.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1978.4 | 696.3 | **37,215.8** |
| OIL | 1970 | 16.2 | 12.9 | 11.0 | 4.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.8 | 16.4 | **2,774.4** |
| DAY | 1969 | 0.0 | 28.0 | 13.0 | 0.0 | 16.0 | 30.0 | 27.0 | 0.0 | 0.0 | 20.0 | 29.0 | 29.0 | **2,823.0** |
| H2O | 1969 | 423.4 | 386.7 | 25.6 | 0.0 | 117.8 | 308.4 | 301.4 | 0.0 | 0.0 | 176.5 | 336.6 | 348.7 | **33,386.6** |
| OIL | 1969 | 11.1 | 7.5 | 2.2 | 0.0 | 12.1 | 22.7 | 18.1 | 0.0 | 0.0 | 15.1 | 16.1 | 17.8 | **2,692.8** |
| DAY | 1968 | 10.0 | 29.0 | 31.0 | 30.0 | 18.0 | 0.0 | 20.0 | 30.0 | 29.0 | 25.0 | 27.0 | 26.0 | **2,631.0** |
| H2O | 1968 | 52.8 | 105.7 | 102.2 | 100.6 | 55.0 | 0.0 | 151.2 | 316.8 | 327.6 | 298.2 | 350.6 | 406.6 | **30,961.5** |
| OIL | 1968 | 2.9 | 9.7 | 14.1 | 12.9 | 6.8 | 0.0 | 21.5 | 28.1 | 26.9 | 22.7 | 21.0 | 20.8 | **2,570.1** |
| DAY | 1967 | 31.0 | 28.0 | 28.0 | 13.0 | 24.0 | 10.0 | 10.0 | 31.0 | 30.0 | 26.0 | 12.0 | 0.0 | **2,356.0** |
| H2O | 1967 | 242.3 | 222.7 | 223.7 | 96.3 | 187.6 | 80.6 | 70.0 | 244.0 | 256.7 | 208.6 | 55.6 | 0.0 | **28,694.2** |
| OIL | 1967 | 18.0 | 20.4 | 10.7 | 7.5 | 12.6 | 4.0 | 9.5 | 14.3 | 10.7 | 13.2 | 6.8 | 0.0 | **2,382.7** |
| DAY | 1966 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 27.0 | 30.0 | 26.0 | 25.0 | 7.0 | **2,113.0** |
| H2O | 1966 | 98.9 | 85.5 | 89.7 | 147.7 | 237.5 | 233.1 | 246.7 | 202.6 | 238.3 | 206.7 | 196.0 | 55.6 | **26,806.1** |
| OIL | 1966 | 6.4 | 5.9 | 9.9 | 12.6 | 15.9 | 18.8 | 19.9 | 16.4 | 18.4 | 16.9 | 15.3 | 4.5 | **2,255.0** |
| DAY | 1965 | 5.0 | 22.0 | 30.0 | 9.0 | 19.0 | 14.0 | 31.0 | 31.0 | 28.0 | 11.0 | 30.0 | 31.0 | **1,788.0** |
| H2O | 1965 | 39.0 | 135.9 | 175.5 | 35.3 | 92.2 | 61.2 | 139.1 | 130.2 | 128.3 | 46.1 | 115.1 | 125.0 | **24,767.8** |
| OIL | 1965 | 1.6 | 10.8 | 14.6 | 4.5 | 11.4 | 9.5 | 13.8 | 9.7 | 8.6 | 4.9 | 14.1 | 9.9 | **2,094.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 27.0 | 29.0 | 29.0 | 31.0 | 29.0 | 24.0 | 22.0 | 9.0 | 21.0 | **1,527.0** |
| H2O | 1964 | 236.3 | 230.7 | 207.8 | 159.8 | 238.5 | 304.9 | 335.8 | 299.3 | 269.7 | 210.3 | 73.5 | 175.5 | **23,544.9** |
| OIL | 1964 | 19.7 | 18.0 | 20.5 | 17.6 | 20.7 | 16.7 | 15.7 | 12.4 | 8.4 | 7.0 | 4.5 | 6.5 | **1,980.7** |
| DAY | 1963 | 0.0 | 0.0 | 27.0 | 29.0 | 31.0 | 14.0 | 29.0 | 31.0 | 29.0 | 25.0 | 28.0 | 31.0 | **1,215.0** |
| H2O | 1963 | 0.0 | 0.0 | 614.9 | 681.2 | 710.7 | 310.4 | 419.2 | 490.1 | 458.4 | 372.4 | 398.3 | 193.8 | **20,802.8** |
| OIL | 1963 | 0.0 | 0.0 | 34.2 | 34.7 | 29.4 | 12.4 | 46.3 | 45.2 | 46.1 | 37.2 | 33.9 | 16.5 | **1,813.0** |
| DAY | 1962 | 23.0 | 6.0 | 12.0 | 29.0 | 29.0 | 28.0 | 31.0 | 30.0 | 30.0 | 3.0 | 3.0 | 1.0 | **941.0** |
| H2O | 1962 | 478.5 | 95.4 | 286.3 | 689.9 | 780.6 | 787.0 | 736.0 | 755.2 | 769.5 | 76.3 | 85.9 | 28.6 | **16,153.4** |
| OIL | 1962 | 41.2 | 5.7 | 32.9 | 47.2 | 36.6 | 30.4 | 28.5 | 28.6 | 24.0 | 2.4 | 4.8 | 1.6 | **1,477.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 22.0 | 31.0 | 30.0 | 31.0 | 28.0 | 21.0 | 0.0 | 9.0 | 27.0 | **716.0** |
| H2O | 1961 | 489.3 | 460.2 | 489.7 | 511.7 | 816.6 | 696.3 | 790.2 | 764.7 | 526.1 | 0.0 | 184.4 | 478.5 | **10,584.2** |
| OIL | 1961 | 45.0 | 39.3 | 37.7 | 28.0 | 42.0 | 39.3 | 41.7 | 40.4 | 20.7 | 0.0 | 16.2 | 30.8 | **1,193.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1703*** Well Name ***Kiwi Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-07-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 26.0 | 0.0 | 8.0 | 0.0 | 17.0 | 21.0 | 26.0 | 15.0 | 28.0 | 28.0 | 30.0 | 27.0 | **427.0** |
| H2O | 1960 | 227.7 | 0.0 | 46.1 | 0.0 | 134.8 | 156.9 | 209.5 | 138.0 | 280.1 | 298.2 | 517.2 | 530.3 | **4,376.5** |
| OIL | 1960 | 29.4 | 0.0 | 16.9 | 0.0 | 19.9 | 20.5 | 15.3 | 27.8 | 47.4 | 44.8 | 45.3 | 42.0 | **812.1** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 30.0 | 19.0 | 31.0 | 27.0 | 11.0 | 26.0 | 30.0 | **201.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 210.8 | 307.4 | 182.2 | 323.8 | 212.2 | 82.2 | 210.7 | 308.4 | **1,837.7** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 94.5 | 96.6 | 54.7 | 63.2 | 61.2 | 21.6 | 57.4 | 53.6 | **502.8** |

Licence ***1704*** Well Name ***Teck Stephenson South Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-05-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 8.0 | 23.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **116.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 74.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **383.3** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 6.2 | 10.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **140.3** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 24.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | **85.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 107.8 | 78.2 | 123.2 | 0.0 | 0.0 | 0.0 | 0.0 | **309.2** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 61.2 | 45.0 | 17.0 | 0.0 | 0.0 | 0.0 | 0.0 | **123.2** |

Licence ***1705*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.09-20-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **4,959.0** |
| H2O | 1972 | 516.7 | 481.7 | 498.2 | 474.2 | 497.0 | 426.4 | 481.4 | 489.5 | 456.6 | 489.8 | 467.7 | 446.2 | **63,420.0** |
| OIL | 1972 | 25.7 | 24.2 | 22.4 | 20.3 | 22.4 | 18.6 | 20.3 | 21.1 | 19.1 | 20.7 | 18.8 | 18.7 | **9,255.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 21.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,596.0** |
| H2O | 1971 | 560.6 | 458.3 | 519.5 | 465.2 | 496.8 | 336.7 | 474.2 | 481.6 | 437.4 | 442.3 | 464.1 | 514.9 | **57,694.6** |
| OIL | 1971 | 17.8 | 19.1 | 21.5 | 24.9 | 25.3 | 16.8 | 23.2 | 24.9 | 24.2 | 23.4 | 21.9 | 26.1 | **9,002.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,242.0** |
| H2O | 1970 | 533.1 | 472.5 | 562.2 | 537.8 | 501.3 | 491.6 | 518.0 | 481.6 | 490.3 | 488.2 | 475.2 | 553.6 | **52,043.0** |
| OIL | 1970 | 38.8 | 27.3 | 34.6 | 31.3 | 32.7 | 30.2 | 31.5 | 28.9 | 28.9 | 28.8 | 23.2 | 18.8 | **8,733.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,877.0** |
| H2O | 1969 | 585.8 | 562.0 | 622.4 | 597.3 | 607.1 | 566.4 | 560.2 | 573.1 | 554.2 | 558.3 | 559.3 | 569.3 | **45,937.6** |
| OIL | 1969 | 40.7 | 36.7 | 39.9 | 41.0 | 34.2 | 32.7 | 31.3 | 31.8 | 30.2 | 36.9 | 36.9 | 38.0 | **8,378.7** |
| DAY | 1968 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **3,512.0** |
| H2O | 1968 | 485.8 | 499.8 | 564.7 | 477.6 | 227.2 | 387.3 | 405.4 | 652.5 | 593.2 | 694.4 | 590.8 | 564.2 | **39,022.2** |
| OIL | 1968 | 49.3 | 44.5 | 54.3 | 44.3 | 31.8 | 28.1 | 29.2 | 44.7 | 42.1 | 4.8 | 36.2 | 42.6 | **7,948.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **3,149.0** |
| H2O | 1967 | 536.4 | 467.1 | 553.3 | 480.4 | 354.0 | 345.3 | 352.9 | 308.1 | 321.0 | 340.2 | 312.4 | 188.6 | **32,879.3** |
| OIL | 1967 | 46.6 | 40.2 | 46.1 | 44.2 | 32.1 | 30.8 | 31.6 | 30.8 | 29.1 | 31.3 | 30.5 | 18.0 | **7,496.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,788.0** |
| H2O | 1966 | 501.6 | 446.9 | 481.2 | 471.7 | 417.6 | 457.4 | 524.3 | 487.6 | 508.4 | 539.1 | 537.2 | 528.3 | **28,319.6** |
| OIL | 1966 | 54.2 | 46.4 | 50.9 | 47.0 | 47.8 | 46.6 | 50.5 | 43.1 | 45.4 | 49.6 | 47.7 | 48.8 | **7,085.2** |
| DAY | 1965 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,424.0** |
| H2O | 1965 | 375.7 | 354.8 | 341.6 | 420.5 | 444.5 | 489.8 | 594.4 | 589.3 | 451.5 | 508.3 | 491.9 | 504.9 | **22,418.3** |
| OIL | 1965 | 50.1 | 43.5 | 44.5 | 59.0 | 62.3 | 58.5 | 56.9 | 57.0 | 50.7 | 57.8 | 54.5 | 55.5 | **6,507.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,062.0** |
| H2O | 1964 | 325.6 | 295.4 | 323.0 | 310.6 | 295.7 | 326.9 | 337.4 | 300.3 | 306.5 | 326.4 | 325.0 | 365.5 | **16,851.1** |
| OIL | 1964 | 55.8 | 49.6 | 53.6 | 48.8 | 55.0 | 58.5 | 55.1 | 53.1 | 58.3 | 60.1 | 57.8 | 52.8 | **5,856.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,696.0** |
| H2O | 1963 | 317.3 | 288.4 | 295.5 | 324.8 | 303.3 | 311.6 | 294.1 | 320.3 | 280.1 | 352.8 | 326.7 | 328.9 | **13,012.8** |
| OIL | 1963 | 67.5 | 61.3 | 63.2 | 62.3 | 64.8 | 65.0 | 63.2 | 64.4 | 56.3 | 65.5 | 61.2 | 57.0 | **5,198.4** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 25.0 | 18.0 | 31.0 | 29.0 | 27.0 | **1,334.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1705*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.09-20-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1962 | 133.1 | 249.0 | 287.9 | 272.5 | 282.5 | 267.1 | 313.5 | 259.8 | 180.1 | 328.0 | 303.5 | 287.0 | **9,269.0** |
| OIL | 1962 | 48.3 | 109.8 | 79.3 | 74.8 | 77.1 | 72.6 | 76.4 | 60.5 | 42.4 | 75.3 | 65.8 | 59.9 | **4,446.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **992.0** |
| H2O | 1961 | 315.4 | 274.1 | 214.9 | 204.6 | 229.6 | 210.5 | 214.8 | 254.2 | 224.8 | 271.4 | 241.6 | 247.5 | **6,105.0** |
| OIL | 1961 | 106.0 | 92.5 | 93.0 | 91.1 | 92.2 | 78.2 | 79.3 | 88.2 | 79.3 | 81.2 | 74.7 | 76.6 | **3,604.5** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **628.0** |
| H2O | 1960 | 174.4 | 146.4 | 177.9 | 174.1 | 191.6 | 200.8 | 213.8 | 208.4 | 198.2 | 191.7 | 191.9 | 325.4 | **3,201.6** |
| OIL | 1960 | 140.5 | 108.7 | 128.1 | 112.5 | 119.8 | 112.2 | 107.7 | 108.5 | 105.4 | 94.2 | 94.1 | 102.5 | **2,572.2** |
| DAY | 1959 | 0.0 | 0.0 | 6.0 | 29.0 | 20.0 | 28.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **262.0** |
| H2O | 1959 | 0.0 | 0.0 | 12.2 | 63.1 | 49.3 | 75.7 | 87.9 | 103.7 | 80.6 | 73.6 | 78.5 | 182.4 | **807.0** |
| OIL | 1959 | 0.0 | 0.0 | 28.6 | 150.5 | 112.5 | 157.2 | 164.6 | 153.0 | 136.8 | 95.8 | 101.1 | 137.9 | **1,238.0** |

Licence ***1706*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-14-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 31.0 | 29.0 | 22.0 | 0.0 | 5.0 | 30.0 | 31.0 | 31.0 | 30.0 | 25.0 | 0.0 | 0.0 | **1,838.0** |
| H2O | 1964 | 152.4 | 138.6 | 109.5 | 0.0 | 19.6 | 237.8 | 234.5 | 237.8 | 228.5 | 177.9 | 0.0 | 0.0 | **10,843.2** |
| OIL | 1964 | 90.3 | 85.8 | 65.9 | 0.0 | 11.4 | 126.7 | 131.1 | 132.4 | 128.4 | 101.9 | 0.0 | 0.0 | **7,361.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 0.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 29.0 | **1,604.0** |
| H2O | 1963 | 126.7 | 127.3 | 128.8 | 0.0 | 127.3 | 132.3 | 149.8 | 126.2 | 119.6 | 112.6 | 148.6 | 138.0 | **9,306.6** |
| OIL | 1963 | 78.5 | 71.8 | 76.1 | 0.0 | 72.3 | 76.9 | 77.9 | 78.2 | 76.8 | 67.5 | 85.3 | 79.1 | **6,487.6** |
| DAY | 1962 | 31.0 | 26.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,278.0** |
| H2O | 1962 | 147.9 | 121.6 | 122.4 | 143.1 | 142.3 | 175.0 | 146.9 | 140.7 | 125.9 | 132.1 | 131.0 | 139.3 | **7,869.4** |
| OIL | 1962 | 113.3 | 83.0 | 87.7 | 108.2 | 111.2 | 105.5 | 110.4 | 92.6 | 73.4 | 80.6 | 76.6 | 79.8 | **5,647.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **922.0** |
| H2O | 1961 | 166.3 | 128.5 | 180.3 | 152.0 | 162.6 | 162.0 | 147.9 | 145.5 | 143.1 | 147.9 | 143.1 | 147.9 | **6,201.2** |
| OIL | 1961 | 113.1 | 96.1 | 89.9 | 84.2 | 105.5 | 106.8 | 113.3 | 111.2 | 109.6 | 112.5 | 109.5 | 106.8 | **4,524.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 25.0 | 31.0 | **558.0** |
| H2O | 1960 | 284.7 | 262.5 | 276.6 | 187.3 | 189.2 | 178.9 | 203.0 | 191.4 | 188.7 | 177.1 | 139.7 | 183.8 | **4,374.1** |
| OIL | 1960 | 179.7 | 174.0 | 171.9 | 158.3 | 150.8 | 168.9 | 168.6 | 163.2 | 144.9 | 118.7 | 96.9 | 111.7 | **3,266.4** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 24.0 | 30.0 | 30.0 | 30.0 | 26.0 | 30.0 | 31.0 | **202.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 240.7 | 319.2 | 287.4 | 251.7 | 245.9 | 287.0 | 277.7 | **1,911.2** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 1.7 | 211.7 | 246.6 | 229.6 | 199.4 | 175.4 | 198.0 | 196.4 | **1,458.8** |

Licence ***1707*** Well Name ***Enerplus Kirkella Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-11-012-29W1.00*** Field Name ***Kirkella*** Pool Name ***Lodgepole Daly A*** Field Code ***9*** Pool Code ***54A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 29.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 28.0 | 30.0 | 30.0 | 30.0 | **3,987.0** |
| H2O | 1975 | 991.3 | 979.4 | 1092.2 | 1041.7 | 1188.4 | 1045.7 | 991.1 | 1054.1 | 1031.7 | 1058.9 | 1051.9 | 1048.4 | **82,325.1** |
| OIL | 1975 | 41.5 | 39.4 | 46.7 | 37.7 | 44.4 | 42.1 | 40.2 | 42.8 | 39.3 | 41.0 | 41.7 | 42.3 | **9,517.3** |
| DAY | 1974 | 4.0 | 0.0 | 26.0 | 28.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 21.0 | 29.0 | 30.0 | **3,634.0** |
| H2O | 1974 | 143.1 | 0.0 | 903.4 | 571.1 | 1048.7 | 945.7 | 1045.8 | 1114.0 | 1099.6 | 787.5 | 1057.9 | 1102.3 | **69,750.3** |
| OIL | 1974 | 4.5 | 0.0 | 43.9 | 28.9 | 46.7 | 40.2 | 43.1 | 45.0 | 43.1 | 29.7 | 40.4 | 41.3 | **9,018.2** |
| DAY | 1973 | 29.0 | 27.0 | 24.0 | 30.0 | 14.0 | 23.0 | 27.0 | 23.0 | 17.0 | 26.0 | 0.0 | 24.0 | **3,346.0** |
| H2O | 1973 | 775.1 | 756.8 | 648.7 | 810.8 | 378.4 | 621.6 | 815.6 | 694.8 | 513.5 | 785.4 | 906.2 | 707.3 | **59,931.2** |
| OIL | 1973 | 70.0 | 64.4 | 45.8 | 57.2 | 24.8 | 45.6 | 49.4 | 44.0 | 29.4 | 45.6 | 56.0 | 41.2 | **8,611.4** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 26.0 | 29.0 | 28.0 | 26.0 | **3,082.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 98.6 | 679.8 | 810.8 | 887.1 | 766.3 | **51,517.0** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 39.7 | 52.5 | 51.7 | 50.1 | 46.1 | **8,038.0** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 24.0 | 29.0 | 25.0 | 31.0 | 30.0 | 4.0 | 0.0 | 0.0 | 0.0 | **2,968.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 413.0 | 480.8 | 458.0 | 573.6 | 517.7 | 80.9 | 0.0 | 0.0 | 0.0 | **48,274.4** |

# Manitoba Production
## 1950 To 1975

Licence ***1707*** Well Name ***Enerplus Kirkella Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-11-012-29W1.00*** Field Name ***Kirkella*** Pool Name ***Lodgepole Daly A*** Field Code ***9*** Pool Code ***54A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 40.2 | 47.7 | 37.2 | 40.7 | 42.3 | 5.4 | 0.0 | 0.0 | 0.0 | **7,797.9** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 29.0 | 16.0 | 30.0 | 8.0 | 0.0 | 0.0 | 0.0 | **2,825.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 171.7 | 456.5 | 263.3 | 440.4 | 151.4 | 0.0 | 0.0 | 0.0 | **45,750.4** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 23.4 | 50.9 | 29.3 | 48.5 | 10.2 | 0.0 | 0.0 | 0.0 | **7,584.4** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 3.0 | 20.0 | 24.0 | 31.0 | 25.0 | 27.0 | 0.0 | 0.0 | 0.0 | **2,733.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 31.5 | 315.9 | 408.6 | 422.1 | 372.0 | 407.8 | 0.0 | 0.0 | 0.0 | **44,267.1** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 6.0 | 32.9 | 38.5 | 41.3 | 43.7 | 38.6 | 0.0 | 0.0 | 0.0 | **7,422.1** |
| DAY | 1968 | 10.0 | 10.0 | 31.0 | 28.0 | 29.0 | 29.0 | 26.0 | 30.0 | 30.0 | 27.0 | 28.0 | 28.0 | **2,603.0** |
| H2O | 1968 | 144.7 | 151.0 | 468.2 | 438.8 | 448.7 | 445.5 | 405.1 | 467.4 | 475.7 | 425.1 | 439.9 | 421.3 | **42,309.2** |
| OIL | 1968 | 15.1 | 15.1 | 46.9 | 39.9 | 32.0 | 40.7 | 41.5 | 47.7 | 42.1 | 38.6 | 40.1 | 40.5 | **7,221.1** |
| DAY | 1967 | 31.0 | 20.0 | 31.0 | 28.0 | 29.0 | 27.0 | 30.0 | 31.0 | 22.0 | 31.0 | 30.0 | 31.0 | **2,297.0** |
| H2O | 1967 | 750.9 | 486.5 | 575.2 | 590.5 | 548.3 | 485.1 | 516.7 | 685.1 | 362.5 | 623.1 | 568.4 | 414.3 | **37,577.8** |
| OIL | 1967 | 42.9 | 28.6 | 55.8 | 49.8 | 46.1 | 42.1 | 57.6 | 60.9 | 43.2 | 60.7 | 52.5 | 49.6 | **6,780.9** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 12.0 | 15.0 | 31.0 | **1,956.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 677.4 | 838.7 | 820.1 | 782.1 | 753.6 | 728.5 | 401.9 | 218.9 | 750.9 | **30,971.2** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 88.7 | 78.2 | 62.3 | 56.9 | 54.9 | 51.5 | 28.0 | 21.5 | 46.9 | **6,191.1** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 15.0 | 31.0 | 25.0 | 30.0 | 30.0 | 29.0 | 30.0 | 6.0 | 0.0 | **1,721.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 279.0 | 387.9 | 734.4 | 389.2 | 524.7 | 507.2 | 818.5 | 156.9 | 0.0 | **24,999.1** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 52.9 | 47.9 | 69.6 | 40.2 | 52.9 | 50.7 | 58.2 | 11.6 | 0.0 | **5,702.2** |
| DAY | 1964 | 0.0 | 27.0 | 20.0 | 30.0 | 30.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | 15.0 | 0.0 | **1,525.0** |
| H2O | 1964 | 0.0 | 400.4 | 221.7 | 318.4 | 466.5 | 438.2 | 782.2 | 784.1 | 782.2 | 841.8 | 393.2 | 0.0 | **21,201.3** |
| OIL | 1964 | 0.0 | 44.0 | 34.2 | 42.3 | 42.0 | 73.9 | 70.4 | 69.8 | 66.9 | 68.4 | 30.5 | 0.0 | **5,318.2** |
| DAY | 1963 | 6.0 | 0.0 | 15.0 | 29.0 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 24.0 | 9.0 | **1,254.0** |
| H2O | 1963 | 84.0 | 0.0 | 168.6 | 401.8 | 459.5 | 408.8 | 372.2 | 351.1 | 360.2 | 360.5 | 360.8 | 115.8 | **15,772.6** |
| OIL | 1963 | 12.0 | 0.0 | 29.0 | 59.4 | 58.2 | 54.6 | 57.5 | 40.6 | 39.4 | 53.7 | 44.7 | 14.0 | **4,775.8** |
| DAY | 1962 | 0.0 | 0.0 | 8.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | **992.0** |
| H2O | 1962 | 0.0 | 0.0 | 82.6 | 365.4 | 502.8 | 451.6 | 464.3 | 474.2 | 339.7 | 352.7 | 467.3 | 351.4 | **12,329.3** |
| OIL | 1962 | 0.0 | 0.0 | 22.6 | 80.0 | 86.4 | 75.7 | 71.8 | 67.8 | 60.8 | 50.9 | 51.4 | 38.5 | **4,312.7** |
| DAY | 1961 | 31.0 | 27.0 | 24.0 | 24.0 | 29.0 | 30.0 | 24.0 | 29.0 | 30.0 | 17.0 | 25.0 | 0.0 | **717.0** |
| H2O | 1961 | 439.8 | 457.6 | 396.4 | 390.5 | 444.1 | 419.5 | 334.9 | 396.1 | 453.5 | 244.7 | 321.7 | 0.0 | **8,477.3** |
| OIL | 1961 | 123.1 | 95.9 | 40.0 | 43.5 | 62.1 | 82.1 | 66.7 | 95.8 | 100.7 | 50.6 | 62.4 | 0.0 | **3,706.8** |
| DAY | 1960 | 20.0 | 15.0 | 18.0 | 8.0 | 31.0 | 25.0 | 21.0 | 30.0 | 29.0 | 29.0 | 25.0 | 8.0 | **427.0** |
| H2O | 1960 | 214.5 | 155.7 | 190.2 | 110.4 | 428.8 | 346.0 | 302.3 | 411.0 | 391.3 | 437.9 | 424.6 | 109.1 | **4,178.5** |
| OIL | 1960 | 175.6 | 118.0 | 138.2 | 66.0 | 201.0 | 142.8 | 139.3 | 172.9 | 132.2 | 128.7 | 106.6 | 30.3 | **2,883.9** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 19.0 | 13.0 | 31.0 | 28.0 | 11.0 | 19.0 | 26.0 | **168.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.9 | 29.2 | 96.1 | 107.4 | 54.3 | 105.2 | 254.6 | **656.7** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 179.1 | 136.9 | 103.6 | 256.3 | 202.5 | 72.1 | 180.8 | 201.0 | **1,332.3** |

Licence ***1708*** Well Name ***Enerplus Kirkella*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-10-012-29W1.00*** Field Name ***Kirkella*** Pool Name ***Crinoidal C*** Field Code ***9*** Pool Code ***55C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1962 | 22.0 | 19.0 | 23.0 | 19.0 | 20.0 | 29.0 | 9.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **767.0** |
| H2O | 1962 | 15.7 | 13.7 | 18.1 | 15.1 | 12.6 | 13.8 | 4.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,249.0** |
| OIL | 1962 | 40.1 | 40.7 | 47.9 | 33.2 | 28.5 | 29.9 | 7.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,913.8** |
| DAY | 1961 | 12.0 | 17.0 | 30.0 | 9.0 | 29.0 | 26.0 | 20.0 | 16.0 | 20.0 | 29.0 | 30.0 | 27.0 | **626.0** |
| H2O | 1961 | 8.1 | 13.2 | 17.3 | 4.6 | 19.6 | 12.2 | 10.5 | 7.3 | 9.4 | 16.1 | 17.3 | 15.1 | **1,155.5** |
| OIL | 1961 | 27.5 | 44.2 | 62.0 | 18.0 | 78.4 | 48.2 | 32.3 | 24.5 | 32.3 | 48.2 | 46.6 | 43.4 | **1,686.2** |
| DAY | 1960 | 14.0 | 8.0 | 21.0 | 16.0 | 27.0 | 14.0 | 19.0 | 28.0 | 29.0 | 27.0 | 26.0 | 22.0 | **361.0** |
| H2O | 1960 | 20.0 | 15.4 | 18.8 | 15.6 | 23.4 | 15.1 | 24.5 | 22.7 | 52.9 | 18.6 | 18.1 | 16.4 | **1,004.8** |
| OIL | 1960 | 41.4 | 24.1 | 66.7 | 50.9 | 60.5 | 40.3 | 62.2 | 63.8 | 64.5 | 60.1 | 56.8 | 49.0 | **1,180.6** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 27.0 | 22.0 | 23.0 | 5.0 | 3.0 | 21.0 | **110.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1708*** Well Name ***Enerplus Kirkella*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-10-012-29W1.00*** Field Name ***Kirkella*** Pool Name ***Crinoidal C*** Field Code ***9*** Pool Code ***55C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 63.8 | 221.8 | 204.5 | 172.3 | 36.6 | 10.0 | 34.3 | **743.3** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 59.5 | 155.5 | 118.8 | 103.6 | 26.6 | 9.6 | 66.7 | **540.3** |

Licence ***1709*** Well Name ***Enerplus Kirkella Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-10-012-29W1.00*** Field Name ***Kirkella*** Pool Name ***Lodgepole Daly A*** Field Code ***9*** Pool Code ***54A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 29.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 30.0 | 28.0 | 30.0 | 30.0 | 30.0 | **4,596.0** |
| H2O | 1975 | 1083.5 | 1035.8 | 1158.2 | 1104.6 | 1260.1 | 1271.9 | 1058.7 | 1131.2 | 1101.9 | 1131.0 | 1123.6 | 1119.9 | **56,366.7** |
| OIL | 1975 | 175.2 | 166.3 | 190.0 | 166.8 | 187.3 | 177.9 | 170.0 | 178.9 | 165.5 | 173.1 | 166.5 | 169.2 | **14,802.3** |
| DAY | 1974 | 6.0 | 9.0 | 31.0 | 22.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | **4,242.0** |
| H2O | 1974 | 183.8 | 285.5 | 962.2 | 602.4 | 936.9 | 852.0 | 966.5 | 995.1 | 964.6 | 1018.8 | 928.5 | 1006.4 | **42,786.3** |
| OIL | 1974 | 27.8 | 80.9 | 229.7 | 155.6 | 204.1 | 177.9 | 195.7 | 198.3 | 184.6 | 187.6 | 173.1 | 184.4 | **12,715.6** |
| DAY | 1973 | 26.0 | 23.0 | 23.0 | 30.0 | 25.0 | 30.0 | 30.0 | 28.0 | 29.0 | 31.0 | 0.0 | 29.0 | **3,933.0** |
| H2O | 1973 | 723.4 | 639.9 | 658.2 | 858.5 | 715.4 | 858.5 | 953.9 | 890.3 | 922.1 | 985.7 | 953.9 | 910.0 | **33,083.6** |
| OIL | 1973 | 124.0 | 106.5 | 108.9 | 158.2 | 122.1 | 164.2 | 177.7 | 173.0 | 161.7 | 175.5 | 180.6 | 171.2 | **10,715.9** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 3.0 | 31.0 | 30.0 | 0.0 | 27.0 | 30.0 | 28.0 | 26.0 | 22.0 | **3,629.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 10.0 | 149.8 | 123.5 | 0.0 | 532.3 | 159.0 | 413.4 | 442.0 | 389.5 | **23,013.8** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 13.2 | 85.2 | 72.2 | 0.0 | 47.7 | 63.6 | 65.2 | 60.4 | 51.7 | **8,892.3** |
| DAY | 1971 | 9.0 | 0.0 | 14.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 22.0 | **3,432.0** |
| H2O | 1971 | 100.5 | 0.0 | 62.0 | 132.8 | 134.0 | 282.4 | 298.7 | 294.0 | 300.2 | 346.9 | 252.8 | 192.4 | **20,794.3** |
| OIL | 1971 | 11.4 | 0.0 | 28.0 | 46.1 | 47.5 | 43.2 | 40.1 | 43.9 | 76.3 | 77.6 | 55.8 | 52.5 | **8,433.1** |
| DAY | 1970 | 5.0 | 0.0 | 0.0 | 30.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | **3,146.0** |
| H2O | 1970 | 43.7 | 0.0 | 0.0 | 187.6 | 195.6 | 225.9 | 251.0 | 225.6 | 263.4 | 271.1 | 267.1 | 176.2 | **18,397.6** |
| OIL | 1970 | 8.7 | 0.0 | 0.0 | 53.4 | 57.2 | 50.7 | 56.0 | 50.6 | 46.6 | 46.7 | 42.9 | 35.8 | **7,910.7** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 13.0 | 30.0 | 30.0 | 31.0 | 31.0 | 20.0 | 31.0 | 30.0 | 31.0 | **2,874.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 124.6 | 332.3 | 379.2 | 309.7 | 366.9 | 241.2 | 399.2 | 386.3 | 240.1 | **16,290.4** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 36.4 | 63.1 | 54.9 | 51.0 | 54.2 | 35.0 | 59.1 | 57.2 | 52.6 | **7,462.1** |
| DAY | 1968 | 9.0 | 22.0 | 31.0 | 29.0 | 31.0 | 29.0 | 28.0 | 31.0 | 30.0 | 30.0 | 28.0 | 27.0 | **2,627.0** |
| H2O | 1968 | 63.0 | 187.8 | 266.1 | 268.7 | 279.5 | 257.9 | 295.4 | 335.1 | 335.5 | 348.2 | 320.5 | 293.2 | **13,510.9** |
| OIL | 1968 | 15.7 | 42.0 | 59.1 | 50.6 | 47.9 | 49.9 | 49.0 | 54.7 | 46.1 | 52.5 | 44.5 | 41.5 | **6,998.6** |
| DAY | 1967 | 31.0 | 22.0 | 31.0 | 27.0 | 30.0 | 29.0 | 30.0 | 26.0 | 27.0 | 29.0 | 28.0 | 31.0 | **2,302.0** |
| H2O | 1967 | 236.6 | 183.8 | 194.8 | 243.3 | 226.6 | 221.3 | 221.0 | 202.6 | 186.8 | 243.4 | 215.0 | 193.8 | **10,260.0** |
| OIL | 1967 | 45.2 | 34.9 | 55.7 | 47.8 | 47.9 | 50.6 | 61.9 | 55.2 | 56.8 | 80.7 | 64.1 | 61.1 | **6,445.1** |
| DAY | 1966 | 25.0 | 24.0 | 25.0 | 28.0 | 29.0 | 19.0 | 30.0 | 26.0 | 30.0 | 26.0 | 20.0 | 31.0 | **1,961.0** |
| H2O | 1966 | 282.8 | 239.9 | 242.5 | 239.8 | 280.8 | 193.2 | 273.5 | 252.5 | 207.0 | 177.7 | 136.7 | 219.6 | **7,691.0** |
| OIL | 1966 | 72.7 | 68.6 | 64.0 | 64.8 | 63.3 | 42.2 | 66.8 | 51.9 | 53.8 | 49.5 | 41.2 | 49.2 | **5,783.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 26.0 | 30.0 | 30.0 | 30.0 | 22.0 | 30.0 | **1,648.0** |
| H2O | 1965 | 355.3 | 370.3 | 365.0 | 329.3 | 181.6 | 153.1 | 154.4 | 136.1 | 123.7 | 140.9 | 103.8 | 193.5 | **4,945.0** |
| OIL | 1965 | 139.5 | 123.6 | 123.4 | 103.7 | 82.3 | 71.8 | 68.3 | 63.0 | 61.7 | 68.7 | 49.3 | 81.3 | **5,095.2** |
| DAY | 1964 | 7.0 | 3.0 | 0.0 | 4.0 | 7.0 | 29.0 | 29.0 | 29.0 | 24.0 | 29.0 | 30.0 | 3.0 | **1,301.0** |
| H2O | 1964 | 12.2 | 1.9 | 0.0 | 3.7 | 6.7 | 93.0 | 93.3 | 208.3 | 175.7 | 287.4 | 328.0 | 340.7 | **2,338.0** |
| OIL | 1964 | 8.8 | 1.3 | 0.0 | 3.4 | 25.5 | 177.5 | 177.0 | 186.4 | 148.7 | 132.0 | 135.7 | 136.0 | **4,058.6** |
| DAY | 1963 | 2.0 | 6.0 | 31.0 | 19.0 | 31.0 | 23.0 | 31.0 | 30.0 | 30.0 | 28.0 | 14.0 | 0.0 | **1,107.0** |
| H2O | 1963 | 2.6 | 7.7 | 42.5 | 37.3 | 57.3 | 34.1 | 34.6 | 33.3 | 33.3 | 47.5 | 35.8 | 0.0 | **787.1** |
| OIL | 1963 | 2.8 | 8.2 | 41.7 | 35.8 | 56.8 | 38.7 | 38.9 | 37.7 | 38.1 | 31.1 | 17.7 | 0.0 | **2,926.3** |
| DAY | 1962 | 27.0 | 23.0 | 25.0 | 29.0 | 30.0 | 29.0 | 31.0 | 31.0 | 25.0 | 30.0 | 27.0 | 21.0 | **862.0** |
| H2O | 1962 | 14.7 | 10.9 | 12.5 | 17.5 | 21.5 | 20.6 | 25.7 | 23.7 | 19.5 | 28.4 | 34.6 | 28.2 | **421.1** |
| OIL | 1962 | 72.9 | 58.4 | 64.0 | 62.5 | 64.6 | 62.1 | 64.8 | 61.6 | 51.1 | 61.4 | 62.2 | 36.3 | **2,578.8** |
| DAY | 1961 | 25.0 | 26.0 | 28.0 | 4.0 | 26.0 | 22.0 | 25.0 | 30.0 | 20.0 | 20.0 | 25.0 | 27.0 | **534.0** |
| H2O | 1961 | 6.4 | 11.0 | 12.0 | 1.3 | 7.8 | 7.1 | 8.0 | 9.1 | 5.8 | 8.8 | 12.8 | 14.7 | **163.3** |
| OIL | 1961 | 65.6 | 70.2 | 78.6 | 9.4 | 61.1 | 52.7 | 67.0 | 82.1 | 49.5 | 53.5 | 67.5 | 74.9 | **1,856.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1709*** Well Name ***Enerplus Kirkella Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-10-012-29W1.00*** Field Name ***Kirkella*** Pool Name ***Lodgepole Daly A*** Field Code ***9*** Pool Code ***54A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 12.0 | 18.0 | 9.0 | 10.0 | 20.0 | 17.0 | 5.0 | 18.0 | 27.0 | **256.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 3.7 | 4.8 | 3.6 | 2.1 | 4.5 | 3.9 | 1.6 | 5.6 | 6.7 | **58.5** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 64.0 | 97.2 | 50.3 | 55.9 | 105.5 | 56.7 | 16.9 | 44.6 | 68.6 | **1,124.8** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 31.0 | 28.0 | 15.0 | 13.0 | 19.0 | 6.0 | **120.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.3 | 3.7 | 2.3 | 1.8 | 5.9 | 2.3 | 0.7 | **22.0** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 52.8 | 123.3 | 105.2 | 63.7 | 63.7 | 120.1 | 36.3 | **565.1** |

Licence ***1710*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,950.0** |
| H2O | 1975 | 132.4 | 122.7 | 136.9 | 132.6 | 137.7 | 96.7 | 97.0 | 86.3 | 94.1 | 101.0 | 101.3 | 103.2 | **15,505.7** |
| OIL | 1975 | 77.5 | 69.4 | 76.3 | 72.3 | 73.7 | 84.1 | 86.4 | 78.3 | 84.2 | 87.2 | 84.4 | 85.7 | **20,357.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,588.0** |
| H2O | 1974 | 132.1 | 121.3 | 137.0 | 131.2 | 128.6 | 138.8 | 129.4 | 126.2 | 126.7 | 132.0 | 131.6 | 131.6 | **14,163.8** |
| OIL | 1974 | 80.4 | 69.4 | 80.2 | 75.2 | 74.2 | 76.8 | 73.4 | 77.7 | 76.0 | 79.5 | 75.6 | 78.2 | **19,397.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,227.0** |
| H2O | 1973 | 182.0 | 174.7 | 187.3 | 186.8 | 183.1 | 176.0 | 182.2 | 147.2 | 144.5 | 141.2 | 134.3 | 132.4 | **12,597.3** |
| OIL | 1973 | 83.4 | 73.6 | 81.0 | 79.1 | 79.9 | 77.4 | 82.6 | 83.7 | 79.6 | 78.7 | 75.8 | 78.2 | **18,481.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 23.0 | **4,865.0** |
| H2O | 1972 | 124.3 | 117.6 | 132.7 | 114.3 | 126.2 | 125.8 | 139.4 | 113.0 | 112.9 | 122.9 | 113.5 | 91.9 | **10,625.6** |
| OIL | 1972 | 82.0 | 74.2 | 83.3 | 38.3 | 40.4 | 38.9 | 40.0 | 26.9 | 25.6 | 27.0 | 24.0 | 19.9 | **17,528.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 24.0 | 31.0 | **4,509.0** |
| H2O | 1971 | 121.1 | 109.9 | 67.7 | 68.0 | 68.0 | 67.7 | 67.1 | 64.7 | 58.0 | 109.7 | 86.3 | 132.1 | **9,191.1** |
| OIL | 1971 | 110.4 | 97.7 | 75.5 | 71.7 | 73.3 | 71.2 | 72.8 | 71.4 | 70.6 | 80.9 | 62.3 | 83.4 | **17,007.8** |
| DAY | 1970 | 30.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,152.0** |
| H2O | 1970 | 72.3 | 72.0 | 70.6 | 69.6 | 71.7 | 72.7 | 59.0 | 73.3 | 70.6 | 123.8 | 117.6 | 130.7 | **8,170.8** |
| OIL | 1970 | 100.9 | 96.6 | 98.7 | 101.7 | 104.9 | 102.8 | 93.6 | 101.5 | 100.1 | 101.4 | 101.4 | 106.3 | **16,066.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,795.0** |
| H2O | 1969 | 79.6 | 72.3 | 67.9 | 69.3 | 76.3 | 70.6 | 78.5 | 79.5 | 74.9 | 81.2 | 72.7 | 79.8 | **7,166.9** |
| OIL | 1969 | 109.6 | 96.9 | 106.9 | 104.2 | 106.9 | 101.5 | 108.2 | 108.5 | 105.7 | 110.6 | 105.8 | 110.9 | **14,856.7** |
| DAY | 1968 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **3,431.0** |
| H2O | 1968 | 104.8 | 92.2 | 102.7 | 108.6 | 113.8 | 104.0 | 112.2 | 102.5 | 102.9 | 76.9 | 71.5 | 68.5 | **6,264.3** |
| OIL | 1968 | 120.0 | 101.9 | 114.3 | 117.1 | 117.4 | 115.4 | 119.0 | 118.9 | 114.6 | 110.3 | 106.3 | 98.8 | **13,581.0** |
| DAY | 1967 | 31.0 | 28.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **3,068.0** |
| H2O | 1967 | 122.3 | 101.3 | 117.6 | 107.5 | 119.4 | 112.4 | 88.6 | 112.2 | 98.6 | 106.4 | 93.0 | 101.1 | **5,103.7** |
| OIL | 1967 | 114.4 | 101.9 | 110.6 | 116.3 | 133.3 | 127.9 | 132.8 | 123.6 | 119.0 | 125.7 | 121.9 | 111.4 | **12,227.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **2,709.0** |
| H2O | 1966 | 24.0 | 19.4 | 24.6 | 25.1 | 28.5 | 21.8 | 24.6 | 24.3 | 25.4 | 116.9 | 120.0 | 128.8 | **3,823.3** |
| OIL | 1966 | 105.8 | 93.1 | 103.1 | 100.7 | 105.4 | 87.9 | 104.9 | 103.9 | 97.9 | 108.2 | 109.6 | 114.7 | **10,788.2** |
| DAY | 1965 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,350.0** |
| H2O | 1965 | 106.4 | 94.6 | 101.0 | 94.3 | 95.9 | 91.6 | 91.9 | 92.4 | 92.7 | 92.5 | 24.8 | 25.3 | **3,239.9** |
| OIL | 1965 | 81.8 | 74.5 | 75.5 | 77.9 | 78.5 | 78.5 | 81.8 | 81.0 | 76.4 | 79.9 | 104.1 | 106.9 | **9,553.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,986.0** |
| H2O | 1964 | 36.9 | 33.2 | 36.9 | 35.3 | 37.8 | 100.8 | 99.2 | 100.8 | 96.7 | 96.7 | 100.0 | 105.9 | **2,236.5** |
| OIL | 1964 | 116.2 | 109.8 | 118.7 | 112.3 | 117.4 | 75.0 | 77.5 | 78.3 | 75.8 | 77.1 | 75.6 | 81.0 | **8,556.2** |
| DAY | 1963 | 31.0 | 27.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,620.0** |
| H2O | 1963 | 28.6 | 30.0 | 33.4 | 28.0 | 26.2 | 30.0 | 34.0 | 36.6 | 37.4 | 39.1 | 35.8 | 36.4 | **1,356.3** |
| OIL | 1963 | 109.0 | 100.6 | 112.0 | 96.9 | 90.1 | 96.0 | 107.6 | 107.4 | 94.9 | 112.7 | 109.0 | 111.6 | **7,441.5** |
| DAY | 1962 | 31.0 | 28.0 | 26.0 | 30.0 | 31.0 | 29.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **1,262.0** |
| H2O | 1962 | 44.4 | 39.7 | 39.3 | 42.1 | 43.7 | 37.5 | 34.2 | 30.4 | 29.4 | 36.1 | 36.1 | 31.8 | **960.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1710*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 126.2 | 114.9 | 117.4 | 121.2 | 126.2 | 121.6 | 120.8 | 113.1 | 99.8 | 104.1 | 107.4 | 112.0 | **6,193.7** |
| DAY | 1961 | 29.0 | 27.0 | 31.0 | 29.0 | 29.0 | 28.0 | 30.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **908.0** |
| H2O | 1961 | 36.7 | 35.6 | 39.4 | 31.3 | 31.6 | 28.8 | 19.6 | 29.9 | 33.9 | 42.8 | 42.9 | 44.0 | **516.1** |
| OIL | 1961 | 135.4 | 120.1 | 127.6 | 118.9 | 117.4 | 110.1 | 125.7 | 128.4 | 121.2 | 128.1 | 123.3 | 126.3 | **4,809.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 26.0 | 29.0 | 31.0 | 30.0 | 29.0 | **555.0** |
| H2O | 1960 | 0.5 | 7.9 | 0.5 | 0.3 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 16.4 | 25.1 | 37.8 | **99.6** |
| OIL | 1960 | 180.7 | 156.4 | 162.2 | 144.4 | 161.0 | 139.0 | 129.2 | 103.3 | 93.1 | 179.1 | 157.5 | 149.5 | **3,326.5** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 26.0 | 31.0 | 31.0 | 28.0 | 25.0 | 26.0 | 31.0 | **200.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.6 | 1.1 | 2.7 | 0.5 | 0.5 | 0.3 | 0.3 | **10.0** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 4.6 | 219.5 | 204.0 | 300.7 | 246.8 | 209.3 | 190.4 | 195.8 | **1,571.1** |

Licence ***1711*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-22-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 24.0 | 28.0 | 31.0 | 30.0 | 11.0 | 13.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **310.0** |
| H2O | 1960 | 14.1 | 10.2 | 28.1 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **180.0** |
| OIL | 1960 | 17.9 | 20.6 | 21.6 | 11.4 | 37.8 | 4.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **411.1** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 25.0 | 28.0 | 30.0 | 31.0 | 30.0 | 27.0 | **173.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 22.4 | 36.1 | 24.2 | 13.5 | 14.2 | 16.5 | **127.5** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.6 | 70.2 | 71.4 | 50.2 | 50.2 | 24.3 | 20.8 | **297.7** |

Licence ***1713*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.16-16-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,947.0** |
| H2O | 1975 | 736.2 | 610.2 | 711.6 | 658.3 | 696.2 | 689.3 | 685.5 | 674.1 | 775.2 | 815.4 | 715.4 | 770.6 | **86,704.0** |
| OIL | 1975 | 79.0 | 69.3 | 78.8 | 73.9 | 82.3 | 77.2 | 79.5 | 76.4 | 84.9 | 93.1 | 86.3 | 92.3 | **28,689.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,588.0** |
| H2O | 1974 | 581.5 | 519.4 | 577.6 | 546.1 | 553.1 | 436.1 | 430.2 | 678.4 | 629.4 | 684.1 | 739.1 | 744.0 | **78,166.0** |
| OIL | 1974 | 130.5 | 115.4 | 128.2 | 124.3 | 76.1 | 88.8 | 86.0 | 62.6 | 63.6 | 78.0 | 78.0 | 81.2 | **27,716.4** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **5,224.0** |
| H2O | 1973 | 492.2 | 480.9 | 511.0 | 450.5 | 483.6 | 129.1 | 487.4 | 620.8 | 660.2 | 367.7 | 349.6 | 585.5 | **71,047.0** |
| OIL | 1973 | 150.8 | 142.5 | 90.9 | 87.1 | 91.1 | 32.7 | 185.8 | 196.4 | 123.5 | 132.7 | 130.1 | 133.6 | **26,603.7** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 29.0 | 29.0 | 27.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | **4,867.0** |
| H2O | 1972 | 531.5 | 517.6 | 218.0 | 206.0 | 128.0 | 516.4 | 585.8 | 597.4 | 440.1 | 474.1 | 454.7 | 473.8 | **65,428.5** |
| OIL | 1972 | 98.2 | 96.8 | 117.9 | 105.5 | 39.4 | 109.8 | 121.6 | 125.7 | 137.9 | 151.0 | 137.9 | 151.6 | **25,106.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,510.0** |
| H2O | 1971 | 612.1 | 518.8 | 588.1 | 551.0 | 490.1 | 521.9 | 539.6 | 566.3 | 514.3 | 479.6 | 498.9 | 535.0 | **60,285.1** |
| OIL | 1971 | 113.0 | 79.8 | 90.6 | 88.0 | 75.2 | 96.9 | 96.8 | 79.0 | 76.1 | 93.3 | 87.7 | 100.4 | **23,713.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 29.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,146.0** |
| H2O | 1970 | 538.9 | 482.7 | 538.9 | 429.2 | 501.3 | 485.2 | 476.1 | 466.1 | 434.5 | 500.5 | 62.5 | 64.3 | **53,869.4** |
| OIL | 1970 | 115.7 | 103.1 | 99.6 | 76.4 | 93.9 | 85.3 | 82.8 | 80.2 | 73.6 | 84.1 | 30.7 | 36.7 | **22,636.4** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 28.0 | 26.0 | 28.0 | 26.0 | 30.0 | 29.0 | 31.0 | **3,790.0** |
| H2O | 1969 | 732.9 | 486.6 | 492.8 | 492.8 | 443.6 | 412.9 | 383.5 | 442.0 | 410.2 | 474.7 | 481.2 | 538.9 | **48,889.2** |
| OIL | 1969 | 133.0 | 125.5 | 134.1 | 133.0 | 115.5 | 74.1 | 81.4 | 78.5 | 70.2 | 96.9 | 112.7 | 120.8 | **21,674.3** |
| DAY | 1968 | 28.0 | 29.0 | 29.0 | 29.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **3,443.0** |
| H2O | 1968 | 475.4 | 445.5 | 518.3 | 321.0 | 394.3 | 360.9 | 394.3 | 369.6 | 344.7 | 769.8 | 752.6 | 755.2 | **43,097.1** |
| OIL | 1968 | 133.5 | 146.8 | 138.3 | 138.3 | 143.0 | 124.4 | 123.2 | 88.7 | 52.4 | 72.9 | 157.3 | 143.0 | **20,398.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 27.0 | **3,087.0** |
| H2O | 1967 | 326.7 | 569.1 | 597.8 | 564.7 | 564.7 | 448.3 | 415.4 | 399.0 | 543.7 | 529.4 | 544.5 | 471.2 | **37,195.5** |
| OIL | 1967 | 96.0 | 145.2 | 162.9 | 156.5 | 150.3 | 147.8 | 123.2 | 128.7 | 147.8 | 143.0 | 143.0 | 128.7 | **18,936.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1713*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.16-16-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,730.0** |
| H2O | 1966 | 382.0 | 240.1 | 461.0 | 462.2 | 489.2 | 421.6 | 431.2 | 458.5 | 515.3 | 480.0 | 495.5 | 494.6 | **31,221.0** |
| OIL | 1966 | 88.7 | 129.0 | 174.2 | 169.4 | 171.9 | 149.7 | 150.2 | 150.8 | 155.7 | 158.4 | 153.7 | 98.0 | **17,263.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,365.0** |
| H2O | 1965 | 341.8 | 307.5 | 380.0 | 333.1 | 464.2 | 464.2 | 378.1 | 326.4 | 298.9 | 394.3 | 146.3 | 360.2 | **25,889.8** |
| OIL | 1965 | 147.8 | 118.2 | 130.0 | 127.6 | 147.8 | 146.2 | 162.4 | 158.6 | 99.3 | 98.5 | 57.2 | 93.8 | **15,514.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,003.0** |
| H2O | 1964 | 374.4 | 362.5 | 381.6 | 378.4 | 352.9 | 356.1 | 368.8 | 382.5 | 382.5 | 398.4 | 327.5 | 342.3 | **21,694.8** |
| OIL | 1964 | 69.1 | 106.5 | 168.1 | 110.3 | 132.8 | 157.2 | 163.7 | 156.7 | 157.3 | 162.6 | 141.4 | 143.2 | **14,026.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,639.0** |
| H2O | 1963 | 383.9 | 313.2 | 329.1 | 333.9 | 343.4 | 408.6 | 413.3 | 426.1 | 402.2 | 392.7 | 386.3 | 375.2 | **17,286.9** |
| OIL | 1963 | 156.5 | 123.3 | 162.2 | 165.3 | 145.4 | 174.2 | 166.1 | 162.9 | 166.9 | 169.2 | 146.8 | 109.0 | **12,357.7** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,274.0** |
| H2O | 1962 | 410.2 | 372.0 | 394.3 | 302.5 | 306.8 | 306.0 | 364.9 | 376.8 | 381.6 | 385.5 | 421.3 | 426.9 | **12,779.0** |
| OIL | 1962 | 246.3 | 217.4 | 245.5 | 195.5 | 198.8 | 194.7 | 192.6 | 201.5 | 182.7 | 202.0 | 188.8 | 174.6 | **10,509.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **910.0** |
| H2O | 1961 | 314.8 | 267.1 | 272.7 | 277.4 | 306.0 | 310.0 | 288.5 | 287.8 | 263.9 | 267.9 | 333.9 | 423.7 | **8,330.2** |
| OIL | 1961 | 252.3 | 231.8 | 269.4 | 238.8 | 267.0 | 256.6 | 239.2 | 246.3 | 222.5 | 228.7 | 242.3 | 266.5 | **8,069.5** |
| DAY | 1960 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | **547.0** |
| H2O | 1960 | 256.3 | 231.5 | 248.0 | 286.2 | 246.4 | 238.5 | 295.7 | 313.3 | 263.1 | 283.5 | 310.0 | 297.3 | **4,716.5** |
| OIL | 1960 | 310.2 | 269.5 | 286.0 | 265.4 | 268.4 | 262.2 | 276.2 | 295.3 | 253.6 | 280.0 | 286.0 | 248.2 | **5,108.1** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 31.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | **186.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 33.1 | 239.7 | 248.0 | 239.7 | 198.4 | 231.5 | 256.3 | **1,446.7** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 84.2 | 292.2 | 303.0 | 292.1 | 238.7 | 279.4 | 317.5 | **1,807.1** |

Licence ***1714*** Well Name ***Kiwi Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-08-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,671.0** |
| OIL | 1975 | 5.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **10,125.8** |
| DAY | 1974 | 12.0 | 28.0 | 9.0 | 30.0 | 28.0 | 25.0 | 22.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | **4,667.0** |
| H2O | 1974 | 971.4 | 2284.5 | 728.5 | 2504.8 | 2503.1 | 1941.2 | 877.6 | 1231.8 | 1231.8 | 1231.8 | 1231.8 | 1232.2 | **142,571.8** |
| OIL | 1974 | 16.9 | 21.5 | 12.7 | 32.6 | 33.4 | 31.8 | 24.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.0 | **10,120.5** |
| DAY | 1973 | 30.0 | 28.0 | 31.0 | 30.0 | 24.0 | 28.0 | 20.0 | 21.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,363.0** |
| H2O | 1973 | 715.4 | 763.1 | 842.7 | 842.7 | 0.0 | 902.0 | 532.8 | 550.1 | 813.2 | 2286.8 | 2173.6 | 2180.3 | **124,601.3** |
| OIL | 1973 | 17.2 | 35.9 | 38.8 | 38.8 | 38.2 | 47.9 | 36.4 | 38.2 | 39.7 | 27.8 | 42.4 | 43.7 | **9,760.1** |
| DAY | 1972 | 31.0 | 27.0 | 26.0 | 29.0 | 28.0 | 28.0 | 31.0 | 27.0 | 8.0 | 31.0 | 28.0 | 24.0 | **4,029.0** |
| H2O | 1972 | 2607.1 | 2274.9 | 2191.4 | 2305.1 | 2349.6 | 2349.6 | 2464.1 | 2146.1 | 635.9 | 2400.5 | 2146.1 | 1526.1 | **111,998.6** |
| OIL | 1972 | 42.3 | 39.0 | 38.2 | 42.9 | 41.3 | 42.1 | 45.0 | 38.8 | 18.1 | 58.0 | 54.1 | 38.2 | **9,315.1** |
| DAY | 1971 | 24.0 | 24.0 | 31.0 | 21.0 | 28.0 | 26.0 | 29.0 | 25.0 | 27.0 | 30.0 | 30.0 | 14.0 | **3,711.0** |
| H2O | 1971 | 2575.3 | 2575.3 | 3326.4 | 2420.4 | 2972.8 | 2583.2 | 2297.2 | 2106.4 | 2225.6 | 2519.7 | 2519.7 | 1271.7 | **86,602.1** |
| OIL | 1971 | 33.1 | 48.0 | 75.7 | 47.7 | 63.8 | 46.9 | 51.4 | 38.2 | 42.8 | 43.7 | 57.2 | 28.3 | **8,817.1** |
| DAY | 1970 | 30.0 | 28.0 | 29.0 | 27.0 | 6.0 | 23.0 | 24.0 | 23.0 | 0.0 | 0.0 | 26.0 | 31.0 | **3,402.0** |
| H2O | 1970 | 469.5 | 388.9 | 439.6 | 409.4 | 94.4 | 345.6 | 397.6 | 500.5 | 0.0 | 0.0 | 1993.5 | 399.1 | **57,208.4** |
| OIL | 1970 | 14.9 | 13.2 | 12.2 | 15.9 | 3.8 | 18.8 | 19.7 | 17.8 | 0.0 | 0.0 | 21.0 | 30.2 | **8,240.3** |
| DAY | 1969 | 0.0 | 8.0 | 31.0 | 27.0 | 30.0 | 30.0 | 29.0 | 5.0 | 19.0 | 29.0 | 29.0 | 28.0 | **3,155.0** |
| H2O | 1969 | 437.4 | 84.9 | 455.7 | 420.5 | 481.6 | 779.4 | 507.5 | 87.1 | 317.7 | 484.9 | 513.5 | 457.7 | **51,770.3** |
| OIL | 1969 | 16.2 | 8.1 | 31.5 | 22.4 | 24.5 | 22.6 | 19.7 | 3.0 | 19.2 | 21.6 | 18.4 | 15.6 | **8,072.8** |
| DAY | 1968 | 31.0 | 22.0 | 30.0 | 25.0 | 31.0 | 28.0 | 29.0 | 30.0 | 29.0 | 25.0 | 27.0 | 0.0 | **2,890.0** |
| H2O | 1968 | 443.7 | 218.1 | 288.7 | 263.1 | 363.0 | 296.7 | 325.1 | 423.7 | 442.8 | 414.8 | 437.9 | 459.8 | **46,742.4** |
| OIL | 1968 | 16.5 | 10.0 | 18.6 | 18.4 | 20.8 | 18.9 | 23.8 | 31.6 | 26.9 | 22.9 | 24.5 | 23.1 | **7,850.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1714*** Well Name ***Kiwi Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-08-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 0.0 | 8.0 | 13.0 | 23.0 | 31.0 | 30.0 | 13.0 | 22.0 | 28.0 | **2,583.0** |
| H2O | 1967 | 837.4 | 778.6 | 87.3 | 0.0 | 210.2 | 377.1 | 671.6 | 960.7 | 834.6 | 365.8 | 382.5 | 508.0 | **42,365.0** |
| OIL | 1967 | 38.6 | 30.7 | 1.9 | 0.0 | 9.1 | 15.4 | 28.1 | 39.6 | 32.9 | 13.2 | 23.4 | 26.4 | **7,594.0** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 27.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 23.0 | 27.0 | 7.0 | **2,325.0** |
| H2O | 1966 | 652.3 | 584.0 | 610.5 | 532.4 | 548.7 | 527.0 | 505.3 | 529.7 | 491.0 | 374.7 | 629.6 | 266.5 | **36,351.2** |
| OIL | 1966 | 36.2 | 31.3 | 24.3 | 23.5 | 18.1 | 14.8 | 17.6 | 20.8 | 22.4 | 19.2 | 22.6 | 11.8 | **7,334.7** |
| DAY | 1965 | 5.0 | 19.0 | 31.0 | 7.0 | 15.0 | 25.0 | 31.0 | 28.0 | 25.0 | 12.0 | 30.0 | 31.0 | **2,000.0** |
| H2O | 1965 | 107.2 | 401.9 | 697.6 | 126.7 | 272.0 | 397.2 | 615.3 | 650.9 | 525.0 | 188.1 | 560.4 | 657.6 | **30,099.5** |
| OIL | 1965 | 4.9 | 22.7 | 40.5 | 8.6 | 19.6 | 32.3 | 34.3 | 31.5 | 32.0 | 14.5 | 36.1 | 36.6 | **7,072.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 30.0 | 24.0 | 25.0 | 23.0 | 29.0 | **1,741.0** |
| H2O | 1964 | 778.9 | 734.0 | 780.2 | 738.7 | 782.5 | 715.3 | 692.1 | 649.6 | 543.3 | 563.8 | 499.1 | 634.7 | **24,899.6** |
| OIL | 1964 | 39.1 | 37.8 | 39.0 | 38.8 | 38.2 | 36.4 | 39.7 | 36.1 | 25.8 | 30.5 | 28.8 | 30.8 | **6,758.5** |
| DAY | 1963 | 0.0 | 0.0 | 10.0 | 27.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | **1,400.0** |
| H2O | 1963 | 0.0 | 0.0 | 193.2 | 568.5 | 577.4 | 617.3 | 664.9 | 718.9 | 734.4 | 571.7 | 741.4 | 719.3 | **16,787.4** |
| OIL | 1963 | 0.0 | 0.0 | 34.3 | 70.0 | 53.4 | 54.7 | 58.2 | 53.6 | 42.1 | 30.4 | 38.2 | 54.7 | **6,337.5** |
| DAY | 1962 | 31.0 | 28.0 | 25.0 | 29.0 | 29.0 | 29.0 | 31.0 | 31.0 | 30.0 | 15.0 | 2.0 | 7.0 | **1,130.0** |
| H2O | 1962 | 359.3 | 353.7 | 318.0 | 356.1 | 416.5 | 541.2 | 551.4 | 531.3 | 477.0 | 238.5 | 43.7 | 135.9 | **10,680.4** |
| OIL | 1962 | 64.9 | 60.3 | 55.6 | 62.3 | 35.1 | 123.9 | 113.9 | 78.4 | 57.2 | 28.6 | 5.6 | 16.7 | **5,847.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 22.0 | 11.0 | 31.0 | **843.0** |
| H2O | 1961 | 339.9 | 336.6 | 420.2 | 355.3 | 552.0 | 619.9 | 640.7 | 570.8 | 290.9 | 211.5 | 103.3 | 394.3 | **6,357.8** |
| OIL | 1961 | 174.7 | 157.5 | 178.3 | 156.8 | 82.5 | 77.9 | 78.9 | 63.6 | 22.9 | 32.0 | 13.4 | 49.3 | **5,145.4** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **508.0** |
| H2O | 1960 | 48.5 | 53.4 | 66.1 | 80.3 | 84.6 | 104.9 | 146.3 | 146.6 | 167.4 | 155.0 | 149.8 | 247.4 | **1,522.4** |
| OIL | 1960 | 256.8 | 230.7 | 247.7 | 251.9 | 247.2 | 262.0 | 253.8 | 222.2 | 233.4 | 226.8 | 213.0 | 195.7 | **4,057.6** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 23.0 | 16.0 | 25.0 | 27.0 | 31.0 | **149.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.1 | 9.1 | 8.6 | 49.3 | **72.1** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 226.2 | 230.8 | 123.9 | 191.4 | 194.4 | 249.7 | **1,216.4** |

Licence ***1715*** Well Name ***Kiwi Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-07-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 31.0 | 27.0 | 30.0 | 30.0 | 27.0 | 29.0 | 31.0 | 18.0 | 10.0 | 19.0 | 0.0 | 0.0 | **4,051.0** |
| H2O | 1972 | 1979.2 | 1609.6 | 1772.5 | 1772.5 | 1514.2 | 1728.8 | 1812.3 | 1073.1 | 596.1 | 905.9 | 0.0 | 0.0 | **94,129.0** |
| OIL | 1972 | 31.0 | 27.0 | 27.0 | 27.0 | 26.2 | 26.2 | 30.2 | 11.9 | 4.8 | 12.0 | 0.0 | 0.0 | **11,016.3** |
| DAY | 1971 | 31.0 | 27.0 | 30.0 | 19.0 | 25.0 | 20.0 | 27.0 | 26.0 | 28.0 | 30.0 | 30.0 | 31.0 | **3,799.0** |
| H2O | 1971 | 2217.9 | 1931.7 | 2146.3 | 1311.7 | 1788.6 | 1271.9 | 1717.1 | 1621.6 | 1717.1 | 1860.2 | 1860.2 | 1979.4 | **79,364.8** |
| OIL | 1971 | 55.2 | 51.5 | 47.7 | 20.7 | 39.7 | 24.2 | 34.2 | 27.0 | 27.0 | 27.8 | 31.8 | 31.8 | **10,793.0** |
| DAY | 1970 | 31.0 | 27.0 | 29.0 | 27.0 | 6.0 | 23.0 | 27.0 | 20.0 | 0.0 | 0.0 | 26.0 | 23.0 | **3,475.0** |
| H2O | 1970 | 446.9 | 387.2 | 422.8 | 384.5 | 89.2 | 336.9 | 408.9 | 292.6 | 0.0 | 0.0 | 2400.7 | 1469.0 | **57,941.1** |
| OIL | 1970 | 19.9 | 15.4 | 18.1 | 19.7 | 5.1 | 22.6 | 24.6 | 18.4 | 0.0 | 0.0 | 25.1 | 42.1 | **10,374.4** |
| DAY | 1969 | 0.0 | 28.0 | 31.0 | 28.0 | 25.0 | 30.0 | 29.0 | 5.0 | 19.0 | 29.0 | 29.0 | 28.0 | **3,236.0** |
| H2O | 1969 | 485.3 | 420.9 | 449.4 | 480.1 | 472.6 | 488.2 | 415.5 | 81.7 | 299.9 | 377.9 | 375.5 | 408.1 | **51,302.4** |
| OIL | 1969 | 27.3 | 21.5 | 24.5 | 21.5 | 23.4 | 28.9 | 28.1 | 4.6 | 24.5 | 24.8 | 22.4 | 22.4 | **10,163.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 28.0 | 24.0 | 29.0 | 30.0 | 30.0 | 28.0 | 27.0 | 27.0 | 0.0 | **2,955.0** |
| H2O | 1968 | 667.7 | 583.3 | 608.4 | 547.1 | 631.0 | 490.3 | 421.1 | 480.9 | 450.4 | 419.2 | 442.9 | 539.0 | **46,547.3** |
| OIL | 1968 | 40.4 | 34.3 | 30.2 | 29.1 | 35.8 | 35.8 | 38.0 | 37.7 | 30.7 | 29.6 | 29.3 | 25.6 | **9,889.5** |
| DAY | 1967 | 31.0 | 28.0 | 28.0 | 13.0 | 24.0 | 14.0 | 23.0 | 31.0 | 30.0 | 26.0 | 30.0 | 28.0 | **2,641.0** |
| H2O | 1967 | 784.0 | 675.5 | 703.5 | 297.7 | 497.7 | 273.7 | 457.3 | 551.2 | 496.8 | 498.7 | 584.6 | 588.3 | **40,266.0** |
| OIL | 1967 | 67.6 | 57.4 | 45.0 | 21.9 | 40.1 | 22.7 | 38.0 | 48.2 | 43.1 | 42.9 | 39.0 | 40.5 | **9,493.0** |
| DAY | 1966 | 31.0 | 27.0 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 25.0 | 11.0 | **2,335.0** |
| H2O | 1966 | 454.3 | 389.3 | 500.1 | 460.8 | 444.3 | 421.1 | 413.0 | 429.8 | 414.1 | 360.7 | 605.7 | 265.7 | **33,857.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1715*** Well Name ***Kiwi Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-07-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1966 | 41.8 | 33.7 | 51.7 | 39.9 | 50.7 | 55.5 | 48.7 | 47.2 | 46.6 | 45.9 | 52.6 | 28.5 | **8,986.6** |
| DAY | 1965 | 5.0 | 26.0 | 31.0 | 9.0 | 21.0 | 25.0 | 31.0 | 31.0 | 28.0 | 13.0 | 30.0 | 31.0 | **2,005.0** |
| H2O | 1965 | 104.0 | 532.0 | 597.4 | 156.6 | 355.5 | 419.9 | 631.2 | 640.9 | 472.7 | 203.2 | 450.4 | 471.6 | **28,698.1** |
| OIL | 1965 | 8.6 | 48.0 | 49.4 | 16.7 | 44.0 | 49.8 | 65.3 | 58.0 | 48.3 | 24.6 | 64.4 | 47.5 | **8,443.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 30.0 | 24.0 | 30.0 | 24.0 | 29.0 | **1,724.0** |
| H2O | 1964 | 887.6 | 800.0 | 807.3 | 724.7 | 742.7 | 570.5 | 668.9 | 648.9 | 557.3 | 672.9 | 508.2 | 642.4 | **23,662.7** |
| OIL | 1964 | 68.5 | 62.5 | 60.9 | 60.9 | 57.6 | 59.9 | 66.0 | 61.8 | 51.8 | 64.1 | 51.8 | 57.6 | **7,919.2** |
| DAY | 1963 | 0.0 | 0.0 | 29.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | **1,377.0** |
| H2O | 1963 | 0.0 | 0.0 | 647.0 | 716.8 | 738.5 | 774.8 | 840.3 | 879.7 | 862.0 | 707.9 | 815.8 | 906.7 | **15,431.3** |
| OIL | 1963 | 0.0 | 0.0 | 102.6 | 109.4 | 112.9 | 85.2 | 88.4 | 74.4 | 61.7 | 55.6 | 63.4 | 68.7 | **7,195.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 5.0 | 3.0 | 7.0 | **1,081.0** |
| H2O | 1962 | 197.1 | 178.1 | 259.0 | 222.6 | 254.3 | 471.3 | 614.3 | 729.6 | 715.2 | 119.2 | 71.5 | 147.1 | **7,541.8** |
| OIL | 1962 | 109.6 | 109.8 | 92.2 | 116.8 | 123.1 | 146.6 | 135.7 | 105.9 | 93.8 | 15.9 | 16.7 | 17.6 | **6,373.5** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 21.0 | 0.0 | 11.0 | 31.0 | **794.0** |
| H2O | 1961 | 178.9 | 180.5 | 221.8 | 193.0 | 201.6 | 190.8 | 197.1 | 197.1 | 133.5 | 0.0 | 117.7 | 340.2 | **3,562.5** |
| OIL | 1961 | 172.1 | 147.4 | 164.1 | 137.7 | 144.9 | 143.0 | 147.8 | 147.8 | 77.7 | 0.0 | 58.3 | 130.7 | **5,289.8** |
| DAY | 1960 | 31.0 | 29.0 | 29.0 | 29.0 | 25.0 | 30.0 | 25.0 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | **488.0** |
| H2O | 1960 | 24.3 | 23.1 | 57.2 | 91.3 | 84.9 | 109.7 | 116.5 | 167.6 | 172.3 | 162.6 | 169.5 | 173.9 | **1,410.3** |
| OIL | 1960 | 267.6 | 273.2 | 226.5 | 266.6 | 234.1 | 245.2 | 168.1 | 167.8 | 175.1 | 177.3 | 166.5 | 172.4 | **3,818.3** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 29.0 | 28.0 | 11.0 | 27.0 | 31.0 | **142.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.8 | 17.5 | 4.3 | 11.0 | 20.8 | **57.4** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 144.9 | 279.4 | 236.6 | 86.5 | 212.6 | 317.9 | **1,277.9** |

Licence ***1717*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-20-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 2314.3 | 3651.0 | 3244.9 | 3477.4 | 3100.1 | 2855.9 | 3782.0 | 3671.5 | 3652.1 | 4272.3 | 4601.5 | 4715.5 | **131,134.0** |
| WIN | 1974 | 385.2 | 679.6 | 1167.7 | 1085.2 | 631.2 | 1281.7 | 1522.4 | 1264.2 | 1642.4 | 1948.3 | 1988.7 | 1748.6 | **87,795.5** |
| WIN | 1973 | 871.7 | 344.8 | 339.6 | 544.3 | 588.9 | 597.1 | 647.2 | 457.1 | 562.2 | 566.3 | 692.5 | 615.9 | **72,450.3** |
| WIN | 1972 | 692.7 | 1054.8 | 1561.0 | 2021.6 | 1962.0 | 1653.6 | 2518.2 | 3114.4 | 3023.0 | 3483.3 | 2051.8 | 0.0 | **65,622.7** |
| WIN | 1971 | 679.5 | 630.4 | 839.9 | 835.8 | 582.7 | 779.0 | 573.4 | 417.6 | 0.0 | 519.1 | 595.2 | 623.8 | **42,486.3** |
| WIN | 1970 | 631.9 | 542.1 | 641.5 | 572.0 | 617.5 | 462.0 | 457.5 | 589.0 | 509.4 | 588.7 | 644.2 | 683.6 | **35,409.9** |
| WIN | 1969 | 693.5 | 201.6 | 498.4 | 634.5 | 588.9 | 621.9 | 473.8 | 503.0 | 601.3 | 627.8 | 616.8 | 644.2 | **28,470.5** |
| WIN | 1968 | 490.8 | 607.0 | 677.6 | 580.1 | 536.7 | 610.5 | 616.0 | 679.2 | 555.8 | 665.5 | 633.7 | 669.5 | **21,764.8** |
| WIN | 1967 | 541.6 | 504.0 | 543.2 | 557.2 | 631.2 | 528.9 | 472.0 | 510.8 | 555.3 | 516.2 | 479.6 | 479.0 | **14,442.4** |
| WIN | 1966 | 694.6 | 555.2 | 590.3 | 616.5 | 618.6 | 542.6 | 506.5 | 535.1 | 566.1 | 580.9 | 544.7 | 542.0 | **8,123.4** |
| DAY | 1965 | 28.0 | 25.0 | 26.0 | 18.0 | 20.0 | 30.0 | 30.0 | 31.0 | 30.0 | 20.0 | 0.0 | 0.0 | **2,004.0** |
| H2O | 1965 | 72.0 | 73.0 | 73.3 | 56.3 | 54.4 | 84.9 | 43.9 | 73.6 | 52.6 | 37.1 | 0.0 | 0.0 | **4,201.5** |
| OIL | 1965 | 57.7 | 44.8 | 41.8 | 29.6 | 34.6 | 53.7 | 31.5 | 31.3 | 31.6 | 20.7 | 0.0 | 0.0 | **5,285.5** |
| WIN | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 163.7 | 412.7 | 653.9 | **1,230.3** |
| DAY | 1964 | 29.0 | 27.0 | 28.0 | 21.0 | 28.0 | 26.0 | 29.0 | 27.0 | 27.0 | 27.0 | 27.0 | 28.0 | **1,746.0** |
| H2O | 1964 | 84.4 | 70.6 | 76.2 | 56.8 | 73.3 | 62.2 | 55.3 | 60.1 | 57.2 | 71.5 | 71.5 | 76.9 | **3,580.4** |
| OIL | 1964 | 49.6 | 46.2 | 55.5 | 54.7 | 54.7 | 57.5 | 85.2 | 70.7 | 58.2 | 62.6 | 57.5 | 58.0 | **4,908.2** |
| DAY | 1963 | 29.0 | 28.0 | 28.0 | 28.0 | 28.0 | 27.0 | 28.0 | 28.0 | 20.0 | 28.0 | 27.0 | 28.0 | **1,422.0** |
| H2O | 1963 | 65.2 | 76.2 | 70.6 | 54.1 | 67.9 | 67.9 | 84.4 | 70.6 | 37.2 | 75.8 | 83.9 | 90.0 | **2,764.4** |
| OIL | 1963 | 49.1 | 43.2 | 43.1 | 39.9 | 46.6 | 46.4 | 45.6 | 54.5 | 64.5 | 63.6 | 57.8 | 51.2 | **4,197.8** |
| DAY | 1962 | 27.0 | 28.0 | 29.0 | 27.0 | 28.0 | 27.0 | 28.0 | 28.0 | 27.0 | 27.0 | 27.0 | 28.0 | **1,095.0** |
| H2O | 1962 | 86.6 | 76.6 | 78.5 | 86.8 | 65.2 | 81.7 | 73.4 | 95.5 | 79.0 | 73.3 | 101.0 | 81.7 | **1,920.6** |
| OIL | 1962 | 86.6 | 74.8 | 83.9 | 76.6 | 72.3 | 91.1 | 81.8 | 66.9 | 61.3 | 50.7 | 60.4 | 49.9 | **3,592.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 29.0 | 27.0 | 28.0 | 27.0 | 28.0 | 27.0 | 28.0 | **764.0** |
| H2O | 1961 | 11.9 | 11.1 | 2.7 | 38.5 | 98.6 | 63.6 | 101.1 | 112.9 | 104.8 | 100.2 | 97.3 | 89.5 | **941.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1717*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-20-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1961 | 85.8 | 76.3 | 84.5 | 82.2 | 83.1 | 74.7 | 57.7 | 149.4 | 122.0 | 100.4 | 95.2 | 96.6 | **2,736.0** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 8.0 | 15.0 | 30.0 | 30.0 | 25.0 | 30.0 | 29.0 | 29.0 | 31.0 | **424.0** |
| H2O | 1960 | 4.8 | 4.6 | 4.8 | 1.6 | 2.2 | 4.6 | 4.5 | 4.1 | 18.1 | 16.5 | 11.6 | 12.2 | **109.1** |
| OIL | 1960 | 56.3 | 82.8 | 84.4 | 22.4 | 48.9 | 90.3 | 79.8 | 134.1 | 144.0 | 91.1 | 77.7 | 90.4 | **1,628.1** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 26.0 | 29.0 | 7.0 | 28.0 | 16.0 | **107.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.5 | 1.4 | 8.6 | 3.0 | **19.5** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 203.7 | 164.8 | 44.5 | 146.8 | 64.5 | **625.9** |

Licence ***1718*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-20-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 25.0 | 0.0 | 28.0 | 26.0 | 30.0 | 28.0 | 28.0 | 30.0 | 31.0 | **5,516.0** |
| H2O | 1975 | 2529.8 | 2298.9 | 2593.8 | 2201.1 | 0.0 | 2370.9 | 2014.4 | 1821.0 | 2504.3 | 2297.9 | 2281.8 | 2340.8 | **237,325.6** |
| OIL | 1975 | 307.6 | 282.2 | 265.5 | 219.5 | 0.0 | 236.0 | 210.7 | 185.3 | 288.9 | 284.0 | 284.8 | 293.2 | **51,424.7** |
| DAY | 1974 | 31.0 | 25.0 | 31.0 | 17.0 | 24.0 | 30.0 | 30.0 | 18.0 | 28.0 | 30.0 | 30.0 | 31.0 | **5,201.0** |
| H2O | 1974 | 2789.8 | 2183.7 | 2974.7 | 1508.7 | 2250.8 | 2964.5 | 2128.1 | 1217.2 | 1976.9 | 2814.6 | 2535.3 | 2788.0 | **212,070.9** |
| OIL | 1974 | 299.1 | 251.1 | 312.9 | 168.4 | 230.9 | 262.8 | 246.0 | 140.6 | 213.9 | 312.7 | 304.9 | 324.2 | **48,567.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 25.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,876.0** |
| H2O | 1973 | 2144.0 | 2079.0 | 2403.0 | 2275.2 | 2409.7 | 2053.7 | 1660.7 | 2378.2 | 2358.5 | 2460.5 | 2300.8 | 2706.0 | **183,938.6** |
| OIL | 1973 | 382.7 | 320.0 | 358.2 | 332.4 | 334.7 | 267.3 | 251.9 | 329.9 | 313.2 | 317.3 | 301.0 | 293.7 | **45,499.5** |
| DAY | 1972 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,524.0** |
| H2O | 1972 | 2310.3 | 2184.2 | 2337.5 | 1840.2 | 1981.8 | 1814.9 | 1835.1 | 2068.2 | 1965.0 | 1996.8 | 1942.3 | 1792.5 | **156,709.3** |
| OIL | 1972 | 417.1 | 376.6 | 423.3 | 371.8 | 387.7 | 394.1 | 400.8 | 389.3 | 383.3 | 406.5 | 379.2 | 385.4 | **41,697.2** |
| DAY | 1971 | 29.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **4,159.0** |
| H2O | 1971 | 1881.5 | 2065.5 | 2112.4 | 2225.2 | 1048.8 | 1862.9 | 1985.0 | 2045.6 | 1829.1 | 1917.0 | 1830.7 | 1857.0 | **132,640.5** |
| OIL | 1971 | 376.9 | 376.9 | 408.4 | 398.2 | 369.0 | 378.4 | 405.9 | 385.0 | 358.7 | 347.4 | 337.8 | 365.0 | **36,982.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,801.0** |
| H2O | 1970 | 2032.7 | 1927.8 | 2466.9 | 2179.9 | 2287.1 | 2120.3 | 1915.2 | 1989.0 | 2192.3 | 2183.9 | 1896.9 | 1751.5 | **109,979.8** |
| OIL | 1970 | 443.7 | 393.5 | 467.2 | 449.9 | 467.2 | 416.3 | 383.1 | 409.5 | 402.0 | 409.8 | 404.3 | 426.2 | **32,474.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 12.0 | 23.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | **3,438.0** |
| H2O | 1969 | 2266.4 | 1834.8 | 2176.4 | 876.6 | 1744.6 | 2387.6 | 2520.3 | 2278.0 | 2072.1 | 2136.1 | 2079.1 | 2083.0 | **85,036.3** |
| OIL | 1969 | 486.6 | 413.5 | 453.1 | 189.7 | 342.1 | 476.7 | 485.6 | 483.9 | 433.3 | 436.2 | 432.9 | 443.4 | **27,401.8** |
| DAY | 1968 | 27.0 | 24.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | **3,102.0** |
| H2O | 1968 | 1512.1 | 1403.8 | 1852.6 | 2168.6 | 2148.5 | 2062.6 | 2172.5 | 2238.0 | 1972.9 | 1987.1 | 1780.4 | 2292.7 | **60,581.3** |
| OIL | 1968 | 491.3 | 411.9 | 523.0 | 603.1 | 619.3 | 542.2 | 564.3 | 568.1 | 549.4 | 518.8 | 393.9 | 492.1 | **22,324.8** |
| DAY | 1967 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 26.0 | **2,752.0** |
| H2O | 1967 | 997.9 | 1790.3 | 1870.6 | 1800.3 | 1903.3 | 1739.1 | 1617.1 | 1889.3 | 1926.4 | 1855.8 | 1722.4 | 1553.9 | **36,989.5** |
| OIL | 1967 | 350.9 | 593.8 | 621.0 | 602.3 | 615.0 | 554.0 | 566.7 | 591.3 | 597.5 | 604.0 | 540.1 | 485.3 | **16,047.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 22.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,396.0** |
| H2O | 1966 | 527.8 | 506.0 | 505.4 | 397.1 | 431.2 | 297.1 | 1179.8 | 1500.0 | 1331.0 | 1332.7 | 1039.4 | 1020.0 | **16,323.1** |
| OIL | 1966 | 194.7 | 175.1 | 216.4 | 156.0 | 147.2 | 89.5 | 394.3 | 420.0 | 438.0 | 470.4 | 337.2 | 349.1 | **9,325.5** |
| DAY | 1965 | 28.0 | 24.0 | 26.0 | 18.0 | 20.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,040.0** |
| H2O | 1965 | 231.3 | 209.5 | 202.1 | 143.1 | 141.0 | 211.6 | 121.8 | 200.5 | 143.1 | 156.3 | 159.9 | 436.6 | **6,255.6** |
| OIL | 1965 | 142.7 | 119.3 | 127.6 | 85.8 | 91.4 | 138.6 | 88.0 | 85.2 | 85.7 | 87.6 | 93.0 | 155.1 | **5,937.6** |
| DAY | 1964 | 29.0 | 27.0 | 28.0 | 22.0 | 28.0 | 27.0 | 16.0 | 20.0 | 27.0 | 27.0 | 27.0 | 28.0 | **1,710.0** |
| H2O | 1964 | 80.4 | 66.6 | 72.2 | 52.9 | 69.5 | 58.5 | 46.1 | 52.1 | 108.1 | 233.4 | 233.4 | 242.4 | **3,898.8** |
| OIL | 1964 | 69.3 | 60.7 | 54.5 | 56.4 | 61.3 | 47.5 | 24.2 | 25.6 | 90.9 | 142.2 | 141.4 | 143.2 | **4,637.6** |
| DAY | 1963 | 29.0 | 28.0 | 28.0 | 28.0 | 28.0 | 27.0 | 28.0 | 28.0 | 18.0 | 28.0 | 27.0 | 28.0 | **1,404.0** |
| H2O | 1963 | 60.9 | 72.0 | 66.5 | 49.9 | 63.8 | 63.8 | 80.3 | 66.6 | 35.8 | 71.7 | 80.0 | 86.0 | **2,583.2** |
| OIL | 1963 | 76.0 | 70.9 | 77.1 | 72.1 | 74.7 | 72.8 | 65.9 | 48.0 | 57.0 | 56.1 | 52.6 | 65.5 | **3,720.4** |
| DAY | 1962 | 27.0 | 28.0 | 29.0 | 27.0 | 28.0 | 27.0 | 28.0 | 25.0 | 27.0 | 27.0 | 27.0 | 28.0 | **1,079.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1718*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-20-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1962 | 83.9 | 68.4 | 71.5 | 79.8 | 60.7 | 77.3 | 69.0 | 91.1 | 74.6 | 69.2 | 96.7 | 77.4 | **1,785.9** |
| OIL | 1962 | 73.1 | 65.0 | 69.3 | 64.7 | 66.3 | 38.9 | 73.3 | 59.0 | 67.5 | 60.5 | 76.3 | 76.8 | **2,931.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 30.0 | 28.0 | 27.0 | 28.0 | 27.0 | 28.0 | **751.0** |
| H2O | 1961 | 9.2 | 7.3 | 2.9 | 41.2 | 84.3 | 52.0 | 95.4 | 111.3 | 104.8 | 98.1 | 95.4 | 86.6 | **866.3** |
| OIL | 1961 | 84.5 | 73.9 | 82.0 | 80.7 | 82.0 | 74.4 | 75.5 | 75.8 | 74.2 | 78.2 | 75.8 | 76.8 | **2,141.0** |
| DAY | 1960 | 28.0 | 29.0 | 31.0 | 9.0 | 15.0 | 30.0 | 30.0 | 21.0 | 28.0 | 29.0 | 29.0 | 31.0 | **407.0** |
| H2O | 1960 | 2.7 | 2.9 | 3.2 | 1.0 | 1.7 | 3.8 | 3.7 | 2.1 | 14.3 | 13.7 | 9.2 | 9.4 | **77.8** |
| OIL | 1960 | 64.8 | 81.2 | 83.4 | 22.9 | 49.3 | 90.7 | 81.4 | 59.0 | 59.0 | 94.4 | 88.5 | 88.7 | **1,207.2** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 29.0 | 7.0 | 26.0 | 27.0 | **97.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.3 | 1.1 | 3.8 | 1.9 | **10.1** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 47.2 | 105.0 | 37.7 | 68.2 | 85.8 | **343.9** |

Licence ***1720*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1359.3 | 1051.7 | 790.2 | 1378.0 | 1384.2 | 1405.4 | 1435.2 | 1118.6 | 1406.7 | 1474.5 | 1359.3 | 1546.4 | **141,245.1** |
| WIN | 1974 | 1284.6 | 1161.8 | 1283.0 | 1239.1 | 1321.1 | 1397.0 | 1192.7 | 1279.9 | 1248.5 | 1287.6 | 1361.8 | 1507.6 | **125,535.6** |
| WIN | 1973 | 828.3 | 822.6 | 875.5 | 1175.0 | 1314.6 | 1250.1 | 1232.4 | 1229.9 | 1262.9 | 1256.9 | 1228.8 | 1242.4 | **109,970.9** |
| WIN | 1972 | 1068.7 | 1033.2 | 1173.6 | 1054.4 | 1062.6 | 1027.2 | 1049.7 | 1037.8 | 997.8 | 1039.1 | 1035.8 | 883.8 | **96,251.5** |
| WIN | 1971 | 964.1 | 927.0 | 945.5 | 1036.5 | 1124.8 | 714.5 | 669.3 | 722.4 | 974.9 | 1112.1 | 833.9 | 619.7 | **83,787.8** |
| WIN | 1970 | 1231.9 | 1101.4 | 1173.6 | 1180.9 | 1255.6 | 1132.6 | 1069.9 | 1173.7 | 1102.7 | 1212.9 | 1182.0 | 1071.4 | **73,143.1** |
| WIN | 1969 | 1311.6 | 1197.4 | 1327.8 | 1139.1 | 1078.8 | 1052.6 | 1132.1 | 1173.1 | 1054.7 | 1171.7 | 1114.6 | 1046.4 | **59,254.5** |
| WIN | 1968 | 1163.6 | 1104.0 | 1165.6 | 966.9 | 1145.1 | 1059.8 | 1028.3 | 958.5 | 1164.2 | 834.6 | 984.7 | 819.4 | **45,454.6** |
| WIN | 1967 | 509.7 | 597.8 | 789.3 | 912.9 | 994.9 | 1026.2 | 1055.2 | 939.4 | 996.0 | 1079.5 | 1001.4 | 1210.8 | **33,059.9** |
| WIN | 1966 | 748.8 | 689.0 | 743.7 | 719.1 | 667.4 | 645.5 | 665.2 | 649.9 | 447.1 | 509.2 | 847.0 | 756.6 | **21,946.8** |
| WIN | 1965 | 677.4 | 606.5 | 697.9 | 637.4 | 552.6 | 588.7 | 671.7 | 676.1 | 702.2 | 744.3 | 731.8 | 765.6 | **13,858.3** |
| WIN | 1964 | 338.5 | 261.5 | 390.3 | 358.0 | 293.2 | 133.5 | 300.0 | 600.0 | 653.9 | 663.9 | 650.4 | 681.2 | **5,806.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 14.0 | 0.0 | **1,505.0** |
| H2O | 1963 | 12.8 | 13.9 | 14.8 | 12.5 | 13.5 | 14.3 | 15.6 | 16.4 | 18.8 | 17.5 | 7.5 | 0.0 | **510.4** |
| OIL | 1963 | 99.4 | 95.4 | 102.1 | 88.3 | 93.5 | 92.3 | 100.4 | 97.9 | 55.6 | 59.1 | 26.5 | 0.0 | **6,745.3** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 481.7 | **481.7** |
| DAY | 1962 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,187.0** |
| H2O | 1962 | 19.7 | 17.5 | 17.8 | 19.1 | 19.7 | 18.6 | 14.8 | 14.9 | 13.7 | 17.6 | 16.4 | 14.3 | **352.8** |
| OIL | 1962 | 112.5 | 102.3 | 104.1 | 107.7 | 110.6 | 105.2 | 108.5 | 113.1 | 94.1 | 103.3 | 98.5 | 102.0 | **5,834.8** |
| DAY | 1961 | 23.0 | 24.0 | 31.0 | 16.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **827.0** |
| H2O | 1961 | 7.5 | 7.9 | 9.9 | 4.8 | 9.2 | 8.4 | 4.8 | 4.6 | 5.1 | 16.1 | 18.9 | 19.4 | **148.7** |
| OIL | 1961 | 114.3 | 125.9 | 152.2 | 77.7 | 139.7 | 136.0 | 119.5 | 134.8 | 128.7 | 112.7 | 105.4 | 111.7 | **4,572.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 27.0 | 30.0 | 31.0 | 29.0 | 31.0 | **491.0** |
| H2O | 1960 | 0.5 | 8.1 | 0.6 | 0.5 | 0.2 | 0.5 | 0.5 | 0.3 | 0.3 | 0.5 | 5.2 | 10.7 | **32.1** |
| OIL | 1960 | 216.1 | 180.8 | 186.7 | 166.7 | 168.8 | 181.6 | 168.4 | 170.0 | 177.5 | 170.4 | 158.1 | 166.4 | **3,114.3** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 24.0 | 26.0 | 30.0 | 31.0 | **131.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.4 | 0.5 | 0.3 | 0.5 | 0.5 | **4.2** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 165.4 | 193.1 | 204.0 | 221.5 | 218.8 | **1,002.8** |

Licence ***1722*** Well Name ***Kiwi Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-08-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,563.0** |
| OIL | 1975 | 4.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,890.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 26.0 | 11.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,559.0** |
| H2O | 1974 | 1103.9 | 1008.1 | 1103.1 | 1097.0 | 1108.1 | 1123.6 | 285.4 | 828.0 | 891.0 | 891.0 | 891.0 | 827.9 | **100,403.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1722*** Well Name ***Kiwi Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-08-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1974 | 30.7 | 15.7 | 30.5 | 31.8 | 32.6 | 21.9 | 10.5 | 28.9 | 28.9 | 28.9 | 28.9 | 28.9 | **6,885.8** |
| DAY | 1973 | 25.0 | 28.0 | 21.0 | 30.0 | 26.0 | 29.0 | 20.0 | 21.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,222.0** |
| H2O | 1973 | 1093.0 | 1001.6 | 1108.9 | 1157.6 | 0.0 | 995.3 | 1049.0 | 1060.5 | 1242.8 | 1124.0 | 1086.0 | 1103.1 | **89,245.8** |
| OIL | 1973 | 16.7 | 17.8 | 13.4 | 17.5 | 14.5 | 22.3 | 19.4 | 20.4 | 23.8 | 25.4 | 24.5 | 30.5 | **6,567.6** |
| DAY | 1972 | 2.0 | 29.0 | 31.0 | 29.0 | 28.0 | 29.0 | 29.0 | 26.0 | 10.0 | 31.0 | 30.0 | 24.0 | **3,900.0** |
| H2O | 1972 | 71.5 | 1037.4 | 1341.1 | 1245.7 | 1224.2 | 1264.0 | 1267.9 | 1136.8 | 437.2 | 1355.4 | 1335.5 | 874.4 | **77,224.0** |
| OIL | 1972 | 4.0 | 22.3 | 22.3 | 21.5 | 20.7 | 20.7 | 20.7 | 19.1 | 6.4 | 23.8 | 24.0 | 16.7 | **6,321.4** |
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 21.0 | 29.0 | 27.0 | 31.0 | 31.0 | 28.0 | 31.0 | 29.0 | 17.0 | **3,602.0** |
| H2O | 1971 | 443.6 | 400.6 | 429.3 | 300.5 | 429.3 | 386.3 | 443.6 | 443.6 | 389.5 | 443.6 | 415.0 | 243.3 | **64,632.9** |
| OIL | 1971 | 23.8 | 22.3 | 23.8 | 16.7 | 15.1 | 19.9 | 23.1 | 22.7 | 21.5 | 23.1 | 21.9 | 10.8 | **6,099.2** |
| DAY | 1970 | 30.0 | 27.0 | 29.0 | 25.0 | 6.0 | 22.0 | 28.0 | 23.0 | 0.0 | 0.0 | 26.0 | 31.0 | **3,269.0** |
| H2O | 1970 | 479.8 | 435.5 | 450.4 | 362.3 | 95.2 | 324.5 | 321.9 | 354.9 | 0.0 | 0.0 | 1978.6 | 443.6 | **59,864.7** |
| OIL | 1970 | 18.3 | 15.4 | 15.1 | 13.7 | 4.0 | 17.5 | 17.0 | 18.0 | 0.0 | 0.0 | 20.8 | 24.6 | **5,854.5** |
| DAY | 1969 | 0.0 | 0.0 | 18.0 | 27.0 | 26.0 | 30.0 | 29.0 | 5.0 | 19.0 | 25.0 | 29.0 | 28.0 | **3,022.0** |
| H2O | 1969 | 0.0 | 0.0 | 263.6 | 411.5 | 506.4 | 508.0 | 466.3 | 79.8 | 298.6 | 338.5 | 458.2 | 463.8 | **54,618.0** |
| OIL | 1969 | 0.0 | 0.0 | 24.6 | 25.9 | 28.1 | 21.3 | 18.1 | 3.7 | 20.0 | 23.1 | 20.0 | 18.3 | **5,690.1** |
| DAY | 1968 | 31.0 | 23.0 | 31.0 | 27.0 | 31.0 | 29.0 | 29.0 | 30.0 | 28.0 | 24.0 | 27.0 | 0.0 | **2,786.0** |
| H2O | 1968 | 513.4 | 351.5 | 486.0 | 469.8 | 470.8 | 470.1 | 472.2 | 507.5 | 457.2 | 407.8 | 436.4 | 300.0 | **50,823.3** |
| OIL | 1968 | 29.4 | 20.5 | 36.4 | 29.4 | 31.6 | 25.1 | 28.5 | 37.5 | 30.4 | 26.1 | 28.5 | 23.2 | **5,487.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 0.0 | 5.0 | 13.0 | 23.0 | 31.0 | 30.0 | 18.0 | 29.0 | 28.0 | **2,476.0** |
| H2O | 1967 | 805.9 | 740.1 | 83.0 | 0.0 | 127.8 | 367.6 | 618.3 | 725.5 | 600.8 | 270.3 | 523.7 | 507.8 | **45,480.6** |
| OIL | 1967 | 31.0 | 25.8 | 2.2 | 0.0 | 8.4 | 17.8 | 35.3 | 45.0 | 41.8 | 25.6 | 42.6 | 37.8 | **5,140.4** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 3.0 | 12.0 | 30.0 | 31.0 | 31.0 | 29.0 | 25.0 | 26.0 | 10.0 | **2,209.0** |
| H2O | 1966 | 646.3 | 531.5 | 549.0 | 36.6 | 136.1 | 386.5 | 405.4 | 436.6 | 443.7 | 384.1 | 598.4 | 246.9 | **40,109.8** |
| OIL | 1966 | 41.8 | 35.5 | 40.2 | 2.4 | 25.0 | 51.5 | 49.0 | 45.3 | 34.8 | 28.9 | 30.7 | 12.6 | **4,827.1** |
| DAY | 1965 | 5.0 | 19.0 | 31.0 | 7.0 | 15.0 | 25.0 | 31.0 | 28.0 | 22.0 | 12.0 | 30.0 | 31.0 | **1,923.0** |
| H2O | 1965 | 102.9 | 380.5 | 649.0 | 124.6 | 284.1 | 425.8 | 643.4 | 631.0 | 441.7 | 181.9 | 486.0 | 641.5 | **35,308.7** |
| OIL | 1965 | 7.9 | 34.2 | 57.4 | 11.1 | 24.6 | 49.9 | 63.3 | 56.3 | 36.4 | 18.0 | 54.1 | 48.8 | **4,429.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | 29.0 | 30.0 | 30.0 | 24.0 | 25.0 | 23.0 | 29.0 | **1,667.0** |
| H2O | 1964 | 733.7 | 697.3 | 742.2 | 665.5 | 744.7 | 695.3 | 590.3 | 568.5 | 463.9 | 493.7 | 445.6 | 602.1 | **30,316.3** |
| OIL | 1964 | 63.8 | 55.2 | 56.8 | 52.5 | 58.0 | 55.2 | 53.3 | 56.8 | 47.4 | 51.2 | 39.9 | 49.0 | **3,967.4** |
| DAY | 1963 | 0.0 | 0.0 | 11.0 | 29.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 24.0 | 30.0 | 31.0 | **1,328.0** |
| H2O | 1963 | 0.0 | 0.0 | 217.0 | 618.1 | 685.4 | 683.5 | 736.9 | 655.2 | 682.5 | 530.1 | 691.6 | 723.1 | **22,873.5** |
| OIL | 1963 | 0.0 | 0.0 | 33.2 | 74.7 | 67.1 | 48.2 | 45.9 | 47.1 | 65.8 | 49.3 | 62.6 | 70.3 | **3,328.3** |
| DAY | 1962 | 19.0 | 28.0 | 30.0 | 27.0 | 28.0 | 29.0 | 31.0 | 31.0 | 27.0 | 15.0 | 2.0 | 7.0 | **1,053.0** |
| H2O | 1962 | 356.9 | 451.7 | 572.4 | 496.0 | 509.6 | 553.3 | 572.4 | 569.2 | 572.4 | 286.2 | 51.7 | 166.9 | **16,650.1** |
| OIL | 1962 | 48.7 | 52.5 | 52.5 | 45.5 | 47.9 | 42.1 | 38.6 | 44.5 | 42.3 | 21.5 | 5.6 | 14.5 | **2,764.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 22.0 | 11.0 | 31.0 | **779.0** |
| H2O | 1961 | 662.3 | 639.1 | 736.1 | 704.0 | 594.1 | 598.6 | 616.1 | 661.4 | 642.3 | 490.8 | 195.6 | 591.4 | **11,491.4** |
| OIL | 1961 | 56.3 | 45.6 | 54.1 | 52.9 | 70.6 | 70.7 | 73.9 | 71.7 | 65.0 | 49.3 | 26.1 | 83.5 | **2,307.9** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 13.0 | 24.0 | 30.0 | 27.0 | 28.0 | 30.0 | 31.0 | 30.0 | 29.0 | **444.0** |
| H2O | 1960 | 200.8 | 281.1 | 284.4 | 110.0 | 161.8 | 286.2 | 332.6 | 344.8 | 357.4 | 383.6 | 508.4 | 597.8 | **4,359.6** |
| OIL | 1960 | 130.4 | 123.3 | 109.5 | 38.5 | 88.9 | 95.6 | 87.5 | 70.0 | 64.5 | 45.9 | 38.2 | 52.8 | **1,588.2** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 27.0 | 24.0 | 27.0 | 31.0 | **111.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 116.1 | 86.2 | 55.8 | 252.6 | **510.7** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.5 | 211.5 | 148.9 | 129.0 | 146.2 | **643.1** |

Licence ***1723*** Well Name ***Kiwi Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-08-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,595.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1723*** Well Name ***Kiwi Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-08-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1974 | 1348.4 | 1353.6 | 1350.1 | 0.0 | 0.0 | 0.0 | 0.0 | 435.7 | 0.0 | 0.0 | 0.0 | 0.0 | **116,292.6** |
| OIL | 1974 | 23.4 | 21.6 | 23.5 | 0.0 | 0.0 | 0.0 | 0.0 | 18.8 | 0.0 | 0.0 | 0.0 | 0.0 | **4,607.1** |
| DAY | 1973 | 30.0 | 28.0 | 31.0 | 0.0 | 21.0 | 29.0 | 13.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,481.0** |
| H2O | 1973 | 1311.7 | 1224.2 | 1355.4 | 0.0 | 0.0 | 791.5 | 562.6 | 0.0 | 842.7 | 1386.4 | 1340.1 | 1350.1 | **111,804.8** |
| OIL | 1973 | 19.1 | 17.8 | 17.5 | 0.0 | 15.1 | 22.4 | 5.7 | 0.0 | 7.9 | 20.7 | 20.0 | 23.5 | **4,519.8** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 29.0 | 28.0 | 29.0 | 31.0 | 30.0 | 7.0 | 22.0 | 30.0 | 24.0 | **3,207.0** |
| H2O | 1972 | 1391.1 | 1267.9 | 1311.7 | 1264.0 | 1224.2 | 1264.0 | 1355.4 | 1311.7 | 306.2 | 979.4 | 1624.9 | 874.3 | **101,640.1** |
| OIL | 1972 | 31.8 | 31.8 | 29.4 | 27.8 | 27.0 | 27.8 | 22.3 | 19.9 | 7.9 | 24.8 | 28.9 | 17.5 | **4,350.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 21.0 | 29.0 | 23.0 | 31.0 | 29.0 | 27.0 | 8.0 | 1.0 | 28.0 | **2,887.0** |
| H2O | 1971 | 1355.4 | 1093.0 | 1355.4 | 918.2 | 1224.2 | 1005.6 | 1355.4 | 1267.9 | 1196.4 | 349.8 | 43.7 | 1240.1 | **87,465.3** |
| OIL | 1971 | 46.6 | 39.7 | 49.3 | 26.2 | 44.5 | 22.3 | 29.6 | 23.8 | 22.6 | 7.6 | 7.9 | 33.4 | **4,053.2** |
| DAY | 1970 | 31.0 | 28.0 | 26.0 | 27.0 | 6.0 | 22.0 | 14.0 | 14.0 | 0.0 | 0.0 | 26.0 | 31.0 | **2,600.0** |
| H2O | 1970 | 809.0 | 706.9 | 637.6 | 672.3 | 153.7 | 540.5 | 298.8 | 180.3 | 0.0 | 0.0 | 2159.8 | 1179.7 | **75,060.2** |
| OIL | 1970 | 14.8 | 13.2 | 15.1 | 16.5 | 4.0 | 15.3 | 8.6 | 8.9 | 0.0 | 0.0 | 22.7 | 42.8 | **3,699.7** |
| DAY | 1969 | 0.0 | 0.0 | 17.0 | 30.0 | 26.0 | 28.0 | 29.0 | 5.0 | 19.0 | 25.0 | 29.0 | 28.0 | **2,375.0** |
| H2O | 1969 | 0.0 | 0.0 | 401.6 | 801.0 | 842.5 | 484.3 | 793.6 | 136.4 | 492.5 | 566.7 | 764.8 | 755.2 | **67,721.6** |
| OIL | 1969 | 0.0 | 0.0 | 20.8 | 25.3 | 27.0 | 18.4 | 16.7 | 2.9 | 15.6 | 22.1 | 17.3 | 15.1 | **3,537.8** |
| DAY | 1968 | 31.0 | 21.0 | 31.0 | 26.0 | 31.0 | 27.0 | 28.0 | 28.0 | 28.0 | 24.0 | 27.0 | 0.0 | **2,139.0** |
| H2O | 1968 | 758.3 | 486.2 | 687.0 | 584.7 | 743.2 | 844.1 | 887.5 | 907.3 | 860.0 | 753.2 | 838.4 | 828.4 | **61,683.0** |
| OIL | 1968 | 33.4 | 24.5 | 38.6 | 32.1 | 36.7 | 33.4 | 27.8 | 15.3 | 14.1 | 15.1 | 19.4 | 15.1 | **3,356.6** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 21.0 | 24.0 | 2.0 | 22.0 | 29.0 | 28.0 | **1,837.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 71.2 | 689.3 | 750.3 | 39.9 | 642.2 | 883.2 | 775.4 | **52,504.7** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.3 | 32.9 | 21.1 | 3.8 | 40.7 | 36.4 | 33.4 | **3,051.1** |
| DAY | 1966 | 31.0 | 27.0 | 11.0 | 2.0 | 10.0 | 0.0 | 0.0 | 0.0 | 22.0 | 0.0 | 0.0 | 0.0 | **1,708.0** |
| H2O | 1966 | 1206.6 | 1074.0 | 418.6 | 42.9 | 278.9 | 0.0 | 0.0 | 0.0 | 231.3 | 0.0 | 0.0 | 0.0 | **48,653.2** |
| OIL | 1966 | 28.0 | 22.7 | 10.0 | 1.1 | 7.9 | 0.0 | 0.0 | 0.0 | 18.0 | 0.0 | 0.0 | 0.0 | **2,874.5** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 22.0 | 31.0 | 28.0 | 22.0 | 11.0 | 30.0 | 31.0 | **1,605.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 316.3 | 658.6 | 1107.7 | 785.6 | 754.9 | 339.8 | 1002.4 | 1198.8 | **45,400.9** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 41.7 | 33.5 | 43.1 | 30.5 | 24.0 | 11.8 | 31.3 | 28.5 | **2,786.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | 28.0 | 30.0 | 26.0 | 24.0 | 25.0 | 7.0 | 0.0 | **1,420.0** |
| H2O | 1964 | 1019.1 | 933.3 | 990.0 | 875.9 | 991.3 | 915.9 | 1203.7 | 937.1 | 953.1 | 968.2 | 225.0 | 0.0 | **39,236.8** |
| OIL | 1964 | 45.9 | 32.8 | 33.4 | 28.6 | 29.9 | 27.3 | 30.5 | 21.8 | 19.7 | 22.3 | 6.0 | 0.0 | **2,542.4** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 23.0 | 25.0 | 19.0 | **1,131.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 820.3 | 1071.3 | 1026.4 | 1049.2 | 1042.8 | 1010.8 | 740.8 | 826.5 | 624.9 | **29,224.2** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 86.9 | 62.2 | 56.0 | 52.8 | 48.3 | 36.4 | 29.9 | 38.3 | 36.7 | **2,244.2** |
| DAY | 1962 | 19.0 | 28.0 | 11.0 | 27.0 | 28.0 | 29.0 | 31.0 | 31.0 | 28.0 | 15.0 | 2.0 | 7.0 | **883.0** |
| H2O | 1962 | 592.9 | 899.9 | 359.3 | 826.6 | 844.9 | 922.1 | 930.1 | 871.2 | 953.9 | 477.0 | 75.5 | 239.3 | **21,011.2** |
| OIL | 1962 | 42.4 | 57.5 | 26.9 | 57.8 | 58.4 | 43.9 | 35.0 | 43.9 | 42.6 | 21.5 | 5.6 | 13.4 | **1,796.7** |
| DAY | 1961 | 27.0 | 28.0 | 31.0 | 11.0 | 30.0 | 30.0 | 31.0 | 29.0 | 29.0 | 22.0 | 11.0 | 31.0 | **627.0** |
| H2O | 1961 | 791.7 | 836.1 | 1058.6 | 338.5 | 880.4 | 811.4 | 837.7 | 928.4 | 937.9 | 701.7 | 337.1 | 985.6 | **13,018.5** |
| OIL | 1961 | 50.1 | 45.6 | 58.1 | 11.1 | 61.0 | 61.1 | 64.1 | 57.1 | 56.2 | 42.3 | 22.6 | 69.0 | **1,347.8** |
| DAY | 1960 | 12.0 | 0.0 | 0.0 | 0.0 | 14.0 | 16.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 27.0 | **317.0** |
| H2O | 1960 | 146.7 | 0.0 | 0.0 | 0.0 | 62.5 | 126.9 | 354.2 | 330.5 | 347.9 | 380.6 | 510.5 | 582.5 | **3,573.4** |
| OIL | 1960 | 19.6 | 0.0 | 0.0 | 0.0 | 16.9 | 31.0 | 63.4 | 54.4 | 54.8 | 47.9 | 42.9 | 54.1 | **749.5** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 23.0 | 19.0 | 19.0 | 31.0 | **98.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 74.4 | 140.5 | 105.7 | 410.5 | **731.1** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 66.6 | 122.9 | 50.3 | 60.6 | 64.1 | **364.5** |

Licence ***1724*** Well Name ***Fargo et al Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-18-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***1724*** Well Name ***Fargo et al Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-18-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 16.0 | 15.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **44.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 98.4 | 396.0 | 134.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **693.5** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.5 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **16.2** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 0.0 | **9.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 64.5 | 0.0 | **64.5** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 0.0 | **2.1** |

Licence ***1726*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-14-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **5,848.0** |
| H2O | 1975 | 98.1 | 87.0 | 100.6 | 97.6 | 101.0 | 94.6 | 95.7 | 95.5 | 94.1 | 101.0 | 76.9 | 88.2 | **9,367.5** |
| OIL | 1975 | 126.0 | 108.1 | 123.0 | 116.6 | 118.9 | 113.1 | 117.3 | 119.3 | 115.8 | 119.8 | 74.8 | 85.7 | **21,458.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,487.0** |
| H2O | 1974 | 146.1 | 135.5 | 147.5 | 147.5 | 152.6 | 82.2 | 72.3 | 76.2 | 75.0 | 78.7 | 97.5 | 97.6 | **8,237.2** |
| OIL | 1974 | 165.1 | 143.8 | 160.2 | 157.0 | 163.2 | 123.9 | 111.6 | 127.4 | 122.5 | 128.9 | 123.0 | 127.0 | **20,120.3** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,126.0** |
| H2O | 1973 | 125.9 | 121.1 | 129.9 | 129.7 | 158.0 | 154.1 | 152.5 | 164.2 | 161.0 | 162.8 | 151.0 | 146.4 | **6,928.5** |
| OIL | 1973 | 113.6 | 100.6 | 110.8 | 108.2 | 185.0 | 182.0 | 161.8 | 173.1 | 164.8 | 168.1 | 158.4 | 160.7 | **18,466.7** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 28.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **4,762.0** |
| H2O | 1972 | 59.6 | 57.2 | 63.8 | 53.6 | 60.6 | 17.0 | 20.2 | 117.6 | 114.9 | 110.5 | 123.1 | 128.8 | **5,171.9** |
| OIL | 1972 | 143.0 | 131.6 | 145.2 | 130.8 | 141.7 | 304.6 | 338.3 | 116.5 | 108.4 | 101.1 | 107.7 | 115.7 | **16,679.6** |
| DAY | 1971 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,404.0** |
| H2O | 1971 | 32.0 | 29.1 | 30.2 | 33.5 | 33.5 | 32.3 | 33.2 | 32.0 | 28.6 | 32.1 | 30.7 | 36.2 | **4,245.0** |
| OIL | 1971 | 115.1 | 102.0 | 101.9 | 107.1 | 109.5 | 102.8 | 108.7 | 106.8 | 105.2 | 109.3 | 103.1 | 105.7 | **14,795.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,043.0** |
| H2O | 1970 | 58.5 | 54.8 | 57.4 | 52.9 | 54.7 | 32.0 | 29.4 | 35.1 | 32.9 | 34.0 | 31.2 | 34.7 | **3,861.6** |
| OIL | 1970 | 130.6 | 117.8 | 128.4 | 123.9 | 127.8 | 101.5 | 104.7 | 108.9 | 104.2 | 110.0 | 105.5 | 110.8 | **13,517.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,678.0** |
| H2O | 1969 | 60.6 | 55.0 | 51.7 | 52.8 | 58.0 | 55.0 | 60.3 | 60.6 | 54.1 | 61.8 | 55.3 | 60.7 | **3,354.0** |
| OIL | 1969 | 133.6 | 117.9 | 130.3 | 127.0 | 130.3 | 127.0 | 133.0 | 132.2 | 122.0 | 134.6 | 129.0 | 135.2 | **12,143.7** |
| DAY | 1968 | 31.0 | 24.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,313.0** |
| H2O | 1968 | 39.9 | 31.2 | 37.2 | 41.3 | 28.3 | 25.9 | 28.1 | 25.6 | 55.2 | 58.8 | 54.5 | 58.2 | **2,668.1** |
| OIL | 1968 | 153.5 | 115.4 | 139.8 | 149.9 | 173.1 | 170.8 | 176.2 | 176.1 | 128.1 | 135.2 | 129.7 | 134.1 | **10,591.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,954.0** |
| H2O | 1967 | 16.4 | 14.0 | 17.0 | 15.7 | 15.7 | 14.9 | 11.0 | 15.3 | 12.9 | 43.1 | 37.8 | 41.3 | **2,183.9** |
| OIL | 1967 | 135.9 | 125.7 | 141.0 | 136.0 | 140.2 | 134.4 | 133.3 | 135.2 | 127.0 | 154.6 | 151.0 | 153.3 | **8,809.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,591.0** |
| H2O | 1966 | 38.0 | 29.4 | 38.6 | 39.7 | 44.2 | 38.8 | 38.6 | 38.3 | 37.0 | 42.4 | 16.7 | 18.0 | **1,928.8** |
| OIL | 1966 | 148.4 | 126.8 | 144.8 | 141.4 | 146.7 | 139.5 | 146.2 | 145.7 | 127.9 | 147.2 | 135.2 | 141.7 | **7,142.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,229.0** |
| H2O | 1965 | 33.2 | 29.6 | 33.7 | 29.4 | 30.0 | 28.6 | 28.1 | 28.8 | 29.3 | 28.8 | 29.6 | 30.2 | **1,509.1** |
| OIL | 1965 | 51.3 | 46.7 | 50.5 | 48.6 | 49.3 | 49.3 | 50.1 | 50.9 | 48.1 | 50.1 | 47.7 | 48.8 | **5,450.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 22.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,864.0** |
| H2O | 1964 | 31.8 | 28.6 | 32.0 | 30.7 | 32.6 | 23.2 | 30.8 | 31.5 | 30.2 | 30.2 | 31.3 | 33.1 | **1,149.8** |
| OIL | 1964 | 48.1 | 45.8 | 49.3 | 47.4 | 48.6 | 34.5 | 48.5 | 49.1 | 47.5 | 48.3 | 47.4 | 50.9 | **4,859.2** |
| DAY | 1963 | 31.0 | 27.0 | 31.0 | 25.0 | 29.0 | 30.0 | 31.0 | 21.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,506.0** |
| H2O | 1963 | 32.6 | 28.8 | 39.0 | 28.9 | 28.0 | 34.8 | 33.1 | 17.6 | 25.0 | 26.1 | 30.8 | 31.3 | **783.8** |
| OIL | 1963 | 42.4 | 38.9 | 46.7 | 38.3 | 44.7 | 47.4 | 48.9 | 32.7 | 46.2 | 43.7 | 45.1 | 46.2 | **4,293.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **1,160.0** |
| H2O | 1962 | 4.6 | 22.1 | 26.2 | 23.8 | 30.0 | 28.3 | 31.3 | 24.0 | 21.9 | 33.7 | 31.3 | 34.5 | **427.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1726*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-14-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 50.2 | 76.1 | 77.5 | 70.2 | 46.4 | 59.3 | 49.4 | 46.2 | 34.2 | 42.9 | 39.4 | 43.2 | **3,772.6** |
| DAY | 1961 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **803.0** |
| H2O | 1961 | 4.8 | 4.1 | 4.9 | 4.8 | 5.7 | 4.8 | 4.5 | 6.4 | 7.3 | 6.8 | 4.3 | 4.9 | **116.1** |
| OIL | 1961 | 97.3 | 84.2 | 94.4 | 78.0 | 74.2 | 77.5 | 81.7 | 75.6 | 67.4 | 67.7 | 54.8 | 52.9 | **3,137.6** |
| DAY | 1960 | 30.0 | 29.0 | 31.0 | 18.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **442.0** |
| H2O | 1960 | 3.5 | 3.5 | 3.8 | 1.6 | 2.4 | 2.4 | 2.5 | 3.8 | 4.6 | 4.5 | 4.3 | 5.4 | **52.8** |
| OIL | 1960 | 180.2 | 167.0 | 153.2 | 81.5 | 134.6 | 116.8 | 125.2 | 117.3 | 116.5 | 120.9 | 104.1 | 100.0 | **2,231.9** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 26.0 | 30.0 | 30.0 | **92.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 5.6 | 4.6 | **10.5** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 64.2 | 215.3 | 231.7 | 203.4 | **714.6** |

Licence ***1727*** Well Name ***Mill Creek New Davies Routledge*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-22-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 29.0 | 6.0 | 31.0 | 21.0 | 26.0 | 4.0 | 0.0 | **226.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 23.9 | 4.8 | 22.1 | 32.3 | 26.2 | 2.4 | 0.0 | **239.2** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 3.5 | 18.5 | 3.7 | 22.5 | 24.5 | 33.1 | 5.1 | 0.0 | **232.0** |
| DAY | 1960 | 2.0 | 0.0 | 0.0 | 0.0 | 19.0 | 19.0 | 7.0 | 31.0 | 16.0 | 0.0 | 0.0 | 0.0 | **108.0** |
| H2O | 1960 | 3.5 | 0.0 | 0.0 | 0.0 | 27.3 | 24.8 | 9.1 | 26.9 | 12.2 | 0.0 | 0.0 | 0.0 | **124.5** |
| OIL | 1960 | 4.1 | 0.0 | 0.0 | 0.0 | 14.3 | 16.8 | 9.9 | 29.1 | 13.7 | 0.0 | 0.0 | 0.0 | **121.1** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 2.0 | 3.0 | **14.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.4 | 4.9 | 6.4 | **20.7** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.9 | 6.4 | 7.9 | **33.2** |

Licence ***1731*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-20-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 366.1 | 379.6 | 347.4 | 319.1 | 310.0 | 209.9 | 277.4 | 417.0 | 434.0 | 448.2 | 353.6 | 281.2 | **46,525.8** |
| WIN | 1974 | 539.3 | 447.4 | 531.2 | 554.0 | 456.3 | 635.9 | 809.2 | 530.8 | 372.2 | 381.4 | 283.0 | 420.0 | **42,382.3** |
| WIN | 1973 | 448.2 | 433.5 | 486.3 | 451.8 | 462.5 | 426.1 | 429.1 | 312.6 | 366.3 | 374.7 | 430.5 | 517.2 | **36,421.6** |
| WIN | 1972 | 418.8 | 498.4 | 421.1 | 461.8 | 420.5 | 324.5 | 383.6 | 456.0 | 423.7 | 435.3 | 391.1 | 464.2 | **31,282.8** |
| WIN | 1971 | 408.9 | 394.7 | 436.1 | 415.3 | 347.1 | 390.0 | 299.0 | 248.3 | 0.0 | 292.8 | 398.9 | 427.3 | **26,183.8** |
| WIN | 1970 | 411.9 | 368.7 | 416.5 | 368.4 | 404.0 | 305.6 | 299.5 | 383.9 | 336.1 | 382.0 | 420.8 | 438.6 | **22,125.4** |
| WIN | 1969 | 443.2 | 129.7 | 292.5 | 405.7 | 390.3 | 416.1 | 332.9 | 312.6 | 404.1 | 356.3 | 365.0 | 422.4 | **17,589.4** |
| WIN | 1968 | 333.7 | 390.1 | 410.2 | 385.5 | 361.2 | 393.0 | 418.6 | 439.3 | 372.0 | 430.5 | 415.7 | 441.0 | **13,318.6** |
| WIN | 1967 | 364.1 | 336.4 | 366.4 | 348.2 | 399.8 | 351.5 | 331.0 | 350.2 | 380.3 | 355.6 | 328.5 | 358.2 | **8,527.8** |
| WIN | 1966 | 405.2 | 353.6 | 377.9 | 387.3 | 65.8 | 0.0 | 133.9 | 359.3 | 366.1 | 393.2 | 357.9 | 363.4 | **4,257.6** |
| DAY | 1965 | 24.0 | 26.0 | 26.0 | 18.0 | 20.0 | 30.0 | 28.0 | 31.0 | 30.0 | 19.0 | 0.0 | 0.0 | **1,824.0** |
| H2O | 1965 | 62.3 | 72.0 | 69.6 | 55.0 | 52.6 | 80.3 | 36.6 | 67.1 | 47.9 | 32.1 | 0.0 | 0.0 | **3,674.3** |
| OIL | 1965 | 11.4 | 11.8 | 11.3 | 8.6 | 12.1 | 19.7 | 7.9 | 8.6 | 8.7 | 5.2 | 0.0 | 0.0 | **2,281.5** |
| WIN | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 59.3 | 259.3 | 375.4 | **694.0** |
| DAY | 1964 | 29.0 | 27.0 | 28.0 | 22.0 | 28.0 | 27.0 | 16.0 | 27.0 | 24.0 | 24.0 | 27.0 | 27.0 | **1,572.0** |
| H2O | 1964 | 74.9 | 61.2 | 66.6 | 47.4 | 63.9 | 52.9 | 22.6 | 44.0 | 41.3 | 58.8 | 58.8 | 68.0 | **3,098.8** |
| OIL | 1964 | 20.3 | 21.3 | 21.1 | 19.4 | 19.1 | 15.6 | 8.1 | 7.8 | 10.8 | 8.7 | 10.0 | 18.9 | **2,176.2** |
| DAY | 1963 | 29.0 | 28.0 | 28.0 | 28.0 | 28.0 | 27.0 | 28.0 | 28.0 | 20.0 | 28.0 | 27.0 | 28.0 | **1,266.0** |
| H2O | 1963 | 55.8 | 66.8 | 61.4 | 44.8 | 58.5 | 58.5 | 75.0 | 61.2 | 34.5 | 66.3 | 74.4 | 80.3 | **2,438.4** |
| OIL | 1963 | 35.6 | 25.7 | 29.2 | 25.9 | 24.6 | 19.7 | 22.6 | 28.8 | 29.2 | 28.3 | 27.5 | 25.6 | **1,995.1** |
| DAY | 1962 | 27.0 | 28.0 | 29.0 | 27.0 | 28.0 | 27.0 | 22.0 | 28.0 | 27.0 | 27.0 | 27.0 | 28.0 | **939.0** |
| H2O | 1962 | 85.7 | 70.0 | 73.1 | 81.4 | 56.0 | 72.5 | 64.2 | 86.2 | 69.6 | 64.2 | 91.7 | 72.3 | **1,700.9** |
| OIL | 1962 | 70.6 | 60.9 | 64.4 | 58.3 | 46.4 | 23.8 | 21.9 | 44.2 | 19.9 | 21.8 | 35.8 | 36.2 | **1,672.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 28.0 | 31.0 | 28.0 | 27.0 | 28.0 | 27.0 | 28.0 | **614.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1731*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-20-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1961 | 5.9 | 3.2 | 2.7 | 36.1 | 65.2 | 41.5 | 101.1 | 114.8 | 104.6 | 99.4 | 96.7 | 88.4 | **814.0** |
| OIL | 1961 | 26.7 | 26.5 | 24.0 | 24.3 | 23.7 | 18.4 | 120.6 | 98.7 | 89.5 | 90.6 | 76.4 | 73.1 | **1,168.2** |
| DAY | 1960 | 25.0 | 28.0 | 29.0 | 5.0 | 1.0 | 24.0 | 26.0 | 20.0 | 20.0 | 29.0 | 29.0 | 31.0 | **270.0** |
| H2O | 1960 | 3.0 | 3.3 | 3.0 | 0.3 | 0.2 | 3.7 | 4.0 | 3.2 | 10.5 | 9.5 | 6.5 | 6.2 | **54.4** |
| OIL | 1960 | 76.4 | 80.2 | 77.4 | 11.0 | 4.4 | 51.3 | 35.0 | 33.5 | 15.7 | 26.4 | 24.2 | 25.1 | **475.7** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | **3.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | **1.0** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.1 | **15.1** |

Licence ***1733*** Well Name ***Milestone Homestead*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-31-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **163.0** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **241.9** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 26.0 | 25.0 | 18.0 | 0.0 | 0.0 | **141.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 191.6 | 344.1 | 368.9 | 0.0 | 0.0 | **1,396.0** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.8 | 69.0 | 33.2 | 16.0 | 0.0 | 0.0 | **230.2** |
| DAY | 1960 | 16.0 | 28.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **58.0** |
| H2O | 1960 | 121.2 | 225.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **491.4** |
| OIL | 1960 | 30.7 | 47.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **95.2** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | **14.0** |
| H2O | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 145.2 | **145.2** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.5 | **17.5** |

Licence ***1735*** Well Name ***Sarnoil North Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-07-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 30.0 | 24.0 | 30.0 | 27.0 | 29.0 | 27.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,266.0** |
| H2O | 1971 | 834.6 | 667.7 | 834.6 | 751.1 | 821.1 | 755.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **19,371.7** |
| OIL | 1971 | 38.2 | 30.5 | 36.9 | 27.8 | 21.5 | 15.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,497.1** |
| DAY | 1970 | 31.0 | 27.0 | 29.0 | 13.0 | 0.0 | 23.0 | 21.0 | 23.0 | 0.0 | 0.0 | 26.0 | 21.0 | **1,099.0** |
| H2O | 1970 | 506.9 | 438.2 | 457.2 | 173.5 | 0.0 | 17.5 | 215.3 | 294.3 | 0.0 | 0.0 | 1933.2 | 575.5 | **14,706.9** |
| OIL | 1970 | 14.9 | 12.7 | 11.6 | 4.6 | 0.0 | 0.5 | 17.3 | 19.6 | 0.0 | 0.0 | 20.4 | 25.4 | **1,326.6** |
| DAY | 1969 | 0.0 | 3.0 | 10.0 | 24.0 | 26.0 | 30.0 | 29.0 | 5.0 | 19.0 | 28.0 | 29.0 | 27.0 | **885.0** |
| H2O | 1969 | 0.0 | 34.0 | 309.6 | 309.8 | 483.0 | 501.3 | 472.5 | 64.1 | 294.8 | 450.7 | 472.7 | 452.5 | **10,095.3** |
| OIL | 1969 | 0.0 | 3.5 | 35.9 | 22.6 | 24.8 | 20.4 | 18.4 | 2.7 | 14.8 | 19.9 | 15.9 | 16.7 | **1,199.6** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 29.0 | 29.0 | 28.0 | 0.0 | 10.0 | 0.0 | 0.0 | **655.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 59.8 | 318.5 | 432.3 | 403.4 | 0.0 | 194.8 | 0.0 | 0.0 | **6,250.3** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 50.6 | 28.1 | 19.2 | 0.0 | 12.4 | 0.0 | 0.0 | **1,004.0** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **553.0** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **865.7** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 4.0 | 17.0 | 26.0 | 21.0 | 23.0 | 10.0 | 0.0 | 0.0 | 0.0 | **522.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 30.7 | 163.8 | 232.1 | 198.7 | 228.9 | 90.6 | 0.0 | 0.0 | 0.0 | **4,841.5** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 7.8 | 34.2 | 45.0 | 26.6 | 27.0 | 10.0 | 0.0 | 0.0 | 0.0 | **844.1** |
| DAY | 1961 | 15.0 | 23.0 | 31.0 | 28.0 | 14.0 | 7.0 | 30.0 | 26.0 | 27.0 | 8.0 | 0.0 | 0.0 | **421.0** |
| H2O | 1961 | 30.2 | 13.5 | 296.4 | 309.1 | 162.0 | 60.6 | 263.8 | 213.0 | 281.3 | 91.4 | 0.0 | 0.0 | **3,896.7** |
| OIL | 1961 | 11.9 | 18.8 | 64.0 | 39.4 | 23.4 | 11.0 | 47.9 | 33.1 | 40.2 | 12.7 | 0.0 | 0.0 | **693.5** |
| DAY | 1960 | 0.0 | 0.0 | 15.0 | 3.0 | 22.0 | 22.0 | 26.0 | 16.0 | 30.0 | 26.0 | 29.0 | 23.0 | **212.0** |
| H2O | 1960 | 0.0 | 0.0 | 107.5 | 24.8 | 115.7 | 79.5 | 283.4 | 127.2 | 227.4 | 228.9 | 459.0 | 522.0 | **2,175.4** |
| OIL | 1960 | 0.0 | 0.0 | 32.1 | 3.2 | 70.0 | 35.9 | 59.2 | 20.8 | 40.9 | 37.2 | 51.4 | 40.4 | **391.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1737*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.10-36-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 4880.7 | 4463.4 | 5007.7 | 4064.2 | 4560.5 | 4397.1 | 4344.8 | 3928.2 | 3715.0 | 3861.9 | 3922.8 | 4193.9 | **388,790.5** |
| WIN | 1974 | 4734.3 | 3723.2 | 4453.8 | 3958.8 | 4254.6 | 3889.3 | 3925.1 | 5512.9 | 4596.3 | 4052.9 | 4247.2 | 4407.1 | **337,450.3** |
| WIN | 1973 | 5569.1 | 5082.4 | 5542.7 | 5117.6 | 2203.1 | 3057.7 | 3354.8 | 3483.9 | 3200.1 | 3907.7 | 4319.6 | 4725.0 | **285,694.8** |
| WIN | 1972 | 5369.4 | 5022.8 | 5163.0 | 4993.2 | 5166.8 | 4920.6 | 4941.7 | 4761.1 | 4418.2 | 4836.5 | 4971.8 | 4831.7 | **236,131.1** |
| WIN | 1971 | 3743.8 | 3176.9 | 3323.3 | 3749.4 | 4258.1 | 3338.6 | 3776.7 | 3657.0 | 3582.6 | 3785.8 | 4885.3 | 5218.4 | **176,734.3** |
| WIN | 1970 | 3777.5 | 3354.5 | 3579.9 | 3421.4 | 3547.8 | 3175.8 | 3405.7 | 3172.6 | 2998.7 | 3306.1 | 3292.0 | 3521.1 | **130,238.4** |
| WIN | 1969 | 2747.2 | 1985.7 | 2383.9 | 2114.3 | 2297.3 | 2368.5 | 2396.5 | 2372.8 | 2255.0 | 2462.4 | 2877.1 | 3132.4 | **89,685.3** |
| WIN | 1968 | 1823.8 | 2197.6 | 2629.2 | 2668.3 | 2765.6 | 2743.4 | 2548.4 | 2696.0 | 2467.2 | 2745.3 | 3112.7 | 3317.0 | **60,292.2** |
| WIN | 1967 | 2066.7 | 1753.5 | 1971.8 | 1721.4 | 1935.6 | 1922.9 | 2055.6 | 2189.3 | 2106.2 | 2236.4 | 2304.1 | 2175.2 | **28,577.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 4.0 | 0.0 | 0.0 | **2,426.0** |
| H2O | 1966 | 22.5 | 20.1 | 24.0 | 2.2 | 2.4 | 1.4 | 1.3 | 1.1 | 1.1 | 0.2 | 0.0 | 0.0 | **17,386.8** |
| OIL | 1966 | 49.0 | 43.5 | 46.7 | 45.9 | 43.7 | 46.2 | 44.8 | 42.1 | 47.7 | 5.5 | 0.0 | 0.0 | **9,461.3** |
| WIN | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 444.7 | 1591.9 | 2102.4 | **4,139.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,150.0** |
| H2O | 1965 | 178.2 | 106.2 | 118.6 | 121.9 | 123.2 | 113.2 | 140.7 | 115.7 | 104.3 | 74.1 | 63.8 | 23.1 | **17,310.5** |
| OIL | 1965 | 61.5 | 54.3 | 58.8 | 55.0 | 55.6 | 54.2 | 57.4 | 63.4 | 55.6 | 76.4 | 62.8 | 49.9 | **9,046.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,788.0** |
| H2O | 1964 | 389.5 | 355.8 | 382.3 | 250.6 | 242.0 | 230.4 | 215.6 | 200.0 | 174.9 | 188.9 | 183.3 | 171.4 | **16,027.5** |
| OIL | 1964 | 95.8 | 87.4 | 93.6 | 65.2 | 66.7 | 66.1 | 80.1 | 77.2 | 73.7 | 78.0 | 53.4 | 54.5 | **8,341.3** |
| DAY | 1963 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,422.0** |
| H2O | 1963 | 405.2 | 334.5 | 406.0 | 402.4 | 468.2 | 413.2 | 366.8 | 338.8 | 376.3 | 307.5 | 369.3 | 381.1 | **13,042.8** |
| OIL | 1963 | 113.9 | 94.2 | 114.1 | 112.2 | 123.6 | 118.1 | 100.3 | 82.5 | 95.2 | 96.0 | 91.4 | 95.5 | **7,449.6** |
| DAY | 1962 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,064.0** |
| H2O | 1962 | 112.4 | 113.0 | 364.9 | 414.8 | 398.9 | 365.2 | 381.9 | 316.1 | 400.2 | 401.6 | 383.8 | 386.2 | **8,473.5** |
| OIL | 1962 | 128.7 | 121.6 | 135.6 | 139.7 | 138.7 | 123.0 | 121.9 | 101.2 | 135.1 | 149.5 | 112.0 | 109.6 | **6,212.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **709.0** |
| H2O | 1961 | 188.6 | 176.9 | 187.6 | 263.7 | 252.0 | 223.7 | 172.3 | 191.6 | 181.9 | 121.5 | 121.5 | 118.0 | **4,434.5** |
| OIL | 1961 | 223.7 | 186.4 | 207.5 | 219.0 | 208.6 | 204.4 | 188.0 | 168.1 | 171.5 | 150.6 | 141.9 | 139.7 | **4,696.0** |
| DAY | 1960 | 29.0 | 28.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 25.0 | 25.0 | 26.0 | 30.0 | 31.0 | **344.0** |
| H2O | 1960 | 118.6 | 197.5 | 285.7 | 202.2 | 272.2 | 137.0 | 143.6 | 120.0 | 163.0 | 237.4 | 190.1 | 167.9 | **2,235.2** |
| OIL | 1960 | 276.5 | 260.3 | 263.2 | 228.4 | 242.8 | 207.9 | 188.0 | 160.3 | 163.8 | 161.3 | 164.5 | 157.2 | **2,486.6** |
| DAY | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | **1.0** |
| OIL | 1959 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.4 | **12.4** |

Licence ***1738*** Well Name ***North Virden Scallion No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-17-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 28.0 | 29.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 17.0 | 0.0 | 0.0 | **143.0** |
| H2O | 1960 | 894.8 | 891.6 | 1103.9 | 825.0 | 0.0 | 0.0 | 0.0 | 0.0 | 279.7 | 687.8 | 0.0 | 0.0 | **4,682.8** |
| OIL | 1960 | 41.5 | 41.6 | 43.5 | 46.9 | 0.0 | 0.0 | 0.0 | 0.0 | 104.6 | 17.0 | 0.0 | 0.0 | **295.1** |

Licence ***1740*** Well Name ***Kranz Nichol West Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-30-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1962 | 2.0 | 16.0 | 5.0 | 7.0 | 10.0 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **428.0** |
| H2O | 1962 | 1.6 | 106.5 | 33.4 | 55.6 | 90.9 | 115.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,712.4** |
| OIL | 1962 | 6.0 | 39.4 | 11.1 | 16.7 | 24.8 | 16.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **997.3** |
| DAY | 1961 | 29.0 | 26.0 | 20.0 | 0.0 | 0.0 | 3.0 | 25.0 | 31.0 | 7.0 | 25.0 | 13.0 | 20.0 | **381.0** |
| H2O | 1961 | 297.6 | 289.4 | 281.1 | 0.0 | 0.0 | 5.1 | 256.3 | 256.3 | 24.8 | 239.8 | 74.4 | 239.8 | **2,309.1** |
| OIL | 1961 | 64.8 | 56.4 | 52.9 | 0.0 | 0.0 | 14.5 | 62.6 | 74.1 | 16.5 | 61.2 | 32.4 | 44.8 | **882.4** |
| DAY | 1960 | 0.0 | 9.0 | 3.0 | 0.0 | 7.0 | 14.0 | 20.0 | 21.0 | 25.0 | 29.0 | 25.0 | 29.0 | **182.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1740*** Well Name ***Kranz Nichol West Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-30-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1960 | 0.0 | 7.9 | 3.7 | 0.0 | 5.6 | 24.6 | 23.8 | 16.4 | 14.8 | 12.9 | 11.6 | 223.2 | **344.5** |
| OIL | 1960 | 0.0 | 38.6 | 10.6 | 0.0 | 29.7 | 39.4 | 68.2 | 54.3 | 61.0 | 54.5 | 45.9 | 0.0 | **402.2** |

Licence ***1742*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-20-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 23.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **839.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 6.5 | 30.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,504.1** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 5.7 | 7.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **495.2** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 6.0 | 9.0 | 14.0 | 5.0 | 0.0 | 14.0 | 12.0 | 14.0 | 0.0 | **803.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 10.5 | 12.1 | 24.6 | 15.1 | 0.0 | 18.9 | 8.1 | 15.1 | 0.0 | **1,467.5** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 3.2 | 3.5 | 9.1 | 1.3 | 0.0 | 4.8 | 3.5 | 5.6 | 0.0 | **482.4** |
| DAY | 1963 | 5.0 | 0.0 | 0.0 | 10.0 | 25.0 | 7.0 | 15.0 | 0.0 | 0.0 | 15.0 | 2.0 | 7.0 | **729.0** |
| H2O | 1963 | 14.8 | 0.0 | 0.0 | 14.1 | 29.6 | 7.5 | 35.0 | 0.0 | 0.0 | 35.5 | 5.7 | 14.0 | **1,363.1** |
| OIL | 1963 | 2.4 | 0.0 | 0.0 | 4.8 | 6.4 | 2.4 | 5.6 | 0.0 | 0.0 | 9.5 | 0.0 | 2.2 | **451.4** |
| DAY | 1962 | 30.0 | 25.0 | 0.0 | 15.0 | 24.0 | 12.0 | 14.0 | 15.0 | 11.0 | 12.0 | 15.0 | 10.0 | **643.0** |
| H2O | 1962 | 33.1 | 7.9 | 0.0 | 7.9 | 32.1 | 24.8 | 32.4 | 7.2 | 28.5 | 35.6 | 24.8 | 24.8 | **1,206.9** |
| OIL | 1962 | 6.4 | 10.8 | 0.0 | 30.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **418.1** |
| DAY | 1961 | 31.0 | 28.0 | 21.0 | 0.0 | 13.0 | 30.0 | 31.0 | 31.0 | 25.0 | 21.0 | 27.0 | 31.0 | **460.0** |
| H2O | 1961 | 39.1 | 28.0 | 8.3 | 0.0 | 16.5 | 99.2 | 41.3 | 62.5 | 66.1 | 41.3 | 41.3 | 41.3 | **947.8** |
| OIL | 1961 | 24.6 | 15.7 | 14.6 | 0.0 | 25.3 | 0.0 | 3.2 | 5.1 | 22.9 | 1.0 | 20.0 | 17.3 | **370.7** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 14.0 | 31.0 | 29.0 | 30.0 | 28.0 | 31.0 | **171.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 51.2 | 83.9 | 132.7 | 72.3 | 42.9 | 30.5 | 49.4 | **462.9** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.6 | 29.9 | 48.1 | 35.9 | 17.2 | 40.4 | 19.9 | **221.0** |

Licence ***1746*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,776.0** |
| H2O | 1975 | 349.8 | 321.6 | 358.5 | 347.5 | 345.0 | 344.5 | 345.3 | 245.1 | 241.2 | 259.1 | 259.9 | 264.5 | **16,212.0** |
| OIL | 1975 | 278.1 | 247.3 | 271.3 | 257.4 | 251.4 | 254.9 | 262.4 | 185.6 | 180.0 | 186.2 | 180.0 | 183.1 | **38,667.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,411.0** |
| H2O | 1974 | 112.2 | 203.8 | 228.0 | 221.9 | 178.2 | 245.3 | 231.3 | 223.2 | 331.8 | 348.3 | 347.5 | 347.5 | **12,530.0** |
| OIL | 1974 | 152.1 | 175.6 | 201.0 | 191.8 | 185.4 | 252.2 | 242.8 | 254.3 | 270.0 | 284.3 | 271.4 | 280.0 | **35,929.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 26.0 | 30.0 | 24.0 | **5,048.0** |
| H2O | 1973 | 142.0 | 136.2 | 145.9 | 119.6 | 121.1 | 116.5 | 113.2 | 125.9 | 123.8 | 101.7 | 116.1 | 87.1 | **9,511.0** |
| OIL | 1973 | 154.1 | 135.9 | 149.7 | 142.2 | 148.4 | 144.0 | 144.3 | 159.5 | 151.8 | 126.3 | 146.0 | 114.7 | **33,168.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,696.0** |
| H2O | 1972 | 72.8 | 71.1 | 77.3 | 69.3 | 68.0 | 60.7 | 75.2 | 42.9 | 42.0 | 46.6 | 44.4 | 47.1 | **8,061.9** |
| OIL | 1972 | 151.3 | 141.3 | 152.2 | 146.7 | 159.1 | 137.6 | 158.1 | 89.6 | 83.6 | 89.8 | 81.7 | 88.8 | **31,452.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,334.0** |
| H2O | 1971 | 89.0 | 80.9 | 92.8 | 80.1 | 80.4 | 80.0 | 83.3 | 80.4 | 71.9 | 80.3 | 72.2 | 86.5 | **7,344.5** |
| OIL | 1971 | 239.6 | 212.0 | 234.6 | 156.2 | 159.9 | 155.3 | 171.9 | 168.8 | 166.4 | 172.7 | 152.6 | 158.3 | **29,972.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,970.0** |
| H2O | 1970 | 72.3 | 68.0 | 71.1 | 65.7 | 67.7 | 101.0 | 94.1 | 99.8 | 98.4 | 103.0 | 94.1 | 96.2 | **6,366.7** |
| OIL | 1970 | 223.3 | 201.3 | 219.8 | 212.0 | 218.8 | 171.6 | 180.2 | 166.5 | 168.8 | 179.6 | 172.1 | 230.6 | **27,823.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **3,607.0** |
| H2O | 1969 | 84.3 | 76.5 | 71.7 | 73.1 | 111.8 | 107.0 | 113.5 | 116.5 | 97.0 | 119.2 | 106.5 | 116.7 | **5,335.3** |
| OIL | 1969 | 266.0 | 235.2 | 259.7 | 253.1 | 265.4 | 260.5 | 265.4 | 269.0 | 231.4 | 274.1 | 262.8 | 275.1 | **25,479.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **3,245.0** |
| H2O | 1968 | 70.3 | 66.6 | 70.7 | 72.8 | 80.6 | 73.8 | 78.1 | 59.6 | 76.9 | 81.9 | 75.5 | 80.3 | **4,141.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1746*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1968 | 284.9 | 261.4 | 280.0 | 278.1 | 250.8 | 246.0 | 219.9 | 237.7 | 244.1 | 269.5 | 258.4 | 265.7 | **22,361.6** |
| DAY | 1967 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,884.0** |
| H2O | 1967 | 70.3 | 55.5 | 70.0 | 78.2 | 78.5 | 77.4 | 63.4 | 84.7 | 74.2 | 72.7 | 66.6 | 72.7 | **3,254.4** |
| OIL | 1967 | 314.3 | 267.0 | 313.2 | 277.8 | 286.4 | 282.2 | 291.8 | 289.1 | 278.7 | 275.7 | 122.5 | 284.6 | **19,265.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **2,521.0** |
| H2O | 1966 | 21.9 | 17.5 | 22.1 | 63.8 | 71.7 | 59.8 | 54.7 | 55.6 | 67.4 | 69.3 | 69.0 | 65.8 | **2,390.2** |
| OIL | 1966 | 236.9 | 208.6 | 231.1 | 300.5 | 314.3 | 290.0 | 278.7 | 284.8 | 296.2 | 306.9 | 300.8 | 281.0 | **15,981.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **2,160.0** |
| H2O | 1965 | 42.4 | 37.8 | 43.1 | 22.4 | 22.7 | 35.5 | 35.6 | 35.8 | 36.1 | 35.8 | 36.6 | 21.1 | **1,751.6** |
| OIL | 1965 | 214.1 | 195.1 | 210.9 | 232.2 | 227.4 | 234.6 | 244.6 | 242.2 | 229.3 | 238.5 | 225.5 | 223.0 | **12,652.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,797.0** |
| H2O | 1964 | 16.7 | 14.9 | 23.1 | 29.6 | 31.3 | 30.2 | 39.7 | 40.2 | 31.3 | 31.3 | 40.1 | 42.3 | **1,346.7** |
| OIL | 1964 | 119.7 | 113.1 | 150.3 | 164.6 | 169.7 | 163.4 | 182.1 | 183.7 | 190.2 | 193.7 | 197.8 | 212.0 | **9,934.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,431.0** |
| H2O | 1963 | 17.8 | 19.6 | 20.7 | 17.8 | 18.6 | 19.7 | 18.0 | 18.9 | 21.6 | 17.5 | 16.1 | 16.4 | **976.0** |
| OIL | 1963 | 120.0 | 115.1 | 123.2 | 109.2 | 112.8 | 111.4 | 113.3 | 110.8 | 109.0 | 116.2 | 112.3 | 114.7 | **7,894.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,066.0** |
| H2O | 1962 | 34.8 | 22.9 | 38.8 | 0.0 | 34.0 | 6.8 | 7.0 | 7.9 | 6.5 | 5.4 | 5.1 | 19.7 | **753.3** |
| OIL | 1962 | 164.5 | 137.0 | 142.1 | 139.2 | 142.7 | 131.9 | 134.3 | 133.0 | 127.8 | 127.1 | 121.2 | 123.2 | **6,526.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **701.0** |
| H2O | 1961 | 40.4 | 31.2 | 24.5 | 16.5 | 12.7 | 23.4 | 20.8 | 41.7 | 40.5 | 41.2 | 34.8 | 40.4 | **564.4** |
| OIL | 1961 | 226.8 | 193.6 | 194.5 | 183.2 | 205.3 | 151.0 | 138.6 | 175.3 | 177.3 | 184.5 | 166.5 | 171.0 | **4,902.3** |
| DAY | 1960 | 13.0 | 29.0 | 28.0 | 30.0 | 31.0 | 23.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **336.0** |
| H2O | 1960 | 9.5 | 11.8 | 13.5 | 11.4 | 10.7 | 15.6 | 20.8 | 21.6 | 19.1 | 17.0 | 0.0 | 45.3 | **196.3** |
| OIL | 1960 | 148.7 | 205.0 | 190.5 | 185.8 | 216.4 | 231.7 | 293.8 | 270.3 | 261.7 | 245.0 | 234.6 | 251.2 | **2,734.7** |

Licence ***1748*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.15-36-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 28.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | **5,703.0** |
| H2O | 1975 | 5011.2 | 4613.4 | 5134.1 | 3509.5 | 4816.6 | 4286.3 | 3637.9 | 4406.4 | 4230.5 | 4445.6 | 5141.3 | 5152.2 | **471,312.6** |
| OIL | 1975 | 176.2 | 162.7 | 188.8 | 117.9 | 128.9 | 129.7 | 125.2 | 130.5 | 130.5 | 116.6 | 114.3 | 116.5 | **78,443.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 17.0 | 12.0 | 30.0 | 31.0 | **5,347.0** |
| H2O | 1974 | 4110.3 | 3747.8 | 3668.3 | 4138.6 | 4589.8 | 4245.4 | 5088.8 | 4764.5 | 2547.3 | 1543.2 | 4852.5 | 5430.3 | **416,927.6** |
| OIL | 1974 | 226.1 | 201.5 | 162.9 | 157.5 | 165.6 | 171.3 | 178.9 | 174.2 | 90.3 | 65.8 | 168.8 | 190.9 | **76,806.1** |
| DAY | 1973 | 29.0 | 27.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,014.0** |
| H2O | 1973 | 6366.5 | 5657.1 | 6200.7 | 5443.8 | 4861.3 | 4601.2 | 5240.8 | 4771.5 | 4659.1 | 5180.0 | 4412.0 | 4382.0 | **368,200.8** |
| OIL | 1973 | 380.1 | 315.4 | 331.2 | 313.7 | 274.4 | 205.8 | 210.9 | 239.3 | 235.0 | 240.6 | 237.6 | 232.8 | **74,852.3** |
| DAY | 1972 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 25.0 | **4,655.0** |
| H2O | 1972 | 4337.5 | 3961.6 | 4055.1 | 5004.8 | 5727.7 | 5903.2 | 6128.8 | 4806.0 | 4816.6 | 4694.0 | 4749.4 | 5578.1 | **306,424.8** |
| OIL | 1972 | 513.9 | 460.0 | 465.1 | 392.2 | 406.2 | 404.4 | 412.2 | 356.0 | 368.7 | 375.8 | 383.4 | 298.0 | **71,635.5** |
| DAY | 1971 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,299.0** |
| H2O | 1971 | 4033.0 | 3601.2 | 3826.6 | 4640.6 | 4831.7 | 4379.7 | 4386.9 | 4222.3 | 3705.0 | 4220.9 | 4102.6 | 4316.8 | **246,662.0** |
| OIL | 1971 | 635.2 | 547.3 | 626.1 | 580.3 | 612.1 | 561.9 | 605.9 | 575.6 | 526.0 | 509.9 | 490.2 | 535.7 | **66,799.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **3,935.0** |
| H2O | 1970 | 4320.1 | 3792.1 | 4071.3 | 4042.5 | 4450.2 | 3859.9 | 3611.2 | 4003.4 | 3798.2 | 4112.3 | 3906.0 | 3399.5 | **196,394.7** |
| OIL | 1970 | 844.4 | 740.8 | 772.3 | 718.4 | 831.6 | 687.1 | 730.5 | 680.9 | 628.6 | 593.5 | 654.9 | 615.6 | **59,993.4** |
| DAY | 1969 | 29.0 | 27.0 | 30.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,573.0** |
| H2O | 1969 | 3666.7 | 3312.7 | 4398.5 | 4034.0 | 3844.5 | 4233.6 | 4347.1 | 3999.9 | 4012.3 | 4009.3 | 4517.3 | 4564.0 | **149,028.0** |
| OIL | 1969 | 1044.5 | 998.7 | 1163.5 | 996.4 | 1018.6 | 1045.3 | 960.9 | 1020.4 | 1031.5 | 905.5 | 948.5 | 823.3 | **51,494.8** |
| DAY | 1968 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 26.0 | 28.0 | 30.0 | 30.0 | 31.0 | **3,217.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1748*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.15-36-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1968 | 3094.2 | 2714.9 | 4090.6 | 4106.8 | 4135.4 | 3749.1 | 3843.5 | 3277.8 | 3200.4 | 3508.5 | 4016.2 | 4151.9 | **100,088.1** |
| OIL | 1968 | 1177.5 | 1044.4 | 1383.8 | 1320.1 | 1360.3 | 1235.4 | 1312.9 | 921.2 | 931.5 | 813.1 | 1127.5 | 1177.0 | **39,537.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **2,862.0** |
| H2O | 1967 | 819.9 | 755.8 | 772.6 | 735.3 | 1781.8 | 2093.4 | 2230.5 | 2429.4 | 2326.8 | 1648.9 | 2783.3 | 3158.5 | **56,198.8** |
| OIL | 1967 | 311.8 | 295.7 | 316.2 | 324.0 | 813.8 | 854.0 | 895.9 | 920.4 | 988.9 | 753.7 | 1122.4 | 1249.7 | **25,733.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,503.0** |
| H2O | 1966 | 722.2 | 640.8 | 769.6 | 722.1 | 763.9 | 877.6 | 779.6 | 787.4 | 729.7 | 665.2 | 578.5 | 667.6 | **34,662.6** |
| OIL | 1966 | 208.0 | 184.3 | 198.0 | 201.7 | 192.6 | 212.3 | 208.2 | 193.4 | 218.2 | 199.4 | 214.7 | 265.7 | **16,886.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,139.0** |
| H2O | 1965 | 501.1 | 401.1 | 449.0 | 461.2 | 451.3 | 708.6 | 769.9 | 724.2 | 652.3 | 704.6 | 607.6 | 731.8 | **25,958.4** |
| OIL | 1965 | 157.5 | 138.9 | 150.5 | 140.3 | 137.6 | 240.0 | 244.4 | 239.5 | 210.4 | 213.6 | 175.3 | 212.1 | **14,390.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,777.0** |
| H2O | 1964 | 518.1 | 473.4 | 508.3 | 459.3 | 489.7 | 465.7 | 459.0 | 494.7 | 432.9 | 467.6 | 408.3 | 381.4 | **18,795.7** |
| OIL | 1964 | 184.5 | 168.4 | 180.4 | 174.8 | 168.0 | 166.5 | 168.8 | 156.0 | 148.6 | 157.3 | 153.7 | 156.7 | **12,129.9** |
| DAY | 1963 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,411.0** |
| H2O | 1963 | 453.3 | 374.7 | 454.2 | 449.9 | 446.4 | 394.1 | 387.0 | 381.7 | 431.6 | 430.5 | 491.1 | 507.3 | **13,237.3** |
| OIL | 1963 | 192.3 | 158.9 | 192.4 | 189.1 | 189.9 | 181.6 | 179.3 | 157.2 | 184.8 | 176.4 | 175.9 | 184.3 | **10,146.2** |
| DAY | 1962 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,054.0** |
| H2O | 1962 | 372.3 | 337.8 | 317.8 | 361.4 | 337.0 | 308.6 | 363.1 | 350.2 | 300.8 | 413.2 | 383.8 | 405.1 | **8,035.5** |
| OIL | 1962 | 226.8 | 193.1 | 197.2 | 203.2 | 205.3 | 182.1 | 228.8 | 205.2 | 170.4 | 203.7 | 186.2 | 186.1 | **7,984.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **692.0** |
| H2O | 1961 | 169.5 | 159.1 | 210.5 | 187.6 | 157.4 | 224.6 | 249.1 | 214.8 | 204.0 | 297.9 | 298.2 | 365.5 | **3,784.4** |
| OIL | 1961 | 237.3 | 197.7 | 227.9 | 245.2 | 206.3 | 212.3 | 234.7 | 188.0 | 191.5 | 257.0 | 241.9 | 230.1 | **5,596.0** |
| DAY | 1960 | 14.0 | 29.0 | 31.0 | 29.0 | 29.0 | 29.0 | 27.0 | 23.0 | 30.0 | 25.0 | 30.0 | 31.0 | **327.0** |
| H2O | 1960 | 6.0 | 20.8 | 29.7 | 20.8 | 26.7 | 94.0 | 78.9 | 75.0 | 158.2 | 184.1 | 187.0 | 165.0 | **1,046.2** |
| OIL | 1960 | 154.2 | 288.9 | 287.5 | 253.1 | 251.1 | 239.6 | 173.5 | 168.6 | 303.2 | 238.4 | 290.5 | 277.5 | **2,926.1** |

Licence ***1750*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.15-16-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,695.0** |
| H2O | 1975 | 681.4 | 582.5 | 648.8 | 627.7 | 647.8 | 832.7 | 876.0 | 911.1 | 1001.7 | 1011.6 | 885.8 | 930.4 | **109,324.3** |
| OIL | 1975 | 129.4 | 117.3 | 127.6 | 125.1 | 136.2 | 65.0 | 70.7 | 72.0 | 51.0 | 54.0 | 46.9 | 49.1 | **22,967.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,330.0** |
| H2O | 1974 | 647.2 | 582.8 | 648.0 | 607.6 | 1734.8 | 533.5 | 718.7 | 889.2 | 846.7 | 899.8 | 694.9 | 679.3 | **99,686.8** |
| OIL | 1974 | 70.4 | 62.8 | 69.6 | 67.1 | 72.1 | 48.3 | 80.4 | 96.1 | 100.1 | 102.3 | 130.0 | 131.4 | **21,923.4** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **4,965.0** |
| H2O | 1973 | 225.0 | 220.2 | 714.0 | 623.4 | 629.7 | 655.0 | 670.1 | 794.7 | 671.7 | 509.8 | 546.3 | 609.1 | **90,204.3** |
| OIL | 1973 | 12.4 | 11.8 | 69.1 | 65.9 | 63.6 | 62.8 | 60.2 | 59.3 | 58.0 | 71.5 | 79.5 | 74.7 | **20,892.8** |
| DAY | 1972 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 22.0 | 30.0 | **4,605.0** |
| H2O | 1972 | 670.1 | 689.5 | 713.2 | 656.1 | 692.5 | 619.5 | 632.9 | 369.2 | 355.8 | 217.2 | 156.0 | 210.2 | **83,335.3** |
| OIL | 1972 | 143.2 | 88.8 | 98.5 | 85.8 | 69.6 | 63.2 | 63.1 | 98.7 | 91.7 | 12.6 | 8.6 | 12.1 | **20,204.0** |
| DAY | 1971 | 25.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,253.0** |
| H2O | 1971 | 548.0 | 609.5 | 698.4 | 654.5 | 658.5 | 712.4 | 697.6 | 767.2 | 696.8 | 606.2 | 630.5 | 676.1 | **77,353.1** |
| OIL | 1971 | 63.1 | 150.2 | 171.8 | 166.9 | 158.6 | 79.1 | 75.0 | 87.9 | 84.9 | 136.2 | 128.1 | 146.7 | **19,368.1** |
| DAY | 1970 | 31.0 | 28.0 | 30.0 | 27.0 | 31.0 | 30.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,898.0** |
| H2O | 1970 | 774.2 | 670.9 | 753.6 | 715.4 | 696.8 | 693.6 | 584.9 | 643.9 | 668.8 | 682.2 | 663.1 | 689.4 | **69,397.4** |
| OIL | 1970 | 102.0 | 89.0 | 94.6 | 84.2 | 88.2 | 82.6 | 68.6 | 75.0 | 76.6 | 77.5 | 70.6 | 85.7 | **17,919.6** |
| DAY | 1969 | 29.0 | 27.0 | 30.0 | 28.0 | 30.0 | 30.0 | 27.0 | 24.0 | 23.0 | 30.0 | 27.0 | 31.0 | **3,542.0** |
| H2O | 1969 | 788.5 | 693.2 | 775.8 | 744.0 | 748.2 | 774.2 | 643.9 | 632.7 | 607.3 | 715.4 | 653.4 | 774.2 | **61,160.6** |
| OIL | 1969 | 83.0 | 77.9 | 81.0 | 75.6 | 76.3 | 81.0 | 72.9 | 64.8 | 62.1 | 98.5 | 90.1 | 96.5 | **16,925.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1750*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.15-16-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 26.0 | **3,206.0** |
| H2O | 1968 | 763.1 | 445.1 | 472.2 | 490.8 | 506.7 | 462.3 | 461.0 | 492.8 | 476.9 | 715.4 | 707.5 | 742.4 | **52,609.8** |
| OIL | 1968 | 123.2 | 124.6 | 123.2 | 127.1 | 123.2 | 110.4 | 97.4 | 103.3 | 96.5 | 81.0 | 81.0 | 76.3 | **15,965.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | **2,852.0** |
| H2O | 1967 | 775.8 | 733.4 | 812.4 | 810.8 | 848.5 | 810.8 | 969.8 | 699.5 | 711.1 | 826.7 | 866.0 | 743.2 | **45,873.6** |
| OIL | 1967 | 140.6 | 137.9 | 158.9 | 154.1 | 159.2 | 138.3 | 138.3 | 128.7 | 147.3 | 131.1 | 132.7 | 111.2 | **14,698.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,491.0** |
| H2O | 1966 | 956.6 | 845.5 | 967.2 | 968.3 | 981.9 | 989.2 | 999.8 | 1028.8 | 817.2 | 767.9 | 781.4 | 814.1 | **36,265.6** |
| OIL | 1966 | 164.2 | 118.1 | 130.3 | 127.6 | 130.1 | 126.8 | 129.0 | 177.3 | 128.7 | 131.4 | 126.7 | 141.4 | **13,019.8** |
| DAY | 1965 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,131.0** |
| H2O | 1965 | 298.2 | 262.3 | 399.0 | 540.7 | 596.5 | 594.9 | 531.2 | 489.0 | 496.7 | 669.0 | 777.4 | 934.8 | **25,347.7** |
| OIL | 1965 | 138.3 | 110.4 | 121.6 | 119.7 | 113.5 | 115.1 | 122.4 | 119.7 | 114.6 | 186.6 | 167.7 | 169.2 | **11,388.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,767.0** |
| H2O | 1964 | 414.1 | 375.2 | 407.0 | 387.9 | 356.1 | 367.2 | 376.0 | 396.8 | 380.9 | 396.8 | 278.2 | 298.2 | **18,758.0** |
| OIL | 1964 | 140.8 | 132.7 | 147.8 | 134.3 | 140.5 | 147.0 | 127.9 | 122.2 | 146.8 | 146.2 | 138.3 | 138.6 | **9,789.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,405.0** |
| H2O | 1963 | 355.3 | 325.1 | 360.9 | 381.6 | 340.2 | 354.5 | 375.2 | 362.5 | 360.9 | 395.9 | 376.8 | 411.8 | **14,323.6** |
| OIL | 1963 | 153.2 | 127.0 | 144.9 | 141.4 | 130.1 | 146.8 | 142.2 | 141.1 | 143.0 | 147.8 | 143.8 | 139.8 | **8,126.3** |
| DAY | 1962 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,040.0** |
| H2O | 1962 | 369.6 | 352.5 | 368.8 | 312.1 | 316.4 | 314.0 | 333.1 | 365.7 | 373.6 | 385.5 | 389.5 | 403.0 | **9,922.9** |
| OIL | 1962 | 197.0 | 172.9 | 187.7 | 190.7 | 195.1 | 189.9 | 176.5 | 180.2 | 176.5 | 167.8 | 163.4 | 172.4 | **6,425.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **678.0** |
| H2O | 1961 | 295.7 | 267.1 | 263.9 | 213.8 | 238.5 | 238.5 | 244.8 | 246.4 | 241.6 | 252.8 | 286.2 | 380.0 | **5,639.1** |
| OIL | 1961 | 195.9 | 178.1 | 195.5 | 170.0 | 186.7 | 190.7 | 183.5 | 197.0 | 178.0 | 193.1 | 203.4 | 212.9 | **4,255.1** |
| DAY | 1960 | 0.0 | 15.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | **316.0** |
| H2O | 1960 | 0.0 | 115.7 | 239.7 | 166.9 | 147.9 | 143.1 | 299.5 | 298.4 | 224.0 | 262.2 | 286.2 | 286.2 | **2,469.8** |
| OIL | 1960 | 0.0 | 120.8 | 187.4 | 175.1 | 130.3 | 79.0 | 236.9 | 241.9 | 190.5 | 207.7 | 204.4 | 196.3 | **1,970.3** |

Licence ***1751*** Well Name ***Kiwi Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-07-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 12.0 | 28.0 | 31.0 | 30.0 | 28.0 | 20.0 | 20.0 | 30.0 | 0.0 | 0.0 | 28.0 | 0.0 | **4,226.0** |
| H2O | 1974 | 970.2 | 1919.7 | 2090.2 | 2075.9 | 2078.8 | 949.1 | 612.7 | 890.9 | 0.0 | 0.0 | 0.0 | 0.0 | **113,072.9** |
| OIL | 1974 | 11.1 | 22.3 | 26.0 | 23.8 | 24.6 | 22.3 | 19.1 | 27.1 | 0.0 | 0.0 | 9.2 | 0.0 | **4,411.5** |
| DAY | 1973 | 21.0 | 28.0 | 31.0 | 30.0 | 24.0 | 29.0 | 20.0 | 21.0 | 30.0 | 31.0 | 27.0 | 31.0 | **3,999.0** |
| H2O | 1973 | 1252.0 | 1602.6 | 1774.1 | 1774.1 | 0.0 | 1885.2 | 1138.7 | 1151.9 | 1700.8 | 2284.6 | 2085.1 | 2090.2 | **101,485.4** |
| OIL | 1973 | 14.3 | 17.8 | 17.5 | 17.5 | 15.3 | 22.4 | 18.4 | 18.9 | 22.3 | 23.8 | 21.5 | 26.0 | **4,226.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 29.0 | 28.0 | 29.0 | 31.0 | 25.0 | 10.0 | 31.0 | 21.0 | 24.0 | **3,676.0** |
| H2O | 1972 | 1860.0 | 1728.9 | 1848.0 | 1788.4 | 1574.0 | 1728.9 | 1848.0 | 1490.5 | 596.2 | 1848.0 | 1235.4 | 1430.9 | **82,746.1** |
| OIL | 1972 | 30.3 | 27.9 | 26.3 | 24.6 | 22.3 | 23.1 | 26.3 | 17.5 | 8.7 | 24.6 | 16.1 | 18.9 | **3,990.3** |
| DAY | 1971 | 31.0 | 27.0 | 31.0 | 21.0 | 29.0 | 28.0 | 29.0 | 27.0 | 29.0 | 30.0 | 11.0 | 30.0 | **3,357.0** |
| H2O | 1971 | 443.6 | 386.3 | 443.6 | 1494.5 | 1672.5 | 1609.0 | 1653.5 | 1526.3 | 1581.9 | 1248.2 | 524.7 | 1748.8 | **63,768.9** |
| OIL | 1971 | 24.6 | 21.5 | 24.6 | 16.5 | 31.8 | 23.8 | 27.9 | 24.6 | 27.1 | 25.1 | 23.8 | 38.1 | **3,723.7** |
| DAY | 1970 | 30.0 | 19.0 | 26.0 | 24.0 | 6.0 | 23.0 | 13.0 | 8.0 | 0.0 | 0.0 | 26.0 | 31.0 | **3,034.0** |
| H2O | 1970 | 475.1 | 289.4 | 306.6 | 320.3 | 55.5 | 307.4 | 171.7 | 79.7 | 0.0 | 0.0 | 1957.1 | 430.9 | **49,436.0** |
| OIL | 1970 | 15.7 | 9.5 | 17.0 | 12.9 | 3.8 | 18.6 | 9.5 | 5.7 | 0.0 | 0.0 | 20.4 | 23.8 | **3,414.3** |
| DAY | 1969 | 0.0 | 28.0 | 31.0 | 25.0 | 30.0 | 30.0 | 29.0 | 5.0 | 19.0 | 28.0 | 29.0 | 27.0 | **2,828.0** |
| H2O | 1969 | 545.2 | 501.3 | 591.4 | 421.8 | 472.4 | 261.9 | 602.4 | 80.9 | 314.4 | 457.4 | 494.1 | 457.6 | **45,042.3** |
| OIL | 1969 | 18.6 | 17.2 | 22.3 | 21.5 | 26.8 | 23.1 | 22.3 | 3.8 | 16.9 | 21.5 | 17.8 | 15.9 | **3,277.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | 29.0 | 30.0 | 30.0 | 28.0 | 25.0 | 27.0 | 0.0 | **2,547.0** |
| H2O | 1968 | 688.4 | 612.1 | 611.9 | 575.1 | 581.1 | 498.7 | 499.1 | 531.7 | 508.0 | 457.9 | 478.1 | 482.5 | **39,841.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1751*** Well Name ***Kiwi Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-07-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1968 | 29.4 | 25.1 | 26.3 | 24.8 | 28.9 | 32.9 | 31.3 | 28.6 | 25.7 | 22.9 | 23.8 | 19.6 | **3,049.7** |
| DAY | 1967 | 31.0 | 28.0 | 28.0 | 12.0 | 24.0 | 13.0 | 23.0 | 31.0 | 30.0 | 26.0 | 29.0 | 28.0 | **2,229.0** |
| H2O | 1967 | 776.2 | 711.2 | 751.9 | 212.4 | 477.3 | 274.2 | 480.9 | 681.4 | 689.8 | 574.4 | 672.7 | 646.0 | **33,316.9** |
| OIL | 1967 | 45.4 | 39.8 | 31.2 | 10.2 | 29.5 | 14.5 | 27.9 | 31.5 | 30.8 | 25.1 | 35.0 | 34.1 | **2,730.4** |
| DAY | 1966 | 31.0 | 20.0 | 2.0 | 16.0 | 30.0 | 30.0 | 30.0 | 31.0 | 26.0 | 24.0 | 27.0 | 10.0 | **1,926.0** |
| H2O | 1966 | 518.5 | 383.0 | 34.0 | 204.0 | 322.6 | 318.5 | 265.3 | 306.9 | 273.2 | 313.7 | 612.7 | 243.6 | **26,368.5** |
| OIL | 1966 | 26.8 | 18.4 | 2.1 | 18.1 | 27.8 | 29.0 | 21.6 | 19.4 | 20.7 | 31.5 | 41.2 | 15.7 | **2,375.4** |
| DAY | 1965 | 5.0 | 26.0 | 30.0 | 8.0 | 21.0 | 25.0 | 31.0 | 31.0 | 28.0 | 11.0 | 30.0 | 31.0 | **1,649.0** |
| H2O | 1965 | 110.5 | 534.8 | 596.8 | 146.3 | 389.5 | 445.3 | 657.3 | 675.1 | 503.5 | 186.8 | 506.9 | 532.3 | **22,572.5** |
| OIL | 1965 | 4.5 | 23.4 | 24.2 | 6.5 | 25.1 | 26.0 | 30.3 | 29.7 | 29.7 | 11.8 | 26.8 | 27.4 | **2,103.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | 23.0 | 30.0 | 30.0 | 23.0 | 25.0 | 15.0 | 28.0 | **1,372.0** |
| H2O | 1964 | 622.4 | 563.0 | 558.5 | 496.7 | 592.1 | 379.6 | 588.6 | 620.8 | 519.1 | 513.7 | 314.4 | 632.8 | **17,287.4** |
| OIL | 1964 | 47.0 | 40.4 | 36.3 | 32.9 | 32.0 | 23.8 | 33.3 | 25.5 | 22.4 | 28.6 | 15.3 | 28.4 | **1,837.7** |
| DAY | 1963 | 0.0 | 0.0 | 26.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 23.0 | 26.0 | 31.0 | **1,049.0** |
| H2O | 1963 | 0.0 | 0.0 | 88.2 | 230.5 | 306.6 | 317.7 | 397.3 | 459.2 | 485.1 | 405.4 | 494.1 | 605.3 | **10,885.7** |
| OIL | 1963 | 0.0 | 0.0 | 36.3 | 46.9 | 55.2 | 43.2 | 43.0 | 47.0 | 46.1 | 34.1 | 41.9 | 53.9 | **1,471.8** |
| DAY | 1962 | 23.0 | 28.0 | 9.0 | 27.0 | 29.0 | 20.0 | 31.0 | 24.0 | 28.0 | 3.0 | 30.0 | 0.0 | **762.0** |
| H2O | 1962 | 292.4 | 311.5 | 89.0 | 309.9 | 367.1 | 253.5 | 405.4 | 327.4 | 349.6 | 38.2 | 38.2 | 0.0 | **7,096.3** |
| OIL | 1962 | 40.3 | 35.5 | 8.7 | 37.7 | 36.3 | 17.3 | 25.4 | 31.8 | 28.7 | 3.3 | 4.8 | 0.0 | **1,024.2** |
| DAY | 1961 | 31.0 | 24.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 21.0 | 0.0 | 10.0 | 27.0 | **510.0** |
| H2O | 1961 | 256.7 | 276.4 | 396.5 | 404.6 | 411.8 | 399.1 | 417.3 | 459.5 | 333.7 | 0.0 | 162.2 | 412.6 | **4,314.1** |
| OIL | 1961 | 58.2 | 30.8 | 56.1 | 43.4 | 41.8 | 43.5 | 38.9 | 40.9 | 21.6 | 0.0 | 17.5 | 28.9 | **754.4** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 10.0 | 10.0 | 22.0 | 30.0 | 26.0 | 28.0 | 30.0 | 29.0 | 30.0 | **215.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 24.3 | 16.1 | 36.1 | 29.9 | 26.6 | 31.8 | 32.1 | 54.2 | 132.6 | **383.7** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 40.9 | 18.3 | 28.9 | 37.7 | 27.1 | 31.8 | 29.7 | 36.9 | 81.5 | **332.8** |

Licence ***1753*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***103.02-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,782.0** |
| H2O | 1975 | 218.7 | 192.7 | 208.1 | 208.6 | 260.4 | 240.1 | 246.2 | 268.8 | 279.4 | 247.9 | 241.2 | 258.1 | **22,509.6** |
| OIL | 1975 | 110.3 | 97.8 | 109.5 | 104.3 | 114.9 | 111.5 | 108.3 | 118.9 | 114.3 | 89.4 | 85.5 | 86.6 | **24,655.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 29.0 | 25.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,417.0** |
| H2O | 1974 | 192.7 | 180.5 | 159.3 | 186.5 | 169.5 | 142.7 | 117.1 | 268.2 | 139.2 | 167.6 | 172.7 | 215.6 | **19,639.4** |
| OIL | 1974 | 118.4 | 109.9 | 104.6 | 108.1 | 99.5 | 107.5 | 21.6 | 136.1 | 105.1 | 121.5 | 122.9 | 110.3 | **23,404.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,064.0** |
| H2O | 1973 | 170.8 | 234.6 | 249.4 | 194.3 | 259.2 | 204.5 | 222.5 | 216.2 | 212.9 | 209.5 | 202.1 | 204.0 | **17,527.8** |
| OIL | 1973 | 155.0 | 182.7 | 190.0 | 175.4 | 189.2 | 159.8 | 167.9 | 151.8 | 139.0 | 139.3 | 123.1 | 121.6 | **22,139.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,700.0** |
| H2O | 1972 | 220.9 | 156.1 | 167.9 | 169.6 | 215.0 | 247.1 | 234.2 | 254.3 | 243.3 | 252.6 | 217.8 | 274.0 | **14,947.8** |
| OIL | 1972 | 200.2 | 175.8 | 186.7 | 171.7 | 186.7 | 189.4 | 194.6 | 201.1 | 195.1 | 191.4 | 184.9 | 220.7 | **20,244.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,337.0** |
| H2O | 1971 | 230.0 | 219.0 | 180.3 | 188.7 | 216.1 | 201.8 | 192.9 | 199.8 | 198.1 | 268.2 | 262.8 | 239.8 | **12,295.0** |
| OIL | 1971 | 197.7 | 176.5 | 179.6 | 177.3 | 181.6 | 174.9 | 178.2 | 173.6 | 159.8 | 183.6 | 182.7 | 178.9 | **17,945.9** |
| DAY | 1970 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,972.0** |
| H2O | 1970 | 258.8 | 225.7 | 206.0 | 211.5 | 208.9 | 202.6 | 207.5 | 213.7 | 157.4 | 156.8 | 180.9 | 182.5 | **9,697.5** |
| OIL | 1970 | 250.3 | 223.1 | 229.8 | 218.5 | 224.1 | 215.3 | 229.3 | 226.0 | 184.8 | 196.2 | 184.6 | 196.1 | **15,801.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,609.0** |
| H2O | 1969 | 163.3 | 127.9 | 135.1 | 134.8 | 119.2 | 143.8 | 154.5 | 155.1 | 156.6 | 158.4 | 159.5 | 117.4 | **7,285.2** |
| OIL | 1969 | 206.3 | 179.7 | 200.7 | 188.9 | 159.8 | 188.9 | 194.0 | 192.4 | 176.1 | 183.1 | 184.0 | 140.9 | **13,223.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,244.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1753*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***103.02-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1968 | 79.1 | 138.7 | 134.8 | 137.8 | 142.7 | 134.3 | 139.9 | 133.3 | 114.3 | 149.2 | 146.1 | 162.6 | **5,559.6** |
| OIL | 1968 | 164.8 | 207.1 | 205.5 | 181.8 | 180.4 | 179.2 | 187.3 | 187.0 | 165.7 | 195.0 | 182.6 | 207.9 | **11,028.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,879.0** |
| H2O | 1967 | 56.1 | 44.3 | 51.9 | 51.8 | 46.7 | 46.8 | 65.7 | 59.0 | 61.5 | 76.4 | 83.5 | 80.7 | **3,946.8** |
| OIL | 1967 | 85.1 | 79.1 | 88.8 | 83.1 | 80.2 | 88.8 | 109.0 | 107.5 | 110.2 | 125.7 | 143.8 | 163.3 | **8,784.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,516.0** |
| H2O | 1966 | 91.0 | 78.8 | 67.6 | 60.6 | 77.6 | 76.1 | 72.7 | 59.9 | 59.3 | 65.8 | 67.4 | 52.8 | **3,222.4** |
| OIL | 1966 | 137.9 | 125.2 | 106.7 | 105.5 | 103.9 | 102.0 | 103.9 | 102.4 | 100.7 | 103.1 | 82.3 | 80.5 | **7,519.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,151.0** |
| H2O | 1965 | 33.0 | 29.9 | 33.5 | 148.9 | 110.5 | 78.3 | 87.7 | 88.5 | 87.8 | 86.5 | 69.5 | 86.9 | **2,392.8** |
| OIL | 1965 | 55.2 | 49.3 | 54.0 | 142.7 | 135.4 | 116.8 | 118.5 | 144.7 | 163.5 | 144.1 | 93.9 | 137.9 | **6,265.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,788.0** |
| H2O | 1964 | 29.2 | 31.1 | 31.9 | 44.1 | 45.2 | 41.7 | 38.3 | 42.3 | 31.4 | 28.5 | 26.3 | 32.4 | **1,451.8** |
| OIL | 1964 | 72.7 | 67.9 | 68.4 | 55.1 | 59.7 | 64.0 | 58.4 | 59.7 | 54.3 | 55.9 | 50.6 | 53.3 | **4,909.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,422.0** |
| H2O | 1963 | 23.4 | 21.6 | 21.6 | 13.5 | 16.0 | 18.0 | 30.6 | 36.5 | 18.9 | 26.9 | 24.2 | 20.5 | **1,029.4** |
| OIL | 1963 | 66.7 | 66.0 | 70.5 | 59.4 | 68.9 | 61.1 | 64.3 | 65.2 | 68.6 | 72.9 | 64.1 | 70.5 | **4,189.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,057.0** |
| H2O | 1962 | 18.8 | 22.4 | 25.2 | 24.0 | 25.2 | 25.5 | 27.9 | 24.7 | 24.0 | 26.0 | 23.1 | 24.9 | **757.7** |
| OIL | 1962 | 74.1 | 70.6 | 75.9 | 73.5 | 73.2 | 76.4 | 79.7 | 70.2 | 71.6 | 73.0 | 67.5 | 64.9 | **3,391.4** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **692.0** |
| H2O | 1961 | 11.2 | 10.4 | 37.3 | 39.0 | 38.0 | 36.5 | 36.7 | 21.8 | 23.2 | 22.7 | 18.3 | 17.3 | **466.0** |
| OIL | 1961 | 101.7 | 90.4 | 85.0 | 85.0 | 98.3 | 83.4 | 93.7 | 82.7 | 83.7 | 81.5 | 75.7 | 73.7 | **2,520.8** |
| DAY | 1960 | 0.0 | 24.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **327.0** |
| H2O | 1960 | 0.0 | 5.6 | 14.6 | 10.1 | 9.1 | 9.7 | 44.4 | 14.7 | 10.4 | 11.9 | 11.2 | 11.9 | **153.6** |
| OIL | 1960 | 0.0 | 206.4 | 236.2 | 152.4 | 121.5 | 111.5 | 168.7 | 103.9 | 95.3 | 96.2 | 92.6 | 101.3 | **1,486.0** |

Licence ***1754*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-14-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 17.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,549.0** |
| H2O | 1975 | 1554.2 | 1448.3 | 1614.6 | 1564.8 | 1622.2 | 1506.7 | 834.3 | 1533.5 | 1509.4 | 1621.0 | 1625.9 | 1655.0 | **166,510.3** |
| OIL | 1975 | 175.6 | 158.3 | 173.7 | 164.9 | 168.0 | 158.6 | 90.1 | 168.8 | 163.7 | 169.2 | 163.8 | 166.4 | **35,366.6** |
| DAY | 1974 | 31.0 | 27.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,198.0** |
| H2O | 1974 | 1743.6 | 1506.2 | 1750.2 | 1696.7 | 1821.5 | 1739.5 | 1849.5 | 1696.9 | 1672.6 | 1556.7 | 1552.6 | 1554.5 | **148,420.4** |
| OIL | 1974 | 397.6 | 322.8 | 383.8 | 364.5 | 393.0 | 361.2 | 392.5 | 390.9 | 375.3 | 180.7 | 172.4 | 178.3 | **33,445.5** |
| DAY | 1973 | 27.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,836.0** |
| H2O | 1973 | 1547.7 | 1675.6 | 1832.8 | 1859.1 | 1852.9 | 1758.1 | 1745.5 | 1925.0 | 1768.9 | 1910.4 | 1803.4 | 1706.1 | **128,279.9** |
| OIL | 1973 | 334.8 | 333.0 | 374.4 | 371.7 | 381.7 | 365.0 | 374.2 | 409.7 | 364.9 | 398.5 | 381.4 | 377.6 | **29,532.5** |
| DAY | 1972 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 27.0 | 31.0 | 30.0 | 28.0 | **4,478.0** |
| H2O | 1972 | 1616.2 | 1586.6 | 1579.0 | 1568.3 | 1615.6 | 1621.0 | 1740.9 | 1649.4 | 1483.4 | 1768.6 | 1816.1 | 1667.8 | **106,894.4** |
| OIL | 1972 | 406.8 | 382.3 | 377.4 | 402.2 | 398.9 | 387.7 | 386.6 | 395.4 | 335.1 | 386.9 | 380.6 | 358.7 | **25,065.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 30.0 | 25.0 | 30.0 | 27.0 | 15.0 | **4,122.0** |
| H2O | 1971 | 1654.8 | 1501.2 | 1727.1 | 1733.3 | 1334.8 | 1728.7 | 1712.8 | 1598.1 | 1039.1 | 1522.4 | 1417.5 | 870.6 | **87,181.5** |
| OIL | 1971 | 221.0 | 195.6 | 216.3 | 205.5 | 161.6 | 204.2 | 208.8 | 198.3 | 142.2 | 193.2 | 176.5 | 94.4 | **20,467.0** |
| DAY | 1970 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 27.0 | 27.0 | 28.0 | 30.0 | 31.0 | **3,789.0** |
| H2O | 1970 | 1275.5 | 1307.8 | 1361.3 | 1264.0 | 1259.0 | 1202.8 | 1094.3 | 1133.8 | 1076.5 | 1545.9 | 1607.4 | 1786.9 | **69,341.1** |
| OIL | 1970 | 302.7 | 298.1 | 323.5 | 313.8 | 264.7 | 244.1 | 249.5 | 225.3 | 219.6 | 185.6 | 202.6 | 212.6 | **18,249.4** |
| DAY | 1969 | 25.0 | 28.0 | 27.0 | 23.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,436.0** |
| H2O | 1969 | 1138.6 | 1268.0 | 1062.9 | 954.7 | 1225.3 | 1237.5 | 1341.0 | 1388.2 | 1314.1 | 1470.2 | 1318.1 | 1446.4 | **53,425.9** |
| OIL | 1969 | 243.0 | 263.4 | 259.8 | 222.6 | 272.8 | 282.5 | 293.6 | 322.2 | 315.1 | 339.4 | 326.7 | 342.1 | **15,207.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1754*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-14-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **3,091.0** |
| H2O | 1968 | 646.3 | 585.9 | 644.2 | 669.5 | 539.2 | 781.8 | 842.2 | 769.3 | 771.7 | 839.8 | 801.4 | 824.1 | **38,260.9** |
| OIL | 1968 | 211.2 | 184.8 | 204.8 | 205.9 | 158.9 | 200.7 | 204.8 | 204.5 | 197.4 | 176.9 | 175.1 | 175.4 | **11,724.1** |
| DAY | 1967 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | 31.0 | 30.0 | 27.0 | 29.0 | 31.0 | **2,734.0** |
| H2O | 1967 | 804.8 | 694.9 | 853.3 | 774.7 | 758.6 | 725.2 | 415.3 | 780.0 | 684.1 | 617.7 | 610.8 | 666.5 | **29,545.5** |
| OIL | 1967 | 228.0 | 211.8 | 220.2 | 203.6 | 254.4 | 212.3 | 160.2 | 214.8 | 207.1 | 182.7 | 200.5 | 209.4 | **9,423.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 27.0 | 31.0 | **2,383.0** |
| H2O | 1966 | 316.3 | 243.6 | 344.4 | 415.7 | 482.2 | 342.0 | 341.9 | 229.9 | 202.7 | 817.8 | 723.8 | 863.4 | **21,159.6** |
| OIL | 1966 | 112.8 | 95.5 | 95.3 | 106.6 | 114.7 | 95.7 | 100.6 | 61.0 | 48.8 | 251.8 | 200.2 | 233.3 | **6,918.7** |
| DAY | 1965 | 31.0 | 28.0 | 29.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 26.0 | 31.0 | **2,026.0** |
| H2O | 1965 | 474.5 | 421.8 | 450.2 | 339.0 | 428.1 | 365.2 | 366.5 | 368.1 | 315.2 | 373.2 | 322.1 | 331.6 | **15,835.9** |
| OIL | 1965 | 42.7 | 38.9 | 39.4 | 32.7 | 41.0 | 95.0 | 99.0 | 98.2 | 81.8 | 101.4 | 81.0 | 113.9 | **5,402.4** |
| DAY | 1964 | 31.0 | 29.0 | 28.0 | 25.0 | 31.0 | 30.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,676.0** |
| H2O | 1964 | 183.1 | 215.5 | 216.2 | 235.2 | 297.4 | 287.2 | 311.1 | 337.7 | 323.9 | 323.8 | 418.0 | 472.8 | **11,280.4** |
| OIL | 1964 | 58.5 | 60.9 | 59.3 | 65.2 | 100.0 | 96.3 | 85.7 | 92.5 | 89.5 | 91.1 | 57.5 | 42.4 | **4,537.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,325.0** |
| H2O | 1963 | 135.9 | 143.1 | 151.8 | 177.7 | 130.2 | 145.6 | 163.3 | 131.6 | 130.5 | 140.2 | 176.9 | 180.8 | **7,658.5** |
| OIL | 1963 | 58.0 | 52.3 | 50.4 | 44.7 | 53.9 | 51.5 | 54.2 | 52.9 | 54.3 | 54.8 | 55.0 | 56.3 | **3,638.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **961.0** |
| H2O | 1962 | 166.0 | 154.4 | 192.8 | 178.5 | 180.6 | 174.4 | 170.7 | 189.8 | 153.7 | 152.5 | 112.7 | 137.7 | **5,850.9** |
| OIL | 1962 | 74.8 | 64.8 | 66.7 | 65.9 | 67.2 | 64.0 | 63.6 | 63.1 | 59.9 | 64.4 | 56.1 | 57.5 | **3,000.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **597.0** |
| H2O | 1961 | 276.8 | 192.7 | 206.2 | 168.0 | 178.5 | 217.2 | 208.3 | 188.7 | 180.1 | 169.8 | 176.8 | 178.2 | **3,887.1** |
| OIL | 1961 | 133.0 | 115.2 | 125.1 | 104.6 | 104.2 | 116.3 | 102.0 | 104.4 | 95.5 | 92.2 | 97.4 | 80.6 | **2,232.2** |
| DAY | 1960 | 0.0 | 0.0 | 19.0 | 5.0 | 14.0 | 27.0 | 25.0 | 21.0 | 29.0 | 31.0 | 30.0 | 31.0 | **232.0** |
| H2O | 1960 | 0.0 | 0.0 | 93.9 | 44.2 | 68.2 | 147.5 | 158.1 | 193.6 | 285.2 | 214.4 | 130.9 | 209.8 | **1,545.8** |
| OIL | 1960 | 0.0 | 0.0 | 103.0 | 19.5 | 35.1 | 116.5 | 130.1 | 86.1 | 116.3 | 124.4 | 123.8 | 106.9 | **961.7** |

Licence ***1755*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-21-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 27.0 | 0.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,767.0** |
| H2O | 1975 | 122.4 | 110.3 | 129.1 | 111.6 | 0.0 | 110.5 | 121.9 | 127.5 | 115.1 | 108.1 | 18.1 | 18.8 | **10,568.5** |
| OIL | 1975 | 55.6 | 50.5 | 56.1 | 47.2 | 0.0 | 46.6 | 54.0 | 55.1 | 55.9 | 56.3 | 27.7 | 28.4 | **9,656.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 17.0 | 18.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,438.0** |
| H2O | 1974 | 132.0 | 113.7 | 138.2 | 71.1 | 80.8 | 147.5 | 118.6 | 125.0 | 125.6 | 128.9 | 109.4 | 123.5 | **9,475.1** |
| OIL | 1974 | 50.2 | 49.7 | 55.3 | 30.2 | 31.5 | 51.3 | 53.9 | 56.6 | 53.4 | 55.1 | 50.5 | 55.1 | **9,122.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **4,100.0** |
| H2O | 1973 | 71.4 | 64.9 | 74.7 | 107.8 | 111.1 | 114.8 | 92.8 | 110.0 | 106.2 | 112.7 | 107.8 | 127.0 | **8,060.8** |
| OIL | 1973 | 51.2 | 45.1 | 50.5 | 55.3 | 54.3 | 52.4 | 49.6 | 53.7 | 49.6 | 51.6 | 50.2 | 48.9 | **8,530.0** |
| DAY | 1972 | 31.0 | 23.0 | 28.0 | 30.0 | 28.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,740.0** |
| H2O | 1972 | 65.5 | 50.2 | 59.8 | 53.6 | 52.0 | 51.4 | 53.7 | 82.4 | 78.9 | 67.4 | 64.7 | 59.6 | **6,859.6** |
| OIL | 1972 | 27.8 | 20.5 | 25.4 | 26.5 | 24.9 | 25.9 | 27.3 | 53.1 | 52.6 | 50.9 | 50.7 | 51.5 | **7,917.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 24.0 | 27.0 | 30.0 | 31.0 | 30.0 | 29.0 | **3,387.0** |
| H2O | 1971 | 59.1 | 58.7 | 63.3 | 65.2 | 64.2 | 55.8 | 38.0 | 56.8 | 58.8 | 64.4 | 58.0 | 56.6 | **6,120.4** |
| OIL | 1971 | 28.1 | 25.4 | 28.4 | 27.2 | 25.7 | 26.2 | 18.1 | 24.0 | 26.2 | 27.3 | 26.1 | 26.2 | **7,480.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 16.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,036.0** |
| H2O | 1970 | 66.1 | 62.8 | 76.6 | 69.2 | 72.5 | 69.8 | 31.8 | 57.6 | 62.8 | 63.0 | 54.4 | 50.1 | **5,421.5** |
| OIL | 1970 | 36.2 | 32.3 | 35.8 | 34.6 | 35.9 | 33.2 | 17.5 | 26.7 | 26.4 | 26.9 | 26.5 | 27.8 | **7,171.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 14.0 | 28.0 | 18.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,686.0** |
| H2O | 1969 | 74.2 | 60.6 | 73.8 | 34.5 | 70.7 | 45.5 | 72.0 | 72.5 | 69.2 | 73.0 | 69.2 | 74.1 | **4,684.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1755*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-21-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1969 | 36.4 | 31.1 | 35.3 | 17.0 | 31.8 | 21.1 | 32.6 | 35.9 | 33.8 | 35.6 | 33.1 | 36.2 | **6,811.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,354.0** |
| H2O | 1968 | 88.1 | 88.9 | 103.5 | 110.3 | 105.7 | 90.9 | 71.1 | 71.2 | 64.9 | 67.6 | 68.5 | 75.2 | **3,895.5** |
| OIL | 1968 | 51.6 | 47.0 | 52.4 | 55.3 | 54.8 | 51.2 | 36.4 | 35.8 | 35.6 | 34.6 | 34.5 | 36.9 | **6,431.9** |
| DAY | 1967 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 19.0 | 22.0 | 31.0 | **1,989.0** |
| H2O | 1967 | 95.2 | 78.4 | 88.7 | 86.5 | 93.8 | 85.8 | 84.6 | 92.8 | 95.5 | 55.8 | 81.2 | 95.2 | **2,889.6** |
| OIL | 1967 | 56.1 | 47.0 | 52.9 | 52.6 | 54.7 | 48.8 | 53.4 | 52.4 | 53.4 | 32.7 | 45.9 | 53.6 | **5,905.8** |
| DAY | 1966 | 31.0 | 28.0 | 25.0 | 30.0 | 31.0 | 30.0 | 21.0 | 31.0 | 30.0 | 30.0 | 27.0 | 31.0 | **1,646.0** |
| H2O | 1966 | 63.9 | 59.8 | 49.1 | 68.4 | 74.2 | 72.5 | 45.0 | 80.9 | 117.2 | 113.5 | 94.9 | 97.3 | **1,856.1** |
| OIL | 1966 | 127.8 | 112.5 | 114.7 | 42.0 | 209.9 | 180.7 | 118.1 | 178.1 | 60.4 | 62.6 | 51.6 | 55.9 | **5,302.3** |
| DAY | 1965 | 20.0 | 9.0 | 21.0 | 25.0 | 18.0 | 22.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,301.0** |
| H2O | 1965 | 10.0 | 8.3 | 21.1 | 30.0 | 17.8 | 31.0 | 37.5 | 60.9 | 43.6 | 47.5 | 48.8 | 52.9 | **919.4** |
| OIL | 1965 | 49.3 | 27.5 | 53.7 | 73.6 | 45.8 | 60.4 | 80.1 | 76.6 | 77.1 | 78.7 | 83.6 | 101.7 | **3,988.0** |
| DAY | 1964 | 6.0 | 8.0 | 7.0 | 9.0 | 8.0 | 19.0 | 21.0 | 20.0 | 18.0 | 19.0 | 17.0 | 12.0 | **1,002.0** |
| H2O | 1964 | 1.7 | 2.5 | 1.4 | 3.7 | 2.1 | 9.9 | 7.6 | 13.8 | 8.1 | 16.1 | 7.3 | 7.5 | **510.0** |
| OIL | 1964 | 17.5 | 23.5 | 18.3 | 24.6 | 18.4 | 99.5 | 104.1 | 102.0 | 91.5 | 98.0 | 96.0 | 69.6 | **3,179.9** |
| DAY | 1963 | 14.0 | 14.0 | 17.0 | 17.0 | 13.0 | 11.0 | 14.0 | 15.0 | 18.0 | 12.0 | 11.0 | 13.0 | **838.0** |
| H2O | 1963 | 6.0 | 6.5 | 10.0 | 12.1 | 16.4 | 14.0 | 6.7 | 7.2 | 5.7 | 4.3 | 4.6 | 3.3 | **428.3** |
| OIL | 1963 | 33.2 | 24.8 | 34.5 | 33.7 | 24.8 | 22.4 | 33.1 | 33.5 | 36.1 | 35.8 | 34.0 | 35.4 | **2,416.9** |
| DAY | 1962 | 20.0 | 18.0 | 20.0 | 19.0 | 20.0 | 22.0 | 23.0 | 24.0 | 20.0 | 19.0 | 21.0 | 17.0 | **669.0** |
| H2O | 1962 | 17.3 | 13.5 | 11.0 | 12.2 | 13.2 | 17.2 | 14.8 | 16.9 | 8.4 | 8.7 | 11.0 | 7.2 | **331.5** |
| OIL | 1962 | 48.0 | 43.2 | 47.4 | 39.4 | 40.7 | 42.9 | 53.1 | 60.1 | 48.9 | 36.9 | 42.4 | 35.0 | **2,035.6** |
| DAY | 1961 | 19.0 | 14.0 | 16.0 | 12.0 | 14.0 | 19.0 | 24.0 | 25.0 | 26.0 | 23.0 | 23.0 | 20.0 | **426.0** |
| H2O | 1961 | 3.8 | 7.5 | 8.1 | 4.1 | 7.5 | 6.8 | 11.4 | 11.3 | 11.8 | 11.0 | 17.2 | 14.1 | **180.1** |
| OIL | 1961 | 59.6 | 44.7 | 49.7 | 41.0 | 38.9 | 35.9 | 50.5 | 52.0 | 56.9 | 54.3 | 59.1 | 51.2 | **1,497.6** |
| DAY | 1960 | 0.0 | 0.0 | 13.0 | 11.0 | 14.0 | 22.0 | 22.0 | 26.0 | 24.0 | 20.0 | 22.0 | 17.0 | **191.0** |
| H2O | 1960 | 0.0 | 0.0 | 5.7 | 4.3 | 3.8 | 6.0 | 6.0 | 6.5 | 8.4 | 6.7 | 6.2 | 11.9 | **65.5** |
| OIL | 1960 | 0.0 | 0.0 | 85.8 | 55.6 | 46.6 | 110.6 | 80.4 | 119.2 | 160.2 | 108.1 | 80.4 | 56.9 | **903.8** |

Licence ***1758*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,722.0** |
| H2O | 1975 | 138.3 | 127.0 | 141.5 | 137.4 | 142.3 | 136.1 | 136.6 | 101.3 | 99.7 | 107.0 | 107.5 | 109.2 | **11,849.7** |
| OIL | 1975 | 182.3 | 162.1 | 177.8 | 168.8 | 171.9 | 167.0 | 171.9 | 164.8 | 159.9 | 165.4 | 159.9 | 162.4 | **32,192.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 29.0 | 28.0 | 31.0 | **5,357.0** |
| H2O | 1974 | 97.1 | 90.0 | 100.6 | 118.1 | 122.1 | 117.3 | 115.6 | 111.6 | 112.1 | 110.2 | 128.1 | 137.4 | **10,365.8** |
| OIL | 1974 | 165.1 | 143.8 | 164.6 | 152.9 | 158.9 | 146.8 | 147.9 | 155.1 | 151.8 | 149.5 | 166.1 | 183.5 | **30,178.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **4,998.0** |
| H2O | 1973 | 95.9 | 92.0 | 98.7 | 98.4 | 104.8 | 100.8 | 87.1 | 109.1 | 107.2 | 95.5 | 100.5 | 97.3 | **9,005.6** |
| OIL | 1973 | 188.9 | 166.5 | 183.5 | 179.4 | 161.1 | 156.0 | 139.4 | 173.1 | 164.8 | 148.7 | 158.4 | 160.7 | **28,292.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,639.0** |
| H2O | 1972 | 90.5 | 88.1 | 96.7 | 86.0 | 116.7 | 116.2 | 128.8 | 107.0 | 108.3 | 118.0 | 107.2 | 108.9 | **7,818.3** |
| OIL | 1972 | 164.0 | 152.9 | 166.4 | 158.8 | 167.7 | 161.8 | 166.7 | 168.0 | 162.1 | 170.8 | 171.3 | 178.8 | **26,311.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 27.0 | 28.0 | 31.0 | **4,273.0** |
| H2O | 1971 | 125.0 | 113.4 | 97.0 | 97.3 | 97.6 | 92.0 | 92.2 | 88.9 | 79.6 | 75.0 | 96.2 | 127.7 | **6,545.9** |
| OIL | 1971 | 177.5 | 156.8 | 136.3 | 129.5 | 132.5 | 121.7 | 144.8 | 142.1 | 140.0 | 122.5 | 155.9 | 180.5 | **24,322.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,915.0** |
| H2O | 1970 | 111.0 | 105.6 | 110.7 | 102.1 | 105.1 | 41.5 | 39.7 | 44.8 | 40.9 | 43.2 | 39.4 | 135.0 | **5,364.0** |
| OIL | 1970 | 224.7 | 205.5 | 224.1 | 216.3 | 223.1 | 198.0 | 213.4 | 209.8 | 195.9 | 211.4 | 202.8 | 170.7 | **22,582.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 28.0 | 31.0 | **3,550.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1758*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1969 | 65.2 | 59.1 | 55.6 | 56.6 | 62.5 | 59.6 | 64.7 | 47.1 | 39.1 | 48.0 | 39.1 | 116.9 | **4,445.0** |
| OIL | 1969 | 209.1 | 184.8 | 203.9 | 198.8 | 204.2 | 200.4 | 208.2 | 188.6 | 162.4 | 192.3 | 167.5 | 235.8 | **20,086.6** |
| DAY | 1968 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,190.0** |
| H2O | 1968 | 78.7 | 74.7 | 71.5 | 81.4 | 78.5 | 71.9 | 79.8 | 72.8 | 57.6 | 63.3 | 58.5 | 62.0 | **3,731.5** |
| OIL | 1968 | 262.8 | 241.4 | 233.3 | 256.6 | 226.8 | 223.0 | 228.7 | 228.5 | 208.2 | 226.6 | 202.9 | 208.8 | **17,730.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | **2,828.0** |
| H2O | 1967 | 32.6 | 26.9 | 32.3 | 38.5 | 38.6 | 39.7 | 31.3 | 41.8 | 32.6 | 33.7 | 26.7 | 81.6 | **2,880.8** |
| OIL | 1967 | 147.2 | 130.9 | 146.8 | 148.4 | 153.0 | 134.4 | 139.5 | 138.3 | 131.1 | 132.8 | 120.6 | 262.7 | **14,983.0** |
| DAY | 1966 | 31.0 | 28.0 | 26.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,466.0** |
| H2O | 1966 | 17.3 | 13.8 | 14.8 | 18.1 | 33.9 | 29.9 | 27.3 | 27.8 | 31.3 | 32.1 | 31.8 | 33.5 | **2,424.5** |
| OIL | 1966 | 143.8 | 126.7 | 117.6 | 137.0 | 151.4 | 145.4 | 139.8 | 143.0 | 138.7 | 143.7 | 141.0 | 144.3 | **13,197.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,108.0** |
| H2O | 1965 | 29.3 | 26.1 | 29.7 | 25.8 | 28.5 | 27.5 | 27.7 | 27.8 | 28.0 | 38.2 | 39.0 | 18.1 | **2,112.9** |
| OIL | 1965 | 149.2 | 136.0 | 147.2 | 141.6 | 149.4 | 151.3 | 157.8 | 156.2 | 147.9 | 153.8 | 145.4 | 145.6 | **11,524.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,743.0** |
| H2O | 1964 | 16.5 | 14.8 | 16.7 | 15.3 | 23.5 | 22.7 | 20.2 | 21.3 | 20.5 | 26.5 | 27.3 | 29.1 | **1,767.2** |
| OIL | 1964 | 116.2 | 109.8 | 118.5 | 109.8 | 171.1 | 164.5 | 125.5 | 132.2 | 128.1 | 140.8 | 137.9 | 147.9 | **9,743.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,379.0** |
| H2O | 1963 | 14.9 | 16.2 | 17.3 | 5.9 | 6.2 | 6.5 | 7.3 | 7.6 | 8.6 | 8.1 | 16.1 | 16.4 | **1,512.8** |
| OIL | 1963 | 138.3 | 132.7 | 141.9 | 115.1 | 118.7 | 117.4 | 127.4 | 124.4 | 122.5 | 130.6 | 109.0 | 111.6 | **8,141.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,014.0** |
| H2O | 1962 | 37.4 | 50.2 | 49.3 | 61.8 | 13.7 | 25.4 | 26.2 | 29.9 | 24.5 | 20.3 | 18.8 | 16.5 | **1,381.7** |
| OIL | 1962 | 175.9 | 158.8 | 176.4 | 175.9 | 166.1 | 149.5 | 152.2 | 151.0 | 144.8 | 143.8 | 137.3 | 141.9 | **6,651.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **649.0** |
| H2O | 1961 | 43.2 | 33.2 | 19.7 | 18.3 | 41.3 | 31.2 | 26.2 | 14.0 | 10.5 | 30.4 | 49.9 | 43.1 | **1,007.7** |
| OIL | 1961 | 225.5 | 192.6 | 215.0 | 202.9 | 210.1 | 213.1 | 206.1 | 200.9 | 191.8 | 202.9 | 177.2 | 182.9 | **4,778.0** |
| DAY | 1960 | 0.0 | 0.0 | 18.0 | 30.0 | 31.0 | 22.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **284.0** |
| H2O | 1960 | 0.0 | 0.0 | 56.4 | 73.9 | 68.5 | 47.5 | 70.0 | 84.1 | 72.0 | 61.2 | 63.8 | 49.3 | **646.7** |
| OIL | 1960 | 0.0 | 0.0 | 143.3 | 219.8 | 253.6 | 168.8 | 234.1 | 259.0 | 241.4 | 288.4 | 281.0 | 267.6 | **2,357.0** |

Licence ***1759*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-36-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 27.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,664.0** |
| H2O | 1972 | 4294.3 | 4062.3 | 4367.5 | 3938.7 | 1631.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **250,011.0** |
| OIL | 1972 | 67.7 | 62.6 | 66.6 | 60.4 | 22.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **14,011.3** |
| DAY | 1971 | 31.0 | 24.0 | 25.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,536.0** |
| H2O | 1971 | 5845.2 | 4426.0 | 4311.2 | 4894.2 | 6348.9 | 5860.0 | 6339.2 | 5896.1 | 5530.4 | 4147.9 | 4061.8 | 4274.0 | **231,716.6** |
| OIL | 1971 | 140.5 | 102.7 | 107.7 | 129.5 | 101.5 | 91.2 | 106.0 | 97.4 | 95.2 | 28.8 | 64.5 | 70.4 | **13,731.2** |
| DAY | 1970 | 31.0 | 28.0 | 30.0 | 28.0 | 31.0 | 22.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,185.0** |
| H2O | 1970 | 5920.4 | 4547.8 | 4589.9 | 4410.3 | 5093.9 | 3544.3 | 5431.2 | 5288.6 | 5601.3 | 5599.6 | 5445.5 | 4923.5 | **169,781.7** |
| OIL | 1970 | 245.0 | 229.9 | 225.5 | 195.0 | 247.3 | 163.8 | 189.9 | 155.4 | 160.3 | 123.5 | 139.2 | 136.2 | **12,595.8** |
| DAY | 1969 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 25.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,834.0** |
| H2O | 1969 | 4130.0 | 3307.3 | 3428.4 | 4103.0 | 3933.3 | 4280.4 | 3476.6 | 3699.9 | 3397.4 | 3791.8 | 3843.0 | 5821.2 | **109,385.4** |
| OIL | 1969 | 266.0 | 208.0 | 205.3 | 228.5 | 216.1 | 227.9 | 161.9 | 187.8 | 177.5 | 218.2 | 146.8 | 254.7 | **10,384.8** |
| DAY | 1968 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 27.0 | 18.0 | 27.0 | 30.0 | 31.0 | **1,480.0** |
| H2O | 1968 | 2372.6 | 2073.4 | 4147.8 | 3916.9 | 3498.0 | 4035.7 | 3462.6 | 3287.5 | 1917.3 | 3679.4 | 3962.3 | 4065.3 | **62,173.1** |
| OIL | 1968 | 262.4 | 231.8 | 482.6 | 375.3 | 343.2 | 397.4 | 318.1 | 267.0 | 141.3 | 244.1 | 263.9 | 260.6 | **7,886.1** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,139.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 320.3 | 518.1 | 2918.1 | 2849.1 | 2110.8 | **21,754.3** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.2 | 69.6 | 325.9 | 303.0 | 242.8 | **4,298.4** |

# Manitoba Production
## 1950 To 1975

Licence ***1759*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-36-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 31.0 | 30.0 | 29.0 | 0.0 | 0.0 | **1,000.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 204.1 | 404.9 | 466.3 | 465.7 | 0.0 | 0.0 | **13,037.9** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.6 | 19.1 | 11.8 | 13.3 | 0.0 | 0.0 | **3,347.9** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 31.0 | 20.0 | 0.0 | 0.0 | 0.0 | **900.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 548.2 | 545.0 | 253.7 | 0.0 | 0.0 | 0.0 | **11,496.9** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 15.7 | 1.6 | 0.0 | 0.0 | 0.0 | **3,288.1** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 30.0 | 30.0 | 24.0 | 30.0 | 0.0 | 0.0 | 0.0 | **820.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 59.5 | 599.4 | 523.2 | 460.4 | 569.3 | 0.0 | 0.0 | 0.0 | **10,150.0** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 1.7 | 27.3 | 26.1 | 17.5 | 26.1 | 0.0 | 0.0 | 0.0 | **3,249.8** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 27.0 | 30.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | **703.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 70.0 | 542.1 | 576.6 | 87.8 | 0.0 | 0.0 | 0.0 | 0.0 | **7,938.2** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 12.7 | 34.8 | 33.8 | 6.4 | 0.0 | 0.0 | 0.0 | 0.0 | **3,151.1** |
| DAY | 1961 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 28.0 | **637.0** |
| H2O | 1961 | 416.1 | 467.1 | 476.3 | 425.1 | 448.8 | 431.5 | 437.4 | 411.1 | 368.0 | 342.4 | 330.0 | 273.6 | **6,661.7** |
| OIL | 1961 | 153.7 | 143.3 | 136.7 | 102.5 | 89.9 | 69.8 | 64.8 | 49.7 | 41.3 | 38.1 | 27.7 | 17.6 | **3,063.4** |
| DAY | 1960 | 0.0 | 0.0 | 13.0 | 30.0 | 29.0 | 24.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **278.0** |
| H2O | 1960 | 0.0 | 0.0 | 25.6 | 86.2 | 40.5 | 153.7 | 136.4 | 144.2 | 209.4 | 255.5 | 354.0 | 428.8 | **1,834.3** |
| OIL | 1960 | 0.0 | 0.0 | 164.3 | 271.7 | 234.9 | 168.9 | 259.3 | 209.8 | 196.1 | 202.0 | 210.4 | 210.9 | **2,128.3** |

Licence ***1760*** Well Name ***Kiwi Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-07-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,095.0** |
| OIL | 1975 | 3.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,874.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 20.0 | 20.0 | 30.0 | 30.0 | 20.0 | 20.0 | 31.0 | **2,090.0** |
| H2O | 1974 | 1711.4 | 1548.3 | 1711.4 | 1683.6 | 1685.0 | 846.3 | 603.4 | 846.3 | 845.9 | 0.0 | 0.0 | 0.0 | **70,333.9** |
| OIL | 1974 | 29.7 | 27.5 | 29.7 | 28.6 | 29.7 | 18.4 | 15.9 | 25.8 | 25.8 | 15.6 | 15.6 | 25.3 | **1,871.6** |
| DAY | 1973 | 30.0 | 28.0 | 31.0 | 29.0 | 26.0 | 29.0 | 20.0 | 21.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,769.0** |
| H2O | 1973 | 1430.9 | 1335.5 | 1478.6 | 1478.6 | 0.0 | 1492.3 | 947.9 | 963.4 | 1493.4 | 1767.2 | 1710.6 | 1714.1 | **58,852.3** |
| OIL | 1973 | 18.3 | 16.7 | 16.5 | 16.5 | 12.7 | 18.1 | 18.6 | 19.1 | 23.7 | 26.1 | 25.1 | 29.9 | **1,584.0** |
| DAY | 1972 | 0.0 | 29.0 | 31.0 | 23.0 | 21.0 | 29.0 | 31.0 | 26.0 | 10.0 | 31.0 | 30.0 | 24.0 | **1,433.0** |
| H2O | 1972 | 0.0 | 2074.7 | 2217.8 | 1645.4 | 1502.3 | 1383.2 | 1478.6 | 1240.1 | 477.0 | 1478.6 | 1430.9 | 1144.7 | **43,039.8** |
| OIL | 1972 | 0.0 | 39.8 | 20.7 | 15.9 | 19.9 | 19.1 | 21.5 | 18.3 | 7.9 | 24.6 | 23.8 | 16.7 | **1,342.7** |
| DAY | 1971 | 29.0 | 28.0 | 31.0 | 21.0 | 29.0 | 20.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,148.0** |
| H2O | 1971 | 1613.6 | 1542.1 | 1836.2 | 1184.5 | 1383.2 | 1112.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **26,966.5** |
| OIL | 1971 | 42.0 | 44.4 | 29.6 | 25.4 | 27.8 | 12.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,114.5** |
| DAY | 1970 | 31.0 | 27.0 | 29.0 | 25.0 | 6.0 | 20.0 | 22.0 | 24.0 | 0.0 | 0.0 | 26.0 | 27.0 | **990.0** |
| H2O | 1970 | 443.3 | 391.1 | 422.1 | 366.6 | 84.7 | 297.1 | 180.1 | 321.0 | 0.0 | 0.0 | 1993.6 | 1419.0 | **18,294.0** |
| OIL | 1970 | 14.9 | 13.2 | 10.7 | 10.5 | 2.9 | 12.7 | 11.4 | 15.9 | 0.0 | 0.0 | 21.0 | 38.1 | **932.6** |
| DAY | 1969 | 0.0 | 28.0 | 8.0 | 7.0 | 19.0 | 15.0 | 29.0 | 3.0 | 19.0 | 24.0 | 29.0 | 29.0 | **753.0** |
| H2O | 1969 | 478.1 | 418.8 | 115.4 | 84.4 | 107.5 | 166.0 | 386.3 | 40.7 | 252.9 | 266.5 | 385.5 | 394.0 | **12,375.4** |
| OIL | 1969 | 15.4 | 5.7 | 1.6 | 6.5 | 4.5 | 13.4 | 16.9 | 2.5 | 17.6 | 15.1 | 15.7 | 14.9 | **781.3** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 5.0 | 23.0 | 25.0 | 27.0 | 29.0 | 28.0 | 25.0 | 17.0 | 0.0 | **543.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 31.6 | 286.0 | 331.6 | 432.4 | 442.9 | 416.4 | 402.6 | 232.4 | 441.7 | **9,279.3** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 10.5 | 21.5 | 22.6 | 26.1 | 19.7 | 24.2 | 17.5 | 13.0 | 15.9 | **651.5** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 0.0 | 0.0 | 0.0 | 0.0 | **364.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.7 | 0.0 | 0.0 | 0.0 | 0.0 | **6,261.7** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.1 | 0.0 | 0.0 | 0.0 | 0.0 | **480.5** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 5.0 | 1.0 | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | **353.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 11.9 | 49.1 | 1.6 | 12.7 | 3.7 | 0.0 | 0.0 | 0.0 | **6,249.0** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 10.2 | 8.4 | 0.6 | 3.8 | 2.7 | 0.0 | 0.0 | 0.0 | **471.4** |

# Manitoba Production
## 1950 To 1975

Licence ***1760*** Well Name ***Kiwi Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-07-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 2.0 | 5.0 | 7.0 | 5.0 | 1.0 | 0.0 | 0.0 | **342.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 60.1 | 19.9 | 52.1 | 124.6 | 132.4 | 9.4 | 0.0 | 0.0 | **6,170.0** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 9.4 | 3.2 | 8.3 | 13.0 | 9.9 | 2.1 | 0.0 | 0.0 | **445.7** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 3.0 | 9.0 | 7.0 | 11.0 | 8.0 | 3.0 | 4.0 | 5.0 | 0.0 | **318.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 19.2 | 108.4 | 122.4 | 230.4 | 160.6 | 61.5 | 40.2 | 87.4 | 0.0 | **5,771.5** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 6.0 | 11.0 | 12.6 | 11.8 | 9.7 | 6.2 | 7.0 | 5.7 | 0.0 | **399.8** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 13.0 | 1.0 | 1.0 | 2.0 | 0.0 | **268.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 76.2 | 254.1 | 13.2 | 16.7 | 41.3 | 0.0 | **4,941.4** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.7 | 9.4 | 3.7 | 3.7 | 5.7 | 0.0 | **329.8** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 0.0 | 17.0 | 24.0 | 15.0 | 0.0 | 0.0 | 0.0 | **243.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 238.5 | 0.0 | 647.0 | 771.0 | 230.5 | 0.0 | 0.0 | 0.0 | **4,539.9** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 7.6 | 0.0 | 41.0 | 35.9 | 11.8 | 0.0 | 0.0 | 0.0 | **293.6** |
| DAY | 1961 | 18.0 | 14.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 21.0 | 0.0 | 0.0 | 0.0 | **178.0** |
| H2O | 1961 | 362.0 | 274.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 642.2 | 383.2 | 0.0 | 0.0 | 0.0 | **2,652.9** |
| OIL | 1961 | 12.6 | 6.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.1 | 9.5 | 0.0 | 0.0 | 0.0 | **197.3** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 16.0 | 14.0 | 13.0 | 4.0 | 20.0 | 22.0 | **101.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.3 | 54.2 | 101.1 | 97.0 | 41.0 | 367.4 | 323.1 | **991.1** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.8 | 25.3 | 16.4 | 9.5 | 13.0 | 24.6 | 27.7 | **147.3** |

Licence ***1761*** Well Name ***Sarnoil North Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-07-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **41.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 49.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **252.0** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **21.8** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 4.0 | 15.0 | 13.0 | 0.0 | 0.0 | 0.0 | **37.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.9 | 31.8 | 89.0 | 66.0 | 0.0 | 0.0 | 0.0 | **202.7** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 4.3 | 5.5 | 3.8 | 0.0 | 0.0 | 0.0 | **19.6** |

Licence ***1763*** Well Name ***Virden Roselea Unit No. 2 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-06-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 4878.8 | 4613.9 | 5365.3 | 4057.0 | 4237.9 | 4079.3 | 3572.4 | 4066.4 | 3853.7 | 3833.2 | 3762.6 | 3954.0 | **477,651.7** |
| WIN | 1974 | 3911.2 | 4302.6 | 4686.3 | 4304.1 | 4576.9 | 4606.1 | 4664.3 | 5062.6 | 4677.0 | 4322.5 | 4602.8 | 5618.4 | **427,377.2** |
| WIN | 1973 | 6577.5 | 5539.0 | 5801.3 | 4693.2 | 2098.1 | 2269.8 | 2522.7 | 2820.5 | 1952.4 | 3250.5 | 3320.0 | 3408.8 | **372,042.4** |
| WIN | 1972 | 5273.7 | 5696.6 | 6533.9 | 6798.9 | 5458.7 | 5461.8 | 5703.1 | 5818.0 | 5584.2 | 5932.2 | 5734.1 | 5579.1 | **327,788.6** |
| WIN | 1971 | 7117.2 | 5000.1 | 3863.7 | 5086.1 | 6103.9 | 7097.2 | 7153.8 | 7246.9 | 6655.7 | 7182.7 | 5007.4 | 4872.4 | **258,214.3** |
| WIN | 1970 | 2952.9 | 3396.8 | 4306.8 | 4847.6 | 6244.1 | 5363.2 | 5754.8 | 5246.0 | 4277.7 | 4335.7 | 5117.1 | 5425.5 | **185,827.2** |
| WIN | 1969 | 3719.8 | 1694.2 | 1979.1 | 1796.0 | 2013.6 | 2966.7 | 3635.9 | 2917.6 | 2194.1 | 3867.2 | 4437.6 | 4933.6 | **128,559.0** |
| WIN | 1968 | 3134.9 | 3489.1 | 4304.1 | 4641.4 | 4598.0 | 4271.2 | 3357.8 | 3248.3 | 2515.2 | 4219.5 | 4227.3 | 5077.0 | **92,403.6** |
| WIN | 1967 | 2690.3 | 2552.3 | 2991.0 | 2643.5 | 3251.1 | 3300.3 | 3625.9 | 3858.4 | 3490.9 | 3909.6 | 4087.2 | 3887.4 | **45,319.8** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 3.0 | 0.0 | 0.0 | **2,348.0** |
| H2O | 1966 | 308.4 | 273.5 | 328.5 | 300.5 | 318.0 | 184.1 | 169.0 | 165.2 | 153.1 | 13.5 | 0.0 | 0.0 | **14,228.4** |
| OIL | 1966 | 117.3 | 103.8 | 111.7 | 114.9 | 109.6 | 103.1 | 104.4 | 93.8 | 105.8 | 9.4 | 0.0 | 0.0 | **10,692.9** |
| WIN | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 556.6 | 2021.1 | 2454.2 | **5,031.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,072.0** |
| H2O | 1965 | 153.3 | 91.9 | 82.7 | 85.5 | 74.6 | 68.5 | 76.3 | 310.0 | 278.4 | 300.8 | 271.7 | 312.2 | **12,014.6** |
| OIL | 1965 | 101.5 | 92.5 | 93.8 | 87.9 | 94.7 | 92.3 | 87.6 | 154.9 | 118.5 | 120.5 | 103.5 | 119.7 | **9,719.1** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,711.0** |
| H2O | 1964 | 83.5 | 76.3 | 82.0 | 148.2 | 143.2 | 111.6 | 61.5 | 58.3 | 100.0 | 108.1 | 124.8 | 116.7 | **9,908.7** |
| OIL | 1964 | 114.7 | 104.6 | 112.0 | 107.6 | 110.4 | 90.1 | 67.1 | 64.2 | 103.5 | 109.5 | 99.0 | 100.9 | **8,451.7** |

# Manitoba Production
## 1950 To 1975

Licence ***1763*** Well Name ***Virden Roselea Unit No. 2 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-06-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,346.0** |
| H2O | 1963 | 176.0 | 145.5 | 128.3 | 149.1 | 184.3 | 282.2 | 123.5 | 129.4 | 64.7 | 146.7 | 72.8 | 81.4 | **8,694.5** |
| OIL | 1963 | 139.7 | 115.5 | 148.7 | 123.9 | 92.6 | 65.8 | 107.1 | 99.8 | 64.8 | 114.7 | 51.8 | 113.9 | **7,268.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **984.0** |
| H2O | 1962 | 241.6 | 227.3 | 145.6 | 165.7 | 207.9 | 190.8 | 196.7 | 139.7 | 178.2 | 191.7 | 170.7 | 177.9 | **7,010.6** |
| OIL | 1962 | 185.0 | 163.4 | 147.0 | 151.3 | 186.9 | 154.1 | 152.1 | 137.0 | 153.3 | 140.2 | 141.0 | 141.0 | **6,029.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **619.0** |
| H2O | 1961 | 398.7 | 379.3 | 402.1 | 232.0 | 185.5 | 297.0 | 243.1 | 227.0 | 151.5 | 175.0 | 265.8 | 236.1 | **4,776.8** |
| OIL | 1961 | 257.9 | 217.9 | 242.5 | 185.3 | 147.5 | 219.6 | 241.2 | 220.6 | 150.0 | 152.9 | 181.3 | 186.9 | **4,177.5** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 28.0 | 30.0 | 27.0 | 30.0 | 23.0 | 30.0 | 30.0 | 30.0 | 31.0 | **259.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 114.9 | 166.6 | 118.4 | 136.6 | 85.5 | 164.1 | 209.1 | 182.0 | 406.5 | **1,583.7** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 161.1 | 244.4 | 235.0 | 234.1 | 149.2 | 182.9 | 152.2 | 150.6 | 264.4 | **1,773.9** |

Licence ***1764*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-36-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 31.0 | 16.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,475.0** |
| H2O | 1973 | 4.8 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,215.1** |
| OIL | 1973 | 22.7 | 11.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,653.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 10.0 | 30.0 | 31.0 | **3,428.0** |
| H2O | 1972 | 8.3 | 7.8 | 8.4 | 16.9 | 20.5 | 21.0 | 21.6 | 20.7 | 17.5 | 6.4 | 4.9 | 5.1 | **4,207.9** |
| OIL | 1972 | 14.0 | 12.9 | 13.8 | 13.2 | 14.5 | 14.3 | 14.6 | 12.1 | 10.5 | 4.1 | 21.3 | 22.4 | **2,619.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 28.0 | 23.0 | 30.0 | 28.0 | 23.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,090.0** |
| H2O | 1971 | 38.3 | 35.9 | 35.8 | 31.8 | 25.9 | 35.6 | 32.1 | 25.3 | 7.0 | 8.4 | 7.9 | 8.3 | **4,048.8** |
| OIL | 1971 | 8.7 | 7.8 | 8.4 | 7.8 | 6.5 | 8.6 | 8.4 | 6.5 | 12.4 | 14.5 | 13.5 | 14.5 | **2,452.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 28.0 | 26.0 | 31.0 | **2,748.0** |
| H2O | 1970 | 34.2 | 32.7 | 36.4 | 35.8 | 36.4 | 35.5 | 33.5 | 36.4 | 35.0 | 34.3 | 30.7 | 32.9 | **3,756.5** |
| OIL | 1970 | 8.7 | 7.6 | 8.4 | 8.1 | 8.9 | 8.4 | 9.1 | 8.4 | 7.9 | 7.0 | 7.3 | 8.6 | **2,334.5** |
| DAY | 1969 | 31.0 | 27.0 | 31.0 | 30.0 | 14.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **2,391.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 32.6 | **3,342.7** |
| OIL | 1969 | 8.9 | 7.5 | 8.4 | 8.4 | 3.5 | 8.7 | 8.1 | 8.1 | 7.9 | 8.6 | 8.4 | 8.4 | **2,236.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,046.0** |
| OIL | 1968 | 11.0 | 10.6 | 10.5 | 10.0 | 10.5 | 8.7 | 8.6 | 8.4 | 8.7 | 9.4 | 8.6 | 8.7 | **2,141.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,680.0** |
| OIL | 1967 | 12.1 | 11.4 | 12.2 | 11.8 | 9.7 | 11.4 | 10.6 | 11.1 | 12.1 | 11.4 | 10.5 | 11.6 | **2,027.5** |
| DAY | 1966 | 30.0 | 0.0 | 0.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,326.0** |
| H2O | 1966 | 12.7 | 0.0 | 0.0 | 6.2 | 8.4 | 8.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,310.1** |
| OIL | 1966 | 31.0 | 0.0 | 0.0 | 25.4 | 17.5 | 16.0 | 9.9 | 9.5 | 10.5 | 9.9 | 10.6 | 11.4 | **1,891.6** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 6.0 | 15.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,024.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 7.2 | 6.4 | 9.5 | 14.3 | 23.1 | **3,274.4** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 5.9 | 6.2 | 12.4 | 47.4 | 36.9 | 34.2 | 29.1 | 28.9 | **1,739.9** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 4.0 | 4.0 | 0.0 | 30.0 | 31.0 | 30.0 | 0.0 | **846.0** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 5.7 | 4.9 | 5.7 | 0.0 | 19.1 | 18.1 | 17.0 | 0.0 | **1,538.9** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 20.0 | 24.0 | 9.0 | 1.0 | 0.0 | 0.0 | **743.0** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.2 | 11.9 | 11.4 | 9.2 | 1.4 | 0.0 | 0.0 | **1,468.4** |
| DAY | 1962 | 8.0 | 0.0 | 0.0 | 12.0 | 31.0 | 11.0 | 31.0 | 31.0 | 11.0 | 30.0 | 20.0 | 8.0 | **676.0** |
| OIL | 1962 | 1.9 | 0.0 | 0.0 | 12.4 | 11.1 | 3.8 | 9.5 | 9.9 | 3.8 | 10.6 | 6.7 | 7.3 | **1,425.3** |
| DAY | 1961 | 21.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 15.0 | 8.0 | 24.0 | 28.0 | 27.0 | 18.0 | **483.0** |
| H2O | 1961 | 174.4 | 225.0 | 241.5 | 215.9 | 182.0 | 145.5 | 38.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,212.3** |
| OIL | 1961 | 82.3 | 97.4 | 61.2 | 56.1 | 42.3 | 31.0 | 11.0 | 10.8 | 16.7 | 18.8 | 16.7 | 13.3 | **1,348.3** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **194.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1764*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-36-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 47.8 | 235.0 | 290.9 | 376.8 | 366.8 | 348.2 | 324.2 | **1,989.7** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 105.6 | 148.0 | 129.3 | 137.2 | 138.8 | 119.8 | 112.0 | **890.7** |

Licence ***1765*** Well Name ***Virden Roselea Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-21-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 775.3 | 749.6 | 746.1 | 818.1 | 681.5 | 525.6 | 767.9 | 746.6 | 793.8 | 814.5 | 814.1 | 819.1 | **68,109.4** |
| WIN | 1974 | 800.8 | 739.3 | 783.5 | 760.6 | 902.4 | 738.5 | 588.1 | 690.1 | 653.6 | 571.9 | 678.5 | 739.7 | **59,057.2** |
| WIN | 1973 | 695.4 | 636.2 | 827.0 | 660.6 | 693.6 | 628.0 | 625.9 | 588.7 | 578.4 | 582.7 | 676.5 | 816.8 | **50,410.2** |
| WIN | 1972 | 583.8 | 632.7 | 644.8 | 656.4 | 621.8 | 589.8 | 624.0 | 647.4 | 618.0 | 641.2 | 574.7 | 685.0 | **42,400.4** |
| WIN | 1971 | 638.9 | 578.1 | 638.1 | 609.1 | 525.4 | 559.0 | 431.9 | 368.0 | 0.0 | 416.7 | 562.8 | 597.6 | **34,880.8** |
| WIN | 1970 | 605.2 | 522.6 | 610.5 | 553.6 | 599.8 | 456.4 | 460.6 | 563.3 | 494.7 | 580.6 | 611.4 | 652.8 | **28,955.2** |
| WIN | 1969 | 520.7 | 156.8 | 379.5 | 485.2 | 495.9 | 569.1 | 461.2 | 474.1 | 565.7 | 594.1 | 597.8 | 608.9 | **22,243.7** |
| WIN | 1968 | 379.8 | 482.5 | 491.2 | 457.9 | 427.3 | 467.9 | 390.0 | 515.1 | 432.4 | 525.6 | 506.5 | 532.6 | **16,334.7** |
| WIN | 1967 | 487.1 | 436.2 | 473.1 | 445.1 | 521.0 | 464.4 | 358.3 | 416.2 | 451.8 | 414.8 | 386.0 | 396.0 | **10,725.9** |
| WIN | 1966 | 0.0 | 381.6 | 484.7 | 279.0 | 282.3 | 439.4 | 457.1 | 469.5 | 478.1 | 496.7 | 468.0 | 473.8 | **5,475.9** |
| DAY | 1965 | 24.0 | 11.0 | 24.0 | 18.0 | 22.0 | 30.0 | 29.0 | 31.0 | 30.0 | 18.0 | 0.0 | 0.0 | **1,280.0** |
| H2O | 1965 | 15.3 | 11.4 | 32.1 | 39.9 | 28.1 | 41.3 | 47.5 | 80.1 | 57.4 | 36.5 | 0.0 | 0.0 | **1,060.9** |
| OIL | 1965 | 81.2 | 35.8 | 64.0 | 69.1 | 54.0 | 65.3 | 86.0 | 85.2 | 85.8 | 51.1 | 0.0 | 0.0 | **4,776.8** |
| WIN | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 99.7 | 321.5 | 344.5 | **765.7** |
| DAY | 1964 | 7.0 | 10.0 | 8.0 | 11.0 | 6.0 | 23.0 | 25.0 | 23.0 | 19.0 | 22.0 | 18.0 | 13.0 | **1,043.0** |
| H2O | 1964 | 2.2 | 2.7 | 2.4 | 3.8 | 2.1 | 17.2 | 14.6 | 20.5 | 12.4 | 23.2 | 11.4 | 12.2 | **671.3** |
| OIL | 1964 | 20.5 | 30.8 | 23.0 | 32.1 | 17.0 | 154.8 | 146.7 | 134.6 | 121.7 | 127.4 | 105.0 | 86.9 | **4,099.3** |
| DAY | 1963 | 15.0 | 15.0 | 18.0 | 18.0 | 14.0 | 12.0 | 16.0 | 16.0 | 19.0 | 14.0 | 13.0 | 14.0 | **858.0** |
| H2O | 1963 | 8.7 | 9.2 | 14.0 | 18.9 | 19.6 | 14.9 | 9.4 | 9.9 | 6.5 | 5.1 | 5.4 | 5.7 | **546.6** |
| OIL | 1963 | 37.7 | 28.0 | 40.0 | 38.9 | 30.2 | 27.2 | 37.5 | 38.1 | 43.4 | 42.1 | 38.5 | 40.5 | **3,098.8** |
| DAY | 1962 | 19.0 | 17.0 | 19.0 | 18.0 | 19.0 | 20.0 | 25.0 | 27.0 | 23.0 | 20.0 | 23.0 | 18.0 | **674.0** |
| H2O | 1962 | 16.7 | 13.4 | 11.4 | 14.0 | 14.9 | 20.7 | 17.6 | 21.1 | 13.0 | 13.0 | 16.9 | 9.9 | **419.3** |
| OIL | 1962 | 48.3 | 44.5 | 48.5 | 44.0 | 46.2 | 49.7 | 58.5 | 67.4 | 56.9 | 44.2 | 49.7 | 40.8 | **2,656.7** |
| DAY | 1961 | 21.0 | 19.0 | 21.0 | 16.0 | 19.0 | 22.0 | 25.0 | 24.0 | 23.0 | 25.0 | 25.0 | 21.0 | **426.0** |
| H2O | 1961 | 6.2 | 15.7 | 16.2 | 9.5 | 16.9 | 17.0 | 14.8 | 13.8 | 12.9 | 11.4 | 18.8 | 13.8 | **236.7** |
| OIL | 1961 | 110.3 | 94.9 | 110.6 | 94.2 | 93.4 | 83.0 | 68.0 | 70.7 | 60.7 | 56.6 | 60.4 | 53.9 | **2,058.0** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 26.0 | 28.0 | 23.0 | 21.0 | 23.0 | 24.0 | **165.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.8 | 6.4 | 7.3 | 9.1 | 5.2 | 7.2 | 29.7 | **69.7** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 192.9 | 180.5 | 177.8 | 163.0 | 128.7 | 128.4 | 130.0 | **1,101.3** |

Licence ***1766*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-06-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,631.0** |
| H2O | 1975 | 1910.9 | 1702.5 | 1894.6 | 1486.5 | 2033.7 | 1693.2 | 1448.9 | 1605.6 | 1603.8 | 1557.1 | 1571.4 | 1574.7 | **146,016.6** |
| OIL | 1975 | 123.3 | 110.1 | 127.8 | 112.8 | 123.2 | 115.8 | 105.7 | 91.2 | 95.0 | 72.0 | 63.7 | 65.0 | **18,096.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **5,267.0** |
| H2O | 1974 | 1425.7 | 1310.6 | 1263.1 | 1425.3 | 1580.6 | 1506.2 | 1805.3 | 1690.2 | 1568.1 | 1470.9 | 1790.7 | 1793.7 | **125,933.7** |
| OIL | 1974 | 122.8 | 110.4 | 118.1 | 114.1 | 120.0 | 116.0 | 121.2 | 117.9 | 106.2 | 114.9 | 114.3 | 115.7 | **16,891.2** |
| DAY | 1973 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,905.0** |
| H2O | 1973 | 1155.8 | 1065.5 | 1149.4 | 1570.3 | 1152.1 | 986.3 | 1049.3 | 1694.1 | 1495.2 | 1663.1 | 1591.6 | 1532.6 | **107,303.3** |
| OIL | 1973 | 117.8 | 102.0 | 118.2 | 157.0 | 122.8 | 113.5 | 121.7 | 121.4 | 123.3 | 126.3 | 134.1 | 127.4 | **15,499.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | **4,542.0** |
| H2O | 1972 | 1353.2 | 1280.3 | 1378.0 | 1214.1 | 1427.0 | 1458.8 | 1465.8 | 1069.6 | 1120.7 | 1119.9 | 1055.9 | 1332.9 | **91,198.0** |
| OIL | 1972 | 134.1 | 124.4 | 132.2 | 135.4 | 144.0 | 142.2 | 140.2 | 181.9 | 196.8 | 205.9 | 195.7 | 121.4 | **14,014.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1766*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-06-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | **4,181.0** |
| H2O | 1971 | 1211.7 | 1029.2 | 723.2 | 1237.5 | 1288.5 | 1291.6 | 1258.8 | 817.2 | 1180.4 | 1320.8 | 1189.8 | 1346.9 | **75,921.8** |
| OIL | 1971 | 129.2 | 109.3 | 80.4 | 130.9 | 138.1 | 134.4 | 141.1 | 86.6 | 123.9 | 133.3 | 118.9 | 139.7 | **12,159.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | **3,819.0** |
| H2O | 1970 | 900.5 | 862.6 | 961.0 | 943.2 | 975.2 | 895.2 | 821.8 | 865.8 | 797.9 | 812.5 | 1129.4 | 1040.5 | **62,026.2** |
| OIL | 1970 | 123.8 | 107.4 | 116.3 | 113.3 | 128.6 | 117.6 | 126.0 | 111.6 | 110.3 | 102.5 | 128.1 | 127.6 | **10,694.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,457.0** |
| H2O | 1969 | 1045.5 | 804.8 | 1044.2 | 1038.3 | 871.4 | 970.3 | 1014.1 | 916.8 | 899.0 | 929.2 | 1000.5 | 919.9 | **51,020.6** |
| OIL | 1969 | 137.5 | 116.6 | 132.1 | 129.8 | 112.5 | 116.5 | 114.7 | 113.1 | 111.7 | 118.5 | 117.0 | 125.9 | **9,281.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | **3,095.0** |
| H2O | 1968 | 1007.0 | 947.8 | 1040.0 | 964.8 | 978.2 | 1047.5 | 992.5 | 1021.6 | 899.3 | 1040.4 | 1021.1 | 1031.9 | **39,566.6** |
| OIL | 1968 | 105.5 | 100.3 | 101.1 | 118.7 | 123.0 | 122.0 | 119.8 | 109.2 | 112.5 | 133.3 | 132.4 | 135.1 | **7,835.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,733.0** |
| H2O | 1967 | 459.8 | 423.9 | 433.3 | 400.6 | 453.2 | 476.5 | 1052.8 | 1146.6 | 1061.7 | 948.5 | 908.3 | 965.6 | **27,574.5** |
| OIL | 1967 | 68.0 | 64.4 | 69.0 | 65.9 | 62.6 | 58.8 | 114.3 | 117.4 | 115.1 | 110.6 | 100.9 | 105.2 | **6,422.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 25.0 | 31.0 | **2,370.0** |
| H2O | 1966 | 184.0 | 180.0 | 201.1 | 194.3 | 190.6 | 185.5 | 187.5 | 183.0 | 169.7 | 125.6 | 371.7 | 391.0 | **18,843.7** |
| OIL | 1966 | 33.1 | 30.0 | 34.5 | 33.2 | 33.7 | 32.3 | 27.7 | 24.9 | 28.1 | 20.8 | 49.1 | 63.4 | **5,370.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,015.0** |
| H2O | 1965 | 214.6 | 188.9 | 207.0 | 209.5 | 225.4 | 289.8 | 340.3 | 218.0 | 193.3 | 202.7 | 190.3 | 186.3 | **16,279.7** |
| OIL | 1965 | 30.5 | 26.7 | 31.0 | 32.9 | 30.8 | 29.4 | 36.4 | 25.6 | 40.8 | 38.0 | 35.4 | 33.7 | **4,959.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,654.0** |
| H2O | 1964 | 216.7 | 198.4 | 205.1 | 211.5 | 193.0 | 207.3 | 213.2 | 211.5 | 215.6 | 194.4 | 200.8 | 209.1 | **13,613.6** |
| OIL | 1964 | 33.8 | 31.1 | 33.2 | 31.3 | 31.8 | 30.4 | 31.1 | 31.1 | 26.5 | 28.3 | 29.9 | 30.0 | **4,568.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,288.0** |
| H2O | 1963 | 303.3 | 252.5 | 259.6 | 245.9 | 264.4 | 255.5 | 255.2 | 192.7 | 162.6 | 276.3 | 190.6 | 202.5 | **11,137.0** |
| OIL | 1963 | 56.1 | 50.2 | 56.7 | 55.8 | 63.1 | 45.1 | 51.6 | 48.6 | 44.3 | 70.6 | 32.4 | 32.1 | **4,199.5** |
| DAY | 1962 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **923.0** |
| H2O | 1962 | 360.4 | 348.8 | 338.2 | 329.6 | 342.8 | 319.9 | 285.6 | 297.6 | 216.0 | 389.5 | 411.7 | 386.2 | **8,275.9** |
| OIL | 1962 | 73.6 | 71.2 | 81.5 | 98.4 | 80.7 | 73.1 | 70.7 | 66.6 | 42.1 | 76.4 | 68.6 | 62.3 | **3,592.9** |
| DAY | 1961 | 31.0 | 28.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **560.0** |
| H2O | 1961 | 115.8 | 131.3 | 148.6 | 189.6 | 205.5 | 209.0 | 208.2 | 216.3 | 390.0 | 327.2 | 418.8 | 400.9 | **4,249.6** |
| OIL | 1961 | 118.9 | 128.2 | 160.8 | 162.1 | 163.0 | 159.5 | 156.5 | 148.7 | 89.0 | 86.1 | 84.5 | 82.8 | **2,727.7** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 29.0 | 30.0 | 23.0 | 25.0 | 28.0 | 28.0 | 26.0 | **199.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 32.8 | 176.5 | 215.8 | 150.3 | 204.4 | 178.5 | 142.4 | 187.7 | **1,288.4** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 92.6 | 201.6 | 182.1 | 107.6 | 147.2 | 174.6 | 143.8 | 138.1 | **1,187.6** |

Licence ***1767*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-07-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,545.0** |
| H2O | 1975 | 1463.9 | 1292.5 | 1451.3 | 1177.4 | 1592.8 | 1293.1 | 1087.3 | 1188.5 | 1351.2 | 1583.9 | 983.6 | 1014.1 | **113,489.0** |
| OIL | 1975 | 90.6 | 80.1 | 93.9 | 87.9 | 94.7 | 86.8 | 125.1 | 117.4 | 139.2 | 138.9 | 88.5 | 93.0 | **31,614.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 28.0 | **5,187.0** |
| H2O | 1974 | 716.5 | 814.8 | 814.3 | 918.7 | 1113.0 | 1029.4 | 1091.2 | 1105.5 | 1090.0 | 927.6 | 1176.6 | 1374.1 | **98,009.4** |
| OIL | 1974 | 115.5 | 157.5 | 174.6 | 168.8 | 215.2 | 222.6 | 205.8 | 216.8 | 207.4 | 211.8 | 219.1 | 84.9 | **30,377.9** |
| DAY | 1973 | 30.0 | 27.0 | 30.0 | 30.0 | 24.0 | 24.0 | 31.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **4,828.0** |
| H2O | 1973 | 1552.6 | 1432.4 | 1552.9 | 851.7 | 747.8 | 1242.9 | 1758.0 | 1387.9 | 36.4 | 48.8 | 793.5 | 750.7 | **85,837.7** |
| OIL | 1973 | 254.4 | 220.7 | 256.8 | 110.4 | 84.4 | 209.0 | 265.7 | 104.2 | 11.4 | 14.0 | 125.4 | 117.1 | **28,177.9** |
| DAY | 1972 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 17.0 | 28.0 | **4,484.0** |
| H2O | 1972 | 1023.5 | 968.2 | 975.0 | 820.5 | 942.9 | 963.9 | 968.5 | 669.3 | 734.3 | 756.6 | 997.3 | 1625.6 | **73,682.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1767*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-07-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1972 | 250.1 | 231.8 | 230.6 | 116.0 | 120.6 | 119.0 | 117.4 | 219.9 | 67.7 | 72.9 | 160.0 | 262.7 | **26,404.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,139.0** |
| H2O | 1971 | 1622.1 | 1523.2 | 1515.6 | 1443.9 | 1503.2 | 1464.8 | 1340.0 | 1289.8 | 931.5 | 998.7 | 968.2 | 1018.6 | **62,236.5** |
| OIL | 1971 | 351.4 | 318.5 | 341.0 | 344.5 | 363.6 | 344.4 | 254.9 | 242.2 | 241.2 | 248.7 | 238.5 | 260.5 | **24,435.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **3,774.0** |
| H2O | 1970 | 1438.9 | 1378.7 | 1535.7 | 1457.1 | 1330.0 | 1246.6 | 1041.6 | 1220.6 | 1052.6 | 1464.7 | 1511.7 | 1392.7 | **46,616.9** |
| OIL | 1970 | 469.9 | 407.9 | 441.5 | 415.5 | 288.9 | 257.9 | 251.7 | 314.2 | 263.5 | 515.0 | 348.6 | 346.9 | **20,886.3** |
| DAY | 1969 | 30.0 | 27.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | **3,415.0** |
| H2O | 1969 | 497.4 | 386.8 | 480.1 | 495.5 | 372.3 | 399.8 | 402.9 | 368.5 | 612.5 | 675.3 | 702.9 | 1417.0 | **30,546.0** |
| OIL | 1969 | 312.7 | 267.9 | 290.2 | 296.0 | 300.3 | 312.3 | 296.4 | 238.0 | 316.1 | 441.6 | 421.1 | 460.0 | **16,564.8** |
| DAY | 1968 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 26.0 | **3,059.0** |
| H2O | 1968 | 696.7 | 681.4 | 849.6 | 830.5 | 868.2 | 492.0 | 469.6 | 480.0 | 454.0 | 543.2 | 505.7 | 430.8 | **23,735.0** |
| OIL | 1968 | 343.9 | 339.9 | 401.6 | 372.8 | 399.2 | 319.7 | 316.2 | 285.6 | 316.9 | 341.2 | 313.2 | 269.5 | **12,612.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 29.0 | 30.0 | 19.0 | 30.0 | 30.0 | **2,701.0** |
| H2O | 1967 | 311.9 | 287.6 | 294.0 | 315.3 | 318.4 | 372.5 | 397.0 | 404.3 | 400.2 | 219.2 | 632.1 | 715.1 | **16,433.3** |
| OIL | 1967 | 96.0 | 90.9 | 97.3 | 156.7 | 144.4 | 151.0 | 158.3 | 152.1 | 159.5 | 93.9 | 330.7 | 366.9 | **8,592.5** |
| DAY | 1966 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 26.0 | 29.0 | 30.0 | 30.0 | 26.0 | 30.0 | 31.0 | **2,353.0** |
| H2O | 1966 | 147.7 | 132.3 | 154.5 | 147.9 | 147.1 | 192.4 | 398.4 | 402.7 | 385.5 | 294.7 | 305.7 | 265.2 | **11,765.7** |
| OIL | 1966 | 62.8 | 71.5 | 74.8 | 73.1 | 71.4 | 68.2 | 78.8 | 73.1 | 85.3 | 65.5 | 83.9 | 89.5 | **6,594.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | **2,001.0** |
| H2O | 1965 | 194.0 | 173.1 | 183.0 | 173.3 | 190.0 | 182.0 | 165.3 | 166.3 | 166.3 | 165.7 | 155.5 | 125.8 | **8,791.6** |
| OIL | 1965 | 80.2 | 72.6 | 78.7 | 81.8 | 71.4 | 64.0 | 76.3 | 71.5 | 68.5 | 69.3 | 62.9 | 52.0 | **5,696.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | 29.0 | 31.0 | 31.0 | 24.0 | 30.0 | 30.0 | 31.0 | **1,644.0** |
| H2O | 1964 | 104.6 | 101.4 | 107.3 | 34.3 | 52.0 | 47.7 | 55.0 | 48.3 | 64.2 | 166.9 | 178.1 | 186.0 | **6,751.3** |
| OIL | 1964 | 44.3 | 46.1 | 47.7 | 26.7 | 38.6 | 44.5 | 48.5 | 44.8 | 66.1 | 69.0 | 78.3 | 79.9 | **4,847.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,289.0** |
| H2O | 1963 | 53.6 | 70.0 | 73.9 | 57.2 | 57.2 | 52.5 | 50.9 | 70.7 | 72.5 | 98.6 | 108.1 | 101.4 | **5,605.5** |
| OIL | 1963 | 47.8 | 44.7 | 50.9 | 44.8 | 44.5 | 45.6 | 44.8 | 44.8 | 38.6 | 51.5 | 38.8 | 39.4 | **4,213.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **925.0** |
| H2O | 1962 | 94.6 | 91.4 | 80.4 | 88.1 | 97.0 | 95.4 | 90.6 | 75.5 | 71.5 | 73.9 | 71.5 | 72.3 | **4,738.9** |
| OIL | 1962 | 85.3 | 69.1 | 76.4 | 85.0 | 87.9 | 84.1 | 48.0 | 49.3 | 47.7 | 48.3 | 46.1 | 51.5 | **3,677.0** |
| DAY | 1961 | 30.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 27.0 | 31.0 | 28.0 | 31.0 | **560.0** |
| H2O | 1961 | 275.0 | 233.7 | 240.9 | 201.9 | 243.2 | 184.4 | 85.8 | 145.5 | 104.9 | 124.5 | 91.7 | 102.2 | **3,736.7** |
| OIL | 1961 | 173.2 | 155.7 | 188.3 | 150.2 | 116.0 | 82.6 | 63.7 | 98.8 | 108.2 | 101.9 | 84.5 | 93.3 | **2,898.3** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **205.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 117.7 | 239.3 | 288.5 | 250.1 | 232.7 | 286.2 | 288.5 | **1,703.0** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 174.7 | 221.2 | 243.3 | 222.5 | 229.3 | 203.4 | 187.5 | **1,481.9** |

Licence ***1768*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-05-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,481.0** |
| H2O | 1975 | 113.5 | 103.3 | 116.2 | 112.6 | 93.3 | 44.4 | 44.4 | 43.9 | 43.1 | 46.3 | 46.4 | 47.2 | **10,370.9** |
| OIL | 1975 | 52.1 | 45.8 | 50.9 | 48.1 | 39.3 | 12.6 | 12.9 | 12.9 | 12.6 | 12.9 | 12.4 | 12.7 | **7,044.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,122.0** |
| H2O | 1974 | 63.1 | 58.0 | 65.5 | 63.3 | 66.0 | 66.3 | 62.0 | 61.4 | 60.6 | 112.1 | 111.8 | 111.6 | **9,516.3** |
| OIL | 1974 | 45.0 | 38.9 | 44.8 | 42.4 | 44.3 | 42.9 | 41.2 | 44.2 | 42.6 | 52.9 | 50.5 | 52.1 | **6,719.2** |
| DAY | 1973 | 27.0 | 27.0 | 30.0 | 30.0 | 29.0 | 30.0 | 26.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | **4,759.0** |
| H2O | 1973 | 148.6 | 168.5 | 181.2 | 186.8 | 177.1 | 182.0 | 147.5 | 40.9 | 42.3 | 61.2 | 65.3 | 63.3 | **8,614.6** |
| OIL | 1973 | 18.1 | 18.9 | 20.8 | 21.0 | 20.5 | 21.3 | 17.8 | 4.1 | 4.3 | 39.9 | 43.1 | 43.7 | **6,177.4** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 23.0 | 31.0 | **4,411.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1768*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-05-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1972 | 42.9 | 42.0 | 46.1 | 73.3 | 80.9 | 80.6 | 89.5 | 84.9 | 84.6 | 66.3 | 50.4 | 164.7 | **7,149.9** |
| OIL | 1972 | 60.2 | 56.1 | 61.2 | 13.0 | 14.0 | 13.3 | 13.7 | 14.0 | 13.5 | 4.3 | 3.2 | 35.3 | **5,903.9** |
| DAY | 1971 | 31.0 | 27.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,052.0** |
| H2O | 1971 | 48.5 | 58.5 | 36.7 | 42.6 | 42.8 | 42.4 | 42.0 | 39.3 | 36.2 | 40.7 | 36.6 | 45.9 | **6,243.7** |
| OIL | 1971 | 33.5 | 47.8 | 56.7 | 62.1 | 63.4 | 61.8 | 63.1 | 59.9 | 61.0 | 63.6 | 56.1 | 61.2 | **5,602.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,694.0** |
| H2O | 1970 | 166.6 | 156.4 | 163.6 | 151.2 | 155.8 | 158.0 | 145.9 | 164.5 | 152.9 | 81.4 | 74.4 | 52.3 | **5,731.5** |
| OIL | 1970 | 64.8 | 58.3 | 63.7 | 61.7 | 63.6 | 62.1 | 64.7 | 63.6 | 60.7 | 23.2 | 22.1 | 32.3 | **4,911.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 29.0 | 27.0 | 31.0 | 28.0 | 31.0 | **3,329.0** |
| H2O | 1969 | 65.2 | 59.3 | 55.5 | 56.6 | 62.3 | 55.6 | 64.7 | 155.8 | 139.7 | 171.9 | 147.1 | 173.0 | **4,108.5** |
| OIL | 1969 | 52.4 | 46.4 | 51.3 | 49.9 | 51.3 | 47.0 | 52.3 | 52.4 | 48.6 | 57.7 | 59.9 | 67.1 | **4,271.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **2,973.0** |
| H2O | 1968 | 60.7 | 57.7 | 61.5 | 63.1 | 66.1 | 54.2 | 65.2 | 59.6 | 59.8 | 63.4 | 58.5 | 50.4 | **2,901.8** |
| OIL | 1968 | 53.1 | 48.6 | 52.1 | 51.8 | 52.0 | 45.8 | 52.4 | 52.4 | 50.7 | 53.1 | 50.9 | 42.7 | **3,634.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 27.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,614.0** |
| H2O | 1967 | 50.7 | 42.0 | 50.4 | 60.3 | 58.3 | 59.3 | 52.0 | 69.3 | 54.7 | 65.7 | 56.3 | 63.1 | **2,181.6** |
| OIL | 1967 | 67.9 | 60.2 | 67.7 | 54.0 | 53.9 | 45.9 | 53.1 | 52.4 | 45.6 | 53.4 | 50.9 | 52.9 | **3,029.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 24.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,256.0** |
| H2O | 1966 | 7.0 | 5.6 | 7.0 | 7.2 | 0.0 | 60.1 | 70.7 | 56.8 | 72.7 | 50.1 | 49.8 | 53.3 | **1,499.5** |
| OIL | 1966 | 16.0 | 14.1 | 15.7 | 15.4 | 3.8 | 52.6 | 66.4 | 55.1 | 64.0 | 66.1 | 65.0 | 68.2 | **2,371.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,905.0** |
| H2O | 1965 | 8.1 | 7.0 | 8.1 | 7.0 | 7.3 | 6.8 | 6.2 | 6.8 | 7.0 | 7.0 | 7.0 | 7.3 | **1,059.2** |
| OIL | 1965 | 17.2 | 15.6 | 16.8 | 16.2 | 16.4 | 16.5 | 15.4 | 17.0 | 16.0 | 16.7 | 15.9 | 16.4 | **1,868.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 24.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,543.0** |
| H2O | 1964 | 5.1 | 4.6 | 5.1 | 4.9 | 5.2 | 4.0 | 3.3 | 5.1 | 7.2 | 7.3 | 7.5 | 7.9 | **973.6** |
| OIL | 1964 | 4.6 | 4.4 | 4.6 | 4.6 | 4.6 | 3.5 | 3.2 | 4.6 | 15.7 | 16.2 | 15.9 | 16.8 | **1,672.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 24.0 | 28.0 | 29.0 | 31.0 | **1,193.0** |
| H2O | 1963 | 13.2 | 14.3 | 15.1 | 13.2 | 13.5 | 14.3 | 15.4 | 16.4 | 13.7 | 4.9 | 4.8 | 5.1 | **906.4** |
| OIL | 1963 | 26.9 | 25.9 | 27.8 | 24.6 | 25.3 | 25.4 | 27.3 | 26.2 | 19.2 | 3.8 | 4.3 | 4.4 | **1,574.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **838.0** |
| H2O | 1962 | 10.3 | 14.9 | 15.7 | 14.5 | 15.1 | 16.4 | 14.8 | 16.5 | 15.1 | 18.0 | 16.2 | 14.5 | **762.5** |
| OIL | 1962 | 38.3 | 32.9 | 37.0 | 34.3 | 32.6 | 31.8 | 29.6 | 26.7 | 29.9 | 28.0 | 26.9 | 27.7 | **1,333.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **478.0** |
| H2O | 1961 | 42.6 | 17.2 | 40.7 | 36.6 | 33.2 | 20.8 | 16.5 | 14.0 | 12.2 | 6.8 | 16.1 | 13.4 | **580.5** |
| OIL | 1961 | 68.2 | 56.4 | 59.1 | 52.6 | 52.0 | 48.8 | 47.0 | 44.8 | 42.1 | 38.9 | 35.6 | 40.0 | **957.3** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 16.0 | 29.0 | 30.0 | 12.0 | 8.0 | 9.0 | **119.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 58.3 | 50.7 | 78.4 | 48.3 | 35.1 | 25.3 | 14.3 | **310.4** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 57.7 | 48.9 | 102.3 | 100.0 | 27.2 | 8.7 | 27.0 | **371.8** |

Licence ***1769*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-06-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,514.0** |
| H2O | 1975 | 725.7 | 715.9 | 796.5 | 560.8 | 759.0 | 609.7 | 553.0 | 671.2 | 623.6 | 693.6 | 743.1 | 744.5 | **41,927.0** |
| OIL | 1975 | 221.7 | 219.1 | 254.1 | 172.4 | 185.8 | 168.8 | 174.2 | 204.0 | 197.5 | 186.9 | 179.1 | 182.4 | **17,173.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,153.0** |
| H2O | 1974 | 595.1 | 543.5 | 523.9 | 591.0 | 655.5 | 599.1 | 695.4 | 674.9 | 642.0 | 613.6 | 752.9 | 835.8 | **33,730.4** |
| OIL | 1974 | 201.7 | 182.4 | 195.0 | 188.5 | 198.5 | 181.5 | 205.8 | 176.9 | 163.4 | 227.1 | 227.3 | 254.9 | **14,827.0** |
| DAY | 1973 | 30.0 | 26.0 | 30.0 | 29.0 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,789.0** |
| H2O | 1973 | 736.4 | 658.8 | 741.8 | 647.4 | 754.4 | 598.3 | 650.1 | 671.1 | 685.0 | 225.3 | 655.5 | 631.2 | **26,007.7** |
| OIL | 1973 | 238.9 | 201.2 | 242.9 | 217.9 | 231.9 | 198.5 | 208.6 | 227.8 | 180.2 | 220.4 | 217.4 | 206.4 | **12,424.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1769*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-06-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **4,433.0** |
| H2O | 1972 | 124.3 | 117.6 | 126.5 | 120.3 | 135.8 | 149.8 | 155.5 | 429.9 | 450.9 | 820.2 | 777.7 | 820.8 | **18,352.4** |
| OIL | 1972 | 80.4 | 74.7 | 79.3 | 76.1 | 77.7 | 82.6 | 84.2 | 140.8 | 152.7 | 207.9 | 223.9 | 238.1 | **9,831.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **4,073.0** |
| H2O | 1971 | 140.1 | 131.6 | 130.8 | 124.8 | 80.6 | 80.8 | 78.7 | 99.0 | 113.2 | 125.3 | 111.4 | 123.7 | **14,123.1** |
| OIL | 1971 | 88.8 | 80.4 | 86.1 | 86.9 | 87.2 | 85.0 | 89.1 | 96.6 | 77.5 | 82.6 | 72.6 | 83.7 | **8,313.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,710.0** |
| H2O | 1970 | 81.7 | 78.2 | 87.1 | 85.5 | 133.4 | 138.5 | 122.9 | 133.2 | 127.0 | 129.1 | 130.7 | 120.3 | **12,783.1** |
| OIL | 1970 | 69.0 | 59.9 | 65.0 | 63.2 | 93.0 | 92.0 | 95.2 | 86.9 | 80.6 | 74.8 | 88.0 | 87.6 | **7,297.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **3,347.0** |
| H2O | 1969 | 156.0 | 124.8 | 122.1 | 113.0 | 116.2 | 124.8 | 125.9 | 83.3 | 81.7 | 84.4 | 90.8 | 74.7 | **11,415.5** |
| OIL | 1969 | 59.4 | 52.4 | 52.8 | 48.5 | 51.5 | 53.4 | 50.7 | 63.1 | 62.5 | 66.1 | 65.3 | 62.9 | **6,341.8** |
| DAY | 1968 | 15.0 | 0.0 | 0.0 | 13.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **2,986.0** |
| H2O | 1968 | 108.6 | 0.0 | 0.0 | 106.7 | 264.7 | 268.7 | 211.8 | 197.9 | 167.2 | 202.4 | 165.5 | 154.4 | **10,117.8** |
| OIL | 1968 | 38.1 | 0.0 | 0.0 | 33.1 | 71.4 | 72.3 | 88.0 | 78.2 | 77.5 | 84.2 | 66.6 | 58.5 | **5,653.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 19.0 | 28.0 | 31.0 | **2,715.0** |
| H2O | 1967 | 41.2 | 38.2 | 39.0 | 36.1 | 70.4 | 77.1 | 82.0 | 1.1 | 1.0 | 24.5 | 205.1 | 242.4 | **8,269.9** |
| OIL | 1967 | 33.8 | 32.3 | 34.3 | 33.1 | 49.9 | 48.8 | 51.2 | 61.2 | 59.9 | 32.6 | 83.0 | 88.5 | **4,985.3** |
| DAY | 1966 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,364.0** |
| H2O | 1966 | 55.5 | 52.3 | 60.6 | 58.5 | 57.4 | 56.0 | 56.3 | 55.2 | 51.0 | 45.2 | 40.5 | 35.3 | **7,411.8** |
| OIL | 1966 | 35.6 | 31.1 | 37.3 | 36.1 | 36.2 | 34.6 | 29.9 | 26.7 | 30.2 | 26.9 | 29.9 | 31.9 | **4,376.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,000.0** |
| H2O | 1965 | 76.5 | 67.6 | 73.8 | 74.7 | 80.4 | 87.3 | 103.7 | 65.7 | 58.2 | 61.0 | 57.4 | 56.3 | **6,788.0** |
| OIL | 1965 | 44.8 | 39.1 | 45.3 | 48.3 | 45.3 | 31.9 | 39.7 | 27.5 | 44.0 | 40.8 | 38.5 | 36.4 | **3,990.3** |
| DAY | 1964 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,639.0** |
| H2O | 1964 | 77.3 | 71.2 | 70.9 | 75.4 | 68.8 | 73.9 | 76.0 | 75.5 | 76.8 | 69.3 | 71.7 | 74.6 | **5,925.4** |
| OIL | 1964 | 49.7 | 45.8 | 47.2 | 46.1 | 46.6 | 44.5 | 45.8 | 45.6 | 38.9 | 41.2 | 43.7 | 44.0 | **3,508.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,274.0** |
| H2O | 1963 | 43.4 | 36.1 | 37.2 | 44.5 | 47.9 | 46.6 | 46.1 | 34.8 | 29.4 | 44.0 | 68.0 | 72.7 | **5,044.0** |
| OIL | 1963 | 31.3 | 28.1 | 31.8 | 28.3 | 31.9 | 23.0 | 26.2 | 24.6 | 22.4 | 35.9 | 47.7 | 47.4 | **2,969.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **909.0** |
| H2O | 1962 | 92.5 | 84.6 | 84.6 | 63.1 | 67.4 | 63.0 | 56.1 | 58.5 | 32.4 | 55.8 | 61.0 | 56.1 | **4,493.3** |
| OIL | 1962 | 88.5 | 80.7 | 83.6 | 52.4 | 61.5 | 55.8 | 54.0 | 50.9 | 40.4 | 42.7 | 39.7 | 35.3 | **2,591.0** |
| DAY | 1961 | 29.0 | 28.0 | 26.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **545.0** |
| H2O | 1961 | 240.5 | 177.4 | 180.0 | 257.4 | 282.2 | 283.5 | 282.5 | 293.5 | 94.4 | 79.3 | 101.4 | 96.7 | **3,718.2** |
| OIL | 1961 | 97.1 | 76.8 | 86.3 | 97.4 | 99.2 | 95.8 | 94.1 | 89.5 | 100.9 | 97.6 | 95.8 | 93.4 | **1,905.5** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 29.0 | 28.0 | 28.0 | 27.0 | 30.0 | 28.0 | **188.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 127.3 | 233.1 | 159.8 | 86.3 | 272.0 | 246.9 | 224.0 | **1,349.4** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 87.8 | 144.4 | 95.0 | 77.9 | 143.5 | 134.6 | 98.4 | **781.6** |

Licence ***1770*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-06-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,469.0** |
| H2O | 1975 | 521.1 | 464.4 | 516.8 | 335.3 | 567.2 | 472.2 | 425.9 | 394.6 | 366.4 | 415.9 | 440.1 | 441.0 | **57,460.2** |
| OIL | 1975 | 68.6 | 61.3 | 71.2 | 53.2 | 72.0 | 67.7 | 69.3 | 74.5 | 72.1 | 69.8 | 73.4 | 74.8 | **10,000.2** |
| DAY | 1974 | 29.0 | 28.0 | 4.0 | 0.0 | 3.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,111.0** |
| H2O | 1974 | 267.9 | 262.0 | 22.4 | 0.0 | 30.7 | 440.9 | 502.1 | 466.3 | 443.6 | 397.9 | 488.4 | 542.1 | **52,099.3** |
| OIL | 1974 | 31.6 | 30.0 | 2.9 | 0.0 | 3.2 | 47.2 | 62.1 | 60.1 | 55.6 | 63.6 | 63.7 | 71.5 | **9,172.3** |
| DAY | 1973 | 30.0 | 26.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 30.0 | 29.0 | 31.0 | **4,833.0** |
| H2O | 1973 | 1420.6 | 493.0 | 555.0 | 478.4 | 928.9 | 795.5 | 290.5 | 149.8 | 138.2 | 336.9 | 307.6 | 306.4 | **48,235.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1770*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-06-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1973 | 137.9 | 84.4 | 101.9 | 94.7 | 118.2 | 109.2 | 81.0 | 76.4 | 71.0 | 33.4 | 35.4 | 35.0 | **8,680.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | 27.0 | 31.0 | 29.0 | 30.0 | 31.0 | 25.0 | 28.0 | **4,482.0** |
| H2O | 1972 | 111.0 | 104.9 | 113.2 | 123.7 | 156.3 | 143.1 | 165.7 | 527.5 | 789.8 | 1147.8 | 1237.5 | 1416.4 | **42,034.2** |
| OIL | 1972 | 49.4 | 45.6 | 48.6 | 37.0 | 42.4 | 37.5 | 42.7 | 36.5 | 64.2 | 75.8 | 111.2 | 128.5 | **7,702.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 19.0 | 28.0 | 31.0 | 28.0 | 31.0 | **4,132.0** |
| H2O | 1971 | 169.2 | 158.8 | 158.0 | 150.6 | 67.6 | 67.9 | 66.1 | 39.9 | 94.3 | 111.8 | 99.5 | 110.5 | **35,997.3** |
| OIL | 1971 | 49.1 | 44.5 | 47.7 | 48.1 | 46.4 | 45.3 | 47.5 | 28.3 | 44.5 | 50.7 | 44.7 | 51.5 | **6,982.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,783.0** |
| H2O | 1970 | 59.9 | 57.6 | 64.1 | 63.0 | 65.0 | 167.1 | 144.8 | 160.9 | 153.1 | 167.7 | 157.5 | 145.3 | **34,703.1** |
| OIL | 1970 | 45.9 | 39.9 | 43.1 | 42.0 | 47.7 | 50.9 | 51.6 | 48.1 | 44.5 | 44.7 | 48.8 | 48.5 | **6,434.6** |
| DAY | 1969 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,418.0** |
| H2O | 1969 | 128.1 | 109.5 | 136.4 | 112.2 | 107.6 | 115.6 | 107.8 | 104.4 | 124.8 | 129.1 | 138.9 | 61.4 | **33,297.1** |
| OIL | 1969 | 43.2 | 40.7 | 44.2 | 43.4 | 43.2 | 45.0 | 39.6 | 41.6 | 41.5 | 44.0 | 43.4 | 46.6 | **5,878.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 29.0 | 31.0 | **3,056.0** |
| H2O | 1968 | 216.5 | 204.6 | 205.9 | 206.8 | 182.8 | 183.6 | 156.8 | 156.1 | 131.8 | 159.5 | 147.2 | 135.3 | **31,921.3** |
| OIL | 1968 | 26.4 | 25.3 | 48.5 | 46.2 | 52.3 | 54.0 | 48.8 | 47.8 | 47.5 | 51.6 | 47.0 | 45.4 | **5,362.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,693.0** |
| H2O | 1967 | 249.6 | 230.0 | 235.1 | 217.5 | 221.1 | 507.8 | 203.2 | 221.1 | 209.1 | 187.0 | 178.9 | 221.1 | **29,834.4** |
| OIL | 1967 | 47.4 | 44.8 | 48.0 | 45.9 | 57.0 | 121.4 | 60.5 | 62.1 | 58.8 | 56.4 | 51.5 | 28.1 | **4,821.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,328.0** |
| H2O | 1966 | 257.2 | 251.7 | 281.2 | 271.5 | 266.3 | 259.6 | 262.0 | 256.1 | 237.4 | 210.5 | 188.1 | 216.8 | **26,952.9** |
| OIL | 1966 | 61.0 | 55.6 | 63.9 | 61.5 | 62.1 | 59.4 | 51.0 | 45.9 | 52.0 | 46.2 | 51.0 | 45.0 | **4,139.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | 31.0 | 29.0 | 31.0 | **1,963.0** |
| H2O | 1965 | 385.7 | 339.4 | 372.2 | 376.6 | 404.9 | 405.2 | 482.7 | 304.6 | 269.5 | 283.5 | 254.2 | 261.7 | **23,994.5** |
| OIL | 1965 | 54.2 | 47.2 | 54.7 | 58.5 | 54.5 | 54.3 | 68.0 | 47.0 | 75.2 | 70.1 | 62.9 | 62.1 | **3,485.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,603.0** |
| H2O | 1964 | 389.3 | 358.3 | 372.6 | 380.0 | 346.9 | 372.3 | 383.3 | 378.2 | 387.1 | 349.3 | 360.6 | 375.8 | **19,854.3** |
| OIL | 1964 | 59.9 | 55.3 | 59.4 | 55.6 | 56.3 | 53.6 | 55.0 | 54.5 | 46.9 | 49.7 | 52.8 | 53.2 | **2,776.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,237.0** |
| H2O | 1963 | 301.4 | 250.9 | 258.0 | 244.5 | 262.8 | 256.1 | 253.6 | 160.1 | 161.7 | 126.9 | 342.1 | 366.0 | **15,400.6** |
| OIL | 1963 | 56.1 | 50.2 | 56.7 | 55.8 | 63.1 | 45.4 | 49.9 | 40.7 | 44.3 | 26.7 | 57.4 | 57.2 | **2,124.3** |
| DAY | 1962 | 31.0 | 28.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **878.0** |
| H2O | 1962 | 475.4 | 433.5 | 420.0 | 409.7 | 495.4 | 462.5 | 412.7 | 316.7 | 366.4 | 387.1 | 423.5 | 389.0 | **12,416.5** |
| OIL | 1962 | 45.1 | 41.2 | 41.2 | 56.7 | 71.2 | 64.5 | 62.3 | 43.2 | 42.4 | 76.4 | 71.0 | 63.1 | **1,520.8** |
| DAY | 1961 | 29.0 | 26.0 | 28.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **523.0** |
| H2O | 1961 | 417.8 | 295.7 | 352.8 | 414.6 | 446.1 | 506.8 | 505.2 | 524.8 | 484.6 | 406.7 | 520.5 | 495.9 | **7,424.6** |
| OIL | 1961 | 46.7 | 35.4 | 46.9 | 43.4 | 43.4 | 47.5 | 46.7 | 44.3 | 51.3 | 49.6 | 48.8 | 47.5 | **842.5** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 20.0 | 28.0 | 28.0 | 29.0 | 30.0 | 26.0 | **168.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 88.5 | 266.5 | 257.9 | 421.0 | 353.4 | 298.6 | 367.2 | **2,053.1** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.3 | 28.0 | 32.3 | 68.6 | 57.2 | 49.9 | 44.7 | **291.0** |

Licence ***1772*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-06-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | 27.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,610.0** |
| H2O | 1975 | 1607.0 | 1384.7 | 1530.0 | 1241.1 | 1616.7 | 1262.9 | 931.6 | 1073.2 | 1418.4 | 1609.0 | 1702.7 | 1706.3 | **112,711.9** |
| OIL | 1975 | 281.4 | 243.1 | 269.2 | 251.6 | 265.7 | 224.9 | 188.6 | 189.6 | 247.1 | 238.5 | 251.6 | 256.3 | **49,458.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 21.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,254.0** |
| H2O | 1974 | 1069.4 | 969.8 | 965.5 | 762.5 | 1149.3 | 1444.2 | 1731.1 | 1620.8 | 1507.9 | 1236.9 | 1505.9 | 1685.0 | **95,628.3** |
| OIL | 1974 | 312.9 | 277.3 | 296.5 | 200.7 | 287.0 | 321.3 | 335.5 | 326.7 | 294.9 | 262.5 | 260.8 | 294.9 | **46,551.3** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,899.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1772*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-06-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1973 | 1464.4 | 1356.1 | 1295.8 | 1222.3 | 1291.6 | 1187.2 | 1246.0 | 1203.5 | 1157.8 | 1340.5 | 1177.6 | 1133.9 | **79,980.0** |
| OIL | 1973 | 465.9 | 406.0 | 466.1 | 464.7 | 427.9 | 424.1 | 411.9 | 416.7 | 403.0 | 331.0 | 337.0 | 320.4 | **43,080.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,536.0** |
| H2O | 1972 | 1276.3 | 1207.2 | 1133.4 | 1137.6 | 1008.2 | 1239.1 | 1338.5 | 1489.8 | 1438.9 | 1619.8 | 1537.8 | 1620.8 | **64,903.3** |
| OIL | 1972 | 518.4 | 480.5 | 480.4 | 485.8 | 600.4 | 490.6 | 520.1 | 567.1 | 623.9 | 453.5 | 434.1 | 461.2 | **38,205.6** |
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **4,171.0** |
| H2O | 1971 | 936.2 | 879.3 | 1386.4 | 1293.2 | 1346.5 | 1323.1 | 1372.1 | 1328.1 | 1223.4 | 1285.1 | 1198.7 | 1147.4 | **48,855.9** |
| OIL | 1971 | 414.3 | 375.3 | 650.9 | 545.7 | 575.7 | 534.9 | 612.1 | 584.6 | 561.0 | 532.0 | 490.9 | 487.9 | **32,089.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | **3,810.0** |
| H2O | 1970 | 447.7 | 428.8 | 477.9 | 329.2 | 328.9 | 348.0 | 308.7 | 335.0 | 225.0 | 566.0 | 607.9 | 651.8 | **34,136.4** |
| OIL | 1970 | 364.9 | 316.7 | 342.6 | 275.5 | 302.2 | 304.8 | 315.6 | 287.9 | 227.6 | 360.9 | 450.2 | 343.9 | **25,724.3** |
| DAY | 1969 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,448.0** |
| H2O | 1969 | 395.5 | 500.3 | 663.7 | 660.1 | 633.1 | 481.9 | 592.5 | 540.1 | 446.9 | 458.2 | 497.3 | 457.4 | **29,081.5** |
| OIL | 1969 | 260.5 | 380.3 | 440.2 | 432.7 | 428.7 | 343.4 | 416.0 | 413.2 | 329.1 | 346.6 | 344.5 | 370.4 | **21,831.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,085.0** |
| H2O | 1968 | 435.9 | 412.1 | 450.4 | 448.0 | 456.1 | 438.3 | 433.1 | 498.6 | 441.0 | 533.9 | 414.0 | 419.5 | **22,754.5** |
| OIL | 1968 | 311.3 | 297.3 | 298.3 | 289.7 | 301.6 | 297.0 | 303.7 | 308.8 | 320.2 | 349.0 | 268.9 | 275.1 | **17,325.9** |
| DAY | 1967 | 31.0 | 28.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,721.0** |
| H2O | 1967 | 282.2 | 260.3 | 252.0 | 314.5 | 439.6 | 497.0 | 529.6 | 496.5 | 459.8 | 407.5 | 393.3 | 445.1 | **17,373.6** |
| OIL | 1967 | 189.4 | 179.4 | 182.0 | 215.0 | 316.5 | 319.7 | 335.6 | 345.9 | 339.3 | 323.4 | 297.5 | 330.4 | **13,705.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,359.0** |
| H2O | 1966 | 101.1 | 89.7 | 105.2 | 98.7 | 104.4 | 119.9 | 110.0 | 107.5 | 99.7 | 88.4 | 240.7 | 213.4 | **12,596.2** |
| OIL | 1966 | 117.3 | 103.9 | 109.0 | 114.9 | 109.6 | 120.8 | 122.5 | 110.1 | 124.3 | 110.6 | 143.5 | 156.0 | **10,330.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,994.0** |
| H2O | 1965 | 156.1 | 124.8 | 139.9 | 144.5 | 145.3 | 149.9 | 164.2 | 196.8 | 91.3 | 98.6 | 91.7 | 102.5 | **11,117.5** |
| OIL | 1965 | 116.3 | 102.7 | 111.2 | 104.2 | 105.2 | 94.4 | 87.9 | 137.3 | 118.5 | 120.5 | 106.5 | 119.7 | **8,888.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,632.0** |
| H2O | 1964 | 142.0 | 129.9 | 139.3 | 126.1 | 170.3 | 162.2 | 164.7 | 163.6 | 128.5 | 134.2 | 127.2 | 118.8 | **9,511.9** |
| OIL | 1964 | 123.0 | 112.3 | 120.3 | 116.6 | 113.9 | 113.0 | 112.2 | 112.0 | 112.2 | 115.1 | 113.3 | 115.8 | **7,564.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,267.0** |
| H2O | 1963 | 141.3 | 126.1 | 141.7 | 187.0 | 168.5 | 148.8 | 133.9 | 146.1 | 154.4 | 157.2 | 185.2 | 140.4 | **7,805.1** |
| OIL | 1963 | 144.1 | 128.9 | 144.3 | 136.7 | 138.9 | 132.8 | 118.5 | 115.1 | 115.7 | 117.6 | 119.5 | 124.3 | **6,184.3** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **902.0** |
| H2O | 1962 | 199.8 | 188.1 | 184.3 | 188.9 | 205.4 | 203.8 | 170.1 | 148.3 | 166.5 | 167.1 | 145.5 | 134.7 | **5,974.5** |
| OIL | 1962 | 140.0 | 123.6 | 135.6 | 130.5 | 119.3 | 114.7 | 128.1 | 130.3 | 126.7 | 140.2 | 130.3 | 138.7 | **4,647.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **537.0** |
| H2O | 1961 | 219.4 | 208.7 | 221.3 | 234.3 | 229.6 | 241.2 | 272.8 | 176.8 | 207.8 | 204.3 | 202.5 | 196.2 | **3,872.0** |
| OIL | 1961 | 179.4 | 151.6 | 168.8 | 169.4 | 138.4 | 160.8 | 181.3 | 144.3 | 137.8 | 147.2 | 137.3 | 142.1 | **3,089.9** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 30.0 | 25.0 | 30.0 | 31.0 | **177.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 162.3 | 188.6 | 199.0 | 229.6 | 253.3 | 224.3 | **1,257.1** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 268.5 | 234.2 | 197.5 | 154.0 | 192.8 | 184.5 | **1,231.5** |

Licence ***1773*** Well Name ***Virden Roselea Unit No. 2 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-07-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1098.9 | 971.7 | 1080.1 | 967.9 | 990.3 | 918.7 | 901.1 | 855.6 | 791.7 | 819.7 | 738.1 | 781.1 | **64,133.9** |
| WIN | 1974 | 1151.0 | 976.6 | 1027.5 | 950.7 | 967.6 | 963.7 | 1004.0 | 1085.4 | 1015.1 | 633.7 | 1037.3 | 1040.4 | **53,219.0** |
| WIN | 1973 | 1267.7 | 1115.4 | 1167.1 | 1108.6 | 1123.2 | 1058.0 | 1153.7 | 1140.5 | 980.4 | 1081.5 | 1056.1 | 1105.2 | **41,366.0** |
| WIN | 1972 | 1228.4 | 1112.7 | 1155.9 | 1101.1 | 1125.7 | 1083.1 | 1183.4 | 1086.3 | 1366.0 | 1218.1 | 1160.9 | 1155.3 | **28,008.6** |
| DAY | 1971 | 29.0 | 9.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,757.0** |
| H2O | 1971 | 277.2 | 92.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **15,698.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1773*** Well Name ***Virden Roselea Unit No. 2 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-07-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1971 | 93.2 | 29.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,663.1** |
| WIN | 1971 | 0.0 | 544.5 | 1441.8 | 1361.7 | 1477.6 | 1383.1 | 1480.9 | 1336.1 | 1202.8 | 1159.6 | 1384.6 | 1259.0 | **14,031.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 26.0 | 31.0 | 28.0 | 31.0 | **3,719.0** |
| H2O | 1970 | 258.3 | 247.5 | 276.0 | 270.7 | 298.9 | 273.6 | 275.2 | 241.2 | 198.7 | 263.3 | 265.0 | 261.7 | **15,328.8** |
| OIL | 1970 | 128.1 | 111.1 | 120.3 | 117.1 | 19.1 | 16.7 | 19.5 | 207.7 | 166.5 | 93.1 | 95.0 | 101.2 | **6,540.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 26.0 | 30.0 | 30.0 | **3,362.0** |
| H2O | 1969 | 461.4 | 369.2 | 460.6 | 426.1 | 287.4 | 308.6 | 310.8 | 180.0 | 94.3 | 80.4 | 287.1 | 255.5 | **12,198.7** |
| OIL | 1969 | 151.8 | 133.8 | 145.7 | 133.5 | 64.8 | 67.5 | 64.0 | 66.9 | 70.6 | 61.7 | 120.9 | 125.9 | **5,344.8** |
| DAY | 1968 | 22.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | **3,005.0** |
| H2O | 1968 | 17.0 | 23.8 | 26.1 | 24.2 | 26.7 | 22.6 | 19.2 | 358.5 | 271.9 | 362.6 | 348.0 | 456.4 | **8,677.3** |
| OIL | 1968 | 21.6 | 30.5 | 30.7 | 27.0 | 30.4 | 22.7 | 20.0 | 130.1 | 115.8 | 139.0 | 131.6 | 149.5 | **4,137.7** |
| DAY | 1967 | 31.0 | 28.0 | 28.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,657.0** |
| H2O | 1967 | 55.8 | 51.5 | 47.4 | 45.3 | 52.3 | 57.2 | 25.1 | 28.6 | 26.5 | 23.7 | 21.3 | 25.8 | **6,720.3** |
| OIL | 1967 | 40.0 | 38.0 | 36.7 | 36.4 | 38.3 | 37.5 | 32.9 | 35.4 | 34.8 | 33.4 | 28.4 | 33.8 | **3,288.8** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,300.0** |
| H2O | 1966 | 34.7 | 31.8 | 37.2 | 33.4 | 33.4 | 31.8 | 73.6 | 71.9 | 69.0 | 62.8 | 54.5 | 46.9 | **6,259.8** |
| OIL | 1966 | 32.6 | 31.1 | 32.7 | 31.8 | 31.0 | 11.9 | 34.0 | 30.7 | 35.8 | 32.6 | 35.1 | 37.0 | **2,863.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,942.0** |
| H2O | 1965 | 96.7 | 85.7 | 95.7 | 95.7 | 35.8 | 35.3 | 36.6 | 37.5 | 37.5 | 36.6 | 33.7 | 34.7 | **5,678.8** |
| OIL | 1965 | 6.2 | 5.4 | 6.2 | 9.4 | 9.9 | 33.4 | 38.9 | 34.8 | 33.1 | 33.4 | 31.9 | 32.6 | **2,486.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 0.0 | 17.0 | 31.0 | 30.0 | 31.0 | **1,577.0** |
| H2O | 1964 | 63.0 | 46.1 | 49.3 | 80.8 | 49.3 | 32.1 | 34.8 | 0.0 | 17.5 | 50.9 | 62.0 | 90.3 | **5,017.3** |
| OIL | 1964 | 20.8 | 18.4 | 19.7 | 19.7 | 37.2 | 28.8 | 20.3 | 0.0 | 8.1 | 10.2 | 14.3 | 7.2 | **2,211.7** |
| DAY | 1963 | 23.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,258.0** |
| H2O | 1963 | 35.3 | 39.7 | 48.0 | 38.2 | 41.3 | 42.9 | 47.7 | 51.4 | 47.7 | 49.4 | 58.3 | 66.1 | **4,441.2** |
| OIL | 1963 | 25.3 | 28.4 | 33.2 | 27.2 | 33.4 | 28.6 | 28.6 | 24.9 | 24.6 | 22.1 | 22.1 | 16.4 | **2,007.0** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **901.0** |
| H2O | 1962 | 55.0 | 51.4 | 70.7 | 47.7 | 53.7 | 44.5 | 64.4 | 70.7 | 71.5 | 73.9 | 74.7 | 49.3 | **3,875.2** |
| OIL | 1962 | 17.8 | 18.8 | 22.9 | 47.2 | 45.0 | 36.4 | 32.1 | 34.5 | 33.4 | 34.5 | 33.4 | 34.0 | **1,692.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 25.0 | 28.0 | **536.0** |
| H2O | 1961 | 353.3 | 154.8 | 276.6 | 262.3 | 243.2 | 138.3 | 58.7 | 76.3 | 64.9 | 76.2 | 63.1 | 73.8 | **3,147.7** |
| OIL | 1961 | 58.8 | 66.3 | 69.1 | 63.6 | 72.0 | 46.6 | 42.9 | 42.9 | 44.5 | 37.2 | 47.2 | 29.2 | **1,302.2** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 28.0 | **183.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.6 | 190.6 | 257.1 | 212.9 | 164.1 | 226.4 | 240.5 | **1,306.2** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 46.9 | 162.2 | 147.0 | 98.7 | 83.6 | 76.9 | 66.6 | **681.9** |

Licence ***1775*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.01-06-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **5,602.0** |
| H2O | 1975 | 1159.8 | 1033.4 | 1149.9 | 932.9 | 1170.6 | 1032.1 | 864.9 | 1096.3 | 718.4 | 725.6 | 690.5 | 1282.0 | **79,279.9** |
| OIL | 1975 | 96.0 | 85.7 | 99.6 | 93.1 | 93.0 | 121.2 | 115.5 | 125.9 | 85.2 | 67.9 | 64.2 | 126.5 | **33,773.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,242.0** |
| H2O | 1974 | 979.6 | 895.7 | 863.3 | 442.0 | 971.4 | 885.8 | 1061.8 | 974.7 | 911.1 | 829.1 | 1086.9 | 1206.5 | **67,423.5** |
| OIL | 1974 | 123.5 | 110.3 | 117.9 | 98.0 | 99.2 | 106.8 | 111.4 | 97.9 | 88.7 | 96.8 | 89.0 | 99.8 | **32,600.0** |
| DAY | 1973 | 30.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **4,878.0** |
| H2O | 1973 | 1026.1 | 974.1 | 974.5 | 998.2 | 1095.1 | 928.6 | 1106.5 | 1008.4 | 949.3 | 1126.4 | 1002.2 | 1004.9 | **56,315.6** |
| OIL | 1973 | 136.7 | 122.2 | 159.2 | 142.7 | 179.4 | 143.0 | 153.2 | 145.1 | 123.5 | 134.9 | 134.1 | 122.4 | **31,360.7** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 29.0 | 29.0 | 30.0 | **4,517.0** |
| H2O | 1972 | 958.8 | 903.0 | 941.0 | 989.7 | 973.1 | 1006.0 | 1015.6 | 946.7 | 1089.6 | 1234.5 | 1217.8 | 1161.3 | **44,121.3** |
| OIL | 1972 | 241.4 | 174.2 | 179.1 | 189.9 | 176.4 | 160.8 | 150.2 | 122.2 | 127.0 | 90.4 | 89.9 | 138.4 | **29,664.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1775*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.01-06-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 22.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,159.0** |
| H2O | 1971 | 593.9 | 440.4 | 653.9 | 622.9 | 832.1 | 844.2 | 895.9 | 881.2 | 826.1 | 864.5 | 867.6 | 865.2 | **31,684.2** |
| OIL | 1971 | 284.8 | 203.7 | 250.8 | 253.3 | 257.4 | 241.4 | 206.6 | 214.8 | 189.4 | 190.7 | 203.7 | 210.9 | **27,824.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,801.0** |
| H2O | 1970 | 516.8 | 495.2 | 543.6 | 564.1 | 575.3 | 562.5 | 562.3 | 610.3 | 549.9 | 598.6 | 562.6 | 518.3 | **22,496.3** |
| OIL | 1970 | 419.7 | 364.1 | 388.1 | 325.6 | 364.5 | 339.7 | 330.4 | 301.5 | 264.6 | 263.0 | 287.2 | 285.7 | **25,116.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,437.0** |
| H2O | 1969 | 188.7 | 161.8 | 132.0 | 103.2 | 98.9 | 57.9 | 63.0 | 50.9 | 544.0 | 569.6 | 574.2 | 528.0 | **15,836.8** |
| OIL | 1969 | 393.6 | 359.8 | 338.8 | 371.5 | 368.2 | 374.4 | 372.6 | 328.1 | 439.5 | 442.7 | 396.3 | 426.0 | **21,182.8** |
| DAY | 1968 | 31.0 | 29.0 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,076.0** |
| H2O | 1968 | 155.0 | 145.8 | 195.5 | 202.9 | 194.6 | 188.4 | 182.4 | 202.5 | 194.1 | 232.6 | 216.4 | 163.3 | **12,764.6** |
| OIL | 1968 | 334.2 | 318.1 | 398.4 | 392.5 | 397.0 | 361.0 | 353.4 | 364.5 | 356.4 | 383.8 | 352.5 | 392.8 | **16,571.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,713.0** |
| H2O | 1967 | 263.1 | 303.5 | 310.3 | 244.7 | 293.3 | 331.8 | 259.1 | 306.0 | 283.3 | 244.5 | 249.8 | 274.6 | **10,491.1** |
| OIL | 1967 | 122.5 | 140.3 | 150.2 | 143.3 | 156.7 | 201.5 | 210.6 | 234.6 | 229.9 | 235.2 | 229.1 | 247.1 | **12,166.7** |
| DAY | 1966 | 31.0 | 27.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,352.0** |
| H2O | 1966 | 8.4 | 7.0 | 8.3 | 126.9 | 134.2 | 167.1 | 144.0 | 140.9 | 130.5 | 115.7 | 172.0 | 235.0 | **7,127.1** |
| OIL | 1966 | 89.6 | 74.4 | 78.2 | 95.8 | 91.4 | 87.1 | 97.9 | 88.0 | 99.3 | 88.4 | 100.0 | 120.1 | **9,865.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,990.0** |
| H2O | 1965 | 71.7 | 57.4 | 64.4 | 66.3 | 66.8 | 55.0 | 81.4 | 130.5 | 112.1 | 120.8 | 7.5 | 8.6 | **5,737.1** |
| OIL | 1965 | 109.3 | 96.6 | 104.6 | 98.2 | 98.8 | 86.3 | 109.0 | 122.2 | 96.0 | 97.3 | 81.5 | 91.7 | **8,755.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,628.0** |
| H2O | 1964 | 82.0 | 74.9 | 80.4 | 117.2 | 113.2 | 107.6 | 97.9 | 97.5 | 52.3 | 56.4 | 58.3 | 54.7 | **4,894.6** |
| OIL | 1964 | 115.8 | 105.8 | 113.3 | 107.6 | 110.3 | 109.5 | 107.6 | 107.4 | 96.9 | 102.7 | 106.8 | 109.0 | **7,564.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,262.0** |
| H2O | 1963 | 100.0 | 89.3 | 100.2 | 73.8 | 80.8 | 68.7 | 99.0 | 75.8 | 71.4 | 133.4 | 95.1 | 81.1 | **3,902.2** |
| OIL | 1963 | 126.3 | 112.8 | 126.3 | 126.2 | 123.3 | 104.4 | 100.3 | 85.2 | 89.8 | 126.8 | 115.1 | 117.0 | **6,271.3** |
| DAY | 1962 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **897.0** |
| H2O | 1962 | 97.9 | 88.9 | 90.3 | 102.7 | 121.1 | 120.2 | 102.2 | 115.6 | 113.7 | 115.3 | 98.6 | 121.9 | **2,833.6** |
| OIL | 1962 | 140.0 | 119.2 | 135.6 | 139.7 | 121.6 | 116.8 | 123.0 | 126.2 | 106.5 | 114.3 | 103.3 | 109.6 | **4,917.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **533.0** |
| H2O | 1961 | 107.3 | 100.6 | 106.7 | 100.5 | 98.2 | 84.6 | 81.4 | 117.8 | 116.5 | 134.8 | 129.6 | 95.7 | **1,545.2** |
| OIL | 1961 | 197.0 | 210.9 | 234.7 | 175.0 | 170.7 | 123.6 | 133.2 | 173.8 | 158.9 | 162.1 | 132.4 | 141.3 | **3,462.0** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **168.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 43.2 | 22.6 | 30.8 | 47.2 | 39.3 | 88.4 | **271.5** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 86.7 | 304.5 | 287.6 | 296.4 | 280.3 | 192.9 | **1,448.4** |

Licence ***1776*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.16-36-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,524.0** |
| H2O | 1975 | 393.6 | 350.6 | 390.3 | 316.5 | 366.0 | 318.3 | 287.1 | 317.3 | 294.7 | 306.7 | 314.1 | 314.8 | **45,873.6** |
| OIL | 1975 | 54.7 | 48.8 | 56.6 | 52.9 | 54.7 | 53.7 | 55.1 | 51.3 | 49.7 | 49.6 | 50.5 | 51.5 | **22,506.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,160.0** |
| H2O | 1974 | 278.4 | 254.5 | 245.3 | 276.8 | 263.9 | 244.2 | 318.4 | 553.9 | 526.7 | 463.4 | 368.8 | 409.2 | **41,903.6** |
| OIL | 1974 | 55.3 | 49.4 | 52.8 | 51.0 | 45.8 | 47.2 | 38.9 | 60.1 | 55.6 | 58.6 | 50.5 | 56.7 | **21,877.2** |
| DAY | 1973 | 29.0 | 27.0 | 18.0 | 7.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,801.0** |
| H2O | 1973 | 463.9 | 369.6 | 240.5 | 90.6 | 399.0 | 341.6 | 390.1 | 327.0 | 313.7 | 349.0 | 309.1 | 297.5 | **37,700.1** |
| OIL | 1973 | 68.2 | 68.5 | 47.8 | 19.5 | 71.7 | 66.3 | 68.0 | 59.1 | 57.0 | 58.5 | 60.1 | 57.0 | **21,255.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | 27.0 | 31.0 | **4,475.0** |
| H2O | 1972 | 368.0 | 348.2 | 317.8 | 324.0 | 368.0 | 376.3 | 355.8 | 351.8 | 368.7 | 368.4 | 260.1 | 296.3 | **33,808.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1776*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.16-36-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1972 | 76.3 | 70.7 | 66.6 | 68.5 | 70.4 | 69.6 | 78.8 | 68.2 | 73.9 | 77.2 | 72.0 | 82.6 | **20,553.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,116.0** |
| H2O | 1971 | 260.7 | 244.8 | 243.7 | 392.8 | 438.1 | 388.2 | 397.8 | 404.4 | 366.6 | 405.7 | 387.0 | 298.7 | **29,705.1** |
| OIL | 1971 | 84.5 | 76.6 | 82.0 | 101.7 | 115.1 | 92.2 | 101.7 | 86.8 | 81.8 | 87.1 | 82.2 | 74.8 | **19,678.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,753.0** |
| H2O | 1970 | 318.6 | 305.1 | 340.1 | 293.5 | 373.0 | 260.9 | 236.7 | 256.9 | 246.1 | 252.3 | 238.6 | 223.8 | **25,476.6** |
| OIL | 1970 | 141.4 | 122.7 | 132.8 | 113.3 | 142.2 | 104.1 | 110.1 | 100.6 | 93.8 | 68.5 | 75.3 | 83.4 | **18,612.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 29.0 | 28.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,388.0** |
| H2O | 1969 | 391.1 | 369.3 | 371.5 | 345.6 | 320.0 | 356.0 | 383.1 | 324.3 | 318.1 | 328.8 | 353.9 | 325.4 | **22,131.0** |
| OIL | 1969 | 151.8 | 149.4 | 140.6 | 129.2 | 123.6 | 133.2 | 135.2 | 129.2 | 127.6 | 135.4 | 133.6 | 143.7 | **17,324.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,028.0** |
| H2O | 1968 | 319.2 | 301.7 | 304.8 | 306.0 | 286.0 | 420.7 | 388.5 | 387.9 | 409.4 | 490.0 | 448.5 | 387.1 | **17,943.9** |
| OIL | 1968 | 185.8 | 177.7 | 164.5 | 156.8 | 135.2 | 152.2 | 156.0 | 137.8 | 138.3 | 148.7 | 134.3 | 149.5 | **15,691.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 18.0 | 26.0 | 31.0 | **2,664.0** |
| H2O | 1967 | 329.4 | 321.3 | 328.5 | 303.8 | 345.9 | 381.6 | 342.3 | 372.6 | 345.1 | 172.7 | 248.8 | 325.8 | **13,494.1** |
| OIL | 1967 | 194.2 | 194.5 | 208.0 | 199.3 | 226.9 | 223.4 | 226.3 | 232.3 | 227.7 | 111.9 | 153.5 | 197.2 | **13,854.8** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,317.0** |
| H2O | 1966 | 187.9 | 166.6 | 200.3 | 183.1 | 194.0 | 215.3 | 259.3 | 265.2 | 245.6 | 224.0 | 255.8 | 286.2 | **9,676.3** |
| OIL | 1966 | 135.7 | 120.1 | 129.4 | 127.0 | 121.1 | 129.0 | 107.1 | 100.6 | 113.5 | 103.8 | 143.5 | 185.3 | **11,459.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,954.0** |
| H2O | 1965 | 122.9 | 76.5 | 85.4 | 87.8 | 88.7 | 108.1 | 150.2 | 118.9 | 241.3 | 183.3 | 158.0 | 190.5 | **6,993.0** |
| OIL | 1965 | 114.1 | 96.8 | 104.7 | 97.7 | 99.0 | 86.4 | 102.3 | 108.7 | 143.3 | 139.4 | 114.3 | 138.6 | **9,943.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,593.0** |
| H2O | 1964 | 82.0 | 74.9 | 80.6 | 99.4 | 95.9 | 91.3 | 127.0 | 126.1 | 104.4 | 112.9 | 100.2 | 93.6 | **5,381.4** |
| OIL | 1964 | 121.7 | 111.2 | 119.0 | 116.8 | 119.7 | 118.7 | 123.8 | 123.6 | 108.1 | 114.3 | 111.2 | 113.6 | **8,598.2** |
| DAY | 1963 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,227.0** |
| H2O | 1963 | 96.0 | 79.3 | 96.2 | 95.1 | 57.7 | 50.9 | 106.8 | 115.9 | 106.8 | 110.8 | 77.7 | 80.3 | **4,193.1** |
| OIL | 1963 | 143.0 | 118.2 | 143.2 | 140.8 | 128.4 | 122.7 | 125.2 | 121.1 | 111.4 | 116.3 | 116.3 | 121.7 | **7,196.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **864.0** |
| H2O | 1962 | 143.6 | 135.0 | 127.7 | 145.1 | 118.4 | 108.7 | 126.1 | 118.1 | 130.7 | 93.3 | 86.5 | 91.4 | **3,119.6** |
| OIL | 1962 | 182.9 | 161.5 | 168.1 | 173.1 | 162.6 | 144.4 | 170.2 | 151.8 | 134.0 | 150.6 | 137.9 | 137.6 | **5,688.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **501.0** |
| H2O | 1961 | 28.8 | 21.6 | 22.9 | 20.8 | 90.9 | 153.3 | 169.9 | 209.9 | 199.4 | 191.4 | 191.6 | 141.0 | **1,695.0** |
| OIL | 1961 | 157.5 | 170.8 | 190.1 | 210.4 | 172.7 | 208.2 | 230.1 | 228.7 | 205.0 | 206.7 | 194.5 | 185.6 | **3,813.5** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 30.0 | 25.0 | 30.0 | 31.0 | **136.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 39.5 | 47.1 | 54.5 | 59.6 | 52.8 | **253.5** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 173.6 | 345.5 | 272.8 | 337.8 | 323.5 | **1,453.2** |

Licence ***1777*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,527.0** |
| H2O | 1975 | 334.5 | 307.6 | 342.9 | 332.3 | 332.9 | 329.6 | 330.4 | 360.1 | 329.9 | 380.8 | 381.9 | 388.7 | **34,037.0** |
| OIL | 1975 | 100.0 | 88.8 | 97.6 | 92.5 | 91.2 | 91.7 | 94.2 | 161.0 | 145.2 | 161.5 | 156.2 | 158.8 | **21,399.4** |
| DAY | 1974 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 26.0 | 29.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **5,163.0** |
| H2O | 1974 | 132.1 | 118.0 | 137.0 | 132.1 | 138.0 | 118.0 | 129.4 | 128.6 | 317.3 | 319.7 | 318.6 | 329.6 | **29,885.4** |
| OIL | 1974 | 89.0 | 74.8 | 88.8 | 83.9 | 87.9 | 72.3 | 81.4 | 87.6 | 97.1 | 98.0 | 93.4 | 99.8 | **19,960.7** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,807.0** |
| H2O | 1973 | 212.4 | 203.8 | 218.6 | 218.1 | 213.8 | 212.4 | 203.0 | 137.7 | 145.8 | 139.9 | 134.2 | 132.4 | **27,567.0** |
| OIL | 1973 | 123.5 | 108.9 | 120.0 | 117.1 | 118.4 | 118.5 | 117.0 | 86.6 | 88.8 | 86.3 | 84.1 | 86.8 | **18,906.7** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,447.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1777*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1972 | 175.5 | 171.1 | 187.8 | 171.2 | 189.0 | 188.1 | 208.7 | 195.7 | 197.6 | 214.8 | 213.0 | 216.5 | **25,394.9** |
| OIL | 1972 | 121.2 | 113.1 | 123.2 | 117.6 | 123.9 | 119.7 | 123.2 | 124.7 | 120.0 | 126.3 | 120.1 | 125.2 | **17,650.7** |
| DAY | 1971 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,081.0** |
| H2O | 1971 | 355.5 | 322.6 | 263.9 | 283.1 | 283.6 | 282.3 | 279.8 | 269.8 | 241.5 | 165.5 | 149.1 | 187.0 | **23,065.9** |
| OIL | 1971 | 24.2 | 21.5 | 171.9 | 174.5 | 178.3 | 173.4 | 177.3 | 174.2 | 171.8 | 127.9 | 113.0 | 123.5 | **16,192.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | **3,719.0** |
| H2O | 1970 | 162.3 | 152.3 | 159.5 | 141.5 | 135.3 | 153.7 | 142.1 | 160.1 | 139.1 | 361.4 | 345.3 | 383.9 | **19,982.2** |
| OIL | 1970 | 158.4 | 142.9 | 156.0 | 144.6 | 138.6 | 151.9 | 157.8 | 155.3 | 138.3 | 22.1 | 22.1 | 23.2 | **14,561.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,361.0** |
| H2O | 1969 | 183.0 | 166.1 | 155.8 | 159.1 | 175.0 | 154.2 | 167.1 | 168.0 | 158.3 | 171.9 | 153.4 | 168.5 | **17,545.7** |
| OIL | 1969 | 138.1 | 122.0 | 134.9 | 131.3 | 134.8 | 155.3 | 161.5 | 160.5 | 156.0 | 163.4 | 156.5 | 164.0 | **13,149.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 27.0 | 27.0 | 31.0 | **2,996.0** |
| H2O | 1968 | 218.0 | 207.2 | 213.5 | 225.9 | 236.6 | 216.4 | 233.7 | 206.5 | 214.1 | 154.8 | 146.9 | 174.4 | **15,565.3** |
| OIL | 1968 | 159.2 | 146.0 | 151.8 | 155.4 | 155.9 | 153.0 | 157.8 | 152.6 | 152.1 | 121.9 | 119.8 | 138.1 | **11,371.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 27.0 | 30.0 | 30.0 | 28.0 | 31.0 | **2,638.0** |
| H2O | 1967 | 100.3 | 82.8 | 99.7 | 98.7 | 98.9 | 93.2 | 62.2 | 85.2 | 85.7 | 88.9 | 75.5 | 226.2 | **13,117.3** |
| OIL | 1967 | 134.4 | 119.5 | 134.0 | 101.2 | 104.2 | 100.0 | 87.9 | 89.6 | 99.2 | 100.4 | 94.4 | 158.9 | **9,607.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,284.0** |
| H2O | 1966 | 107.2 | 88.4 | 112.4 | 115.3 | 129.9 | 114.6 | 113.2 | 111.3 | 119.9 | 98.1 | 98.2 | 103.0 | **11,920.0** |
| OIL | 1966 | 139.5 | 126.7 | 140.2 | 137.1 | 143.3 | 137.9 | 142.9 | 141.1 | 137.6 | 130.1 | 128.6 | 131.7 | **8,284.2** |
| DAY | 1965 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,919.0** |
| H2O | 1965 | 151.5 | 142.9 | 163.0 | 142.6 | 145.1 | 138.5 | 138.9 | 139.6 | 141.0 | 139.7 | 106.2 | 115.7 | **10,608.5** |
| OIL | 1965 | 119.8 | 116.0 | 125.4 | 120.8 | 122.0 | 122.0 | 127.1 | 126.0 | 119.3 | 124.1 | 132.2 | 145.4 | **6,647.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,557.0** |
| H2O | 1964 | 153.7 | 138.6 | 154.2 | 149.0 | 157.9 | 120.5 | 146.1 | 152.5 | 146.1 | 146.1 | 151.3 | 160.3 | **8,943.8** |
| OIL | 1964 | 119.7 | 113.1 | 122.4 | 117.4 | 120.9 | 92.2 | 117.3 | 121.9 | 117.8 | 119.8 | 117.6 | 126.0 | **5,147.4** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | **1,197.0** |
| H2O | 1963 | 210.3 | 230.4 | 244.5 | 211.0 | 219.9 | 233.4 | 255.0 | 265.0 | 138.8 | 162.5 | 148.6 | 151.8 | **7,167.5** |
| OIL | 1963 | 72.3 | 69.4 | 74.2 | 65.8 | 68.0 | 67.2 | 72.9 | 70.4 | 86.9 | 116.2 | 112.2 | 114.7 | **3,741.3** |
| DAY | 1962 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **838.0** |
| H2O | 1962 | 366.8 | 287.9 | 308.4 | 304.4 | 275.5 | 241.5 | 251.7 | 244.0 | 223.7 | 289.0 | 266.9 | 233.7 | **4,696.3** |
| OIL | 1962 | 100.0 | 80.2 | 86.4 | 80.4 | 83.0 | 79.5 | 79.5 | 82.3 | 68.5 | 75.2 | 71.8 | 74.2 | **2,751.1** |
| DAY | 1961 | 26.0 | 19.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 12.0 | 30.0 | 31.0 | **478.0** |
| H2O | 1961 | 40.4 | 45.6 | 59.3 | 53.3 | 46.9 | 44.5 | 24.0 | 31.6 | 32.6 | 106.5 | 380.3 | 382.2 | **1,402.8** |
| OIL | 1961 | 137.6 | 91.8 | 121.9 | 124.1 | 119.0 | 109.6 | 93.3 | 69.9 | 66.3 | 25.3 | 102.3 | 109.8 | **1,790.1** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 13.0 | 28.0 | 31.0 | 28.0 | 31.0 | **146.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.2 | 39.9 | 51.4 | 63.9 | **155.6** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 78.0 | 44.7 | 95.2 | 100.0 | 138.7 | 162.6 | **619.2** |

Licence ***1778*** Well Name ***Rundle Routledge Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.16-29-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1970 | 66.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **57,033.3** |
| WIN | 1969 | 890.4 | 789.1 | 865.1 | 812.7 | 704.5 | 498.4 | 827.1 | 534.5 | 851.3 | 781.1 | 747.4 | 728.8 | **56,967.3** |
| WIN | 1968 | 1160.8 | 983.4 | 988.0 | 899.9 | 906.3 | 869.3 | 1012.5 | 949.2 | 929.5 | 1006.1 | 944.3 | 923.6 | **47,936.9** |
| WIN | 1967 | 842.9 | 709.1 | 869.9 | 1262.8 | 1131.3 | 1010.8 | 1037.0 | 1016.3 | 971.2 | 970.4 | 861.8 | 1263.7 | **36,364.0** |
| WIN | 1966 | 724.5 | 635.8 | 884.5 | 825.2 | 734.1 | 758.7 | 1140.8 | 1190.9 | 1072.3 | 1029.5 | 906.1 | 878.5 | **24,416.8** |
| WIN | 1965 | 785.4 | 673.8 | 684.1 | 611.0 | 503.5 | 386.7 | 656.6 | 703.2 | 704.6 | 650.6 | 550.6 | 810.0 | **13,635.9** |
| WIN | 1964 | 0.0 | 0.0 | 0.0 | 226.9 | 548.8 | 564.1 | 677.8 | 876.4 | 768.9 | 788.3 | 792.4 | 672.2 | **5,915.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 17.0 | 31.0 | 30.0 | 14.0 | 28.0 | 27.0 | 28.0 | 17.0 | 0.0 | **361.0** |
| H2O | 1961 | 144.4 | 82.3 | 20.6 | 14.3 | 56.3 | 51.8 | 42.3 | 65.2 | 76.8 | 44.5 | 6.5 | 0.0 | **788.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1778*** Well Name ***Rundle Routledge Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.16-29-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1961 | 27.6 | 22.9 | 26.5 | 20.7 | 20.7 | 31.1 | 11.1 | 20.5 | 18.9 | 12.2 | 2.2 | 0.0 | **376.8** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 25.0 | 13.0 | 21.0 | **79.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 34.0 | 29.6 | 34.6 | 84.9 | **183.1** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 34.6 | 44.7 | 34.6 | 48.5 | **162.4** |

Licence ***1779*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.09-36-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,524.0** |
| H2O | 1975 | 2075.6 | 1849.1 | 2058.0 | 1651.0 | 1587.4 | 1321.4 | 1111.9 | 1231.5 | 1166.1 | 1143.4 | 1325.6 | 1328.4 | **122,251.6** |
| OIL | 1975 | 222.5 | 198.8 | 230.7 | 213.1 | 214.2 | 201.5 | 192.9 | 136.7 | 134.8 | 107.7 | 132.8 | 135.4 | **33,829.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | **5,160.0** |
| H2O | 1974 | 1651.2 | 1509.7 | 1455.0 | 1641.6 | 1182.0 | 1139.4 | 1365.8 | 1845.4 | 1755.3 | 1544.0 | 1945.1 | 1808.1 | **104,402.2** |
| OIL | 1974 | 204.2 | 182.3 | 195.1 | 188.6 | 115.2 | 124.1 | 129.7 | 207.1 | 191.0 | 201.8 | 206.1 | 193.7 | **31,708.0** |
| DAY | 1973 | 30.0 | 27.0 | 31.0 | 30.0 | 23.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,801.0** |
| H2O | 1973 | 1944.0 | 1685.3 | 1872.6 | 1858.5 | 1524.1 | 1723.0 | 1967.7 | 1819.5 | 1793.8 | 1930.2 | 1833.4 | 1765.2 | **85,559.6** |
| OIL | 1973 | 244.9 | 217.1 | 258.9 | 282.9 | 196.1 | 232.0 | 238.4 | 226.6 | 224.5 | 222.6 | 221.7 | 210.7 | **29,569.1** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 21.0 | 30.0 | 27.0 | 29.0 | 29.0 | 16.0 | 30.0 | 29.0 | 28.0 | **4,446.0** |
| H2O | 1972 | 1199.0 | 1033.4 | 1368.5 | 1033.7 | 1585.0 | 1649.9 | 2181.5 | 2065.2 | 1239.1 | 2231.0 | 2127.2 | 2032.6 | **63,842.3** |
| OIL | 1972 | 179.1 | 151.3 | 222.3 | 169.2 | 235.0 | 265.4 | 303.8 | 232.5 | 144.3 | 271.6 | 261.1 | 251.6 | **26,792.7** |
| DAY | 1971 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,117.0** |
| H2O | 1971 | 989.5 | 929.2 | 782.8 | 880.7 | 1190.8 | 1206.5 | 1193.1 | 1160.9 | 997.0 | 1181.5 | 1127.2 | 1231.5 | **44,096.2** |
| OIL | 1971 | 182.6 | 165.4 | 150.0 | 179.1 | 186.9 | 184.0 | 202.0 | 183.1 | 169.1 | 192.6 | 182.0 | 186.7 | **24,105.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 26.0 | 29.0 | 31.0 | 30.0 | 29.0 | **3,758.0** |
| H2O | 1970 | 883.0 | 845.8 | 942.3 | 997.3 | 985.0 | 921.9 | 866.9 | 756.1 | 863.9 | 928.4 | 922.1 | 790.3 | **31,225.5** |
| OIL | 1970 | 210.2 | 182.6 | 197.4 | 183.4 | 199.0 | 178.6 | 196.3 | 144.0 | 159.9 | 157.2 | 181.2 | 167.7 | **21,942.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | **3,402.0** |
| H2O | 1969 | 184.3 | 151.0 | 188.4 | 187.4 | 170.1 | 178.4 | 184.1 | 166.5 | 163.3 | 168.5 | 405.4 | 942.0 | **20,522.5** |
| OIL | 1969 | 132.8 | 113.5 | 123.5 | 121.4 | 120.1 | 122.2 | 118.9 | 117.0 | 115.7 | 122.5 | 62.3 | 213.4 | **19,784.5** |
| DAY | 1968 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,042.0** |
| H2O | 1968 | 164.2 | 146.1 | 154.7 | 250.6 | 227.3 | 233.1 | 192.7 | 212.7 | 181.4 | 219.1 | 197.3 | 182.2 | **17,433.1** |
| OIL | 1968 | 130.8 | 126.0 | 122.5 | 132.7 | 122.8 | 126.2 | 147.5 | 143.8 | 133.8 | 145.4 | 129.2 | 130.9 | **18,301.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,679.0** |
| H2O | 1967 | 210.2 | 207.9 | 212.6 | 196.5 | 212.2 | 216.5 | 230.5 | 251.0 | 232.6 | 162.3 | 161.8 | 167.6 | **15,071.7** |
| OIL | 1967 | 160.2 | 165.7 | 177.0 | 169.7 | 167.0 | 165.4 | 173.7 | 178.5 | 175.0 | 126.2 | 119.8 | 138.9 | **16,709.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,315.0** |
| H2O | 1966 | 110.7 | 98.2 | 117.8 | 70.4 | 74.6 | 148.5 | 131.0 | 128.1 | 118.6 | 108.1 | 182.5 | 179.3 | **12,610.0** |
| OIL | 1966 | 106.0 | 93.9 | 100.9 | 106.0 | 101.1 | 118.9 | 115.2 | 103.5 | 116.6 | 106.6 | 108.2 | 150.0 | **14,792.5** |
| DAY | 1965 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,950.0** |
| H2O | 1965 | 140.7 | 112.6 | 106.5 | 243.4 | 246.6 | 226.7 | 273.6 | 231.6 | 208.7 | 129.1 | 111.4 | 112.1 | **11,142.2** |
| OIL | 1965 | 144.9 | 127.8 | 117.0 | 142.2 | 148.3 | 144.6 | 148.7 | 169.1 | 148.6 | 123.6 | 101.4 | 108.4 | **13,465.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,592.0** |
| H2O | 1964 | 150.6 | 137.4 | 147.7 | 163.0 | 157.4 | 149.8 | 194.9 | 170.1 | 148.8 | 138.8 | 194.6 | 181.7 | **8,999.2** |
| OIL | 1964 | 202.1 | 184.5 | 197.7 | 198.3 | 203.6 | 201.8 | 197.7 | 174.5 | 166.1 | 155.1 | 166.9 | 170.2 | **11,841.0** |
| DAY | 1963 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,226.0** |
| H2O | 1963 | 237.2 | 196.0 | 203.0 | 201.4 | 149.9 | 132.3 | 166.0 | 180.1 | 165.0 | 176.3 | 142.4 | 147.2 | **7,064.4** |
| OIL | 1963 | 234.6 | 194.0 | 219.3 | 215.5 | 232.8 | 222.5 | 218.7 | 211.4 | 203.2 | 206.7 | 192.9 | 202.1 | **9,622.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **863.0** |
| H2O | 1962 | 232.4 | 218.8 | 203.5 | 225.9 | 217.2 | 198.9 | 208.1 | 244.2 | 178.2 | 145.9 | 136.1 | 226.1 | **4,967.6** |
| OIL | 1962 | 273.0 | 241.1 | 262.2 | 262.0 | 260.3 | 230.7 | 228.8 | 229.8 | 198.0 | 223.1 | 204.5 | 225.8 | **7,068.8** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **500.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1779*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.09-36-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1961 | 130.2 | 122.1 | 153.7 | 141.2 | 138.3 | 123.2 | 108.6 | 196.8 | 190.1 | 233.2 | 233.5 | 218.0 | **2,532.3** |
| OIL | 1961 | 217.4 | 181.3 | 194.0 | 214.7 | 209.4 | 206.1 | 190.2 | 277.0 | 286.7 | 296.8 | 279.5 | 264.6 | **4,229.5** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 26.0 | 26.0 | 30.0 | 31.0 | **136.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 57.2 | 92.4 | 130.7 | 139.7 | 123.4 | **543.4** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 251.2 | 274.9 | 262.8 | 318.6 | 304.3 | **1,411.8** |

Licence ***1780*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-36-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 28.0 | 23.0 | 31.0 | 30.0 | 31.0 | 23.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **4,889.0** |
| H2O | 1975 | 19.6 | 16.1 | 21.3 | 17.3 | 22.9 | 15.1 | 17.6 | 20.8 | 19.4 | 22.7 | 23.2 | 21.1 | **2,631.3** |
| OIL | 1975 | 41.3 | 33.5 | 47.4 | 44.3 | 46.7 | 34.6 | 46.2 | 46.7 | 45.3 | 45.1 | 46.1 | 42.4 | **8,795.1** |
| DAY | 1974 | 31.0 | 28.0 | 28.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,542.0** |
| H2O | 1974 | 17.5 | 15.9 | 14.0 | 14.5 | 19.2 | 17.8 | 21.3 | 19.2 | 18.8 | 16.7 | 20.2 | 22.6 | **2,394.2** |
| OIL | 1974 | 43.1 | 38.3 | 36.9 | 32.9 | 41.6 | 43.1 | 45.0 | 42.4 | 40.2 | 42.6 | 42.4 | 48.0 | **8,275.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,186.0** |
| H2O | 1973 | 19.2 | 18.3 | 19.7 | 19.1 | 21.6 | 18.4 | 21.1 | 20.5 | 19.6 | 21.9 | 19.2 | 18.6 | **2,176.5** |
| OIL | 1973 | 44.8 | 39.7 | 45.9 | 48.3 | 47.7 | 44.0 | 45.4 | 46.1 | 43.7 | 45.6 | 46.6 | 44.2 | **7,779.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | **3,822.0** |
| H2O | 1972 | 17.5 | 16.5 | 17.8 | 24.0 | 30.4 | 31.0 | 32.1 | 20.8 | 14.8 | 21.6 | 20.5 | 21.8 | **1,939.3** |
| OIL | 1972 | 40.8 | 37.8 | 40.2 | 32.3 | 36.9 | 36.4 | 37.2 | 39.3 | 28.8 | 44.3 | 42.4 | 45.1 | **7,237.0** |
| DAY | 1971 | 31.0 | 28.0 | 29.0 | 28.0 | 29.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,468.0** |
| H2O | 1971 | 4.6 | 4.3 | 4.0 | 3.8 | 4.0 | 4.3 | 3.8 | 17.5 | 15.9 | 17.5 | 16.7 | 17.3 | **1,670.5** |
| OIL | 1971 | 8.6 | 7.8 | 7.5 | 7.9 | 8.1 | 8.7 | 8.4 | 45.9 | 39.4 | 42.0 | 39.6 | 42.6 | **6,775.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 26.0 | 31.0 | **3,112.0** |
| H2O | 1970 | 4.1 | 4.0 | 4.5 | 4.5 | 4.5 | 4.5 | 4.1 | 4.5 | 4.1 | 4.1 | 3.8 | 4.0 | **1,556.8** |
| OIL | 1970 | 8.9 | 7.6 | 8.3 | 7.9 | 8.9 | 8.6 | 9.2 | 8.4 | 7.8 | 7.0 | 7.5 | 8.4 | **6,509.0** |
| DAY | 1969 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,754.0** |
| H2O | 1969 | 40.4 | 21.0 | 28.3 | 28.0 | 26.9 | 28.9 | 29.1 | 26.2 | 25.8 | 26.7 | 28.8 | 4.1 | **1,506.1** |
| OIL | 1969 | 69.1 | 34.2 | 40.2 | 39.4 | 39.1 | 40.7 | 38.6 | 38.0 | 37.5 | 39.9 | 39.4 | 8.7 | **6,410.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,393.0** |
| H2O | 1968 | 38.2 | 36.2 | 39.6 | 39.7 | 40.4 | 40.9 | 39.0 | 43.1 | 37.7 | 45.6 | 42.0 | 42.6 | **1,191.9** |
| OIL | 1968 | 73.6 | 70.2 | 70.6 | 67.4 | 70.1 | 72.3 | 71.5 | 69.8 | 71.7 | 77.9 | 70.9 | 72.5 | **5,945.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 23.0 | 30.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,027.0** |
| H2O | 1967 | 7.8 | 7.2 | 7.3 | 6.7 | 25.1 | 37.5 | 36.1 | 39.4 | 40.4 | 36.1 | 34.5 | 39.1 | **706.9** |
| OIL | 1967 | 60.7 | 57.5 | 61.7 | 58.0 | 56.9 | 75.8 | 72.0 | 73.9 | 80.1 | 77.1 | 70.4 | 78.0 | **5,087.2** |
| DAY | 1966 | 30.0 | 0.0 | 0.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,676.0** |
| H2O | 1966 | 3.2 | 0.0 | 0.0 | 8.7 | 6.0 | 5.9 | 8.9 | 10.3 | 9.5 | 8.6 | 7.5 | 6.5 | **389.7** |
| OIL | 1966 | 39.7 | 0.0 | 0.0 | 64.5 | 54.8 | 53.1 | 44.3 | 47.8 | 53.9 | 48.9 | 53.1 | 56.6 | **4,265.1** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 10.0 | 31.0 | 30.0 | 31.0 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,376.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **314.6** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 22.4 | 68.2 | 63.9 | 58.8 | 58.8 | 46.6 | 41.8 | 38.1 | 38.1 | **3,748.4** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 29.0 | 10.0 | 10.0 | 30.0 | 31.0 | 30.0 | 9.0 | **1,127.0** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 64.2 | 65.0 | 33.7 | 30.4 | 57.2 | 57.2 | 51.8 | 28.0 | **3,311.7** |
| DAY | 1963 | 19.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 31.0 | 30.0 | 30.0 | 31.0 | 22.0 | 0.0 | **955.0** |
| OIL | 1963 | 43.7 | 0.0 | 0.0 | 0.0 | 0.0 | 65.2 | 70.2 | 60.1 | 62.9 | 64.8 | 44.7 | 0.0 | **2,924.2** |
| DAY | 1962 | 8.0 | 0.0 | 0.0 | 29.0 | 31.0 | 22.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **769.0** |
| OIL | 1962 | 9.9 | 0.0 | 0.0 | 101.9 | 87.9 | 70.6 | 85.3 | 81.2 | 76.3 | 74.7 | 67.5 | 67.5 | **2,512.6** |
| DAY | 1961 | 30.0 | 28.0 | 29.0 | 30.0 | 31.0 | 25.0 | 22.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **498.0** |
| H2O | 1961 | 24.6 | 23.1 | 23.1 | 23.8 | 24.6 | 19.9 | 11.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **311.4** |
| OIL | 1961 | 95.2 | 69.9 | 113.6 | 104.9 | 112.7 | 98.8 | 66.7 | 106.2 | 95.2 | 91.7 | 84.9 | 89.9 | **1,789.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1780*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-36-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | **151.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.3 | 29.6 | 42.9 | 38.3 | 23.8 | 23.1 | **161.0** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.1 | 150.3 | 137.5 | 129.0 | 120.0 | 109.2 | **660.1** |

Licence ***1782*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 29.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,536.0** |
| H2O | 1975 | 87.4 | 78.4 | 95.7 | 92.8 | 96.2 | 92.0 | 107.3 | 103.5 | 104.0 | 108.3 | 112.2 | 114.1 | **10,709.0** |
| OIL | 1975 | 138.3 | 120.1 | 144.3 | 136.8 | 139.4 | 135.6 | 135.6 | 133.3 | 132.2 | 132.4 | 132.2 | 134.4 | **21,493.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,176.0** |
| H2O | 1974 | 102.9 | 95.4 | 106.7 | 103.2 | 107.5 | 74.7 | 72.8 | 71.5 | 70.6 | 93.2 | 92.8 | 92.7 | **9,517.1** |
| OIL | 1974 | 223.0 | 194.5 | 222.5 | 210.7 | 220.4 | 148.7 | 147.9 | 158.1 | 151.8 | 151.1 | 144.4 | 148.9 | **19,878.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,814.0** |
| H2O | 1973 | 111.4 | 107.0 | 114.9 | 114.6 | 116.1 | 106.8 | 102.9 | 115.6 | 113.5 | 109.9 | 106.4 | 103.2 | **8,433.1** |
| OIL | 1973 | 158.3 | 139.5 | 154.0 | 150.3 | 156.8 | 210.9 | 209.8 | 233.8 | 222.6 | 217.9 | 213.9 | 217.1 | **17,756.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,451.0** |
| H2O | 1972 | 111.0 | 108.1 | 118.8 | 105.7 | 108.7 | 111.8 | 124.2 | 117.6 | 117.5 | 127.8 | 126.7 | 113.7 | **7,110.8** |
| OIL | 1972 | 169.1 | 157.5 | 171.6 | 164.0 | 205.3 | 204.7 | 210.9 | 215.6 | 205.2 | 216.0 | 205.2 | 160.7 | **15,471.6** |
| DAY | 1971 | 31.0 | 28.0 | 29.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | **4,086.0** |
| H2O | 1971 | 128.9 | 116.9 | 156.6 | 169.3 | 158.7 | 169.0 | 129.4 | 124.6 | 111.6 | 97.8 | 94.1 | 118.1 | **5,719.2** |
| OIL | 1971 | 235.0 | 207.9 | 243.6 | 249.5 | 238.5 | 247.9 | 194.8 | 191.2 | 188.5 | 166.5 | 157.3 | 172.1 | **13,185.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **3,728.0** |
| H2O | 1970 | 149.3 | 140.1 | 146.7 | 133.2 | 139.4 | 141.5 | 130.7 | 147.5 | 137.2 | 137.2 | 125.1 | 134.8 | **4,144.2** |
| OIL | 1970 | 199.9 | 180.2 | 196.7 | 186.6 | 195.8 | 191.6 | 199.0 | 195.8 | 186.7 | 224.5 | 215.5 | 218.7 | **10,693.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,364.0** |
| H2O | 1969 | 88.7 | 80.6 | 75.5 | 77.1 | 84.9 | 37.0 | 46.6 | 154.7 | 139.7 | 158.2 | 141.2 | 155.0 | **2,481.5** |
| OIL | 1969 | 219.1 | 193.7 | 213.9 | 208.3 | 214.1 | 129.7 | 157.0 | 202.5 | 189.1 | 206.1 | 197.5 | 207.1 | **8,302.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,004.0** |
| H2O | 1968 | 4.3 | 4.0 | 4.3 | 4.3 | 4.0 | 95.7 | 101.0 | 81.1 | 81.4 | 86.2 | 79.5 | 84.4 | **1,242.3** |
| OIL | 1968 | 31.1 | 28.6 | 30.7 | 30.2 | 26.5 | 296.0 | 297.8 | 219.3 | 211.7 | 222.0 | 212.3 | 219.0 | **5,963.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 28.0 | **2,643.0** |
| H2O | 1967 | 5.2 | 4.3 | 5.2 | 4.8 | 4.9 | 4.6 | 3.7 | 4.8 | 4.1 | 4.6 | 3.7 | 4.0 | **612.1** |
| OIL | 1967 | 31.6 | 28.0 | 31.5 | 30.4 | 31.3 | 29.7 | 31.1 | 30.8 | 29.7 | 31.5 | 28.4 | 28.0 | **4,138.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,283.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 4.6 | 5.4 | 4.8 | 4.5 | 4.6 | 4.9 | 4.8 | 5.1 | 5.4 | **558.2** |
| OIL | 1966 | 33.4 | 29.4 | 32.6 | 27.3 | 31.0 | 29.7 | 28.6 | 29.4 | 29.4 | 28.8 | 30.2 | 31.6 | **3,776.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **1,925.0** |
| OIL | 1965 | 35.4 | 32.4 | 35.0 | 33.7 | 34.0 | 34.0 | 35.4 | 35.1 | 33.4 | 34.5 | 29.7 | 33.8 | **3,415.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,563.0** |
| H2O | 1964 | 1.1 | 1.1 | 1.3 | 1.1 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **514.1** |
| OIL | 1964 | 20.7 | 19.5 | 21.1 | 20.5 | 21.0 | 29.2 | 33.7 | 34.0 | 32.9 | 33.5 | 32.7 | 35.3 | **3,008.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,200.0** |
| H2O | 1963 | 12.9 | 14.0 | 14.5 | 12.9 | 13.5 | 1.1 | 1.1 | 1.1 | 1.4 | 1.3 | 1.1 | 1.3 | **508.2** |
| OIL | 1963 | 54.0 | 51.8 | 53.7 | 49.1 | 50.9 | 17.6 | 19.2 | 18.9 | 18.9 | 20.2 | 19.4 | 19.9 | **2,674.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 27.0 | 31.0 | **835.0** |
| H2O | 1962 | 14.8 | 13.4 | 14.8 | 14.3 | 14.8 | 14.0 | 14.6 | 3.7 | 14.5 | 17.6 | 14.6 | 14.3 | **432.0** |
| OIL | 1962 | 64.8 | 60.7 | 64.7 | 59.6 | 59.1 | 55.3 | 55.3 | 56.9 | 53.9 | 56.3 | 48.3 | 55.5 | **2,281.2** |
| DAY | 1961 | 31.0 | 27.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **474.0** |
| H2O | 1961 | 14.8 | 12.9 | 14.3 | 12.2 | 14.8 | 14.3 | 14.8 | 14.8 | 14.3 | 12.6 | 14.0 | 14.8 | **266.6** |
| OIL | 1961 | 125.2 | 105.5 | 109.2 | 102.2 | 100.7 | 98.8 | 90.9 | 83.1 | 71.2 | 71.7 | 67.5 | 69.0 | **1,590.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1782*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-04-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 30.0 | 29.0 | 27.0 | **113.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 44.7 | 26.9 | 14.0 | 12.4 | **98.0** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 152.7 | 126.5 | 93.6 | 123.0 | **495.8** |

Licence ***1784*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-31-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 9.0 | 0.0 | 0.0 | 0.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **3,568.0** |
| H2O | 1975 | 15.6 | 0.0 | 0.0 | 0.0 | 44.7 | 47.5 | 43.7 | 56.6 | 52.6 | 61.5 | 56.1 | 63.1 | **10,129.2** |
| OIL | 1975 | 6.7 | 0.0 | 0.0 | 0.0 | 18.4 | 21.9 | 23.0 | 14.6 | 14.0 | 14.0 | 12.6 | 14.6 | **3,962.2** |
| DAY | 1974 | 31.0 | 28.0 | 26.0 | 30.0 | 31.0 | 21.0 | 0.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,324.0** |
| H2O | 1974 | 47.2 | 43.1 | 34.8 | 46.4 | 52.0 | 33.7 | 0.0 | 44.4 | 46.6 | 41.0 | 50.2 | 55.8 | **9,687.8** |
| OIL | 1974 | 21.5 | 19.1 | 17.2 | 19.5 | 20.8 | 15.1 | 0.0 | 19.5 | 20.0 | 21.1 | 21.1 | 23.7 | **3,822.4** |
| DAY | 1973 | 30.0 | 27.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,007.0** |
| H2O | 1973 | 55.9 | 51.6 | 55.9 | 56.1 | 63.7 | 52.6 | 52.3 | 39.7 | 38.8 | 42.6 | 52.4 | 50.4 | **9,192.6** |
| OIL | 1973 | 8.6 | 7.3 | 8.6 | 9.2 | 9.1 | 8.1 | 14.1 | 31.5 | 31.0 | 31.3 | 23.2 | 22.2 | **3,603.8** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 29.0 | 29.0 | 30.0 | **2,646.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.9 | 59.8 | 58.6 | 62.0 | **8,580.6** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.9 | 7.9 | 7.9 | 8.4 | **3,399.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 19.0 | **2,551.0** |
| H2O | 1971 | 169.2 | 158.8 | 158.0 | 150.6 | 145.6 | 157.1 | 53.6 | 51.5 | 39.4 | 51.7 | 49.3 | 31.3 | **8,385.3** |
| OIL | 1971 | 40.5 | 36.7 | 39.4 | 39.9 | 39.1 | 41.0 | 9.4 | 8.9 | 6.8 | 8.9 | 8.3 | 5.4 | **3,373.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 22.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,204.0** |
| H2O | 1970 | 150.9 | 144.5 | 160.3 | 116.1 | 155.8 | 159.0 | 148.2 | 160.9 | 154.1 | 162.3 | 157.5 | 145.3 | **7,169.2** |
| OIL | 1970 | 41.6 | 36.1 | 38.8 | 28.0 | 41.2 | 40.0 | 43.7 | 39.7 | 37.2 | 35.6 | 40.4 | 40.2 | **3,089.2** |
| DAY | 1969 | 31.0 | 0.0 | 0.0 | 4.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,850.0** |
| H2O | 1969 | 103.8 | 0.0 | 0.0 | 13.8 | 99.0 | 106.4 | 169.9 | 153.6 | 150.7 | 155.6 | 166.1 | 154.2 | **5,354.3** |
| OIL | 1969 | 14.3 | 0.0 | 0.0 | 1.6 | 13.3 | 14.0 | 38.6 | 38.1 | 37.7 | 39.9 | 38.9 | 42.3 | **2,626.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,570.0** |
| H2O | 1968 | 83.6 | 78.5 | 86.5 | 75.2 | 76.5 | 76.3 | 72.7 | 104.0 | 91.1 | 110.2 | 101.6 | 102.9 | **4,081.2** |
| OIL | 1968 | 18.6 | 17.8 | 17.8 | 18.1 | 18.8 | 18.4 | 18.1 | 13.7 | 13.8 | 15.1 | 13.8 | 14.0 | **2,348.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,204.0** |
| H2O | 1967 | 80.6 | 74.2 | 75.7 | 70.4 | 75.8 | 82.2 | 84.7 | 95.2 | 88.2 | 78.9 | 75.5 | 85.4 | **3,022.1** |
| OIL | 1967 | 21.9 | 20.8 | 21.9 | 21.3 | 20.8 | 19.2 | 19.7 | 20.7 | 20.3 | 19.5 | 17.8 | 19.9 | **2,150.0** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 22.0 | 30.0 | 30.0 | 30.0 | 31.0 | **839.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 93.9 | 75.8 | 99.6 | 88.0 | 79.0 | 69.9 | **2,055.3** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.4 | 12.1 | 19.5 | 17.2 | 19.2 | 20.7 | **1,906.2** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 22.0 | 25.0 | 21.0 | 12.0 | 22.0 | 2.0 | 0.0 | **669.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 56.4 | 164.3 | 148.3 | 205.5 | 138.4 | 141.0 | 39.6 | 0.0 | **1,549.1** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 39.3 | 58.0 | 33.7 | 14.5 | 59.4 | 0.5 | 0.0 | **1,801.1** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 6.0 | 7.0 | 12.0 | 7.0 | 22.0 | 10.0 | 22.0 | 15.0 | 0.0 | **551.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 3.3 | 16.2 | 33.7 | 17.0 | 58.2 | 56.9 | 161.5 | 80.1 | 0.0 | **655.6** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 15.3 | 14.0 | 17.6 | 13.7 | 62.8 | 23.4 | 52.3 | 31.9 | 0.0 | **1,564.7** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 7.0 | 9.0 | 10.0 | 9.0 | 10.0 | 0.0 | 0.0 | **450.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 14.1 | 8.1 | 5.7 | 5.4 | 6.2 | 0.0 | 0.0 | **228.7** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 16.8 | 11.4 | 11.1 | 8.6 | 8.4 | 15.7 | 0.0 | 0.0 | **1,333.7** |
| DAY | 1962 | 0.0 | 0.0 | 9.0 | 9.0 | 2.0 | 13.0 | 19.0 | 13.0 | 12.0 | 11.0 | 11.0 | 9.0 | **394.0** |
| H2O | 1962 | 0.0 | 0.0 | 3.2 | 5.4 | 28.6 | 42.6 | 22.1 | 14.5 | 8.1 | 4.8 | 4.3 | 6.2 | **168.2** |
| OIL | 1962 | 0.0 | 0.0 | 25.7 | 13.5 | 5.7 | 21.8 | 31.9 | 22.6 | 30.0 | 21.6 | 17.8 | 15.4 | **1,261.7** |
| DAY | 1961 | 23.0 | 22.0 | 12.0 | 2.0 | 16.0 | 22.0 | 24.0 | 20.0 | 20.0 | 18.0 | 16.0 | 10.0 | **286.0** |
| H2O | 1961 | 1.7 | 1.3 | 1.4 | 0.0 | 1.1 | 1.9 | 0.8 | 1.3 | 1.6 | 5.1 | 5.7 | 3.0 | **28.4** |

# Manitoba Production
## 1950 To 1975

Licence ***1784*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-31-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1961 | 122.2 | 82.5 | 57.2 | 9.9 | 70.9 | 85.7 | 45.6 | 48.0 | 33.1 | 43.5 | 33.7 | 14.6 | **1,055.7** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 15.0 | 30.0 | 20.0 | **81.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.2 | 1.3 | **3.5** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 70.5 | 91.8 | 152.9 | 93.6 | **408.8** |

Licence ***1785*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.10-06-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 3344.3 | 2839.7 | 3248.6 | 2910.9 | 2975.2 | 3042.1 | 3115.4 | 3109.6 | 2840.0 | 3006.9 | 2951.9 | 3134.1 | **292,529.8** |
| WIN | 1974 | 2980.7 | 2679.8 | 2791.2 | 2589.1 | 2665.5 | 3116.0 | 3461.9 | 3426.5 | 3519.7 | 3049.7 | 3423.0 | 3297.1 | **256,011.1** |
| WIN | 1973 | 2962.6 | 2570.9 | 2786.9 | 2810.3 | 2916.3 | 2607.0 | 2982.5 | 2969.7 | 2569.9 | 2876.7 | 3064.5 | 3195.5 | **219,010.9** |
| WIN | 1972 | 2547.5 | 2370.6 | 1660.4 | 1506.3 | 2931.4 | 2925.7 | 3050.5 | 3021.9 | 2898.7 | 3021.7 | 2837.5 | 2893.8 | **184,698.1** |
| WIN | 1971 | 3146.9 | 2482.2 | 2494.1 | 2824.3 | 2957.7 | 2779.8 | 2862.1 | 3138.7 | 2400.6 | 2488.2 | 2431.8 | 2570.7 | **153,032.1** |
| WIN | 1970 | 2756.4 | 2578.5 | 3504.7 | 2925.2 | 3086.1 | 2793.0 | 3185.3 | 2634.0 | 2551.0 | 2645.6 | 2752.1 | 2408.5 | **120,455.0** |
| WIN | 1969 | 2316.8 | 2246.4 | 2567.7 | 2264.5 | 2549.9 | 2573.6 | 2595.0 | 2652.3 | 3172.0 | 2808.7 | 3194.2 | 3322.7 | **86,634.6** |
| WIN | 1968 | 1771.8 | 1443.7 | 2152.3 | 2124.4 | 2170.6 | 2126.5 | 1851.0 | 2109.2 | 1876.4 | 2148.6 | 2307.3 | 2471.2 | **54,370.8** |
| WIN | 1967 | 2293.0 | 1949.3 | 2135.1 | 1923.2 | 2080.1 | 2003.9 | 2070.2 | 2121.9 | 1975.5 | 2015.2 | 2020.0 | 1960.2 | **29,817.8** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 0.0 | 0.0 | 0.0 | **2,181.0** |
| H2O | 1966 | 143.1 | 127.1 | 152.5 | 139.7 | 147.7 | 169.8 | 156.0 | 152.3 | 123.5 | 0.0 | 0.0 | 0.0 | **6,710.1** |
| OIL | 1966 | 95.9 | 84.9 | 91.4 | 94.1 | 89.6 | 98.7 | 100.0 | 89.9 | 88.8 | 0.0 | 0.0 | 0.0 | **6,365.0** |
| WIN | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 633.1 | 2288.5 | 2348.6 | **5,270.2** |
| DAY | 1965 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,911.0** |
| H2O | 1965 | 52.5 | 42.0 | 39.7 | 152.1 | 152.8 | 140.5 | 184.4 | 143.6 | 129.4 | 139.7 | 129.9 | 145.1 | **5,398.4** |
| OIL | 1965 | 37.7 | 33.2 | 30.4 | 96.1 | 96.8 | 94.4 | 105.5 | 110.3 | 96.9 | 98.4 | 87.1 | 97.7 | **5,531.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,550.0** |
| H2O | 1964 | 55.2 | 50.6 | 54.2 | 49.0 | 56.0 | 31.3 | 29.3 | 57.1 | 43.2 | 43.9 | 42.9 | 40.1 | **3,946.7** |
| OIL | 1964 | 39.1 | 35.6 | 38.3 | 37.0 | 46.1 | 43.4 | 42.6 | 48.5 | 36.4 | 36.4 | 36.9 | 37.5 | **4,547.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,186.0** |
| H2O | 1963 | 56.0 | 49.9 | 56.1 | 34.3 | 37.4 | 117.0 | 118.3 | 53.3 | 50.2 | 73.9 | 52.3 | 54.7 | **3,393.9** |
| OIL | 1963 | 74.8 | 66.9 | 74.8 | 53.9 | 58.3 | 78.3 | 78.5 | 64.2 | 62.8 | 65.6 | 37.3 | 39.4 | **4,069.4** |
| DAY | 1962 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **821.0** |
| H2O | 1962 | 92.7 | 84.1 | 85.5 | 79.3 | 73.8 | 73.1 | 79.5 | 73.6 | 68.5 | 68.7 | 50.4 | 53.3 | **2,640.5** |
| OIL | 1962 | 96.1 | 81.8 | 93.1 | 79.6 | 86.0 | 82.6 | 81.7 | 68.6 | 53.2 | 58.8 | 55.9 | 72.0 | **3,314.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **457.0** |
| H2O | 1961 | 132.9 | 124.8 | 106.7 | 97.8 | 112.7 | 145.0 | 122.1 | 125.1 | 102.7 | 87.8 | 87.8 | 61.5 | **1,758.0** |
| OIL | 1961 | 196.6 | 163.8 | 106.6 | 118.1 | 132.8 | 187.2 | 123.2 | 118.9 | 112.0 | 107.3 | 101.1 | 107.9 | **2,405.2** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 30.0 | 29.0 | 31.0 | **98.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.6 | 116.7 | 187.0 | 135.8 | **451.1** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 104.4 | 321.3 | 201.7 | 202.3 | **829.7** |

Licence ***1786*** Well Name ***Great Northern Kirkella*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-10-012-29W1.00*** Field Name ***Kirkella*** Pool Name ***Lodgepole Daly A*** Field Code ***9*** Pool Code ***54A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 8.0 | 26.0 | 22.0 | 31.0 | 6.0 | 16.0 | 31.0 | 0.0 | 2.0 | **1,998.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 76.8 | 319.7 | 317.5 | 352.3 | 87.4 | 228.9 | 453.0 | 0.0 | 29.4 | **21,823.7** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 11.8 | 26.4 | 23.5 | 27.0 | 6.7 | 13.7 | 27.2 | 0.0 | 2.2 | **2,726.6** |
| DAY | 1968 | 8.0 | 27.0 | 19.0 | 26.0 | 27.0 | 29.0 | 22.0 | 31.0 | 22.0 | 10.0 | 25.0 | 22.0 | **1,856.0** |
| H2O | 1968 | 81.4 | 279.0 | 196.2 | 290.9 | 298.9 | 319.6 | 279.8 | 404.1 | 288.9 | 132.6 | 321.9 | 267.4 | **19,958.7** |
| OIL | 1968 | 7.6 | 25.8 | 18.1 | 24.8 | 23.7 | 27.0 | 24.5 | 34.5 | 22.6 | 11.1 | 23.8 | 20.7 | **2,588.1** |
| DAY | 1967 | 30.0 | 8.0 | 0.0 | 5.0 | 31.0 | 21.0 | 19.0 | 26.0 | 23.0 | 13.0 | 0.0 | 0.0 | **1,588.0** |
| H2O | 1967 | 353.0 | 94.1 | 0.0 | 58.8 | 315.4 | 213.6 | 287.1 | 264.6 | 218.1 | 151.5 | 0.0 | 0.0 | **16,798.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1786*** Well Name ***Great Northern Kirkella*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-10-012-29W1.00*** Field Name ***Kirkella*** Pool Name ***Lodgepole Daly A*** Field Code ***9*** Pool Code ***54A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1967 | 31.0 | 8.9 | 0.0 | 6.0 | 24.6 | 20.0 | 29.1 | 26.7 | 23.8 | 14.6 | 0.0 | 0.0 | **2,323.9** |
| DAY | 1966 | 24.0 | 23.0 | 26.0 | 16.0 | 30.0 | 27.0 | 22.0 | 9.0 | 15.0 | 10.0 | 8.0 | 27.0 | **1,412.0** |
| H2O | 1966 | 309.1 | 285.2 | 334.5 | 196.4 | 380.0 | 354.1 | 272.7 | 113.0 | 177.2 | 117.7 | 93.5 | 317.7 | **14,841.8** |
| OIL | 1966 | 26.7 | 31.2 | 32.4 | 19.7 | 37.8 | 34.3 | 28.0 | 11.4 | 16.7 | 11.1 | 12.2 | 30.0 | **2,139.2** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 9.0 | 26.0 | 22.0 | 23.0 | 19.0 | 26.0 | 24.0 | 2.0 | 27.0 | **1,175.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 73.3 | 326.4 | 258.5 | 270.6 | 223.5 | 305.9 | 298.3 | 24.8 | 334.8 | **11,890.7** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 9.5 | 32.1 | 26.4 | 25.8 | 21.1 | 29.1 | 26.7 | 2.2 | 30.0 | **1,847.7** |
| DAY | 1964 | 28.0 | 29.0 | 19.0 | 29.0 | 30.0 | 26.0 | 29.0 | 31.0 | 24.0 | 21.0 | 6.0 | 4.0 | **997.0** |
| H2O | 1964 | 342.8 | 322.7 | 211.4 | 323.5 | 333.9 | 330.7 | 381.3 | 368.2 | 296.8 | 178.9 | 56.3 | 39.1 | **9,774.6** |
| OIL | 1964 | 49.0 | 59.8 | 39.3 | 55.2 | 57.1 | 51.6 | 55.9 | 35.9 | 27.3 | 27.0 | 7.8 | 5.2 | **1,644.8** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 18.0 | 27.0 | 23.0 | 28.0 | 28.0 | 19.0 | 30.0 | **721.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 145.3 | 221.0 | 333.2 | 315.3 | 246.1 | 264.2 | 276.0 | 340.4 | **6,589.0** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 23.2 | 46.9 | 32.9 | 25.8 | 31.5 | 42.3 | 72.7 | **1,173.7** |
| DAY | 1962 | 4.0 | 4.0 | 6.0 | 18.0 | 22.0 | 28.0 | 30.0 | 20.0 | 27.0 | 20.0 | 7.0 | 0.0 | **537.0** |
| H2O | 1962 | 33.7 | 31.8 | 46.9 | 94.6 | 216.9 | 311.6 | 329.6 | 220.0 | 258.8 | 248.3 | 82.5 | 0.0 | **4,447.5** |
| OIL | 1962 | 8.6 | 8.3 | 10.3 | 22.9 | 27.3 | 28.9 | 31.5 | 19.4 | 28.5 | 24.0 | 5.7 | 0.0 | **884.4** |
| DAY | 1961 | 16.0 | 23.0 | 27.0 | 8.0 | 28.0 | 29.0 | 22.0 | 27.0 | 20.0 | 28.0 | 30.0 | 14.0 | **351.0** |
| H2O | 1961 | 128.9 | 149.0 | 187.0 | 53.4 | 178.0 | 186.7 | 209.8 | 233.1 | 132.8 | 223.2 | 240.1 | 119.4 | **2,572.8** |
| OIL | 1961 | 38.0 | 59.5 | 64.0 | 13.4 | 36.6 | 37.8 | 31.5 | 38.8 | 32.1 | 40.4 | 38.5 | 17.8 | **669.0** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 29.0 | 22.0 | 16.0 | **79.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 45.5 | 203.2 | 153.9 | 128.8 | **531.4** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 45.9 | 82.4 | 49.4 | 42.9 | **220.6** |

Licence ***1787*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-21-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 783.1 | 758.2 | 775.5 | 849.0 | 699.8 | 647.0 | 850.7 | 796.5 | 795.9 | 834.6 | 837.7 | 852.2 | **79,293.0** |
| WIN | 1974 | 915.6 | 621.2 | 907.0 | 885.2 | 887.3 | 875.8 | 821.6 | 827.3 | 767.7 | 503.6 | 674.4 | 566.4 | **69,812.8** |
| WIN | 1973 | 859.4 | 807.6 | 897.1 | 818.6 | 837.5 | 762.9 | 768.5 | 554.6 | 641.2 | 666.8 | 754.2 | 972.8 | **60,559.7** |
| WIN | 1972 | 864.5 | 903.3 | 906.0 | 1088.8 | 869.0 | 799.8 | 901.4 | 945.1 | 924.3 | 928.1 | 835.6 | 941.2 | **51,218.5** |
| WIN | 1971 | 906.8 | 829.6 | 922.4 | 893.8 | 730.0 | 828.8 | 628.9 | 511.5 | 0.0 | 539.2 | 805.4 | 864.9 | **40,311.4** |
| WIN | 1970 | 733.3 | 644.6 | 775.1 | 702.3 | 790.4 | 592.1 | 548.3 | 737.3 | 642.5 | 736.3 | 827.3 | 889.9 | **31,850.1** |
| WIN | 1969 | 545.1 | 166.9 | 390.9 | 567.2 | 603.1 | 408.7 | 560.8 | 536.0 | 670.7 | 698.7 | 702.5 | 752.6 | **23,230.7** |
| WIN | 1968 | 438.8 | 507.9 | 547.0 | 525.1 | 497.1 | 557.8 | 624.9 | 653.3 | 580.7 | 678.6 | 663.7 | 576.1 | **16,627.5** |
| WIN | 1967 | 399.5 | 376.1 | 410.5 | 394.0 | 469.8 | 426.4 | 392.0 | 421.5 | 463.7 | 421.9 | 418.9 | 438.3 | **9,776.5** |
| WIN | 1966 | 345.0 | 304.3 | 329.6 | 343.4 | 358.2 | 346.3 | 359.3 | 365.8 | 309.4 | 363.7 | 372.0 | 387.8 | **4,743.9** |
| DAY | 1965 | 23.0 | 11.0 | 20.0 | 28.0 | 19.0 | 21.0 | 30.0 | 31.0 | 30.0 | 20.0 | 0.0 | 0.0 | **1,152.0** |
| H2O | 1965 | 12.6 | 10.8 | 25.6 | 34.3 | 22.6 | 35.8 | 45.3 | 72.8 | 52.6 | 37.3 | 0.0 | 0.0 | **951.8** |
| OIL | 1965 | 79.6 | 35.4 | 66.9 | 76.3 | 56.7 | 66.4 | 93.4 | 88.2 | 90.1 | 59.2 | 0.0 | 0.0 | **4,034.7** |
| WIN | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 58.5 | 197.9 | 302.7 | **559.1** |
| DAY | 1964 | 6.0 | 10.0 | 8.0 | 10.0 | 9.0 | 22.0 | 24.0 | 22.0 | 19.0 | 21.0 | 19.0 | 14.0 | **919.0** |
| H2O | 1964 | 2.1 | 2.9 | 1.9 | 4.6 | 2.5 | 13.0 | 10.8 | 17.2 | 10.3 | 20.8 | 9.4 | 9.9 | **602.1** |
| OIL | 1964 | 21.1 | 31.6 | 23.7 | 32.9 | 22.4 | 125.2 | 142.9 | 130.5 | 117.6 | 124.3 | 106.6 | 80.1 | **3,322.5** |
| DAY | 1963 | 14.0 | 14.0 | 17.0 | 17.0 | 14.0 | 11.0 | 14.0 | 15.0 | 18.0 | 13.0 | 12.0 | 8.0 | **735.0** |
| H2O | 1963 | 7.5 | 7.8 | 12.6 | 17.3 | 19.2 | 15.3 | 8.1 | 8.6 | 6.2 | 4.9 | 5.1 | 3.7 | **496.7** |
| OIL | 1963 | 37.5 | 27.7 | 39.7 | 39.3 | 30.8 | 27.5 | 37.2 | 38.0 | 43.1 | 42.0 | 39.1 | 27.5 | **2,363.6** |
| DAY | 1962 | 19.0 | 17.0 | 19.0 | 17.0 | 18.0 | 19.0 | 24.0 | 26.0 | 22.0 | 19.0 | 21.0 | 17.0 | **568.0** |
| H2O | 1962 | 16.9 | 12.9 | 11.4 | 13.0 | 14.1 | 19.4 | 17.2 | 20.3 | 11.4 | 11.6 | 15.7 | 8.4 | **380.4** |
| OIL | 1962 | 48.6 | 45.1 | 49.3 | 44.7 | 46.6 | 50.4 | 57.8 | 66.4 | 55.0 | 43.9 | 48.8 | 40.7 | **1,934.2** |
| DAY | 1961 | 23.0 | 17.0 | 21.0 | 16.0 | 19.0 | 20.0 | 25.0 | 25.0 | 24.0 | 23.0 | 23.0 | 21.0 | **330.0** |
| H2O | 1961 | 7.0 | 15.3 | 14.1 | 8.9 | 16.4 | 15.9 | 15.7 | 14.6 | 13.0 | 12.2 | 18.1 | 13.4 | **208.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1787*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-21-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1961 | 115.8 | 83.7 | 98.8 | 87.2 | 90.6 | 80.9 | 64.7 | 66.1 | 60.2 | 55.8 | 63.7 | 54.8 | **1,336.9** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 19.0 | 23.0 | 24.0 | **73.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.5 | 6.2 | 7.3 | 27.5 | **43.5** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 47.8 | 117.8 | 124.7 | 124.3 | **414.6** |

Licence ***1788*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-06-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,500.0** |
| H2O | 1975 | 213.4 | 176.5 | 211.4 | 165.8 | 237.7 | 197.8 | 165.0 | 174.6 | 186.3 | 218.3 | 223.5 | 285.8 | **25,749.5** |
| OIL | 1975 | 123.2 | 102.3 | 127.8 | 115.4 | 137.9 | 129.8 | 128.7 | 126.0 | 107.9 | 107.6 | 109.8 | 93.0 | **16,092.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 24.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,137.0** |
| H2O | 1974 | 137.7 | 117.5 | 113.0 | 127.5 | 88.9 | 87.0 | 78.2 | 184.6 | 245.0 | 217.3 | 264.5 | 223.7 | **23,293.4** |
| OIL | 1974 | 132.7 | 68.3 | 73.1 | 70.7 | 90.1 | 98.5 | 77.2 | 69.4 | 131.9 | 140.5 | 139.5 | 129.2 | **14,682.6** |
| DAY | 1973 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 27.0 | 30.0 | 31.0 | **4,786.0** |
| H2O | 1973 | 276.8 | 294.3 | 264.7 | 233.9 | 249.6 | 213.8 | 204.8 | 196.7 | 183.8 | 150.2 | 151.7 | 146.1 | **21,408.5** |
| OIL | 1973 | 141.9 | 141.9 | 141.4 | 139.0 | 194.3 | 179.6 | 108.7 | 109.3 | 102.7 | 122.4 | 143.0 | 136.0 | **13,461.5** |
| DAY | 1972 | 23.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,430.0** |
| H2O | 1972 | 558.8 | 712.5 | 561.0 | 590.3 | 485.7 | 433.1 | 422.7 | 481.2 | 300.5 | 447.5 | 424.8 | 250.7 | **18,842.1** |
| OIL | 1972 | 165.6 | 207.1 | 204.7 | 217.1 | 144.1 | 174.2 | 183.1 | 160.5 | 116.8 | 97.3 | 93.0 | 121.4 | **11,801.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **4,075.0** |
| H2O | 1971 | 106.5 | 100.2 | 99.5 | 94.9 | 103.0 | 99.4 | 102.9 | 99.0 | 82.4 | 91.1 | 318.1 | 391.9 | **13,173.3** |
| OIL | 1971 | 115.4 | 104.6 | 112.0 | 113.3 | 78.3 | 73.4 | 82.0 | 77.7 | 73.4 | 78.2 | 156.2 | 148.7 | **9,916.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,713.0** |
| H2O | 1970 | 137.5 | 131.6 | 146.7 | 144.0 | 119.2 | 126.7 | 93.5 | 101.3 | 97.1 | 104.9 | 99.2 | 91.6 | **11,484.4** |
| OIL | 1970 | 69.0 | 59.9 | 64.8 | 63.2 | 88.7 | 77.1 | 123.9 | 113.1 | 105.5 | 104.1 | 114.4 | 113.9 | **8,703.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 28.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **3,348.0** |
| H2O | 1969 | 188.7 | 151.2 | 188.4 | 131.2 | 105.4 | 126.1 | 136.1 | 140.1 | 122.7 | 142.0 | 152.8 | 140.5 | **10,091.1** |
| OIL | 1969 | 77.9 | 69.0 | 75.0 | 82.2 | 67.9 | 78.8 | 80.2 | 62.9 | 55.8 | 66.1 | 65.3 | 70.2 | **7,605.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 29.0 | 26.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,993.0** |
| H2O | 1968 | 173.3 | 163.7 | 171.5 | 166.6 | 253.3 | 246.1 | 234.8 | 218.0 | 205.2 | 217.0 | 202.1 | 186.8 | **8,365.9** |
| OIL | 1968 | 91.4 | 87.2 | 85.5 | 78.7 | 106.9 | 89.6 | 88.8 | 74.5 | 82.2 | 95.7 | 87.9 | 76.9 | **6,754.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,635.0** |
| H2O | 1967 | 113.4 | 97.3 | 211.0 | 160.6 | 173.3 | 183.6 | 195.9 | 213.4 | 190.9 | 171.2 | 156.1 | 176.8 | **5,927.5** |
| OIL | 1967 | 59.6 | 43.7 | 91.1 | 79.0 | 77.7 | 78.2 | 82.2 | 84.2 | 80.1 | 77.1 | 87.2 | 96.9 | **5,709.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,270.0** |
| H2O | 1966 | 45.8 | 39.1 | 48.8 | 44.7 | 26.1 | 29.9 | 27.3 | 26.9 | 24.8 | 22.6 | 19.7 | 96.3 | **3,884.0** |
| OIL | 1966 | 42.7 | 36.5 | 40.7 | 41.8 | 31.5 | 34.6 | 35.3 | 31.6 | 35.8 | 32.7 | 35.1 | 55.5 | **4,772.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,905.0** |
| H2O | 1965 | 28.9 | 23.2 | 25.9 | 25.9 | 27.0 | 24.8 | 28.8 | 24.3 | 86.0 | 92.8 | 86.3 | 46.3 | **3,432.0** |
| OIL | 1965 | 52.4 | 46.4 | 50.1 | 45.4 | 47.4 | 46.2 | 45.4 | 51.8 | 54.8 | 55.3 | 49.1 | 43.7 | **4,318.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,546.0** |
| H2O | 1964 | 31.8 | 28.9 | 31.2 | 28.3 | 54.4 | 29.9 | 28.8 | 49.3 | 43.2 | 24.5 | 23.5 | 21.9 | **2,911.8** |
| OIL | 1964 | 46.1 | 42.1 | 45.0 | 43.9 | 59.8 | 49.1 | 49.6 | 40.4 | 38.6 | 50.5 | 51.0 | 52.3 | **3,730.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,181.0** |
| H2O | 1963 | 41.3 | 36.9 | 41.3 | 49.9 | 54.8 | 58.5 | 59.1 | 34.8 | 33.1 | 25.9 | 30.2 | 31.3 | **2,516.1** |
| OIL | 1963 | 50.2 | 44.8 | 50.4 | 50.2 | 54.5 | 51.2 | 51.3 | 55.0 | 54.0 | 44.0 | 44.0 | 46.6 | **3,161.8** |
| DAY | 1962 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **816.0** |
| H2O | 1962 | 60.1 | 54.5 | 55.3 | 28.8 | 46.1 | 45.8 | 55.3 | 63.0 | 62.0 | 56.9 | 18.1 | 39.4 | **2,019.0** |
| OIL | 1962 | 72.9 | 62.0 | 70.7 | 70.4 | 66.6 | 64.0 | 56.4 | 55.5 | 57.5 | 60.1 | 55.9 | 48.5 | **2,565.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 26.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **452.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1788*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-06-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1961 | 153.3 | 143.7 | 93.0 | 66.0 | 67.1 | 74.6 | 82.5 | 79.8 | 59.5 | 31.0 | 31.2 | 58.7 | **1,433.7** |
| OIL | 1961 | 170.5 | 141.9 | 82.3 | 70.6 | 71.5 | 87.6 | 96.8 | 101.1 | 79.5 | 87.9 | 82.8 | 73.6 | **1,825.1** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 30.0 | 30.0 | 31.0 | **96.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.9 | 151.2 | 164.4 | 156.8 | **493.3** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 56.5 | 257.9 | 189.3 | 175.3 | **679.0** |

Licence ***1789*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.10-16-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 27.0 | 3.0 | 1.0 | 2.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,335.0** |
| H2O | 1975 | 809.2 | 687.1 | 772.8 | 645.8 | 74.1 | 25.3 | 36.7 | 843.5 | 837.7 | 866.8 | 780.8 | 930.4 | **139,830.1** |
| OIL | 1975 | 38.5 | 34.5 | 38.0 | 32.3 | 3.8 | 1.3 | 1.9 | 44.2 | 42.3 | 45.8 | 42.6 | 38.6 | **24,609.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **5,059.0** |
| H2O | 1974 | 902.8 | 806.5 | 896.8 | 784.2 | 765.3 | 869.3 | 803.3 | 897.6 | 863.1 | 800.1 | 819.7 | 801.4 | **132,519.9** |
| OIL | 1974 | 63.2 | 56.1 | 62.3 | 55.8 | 67.9 | 63.9 | 58.0 | 64.8 | 67.9 | 37.8 | 38.3 | 38.8 | **24,245.8** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,696.0** |
| H2O | 1973 | 1012.1 | 1005.9 | 936.4 | 825.6 | 886.2 | 929.6 | 983.6 | 1128.6 | 1012.4 | 867.9 | 780.4 | 909.2 | **122,509.8** |
| OIL | 1973 | 66.6 | 64.2 | 47.5 | 45.6 | 47.5 | 47.5 | 46.9 | 44.8 | 46.6 | 41.2 | 63.9 | 62.9 | **23,571.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 27.0 | 29.0 | 31.0 | 31.0 | 27.0 | 27.0 | 26.0 | 30.0 | **4,334.0** |
| H2O | 1972 | 1150.9 | 1087.3 | 1106.8 | 1070.4 | 933.5 | 822.4 | 861.8 | 879.3 | 760.2 | 782.7 | 824.9 | 959.4 | **111,231.9** |
| OIL | 1972 | 97.4 | 92.8 | 101.2 | 92.8 | 85.2 | 102.8 | 105.4 | 109.0 | 72.1 | 75.8 | 53.9 | 65.8 | **22,945.8** |
| DAY | 1971 | 26.0 | 28.0 | 31.0 | 30.0 | 27.0 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,985.0** |
| H2O | 1971 | 905.4 | 937.0 | 1062.5 | 995.5 | 904.8 | 956.6 | 964.8 | 1097.0 | 996.3 | 1007.1 | 1015.7 | 1162.5 | **99,992.3** |
| OIL | 1971 | 77.2 | 79.9 | 90.6 | 88.0 | 75.5 | 79.1 | 77.1 | 96.0 | 92.3 | 89.5 | 81.7 | 99.8 | **21,891.6** |
| DAY | 1970 | 31.0 | 28.0 | 30.0 | 29.0 | 26.0 | 29.0 | 28.0 | 30.0 | 24.0 | 31.0 | 30.0 | 30.0 | **3,634.0** |
| H2O | 1970 | 1193.9 | 1092.2 | 1138.3 | 1100.1 | 863.3 | 994.1 | 915.6 | 988.7 | 823.4 | 1061.4 | 1035.6 | 1014.7 | **87,987.1** |
| OIL | 1970 | 123.2 | 97.9 | 104.9 | 100.1 | 80.7 | 87.4 | 79.5 | 85.2 | 69.6 | 89.1 | 81.4 | 93.0 | **20,864.9** |
| DAY | 1969 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 27.0 | 27.0 | 17.0 | 25.0 | 28.0 | 31.0 | **3,288.0** |
| H2O | 1969 | 1033.4 | 801.3 | 896.6 | 896.6 | 928.4 | 915.7 | 861.7 | 861.7 | 540.5 | 987.4 | 1100.1 | 1162.1 | **75,765.8** |
| OIL | 1969 | 147.8 | 128.7 | 133.5 | 133.5 | 137.9 | 133.5 | 128.7 | 141.6 | 72.9 | 103.6 | 120.1 | 123.2 | **19,772.9** |
| DAY | 1968 | 30.0 | 29.0 | 29.0 | 29.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,954.0** |
| H2O | 1968 | 1184.4 | 922.1 | 1097.0 | 1065.2 | 1226.5 | 1160.9 | 1021.3 | 1021.3 | 996.8 | 1028.6 | 1001.6 | 1001.6 | **64,780.3** |
| OIL | 1968 | 141.4 | 154.1 | 140.8 | 138.3 | 139.5 | 130.0 | 134.0 | 142.9 | 119.2 | 147.8 | 143.0 | 143.0 | **18,267.9** |
| DAY | 1967 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 28.0 | **2,595.0** |
| H2O | 1967 | 954.5 | 950.7 | 985.7 | 977.7 | 984.9 | 953.9 | 1160.6 | 922.1 | 980.1 | 1287.7 | 1335.4 | 1202.5 | **52,053.0** |
| OIL | 1967 | 144.0 | 142.2 | 160.8 | 145.4 | 150.2 | 162.1 | 162.1 | 146.4 | 148.1 | 154.6 | 156.2 | 128.6 | **16,593.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 28.0 | 31.0 | **2,238.0** |
| H2O | 1966 | 1135.4 | 965.0 | 1144.7 | 1145.8 | 1170.4 | 1170.4 | 1181.1 | 1210.0 | 1131.9 | 1050.9 | 1066.4 | 992.5 | **39,357.2** |
| OIL | 1966 | 208.8 | 224.9 | 223.3 | 214.8 | 215.5 | 215.5 | 216.1 | 216.8 | 234.6 | 237.3 | 225.3 | 137.9 | **14,793.2** |
| DAY | 1965 | 28.0 | 16.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,877.0** |
| H2O | 1965 | 461.0 | 308.4 | 645.5 | 462.6 | 631.2 | 632.7 | 563.7 | 502.5 | 560.2 | 782.2 | 925.3 | 1112.9 | **25,992.7** |
| OIL | 1965 | 123.3 | 69.6 | 134.0 | 139.8 | 162.9 | 236.6 | 168.6 | 169.4 | 183.7 | 270.1 | 214.5 | 213.9 | **12,222.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 25.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,531.0** |
| H2O | 1964 | 594.6 | 553.3 | 591.4 | 563.6 | 566.0 | 476.9 | 483.1 | 503.2 | 503.0 | 518.9 | 504.0 | 521.9 | **18,404.5** |
| OIL | 1964 | 122.4 | 115.2 | 133.3 | 99.3 | 97.1 | 123.9 | 115.2 | 110.3 | 111.2 | 157.3 | 143.0 | 143.3 | **10,136.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,174.0** |
| H2O | 1963 | 496.8 | 430.8 | 443.6 | 429.2 | 429.2 | 527.8 | 510.3 | 542.1 | 524.6 | 591.4 | 577.1 | 591.4 | **12,024.6** |
| OIL | 1963 | 163.5 | 147.2 | 144.6 | 141.4 | 139.2 | 154.1 | 142.2 | 133.6 | 108.9 | 116.0 | 119.3 | 123.2 | **8,664.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **809.0** |
| H2O | 1962 | 345.0 | 311.6 | 329.1 | 294.4 | 318.4 | 301.3 | 349.0 | 380.0 | 381.6 | 434.0 | 458.3 | 516.7 | **5,930.3** |
| OIL | 1962 | 295.6 | 248.4 | 267.0 | 286.0 | 240.6 | 228.8 | 229.6 | 235.2 | 232.3 | 198.0 | 190.9 | 197.0 | **7,031.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1789*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.10-16-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **445.0** |
| H2O | 1961 | 0.0 | 4.5 | 10.7 | 21.5 | 4.5 | 71.5 | 166.1 | 212.2 | 190.8 | 195.5 | 286.2 | 347.4 | **1,510.9** |
| OIL | 1961 | 288.4 | 261.6 | 303.0 | 259.8 | 269.5 | 334.7 | 286.0 | 257.9 | 230.3 | 241.5 | 282.9 | 288.4 | **4,181.9** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 30.0 | 31.0 | **85.0** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 289.5 | 293.3 | 295.1 | **877.9** |

Licence ***1790*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.14-06-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 492.5 | 409.1 | 454.2 | 412.2 | 402.2 | 395.4 | 428.9 | 414.3 | 555.0 | 345.3 | 322.7 | 327.2 | **69,104.0** |
| WIN | 1974 | 457.1 | 394.6 | 416.2 | 380.6 | 378.1 | 406.0 | 482.2 | 529.4 | 730.0 | 549.8 | 518.6 | 526.5 | **64,145.0** |
| WIN | 1973 | 702.1 | 600.9 | 621.8 | 613.5 | 630.0 | 527.3 | 1040.4 | 565.2 | 420.7 | 628.4 | 478.7 | 502.9 | **58,375.9** |
| WIN | 1972 | 829.2 | 745.0 | 909.7 | 812.7 | 722.9 | 650.1 | 669.5 | 641.3 | 617.8 | 653.9 | 643.1 | 686.2 | **51,044.0** |
| WIN | 1971 | 1164.2 | 955.0 | 903.6 | 961.5 | 952.3 | 819.5 | 847.2 | 790.1 | 731.6 | 780.6 | 800.6 | 835.0 | **42,462.6** |
| WIN | 1970 | 1102.4 | 824.8 | 836.9 | 760.4 | 870.4 | 647.2 | 707.5 | 589.0 | 558.0 | 671.2 | 702.9 | 784.1 | **31,921.4** |
| WIN | 1969 | 677.3 | 659.6 | 957.5 | 688.7 | 710.2 | 709.4 | 672.0 | 691.6 | 809.8 | 693.3 | 973.3 | 1099.7 | **22,866.6** |
| WIN | 1968 | 419.2 | 501.7 | 582.3 | 567.4 | 549.0 | 539.4 | 527.0 | 532.4 | 502.9 | 528.0 | 553.6 | 722.9 | **13,524.2** |
| WIN | 1967 | 493.5 | 421.5 | 462.5 | 418.1 | 464.2 | 427.2 | 481.6 | 465.7 | 472.2 | 487.3 | 652.8 | 477.9 | **6,998.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 22.0 | 0.0 | 0.0 | 0.0 | **2,172.0** |
| H2O | 1966 | 95.2 | 84.5 | 101.5 | 92.8 | 98.2 | 112.7 | 103.7 | 101.3 | 68.4 | 0.0 | 0.0 | 0.0 | **4,030.0** |
| OIL | 1966 | 22.3 | 19.8 | 21.3 | 21.9 | 21.0 | 23.2 | 23.5 | 21.1 | 17.2 | 0.0 | 0.0 | 0.0 | **2,185.2** |
| WIN | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 251.3 | 522.6 | 500.0 | **1,273.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,907.0** |
| H2O | 1965 | 23.4 | 18.8 | 21.0 | 21.6 | 21.8 | 18.0 | 26.2 | 20.3 | 85.8 | 92.8 | 86.2 | 96.5 | **3,171.7** |
| OIL | 1965 | 19.2 | 17.0 | 18.4 | 17.5 | 17.5 | 15.1 | 19.1 | 19.9 | 22.6 | 23.2 | 20.3 | 22.9 | **1,993.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **1,545.0** |
| H2O | 1964 | 21.8 | 19.7 | 21.3 | 19.4 | 8.7 | 8.1 | 7.9 | 107.9 | 91.3 | 19.7 | 19.1 | 17.8 | **2,639.3** |
| OIL | 1964 | 17.8 | 16.0 | 17.5 | 16.8 | 11.4 | 11.3 | 11.6 | 43.9 | 40.4 | 18.8 | 18.9 | 19.2 | **1,761.2** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,181.0** |
| H2O | 1963 | 13.2 | 11.9 | 13.4 | 13.2 | 14.3 | 5.1 | 5.2 | 4.3 | 4.0 | 17.8 | 20.7 | 21.6 | **2,276.6** |
| OIL | 1963 | 23.4 | 21.0 | 23.5 | 23.0 | 4.8 | 4.4 | 4.6 | 12.1 | 11.9 | 17.0 | 16.8 | 18.0 | **1,517.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **816.0** |
| H2O | 1962 | 3.8 | 3.7 | 3.5 | 11.0 | 5.2 | 5.2 | 22.7 | 23.7 | 23.4 | 10.5 | 12.1 | 12.6 | **2,131.9** |
| OIL | 1962 | 27.8 | 24.5 | 27.0 | 14.9 | 24.2 | 23.2 | 28.1 | 28.6 | 29.9 | 22.2 | 22.6 | 22.6 | **1,337.1** |
| DAY | 1961 | 31.0 | 28.0 | 30.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **451.0** |
| H2O | 1961 | 206.0 | 193.3 | 129.3 | 123.8 | 100.2 | 149.1 | 165.3 | 85.2 | 85.2 | 37.7 | 37.8 | 35.9 | **1,994.5** |
| OIL | 1961 | 86.8 | 72.3 | 46.6 | 53.7 | 43.4 | 39.3 | 43.4 | 39.7 | 42.6 | 28.6 | 26.9 | 29.4 | **1,041.5** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 29.0 | 30.0 | 30.0 | **92.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.4 | 98.4 | 318.4 | 199.5 | **645.7** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.4 | 246.0 | 128.9 | 84.5 | **488.8** |

Licence ***1791*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-21-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 28.0 | 0.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,665.0** |
| H2O | 1975 | 42.1 | 38.0 | 44.5 | 39.7 | 0.0 | 40.7 | 42.0 | 43.9 | 39.6 | 37.4 | 35.6 | 36.4 | **3,345.1** |
| OIL | 1975 | 27.7 | 25.4 | 28.0 | 24.3 | 0.0 | 24.9 | 27.0 | 27.7 | 9.1 | 9.1 | 8.9 | 9.2 | **5,526.4** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,334.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.2 | 140.5 | 141.5 | 44.4 | 38.6 | 42.6 | **2,905.2** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.4 | 80.4 | 75.6 | 27.5 | 25.9 | 27.7 | **5,305.1** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 10.0 | 31.0 | 30.0 | 28.0 | 31.0 | 29.0 | 31.0 | 0.0 | 0.0 | **4,175.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1791*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-21-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 15.4 | 48.6 | 50.1 | 40.5 | 47.9 | 46.4 | 131.0 | 0.0 | 0.0 | **2,470.4** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 13.7 | 41.3 | 39.9 | 37.7 | 40.5 | 37.7 | 75.6 | 0.0 | 0.0 | **5,052.6** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 24.0 | 31.0 | 31.0 | 30.0 | 25.0 | 0.0 | 0.0 | **3,985.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 10.8 | 14.8 | 19.4 | 34.5 | 32.0 | 26.7 | 0.0 | 0.0 | **2,090.5** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 18.9 | 27.5 | 36.2 | 35.0 | 33.7 | 29.6 | 0.0 | 0.0 | **4,766.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,828.0** |
| H2O | 1971 | 17.3 | 17.2 | 18.4 | 18.9 | 19.7 | 15.7 | 20.0 | 23.5 | 21.1 | 21.8 | 21.0 | 34.7 | **1,952.3** |
| OIL | 1971 | 28.1 | 25.4 | 28.4 | 27.2 | 27.2 | 25.4 | 26.4 | 27.5 | 26.2 | 25.7 | 26.1 | 0.0 | **4,585.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 22.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,466.0** |
| H2O | 1970 | 13.8 | 12.9 | 15.9 | 14.3 | 14.6 | 10.2 | 12.9 | 16.9 | 18.3 | 18.4 | 15.7 | 14.6 | **1,703.0** |
| OIL | 1970 | 23.0 | 20.3 | 22.6 | 22.1 | 22.4 | 14.8 | 21.8 | 26.9 | 26.2 | 27.0 | 26.4 | 27.8 | **4,291.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,109.0** |
| H2O | 1969 | 15.4 | 12.6 | 15.3 | 12.2 | 16.4 | 14.5 | 16.5 | 14.5 | 14.3 | 15.1 | 14.3 | 15.4 | **1,524.5** |
| OIL | 1969 | 23.2 | 19.9 | 22.2 | 18.8 | 22.6 | 21.0 | 22.7 | 22.2 | 21.5 | 22.6 | 21.0 | 23.0 | **4,010.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,751.0** |
| H2O | 1968 | 24.3 | 24.3 | 28.3 | 30.0 | 28.8 | 8.3 | 9.1 | 9.4 | 13.0 | 13.8 | 14.0 | 15.4 | **1,348.0** |
| OIL | 1968 | 33.2 | 30.0 | 33.7 | 35.3 | 35.0 | 33.7 | 36.4 | 36.5 | 21.9 | 22.1 | 21.9 | 23.4 | **3,749.7** |
| DAY | 1967 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,386.0** |
| H2O | 1967 | 25.9 | 21.5 | 24.2 | 23.7 | 25.6 | 23.2 | 23.1 | 25.4 | 26.1 | 24.3 | 25.8 | 26.1 | **1,129.3** |
| OIL | 1967 | 35.8 | 30.0 | 34.0 | 33.4 | 34.8 | 31.3 | 34.2 | 33.4 | 34.0 | 33.4 | 34.0 | 34.2 | **3,386.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 20.0 | 30.0 | 30.0 | 30.0 | 27.0 | 31.0 | **2,023.0** |
| H2O | 1966 | 13.5 | 13.0 | 12.9 | 10.2 | 11.0 | 10.2 | 5.9 | 11.8 | 32.0 | 31.0 | 26.1 | 26.5 | **834.4** |
| OIL | 1966 | 37.8 | 34.0 | 42.1 | 30.2 | 28.4 | 22.9 | 14.5 | 23.5 | 38.5 | 40.0 | 32.9 | 35.6 | **2,984.1** |
| DAY | 1965 | 30.0 | 26.0 | 28.0 | 28.0 | 28.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,676.0** |
| H2O | 1965 | 7.0 | 6.2 | 6.7 | 6.7 | 8.9 | 8.3 | 7.8 | 13.0 | 9.1 | 10.2 | 10.3 | 11.1 | **630.3** |
| OIL | 1965 | 32.3 | 25.9 | 24.9 | 24.6 | 25.6 | 24.6 | 23.2 | 22.6 | 22.6 | 23.2 | 24.6 | 30.0 | **2,603.7** |
| DAY | 1964 | 28.0 | 27.0 | 27.0 | 27.0 | 28.0 | 24.0 | 26.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,325.0** |
| H2O | 1964 | 6.8 | 6.4 | 6.4 | 6.4 | 6.8 | 3.7 | 13.7 | 9.5 | 8.6 | 9.1 | 7.0 | 7.3 | **525.0** |
| OIL | 1964 | 21.1 | 21.0 | 19.7 | 19.1 | 18.9 | 33.4 | 42.7 | 53.9 | 46.6 | 41.8 | 39.4 | 33.1 | **2,299.6** |
| DAY | 1963 | 28.0 | 28.0 | 27.0 | 29.0 | 30.0 | 27.0 | 26.0 | 26.0 | 28.0 | 28.0 | 28.0 | 29.0 | **987.0** |
| H2O | 1963 | 8.9 | 8.9 | 8.6 | 9.2 | 9.5 | 8.6 | 8.6 | 8.6 | 7.9 | 8.1 | 6.8 | 7.2 | **433.3** |
| OIL | 1963 | 37.3 | 33.5 | 35.3 | 34.0 | 35.9 | 33.7 | 28.8 | 28.4 | 28.8 | 29.1 | 26.4 | 22.7 | **1,908.9** |
| DAY | 1962 | 29.0 | 27.0 | 29.0 | 28.0 | 29.0 | 30.0 | 29.0 | 30.0 | 29.0 | 29.0 | 27.0 | 28.0 | **653.0** |
| H2O | 1962 | 19.7 | 18.8 | 22.9 | 23.4 | 21.6 | 9.5 | 9.2 | 9.9 | 9.9 | 9.2 | 8.6 | 8.9 | **332.4** |
| OIL | 1962 | 50.4 | 41.5 | 44.3 | 43.2 | 55.3 | 62.0 | 55.3 | 59.1 | 50.5 | 44.0 | 42.7 | 36.5 | **1,535.0** |
| DAY | 1961 | 24.0 | 24.0 | 18.0 | 3.0 | 16.0 | 27.0 | 28.0 | 28.0 | 27.0 | 29.0 | 27.0 | 28.0 | **309.0** |
| H2O | 1961 | 0.0 | 5.2 | 0.0 | 0.0 | 0.0 | 22.6 | 23.2 | 26.4 | 30.5 | 16.9 | 17.6 | 18.4 | **160.8** |
| OIL | 1961 | 97.4 | 109.3 | 83.7 | 10.5 | 67.9 | 82.0 | 75.6 | 60.5 | 60.5 | 56.1 | 52.8 | 50.1 | **950.2** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 17.0 | **30.0** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 55.1 | 88.7 | **143.8** |

Licence ***1792*** Well Name ***Virden Roselea Unit No. 2 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-07-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 2471.2 | 2067.7 | 2276.6 | 1690.8 | 1879.5 | 1452.4 | 2408.4 | 2336.7 | 2189.0 | 2386.1 | 2336.7 | 2661.5 | **200,968.8** |
| WIN | 1974 | 1754.0 | 1564.4 | 1666.6 | 1722.5 | 1872.6 | 2001.6 | 1957.5 | 2269.6 | 997.6 | 2116.0 | 2451.8 | 2352.6 | **174,812.2** |
| WIN | 1973 | 1946.6 | 1673.7 | 1768.7 | 1698.7 | 1819.7 | 1738.8 | 1928.4 | 1975.2 | 1648.8 | 1799.5 | 1663.9 | 1863.1 | **152,085.4** |
| WIN | 1972 | 1866.4 | 1697.9 | 1918.9 | 1728.9 | 1734.5 | 1688.5 | 1790.4 | 1832.2 | 1804.3 | 1908.1 | 1789.2 | 1887.1 | **130,560.3** |
| WIN | 1971 | 2157.2 | 1968.6 | 2050.4 | 2200.1 | 2284.4 | 2121.9 | 2210.9 | 2033.7 | 1693.8 | 1886.9 | 1952.9 | 1851.5 | **108,913.9** |
| WIN | 1970 | 2426.7 | 1961.2 | 2118.4 | 2121.1 | 2232.1 | 2109.7 | 2047.8 | 1870.1 | 1469.6 | 1846.6 | 2057.2 | 1722.4 | **84,501.6** |
| WIN | 1969 | 1891.4 | 1749.9 | 1890.7 | 1649.7 | 1774.2 | 1940.0 | 1804.6 | 1806.2 | 1839.6 | 1911.9 | 1691.5 | 2454.8 | **60,518.7** |

# Manitoba Production
## 1950 To 1975

Licence ***1792*** Well Name ***Virden Roselea Unit No. 2 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-07-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1968 | 1257.8 | 1454.0 | 1604.7 | 1479.6 | 1477.6 | 1597.4 | 1220.6 | 1352.0 | 1170.4 | 1399.2 | 1791.7 | 1423.8 | **38,114.2** |
| WIN | 1967 | 1400.3 | 1304.9 | 1463.7 | 1340.8 | 1467.4 | 1449.9 | 1555.3 | 1584.9 | 1489.8 | 1533.4 | 1504.0 | 1270.4 | **20,885.4** |
| DAY | 1966 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 0.0 | 0.0 | 0.0 | **2,040.0** |
| H2O | 1966 | 160.0 | 81.0 | 90.5 | 164.6 | 159.1 | 95.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **9,735.8** |
| OIL | 1966 | 90.5 | 39.6 | 39.6 | 89.0 | 87.4 | 84.2 | 79.8 | 69.6 | 70.9 | 0.0 | 0.0 | 0.0 | **8,814.9** |
| WIN | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 560.4 | 1592.7 | 1367.5 | **3,520.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | **1,773.0** |
| H2O | 1965 | 191.1 | 167.9 | 177.7 | 168.0 | 218.6 | 210.6 | 194.8 | 195.7 | 195.7 | 195.1 | 187.1 | 160.1 | **8,984.7** |
| OIL | 1965 | 144.0 | 125.2 | 141.3 | 145.1 | 135.1 | 110.4 | 118.4 | 108.9 | 104.7 | 107.4 | 97.9 | 77.9 | **8,164.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,415.0** |
| H2O | 1964 | 186.0 | 184.4 | 179.6 | 167.9 | 172.5 | 166.9 | 189.2 | 174.9 | 174.9 | 174.9 | 180.0 | 183.1 | **6,722.3** |
| OIL | 1964 | 144.3 | 138.3 | 140.5 | 157.3 | 146.2 | 130.3 | 137.5 | 134.4 | 125.5 | 122.8 | 129.4 | 138.9 | **6,748.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **1,054.0** |
| H2O | 1963 | 89.0 | 112.9 | 118.3 | 130.4 | 147.9 | 130.7 | 116.9 | 123.2 | 91.6 | 109.7 | 111.0 | 136.1 | **4,588.0** |
| OIL | 1963 | 115.5 | 105.0 | 115.1 | 111.7 | 104.6 | 98.7 | 100.3 | 104.1 | 96.9 | 105.7 | 89.5 | 166.7 | **5,102.6** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **692.0** |
| H2O | 1962 | 132.4 | 129.6 | 123.2 | 168.7 | 132.0 | 125.3 | 115.1 | 157.4 | 160.3 | 150.6 | 143.1 | 126.9 | **3,170.3** |
| OIL | 1962 | 135.4 | 116.6 | 121.1 | 96.0 | 95.8 | 90.6 | 136.7 | 183.9 | 161.6 | 153.7 | 130.0 | 129.4 | **3,788.8** |
| DAY | 1961 | 0.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 29.0 | 29.0 | **328.0** |
| H2O | 1961 | 0.0 | 120.3 | 89.8 | 105.7 | 98.6 | 143.1 | 181.2 | 138.2 | 147.9 | 182.0 | 160.6 | 138.3 | **1,505.7** |
| OIL | 1961 | 0.0 | 325.6 | 315.4 | 278.1 | 247.3 | 187.4 | 177.5 | 171.5 | 129.7 | 147.0 | 127.6 | 130.9 | **2,238.0** |

Licence ***1793*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-05-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 4036.0 | 3542.2 | 3904.5 | 3076.5 | 3758.3 | 3600.6 | 2402.5 | 2333.1 | 2102.5 | 2269.4 | 2340.5 | 2599.8 | **272,935.2** |
| WIN | 1974 | 3198.8 | 1867.7 | 1200.9 | 1274.2 | 1357.6 | 1299.6 | 1164.3 | 1337.6 | 1951.4 | 1407.7 | 3776.7 | 4195.3 | **236,969.3** |
| WIN | 1973 | 3505.0 | 2973.9 | 3126.3 | 3001.6 | 3186.7 | 2857.5 | 3402.4 | 3421.0 | 2812.9 | 3086.2 | 3358.4 | 3744.8 | **212,937.5** |
| WIN | 1972 | 3553.3 | 3300.5 | 3496.2 | 3096.5 | 3310.0 | 3235.8 | 3168.1 | 3260.8 | 3155.4 | 3384.6 | 3226.9 | 3360.3 | **174,460.8** |
| WIN | 1971 | 3158.5 | 2568.7 | 2599.5 | 2889.0 | 2957.7 | 2805.9 | 2930.7 | 2836.9 | 2657.8 | 2810.0 | 2786.3 | 2658.0 | **134,912.4** |
| WIN | 1970 | 2512.9 | 2542.4 | 2775.5 | 1020.8 | 429.6 | 1758.8 | 1048.1 | 2359.7 | 2946.4 | 2763.6 | 2742.9 | 2846.2 | **101,253.4** |
| WIN | 1969 | 3003.5 | 2455.1 | 2727.5 | 2439.7 | 2719.4 | 1811.4 | 2448.3 | 2241.6 | 1766.1 | 1108.8 | 1207.6 | 1252.7 | **75,506.5** |
| WIN | 1968 | 1996.4 | 1532.1 | 2297.1 | 2408.0 | 2457.9 | 2395.9 | 2100.6 | 2447.6 | 2175.3 | 2517.1 | 2821.6 | 3200.3 | **50,324.8** |
| WIN | 1967 | 1118.5 | 1190.9 | 1392.6 | 1379.7 | 1585.7 | 1513.5 | 1624.2 | 1765.4 | 1859.7 | 1781.3 | 1845.4 | 1868.5 | **21,974.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 0.0 | 0.0 | 0.0 | **2,137.0** |
| H2O | 1966 | 21.7 | 21.2 | 23.6 | 22.9 | 22.4 | 22.1 | 22.1 | 21.6 | 18.8 | 0.0 | 0.0 | 0.0 | **1,240.0** |
| OIL | 1966 | 21.4 | 19.4 | 22.4 | 21.6 | 21.9 | 21.0 | 18.0 | 16.2 | 17.0 | 0.0 | 0.0 | 0.0 | **1,885.1** |
| WIN | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 533.4 | 1384.4 | 1131.7 | **3,049.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 24.0 | 26.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,866.0** |
| H2O | 1965 | 25.3 | 22.3 | 24.5 | 24.8 | 26.5 | 27.5 | 34.3 | 25.9 | 24.5 | 23.8 | 22.4 | 22.1 | **1,043.6** |
| OIL | 1965 | 19.9 | 17.3 | 20.0 | 21.5 | 20.0 | 15.4 | 20.2 | 16.7 | 28.4 | 24.6 | 23.2 | 21.9 | **1,706.2** |
| DAY | 1964 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,514.0** |
| H2O | 1964 | 24.8 | 23.5 | 24.5 | 25.0 | 22.7 | 24.5 | 25.1 | 25.0 | 25.4 | 23.1 | 23.7 | 24.6 | **739.7** |
| OIL | 1964 | 21.3 | 20.3 | 21.8 | 20.3 | 20.7 | 19.7 | 20.2 | 20.2 | 17.2 | 18.3 | 19.4 | 19.5 | **1,457.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,149.0** |
| H2O | 1963 | 16.1 | 13.4 | 13.7 | 13.0 | 14.0 | 13.7 | 13.5 | 9.9 | 8.6 | 11.0 | 22.4 | 24.2 | **447.8** |
| OIL | 1963 | 29.9 | 26.9 | 30.4 | 29.7 | 33.7 | 24.3 | 27.5 | 25.1 | 23.5 | 14.5 | 21.1 | 21.1 | **1,218.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **788.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 26.1 | 5.9 | 5.2 | 4.9 | 4.9 | 20.7 | 20.7 | 22.6 | 20.7 | **274.3** |
| OIL | 1962 | 26.5 | 24.3 | 25.1 | 30.2 | 26.1 | 23.5 | 22.9 | 21.6 | 32.9 | 40.7 | 38.0 | 33.7 | **910.5** |
| DAY | 1961 | 29.0 | 28.0 | 25.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **429.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1793*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-05-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1961 | 49.7 | 39.6 | 24.5 | 27.3 | 28.6 | 28.0 | 27.5 | 26.2 | 30.4 | 29.2 | 28.8 | 28.3 | **565.0** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 28.0 | 27.0 | **74.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 65.8 | 76.8 | 0.0 | **142.6** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 67.1 | 81.2 | 48.6 | **196.9** |

Licence ***1794*** Well Name ***East Plains et al Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-07-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1967 | 4621.4 | 3793.8 | 1921.0 | 737.2 | 2113.0 | 2051.8 | 3869.0 | 5249.1 | 4304.7 | 3542.3 | 3621.3 | 3473.2 | **330,624.9** |
| WIN | 1966 | 4338.9 | 3659.9 | 2768.5 | 1898.6 | 2368.4 | 2292.7 | 2460.8 | 2626.0 | 2843.2 | 2162.2 | 3719.1 | 1499.8 | **291,327.1** |
| WIN | 1965 | 653.3 | 2189.0 | 3316.6 | 709.3 | 2434.3 | 3312.2 | 5022.5 | 4627.7 | 3629.5 | 1412.4 | 3762.5 | 4416.4 | **258,689.0** |
| WIN | 1964 | 5855.8 | 5455.9 | 5640.7 | 5099.0 | 5629.0 | 4931.3 | 5594.3 | 5125.7 | 4435.0 | 4545.2 | 2960.7 | 3816.8 | **223,203.3** |
| WIN | 1963 | 0.0 | 0.0 | 2644.3 | 5004.5 | 5610.8 | 5140.5 | 5656.9 | 5989.9 | 5772.5 | 4572.9 | 5475.6 | 5318.7 | **164,113.9** |
| WIN | 1962 | 3006.8 | 3231.7 | 2584.3 | 4713.0 | 5347.3 | 5692.4 | 6522.2 | 6644.1 | 6019.0 | 1868.0 | 527.1 | 1045.3 | **112,927.3** |
| WIN | 1961 | 4861.3 | 4442.8 | 5736.8 | 4491.2 | 5347.8 | 4894.7 | 5750.9 | 6283.0 | 4981.8 | 2490.1 | 1793.8 | 5227.0 | **65,726.1** |
| WIN | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1154.6 | 3689.6 | 4580.7 | **9,424.9** |

Licence ***1795*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.08-06-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 6812.5 | 6081.3 | 7241.7 | 5865.6 | 6078.4 | 6110.2 | 6005.3 | 5857.3 | 5471.5 | 5358.6 | 4760.8 | 4999.8 | **477,968.6** |
| WIN | 1974 | 5710.6 | 5169.9 | 5589.6 | 4918.4 | 5361.0 | 5799.6 | 6385.3 | 6803.1 | 6291.5 | 6106.1 | 6635.8 | 6854.7 | **407,325.6** |
| WIN | 1973 | 5840.3 | 5104.8 | 5409.9 | 5729.6 | 6043.0 | 5429.0 | 5590.4 | 5601.0 | 4576.1 | 5174.3 | 5692.9 | 6124.9 | **335,700.0** |
| WIN | 1972 | 5904.0 | 5230.8 | 5406.0 | 4973.4 | 5083.1 | 5088.8 | 5447.8 | 5332.0 | 5135.7 | 5432.5 | 5123.4 | 5475.1 | **269,383.8** |
| WIN | 1971 | 5080.0 | 5065.6 | 5300.1 | 5849.7 | 5972.2 | 5518.8 | 5881.3 | 5770.5 | 5469.4 | 5495.6 | 5123.4 | 5609.5 | **205,751.2** |
| WIN | 1970 | 4409.9 | 3780.7 | 4058.6 | 4059.6 | 4185.9 | 3111.6 | 2240.3 | 3442.4 | 4197.5 | 4789.6 | 4528.4 | 4385.3 | **139,615.1** |
| WIN | 1969 | 3786.1 | 3874.0 | 4561.8 | 3889.0 | 4237.0 | 4136.3 | 4035.9 | 3564.8 | 3953.0 | 3638.7 | 4110.0 | 4353.7 | **92,425.3** |
| WIN | 1968 | 2972.6 | 2014.6 | 3041.6 | 2783.7 | 2701.2 | 2341.5 | 1996.6 | 2192.5 | 1911.9 | 2218.1 | 3240.2 | 3948.1 | **44,285.0** |
| WIN | 1967 | 512.4 | 526.1 | 619.9 | 543.9 | 633.9 | 652.0 | 692.4 | 815.4 | 961.7 | 1297.3 | 1889.3 | 2573.1 | **12,922.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 2.0 | 0.0 | 0.0 | **2,172.0** |
| H2O | 1966 | 39.7 | 35.3 | 42.4 | 16.4 | 17.3 | 19.9 | 18.4 | 18.0 | 16.7 | 0.9 | 0.0 | 0.0 | **2,911.7** |
| OIL | 1966 | 70.5 | 62.4 | 67.0 | 64.1 | 61.1 | 67.2 | 68.2 | 61.3 | 69.1 | 3.9 | 0.0 | 0.0 | **7,553.5** |
| WIN | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 199.7 | 541.2 | 464.1 | **1,205.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,897.0** |
| H2O | 1965 | 63.4 | 50.9 | 22.3 | 23.1 | 23.1 | 21.3 | 24.3 | 48.3 | 43.6 | 47.1 | 43.6 | 40.4 | **2,686.7** |
| OIL | 1965 | 74.2 | 65.5 | 62.1 | 58.3 | 58.6 | 57.0 | 56.3 | 85.7 | 75.3 | 76.4 | 67.7 | 71.8 | **6,958.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,535.0** |
| H2O | 1964 | 28.3 | 25.9 | 27.8 | 25.1 | 66.0 | 62.6 | 58.2 | 59.6 | 52.1 | 53.3 | 51.7 | 48.3 | **2,235.3** |
| OIL | 1964 | 85.2 | 77.5 | 83.3 | 80.7 | 78.2 | 77.5 | 86.1 | 89.0 | 71.7 | 71.5 | 72.3 | 73.9 | **6,149.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,171.0** |
| H2O | 1963 | 28.0 | 25.0 | 28.0 | 52.9 | 66.1 | 58.5 | 59.1 | 65.5 | 62.0 | 42.4 | 57.1 | 28.1 | **1,676.4** |
| OIL | 1963 | 96.1 | 85.8 | 96.1 | 80.4 | 96.3 | 92.0 | 92.3 | 91.1 | 76.8 | 80.2 | 65.5 | 86.1 | **5,202.9** |
| DAY | 1962 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **806.0** |
| H2O | 1962 | 30.0 | 27.2 | 27.7 | 15.1 | 46.1 | 45.8 | 39.1 | 38.2 | 41.2 | 41.5 | 57.9 | 26.5 | **1,103.7** |
| OIL | 1962 | 122.7 | 104.4 | 118.9 | 114.3 | 117.0 | 112.3 | 98.7 | 96.3 | 88.4 | 97.7 | 66.7 | 92.5 | **4,164.2** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **442.0** |
| H2O | 1961 | 59.6 | 68.7 | 71.4 | 53.4 | 43.6 | 45.3 | 50.2 | 42.9 | 40.9 | 41.8 | 41.8 | 29.4 | **667.4** |
| OIL | 1961 | 295.9 | 196.1 | 215.2 | 206.1 | 168.4 | 164.9 | 182.1 | 167.2 | 170.2 | 138.1 | 130.0 | 124.6 | **2,934.3** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 30.0 | 31.0 | **82.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 3.2 | 61.2 | **78.4** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 195.3 | 274.9 | 305.3 | **775.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1796*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.09-06-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,461.0** |
| H2O | 1975 | 1213.3 | 1081.1 | 1203.0 | 975.9 | 1314.9 | 1094.8 | 892.8 | 1098.3 | 975.3 | 1143.4 | 1170.9 | 1173.4 | **89,103.1** |
| OIL | 1975 | 150.6 | 134.3 | 156.0 | 145.9 | 161.8 | 152.1 | 124.7 | 131.9 | 134.9 | 134.9 | 137.3 | 139.8 | **18,056.3** |
| DAY | 1974 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,097.0** |
| H2O | 1974 | 975.5 | 891.9 | 781.1 | 975.0 | 1090.3 | 1008.6 | 1150.8 | 1068.9 | 1081.1 | 951.0 | 1137.0 | 1262.2 | **75,766.0** |
| OIL | 1974 | 144.9 | 129.5 | 125.9 | 128.9 | 137.0 | 141.6 | 160.8 | 155.3 | 127.1 | 134.3 | 139.5 | 156.4 | **16,352.1** |
| DAY | 1973 | 29.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,734.0** |
| H2O | 1973 | 1090.1 | 1046.8 | 1137.2 | 996.0 | 1104.8 | 945.9 | 831.0 | 818.6 | 843.7 | 1183.1 | 1083.2 | 1042.8 | **63,392.6** |
| OIL | 1973 | 169.6 | 153.3 | 178.6 | 134.6 | 118.2 | 109.2 | 98.7 | 101.7 | 105.4 | 148.4 | 157.5 | 149.5 | **14,670.9** |
| DAY | 1972 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 29.0 | 28.0 | **4,377.0** |
| H2O | 1972 | 1087.3 | 1039.9 | 903.3 | 950.2 | 1047.7 | 1134.5 | 1326.4 | 1268.2 | 1271.4 | 1270.4 | 1197.9 | 1165.5 | **51,269.4** |
| OIL | 1972 | 161.0 | 136.3 | 136.2 | 144.3 | 144.0 | 156.4 | 181.5 | 151.8 | 168.3 | 175.9 | 167.2 | 164.0 | **13,046.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,020.0** |
| H2O | 1971 | 942.0 | 884.4 | 873.1 | 838.5 | 1100.6 | 1029.6 | 1099.0 | 992.2 | 1025.7 | 1199.7 | 1159.8 | 1082.0 | **37,606.7** |
| OIL | 1971 | 174.2 | 157.8 | 167.7 | 170.7 | 165.7 | 150.6 | 173.1 | 154.3 | 161.3 | 181.5 | 173.4 | 167.7 | **11,159.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,657.0** |
| H2O | 1970 | 852.9 | 817.2 | 910.3 | 880.4 | 910.2 | 911.3 | 817.5 | 840.2 | 839.1 | 927.8 | 863.3 | 808.7 | **25,380.1** |
| OIL | 1970 | 205.9 | 178.6 | 193.4 | 163.4 | 185.4 | 176.7 | 185.1 | 160.0 | 155.6 | 157.2 | 169.9 | 171.9 | **9,161.3** |
| DAY | 1969 | 31.0 | 26.0 | 30.0 | 30.0 | 26.0 | 28.0 | 23.0 | 29.0 | 30.0 | 31.0 | 27.0 | 31.0 | **3,292.0** |
| H2O | 1969 | 230.5 | 171.4 | 220.7 | 239.1 | 191.6 | 229.7 | 345.3 | 785.5 | 834.2 | 862.1 | 669.9 | 713.0 | **15,001.2** |
| OIL | 1969 | 73.7 | 60.2 | 67.9 | 69.4 | 57.7 | 66.9 | 87.4 | 192.1 | 205.6 | 218.3 | 130.5 | 162.4 | **7,058.2** |
| DAY | 1968 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | 30.0 | 30.0 | 31.0 | **2,950.0** |
| H2O | 1968 | 226.5 | 214.1 | 219.2 | 300.5 | 307.1 | 309.5 | 295.2 | 242.4 | 227.3 | 275.2 | 225.3 | 228.3 | **9,508.2** |
| OIL | 1968 | 59.3 | 56.7 | 53.2 | 94.1 | 98.4 | 103.8 | 102.5 | 62.9 | 69.1 | 75.3 | 70.9 | 72.6 | **5,666.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 19.0 | 24.0 | 31.0 | **2,590.0** |
| H2O | 1967 | 192.0 | 176.9 | 217.2 | 200.8 | 216.7 | 237.2 | 252.6 | 275.2 | 254.8 | 139.4 | 156.9 | 231.3 | **6,437.6** |
| OIL | 1967 | 46.1 | 43.7 | 61.7 | 59.0 | 58.0 | 56.7 | 59.4 | 61.2 | 59.9 | 35.4 | 43.7 | 63.1 | **4,747.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,243.0** |
| H2O | 1966 | 80.6 | 71.4 | 85.8 | 7.0 | 7.3 | 8.6 | 7.8 | 7.6 | 7.2 | 6.7 | 5.7 | 154.4 | **3,886.6** |
| OIL | 1966 | 23.4 | 21.0 | 22.2 | 20.8 | 19.5 | 22.1 | 22.4 | 20.0 | 22.6 | 20.7 | 22.2 | 48.6 | **4,099.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,878.0** |
| H2O | 1965 | 92.4 | 73.9 | 82.7 | 85.5 | 86.0 | 79.0 | 103.8 | 80.8 | 72.7 | 78.5 | 73.1 | 81.6 | **3,436.5** |
| OIL | 1965 | 26.2 | 23.2 | 25.1 | 23.5 | 23.7 | 23.2 | 25.7 | 27.0 | 23.7 | 24.2 | 21.3 | 23.8 | **3,813.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,513.0** |
| H2O | 1964 | 11.8 | 10.7 | 11.4 | 10.2 | 9.9 | 39.6 | 38.0 | 90.5 | 76.0 | 77.7 | 75.2 | 70.3 | **2,446.5** |
| OIL | 1964 | 37.8 | 34.6 | 36.9 | 35.8 | 36.9 | 24.0 | 24.3 | 31.1 | 25.3 | 25.4 | 25.6 | 26.1 | **3,523.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,153.0** |
| H2O | 1963 | 30.7 | 27.5 | 30.7 | 30.5 | 18.8 | 39.4 | 39.9 | 40.9 | 38.3 | 39.7 | 11.0 | 11.4 | **1,925.2** |
| OIL | 1963 | 44.8 | 40.0 | 44.7 | 44.0 | 39.3 | 32.9 | 33.1 | 42.0 | 38.9 | 40.7 | 36.1 | 38.1 | **3,159.5** |
| DAY | 1962 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **788.0** |
| H2O | 1962 | 45.6 | 41.5 | 42.1 | 34.2 | 32.9 | 45.8 | 55.3 | 57.7 | 56.8 | 21.6 | 27.7 | 29.3 | **1,566.4** |
| OIL | 1962 | 57.8 | 49.3 | 56.1 | 48.5 | 48.1 | 70.6 | 69.4 | 70.7 | 73.4 | 17.5 | 43.1 | 43.1 | **2,684.9** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **424.0** |
| H2O | 1961 | 25.8 | 82.8 | 87.8 | 221.6 | 76.2 | 74.6 | 82.5 | 86.6 | 82.7 | 95.7 | 49.8 | 47.4 | **1,075.9** |
| OIL | 1961 | 263.3 | 149.1 | 165.9 | 161.0 | 99.0 | 105.0 | 116.2 | 84.1 | 86.1 | 88.0 | 66.6 | 72.8 | **2,037.3** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 28.0 | 31.0 | **64.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.8 | 27.2 | 26.4 | **62.4** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 49.4 | 259.3 | 271.5 | **580.2** |

Licence ***1797*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.15-06-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

# Manitoba Production
## 1950 To 1975

Licence ***1797*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.15-06-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **5,421.0** |
| H2O | 1975 | 942.6 | 839.9 | 876.1 | 711.0 | 938.3 | 781.1 | 603.3 | 758.5 | 790.3 | 814.0 | 925.4 | 867.6 | **70,490.3** |
| OIL | 1975 | 68.8 | 61.3 | 56.6 | 52.9 | 61.7 | 58.0 | 51.5 | 55.8 | 45.1 | 45.1 | 54.8 | 52.4 | **10,722.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,059.0** |
| H2O | 1974 | 838.8 | 763.3 | 735.8 | 811.6 | 920.5 | 811.8 | 895.1 | 860.2 | 818.3 | 719.9 | 883.5 | 980.4 | **60,642.2** |
| OIL | 1974 | 80.7 | 61.2 | 65.3 | 61.8 | 66.4 | 94.4 | 53.6 | 59.9 | 60.2 | 63.6 | 63.7 | 71.5 | **10,058.2** |
| DAY | 1973 | 30.0 | 28.0 | 18.0 | 0.0 | 29.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,694.0** |
| H2O | 1973 | 438.5 | 407.0 | 263.0 | 0.0 | 963.3 | 852.3 | 1017.9 | 941.0 | 940.8 | 1051.5 | 931.3 | 896.6 | **50,603.0** |
| OIL | 1973 | 34.8 | 30.2 | 21.1 | 0.0 | 137.1 | 130.9 | 80.9 | 83.0 | 83.4 | 85.2 | 87.6 | 83.3 | **9,255.9** |
| DAY | 1972 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 26.0 | 29.0 | 30.0 | 27.0 | 30.0 | **4,377.0** |
| H2O | 1972 | 667.6 | 660.1 | 710.6 | 723.4 | 795.2 | 511.1 | 503.5 | 425.4 | 529.2 | 525.7 | 464.4 | 463.1 | **41,899.8** |
| OIL | 1972 | 64.8 | 62.6 | 66.7 | 68.3 | 68.2 | 55.1 | 53.4 | 39.3 | 69.8 | 72.6 | 64.7 | 47.7 | **8,398.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | **4,025.0** |
| H2O | 1971 | 391.6 | 367.7 | 380.1 | 365.2 | 380.1 | 427.0 | 906.5 | 868.7 | 588.4 | 853.7 | 814.3 | 843.7 | **34,920.5** |
| OIL | 1971 | 40.7 | 36.9 | 43.1 | 44.0 | 46.4 | 48.8 | 88.4 | 73.4 | 49.7 | 69.4 | 65.5 | 70.6 | **7,665.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,670.0** |
| H2O | 1970 | 542.8 | 514.6 | 563.7 | 568.5 | 572.2 | 603.0 | 546.1 | 592.8 | 567.9 | 426.2 | 400.6 | 369.0 | **27,733.5** |
| OIL | 1970 | 86.6 | 74.2 | 79.1 | 79.1 | 68.0 | 68.3 | 72.3 | 65.9 | 61.5 | 44.7 | 48.8 | 48.5 | **6,988.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,305.0** |
| H2O | 1969 | 221.5 | 177.3 | 221.3 | 233.5 | 209.5 | 650.5 | 970.1 | 530.4 | 533.7 | 560.2 | 603.0 | 554.4 | **21,466.1** |
| OIL | 1969 | 50.5 | 44.5 | 48.5 | 43.5 | 40.4 | 128.7 | 245.7 | 89.8 | 90.9 | 82.8 | 81.7 | 87.9 | **6,191.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | **2,941.0** |
| H2O | 1968 | 200.5 | 189.3 | 207.2 | 208.7 | 212.6 | 228.8 | 200.8 | 200.6 | 187.3 | 219.7 | 216.4 | 219.1 | **16,000.7** |
| OIL | 1968 | 75.8 | 72.5 | 72.6 | 50.4 | 52.4 | 58.5 | 53.4 | 47.2 | 51.6 | 60.1 | 48.6 | 49.7 | **5,156.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,579.0** |
| H2O | 1967 | 208.3 | 258.5 | 264.1 | 234.2 | 262.2 | 261.8 | 279.0 | 303.8 | 281.4 | 251.5 | 240.7 | 204.6 | **13,509.7** |
| OIL | 1967 | 46.1 | 85.0 | 91.2 | 83.6 | 85.5 | 69.1 | 72.6 | 74.7 | 73.1 | 70.2 | 64.2 | 80.4 | **4,463.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,215.0** |
| H2O | 1966 | 190.3 | 168.8 | 202.7 | 178.1 | 196.2 | 225.4 | 207.0 | 202.4 | 187.4 | 170.9 | 204.0 | 180.9 | **10,459.6** |
| OIL | 1966 | 42.7 | 38.0 | 40.8 | 40.4 | 40.0 | 44.2 | 44.7 | 40.2 | 45.3 | 41.3 | 40.4 | 44.0 | **3,567.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,851.0** |
| H2O | 1965 | 70.4 | 56.4 | 63.0 | 65.0 | 65.3 | 51.8 | 79.0 | 190.8 | 171.9 | 185.5 | 172.5 | 192.7 | **8,145.5** |
| OIL | 1965 | 31.9 | 28.3 | 30.5 | 28.6 | 28.8 | 24.3 | 31.5 | 49.3 | 43.2 | 43.9 | 38.8 | 43.5 | **3,065.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,490.0** |
| H2O | 1964 | 30.0 | 27.3 | 29.6 | 26.7 | 25.8 | 45.2 | 43.2 | 52.0 | 57.9 | 59.3 | 57.2 | 53.6 | **6,781.2** |
| OIL | 1964 | 36.5 | 33.5 | 35.9 | 34.6 | 35.8 | 28.6 | 28.9 | 26.7 | 30.8 | 30.8 | 31.1 | 31.6 | **2,643.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,125.0** |
| H2O | 1963 | 130.5 | 116.7 | 130.8 | 129.7 | 106.8 | 58.5 | 56.4 | 68.0 | 66.3 | 68.2 | 28.6 | 29.7 | **6,273.4** |
| OIL | 1963 | 30.2 | 26.9 | 30.2 | 29.6 | 45.6 | 35.1 | 33.5 | 37.5 | 37.8 | 39.6 | 44.0 | 37.2 | **2,258.5** |
| DAY | 1962 | 31.0 | 25.0 | 22.0 | 30.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | 31.0 | 30.0 | 30.0 | **762.0** |
| H2O | 1962 | 216.8 | 182.2 | 199.8 | 194.4 | 187.0 | 185.5 | 142.4 | 115.3 | 139.4 | 139.9 | 118.0 | 120.5 | **5,283.2** |
| OIL | 1962 | 71.7 | 56.6 | 69.4 | 60.1 | 59.6 | 57.2 | 48.3 | 38.1 | 46.9 | 51.8 | 29.1 | 28.0 | **1,831.3** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **416.0** |
| H2O | 1961 | 255.0 | 239.1 | 251.0 | 230.2 | 206.4 | 222.4 | 289.7 | 242.9 | 230.8 | 266.9 | 215.4 | 212.9 | **3,342.0** |
| OIL | 1961 | 102.5 | 85.5 | 87.4 | 96.6 | 61.3 | 73.1 | 104.7 | 91.4 | 93.0 | 94.9 | 64.0 | 72.8 | **1,214.5** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 31.0 | **57.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 218.7 | 260.6 | **479.3** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 81.9 | 105.4 | **187.3** |

Licence ***1798*** Well Name ***Bralorne Routledge Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-16-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***0***

# Manitoba Production
## 1950 To 1975

Licence ***1798*** Well Name ***Bralorne Routledge Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-16-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 28.0 | 16.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 0.0 | 0.0 | 0.0 | **1,691.0** |
| H2O | 1965 | 437.6 | 309.2 | 699.4 | 618.4 | 1232.1 | 765.2 | 1214.6 | 1224.8 | 1215.4 | 0.0 | 0.0 | 0.0 | **38,001.0** |
| OIL | 1965 | 48.6 | 25.4 | 50.9 | 41.5 | 38.1 | 39.7 | 23.8 | 23.5 | 12.7 | 0.0 | 0.0 | 0.0 | **4,458.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 15.0 | 16.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 27.0 | 31.0 | **1,440.0** |
| H2O | 1964 | 686.8 | 645.5 | 690.0 | 499.2 | 572.5 | 502.4 | 509.4 | 517.5 | 488.9 | 504.8 | 500.8 | 502.9 | **30,284.3** |
| OIL | 1964 | 25.4 | 24.6 | 36.2 | 11.9 | 28.1 | 67.5 | 68.8 | 64.7 | 35.0 | 52.6 | 51.5 | 57.8 | **4,154.3** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,109.0** |
| H2O | 1963 | 922.1 | 863.3 | 887.1 | 858.5 | 718.6 | 666.1 | 672.5 | 640.7 | 655.0 | 693.2 | 645.5 | 690.0 | **23,663.6** |
| OIL | 1963 | 61.8 | 58.5 | 68.3 | 66.1 | 68.6 | 57.2 | 57.4 | 77.9 | 35.8 | 59.8 | 47.7 | 24.6 | **3,630.2** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **744.0** |
| H2O | 1962 | 295.7 | 267.1 | 600.9 | 848.0 | 763.1 | 738.5 | 798.1 | 850.5 | 914.1 | 922.1 | 934.8 | 968.2 | **14,751.0** |
| OIL | 1962 | 72.6 | 49.4 | 63.2 | 81.5 | 83.4 | 104.1 | 83.6 | 70.9 | 56.6 | 57.0 | 48.0 | 69.1 | **2,946.5** |
| DAY | 1961 | 27.0 | 24.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 20.0 | 23.0 | 31.0 | **380.0** |
| H2O | 1961 | 285.8 | 387.1 | 380.0 | 329.1 | 428.3 | 514.1 | 527.8 | 778.0 | 680.6 | 459.5 | 181.2 | 343.4 | **5,849.9** |
| OIL | 1961 | 61.0 | 84.7 | 158.3 | 202.1 | 222.2 | 220.9 | 194.2 | 217.9 | 190.9 | 113.3 | 97.7 | 94.7 | **2,107.1** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 31.0 | **46.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 238.8 | 316.2 | **555.0** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 141.6 | 107.6 | **249.2** |

Licence ***1801*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-01-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 30.0 | 31.0 | 23.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,813.0** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 4.8 | 8.7 | 8.9 | 6.9 | 0.0 | 0.0 | 0.0 | 0.0 | **758.3** |
| DAY | 1966 | 31.0 | 22.0 | 25.0 | 24.0 | 28.0 | 25.0 | 31.0 | 31.0 | 27.0 | 26.0 | 9.0 | 0.0 | **1,709.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 2.5 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **17.2** |
| OIL | 1966 | 6.2 | 4.8 | 4.9 | 10.0 | 8.3 | 6.8 | 9.1 | 1.1 | 6.8 | 5.9 | 2.2 | 0.0 | **729.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 7.0 | 25.0 | **1,430.0** |
| OIL | 1965 | 6.4 | 5.7 | 6.4 | 6.2 | 6.5 | 5.6 | 6.7 | 6.5 | 6.4 | 7.6 | 2.2 | 5.2 | **662.9** |
| DAY | 1964 | 31.0 | 29.0 | 8.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 31.0 | 30.0 | 31.0 | **1,097.0** |
| OIL | 1964 | 6.8 | 6.5 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.2 | 6.8 | 6.2 | 6.5 | **591.5** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 15.0 | 14.0 | 27.0 | 30.0 | 29.0 | 30.0 | 31.0 | **922.0** |
| OIL | 1963 | 7.6 | 7.0 | 4.4 | 4.3 | 6.0 | 3.5 | 3.0 | 6.2 | 6.8 | 7.0 | 6.5 | 6.8 | **553.8** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 26.0 | 28.0 | 30.0 | 22.0 | 31.0 | 30.0 | 31.0 | **599.0** |
| H2O | 1962 | 0.8 | 0.0 | 1.3 | 0.0 | 0.0 | 0.8 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **9.6** |
| OIL | 1962 | 44.7 | 39.3 | 43.9 | 41.5 | 7.5 | 7.8 | 7.3 | 8.9 | 6.2 | 7.8 | 7.3 | 7.8 | **484.7** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 10.0 | 3.0 | 12.0 | 14.0 | 11.0 | 16.0 | 11.0 | 20.0 | **253.0** |
| H2O | 1961 | 0.0 | 0.3 | 0.0 | 0.0 | 2.2 | 0.2 | 0.6 | 1.1 | 0.2 | 0.0 | 0.0 | 1.3 | **5.9** |
| OIL | 1961 | 40.0 | 11.9 | 16.0 | 15.1 | 4.4 | 1.4 | 19.2 | 18.6 | 15.1 | 23.8 | 14.6 | 27.3 | **254.7** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 31.0 | **36.0** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.8 | 40.5 | **47.3** |

Licence ***1802*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.09-29-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 10.0 | 26.0 | 6.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,884.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 98.4 | 218.2 | 49.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **42,084.7** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 2.4 | 7.1 | 1.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,874.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 24.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 2.0 | 0.0 | **2,842.0** |
| H2O | 1971 | 467.2 | 405.7 | 317.8 | 314.3 | 260.0 | 325.1 | 256.5 | 300.8 | 280.0 | 283.0 | 12.2 | 0.0 | **41,718.4** |
| OIL | 1971 | 8.4 | 7.3 | 13.5 | 13.0 | 10.2 | 12.6 | 6.4 | 7.8 | 7.8 | 7.6 | 0.2 | 0.0 | **1,863.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1802*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.09-29-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1970 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 31.0 | **2,549.0** |
| H2O | 1970 | 47.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 340.1 | 461.7 | **38,495.8** |
| OIL | 1970 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.6 | 8.9 | **1,768.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 25.0 | 31.0 | 21.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,492.0** |
| H2O | 1969 | 443.6 | 410.2 | 445.0 | 430.7 | 397.6 | 376.8 | 469.8 | 338.6 | 454.7 | 469.6 | 458.7 | 494.4 | **37,646.3** |
| OIL | 1969 | 9.5 | 8.1 | 9.1 | 7.6 | 6.5 | 12.9 | 11.3 | 7.6 | 10.2 | 10.8 | 7.2 | 5.6 | **1,752.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,147.0** |
| H2O | 1968 | 639.9 | 555.2 | 589.8 | 550.5 | 561.4 | 510.6 | 492.8 | 492.8 | 476.9 | 491.6 | 467.4 | 451.5 | **32,456.6** |
| OIL | 1968 | 9.4 | 8.4 | 8.9 | 8.1 | 9.4 | 8.4 | 9.9 | 9.7 | 8.4 | 9.4 | 9.4 | 9.9 | **1,646.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,781.0** |
| H2O | 1967 | 557.2 | 493.0 | 589.2 | 816.0 | 783.4 | 716.2 | 700.3 | 690.0 | 649.0 | 651.8 | 585.2 | 709.4 | **26,176.2** |
| OIL | 1967 | 7.0 | 8.1 | 9.1 | 13.7 | 14.8 | 10.2 | 11.8 | 13.5 | 13.7 | 11.6 | 9.2 | 11.9 | **1,537.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,416.0** |
| H2O | 1966 | 339.1 | 301.3 | 474.1 | 480.1 | 413.2 | 619.7 | 641.6 | 615.3 | 554.2 | 566.8 | 545.0 | 566.8 | **18,235.5** |
| OIL | 1966 | 12.4 | 10.3 | 10.8 | 9.4 | 6.7 | 21.1 | 20.8 | 21.9 | 17.8 | 19.2 | 15.1 | 14.0 | **1,402.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 23.0 | 31.0 | **1,055.0** |
| H2O | 1965 | 467.7 | 403.7 | 405.2 | 385.7 | 304.4 | 216.1 | 453.7 | 501.7 | 516.7 | 465.3 | 305.9 | 371.7 | **12,118.3** |
| OIL | 1965 | 38.0 | 29.1 | 27.7 | 24.9 | 17.3 | 14.6 | 12.7 | 19.9 | 18.1 | 15.4 | 9.5 | 12.9 | **1,223.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 16.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **700.0** |
| H2O | 1964 | 510.3 | 432.1 | 458.2 | 257.8 | 465.8 | 477.9 | 504.3 | 494.3 | 445.1 | 460.7 | 472.2 | 410.2 | **7,320.5** |
| OIL | 1964 | 68.0 | 53.6 | 50.2 | 26.2 | 36.1 | 34.6 | 35.8 | 37.5 | 36.1 | 37.2 | 37.3 | 33.2 | **982.9** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 30.0 | 31.0 | **350.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 136.6 | 532.7 | 541.0 | **1,931.6** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.8 | 106.3 | 87.6 | **497.1** |
| DAY | 1961 | 31.0 | 11.0 | 8.0 | 17.0 | 28.0 | 14.0 | 31.0 | 28.0 | 27.0 | 28.0 | 17.0 | 0.0 | **282.0** |
| H2O | 1961 | 130.8 | 33.4 | 14.3 | 19.9 | 79.5 | 64.5 | 71.5 | 77.6 | 80.0 | 47.7 | 6.7 | 0.0 | **721.3** |
| OIL | 1961 | 54.5 | 13.7 | 8.9 | 26.5 | 26.2 | 18.4 | 23.5 | 26.1 | 21.9 | 12.7 | 2.2 | 0.0 | **292.4** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 28.0 | **42.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.8 | 63.6 | **95.4** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.8 | 30.0 | **57.8** |

Licence ***1803*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-05-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,398.0** |
| H2O | 1975 | 90.6 | 80.8 | 121.6 | 98.6 | 133.4 | 111.1 | 98.7 | 56.4 | 52.6 | 61.5 | 63.0 | 63.1 | **12,704.0** |
| OIL | 1975 | 27.2 | 24.3 | 19.1 | 18.0 | 19.4 | 18.1 | 18.6 | 23.4 | 22.6 | 22.6 | 23.0 | 23.5 | **8,503.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 21.0 | 9.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | **5,033.0** |
| H2O | 1974 | 43.1 | 70.4 | 67.9 | 76.0 | 84.9 | 52.0 | 25.9 | 73.6 | 75.7 | 32.3 | 99.5 | 94.4 | **11,672.6** |
| OIL | 1974 | 29.6 | 26.4 | 28.3 | 27.2 | 28.8 | 18.0 | 7.8 | 23.0 | 23.0 | 13.2 | 29.2 | 28.3 | **8,243.7** |
| DAY | 1973 | 29.0 | 27.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,703.0** |
| H2O | 1973 | 85.4 | 77.4 | 83.9 | 90.1 | 105.9 | 90.6 | 93.6 | 48.2 | 48.6 | 54.1 | 47.9 | 46.1 | **10,876.9** |
| OIL | 1973 | 50.7 | 42.0 | 48.8 | 36.7 | 37.7 | 34.6 | 31.3 | 30.2 | 30.5 | 31.3 | 32.3 | 30.5 | **7,960.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **4,344.0** |
| H2O | 1972 | 136.7 | 129.4 | 139.3 | 141.8 | 111.3 | 94.4 | 96.3 | 153.6 | 156.4 | 159.8 | 151.7 | 143.7 | **10,005.1** |
| OIL | 1972 | 71.8 | 66.6 | 70.7 | 72.6 | 42.4 | 34.8 | 40.4 | 39.4 | 41.6 | 44.3 | 42.4 | 40.7 | **7,524.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 16.0 | 23.0 | 31.0 | 30.0 | 30.0 | **3,987.0** |
| H2O | 1971 | 91.6 | 85.8 | 85.5 | 81.4 | 84.9 | 52.3 | 53.6 | 26.4 | 35.5 | 51.7 | 0.0 | 130.8 | **8,390.7** |
| OIL | 1971 | 49.1 | 44.5 | 47.7 | 48.1 | 50.7 | 34.6 | 38.1 | 18.3 | 25.9 | 36.4 | 8.4 | 72.0 | **6,916.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,645.0** |
| H2O | 1970 | 55.8 | 53.4 | 59.5 | 58.5 | 59.9 | 58.8 | 57.6 | 63.9 | 61.2 | 66.6 | 62.6 | 78.5 | **7,611.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1803*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-05-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1970 | 45.9 | 39.9 | 43.1 | 42.0 | 47.4 | 39.9 | 47.2 | 43.9 | 40.8 | 40.7 | 44.3 | 48.5 | **6,442.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,281.0** |
| H2O | 1969 | 71.2 | 56.9 | 71.1 | 60.6 | 57.7 | 62.3 | 62.8 | 44.2 | 65.0 | 67.2 | 62.0 | 56.9 | **6,874.9** |
| OIL | 1969 | 50.4 | 44.5 | 48.5 | 43.4 | 42.7 | 62.0 | 59.0 | 45.1 | 41.3 | 43.9 | 43.4 | 46.6 | **5,919.2** |
| DAY | 1968 | 22.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,922.0** |
| H2O | 1968 | 44.2 | 60.6 | 67.6 | 67.7 | 69.0 | 67.7 | 68.5 | 75.7 | 62.3 | 75.4 | 69.5 | 70.3 | **6,137.0** |
| OIL | 1968 | 45.3 | 62.8 | 59.9 | 57.2 | 59.6 | 41.0 | 44.7 | 43.5 | 49.3 | 53.4 | 48.6 | 49.7 | **5,348.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,565.0** |
| H2O | 1967 | 40.2 | 37.0 | 37.8 | 35.0 | 37.8 | 31.5 | 32.4 | 17.2 | 15.9 | 14.1 | 58.0 | 65.7 | **5,338.5** |
| OIL | 1967 | 47.2 | 44.8 | 47.8 | 45.9 | 45.1 | 77.1 | 78.0 | 95.2 | 75.5 | 72.5 | 68.2 | 69.9 | **4,733.4** |
| DAY | 1966 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,200.0** |
| H2O | 1966 | 246.9 | 227.8 | 252.5 | 260.7 | 255.6 | 249.3 | 251.5 | 245.8 | 227.7 | 187.4 | 180.4 | 156.6 | **4,915.9** |
| OIL | 1966 | 42.1 | 35.9 | 41.3 | 42.4 | 42.7 | 40.8 | 35.3 | 31.6 | 35.8 | 29.4 | 35.1 | 37.2 | **3,966.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,840.0** |
| H2O | 1965 | 16.5 | 14.6 | 15.9 | 16.1 | 17.5 | 22.3 | 24.3 | 287.9 | 277.9 | 272.2 | 255.3 | 251.0 | **2,173.7** |
| OIL | 1965 | 49.4 | 43.1 | 49.9 | 53.2 | 49.7 | 47.5 | 54.3 | 31.8 | 55.6 | 48.3 | 45.3 | 42.9 | **3,516.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,479.0** |
| H2O | 1964 | 16.7 | 15.4 | 16.1 | 16.2 | 14.9 | 15.9 | 16.5 | 16.4 | 16.1 | 14.9 | 15.4 | 16.2 | **702.2** |
| OIL | 1964 | 54.8 | 50.5 | 54.2 | 50.9 | 51.2 | 48.9 | 50.4 | 50.1 | 41.5 | 45.4 | 48.1 | 48.5 | **2,945.6** |
| DAY | 1963 | 28.0 | 19.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,114.0** |
| H2O | 1963 | 6.4 | 3.8 | 5.9 | 6.0 | 6.5 | 6.4 | 6.5 | 4.9 | 4.1 | 9.4 | 14.6 | 15.6 | **511.5** |
| OIL | 1963 | 29.9 | 18.9 | 32.4 | 34.3 | 38.6 | 28.0 | 31.6 | 30.0 | 27.2 | 39.6 | 35.0 | 52.1 | **2,351.1** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **763.0** |
| H2O | 1962 | 22.7 | 20.7 | 20.8 | 6.8 | 7.9 | 8.1 | 7.5 | 7.6 | 10.8 | 9.7 | 10.7 | 9.7 | **421.4** |
| OIL | 1962 | 77.1 | 70.4 | 72.6 | 49.7 | 52.3 | 52.6 | 51.2 | 48.0 | 42.1 | 46.9 | 43.7 | 38.8 | **1,953.5** |
| DAY | 1961 | 29.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **401.0** |
| H2O | 1961 | 4.9 | 3.5 | 19.1 | 21.9 | 22.9 | 24.3 | 22.7 | 25.3 | 23.2 | 19.6 | 25.0 | 23.8 | **278.4** |
| OIL | 1961 | 140.2 | 111.4 | 91.1 | 82.6 | 79.5 | 81.5 | 74.4 | 76.0 | 88.0 | 85.3 | 83.4 | 81.8 | **1,308.1** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 28.0 | **41.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 37.6 | 4.6 | **42.2** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 91.2 | 141.7 | **232.9** |

Licence ***1805*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-05-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 383.9 | 343.6 | 414.8 | 332.1 | 378.4 | 355.2 | 323.8 | 450.4 | 377.1 | 324.3 | 321.5 | 330.4 | **51,649.9** |
| WIN | 1974 | 342.4 | 318.1 | 349.1 | 243.9 | 356.3 | 387.4 | 292.2 | 482.5 | 439.9 | 442.9 | 423.4 | 427.7 | **47,314.4** |
| WIN | 1973 | 381.2 | 317.3 | 319.5 | 336.7 | 336.4 | 317.0 | 352.9 | 351.7 | 282.8 | 334.0 | 355.0 | 375.0 | **42,808.6** |
| WIN | 1972 | 412.1 | 393.6 | 388.2 | 353.6 | 373.1 | 363.0 | 393.2 | 373.9 | 395.2 | 410.6 | 375.5 | 386.0 | **38,749.1** |
| WIN | 1971 | 493.6 | 407.1 | 371.2 | 437.8 | 468.8 | 432.1 | 447.4 | 418.0 | 413.3 | 400.2 | 437.7 | 463.4 | **34,131.1** |
| WIN | 1970 | 573.9 | 426.1 | 469.9 | 495.9 | 503.3 | 434.5 | 472.5 | 383.6 | 396.5 | 422.9 | 465.5 | 487.6 | **28,940.5** |
| WIN | 1969 | 593.5 | 578.4 | 648.0 | 535.6 | 522.4 | 557.2 | 465.5 | 500.0 | 571.7 | 620.8 | 544.2 | 626.4 | **23,408.3** |
| WIN | 1968 | 580.8 | 542.6 | 601.3 | 592.7 | 514.5 | 547.7 | 419.2 | 468.7 | 424.2 | 581.4 | 676.8 | 644.2 | **16,644.6** |
| WIN | 1967 | 802.1 | 695.5 | 735.0 | 624.0 | 659.8 | 600.1 | 598.4 | 597.1 | 552.9 | 567.9 | 561.7 | 554.0 | **10,050.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 0.0 | 0.0 | 0.0 | **2,099.0** |
| H2O | 1966 | 111.8 | 99.4 | 119.4 | 109.2 | 91.9 | 56.9 | 52.5 | 51.4 | 45.8 | 0.0 | 0.0 | 0.0 | **11,025.3** |
| OIL | 1966 | 19.3 | 17.2 | 18.4 | 19.1 | 37.0 | 20.0 | 20.2 | 18.1 | 19.9 | 0.0 | 0.0 | 0.0 | **1,934.7** |
| WIN | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 540.5 | 1098.4 | 863.1 | **2,502.0** |
| DAY | 1965 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,827.0** |
| H2O | 1965 | 121.5 | 102.7 | 115.1 | 118.9 | 119.4 | 109.9 | 144.0 | 112.2 | 101.1 | 109.4 | 101.6 | 113.4 | **10,287.0** |
| OIL | 1965 | 20.5 | 19.2 | 20.7 | 19.5 | 19.5 | 19.1 | 21.3 | 22.2 | 19.5 | 19.9 | 17.6 | 19.7 | **1,745.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1805*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-05-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | **1,463.0** |
| H2O | 1964 | 126.9 | 115.9 | 124.5 | 112.6 | 108.7 | 85.8 | 82.4 | 79.2 | 105.6 | 110.3 | 104.6 | 93.6 | **8,917.8** |
| OIL | 1964 | 22.2 | 20.3 | 21.8 | 21.3 | 21.8 | 10.2 | 10.3 | 10.0 | 20.8 | 21.5 | 21.1 | 20.7 | **1,506.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,100.0** |
| H2O | 1963 | 174.1 | 160.7 | 180.3 | 137.7 | 149.9 | 132.3 | 133.9 | 105.4 | 96.0 | 102.5 | 120.3 | 125.4 | **7,667.7** |
| OIL | 1963 | 22.7 | 21.0 | 23.5 | 27.5 | 29.7 | 28.4 | 28.4 | 25.6 | 24.0 | 25.9 | 21.5 | 22.6 | **1,284.8** |
| DAY | 1962 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **735.0** |
| H2O | 1962 | 271.9 | 246.6 | 337.2 | 197.1 | 189.3 | 174.6 | 181.4 | 149.1 | 148.5 | 163.1 | 162.5 | 171.7 | **6,049.2** |
| OIL | 1962 | 28.9 | 24.6 | 28.0 | 37.0 | 36.7 | 32.7 | 32.3 | 19.9 | 18.1 | 17.6 | 22.6 | 22.6 | **984.0** |
| DAY | 1961 | 31.0 | 10.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **377.0** |
| H2O | 1961 | 59.6 | 128.6 | 381.9 | 349.4 | 300.5 | 322.9 | 358.0 | 342.3 | 315.9 | 365.3 | 352.1 | 334.8 | **3,656.2** |
| OIL | 1961 | 43.9 | 17.3 | 54.3 | 59.9 | 52.6 | 51.5 | 56.9 | 51.3 | 60.5 | 61.7 | 42.0 | 45.8 | **663.0** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 31.0 | **36.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.8 | 40.1 | **44.9** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.9 | 35.4 | **65.3** |

Licence ***1807*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.16-06-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1406.8 | 1110.5 | 1407.3 | 1084.9 | 1057.9 | 1081.5 | 940.7 | 2384.7 | 2882.3 | 2977.5 | 2985.8 | 2890.7 | **137,884.7** |
| WIN | 1974 | 1372.5 | 1218.6 | 1175.0 | 1062.8 | 1091.2 | 1224.5 | 1128.1 | 1211.4 | 1108.4 | 1158.3 | 1405.9 | 1525.7 | **115,674.1** |
| WIN | 1973 | 1421.6 | 1193.6 | 1191.9 | 1160.7 | 993.5 | 1179.6 | 1289.0 | 1291.1 | 969.0 | 1199.2 | 1225.3 | 1331.1 | **100,991.7** |
| WIN | 1972 | 1304.6 | 1264.8 | 1447.0 | 1237.5 | 1265.5 | 1181.1 | 1377.9 | 1602.8 | 1538.4 | 1752.9 | 1468.8 | 1369.6 | **86,546.1** |
| WIN | 1971 | 1832.7 | 1417.5 | 1226.2 | 1538.4 | 1686.6 | 1594.4 | 1624.8 | 1487.9 | 1287.7 | 1623.2 | 1370.1 | 1374.2 | **69,735.2** |
| WIN | 1970 | 1923.2 | 1413.5 | 1546.7 | 1572.0 | 1635.9 | 1471.2 | 1303.5 | 1298.4 | 1330.0 | 1407.8 | 1576.9 | 1563.1 | **51,671.5** |
| WIN | 1969 | 1141.6 | 1541.8 | 1867.5 | 1628.9 | 1659.8 | 1731.5 | 1708.4 | 1490.1 | 1626.8 | 1409.7 | 1719.7 | 1985.5 | **33,629.3** |
| WIN | 1968 | 434.0 | 386.5 | 629.7 | 827.3 | 891.4 | 789.7 | 626.1 | 766.9 | 664.9 | 775.0 | 960.6 | 1001.3 | **14,118.0** |
| WIN | 1967 | 441.5 | 374.9 | 407.0 | 344.8 | 366.4 | 335.4 | 324.3 | 323.2 | 299.8 | 306.7 | 311.8 | 305.6 | **5,364.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 1.0 | 0.0 | 0.0 | **2,122.0** |
| H2O | 1966 | 13.3 | 11.9 | 14.1 | 12.9 | 13.8 | 15.7 | 14.5 | 14.0 | 13.0 | 0.3 | 0.0 | 0.0 | **1,750.7** |
| OIL | 1966 | 24.4 | 21.6 | 23.4 | 24.0 | 22.9 | 25.3 | 25.6 | 23.0 | 26.1 | 0.7 | 0.0 | 0.0 | **2,869.6** |
| WIN | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 233.7 | 534.2 | 455.3 | **1,223.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,848.0** |
| H2O | 1965 | 15.1 | 12.2 | 13.7 | 14.1 | 14.1 | 12.9 | 17.2 | 13.4 | 11.9 | 13.0 | 12.1 | 13.5 | **1,627.2** |
| OIL | 1965 | 27.3 | 24.0 | 26.2 | 24.6 | 24.8 | 24.2 | 27.3 | 28.1 | 24.8 | 25.1 | 22.2 | 25.1 | **2,652.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,483.0** |
| H2O | 1964 | 13.5 | 12.4 | 13.2 | 11.9 | 11.6 | 11.0 | 10.5 | 10.5 | 12.4 | 12.7 | 12.4 | 11.6 | **1,464.0** |
| OIL | 1964 | 22.4 | 20.5 | 21.8 | 21.3 | 21.8 | 21.6 | 21.9 | 21.8 | 26.4 | 26.5 | 26.9 | 27.3 | **2,348.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,118.0** |
| H2O | 1963 | 13.4 | 11.8 | 13.5 | 13.2 | 14.3 | 6.4 | 6.5 | 8.6 | 7.9 | 8.3 | 12.7 | 13.4 | **1,320.3** |
| OIL | 1963 | 23.4 | 21.0 | 23.7 | 23.5 | 20.2 | 31.8 | 31.9 | 27.7 | 27.0 | 28.3 | 21.5 | 22.6 | **2,068.7** |
| DAY | 1962 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **753.0** |
| H2O | 1962 | 36.6 | 33.4 | 33.5 | 28.6 | 27.7 | 27.3 | 25.4 | 32.4 | 32.1 | 21.1 | 12.1 | 12.6 | **1,190.3** |
| OIL | 1962 | 63.6 | 54.3 | 61.8 | 40.7 | 40.5 | 16.5 | 14.6 | 38.9 | 40.7 | 54.8 | 22.6 | 22.7 | **1,766.1** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **391.0** |
| H2O | 1961 | 81.4 | 76.3 | 80.1 | 75.4 | 61.8 | 68.0 | 75.5 | 63.6 | 60.6 | 70.3 | 37.5 | 35.8 | **867.5** |
| OIL | 1961 | 170.7 | 141.9 | 156.4 | 95.3 | 78.0 | 69.1 | 76.3 | 69.1 | 70.6 | 72.1 | 59.1 | 64.5 | **1,294.4** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | **31.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 81.2 | **81.2** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 171.3 | **171.3** |

Licence ***1808*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

# Manitoba Production
## 1950 To 1975

Licence ***1808*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-05-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 24.0 | 17.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,421.0** |
| H2O | 1975 | 468.7 | 417.5 | 464.7 | 301.6 | 277.1 | 424.6 | 383.0 | 441.5 | 404.3 | 473.9 | 485.4 | 486.3 | **32,756.9** |
| OIL | 1975 | 195.1 | 174.5 | 202.5 | 151.3 | 110.9 | 192.0 | 197.0 | 195.1 | 139.2 | 138.7 | 141.6 | 144.4 | **19,789.0** |
| DAY | 1974 | 30.0 | 27.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **5,076.0** |
| H2O | 1974 | 397.4 | 419.2 | 418.9 | 443.7 | 537.8 | 497.4 | 470.7 | 437.2 | 368.5 | 358.0 | 439.1 | 487.6 | **27,728.3** |
| OIL | 1974 | 176.7 | 157.5 | 174.6 | 158.4 | 173.5 | 179.6 | 178.9 | 172.9 | 154.9 | 180.5 | 181.0 | 202.9 | **17,806.7** |
| DAY | 1973 | 30.0 | 27.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **4,716.0** |
| H2O | 1973 | 447.4 | 412.7 | 200.3 | 194.4 | 228.3 | 194.1 | 441.6 | 406.2 | 467.7 | 563.7 | 456.0 | 425.4 | **22,452.8** |
| OIL | 1973 | 131.4 | 113.9 | 97.6 | 102.2 | 104.4 | 96.0 | 170.7 | 164.3 | 194.5 | 216.0 | 198.5 | 182.9 | **15,715.3** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 26.0 | 27.0 | 30.0 | 31.0 | 30.0 | 29.0 | 25.0 | 29.0 | 30.0 | **4,358.0** |
| H2O | 1972 | 171.5 | 162.2 | 169.0 | 81.2 | 322.7 | 294.6 | 310.0 | 289.2 | 306.2 | 398.7 | 469.3 | 495.2 | **18,015.0** |
| OIL | 1972 | 107.3 | 99.5 | 102.3 | 47.0 | 169.1 | 105.7 | 174.0 | 119.5 | 130.9 | 103.0 | 122.2 | 130.0 | **13,942.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,011.0** |
| H2O | 1971 | 310.6 | 190.5 | 187.9 | 180.6 | 187.9 | 215.1 | 223.0 | 187.8 | 210.5 | 232.9 | 221.9 | 170.7 | **14,545.2** |
| OIL | 1971 | 123.6 | 113.1 | 120.1 | 122.5 | 129.2 | 117.0 | 130.5 | 110.4 | 103.5 | 110.1 | 103.9 | 111.7 | **12,532.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **3,647.0** |
| H2O | 1970 | 266.8 | 255.5 | 284.7 | 279.5 | 191.4 | 184.6 | 170.9 | 188.4 | 180.4 | 196.5 | 184.6 | 241.3 | **12,025.8** |
| OIL | 1970 | 164.3 | 142.7 | 154.5 | 150.3 | 137.6 | 126.5 | 136.7 | 126.7 | 118.1 | 117.4 | 128.1 | 110.4 | **11,136.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,286.0** |
| H2O | 1969 | 150.4 | 120.5 | 150.2 | 159.3 | 152.8 | 163.9 | 154.8 | 227.0 | 260.1 | 275.2 | 296.3 | 272.7 | **9,401.2** |
| OIL | 1969 | 105.4 | 93.1 | 101.4 | 125.5 | 124.4 | 129.4 | 93.3 | 125.5 | 144.8 | 157.3 | 155.1 | 167.0 | **9,523.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,925.0** |
| H2O | 1968 | 168.2 | 159.0 | 173.8 | 156.6 | 143.1 | 156.9 | 149.6 | 150.6 | 140.9 | 169.9 | 143.6 | 148.8 | **7,018.0** |
| OIL | 1968 | 124.3 | 118.5 | 119.0 | 94.6 | 102.7 | 112.3 | 111.1 | 112.7 | 98.5 | 106.9 | 99.3 | 103.9 | **8,001.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | **2,559.0** |
| H2O | 1967 | 26.9 | 24.8 | 25.3 | 23.5 | 25.3 | 27.8 | 80.2 | 90.6 | 83.9 | 60.1 | 151.6 | 171.5 | **5,157.0** |
| OIL | 1967 | 60.5 | 57.5 | 61.7 | 58.8 | 58.0 | 56.7 | 102.2 | 108.9 | 106.8 | 82.2 | 118.9 | 131.9 | **6,697.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,200.0** |
| H2O | 1966 | 89.2 | 79.0 | 94.9 | 83.9 | 92.0 | 105.7 | 97.0 | 94.8 | 87.9 | 80.1 | 69.6 | 23.2 | **4,365.5** |
| OIL | 1966 | 69.4 | 61.3 | 65.9 | 65.6 | 64.8 | 71.5 | 72.5 | 65.2 | 73.6 | 67.1 | 72.3 | 57.8 | **5,693.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,836.0** |
| H2O | 1965 | 99.4 | 79.6 | 89.0 | 91.9 | 92.5 | 84.9 | 111.6 | 87.0 | 78.2 | 87.0 | 80.8 | 90.5 | **3,368.2** |
| OIL | 1965 | 77.5 | 68.5 | 74.1 | 69.6 | 70.1 | 68.3 | 76.3 | 79.9 | 70.2 | 71.2 | 62.9 | 70.7 | **4,886.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **1,471.0** |
| H2O | 1964 | 23.4 | 21.3 | 22.9 | 20.7 | 19.9 | 28.5 | 27.5 | 27.2 | 23.8 | 21.8 | 80.9 | 75.8 | **2,295.8** |
| OIL | 1964 | 50.9 | 46.4 | 49.7 | 48.3 | 49.4 | 55.9 | 56.7 | 56.7 | 54.0 | 48.1 | 75.6 | 77.2 | **4,027.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,109.0** |
| H2O | 1963 | 55.8 | 49.9 | 56.1 | 5.4 | 5.6 | 5.1 | 5.2 | 5.6 | 5.2 | 17.3 | 6.4 | 23.2 | **1,902.1** |
| OIL | 1963 | 56.9 | 51.0 | 57.0 | 61.5 | 64.4 | 63.6 | 63.9 | 61.5 | 60.5 | 43.9 | 63.1 | 51.3 | **3,358.2** |
| DAY | 1962 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **748.0** |
| H2O | 1962 | 47.1 | 24.8 | 25.3 | 28.8 | 25.0 | 24.8 | 23.8 | 24.8 | 45.2 | 54.4 | 50.4 | 53.3 | **1,661.3** |
| OIL | 1962 | 77.4 | 65.9 | 75.0 | 77.4 | 75.6 | 72.8 | 66.6 | 67.7 | 69.1 | 60.1 | 54.8 | 54.8 | **2,659.6** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **384.0** |
| H2O | 1961 | 158.7 | 148.6 | 157.9 | 96.5 | 77.9 | 80.1 | 86.5 | 88.4 | 85.7 | 71.4 | 59.5 | 55.8 | **1,233.6** |
| OIL | 1961 | 255.1 | 212.6 | 236.6 | 116.5 | 93.3 | 122.2 | 129.8 | 125.4 | 90.3 | 102.8 | 77.4 | 83.7 | **1,842.4** |
| DAY | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | **24.0** |
| H2O | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 66.6 | **66.6** |
| OIL | 1960 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 196.7 | **196.7** |

Licence ***1809*** Well Name ***Virden Roselea Unit No. 2 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-31-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

# Manitoba Production
## 1950 To 1975

Licence ***1809*** Well Name ***Virden Roselea Unit No. 2 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-31-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1478.7 | 1494.3 | 1386.6 | 1262.6 | 1278.0 | 1242.3 | 1279.9 | 1410.6 | 1277.4 | 1282.0 | 1221.6 | 1214.9 | **131,016.5** |
| WIN | 1974 | 1225.6 | 1109.0 | 1200.6 | 1166.4 | 1372.3 | 1468.0 | 1627.6 | 1717.6 | 1570.6 | 1673.6 | 1462.8 | 1526.8 | **115,187.6** |
| WIN | 1973 | 1348.8 | 1188.2 | 1269.5 | 1237.8 | 1267.7 | 1220.5 | 1327.3 | 1321.4 | 957.2 | 1266.6 | 1247.2 | 1306.5 | **98,066.7** |
| WIN | 1972 | 1378.2 | 1222.2 | 1290.3 | 1205.9 | 1238.5 | 1187.7 | 1274.4 | 1329.4 | 1277.2 | 1353.2 | 1304.6 | 1328.8 | **83,108.0** |
| WIN | 1971 | 1324.9 | 1125.4 | 1160.4 | 1255.0 | 1333.0 | 1258.6 | 1345.4 | 1242.7 | 1205.2 | 1097.8 | 1261.5 | 1283.4 | **67,717.6** |
| WIN | 1970 | 1399.2 | 1122.7 | 1163.9 | 1210.2 | 1046.4 | 1083.6 | 1404.4 | 1154.4 | 1059.1 | 1183.1 | 1224.1 | 1131.6 | **52,824.3** |
| WIN | 1969 | 1156.1 | 1247.7 | 1472.8 | 1288.9 | 1348.2 | 1392.5 | 1269.3 | 1197.6 | 1310.8 | 1285.8 | 1310.9 | 1476.6 | **38,641.6** |
| WIN | 1968 | 839.4 | 675.8 | 924.6 | 898.4 | 900.8 | 942.1 | 869.5 | 946.7 | 871.1 | 981.2 | 1097.6 | 1168.3 | **22,884.4** |
| WIN | 1967 | 831.9 | 736.1 | 810.6 | 783.1 | 724.2 | 753.2 | 805.1 | 807.9 | 764.9 | 800.1 | 972.3 | 768.2 | **11,768.9** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **531.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 85.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,623.5** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,388.1** |
| WIN | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 374.2 | 965.3 | 871.8 | **2,211.3** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 21.0 | 26.0 | 20.0 | 11.0 | 23.0 | 2.0 | 0.0 | **518.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 59.3 | 167.2 | 149.8 | 201.6 | 135.9 | 143.4 | 39.4 | 0.0 | **1,538.2** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 31.9 | 40.0 | 59.3 | 35.1 | 15.4 | 60.9 | 0.8 | 0.0 | **1,359.7** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 6.0 | 7.0 | 11.0 | 6.0 | 21.0 | 8.0 | 23.0 | 14.0 | 0.0 | **402.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 3.5 | 16.5 | 35.0 | 17.3 | 62.0 | 54.7 | 164.1 | 83.0 | 0.0 | **641.6** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 14.0 | 12.9 | 17.2 | 12.6 | 61.2 | 22.7 | 53.7 | 32.4 | 0.0 | **1,116.3** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 6.0 | 8.0 | 7.0 | 8.0 | 9.0 | 0.0 | 0.0 | **306.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 21.3 | 14.6 | 7.2 | 5.1 | 4.6 | 4.6 | 0.0 | 0.0 | **205.5** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 15.6 | 10.6 | 10.5 | 8.3 | 8.1 | 14.6 | 0.0 | 0.0 | **889.6** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 9.0 | 2.0 | 12.0 | 18.0 | 12.0 | 11.0 | 10.0 | 9.0 | 7.0 | **258.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 4.9 | 20.7 | 41.3 | 21.9 | 13.7 | 7.0 | 4.3 | 3.0 | 4.6 | **148.1** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 12.9 | 4.9 | 21.5 | 30.8 | 20.8 | 29.6 | 20.7 | 17.2 | 14.8 | **821.9** |
| DAY | 1961 | 0.0 | 10.0 | 14.0 | 2.0 | 16.0 | 24.0 | 23.0 | 21.0 | 19.0 | 16.0 | 17.0 | 6.0 | **168.0** |
| H2O | 1961 | 0.0 | 1.4 | 2.7 | 0.0 | 1.3 | 3.0 | 1.3 | 1.4 | 1.9 | 5.4 | 6.2 | 2.1 | **26.7** |
| OIL | 1961 | 0.0 | 73.4 | 97.6 | 13.7 | 82.0 | 130.6 | 68.5 | 56.9 | 36.4 | 46.2 | 34.3 | 9.1 | **648.7** |

Licence ***1810*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.08-29-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 10.0 | 25.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,582.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 57.1 | 142.6 | 10.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **18,340.1** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 2.6 | 6.6 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,375.5** |
| DAY | 1971 | 29.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 14.0 | 30.0 | 31.0 | 2.0 | 0.0 | **2,545.0** |
| H2O | 1971 | 175.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 85.7 | 79.6 | 162.3 | 164.1 | 7.2 | 0.0 | **18,129.9** |
| OIL | 1971 | 7.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.7 | 3.7 | 7.8 | 7.5 | 0.3 | 0.0 | **2,365.8** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 31.0 | **2,425.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 148.5 | 184.7 | **17,455.8** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.2 | 9.1 | **2,335.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 15.0 | 31.0 | 14.0 | 20.0 | 9.0 | 7.0 | 31.0 | **2,369.0** |
| H2O | 1969 | 249.8 | 221.5 | 232.9 | 214.6 | 190.0 | 96.2 | 234.5 | 100.2 | 170.1 | 40.2 | 10.7 | 6.7 | **17,122.6** |
| OIL | 1969 | 22.1 | 20.0 | 18.6 | 13.3 | 11.9 | 3.0 | 19.1 | 7.5 | 11.4 | 3.8 | 0.0 | 0.5 | **2,319.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,095.0** |
| H2O | 1968 | 349.8 | 276.9 | 259.8 | 230.5 | 221.8 | 199.4 | 166.9 | 206.7 | 260.7 | 294.1 | 286.2 | 275.0 | **15,355.2** |
| OIL | 1968 | 34.3 | 33.2 | 30.5 | 28.3 | 26.4 | 22.1 | 26.5 | 28.1 | 20.8 | 32.3 | 26.7 | 30.4 | **2,188.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **1,729.0** |
| H2O | 1967 | 211.8 | 160.6 | 210.3 | 318.6 | 240.7 | 211.4 | 234.0 | 197.1 | 181.7 | 197.8 | 179.8 | 343.2 | **12,327.4** |
| OIL | 1967 | 25.4 | 22.1 | 23.4 | 46.1 | 43.1 | 30.2 | 33.2 | 31.9 | 27.2 | 25.6 | 21.3 | 39.7 | **1,848.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,366.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1810*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.08-29-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1966 | 323.4 | 288.1 | 369.2 | 310.6 | 273.0 | 104.1 | 459.8 | 476.3 | 413.0 | 365.2 | 287.3 | 237.8 | **9,640.4** |
| OIL | 1966 | 33.5 | 30.2 | 32.3 | 28.6 | 24.6 | 14.0 | 43.4 | 47.0 | 39.3 | 34.8 | 31.0 | 30.5 | **1,479.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,007.0** |
| H2O | 1965 | 317.6 | 270.1 | 278.9 | 225.3 | 199.0 | 170.6 | 202.9 | 201.4 | 187.9 | 185.2 | 244.7 | 367.7 | **5,732.6** |
| OIL | 1965 | 44.0 | 30.5 | 30.5 | 26.9 | 25.7 | 21.6 | 26.4 | 23.0 | 24.0 | 21.1 | 21.1 | 34.3 | **1,090.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 16.0 | 29.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **644.0** |
| H2O | 1964 | 67.2 | 74.9 | 80.1 | 47.1 | 83.0 | 86.2 | 173.4 | 382.2 | 323.7 | 327.5 | 320.2 | 262.0 | **2,881.3** |
| OIL | 1964 | 26.5 | 25.9 | 21.0 | 11.0 | 15.7 | 15.3 | 30.5 | 85.0 | 71.2 | 61.8 | 48.6 | 31.0 | **761.4** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 30.0 | 31.0 | **302.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.3 | 57.2 | 50.2 | **653.8** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.7 | 26.4 | 26.4 | **317.9** |
| DAY | 1961 | 20.0 | 0.0 | 8.0 | 17.0 | 28.0 | 30.0 | 31.0 | 28.0 | 27.0 | 26.0 | 17.0 | 0.0 | **232.0** |
| H2O | 1961 | 47.1 | 0.0 | 12.7 | 19.1 | 70.9 | 82.0 | 76.3 | 80.4 | 83.0 | 50.9 | 6.7 | 0.0 | **529.1** |
| OIL | 1961 | 47.7 | 0.0 | 8.7 | 25.3 | 27.5 | 35.3 | 32.7 | 28.9 | 21.8 | 24.5 | 3.0 | 0.0 | **255.4** |

Licence ***1812*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-21-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 28.0 | 0.0 | 29.0 | 29.0 | 30.0 | 28.0 | 30.0 | 30.0 | 29.0 | **4,847.0** |
| H2O | 1975 | 504.9 | 455.2 | 515.4 | 477.1 | 0.0 | 464.1 | 459.8 | 486.3 | 443.2 | 295.4 | 291.1 | 279.2 | **17,386.6** |
| OIL | 1975 | 23.4 | 21.1 | 22.7 | 20.5 | 0.0 | 19.9 | 20.7 | 21.5 | 21.9 | 31.6 | 32.1 | 30.8 | **6,594.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 17.0 | 25.0 | 29.0 | 24.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | **4,525.0** |
| H2O | 1974 | 211.6 | 182.2 | 221.8 | 114.0 | 179.8 | 230.0 | 147.1 | 194.0 | 201.6 | 480.4 | 450.7 | 508.4 | **12,714.9** |
| OIL | 1974 | 104.6 | 103.5 | 115.1 | 62.8 | 90.9 | 103.9 | 86.6 | 114.1 | 110.9 | 21.0 | 21.1 | 23.2 | **6,327.9** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,191.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 62.6 | 64.7 | 52.3 | 175.7 | 170.1 | 186.8 | 173.1 | 203.7 | **9,593.3** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 4.4 | 4.1 | 4.0 | 111.1 | 103.1 | 110.9 | 104.4 | 101.9 | **5,370.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 22.0 | 18.0 | 30.0 | 31.0 | 31.0 | 30.0 | 22.0 | 0.0 | 0.0 | **3,950.0** |
| H2O | 1972 | 112.7 | 113.7 | 114.0 | 67.6 | 55.0 | 87.8 | 92.5 | 104.3 | 96.8 | 38.6 | 0.0 | 0.0 | **8,504.3** |
| OIL | 1972 | 55.6 | 53.6 | 56.6 | 38.9 | 30.7 | 51.5 | 54.7 | 53.1 | 51.0 | 3.0 | 0.0 | 0.0 | **4,826.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 19.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,675.0** |
| H2O | 1971 | 191.6 | 190.1 | 204.6 | 211.1 | 208.4 | 114.5 | 92.2 | 107.9 | 97.1 | 103.8 | 100.2 | 104.4 | **7,621.3** |
| OIL | 1971 | 47.0 | 42.7 | 47.7 | 45.6 | 43.4 | 28.0 | 30.7 | 31.9 | 30.5 | 51.2 | 52.0 | 56.1 | **4,377.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 25.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,325.0** |
| H2O | 1970 | 131.5 | 124.6 | 152.1 | 137.2 | 137.0 | 114.1 | 127.5 | 20.8 | 22.7 | 21.1 | 175.8 | 162.3 | **5,895.4** |
| OIL | 1970 | 73.6 | 65.3 | 72.1 | 70.1 | 69.4 | 55.6 | 71.5 | 14.0 | 13.7 | 13.0 | 44.2 | 46.7 | **3,870.8** |
| DAY | 1969 | 30.0 | 28.0 | 31.0 | 0.0 | 11.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **2,968.0** |
| H2O | 1969 | 4.5 | 4.0 | 4.8 | 0.0 | 1.9 | 150.1 | 158.3 | 143.6 | 137.0 | 144.8 | 137.0 | 132.7 | **4,568.7** |
| OIL | 1969 | 8.6 | 7.6 | 8.6 | 0.0 | 3.0 | 71.5 | 72.9 | 72.8 | 68.5 | 72.1 | 66.9 | 66.3 | **3,261.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,657.0** |
| H2O | 1968 | 26.2 | 26.2 | 30.5 | 32.6 | 31.0 | 25.9 | 28.1 | 28.9 | 4.1 | 4.1 | 4.3 | 4.8 | **3,550.0** |
| OIL | 1968 | 10.3 | 9.5 | 10.5 | 11.1 | 11.0 | 13.2 | 14.3 | 14.5 | 8.7 | 8.1 | 8.4 | 8.9 | **2,742.8** |
| DAY | 1967 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,293.0** |
| H2O | 1967 | 28.0 | 23.1 | 26.4 | 25.6 | 27.8 | 25.3 | 24.8 | 27.3 | 28.1 | 26.9 | 27.7 | 28.1 | **3,303.3** |
| OIL | 1967 | 11.1 | 9.4 | 10.6 | 10.5 | 10.8 | 9.9 | 10.6 | 10.3 | 10.6 | 10.6 | 10.6 | 10.6 | **2,614.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 27.0 | 31.0 | **1,930.0** |
| H2O | 1966 | 28.5 | 27.2 | 27.3 | 21.5 | 23.2 | 22.7 | 21.6 | 25.4 | 22.6 | 33.5 | 28.0 | 28.8 | **2,984.2** |
| OIL | 1966 | 37.8 | 34.0 | 42.1 | 30.4 | 28.6 | 24.6 | 24.6 | 24.2 | 25.4 | 12.4 | 10.3 | 11.1 | **2,488.7** |
| DAY | 1965 | 28.0 | 24.0 | 26.0 | 27.0 | 28.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,569.0** |
| H2O | 1965 | 28.1 | 22.9 | 24.8 | 18.4 | 19.2 | 17.2 | 16.1 | 27.2 | 19.4 | 21.1 | 21.6 | 23.5 | **2,673.9** |
| OIL | 1965 | 41.0 | 30.5 | 29.9 | 22.6 | 23.0 | 21.9 | 22.9 | 22.6 | 22.9 | 23.2 | 24.6 | 30.0 | **2,183.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1812*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-21-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 27.0 | 28.0 | 29.0 | 28.0 | 27.0 | 20.0 | 24.0 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,226.0** |
| H2O | 1964 | 16.5 | 17.8 | 18.4 | 13.4 | 13.2 | 10.7 | 37.5 | 38.8 | 33.7 | 39.1 | 35.3 | 29.3 | **2,414.4** |
| OIL | 1964 | 23.4 | 23.2 | 22.7 | 22.6 | 22.6 | 20.3 | 44.8 | 54.7 | 45.4 | 52.9 | 51.5 | 44.0 | **1,868.1** |
| DAY | 1963 | 30.0 | 26.0 | 29.0 | 26.0 | 27.0 | 26.0 | 26.0 | 27.0 | 28.0 | 29.0 | 26.0 | 28.0 | **895.0** |
| H2O | 1963 | 92.4 | 83.3 | 87.6 | 81.7 | 83.1 | 74.4 | 74.4 | 63.3 | 32.3 | 32.7 | 29.6 | 17.2 | **2,110.7** |
| OIL | 1963 | 42.6 | 38.3 | 41.0 | 37.7 | 39.1 | 35.4 | 33.1 | 33.4 | 32.4 | 33.2 | 28.3 | 24.5 | **1,440.0** |
| DAY | 1962 | 28.0 | 26.0 | 28.0 | 28.0 | 23.0 | 28.0 | 30.0 | 31.0 | 28.0 | 27.0 | 28.0 | 29.0 | **567.0** |
| H2O | 1962 | 62.3 | 59.1 | 62.2 | 60.7 | 38.6 | 39.0 | 90.6 | 93.6 | 88.7 | 81.6 | 84.4 | 87.3 | **1,358.7** |
| OIL | 1962 | 47.4 | 36.7 | 40.8 | 25.9 | 28.9 | 48.9 | 62.0 | 54.2 | 52.8 | 46.2 | 44.0 | 38.0 | **1,021.0** |
| DAY | 1961 | 0.0 | 2.0 | 15.0 | 3.0 | 18.0 | 27.0 | 28.0 | 27.0 | 28.0 | 28.0 | 28.0 | 29.0 | **233.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 85.8 | 98.6 | 65.5 | 67.7 | 61.8 | 64.7 | 66.5 | **510.6** |
| OIL | 1961 | 0.0 | 5.1 | 80.2 | 14.6 | 68.2 | 47.2 | 48.9 | 47.2 | 47.0 | 45.1 | 45.0 | 46.7 | **495.2** |

Licence ***1813*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-08-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 464.7 | 332.0 | 409.7 | 347.5 | 366.8 | 353.4 | 356.1 | 345.0 | 322.9 | 327.7 | 316.1 | 314.3 | **43,827.1** |
| WIN | 1974 | 429.1 | 337.8 | 370.7 | 345.9 | 347.5 | 364.4 | 367.7 | 403.2 | 403.0 | 419.1 | 418.4 | 387.9 | **39,570.9** |
| WIN | 1973 | 416.1 | 367.2 | 406.0 | 380.1 | 372.5 | 368.7 | 383.9 | 410.2 | 339.7 | 374.7 | 374.4 | 507.1 | **34,976.2** |
| WIN | 1972 | 374.7 | 352.5 | 355.6 | 334.7 | 347.1 | 338.8 | 360.7 | 631.0 | 396.8 | 437.5 | 406.2 | 389.5 | **30,275.6** |
| WIN | 1971 | 438.6 | 366.0 | 356.4 | 389.8 | 412.4 | 389.7 | 434.7 | 388.2 | 366.4 | 368.2 | 379.2 | 381.2 | **25,550.5** |
| WIN | 1970 | 467.1 | 376.3 | 406.5 | 401.9 | 433.7 | 375.7 | 416.5 | 362.8 | 365.5 | 386.6 | 402.4 | 421.5 | **20,879.7** |
| WIN | 1969 | 436.7 | 417.0 | 425.6 | 494.7 | 494.0 | 493.2 | 492.8 | 468.0 | 460.7 | 452.3 | 441.5 | 513.5 | **16,063.2** |
| WIN | 1968 | 412.4 | 371.4 | 371.7 | 439.1 | 452.0 | 433.7 | 389.0 | 410.8 | 369.2 | 419.9 | 450.2 | 451.8 | **10,473.2** |
| WIN | 1967 | 439.9 | 385.5 | 432.1 | 395.9 | 421.1 | 400.6 | 419.2 | 421.0 | 395.9 | 410.2 | 404.8 | 401.1 | **5,502.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 2.0 | 0.0 | 0.0 | **1,935.0** |
| H2O | 1966 | 15.8 | 13.9 | 17.0 | 15.4 | 16.1 | 17.3 | 17.0 | 16.1 | 15.4 | 0.8 | 0.0 | 0.0 | **1,702.8** |
| OIL | 1966 | 19.3 | 17.2 | 18.4 | 18.9 | 18.1 | 18.6 | 20.2 | 17.5 | 20.5 | 1.3 | 0.0 | 0.0 | **2,517.8** |
| WIN | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 135.8 | 438.9 | **574.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,663.0** |
| H2O | 1965 | 18.1 | 14.3 | 16.2 | 16.7 | 16.9 | 15.3 | 20.5 | 15.7 | 14.1 | 15.3 | 14.1 | 15.4 | **1,558.0** |
| OIL | 1965 | 21.6 | 19.2 | 20.7 | 19.4 | 19.5 | 18.9 | 21.5 | 22.2 | 19.5 | 19.9 | 17.6 | 19.1 | **2,347.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 29.0 | 26.0 | 31.0 | **1,299.0** |
| H2O | 1964 | 11.6 | 10.7 | 11.4 | 10.3 | 10.0 | 8.4 | 9.2 | 9.1 | 7.9 | 2.2 | 12.7 | 13.7 | **1,365.4** |
| OIL | 1964 | 29.6 | 27.0 | 28.9 | 28.1 | 28.8 | 25.7 | 28.8 | 28.9 | 27.7 | 31.6 | 18.3 | 21.6 | **2,108.7** |
| DAY | 1963 | 23.0 | 0.0 | 0.0 | 22.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 22.0 | 31.0 | **942.0** |
| H2O | 1963 | 28.6 | 0.0 | 0.0 | 27.7 | 41.8 | 36.4 | 37.4 | 41.3 | 38.3 | 9.5 | 7.8 | 11.6 | **1,248.2** |
| OIL | 1963 | 31.5 | 0.0 | 0.0 | 30.2 | 45.3 | 43.4 | 43.4 | 42.7 | 41.2 | 28.3 | 19.7 | 29.9 | **1,783.7** |
| DAY | 1962 | 2.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **660.0** |
| H2O | 1962 | 4.6 | 61.5 | 61.4 | 58.8 | 31.6 | 31.5 | 30.4 | 31.6 | 32.3 | 37.7 | 35.0 | 36.9 | **967.8** |
| OIL | 1962 | 7.8 | 47.0 | 58.3 | 47.4 | 50.4 | 48.6 | 44.3 | 45.1 | 40.5 | 44.8 | 41.0 | 40.8 | **1,428.1** |
| DAY | 1961 | 17.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 8.0 | **324.0** |
| H2O | 1961 | 21.9 | 52.1 | 54.2 | 71.5 | 42.3 | 20.0 | 53.1 | 46.6 | 49.9 | 42.3 | 39.9 | 20.7 | **514.5** |
| OIL | 1961 | 103.1 | 141.4 | 108.2 | 30.2 | 138.9 | 94.1 | 54.7 | 64.7 | 53.6 | 56.3 | 55.1 | 11.8 | **912.1** |

Licence ***1814*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-07-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,326.0** |
| H2O | 1975 | 601.6 | 531.2 | 596.5 | 483.8 | 654.7 | 545.0 | 491.6 | 578.8 | 538.0 | 630.5 | 645.8 | 647.0 | **44,968.3** |
| OIL | 1975 | 190.9 | 169.1 | 197.8 | 184.8 | 199.4 | 187.7 | 192.6 | 195.0 | 188.9 | 188.3 | 192.3 | 195.8 | **20,073.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1814*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-07-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,961.0** |
| H2O | 1974 | 431.9 | 473.1 | 456.1 | 514.6 | 500.3 | 462.8 | 544.3 | 501.4 | 490.1 | 431.2 | 528.9 | 625.7 | **38,023.8** |
| OIL | 1974 | 156.8 | 148.6 | 158.9 | 153.8 | 202.5 | 209.3 | 214.5 | 205.5 | 195.0 | 205.9 | 206.3 | 198.5 | **17,790.4** |
| DAY | 1973 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,600.0** |
| H2O | 1973 | 679.6 | 606.9 | 639.6 | 608.9 | 671.2 | 522.7 | 579.2 | 574.3 | 554.3 | 606.7 | 546.1 | 525.9 | **32,063.4** |
| OIL | 1973 | 235.5 | 198.0 | 223.7 | 205.9 | 197.8 | 183.9 | 183.1 | 190.1 | 184.5 | 186.1 | 194.0 | 184.3 | **15,534.8** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | **4,237.0** |
| H2O | 1972 | 184.0 | 173.9 | 181.4 | 129.0 | 132.3 | 149.6 | 155.4 | 587.6 | 574.6 | 570.3 | 660.1 | 752.1 | **24,948.0** |
| OIL | 1972 | 129.7 | 120.3 | 123.8 | 131.3 | 121.9 | 133.3 | 135.9 | 193.6 | 186.4 | 193.6 | 202.9 | 233.1 | **13,167.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 19.0 | 25.0 | 31.0 | 30.0 | 31.0 | **3,878.0** |
| H2O | 1971 | 439.1 | 412.4 | 401.4 | 390.8 | 407.0 | 362.7 | 214.5 | 126.3 | 139.6 | 185.2 | 176.6 | 183.2 | **20,697.7** |
| OIL | 1971 | 133.5 | 120.9 | 126.8 | 130.9 | 138.1 | 119.5 | 91.2 | 52.9 | 104.4 | 133.2 | 125.7 | 135.2 | **11,262.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | **3,532.0** |
| H2O | 1970 | 241.0 | 230.7 | 257.1 | 252.4 | 247.4 | 243.6 | 219.2 | 243.4 | 202.7 | 319.2 | 395.6 | 377.1 | **17,258.9** |
| OIL | 1970 | 168.8 | 146.5 | 158.4 | 154.3 | 109.2 | 102.3 | 107.6 | 100.4 | 97.7 | 219.5 | 127.9 | 131.9 | **9,849.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 19.0 | 31.0 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | **3,170.0** |
| H2O | 1969 | 188.7 | 151.1 | 188.4 | 187.5 | 203.7 | 158.9 | 373.6 | 337.9 | 226.1 | 248.6 | 258.6 | 238.1 | **14,029.5** |
| OIL | 1969 | 105.5 | 93.1 | 101.4 | 99.5 | 82.5 | 62.3 | 140.2 | 138.1 | 143.2 | 161.6 | 154.0 | 165.7 | **8,225.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,822.0** |
| H2O | 1968 | 113.9 | 107.1 | 117.5 | 118.2 | 120.2 | 143.1 | 153.8 | 188.7 | 165.5 | 199.8 | 184.3 | 186.8 | **11,268.3** |
| OIL | 1968 | 69.3 | 65.9 | 66.4 | 63.4 | 65.9 | 143.7 | 124.9 | 100.0 | 102.8 | 111.6 | 101.5 | 103.8 | **6,778.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,456.0** |
| H2O | 1967 | 72.0 | 66.3 | 67.9 | 48.0 | 67.7 | 74.1 | 118.9 | 129.7 | 120.0 | 107.2 | 95.7 | 116.2 | **9,469.4** |
| OIL | 1967 | 55.8 | 52.9 | 56.6 | 41.6 | 53.2 | 52.1 | 75.0 | 77.1 | 75.5 | 72.6 | 61.7 | 73.6 | **5,659.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | 23.0 | 20.0 | 31.0 | 30.0 | 31.0 | **2,099.0** |
| H2O | 1966 | 133.5 | 171.7 | 204.1 | 197.8 | 189.8 | 126.2 | 88.7 | 71.4 | 58.3 | 81.2 | 70.6 | 61.2 | **8,385.7** |
| OIL | 1966 | 52.6 | 76.1 | 81.2 | 77.9 | 76.3 | 72.5 | 44.3 | 32.6 | 32.6 | 45.4 | 48.9 | 52.1 | **4,911.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,756.0** |
| H2O | 1965 | 176.5 | 150.9 | 160.7 | 151.0 | 163.7 | 155.8 | 142.8 | 143.7 | 143.7 | 143.1 | 134.5 | 133.5 | **6,931.2** |
| OIL | 1965 | 67.5 | 57.2 | 65.9 | 69.1 | 64.4 | 57.2 | 61.0 | 56.3 | 53.4 | 54.2 | 49.4 | 49.4 | **4,218.8** |
| DAY | 1964 | 28.0 | 29.0 | 31.0 | 29.0 | 29.0 | 28.0 | 31.0 | 31.0 | 24.0 | 30.0 | 30.0 | 31.0 | **1,392.0** |
| H2O | 1964 | 109.4 | 122.7 | 126.1 | 133.5 | 147.9 | 143.1 | 160.6 | 148.8 | 156.8 | 169.5 | 166.9 | 168.5 | **5,131.3** |
| OIL | 1964 | 59.0 | 67.1 | 70.7 | 71.2 | 46.1 | 43.2 | 48.5 | 34.2 | 46.7 | 78.8 | 67.5 | 68.3 | **3,513.8** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,041.0** |
| H2O | 1963 | 53.6 | 66.8 | 73.9 | 63.6 | 76.0 | 71.5 | 73.9 | 77.1 | 71.5 | 87.4 | 93.8 | 108.4 | **3,377.5** |
| OIL | 1963 | 48.1 | 45.3 | 50.9 | 46.7 | 46.1 | 46.2 | 48.0 | 48.0 | 41.8 | 52.4 | 39.4 | 39.4 | **2,812.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **676.0** |
| H2O | 1962 | 90.6 | 91.4 | 80.9 | 84.1 | 46.1 | 50.9 | 77.1 | 142.8 | 143.1 | 123.2 | 74.4 | 73.9 | **2,460.0** |
| OIL | 1962 | 81.8 | 69.1 | 73.9 | 45.3 | 41.2 | 43.7 | 49.6 | 45.3 | 46.4 | 49.3 | 47.8 | 49.3 | **2,260.2** |
| DAY | 1961 | 0.0 | 16.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 29.0 | 29.0 | **311.0** |
| H2O | 1961 | 0.0 | 36.8 | 128.5 | 132.7 | 134.2 | 121.1 | 186.8 | 169.2 | 128.8 | 121.6 | 114.5 | 107.3 | **1,381.5** |
| OIL | 1961 | 0.0 | 201.6 | 305.9 | 144.9 | 140.2 | 189.4 | 164.0 | 115.7 | 100.1 | 103.6 | 71.4 | 80.7 | **1,617.5** |

Licence ***1817*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.09-16-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 6.0 | 24.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,250.0** |
| H2O | 1975 | 704.9 | 607.6 | 683.3 | 654.8 | 94.4 | 532.9 | 708.4 | 797.6 | 792.0 | 793.3 | 738.3 | 775.3 | **91,443.3** |
| OIL | 1975 | 17.0 | 15.4 | 16.8 | 16.4 | 2.5 | 13.8 | 19.2 | 24.3 | 23.4 | 24.3 | 23.5 | 24.5 | **12,463.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 17.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,916.0** |
| H2O | 1974 | 250.9 | 230.0 | 264.2 | 246.4 | 225.4 | 246.9 | 264.7 | 69.2 | 691.4 | 707.5 | 724.9 | 708.7 | **83,560.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1817*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.09-16-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1974 | 25.9 | 23.5 | 27.0 | 25.7 | 29.6 | 26.5 | 28.1 | 4.1 | 17.3 | 16.8 | 17.0 | 17.2 | **12,241.9** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,566.0** |
| H2O | 1973 | 374.2 | 359.8 | 375.4 | 331.0 | 355.3 | 372.6 | 394.3 | 419.4 | 259.3 | 219.1 | 226.5 | 267.9 | **78,930.3** |
| OIL | 1973 | 51.5 | 47.8 | 55.8 | 53.6 | 55.9 | 55.8 | 55.5 | 48.6 | 29.4 | 25.6 | 27.3 | 27.3 | **11,983.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 24.0 | 28.0 | 31.0 | 30.0 | 26.0 | **4,205.0** |
| H2O | 1972 | 997.0 | 942.0 | 974.4 | 927.3 | 959.1 | 191.6 | 194.0 | 139.6 | 739.3 | 863.1 | 356.4 | 293.2 | **74,975.5** |
| OIL | 1972 | 54.7 | 52.1 | 58.0 | 52.1 | 56.9 | 37.5 | 37.0 | 26.9 | 20.8 | 24.6 | 48.5 | 42.1 | **11,449.1** |
| DAY | 1971 | 27.0 | 28.0 | 31.0 | 30.0 | 30.0 | 27.0 | 30.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,853.0** |
| H2O | 1971 | 295.1 | 864.2 | 979.6 | 905.2 | 924.0 | 824.3 | 955.0 | 799.7 | 863.1 | 872.6 | 907.6 | 1007.3 | **67,398.5** |
| OIL | 1971 | 26.2 | 48.9 | 55.6 | 53.1 | 51.3 | 45.4 | 50.7 | 45.3 | 52.1 | 50.4 | 47.4 | 56.1 | **10,937.9** |
| DAY | 1970 | 31.0 | 26.0 | 29.0 | 29.0 | 31.0 | 29.0 | 30.0 | 19.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,500.0** |
| H2O | 1970 | 610.5 | 510.3 | 562.8 | 540.5 | 524.5 | 308.4 | 333.7 | 197.6 | 328.3 | 335.1 | 326.9 | 336.5 | **57,200.8** |
| OIL | 1970 | 29.6 | 20.7 | 23.0 | 23.0 | 23.7 | 28.3 | 30.4 | 17.6 | 29.1 | 29.2 | 26.9 | 32.3 | **10,355.4** |
| DAY | 1969 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 27.0 | 27.0 | 29.0 | 28.0 | 31.0 | **3,154.0** |
| H2O | 1969 | 459.5 | 459.5 | 507.1 | 489.7 | 518.3 | 507.1 | 475.4 | 459.5 | 459.5 | 515.1 | 507.1 | 531.0 | **52,285.7** |
| OIL | 1969 | 31.1 | 31.1 | 29.6 | 28.6 | 29.6 | 23.8 | 35.6 | 34.3 | 37.3 | 23.8 | 42.6 | 40.8 | **10,041.6** |
| DAY | 1968 | 31.0 | 28.0 | 31.0 | 25.0 | 30.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,806.0** |
| H2O | 1968 | 527.8 | 489.7 | 550.1 | 470.6 | 518.3 | 486.5 | 477.9 | 408.7 | 429.2 | 492.8 | 476.9 | 476.9 | **46,396.9** |
| OIL | 1968 | 29.6 | 48.9 | 39.4 | 19.9 | 22.2 | 22.2 | 24.6 | 19.7 | 39.1 | 54.2 | 47.7 | 38.1 | **9,653.4** |
| DAY | 1967 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | **2,450.0** |
| H2O | 1967 | 554.8 | 534.2 | 575.5 | 643.9 | 837.8 | 810.8 | 996.8 | 715.4 | 717.0 | 553.3 | 573.9 | 577.1 | **40,591.5** |
| OIL | 1967 | 47.8 | 40.0 | 50.7 | 42.9 | 54.2 | 52.4 | 54.0 | 57.2 | 49.3 | 38.1 | 38.1 | 48.5 | **9,247.8** |
| DAY | 1966 | 31.0 | 28.0 | 17.0 | 30.0 | 26.0 | 25.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,090.0** |
| H2O | 1966 | 386.8 | 356.1 | 175.7 | 620.0 | 667.4 | 620.0 | 630.7 | 659.6 | 620.0 | 542.1 | 557.7 | 597.8 | **32,501.0** |
| OIL | 1966 | 63.9 | 44.5 | 21.6 | 76.3 | 57.8 | 52.4 | 50.9 | 52.8 | 52.4 | 55.1 | 53.6 | 52.4 | **8,674.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,749.0** |
| H2O | 1965 | 691.6 | 595.4 | 645.5 | 618.9 | 480.1 | 478.5 | 648.6 | 590.6 | 644.2 | 664.5 | 447.5 | 365.0 | **26,067.1** |
| OIL | 1965 | 92.2 | 69.9 | 103.5 | 100.1 | 52.4 | 54.0 | 59.1 | 59.8 | 57.2 | 67.2 | 33.4 | 69.0 | **8,040.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **1,384.0** |
| H2O | 1964 | 640.7 | 599.4 | 640.7 | 548.5 | 320.3 | 405.4 | 412.2 | 445.5 | 474.6 | 491.1 | 620.0 | 635.1 | **19,196.7** |
| OIL | 1964 | 78.7 | 73.9 | 84.1 | 114.1 | 125.7 | 125.5 | 115.2 | 111.6 | 50.1 | 42.1 | 83.0 | 83.6 | **7,223.1** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,024.0** |
| H2O | 1963 | 576.3 | 539.7 | 492.8 | 476.9 | 542.1 | 562.8 | 640.7 | 599.4 | 575.5 | 593.0 | 612.1 | 640.7 | **12,963.2** |
| OIL | 1963 | 89.0 | 45.6 | 94.1 | 131.9 | 134.1 | 110.3 | 102.5 | 106.9 | 104.9 | 48.5 | 70.2 | 73.9 | **6,135.5** |
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **659.0** |
| H2O | 1962 | 297.3 | 311.6 | 360.9 | 309.7 | 322.3 | 318.8 | 369.6 | 392.7 | 429.2 | 489.7 | 476.9 | 532.6 | **6,111.2** |
| OIL | 1962 | 262.0 | 211.2 | 224.9 | 252.5 | 241.9 | 216.8 | 201.5 | 199.6 | 176.2 | 168.3 | 160.3 | 135.1 | **5,023.6** |
| DAY | 1961 | 0.0 | 0.0 | 25.0 | 29.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **295.0** |
| H2O | 1961 | 0.0 | 0.0 | 4.1 | 4.3 | 4.3 | 71.5 | 163.0 | 193.2 | 213.0 | 228.9 | 292.5 | 325.1 | **1,499.9** |
| OIL | 1961 | 0.0 | 0.0 | 279.8 | 260.0 | 254.7 | 337.7 | 286.0 | 205.0 | 178.0 | 213.6 | 270.1 | 288.4 | **2,573.3** |

Licence ***1818*** Well Name ***Frontenac Sun Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-21-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1965 | 152.8 | 332.0 | 273.3 | 386.5 | 367.1 | 355.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **11,651.6** |
| WIN | 1964 | 126.1 | 196.7 | 194.1 | 175.4 | 114.5 | 188.9 | 187.6 | 279.3 | 218.1 | 174.6 | 99.1 | 160.7 | **9,784.1** |
| WIN | 1963 | 199.7 | 187.1 | 193.5 | 342.5 | 396.4 | 351.5 | 340.9 | 247.9 | 273.1 | 180.9 | 178.9 | 132.9 | **7,669.0** |
| WIN | 1962 | 186.2 | 159.1 | 127.8 | 169.0 | 328.5 | 463.3 | 454.6 | 576.7 | 520.4 | 481.6 | 428.2 | 367.1 | **4,643.7** |
| WIN | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 121.6 | 259.6 | **381.2** |

Licence ***1819*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***1819*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-21-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 28.0 | 0.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,892.0** |
| H2O | 1975 | 164.5 | 148.3 | 173.5 | 155.5 | 0.0 | 159.0 | 163.7 | 167.5 | 135.6 | 127.4 | 121.3 | 124.5 | **11,801.8** |
| OIL | 1975 | 46.7 | 42.4 | 47.0 | 41.2 | 0.0 | 42.0 | 45.4 | 45.4 | 55.9 | 56.4 | 55.1 | 56.7 | **6,923.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 17.0 | 25.0 | 27.0 | 31.0 | 31.0 | 25.0 | 29.0 | 30.0 | 30.0 | **4,561.0** |
| H2O | 1974 | 148.6 | 79.2 | 96.3 | 49.6 | 78.1 | 93.0 | 85.5 | 49.6 | 41.3 | 162.2 | 151.2 | 160.7 | **10,161.0** |
| OIL | 1974 | 50.2 | 37.7 | 42.0 | 22.9 | 33.2 | 35.4 | 42.4 | 28.3 | 22.1 | 43.2 | 43.7 | 44.8 | **6,389.3** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 20.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,226.0** |
| H2O | 1973 | 115.4 | 104.6 | 120.8 | 109.2 | 125.4 | 129.2 | 76.5 | 123.8 | 119.4 | 131.1 | 121.6 | 142.8 | **8,965.7** |
| OIL | 1973 | 55.8 | 49.1 | 54.8 | 49.7 | 54.3 | 52.6 | 36.2 | 53.7 | 49.4 | 53.4 | 50.2 | 48.9 | **5,943.4** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,876.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 10.8 | 19.2 | 19.4 | 95.9 | 89.2 | 101.7 | 104.3 | 96.3 | **7,545.9** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 18.9 | 35.4 | 36.1 | 53.1 | 51.2 | 51.8 | 55.1 | 56.1 | **5,335.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 0.0 | **3,648.0** |
| H2O | 1971 | 72.2 | 71.7 | 77.3 | 79.6 | 82.8 | 66.1 | 40.4 | 47.1 | 42.4 | 45.0 | 42.0 | 0.0 | **7,009.1** |
| OIL | 1971 | 28.1 | 25.3 | 28.4 | 27.0 | 27.2 | 25.4 | 22.1 | 23.0 | 21.9 | 22.2 | 21.8 | 0.0 | **4,977.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,316.0** |
| H2O | 1970 | 39.9 | 37.8 | 46.3 | 41.7 | 42.9 | 32.4 | 72.3 | 70.4 | 76.6 | 76.9 | 66.5 | 61.2 | **6,342.5** |
| OIL | 1970 | 18.6 | 16.5 | 18.3 | 17.8 | 18.1 | 13.3 | 35.3 | 35.3 | 34.6 | 27.0 | 26.4 | 27.8 | **4,705.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 30.0 | 27.0 | 31.0 | **2,957.0** |
| H2O | 1969 | 113.0 | 92.4 | 112.4 | 90.6 | 120.3 | 107.6 | 121.8 | 39.3 | 41.8 | 42.4 | 36.2 | 44.7 | **5,677.6** |
| OIL | 1969 | 50.5 | 43.5 | 49.1 | 40.8 | 49.4 | 45.9 | 50.1 | 16.7 | 17.3 | 17.8 | 14.8 | 18.6 | **4,416.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,606.0** |
| H2O | 1968 | 97.0 | 97.0 | 112.9 | 120.3 | 112.1 | 99.2 | 108.1 | 111.4 | 99.0 | 102.9 | 104.4 | 114.6 | **4,715.1** |
| OIL | 1968 | 48.9 | 44.2 | 49.4 | 51.8 | 50.1 | 47.0 | 50.5 | 51.0 | 49.6 | 48.5 | 48.1 | 51.3 | **4,001.7** |
| DAY | 1967 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,241.0** |
| H2O | 1967 | 103.8 | 85.2 | 96.7 | 94.4 | 102.1 | 93.3 | 88.1 | 101.3 | 104.1 | 96.3 | 102.9 | 103.8 | **3,436.2** |
| OIL | 1967 | 52.8 | 44.2 | 49.7 | 49.3 | 51.3 | 46.1 | 47.8 | 49.3 | 50.1 | 48.6 | 49.9 | 50.4 | **3,411.3** |
| DAY | 1966 | 31.0 | 0.0 | 30.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 27.0 | 31.0 | **1,879.0** |
| H2O | 1966 | 21.9 | 0.0 | 20.0 | 16.5 | 15.7 | 17.5 | 16.7 | 19.6 | 127.9 | 123.7 | 103.7 | 106.0 | **2,264.2** |
| OIL | 1966 | 37.7 | 0.0 | 40.7 | 30.4 | 25.1 | 24.6 | 24.6 | 24.3 | 56.6 | 59.0 | 48.6 | 52.4 | **2,821.8** |
| DAY | 1965 | 29.0 | 25.0 | 27.0 | 28.0 | 27.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,550.0** |
| H2O | 1965 | 13.8 | 11.9 | 14.5 | 13.4 | 15.4 | 14.6 | 13.2 | 20.8 | 14.8 | 16.2 | 16.7 | 18.1 | **1,675.0** |
| OIL | 1965 | 37.8 | 29.4 | 28.4 | 24.8 | 25.9 | 25.6 | 24.2 | 22.7 | 22.7 | 23.4 | 24.8 | 30.2 | **2,397.8** |
| DAY | 1964 | 28.0 | 27.0 | 28.0 | 28.0 | 28.0 | 21.0 | 28.0 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,203.0** |
| H2O | 1964 | 17.8 | 18.6 | 19.6 | 17.8 | 14.5 | 13.4 | 35.5 | 19.2 | 14.9 | 14.8 | 14.8 | 14.3 | **1,491.6** |
| OIL | 1964 | 22.1 | 20.0 | 20.5 | 20.2 | 19.7 | 30.5 | 53.6 | 43.5 | 37.5 | 45.6 | 43.1 | 39.1 | **2,077.9** |
| DAY | 1963 | 29.0 | 27.0 | 28.0 | 30.0 | 28.0 | 26.0 | 27.0 | 26.0 | 27.0 | 28.0 | 28.0 | 27.0 | **867.0** |
| H2O | 1963 | 50.7 | 47.2 | 49.0 | 47.1 | 44.2 | 38.6 | 38.6 | 38.8 | 29.7 | 25.9 | 26.1 | 22.7 | **1,276.4** |
| OIL | 1963 | 42.4 | 38.1 | 40.2 | 38.3 | 35.6 | 31.9 | 25.7 | 24.8 | 24.8 | 26.1 | 25.6 | 22.6 | **1,682.5** |
| DAY | 1962 | 28.0 | 26.0 | 28.0 | 29.0 | 22.0 | 29.0 | 30.0 | 29.0 | 29.0 | 28.0 | 29.0 | 28.0 | **536.0** |
| H2O | 1962 | 40.1 | 39.9 | 42.8 | 42.0 | 33.1 | 50.7 | 52.5 | 57.4 | 52.5 | 49.0 | 50.9 | 49.3 | **817.8** |
| OIL | 1962 | 76.9 | 57.7 | 54.3 | 45.4 | 33.1 | 50.7 | 52.4 | 54.2 | 52.4 | 45.0 | 43.9 | 37.8 | **1,306.4** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 27.0 | 28.0 | 27.0 | 27.0 | 28.0 | 27.0 | 28.0 | **201.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.4 | 42.0 | 42.4 | 45.8 | 35.3 | 39.3 | 40.4 | **257.6** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 53.4 | 110.5 | 111.8 | 88.8 | 88.6 | 86.4 | 82.3 | 80.8 | **702.6** |

Licence ***1820*** Well Name ***Bralorne Routledge Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-16-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1962 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 8.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **293.0** |
| H2O | 1962 | 441.7 | 356.1 | 621.7 | 884.6 | 648.7 | 390.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,444.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1820*** Well Name ***Bralorne Routledge Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-16-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 116.9 | 65.6 | 49.4 | 48.5 | 29.9 | 7.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,070.1** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 25.0 | 28.0 | 30.0 | 31.0 | **139.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 82.7 | 162.2 | 151.0 | 252.8 | 453.1 | **1,101.8** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 158.0 | 151.0 | 131.9 | 157.5 | 154.1 | **752.5** |

Licence ***1822*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-31-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 11.0 | 0.0 | 0.0 | 0.0 | 4.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **2,014.0** |
| H2O | 1975 | 22.7 | 0.0 | 0.0 | 0.0 | 8.9 | 56.3 | 52.3 | 66.5 | 61.7 | 72.3 | 66.1 | 74.2 | **4,095.2** |
| OIL | 1975 | 9.7 | 0.0 | 0.0 | 0.0 | 3.7 | 26.1 | 27.5 | 23.4 | 22.7 | 22.6 | 20.7 | 23.4 | **2,243.9** |
| DAY | 1974 | 31.0 | 28.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,788.0** |
| H2O | 1974 | 60.1 | 54.5 | 44.0 | 59.3 | 65.8 | 60.7 | 62.6 | 58.7 | 55.3 | 49.1 | 59.8 | 66.9 | **3,614.2** |
| OIL | 1974 | 17.5 | 15.6 | 14.0 | 16.0 | 16.8 | 17.3 | 26.7 | 26.2 | 24.0 | 25.4 | 25.3 | 28.6 | **2,064.1** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 4.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,428.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 3.8 | 31.8 | 27.3 | 31.5 | 121.3 | 118.8 | 129.7 | 66.1 | 63.8 | **2,917.4** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 1.9 | 14.8 | 13.8 | 14.1 | 46.2 | 45.4 | 45.6 | 18.8 | 17.8 | **1,810.7** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 12.0 | 31.0 | 30.0 | 29.0 | 0.0 | 0.0 | **1,179.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 79.0 | 35.1 | 30.7 | 32.3 | 29.9 | 0.0 | 0.0 | **2,323.3** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 45.6 | 19.9 | 12.2 | 13.2 | 12.7 | 0.0 | 0.0 | **1,592.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **1,050.0** |
| H2O | 1971 | 82.2 | 77.3 | 76.8 | 73.1 | 76.2 | 76.5 | 76.2 | 73.3 | 66.3 | 73.4 | 0.0 | 0.0 | **2,116.3** |
| OIL | 1971 | 49.1 | 44.5 | 47.7 | 48.1 | 50.7 | 49.6 | 52.9 | 50.4 | 47.7 | 50.7 | 0.0 | 0.0 | **1,488.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 26.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **746.0** |
| H2O | 1970 | 73.4 | 70.3 | 78.2 | 66.6 | 75.5 | 77.3 | 72.2 | 78.2 | 75.0 | 81.6 | 76.6 | 70.6 | **1,365.0** |
| OIL | 1970 | 50.4 | 43.9 | 47.4 | 39.9 | 49.7 | 48.5 | 52.8 | 48.1 | 44.8 | 44.7 | 48.6 | 48.5 | **997.3** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 2.0 | 19.0 | 20.0 | 0.0 | 24.0 | 31.0 | **387.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 45.9 | 5.4 | 44.5 | 48.8 | 0.0 | 62.6 | 74.9 | **469.5** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.7 | 3.0 | 27.3 | 30.4 | 0.0 | 36.5 | 51.2 | **430.0** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 12.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **274.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.3 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **187.4** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.3 | 10.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **253.9** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 16.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **256.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 4.3 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **173.1** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 21.9 | 13.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **239.3** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 15.0 | 0.0 | 0.0 | 0.0 | 0.0 | **214.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.2 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | **165.8** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | **203.7** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 22.0 | 23.0 | 0.0 | 0.0 | **188.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.8 | 21.0 | 23.8 | 0.0 | 0.0 | **160.4** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.8 | 17.5 | 21.0 | 0.0 | 0.0 | **186.7** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **123.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.4 | 7.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **98.8** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.9 | 5.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **129.4** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 28.0 | 10.0 | 27.0 | 8.0 | 0.0 | 0.0 | **92.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.6 | 20.5 | 8.6 | 12.9 | 17.2 | 0.0 | 0.0 | **75.8** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 42.1 | 22.1 | 13.5 | 17.2 | 12.7 | 0.0 | 0.0 | **107.6** |

Licence ***1824*** Well Name ***Tundra Pierson Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.14-20-002-28W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3b F*** Field Code ***7*** Pool Code ***42F*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***1824*** Well Name ***Tundra Pierson Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.14-20-002-28W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3b F*** Field Code ***7*** Pool Code ***42F*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 29.0 | 14.0 | 13.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **787.0** |
| H2O | 1964 | 91.6 | 48.2 | 44.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,856.1** |
| OIL | 1964 | 61.5 | 27.5 | 25.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,475.2** |
| DAY | 1963 | 13.0 | 21.0 | 29.0 | 17.0 | 21.0 | 27.0 | 29.0 | 28.0 | 18.0 | 27.0 | 25.0 | 0.0 | **731.0** |
| H2O | 1963 | 40.9 | 51.4 | 82.8 | 48.5 | 81.1 | 103.0 | 126.6 | 107.0 | 61.7 | 99.8 | 94.8 | 98.4 | **2,671.8** |
| OIL | 1963 | 36.2 | 46.4 | 77.4 | 41.0 | 56.3 | 66.8 | 63.1 | 65.3 | 44.0 | 55.8 | 59.6 | 54.4 | **2,360.9** |
| DAY | 1962 | 13.0 | 26.0 | 24.0 | 29.0 | 29.0 | 30.0 | 31.0 | 29.0 | 26.0 | 9.0 | 27.0 | 31.0 | **476.0** |
| H2O | 1962 | 41.3 | 42.9 | 68.4 | 66.8 | 118.1 | 119.2 | 114.9 | 119.2 | 104.0 | 27.3 | 35.1 | 60.1 | **1,675.8** |
| OIL | 1962 | 51.1 | 99.1 | 96.7 | 99.3 | 93.4 | 92.4 | 87.8 | 80.7 | 66.0 | 28.8 | 85.1 | 75.9 | **1,694.6** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 31.0 | 25.0 | 25.0 | 30.0 | 30.0 | **172.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 225.5 | 163.8 | 123.1 | 96.3 | 119.4 | 30.4 | **758.5** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 154.9 | 143.8 | 111.0 | 101.8 | 120.4 | 106.4 | **738.3** |

UWI ***100.14-20-002-28W1.02*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3b F*** Field Code ***7*** Pool Code ***42F*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 31.0 | 25.0 | 0.0 | 0.0 | 11.0 | 12.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **695.0** |
| H2O | 1969 | 137.7 | 139.6 | 0.0 | 0.0 | 54.9 | 59.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,995.0** |
| OIL | 1969 | 49.0 | 29.3 | 0.0 | 0.0 | 12.4 | 16.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,174.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 15.0 | 29.0 | 30.0 | 27.0 | 31.0 | 10.0 | 30.0 | **616.0** |
| H2O | 1968 | 161.4 | 188.2 | 169.3 | 197.0 | 174.3 | 85.9 | 127.5 | 158.8 | 160.3 | 132.6 | 62.2 | 141.3 | **3,603.8** |
| OIL | 1968 | 55.2 | 51.5 | 52.6 | 50.7 | 61.2 | 8.3 | 35.3 | 38.6 | 34.7 | 34.0 | 18.4 | 45.0 | **1,066.8** |
| DAY | 1967 | 29.0 | 19.0 | 9.0 | 0.0 | 0.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **295.0** |
| H2O | 1967 | 224.3 | 127.0 | 57.2 | 0.0 | 0.0 | 118.8 | 222.3 | 190.8 | 186.8 | 195.4 | 151.2 | 156.6 | **1,845.0** |
| OIL | 1967 | 70.9 | 39.9 | 21.1 | 0.0 | 0.0 | 38.8 | 73.5 | 64.7 | 78.9 | 36.6 | 43.4 | 53.1 | **581.3** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 9.0 | 10.0 | **28.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 39.4 | 63.9 | 111.3 | **214.6** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.6 | 17.2 | 21.6 | **60.4** |

Licence ***1828*** Well Name ***K & N Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-36-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1966 | 112.6 | 0.0 | 138.3 | 204.6 | 167.7 | 86.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,736.9** |
| WIN | 1965 | 0.0 | 0.0 | 161.5 | 170.9 | 159.1 | 151.4 | 215.7 | 303.2 | 314.8 | 0.0 | 136.4 | 121.2 | **6,027.4** |
| WIN | 1964 | 87.1 | 79.2 | 88.9 | 77.6 | 134.2 | 137.2 | 326.2 | 542.0 | 301.1 | 320.2 | 228.9 | 137.2 | **4,293.2** |
| WIN | 1963 | 87.6 | 87.0 | 96.0 | 93.5 | 179.2 | 126.2 | 153.9 | 126.1 | 126.9 | 97.3 | 141.8 | 84.3 | **1,833.4** |
| WIN | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 226.2 | 124.2 | 83.2 | **433.6** |
| DAY | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 27.0 | 0.0 | 0.0 | **45.0** |
| H2O | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 237.1 | 262.7 | 0.0 | 0.0 | **499.8** |
| OIL | 1961 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 54.8 | 34.3 | 0.0 | 0.0 | **89.1** |

Licence ***1836*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-21-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 28.0 | 31.0 | 30.0 | 19.0 | 31.0 | 21.0 | 27.0 | 0.0 | 0.0 | **3,432.0** |
| H2O | 1973 | 388.5 | 352.0 | 397.2 | 275.5 | 304.8 | 314.3 | 175.2 | 273.0 | 193.3 | 231.2 | 0.0 | 0.0 | **17,954.9** |
| OIL | 1973 | 18.8 | 16.5 | 18.0 | 0.0 | 4.4 | 4.3 | 2.7 | 17.8 | 11.9 | 3.8 | 0.0 | 0.0 | **1,900.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 23.0 | 0.0 | 19.0 | 28.0 | 30.0 | 29.0 | 28.0 | 29.0 | 30.0 | **3,156.0** |
| H2O | 1972 | 108.1 | 109.2 | 109.5 | 67.9 | 0.0 | 99.8 | 242.6 | 370.3 | 343.3 | 333.7 | 342.6 | 316.4 | **15,049.9** |
| OIL | 1972 | 18.8 | 18.1 | 19.1 | 13.8 | 0.0 | 1.6 | 3.8 | 17.7 | 16.8 | 17.0 | 18.1 | 18.4 | **1,801.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,849.0** |
| H2O | 1971 | 152.8 | 151.8 | 163.4 | 168.2 | 166.3 | 140.7 | 68.2 | 79.7 | 71.7 | 99.5 | 96.0 | 100.3 | **12,606.5** |

# Manitoba Production
## 1950 To 1975

Licence ***1836*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-21-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1971 | 56.3 | 50.7 | 56.9 | 54.2 | 51.5 | 51.2 | 4.1 | 4.4 | 4.1 | 17.5 | 17.6 | 19.1 | **1,638.7** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,488.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 98.2 | 97.9 | 148.8 | 162.0 | 162.8 | 140.2 | 129.6 | **11,147.9** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.7 | 4.3 | 53.4 | 52.4 | 53.9 | 52.8 | 55.6 | **1,251.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 1.0 | 0.0 | 21.0 | 31.0 | 31.0 | 30.0 | 13.0 | 14.0 | 0.0 | **2,276.0** |
| H2O | 1969 | 113.0 | 92.4 | 112.4 | 3.2 | 0.0 | 79.8 | 121.8 | 110.2 | 105.4 | 45.9 | 49.3 | 0.0 | **10,208.4** |
| OIL | 1969 | 4.4 | 3.8 | 4.3 | 0.2 | 0.0 | 3.0 | 4.4 | 4.4 | 4.1 | 1.7 | 1.9 | 0.0 | **975.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,045.0** |
| H2O | 1968 | 206.2 | 206.2 | 239.9 | 255.6 | 245.0 | 210.8 | 108.1 | 111.3 | 99.0 | 102.9 | 104.4 | 114.6 | **9,375.0** |
| OIL | 1968 | 13.7 | 12.1 | 13.7 | 14.5 | 14.3 | 13.2 | 4.4 | 4.4 | 4.3 | 4.1 | 4.3 | 4.6 | **942.8** |
| DAY | 1967 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 17.0 | 30.0 | 31.0 | **1,680.0** |
| H2O | 1967 | 220.7 | 181.4 | 213.2 | 200.6 | 217.5 | 198.1 | 191.1 | 215.4 | 217.0 | 114.3 | 218.6 | 220.7 | **7,371.0** |
| OIL | 1967 | 14.6 | 12.2 | 14.3 | 13.8 | 14.3 | 12.7 | 13.5 | 13.7 | 13.7 | 7.5 | 14.0 | 14.0 | **835.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 27.0 | 31.0 | **1,330.0** |
| H2O | 1966 | 35.3 | 33.9 | 33.7 | 26.4 | 28.9 | 28.1 | 26.7 | 31.5 | 27.8 | 260.4 | 220.2 | 225.4 | **4,962.4** |
| OIL | 1966 | 14.5 | 13.0 | 15.9 | 11.6 | 11.0 | 9.4 | 9.5 | 9.4 | 9.7 | 16.4 | 13.3 | 14.5 | **676.9** |
| DAY | 1965 | 26.0 | 20.0 | 18.0 | 15.0 | 23.0 | 16.0 | 25.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **969.0** |
| H2O | 1965 | 55.2 | 35.0 | 28.6 | 19.9 | 26.9 | 23.2 | 17.0 | 33.5 | 24.0 | 26.2 | 25.0 | 28.9 | **3,984.1** |
| OIL | 1965 | 9.7 | 4.8 | 4.1 | 3.3 | 8.6 | 6.2 | 7.3 | 8.7 | 8.7 | 8.9 | 8.7 | 11.3 | **528.7** |
| DAY | 1964 | 14.0 | 29.0 | 26.0 | 27.0 | 28.0 | 28.0 | 18.0 | 27.0 | 24.0 | 30.0 | 0.0 | 31.0 | **675.0** |
| H2O | 1964 | 84.9 | 153.9 | 149.8 | 137.8 | 80.0 | 66.8 | 33.5 | 60.4 | 40.7 | 24.5 | 0.0 | 60.3 | **3,640.7** |
| OIL | 1964 | 10.5 | 13.5 | 11.6 | 11.4 | 10.8 | 6.8 | 7.3 | 8.7 | 6.4 | 5.6 | 0.0 | 7.6 | **438.4** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 16.0 | 24.0 | 22.0 | 23.0 | 19.0 | 24.0 | 25.0 | 22.0 | 14.0 | **393.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 148.8 | 259.5 | 213.4 | 211.0 | 137.2 | 129.4 | 98.2 | 91.1 | 85.8 | **2,748.1** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 13.8 | 17.5 | 16.5 | 11.3 | 10.6 | 12.6 | 12.9 | 11.6 | 10.0 | **338.2** |
| DAY | 1962 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 31.0 | 30.0 | 25.0 | 30.0 | 30.0 | 27.0 | **204.0** |
| H2O | 1962 | 43.4 | 0.0 | 0.0 | 0.0 | 0.0 | 156.1 | 111.3 | 237.7 | 218.6 | 202.5 | 207.3 | 196.8 | **1,373.7** |
| OIL | 1962 | 6.4 | 0.0 | 0.0 | 0.0 | 0.0 | 36.1 | 44.3 | 33.1 | 20.3 | 28.8 | 29.2 | 23.2 | **221.4** |

Licence ***1840*** Well Name ***Landa et al Wardle Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.04-24-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 19.0 | 31.0 | 31.0 | 29.0 | 0.0 | 0.0 | 0.0 | **463.0** |
| H2O | 1963 | 477.4 | 427.7 | 463.0 | 438.7 | 364.9 | 193.6 | 301.0 | 301.3 | 218.3 | 0.0 | 0.0 | 0.0 | **6,726.9** |
| OIL | 1963 | 13.3 | 11.9 | 14.3 | 14.1 | 12.6 | 2.9 | 4.9 | 4.1 | 4.3 | 0.0 | 0.0 | 0.0 | **339.9** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 28.0 | **203.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 346.8 | 413.5 | 465.2 | 490.2 | 463.6 | 456.9 | 473.0 | 431.8 | **3,541.0** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 59.4 | 61.8 | 47.2 | 25.6 | 24.3 | 22.4 | 16.8 | **257.5** |

Licence ***1841*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-09-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 5.0 | 26.0 | 31.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **4,874.0** |
| H2O | 1975 | 1091.9 | 934.5 | 1051.0 | 1007.1 | 139.6 | 893.9 | 1130.2 | 897.9 | 723.8 | 908.7 | 914.5 | 960.2 | **85,949.8** |
| OIL | 1975 | 58.2 | 52.8 | 58.0 | 56.3 | 8.3 | 51.8 | 67.9 | 72.0 | 55.9 | 73.4 | 18.9 | 19.9 | **12,268.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,544.0** |
| H2O | 1974 | 937.7 | 835.6 | 951.7 | 892.4 | 812.2 | 935.6 | 915.2 | 1130.5 | 1060.2 | 1134.3 | 1105.5 | 1090.0 | **75,296.5** |
| OIL | 1974 | 30.5 | 26.9 | 30.7 | 29.6 | 33.5 | 31.8 | 30.7 | 56.9 | 58.3 | 60.1 | 58.0 | 59.1 | **11,675.1** |
| DAY | 1973 | 30.0 | 23.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | **4,180.0** |
| H2O | 1973 | 214.1 | 171.2 | 926.5 | 838.3 | 1012.2 | 990.0 | 999.3 | 1044.3 | 2111.6 | 2148.9 | 2146.9 | 923.5 | **63,495.6** |
| OIL | 1973 | 53.6 | 41.5 | 73.3 | 72.3 | 39.6 | 36.9 | 34.8 | 30.2 | 33.7 | 35.1 | 36.4 | 29.7 | **11,169.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1841*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-09-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 31.0 | 27.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **3,826.0** |
| H2O | 1972 | 293.6 | 254.8 | 227.7 | 239.3 | 223.4 | 207.9 | 210.6 | 220.5 | 207.0 | 220.0 | 195.1 | 213.0 | **49,968.8** |
| OIL | 1972 | 55.5 | 48.6 | 46.6 | 52.1 | 62.0 | 55.8 | 55.1 | 58.5 | 52.9 | 57.2 | 48.3 | 55.8 | **10,651.9** |
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 26.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,467.0** |
| H2O | 1971 | 425.0 | 226.9 | 248.8 | 217.8 | 257.4 | 212.9 | 161.0 | 337.4 | 332.4 | 335.9 | 349.6 | 387.8 | **47,255.9** |
| OIL | 1971 | 34.6 | 41.8 | 45.8 | 41.5 | 46.2 | 38.1 | 27.8 | 58.0 | 60.9 | 58.8 | 55.3 | 65.5 | **10,003.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,117.0** |
| H2O | 1970 | 419.7 | 365.7 | 451.5 | 435.6 | 418.4 | 414.3 | 402.7 | 314.5 | 409.4 | 394.1 | 407.5 | 419.6 | **43,763.0** |
| OIL | 1970 | 39.4 | 35.6 | 38.5 | 37.5 | 37.3 | 34.6 | 33.4 | 25.7 | 33.1 | 31.5 | 30.5 | 36.7 | **9,429.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 26.0 | 28.0 | 31.0 | 29.0 | 31.0 | **2,755.0** |
| H2O | 1969 | 489.7 | 454.7 | 482.7 | 475.7 | 478.5 | 462.6 | 427.7 | 442.0 | 448.3 | 434.0 | 399.0 | 419.7 | **38,910.0** |
| OIL | 1969 | 42.9 | 40.0 | 44.3 | 42.9 | 44.2 | 42.9 | 38.6 | 37.2 | 40.0 | 39.4 | 36.5 | 39.4 | **9,015.4** |
| DAY | 1968 | 30.0 | 27.0 | 28.0 | 28.0 | 31.0 | 26.0 | 30.0 | 27.0 | 28.0 | 29.0 | 30.0 | 30.0 | **2,402.0** |
| H2O | 1968 | 566.0 | 515.1 | 531.0 | 531.0 | 575.5 | 496.0 | 551.7 | 499.2 | 492.8 | 505.6 | 489.7 | 488.1 | **33,495.4** |
| OIL | 1968 | 72.8 | 27.7 | 31.1 | 40.0 | 45.9 | 33.1 | 38.1 | 30.0 | 28.6 | 41.5 | 42.9 | 42.9 | **8,527.1** |
| DAY | 1967 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 29.0 | 30.0 | **2,058.0** |
| H2O | 1967 | 531.0 | 489.7 | 541.3 | 634.3 | 705.9 | 721.8 | 691.6 | 476.9 | 527.8 | 566.8 | 556.7 | 554.8 | **27,253.7** |
| OIL | 1967 | 84.2 | 120.1 | 130.1 | 119.2 | 118.1 | 117.3 | 119.2 | 104.1 | 108.4 | 111.9 | 92.2 | 95.3 | **8,052.5** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 28.0 | 31.0 | 27.0 | 30.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,702.0** |
| H2O | 1966 | 328.0 | 265.5 | 311.4 | 316.7 | 358.7 | 326.9 | 330.0 | 330.8 | 311.8 | 310.0 | 322.6 | 489.5 | **20,255.1** |
| OIL | 1966 | 68.2 | 54.8 | 60.1 | 60.9 | 69.6 | 60.4 | 62.5 | 61.5 | 52.9 | 52.3 | 52.4 | 54.0 | **6,732.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,347.0** |
| H2O | 1965 | 523.0 | 516.7 | 521.5 | 508.7 | 327.5 | 329.1 | 340.2 | 340.2 | 308.3 | 297.5 | 309.7 | 310.5 | **16,253.2** |
| OIL | 1965 | 84.2 | 78.7 | 86.6 | 84.2 | 81.8 | 81.0 | 83.4 | 83.1 | 79.9 | 64.0 | 59.9 | 64.0 | **6,022.8** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **983.0** |
| H2O | 1964 | 449.9 | 467.4 | 487.3 | 454.7 | 492.8 | 476.9 | 523.8 | 525.9 | 551.7 | 559.6 | 518.3 | 522.2 | **11,620.3** |
| OIL | 1964 | 151.0 | 140.0 | 121.2 | 129.0 | 99.3 | 95.3 | 89.6 | 90.3 | 95.3 | 98.5 | 89.3 | 80.2 | **5,092.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **623.0** |
| H2O | 1963 | 345.0 | 356.1 | 368.8 | 381.6 | 394.3 | 406.0 | 387.9 | 394.3 | 393.5 | 422.9 | 429.2 | 443.6 | **5,589.8** |
| OIL | 1963 | 226.4 | 168.3 | 146.2 | 143.0 | 139.2 | 139.0 | 143.8 | 132.4 | 141.4 | 138.3 | 145.4 | 147.8 | **3,813.0** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 21.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **258.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 4.8 | 14.8 | 9.5 | 41.3 | 78.1 | 119.2 | 146.3 | 142.6 | 310.0 | **866.6** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 159.7 | 287.5 | 238.4 | 193.4 | 231.4 | 214.5 | 245.7 | 209.8 | 221.4 | **2,001.8** |

Licence ***1844*** Well Name ***Bralorne West Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-20-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 11.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,361.0** |
| H2O | 1966 | 1197.8 | 1165.1 | 1237.6 | 486.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **18,644.8** |
| OIL | 1966 | 86.0 | 80.2 | 79.8 | 4.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,945.3** |
| DAY | 1965 | 16.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,260.0** |
| H2O | 1965 | 200.3 | 303.7 | 387.6 | 601.3 | 479.7 | 461.7 | 479.2 | 836.8 | 463.3 | 695.3 | 767.1 | 997.0 | **14,558.3** |
| OIL | 1965 | 29.1 | 45.0 | 68.8 | 62.5 | 51.2 | 49.4 | 47.7 | 59.8 | 55.6 | 61.5 | 48.8 | 73.6 | **5,695.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **912.0** |
| H2O | 1964 | 427.7 | 433.4 | 371.7 | 434.4 | 502.4 | 381.6 | 399.9 | 402.6 | 339.4 | 366.9 | 376.5 | 375.2 | **7,885.3** |
| OIL | 1964 | 132.8 | 121.4 | 109.8 | 101.4 | 70.7 | 73.3 | 68.2 | 76.1 | 95.8 | 66.9 | 51.6 | 52.8 | **5,042.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | **548.0** |
| H2O | 1963 | 38.8 | 105.7 | 154.2 | 238.5 | 246.4 | 211.1 | 246.4 | 317.2 | 289.4 | 341.8 | 376.5 | 401.9 | **3,073.6** |
| OIL | 1963 | 296.7 | 259.2 | 271.7 | 269.7 | 194.2 | 189.7 | 187.4 | 163.0 | 116.8 | 135.4 | 128.6 | 128.7 | **4,021.2** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 27.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **188.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.2 | 4.3 | 4.0 | 14.3 | 11.4 | 24.8 | 39.7 | **105.7** |

# Manitoba Production
# 1950 To 1975

Licence ***1844*** Well Name ***Bralorne West Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-20-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 93.8 | 226.1 | 229.9 | 266.3 | 255.1 | 290.6 | 318.3 | **1,680.1** |

Licence ***1847*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-09-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 18.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **4,791.0** |
| H2O | 1975 | 1836.4 | 1559.3 | 1720.5 | 1659.4 | 955.8 | 1210.8 | 1199.8 | 1225.3 | 1166.0 | 1280.6 | 1014.9 | 1066.1 | **144,908.1** |
| OIL | 1975 | 33.4 | 30.0 | 32.3 | 31.6 | 19.1 | 28.8 | 50.5 | 50.4 | 46.2 | 53.1 | 32.6 | 33.8 | **9,805.6** |
| DAY | 1974 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,441.0** |
| H2O | 1974 | 1641.8 | 1504.9 | 1743.4 | 1648.5 | 1487.9 | 1682.6 | 1607.3 | 1891.1 | 1754.2 | 1905.7 | 1808.1 | 1818.6 | **129,013.2** |
| OIL | 1974 | 33.5 | 30.5 | 35.4 | 34.3 | 38.6 | 36.1 | 27.7 | 32.6 | 33.1 | 34.3 | 32.4 | 33.7 | **9,363.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | **4,079.0** |
| H2O | 1973 | 1744.3 | 1709.5 | 1765.8 | 1558.8 | 1732.9 | 1658.6 | 1800.4 | 2106.5 | 2442.9 | 1228.8 | 1493.9 | 1767.5 | **108,519.1** |
| OIL | 1973 | 64.4 | 61.0 | 53.4 | 51.3 | 18.1 | 16.5 | 16.8 | 16.4 | 38.1 | 28.4 | 35.8 | 35.8 | **8,961.6** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 26.0 | 29.0 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | **3,721.0** |
| H2O | 1972 | 1341.8 | 1250.7 | 1252.0 | 747.4 | 1254.0 | 999.8 | 1128.6 | 1252.4 | 1536.9 | 1726.2 | 1538.3 | 1669.8 | **87,509.2** |
| OIL | 1972 | 47.2 | 44.3 | 47.7 | 23.8 | 52.9 | 40.7 | 44.7 | 50.5 | 58.0 | 66.1 | 56.1 | 64.0 | **8,525.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 24.0 | 21.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,365.0** |
| H2O | 1971 | 579.3 | 507.0 | 1048.2 | 962.3 | 989.2 | 805.2 | 839.3 | 1095.5 | 1114.0 | 1126.1 | 1111.1 | 1337.2 | **71,811.3** |
| OIL | 1971 | 34.3 | 29.9 | 97.6 | 92.8 | 89.9 | 72.6 | 31.1 | 43.4 | 68.3 | 66.1 | 59.1 | 47.8 | **7,929.6** |
| DAY | 1970 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,021.0** |
| H2O | 1970 | 631.2 | 559.6 | 615.3 | 615.3 | 575.2 | 569.5 | 594.3 | 540.8 | 562.6 | 541.8 | 560.2 | 573.8 | **60,296.9** |
| OIL | 1970 | 44.3 | 40.0 | 41.3 | 41.3 | 37.3 | 34.6 | 35.8 | 32.3 | 33.1 | 31.6 | 30.7 | 36.4 | **7,196.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 27.0 | 28.0 | 31.0 | 30.0 | 30.0 | **2,657.0** |
| H2O | 1969 | 893.5 | 792.7 | 901.4 | 948.8 | 953.9 | 922.1 | 890.3 | 876.0 | 667.7 | 661.4 | 636.9 | 656.0 | **53,357.3** |
| OIL | 1969 | 51.6 | 44.5 | 49.3 | 47.7 | 49.3 | 47.7 | 44.5 | 42.9 | 44.5 | 44.3 | 42.4 | 42.9 | **6,758.0** |
| DAY | 1968 | 30.0 | 29.0 | 28.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | **2,302.0** |
| H2O | 1968 | 604.1 | 540.5 | 524.6 | 525.0 | 556.4 | 527.8 | 553.3 | 553.3 | 540.5 | 931.6 | 899.8 | 890.3 | **43,556.6** |
| OIL | 1968 | 53.7 | 64.5 | 42.3 | 47.7 | 49.3 | 46.1 | 49.3 | 49.3 | 47.7 | 46.1 | 52.4 | 52.4 | **6,206.4** |
| DAY | 1967 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 29.0 | 31.0 | 29.0 | 31.0 | **1,944.0** |
| H2O | 1967 | 709.1 | 667.7 | 737.7 | 856.1 | 942.8 | 950.7 | 834.6 | 491.7 | 527.5 | 567.6 | 557.4 | 558.0 | **35,909.4** |
| OIL | 1967 | 59.1 | 53.4 | 75.2 | 81.0 | 78.7 | 77.1 | 76.3 | 61.2 | 66.7 | 73.1 | 73.7 | 69.0 | **5,605.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,587.0** |
| H2O | 1966 | 440.4 | 377.9 | 443.9 | 448.3 | 490.1 | 459.9 | 447.2 | 453.9 | 429.2 | 422.9 | 440.4 | 631.2 | **27,508.5** |
| OIL | 1966 | 82.8 | 71.5 | 76.8 | 77.5 | 86.3 | 76.8 | 79.1 | 78.2 | 69.4 | 69.1 | 71.8 | 74.2 | **4,761.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,223.0** |
| H2O | 1965 | 811.6 | 667.7 | 734.5 | 626.4 | 504.6 | 503.0 | 518.9 | 518.9 | 457.9 | 430.8 | 419.7 | 422.9 | **22,023.2** |
| OIL | 1965 | 70.7 | 57.2 | 62.9 | 66.4 | 77.5 | 75.6 | 76.4 | 75.5 | 45.3 | 78.8 | 73.7 | 78.7 | **3,847.6** |
| DAY | 1964 | 31.0 | 29.0 | 28.0 | 26.0 | 30.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **859.0** |
| H2O | 1964 | 531.0 | 691.6 | 678.8 | 667.7 | 763.9 | 739.3 | 814.6 | 818.7 | 890.3 | 918.9 | 779.0 | 783.0 | **15,406.3** |
| OIL | 1964 | 123.2 | 89.0 | 52.3 | 90.9 | 119.0 | 118.4 | 112.3 | 98.7 | 85.2 | 86.1 | 64.7 | 55.6 | **3,008.9** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **505.0** |
| H2O | 1963 | 295.7 | 288.7 | 311.9 | 445.1 | 564.7 | 554.0 | 484.9 | 492.8 | 461.0 | 630.4 | 621.6 | 513.5 | **6,329.5** |
| OIL | 1963 | 103.5 | 89.3 | 118.1 | 110.0 | 101.4 | 108.9 | 80.1 | 94.2 | 94.6 | 96.9 | 140.6 | 117.1 | **1,913.5** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 30.0 | 28.0 | 30.0 | 31.0 | **140.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 59.9 | 55.5 | 100.2 | 155.2 | 294.4 | **665.2** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 116.6 | 119.0 | 112.8 | 115.4 | 195.0 | **658.8** |

Licence ***1848*** Well Name ***Bralorne Pascar W Routledge Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-10-009-25W1.02*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***1848*** Well Name ***Bralorne Pascar W Routledge Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-10-009-25W1.02*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1970 | 3024.1 | 2662.9 | 2909.3 | 2790.1 | 2434.6 | 2246.9 | 2268.1 | 2544.4 | 2437.4 | 0.0 | 0.0 | 0.0 | **300,629.0** |
| WIN | 1969 | 3808.2 | 3240.0 | 3050.0 | 3169.1 | 3007.3 | 3319.5 | 3172.6 | 3398.4 | 3622.7 | 3348.6 | 2660.3 | 3047.2 | **277,311.2** |
| WIN | 1968 | 2104.5 | 1724.6 | 2867.2 | 3017.0 | 4098.5 | 3382.6 | 3708.6 | 3522.7 | 2714.9 | 4065.4 | 3803.0 | 3728.3 | **238,467.3** |
| WIN | 1967 | 4293.1 | 3848.0 | 3835.9 | 4251.4 | 5001.8 | 5108.4 | 4856.8 | 4204.5 | 4484.0 | 3674.2 | 3535.1 | 3098.5 | **199,730.0** |
| WIN | 1966 | 3145.9 | 3079.6 | 3611.9 | 3643.9 | 3936.7 | 3729.2 | 3638.6 | 3651.6 | 3444.8 | 3360.7 | 3556.9 | 4343.8 | **149,538.3** |
| WIN | 1965 | 2873.4 | 2762.4 | 4117.5 | 4069.8 | 4355.1 | 4359.2 | 4579.2 | 4583.4 | 4130.7 | 3154.2 | 3246.7 | 3520.6 | **106,394.7** |
| WIN | 1964 | 2930.6 | 4178.8 | 3824.9 | 3250.7 | 3969.4 | 3851.8 | 4257.1 | 4312.8 | 3500.8 | 3444.0 | 3074.2 | 3109.6 | **60,642.5** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2065.0 | 2406.9 | 2494.7 | 3499.2 | 3599.3 | 2872.7 | **16,937.8** |

Licence ***1852*** Well Name ***Bralorne Pascar West Routledge*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-09-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 0.0 | 0.0 | 0.0 | **1,099.0** |
| H2O | 1965 | 1090.5 | 865.7 | 953.1 | 839.5 | 861.7 | 860.1 | 884.0 | 884.0 | 789.8 | 0.0 | 0.0 | 0.0 | **27,897.3** |
| OIL | 1965 | 58.5 | 47.0 | 51.8 | 22.2 | 23.8 | 24.6 | 25.4 | 23.5 | 20.7 | 0.0 | 0.0 | 0.0 | **3,438.1** |
| DAY | 1964 | 31.0 | 29.0 | 17.0 | 22.0 | 30.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **833.0** |
| H2O | 1964 | 752.8 | 931.6 | 545.3 | 880.7 | 977.7 | 953.9 | 1047.4 | 1046.1 | 1117.6 | 1127.2 | 1082.8 | 1090.4 | **19,868.9** |
| OIL | 1964 | 98.5 | 86.6 | 37.7 | 48.9 | 60.1 | 63.6 | 64.2 | 72.8 | 71.5 | 73.9 | 69.9 | 61.5 | **3,140.6** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 22.0 | 30.0 | 31.0 | 30.0 | 31.0 | **494.0** |
| H2O | 1963 | 521.5 | 489.7 | 492.8 | 524.6 | 593.0 | 624.8 | 655.0 | 534.2 | 600.9 | 755.2 | 726.5 | 739.3 | **8,315.4** |
| OIL | 1963 | 209.8 | 178.0 | 175.6 | 148.6 | 143.3 | 93.8 | 82.8 | 47.7 | 42.6 | 57.2 | 57.2 | 101.9 | **2,331.4** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 30.0 | 28.0 | 30.0 | 31.0 | **138.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 60.4 | 142.3 | 243.2 | 257.5 | 354.5 | **1,057.9** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 168.8 | 240.7 | 188.5 | 199.4 | 195.5 | **992.9** |

Licence ***1853*** Well Name ***Fargo et al Routledge*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-22-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 7.0 | 4.0 | 30.0 | 25.0 | 25.0 | 30.0 | 31.0 | 29.0 | 10.0 | 0.0 | 0.0 | 0.0 | **286.0** |
| H2O | 1963 | 7.7 | 7.6 | 59.8 | 16.2 | 27.2 | 16.4 | 16.9 | 21.0 | 3.5 | 0.0 | 0.0 | 0.0 | **279.3** |
| OIL | 1963 | 14.7 | 4.3 | 16.5 | 28.6 | 10.8 | 19.1 | 14.3 | 15.9 | 8.3 | 0.0 | 0.0 | 0.0 | **303.2** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 29.0 | 14.0 | 30.0 | 15.0 | **95.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.2 | 9.4 | 27.2 | 45.6 | 17.6 | **103.0** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 53.9 | 29.2 | 41.6 | 18.0 | **170.7** |

Licence ***1855*** Well Name ***Consolidated East Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-35-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***4***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,674.0** |
| H2O | 1970 | 32.3 | 33.1 | 26.7 | 23.5 | 25.9 | 19.7 | 24.4 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | **3,955.9** |
| OIL | 1970 | 20.5 | 19.6 | 20.5 | 22.3 | 22.3 | 19.1 | 23.2 | 3.5 | 0.0 | 0.0 | 0.0 | 0.0 | **4,153.2** |
| DAY | 1969 | 31.0 | 28.0 | 29.0 | 30.0 | 30.0 | 25.0 | 25.0 | 25.0 | 23.0 | 24.0 | 29.0 | 31.0 | **2,457.0** |
| H2O | 1969 | 31.6 | 21.9 | 28.1 | 22.9 | 25.4 | 25.6 | 25.0 | 25.3 | 14.5 | 15.6 | 32.8 | 27.2 | **3,769.7** |
| OIL | 1969 | 30.2 | 27.8 | 29.9 | 30.7 | 30.5 | 26.7 | 26.4 | 26.2 | 19.1 | 25.4 | 22.4 | 23.5 | **4,002.2** |
| DAY | 1968 | 31.0 | 29.0 | 9.0 | 0.0 | 0.0 | 25.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,127.0** |
| H2O | 1968 | 38.5 | 28.0 | 14.3 | 0.0 | 0.0 | 63.8 | 36.4 | 37.2 | 28.8 | 25.4 | 30.5 | 24.5 | **3,473.8** |
| OIL | 1968 | 25.8 | 22.6 | 7.8 | 0.0 | 0.0 | 40.9 | 35.9 | 32.1 | 31.3 | 31.8 | 31.0 | 30.4 | **3,683.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,852.0** |
| H2O | 1967 | 37.4 | 28.1 | 29.6 | 27.2 | 30.4 | 24.3 | 25.8 | 20.0 | 24.6 | 34.8 | 49.6 | 44.0 | **3,146.4** |
| OIL | 1967 | 40.2 | 33.7 | 34.8 | 33.5 | 35.8 | 33.2 | 34.5 | 30.2 | 31.2 | 26.1 | 26.6 | 28.1 | **3,393.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1855*** Well Name ***Consolidated East Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-35-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***4***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 28.0 | 29.0 | 29.0 | 28.0 | 30.0 | 30.0 | 8.0 | **1,489.0** |
| H2O | 1966 | 18.1 | 18.4 | 40.7 | 40.5 | 33.7 | 29.3 | 36.7 | 35.9 | 24.3 | 25.0 | 28.1 | 8.4 | **2,770.6** |
| OIL | 1966 | 27.5 | 25.6 | 36.4 | 35.0 | 37.2 | 32.9 | 34.2 | 33.4 | 33.4 | 35.1 | 34.2 | 10.8 | **3,005.9** |
| DAY | 1965 | 30.0 | 28.0 | 29.0 | 30.0 | 29.0 | 29.0 | 29.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,158.0** |
| H2O | 1965 | 66.5 | 64.7 | 39.7 | 34.0 | 52.1 | 35.1 | 32.3 | 32.8 | 27.5 | 20.0 | 18.4 | 20.2 | **2,431.5** |
| OIL | 1965 | 34.2 | 32.9 | 38.0 | 35.9 | 31.2 | 36.2 | 32.1 | 32.9 | 29.1 | 31.2 | 28.5 | 28.8 | **2,630.2** |
| DAY | 1964 | 28.0 | 28.0 | 29.0 | 28.0 | 29.0 | 29.0 | 29.0 | 29.0 | 28.0 | 29.0 | 28.0 | 31.0 | **804.0** |
| H2O | 1964 | 63.1 | 38.3 | 50.7 | 41.7 | 52.8 | 38.8 | 35.9 | 44.8 | 28.9 | 55.0 | 59.9 | 58.8 | **1,988.2** |
| OIL | 1964 | 49.9 | 42.7 | 54.2 | 58.0 | 57.1 | 46.7 | 45.6 | 54.7 | 40.4 | 46.9 | 35.9 | 35.1 | **2,239.2** |
| DAY | 1963 | 31.0 | 20.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **459.0** |
| H2O | 1963 | 60.4 | 71.2 | 192.7 | 99.8 | 87.8 | 78.4 | 69.6 | 61.5 | 47.1 | 55.0 | 141.5 | 36.2 | **1,419.5** |
| OIL | 1963 | 101.3 | 62.0 | 92.1 | 94.3 | 98.9 | 81.9 | 88.7 | 83.8 | 76.6 | 75.7 | 77.8 | 70.0 | **1,672.0** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 31.0 | 30.0 | 31.0 | **104.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 84.3 | 132.4 | 83.8 | 117.8 | **418.3** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 187.9 | 207.8 | 146.3 | 126.9 | **668.9** |

Licence ***1856*** Well Name ***Bralorne Pascar West Routledge*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-09-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 31.0 | 29.0 | 27.0 | 2.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **457.0** |
| H2O | 1964 | 725.7 | 917.3 | 864.1 | 65.5 | 11.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **11,375.7** |
| OIL | 1964 | 40.5 | 27.2 | 21.9 | 2.2 | 7.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **888.0** |
| DAY | 1963 | 29.0 | 28.0 | 20.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **366.0** |
| H2O | 1963 | 680.0 | 667.7 | 570.7 | 698.9 | 688.4 | 699.5 | 702.7 | 690.0 | 655.8 | 699.5 | 702.7 | 712.2 | **8,792.1** |
| OIL | 1963 | 80.6 | 57.8 | 47.8 | 74.2 | 68.3 | 56.7 | 58.5 | 43.9 | 47.7 | 48.5 | 47.7 | 39.4 | **788.9** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 10.0 | 0.0 | **14.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 203.8 | 420.2 | 0.0 | **624.0** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.9 | 87.9 | 0.0 | **117.8** |

Licence ***1857*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-03-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,716.0** |
| H2O | 1975 | 202.1 | 184.3 | 207.2 | 200.6 | 208.1 | 199.0 | 199.5 | 177.1 | 174.4 | 187.3 | 187.9 | 191.3 | **15,055.6** |
| OIL | 1975 | 222.0 | 195.5 | 216.6 | 205.5 | 209.3 | 203.4 | 209.3 | 197.5 | 191.5 | 198.0 | 191.6 | 194.7 | **32,940.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **4,351.0** |
| H2O | 1974 | 87.8 | 81.2 | 90.9 | 88.4 | 91.6 | 101.9 | 103.0 | 94.6 | 74.9 | 97.8 | 200.8 | 200.6 | **12,736.8** |
| OIL | 1974 | 183.2 | 159.9 | 182.7 | 174.3 | 181.0 | 153.8 | 158.8 | 158.1 | 122.2 | 159.9 | 216.6 | 223.4 | **30,505.2** |
| DAY | 1973 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **3,991.0** |
| H2O | 1973 | 111.6 | 103.3 | 114.8 | 93.5 | 94.8 | 82.0 | 91.4 | 98.6 | 96.7 | 95.5 | 81.6 | 87.8 | **11,423.3** |
| OIL | 1973 | 184.7 | 157.0 | 179.6 | 171.3 | 178.8 | 155.9 | 179.7 | 192.1 | 182.7 | 182.7 | 158.3 | 178.3 | **28,431.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,633.0** |
| H2O | 1972 | 149.8 | 139.1 | 160.3 | 142.8 | 81.1 | 75.2 | 89.3 | 84.7 | 84.7 | 112.9 | 107.5 | 113.7 | **10,271.7** |
| OIL | 1972 | 185.6 | 164.9 | 188.5 | 179.9 | 234.4 | 211.0 | 232.8 | 238.2 | 226.8 | 189.1 | 172.4 | 187.4 | **26,330.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 20.0 | 22.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **3,270.0** |
| H2O | 1971 | 68.7 | 61.0 | 71.7 | 72.0 | 72.2 | 98.6 | 103.5 | 141.2 | 121.1 | 141.3 | 129.7 | 159.6 | **8,930.6** |
| OIL | 1971 | 274.1 | 236.8 | 268.4 | 254.9 | 260.6 | 126.8 | 137.6 | 191.0 | 180.7 | 195.6 | 176.5 | 188.9 | **23,919.2** |
| DAY | 1970 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,926.0** |
| H2O | 1970 | 157.1 | 152.3 | 159.5 | 147.2 | 151.5 | 150.2 | 131.0 | 160.3 | 70.6 | 73.1 | 66.8 | 74.2 | **7,690.0** |
| OIL | 1970 | 197.8 | 184.3 | 201.2 | 194.0 | 200.2 | 191.5 | 187.5 | 200.1 | 248.4 | 262.0 | 251.4 | 263.8 | **21,427.3** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,563.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1857*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-03-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1969 | 155.0 | 140.7 | 126.5 | 134.8 | 142.8 | 142.0 | 153.7 | 168.0 | 157.2 | 171.9 | 153.6 | 167.1 | **6,196.2** |
| OIL | 1969 | 186.2 | 164.5 | 174.3 | 177.0 | 175.3 | 178.5 | 185.3 | 206.9 | 199.9 | 210.7 | 202.0 | 209.8 | **18,845.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | **2,200.0** |
| H2O | 1968 | 74.2 | 70.6 | 75.0 | 119.4 | 125.1 | 114.5 | 121.5 | 141.7 | 142.0 | 144.4 | 125.4 | 147.7 | **4,382.9** |
| OIL | 1968 | 274.4 | 251.9 | 269.7 | 225.2 | 225.8 | 221.8 | 228.8 | 186.2 | 179.6 | 181.0 | 163.0 | 185.8 | **16,574.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 25.0 | 31.0 | **1,837.0** |
| H2O | 1967 | 94.9 | 78.7 | 94.4 | 87.9 | 88.1 | 83.0 | 65.2 | 87.3 | 76.5 | 68.7 | 57.2 | 77.3 | **2,981.4** |
| OIL | 1967 | 238.5 | 211.8 | 237.7 | 229.5 | 236.3 | 226.8 | 235.5 | 233.3 | 224.7 | 197.5 | 219.0 | 274.1 | **13,981.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,482.0** |
| H2O | 1966 | 52.9 | 42.4 | 53.9 | 55.2 | 62.2 | 84.9 | 77.6 | 80.8 | 88.7 | 93.2 | 93.2 | 97.8 | **2,022.2** |
| OIL | 1966 | 234.7 | 206.6 | 228.8 | 223.7 | 234.1 | 234.9 | 225.7 | 235.5 | 234.6 | 230.9 | 228.0 | 233.6 | **11,216.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,119.0** |
| H2O | 1965 | 61.0 | 54.4 | 61.8 | 54.2 | 55.0 | 52.6 | 51.8 | 53.1 | 53.6 | 53.1 | 54.5 | 55.5 | **1,139.4** |
| OIL | 1965 | 249.3 | 227.4 | 245.8 | 236.9 | 238.5 | 239.3 | 243.9 | 247.1 | 233.9 | 243.3 | 231.2 | 237.4 | **8,465.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **754.0** |
| H2O | 1964 | 16.4 | 22.4 | 22.3 | 22.9 | 25.8 | 20.0 | 22.1 | 23.5 | 22.6 | 55.6 | 57.6 | 60.9 | **478.8** |
| OIL | 1964 | 223.0 | 193.9 | 202.0 | 199.4 | 213.3 | 196.9 | 199.6 | 196.6 | 190.5 | 235.3 | 230.6 | 247.1 | **5,591.7** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **390.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 3.7 | 6.0 | 3.0 | 5.4 | 15.6 | 19.4 | 32.8 | 20.8 | **106.7** |
| OIL | 1963 | 281.7 | 252.8 | 254.7 | 238.5 | 230.3 | 231.8 | 220.9 | 215.5 | 214.2 | 191.0 | 205.6 | 195.8 | **3,063.5** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | **30.0** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 330.7 | **330.7** |

Licence ***1859*** Well Name ***Tundra Souris Hartney*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-17-006-22W1.00*** Field Name ***Souris Hartney*** Pool Name ***Lodgepole Virden A*** Field Code ***10*** Pool Code ***53A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,645.0** |
| OIL | 1975 | 105.7 | 97.3 | 105.4 | 98.2 | 106.5 | 98.7 | 101.7 | 101.7 | 95.7 | 107.9 | 99.5 | 100.4 | **20,339.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 21.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,282.0** |
| OIL | 1974 | 122.8 | 107.3 | 116.8 | 111.7 | 115.5 | 109.8 | 83.6 | 131.3 | 114.1 | 119.8 | 112.7 | 110.6 | **19,120.3** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,928.0** |
| OIL | 1973 | 141.1 | 123.3 | 135.4 | 134.1 | 121.1 | 125.2 | 132.2 | 124.3 | 119.7 | 121.7 | 118.4 | 129.8 | **17,764.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 21.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,564.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 4.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **136.5** |
| OIL | 1972 | 152.9 | 145.1 | 150.2 | 135.9 | 157.0 | 149.1 | 148.4 | 155.9 | 143.5 | 149.5 | 142.2 | 145.2 | **16,238.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,210.0** |
| OIL | 1971 | 158.8 | 149.9 | 148.4 | 165.6 | 158.1 | 153.3 | 157.6 | 158.3 | 138.9 | 160.3 | 145.1 | 153.0 | **14,463.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 22.0 | 22.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 28.0 | 31.0 | **2,846.0** |
| OIL | 1970 | 141.1 | 141.0 | 166.5 | 116.0 | 138.9 | 161.9 | 167.5 | 158.6 | 157.6 | 153.5 | 159.5 | 159.4 | **12,615.8** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 25.0 | 30.0 | 31.0 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,502.0** |
| OIL | 1969 | 176.7 | 152.7 | 170.2 | 169.9 | 146.7 | 163.4 | 160.7 | 168.0 | 155.4 | 166.7 | 162.2 | 187.2 | **10,794.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,150.0** |
| OIL | 1968 | 179.9 | 171.9 | 185.3 | 173.4 | 188.8 | 179.7 | 178.9 | 180.4 | 174.2 | 178.0 | 156.7 | 186.9 | **8,814.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,785.0** |
| OIL | 1967 | 88.7 | 83.7 | 85.7 | 81.8 | 83.4 | 78.7 | 83.6 | 84.5 | 81.0 | 82.5 | 146.2 | 195.8 | **6,680.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,420.0** |
| H2O | 1966 | 9.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.6 | **131.6** |
| OIL | 1966 | 119.3 | 94.4 | 99.8 | 112.7 | 125.2 | 133.0 | 164.0 | 96.1 | 91.1 | 89.6 | 95.3 | 91.2 | **5,504.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 28.0 | **1,059.0** |
| H2O | 1965 | 6.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.9 | 12.1 | **117.8** |
| OIL | 1965 | 113.6 | 84.5 | 96.3 | 86.9 | 123.9 | 99.5 | 104.4 | 96.6 | 107.7 | 97.3 | 92.3 | 122.0 | **4,193.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1859*** Well Name ***Tundra Souris Hartney*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-17-006-22W1.00*** Field Name ***Souris Hartney*** Pool Name ***Lodgepole Virden A*** Field Code ***10*** Pool Code ***53A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 31.0 | 29.0 | 27.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **700.0** |
| H2O | 1964 | 4.8 | 4.8 | 4.1 | 4.4 | 4.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **97.0** |
| OIL | 1964 | 127.0 | 119.7 | 103.6 | 115.7 | 125.2 | 114.4 | 109.6 | 105.2 | 97.6 | 108.2 | 101.7 | 109.6 | **2,968.1** |
| DAY | 1963 | 31.0 | 26.0 | 31.0 | 8.0 | 11.0 | 21.0 | 26.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **340.0** |
| H2O | 1963 | 8.7 | 5.1 | 7.3 | 2.9 | 1.9 | 3.3 | 6.4 | 5.1 | 8.6 | 3.8 | 4.3 | 6.0 | **74.5** |
| OIL | 1963 | 160.3 | 135.1 | 148.4 | 40.0 | 63.7 | 101.5 | 125.2 | 148.4 | 119.0 | 116.5 | 111.9 | 134.0 | **1,630.6** |
| DAY | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 31.0 | **35.0** |
| H2O | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 10.5 | **11.1** |
| OIL | 1962 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 32.3 | 194.3 | **226.6** |

Licence ***1860*** Well Name ***Plaza North Antler*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-34-002-28W1.00*** Field Name ***Pierson*** Pool Name ***Lower Amaranth-Mission Canyon 3b C*** Field Code ***7*** Pool Code ***35C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 13.0 | 22.0 | 31.0 | 0.0 | 0.0 | 26.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | 0.0 | **153.0** |
| H2O | 1963 | 109.7 | 204.3 | 269.3 | 0.0 | 0.0 | 228.6 | 241.2 | 214.8 | 0.0 | 0.0 | 0.0 | 0.0 | **1,267.9** |
| OIL | 1963 | 71.4 | 50.4 | 49.7 | 0.0 | 0.0 | 35.1 | 34.8 | 36.5 | 0.0 | 0.0 | 0.0 | 0.0 | **277.9** |

Licence ***1861*** Well Name ***Tancam Waskada SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-28-001-24W1.02*** Field Name ***Waskada*** Pool Name ***Mission Canyon 1*** Field Code ***3*** Pool Code ***44*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1887.0 | 6985.3 | **11,391.4** |
| WIN | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 743.4 | 1261.2 | 514.5 | 0.0 | 0.0 | **2,519.1** |

Licence ***1862*** Well Name ***Centoba Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-15-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 0.0 | 0.0 | 3.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **507.0** |
| H2O | 1965 | 0.0 | 0.0 | 2.9 | 11.4 | 93.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **10,665.8** |
| OIL | 1965 | 0.0 | 0.0 | 4.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,006.0** |
| DAY | 1964 | 25.0 | 29.0 | 26.0 | 26.0 | 25.0 | 28.0 | 30.0 | 31.0 | 17.0 | 31.0 | 5.0 | 0.0 | **502.0** |
| H2O | 1964 | 584.9 | 578.9 | 616.9 | 614.8 | 623.9 | 706.2 | 718.8 | 737.6 | 352.0 | 765.5 | 109.7 | 0.0 | **10,557.7** |
| OIL | 1964 | 34.8 | 41.6 | 39.3 | 41.5 | 40.2 | 46.2 | 32.7 | 31.9 | 12.6 | 38.9 | 2.9 | 0.0 | **1,001.1** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 15.0 | 18.0 | 17.0 | 31.0 | 29.0 | 29.0 | 31.0 | 29.0 | 30.0 | **229.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 133.9 | 168.2 | 134.3 | 525.9 | 632.0 | 576.0 | 688.4 | 655.4 | 634.4 | **4,148.5** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 61.5 | 61.2 | 47.8 | 90.9 | 109.5 | 77.2 | 87.7 | 50.1 | 52.6 | **638.5** |

Licence ***1864*** Well Name ***Bralorne Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-20-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 11.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,124.0** |
| H2O | 1966 | 677.3 | 656.6 | 767.3 | 300.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **17,290.0** |
| OIL | 1966 | 11.9 | 10.0 | 9.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,717.7** |
| DAY | 1965 | 16.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 25.0 | 30.0 | 29.0 | **1,023.0** |
| H2O | 1965 | 248.0 | 495.9 | 579.5 | 558.1 | 606.9 | 588.9 | 324.7 | 459.5 | 324.7 | 417.3 | 449.1 | 645.5 | **14,888.8** |
| OIL | 1965 | 17.6 | 35.8 | 39.4 | 33.1 | 51.3 | 49.6 | 44.7 | 47.7 | 9.5 | 7.9 | 9.5 | 4.9 | **1,686.4** |
| DAY | 1964 | 26.0 | 29.0 | 30.0 | 23.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **684.0** |
| H2O | 1964 | 496.0 | 450.7 | 467.4 | 453.1 | 242.5 | 456.3 | 469.8 | 473.5 | 397.5 | 453.1 | 462.7 | 461.5 | **9,190.7** |
| OIL | 1964 | 30.8 | 22.9 | 26.9 | 24.0 | 34.2 | 37.3 | 38.5 | 22.2 | 24.5 | 22.6 | 17.5 | 18.3 | **1,335.4** |
| DAY | 1963 | 22.0 | 25.0 | 17.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | **334.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1864*** Well Name ***Bralorne Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-20-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1963 | 61.1 | 176.6 | 117.7 | 286.2 | 394.3 | 381.6 | 443.6 | 373.6 | 340.2 | 426.1 | 438.8 | 466.8 | **3,906.6** |
| OIL | 1963 | 167.5 | 157.2 | 88.0 | 127.4 | 115.8 | 74.8 | 49.9 | 50.4 | 42.7 | 49.3 | 47.7 | 45.0 | **1,015.7** |

Licence ***1865*** Well Name ***Consolidated East Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-35-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***4***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 31.0 | 28.0 | 28.0 | 30.0 | 27.0 | 25.0 | 29.0 | 25.0 | 17.0 | 0.0 | 0.0 | 0.0 | **2,215.0** |
| H2O | 1969 | 31.6 | 21.9 | 26.4 | 22.9 | 22.9 | 25.6 | 26.9 | 25.1 | 12.1 | 0.0 | 0.0 | 0.0 | **5,007.2** |
| OIL | 1969 | 15.1 | 13.8 | 13.8 | 15.3 | 13.7 | 13.3 | 14.1 | 13.0 | 8.0 | 0.0 | 0.0 | 0.0 | **2,378.4** |
| DAY | 1968 | 24.0 | 29.0 | 21.0 | 22.0 | 23.0 | 25.0 | 28.0 | 31.0 | 20.0 | 20.0 | 30.0 | 19.0 | **1,975.0** |
| H2O | 1968 | 44.5 | 42.1 | 44.5 | 41.8 | 31.5 | 49.1 | 63.1 | 66.8 | 28.8 | 25.4 | 30.5 | 24.3 | **4,791.8** |
| OIL | 1968 | 17.5 | 19.9 | 16.7 | 17.2 | 12.6 | 13.5 | 17.3 | 16.0 | 15.7 | 15.9 | 15.6 | 15.3 | **2,258.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 21.0 | 25.0 | 16.0 | 16.0 | 31.0 | **1,683.0** |
| H2O | 1967 | 62.5 | 46.9 | 49.4 | 45.2 | 50.6 | 40.7 | 43.1 | 22.7 | 51.2 | 28.8 | 40.5 | 66.1 | **4,299.4** |
| OIL | 1967 | 20.2 | 16.8 | 17.5 | 16.8 | 17.8 | 16.5 | 17.2 | 10.2 | 14.3 | 12.6 | 12.4 | 24.5 | **2,065.1** |
| DAY | 1966 | 31.0 | 13.0 | 29.0 | 30.0 | 31.0 | 27.0 | 29.0 | 29.0 | 28.0 | 27.0 | 30.0 | 31.0 | **1,362.0** |
| H2O | 1966 | 65.3 | 66.5 | 81.4 | 81.2 | 67.3 | 63.4 | 46.7 | 45.8 | 34.7 | 37.4 | 46.9 | 54.7 | **3,751.7** |
| OIL | 1966 | 25.1 | 23.2 | 21.9 | 21.0 | 22.2 | 21.3 | 17.2 | 16.7 | 21.0 | 15.7 | 17.2 | 21.0 | **1,868.3** |
| DAY | 1965 | 31.0 | 28.0 | 29.0 | 30.0 | 29.0 | 29.0 | 29.0 | 30.0 | 20.0 | 26.0 | 30.0 | 31.0 | **1,027.0** |
| H2O | 1965 | 38.2 | 35.9 | 57.4 | 49.3 | 56.4 | 60.3 | 69.3 | 68.0 | 39.3 | 67.3 | 66.6 | 72.7 | **3,060.4** |
| OIL | 1965 | 31.8 | 29.6 | 28.0 | 26.1 | 31.1 | 21.6 | 28.9 | 28.8 | 17.5 | 26.4 | 25.9 | 26.2 | **1,624.8** |
| DAY | 1964 | 28.0 | 29.0 | 29.0 | 28.0 | 29.0 | 29.0 | 29.0 | 29.0 | 28.0 | 29.0 | 28.0 | 31.0 | **685.0** |
| H2O | 1964 | 71.5 | 79.2 | 72.5 | 83.2 | 66.0 | 64.7 | 79.7 | 67.4 | 64.2 | 58.8 | 53.4 | 52.3 | **2,379.7** |
| OIL | 1964 | 57.0 | 50.9 | 41.0 | 38.9 | 42.3 | 27.0 | 29.7 | 21.9 | 28.0 | 30.2 | 35.8 | 35.1 | **1,302.9** |
| DAY | 1963 | 6.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **339.0** |
| H2O | 1963 | 64.4 | 274.7 | 212.1 | 171.2 | 149.3 | 102.1 | 119.6 | 110.5 | 92.2 | 97.9 | 52.0 | 120.8 | **1,566.8** |
| OIL | 1963 | 19.2 | 154.8 | 140.6 | 96.0 | 80.4 | 66.6 | 62.1 | 55.9 | 49.4 | 46.7 | 34.0 | 59.4 | **865.1** |

Licence ***1866*** Well Name ***Consolidated Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-34-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***4***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 27.0 | 28.0 | 26.0 | 22.0 | 26.0 | 0.0 | 0.0 | **2,197.0** |
| H2O | 1969 | 59.3 | 41.0 | 52.8 | 42.8 | 47.7 | 48.0 | 50.4 | 47.2 | 29.9 | 29.1 | 0.0 | 0.0 | **3,836.3** |
| OIL | 1969 | 15.1 | 13.8 | 14.8 | 15.3 | 15.3 | 13.3 | 14.1 | 13.2 | 10.6 | 13.0 | 0.0 | 0.0 | **2,527.3** |
| DAY | 1968 | 22.0 | 9.0 | 0.0 | 0.0 | 0.0 | 25.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,919.0** |
| H2O | 1968 | 19.1 | 6.0 | 0.0 | 0.0 | 0.0 | 83.5 | 35.1 | 37.2 | 57.7 | 50.7 | 60.7 | 48.7 | **3,388.1** |
| OIL | 1968 | 11.4 | 4.4 | 0.0 | 0.0 | 0.0 | 19.1 | 20.3 | 18.8 | 15.6 | 15.9 | 15.6 | 15.3 | **2,388.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 29.0 | 2.0 | 28.0 | **1,683.0** |
| H2O | 1967 | 43.7 | 32.8 | 34.7 | 31.6 | 35.5 | 28.5 | 30.0 | 23.4 | 40.2 | 24.5 | 2.4 | 27.8 | **2,989.4** |
| OIL | 1967 | 20.0 | 16.8 | 17.5 | 16.7 | 17.8 | 16.5 | 17.3 | 15.1 | 16.2 | 16.4 | 1.1 | 15.9 | **2,252.4** |
| DAY | 1966 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 14.0 | 29.0 | 29.0 | 28.0 | 30.0 | 30.0 | 31.0 | **1,353.0** |
| H2O | 1966 | 54.5 | 55.3 | 45.3 | 45.2 | 37.4 | 14.6 | 46.6 | 45.9 | 41.5 | 29.1 | 32.9 | 38.2 | **2,634.3** |
| OIL | 1966 | 25.1 | 23.2 | 21.9 | 21.0 | 22.4 | 11.0 | 27.3 | 26.7 | 16.7 | 17.6 | 17.2 | 21.1 | **2,065.1** |
| DAY | 1965 | 29.0 | 28.0 | 29.0 | 30.0 | 29.0 | 28.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,013.0** |
| H2O | 1965 | 42.9 | 34.0 | 44.0 | 37.8 | 34.8 | 38.8 | 36.9 | 36.2 | 31.5 | 60.3 | 55.5 | 60.6 | **2,147.8** |
| OIL | 1965 | 32.9 | 26.1 | 31.6 | 29.4 | 31.1 | 28.0 | 25.6 | 25.4 | 23.4 | 28.4 | 25.7 | 26.2 | **1,813.9** |
| DAY | 1964 | 29.0 | 28.0 | 29.0 | 29.0 | 29.0 | 29.0 | 29.0 | 29.0 | 28.0 | 29.0 | 28.0 | 31.0 | **661.0** |
| H2O | 1964 | 74.2 | 63.8 | 57.9 | 47.9 | 66.0 | 56.1 | 51.8 | 48.7 | 57.7 | 43.1 | 40.1 | 39.1 | **1,634.5** |
| OIL | 1964 | 59.3 | 49.1 | 47.7 | 39.1 | 42.3 | 50.5 | 48.5 | 43.7 | 43.5 | 36.9 | 35.9 | 35.1 | **1,480.1** |
| DAY | 1963 | 0.0 | 13.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | **314.0** |
| H2O | 1963 | 0.0 | 217.5 | 110.7 | 73.1 | 104.1 | 75.8 | 78.2 | 82.8 | 74.1 | 70.0 | 35.5 | 66.3 | **988.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1866*** Well Name ***Consolidated Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-34-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***4***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1963 | 0.0 | 158.1 | 159.7 | 107.4 | 92.8 | 71.5 | 67.5 | 63.9 | 59.4 | 60.5 | 60.5 | 47.2 | **948.5** |

Licence ***1867*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-16-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 25.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,486.0** |
| H2O | 1973 | 670.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **98,313.4** |
| OIL | 1973 | 25.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **13,323.7** |
| DAY | 1972 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | **3,461.0** |
| H2O | 1972 | 908.9 | 882.8 | 913.2 | 831.5 | 877.9 | 772.8 | 783.5 | 851.9 | 720.1 | 767.8 | 743.4 | 790.0 | **97,643.1** |
| OIL | 1972 | 16.8 | 16.5 | 18.2 | 15.7 | 17.5 | 14.9 | 14.6 | 16.2 | 28.0 | 30.4 | 28.0 | 31.5 | **13,297.9** |
| DAY | 1971 | 28.0 | 25.0 | 31.0 | 30.0 | 30.0 | 7.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,100.0** |
| H2O | 1971 | 740.1 | 632.9 | 818.5 | 756.3 | 772.1 | 178.5 | 770.8 | 794.2 | 765.2 | 805.4 | 797.0 | 919.4 | **87,799.3** |
| OIL | 1971 | 69.9 | 59.6 | 77.2 | 74.1 | 71.2 | 16.4 | 68.2 | 74.8 | 31.1 | 15.6 | 14.0 | 17.3 | **13,049.6** |
| DAY | 1970 | 31.0 | 28.0 | 30.0 | 29.0 | 29.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,768.0** |
| H2O | 1970 | 1206.7 | 1001.6 | 1109.8 | 1079.5 | 963.3 | 968.4 | 952.2 | 963.0 | 983.5 | 942.2 | 980.5 | 1002.1 | **79,048.9** |
| OIL | 1970 | 85.8 | 75.6 | 81.0 | 74.7 | 70.6 | 66.6 | 64.7 | 64.7 | 65.0 | 61.7 | 60.2 | 71.8 | **12,460.2** |
| DAY | 1969 | 30.0 | 28.0 | 31.0 | 29.0 | 29.0 | 29.0 | 28.0 | 24.0 | 25.0 | 31.0 | 26.0 | 30.0 | **2,411.0** |
| H2O | 1969 | 1028.7 | 954.6 | 1108.2 | 1047.7 | 1050.6 | 1066.2 | 945.4 | 777.5 | 809.3 | 1092.6 | 826.7 | 1159.0 | **66,896.1** |
| OIL | 1969 | 77.9 | 73.1 | 78.8 | 73.7 | 69.6 | 73.7 | 77.2 | 68.6 | 71.5 | 69.0 | 73.7 | 80.1 | **11,617.8** |
| DAY | 1968 | 31.0 | 28.0 | 28.0 | 29.0 | 30.0 | 26.0 | 30.0 | 31.0 | 29.0 | 25.0 | 30.0 | 29.0 | **2,071.0** |
| H2O | 1968 | 955.5 | 777.5 | 1072.5 | 1081.1 | 1244.3 | 1208.8 | 1065.2 | 1097.0 | 1043.0 | 919.0 | 1027.1 | 995.3 | **55,029.6** |
| OIL | 1968 | 69.3 | 80.1 | 58.8 | 83.0 | 95.3 | 79.5 | 95.3 | 98.5 | 83.0 | 71.5 | 81.0 | 78.3 | **10,730.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 28.0 | 30.0 | 28.0 | 28.0 | 27.0 | **1,725.0** |
| H2O | 1967 | 1068.4 | 1055.7 | 1146.8 | 1142.3 | 1146.3 | 1140.0 | 1265.6 | 1001.6 | 1004.3 | 1193.1 | 1256.5 | 987.3 | **42,543.3** |
| OIL | 1967 | 118.4 | 84.5 | 100.1 | 96.8 | 98.8 | 95.3 | 92.2 | 105.7 | 93.6 | 96.9 | 98.5 | 79.5 | **9,757.3** |
| DAY | 1966 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,374.0** |
| H2O | 1966 | 1317.6 | 1206.4 | 1253.2 | 1254.3 | 1271.9 | 1250.1 | 1262.4 | 1291.3 | 1114.5 | 1009.6 | 1040.7 | 1039.8 | **29,135.4** |
| OIL | 1966 | 256.8 | 161.5 | 183.5 | 183.9 | 186.4 | 182.4 | 190.4 | 143.3 | 114.4 | 117.1 | 113.9 | 126.8 | **8,597.0** |
| DAY | 1965 | 23.0 | 28.0 | 30.0 | 25.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,012.0** |
| H2O | 1965 | 358.5 | 391.1 | 713.9 | 643.9 | 620.1 | 618.5 | 570.8 | 512.7 | 635.2 | 693.2 | 1078.0 | 1295.8 | **14,823.6** |
| OIL | 1965 | 136.7 | 146.2 | 159.7 | 137.5 | 173.2 | 171.6 | 163.0 | 161.8 | 189.9 | 251.1 | 257.4 | 262.2 | **6,636.6** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 24.0 | 28.0 | **664.0** |
| H2O | 1964 | 351.4 | 335.5 | 356.9 | 240.1 | 387.9 | 381.6 | 390.8 | 399.1 | 399.1 | 415.0 | 388.3 | 412.6 | **6,691.9** |
| OIL | 1964 | 208.8 | 185.4 | 197.0 | 178.9 | 159.4 | 159.7 | 155.7 | 145.2 | 148.1 | 149.7 | 150.2 | 166.1 | **4,426.3** |
| DAY | 1963 | 0.0 | 6.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **312.0** |
| H2O | 1963 | 0.0 | 0.8 | 14.8 | 31.8 | 98.6 | 256.8 | 267.1 | 276.6 | 275.1 | 329.1 | 333.9 | 349.0 | **2,233.6** |
| OIL | 1963 | 0.0 | 54.3 | 280.6 | 288.7 | 264.4 | 266.5 | 243.1 | 214.5 | 194.2 | 207.7 | 196.7 | 211.4 | **2,422.1** |

Licence ***1869*** Well Name ***Souris Hartney Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-16-006-22W1.00*** Field Name ***Souris Hartney*** Pool Name ***Lodgepole Virden A*** Field Code ***10*** Pool Code ***53A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | 26.0 | 23.0 | 26.0 | 26.0 | 31.0 | **3,665.0** |
| H2O | 1975 | 236.6 | 213.7 | 235.1 | 209.9 | 230.2 | 212.1 | 160.1 | 159.2 | 161.4 | 150.1 | 169.7 | 184.0 | **21,199.7** |
| OIL | 1975 | 24.2 | 22.1 | 24.2 | 19.1 | 19.5 | 19.1 | 15.7 | 16.5 | 15.1 | 12.7 | 12.4 | 15.7 | **3,546.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 21.0 | 5.0 | 0.0 | 0.0 | 10.0 | 31.0 | **3,327.0** |
| H2O | 1974 | 244.6 | 213.8 | 189.7 | 219.6 | 226.7 | 221.1 | 172.8 | 33.7 | 0.0 | 0.0 | 132.0 | 239.0 | **18,877.6** |
| OIL | 1974 | 24.8 | 21.6 | 24.5 | 23.4 | 24.3 | 23.0 | 16.8 | 4.0 | 0.0 | 0.0 | 10.0 | 23.2 | **3,330.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,079.0** |
| H2O | 1973 | 150.9 | 131.0 | 140.7 | 96.5 | 90.3 | 114.7 | 128.7 | 122.5 | 112.0 | 104.3 | 89.6 | 250.8 | **16,984.6** |
| OIL | 1973 | 24.5 | 22.1 | 24.3 | 22.7 | 22.2 | 26.9 | 23.8 | 24.2 | 23.2 | 24.5 | 22.2 | 25.3 | **3,134.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1869*** Well Name ***Souris Hartney Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-16-006-22W1.00*** Field Name ***Souris Hartney*** Pool Name ***Lodgepole Virden A*** Field Code ***10*** Pool Code ***53A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 25.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,716.0** |
| H2O | 1972 | 219.7 | 193.8 | 208.4 | 155.4 | 140.9 | 168.4 | 166.0 | 168.4 | 161.7 | 155.8 | 150.3 | 148.4 | **15,452.6** |
| OIL | 1972 | 29.6 | 27.3 | 29.4 | 23.5 | 23.8 | 28.0 | 28.0 | 25.3 | 23.4 | 24.3 | 23.0 | 24.3 | **2,849.0** |
| DAY | 1971 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 16.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,357.0** |
| H2O | 1971 | 235.9 | 167.0 | 248.9 | 234.7 | 241.7 | 221.6 | 240.1 | 128.7 | 227.8 | 222.9 | 219.7 | 211.0 | **13,415.4** |
| OIL | 1971 | 28.8 | 19.9 | 26.2 | 30.0 | 28.6 | 27.8 | 28.6 | 14.5 | 25.1 | 29.1 | 28.1 | 28.8 | **2,539.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 18.0 | 25.0 | 27.0 | 31.0 | 30.0 | 30.0 | 29.0 | 28.0 | 31.0 | **2,015.0** |
| H2O | 1970 | 227.7 | 210.3 | 240.7 | 135.2 | 236.6 | 224.2 | 254.5 | 244.1 | 236.6 | 234.7 | 222.7 | 243.5 | **10,815.4** |
| OIL | 1970 | 24.9 | 25.6 | 29.4 | 17.2 | 26.2 | 24.9 | 29.6 | 27.5 | 27.8 | 27.0 | 27.5 | 28.9 | **2,223.6** |
| DAY | 1969 | 31.0 | 26.0 | 30.0 | 30.0 | 22.0 | 30.0 | 31.0 | 21.0 | 28.0 | 30.0 | 30.0 | 31.0 | **1,676.0** |
| H2O | 1969 | 227.5 | 208.0 | 230.2 | 241.7 | 167.9 | 246.6 | 243.4 | 178.4 | 225.3 | 201.9 | 232.0 | 231.5 | **8,104.6** |
| OIL | 1969 | 30.0 | 25.1 | 28.4 | 28.3 | 19.7 | 27.2 | 26.9 | 27.3 | 25.9 | 28.3 | 27.8 | 33.1 | **1,907.1** |
| DAY | 1968 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 28.0 | 30.0 | 30.0 | **1,336.0** |
| H2O | 1968 | 227.8 | 196.7 | 223.5 | 216.0 | 211.4 | 234.0 | 234.5 | 226.1 | 218.9 | 198.1 | 217.8 | 208.6 | **5,470.2** |
| OIL | 1968 | 27.3 | 25.4 | 28.8 | 28.4 | 29.9 | 26.1 | 27.0 | 25.1 | 27.5 | 25.4 | 25.6 | 30.4 | **1,579.1** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 16.0 | 23.0 | 31.0 | 30.0 | 31.0 | **980.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.6 | 74.7 | 141.7 | 224.6 | 228.9 | 249.1 | **2,856.8** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.5 | 9.5 | 14.0 | 29.2 | 20.0 | 30.5 | **1,252.2** |
| DAY | 1966 | 7.0 | 13.0 | 13.0 | 10.0 | 4.0 | 0.0 | 0.0 | 8.0 | 14.0 | 16.0 | 18.0 | 17.0 | **845.0** |
| H2O | 1966 | 17.5 | 18.1 | 33.1 | 38.8 | 13.5 | 0.0 | 0.0 | 45.3 | 64.1 | 85.7 | 55.0 | 52.3 | **1,925.2** |
| OIL | 1966 | 7.5 | 11.9 | 13.7 | 10.5 | 4.0 | 0.0 | 0.0 | 8.7 | 11.4 | 15.1 | 11.6 | 11.1 | **1,146.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 23.0 | 16.0 | 22.0 | 19.0 | 23.0 | 16.0 | 15.0 | **725.0** |
| H2O | 1965 | 98.1 | 22.3 | 21.9 | 25.6 | 54.7 | 96.5 | 21.6 | 12.4 | 30.7 | 47.5 | 64.4 | 55.2 | **1,501.8** |
| OIL | 1965 | 24.8 | 25.7 | 20.0 | 23.0 | 27.2 | 19.4 | 19.4 | 32.6 | 14.5 | 22.7 | 14.0 | 18.6 | **1,041.0** |
| DAY | 1964 | 31.0 | 29.0 | 29.0 | 0.0 | 0.0 | 20.0 | 29.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **440.0** |
| H2O | 1964 | 100.2 | 83.8 | 82.2 | 0.0 | 0.0 | 64.4 | 81.4 | 26.9 | 69.5 | 73.8 | 79.3 | 64.7 | **950.9** |
| OIL | 1964 | 38.9 | 35.1 | 37.8 | 0.0 | 0.0 | 19.2 | 31.8 | 37.8 | 26.2 | 24.2 | 17.8 | 27.8 | **779.1** |
| DAY | 1963 | 7.0 | 26.0 | 25.0 | 8.0 | 1.0 | 21.0 | 0.0 | 27.0 | 0.0 | 0.0 | 16.0 | 21.0 | **152.0** |
| H2O | 1963 | 0.3 | 4.3 | 6.2 | 1.3 | 6.2 | 10.7 | 43.7 | 28.5 | 0.0 | 0.0 | 36.2 | 87.3 | **224.7** |
| OIL | 1963 | 36.5 | 110.1 | 93.0 | 27.0 | 6.2 | 66.7 | 57.8 | 52.1 | 0.0 | 0.0 | 0.0 | 33.1 | **482.5** |

Licence ***1870*** Well Name ***Texaco Souris*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-17-006-22W1.00*** Field Name ***Souris Hartney*** Pool Name ***Lodgepole Virden A*** Field Code ***10*** Pool Code ***53A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 31.0 | 28.0 | 12.0 | 15.0 | 0.0 | 0.0 | **203.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 16.9 | 18.6 | 1.7 | 2.4 | 0.0 | 0.0 | **115.6** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 24.6 | 17.5 | 7.8 | 7.4 | 0.0 | 0.0 | **133.0** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 29.0 | 31.0 | 28.0 | 16.0 | 4.0 | 0.0 | **116.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.3 | 14.8 | 16.7 | 8.6 | 11.8 | 13.0 | 0.0 | **75.2** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.3 | 19.7 | 21.5 | 8.7 | 11.0 | 3.3 | 0.0 | **75.5** |

Licence ***1871*** Well Name ***Texaco Souris*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-16-006-22W1.00*** Field Name ***Souris Hartney*** Pool Name ***Lodgepole Virden A*** Field Code ***10*** Pool Code ***53A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | **47.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.3 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | **102.1** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.7 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | **60.5** |
| DAY | 1963 | 0.0 | 0.0 | 1.0 | 18.0 | 0.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **22.0** |
| H2O | 1963 | 0.0 | 0.0 | 4.5 | 80.6 | 0.0 | 12.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **97.8** |
| OIL | 1963 | 0.0 | 0.0 | 11.6 | 33.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **44.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1872*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.14-16-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,310.0** |
| H2O | 1972 | 1170.0 | 1090.6 | 1087.4 | 1063.1 | 1110.3 | 980.9 | 957.3 | 108.9 | 0.0 | 0.0 | 0.0 | 0.0 | **88,812.1** |
| OIL | 1972 | 21.5 | 20.2 | 21.8 | 20.2 | 22.1 | 18.9 | 18.0 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | **9,865.9** |
| DAY | 1971 | 28.0 | 25.0 | 31.0 | 30.0 | 28.0 | 4.0 | 23.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,096.0** |
| H2O | 1971 | 874.5 | 771.3 | 997.5 | 921.5 | 876.2 | 104.8 | 762.3 | 936.3 | 872.9 | 1011.0 | 1051.8 | 1167.1 | **81,243.6** |
| OIL | 1971 | 34.3 | 30.4 | 39.1 | 37.5 | 33.5 | 4.1 | 28.0 | 36.9 | 36.4 | 19.5 | 18.4 | 21.8 | **9,721.1** |
| DAY | 1970 | 31.0 | 26.0 | 30.0 | 29.0 | 31.0 | 29.0 | 28.0 | 30.0 | 30.0 | 22.0 | 30.0 | 31.0 | **2,775.0** |
| H2O | 1970 | 1108.1 | 998.5 | 1095.4 | 1064.8 | 1021.3 | 966.2 | 871.0 | 949.7 | 970.0 | 688.2 | 961.6 | 988.5 | **70,896.4** |
| OIL | 1970 | 49.3 | 33.1 | 41.3 | 39.7 | 37.3 | 33.2 | 29.7 | 31.9 | 32.1 | 22.6 | 29.4 | 35.3 | **9,381.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 26.0 | 30.0 | 29.0 | 28.0 | 24.0 | 25.0 | 31.0 | 29.0 | 31.0 | **2,428.0** |
| H2O | 1969 | 1357.7 | 1123.8 | 1148.5 | 1021.3 | 1020.7 | 1002.7 | 940.1 | 762.9 | 791.8 | 862.6 | 814.1 | 1071.5 | **59,213.1** |
| OIL | 1969 | 39.1 | 36.7 | 39.4 | 33.1 | 30.2 | 43.9 | 46.1 | 42.0 | 45.0 | 39.4 | 36.9 | 42.6 | **8,966.3** |
| DAY | 1968 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 23.0 | 30.0 | 30.0 | **2,085.0** |
| H2O | 1968 | 848.7 | 652.9 | 921.5 | 903.4 | 1064.8 | 999.9 | 992.1 | 992.1 | 965.1 | 833.2 | 1084.2 | 1325.7 | **47,295.4** |
| OIL | 1968 | 63.6 | 57.8 | 60.4 | 70.7 | 88.7 | 73.7 | 69.0 | 69.0 | 57.2 | 32.9 | 34.8 | 38.1 | **8,491.9** |
| DAY | 1967 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | **1,730.0** |
| H2O | 1967 | 946.0 | 882.4 | 1014.3 | 1014.3 | 1035.0 | 995.3 | 1084.9 | 904.7 | 906.3 | 1081.1 | 1128.9 | 970.2 | **35,711.8** |
| OIL | 1967 | 98.8 | 80.1 | 95.0 | 90.3 | 89.9 | 62.5 | 57.8 | 66.7 | 59.1 | 83.7 | 85.3 | 84.2 | **7,776.0** |
| DAY | 1966 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | **1,374.0** |
| H2O | 1966 | 918.5 | 807.4 | 962.7 | 963.8 | 989.3 | 966.1 | 976.7 | 1005.5 | 963.5 | 909.5 | 940.6 | 973.4 | **23,748.4** |
| OIL | 1966 | 164.2 | 117.6 | 126.3 | 118.1 | 121.2 | 109.6 | 116.0 | 116.6 | 85.8 | 89.8 | 86.6 | 96.5 | **6,822.6** |
| DAY | 1965 | 23.0 | 28.0 | 30.0 | 25.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,013.0** |
| H2O | 1965 | 176.5 | 227.3 | 300.5 | 401.9 | 528.7 | 530.3 | 461.2 | 419.1 | 441.2 | 613.8 | 744.9 | 896.7 | **12,371.4** |
| OIL | 1965 | 73.1 | 81.2 | 90.1 | 67.5 | 99.5 | 101.1 | 92.5 | 91.2 | 84.9 | 119.5 | 167.0 | 169.2 | **5,474.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 28.0 | **664.0** |
| H2O | 1964 | 338.6 | 310.0 | 333.1 | 201.9 | 362.5 | 395.9 | 405.4 | 428.5 | 428.5 | 444.3 | 222.6 | 242.1 | **6,629.3** |
| OIL | 1964 | 192.3 | 171.5 | 217.4 | 161.8 | 144.8 | 158.1 | 163.7 | 156.7 | 157.6 | 153.2 | 103.5 | 103.5 | **4,237.5** |
| DAY | 1963 | 0.0 | 4.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **310.0** |
| H2O | 1963 | 0.0 | 3.2 | 24.6 | 68.4 | 130.4 | 312.4 | 324.3 | 314.8 | 297.3 | 360.9 | 337.0 | 342.6 | **2,515.9** |
| OIL | 1963 | 0.0 | 56.7 | 285.6 | 264.3 | 203.7 | 236.1 | 233.6 | 235.5 | 234.4 | 233.8 | 187.0 | 182.7 | **2,353.4** |

Licence ***1873*** Well Name ***Bralorne Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-20-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 16.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 20.0 | 0.0 | 0.0 | 0.0 | **892.0** |
| H2O | 1965 | 266.8 | 448.2 | 531.8 | 516.7 | 578.2 | 560.3 | 401.3 | 552.9 | 370.0 | 0.0 | 0.0 | 0.0 | **14,547.6** |
| OIL | 1965 | 21.1 | 36.1 | 43.1 | 36.7 | 22.6 | 20.8 | 16.5 | 18.9 | 6.5 | 0.0 | 0.0 | 0.0 | **2,079.0** |
| DAY | 1964 | 31.0 | 29.0 | 30.0 | 27.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **649.0** |
| H2O | 1964 | 523.1 | 471.4 | 486.8 | 472.2 | 499.2 | 497.6 | 510.4 | 515.1 | 433.2 | 488.9 | 498.4 | 497.3 | **10,321.4** |
| OIL | 1964 | 72.9 | 67.4 | 71.5 | 68.6 | 73.9 | 67.7 | 63.6 | 55.6 | 54.0 | 62.3 | 41.3 | 42.1 | **1,856.7** |
| DAY | 1963 | 0.0 | 0.0 | 23.0 | 24.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **288.0** |
| H2O | 1963 | 0.0 | 0.0 | 100.2 | 409.6 | 533.9 | 515.1 | 491.6 | 480.1 | 403.8 | 459.5 | 515.1 | 518.9 | **4,427.8** |
| OIL | 1963 | 0.0 | 0.0 | 137.0 | 78.3 | 141.9 | 117.3 | 118.2 | 117.4 | 106.5 | 133.5 | 93.9 | 71.8 | **1,115.8** |

Licence ***1877*** Well Name ***Souris Hartney Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-17-006-22W1.00*** Field Name ***Souris Hartney*** Pool Name ***Lodgepole Virden A*** Field Code ***10*** Pool Code ***53A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,442.0** |
| H2O | 1975 | 170.6 | 150.6 | 162.8 | 153.6 | 151.1 | 152.2 | 199.4 | 186.3 | 176.5 | 180.3 | 182.1 | 189.7 | **16,934.0** |
| OIL | 1975 | 51.2 | 32.4 | 58.8 | 45.3 | 42.7 | 47.0 | 65.1 | 70.6 | 66.6 | 71.7 | 57.5 | 67.5 | **17,135.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,078.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1877*** Well Name ***Souris Hartney Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-17-006-22W1.00*** Field Name ***Souris Hartney*** Pool Name ***Lodgepole Virden A*** Field Code ***10*** Pool Code ***53A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1974 | 210.0 | 197.0 | 30.5 | 184.6 | 175.4 | 173.6 | 128.8 | 175.7 | 163.5 | 175.5 | 170.4 | 182.1 | **14,878.8** |
| OIL | 1974 | 76.1 | 64.5 | 10.8 | 58.5 | 52.6 | 51.8 | 36.9 | 52.6 | 51.3 | 54.7 | 48.5 | 55.8 | **16,458.8** |
| DAY | 1973 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 27.0 | 28.0 | **3,723.0** |
| H2O | 1973 | 103.3 | 90.3 | 103.1 | 98.4 | 98.3 | 90.9 | 89.7 | 94.6 | 88.6 | 167.7 | 168.5 | 176.5 | **12,911.7** |
| OIL | 1973 | 101.7 | 83.4 | 97.2 | 90.7 | 89.9 | 83.3 | 71.7 | 81.8 | 75.2 | 65.0 | 58.2 | 64.4 | **15,844.7** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 27.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,367.0** |
| H2O | 1972 | 102.5 | 100.0 | 107.1 | 103.1 | 91.9 | 102.1 | 110.9 | 109.5 | 105.3 | 107.5 | 106.6 | 106.9 | **11,541.8** |
| OIL | 1972 | 106.3 | 98.8 | 104.4 | 95.7 | 83.7 | 93.8 | 115.2 | 113.0 | 125.9 | 91.0 | 104.6 | 106.1 | **14,882.2** |
| DAY | 1971 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,007.0** |
| H2O | 1971 | 98.3 | 76.8 | 96.8 | 94.9 | 99.7 | 100.9 | 103.6 | 103.4 | 98.4 | 103.6 | 97.3 | 101.8 | **10,288.4** |
| OIL | 1971 | 123.1 | 101.4 | 119.3 | 112.0 | 110.0 | 109.2 | 114.4 | 112.2 | 106.9 | 111.5 | 104.4 | 108.2 | **13,643.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 24.0 | 24.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,645.0** |
| H2O | 1970 | 241.9 | 209.1 | 225.9 | 81.9 | 80.6 | 102.1 | 106.1 | 103.6 | 87.8 | 105.0 | 93.8 | 90.5 | **9,112.9** |
| OIL | 1970 | 126.6 | 112.2 | 125.5 | 104.6 | 95.0 | 117.4 | 124.4 | 120.4 | 111.9 | 132.1 | 118.7 | 119.7 | **12,311.1** |
| DAY | 1969 | 31.0 | 26.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,296.0** |
| H2O | 1969 | 80.1 | 60.4 | 73.5 | 90.3 | 224.4 | 217.9 | 219.0 | 214.5 | 214.2 | 243.8 | 236.1 | 240.7 | **7,584.6** |
| OIL | 1969 | 64.5 | 39.6 | 57.2 | 81.7 | 170.1 | 162.8 | 157.6 | 152.2 | 123.1 | 134.4 | 129.8 | 131.4 | **10,902.6** |
| DAY | 1968 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | **1,939.0** |
| H2O | 1968 | 95.4 | 87.5 | 84.1 | 88.7 | 87.3 | 88.7 | 94.1 | 97.3 | 88.4 | 78.2 | 72.8 | 84.6 | **5,469.7** |
| OIL | 1968 | 82.5 | 71.8 | 72.8 | 76.0 | 76.3 | 73.3 | 75.3 | 74.2 | 70.4 | 67.5 | 67.4 | 58.2 | **9,498.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 20.0 | 26.0 | 30.0 | 27.0 | **1,579.0** |
| H2O | 1967 | 117.7 | 103.7 | 114.7 | 97.8 | 105.0 | 100.5 | 107.4 | 116.8 | 64.9 | 84.1 | 90.0 | 77.1 | **4,422.6** |
| OIL | 1967 | 164.7 | 149.9 | 159.0 | 129.1 | 134.4 | 123.3 | 125.5 | 103.1 | 62.3 | 79.3 | 86.9 | 69.6 | **8,632.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 24.0 | 24.0 | 25.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **1,235.0** |
| H2O | 1966 | 100.5 | 81.9 | 88.4 | 85.1 | 133.2 | 93.2 | 123.4 | 124.2 | 115.7 | 115.2 | 99.5 | 114.9 | **3,242.9** |
| OIL | 1966 | 129.4 | 163.3 | 182.0 | 151.5 | 197.9 | 162.0 | 193.0 | 201.8 | 181.2 | 180.3 | 145.8 | 160.6 | **7,245.4** |
| DAY | 1965 | 29.0 | 28.0 | 27.0 | 27.0 | 27.0 | 30.0 | 27.0 | 30.0 | 29.0 | 30.0 | 27.0 | 31.0 | **892.0** |
| H2O | 1965 | 74.4 | 83.3 | 73.0 | 80.3 | 91.6 | 103.6 | 84.1 | 94.1 | 124.9 | 136.1 | 109.8 | 149.0 | **1,967.7** |
| OIL | 1965 | 187.6 | 182.0 | 164.7 | 165.8 | 144.7 | 187.4 | 165.0 | 186.3 | 183.0 | 185.0 | 135.8 | 153.6 | **5,196.6** |
| DAY | 1964 | 31.0 | 29.0 | 28.0 | 27.0 | 25.0 | 27.0 | 31.0 | 28.0 | 24.0 | 31.0 | 26.0 | 30.0 | **550.0** |
| H2O | 1964 | 29.4 | 37.2 | 23.9 | 16.2 | 46.0 | 53.1 | 57.7 | 77.3 | 58.2 | 83.2 | 65.8 | 68.1 | **763.5** |
| OIL | 1964 | 134.7 | 117.3 | 148.0 | 101.9 | 155.7 | 151.5 | 184.9 | 168.3 | 133.9 | 178.8 | 142.2 | 156.3 | **3,155.7** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 5.0 | 9.0 | 28.0 | 29.0 | 30.0 | 29.0 | 26.0 | 26.0 | 31.0 | **213.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 1.3 | 1.9 | 7.8 | 6.0 | 22.3 | 35.9 | 31.5 | 24.0 | 16.7 | **147.4** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 67.1 | 38.9 | 139.9 | 167.4 | 216.4 | 219.4 | 196.5 | 205.7 | 130.9 | **1,382.2** |

Licence ***1879*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-03-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,052.0** |
| H2O | 1975 | 304.9 | 277.9 | 312.6 | 302.9 | 300.9 | 300.5 | 301.1 | 19.6 | 19.2 | 20.7 | 20.7 | 21.0 | **18,414.2** |
| OIL | 1975 | 30.4 | 26.5 | 29.6 | 28.0 | 27.3 | 27.7 | 28.6 | 4.0 | 4.0 | 4.1 | 3.8 | 4.0 | **2,400.4** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,688.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 311.4 | 319.9 | 293.5 | 285.2 | 301.3 | 300.5 | 300.5 | **16,212.2** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.1 | 30.7 | 30.5 | 28.9 | 30.7 | 29.2 | 30.2 | **2,182.4** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 6.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 23.0 | 0.0 | **3,474.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 8.3 | 40.4 | 40.2 | 40.1 | 43.1 | 42.3 | 37.2 | 26.5 | 0.0 | **14,099.9** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.8 | 4.1 | 4.1 | 4.3 | 4.4 | 4.3 | 4.1 | 3.2 | 0.0 | **1,973.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **3,262.0** |
| H2O | 1972 | 299.8 | 285.1 | 320.7 | 285.5 | 49.6 | 46.3 | 54.8 | 52.0 | 52.0 | 40.5 | 0.0 | 0.0 | **13,821.8** |
| OIL | 1972 | 17.6 | 16.0 | 17.8 | 17.0 | 26.5 | 23.8 | 26.4 | 26.9 | 25.7 | 4.3 | 0.0 | 0.0 | **1,943.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1879*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-03-012-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 5.0 | 31.0 | 20.0 | 22.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **2,959.0** |
| H2O | 1971 | 282.8 | 250.6 | 295.2 | 49.3 | 296.7 | 197.1 | 207.0 | 282.2 | 242.3 | 276.6 | 259.8 | 319.1 | **12,335.5** |
| OIL | 1971 | 19.5 | 16.8 | 19.1 | 3.0 | 18.4 | 12.1 | 13.0 | 18.1 | 17.2 | 18.3 | 16.8 | 17.8 | **1,741.8** |
| DAY | 1970 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | **2,640.0** |
| H2O | 1970 | 297.3 | 296.3 | 310.3 | 286.5 | 294.9 | 299.4 | 267.6 | 301.7 | 290.1 | 289.8 | 263.4 | 305.4 | **9,376.8** |
| OIL | 1970 | 17.8 | 17.2 | 18.6 | 18.0 | 18.4 | 18.1 | 18.3 | 18.0 | 17.6 | 18.1 | 17.2 | 18.8 | **1,551.7** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,280.0** |
| H2O | 1969 | 116.9 | 106.0 | 95.5 | 101.6 | 107.6 | 107.0 | 110.7 | 116.5 | 44.4 | 43.4 | 298.7 | 325.3 | **5,874.1** |
| OIL | 1969 | 19.4 | 17.0 | 18.1 | 18.4 | 18.3 | 18.4 | 18.4 | 19.2 | 4.4 | 4.3 | 18.8 | 19.5 | **1,335.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 22.0 | 30.0 | 30.0 | 31.0 | **1,921.0** |
| H2O | 1968 | 328.1 | 311.6 | 331.0 | 113.0 | 118.3 | 108.1 | 116.9 | 106.7 | 77.3 | 108.9 | 104.9 | 111.3 | **4,300.5** |
| OIL | 1968 | 33.5 | 30.7 | 32.9 | 16.8 | 17.0 | 16.7 | 19.4 | 19.4 | 13.3 | 18.9 | 18.9 | 19.4 | **1,141.4** |
| DAY | 1967 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,564.0** |
| H2O | 1967 | 9.9 | 8.6 | 10.3 | 9.7 | 9.5 | 8.3 | 7.2 | 9.5 | 8.3 | 9.1 | 288.1 | 340.4 | **2,364.4** |
| OIL | 1967 | 4.4 | 4.3 | 4.8 | 4.4 | 4.6 | 4.0 | 4.6 | 4.6 | 4.4 | 4.6 | 30.4 | 33.4 | **884.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 30.0 | **1,204.0** |
| H2O | 1966 | 72.5 | 57.9 | 73.9 | 75.7 | 85.4 | 13.5 | 15.4 | 15.1 | 16.4 | 8.9 | 9.5 | 10.5 | **1,645.5** |
| OIL | 1966 | 9.4 | 8.1 | 9.1 | 8.9 | 9.2 | 20.0 | 23.8 | 23.7 | 23.0 | 4.0 | 4.1 | 4.6 | **776.0** |
| DAY | 1965 | 3.0 | 26.0 | 28.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **848.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 74.7 | 76.0 | **1,190.8** |
| OIL | 1965 | 1.9 | 17.5 | 18.0 | 17.0 | 19.9 | 19.9 | 20.3 | 20.5 | 19.5 | 19.7 | 9.1 | 9.4 | **628.1** |
| DAY | 1964 | 31.0 | 28.0 | 31.0 | 29.0 | 3.0 | 30.0 | 31.0 | 30.0 | 29.0 | 23.0 | 30.0 | 31.0 | **520.0** |
| H2O | 1964 | 74.9 | 83.0 | 60.4 | 54.2 | 6.8 | 43.6 | 57.1 | 65.5 | 44.2 | 0.0 | 0.0 | 0.0 | **1,040.1** |
| OIL | 1964 | 24.0 | 18.4 | 22.6 | 21.6 | 1.7 | 21.0 | 22.2 | 22.7 | 22.6 | 14.3 | 19.1 | 20.5 | **435.4** |
| DAY | 1963 | 0.0 | 0.0 | 11.0 | 19.0 | 14.0 | 0.0 | 14.0 | 31.0 | 25.0 | 20.0 | 29.0 | 31.0 | **194.0** |
| H2O | 1963 | 0.0 | 0.0 | 47.9 | 61.0 | 35.8 | 0.0 | 27.5 | 45.5 | 35.3 | 60.1 | 152.4 | 84.9 | **550.4** |
| OIL | 1963 | 0.0 | 0.0 | 13.0 | 17.2 | 9.7 | 0.0 | 12.2 | 34.3 | 32.4 | 26.5 | 35.1 | 24.3 | **204.7** |

Licence ***1880*** Well Name ***Texaco Souris*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-16-006-22W1.00*** Field Name ***Souris Hartney*** Pool Name ***Lodgepole Virden A*** Field Code ***10*** Pool Code ***53A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 9.0 | 9.0 | 21.0 | 20.0 | 31.0 | 30.0 | 31.0 | 20.0 | 0.0 | **171.0** |
| H2O | 1963 | 0.0 | 0.0 | 30.7 | 7.5 | 83.0 | 176.8 | 98.9 | 245.6 | 225.6 | 160.7 | 134.6 | 0.0 | **1,163.4** |
| OIL | 1963 | 0.0 | 0.0 | 31.1 | 19.9 | 20.2 | 25.3 | 23.4 | 21.5 | 15.1 | 14.6 | 18.0 | 0.0 | **189.1** |

Licence ***1881*** Well Name ***Texaco Souris*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-08-006-22W1.00*** Field Name ***Souris Hartney*** Pool Name ***Lodgepole Virden A*** Field Code ***10*** Pool Code ***53A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 24.0 | 10.0 | 20.0 | 15.0 | 30.0 | 26.0 | 27.0 | 6.0 | 0.0 | **158.0** |
| H2O | 1963 | 0.0 | 0.0 | 2.9 | 49.3 | 14.0 | 72.2 | 66.6 | 70.4 | 63.8 | 42.6 | 31.2 | 0.0 | **413.0** |
| OIL | 1963 | 0.0 | 0.0 | 7.5 | 38.6 | 17.0 | 17.6 | 13.5 | 20.5 | 13.3 | 12.6 | 5.1 | 0.0 | **145.7** |

Licence ***1882*** Well Name ***Souris Hartney Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-17-006-22W1.00*** Field Name ***Souris Hartney*** Pool Name ***Lodgepole Virden A*** Field Code ***10*** Pool Code ***53A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 27.0 | 30.0 | 31.0 | 29.0 | 31.0 | **4,331.0** |
| H2O | 1975 | 194.9 | 172.0 | 186.0 | 175.5 | 175.1 | 171.7 | 210.0 | 200.3 | 226.7 | 231.7 | 234.0 | 243.9 | **22,791.8** |
| OIL | 1975 | 47.0 | 29.9 | 54.0 | 41.5 | 39.9 | 42.9 | 55.1 | 39.1 | 44.2 | 47.7 | 38.3 | 44.8 | **16,569.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **3,973.0** |
| H2O | 1974 | 210.0 | 196.8 | 407.7 | 210.7 | 200.3 | 198.4 | 147.2 | 200.7 | 186.7 | 200.3 | 194.6 | 159.8 | **20,370.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1882*** Well Name ***Souris Hartney Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-17-006-22W1.00*** Field Name ***Souris Hartney*** Pool Name ***Lodgepole Virden A*** Field Code ***10*** Pool Code ***53A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1974 | 60.2 | 51.0 | 106.9 | 53.7 | 48.1 | 47.7 | 33.8 | 48.3 | 47.2 | 50.4 | 44.7 | 39.4 | **16,045.1** |
| DAY | 1973 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | **3,622.0** |
| H2O | 1973 | 205.3 | 179.8 | 204.8 | 195.7 | 195.1 | 180.5 | 169.0 | 187.9 | 175.7 | 122.6 | 187.3 | 195.4 | **17,856.8** |
| OIL | 1973 | 43.4 | 35.6 | 41.5 | 38.6 | 38.5 | 35.6 | 29.1 | 35.0 | 32.1 | 37.7 | 51.2 | 56.6 | **15,413.7** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 29.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **3,268.0** |
| H2O | 1972 | 213.1 | 208.1 | 222.8 | 214.3 | 198.9 | 218.8 | 220.4 | 217.8 | 202.2 | 212.9 | 211.8 | 212.4 | **15,657.7** |
| OIL | 1972 | 68.2 | 63.2 | 66.7 | 61.2 | 55.8 | 62.0 | 49.3 | 48.1 | 52.0 | 38.6 | 44.7 | 45.3 | **14,938.8** |
| DAY | 1971 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,908.0** |
| H2O | 1971 | 204.3 | 152.5 | 201.0 | 197.2 | 206.9 | 218.8 | 217.4 | 215.4 | 204.8 | 215.4 | 202.2 | 211.9 | **13,104.2** |
| OIL | 1971 | 78.8 | 62.0 | 76.4 | 71.7 | 70.4 | 73.1 | 74.0 | 71.8 | 68.5 | 71.5 | 66.9 | 69.3 | **14,283.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 20.0 | 24.0 | 25.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,547.0** |
| H2O | 1970 | 167.1 | 144.5 | 156.0 | 126.1 | 149.0 | 151.7 | 196.7 | 191.8 | 202.9 | 218.5 | 193.7 | 188.1 | **10,656.4** |
| OIL | 1970 | 114.4 | 101.4 | 113.3 | 65.3 | 71.3 | 70.7 | 93.6 | 90.7 | 79.6 | 84.5 | 75.3 | 76.7 | **13,429.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,204.0** |
| H2O | 1969 | 160.0 | 154.9 | 190.8 | 215.0 | 161.5 | 167.0 | 174.6 | 173.8 | 156.0 | 168.5 | 163.0 | 166.3 | **8,570.3** |
| OIL | 1969 | 114.6 | 123.3 | 153.2 | 201.2 | 118.9 | 120.9 | 121.9 | 119.7 | 117.4 | 121.4 | 117.3 | 118.5 | **12,392.5** |
| DAY | 1968 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,844.0** |
| H2O | 1968 | 180.6 | 165.5 | 159.0 | 167.7 | 165.2 | 167.7 | 156.1 | 194.5 | 176.6 | 156.3 | 152.6 | 169.0 | **6,518.9** |
| OIL | 1968 | 155.9 | 135.9 | 137.8 | 144.0 | 144.1 | 138.4 | 111.1 | 131.4 | 124.6 | 120.0 | 124.9 | 103.1 | **10,844.2** |
| DAY | 1967 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 28.0 | 31.0 | 22.0 | 20.0 | 31.0 | 27.0 | 27.0 | **1,488.0** |
| H2O | 1967 | 138.6 | 122.1 | 122.0 | 194.3 | 193.7 | 173.8 | 199.1 | 134.8 | 111.8 | 166.3 | 153.4 | 145.6 | **4,508.1** |
| OIL | 1967 | 169.1 | 154.0 | 147.5 | 202.3 | 196.1 | 168.6 | 183.5 | 130.9 | 117.7 | 173.0 | 147.9 | 131.6 | **9,273.0** |
| DAY | 1966 | 31.0 | 15.0 | 14.0 | 22.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,154.0** |
| H2O | 1966 | 79.3 | 37.2 | 34.2 | 106.1 | 122.4 | 109.9 | 119.9 | 120.7 | 112.4 | 111.6 | 133.7 | 135.3 | **2,652.6** |
| OIL | 1966 | 197.7 | 94.2 | 89.0 | 141.9 | 165.4 | 184.5 | 180.8 | 188.9 | 169.9 | 168.9 | 172.6 | 164.8 | **7,350.8** |
| DAY | 1965 | 26.0 | 26.0 | 29.0 | 9.0 | 27.0 | 30.0 | 20.0 | 30.0 | 30.0 | 31.0 | 25.0 | 20.0 | **831.0** |
| H2O | 1965 | 98.9 | 119.4 | 145.0 | 21.1 | 72.0 | 81.7 | 63.3 | 124.8 | 0.0 | 0.0 | 74.9 | 75.8 | **1,429.9** |
| OIL | 1965 | 176.9 | 184.6 | 226.4 | 62.4 | 163.8 | 212.1 | 127.1 | 188.9 | 190.4 | 183.8 | 181.1 | 151.6 | **5,432.2** |
| DAY | 1964 | 31.0 | 29.0 | 28.0 | 28.0 | 25.0 | 28.0 | 31.0 | 25.0 | 24.0 | 28.0 | 21.0 | 20.0 | **528.0** |
| H2O | 1964 | 51.7 | 67.7 | 37.7 | 33.1 | 24.0 | 27.8 | 28.8 | 24.0 | 20.4 | 26.4 | 60.6 | 52.5 | **553.0** |
| OIL | 1964 | 194.5 | 174.9 | 156.7 | 167.5 | 165.6 | 162.1 | 187.3 | 166.7 | 149.2 | 180.0 | 151.0 | 138.7 | **3,383.1** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 3.0 | 9.0 | 28.0 | 30.0 | 30.0 | 29.0 | 26.0 | 26.0 | 29.0 | **210.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.8 | 2.2 | 3.2 | 6.5 | 11.4 | 18.3 | 0.0 | 27.8 | 28.1 | **98.3** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 38.3 | 67.1 | 191.3 | 150.0 | 208.2 | 217.1 | 178.1 | 158.1 | 180.7 | **1,388.9** |

Licence ***1883*** Well Name ***Texaco Souris*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-16-006-22W1.00*** Field Name ***Souris Hartney*** Pool Name ***Lodgepole Virden A*** Field Code ***10*** Pool Code ***53A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 23.0 | 13.0 | 16.0 | 15.0 | 23.0 | 30.0 | 16.0 | 15.0 | 0.0 | **151.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 37.4 | 10.3 | 8.1 | 5.4 | 9.2 | 4.8 | 211.4 | 249.0 | 0.0 | **535.6** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 17.5 | 19.1 | 7.3 | 7.0 | 9.2 | 9.7 | 1.8 | 0.0 | 0.0 | **71.6** |

Licence ***1884*** Well Name ***Souris Hartney Unit No. 1 SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-16-006-22W1.00*** Field Name ***Souris Hartney*** Pool Name ***Lodgepole Virden A*** Field Code ***10*** Pool Code ***53A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 9.0 | 13.0 | 13.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **719.0** |
| H2O | 1966 | 14.1 | 11.9 | 16.0 | 55.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **492.7** |
| OIL | 1966 | 8.3 | 10.0 | 9.6 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **452.7** |
| DAY | 1965 | 22.0 | 17.0 | 17.0 | 15.0 | 16.0 | 15.0 | 17.0 | 15.0 | 23.0 | 18.0 | 17.0 | 14.0 | **681.0** |
| H2O | 1965 | 7.3 | 12.9 | 5.7 | 33.9 | 10.2 | 23.2 | 6.8 | 21.6 | 10.3 | 13.7 | 23.4 | 32.3 | **395.6** |
| OIL | 1965 | 8.4 | 17.5 | 11.1 | 21.6 | 9.9 | 10.8 | 19.9 | 19.9 | 14.8 | 12.9 | 11.9 | 14.9 | **424.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1884*** Well Name ***Souris Hartney Unit No. 1 SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-16-006-22W1.00*** Field Name ***Souris Hartney*** Pool Name ***Lodgepole Virden A*** Field Code ***10*** Pool Code ***53A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 15.0 | 13.0 | 16.0 | 15.0 | 31.0 | 30.0 | 31.0 | **475.0** |
| H2O | 1964 | 14.1 | 15.1 | 10.0 | 15.4 | 9.5 | 9.1 | 6.5 | 12.4 | 21.9 | 4.8 | 4.9 | 9.1 | **194.3** |
| OIL | 1964 | 13.7 | 14.3 | 15.9 | 14.8 | 10.2 | 9.1 | 10.8 | 18.3 | 14.8 | 9.1 | 8.6 | 8.9 | **250.6** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 20.0 | 26.0 | 28.0 | 31.0 | 30.0 | 31.0 | **175.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.5 | 6.0 | 8.4 | 8.7 | 7.5 | 14.5 | 11.9 | **61.5** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.5 | 15.9 | 14.5 | 14.5 | 14.6 | 17.8 | 15.3 | **102.1** |

UWI ***100.04-16-006-22W1.02*** Field Name ***Souris Hartney*** Pool Name ***Lodgepole Crinoidal*** Field Code ***10*** Pool Code ***55*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1079.3 | 965.1 | 1049.7 | 981.3 | 1052.6 | 963.5 | 1042.2 | 1001.7 | 1003.8 | 1007.1 | 1001.9 | 1068.0 | **116,177.6** |
| WIN | 1974 | 975.3 | 811.4 | 872.1 | 819.7 | 819.2 | 829.4 | 785.1 | 878.3 | 1270.2 | 839.7 | 992.2 | 1063.1 | **103,961.4** |
| WIN | 1973 | 923.5 | 819.3 | 916.3 | 852.4 | 832.4 | 833.3 | 783.2 | 862.6 | 811.1 | 767.9 | 889.4 | 1119.2 | **93,005.7** |
| WIN | 1972 | 977.1 | 929.4 | 990.2 | 950.2 | 844.0 | 948.8 | 988.7 | 984.2 | 938.7 | 957.2 | 941.6 | 949.9 | **82,595.1** |
| WIN | 1971 | 994.2 | 798.8 | 1006.0 | 969.4 | 924.1 | 987.9 | 1019.5 | 919.8 | 965.4 | 1005.0 | 962.7 | 963.9 | **71,195.1** |
| WIN | 1970 | 1055.9 | 921.4 | 1007.7 | 657.4 | 840.2 | 952.4 | 1042.7 | 1019.5 | 961.0 | 1031.7 | 942.7 | 952.4 | **59,678.4** |
| WIN | 1969 | 845.1 | 780.6 | 934.9 | 994.9 | 906.5 | 965.9 | 1069.7 | 936.8 | 1228.4 | 1169.1 | 1040.5 | 1055.8 | **48,293.4** |
| WIN | 1968 | 893.7 | 791.6 | 822.7 | 841.4 | 804.5 | 864.0 | 866.2 | 885.0 | 829.7 | 824.1 | 784.5 | 860.2 | **36,365.2** |
| WIN | 1967 | 674.4 | 603.2 | 653.9 | 645.5 | 650.7 | 602.6 | 681.6 | 666.2 | 674.1 | 871.6 | 834.1 | 815.4 | **26,297.6** |
| WIN | 1966 | 558.8 | 409.9 | 460.4 | 605.1 | 592.6 | 340.1 | 384.4 | 741.8 | 739.6 | 788.6 | 677.9 | 722.8 | **17,924.3** |
| WIN | 1965 | 436.7 | 326.4 | 444.9 | 363.6 | 439.6 | 631.0 | 375.7 | 448.2 | 472.8 | 486.4 | 597.0 | 808.7 | **10,902.3** |
| WIN | 1964 | 247.2 | 263.3 | 238.6 | 205.7 | 151.0 | 267.9 | 301.1 | 274.3 | 321.3 | 401.6 | 353.9 | 395.9 | **5,071.3** |
| WIN | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 288.4 | 530.2 | 589.9 | 241.0 | **1,649.5** |

Licence ***1885*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-10-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,946.0** |
| H2O | 1975 | 15.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **26,794.9** |
| OIL | 1975 | 33.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,039.9** |
| DAY | 1974 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | **3,915.0** |
| H2O | 1974 | 14.1 | 13.0 | 14.6 | 14.6 | 13.2 | 15.4 | 15.3 | 15.9 | 14.8 | 14.9 | 14.8 | 15.4 | **26,779.5** |
| OIL | 1974 | 28.3 | 25.9 | 29.1 | 29.4 | 33.7 | 31.8 | 31.3 | 32.6 | 32.9 | 31.9 | 31.5 | 34.0 | **7,006.4** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | **3,554.0** |
| H2O | 1973 | 18.4 | 18.0 | 18.3 | 16.2 | 17.5 | 14.1 | 14.8 | 15.9 | 13.4 | 13.5 | 13.7 | 15.3 | **26,603.5** |
| OIL | 1973 | 27.8 | 26.1 | 29.9 | 28.8 | 30.0 | 34.2 | 33.8 | 30.4 | 29.1 | 30.5 | 31.6 | 30.4 | **6,634.0** |
| DAY | 1972 | 19.0 | 0.0 | 11.0 | 30.0 | 31.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **3,196.0** |
| H2O | 1972 | 5.6 | 0.0 | 3.0 | 13.5 | 13.8 | 13.2 | 9.5 | 14.1 | 17.2 | 18.3 | 16.4 | 17.6 | **26,414.4** |
| OIL | 1972 | 20.7 | 0.0 | 12.6 | 36.9 | 39.6 | 36.4 | 25.4 | 38.3 | 26.5 | 28.6 | 24.3 | 27.8 | **6,271.4** |
| DAY | 1971 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | 31.0 | 25.0 | 16.0 | 30.0 | 31.0 | **2,899.0** |
| H2O | 1971 | 64.2 | 65.2 | 8.9 | 8.4 | 8.9 | 8.6 | 7.3 | 8.7 | 6.5 | 4.1 | 8.3 | 9.2 | **26,272.2** |
| OIL | 1971 | 56.4 | 57.2 | 34.2 | 33.1 | 33.2 | 31.6 | 25.7 | 33.1 | 26.5 | 15.9 | 29.1 | 34.3 | **5,954.3** |
| DAY | 1970 | 31.0 | 27.0 | 29.0 | 30.0 | 29.0 | 28.0 | 31.0 | 31.0 | 30.0 | 10.0 | 8.0 | 31.0 | **2,564.0** |
| H2O | 1970 | 64.9 | 60.4 | 57.2 | 55.6 | 69.2 | 66.9 | 74.6 | 69.6 | 72.2 | 19.4 | 19.2 | 72.8 | **26,063.9** |
| OIL | 1970 | 49.3 | 42.9 | 49.1 | 47.7 | 66.6 | 60.4 | 66.6 | 61.8 | 63.1 | 16.8 | 15.4 | 68.6 | **5,544.0** |
| DAY | 1969 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 27.0 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,249.0** |
| H2O | 1969 | 78.7 | 73.1 | 64.5 | 67.7 | 69.3 | 68.2 | 63.0 | 64.4 | 64.4 | 66.8 | 65.2 | 64.9 | **25,361.9** |
| OIL | 1969 | 38.1 | 35.6 | 31.1 | 49.7 | 51.3 | 52.4 | 47.2 | 48.9 | 48.9 | 54.2 | 52.0 | 54.2 | **4,935.7** |
| DAY | 1968 | 30.0 | 29.0 | 31.0 | 30.0 | 28.0 | 29.0 | 31.0 | 29.0 | 28.0 | 30.0 | 29.0 | 30.0 | **1,896.0** |
| H2O | 1968 | 172.8 | 139.6 | 143.4 | 143.1 | 136.7 | 120.8 | 124.0 | 112.1 | 95.4 | 76.3 | 74.7 | 77.9 | **24,551.7** |
| OIL | 1968 | 39.4 | 55.3 | 59.1 | 57.2 | 46.1 | 64.5 | 69.0 | 64.5 | 44.5 | 38.1 | 36.9 | 38.8 | **4,372.1** |
| DAY | 1967 | 31.0 | 28.0 | 27.0 | 23.0 | 31.0 | 30.0 | 30.0 | 28.0 | 23.0 | 18.0 | 29.0 | 31.0 | **1,542.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1885*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-10-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1967 | 626.4 | 578.7 | 429.2 | 508.7 | 712.2 | 715.4 | 643.9 | 658.2 | 546.9 | 429.2 | 417.3 | 190.8 | **23,134.9** |
| OIL | 1967 | 73.9 | 66.7 | 34.3 | 29.2 | 39.4 | 36.5 | 28.6 | 20.7 | 18.3 | 27.0 | 46.1 | 49.3 | **3,758.7** |
| DAY | 1966 | 3.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,213.0** |
| H2O | 1966 | 52.5 | 364.1 | 427.5 | 431.9 | 473.8 | 458.7 | 445.9 | 447.1 | 426.1 | 419.7 | 436.4 | 603.3 | **16,678.0** |
| OIL | 1966 | 9.5 | 39.7 | 52.4 | 53.2 | 62.0 | 55.6 | 57.5 | 56.6 | 48.3 | 48.3 | 50.1 | 51.6 | **3,288.7** |
| DAY | 1965 | 19.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **878.0** |
| H2O | 1965 | 295.7 | 302.9 | 331.5 | 369.6 | 236.9 | 238.5 | 243.2 | 243.2 | 227.3 | 230.4 | 331.3 | 532.6 | **11,691.0** |
| OIL | 1965 | 30.2 | 35.0 | 38.3 | 38.1 | 59.1 | 61.0 | 62.6 | 60.2 | 57.0 | 73.9 | 68.6 | 96.1 | **2,703.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 26.0 | 30.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 26.0 | **529.0** |
| H2O | 1964 | 448.3 | 449.9 | 456.3 | 339.4 | 492.8 | 476.9 | 523.7 | 524.0 | 573.3 | 636.9 | 541.5 | 545.5 | **8,107.9** |
| OIL | 1964 | 93.9 | 99.8 | 114.4 | 98.4 | 96.1 | 95.3 | 89.3 | 88.7 | 90.3 | 80.2 | 63.6 | 52.4 | **2,023.8** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 17.0 | **177.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.6 | 66.0 | 295.7 | 381.6 | 533.4 | 540.5 | 276.6 | **2,099.4** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 56.6 | 240.4 | 211.4 | 140.6 | 133.3 | 115.1 | 64.0 | **961.4** |

Licence ***1887*** Well Name ***Centoba Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-15-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,768.0** |
| OIL | 1975 | 57.6 | 49.8 | 58.5 | 54.2 | 57.7 | 56.4 | 57.4 | 59.1 | 55.8 | 58.2 | 57.2 | 58.3 | **7,289.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,403.0** |
| OIL | 1974 | 54.2 | 50.2 | 53.1 | 52.9 | 54.5 | 53.3 | 54.4 | 52.1 | 54.5 | 56.8 | 54.9 | 56.9 | **6,609.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,042.0** |
| OIL | 1973 | 49.9 | 45.0 | 51.2 | 50.2 | 54.2 | 54.5 | 51.7 | 52.0 | 43.7 | 53.1 | 51.7 | 52.3 | **5,961.4** |
| DAY | 1972 | 31.0 | 28.0 | 31.0 | 0.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,679.0** |
| OIL | 1972 | 52.9 | 47.5 | 52.8 | 48.0 | 49.9 | 49.4 | 51.7 | 49.0 | 48.8 | 51.4 | 48.8 | 49.0 | **5,351.9** |
| DAY | 1971 | 29.0 | 25.0 | 28.0 | 25.0 | 30.0 | 27.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,347.0** |
| OIL | 1971 | 49.0 | 42.9 | 49.9 | 44.7 | 44.2 | 47.5 | 49.4 | 46.9 | 42.4 | 55.3 | 50.9 | 53.1 | **4,752.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 28.0 | 29.0 | 28.0 | 28.0 | 27.0 | 31.0 | **2,000.0** |
| OIL | 1970 | 54.2 | 59.5 | 46.7 | 51.7 | 61.8 | 36.2 | 51.5 | 50.6 | 50.7 | 49.8 | 43.7 | 50.4 | **4,176.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 11.0 | 30.0 | 30.0 | 31.0 | **1,652.0** |
| OIL | 1969 | 131.5 | 56.3 | 62.6 | 59.6 | 56.8 | 57.9 | 58.5 | 54.9 | 20.2 | 86.5 | 56.1 | 62.8 | **3,569.7** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 30.0 | 0.0 | 30.0 | 31.0 | 30.0 | 0.0 | **1,310.0** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 36.7 | 58.8 | 56.1 | 59.6 | 80.4 | 65.2 | 0.0 | **2,806.0** |
| DAY | 1966 | 22.0 | 24.0 | 31.0 | 23.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 6.0 | **1,171.0** |
| OIL | 1966 | 44.7 | 70.0 | 76.8 | 52.4 | 61.7 | 64.3 | 63.3 | 60.0 | 44.1 | 62.2 | 57.9 | 5.0 | **2,449.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 29.0 | 29.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | **853.0** |
| OIL | 1965 | 59.4 | 52.8 | 59.7 | 61.1 | 45.5 | 55.2 | 62.7 | 59.4 | 60.3 | 57.5 | 54.1 | 66.4 | **1,786.8** |
| DAY | 1964 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **499.0** |
| H2O | 1964 | 6.7 | 6.8 | 7.6 | 6.0 | 8.7 | 11.4 | 10.2 | 10.0 | 7.2 | 8.1 | 0.8 | 0.0 | **96.7** |
| OIL | 1964 | 61.7 | 57.0 | 60.0 | 55.2 | 59.5 | 49.2 | 62.5 | 55.9 | 52.7 | 48.7 | 47.6 | 56.5 | **1,092.7** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 27.0 | 25.0 | 26.0 | 31.0 | **136.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.1 | 4.2 | 4.9 | **13.2** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 102.3 | 73.2 | 72.6 | 98.9 | 79.2 | **426.2** |

Licence ***1891*** Well Name ***Enerplus Scallion WSW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.06-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Devonian Undifferentiated*** Field Code ***5*** Pool Code ***78*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1975 | 18169.5 | 18169.5 | 18169.3 | 20642.1 | 20642.1 | 20642.3 | 21001.9 | 21001.9 | 21001.9 | 21604.3 | 21604.3 | 21604.3 | **3,135,278.2** |
| H2O | 1974 | 19301.8 | 19301.8 | 19301.8 | 19841.7 | 19841.5 | 19841.5 | 20715.3 | 20715.3 | 20715.3 | 21596.3 | 21596.3 | 21596.3 | **2,891,024.8** |
| H2O | 1973 | 18234.2 | 16469.6 | 18234.2 | 17646.0 | 18234.2 | 17646.0 | 18234.2 | 18234.2 | 17646.0 | 18234.2 | 17646.0 | 18234.2 | **2,646,659.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1891*** Well Name ***Enerplus Scallion WSW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.06-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Devonian Undifferentiated*** Field Code ***5*** Pool Code ***78*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1972 | 19712.9 | 17805.2 | 19712.9 | 19077.0 | 19712.9 | 19077.0 | 19712.9 | 19712.9 | 19077.0 | 19712.9 | 19077.0 | 19712.9 | **2,431,966.9** |
| H2O | 1971 | 19712.9 | 17805.2 | 19712.9 | 19077.0 | 19712.9 | 19077.0 | 19712.9 | 19712.9 | 19077.0 | 19712.9 | 19077.0 | 19712.9 | **2,199,863.4** |
| H2O | 1970 | 21191.6 | 19140.8 | 21191.6 | 20508.0 | 21191.6 | 20508.0 | 21191.6 | 21191.6 | 20508.0 | 21191.6 | 20508.0 | 21191.6 | **1,967,759.9** |
| H2O | 1969 | 12710.0 | 12710.0 | 12710.0 | 12710.0 | 12710.0 | 12710.0 | 12710.0 | 12710.0 | 12710.0 | 12710.0 | 12710.0 | 12710.0 | **1,718,245.9** |
| H2O | 1968 | 20205.8 | 18250.4 | 20205.8 | 19554.0 | 20205.8 | 19554.0 | 20205.8 | 20205.8 | 19554.0 | 20205.8 | 19554.0 | 20205.8 | **1,565,725.9** |
| H2O | 1967 | 22177.4 | 20031.2 | 22177.4 | 21462.0 | 22177.4 | 21462.0 | 22177.4 | 22177.4 | 21462.0 | 22177.4 | 21462.0 | 22177.4 | **1,327,818.9** |
| H2O | 1966 | 29570.9 | 26709.2 | 29570.9 | 28617.0 | 29570.9 | 28617.0 | 29570.9 | 29570.9 | 28617.0 | 29570.9 | 28617.0 | 29570.9 | **1,066,697.9** |
| H2O | 1965 | 29570.9 | 26709.2 | 29570.9 | 28617.0 | 29570.9 | 28617.0 | 29570.9 | 29570.9 | 28617.0 | 29570.9 | 28617.0 | 29570.9 | **718,524.4** |
| H2O | 1964 | 29570.9 | 26709.2 | 29570.9 | 28617.0 | 29570.9 | 28617.0 | 29570.9 | 29570.9 | 28617.0 | 29570.9 | 28617.0 | 29570.9 | **370,350.9** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22177.4 | **22,177.4** |

Licence ***1892*** Well Name ***Souris Hartney Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-17-006-22W1.00*** Field Name ***Souris Hartney*** Pool Name ***Lodgepole Virden A*** Field Code ***10*** Pool Code ***53A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,370.0** |
| H2O | 1975 | 212.9 | 195.1 | 212.9 | 199.7 | 199.4 | 183.1 | 181.6 | 170.4 | 183.9 | 173.8 | 174.5 | 164.7 | **20,742.2** |
| OIL | 1975 | 72.5 | 66.4 | 72.1 | 71.2 | 73.1 | 70.9 | 72.9 | 72.9 | 72.5 | 71.7 | 65.5 | 70.1 | **11,452.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 21.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,007.0** |
| H2O | 1974 | 213.5 | 194.5 | 227.6 | 209.7 | 206.8 | 201.6 | 164.4 | 197.8 | 190.4 | 196.7 | 229.4 | 217.6 | **18,490.2** |
| OIL | 1974 | 74.5 | 65.0 | 73.6 | 70.4 | 72.9 | 69.4 | 50.7 | 76.6 | 71.8 | 69.9 | 71.0 | 69.8 | **10,601.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | **3,653.0** |
| H2O | 1973 | 156.6 | 144.7 | 160.6 | 163.3 | 146.6 | 165.0 | 186.1 | 171.6 | 167.8 | 169.6 | 186.6 | 206.7 | **16,040.2** |
| OIL | 1973 | 78.0 | 70.7 | 77.5 | 76.8 | 67.5 | 67.4 | 71.7 | 72.5 | 69.8 | 65.6 | 69.0 | 75.8 | **9,765.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 25.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,295.0** |
| H2O | 1972 | 132.0 | 129.5 | 133.3 | 161.1 | 133.3 | 159.3 | 157.1 | 162.2 | 156.0 | 160.8 | 156.0 | 163.9 | **14,015.0** |
| OIL | 1972 | 79.3 | 73.1 | 79.0 | 79.8 | 67.5 | 75.0 | 74.7 | 80.9 | 74.4 | 77.9 | 73.7 | 77.9 | **8,903.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,936.0** |
| H2O | 1971 | 163.0 | 153.6 | 170.5 | 160.1 | 161.1 | 167.2 | 153.8 | 158.9 | 136.9 | 150.4 | 149.3 | 131.2 | **12,210.5** |
| OIL | 1971 | 81.7 | 75.0 | 76.3 | 85.2 | 81.4 | 78.5 | 81.2 | 81.4 | 71.5 | 80.6 | 79.9 | 86.1 | **7,990.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 18.0 | 22.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 28.0 | 31.0 | **2,572.0** |
| H2O | 1970 | 173.1 | 144.5 | 155.4 | 84.5 | 138.2 | 174.8 | 173.5 | 176.1 | 166.7 | 156.1 | 147.1 | 155.8 | **10,354.5** |
| OIL | 1970 | 70.6 | 72.6 | 83.3 | 48.8 | 65.8 | 81.0 | 83.9 | 78.2 | 78.8 | 76.8 | 77.5 | 89.0 | **7,031.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,233.0** |
| H2O | 1969 | 141.8 | 128.9 | 151.3 | 141.7 | 141.1 | 145.0 | 175.4 | 126.5 | 149.6 | 149.4 | 169.1 | 172.2 | **8,508.7** |
| OIL | 1969 | 81.0 | 72.1 | 80.6 | 71.5 | 78.2 | 78.3 | 80.4 | 73.1 | 83.3 | 82.2 | 78.8 | 93.4 | **6,124.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,876.0** |
| H2O | 1968 | 167.0 | 139.1 | 160.9 | 162.0 | 136.9 | 166.6 | 162.0 | 140.2 | 139.6 | 145.3 | 116.1 | 147.5 | **6,716.7** |
| OIL | 1968 | 76.8 | 72.9 | 77.2 | 76.0 | 79.9 | 74.8 | 76.8 | 68.0 | 64.0 | 72.9 | 59.9 | 81.2 | **5,172.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,511.0** |
| H2O | 1967 | 162.6 | 152.1 | 168.1 | 159.0 | 157.5 | 154.2 | 163.3 | 154.8 | 143.6 | 173.0 | 159.1 | 179.5 | **4,933.5** |
| OIL | 1967 | 74.5 | 66.6 | 72.1 | 72.6 | 74.2 | 70.6 | 74.5 | 75.5 | 69.9 | 73.6 | 65.5 | 83.0 | **4,291.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 17.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,147.0** |
| H2O | 1966 | 118.0 | 45.5 | 83.3 | 76.6 | 101.9 | 95.4 | 56.1 | 144.8 | 157.9 | 141.5 | 157.7 | 166.3 | **3,006.7** |
| OIL | 1966 | 37.3 | 33.8 | 43.1 | 38.6 | 39.6 | 38.8 | 31.1 | 86.9 | 76.6 | 69.0 | 70.1 | 75.5 | **3,419.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **799.0** |
| H2O | 1965 | 35.1 | 21.0 | 42.8 | 56.8 | 62.3 | 132.9 | 37.8 | 43.9 | 58.8 | 71.9 | 101.3 | 154.2 | **1,661.7** |
| OIL | 1965 | 92.8 | 76.0 | 84.2 | 74.8 | 69.4 | 55.1 | 62.6 | 55.9 | 61.3 | 63.2 | 58.2 | 38.1 | **2,778.6** |
| DAY | 1964 | 7.0 | 26.0 | 31.0 | 30.0 | 31.0 | 23.0 | 27.0 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | **438.0** |
| H2O | 1964 | 13.7 | 40.7 | 56.4 | 56.4 | 35.3 | 54.2 | 44.7 | 85.5 | 68.0 | 86.3 | 44.2 | 53.4 | **842.9** |
| OIL | 1964 | 40.2 | 142.5 | 152.2 | 139.3 | 123.3 | 74.5 | 103.9 | 95.2 | 82.3 | 88.2 | 76.9 | 72.8 | **1,987.0** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 31.0 | 30.0 | 31.0 | **117.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1892*** Well Name ***Souris Hartney Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-17-006-22W1.00*** Field Name ***Souris Hartney*** Pool Name ***Lodgepole Virden A*** Field Code ***10*** Pool Code ***53A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 39.1 | 35.1 | 57.7 | 72.2 | **204.1** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 190.6 | 236.6 | 197.3 | 171.2 | **795.7** |

Licence ***1893*** Well Name ***R.B. Exp. Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-20-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 26.0 | 0.0 | 0.0 | 0.0 | **746.0** |
| H2O | 1965 | 409.1 | 378.4 | 418.9 | 400.7 | 353.0 | 203.3 | 58.8 | 54.2 | 39.8 | 0.0 | 0.0 | 0.0 | **6,593.7** |
| OIL | 1965 | 17.5 | 48.9 | 54.2 | 57.7 | 43.5 | 44.0 | 24.3 | 24.2 | 7.1 | 0.0 | 0.0 | 0.0 | **1,642.9** |
| DAY | 1964 | 30.0 | 27.0 | 30.0 | 30.0 | 26.0 | 30.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **478.0** |
| H2O | 1964 | 206.5 | 244.7 | 330.2 | 387.9 | 203.7 | 231.6 | 227.8 | 380.9 | 370.4 | 369.7 | 370.4 | 409.6 | **4,277.5** |
| OIL | 1964 | 66.7 | 103.0 | 88.7 | 64.2 | 48.6 | 35.3 | 46.4 | 52.8 | 12.6 | 30.7 | 18.1 | 19.4 | **1,321.5** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 29.0 | 31.0 | 29.0 | 31.0 | **129.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 130.1 | 171.7 | 242.3 | **544.1** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 47.2 | 182.9 | 194.8 | 162.2 | 147.9 | **735.0** |

Licence ***1894*** Well Name ***South Central Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-17-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **337.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 94.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **694.1** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **528.9** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 1.0 | 31.0 | 30.0 | 14.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **325.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 3.3 | 56.8 | 54.9 | 27.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **599.2** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.5 | 45.6 | 35.5 | 15.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **526.2** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 15.0 | 0.0 | **249.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 20.5 | 49.3 | 58.8 | 60.9 | 63.8 | 67.7 | 32.9 | 0.0 | **457.2** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 24.3 | 55.0 | 45.3 | 40.4 | 36.4 | 34.5 | 15.1 | 0.0 | **429.5** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 31.0 | 20.0 | 0.0 | **70.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.7 | 54.7 | 35.9 | 0.0 | **103.3** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 74.9 | 66.9 | 36.7 | 0.0 | **178.5** |

Licence ***1895*** Well Name ***Bralorne Pascar W.Routledge Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***102.04-10-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 0.0 | 26.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **136.0** |
| H2O | 1964 | 0.0 | 620.0 | 513.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,359.6** |
| OIL | 1964 | 0.0 | 123.2 | 71.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **396.6** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 31.0 | 30.0 | 7.0 | **79.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.9 | 457.9 | 578.7 | 187.6 | **1,226.1** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 35.1 | 89.8 | 71.2 | 5.6 | **201.7** |

Licence ***1896*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-32-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 27.0 | 29.0 | 30.0 | 31.0 | **4,422.0** |
| H2O | 1975 | 588.2 | 502.5 | 548.0 | 546.4 | 514.0 | 569.6 | 639.6 | 633.5 | 538.0 | 534.3 | 519.1 | 545.0 | **38,618.2** |
| OIL | 1975 | 45.9 | 41.3 | 44.0 | 44.5 | 19.7 | 21.6 | 25.1 | 24.3 | 32.6 | 36.9 | 37.0 | 38.8 | **10,421.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 18.0 | 28.0 | 30.0 | 30.0 | 31.0 | **4,065.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1896*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-32-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1974 | 358.2 | 322.6 | 358.8 | 339.1 | 255.2 | 293.8 | 258.5 | 167.4 | 356.6 | 399.2 | 601.4 | 591.4 | **31,940.0** |
| OIL | 1974 | 15.9 | 14.1 | 15.7 | 15.3 | 17.2 | 16.4 | 14.1 | 9.2 | 46.6 | 50.1 | 46.1 | 46.9 | **10,009.5** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **3,720.0** |
| H2O | 1973 | 286.8 | 278.7 | 271.2 | 246.9 | 265.0 | 264.1 | 294.1 | 337.4 | 290.5 | 287.1 | 312.2 | 363.7 | **27,637.8** |
| OIL | 1973 | 51.8 | 48.8 | 51.6 | 41.5 | 43.4 | 41.3 | 42.9 | 40.8 | 28.6 | 14.5 | 16.2 | 15.9 | **9,701.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,361.0** |
| H2O | 1972 | 284.6 | 263.4 | 278.9 | 265.3 | 272.5 | 270.6 | 278.9 | 284.4 | 261.7 | 278.4 | 271.1 | 274.6 | **24,140.1** |
| OIL | 1972 | 68.6 | 64.2 | 67.7 | 61.0 | 63.7 | 61.0 | 61.3 | 63.6 | 45.6 | 49.4 | 48.5 | 51.6 | **9,264.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,996.0** |
| H2O | 1971 | 303.8 | 263.7 | 266.9 | 294.9 | 322.4 | 298.4 | 317.2 | 298.6 | 271.2 | 245.6 | 255.5 | 283.5 | **20,855.7** |
| OIL | 1971 | 52.1 | 45.3 | 59.8 | 52.1 | 67.5 | 52.3 | 53.7 | 53.9 | 52.0 | 62.5 | 58.8 | 69.4 | **8,558.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,634.0** |
| H2O | 1970 | 209.1 | 178.1 | 194.8 | 168.7 | 299.0 | 296.3 | 309.1 | 285.1 | 292.7 | 298.6 | 281.6 | 300.0 | **17,434.0** |
| OIL | 1970 | 26.4 | 23.5 | 33.5 | 50.1 | 56.6 | 52.6 | 54.2 | 49.6 | 49.9 | 50.5 | 44.7 | 55.5 | **7,879.0** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,270.0** |
| H2O | 1969 | 246.4 | 222.6 | 238.5 | 238.5 | 246.4 | 238.5 | 246.4 | 246.4 | 238.5 | 279.0 | 236.1 | 247.2 | **14,320.9** |
| OIL | 1969 | 50.9 | 39.3 | 38.9 | 32.6 | 43.4 | 41.8 | 42.7 | 39.4 | 37.7 | 34.3 | 31.3 | 27.0 | **7,331.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,907.0** |
| H2O | 1968 | 221.8 | 207.5 | 221.8 | 214.6 | 221.8 | 207.5 | 221.8 | 245.0 | 238.5 | 248.3 | 238.5 | 246.4 | **11,396.4** |
| OIL | 1968 | 38.0 | 31.9 | 34.6 | 28.1 | 28.1 | 27.0 | 29.7 | 47.7 | 71.8 | 58.5 | 54.5 | 51.8 | **6,872.6** |
| DAY | 1967 | 31.0 | 28.0 | 30.0 | 23.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,544.0** |
| H2O | 1967 | 204.6 | 179.8 | 175.0 | 197.1 | 264.2 | 252.8 | 252.5 | 236.6 | 225.6 | 229.2 | 209.9 | 220.0 | **8,662.9** |
| OIL | 1967 | 69.1 | 59.1 | 67.7 | 67.1 | 85.5 | 71.5 | 74.7 | 72.5 | 73.1 | 68.8 | 51.8 | 41.5 | **6,370.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | **1,190.0** |
| H2O | 1966 | 172.5 | 155.8 | 172.5 | 159.8 | 170.6 | 214.6 | 203.3 | 195.2 | 201.0 | 224.0 | 211.3 | 209.1 | **6,015.6** |
| OIL | 1966 | 106.9 | 93.4 | 103.5 | 95.5 | 85.8 | 95.3 | 101.4 | 99.8 | 81.5 | 93.9 | 79.6 | 77.2 | **5,568.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **834.0** |
| H2O | 1965 | 184.4 | 130.7 | 138.0 | 130.5 | 138.0 | 133.5 | 140.5 | 157.4 | 152.6 | 157.7 | 157.2 | 172.5 | **3,725.9** |
| OIL | 1965 | 120.8 | 83.3 | 83.7 | 75.3 | 85.5 | 85.8 | 87.4 | 83.6 | 90.6 | 93.6 | 108.2 | 108.9 | **4,454.7** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 31.0 | **470.0** |
| H2O | 1964 | 73.9 | 69.2 | 150.2 | 95.4 | 124.8 | 119.2 | 169.3 | 202.7 | 216.5 | 203.5 | 190.8 | 195.5 | **1,932.9** |
| OIL | 1964 | 292.7 | 266.0 | 232.2 | 202.5 | 224.9 | 197.0 | 197.0 | 183.4 | 179.6 | 166.9 | 153.0 | 139.2 | **3,348.0** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 25.0 | 30.0 | 31.0 | **109.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.5 | 8.3 | 36.2 | 73.9 | **121.9** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 116.0 | 223.1 | 278.9 | 295.6 | **913.6** |

Licence ***1897*** Well Name ***Bralorne Virden Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***102.01-29-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole*** Field Code ***5*** Pool Code ***59*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1966 | 3101.9 | 2940.0 | 3372.8 | 2089.0 | 1402.2 | 1516.0 | 1527.0 | 1055.4 | 994.4 | 1084.7 | 228.9 | 58.8 | **92,494.6** |
| WIN | 1965 | 2975.8 | 3340.0 | 3931.3 | 3796.6 | 4077.6 | 4465.3 | 4074.6 | 4691.7 | 2738.2 | 5196.3 | 4026.8 | 3109.8 | **73,123.5** |
| WIN | 1964 | 0.0 | 1396.8 | 2299.4 | 2194.6 | 2277.4 | 2328.8 | 2450.6 | 2395.5 | 2378.5 | 2679.4 | 3180.6 | 3117.9 | **26,699.5** |

Licence ***1899*** Well Name ***Kiwi Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-20-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 2704.1 | 2186.2 | 2699.8 | 2591.3 | 1514.8 | 2309.4 | 1679.2 | 0.0 | 1701.1 | 2626.3 | 2560.7 | 2592.3 | **284,861.6** |
| WIN | 1974 | 2900.6 | 2484.2 | 2633.5 | 2005.9 | 691.8 | 970.5 | 2632.8 | 2377.9 | 2558.7 | 2784.0 | 2749.1 | 2593.9 | **259,696.4** |
| WIN | 1973 | 2640.8 | 2431.1 | 2780.7 | 2715.8 | 2739.7 | 2537.9 | 2540.9 | 2508.0 | 2513.9 | 2589.1 | 2615.2 | 2610.3 | **232,313.5** |
| WIN | 1972 | 3036.2 | 2699.1 | 607.8 | 0.0 | 0.0 | 0.0 | 1330.0 | 2181.2 | 2360.1 | 2601.7 | 2370.8 | 2708.5 | **201,090.1** |
| WIN | 1971 | 2795.3 | 2687.7 | 2874.0 | 2841.9 | 2861.3 | 2979.0 | 2846.2 | 2656.5 | 2996.0 | 3099.5 | 2886.7 | 3022.8 | **181,194.7** |

# Manitoba Production
## 1950 To 1975

Licence ***1899*** Well Name ***Kiwi Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-20-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1970 | 2696.0 | 2482.9 | 2614.5 | 2628.4 | 2710.6 | 2690.7 | 2537.3 | 2833.8 | 2845.9 | 2909.5 | 2784.5 | 2969.6 | **146,647.8** |
| WIN | 1969 | 2654.9 | 2403.7 | 2510.3 | 1881.7 | 2612.0 | 2718.5 | 2883.1 | 1836.2 | 2647.0 | 2828.9 | 2757.5 | 1929.7 | **113,944.1** |
| WIN | 1968 | 1610.9 | 1507.3 | 1616.8 | 1543.1 | 1609.4 | 1552.8 | 1467.1 | 4378.4 | 5114.4 | 3700.3 | 2837.6 | 2845.7 | **84,280.6** |
| WIN | 1967 | 1636.5 | 1389.8 | 1549.6 | 1487.3 | 1771.0 | 1752.6 | 1877.3 | 1868.8 | 1594.1 | 1113.5 | 1370.7 | 1648.8 | **54,496.8** |
| WIN | 1966 | 1025.7 | 876.1 | 1066.1 | 1413.5 | 1530.8 | 1506.8 | 1510.8 | 1609.8 | 2121.8 | 1723.0 | 1668.0 | 1663.9 | **35,436.8** |
| WIN | 1965 | 1081.3 | 1122.7 | 1126.0 | 1097.7 | 1080.9 | 1095.0 | 810.6 | 776.2 | 865.8 | 997.7 | 1012.0 | 1050.5 | **17,720.5** |
| WIN | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 925.7 | 929.0 | 907.7 | 967.7 | 919.5 | 954.5 | **5,604.1** |

Licence ***1900*** Well Name ***Beaverhead Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-20-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 8.0 | **1,805.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 162.3 | 47.2 | **37,373.2** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 3.0 | **4,794.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 21.0 | 26.0 | 27.0 | 8.0 | 12.0 | 0.0 | **1,778.0** |
| H2O | 1968 | 820.1 | 773.6 | 840.6 | 801.3 | 835.4 | 803.7 | 693.3 | 3382.6 | 3295.2 | 989.6 | 101.8 | 0.0 | **37,163.7** |
| OIL | 1968 | 19.7 | 21.9 | 24.2 | 19.9 | 24.5 | 22.7 | 14.6 | 29.1 | 21.5 | 9.4 | 10.2 | 0.0 | **4,785.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 13.0 | 31.0 | **1,502.0** |
| H2O | 1967 | 862.4 | 716.3 | 792.6 | 761.9 | 893.9 | 861.5 | 925.0 | 942.9 | 798.1 | 738.9 | 335.5 | 839.5 | **23,826.5** |
| OIL | 1967 | 25.6 | 22.9 | 25.0 | 27.7 | 32.1 | 30.7 | 32.9 | 28.9 | 29.7 | 16.9 | 8.6 | 22.1 | **4,568.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,158.0** |
| H2O | 1966 | 574.7 | 491.6 | 672.0 | 672.3 | 742.4 | 724.9 | 776.3 | 806.5 | 857.0 | 885.1 | 834.6 | 837.8 | **14,358.0** |
| OIL | 1966 | 57.4 | 52.9 | 63.1 | 34.2 | 30.4 | 24.0 | 20.5 | 20.4 | 20.2 | 21.1 | 23.1 | 25.3 | **4,265.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **800.0** |
| H2O | 1965 | 268.1 | 169.2 | 187.3 | 214.6 | 207.0 | 295.0 | 302.5 | 295.6 | 478.6 | 568.8 | 570.5 | 586.9 | **5,482.8** |
| OIL | 1965 | 128.0 | 75.7 | 83.8 | 81.1 | 83.8 | 32.3 | 34.5 | 34.3 | 60.7 | 65.3 | 56.3 | 61.1 | **3,872.5** |
| DAY | 1964 | 31.0 | 20.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **436.0** |
| H2O | 1964 | 54.2 | 50.9 | 254.3 | 109.7 | 109.7 | 109.7 | 90.6 | 93.6 | 90.6 | 134.3 | 104.8 | 136.3 | **1,338.7** |
| OIL | 1964 | 315.0 | 198.5 | 279.0 | 219.3 | 174.6 | 162.1 | 162.1 | 167.5 | 162.1 | 162.7 | 128.7 | 128.0 | **3,075.6** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 30.0 | 31.0 | **81.0** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 200.7 | 319.2 | 296.1 | **816.0** |

Licence ***1901*** Well Name ***Souris Hartney Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-17-006-22W1.00*** Field Name ***Souris Hartney*** Pool Name ***Lodgepole Virden A*** Field Code ***10*** Pool Code ***53A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **4,088.0** |
| H2O | 1975 | 243.9 | 215.3 | 232.8 | 219.6 | 218.9 | 224.8 | 275.8 | 266.3 | 251.9 | 257.6 | 225.6 | 271.1 | **31,706.5** |
| OIL | 1975 | 17.2 | 10.8 | 19.7 | 15.1 | 14.5 | 16.4 | 21.0 | 23.5 | 22.2 | 24.0 | 16.8 | 22.6 | **6,527.4** |
| DAY | 1974 | 9.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 19.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **3,728.0** |
| H2O | 1974 | 87.1 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 166.5 | 250.8 | 233.4 | 247.2 | 243.4 | 243.3 | **28,802.9** |
| OIL | 1974 | 7.3 | 0.0 | 0.0 | 0.0 | 0.0 | 1.7 | 11.1 | 17.6 | 17.2 | 18.1 | 16.2 | 17.5 | **6,303.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | 31.0 | 30.0 | 26.0 | 28.0 | 31.0 | **3,546.0** |
| H2O | 1973 | 302.9 | 270.1 | 302.2 | 288.7 | 287.9 | 266.3 | 191.6 | 268.7 | 251.1 | 193.5 | 249.9 | 279.2 | **27,306.2** |
| OIL | 1973 | 18.3 | 15.4 | 17.5 | 16.4 | 16.2 | 15.1 | 9.9 | 14.8 | 13.5 | 17.6 | 20.2 | 23.8 | **6,196.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 27.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,196.0** |
| H2O | 1972 | 300.5 | 293.7 | 314.0 | 302.2 | 269.8 | 290.8 | 324.9 | 321.3 | 308.8 | 315.2 | 312.4 | 313.3 | **24,154.1** |
| OIL | 1972 | 19.1 | 17.8 | 18.8 | 17.2 | 15.1 | 16.5 | 20.7 | 20.3 | 22.7 | 16.4 | 18.8 | 19.1 | **5,998.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 24.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,837.0** |
| H2O | 1971 | 288.1 | 252.5 | 283.5 | 278.1 | 210.2 | 275.1 | 306.5 | 303.8 | 288.9 | 303.8 | 285.4 | 298.9 | **20,487.2** |
| OIL | 1971 | 22.1 | 20.5 | 21.5 | 20.2 | 14.3 | 18.4 | 20.8 | 20.2 | 19.2 | 20.0 | 18.8 | 19.5 | **5,775.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 23.0 | 24.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,482.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1901*** Well Name ***Souris Hartney Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-17-006-22W1.00*** Field Name ***Souris Hartney*** Pool Name ***Lodgepole Virden A*** Field Code ***10*** Pool Code ***53A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1970 | 246.3 | 213.0 | 229.9 | 229.7 | 235.9 | 299.5 | 311.6 | 303.8 | 257.3 | 308.1 | 277.0 | 265.2 | **17,112.4** |
| OIL | 1970 | 29.6 | 26.2 | 29.2 | 18.1 | 17.2 | 21.1 | 22.4 | 21.8 | 20.2 | 23.7 | 21.6 | 21.6 | **5,540.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 29.0 | 25.0 | 23.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,134.0** |
| H2O | 1969 | 235.8 | 228.5 | 289.2 | 306.4 | 212.7 | 189.7 | 257.3 | 243.7 | 245.2 | 248.3 | 240.4 | 245.2 | **13,935.1** |
| OIL | 1969 | 43.2 | 46.4 | 40.7 | 50.1 | 27.3 | 24.2 | 31.5 | 29.2 | 32.3 | 31.3 | 30.2 | 30.5 | **5,267.5** |
| DAY | 1968 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,785.0** |
| H2O | 1968 | 222.9 | 204.3 | 196.2 | 207.0 | 203.8 | 207.0 | 219.6 | 227.0 | 206.2 | 246.3 | 225.1 | 250.5 | **10,992.7** |
| OIL | 1968 | 55.0 | 48.0 | 48.6 | 50.9 | 50.9 | 48.8 | 50.4 | 49.4 | 46.9 | 48.3 | 47.0 | 39.1 | **4,850.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 29.0 | 28.0 | 31.0 | 29.0 | 27.0 | **1,422.0** |
| H2O | 1967 | 255.2 | 225.1 | 249.0 | 194.4 | 194.4 | 173.9 | 199.2 | 184.9 | 212.3 | 223.5 | 203.2 | 179.8 | **8,376.8** |
| OIL | 1967 | 75.5 | 68.8 | 72.9 | 42.1 | 41.0 | 35.1 | 38.3 | 37.3 | 49.1 | 51.2 | 56.1 | 46.6 | **4,267.3** |
| DAY | 1966 | 31.0 | 28.0 | 29.0 | 27.0 | 26.0 | 15.0 | 17.0 | 30.0 | 28.0 | 31.0 | 28.0 | 31.0 | **1,068.0** |
| H2O | 1966 | 215.6 | 203.3 | 206.2 | 242.8 | 240.2 | 130.7 | 153.1 | 273.5 | 246.6 | 265.8 | 232.0 | 249.3 | **5,881.9** |
| OIL | 1966 | 96.9 | 84.2 | 87.9 | 70.2 | 60.4 | 38.6 | 40.5 | 75.0 | 65.5 | 70.6 | 71.0 | 73.7 | **3,653.3** |
| DAY | 1965 | 26.0 | 26.0 | 29.0 | 25.0 | 26.0 | 30.0 | 27.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | **747.0** |
| H2O | 1965 | 109.4 | 131.6 | 137.4 | 147.2 | 171.9 | 204.1 | 158.5 | 173.3 | 233.1 | 254.1 | 237.1 | 320.2 | **3,222.8** |
| OIL | 1965 | 133.0 | 138.6 | 117.0 | 94.1 | 84.4 | 114.3 | 91.1 | 100.6 | 100.1 | 101.2 | 103.5 | 115.7 | **2,818.8** |
| DAY | 1964 | 31.0 | 29.0 | 29.0 | 26.0 | 27.0 | 26.0 | 31.0 | 22.0 | 24.0 | 31.0 | 26.0 | 30.0 | **409.0** |
| H2O | 1964 | 25.9 | 35.0 | 47.9 | 64.9 | 50.4 | 51.2 | 59.3 | 91.1 | 87.1 | 124.8 | 99.1 | 159.6 | **944.9** |
| OIL | 1964 | 142.2 | 131.9 | 70.2 | 73.1 | 29.7 | 25.4 | 33.1 | 98.5 | 99.6 | 133.0 | 91.8 | 153.2 | **1,525.2** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 27.0 | 29.0 | **77.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 14.6 | 14.0 | **48.6** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 192.6 | 121.1 | 129.8 | **443.5** |

Licence ***1902*** Well Name ***Kripa Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-06-009-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 15.0 | 31.0 | **4,309.0** |
| H2O | 1975 | 934.8 | 845.5 | 954.7 | 990.5 | 1016.7 | 968.9 | 1014.2 | 881.1 | 962.2 | 1114.5 | 428.3 | 937.9 | **65,622.8** |
| OIL | 1975 | 22.7 | 20.7 | 21.8 | 21.5 | 26.6 | 22.1 | 21.6 | 20.2 | 17.8 | 18.8 | 8.7 | 15.1 | **8,137.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,962.0** |
| H2O | 1974 | 885.9 | 695.6 | 792.6 | 741.7 | 644.7 | 529.9 | 612.3 | 928.5 | 907.0 | 917.5 | 856.1 | 928.2 | **54,573.5** |
| OIL | 1974 | 26.4 | 17.6 | 19.6 | 24.3 | 23.7 | 16.7 | 27.7 | 23.4 | 24.0 | 24.3 | 25.9 | 23.7 | **7,899.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,597.0** |
| H2O | 1973 | 993.2 | 814.8 | 928.5 | 920.9 | 1081.4 | 1095.6 | 1140.1 | 1088.1 | 1077.3 | 1000.0 | 890.3 | 899.1 | **45,133.5** |
| OIL | 1973 | 27.7 | 24.5 | 28.9 | 26.9 | 29.9 | 27.7 | 28.3 | 27.7 | 24.6 | 24.6 | 30.5 | 25.9 | **7,622.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,232.0** |
| H2O | 1972 | 960.3 | 921.3 | 997.6 | 947.6 | 947.4 | 960.4 | 951.5 | 987.3 | 996.1 | 1006.4 | 981.7 | 1041.1 | **33,204.2** |
| OIL | 1972 | 30.7 | 25.9 | 33.4 | 27.8 | 28.3 | 28.3 | 26.6 | 26.7 | 27.2 | 26.9 | 26.7 | 26.9 | **7,295.4** |
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 30.0 | 26.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,866.0** |
| H2O | 1971 | 487.0 | 644.7 | 743.9 | 953.1 | 736.3 | 635.9 | 740.9 | 734.5 | 829.1 | 910.2 | 868.9 | 1012.0 | **21,505.5** |
| OIL | 1971 | 24.8 | 29.1 | 28.5 | 30.7 | 22.7 | 21.6 | 30.2 | 29.6 | 27.5 | 31.0 | 27.8 | 29.9 | **6,960.0** |
| DAY | 1970 | 29.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | **2,511.0** |
| H2O | 1970 | 312.4 | 316.4 | 366.5 | 426.9 | 421.3 | 415.0 | 437.2 | 367.3 | 450.7 | 466.5 | 527.4 | 478.2 | **12,209.0** |
| OIL | 1970 | 28.5 | 31.6 | 32.4 | 34.0 | 33.4 | 33.5 | 33.1 | 32.6 | 30.0 | 29.7 | 33.7 | 32.1 | **6,626.6** |
| DAY | 1969 | 25.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 27.0 | 27.0 | 31.0 | **2,154.0** |
| H2O | 1969 | 163.7 | 169.3 | 214.6 | 218.6 | 212.2 | 190.0 | 198.7 | 233.7 | 186.8 | 170.9 | 269.5 | 341.0 | **7,223.2** |
| OIL | 1969 | 27.5 | 35.6 | 43.1 | 35.8 | 34.5 | 30.5 | 29.1 | 28.1 | 29.9 | 24.0 | 24.2 | 34.0 | **6,242.0** |
| DAY | 1968 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 28.0 | 29.0 | **1,807.0** |
| H2O | 1968 | 116.8 | 113.6 | 123.9 | 121.5 | 120.7 | 120.7 | 143.0 | 145.4 | 141.4 | 136.6 | 163.7 | 178.8 | **4,654.2** |
| OIL | 1968 | 23.4 | 21.9 | 21.8 | 21.1 | 21.1 | 20.7 | 22.4 | 21.0 | 17.6 | 17.8 | 23.5 | 22.7 | **5,865.7** |

# Manitoba Production
## 1950 To 1975

Licence ***1902*** Well Name ***Kripa Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-06-009-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,450.0** |
| H2O | 1967 | 123.1 | 99.6 | 117.2 | 121.8 | 107.1 | 133.6 | 104.4 | 120.7 | 116.8 | 114.4 | 111.2 | 119.1 | **3,028.1** |
| OIL | 1967 | 15.2 | 17.5 | 20.7 | 19.4 | 20.7 | 18.4 | 20.0 | 23.5 | 23.5 | 23.5 | 21.9 | 21.9 | **5,610.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **1,086.0** |
| H2O | 1966 | 86.5 | 59.2 | 73.8 | 64.1 | 87.8 | 95.3 | 96.6 | 98.5 | 101.0 | 126.5 | 105.9 | 113.3 | **1,639.1** |
| OIL | 1966 | 49.2 | 39.6 | 49.2 | 38.2 | 29.8 | 29.5 | 26.5 | 24.2 | 16.6 | 16.4 | 15.5 | 15.3 | **5,364.5** |
| DAY | 1965 | 29.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 29.0 | 29.0 | 26.0 | 31.0 | 30.0 | 30.0 | **725.0** |
| H2O | 1965 | 0.0 | 0.0 | 7.1 | 16.4 | 18.0 | 141.7 | 34.4 | 38.5 | 57.8 | 73.5 | 70.6 | 72.6 | **530.6** |
| OIL | 1965 | 257.0 | 215.0 | 196.9 | 165.2 | 157.9 | 79.6 | 150.3 | 41.6 | 50.0 | 45.4 | 47.6 | 47.9 | **5,014.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 9.0 | 10.0 | 18.0 | 31.0 | 31.0 | 27.0 | 29.0 | 30.0 | 31.0 | **373.0** |
| OIL | 1964 | 317.2 | 292.3 | 319.1 | 92.0 | 100.1 | 185.4 | 303.1 | 313.9 | 259.7 | 273.2 | 270.0 | 293.2 | **3,560.1** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 30.0 | 31.0 | **66.0** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 42.5 | 215.8 | 282.6 | **540.9** |

Licence ***1904*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-21-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 28.0 | 21.0 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,433.0** |
| H2O | 1971 | 4.6 | 4.1 | 3.0 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **800.0** |
| OIL | 1971 | 8.3 | 7.1 | 5.6 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,578.0** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 16.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,349.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 4.5 | 4.5 | 4.6 | 4.3 | 4.3 | 4.3 | 4.5 | 4.0 | **787.8** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 4.6 | 9.1 | 8.4 | 8.7 | 7.9 | 8.1 | 8.1 | 7.3 | 8.9 | **1,555.9** |
| DAY | 1969 | 29.0 | 28.0 | 31.0 | 30.0 | 2.0 | 0.0 | 24.0 | 31.0 | 26.0 | 26.0 | 0.0 | 0.0 | **2,088.0** |
| OIL | 1969 | 17.2 | 16.7 | 17.5 | 18.1 | 1.3 | 0.0 | 7.2 | 8.7 | 7.6 | 6.8 | 0.0 | 0.0 | **1,484.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 24.0 | 28.0 | 30.0 | **1,861.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 1.1 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **752.8** |
| OIL | 1968 | 8.7 | 9.7 | 9.2 | 16.2 | 18.6 | 19.2 | 19.9 | 19.4 | 18.8 | 14.1 | 17.8 | 18.6 | **1,383.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **1,505.0** |
| H2O | 1967 | 15.7 | 13.8 | 15.6 | 15.9 | 17.6 | 19.1 | 18.4 | 18.6 | 0.0 | 0.0 | 0.0 | 0.0 | **750.6** |
| OIL | 1967 | 20.7 | 18.9 | 20.5 | 20.5 | 24.8 | 23.5 | 23.7 | 9.1 | 7.9 | 9.1 | 8.9 | 8.4 | **1,193.5** |
| DAY | 1966 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,142.0** |
| H2O | 1966 | 21.0 | 19.9 | 16.4 | 16.7 | 17.2 | 16.4 | 19.2 | 16.9 | 15.9 | 16.7 | 15.6 | 15.7 | **615.9** |
| OIL | 1966 | 23.8 | 21.9 | 22.1 | 24.0 | 23.8 | 23.0 | 26.1 | 22.4 | 21.3 | 22.2 | 21.1 | 21.3 | **997.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **780.0** |
| H2O | 1965 | 19.7 | 17.5 | 20.7 | 17.5 | 14.9 | 17.0 | 18.0 | 15.6 | 18.8 | 22.7 | 21.3 | 20.7 | **408.3** |
| OIL | 1965 | 24.2 | 21.0 | 24.3 | 22.4 | 22.1 | 22.2 | 22.7 | 20.7 | 23.4 | 27.8 | 22.4 | 23.4 | **724.5** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | **421.0** |
| H2O | 1964 | 8.6 | 8.4 | 7.8 | 7.8 | 9.1 | 9.4 | 19.1 | 21.1 | 18.0 | 18.1 | 18.4 | 20.2 | **183.9** |
| OIL | 1964 | 37.0 | 40.4 | 37.2 | 37.0 | 39.3 | 39.7 | 24.5 | 24.9 | 20.0 | 23.5 | 23.4 | 23.7 | **447.9** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | **61.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.4 | 9.5 | **17.9** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 38.0 | 39.3 | **77.3** |

Licence ***1906*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-17-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,376.0** |
| H2O | 1975 | 904.0 | 764.7 | 830.5 | 831.5 | 850.1 | 790.1 | 1396.3 | 1454.3 | 1496.5 | 1537.3 | 1493.8 | 1595.4 | **72,455.4** |
| OIL | 1975 | 96.5 | 86.4 | 91.7 | 93.1 | 100.3 | 91.8 | 25.9 | 27.3 | 27.2 | 29.1 | 31.9 | 33.8 | **22,320.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **4,011.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1906*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-17-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1974 | 994.7 | 895.9 | 996.2 | 934.0 | 586.8 | 853.6 | 1018.7 | 906.7 | 822.7 | 899.8 | 904.9 | 899.8 | **58,510.9** |
| OIL | 1974 | 86.3 | 77.1 | 85.5 | 82.2 | 50.7 | 123.0 | 144.3 | 91.4 | 90.9 | 95.5 | 95.0 | 97.7 | **21,585.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,653.0** |
| H2O | 1973 | 1113.0 | 1081.1 | 1135.4 | 996.5 | 781.1 | 774.7 | 827.2 | 926.9 | 831.3 | 867.7 | 866.9 | 1009.8 | **47,797.1** |
| OIL | 1973 | 103.8 | 97.6 | 114.3 | 109.2 | 119.8 | 113.1 | 113.1 | 105.2 | 109.2 | 85.2 | 87.7 | 86.6 | **20,466.3** |
| DAY | 1972 | 31.0 | 28.0 | 29.0 | 28.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,288.0** |
| H2O | 1972 | 870.3 | 1114.3 | 1116.8 | 1041.5 | 1165.5 | 1018.4 | 876.9 | 931.6 | 1026.9 | 1077.7 | 990.3 | 1065.5 | **36,585.5** |
| OIL | 1972 | 97.9 | 85.8 | 92.3 | 81.5 | 96.1 | 81.0 | 80.2 | 86.6 | 97.7 | 104.2 | 91.4 | 103.6 | **19,221.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,928.0** |
| H2O | 1971 | 495.4 | 482.7 | 547.1 | 505.6 | 483.6 | 483.3 | 563.6 | 513.7 | 814.0 | 859.6 | 894.4 | 853.1 | **24,289.8** |
| OIL | 1971 | 92.0 | 79.8 | 90.6 | 86.8 | 78.3 | 77.5 | 87.6 | 85.2 | 88.5 | 89.5 | 84.2 | 97.4 | **18,123.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,568.0** |
| H2O | 1970 | 542.1 | 456.3 | 523.0 | 542.1 | 487.9 | 483.0 | 471.5 | 423.5 | 477.4 | 469.5 | 475.2 | 483.9 | **16,793.7** |
| OIL | 1970 | 106.8 | 92.8 | 104.7 | 100.1 | 99.5 | 92.5 | 89.1 | 79.5 | 88.0 | 85.8 | 81.4 | 96.6 | **17,085.8** |
| DAY | 1969 | 31.0 | 28.0 | 29.0 | 29.0 | 31.0 | 30.0 | 28.0 | 28.0 | 25.0 | 31.0 | 29.0 | 31.0 | **2,208.0** |
| H2O | 1969 | 394.3 | 311.6 | 322.7 | 324.3 | 346.6 | 334.7 | 311.6 | 311.6 | 278.2 | 345.0 | 316.4 | 346.6 | **10,958.3** |
| OIL | 1969 | 157.6 | 123.9 | 124.4 | 115.2 | 123.2 | 119.2 | 111.2 | 111.2 | 87.4 | 108.4 | 103.0 | 106.8 | **15,969.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 26.0 | 25.0 | 26.0 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | **1,858.0** |
| H2O | 1968 | 271.2 | 267.1 | 297.3 | 286.5 | 103.3 | 79.5 | 210.6 | 369.6 | 337.8 | 369.6 | 385.5 | 357.7 | **7,014.7** |
| OIL | 1968 | 144.0 | 124.4 | 133.0 | 128.1 | 62.0 | 43.7 | 119.8 | 197.0 | 184.3 | 197.0 | 181.2 | 155.7 | **14,577.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | **1,511.0** |
| H2O | 1967 | 97.0 | 111.3 | 246.4 | 262.3 | 280.6 | 300.5 | 299.7 | 292.5 | 315.4 | 257.5 | 239.4 | 267.1 | **3,679.0** |
| OIL | 1967 | 246.3 | 204.7 | 295.6 | 289.5 | 290.8 | 276.6 | 230.4 | 229.6 | 216.8 | 198.6 | 138.3 | 157.3 | **12,907.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,151.0** |
| H2O | 1966 | 19.1 | 17.8 | 19.7 | 19.1 | 19.1 | 23.8 | 75.5 | 23.8 | 50.9 | 66.8 | 99.4 | 100.2 | **709.3** |
| OIL | 1966 | 258.3 | 232.0 | 257.5 | 246.3 | 252.8 | 214.5 | 222.5 | 224.1 | 212.9 | 206.6 | 266.3 | 271.8 | **10,132.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **786.0** |
| H2O | 1965 | 10.3 | 9.5 | 10.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.5 | 81.1 | **174.1** |
| OIL | 1965 | 295.6 | 265.5 | 309.9 | 295.6 | 295.6 | 286.0 | 290.8 | 290.8 | 284.4 | 263.6 | 254.4 | 263.1 | **7,267.2** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **421.0** |
| H2O | 1964 | 4.9 | 3.7 | 5.1 | 3.2 | 0.0 | 4.6 | 3.3 | 4.5 | 4.0 | 4.0 | 4.0 | 7.2 | **53.4** |
| OIL | 1964 | 295.6 | 267.3 | 283.5 | 274.4 | 294.0 | 278.1 | 216.1 | 286.0 | 275.2 | 284.4 | 271.7 | 286.0 | **3,871.9** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 31.0 | **59.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.9 | **4.9** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 271.7 | 287.9 | **559.6** |

Licence ***1907*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-32-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,317.0** |
| H2O | 1975 | 525.3 | 448.6 | 489.2 | 487.9 | 545.9 | 519.2 | 608.4 | 602.7 | 613.0 | 639.6 | 576.0 | 605.1 | **42,822.5** |
| OIL | 1975 | 28.9 | 26.1 | 27.8 | 28.1 | 8.6 | 7.8 | 9.7 | 9.2 | 8.9 | 9.7 | 9.1 | 9.4 | **8,294.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 18.0 | 27.0 | 30.0 | 24.0 | 31.0 | **3,952.0** |
| H2O | 1974 | 278.4 | 250.7 | 278.5 | 263.6 | 139.4 | 171.7 | 170.6 | 94.8 | 457.4 | 531.6 | 413.8 | 518.8 | **36,161.6** |
| OIL | 1974 | 15.9 | 14.3 | 15.7 | 15.3 | 7.6 | 7.8 | 7.5 | 4.1 | 25.9 | 29.1 | 22.6 | 28.9 | **8,110.7** |
| DAY | 1973 | 31.0 | 28.0 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,612.0** |
| H2O | 1973 | 455.2 | 445.8 | 349.6 | 219.9 | 244.5 | 233.9 | 258.3 | 286.0 | 226.7 | 249.8 | 242.4 | 282.5 | **32,592.3** |
| OIL | 1973 | 51.5 | 48.8 | 38.9 | 88.0 | 95.0 | 86.6 | 89.8 | 82.5 | 80.9 | 16.0 | 16.0 | 16.0 | **7,916.0** |
| DAY | 1972 | 31.0 | 29.0 | 29.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 25.0 | 27.0 | 28.0 | 30.0 | **3,254.0** |
| H2O | 1972 | 161.5 | 149.6 | 475.2 | 483.5 | 455.6 | 463.1 | 462.9 | 470.7 | 401.4 | 432.6 | 404.8 | 425.1 | **29,097.7** |
| OIL | 1972 | 8.4 | 7.6 | 54.2 | 52.1 | 53.4 | 52.3 | 51.0 | 52.6 | 18.9 | 20.8 | 45.3 | 50.2 | **7,206.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1907*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-32-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 28.0 | 27.0 | 27.0 | 29.0 | 27.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,905.0** |
| H2O | 1971 | 523.4 | 454.5 | 448.6 | 434.5 | 482.3 | 408.9 | 487.4 | 459.1 | 417.2 | 126.1 | 143.7 | 161.0 | **24,311.7** |
| OIL | 1971 | 43.9 | 38.1 | 37.5 | 37.8 | 39.6 | 71.7 | 82.5 | 83.0 | 80.1 | 6.8 | 7.0 | 8.4 | **6,739.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 29.0 | 31.0 | **2,555.0** |
| H2O | 1970 | 145.5 | 133.5 | 152.6 | 153.4 | 142.4 | 140.2 | 147.2 | 136.9 | 139.3 | 127.3 | 134.2 | 142.9 | **19,765.0** |
| OIL | 1970 | 55.8 | 59.0 | 45.9 | 28.9 | 56.4 | 52.3 | 35.9 | 32.9 | 33.1 | 29.9 | 29.6 | 36.7 | **6,202.8** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **2,194.0** |
| H2O | 1969 | 394.3 | 356.1 | 381.6 | 381.6 | 394.3 | 381.6 | 381.6 | 367.2 | 333.9 | 254.1 | 143.4 | 148.8 | **18,069.6** |
| OIL | 1969 | 43.5 | 36.2 | 38.8 | 29.9 | 40.2 | 37.5 | 39.9 | 35.3 | 34.5 | 31.9 | 30.7 | 56.4 | **5,706.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,832.0** |
| H2O | 1968 | 320.3 | 299.7 | 320.3 | 310.0 | 320.3 | 299.7 | 320.3 | 318.8 | 286.2 | 305.9 | 381.6 | 372.0 | **14,151.1** |
| OIL | 1968 | 38.0 | 31.9 | 34.6 | 28.4 | 28.9 | 28.3 | 29.9 | 24.8 | 33.8 | 45.1 | 53.9 | 45.1 | **5,251.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 30.0 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,470.0** |
| H2O | 1967 | 194.1 | 178.1 | 192.7 | 186.0 | 166.9 | 376.5 | 429.2 | 397.1 | 329.1 | 361.2 | 340.4 | 323.7 | **10,296.0** |
| OIL | 1967 | 38.9 | 35.6 | 39.4 | 38.1 | 29.2 | 55.3 | 57.8 | 52.4 | 41.6 | 45.3 | 40.0 | 38.9 | **4,828.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,116.0** |
| H2O | 1966 | 211.9 | 191.4 | 213.8 | 194.1 | 227.3 | 263.9 | 271.1 | 253.6 | 181.6 | 205.1 | 199.7 | 198.4 | **6,821.0** |
| OIL | 1966 | 104.6 | 89.0 | 98.5 | 93.0 | 81.4 | 86.1 | 88.7 | 82.0 | 50.9 | 39.1 | 38.1 | 39.1 | **4,316.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 28.0 | 21.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **759.0** |
| H2O | 1965 | 240.1 | 192.4 | 197.1 | 186.5 | 134.3 | 100.2 | 54.4 | 242.0 | 205.1 | 211.9 | 203.2 | 211.9 | **4,209.1** |
| OIL | 1965 | 102.3 | 72.3 | 73.9 | 66.3 | 54.5 | 42.6 | 23.2 | 145.7 | 141.3 | 137.9 | 122.0 | 112.3 | **3,425.9** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 24.0 | 23.0 | 31.0 | 30.0 | 31.0 | **409.0** |
| H2O | 1964 | 98.6 | 92.2 | 110.0 | 135.9 | 137.5 | 143.1 | 143.1 | 92.2 | 203.5 | 250.4 | 238.5 | 244.8 | **2,030.0** |
| OIL | 1964 | 211.5 | 238.4 | 215.8 | 141.4 | 151.0 | 153.8 | 125.2 | 86.0 | 136.0 | 162.4 | 129.2 | 118.1 | **2,331.6** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 30.0 | 30.0 | **61.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 44.8 | 95.4 | **140.2** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.8 | 254.6 | 203.4 | **462.8** |

Licence ***1908*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-09-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 18.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 3.0 | 0.0 | **3,340.0** |
| H2O | 1975 | 435.9 | 373.3 | 419.7 | 379.5 | 212.6 | 480.9 | 610.0 | 534.6 | 587.3 | 525.6 | 55.3 | 0.0 | **23,659.1** |
| OIL | 1975 | 21.1 | 19.1 | 21.0 | 24.2 | 14.3 | 13.5 | 24.6 | 24.3 | 23.2 | 13.5 | 1.3 | 0.0 | **3,548.0** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,049.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 95.9 | 450.4 | 514.0 | 502.4 | 475.8 | 448.0 | 402.2 | 435.3 | **19,044.4** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 7.3 | 36.9 | 28.0 | 24.6 | 29.2 | 21.8 | 24.9 | 21.5 | **3,347.9** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **2,807.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 15.1 | 4.3 | 4.6 | 10.5 | 24.3 | 4.3 | 0.0 | 0.0 | **15,720.4** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 15.3 | 17.5 | 17.3 | 16.5 | 21.0 | 19.5 | 0.0 | 0.0 | **3,153.7** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **2,628.0** |
| H2O | 1972 | 4.6 | 8.6 | 8.9 | 4.3 | 4.5 | 4.3 | 4.3 | 4.3 | 0.0 | 0.0 | 0.0 | 0.0 | **15,657.3** |
| OIL | 1972 | 17.5 | 32.1 | 35.4 | 20.2 | 22.2 | 20.7 | 20.5 | 21.1 | 11.9 | 12.9 | 0.0 | 0.0 | **3,046.6** |
| DAY | 1971 | 31.0 | 15.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,323.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.4 | 3.8 | 0.0 | 4.1 | 4.6 | **15,613.5** |
| OIL | 1971 | 21.9 | 10.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.8 | 12.6 | 19.7 | 14.8 | 17.6 | **2,832.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,146.0** |
| OIL | 1970 | 24.5 | 21.1 | 23.0 | 19.5 | 23.7 | 21.8 | 22.1 | 21.0 | 21.0 | 21.1 | 19.4 | 23.2 | **2,730.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,781.0** |
| OIL | 1969 | 41.3 | 36.9 | 41.2 | 41.5 | 30.0 | 26.5 | 23.0 | 25.1 | 24.2 | 22.6 | 24.6 | 24.6 | **2,469.0** |
| DAY | 1968 | 19.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,419.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1908*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-09-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1968 | 0.8 | 1.1 | 1.1 | 1.0 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **15,594.6** |
| OIL | 1968 | 32.6 | 42.7 | 45.0 | 45.3 | 39.7 | 41.8 | 44.8 | 45.9 | 41.6 | 42.9 | 40.0 | 40.4 | **2,107.5** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | **1,065.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.4 | 0.0 | 0.0 | 1.1 | 1.1 | 1.0 | **15,588.2** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.2 | 35.0 | 31.8 | 42.6 | 41.8 | 44.7 | **1,604.8** |
| DAY | 1966 | 10.0 | 2.0 | 31.0 | 27.0 | 31.0 | 30.0 | 12.0 | 0.0 | 12.0 | 0.0 | 0.0 | 0.0 | **884.0** |
| H2O | 1966 | 234.7 | 43.7 | 705.6 | 605.6 | 789.0 | 779.6 | 344.5 | 0.0 | 328.1 | 0.0 | 0.0 | 0.0 | **15,565.6** |
| OIL | 1966 | 7.5 | 1.1 | 24.2 | 32.9 | 17.0 | 14.6 | 4.9 | 0.0 | 5.2 | 0.0 | 0.0 | 0.0 | **1,388.7** |
| DAY | 1965 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **729.0** |
| H2O | 1965 | 516.0 | 475.0 | 670.6 | 969.0 | 864.4 | 591.7 | 619.7 | 650.9 | 692.4 | 732.7 | 698.2 | 637.8 | **11,734.8** |
| OIL | 1965 | 45.8 | 32.3 | 43.5 | 50.5 | 35.1 | 27.8 | 25.7 | 28.8 | 27.5 | 28.1 | 22.9 | 20.8 | **1,281.3** |
| DAY | 1964 | 31.0 | 27.0 | 31.0 | 27.0 | 28.0 | 21.0 | 31.0 | 15.0 | 23.0 | 27.0 | 30.0 | 31.0 | **368.0** |
| H2O | 1964 | 206.4 | 202.1 | 330.5 | 260.3 | 290.9 | 238.8 | 316.7 | 146.6 | 168.8 | 217.2 | 499.5 | 549.8 | **3,616.4** |
| OIL | 1964 | 132.2 | 92.3 | 49.6 | 42.1 | 32.6 | 35.6 | 47.0 | 15.9 | 39.7 | 42.7 | 39.4 | 38.9 | **892.5** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 31.0 | **46.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 33.5 | 155.3 | **188.8** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 114.3 | 170.2 | **284.5** |

Licence ***1909*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-16-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,365.0** |
| H2O | 1975 | 1994.4 | 1748.8 | 1936.2 | 1832.9 | 1962.4 | 1839.2 | 1506.7 | 2337.2 | 2355.3 | 2388.5 | 1995.0 | 2130.6 | **79,813.8** |
| OIL | 1975 | 72.9 | 67.7 | 73.1 | 70.1 | 79.1 | 73.1 | 28.0 | 43.4 | 42.1 | 44.7 | 59.4 | 63.1 | **26,087.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,002.0** |
| H2O | 1974 | 2029.9 | 1828.1 | 2032.7 | 1922.1 | 1403.2 | 1580.3 | 1561.0 | 1569.8 | 1486.1 | 1465.3 | 1383.8 | 2058.2 | **55,786.6** |
| OIL | 1974 | 66.7 | 59.4 | 65.9 | 63.9 | 29.4 | 27.3 | 26.4 | 51.8 | 53.7 | 47.5 | 44.5 | 76.4 | **25,370.7** |
| DAY | 1973 | 31.0 | 28.0 | 29.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,637.0** |
| H2O | 1973 | 968.8 | 1587.7 | 1584.4 | 1613.3 | 1729.5 | 1977.4 | 2145.9 | 2392.2 | 1960.9 | 1709.7 | 1769.1 | 2060.9 | **35,466.1** |
| OIL | 1973 | 174.3 | 101.2 | 112.5 | 89.3 | 92.5 | 100.7 | 102.3 | 94.7 | 70.6 | 63.6 | 67.7 | 66.9 | **24,757.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | **3,277.0** |
| H2O | 1972 | 243.7 | 230.2 | 238.0 | 111.6 | 432.1 | 392.5 | 416.1 | 432.6 | 400.0 | 890.1 | 870.4 | 925.1 | **13,966.3** |
| OIL | 1972 | 147.9 | 141.3 | 156.5 | 310.8 | 96.9 | 85.0 | 87.9 | 92.6 | 73.4 | 41.6 | 155.1 | 173.5 | **23,621.5** |
| DAY | 1971 | 28.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,914.0** |
| H2O | 1971 | 372.2 | 361.0 | 409.2 | 383.5 | 386.0 | 387.9 | 363.7 | 352.0 | 319.9 | 323.2 | 325.9 | 246.1 | **8,383.9** |
| OIL | 1971 | 93.4 | 90.9 | 102.8 | 100.0 | 95.0 | 94.7 | 104.6 | 107.9 | 104.1 | 100.7 | 91.8 | 151.6 | **22,059.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,553.0** |
| H2O | 1970 | 39.7 | 38.0 | 41.2 | 39.7 | 36.4 | 36.2 | 34.7 | 33.9 | 35.6 | 36.4 | 35.6 | 35.3 | **4,153.3** |
| OIL | 1970 | 246.3 | 200.2 | 246.3 | 238.4 | 235.2 | 218.8 | 207.5 | 201.2 | 208.2 | 210.4 | 192.3 | 222.0 | **20,821.5** |
| DAY | 1969 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 28.0 | 28.0 | 30.0 | 27.0 | 31.0 | **2,191.0** |
| H2O | 1969 | 47.7 | 43.9 | 47.1 | 45.5 | 47.1 | 46.1 | 41.3 | 41.3 | 41.3 | 42.9 | 38.2 | 39.7 | **3,710.6** |
| OIL | 1969 | 228.8 | 228.8 | 246.3 | 238.4 | 246.3 | 238.4 | 222.5 | 222.5 | 222.5 | 238.4 | 214.5 | 246.3 | **18,194.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,841.0** |
| H2O | 1968 | 82.7 | 76.3 | 78.9 | 74.7 | 83.6 | 78.9 | 52.5 | 52.5 | 50.9 | 52.5 | 50.9 | 50.9 | **3,188.5** |
| OIL | 1968 | 246.3 | 240.0 | 239.0 | 235.0 | 251.2 | 235.0 | 246.3 | 246.3 | 238.4 | 270.9 | 262.2 | 262.2 | **15,401.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | **1,478.0** |
| H2O | 1967 | 28.6 | 25.4 | 28.6 | 27.0 | 27.0 | 28.6 | 33.4 | 33.5 | 152.8 | 90.5 | 89.0 | 85.8 | **2,403.2** |
| OIL | 1967 | 294.0 | 267.0 | 295.6 | 274.1 | 276.5 | 286.0 | 286.0 | 238.4 | 254.3 | 262.2 | 262.2 | 262.2 | **12,428.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,119.0** |
| H2O | 1966 | 71.7 | 81.1 | 87.4 | 88.6 | 121.8 | 121.8 | 131.8 | 133.5 | 138.3 | 138.3 | 153.9 | 18.4 | **1,753.0** |
| OIL | 1966 | 252.3 | 264.6 | 270.1 | 263.3 | 265.9 | 263.0 | 262.2 | 262.4 | 279.7 | 280.8 | 268.4 | 295.6 | **9,169.7** |

# Manitoba Production
## 1950 To 1975

Licence ***1909*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-16-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 28.0 | 16.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **756.0** |
| H2O | 1965 | 23.8 | 11.9 | 9.5 | 13.5 | 17.5 | 19.1 | 50.9 | 50.9 | 57.1 | 7.9 | 41.5 | 49.9 | **466.4** |
| OIL | 1965 | 205.8 | 102.2 | 195.5 | 160.5 | 210.6 | 209.0 | 243.9 | 240.3 | 205.3 | 271.7 | 254.3 | 257.4 | **5,941.4** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **410.0** |
| H2O | 1964 | 4.9 | 4.6 | 7.6 | 4.8 | 4.9 | 4.8 | 4.8 | 4.8 | 4.0 | 19.9 | 19.1 | 23.8 | **112.9** |
| OIL | 1964 | 255.8 | 281.4 | 273.6 | 270.1 | 243.1 | 274.9 | 257.4 | 248.5 | 232.0 | 215.6 | 205.5 | 214.5 | **3,384.9** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 31.0 | **51.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.9 | **4.9** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 166.2 | 246.3 | **412.5** |

Licence ***1910*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-17-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **4,262.0** |
| H2O | 1975 | 2091.5 | 1706.0 | 1954.0 | 1870.7 | 1986.0 | 1839.4 | 1631.1 | 1775.8 | 1721.6 | 1780.6 | 880.7 | 815.9 | **110,557.0** |
| OIL | 1975 | 38.1 | 32.9 | 37.0 | 35.8 | 40.2 | 36.4 | 14.1 | 15.1 | 14.0 | 15.1 | 14.0 | 12.9 | **21,820.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 5.0 | 23.0 | 11.0 | 28.0 | 31.0 | **3,902.0** |
| H2O | 1974 | 2149.3 | 1935.6 | 2152.3 | 1950.2 | 1773.6 | 2042.9 | 2082.3 | 175.7 | 1533.5 | 759.1 | 1910.8 | 2031.9 | **90,503.7** |
| OIL | 1974 | 35.6 | 31.8 | 35.3 | 32.7 | 33.5 | 31.9 | 31.9 | 2.7 | 25.6 | 12.2 | 30.5 | 37.8 | **21,515.3** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 24.0 | 21.0 | 26.0 | 30.0 | 31.0 | **3,593.0** |
| H2O | 1973 | 1922.1 | 1866.9 | 1960.5 | 1720.5 | 1894.6 | 1938.6 | 2051.3 | 1741.3 | 1393.0 | 1602.7 | 1873.1 | 2182.2 | **70,006.5** |
| OIL | 1973 | 51.8 | 48.8 | 57.2 | 54.7 | 40.2 | 39.3 | 38.8 | 27.3 | 25.4 | 30.2 | 36.4 | 35.8 | **21,173.8** |
| DAY | 1972 | 30.0 | 27.0 | 26.0 | 22.0 | 31.0 | 29.0 | 31.0 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | **3,249.0** |
| H2O | 1972 | 1247.0 | 1069.6 | 954.8 | 935.8 | 1318.3 | 1234.5 | 967.9 | 979.3 | 894.9 | 1779.3 | 1730.2 | 1840.0 | **47,859.7** |
| OIL | 1972 | 134.1 | 116.2 | 111.1 | 38.1 | 56.6 | 51.0 | 97.3 | 100.0 | 17.8 | 49.9 | 46.1 | 51.8 | **20,687.9** |
| DAY | 1971 | 31.0 | 26.0 | 31.0 | 30.0 | 29.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,904.0** |
| H2O | 1971 | 569.5 | 453.9 | 1130.8 | 1045.0 | 972.2 | 910.3 | 1164.8 | 1097.0 | 1060.6 | 1088.7 | 1132.6 | 1281.7 | **32,908.1** |
| OIL | 1971 | 126.5 | 100.9 | 188.3 | 180.4 | 158.3 | 147.2 | 182.0 | 182.7 | 114.7 | 112.8 | 106.2 | 140.0 | **19,817.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,547.0** |
| H2O | 1970 | 607.3 | 535.8 | 600.9 | 453.1 | 546.6 | 555.5 | 568.5 | 504.1 | 548.6 | 543.2 | 546.4 | 556.5 | **21,001.0** |
| OIL | 1970 | 146.2 | 127.1 | 143.0 | 90.6 | 133.2 | 127.3 | 128.7 | 113.0 | 121.1 | 118.9 | 111.9 | 133.0 | **18,077.9** |
| DAY | 1969 | 31.0 | 28.0 | 27.0 | 28.0 | 28.0 | 30.0 | 21.0 | 27.0 | 28.0 | 30.0 | 28.0 | 31.0 | **2,185.0** |
| H2O | 1969 | 631.2 | 543.7 | 526.2 | 545.3 | 554.8 | 597.8 | 400.6 | 554.8 | 527.8 | 567.6 | 511.9 | 581.9 | **14,434.5** |
| OIL | 1969 | 212.9 | 163.7 | 158.6 | 164.2 | 160.2 | 166.8 | 116.8 | 141.6 | 133.5 | 143.0 | 133.5 | 146.2 | **16,583.9** |
| DAY | 1968 | 28.0 | 29.0 | 30.0 | 28.0 | 29.0 | 27.0 | 28.0 | 31.0 | 30.0 | 26.0 | 29.0 | 28.0 | **1,848.0** |
| H2O | 1968 | 308.4 | 322.7 | 340.2 | 288.7 | 230.5 | 209.9 | 356.1 | 391.1 | 378.4 | 310.0 | 620.0 | 585.0 | **7,890.9** |
| OIL | 1968 | 222.5 | 138.3 | 133.5 | 104.2 | 138.3 | 128.7 | 111.2 | 123.2 | 119.2 | 111.6 | 207.4 | 200.2 | **14,742.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | **1,505.0** |
| H2O | 1967 | 93.8 | 89.0 | 213.0 | 218.0 | 265.5 | 262.3 | 276.6 | 268.7 | 285.8 | 286.2 | 286.2 | 295.7 | **3,549.9** |
| OIL | 1967 | 238.4 | 209.1 | 266.5 | 263.3 | 270.7 | 266.8 | 253.3 | 250.9 | 256.0 | 238.4 | 216.6 | 209.8 | **13,004.6** |
| DAY | 1966 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,145.0** |
| H2O | 1966 | 19.1 | 17.8 | 19.7 | 19.1 | 19.1 | 25.4 | 67.6 | 25.4 | 49.3 | 65.2 | 91.4 | 95.4 | **709.1** |
| OIL | 1966 | 250.9 | 230.7 | 259.6 | 249.5 | 257.2 | 224.1 | 220.9 | 222.5 | 206.6 | 198.6 | 258.0 | 269.9 | **10,064.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **781.0** |
| H2O | 1965 | 13.5 | 10.3 | 11.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.4 | 86.5 | **194.6** |
| OIL | 1965 | 295.9 | 265.2 | 295.9 | 286.1 | 292.5 | 286.1 | 290.1 | 290.1 | 283.8 | 263.4 | 240.0 | 254.1 | **7,216.3** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | **416.0** |
| H2O | 1964 | 4.9 | 5.6 | 4.5 | 3.5 | 0.0 | 4.8 | 5.1 | 6.5 | 5.6 | 5.6 | 5.6 | 10.3 | **66.8** |
| OIL | 1964 | 290.9 | 276.3 | 292.5 | 287.6 | 295.4 | 286.1 | 249.5 | 311.8 | 276.3 | 278.2 | 273.1 | 287.3 | **3,873.1** |
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 31.0 | **53.0** |
| H2O | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.8 | **4.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1910*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-17-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 180.5 | 287.6 | **468.1** |

Licence ***1911*** Well Name ***Kiwi Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-20-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 22.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,957.0** |
| H2O | 1975 | 2704.1 | 2186.1 | 2667.7 | 2591.4 | 1514.7 | 2309.4 | 1679.1 | 0.0 | 1701.1 | 2626.4 | 2560.7 | 2592.4 | **244,195.1** |
| OIL | 1975 | 31.3 | 25.3 | 32.1 | 30.5 | 17.3 | 32.9 | 18.8 | 0.0 | 28.5 | 33.1 | 19.2 | 31.8 | **8,125.6** |
| DAY | 1974 | 31.0 | 0.0 | 31.0 | 29.0 | 31.0 | 11.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,633.0** |
| H2O | 1974 | 2900.6 | 2484.2 | 2633.5 | 2005.8 | 691.7 | 970.5 | 2632.9 | 2376.3 | 2558.8 | 2784.1 | 2554.7 | 2546.2 | **219,062.0** |
| OIL | 1974 | 32.0 | 27.8 | 29.3 | 18.1 | 1.7 | 19.7 | 34.0 | 28.1 | 28.1 | 29.4 | 26.1 | 29.7 | **7,824.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 0.0 | 30.0 | 31.0 | **3,318.0** |
| H2O | 1973 | 2640.8 | 2431.1 | 2780.8 | 2715.9 | 2739.7 | 2538.0 | 2541.0 | 2508.1 | 2514.0 | 2589.2 | 2615.2 | 2610.3 | **191,922.7** |
| OIL | 1973 | 34.8 | 31.5 | 36.6 | 33.7 | 34.2 | 32.1 | 32.1 | 31.3 | 30.2 | 30.4 | 18.1 | 30.8 | **7,520.8** |
| DAY | 1972 | 31.0 | 29.0 | 7.0 | 0.0 | 0.0 | 0.0 | 13.0 | 26.0 | 29.0 | 31.0 | 28.0 | 31.0 | **2,984.0** |
| H2O | 1972 | 3036.2 | 2699.2 | 607.7 | 0.0 | 0.0 | 0.0 | 1330.0 | 2137.6 | 2360.1 | 2601.7 | 2370.7 | 2708.6 | **160,698.6** |
| OIL | 1972 | 43.6 | 39.3 | 8.6 | 0.0 | 0.0 | 0.0 | 26.9 | 43.6 | 40.4 | 43.1 | 36.6 | 39.4 | **7,145.0** |
| DAY | 1971 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,759.0** |
| H2O | 1971 | 2795.4 | 2687.7 | 2874.1 | 2842.0 | 2861.4 | 2979.0 | 2846.3 | 2656.6 | 2996.0 | 3099.5 | 2886.8 | 3022.9 | **140,846.8** |
| OIL | 1971 | 56.0 | 51.5 | 53.3 | 53.6 | 52.0 | 53.6 | 46.3 | 46.1 | 52.3 | 50.7 | 48.3 | 44.7 | **6,823.5** |
| DAY | 1970 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 0.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,398.0** |
| H2O | 1970 | 2696.0 | 2483.0 | 2614.6 | 2628.4 | 2710.6 | 2690.8 | 2537.3 | 2833.9 | 2845.9 | 2909.5 | 2784.6 | 2969.6 | **106,299.1** |
| OIL | 1970 | 75.8 | 61.4 | 60.4 | 63.3 | 63.4 | 65.2 | 62.3 | 62.0 | 62.8 | 60.4 | 54.5 | 57.7 | **6,215.1** |
| DAY | 1969 | 0.0 | 28.0 | 30.0 | 22.0 | 31.0 | 30.0 | 31.0 | 22.0 | 30.0 | 31.0 | 28.0 | 0.0 | **2,070.0** |
| H2O | 1969 | 2655.0 | 2403.8 | 2510.3 | 1881.7 | 2612.1 | 2718.6 | 2883.1 | 1836.2 | 2647.0 | 2828.9 | 2757.5 | 1929.7 | **73,594.9** |
| OIL | 1969 | 98.4 | 91.3 | 86.0 | 64.1 | 88.2 | 93.3 | 90.9 | 60.6 | 83.9 | 83.5 | 76.6 | 54.2 | **5,465.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,787.0** |
| H2O | 1968 | 790.9 | 733.6 | 776.1 | 741.7 | 773.9 | 749.0 | 773.9 | 995.6 | 1819.0 | 2710.6 | 2735.9 | 2845.8 | **43,931.0** |
| OIL | 1968 | 39.9 | 39.9 | 33.9 | 27.7 | 35.9 | 33.7 | 36.2 | 76.5 | 133.9 | 112.7 | 102.2 | 101.8 | **4,494.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 20.0 | 30.0 | 31.0 | **1,427.0** |
| H2O | 1967 | 774.0 | 673.5 | 757.0 | 725.4 | 877.0 | 891.0 | 952.1 | 925.8 | 795.9 | 374.6 | 834.1 | 809.1 | **27,485.0** |
| OIL | 1967 | 71.8 | 64.8 | 71.8 | 67.0 | 69.1 | 61.6 | 59.7 | 52.0 | 54.1 | 20.0 | 54.2 | 45.9 | **3,720.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,073.0** |
| H2O | 1966 | 451.1 | 384.5 | 394.2 | 741.3 | 788.5 | 782.0 | 734.4 | 803.3 | 791.8 | 837.8 | 833.3 | 826.0 | **18,095.5** |
| OIL | 1966 | 46.3 | 40.6 | 54.0 | 119.5 | 120.9 | 112.8 | 100.9 | 105.2 | 88.5 | 88.8 | 79.2 | 76.5 | **3,028.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **711.0** |
| H2O | 1965 | 404.0 | 575.1 | 519.8 | 482.4 | 485.1 | 424.1 | 408.7 | 426.1 | 347.1 | 429.0 | 441.6 | 463.7 | **9,727.3** |
| OIL | 1965 | 83.7 | 62.5 | 49.0 | 47.6 | 49.2 | 64.4 | 68.9 | 68.6 | 52.4 | 53.3 | 51.4 | 52.8 | **1,995.4** |
| DAY | 1964 | 16.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **349.0** |
| H2O | 1964 | 184.0 | 347.1 | 285.8 | 276.5 | 419.6 | 419.6 | 404.0 | 404.0 | 391.0 | 389.3 | 391.0 | 408.7 | **4,320.6** |
| OIL | 1964 | 87.8 | 124.5 | 137.9 | 128.7 | 144.1 | 128.7 | 103.4 | 103.4 | 100.1 | 63.5 | 85.8 | 83.7 | **1,291.6** |

Licence ***1912*** Well Name ***Texas Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-21-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 2.0 | 17.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **19.0** |
| H2O | 1964 | 0.0 | 158.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **158.7** |
| OIL | 1964 | 21.0 | 27.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **48.0** |

Licence ***1916*** Well Name ***Cosens Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***1916*** Well Name ***Cosens Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-36-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,172.0** |
| H2O | 1975 | 39.0 | 41.5 | 42.6 | 38.2 | 38.3 | 32.9 | 27.3 | 27.3 | 27.3 | 27.3 | 27.3 | 27.3 | **9,464.9** |
| OIL | 1975 | 18.1 | 18.9 | 20.8 | 20.5 | 20.7 | 19.6 | 16.2 | 16.5 | 16.7 | 17.2 | 15.3 | 15.7 | **5,664.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,811.0** |
| H2O | 1974 | 45.2 | 40.2 | 45.0 | 44.0 | 35.6 | 44.4 | 41.8 | 44.8 | 42.6 | 44.4 | 43.7 | 44.4 | **9,068.6** |
| OIL | 1974 | 20.4 | 16.1 | 19.1 | 19.4 | 19.7 | 19.6 | 22.1 | 18.8 | 19.4 | 20.4 | 16.5 | 19.2 | **5,448.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,447.0** |
| H2O | 1973 | 50.2 | 40.9 | 41.7 | 40.1 | 40.7 | 37.5 | 35.0 | 39.0 | 40.7 | 44.4 | 42.6 | 53.3 | **8,552.5** |
| OIL | 1973 | 18.9 | 20.4 | 22.3 | 22.3 | 20.5 | 22.4 | 23.2 | 21.8 | 21.3 | 21.1 | 20.7 | 21.5 | **5,217.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,083.0** |
| H2O | 1972 | 39.0 | 46.7 | 51.4 | 49.1 | 50.6 | 47.7 | 47.7 | 46.9 | 47.5 | 47.4 | 47.2 | 46.4 | **8,046.4** |
| OIL | 1972 | 25.4 | 21.9 | 26.6 | 24.2 | 25.0 | 23.5 | 24.8 | 25.0 | 23.5 | 22.9 | 23.2 | 19.9 | **4,961.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,718.0** |
| H2O | 1971 | 68.8 | 65.2 | 67.3 | 65.2 | 63.0 | 57.9 | 59.9 | 58.2 | 57.1 | 59.1 | 59.6 | 50.2 | **7,478.8** |
| OIL | 1971 | 25.3 | 22.9 | 24.3 | 23.7 | 24.2 | 23.5 | 24.6 | 24.6 | 23.7 | 24.3 | 24.8 | 25.6 | **4,675.2** |
| DAY | 1970 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,353.0** |
| H2O | 1970 | 64.1 | 60.1 | 64.1 | 62.0 | 59.1 | 60.4 | 64.1 | 69.0 | 66.9 | 69.8 | 65.0 | 60.9 | **6,747.3** |
| OIL | 1970 | 29.9 | 23.7 | 29.1 | 28.6 | 28.3 | 25.0 | 24.5 | 25.3 | 24.2 | 26.2 | 24.5 | 26.6 | **4,383.7** |
| DAY | 1969 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | **1,992.0** |
| H2O | 1969 | 78.9 | 77.3 | 77.3 | 71.5 | 69.0 | 66.8 | 83.8 | 90.3 | 81.1 | 81.1 | 57.9 | 69.0 | **5,981.8** |
| OIL | 1969 | 36.4 | 32.0 | 35.5 | 34.5 | 33.5 | 27.8 | 28.5 | 29.9 | 28.8 | 28.9 | 26.1 | 29.4 | **4,067.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 29.0 | 30.0 | 28.0 | **1,633.0** |
| H2O | 1968 | 68.7 | 77.3 | 77.3 | 68.7 | 77.3 | 77.3 | 8.6 | 86.3 | 68.7 | 78.4 | 81.1 | 75.5 | **5,077.8** |
| OIL | 1968 | 42.6 | 39.7 | 41.0 | 37.8 | 38.5 | 36.4 | 37.2 | 35.6 | 35.0 | 33.9 | 33.2 | 34.0 | **3,696.5** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,275.0** |
| H2O | 1967 | 95.4 | 71.5 | 79.5 | 55.6 | 103.3 | 87.4 | 71.5 | 79.5 | 83.3 | 85.9 | 77.3 | 77.3 | **4,232.6** |
| OIL | 1967 | 56.8 | 48.8 | 54.9 | 52.6 | 52.9 | 49.6 | 49.1 | 48.5 | 43.2 | 42.3 | 40.2 | 41.8 | **3,251.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 9.0 | 30.0 | 31.0 | **912.0** |
| H2O | 1966 | 111.3 | 89.4 | 111.6 | 85.2 | 91.9 | 94.4 | 65.5 | 96.0 | 95.4 | 25.8 | 115.1 | 79.5 | **3,265.1** |
| OIL | 1966 | 70.5 | 58.6 | 68.1 | 63.3 | 63.3 | 59.5 | 59.2 | 57.9 | 52.2 | 17.8 | 59.6 | 58.5 | **2,670.9** |
| DAY | 1965 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **571.0** |
| H2O | 1965 | 108.6 | 98.4 | 135.1 | 102.2 | 123.2 | 121.1 | 112.6 | 105.4 | 121.3 | 73.9 | 96.0 | 104.0 | **2,204.0** |
| OIL | 1965 | 122.5 | 108.2 | 103.7 | 95.6 | 93.9 | 84.3 | 75.6 | 76.7 | 78.0 | 73.5 | 66.8 | 54.0 | **1,982.4** |
| DAY | 1964 | 0.0 | 12.0 | 27.0 | 14.0 | 3.0 | 19.0 | 0.0 | 21.0 | 28.0 | 25.0 | 30.0 | 31.0 | **210.0** |
| H2O | 1964 | 0.0 | 58.9 | 113.3 | 63.5 | 14.2 | 88.9 | 0.0 | 96.1 | 117.2 | 109.1 | 124.3 | 116.7 | **902.2** |
| OIL | 1964 | 0.0 | 57.0 | 124.9 | 64.0 | 11.7 | 85.0 | 0.0 | 93.7 | 127.9 | 115.8 | 138.1 | 131.5 | **949.6** |

Licence ***1918*** Well Name ***E. Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-11-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,339.0** |
| H2O | 1975 | 320.0 | 256.4 | 316.7 | 281.9 | 294.1 | 379.2 | 262.2 | 263.3 | 285.9 | 336.6 | 301.1 | 304.9 | **42,178.3** |
| OIL | 1975 | 76.2 | 65.5 | 69.5 | 57.1 | 61.7 | 54.1 | 66.8 | 68.4 | 69.6 | 72.3 | 77.9 | 72.8 | **23,795.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,974.0** |
| H2O | 1974 | 417.8 | 379.2 | 356.6 | 342.8 | 377.4 | 353.6 | 347.9 | 359.8 | 339.0 | 293.0 | 332.9 | 314.8 | **38,576.0** |
| OIL | 1974 | 106.3 | 82.7 | 90.0 | 86.4 | 78.1 | 71.9 | 78.3 | 74.0 | 73.7 | 72.2 | 73.3 | 80.3 | **22,984.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,609.0** |
| H2O | 1973 | 341.8 | 349.8 | 308.1 | 310.8 | 284.4 | 253.3 | 424.5 | 422.0 | 406.5 | 470.8 | 422.1 | 445.8 | **34,361.2** |
| OIL | 1973 | 113.9 | 92.7 | 91.2 | 87.8 | 74.8 | 82.1 | 76.1 | 100.9 | 118.8 | 106.7 | 117.7 | 120.7 | **22,016.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,247.0** |
| H2O | 1972 | 285.9 | 267.4 | 285.9 | 276.6 | 285.9 | 292.1 | 328.8 | 366.3 | 342.6 | 379.5 | 406.8 | 369.6 | **29,921.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1918*** Well Name ***E. Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-11-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1972 | 108.3 | 101.3 | 108.3 | 104.8 | 108.3 | 112.9 | 123.1 | 134.9 | 127.6 | 118.2 | 98.9 | 118.2 | **20,833.4** |
| DAY | 1971 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,881.0** |
| H2O | 1971 | 310.5 | 271.6 | 290.5 | 314.8 | 310.5 | 300.5 | 310.5 | 315.4 | 300.5 | 310.5 | 300.5 | 294.6 | **26,033.9** |
| OIL | 1971 | 123.1 | 106.7 | 101.3 | 104.8 | 108.3 | 104.8 | 108.3 | 113.3 | 104.8 | 108.3 | 104.8 | 108.3 | **19,468.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,518.0** |
| H2O | 1970 | 261.2 | 307.2 | 374.6 | 271.9 | 340.1 | 338.6 | 266.1 | 310.5 | 329.1 | 330.2 | 325.0 | 325.3 | **22,403.5** |
| OIL | 1970 | 142.8 | 129.0 | 133.0 | 119.1 | 123.1 | 119.1 | 113.3 | 108.3 | 109.6 | 113.3 | 111.2 | 123.1 | **18,171.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,155.0** |
| H2O | 1969 | 285.9 | 244.8 | 300.6 | 302.7 | 295.7 | 281.4 | 285.9 | 285.9 | 382.8 | 458.4 | 415.0 | 409.1 | **18,623.7** |
| OIL | 1969 | 152.7 | 120.1 | 137.9 | 124.5 | 133.0 | 119.1 | 123.1 | 118.2 | 155.7 | 152.7 | 147.8 | 152.7 | **16,726.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,794.0** |
| H2O | 1968 | 320.4 | 295.1 | 310.5 | 223.2 | 304.6 | 424.5 | 379.5 | 325.3 | 300.5 | 310.5 | 281.4 | 310.5 | **14,675.5** |
| OIL | 1968 | 197.0 | 170.8 | 187.2 | 143.0 | 164.5 | 209.8 | 202.0 | 187.2 | 181.1 | 182.3 | 166.8 | 177.3 | **15,089.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,431.0** |
| H2O | 1967 | 319.7 | 302.1 | 336.4 | 324.2 | 331.5 | 312.7 | 349.9 | 365.8 | 383.3 | 355.0 | 329.1 | 318.0 | **10,889.5** |
| OIL | 1967 | 241.4 | 211.7 | 216.8 | 240.3 | 251.3 | 247.9 | 251.3 | 248.9 | 238.4 | 207.4 | 195.5 | 197.0 | **12,920.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,071.0** |
| H2O | 1966 | 252.3 | 199.2 | 238.2 | 210.0 | 217.8 | 245.0 | 271.9 | 264.6 | 257.7 | 325.3 | 336.1 | 330.2 | **6,861.8** |
| OIL | 1966 | 262.5 | 240.6 | 260.2 | 232.8 | 231.4 | 221.2 | 290.7 | 285.8 | 271.8 | 266.0 | 252.7 | 256.2 | **10,172.5** |
| DAY | 1965 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **709.0** |
| H2O | 1965 | 83.8 | 161.4 | 226.7 | 232.1 | 221.8 | 238.5 | 236.6 | 246.4 | 219.4 | 226.7 | 205.1 | 247.9 | **3,713.5** |
| OIL | 1965 | 177.3 | 172.4 | 335.0 | 349.4 | 366.8 | 352.9 | 364.6 | 354.8 | 333.8 | 318.2 | 304.8 | 295.6 | **7,100.6** |
| DAY | 1964 | 17.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **351.0** |
| H2O | 1964 | 22.8 | 64.0 | 81.3 | 73.5 | 71.4 | 96.7 | 99.6 | 118.2 | 123.9 | 142.8 | 138.2 | 134.7 | **1,167.1** |
| OIL | 1964 | 154.1 | 284.5 | 296.9 | 288.3 | 276.5 | 295.6 | 295.6 | 324.1 | 262.2 | 310.4 | 300.4 | 286.4 | **3,375.0** |

Licence ***1920*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-17-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **4,140.0** |
| H2O | 1975 | 895.4 | 774.9 | 851.1 | 797.8 | 836.3 | 903.7 | 907.7 | 905.3 | 900.2 | 640.9 | 750.7 | 779.5 | **87,941.4** |
| OIL | 1975 | 60.4 | 46.9 | 53.3 | 47.5 | 49.8 | 52.9 | 50.9 | 52.3 | 51.0 | 29.6 | 33.7 | 33.7 | **6,093.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,777.0** |
| H2O | 1974 | 1889.9 | 1642.2 | 1747.9 | 1559.0 | 1773.7 | 1774.1 | 989.1 | 1122.6 | 931.7 | 874.9 | 904.2 | 901.0 | **77,997.9** |
| OIL | 1974 | 37.4 | 34.2 | 38.5 | 33.1 | 39.4 | 41.0 | 65.2 | 60.4 | 59.8 | 56.0 | 64.1 | 55.8 | **5,531.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 30.0 | 0.0 | **3,414.0** |
| H2O | 1973 | 739.3 | 712.3 | 789.5 | 762.8 | 893.5 | 895.4 | 920.5 | 921.8 | 595.2 | 1822.0 | 1703.4 | 1898.0 | **61,887.6** |
| OIL | 1973 | 39.4 | 34.7 | 38.3 | 36.7 | 38.8 | 37.5 | 35.6 | 34.5 | 27.8 | 46.6 | 42.9 | 40.2 | **4,946.9** |
| DAY | 1972 | 27.0 | 27.0 | 31.0 | 29.0 | 27.0 | 30.0 | 30.0 | 25.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,085.0** |
| H2O | 1972 | 432.4 | 432.4 | 518.3 | 476.2 | 442.0 | 505.6 | 575.5 | 535.8 | 620.1 | 651.8 | 691.6 | 739.3 | **49,233.9** |
| OIL | 1972 | 33.4 | 33.4 | 39.4 | 36.9 | 34.3 | 33.4 | 33.4 | 27.8 | 38.2 | 39.4 | 36.9 | 39.4 | **4,493.9** |
| DAY | 1971 | 27.0 | 28.0 | 31.0 | 28.0 | 26.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | **2,738.0** |
| H2O | 1971 | 554.9 | 559.6 | 569.2 | 527.8 | 464.2 | 479.2 | 496.0 | 524.7 | 524.7 | 540.6 | 507.2 | 507.2 | **42,612.9** |
| OIL | 1971 | 41.3 | 40.1 | 42.8 | 40.1 | 34.0 | 33.5 | 38.2 | 42.9 | 38.2 | 44.5 | 36.6 | 36.6 | **4,068.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 29.0 | 28.0 | 28.0 | 30.0 | 26.0 | 30.0 | 30.0 | **2,389.0** |
| H2O | 1970 | 591.4 | 551.7 | 554.9 | 478.6 | 575.5 | 576.3 | 572.4 | 572.4 | 637.5 | 535.8 | 602.6 | 602.6 | **36,357.6** |
| OIL | 1970 | 49.3 | 44.5 | 44.4 | 41.5 | 41.5 | 36.9 | 31.2 | 31.2 | 33.4 | 33.1 | 39.7 | 42.9 | **3,599.2** |
| DAY | 1969 | 30.0 | 26.0 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 30.0 | 28.0 | 31.0 | 30.0 | 23.0 | **2,039.0** |
| H2O | 1969 | 632.8 | 534.2 | 553.3 | 508.6 | 542.1 | 510.3 | 526.2 | 524.7 | 496.0 | 515.1 | 480.8 | 472.2 | **29,505.9** |
| OIL | 1969 | 42.9 | 41.3 | 44.4 | 46.1 | 52.5 | 46.1 | 47.7 | 47.7 | 40.1 | 44.4 | 42.9 | 42.9 | **3,129.6** |
| DAY | 1968 | 31.0 | 29.0 | 25.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | **1,691.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1920*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-17-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1968 | 465.6 | 413.3 | 427.6 | 401.5 | 362.4 | 565.9 | 424.4 | 406.9 | 391.1 | 424.5 | 467.4 | 489.7 | **23,209.6** |
| OIL | 1968 | 34.3 | 28.5 | 31.8 | 36.6 | 44.4 | 42.9 | 44.4 | 42.9 | 38.2 | 36.9 | 49.3 | 47.7 | **2,590.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 27.0 | 30.0 | 27.0 | **1,341.0** |
| H2O | 1967 | 591.3 | 470.5 | 598.3 | 462.6 | 510.2 | 485.8 | 494.4 | 477.2 | 475.1 | 450.6 | 451.4 | 465.9 | **17,969.3** |
| OIL | 1967 | 52.1 | 37.4 | 29.7 | 21.5 | 30.5 | 24.6 | 25.0 | 24.6 | 23.8 | 34.3 | 36.6 | 34.3 | **2,112.7** |
| DAY | 1966 | 31.0 | 27.0 | 31.0 | 30.0 | 27.0 | 30.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **988.0** |
| H2O | 1966 | 412.6 | 369.9 | 424.4 | 422.8 | 600.9 | 618.0 | 610.1 | 214.5 | 336.0 | 332.7 | 341.7 | 472.9 | **12,036.0** |
| OIL | 1966 | 34.7 | 25.9 | 31.5 | 29.9 | 51.5 | 48.3 | 49.3 | 33.4 | 32.3 | 47.7 | 52.5 | 54.1 | **1,738.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 28.0 | 25.0 | 0.0 | 0.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **633.0** |
| H2O | 1965 | 421.2 | 384.3 | 432.0 | 371.9 | 411.7 | 0.0 | 0.0 | 230.4 | 306.9 | 314.7 | 306.7 | 367.2 | **6,879.5** |
| OIL | 1965 | 71.5 | 16.7 | 33.4 | 33.4 | 32.4 | 0.0 | 0.0 | 45.6 | 42.0 | 41.7 | 38.2 | 39.4 | **1,247.2** |
| DAY | 1964 | 18.0 | 29.0 | 26.0 | 28.0 | 31.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **343.0** |
| H2O | 1964 | 114.4 | 308.3 | 265.9 | 255.6 | 293.7 | 286.1 | 299.6 | 300.4 | 300.4 | 305.8 | 308.3 | 294.0 | **3,332.5** |
| OIL | 1964 | 83.1 | 42.4 | 73.6 | 71.0 | 82.1 | 86.0 | 81.0 | 65.4 | 64.5 | 63.7 | 69.5 | 70.6 | **852.9** |

Licence ***1922*** Well Name ***Souris Hartney Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-16-006-22W1.00*** Field Name ***Souris Hartney*** Pool Name ***Lodgepole Virden A*** Field Code ***10*** Pool Code ***53A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,064.0** |
| H2O | 1975 | 20.5 | 18.4 | 20.2 | 23.0 | 20.7 | 19.7 | 15.3 | 19.2 | 0.0 | 13.5 | 15.6 | 14.8 | **725.9** |
| OIL | 1975 | 105.7 | 97.1 | 105.4 | 97.7 | 102.0 | 103.3 | 101.9 | 101.7 | 95.7 | 94.6 | 93.9 | 90.6 | **21,107.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 15.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,699.0** |
| H2O | 1974 | 10.0 | 9.2 | 17.0 | 9.7 | 10.0 | 9.7 | 5.4 | 19.5 | 19.4 | 19.9 | 22.7 | 21.5 | **525.0** |
| OIL | 1974 | 122.8 | 107.3 | 116.8 | 111.6 | 115.7 | 109.8 | 57.8 | 127.6 | 118.5 | 120.0 | 108.2 | 106.2 | **19,918.3** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | **3,351.0** |
| H2O | 1973 | 4.6 | 4.4 | 4.9 | 9.9 | 14.3 | 16.0 | 18.1 | 17.3 | 15.9 | 10.2 | 7.5 | 10.5 | **351.0** |
| OIL | 1973 | 141.1 | 123.5 | 135.6 | 134.1 | 125.4 | 121.4 | 132.4 | 130.0 | 119.7 | 121.7 | 94.9 | 130.0 | **18,596.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,992.0** |
| H2O | 1972 | 9.4 | 4.4 | 4.6 | 9.4 | 9.4 | 9.2 | 9.2 | 4.9 | 4.8 | 4.8 | 4.6 | 4.8 | **217.4** |
| OIL | 1972 | 157.5 | 145.1 | 156.8 | 155.1 | 151.9 | 144.4 | 144.0 | 155.9 | 143.5 | 145.1 | 137.8 | 140.5 | **17,086.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,629.0** |
| H2O | 1971 | 4.8 | 4.4 | 5.2 | 4.6 | 4.6 | 4.3 | 4.6 | 9.7 | 8.7 | 8.9 | 8.9 | 9.1 | **137.9** |
| OIL | 1971 | 163.2 | 149.9 | 148.4 | 165.7 | 162.7 | 157.8 | 162.1 | 162.7 | 138.9 | 160.3 | 150.0 | 153.0 | **15,308.6** |
| DAY | 1970 | 31.0 | 25.0 | 31.0 | 19.0 | 22.0 | 30.0 | 20.0 | 31.0 | 30.0 | 29.0 | 27.0 | 31.0 | **2,265.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.7 | 9.4 | 8.6 | 9.4 | **60.1** |
| OIL | 1970 | 137.3 | 129.2 | 162.1 | 96.5 | 138.9 | 166.5 | 98.0 | 182.1 | 171.0 | 162.2 | 159.1 | 163.8 | **13,433.9** |
| DAY | 1969 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 27.0 | 28.0 | 28.0 | 30.0 | 31.0 | **1,939.0** |
| OIL | 1969 | 150.3 | 153.0 | 170.5 | 160.7 | 162.7 | 150.3 | 142.5 | 154.8 | 151.3 | 136.0 | 157.8 | 182.1 | **11,667.2** |
| DAY | 1968 | 31.0 | 23.0 | 12.0 | 30.0 | 16.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,587.0** |
| OIL | 1968 | 174.6 | 116.0 | 68.8 | 158.8 | 85.7 | 165.3 | 172.9 | 171.0 | 160.8 | 171.9 | 144.4 | 179.4 | **9,795.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,261.0** |
| OIL | 1967 | 177.3 | 167.3 | 186.4 | 177.7 | 185.9 | 172.6 | 181.5 | 169.7 | 170.4 | 176.4 | 158.1 | 187.7 | **8,025.6** |
| DAY | 1966 | 31.0 | 28.0 | 27.0 | 4.0 | 5.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **896.0** |
| H2O | 1966 | 4.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.1 | 0.0 | 0.0 | 0.0 | 0.0 | **23.0** |
| OIL | 1966 | 176.1 | 183.5 | 168.8 | 27.3 | 37.8 | 199.3 | 189.3 | 189.7 | 179.3 | 191.2 | 180.5 | 185.3 | **5,914.6** |
| DAY | 1965 | 9.0 | 28.0 | 31.0 | 23.0 | 6.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **588.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.9 | **10.4** |
| OIL | 1965 | 65.9 | 194.2 | 202.3 | 137.3 | 44.8 | 190.1 | 147.2 | 185.9 | 181.3 | 185.6 | 193.6 | 182.4 | **4,006.5** |
| DAY | 1964 | 31.0 | 29.0 | 27.0 | 10.0 | 0.0 | 27.0 | 28.0 | 25.0 | 27.0 | 28.0 | 24.0 | 27.0 | **285.0** |
| H2O | 1964 | 0.0 | 4.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4.5** |
| OIL | 1964 | 253.0 | 205.8 | 188.9 | 79.0 | 0.0 | 230.4 | 205.5 | 192.1 | 211.5 | 194.8 | 150.5 | 174.5 | **2,095.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1922*** Well Name ***Souris Hartney Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-16-006-22W1.00*** Field Name ***Souris Hartney*** Pool Name ***Lodgepole Virden A*** Field Code ***10*** Pool Code ***53A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | **2.0** |
| OIL | 1963 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.9 | **9.9** |

Licence ***1923*** Well Name ***Bracell Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-17-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 27.0 | 28.0 | 31.0 | 29.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | **3,044.0** |
| H2O | 1972 | 880.8 | 909.4 | 939.6 | 896.7 | 872.8 | 914.8 | 922.7 | 967.2 | 935.8 | 0.0 | 0.0 | 0.0 | **67,078.7** |
| OIL | 1972 | 22.3 | 22.3 | 26.7 | 23.1 | 23.8 | 19.9 | 19.1 | 19.7 | 19.2 | 0.0 | 0.0 | 0.0 | **4,692.8** |
| DAY | 1971 | 30.0 | 28.0 | 30.0 | 29.0 | 23.0 | 29.0 | 30.0 | 28.0 | 30.0 | 31.0 | 30.0 | 29.0 | **2,780.0** |
| H2O | 1971 | 987.3 | 950.7 | 971.4 | 953.3 | 828.3 | 910.7 | 931.7 | 905.3 | 952.3 | 987.3 | 953.9 | 936.4 | **58,838.9** |
| OIL | 1971 | 28.3 | 26.7 | 27.0 | 27.7 | 14.6 | 22.3 | 23.8 | 22.3 | 23.8 | 26.2 | 25.4 | 24.6 | **4,496.7** |
| DAY | 1970 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 29.0 | 29.0 | 28.0 | 30.0 | 25.0 | 27.0 | 28.0 | **2,433.0** |
| H2O | 1970 | 985.7 | 890.3 | 938.0 | 915.8 | 1087.5 | 1050.9 | 1050.9 | 1046.1 | 1092.2 | 828.3 | 899.9 | 933.3 | **47,570.3** |
| OIL | 1970 | 29.6 | 24.8 | 28.6 | 27.7 | 27.7 | 27.7 | 18.4 | 22.3 | 23.8 | 27.8 | 26.9 | 26.7 | **4,204.0** |
| DAY | 1969 | 31.0 | 26.0 | 31.0 | 28.0 | 30.0 | 29.0 | 29.0 | 29.0 | 29.0 | 30.0 | 30.0 | 23.0 | **2,089.0** |
| H2O | 1969 | 944.2 | 1074.8 | 907.5 | 779.0 | 990.5 | 922.1 | 922.1 | 922.1 | 922.1 | 797.6 | 798.1 | 866.5 | **35,851.4** |
| OIL | 1969 | 33.9 | 28.9 | 24.6 | 26.7 | 33.4 | 32.3 | 31.5 | 31.5 | 31.5 | 28.6 | 28.6 | 25.8 | **3,892.0** |
| DAY | 1968 | 31.0 | 29.0 | 27.0 | 24.0 | 31.0 | 30.0 | 28.0 | 30.0 | 26.0 | 26.0 | 26.0 | 28.0 | **1,744.0** |
| H2O | 1968 | 169.0 | 137.2 | 215.1 | 239.8 | 304.5 | 287.1 | 255.5 | 190.8 | 109.7 | 109.7 | 413.4 | 651.4 | **25,004.8** |
| OIL | 1968 | 89.6 | 43.2 | 50.4 | 30.5 | 36.1 | 32.3 | 26.7 | 23.8 | 16.5 | 16.5 | 33.1 | 35.9 | **3,534.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 26.0 | 20.0 | 29.0 | **1,408.0** |
| H2O | 1967 | 690.0 | 561.2 | 566.0 | 462.7 | 506.4 | 492.9 | 508.8 | 494.5 | 492.9 | 496.0 | 305.3 | 170.6 | **21,921.6** |
| OIL | 1967 | 44.5 | 38.2 | 40.5 | 30.0 | 35.3 | 31.8 | 29.6 | 28.6 | 28.6 | 12.4 | 20.7 | 94.7 | **3,100.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,064.0** |
| H2O | 1966 | 586.7 | 544.1 | 615.8 | 612.1 | 642.3 | 674.1 | 678.9 | 624.1 | 566.0 | 572.4 | 572.4 | 586.7 | **16,174.3** |
| OIL | 1966 | 64.5 | 52.4 | 63.9 | 59.6 | 23.0 | 21.5 | 9.5 | 37.8 | 33.4 | 44.5 | 44.5 | 46.1 | **2,665.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **705.0** |
| H2O | 1965 | 410.2 | 346.6 | 383.2 | 402.4 | 401.4 | 486.3 | 459.6 | 485.7 | 488.9 | 504.8 | 504.0 | 534.2 | **8,898.7** |
| OIL | 1965 | 71.5 | 53.4 | 58.7 | 93.7 | 98.5 | 96.6 | 98.6 | 83.5 | 75.4 | 78.4 | 68.8 | 70.9 | **2,164.5** |
| DAY | 1964 | 12.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **344.0** |
| H2O | 1964 | 125.3 | 195.9 | 245.2 | 323.1 | 318.0 | 317.3 | 331.5 | 332.0 | 324.7 | 331.3 | 329.1 | 318.0 | **3,491.4** |
| OIL | 1964 | 48.3 | 164.0 | 149.6 | 131.9 | 103.8 | 91.3 | 92.6 | 103.0 | 87.2 | 84.3 | 79.7 | 80.8 | **1,216.5** |

Licence ***1924*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-16-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 13.0 | 19.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,141.0** |
| H2O | 1975 | 2904.6 | 2632.5 | 2960.5 | 1032.4 | 1763.1 | 2824.9 | 2484.1 | 2578.5 | 2481.8 | 2871.7 | 2586.6 | 2716.5 | **202,876.9** |
| OIL | 1975 | 134.4 | 129.0 | 141.7 | 50.1 | 90.3 | 142.2 | 71.8 | 73.1 | 67.7 | 110.6 | 103.0 | 107.4 | **33,875.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,806.0** |
| H2O | 1974 | 3537.9 | 3194.9 | 3552.2 | 3330.9 | 3023.8 | 3482.8 | 3549.9 | 3590.6 | 3310.4 | 3186.9 | 3114.4 | 3045.4 | **173,039.7** |
| OIL | 1974 | 277.1 | 247.7 | 274.9 | 264.3 | 144.0 | 137.0 | 137.1 | 138.9 | 140.0 | 146.7 | 141.9 | 143.5 | **32,653.7** |
| DAY | 1973 | 28.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,441.0** |
| H2O | 1973 | 3030.6 | 2352.6 | 3146.1 | 2745.3 | 2968.8 | 3029.8 | 3136.2 | 3628.6 | 3485.2 | 3141.9 | 3091.7 | 3601.7 | **133,119.6** |
| OIL | 1973 | 276.7 | 174.5 | 260.3 | 320.5 | 337.0 | 327.4 | 317.2 | 304.8 | 299.4 | 278.6 | 282.7 | 278.6 | **30,460.6** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 21.0 | 9.0 | 8.0 | 6.0 | 19.0 | 8.0 | 31.0 | 30.0 | 31.0 | **3,085.0** |
| H2O | 1972 | 2955.1 | 2784.7 | 2625.2 | 1538.1 | 757.1 | 351.0 | 471.4 | 1712.5 | 923.0 | 3682.0 | 3515.7 | 3562.1 | **95,761.1** |
| OIL | 1972 | 199.3 | 189.6 | 191.5 | 106.3 | 55.1 | 24.6 | 32.3 | 119.3 | 86.3 | 349.6 | 318.0 | 339.4 | **27,002.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 29.0 | 23.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,832.0** |
| H2O | 1971 | 1125.4 | 977.1 | 1323.8 | 2701.9 | 2136.5 | 2744.5 | 3123.5 | 2927.5 | 2747.7 | 2906.3 | 3023.5 | 2977.2 | **70,883.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1924*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-16-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1971 | 239.5 | 208.0 | 253.0 | 401.6 | 299.7 | 381.9 | 420.2 | 339.0 | 337.8 | 342.3 | 322.0 | 203.6 | **24,991.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,477.0** |
| H2O | 1970 | 1272.0 | 1101.6 | 1226.2 | 1154.2 | 1108.4 | 1097.4 | 1093.0 | 1022.1 | 1084.2 | 1106.5 | 1079.6 | 1099.6 | **42,168.3** |
| OIL | 1970 | 302.9 | 269.4 | 288.3 | 260.5 | 258.9 | 240.9 | 236.8 | 219.6 | 229.0 | 231.7 | 211.5 | 251.2 | **21,243.0** |
| DAY | 1969 | 31.0 | 25.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,113.0** |
| H2O | 1969 | 1259.0 | 904.3 | 968.8 | 950.9 | 864.2 | 1037.7 | 1192.3 | 1257.8 | 1197.3 | 1080.0 | 1088.7 | 1094.3 | **28,723.5** |
| OIL | 1969 | 297.8 | 196.3 | 265.5 | 230.6 | 199.9 | 247.1 | 293.5 | 295.6 | 272.7 | 241.4 | 249.0 | 270.5 | **18,242.3** |
| DAY | 1968 | 30.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,756.0** |
| H2O | 1968 | 662.0 | 658.3 | 622.1 | 734.5 | 749.6 | 794.9 | 827.0 | 791.6 | 833.7 | 1031.3 | 1215.1 | 1278.5 | **15,828.2** |
| OIL | 1968 | 247.3 | 229.1 | 235.3 | 224.2 | 224.4 | 227.9 | 229.3 | 225.2 | 202.0 | 287.8 | 311.5 | 302.1 | **15,182.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 27.0 | 29.0 | 30.0 | 28.0 | 31.0 | **1,396.0** |
| H2O | 1967 | 129.3 | 203.7 | 133.4 | 134.2 | 218.9 | 388.4 | 432.1 | 319.5 | 337.2 | 637.7 | 544.7 | 711.4 | **5,629.6** |
| OIL | 1967 | 240.1 | 212.1 | 219.6 | 232.8 | 289.2 | 230.7 | 232.2 | 191.8 | 191.8 | 248.2 | 215.8 | 233.1 | **12,236.3** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,042.0** |
| H2O | 1966 | 53.6 | 51.8 | 56.4 | 53.3 | 65.3 | 68.0 | 69.3 | 71.4 | 76.5 | 122.7 | 111.3 | 137.0 | **1,439.1** |
| OIL | 1966 | 287.0 | 259.8 | 267.1 | 248.2 | 289.9 | 275.9 | 263.2 | 240.4 | 228.2 | 224.4 | 219.1 | 255.4 | **9,498.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **684.0** |
| H2O | 1965 | 3.7 | 3.2 | 4.0 | 20.3 | 25.8 | 25.3 | 26.5 | 137.8 | 41.8 | 46.9 | 45.8 | 48.8 | **502.5** |
| OIL | 1965 | 310.2 | 268.4 | 291.0 | 217.7 | 269.0 | 249.2 | 247.9 | 311.0 | 323.7 | 262.7 | 284.9 | 292.2 | **6,440.3** |
| DAY | 1964 | 2.0 | 25.0 | 30.0 | 27.0 | 31.0 | 26.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **322.0** |
| H2O | 1964 | 0.5 | 2.7 | 1.7 | 2.5 | 23.1 | 23.2 | 2.4 | 6.7 | 2.4 | 2.1 | 2.4 | 2.9 | **72.6** |
| OIL | 1964 | 22.4 | 263.9 | 288.4 | 226.4 | 301.3 | 283.3 | 300.8 | 212.3 | 319.1 | 296.8 | 295.9 | 301.8 | **3,112.4** |

Licence ***1925*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-16-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 23.0 | 30.0 | 6.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,239.0** |
| H2O | 1975 | 504.1 | 420.0 | 485.4 | 465.2 | 347.1 | 460.6 | 74.2 | 407.3 | 414.5 | 390.8 | 357.9 | 375.8 | **87,274.0** |
| OIL | 1975 | 29.1 | 25.7 | 28.9 | 28.1 | 22.1 | 28.9 | 0.8 | 4.4 | 4.6 | 24.9 | 23.4 | 24.5 | **20,735.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,907.0** |
| H2O | 1974 | 943.2 | 851.7 | 946.9 | 895.4 | 517.8 | 666.3 | 604.6 | 621.6 | 579.0 | 676.6 | 659.3 | 650.2 | **82,571.1** |
| OIL | 1974 | 39.3 | 35.1 | 38.9 | 37.8 | 38.1 | 40.5 | 87.4 | 89.9 | 91.7 | 39.4 | 38.0 | 38.8 | **20,489.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,545.0** |
| H2O | 1973 | 1159.0 | 1098.6 | 1177.2 | 1043.2 | 1135.6 | 1162.1 | 1229.7 | 1219.9 | 929.1 | 806.8 | 824.2 | 960.1 | **73,958.5** |
| OIL | 1973 | 88.2 | 81.2 | 96.9 | 93.6 | 61.5 | 59.9 | 59.3 | 48.8 | 42.6 | 38.1 | 40.0 | 39.4 | **19,874.7** |
| DAY | 1972 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,180.0** |
| H2O | 1972 | 1091.7 | 1034.3 | 962.1 | 994.1 | 1171.4 | 1142.7 | 1157.5 | 1171.4 | 1079.8 | 1178.0 | 1110.8 | 1109.4 | **61,213.0** |
| OIL | 1972 | 109.2 | 104.4 | 104.2 | 101.9 | 78.5 | 73.9 | 72.9 | 75.2 | 66.7 | 74.1 | 66.4 | 88.0 | **19,125.2** |
| DAY | 1971 | 30.0 | 28.0 | 31.0 | 26.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,816.0** |
| H2O | 1971 | 470.4 | 434.0 | 491.9 | 858.3 | 996.8 | 1024.5 | 1059.4 | 1043.5 | 905.6 | 957.9 | 996.5 | 1076.0 | **48,009.8** |
| OIL | 1971 | 41.3 | 38.1 | 43.1 | 136.8 | 150.0 | 153.0 | 152.7 | 107.9 | 99.3 | 100.7 | 94.9 | 109.2 | **18,109.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 27.0 | 30.0 | 30.0 | 26.0 | 31.0 | 28.0 | 29.0 | **2,457.0** |
| H2O | 1970 | 564.9 | 484.7 | 544.5 | 504.1 | 447.4 | 434.7 | 470.4 | 443.7 | 417.5 | 491.6 | 423.7 | 435.3 | **37,695.0** |
| OIL | 1970 | 55.3 | 48.9 | 52.8 | 46.9 | 43.2 | 39.4 | 42.1 | 39.4 | 36.4 | 42.3 | 34.3 | 41.2 | **16,882.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | **2,107.0** |
| H2O | 1969 | 1017.2 | 818.3 | 820.0 | 835.3 | 881.7 | 1021.4 | 720.0 | 711.0 | 634.2 | 694.7 | 700.3 | 704.0 | **32,032.5** |
| OIL | 1969 | 184.0 | 135.9 | 121.6 | 109.6 | 132.2 | 157.6 | 79.9 | 75.3 | 65.2 | 74.7 | 77.1 | 83.7 | **16,360.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 25.0 | 30.0 | 30.0 | 31.0 | 29.0 | 28.0 | 30.0 | 30.0 | **1,746.0** |
| H2O | 1968 | 889.3 | 879.3 | 860.2 | 990.8 | 859.0 | 1080.6 | 1080.4 | 1068.5 | 940.8 | 807.1 | 981.7 | 1032.9 | **22,474.4** |
| OIL | 1968 | 254.6 | 234.4 | 249.3 | 231.7 | 175.4 | 215.6 | 208.5 | 211.5 | 199.7 | 172.3 | 192.4 | 186.7 | **15,063.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,392.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1925*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-16-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1967 | 254.7 | 401.3 | 255.6 | 437.5 | 662.3 | 894.1 | 1043.9 | 897.1 | 881.5 | 865.5 | 808.7 | 986.2 | **11,003.8** |
| OIL | 1967 | 197.2 | 174.3 | 175.4 | 190.7 | 219.6 | 370.9 | 392.0 | 337.4 | 314.0 | 308.4 | 310.7 | 313.4 | **12,531.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,032.0** |
| H2O | 1966 | 49.8 | 47.9 | 54.2 | 186.8 | 210.0 | 219.9 | 224.2 | 231.0 | 247.5 | 241.5 | 220.2 | 269.9 | **2,615.4** |
| OIL | 1966 | 283.0 | 256.2 | 272.1 | 300.3 | 297.3 | 284.4 | 271.4 | 248.1 | 235.3 | 184.3 | 180.5 | 209.9 | **9,227.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **672.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 37.8 | 46.1 | 45.3 | 47.5 | 23.2 | 39.0 | 43.4 | 42.1 | 45.3 | **412.5** |
| OIL | 1965 | 269.4 | 233.1 | 252.7 | 286.8 | 342.6 | 317.3 | 315.9 | 296.4 | 319.3 | 259.0 | 278.6 | 288.1 | **6,204.9** |
| DAY | 1964 | 0.0 | 15.0 | 31.0 | 27.0 | 31.0 | 29.0 | 29.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | **311.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 42.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **42.8** |
| OIL | 1964 | 0.0 | 169.2 | 315.9 | 248.5 | 251.1 | 262.7 | 249.6 | 213.1 | 258.7 | 257.9 | 257.0 | 262.0 | **2,745.7** |

Licence ***1928*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-09-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,129.0** |
| H2O | 1975 | 0.0 | 0.0 | 0.0 | 4.5 | 4.5 | 23.2 | 4.8 | 4.9 | 4.9 | 10.0 | 9.2 | 9.7 | **792.6** |
| OIL | 1975 | 33.2 | 30.0 | 32.9 | 40.7 | 44.2 | 43.2 | 47.5 | 44.2 | 46.6 | 49.6 | 42.6 | 44.5 | **9,108.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,765.0** |
| H2O | 1974 | 4.6 | 4.3 | 4.8 | 4.6 | 4.1 | 4.6 | 0.0 | 0.0 | 4.6 | 4.9 | 4.8 | 0.0 | **716.9** |
| OIL | 1974 | 42.3 | 38.6 | 42.7 | 41.2 | 46.6 | 44.3 | 40.5 | 41.3 | 46.2 | 47.7 | 38.0 | 33.7 | **8,608.8** |
| DAY | 1973 | 11.0 | 0.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,400.0** |
| H2O | 1973 | 1.6 | 0.0 | 8.7 | 0.0 | 4.1 | 4.3 | 0.0 | 0.0 | 4.8 | 4.1 | 4.1 | 4.9 | **675.6** |
| OIL | 1973 | 17.2 | 0.0 | 65.0 | 49.6 | 59.9 | 47.5 | 47.0 | 44.8 | 38.5 | 38.8 | 43.9 | 43.2 | **8,105.7** |
| DAY | 1972 | 27.0 | 12.0 | 2.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **3,086.0** |
| H2O | 1972 | 7.8 | 3.5 | 0.5 | 100.3 | 18.3 | 8.4 | 13.8 | 14.0 | 4.0 | 4.5 | 4.1 | 3.8 | **639.0** |
| OIL | 1972 | 44.3 | 19.7 | 3.3 | 61.0 | 48.5 | 49.3 | 44.8 | 46.4 | 45.8 | 53.4 | 48.5 | 47.7 | **7,610.3** |
| DAY | 1971 | 31.0 | 20.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,772.0** |
| H2O | 1971 | 0.0 | 0.0 | 4.5 | 8.4 | 7.9 | 8.6 | 9.2 | 8.7 | 16.4 | 4.0 | 8.3 | 9.2 | **456.0** |
| OIL | 1971 | 60.7 | 37.2 | 72.9 | 62.9 | 56.1 | 61.0 | 62.6 | 62.9 | 55.9 | 54.0 | 43.9 | 52.0 | **7,097.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 19.0 | 30.0 | **2,417.0** |
| OIL | 1970 | 67.9 | 58.2 | 63.9 | 54.5 | 65.6 | 61.2 | 62.9 | 58.0 | 58.2 | 58.6 | 34.0 | 62.5 | **6,415.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,064.0** |
| H2O | 1969 | 5.4 | 4.6 | 4.9 | 0.0 | 9.9 | 11.8 | 11.6 | 9.1 | 0.0 | 0.0 | 0.0 | 0.0 | **370.8** |
| OIL | 1969 | 68.6 | 61.0 | 68.0 | 54.3 | 75.6 | 66.9 | 66.7 | 64.8 | 67.1 | 62.8 | 68.6 | 68.3 | **5,710.0** |
| DAY | 1968 | 15.0 | 29.0 | 30.0 | 30.0 | 28.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,703.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 3.2 | 4.3 | 23.2 | 8.6 | 6.8 | 5.2 | 4.9 | 5.6 | **313.5** |
| OIL | 1968 | 30.8 | 52.1 | 52.6 | 55.0 | 60.2 | 60.5 | 88.4 | 76.1 | 68.8 | 71.2 | 66.1 | 66.9 | **4,917.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 24.0 | 31.0 | 30.0 | 31.0 | **1,359.0** |
| H2O | 1967 | 4.3 | 3.5 | 4.0 | 3.7 | 3.5 | 4.9 | 4.5 | 3.7 | 3.2 | 35.8 | 36.6 | 0.0 | **251.7** |
| OIL | 1967 | 82.2 | 68.6 | 75.3 | 76.4 | 90.6 | 61.2 | 63.1 | 55.0 | 44.5 | 87.2 | 83.0 | 55.8 | **4,168.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,002.0** |
| H2O | 1966 | 11.1 | 9.5 | 9.9 | 46.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.7 | 3.5 | **144.0** |
| OIL | 1966 | 99.3 | 72.8 | 93.9 | 105.2 | 84.2 | 69.6 | 65.6 | 84.1 | 63.2 | 65.8 | 80.6 | 83.9 | **3,325.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **638.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 4.8 | 1.6 | 1.1 | 1.1 | 1.3 | 10.7 | 10.3 | 9.9 | 8.9 | **60.0** |
| OIL | 1965 | 128.9 | 99.0 | 122.5 | 88.0 | 97.1 | 77.7 | 71.0 | 79.3 | 96.5 | 110.0 | 90.6 | 81.5 | **2,357.5** |
| DAY | 1964 | 0.0 | 16.0 | 31.0 | 19.0 | 29.0 | 21.0 | 28.0 | 18.0 | 26.0 | 27.0 | 30.0 | 31.0 | **276.0** |
| H2O | 1964 | 0.0 | 10.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **10.3** |
| OIL | 1964 | 0.0 | 121.7 | 153.5 | 90.4 | 107.3 | 100.3 | 119.5 | 53.2 | 122.5 | 126.7 | 110.8 | 109.5 | **1,215.4** |

Licence ***1930*** Well Name ***Gale Force Daly SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***1930*** Well Name ***Gale Force Daly SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-06-009-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 6844.8 | 5894.5 | 6400.2 | 6359.7 | 6526.1 | 6205.6 | 6483.4 | 5747.6 | 6213.2 | 7137.1 | 4905.3 | 6514.1 | **742,094.0** |
| WIN | 1974 | 6572.9 | 5786.5 | 6077.8 | 5500.8 | 5500.8 | 5891.8 | 5756.0 | 6840.1 | 6571.6 | 6897.4 | 6542.0 | 6877.5 | **666,862.4** |
| WIN | 1973 | 7069.6 | 6449.0 | 6957.0 | 6866.4 | 6846.7 | 6425.8 | 6659.4 | 6871.9 | 6669.2 | 6915.7 | 6507.2 | 6597.0 | **592,047.2** |
| WIN | 1972 | 7137.6 | 6675.6 | 7270.9 | 7201.3 | 7507.3 | 7150.2 | 7246.3 | 7506.7 | 7122.8 | 6945.4 | 6789.6 | 7143.0 | **511,212.3** |
| WIN | 1971 | 7032.8 | 6730.8 | 6079.4 | 7292.5 | 5751.2 | 6553.2 | 6942.4 | 6753.5 | 6759.2 | 7125.4 | 6851.0 | 7321.5 | **425,515.6** |
| WIN | 1970 | 5644.7 | 5341.9 | 5983.5 | 5206.8 | 5567.0 | 5547.3 | 4643.3 | 5546.2 | 5611.9 | 6775.6 | 6960.5 | 6976.1 | **344,322.7** |
| WIN | 1969 | 5721.8 | 5438.7 | 5766.6 | 5679.7 | 6212.1 | 5924.4 | 4960.0 | 6015.0 | 5840.3 | 6175.7 | 6228.4 | 5997.7 | **274,517.9** |
| WIN | 1968 | 5984.3 | 5617.0 | 6033.3 | 5810.0 | 6121.2 | 5701.9 | 6528.5 | 6286.4 | 6271.4 | 6196.6 | 5666.3 | 5862.2 | **204,557.5** |
| WIN | 1967 | 4751.6 | 4235.7 | 4866.7 | 4809.0 | 4991.0 | 5073.1 | 5600.0 | 5769.7 | 5601.0 | 5680.0 | 6024.7 | 6085.1 | **132,478.4** |
| WIN | 1966 | 4190.5 | 3791.6 | 4345.4 | 3969.0 | 4255.4 | 4359.0 | 4554.4 | 4617.2 | 4531.1 | 4613.4 | 4336.6 | 4524.2 | **68,990.8** |
| DAY | 1965 | 31.0 | 28.0 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **324.0** |
| H2O | 1965 | 148.8 | 170.9 | 23.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **975.6** |
| OIL | 1965 | 59.3 | 16.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,503.8** |
| WIN | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1191.4 | 2494.7 | 2309.5 | 3316.8 | 3690.8 | 3899.8 | **16,903.0** |
| DAY | 1964 | 0.0 | 13.0 | 31.0 | 9.0 | 10.0 | 19.0 | 31.0 | 31.0 | 27.0 | 29.0 | 30.0 | 31.0 | **261.0** |
| H2O | 1964 | 0.0 | 7.5 | 28.9 | 8.3 | 7.5 | 15.1 | 23.5 | 26.6 | 89.5 | 138.3 | 134.5 | 152.6 | **632.3** |
| OIL | 1964 | 0.0 | 102.4 | 227.8 | 63.9 | 67.7 | 144.5 | 235.3 | 239.4 | 130.1 | 75.7 | 73.1 | 68.0 | **1,427.9** |

Licence ***1931*** Well Name ***E. Routledge Unit No. 1 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.10-11-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1232.2 | 946.0 | 946.0 | 938.0 | 739.3 | 715.5 | 659.8 | 739.3 | 1081.1 | 1176.5 | 810.8 | 628.0 | **35,529.3** |
| WIN | 1974 | 1232.2 | 1112.9 | 1232.2 | 1192.4 | 1244.1 | 1275.9 | 1287.8 | 1192.4 | 1248.1 | 1192.4 | 1192.4 | 1232.2 | **24,916.8** |
| WIN | 1973 | 579.7 | 559.8 | 717.0 | 708.8 | 630.4 | 586.5 | 629.1 | 676.2 | 673.6 | 793.2 | 1477.3 | 1365.9 | **10,281.8** |
| DAY | 1972 | 31.0 | 29.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,837.0** |
| H2O | 1972 | 44.4 | 38.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **11,171.4** |
| OIL | 1972 | 6.7 | 6.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,832.4** |
| WIN | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 278.4 | 605.9 | **884.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,777.0** |
| H2O | 1971 | 54.1 | 49.9 | 52.5 | 48.5 | 49.4 | 47.1 | 47.7 | 47.5 | 41.5 | 38.6 | 38.8 | 40.1 | **11,089.0** |
| OIL | 1971 | 12.9 | 11.4 | 12.2 | 10.8 | 11.1 | 10.7 | 10.2 | 9.7 | 9.2 | 8.7 | 7.9 | 7.5 | **3,819.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,412.0** |
| H2O | 1970 | 79.8 | 70.1 | 79.0 | 81.4 | 78.7 | 71.9 | 45.8 | 44.8 | 44.5 | 49.0 | 50.1 | 54.4 | **10,533.3** |
| OIL | 1970 | 18.3 | 15.7 | 17.8 | 16.2 | 15.9 | 14.5 | 14.0 | 13.2 | 12.7 | 12.9 | 12.9 | 13.5 | **3,696.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 5.0 | 11.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,049.0** |
| H2O | 1969 | 72.2 | 63.6 | 73.8 | 12.7 | 28.0 | 90.6 | 82.5 | 75.5 | 78.9 | 70.7 | 81.4 | 74.4 | **9,783.8** |
| OIL | 1969 | 23.4 | 21.5 | 23.8 | 3.2 | 7.2 | 17.5 | 18.0 | 17.5 | 18.3 | 16.2 | 18.4 | 18.3 | **3,519.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 15.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,729.0** |
| H2O | 1968 | 100.6 | 97.5 | 103.3 | 71.5 | 77.9 | 75.5 | 75.5 | 75.5 | 69.2 | 73.9 | 71.5 | 71.5 | **8,979.5** |
| OIL | 1968 | 23.8 | 23.8 | 24.6 | 11.9 | 12.7 | 19.1 | 20.7 | 25.4 | 24.6 | 25.0 | 24.2 | 24.2 | **3,315.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,378.0** |
| H2O | 1967 | 225.9 | 213.5 | 237.8 | 229.3 | 234.3 | 221.0 | 205.3 | 214.6 | 225.0 | 228.1 | 216.5 | 215.3 | **8,016.1** |
| OIL | 1967 | 60.1 | 54.9 | 62.0 | 57.4 | 60.1 | 55.2 | 55.2 | 65.7 | 67.7 | 61.2 | 61.8 | 24.6 | **3,055.8** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,014.0** |
| H2O | 1966 | 137.2 | 139.0 | 253.4 | 167.1 | 173.3 | 194.8 | 218.4 | 212.6 | 207.2 | 217.5 | 224.6 | 233.2 | **5,349.5** |
| OIL | 1966 | 64.4 | 57.9 | 55.5 | 63.4 | 62.6 | 56.1 | 65.2 | 64.1 | 60.4 | 64.2 | 59.5 | 61.5 | **2,369.9** |
| DAY | 1965 | 30.0 | 26.0 | 30.0 | 27.0 | 31.0 | 22.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **649.0** |
| H2O | 1965 | 157.9 | 121.6 | 143.6 | 60.6 | 67.1 | 65.5 | 156.8 | 157.7 | 156.4 | 166.9 | 143.1 | 145.8 | **2,971.2** |
| OIL | 1965 | 93.3 | 82.5 | 58.8 | 38.8 | 41.3 | 34.3 | 78.4 | 44.4 | 42.9 | 46.6 | 62.0 | 64.1 | **1,635.1** |
| DAY | 1964 | 0.0 | 14.0 | 30.0 | 29.0 | 28.0 | 28.0 | 26.0 | 28.0 | 27.0 | 31.0 | 30.0 | 31.0 | **302.0** |
| H2O | 1964 | 0.0 | 34.5 | 108.4 | 115.6 | 103.7 | 135.9 | 143.4 | 143.1 | 167.4 | 155.3 | 162.2 | 158.7 | **1,428.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1931*** Well Name ***E. Routledge Unit No. 1 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.10-11-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1964 | 0.0 | 41.2 | 121.8 | 107.6 | 77.7 | 80.9 | 65.5 | 66.0 | 98.7 | 102.6 | 95.0 | 90.7 | **947.7** |

Licence ***1932*** Well Name ***E. Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-11-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,269.0** |
| H2O | 1975 | 315.1 | 252.3 | 302.4 | 305.1 | 309.4 | 516.4 | 348.0 | 345.0 | 339.3 | 379.3 | 356.9 | 334.8 | **40,079.8** |
| OIL | 1975 | 71.4 | 57.4 | 65.2 | 65.8 | 71.1 | 68.8 | 66.8 | 68.4 | 69.6 | 72.3 | 67.3 | 63.3 | **20,233.2** |
| DAY | 1974 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,904.0** |
| H2O | 1974 | 132.9 | 168.1 | 287.6 | 321.3 | 344.5 | 340.1 | 343.4 | 335.1 | 334.2 | 288.7 | 327.7 | 295.4 | **35,975.8** |
| OIL | 1974 | 38.6 | 34.8 | 73.3 | 76.9 | 78.2 | 72.0 | 78.4 | 74.1 | 73.8 | 72.2 | 73.3 | 75.4 | **19,425.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **3,542.0** |
| H2O | 1973 | 296.2 | 303.2 | 287.9 | 290.5 | 258.5 | 225.1 | 188.1 | 187.4 | 40.7 | 378.5 | 353.3 | 206.2 | **32,456.8** |
| OIL | 1973 | 90.2 | 73.4 | 76.7 | 73.8 | 70.1 | 59.3 | 48.8 | 36.7 | 21.5 | 92.2 | 75.5 | 53.3 | **18,604.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,180.0** |
| H2O | 1972 | 336.3 | 290.2 | 316.9 | 287.4 | 296.0 | 297.9 | 335.5 | 373.8 | 349.6 | 335.1 | 359.3 | 320.4 | **29,441.2** |
| OIL | 1972 | 63.3 | 63.5 | 69.9 | 65.2 | 70.5 | 71.4 | 77.8 | 85.1 | 80.5 | 88.6 | 74.3 | 93.5 | **17,833.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,814.0** |
| H2O | 1971 | 408.3 | 377.8 | 396.7 | 366.3 | 373.0 | 355.3 | 359.8 | 359.0 | 314.0 | 292.5 | 293.3 | 303.7 | **25,542.8** |
| OIL | 1971 | 121.2 | 107.1 | 115.3 | 101.5 | 104.4 | 100.4 | 96.1 | 91.2 | 86.4 | 82.3 | 74.3 | 70.2 | **16,929.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,449.0** |
| H2O | 1970 | 246.1 | 216.2 | 243.6 | 251.0 | 244.0 | 236.1 | 345.0 | 338.3 | 336.4 | 370.3 | 378.1 | 411.0 | **21,343.1** |
| OIL | 1970 | 183.1 | 158.3 | 178.6 | 161.9 | 176.4 | 135.0 | 133.0 | 125.8 | 120.4 | 122.0 | 122.2 | 128.0 | **15,779.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,088.0** |
| H2O | 1969 | 307.8 | 266.0 | 308.8 | 265.5 | 304.8 | 298.9 | 272.3 | 249.0 | 260.1 | 234.2 | 250.9 | 229.3 | **17,727.0** |
| OIL | 1969 | 160.8 | 171.6 | 190.5 | 166.8 | 191.5 | 165.2 | 170.2 | 165.1 | 171.9 | 173.8 | 186.2 | 184.0 | **14,034.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,730.0** |
| H2O | 1968 | 393.7 | 341.8 | 364.9 | 352.3 | 366.6 | 350.7 | 345.0 | 339.6 | 333.1 | 343.4 | 322.3 | 305.3 | **14,479.4** |
| OIL | 1968 | 154.6 | 154.1 | 165.2 | 162.1 | 162.9 | 156.5 | 166.0 | 169.2 | 173.2 | 174.8 | 169.2 | 166.0 | **11,937.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,364.0** |
| H2O | 1967 | 259.0 | 244.7 | 272.5 | 262.6 | 268.5 | 253.3 | 225.6 | 235.8 | 247.1 | 250.6 | 237.8 | 239.4 | **10,320.7** |
| OIL | 1967 | 215.3 | 196.4 | 222.2 | 205.8 | 215.2 | 197.5 | 185.9 | 221.1 | 228.0 | 206.3 | 208.2 | 164.1 | **9,963.2** |
| DAY | 1966 | 28.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,005.0** |
| H2O | 1966 | 247.7 | 215.1 | 177.4 | 190.9 | 198.1 | 222.7 | 250.6 | 243.7 | 237.4 | 249.3 | 257.6 | 267.4 | **7,323.8** |
| OIL | 1966 | 213.6 | 190.4 | 228.0 | 213.7 | 216.9 | 205.8 | 233.5 | 229.2 | 216.1 | 230.0 | 212.8 | 220.4 | **7,497.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **646.0** |
| H2O | 1965 | 198.3 | 151.9 | 222.3 | 199.0 | 212.9 | 221.7 | 137.9 | 133.1 | 196.9 | 344.9 | 286.1 | 291.5 | **4,565.9** |
| OIL | 1965 | 244.9 | 223.1 | 238.9 | 174.2 | 222.8 | 206.9 | 108.3 | 145.2 | 200.5 | 198.3 | 190.5 | 198.8 | **4,886.8** |
| DAY | 1964 | 0.0 | 4.0 | 16.0 | 30.0 | 27.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **288.0** |
| H2O | 1964 | 0.0 | 2.3 | 46.2 | 209.8 | 192.6 | 227.7 | 235.2 | 230.4 | 219.3 | 198.2 | 205.6 | 202.1 | **1,969.4** |
| OIL | 1964 | 0.0 | 20.6 | 110.1 | 230.6 | 278.9 | 290.4 | 300.4 | 287.7 | 252.7 | 270.7 | 251.1 | 241.2 | **2,534.4** |

Licence ***1934*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-17-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,306.0** |
| H2O | 1975 | 1362.5 | 1146.4 | 1266.0 | 1227.8 | 1286.6 | 1197.1 | 542.3 | 1220.2 | 1194.7 | 1300.8 | 1190.9 | 1250.7 | **122,768.5** |
| OIL | 1975 | 33.5 | 29.9 | 32.1 | 31.5 | 35.0 | 31.9 | 9.1 | 102.2 | 96.3 | 29.6 | 28.0 | 29.2 | **19,457.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,941.0** |
| H2O | 1974 | 1407.8 | 1267.9 | 1409.7 | 1333.0 | 1050.1 | 1111.3 | 1312.1 | 1366.0 | 1280.6 | 1354.8 | 1356.9 | 1316.4 | **108,582.5** |
| OIL | 1974 | 97.7 | 87.1 | 96.8 | 93.8 | 76.1 | 33.4 | 38.9 | 40.4 | 41.5 | 33.1 | 32.7 | 32.9 | **18,968.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1934*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-17-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,581.0** |
| H2O | 1973 | 1471.8 | 1429.5 | 1493.0 | 1269.3 | 939.4 | 1000.6 | 1011.3 | 1158.8 | 1323.0 | 1263.9 | 1227.0 | 1429.4 | **93,015.9** |
| OIL | 1973 | 68.2 | 64.2 | 74.7 | 69.3 | 29.6 | 30.0 | 28.3 | 27.0 | 100.7 | 99.2 | 99.3 | 97.9 | **18,264.5** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,219.0** |
| H2O | 1972 | 1289.2 | 1211.4 | 1163.9 | 1285.8 | 1342.3 | 1268.2 | 1328.9 | 1448.0 | 1369.0 | 1456.4 | 1338.5 | 1409.0 | **77,998.9** |
| OIL | 1972 | 97.7 | 92.8 | 95.5 | 77.1 | 84.7 | 77.1 | 79.0 | 71.0 | 64.7 | 70.1 | 61.3 | 68.0 | **17,476.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,855.0** |
| H2O | 1971 | 1064.8 | 908.1 | 1048.0 | 1053.1 | 1136.1 | 1098.6 | 1095.8 | 1275.0 | 1144.0 | 1199.7 | 1247.8 | 1295.2 | **62,088.3** |
| OIL | 1971 | 118.2 | 100.9 | 116.3 | 108.2 | 110.1 | 105.7 | 101.9 | 48.6 | 46.4 | 46.7 | 43.9 | 99.6 | **16,537.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | **2,495.0** |
| H2O | 1970 | 855.6 | 1056.6 | 1123.8 | 1077.9 | 1048.8 | 1004.0 | 961.4 | 983.3 | 991.7 | 1047.0 | 993.0 | 989.7 | **48,522.1** |
| OIL | 1970 | 118.9 | 108.1 | 134.4 | 110.8 | 127.8 | 114.9 | 108.5 | 110.1 | 109.2 | 114.3 | 101.4 | 117.9 | **15,490.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,133.0** |
| H2O | 1969 | 988.4 | 804.8 | 860.9 | 818.7 | 845.9 | 937.7 | 899.0 | 1031.1 | 1018.7 | 1034.2 | 993.5 | 1035.8 | **36,389.3** |
| OIL | 1969 | 157.3 | 135.4 | 144.0 | 134.6 | 133.5 | 142.4 | 133.3 | 140.5 | 133.0 | 134.9 | 116.3 | 125.9 | **14,114.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,770.0** |
| H2O | 1968 | 700.8 | 765.5 | 902.4 | 831.3 | 874.5 | 842.9 | 1676.1 | 809.8 | 759.0 | 806.3 | 933.7 | 988.2 | **25,120.6** |
| OIL | 1968 | 202.6 | 220.9 | 250.8 | 218.3 | 215.5 | 193.1 | 188.8 | 178.6 | 160.7 | 164.0 | 173.2 | 170.0 | **12,483.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,405.0** |
| H2O | 1967 | 324.0 | 320.7 | 389.3 | 392.7 | 683.6 | 687.0 | 714.1 | 709.2 | 697.6 | 749.4 | 704.1 | 701.7 | **14,230.1** |
| OIL | 1967 | 125.9 | 124.1 | 150.5 | 147.9 | 297.2 | 270.6 | 267.8 | 249.0 | 239.2 | 238.0 | 204.5 | 211.8 | **10,146.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,041.0** |
| H2O | 1966 | 324.8 | 291.9 | 334.8 | 334.2 | 347.2 | 344.0 | 354.5 | 358.3 | 326.1 | 356.8 | 332.9 | 350.6 | **7,156.7** |
| OIL | 1966 | 191.0 | 168.6 | 191.3 | 182.9 | 180.5 | 168.4 | 168.9 | 171.9 | 153.2 | 164.3 | 152.1 | 136.3 | **7,620.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **676.0** |
| H2O | 1965 | 145.5 | 133.5 | 193.2 | 234.0 | 220.7 | 224.3 | 257.4 | 260.1 | 246.9 | 261.4 | 244.8 | 299.0 | **3,100.6** |
| OIL | 1965 | 274.6 | 237.3 | 261.4 | 282.7 | 236.6 | 222.8 | 220.9 | 210.9 | 180.7 | 175.8 | 176.5 | 185.4 | **5,590.8** |
| DAY | 1964 | 0.0 | 10.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **316.0** |
| H2O | 1964 | 0.0 | 0.6 | 0.5 | 0.3 | 0.5 | 0.0 | 4.1 | 11.4 | 39.7 | 71.1 | 106.0 | 145.6 | **379.8** |
| OIL | 1964 | 0.0 | 98.4 | 305.1 | 274.6 | 306.9 | 294.6 | 288.1 | 284.4 | 260.1 | 257.9 | 256.0 | 299.1 | **2,925.2** |

Licence ***1935*** Well Name ***E. Routledge Unit No. 1 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-11-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1559.6 | 1324.3 | 1152.6 | 1097.0 | 1200.4 | 1275.2 | 1264.0 | 1422.9 | 1485.2 | 1414.9 | 910.1 | 883.2 | **47,919.7** |
| WIN | 1974 | 1564.6 | 1476.9 | 1656.5 | 1621.0 | 1671.2 | 1610.6 | 1520.0 | 1594.0 | 1580.8 | 1624.2 | 1596.2 | 1643.1 | **32,930.3** |
| WIN | 1973 | 597.8 | 536.3 | 660.1 | 843.3 | 895.0 | 863.5 | 850.1 | 835.0 | 1574.6 | 1802.8 | 1756.6 | 1676.7 | **13,771.2** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 30.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,862.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 31.8 | 95.4 | 107.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **11,009.2** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 3.2 | 9.2 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,270.2** |
| WIN | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 331.3 | 548.1 | **879.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,791.0** |
| H2O | 1971 | 134.0 | 124.0 | 130.2 | 120.2 | 122.4 | 116.7 | 118.1 | 117.8 | 103.0 | 96.0 | 96.2 | 99.5 | **10,774.8** |
| OIL | 1971 | 17.8 | 15.7 | 17.0 | 14.9 | 15.4 | 14.8 | 14.1 | 13.4 | 12.7 | 12.1 | 11.0 | 10.3 | **2,247.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,426.0** |
| H2O | 1970 | 103.8 | 91.3 | 102.9 | 106.0 | 103.3 | 94.4 | 113.4 | 111.1 | 110.5 | 121.6 | 124.2 | 135.0 | **9,396.7** |
| OIL | 1970 | 22.9 | 19.7 | 22.3 | 20.2 | 20.7 | 18.9 | 19.7 | 18.6 | 17.8 | 18.0 | 18.0 | 18.8 | **2,078.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,063.0** |
| H2O | 1969 | 113.8 | 98.6 | 114.5 | 103.3 | 111.0 | 117.7 | 107.2 | 97.9 | 102.2 | 91.7 | 105.7 | 96.7 | **8,079.2** |
| OIL | 1969 | 26.2 | 25.1 | 27.8 | 25.1 | 25.1 | 22.3 | 22.9 | 22.3 | 23.2 | 20.5 | 23.4 | 23.1 | **1,843.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,698.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1935*** Well Name ***E. Routledge Unit No. 1 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-11-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1968 | 113.4 | 113.4 | 123.2 | 119.2 | 124.0 | 120.0 | 116.9 | 116.1 | 108.0 | 116.9 | 112.9 | 112.9 | **6,818.9** |
| OIL | 1968 | 23.8 | 23.8 | 24.6 | 23.8 | 24.6 | 23.8 | 26.2 | 28.6 | 27.7 | 28.0 | 27.2 | 27.0 | **1,556.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,332.0** |
| H2O | 1967 | 143.2 | 135.3 | 150.7 | 145.3 | 148.7 | 140.2 | 130.2 | 136.1 | 142.6 | 144.5 | 137.2 | 108.4 | **5,422.0** |
| OIL | 1967 | 20.0 | 18.3 | 20.7 | 19.1 | 20.0 | 18.4 | 19.1 | 22.7 | 23.5 | 21.3 | 21.5 | 24.6 | **1,246.9** |
| DAY | 1966 | 12.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **968.0** |
| H2O | 1966 | 42.4 | 92.7 | 101.3 | 104.9 | 108.9 | 122.4 | 138.6 | 134.8 | 131.3 | 137.8 | 142.5 | 147.9 | **3,759.6** |
| OIL | 1966 | 9.5 | 9.5 | 24.6 | 23.8 | 24.2 | 18.8 | 21.8 | 21.5 | 20.4 | 21.5 | 19.9 | 20.5 | **997.7** |
| DAY | 1965 | 31.0 | 20.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **622.0** |
| H2O | 1965 | 122.6 | 92.8 | 109.7 | 146.3 | 152.9 | 94.6 | 100.8 | 104.0 | 101.8 | 104.9 | 104.9 | 97.3 | **2,354.1** |
| OIL | 1965 | 26.7 | 19.1 | 24.6 | 30.2 | 30.5 | 28.6 | 29.3 | 28.6 | 28.6 | 23.4 | 23.8 | 24.6 | **761.7** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 27.0 | 30.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **267.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 93.5 | 100.2 | 99.5 | 96.0 | 135.8 | 128.8 | 120.8 | 125.3 | 121.6 | **1,021.5** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 80.1 | 64.2 | 69.0 | 71.9 | 44.4 | 28.6 | 29.6 | 28.6 | 27.3 | **443.7** |

Licence ***1938*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-32-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 28.0 | 30.0 | 28.0 | 30.0 | 31.0 | **4,193.0** |
| H2O | 1975 | 191.6 | 162.5 | 184.6 | 176.8 | 182.5 | 161.2 | 203.2 | 180.3 | 199.8 | 218.1 | 219.4 | 230.4 | **21,877.5** |
| OIL | 1975 | 42.1 | 38.0 | 42.0 | 40.7 | 44.2 | 38.6 | 50.2 | 43.7 | 46.6 | 22.6 | 23.4 | 24.5 | **10,944.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 29.0 | 30.0 | 20.0 | 27.0 | 31.0 | **3,837.0** |
| H2O | 1974 | 99.2 | 89.2 | 99.4 | 93.8 | 104.0 | 132.7 | 135.5 | 81.2 | 80.4 | 56.4 | 174.4 | 185.1 | **19,567.1** |
| OIL | 1974 | 27.2 | 24.2 | 27.0 | 26.1 | 7.3 | 7.8 | 7.8 | 15.7 | 16.8 | 11.6 | 37.7 | 41.5 | **10,488.1** |
| DAY | 1973 | 25.0 | 27.0 | 27.0 | 30.0 | 30.0 | 28.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,491.0** |
| H2O | 1973 | 59.0 | 168.0 | 160.7 | 94.9 | 94.1 | 83.5 | 92.0 | 106.8 | 91.4 | 86.6 | 86.5 | 100.6 | **18,235.8** |
| OIL | 1973 | 16.4 | 21.0 | 22.4 | 34.0 | 32.6 | 36.5 | 37.8 | 36.4 | 27.5 | 27.0 | 27.8 | 27.3 | **10,237.4** |
| DAY | 1972 | 30.0 | 25.0 | 29.0 | 30.0 | 28.0 | 30.0 | 31.0 | 27.0 | 29.0 | 30.0 | 26.0 | 30.0 | **3,141.0** |
| H2O | 1972 | 132.1 | 109.7 | 124.2 | 121.9 | 116.1 | 121.5 | 120.7 | 59.3 | 65.7 | 70.0 | 59.8 | 67.6 | **17,011.7** |
| OIL | 1972 | 53.2 | 44.7 | 54.0 | 50.4 | 50.5 | 51.0 | 49.6 | 20.7 | 22.1 | 24.0 | 16.4 | 19.4 | **9,890.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 22.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,796.0** |
| H2O | 1971 | 238.8 | 170.3 | 193.0 | 180.9 | 135.5 | 187.1 | 198.9 | 187.3 | 121.5 | 122.7 | 123.5 | 137.2 | **15,843.1** |
| OIL | 1971 | 92.0 | 71.8 | 81.4 | 79.0 | 55.8 | 76.6 | 78.7 | 79.0 | 55.8 | 54.2 | 47.4 | 56.1 | **9,434.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 29.0 | 31.0 | **2,440.0** |
| H2O | 1970 | 210.8 | 205.1 | 210.8 | 207.6 | 220.0 | 232.9 | 232.6 | 214.9 | 200.0 | 234.8 | 221.3 | 233.4 | **13,846.4** |
| OIL | 1970 | 89.6 | 76.9 | 81.8 | 73.4 | 93.0 | 92.6 | 91.4 | 83.7 | 76.6 | 89.1 | 78.5 | 96.6 | **8,606.9** |
| DAY | 1969 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,082.0** |
| H2O | 1969 | 162.2 | 147.9 | 175.2 | 156.1 | 156.1 | 167.7 | 128.3 | 153.6 | 127.8 | 297.0 | 262.2 | 233.5 | **11,222.2** |
| OIL | 1969 | 76.0 | 56.6 | 79.1 | 72.6 | 67.9 | 67.2 | 53.6 | 59.4 | 66.7 | 108.1 | 98.7 | 94.1 | **7,583.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,728.0** |
| H2O | 1968 | 154.4 | 145.0 | 142.9 | 134.2 | 158.3 | 235.1 | 222.3 | 216.1 | 178.9 | 197.5 | 179.0 | 159.5 | **9,054.6** |
| OIL | 1968 | 85.8 | 79.1 | 79.5 | 72.9 | 70.9 | 103.5 | 98.4 | 83.0 | 85.3 | 83.9 | 78.8 | 69.4 | **6,683.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,364.0** |
| H2O | 1967 | 203.3 | 162.6 | 174.4 | 160.3 | 165.0 | 195.7 | 198.2 | 183.3 | 176.8 | 160.9 | 154.7 | 155.8 | **6,931.4** |
| OIL | 1967 | 96.6 | 85.2 | 89.6 | 68.3 | 108.7 | 136.2 | 114.4 | 106.9 | 88.7 | 96.9 | 90.7 | 91.5 | **5,693.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,000.0** |
| H2O | 1966 | 142.3 | 119.2 | 145.0 | 117.2 | 182.0 | 168.2 | 185.7 | 178.4 | 149.3 | 165.3 | 174.2 | 210.2 | **4,840.4** |
| OIL | 1966 | 141.4 | 151.1 | 129.2 | 100.0 | 122.7 | 113.8 | 120.6 | 154.9 | 109.0 | 104.4 | 95.5 | 98.2 | **4,519.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 24.0 | 31.0 | 30.0 | 28.0 | **641.0** |
| H2O | 1965 | 163.7 | 138.2 | 131.2 | 127.5 | 106.8 | 96.0 | 86.2 | 76.0 | 50.4 | 230.7 | 228.9 | 131.0 | **2,903.4** |
| OIL | 1965 | 148.6 | 125.5 | 125.9 | 114.1 | 96.9 | 81.7 | 72.5 | 65.9 | 43.5 | 185.1 | 153.3 | 136.8 | **3,078.7** |

# Manitoba Production
## 1950 To 1975

Licence ***1938*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-32-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 0.0 | 0.0 | 19.0 | 24.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | **285.0** |
| H2O | 1964 | 0.0 | 0.0 | 36.6 | 72.2 | 175.4 | 174.6 | 161.5 | 121.1 | 132.0 | 146.9 | 158.2 | 158.3 | **1,336.8** |
| OIL | 1964 | 0.0 | 0.0 | 121.6 | 125.7 | 200.2 | 201.5 | 191.2 | 193.1 | 191.3 | 185.8 | 157.0 | 161.5 | **1,728.9** |

Licence ***1939*** Well Name ***E. Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-11-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,247.0** |
| H2O | 1975 | 330.1 | 276.8 | 331.2 | 328.2 | 349.9 | 98.1 | 244.0 | 258.8 | 271.4 | 299.2 | 232.8 | 279.8 | **41,861.0** |
| OIL | 1975 | 90.3 | 77.9 | 82.5 | 79.0 | 85.4 | 73.8 | 66.8 | 68.4 | 74.2 | 77.3 | 63.4 | 77.7 | **19,121.7** |
| DAY | 1974 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,882.0** |
| H2O | 1974 | 322.7 | 327.5 | 352.6 | 359.9 | 330.2 | 285.7 | 272.0 | 310.5 | 315.1 | 280.0 | 338.0 | 314.8 | **38,560.7** |
| OIL | 1974 | 96.7 | 78.5 | 81.4 | 91.3 | 88.1 | 72.0 | 78.4 | 74.1 | 73.8 | 76.9 | 78.1 | 95.4 | **18,205.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **3,520.0** |
| H2O | 1973 | 396.5 | 405.7 | 282.8 | 285.2 | 300.0 | 281.6 | 331.5 | 407.8 | 352.3 | 417.3 | 380.9 | 378.7 | **34,751.7** |
| OIL | 1973 | 133.0 | 108.2 | 105.5 | 101.7 | 102.8 | 82.1 | 112.1 | 133.1 | 118.9 | 121.3 | 117.8 | 106.4 | **17,220.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,159.0** |
| H2O | 1972 | 364.7 | 314.8 | 343.7 | 311.9 | 321.3 | 323.5 | 364.2 | 405.9 | 379.7 | 409.1 | 438.5 | 428.8 | **30,531.4** |
| OIL | 1972 | 54.3 | 54.4 | 59.8 | 55.9 | 60.6 | 61.6 | 67.2 | 73.5 | 69.5 | 133.0 | 111.4 | 137.9 | **15,877.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,793.0** |
| H2O | 1971 | 443.1 | 409.9 | 430.4 | 397.5 | 404.8 | 385.7 | 390.5 | 389.5 | 340.6 | 317.3 | 318.1 | 329.3 | **26,125.3** |
| OIL | 1971 | 103.2 | 91.2 | 98.2 | 86.4 | 88.8 | 85.4 | 81.8 | 77.5 | 73.4 | 69.9 | 63.2 | 60.0 | **14,938.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,428.0** |
| H2O | 1970 | 221.8 | 194.8 | 219.4 | 226.1 | 220.2 | 201.1 | 374.6 | 367.3 | 365.2 | 401.9 | 410.3 | 446.0 | **21,568.6** |
| OIL | 1970 | 150.1 | 129.8 | 146.5 | 132.8 | 144.6 | 132.3 | 113.3 | 107.2 | 102.6 | 103.9 | 104.0 | 109.0 | **13,959.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 27.0 | 26.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,065.0** |
| H2O | 1969 | 257.9 | 225.8 | 261.9 | 226.6 | 218.1 | 251.2 | 228.9 | 209.4 | 218.6 | 196.2 | 225.9 | 206.5 | **17,919.9** |
| OIL | 1969 | 155.7 | 150.9 | 167.5 | 143.0 | 137.4 | 146.2 | 150.6 | 146.0 | 152.1 | 134.7 | 153.0 | 151.1 | **12,483.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,709.0** |
| H2O | 1968 | 336.9 | 317.8 | 340.2 | 328.5 | 346.0 | 330.9 | 325.0 | 318.1 | 276.6 | 284.6 | 275.0 | 255.7 | **15,192.9** |
| OIL | 1968 | 154.8 | 152.5 | 167.6 | 164.0 | 164.8 | 158.4 | 168.0 | 171.1 | 165.7 | 167.3 | 161.6 | 160.8 | **10,695.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,343.0** |
| H2O | 1967 | 226.1 | 213.7 | 237.8 | 229.3 | 234.3 | 221.0 | 194.1 | 202.9 | 212.6 | 215.4 | 204.5 | 201.9 | **11,457.6** |
| OIL | 1967 | 165.4 | 150.9 | 170.7 | 158.1 | 165.4 | 151.9 | 138.2 | 164.3 | 169.5 | 153.3 | 154.8 | 167.5 | **8,738.4** |
| DAY | 1966 | 28.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **984.0** |
| H2O | 1966 | 247.6 | 206.7 | 177.4 | 238.6 | 173.3 | 194.8 | 218.6 | 212.7 | 207.2 | 217.5 | 224.8 | 233.4 | **8,864.0** |
| OIL | 1966 | 173.4 | 143.1 | 171.8 | 166.2 | 168.7 | 158.9 | 179.1 | 175.9 | 165.9 | 176.5 | 163.3 | 169.2 | **6,828.4** |
| DAY | 1965 | 31.0 | 27.0 | 29.0 | 27.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **625.0** |
| H2O | 1965 | 331.4 | 254.6 | 268.6 | 312.2 | 316.3 | 295.3 | 299.8 | 329.8 | 321.8 | 310.4 | 333.8 | 301.2 | **6,311.4** |
| OIL | 1965 | 247.6 | 224.4 | 214.5 | 184.6 | 202.0 | 181.6 | 192.3 | 215.8 | 207.9 | 206.1 | 214.4 | 206.6 | **4,816.4** |
| DAY | 1964 | 0.0 | 0.0 | 6.0 | 27.0 | 27.0 | 28.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **269.0** |
| H2O | 1964 | 0.0 | 0.0 | 14.8 | 127.6 | 271.1 | 273.8 | 276.5 | 274.2 | 378.0 | 333.9 | 344.9 | 341.4 | **2,636.2** |
| OIL | 1964 | 0.0 | 0.0 | 49.3 | 183.7 | 248.9 | 261.3 | 275.9 | 271.8 | 282.3 | 273.7 | 240.9 | 230.8 | **2,318.6** |

Licence ***1940*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.14-32-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 22.0 | 23.0 | 0.0 | 0.0 | 25.0 | 18.0 | 0.0 | **223.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 28.7 | 67.1 | 59.9 | 0.0 | 0.0 | 62.2 | 46.1 | 0.0 | **837.7** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 9.4 | 16.1 | 14.1 | 0.0 | 0.0 | 20.8 | 12.9 | 0.0 | **217.1** |
| DAY | 1964 | 0.0 | 0.0 | 19.0 | 19.0 | 2.0 | 0.0 | 0.0 | 19.0 | 30.0 | 31.0 | 2.0 | 0.0 | **122.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1940*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.14-32-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1964 | 0.0 | 0.0 | 111.0 | 67.1 | 13.5 | 0.0 | 0.0 | 72.8 | 148.2 | 154.1 | 7.0 | 0.0 | **573.7** |
| OIL | 1964 | 0.0 | 0.0 | 65.5 | 22.9 | 3.0 | 0.0 | 0.0 | 13.0 | 24.0 | 14.8 | 0.6 | 0.0 | **143.8** |

Licence ***1941*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-16-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 27.0 | 31.0 | 30.0 | 23.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,141.0** |
| H2O | 1975 | 927.8 | 736.1 | 885.8 | 849.0 | 633.5 | 869.3 | 923.5 | 951.5 | 960.2 | 841.3 | 757.9 | 795.9 | **61,199.3** |
| OIL | 1975 | 89.0 | 74.8 | 87.9 | 85.3 | 67.1 | 90.7 | 99.8 | 100.3 | 97.7 | 15.6 | 14.6 | 15.3 | **7,242.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 15.0 | 11.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,785.0** |
| H2O | 1974 | 1071.7 | 967.7 | 1076.1 | 466.4 | 479.2 | 1591.5 | 857.7 | 904.0 | 842.0 | 956.3 | 931.8 | 918.7 | **51,067.5** |
| OIL | 1974 | 35.6 | 31.8 | 35.4 | 15.6 | 23.7 | 64.7 | 35.3 | 77.1 | 78.7 | 91.1 | 87.9 | 89.6 | **6,404.4** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | **3,455.0** |
| H2O | 1973 | 354.4 | 344.2 | 351.0 | 311.0 | 333.7 | 350.1 | 353.7 | 367.4 | 126.7 | 83.6 | 881.9 | 1090.9 | **40,004.4** |
| OIL | 1973 | 16.4 | 15.3 | 17.5 | 16.8 | 17.5 | 17.5 | 16.7 | 14.3 | 13.2 | 8.9 | 34.3 | 35.9 | **5,737.9** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,100.0** |
| H2O | 1972 | 376.0 | 353.4 | 327.2 | 347.8 | 351.0 | 340.2 | 344.5 | 351.5 | 327.7 | 350.7 | 334.7 | 339.3 | **35,055.8** |
| OIL | 1972 | 13.2 | 12.6 | 12.4 | 12.7 | 18.0 | 16.7 | 16.5 | 17.0 | 15.4 | 16.7 | 15.3 | 16.2 | **5,513.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,735.0** |
| H2O | 1971 | 448.3 | 389.3 | 373.0 | 369.9 | 400.8 | 388.2 | 412.6 | 370.1 | 321.3 | 340.1 | 353.6 | 377.7 | **30,911.8** |
| OIL | 1971 | 34.5 | 30.0 | 34.0 | 28.6 | 29.2 | 28.1 | 28.9 | 33.1 | 30.4 | 31.0 | 28.9 | 13.7 | **5,330.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | **2,370.0** |
| H2O | 1970 | 506.8 | 438.9 | 488.4 | 445.6 | 441.6 | 437.4 | 437.8 | 398.1 | 369.6 | 440.9 | 430.0 | 438.2 | **26,366.9** |
| OIL | 1970 | 43.9 | 38.8 | 41.5 | 36.2 | 37.3 | 34.8 | 34.3 | 30.8 | 28.3 | 33.5 | 30.5 | 36.2 | **4,980.5** |
| DAY | 1969 | 31.0 | 20.0 | 28.0 | 30.0 | 27.0 | 30.0 | 26.0 | 30.0 | 28.0 | 28.0 | 30.0 | 31.0 | **2,010.0** |
| H2O | 1969 | 419.4 | 240.9 | 290.3 | 330.4 | 348.3 | 469.1 | 344.8 | 394.0 | 389.8 | 415.4 | 433.9 | 435.9 | **21,093.6** |
| OIL | 1969 | 26.4 | 11.6 | 17.8 | 17.8 | 24.3 | 33.7 | 23.4 | 25.3 | 30.0 | 33.5 | 35.9 | 38.9 | **4,554.4** |
| DAY | 1968 | 30.0 | 29.0 | 31.0 | 12.0 | 27.0 | 30.0 | 31.0 | 31.0 | 26.0 | 30.0 | 30.0 | 30.0 | **1,671.0** |
| H2O | 1968 | 377.9 | 376.0 | 367.7 | 163.0 | 353.9 | 404.8 | 421.3 | 403.0 | 347.7 | 332.6 | 404.6 | 424.6 | **16,581.4** |
| OIL | 1968 | 29.9 | 27.5 | 29.2 | 10.5 | 25.9 | 28.4 | 28.6 | 28.1 | 25.6 | 24.5 | 27.5 | 26.7 | **4,235.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 24.0 | 27.0 | 29.0 | 31.0 | 27.0 | 29.0 | 31.0 | 28.0 | 31.0 | **1,334.0** |
| H2O | 1967 | 443.6 | 699.4 | 457.9 | 155.2 | 265.3 | 175.0 | 201.6 | 340.5 | 359.5 | 351.8 | 306.5 | 402.1 | **12,204.3** |
| OIL | 1967 | 91.2 | 80.6 | 83.4 | 16.2 | 21.3 | 17.5 | 18.4 | 33.5 | 33.5 | 33.1 | 31.0 | 33.7 | **3,923.4** |
| DAY | 1966 | 31.0 | 28.0 | 30.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 27.0 | 30.0 | 31.0 | **987.0** |
| H2O | 1966 | 291.6 | 281.4 | 307.1 | 304.3 | 387.3 | 403.5 | 411.3 | 423.5 | 454.0 | 335.8 | 379.3 | 472.3 | **8,045.9** |
| OIL | 1966 | 56.3 | 50.9 | 52.3 | 67.9 | 82.3 | 78.3 | 74.7 | 68.3 | 64.8 | 70.6 | 82.3 | 97.4 | **3,430.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **632.0** |
| H2O | 1965 | 232.3 | 211.9 | 255.0 | 183.8 | 223.7 | 218.1 | 234.3 | 140.4 | 227.7 | 254.7 | 249.4 | 265.5 | **3,594.5** |
| OIL | 1965 | 138.2 | 119.6 | 129.4 | 116.7 | 139.6 | 128.0 | 130.4 | 60.7 | 63.4 | 51.5 | 55.8 | 57.2 | **2,583.9** |
| DAY | 1964 | 0.0 | 0.0 | 5.0 | 30.0 | 31.0 | 27.0 | 29.0 | 28.0 | 28.0 | 30.0 | 30.0 | 31.0 | **269.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.2 | 24.8 | 23.7 | 55.5 | 83.0 | 108.7 | 144.7 | 121.1 | 158.3 | 177.7 | **897.7** |
| OIL | 1964 | 0.0 | 0.0 | 31.8 | 204.6 | 217.7 | 149.5 | 160.6 | 103.7 | 132.6 | 126.6 | 131.8 | 134.5 | **1,393.4** |

Licence ***1942*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-09-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 18.0 | 29.0 | 30.0 | 30.0 | 27.0 | 30.0 | 6.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,424.0** |
| H2O | 1968 | 269.5 | 431.6 | 416.8 | 377.3 | 295.9 | 328.0 | 97.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **16,207.8** |
| OIL | 1968 | 9.2 | 13.2 | 13.0 | 14.0 | 4.0 | 4.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,388.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 28.0 | 29.0 | 29.0 | 28.0 | **1,254.0** |
| H2O | 1967 | 529.7 | 441.5 | 488.7 | 446.7 | 409.7 | 456.3 | 422.1 | 377.7 | 353.1 | 358.0 | 378.2 | 350.2 | **13,990.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1942*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-09-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1967 | 13.2 | 10.8 | 11.9 | 11.9 | 13.3 | 14.8 | 15.3 | 15.7 | 14.1 | 12.7 | 12.4 | 12.7 | **2,330.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 27.0 | 24.0 | 29.0 | 29.0 | 3.0 | 15.0 | 28.0 | 30.0 | 31.0 | **899.0** |
| H2O | 1966 | 303.0 | 263.4 | 272.0 | 234.2 | 232.0 | 264.4 | 321.1 | 40.5 | 151.5 | 344.7 | 441.8 | 477.3 | **8,978.9** |
| OIL | 1966 | 75.5 | 55.5 | 71.5 | 69.4 | 69.0 | 68.3 | 63.2 | 8.6 | 33.1 | 63.6 | 12.9 | 14.1 | **2,171.6** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 27.0 | 27.0 | 30.0 | 31.0 | 27.0 | 26.0 | 31.0 | 30.0 | 31.0 | **593.0** |
| H2O | 1965 | 395.9 | 404.8 | 517.0 | 312.9 | 325.4 | 252.6 | 262.6 | 266.6 | 275.2 | 282.5 | 271.1 | 245.9 | **5,633.0** |
| OIL | 1965 | 85.3 | 66.6 | 81.7 | 90.9 | 82.6 | 74.4 | 68.2 | 73.4 | 68.3 | 83.7 | 68.8 | 62.0 | **1,566.9** |
| DAY | 1964 | 0.0 | 0.0 | 5.0 | 30.0 | 31.0 | 23.0 | 28.0 | 17.0 | 23.0 | 27.0 | 30.0 | 29.0 | **243.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.5 | 104.8 | 123.8 | 178.9 | 216.5 | 120.5 | 130.0 | 176.1 | 380.9 | 388.5 | **1,820.5** |
| OIL | 1964 | 0.0 | 0.0 | 15.9 | 91.5 | 75.0 | 70.6 | 78.2 | 31.6 | 74.2 | 84.2 | 72.9 | 66.9 | **661.0** |

Licence ***1943*** Well Name ***E. Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-10-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,258.0** |
| H2O | 1975 | 79.9 | 56.9 | 72.0 | 60.1 | 50.9 | 65.3 | 67.9 | 68.0 | 72.6 | 80.1 | 61.3 | 74.8 | **13,430.3** |
| OIL | 1975 | 38.0 | 32.7 | 34.8 | 35.1 | 28.3 | 29.4 | 28.6 | 36.4 | 37.2 | 38.6 | 32.7 | 38.8 | **12,996.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,893.0** |
| H2O | 1974 | 47.5 | 43.1 | 55.1 | 42.7 | 61.3 | 68.0 | 71.4 | 54.2 | 71.5 | 65.6 | 62.5 | 62.9 | **12,620.5** |
| OIL | 1974 | 53.1 | 34.8 | 36.1 | 38.5 | 39.1 | 35.9 | 39.3 | 27.8 | 36.9 | 38.5 | 39.1 | 40.2 | **12,585.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,528.0** |
| H2O | 1973 | 94.4 | 46.6 | 65.6 | 66.3 | 56.9 | 61.0 | 44.8 | 56.3 | 36.1 | 48.5 | 45.9 | 67.1 | **11,914.7** |
| OIL | 1973 | 36.4 | 31.0 | 48.0 | 46.2 | 37.3 | 36.5 | 35.6 | 36.7 | 38.0 | 38.8 | 37.7 | 38.6 | **12,126.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,163.0** |
| H2O | 1972 | 95.5 | 68.5 | 67.4 | 65.2 | 69.4 | 72.8 | 82.0 | 91.4 | 85.5 | 73.9 | 79.3 | 102.1 | **11,225.2** |
| OIL | 1972 | 43.9 | 35.6 | 36.7 | 29.2 | 34.0 | 34.8 | 38.0 | 41.6 | 39.4 | 49.3 | 41.3 | 37.7 | **11,665.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,797.0** |
| H2O | 1971 | 84.4 | 76.0 | 74.4 | 75.6 | 69.9 | 73.6 | 76.4 | 74.8 | 70.7 | 67.9 | 71.8 | 74.2 | **10,272.2** |
| OIL | 1971 | 64.0 | 55.9 | 56.6 | 54.8 | 53.1 | 57.7 | 55.5 | 52.6 | 44.7 | 43.5 | 40.7 | 39.4 | **11,203.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,432.0** |
| H2O | 1970 | 82.5 | 74.1 | 88.0 | 91.2 | 90.1 | 99.6 | 110.1 | 114.0 | 109.1 | 112.9 | 89.0 | 83.1 | **9,382.5** |
| OIL | 1970 | 95.5 | 83.4 | 87.9 | 83.6 | 82.0 | 81.0 | 84.7 | 79.8 | 69.8 | 70.7 | 69.9 | 67.5 | **10,585.4** |
| DAY | 1969 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,067.0** |
| H2O | 1969 | 87.4 | 71.4 | 90.6 | 79.8 | 70.2 | 69.4 | 70.1 | 50.9 | 74.1 | 71.7 | 79.3 | 84.4 | **8,238.8** |
| OIL | 1969 | 70.4 | 83.4 | 107.4 | 98.0 | 98.7 | 92.8 | 90.4 | 89.0 | 94.7 | 99.6 | 91.8 | 96.1 | **9,629.6** |
| DAY | 1968 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,707.0** |
| H2O | 1968 | 192.4 | 181.9 | 106.4 | 122.3 | 116.9 | 104.8 | 101.9 | 105.4 | 101.7 | 101.7 | 99.4 | 94.4 | **7,339.5** |
| OIL | 1968 | 161.3 | 149.7 | 108.1 | 118.5 | 117.8 | 109.0 | 107.1 | 104.1 | 96.5 | 95.0 | 86.9 | 83.7 | **8,517.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,344.0** |
| H2O | 1967 | 186.2 | 200.3 | 218.9 | 194.6 | 221.5 | 203.2 | 204.9 | 213.7 | 201.7 | 197.8 | 206.8 | 192.4 | **5,910.3** |
| OIL | 1967 | 136.7 | 146.5 | 151.4 | 150.5 | 158.3 | 147.8 | 149.1 | 148.1 | 140.3 | 137.0 | 134.3 | 164.5 | **7,179.6** |
| DAY | 1966 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **981.0** |
| H2O | 1966 | 80.6 | 110.8 | 163.7 | 178.5 | 187.9 | 170.4 | 189.7 | 184.4 | 182.4 | 180.6 | 164.2 | 146.6 | **3,468.3** |
| OIL | 1966 | 100.0 | 105.8 | 184.7 | 167.2 | 173.1 | 166.7 | 167.5 | 165.9 | 156.8 | 159.7 | 137.9 | 125.4 | **5,415.1** |
| DAY | 1965 | 30.0 | 26.0 | 27.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **619.0** |
| H2O | 1965 | 76.3 | 71.4 | 93.2 | 98.6 | 99.4 | 66.8 | 64.4 | 53.6 | 51.4 | 98.6 | 95.4 | 86.0 | **1,528.5** |
| OIL | 1965 | 147.8 | 123.9 | 167.2 | 184.7 | 181.8 | 157.3 | 154.1 | 141.4 | 133.0 | 112.7 | 92.8 | 117.8 | **3,604.4** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 26.0 | 28.0 | 29.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | **262.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 14.3 | 30.4 | 92.0 | 68.4 | 94.8 | 67.4 | 73.1 | 66.5 | 66.5 | **573.4** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 167.3 | 167.7 | 278.9 | 239.0 | 235.3 | 198.6 | 211.8 | 194.7 | 196.6 | **1,889.9** |

Licence ***1944*** Well Name ***Kripa Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***1944*** Well Name ***Kripa Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-06-009-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 15.0 | 31.0 | **4,110.0** |
| H2O | 1975 | 730.5 | 651.8 | 728.2 | 708.3 | 713.9 | 681.3 | 710.7 | 616.1 | 688.6 | 758.7 | 331.5 | 692.7 | **77,647.3** |
| OIL | 1975 | 21.3 | 19.6 | 20.2 | 19.2 | 24.8 | 18.4 | 25.1 | 14.3 | 25.8 | 19.9 | 5.7 | 16.4 | **11,858.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,763.0** |
| H2O | 1974 | 649.5 | 544.4 | 591.0 | 588.6 | 464.6 | 371.2 | 529.6 | 725.0 | 691.8 | 708.6 | 653.9 | 716.9 | **69,635.0** |
| OIL | 1974 | 23.5 | 10.3 | 18.4 | 18.1 | 22.9 | 13.5 | 23.5 | 23.8 | 23.5 | 23.7 | 21.5 | 19.7 | **11,627.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,398.0** |
| H2O | 1973 | 781.9 | 665.4 | 761.7 | 731.0 | 769.7 | 753.9 | 751.4 | 756.5 | 695.7 | 717.4 | 659.6 | 681.6 | **62,399.9** |
| OIL | 1973 | 27.0 | 28.8 | 25.8 | 28.9 | 30.0 | 25.9 | 26.7 | 25.1 | 24.5 | 29.7 | 25.8 | 24.2 | **11,385.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,033.0** |
| H2O | 1972 | 902.7 | 866.2 | 930.6 | 825.1 | 866.8 | 849.8 | 804.6 | 814.0 | 816.7 | 807.7 | 774.7 | 841.8 | **53,674.1** |
| OIL | 1972 | 34.0 | 31.8 | 36.6 | 31.3 | 32.6 | 30.0 | 32.9 | 31.5 | 25.9 | 30.2 | 27.2 | 25.0 | **11,062.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,667.0** |
| H2O | 1971 | 731.5 | 733.1 | 845.0 | 891.1 | 971.4 | 814.5 | 829.1 | 785.4 | 884.8 | 950.3 | 880.3 | 971.3 | **43,573.4** |
| OIL | 1971 | 49.4 | 53.7 | 47.9 | 54.7 | 45.0 | 44.2 | 44.2 | 44.2 | 41.2 | 40.2 | 35.6 | 35.6 | **10,693.8** |
| DAY | 1970 | 29.0 | 28.0 | 31.0 | 16.0 | 27.0 | 30.0 | 8.0 | 26.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,302.0** |
| H2O | 1970 | 507.2 | 556.5 | 639.1 | 318.8 | 559.6 | 650.3 | 149.4 | 528.3 | 578.7 | 604.6 | 635.2 | 568.9 | **33,285.6** |
| OIL | 1970 | 56.0 | 58.7 | 64.9 | 35.9 | 61.5 | 67.3 | 15.9 | 42.6 | 51.4 | 47.4 | 46.9 | 48.0 | **10,157.9** |
| DAY | 1969 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 26.0 | 24.0 | 31.0 | **1,986.0** |
| H2O | 1969 | 805.3 | 488.1 | 528.6 | 524.7 | 539.0 | 439.6 | 540.6 | 554.1 | 507.2 | 453.9 | 428.5 | 586.7 | **26,989.0** |
| OIL | 1969 | 55.7 | 51.4 | 58.9 | 53.1 | 52.5 | 42.4 | 59.3 | 52.8 | 47.1 | 45.6 | 42.8 | 70.6 | **9,561.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 27.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | **1,636.0** |
| H2O | 1968 | 542.8 | 507.1 | 544.4 | 525.4 | 522.2 | 472.1 | 532.5 | 542.8 | 524.6 | 522.2 | 524.6 | 502.4 | **20,592.7** |
| OIL | 1968 | 83.8 | 84.3 | 84.2 | 83.5 | 81.6 | 72.4 | 83.7 | 80.8 | 76.4 | 69.7 | 68.3 | 58.2 | **8,929.2** |
| DAY | 1967 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,277.0** |
| H2O | 1967 | 385.6 | 312.6 | 375.9 | 389.6 | 516.0 | 664.3 | 558.3 | 545.1 | 509.3 | 535.2 | 526.1 | 542.0 | **14,329.6** |
| OIL | 1967 | 95.5 | 82.3 | 90.2 | 91.8 | 132.3 | 128.0 | 119.3 | 148.4 | 150.5 | 139.5 | 102.8 | 84.2 | **8,002.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **915.0** |
| H2O | 1966 | 387.7 | 346.0 | 358.9 | 311.5 | 353.6 | 364.1 | 369.5 | 369.5 | 357.6 | 385.4 | 379.4 | 374.5 | **8,469.6** |
| OIL | 1966 | 192.0 | 130.1 | 118.3 | 109.9 | 127.1 | 118.7 | 125.0 | 119.6 | 94.8 | 114.4 | 104.0 | 105.3 | **6,637.5** |
| DAY | 1965 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **553.0** |
| H2O | 1965 | 209.1 | 194.7 | 253.8 | 235.4 | 259.2 | 357.9 | 361.4 | 303.2 | 250.8 | 361.9 | 348.2 | 365.6 | **4,111.9** |
| OIL | 1965 | 402.3 | 315.3 | 248.4 | 223.4 | 180.2 | 269.9 | 203.2 | 320.4 | 236.5 | 233.0 | 191.0 | 209.6 | **5,178.3** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 31.0 | 31.0 | 27.0 | 29.0 | 30.0 | 31.0 | **192.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.7 | 97.5 | 62.2 | 140.3 | 126.8 | 165.2 | **610.7** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 90.5 | 298.8 | 275.4 | 290.7 | 402.0 | 328.8 | 458.9 | **2,145.1** |

Licence ***1945*** Well Name ***E. Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-11-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,241.0** |
| H2O | 1975 | 110.0 | 73.3 | 86.3 | 69.3 | 76.2 | 130.8 | 99.5 | 90.8 | 97.0 | 106.8 | 37.8 | 214.8 | **19,276.6** |
| OIL | 1975 | 28.6 | 24.6 | 26.1 | 21.9 | 28.5 | 24.6 | 28.6 | 27.2 | 27.8 | 28.9 | 11.3 | 72.8 | **7,189.5** |
| DAY | 1974 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,876.0** |
| H2O | 1974 | 61.7 | 63.8 | 89.2 | 77.1 | 84.9 | 81.6 | 80.3 | 73.9 | 71.5 | 65.7 | 78.1 | 96.8 | **18,084.0** |
| OIL | 1974 | 19.4 | 21.5 | 36.1 | 28.8 | 24.3 | 27.0 | 29.4 | 23.2 | 23.1 | 24.2 | 24.3 | 25.1 | **6,838.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,516.0** |
| H2O | 1973 | 82.0 | 83.9 | 75.7 | 76.5 | 103.5 | 61.1 | 67.1 | 70.3 | 67.7 | 97.0 | 68.8 | 76.6 | **17,159.4** |
| OIL | 1973 | 23.7 | 19.4 | 24.0 | 23.1 | 23.4 | 13.7 | 13.4 | 13.8 | 23.7 | 24.3 | 28.3 | 24.2 | **6,532.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,151.0** |
| H2O | 1972 | 77.4 | 66.8 | 73.0 | 66.1 | 68.2 | 68.7 | 77.3 | 86.2 | 80.6 | 88.7 | 95.1 | 88.7 | **16,229.2** |

# Manitoba Production
## 1950 To 1975

Licence ***1945*** Well Name ***E. Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-11-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1972 | 21.8 | 21.8 | 24.0 | 22.4 | 24.2 | 24.5 | 26.7 | 29.3 | 27.7 | 19.7 | 16.5 | 24.6 | **6,277.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,785.0** |
| H2O | 1971 | 94.0 | 87.0 | 91.3 | 84.3 | 85.9 | 81.9 | 82.8 | 82.7 | 72.3 | 67.4 | 67.6 | 70.0 | **15,292.4** |
| OIL | 1971 | 41.7 | 36.7 | 39.6 | 34.8 | 35.8 | 34.5 | 33.1 | 31.3 | 29.7 | 28.3 | 25.6 | 24.2 | **5,994.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,420.0** |
| H2O | 1970 | 184.1 | 161.7 | 182.2 | 187.8 | 182.0 | 166.1 | 79.5 | 77.9 | 77.4 | 85.2 | 87.0 | 94.6 | **14,325.2** |
| OIL | 1970 | 54.1 | 46.7 | 52.8 | 47.9 | 50.9 | 46.6 | 45.8 | 43.4 | 41.5 | 42.0 | 42.0 | 44.0 | **5,598.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,057.0** |
| H2O | 1969 | 190.8 | 166.9 | 193.8 | 175.0 | 187.9 | 208.3 | 189.8 | 173.6 | 181.4 | 162.8 | 187.6 | 171.5 | **12,759.7** |
| OIL | 1969 | 65.7 | 63.6 | 70.6 | 63.8 | 63.9 | 52.5 | 54.1 | 52.5 | 54.7 | 48.5 | 55.0 | 54.4 | **5,041.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,693.0** |
| H2O | 1968 | 199.5 | 183.0 | 197.1 | 188.9 | 209.5 | 210.2 | 207.0 | 202.2 | 186.0 | 197.9 | 191.6 | 189.2 | **10,570.3** |
| OIL | 1968 | 61.9 | 61.0 | 64.0 | 63.2 | 64.8 | 62.4 | 68.3 | 71.4 | 69.1 | 69.9 | 67.7 | 67.7 | **4,341.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,327.0** |
| H2O | 1967 | 225.9 | 213.7 | 237.8 | 229.3 | 234.3 | 221.0 | 189.4 | 197.9 | 207.5 | 210.3 | 199.5 | 194.6 | **8,208.2** |
| OIL | 1967 | 70.2 | 64.0 | 72.4 | 67.2 | 70.2 | 64.4 | 57.0 | 67.8 | 70.0 | 63.3 | 64.0 | 64.0 | **3,550.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **967.0** |
| H2O | 1966 | 137.2 | 139.0 | 253.4 | 167.1 | 173.3 | 194.8 | 218.4 | 212.6 | 207.2 | 217.5 | 224.6 | 233.2 | **5,647.0** |
| OIL | 1966 | 74.1 | 66.8 | 73.5 | 71.1 | 72.2 | 65.4 | 75.9 | 74.5 | 70.2 | 74.8 | 69.2 | 71.8 | **2,755.8** |
| DAY | 1965 | 30.0 | 24.0 | 28.0 | 27.0 | 31.0 | 29.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **602.0** |
| H2O | 1965 | 135.8 | 83.9 | 231.5 | 226.4 | 228.9 | 220.0 | 200.3 | 176.5 | 175.8 | 119.2 | 128.8 | 131.3 | **3,268.7** |
| OIL | 1965 | 77.5 | 38.1 | 102.9 | 116.0 | 128.0 | 112.1 | 106.7 | 71.4 | 70.8 | 68.4 | 71.4 | 73.8 | **1,896.3** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 22.0 | 28.0 | 29.0 | 27.0 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | **254.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 110.4 | 99.7 | 144.7 | 151.9 | 150.9 | 146.9 | 134.3 | 137.5 | 134.0 | **1,210.3** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 139.0 | 82.3 | 110.4 | 109.0 | 93.1 | 84.5 | 85.6 | 79.4 | 75.9 | **859.2** |

Licence ***1947*** Well Name ***E. Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-11-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,232.0** |
| H2O | 1975 | 335.1 | 264.6 | 321.5 | 305.1 | 309.4 | 294.3 | 302.9 | 322.4 | 353.7 | 411.3 | 180.3 | 384.7 | **41,952.5** |
| OIL | 1975 | 61.8 | 53.3 | 60.7 | 57.1 | 52.1 | 39.3 | 52.5 | 50.1 | 51.0 | 48.2 | 23.7 | 48.7 | **10,437.2** |
| DAY | 1974 | 30.0 | 28.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,867.0** |
| H2O | 1974 | 353.7 | 349.0 | 406.4 | 435.0 | 462.5 | 444.4 | 428.0 | 438.6 | 386.7 | 328.2 | 379.7 | 319.6 | **38,167.2** |
| OIL | 1974 | 51.5 | 61.1 | 77.3 | 97.5 | 93.0 | 80.9 | 88.2 | 83.3 | 78.4 | 72.2 | 73.3 | 55.2 | **9,838.7** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 27.0 | 30.0 | 29.0 | 30.0 | 29.0 | 30.0 | **3,507.0** |
| H2O | 1973 | 369.2 | 377.8 | 348.5 | 351.5 | 285.2 | 335.6 | 327.5 | 394.6 | 401.8 | 399.2 | 390.3 | 417.5 | **33,435.4** |
| OIL | 1973 | 80.8 | 65.8 | 76.8 | 73.9 | 58.8 | 61.8 | 85.1 | 84.4 | 73.5 | 75.2 | 63.9 | 65.5 | **8,926.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,153.0** |
| H2O | 1972 | 288.1 | 248.7 | 271.6 | 246.4 | 253.9 | 255.7 | 287.9 | 320.8 | 300.2 | 433.7 | 464.9 | 399.2 | **29,036.7** |
| OIL | 1972 | 37.5 | 37.5 | 41.3 | 38.6 | 42.0 | 42.6 | 46.4 | 50.9 | 48.2 | 93.6 | 78.4 | 83.8 | **8,061.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,787.0** |
| H2O | 1971 | 350.1 | 323.9 | 340.1 | 314.0 | 319.7 | 304.6 | 308.4 | 307.6 | 269.0 | 250.6 | 251.2 | 260.1 | **25,265.6** |
| OIL | 1971 | 71.9 | 63.4 | 68.4 | 60.3 | 62.0 | 59.6 | 57.1 | 54.1 | 51.2 | 48.7 | 43.9 | 41.5 | **7,420.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,422.0** |
| H2O | 1970 | 202.1 | 177.6 | 200.0 | 206.2 | 201.1 | 183.6 | 295.7 | 290.0 | 288.4 | 317.5 | 324.2 | 352.3 | **21,666.3** |
| OIL | 1970 | 76.8 | 66.3 | 74.9 | 67.9 | 73.1 | 66.9 | 78.9 | 74.6 | 71.4 | 72.3 | 72.3 | 75.8 | **6,738.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,059.0** |
| H2O | 1969 | 270.9 | 236.9 | 274.9 | 248.2 | 266.5 | 228.9 | 208.6 | 190.8 | 199.2 | 178.7 | 205.9 | 188.2 | **18,627.6** |
| OIL | 1969 | 99.3 | 96.1 | 106.6 | 96.2 | 96.6 | 74.6 | 76.8 | 74.5 | 77.5 | 68.7 | 78.1 | 77.1 | **5,867.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,699.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1947*** Well Name ***E. Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-11-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1968 | 302.1 | 281.4 | 300.5 | 290.0 | 307.2 | 297.6 | 294.4 | 290.0 | 273.5 | 281.4 | 271.9 | 268.7 | **15,929.9** |
| OIL | 1968 | 91.8 | 93.7 | 98.5 | 96.2 | 97.0 | 93.9 | 101.7 | 108.0 | 104.5 | 106.4 | 102.8 | 102.4 | **4,845.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,333.0** |
| H2O | 1967 | 319.6 | 302.1 | 336.4 | 324.2 | 331.5 | 312.7 | 290.3 | 303.5 | 318.0 | 322.4 | 305.9 | 250.2 | **12,471.2** |
| OIL | 1967 | 65.1 | 59.4 | 67.2 | 62.2 | 65.1 | 59.8 | 60.3 | 71.8 | 74.0 | 66.8 | 67.5 | 95.0 | **3,648.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **969.0** |
| H2O | 1966 | 219.3 | 185.1 | 202.6 | 238.5 | 247.4 | 278.3 | 309.0 | 300.5 | 292.8 | 307.4 | 317.7 | 330.0 | **8,754.4** |
| OIL | 1966 | 74.1 | 66.7 | 98.2 | 71.3 | 67.5 | 60.8 | 70.5 | 69.2 | 65.2 | 69.4 | 64.3 | 66.7 | **2,834.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **604.0** |
| H2O | 1965 | 302.5 | 231.7 | 305.2 | 288.9 | 295.5 | 222.5 | 242.2 | 246.0 | 242.2 | 236.5 | 228.8 | 233.3 | **5,525.8** |
| OIL | 1965 | 114.8 | 105.5 | 109.6 | 93.2 | 88.6 | 77.0 | 78.8 | 83.7 | 81.5 | 81.6 | 71.4 | 73.8 | **1,990.1** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 6.0 | 28.0 | 29.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **243.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 77.0 | 346.5 | 255.4 | 238.9 | 254.9 | 342.7 | 304.4 | 317.1 | 313.6 | **2,450.5** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 34.9 | 111.5 | 82.7 | 71.1 | 142.8 | 129.0 | 126.9 | 117.6 | 114.1 | **930.6** |

Licence ***1948*** Well Name ***E. Routledge Unit No. 1 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-11-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 3864.0 | 3746.1 | 4479.5 | 4044.5 | 4236.9 | 4369.7 | 4501.4 | 4048.0 | 3553.4 | 3676.0 | 3310.4 | 3133.6 | **54,878.6** |
| DAY | 1974 | 30.0 | 27.0 | 27.0 | 29.0 | 30.0 | 29.0 | 31.0 | 31.0 | 29.0 | 0.0 | 0.0 | 0.0 | **3,755.0** |
| H2O | 1974 | 91.9 | 95.6 | 136.7 | 120.2 | 100.5 | 100.8 | 98.1 | 102.9 | 114.9 | 0.0 | 0.0 | 0.0 | **26,194.5** |
| OIL | 1974 | 65.4 | 46.3 | 70.5 | 64.9 | 61.4 | 52.0 | 69.7 | 51.4 | 45.2 | 0.0 | 0.0 | 0.0 | **15,507.2** |
| WIN | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1285.9 | 3220.5 | 3408.7 | **7,915.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 27.0 | 30.0 | 30.0 | 29.0 | 30.0 | 29.0 | 30.0 | **3,492.0** |
| H2O | 1973 | 236.9 | 242.5 | 277.8 | 280.1 | 245.2 | 261.9 | 273.0 | 263.1 | 179.0 | 187.9 | 124.2 | 115.9 | **25,232.9** |
| OIL | 1973 | 133.1 | 108.3 | 120.0 | 115.6 | 95.0 | 106.8 | 107.5 | 111.1 | 91.8 | 93.9 | 72.9 | 84.2 | **14,980.4** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,137.0** |
| H2O | 1972 | 278.5 | 240.4 | 262.5 | 238.2 | 245.6 | 247.4 | 278.5 | 310.3 | 290.3 | 241.5 | 258.8 | 256.3 | **22,545.4** |
| OIL | 1972 | 51.6 | 51.7 | 56.8 | 53.2 | 57.6 | 58.6 | 63.8 | 69.9 | 66.0 | 133.1 | 111.5 | 138.0 | **13,740.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,771.0** |
| H2O | 1971 | 338.3 | 312.9 | 328.6 | 303.5 | 309.1 | 294.4 | 298.1 | 297.5 | 260.1 | 242.3 | 242.9 | 251.5 | **19,397.1** |
| OIL | 1971 | 98.6 | 87.2 | 93.9 | 82.6 | 85.0 | 81.8 | 78.3 | 74.1 | 70.3 | 67.0 | 60.5 | 57.1 | **12,828.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,406.0** |
| H2O | 1970 | 161.1 | 141.5 | 159.3 | 164.2 | 160.6 | 146.6 | 285.9 | 280.3 | 278.7 | 306.8 | 313.4 | 340.6 | **15,917.9** |
| OIL | 1970 | 80.7 | 69.7 | 78.8 | 71.4 | 76.2 | 101.6 | 108.4 | 102.5 | 98.0 | 99.3 | 99.4 | 104.3 | **11,892.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | **2,043.0** |
| H2O | 1969 | 209.2 | 182.8 | 212.2 | 191.7 | 205.7 | 209.9 | 191.3 | 174.9 | 159.0 | 153.3 | 164.2 | 150.1 | **13,178.9** |
| OIL | 1969 | 92.4 | 85.8 | 95.1 | 85.9 | 86.1 | 79.4 | 81.8 | 79.2 | 73.0 | 76.5 | 81.9 | 81.0 | **10,801.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,683.0** |
| H2O | 1968 | 245.0 | 237.1 | 251.2 | 243.3 | 257.6 | 249.6 | 246.4 | 243.3 | 219.4 | 225.8 | 216.2 | 207.5 | **10,974.6** |
| OIL | 1968 | 95.3 | 92.1 | 93.7 | 90.5 | 90.8 | 88.5 | 95.9 | 100.0 | 96.6 | 98.8 | 95.8 | 95.5 | **9,803.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,317.0** |
| H2O | 1967 | 225.9 | 213.5 | 237.8 | 229.3 | 234.3 | 221.0 | 194.1 | 202.9 | 212.6 | 215.4 | 204.5 | 201.9 | **8,132.2** |
| OIL | 1967 | 165.4 | 150.9 | 170.7 | 158.1 | 165.4 | 151.9 | 139.1 | 165.2 | 170.5 | 154.1 | 155.5 | 98.5 | **8,670.1** |
| DAY | 1966 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **957.0** |
| H2O | 1966 | 137.2 | 144.7 | 177.4 | 167.1 | 173.3 | 194.9 | 218.6 | 212.7 | 207.2 | 217.5 | 224.8 | 233.4 | **5,539.0** |
| OIL | 1966 | 148.7 | 133.7 | 171.8 | 166.2 | 168.6 | 158.9 | 179.2 | 175.9 | 165.9 | 176.5 | 163.3 | 169.2 | **6,824.8** |
| DAY | 1965 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 24.0 | 24.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **595.0** |
| H2O | 1965 | 166.6 | 127.8 | 150.9 | 155.8 | 162.3 | 128.3 | 171.7 | 214.6 | 212.9 | 138.0 | 119.2 | 121.5 | **3,230.2** |
| OIL | 1965 | 265.5 | 241.8 | 241.7 | 243.3 | 152.7 | 144.7 | 185.3 | 216.2 | 209.9 | 210.0 | 190.4 | 198.6 | **4,846.9** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 6.0 | 29.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **245.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1948*** Well Name ***E. Routledge Unit No. 1 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-11-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 34.8 | 101.4 | 171.5 | 182.8 | 181.2 | 181.2 | 165.8 | 172.7 | 169.2 | **1,360.6** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 48.0 | 310.1 | 290.6 | 295.7 | 292.5 | 283.0 | 293.5 | 272.7 | 260.7 | **2,346.8** |

Licence ***1949*** Well Name ***Triton Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-06-009-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 28.0 | 24.0 | 0.0 | 7.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,263.0** |
| H2O | 1971 | 649.2 | 599.6 | 484.7 | 0.0 | 144.8 | 58.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **18,938.2** |
| OIL | 1971 | 6.4 | 7.3 | 3.7 | 0.0 | 1.6 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,900.3** |
| DAY | 1970 | 31.0 | 26.0 | 26.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 31.0 | 29.0 | 30.0 | **2,170.0** |
| H2O | 1970 | 390.1 | 322.5 | 237.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 328.1 | 475.3 | 459.9 | 469.0 | **17,001.6** |
| OIL | 1970 | 36.4 | 24.6 | 14.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.9 | 32.6 | 21.5 | 7.2 | **2,880.0** |
| DAY | 1969 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 27.0 | 30.0 | 31.0 | **1,975.0** |
| H2O | 1969 | 221.1 | 222.7 | 240.2 | 253.4 | 236.2 | 286.0 | 293.9 | 367.9 | 372.6 | 341.6 | 381.4 | 390.9 | **14,319.0** |
| OIL | 1969 | 25.8 | 23.7 | 25.1 | 23.8 | 25.3 | 27.8 | 24.3 | 29.3 | 37.4 | 31.2 | 35.1 | 39.7 | **2,721.5** |
| DAY | 1968 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **1,618.0** |
| H2O | 1968 | 206.8 | 208.4 | 221.1 | 214.7 | 224.3 | 200.4 | 237.0 | 247.3 | 238.6 | 244.9 | 240.2 | 227.5 | **10,711.1** |
| OIL | 1968 | 26.2 | 27.3 | 28.9 | 27.5 | 28.3 | 26.6 | 30.2 | 28.6 | 27.7 | 26.9 | 28.3 | 26.7 | **2,373.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,258.0** |
| H2O | 1967 | 270.9 | 212.8 | 251.3 | 246.5 | 258.8 | 298.1 | 253.1 | 246.5 | 238.6 | 241.0 | 227.5 | 217.9 | **7,999.9** |
| OIL | 1967 | 42.3 | 30.8 | 29.6 | 27.3 | 28.9 | 25.4 | 28.1 | 33.1 | 32.9 | 31.3 | 27.2 | 26.9 | **2,039.8** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **894.0** |
| H2O | 1966 | 188.5 | 173.1 | 172.6 | 138.8 | 191.2 | 205.2 | 227.1 | 226.5 | 210.0 | 221.3 | 198.4 | 246.5 | **5,036.9** |
| OIL | 1966 | 46.4 | 39.9 | 44.4 | 37.0 | 53.7 | 45.8 | 50.6 | 47.9 | 45.3 | 47.2 | 42.9 | 43.9 | **1,676.0** |
| DAY | 1965 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 29.0 | 29.0 | 26.0 | 31.0 | 30.0 | 31.0 | **534.0** |
| H2O | 1965 | 134.7 | 149.6 | 119.2 | 161.2 | 202.2 | 55.5 | 181.8 | 199.8 | 106.5 | 178.0 | 171.2 | 193.3 | **2,637.7** |
| OIL | 1965 | 66.0 | 50.2 | 64.8 | 58.1 | 45.6 | 27.0 | 52.9 | 20.7 | 46.7 | 41.2 | 42.1 | 50.4 | **1,131.0** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 31.0 | 28.0 | 26.0 | 31.0 | 29.0 | 31.0 | **179.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.9 | 130.7 | 118.8 | 143.6 | 128.9 | 110.3 | 137.5 | **784.7** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 123.8 | 113.5 | 100.0 | 75.9 | 63.8 | 75.3 | **565.3** |

Licence ***1951*** Well Name ***Kripa Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-01-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 29.0 | 31.0 | 15.0 | 31.0 | **4,149.0** |
| H2O | 1975 | 883.7 | 804.2 | 896.8 | 852.3 | 886.4 | 840.2 | 856.9 | 684.1 | 743.6 | 872.2 | 362.5 | 802.6 | **80,476.5** |
| OIL | 1975 | 29.7 | 25.8 | 30.2 | 30.7 | 31.6 | 28.9 | 23.7 | 23.7 | 17.5 | 21.9 | 13.2 | 19.9 | **5,613.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 20.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,805.0** |
| H2O | 1974 | 746.4 | 490.6 | 668.9 | 654.9 | 362.3 | 705.0 | 787.9 | 873.2 | 860.9 | 872.8 | 853.8 | 890.0 | **70,991.0** |
| OIL | 1974 | 18.6 | 21.3 | 32.9 | 25.4 | 11.9 | 38.5 | 27.0 | 32.3 | 27.8 | 28.8 | 27.7 | 32.0 | **5,316.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,454.0** |
| H2O | 1973 | 854.6 | 688.3 | 837.9 | 806.1 | 886.7 | 883.7 | 943.4 | 907.7 | 849.5 | 826.4 | 735.3 | 807.8 | **62,224.3** |
| OIL | 1973 | 24.8 | 21.0 | 26.9 | 22.9 | 27.3 | 23.1 | 25.0 | 23.8 | 23.2 | 23.2 | 25.3 | 22.6 | **4,992.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,089.0** |
| H2O | 1972 | 945.0 | 903.5 | 980.5 | 893.4 | 905.0 | 888.9 | 875.1 | 891.9 | 873.6 | 873.6 | 849.6 | 906.7 | **52,196.9** |
| OIL | 1972 | 28.9 | 25.4 | 29.9 | 25.3 | 25.0 | 24.2 | 23.2 | 23.2 | 21.8 | 21.9 | 22.6 | 25.0 | **4,703.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,723.0** |
| H2O | 1971 | 782.5 | 768.5 | 966.3 | 1153.9 | 1085.7 | 801.8 | 943.6 | 845.8 | 929.8 | 1011.8 | 948.2 | 980.6 | **41,410.1** |
| OIL | 1971 | 39.7 | 38.5 | 34.8 | 34.8 | 33.9 | 32.1 | 32.6 | 30.7 | 28.1 | 32.6 | 27.2 | 28.0 | **4,406.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,359.0** |
| H2O | 1970 | 563.0 | 531.0 | 589.8 | 594.6 | 642.3 | 631.2 | 670.1 | 618.3 | 564.4 | 621.0 | 660.3 | 626.4 | **30,191.6** |

# Manitoba Production
## 1950 To 1975

Licence ***1951*** Well Name ***Kripa Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-01-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1970 | 43.6 | 37.8 | 44.2 | 46.4 | 46.7 | 43.6 | 46.7 | 43.6 | 38.2 | 39.1 | 36.9 | 39.0 | **4,013.8** |
| DAY | 1969 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 27.0 | 30.0 | 31.0 | **1,995.0** |
| H2O | 1969 | 513.5 | 518.3 | 558.0 | 560.4 | 558.0 | 521.5 | 511.1 | 644.7 | 564.4 | 513.5 | 570.0 | 581.9 | **22,879.2** |
| OIL | 1969 | 37.5 | 37.2 | 39.6 | 36.1 | 35.6 | 32.1 | 33.4 | 36.4 | 38.3 | 32.8 | 40.5 | 42.6 | **3,508.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **1,638.0** |
| H2O | 1968 | 311.4 | 291.4 | 315.6 | 305.1 | 399.1 | 497.6 | 564.4 | 565.4 | 539.8 | 547.7 | 531.0 | 533.4 | **16,263.9** |
| OIL | 1968 | 29.6 | 27.5 | 28.5 | 27.8 | 37.4 | 48.0 | 54.7 | 52.1 | 43.6 | 43.1 | 44.0 | 39.9 | **3,065.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,277.0** |
| H2O | 1967 | 260.3 | 282.6 | 272.6 | 266.8 | 278.6 | 248.7 | 275.4 | 306.6 | 295.9 | 298.8 | 294.7 | 309.9 | **10,862.0** |
| OIL | 1967 | 57.1 | 50.9 | 59.8 | 58.5 | 61.2 | 54.7 | 60.4 | 30.7 | 28.3 | 28.6 | 26.7 | 29.1 | **2,589.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **913.0** |
| H2O | 1966 | 246.8 | 200.5 | 280.2 | 263.5 | 259.5 | 261.1 | 259.5 | 256.5 | 261.8 | 235.8 | 240.8 | 256.8 | **7,471.1** |
| OIL | 1966 | 54.1 | 47.0 | 65.6 | 54.0 | 57.0 | 56.8 | 57.0 | 56.2 | 57.3 | 51.7 | 52.7 | 56.3 | **2,043.7** |
| DAY | 1965 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 26.0 | 31.0 | 30.0 | 31.0 | **553.0** |
| H2O | 1965 | 292.3 | 300.5 | 235.7 | 256.8 | 217.9 | 234.7 | 248.4 | 239.3 | 233.6 | 280.5 | 253.8 | 277.3 | **4,448.3** |
| OIL | 1965 | 43.6 | 32.3 | 54.1 | 76.5 | 93.7 | 95.1 | 88.0 | 85.3 | 58.6 | 79.1 | 71.4 | 60.8 | **1,378.0** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 31.0 | 31.0 | 27.0 | 25.0 | 30.0 | 31.0 | **196.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 38.9 | 146.6 | 159.2 | 184.3 | 239.3 | 296.9 | 312.3 | **1,377.5** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 71.3 | 90.8 | 86.9 | 87.3 | 83.5 | 61.6 | 58.1 | **539.5** |

Licence ***1952*** Well Name ***E. Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-10-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,185.0** |
| H2O | 1975 | 125.0 | 101.8 | 110.4 | 92.3 | 76.1 | 98.0 | 149.2 | 140.7 | 160.0 | 149.5 | 121.0 | 74.8 | **22,747.0** |
| OIL | 1975 | 47.5 | 45.1 | 47.8 | 43.9 | 38.0 | 39.3 | 52.4 | 50.1 | 51.0 | 53.1 | 48.3 | 29.1 | **17,143.5** |
| DAY | 1974 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **3,820.0** |
| H2O | 1974 | 85.3 | 69.0 | 149.4 | 149.9 | 127.4 | 99.6 | 115.9 | 98.5 | 95.2 | 87.4 | 93.6 | 106.6 | **21,348.2** |
| OIL | 1974 | 53.1 | 48.0 | 65.2 | 72.0 | 73.4 | 58.5 | 73.6 | 60.1 | 40.0 | 38.5 | 39.1 | 40.2 | **16,597.9** |
| DAY | 1973 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,462.0** |
| H2O | 1973 | 156.9 | 144.5 | 302.6 | 361.7 | 341.4 | 164.3 | 147.7 | 140.7 | 67.7 | 72.8 | 96.3 | 110.2 | **20,070.4** |
| OIL | 1973 | 65.3 | 61.8 | 91.8 | 101.7 | 88.8 | 50.2 | 48.8 | 50.5 | 52.3 | 53.4 | 51.8 | 53.2 | **15,936.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,101.0** |
| H2O | 1972 | 323.1 | 231.9 | 228.3 | 221.0 | 235.9 | 247.4 | 278.5 | 310.4 | 290.3 | 123.3 | 132.2 | 169.7 | **17,963.6** |
| OIL | 1972 | 81.7 | 66.4 | 68.6 | 54.7 | 63.2 | 64.7 | 70.6 | 77.2 | 73.1 | 88.7 | 74.4 | 67.7 | **15,166.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,735.0** |
| H2O | 1971 | 286.8 | 257.9 | 252.8 | 256.7 | 237.2 | 250.1 | 259.6 | 253.9 | 239.6 | 229.5 | 242.9 | 251.0 | **15,171.6** |
| OIL | 1971 | 118.7 | 103.8 | 104.9 | 101.9 | 98.5 | 107.3 | 103.3 | 98.0 | 83.1 | 81.0 | 75.8 | 73.3 | **14,315.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,370.0** |
| H2O | 1970 | 229.8 | 206.4 | 245.3 | 254.2 | 251.0 | 277.7 | 294.1 | 305.0 | 291.5 | 297.3 | 302.1 | 282.2 | **12,153.6** |
| OIL | 1970 | 138.4 | 120.8 | 127.3 | 120.9 | 118.7 | 117.3 | 122.0 | 114.9 | 100.4 | 125.1 | 129.5 | 125.2 | **13,166.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,007.0** |
| H2O | 1969 | 159.0 | 159.0 | 202.1 | 178.1 | 156.6 | 154.9 | 156.5 | 113.4 | 164.9 | 199.7 | 221.1 | 235.4 | **8,917.0** |
| OIL | 1969 | 128.1 | 94.4 | 121.4 | 110.8 | 111.6 | 105.0 | 102.3 | 100.7 | 107.3 | 144.4 | 133.0 | 139.2 | **11,705.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,644.0** |
| H2O | 1968 | 128.5 | 122.1 | 231.8 | 268.5 | 259.8 | 231.2 | 224.8 | 232.7 | 224.6 | 216.7 | 206.2 | 196.7 | **6,816.3** |
| OIL | 1968 | 134.0 | 126.0 | 197.0 | 212.9 | 211.4 | 198.6 | 196.7 | 188.8 | 174.5 | 167.5 | 154.8 | 145.2 | **10,307.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,278.0** |
| H2O | 1967 | 93.2 | 100.2 | 109.5 | 97.3 | 110.7 | 101.4 | 102.4 | 106.8 | 100.8 | 98.9 | 103.3 | 128.0 | **4,272.7** |
| OIL | 1967 | 164.2 | 175.9 | 181.8 | 180.7 | 189.9 | 177.3 | 178.9 | 177.8 | 168.6 | 164.5 | 161.1 | 136.7 | **8,199.9** |
| DAY | 1966 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **915.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1952*** Well Name ***E. Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-10-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1966 | 53.7 | 88.7 | 138.9 | 99.2 | 98.2 | 85.2 | 94.9 | 92.2 | 91.1 | 90.1 | 82.0 | 73.3 | **3,020.2** |
| OIL | 1966 | 141.1 | 140.0 | 197.7 | 202.1 | 207.5 | 199.9 | 201.0 | 199.1 | 188.3 | 191.8 | 165.6 | 150.5 | **6,142.5** |
| DAY | 1965 | 19.0 | 28.0 | 28.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **557.0** |
| H2O | 1965 | 72.5 | 93.5 | 102.4 | 106.8 | 107.6 | 116.7 | 114.3 | 103.3 | 101.1 | 49.3 | 47.7 | 57.4 | **1,932.7** |
| OIL | 1965 | 147.3 | 226.1 | 222.5 | 216.1 | 212.9 | 192.0 | 188.3 | 171.0 | 159.2 | 157.0 | 154.3 | 144.4 | **3,957.9** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 29.0 | 28.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | **209.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 5.1 | 96.8 | 90.6 | 109.4 | 132.6 | 149.0 | 137.5 | 139.1 | **860.1** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 14.8 | 276.2 | 267.3 | 263.6 | 223.0 | 253.5 | 232.3 | 236.1 | **1,766.8** |

Licence ***1953*** Well Name ***E. Routledge Unit No. 1 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-11-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 4151.6 | 3683.8 | 3792.0 | 2804.5 | 3172.5 | 2958.1 | 2919.4 | 3799.5 | 3552.1 | 3723.4 | 2663.0 | 2668.9 | **148,323.0** |
| WIN | 1974 | 5472.1 | 5013.7 | 5310.2 | 5260.0 | 5778.0 | 5710.2 | 5035.7 | 5248.7 | 5450.0 | 5055.5 | 4668.0 | 4853.7 | **108,434.2** |
| WIN | 1973 | 2552.0 | 2671.0 | 3380.0 | 3215.3 | 3297.9 | 3284.2 | 3469.0 | 3450.1 | 3466.8 | 3624.8 | 4354.5 | 4928.6 | **45,578.4** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 6.0 | 0.0 | 0.0 | **3,013.0** |
| H2O | 1972 | 76.0 | 65.7 | 71.7 | 65.0 | 67.1 | 67.6 | 76.2 | 84.9 | 79.2 | 31.5 | 0.0 | 0.0 | **15,686.2** |
| OIL | 1972 | 19.9 | 19.9 | 21.7 | 20.3 | 22.0 | 22.3 | 24.4 | 26.8 | 25.3 | 5.0 | 0.0 | 0.0 | **6,272.8** |
| WIN | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1406.4 | 2477.8 | **3,884.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,733.0** |
| H2O | 1971 | 92.2 | 85.4 | 89.7 | 82.8 | 84.3 | 80.3 | 81.2 | 81.1 | 70.9 | 66.1 | 66.3 | 68.7 | **15,001.3** |
| OIL | 1971 | 38.0 | 33.5 | 36.1 | 31.8 | 32.8 | 31.5 | 30.2 | 28.6 | 27.0 | 25.8 | 23.2 | 21.9 | **6,065.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,368.0** |
| H2O | 1970 | 166.9 | 146.6 | 165.2 | 170.3 | 165.3 | 151.0 | 77.9 | 76.5 | 76.0 | 83.6 | 85.4 | 92.8 | **14,052.3** |
| OIL | 1970 | 50.6 | 43.7 | 49.3 | 44.7 | 47.7 | 43.6 | 41.8 | 39.6 | 37.8 | 38.3 | 38.3 | 40.1 | **5,704.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,005.0** |
| H2O | 1969 | 171.5 | 150.2 | 174.4 | 157.6 | 169.2 | 189.2 | 172.3 | 157.6 | 164.6 | 147.7 | 170.1 | 155.5 | **12,594.8** |
| OIL | 1969 | 60.1 | 58.0 | 64.4 | 58.0 | 58.2 | 49.3 | 50.7 | 49.1 | 51.2 | 45.3 | 51.5 | 50.9 | **5,189.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,640.0** |
| H2O | 1968 | 202.4 | 184.9 | 197.1 | 189.2 | 208.3 | 195.2 | 192.1 | 186.5 | 172.0 | 178.1 | 172.3 | 170.1 | **10,614.9** |
| OIL | 1968 | 70.7 | 78.7 | 83.8 | 81.1 | 81.9 | 78.7 | 60.7 | 65.5 | 63.3 | 63.9 | 62.0 | 62.0 | **4,542.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,274.0** |
| H2O | 1967 | 215.0 | 203.2 | 226.2 | 218.0 | 222.9 | 210.3 | 195.2 | 204.1 | 214.0 | 217.0 | 205.9 | 200.3 | **8,366.7** |
| OIL | 1967 | 70.3 | 64.1 | 72.5 | 67.3 | 70.3 | 64.5 | 66.0 | 78.4 | 80.9 | 73.1 | 73.8 | 73.9 | **3,690.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **910.0** |
| H2O | 1966 | 164.6 | 139.0 | 273.6 | 157.6 | 163.4 | 183.6 | 207.8 | 202.2 | 197.0 | 206.8 | 213.7 | 221.9 | **5,834.6** |
| OIL | 1966 | 74.2 | 66.9 | 73.6 | 71.2 | 72.3 | 65.5 | 76.0 | 74.6 | 70.3 | 74.9 | 69.3 | 71.9 | **2,835.2** |
| DAY | 1965 | 30.0 | 26.0 | 30.0 | 27.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **545.0** |
| H2O | 1965 | 223.7 | 172.0 | 203.0 | 132.0 | 138.6 | 137.4 | 159.8 | 211.9 | 228.9 | 119.2 | 166.9 | 170.1 | **3,503.4** |
| OIL | 1965 | 98.7 | 109.7 | 95.4 | 90.3 | 117.5 | 106.0 | 101.2 | 120.8 | 147.7 | 133.7 | 71.5 | 73.9 | **1,974.5** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 28.0 | 28.0 | 27.0 | 31.0 | 30.0 | 31.0 | **191.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 148.0 | 181.9 | 178.1 | 249.0 | 224.0 | 231.2 | 227.7 | **1,439.9** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 83.6 | 106.3 | 100.3 | 111.4 | 108.9 | 100.9 | 96.7 | **708.1** |

Licence ***1954*** Well Name ***Samedan Routledge SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-10-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole*** Field Code ***5*** Pool Code ***59*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1972 | 4927.5 | 4235.5 | 4306.1 | 3796.3 | 4064.1 | 4849.4 | 5450.7 | 5970.3 | 5580.3 | 5915.3 | 1792.0 | 0.0 | **463,582.5** |
| WIN | 1971 | 6113.2 | 5637.7 | 5944.2 | 5848.4 | 6000.8 | 5760.8 | 5840.1 | 5884.0 | 5324.3 | 5247.3 | 5148.9 | 5203.9 | **412,695.0** |
| WIN | 1970 | 5641.5 | 5058.1 | 5860.1 | 5430.0 | 5595.1 | 5270.9 | 5590.5 | 5432.1 | 5877.6 | 6091.0 | 6111.5 | 6218.2 | **344,741.4** |
| WIN | 1969 | 5401.7 | 4765.3 | 5692.7 | 5232.7 | 5468.6 | 5885.6 | 6032.3 | 5863.9 | 5975.6 | 6030.9 | 6178.7 | 5670.5 | **276,564.8** |

# Manitoba Production
## 1950 To 1975

Licence ***1954*** Well Name ***Samedan Routledge SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-10-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole*** Field Code ***5*** Pool Code ***59*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1968 | 5256.5 | 5131.9 | 5500.6 | 5230.2 | 5755.8 | 5572.4 | 5494.6 | 5768.7 | 5575.4 | 5908.5 | 5648.8 | 5780.2 | **208,366.3** |
| WIN | 1967 | 3849.4 | 3860.7 | 4274.3 | 4139.2 | 4168.3 | 4056.3 | 4160.0 | 4766.1 | 4919.0 | 5005.0 | 4915.7 | 5162.4 | **141,742.7** |
| WIN | 1966 | 2660.7 | 2558.1 | 3263.9 | 2975.1 | 2917.3 | 3160.0 | 3497.1 | 3436.8 | 3268.2 | 3985.4 | 3966.4 | 4050.3 | **88,466.3** |
| WIN | 1965 | 2991.2 | 2415.5 | 3271.7 | 3014.6 | 3019.0 | 2840.5 | 3383.7 | 3432.1 | 3247.8 | 2883.1 | 2804.1 | 2629.8 | **48,727.0** |
| WIN | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 283.8 | 2883.2 | 3201.9 | 3337.8 | 3087.2 | **12,793.9** |

Licence ***1955*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-32-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 23.0 | 17.0 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,761.0** |
| H2O | 1972 | 264.4 | 146.9 | 343.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **28,277.3** |
| OIL | 1972 | 13.0 | 7.3 | 19.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,734.9** |
| DAY | 1971 | 31.0 | 28.0 | 28.0 | 24.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,690.0** |
| H2O | 1971 | 47.1 | 65.2 | 95.1 | 317.6 | 441.6 | 427.8 | 454.5 | 428.1 | 388.9 | 307.6 | 320.0 | 355.0 | **27,522.6** |
| OIL | 1971 | 8.4 | 15.4 | 3.7 | 3.0 | 4.0 | 3.8 | 4.0 | 4.0 | 4.0 | 15.7 | 14.9 | 17.6 | **3,695.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,334.0** |
| H2O | 1970 | 166.1 | 143.7 | 128.8 | 102.5 | 46.3 | 45.8 | 47.7 | 44.2 | 45.3 | 46.1 | 43.6 | 46.4 | **23,874.1** |
| OIL | 1970 | 16.0 | 7.9 | 11.4 | 9.5 | 9.2 | 8.4 | 8.6 | 7.9 | 8.1 | 8.1 | 7.3 | 8.9 | **3,597.1** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,970.0** |
| H2O | 1969 | 394.3 | 356.1 | 381.6 | 381.6 | 394.3 | 381.6 | 381.6 | 367.2 | 333.9 | 141.5 | 107.3 | 138.8 | **22,967.6** |
| OIL | 1969 | 42.6 | 36.1 | 37.7 | 31.6 | 38.8 | 38.6 | 37.8 | 34.2 | 24.6 | 46.9 | 23.5 | 19.1 | **3,485.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 25.0 | 29.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,607.0** |
| H2O | 1968 | 483.0 | 449.9 | 468.2 | 453.1 | 378.4 | 433.2 | 468.2 | 466.6 | 399.0 | 414.8 | 381.6 | 372.0 | **19,207.8** |
| OIL | 1968 | 37.5 | 31.8 | 34.5 | 28.4 | 22.9 | 27.0 | 28.4 | 24.8 | 31.9 | 40.0 | 38.5 | 39.9 | **3,074.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,250.0** |
| H2O | 1967 | 182.4 | 164.7 | 184.3 | 176.5 | 157.9 | 605.4 | 584.7 | 554.8 | 553.1 | 550.7 | 495.2 | 494.9 | **14,039.8** |
| OIL | 1967 | 44.3 | 40.0 | 44.3 | 42.9 | 32.9 | 53.7 | 56.4 | 46.7 | 45.9 | 48.1 | 37.0 | 40.8 | **2,688.7** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **893.0** |
| H2O | 1966 | 625.9 | 565.3 | 627.5 | 560.7 | 413.8 | 335.4 | 345.0 | 339.4 | 254.5 | 195.9 | 178.9 | 180.0 | **9,335.2** |
| OIL | 1966 | 59.1 | 53.4 | 57.7 | 52.4 | 53.2 | 52.4 | 47.8 | 43.5 | 46.4 | 48.8 | 44.3 | 43.4 | **2,155.7** |
| DAY | 1965 | 22.0 | 28.0 | 31.0 | 30.0 | 22.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **530.0** |
| H2O | 1965 | 71.1 | 86.2 | 88.7 | 83.9 | 54.4 | 357.7 | 369.6 | 407.9 | 605.7 | 625.9 | 600.3 | 625.9 | **4,712.9** |
| OIL | 1965 | 63.9 | 71.8 | 73.9 | 69.8 | 46.7 | 76.3 | 78.8 | 69.1 | 57.2 | 59.1 | 56.7 | 59.1 | **1,553.3** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 29.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **185.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.8 | 119.2 | 101.1 | 111.3 | 125.0 | 124.0 | 127.2 | **735.6** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 49.3 | 199.1 | 124.3 | 98.5 | 109.2 | 100.6 | 89.9 | **770.9** |

Licence ***1956*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-32-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,138.0** |
| H2O | 1975 | 185.7 | 159.0 | 173.0 | 171.4 | 120.8 | 120.0 | 129.7 | 128.5 | 127.7 | 132.1 | 123.5 | 129.7 | **22,146.7** |
| OIL | 1975 | 42.1 | 38.1 | 40.5 | 40.7 | 22.2 | 25.7 | 25.1 | 19.7 | 18.9 | 20.3 | 23.5 | 24.5 | **7,212.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 20.0 | 27.0 | 31.0 | **3,773.0** |
| H2O | 1974 | 174.2 | 157.1 | 199.7 | 187.3 | 153.1 | 176.3 | 184.6 | 188.6 | 175.8 | 108.3 | 168.8 | 185.4 | **20,445.6** |
| OIL | 1974 | 23.5 | 21.0 | 19.4 | 18.8 | 17.2 | 16.4 | 16.4 | 16.7 | 17.2 | 11.3 | 37.7 | 42.7 | **6,871.4** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,422.0** |
| H2O | 1973 | 159.1 | 154.5 | 149.0 | 140.5 | 158.0 | 161.4 | 170.9 | 196.0 | 180.8 | 174.7 | 169.6 | 176.9 | **18,386.4** |
| OIL | 1973 | 40.2 | 38.0 | 28.9 | 25.6 | 21.8 | 21.1 | 29.6 | 28.3 | 25.3 | 19.9 | 20.0 | 23.5 | **6,613.1** |
| DAY | 1972 | 31.0 | 27.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,058.0** |
| H2O | 1972 | 151.3 | 130.0 | 145.9 | 134.2 | 153.7 | 147.4 | 150.4 | 153.6 | 148.0 | 157.4 | 150.4 | 152.5 | **16,395.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1956*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-32-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1972 | 25.6 | 22.2 | 35.4 | 30.8 | 30.5 | 28.4 | 40.8 | 42.3 | 38.3 | 41.3 | 37.7 | 40.2 | **6,290.9** |
| DAY | 1971 | 31.0 | 28.0 | 27.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,695.0** |
| H2O | 1971 | 116.5 | 32.1 | 174.9 | 150.6 | 184.4 | 178.5 | 189.7 | 178.7 | 162.2 | 122.3 | 134.5 | 150.9 | **14,620.2** |
| OIL | 1971 | 43.9 | 7.3 | 41.0 | 33.2 | 38.5 | 36.9 | 37.8 | 38.0 | 36.7 | 21.8 | 21.6 | 26.1 | **5,877.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,339.0** |
| H2O | 1970 | 124.2 | 98.4 | 99.0 | 106.5 | 88.7 | 90.8 | 94.8 | 88.2 | 89.7 | 91.6 | 108.3 | 115.1 | **12,844.9** |
| OIL | 1970 | 49.4 | 45.0 | 49.9 | 48.6 | 45.8 | 44.2 | 45.4 | 41.8 | 42.0 | 42.4 | 37.3 | 46.6 | **5,494.6** |
| DAY | 1969 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **1,976.0** |
| H2O | 1969 | 147.9 | 133.5 | 143.1 | 143.1 | 221.8 | 214.6 | 221.8 | 208.3 | 190.8 | 276.1 | 193.5 | 134.8 | **11,649.6** |
| OIL | 1969 | 71.0 | 60.9 | 61.7 | 50.7 | 67.1 | 64.0 | 63.4 | 58.0 | 57.4 | 58.0 | 66.1 | 44.5 | **4,956.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,614.0** |
| H2O | 1968 | 246.4 | 233.1 | 111.6 | 81.1 | 83.8 | 81.1 | 83.8 | 91.3 | 143.1 | 149.0 | 143.1 | 147.9 | **9,420.3** |
| OIL | 1968 | 79.6 | 74.5 | 79.0 | 66.4 | 70.4 | 69.1 | 72.9 | 69.8 | 69.1 | 70.2 | 71.2 | 66.9 | **4,233.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 23.0 | 30.0 | 31.0 | **1,248.0** |
| H2O | 1967 | 183.3 | 164.7 | 179.0 | 171.7 | 177.4 | 171.7 | 171.7 | 167.2 | 184.1 | 174.6 | 239.9 | 247.7 | **7,825.0** |
| OIL | 1967 | 72.8 | 58.3 | 59.1 | 57.2 | 54.7 | 52.4 | 50.2 | 41.3 | 40.4 | 42.0 | 62.0 | 52.1 | **3,374.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 24.0 | 24.0 | 31.0 | 30.0 | 31.0 | **894.0** |
| H2O | 1966 | 300.6 | 271.5 | 302.1 | 245.0 | 208.3 | 187.6 | 173.9 | 133.5 | 135.8 | 188.6 | 184.7 | 186.0 | **5,592.0** |
| OIL | 1966 | 73.9 | 66.7 | 72.5 | 63.2 | 58.2 | 48.1 | 42.3 | 30.5 | 52.3 | 71.7 | 68.5 | 73.3 | **2,731.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 27.0 | 23.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **542.0** |
| H2O | 1965 | 98.6 | 86.2 | 88.7 | 75.4 | 121.8 | 201.9 | 203.7 | 409.4 | 290.9 | 300.6 | 288.4 | 300.6 | **3,074.4** |
| OIL | 1965 | 89.3 | 62.6 | 64.0 | 60.9 | 84.2 | 123.9 | 121.1 | 84.4 | 85.3 | 83.7 | 76.8 | 73.9 | **2,010.6** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **188.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.3 | 80.4 | 96.7 | 113.2 | 102.4 | 95.4 | 97.8 | **608.2** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 40.5 | 251.7 | 201.2 | 176.7 | 131.6 | 100.6 | 98.2 | **1,000.5** |

Licence ***1961*** Well Name ***Tundra Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-02-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | **3,657.0** |
| H2O | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 237.7 | 120.8 | 97.6 | 92.1 | 89.2 | 89.5 | 79.7 | 0.0 | **15,782.1** |
| OIL | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 125.1 | 100.1 | 84.5 | 86.6 | 75.8 | 73.1 | 61.0 | 0.0 | **16,817.0** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 2.0 | **3,443.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 185.9 | 129.7 | 158.8 | 144.0 | 120.7 | 101.9 | 87.8 | 8.6 | **14,975.5** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 134.1 | 130.8 | 126.0 | 98.0 | 72.3 | 59.0 | 44.7 | 4.4 | **16,210.8** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 18.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 24.0 | 0.0 | 0.0 | **3,260.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 117.7 | 204.0 | 199.8 | 140.9 | 131.2 | 111.6 | 85.2 | 0.0 | 0.0 | **14,038.1** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 75.2 | 119.2 | 78.0 | 60.5 | 51.0 | 41.0 | 24.2 | 0.0 | 0.0 | **15,541.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | **3,065.0** |
| H2O | 1972 | 91.7 | 60.3 | 88.7 | 97.6 | 101.4 | 111.1 | 121.8 | 127.0 | 87.1 | 83.8 | 60.4 | 0.0 | **13,047.7** |
| OIL | 1972 | 53.1 | 99.5 | 159.9 | 149.7 | 127.8 | 93.6 | 68.3 | 72.0 | 62.9 | 63.9 | 53.4 | 0.0 | **15,092.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,730.0** |
| H2O | 1971 | 161.1 | 146.7 | 155.0 | 154.9 | 130.4 | 121.0 | 118.6 | 119.2 | 115.6 | 116.9 | 108.7 | 105.1 | **12,016.8** |
| OIL | 1971 | 135.1 | 105.0 | 93.3 | 88.5 | 91.4 | 82.0 | 82.5 | 81.5 | 76.6 | 78.2 | 70.2 | 61.3 | **14,088.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,365.0** |
| H2O | 1970 | 105.9 | 93.8 | 124.3 | 99.2 | 162.2 | 147.1 | 143.1 | 131.5 | 174.3 | 145.2 | 163.8 | 164.6 | **10,463.6** |
| OIL | 1970 | 76.4 | 67.4 | 77.9 | 72.3 | 71.0 | 66.3 | 67.2 | 74.4 | 176.2 | 165.6 | 160.2 | 148.9 | **13,042.7** |
| DAY | 1969 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,003.0** |
| H2O | 1969 | 95.4 | 103.3 | 184.3 | 197.0 | 196.6 | 194.3 | 192.0 | 192.8 | 183.2 | 190.1 | 174.3 | 93.2 | **8,808.6** |
| OIL | 1969 | 63.6 | 60.4 | 119.0 | 202.8 | 189.6 | 176.1 | 178.5 | 162.1 | 135.4 | 119.0 | 106.2 | 82.3 | **11,818.9** |
| DAY | 1968 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,641.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1961*** Well Name ***Tundra Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-02-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1968 | 216.4 | 93.8 | 172.5 | 166.9 | 166.9 | 114.0 | 110.5 | 106.8 | 103.3 | 97.0 | 92.2 | 92.2 | **6,812.1** |
| OIL | 1968 | 136.5 | 81.8 | 152.1 | 146.5 | 143.3 | 111.6 | 106.1 | 91.5 | 86.6 | 79.1 | 70.7 | 62.8 | **10,223.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,279.0** |
| H2O | 1967 | 163.7 | 199.4 | 221.0 | 209.1 | 212.2 | 211.9 | 191.3 | 223.5 | 211.0 | 205.6 | 206.0 | 216.4 | **5,279.6** |
| OIL | 1967 | 229.1 | 207.2 | 222.0 | 203.6 | 201.7 | 184.7 | 176.4 | 172.6 | 151.9 | 124.3 | 138.4 | 136.5 | **8,955.3** |
| DAY | 1966 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **914.0** |
| H2O | 1966 | 116.7 | 65.5 | 98.1 | 142.3 | 150.4 | 143.9 | 150.1 | 145.5 | 151.0 | 198.6 | 196.7 | 202.9 | **2,808.5** |
| OIL | 1966 | 117.0 | 152.4 | 295.9 | 286.2 | 281.3 | 257.6 | 247.3 | 232.0 | 218.0 | 232.8 | 211.8 | 206.3 | **6,806.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **555.0** |
| H2O | 1965 | 58.8 | 53.4 | 55.3 | 47.7 | 54.2 | 52.5 | 54.4 | 55.0 | 50.9 | 98.7 | 112.1 | 113.0 | **1,046.8** |
| OIL | 1965 | 259.0 | 235.8 | 240.3 | 181.2 | 202.5 | 200.2 | 202.8 | 200.5 | 186.2 | 166.1 | 119.7 | 106.5 | **4,068.3** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **191.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 62.0 | 57.2 | 65.0 | 56.6 | **240.8** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.4 | 259.3 | 295.6 | 286.0 | 300.3 | 270.1 | 255.8 | **1,767.5** |

Licence ***1963*** Well Name ***E. Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-11-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 0.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,600.0** |
| H2O | 1975 | 75.0 | 40.7 | 48.0 | 46.3 | 50.7 | 0.0 | 67.9 | 68.0 | 72.7 | 53.4 | 29.1 | 49.9 | **19,052.6** |
| OIL | 1975 | 4.8 | 4.1 | 4.3 | 4.5 | 4.8 | 0.0 | 9.7 | 4.6 | 4.6 | 4.8 | 3.8 | 4.9 | **2,725.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 13.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | **3,265.0** |
| H2O | 1974 | 71.2 | 64.5 | 55.2 | 64.2 | 47.2 | 29.4 | 0.0 | 0.0 | 0.0 | 65.7 | 67.6 | 72.7 | **18,450.9** |
| OIL | 1974 | 14.5 | 4.3 | 4.5 | 4.8 | 4.8 | 1.9 | 0.0 | 0.0 | 0.0 | 4.8 | 4.9 | 5.1 | **2,670.1** |
| DAY | 1973 | 31.0 | 28.0 | 22.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,040.0** |
| H2O | 1973 | 68.4 | 70.0 | 45.2 | 66.3 | 93.0 | 56.3 | 44.8 | 46.9 | 21.1 | 72.8 | 68.8 | 48.0 | **17,913.2** |
| OIL | 1973 | 9.5 | 7.8 | 3.3 | 4.6 | 4.9 | 13.7 | 4.5 | 4.6 | 2.2 | 4.9 | 4.8 | 4.9 | **2,620.5** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,686.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 41.5 | 124.0 | 73.9 | 79.3 | 73.9 | **17,211.6** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 4.8 | 0.0 | 0.0 | 9.9 | **2,550.8** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 21.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,554.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 100.2 | 147.9 | 140.9 | 142.6 | 142.3 | 124.5 | 116.1 | 116.4 | 120.5 | **16,819.0** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 4.9 | 7.3 | 7.0 | 6.7 | 6.4 | 6.0 | 5.7 | 5.1 | 4.8 | **2,534.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | **2,288.0** |
| H2O | 1970 | 166.0 | 145.8 | 164.2 | 169.3 | 164.6 | 150.2 | 87.4 | 85.7 | 85.2 | 93.8 | 95.7 | 0.0 | **15,667.6** |
| OIL | 1970 | 9.7 | 8.4 | 9.5 | 8.6 | 8.7 | 7.9 | 7.2 | 6.8 | 6.5 | 6.5 | 6.5 | 0.0 | **2,480.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,956.0** |
| H2O | 1969 | 177.1 | 139.1 | 161.5 | 146.0 | 156.6 | 181.2 | 165.2 | 151.0 | 137.5 | 146.9 | 169.2 | 154.5 | **14,259.7** |
| OIL | 1969 | 8.9 | 11.8 | 13.0 | 11.8 | 11.8 | 10.7 | 11.0 | 10.7 | 9.9 | 8.7 | 9.9 | 9.7 | **2,394.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,593.0** |
| H2O | 1968 | 147.9 | 139.9 | 147.9 | 143.1 | 161.4 | 156.1 | 190.8 | 185.5 | 171.7 | 182.8 | 176.8 | 175.7 | **12,373.9** |
| OIL | 1968 | 58.0 | 57.4 | 59.1 | 57.2 | 58.0 | 55.6 | 7.9 | 9.5 | 9.2 | 9.5 | 9.2 | 9.2 | **2,266.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,227.0** |
| H2O | 1967 | 292.1 | 276.0 | 307.5 | 296.4 | 303.0 | 285.9 | 265.5 | 277.6 | 290.9 | 294.9 | 279.8 | 270.6 | **10,394.3** |
| OIL | 1967 | 55.2 | 50.4 | 57.1 | 52.9 | 55.3 | 50.7 | 52.1 | 62.0 | 63.9 | 57.9 | 58.3 | 59.1 | **1,866.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **863.0** |
| H2O | 1966 | 246.7 | 231.6 | 273.6 | 214.8 | 222.9 | 250.6 | 282.5 | 274.9 | 267.7 | 281.1 | 290.5 | 301.6 | **6,954.1** |
| OIL | 1966 | 59.4 | 53.3 | 73.8 | 59.3 | 57.9 | 51.5 | 59.8 | 58.7 | 55.3 | 58.8 | 54.5 | 56.4 | **1,191.7** |
| DAY | 1965 | 30.0 | 26.0 | 30.0 | 27.0 | 31.0 | 29.0 | 27.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | **498.0** |
| H2O | 1965 | 256.5 | 197.7 | 265.1 | 153.3 | 175.7 | 176.7 | 175.9 | 84.6 | 124.2 | 276.6 | 262.3 | 281.9 | **3,815.6** |
| OIL | 1965 | 25.7 | 24.1 | 23.7 | 25.7 | 29.5 | 20.9 | 18.0 | 13.3 | 16.3 | 23.6 | 57.1 | 59.0 | **493.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1963*** Well Name ***E. Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-11-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 27.0 | 27.0 | 31.0 | 30.0 | 31.0 | **149.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 76.2 | 226.8 | 289.6 | 259.4 | 268.3 | 264.8 | **1,385.1** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.1 | 38.1 | 25.7 | 28.5 | 27.4 | 26.3 | **156.1** |

Licence ***1964*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-16-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 28.0 | 29.0 | 26.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,448.0** |
| H2O | 1973 | 468.0 | 454.4 | 463.6 | 410.5 | 411.3 | 477.4 | 446.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **40,733.1** |
| OIL | 1973 | 7.9 | 7.2 | 8.1 | 7.9 | 7.8 | 12.2 | 10.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,485.4** |
| DAY | 1972 | 30.0 | 29.0 | 28.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | **2,247.0** |
| H2O | 1972 | 472.5 | 455.0 | 413.8 | 433.1 | 452.0 | 429.1 | 801.9 | 471.5 | 469.6 | 447.8 | 427.2 | 447.8 | **37,601.8** |
| OIL | 1972 | 21.0 | 20.3 | 19.7 | 19.5 | 21.5 | 19.7 | 95.3 | 11.9 | 11.4 | 7.6 | 7.0 | 7.8 | **3,423.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 10.0 | 5.0 | 22.0 | 24.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,891.0** |
| H2O | 1971 | 513.3 | 397.1 | 450.2 | 421.8 | 131.5 | 70.1 | 305.2 | 322.7 | 396.7 | 383.8 | 417.2 | 445.3 | **31,880.5** |
| OIL | 1971 | 13.7 | 29.9 | 34.0 | 33.1 | 9.9 | 5.1 | 21.8 | 24.5 | 31.9 | 29.4 | 28.9 | 33.1 | **3,161.0** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 30.0 | 31.0 | **1,589.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 445.0 | 492.5 | 501.7 | **27,625.6** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.6 | 12.1 | 14.5 | **2,865.7** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 28.0 | 29.0 | 28.0 | 30.0 | 14.0 | 0.0 | **1,499.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 713.3 | 735.1 | 742.6 | 731.0 | 556.4 | 265.5 | 0.0 | **26,186.4** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.8 | 16.5 | 16.8 | 15.9 | 11.6 | 4.9 | 0.0 | **2,827.5** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 15.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | **1,345.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 373.4 | 739.3 | 590.3 | 632.3 | 608.4 | 548.5 | 0.0 | 0.0 | 0.0 | **22,442.5** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 16.5 | 24.9 | 23.8 | 22.4 | 22.4 | 21.5 | 0.0 | 0.0 | 0.0 | **2,740.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 17.0 | 20.0 | **1,179.0** |
| H2O | 1967 | 653.4 | 578.7 | 621.0 | 569.9 | 633.5 | 620.0 | 640.7 | 566.0 | 397.4 | 429.2 | 524.0 | 453.3 | **18,950.3** |
| OIL | 1967 | 44.8 | 44.5 | 47.2 | 42.4 | 44.3 | 54.0 | 50.4 | 54.2 | 37.3 | 40.5 | 20.7 | 23.5 | **2,608.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **843.0** |
| H2O | 1966 | 557.5 | 470.4 | 551.8 | 534.3 | 538.9 | 572.8 | 556.4 | 392.7 | 488.1 | 620.0 | 607.3 | 628.0 | **12,263.2** |
| OIL | 1966 | 41.0 | 31.3 | 37.5 | 37.5 | 38.6 | 32.6 | 33.2 | 30.4 | 35.3 | 19.1 | 18.3 | 18.9 | **2,104.7** |
| DAY | 1965 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **479.0** |
| H2O | 1965 | 112.9 | 56.4 | 516.7 | 512.4 | 545.3 | 534.2 | 471.1 | 426.1 | 672.5 | 620.8 | 500.8 | 500.8 | **5,745.0** |
| OIL | 1965 | 71.2 | 67.2 | 162.1 | 120.5 | 135.6 | 112.8 | 115.4 | 92.6 | 71.5 | 65.2 | 57.2 | 24.6 | **1,731.0** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 31.0 | 30.0 | 31.0 | **120.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.8 | 65.2 | 8.1 | 60.7 | 38.6 | 84.6 | **275.0** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 173.5 | 104.9 | 96.1 | 89.9 | 86.0 | 84.7 | **635.1** |

Licence ***1965*** Well Name ***Mont East Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-01-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 21.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,652.0** |
| H2O | 1974 | 720.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **76,604.5** |
| OIL | 1974 | 20.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,266.3** |
| DAY | 1973 | 31.0 | 26.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 4.0 | 28.0 | 30.0 | **2,631.0** |
| H2O | 1973 | 1706.7 | 1367.0 | 293.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 274.7 | 271.8 | 960.6 | 1100.8 | **75,884.3** |
| OIL | 1973 | 17.3 | 7.3 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.7 | 7.9 | 17.8 | 19.1 | **6,246.3** |
| DAY | 1972 | 31.0 | 29.0 | 29.0 | 28.0 | 31.0 | 30.0 | 29.0 | 21.0 | 30.0 | 29.0 | 30.0 | 29.0 | **2,499.0** |
| H2O | 1972 | 1759.4 | 1545.2 | 1635.2 | 1603.1 | 1766.5 | 1696.4 | 1626.4 | 999.1 | 1710.9 | 1755.5 | 1663.0 | 1586.2 | **69,909.5** |
| OIL | 1972 | 24.5 | 22.7 | 22.1 | 20.2 | 22.9 | 23.1 | 16.5 | 11.6 | 24.2 | 22.6 | 22.3 | 18.8 | **6,170.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,153.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1965*** Well Name ***Mont East Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-01-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1971 | 1091.0 | 1126.7 | 1065.9 | 982.9 | 959.8 | 1283.5 | 1323.4 | 1297.5 | 1086.4 | 1326.4 | 1288.0 | 1146.6 | **50,562.6** |
| OIL | 1971 | 54.5 | 50.4 | 54.7 | 49.1 | 47.9 | 54.4 | 49.4 | 45.6 | 19.9 | 29.3 | 31.8 | 26.6 | **5,919.1** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 29.0 | 13.0 | 0.0 | 13.0 | 25.0 | 28.0 | 28.0 | **1,795.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 546.9 | 642.0 | 532.1 | 216.4 | 0.0 | 333.9 | 981.1 | 1333.4 | 1358.4 | **36,584.5** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 41.2 | 41.8 | 29.4 | 11.9 | 0.0 | 22.6 | 70.3 | 74.4 | 63.3 | **5,405.5** |
| DAY | 1969 | 24.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,598.0** |
| H2O | 1969 | 555.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **30,640.3** |
| OIL | 1969 | 35.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,050.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **1,574.0** |
| H2O | 1968 | 749.9 | 670.3 | 784.8 | 759.3 | 734.7 | 628.5 | 776.0 | 789.8 | 760.3 | 786.8 | 667.0 | 635.9 | **30,084.8** |
| OIL | 1968 | 54.4 | 56.8 | 49.8 | 53.9 | 49.9 | 44.2 | 53.9 | 51.7 | 51.8 | 42.8 | 38.3 | 40.7 | **5,015.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,212.0** |
| H2O | 1967 | 661.5 | 552.8 | 615.8 | 607.8 | 439.8 | 195.7 | 715.8 | 687.8 | 711.3 | 691.4 | 666.3 | 744.5 | **21,341.5** |
| OIL | 1967 | 70.4 | 59.5 | 72.7 | 67.6 | 69.3 | 59.3 | 66.1 | 66.3 | 66.1 | 58.2 | 49.3 | 59.9 | **4,426.8** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **849.0** |
| H2O | 1966 | 590.0 | 517.0 | 531.2 | 466.5 | 503.5 | 586.8 | 639.3 | 622.9 | 591.1 | 661.2 | 635.6 | 642.9 | **14,051.0** |
| OIL | 1966 | 85.2 | 67.9 | 76.6 | 69.0 | 68.5 | 75.7 | 85.5 | 74.4 | 71.2 | 79.0 | 72.5 | 70.1 | **3,662.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 9.0 | 12.0 | 24.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **484.0** |
| H2O | 1965 | 456.8 | 409.7 | 448.2 | 179.0 | 244.2 | 446.1 | 547.7 | 513.5 | 598.4 | 584.4 | 571.2 | 563.3 | **7,063.0** |
| OIL | 1965 | 193.0 | 154.2 | 159.3 | 63.6 | 82.7 | 131.8 | 143.7 | 131.2 | 132.3 | 125.9 | 110.8 | 103.2 | **2,766.5** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **167.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 192.9 | 142.3 | 315.0 | 351.4 | 477.9 | **1,500.5** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 119.4 | 257.6 | 141.7 | 252.7 | 222.2 | 241.2 | **1,234.8** |

Licence ***1967*** Well Name ***E. Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-10-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 0.0 | 0.0 | 0.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,788.0** |
| H2O | 1975 | 75.0 | 69.1 | 96.0 | 0.0 | 0.0 | 0.0 | 99.5 | 90.7 | 106.7 | 106.9 | 50.4 | 49.9 | **41,331.3** |
| OIL | 1975 | 4.8 | 8.1 | 8.7 | 0.0 | 0.0 | 0.0 | 9.5 | 9.1 | 4.6 | 4.8 | 5.1 | 4.9 | **7,500.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,514.0** |
| H2O | 1974 | 71.2 | 55.9 | 63.6 | 64.2 | 70.7 | 68.0 | 102.6 | 73.9 | 71.5 | 65.6 | 78.0 | 72.6 | **40,587.1** |
| OIL | 1974 | 14.5 | 4.3 | 9.1 | 4.8 | 4.8 | 4.4 | 9.9 | 4.6 | 4.6 | 4.8 | 4.9 | 5.1 | **7,440.7** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,149.0** |
| H2O | 1973 | 175.9 | 200.5 | 197.0 | 198.7 | 175.9 | 117.4 | 98.5 | 93.8 | 36.1 | 48.5 | 45.9 | 48.0 | **39,729.3** |
| OIL | 1973 | 7.3 | 19.4 | 28.8 | 27.8 | 23.4 | 13.7 | 17.8 | 13.8 | 4.8 | 9.7 | 4.8 | 4.9 | **7,364.9** |
| DAY | 1972 | 24.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,784.0** |
| H2O | 1972 | 286.1 | 322.0 | 246.4 | 238.5 | 254.4 | 266.8 | 300.5 | 334.9 | 313.3 | 138.0 | 147.9 | 190.2 | **38,293.1** |
| OIL | 1972 | 30.5 | 34.3 | 29.6 | 28.6 | 28.8 | 29.2 | 31.9 | 35.0 | 33.1 | 9.9 | 8.3 | 7.6 | **7,188.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,427.0** |
| H2O | 1971 | 502.8 | 454.0 | 487.9 | 457.9 | 497.7 | 453.1 | 468.2 | 468.2 | 453.1 | 468.2 | 429.3 | 459.7 | **35,254.1** |
| OIL | 1971 | 83.7 | 75.6 | 78.8 | 66.7 | 69.0 | 52.4 | 54.2 | 54.2 | 62.0 | 64.0 | 57.2 | 59.1 | **6,881.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,062.0** |
| H2O | 1970 | 507.7 | 427.4 | 473.1 | 429.3 | 458.3 | 467.9 | 557.0 | 527.4 | 491.2 | 512.6 | 510.4 | 512.6 | **29,654.0** |
| OIL | 1970 | 83.7 | 75.6 | 83.7 | 76.3 | 78.8 | 94.4 | 93.6 | 93.6 | 90.6 | 88.7 | 85.8 | 88.7 | **6,105.0** |
| DAY | 1969 | 31.0 | 26.0 | 31.0 | 29.0 | 21.0 | 30.0 | 30.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,700.0** |
| H2O | 1969 | 493.9 | 432.6 | 481.7 | 474.9 | 343.9 | 481.7 | 472.2 | 481.7 | 442.1 | 497.6 | 491.2 | 497.7 | **23,779.1** |
| OIL | 1969 | 89.0 | 79.9 | 85.8 | 87.6 | 63.4 | 81.0 | 81.0 | 81.0 | 72.9 | 86.9 | 90.6 | 88.7 | **5,071.5** |
| DAY | 1968 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,353.0** |
| H2O | 1968 | 448.5 | 428.8 | 431.8 | 469.6 | 478.0 | 450.2 | 407.2 | 497.9 | 483.3 | 488.1 | 485.5 | 493.9 | **18,187.9** |
| OIL | 1968 | 97.4 | 88.7 | 85.3 | 88.7 | 93.8 | 99.0 | 94.4 | 95.2 | 88.2 | 93.0 | 91.1 | 93.4 | **4,083.7** |

# Manitoba Production
## 1950 To 1975

Licence ***1967*** Well Name ***E. Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-10-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 0.0 | 22.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **990.0** |
| H2O | 1967 | 473.8 | 458.2 | 495.2 | 537.2 | 423.6 | 469.6 | 435.1 | 492.0 | 468.4 | 458.3 | 479.5 | 460.6 | **12,625.1** |
| OIL | 1967 | 103.7 | 102.0 | 109.3 | 104.1 | 74.7 | 105.0 | 105.4 | 115.2 | 102.8 | 98.0 | 106.6 | 99.8 | **2,975.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **664.0** |
| H2O | 1966 | 251.1 | 250.5 | 294.7 | 263.8 | 249.0 | 239.7 | 256.5 | 270.6 | 232.7 | 494.3 | 489.8 | 500.2 | **6,973.6** |
| OIL | 1966 | 60.5 | 64.7 | 67.4 | 64.2 | 71.8 | 69.6 | 63.1 | 62.6 | 32.9 | 107.6 | 105.8 | 112.8 | **1,748.9** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 0.0 | 26.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **299.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 290.1 | 0.0 | 337.0 | 323.5 | 311.9 | 257.1 | 262.9 | 208.9 | **3,180.7** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 89.0 | 0.0 | 82.8 | 71.2 | 80.2 | 65.8 | 52.9 | 58.5 | **865.9** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 24.0 | 30.0 | 24.0 | 17.0 | 0.0 | **102.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 61.5 | 217.6 | 410.0 | 300.5 | 199.7 | 0.0 | **1,189.3** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 33.4 | 69.1 | 110.8 | 103.6 | 48.6 | 0.0 | **365.5** |

Licence ***1968*** Well Name ***Heather Virden Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-29-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 20.0 | 30.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,970.0** |
| H2O | 1975 | 46.7 | 43.2 | 47.1 | 46.6 | 39.1 | 36.1 | 50.9 | 49.0 | 45.2 | 46.4 | 51.0 | 50.6 | **3,988.0** |
| OIL | 1975 | 80.6 | 73.6 | 81.1 | 78.1 | 64.4 | 59.6 | 80.9 | 78.2 | 76.0 | 81.4 | 72.5 | 77.1 | **13,354.7** |
| DAY | 1974 | 31.0 | 23.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,625.0** |
| H2O | 1974 | 46.1 | 38.6 | 46.9 | 48.5 | 45.8 | 43.4 | 47.4 | 47.7 | 45.0 | 48.3 | 46.1 | 49.6 | **3,436.1** |
| OIL | 1974 | 84.7 | 66.1 | 82.5 | 76.5 | 81.4 | 73.0 | 72.5 | 73.6 | 70.7 | 77.7 | 71.1 | 80.6 | **12,451.2** |
| DAY | 1973 | 31.0 | 28.0 | 28.0 | 29.0 | 30.0 | 29.0 | 31.0 | 30.0 | 21.0 | 31.0 | 29.0 | 31.0 | **3,268.0** |
| H2O | 1973 | 34.7 | 31.8 | 35.5 | 39.0 | 39.1 | 40.9 | 43.6 | 39.3 | 33.2 | 45.9 | 45.5 | 45.9 | **2,882.7** |
| OIL | 1973 | 83.3 | 73.8 | 80.8 | 79.8 | 76.9 | 76.2 | 77.7 | 77.1 | 62.3 | 87.4 | 75.7 | 83.9 | **11,540.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **2,920.0** |
| H2O | 1972 | 38.0 | 33.1 | 34.8 | 33.2 | 34.3 | 33.1 | 34.7 | 35.1 | 34.0 | 34.2 | 32.0 | 34.8 | **2,408.3** |
| OIL | 1972 | 83.8 | 75.8 | 83.5 | 79.0 | 82.2 | 80.4 | 82.0 | 81.2 | 79.3 | 84.9 | 75.2 | 85.1 | **10,605.9** |
| DAY | 1971 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 24.0 | 31.0 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | **2,557.0** |
| H2O | 1971 | 29.6 | 25.6 | 29.3 | 35.9 | 30.2 | 29.1 | 29.4 | 30.5 | 25.6 | 31.0 | 31.6 | 45.0 | **1,997.0** |
| OIL | 1971 | 78.9 | 66.5 | 78.4 | 75.4 | 77.4 | 73.6 | 75.7 | 74.4 | 68.7 | 61.5 | 72.3 | 88.7 | **9,633.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,202.0** |
| H2O | 1970 | 23.4 | 21.6 | 23.7 | 21.9 | 25.0 | 23.7 | 25.1 | 29.6 | 27.2 | 29.9 | 29.3 | 29.7 | **1,624.2** |
| OIL | 1970 | 98.5 | 88.3 | 98.5 | 82.1 | 97.4 | 95.1 | 98.5 | 94.0 | 76.5 | 78.4 | 76.1 | 78.1 | **8,742.0** |
| DAY | 1969 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,839.0** |
| H2O | 1969 | 23.2 | 21.5 | 24.6 | 22.6 | 15.4 | 23.8 | 23.7 | 23.2 | 22.6 | 23.2 | 22.9 | 23.8 | **1,314.1** |
| OIL | 1969 | 99.7 | 89.3 | 98.2 | 95.1 | 98.8 | 95.3 | 97.2 | 98.2 | 94.7 | 98.5 | 95.6 | 98.5 | **7,680.5** |
| DAY | 1968 | 31.0 | 28.0 | 31.0 | 28.0 | 29.0 | 29.0 | 29.0 | 29.0 | 30.0 | 29.0 | 26.0 | 31.0 | **1,506.0** |
| H2O | 1968 | 15.6 | 14.0 | 24.6 | 18.8 | 23.1 | 19.7 | 23.1 | 30.5 | 30.7 | 24.3 | 17.6 | 23.1 | **1,043.6** |
| OIL | 1968 | 99.9 | 99.6 | 100.4 | 91.8 | 104.4 | 101.3 | 102.1 | 100.5 | 102.3 | 96.6 | 87.8 | 100.7 | **6,521.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 29.0 | **1,156.0** |
| H2O | 1967 | 24.6 | 22.3 | 22.9 | 20.7 | 23.2 | 15.9 | 41.3 | 25.4 | 20.0 | 16.2 | 15.7 | 14.0 | **778.5** |
| OIL | 1967 | 128.4 | 120.7 | 127.2 | 117.9 | 129.5 | 122.3 | 119.0 | 121.2 | 99.4 | 88.9 | 93.5 | 98.0 | **5,334.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 6.0 | 22.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 28.0 | **797.0** |
| H2O | 1966 | 28.6 | 28.3 | 29.6 | 5.7 | 22.3 | 16.9 | 16.1 | 16.2 | 23.8 | 23.2 | 23.8 | 47.7 | **516.3** |
| OIL | 1966 | 137.3 | 127.1 | 139.0 | 26.1 | 108.2 | 134.6 | 136.8 | 139.5 | 129.3 | 130.4 | 126.5 | 129.2 | **3,968.0** |
| DAY | 1965 | 31.0 | 28.0 | 22.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **499.0** |
| H2O | 1965 | 12.4 | 8.6 | 7.8 | 6.4 | 6.0 | 8.3 | 20.7 | 18.3 | 19.7 | 22.3 | 21.5 | 28.0 | **234.1** |
| OIL | 1965 | 132.7 | 126.0 | 123.1 | 167.5 | 164.9 | 149.7 | 161.4 | 154.1 | 156.8 | 149.2 | 147.0 | 130.0 | **2,504.0** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | **147.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 13.9 | 9.0 | 5.9 | 6.3 | **54.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1968*** Well Name ***Heather Virden Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.04-29-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 185.1 | 144.3 | 149.8 | 125.3 | 137.1 | **741.6** |

Licence ***1971*** Well Name ***Gale Force Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-06-009-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,069.0** |
| H2O | 1975 | 694.8 | 610.5 | 663.8 | 633.7 | 690.0 | 664.2 | 605.9 | 580.3 | 624.8 | 633.6 | 603.4 | 632.0 | **51,268.4** |
| OIL | 1975 | 49.3 | 43.1 | 47.5 | 44.4 | 48.2 | 44.7 | 33.1 | 45.3 | 42.9 | 46.7 | 39.0 | 42.9 | **9,506.7** |
| DAY | 1974 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,707.0** |
| H2O | 1974 | 654.4 | 535.2 | 675.7 | 607.3 | 680.8 | 668.5 | 482.2 | 655.3 | 650.3 | 703.5 | 645.3 | 687.3 | **43,631.4** |
| OIL | 1974 | 55.3 | 42.8 | 60.7 | 53.6 | 57.1 | 53.4 | 40.2 | 56.1 | 54.9 | 53.6 | 48.0 | 49.4 | **8,979.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,354.0** |
| H2O | 1973 | 590.0 | 628.8 | 657.4 | 670.9 | 620.1 | 605.6 | 620.4 | 624.8 | 618.0 | 663.1 | 651.8 | 660.6 | **35,985.6** |
| OIL | 1973 | 60.4 | 52.3 | 60.3 | 52.9 | 59.5 | 55.5 | 56.1 | 56.3 | 54.1 | 56.4 | 54.4 | 61.8 | **8,354.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,989.0** |
| H2O | 1972 | 369.6 | 361.1 | 403.2 | 470.1 | 572.4 | 570.8 | 600.5 | 575.5 | 547.6 | 515.9 | 525.5 | 541.2 | **28,374.1** |
| OIL | 1972 | 61.4 | 54.4 | 60.1 | 55.6 | 56.9 | 53.7 | 54.1 | 53.6 | 49.0 | 58.8 | 59.5 | 60.4 | **7,674.5** |
| DAY | 1971 | 31.0 | 28.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,624.0** |
| H2O | 1971 | 485.7 | 412.6 | 457.1 | 378.4 | 398.4 | 358.0 | 368.9 | 384.7 | 344.2 | 357.1 | 356.8 | 357.6 | **22,320.7** |
| OIL | 1971 | 86.8 | 69.5 | 77.7 | 67.3 | 70.3 | 71.4 | 71.2 | 68.7 | 66.5 | 68.8 | 61.7 | 63.6 | **6,997.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 23.0 | 16.0 | 26.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,265.0** |
| H2O | 1970 | 380.8 | 355.3 | 388.7 | 320.4 | 421.3 | 378.7 | 287.6 | 414.0 | 471.2 | 433.2 | 492.1 | 538.2 | **17,661.2** |
| OIL | 1970 | 44.5 | 36.7 | 39.4 | 42.1 | 48.3 | 46.3 | 38.8 | 73.5 | 85.9 | 96.8 | 94.3 | 90.3 | **6,153.5** |
| DAY | 1969 | 26.0 | 28.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,930.0** |
| H2O | 1969 | 261.1 | 262.3 | 318.0 | 297.3 | 394.0 | 387.0 | 399.9 | 383.0 | 372.3 | 398.3 | 392.7 | 398.3 | **12,779.7** |
| OIL | 1969 | 30.6 | 30.6 | 36.0 | 32.8 | 50.9 | 53.3 | 56.7 | 51.9 | 45.5 | 48.6 | 47.6 | 49.0 | **5,416.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,573.0** |
| H2O | 1968 | 221.8 | 207.5 | 220.2 | 226.6 | 252.2 | 285.4 | 312.4 | 252.8 | 281.9 | 298.7 | 292.9 | 289.5 | **8,515.5** |
| OIL | 1968 | 42.5 | 41.2 | 43.6 | 43.6 | 47.8 | 46.8 | 43.0 | 32.2 | 38.5 | 38.1 | 37.3 | 35.4 | **4,883.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,208.0** |
| H2O | 1967 | 172.4 | 163.7 | 197.8 | 196.3 | 201.9 | 193.2 | 181.4 | 215.4 | 207.5 | 213.0 | 221.8 | 217.8 | **5,373.6** |
| OIL | 1967 | 54.9 | 50.1 | 51.4 | 47.9 | 40.4 | 49.2 | 47.4 | 47.3 | 45.7 | 45.4 | 43.5 | 47.6 | **4,393.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **843.0** |
| H2O | 1966 | 183.5 | 146.8 | 172.4 | 111.2 | 123.1 | 123.1 | 156.5 | 180.7 | 193.4 | 178.4 | 166.8 | 172.4 | **2,991.4** |
| OIL | 1966 | 74.8 | 72.1 | 81.9 | 62.9 | 63.8 | 62.7 | 60.0 | 64.3 | 58.4 | 55.7 | 51.3 | 57.1 | **3,822.3** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 26.0 | 31.0 | 30.0 | 31.0 | **482.0** |
| H2O | 1965 | 45.8 | 45.8 | 55.9 | 44.9 | 84.0 | 108.8 | 94.5 | 136.9 | 81.1 | 83.7 | 77.0 | 147.8 | **1,083.1** |
| OIL | 1965 | 274.5 | 217.7 | 260.8 | 294.3 | 251.4 | 235.4 | 138.7 | 108.2 | 98.8 | 97.8 | 86.9 | 85.8 | **3,057.3** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 25.0 | 30.0 | 30.0 | 31.0 | **123.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.5 | 3.1 | 35.7 | 36.6 | **76.9** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 47.1 | 152.4 | 174.8 | 187.5 | 345.2 | **907.0** |

Licence ***1972*** Well Name ***Gale Force Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-06-009-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,994.0** |
| H2O | 1975 | 1332.6 | 1246.8 | 1343.0 | 1308.0 | 1361.9 | 1179.8 | 1321.2 | 1165.7 | 1253.9 | 1186.2 | 1074.6 | 1056.2 | **123,465.3** |
| OIL | 1975 | 31.0 | 28.8 | 30.0 | 28.8 | 34.8 | 26.4 | 32.1 | 29.3 | 28.9 | 30.8 | 25.0 | 29.1 | **8,376.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,636.0** |
| H2O | 1974 | 1260.0 | 1322.5 | 1409.4 | 1241.2 | 1497.5 | 1506.1 | 1096.4 | 1297.7 | 1210.5 | 1391.1 | 1305.9 | 1374.9 | **108,635.4** |
| OIL | 1974 | 28.1 | 28.3 | 24.3 | 25.0 | 24.5 | 24.8 | 17.5 | 27.0 | 26.9 | 29.1 | 26.7 | 28.0 | **8,021.1** |

# Manitoba Production
## 1950 To 1975

Licence ***1972*** Well Name ***Gale Force Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-06-009-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,279.0** |
| H2O | 1973 | 1349.6 | 1354.6 | 1354.1 | 1356.0 | 1143.0 | 1091.0 | 1112.4 | 1162.0 | 1122.9 | 1312.3 | 1242.3 | 1186.7 | **92,722.2** |
| OIL | 1973 | 31.3 | 27.2 | 29.1 | 26.4 | 29.1 | 27.8 | 26.6 | 28.1 | 24.0 | 21.6 | 25.4 | 30.7 | **7,710.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,914.0** |
| H2O | 1972 | 1477.0 | 1378.1 | 1492.3 | 1591.8 | 1697.0 | 1529.6 | 1829.9 | 2138.1 | 1634.7 | 1302.3 | 1259.0 | 1301.2 | **77,935.3** |
| OIL | 1972 | 48.7 | 44.7 | 49.6 | 47.2 | 47.4 | 44.8 | 56.4 | 60.1 | 47.1 | 28.5 | 28.8 | 30.7 | **7,383.6** |
| DAY | 1971 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,548.0** |
| H2O | 1971 | 1191.6 | 1239.2 | 1493.5 | 1373.0 | 1482.7 | 1402.4 | 1477.0 | 1488.1 | 1378.4 | 1488.9 | 1422.0 | 1471.4 | **59,304.3** |
| OIL | 1971 | 46.9 | 47.2 | 52.6 | 48.8 | 53.1 | 52.3 | 52.8 | 49.9 | 45.5 | 49.9 | 46.9 | 48.7 | **6,849.6** |
| DAY | 1970 | 28.0 | 28.0 | 31.0 | 30.0 | 22.0 | 23.0 | 31.0 | 27.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,186.0** |
| H2O | 1970 | 575.0 | 712.6 | 767.5 | 588.5 | 520.7 | 636.6 | 785.8 | 730.9 | 1198.3 | 1515.6 | 1505.3 | 1524.5 | **42,396.1** |
| OIL | 1970 | 28.6 | 41.3 | 44.5 | 49.4 | 30.8 | 39.0 | 51.2 | 44.7 | 48.8 | 62.0 | 59.5 | 54.4 | **6,255.0** |
| DAY | 1969 | 23.0 | 28.0 | 30.0 | 30.0 | 31.0 | 22.0 | 0.0 | 21.0 | 29.0 | 31.0 | 30.0 | 25.0 | **1,845.0** |
| H2O | 1969 | 613.4 | 640.9 | 734.1 | 720.7 | 745.2 | 554.0 | 0.0 | 456.2 | 792.1 | 778.6 | 728.4 | 559.1 | **31,334.8** |
| OIL | 1969 | 47.5 | 49.3 | 58.8 | 49.6 | 55.8 | 42.8 | 0.0 | 25.1 | 44.5 | 44.8 | 42.3 | 28.5 | **5,700.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 27.0 | 31.0 | 27.0 | 29.0 | 31.0 | 30.0 | 29.0 | **1,545.0** |
| H2O | 1968 | 661.3 | 624.1 | 655.6 | 606.6 | 645.1 | 537.9 | 633.5 | 485.0 | 685.5 | 742.1 | 726.0 | 646.5 | **24,012.1** |
| OIL | 1968 | 58.9 | 55.5 | 57.3 | 53.8 | 52.7 | 50.6 | 61.1 | 36.7 | 57.6 | 61.1 | 55.5 | 51.5 | **5,211.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,190.0** |
| H2O | 1967 | 473.0 | 454.4 | 566.5 | 589.7 | 612.2 | 560.0 | 629.6 | 680.2 | 694.2 | 695.8 | 659.5 | 684.2 | **16,362.9** |
| OIL | 1967 | 73.5 | 64.9 | 69.7 | 67.6 | 66.5 | 59.8 | 67.3 | 61.7 | 57.6 | 57.9 | 57.5 | 59.7 | **4,559.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **825.0** |
| H2O | 1966 | 485.6 | 480.2 | 469.7 | 467.0 | 536.8 | 538.2 | 547.0 | 560.0 | 486.4 | 528.4 | 449.4 | 456.0 | **9,063.6** |
| OIL | 1966 | 86.9 | 80.0 | 87.5 | 89.6 | 88.0 | 84.2 | 84.6 | 78.0 | 61.1 | 52.2 | 58.4 | 74.3 | **3,795.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 29.0 | 28.0 | 31.0 | 29.0 | 31.0 | **465.0** |
| H2O | 1965 | 91.8 | 90.8 | 110.7 | 84.8 | 172.7 | 223.3 | 288.0 | 278.3 | 337.3 | 381.2 | 354.6 | 426.5 | **3,058.9** |
| OIL | 1965 | 199.0 | 157.8 | 189.1 | 206.7 | 177.0 | 165.7 | 290.1 | 65.1 | 95.3 | 104.5 | 85.3 | 93.5 | **2,871.0** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 31.0 | 28.0 | 30.0 | **107.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.3 | 85.3 | 42.3 | 85.0 | **218.9** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 164.3 | 394.8 | 240.4 | 242.4 | **1,041.9** |

Licence ***1974*** Well Name ***Milestone West Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-36-010-27W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 20.0 | 21.0 | 14.0 | 0.0 | 6.0 | 0.0 | **160.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.3 | 46.4 | 94.4 | 63.6 | 0.0 | 88.1 | 0.0 | **544.5** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 47.7 | 30.7 | 14.9 | 6.8 | 0.0 | 0.0 | 0.0 | **302.5** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 27.0 | 25.0 | 9.0 | 8.0 | 0.0 | **75.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 44.0 | 158.7 | 15.6 | 11.4 | 0.0 | **229.7** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.7 | 80.9 | 51.2 | 27.0 | 29.6 | 0.0 | **202.4** |

Licence ***1976*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-10-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 8.0 | 1.0 | 19.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,985.0** |
| H2O | 1975 | 440.9 | 377.3 | 412.7 | 406.5 | 97.0 | 13.8 | 274.7 | 436.9 | 445.8 | 461.2 | 421.5 | 195.7 | **60,540.5** |
| OIL | 1975 | 33.1 | 30.0 | 31.9 | 31.9 | 7.9 | 1.1 | 23.2 | 36.2 | 35.4 | 38.5 | 36.2 | 15.3 | **8,069.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,684.0** |
| H2O | 1974 | 190.9 | 171.1 | 194.9 | 182.7 | 166.5 | 189.2 | 422.7 | 453.9 | 420.8 | 457.2 | 445.1 | 440.1 | **56,556.5** |
| OIL | 1974 | 11.9 | 10.5 | 12.1 | 11.6 | 13.2 | 12.4 | 30.0 | 32.3 | 32.7 | 34.2 | 32.9 | 33.7 | **7,749.1** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | **3,319.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1976*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-10-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1973 | 259.6 | 252.0 | 122.7 | 100.6 | 116.1 | 569.0 | 604.2 | 654.2 | 544.1 | 563.6 | 166.9 | 197.8 | **52,821.4** |
| OIL | 1973 | 24.0 | 22.7 | 4.3 | 3.8 | 4.1 | 21.1 | 21.1 | 18.8 | 18.3 | 19.5 | 12.1 | 12.2 | **7,481.6** |
| DAY | 1972 | 30.0 | 29.0 | 29.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 29.0 | 30.0 | 27.0 | 30.0 | **2,963.0** |
| H2O | 1972 | 284.3 | 273.8 | 264.2 | 257.9 | 263.9 | 250.6 | 230.2 | 257.4 | 233.2 | 245.3 | 220.7 | 240.4 | **48,670.6** |
| OIL | 1972 | 32.9 | 31.9 | 33.1 | 30.4 | 32.9 | 30.0 | 22.2 | 25.3 | 21.9 | 23.7 | 20.2 | 23.2 | **7,299.6** |
| DAY | 1971 | 31.0 | 27.0 | 30.0 | 30.0 | 28.0 | 23.0 | 25.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,608.0** |
| H2O | 1971 | 668.2 | 559.2 | 487.4 | 478.7 | 461.7 | 370.6 | 424.2 | 376.9 | 319.9 | 323.2 | 336.2 | 360.1 | **45,648.7** |
| OIL | 1971 | 34.6 | 28.9 | 48.9 | 50.1 | 45.6 | 36.2 | 40.2 | 38.0 | 36.7 | 35.6 | 33.4 | 38.1 | **6,971.9** |
| DAY | 1970 | 31.0 | 28.0 | 29.0 | 30.0 | 28.0 | 28.0 | 31.0 | 28.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,268.0** |
| H2O | 1970 | 653.3 | 575.4 | 610.4 | 591.3 | 583.7 | 607.8 | 615.8 | 479.2 | 623.9 | 603.9 | 601.6 | 642.4 | **40,482.4** |
| OIL | 1970 | 52.4 | 48.5 | 49.4 | 47.7 | 33.1 | 32.4 | 32.4 | 24.9 | 31.9 | 30.7 | 28.6 | 35.6 | **6,505.6** |
| DAY | 1969 | 30.0 | 25.0 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 28.0 | 28.0 | 31.0 | 30.0 | 30.0 | **1,914.0** |
| H2O | 1969 | 553.2 | 443.6 | 484.3 | 691.8 | 718.8 | 698.1 | 644.1 | 693.4 | 709.3 | 696.5 | 669.5 | 669.5 | **33,293.7** |
| OIL | 1969 | 69.1 | 55.6 | 69.0 | 64.5 | 68.3 | 71.5 | 64.4 | 66.7 | 66.7 | 64.0 | 62.0 | 62.0 | **6,058.0** |
| DAY | 1968 | 24.0 | 27.0 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **1,565.0** |
| H2O | 1968 | 581.8 | 529.3 | 613.6 | 614.0 | 640.3 | 633.9 | 666.2 | 615.2 | 583.4 | 599.3 | 526.1 | 550.0 | **25,621.6** |
| OIL | 1968 | 53.4 | 60.1 | 64.2 | 62.3 | 69.0 | 71.5 | 69.0 | 63.7 | 62.0 | 64.0 | 66.7 | 68.2 | **5,274.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 28.0 | 30.0 | 30.0 | 27.0 | 20.0 | **1,214.0** |
| H2O | 1967 | 628.2 | 578.6 | 565.9 | 456.3 | 559.5 | 575.4 | 548.4 | 528.3 | 585.6 | 586.5 | 540.4 | 538.8 | **18,468.5** |
| OIL | 1967 | 59.1 | 53.4 | 57.5 | 75.6 | 76.3 | 74.7 | 76.3 | 62.1 | 69.1 | 74.7 | 52.4 | 41.3 | **4,500.1** |
| DAY | 1966 | 31.0 | 28.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **871.0** |
| H2O | 1966 | 565.4 | 502.9 | 589.7 | 594.2 | 636.3 | 612.0 | 599.3 | 600.4 | 561.4 | 545.5 | 601.2 | 646.5 | **11,776.6** |
| OIL | 1966 | 135.4 | 118.4 | 127.9 | 128.7 | 137.8 | 125.9 | 131.3 | 130.3 | 122.2 | 119.2 | 126.3 | 130.3 | **3,727.6** |
| DAY | 1965 | 31.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **510.0** |
| H2O | 1965 | 19.1 | 132.9 | 303.7 | 356.1 | 476.9 | 478.5 | 494.4 | 494.4 | 438.8 | 411.8 | 503.9 | 547.9 | **4,721.8** |
| OIL | 1965 | 139.5 | 115.4 | 86.6 | 134.3 | 108.1 | 109.6 | 114.4 | 112.8 | 111.2 | 93.8 | 93.4 | 131.3 | **2,193.9** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **154.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.1 | 15.1 | 15.1 | 19.1 | **63.4** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.9 | 186.4 | 182.7 | 166.9 | 150.3 | 141.3 | **843.5** |

Licence ***1979*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-10-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 18.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,804.0** |
| H2O | 1975 | 1161.0 | 993.8 | 1117.8 | 1071.2 | 609.2 | 467.2 | 562.5 | 564.5 | 598.6 | 598.6 | 1236.4 | 1320.3 | **106,869.7** |
| OIL | 1975 | 63.2 | 57.2 | 62.9 | 61.2 | 36.7 | 18.6 | 23.2 | 22.7 | 23.2 | 24.3 | 36.4 | 38.6 | **10,403.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,455.0** |
| H2O | 1974 | 1117.6 | 1001.4 | 1140.8 | 1069.8 | 973.6 | 1082.3 | 1094.4 | 1179.3 | 1108.7 | 1204.9 | 1172.5 | 1159.1 | **96,568.6** |
| OIL | 1974 | 38.8 | 34.5 | 38.9 | 37.7 | 42.6 | 39.1 | 56.3 | 60.7 | 62.3 | 65.2 | 62.9 | 64.2 | **9,935.2** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | **3,091.0** |
| H2O | 1973 | 826.4 | 802.5 | 123.1 | 111.9 | 120.0 | 371.7 | 394.7 | 425.9 | 314.1 | 4876.7 | 941.8 | 1122.2 | **83,264.2** |
| OIL | 1973 | 64.4 | 60.5 | 4.0 | 4.0 | 4.1 | 21.0 | 21.0 | 18.9 | 15.9 | 169.2 | 38.1 | 38.3 | **9,332.0** |
| DAY | 1972 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,735.0** |
| H2O | 1972 | 901.1 | 811.3 | 810.6 | 819.1 | 847.2 | 778.2 | 963.7 | 1018.7 | 955.3 | 817.8 | 717.8 | 791.2 | **72,833.2** |
| OIL | 1972 | 29.7 | 27.0 | 28.9 | 27.8 | 30.2 | 26.9 | 35.8 | 38.3 | 34.8 | 66.1 | 55.5 | 64.2 | **8,872.6** |
| DAY | 1971 | 31.0 | 28.0 | 24.0 | 19.0 | 7.0 | 0.0 | 0.0 | 5.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,374.0** |
| H2O | 1971 | 513.5 | 295.9 | 250.6 | 554.2 | 183.8 | 0.0 | 0.0 | 142.6 | 830.2 | 839.3 | 3227.8 | 898.1 | **62,601.2** |
| OIL | 1971 | 52.3 | 30.0 | 25.4 | 10.6 | 3.3 | 0.0 | 0.0 | 2.7 | 16.4 | 15.7 | 164.9 | 30.2 | **8,407.4** |
| DAY | 1970 | 30.0 | 28.0 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,138.0** |
| H2O | 1970 | 585.0 | 510.3 | 543.7 | 494.4 | 505.7 | 493.8 | 494.3 | 476.6 | 490.5 | 495.2 | 466.4 | 498.9 | **54,865.2** |
| OIL | 1970 | 69.8 | 54.8 | 56.6 | 52.8 | 56.6 | 51.8 | 51.2 | 48.9 | 49.6 | 49.6 | 43.9 | 54.7 | **8,055.9** |

# Manitoba Production
## 1950 To 1975

Licence ***1979*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-10-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 31.0 | 23.0 | 12.0 | 28.0 | 13.0 | 26.0 | 26.0 | 28.0 | 26.0 | 30.0 | 15.0 | 26.0 | **1,780.0** |
| H2O | 1969 | 818.6 | 681.1 | 457.9 | 985.4 | 787.0 | 1168.7 | 1147.8 | 1322.9 | 970.9 | 872.2 | 456.3 | 540.5 | **48,810.4** |
| OIL | 1969 | 101.2 | 69.8 | 34.3 | 93.4 | 60.7 | 89.6 | 90.7 | 96.0 | 90.9 | 81.0 | 36.9 | 51.5 | **7,415.6** |
| DAY | 1968 | 3.0 | 0.0 | 28.0 | 25.0 | 31.0 | 23.0 | 31.0 | 31.0 | 24.0 | 27.0 | 27.0 | 26.0 | **1,496.0** |
| H2O | 1968 | 95.4 | 0.0 | 1054.5 | 1054.0 | 1156.7 | 655.6 | 947.8 | 888.4 | 190.5 | 953.2 | 845.0 | 753.7 | **38,601.1** |
| OIL | 1968 | 11.4 | 0.0 | 97.9 | 95.0 | 123.2 | 83.6 | 85.7 | 85.7 | 46.7 | 72.8 | 93.3 | 91.4 | **6,519.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 28.0 | 30.0 | 30.0 | 27.0 | 20.0 | **1,220.0** |
| H2O | 1967 | 795.9 | 704.9 | 739.3 | 895.1 | 1059.6 | 1059.6 | 1058.8 | 993.6 | 1119.2 | 1114.4 | 874.9 | 779.0 | **30,006.3** |
| OIL | 1967 | 137.6 | 115.7 | 133.2 | 124.4 | 123.9 | 123.3 | 109.0 | 95.3 | 106.5 | 111.2 | 77.9 | 63.6 | **5,632.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **877.0** |
| H2O | 1966 | 807.6 | 745.1 | 870.9 | 875.3 | 917.2 | 866.8 | 854.0 | 855.2 | 807.6 | 767.9 | 807.6 | 887.1 | **18,812.0** |
| OIL | 1966 | 144.8 | 125.5 | 134.3 | 135.1 | 143.8 | 129.8 | 134.3 | 133.2 | 123.3 | 120.6 | 131.1 | 135.4 | **4,311.3** |
| DAY | 1965 | 31.0 | 26.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **513.0** |
| H2O | 1965 | 20.7 | 149.4 | 644.7 | 647.8 | 887.1 | 885.5 | 985.7 | 989.8 | 922.7 | 852.1 | 798.1 | 790.1 | **8,749.7** |
| OIL | 1965 | 85.8 | 69.6 | 193.9 | 200.7 | 232.0 | 230.4 | 200.1 | 175.0 | 172.4 | 140.6 | 131.4 | 140.6 | **2,720.1** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | **153.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 95.2 | 17.2 | 19.9 | 19.9 | 23.8 | **176.0** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.4 | 179.4 | 136.7 | 142.2 | 143.5 | 134.4 | **747.6** |

Licence ***1982*** Well Name ***Samedan Routledge*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-02-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 31.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,319.0** |
| H2O | 1972 | 114.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **27,038.7** |
| OIL | 1972 | 5.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,150.1** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 21.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,288.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 111.3 | 162.8 | 151.0 | 148.0 | 148.8 | 144.4 | 146.0 | 135.8 | 131.3 | **26,924.4** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 6.7 | 10.3 | 9.2 | 9.2 | 9.1 | 8.4 | 8.6 | 7.6 | 6.7 | **2,144.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,022.0** |
| H2O | 1970 | 228.3 | 202.2 | 268.2 | 214.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **25,645.0** |
| OIL | 1970 | 3.0 | 2.7 | 3.2 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,068.8** |
| DAY | 1969 | 20.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,902.0** |
| H2O | 1969 | 249.0 | 270.3 | 397.5 | 424.8 | 423.9 | 418.9 | 413.9 | 415.4 | 394.9 | 409.6 | 375.5 | 200.8 | **24,732.3** |
| OIL | 1969 | 9.5 | 6.4 | 7.2 | 7.9 | 7.5 | 7.0 | 7.2 | 6.5 | 5.4 | 4.8 | 4.3 | 3.3 | **2,056.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,550.0** |
| H2O | 1968 | 468.8 | 435.6 | 465.8 | 326.1 | 534.2 | 511.9 | 527.8 | 527.8 | 498.4 | 517.5 | 509.5 | 502.1 | **20,337.8** |
| OIL | 1968 | 24.2 | 52.8 | 56.4 | 16.7 | 19.5 | 19.1 | 19.7 | 19.7 | 19.1 | 17.5 | 16.8 | 15.3 | **1,979.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,189.0** |
| H2O | 1967 | 393.0 | 478.7 | 530.7 | 501.9 | 509.7 | 508.7 | 459.1 | 536.6 | 502.5 | 489.7 | 490.6 | 498.6 | **14,512.3** |
| OIL | 1967 | 38.1 | 34.5 | 36.9 | 33.8 | 33.5 | 30.7 | 29.2 | 28.6 | 26.7 | 21.8 | 24.3 | 24.0 | **1,683.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **824.0** |
| H2O | 1966 | 232.9 | 320.8 | 343.2 | 332.0 | 357.9 | 345.1 | 360.1 | 349.0 | 362.3 | 476.6 | 472.0 | 487.1 | **8,612.5** |
| OIL | 1966 | 49.7 | 46.6 | 64.2 | 50.5 | 46.9 | 40.7 | 41.2 | 38.6 | 36.4 | 38.8 | 35.3 | 34.3 | **1,321.0** |
| DAY | 1965 | 31.0 | 20.0 | 29.0 | 22.0 | 18.0 | 28.0 | 31.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **459.0** |
| H2O | 1965 | 301.3 | 138.3 | 361.4 | 279.6 | 231.8 | 247.1 | 315.4 | 373.0 | 272.2 | 246.7 | 219.1 | 226.1 | **4,173.5** |
| OIL | 1965 | 29.6 | 25.4 | 27.7 | 35.0 | 31.5 | 36.2 | 38.6 | 19.7 | 16.2 | 23.7 | 57.5 | 60.1 | **797.8** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 26.0 | 29.0 | 30.0 | 31.0 | **132.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.2 | 144.0 | 256.0 | 290.9 | 253.4 | **961.5** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 38.1 | 107.4 | 92.2 | 81.0 | 77.9 | **396.6** |

Licence ***1984*** Well Name ***Beaverhead Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
# 1950 To 1975

Licence ***1984*** Well Name ***Beaverhead Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-25-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 19.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **398.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.9 | 23.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,516.0** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.5 | 12.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **534.7** |
| DAY | 1965 | 29.0 | 28.0 | 31.0 | 24.0 | 22.0 | 30.0 | 31.0 | 27.0 | 24.0 | 31.0 | 30.0 | 0.0 | **359.0** |
| H2O | 1965 | 281.6 | 440.7 | 533.6 | 392.7 | 415.0 | 525.5 | 552.6 | 489.8 | 384.6 | 559.5 | 535.6 | 0.0 | **5,476.6** |
| OIL | 1965 | 37.0 | 42.9 | 49.1 | 28.1 | 34.7 | 41.2 | 37.8 | 34.2 | 33.2 | 40.1 | 36.7 | 0.0 | **504.4** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 29.0 | **52.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 142.8 | 222.6 | **365.4** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 50.0 | 39.4 | **89.4** |

Licence ***1986*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.01-16-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 31.0 | 27.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 28.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,355.0** |
| H2O | 1973 | 1049.0 | 991.1 | 1044.3 | 921.3 | 988.9 | 880.0 | 913.4 | 964.1 | 0.0 | 0.0 | 0.0 | 0.0 | **36,858.5** |
| OIL | 1973 | 27.7 | 25.3 | 30.0 | 28.8 | 30.0 | 8.3 | 8.1 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,182.3** |
| DAY | 1972 | 31.0 | 29.0 | 29.0 | 21.0 | 0.0 | 29.0 | 31.0 | 31.0 | 28.0 | 30.0 | 25.0 | 31.0 | **2,119.0** |
| H2O | 1972 | 483.6 | 450.9 | 436.4 | 310.7 | 0.0 | 427.5 | 450.6 | 793.7 | 698.4 | 1005.5 | 822.5 | 1005.1 | **29,106.4** |
| OIL | 1972 | 25.6 | 24.2 | 25.1 | 16.8 | 0.0 | 23.7 | 24.3 | 71.2 | 60.5 | 27.8 | 21.6 | 27.8 | **2,017.1** |
| DAY | 1971 | 14.0 | 28.0 | 31.0 | 19.0 | 7.0 | 0.0 | 15.0 | 23.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,804.0** |
| H2O | 1971 | 232.0 | 421.3 | 471.2 | 280.9 | 93.2 | 0.0 | 213.0 | 327.7 | 421.0 | 430.4 | 447.7 | 496.8 | **22,221.5** |
| OIL | 1971 | 6.2 | 19.1 | 21.3 | 13.2 | 4.0 | 0.0 | 9.1 | 14.8 | 20.2 | 19.5 | 18.4 | 21.8 | **1,668.5** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 24.0 | 0.0 | **1,545.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 260.6 | 385.7 | 0.0 | **18,386.3** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.8 | 9.4 | 0.0 | **1,500.9** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 28.0 | 29.0 | 28.0 | 30.0 | 14.0 | 0.0 | **1,505.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 583.5 | 299.9 | 303.4 | 443.3 | 467.4 | 209.9 | 0.0 | **17,740.0** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.4 | 8.9 | 9.1 | 8.6 | 9.5 | 4.3 | 0.0 | **1,484.7** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 15.0 | 30.0 | 29.0 | 30.0 | 31.0 | 18.0 | 0.0 | 0.0 | 0.0 | **1,352.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 270.3 | 625.5 | 594.0 | 616.7 | 592.7 | 241.8 | 0.0 | 0.0 | 0.0 | **15,432.6** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 11.9 | 20.2 | 20.2 | 17.5 | 17.5 | 7.5 | 0.0 | 0.0 | 0.0 | **1,432.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 19.0 | 20.0 | **1,199.0** |
| H2O | 1967 | 409.7 | 347.9 | 378.4 | 327.4 | 359.2 | 543.7 | 561.9 | 486.0 | 397.5 | 429.3 | 397.5 | 422.9 | **12,491.6** |
| OIL | 1967 | 25.4 | 17.6 | 19.7 | 14.9 | 14.8 | 19.1 | 19.7 | 14.0 | 9.7 | 11.1 | 6.0 | 7.6 | **1,338.1** |
| DAY | 1966 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **861.0** |
| H2O | 1966 | 199.4 | 357.7 | 410.2 | 396.7 | 399.9 | 394.3 | 378.4 | 574.0 | 407.3 | 392.5 | 383.2 | 398.3 | **7,430.2** |
| OIL | 1966 | 19.1 | 31.1 | 44.5 | 44.5 | 45.6 | 42.0 | 42.6 | 41.6 | 18.8 | 46.1 | 45.3 | 46.7 | **1,158.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **501.0** |
| H2O | 1965 | 98.6 | 37.0 | 271.9 | 267.6 | 341.8 | 324.3 | 276.6 | 249.6 | 189.5 | 118.0 | 271.9 | 170.1 | **2,738.3** |
| OIL | 1965 | 30.5 | 24.2 | 46.1 | 42.9 | 49.3 | 46.9 | 48.1 | 40.4 | 56.1 | 41.6 | 33.7 | 34.5 | **690.6** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 26.0 | 30.0 | 30.0 | 31.0 | **140.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.9 | 2.1 | 30.2 | 18.3 | 50.9 | **121.4** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 75.5 | 16.4 | 33.8 | 35.6 | 35.0 | **196.3** |

Licence ***1987*** Well Name ***Samedan Routledge*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-02-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,206.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 512.0 | 462.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **18,260.4** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 14.7 | 4.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,194.1** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 22.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 0.0 | 0.0 | 0.0 | **3,178.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1987*** Well Name ***Samedan Routledge*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-02-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 56.0 | 79.5 | 44.5 | 47.7 | 44.5 | 37.8 | 0.0 | 0.0 | 0.0 | **17,286.2** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 28.0 | 36.7 | 35.6 | 26.2 | 22.1 | 17.8 | 0.0 | 0.0 | 0.0 | **5,175.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | **3,005.0** |
| H2O | 1972 | 168.1 | 110.3 | 162.6 | 179.0 | 185.9 | 203.7 | 223.2 | 232.8 | 159.5 | 153.4 | 110.5 | 0.0 | **16,976.2** |
| OIL | 1972 | 5.4 | 6.4 | 10.2 | 9.5 | 8.1 | 5.9 | 4.3 | 4.4 | 4.0 | 4.0 | 3.3 | 0.0 | **5,008.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,670.0** |
| H2O | 1971 | 263.9 | 240.6 | 254.1 | 253.7 | 238.5 | 221.3 | 216.9 | 218.0 | 211.5 | 213.8 | 199.1 | 192.4 | **15,087.2** |
| OIL | 1971 | 13.3 | 10.3 | 9.2 | 8.7 | 9.4 | 8.4 | 8.4 | 8.3 | 7.8 | 7.9 | 7.2 | 6.2 | **4,943.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,305.0** |
| H2O | 1970 | 173.5 | 153.6 | 203.7 | 162.3 | 265.5 | 240.9 | 234.8 | 215.6 | 286.0 | 237.8 | 268.5 | 269.8 | **12,363.4** |
| OIL | 1970 | 16.4 | 14.5 | 16.7 | 15.4 | 15.1 | 14.1 | 14.3 | 15.9 | 17.5 | 16.4 | 15.9 | 14.8 | **4,838.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,943.0** |
| H2O | 1969 | 243.3 | 268.2 | 302.1 | 322.7 | 322.0 | 318.3 | 314.5 | 315.6 | 300.0 | 311.0 | 285.2 | 152.5 | **9,651.4** |
| OIL | 1969 | 42.7 | 38.5 | 42.1 | 43.7 | 40.8 | 37.8 | 38.3 | 34.8 | 29.1 | 25.6 | 22.7 | 17.6 | **4,651.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,578.0** |
| H2O | 1968 | 159.6 | 237.7 | 256.4 | 238.5 | 271.9 | 262.3 | 269.3 | 256.6 | 241.5 | 260.6 | 241.0 | 241.0 | **6,196.0** |
| OIL | 1968 | 53.2 | 50.7 | 54.2 | 62.8 | 62.8 | 60.4 | 62.0 | 58.8 | 55.5 | 52.3 | 50.1 | 42.9 | **4,237.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,212.0** |
| H2O | 1967 | 87.3 | 106.4 | 118.0 | 111.6 | 113.4 | 113.2 | 102.2 | 119.6 | 124.3 | 121.1 | 121.3 | 159.6 | **3,259.6** |
| OIL | 1967 | 80.7 | 73.1 | 78.3 | 71.8 | 71.2 | 65.2 | 62.3 | 60.9 | 59.1 | 48.3 | 53.9 | 53.2 | **3,571.6** |
| DAY | 1966 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **847.0** |
| H2O | 1966 | 91.4 | 40.9 | 132.4 | 80.6 | 83.0 | 76.8 | 80.0 | 77.4 | 80.4 | 105.9 | 104.8 | 108.1 | **1,861.6** |
| OIL | 1966 | 64.8 | 60.5 | 147.9 | 100.1 | 98.5 | 90.4 | 86.9 | 81.7 | 76.8 | 82.0 | 74.5 | 72.6 | **2,793.6** |
| DAY | 1965 | 31.0 | 27.0 | 31.0 | 27.0 | 29.0 | 28.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **485.0** |
| H2O | 1965 | 42.0 | 12.9 | 26.1 | 55.8 | 41.5 | 39.4 | 53.1 | 51.5 | 49.0 | 88.9 | 87.6 | 88.6 | **799.9** |
| OIL | 1965 | 133.2 | 84.2 | 113.0 | 119.2 | 92.2 | 67.2 | 69.6 | 68.0 | 55.0 | 67.4 | 72.0 | 74.5 | **1,756.9** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 30.0 | 30.0 | 25.0 | 31.0 | **129.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 42.9 | 38.2 | 44.2 | 38.2 | **163.5** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 88.8 | 211.7 | 168.8 | 137.5 | 134.6 | **741.4** |

Licence ***1990*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.14-10-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 30.0 | 30.0 | 22.0 | 0.0 | 8.0 | 30.0 | 0.0 | **2,352.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 122.9 | 130.8 | 186.7 | 146.0 | 0.0 | 16.9 | 411.0 | 0.0 | **34,387.9** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 48.0 | 49.3 | 15.4 | 12.4 | 0.0 | 4.0 | 59.6 | 0.0 | **5,883.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 3.0 | 0.0 | **2,203.0** |
| H2O | 1971 | 140.1 | 121.8 | 140.4 | 118.8 | 135.0 | 134.8 | 146.7 | 207.5 | 221.3 | 213.0 | 22.1 | 0.0 | **33,373.6** |
| OIL | 1971 | 52.3 | 40.5 | 46.7 | 41.0 | 43.9 | 43.5 | 45.6 | 11.0 | 12.4 | 3.8 | 0.3 | 0.0 | **5,694.5** |
| DAY | 1970 | 30.0 | 28.0 | 29.0 | 28.0 | 31.0 | 30.0 | 9.0 | 0.0 | 0.0 | 29.0 | 30.0 | 28.0 | **1,903.0** |
| H2O | 1970 | 670.1 | 591.4 | 631.2 | 597.8 | 588.6 | 582.7 | 34.5 | 0.0 | 0.0 | 127.4 | 134.5 | 124.0 | **31,772.1** |
| OIL | 1970 | 79.5 | 64.2 | 66.7 | 64.4 | 61.0 | 56.9 | 13.2 | 0.0 | 0.0 | 46.9 | 46.1 | 49.6 | **5,353.5** |
| DAY | 1969 | 31.0 | 23.0 | 18.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 29.0 | 16.0 | 26.0 | **1,631.0** |
| H2O | 1969 | 974.6 | 795.0 | 659.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 762.4 | 618.0 | 433.7 | 696.9 | **27,689.9** |
| OIL | 1969 | 103.3 | 79.5 | 70.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 71.5 | 82.0 | 38.3 | 71.2 | **4,805.0** |
| DAY | 1968 | 3.0 | 0.0 | 0.0 | 4.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,463.0** |
| H2O | 1968 | 84.3 | 0.0 | 0.0 | 149.8 | 1033.1 | 948.6 | 865.8 | 854.5 | 812.2 | 999.3 | 967.6 | 968.2 | **22,750.0** |
| OIL | 1968 | 7.2 | 0.0 | 0.0 | 14.0 | 118.2 | 97.9 | 103.3 | 103.3 | 100.1 | 103.5 | 100.1 | 102.7 | **4,288.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 27.0 | 30.0 | 27.0 | 27.0 | 30.0 | **1,214.0** |
| H2O | 1967 | 555.2 | 383.1 | 428.1 | 506.7 | 526.5 | 542.4 | 524.6 | 470.6 | 521.3 | 409.5 | 588.2 | 429.2 | **15,066.6** |
| OIL | 1967 | 103.3 | 92.3 | 88.5 | 56.3 | 57.2 | 57.2 | 57.2 | 48.5 | 62.3 | 79.8 | 60.1 | 47.7 | **3,438.3** |

# Manitoba Production
## 1950 To 1975

Licence ***1990*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.14-10-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **863.0** |
| H2O | 1966 | 406.7 | 344.2 | 405.4 | 409.9 | 451.7 | 424.6 | 394.4 | 395.5 | 371.7 | 367.6 | 437.5 | 559.5 | **9,181.2** |
| OIL | 1966 | 81.0 | 67.5 | 72.0 | 72.8 | 81.5 | 69.1 | 73.1 | 72.1 | 63.9 | 61.8 | 68.3 | 70.7 | **2,627.9** |
| DAY | 1965 | 31.0 | 25.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **499.0** |
| H2O | 1965 | 36.6 | 38.2 | 288.6 | 343.4 | 419.7 | 425.5 | 453.1 | 453.1 | 418.1 | 391.1 | 381.6 | 388.7 | **4,212.5** |
| OIL | 1965 | 122.4 | 93.0 | 86.6 | 143.5 | 88.7 | 93.4 | 96.1 | 94.6 | 93.0 | 75.5 | 70.7 | 75.5 | **1,774.1** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 30.0 | 31.0 | 29.0 | 31.0 | **141.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.1 | 43.9 | 37.7 | 36.6 | 40.5 | **174.8** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 87.2 | 147.2 | 133.2 | 141.3 | 132.2 | **641.1** |

Licence ***1991*** Well Name ***Gale Force Daly Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-06-009-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1478.5 | 1395.0 | 1478.5 | 1430.8 | 1430.8 | 1335.4 | 1414.9 | 1144.6 | 1096.9 | 1482.5 | 858.4 | 1033.3 | **145,742.4** |
| WIN | 1974 | 2674.2 | 1795.1 | 1669.3 | 1558.0 | 1669.3 | 1542.1 | 1486.5 | 1669.3 | 1613.6 | 1335.4 | 524.7 | 1446.7 | **130,162.8** |
| WIN | 1973 | 3357.2 | 2790.4 | 2050.9 | 1368.2 | 2406.7 | 2251.2 | 2121.6 | 2015.9 | 1763.6 | 272.3 | 2981.0 | 3091.2 | **111,178.6** |
| WIN | 1972 | 3460.5 | 3039.4 | 3325.4 | 3264.0 | 3474.7 | 3336.7 | 3307.6 | 2425.0 | 3365.1 | 3398.2 | 3217.3 | 3067.2 | **84,708.4** |
| WIN | 1971 | 2906.9 | 2441.6 | 2996.4 | 2160.6 | 2650.6 | 3385.8 | 3385.8 | 3422.5 | 2992.6 | 3439.9 | 3397.3 | 3429.9 | **46,027.3** |
| DAY | 1970 | 31.0 | 3.0 | 13.0 | 15.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,959.0** |
| H2O | 1970 | 196.6 | 18.6 | 228.4 | 337.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **38,470.0** |
| OIL | 1970 | 15.7 | 1.4 | 6.2 | 11.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,794.9** |
| WIN | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 617.0 | 2442.8 | 2934.4 | 3423.2 | **9,417.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 20.0 | 21.0 | 31.0 | 30.0 | 22.0 | **1,897.0** |
| H2O | 1969 | 413.4 | 461.1 | 490.3 | 564.3 | 586.2 | 567.3 | 330.4 | 399.1 | 318.5 | 474.1 | 460.0 | 270.9 | **37,689.3** |
| OIL | 1969 | 4.9 | 13.3 | 13.5 | 14.8 | 15.3 | 14.5 | 11.3 | 7.3 | 7.6 | 12.1 | 11.4 | 14.8 | **3,759.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,563.0** |
| H2O | 1968 | 890.3 | 861.7 | 919.0 | 937.9 | 962.4 | 667.8 | 731.4 | 731.4 | 661.4 | 492.9 | 66.8 | 459.8 | **32,353.7** |
| OIL | 1968 | 37.8 | 34.0 | 39.7 | 37.2 | 38.0 | 26.7 | 25.4 | 25.4 | 22.7 | 9.2 | 0.0 | 14.6 | **3,619.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,201.0** |
| H2O | 1967 | 832.9 | 714.0 | 815.8 | 764.1 | 782.4 | 761.9 | 816.1 | 775.4 | 706.7 | 714.0 | 1102.1 | 922.1 | **23,970.9** |
| OIL | 1967 | 49.6 | 41.2 | 45.9 | 38.5 | 43.9 | 48.6 | 53.4 | 40.2 | 32.9 | 58.3 | 81.7 | 39.4 | **3,308.3** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **836.0** |
| H2O | 1966 | 539.1 | 488.4 | 721.5 | 705.6 | 733.3 | 702.1 | 745.2 | 741.2 | 614.3 | 794.5 | 574.4 | 670.8 | **14,263.4** |
| OIL | 1966 | 59.9 | 59.9 | 72.8 | 63.6 | 57.8 | 50.1 | 55.5 | 54.0 | 37.8 | 69.4 | 52.0 | 48.5 | **2,734.7** |
| DAY | 1965 | 29.0 | 28.0 | 31.0 | 30.0 | 16.0 | 30.0 | 31.0 | 30.0 | 27.0 | 30.0 | 30.0 | 31.0 | **471.0** |
| H2O | 1965 | 415.0 | 398.7 | 442.3 | 452.5 | 212.6 | 422.3 | 504.6 | 507.8 | 436.0 | 442.3 | 395.9 | 394.9 | **6,233.0** |
| OIL | 1965 | 141.6 | 134.6 | 143.5 | 125.4 | 58.5 | 101.1 | 99.8 | 95.5 | 68.3 | 50.9 | 38.5 | 71.2 | **2,053.4** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 27.0 | 27.0 | 30.0 | 31.0 | **128.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.4 | 179.0 | 255.5 | 360.9 | 400.3 | **1,208.1** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 99.0 | 266.0 | 233.6 | 170.8 | 155.1 | **924.5** |

Licence ***1992*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-05-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,027.0** |
| H2O | 1975 | 281.9 | 237.2 | 269.2 | 258.0 | 266.3 | 264.2 | 296.7 | 267.9 | 266.0 | 317.2 | 285.7 | 300.0 | **21,636.0** |
| OIL | 1975 | 58.6 | 52.1 | 57.8 | 56.3 | 61.2 | 59.8 | 69.4 | 62.6 | 59.9 | 20.3 | 18.9 | 19.7 | **8,132.8** |
| DAY | 1974 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **3,662.0** |
| H2O | 1974 | 316.2 | 295.7 | 328.8 | 310.8 | 195.9 | 220.7 | 222.7 | 270.3 | 252.1 | 269.8 | 254.4 | 279.2 | **18,325.7** |
| OIL | 1974 | 71.4 | 66.1 | 73.4 | 71.0 | 50.7 | 47.2 | 46.9 | 53.2 | 54.3 | 55.9 | 52.0 | 59.0 | **7,536.2** |
| DAY | 1973 | 31.0 | 28.0 | 29.0 | 27.0 | 30.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 29.0 | **3,301.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1992*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-05-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1973 | 288.5 | 291.3 | 275.7 | 244.8 | 282.3 | 296.2 | 313.3 | 337.0 | 292.7 | 294.7 | 286.2 | 289.5 | **15,109.1** |
| OIL | 1973 | 71.4 | 64.0 | 66.7 | 72.8 | 81.7 | 47.4 | 46.9 | 42.0 | 72.5 | 75.3 | 75.3 | 64.5 | **6,835.1** |
| DAY | 1972 | 27.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | **2,947.0** |
| H2O | 1972 | 27.7 | 186.3 | 240.1 | 248.5 | 250.7 | 239.6 | 242.8 | 268.2 | 241.0 | 256.8 | 265.7 | 269.5 | **11,616.9** |
| OIL | 1972 | 14.6 | 28.6 | 57.0 | 56.1 | 98.0 | 90.4 | 89.5 | 73.7 | 55.5 | 60.2 | 65.0 | 69.4 | **6,054.6** |
| DAY | 1971 | 31.0 | 26.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 27.0 | 31.0 | **2,592.0** |
| H2O | 1971 | 121.0 | 97.5 | 119.1 | 111.6 | 111.6 | 115.4 | 122.7 | 105.2 | 94.1 | 32.4 | 26.5 | 32.9 | **8,880.0** |
| OIL | 1971 | 52.1 | 42.1 | 51.3 | 49.9 | 47.2 | 48.3 | 49.6 | 45.4 | 43.1 | 7.5 | 13.3 | 17.5 | **5,296.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,237.0** |
| H2O | 1970 | 106.8 | 104.0 | 106.8 | 105.2 | 119.2 | 117.3 | 107.6 | 113.0 | 116.5 | 116.7 | 107.6 | 119.6 | **7,790.0** |
| OIL | 1970 | 50.7 | 43.5 | 46.4 | 41.5 | 56.4 | 52.3 | 47.4 | 49.3 | 49.9 | 49.6 | 42.7 | 55.5 | **4,829.3** |
| DAY | 1969 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | 23.0 | 31.0 | 29.0 | 29.0 | 29.0 | 30.0 | 31.0 | **1,876.0** |
| H2O | 1969 | 69.0 | 66.8 | 56.6 | 58.5 | 58.5 | 46.9 | 165.2 | 167.2 | 169.6 | 140.9 | 132.7 | 118.4 | **6,449.7** |
| OIL | 1969 | 42.3 | 33.2 | 25.3 | 27.0 | 25.3 | 25.3 | 64.4 | 60.5 | 64.5 | 57.2 | 55.9 | 53.4 | **4,244.1** |
| DAY | 1968 | 31.0 | 29.0 | 29.0 | 30.0 | 28.0 | 27.0 | 31.0 | 31.0 | 26.0 | 30.0 | 29.0 | 30.0 | **1,527.0** |
| H2O | 1968 | 120.3 | 112.6 | 106.0 | 106.2 | 125.0 | 82.5 | 86.8 | 84.4 | 61.5 | 77.3 | 70.0 | 72.3 | **5,199.4** |
| OIL | 1968 | 57.7 | 52.8 | 55.9 | 54.7 | 59.0 | 48.3 | 51.2 | 43.1 | 37.3 | 42.0 | 40.2 | 35.8 | **3,709.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 29.0 | 26.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,176.0** |
| H2O | 1967 | 97.1 | 77.7 | 83.1 | 97.3 | 144.0 | 130.5 | 128.0 | 142.9 | 137.2 | 127.3 | 120.0 | 120.8 | **4,094.5** |
| OIL | 1967 | 69.1 | 60.7 | 64.0 | 69.0 | 62.1 | 56.1 | 63.7 | 71.8 | 59.4 | 66.1 | 60.7 | 61.2 | **3,131.8** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 28.0 | 30.0 | 29.0 | **821.0** |
| H2O | 1966 | 186.3 | 156.0 | 189.8 | 130.0 | 101.9 | 100.6 | 81.4 | 82.4 | 63.8 | 103.0 | 83.3 | 90.3 | **2,688.6** |
| OIL | 1966 | 105.0 | 112.3 | 96.0 | 75.0 | 80.4 | 79.6 | 67.1 | 83.7 | 54.5 | 65.2 | 68.2 | 62.9 | **2,367.9** |
| DAY | 1965 | 28.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | **464.0** |
| H2O | 1965 | 79.6 | 77.3 | 92.5 | 66.1 | 66.3 | 102.1 | 72.3 | 70.0 | 30.2 | 9.5 | 109.9 | 183.8 | **1,319.8** |
| OIL | 1965 | 103.0 | 95.7 | 87.1 | 80.1 | 84.4 | 61.3 | 61.0 | 57.8 | 54.7 | 50.1 | 80.6 | 108.9 | **1,418.0** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 30.0 | 29.0 | 30.0 | **109.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 61.2 | 121.8 | 89.8 | 87.4 | **360.2** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 99.6 | 132.8 | 129.0 | 131.9 | **493.3** |

Licence ***1993*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-09-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,086.0** |
| H2O | 1975 | 112.7 | 96.7 | 108.6 | 166.9 | 107.5 | 147.9 | 126.7 | 206.2 | 204.8 | 154.8 | 166.9 | 175.2 | **20,641.5** |
| OIL | 1975 | 75.2 | 68.2 | 75.0 | 56.3 | 75.0 | 73.1 | 83.3 | 86.9 | 78.8 | 78.5 | 75.0 | 78.2 | **13,431.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,721.0** |
| H2O | 1974 | 243.7 | 255.8 | 179.3 | 168.2 | 157.2 | 176.3 | 189.5 | 188.6 | 171.2 | 173.4 | 223.7 | 112.6 | **18,866.6** |
| OIL | 1974 | 69.1 | 55.9 | 65.9 | 63.4 | 76.1 | 68.6 | 64.7 | 70.1 | 67.4 | 69.3 | 75.0 | 76.6 | **12,528.1** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,356.0** |
| H2O | 1973 | 204.9 | 185.4 | 217.0 | 183.6 | 193.0 | 206.7 | 223.2 | 223.7 | 195.7 | 195.9 | 216.5 | 252.1 | **16,627.1** |
| OIL | 1973 | 72.0 | 67.9 | 85.8 | 78.3 | 81.8 | 81.5 | 76.8 | 73.1 | 76.0 | 73.3 | 71.7 | 70.6 | **11,706.0** |
| DAY | 1972 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,994.0** |
| H2O | 1972 | 113.8 | 83.8 | 268.7 | 283.0 | 203.0 | 185.4 | 256.4 | 239.1 | 241.3 | 215.7 | 210.2 | 200.3 | **14,129.4** |
| OIL | 1972 | 64.8 | 68.6 | 93.0 | 100.4 | 79.0 | 67.7 | 89.5 | 75.6 | 63.7 | 74.1 | 82.6 | 64.2 | **10,797.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,631.0** |
| H2O | 1971 | 154.8 | 131.0 | 133.4 | 125.0 | 142.4 | 138.0 | 146.6 | 138.0 | 101.1 | 81.6 | 84.9 | 113.4 | **11,628.7** |
| OIL | 1971 | 108.9 | 92.2 | 102.8 | 100.0 | 109.0 | 104.6 | 107.4 | 107.9 | 79.9 | 82.2 | 77.2 | 65.5 | **9,874.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,266.0** |
| H2O | 1970 | 178.4 | 81.9 | 86.0 | 58.2 | 69.6 | 68.8 | 70.1 | 66.9 | 68.2 | 69.5 | 148.5 | 152.8 | **10,138.5** |
| OIL | 1970 | 121.7 | 104.6 | 114.6 | 97.7 | 117.6 | 109.3 | 110.0 | 103.9 | 103.9 | 105.2 | 96.1 | 115.4 | **8,736.4** |

# Manitoba Production
## 1950 To 1975

Licence ***1993*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-09-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,901.0** |
| H2O | 1969 | 189.8 | 152.5 | 175.8 | 144.5 | 142.6 | 169.6 | 127.7 | 95.4 | 161.7 | 175.8 | 167.7 | 177.3 | **9,019.6** |
| OIL | 1969 | 127.3 | 105.4 | 126.2 | 108.2 | 119.8 | 106.2 | 121.2 | 125.2 | 121.4 | 116.8 | 123.0 | 122.4 | **7,436.4** |
| DAY | 1968 | 19.0 | 29.0 | 30.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,540.0** |
| H2O | 1968 | 108.4 | 158.8 | 157.7 | 140.2 | 191.3 | 234.7 | 192.4 | 151.3 | 121.8 | 183.1 | 174.4 | 194.8 | **7,139.2** |
| OIL | 1968 | 100.0 | 131.7 | 133.0 | 139.4 | 129.8 | 183.4 | 142.7 | 130.3 | 118.2 | 131.9 | 122.8 | 124.6 | **6,013.3** |
| DAY | 1967 | 31.0 | 28.0 | 27.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,191.0** |
| H2O | 1967 | 170.9 | 142.6 | 137.4 | 33.1 | 167.1 | 174.1 | 163.3 | 132.1 | 126.4 | 133.4 | 137.0 | 145.3 | **5,130.3** |
| OIL | 1967 | 42.1 | 35.3 | 33.7 | 128.6 | 189.9 | 195.0 | 204.0 | 166.2 | 154.9 | 144.9 | 137.8 | 141.6 | **4,425.5** |
| DAY | 1966 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **832.0** |
| H2O | 1966 | 166.6 | 139.7 | 149.6 | 261.8 | 241.8 | 231.2 | 284.7 | 336.7 | 248.5 | 161.5 | 142.6 | 155.5 | **3,467.6** |
| OIL | 1966 | 94.9 | 67.2 | 89.8 | 55.9 | 65.5 | 54.3 | 51.0 | 65.5 | 49.3 | 23.8 | 41.3 | 45.8 | **2,851.5** |
| DAY | 1965 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **468.0** |
| H2O | 1965 | 62.6 | 63.9 | 77.7 | 32.9 | 1.6 | 1.3 | 1.3 | 5.7 | 66.3 | 155.3 | 149.0 | 135.3 | **947.4** |
| OIL | 1965 | 226.9 | 175.9 | 205.2 | 117.6 | 99.3 | 79.5 | 72.8 | 60.1 | 101.7 | 105.4 | 86.6 | 77.9 | **2,147.2** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 29.0 | 27.0 | 31.0 | **107.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 71.9 | 20.7 | 35.0 | 66.9 | **194.5** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 80.4 | 276.8 | 188.5 | 192.6 | **738.3** |

Licence ***1995*** Well Name ***Bralorne Pascar W.Routledge Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-10-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 27.0 | 30.0 | 30.0 | 29.0 | 27.0 | 30.0 | 0.0 | 0.0 | 2.0 | **1,097.0** |
| H2O | 1967 | 447.7 | 445.2 | 394.3 | 394.3 | 495.3 | 543.0 | 554.9 | 585.1 | 655.0 | 0.0 | 0.0 | 47.3 | **17,139.8** |
| OIL | 1967 | 78.0 | 48.9 | 54.2 | 30.0 | 30.4 | 28.6 | 32.3 | 30.2 | 29.8 | 0.0 | 0.0 | 0.6 | **2,583.9** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **832.0** |
| H2O | 1966 | 545.3 | 479.8 | 563.0 | 567.4 | 609.2 | 580.3 | 567.6 | 568.7 | 536.9 | 527.1 | 511.2 | 527.1 | **12,577.7** |
| OIL | 1966 | 89.6 | 75.3 | 82.6 | 83.6 | 92.3 | 81.0 | 83.7 | 82.8 | 74.4 | 73.3 | 60.5 | 105.8 | **2,220.9** |
| DAY | 1965 | 31.0 | 23.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 29.0 | **468.0** |
| H2O | 1965 | 76.3 | 89.0 | 340.2 | 378.4 | 640.7 | 639.1 | 659.8 | 659.8 | 567.6 | 540.6 | 502.4 | 527.8 | **5,994.1** |
| OIL | 1965 | 29.2 | 9.9 | 123.2 | 95.3 | 109.6 | 109.6 | 112.8 | 110.4 | 108.9 | 91.4 | 79.8 | 85.5 | **1,236.0** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 17.0 | 31.0 | 30.0 | 31.0 | **114.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.9 | 69.5 | 128.8 | 81.1 | 85.1 | **372.4** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.6 | 26.1 | 55.0 | 46.4 | 37.3 | **170.4** |

Licence ***1996*** Well Name ***MOGC Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-06-009-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 28.0 | 28.0 | 24.0 | 23.0 | 31.0 | 18.0 | 20.0 | **3,859.0** |
| H2O | 1975 | 1478.6 | 1395.1 | 1478.6 | 1430.9 | 1430.9 | 1335.5 | 1415.0 | 1144.7 | 1097.0 | 1482.6 | 858.5 | 1033.4 | **124,896.5** |
| OIL | 1975 | 47.5 | 42.6 | 45.9 | 43.2 | 45.2 | 41.5 | 40.9 | 35.9 | 35.5 | 44.7 | 21.9 | 23.7 | **9,528.7** |
| DAY | 1974 | 31.0 | 28.0 | 30.0 | 28.0 | 0.0 | 28.0 | 26.0 | 30.0 | 29.0 | 28.0 | 30.0 | 30.0 | **3,538.0** |
| H2O | 1974 | 1953.2 | 1795.1 | 1669.4 | 1558.1 | 1669.4 | 1542.2 | 1486.5 | 1669.4 | 1613.7 | 1335.5 | 524.7 | 1446.8 | **109,315.7** |
| OIL | 1974 | 46.4 | 49.3 | 52.3 | 49.9 | 51.2 | 45.3 | 42.6 | 48.3 | 46.1 | 44.4 | 19.1 | 46.6 | **9,060.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 18.0 | 31.0 | 28.0 | 29.0 | 27.0 | 22.0 | 0.0 | 30.0 | 31.0 | **3,220.0** |
| H2O | 1973 | 1650.6 | 1423.6 | 1757.8 | 1368.2 | 2406.9 | 2251.3 | 2121.7 | 2016.0 | 1488.9 | 0.0 | 2019.6 | 1989.6 | **91,051.7** |
| OIL | 1973 | 61.4 | 53.7 | 61.1 | 39.9 | 68.2 | 65.5 | 64.1 | 60.7 | 46.4 | 0.0 | 64.2 | 63.4 | **8,518.7** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 0.0 | 29.0 | 28.0 | **2,914.0** |
| H2O | 1972 | 1701.3 | 1494.3 | 1690.4 | 1661.1 | 1708.3 | 1640.4 | 1681.3 | 1426.1 | 1654.4 | 1642.8 | 1554.4 | 1481.1 | **70,557.5** |
| OIL | 1972 | 82.7 | 75.5 | 79.0 | 79.7 | 81.4 | 77.6 | 76.3 | 63.0 | 66.9 | 60.9 | 60.7 | 55.8 | **7,870.1** |
| DAY | 1971 | 30.0 | 20.0 | 31.0 | 22.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,583.0** |

# Manitoba Production
## 1950 To 1975

Licence ***1996*** Well Name ***MOGC Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-06-009-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1971 | 1816.0 | 1314.9 | 1930.6 | 1177.7 | 1690.9 | 2102.4 | 2167.5 | 2125.1 | 1906.3 | 2113.6 | 2109.4 | 2283.4 | **51,221.6** |
| OIL | 1971 | 90.8 | 58.8 | 99.4 | 50.9 | 69.6 | 98.1 | 98.4 | 82.8 | 87.3 | 87.1 | 86.3 | 87.8 | **7,010.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 29.0 | 10.0 | 24.0 | 28.0 | 29.0 | **2,239.0** |
| H2O | 1970 | 667.5 | 632.8 | 667.6 | 635.8 | 776.1 | 713.3 | 778.0 | 752.1 | 283.1 | 1461.8 | 1601.1 | 2064.8 | **28,483.8** |
| OIL | 1970 | 62.0 | 56.9 | 69.8 | 60.6 | 67.9 | 61.2 | 70.0 | 63.1 | 17.0 | 109.7 | 89.4 | 96.2 | **6,013.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | **1,909.0** |
| H2O | 1969 | 443.5 | 661.3 | 703.3 | 809.5 | 840.8 | 813.6 | 473.7 | 794.8 | 634.1 | 945.1 | 917.1 | 917.1 | **17,449.8** |
| OIL | 1969 | 66.8 | 101.0 | 85.4 | 93.5 | 96.3 | 90.9 | 71.1 | 83.0 | 52.9 | 84.4 | 79.8 | 69.0 | **5,189.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,555.0** |
| H2O | 1968 | 221.1 | 169.4 | 179.4 | 171.6 | 179.6 | 427.9 | 465.1 | 481.8 | 413.4 | 316.6 | 421.1 | 500.7 | **8,495.9** |
| OIL | 1968 | 92.7 | 64.1 | 79.9 | 75.1 | 76.4 | 77.5 | 75.1 | 74.0 | 65.1 | 75.9 | 67.3 | 68.7 | **4,215.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,193.0** |
| H2O | 1967 | 163.2 | 140.0 | 159.8 | 149.7 | 153.2 | 149.2 | 159.8 | 151.9 | 134.6 | 136.0 | 209.9 | 250.6 | **4,548.2** |
| OIL | 1967 | 64.0 | 53.0 | 59.2 | 49.7 | 56.5 | 62.7 | 68.9 | 51.9 | 41.9 | 74.1 | 103.9 | 116.8 | **3,323.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **828.0** |
| H2O | 1966 | 98.0 | 106.4 | 148.2 | 142.5 | 144.6 | 137.4 | 147.0 | 147.1 | 122.0 | 157.8 | 114.1 | 169.5 | **2,590.3** |
| OIL | 1966 | 122.0 | 69.5 | 89.1 | 78.6 | 71.0 | 63.8 | 65.6 | 63.8 | 44.6 | 81.9 | 61.3 | 57.3 | **2,521.0** |
| DAY | 1965 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **463.0** |
| H2O | 1965 | 46.0 | 51.4 | 64.1 | 66.7 | 44.3 | 42.8 | 58.4 | 59.4 | 52.4 | 110.6 | 98.9 | 98.9 | **955.7** |
| OIL | 1965 | 110.6 | 85.8 | 98.5 | 94.3 | 108.3 | 100.1 | 98.8 | 83.7 | 81.0 | 85.0 | 96.2 | 50.0 | **1,652.5** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 26.0 | 30.0 | 31.0 | **102.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 33.0 | 58.7 | 65.1 | **161.8** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 107.7 | 152.2 | 157.3 | 143.0 | **560.2** |

Licence ***1997*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-32-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,924.0** |
| H2O | 1975 | 499.5 | 409.2 | 473.8 | 460.7 | 512.4 | 499.7 | 628.3 | 514.8 | 511.3 | 607.9 | 547.5 | 575.0 | **43,251.7** |
| OIL | 1975 | 58.2 | 50.5 | 57.0 | 56.3 | 44.3 | 51.6 | 20.2 | 58.0 | 55.6 | 34.8 | 32.4 | 33.8 | **9,015.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,559.0** |
| H2O | 1974 | 293.6 | 264.5 | 194.9 | 184.4 | 131.6 | 151.7 | 484.1 | 512.6 | 469.0 | 15.9 | 493.0 | 489.8 | **37,011.6** |
| OIL | 1974 | 27.3 | 24.3 | 15.7 | 15.3 | 21.3 | 20.3 | 64.7 | 55.3 | 56.1 | 60.1 | 56.4 | 58.2 | **8,462.6** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,196.0** |
| H2O | 1973 | 355.8 | 408.9 | 376.6 | 346.3 | 347.1 | 345.8 | 381.6 | 461.2 | 374.9 | 263.6 | 256.0 | 298.1 | **33,326.5** |
| OIL | 1973 | 51.5 | 52.3 | 58.0 | 51.3 | 51.8 | 48.9 | 21.3 | 305.3 | 25.4 | 27.8 | 27.8 | 27.3 | **7,987.6** |
| DAY | 1972 | 27.0 | 29.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | **2,833.0** |
| H2O | 1972 | 408.9 | 461.4 | 480.8 | 383.8 | 410.8 | 393.8 | 354.8 | 392.4 | 346.3 | 373.8 | 327.5 | 332.3 | **29,110.6** |
| OIL | 1972 | 40.8 | 55.8 | 62.1 | 46.9 | 42.4 | 39.3 | 90.4 | 56.6 | 50.5 | 55.5 | 46.9 | 50.2 | **7,238.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 23.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 24.0 | 31.0 | **2,479.0** |
| H2O | 1971 | 275.7 | 233.1 | 99.4 | 68.4 | 250.4 | 329.4 | 175.0 | 164.9 | 140.5 | 257.9 | 331.3 | 461.5 | **24,444.0** |
| OIL | 1971 | 86.9 | 73.4 | 33.2 | 23.8 | 49.6 | 64.8 | 20.8 | 21.0 | 23.4 | 71.8 | 66.9 | 46.7 | **6,601.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 14.0 | 29.0 | 29.0 | 31.0 | 19.0 | 29.0 | 29.0 | 31.0 | **2,139.0** |
| H2O | 1970 | 249.1 | 221.9 | 164.5 | 47.7 | 160.3 | 337.7 | 262.6 | 254.1 | 163.7 | 252.1 | 252.8 | 272.3 | **21,656.5** |
| OIL | 1970 | 48.1 | 47.0 | 41.5 | 9.5 | 31.8 | 73.3 | 84.1 | 80.7 | 51.3 | 78.0 | 73.3 | 92.2 | **6,019.2** |
| DAY | 1969 | 28.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,808.0** |
| H2O | 1969 | 311.6 | 311.6 | 333.9 | 333.9 | 345.0 | 333.9 | 345.0 | 345.0 | 333.9 | 194.9 | 187.1 | 244.7 | **19,017.7** |
| OIL | 1969 | 61.7 | 60.7 | 66.7 | 51.3 | 69.4 | 64.2 | 63.2 | 57.8 | 57.4 | 41.0 | 48.3 | 52.1 | **5,308.4** |
| DAY | 1968 | 31.0 | 29.0 | 26.0 | 27.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,448.0** |
| H2O | 1968 | 425.6 | 358.8 | 342.4 | 366.4 | 393.0 | 345.8 | 369.6 | 369.6 | 352.1 | 329.9 | 333.9 | 345.0 | **15,397.2** |
| OIL | 1968 | 83.9 | 71.0 | 63.1 | 62.3 | 72.6 | 75.3 | 73.1 | 67.7 | 69.9 | 58.6 | 71.2 | 67.5 | **4,614.6** |

# Manitoba Production
## 1950 To 1975

Licence ***1997*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-32-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 31.0 | 28.0 | 30.0 | 10.0 | 3.0 | 25.0 | 31.0 | 26.0 | 28.0 | 31.0 | 29.0 | 22.0 | **1,093.0** |
| H2O | 1967 | 334.5 | 297.9 | 292.0 | 98.9 | 39.7 | 423.4 | 510.3 | 393.6 | 331.3 | 396.5 | 370.3 | 302.1 | **11,065.1** |
| OIL | 1967 | 98.0 | 87.6 | 80.6 | 30.4 | 9.7 | 84.5 | 96.1 | 81.8 | 86.4 | 99.5 | 88.4 | 57.0 | **3,778.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **799.0** |
| H2O | 1966 | 369.6 | 333.9 | 369.6 | 260.7 | 225.3 | 214.6 | 221.8 | 221.0 | 317.2 | 354.0 | 338.9 | 338.8 | **7,274.6** |
| OIL | 1966 | 116.8 | 95.7 | 97.1 | 83.6 | 79.0 | 76.3 | 77.2 | 72.1 | 93.9 | 94.1 | 96.1 | 99.6 | **2,878.4** |
| DAY | 1965 | 30.0 | 28.0 | 31.0 | 28.0 | 19.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | **437.0** |
| H2O | 1965 | 190.8 | 149.4 | 172.5 | 152.0 | 29.6 | 345.8 | 369.9 | 329.6 | 346.6 | 369.6 | 324.3 | 369.6 | **3,709.2** |
| OIL | 1965 | 90.7 | 53.6 | 59.1 | 49.4 | 16.2 | 174.5 | 147.5 | 144.1 | 142.7 | 152.7 | 131.3 | 135.2 | **1,796.9** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 29.0 | 31.0 | **90.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 182.8 | 181.2 | 195.5 | **559.5** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 208.5 | 165.4 | 126.0 | **499.9** |

Licence ***1999*** Well Name ***Murphy Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-20-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 6909.9 | 6006.4 | 6597.5 | 6327.7 | 6482.6 | 7003.9 | 7096.1 | 7016.3 | 6916.8 | 6732.8 | 7829.3 | 8190.7 | **668,205.1** |
| WIN | 1974 | 7746.8 | 6722.8 | 7130.6 | 6411.8 | 6781.8 | 6701.8 | 7679.4 | 7375.8 | 7225.6 | 6775.0 | 6987.4 | 6974.5 | **585,095.1** |
| WIN | 1973 | 6399.3 | 5790.7 | 6582.1 | 6267.0 | 7521.5 | 7562.3 | 7426.6 | 7470.9 | 6859.1 | 7485.5 | 6943.0 | 7775.4 | **500,581.8** |
| WIN | 1972 | 5577.4 | 5459.6 | 6232.5 | 5931.7 | 5769.3 | 6049.2 | 6437.1 | 7083.4 | 6802.1 | 5064.5 | 5366.6 | 6256.0 | **416,498.4** |
| WIN | 1971 | 6238.0 | 5433.7 | 7098.3 | 6928.1 | 6632.0 | 6550.3 | 6689.9 | 6975.0 | 6677.8 | 6665.7 | 6416.6 | 6532.5 | **344,469.0** |
| WIN | 1970 | 5949.0 | 5131.6 | 5461.6 | 4586.9 | 5725.3 | 6149.8 | 5337.8 | 6082.2 | 5915.3 | 5180.7 | 4872.7 | 6151.2 | **265,631.1** |
| WIN | 1969 | 6018.2 | 5443.2 | 5226.7 | 5284.1 | 6562.1 | 6042.0 | 5686.0 | 6107.8 | 5902.4 | 5943.0 | 5800.7 | 5629.9 | **199,087.0** |
| WIN | 1968 | 3040.0 | 3187.2 | 3628.0 | 3911.6 | 4245.4 | 4395.5 | 4744.8 | 4569.9 | 4119.3 | 4659.9 | 4823.3 | 5479.9 | **129,440.9** |
| WIN | 1967 | 3614.6 | 3117.9 | 3544.3 | 3259.4 | 3826.4 | 3726.4 | 3798.1 | 3771.4 | 3506.2 | 3486.3 | 3223.5 | 3415.2 | **78,636.1** |
| WIN | 1966 | 2661.8 | 2433.8 | 2680.7 | 2761.9 | 2749.2 | 2796.1 | 2721.2 | 2556.4 | 2629.0 | 2661.1 | 3434.6 | 3671.2 | **36,346.4** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 22.0 | 0.0 | 0.0 | 0.0 | 0.0 | **333.0** |
| H2O | 1965 | 302.9 | 315.9 | 368.9 | 386.2 | 369.7 | 379.7 | 390.8 | 358.9 | 0.0 | 0.0 | 0.0 | 0.0 | **3,627.4** |
| OIL | 1965 | 39.7 | 36.2 | 24.6 | 29.1 | 31.5 | 33.2 | 34.8 | 16.7 | 0.0 | 0.0 | 0.0 | 0.0 | **404.9** |
| WIN | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 478.6 | 2110.8 | **2,589.4** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 12.0 | 30.0 | 31.0 | **101.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 168.2 | 126.7 | 249.6 | 209.9 | **754.4** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 55.9 | 6.4 | 54.8 | 42.0 | **159.1** |

Licence ***2000*** Well Name ***Enerplus Virden Roselea WSW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.10-25-010-26W1.00*** Field Name ***Virden*** Pool Name ***Devonian Undifferentiated*** Field Code ***5*** Pool Code ***78*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1975 | 27100.2 | 24477.5 | 27100.2 | 26225.9 | 27100.2 | 26225.9 | 27100.2 | 27100.2 | 26225.9 | 27100.2 | 26225.9 | 27100.2 | **3,030,028.6** |
| H2O | 1974 | 22042.5 | 19909.3 | 22042.5 | 21331.5 | 22042.5 | 21331.5 | 22042.5 | 22042.5 | 21331.5 | 22042.5 | 21331.5 | 22042.5 | **2,710,946.1** |
| H2O | 1973 | 27304.9 | 24662.5 | 27304.9 | 26424.1 | 27304.9 | 26424.1 | 27304.9 | 27304.9 | 26424.1 | 27304.9 | 26424.1 | 27304.9 | **2,451,413.3** |
| H2O | 1972 | 24527.8 | 22154.1 | 24527.8 | 23736.6 | 24527.8 | 23736.6 | 24527.8 | 24527.8 | 23736.6 | 24527.8 | 23736.6 | 24527.8 | **2,129,920.1** |
| H2O | 1971 | 24081.8 | 21751.3 | 24081.8 | 23305.0 | 24081.8 | 23305.0 | 24081.8 | 24081.8 | 23305.0 | 24081.8 | 23305.0 | 24081.8 | **1,841,125.0** |
| H2O | 1970 | 29433.9 | 26585.5 | 29433.9 | 28484.5 | 29433.9 | 28484.5 | 29433.9 | 29433.9 | 28484.5 | 29433.9 | 28484.5 | 29433.9 | **1,557,581.1** |
| H2O | 1969 | 26048.2 | 23527.4 | 26048.2 | 25207.9 | 26048.2 | 25207.9 | 26048.2 | 26048.2 | 25207.9 | 26048.2 | 25207.9 | 26048.2 | **1,211,020.3** |
| H2O | 1968 | 27871.5 | 25174.3 | 27871.5 | 26972.5 | 27871.5 | 26972.5 | 27871.5 | 27871.5 | 26972.5 | 27871.5 | 26972.5 | 27871.5 | **904,323.9** |
| H2O | 1967 | 19271.1 | 17406.1 | 19271.1 | 18649.4 | 19271.1 | 18649.4 | 19271.1 | 19271.1 | 18649.4 | 19271.1 | 18649.4 | 19271.1 | **576,159.1** |
| H2O | 1966 | 28987.9 | 26182.6 | 28987.9 | 28052.9 | 28987.9 | 28052.9 | 28987.9 | 28987.9 | 28052.9 | 28987.9 | 28052.9 | 28987.9 | **349,257.7** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2244.2 | 2852.0 | 2852.0 | **7,948.2** |

Licence ***2002*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***2002*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-09-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 5.0 | 8.0 | 19.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **3,962.0** |
| H2O | 1975 | 39.0 | 33.2 | 37.4 | 35.8 | 5.1 | 9.7 | 24.2 | 40.9 | 40.5 | 39.3 | 37.7 | 39.6 | **7,780.2** |
| OIL | 1975 | 42.1 | 38.3 | 41.8 | 40.7 | 6.0 | 11.6 | 29.7 | 48.6 | 46.6 | 47.0 | 47.0 | 48.9 | **10,549.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,659.0** |
| H2O | 1974 | 29.4 | 26.9 | 29.1 | 28.3 | 25.4 | 29.3 | 69.6 | 71.1 | 66.1 | 70.9 | 69.2 | 38.8 | **7,397.8** |
| OIL | 1974 | 38.8 | 35.1 | 38.0 | 37.7 | 42.6 | 40.4 | 72.6 | 74.1 | 75.5 | 77.9 | 74.8 | 42.7 | **10,100.9** |
| DAY | 1973 | 26.0 | 27.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | **3,294.0** |
| H2O | 1973 | 22.1 | 25.4 | 17.2 | 16.2 | 18.0 | 18.3 | 19.4 | 22.1 | 24.8 | 26.2 | 26.1 | 30.4 | **6,843.7** |
| OIL | 1973 | 38.9 | 43.4 | 48.1 | 49.6 | 53.4 | 51.6 | 51.2 | 48.8 | 35.8 | 39.3 | 40.0 | 39.4 | **9,450.7** |
| DAY | 1972 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **2,944.0** |
| H2O | 1972 | 19.2 | 746.6 | 772.0 | 21.9 | 22.6 | 21.0 | 8.4 | 8.6 | 8.3 | 26.2 | 17.3 | 17.8 | **6,577.5** |
| OIL | 1972 | 81.0 | 22.6 | 34.2 | 44.5 | 48.6 | 43.4 | 51.6 | 54.3 | 49.3 | 48.3 | 48.6 | 51.8 | **8,911.2** |
| DAY | 1971 | 31.0 | 26.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,584.0** |
| H2O | 1971 | 0.0 | 3.7 | 17.5 | 17.5 | 18.6 | 18.1 | 19.2 | 18.1 | 16.5 | 16.5 | 15.9 | 19.2 | **4,887.6** |
| OIL | 1971 | 86.8 | 63.2 | 76.0 | 79.0 | 79.6 | 76.6 | 78.5 | 79.0 | 76.1 | 73.7 | 64.0 | 82.2 | **8,333.0** |
| DAY | 1970 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,225.0** |
| OIL | 1970 | 97.1 | 80.1 | 90.7 | 78.0 | 93.9 | 87.4 | 87.9 | 83.0 | 83.0 | 84.1 | 76.6 | 92.2 | **7,418.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 28.0 | 31.0 | **1,861.0** |
| H2O | 1969 | 5.4 | 4.6 | 4.9 | 4.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **4,706.8** |
| OIL | 1969 | 100.1 | 89.1 | 97.1 | 100.0 | 105.4 | 93.4 | 101.1 | 106.0 | 112.8 | 116.2 | 91.7 | 97.6 | **6,384.3** |
| DAY | 1968 | 19.0 | 29.0 | 30.0 | 29.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **1,500.0** |
| H2O | 1968 | 7.8 | 11.6 | 11.3 | 4.0 | 4.0 | 4.5 | 7.2 | 8.6 | 6.8 | 5.2 | 4.9 | 5.1 | **4,687.0** |
| OIL | 1968 | 103.0 | 135.9 | 137.1 | 104.4 | 102.7 | 109.6 | 117.9 | 120.5 | 109.2 | 103.8 | 96.5 | 91.7 | **5,173.8** |
| DAY | 1967 | 29.0 | 28.0 | 31.0 | 30.0 | 24.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,153.0** |
| H2O | 1967 | 5.1 | 4.6 | 5.2 | 4.9 | 9.1 | 11.9 | 11.1 | 10.0 | 9.4 | 10.0 | 10.3 | 10.5 | **4,606.0** |
| OIL | 1967 | 205.5 | 191.8 | 210.4 | 213.7 | 113.6 | 149.1 | 155.4 | 160.2 | 145.6 | 139.7 | 132.8 | 145.9 | **3,841.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 29.0 | 29.0 | 31.0 | **799.0** |
| H2O | 1966 | 247.1 | 214.8 | 221.8 | 220.2 | 244.4 | 233.7 | 287.9 | 309.5 | 251.2 | 289.0 | 242.9 | 277.6 | **4,503.9** |
| OIL | 1966 | 42.1 | 31.0 | 39.9 | 44.7 | 49.7 | 41.3 | 38.8 | 45.3 | 37.5 | 36.5 | 27.2 | 31.5 | **1,877.8** |
| DAY | 1965 | 30.0 | 28.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **439.0** |
| H2O | 1965 | 49.6 | 52.9 | 0.0 | 0.0 | 0.0 | 160.6 | 172.5 | 187.6 | 188.7 | 230.4 | 221.0 | 200.5 | **1,463.8** |
| OIL | 1965 | 97.4 | 79.0 | 61.3 | 80.1 | 78.3 | 66.6 | 62.9 | 57.4 | 51.8 | 46.7 | 38.6 | 34.6 | **1,412.3** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 30.0 | 31.0 | **78.0** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 171.5 | 247.7 | 238.4 | **657.6** |

Licence ***2003*** Well Name ***Enerplus West Routledge*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-03-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 31.0 | 30.0 | 31.0 | 26.0 | 0.0 | **1,918.0** |
| H2O | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.4 | 35.3 | 71.7 | 158.5 | 0.0 | **1,719.1** |
| OIL | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.9 | 39.6 | 20.0 | 27.7 | 47.7 | 0.0 | **2,817.3** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | 31.0 | 23.0 | 0.0 | 0.0 | 0.0 | **1,798.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 0.0 | 0.0 | 4.5 | 4.5 | 0.0 | 0.0 | 0.0 | **1,428.2** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 66.9 | 69.1 | 38.5 | 36.4 | 7.3 | 0.0 | 0.0 | 0.0 | **2,670.4** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 30.0 | 27.0 | 31.0 | 30.0 | 29.0 | 0.0 | 0.0 | **1,652.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 3.7 | 4.9 | 10.2 | 4.8 | 8.9 | 4.1 | 0.0 | 0.0 | **1,418.7** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 56.4 | 46.2 | 27.8 | 39.6 | 25.9 | 28.1 | 0.0 | 0.0 | **2,452.2** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 30.0 | 17.0 | 2.0 | 0.0 | **1,478.0** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 44.7 | 35.9 | 35.1 | 1.6 | 0.0 | **2,228.2** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 15.0 | 30.0 | 29.0 | 31.0 | 31.0 | 28.0 | 29.0 | 0.0 | 0.0 | **1,404.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 8.4 | 2.5 | 4.9 | 1.1 | 1.6 | 5.7 | 0.0 | 0.0 | **1,382.1** |

# Manitoba Production
## 1950 To 1975

Licence ***2003*** Well Name ***Enerplus West Routledge*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-03-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 28.1 | 45.4 | 34.6 | 15.1 | 29.4 | 28.4 | 18.9 | 0.0 | 0.0 | **2,110.9** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 12.0 | 0.0 | **1,211.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 5.4 | 5.6 | 5.6 | 4.3 | 1.7 | 0.3 | 0.3 | 0.0 | **1,357.9** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 58.0 | 38.8 | 34.8 | 39.6 | 29.4 | 30.5 | 12.6 | 0.0 | **1,911.0** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 29.0 | 31.0 | 30.0 | 0.0 | 0.0 | 30.0 | 30.0 | 0.0 | 0.0 | **1,017.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 2.9 | 0.0 | 10.0 | 4.1 | 0.0 | 5.1 | 5.1 | 0.0 | 0.0 | **1,334.7** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 56.3 | 42.0 | 27.2 | 38.0 | 34.2 | 28.1 | 27.8 | 0.0 | 0.0 | **1,667.3** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 27.0 | 31.0 | 31.0 | 30.0 | 30.0 | 0.0 | 0.0 | **867.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.4 | 7.5 | 2.9 | 0.3 | 0.8 | 0.0 | 0.0 | **1,307.5** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 22.9 | 35.0 | 33.7 | 29.4 | 30.2 | 35.0 | 0.0 | 0.0 | **1,413.7** |
| DAY | 1966 | 27.0 | 18.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 27.0 | 0.0 | 0.0 | **704.0** |
| H2O | 1966 | 0.0 | 4.6 | 0.8 | 2.2 | 3.3 | 0.0 | 4.6 | 0.3 | 0.3 | 1.1 | 0.0 | 0.0 | **1,294.6** |
| OIL | 1966 | 22.7 | 39.9 | 39.1 | 26.7 | 37.3 | 32.9 | 27.5 | 31.3 | 33.4 | 74.7 | 0.0 | 0.0 | **1,227.5** |
| DAY | 1965 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 28.0 | 25.0 | 30.0 | 30.0 | 31.0 | 23.0 | 31.0 | **421.0** |
| H2O | 1965 | 225.3 | 0.0 | 0.2 | 0.0 | 0.0 | 0.2 | 205.1 | 228.0 | 5.2 | 4.5 | 9.5 | 0.6 | **1,277.4** |
| OIL | 1965 | 39.6 | 86.0 | 74.8 | 46.9 | 46.4 | 33.2 | 64.2 | 63.7 | 48.6 | 45.3 | 25.9 | 61.2 | **862.0** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 13.0 | 30.0 | 30.0 | **76.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 115.3 | 226.1 | 256.3 | **598.8** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.5 | 65.2 | 75.0 | 58.5 | **226.2** |

Licence ***2004*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-17-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,981.0** |
| H2O | 1975 | 1141.2 | 1017.8 | 1118.2 | 1084.1 | 1098.6 | 1186.8 | 1225.2 | 1189.1 | 1182.4 | 851.4 | 997.5 | 1035.8 | **69,139.4** |
| OIL | 1975 | 34.0 | 30.0 | 33.9 | 31.2 | 31.8 | 33.7 | 33.2 | 33.2 | 32.4 | 36.7 | 42.1 | 42.3 | **5,518.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,617.0** |
| H2O | 1974 | 670.0 | 582.7 | 615.6 | 557.3 | 630.5 | 632.5 | 1303.7 | 1478.4 | 1227.1 | 1148.7 | 1188.1 | 1182.4 | **56,011.3** |
| OIL | 1974 | 28.1 | 25.6 | 28.8 | 25.0 | 21.9 | 20.5 | 40.7 | 38.6 | 38.6 | 34.5 | 37.4 | 34.2 | **5,104.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 24.0 | 29.0 | 29.0 | 30.0 | 26.0 | 25.0 | 31.0 | 30.0 | 0.0 | **3,253.0** |
| H2O | 1973 | 887.3 | 801.3 | 887.1 | 766.3 | 931.7 | 957.6 | 987.3 | 841.0 | 834.7 | 649.8 | 607.6 | 673.9 | **44,794.3** |
| OIL | 1973 | 34.5 | 31.2 | 29.4 | 19.6 | 15.4 | 23.1 | 23.8 | 20.7 | 19.9 | 30.2 | 28.6 | 30.2 | **4,730.3** |
| DAY | 1972 | 27.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 28.0 | **2,939.0** |
| H2O | 1972 | 391.1 | 410.2 | 464.2 | 429.3 | 445.2 | 492.9 | 518.3 | 553.3 | 529.4 | 553.3 | 629.6 | 744.1 | **34,968.7** |
| OIL | 1972 | 22.3 | 22.3 | 26.7 | 27.0 | 23.8 | 19.1 | 18.4 | 23.8 | 23.8 | 24.6 | 23.8 | 32.9 | **4,423.7** |
| DAY | 1971 | 30.0 | 28.0 | 30.0 | 29.0 | 31.0 | 28.0 | 28.0 | 30.0 | 29.0 | 31.0 | 30.0 | 30.0 | **2,586.0** |
| H2O | 1971 | 521.5 | 489.7 | 524.7 | 507.2 | 539.0 | 492.9 | 413.4 | 491.3 | 462.7 | 480.1 | 459.5 | 459.5 | **28,807.8** |
| OIL | 1971 | 28.6 | 26.7 | 27.7 | 27.7 | 29.6 | 26.7 | 17.5 | 28.6 | 23.1 | 26.2 | 25.4 | 25.4 | **4,135.2** |
| DAY | 1970 | 29.0 | 28.0 | 31.0 | 29.0 | 30.0 | 28.0 | 28.0 | 29.0 | 30.0 | 26.0 | 30.0 | 31.0 | **2,232.0** |
| H2O | 1970 | 507.2 | 492.9 | 524.7 | 473.8 | 508.8 | 489.7 | 489.7 | 507.2 | 526.2 | 454.7 | 521.5 | 539.0 | **22,966.3** |
| OIL | 1970 | 41.8 | 38.2 | 39.4 | 27.7 | 27.7 | 26.7 | 22.3 | 23.1 | 23.8 | 20.7 | 20.7 | 29.6 | **3,822.0** |
| DAY | 1969 | 31.0 | 28.0 | 29.0 | 30.0 | 30.0 | 29.0 | 31.0 | 21.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,883.0** |
| H2O | 1969 | 480.0 | 399.1 | 331.8 | 455.2 | 462.7 | 459.6 | 470.6 | 367.3 | 445.2 | 502.4 | 524.7 | 542.1 | **16,930.9** |
| OIL | 1969 | 34.5 | 31.2 | 26.4 | 33.4 | 33.4 | 32.3 | 29.6 | 20.0 | 31.2 | 39.4 | 42.9 | 44.4 | **3,480.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | **1,534.0** |
| H2O | 1968 | 313.1 | 311.5 | 315.8 | 309.9 | 343.3 | 333.8 | 360.8 | 344.9 | 329.0 | 340.1 | 375.1 | 462.6 | **11,490.2** |
| OIL | 1968 | 45.6 | 46.1 | 45.3 | 44.2 | 42.0 | 39.9 | 40.9 | 44.4 | 38.2 | 39.4 | 33.4 | 33.4 | **3,081.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,172.0** |
| H2O | 1967 | 313.6 | 279.7 | 289.1 | 309.9 | 394.2 | 409.0 | 276.5 | 274.9 | 254.0 | 253.6 | 254.0 | 262.9 | **7,350.3** |
| OIL | 1967 | 87.3 | 78.4 | 77.3 | 83.2 | 72.7 | 77.5 | 66.5 | 61.7 | 50.9 | 46.3 | 48.0 | 63.9 | **2,588.8** |
| DAY | 1966 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 26.0 | 31.0 | **810.0** |

# Manitoba Production
## 1950 To 1975

Licence ***2004*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-17-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1966 | 253.5 | 232.0 | 232.0 | 222.3 | 247.9 | 234.4 | 241.2 | 240.9 | 237.7 | 239.8 | 229.5 | 359.7 | **3,778.9** |
| OIL | 1966 | 87.2 | 75.7 | 69.4 | 48.6 | 46.2 | 39.6 | 41.1 | 83.7 | 74.3 | 73.0 | 74.3 | 92.7 | **1,775.1** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 27.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **456.0** |
| H2O | 1965 | 32.0 | 29.3 | 31.4 | 14.2 | 14.2 | 22.5 | 23.7 | 19.0 | 28.5 | 124.7 | 233.6 | 217.1 | **808.0** |
| OIL | 1965 | 98.5 | 61.0 | 48.1 | 35.7 | 35.5 | 29.0 | 30.9 | 19.0 | 19.0 | 64.0 | 96.9 | 98.0 | **969.3** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 31.0 | 30.0 | 31.0 | **99.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.9 | 1.3 | 7.8 | 7.8 | **17.8** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 49.8 | 95.8 | 95.8 | 92.3 | **333.7** |

Licence ***2006*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-20-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | **3,952.0** |
| H2O | 1975 | 831.8 | 720.5 | 791.4 | 767.3 | 777.6 | 840.1 | 774.0 | 841.5 | 836.9 | 755.2 | 825.9 | 918.8 | **60,733.2** |
| OIL | 1975 | 20.0 | 21.5 | 24.2 | 22.3 | 22.6 | 24.0 | 21.1 | 23.7 | 23.2 | 36.7 | 39.4 | 42.3 | **6,371.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,593.0** |
| H2O | 1974 | 1523.4 | 1324.4 | 1403.5 | 1264.1 | 938.2 | 935.8 | 923.2 | 1046.0 | 868.1 | 812.1 | 833.3 | 834.4 | **51,052.2** |
| OIL | 1974 | 42.1 | 34.2 | 33.7 | 29.1 | 34.8 | 35.9 | 28.5 | 25.8 | 25.8 | 21.6 | 21.3 | 21.5 | **6,050.0** |
| DAY | 1973 | 31.0 | 26.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 0.0 | **3,229.0** |
| H2O | 1973 | 714.6 | 620.1 | 739.3 | 715.4 | 764.7 | 767.1 | 769.5 | 775.9 | 763.1 | 1474.8 | 1376.5 | 1531.5 | **38,345.7** |
| OIL | 1973 | 54.2 | 43.9 | 51.0 | 47.7 | 47.7 | 46.1 | 46.1 | 46.1 | 45.6 | 34.5 | 33.4 | 40.2 | **5,695.7** |
| DAY | 1972 | 26.0 | 28.0 | 31.0 | 29.0 | 29.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,903.0** |
| H2O | 1972 | 378.4 | 413.4 | 429.3 | 407.0 | 413.4 | 442.0 | 473.8 | 508.8 | 496.0 | 511.9 | 586.7 | 714.6 | **27,333.2** |
| OIL | 1972 | 37.2 | 38.2 | 38.2 | 42.9 | 41.8 | 44.2 | 57.2 | 59.0 | 55.3 | 54.2 | 52.5 | 54.2 | **5,159.2** |
| DAY | 1971 | 30.0 | 28.0 | 27.0 | 20.0 | 24.0 | 28.0 | 28.0 | 30.0 | 24.0 | 28.0 | 28.0 | 31.0 | **2,550.0** |
| H2O | 1971 | 236.9 | 206.8 | 472.2 | 394.3 | 454.7 | 461.1 | 461.1 | 477.0 | 381.6 | 413.4 | 413.4 | 461.1 | **21,557.9** |
| OIL | 1971 | 42.9 | 40.1 | 42.9 | 50.9 | 36.1 | 47.7 | 49.1 | 64.2 | 38.2 | 55.6 | 39.7 | 42.9 | **4,584.3** |
| DAY | 1970 | 31.0 | 27.0 | 30.0 | 29.0 | 30.0 | 29.0 | 25.0 | 24.0 | 28.0 | 23.0 | 30.0 | 31.0 | **2,224.0** |
| H2O | 1970 | 222.6 | 208.3 | 232.1 | 194.0 | 286.2 | 279.8 | 268.7 | 260.7 | 163.8 | 219.4 | 232.1 | 240.1 | **16,724.3** |
| OIL | 1970 | 49.3 | 34.5 | 44.2 | 42.9 | 42.9 | 41.5 | 23.8 | 38.2 | 19.1 | 32.8 | 39.7 | 44.4 | **4,034.0** |
| DAY | 1969 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 25.0 | 28.0 | 21.0 | 30.0 | **1,887.0** |
| H2O | 1969 | 368.9 | 314.8 | 300.5 | 386.3 | 380.0 | 311.6 | 305.3 | 241.7 | 99.5 | 125.4 | 180.6 | 214.0 | **13,916.5** |
| OIL | 1969 | 73.1 | 56.3 | 53.7 | 60.1 | 55.6 | 49.0 | 30.4 | 34.8 | 32.6 | 36.6 | 47.7 | 47.7 | **3,580.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | **1,545.0** |
| H2O | 1968 | 181.1 | 199.0 | 229.0 | 223.8 | 320.3 | 311.5 | 350.9 | 335.0 | 324.3 | 330.1 | 352.3 | 353.0 | **10,687.9** |
| OIL | 1968 | 32.8 | 48.7 | 48.7 | 46.9 | 49.3 | 47.2 | 47.1 | 48.5 | 47.4 | 72.8 | 71.5 | 71.5 | **3,003.1** |
| DAY | 1967 | 30.0 | 28.0 | 30.0 | 27.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,183.0** |
| H2O | 1967 | 247.9 | 195.5 | 209.0 | 128.7 | 319.5 | 324.6 | 143.0 | 138.7 | 137.7 | 135.2 | 138.2 | 153.3 | **7,177.6** |
| OIL | 1967 | 44.7 | 41.6 | 44.1 | 42.0 | 39.3 | 43.5 | 38.1 | 38.1 | 34.9 | 33.3 | 34.7 | 44.4 | **2,370.7** |
| DAY | 1966 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **824.0** |
| H2O | 1966 | 207.5 | 190.7 | 191.3 | 246.2 | 271.9 | 258.6 | 265.4 | 263.8 | 260.6 | 262.7 | 244.7 | 246.3 | **4,906.3** |
| OIL | 1966 | 52.8 | 45.1 | 41.2 | 82.1 | 79.7 | 72.9 | 74.0 | 45.5 | 46.0 | 44.6 | 43.3 | 46.3 | **1,892.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **463.0** |
| H2O | 1965 | 36.8 | 44.7 | 47.9 | 143.8 | 162.9 | 128.0 | 132.0 | 251.7 | 257.5 | 266.2 | 258.3 | 242.4 | **1,996.6** |
| OIL | 1965 | 104.8 | 104.7 | 90.5 | 87.3 | 85.4 | 81.6 | 85.0 | 63.7 | 58.7 | 61.9 | 61.9 | 64.0 | **1,218.5** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 28.0 | 30.0 | 31.0 | **101.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.9 | 11.8 | 11.0 | **24.4** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.6 | 88.9 | 84.2 | 68.3 | **269.0** |

Licence ***2009*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-32-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

# Manitoba Production
## 1950 To 1975

Licence ***2009*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-32-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 28.0 | 28.0 | 30.0 | 30.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,004.0** |
| H2O | 1969 | 222.5 | 222.5 | 238.5 | 238.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **8,306.2** |
| OIL | 1969 | 18.1 | 21.8 | 23.7 | 16.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,109.2** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **888.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 354.5 | 517.5 | 507.9 | 442.8 | 361.2 | 238.5 | 246.4 | **7,384.2** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.7 | 24.0 | 24.5 | 23.7 | 21.8 | 23.7 | 22.4 | **1,029.4** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 30.0 | 31.0 | 0.0 | 0.0 | **675.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 361.5 | 231.8 | 121.3 | 0.0 | 0.0 | **4,715.4** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.5 | 14.8 | 12.6 | 0.0 | 0.0 | **869.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 29.0 | 11.0 | 0.0 | **584.0** |
| H2O | 1966 | 246.4 | 222.6 | 246.4 | 199.5 | 194.0 | 178.1 | 172.5 | 150.1 | 125.3 | 184.7 | 74.7 | 0.0 | **4,000.8** |
| OIL | 1966 | 39.4 | 35.6 | 39.4 | 33.5 | 33.8 | 30.8 | 30.2 | 25.1 | 19.5 | 17.6 | 4.3 | 0.0 | **817.7** |
| DAY | 1965 | 31.0 | 28.0 | 30.0 | 0.0 | 0.0 | 0.0 | 5.0 | 28.0 | 29.0 | 31.0 | 19.0 | 19.0 | **275.0** |
| H2O | 1965 | 232.1 | 82.7 | 119.2 | 0.0 | 0.0 | 0.0 | 23.8 | 225.3 | 235.0 | 251.3 | 158.2 | 121.6 | **2,006.5** |
| OIL | 1965 | 73.9 | 35.9 | 47.7 | 0.0 | 0.0 | 0.0 | 5.7 | 28.9 | 27.7 | 29.6 | 18.3 | 14.3 | **508.5** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 31.0 | **55.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 240.1 | 317.2 | **557.3** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 106.5 | 120.0 | **226.5** |

Licence ***2010*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-16-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,916.0** |
| H2O | 1975 | 1355.4 | 1172.9 | 1288.3 | 1207.5 | 1265.9 | 1367.6 | 1396.5 | 1370.0 | 1362.5 | 1776.1 | 2080.8 | 2160.5 | **78,523.6** |
| OIL | 1975 | 20.0 | 21.5 | 24.2 | 21.6 | 22.6 | 24.0 | 23.4 | 23.7 | 23.2 | 29.4 | 33.7 | 33.7 | **5,851.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,553.0** |
| H2O | 1974 | 884.8 | 768.1 | 812.6 | 729.9 | 830.6 | 781.9 | 1496.4 | 1697.5 | 1408.8 | 1323.6 | 1360.5 | 1363.5 | **60,719.6** |
| OIL | 1974 | 18.8 | 17.2 | 19.2 | 16.5 | 17.6 | 19.2 | 24.5 | 21.5 | 21.5 | 21.6 | 21.3 | 17.2 | **5,550.2** |
| DAY | 1973 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 30.0 | 0.0 | **3,191.0** |
| H2O | 1973 | 1133.5 | 950.6 | 1133.5 | 1144.6 | 1475.0 | 1475.3 | 1511.9 | 1513.5 | 1351.3 | 858.6 | 801.0 | 889.9 | **47,261.4** |
| OIL | 1973 | 49.3 | 38.2 | 44.4 | 42.9 | 44.4 | 42.9 | 40.1 | 39.4 | 31.8 | 25.9 | 23.7 | 20.0 | **5,314.1** |
| DAY | 1972 | 27.0 | 27.0 | 31.0 | 29.0 | 26.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,864.0** |
| H2O | 1972 | 590.5 | 590.5 | 659.7 | 602.5 | 578.6 | 669.2 | 715.3 | 987.2 | 1014.2 | 887.0 | 922.0 | 1133.5 | **33,022.7** |
| OIL | 1972 | 30.0 | 30.0 | 34.5 | 38.6 | 37.2 | 38.2 | 38.2 | 36.9 | 38.2 | 39.4 | 45.2 | 46.1 | **4,871.1** |
| DAY | 1971 | 30.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 28.0 | 30.0 | **2,514.0** |
| H2O | 1971 | 537.3 | 502.3 | 591.3 | 661.3 | 637.4 | 656.5 | 656.5 | 656.5 | 656.5 | 680.4 | 604.1 | 661.3 | **23,672.5** |
| OIL | 1971 | 42.9 | 40.1 | 44.4 | 38.2 | 36.7 | 42.9 | 42.9 | 42.9 | 40.7 | 44.4 | 26.9 | 32.4 | **4,418.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 29.0 | 29.0 | 27.0 | 30.0 | 26.0 | 30.0 | 31.0 | **2,157.0** |
| H2O | 1970 | 473.0 | 424.4 | 492.8 | 461.0 | 461.0 | 507.1 | 492.8 | 475.3 | 524.6 | 454.6 | 534.1 | 554.8 | **16,171.1** |
| OIL | 1970 | 44.4 | 40.1 | 44.4 | 41.5 | 41.5 | 41.5 | 36.9 | 38.6 | 47.7 | 41.3 | 42.9 | 44.4 | **3,943.2** |
| DAY | 1969 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 24.0 | **1,806.0** |
| H2O | 1969 | 473.0 | 412.0 | 478.0 | 462.6 | 467.3 | 451.7 | 482.9 | 467.3 | 451.7 | 473.0 | 457.8 | 412.0 | **10,315.6** |
| OIL | 1969 | 59.1 | 51.5 | 54.2 | 52.5 | 52.5 | 50.7 | 54.2 | 52.9 | 46.1 | 44.4 | 42.9 | 38.6 | **3,438.0** |
| DAY | 1968 | 18.0 | 24.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 27.0 | 30.0 | **1,453.0** |
| H2O | 1968 | 107.2 | 193.1 | 443.5 | 429.2 | 443.5 | 443.5 | 443.5 | 443.5 | 373.5 | 413.3 | 473.7 | 457.8 | **4,826.3** |
| OIL | 1968 | 28.8 | 36.6 | 63.8 | 45.0 | 49.1 | 53.4 | 53.6 | 57.2 | 54.5 | 53.1 | 51.5 | 57.2 | **2,838.4** |
| DAY | 1967 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 28.0 | 23.0 | 18.0 | 0.0 | **1,111.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.5 | 87.3 | 45.2 | 0.0 | **161.0** |
| OIL | 1967 | 47.8 | 36.9 | 47.4 | 42.2 | 48.1 | 47.8 | 52.0 | 41.7 | 36.1 | 22.3 | 19.1 | 0.0 | **2,234.6** |
| DAY | 1966 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | **804.0** |
| OIL | 1966 | 55.1 | 54.4 | 61.7 | 56.5 | 58.1 | 51.7 | 51.7 | 52.0 | 49.3 | 36.0 | 45.7 | 45.1 | **1,793.2** |

# Manitoba Production
## 1950 To 1975

Licence ***2010*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-16-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **446.0** |
| OIL | 1965 | 109.0 | 71.0 | 80.8 | 72.4 | 63.0 | 76.7 | 73.8 | 73.8 | 71.4 | 70.0 | 66.4 | 65.2 | **1,175.9** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 29.0 | 31.0 | **83.0** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 86.3 | 98.3 | 97.8 | **282.4** |

Licence ***2012*** Well Name ***Gale Force Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-06-009-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 25.0 | 24.0 | 26.0 | 31.0 | 28.0 | 30.0 | 31.0 | 27.0 | 31.0 | **4,029.0** |
| H2O | 1975 | 733.7 | 655.5 | 687.0 | 574.7 | 546.1 | 610.7 | 658.4 | 601.8 | 665.0 | 661.5 | 579.7 | 677.9 | **80,269.4** |
| OIL | 1975 | 16.4 | 13.4 | 9.5 | 16.1 | 3.7 | 12.9 | 22.6 | 6.0 | 16.2 | 12.9 | 8.4 | 6.5 | **7,389.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,686.0** |
| H2O | 1974 | 692.2 | 668.5 | 731.8 | 652.0 | 762.8 | 771.1 | 589.8 | 707.5 | 692.7 | 703.8 | 693.8 | 699.1 | **72,617.4** |
| OIL | 1974 | 22.7 | 16.2 | 17.8 | 18.3 | 17.5 | 18.6 | 15.6 | 21.0 | 15.9 | 16.5 | 11.0 | 17.5 | **7,244.4** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,329.0** |
| H2O | 1973 | 799.5 | 747.1 | 741.4 | 749.3 | 731.3 | 702.4 | 695.3 | 700.8 | 685.7 | 733.9 | 694.9 | 690.8 | **64,252.3** |
| OIL | 1973 | 20.4 | 18.6 | 24.3 | 16.1 | 24.3 | 19.4 | 25.1 | 17.6 | 17.6 | 17.2 | 20.5 | 19.4 | **7,035.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,964.0** |
| H2O | 1972 | 745.7 | 696.8 | 766.3 | 799.5 | 825.0 | 760.3 | 691.4 | 761.5 | 725.3 | 744.1 | 749.1 | 781.3 | **55,579.9** |
| OIL | 1972 | 21.3 | 21.9 | 24.6 | 23.2 | 25.1 | 18.8 | 20.7 | 23.2 | 24.8 | 20.2 | 20.8 | 21.5 | **6,795.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,598.0** |
| H2O | 1971 | 779.0 | 662.7 | 741.7 | 675.7 | 727.8 | 716.2 | 753.6 | 763.9 | 717.0 | 732.0 | 735.5 | 754.9 | **46,533.6** |
| OIL | 1971 | 28.6 | 23.5 | 25.0 | 26.9 | 24.3 | 28.0 | 27.0 | 26.6 | 24.8 | 20.5 | 21.5 | 21.0 | **6,529.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,234.0** |
| H2O | 1970 | 585.1 | 539.8 | 589.8 | 461.9 | 652.8 | 671.9 | 722.6 | 797.2 | 675.4 | 731.8 | 779.5 | 829.6 | **37,773.6** |
| OIL | 1970 | 35.3 | 31.6 | 32.4 | 36.7 | 44.2 | 34.2 | 29.1 | 30.2 | 31.3 | 31.0 | 29.7 | 30.7 | **6,231.5** |
| DAY | 1969 | 26.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **1,871.0** |
| H2O | 1969 | 561.7 | 559.6 | 635.9 | 636.7 | 655.0 | 641.8 | 639.1 | 646.6 | 608.6 | 599.4 | 592.2 | 598.6 | **29,736.2** |
| OIL | 1969 | 42.1 | 42.1 | 49.3 | 41.8 | 41.7 | 38.8 | 43.2 | 45.2 | 36.1 | 39.3 | 35.3 | 37.5 | **5,835.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **1,514.0** |
| H2O | 1968 | 708.3 | 664.8 | 705.0 | 653.5 | 685.2 | 604.9 | 703.5 | 638.0 | 669.3 | 682.5 | 663.3 | 601.6 | **22,361.0** |
| OIL | 1968 | 70.6 | 65.5 | 66.6 | 61.7 | 63.8 | 47.9 | 51.5 | 43.4 | 48.5 | 50.6 | 48.8 | 44.7 | **5,342.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,156.0** |
| H2O | 1967 | 369.5 | 346.5 | 419.6 | 437.9 | 574.8 | 653.2 | 625.0 | 712.0 | 695.0 | 709.0 | 691.7 | 708.2 | **14,381.1** |
| OIL | 1967 | 86.1 | 75.6 | 81.3 | 76.4 | 83.8 | 82.4 | 75.3 | 72.7 | 66.2 | 67.8 | 67.0 | 69.6 | **4,679.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **791.0** |
| H2O | 1966 | 387.0 | 351.3 | 394.2 | 318.8 | 320.3 | 361.6 | 361.1 | 417.2 | 400.1 | 400.2 | 357.6 | 369.5 | **7,438.7** |
| OIL | 1966 | 155.2 | 114.7 | 126.9 | 103.9 | 112.6 | 104.7 | 98.9 | 95.9 | 106.1 | 107.2 | 92.6 | 87.8 | **3,774.9** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **430.0** |
| H2O | 1965 | 96.4 | 87.5 | 106.6 | 83.1 | 164.3 | 212.5 | 291.5 | 433.9 | 328.1 | 360.2 | 339.2 | 392.0 | **2,999.8** |
| OIL | 1965 | 159.0 | 126.3 | 151.3 | 145.7 | 142.8 | 133.8 | 142.8 | 222.0 | 158.9 | 154.8 | 149.7 | 158.3 | **2,468.4** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 30.0 | 31.0 | **69.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.7 | 78.8 | **104.5** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 68.1 | 350.5 | 204.4 | **623.0** |

Licence ***2015*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-17-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.1 | 30.0 | 30.0 | 31.0 | **3,936.1** |
| H2O | 1975 | 190.8 | 163.4 | 179.3 | 173.9 | 176.3 | 190.5 | 196.7 | 190.9 | 183.5 | 526.4 | 616.7 | 640.4 | **60,904.2** |
| OIL | 1975 | 25.1 | 21.5 | 24.2 | 22.3 | 22.6 | 24.2 | 23.7 | 23.7 | 22.4 | 18.3 | 21.1 | 21.1 | **6,006.1** |

# Manitoba Production
## 1950 To 1975

Licence ***2015*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-17-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,573.0** |
| H2O | 1974 | 868.4 | 750.3 | 798.0 | 720.5 | 815.9 | 817.7 | 213.0 | 0.0 | 200.0 | 188.4 | 193.0 | 190.8 | **57,475.4** |
| OIL | 1974 | 47.1 | 38.6 | 43.2 | 33.2 | 30.7 | 30.7 | 28.5 | 25.8 | 25.8 | 21.6 | 26.6 | 25.8 | **5,735.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 0.0 | **3,209.0** |
| H2O | 1973 | 739.3 | 690.0 | 789.8 | 764.1 | 887.1 | 888.1 | 915.8 | 916.6 | 858.5 | 833.3 | 756.3 | 868.1 | **51,719.4** |
| OIL | 1973 | 39.4 | 35.0 | 38.2 | 36.6 | 38.2 | 36.9 | 34.5 | 35.0 | 33.4 | 49.4 | 46.3 | 45.3 | **5,358.3** |
| DAY | 1972 | 27.0 | 27.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,876.0** |
| H2O | 1972 | 430.9 | 430.9 | 521.5 | 478.6 | 486.5 | 507.2 | 583.5 | 626.4 | 604.2 | 628.0 | 702.7 | 739.3 | **41,812.4** |
| OIL | 1972 | 34.3 | 34.3 | 39.4 | 36.9 | 36.9 | 33.4 | 33.4 | 34.5 | 38.2 | 39.4 | 36.9 | 39.4 | **4,890.1** |
| DAY | 1971 | 30.0 | 28.0 | 31.0 | 29.0 | 28.0 | 29.0 | 30.0 | 28.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,521.0** |
| H2O | 1971 | 597.8 | 558.0 | 566.8 | 525.3 | 457.9 | 475.4 | 492.9 | 534.2 | 500.8 | 518.3 | 481.7 | 502.4 | **35,072.7** |
| OIL | 1971 | 44.5 | 40.1 | 42.8 | 41.5 | 32.4 | 33.5 | 38.2 | 40.1 | 35.5 | 39.4 | 36.6 | 38.2 | **4,453.1** |
| DAY | 1970 | 30.0 | 27.0 | 31.0 | 29.0 | 30.0 | 28.0 | 28.0 | 28.0 | 30.0 | 26.0 | 30.0 | 31.0 | **2,169.0** |
| H2O | 1970 | 572.4 | 524.7 | 527.8 | 492.9 | 553.3 | 578.7 | 578.7 | 578.7 | 639.1 | 537.4 | 597.8 | 616.9 | **28,861.2** |
| OIL | 1970 | 47.7 | 42.9 | 39.4 | 41.5 | 41.5 | 35.6 | 31.2 | 31.2 | 33.4 | 33.1 | 39.7 | 44.5 | **3,990.3** |
| DAY | 1969 | 30.0 | 28.0 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 23.0 | **1,821.0** |
| H2O | 1969 | 620.1 | 531.0 | 550.1 | 489.7 | 539.0 | 507.2 | 539.0 | 667.7 | 640.2 | 591.4 | 570.8 | 472.2 | **22,062.8** |
| OIL | 1969 | 47.7 | 44.5 | 47.7 | 44.5 | 52.5 | 46.1 | 49.3 | 42.9 | 40.1 | 44.4 | 42.9 | 42.9 | **3,528.6** |
| DAY | 1968 | 31.0 | 29.0 | 22.0 | 18.0 | 31.0 | 29.0 | 30.0 | 28.0 | 29.0 | 31.0 | 30.0 | 30.0 | **1,471.0** |
| H2O | 1968 | 414.9 | 383.1 | 313.1 | 300.4 | 313.1 | 362.4 | 413.3 | 381.5 | 397.4 | 429.2 | 472.1 | 620.0 | **15,344.4** |
| OIL | 1968 | 25.3 | 29.5 | 28.0 | 28.6 | 44.4 | 41.2 | 47.7 | 44.5 | 39.4 | 49.3 | 47.7 | 52.5 | **2,983.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | 31.0 | 30.0 | 26.0 | **1,133.0** |
| H2O | 1967 | 143.0 | 129.5 | 147.0 | 412.0 | 463.3 | 445.1 | 476.9 | 477.0 | 388.8 | 394.2 | 392.6 | 413.3 | **10,543.9** |
| OIL | 1967 | 64.4 | 45.2 | 45.4 | 62.2 | 71.4 | 62.7 | 64.0 | 38.1 | 31.7 | 49.2 | 49.2 | 25.3 | **2,505.0** |
| DAY | 1966 | 31.0 | 27.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 30.0 | 28.0 | 31.0 | **782.0** |
| H2O | 1966 | 617.4 | 574.8 | 651.7 | 644.8 | 451.4 | 470.5 | 414.9 | 143.0 | 145.4 | 143.0 | 177.2 | 271.0 | **6,261.2** |
| OIL | 1966 | 79.1 | 65.6 | 80.2 | 73.0 | 75.4 | 72.2 | 61.1 | 31.4 | 38.1 | 48.4 | 64.9 | 66.7 | **1,896.2** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 21.0 | **425.0** |
| H2O | 1965 | 17.4 | 18.2 | 93.7 | 33.3 | 39.0 | 50.5 | 99.3 | 40.9 | 34.9 | 133.1 | 416.0 | 537.9 | **1,556.1** |
| OIL | 1965 | 82.3 | 84.2 | 93.7 | 67.0 | 59.0 | 58.4 | 60.5 | 68.9 | 61.0 | 125.2 | 95.3 | 66.7 | **1,140.1** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 30.0 | 31.0 | **73.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.3 | 17.4 | 18.2 | **41.9** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 48.4 | 84.2 | 85.3 | **217.9** |

Licence ***2016*** Well Name ***Bralorne Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-17-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 31.0 | 29.0 | 25.0 | 21.0 | 8.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,270.0** |
| H2O | 1968 | 432.1 | 400.3 | 429.3 | 460.6 | 292.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **16,683.2** |
| OIL | 1968 | 17.2 | 14.1 | 15.9 | 14.0 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,665.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 27.0 | **1,156.0** |
| H2O | 1967 | 893.5 | 717.8 | 697.0 | 589.9 | 669.2 | 658.2 | 674.1 | 658.2 | 653.3 | 454.7 | 456.3 | 431.8 | **14,668.9** |
| OIL | 1967 | 11.1 | 9.5 | 24.8 | 25.7 | 30.0 | 20.8 | 24.6 | 24.6 | 23.8 | 20.7 | 19.1 | 17.2 | **1,601.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | **800.0** |
| H2O | 1966 | 350.9 | 308.3 | 351.4 | 349.0 | 244.2 | 263.3 | 215.6 | 779.7 | 794.3 | 829.1 | 829.1 | 844.2 | **7,114.9** |
| OIL | 1966 | 59.1 | 47.7 | 58.3 | 54.0 | 55.9 | 52.8 | 41.2 | 10.0 | 14.3 | 9.5 | 9.5 | 11.1 | **1,349.7** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **438.0** |
| H2O | 1965 | 52.5 | 38.2 | 47.7 | 51.7 | 51.7 | 46.9 | 55.6 | 37.4 | 52.9 | 68.8 | 66.8 | 305.3 | **955.8** |
| OIL | 1965 | 81.7 | 85.8 | 81.4 | 68.3 | 59.1 | 50.1 | 51.8 | 44.3 | 37.2 | 43.1 | 39.3 | 59.1 | **926.3** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 30.0 | 31.0 | **73.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.5 | 35.0 | 35.8 | **80.3** |

# Manitoba Production
## 1950 To 1975

Licence ***2016*** Well Name ***Bralorne Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-17-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 46.4 | 88.8 | 89.9 | **225.1** |

Licence ***2017*** Well Name ***Virden Roselea Unit No. 2 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.14-05-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 344.5 | 306.8 | 328.8 | 288.1 | 297.9 | 279.3 | 301.1 | 274.6 | 266.6 | 273.8 | 1276.1 | 271.7 | **40,523.7** |
| WIN | 1974 | 322.7 | 289.7 | 302.2 | 284.1 | 293.2 | 320.3 | 336.4 | 325.1 | 334.0 | 341.3 | 327.0 | 374.4 | **36,014.4** |
| WIN | 1973 | 345.9 | 297.9 | 315.7 | 314.5 | 369.6 | 297.5 | 306.5 | 330.2 | 259.9 | 248.5 | 306.5 | 330.2 | **32,164.0** |
| WIN | 1972 | 332.6 | 306.2 | 311.9 | 301.7 | 304.9 | 294.4 | 318.4 | 321.9 | 332.0 | 351.7 | 337.0 | 364.5 | **28,441.1** |
| WIN | 1971 | 435.1 | 303.7 | 359.8 | 398.6 | 417.3 | 385.2 | 551.7 | 367.9 | 344.8 | 345.9 | 288.5 | 345.0 | **24,563.9** |
| WIN | 1970 | 514.0 | 387.3 | 579.6 | 411.8 | 434.2 | 382.3 | 417.6 | 369.3 | 360.7 | 378.7 | 391.4 | 416.2 | **20,020.4** |
| WIN | 1969 | 411.9 | 436.6 | 554.5 | 603.0 | 482.0 | 423.2 | 407.6 | 400.3 | 480.4 | 354.0 | 460.4 | 532.1 | **14,977.3** |
| WIN | 1968 | 217.3 | 352.3 | 379.3 | 379.3 | 391.4 | 393.5 | 374.4 | 377.7 | 353.9 | 378.5 | 424.8 | 419.5 | **9,431.3** |
| WIN | 1967 | 365.2 | 318.9 | 357.2 | 325.8 | 341.6 | 331.8 | 330.7 | 349.4 | 330.7 | 340.2 | 338.5 | 345.9 | **4,989.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 2.0 | 0.0 | 0.0 | **698.0** |
| H2O | 1966 | 87.9 | 78.1 | 93.6 | 85.8 | 90.6 | 104.1 | 95.7 | 93.5 | 86.6 | 5.1 | 0.0 | 0.0 | **1,651.0** |
| OIL | 1966 | 86.5 | 76.8 | 82.5 | 85.0 | 81.0 | 89.5 | 90.6 | 81.4 | 91.7 | 5.6 | 0.0 | 0.0 | **1,908.2** |
| WIN | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 157.2 | 391.6 | 364.7 | **913.5** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **423.0** |
| H2O | 1965 | 41.5 | 33.2 | 33.4 | 34.5 | 34.8 | 31.8 | 39.6 | 88.1 | 79.3 | 85.7 | 79.8 | 88.9 | **830.0** |
| OIL | 1965 | 90.1 | 79.6 | 56.7 | 53.1 | 53.6 | 52.1 | 55.1 | 99.6 | 87.6 | 89.0 | 78.8 | 88.4 | **1,137.6** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 31.0 | **60.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 86.0 | 73.4 | **159.4** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 139.0 | 114.9 | **253.9** |

Licence ***2019*** Well Name ***Upton Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-20-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 19.0 | 28.0 | 29.0 | 13.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,568.0** |
| H2O | 1975 | 560.4 | 513.2 | 641.8 | 531.5 | 535.2 | 509.6 | 197.0 | 474.4 | 486.7 | 474.1 | 469.3 | 419.3 | **44,136.4** |
| OIL | 1975 | 21.5 | 17.2 | 18.1 | 10.7 | 15.4 | 22.1 | 8.7 | 23.1 | 23.5 | 21.9 | 17.6 | 19.4 | **5,798.6** |
| DAY | 1974 | 31.0 | 28.0 | 23.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 29.0 | 31.0 | **3,238.0** |
| H2O | 1974 | 576.2 | 514.0 | 427.4 | 490.0 | 588.3 | 606.1 | 544.7 | 459.5 | 487.1 | 511.3 | 551.7 | 631.2 | **38,323.9** |
| OIL | 1974 | 44.7 | 28.8 | 23.2 | 25.3 | 24.2 | 25.4 | 27.0 | 17.8 | 20.2 | 20.2 | 20.0 | 22.1 | **5,579.4** |
| DAY | 1973 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,885.0** |
| H2O | 1973 | 702.2 | 666.2 | 703.7 | 758.7 | 480.9 | 342.0 | 350.6 | 340.9 | 402.9 | 549.1 | 619.1 | 542.5 | **31,936.4** |
| OIL | 1973 | 28.9 | 25.3 | 33.5 | 46.3 | 37.2 | 36.9 | 41.5 | 40.1 | 38.3 | 32.9 | 34.7 | 45.9 | **5,280.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 26.0 | 30.0 | 26.0 | 31.0 | 30.0 | 22.0 | 22.0 | 28.0 | **2,522.0** |
| H2O | 1972 | 465.5 | 436.7 | 453.3 | 392.1 | 377.1 | 409.9 | 344.2 | 435.1 | 406.1 | 334.0 | 536.6 | 625.3 | **25,477.6** |
| OIL | 1972 | 46.4 | 52.5 | 51.5 | 43.4 | 38.5 | 49.9 | 38.0 | 49.4 | 47.1 | 36.7 | 31.8 | 41.8 | **4,839.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,186.0** |
| H2O | 1971 | 400.8 | 356.8 | 423.1 | 399.4 | 407.2 | 411.0 | 435.9 | 506.7 | 502.6 | 522.1 | 460.7 | 476.0 | **20,261.7** |
| OIL | 1971 | 61.2 | 56.6 | 64.1 | 51.4 | 57.9 | 59.5 | 59.6 | 40.5 | 44.0 | 43.9 | 46.3 | 47.7 | **4,312.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **1,823.0** |
| H2O | 1970 | 407.2 | 368.9 | 404.9 | 386.2 | 390.8 | 380.8 | 423.2 | 469.0 | 444.8 | 370.3 | 358.2 | 414.3 | **14,959.4** |
| OIL | 1970 | 63.6 | 57.2 | 61.8 | 60.4 | 57.9 | 50.6 | 52.3 | 56.1 | 53.1 | 41.3 | 57.1 | 59.5 | **3,679.3** |
| DAY | 1969 | 31.0 | 28.0 | 26.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 20.0 | 28.0 | 31.0 | **1,464.0** |
| H2O | 1969 | 248.0 | 223.9 | 372.8 | 440.1 | 435.6 | 438.2 | 384.9 | 430.2 | 447.4 | 332.6 | 427.8 | 391.1 | **10,140.8** |
| OIL | 1969 | 56.1 | 45.3 | 45.0 | 62.2 | 64.2 | 64.5 | 70.0 | 67.1 | 67.1 | 46.7 | 54.2 | 64.4 | **3,008.4** |
| DAY | 1968 | 31.0 | 8.0 | 29.0 | 29.0 | 30.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 25.0 | 30.0 | **1,119.0** |
| H2O | 1968 | 72.3 | 21.5 | 94.6 | 217.7 | 281.6 | 254.1 | 263.9 | 341.8 | 236.4 | 158.5 | 208.9 | 250.9 | **5,568.2** |

# Manitoba Production
## 1950 To 1975

Licence ***2019*** Well Name ***Upton Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-20-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1968 | 6.4 | 2.1 | 9.7 | 32.3 | 54.2 | 62.6 | 79.5 | 71.9 | 72.8 | 56.6 | 54.1 | 60.4 | **2,301.6** |
| DAY | 1967 | 31.0 | 28.0 | 24.0 | 24.0 | 28.0 | 28.0 | 30.0 | 29.0 | 25.0 | 27.0 | 30.0 | 29.0 | **789.0** |
| H2O | 1967 | 70.3 | 58.9 | 76.7 | 7.4 | 29.0 | 15.0 | 18.6 | 25.4 | 17.3 | 24.2 | 19.9 | 27.5 | **3,166.0** |
| OIL | 1967 | 38.5 | 32.8 | 38.2 | 29.3 | 25.0 | 20.1 | 24.9 | 6.1 | 4.5 | 22.3 | 24.4 | 7.5 | **1,739.0** |
| DAY | 1966 | 31.0 | 26.0 | 31.0 | 29.0 | 26.0 | 29.0 | 31.0 | 31.0 | 29.0 | 29.0 | 29.0 | 27.0 | **456.0** |
| H2O | 1966 | 177.6 | 148.1 | 149.2 | 170.5 | 182.1 | 164.3 | 182.4 | 184.0 | 169.4 | 141.6 | 98.9 | 69.1 | **2,775.8** |
| OIL | 1966 | 123.8 | 98.9 | 112.8 | 92.7 | 95.9 | 85.9 | 97.4 | 100.9 | 90.8 | 76.5 | 75.9 | 35.2 | **1,465.4** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 28.0 | 31.0 | **108.0** |
| H2O | 1965 | 103.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 156.3 | 205.9 | 211.7 | **938.6** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 95.3 | 123.4 | 125.7 | **378.7** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 19.0 | 0.0 | **22.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.5 | 33.9 | 226.1 | **261.5** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.1 | 28.2 | 0.0 | **34.3** |

Licence ***2020*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-17-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,592.0** |
| H2O | 1975 | 871.1 | 753.9 | 828.2 | 802.9 | 813.7 | 879.2 | 907.5 | 880.6 | 875.9 | 874.3 | 1024.2 | 1063.5 | **69,118.2** |
| OIL | 1975 | 15.1 | 17.0 | 19.4 | 18.0 | 18.1 | 19.2 | 19.1 | 19.1 | 18.4 | 18.4 | 21.1 | 21.0 | **4,318.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,228.0** |
| H2O | 1974 | 973.6 | 843.1 | 891.4 | 801.9 | 908.8 | 910.4 | 963.8 | 0.0 | 904.3 | 848.0 | 875.7 | 872.4 | **58,543.2** |
| OIL | 1974 | 42.3 | 38.6 | 38.5 | 33.2 | 39.3 | 41.0 | 20.4 | 17.3 | 17.0 | 17.2 | 21.3 | 17.2 | **4,095.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | **2,864.0** |
| H2O | 1973 | 739.3 | 712.3 | 788.6 | 712.3 | 778.6 | 777.4 | 801.3 | 802.1 | 787.0 | 936.4 | 874.7 | 970.8 | **48,749.8** |
| OIL | 1973 | 24.6 | 22.3 | 24.6 | 22.3 | 23.8 | 23.8 | 24.6 | 24.6 | 23.8 | 36.2 | 33.4 | 39.9 | **3,751.7** |
| DAY | 1972 | 27.0 | 28.0 | 27.0 | 29.0 | 30.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,533.0** |
| H2O | 1972 | 589.8 | 604.2 | 492.9 | 524.7 | 461.1 | 415.0 | 494.5 | 534.2 | 510.3 | 534.2 | 610.5 | 739.3 | **39,069.0** |
| OIL | 1972 | 21.5 | 22.3 | 16.4 | 18.0 | 16.7 | 17.2 | 19.1 | 24.6 | 23.8 | 24.6 | 23.8 | 24.6 | **3,427.8** |
| DAY | 1971 | 28.0 | 23.0 | 25.0 | 30.0 | 29.0 | 28.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,182.0** |
| H2O | 1971 | 516.7 | 448.3 | 798.1 | 715.4 | 685.2 | 653.4 | 688.4 | 688.4 | 653.4 | 688.4 | 664.6 | 680.5 | **32,558.3** |
| OIL | 1971 | 22.3 | 18.3 | 19.9 | 23.8 | 22.9 | 22.9 | 23.8 | 28.6 | 23.1 | 26.2 | 25.4 | 26.2 | **3,175.2** |
| DAY | 1970 | 11.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 28.0 | 25.0 | 30.0 | 23.0 | 27.0 | 28.0 | **1,838.0** |
| H2O | 1970 | 262.3 | 0.0 | 0.0 | 0.0 | 0.0 | 494.5 | 586.7 | 526.2 | 626.4 | 432.4 | 499.2 | 516.7 | **24,677.5** |
| OIL | 1970 | 10.5 | 0.0 | 0.0 | 0.0 | 0.0 | 14.3 | 22.3 | 19.9 | 23.8 | 14.6 | 21.0 | 22.3 | **2,891.8** |
| DAY | 1969 | 31.0 | 28.0 | 28.0 | 30.0 | 30.0 | 17.0 | 7.0 | 29.0 | 28.0 | 27.0 | 27.0 | 28.0 | **1,654.0** |
| H2O | 1969 | 511.9 | 454.7 | 393.0 | 477.9 | 492.9 | 271.9 | 130.4 | 631.7 | 578.7 | 567.6 | 516.2 | 618.0 | **20,733.1** |
| OIL | 1969 | 29.6 | 26.7 | 24.5 | 28.6 | 28.6 | 10.7 | 5.6 | 23.1 | 26.7 | 30.0 | 34.3 | 33.1 | **2,743.1** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 23.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 20.0 | 28.0 | **1,344.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 287.3 | 568.3 | 477.3 | 509.6 | 486.1 | 446.3 | 462.1 | 215.7 | 490.6 | **15,088.2** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 25.3 | 39.4 | 36.6 | 38.2 | 39.4 | 33.4 | 34.5 | 18.1 | 28.8 | **2,441.6** |
| DAY | 1967 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 22.0 | **1,089.0** |
| H2O | 1967 | 330.1 | 325.8 | 358.6 | 375.1 | 147.8 | 146.2 | 284.2 | 282.6 | 256.5 | 266.2 | 273.4 | 359.2 | **11,144.9** |
| OIL | 1967 | 42.9 | 39.7 | 38.2 | 41.7 | 34.5 | 33.5 | 33.4 | 33.4 | 30.2 | 28.6 | 20.7 | 8.9 | **2,147.9** |
| DAY | 1966 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **740.0** |
| H2O | 1966 | 232.8 | 213.7 | 213.7 | 264.5 | 290.2 | 276.9 | 284.0 | 282.1 | 279.1 | 281.1 | 264.8 | 280.8 | **7,739.2** |
| OIL | 1966 | 86.9 | 75.7 | 69.4 | 82.9 | 80.5 | 72.2 | 73.4 | 52.9 | 44.7 | 43.2 | 42.1 | 43.6 | **1,762.2** |
| DAY | 1965 | 31.0 | 28.0 | 29.0 | 9.0 | 15.0 | 23.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **378.0** |
| H2O | 1965 | 329.2 | 337.1 | 362.4 | 128.7 | 349.0 | 475.0 | 523.9 | 302.1 | 330.0 | 341.7 | 283.4 | 263.0 | **4,575.5** |
| OIL | 1965 | 40.3 | 48.2 | 89.7 | 26.9 | 33.3 | 65.1 | 84.0 | 101.7 | 95.5 | 100.9 | 95.3 | 98.5 | **994.7** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 26.0 | 31.0 | **59.0** |

# Manitoba Production
## 1950 To 1975

Licence ***2020*** Well Name ***Murphy Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-17-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 287.7 | 243.3 | **550.0** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.7 | 61.9 | 48.7 | **115.3** |

Licence ***2022*** Well Name ***Gale Force Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-31-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,993.0** |
| H2O | 1975 | 680.2 | 573.7 | 549.7 | 709.6 | 733.9 | 672.1 | 699.6 | 641.1 | 668.9 | 708.3 | 679.6 | 731.6 | **72,749.5** |
| OIL | 1975 | 19.9 | 18.1 | 19.7 | 20.5 | 19.4 | 20.5 | 18.1 | 19.7 | 19.7 | 17.5 | 18.8 | 19.2 | **6,366.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,628.0** |
| H2O | 1974 | 678.8 | 623.1 | 701.8 | 666.4 | 727.6 | 688.3 | 708.0 | 695.0 | 671.6 | 672.4 | 642.5 | 668.6 | **64,701.2** |
| OIL | 1974 | 23.5 | 20.8 | 24.8 | 18.1 | 21.5 | 25.0 | 19.1 | 22.1 | 19.1 | 19.4 | 18.1 | 20.2 | **6,135.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,265.0** |
| H2O | 1973 | 722.5 | 643.3 | 710.6 | 665.4 | 658.9 | 592.6 | 595.1 | 689.3 | 663.7 | 685.5 | 668.0 | 677.7 | **56,557.1** |
| OIL | 1973 | 25.0 | 21.8 | 23.5 | 23.2 | 23.7 | 19.2 | 18.9 | 23.1 | 22.3 | 24.5 | 21.8 | 23.7 | **5,883.4** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,906.0** |
| H2O | 1972 | 747.9 | 682.0 | 726.8 | 699.6 | 712.0 | 647.1 | 665.3 | 709.3 | 678.5 | 702.6 | 690.7 | 730.1 | **48,584.5** |
| OIL | 1972 | 25.4 | 19.7 | 25.8 | 25.1 | 26.2 | 26.4 | 24.0 | 27.0 | 24.2 | 23.8 | 24.3 | 24.6 | **5,612.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,541.0** |
| H2O | 1971 | 715.3 | 634.9 | 709.5 | 694.0 | 771.8 | 648.6 | 755.6 | 723.3 | 720.9 | 721.7 | 712.3 | 761.8 | **40,192.6** |
| OIL | 1971 | 35.0 | 29.7 | 32.6 | 32.0 | 26.2 | 30.0 | 30.4 | 30.2 | 28.3 | 30.0 | 22.9 | 27.3 | **5,316.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,180.0** |
| H2O | 1970 | 544.4 | 492.3 | 552.4 | 529.5 | 524.9 | 538.1 | 596.6 | 586.1 | 643.6 | 708.0 | 695.6 | 708.2 | **31,622.9** |
| OIL | 1970 | 28.3 | 31.8 | 32.0 | 28.1 | 31.8 | 31.5 | 41.7 | 41.5 | 36.6 | 35.3 | 33.9 | 33.5 | **4,961.6** |
| DAY | 1969 | 24.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | **1,816.0** |
| H2O | 1969 | 469.5 | 520.9 | 531.4 | 523.3 | 565.1 | 529.3 | 541.3 | 572.9 | 571.1 | 526.9 | 524.2 | 540.5 | **24,503.2** |
| OIL | 1969 | 37.2 | 44.7 | 44.8 | 47.7 | 48.8 | 47.1 | 43.2 | 43.1 | 35.3 | 38.8 | 37.5 | 41.0 | **4,555.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **1,462.0** |
| H2O | 1968 | 542.4 | 512.2 | 544.3 | 526.5 | 516.0 | 494.5 | 557.3 | 542.7 | 542.8 | 570.5 | 547.5 | 502.6 | **18,086.8** |
| OIL | 1968 | 70.9 | 63.4 | 67.6 | 64.1 | 62.5 | 61.1 | 59.3 | 57.6 | 57.1 | 56.8 | 53.6 | 55.8 | **4,046.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,102.0** |
| H2O | 1967 | 347.1 | 300.5 | 345.1 | 334.4 | 390.1 | 516.3 | 568.9 | 546.7 | 518.4 | 544.6 | 528.1 | 544.6 | **11,687.5** |
| OIL | 1967 | 72.6 | 65.4 | 74.3 | 69.5 | 74.5 | 78.8 | 74.0 | 72.1 | 70.0 | 69.1 | 68.4 | 70.6 | **3,316.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **738.0** |
| H2O | 1966 | 319.3 | 298.8 | 336.2 | 321.1 | 315.6 | 314.4 | 343.8 | 320.3 | 316.4 | 322.3 | 329.0 | 369.5 | **6,202.7** |
| OIL | 1966 | 101.3 | 92.0 | 98.9 | 93.4 | 91.5 | 85.0 | 83.1 | 81.5 | 78.1 | 77.3 | 75.6 | 73.5 | **2,457.3** |
| DAY | 1965 | 31.0 | 28.0 | 30.0 | 7.0 | 16.0 | 21.0 | 27.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | **375.0** |
| H2O | 1965 | 190.5 | 162.7 | 207.9 | 55.1 | 101.7 | 106.9 | 186.9 | 179.1 | 175.1 | 244.7 | 254.8 | 312.8 | **2,296.0** |
| OIL | 1965 | 129.6 | 119.3 | 128.7 | 31.9 | 65.7 | 76.4 | 85.8 | 102.6 | 96.6 | 96.2 | 88.1 | 99.4 | **1,426.1** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 26.0 | 31.0 | **66.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.4 | 104.4 | **117.8** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.2 | 141.7 | 134.9 | **305.8** |

Licence ***2023*** Well Name ***Gale Force Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-32-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,690.0** |
| H2O | 1975 | 595.9 | 506.7 | 577.3 | 582.7 | 577.4 | 588.6 | 616.7 | 577.6 | 606.4 | 635.6 | 610.8 | 636.3 | **64,512.5** |
| OIL | 1975 | 18.0 | 18.8 | 20.2 | 17.3 | 20.0 | 18.3 | 22.9 | 21.0 | 19.7 | 17.3 | 17.0 | 17.5 | **3,419.2** |
| DAY | 1974 | 31.0 | 28.0 | 9.0 | 0.0 | 0.0 | 18.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,325.0** |
| H2O | 1974 | 651.8 | 584.9 | 123.1 | 0.0 | 0.0 | 346.8 | 606.7 | 621.6 | 587.8 | 599.7 | 590.5 | 610.0 | **57,400.5** |

# Manitoba Production
## 1950 To 1975

Licence ***2023*** Well Name ***Gale Force Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-32-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1974 | 22.6 | 17.2 | 0.5 | 0.0 | 0.0 | 17.8 | 22.3 | 23.4 | 21.8 | 19.7 | 19.4 | 17.6 | **3,191.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,055.0** |
| H2O | 1973 | 640.4 | 603.5 | 632.3 | 644.7 | 633.6 | 417.5 | 501.8 | 628.8 | 615.9 | 634.7 | 625.0 | 633.1 | **52,077.6** |
| OIL | 1973 | 22.9 | 22.3 | 20.4 | 20.5 | 20.8 | 18.3 | 19.7 | 23.2 | 21.6 | 21.0 | 22.1 | 19.6 | **3,008.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,697.0** |
| H2O | 1972 | 611.1 | 549.3 | 599.5 | 604.2 | 626.3 | 596.7 | 610.5 | 629.3 | 613.4 | 639.6 | 631.5 | 659.2 | **44,866.3** |
| OIL | 1972 | 22.3 | 18.0 | 23.4 | 23.5 | 24.8 | 25.1 | 24.5 | 28.1 | 24.6 | 25.3 | 22.4 | 23.8 | **2,756.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,331.0** |
| H2O | 1971 | 597.2 | 511.5 | 618.8 | 600.2 | 642.9 | 617.7 | 646.0 | 626.6 | 614.5 | 640.4 | 601.0 | 632.8 | **37,495.7** |
| OIL | 1971 | 31.0 | 25.4 | 30.4 | 28.1 | 22.4 | 26.7 | 29.7 | 28.3 | 25.8 | 28.5 | 21.5 | 24.8 | **2,470.7** |
| DAY | 1970 | 31.0 | 27.0 | 29.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 31.0 | 30.0 | 31.0 | **1,966.0** |
| H2O | 1970 | 564.6 | 485.9 | 567.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 378.9 | 595.6 | 587.9 | 611.1 | **30,146.1** |
| OIL | 1970 | 18.0 | 19.6 | 20.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.5 | 32.8 | 29.9 | 29.4 | **2,148.1** |
| DAY | 1969 | 22.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | **1,764.0** |
| H2O | 1969 | 444.0 | 584.4 | 543.1 | 517.8 | 624.2 | 585.6 | 609.9 | 560.1 | 537.7 | 563.0 | 562.0 | 538.5 | **26,355.0** |
| OIL | 1969 | 13.4 | 13.4 | 13.8 | 22.3 | 22.9 | 20.7 | 21.9 | 22.4 | 20.5 | 21.1 | 20.8 | 23.1 | **1,974.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | **1,412.0** |
| H2O | 1968 | 490.5 | 463.8 | 495.6 | 480.5 | 502.5 | 442.5 | 508.2 | 503.1 | 476.2 | 509.1 | 499.1 | 470.0 | **19,684.7** |
| OIL | 1968 | 21.0 | 18.0 | 19.4 | 17.6 | 19.6 | 14.6 | 17.6 | 18.4 | 16.4 | 15.1 | 14.6 | 16.7 | **1,738.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,052.0** |
| H2O | 1967 | 434.3 | 420.3 | 465.3 | 447.9 | 439.2 | 418.2 | 448.9 | 466.2 | 452.1 | 462.6 | 464.9 | 493.6 | **13,843.6** |
| OIL | 1967 | 32.8 | 26.6 | 29.7 | 28.6 | 28.0 | 26.7 | 28.6 | 28.6 | 27.5 | 26.2 | 23.2 | 21.3 | **1,529.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | **690.0** |
| H2O | 1966 | 409.1 | 386.9 | 431.4 | 408.7 | 415.8 | 411.5 | 401.2 | 397.5 | 396.4 | 357.1 | 332.8 | 406.0 | **8,430.1** |
| OIL | 1966 | 50.5 | 38.7 | 42.5 | 35.5 | 36.0 | 35.7 | 34.7 | 34.7 | 34.5 | 31.0 | 28.9 | 35.3 | **1,201.8** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 0.0 | 0.0 | 17.0 | 29.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | **328.0** |
| H2O | 1965 | 332.7 | 331.2 | 356.7 | 0.0 | 0.0 | 159.0 | 324.4 | 359.7 | 319.8 | 332.7 | 334.6 | 398.0 | **3,675.7** |
| OIL | 1965 | 87.8 | 57.1 | 65.4 | 0.0 | 0.0 | 43.9 | 83.8 | 70.2 | 50.5 | 49.7 | 54.4 | 49.0 | **763.8** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 21.0 | **43.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 232.2 | 194.7 | **426.9** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 78.6 | 73.4 | **152.0** |

Licence ***2025*** Well Name ***Heather Virden Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-29-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 20.0 | 31.0 | 26.0 | 29.0 | 30.0 | 29.0 | 31.0 | **3,648.0** |
| H2O | 1975 | 29.1 | 27.8 | 30.2 | 28.9 | 25.0 | 21.3 | 34.3 | 28.1 | 32.0 | 35.0 | 31.2 | 34.3 | **2,842.8** |
| OIL | 1975 | 53.6 | 48.3 | 54.4 | 52.0 | 43.2 | 36.9 | 57.2 | 49.3 | 55.2 | 54.7 | 49.3 | 56.0 | **5,755.5** |
| DAY | 1974 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,307.0** |
| H2O | 1974 | 30.5 | 25.9 | 28.9 | 26.7 | 29.7 | 27.7 | 29.4 | 29.7 | 28.8 | 30.0 | 28.6 | 31.6 | **2,485.6** |
| OIL | 1974 | 55.2 | 52.9 | 55.2 | 57.4 | 55.5 | 57.6 | 63.4 | 64.7 | 63.0 | 59.6 | 53.9 | 55.6 | **5,145.4** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 22.0 | 31.0 | 30.0 | 31.0 | **2,943.0** |
| H2O | 1973 | 34.0 | 30.7 | 34.0 | 31.3 | 31.8 | 29.6 | 28.6 | 34.8 | 24.0 | 31.8 | 30.0 | 31.3 | **2,138.1** |
| OIL | 1973 | 54.1 | 48.8 | 55.6 | 53.4 | 60.1 | 55.0 | 56.8 | 59.5 | 44.7 | 54.2 | 49.8 | 56.0 | **4,451.4** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **2,586.0** |
| H2O | 1972 | 30.0 | 32.3 | 33.5 | 31.5 | 34.0 | 30.4 | 34.3 | 34.2 | 33.4 | 33.7 | 30.5 | 34.3 | **1,766.2** |
| OIL | 1972 | 64.9 | 61.2 | 63.4 | 62.0 | 63.9 | 58.7 | 61.8 | 61.1 | 58.5 | 56.8 | 49.6 | 55.2 | **3,803.4** |
| DAY | 1971 | 31.0 | 27.0 | 31.0 | 30.0 | 24.0 | 24.0 | 31.0 | 31.0 | 14.0 | 28.0 | 30.0 | 31.0 | **2,223.0** |
| H2O | 1971 | 14.3 | 11.9 | 13.2 | 23.1 | 14.3 | 20.0 | 25.4 | 25.1 | 10.7 | 28.1 | 22.4 | 26.6 | **1,374.1** |
| OIL | 1971 | 36.7 | 30.2 | 36.6 | 35.3 | 30.4 | 58.8 | 64.7 | 62.2 | 29.6 | 54.5 | 58.2 | 63.8 | **3,086.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 20.0 | 31.0 | 30.0 | 31.0 | **1,891.0** |

# Manitoba Production
## 1950 To 1975

Licence ***2025*** Well Name ***Heather Virden Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-29-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1970 | 18.4 | 16.5 | 18.6 | 16.9 | 19.7 | 18.4 | 19.9 | 13.5 | 12.1 | 18.9 | 17.0 | 18.4 | **1,139.0** |
| OIL | 1970 | 29.4 | 23.1 | 25.0 | 18.3 | 25.9 | 22.7 | 23.7 | 19.4 | 30.8 | 44.0 | 41.5 | 38.6 | **2,525.3** |
| DAY | 1969 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,543.0** |
| H2O | 1969 | 19.7 | 17.2 | 19.7 | 17.6 | 15.6 | 19.1 | 18.9 | 18.4 | 17.6 | 18.6 | 18.0 | 18.8 | **930.7** |
| OIL | 1969 | 36.9 | 33.9 | 35.8 | 34.2 | 34.0 | 31.5 | 33.1 | 32.8 | 30.5 | 30.4 | 28.8 | 29.6 | **2,182.9** |
| DAY | 1968 | 31.0 | 28.0 | 17.0 | 12.0 | 29.0 | 29.0 | 29.0 | 29.0 | 30.0 | 29.0 | 26.0 | 31.0 | **1,210.0** |
| H2O | 1968 | 23.2 | 22.3 | 6.4 | 12.7 | 15.3 | 29.4 | 15.6 | 21.0 | 21.3 | 16.7 | 15.9 | 19.7 | **711.5** |
| OIL | 1968 | 44.3 | 35.5 | 22.5 | 20.7 | 38.2 | 37.8 | 35.0 | 33.2 | 29.6 | 26.4 | 31.2 | 36.4 | **1,791.4** |
| DAY | 1967 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 19.0 | 0.0 | 27.0 | 29.0 | 28.0 | **890.0** |
| H2O | 1967 | 19.7 | 16.1 | 16.7 | 12.7 | 14.0 | 8.6 | 19.7 | 10.5 | 0.0 | 21.9 | 21.3 | 19.1 | **492.0** |
| OIL | 1967 | 34.1 | 26.5 | 30.7 | 27.6 | 31.9 | 26.9 | 24.5 | 17.2 | 0.0 | 41.4 | 45.1 | 46.6 | **1,400.6** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 3.0 | 4.0 | 29.0 | 28.0 | 28.0 | 21.0 | 31.0 | 0.0 | 31.0 | **577.0** |
| H2O | 1966 | 19.7 | 13.4 | 14.1 | 1.4 | 2.2 | 10.2 | 13.4 | 13.4 | 10.5 | 11.1 | 10.5 | 21.0 | **311.7** |
| OIL | 1966 | 72.4 | 57.1 | 63.8 | 4.4 | 9.4 | 55.4 | 57.1 | 48.4 | 33.6 | 41.4 | 37.1 | 39.2 | **1,048.1** |
| DAY | 1965 | 26.0 | 28.0 | 25.0 | 28.0 | 31.0 | 24.0 | 31.0 | 24.0 | 30.0 | 14.0 | 22.0 | 23.0 | **312.0** |
| H2O | 1965 | 15.7 | 14.2 | 8.9 | 7.6 | 6.7 | 29.9 | 14.8 | 12.4 | 13.4 | 15.9 | 10.3 | 13.0 | **170.8** |
| OIL | 1965 | 43.9 | 36.3 | 28.0 | 29.8 | 31.1 | 40.4 | 61.1 | 49.5 | 58.1 | 30.4 | 42.2 | 61.9 | **528.8** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | **6.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | **8.0** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.1 | **16.1** |

Licence ***2027*** Well Name ***Rundle Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-14-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 25.0 | 31.0 | 30.0 | 27.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | **962.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 940.6 | 1265.9 | 1136.4 | 818.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **30,507.6** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 50.2 | 30.1 | 23.6 | 17.0 | 0.0 | 0.0 | 0.0 | 7.7 | 0.0 | **2,222.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 29.0 | 28.0 | 26.0 | 0.0 | 0.0 | 2.0 | 0.0 | 7.0 | 17.0 | **848.0** |
| H2O | 1971 | 1161.1 | 1044.2 | 1150.6 | 1046.1 | 877.6 | 1186.5 | 0.0 | 0.0 | 6.4 | 0.0 | 290.0 | 772.8 | **26,346.6** |
| OIL | 1971 | 82.0 | 73.1 | 72.7 | 49.4 | 16.9 | 19.2 | 0.0 | 0.0 | 3.2 | 0.0 | 21.6 | 18.3 | **2,093.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 22.0 | 30.0 | 29.0 | 30.0 | 30.0 | 11.0 | 25.0 | 30.0 | **649.0** |
| H2O | 1970 | 978.2 | 937.5 | 1018.6 | 962.4 | 671.7 | 950.4 | 864.1 | 968.7 | 1028.0 | 294.1 | 919.6 | 1097.0 | **18,811.3** |
| OIL | 1970 | 85.7 | 76.5 | 77.3 | 72.8 | 49.0 | 71.7 | 61.4 | 68.0 | 72.7 | 11.0 | 88.2 | 86.8 | **1,737.2** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 29.0 | 31.0 | 30.0 | 29.0 | **322.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 868.7 | 906.7 | 952.5 | 875.7 | 876.0 | **8,121.0** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 88.1 | 80.8 | 74.6 | 71.2 | 66.1 | **916.1** |
| DAY | 1965 | 31.0 | 25.0 | 26.0 | 5.0 | 0.0 | 0.0 | 11.0 | 5.0 | 0.0 | 0.0 | 19.0 | 10.0 | **173.0** |
| H2O | 1965 | 476.2 | 461.9 | 492.1 | 103.3 | 0.0 | 0.0 | 43.9 | 188.6 | 0.0 | 0.0 | 812.9 | 415.4 | **3,641.4** |
| OIL | 1965 | 77.6 | 71.4 | 73.6 | 14.5 | 0.0 | 0.0 | 1.1 | 20.4 | 0.0 | 0.0 | 90.3 | 43.6 | **535.3** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 31.0 | **41.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 132.8 | 514.3 | **647.1** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 44.5 | 98.3 | **142.8** |

Licence ***2029*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-21-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,801.0** |
| H2O | 1975 | 718.0 | 647.0 | 732.9 | 726.7 | 782.0 | 717.5 | 691.9 | 735.4 | 364.5 | 331.5 | 282.5 | 289.7 | **22,764.1** |
| OIL | 1975 | 102.3 | 93.0 | 99.6 | 96.3 | 97.7 | 94.9 | 96.1 | 100.0 | 75.0 | 73.1 | 69.4 | 71.5 | **13,863.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 9.0 | 13.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,440.0** |
| H2O | 1974 | 795.9 | 685.0 | 833.2 | 757.1 | 243.2 | 364.7 | 696.0 | 753.7 | 732.4 | 738.0 | 659.3 | 724.9 | **15,744.5** |

# Manitoba Production
## 1950 To 1975

Licence ***2029*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-21-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1974 | 104.6 | 103.5 | 115.1 | 110.8 | 32.7 | 44.0 | 109.2 | 117.8 | 107.1 | 98.8 | 95.5 | 101.5 | **12,794.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 29.0 | 30.0 | 30.0 | 30.0 | 24.0 | 30.0 | 28.0 | **3,117.0** |
| H2O | 1973 | 57.7 | 36.7 | 42.6 | 47.1 | 41.3 | 48.5 | 456.6 | 476.5 | 496.7 | 526.4 | 640.2 | 691.6 | **7,761.1** |
| OIL | 1973 | 64.8 | 61.8 | 69.1 | 73.7 | 61.5 | 68.0 | 76.6 | 73.3 | 72.9 | 83.1 | 102.5 | 92.0 | **11,653.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,768.0** |
| H2O | 1972 | 42.8 | 43.1 | 43.4 | 35.0 | 37.7 | 34.8 | 35.3 | 50.6 | 45.2 | 50.4 | 48.3 | 48.2 | **4,199.2** |
| OIL | 1972 | 79.0 | 76.1 | 80.1 | 67.1 | 69.9 | 67.7 | 68.8 | 68.8 | 63.7 | 74.2 | 73.9 | 65.2 | **10,754.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,405.0** |
| H2O | 1971 | 80.4 | 80.0 | 86.0 | 19.1 | 19.9 | 60.7 | 68.0 | 75.2 | 67.7 | 42.1 | 38.2 | 39.7 | **3,684.4** |
| OIL | 1971 | 103.3 | 93.4 | 104.6 | 85.7 | 86.0 | 66.1 | 74.8 | 73.6 | 70.2 | 77.7 | 73.7 | 79.8 | **9,899.8** |
| DAY | 1970 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,041.0** |
| H2O | 1970 | 43.2 | 40.4 | 51.0 | 45.9 | 47.5 | 45.5 | 76.6 | 78.5 | 85.4 | 85.8 | 73.8 | 68.2 | **3,007.4** |
| OIL | 1970 | 98.7 | 86.3 | 99.2 | 96.3 | 98.4 | 90.6 | 93.6 | 98.2 | 96.5 | 99.2 | 96.9 | 102.2 | **8,910.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,679.0** |
| H2O | 1969 | 63.6 | 52.0 | 63.3 | 50.9 | 67.7 | 64.9 | 68.5 | 60.7 | 23.1 | 23.5 | 22.9 | 49.3 | **2,265.6** |
| OIL | 1969 | 91.4 | 98.4 | 110.9 | 92.8 | 111.9 | 111.2 | 113.3 | 110.8 | 136.2 | 138.7 | 131.9 | 100.7 | **7,754.8** |
| DAY | 1968 | 19.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 28.0 | **1,320.0** |
| H2O | 1968 | 14.9 | 25.3 | 29.3 | 31.5 | 30.0 | 21.6 | 23.7 | 24.3 | 55.5 | 56.9 | 58.8 | 57.9 | **1,655.2** |
| OIL | 1968 | 69.1 | 106.0 | 118.9 | 124.7 | 123.9 | 123.5 | 133.0 | 134.0 | 89.1 | 86.0 | 86.9 | 83.1 | **6,406.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **971.0** |
| H2O | 1967 | 51.5 | 52.3 | 42.9 | 60.3 | 108.3 | 24.2 | 22.4 | 26.4 | 23.4 | 24.5 | 26.9 | 26.1 | **1,225.5** |
| OIL | 1967 | 137.6 | 107.6 | 135.1 | 125.5 | 115.7 | 110.6 | 112.3 | 118.2 | 103.9 | 113.8 | 120.3 | 117.0 | **5,128.4** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **611.0** |
| H2O | 1966 | 25.4 | 36.6 | 28.6 | 25.8 | 26.1 | 68.7 | 38.2 | 41.5 | 65.8 | 38.5 | 68.8 | 52.9 | **736.3** |
| OIL | 1966 | 161.1 | 143.7 | 164.0 | 156.5 | 155.7 | 148.3 | 117.1 | 149.9 | 140.5 | 139.8 | 138.6 | 134.1 | **3,710.8** |
| DAY | 1965 | 24.0 | 12.0 | 23.0 | 28.0 | 22.0 | 25.0 | 12.0 | 15.0 | 9.0 | 8.0 | 28.0 | 29.0 | **255.0** |
| H2O | 1965 | 11.8 | 10.8 | 24.5 | 33.1 | 21.1 | 34.3 | 5.4 | 4.6 | 11.0 | 12.4 | 15.4 | 25.9 | **219.4** |
| OIL | 1965 | 204.7 | 80.4 | 205.2 | 229.8 | 195.9 | 208.2 | 98.4 | 113.9 | 55.0 | 37.2 | 167.6 | 171.0 | **1,961.5** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | **20.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.1 | **9.1** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 194.2 | **194.2** |

Licence ***2030*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-19-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 30.0 | 18.0 | 2.0 | 10.0 | 10.0 | 0.0 | 0.0 | **946.0** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 4.1 | 2.5 | 0.2 | 1.4 | 1.6 | 0.0 | 0.0 | **484.8** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 0.0 | 0.0 | **855.0** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 4.1 | 4.4 | 4.1 | 4.1 | 4.0 | 0.0 | 0.0 | **472.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 27.0 | 25.0 | 11.0 | 2.0 | 3.0 | 30.0 | 16.0 | 30.0 | 0.0 | **699.0** |
| H2O | 1969 | 4.5 | 3.7 | 4.7 | 4.1 | 4.0 | 1.6 | 0.3 | 0.5 | 4.5 | 2.2 | 4.5 | 0.0 | **124.3** |
| OIL | 1969 | 18.5 | 16.1 | 18.2 | 16.7 | 14.5 | 6.0 | 1.1 | 1.7 | 17.5 | 9.4 | 16.8 | 0.0 | **450.7** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **465.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 4.6 | 4.1 | 4.5 | 4.5 | 4.8 | **89.7** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.2 | 18.8 | 18.3 | 18.3 | 17.8 | 18.8 | **314.2** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **303.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 12.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **65.9** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 20.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **217.0** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 26.0 | 31.0 | 23.0 | 23.0 | 0.0 | 0.0 | **277.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 14.8 | 7.9 | 6.4 | 6.4 | 0.0 | 0.0 | **53.2** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.9 | 17.5 | 6.5 | 12.7 | 14.0 | 0.0 | 0.0 | **196.3** |

# Manitoba Production
## 1950 To 1975

Licence ***2030*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-19-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 8.0 | 16.0 | 14.0 | 10.0 | 31.0 | 7.0 | 0.0 | 22.0 | 30.0 | 13.0 | 0.0 | 0.0 | **151.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.2 | 2.9 | 1.6 | 0.0 | 0.0 | **7.7** |
| OIL | 1965 | 24.2 | 38.5 | 16.5 | 4.9 | 12.7 | 0.3 | 0.0 | 7.9 | 9.5 | 5.2 | 0.0 | 0.0 | **119.7** |

Licence ***2031*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.16-19-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,877.0** |
| H2O | 1975 | 26.7 | 24.2 | 28.3 | 27.0 | 30.0 | 26.7 | 24.2 | 27.8 | 25.1 | 23.7 | 22.6 | 23.1 | **8,893.5** |
| OIL | 1975 | 46.7 | 42.4 | 46.9 | 44.0 | 46.1 | 43.4 | 41.0 | 46.2 | 47.0 | 47.2 | 46.2 | 47.7 | **7,124.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 23.0 | 30.0 | 31.0 | **3,515.0** |
| H2O | 1974 | 79.8 | 44.8 | 54.7 | 49.6 | 55.0 | 29.6 | 27.2 | 27.2 | 27.5 | 21.0 | 24.6 | 27.0 | **8,584.1** |
| OIL | 1974 | 75.2 | 28.8 | 31.9 | 30.8 | 31.3 | 39.7 | 47.4 | 47.4 | 44.8 | 34.3 | 43.7 | 46.2 | **6,580.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 29.0 | 27.0 | 29.0 | 30.0 | 31.0 | **3,161.0** |
| H2O | 1973 | 137.7 | 124.8 | 144.2 | 104.3 | 65.2 | 69.3 | 63.9 | 59.6 | 60.7 | 65.8 | 65.2 | 76.8 | **8,116.1** |
| OIL | 1973 | 78.9 | 69.6 | 77.8 | 40.4 | 78.9 | 78.8 | 84.3 | 72.2 | 70.4 | 74.8 | 75.1 | 73.2 | **6,078.6** |
| DAY | 1972 | 31.0 | 29.0 | 25.0 | 29.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | 20.0 | 30.0 | 31.0 | **2,805.0** |
| H2O | 1972 | 89.2 | 90.0 | 72.2 | 70.4 | 78.5 | 72.3 | 73.3 | 24.5 | 28.1 | 18.8 | 124.5 | 114.9 | **7,078.6** |
| OIL | 1972 | 51.2 | 49.3 | 41.5 | 47.2 | 51.0 | 49.4 | 50.2 | 14.5 | 17.3 | 12.1 | 78.1 | 79.4 | **5,204.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,463.0** |
| H2O | 1971 | 59.1 | 58.7 | 63.1 | 65.0 | 67.9 | 56.0 | 59.1 | 51.7 | 80.0 | 87.6 | 79.2 | 82.7 | **6,221.9** |
| OIL | 1971 | 60.7 | 54.8 | 61.5 | 58.6 | 58.6 | 56.7 | 60.4 | 46.2 | 48.1 | 50.4 | 47.8 | 51.6 | **4,663.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,098.0** |
| H2O | 1970 | 61.1 | 57.9 | 70.6 | 63.8 | 65.7 | 65.0 | 58.3 | 57.6 | 62.6 | 60.4 | 54.4 | 50.1 | **5,411.8** |
| OIL | 1970 | 59.5 | 52.6 | 58.3 | 56.6 | 57.9 | 55.0 | 56.9 | 57.7 | 56.8 | 56.1 | 56.9 | 60.1 | **4,007.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 21.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,734.0** |
| H2O | 1969 | 122.6 | 100.2 | 121.8 | 67.9 | 72.8 | 48.3 | 73.6 | 64.9 | 63.3 | 63.0 | 63.6 | 68.4 | **4,684.3** |
| OIL | 1969 | 36.4 | 31.3 | 35.1 | 59.8 | 58.2 | 39.9 | 59.0 | 57.2 | 55.0 | 54.5 | 54.0 | 59.1 | **3,323.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,380.0** |
| H2O | 1968 | 109.1 | 109.1 | 127.0 | 135.3 | 129.6 | 111.1 | 117.2 | 120.7 | 107.3 | 113.0 | 113.7 | 122.7 | **3,753.9** |
| OIL | 1968 | 58.2 | 52.6 | 58.8 | 61.8 | 61.4 | 34.8 | 36.4 | 36.6 | 35.6 | 35.3 | 34.8 | 36.4 | **2,723.7** |
| DAY | 1967 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,014.0** |
| H2O | 1967 | 76.3 | 88.7 | 97.8 | 90.6 | 65.2 | 107.8 | 100.3 | 102.9 | 117.2 | 111.9 | 110.7 | 116.9 | **2,338.1** |
| OIL | 1967 | 32.1 | 46.1 | 57.0 | 52.3 | 61.8 | 60.7 | 57.7 | 52.8 | 59.6 | 59.8 | 56.9 | 59.9 | **2,181.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 17.0 | 29.0 | **657.0** |
| H2O | 1966 | 72.5 | 68.0 | 81.1 | 67.1 | 86.0 | 84.1 | 92.2 | 88.2 | 93.0 | 83.5 | 29.7 | 118.4 | **1,151.8** |
| OIL | 1966 | 89.6 | 79.7 | 77.8 | 64.8 | 76.0 | 69.9 | 72.5 | 71.0 | 66.1 | 61.7 | 13.7 | 64.4 | **1,524.3** |
| DAY | 1965 | 23.0 | 0.0 | 0.0 | 23.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **312.0** |
| H2O | 1965 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.2 | 22.8 | 29.5 | 40.4 | 48.6 | **188.0** |
| OIL | 1965 | 65.2 | 0.0 | 0.0 | 62.8 | 65.5 | 51.8 | 65.5 | 58.5 | 51.6 | 52.0 | 56.9 | 84.3 | **717.1** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | **24.0** |
| H2O | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.5 | **17.5** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 103.0 | **103.0** |

Licence ***2033*** Well Name ***Hendy's Ebor SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-35-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1974 | 359.0 | 326.0 | 435.3 | 384.4 | 375.9 | 342.8 | 270.3 | 323.4 | 179.7 | 0.0 | 233.7 | 4.8 | **20,652.6** |
| WIN | 1973 | 398.3 | 353.8 | 376.8 | 343.4 | 316.4 | 331.5 | 321.6 | 366.6 | 295.7 | 432.1 | 408.6 | 428.0 | **17,417.3** |
| WIN | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 169.5 | 407.3 | 435.0 | 413.4 | 371.2 | 380.1 | 375.2 | 207.5 | **13,044.5** |
| WIN | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 423.9 | 369.2 | 356.9 | 354.5 | 426.1 | 334.7 | 0.0 | 0.0 | **10,285.3** |

# Manitoba Production
## 1950 To 1975

Licence ***2033*** Well Name ***Hendy's Ebor SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-35-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 230.5 | 451.4 | 402.7 | 384.1 | 152.6 | 437.2 | 293.8 | 0.0 | **8,020.0** |
| WIN | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 386.2 | 405.9 | 318.0 | 406.4 | 391.9 | 391.3 | 177.1 | 0.0 | **5,667.7** |
| WIN | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 102.4 | 331.0 | 268.7 | 285.7 | 262.0 | 311.8 | 124.0 | 0.0 | **3,190.9** |
| WIN | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 259.8 | 153.3 | 173.5 | 251.4 | 139.4 | 129.6 | 0.0 | 0.0 | **1,505.3** |
| DAY | 1966 | 26.0 | 28.0 | 31.0 | 30.0 | 31.0 | 18.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **505.0** |
| H2O | 1966 | 15.4 | 17.8 | 19.7 | 19.1 | 19.1 | 12.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **577.7** |
| OIL | 1966 | 23.2 | 26.7 | 27.0 | 24.6 | 22.9 | 12.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,476.0** |
| WIN | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 75.2 | 323.1 | 0.0 | 0.0 | **398.3** |
| DAY | 1965 | 31.0 | 23.0 | 29.0 | 30.0 | 25.0 | 24.0 | 25.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **341.0** |
| H2O | 1965 | 0.0 | 0.0 | 45.0 | 84.3 | 42.9 | 90.6 | 47.7 | 47.7 | 57.2 | 19.7 | 19.1 | 19.7 | **473.9** |
| OIL | 1965 | 234.4 | 152.4 | 155.3 | 137.1 | 102.5 | 91.4 | 123.0 | 71.5 | 81.0 | 49.3 | 42.9 | 29.6 | **1,338.9** |
| DAY | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | **7.0** |
| OIL | 1964 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 68.5 | **68.5** |

Licence ***2036*** Well Name ***Gale Force Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-31-008-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 27.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 31.0 | **3,307.0** |
| H2O | 1975 | 258.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 235.1 | 347.2 | **38,418.5** |
| OIL | 1975 | 6.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.3 | 6.8 | **2,054.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,228.0** |
| H2O | 1974 | 354.1 | 321.9 | 383.8 | 348.8 | 360.6 | 305.1 | 343.3 | 336.6 | 308.8 | 328.0 | 300.3 | 302.7 | **37,577.5** |
| OIL | 1974 | 3.8 | 4.3 | 3.0 | 8.3 | 11.0 | 6.8 | 11.0 | 4.5 | 7.2 | 5.9 | 6.0 | 4.0 | **2,038.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 27.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,865.0** |
| H2O | 1973 | 338.0 | 303.5 | 333.4 | 322.3 | 322.3 | 283.8 | 299.7 | 314.2 | 340.7 | 342.6 | 340.1 | 359.9 | **33,583.5** |
| OIL | 1973 | 5.9 | 5.4 | 7.3 | 5.9 | 5.6 | 4.8 | 10.0 | 4.5 | 5.9 | 6.7 | 3.7 | 7.5 | **1,962.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 20.0 | 0.0 | 20.0 | 31.0 | 30.0 | 31.0 | **2,509.0** |
| H2O | 1972 | 378.4 | 317.5 | 374.4 | 370.3 | 355.8 | 346.9 | 217.7 | 0.0 | 237.2 | 353.4 | 327.8 | 340.7 | **29,683.0** |
| OIL | 1972 | 6.8 | 5.7 | 7.9 | 8.9 | 10.3 | 7.2 | 4.9 | 0.0 | 6.2 | 7.5 | 6.5 | 7.6 | **1,889.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 25.0 | 24.0 | 21.0 | 20.0 | 17.0 | 15.0 | 28.0 | 31.0 | **2,195.0** |
| H2O | 1971 | 613.7 | 524.0 | 604.0 | 573.3 | 518.1 | 499.4 | 428.0 | 401.3 | 340.7 | 313.2 | 326.2 | 379.5 | **26,062.9** |
| OIL | 1971 | 8.6 | 5.6 | 10.8 | 10.2 | 6.4 | 5.6 | 8.3 | 7.8 | 7.5 | 6.5 | 8.4 | 8.9 | **1,809.6** |
| DAY | 1970 | 29.0 | 28.0 | 30.0 | 30.0 | 31.0 | 23.0 | 0.0 | 0.0 | 23.0 | 31.0 | 30.0 | 31.0 | **1,894.0** |
| H2O | 1970 | 352.6 | 377.4 | 387.8 | 429.9 | 405.9 | 380.1 | 0.0 | 0.0 | 322.7 | 623.9 | 617.3 | 622.0 | **20,541.5** |
| OIL | 1970 | 12.6 | 12.9 | 14.6 | 14.6 | 15.9 | 12.4 | 0.0 | 0.0 | 15.4 | 14.6 | 12.7 | 10.3 | **1,715.0** |
| DAY | 1969 | 23.0 | 28.0 | 30.0 | 20.0 | 21.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 24.0 | **1,608.0** |
| H2O | 1969 | 256.1 | 349.8 | 269.2 | 52.8 | 256.3 | 408.6 | 421.3 | 401.8 | 373.6 | 410.2 | 402.2 | 274.1 | **16,021.9** |
| OIL | 1969 | 12.2 | 18.3 | 14.9 | 5.4 | 9.4 | 15.1 | 15.6 | 14.9 | 14.6 | 13.8 | 14.3 | 12.7 | **1,579.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,281.0** |
| H2O | 1968 | 319.7 | 306.7 | 324.2 | 309.5 | 377.4 | 321.5 | 364.1 | 360.7 | 336.1 | 345.6 | 323.2 | 313.4 | **12,145.9** |
| OIL | 1968 | 28.1 | 25.8 | 25.9 | 25.0 | 27.8 | 21.0 | 24.2 | 24.6 | 23.2 | 23.8 | 23.8 | 24.5 | **1,417.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **918.0** |
| H2O | 1967 | 271.1 | 235.3 | 263.9 | 257.4 | 236.4 | 280.0 | 262.6 | 314.8 | 320.4 | 323.9 | 320.5 | 330.1 | **8,143.8** |
| OIL | 1967 | 34.3 | 33.1 | 34.0 | 32.4 | 27.8 | 26.9 | 31.8 | 31.0 | 27.2 | 27.5 | 29.1 | 29.6 | **1,120.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | **555.0** |
| H2O | 1966 | 255.4 | 234.7 | 254.4 | 249.0 | 261.4 | 257.5 | 260.0 | 278.6 | 244.9 | 243.8 | 277.0 | 275.8 | **4,727.4** |
| OIL | 1966 | 45.1 | 41.5 | 43.4 | 43.7 | 42.3 | 39.1 | 35.5 | 41.3 | 36.7 | 32.6 | 36.1 | 35.6 | **755.4** |
| DAY | 1965 | 2.0 | 0.0 | 7.0 | 7.0 | 16.0 | 19.0 | 7.0 | 13.0 | 30.0 | 31.0 | 30.0 | 31.0 | **193.0** |
| H2O | 1965 | 12.0 | 0.0 | 33.6 | 45.7 | 83.1 | 179.7 | 48.7 | 114.1 | 244.7 | 298.3 | 311.5 | 263.5 | **1,634.9** |
| OIL | 1965 | 2.3 | 0.0 | 15.2 | 13.6 | 26.8 | 37.9 | 12.1 | 3.9 | 37.6 | 43.0 | 41.4 | 48.7 | **282.5** |

Licence ***2041*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***2041*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.07-14-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **3,916.0** |
| H2O | 1975 | 444.3 | 411.8 | 459.0 | 444.8 | 436.4 | 432.1 | 462.0 | 440.9 | 448.3 | 481.6 | 460.9 | 491.6 | **22,876.9** |
| OIL | 1975 | 185.0 | 165.7 | 182.0 | 172.7 | 166.4 | 167.3 | 98.4 | 95.5 | 95.8 | 99.0 | 91.4 | 97.3 | **12,869.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,554.0** |
| H2O | 1974 | 435.8 | 410.7 | 459.3 | 446.0 | 462.7 | 449.6 | 469.8 | 431.0 | 425.0 | 434.2 | 445.2 | 445.0 | **17,463.2** |
| OIL | 1974 | 188.9 | 167.4 | 191.4 | 181.9 | 189.8 | 177.4 | 189.5 | 188.7 | 181.2 | 185.7 | 182.0 | 187.8 | **11,252.6** |
| DAY | 1973 | 30.0 | 23.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,190.0** |
| H2O | 1973 | 849.0 | 730.1 | 945.0 | 852.8 | 860.0 | 854.4 | 447.1 | 497.6 | 488.9 | 477.3 | 458.2 | 444.2 | **12,148.9** |
| OIL | 1973 | 242.0 | 191.1 | 254.5 | 227.0 | 235.9 | 236.3 | 182.2 | 201.3 | 191.6 | 189.2 | 184.3 | 186.8 | **9,040.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | **2,834.0** |
| H2O | 1972 | 120.2 | 117.0 | 128.5 | 111.3 | 126.4 | 125.6 | 139.4 | 132.1 | 130.8 | 143.7 | 126.7 | 102.9 | **4,244.3** |
| OIL | 1972 | 121.2 | 113.1 | 123.1 | 114.5 | 124.2 | 119.7 | 123.4 | 126.1 | 119.1 | 126.4 | 73.0 | 60.7 | **6,518.7** |
| DAY | 1971 | 27.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,473.0** |
| H2O | 1971 | 3.5 | 3.5 | 4.0 | 4.1 | 4.1 | 4.0 | 4.0 | 4.0 | 3.5 | 3.8 | 3.7 | 4.3 | **2,739.7** |
| OIL | 1971 | 58.1 | 59.0 | 63.0 | 62.1 | 63.5 | 58.9 | 63.2 | 61.9 | 61.1 | 63.3 | 58.4 | 61.1 | **5,174.2** |
| DAY | 1970 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,113.0** |
| H2O | 1970 | 15.7 | 17.2 | 18.0 | 4.0 | 4.0 | 3.7 | 3.8 | 4.3 | 4.0 | 4.0 | 3.8 | 4.0 | **2,693.2** |
| OIL | 1970 | 27.7 | 29.2 | 31.9 | 61.4 | 63.5 | 53.8 | 64.6 | 63.5 | 60.6 | 61.9 | 61.3 | 62.5 | **4,440.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **1,756.0** |
| H2O | 1969 | 28.1 | 25.4 | 24.0 | 40.9 | 45.0 | 43.1 | 46.6 | 46.9 | 18.0 | 19.4 | 17.3 | 17.2 | **2,606.7** |
| OIL | 1969 | 52.4 | 46.3 | 51.3 | 68.4 | 70.2 | 68.9 | 71.6 | 71.3 | 31.9 | 33.4 | 32.0 | 30.3 | **3,798.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,394.0** |
| H2O | 1968 | 39.7 | 37.7 | 40.1 | 25.3 | 47.7 | 47.9 | 51.5 | 47.2 | 25.8 | 26.7 | 25.0 | 26.9 | **2,234.8** |
| OIL | 1968 | 33.4 | 30.6 | 32.7 | 47.8 | 43.1 | 46.3 | 47.9 | 47.8 | 50.6 | 51.7 | 50.5 | 52.8 | **3,170.7** |
| DAY | 1967 | 30.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,032.0** |
| H2O | 1967 | 10.3 | 8.6 | 10.3 | 9.7 | 9.5 | 40.2 | 33.9 | 45.3 | 39.9 | 43.1 | 37.8 | 41.5 | **1,793.3** |
| OIL | 1967 | 48.9 | 43.5 | 48.9 | 47.1 | 47.9 | 30.1 | 33.0 | 33.1 | 31.9 | 33.8 | 32.8 | 33.3 | **2,635.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **671.0** |
| H2O | 1966 | 124.4 | 98.5 | 126.6 | 129.6 | 146.2 | 33.4 | 29.9 | 32.5 | 35.0 | 57.9 | 63.7 | 10.9 | **1,463.2** |
| OIL | 1966 | 81.6 | 71.1 | 79.6 | 77.8 | 81.3 | 69.5 | 65.6 | 71.3 | 69.4 | 59.7 | 64.9 | 49.0 | **2,171.2** |
| DAY | 1965 | 0.0 | 12.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | **311.0** |
| H2O | 1965 | 0.0 | 12.7 | 35.0 | 30.7 | 31.2 | 29.7 | 25.6 | 19.6 | 19.1 | 116.9 | 128.0 | 126.1 | **574.6** |
| OIL | 1965 | 0.0 | 64.8 | 167.5 | 161.5 | 162.9 | 163.0 | 146.2 | 78.8 | 72.0 | 116.0 | 117.8 | 79.9 | **1,330.4** |

Licence ***2042*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-05-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,910.0** |
| H2O | 1975 | 95.7 | 85.4 | 95.1 | 77.1 | 104.1 | 86.8 | 74.1 | 87.1 | 66.3 | 77.7 | 79.6 | 79.8 | **4,257.3** |
| OIL | 1975 | 27.3 | 24.3 | 28.3 | 26.5 | 28.4 | 26.9 | 41.8 | 42.4 | 35.8 | 35.6 | 36.4 | 36.9 | **3,688.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,545.0** |
| H2O | 1974 | 73.4 | 66.6 | 64.2 | 72.0 | 80.3 | 74.4 | 62.6 | 58.8 | 55.3 | 41.2 | 50.2 | 100.5 | **3,248.5** |
| OIL | 1974 | 69.0 | 61.0 | 65.3 | 62.6 | 66.4 | 68.8 | 40.8 | 82.5 | 36.4 | 25.4 | 25.3 | 28.6 | **3,297.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,180.0** |
| H2O | 1973 | 33.7 | 31.2 | 33.5 | 32.6 | 36.9 | 18.4 | 21.3 | 70.1 | 65.5 | 92.0 | 80.9 | 77.9 | **2,449.0** |
| OIL | 1973 | 31.5 | 27.5 | 31.9 | 33.4 | 33.1 | 30.5 | 31.5 | 36.1 | 34.0 | 72.9 | 74.2 | 70.6 | **2,665.4** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,816.0** |
| H2O | 1972 | 29.9 | 28.3 | 30.4 | 4.3 | 4.9 | 4.8 | 59.1 | 82.2 | 86.3 | 85.5 | 32.9 | 37.0 | **1,855.0** |
| OIL | 1972 | 26.9 | 24.9 | 26.4 | 41.2 | 42.4 | 40.4 | 32.7 | 12.2 | 13.3 | 13.8 | 27.3 | 31.3 | **2,158.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 25.0 | 20.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,453.0** |
| H2O | 1971 | 4.6 | 4.3 | 4.5 | 3.3 | 2.9 | 29.4 | 31.2 | 30.0 | 27.2 | 30.0 | 28.8 | 29.6 | **1,369.4** |

# Manitoba Production
## 1950 To 1975

Licence ***2042*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-05-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1971 | 13.8 | 12.6 | 13.5 | 11.3 | 9.1 | 25.3 | 28.8 | 27.3 | 25.9 | 27.5 | 25.9 | 28.0 | **1,825.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **2,105.0** |
| H2O | 1970 | 4.1 | 4.0 | 4.5 | 4.3 | 4.1 | 4.3 | 4.0 | 4.3 | 4.3 | 4.6 | 4.1 | 4.0 | **1,143.6** |
| OIL | 1970 | 14.1 | 12.2 | 13.3 | 13.0 | 13.5 | 13.7 | 14.6 | 13.2 | 12.7 | 12.6 | 13.3 | 13.7 | **1,576.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 9.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,744.0** |
| H2O | 1969 | 19.1 | 15.3 | 19.1 | 4.5 | 1.1 | 4.8 | 4.8 | 4.1 | 4.1 | 4.3 | 4.6 | 4.3 | **1,093.0** |
| OIL | 1969 | 23.2 | 20.3 | 22.1 | 13.7 | 3.5 | 14.0 | 13.2 | 12.6 | 13.0 | 13.7 | 13.5 | 14.5 | **1,416.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,401.0** |
| H2O | 1968 | 23.1 | 21.9 | 23.8 | 18.9 | 19.2 | 18.1 | 17.3 | 19.1 | 16.9 | 20.3 | 18.8 | 19.1 | **1,002.9** |
| OIL | 1968 | 47.4 | 45.1 | 45.4 | 32.1 | 33.5 | 35.8 | 35.4 | 34.5 | 22.4 | 24.3 | 22.1 | 22.7 | **1,239.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,035.0** |
| H2O | 1967 | 18.1 | 16.9 | 17.2 | 15.9 | 17.0 | 18.8 | 10.2 | 10.3 | 23.5 | 21.8 | 21.0 | 23.7 | **766.4** |
| OIL | 1967 | 15.9 | 14.9 | 16.0 | 15.4 | 15.1 | 14.8 | 21.8 | 20.8 | 49.6 | 49.6 | 45.3 | 50.2 | **838.5** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **674.0** |
| H2O | 1966 | 22.7 | 20.2 | 24.2 | 22.3 | 23.5 | 26.9 | 24.8 | 24.2 | 22.6 | 20.5 | 18.0 | 15.6 | **552.0** |
| OIL | 1966 | 23.4 | 20.8 | 22.2 | 22.9 | 12.4 | 13.3 | 13.8 | 12.4 | 14.0 | 12.9 | 13.8 | 14.8 | **509.1** |
| DAY | 1965 | 0.0 | 10.0 | 31.0 | 27.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **309.0** |
| H2O | 1965 | 0.0 | 15.7 | 45.6 | 43.6 | 24.3 | 22.4 | 25.6 | 22.7 | 20.7 | 22.1 | 20.7 | 23.1 | **286.5** |
| OIL | 1965 | 0.0 | 18.7 | 56.3 | 48.6 | 23.5 | 23.0 | 22.6 | 26.9 | 23.7 | 24.0 | 21.3 | 23.8 | **312.4** |

Licence ***2043*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-08-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 21.0 | 0.0 | 28.0 | 18.0 | 31.0 | 0.0 | 0.0 | **1,923.0** |
| H2O | 1974 | 81.7 | 74.2 | 71.4 | 80.8 | 70.3 | 49.1 | 0.0 | 67.9 | 44.5 | 65.4 | 0.0 | 0.0 | **6,126.1** |
| OIL | 1974 | 59.8 | 52.9 | 56.7 | 54.7 | 12.1 | 9.5 | 0.0 | 11.6 | 7.7 | 13.4 | 0.0 | 0.0 | **1,303.4** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 6.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **1,676.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 22.6 | 127.5 | 105.6 | 98.6 | 94.4 | 93.0 | 101.7 | 90.1 | 81.2 | **5,520.8** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 1.9 | 9.2 | 8.1 | 62.6 | 62.8 | 62.1 | 62.6 | 64.5 | 57.2 | **1,025.0** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 24.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 29.0 | 0.0 | 0.0 | **1,428.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 74.2 | 106.7 | 108.9 | 98.9 | 118.9 | 128.8 | 119.7 | 0.0 | 0.0 | **4,706.1** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 7.0 | 8.9 | 8.9 | 7.8 | 7.3 | 8.3 | 7.9 | 0.0 | 0.0 | **634.0** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 25.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **1,226.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 110.3 | 94.4 | 88.9 | 88.2 | 90.9 | 82.4 | 91.1 | 0.0 | 0.0 | **3,950.0** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 14.8 | 8.9 | 7.9 | 8.7 | 8.9 | 8.4 | 8.7 | 0.0 | 0.0 | **577.9** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 28.0 | 31.0 | 31.0 | 18.0 | 30.0 | 0.0 | 0.0 | **1,020.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 142.3 | 132.1 | 130.8 | 142.1 | 78.1 | 139.3 | 0.0 | 0.0 | **3,303.8** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 19.1 | 16.7 | 19.5 | 17.8 | 9.5 | 15.6 | 0.0 | 0.0 | **511.6** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 24.0 | 0.0 | **851.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 39.3 | 48.5 | 160.7 | 145.3 | 141.0 | 147.4 | 126.9 | 0.0 | **2,539.1** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 7.2 | 8.6 | 13.2 | 13.0 | 12.7 | 13.7 | 10.8 | 0.0 | **413.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **647.0** |
| H2O | 1968 | 92.7 | 87.6 | 95.5 | 96.0 | 57.4 | 58.0 | 55.3 | 47.5 | 41.7 | 50.2 | 46.3 | 47.1 | **1,730.0** |
| OIL | 1968 | 23.0 | 22.1 | 22.1 | 21.1 | 4.3 | 4.3 | 4.3 | 8.4 | 8.7 | 9.4 | 8.4 | 8.6 | **334.2** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 16.0 | 18.0 | 31.0 | 30.0 | 31.0 | **281.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 81.1 | 53.1 | 68.7 | 84.9 | 83.3 | 91.9 | **954.7** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 13.0 | 17.6 | 23.5 | 21.9 | 23.8 | **189.5** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 29.0 | 29.0 | 18.0 | 27.0 | 9.0 | 0.0 | **126.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 62.8 | 143.9 | 89.0 | 54.8 | 99.2 | 42.0 | 0.0 | **491.7** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.9 | 24.6 | 13.3 | 12.7 | 9.2 | 0.0 | 0.0 | **68.7** |

Licence ***2044*** Well Name ***Tancam Waskada*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***2044*** Well Name ***Tancam Waskada*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-33-001-24W1.00*** Field Name ***Waskada*** Pool Name ***Mission Canyon 1 K*** Field Code ***3*** Pool Code ***44K*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 23.0 | **219.0** |
| H2O | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 625.6 | 436.6 | **1,967.4** |
| OIL | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 108.7 | 66.6 | **794.6** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **176.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 41.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **905.2** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 53.6 | 39.7 | 0.0 | 0.0 | 0.0 | 0.0 | **619.3** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 24.0 | 5.0 | 0.0 | 0.0 | **163.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 111.0 | 145.0 | 89.0 | 0.0 | 0.0 | **863.5** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 82.5 | 49.6 | 12.2 | 0.0 | 0.0 | **526.0** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 4.0 | 12.0 | 24.0 | 17.0 | 31.0 | 24.0 | 0.0 | 0.0 | 0.0 | **112.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 1.2 | 5.6 | 113.6 | 89.3 | 173.0 | 135.8 | 0.0 | 0.0 | 0.0 | **518.5** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 44.1 | 96.6 | 96.6 | 41.1 | 67.0 | 36.3 | 0.0 | 0.0 | 0.0 | **381.7** |

Licence ***2047*** Well Name ***Hendy's Ebor Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-36-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 28.0 | 28.0 | 31.0 | 28.0 | 25.0 | 21.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 5.0 | **2,178.0** |
| H2O | 1974 | 26.7 | 26.7 | 29.6 | 26.7 | 23.8 | 20.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 1.7 | **2,032.2** |
| OIL | 1974 | 13.4 | 14.9 | 14.8 | 13.4 | 11.9 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.1 | 6.4 | **2,305.6** |
| DAY | 1973 | 27.0 | 23.0 | 18.0 | 16.0 | 20.0 | 14.0 | 14.0 | 21.0 | 23.0 | 28.0 | 30.0 | 26.0 | **2,008.0** |
| H2O | 1973 | 42.9 | 36.6 | 28.6 | 25.4 | 16.7 | 11.1 | 13.4 | 20.0 | 21.9 | 26.7 | 28.6 | 24.8 | **1,875.7** |
| OIL | 1973 | 25.8 | 21.9 | 11.3 | 10.2 | 6.4 | 4.5 | 5.1 | 9.9 | 11.0 | 13.4 | 14.3 | 12.4 | **2,215.7** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 30.0 | 31.0 | 30.0 | 28.0 | 29.0 | 27.0 | 15.0 | **1,748.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 16.2 | 48.5 | 54.2 | 53.1 | 44.5 | 46.1 | 47.2 | 26.2 | **1,579.0** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 15.4 | 33.4 | 34.5 | 33.4 | 31.2 | 27.7 | 25.8 | 14.3 | **2,069.5** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 29.0 | 31.0 | 28.0 | 29.0 | 13.0 | 0.0 | 0.0 | **1,547.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 25.6 | 27.7 | 29.3 | 26.7 | 30.8 | 14.6 | 0.0 | 0.0 | **1,243.0** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 25.1 | 23.1 | 25.0 | 22.3 | 25.1 | 12.4 | 0.0 | 0.0 | **1,853.8** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 29.0 | 31.0 | 31.0 | 19.0 | 28.0 | 20.0 | 0.0 | **1,394.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 19.1 | 55.3 | 57.2 | 55.5 | 30.2 | 30.2 | 19.1 | 0.0 | **1,088.3** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 18.9 | 27.7 | 25.4 | 29.6 | 15.1 | 22.3 | 16.7 | 0.0 | **1,720.8** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 29.0 | 27.0 | 27.0 | 29.0 | 31.0 | 13.0 | 0.0 | **1,221.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 44.4 | 55.3 | 42.9 | 47.1 | 41.5 | 44.4 | 15.7 | 0.0 | **821.7** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 39.4 | 27.7 | 21.5 | 42.9 | 32.3 | 32.9 | 12.2 | 0.0 | **1,565.1** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 30.0 | 27.0 | 27.0 | 31.0 | 14.0 | 0.0 | **1,034.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.9 | 19.1 | 17.2 | 21.1 | 29.6 | 14.3 | 0.0 | **530.4** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.2 | 38.3 | 28.3 | 21.5 | 24.6 | 11.1 | 0.0 | **1,356.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 4.0 | 0.0 | 0.0 | 0.0 | **891.0** |
| H2O | 1967 | 9.5 | 8.7 | 9.9 | 9.9 | 9.9 | 10.2 | 9.9 | 9.5 | 1.3 | 0.0 | 0.0 | 0.0 | **421.2** |
| OIL | 1967 | 17.2 | 13.4 | 14.8 | 14.3 | 14.3 | 12.1 | 19.7 | 19.1 | 2.5 | 0.0 | 0.0 | 0.0 | **1,216.2** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **644.0** |
| H2O | 1966 | 9.9 | 10.7 | 13.0 | 10.3 | 10.3 | 10.3 | 9.5 | 15.1 | 9.5 | 11.6 | 11.1 | 9.5 | **342.4** |
| OIL | 1966 | 38.2 | 31.2 | 32.1 | 27.0 | 25.3 | 21.9 | 13.4 | 26.1 | 19.1 | 19.1 | 16.7 | 16.7 | **1,088.8** |
| DAY | 1965 | 0.0 | 0.0 | 26.0 | 29.0 | 29.0 | 23.0 | 26.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **283.0** |
| H2O | 1965 | 0.0 | 0.0 | 4.8 | 8.6 | 19.4 | 20.7 | 12.6 | 44.5 | 49.6 | 17.5 | 19.1 | 14.8 | **211.6** |
| OIL | 1965 | 0.0 | 0.0 | 142.9 | 145.3 | 95.1 | 58.1 | 66.3 | 73.1 | 76.3 | 44.4 | 42.9 | 57.6 | **802.0** |

Licence ***2048*** Well Name ***Bison Orecan Security Dand*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-19-004-22W1.00*** Field Name ***Other Areas*** Pool Name ***Lodgepole WL C*** Field Code ***99*** Pool Code ***52C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **12.0** |

# Manitoba Production
## 1950 To 1975

Licence ***2048*** Well Name ***Bison Orecan Security Dand*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-19-004-22W1.00*** Field Name ***Other Areas*** Pool Name ***Lodgepole WL C*** Field Code ***99*** Pool Code ***52C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 107.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **107.6** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **14.3** |

Licence ***2050*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-09-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 18.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,844.0** |
| H2O | 1975 | 9.4 | 7.9 | 9.2 | 8.4 | 4.9 | 4.5 | 4.9 | 5.1 | 4.9 | 5.1 | 4.6 | 4.9 | **3,140.2** |
| OIL | 1975 | 29.1 | 26.4 | 29.1 | 27.5 | 16.8 | 39.3 | 44.7 | 44.2 | 42.3 | 45.8 | 42.6 | 44.5 | **10,885.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,492.0** |
| H2O | 1974 | 19.9 | 18.3 | 20.3 | 18.9 | 17.3 | 19.7 | 68.0 | 70.9 | 66.1 | 70.7 | 69.0 | 9.4 | **3,066.4** |
| OIL | 1974 | 38.6 | 35.1 | 38.9 | 37.5 | 42.6 | 39.9 | 71.2 | 74.1 | 75.6 | 77.7 | 75.0 | 29.6 | **10,453.4** |
| DAY | 1973 | 31.0 | 27.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,127.0** |
| H2O | 1973 | 8.7 | 8.1 | 31.5 | 27.7 | 30.8 | 31.3 | 33.1 | 37.8 | 19.9 | 17.6 | 17.6 | 20.5 | **2,597.9** |
| OIL | 1973 | 44.2 | 39.9 | 47.5 | 45.4 | 49.3 | 47.5 | 46.9 | 44.7 | 42.4 | 38.9 | 40.0 | 39.6 | **9,817.6** |
| DAY | 1972 | 24.0 | 12.0 | 15.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,765.0** |
| H2O | 1972 | 21.8 | 10.8 | 13.2 | 21.8 | 23.1 | 22.1 | 15.7 | 18.4 | 17.2 | 20.5 | 25.8 | 26.1 | **2,313.3** |
| OIL | 1972 | 49.6 | 24.9 | 32.3 | 52.1 | 57.7 | 53.2 | 42.7 | 50.5 | 45.6 | 37.7 | 34.2 | 36.5 | **9,291.3** |
| DAY | 1971 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,443.0** |
| H2O | 1971 | 32.4 | 16.5 | 24.3 | 25.8 | 26.9 | 24.8 | 28.3 | 26.7 | 24.3 | 24.6 | 23.2 | 28.3 | **2,076.8** |
| OIL | 1971 | 100.3 | 45.4 | 57.0 | 63.1 | 61.8 | 56.6 | 62.8 | 62.9 | 60.7 | 58.8 | 50.1 | 65.5 | **8,774.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,085.0** |
| H2O | 1970 | 82.0 | 37.8 | 39.7 | 26.9 | 32.0 | 31.8 | 32.4 | 30.7 | 31.3 | 32.0 | 31.2 | 32.1 | **1,770.7** |
| OIL | 1970 | 112.0 | 96.5 | 105.5 | 89.9 | 108.4 | 100.9 | 102.3 | 95.8 | 96.0 | 97.1 | 88.7 | 106.5 | **8,029.3** |
| DAY | 1969 | 30.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 28.0 | 31.0 | **1,720.0** |
| H2O | 1969 | 5.1 | 4.8 | 4.9 | 5.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 72.0 | 81.6 | **1,330.8** |
| OIL | 1969 | 104.7 | 96.9 | 107.7 | 108.7 | 98.5 | 93.4 | 96.8 | 107.3 | 86.9 | 86.9 | 105.8 | 113.0 | **6,829.7** |
| DAY | 1968 | 19.0 | 29.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,361.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.6 | 7.2 | 8.6 | 7.0 | 5.1 | 5.1 | 5.4 | **1,157.3** |
| OIL | 1968 | 69.8 | 91.7 | 92.8 | 93.9 | 105.2 | 96.6 | 103.9 | 106.2 | 96.3 | 112.7 | 104.9 | 102.3 | **5,623.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | **1,010.0** |
| H2O | 1967 | 43.9 | 36.6 | 40.5 | 36.1 | 32.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,114.3** |
| OIL | 1967 | 157.3 | 131.6 | 144.3 | 139.8 | 156.4 | 102.0 | 106.8 | 108.4 | 98.5 | 94.6 | 85.3 | 98.7 | **4,446.8** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 29.0 | 29.0 | 28.0 | **653.0** |
| H2O | 1966 | 42.4 | 36.7 | 38.0 | 37.8 | 42.0 | 39.9 | 49.3 | 53.1 | 43.1 | 49.3 | 35.0 | 34.7 | **924.5** |
| OIL | 1966 | 137.8 | 101.2 | 130.3 | 146.0 | 163.0 | 135.1 | 126.8 | 148.3 | 122.5 | 118.4 | 147.8 | 148.7 | **3,023.1** |
| DAY | 1965 | 0.0 | 0.0 | 28.0 | 29.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | **296.0** |
| H2O | 1965 | 0.0 | 0.0 | 61.0 | 47.1 | 52.1 | 31.6 | 37.5 | 40.4 | 44.4 | 37.0 | 37.8 | 34.3 | **423.2** |
| OIL | 1965 | 0.0 | 0.0 | 126.2 | 178.5 | 173.1 | 121.4 | 126.7 | 145.7 | 143.7 | 143.2 | 125.7 | 113.0 | **1,397.2** |

Licence ***2051*** Well Name ***Hendy's Ebor Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-36-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 31.0 | 25.0 | 31.0 | 29.0 | 26.0 | 25.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,169.0** |
| H2O | 1974 | 29.6 | 23.8 | 29.6 | 27.7 | 24.8 | 23.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,274.5** |
| OIL | 1974 | 14.8 | 13.5 | 14.8 | 14.0 | 12.4 | 11.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,480.6** |
| DAY | 1973 | 30.0 | 26.0 | 27.0 | 25.0 | 22.0 | 28.0 | 31.0 | 30.0 | 25.0 | 30.0 | 30.0 | 31.0 | **2,002.0** |
| H2O | 1973 | 47.7 | 41.3 | 42.9 | 39.7 | 21.0 | 26.7 | 28.9 | 28.6 | 23.8 | 28.6 | 28.6 | 29.6 | **3,115.2** |
| OIL | 1973 | 19.1 | 12.9 | 12.9 | 10.7 | 10.5 | 13.2 | 14.8 | 14.3 | 11.9 | 14.3 | 14.3 | 14.8 | **2,399.2** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 29.0 | 31.0 | 30.0 | 29.0 | 31.0 | 27.0 | 16.0 | **1,667.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 13.7 | 46.1 | 49.3 | 47.4 | 46.1 | 44.4 | 42.9 | 25.4 | **2,727.8** |

# Manitoba Production
## 1950 To 1975

Licence ***2051*** Well Name ***Hendy's Ebor Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-36-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 23.1 | 20.2 | 19.1 | 18.4 | 19.7 | 17.2 | 10.2 | **2,235.5** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 28.0 | 29.0 | 24.0 | 30.0 | 23.0 | 0.0 | 0.0 | **1,463.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 24.8 | 22.3 | 23.8 | 19.1 | 28.6 | 21.9 | 0.0 | 0.0 | **2,412.5** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 19.7 | 17.8 | 18.8 | 15.3 | 22.3 | 18.3 | 0.0 | 0.0 | **2,094.6** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 25.0 | 29.0 | 30.0 | 18.0 | 24.0 | 19.0 | 0.0 | **1,303.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 17.6 | 31.8 | 35.0 | 35.3 | 11.1 | 19.1 | 15.6 | 0.0 | **2,272.0** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 16.7 | 19.1 | 18.4 | 22.4 | 7.6 | 15.3 | 10.8 | 0.0 | **1,982.4** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 25.0 | 25.0 | 29.0 | 28.0 | 26.0 | 13.0 | 0.0 | **1,143.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 29.6 | 31.8 | 31.8 | 30.8 | 32.3 | 28.9 | 14.5 | 0.0 | **2,106.5** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 24.6 | 11.9 | 12.4 | 27.7 | 26.2 | 22.3 | 12.4 | 0.0 | **1,872.1** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 30.0 | 22.0 | 22.0 | 15.0 | 0.0 | 0.0 | 0.0 | **966.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 14.3 | 9.5 | 14.0 | 14.0 | 11.1 | 0.0 | 0.0 | 0.0 | **1,906.8** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 12.2 | 20.0 | 21.0 | 21.0 | 9.9 | 0.0 | 0.0 | 0.0 | **1,734.6** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 28.0 | 31.0 | 4.0 | 4.0 | 0.0 | 0.0 | **871.0** |
| H2O | 1967 | 4.8 | 4.8 | 5.6 | 5.6 | 5.6 | 7.0 | 4.5 | 4.9 | 0.6 | 1.9 | 0.0 | 0.0 | **1,843.9** |
| OIL | 1967 | 12.1 | 8.4 | 11.0 | 10.7 | 10.3 | 8.3 | 17.8 | 18.4 | 2.5 | 1.9 | 0.0 | 0.0 | **1,650.5** |
| DAY | 1966 | 23.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **625.0** |
| H2O | 1966 | 89.0 | 44.5 | 73.9 | 39.6 | 39.6 | 35.0 | 36.6 | 13.2 | 4.8 | 11.6 | 4.8 | 4.8 | **1,798.6** |
| OIL | 1966 | 49.3 | 40.1 | 33.1 | 35.8 | 34.0 | 31.5 | 23.5 | 16.2 | 14.3 | 11.9 | 11.4 | 11.8 | **1,549.1** |
| DAY | 1965 | 0.0 | 0.0 | 8.0 | 30.0 | 30.0 | 23.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 29.0 | **271.0** |
| H2O | 1965 | 0.0 | 0.0 | 7.9 | 27.2 | 56.1 | 88.2 | 46.1 | 159.3 | 386.3 | 298.3 | 152.6 | 179.2 | **1,401.2** |
| OIL | 1965 | 0.0 | 0.0 | 52.8 | 161.7 | 164.2 | 128.0 | 163.0 | 134.7 | 128.8 | 143.6 | 57.2 | 102.2 | **1,236.2** |

Licence ***2053*** Well Name ***Cosens Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-36-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,833.0** |
| H2O | 1975 | 4.9 | 4.5 | 4.9 | 4.9 | 4.9 | 4.3 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | **1,369.9** |
| OIL | 1975 | 22.4 | 20.7 | 22.4 | 21.9 | 22.3 | 19.9 | 20.4 | 18.6 | 19.9 | 19.2 | 15.6 | 17.6 | **5,581.4** |
| DAY | 1974 | 22.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,468.0** |
| H2O | 1974 | 3.7 | 4.9 | 4.9 | 4.9 | 4.0 | 4.8 | 6.8 | 4.9 | 4.9 | 4.9 | 4.8 | 4.9 | **1,319.3** |
| OIL | 1974 | 16.7 | 19.9 | 25.4 | 22.7 | 23.7 | 22.4 | 23.7 | 22.1 | 23.8 | 23.5 | 18.4 | 22.7 | **5,340.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,112.0** |
| H2O | 1973 | 4.9 | 4.5 | 4.9 | 4.8 | 9.7 | 4.8 | 7.9 | 4.9 | 4.8 | 4.8 | 4.8 | 4.9 | **1,260.9** |
| OIL | 1973 | 20.7 | 23.2 | 25.0 | 24.2 | 17.8 | 26.7 | 27.0 | 28.1 | 26.6 | 27.3 | 25.6 | 25.3 | **5,075.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,749.0** |
| H2O | 1972 | 3.8 | 4.6 | 4.9 | 4.8 | 5.1 | 4.8 | 4.6 | 4.3 | 4.8 | 4.9 | 4.8 | 4.9 | **1,195.2** |
| OIL | 1972 | 29.1 | 23.7 | 29.4 | 27.3 | 27.8 | 26.1 | 26.9 | 23.4 | 26.1 | 26.6 | 25.4 | 23.7 | **4,778.0** |
| DAY | 1971 | 31.0 | 28.0 | 26.0 | 22.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,384.0** |
| H2O | 1971 | 9.7 | 9.2 | 8.6 | 7.3 | 7.8 | 9.2 | 9.4 | 9.4 | 9.5 | 9.7 | 9.5 | 4.9 | **1,138.9** |
| OIL | 1971 | 29.3 | 28.5 | 25.4 | 22.1 | 24.5 | 27.2 | 27.5 | 27.8 | 26.6 | 27.5 | 28.8 | 29.7 | **4,462.5** |
| DAY | 1970 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,035.0** |
| H2O | 1970 | 10.3 | 8.9 | 9.9 | 9.5 | 9.9 | 9.5 | 9.9 | 9.9 | 9.5 | 9.9 | 9.1 | 9.9 | **1,034.7** |
| OIL | 1970 | 33.4 | 32.1 | 35.6 | 35.5 | 33.5 | 29.4 | 31.3 | 31.5 | 27.2 | 29.3 | 27.5 | 29.6 | **4,137.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 20.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,674.0** |
| H2O | 1969 | 19.7 | 18.9 | 19.4 | 19.1 | 19.7 | 13.8 | 14.0 | 15.7 | 14.3 | 14.8 | 11.4 | 10.8 | **918.5** |
| OIL | 1969 | 35.9 | 34.3 | 36.7 | 35.0 | 36.2 | 32.0 | 28.6 | 35.3 | 33.9 | 32.9 | 32.6 | 35.6 | **3,761.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,322.0** |
| H2O | 1968 | 11.1 | 14.3 | 10.8 | 10.8 | 7.0 | 14.9 | 4.0 | 17.8 | 14.3 | 19.1 | 19.1 | 19.7 | **726.9** |
| OIL | 1968 | 49.0 | 46.1 | 46.7 | 44.7 | 45.0 | 43.4 | 40.1 | 42.3 | 40.7 | 41.5 | 37.8 | 39.3 | **3,352.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **963.0** |

# Manitoba Production
## 1950 To 1975

Licence ***2053*** Well Name ***Cosens Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-36-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1967 | 17.0 | 17.8 | 19.7 | 13.7 | 14.1 | 16.7 | 17.3 | 7.0 | 14.0 | 11.3 | 11.3 | 14.9 | **564.0** |
| OIL | 1967 | 67.8 | 56.3 | 64.4 | 58.7 | 57.2 | 43.7 | 48.8 | 53.4 | 50.6 | 49.4 | 47.5 | 48.5 | **2,836.1** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **601.0** |
| H2O | 1966 | 19.7 | 17.8 | 19.7 | 20.5 | 11.1 | 19.1 | 15.9 | 18.4 | 19.1 | 15.7 | 19.1 | 19.1 | **389.2** |
| OIL | 1966 | 92.3 | 83.7 | 93.1 | 72.7 | 80.3 | 75.6 | 74.0 | 73.7 | 69.4 | 69.4 | 69.2 | 70.3 | **2,189.8** |
| DAY | 1965 | 0.0 | 0.0 | 9.0 | 13.0 | 28.0 | 11.0 | 27.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **239.0** |
| H2O | 1965 | 0.0 | 0.0 | 13.3 | 5.6 | 19.9 | 7.0 | 21.5 | 24.6 | 18.4 | 20.8 | 23.8 | 19.1 | **174.0** |
| OIL | 1965 | 0.0 | 0.0 | 89.4 | 96.7 | 249.2 | 41.9 | 154.4 | 177.3 | 127.7 | 139.7 | 102.9 | 86.9 | **1,266.1** |

Licence ***2054*** Well Name ***Hendy's Ebor*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-35-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 24.0 | 23.0 | 30.0 | 28.0 | 26.0 | 26.0 | 24.0 | 30.0 | 26.0 | 0.0 | 7.0 | 0.0 | **2,383.0** |
| H2O | 1974 | 265.5 | 237.7 | 310.0 | 289.4 | 268.7 | 248.0 | 240.1 | 286.2 | 164.9 | 0.0 | 222.2 | 0.0 | **19,910.0** |
| OIL | 1974 | 45.8 | 39.7 | 47.7 | 44.5 | 41.3 | 32.1 | 34.3 | 40.2 | 20.2 | 0.0 | 0.0 | 0.0 | **4,699.4** |
| DAY | 1973 | 26.0 | 25.0 | 31.0 | 27.0 | 28.0 | 27.0 | 25.0 | 25.0 | 19.0 | 28.0 | 26.0 | 29.0 | **2,139.0** |
| H2O | 1973 | 254.2 | 238.5 | 248.0 | 224.8 | 228.0 | 247.2 | 238.8 | 270.3 | 205.4 | 333.9 | 310.0 | 335.5 | **17,377.3** |
| OIL | 1973 | 37.0 | 35.8 | 44.4 | 42.9 | 44.5 | 42.9 | 41.3 | 43.7 | 25.3 | 44.5 | 39.4 | 41.5 | **4,353.6** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 21.0 | 28.0 | 27.0 | 28.0 | 26.0 | 27.0 | 13.0 | **1,823.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 120.5 | 255.5 | 272.3 | 258.8 | 238.6 | 232.4 | 231.6 | 122.4 | **14,242.7** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 17.5 | 22.6 | 13.4 | 32.4 | 35.6 | 33.1 | 38.6 | 18.6 | **3,870.4** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 29.0 | 31.0 | 28.0 | 30.0 | 26.0 | 0.0 | 0.0 | **1,642.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 284.4 | 270.0 | 271.9 | 277.0 | 318.9 | 261.5 | 0.0 | 0.0 | **12,510.6** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 49.0 | 41.5 | 44.7 | 42.9 | 47.7 | 41.3 | 0.0 | 0.0 | **3,658.6** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 29.0 | 31.0 | 31.0 | 12.0 | 26.0 | 20.0 | 0.0 | **1,470.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 156.8 | 115.3 | 197.9 | 197.9 | 83.5 | 311.6 | 197.1 | 0.0 | **10,826.9** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 31.6 | 46.1 | 49.3 | 49.3 | 15.3 | 41.3 | 35.0 | 0.0 | **3,391.5** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 28.0 | 30.0 | 29.0 | 30.0 | 13.0 | 0.0 | **1,306.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 301.1 | 318.8 | 243.3 | 256.0 | 262.8 | 267.1 | 124.2 | 0.0 | **9,566.8** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 46.7 | 42.0 | 40.1 | 47.7 | 50.6 | 42.9 | 16.4 | 0.0 | **3,123.6** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 11.0 | 0.0 | **1,115.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 116.5 | 235.8 | 210.2 | 220.0 | 199.7 | 247.7 | 93.2 | 0.0 | **7,793.5** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 30.5 | 52.5 | 54.7 | 54.7 | 47.2 | 55.8 | 17.3 | 0.0 | **2,837.2** |
| DAY | 1967 | 27.0 | 28.0 | 30.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 28.0 | 31.0 | 28.0 | 0.0 | **938.0** |
| H2O | 1967 | 197.9 | 180.9 | 216.7 | 196.2 | 204.0 | 208.9 | 181.2 | 212.7 | 213.5 | 225.8 | 204.0 | 0.0 | **6,470.4** |
| OIL | 1967 | 43.2 | 37.8 | 47.2 | 45.9 | 44.4 | 37.2 | 35.6 | 49.3 | 46.1 | 50.1 | 48.7 | 0.0 | **2,524.5** |
| DAY | 1966 | 21.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | **616.0** |
| H2O | 1966 | 196.2 | 276.6 | 277.1 | 267.1 | 239.8 | 271.7 | 254.4 | 235.3 | 204.1 | 273.9 | 239.8 | 219.6 | **4,228.6** |
| OIL | 1966 | 33.2 | 112.2 | 70.7 | 89.2 | 87.4 | 76.2 | 70.4 | 73.0 | 62.0 | 55.5 | 49.8 | 49.9 | **2,039.0** |
| DAY | 1965 | 0.0 | 0.0 | 10.0 | 30.0 | 30.0 | 24.0 | 25.0 | 29.0 | 30.0 | 31.0 | 29.0 | 31.0 | **269.0** |
| H2O | 1965 | 0.0 | 0.0 | 14.3 | 14.3 | 61.2 | 98.6 | 64.4 | 69.2 | 68.7 | 292.5 | 279.0 | 310.8 | **1,273.0** |
| OIL | 1965 | 0.0 | 0.0 | 69.5 | 167.9 | 136.1 | 125.4 | 147.0 | 140.2 | 115.8 | 123.2 | 115.4 | 69.0 | **1,209.5** |

Licence ***2056*** Well Name ***Hendy's Ebor*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-35-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 20.0 | 15.0 | 26.0 | 16.0 | 23.0 | 20.0 | 27.0 | 26.0 | 15.0 | 0.0 | 21.0 | 7.0 | **2,237.0** |
| H2O | 1974 | 38.2 | 38.2 | 66.1 | 40.7 | 58.5 | 50.9 | 30.2 | 37.2 | 14.3 | 0.0 | 10.0 | 3.5 | **3,660.5** |
| OIL | 1974 | 35.0 | 22.1 | 35.6 | 20.4 | 26.5 | 16.7 | 21.2 | 22.1 | 6.7 | 0.0 | 50.3 | 15.6 | **3,822.3** |
| DAY | 1973 | 28.0 | 24.0 | 30.0 | 28.0 | 29.0 | 27.0 | 25.0 | 30.0 | 28.0 | 27.0 | 26.0 | 24.0 | **2,021.0** |
| H2O | 1973 | 53.4 | 37.4 | 57.2 | 53.4 | 50.7 | 46.4 | 40.5 | 47.7 | 44.5 | 42.9 | 41.3 | 38.2 | **3,272.7** |

# Manitoba Production
## 1950 To 1975

Licence ***2056*** Well Name ***Hendy's Ebor*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-35-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1973 | 35.6 | 30.5 | 38.2 | 35.6 | 29.7 | 25.8 | 23.8 | 33.4 | 31.2 | 32.9 | 29.9 | 22.6 | **3,550.1** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 30.0 | 31.0 | 28.0 | 22.0 | 30.0 | 24.0 | 15.0 | **1,695.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 19.1 | 57.2 | 59.1 | 54.1 | 42.0 | 57.2 | 53.4 | 33.4 | **2,719.1** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 16.4 | 42.9 | 44.4 | 37.5 | 31.5 | 32.0 | 29.1 | 15.3 | **3,180.9** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 30.0 | 16.0 | 20.0 | 30.0 | 23.0 | 0.0 | 0.0 | **1,504.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 89.0 | 49.3 | 32.0 | 31.8 | 47.7 | 36.6 | 0.0 | 0.0 | **2,343.6** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 41.7 | 38.2 | 21.8 | 31.8 | 42.9 | 26.9 | 0.0 | 0.0 | **2,931.8** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 29.0 | 28.0 | 25.0 | 7.0 | 27.0 | 18.0 | 0.0 | **1,357.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 37.0 | 249.0 | 112.6 | 95.4 | 27.8 | 76.3 | 62.0 | 0.0 | **2,057.2** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 28.6 | 36.9 | 44.5 | 39.7 | 10.0 | 31.3 | 30.0 | 0.0 | **2,728.5** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 0.0 | 0.0 | 29.0 | 29.0 | 31.0 | 13.0 | 0.0 | **1,208.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 11.1 | 0.0 | 0.0 | 72.5 | 55.3 | 50.9 | 22.7 | 0.0 | **1,397.1** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 8.7 | 0.0 | 0.0 | 52.5 | 49.3 | 47.2 | 16.5 | 0.0 | **2,507.5** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 14.0 | 0.0 | **1,101.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 25.4 | 23.8 | 25.4 | 34.5 | 30.0 | 34.5 | 16.5 | 0.0 | **1,184.6** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 20.4 | 42.9 | 24.6 | 24.6 | 25.8 | 29.6 | 13.4 | 0.0 | **2,333.3** |
| DAY | 1967 | 31.0 | 26.0 | 31.0 | 30.0 | 29.0 | 28.0 | 27.0 | 27.0 | 28.0 | 30.0 | 28.0 | 0.0 | **921.0** |
| H2O | 1967 | 19.1 | 17.5 | 20.8 | 20.8 | 19.9 | 20.0 | 25.8 | 24.2 | 26.7 | 31.8 | 49.0 | 0.0 | **994.5** |
| OIL | 1967 | 50.2 | 43.2 | 51.5 | 50.4 | 45.5 | 40.9 | 33.7 | 29.9 | 26.7 | 28.6 | 13.4 | 0.0 | **2,152.0** |
| DAY | 1966 | 26.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 29.0 | 29.0 | **606.0** |
| H2O | 1966 | 38.2 | 40.1 | 40.1 | 33.1 | 33.1 | 32.6 | 27.7 | 19.9 | 6.4 | 25.9 | 24.6 | 19.1 | **718.9** |
| OIL | 1966 | 73.5 | 75.7 | 54.4 | 62.3 | 60.6 | 47.9 | 40.7 | 43.2 | 62.0 | 56.4 | 50.7 | 50.9 | **1,738.0** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 29.0 | 28.0 | 23.0 | 29.0 | 26.0 | 30.0 | 31.0 | 30.0 | 27.0 | **253.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 29.7 | 25.4 | 30.0 | 34.3 | 55.3 | 62.0 | 55.6 | 42.9 | 42.9 | **378.1** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 154.9 | 125.9 | 74.4 | 177.1 | 117.3 | 109.7 | 118.3 | 96.2 | 85.9 | **1,059.7** |

Licence ***2057*** Well Name ***Cosens Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-36-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,829.0** |
| H2O | 1975 | 11.3 | 10.2 | 7.9 | 4.6 | 4.6 | 3.8 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | **2,447.7** |
| OIL | 1975 | 29.3 | 28.0 | 29.3 | 29.6 | 28.9 | 23.8 | 25.9 | 24.2 | 23.4 | 23.7 | 21.8 | 22.7 | **6,203.7** |
| DAY | 1974 | 31.0 | 28.0 | 21.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,464.0** |
| H2O | 1974 | 10.2 | 9.1 | 7.2 | 10.7 | 8.3 | 11.0 | 13.5 | 11.0 | 10.8 | 12.6 | 10.7 | 10.5 | **2,386.1** |
| OIL | 1974 | 29.7 | 24.2 | 24.0 | 31.2 | 31.8 | 29.9 | 28.9 | 30.8 | 29.7 | 29.6 | 24.8 | 30.7 | **5,893.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,109.0** |
| H2O | 1973 | 4.9 | 4.5 | 4.9 | 4.6 | 4.9 | 4.8 | 5.9 | 4.9 | 7.0 | 9.7 | 9.5 | 9.9 | **2,260.5** |
| OIL | 1973 | 27.3 | 29.4 | 32.3 | 30.5 | 30.7 | 31.3 | 28.3 | 30.7 | 29.4 | 30.4 | 29.6 | 30.8 | **5,547.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,744.0** |
| H2O | 1972 | 7.9 | 10.0 | 11.4 | 10.0 | 10.3 | 7.2 | 5.1 | 4.8 | 5.7 | 6.2 | 5.4 | 4.9 | **2,185.0** |
| OIL | 1972 | 36.2 | 30.4 | 38.5 | 35.9 | 37.2 | 33.1 | 34.2 | 33.1 | 34.5 | 32.8 | 33.5 | 27.7 | **5,187.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,380.0** |
| H2O | 1971 | 21.3 | 25.8 | 28.9 | 24.2 | 22.6 | 19.4 | 20.4 | 19.7 | 19.1 | 20.2 | 21.0 | 10.8 | **2,096.1** |
| OIL | 1971 | 39.0 | 37.5 | 42.9 | 38.0 | 37.7 | 34.7 | 35.5 | 34.7 | 33.1 | 34.3 | 35.6 | 37.2 | **4,780.0** |
| DAY | 1970 | 29.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,015.0** |
| H2O | 1970 | 25.8 | 17.8 | 24.6 | 23.8 | 25.1 | 23.8 | 24.6 | 24.6 | 26.4 | 28.3 | 26.9 | 21.9 | **1,842.7** |
| OIL | 1970 | 44.8 | 39.9 | 44.5 | 44.2 | 42.3 | 42.6 | 43.9 | 39.4 | 39.4 | 40.2 | 37.2 | 39.9 | **4,339.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | **1,656.0** |
| H2O | 1969 | 24.6 | 35.6 | 24.6 | 23.8 | 29.6 | 28.6 | 24.6 | 24.6 | 23.8 | 23.8 | 27.7 | 50.1 | **1,549.1** |
| OIL | 1969 | 53.6 | 44.7 | 50.2 | 45.6 | 46.4 | 43.4 | 45.3 | 42.4 | 43.9 | 44.8 | 48.5 | 48.0 | **3,841.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 20.0 | 30.0 | 26.0 | 30.0 | 31.0 | **1,293.0** |

# Manitoba Production
## 1950 To 1975

Licence ***2057*** Well Name ***Cosens Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-36-009-29W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole D*** Field Code ***1*** Pool Code ***59D*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1968 | 14.6 | 20.0 | 14.9 | 14.9 | 10.2 | 19.4 | 4.6 | 19.4 | 20.0 | 14.9 | 23.8 | 24.6 | **1,207.7** |
| OIL | 1968 | 57.0 | 53.5 | 56.3 | 52.3 | 53.6 | 47.1 | 51.5 | 37.2 | 51.7 | 47.7 | 48.3 | 52.5 | **3,284.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **943.0** |
| H2O | 1967 | 14.8 | 21.9 | 20.0 | 18.1 | 17.6 | 23.1 | 22.4 | 8.9 | 19.1 | 14.5 | 14.5 | 19.4 | **1,006.4** |
| OIL | 1967 | 76.8 | 69.2 | 73.5 | 67.2 | 65.9 | 50.0 | 59.0 | 62.1 | 57.5 | 56.0 | 55.1 | 56.7 | **2,676.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **580.0** |
| H2O | 1966 | 43.9 | 32.4 | 39.7 | 30.4 | 31.2 | 23.8 | 17.8 | 28.3 | 20.7 | 24.6 | 20.7 | 20.7 | **792.1** |
| OIL | 1966 | 98.8 | 87.2 | 86.4 | 87.7 | 80.8 | 84.0 | 77.6 | 78.3 | 68.1 | 80.0 | 85.9 | 81.3 | **1,927.0** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 2.0 | 26.0 | 14.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **221.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 41.8 | 77.2 | 37.0 | 72.3 | 68.0 | 37.8 | 37.0 | 42.3 | 44.5 | **457.9** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 9.6 | 89.7 | 94.0 | 140.6 | 128.7 | 138.5 | 109.6 | 117.4 | 102.8 | **930.9** |

Licence ***2071*** Well Name ***Wallace West Routledge*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-19-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 25.0 | 26.0 | 28.0 | 2.0 | 0.0 | 0.0 | **223.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 113.8 | 108.9 | 210.2 | 422.4 | 0.0 | 0.0 | 0.0 | **2,097.0** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 36.0 | 49.2 | 47.5 | 46.9 | 3.2 | 0.0 | 0.0 | **468.5** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 28.0 | 29.0 | 29.0 | 23.0 | 7.0 | 0.0 | **117.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 176.5 | 377.4 | 340.9 | 284.3 | 61.8 | 0.0 | **1,241.7** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.7 | 103.1 | 75.3 | 50.5 | 41.3 | 6.8 | 0.0 | **285.7** |

Licence ***2075*** Well Name ***Bralorne Routledge*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-15-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 29.0 | 24.0 | 30.0 | 31.0 | 31.0 | 27.0 | 30.0 | 0.0 | 0.0 | **809.0** |
| H2O | 1967 | 340.0 | 326.6 | 385.2 | 334.2 | 512.9 | 864.4 | 951.5 | 880.8 | 606.7 | 848.5 | 0.0 | 0.0 | **9,879.0** |
| OIL | 1967 | 26.8 | 22.3 | 24.7 | 19.8 | 26.7 | 23.8 | 24.6 | 13.8 | 9.4 | 13.2 | 0.0 | 0.0 | **795.3** |
| DAY | 1966 | 20.0 | 20.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **517.0** |
| H2O | 1966 | 278.2 | 144.7 | 137.5 | 126.5 | 129.7 | 71.5 | 75.8 | 105.6 | 62.0 | 62.0 | 229.2 | 307.5 | **3,828.2** |
| OIL | 1966 | 41.3 | 13.3 | 10.3 | 10.0 | 11.3 | 9.5 | 10.3 | 9.5 | 9.5 | 9.5 | 18.1 | 33.2 | **590.2** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **171.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 114.0 | 424.0 | 476.9 | 429.2 | 265.2 | 388.7 | **2,098.0** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 81.2 | 86.4 | 71.5 | 65.2 | 38.1 | 62.0 | **404.4** |

Licence ***2077*** Well Name ***Landa T.C.O.C. East Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-05-009-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 7.0 | 9.0 | 0.0 | 0.0 | 0.0 | **30.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 98.1 | 50.2 | 34.4 | 0.0 | 0.0 | 0.0 | **182.7** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.8 | 18.9 | 5.1 | 0.0 | 0.0 | 0.0 | **45.8** |

Licence ***2078*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-05-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 29.0 | 23.0 | 29.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,680.0** |
| H2O | 1975 | 181.4 | 161.5 | 173.9 | 141.0 | 146.6 | 158.8 | 148.2 | 162.0 | 138.2 | 162.0 | 165.8 | 166.3 | **10,945.8** |
| OIL | 1975 | 136.3 | 121.7 | 136.7 | 127.6 | 105.7 | 129.5 | 137.6 | 129.2 | 139.2 | 138.9 | 141.7 | 144.4 | **13,413.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,327.0** |

# Manitoba Production
## 1950 To 1975

Licence ***2078*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-05-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1974 | 172.8 | 140.9 | 135.8 | 153.1 | 160.6 | 148.6 | 178.2 | 166.8 | 157.4 | 135.0 | 169.9 | 190.0 | **9,040.1** |
| OIL | 1974 | 137.0 | 121.4 | 129.8 | 125.4 | 124.1 | 128.2 | 134.0 | 130.3 | 119.5 | 123.2 | 126.3 | 143.0 | **11,825.3** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,963.0** |
| H2O | 1973 | 188.4 | 174.4 | 217.3 | 211.3 | 239.6 | 205.1 | 209.7 | 202.5 | 198.2 | 216.5 | 190.5 | 183.3 | **7,131.0** |
| OIL | 1973 | 162.9 | 142.1 | 187.4 | 196.6 | 194.3 | 179.4 | 144.6 | 146.2 | 144.0 | 144.9 | 147.6 | 140.2 | **10,283.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,598.0** |
| H2O | 1972 | 43.1 | 40.9 | 43.9 | 44.7 | 49.1 | 50.1 | 53.9 | 200.3 | 199.8 | 208.6 | 197.9 | 208.6 | **4,694.2** |
| OIL | 1972 | 116.0 | 107.4 | 114.3 | 117.3 | 116.2 | 115.1 | 121.4 | 164.3 | 169.4 | 185.0 | 177.0 | 188.0 | **8,352.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,234.0** |
| H2O | 1971 | 44.0 | 41.3 | 41.2 | 39.1 | 45.0 | 43.4 | 44.8 | 43.2 | 39.1 | 43.4 | 41.2 | 42.9 | **3,353.3** |
| OIL | 1971 | 94.1 | 85.2 | 91.2 | 92.2 | 119.3 | 111.6 | 124.7 | 118.4 | 111.9 | 119.0 | 111.2 | 120.8 | **6,661.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 23.0 | 12.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,869.0** |
| H2O | 1970 | 90.5 | 85.2 | 91.6 | 51.8 | 29.1 | 75.0 | 73.1 | 69.6 | 75.2 | 69.5 | 54.4 | 48.0 | **2,844.7** |
| OIL | 1970 | 126.3 | 112.3 | 125.1 | 79.0 | 53.7 | 106.3 | 107.9 | 98.0 | 89.6 | 100.4 | 102.5 | 99.8 | **5,361.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 11.0 | 31.0 | 30.0 | 27.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,532.0** |
| H2O | 1969 | 58.5 | 39.3 | 56.1 | 14.9 | 58.3 | 57.2 | 101.9 | 119.4 | 72.7 | 88.7 | 91.7 | 91.6 | **2,031.7** |
| OIL | 1969 | 88.0 | 86.0 | 99.0 | 40.7 | 107.7 | 56.6 | 106.2 | 110.3 | 87.1 | 106.5 | 103.0 | 106.8 | **4,161.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,193.0** |
| H2O | 1968 | 41.7 | 37.4 | 39.9 | 37.4 | 56.1 | 46.4 | 40.1 | 60.3 | 40.7 | 54.8 | 47.1 | 49.0 | **1,181.4** |
| OIL | 1968 | 70.7 | 63.6 | 69.9 | 68.3 | 82.5 | 95.8 | 93.9 | 98.8 | 91.2 | 96.1 | 88.4 | 95.2 | **3,063.1** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **828.0** |
| H2O | 1967 | 27.3 | 25.1 | 25.4 | 21.6 | 41.3 | 37.4 | 38.0 | 38.8 | 33.9 | 38.8 | 38.6 | 38.8 | **630.5** |
| OIL | 1967 | 73.1 | 67.9 | 73.3 | 61.8 | 76.8 | 71.8 | 72.8 | 72.9 | 66.1 | 69.8 | 64.4 | 71.0 | **2,048.7** |
| DAY | 1966 | 28.0 | 24.0 | 30.0 | 6.0 | 30.0 | 25.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **463.0** |
| H2O | 1966 | 6.2 | 5.6 | 7.6 | 1.1 | 7.6 | 10.7 | 10.7 | 10.8 | 11.0 | 20.3 | 25.4 | 28.8 | **225.5** |
| OIL | 1966 | 55.8 | 40.2 | 46.4 | 12.9 | 39.3 | 48.3 | 59.9 | 57.7 | 53.2 | 64.8 | 72.6 | 71.8 | **1,207.0** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 25.0 | 23.0 | 31.0 | 28.0 | 31.0 | **141.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.2 | 17.0 | 11.4 | 12.1 | 10.0 | **79.7** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 167.7 | 103.5 | 122.7 | 105.7 | 68.5 | **584.1** |

Licence ***2081*** Well Name ***Tancam Waskada*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-33-001-24W1.00*** Field Name ***Waskada*** Pool Name ***Mission Canyon 1 K*** Field Code ***3*** Pool Code ***44K*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 23.0 | **89.0** |
| H2O | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1261.3 | 6548.1 | **10,369.5** |
| OIL | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 147.3 | 155.3 | **595.9** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 0.0 | 0.0 | 0.0 | **49.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 386.4 | 0.0 | 0.0 | 0.0 | **2,560.1** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 71.5 | 0.0 | 0.0 | 0.0 | **293.3** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 21.0 | 5.0 | 0.0 | 0.0 | **40.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 665.1 | 1108.0 | 400.6 | 0.0 | 0.0 | **2,173.7** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 117.6 | 90.6 | 13.6 | 0.0 | 0.0 | **221.8** |

Licence ***2082*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-29-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 27.0 | 0.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,586.0** |
| H2O | 1975 | 68.3 | 61.5 | 67.2 | 57.5 | 0.0 | 54.5 | 52.4 | 55.6 | 50.4 | 47.2 | 35.4 | 36.4 | **6,955.6** |
| OIL | 1975 | 50.7 | 46.1 | 37.0 | 30.8 | 0.0 | 29.2 | 48.9 | 50.9 | 51.5 | 51.8 | 46.2 | 47.7 | **8,058.3** |
| DAY | 1974 | 31.0 | 26.0 | 30.0 | 17.0 | 0.0 | 5.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,259.0** |
| H2O | 1974 | 332.8 | 283.6 | 98.1 | 51.7 | 0.0 | 17.0 | 86.6 | 69.8 | 70.1 | 72.0 | 62.8 | 69.2 | **6,369.2** |

# Manitoba Production
## 1950 To 1975

Licence ***2082*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-29-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1974 | 67.2 | 53.6 | 61.7 | 34.5 | 0.0 | 9.4 | 61.7 | 60.7 | 57.0 | 50.2 | 47.4 | 50.4 | **7,567.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 20.0 | 28.0 | 30.0 | 31.0 | **2,967.0** |
| H2O | 1973 | 49.0 | 44.5 | 46.9 | 47.1 | 38.3 | 39.4 | 36.4 | 196.1 | 132.7 | 256.4 | 272.1 | 320.2 | **5,155.5** |
| OIL | 1973 | 42.4 | 37.2 | 45.9 | 46.2 | 41.3 | 39.9 | 42.7 | 14.0 | 8.9 | 62.6 | 67.2 | 65.6 | **7,013.7** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,615.0** |
| H2O | 1972 | 89.0 | 89.9 | 84.4 | 49.7 | 57.7 | 52.3 | 38.8 | 43.7 | 41.8 | 42.3 | 44.3 | 40.8 | **3,676.4** |
| OIL | 1972 | 46.6 | 45.0 | 44.3 | 61.7 | 64.4 | 61.2 | 59.0 | 57.4 | 56.9 | 59.9 | 42.1 | 42.6 | **6,499.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,250.0** |
| H2O | 1971 | 123.4 | 122.6 | 36.1 | 37.2 | 38.6 | 36.7 | 33.7 | 35.9 | 33.4 | 36.7 | 79.1 | 82.5 | **3,001.7** |
| OIL | 1971 | 65.3 | 59.0 | 61.5 | 58.6 | 58.6 | 52.4 | 60.4 | 48.9 | 48.1 | 50.4 | 43.5 | 47.0 | **5,858.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,886.0** |
| H2O | 1970 | 34.8 | 32.9 | 40.2 | 59.1 | 37.2 | 35.6 | 31.0 | 32.7 | 35.8 | 62.9 | 39.3 | 104.5 | **2,305.8** |
| OIL | 1970 | 59.3 | 52.6 | 58.3 | 66.1 | 62.0 | 57.0 | 57.0 | 53.4 | 52.4 | 62.6 | 70.7 | 64.5 | **5,205.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 12.0 | 25.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,524.0** |
| H2O | 1969 | 49.3 | 40.4 | 49.1 | 19.7 | 42.4 | 50.2 | 56.6 | 52.8 | 50.4 | 53.2 | 50.4 | 54.0 | **1,759.8** |
| OIL | 1969 | 82.5 | 70.9 | 79.9 | 33.1 | 65.2 | 80.2 | 75.0 | 77.2 | 51.2 | 54.0 | 49.9 | 54.8 | **4,489.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,183.0** |
| H2O | 1968 | 29.2 | 38.3 | 44.8 | 43.9 | 38.5 | 91.4 | 103.6 | 58.0 | 51.5 | 46.1 | 45.8 | 49.6 | **1,191.3** |
| OIL | 1968 | 91.7 | 68.0 | 76.8 | 73.9 | 79.0 | 98.0 | 110.0 | 92.0 | 89.6 | 80.9 | 79.0 | 82.8 | **3,715.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **819.0** |
| H2O | 1967 | 28.1 | 24.9 | 28.6 | 26.1 | 25.7 | 22.6 | 22.1 | 4.3 | 4.4 | 4.1 | 30.2 | 31.3 | **550.6** |
| OIL | 1967 | 98.4 | 86.1 | 92.3 | 84.9 | 87.6 | 76.0 | 81.5 | 89.9 | 91.7 | 88.7 | 90.9 | 94.2 | **2,693.5** |
| DAY | 1966 | 23.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 30.0 | 24.0 | 30.0 | **461.0** |
| H2O | 1966 | 14.3 | 25.9 | 9.7 | 20.0 | 10.8 | 23.7 | 19.5 | 14.8 | 18.0 | 25.3 | 21.6 | 25.3 | **298.2** |
| OIL | 1966 | 99.2 | 103.9 | 136.8 | 91.4 | 104.6 | 100.3 | 96.1 | 106.8 | 108.4 | 103.9 | 86.9 | 100.1 | **1,631.3** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 19.0 | 20.0 | 30.0 | 31.0 | **123.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.6 | 6.8 | 22.4 | 22.4 | 9.1 | **69.3** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 88.4 | 53.2 | 46.9 | 97.6 | 106.8 | **392.9** |

Licence ***2087*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-05-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 723.0 | 616.2 | 730.5 | 606.5 | 617.3 | 617.0 | 664.5 | 774.4 | 496.0 | 559.1 | 530.8 | 517.0 | **31,960.8** |
| WIN | 1974 | 323.8 | 273.4 | 324.0 | 287.4 | 486.5 | 632.4 | 724.0 | 800.3 | 755.2 | 728.3 | 736.2 | 742.0 | **24,508.5** |
| WIN | 1973 | 443.1 | 367.7 | 447.2 | 377.1 | 361.8 | 345.3 | 407.3 | 339.9 | 313.5 | 356.0 | 342.3 | 335.9 | **17,695.0** |
| WIN | 1972 | 674.7 | 575.0 | 520.5 | 450.9 | 460.1 | 363.6 | 390.6 | 451.2 | 419.5 | 469.5 | 433.5 | 439.1 | **13,257.9** |
| DAY | 1971 | 29.0 | 11.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,895.0** |
| H2O | 1971 | 68.0 | 26.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,432.2** |
| OIL | 1971 | 53.9 | 20.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,867.6** |
| WIN | 1971 | 0.0 | 262.2 | 1114.3 | 864.4 | 750.5 | 699.2 | 901.3 | 825.1 | 613.3 | 581.5 | 392.0 | 605.9 | **7,609.7** |
| DAY | 1970 | 30.0 | 28.0 | 31.0 | 16.0 | 12.0 | 29.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,855.0** |
| H2O | 1970 | 141.3 | 137.2 | 148.0 | 59.6 | 48.5 | 125.0 | 121.1 | 112.6 | 124.5 | 114.9 | 87.3 | 79.6 | **5,337.8** |
| OIL | 1970 | 63.9 | 58.3 | 65.2 | 33.5 | 33.1 | 65.6 | 66.1 | 58.6 | 55.0 | 61.7 | 61.0 | 61.3 | **3,793.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 11.0 | 31.0 | 28.0 | 24.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,527.0** |
| H2O | 1969 | 80.6 | 54.4 | 78.1 | 20.8 | 80.6 | 83.5 | 54.4 | 72.2 | 126.1 | 142.9 | 147.9 | 148.0 | **4,038.2** |
| OIL | 1969 | 51.3 | 50.1 | 57.5 | 23.8 | 62.8 | 89.3 | 40.5 | 48.1 | 67.1 | 76.3 | 73.9 | 76.6 | **3,110.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,191.0** |
| H2O | 1968 | 91.6 | 81.9 | 89.7 | 81.9 | 85.5 | 70.6 | 61.2 | 83.1 | 56.1 | 76.0 | 65.2 | 67.7 | **2,948.7** |
| OIL | 1968 | 56.3 | 50.5 | 57.2 | 54.0 | 48.0 | 55.8 | 54.5 | 57.4 | 53.1 | 55.8 | 51.3 | 55.5 | **2,392.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **826.0** |
| H2O | 1967 | 59.8 | 55.2 | 55.5 | 47.4 | 90.6 | 81.7 | 83.0 | 85.2 | 74.4 | 85.1 | 84.4 | 85.1 | **2,038.2** |

# Manitoba Production
## 1950 To 1975

Licence ***2087*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-05-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1967 | 58.0 | 54.0 | 58.0 | 48.9 | 61.0 | 56.9 | 57.8 | 57.8 | 52.3 | 55.6 | 51.0 | 56.3 | **1,743.5** |
| DAY | 1966 | 27.0 | 24.0 | 29.0 | 6.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **461.0** |
| H2O | 1966 | 48.2 | 45.0 | 58.3 | 9.1 | 62.8 | 100.3 | 85.1 | 86.6 | 87.8 | 47.7 | 55.8 | 63.1 | **1,150.8** |
| OIL | 1966 | 60.9 | 45.6 | 50.7 | 14.8 | 45.9 | 65.5 | 67.9 | 65.3 | 59.9 | 55.8 | 57.7 | 56.7 | **1,075.9** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 23.0 | 31.0 | 26.0 | 30.0 | **133.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 112.1 | 86.0 | 64.1 | 60.6 | 78.2 | **401.0** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 87.2 | 80.9 | 104.4 | 81.4 | 75.3 | **429.2** |

Licence ***2090*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-21-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 10.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **69.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 275.0 | 134.5 | 38.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **631.6** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 23.2 | 10.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **82.3** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 1.0 | 16.0 | 0.0 | 0.0 | **25.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 57.7 | 3.0 | 123.2 | 0.0 | 0.0 | **183.9** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.8 | 9.9 | 19.4 | 0.0 | 0.0 | **46.1** |

Licence ***2091*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-33-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,549.0** |
| H2O | 1975 | 562.9 | 481.9 | 542.0 | 501.3 | 540.5 | 509.8 | 598.4 | 525.6 | 537.2 | 576.1 | 485.8 | 465.8 | **32,403.7** |
| OIL | 1975 | 83.3 | 75.5 | 83.0 | 77.7 | 70.6 | 71.4 | 59.0 | 26.4 | 46.6 | 55.3 | 70.6 | 103.0 | **16,047.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,186.0** |
| H2O | 1974 | 522.9 | 417.2 | 443.6 | 414.9 | 374.6 | 727.7 | 214.5 | 219.1 | 589.7 | 615.6 | 585.7 | 562.0 | **26,076.4** |
| OIL | 1974 | 70.4 | 59.4 | 62.3 | 56.9 | 63.9 | 88.8 | 92.8 | 94.7 | 87.7 | 86.0 | 108.9 | 84.7 | **15,225.0** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 27.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,822.0** |
| H2O | 1973 | 277.7 | 273.1 | 225.8 | 185.2 | 513.3 | 476.9 | 542.9 | 556.0 | 556.9 | 500.5 | 446.6 | 480.1 | **20,388.9** |
| OIL | 1973 | 75.0 | 71.4 | 47.5 | 42.4 | 91.1 | 95.8 | 101.7 | 85.8 | 68.2 | 84.1 | 76.9 | 78.2 | **14,268.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 29.0 | 31.0 | **2,462.0** |
| H2O | 1972 | 389.0 | 360.2 | 361.0 | 274.7 | 284.9 | 319.7 | 332.0 | 333.1 | 318.6 | 293.8 | 281.9 | 290.6 | **15,353.9** |
| OIL | 1972 | 128.4 | 120.0 | 125.4 | 169.1 | 184.8 | 134.8 | 105.4 | 122.0 | 88.2 | 98.8 | 90.3 | 86.8 | **13,350.4** |
| DAY | 1971 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,099.0** |
| H2O | 1971 | 504.4 | 300.3 | 418.3 | 413.5 | 441.6 | 396.7 | 421.6 | 383.1 | 340.4 | 360.6 | 361.8 | 387.9 | **11,514.4** |
| OIL | 1971 | 152.7 | 123.9 | 150.2 | 133.0 | 134.0 | 145.2 | 132.4 | 128.2 | 111.2 | 112.8 | 113.1 | 129.8 | **11,896.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 24.0 | 30.0 | **1,736.0** |
| H2O | 1970 | 180.8 | 154.7 | 146.4 | 143.1 | 184.3 | 219.6 | 233.5 | 217.8 | 224.6 | 229.2 | 171.4 | 221.3 | **6,784.2** |
| OIL | 1970 | 128.4 | 105.5 | 108.5 | 86.8 | 141.3 | 84.4 | 88.7 | 81.8 | 83.1 | 83.9 | 58.8 | 88.5 | **10,329.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,379.0** |
| H2O | 1969 | 123.2 | 111.3 | 123.2 | 119.2 | 123.2 | 119.2 | 123.2 | 123.2 | 119.2 | 132.7 | 100.0 | 188.6 | **4,457.5** |
| OIL | 1969 | 152.7 | 130.8 | 150.5 | 148.4 | 145.6 | 137.9 | 139.4 | 134.0 | 131.4 | 110.4 | 70.2 | 127.8 | **9,190.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,014.0** |
| H2O | 1968 | 101.7 | 101.4 | 121.6 | 117.6 | 111.3 | 111.3 | 123.2 | 123.2 | 119.2 | 124.0 | 119.2 | 123.2 | **2,951.3** |
| OIL | 1968 | 172.3 | 149.2 | 157.5 | 148.1 | 137.3 | 148.9 | 150.2 | 141.1 | 127.9 | 159.2 | 153.8 | 156.0 | **7,611.1** |
| DAY | 1967 | 31.0 | 27.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 29.0 | 29.0 | 28.0 | 31.0 | **654.0** |
| H2O | 1967 | 68.5 | 66.3 | 68.7 | 58.2 | 48.0 | 108.9 | 91.9 | 91.6 | 81.4 | 81.6 | 81.1 | 91.1 | **1,554.4** |
| OIL | 1967 | 286.2 | 215.8 | 235.7 | 215.3 | 183.7 | 291.9 | 297.0 | 293.5 | 265.2 | 249.3 | 226.3 | 212.6 | **5,809.6** |
| DAY | 1966 | 0.0 | 3.0 | 30.0 | 30.0 | 30.0 | 29.0 | 28.0 | 30.0 | 29.0 | 31.0 | 29.0 | 31.0 | **300.0** |
| H2O | 1966 | 0.0 | 2.9 | 56.0 | 66.8 | 65.7 | 63.4 | 52.5 | 49.6 | 56.0 | 63.3 | 67.6 | 73.3 | **617.1** |
| OIL | 1966 | 0.0 | 43.1 | 299.9 | 300.3 | 294.5 | 280.8 | 257.0 | 275.1 | 249.6 | 271.1 | 272.8 | 292.9 | **2,837.1** |

# Manitoba Production
## 1950 To 1975

Licence ***2102*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-09-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 12.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,595.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 47.5 | 59.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,354.6** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 5.2 | 6.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,977.1** |
| DAY | 1970 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 10.0 | 0.0 | 0.0 | **1,573.0** |
| H2O | 1970 | 70.6 | 164.7 | 193.5 | 130.8 | 156.8 | 155.2 | 162.0 | 150.6 | 153.3 | 50.6 | 0.0 | 0.0 | **5,247.6** |
| OIL | 1970 | 0.0 | 15.1 | 18.6 | 15.9 | 19.2 | 18.0 | 18.4 | 16.8 | 17.0 | 5.6 | 0.0 | 0.0 | **1,965.4** |
| DAY | 1969 | 30.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 28.0 | 28.0 | 30.0 | 27.0 | **1,293.0** |
| H2O | 1969 | 106.7 | 95.9 | 102.7 | 103.0 | 80.9 | 102.9 | 106.8 | 160.1 | 59.5 | 67.2 | 66.5 | 61.2 | **3,859.5** |
| OIL | 1969 | 17.8 | 16.4 | 18.1 | 18.3 | 8.9 | 8.4 | 8.7 | 9.5 | 0.0 | 0.0 | 0.0 | 0.0 | **1,820.8** |
| DAY | 1968 | 18.0 | 29.0 | 31.0 | 25.0 | 26.0 | 23.0 | 29.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | **940.0** |
| H2O | 1968 | 72.7 | 111.6 | 115.6 | 82.0 | 31.3 | 72.5 | 138.2 | 176.9 | 142.3 | 96.7 | 101.9 | 109.5 | **2,746.1** |
| OIL | 1968 | 24.5 | 33.7 | 35.4 | 29.6 | 3.7 | 14.5 | 18.6 | 20.3 | 18.4 | 17.2 | 17.6 | 17.3 | **1,714.7** |
| DAY | 1967 | 31.0 | 28.0 | 29.0 | 30.0 | 26.0 | 26.0 | 31.0 | 31.0 | 29.0 | 26.0 | 30.0 | 31.0 | **610.0** |
| H2O | 1967 | 117.3 | 97.8 | 97.0 | 101.1 | 94.9 | 102.1 | 108.1 | 97.6 | 93.5 | 81.9 | 101.3 | 102.1 | **1,494.9** |
| OIL | 1967 | 56.1 | 46.9 | 46.1 | 52.1 | 30.5 | 32.4 | 38.1 | 39.7 | 36.9 | 28.6 | 32.9 | 36.2 | **1,463.9** |
| DAY | 1966 | 0.0 | 0.0 | 14.0 | 27.0 | 30.0 | 30.0 | 21.0 | 23.0 | 30.0 | 29.0 | 27.0 | 31.0 | **262.0** |
| H2O | 1966 | 0.0 | 0.0 | 1.7 | 22.1 | 0.0 | 0.0 | 0.0 | 26.2 | 26.4 | 29.9 | 87.9 | 106.0 | **300.2** |
| OIL | 1966 | 0.0 | 0.0 | 107.1 | 174.6 | 155.6 | 135.9 | 84.4 | 73.1 | 74.8 | 71.8 | 49.4 | 60.7 | **987.4** |

Licence ***2103*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-05-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 29.0 | 23.0 | 29.0 | 31.0 | 22.0 | 26.0 | 31.0 | 30.0 | 31.0 | **3,559.0** |
| H2O | 1975 | 169.9 | 150.1 | 163.1 | 132.1 | 135.6 | 148.8 | 138.9 | 112.6 | 94.1 | 128.5 | 131.5 | 131.8 | **10,917.9** |
| OIL | 1975 | 31.8 | 28.0 | 31.8 | 29.7 | 24.2 | 30.0 | 31.9 | 22.2 | 26.9 | 31.3 | 31.9 | 32.4 | **4,184.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,217.0** |
| H2O | 1974 | 154.1 | 140.7 | 135.8 | 153.3 | 127.2 | 126.7 | 151.8 | 141.2 | 134.2 | 114.3 | 144.8 | 176.8 | **9,280.9** |
| OIL | 1974 | 68.3 | 52.9 | 56.6 | 54.8 | 26.7 | 29.7 | 31.1 | 30.0 | 27.7 | 28.3 | 29.2 | 32.7 | **3,832.6** |
| DAY | 1973 | 30.0 | 28.0 | 25.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,855.0** |
| H2O | 1973 | 56.0 | 52.0 | 46.6 | 165.0 | 223.0 | 190.9 | 187.3 | 180.6 | 167.6 | 193.2 | 170.9 | 164.7 | **7,580.0** |
| OIL | 1973 | 56.9 | 49.4 | 0.0 | 24.2 | 28.4 | 26.2 | 72.3 | 73.1 | 68.2 | 72.3 | 74.2 | 70.6 | **3,364.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 29.0 | 31.0 | 29.0 | 30.0 | **2,502.0** |
| H2O | 1972 | 51.4 | 48.6 | 52.3 | 53.3 | 60.4 | 62.0 | 62.2 | 55.5 | 60.6 | 62.2 | 58.7 | 61.8 | **5,782.2** |
| OIL | 1972 | 8.6 | 7.9 | 8.6 | 58.6 | 60.4 | 59.6 | 58.6 | 45.8 | 51.6 | 55.6 | 52.9 | 56.3 | **2,748.8** |
| DAY | 1971 | 30.0 | 28.0 | 31.0 | 30.0 | 27.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,143.0** |
| H2O | 1971 | 64.7 | 63.1 | 62.8 | 59.9 | 54.2 | 58.7 | 62.3 | 51.5 | 46.7 | 51.7 | 49.4 | 51.2 | **5,093.2** |
| OIL | 1971 | 25.6 | 24.2 | 26.1 | 26.2 | 24.2 | 25.3 | 28.9 | 8.9 | 8.4 | 8.9 | 8.4 | 9.1 | **2,224.3** |
| DAY | 1970 | 30.0 | 28.0 | 31.0 | 15.0 | 12.0 | 29.0 | 31.0 | 29.0 | 30.0 | 30.0 | 29.0 | 31.0 | **1,784.0** |
| H2O | 1970 | 17.2 | 16.5 | 18.0 | 37.4 | 32.6 | 83.3 | 80.4 | 75.4 | 83.0 | 74.2 | 80.1 | 73.4 | **4,417.0** |
| OIL | 1970 | 21.3 | 19.5 | 21.8 | 19.4 | 20.2 | 40.2 | 40.4 | 35.9 | 33.7 | 36.5 | 28.3 | 28.4 | **2,000.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 11.0 | 31.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,459.0** |
| H2O | 1969 | 69.6 | 46.9 | 67.2 | 18.0 | 69.5 | 38.3 | 37.8 | 48.2 | 15.9 | 17.3 | 18.0 | 18.0 | **3,745.5** |
| OIL | 1969 | 32.4 | 31.6 | 36.4 | 15.1 | 39.7 | 39.3 | 32.4 | 36.9 | 23.2 | 25.4 | 24.6 | 25.6 | **1,654.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,119.0** |
| H2O | 1968 | 99.7 | 89.2 | 95.5 | 89.2 | 76.2 | 58.8 | 52.8 | 71.7 | 48.5 | 65.5 | 56.1 | 58.0 | **3,280.8** |
| OIL | 1968 | 35.0 | 31.5 | 34.6 | 33.5 | 33.5 | 34.0 | 34.5 | 36.4 | 33.5 | 35.3 | 32.6 | 34.8 | **1,291.9** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **754.0** |
| H2O | 1967 | 157.4 | 145.3 | 146.1 | 124.8 | 91.9 | 89.0 | 90.3 | 92.8 | 80.9 | 92.5 | 91.9 | 92.5 | **2,419.6** |
| OIL | 1967 | 24.3 | 22.7 | 24.5 | 20.7 | 35.3 | 35.3 | 35.9 | 36.1 | 32.6 | 34.5 | 31.8 | 35.0 | **882.7** |
| DAY | 1966 | 28.0 | 24.0 | 30.0 | 6.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **391.0** |
| H2O | 1966 | 46.3 | 41.5 | 56.0 | 8.3 | 52.1 | 92.5 | 78.4 | 79.2 | 80.1 | 134.5 | 146.6 | 168.4 | **1,124.2** |

# Manitoba Production
## 1950 To 1975

Licence ***2103*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-05-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1966 | 42.0 | 30.4 | 35.0 | 9.9 | 27.7 | 43.5 | 45.1 | 42.7 | 39.4 | 25.3 | 24.2 | 24.0 | **514.0** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 25.0 | 30.0 | **62.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.9 | 54.4 | 72.0 | **140.3** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.3 | 52.6 | 49.9 | **124.8** |

Licence ***2104*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-05-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 21.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 19.0 | 28.0 | 31.0 | 30.0 | 31.0 | **3,298.0** |
| H2O | 1975 | 260.7 | 172.2 | 249.9 | 209.5 | 283.6 | 236.1 | 213.0 | 153.7 | 215.6 | 273.1 | 279.8 | 280.4 | **6,647.6** |
| OIL | 1975 | 63.4 | 42.0 | 63.6 | 61.3 | 66.1 | 62.3 | 63.9 | 39.4 | 57.8 | 62.6 | 63.7 | 65.0 | **3,796.1** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,955.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 244.2 | 271.1 | **3,820.0** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.2 | 17.5 | 16.0 | 16.5 | 58.6 | 65.8 | **3,085.0** |
| DAY | 1973 | 31.0 | 27.0 | 29.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 0.0 | 0.0 | **2,794.0** |
| H2O | 1973 | 120.2 | 107.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,304.7** |
| OIL | 1973 | 45.6 | 38.3 | 17.3 | 18.9 | 19.2 | 17.8 | 18.4 | 17.6 | 17.3 | 17.6 | 0.0 | 0.0 | **2,905.4** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,497.0** |
| H2O | 1972 | 47.2 | 44.7 | 48.2 | 47.4 | 55.6 | 56.9 | 59.0 | 119.6 | 130.0 | 133.1 | 126.2 | 133.1 | **3,077.2** |
| OIL | 1972 | 31.1 | 28.9 | 30.8 | 30.5 | 32.4 | 31.9 | 32.6 | 36.9 | 41.5 | 44.3 | 42.4 | 45.0 | **2,677.4** |
| DAY | 1971 | 23.0 | 24.0 | 31.0 | 30.0 | 28.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,134.0** |
| H2O | 1971 | 42.9 | 46.4 | 54.1 | 51.7 | 44.5 | 46.4 | 49.3 | 47.4 | 42.9 | 47.5 | 45.3 | 47.1 | **2,076.2** |
| OIL | 1971 | 13.5 | 14.0 | 17.6 | 17.8 | 29.1 | 29.2 | 33.5 | 31.9 | 30.0 | 32.1 | 30.2 | 32.6 | **2,249.1** |
| DAY | 1970 | 30.0 | 28.0 | 31.0 | 16.0 | 12.0 | 29.0 | 31.0 | 29.0 | 30.0 | 29.0 | 29.0 | 31.0 | **1,785.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 69.0 | 63.1 | **1,510.7** |
| OIL | 1970 | 17.0 | 15.7 | 17.5 | 10.5 | 10.3 | 19.7 | 20.8 | 18.4 | 17.2 | 18.0 | 19.1 | 19.1 | **1,937.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 11.0 | 31.0 | 30.0 | 23.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,460.0** |
| H2O | 1969 | 58.3 | 39.3 | 56.1 | 14.9 | 58.2 | 32.0 | 29.1 | 40.2 | 0.0 | 0.0 | 0.0 | 0.0 | **1,378.6** |
| OIL | 1969 | 18.9 | 18.4 | 21.1 | 8.7 | 23.0 | 22.7 | 17.3 | 21.3 | 16.7 | 20.2 | 19.7 | 20.5 | **1,734.3** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,125.0** |
| H2O | 1968 | 7.9 | 7.2 | 7.8 | 7.2 | 6.0 | 47.5 | 43.4 | 60.1 | 40.5 | 53.1 | 46.9 | 48.5 | **1,050.5** |
| OIL | 1968 | 42.6 | 38.3 | 43.4 | 41.2 | 40.8 | 19.1 | 19.7 | 21.1 | 19.5 | 19.9 | 18.9 | 20.0 | **1,505.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **761.0** |
| H2O | 1967 | 5.1 | 4.8 | 4.8 | 4.1 | 7.9 | 7.2 | 7.2 | 7.2 | 6.4 | 7.0 | 7.3 | 7.3 | **674.4** |
| OIL | 1967 | 44.0 | 40.8 | 44.2 | 37.2 | 46.2 | 43.2 | 43.9 | 43.5 | 39.9 | 41.0 | 38.8 | 42.7 | **1,161.3** |
| DAY | 1966 | 28.0 | 24.0 | 30.0 | 6.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **396.0** |
| H2O | 1966 | 39.7 | 35.8 | 48.0 | 7.0 | 44.8 | 80.0 | 67.7 | 68.2 | 69.2 | 4.6 | 4.8 | 5.6 | **598.1** |
| OIL | 1966 | 50.2 | 36.2 | 41.6 | 11.8 | 32.9 | 52.3 | 54.0 | 51.3 | 47.2 | 46.7 | 43.7 | 43.5 | **655.9** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 29.0 | 30.0 | **66.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.6 | 50.1 | 62.0 | **122.7** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.3 | 67.4 | 59.8 | **144.5** |

Licence ***2105*** Well Name ***Tundra Pierson*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-17-003-28W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a B*** Field Code ***7*** Pool Code ***43B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 28.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 11.0 | 16.0 | **3,513.0** |
| H2O | 1975 | 43.9 | 33.1 | 38.0 | 32.0 | 51.2 | 35.3 | 32.6 | 48.2 | 55.6 | 44.2 | 19.7 | 29.4 | **4,577.2** |
| OIL | 1975 | 78.1 | 72.7 | 77.4 | 77.3 | 77.3 | 74.6 | 76.5 | 75.7 | 76.5 | 58.8 | 27.8 | 74.2 | **12,957.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 24.0 | 13.0 | 16.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,188.0** |
| H2O | 1974 | 44.8 | 37.8 | 36.6 | 29.4 | 20.5 | 14.3 | 47.9 | 59.1 | 67.7 | 68.5 | 69.2 | 63.0 | **4,114.0** |
| OIL | 1974 | 81.6 | 74.1 | 71.7 | 63.1 | 57.6 | 32.8 | 91.9 | 83.9 | 79.8 | 80.9 | 80.3 | 80.9 | **12,110.4** |

# Manitoba Production
## 1950 To 1975

Licence ***2105*** Well Name ***Tundra Pierson*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-17-003-28W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a B*** Field Code ***7*** Pool Code ***43B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 29.0 | **2,861.0** |
| H2O | 1973 | 20.2 | 30.4 | 39.7 | 29.3 | 30.4 | 26.2 | 34.8 | 29.3 | 43.9 | 46.9 | 44.5 | 42.3 | **3,555.2** |
| OIL | 1973 | 85.1 | 77.1 | 85.2 | 77.1 | 84.9 | 80.0 | 80.0 | 84.4 | 75.8 | 82.4 | 78.7 | 75.7 | **11,231.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 11.0 | 30.0 | 31.0 | **2,502.0** |
| H2O | 1972 | 36.6 | 30.0 | 28.8 | 16.9 | 35.0 | 23.4 | 30.4 | 24.5 | 37.0 | 10.7 | 32.4 | 33.2 | **3,137.3** |
| OIL | 1972 | 94.2 | 86.1 | 90.2 | 85.0 | 89.7 | 85.8 | 87.7 | 85.8 | 92.5 | 21.5 | 103.5 | 86.0 | **10,265.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,156.0** |
| H2O | 1971 | 42.9 | 37.0 | 52.8 | 38.0 | 29.7 | 38.3 | 63.4 | 35.8 | 26.6 | 35.1 | 35.5 | 31.6 | **2,798.4** |
| OIL | 1971 | 103.1 | 89.9 | 96.1 | 91.3 | 97.4 | 92.4 | 93.9 | 83.7 | 98.8 | 94.0 | 87.5 | 92.6 | **9,257.4** |
| DAY | 1970 | 31.0 | 28.0 | 30.0 | 23.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,797.0** |
| H2O | 1970 | 38.3 | 35.5 | 36.6 | 29.4 | 37.7 | 36.2 | 64.4 | 45.2 | 27.8 | 53.7 | 51.5 | 45.0 | **2,331.7** |
| OIL | 1970 | 112.8 | 101.3 | 112.1 | 88.5 | 115.5 | 117.6 | 105.2 | 107.9 | 102.8 | 104.4 | 98.5 | 103.2 | **8,136.7** |
| DAY | 1969 | 31.0 | 26.0 | 16.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,440.0** |
| H2O | 1969 | 56.1 | 23.5 | 23.8 | 39.3 | 45.3 | 42.1 | 40.7 | 42.1 | 41.7 | 38.6 | 39.1 | 45.8 | **1,830.4** |
| OIL | 1969 | 131.7 | 78.8 | 78.9 | 117.6 | 121.4 | 121.2 | 121.2 | 119.9 | 115.3 | 116.4 | 110.9 | 74.8 | **6,866.9** |
| DAY | 1968 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,094.0** |
| H2O | 1968 | 26.4 | 45.8 | 36.4 | 27.8 | 35.6 | 39.0 | 32.6 | 25.6 | 37.4 | 36.1 | 30.2 | 38.8 | **1,352.3** |
| OIL | 1968 | 154.4 | 129.5 | 145.7 | 143.8 | 139.7 | 150.3 | 142.2 | 142.5 | 139.2 | 139.3 | 130.4 | 127.4 | **5,558.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 23.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **732.0** |
| H2O | 1967 | 44.2 | 42.1 | 38.0 | 48.2 | 38.8 | 35.1 | 45.6 | 41.3 | 47.7 | 46.1 | 32.9 | 35.6 | **940.6** |
| OIL | 1967 | 164.5 | 153.6 | 165.1 | 157.6 | 160.3 | 123.8 | 142.5 | 168.7 | 135.8 | 174.9 | 148.4 | 157.0 | **3,874.4** |
| DAY | 1966 | 31.0 | 23.0 | 30.0 | 30.0 | 7.0 | 27.0 | 31.0 | 30.0 | 30.0 | 31.0 | 27.0 | 31.0 | **376.0** |
| H2O | 1966 | 21.2 | 28.0 | 27.5 | 34.5 | 7.2 | 28.6 | 51.0 | 48.5 | 47.1 | 34.0 | 28.0 | 52.8 | **445.0** |
| OIL | 1966 | 147.9 | 110.2 | 144.3 | 147.8 | 39.8 | 148.1 | 196.7 | 185.4 | 187.0 | 192.1 | 151.1 | 186.1 | **2,022.2** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 31.0 | **48.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.5 | 31.1 | **36.6** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 53.0 | 132.7 | **185.7** |

Licence ***2109*** Well Name ***Tundra Pierson*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-18-003-28W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a B*** Field Code ***7*** Pool Code ***43B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 18.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **340.0** |
| H2O | 1968 | 161.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,645.3** |
| OIL | 1968 | 23.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **525.7** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 29.0 | 29.0 | 30.0 | 24.0 | 15.0 | 27.0 | **322.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 111.5 | 161.8 | 233.9 | 232.4 | 258.0 | 146.6 | 292.7 | **2,483.6** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.8 | 45.9 | 37.8 | 58.0 | 31.5 | 19.7 | 32.8 | **502.5** |
| DAY | 1966 | 16.0 | 11.0 | 4.0 | 0.0 | 0.0 | 0.0 | 21.0 | 28.0 | 27.0 | 31.0 | 9.0 | 0.0 | **151.0** |
| H2O | 1966 | 218.9 | 70.6 | 35.5 | 0.0 | 0.0 | 0.0 | 146.6 | 185.4 | 159.3 | 162.6 | 57.4 | 0.0 | **1,046.7** |
| OIL | 1966 | 28.5 | 37.8 | 9.2 | 0.0 | 0.0 | 0.0 | 30.0 | 53.3 | 34.2 | 32.4 | 8.7 | 0.0 | **255.0** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | **4.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.4 | **10.4** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.9 | **20.9** |

Licence ***2110*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.01-29-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 10.0 | 16.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,605.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 5.7 | 9.3 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **7,318.3** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 1.2 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,390.0** |
| DAY | 1971 | 29.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 30.0 | 31.0 | 2.0 | 0.0 | **1,578.0** |

# Manitoba Production
## 1950 To 1975

Licence ***2110*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.01-29-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1971 | 262.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.1 | 16.4 | 16.7 | 0.6 | 0.0 | **7,302.8** |
| OIL | 1971 | 24.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.8 | 3.8 | 3.8 | 0.0 | 0.0 | **1,386.7** |
| DAY | 1970 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 31.0 | **1,457.0** |
| H2O | 1970 | 18.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 222.6 | 276.8 | **7,002.8** |
| OIL | 1970 | 4.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.1 | 27.7 | **1,350.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 21.0 | 4.0 | 17.0 | 14.0 | 28.0 | 29.0 | 30.0 | 31.0 | **1,398.0** |
| H2O | 1969 | 197.1 | 157.4 | 187.3 | 167.4 | 116.9 | 25.4 | 122.9 | 95.7 | 226.5 | 271.2 | 278.1 | 227.7 | **6,485.4** |
| OIL | 1969 | 19.2 | 17.6 | 18.0 | 13.7 | 8.1 | 2.7 | 15.9 | 6.8 | 33.7 | 33.8 | 43.9 | 36.4 | **1,299.6** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,104.0** |
| H2O | 1968 | 171.2 | 151.3 | 138.5 | 118.9 | 123.2 | 159.3 | 352.8 | 249.8 | 191.9 | 220.5 | 190.8 | 197.1 | **4,411.8** |
| OIL | 1968 | 31.8 | 30.2 | 27.5 | 25.7 | 24.5 | 21.5 | 42.4 | 37.8 | 25.6 | 32.7 | 27.8 | 28.8 | **1,049.8** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **740.0** |
| H2O | 1967 | 73.9 | 55.5 | 70.4 | 128.3 | 107.3 | 83.1 | 102.7 | 129.3 | 140.5 | 120.8 | 96.8 | 211.1 | **2,146.5** |
| OIL | 1967 | 24.6 | 11.4 | 16.2 | 40.0 | 36.2 | 23.4 | 25.3 | 32.4 | 25.7 | 23.8 | 19.2 | 34.0 | **693.5** |
| DAY | 1966 | 26.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **377.0** |
| H2O | 1966 | 62.0 | 46.4 | 41.3 | 34.5 | 47.9 | 34.8 | 39.4 | 99.4 | 105.1 | 97.6 | 73.9 | 73.9 | **826.8** |
| OIL | 1966 | 29.4 | 23.0 | 24.0 | 22.1 | 16.0 | 7.8 | 8.9 | 42.4 | 50.4 | 39.4 | 32.3 | 27.3 | **381.3** |
| DAY | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | **28.0** |
| H2O | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 70.6 | **70.6** |
| OIL | 1965 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 58.3 | **58.3** |

Licence ***2111*** Well Name ***Tundra Pierson Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.01-18-003-28W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a B*** Field Code ***7*** Pool Code ***43B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 21.0 | 28.0 | 27.0 | 7.0 | 21.0 | 26.0 | 20.0 | 27.0 | 30.0 | 9.0 | 29.0 | 28.0 | **2,964.0** |
| H2O | 1975 | 63.3 | 74.4 | 70.7 | 18.9 | 50.7 | 66.1 | 52.3 | 66.1 | 71.7 | 19.1 | 68.2 | 73.8 | **8,068.9** |
| OIL | 1975 | 34.5 | 49.0 | 45.3 | 10.5 | 39.1 | 42.0 | 31.8 | 48.0 | 47.4 | 13.4 | 46.3 | 48.2 | **6,321.1** |
| DAY | 1974 | 31.0 | 27.0 | 31.0 | 22.0 | 0.0 | 16.0 | 31.0 | 31.0 | 29.0 | 10.0 | 21.0 | 13.0 | **2,691.0** |
| H2O | 1974 | 79.2 | 61.8 | 73.8 | 52.0 | 0.0 | 35.8 | 66.0 | 71.4 | 70.7 | 28.8 | 62.3 | 25.9 | **7,373.6** |
| OIL | 1974 | 50.1 | 41.8 | 47.5 | 33.5 | 0.0 | 26.6 | 49.4 | 46.1 | 40.9 | 13.5 | 32.0 | 15.4 | **5,865.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 27.0 | 28.0 | 30.0 | 28.0 | 31.0 | 27.0 | 31.0 | 30.0 | 29.0 | **2,429.0** |
| H2O | 1973 | 61.2 | 49.3 | 73.1 | 57.4 | 78.4 | 70.9 | 69.5 | 86.8 | 74.1 | 86.0 | 77.9 | 72.8 | **6,745.9** |
| OIL | 1973 | 52.3 | 47.5 | 49.9 | 43.9 | 46.6 | 48.8 | 48.7 | 50.2 | 45.8 | 51.8 | 47.2 | 43.2 | **5,468.8** |
| DAY | 1972 | 15.0 | 27.0 | 29.0 | 30.0 | 31.0 | 29.0 | 29.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,078.0** |
| H2O | 1972 | 38.3 | 72.3 | 84.1 | 82.8 | 87.3 | 74.6 | 62.6 | 86.3 | 75.8 | 84.3 | 79.5 | 77.9 | **5,888.5** |
| OIL | 1972 | 28.9 | 46.4 | 54.4 | 52.9 | 54.5 | 54.4 | 43.4 | 51.4 | 47.2 | 53.4 | 47.9 | 45.5 | **4,892.9** |
| DAY | 1971 | 31.0 | 28.0 | 24.0 | 17.0 | 31.0 | 24.0 | 29.0 | 19.0 | 30.0 | 22.0 | 30.0 | 13.0 | **1,738.0** |
| H2O | 1971 | 65.0 | 74.7 | 67.9 | 46.7 | 76.2 | 69.6 | 73.6 | 49.8 | 96.0 | 53.9 | 81.2 | 34.2 | **4,982.7** |
| OIL | 1971 | 50.2 | 45.3 | 42.6 | 35.1 | 45.9 | 40.4 | 50.6 | 36.7 | 41.5 | 43.6 | 56.6 | 23.2 | **4,312.6** |
| DAY | 1970 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | **1,440.0** |
| H2O | 1970 | 52.1 | 69.6 | 75.2 | 63.9 | 61.5 | 86.0 | 74.7 | 95.1 | 106.0 | 92.4 | 75.5 | 85.1 | **4,193.9** |
| OIL | 1970 | 52.0 | 49.0 | 55.2 | 51.0 | 50.9 | 44.0 | 54.1 | 56.6 | 52.9 | 52.3 | 47.4 | 49.4 | **3,800.9** |
| DAY | 1969 | 8.0 | 17.0 | 0.0 | 6.0 | 31.0 | 29.0 | 24.0 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | **1,082.0** |
| H2O | 1969 | 26.6 | 59.3 | 0.0 | 3.2 | 81.1 | 86.5 | 76.6 | 94.0 | 101.0 | 73.3 | 71.5 | 54.5 | **3,256.8** |
| OIL | 1969 | 21.2 | 49.2 | 0.0 | 11.8 | 65.7 | 59.1 | 56.4 | 63.3 | 68.2 | 74.4 | 54.1 | 61.5 | **3,186.1** |
| DAY | 1968 | 0.0 | 2.0 | 30.0 | 30.0 | 14.0 | 19.0 | 31.0 | 31.0 | 27.0 | 27.0 | 27.0 | 30.0 | **821.0** |
| H2O | 1968 | 0.0 | 6.4 | 90.9 | 97.0 | 34.8 | 63.0 | 104.5 | 85.2 | 131.5 | 52.1 | 44.2 | 94.3 | **2,529.2** |
| OIL | 1968 | 0.0 | 12.1 | 105.3 | 98.2 | 30.1 | 68.7 | 94.8 | 95.1 | 56.2 | 47.4 | 74.1 | 86.4 | **2,601.2** |
| DAY | 1967 | 12.0 | 28.0 | 29.0 | 0.0 | 16.0 | 30.0 | 31.0 | 31.0 | 28.0 | 30.0 | 30.0 | 27.0 | **553.0** |
| H2O | 1967 | 56.9 | 89.4 | 85.7 | 0.0 | 63.9 | 90.3 | 94.3 | 96.3 | 91.7 | 99.8 | 95.1 | 85.5 | **1,725.3** |
| OIL | 1967 | 26.8 | 79.6 | 87.3 | 0.0 | 50.1 | 88.3 | 106.3 | 93.2 | 90.7 | 85.8 | 81.6 | 74.9 | **1,832.8** |

# Manitoba Production
## 1950 To 1975

Licence ***2111*** Well Name ***Tundra Pierson Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.01-18-003-28W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a B*** Field Code ***7*** Pool Code ***43B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 15.0 | 27.0 | 31.0 | 3.0 | 0.0 | 26.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 8.0 | **261.0** |
| H2O | 1966 | 34.9 | 89.2 | 83.9 | 8.7 | 0.0 | 70.3 | 102.7 | 98.4 | 87.3 | 95.9 | 94.6 | 10.5 | **776.4** |
| OIL | 1966 | 94.0 | 121.8 | 137.9 | 12.9 | 0.0 | 95.9 | 125.8 | 100.7 | 89.3 | 88.0 | 89.6 | 12.3 | **968.2** |

Licence ***2112*** Well Name ***Tundra Pierson*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-07-003-28W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3b B*** Field Code ***7*** Pool Code ***42B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 9.0 | 26.0 | 27.0 | 22.0 | 11.0 | 30.0 | 31.0 | 27.0 | 30.0 | 16.0 | 30.0 | 26.0 | **2,701.0** |
| H2O | 1975 | 73.5 | 77.9 | 81.1 | 67.6 | 29.4 | 76.8 | 77.3 | 63.6 | 72.5 | 40.1 | 72.3 | 66.9 | **6,872.8** |
| OIL | 1975 | 37.5 | 46.6 | 45.5 | 40.4 | 48.2 | 50.1 | 44.0 | 44.7 | 48.3 | 28.0 | 49.0 | 43.7 | **4,998.4** |
| DAY | 1974 | 31.0 | 4.0 | 10.0 | 0.0 | 0.0 | 0.0 | 8.0 | 31.0 | 30.0 | 7.0 | 0.0 | 28.0 | **2,416.0** |
| H2O | 1974 | 77.6 | 14.9 | 25.6 | 0.0 | 0.0 | 0.0 | 26.6 | 75.2 | 79.0 | 21.8 | 0.0 | 70.7 | **6,073.8** |
| OIL | 1974 | 49.1 | 10.0 | 17.2 | 0.0 | 0.0 | 0.0 | 24.3 | 53.6 | 49.6 | 9.1 | 0.0 | 50.2 | **4,472.4** |
| DAY | 1973 | 31.0 | 24.0 | 31.0 | 16.0 | 31.0 | 16.0 | 14.0 | 24.0 | 29.0 | 27.0 | 30.0 | 20.0 | **2,267.0** |
| H2O | 1973 | 61.7 | 42.1 | 73.9 | 34.0 | 89.7 | 40.1 | 28.1 | 66.8 | 76.8 | 72.3 | 81.2 | 47.5 | **5,682.4** |
| OIL | 1973 | 52.1 | 41.3 | 50.4 | 26.1 | 53.9 | 29.1 | 24.3 | 42.6 | 46.9 | 44.7 | 48.0 | 28.5 | **4,209.3** |
| DAY | 1972 | 14.0 | 28.0 | 28.0 | 29.0 | 22.0 | 30.0 | 31.0 | 29.0 | 29.0 | 28.0 | 30.0 | 31.0 | **1,974.0** |
| H2O | 1972 | 35.3 | 75.5 | 80.6 | 74.2 | 62.3 | 72.8 | 66.5 | 86.2 | 79.3 | 68.7 | 81.1 | 81.6 | **4,968.2** |
| OIL | 1972 | 25.8 | 49.0 | 51.2 | 48.5 | 42.6 | 53.7 | 45.0 | 51.0 | 49.1 | 45.3 | 48.8 | 48.0 | **3,721.4** |
| DAY | 1971 | 31.0 | 27.0 | 26.0 | 17.0 | 31.0 | 29.0 | 29.0 | 24.0 | 27.0 | 15.0 | 16.0 | 13.0 | **1,645.0** |
| H2O | 1971 | 72.3 | 78.4 | 68.0 | 46.7 | 82.4 | 83.3 | 74.9 | 84.7 | 85.5 | 34.5 | 45.8 | 32.9 | **4,104.1** |
| OIL | 1971 | 52.0 | 44.7 | 45.2 | 34.5 | 52.3 | 49.8 | 50.6 | 59.5 | 40.2 | 25.6 | 35.0 | 22.4 | **3,163.4** |
| DAY | 1970 | 24.0 | 28.0 | 30.0 | 25.0 | 10.0 | 30.0 | 31.0 | 31.0 | 29.0 | 28.0 | 29.0 | 25.0 | **1,360.0** |
| H2O | 1970 | 36.2 | 79.2 | 77.1 | 44.5 | 33.2 | 77.9 | 67.9 | 70.4 | 81.4 | 69.5 | 78.2 | 79.3 | **3,314.7** |
| OIL | 1970 | 40.4 | 50.1 | 55.5 | 47.4 | 23.7 | 46.1 | 49.0 | 47.7 | 44.0 | 50.2 | 41.5 | 47.9 | **2,651.6** |
| DAY | 1969 | 9.0 | 25.0 | 0.0 | 3.0 | 22.0 | 30.0 | 31.0 | 29.0 | 29.0 | 30.0 | 30.0 | 24.0 | **1,040.0** |
| H2O | 1969 | 18.3 | 55.8 | 0.0 | 2.1 | 89.4 | 99.7 | 97.3 | 81.6 | 87.6 | 81.4 | 96.8 | 72.7 | **2,519.9** |
| OIL | 1969 | 13.4 | 74.6 | 0.0 | 12.1 | 52.0 | 66.6 | 63.3 | 61.7 | 66.5 | 49.1 | 64.4 | 70.3 | **2,108.1** |
| DAY | 1968 | 0.0 | 2.0 | 28.0 | 30.0 | 14.0 | 18.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **778.0** |
| H2O | 1968 | 0.0 | 3.2 | 36.6 | 46.1 | 44.7 | 51.2 | 75.2 | 49.6 | 24.6 | 110.5 | 113.2 | 59.8 | **1,737.2** |
| OIL | 1968 | 0.0 | 7.8 | 40.6 | 42.3 | 12.0 | 27.2 | 41.7 | 38.4 | 67.8 | 83.7 | 57.9 | 49.9 | **1,514.1** |
| DAY | 1967 | 21.0 | 26.0 | 28.0 | 0.0 | 14.0 | 30.0 | 28.0 | 31.0 | 30.0 | 29.0 | 29.0 | 21.0 | **505.0** |
| H2O | 1967 | 77.3 | 107.8 | 94.3 | 0.0 | 39.4 | 95.9 | 84.9 | 82.4 | 70.1 | 48.7 | 46.4 | 33.7 | **1,122.5** |
| OIL | 1967 | 74.6 | 61.9 | 58.9 | 0.0 | 41.7 | 61.7 | 40.1 | 56.2 | 54.8 | 53.8 | 51.4 | 37.7 | **1,044.8** |
| DAY | 1966 | 10.0 | 24.0 | 31.0 | 3.0 | 0.0 | 11.0 | 27.0 | 27.0 | 15.0 | 27.0 | 30.0 | 13.0 | **218.0** |
| H2O | 1966 | 1.0 | 6.9 | 0.0 | 0.0 | 0.0 | 0.0 | 34.6 | 54.8 | 51.2 | 69.5 | 80.8 | 42.8 | **341.6** |
| OIL | 1966 | 28.0 | 49.0 | 20.3 | 1.8 | 0.0 | 8.0 | 84.6 | 64.3 | 44.6 | 63.2 | 53.8 | 34.4 | **452.0** |

Licence ***2118*** Well Name ***Tundra et al Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-30-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 25.0 | 31.0 | **3,446.0** |
| H2O | 1975 | 39.7 | 36.4 | 39.4 | 38.2 | 37.7 | 38.0 | 39.4 | 38.0 | 36.2 | 34.3 | 29.9 | 39.4 | **2,968.1** |
| OIL | 1975 | 145.0 | 128.3 | 142.6 | 137.5 | 138.3 | 137.7 | 139.3 | 135.3 | 130.2 | 121.1 | 109.4 | 142.0 | **17,834.2** |
| DAY | 1974 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,090.0** |
| H2O | 1974 | 38.6 | 34.3 | 40.4 | 38.2 | 40.7 | 38.3 | 36.2 | 33.7 | 34.7 | 39.4 | 38.2 | 39.4 | **2,521.5** |
| OIL | 1974 | 139.0 | 133.0 | 148.4 | 142.0 | 144.4 | 138.5 | 133.8 | 144.9 | 138.7 | 144.7 | 134.2 | 144.1 | **16,227.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,728.0** |
| H2O | 1973 | 33.4 | 31.3 | 35.0 | 33.7 | 32.4 | 36.9 | 38.6 | 39.4 | 37.8 | 40.4 | 37.8 | 38.5 | **2,069.4** |
| OIL | 1973 | 151.7 | 133.6 | 147.6 | 142.7 | 118.7 | 135.8 | 141.2 | 136.3 | 132.0 | 137.7 | 133.4 | 134.6 | **14,541.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 25.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **2,370.0** |

# Manitoba Production
## 1950 To 1975

Licence ***2118*** Well Name ***Tundra et al Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-30-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1972 | 29.9 | 27.8 | 29.6 | 29.3 | 31.0 | 25.4 | 32.6 | 34.8 | 35.9 | 37.0 | 28.1 | 34.0 | **1,634.2** |
| OIL | 1972 | 140.4 | 132.5 | 139.8 | 133.9 | 134.2 | 109.1 | 130.1 | 137.7 | 134.4 | 133.6 | 123.4 | 152.1 | **12,896.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 23.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,014.0** |
| H2O | 1971 | 29.6 | 27.3 | 29.6 | 28.6 | 22.3 | 28.0 | 29.4 | 29.6 | 28.9 | 28.6 | 28.6 | 29.1 | **1,258.8** |
| OIL | 1971 | 160.8 | 144.4 | 153.0 | 146.2 | 111.5 | 140.4 | 149.7 | 149.7 | 143.0 | 141.4 | 139.7 | 145.7 | **11,295.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 17.0 | 23.0 | 30.0 | 31.0 | **1,658.0** |
| H2O | 1970 | 15.4 | 13.5 | 14.9 | 14.5 | 14.8 | 14.6 | 13.2 | 14.8 | 8.1 | 16.5 | 28.6 | 29.4 | **919.2** |
| OIL | 1970 | 150.3 | 134.2 | 137.7 | 140.8 | 146.0 | 141.9 | 125.8 | 137.6 | 74.8 | 122.6 | 163.7 | 162.2 | **9,569.8** |
| DAY | 1969 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **1,318.0** |
| H2O | 1969 | 17.5 | 13.4 | 18.9 | 19.7 | 23.4 | 22.9 | 23.5 | 22.9 | 23.5 | 21.1 | 13.8 | 14.0 | **720.9** |
| OIL | 1969 | 163.0 | 138.7 | 155.7 | 152.1 | 157.1 | 148.1 | 155.1 | 149.0 | 142.4 | 148.2 | 160.6 | 156.8 | **7,932.2** |
| DAY | 1968 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **957.0** |
| H2O | 1968 | 15.1 | 13.5 | 14.5 | 14.9 | 19.7 | 13.8 | 15.6 | 16.4 | 18.0 | 16.9 | 17.5 | 17.5 | **486.3** |
| OIL | 1968 | 192.1 | 182.6 | 168.7 | 187.0 | 188.9 | 181.0 | 172.9 | 183.7 | 174.6 | 178.6 | 166.8 | 168.0 | **6,105.4** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 26.0 | 30.0 | 31.0 | **596.0** |
| H2O | 1967 | 12.6 | 14.5 | 12.1 | 11.0 | 12.4 | 14.0 | 15.6 | 15.9 | 13.5 | 14.3 | 14.6 | 15.7 | **292.9** |
| OIL | 1967 | 187.5 | 173.7 | 201.5 | 192.6 | 202.8 | 199.3 | 202.3 | 179.1 | 168.9 | 168.0 | 187.8 | 194.0 | **3,960.5** |
| DAY | 1966 | 0.0 | 0.0 | 27.0 | 0.0 | 20.0 | 26.0 | 25.0 | 20.0 | 30.0 | 29.0 | 30.0 | 31.0 | **238.0** |
| H2O | 1966 | 0.0 | 0.0 | 21.2 | 0.0 | 17.4 | 14.1 | 12.0 | 14.9 | 9.5 | 14.0 | 11.8 | 11.8 | **126.7** |
| OIL | 1966 | 0.0 | 0.0 | 217.4 | 0.0 | 168.0 | 193.9 | 177.6 | 148.7 | 231.4 | 190.8 | 186.7 | 188.5 | **1,703.0** |

Licence ***2119*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.10-29-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 30.0 | 29.0 | 30.0 | 27.0 | 28.0 | **2,456.0** |
| H2O | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 398.7 | 379.2 | 347.7 | 327.2 | 113.0 | 116.4 | **11,779.8** |
| OIL | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.3 | 26.2 | 27.0 | 27.3 | 12.9 | 13.2 | **1,973.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 17.0 | 0.0 | 4.0 | 31.0 | 31.0 | 30.0 | 19.0 | 0.0 | 0.0 | **2,283.0** |
| H2O | 1974 | 470.1 | 404.6 | 479.3 | 246.7 | 0.0 | 62.3 | 425.1 | 476.3 | 480.3 | 178.7 | 0.0 | 0.0 | **10,097.6** |
| OIL | 1974 | 17.0 | 16.8 | 23.0 | 12.7 | 0.0 | 2.5 | 23.5 | 28.3 | 26.7 | 31.0 | 0.0 | 0.0 | **1,841.9** |
| DAY | 1973 | 31.0 | 28.0 | 27.0 | 24.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,061.0** |
| H2O | 1973 | 262.6 | 238.2 | 36.9 | 51.7 | 391.7 | 404.1 | 408.6 | 401.6 | 366.4 | 414.6 | 384.6 | 452.1 | **6,874.2** |
| OIL | 1973 | 27.8 | 24.5 | 24.0 | 3.5 | 41.3 | 40.0 | 28.0 | 40.8 | 35.8 | 18.0 | 17.0 | 16.5 | **1,660.4** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 25.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,709.0** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 13.2 | 7.9 | 191.3 | 359.1 | 395.2 | 378.8 | 381.7 | 237.5 | 219.2 | **3,061.1** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 3.5 | 4.4 | 53.2 | 59.2 | 48.6 | 48.5 | 51.0 | 27.5 | 28.1 | **1,343.2** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 30.0 | 31.0 | 30.0 | 8.0 | 0.0 | 0.0 | **1,441.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.9 | 16.5 | 18.9 | 17.2 | 4.9 | 0.0 | 0.0 | **877.2** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.1 | 4.1 | 4.4 | 4.3 | 1.3 | 0.0 | 0.0 | **1,019.2** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **1,312.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 3.3 | 42.6 | 36.9 | 37.8 | 41.2 | 8.6 | 0.0 | 0.0 | **803.8** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 1.4 | 8.1 | 8.1 | 8.6 | 8.4 | 4.3 | 0.0 | 0.0 | **1,001.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 12.0 | 8.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 18.0 | **1,148.0** |
| H2O | 1969 | 20.0 | 16.4 | 19.9 | 7.9 | 5.4 | 20.3 | 16.5 | 14.9 | 14.3 | 15.1 | 14.3 | 5.1 | **633.4** |
| OIL | 1969 | 14.5 | 12.2 | 13.8 | 5.7 | 3.3 | 13.8 | 4.4 | 4.3 | 17.3 | 18.1 | 17.0 | 0.0 | **962.1** |
| DAY | 1968 | 2.0 | 0.0 | 0.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 19.0 | 30.0 | 31.0 | **837.0** |
| H2O | 1968 | 0.6 | 0.0 | 0.0 | 13.5 | 20.2 | 21.1 | 14.1 | 23.5 | 20.8 | 8.4 | 14.3 | 20.2 | **463.3** |
| OIL | 1968 | 1.9 | 0.0 | 0.0 | 28.1 | 30.7 | 25.7 | 31.5 | 22.1 | 25.9 | 21.0 | 34.8 | 14.3 | **837.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | **577.0** |
| H2O | 1967 | 17.5 | 15.3 | 17.8 | 16.2 | 16.1 | 16.1 | 20.0 | 16.9 | 28.1 | 15.3 | 14.8 | 14.5 | **306.6** |
| OIL | 1967 | 38.0 | 33.5 | 35.9 | 33.1 | 34.0 | 19.7 | 23.0 | 25.9 | 18.4 | 24.6 | 20.8 | 32.1 | **601.7** |

# Manitoba Production
## 1950 To 1975

Licence ***2119*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.10-29-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 28.0 | 29.0 | 29.0 | 30.0 | 31.0 | 21.0 | 31.0 | **215.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 6.4 | 14.5 | 13.4 | 8.6 | 11.1 | 16.2 | 11.6 | 16.2 | **98.0** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 9.2 | 19.5 | 41.6 | 38.8 | 42.1 | 41.6 | 29.4 | 40.5 | **262.7** |

Licence ***2122*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.09-19-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | **2,883.0** |
| H2O | 1975 | 228.3 | 205.7 | 240.7 | 231.0 | 256.9 | 228.1 | 214.9 | 230.0 | 214.6 | 201.6 | 176.6 | 197.1 | **7,813.9** |
| OIL | 1975 | 51.0 | 46.4 | 51.5 | 48.0 | 50.4 | 47.4 | 47.0 | 57.7 | 60.4 | 60.9 | 54.7 | 61.3 | **3,376.1** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 31.0 | 30.0 | 31.0 | 21.0 | 31.0 | **2,522.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 53.3 | 184.7 | 185.7 | 240.4 | 146.6 | 230.4 | **5,188.4** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.1 | 28.3 | 26.5 | 50.5 | 33.4 | 50.7 | **2,739.4** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 19.0 | 28.0 | 30.0 | 30.0 | 29.0 | 30.0 | 30.0 | 0.0 | 0.0 | **2,369.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 42.3 | 65.8 | 75.4 | 66.5 | 188.7 | 165.0 | 166.5 | 0.0 | 0.0 | **4,147.3** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 11.1 | 16.5 | 17.6 | 18.4 | 71.7 | 26.1 | 25.8 | 0.0 | 0.0 | **2,541.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 25.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 0.0 | 0.0 | **2,173.0** |
| H2O | 1972 | 32.6 | 32.9 | 33.1 | 22.3 | 26.9 | 26.5 | 26.7 | 67.4 | 66.8 | 63.0 | 0.0 | 0.0 | **3,377.1** |
| OIL | 1972 | 18.8 | 18.1 | 19.1 | 14.9 | 17.5 | 18.1 | 18.4 | 43.1 | 44.2 | 43.4 | 0.0 | 0.0 | **2,354.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **1,878.0** |
| H2O | 1971 | 42.6 | 42.4 | 45.6 | 47.1 | 44.2 | 40.2 | 42.6 | 47.1 | 25.3 | 32.1 | 28.9 | 30.2 | **2,978.9** |
| OIL | 1971 | 56.1 | 50.7 | 56.7 | 54.2 | 48.9 | 52.4 | 55.8 | 55.0 | 15.4 | 18.4 | 17.5 | 18.9 | **2,099.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 27.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,519.0** |
| H2O | 1970 | 39.9 | 37.8 | 46.3 | 37.4 | 38.8 | 42.4 | 38.8 | 37.7 | 45.3 | 42.3 | 39.1 | 36.1 | **2,510.6** |
| OIL | 1970 | 27.3 | 24.3 | 26.9 | 23.5 | 24.2 | 25.4 | 26.6 | 26.7 | 52.5 | 50.1 | 52.8 | 55.6 | **1,599.1** |
| DAY | 1969 | 29.0 | 28.0 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 23.0 | **1,161.0** |
| H2O | 1969 | 68.8 | 60.6 | 68.8 | 39.9 | 47.7 | 45.3 | 48.2 | 40.1 | 41.7 | 44.0 | 41.7 | 32.6 | **2,028.7** |
| OIL | 1969 | 33.7 | 31.1 | 32.7 | 41.6 | 45.0 | 26.5 | 27.2 | 24.9 | 25.4 | 26.9 | 24.9 | 20.2 | **1,183.2** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 31.0 | 22.0 | 29.0 | 30.0 | 31.0 | **811.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 71.5 | 63.6 | 53.3 | 63.9 | 68.8 | 74.2 | **1,449.3** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 37.6 | 35.8 | 24.4 | 32.8 | 34.7 | 36.4 | **823.1** |
| DAY | 1967 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 25.0 | 27.0 | **643.0** |
| H2O | 1967 | 38.2 | 47.2 | 52.5 | 45.3 | 49.3 | 39.7 | 28.6 | 28.6 | 57.2 | 94.6 | 64.4 | 50.1 | **1,054.0** |
| OIL | 1967 | 38.1 | 33.3 | 37.6 | 34.7 | 24.4 | 16.8 | 18.2 | 19.1 | 24.1 | 33.1 | 21.5 | 27.9 | **621.4** |
| DAY | 1966 | 0.0 | 6.0 | 28.0 | 28.0 | 28.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 20.0 | 31.0 | **291.0** |
| H2O | 1966 | 0.0 | 15.3 | 40.4 | 33.0 | 35.5 | 46.8 | 50.8 | 47.7 | 57.2 | 52.5 | 54.5 | 24.6 | **458.3** |
| OIL | 1966 | 0.0 | 7.5 | 34.0 | 28.6 | 26.2 | 26.2 | 29.6 | 29.6 | 25.9 | 25.4 | 35.0 | 24.6 | **292.6** |

Licence ***2124*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-32-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1966 | 0.0 | 0.0 | 14.0 | 25.0 | 5.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **45.0** |
| H2O | 1966 | 0.0 | 0.0 | 132.6 | 236.1 | 38.8 | 7.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **415.3** |
| OIL | 1966 | 0.0 | 0.0 | 37.5 | 63.7 | 14.1 | 2.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **118.2** |

Licence ***2125*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-18-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,625.0** |
| H2O | 1975 | 144.7 | 122.6 | 137.7 | 138.0 | 141.5 | 130.6 | 140.3 | 390.3 | 405.6 | 423.4 | 403.5 | 431.6 | **6,276.0** |

# Manitoba Production
## 1950 To 1975

Licence ***2125*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-18-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1975 | 42.0 | 35.8 | 41.6 | 39.6 | 42.0 | 40.7 | 41.5 | 55.1 | 52.9 | 53.7 | 51.5 | 52.1 | **1,862.1** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,261.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 134.5 | 137.9 | 137.6 | 142.6 | **3,266.2** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 41.6 | 42.1 | 41.3 | 42.0 | **1,313.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,139.0** |
| H2O | 1972 | 38.6 | 37.4 | 42.9 | 38.6 | 38.6 | 35.0 | 35.5 | 35.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,713.6** |
| OIL | 1972 | 9.4 | 8.7 | 9.5 | 9.1 | 9.5 | 8.4 | 9.2 | 4.8 | 0.0 | 0.0 | 0.0 | 0.0 | **1,146.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,899.0** |
| H2O | 1971 | 53.9 | 43.2 | 45.2 | 53.6 | 49.4 | 49.9 | 47.2 | 36.7 | 44.5 | 44.2 | 42.0 | 42.8 | **2,412.0** |
| OIL | 1971 | 8.3 | 10.2 | 9.4 | 9.2 | 9.4 | 8.7 | 10.2 | 7.3 | 16.0 | 5.2 | 10.8 | 10.2 | **1,078.0** |
| DAY | 1970 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,537.0** |
| H2O | 1970 | 68.7 | 64.2 | 60.1 | 58.7 | 58.8 | 66.8 | 61.7 | 59.3 | 57.1 | 53.7 | 45.0 | 49.1 | **1,859.4** |
| OIL | 1970 | 14.9 | 13.8 | 14.9 | 10.0 | 9.9 | 8.9 | 8.7 | 8.4 | 8.4 | 7.9 | 9.5 | 10.5 | **963.1** |
| DAY | 1969 | 31.0 | 18.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 24.0 | 17.0 | 31.0 | **1,176.0** |
| H2O | 1969 | 22.4 | 33.1 | 51.4 | 40.9 | 38.5 | 43.1 | 42.4 | 42.6 | 51.4 | 55.5 | 27.2 | 57.7 | **1,156.2** |
| OIL | 1969 | 29.6 | 19.7 | 21.8 | 22.4 | 31.6 | 17.6 | 31.0 | 27.5 | 17.3 | 24.9 | 8.9 | 16.7 | **837.3** |
| DAY | 1968 | 4.0 | 19.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **843.0** |
| H2O | 1968 | 0.0 | 19.7 | 12.7 | 17.8 | 23.5 | 19.7 | 13.2 | 23.5 | 34.2 | 20.2 | 24.8 | 57.9 | **650.0** |
| OIL | 1968 | 2.9 | 17.3 | 23.4 | 14.5 | 15.3 | 15.4 | 15.7 | 24.5 | 9.2 | 14.0 | 20.5 | 19.9 | **568.3** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 23.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **514.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 7.6 | 21.1 | 11.6 | 7.2 | 12.6 | 14.0 | 17.8 | 2.2 | 18.0 | **382.8** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 24.3 | 9.9 | 23.0 | 13.7 | 12.2 | 22.7 | 12.6 | 15.9 | 30.2 | **375.7** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 23.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 10.0 | **247.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 19.7 | 71.5 | 25.3 | 49.0 | 11.4 | 48.2 | 41.3 | 0.0 | 4.3 | **270.7** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 31.8 | 22.2 | 11.0 | 34.0 | 28.6 | 38.9 | 18.6 | 19.4 | 6.7 | **211.2** |

Licence ***2131*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-28-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 24.0 | 23.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | **3,475.0** |
| H2O | 1975 | 58.0 | 52.5 | 61.8 | 57.4 | 66.0 | 46.1 | 42.8 | 58.5 | 95.7 | 93.6 | 80.4 | 82.5 | **6,121.9** |
| OIL | 1975 | 50.7 | 46.1 | 51.6 | 46.6 | 50.5 | 37.3 | 36.4 | 48.6 | 76.1 | 79.9 | 46.2 | 47.7 | **8,685.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **3,127.0** |
| H2O | 1974 | 85.9 | 74.4 | 90.7 | 81.5 | 91.2 | 111.0 | 94.8 | 97.0 | 97.5 | 59.3 | 53.2 | 58.6 | **5,326.6** |
| OIL | 1974 | 41.8 | 41.6 | 46.4 | 44.5 | 45.4 | 57.5 | 64.0 | 65.2 | 61.2 | 48.6 | 47.4 | 50.4 | **8,067.8** |
| DAY | 1973 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 23.0 | 31.0 | **2,764.0** |
| H2O | 1973 | 35.3 | 50.5 | 60.4 | 56.1 | 57.8 | 101.6 | 93.7 | 100.7 | 100.7 | 76.4 | 54.3 | 83.3 | **4,331.5** |
| OIL | 1973 | 83.7 | 55.0 | 63.7 | 55.1 | 54.3 | 50.7 | 54.3 | 53.6 | 51.2 | 44.7 | 32.3 | 41.0 | **7,453.8** |
| DAY | 1972 | 31.0 | 29.0 | 29.0 | 28.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,409.0** |
| H2O | 1972 | 42.7 | 43.1 | 40.4 | 36.1 | 37.5 | 38.3 | 37.5 | 43.9 | 42.0 | 32.1 | 31.9 | 29.4 | **3,460.7** |
| OIL | 1972 | 42.3 | 40.7 | 40.0 | 41.6 | 41.8 | 45.1 | 44.3 | 44.5 | 44.2 | 80.4 | 82.8 | 84.2 | **6,814.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,052.0** |
| H2O | 1971 | 76.4 | 75.8 | 81.5 | 67.2 | 87.7 | 69.8 | 42.7 | 47.0 | 42.4 | 42.3 | 38.0 | 39.7 | **3,005.8** |
| OIL | 1971 | 65.3 | 59.0 | 65.9 | 50.4 | 63.1 | 59.0 | 64.8 | 63.9 | 60.9 | 41.8 | 39.6 | 42.7 | **6,182.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,692.0** |
| H2O | 1970 | 44.0 | 41.8 | 51.0 | 45.9 | 47.4 | 46.4 | 70.2 | 74.5 | 80.9 | 81.4 | 70.1 | 64.7 | **2,295.3** |
| OIL | 1970 | 73.6 | 65.2 | 72.1 | 70.2 | 71.5 | 67.4 | 56.9 | 62.1 | 60.9 | 62.6 | 61.2 | 64.5 | **5,505.9** |
| DAY | 1969 | 31.0 | 27.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 30.0 | **1,329.0** |
| H2O | 1969 | 29.6 | 23.2 | 29.2 | 23.5 | 31.3 | 29.1 | 31.6 | 28.8 | 41.2 | 48.5 | 45.9 | 47.7 | **1,577.0** |
| OIL | 1969 | 91.4 | 75.6 | 88.5 | 74.1 | 89.3 | 86.1 | 90.4 | 90.4 | 61.2 | 72.1 | 66.9 | 71.0 | **4,717.7** |
| DAY | 1968 | 31.0 | 27.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **974.0** |

# Manitoba Production
## 1950 To 1975

Licence ***2131*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-28-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1968 | 28.6 | 27.3 | 26.7 | 31.1 | 38.6 | 40.0 | 26.7 | 44.7 | 39.9 | 27.2 | 27.2 | 29.7 | **1,167.4** |
| OIL | 1968 | 99.6 | 81.0 | 89.1 | 78.0 | 70.7 | 64.7 | 78.7 | 55.3 | 64.8 | 88.5 | 86.9 | 92.3 | **3,760.7** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 29.0 | 31.0 | **612.0** |
| H2O | 1967 | 44.4 | 39.0 | 44.8 | 41.0 | 35.5 | 40.2 | 50.7 | 42.3 | 58.2 | 37.0 | 37.2 | 29.7 | **779.7** |
| OIL | 1967 | 147.2 | 128.9 | 138.3 | 127.1 | 115.5 | 76.0 | 88.7 | 99.5 | 58.3 | 91.7 | 80.2 | 79.0 | **2,811.1** |
| DAY | 1966 | 0.0 | 0.0 | 2.0 | 22.0 | 30.0 | 28.0 | 31.0 | 31.0 | 25.0 | 31.0 | 24.0 | 31.0 | **255.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 36.7 | 26.1 | 31.5 | 30.8 | 19.5 | 19.1 | 41.0 | 33.8 | 41.2 | **279.7** |
| OIL | 1966 | 0.0 | 0.0 | 20.2 | 139.2 | 211.8 | 234.7 | 195.6 | 182.4 | 149.2 | 160.8 | 130.3 | 156.5 | **1,580.7** |

Licence ***2133*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-05-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 21.0 | 0.0 | **99.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.2 | 34.9 | 0.0 | **52.9** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.9 | 9.1 | 0.0 | **30.4** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 29.0 | 0.0 | 0.0 | **50.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | **0.8** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.6 | 7.8 | 0.0 | 0.0 | **18.4** |

Licence ***2136*** Well Name ***Tundra et al Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.16-19-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 22.0 | 28.0 | 29.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,298.0** |
| H2O | 1975 | 24.0 | 22.4 | 24.8 | 16.9 | 22.4 | 22.7 | 16.5 | 24.8 | 24.0 | 24.8 | 23.8 | 24.8 | **4,113.8** |
| OIL | 1975 | 94.6 | 88.4 | 94.1 | 32.6 | 95.4 | 85.1 | 56.3 | 92.4 | 89.8 | 93.2 | 85.2 | 79.3 | **14,098.4** |
| DAY | 1974 | 31.0 | 28.0 | 0.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,956.0** |
| H2O | 1974 | 24.8 | 22.1 | 24.8 | 22.4 | 24.8 | 24.0 | 24.3 | 24.8 | 23.4 | 24.2 | 24.0 | 24.8 | **3,841.9** |
| OIL | 1974 | 105.7 | 88.7 | 89.0 | 85.5 | 98.1 | 92.4 | 102.1 | 106.5 | 99.0 | 104.3 | 97.9 | 99.4 | **13,112.0** |
| DAY | 1973 | 0.0 | 28.0 | 31.0 | 30.0 | 30.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,624.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 23.5 | 22.9 | 20.8 | 24.5 | 24.8 | 23.5 | 24.8 | 23.8 | 24.0 | **3,553.5** |
| OIL | 1973 | 109.6 | 101.0 | 110.9 | 110.2 | 107.7 | 100.9 | 115.0 | 116.9 | 111.8 | 114.5 | 66.0 | 105.1 | **11,943.4** |
| DAY | 1972 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,296.0** |
| OIL | 1972 | 126.0 | 117.1 | 128.2 | 123.3 | 120.7 | 116.8 | 122.2 | 115.8 | 108.2 | 112.1 | 108.2 | 113.3 | **10,673.8** |
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 29.0 | 31.0 | 0.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,933.0** |
| H2O | 1971 | 24.2 | 65.7 | 69.6 | 69.3 | 74.6 | 72.2 | 73.5 | 69.6 | 0.0 | 0.0 | 0.0 | 0.0 | **3,340.9** |
| OIL | 1971 | 124.4 | 115.0 | 119.1 | 110.7 | 125.0 | 122.0 | 122.5 | 111.0 | 64.8 | 126.5 | 123.8 | 127.9 | **9,261.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,602.0** |
| H2O | 1970 | 74.6 | 64.1 | 74.6 | 70.6 | 74.6 | 67.3 | 74.6 | 74.6 | 24.0 | 136.9 | 24.0 | 23.8 | **2,822.2** |
| OIL | 1970 | 139.0 | 117.6 | 137.1 | 131.4 | 131.7 | 125.8 | 141.7 | 133.0 | 128.4 | 138.4 | 127.7 | 125.5 | **7,869.2** |
| DAY | 1969 | 31.0 | 28.0 | 0.0 | 30.0 | 31.0 | 30.0 | 29.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,238.0** |
| H2O | 1969 | 73.8 | 63.0 | 58.2 | 66.6 | 67.9 | 64.7 | 70.6 | 72.2 | 67.3 | 73.0 | 72.2 | 74.6 | **2,038.5** |
| OIL | 1969 | 131.9 | 115.3 | 102.4 | 133.1 | 136.8 | 123.1 | 131.2 | 135.7 | 127.2 | 131.2 | 134.9 | 147.1 | **6,291.9** |
| DAY | 1968 | 21.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **909.0** |
| H2O | 1968 | 23.5 | 37.0 | 41.0 | 51.2 | 57.9 | 49.8 | 72.7 | 77.9 | 72.3 | 74.6 | 69.6 | 72.3 | **1,214.4** |
| OIL | 1968 | 95.9 | 136.5 | 141.6 | 145.1 | 160.5 | 136.3 | 149.3 | 125.5 | 142.7 | 147.9 | 129.2 | 131.1 | **4,742.0** |
| DAY | 1967 | 31.0 | 26.0 | 27.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **557.0** |
| H2O | 1967 | 0.0 | 55.9 | 45.0 | 52.9 | 51.5 | 50.1 | 42.9 | 42.9 | 42.4 | 42.6 | 37.8 | 50.6 | **514.6** |
| OIL | 1967 | 142.0 | 140.9 | 146.0 | 183.1 | 185.9 | 170.3 | 163.0 | 163.3 | 162.1 | 156.8 | 149.8 | 138.5 | **3,100.4** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 31.0 | 31.0 | 26.0 | 31.0 | 29.0 | 31.0 | **200.0** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 144.4 | 211.2 | 207.5 | 146.2 | 180.8 | 157.5 | 151.1 | **1,198.7** |

# Manitoba Production
## 1950 To 1975

Licence ***2137*** Well Name ***Tundra et al Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-30-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 713.5 | 615.5 | 741.5 | 561.9 | 687.0 | 754.6 | 747.3 | 718.6 | 562.2 | 652.5 | 617.7 | 741.7 | **20,134.8** |
| WIN | 1974 | 387.9 | 549.0 | 700.7 | 616.9 | 672.8 | 651.9 | 677.0 | 616.9 | 629.3 | 646.6 | 671.3 | 716.1 | **12,020.8** |
| WIN | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 612.1 | 559.0 | 656.2 | 622.8 | 678.7 | 677.3 | 678.3 | **4,484.4** |
| DAY | 1967 | 27.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 19.0 | 21.0 | 0.0 | 0.0 | 0.0 | 0.0 | **372.0** |
| H2O | 1967 | 13.2 | 14.6 | 12.6 | 10.7 | 11.9 | 14.3 | 173.1 | 216.9 | 0.0 | 0.0 | 0.0 | 0.0 | **572.2** |
| OIL | 1967 | 46.7 | 41.2 | 80.2 | 71.5 | 74.8 | 70.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **967.3** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 23.0 | 30.0 | 29.0 | 30.0 | 31.0 | **157.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.2 | 14.3 | 28.6 | 26.7 | 12.7 | 12.4 | **104.9** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 46.1 | 74.5 | 110.3 | 104.6 | 120.0 | 126.7 | **582.2** |

Licence ***2138*** Well Name ***Daly Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-07-010-27W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,138.0** |
| H2O | 1975 | 16.5 | 23.8 | 7.9 | 25.8 | 17.2 | 14.5 | 17.2 | 17.2 | 17.2 | 17.2 | 18.1 | 18.1 | **2,985.9** |
| OIL | 1975 | 34.0 | 31.3 | 35.4 | 34.0 | 36.4 | 27.7 | 34.5 | 34.5 | 33.8 | 34.6 | 33.5 | 34.0 | **4,432.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,773.0** |
| H2O | 1974 | 8.6 | 25.7 | 9.1 | 17.2 | 17.2 | 17.2 | 8.6 | 25.7 | 19.5 | 26.2 | 17.6 | 8.6 | **2,775.2** |
| OIL | 1974 | 36.4 | 32.9 | 35.1 | 34.5 | 37.3 | 35.1 | 35.1 | 35.6 | 23.4 | 35.4 | 34.5 | 35.8 | **4,028.5** |
| DAY | 1973 | 1.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,408.0** |
| H2O | 1973 | 0.0 | 0.0 | 25.7 | 17.2 | 8.6 | 25.7 | 17.2 | 17.2 | 17.2 | 25.7 | 17.2 | 17.2 | **2,574.0** |
| OIL | 1973 | 0.2 | 0.0 | 53.7 | 42.1 | 41.2 | 38.8 | 38.3 | 38.3 | 37.7 | 37.5 | 35.8 | 37.5 | **3,617.4** |
| DAY | 1972 | 0.0 | 0.0 | 18.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,101.0** |
| H2O | 1972 | 0.0 | 0.0 | 8.6 | 25.7 | 25.7 | 25.7 | 17.2 | 17.2 | 17.2 | 17.2 | 25.7 | 8.6 | **2,385.1** |
| OIL | 1972 | 0.0 | 0.0 | 34.5 | 42.0 | 40.4 | 38.3 | 38.3 | 37.2 | 36.1 | 38.5 | 35.3 | 36.4 | **3,216.3** |
| DAY | 1971 | 0.0 | 0.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 25.0 | 31.0 | 30.0 | 29.0 | **1,808.0** |
| H2O | 1971 | 0.0 | 0.0 | 25.8 | 25.8 | 25.8 | 17.2 | 25.8 | 17.2 | 17.2 | 25.8 | 17.2 | 17.2 | **2,196.3** |
| OIL | 1971 | 0.0 | 0.0 | 53.7 | 41.6 | 40.4 | 36.7 | 38.9 | 35.8 | 34.5 | 36.4 | 34.5 | 34.2 | **2,839.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 18.0 | **1,510.0** |
| H2O | 1970 | 34.3 | 17.2 | 34.3 | 25.7 | 17.2 | 25.7 | 25.7 | 25.7 | 17.2 | 21.3 | 22.7 | 8.6 | **1,981.3** |
| OIL | 1970 | 26.5 | 33.7 | 36.4 | 34.5 | 35.9 | 34.6 | 35.9 | 35.4 | 33.8 | 35.3 | 33.5 | 19.9 | **2,452.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 0.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 0.0 | 30.0 | 31.0 | **1,158.0** |
| H2O | 1969 | 34.3 | 25.7 | 42.9 | 25.7 | 34.3 | 25.7 | 25.7 | 34.3 | 25.7 | 25.7 | 25.7 | 17.2 | **1,705.7** |
| OIL | 1969 | 39.4 | 37.7 | 40.4 | 36.4 | 40.5 | 37.3 | 38.6 | 35.4 | 35.9 | 37.3 | 35.1 | 36.2 | **2,057.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 0.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | **854.0** |
| H2O | 1968 | 42.9 | 34.3 | 42.9 | 42.9 | 34.3 | 34.3 | 25.7 | 42.9 | 34.3 | 34.3 | 34.3 | 25.7 | **1,362.8** |
| OIL | 1968 | 46.4 | 42.7 | 44.2 | 43.9 | 44.8 | 41.3 | 42.4 | 42.6 | 40.8 | 41.8 | 32.1 | 41.0 | **1,607.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **549.0** |
| H2O | 1967 | 47.7 | 39.7 | 48.3 | 47.7 | 47.7 | 39.7 | 39.7 | 47.7 | 42.3 | 34.3 | 34.3 | 42.9 | **934.0** |
| OIL | 1967 | 57.0 | 53.6 | 55.5 | 51.6 | 55.1 | 49.4 | 52.4 | 51.0 | 46.4 | 48.9 | 47.0 | 44.5 | **1,103.0** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **184.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 135.1 | 73.0 | 58.5 | 47.5 | 55.8 | 52.1 | **422.0** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 130.8 | 87.6 | 71.5 | 73.7 | 62.8 | 64.2 | **490.6** |

Licence ***2141*** Well Name ***Virden Roselea Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***102.02-18-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1727.6 | 1469.8 | 1591.5 | 1660.4 | 1978.8 | 1684.2 | 1719.8 | 1538.6 | 1636.7 | 1774.2 | 1494.4 | 1300.1 | **30,800.5** |
| WIN | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 1330.7 | 1330.7 | 1330.7 | 1330.7 | 1330.7 | 1330.7 | 1613.0 | 1627.2 | **11,224.4** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 28.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,083.0** |
| H2O | 1972 | 38.7 | 37.5 | 42.9 | 38.6 | 38.6 | 33.7 | 41.8 | 40.2 | 0.0 | 0.0 | 0.0 | 0.0 | **3,021.3** |

# Manitoba Production
## 1950 To 1975

Licence ***2141*** Well Name ***Virden Roselea Unit No. 3 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***102.02-18-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1972 | 14.8 | 13.9 | 15.2 | 14.4 | 15.3 | 12.8 | 15.1 | 7.6 | 0.0 | 0.0 | 0.0 | 0.0 | **1,973.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,843.0** |
| H2O | 1971 | 49.1 | 39.4 | 41.2 | 48.8 | 45.0 | 46.4 | 47.2 | 40.5 | 44.5 | 44.2 | 42.0 | 42.8 | **2,709.3** |
| OIL | 1971 | 21.5 | 26.5 | 24.0 | 23.5 | 24.0 | 20.8 | 26.4 | 13.0 | 25.9 | 8.1 | 17.5 | 16.0 | **1,864.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,480.0** |
| H2O | 1970 | 65.3 | 55.2 | 51.5 | 51.7 | 54.1 | 61.2 | 58.5 | 52.3 | 52.3 | 49.3 | 40.9 | 44.7 | **2,178.2** |
| OIL | 1970 | 41.7 | 35.3 | 37.5 | 39.0 | 40.4 | 36.4 | 37.0 | 32.9 | 34.5 | 31.8 | 24.8 | 26.9 | **1,616.9** |
| DAY | 1969 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 22.0 | 20.0 | 31.0 | **1,117.0** |
| H2O | 1969 | 25.9 | 59.6 | 55.6 | 47.2 | 44.4 | 49.9 | 49.0 | 49.3 | 59.5 | 58.8 | 29.1 | 52.5 | **1,541.2** |
| OIL | 1969 | 33.5 | 34.8 | 22.9 | 25.4 | 35.9 | 19.9 | 35.0 | 31.0 | 19.7 | 25.9 | 23.1 | 36.7 | **1,198.7** |
| DAY | 1968 | 4.0 | 22.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **775.0** |
| H2O | 1968 | 0.0 | 60.6 | 32.9 | 45.9 | 60.7 | 51.2 | 34.2 | 61.0 | 88.7 | 52.0 | 64.5 | 64.1 | **960.4** |
| OIL | 1968 | 5.6 | 38.5 | 45.6 | 28.0 | 29.6 | 29.9 | 30.4 | 47.5 | 17.6 | 26.9 | 39.6 | 21.6 | **854.9** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 24.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **444.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 20.8 | 54.8 | 28.0 | 18.6 | 32.3 | 36.2 | 47.9 | 5.7 | 46.4 | **344.6** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 48.8 | 18.9 | 41.5 | 26.4 | 23.5 | 44.0 | 25.3 | 30.7 | 58.6 | **494.1** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 30.0 | 31.0 | 26.0 | 26.0 | 30.0 | 20.0 | **177.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 1.9 | 0.3 | 15.9 | 13.2 | 0.0 | 22.3 | **53.9** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.8 | 43.7 | 38.0 | 17.2 | 7.8 | 37.8 | 25.1 | **176.4** |

Licence ***2142*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-28-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 5.0 | 8.0 | 31.0 | **2,971.0** |
| H2O | 1975 | 117.3 | 105.6 | 123.7 | 118.6 | 132.0 | 117.2 | 116.9 | 118.1 | 164.5 | 25.8 | 40.7 | 156.4 | **7,376.0** |
| OIL | 1975 | 23.2 | 21.1 | 23.4 | 21.9 | 23.0 | 21.6 | 22.7 | 22.4 | 4.4 | 0.8 | 1.3 | 4.6 | **3,767.0** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 26.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,656.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 193.8 | 247.4 | 102.2 | 91.9 | 92.4 | 92.8 | 119.6 | 107.8 | 118.4 | **6,039.2** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 15.6 | 18.3 | 20.3 | 23.7 | 23.7 | 22.4 | 22.2 | 21.8 | 23.2 | **3,576.6** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 18.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 26.0 | **2,388.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 22.3 | 38.3 | 64.9 | 61.7 | 91.1 | 90.3 | 195.1 | 192.2 | 189.7 | **4,872.9** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 2.7 | 4.3 | 12.7 | 14.1 | 99.3 | 94.5 | 17.0 | 17.0 | 14.0 | **3,385.4** |
| DAY | 1972 | 31.0 | 20.0 | 16.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 22.0 | 0.0 | 0.0 | **2,134.0** |
| H2O | 1972 | 28.3 | 19.6 | 14.8 | 51.7 | 57.6 | 53.3 | 53.7 | 47.9 | 44.5 | 32.9 | 0.0 | 0.0 | **3,927.3** |
| OIL | 1972 | 23.4 | 15.6 | 12.2 | 25.7 | 27.8 | 26.9 | 27.3 | 18.0 | 17.3 | 13.3 | 0.0 | 0.0 | **3,109.8** |
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,863.0** |
| H2O | 1971 | 21.3 | 21.3 | 21.6 | 20.3 | 24.5 | 46.7 | 50.9 | 56.1 | 50.6 | 26.7 | 25.1 | 26.2 | **3,523.0** |
| OIL | 1971 | 47.0 | 42.6 | 45.0 | 39.4 | 45.6 | 21.1 | 23.5 | 23.0 | 21.9 | 22.2 | 21.8 | 23.5 | **2,902.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,503.0** |
| H2O | 1970 | 61.0 | 57.9 | 70.7 | 63.8 | 65.3 | 62.8 | 18.9 | 20.8 | 22.7 | 22.7 | 19.6 | 18.1 | **3,131.7** |
| OIL | 1970 | 18.6 | 16.5 | 18.3 | 17.6 | 18.1 | 16.7 | 39.7 | 44.8 | 44.0 | 45.3 | 44.3 | 46.7 | **2,525.7** |
| DAY | 1969 | 31.0 | 25.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | **1,142.0** |
| H2O | 1969 | 103.7 | 61.0 | 83.1 | 66.9 | 89.0 | 85.2 | 90.0 | 81.6 | 47.1 | 53.3 | 50.4 | 63.9 | **2,627.4** |
| OIL | 1969 | 91.6 | 42.3 | 53.4 | 44.5 | 53.9 | 53.6 | 54.5 | 54.3 | 43.9 | 49.6 | 45.9 | 17.3 | **2,155.1** |
| DAY | 1968 | 5.0 | 0.0 | 0.0 | 20.0 | 18.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 26.0 | **789.0** |
| H2O | 1968 | 19.6 | 0.0 | 0.0 | 35.9 | 36.7 | 95.5 | 51.5 | 111.8 | 77.4 | 92.8 | 95.5 | 84.3 | **1,752.2** |
| OIL | 1968 | 6.7 | 0.0 | 0.0 | 31.5 | 29.2 | 57.5 | 50.5 | 47.7 | 42.7 | 86.2 | 87.0 | 74.4 | **1,550.3** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **538.0** |
| H2O | 1967 | 60.3 | 68.7 | 51.5 | 25.8 | 100.0 | 17.2 | 60.3 | 95.2 | 33.2 | 73.4 | 78.4 | 68.7 | **1,051.2** |
| OIL | 1967 | 64.4 | 60.2 | 58.5 | 57.0 | 48.1 | 54.0 | 53.4 | 44.8 | 46.4 | 48.3 | 45.6 | 44.3 | **1,036.9** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | **173.0** |

# Manitoba Production
## 1950 To 1975

Licence ***2142*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-28-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.1 | 42.9 | 37.5 | 83.9 | 34.5 | 94.6 | **318.5** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 76.8 | 56.9 | 52.1 | 87.0 | 70.1 | 69.0 | **411.9** |

Licence ***2148*** Well Name ***Murphy Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-17-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **3,204.0** |
| H2O | 1975 | 1624.5 | 1403.2 | 1541.4 | 1494.5 | 1514.5 | 1636.3 | 1688.9 | 1639.2 | 1575.7 | 1308.9 | 1533.8 | 1592.6 | **112,584.9** |
| OIL | 1975 | 25.1 | 17.0 | 19.4 | 17.8 | 18.1 | 19.2 | 19.1 | 19.1 | 18.0 | 14.8 | 16.9 | 17.0 | **5,329.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,841.0** |
| H2O | 1974 | 937.1 | 812.4 | 861.9 | 779.4 | 884.4 | 849.8 | 1790.5 | 2031.7 | 1686.1 | 1579.5 | 1633.0 | 1630.4 | **94,031.4** |
| OIL | 1974 | 23.4 | 21.5 | 19.2 | 16.7 | 21.8 | 19.9 | 20.4 | 21.6 | 21.3 | 21.5 | 26.7 | 25.8 | **5,107.9** |
| DAY | 1973 | 31.0 | 28.0 | 0.0 | 30.0 | 31.0 | 30.0 | 24.0 | 29.0 | 30.0 | 31.0 | 29.0 | 0.0 | **2,477.0** |
| H2O | 1973 | 1380.0 | 1246.5 | 1380.0 | 1335.5 | 1725.0 | 1727.2 | 1446.2 | 1700.4 | 1669.4 | 911.0 | 823.6 | 943.6 | **78,555.2** |
| OIL | 1973 | 40.2 | 34.3 | 39.4 | 38.2 | 44.4 | 42.9 | 32.1 | 41.3 | 42.9 | 21.5 | 18.4 | 25.1 | **4,848.1** |
| DAY | 1972 | 22.0 | 27.0 | 27.0 | 29.0 | 27.0 | 29.0 | 28.0 | 29.0 | 23.0 | 31.0 | 26.0 | 31.0 | **2,184.0** |
| H2O | 1972 | 869.6 | 1092.1 | 1100.1 | 1046.0 | 984.7 | 1014.2 | 1100.1 | 1273.2 | 992.0 | 1232.1 | 1157.3 | 1379.9 | **62,266.8** |
| OIL | 1972 | 26.4 | 31.0 | 32.0 | 46.1 | 41.3 | 36.9 | 33.9 | 36.9 | 36.6 | 44.7 | 33.1 | 39.4 | **4,427.4** |
| DAY | 1971 | 28.0 | 20.0 | 28.0 | 30.0 | 29.0 | 26.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,855.0** |
| H2O | 1971 | 1108.0 | 636.0 | 1112.8 | 1158.9 | 1113.8 | 1019.0 | 1085.8 | 1192.3 | 1192.3 | 1220.9 | 1178.0 | 1181.2 | **49,025.5** |
| OIL | 1971 | 39.1 | 19.2 | 31.2 | 52.5 | 46.1 | 18.3 | 35.6 | 47.7 | 42.9 | 45.9 | 42.9 | 38.2 | **3,989.1** |
| DAY | 1970 | 26.0 | 24.0 | 29.0 | 26.0 | 28.0 | 25.0 | 25.0 | 26.0 | 30.0 | 23.0 | 27.0 | 28.0 | **1,515.0** |
| H2O | 1970 | 1074.7 | 972.9 | 1030.1 | 828.2 | 1147.8 | 1064.5 | 586.6 | 883.9 | 694.7 | 683.5 | 1065.1 | 1096.9 | **35,826.5** |
| OIL | 1970 | 39.3 | 34.5 | 41.5 | 28.6 | 28.6 | 31.8 | 21.9 | 15.6 | 15.9 | 11.1 | 21.9 | 37.0 | **3,529.5** |
| DAY | 1969 | 30.0 | 26.0 | 31.0 | 29.0 | 30.0 | 29.0 | 29.0 | 29.0 | 29.0 | 30.0 | 30.0 | 23.0 | **1,198.0** |
| H2O | 1969 | 958.6 | 883.9 | 949.1 | 957.8 | 1268.5 | 1235.1 | 1157.7 | 1157.3 | 1158.3 | 1195.8 | 1192.3 | 1027.0 | **24,697.6** |
| OIL | 1969 | 95.4 | 71.7 | 75.7 | 54.7 | 71.4 | 63.0 | 58.5 | 49.8 | 49.9 | 51.7 | 51.7 | 37.4 | **3,201.8** |
| DAY | 1968 | 31.0 | 29.0 | 28.0 | 29.0 | 29.0 | 29.0 | 29.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | **853.0** |
| H2O | 1968 | 308.3 | 287.2 | 338.5 | 430.1 | 396.7 | 882.4 | 978.5 | 1048.6 | 846.8 | 1039.7 | 1138.3 | 958.6 | **11,556.2** |
| OIL | 1968 | 90.2 | 90.8 | 75.6 | 87.5 | 87.5 | 73.7 | 57.1 | 63.0 | 62.4 | 73.8 | 95.3 | 95.3 | **2,470.9** |
| DAY | 1967 | 31.0 | 24.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 26.0 | **500.0** |
| H2O | 1967 | 96.9 | 182.7 | 236.8 | 165.6 | 233.6 | 198.6 | 198.2 | 174.8 | 183.7 | 285.8 | 268.6 | 308.3 | **2,902.5** |
| OIL | 1967 | 92.9 | 77.2 | 98.5 | 61.7 | 96.1 | 98.3 | 98.6 | 102.4 | 104.8 | 150.0 | 136.0 | 94.2 | **1,518.7** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 28.0 | 27.0 | 21.0 | 27.0 | 31.0 | **150.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.4 | 7.8 | 9.4 | 10.2 | 88.1 | 240.0 | **368.9** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.2 | 33.3 | 28.5 | 24.1 | 94.3 | 98.6 | **308.0** |

Licence ***2149*** Well Name ***Bralorne Pascar Virden Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-29-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 29.0 | 30.0 | 28.0 | 30.0 | 27.0 | 14.0 | 0.0 | 0.0 | 0.0 | **1,676.0** |
| H2O | 1971 | 316.2 | 274.2 | 339.7 | 334.6 | 343.3 | 317.7 | 339.6 | 365.4 | 236.3 | 0.0 | 0.0 | 0.0 | **12,781.0** |
| OIL | 1971 | 37.6 | 40.4 | 42.3 | 41.1 | 40.8 | 36.2 | 38.5 | 40.1 | 15.1 | 0.0 | 0.0 | 0.0 | **3,575.6** |
| DAY | 1970 | 31.0 | 26.0 | 29.0 | 25.0 | 29.0 | 21.0 | 30.0 | 30.0 | 18.0 | 31.0 | 30.0 | 31.0 | **1,428.0** |
| H2O | 1970 | 286.2 | 270.3 | 270.3 | 222.6 | 273.5 | 231.8 | 317.2 | 334.2 | 212.7 | 341.2 | 310.8 | 343.4 | **9,914.0** |
| OIL | 1970 | 44.8 | 38.5 | 40.9 | 35.0 | 33.9 | 28.3 | 41.0 | 37.2 | 23.8 | 42.4 | 39.9 | 37.8 | **3,243.5** |
| DAY | 1969 | 29.0 | 15.0 | 0.0 | 0.0 | 29.0 | 25.0 | 27.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **1,097.0** |
| H2O | 1969 | 270.3 | 135.1 | 0.0 | 0.0 | 294.1 | 254.4 | 286.2 | 302.1 | 278.2 | 310.0 | 270.3 | 270.3 | **6,499.8** |
| OIL | 1969 | 61.7 | 28.5 | 0.0 | 0.0 | 49.6 | 46.1 | 50.2 | 55.2 | 48.0 | 52.0 | 48.0 | 45.8 | **2,800.0** |
| DAY | 1968 | 23.0 | 27.0 | 28.0 | 27.0 | 28.0 | 26.0 | 30.0 | 28.0 | 25.0 | 29.0 | 28.0 | 27.0 | **821.0** |
| H2O | 1968 | 107.3 | 121.6 | 144.7 | 198.7 | 222.6 | 222.6 | 246.4 | 238.5 | 230.5 | 294.1 | 262.3 | 246.4 | **3,828.8** |

# Manitoba Production
## 1950 To 1975

Licence ***2149*** Well Name ***Bralorne Pascar Virden Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.05-29-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1968 | 49.4 | 59.5 | 63.0 | 75.5 | 78.1 | 69.3 | 74.1 | 68.4 | 62.3 | 72.5 | 63.8 | 56.0 | **2,314.9** |
| DAY | 1967 | 27.0 | 26.0 | 30.0 | 28.0 | 31.0 | 28.0 | 29.0 | 30.0 | 21.0 | 27.0 | 28.0 | 28.0 | **495.0** |
| H2O | 1967 | 57.2 | 50.1 | 85.9 | 74.7 | 46.9 | 100.2 | 85.9 | 114.5 | 118.4 | 112.9 | 143.1 | 128.8 | **1,293.1** |
| OIL | 1967 | 84.0 | 70.7 | 85.9 | 78.1 | 96.6 | 87.3 | 67.3 | 75.5 | 72.8 | 62.6 | 84.0 | 78.1 | **1,523.0** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 29.0 | 12.0 | 28.0 | 31.0 | 30.0 | 29.0 | **162.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.6 | 2.9 | 15.9 | 42.9 | 50.1 | 50.1 | **174.5** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.2 | 124.9 | 52.0 | 100.4 | 109.2 | 97.4 | 90.0 | **580.1** |

Licence ***2152*** Well Name ***Tundra et al Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-19-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 29.0 | 21.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,315.0** |
| H2O | 1975 | 295.7 | 267.1 | 295.7 | 276.6 | 267.1 | 276.6 | 197.1 | 231.3 | 286.2 | 295.7 | 286.2 | 295.7 | **30,152.8** |
| OIL | 1975 | 49.4 | 44.7 | 49.3 | 45.9 | 50.7 | 46.3 | 26.1 | 38.0 | 47.7 | 49.4 | 42.6 | 39.1 | **10,149.9** |
| DAY | 1974 | 31.0 | 28.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,970.0** |
| H2O | 1974 | 295.7 | 263.9 | 295.7 | 286.2 | 295.7 | 286.2 | 289.4 | 295.7 | 286.2 | 295.7 | 286.2 | 295.7 | **26,881.8** |
| OIL | 1974 | 58.7 | 52.8 | 59.5 | 49.3 | 49.8 | 47.9 | 52.3 | 52.6 | 51.7 | 54.2 | 46.7 | 49.6 | **9,620.7** |
| DAY | 1973 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,636.0** |
| H2O | 1973 | 318.3 | 284.6 | 328.8 | 279.8 | 279.8 | 286.2 | 290.9 | 295.7 | 279.8 | 295.7 | 286.2 | 295.7 | **23,409.5** |
| OIL | 1973 | 61.7 | 56.9 | 63.9 | 55.2 | 56.0 | 57.1 | 57.1 | 59.1 | 56.0 | 57.4 | 56.4 | 59.1 | **8,995.6** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,273.0** |
| H2O | 1972 | 328.8 | 302.4 | 318.3 | 318.3 | 321.8 | 312.9 | 328.8 | 302.4 | 318.3 | 328.8 | 312.9 | 328.8 | **19,888.0** |
| OIL | 1972 | 78.1 | 71.2 | 75.7 | 76.2 | 69.8 | 69.8 | 67.7 | 60.7 | 60.3 | 63.9 | 61.8 | 64.1 | **8,299.7** |
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,910.0** |
| H2O | 1971 | 312.7 | 295.1 | 313.2 | 322.1 | 334.8 | 324.0 | 330.2 | 334.8 | 310.2 | 318.8 | 310.2 | 328.8 | **16,065.5** |
| OIL | 1971 | 77.0 | 71.5 | 73.9 | 72.2 | 73.1 | 70.7 | 72.0 | 79.3 | 74.7 | 76.0 | 76.0 | 79.3 | **7,480.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 22.0 | 31.0 | 31.0 | 17.0 | 31.0 | 30.0 | 30.0 | **1,547.0** |
| H2O | 1970 | 295.7 | 282.7 | 320.5 | 303.3 | 320.5 | 217.2 | 320.5 | 320.5 | 170.6 | 317.2 | 310.2 | 310.2 | **12,230.6** |
| OIL | 1970 | 93.9 | 81.5 | 92.7 | 88.6 | 87.3 | 55.4 | 83.1 | 80.7 | 44.3 | 84.0 | 75.6 | 74.9 | **6,584.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,204.0** |
| H2O | 1969 | 267.9 | 228.9 | 279.0 | 242.1 | 246.4 | 241.2 | 290.3 | 295.9 | 284.7 | 289.7 | 286.2 | 295.7 | **8,741.5** |
| OIL | 1969 | 98.0 | 84.6 | 95.9 | 104.7 | 107.5 | 102.6 | 112.1 | 106.4 | 103.1 | 98.8 | 91.0 | 103.6 | **5,642.7** |
| DAY | 1968 | 15.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **840.0** |
| H2O | 1968 | 86.5 | 185.1 | 219.4 | 265.0 | 299.1 | 261.5 | 260.4 | 317.0 | 262.6 | 270.9 | 244.7 | 262.8 | **5,493.5** |
| OIL | 1968 | 45.5 | 87.5 | 97.2 | 99.6 | 106.6 | 92.1 | 95.9 | 91.6 | 94.8 | 98.3 | 85.6 | 96.2 | **4,434.4** |
| DAY | 1967 | 31.0 | 27.0 | 28.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 12.0 | 31.0 | **493.0** |
| H2O | 1967 | 83.1 | 233.5 | 185.1 | 209.8 | 200.4 | 199.1 | 148.4 | 149.7 | 236.6 | 236.6 | 78.2 | 260.9 | **2,558.5** |
| OIL | 1967 | 268.1 | 156.8 | 160.0 | 172.9 | 167.3 | 146.5 | 142.7 | 143.6 | 94.8 | 98.2 | 34.9 | 110.7 | **3,343.5** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **152.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.8 | 70.8 | 56.7 | 70.5 | 56.8 | 74.5 | **337.1** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 38.2 | 396.9 | 289.6 | 338.9 | 297.8 | 285.6 | **1,647.0** |

Licence ***2155*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.03-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Devonian Undifferentiated*** Field Code ***5*** Pool Code ***78*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1972 | 19712.9 | 17805.2 | 19712.9 | 19077.0 | 1971.6 | 19077.0 | 19712.9 | 19712.9 | 19077.0 | 19712.9 | 19077.0 | 19712.9 | **1,505,886.5** |
| H2O | 1971 | 19712.9 | 17805.2 | 19712.9 | 19077.0 | 19712.9 | 19077.0 | 19712.9 | 19712.9 | 19077.0 | 19712.9 | 19077.0 | 19712.9 | **1,291,524.3** |
| H2O | 1970 | 21191.6 | 19140.8 | 21191.6 | 20508.0 | 21191.6 | 20508.0 | 21191.6 | 21191.6 | 20508.0 | 21191.6 | 20508.0 | 21191.6 | **1,059,420.8** |
| H2O | 1969 | 20205.8 | 18250.4 | 20205.8 | 19554.0 | 20205.8 | 19554.0 | 20205.8 | 20205.8 | 19554.0 | 20205.8 | 19554.0 | 20205.8 | **809,906.8** |
| H2O | 1968 | 20205.8 | 18250.4 | 20205.8 | 19554.0 | 20205.8 | 19554.0 | 20205.8 | 20205.8 | 19554.0 | 20205.8 | 19554.0 | 20205.8 | **571,999.8** |
| H2O | 1967 | 22177.4 | 20031.2 | 22177.4 | 21462.0 | 22177.4 | 21462.0 | 22177.4 | 22177.4 | 21462.0 | 22177.4 | 21462.0 | 22177.4 | **334,092.8** |

# Manitoba Production
## 1950 To 1975

Licence ***2155*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.03-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Devonian Undifferentiated*** Field Code ***5*** Pool Code ***78*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14783.9 | 28617.0 | 29570.9 | **72,971.8** |

UWI ***102.03-27-011-26W1.02*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **7,253.0** |
| H2O | 1975 | 74.6 | 67.9 | 76.3 | 74.1 | 76.8 | 73.5 | 73.5 | 143.7 | 141.5 | 152.0 | 152.5 | 155.2 | **2,164.2** |
| OIL | 1975 | 304.2 | 268.0 | 296.9 | 281.6 | 286.9 | 278.8 | 286.9 | 161.0 | 156.2 | 161.6 | 156.2 | 158.7 | **5,305.2** |
| DAY | 1974 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **6,890.0** |
| H2O | 1974 | 0.0 | 5.9 | 40.0 | 93.1 | 94.2 | 74.3 | 0.0 | 128.4 | 126.7 | 133.1 | 132.8 | 74.1 | **902.6** |
| OIL | 1974 | 0.0 | 21.2 | 143.9 | 327.3 | 332.8 | 252.4 | 0.0 | 285.6 | 274.3 | 288.8 | 275.6 | 306.3 | **2,508.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **6,527.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **6,166.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,801.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **5,441.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **5,077.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,719.0** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **4,353.0** |
| DAY | 1966 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,988.0** |
| DAY | 1965 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,623.0** |
| DAY | 1964 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,258.0** |
| DAY | 1963 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,892.0** |
| DAY | 1962 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,527.0** |
| DAY | 1961 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,163.0** |
| DAY | 1960 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,801.0** |
| DAY | 1959 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,436.0** |
| DAY | 1958 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 17.0 | 31.0 | 28.0 | 31.0 | **1,071.0** |
| DAY | 1957 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **721.0** |
| DAY | 1956 | 22.0 | 24.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **358.0** |
| DAY | 1955 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | **9.0** |

Licence ***2156*** Well Name ***Virden Roselea Unit No. 3 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***104.02-11-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **989.0** |
| H2O | 1975 | 486.0 | 431.5 | 466.1 | 467.6 | 536.7 | 539.1 | 579.2 | 491.4 | 510.5 | 533.1 | 513.0 | 548.8 | **14,239.5** |
| OIL | 1975 | 214.2 | 191.5 | 214.5 | 204.0 | 161.3 | 151.9 | 154.8 | 151.9 | 146.2 | 148.4 | 132.7 | 134.6 | **6,897.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **624.0** |
| H2O | 1974 | 403.5 | 411.3 | 471.4 | 459.1 | 420.2 | 485.5 | 490.0 | 491.1 | 466.9 | 508.4 | 462.0 | 479.3 | **8,136.5** |
| OIL | 1974 | 264.6 | 219.6 | 242.0 | 227.3 | 210.9 | 251.1 | 268.0 | 261.4 | 231.1 | 23.1 | 211.2 | 214.5 | **4,891.6** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 19.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **263.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 55.2 | 252.8 | 243.2 | 260.8 | 256.0 | 247.8 | 421.7 | 423.4 | 426.9 | **2,587.8** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 202.3 | 274.2 | 252.5 | 238.4 | 217.7 | 180.4 | 355.2 | 274.8 | 271.3 | **2,266.8** |

Licence ***2158*** Well Name ***Tundra et al Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-19-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 23.0 | 21.0 | 31.0 | 30.0 | 25.0 | 28.0 | 5.0 | 16.0 | 25.0 | 22.0 | 29.0 | 31.0 | **3,140.0** |
| H2O | 1975 | 566.9 | 517.7 | 764.1 | 714.8 | 640.9 | 673.8 | 123.2 | 375.8 | 599.9 | 542.3 | 714.6 | 764.1 | **48,779.6** |
| OIL | 1975 | 40.2 | 36.7 | 51.7 | 82.7 | 45.0 | 43.7 | 8.7 | 37.2 | 49.6 | 45.2 | 57.9 | 56.0 | **8,107.4** |
| DAY | 1974 | 22.0 | 23.0 | 0.0 | 30.0 | 28.0 | 27.0 | 30.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **2,854.0** |
| H2O | 1974 | 437.4 | 450.6 | 616.2 | 596.4 | 556.6 | 536.7 | 583.2 | 576.5 | 576.5 | 616.2 | 576.5 | 764.1 | **41,781.5** |

# Manitoba Production
## 1950 To 1975

Licence ***2158*** Well Name ***Tundra et al Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-19-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1974 | 48.3 | 51.0 | 70.1 | 70.9 | 67.3 | 63.6 | 69.5 | 63.4 | 63.0 | 68.7 | 58.2 | 59.8 | **7,552.8** |
| DAY | 1973 | 0.0 | 28.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,543.0** |
| H2O | 1973 | 620.4 | 554.9 | 641.0 | 563.3 | 549.9 | 583.2 | 586.5 | 503.7 | 583.2 | 616.2 | 596.2 | 616.2 | **34,894.6** |
| OIL | 1973 | 81.1 | 73.8 | 82.7 | 61.7 | 61.1 | 64.7 | 64.2 | 57.1 | 64.9 | 66.6 | 108.3 | 68.5 | **6,799.0** |
| DAY | 1972 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,217.0** |
| H2O | 1972 | 837.5 | 770.0 | 810.5 | 810.5 | 819.4 | 666.3 | 641.0 | 630.7 | 620.4 | 641.0 | 610.0 | 641.0 | **27,879.9** |
| OIL | 1972 | 57.2 | 48.7 | 51.7 | 51.8 | 91.9 | 74.2 | 87.9 | 85.9 | 80.4 | 83.8 | 80.0 | 83.5 | **5,944.3** |
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 29.0 | 29.0 | 30.0 | 16.0 | 19.0 | 31.0 | **1,857.0** |
| H2O | 1971 | 295.7 | 260.7 | 276.6 | 284.6 | 405.3 | 405.3 | 386.0 | 876.3 | 810.5 | 832.9 | 499.9 | 828.5 | **19,381.6** |
| OIL | 1971 | 68.6 | 61.7 | 63.7 | 66.4 | 49.0 | 42.2 | 37.4 | 83.2 | 125.0 | 27.2 | 30.2 | 63.3 | **5,067.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 23.0 | 30.0 | 30.0 | 17.0 | 31.0 | 30.0 | 31.0 | **1,524.0** |
| H2O | 1970 | 295.7 | 260.7 | 295.7 | 303.3 | 320.5 | 224.0 | 320.5 | 306.8 | 170.6 | 295.7 | 286.2 | 295.7 | **13,219.3** |
| OIL | 1970 | 89.1 | 77.3 | 88.0 | 79.7 | 82.6 | 53.8 | 75.7 | 68.6 | 39.2 | 69.4 | 65.6 | 67.2 | **4,349.4** |
| DAY | 1969 | 25.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,181.0** |
| H2O | 1969 | 195.6 | 207.9 | 259.0 | 219.8 | 224.0 | 235.8 | 274.9 | 271.1 | 262.2 | 265.5 | 286.2 | 295.7 | **9,843.9** |
| OIL | 1969 | 73.2 | 80.7 | 88.5 | 85.3 | 87.7 | 86.1 | 91.5 | 91.5 | 89.1 | 88.8 | 86.4 | 93.1 | **3,493.2** |
| DAY | 1968 | 15.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **822.0** |
| H2O | 1968 | 141.1 | 301.7 | 358.1 | 432.3 | 487.7 | 426.6 | 408.7 | 302.9 | 238.5 | 246.0 | 222.2 | 238.7 | **6,846.2** |
| OIL | 1968 | 38.9 | 70.5 | 78.1 | 80.2 | 86.1 | 74.3 | 75.4 | 102.3 | 100.4 | 98.3 | 85.6 | 91.6 | **2,451.3** |
| DAY | 1967 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 13.0 | 31.0 | **474.0** |
| H2O | 1967 | 55.9 | 60.6 | 46.5 | 52.8 | 51.4 | 50.0 | 361.6 | 368.9 | 358.9 | 358.7 | 138.1 | 425.5 | **3,041.7** |
| OIL | 1967 | 101.3 | 87.8 | 57.6 | 88.8 | 80.8 | 76.1 | 76.8 | 78.1 | 76.4 | 74.0 | 30.6 | 78.6 | **1,469.6** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 26.0 | 31.0 | 29.0 | 31.0 | **131.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 121.7 | 225.0 | 279.7 | 36.6 | 49.8 | **712.8** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 71.1 | 131.1 | 147.6 | 107.9 | 105.0 | **562.7** |

Licence ***2159*** Well Name ***Tundra et al Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-30-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 25.0 | 31.0 | **3,320.0** |
| H2O | 1975 | 58.8 | 53.1 | 58.5 | 56.6 | 61.4 | 62.3 | 64.1 | 61.4 | 58.8 | 55.8 | 48.2 | 64.1 | **3,147.9** |
| OIL | 1975 | 133.4 | 121.2 | 133.0 | 128.8 | 131.9 | 129.3 | 133.0 | 128.8 | 124.5 | 116.8 | 105.5 | 137.7 | **20,512.5** |
| DAY | 1974 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,964.0** |
| H2O | 1974 | 57.4 | 51.5 | 59.9 | 57.2 | 59.5 | 56.4 | 54.4 | 50.6 | 52.5 | 56.8 | 57.2 | 59.1 | **2,444.8** |
| OIL | 1974 | 127.7 | 121.2 | 137.1 | 129.5 | 132.0 | 131.4 | 127.6 | 140.0 | 130.0 | 136.5 | 126.8 | 136.5 | **18,988.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 28.0 | 26.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | **2,603.0** |
| H2O | 1973 | 33.2 | 31.5 | 36.6 | 30.7 | 43.9 | 52.6 | 57.7 | 59.0 | 56.9 | 59.9 | 57.4 | 57.6 | **1,772.3** |
| OIL | 1973 | 141.1 | 125.8 | 138.2 | 93.5 | 138.1 | 152.1 | 150.1 | 142.8 | 141.7 | 147.8 | 137.3 | 139.5 | **17,412.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 25.0 | 29.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **2,248.0** |
| H2O | 1972 | 14.8 | 14.0 | 14.5 | 14.1 | 16.9 | 17.0 | 20.8 | 25.4 | 26.1 | 27.3 | 25.8 | 33.9 | **1,195.3** |
| OIL | 1972 | 191.3 | 179.6 | 189.1 | 180.5 | 193.9 | 151.3 | 173.7 | 187.3 | 180.2 | 183.7 | 127.6 | 142.8 | **15,764.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 23.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,893.0** |
| H2O | 1971 | 14.8 | 13.8 | 14.8 | 14.3 | 11.3 | 14.1 | 13.7 | 14.8 | 14.5 | 15.6 | 14.9 | 14.0 | **944.7** |
| OIL | 1971 | 195.9 | 175.4 | 193.4 | 191.3 | 151.6 | 191.2 | 199.1 | 199.1 | 192.4 | 189.9 | 186.1 | 190.8 | **13,683.3** |
| DAY | 1970 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 27.0 | 21.0 | 31.0 | 17.0 | 17.0 | 30.0 | 31.0 | **1,537.0** |
| H2O | 1970 | 15.3 | 13.5 | 14.9 | 14.5 | 14.8 | 13.0 | 10.5 | 14.9 | 8.1 | 10.5 | 14.3 | 14.8 | **774.1** |
| OIL | 1970 | 198.5 | 179.1 | 197.8 | 195.1 | 200.2 | 170.5 | 135.2 | 192.8 | 105.5 | 121.0 | 188.8 | 200.2 | **11,427.1** |
| DAY | 1969 | 31.0 | 27.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **1,213.0** |
| H2O | 1969 | 15.6 | 17.2 | 13.7 | 17.0 | 21.1 | 19.1 | 18.6 | 19.9 | 18.9 | 17.3 | 14.3 | 14.0 | **615.0** |
| OIL | 1969 | 209.8 | 173.2 | 195.5 | 217.9 | 224.9 | 214.1 | 214.1 | 214.9 | 203.1 | 206.7 | 209.8 | 204.2 | **9,342.4** |
| DAY | 1968 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **854.0** |

# Manitoba Production
## 1950 To 1975

Licence ***2159*** Well Name ***Tundra et al Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-30-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1968 | 14.5 | 10.8 | 13.7 | 14.1 | 18.9 | 10.8 | 15.3 | 16.1 | 17.5 | 16.5 | 15.6 | 15.6 | **408.3** |
| OIL | 1968 | 240.9 | 228.7 | 209.8 | 229.2 | 239.7 | 233.5 | 223.8 | 219.8 | 207.5 | 210.9 | 201.5 | 210.9 | **6,854.2** |
| DAY | 1967 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **491.0** |
| H2O | 1967 | 11.9 | 13.5 | 11.3 | 10.2 | 11.8 | 13.4 | 13.7 | 14.0 | 17.8 | 16.4 | 16.7 | 14.8 | **228.9** |
| OIL | 1967 | 263.0 | 227.9 | 258.4 | 250.8 | 261.1 | 256.7 | 261.6 | 258.4 | 247.4 | 234.9 | 235.4 | 242.4 | **4,198.0** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 30.0 | 29.0 | 30.0 | 31.0 | **129.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.8 | 13.3 | 23.1 | 11.1 | 11.1 | **63.4** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 105.5 | 297.0 | 276.1 | 264.6 | 256.8 | **1,200.0** |

Licence ***2163*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.10-11-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 29.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,229.0** |
| H2O | 1973 | 28.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,599.2** |
| OIL | 1973 | 4.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,782.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 23.0 | 31.0 | **2,200.0** |
| H2O | 1972 | 25.8 | 25.0 | 27.5 | 24.3 | 27.0 | 26.9 | 29.7 | 28.3 | 27.3 | 30.7 | 23.2 | 30.8 | **2,570.4** |
| OIL | 1972 | 4.1 | 4.0 | 4.3 | 4.0 | 4.3 | 4.1 | 4.3 | 4.3 | 4.0 | 4.3 | 3.0 | 4.4 | **1,777.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 23.0 | 31.0 | **1,842.0** |
| H2O | 1971 | 30.8 | 28.9 | 29.3 | 31.0 | 23.8 | 28.1 | 34.3 | 28.9 | 20.5 | 31.6 | 23.5 | 27.2 | **2,243.9** |
| OIL | 1971 | 15.9 | 14.1 | 15.1 | 14.8 | 14.6 | 13.5 | 13.8 | 13.8 | 13.0 | 18.3 | 13.5 | 4.3 | **1,728.6** |
| DAY | 1970 | 31.0 | 27.0 | 31.0 | 26.0 | 11.0 | 28.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,486.0** |
| H2O | 1970 | 54.1 | 36.4 | 35.5 | 27.7 | 14.9 | 27.5 | 28.3 | 41.2 | 30.0 | 21.5 | 26.9 | 28.9 | **1,906.0** |
| OIL | 1970 | 18.9 | 16.5 | 18.3 | 17.2 | 11.3 | 19.4 | 19.2 | 18.3 | 17.5 | 16.2 | 16.8 | 16.2 | **1,563.9** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 23.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,149.0** |
| H2O | 1969 | 48.0 | 46.4 | 48.0 | 27.5 | 42.6 | 29.3 | 17.5 | 20.5 | 17.0 | 18.4 | 23.7 | 23.7 | **1,533.1** |
| OIL | 1969 | 34.3 | 31.6 | 33.7 | 19.2 | 18.4 | 22.4 | 21.0 | 18.3 | 18.1 | 17.5 | 17.2 | 17.5 | **1,358.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | **792.0** |
| H2O | 1968 | 50.7 | 45.0 | 39.1 | 35.1 | 41.0 | 45.6 | 53.6 | 50.4 | 49.6 | 50.9 | 48.2 | 49.6 | **1,170.5** |
| OIL | 1968 | 33.1 | 29.2 | 31.0 | 30.2 | 31.9 | 29.7 | 30.0 | 37.2 | 36.9 | 37.8 | 35.0 | 29.7 | **1,088.9** |
| DAY | 1967 | 31.0 | 28.0 | 30.0 | 0.0 | 16.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **430.0** |
| H2O | 1967 | 46.1 | 42.4 | 32.1 | 0.0 | 19.9 | 84.6 | 43.1 | 49.6 | 44.8 | 50.1 | 59.9 | 32.7 | **611.7** |
| OIL | 1967 | 53.7 | 41.6 | 45.4 | 0.0 | 32.1 | 38.1 | 39.9 | 36.5 | 35.0 | 34.6 | 33.2 | 33.7 | **697.2** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 30.0 | 31.0 | 27.0 | 25.0 | **115.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.2 | 26.5 | 33.2 | 23.5 | **106.4** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.3 | 80.6 | 74.5 | 46.2 | 57.8 | **273.4** |

Licence ***2174*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-11-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,231.0** |
| H2O | 1975 | 121.9 | 113.0 | 120.8 | 122.1 | 126.5 | 118.4 | 121.5 | 119.7 | 117.6 | 126.5 | 126.9 | 129.1 | **6,449.3** |
| OIL | 1975 | 69.3 | 62.0 | 65.3 | 64.7 | 65.8 | 62.6 | 65.6 | 66.1 | 64.0 | 66.3 | 64.0 | 65.2 | **7,328.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,867.0** |
| H2O | 1974 | 155.5 | 142.8 | 159.9 | 155.2 | 162.5 | 163.3 | 128.9 | 118.3 | 116.7 | 121.5 | 122.1 | 121.3 | **4,985.3** |
| OIL | 1974 | 98.5 | 85.3 | 97.4 | 92.6 | 97.4 | 94.2 | 70.9 | 70.4 | 67.7 | 70.7 | 68.2 | 69.9 | **6,548.0** |
| DAY | 1973 | 31.0 | 24.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,502.0** |
| H2O | 1973 | 35.1 | 30.5 | 39.9 | 203.2 | 199.2 | 197.8 | 159.5 | 173.3 | 170.1 | 171.7 | 160.9 | 156.0 | **3,317.3** |
| OIL | 1973 | 48.3 | 24.3 | 32.9 | 108.2 | 109.5 | 109.5 | 95.0 | 102.5 | 97.6 | 99.6 | 94.6 | 96.0 | **5,564.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,143.0** |
| H2O | 1972 | 25.6 | 25.1 | 27.5 | 24.5 | 26.9 | 26.9 | 29.9 | 28.1 | 28.1 | 30.7 | 30.5 | 35.9 | **1,620.1** |

# Manitoba Production
## 1950 To 1975

Licence ***2174*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-11-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1972 | 56.1 | 52.3 | 56.9 | 54.3 | 57.2 | 55.3 | 56.9 | 58.3 | 55.5 | 58.5 | 55.5 | 49.1 | **4,546.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,777.0** |
| H2O | 1971 | 50.6 | 47.4 | 47.9 | 50.7 | 39.3 | 45.9 | 58.0 | 47.5 | 33.7 | 51.7 | 50.2 | 27.3 | **1,280.4** |
| OIL | 1971 | 47.4 | 41.8 | 45.0 | 44.0 | 43.4 | 40.4 | 42.6 | 41.2 | 38.5 | 54.0 | 51.6 | 57.0 | **3,880.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 21.0 | 11.0 | 29.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,413.0** |
| H2O | 1970 | 21.3 | 14.9 | 13.8 | 36.7 | 26.4 | 46.9 | 47.5 | 67.4 | 49.3 | 34.3 | 43.9 | 47.4 | **730.2** |
| OIL | 1970 | 70.2 | 64.5 | 68.0 | 40.8 | 36.2 | 59.9 | 57.8 | 54.2 | 51.6 | 46.6 | 49.9 | 47.8 | **3,334.0** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 15.0 | 15.0 | 17.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,080.0** |
| H2O | 1969 | 3.5 | 3.5 | 3.5 | 8.6 | 10.2 | 6.7 | 6.8 | 8.1 | 6.7 | 7.3 | 9.2 | 9.4 | **280.4** |
| OIL | 1969 | 48.1 | 43.7 | 46.9 | 46.6 | 41.8 | 47.4 | 78.0 | 68.0 | 67.9 | 65.6 | 64.5 | 65.6 | **2,686.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **759.0** |
| H2O | 1968 | 7.3 | 6.7 | 5.9 | 5.1 | 5.7 | 6.8 | 7.9 | 4.3 | 3.7 | 3.8 | 3.7 | 3.5 | **196.9** |
| OIL | 1968 | 77.5 | 69.9 | 76.1 | 71.2 | 73.7 | 70.9 | 71.7 | 58.0 | 51.2 | 52.4 | 48.6 | 40.5 | **2,002.4** |
| DAY | 1967 | 30.0 | 28.0 | 30.0 | 0.0 | 16.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **394.0** |
| H2O | 1967 | 12.9 | 12.1 | 9.2 | 0.0 | 5.7 | 13.7 | 6.4 | 7.3 | 6.7 | 7.5 | 9.1 | 4.8 | **132.5** |
| OIL | 1967 | 95.7 | 77.1 | 84.2 | 0.0 | 60.7 | 98.0 | 95.2 | 86.9 | 83.7 | 82.8 | 79.3 | 80.2 | **1,240.7** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 27.0 | 28.0 | **78.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.6 | 9.7 | 7.8 | **37.1** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 108.5 | 86.0 | 122.4 | **316.9** |

Licence ***2176*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.02-22-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 31.0 | 28.0 | 28.0 | 1.0 | 1.0 | 9.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **136.0** |
| H2O | 1967 | 26.0 | 24.9 | 22.2 | 1.0 | 1.0 | 7.5 | 1.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **117.9** |
| OIL | 1967 | 50.0 | 42.5 | 3.8 | 0.0 | 0.0 | 1.1 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **165.8** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 28.0 | **36.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.5 | 26.9 | **33.4** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.9 | 49.3 | **68.2** |

Licence ***2182*** Well Name ***Tundra et al Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-30-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 25.0 | 30.0 | 28.0 | 25.0 | 31.0 | **3,175.0** |
| H2O | 1975 | 25.8 | 23.4 | 25.4 | 24.6 | 23.5 | 23.8 | 24.6 | 20.0 | 40.9 | 25.8 | 22.6 | 29.3 | **2,199.6** |
| OIL | 1975 | 49.1 | 43.7 | 48.8 | 47.5 | 48.3 | 47.5 | 49.3 | 39.7 | 45.9 | 38.8 | 35.9 | 46.1 | **5,135.6** |
| DAY | 1974 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,825.0** |
| H2O | 1974 | 23.8 | 21.5 | 24.2 | 23.8 | 23.8 | 21.9 | 19.9 | 18.3 | 19.1 | 20.7 | 23.8 | 25.1 | **1,889.9** |
| OIL | 1974 | 43.9 | 41.8 | 49.4 | 47.1 | 48.7 | 47.2 | 46.4 | 49.0 | 47.4 | 49.4 | 44.0 | 48.8 | **4,595.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 29.0 | 31.0 | 31.0 | 29.0 | 23.0 | 30.0 | 30.0 | **2,464.0** |
| H2O | 1973 | 21.8 | 18.0 | 20.5 | 19.6 | 16.4 | 19.2 | 18.8 | 22.4 | 23.4 | 22.6 | 23.5 | 24.0 | **1,624.0** |
| OIL | 1973 | 55.3 | 49.3 | 54.5 | 49.9 | 42.9 | 47.4 | 48.8 | 48.8 | 47.7 | 39.0 | 44.8 | 47.9 | **4,031.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 25.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,115.0** |
| H2O | 1972 | 29.7 | 27.8 | 29.4 | 29.1 | 31.0 | 23.7 | 25.1 | 30.4 | 32.6 | 26.9 | 21.3 | 23.4 | **1,373.8** |
| OIL | 1972 | 20.7 | 20.2 | 22.6 | 24.0 | 18.8 | 12.4 | 26.1 | 18.9 | 18.8 | 18.9 | 48.7 | 56.4 | **3,455.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 23.0 | 29.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,756.0** |
| H2O | 1971 | 35.9 | 32.0 | 39.0 | 32.3 | 12.7 | 18.9 | 18.6 | 24.8 | 25.1 | 23.7 | 24.2 | 28.0 | **1,043.4** |
| OIL | 1971 | 25.3 | 25.9 | 27.8 | 26.7 | 15.7 | 25.8 | 16.7 | 19.9 | 18.3 | 20.4 | 18.1 | 20.0 | **3,149.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 17.0 | 20.0 | 30.0 | 31.0 | **1,401.0** |
| H2O | 1970 | 15.4 | 13.4 | 14.9 | 14.1 | 14.8 | 14.6 | 13.2 | 14.8 | 8.1 | 17.3 | 27.8 | 29.9 | **728.2** |
| OIL | 1970 | 46.9 | 41.3 | 44.8 | 42.3 | 43.9 | 40.1 | 35.3 | 36.7 | 16.4 | 27.5 | 27.5 | 28.5 | **2,888.5** |

# Manitoba Production
## 1950 To 1975

Licence ***2182*** Well Name ***Tundra et al Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-30-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 31.0 | 28.0 | 27.0 | 30.0 | 19.0 | 30.0 | 31.0 | 31.0 | 25.0 | 22.0 | 30.0 | 30.0 | **1,064.0** |
| H2O | 1969 | 17.5 | 12.7 | 13.0 | 17.0 | 10.3 | 19.1 | 18.8 | 19.1 | 15.3 | 15.4 | 14.5 | 14.0 | **529.9** |
| OIL | 1969 | 85.2 | 70.6 | 52.6 | 37.8 | 30.2 | 33.5 | 31.0 | 30.0 | 21.0 | 36.1 | 50.9 | 52.0 | **2,457.3** |
| DAY | 1968 | 31.0 | 29.0 | 28.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **730.0** |
| H2O | 1968 | 16.4 | 13.0 | 15.6 | 0.0 | 20.8 | 13.4 | 17.2 | 18.0 | 19.4 | 18.4 | 17.5 | 17.5 | **343.2** |
| OIL | 1968 | 53.3 | 50.3 | 55.4 | 62.2 | 71.4 | 82.1 | 92.1 | 93.2 | 87.8 | 90.4 | 84.6 | 84.6 | **1,926.4** |
| DAY | 1967 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 19.0 | 27.0 | 30.0 | 31.0 | **370.0** |
| H2O | 1967 | 10.1 | 11.7 | 9.4 | 9.1 | 9.5 | 11.6 | 11.4 | 12.1 | 13.2 | 15.6 | 15.9 | 16.5 | **156.0** |
| OIL | 1967 | 121.8 | 112.3 | 78.3 | 78.9 | 80.2 | 79.2 | 78.3 | 80.2 | 50.6 | 64.3 | 57.9 | 55.9 | **1,019.0** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | **21.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.9 | **9.9** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 81.1 | **81.1** |

Licence ***2183*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-36-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 11.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,384.0** |
| H2O | 1975 | 5.9 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 13.7 | 16.1 | 14.8 | 17.5 | 18.0 | 18.0 | **5,801.4** |
| OIL | 1975 | 8.1 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 23.0 | 23.4 | 22.7 | 22.6 | 23.0 | 23.5 | **2,621.9** |
| DAY | 1974 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 25.0 | 30.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,161.0** |
| H2O | 1974 | 4.1 | 3.8 | 3.5 | 4.1 | 4.6 | 4.3 | 4.0 | 4.5 | 4.0 | 12.9 | 15.7 | 17.5 | **5,683.4** |
| OIL | 1974 | 34.0 | 30.2 | 30.0 | 31.1 | 32.7 | 25.7 | 21.0 | 25.3 | 21.5 | 21.5 | 21.1 | 24.0 | **2,454.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,808.0** |
| H2O | 1973 | 4.6 | 4.3 | 4.6 | 4.6 | 5.2 | 4.5 | 5.1 | 4.9 | 4.1 | 5.2 | 4.6 | 4.5 | **5,600.4** |
| OIL | 1973 | 35.9 | 31.3 | 36.2 | 38.1 | 37.7 | 34.6 | 35.9 | 36.4 | 31.6 | 36.1 | 36.7 | 34.8 | **2,136.5** |
| DAY | 1972 | 31.0 | 14.0 | 7.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 21.0 | 31.0 | 30.0 | 31.0 | **1,445.0** |
| H2O | 1972 | 13.5 | 6.2 | 3.0 | 4.1 | 4.9 | 4.9 | 5.2 | 4.9 | 3.5 | 5.1 | 4.9 | 5.1 | **5,544.2** |
| OIL | 1972 | 31.1 | 13.8 | 7.0 | 22.1 | 23.5 | 22.4 | 23.5 | 31.1 | 22.4 | 35.0 | 33.4 | 35.4 | **1,711.2** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 22.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,129.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 9.9 | 14.0 | 14.1 | 12.6 | 13.5 | 12.2 | 13.5 | 12.9 | 13.4 | **5,478.9** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 10.0 | 14.5 | 14.0 | 13.5 | 31.8 | 30.0 | 31.9 | 30.2 | 32.4 | **1,410.5** |
| DAY | 1970 | 8.0 | 0.0 | 0.0 | 0.0 | 27.0 | 27.0 | 28.0 | 30.0 | 28.0 | 25.0 | 25.0 | 21.0 | **865.0** |
| H2O | 1970 | 1.6 | 0.0 | 0.0 | 0.0 | 8.6 | 8.6 | 17.2 | 8.6 | 8.6 | 8.6 | 8.6 | 7.0 | **5,362.8** |
| OIL | 1970 | 9.1 | 0.0 | 0.0 | 0.0 | 34.0 | 33.2 | 31.6 | 32.6 | 29.9 | 25.7 | 25.6 | 19.7 | **1,202.2** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 23.0 | 0.0 | 0.0 | 0.0 | 28.0 | 30.0 | 30.0 | **646.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 306.0 | 290.1 | 0.0 | 0.0 | 0.0 | 18.4 | 19.1 | 7.9 | **5,285.4** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 43.4 | 13.5 | 0.0 | 0.0 | 0.0 | 33.7 | 34.8 | 35.0 | **960.8** |
| DAY | 1968 | 17.0 | 24.0 | 28.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 0.0 | 0.0 | **504.0** |
| H2O | 1968 | 106.5 | 243.2 | 372.8 | 310.0 | 278.2 | 286.2 | 302.1 | 294.1 | 302.1 | 300.2 | 0.0 | 0.0 | **4,643.9** |
| OIL | 1968 | 25.7 | 34.8 | 51.8 | 45.9 | 45.9 | 40.7 | 39.4 | 36.7 | 35.6 | 30.4 | 0.0 | 0.0 | **800.4** |
| DAY | 1967 | 7.0 | 0.0 | 0.0 | 0.0 | 21.0 | 27.0 | 22.0 | 30.0 | 30.0 | 31.0 | 28.0 | 23.0 | **228.0** |
| H2O | 1967 | 50.2 | 0.0 | 0.0 | 0.0 | 155.0 | 190.8 | 201.1 | 241.6 | 293.3 | 264.7 | 221.8 | 207.5 | **1,848.5** |
| OIL | 1967 | 11.1 | 0.0 | 0.0 | 0.0 | 43.1 | 51.2 | 34.5 | 56.9 | 56.9 | 55.0 | 50.5 | 36.7 | **413.5** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | **9.0** |
| H2O | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.5 | **22.5** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.6 | **17.6** |

Licence ***2184*** Well Name ***Tundra et al Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-20-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | **3,077.0** |

# Manitoba Production
## 1950 To 1975

Licence ***2184*** Well Name ***Tundra et al Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-20-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1975 | 11.3 | 10.5 | 11.1 | 17.5 | 15.4 | 16.2 | 16.7 | 15.4 | 16.2 | 17.6 | 18.3 | 19.4 | **1,450.0** |
| OIL | 1975 | 116.1 | 101.3 | 113.2 | 113.0 | 114.5 | 111.3 | 106.7 | 104.8 | 104.3 | 111.0 | 97.6 | 107.2 | **15,321.9** |
| DAY | 1974 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,717.0** |
| H2O | 1974 | 19.1 | 17.2 | 19.1 | 14.8 | 17.0 | 19.6 | 18.9 | 15.6 | 15.3 | 19.9 | 15.9 | 11.1 | **1,264.4** |
| OIL | 1974 | 128.7 | 106.0 | 122.9 | 121.0 | 114.6 | 116.1 | 120.7 | 123.5 | 118.6 | 117.0 | 104.6 | 114.6 | **14,020.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 3.0 | 31.0 | 30.0 | 30.0 | 30.0 | 18.0 | 31.0 | 30.0 | 31.0 | **2,353.0** |
| H2O | 1973 | 14.6 | 16.9 | 29.1 | 17.2 | 22.4 | 17.6 | 21.1 | 19.6 | 12.6 | 18.3 | 16.4 | 20.2 | **1,060.9** |
| OIL | 1973 | 136.0 | 123.9 | 121.8 | 119.3 | 121.8 | 117.9 | 122.2 | 119.9 | 78.8 | 120.3 | 118.2 | 119.0 | **12,612.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 29.0 | 27.0 | 29.0 | 31.0 | **2,029.0** |
| H2O | 1972 | 15.9 | 13.4 | 17.0 | 14.1 | 15.3 | 14.6 | 15.3 | 11.4 | 13.2 | 16.1 | 13.0 | 14.8 | **834.9** |
| OIL | 1972 | 132.3 | 125.0 | 139.5 | 133.9 | 132.7 | 130.7 | 134.1 | 113.7 | 123.1 | 116.0 | 121.7 | 134.7 | **11,193.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 17.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,674.0** |
| H2O | 1971 | 11.9 | 8.9 | 9.7 | 12.9 | 12.7 | 15.6 | 14.3 | 7.8 | 15.7 | 16.5 | 14.8 | 14.8 | **660.8** |
| OIL | 1971 | 151.6 | 133.0 | 146.8 | 144.1 | 153.8 | 144.1 | 144.3 | 81.8 | 141.1 | 139.3 | 137.3 | 140.6 | **9,656.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 21.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,323.0** |
| H2O | 1970 | 14.6 | 13.4 | 14.8 | 14.5 | 14.1 | 12.1 | 11.3 | 15.3 | 14.3 | 12.7 | 10.8 | 10.0 | **505.2** |
| OIL | 1970 | 160.0 | 148.1 | 166.2 | 164.6 | 176.7 | 152.1 | 120.1 | 163.5 | 156.3 | 162.2 | 147.4 | 153.8 | **7,998.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | **971.0** |
| H2O | 1969 | 11.1 | 14.6 | 11.8 | 13.7 | 13.4 | 14.1 | 13.8 | 12.7 | 13.0 | 13.8 | 13.7 | 11.4 | **347.3** |
| OIL | 1969 | 175.4 | 163.3 | 178.1 | 171.4 | 175.4 | 166.8 | 171.4 | 172.2 | 166.5 | 174.5 | 167.8 | 154.9 | **6,127.3** |
| DAY | 1968 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 0.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **641.0** |
| H2O | 1968 | 3.2 | 2.7 | 4.8 | 4.8 | 9.9 | 9.5 | 10.2 | 9.4 | 19.7 | 10.0 | 10.5 | 11.1 | **190.2** |
| OIL | 1968 | 194.5 | 169.4 | 176.7 | 167.0 | 174.3 | 156.7 | 185.9 | 191.8 | 174.9 | 173.4 | 169.2 | 172.4 | **4,089.6** |
| DAY | 1967 | 24.0 | 12.0 | 25.0 | 30.0 | 26.0 | 30.0 | 30.0 | 31.0 | 25.0 | 13.0 | 26.0 | 28.0 | **308.0** |
| H2O | 1967 | 2.4 | 0.0 | 7.5 | 11.2 | 29.6 | 10.8 | 7.5 | 4.0 | 2.5 | 2.2 | 3.8 | 2.9 | **84.4** |
| OIL | 1967 | 152.1 | 58.6 | 130.9 | 179.7 | 148.7 | 184.3 | 178.4 | 202.6 | 155.7 | 71.9 | 235.4 | 226.9 | **1,983.4** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | **8.0** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 58.2 | **58.2** |

Licence ***2189*** Well Name ***Copperhead Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.10-34-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 0.0 | 11.0 | 31.0 | 7.0 | 14.0 | 5.0 | 11.0 | 31.0 | 28.0 | 18.0 | 17.0 | 0.0 | **649.0** |
| H2O | 1971 | 0.0 | 50.4 | 120.8 | 25.0 | 72.0 | 20.2 | 52.0 | 113.8 | 99.7 | 88.9 | 67.9 | 0.0 | **1,955.5** |
| OIL | 1971 | 0.0 | 8.0 | 32.9 | 6.8 | 12.9 | 4.1 | 10.3 | 23.2 | 19.6 | 12.4 | 12.2 | 0.0 | **526.9** |
| DAY | 1968 | 31.0 | 29.0 | 27.0 | 30.0 | 30.0 | 30.0 | 30.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | **476.0** |
| H2O | 1968 | 103.0 | 96.3 | 89.5 | 96.2 | 108.1 | 98.6 | 103.0 | 17.2 | 0.0 | 0.0 | 0.0 | 0.0 | **1,244.8** |
| OIL | 1968 | 19.2 | 16.5 | 15.7 | 18.6 | 18.0 | 15.4 | 14.9 | 5.2 | 0.0 | 0.0 | 0.0 | 0.0 | **384.5** |
| DAY | 1967 | 17.0 | 7.0 | 3.0 | 30.0 | 13.0 | 19.0 | 31.0 | 31.0 | 30.0 | 31.0 | 22.0 | 24.0 | **259.0** |
| H2O | 1967 | 10.8 | 6.7 | 1.9 | 16.4 | 11.0 | 46.9 | 72.7 | 79.7 | 80.8 | 76.0 | 45.9 | 84.1 | **532.9** |
| OIL | 1967 | 37.5 | 16.2 | 8.1 | 34.3 | 11.6 | 33.4 | 24.2 | 25.0 | 20.4 | 17.3 | 9.5 | 21.1 | **261.0** |
| DAY | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | **1.0** |
| OIL | 1966 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.4 | **2.4** |

Licence ***2190*** Well Name ***Chandler W. Pierson Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.15-32-002-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3b D*** Field Code ***7*** Pool Code ***42D*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 0.0 | 26.0 | 29.0 | 0.0 | 5.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 8.0 | **250.0** |
| H2O | 1967 | 0.0 | 312.4 | 316.9 | 0.0 | 90.1 | 362.7 | 368.7 | 376.2 | 355.3 | 373.8 | 370.0 | 100.4 | **3,026.5** |
| OIL | 1967 | 0.0 | 112.2 | 73.4 | 0.0 | 17.5 | 57.8 | 44.2 | 34.0 | 29.2 | 23.7 | 27.8 | 7.0 | **426.8** |

# Manitoba Production
## 1950 To 1975

Licence ***2194*** Well Name ***Waskada Unit No. 3 WSW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-30-001-25W1.00*** Field Name ***Waskada*** Pool Name ***Mission Canyon 3b A*** Field Code ***3*** Pool Code ***42A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 6.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,127.0** |
| OIL | 1975 | 13.7 | 11.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,172.6** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 29.0 | 25.0 | **2,091.0** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 10.5 | 13.7 | **5,147.1** |
| DAY | 1973 | 8.0 | 11.0 | 0.0 | 0.0 | 0.0 | 16.0 | 29.0 | 29.0 | 30.0 | 14.0 | 0.0 | 0.0 | **2,028.0** |
| OIL | 1973 | 10.5 | 11.8 | 0.0 | 0.0 | 0.0 | 22.3 | 17.0 | 58.5 | 61.1 | 26.6 | 0.0 | 0.0 | **5,109.9** |
| DAY | 1972 | 31.0 | 28.0 | 26.0 | 27.0 | 19.0 | 16.0 | 31.0 | 31.0 | 25.0 | 13.0 | 30.0 | 1.0 | **1,891.0** |
| OIL | 1972 | 39.7 | 27.2 | 22.7 | 24.8 | 16.1 | 12.1 | 31.5 | 39.4 | 26.4 | 15.3 | 35.1 | 1.0 | **4,902.1** |
| DAY | 1971 | 31.0 | 14.0 | 31.0 | 26.0 | 27.0 | 29.0 | 29.0 | 29.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,613.0** |
| OIL | 1971 | 85.1 | 44.8 | 82.7 | 33.1 | 55.8 | 63.8 | 59.6 | 46.1 | 25.8 | 23.8 | 50.9 | 48.5 | **4,610.8** |
| DAY | 1970 | 30.0 | 24.0 | 29.0 | 15.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **1,278.0** |
| OIL | 1970 | 77.3 | 71.1 | 84.3 | 45.3 | 76.3 | 98.6 | 90.6 | 93.8 | 76.3 | 77.1 | 75.5 | 57.2 | **3,990.8** |
| DAY | 1969 | 25.0 | 23.0 | 29.0 | 18.0 | 21.0 | 25.0 | 24.0 | 29.0 | 26.0 | 29.0 | 29.0 | 31.0 | **945.0** |
| OIL | 1969 | 61.1 | 95.0 | 77.0 | 57.1 | 71.4 | 79.4 | 81.0 | 82.6 | 77.0 | 84.2 | 77.0 | 78.7 | **3,067.4** |
| DAY | 1968 | 28.0 | 26.0 | 30.0 | 29.0 | 30.0 | 28.0 | 29.0 | 30.0 | 30.0 | 31.0 | 25.0 | 30.0 | **636.0** |
| OIL | 1968 | 99.7 | 92.7 | 112.0 | 94.0 | 91.2 | 89.6 | 92.1 | 92.9 | 93.7 | 89.7 | 76.2 | 86.5 | **2,145.9** |
| DAY | 1967 | 7.0 | 26.0 | 30.0 | 8.0 | 14.0 | 30.0 | 27.0 | 27.0 | 30.0 | 31.0 | 30.0 | 30.0 | **290.0** |
| OIL | 1967 | 32.3 | 73.2 | 107.5 | 30.7 | 58.1 | 138.4 | 102.3 | 100.4 | 103.6 | 98.2 | 87.3 | 103.6 | **1,035.6** |

Licence ***2195*** Well Name ***Tundra et al Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-19-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 25.0 | 31.0 | **2,937.0** |
| H2O | 1975 | 173.0 | 156.1 | 172.7 | 166.9 | 179.3 | 176.3 | 175.2 | 173.1 | 67.7 | 142.1 | 128.5 | 164.6 | **15,339.2** |
| OIL | 1975 | 56.6 | 50.4 | 57.1 | 56.9 | 59.3 | 57.9 | 59.8 | 58.8 | 56.4 | 47.9 | 44.4 | 56.8 | **8,673.2** |
| DAY | 1974 | 5.0 | 21.0 | 30.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 14.0 | 30.0 | 31.0 | **2,584.0** |
| H2O | 1974 | 27.0 | 113.5 | 168.1 | 162.2 | 167.6 | 166.6 | 160.9 | 154.2 | 156.0 | 158.2 | 171.7 | 177.4 | **13,463.7** |
| OIL | 1974 | 12.4 | 54.9 | 77.1 | 79.8 | 80.0 | 75.7 | 70.3 | 75.0 | 73.5 | 70.6 | 61.4 | 60.6 | **8,010.9** |
| DAY | 1973 | 30.0 | 28.0 | 28.0 | 28.0 | 24.0 | 25.0 | 24.0 | 28.0 | 28.0 | 30.0 | 30.0 | 29.0 | **2,273.0** |
| H2O | 1973 | 170.3 | 163.9 | 154.5 | 137.5 | 110.7 | 141.2 | 142.6 | 152.8 | 154.5 | 169.6 | 166.5 | 156.4 | **11,680.3** |
| OIL | 1973 | 81.1 | 76.3 | 74.2 | 72.5 | 58.8 | 62.6 | 53.6 | 71.7 | 72.0 | 78.4 | 71.5 | 81.4 | **7,219.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 25.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,941.0** |
| H2O | 1972 | 146.3 | 144.2 | 155.6 | 152.2 | 164.7 | 124.5 | 160.3 | 180.3 | 154.5 | 149.8 | 155.8 | 176.2 | **9,859.8** |
| OIL | 1972 | 73.3 | 67.4 | 71.7 | 68.8 | 67.7 | 51.5 | 61.7 | 66.6 | 66.5 | 67.3 | 67.7 | 84.6 | **6,365.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 21.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,584.0** |
| H2O | 1971 | 150.1 | 138.8 | 150.7 | 144.0 | 103.7 | 149.4 | 151.7 | 151.7 | 144.8 | 142.6 | 140.5 | 138.8 | **7,995.4** |
| OIL | 1971 | 80.0 | 70.0 | 78.4 | 76.0 | 55.8 | 76.8 | 77.1 | 72.3 | 70.0 | 68.0 | 66.8 | 70.1 | **5,550.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 17.0 | 22.0 | 30.0 | 31.0 | **1,230.0** |
| H2O | 1970 | 155.2 | 138.5 | 155.8 | 144.0 | 147.7 | 148.7 | 145.8 | 136.6 | 75.2 | 122.6 | 146.3 | 152.8 | **6,288.6** |
| OIL | 1970 | 85.7 | 77.9 | 93.3 | 80.1 | 77.7 | 75.0 | 80.4 | 83.5 | 46.1 | 66.1 | 79.7 | 86.8 | **4,689.4** |
| DAY | 1969 | 26.0 | 24.0 | 26.0 | 21.0 | 31.0 | 30.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **887.0** |
| H2O | 1969 | 154.4 | 127.5 | 132.3 | 108.3 | 156.1 | 156.3 | 141.5 | 158.8 | 146.3 | 160.7 | 152.5 | 151.7 | **4,619.4** |
| OIL | 1969 | 74.4 | 65.0 | 93.6 | 69.5 | 103.3 | 99.2 | 86.0 | 92.8 | 83.0 | 86.0 | 90.0 | 89.8 | **3,757.1** |
| DAY | 1968 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 0.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **577.0** |
| H2O | 1968 | 132.0 | 125.7 | 131.2 | 135.0 | 165.9 | 126.9 | 143.9 | 152.0 | 156.6 | 155.2 | 156.8 | 156.8 | **2,873.0** |
| OIL | 1968 | 137.3 | 129.5 | 133.8 | 149.8 | 141.1 | 130.0 | 130.8 | 123.9 | 116.4 | 112.9 | 102.9 | 101.0 | **2,724.5** |
| DAY | 1967 | 0.0 | 0.0 | 20.0 | 19.0 | 27.0 | 27.0 | 30.0 | 31.0 | 30.0 | 29.0 | 0.0 | 31.0 | **244.0** |
| H2O | 1967 | 0.0 | 0.0 | 84.0 | 94.2 | 125.7 | 126.0 | 120.7 | 124.9 | 108.2 | 107.1 | 111.2 | 133.0 | **1,135.0** |
| OIL | 1967 | 0.0 | 0.0 | 97.9 | 95.6 | 122.3 | 94.3 | 119.9 | 144.8 | 129.8 | 129.2 | 141.6 | 139.7 | **1,215.1** |

Licence ***2196*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

# Manitoba Production
## 1950 To 1975

Licence ***2196*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.14-11-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 0.0 | **2,634.0** |
| H2O | 1974 | 282.7 | 259.9 | 293.2 | 282.3 | 295.4 | 297.0 | 207.0 | 189.8 | 187.1 | 199.7 | 192.1 | 0.0 | **7,079.7** |
| OIL | 1974 | 26.9 | 23.2 | 26.7 | 25.3 | 26.5 | 25.6 | 17.8 | 18.0 | 17.2 | 17.8 | 16.4 | 0.0 | **1,778.2** |
| DAY | 1973 | 31.0 | 3.0 | 0.0 | 8.0 | 23.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | **2,301.0** |
| H2O | 1973 | 15.6 | 1.3 | 0.0 | 4.5 | 247.2 | 324.0 | 285.2 | 312.6 | 311.9 | 309.7 | 292.5 | 228.8 | **4,393.5** |
| OIL | 1973 | 8.4 | 0.6 | 0.0 | 2.1 | 22.2 | 29.4 | 25.4 | 27.7 | 26.7 | 26.9 | 25.6 | 21.0 | **1,536.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 23.0 | 31.0 | **2,028.0** |
| H2O | 1972 | 13.5 | 12.9 | 14.3 | 12.9 | 14.1 | 14.0 | 15.6 | 14.6 | 14.8 | 16.1 | 12.2 | 16.2 | **2,060.2** |
| OIL | 1972 | 8.4 | 7.8 | 8.6 | 8.1 | 8.6 | 8.3 | 8.6 | 8.7 | 8.3 | 8.6 | 6.2 | 8.6 | **1,320.8** |
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 23.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,669.0** |
| H2O | 1971 | 39.3 | 36.9 | 36.1 | 31.2 | 30.5 | 35.8 | 45.2 | 36.9 | 26.2 | 40.2 | 39.1 | 14.3 | **1,889.0** |
| OIL | 1971 | 16.0 | 14.3 | 14.8 | 11.8 | 14.8 | 13.7 | 14.5 | 14.0 | 13.2 | 18.4 | 17.5 | 8.6 | **1,222.0** |
| DAY | 1970 | 31.0 | 27.0 | 31.0 | 26.0 | 11.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,312.0** |
| H2O | 1970 | 68.7 | 46.4 | 45.2 | 35.5 | 19.2 | 37.8 | 36.9 | 52.5 | 38.3 | 27.5 | 34.2 | 36.9 | **1,477.3** |
| OIL | 1970 | 19.1 | 16.7 | 18.4 | 17.3 | 11.4 | 21.1 | 19.7 | 18.4 | 17.6 | 16.4 | 17.0 | 16.4 | **1,050.4** |
| DAY | 1969 | 30.0 | 26.0 | 31.0 | 16.0 | 26.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **973.0** |
| H2O | 1969 | 28.6 | 26.4 | 29.6 | 29.4 | 46.7 | 29.4 | 17.6 | 19.6 | 17.2 | 18.6 | 23.8 | 23.8 | **998.2** |
| OIL | 1969 | 26.7 | 23.0 | 26.7 | 13.5 | 20.3 | 22.6 | 21.1 | 17.3 | 18.3 | 17.6 | 17.3 | 17.6 | **840.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | **631.0** |
| H2O | 1968 | 32.6 | 29.3 | 26.1 | 22.4 | 26.7 | 29.7 | 32.9 | 31.2 | 30.4 | 31.2 | 29.6 | 30.5 | **687.5** |
| OIL | 1968 | 25.7 | 23.2 | 25.1 | 23.5 | 25.4 | 23.5 | 23.8 | 29.6 | 29.2 | 29.9 | 27.8 | 23.5 | **598.9** |
| DAY | 1967 | 0.0 | 15.0 | 28.0 | 5.0 | 15.0 | 27.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **269.0** |
| H2O | 1967 | 0.0 | 20.2 | 39.9 | 7.0 | 34.2 | 56.6 | 23.5 | 32.3 | 28.5 | 32.4 | 39.0 | 21.3 | **334.9** |
| OIL | 1967 | 0.0 | 35.9 | 29.9 | 8.3 | 21.0 | 31.0 | 26.4 | 28.9 | 26.9 | 27.5 | 26.2 | 26.7 | **288.7** |

Licence ***2199*** Well Name ***North Virden Scallion No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-02-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 28.0 | 12.0 | 0.0 | 0.0 | 0.0 | **561.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 23.6 | 8.0 | 0.0 | 0.0 | 0.0 | **253.4** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.6 | 6.4 | 0.8 | 0.0 | 0.0 | 0.0 | **300.8** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 30.0 | 26.0 | 26.0 | 29.0 | 1.0 | 0.0 | 0.0 | **496.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 4.9 | 8.7 | 36.1 | 12.6 | 12.4 | 0.3 | 0.0 | 0.0 | **205.8** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 13.3 | 12.7 | 0.2 | 6.4 | 4.4 | 0.5 | 0.0 | 0.0 | **265.0** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 12.0 | 24.0 | 28.0 | 31.0 | 28.0 | 26.0 | 28.0 | 5.0 | 0.0 | **382.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 9.5 | 11.1 | 17.6 | 16.5 | 13.2 | 12.2 | 11.8 | 3.8 | 0.0 | **130.8** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 9.2 | 9.5 | 5.6 | 9.4 | 8.6 | 7.9 | 11.0 | 0.3 | 0.0 | **227.5** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 23.0 | 31.0 | 28.0 | 31.0 | 24.0 | 19.0 | 20.0 | 24.0 | 0.0 | **200.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.6 | 0.0 | 0.0 | 10.2 | 0.0 | 20.3 | 0.0 | **35.1** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 26.9 | 27.0 | 25.6 | 20.7 | 17.5 | 14.5 | 32.5 | 1.3 | 0.0 | **166.0** |

Licence ***2200*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-06-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1800.3 | 1845.0 | 1776.4 | 1686.1 | 1780.3 | 1719.4 | 1748.3 | 1456.3 | 1387.7 | 1387.9 | 1288.7 | 1471.5 | **97,946.5** |
| WIN | 1974 | 1500.1 | 1344.7 | 1430.3 | 1249.3 | 1031.9 | 1369.5 | 1488.4 | 1783.6 | 1680.7 | 1737.0 | 1819.8 | 2021.4 | **78,598.6** |
| WIN | 1973 | 1975.5 | 1698.9 | 1769.1 | 1772.2 | 1850.7 | 1633.4 | 1668.8 | 1641.5 | 1304.0 | 1418.6 | 1483.0 | 1613.6 | **60,141.9** |
| WIN | 1972 | 1722.5 | 1715.7 | 1812.1 | 1636.9 | 1753.9 | 1704.6 | 1821.9 | 1891.9 | 1858.8 | 1952.0 | 1848.3 | 1945.0 | **40,312.6** |
| DAY | 1971 | 29.0 | 12.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,397.0** |
| H2O | 1971 | 39.3 | 17.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,864.8** |
| OIL | 1971 | 36.4 | 15.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **6,377.2** |

# Manitoba Production
## 1950 To 1975

Licence ***2200*** Well Name ***Virden Roselea Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-06-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1971 | 0.0 | 1021.8 | 1680.9 | 1741.9 | 2185.3 | 1809.5 | 1771.4 | 1735.6 | 1562.8 | 1661.8 | 1693.3 | 1784.7 | **18,649.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **1,356.0** |
| H2O | 1970 | 56.1 | 56.4 | 60.4 | 52.5 | 87.0 | 62.0 | 76.2 | 62.0 | 59.0 | 35.9 | 36.6 | 50.9 | **5,807.9** |
| OIL | 1970 | 105.7 | 84.7 | 94.9 | 86.9 | 96.1 | 86.6 | 88.2 | 83.6 | 77.1 | 40.0 | 43.2 | 46.4 | **6,325.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 17.0 | 31.0 | 30.0 | 27.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **993.0** |
| H2O | 1969 | 145.0 | 103.5 | 146.1 | 80.0 | 111.4 | 122.6 | 132.4 | 165.0 | 87.3 | 109.4 | 90.6 | 110.0 | **5,112.9** |
| OIL | 1969 | 143.8 | 130.0 | 145.1 | 74.4 | 121.6 | 114.9 | 127.6 | 91.4 | 112.5 | 119.2 | 111.9 | 111.2 | **5,391.8** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **646.0** |
| H2O | 1968 | 199.5 | 193.6 | 171.1 | 197.9 | 211.1 | 196.7 | 156.3 | 212.1 | 186.5 | 185.7 | 161.4 | 155.2 | **3,709.6** |
| OIL | 1968 | 189.3 | 174.3 | 173.8 | 185.6 | 190.7 | 176.4 | 170.2 | 172.1 | 160.7 | 152.6 | 138.4 | 143.3 | **3,988.2** |
| DAY | 1967 | 0.0 | 0.0 | 21.0 | 21.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | **283.0** |
| H2O | 1967 | 0.0 | 0.0 | 67.4 | 60.1 | 163.1 | 138.0 | 136.9 | 155.0 | 131.2 | 207.0 | 195.7 | 228.1 | **1,482.5** |
| OIL | 1967 | 0.0 | 0.0 | 228.8 | 162.2 | 229.1 | 207.2 | 206.9 | 206.9 | 181.3 | 163.2 | 173.1 | 202.1 | **1,960.8** |

Licence ***2201*** Well Name ***Enerplus Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.08-14-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 26.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **84.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.5 | 16.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **49.1** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.1 | 1.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **14.3** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 0.0 | 0.0 | **28.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.7 | 0.0 | 0.0 | **28.5** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.7 | 0.0 | 0.0 | **8.3** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **23.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **18.8** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 1.9 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5.6** |

Licence ***2202*** Well Name ***Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.12-20-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 31.0 | 23.0 | 31.0 | 0.0 | 0.0 | **915.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 227.7 | 557.7 | 374.2 | 347.8 | 0.0 | 0.0 | **12,791.1** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.9 | 17.0 | 12.3 | 7.7 | 0.0 | 0.0 | **746.8** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 17.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 24.0 | 30.0 | 13.0 | **818.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 342.0 | 570.7 | 549.9 | 579.5 | 538.9 | 509.1 | 419.9 | 546.3 | 235.8 | **11,283.7** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 12.7 | 23.8 | 25.9 | 27.2 | 24.9 | 23.0 | 19.1 | 23.0 | 11.6 | **702.9** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 13.0 | 0.0 | **582.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 18.9 | 610.8 | 650.2 | 658.5 | 636.9 | 653.2 | 283.6 | 0.0 | **6,991.6** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 32.3 | 23.0 | 22.9 | 21.9 | 23.4 | 10.3 | 0.0 | **511.7** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 22.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 0.0 | 0.0 | 0.0 | **415.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 231.6 | 431.9 | 584.1 | 709.2 | 703.6 | 563.4 | 0.0 | 0.0 | 0.0 | **3,479.5** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 29.2 | 36.4 | 31.9 | 15.4 | 24.6 | 21.3 | 0.0 | 0.0 | 0.0 | **377.1** |
| DAY | 1967 | 0.0 | 0.0 | 28.0 | 30.0 | 27.0 | 24.0 | 31.0 | 30.0 | 29.0 | 31.0 | 6.0 | 7.0 | **243.0** |
| H2O | 1967 | 0.0 | 0.0 | 9.1 | 13.0 | 18.1 | 17.6 | 21.9 | 71.1 | 41.7 | 45.6 | 7.6 | 10.0 | **255.7** |
| OIL | 1967 | 0.0 | 0.0 | 19.1 | 33.2 | 27.2 | 25.6 | 32.3 | 26.2 | 21.0 | 23.4 | 4.3 | 6.0 | **218.3** |

Licence ***2203*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-20-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 24.0 | 31.0 | 25.0 | 0.0 | 27.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,817.0** |

# Manitoba Production
## 1950 To 1975

Licence ***2203*** Well Name ***Virden Roselea Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-20-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1975 | 53.4 | 41.3 | 56.4 | 45.3 | 0.0 | 48.2 | 41.2 | 55.6 | 50.2 | 47.2 | 45.0 | 46.3 | **5,104.9** |
| OIL | 1975 | 42.3 | 33.1 | 42.7 | 33.2 | 0.0 | 35.3 | 31.8 | 42.1 | 42.6 | 42.9 | 42.0 | 43.1 | **4,952.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 16.0 | 7.0 | 16.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,502.0** |
| H2O | 1974 | 91.9 | 39.1 | 47.5 | 61.4 | 28.8 | 73.8 | 106.5 | 54.7 | 54.8 | 56.4 | 49.1 | 53.3 | **4,574.8** |
| OIL | 1974 | 46.2 | 28.8 | 32.1 | 14.3 | 6.2 | 14.0 | 26.4 | 43.1 | 40.5 | 42.0 | 39.4 | 41.5 | **4,521.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,191.0** |
| H2O | 1973 | 71.4 | 64.9 | 74.9 | 70.1 | 77.6 | 80.0 | 73.4 | 69.3 | 71.4 | 81.2 | 75.4 | 88.4 | **3,857.5** |
| OIL | 1973 | 51.3 | 45.1 | 50.4 | 47.4 | 49.9 | 48.3 | 51.8 | 44.5 | 43.9 | 48.9 | 46.1 | 45.1 | **4,146.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,832.0** |
| H2O | 1972 | 32.6 | 32.9 | 33.1 | 25.8 | 28.8 | 26.5 | 61.8 | 69.8 | 22.6 | 25.1 | 64.7 | 59.6 | **2,959.5** |
| OIL | 1972 | 46.6 | 45.0 | 47.4 | 43.1 | 46.4 | 45.0 | 50.2 | 48.8 | 43.5 | 50.9 | 50.9 | 51.6 | **3,573.9** |
| DAY | 1971 | 29.0 | 28.0 | 31.0 | 28.0 | 28.0 | 26.0 | 31.0 | 31.0 | 30.0 | 14.0 | 30.0 | 31.0 | **1,470.0** |
| H2O | 1971 | 47.4 | 49.0 | 54.5 | 50.4 | 49.0 | 24.0 | 29.6 | 32.6 | 29.4 | 14.5 | 29.1 | 30.4 | **2,476.2** |
| OIL | 1971 | 39.7 | 37.5 | 43.2 | 36.9 | 34.6 | 38.0 | 46.9 | 46.1 | 44.0 | 20.7 | 43.7 | 47.0 | **3,004.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 30.0 | 30.0 | 30.0 | 30.0 | **1,133.0** |
| H2O | 1970 | 48.3 | 45.8 | 56.0 | 50.4 | 52.9 | 51.5 | 38.8 | 32.9 | 41.2 | 52.6 | 46.7 | 41.8 | **2,036.3** |
| OIL | 1970 | 73.4 | 65.2 | 72.1 | 70.2 | 72.9 | 68.2 | 31.0 | 39.1 | 44.0 | 39.7 | 40.2 | 41.0 | **2,526.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 13.0 | 22.0 | 30.0 | 28.0 | 30.0 | 27.0 | 31.0 | 30.0 | 29.0 | **774.0** |
| H2O | 1969 | 54.1 | 44.4 | 53.7 | 21.5 | 40.5 | 55.2 | 52.6 | 49.9 | 45.0 | 53.3 | 50.1 | 50.6 | **1,477.4** |
| OIL | 1969 | 73.7 | 63.2 | 71.0 | 29.6 | 50.5 | 71.7 | 65.8 | 68.8 | 60.9 | 72.1 | 66.3 | 68.6 | **1,869.2** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 22.0 | 29.0 | 30.0 | 28.0 | 24.0 | 29.0 | 28.0 | 30.0 | 30.0 | **444.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 48.8 | 52.1 | 49.6 | 63.6 | 49.3 | 58.5 | 43.9 | 50.4 | 52.6 | **906.5** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 60.1 | 77.5 | 77.9 | 73.6 | 66.4 | 61.8 | 62.6 | 70.6 | 71.7 | **1,107.0** |
| DAY | 1967 | 0.0 | 0.0 | 12.0 | 0.0 | 15.0 | 27.0 | 28.0 | 29.0 | 29.0 | 28.0 | 26.0 | 0.0 | **194.0** |
| H2O | 1967 | 0.0 | 0.0 | 30.5 | 0.0 | 37.2 | 42.9 | 78.1 | 63.6 | 55.2 | 69.6 | 60.6 | 0.0 | **437.7** |
| OIL | 1967 | 0.0 | 0.0 | 46.6 | 0.0 | 35.1 | 74.2 | 51.0 | 79.6 | 64.0 | 69.9 | 64.4 | 0.0 | **484.8** |

Licence ***2204*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-24-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,351.0** |
| H2O | 1975 | 251.7 | 231.3 | 258.0 | 250.2 | 259.3 | 242.9 | 238.6 | 245.0 | 241.2 | 259.1 | 259.8 | 264.5 | **11,863.0** |
| OIL | 1975 | 26.1 | 23.2 | 25.4 | 24.2 | 24.5 | 23.4 | 23.7 | 24.6 | 24.0 | 24.8 | 23.8 | 24.3 | **1,922.4** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,987.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 51.2 | 219.7 | 221.9 | 203.7 | 192.2 | 209.1 | 250.2 | 248.5 | **8,861.4** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 13.8 | 21.5 | 22.1 | 22.1 | 20.3 | 22.1 | 25.4 | 26.1 | **1,630.4** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 5.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 23.0 | 0.0 | **1,743.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 3.5 | 20.7 | 20.7 | 25.4 | 27.5 | 26.7 | 53.7 | 38.5 | 0.0 | **7,264.9** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 1.4 | 8.1 | 8.3 | 4.3 | 4.4 | 4.3 | 14.0 | 10.2 | 0.0 | **1,457.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 3.0 | 24.0 | 0.0 | 0.0 | **1,532.0** |
| H2O | 1972 | 17.5 | 17.0 | 18.6 | 16.5 | 18.3 | 18.1 | 20.2 | 19.1 | 1.9 | 16.2 | 0.0 | 0.0 | **7,048.2** |
| OIL | 1972 | 8.4 | 7.8 | 8.4 | 8.1 | 8.6 | 8.1 | 8.6 | 8.7 | 0.8 | 6.7 | 0.0 | 0.0 | **1,402.0** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 30.0 | **1,261.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.4 | 15.7 | 18.0 | **6,884.8** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.7 | 8.4 | 8.3 | **1,327.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 7.0 | 30.0 | 6.0 | 21.0 | 30.0 | 31.0 | 3.0 | 0.0 | **1,170.0** |
| H2O | 1970 | 19.1 | 22.9 | 23.8 | 22.6 | 103.8 | 366.8 | 66.8 | 309.4 | 346.4 | 325.3 | 25.4 | 0.0 | **6,834.7** |
| OIL | 1970 | 28.9 | 14.0 | 9.2 | 27.0 | 0.8 | 23.0 | 0.5 | 11.9 | 15.6 | 28.3 | 1.0 | 0.0 | **1,302.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 29.0 | 23.0 | 24.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **922.0** |
| H2O | 1969 | 257.5 | 244.8 | 224.0 | 224.6 | 206.0 | 153.9 | 262.5 | 245.1 | 226.7 | 149.0 | 90.6 | 25.3 | **5,202.4** |
| OIL | 1969 | 42.9 | 26.7 | 27.2 | 39.3 | 32.4 | 28.8 | 43.1 | 54.0 | 10.3 | 35.0 | 26.9 | 32.4 | **1,142.2** |

# Manitoba Production
## 1950 To 1975

Licence ***2204*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.02-24-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 24.0 | 31.0 | 30.0 | 27.0 | 22.0 | 26.0 | 31.0 | 30.0 | 30.0 | **575.0** |
| H2O | 1968 | 162.0 | 140.4 | 9.5 | 164.7 | 298.7 | 230.8 | 147.9 | 67.2 | 203.8 | 338.5 | 302.1 | 269.0 | **2,892.4** |
| OIL | 1968 | 41.0 | 42.6 | 31.1 | 24.8 | 41.8 | 29.6 | 20.5 | 14.1 | 24.0 | 48.5 | 38.1 | 36.5 | **743.2** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 10.0 | 19.0 | 30.0 | 31.0 | 31.0 | 28.0 | 29.0 | 26.0 | 29.0 | **233.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 20.5 | 30.0 | 25.4 | 14.6 | 25.6 | 11.8 | 4.6 | 181.4 | 243.9 | **557.8** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 25.4 | 48.3 | 51.8 | 53.7 | 42.7 | 32.3 | 31.0 | 31.9 | 33.5 | **350.6** |

Licence ***2205*** Well Name ***Enerplus Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-31-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 30.0 | 31.0 | 27.0 | 0.0 | 0.0 | 0.0 | 0.0 | **107.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 498.1 | 829.4 | 1034.6 | 997.1 | 0.0 | 0.0 | 0.0 | 0.0 | **3,359.2** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 19.7 | 29.6 | 36.2 | 24.9 | 0.0 | 0.0 | 0.0 | 0.0 | **110.4** |

Licence ***2207*** Well Name ***Waskada Unit No. 3 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-30-001-25W1.00*** Field Name ***Waskada*** Pool Name ***Mission Canyon 3b A*** Field Code ***3*** Pool Code ***42A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 21.0 | 28.0 | 28.0 | 29.0 | 26.0 | 19.0 | 27.0 | 28.0 | 25.0 | 31.0 | 28.0 | 30.0 | **2,802.0** |
| OIL | 1975 | 57.1 | 48.8 | 59.9 | 60.1 | 70.6 | 73.0 | 87.1 | 73.9 | 63.6 | 73.9 | 64.4 | 69.3 | **14,564.4** |
| DAY | 1974 | 31.0 | 27.0 | 27.0 | 25.0 | 4.0 | 21.0 | 28.0 | 29.0 | 30.0 | 27.0 | 29.0 | 28.0 | **2,482.0** |
| OIL | 1974 | 38.0 | 30.7 | 38.2 | 36.2 | 9.7 | 38.5 | 47.2 | 58.0 | 49.3 | 34.8 | 37.2 | 61.7 | **13,762.7** |
| DAY | 1973 | 29.0 | 27.0 | 29.0 | 28.0 | 31.0 | 25.0 | 31.0 | 28.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,176.0** |
| OIL | 1973 | 138.1 | 105.0 | 104.7 | 96.3 | 98.1 | 79.0 | 83.3 | 29.3 | 28.3 | 59.6 | 35.1 | 43.6 | **13,283.2** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 29.0 | 28.0 | 15.0 | 29.0 | 28.0 | 25.0 | 29.0 | 28.0 | 30.0 | **1,829.0** |
| OIL | 1972 | 181.1 | 162.1 | 161.6 | 153.5 | 62.0 | 29.9 | 91.9 | 111.2 | 97.6 | 123.8 | 119.6 | 122.5 | **12,382.8** |
| DAY | 1971 | 31.0 | 21.0 | 31.0 | 30.0 | 27.0 | 29.0 | 29.0 | 30.0 | 23.0 | 29.0 | 30.0 | 31.0 | **1,498.0** |
| OIL | 1971 | 112.0 | 50.9 | 266.9 | 241.6 | 193.1 | 207.4 | 131.5 | 146.2 | 153.3 | 187.8 | 161.1 | 163.8 | **10,966.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 19.0 | 24.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **1,157.0** |
| OIL | 1970 | 195.5 | 186.7 | 220.1 | 121.7 | 178.0 | 187.2 | 146.2 | 147.8 | 125.5 | 126.9 | 127.9 | 109.6 | **8,950.4** |
| DAY | 1969 | 28.0 | 24.0 | 24.0 | 18.0 | 19.0 | 29.0 | 28.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | **815.0** |
| OIL | 1969 | 192.3 | 244.7 | 209.8 | 126.1 | 193.9 | 228.0 | 242.2 | 236.0 | 205.8 | 204.2 | 189.9 | 192.3 | **7,077.3** |
| DAY | 1968 | 28.0 | 22.0 | 22.0 | 26.0 | 26.0 | 24.0 | 23.0 | 24.0 | 25.0 | 24.0 | 19.0 | 28.0 | **495.0** |
| OIL | 1968 | 255.0 | 224.4 | 227.3 | 216.9 | 205.0 | 210.6 | 246.3 | 240.8 | 250.2 | 242.4 | 197.0 | 230.4 | **4,612.1** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 30.0 | 25.0 | 24.0 | 27.0 | 31.0 | 24.0 | 18.0 | **204.0** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 63.1 | 194.3 | 266.4 | 287.6 | 259.4 | 279.8 | 259.1 | 256.1 | **1,865.8** |

Licence ***2208*** Well Name ***Chandler W. Pierson*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-32-002-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3b D*** Field Code ***7*** Pool Code ***42D*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 25.0 | 27.0 | 17.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **603.0** |
| H2O | 1969 | 123.7 | 129.6 | 82.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,784.7** |
| OIL | 1969 | 23.7 | 22.7 | 14.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **786.6** |
| DAY | 1968 | 31.0 | 27.0 | 30.0 | 30.0 | 23.0 | 28.0 | 31.0 | 30.0 | 27.0 | 29.0 | 30.0 | 30.0 | **534.0** |
| H2O | 1968 | 122.7 | 121.0 | 130.8 | 125.6 | 110.7 | 139.8 | 141.2 | 141.5 | 123.7 | 148.7 | 137.2 | 131.6 | **2,448.5** |
| OIL | 1968 | 41.3 | 34.2 | 40.0 | 31.6 | 11.3 | 32.4 | 27.2 | 23.8 | 21.3 | 24.2 | 22.6 | 22.9 | **726.1** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **188.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.6 | 148.3 | 144.4 | 137.7 | 135.6 | 139.4 | 137.0 | **874.0** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 40.8 | 89.1 | 68.6 | 54.2 | 45.9 | 48.3 | 46.4 | **393.3** |

Licence ***2209*** Well Name ***E. Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***2209*** Well Name ***E. Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-14-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,149.0** |
| H2O | 1975 | 125.0 | 93.6 | 120.1 | 97.1 | 106.6 | 169.9 | 122.1 | 113.6 | 92.0 | 80.1 | 86.3 | 89.9 | **10,778.0** |
| OIL | 1975 | 61.8 | 53.2 | 56.4 | 48.1 | 47.4 | 54.0 | 52.6 | 50.1 | 37.2 | 38.6 | 45.9 | 38.8 | **11,411.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,784.0** |
| H2O | 1974 | 99.6 | 94.7 | 97.6 | 98.5 | 89.6 | 122.5 | 147.3 | 123.3 | 105.1 | 105.0 | 135.2 | 126.0 | **9,481.7** |
| OIL | 1974 | 58.0 | 56.7 | 49.6 | 52.8 | 48.5 | 67.5 | 78.3 | 64.7 | 55.3 | 62.6 | 63.4 | 65.3 | **10,827.1** |
| DAY | 1973 | 31.0 | 28.0 | 22.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,422.0** |
| H2O | 1973 | 94.1 | 60.5 | 52.1 | 76.4 | 119.0 | 145.5 | 147.7 | 131.4 | 122.0 | 96.9 | 91.7 | 105.5 | **8,137.3** |
| OIL | 1973 | 72.5 | 69.6 | 17.0 | 23.0 | 65.5 | 82.2 | 71.0 | 73.4 | 61.8 | 63.1 | 61.3 | 62.8 | **10,104.4** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,066.0** |
| H2O | 1972 | 101.0 | 102.9 | 107.8 | 98.5 | 127.7 | 129.1 | 145.3 | 161.9 | 151.4 | 73.9 | 79.1 | 101.8 | **6,894.5** |
| OIL | 1972 | 72.0 | 63.2 | 69.1 | 65.8 | 69.4 | 77.9 | 84.9 | 93.0 | 87.9 | 98.5 | 82.5 | 75.2 | **9,381.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,700.0** |
| H2O | 1971 | 132.2 | 124.0 | 132.5 | 124.5 | 126.3 | 119.8 | 126.3 | 135.0 | 114.7 | 116.1 | 113.1 | 112.4 | **5,514.1** |
| OIL | 1971 | 103.3 | 90.7 | 98.2 | 92.2 | 90.6 | 85.8 | 84.9 | 89.1 | 80.7 | 78.7 | 77.2 | 75.0 | **8,441.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,335.0** |
| H2O | 1970 | 107.5 | 103.2 | 113.6 | 109.1 | 109.1 | 95.3 | 147.9 | 125.5 | 131.4 | 132.0 | 132.9 | 136.1 | **4,037.2** |
| OIL | 1970 | 130.1 | 116.2 | 123.9 | 115.8 | 115.4 | 111.6 | 123.2 | 110.6 | 108.2 | 109.5 | 105.2 | 107.1 | **7,395.4** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **973.0** |
| H2O | 1969 | 88.2 | 65.9 | 76.4 | 72.5 | 75.3 | 72.9 | 111.3 | 112.0 | 107.8 | 110.1 | 104.8 | 109.1 | **2,593.6** |
| OIL | 1969 | 174.8 | 137.9 | 144.3 | 133.6 | 142.9 | 138.3 | 143.8 | 145.2 | 138.6 | 139.5 | 133.0 | 133.0 | **6,018.6** |
| DAY | 1968 | 31.0 | 29.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **608.0** |
| H2O | 1968 | 146.3 | 131.3 | 35.6 | 39.0 | 45.5 | 95.4 | 95.4 | 93.8 | 87.0 | 88.7 | 85.8 | 91.4 | **1,487.3** |
| OIL | 1968 | 219.0 | 203.4 | 150.0 | 143.8 | 171.6 | 190.7 | 194.2 | 190.2 | 175.1 | 187.2 | 164.9 | 158.6 | **4,313.7** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 8.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **245.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 7.0 | 27.5 | 39.7 | 57.2 | 44.4 | 53.1 | 60.1 | 60.7 | 102.4 | **452.1** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 70.1 | 264.4 | 263.8 | 282.1 | 261.1 | 262.2 | 272.8 | 246.2 | 242.3 | **2,165.0** |

Licence ***2211*** Well Name ***Tundra et al Virden Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-29-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 24.0 | 29.0 | 30.0 | 27.0 | 31.0 | **2,777.0** |
| H2O | 1975 | 15.3 | 14.0 | 15.6 | 19.7 | 14.6 | 13.4 | 14.8 | 11.4 | 13.4 | 14.1 | 12.2 | 14.3 | **1,116.4** |
| OIL | 1975 | 54.2 | 53.7 | 56.0 | 54.1 | 55.5 | 58.8 | 67.7 | 49.3 | 65.3 | 63.8 | 59.1 | 62.3 | **7,061.9** |
| DAY | 1974 | 30.0 | 16.0 | 29.0 | 30.0 | 29.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,425.0** |
| H2O | 1974 | 11.1 | 6.4 | 11.8 | 10.2 | 12.6 | 10.8 | 11.6 | 15.1 | 14.1 | 9.5 | 13.8 | 15.6 | **943.6** |
| OIL | 1974 | 56.1 | 44.2 | 53.1 | 56.4 | 60.7 | 59.3 | 55.5 | 53.9 | 52.5 | 52.3 | 51.0 | 52.8 | **6,362.1** |
| DAY | 1973 | 31.0 | 28.0 | 5.0 | 20.0 | 30.0 | 30.0 | 31.0 | 30.0 | 20.0 | 31.0 | 29.0 | 30.0 | **2,079.0** |
| H2O | 1973 | 9.9 | 9.9 | 3.2 | 12.1 | 7.6 | 10.7 | 8.9 | 9.5 | 10.0 | 11.0 | 12.9 | 12.2 | **801.0** |
| OIL | 1973 | 59.3 | 52.5 | 9.9 | 62.3 | 74.6 | 68.2 | 68.0 | 67.6 | 47.9 | 73.0 | 62.5 | 55.3 | **5,714.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | 30.0 | 30.0 | 30.0 | 25.0 | 31.0 | **1,764.0** |
| H2O | 1972 | 13.2 | 11.6 | 14.3 | 12.9 | 13.5 | 12.7 | 13.0 | 12.9 | 14.3 | 14.3 | 11.3 | 9.9 | **683.1** |
| OIL | 1972 | 80.1 | 74.2 | 71.7 | 68.7 | 76.0 | 67.9 | 69.3 | 72.5 | 73.3 | 67.3 | 58.3 | 60.6 | **5,013.2** |
| DAY | 1971 | 30.0 | 28.0 | 30.0 | 29.0 | 30.0 | 29.0 | 30.0 | 17.0 | 29.0 | 30.0 | 14.0 | 31.0 | **1,409.0** |
| H2O | 1971 | 19.4 | 15.1 | 17.3 | 16.1 | 15.7 | 12.7 | 11.4 | 5.7 | 13.5 | 12.6 | 8.3 | 13.2 | **529.2** |
| OIL | 1971 | 74.9 | 71.9 | 76.8 | 74.7 | 69.0 | 68.0 | 76.9 | 55.2 | 80.3 | 81.9 | 37.7 | 88.1 | **4,173.3** |
| DAY | 1970 | 27.0 | 27.0 | 30.0 | 29.0 | 30.0 | 28.0 | 6.0 | 21.0 | 29.0 | 30.0 | 29.0 | 30.0 | **1,082.0** |
| H2O | 1970 | 11.4 | 10.8 | 11.9 | 10.8 | 8.7 | 10.2 | 1.7 | 9.5 | 10.7 | 13.8 | 16.5 | 17.3 | **368.2** |
| OIL | 1970 | 64.8 | 60.0 | 75.4 | 77.0 | 68.3 | 64.6 | 17.1 | 77.0 | 79.9 | 76.2 | 67.0 | 76.8 | **3,317.9** |
| DAY | 1969 | 31.0 | 28.0 | 16.0 | 30.0 | 25.0 | 30.0 | 0.0 | 30.0 | 29.0 | 30.0 | 29.0 | 26.0 | **766.0** |
| H2O | 1969 | 9.5 | 13.0 | 11.1 | 12.7 | 12.6 | 9.5 | 10.0 | 8.7 | 9.2 | 8.7 | 8.6 | 7.0 | **234.9** |

# Manitoba Production
## 1950 To 1975

Licence ***2211*** Well Name ***Tundra et al Virden Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-29-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1969 | 89.8 | 78.7 | 58.0 | 87.9 | 79.7 | 84.6 | 87.4 | 84.4 | 82.0 | 83.6 | 80.3 | 76.9 | **2,513.8** |
| DAY | 1968 | 27.0 | 26.0 | 31.0 | 30.0 | 31.0 | 0.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 29.0 | **462.0** |
| H2O | 1968 | 3.9 | 3.4 | 4.9 | 9.7 | 7.3 | 7.3 | 8.4 | 7.8 | 17.5 | 8.4 | 8.6 | 9.2 | **114.3** |
| OIL | 1968 | 56.2 | 109.9 | 122.8 | 115.9 | 121.6 | 92.0 | 92.3 | 84.2 | 94.3 | 94.8 | 81.5 | 92.4 | **1,540.5** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 30.0 | 29.0 | 26.0 | 25.0 | **137.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.1 | 3.3 | 3.3 | 3.6 | 3.6 | **17.9** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 109.3 | 80.3 | 79.1 | 55.2 | 58.7 | **382.6** |

Licence ***2213*** Well Name ***Bracell Pascar Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-17-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 26.0 | 27.0 | 31.0 | 29.0 | 30.0 | 30.0 | 29.0 | 30.0 | 30.0 | 0.0 | 0.0 | 0.0 | **1,691.0** |
| H2O | 1972 | 939.6 | 971.4 | 1034.2 | 996.9 | 1019.1 | 1020.7 | 985.2 | 1029.7 | 1032.7 | 0.0 | 0.0 | 0.0 | **43,606.9** |
| OIL | 1972 | 24.8 | 23.8 | 29.6 | 27.7 | 27.7 | 23.8 | 22.7 | 23.5 | 23.5 | 0.0 | 0.0 | 0.0 | **1,965.4** |
| DAY | 1971 | 26.0 | 24.0 | 28.0 | 30.0 | 29.0 | 28.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,429.0** |
| H2O | 1971 | 828.3 | 766.3 | 1093.8 | 1100.2 | 1066.8 | 1035.0 | 1066.8 | 1084.3 | 1084.3 | 1103.4 | 1080.3 | 1077.9 | **34,577.4** |
| OIL | 1971 | 24.8 | 22.9 | 26.7 | 28.5 | 27.5 | 26.7 | 28.6 | 28.6 | 28.6 | 29.6 | 28.6 | 28.6 | **1,738.3** |
| DAY | 1970 | 29.0 | 24.0 | 29.0 | 25.0 | 27.0 | 26.0 | 25.0 | 26.0 | 30.0 | 23.0 | 27.0 | 21.0 | **1,083.0** |
| H2O | 1970 | 922.1 | 763.1 | 833.1 | 495.4 | 760.0 | 826.7 | 335.8 | 839.5 | 750.4 | 641.8 | 837.9 | 667.7 | **22,190.0** |
| OIL | 1970 | 27.7 | 22.9 | 27.7 | 11.9 | 11.1 | 24.8 | 15.6 | 24.8 | 11.8 | 14.6 | 22.6 | 20.0 | **1,408.6** |
| DAY | 1969 | 30.0 | 26.0 | 31.0 | 30.0 | 30.0 | 29.0 | 31.0 | 29.0 | 29.0 | 31.0 | 30.0 | 23.0 | **771.0** |
| H2O | 1969 | 715.4 | 677.8 | 711.9 | 715.4 | 793.3 | 767.9 | 823.6 | 792.7 | 799.4 | 796.2 | 748.8 | 694.8 | **13,516.5** |
| OIL | 1969 | 62.0 | 49.6 | 49.3 | 47.7 | 47.7 | 46.1 | 44.4 | 41.5 | 41.5 | 34.5 | 25.6 | 22.7 | **1,173.1** |
| DAY | 1968 | 31.0 | 28.0 | 29.0 | 27.0 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 30.0 | 30.0 | 30.0 | **422.0** |
| H2O | 1968 | 205.1 | 179.7 | 200.3 | 207.6 | 295.7 | 283.0 | 300.5 | 284.6 | 263.9 | 473.8 | 618.5 | 715.4 | **4,479.3** |
| OIL | 1968 | 45.5 | 39.7 | 36.9 | 38.2 | 39.4 | 36.9 | 39.4 | 38.2 | 35.6 | 52.5 | 65.7 | 62.0 | **660.5** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 10.0 | 27.0 | 26.0 | **68.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.4 | 31.8 | 210.3 | 206.7 | **451.2** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.9 | 25.4 | 47.7 | 45.5 | **130.5** |

Licence ***2214*** Well Name ***E. Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-14-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,065.0** |
| H2O | 1975 | 405.1 | 337.9 | 398.3 | 365.2 | 390.6 | 575.2 | 375.2 | 395.1 | 392.5 | 443.3 | 193.2 | 404.8 | **27,731.4** |
| OIL | 1975 | 38.0 | 32.7 | 34.8 | 35.1 | 28.4 | 29.4 | 23.8 | 27.2 | 27.8 | 28.9 | 14.6 | 29.1 | **7,341.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 17.0 | 16.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **2,700.0** |
| H2O | 1974 | 346.6 | 318.8 | 288.5 | 180.0 | 121.7 | 135.5 | 379.0 | 409.1 | 124.2 | 253.7 | 78.0 | 406.7 | **23,055.0** |
| OIL | 1974 | 53.1 | 48.0 | 36.1 | 24.0 | 10.5 | 12.1 | 53.9 | 37.0 | 20.0 | 38.5 | 39.1 | 40.2 | **6,991.5** |
| DAY | 1973 | 31.0 | 28.0 | 22.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,367.0** |
| H2O | 1973 | 94.4 | 107.4 | 52.1 | 76.4 | 160.3 | 398.0 | 358.2 | 389.1 | 388.6 | 378.6 | 357.9 | 374.0 | **20,013.2** |
| OIL | 1973 | 14.6 | 19.4 | 13.7 | 18.4 | 37.3 | 36.5 | 48.8 | 50.5 | 52.3 | 53.4 | 51.8 | 53.2 | **6,579.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,011.0** |
| H2O | 1972 | 219.7 | 223.7 | 234.7 | 214.5 | 277.7 | 281.1 | 316.6 | 352.7 | 329.9 | 73.9 | 79.3 | 102.1 | **16,878.2** |
| OIL | 1972 | 40.4 | 35.4 | 38.6 | 36.7 | 38.8 | 43.5 | 47.5 | 52.0 | 49.1 | 19.7 | 16.5 | 15.1 | **6,129.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,645.0** |
| H2O | 1971 | 287.1 | 269.6 | 287.9 | 270.7 | 274.7 | 260.4 | 274.7 | 293.8 | 249.4 | 252.6 | 246.1 | 244.7 | **14,172.3** |
| OIL | 1971 | 57.8 | 50.9 | 55.1 | 51.8 | 50.9 | 48.1 | 47.5 | 49.9 | 45.1 | 44.0 | 43.2 | 42.0 | **5,695.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,280.0** |
| H2O | 1970 | 337.7 | 324.4 | 356.8 | 342.7 | 342.8 | 334.7 | 321.2 | 272.6 | 285.3 | 286.6 | 288.7 | 295.7 | **10,960.6** |
| OIL | 1970 | 121.7 | 108.7 | 115.8 | 108.4 | 108.1 | 84.2 | 69.0 | 62.0 | 60.5 | 61.2 | 58.8 | 59.9 | **5,109.5** |

# Manitoba Production
## 1950 To 1975

Licence ***2214*** Well Name ***E. Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-14-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **915.0** |
| H2O | 1969 | 155.8 | 189.2 | 219.1 | 208.0 | 216.2 | 246.4 | 349.8 | 351.4 | 338.5 | 345.5 | 329.3 | 342.8 | **7,171.4** |
| OIL | 1969 | 68.3 | 92.8 | 96.9 | 89.8 | 96.0 | 117.0 | 134.3 | 135.7 | 129.5 | 130.5 | 124.3 | 124.3 | **4,091.2** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **553.0** |
| H2O | 1968 | 240.1 | 253.6 | 248.8 | 230.2 | 230.2 | 233.7 | 233.7 | 230.5 | 196.2 | 202.1 | 141.7 | 152.3 | **3,879.4** |
| OIL | 1968 | 158.4 | 147.8 | 157.6 | 147.5 | 147.3 | 128.7 | 130.3 | 127.9 | 123.0 | 109.6 | 80.4 | 77.9 | **2,751.8** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **187.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.5 | 187.6 | 187.6 | 224.8 | 254.7 | 257.2 | 164.9 | **1,286.3** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.2 | 172.4 | 172.4 | 216.3 | 225.0 | 203.1 | 197.0 | **1,215.4** |

Licence ***2215*** Well Name ***E. Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-14-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,093.0** |
| H2O | 1975 | 210.2 | 175.1 | 211.1 | 194.1 | 202.9 | 130.9 | 189.8 | 195.2 | 213.2 | 224.3 | 361.9 | 214.8 | **15,039.3** |
| OIL | 1975 | 104.6 | 90.1 | 95.5 | 92.0 | 85.3 | 98.2 | 95.3 | 91.1 | 92.8 | 96.5 | 117.6 | 87.4 | **16,226.5** |
| DAY | 1974 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,728.0** |
| H2O | 1974 | 204.1 | 176.6 | 222.4 | 222.9 | 245.3 | 240.2 | 271.9 | 231.6 | 229.1 | 183.8 | 218.4 | 208.3 | **12,515.8** |
| OIL | 1974 | 125.7 | 109.0 | 138.4 | 129.7 | 137.0 | 126.0 | 62.6 | 115.7 | 110.6 | 105.8 | 107.3 | 110.4 | **15,080.1** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,366.0** |
| H2O | 1973 | 238.1 | 172.7 | 247.4 | 249.6 | 237.8 | 272.1 | 250.6 | 253.0 | 221.3 | 223.2 | 201.9 | 211.0 | **9,861.2** |
| OIL | 1973 | 129.8 | 116.0 | 144.0 | 138.7 | 159.1 | 150.6 | 137.6 | 137.6 | 142.5 | 135.9 | 122.5 | 125.7 | **13,701.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,001.0** |
| H2O | 1972 | 111.3 | 113.4 | 119.0 | 108.6 | 140.6 | 142.2 | 160.1 | 178.4 | 167.0 | 220.2 | 200.3 | 257.4 | **7,082.5** |
| OIL | 1972 | 117.6 | 103.3 | 112.8 | 107.4 | 113.6 | 127.4 | 138.9 | 152.1 | 143.8 | 95.3 | 147.8 | 134.6 | **12,061.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,635.0** |
| H2O | 1971 | 145.3 | 136.4 | 145.7 | 136.9 | 138.8 | 131.7 | 139.0 | 148.7 | 126.3 | 127.9 | 124.5 | 123.9 | **5,164.0** |
| OIL | 1971 | 168.8 | 148.3 | 160.5 | 150.5 | 147.9 | 140.2 | 138.6 | 145.7 | 131.9 | 128.6 | 126.2 | 122.4 | **10,567.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,270.0** |
| H2O | 1970 | 99.6 | 95.7 | 105.3 | 101.2 | 101.3 | 83.4 | 162.7 | 138.0 | 144.5 | 145.2 | 146.1 | 149.6 | **3,538.9** |
| OIL | 1970 | 156.2 | 139.5 | 148.7 | 139.0 | 138.6 | 158.6 | 201.3 | 180.7 | 176.7 | 178.8 | 171.6 | 174.8 | **8,857.7** |
| DAY | 1969 | 28.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **905.0** |
| H2O | 1969 | 67.2 | 59.6 | 69.0 | 65.5 | 65.5 | 65.5 | 103.4 | 103.9 | 100.1 | 102.1 | 97.3 | 101.3 | **2,066.3** |
| OIL | 1969 | 209.8 | 244.1 | 255.4 | 236.5 | 166.9 | 166.9 | 172.4 | 174.2 | 166.1 | 167.3 | 159.5 | 159.5 | **6,893.2** |
| DAY | 1968 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **544.0** |
| H2O | 1968 | 49.3 | 69.2 | 49.3 | 47.1 | 48.0 | 52.0 | 52.0 | 50.9 | 44.5 | 55.5 | 53.7 | 72.0 | **1,065.9** |
| OIL | 1968 | 300.3 | 277.8 | 295.6 | 276.2 | 276.2 | 195.0 | 193.9 | 190.5 | 175.1 | 205.3 | 198.6 | 188.8 | **4,614.6** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **179.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 50.1 | 50.1 | 60.1 | 68.0 | 68.7 | 125.4 | **422.4** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 272.8 | 272.8 | 342.1 | 356.1 | 321.3 | 276.2 | **1,841.3** |

Licence ***2216*** Well Name ***E. Routledge Unit No. 1 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-14-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 3819.7 | 3450.1 | 3819.7 | 3696.5 | 3819.7 | 3696.5 | 3394.4 | 3847.6 | 3696.7 | 3819.7 | 3300.3 | 2957.2 | **137,728.2** |
| WIN | 1974 | 3819.7 | 3450.1 | 3819.7 | 3732.3 | 3887.3 | 3815.8 | 3875.4 | 3752.2 | 3724.3 | 3724.3 | 3696.5 | 3819.7 | **94,410.1** |
| WIN | 1973 | 4109.9 | 3489.0 | 3710.5 | 3611.9 | 3819.7 | 3696.5 | 3831.7 | 3819.7 | 3551.8 | 3819.7 | 3696.5 | 3819.7 | **49,292.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 2.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 0.0 | 0.0 | **1,887.0** |
| H2O | 1972 | 195.7 | 168.8 | 184.2 | 167.4 | 11.1 | 166.9 | 187.9 | 209.4 | 195.9 | 256.8 | 0.0 | 0.0 | **9,295.2** |
| OIL | 1972 | 43.4 | 43.4 | 47.9 | 44.7 | 2.9 | 47.7 | 52.0 | 56.9 | 53.9 | 32.6 | 0.0 | 0.0 | **8,121.1** |
| WIN | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1159.8 | 3156.4 | **4,316.2** |

# Manitoba Production
## 1950 To 1975

Licence ***2216*** Well Name ***E. Routledge Unit No. 1 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-14-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,611.0** |
| H2O | 1971 | 237.8 | 220.0 | 231.0 | 213.4 | 217.2 | 207.0 | 209.5 | 209.1 | 182.8 | 170.3 | 170.8 | 176.8 | **7,551.1** |
| OIL | 1971 | 83.6 | 73.9 | 79.5 | 70.0 | 71.9 | 69.2 | 66.1 | 62.6 | 59.3 | 56.4 | 51.0 | 48.2 | **7,695.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,246.0** |
| H2O | 1970 | 103.8 | 91.3 | 102.9 | 100.2 | 103.5 | 94.4 | 186.0 | 221.0 | 219.7 | 213.0 | 220.4 | 239.4 | **5,105.4** |
| OIL | 1970 | 132.3 | 114.4 | 129.2 | 125.0 | 127.7 | 116.9 | 95.4 | 109.3 | 104.5 | 81.9 | 84.3 | 88.2 | **6,904.0** |
| DAY | 1969 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 27.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **888.0** |
| H2O | 1969 | 129.6 | 106.5 | 123.7 | 111.8 | 120.0 | 117.7 | 107.2 | 97.9 | 102.2 | 91.7 | 105.7 | 96.7 | **3,209.8** |
| OIL | 1969 | 201.3 | 151.7 | 168.4 | 152.1 | 152.5 | 128.7 | 132.5 | 128.5 | 133.8 | 118.5 | 134.6 | 133.0 | **5,594.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **533.0** |
| H2O | 1968 | 83.8 | 89.0 | 98.6 | 95.4 | 101.4 | 98.3 | 101.4 | 179.3 | 119.6 | 132.8 | 128.5 | 128.5 | **1,899.1** |
| OIL | 1968 | 204.4 | 234.6 | 251.1 | 243.3 | 244.1 | 212.3 | 221.5 | 204.8 | 223.8 | 217.9 | 208.8 | 207.9 | **3,859.3** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **167.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 47.7 | 95.4 | 100.0 | 101.4 | 96.2 | 101.8 | **542.5** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 111.0 | 222.5 | 229.6 | 207.7 | 209.6 | 204.4 | **1,184.8** |

Licence ***2222*** Well Name ***Cdn. Res. South Maples*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-23-009-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole E*** Field Code ***5*** Pool Code ***59E*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | **122.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.9 | **578.3** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | **233.0** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 31.0 | 29.0 | 25.0 | 0.0 | 0.0 | **112.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 222.9 | 209.7 | 97.1 | 40.7 | 0.0 | 0.0 | **570.4** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 77.1 | 78.0 | 39.6 | 27.3 | 0.0 | 0.0 | **222.0** |

Licence ***2224*** Well Name ***E. Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-14-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,082.0** |
| H2O | 1975 | 320.1 | 268.4 | 316.6 | 267.9 | 299.1 | 104.7 | 284.6 | 276.8 | 305.2 | 325.7 | 372.7 | 314.7 | **23,408.2** |
| OIL | 1975 | 76.1 | 69.6 | 82.5 | 70.1 | 75.8 | 78.7 | 71.5 | 68.3 | 69.6 | 67.5 | 84.5 | 72.8 | **12,911.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,717.0** |
| H2O | 1974 | 303.8 | 267.0 | 271.6 | 278.4 | 311.4 | 312.8 | 325.4 | 340.3 | 315.1 | 262.4 | 317.1 | 295.3 | **19,951.7** |
| OIL | 1974 | 77.4 | 82.8 | 85.7 | 91.2 | 93.0 | 85.5 | 93.1 | 87.9 | 78.3 | 76.9 | 78.0 | 80.2 | **12,024.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,352.0** |
| H2O | 1973 | 282.4 | 219.2 | 181.7 | 183.5 | 196.5 | 244.0 | 274.9 | 314.1 | 289.1 | 300.9 | 284.4 | 302.0 | **16,351.1** |
| OIL | 1973 | 65.3 | 69.6 | 91.2 | 87.9 | 88.8 | 73.1 | 76.1 | 87.2 | 90.3 | 92.2 | 89.6 | 86.9 | **11,014.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,990.0** |
| H2O | 1972 | 165.5 | 168.5 | 176.8 | 161.6 | 209.1 | 211.5 | 238.0 | 265.1 | 248.0 | 221.8 | 237.7 | 305.5 | **13,278.4** |
| OIL | 1972 | 79.1 | 69.4 | 75.8 | 72.1 | 76.0 | 85.2 | 92.8 | 101.5 | 96.1 | 88.7 | 74.4 | 67.7 | **10,015.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,624.0** |
| H2O | 1971 | 215.9 | 202.7 | 216.5 | 203.7 | 206.7 | 196.0 | 206.8 | 221.1 | 187.8 | 190.2 | 185.2 | 184.3 | **10,669.3** |
| OIL | 1971 | 113.8 | 100.0 | 108.2 | 101.5 | 99.8 | 94.6 | 93.4 | 98.2 | 88.8 | 86.6 | 85.0 | 82.5 | **9,037.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,259.0** |
| H2O | 1970 | 294.5 | 282.7 | 311.1 | 298.8 | 298.9 | 292.4 | 29.6 | 200.3 | 214.6 | 215.6 | 217.0 | 222.3 | **8,252.4** |
| OIL | 1970 | 219.6 | 196.1 | 209.1 | 195.5 | 194.8 | 171.6 | 24.6 | 111.2 | 119.2 | 120.6 | 115.8 | 117.9 | **7,884.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **897.0** |
| H2O | 1969 | 151.1 | 151.9 | 175.9 | 166.8 | 173.5 | 252.7 | 305.0 | 306.6 | 295.3 | 301.4 | 287.2 | 298.9 | **5,374.6** |
| OIL | 1969 | 174.8 | 160.2 | 167.5 | 155.1 | 165.9 | 211.4 | 242.7 | 245.0 | 233.8 | 235.5 | 224.4 | 224.4 | **6,088.6** |
| DAY | 1968 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **535.0** |

# Manitoba Production
## 1950 To 1975

Licence ***2224*** Well Name ***E. Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-14-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1968 | 143.1 | 130.7 | 157.7 | 152.6 | 161.4 | 181.2 | 181.2 | 178.1 | 153.3 | 157.7 | 152.6 | 159.9 | **2,508.3** |
| OIL | 1968 | 233.9 | 216.9 | 147.8 | 138.3 | 161.3 | 187.8 | 191.0 | 187.7 | 172.1 | 164.3 | 159.2 | 155.4 | **3,647.9** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **170.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 63.0 | 83.8 | 100.3 | 113.7 | 114.8 | 123.2 | **598.8** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 175.6 | 270.9 | 276.5 | 287.8 | 259.7 | 261.7 | **1,532.2** |

Licence ***2233*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-01-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,991.0** |
| H2O | 1975 | 9.9 | 9.1 | 10.2 | 8.3 | 11.1 | 8.9 | 8.4 | 10.0 | 9.2 | 22.7 | 23.2 | 23.2 | **1,249.8** |
| OIL | 1975 | 61.2 | 56.4 | 65.6 | 61.3 | 66.1 | 60.5 | 63.9 | 64.7 | 62.6 | 53.7 | 54.8 | 55.9 | **6,188.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,627.0** |
| H2O | 1974 | 8.3 | 7.5 | 7.2 | 8.1 | 9.2 | 8.4 | 10.0 | 9.2 | 8.9 | 7.9 | 9.5 | 10.8 | **1,095.6** |
| OIL | 1974 | 72.9 | 64.7 | 69.1 | 66.9 | 70.4 | 72.8 | 71.7 | 68.5 | 64.0 | 68.2 | 67.5 | 66.4 | **5,461.4** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,262.0** |
| H2O | 1973 | 14.9 | 13.8 | 14.9 | 9.1 | 10.3 | 8.9 | 10.2 | 9.7 | 9.7 | 10.5 | 9.1 | 8.7 | **990.6** |
| OIL | 1973 | 81.4 | 70.9 | 82.2 | 81.5 | 80.7 | 74.5 | 77.2 | 78.0 | 76.6 | 77.2 | 78.7 | 74.7 | **4,638.3** |
| DAY | 1972 | 31.0 | 29.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,897.0** |
| H2O | 1972 | 13.3 | 12.6 | 11.4 | 14.0 | 15.9 | 16.0 | 160.8 | 16.0 | 16.2 | 16.5 | 15.7 | 16.5 | **860.8** |
| OIL | 1972 | 49.3 | 45.6 | 40.8 | 49.9 | 51.3 | 50.7 | 51.6 | 70.6 | 74.5 | 79.3 | 75.8 | 80.6 | **3,704.7** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,536.0** |
| H2O | 1971 | 4.8 | 4.3 | 4.4 | 4.1 | 4.3 | 4.1 | 4.3 | 13.0 | 11.3 | 13.5 | 12.9 | 13.3 | **535.9** |
| OIL | 1971 | 49.1 | 44.5 | 47.5 | 48.1 | 59.8 | 55.1 | 62.3 | 49.7 | 44.2 | 50.7 | 47.8 | 51.3 | **2,984.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 17.0 | 10.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,173.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.2 | 5.2 | 6.4 | 6.8 | **441.6** |
| OIL | 1970 | 45.6 | 40.7 | 44.7 | 24.9 | 17.6 | 45.8 | 32.7 | 57.7 | 44.0 | 40.4 | 51.3 | 43.4 | **2,374.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 11.0 | 24.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **843.0** |
| H2O | 1969 | 6.4 | 6.2 | 6.2 | 2.2 | 5.9 | 6.4 | 3.3 | 4.8 | 0.0 | 0.0 | 0.0 | 0.0 | **418.0** |
| OIL | 1969 | 59.1 | 50.9 | 55.5 | 17.8 | 46.2 | 52.4 | 52.1 | 51.6 | 48.9 | 49.1 | 45.9 | 47.7 | **1,885.8** |
| DAY | 1968 | 31.0 | 29.0 | 28.0 | 28.0 | 31.0 | 29.0 | 31.0 | 28.0 | 30.0 | 29.0 | 30.0 | 31.0 | **510.0** |
| H2O | 1968 | 18.1 | 17.0 | 9.2 | 9.7 | 10.3 | 9.2 | 5.9 | 8.3 | 9.1 | 5.1 | 4.9 | 5.6 | **376.6** |
| OIL | 1968 | 85.8 | 80.6 | 70.7 | 56.7 | 58.8 | 62.6 | 66.1 | 56.9 | 59.6 | 73.1 | 60.7 | 61.8 | **1,308.6** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 23.0 | 30.0 | 30.0 | 27.0 | 31.0 | **155.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 96.0 | 90.5 | 22.4 | 25.4 | 18.8 | 11.1 | **264.2** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 32.0 | 65.3 | 151.4 | 88.7 | 89.8 | 88.0 | **515.2** |

Licence ***2234*** Well Name ***E. Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-14-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,066.0** |
| H2O | 1975 | 355.2 | 276.8 | 321.5 | 268.0 | 273.9 | 281.1 | 221.5 | 231.6 | 232.6 | 256.4 | 210.2 | 204.9 | **22,485.5** |
| OIL | 1975 | 104.6 | 86.0 | 95.5 | 79.0 | 85.3 | 78.7 | 71.5 | 68.3 | 69.6 | 77.2 | 73.3 | 72.8 | **11,994.2** |
| DAY | 1974 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,701.0** |
| H2O | 1974 | 166.2 | 142.2 | 233.9 | 274.2 | 297.1 | 303.9 | 294.2 | 295.7 | 286.5 | 301.8 | 348.5 | 334.1 | **19,351.8** |
| OIL | 1974 | 77.4 | 65.5 | 97.6 | 105.7 | 107.6 | 107.9 | 107.7 | 101.7 | 101.4 | 105.8 | 107.3 | 110.4 | **11,032.4** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,339.0** |
| H2O | 1973 | 266.4 | 209.9 | 348.5 | 351.6 | 315.5 | 262.8 | 259.6 | 253.1 | 216.9 | 194.1 | 169.8 | 177.4 | **16,073.5** |
| OIL | 1973 | 92.2 | 73.4 | 105.5 | 101.7 | 88.8 | 114.1 | 110.9 | 100.9 | 95.0 | 96.9 | 84.9 | 86.9 | **9,836.4** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,974.0** |
| H2O | 1972 | 192.5 | 196.0 | 205.6 | 187.8 | 242.9 | 245.8 | 276.8 | 308.5 | 288.5 | 357.7 | 224.2 | 288.2 | **13,047.9** |

# Manitoba Production
## 1950 To 1975

Licence ***2234*** Well Name ***E. Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-14-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1972 | 80.7 | 70.9 | 77.4 | 73.6 | 77.5 | 86.9 | 94.7 | 103.8 | 98.2 | 65.9 | 104.9 | 95.5 | **8,685.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,608.0** |
| H2O | 1971 | 251.7 | 236.2 | 252.3 | 237.2 | 240.7 | 228.1 | 240.7 | 257.4 | 218.4 | 221.1 | 215.4 | 214.3 | **10,033.4** |
| OIL | 1971 | 115.7 | 101.7 | 110.1 | 103.3 | 101.5 | 96.1 | 95.0 | 100.0 | 90.4 | 88.2 | 86.6 | 84.1 | **7,655.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,243.0** |
| H2O | 1970 | 264.7 | 254.2 | 279.6 | 268.7 | 268.8 | 246.4 | 281.7 | 239.1 | 250.2 | 251.3 | 253.1 | 259.1 | **7,219.9** |
| OIL | 1970 | 150.2 | 134.1 | 143.0 | 133.6 | 133.2 | 95.3 | 137.9 | 123.8 | 121.1 | 122.5 | 117.6 | 119.8 | **6,482.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **880.0** |
| H2O | 1969 | 84.2 | 90.4 | 104.8 | 99.3 | 103.4 | 167.0 | 274.2 | 275.5 | 265.5 | 270.9 | 258.2 | 268.7 | **4,103.0** |
| OIL | 1969 | 100.1 | 110.6 | 115.7 | 107.1 | 114.6 | 144.3 | 165.7 | 167.5 | 159.7 | 161.0 | 153.3 | 153.3 | **4,950.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **518.0** |
| H2O | 1968 | 73.9 | 71.4 | 110.5 | 104.9 | 104.9 | 90.6 | 90.6 | 89.0 | 58.5 | 81.6 | 78.7 | 83.9 | **1,840.9** |
| OIL | 1968 | 286.0 | 264.3 | 277.3 | 266.5 | 166.9 | 128.7 | 129.7 | 127.3 | 67.4 | 111.1 | 107.6 | 103.3 | **3,297.5** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **155.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.9 | 123.7 | 148.3 | 168.0 | 169.8 | 172.7 | **802.4** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 38.0 | 205.3 | 257.4 | 267.9 | 241.7 | 251.1 | **1,261.4** |

Licence ***2238*** Well Name ***Virden Roselea Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-06-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 15.0 | 5.0 | 31.0 | 31.0 | 30.0 | 31.0 | 15.0 | 31.0 | **2,877.0** |
| H2O | 1975 | 69.0 | 61.3 | 68.5 | 55.5 | 35.8 | 10.5 | 56.4 | 56.4 | 33.1 | 56.1 | 28.3 | 79.8 | **7,363.9** |
| OIL | 1975 | 104.7 | 93.4 | 108.5 | 101.4 | 52.0 | 17.0 | 105.7 | 102.3 | 76.6 | 76.4 | 38.3 | 93.0 | **7,452.6** |
| DAY | 1974 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 21.0 | 0.0 | 24.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,568.0** |
| H2O | 1974 | 92.2 | 89.9 | 79.6 | 89.9 | 99.6 | 35.1 | 0.0 | 45.0 | 97.7 | 85.7 | 64.7 | 71.8 | **6,753.2** |
| OIL | 1974 | 71.7 | 68.3 | 110.3 | 106.6 | 112.2 | 63.4 | 0.0 | 73.6 | 127.1 | 134.1 | 96.9 | 108.9 | **6,483.3** |
| DAY | 1973 | 30.0 | 27.0 | 30.0 | 29.0 | 31.0 | 21.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,252.0** |
| H2O | 1973 | 228.3 | 210.7 | 23.5 | 58.6 | 69.0 | 15.1 | 26.4 | 25.1 | 15.4 | 15.6 | 109.3 | 102.8 | **5,902.0** |
| OIL | 1973 | 192.4 | 167.0 | 53.1 | 27.8 | 28.4 | 34.6 | 54.3 | 54.3 | 54.0 | 50.4 | 83.3 | 77.2 | **5,410.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 8.0 | 27.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 29.0 | 30.0 | **1,902.0** |
| H2O | 1972 | 4.1 | 4.0 | 4.1 | 1.1 | 158.2 | 185.7 | 192.7 | 226.4 | 255.6 | 251.6 | 239.5 | 253.0 | **5,002.2** |
| OIL | 1972 | 58.0 | 53.7 | 57.0 | 15.7 | 158.3 | 179.7 | 183.1 | 155.3 | 180.8 | 186.1 | 179.1 | 190.5 | **4,533.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | **1,567.0** |
| H2O | 1971 | 38.3 | 35.9 | 35.8 | 34.0 | 8.4 | 7.9 | 8.6 | 8.4 | 25.1 | 4.1 | 3.8 | 4.1 | **3,226.2** |
| OIL | 1971 | 49.1 | 44.5 | 47.7 | 48.0 | 53.4 | 50.2 | 62.3 | 59.3 | 48.1 | 59.6 | 54.2 | 60.4 | **2,936.1** |
| DAY | 1970 | 29.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,206.0** |
| H2O | 1970 | 41.7 | 45.2 | 48.3 | 42.0 | 66.9 | 49.6 | 61.2 | 49.6 | 47.4 | 27.3 | 32.1 | 46.9 | **3,011.8** |
| OIL | 1970 | 45.4 | 39.3 | 44.0 | 40.4 | 42.9 | 40.2 | 41.2 | 38.8 | 35.8 | 42.4 | 52.8 | 59.4 | **2,299.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 17.0 | 29.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **847.0** |
| H2O | 1969 | 104.6 | 71.5 | 102.9 | 56.4 | 60.6 | 73.6 | 73.6 | 98.9 | 72.8 | 87.4 | 72.5 | 81.7 | **2,453.6** |
| OIL | 1969 | 52.4 | 45.4 | 51.8 | 26.7 | 61.2 | 64.2 | 69.1 | 53.2 | 54.3 | 55.3 | 52.0 | 48.0 | **1,776.7** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **505.0** |
| H2O | 1968 | 110.2 | 106.8 | 94.6 | 73.3 | 80.8 | 78.2 | 59.9 | 81.2 | 71.5 | 71.2 | 53.1 | 109.2 | **1,497.1** |
| OIL | 1968 | 81.2 | 75.0 | 74.8 | 59.6 | 63.2 | 60.7 | 56.6 | 57.2 | 53.2 | 50.7 | 58.0 | 51.2 | **1,143.1** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 29.0 | 29.0 | 29.0 | 31.0 | **142.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 91.8 | 101.4 | 99.5 | 84.7 | 129.7 | **507.1** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 85.0 | 95.2 | 67.7 | 64.5 | 89.3 | **401.7** |

Licence ***2239*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-01-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***2239*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.16-01-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,967.0** |
| H2O | 1975 | 63.9 | 56.9 | 63.2 | 49.7 | 69.6 | 56.3 | 48.9 | 61.5 | 57.0 | 66.9 | 56.6 | 57.5 | **4,496.8** |
| OIL | 1975 | 81.8 | 73.1 | 84.9 | 76.6 | 85.5 | 78.5 | 77.4 | 83.6 | 80.9 | 80.6 | 67.9 | 70.6 | **10,539.9** |
| DAY | 1974 | 31.0 | 28.0 | 21.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,604.0** |
| H2O | 1974 | 69.3 | 62.8 | 41.2 | 68.3 | 85.2 | 78.6 | 66.6 | 61.5 | 59.9 | 52.6 | 64.5 | 65.2 | **3,788.8** |
| OIL | 1974 | 90.6 | 80.2 | 58.2 | 83.0 | 62.6 | 64.7 | 83.3 | 79.9 | 75.5 | 79.6 | 79.9 | 83.4 | **9,598.5** |
| DAY | 1973 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,249.0** |
| H2O | 1973 | 38.3 | 35.3 | 37.0 | 79.9 | 90.7 | 77.5 | 65.0 | 63.4 | 79.6 | 87.2 | 76.3 | 73.4 | **3,013.1** |
| OIL | 1973 | 95.7 | 83.3 | 93.4 | 90.9 | 89.8 | 83.0 | 65.8 | 66.9 | 95.3 | 96.0 | 97.6 | 92.8 | **8,677.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,887.0** |
| H2O | 1972 | 43.1 | 40.7 | 43.9 | 44.7 | 50.7 | 51.8 | 53.9 | 39.3 | 41.5 | 42.3 | 40.2 | 42.3 | **2,209.5** |
| OIL | 1972 | 125.5 | 116.2 | 123.7 | 127.0 | 130.5 | 128.9 | 131.4 | 80.1 | 87.4 | 93.0 | 89.1 | 94.6 | **7,627.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,521.0** |
| H2O | 1971 | 33.5 | 31.6 | 31.5 | 29.9 | 31.1 | 27.5 | 45.0 | 42.6 | 36.5 | 43.4 | 41.3 | 42.9 | **1,675.1** |
| OIL | 1971 | 111.0 | 100.6 | 107.6 | 108.9 | 115.0 | 98.4 | 134.9 | 126.2 | 112.4 | 128.7 | 121.5 | 130.8 | **6,299.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 19.0 | 10.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 28.0 | 31.0 | **1,160.0** |
| H2O | 1970 | 36.5 | 38.9 | 32.6 | 21.0 | 14.5 | 37.8 | 35.1 | 35.9 | 21.5 | 22.2 | 42.9 | 51.3 | **1,238.3** |
| OIL | 1970 | 117.7 | 104.9 | 115.1 | 71.8 | 45.3 | 118.0 | 84.2 | 149.0 | 119.7 | 110.0 | 108.4 | 102.7 | **4,903.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 11.0 | 24.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **829.0** |
| H2O | 1969 | 32.7 | 32.4 | 32.4 | 12.1 | 32.4 | 33.4 | 30.7 | 34.8 | 35.1 | 42.1 | 39.3 | 42.3 | **848.1** |
| OIL | 1969 | 127.3 | 109.4 | 119.4 | 38.1 | 103.2 | 112.7 | 146.5 | 133.3 | 126.7 | 127.0 | 118.4 | 123.2 | **3,656.9** |
| DAY | 1968 | 31.0 | 29.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 24.0 | 30.0 | 31.0 | **490.0** |
| H2O | 1968 | 18.3 | 17.2 | 9.5 | 32.4 | 32.9 | 50.4 | 31.3 | 43.4 | 50.6 | 20.8 | 25.6 | 29.3 | **448.4** |
| OIL | 1968 | 129.2 | 121.3 | 109.9 | 162.8 | 158.8 | 139.7 | 142.5 | 122.7 | 132.7 | 125.1 | 130.9 | 133.6 | **2,271.7** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 30.0 | 31.0 | 30.0 | 30.0 | **138.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.8 | 5.4 | 33.7 | 21.0 | 10.8 | **86.7** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 134.2 | 98.2 | 153.0 | 150.0 | 127.1 | **662.5** |

Licence ***2240*** Well Name ***E. Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-14-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,049.0** |
| H2O | 1975 | 85.0 | 65.2 | 91.2 | 78.5 | 91.2 | 52.3 | 85.8 | 86.3 | 82.3 | 80.1 | 127.5 | 94.9 | **10,587.2** |
| OIL | 1975 | 52.3 | 45.1 | 47.8 | 48.1 | 38.0 | 39.3 | 38.1 | 36.4 | 37.2 | 38.6 | 56.6 | 38.8 | **11,171.1** |
| DAY | 1974 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,684.0** |
| H2O | 1974 | 56.9 | 64.5 | 111.2 | 115.8 | 108.5 | 99.6 | 107.0 | 88.7 | 90.7 | 83.1 | 104.0 | 92.0 | **9,566.9** |
| OIL | 1974 | 48.3 | 34.8 | 61.0 | 72.0 | 73.4 | 62.9 | 68.6 | 60.1 | 50.7 | 52.9 | 53.7 | 55.1 | **10,654.8** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,322.0** |
| H2O | 1973 | 94.1 | 97.9 | 207.0 | 208.9 | 253.4 | 140.7 | 120.9 | 70.2 | 67.7 | 67.9 | 64.2 | 67.1 | **8,444.9** |
| OIL | 1973 | 36.4 | 42.6 | 76.8 | 73.9 | 60.9 | 73.1 | 62.1 | 55.0 | 52.3 | 53.4 | 51.8 | 53.2 | **9,961.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,957.0** |
| H2O | 1972 | 121.2 | 123.4 | 129.5 | 118.3 | 153.1 | 155.0 | 174.6 | 194.4 | 181.9 | 73.9 | 79.1 | 101.8 | **6,984.9** |
| OIL | 1972 | 106.3 | 93.4 | 102.0 | 97.1 | 102.3 | 114.7 | 125.1 | 137.0 | 129.5 | 49.3 | 41.3 | 37.7 | **9,269.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,591.0** |
| H2O | 1971 | 158.4 | 148.7 | 158.9 | 149.3 | 151.5 | 143.8 | 151.7 | 162.2 | 137.7 | 139.5 | 135.8 | 135.0 | **5,378.7** |
| OIL | 1971 | 152.9 | 134.3 | 145.4 | 136.3 | 133.8 | 126.7 | 125.2 | 131.6 | 119.0 | 116.2 | 114.1 | 110.8 | **8,134.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,226.0** |
| H2O | 1970 | 68.8 | 66.1 | 72.8 | 69.9 | 69.9 | 63.6 | 177.4 | 150.6 | 157.6 | 158.2 | 159.3 | 163.1 | **3,606.2** |
| OIL | 1970 | 111.7 | 99.8 | 106.5 | 99.5 | 99.2 | 112.8 | 182.3 | 163.7 | 160.2 | 162.1 | 155.6 | 158.4 | **6,587.8** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **864.0** |
| H2O | 1969 | 114.5 | 38.1 | 44.2 | 42.1 | 42.1 | 42.1 | 71.5 | 71.8 | 69.1 | 70.6 | 67.2 | 69.9 | **2,228.9** |

# Manitoba Production
## 1950 To 1975

Licence ***2240*** Well Name ***E. Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-14-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1969 | 166.9 | 132.8 | 139.0 | 128.7 | 119.2 | 119.2 | 123.2 | 124.4 | 118.7 | 119.7 | 114.1 | 114.1 | **4,976.0** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **500.0** |
| H2O | 1968 | 86.6 | 115.1 | 161.5 | 158.0 | 160.9 | 41.5 | 41.5 | 70.9 | 60.4 | 121.1 | 117.3 | 124.8 | **1,485.7** |
| OIL | 1968 | 255.8 | 236.6 | 255.8 | 233.9 | 234.1 | 172.4 | 184.5 | 181.3 | 167.5 | 195.5 | 189.1 | 183.1 | **3,456.0** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 30.0 | 28.0 | 30.0 | 31.0 | **135.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.4 | 30.5 | 34.7 | 35.0 | 100.5 | **226.1** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 140.6 | 176.4 | 183.5 | 165.6 | 300.3 | **966.4** |

Licence ***2241*** Well Name ***E. Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.03-14-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,040.0** |
| H2O | 1975 | 355.2 | 297.1 | 350.6 | 318.9 | 309.4 | 457.7 | 321.0 | 331.5 | 358.5 | 368.5 | 312.6 | 334.8 | **18,796.1** |
| OIL | 1975 | 71.4 | 61.5 | 65.2 | 70.1 | 61.7 | 63.9 | 62.0 | 59.1 | 60.3 | 62.8 | 61.5 | 68.0 | **9,106.0** |
| DAY | 1974 | 31.0 | 21.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,675.0** |
| H2O | 1974 | 166.1 | 139.0 | 264.6 | 282.8 | 316.2 | 299.2 | 214.0 | 330.2 | 343.7 | 306.2 | 353.6 | 353.3 | **14,680.3** |
| OIL | 1974 | 53.1 | 42.6 | 65.2 | 76.8 | 78.2 | 72.0 | 53.9 | 74.1 | 73.8 | 72.2 | 73.3 | 75.4 | **8,338.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,320.0** |
| H2O | 1973 | 328.8 | 293.8 | 363.6 | 366.8 | 356.8 | 375.4 | 344.7 | 342.1 | 298.1 | 281.4 | 261.5 | 244.5 | **11,311.4** |
| OIL | 1973 | 54.4 | 42.6 | 91.3 | 87.9 | 88.9 | 95.9 | 97.8 | 91.7 | 76.0 | 77.6 | 66.0 | 67.7 | **7,527.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,955.0** |
| H2O | 1972 | 59.3 | 51.2 | 56.0 | 50.7 | 52.1 | 52.5 | 59.1 | 65.8 | 61.5 | 111.3 | 276.6 | 355.7 | **7,453.9** |
| OIL | 1972 | 42.0 | 42.0 | 46.2 | 43.1 | 46.6 | 47.4 | 51.7 | 56.6 | 53.6 | 31.8 | 62.0 | 56.4 | **6,590.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,589.0** |
| H2O | 1971 | 72.3 | 66.9 | 70.3 | 64.9 | 66.0 | 62.8 | 63.6 | 63.4 | 55.5 | 51.7 | 51.8 | 53.6 | **6,202.1** |
| OIL | 1971 | 80.2 | 70.8 | 76.2 | 67.2 | 69.1 | 66.5 | 63.7 | 60.3 | 57.1 | 54.4 | 49.2 | 46.5 | **6,010.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | **1,224.0** |
| H2O | 1970 | 164.2 | 144.4 | 162.6 | 159.0 | 164.2 | 149.9 | 71.5 | 70.1 | 69.8 | 76.8 | 58.7 | 72.8 | **5,459.3** |
| OIL | 1970 | 107.9 | 93.2 | 105.3 | 102.0 | 103.2 | 94.5 | 92.6 | 87.7 | 83.8 | 85.0 | 68.3 | 84.6 | **5,249.5** |
| DAY | 1969 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **864.0** |
| H2O | 1969 | 201.8 | 160.6 | 186.3 | 168.2 | 180.6 | 186.0 | 169.5 | 155.0 | 161.8 | 145.3 | 167.4 | 152.9 | **4,095.3** |
| OIL | 1969 | 155.5 | 109.6 | 121.7 | 109.8 | 110.1 | 104.8 | 108.0 | 104.8 | 109.1 | 96.7 | 109.9 | 108.5 | **4,141.4** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **503.0** |
| H2O | 1968 | 83.7 | 85.8 | 93.5 | 90.5 | 96.1 | 92.9 | 96.1 | 128.8 | 189.4 | 208.3 | 201.6 | 200.0 | **2,059.9** |
| OIL | 1968 | 148.4 | 157.6 | 167.6 | 163.2 | 164.0 | 143.1 | 150.1 | 150.1 | 170.7 | 165.7 | 160.5 | 160.5 | **2,792.9** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 30.0 | 30.0 | 30.0 | 23.0 | **137.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 95.3 | 100.1 | 101.5 | 96.2 | 100.1 | **493.2** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 190.7 | 196.9 | 178.0 | 179.6 | 146.2 | **891.4** |

Licence ***2242*** Well Name ***E. Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-14-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1423.0 | 1368.9 | 2303.9 | 2551.8 | 2520.0 | 2512.0 | 2090.7 | 2464.3 | 2273.7 | 2603.5 | 1582.0 | 1287.8 | **27,679.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 31.0 | 29.0 | 0.0 | 0.0 | 0.0 | **2,593.0** |
| H2O | 1974 | 156.6 | 150.7 | 127.4 | 128.6 | 140.5 | 172.3 | 182.8 | 162.6 | 167.6 | 0.0 | 0.0 | 0.0 | **9,601.5** |
| OIL | 1974 | 120.6 | 108.8 | 107.9 | 105.6 | 96.9 | 121.4 | 137.1 | 120.3 | 120.3 | 0.0 | 0.0 | 0.0 | **16,417.0** |
| WIN | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 394.5 | 1094.5 | 1208.8 | **2,697.8** |
| DAY | 1973 | 31.0 | 28.0 | 18.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,324.0** |
| H2O | 1973 | 124.8 | 93.3 | 130.7 | 234.4 | 212.1 | 206.5 | 205.9 | 178.1 | 158.2 | 184.4 | 160.6 | 167.7 | **8,212.4** |
| OIL | 1973 | 117.3 | 108.2 | 91.8 | 152.6 | 154.3 | 127.8 | 124.3 | 137.6 | 142.5 | 135.9 | 117.8 | 130.5 | **15,378.1** |
| DAY | 1972 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,972.0** |

# Manitoba Production
## 1950 To 1975

Licence ***2242*** Well Name ***E. Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-14-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1972 | 94.4 | 96.2 | 100.8 | 92.1 | 119.1 | 120.5 | 135.6 | 151.0 | 141.3 | 209.7 | 104.9 | 135.0 | **6,155.7** |
| OIL | 1972 | 139.4 | 122.4 | 133.6 | 127.1 | 134.1 | 150.5 | 164.0 | 179.6 | 169.9 | 135.1 | 133.5 | 121.6 | **13,837.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,607.0** |
| H2O | 1971 | 123.4 | 115.9 | 123.9 | 116.4 | 118.1 | 111.9 | 118.1 | 126.4 | 107.3 | 108.6 | 105.9 | 105.3 | **4,655.1** |
| OIL | 1971 | 199.7 | 175.6 | 190.1 | 178.3 | 175.3 | 166.1 | 164.2 | 172.6 | 156.2 | 152.4 | 149.5 | 145.1 | **12,126.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,242.0** |
| H2O | 1970 | 77.0 | 73.9 | 81.4 | 78.2 | 78.2 | 66.8 | 138.0 | 117.2 | 122.6 | 123.2 | 124.0 | 127.0 | **3,273.9** |
| OIL | 1970 | 249.5 | 222.8 | 237.6 | 222.2 | 221.4 | 222.5 | 238.4 | 213.9 | 209.3 | 211.7 | 203.2 | 207.1 | **10,101.6** |
| DAY | 1969 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **877.0** |
| H2O | 1969 | 85.9 | 57.2 | 66.1 | 62.8 | 65.3 | 63.3 | 79.5 | 80.0 | 77.1 | 78.7 | 75.0 | 78.1 | **2,066.4** |
| OIL | 1969 | 209.8 | 266.0 | 278.3 | 257.6 | 275.4 | 266.5 | 275.4 | 278.3 | 265.4 | 267.4 | 254.9 | 254.9 | **7,442.0** |
| DAY | 1968 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **515.0** |
| H2O | 1968 | 59.1 | 52.9 | 82.7 | 80.3 | 88.2 | 95.4 | 95.4 | 93.8 | 87.0 | 91.7 | 88.7 | 94.1 | **1,197.4** |
| OIL | 1968 | 300.3 | 277.8 | 295.3 | 280.5 | 289.4 | 286.0 | 295.6 | 290.8 | 270.1 | 267.0 | 258.2 | 242.3 | **4,292.1** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | **150.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 32.4 | 36.7 | 37.2 | 54.8 | **188.1** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 151.0 | 189.3 | 197.0 | 177.8 | 223.7 | **938.8** |

Licence ***2243*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-12-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,908.0** |
| H2O | 1975 | 299.1 | 275.3 | 306.5 | 248.5 | 336.3 | 235.8 | 252.4 | 231.2 | 214.8 | 251.6 | 257.8 | 258.2 | **21,534.0** |
| OIL | 1975 | 35.0 | 32.3 | 37.3 | 35.0 | 37.7 | 29.7 | 36.4 | 70.2 | 68.0 | 67.9 | 69.3 | 70.6 | **9,003.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,548.0** |
| H2O | 1974 | 209.5 | 191.4 | 184.7 | 208.3 | 231.0 | 209.5 | 303.9 | 278.5 | 268.1 | 236.1 | 289.8 | 324.1 | **18,366.5** |
| OIL | 1974 | 135.8 | 121.4 | 129.6 | 125.4 | 131.8 | 116.0 | 80.4 | 76.6 | 71.7 | 33.4 | 33.4 | 37.8 | **8,414.3** |
| DAY | 1973 | 30.0 | 27.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,183.0** |
| H2O | 1973 | 316.8 | 292.3 | 316.8 | 294.4 | 313.6 | 222.6 | 254.6 | 245.5 | 240.1 | 262.5 | 232.6 | 224.0 | **15,431.6** |
| OIL | 1973 | 96.6 | 83.9 | 97.6 | 87.9 | 94.4 | 139.7 | 143.7 | 144.9 | 142.7 | 143.7 | 147.5 | 140.3 | **7,321.0** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 25.0 | 25.0 | 30.0 | **1,822.0** |
| H2O | 1972 | 260.8 | 247.1 | 257.1 | 270.5 | 307.6 | 314.4 | 326.3 | 266.4 | 262.1 | 222.3 | 219.6 | 268.6 | **12,215.8** |
| OIL | 1972 | 107.4 | 99.5 | 102.3 | 108.5 | 111.6 | 110.3 | 112.3 | 66.6 | 67.7 | 60.1 | 59.8 | 73.9 | **5,858.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,470.0** |
| H2O | 1971 | 231.8 | 217.5 | 216.5 | 206.4 | 214.8 | 289.4 | 275.7 | 232.4 | 198.9 | 262.7 | 250.6 | 259.7 | **8,993.0** |
| OIL | 1971 | 80.1 | 72.6 | 77.9 | 78.7 | 82.8 | 92.8 | 94.9 | 130.5 | 116.3 | 110.3 | 103.9 | 111.7 | **4,778.1** |
| DAY | 1970 | 30.0 | 28.0 | 31.0 | 11.0 | 12.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **1,109.0** |
| H2O | 1970 | 249.3 | 194.6 | 235.1 | 52.1 | 132.4 | 259.8 | 287.4 | 264.9 | 232.3 | 245.1 | 222.3 | 250.6 | **6,136.6** |
| OIL | 1970 | 106.5 | 96.6 | 104.1 | 32.3 | 38.1 | 97.1 | 97.4 | 94.2 | 84.9 | 83.7 | 65.9 | 76.3 | **3,625.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 12.0 | 24.0 | 28.0 | 21.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | **787.0** |
| H2O | 1969 | 194.4 | 149.1 | 187.4 | 60.1 | 230.4 | 187.0 | 190.3 | 233.9 | 206.5 | 247.7 | 231.6 | 224.5 | **3,510.7** |
| OIL | 1969 | 95.8 | 83.3 | 91.5 | 31.3 | 93.0 | 89.3 | 74.4 | 107.9 | 97.6 | 104.7 | 101.4 | 103.9 | **2,648.5** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **462.0** |
| H2O | 1968 | 43.2 | 43.1 | 51.7 | 38.0 | 68.7 | 51.7 | 32.9 | 51.5 | 125.1 | 180.9 | 192.8 | 174.2 | **1,167.8** |
| OIL | 1968 | 103.0 | 93.6 | 92.8 | 78.7 | 98.0 | 88.4 | 89.1 | 89.6 | 119.2 | 134.8 | 113.3 | 90.9 | **1,574.4** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 22.0 | 21.0 | 23.0 | 31.0 | **100.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 35.6 | 46.1 | 6.4 | 25.9 | **114.0** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.8 | 101.9 | 67.7 | 85.2 | 111.4 | **383.0** |

Licence ***2244*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-33-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

# Manitoba Production
## 1950 To 1975

Licence ***2244*** Well Name ***Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-33-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole C*** Field Code ***5*** Pool Code ***59C*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 23.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,948.0** |
| H2O | 1975 | 162.2 | 138.8 | 115.9 | 139.9 | 139.9 | 133.9 | 162.0 | 154.4 | 138.6 | 169.0 | 129.3 | 135.8 | **13,588.4** |
| OIL | 1975 | 21.1 | 19.2 | 15.6 | 19.1 | 22.2 | 24.9 | 29.4 | 24.5 | 23.4 | 9.7 | 28.1 | 29.2 | **5,277.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 20.0 | 27.0 | 31.0 | **2,592.0** |
| H2O | 1974 | 204.3 | 161.4 | 189.0 | 281.1 | 255.2 | 294.0 | 175.7 | 193.3 | 160.7 | 112.9 | 142.3 | 162.0 | **11,868.7** |
| OIL | 1974 | 23.7 | 17.6 | 19.5 | 29.6 | 33.7 | 31.9 | 22.6 | 24.8 | 21.1 | 14.3 | 26.1 | 21.5 | **5,011.3** |
| DAY | 1973 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,242.0** |
| H2O | 1973 | 252.1 | 246.9 | 258.0 | 239.6 | 227.0 | 209.5 | 194.9 | 216.5 | 204.3 | 179.0 | 147.9 | 207.3 | **9,536.8** |
| OIL | 1973 | 36.2 | 34.3 | 42.0 | 39.1 | 25.9 | 25.1 | 55.5 | 26.7 | 29.2 | 23.8 | 16.2 | 23.7 | **4,724.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 29.0 | 30.0 | 29.0 | 30.0 | **1,880.0** |
| H2O | 1972 | 80.9 | 74.9 | 46.1 | 60.7 | 63.6 | 256.6 | 273.6 | 279.2 | 249.1 | 247.2 | 245.0 | 248.5 | **6,953.8** |
| OIL | 1972 | 43.2 | 40.4 | 22.6 | 20.3 | 22.4 | 80.6 | 40.8 | 50.5 | 33.5 | 36.2 | 36.5 | 38.9 | **4,347.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 25.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | **1,521.0** |
| H2O | 1971 | 70.7 | 56.6 | 0.0 | 39.7 | 114.9 | 84.6 | 89.8 | 84.7 | 76.9 | 77.7 | 55.3 | 67.1 | **4,828.4** |
| OIL | 1971 | 43.9 | 22.7 | 69.0 | 21.0 | 29.4 | 28.1 | 28.9 | 29.1 | 28.0 | 27.2 | 33.5 | 36.4 | **3,881.3** |
| DAY | 1970 | 30.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 24.0 | 29.0 | 31.0 | **1,166.0** |
| H2O | 1970 | 93.2 | 111.0 | 147.4 | 144.4 | 66.9 | 69.0 | 72.0 | 66.9 | 68.2 | 53.9 | 65.5 | 69.8 | **4,010.4** |
| OIL | 1970 | 56.3 | 53.4 | 72.0 | 85.3 | 45.6 | 44.2 | 45.4 | 42.0 | 42.0 | 33.1 | 37.5 | 46.6 | **3,484.1** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **811.0** |
| H2O | 1969 | 123.2 | 111.3 | 123.2 | 119.2 | 123.2 | 119.2 | 123.2 | 123.2 | 119.2 | 120.3 | 114.5 | 81.1 | **2,982.2** |
| OIL | 1969 | 96.0 | 86.8 | 92.2 | 87.4 | 87.1 | 77.7 | 78.7 | 76.6 | 75.3 | 84.4 | 94.4 | 58.8 | **2,880.7** |
| DAY | 1968 | 27.0 | 29.0 | 31.0 | 22.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **447.0** |
| H2O | 1968 | 83.6 | 83.0 | 88.7 | 63.0 | 105.9 | 110.8 | 104.6 | 147.9 | 143.1 | 113.7 | 119.2 | 123.2 | **1,581.4** |
| OIL | 1968 | 137.5 | 127.4 | 129.5 | 88.2 | 141.1 | 146.7 | 133.2 | 125.9 | 96.9 | 73.9 | 110.6 | 106.0 | **1,885.3** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 17.0 | 28.0 | 31.0 | **99.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 89.0 | 51.2 | 76.0 | 78.5 | **294.7** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 109.6 | 89.1 | 134.1 | 135.6 | **468.4** |

Licence ***2246*** Well Name ***Mead Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.13-14-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 24.0 | 31.0 | 28.0 | 26.0 | 1.0 | 0.0 | **1,194.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 83.0 | 157.6 | 225.8 | 160.9 | 148.9 | 5.7 | 0.0 | **6,747.8** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.6 | 18.3 | 30.5 | 22.9 | 27.2 | 1.4 | 0.0 | **1,053.1** |
| DAY | 1972 | 28.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,069.0** |
| H2O | 1972 | 222.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **5,965.9** |
| OIL | 1972 | 23.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **935.2** |
| DAY | 1971 | 7.0 | 0.0 | 0.0 | 17.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 28.0 | 30.0 | 31.0 | **1,041.0** |
| H2O | 1971 | 10.2 | 0.0 | 0.0 | 28.1 | 73.6 | 300.2 | 274.4 | 265.3 | 221.9 | 246.9 | 268.5 | 252.3 | **5,743.5** |
| OIL | 1971 | 1.3 | 0.0 | 0.0 | 2.7 | 10.8 | 26.1 | 32.6 | 23.8 | 14.5 | 28.6 | 24.5 | 24.6 | **912.2** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **778.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 111.8 | 138.3 | 98.6 | 89.4 | 118.6 | 67.6 | 52.1 | **3,802.1** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.4 | 15.9 | 14.9 | 11.0 | 8.7 | 8.7 | 9.2 | **722.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 28.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **569.0** |
| H2O | 1969 | 173.6 | 159.8 | 177.3 | 121.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **3,125.7** |
| OIL | 1969 | 22.4 | 22.1 | 25.9 | 15.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **645.9** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **451.0** |
| H2O | 1968 | 236.2 | 185.1 | 186.0 | 174.4 | 176.8 | 180.3 | 177.6 | 171.9 | 165.2 | 176.9 | 169.3 | 177.3 | **2,493.2** |
| OIL | 1968 | 52.9 | 45.9 | 45.3 | 35.4 | 43.7 | 38.3 | 38.5 | 35.4 | 26.5 | 31.9 | 20.2 | 28.9 | **559.6** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 30.0 | 28.0 | **85.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 81.6 | 90.1 | 144.5 | **316.2** |

# Manitoba Production
## 1950 To 1975

Licence ***2246*** Well Name ***Mead Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.13-14-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 40.4 | 41.0 | 35.3 | **116.7** |

Licence ***2247*** Well Name ***Tundra Pierson*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-24-003-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a B*** Field Code ***7*** Pool Code ***43B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,966.0** |
| H2O | 1975 | 60.3 | 52.1 | 45.8 | 45.8 | 48.7 | 51.2 | 57.9 | 36.6 | 58.2 | 52.0 | 48.7 | 52.3 | **2,890.7** |
| OIL | 1975 | 69.3 | 65.7 | 72.5 | 69.5 | 65.0 | 49.3 | 66.9 | 65.0 | 63.4 | 62.6 | 57.9 | 61.2 | **12,826.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,607.0** |
| H2O | 1974 | 48.5 | 41.7 | 43.7 | 46.1 | 59.9 | 49.3 | 61.4 | 46.4 | 56.4 | 65.7 | 49.3 | 52.9 | **2,281.1** |
| OIL | 1974 | 63.5 | 56.7 | 62.2 | 59.3 | 67.9 | 70.9 | 66.8 | 59.0 | 61.7 | 71.1 | 69.2 | 70.9 | **12,058.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 25.0 | 27.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,242.0** |
| H2O | 1973 | 45.3 | 36.4 | 52.6 | 42.9 | 54.7 | 52.6 | 59.3 | 65.8 | 78.1 | 62.8 | 58.7 | 48.7 | **1,659.8** |
| OIL | 1973 | 76.5 | 61.4 | 82.3 | 68.6 | 72.7 | 64.3 | 73.2 | 78.0 | 91.3 | 64.3 | 67.5 | 63.3 | **11,279.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,889.0** |
| H2O | 1972 | 31.5 | 36.9 | 29.6 | 28.6 | 24.6 | 43.2 | 25.1 | 44.8 | 32.3 | 52.8 | 45.6 | 53.9 | **1,001.9** |
| OIL | 1972 | 112.9 | 103.4 | 101.3 | 106.4 | 101.7 | 98.8 | 85.8 | 81.9 | 87.7 | 75.4 | 72.9 | 75.1 | **10,415.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,523.0** |
| H2O | 1971 | 14.8 | 13.4 | 2.1 | 11.9 | 8.7 | 7.2 | 11.1 | 24.5 | 22.4 | 25.0 | 26.4 | 46.4 | **553.0** |
| OIL | 1971 | 142.8 | 117.9 | 136.0 | 139.0 | 174.5 | 144.1 | 141.2 | 136.0 | 122.2 | 124.9 | 124.5 | 120.6 | **9,312.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,159.0** |
| H2O | 1970 | 10.5 | 9.4 | 10.2 | 9.4 | 9.1 | 8.9 | 9.5 | 14.8 | 18.0 | 18.9 | 9.5 | 9.9 | **339.1** |
| OIL | 1970 | 255.2 | 233.0 | 245.1 | 224.4 | 217.6 | 215.3 | 154.0 | 161.9 | 161.9 | 171.3 | 170.7 | 171.8 | **7,688.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **794.0** |
| H2O | 1969 | 8.6 | 3.5 | 5.6 | 5.1 | 14.3 | 3.8 | 3.5 | 3.3 | 8.3 | 8.7 | 10.7 | 10.7 | **201.0** |
| OIL | 1969 | 193.7 | 173.4 | 186.7 | 176.2 | 174.9 | 192.8 | 232.2 | 221.8 | 277.5 | 289.9 | 266.7 | 265.4 | **5,306.4** |
| DAY | 1968 | 30.0 | 15.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **429.0** |
| H2O | 1968 | 6.7 | 3.9 | 14.2 | 18.0 | 17.0 | 11.1 | 7.5 | 4.3 | 4.6 | 4.9 | 3.8 | 4.3 | **114.9** |
| OIL | 1968 | 139.7 | 55.9 | 158.7 | 186.6 | 160.3 | 153.5 | 190.4 | 249.2 | 189.1 | 248.6 | 189.1 | 216.3 | **2,655.2** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 8.0 | 10.0 | 30.0 | 19.0 | **80.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 9.6 | **14.6** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 50.5 | 25.2 | 48.9 | 238.9 | 154.3 | **517.8** |

Licence ***2251*** Well Name ***E. Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-12-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,994.0** |
| H2O | 1975 | 50.1 | 48.8 | 57.5 | 46.2 | 50.7 | 65.3 | 58.8 | 68.0 | 72.6 | 80.1 | 31.5 | 49.9 | **10,897.1** |
| OIL | 1975 | 9.5 | 8.1 | 8.7 | 8.7 | 9.5 | 9.9 | 14.3 | 13.7 | 14.0 | 14.5 | 6.4 | 9.9 | **5,215.1** |
| DAY | 1974 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,629.0** |
| H2O | 1974 | 47.5 | 34.5 | 84.4 | 94.2 | 94.4 | 99.6 | 66.9 | 73.9 | 71.5 | 74.4 | 57.2 | 53.2 | **10,217.6** |
| OIL | 1974 | 14.5 | 8.7 | 32.6 | 33.7 | 39.1 | 35.9 | 24.5 | 23.2 | 23.0 | 19.2 | 19.5 | 20.0 | **5,087.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,267.0** |
| H2O | 1973 | 141.2 | 144.5 | 101.0 | 102.0 | 129.3 | 173.6 | 138.8 | 103.2 | 67.7 | 72.8 | 45.9 | 38.3 | **9,365.9** |
| OIL | 1973 | 47.5 | 38.6 | 38.5 | 37.0 | 23.4 | 22.7 | 22.2 | 36.7 | 23.7 | 24.3 | 14.1 | 14.5 | **4,794.0** |
| DAY | 1972 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,902.0** |
| H2O | 1972 | 123.3 | 115.3 | 119.3 | 119.3 | 123.3 | 126.0 | 141.8 | 158.1 | 147.9 | 192.2 | 206.0 | 152.8 | **8,107.6** |
| OIL | 1972 | 39.4 | 36.9 | 38.1 | 38.1 | 39.4 | 41.0 | 44.7 | 48.9 | 46.2 | 54.2 | 45.4 | 49.3 | **4,450.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,537.0** |
| H2O | 1971 | 147.9 | 146.9 | 147.9 | 162.2 | 187.3 | 181.3 | 172.5 | 152.8 | 157.4 | 162.7 | 157.4 | 162.7 | **6,382.3** |
| OIL | 1971 | 54.2 | 48.9 | 49.3 | 47.7 | 49.3 | 47.7 | 54.2 | 54.2 | 57.2 | 54.2 | 52.4 | 54.2 | **3,929.2** |

# Manitoba Production
## 1950 To 1975

Licence ***2251*** Well Name ***E. Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-12-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 27.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,172.0** |
| H2O | 1970 | 138.0 | 115.8 | 138.0 | 109.7 | 167.0 | 163.1 | 238.5 | 187.3 | 195.6 | 205.1 | 181.3 | 152.8 | **4,443.3** |
| OIL | 1970 | 73.9 | 71.2 | 78.8 | 52.4 | 52.4 | 64.4 | 57.2 | 54.2 | 52.4 | 52.4 | 52.4 | 54.2 | **3,305.7** |
| DAY | 1969 | 31.0 | 26.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **813.0** |
| H2O | 1969 | 163.1 | 122.1 | 90.6 | 85.8 | 81.0 | 71.5 | 88.7 | 98.5 | 109.7 | 100.2 | 124.0 | 138.0 | **2,451.1** |
| OIL | 1969 | 129.7 | 110.0 | 104.9 | 87.6 | 90.6 | 81.0 | 83.7 | 78.8 | 85.8 | 81.0 | 81.0 | 83.7 | **2,589.8** |
| DAY | 1968 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **454.0** |
| H2O | 1968 | 42.9 | 85.8 | 89.7 | 99.2 | 103.0 | 77.3 | 85.8 | 94.4 | 68.7 | 68.7 | 80.4 | 154.5 | **1,177.9** |
| OIL | 1968 | 70.9 | 146.2 | 152.1 | 123.9 | 113.3 | 100.9 | 89.6 | 77.9 | 61.2 | 56.4 | 69.1 | 147.3 | **1,492.0** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | 21.0 | 30.0 | 31.0 | **92.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.4 | 19.7 | 51.5 | 42.9 | **127.5** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 58.2 | 65.0 | 83.6 | 76.4 | **283.2** |

Licence ***2252*** Well Name ***Copperhead S. Regent*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-07-004-21W1.00*** Field Name ***Regent*** Pool Name ***Lodgepole Virden A*** Field Code ***13*** Pool Code ***53A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 0.0 | 7.0 | 31.0 | 13.0 | 21.0 | 30.0 | 18.0 | 22.0 | 0.0 | 0.0 | 0.0 | 0.0 | **179.0** |
| H2O | 1968 | 0.0 | 24.5 | 113.4 | 39.4 | 123.4 | 122.1 | 124.3 | 150.4 | 0.0 | 0.0 | 0.0 | 0.0 | **1,171.4** |
| OIL | 1968 | 0.0 | 6.7 | 39.4 | 10.3 | 13.3 | 12.6 | 24.5 | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | **171.3** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 21.0 | 9.0 | **37.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 103.8 | 267.1 | 103.0 | **473.9** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.9 | 28.3 | 4.3 | **57.5** |

Licence ***2253*** Well Name ***E. Routledge Unit No. 1 Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.08-11-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **3,004.0** |
| H2O | 1975 | 75.0 | 52.9 | 62.3 | 60.1 | 55.8 | 71.9 | 90.5 | 90.8 | 82.4 | 106.8 | 97.5 | 100.0 | **9,519.6** |
| OIL | 1975 | 52.3 | 45.2 | 47.9 | 35.1 | 52.1 | 54.1 | 52.5 | 50.1 | 51.0 | 48.2 | 48.8 | 29.1 | **8,761.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,639.0** |
| H2O | 1974 | 56.9 | 56.0 | 67.9 | 120.0 | 108.4 | 99.7 | 107.0 | 98.6 | 71.7 | 65.7 | 67.6 | 72.7 | **8,573.6** |
| OIL | 1974 | 53.1 | 48.0 | 49.6 | 52.8 | 53.7 | 58.5 | 78.4 | 50.9 | 59.9 | 62.6 | 53.7 | 55.2 | **8,195.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,274.0** |
| H2O | 1973 | 159.5 | 163.3 | 101.0 | 101.9 | 118.9 | 70.3 | 44.8 | 37.5 | 45.2 | 82.5 | 64.2 | 67.1 | **7,581.4** |
| OIL | 1973 | 85.5 | 69.6 | 48.0 | 46.3 | 51.5 | 59.3 | 48.8 | 59.6 | 52.3 | 63.1 | 51.8 | 62.8 | **7,519.1** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,909.0** |
| H2O | 1972 | 88.7 | 76.6 | 83.6 | 75.8 | 78.2 | 78.9 | 88.7 | 98.9 | 92.5 | 157.7 | 169.0 | 172.5 | **6,525.2** |
| OIL | 1972 | 49.8 | 49.8 | 54.7 | 51.2 | 55.3 | 56.3 | 61.4 | 67.3 | 63.6 | 73.9 | 62.0 | 88.7 | **6,820.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,543.0** |
| H2O | 1971 | 108.0 | 99.8 | 104.8 | 96.8 | 98.6 | 94.0 | 95.1 | 94.9 | 83.0 | 77.3 | 77.4 | 80.1 | **5,264.1** |
| OIL | 1971 | 94.7 | 83.5 | 89.9 | 79.1 | 81.3 | 78.3 | 74.9 | 71.1 | 67.5 | 64.4 | 58.2 | 55.0 | **6,086.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,178.0** |
| H2O | 1970 | 169.3 | 148.8 | 167.6 | 163.8 | 168.5 | 153.9 | 98.6 | 96.7 | 87.8 | 97.8 | 99.8 | 108.6 | **4,154.3** |
| OIL | 1970 | 108.2 | 93.5 | 105.6 | 102.3 | 105.6 | 96.6 | 108.3 | 102.4 | 92.6 | 95.3 | 95.3 | 99.9 | **5,188.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 29.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **815.0** |
| H2O | 1969 | 66.0 | 75.7 | 87.8 | 79.3 | 177.4 | 184.4 | 168.1 | 153.7 | 135.1 | 149.8 | 172.5 | 157.7 | **2,593.1** |
| OIL | 1969 | 120.1 | 93.4 | 103.7 | 93.5 | 137.9 | 123.9 | 127.7 | 123.9 | 109.6 | 97.0 | 110.2 | 108.8 | **3,983.0** |
| DAY | 1968 | 29.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **456.0** |
| H2O | 1968 | 82.9 | 74.3 | 78.8 | 76.2 | 77.8 | 75.4 | 76.0 | 64.1 | 62.0 | 67.6 | 65.5 | 65.5 | **985.6** |
| OIL | 1968 | 138.2 | 160.8 | 177.6 | 172.2 | 173.0 | 166.7 | 180.4 | 109.8 | 129.3 | 128.7 | 124.7 | 123.9 | **2,633.3** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 25.0 | 30.0 | 31.0 | **95.0** |

# Manitoba Production
## 1950 To 1975

Licence ***2253*** Well Name ***E. Routledge Unit No. 1 Prov. SWD*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.08-11-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.1 | 19.8 | 18.8 | 73.8 | **119.5** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 92.9 | 258.3 | 260.6 | 236.2 | **848.0** |

Licence ***2256*** Well Name ***Rundle Virden SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-35-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 0.0 | 0.0 | 11.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **86.0** |
| H2O | 1968 | 0.0 | 0.0 | 140.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **295.2** |
| OIL | 1968 | 0.0 | 0.0 | 1.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **69.0** |
| WIN | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 158.6 | 490.0 | 360.7 | 227.0 | 436.0 | 0.0 | 0.0 | 0.0 | **1,672.3** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 28.0 | 31.0 | **75.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 155.2 | **155.2** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.1 | 19.9 | 25.6 | **67.6** |

Licence ***2260*** Well Name ***Enerplus Routledge*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-05-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole*** Field Code ***5*** Pool Code ***59*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 0.0 | **27.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 62.1 | 0.0 | **62.1** |

Licence ***2262*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-01-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,396.0** |
| H2O | 1975 | 74.1 | 66.0 | 73.6 | 59.6 | 80.6 | 65.5 | 60.7 | 71.4 | 66.3 | 77.7 | 77.9 | 79.8 | **2,441.8** |
| OIL | 1975 | 31.6 | 28.3 | 32.7 | 30.7 | 33.1 | 30.4 | 31.9 | 32.4 | 31.3 | 31.3 | 31.3 | 32.4 | **1,799.0** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 28.0 | 29.0 | 31.0 | 30.0 | 31.0 | **2,031.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.8 | 13.5 | 121.0 | 111.3 | 135.3 | 77.7 | **1,588.6** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.4 | 15.7 | 61.8 | 68.2 | 67.7 | 33.2 | **1,421.6** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 6.0 | 27.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 0.0 | 0.0 | **1,879.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 1.9 | 8.9 | 8.7 | 10.2 | 15.3 | 15.4 | 16.4 | 0.0 | 0.0 | **1,125.0** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 3.8 | 16.8 | 17.8 | 18.4 | 18.1 | 18.3 | 17.8 | 0.0 | 0.0 | **1,169.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 0.0 | 0.0 | **1,695.0** |
| H2O | 1972 | 13.5 | 12.6 | 13.7 | 13.8 | 15.7 | 16.2 | 16.7 | 9.9 | 10.0 | 9.7 | 0.0 | 0.0 | **1,048.2** |
| OIL | 1972 | 8.6 | 7.9 | 8.4 | 8.7 | 9.1 | 8.9 | 9.1 | 15.9 | 16.7 | 16.8 | 0.0 | 0.0 | **1,058.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,392.0** |
| H2O | 1971 | 29.1 | 27.2 | 27.0 | 25.9 | 26.9 | 13.8 | 14.0 | 13.2 | 11.3 | 13.5 | 13.0 | 13.4 | **916.4** |
| OIL | 1971 | 18.1 | 16.4 | 17.6 | 17.6 | 18.6 | 8.3 | 9.4 | 8.7 | 7.8 | 8.9 | 8.3 | 9.1 | **948.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 19.0 | 10.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 23.0 | 31.0 | **1,029.0** |
| H2O | 1970 | 21.1 | 22.9 | 18.9 | 11.8 | 8.4 | 22.1 | 20.7 | 21.0 | 31.6 | 32.6 | 29.7 | 44.0 | **688.1** |
| OIL | 1970 | 15.6 | 13.8 | 15.1 | 9.1 | 6.0 | 15.7 | 11.1 | 19.5 | 16.2 | 14.9 | 14.1 | 16.7 | **799.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 11.0 | 24.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **703.0** |
| H2O | 1969 | 6.4 | 6.2 | 6.2 | 2.2 | 6.2 | 6.5 | 14.1 | 20.2 | 20.3 | 24.6 | 22.9 | 24.8 | **403.3** |
| OIL | 1969 | 25.4 | 21.9 | 23.8 | 7.6 | 20.7 | 22.6 | 15.3 | 17.5 | 16.7 | 16.7 | 15.6 | 16.0 | **631.9** |
| DAY | 1968 | 19.0 | 13.0 | 27.0 | 28.0 | 31.0 | 29.0 | 29.0 | 28.0 | 30.0 | 29.0 | 30.0 | 31.0 | **370.0** |
| H2O | 1968 | 28.5 | 17.6 | 24.6 | 31.3 | 34.0 | 9.4 | 5.7 | 8.4 | 9.5 | 4.9 | 4.8 | 5.6 | **242.7** |
| OIL | 1968 | 30.4 | 18.6 | 42.1 | 23.7 | 24.6 | 27.0 | 26.2 | 24.6 | 26.7 | 31.6 | 26.2 | 26.7 | **412.1** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.0 | 31.0 | **46.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.4 | 30.0 | **58.4** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.6 | 53.1 | **83.7** |

# Manitoba Production
## 1950 To 1975

Licence ***2263*** Well Name ***Whistler Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-31-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 15.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **37.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.8 | 19.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **44.5** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.9 | 1.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **15.3** |

Licence ***2265*** Well Name ***E. Routledge Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-13-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,882.0** |
| H2O | 1975 | 415.0 | 350.0 | 412.6 | 383.5 | 395.5 | 549.3 | 397.7 | 390.4 | 421.5 | 443.3 | 209.2 | 364.6 | **38,285.7** |
| OIL | 1975 | 47.5 | 41.0 | 43.4 | 43.9 | 52.1 | 54.0 | 52.4 | 50.1 | 51.0 | 53.1 | 27.2 | 48.6 | **8,690.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **2,517.0** |
| H2O | 1974 | 455.5 | 469.5 | 483.8 | 449.8 | 505.0 | 503.3 | 481.4 | 473.0 | 388.8 | 319.4 | 400.4 | 391.5 | **33,553.1** |
| OIL | 1974 | 62.9 | 61.0 | 63.1 | 62.5 | 63.6 | 58.5 | 63.7 | 50.9 | 44.0 | 52.9 | 53.7 | 50.2 | **8,126.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **2,156.0** |
| H2O | 1973 | 470.5 | 335.7 | 484.6 | 488.9 | 454.9 | 426.9 | 425.2 | 412.5 | 227.7 | 524.2 | 555.2 | 584.9 | **28,231.7** |
| OIL | 1973 | 54.3 | 31.0 | 52.8 | 50.9 | 51.5 | 50.2 | 53.2 | 50.5 | 21.5 | 67.9 | 65.9 | 72.5 | **7,439.2** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 0.0 | 0.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,794.0** |
| H2O | 1972 | 464.4 | 364.2 | 250.3 | 0.0 | 0.0 | 476.8 | 537.1 | 598.4 | 559.8 | 651.8 | 395.8 | 509.1 | **22,840.5** |
| OIL | 1972 | 40.5 | 45.3 | 22.4 | 0.0 | 0.0 | 71.5 | 77.9 | 85.2 | 80.6 | 49.6 | 62.0 | 56.4 | **6,817.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | 25.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,489.0** |
| H2O | 1971 | 517.1 | 474.4 | 511.5 | 457.1 | 455.2 | 478.7 | 444.4 | 426.1 | 424.4 | 451.4 | 447.9 | 416.0 | **18,032.8** |
| OIL | 1971 | 95.7 | 83.7 | 90.4 | 80.7 | 73.6 | 76.8 | 74.4 | 58.2 | 66.3 | 68.6 | 63.4 | 59.4 | **6,225.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,133.0** |
| H2O | 1970 | 394.8 | 283.2 | 377.7 | 263.8 | 336.8 | 264.4 | 264.4 | 178.4 | 495.9 | 545.7 | 524.7 | 533.3 | **12,528.6** |
| OIL | 1970 | 83.9 | 60.5 | 77.7 | 49.3 | 58.2 | 48.3 | 43.9 | 32.7 | 95.3 | 100.0 | 87.2 | 96.3 | **5,334.4** |
| DAY | 1969 | 31.0 | 25.0 | 31.0 | 26.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **768.0** |
| H2O | 1969 | 309.0 | 249.0 | 343.3 | 248.0 | 352.6 | 369.1 | 360.5 | 429.2 | 463.5 | 469.4 | 480.6 | 476.2 | **8,065.5** |
| OIL | 1969 | 136.7 | 109.3 | 120.8 | 103.9 | 115.1 | 102.3 | 122.5 | 121.7 | 128.2 | 131.3 | 122.2 | 109.3 | **4,501.1** |
| DAY | 1968 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **413.0** |
| H2O | 1968 | 188.9 | 188.9 | 223.2 | 249.0 | 274.6 | 283.2 | 257.4 | 326.1 | 326.1 | 331.5 | 317.5 | 369.1 | **3,515.1** |
| OIL | 1968 | 322.0 | 303.8 | 307.5 | 263.6 | 234.7 | 207.2 | 184.5 | 184.5 | 164.5 | 157.2 | 147.5 | 140.5 | **3,077.8** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | 31.0 | **49.0** |
| H2O | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 33.7 | 145.9 | **179.6** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 138.7 | 321.6 | **460.3** |

Licence ***2266*** Well Name ***Waskada Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-30-001-25W1.00*** Field Name ***Waskada*** Pool Name ***Mission Canyon 3b A*** Field Code ***3*** Pool Code ***42A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 0.0 | 19.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **2,217.0** |
| OIL | 1975 | 0.0 | 24.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **10,286.4** |
| DAY | 1974 | 30.0 | 27.0 | 30.0 | 18.0 | 2.0 | 21.0 | 16.0 | 27.0 | 30.0 | 14.0 | 29.0 | 24.0 | **2,198.0** |
| OIL | 1974 | 55.7 | 49.4 | 45.9 | 44.6 | 6.4 | 39.4 | 41.2 | 60.5 | 51.6 | 4.8 | 18.1 | 22.2 | **10,261.9** |
| DAY | 1973 | 29.0 | 28.0 | 29.0 | 28.0 | 30.0 | 24.0 | 23.0 | 30.0 | 22.0 | 27.0 | 30.0 | 31.0 | **1,930.0** |
| OIL | 1973 | 102.8 | 76.0 | 76.9 | 75.1 | 71.5 | 58.0 | 66.1 | 23.8 | 24.6 | 49.9 | 45.6 | 55.8 | **9,822.1** |
| DAY | 1972 | 31.0 | 28.0 | 30.0 | 30.0 | 25.0 | 16.0 | 26.0 | 24.0 | 26.0 | 25.0 | 29.0 | 31.0 | **1,599.0** |
| OIL | 1972 | 136.8 | 119.2 | 114.1 | 112.0 | 35.4 | 21.6 | 35.8 | 68.6 | 73.4 | 72.5 | 110.9 | 110.4 | **9,096.0** |
| DAY | 1971 | 31.0 | 27.0 | 24.0 | 10.0 | 27.0 | 27.0 | 29.0 | 26.0 | 0.0 | 23.0 | 26.0 | 31.0 | **1,278.0** |
| OIL | 1971 | 135.1 | 108.1 | 138.3 | 58.8 | 173.7 | 174.0 | 96.8 | 72.5 | 0.0 | 149.5 | 144.6 | 138.3 | **8,085.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 18.0 | 20.0 | 30.0 | 30.0 | 21.0 | 30.0 | 31.0 | 27.0 | 27.0 | **997.0** |
| OIL | 1970 | 192.3 | 182.0 | 216.1 | 118.4 | 185.9 | 192.3 | 151.0 | 153.3 | 126.3 | 128.7 | 130.3 | 114.4 | **6,695.6** |
| DAY | 1969 | 26.0 | 27.0 | 24.0 | 18.0 | 21.0 | 30.0 | 27.0 | 29.0 | 30.0 | 31.0 | 28.0 | 30.0 | **673.0** |

# Manitoba Production
## 1950 To 1975

Licence ***2266*** Well Name ***Waskada Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-30-001-25W1.00*** Field Name ***Waskada*** Pool Name ***Mission Canyon 3b A*** Field Code ***3*** Pool Code ***42A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1969 | 97.7 | 219.3 | 188.3 | 116.8 | 185.1 | 216.1 | 230.4 | 210.6 | 197.2 | 195.3 | 185.8 | 190.7 | **4,804.6** |
| DAY | 1968 | 28.0 | 21.0 | 25.0 | 28.0 | 29.0 | 26.0 | 31.0 | 29.0 | 30.0 | 28.0 | 22.0 | 29.0 | **352.0** |
| OIL | 1968 | 210.1 | 156.7 | 164.2 | 169.6 | 144.8 | 148.4 | 241.4 | 240.0 | 237.6 | 228.7 | 189.1 | 221.7 | **2,571.3** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | **26.0** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 219.0 | **219.0** |

Licence ***2267*** Well Name ***Waskada Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-30-001-25W1.00*** Field Name ***Waskada*** Pool Name ***Mission Canyon 3b A*** Field Code ***3*** Pool Code ***42A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 23.0 | 29.0 | 29.0 | 0.0 | 0.0 | 11.0 | 31.0 | 27.0 | 30.0 | 27.0 | 31.0 | **2,440.0** |
| OIL | 1975 | 34.3 | 29.4 | 25.4 | 29.7 | 0.0 | 0.0 | 10.5 | 23.1 | 29.9 | 19.4 | 24.6 | 26.4 | **7,340.2** |
| DAY | 1974 | 31.0 | 27.0 | 30.0 | 21.0 | 0.0 | 12.0 | 30.0 | 30.0 | 30.0 | 27.0 | 29.0 | 25.0 | **2,171.0** |
| OIL | 1974 | 68.8 | 57.9 | 58.7 | 31.6 | 0.0 | 37.4 | 50.7 | 49.3 | 51.4 | 34.2 | 37.2 | 27.8 | **7,087.5** |
| DAY | 1973 | 30.0 | 28.0 | 27.0 | 30.0 | 25.0 | 23.0 | 28.0 | 31.0 | 30.0 | 25.0 | 27.0 | 26.0 | **1,879.0** |
| OIL | 1973 | 61.5 | 49.1 | 61.8 | 77.3 | 78.7 | 65.8 | 66.9 | 75.0 | 73.9 | 62.6 | 73.3 | 64.5 | **6,582.5** |
| DAY | 1972 | 31.0 | 24.0 | 31.0 | 26.0 | 29.0 | 15.0 | 28.0 | 29.0 | 29.0 | 30.0 | 30.0 | 30.0 | **1,549.0** |
| OIL | 1972 | 38.2 | 26.7 | 27.7 | 22.9 | 21.8 | 14.5 | 21.1 | 55.3 | 52.0 | 53.7 | 64.9 | 69.8 | **5,772.1** |
| DAY | 1971 | 31.0 | 22.0 | 30.0 | 29.0 | 28.0 | 28.0 | 30.0 | 30.0 | 29.0 | 31.0 | 14.0 | 31.0 | **1,217.0** |
| OIL | 1971 | 104.9 | 58.7 | 177.0 | 129.0 | 66.7 | 66.7 | 66.5 | 71.3 | 49.0 | 51.1 | 23.7 | 39.6 | **5,303.5** |
| DAY | 1970 | 29.0 | 23.0 | 31.0 | 20.0 | 22.0 | 29.0 | 31.0 | 30.0 | 30.0 | 31.0 | 27.0 | 31.0 | **884.0** |
| OIL | 1970 | 101.7 | 87.3 | 102.0 | 66.7 | 86.2 | 120.7 | 100.1 | 110.2 | 81.0 | 87.3 | 91.3 | 66.7 | **4,399.3** |
| DAY | 1969 | 16.0 | 25.0 | 22.0 | 8.0 | 0.0 | 0.0 | 0.0 | 19.0 | 26.0 | 28.0 | 26.0 | 31.0 | **550.0** |
| OIL | 1969 | 62.7 | 145.5 | 129.2 | 38.1 | 0.0 | 0.0 | 0.0 | 61.1 | 93.7 | 117.6 | 106.6 | 110.7 | **3,298.1** |
| DAY | 1968 | 18.0 | 28.0 | 28.0 | 29.0 | 31.0 | 28.0 | 30.0 | 31.0 | 29.0 | 27.0 | 23.0 | 29.0 | **349.0** |
| OIL | 1968 | 171.6 | 205.0 | 216.9 | 212.0 | 193.1 | 192.6 | 233.5 | 208.2 | 185.9 | 174.0 | 139.8 | 155.2 | **2,432.9** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | **18.0** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 145.1 | **145.1** |

Licence ***2273*** Well Name ***Waskada Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-30-001-25W1.00*** Field Name ***Waskada*** Pool Name ***Mission Canyon 3b A*** Field Code ***3*** Pool Code ***42A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 25.0 | 27.0 | 29.0 | 29.0 | 0.0 | 0.0 | 20.0 | 29.0 | 27.0 | 29.0 | 28.0 | 30.0 | **2,614.0** |
| OIL | 1975 | 61.7 | 40.4 | 59.1 | 49.9 | 0.0 | 0.0 | 62.5 | 55.5 | 51.5 | 50.7 | 45.5 | 49.0 | **7,243.1** |
| DAY | 1974 | 30.0 | 27.0 | 31.0 | 26.0 | 4.0 | 20.0 | 30.0 | 30.0 | 30.0 | 29.0 | 26.0 | 30.0 | **2,341.0** |
| OIL | 1974 | 49.8 | 56.3 | 44.2 | 36.9 | 8.6 | 37.4 | 50.4 | 58.8 | 42.3 | 39.7 | 41.0 | 49.4 | **6,717.3** |
| DAY | 1973 | 26.0 | 26.0 | 31.0 | 28.0 | 31.0 | 28.0 | 29.0 | 27.0 | 30.0 | 29.0 | 30.0 | 25.0 | **2,028.0** |
| OIL | 1973 | 42.0 | 32.1 | 46.6 | 39.3 | 40.1 | 33.1 | 58.2 | 26.9 | 34.0 | 49.0 | 40.7 | 50.7 | **6,202.5** |
| DAY | 1972 | 31.0 | 27.0 | 30.0 | 28.0 | 30.0 | 16.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,688.0** |
| OIL | 1972 | 59.0 | 38.9 | 35.4 | 32.8 | 122.0 | 62.8 | 109.5 | 41.8 | 38.0 | 41.8 | 50.1 | 54.7 | **5,709.8** |
| DAY | 1971 | 31.0 | 25.0 | 31.0 | 15.0 | 27.0 | 30.0 | 29.0 | 30.0 | 26.0 | 29.0 | 30.0 | 31.0 | **1,343.0** |
| OIL | 1971 | 109.4 | 76.2 | 108.0 | 54.8 | 92.9 | 102.4 | 86.5 | 77.8 | 52.4 | 53.5 | 50.8 | 47.6 | **5,023.0** |
| DAY | 1970 | 31.0 | 26.0 | 29.0 | 16.0 | 23.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **1,009.0** |
| OIL | 1970 | 101.2 | 91.0 | 117.6 | 39.6 | 101.7 | 117.6 | 96.4 | 95.3 | 76.2 | 77.8 | 81.0 | 75.6 | **4,110.7** |
| DAY | 1969 | 28.0 | 28.0 | 31.0 | 18.0 | 20.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **673.0** |
| OIL | 1969 | 108.8 | 128.7 | 123.9 | 73.8 | 93.7 | 109.6 | 114.4 | 108.0 | 95.3 | 101.7 | 91.8 | 95.3 | **3,039.7** |
| DAY | 1968 | 26.0 | 25.0 | 30.0 | 29.0 | 27.0 | 25.0 | 31.0 | 28.0 | 24.0 | 31.0 | 18.0 | 30.0 | **336.0** |
| OIL | 1968 | 177.0 | 150.6 | 157.0 | 149.3 | 127.2 | 141.1 | 167.5 | 140.8 | 133.4 | 130.3 | 93.7 | 125.5 | **1,794.7** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | **12.0** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 101.3 | **101.3** |

Licence ***2274*** Well Name ***Omega Waskada*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***2274*** Well Name ***Omega Waskada*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-30-001-25W1.00*** Field Name ***Waskada*** Pool Name ***Mission Canyon 3b A*** Field Code ***3*** Pool Code ***42A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 27.0 | 31.0 | 30.0 | 27.0 | 20.0 | 24.0 | 30.0 | 27.0 | 31.0 | 27.0 | 24.0 | **2,554.0** |
| OIL | 1975 | 61.7 | 40.4 | 76.5 | 60.1 | 73.3 | 76.8 | 65.7 | 66.8 | 60.1 | 64.1 | 55.0 | 59.1 | **7,285.7** |
| DAY | 1974 | 29.0 | 27.0 | 29.0 | 26.0 | 4.0 | 27.0 | 31.0 | 18.0 | 16.0 | 29.0 | 26.0 | 29.0 | **2,226.0** |
| OIL | 1974 | 34.3 | 23.5 | 40.5 | 35.0 | 9.4 | 31.8 | 47.5 | 56.8 | 28.6 | 40.5 | 41.0 | 49.4 | **6,526.1** |
| DAY | 1973 | 29.0 | 27.0 | 31.0 | 29.0 | 31.0 | 28.0 | 31.0 | 30.0 | 22.0 | 30.0 | 30.0 | 29.0 | **1,935.0** |
| OIL | 1973 | 60.6 | 36.9 | 49.7 | 38.2 | 37.4 | 27.3 | 45.9 | 21.1 | 25.0 | 52.8 | 32.6 | 39.3 | **6,087.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 28.0 | 29.0 | 16.0 | 25.0 | 31.0 | 28.0 | 30.0 | 30.0 | 29.0 | **1,588.0** |
| OIL | 1972 | 61.1 | 44.1 | 37.3 | 34.6 | 109.4 | 38.9 | 74.1 | 55.7 | 45.4 | 50.3 | 60.6 | 58.6 | **5,621.0** |
| DAY | 1971 | 31.0 | 26.0 | 31.0 | 22.0 | 27.0 | 23.0 | 25.0 | 26.0 | 23.0 | 29.0 | 29.0 | 31.0 | **1,251.0** |
| OIL | 1971 | 94.5 | 65.1 | 102.4 | 39.5 | 118.3 | 110.6 | 92.1 | 74.3 | 50.8 | 49.2 | 54.0 | 50.8 | **4,950.9** |
| DAY | 1970 | 21.0 | 26.0 | 31.0 | 16.0 | 21.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | **928.0** |
| OIL | 1970 | 85.0 | 106.1 | 139.8 | 69.2 | 93.7 | 99.3 | 92.1 | 90.7 | 73.0 | 75.4 | 77.8 | 64.3 | **4,049.3** |
| DAY | 1969 | 25.0 | 26.0 | 29.0 | 18.0 | 19.0 | 25.0 | 26.0 | 27.0 | 26.0 | 29.0 | 29.0 | 31.0 | **602.0** |
| OIL | 1969 | 102.4 | 124.7 | 110.4 | 69.9 | 86.9 | 106.4 | 112.0 | 112.8 | 104.0 | 108.6 | 94.5 | 96.9 | **2,982.9** |
| DAY | 1968 | 19.0 | 16.0 | 21.0 | 22.0 | 24.0 | 21.0 | 31.0 | 30.0 | 27.0 | 28.0 | 14.0 | 29.0 | **292.0** |
| OIL | 1968 | 140.4 | 123.9 | 136.9 | 160.8 | 155.7 | 165.4 | 177.3 | 150.9 | 138.2 | 125.5 | 64.3 | 121.5 | **1,753.4** |
| DAY | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | **10.0** |
| OIL | 1967 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 92.6 | **92.6** |

Licence ***2280*** Well Name ***Tundra et al Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-30-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 14.0 | 31.0 | **2,775.0** |
| H2O | 1975 | 59.8 | 53.9 | 59.5 | 57.4 | 61.4 | 62.2 | 64.1 | 61.4 | 58.8 | 55.8 | 48.5 | 64.1 | **4,791.8** |
| OIL | 1975 | 73.1 | 63.6 | 72.5 | 72.3 | 71.9 | 71.4 | 73.1 | 70.9 | 67.9 | 63.6 | 55.3 | 69.8 | **12,083.4** |
| DAY | 1974 | 30.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,430.0** |
| H2O | 1974 | 57.6 | 51.5 | 59.9 | 57.2 | 58.8 | 55.8 | 53.7 | 49.9 | 52.6 | 54.9 | 57.2 | 59.5 | **4,084.9** |
| OIL | 1974 | 74.7 | 71.7 | 80.0 | 80.0 | 80.6 | 76.0 | 72.5 | 75.8 | 71.7 | 76.2 | 70.1 | 73.9 | **11,258.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,070.0** |
| H2O | 1973 | 53.7 | 52.0 | 59.9 | 56.8 | 46.7 | 54.9 | 57.7 | 59.1 | 56.9 | 59.9 | 57.4 | 57.2 | **3,416.3** |
| OIL | 1973 | 100.4 | 88.6 | 98.3 | 94.3 | 80.5 | 91.5 | 95.1 | 90.8 | 81.4 | 83.0 | 72.0 | 77.9 | **10,354.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 25.0 | 29.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,712.0** |
| H2O | 1972 | 69.6 | 58.5 | 56.9 | 58.7 | 58.2 | 48.3 | 57.4 | 61.7 | 66.3 | 68.0 | 50.6 | 54.9 | **2,744.1** |
| OIL | 1972 | 142.7 | 135.7 | 142.8 | 136.3 | 140.1 | 111.2 | 128.8 | 136.6 | 120.4 | 117.6 | 103.2 | 102.0 | **9,301.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 23.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,354.0** |
| H2O | 1971 | 54.2 | 50.4 | 56.8 | 57.4 | 41.5 | 56.0 | 57.9 | 59.8 | 59.6 | 62.8 | 66.3 | 67.4 | **2,035.0** |
| OIL | 1971 | 157.3 | 140.0 | 152.7 | 144.7 | 116.4 | 149.2 | 153.3 | 149.0 | 141.7 | 145.7 | 142.8 | 145.2 | **7,783.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 17.0 | 18.0 | 30.0 | 31.0 | **997.0** |
| H2O | 1970 | 59.6 | 52.6 | 60.4 | 57.1 | 58.5 | 54.4 | 63.4 | 58.7 | 32.4 | 49.6 | 51.7 | 54.7 | **1,344.9** |
| OIL | 1970 | 149.2 | 135.8 | 151.7 | 140.9 | 145.2 | 132.0 | 158.4 | 136.3 | 75.1 | 98.3 | 154.6 | 161.3 | **6,045.6** |
| DAY | 1969 | 31.0 | 27.0 | 24.0 | 30.0 | 20.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | **659.0** |
| H2O | 1969 | 25.6 | 23.5 | 41.7 | 50.9 | 36.2 | 56.8 | 55.6 | 56.4 | 53.6 | 58.5 | 57.2 | 55.8 | **691.8** |
| OIL | 1969 | 209.8 | 171.8 | 160.3 | 202.3 | 135.2 | 200.4 | 203.7 | 199.6 | 181.0 | 174.0 | 153.5 | 153.0 | **4,406.8** |
| DAY | 1968 | 0.0 | 18.0 | 28.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **315.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 16.0 | 21.2 | 0.0 | 9.5 | 10.3 | 11.8 | 10.8 | 14.8 | 25.6 | **120.0** |
| OIL | 1968 | 0.0 | 105.8 | 220.1 | 235.4 | 210.2 | 222.5 | 227.3 | 219.8 | 208.0 | 210.9 | 201.5 | 200.7 | **2,262.2** |

Licence ***2281*** Well Name ***E. Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.15-11-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,827.0** |

# Manitoba Production
## 1950 To 1975

Licence ***2281*** Well Name ***E. Routledge Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.15-11-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1975 | 505.1 | 394.8 | 484.8 | 397.5 | 410.8 | 130.8 | 375.2 | 390.5 | 402.2 | 496.8 | 538.5 | 414.6 | **19,204.2** |
| OIL | 1975 | 118.8 | 102.3 | 108.5 | 96.5 | 94.8 | 98.3 | 95.4 | 91.1 | 92.7 | 72.3 | 86.3 | 72.8 | **13,950.2** |
| DAY | 1974 | 31.0 | 18.0 | 26.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,462.0** |
| H2O | 1974 | 512.7 | 310.2 | 409.4 | 480.0 | 490.8 | 507.8 | 205.1 | 478.1 | 487.0 | 441.8 | 509.7 | 498.7 | **14,262.6** |
| OIL | 1974 | 106.3 | 72.9 | 94.3 | 124.9 | 127.1 | 116.9 | 58.7 | 120.3 | 124.4 | 129.8 | 126.8 | 125.5 | **12,820.4** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,112.0** |
| H2O | 1973 | 182.2 | 186.5 | 171.7 | 173.1 | 212.1 | 79.8 | 49.3 | 46.9 | 487.9 | 524.2 | 486.5 | 541.7 | **8,931.3** |
| OIL | 1973 | 156.7 | 127.6 | 81.5 | 78.6 | 74.8 | 36.5 | 35.5 | 36.6 | 133.0 | 135.8 | 136.6 | 106.3 | **11,492.5** |
| DAY | 1972 | 31.0 | 14.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,747.0** |
| H2O | 1972 | 66.0 | 29.7 | 32.4 | 29.4 | 30.4 | 30.5 | 34.3 | 38.3 | 35.9 | 187.3 | 200.8 | 197.1 | **5,789.4** |
| OIL | 1972 | 91.6 | 41.2 | 45.4 | 42.3 | 46.0 | 46.8 | 50.9 | 55.7 | 52.7 | 152.7 | 127.9 | 162.5 | **10,353.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,396.0** |
| H2O | 1971 | 80.3 | 74.2 | 77.9 | 72.0 | 73.3 | 69.8 | 70.6 | 70.4 | 61.5 | 57.4 | 57.6 | 59.6 | **4,877.3** |
| OIL | 1971 | 175.3 | 154.8 | 166.5 | 146.6 | 150.8 | 145.1 | 138.9 | 131.7 | 124.9 | 118.8 | 107.4 | 101.5 | **9,437.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 26.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,031.0** |
| H2O | 1970 | 134.0 | 117.8 | 132.8 | 119.2 | 133.5 | 129.3 | 67.6 | 66.3 | 66.0 | 72.7 | 74.2 | 80.8 | **4,052.7** |
| OIL | 1970 | 231.4 | 199.9 | 225.7 | 195.6 | 201.8 | 195.3 | 192.3 | 181.9 | 174.3 | 176.5 | 176.7 | 185.1 | **7,775.0** |
| DAY | 1969 | 31.0 | 24.0 | 31.0 | 25.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **671.0** |
| H2O | 1969 | 164.5 | 131.9 | 153.0 | 119.1 | 147.8 | 162.7 | 148.2 | 135.6 | 141.7 | 127.5 | 136.6 | 124.8 | **2,858.5** |
| OIL | 1969 | 243.3 | 194.0 | 215.3 | 174.8 | 216.8 | 197.0 | 202.9 | 196.7 | 204.8 | 219.8 | 235.5 | 232.7 | **5,438.5** |
| DAY | 1968 | 0.0 | 16.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **320.0** |
| H2O | 1968 | 0.0 | 92.1 | 69.9 | 66.5 | 72.9 | 70.5 | 73.7 | 73.7 | 129.5 | 179.6 | 173.7 | 163.0 | **1,165.1** |
| OIL | 1968 | 0.0 | 150.9 | 306.4 | 295.6 | 296.4 | 262.2 | 277.3 | 277.3 | 274.2 | 260.8 | 252.7 | 251.1 | **2,904.9** |

Licence ***2288*** Well Name ***Tundra Pierson*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.04-19-003-28W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a B*** Field Code ***7*** Pool Code ***43B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **2,856.0** |
| H2O | 1975 | 54.9 | 47.5 | 45.8 | 45.8 | 54.1 | 51.0 | 57.9 | 40.9 | 64.7 | 57.7 | 53.9 | 56.3 | **2,784.9** |
| OIL | 1975 | 58.5 | 55.5 | 60.4 | 64.9 | 65.0 | 49.4 | 61.4 | 74.4 | 58.7 | 62.5 | 57.7 | 59.3 | **10,984.4** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,492.0** |
| H2O | 1974 | 53.4 | 45.9 | 48.0 | 50.7 | 59.9 | 49.3 | 61.4 | 51.0 | 42.4 | 50.4 | 59.1 | 47.7 | **2,154.4** |
| OIL | 1974 | 68.5 | 61.1 | 67.1 | 63.9 | 63.0 | 66.0 | 62.0 | 63.6 | 61.7 | 66.3 | 58.5 | 60.7 | **10,256.7** |
| DAY | 1973 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 25.0 | 27.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,127.0** |
| H2O | 1973 | 62.2 | 45.3 | 44.8 | 42.8 | 40.9 | 39.4 | 44.5 | 51.0 | 55.6 | 51.4 | 45.2 | 53.6 | **1,535.2** |
| OIL | 1973 | 81.5 | 73.5 | 76.8 | 76.8 | 63.7 | 56.2 | 64.0 | 70.7 | 68.5 | 69.5 | 62.6 | 68.4 | **9,494.3** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,775.0** |
| H2O | 1972 | 42.1 | 46.1 | 44.4 | 38.2 | 29.6 | 45.9 | 40.2 | 33.9 | 36.9 | 58.0 | 36.2 | 42.8 | **958.5** |
| OIL | 1972 | 98.3 | 86.5 | 92.1 | 91.3 | 92.3 | 89.7 | 90.2 | 91.6 | 83.1 | 89.3 | 81.8 | 84.2 | **8,662.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,409.0** |
| H2O | 1971 | 14.8 | 13.4 | 2.4 | 9.1 | 5.6 | 11.9 | 8.9 | 19.2 | 18.6 | 33.1 | 35.3 | 70.3 | **464.2** |
| OIL | 1971 | 110.7 | 108.6 | 108.8 | 131.1 | 123.6 | 114.8 | 120.9 | 106.7 | 94.2 | 106.1 | 95.8 | 100.2 | **7,591.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,045.0** |
| H2O | 1970 | 4.6 | 4.1 | 4.5 | 4.1 | 4.0 | 4.0 | 7.2 | 12.4 | 13.4 | 10.8 | 9.5 | 9.9 | **221.6** |
| OIL | 1970 | 151.7 | 138.5 | 145.7 | 133.4 | 129.3 | 128.0 | 137.3 | 139.7 | 125.3 | 120.9 | 137.6 | 138.5 | **6,270.2** |
| DAY | 1969 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **681.0** |
| H2O | 1969 | 6.8 | 6.0 | 5.6 | 3.7 | 14.3 | 3.2 | 1.7 | 1.6 | 1.6 | 3.0 | 4.8 | 4.8 | **133.1** |
| OIL | 1969 | 219.0 | 195.0 | 210.7 | 185.0 | 182.3 | 159.5 | 166.8 | 159.5 | 161.9 | 148.9 | 158.4 | 157.8 | **4,644.3** |
| DAY | 1968 | 0.0 | 16.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **319.0** |
| H2O | 1968 | 0.0 | 1.5 | 4.7 | 6.4 | 5.6 | 19.3 | 8.3 | 3.7 | 6.7 | 8.1 | 7.2 | 4.5 | **76.0** |
| OIL | 1968 | 0.0 | 81.1 | 250.3 | 209.6 | 208.0 | 192.3 | 255.4 | 311.5 | 297.7 | 269.2 | 239.5 | 224.9 | **2,539.5** |

# Manitoba Production
## 1950 To 1975

Licence ***2290*** Well Name ***Tacoma N. Pierson*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-18-003-28W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a B*** Field Code ***7*** Pool Code ***43B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1972 | 7.0 | 5.0 | 8.0 | 3.0 | 11.0 | 2.0 | 3.0 | 6.0 | 7.0 | 0.0 | 0.0 | 0.0 | **1,352.0** |
| H2O | 1972 | 14.0 | 10.7 | 14.8 | 4.6 | 13.2 | 4.5 | 5.9 | 10.5 | 15.8 | 0.0 | 0.0 | 0.0 | **962.4** |
| OIL | 1972 | 6.2 | 6.4 | 7.6 | 4.6 | 8.7 | 3.3 | 3.6 | 5.2 | 3.5 | 0.0 | 0.0 | 0.0 | **1,667.3** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 24.0 | 4.0 | 2.0 | 0.0 | **1,300.0** |
| H2O | 1971 | 25.4 | 21.5 | 28.5 | 28.3 | 23.1 | 30.0 | 34.8 | 41.0 | 36.1 | 8.9 | 5.6 | 0.0 | **868.4** |
| OIL | 1971 | 27.7 | 20.7 | 21.5 | 19.6 | 23.1 | 12.9 | 13.5 | 10.8 | 9.1 | 2.4 | 2.9 | 0.0 | **1,618.2** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,027.0** |
| H2O | 1970 | 23.8 | 24.8 | 27.7 | 26.6 | 26.4 | 24.2 | 25.3 | 26.6 | 35.3 | 28.5 | 18.3 | 25.6 | **585.2** |
| OIL | 1970 | 35.8 | 37.4 | 27.5 | 26.6 | 26.4 | 24.0 | 25.3 | 24.6 | 13.8 | 21.5 | 27.3 | 23.5 | **1,454.0** |
| DAY | 1969 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **662.0** |
| H2O | 1969 | 13.4 | 9.4 | 12.1 | 20.5 | 12.7 | 13.7 | 34.5 | 9.9 | 28.9 | 31.0 | 20.7 | 21.9 | **272.1** |
| OIL | 1969 | 53.6 | 42.8 | 48.5 | 38.5 | 47.5 | 38.6 | 30.2 | 23.8 | 18.6 | 21.5 | 31.2 | 32.8 | **1,140.3** |
| DAY | 1968 | 0.0 | 5.0 | 31.0 | 20.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **299.0** |
| H2O | 1968 | 0.0 | 0.6 | 1.3 | 1.6 | 2.4 | 1.9 | 1.1 | 4.8 | 5.4 | 7.6 | 8.6 | 8.1 | **43.4** |
| OIL | 1968 | 0.0 | 19.6 | 70.7 | 40.1 | 47.9 | 43.9 | 101.3 | 106.4 | 78.2 | 77.3 | 62.3 | 65.0 | **712.7** |

Licence ***2292*** Well Name ***Tundra Pierson*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-19-003-28W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a B*** Field Code ***7*** Pool Code ***43B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 30.0 | 5.0 | 31.0 | 30.0 | 31.0 | 30.0 | 12.0 | **2,775.0** |
| H2O | 1975 | 49.3 | 42.8 | 50.9 | 51.5 | 50.7 | 51.0 | 7.5 | 45.5 | 64.7 | 57.7 | 53.9 | 22.6 | **2,681.8** |
| OIL | 1975 | 58.5 | 55.5 | 60.4 | 64.9 | 60.9 | 49.4 | 9.9 | 74.4 | 58.7 | 62.6 | 57.7 | 23.7 | **10,676.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,457.0** |
| H2O | 1974 | 53.4 | 45.9 | 48.0 | 50.7 | 64.9 | 53.3 | 66.5 | 51.0 | 47.1 | 50.4 | 54.2 | 47.7 | **2,133.7** |
| OIL | 1974 | 68.5 | 61.1 | 67.1 | 63.9 | 63.1 | 65.8 | 62.0 | 63.6 | 61.7 | 66.3 | 58.5 | 65.8 | **10,039.6** |
| DAY | 1973 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 25.0 | 27.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,092.0** |
| H2O | 1973 | 50.1 | 36.2 | 43.2 | 47.1 | 40.9 | 39.4 | 44.5 | 51.0 | 50.1 | 45.6 | 49.6 | 53.6 | **1,500.6** |
| OIL | 1973 | 76.5 | 69.2 | 67.5 | 72.7 | 68.1 | 60.3 | 68.7 | 75.7 | 68.5 | 69.5 | 57.9 | 68.2 | **9,272.2** |
| DAY | 1972 | 31.0 | 24.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,741.0** |
| H2O | 1972 | 31.6 | 26.7 | 35.6 | 38.2 | 34.5 | 50.1 | 35.1 | 39.4 | 36.9 | 47.4 | 36.2 | 42.8 | **949.3** |
| OIL | 1972 | 78.9 | 78.4 | 96.7 | 101.3 | 92.4 | 89.7 | 85.8 | 86.9 | 87.3 | 84.6 | 81.6 | 84.2 | **8,449.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,383.0** |
| H2O | 1971 | 9.9 | 15.6 | 2.9 | 8.7 | 4.5 | 11.9 | 13.4 | 20.8 | 19.4 | 41.5 | 61.8 | 57.9 | **494.8** |
| OIL | 1971 | 110.6 | 108.6 | 113.3 | 127.1 | 112.9 | 110.2 | 131.1 | 106.6 | 98.8 | 106.1 | 95.8 | 90.0 | **7,401.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,019.0** |
| H2O | 1970 | 6.5 | 5.7 | 6.4 | 5.9 | 5.6 | 5.6 | 9.5 | 9.9 | 9.2 | 13.4 | 7.2 | 7.5 | **226.5** |
| OIL | 1970 | 158.6 | 144.9 | 152.2 | 139.5 | 135.2 | 133.8 | 137.4 | 139.7 | 115.0 | 115.8 | 132.2 | 133.0 | **6,090.5** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **655.0** |
| H2O | 1969 | 4.6 | 3.8 | 3.7 | 8.1 | 19.1 | 4.9 | 2.7 | 2.5 | 3.2 | 5.9 | 6.7 | 6.7 | **134.1** |
| OIL | 1969 | 227.4 | 187.7 | 204.7 | 187.8 | 170.2 | 166.0 | 181.3 | 173.4 | 161.9 | 195.8 | 165.7 | 164.9 | **4,453.2** |
| DAY | 1968 | 0.0 | 4.0 | 23.0 | 28.0 | 25.0 | 28.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **290.0** |
| H2O | 1968 | 0.0 | 0.4 | 0.2 | 5.0 | 5.1 | 18.6 | 4.9 | 2.7 | 7.5 | 5.7 | 4.9 | 7.2 | **62.2** |
| OIL | 1968 | 0.0 | 11.3 | 70.2 | 204.7 | 157.8 | 192.9 | 255.4 | 329.3 | 272.7 | 289.9 | 248.7 | 233.5 | **2,266.4** |

Licence ***2299*** Well Name ***Whistler Waskada*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-22-001-25W1.00*** Field Name ***Waskada*** Pool Name ***Mission Canyon 1 C*** Field Code ***3*** Pool Code ***44C*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 26.0 | 2.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | **56.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 54.3 | 52.3 | 0.0 | 13.4 | 0.0 | 0.0 | 0.0 | 0.0 | **120.0** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 121.8 | 90.6 | 18.4 | 4.4 | 0.0 | 0.0 | 0.0 | 0.0 | **235.2** |

# Manitoba Production
## 1950 To 1975

Licence ***2302*** Well Name ***Whistler Waskada*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-23-001-25W1.00*** Field Name ***Waskada*** Pool Name ***Mission Canyon 3a B*** Field Code ***3*** Pool Code ***43B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 27.0 | 26.0 | 23.0 | 20.0 | 31.0 | 0.0 | 0.0 | **135.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 3.7 | 20.1 | 0.3 | 1.0 | 0.2 | 1.1 | 0.0 | 0.0 | **26.4** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 45.8 | 65.9 | 80.1 | 63.2 | 66.3 | 77.7 | 0.0 | 0.0 | **399.0** |

Licence ***2303*** Well Name ***Tundra et al Waskada*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.13-19-001-25W1.00*** Field Name ***Waskada*** Pool Name ***Mission Canyon 3b A*** Field Code ***3*** Pool Code ***42A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 10.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 27.0 | 29.0 | **2,541.0** |
| H2O | 1975 | 7.6 | 7.3 | 7.6 | 7.5 | 2.4 | 7.3 | 7.9 | 7.0 | 6.4 | 6.8 | 5.4 | 4.1 | **1,277.1** |
| OIL | 1975 | 67.3 | 58.0 | 58.3 | 57.7 | 19.1 | 56.6 | 59.5 | 59.1 | 57.9 | 61.4 | 57.6 | 59.5 | **9,944.5** |
| DAY | 1974 | 30.0 | 28.0 | 31.0 | 22.0 | 4.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,204.0** |
| H2O | 1974 | 19.1 | 18.1 | 16.2 | 10.8 | 1.3 | 7.3 | 8.3 | 7.6 | 6.7 | 8.6 | 7.9 | 7.6 | **1,199.8** |
| OIL | 1974 | 65.1 | 62.2 | 53.5 | 59.5 | 14.6 | 85.9 | 78.9 | 75.7 | 69.8 | 73.9 | 76.3 | 66.8 | **9,272.5** |
| DAY | 1973 | 31.0 | 28.0 | 26.0 | 29.0 | 31.0 | 23.0 | 28.0 | 31.0 | 30.0 | 28.0 | 29.0 | 28.0 | **1,875.0** |
| H2O | 1973 | 7.6 | 10.2 | 13.4 | 35.1 | 33.9 | 29.3 | 27.3 | 28.0 | 27.0 | 22.6 | 23.5 | 21.0 | **1,080.3** |
| OIL | 1973 | 76.7 | 76.2 | 76.2 | 73.7 | 74.6 | 69.4 | 89.7 | 93.5 | 81.0 | 75.6 | 78.8 | 62.2 | **8,490.3** |
| DAY | 1972 | 6.0 | 27.0 | 27.0 | 29.0 | 18.0 | 27.0 | 29.0 | 31.0 | 29.0 | 21.0 | 30.0 | 25.0 | **1,533.0** |
| H2O | 1972 | 2.9 | 12.9 | 13.0 | 19.1 | 13.4 | 30.0 | 15.9 | 19.7 | 14.3 | 14.0 | 9.5 | 9.4 | **801.4** |
| OIL | 1972 | 24.5 | 128.7 | 133.0 | 119.8 | 71.1 | 98.6 | 105.9 | 111.7 | 82.9 | 52.7 | 119.8 | 88.9 | **7,562.7** |
| DAY | 1971 | 30.0 | 26.0 | 30.0 | 23.0 | 28.0 | 28.0 | 31.0 | 30.0 | 29.0 | 27.0 | 24.0 | 26.0 | **1,234.0** |
| H2O | 1971 | 15.3 | 13.0 | 14.3 | 9.2 | 13.4 | 11.8 | 14.8 | 14.3 | 13.8 | 12.9 | 14.8 | 13.4 | **627.3** |
| OIL | 1971 | 152.5 | 132.2 | 106.4 | 54.8 | 66.7 | 75.9 | 68.9 | 47.8 | 56.2 | 77.2 | 68.6 | 67.2 | **6,425.1** |
| DAY | 1970 | 30.0 | 28.0 | 31.0 | 30.0 | 26.0 | 28.0 | 31.0 | 27.0 | 28.0 | 31.0 | 30.0 | 30.0 | **902.0** |
| H2O | 1970 | 13.4 | 13.2 | 14.9 | 13.5 | 13.4 | 14.0 | 15.3 | 13.0 | 17.8 | 14.3 | 18.4 | 14.6 | **466.3** |
| OIL | 1970 | 190.7 | 178.0 | 192.6 | 126.6 | 161.3 | 151.6 | 167.5 | 137.3 | 139.2 | 167.5 | 154.0 | 153.5 | **5,450.7** |
| DAY | 1969 | 31.0 | 27.0 | 30.0 | 30.0 | 31.0 | 27.0 | 28.0 | 31.0 | 26.0 | 30.0 | 30.0 | 30.0 | **552.0** |
| H2O | 1969 | 14.8 | 12.9 | 14.3 | 14.3 | 13.8 | 12.9 | 13.2 | 15.9 | 12.4 | 14.9 | 5.7 | 14.0 | **290.5** |
| OIL | 1969 | 165.1 | 158.7 | 166.8 | 157.3 | 172.4 | 163.0 | 160.2 | 172.4 | 140.8 | 185.4 | 167.0 | 216.8 | **3,530.9** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 31.0 | 31.0 | 29.0 | 30.0 | 26.0 | 27.0 | **201.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.9 | 23.0 | 18.1 | 20.8 | 19.7 | 17.3 | 14.6 | **131.4** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 239.3 | 234.7 | 221.2 | 208.5 | 227.4 | 193.1 | 180.8 | **1,505.0** |

Licence ***2309*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-01-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,246.0** |
| H2O | 1975 | 484.1 | 431.3 | 480.0 | 389.3 | 526.9 | 427.7 | 376.3 | 465.8 | 432.7 | 445.8 | 456.6 | 457.5 | **17,288.8** |
| OIL | 1975 | 18.4 | 16.5 | 19.1 | 17.8 | 19.2 | 17.6 | 17.6 | 18.8 | 18.3 | 14.0 | 14.3 | 14.5 | **2,101.3** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 2.0 | 22.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | **1,881.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 12.7 | 33.2 | 327.8 | 421.6 | 399.0 | 388.1 | 341.3 | 418.9 | 405.2 | **11,914.8** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 3.7 | 22.9 | 25.6 | 13.3 | 13.0 | 12.4 | 13.0 | 13.2 | 15.4 | **1,895.2** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 6.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 0.0 | 0.0 | **1,650.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 35.5 | 201.3 | 172.3 | 197.1 | 226.1 | 223.0 | 234.0 | 0.0 | 0.0 | **9,167.0** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 6.7 | 32.9 | 30.4 | 31.1 | 63.2 | 62.8 | 60.5 | 0.0 | 0.0 | **1,762.7** |
| DAY | 1972 | 31.0 | 29.0 | 26.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 29.0 | 28.0 | 0.0 | 0.0 | **1,461.0** |
| H2O | 1972 | 171.5 | 162.2 | 146.4 | 177.7 | 201.9 | 206.5 | 207.5 | 187.8 | 191.6 | 182.5 | 0.0 | 0.0 | **7,877.7** |
| OIL | 1972 | 18.1 | 16.8 | 14.9 | 18.3 | 18.8 | 18.6 | 18.3 | 26.2 | 27.8 | 27.7 | 0.0 | 0.0 | **1,475.1** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,167.0** |
| H2O | 1971 | 106.4 | 100.0 | 99.4 | 94.8 | 179.2 | 170.6 | 154.4 | 169.5 | 145.0 | 172.7 | 164.7 | 170.6 | **6,042.1** |
| OIL | 1971 | 13.8 | 12.4 | 13.5 | 13.7 | 18.6 | 17.3 | 16.8 | 18.1 | 16.4 | 18.6 | 17.5 | 18.9 | **1,269.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 8.0 | 10.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | **808.0** |

# Manitoba Production
## 1950 To 1975

Licence ***2309*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-01-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1970 | 161.7 | 173.0 | 144.2 | 45.5 | 74.2 | 192.4 | 181.2 | 185.4 | 116.2 | 120.0 | 119.6 | 162.2 | **4,314.8** |
| OIL | 1970 | 34.6 | 30.8 | 33.8 | 5.7 | 8.7 | 22.4 | 16.2 | 28.8 | 12.4 | 11.4 | 11.9 | 12.9 | **1,074.0** |
| DAY | 1969 | 30.0 | 26.0 | 28.0 | 11.0 | 24.0 | 29.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **491.0** |
| H2O | 1969 | 161.7 | 154.7 | 150.6 | 61.8 | 166.1 | 166.1 | 143.6 | 213.8 | 155.6 | 187.1 | 172.0 | 187.8 | **2,639.2** |
| OIL | 1969 | 48.9 | 40.5 | 43.1 | 15.3 | 41.2 | 43.5 | 28.4 | 34.0 | 37.3 | 37.3 | 34.5 | 36.2 | **844.4** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 28.0 | 14.0 | 19.0 | 28.0 | 30.0 | 30.0 | **166.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 65.6 | 107.5 | 60.3 | 84.1 | 125.8 | 131.0 | 144.0 | **718.3** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 66.8 | 88.8 | 45.4 | 40.5 | 59.1 | 52.3 | 51.3 | **404.2** |

Licence ***2310*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-33-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1497.0 | 1380.7 | 759.8 | 430.5 | 893.5 | 812.4 | 848.5 | 810.3 | 1164.2 | 1030.8 | 849.9 | 918.0 | **41,236.9** |
| WIN | 1974 | 1354.8 | 1366.1 | 1460.5 | 1457.5 | 1552.4 | 1430.8 | 1025.9 | 1322.4 | 1286.0 | 1355.5 | 1329.1 | 1439.9 | **29,841.3** |
| WIN | 1973 | 0.0 | 233.7 | 272.0 | 297.6 | 179.0 | 935.4 | 826.1 | 854.7 | 1074.9 | 974.9 | 1097.1 | 984.2 | **13,460.4** |
| WIN | 1972 | 146.3 | 97.9 | 148.2 | 135.6 | 128.9 | 523.2 | 833.4 | 772.3 | 851.5 | 1019.4 | 925.9 | 148.2 | **5,730.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 23.0 | 0.0 | **1,232.0** |
| H2O | 1971 | 3.0 | 5.0 | 19.4 | 3.0 | 5.1 | 2.5 | 46.4 | 18.1 | 20.0 | 16.4 | 9.4 | 0.0 | **206.1** |
| OIL | 1971 | 170.8 | 156.7 | 173.1 | 155.4 | 157.3 | 149.2 | 149.5 | 146.7 | 129.5 | 136.7 | 77.4 | 0.0 | **7,935.6** |
| DAY | 1970 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **905.0** |
| H2O | 1970 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 7.6 | 4.8 | 4.6 | 9.1 | 5.7 | 6.5 | 6.8 | **57.8** |
| OIL | 1970 | 209.1 | 173.7 | 198.3 | 201.3 | 205.3 | 182.4 | 189.7 | 176.7 | 185.1 | 186.1 | 161.0 | 166.9 | **6,333.3** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 23.0 | 28.0 | 31.0 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | **542.0** |
| H2O | 1969 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **10.3** |
| OIL | 1969 | 239.2 | 218.5 | 241.1 | 229.5 | 175.1 | 229.3 | 220.9 | 225.8 | 212.1 | 227.9 | 196.9 | 222.2 | **4,097.7** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **190.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.2 | 0.0 | 4.1 | 1.9 | **8.2** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 69.4 | 213.4 | 278.9 | 231.7 | 222.3 | 202.9 | 240.6 | **1,459.2** |

Licence ***2311*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-12-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,577.0** |
| H2O | 1975 | 346.1 | 308.3 | 343.1 | 278.4 | 376.8 | 305.7 | 282.8 | 240.9 | 223.8 | 262.3 | 268.7 | 269.2 | **10,246.4** |
| OIL | 1975 | 58.8 | 52.6 | 61.0 | 57.0 | 61.5 | 56.6 | 59.4 | 79.0 | 76.6 | 76.4 | 77.9 | 79.5 | **5,796.5** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 20.0 | 31.0 | 30.0 | 31.0 | **2,212.0** |
| H2O | 1974 | 336.4 | 305.1 | 294.1 | 331.8 | 367.9 | 340.4 | 351.5 | 339.3 | 152.8 | 266.5 | 324.3 | 363.0 | **6,740.3** |
| OIL | 1974 | 59.8 | 52.9 | 56.6 | 54.7 | 57.5 | 59.6 | 53.6 | 58.2 | 26.2 | 55.0 | 54.7 | 61.8 | **5,000.2** |
| DAY | 1973 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,861.0** |
| H2O | 1973 | 43.9 | 40.5 | 39.6 | 42.8 | 48.5 | 41.5 | 38.5 | 46.1 | 45.2 | 49.3 | 37.7 | 356.8 | **2,967.2** |
| OIL | 1973 | 49.9 | 43.5 | 45.4 | 52.9 | 76.1 | 70.2 | 58.6 | 73.6 | 72.3 | 72.9 | 64.5 | 61.2 | **4,349.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 18.0 | 27.0 | 31.0 | **1,505.0** |
| H2O | 1972 | 39.0 | 36.9 | 39.9 | 40.5 | 42.8 | 47.1 | 49.0 | 46.7 | 47.7 | 28.3 | 41.3 | 48.6 | **2,136.8** |
| OIL | 1972 | 49.4 | 45.8 | 48.6 | 49.9 | 47.8 | 50.7 | 51.6 | 43.1 | 45.8 | 28.3 | 41.8 | 49.4 | **3,608.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **1,157.0** |
| H2O | 1971 | 44.0 | 41.3 | 41.2 | 39.3 | 40.9 | 33.7 | 35.3 | 38.5 | 33.1 | 39.4 | 37.5 | 39.0 | **1,629.0** |
| OIL | 1971 | 67.4 | 60.9 | 65.3 | 65.9 | 69.8 | 51.0 | 57.8 | 49.6 | 44.2 | 50.5 | 47.8 | 51.5 | **3,056.3** |
| DAY | 1970 | 31.0 | 27.0 | 31.0 | 10.0 | 12.0 | 27.0 | 31.0 | 31.0 | 28.0 | 31.0 | 27.0 | 31.0 | **794.0** |
| H2O | 1970 | 51.2 | 37.2 | 46.7 | 7.9 | 22.1 | 37.4 | 47.5 | 44.0 | 41.2 | 46.7 | 43.9 | 47.7 | **1,165.8** |
| OIL | 1970 | 72.6 | 61.5 | 68.8 | 20.7 | 26.7 | 59.0 | 68.3 | 66.1 | 66.7 | 70.6 | 57.5 | 64.2 | **2,374.6** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 12.0 | 24.0 | 28.0 | 24.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **477.0** |

# Manitoba Production
## 1950 To 1975

Licence ***2311*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-12-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1969 | 55.0 | 42.1 | 52.9 | 17.2 | 52.9 | 39.3 | 33.9 | 36.2 | 33.2 | 39.6 | 51.7 | 50.2 | **692.3** |
| OIL | 1969 | 121.9 | 106.2 | 116.6 | 40.2 | 85.8 | 97.3 | 77.5 | 97.7 | 91.8 | 97.9 | 78.3 | 80.2 | **1,671.9** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 28.0 | 16.0 | 12.0 | 28.0 | 30.0 | 31.0 | **147.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.2 | 70.1 | 22.3 | 17.0 | 8.1 | 5.1 | 49.3 | **188.1** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.2 | 153.5 | 73.6 | 88.7 | 67.5 | 56.3 | 115.7 | **580.5** |

Licence ***2314*** Well Name ***Tundra Pierson*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.02-21-003-28W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a B*** Field Code ***7*** Pool Code ***43B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 27.0 | 13.0 | 0.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,610.0** |
| H2O | 1975 | 4.8 | 4.3 | 2.1 | 0.0 | 2.4 | 2.4 | 2.4 | 2.4 | 4.8 | 4.9 | 4.8 | 4.9 | **723.2** |
| OIL | 1975 | 37.2 | 34.7 | 16.7 | 0.0 | 43.2 | 52.5 | 55.5 | 51.7 | 44.5 | 42.0 | 42.1 | 37.5 | **5,476.8** |
| DAY | 1974 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 28.0 | 31.0 | 30.0 | 29.0 | **2,295.0** |
| H2O | 1974 | 2.4 | 2.2 | 2.4 | 2.4 | 4.9 | 4.8 | 4.9 | 4.6 | 4.5 | 4.9 | 2.4 | 2.4 | **683.0** |
| OIL | 1974 | 41.8 | 42.9 | 47.7 | 43.9 | 41.7 | 41.5 | 39.6 | 46.1 | 39.7 | 45.8 | 39.6 | 41.0 | **5,019.2** |
| DAY | 1973 | 31.0 | 26.0 | 20.0 | 12.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,937.0** |
| H2O | 1973 | 4.3 | 6.0 | 4.5 | 2.5 | 8.3 | 7.3 | 4.6 | 2.1 | 4.1 | 4.5 | 2.1 | 2.4 | **640.2** |
| OIL | 1973 | 53.3 | 39.7 | 19.9 | 11.4 | 71.1 | 57.7 | 53.4 | 48.0 | 45.2 | 44.7 | 47.2 | 51.7 | **4,507.9** |
| DAY | 1972 | 25.0 | 25.0 | 22.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,603.0** |
| H2O | 1972 | 9.2 | 6.0 | 7.0 | 7.2 | 9.9 | 6.8 | 5.4 | 4.5 | 6.7 | 5.1 | 7.8 | 7.0 | **587.5** |
| OIL | 1972 | 68.5 | 51.5 | 35.6 | 65.8 | 59.3 | 40.5 | 53.7 | 49.3 | 49.6 | 50.2 | 43.4 | 39.1 | **3,964.6** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 25.0 | **1,256.0** |
| H2O | 1971 | 8.4 | 12.4 | 17.8 | 17.5 | 30.7 | 11.3 | 9.7 | 7.5 | 7.2 | 8.9 | 7.0 | 9.2 | **504.9** |
| OIL | 1971 | 51.1 | 44.7 | 53.4 | 49.1 | 47.1 | 44.2 | 65.0 | 42.0 | 44.7 | 44.5 | 46.1 | 35.0 | **3,358.1** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **901.0** |
| H2O | 1970 | 5.6 | 15.7 | 15.4 | 13.2 | 25.4 | 23.2 | 10.2 | 18.1 | 14.8 | 20.2 | 14.1 | 11.0 | **357.3** |
| OIL | 1970 | 86.1 | 64.3 | 64.9 | 77.0 | 77.8 | 50.9 | 48.2 | 47.1 | 60.2 | 60.0 | 58.2 | 66.4 | **2,791.2** |
| DAY | 1969 | 31.0 | 26.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **536.0** |
| H2O | 1969 | 7.1 | 5.5 | 3.3 | 6.2 | 7.8 | 9.5 | 23.4 | 13.4 | 7.2 | 19.9 | 14.5 | 14.8 | **170.4** |
| OIL | 1969 | 112.0 | 86.4 | 74.8 | 83.8 | 104.4 | 73.7 | 67.9 | 73.7 | 72.7 | 74.1 | 81.0 | 71.0 | **2,030.1** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | **175.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.3 | 5.0 | 6.4 | 5.6 | 5.5 | 9.0 | **37.8** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 249.0 | 204.4 | 184.0 | 142.7 | 154.1 | 120.4 | **1,054.6** |

Licence ***2318*** Well Name ***Enerplus Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***102.10-29-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1970 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 26.0 | 19.0 | 30.0 | 30.0 | 6.0 | 0.0 | 0.0 | **709.0** |
| H2O | 1970 | 893.0 | 847.1 | 731.0 | 821.3 | 826.6 | 663.9 | 432.4 | 999.6 | 909.2 | 142.4 | 0.0 | 0.0 | **18,528.3** |
| OIL | 1970 | 68.0 | 64.2 | 50.7 | 57.8 | 38.8 | 28.8 | 16.8 | 10.5 | 10.5 | 2.9 | 0.0 | 0.0 | **1,217.0** |
| DAY | 1969 | 31.0 | 28.0 | 28.0 | 30.0 | 31.0 | 29.0 | 29.0 | 29.0 | 20.0 | 14.0 | 30.0 | 31.0 | **450.0** |
| H2O | 1969 | 719.4 | 673.8 | 655.0 | 731.5 | 803.2 | 618.0 | 717.8 | 605.7 | 502.4 | 342.0 | 884.9 | 905.3 | **11,261.8** |
| OIL | 1969 | 58.3 | 52.5 | 47.1 | 29.9 | 32.0 | 25.0 | 26.6 | 24.8 | 21.0 | 14.6 | 80.8 | 68.8 | **868.0** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 30.0 | 30.0 | 31.0 | **120.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 867.2 | 493.3 | 991.9 | 750.4 | **3,102.8** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 117.1 | 121.9 | 80.7 | 66.9 | **386.6** |

Licence ***2319*** Well Name ***Tundra Tri-West Waskada*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-19-001-25W1.00*** Field Name ***Waskada*** Pool Name ***Mission Canyon 3b A*** Field Code ***3*** Pool Code ***42A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***2319*** Well Name ***Tundra Tri-West Waskada*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-19-001-25W1.00*** Field Name ***Waskada*** Pool Name ***Mission Canyon 3b A*** Field Code ***3*** Pool Code ***42A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 10.0 | 28.0 | 24.0 | 30.0 | 19.0 | 26.0 | 28.0 | 30.0 | **2,330.0** |
| OIL | 1975 | 66.9 | 57.7 | 58.0 | 57.4 | 18.8 | 52.8 | 48.8 | 63.3 | 37.2 | 58.3 | 58.5 | 60.9 | **7,196.5** |
| DAY | 1974 | 29.0 | 26.0 | 19.0 | 0.0 | 0.0 | 20.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,015.0** |
| H2O | 1974 | 4.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **175.4** |
| OIL | 1974 | 34.0 | 30.4 | 18.1 | 0.0 | 0.0 | 50.9 | 72.5 | 69.3 | 57.2 | 66.8 | 76.6 | 66.5 | **6,557.9** |
| DAY | 1973 | 31.0 | 27.0 | 26.0 | 30.0 | 31.0 | 27.0 | 28.0 | 30.0 | 29.0 | 28.0 | 30.0 | 26.0 | **1,737.0** |
| H2O | 1973 | 2.5 | 4.1 | 5.7 | 9.5 | 9.5 | 8.6 | 8.9 | 9.5 | 9.5 | 8.6 | 9.2 | 6.4 | **170.8** |
| OIL | 1973 | 54.2 | 62.8 | 61.5 | 63.3 | 64.9 | 47.2 | 55.5 | 52.5 | 50.7 | 48.7 | 51.8 | 45.5 | **6,015.6** |
| DAY | 1972 | 29.0 | 28.0 | 25.0 | 30.0 | 20.0 | 29.0 | 30.0 | 31.0 | 29.0 | 29.0 | 29.0 | 28.0 | **1,394.0** |
| H2O | 1972 | 0.0 | 8.9 | 7.9 | 7.9 | 5.1 | 9.2 | 4.8 | 5.1 | 4.8 | 6.4 | 9.2 | 0.0 | **78.8** |
| OIL | 1972 | 94.8 | 91.3 | 67.5 | 73.0 | 56.6 | 69.2 | 53.6 | 50.9 | 50.9 | 46.6 | 59.9 | 57.9 | **5,357.0** |
| DAY | 1971 | 30.0 | 22.0 | 29.0 | 24.0 | 22.0 | 26.0 | 29.0 | 28.0 | 26.0 | 27.0 | 27.0 | 26.0 | **1,057.0** |
| OIL | 1971 | 134.6 | 97.8 | 87.0 | 73.8 | 73.8 | 92.3 | 82.7 | 75.6 | 70.2 | 102.0 | 101.7 | 80.8 | **4,584.8** |
| DAY | 1970 | 30.0 | 27.0 | 31.0 | 26.0 | 26.0 | 28.0 | 25.0 | 30.0 | 28.0 | 30.0 | 29.0 | 28.0 | **741.0** |
| OIL | 1970 | 152.8 | 144.1 | 153.8 | 128.0 | 135.8 | 123.1 | 99.6 | 119.1 | 97.8 | 133.4 | 128.7 | 125.2 | **3,512.5** |
| DAY | 1969 | 31.0 | 18.0 | 27.0 | 29.0 | 29.0 | 27.0 | 30.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **403.0** |
| H2O | 1969 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.2 | 0.0 | **9.5** |
| OIL | 1969 | 152.7 | 72.7 | 136.0 | 121.7 | 85.6 | 104.0 | 165.2 | 157.5 | 147.8 | 162.5 | 152.1 | 160.2 | **1,971.1** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | **61.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.8 | **1.8** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 190.7 | 162.4 | **353.1** |

Licence ***2321*** Well Name ***E. Routledge Unit No. 1 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.14-11-009-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole D*** Field Code ***5*** Pool Code ***59D*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1232.1 | 1057.2 | 1176.5 | 1120.8 | 1108.9 | 1097.0 | 973.0 | 1187.6 | 1175.7 | 1232.1 | 998.4 | 850.5 | **43,213.3** |
| WIN | 1974 | 1218.7 | 1101.7 | 1232.1 | 1192.4 | 1244.0 | 1275.8 | 1287.7 | 1192.4 | 1248.0 | 1192.4 | 1192.4 | 1232.1 | **30,003.5** |
| WIN | 1973 | 940.0 | 962.6 | 1341.3 | 1192.4 | 1232.1 | 1192.4 | 1251.6 | 1232.1 | 1192.4 | 1232.1 | 1254.7 | 1183.3 | **15,393.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 6.0 | 0.0 | 0.0 | **1,493.0** |
| H2O | 1972 | 93.2 | 80.4 | 87.6 | 79.5 | 82.0 | 82.7 | 93.0 | 103.7 | 96.7 | 39.5 | 0.0 | 0.0 | **6,806.7** |
| OIL | 1972 | 13.0 | 13.0 | 14.3 | 13.4 | 14.3 | 14.5 | 15.6 | 17.1 | 16.1 | 3.2 | 0.0 | 0.0 | **1,344.1** |
| WIN | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 240.1 | 946.7 | **1,186.8** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,213.0** |
| H2O | 1971 | 112.9 | 104.5 | 109.7 | 101.3 | 103.2 | 98.3 | 99.7 | 99.4 | 87.0 | 81.1 | 81.2 | 84.1 | **5,968.4** |
| OIL | 1971 | 24.5 | 21.6 | 23.2 | 20.5 | 21.1 | 20.4 | 19.6 | 18.6 | 17.6 | 16.9 | 15.3 | 14.5 | **1,209.6** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **848.0** |
| H2O | 1970 | 166.9 | 146.6 | 165.2 | 161.4 | 165.3 | 159.9 | 95.4 | 93.5 | 93.0 | 102.4 | 104.6 | 113.7 | **4,806.0** |
| OIL | 1970 | 30.8 | 26.7 | 30.2 | 29.3 | 28.6 | 27.7 | 27.0 | 25.6 | 24.5 | 24.8 | 24.8 | 25.9 | **975.8** |
| DAY | 1969 | 31.0 | 24.0 | 31.0 | 30.0 | 31.0 | 26.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **486.0** |
| H2O | 1969 | 235.8 | 187.6 | 217.8 | 196.7 | 211.1 | 189.2 | 172.3 | 157.6 | 164.6 | 147.7 | 170.1 | 155.5 | **3,238.1** |
| OIL | 1969 | 50.8 | 38.2 | 42.3 | 38.2 | 38.3 | 30.2 | 31.2 | 30.2 | 31.5 | 27.8 | 31.5 | 31.0 | **649.9** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 30.0 | 31.0 | 30.0 | 31.0 | **131.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 85.9 | 230.5 | 244.8 | 237.2 | 233.7 | **1,032.1** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.9 | 57.0 | 54.0 | 52.4 | 52.4 | **228.7** |

Licence ***2324*** Well Name ***Tundra Pierson*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.04-21-003-28W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a B*** Field Code ***7*** Pool Code ***43B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 27.0 | 13.0 | 0.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,598.0** |
| H2O | 1975 | 9.5 | 8.6 | 4.1 | 0.0 | 12.2 | 14.3 | 14.8 | 14.8 | 9.5 | 9.9 | 9.5 | 9.9 | **1,937.1** |
| OIL | 1975 | 25.9 | 24.3 | 11.8 | 0.0 | 34.5 | 33.4 | 32.3 | 30.0 | 32.9 | 31.0 | 29.6 | 26.2 | **3,606.1** |

# Manitoba Production
## 1950 To 1975

Licence ***2324*** Well Name ***Tundra Pierson*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.04-21-003-28W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a B*** Field Code ***7*** Pool Code ***43B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1974 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 25.0 | 30.0 | 31.0 | **2,283.0** |
| H2O | 1974 | 12.4 | 11.1 | 11.9 | 11.9 | 9.9 | 9.5 | 9.9 | 9.9 | 14.3 | 7.9 | 14.3 | 12.2 | **1,820.0** |
| OIL | 1974 | 26.7 | 27.3 | 30.4 | 28.0 | 37.0 | 36.9 | 35.1 | 29.6 | 27.2 | 27.2 | 30.7 | 34.2 | **3,294.2** |
| DAY | 1973 | 23.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,925.0** |
| H2O | 1973 | 20.0 | 17.2 | 18.4 | 15.3 | 21.6 | 19.2 | 12.1 | 8.9 | 12.4 | 13.2 | 12.2 | 12.4 | **1,684.8** |
| OIL | 1973 | 31.2 | 34.3 | 37.0 | 30.5 | 32.8 | 26.7 | 24.6 | 26.2 | 29.3 | 28.9 | 31.5 | 32.9 | **2,923.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,568.0** |
| H2O | 1972 | 35.3 | 18.4 | 19.7 | 16.7 | 17.3 | 12.1 | 17.5 | 18.0 | 18.1 | 18.3 | 15.7 | 14.1 | **1,501.9** |
| OIL | 1972 | 39.3 | 36.6 | 38.2 | 40.5 | 39.6 | 27.0 | 35.8 | 35.9 | 36.1 | 36.6 | 35.5 | 32.1 | **2,558.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 30.0 | 31.0 | 26.0 | 31.0 | **1,202.0** |
| H2O | 1971 | 14.5 | 23.4 | 39.1 | 35.6 | 16.5 | 33.4 | 18.9 | 16.7 | 14.1 | 17.8 | 22.9 | 35.3 | **1,280.7** |
| OIL | 1971 | 45.5 | 39.9 | 53.3 | 42.0 | 37.0 | 23.8 | 45.2 | 34.3 | 37.4 | 35.5 | 41.5 | 31.6 | **2,124.8** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **848.0** |
| H2O | 1970 | 13.2 | 36.6 | 36.1 | 31.0 | 38.0 | 34.8 | 41.0 | 54.2 | 44.5 | 39.0 | 24.5 | 20.2 | **992.5** |
| OIL | 1970 | 50.6 | 37.7 | 38.2 | 45.2 | 45.7 | 29.8 | 44.6 | 37.1 | 47.3 | 47.2 | 51.8 | 59.0 | **1,657.8** |
| DAY | 1969 | 31.0 | 26.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **483.0** |
| H2O | 1969 | 41.8 | 35.0 | 16.1 | 24.8 | 27.7 | 18.9 | 46.7 | 26.7 | 13.5 | 46.1 | 33.7 | 34.3 | **579.4** |
| OIL | 1969 | 81.1 | 67.8 | 45.2 | 40.3 | 78.8 | 62.7 | 60.3 | 65.2 | 64.6 | 47.9 | 47.6 | 41.6 | **1,123.6** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.0 | 31.0 | 30.0 | 31.0 | **122.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 80.4 | 65.0 | 23.7 | 45.0 | **214.1** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 137.7 | 110.4 | 88.9 | 83.5 | **420.5** |

Licence ***2325*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.10-02-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,432.0** |
| H2O | 1975 | 200.5 | 178.1 | 192.4 | 184.9 | 197.8 | 125.0 | 140.1 | 135.6 | 142.9 | 149.1 | 142.1 | 152.0 | **12,560.7** |
| OIL | 1975 | 73.3 | 65.5 | 73.3 | 66.9 | 74.1 | 55.5 | 59.0 | 58.5 | 57.2 | 58.2 | 55.6 | 56.4 | **6,781.7** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 28.0 | 31.0 | 31.0 | 25.0 | 29.0 | 30.0 | 31.0 | **2,069.0** |
| H2O | 1974 | 155.8 | 147.2 | 168.5 | 165.7 | 150.2 | 164.9 | 175.2 | 175.7 | 143.1 | 180.5 | 190.6 | 197.6 | **10,620.2** |
| OIL | 1974 | 78.0 | 73.0 | 80.4 | 76.2 | 70.1 | 79.1 | 88.9 | 86.9 | 74.8 | 69.6 | 72.1 | 73.3 | **6,028.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,717.0** |
| H2O | 1973 | 231.8 | 196.2 | 230.5 | 214.3 | 222.9 | 223.2 | 197.5 | 206.0 | 223.2 | 169.5 | 164.9 | 166.3 | **8,605.2** |
| OIL | 1973 | 95.9 | 84.6 | 92.3 | 88.1 | 86.9 | 87.8 | 88.8 | 76.9 | 83.3 | 78.5 | 81.7 | 80.8 | **5,105.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,352.0** |
| H2O | 1972 | 265.8 | 256.4 | 278.4 | 248.3 | 266.1 | 256.1 | 236.6 | 223.2 | 249.0 | 188.9 | 257.6 | 221.9 | **6,158.9** |
| OIL | 1972 | 116.3 | 108.9 | 116.4 | 108.0 | 110.1 | 105.2 | 103.9 | 102.1 | 97.5 | 91.2 | 95.3 | 95.9 | **4,080.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 13.0 | 20.0 | 22.0 | 26.0 | 31.0 | 29.0 | 30.0 | 30.0 | 31.0 | **988.0** |
| H2O | 1971 | 42.0 | 32.1 | 51.5 | 8.6 | 22.7 | 123.7 | 186.0 | 300.5 | 281.9 | 256.3 | 261.1 | 290.6 | **3,210.6** |
| OIL | 1971 | 56.6 | 49.3 | 33.2 | 41.2 | 30.8 | 45.6 | 125.5 | 147.4 | 108.9 | 129.3 | 73.9 | 166.3 | **2,829.4** |
| DAY | 1970 | 29.0 | 28.0 | 31.0 | 9.0 | 0.0 | 0.0 | 17.0 | 19.0 | 21.0 | 15.0 | 27.0 | 31.0 | **666.0** |
| H2O | 1970 | 93.0 | 76.9 | 80.0 | 17.2 | 0.0 | 0.0 | 39.6 | 16.5 | 36.9 | 25.8 | 58.3 | 45.5 | **1,353.6** |
| OIL | 1970 | 69.2 | 72.1 | 75.6 | 23.9 | 0.0 | 0.0 | 43.1 | 44.1 | 43.1 | 32.2 | 53.8 | 58.4 | **1,821.4** |
| DAY | 1969 | 13.0 | 28.0 | 31.0 | 13.0 | 24.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **439.0** |
| H2O | 1969 | 32.7 | 67.6 | 75.3 | 31.7 | 43.8 | 51.6 | 52.0 | 55.2 | 41.2 | 58.8 | 60.9 | 59.1 | **863.9** |
| OIL | 1969 | 37.7 | 83.1 | 88.2 | 36.9 | 64.4 | 77.9 | 75.8 | 71.0 | 74.7 | 74.5 | 69.8 | 69.9 | **1,305.9** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 30.0 | 30.0 | 31.0 | **118.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 35.6 | 68.7 | 61.7 | 68.0 | **234.0** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 139.7 | 130.4 | 103.1 | 108.8 | **482.0** |

Licence ***2327*** Well Name ***Tacoma N. Pierson*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***2327*** Well Name ***Tacoma N. Pierson*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-16-003-28W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a B*** Field Code ***7*** Pool Code ***43B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 7.0 | 0.0 | 11.0 | 30.0 | 31.0 | 30.0 | 30.0 | 28.0 | 6.0 | 0.0 | 0.0 | 0.0 | **1,997.0** |
| H2O | 1975 | 6.5 | 0.0 | 17.5 | 40.9 | 25.6 | 22.3 | 21.6 | 19.1 | 5.6 | 0.0 | 0.0 | 0.0 | **2,074.5** |
| OIL | 1975 | 4.5 | 0.0 | 28.6 | 30.7 | 27.8 | 22.1 | 23.5 | 20.4 | 5.4 | 0.0 | 0.0 | 0.0 | **1,951.1** |
| DAY | 1974 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.0 | 27.0 | 31.0 | 25.0 | 31.0 | 30.0 | 30.0 | **1,824.0** |
| H2O | 1974 | 4.3 | 0.0 | 0.0 | 0.0 | 0.0 | 23.2 | 24.5 | 27.2 | 21.1 | 26.7 | 21.3 | 27.5 | **1,915.4** |
| OIL | 1974 | 6.7 | 0.0 | 0.0 | 0.0 | 0.0 | 23.1 | 31.2 | 28.1 | 24.0 | 36.9 | 24.0 | 25.4 | **1,788.1** |
| DAY | 1973 | 25.0 | 28.0 | 31.0 | 29.0 | 31.0 | 17.0 | 0.0 | 0.0 | 0.0 | 26.0 | 30.0 | 24.0 | **1,631.0** |
| H2O | 1973 | 20.2 | 21.1 | 20.0 | 18.3 | 19.7 | 11.8 | 0.0 | 0.0 | 0.0 | 27.5 | 31.2 | 18.1 | **1,739.6** |
| OIL | 1973 | 20.4 | 21.1 | 26.4 | 27.3 | 23.2 | 13.7 | 0.0 | 0.0 | 0.0 | 41.3 | 36.4 | 28.3 | **1,588.7** |
| DAY | 1972 | 17.0 | 22.0 | 24.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | **1,390.0** |
| H2O | 1972 | 16.7 | 20.0 | 18.9 | 21.3 | 18.0 | 21.3 | 15.6 | 24.6 | 20.8 | 20.0 | 22.1 | 21.9 | **1,551.7** |
| OIL | 1972 | 17.5 | 21.0 | 24.0 | 29.4 | 22.7 | 21.1 | 23.5 | 24.6 | 21.8 | 21.0 | 22.3 | 21.9 | **1,350.6** |
| DAY | 1971 | 25.0 | 14.0 | 17.0 | 28.0 | 25.0 | 25.0 | 29.0 | 31.0 | 29.0 | 29.0 | 30.0 | 31.0 | **1,061.0** |
| H2O | 1971 | 25.4 | 19.9 | 21.0 | 24.8 | 19.6 | 44.4 | 25.1 | 20.4 | 23.2 | 22.9 | 20.0 | 25.9 | **1,310.5** |
| OIL | 1971 | 26.4 | 19.9 | 21.0 | 24.8 | 27.0 | 11.1 | 25.1 | 28.1 | 29.6 | 29.3 | 25.6 | 25.9 | **1,079.8** |
| DAY | 1970 | 31.0 | 25.0 | 26.0 | 27.0 | 28.0 | 29.0 | 31.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | **748.0** |
| H2O | 1970 | 25.8 | 25.6 | 26.4 | 22.6 | 25.6 | 31.0 | 26.7 | 27.8 | 29.7 | 29.9 | 28.1 | 24.5 | **1,017.9** |
| OIL | 1970 | 27.8 | 27.8 | 28.5 | 24.5 | 27.8 | 20.7 | 21.8 | 17.0 | 18.9 | 23.5 | 23.1 | 25.4 | **786.0** |
| DAY | 1969 | 0.0 | 22.0 | 27.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **401.0** |
| H2O | 1969 | 0.0 | 46.4 | 54.2 | 36.1 | 39.1 | 38.3 | 85.7 | 49.0 | 35.0 | 34.2 | 29.7 | 28.8 | **694.2** |
| OIL | 1969 | 0.0 | 52.6 | 39.3 | 37.7 | 36.1 | 30.2 | 29.9 | 21.0 | 17.3 | 25.8 | 32.1 | 31.2 | **499.2** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 10.0 | 30.0 | 30.0 | **77.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 35.1 | 43.4 | 74.2 | 65.0 | **217.7** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 35.3 | 35.6 | 40.1 | 35.0 | **146.0** |

Licence ***2328*** Well Name ***Tacoma N. Pierson*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.14-17-003-28W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a B*** Field Code ***7*** Pool Code ***43B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 19.0 | 0.0 | 0.0 | **35.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 82.8 | 73.6 | 0.0 | 0.0 | **156.4** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.2 | 10.2 | 0.0 | 0.0 | **19.4** |

Licence ***2329*** Well Name ***Tundra Waskada*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-23-001-25W1.00*** Field Name ***Waskada*** Pool Name ***Mission Canyon 3a B*** Field Code ***3*** Pool Code ***43B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 25.0 | 31.0 | 30.0 | 31.0 | 23.0 | 20.0 | **1,162.0** |
| OIL | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 76.8 | 49.9 | 65.7 | 55.8 | 52.8 | 44.8 | 31.5 | **2,733.0** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 3.0 | 17.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | **977.0** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 15.4 | 54.2 | 67.7 | 58.5 | 55.8 | 55.5 | 55.0 | 50.4 | 48.7 | **2,355.7** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 29.0 | 29.0 | 23.0 | 31.0 | 30.0 | 31.0 | 30.0 | 8.0 | **745.0** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 0.0 | 86.0 | 62.0 | 56.3 | 58.2 | 55.8 | 53.4 | 58.8 | 12.6 | **1,894.5** |
| DAY | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 29.0 | 30.0 | 20.0 | 19.0 | 24.0 | 1.0 | **534.0** |
| OIL | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 35.4 | 85.8 | 70.0 | 37.8 | 31.5 | 54.5 | 3.0 | **1,451.4** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 14.0 | 25.0 | 26.0 | 27.0 | 24.0 | 27.0 | 7.0 | 0.0 | 0.0 | **405.0** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 54.1 | 78.0 | 61.9 | 64.6 | 50.5 | 61.0 | 15.8 | 0.0 | 0.0 | **1,133.4** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 30.0 | 31.0 | 30.0 | 20.0 | 19.0 | 3.0 | 20.0 | **255.0** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 54.8 | 87.8 | 74.9 | 65.4 | 39.6 | 66.4 | 8.2 | 63.3 | **747.5** |
| DAY | 1969 | 25.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **91.0** |
| OIL | 1969 | 64.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **287.1** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 30.0 | 27.0 | **66.0** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 53.2 | 100.1 | 69.4 | **222.7** |

# Manitoba Production
## 1950 To 1975

Licence ***2331*** Well Name ***Tundra Pierson*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-19-003-28W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a B*** Field Code ***7*** Pool Code ***43B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 28.0 | 26.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 28.0 | **2,571.0** |
| H2O | 1975 | 32.9 | 28.5 | 36.7 | 29.7 | 43.2 | 45.9 | 46.4 | 36.4 | 51.7 | 51.8 | 48.5 | 47.2 | **2,092.6** |
| OIL | 1975 | 53.3 | 50.6 | 43.7 | 48.0 | 59.6 | 44.5 | 55.8 | 68.2 | 48.8 | 73.0 | 67.4 | 64.5 | **8,115.8** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 4.0 | 22.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | **2,216.0** |
| H2O | 1974 | 29.1 | 25.0 | 26.2 | 27.7 | 3.8 | 18.0 | 27.8 | 46.4 | 35.1 | 45.5 | 49.3 | 42.4 | **1,593.7** |
| OIL | 1974 | 68.5 | 61.1 | 67.1 | 63.8 | 8.7 | 52.1 | 44.5 | 63.6 | 49.3 | 66.3 | 63.8 | 55.8 | **7,438.4** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,891.0** |
| H2O | 1973 | 33.2 | 31.8 | 33.5 | 47.1 | 40.7 | 39.4 | 49.3 | 52.9 | 50.1 | 39.9 | 9.1 | 29.3 | **1,217.4** |
| OIL | 1973 | 71.5 | 65.3 | 72.0 | 94.1 | 81.4 | 83.9 | 91.6 | 94.1 | 73.1 | 59.5 | 67.6 | 68.2 | **6,773.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 26.0 | 31.0 | 30.0 | 31.0 | **1,529.0** |
| H2O | 1972 | 42.1 | 27.7 | 34.5 | 28.6 | 29.6 | 46.6 | 30.2 | 33.7 | 27.7 | 42.1 | 27.3 | 32.3 | **761.1** |
| OIL | 1972 | 88.6 | 69.1 | 83.1 | 81.0 | 74.1 | 72.1 | 77.2 | 77.6 | 73.8 | 75.4 | 73.0 | 75.0 | **5,851.5** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 9.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,167.0** |
| H2O | 1971 | 9.9 | 8.9 | 1.9 | 2.1 | 3.0 | 9.5 | 17.8 | 37.7 | 21.6 | 24.8 | 34.8 | 11.4 | **358.7** |
| OIL | 1971 | 96.7 | 117.7 | 95.1 | 27.1 | 102.9 | 93.2 | 101.3 | 96.7 | 85.0 | 86.5 | 85.9 | 90.2 | **4,931.5** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 30.0 | 31.0 | **823.0** |
| H2O | 1970 | 6.4 | 5.7 | 6.2 | 5.7 | 5.6 | 5.6 | 11.9 | 4.9 | 13.2 | 10.5 | 9.5 | 9.9 | **175.3** |
| OIL | 1970 | 124.2 | 113.3 | 119.1 | 109.0 | 105.8 | 104.7 | 120.9 | 117.2 | 120.1 | 95.6 | 110.1 | 110.9 | **3,853.2** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **464.0** |
| H2O | 1969 | 4.0 | 3.3 | 3.7 | 2.9 | 14.5 | 2.9 | 3.0 | 2.7 | 6.8 | 5.9 | 6.5 | 6.5 | **80.2** |
| OIL | 1969 | 193.7 | 166.0 | 180.7 | 156.7 | 138.4 | 146.2 | 145.1 | 138.7 | 169.5 | 148.9 | 129.6 | 129.0 | **2,502.3** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 | 30.0 | 30.0 | 31.0 | **99.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 4.5 | 4.1 | 5.9 | **17.5** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.9 | 227.9 | 211.8 | 190.2 | **659.8** |

Licence ***2332*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-01-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 4.0 | 12.0 | 31.0 | **1,976.0** |
| H2O | 1975 | 31.0 | 28.5 | 31.6 | 24.8 | 34.8 | 28.3 | 8.4 | 9.9 | 9.2 | 1.4 | 4.3 | 11.1 | **1,860.1** |
| OIL | 1975 | 18.0 | 16.5 | 19.2 | 17.3 | 19.4 | 17.8 | 18.8 | 18.9 | 18.3 | 2.4 | 7.5 | 19.1 | **1,581.1** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.0 | 31.0 | 18.0 | 31.0 | 30.0 | 31.0 | **1,658.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.8 | 43.7 | 25.3 | 24.5 | 30.0 | 33.4 | **1,636.8** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.5 | 21.5 | 12.1 | 33.5 | 33.4 | 19.4 | **1,387.9** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 12.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 0.0 | 0.0 | **1,508.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 16.9 | 48.5 | 41.5 | 46.3 | 46.1 | 45.2 | 47.7 | 0.0 | 0.0 | **1,466.1** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 9.7 | 23.8 | 22.1 | 21.9 | 23.0 | 22.7 | 22.1 | 0.0 | 0.0 | **1,261.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 0.0 | 0.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 0.0 | 0.0 | **1,314.0** |
| H2O | 1972 | 29.7 | 28.3 | 30.4 | 0.0 | 0.0 | 35.9 | 37.4 | 30.7 | 31.5 | 29.9 | 0.0 | 0.0 | **1,173.9** |
| OIL | 1972 | 18.3 | 17.0 | 18.0 | 0.0 | 0.0 | 18.6 | 19.1 | 12.2 | 12.9 | 12.7 | 0.0 | 0.0 | **1,116.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 10.0 | 22.0 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | **1,072.0** |
| H2O | 1971 | 33.5 | 31.6 | 31.5 | 29.9 | 31.2 | 10.3 | 22.1 | 29.4 | 25.3 | 30.0 | 26.4 | 29.7 | **920.1** |
| OIL | 1971 | 22.4 | 20.3 | 21.8 | 21.9 | 23.2 | 7.5 | 14.0 | 18.3 | 16.4 | 18.6 | 16.4 | 18.9 | **987.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 16.0 | 10.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | **740.0** |
| H2O | 1970 | 21.3 | 22.7 | 18.9 | 10.0 | 8.4 | 22.4 | 20.5 | 21.0 | 36.7 | 38.0 | 38.0 | 51.4 | **589.2** |
| OIL | 1970 | 22.7 | 20.2 | 22.2 | 11.4 | 8.7 | 23.2 | 16.2 | 28.8 | 20.0 | 18.4 | 19.4 | 20.8 | **767.7** |
| DAY | 1969 | 31.0 | 28.0 | 31.0 | 11.0 | 24.0 | 30.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **415.0** |
| H2O | 1969 | 20.2 | 20.0 | 20.2 | 7.5 | 20.0 | 20.8 | 14.3 | 20.2 | 20.5 | 24.5 | 22.7 | 24.6 | **279.9** |
| OIL | 1969 | 50.9 | 43.9 | 47.8 | 15.3 | 41.3 | 45.1 | 22.2 | 25.7 | 24.6 | 24.6 | 22.9 | 24.0 | **535.7** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 30.0 | 31.0 | **82.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.9 | 14.5 | 18.0 | **44.4** |

# Manitoba Production
## 1950 To 1975

Licence ***2332*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-01-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 45.5 | 48.5 | 53.4 | **147.4** |

Licence ***2333*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-12-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 19.0 | 19.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,517.0** |
| H2O | 1975 | 904.4 | 798.6 | 896.8 | 727.5 | 984.2 | 518.9 | 447.1 | 550.9 | 523.0 | 593.5 | 628.0 | 629.4 | **34,428.8** |
| OIL | 1975 | 136.3 | 120.8 | 141.4 | 132.1 | 142.5 | 84.9 | 83.3 | 45.9 | 45.3 | 43.7 | 46.1 | 46.9 | **5,755.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **1,176.0** |
| H2O | 1974 | 650.1 | 594.4 | 572.8 | 646.3 | 716.8 | 620.2 | 802.5 | 750.5 | 785.2 | 668.0 | 847.5 | 940.7 | **26,226.5** |
| OIL | 1974 | 237.9 | 212.5 | 227.4 | 219.8 | 231.4 | 96.0 | 108.4 | 105.4 | 119.5 | 122.0 | 126.3 | 141.7 | **4,686.0** |
| DAY | 1973 | 31.0 | 27.0 | 30.0 | 29.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **815.0** |
| H2O | 1973 | 997.6 | 890.6 | 965.6 | 937.2 | 714.0 | 541.2 | 595.5 | 569.9 | 574.1 | 626.4 | 565.5 | 694.9 | **17,631.5** |
| OIL | 1973 | 81.4 | 68.5 | 79.6 | 83.3 | 85.7 | 92.5 | 91.5 | 91.7 | 92.8 | 93.3 | 97.6 | 245.5 | **2,737.7** |
| DAY | 1972 | 31.0 | 27.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **455.0** |
| H2O | 1972 | 351.5 | 308.4 | 346.3 | 364.4 | 387.1 | 411.4 | 439.3 | 1015.7 | 1005.2 | 1076.6 | 1047.5 | 1104.0 | **8,959.0** |
| OIL | 1972 | 115.8 | 99.8 | 110.6 | 117.1 | 112.8 | 115.7 | 121.4 | 67.5 | 69.0 | 77.5 | 76.0 | 80.6 | **1,534.3** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 31.0 | 28.0 | 31.0 | **95.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 72.9 | 353.9 | 325.0 | 349.8 | **1,101.6** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.8 | 119.0 | 107.9 | 120.8 | **370.5** |

Licence ***2335*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-07-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,362.0** |
| H2O | 1975 | 122.6 | 109.2 | 121.5 | 98.5 | 133.6 | 110.9 | 56.4 | 66.4 | 61.7 | 72.3 | 120.9 | 121.0 | **2,619.6** |
| OIL | 1975 | 14.1 | 12.7 | 14.6 | 13.8 | 14.9 | 14.0 | 8.9 | 8.9 | 8.6 | 8.7 | 8.9 | 9.1 | **653.0** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **997.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.1 | 158.7 | 153.1 | 134.5 | 165.4 | 127.5 | **1,424.6** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.5 | 13.3 | 12.4 | 13.0 | 13.2 | 14.8 | **515.8** |
| DAY | 1973 | 0.0 | 0.0 | 0.0 | 6.0 | 31.0 | 29.0 | 31.0 | 31.0 | 29.0 | 30.0 | 0.0 | 0.0 | **831.0** |
| H2O | 1973 | 0.0 | 0.0 | 0.0 | 1.9 | 10.2 | 52.6 | 62.5 | 60.1 | 55.9 | 62.3 | 0.0 | 0.0 | **659.3** |
| OIL | 1973 | 0.0 | 0.0 | 0.0 | 1.0 | 4.6 | 17.2 | 18.4 | 18.4 | 17.3 | 17.8 | 0.0 | 0.0 | **441.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 0.0 | 0.0 | **644.0** |
| H2O | 1972 | 21.6 | 20.3 | 21.9 | 22.4 | 25.3 | 26.1 | 26.9 | 9.9 | 10.3 | 9.7 | 0.0 | 0.0 | **353.8** |
| OIL | 1972 | 14.0 | 12.9 | 13.8 | 14.1 | 14.6 | 14.3 | 14.6 | 3.8 | 4.0 | 4.0 | 0.0 | 0.0 | **346.9** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.0 | 28.0 | 31.0 | 29.0 | 29.0 | **341.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.3 | 18.3 | 21.8 | 20.0 | 20.0 | **159.4** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.8 | 12.4 | 14.5 | 13.0 | 13.7 | **236.8** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 30.0 | 31.0 | 16.0 | 0.0 | 0.0 | 0.0 | **200.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.6 | 0.0 | 0.0 | 0.0 | **69.0** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.9 | 15.9 | 24.3 | 0.0 | 0.0 | 0.0 | 0.0 | **165.4** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 27.0 | 14.0 | 5.0 | 8.0 | 0.0 | 0.0 | 0.0 | **120.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 7.9 | 12.6 | 7.2 | 13.2 | 0.0 | 0.0 | 0.0 | 0.0 | **60.4** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 30.4 | 14.3 | 6.7 | 12.1 | 2.9 | 0.0 | 0.0 | 0.0 | **120.3** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 29.0 | 5.0 | **45.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.7 | 11.6 | 2.2 | **19.5** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.7 | 30.8 | 1.4 | **53.9** |

Licence ***2336*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***2336*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-25-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,560.0** |
| H2O | 1975 | 34.3 | 31.5 | 35.1 | 34.2 | 35.3 | 32.9 | 73.5 | 72.6 | 71.5 | 76.7 | 77.0 | 78.5 | **3,192.3** |
| OIL | 1975 | 104.1 | 92.5 | 101.7 | 96.5 | 98.2 | 93.6 | 118.9 | 119.3 | 115.8 | 119.8 | 115.8 | 117.8 | **10,763.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **2,195.0** |
| H2O | 1974 | 53.7 | 49.9 | 55.6 | 54.2 | 40.4 | 40.5 | 41.0 | 37.7 | 37.0 | 36.4 | 38.8 | 34.0 | **2,539.2** |
| OIL | 1974 | 121.2 | 105.7 | 120.9 | 115.2 | 119.8 | 115.8 | 119.7 | 119.2 | 114.4 | 113.0 | 115.1 | 104.9 | **9,469.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,831.0** |
| H2O | 1973 | 55.8 | 53.4 | 57.4 | 57.2 | 58.0 | 55.8 | 56.1 | 60.4 | 59.3 | 59.8 | 55.6 | 53.9 | **2,020.0** |
| OIL | 1973 | 119.3 | 105.2 | 116.0 | 113.3 | 118.2 | 114.6 | 118.7 | 127.0 | 120.9 | 123.5 | 116.2 | 117.9 | **8,085.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,466.0** |
| H2O | 1972 | 25.6 | 25.1 | 27.3 | 24.5 | 27.0 | 26.9 | 29.9 | 28.1 | 28.1 | 56.4 | 56.0 | 56.8 | **1,337.3** |
| OIL | 1972 | 143.1 | 133.4 | 145.1 | 138.6 | 146.4 | 141.2 | 145.3 | 148.6 | 141.5 | 122.0 | 116.0 | 121.1 | **6,674.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,100.0** |
| H2O | 1971 | 20.5 | 31.0 | 28.8 | 34.0 | 39.7 | 36.9 | 41.0 | 33.4 | 20.5 | 23.2 | 23.2 | 27.3 | **925.6** |
| OIL | 1971 | 112.8 | 104.9 | 114.1 | 110.0 | 115.7 | 109.8 | 104.2 | 112.7 | 106.9 | 96.6 | 94.9 | 145.6 | **5,031.9** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **735.0** |
| H2O | 1970 | 18.6 | 16.5 | 21.1 | 20.7 | 23.5 | 32.4 | 33.2 | 43.4 | 41.3 | 45.2 | 32.9 | 30.0 | **566.1** |
| OIL | 1970 | 131.8 | 120.3 | 128.6 | 123.0 | 119.2 | 112.3 | 120.9 | 118.1 | 111.9 | 121.6 | 116.0 | 117.0 | **3,703.7** |
| DAY | 1969 | 30.0 | 28.0 | 31.0 | 15.0 | 21.0 | 17.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **372.0** |
| H2O | 1969 | 8.6 | 5.9 | 12.2 | 13.2 | 9.5 | 10.8 | 14.8 | 11.4 | 28.5 | 28.6 | 28.6 | 25.9 | **207.3** |
| OIL | 1969 | 214.8 | 177.7 | 190.5 | 101.9 | 135.0 | 113.9 | 171.8 | 163.3 | 156.4 | 154.5 | 142.0 | 140.7 | **2,263.0** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.0 | 28.0 | **47.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.7 | 5.6 | **9.3** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 184.2 | 216.3 | **400.5** |

Licence ***2340*** Well Name ***Tundra et al Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-30-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 27.0 | 28.0 | 14.0 | 31.0 | **2,357.0** |
| H2O | 1975 | 149.0 | 134.2 | 148.7 | 143.7 | 155.6 | 155.6 | 164.9 | 159.8 | 142.6 | 134.2 | 121.8 | 158.7 | **10,622.8** |
| OIL | 1975 | 72.0 | 61.8 | 72.5 | 71.9 | 71.9 | 71.1 | 72.8 | 70.3 | 62.2 | 63.0 | 56.6 | 69.6 | **6,768.2** |
| DAY | 1974 | 2.0 | 19.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,015.0** |
| H2O | 1974 | 1.6 | 108.7 | 149.1 | 162.2 | 148.8 | 142.6 | 137.8 | 127.3 | 132.6 | 134.8 | 143.1 | 148.8 | **8,854.0** |
| OIL | 1974 | 3.7 | 48.5 | 73.6 | 71.7 | 72.5 | 70.4 | 66.0 | 70.1 | 66.5 | 68.8 | 65.8 | 73.1 | **5,952.5** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 26.0 | 26.0 | 27.0 | 29.0 | 30.0 | 31.0 | 30.0 | 30.0 | **1,690.0** |
| H2O | 1973 | 137.4 | 128.6 | 147.5 | 152.3 | 129.9 | 130.1 | 127.8 | 149.8 | 144.4 | 150.7 | 144.5 | 162.6 | **7,316.6** |
| OIL | 1973 | 50.4 | 45.8 | 49.8 | 47.5 | 41.2 | 42.3 | 51.4 | 65.2 | 62.3 | 67.3 | 63.1 | 66.3 | **5,201.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 25.0 | 29.0 | 31.0 | 30.0 | 31.0 | 25.0 | 31.0 | **1,341.0** |
| H2O | 1972 | 142.1 | 128.0 | 140.7 | 137.7 | 140.7 | 113.4 | 117.2 | 123.5 | 128.3 | 127.0 | 116.1 | 139.6 | **5,611.0** |
| OIL | 1972 | 74.1 | 60.5 | 65.2 | 62.1 | 63.3 | 55.4 | 66.7 | 67.6 | 64.6 | 69.2 | 54.9 | 53.9 | **4,549.2** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 21.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **987.0** |
| H2O | 1971 | 116.4 | 107.3 | 120.5 | 119.2 | 91.9 | 134.2 | 138.5 | 139.1 | 135.9 | 136.1 | 136.4 | 140.5 | **4,056.7** |
| OIL | 1971 | 97.4 | 87.0 | 96.2 | 93.4 | 73.7 | 96.1 | 89.9 | 88.8 | 85.0 | 81.5 | 77.6 | 76.7 | **3,791.7** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 27.0 | 21.0 | 31.0 | 17.0 | 19.0 | 30.0 | 31.0 | **633.0** |
| H2O | 1970 | 140.9 | 125.9 | 138.0 | 125.9 | 118.9 | 102.7 | 89.0 | 127.0 | 68.8 | 86.8 | 113.4 | 122.9 | **2,540.7** |
| OIL | 1970 | 117.9 | 104.7 | 119.3 | 109.9 | 109.9 | 92.1 | 80.5 | 113.9 | 58.7 | 75.1 | 89.9 | 92.9 | **2,748.4** |
| DAY | 1969 | 0.0 | 21.0 | 29.0 | 20.0 | 29.0 | 30.0 | 27.0 | 31.0 | 30.0 | 29.0 | 30.0 | 30.0 | **306.0** |
| H2O | 1969 | 0.0 | 101.2 | 101.8 | 73.2 | 102.0 | 110.3 | 96.8 | 108.4 | 98.7 | 117.8 | 136.6 | 133.7 | **1,180.5** |
| OIL | 1969 | 0.0 | 132.8 | 186.9 | 112.8 | 158.9 | 162.9 | 144.7 | 160.6 | 146.5 | 136.9 | 119.6 | 121.0 | **1,583.6** |

Licence ***2341*** Well Name ***2928419 MB Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***2341*** Well Name ***2928419 MB Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.13-04-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.0 | 7.0 | 0.0 | 0.0 | **139.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 39.7 | 40.5 | 0.0 | 0.0 | **757.4** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.4 | 13.0 | 0.0 | 0.0 | **223.1** |
| DAY | 1969 | 31.0 | 28.0 | 24.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **127.0** |
| H2O | 1969 | 174.9 | 214.6 | 198.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **677.2** |
| OIL | 1969 | 45.9 | 41.2 | 28.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **203.7** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.0 | 31.0 | **44.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 33.4 | 55.6 | **89.0** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 33.8 | 54.0 | **87.8** |

Licence ***2342*** Well Name ***Tundra Daly*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-10-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | **2,380.0** |
| H2O | 1975 | 846.9 | 779.0 | 850.1 | 816.4 | 793.5 | 985.4 | 953.0 | 932.6 | 961.4 | 864.7 | 955.4 | 1012.6 | **69,822.5** |
| OIL | 1975 | 15.9 | 14.1 | 15.1 | 14.8 | 19.2 | 33.5 | 33.5 | 32.3 | 31.6 | 27.7 | 31.8 | 29.9 | **4,996.0** |
| DAY | 1974 | 29.0 | 28.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,023.0** |
| H2O | 1974 | 974.4 | 868.7 | 893.4 | 897.6 | 961.6 | 897.2 | 920.4 | 892.6 | 853.0 | 892.9 | 857.1 | 867.3 | **59,071.5** |
| OIL | 1974 | 34.8 | 34.0 | 35.8 | 35.3 | 35.9 | 34.2 | 34.5 | 18.0 | 16.7 | 16.9 | 15.9 | 14.1 | **4,696.6** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **1,663.0** |
| H2O | 1973 | 1075.4 | 979.2 | 1078.6 | 1043.4 | 1136.3 | 1084.5 | 1117.4 | 1144.9 | 1048.0 | 1171.4 | 887.9 | 931.7 | **48,295.3** |
| OIL | 1973 | 39.3 | 34.8 | 38.6 | 34.0 | 36.6 | 34.2 | 30.4 | 34.0 | 31.6 | 32.9 | 36.7 | 37.7 | **4,370.5** |
| DAY | 1972 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,300.0** |
| H2O | 1972 | 1007.6 | 897.2 | 968.8 | 1057.5 | 1046.0 | 989.6 | 718.4 | 1067.2 | 1065.3 | 1120.0 | 1039.2 | 1071.1 | **35,596.6** |
| OIL | 1972 | 52.1 | 47.9 | 49.6 | 48.5 | 46.9 | 42.6 | 38.6 | 46.9 | 42.3 | 43.1 | 35.9 | 39.7 | **3,949.7** |
| DAY | 1971 | 20.0 | 28.0 | 31.0 | 30.0 | 31.0 | 26.0 | 26.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **935.0** |
| H2O | 1971 | 478.3 | 517.4 | 624.1 | 715.3 | 977.7 | 735.2 | 852.7 | 1034.1 | 1015.2 | 1042.7 | 1058.3 | 1053.0 | **23,548.7** |
| OIL | 1971 | 42.2 | 68.7 | 59.0 | 40.0 | 98.1 | 44.4 | 48.5 | 56.0 | 52.6 | 52.5 | 49.3 | 51.7 | **3,415.6** |
| DAY | 1970 | 29.0 | 20.0 | 31.0 | 28.0 | 19.0 | 23.0 | 21.0 | 31.0 | 26.0 | 31.0 | 30.0 | 22.0 | **590.0** |
| H2O | 1970 | 857.5 | 606.4 | 863.4 | 729.0 | 725.8 | 586.9 | 482.7 | 142.4 | 585.1 | 802.3 | 901.8 | 667.6 | **13,444.7** |
| OIL | 1970 | 182.3 | 134.1 | 166.7 | 100.5 | 76.8 | 81.9 | 77.8 | 9.4 | 79.4 | 107.9 | 79.7 | 56.7 | **2,752.6** |
| DAY | 1969 | 31.0 | 24.0 | 25.0 | 4.0 | 5.0 | 20.0 | 15.0 | 24.0 | 28.0 | 27.0 | 29.0 | 20.0 | **279.0** |
| H2O | 1969 | 478.1 | 417.4 | 534.3 | 96.2 | 208.5 | 524.7 | 106.7 | 295.0 | 806.6 | 515.0 | 477.0 | 647.1 | **5,493.8** |
| OIL | 1969 | 263.2 | 180.8 | 127.6 | 23.1 | 49.7 | 112.6 | 52.7 | 88.5 | 113.9 | 135.4 | 128.4 | 142.2 | **1,599.4** |
| DAY | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | **27.0** |
| H2O | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 387.2 | **387.2** |
| OIL | 1968 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 181.3 | **181.3** |

Licence ***2347*** Well Name ***4478429 MB Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.04-24-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,188.0** |
| H2O | 1975 | 114.3 | 102.2 | 112.1 | 105.4 | 68.7 | 104.9 | 84.9 | 83.3 | 83.3 | 85.7 | 83.3 | 84.6 | **7,086.6** |
| OIL | 1975 | 34.7 | 44.0 | 36.1 | 35.0 | 19.6 | 33.8 | 42.4 | 34.9 | 31.5 | 31.0 | 33.2 | 32.9 | **3,179.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 20.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,823.0** |
| H2O | 1974 | 221.3 | 179.0 | 163.1 | 146.0 | 153.9 | 138.3 | 134.3 | 124.5 | 83.0 | 111.6 | 103.5 | 103.2 | **5,973.9** |
| OIL | 1974 | 49.7 | 40.9 | 43.8 | 42.9 | 40.2 | 42.1 | 40.5 | 41.0 | 39.9 | 40.1 | 36.6 | 39.3 | **2,770.0** |
| DAY | 1973 | 0.0 | 0.0 | 10.0 | 27.0 | 21.0 | 30.0 | 31.0 | 31.0 | 26.0 | 27.0 | 24.0 | 31.0 | **1,469.0** |
| H2O | 1973 | 0.0 | 0.0 | 28.3 | 74.6 | 62.6 | 83.6 | 86.8 | 82.0 | 73.1 | 101.8 | 132.3 | 240.2 | **4,312.2** |
| OIL | 1973 | 0.0 | 0.0 | 8.9 | 14.8 | 27.2 | 29.7 | 28.8 | 27.3 | 26.9 | 34.1 | 21.9 | 49.9 | **2,273.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 20.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,211.0** |

# Manitoba Production
## 1950 To 1975

Licence ***2347*** Well Name ***4478429 MB Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.04-24-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1972 | 68.7 | 68.4 | 68.7 | 66.1 | 67.7 | 65.7 | 70.6 | 45.5 | 0.0 | 0.0 | 0.0 | 0.0 | **3,346.9** |
| OIL | 1972 | 31.8 | 29.1 | 30.7 | 28.0 | 27.7 | 31.0 | 30.0 | 18.9 | 0.0 | 0.0 | 0.0 | 0.0 | **2,003.5** |
| DAY | 1971 | 31.0 | 0.0 | 0.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **978.0** |
| H2O | 1971 | 120.2 | 104.9 | 111.3 | 111.6 | 111.6 | 115.3 | 93.8 | 72.3 | 77.3 | 68.7 | 73.0 | 69.5 | **2,825.5** |
| OIL | 1971 | 29.9 | 37.9 | 38.2 | 31.3 | 37.3 | 33.9 | 36.1 | 28.0 | 33.1 | 32.8 | 29.1 | 32.3 | **1,776.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 26.0 | 26.0 | 31.0 | 30.0 | 31.0 | **674.0** |
| H2O | 1970 | 95.3 | 103.3 | 103.3 | 111.2 | 104.9 | 103.0 | 103.0 | 77.2 | 111.6 | 94.4 | 94.4 | 85.8 | **1,696.0** |
| OIL | 1970 | 52.5 | 41.3 | 48.6 | 47.8 | 48.4 | 46.2 | 43.8 | 34.8 | 41.6 | 36.4 | 45.4 | 35.8 | **1,376.4** |
| DAY | 1969 | 23.0 | 26.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 26.0 | 0.0 | 31.0 | **318.0** |
| H2O | 1969 | 0.0 | 0.0 | 15.9 | 15.9 | 0.0 | 15.9 | 63.6 | 87.4 | 39.7 | 71.5 | 95.4 | 103.3 | **508.6** |
| OIL | 1969 | 122.2 | 90.4 | 92.7 | 84.8 | 79.4 | 70.6 | 68.3 | 61.1 | 51.9 | 31.9 | 48.1 | 52.4 | **853.8** |

Licence ***2348*** Well Name ***Copperhead Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-34-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1970 | 7.0 | 0.0 | 0.0 | 0.0 | 4.0 | 18.0 | 18.0 | 21.0 | 15.0 | 24.0 | 0.0 | 0.0 | **367.0** |
| H2O | 1970 | 27.0 | 0.0 | 0.0 | 0.0 | 14.9 | 93.3 | 80.1 | 100.0 | 86.2 | 266.1 | 0.0 | 0.0 | **1,580.9** |
| OIL | 1970 | 7.2 | 0.0 | 0.0 | 0.0 | 6.2 | 16.5 | 18.1 | 19.9 | 13.0 | 24.5 | 0.0 | 0.0 | **387.3** |
| DAY | 1969 | 18.0 | 18.0 | 24.0 | 9.0 | 23.0 | 30.0 | 17.0 | 11.0 | 28.0 | 21.0 | 30.0 | 31.0 | **260.0** |
| H2O | 1969 | 84.3 | 85.9 | 72.0 | 24.6 | 70.9 | 83.6 | 56.8 | 38.8 | 86.0 | 64.5 | 123.5 | 122.4 | **913.3** |
| OIL | 1969 | 40.4 | 4.9 | 25.3 | 19.6 | 28.8 | 36.2 | 14.3 | 12.6 | 25.8 | 20.0 | 24.3 | 29.7 | **281.9** |

Licence ***2360*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.14-24-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 26.0 | 31.0 | **2,326.0** |
| H2O | 1975 | 113.5 | 104.3 | 116.4 | 112.7 | 116.9 | 109.5 | 65.7 | 66.8 | 65.7 | 70.6 | 60.4 | 72.0 | **76,228.6** |
| OIL | 1975 | 294.8 | 261.8 | 287.6 | 272.9 | 278.1 | 264.5 | 218.7 | 226.1 | 219.3 | 226.8 | 187.4 | 222.8 | **22,781.9** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 23.0 | 31.0 | 29.0 | 31.0 | **1,965.0** |
| H2O | 1974 | 89.0 | 85.7 | 95.7 | 93.2 | 419.5 | 439.4 | 443.9 | 100.2 | 75.7 | 100.5 | 99.8 | 112.7 | **75,154.1** |
| OIL | 1974 | 246.2 | 222.3 | 254.3 | 242.7 | 93.6 | 94.4 | 97.3 | 219.3 | 161.5 | 215.2 | 204.5 | 296.8 | **19,821.1** |
| DAY | 1973 | 31.0 | 27.0 | 31.0 | 16.0 | 31.0 | 3.0 | 26.0 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | **1,609.0** |
| H2O | 1973 | 1823.8 | 1631.0 | 1818.1 | 942.6 | 1842.9 | 183.5 | 84.4 | 109.1 | 89.5 | 102.9 | 95.5 | 92.5 | **72,998.8** |
| OIL | 1973 | 397.4 | 326.4 | 374.1 | 189.7 | 382.3 | 38.5 | 299.4 | 384.2 | 306.2 | 259.9 | 244.9 | 248.2 | **17,473.0** |
| DAY | 1972 | 31.0 | 27.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,294.0** |
| H2O | 1972 | 1441.8 | 1265.6 | 1487.7 | 1313.7 | 1480.9 | 1473.7 | 1635.3 | 1549.6 | 1651.3 | 1816.3 | 1800.3 | 1830.3 | **64,183.0** |
| OIL | 1972 | 255.0 | 214.2 | 249.8 | 236.6 | 256.5 | 247.6 | 255.0 | 260.7 | 376.5 | 400.8 | 380.6 | 397.3 | **14,021.8** |
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 28.0 | 28.0 | 29.0 | 31.0 | 29.0 | 29.0 | 25.0 | 26.0 | 31.0 | **932.0** |
| H2O | 1971 | 1846.4 | 1692.3 | 1662.8 | 1779.9 | 1642.3 | 1745.9 | 1910.3 | 1752.9 | 1697.1 | 1293.5 | 1398.1 | 1912.5 | **45,436.5** |
| OIL | 1971 | 316.4 | 281.4 | 277.9 | 315.0 | 310.2 | 319.9 | 340.4 | 321.0 | 272.0 | 277.7 | 294.8 | 351.5 | **10,491.2** |
| DAY | 1970 | 31.0 | 27.0 | 31.0 | 22.0 | 19.0 | 27.0 | 31.0 | 31.0 | 27.0 | 28.0 | 30.0 | 29.0 | **587.0** |
| H2O | 1970 | 1509.8 | 1479.8 | 1717.0 | 1111.3 | 938.1 | 1483.1 | 1783.4 | 1921.0 | 1660.4 | 1719.7 | 1493.1 | 1612.7 | **25,102.5** |
| OIL | 1970 | 407.4 | 324.0 | 360.6 | 265.8 | 234.7 | 297.8 | 332.9 | 352.6 | 314.5 | 298.6 | 267.5 | 290.2 | **6,813.0** |
| DAY | 1969 | 0.0 | 0.0 | 8.0 | 14.0 | 31.0 | 25.0 | 31.0 | 31.0 | 23.0 | 31.0 | 29.0 | 31.0 | **254.0** |
| H2O | 1969 | 0.0 | 0.0 | 16.2 | 19.6 | 203.5 | 236.2 | 684.7 | 821.9 | 589.3 | 1332.4 | 1337.8 | 1431.5 | **6,673.1** |
| OIL | 1969 | 0.0 | 0.0 | 97.6 | 83.4 | 240.6 | 162.1 | 402.4 | 371.1 | 366.8 | 510.4 | 409.5 | 422.5 | **3,066.4** |

Licence ***2365*** Well Name ***Tundra Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-10-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Manitoba Production
## 1950 To 1975

Licence ***2365*** Well Name ***Tundra Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-10-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 28.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **2,335.0** |
| H2O | 1975 | 1372.4 | 1292.5 | 1410.1 | 1354.2 | 1386.1 | 1330.3 | 1338.4 | 1341.4 | 1390.6 | 1317.7 | 1354.3 | 1435.5 | **91,505.5** |
| OIL | 1975 | 88.1 | 79.7 | 85.9 | 83.9 | 56.3 | 49.6 | 51.7 | 51.0 | 50.2 | 47.2 | 50.4 | 47.2 | **11,314.7** |
| DAY | 1974 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 30.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,976.0** |
| H2O | 1974 | 1532.7 | 1366.7 | 1405.5 | 1412.2 | 1512.7 | 1423.6 | 1447.8 | 1386.4 | 1414.7 | 1481.0 | 1421.9 | 1438.7 | **75,182.0** |
| OIL | 1974 | 87.7 | 85.9 | 90.4 | 88.9 | 90.8 | 87.1 | 87.0 | 95.1 | 94.1 | 95.1 | 89.8 | 80.4 | **10,573.5** |
| DAY | 1973 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | **1,615.0** |
| H2O | 1973 | 1696.6 | 1540.5 | 1536.0 | 1700.8 | 1729.7 | 1701.1 | 1757.7 | 1801.1 | 1725.4 | 1842.6 | 1436.0 | 1485.5 | **57,938.1** |
| OIL | 1973 | 112.0 | 99.3 | 99.3 | 100.2 | 100.5 | 96.7 | 86.4 | 96.4 | 94.3 | 93.7 | 95.5 | 96.6 | **9,501.2** |
| DAY | 1972 | 30.0 | 29.0 | 31.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,253.0** |
| H2O | 1972 | 1319.7 | 1214.1 | 1272.0 | 1431.1 | 1495.2 | 1556.9 | 1130.3 | 1744.6 | 1702.2 | 1761.8 | 1684.2 | 1684.9 | **37,985.1** |
| OIL | 1972 | 105.5 | 99.9 | 100.1 | 101.3 | 120.9 | 120.6 | 109.4 | 138.7 | 122.3 | 122.0 | 105.5 | 112.6 | **8,330.3** |
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **892.0** |
| H2O | 1971 | 731.2 | 506.1 | 961.3 | 1492.5 | 1461.6 | 1316.0 | 1417.6 | 1497.1 | 1469.6 | 1509.5 | 1531.9 | 1486.3 | **19,988.1** |
| OIL | 1971 | 163.2 | 169.5 | 190.2 | 179.7 | 217.2 | 166.5 | 167.2 | 168.1 | 157.8 | 157.1 | 147.6 | 107.9 | **6,971.5** |
| DAY | 1970 | 31.0 | 28.0 | 27.0 | 30.0 | 18.0 | 23.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **530.0** |
| H2O | 1970 | 0.0 | 0.0 | 162.7 | 251.9 | 187.2 | 252.2 | 274.2 | 354.1 | 394.0 | 929.0 | 882.0 | 920.1 | **4,607.4** |
| OIL | 1970 | 238.2 | 205.2 | 292.6 | 313.7 | 166.2 | 217.9 | 273.5 | 218.0 | 206.1 | 201.2 | 196.7 | 196.9 | **4,979.5** |
| DAY | 1969 | 0.0 | 10.0 | 21.0 | 4.0 | 9.0 | 21.0 | 17.0 | 31.0 | 16.0 | 14.0 | 17.0 | 31.0 | **191.0** |
| OIL | 1969 | 0.0 | 111.7 | 303.1 | 50.3 | 132.3 | 282.1 | 194.0 | 376.7 | 212.0 | 157.1 | 173.4 | 260.6 | **2,253.3** |

Licence ***2370*** Well Name ***Scurry Garvey Cromer*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.07-10-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 0.0 | 0.0 | 31.0 | 9.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **471.0** |
| H2O | 1971 | 0.0 | 265.8 | 646.1 | 279.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **9,687.1** |
| OIL | 1971 | 0.0 | 22.1 | 33.7 | 7.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,231.7** |
| DAY | 1970 | 23.0 | 28.0 | 31.0 | 30.0 | 24.0 | 30.0 | 30.0 | 31.0 | 18.0 | 26.0 | 0.0 | 0.0 | **431.0** |
| H2O | 1970 | 575.3 | 797.8 | 802.9 | 867.9 | 108.3 | 221.1 | 403.2 | 193.2 | 433.8 | 683.9 | 0.0 | 0.0 | **8,495.7** |
| OIL | 1970 | 86.0 | 73.8 | 57.6 | 104.8 | 53.9 | 51.7 | 33.9 | 45.2 | 25.3 | 42.6 | 0.0 | 0.0 | **1,168.2** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 22.0 | 14.0 | 21.0 | 27.0 | 19.0 | 28.0 | 25.0 | **160.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 47.1 | 546.9 | 120.2 | 293.3 | 251.7 | 686.7 | 814.0 | 648.4 | **3,408.3** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 33.5 | 98.6 | 54.7 | 81.1 | 57.4 | 75.5 | 92.1 | 100.5 | **593.4** |

Licence ***2371*** Well Name ***North Virden Scallion Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.02-22-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 1569.5 | 1265.8 | 1591.4 | 1544.8 | 1470.1 | 1361.3 | 1196.2 | 1299.5 | 1399.7 | 1417.8 | 1325.6 | 1153.1 | **43,023.6** |
| WIN | 1974 | 413.3 | 355.3 | 407.3 | 753.7 | 1731.9 | 1612.4 | 1581.9 | 1673.3 | 1373.3 | 1482.2 | 1482.0 | 1572.2 | **26,428.8** |
| WIN | 1973 | 464.9 | 421.8 | 456.9 | 433.7 | 450.9 | 425.9 | 441.2 | 443.1 | 391.7 | 442.4 | 410.2 | 438.3 | **11,990.0** |
| WIN | 1972 | 459.0 | 365.3 | 1529.5 | 465.3 | 330.4 | 443.1 | 437.7 | 449.0 | 443.9 | 454.7 | 418.6 | 452.1 | **6,769.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 22.0 | 0.0 | **969.0** |
| H2O | 1971 | 32.4 | 33.7 | 42.0 | 35.6 | 40.1 | 47.7 | 47.7 | 49.0 | 53.4 | 28.1 | 16.2 | 0.0 | **850.2** |
| OIL | 1971 | 154.3 | 139.8 | 151.6 | 150.8 | 154.4 | 144.1 | 152.7 | 150.4 | 146.6 | 145.4 | 81.8 | 0.0 | **5,410.1** |
| WIN | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 111.3 | 409.1 | **520.4** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **643.0** |
| H2O | 1970 | 12.6 | 8.4 | 9.5 | 5.9 | 7.6 | 11.3 | 28.0 | 36.4 | 45.2 | 42.9 | 38.0 | 32.3 | **424.3** |
| OIL | 1970 | 181.1 | 162.6 | 175.0 | 155.3 | 170.9 | 175.4 | 163.0 | 160.6 | 157.6 | 162.0 | 153.7 | 155.0 | **3,838.2** |
| DAY | 1969 | 0.0 | 0.0 | 7.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **280.0** |
| H2O | 1969 | 0.0 | 0.0 | 4.0 | 7.0 | 18.3 | 15.6 | 12.1 | 31.8 | 14.3 | 11.9 | 10.5 | 20.7 | **146.2** |
| OIL | 1969 | 0.0 | 0.0 | 75.2 | 237.7 | 231.8 | 213.5 | 188.9 | 166.9 | 192.7 | 191.7 | 184.3 | 183.3 | **1,866.0** |

# Manitoba Production
## 1950 To 1975

Licence ***2372*** Well Name ***Tundra Daly Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.13-10-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 29.0 | 28.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 31.0 | **2,269.0** |
| H2O | 1975 | 923.7 | 841.8 | 918.6 | 877.1 | 792.6 | 760.6 | 788.1 | 781.6 | 795.1 | 708.0 | 762.8 | 817.5 | **38,341.7** |
| OIL | 1975 | 83.4 | 72.9 | 78.8 | 76.4 | 96.6 | 85.1 | 91.1 | 89.2 | 86.3 | 76.6 | 85.4 | 81.1 | **12,352.1** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 29.0 | 29.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,911.0** |
| H2O | 1974 | 998.4 | 890.2 | 978.6 | 951.7 | 985.2 | 951.1 | 911.6 | 902.3 | 921.5 | 960.8 | 926.1 | 937.2 | **28,574.2** |
| OIL | 1974 | 83.8 | 82.4 | 92.6 | 88.1 | 87.0 | 81.8 | 77.0 | 87.0 | 86.2 | 86.7 | 82.4 | 73.7 | **11,349.2** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 29.0 | 31.0 | **1,550.0** |
| H2O | 1973 | 464.2 | 421.5 | 464.4 | 465.4 | 489.0 | 466.8 | 481.1 | 492.9 | 451.4 | 504.3 | 935.2 | 967.6 | **17,259.5** |
| OIL | 1973 | 138.1 | 122.2 | 135.0 | 123.6 | 128.0 | 119.6 | 106.4 | 118.7 | 111.0 | 115.3 | 91.3 | 92.4 | **10,340.5** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,187.0** |
| H2O | 1972 | 397.1 | 353.6 | 386.1 | 416.8 | 450.3 | 426.0 | 309.3 | 460.3 | 465.8 | 482.2 | 461.1 | 459.8 | **10,655.7** |
| OIL | 1972 | 194.0 | 178.0 | 186.1 | 180.5 | 163.8 | 148.6 | 134.9 | 164.6 | 150.6 | 150.3 | 130.0 | 138.2 | **8,938.9** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **821.0** |
| H2O | 1971 | 141.6 | 97.8 | 233.3 | 427.4 | 362.9 | 328.1 | 337.6 | 321.7 | 331.9 | 340.8 | 345.9 | 370.0 | **5,587.3** |
| OIL | 1971 | 190.2 | 197.8 | 248.9 | 236.5 | 253.3 | 241.7 | 230.3 | 209.1 | 206.1 | 205.5 | 192.9 | 220.4 | **7,019.3** |
| DAY | 1970 | 30.0 | 27.0 | 31.0 | 28.0 | 26.0 | 24.0 | 25.0 | 24.0 | 29.0 | 20.0 | 30.0 | 31.0 | **457.0** |
| H2O | 1970 | 91.8 | 129.0 | 109.0 | 111.8 | 99.1 | 187.8 | 168.0 | 237.7 | 147.9 | 106.6 | 175.4 | 178.1 | **1,948.3** |
| OIL | 1970 | 203.7 | 240.9 | 216.8 | 159.7 | 269.4 | 241.4 | 249.2 | 260.3 | 257.5 | 199.3 | 261.9 | 229.5 | **4,386.6** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 1.0 | 29.0 | 16.0 | 18.0 | 21.0 | 25.0 | **132.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.2 | 0.0 | 13.6 | 34.1 | 18.0 | 12.8 | 120.4 | **206.1** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 322.3 | 2.1 | 352.7 | 181.5 | 230.6 | 231.9 | 275.9 | **1,597.0** |

Licence ***2373*** Well Name ***Copperhead Scallion*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-26-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 25.0 | 31.0 | 17.0 | 23.0 | 12.0 | 0.0 | **124.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.9 | 5.6 | 14.6 | 92.7 | 235.4 | 150.4 | 0.0 | **500.6** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 62.1 | 76.7 | 74.1 | 0.0 | 50.9 | 28.8 | 0.0 | **292.6** |

Licence ***2377*** Well Name ***Houston Souris*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.10-16-006-22W1.00*** Field Name ***Souris Hartney*** Pool Name ***Lodgepole Virden A*** Field Code ***10*** Pool Code ***53A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 10.0 | 5.0 | 30.0 | 7.0 | 0.0 | 0.0 | **64.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 304.2 | 102.8 | 0.0 | 0.0 | **407.0** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.3 | 20.2 | 9.9 | 20.8 | 11.0 | 0.0 | 0.0 | **82.2** |

Licence ***2378*** Well Name ***Enerplus East Virden Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.06-28-010-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 14.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **597.0** |
| H2O | 1971 | 63.0 | 54.1 | 67.5 | 11.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **1,754.3** |
| OIL | 1971 | 7.3 | 9.0 | 4.6 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | **335.5** |
| DAY | 1970 | 28.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **493.0** |
| H2O | 1970 | 143.1 | 100.8 | 129.7 | 94.4 | 91.9 | 86.0 | 86.5 | 85.4 | 86.8 | 86.8 | 68.8 | 74.9 | **1,557.9** |
| OIL | 1970 | 23.0 | 20.7 | 21.6 | 23.2 | 19.9 | 19.2 | 16.5 | 14.3 | 11.9 | 8.9 | 6.5 | 8.9 | **311.6** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 20.0 | 17.0 | 31.0 | 30.0 | 31.0 | **132.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 33.9 | 159.5 | 73.0 | 14.9 | 71.7 | 69.8 | **422.8** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.1 | 28.4 | 14.5 | 30.8 | 20.8 | 18.4 | **117.0** |

Licence ***2379*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

# Manitoba Production
## 1950 To 1975

Licence ***2379*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***102.13-11-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 27.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,337.0** |
| H2O | 1975 | 29.6 | 27.2 | 26.4 | 29.4 | 30.5 | 28.5 | 36.9 | 38.0 | 37.5 | 40.1 | 40.4 | 41.0 | **1,640.6** |
| OIL | 1975 | 21.8 | 19.4 | 18.6 | 20.2 | 20.7 | 19.7 | 12.2 | 12.9 | 12.6 | 13.0 | 12.6 | 12.7 | **2,065.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,977.0** |
| H2O | 1974 | 56.6 | 54.2 | 60.7 | 58.8 | 61.0 | 61.3 | 31.0 | 28.4 | 28.0 | 29.6 | 29.4 | 29.4 | **1,235.1** |
| OIL | 1974 | 34.3 | 30.8 | 35.4 | 33.5 | 35.0 | 33.8 | 22.2 | 22.1 | 21.3 | 22.4 | 21.3 | 21.9 | **1,868.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 29.0 | 27.0 | 30.0 | 30.0 | 31.0 | **1,612.0** |
| H2O | 1973 | 9.7 | 9.2 | 10.2 | 10.0 | 10.2 | 9.7 | 9.9 | 9.9 | 8.9 | 60.2 | 60.4 | 58.5 | **706.7** |
| OIL | 1973 | 26.4 | 23.2 | 25.6 | 25.1 | 26.1 | 25.1 | 26.2 | 26.2 | 22.7 | 33.4 | 34.0 | 34.5 | **1,534.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,253.0** |
| H2O | 1972 | 13.3 | 12.9 | 13.8 | 12.7 | 14.1 | 8.7 | 9.5 | 9.2 | 8.9 | 9.9 | 9.7 | 10.0 | **439.9** |
| OIL | 1972 | 17.5 | 16.4 | 17.3 | 17.0 | 18.0 | 25.6 | 26.4 | 26.9 | 25.4 | 27.0 | 25.7 | 26.9 | **1,206.4** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **887.0** |
| H2O | 1971 | 7.5 | 7.0 | 7.0 | 7.6 | 5.9 | 7.0 | 8.7 | 7.2 | 5.1 | 7.2 | 7.5 | 14.3 | **307.2** |
| OIL | 1971 | 27.5 | 24.2 | 26.1 | 25.6 | 25.3 | 23.4 | 24.8 | 24.0 | 22.4 | 29.4 | 29.9 | 17.8 | **936.3** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 26.0 | 11.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **525.0** |
| H2O | 1970 | 13.3 | 9.2 | 8.7 | 6.7 | 3.7 | 7.3 | 7.2 | 10.0 | 7.3 | 5.1 | 6.7 | 7.0 | **215.2** |
| OIL | 1970 | 32.4 | 29.7 | 31.5 | 29.2 | 19.5 | 35.9 | 33.7 | 31.5 | 29.9 | 27.8 | 29.1 | 27.8 | **635.9** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 25.0 | **185.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.7 | 17.9 | 20.4 | 16.9 | 18.3 | 23.7 | 19.1 | **123.0** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.9 | 53.2 | 45.2 | 45.1 | 43.5 | 42.8 | 35.2 | **277.9** |

Licence ***2381*** Well Name ***Tundra Daly SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.09-09-009-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole B*** Field Code ***1*** Pool Code ***59B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 3143.0 | 2913.3 | 3178.8 | 3047.6 | 2972.1 | 3076.3 | 3079.4 | 3055.6 | 3147.0 | 2890.2 | 3072.3 | 3265.5 | **199,848.7** |
| WIN | 1974 | 3505.5 | 3125.5 | 3277.4 | 3261.5 | 3459.4 | 3271.8 | 3279.8 | 3181.2 | 3189.1 | 3334.6 | 3205.0 | 3243.2 | **163,007.6** |
| WIN | 1973 | 3236.2 | 2941.1 | 3079.0 | 3209.5 | 3355.0 | 3252.3 | 3356.1 | 3438.8 | 3224.8 | 3518.2 | 3259.1 | 3384.7 | **123,673.6** |
| WIN | 1972 | 2724.4 | 2465.1 | 2627.0 | 2905.5 | 2991.7 | 2972.6 | 2158.2 | 3272.1 | 3233.3 | 3364.0 | 3184.5 | 3215.7 | **84,418.8** |
| WIN | 1971 | 1351.3 | 1387.4 | 2464.9 | 2914.9 | 2802.3 | 2379.5 | 2587.5 | 2853.0 | 2816.8 | 2893.1 | 2936.2 | 2909.5 | **49,304.7** |
| WIN | 1970 | 560.9 | 1533.5 | 1938.1 | 1940.5 | 1120.8 | 1562.6 | 1328.3 | 927.6 | 1561.3 | 2761.3 | 2007.3 | 1766.1 | **19,008.3** |

Licence ***2384*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.15-24-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,294.0** |
| H2O | 1975 | 236.2 | 217.3 | 242.1 | 234.7 | 233.5 | 228.0 | 209.1 | 205.9 | 202.9 | 217.6 | 218.4 | 222.3 | **6,458.5** |
| OIL | 1975 | 82.3 | 73.3 | 80.4 | 76.3 | 74.5 | 73.9 | 77.5 | 78.0 | 75.6 | 78.3 | 75.6 | 76.9 | **4,353.3** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,930.0** |
| H2O | 1974 | 78.2 | 72.5 | 81.2 | 79.0 | 81.7 | 82.2 | 80.3 | 73.6 | 37.0 | 37.7 | 38.8 | 234.8 | **3,790.5** |
| OIL | 1974 | 31.1 | 27.0 | 31.0 | 29.6 | 30.7 | 29.7 | 29.7 | 29.6 | 8.1 | 8.3 | 8.1 | 83.0 | **3,430.7** |
| DAY | 1973 | 31.0 | 27.0 | 31.0 | 30.0 | 31.0 | 30.0 | 24.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,567.0** |
| H2O | 1973 | 20.5 | 19.1 | 21.1 | 21.1 | 21.3 | 20.5 | 16.1 | 22.3 | 21.9 | 87.1 | 80.9 | 78.5 | **2,813.5** |
| OIL | 1973 | 66.4 | 56.4 | 64.7 | 63.2 | 65.9 | 63.9 | 51.3 | 70.9 | 67.5 | 31.6 | 29.9 | 30.4 | **3,084.8** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 28.0 | 30.0 | 31.0 | 29.0 | 31.0 | 30.0 | 29.0 | **1,210.0** |
| H2O | 1972 | 29.9 | 28.0 | 32.0 | 28.3 | 31.3 | 29.1 | 19.6 | 19.2 | 18.6 | 20.8 | 20.5 | 19.7 | **2,383.1** |
| OIL | 1972 | 25.9 | 23.4 | 26.4 | 25.3 | 26.5 | 23.8 | 64.4 | 68.0 | 62.5 | 68.2 | 64.7 | 62.6 | **2,422.7** |
| DAY | 1971 | 31.0 | 28.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 27.0 | 28.0 | 31.0 | **850.0** |
| H2O | 1971 | 137.2 | 125.8 | 124.5 | 19.2 | 31.2 | 30.5 | 31.8 | 31.5 | 29.3 | 24.3 | 25.3 | 31.6 | **2,086.1** |
| OIL | 1971 | 80.6 | 71.7 | 71.2 | 40.0 | 26.7 | 25.4 | 25.6 | 26.1 | 21.1 | 23.7 | 24.0 | 26.4 | **1,881.0** |
| DAY | 1970 | 29.0 | 24.0 | 31.0 | 30.0 | 30.0 | 29.0 | 29.0 | 31.0 | 28.0 | 29.0 | 30.0 | 31.0 | **492.0** |

# Manitoba Production
## 1950 To 1975

Licence ***2384*** Well Name ***North Virden Scallion Unit No. 1 Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.15-24-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1970 | 103.5 | 63.3 | 82.5 | 66.6 | 68.8 | 70.1 | 75.7 | 84.3 | 64.5 | 69.5 | 111.0 | 128.5 | **1,443.9** |
| OIL | 1970 | 89.8 | 98.7 | 123.6 | 67.4 | 72.8 | 59.6 | 59.9 | 65.5 | 42.6 | 42.3 | 68.2 | 79.1 | **1,418.5** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.0 | 27.0 | 30.0 | 30.0 | 31.0 | **141.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 88.7 | 61.0 | 93.5 | 106.7 | 105.7 | **455.6** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 147.8 | 80.6 | 115.2 | 105.0 | 100.4 | **549.0** |

Licence ***2408*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.03-14-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **2,276.0** |
| H2O | 1975 | 112.4 | 104.3 | 116.2 | 112.7 | 116.7 | 104.9 | 107.3 | 105.7 | 104.1 | 111.8 | 112.1 | 114.1 | **5,100.7** |
| OIL | 1975 | 69.1 | 62.0 | 68.0 | 64.5 | 65.8 | 46.9 | 49.1 | 49.4 | 47.8 | 49.6 | 47.8 | 48.6 | **6,040.6** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,911.0** |
| H2O | 1974 | 63.1 | 58.5 | 65.5 | 63.6 | 66.0 | 117.8 | 115.1 | 109.1 | 107.6 | 113.0 | 112.7 | 112.7 | **3,778.4** |
| OIL | 1974 | 40.7 | 35.4 | 40.7 | 38.6 | 40.4 | 68.6 | 68.5 | 70.6 | 67.9 | 71.4 | 68.0 | 70.2 | **5,372.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **1,546.0** |
| H2O | 1973 | 50.9 | 48.8 | 52.3 | 52.3 | 68.2 | 65.7 | 64.1 | 164.1 | 150.6 | 162.6 | 65.3 | 63.3 | **2,673.7** |
| OIL | 1973 | 66.6 | 58.6 | 64.7 | 63.1 | 39.7 | 38.6 | 38.8 | 42.7 | 38.0 | 41.5 | 39.1 | 39.6 | **4,691.0** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 29.0 | 30.0 | **1,182.0** |
| H2O | 1972 | 17.5 | 17.0 | 18.6 | 16.5 | 18.3 | 18.1 | 20.2 | 17.8 | 18.9 | 20.7 | 48.2 | 50.2 | **1,665.5** |
| OIL | 1972 | 112.0 | 104.4 | 113.8 | 108.5 | 114.6 | 110.6 | 113.9 | 107.6 | 109.5 | 116.8 | 61.0 | 65.3 | **4,120.0** |
| DAY | 1971 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **819.0** |
| H2O | 1971 | 72.8 | 42.9 | 96.3 | 47.1 | 38.3 | 51.4 | 83.1 | 75.0 | 41.0 | 16.4 | 15.7 | 18.4 | **1,383.5** |
| OIL | 1971 | 85.0 | 77.7 | 64.8 | 97.7 | 59.9 | 56.7 | 59.3 | 61.0 | 83.4 | 118.2 | 111.4 | 114.1 | **2,882.0** |
| DAY | 1970 | 31.0 | 28.0 | 31.0 | 19.0 | 13.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **455.0** |
| H2O | 1970 | 21.9 | 14.0 | 19.1 | 36.6 | 37.8 | 68.7 | 68.7 | 77.3 | 68.7 | 64.2 | 80.1 | 58.7 | **785.1** |
| OIL | 1970 | 138.0 | 117.9 | 120.1 | 73.1 | 51.3 | 109.3 | 109.8 | 103.8 | 99.0 | 96.6 | 90.1 | 86.3 | **1,892.8** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 30.0 | 28.0 | 30.0 | 31.0 | **120.0** |
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.2 | 31.8 | 66.8 | 51.5 | **169.3** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.9 | 211.5 | 163.8 | 158.5 | 148.8 | **697.5** |

Licence ***2435*** Well Name ***Tundra et al Waskada*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-19-001-25W1.00*** Field Name ***Waskada*** Pool Name ***Mission Canyon 3b A*** Field Code ***3*** Pool Code ***42A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 10.0 | 27.0 | 31.0 | 28.0 | 29.0 | 30.0 | 27.0 | 29.0 | **1,912.0** |
| H2O | 1975 | 12.1 | 10.8 | 11.4 | 11.1 | 3.5 | 10.2 | 10.8 | 9.9 | 8.6 | 9.2 | 6.7 | 5.4 | **675.8** |
| OIL | 1975 | 88.9 | 77.7 | 78.1 | 77.1 | 25.8 | 68.7 | 87.3 | 76.2 | 79.8 | 83.0 | 70.0 | 72.3 | **10,739.6** |
| DAY | 1974 | 30.0 | 28.0 | 31.0 | 9.0 | 0.0 | 15.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,581.0** |
| H2O | 1974 | 18.8 | 17.5 | 15.9 | 4.3 | 0.0 | 8.6 | 13.4 | 11.4 | 10.5 | 11.4 | 11.1 | 11.8 | **566.1** |
| OIL | 1974 | 131.9 | 120.1 | 130.9 | 23.1 | 0.0 | 44.9 | 88.9 | 84.6 | 75.1 | 83.5 | 102.4 | 88.3 | **9,854.7** |
| DAY | 1973 | 22.0 | 24.0 | 21.0 | 17.0 | 28.0 | 22.0 | 25.0 | 27.0 | 26.0 | 26.0 | 29.0 | 28.0 | **1,284.0** |
| H2O | 1973 | 24.2 | 15.3 | 13.4 | 24.3 | 23.1 | 24.5 | 23.8 | 25.8 | 25.1 | 21.3 | 21.9 | 18.1 | **431.4** |
| OIL | 1973 | 111.8 | 88.6 | 91.6 | 83.7 | 124.1 | 62.9 | 66.8 | 102.9 | 122.5 | 109.0 | 112.8 | 115.6 | **8,881.0** |
| DAY | 1972 | 29.0 | 26.0 | 29.0 | 28.0 | 25.0 | 28.0 | 24.0 | 23.0 | 28.0 | 29.0 | 26.0 | 25.0 | **989.0** |
| H2O | 1972 | 0.0 | 8.2 | 9.2 | 9.9 | 8.3 | 8.7 | 19.1 | 18.0 | 17.8 | 17.5 | 25.4 | 27.8 | **170.6** |
| OIL | 1972 | 230.4 | 206.6 | 219.8 | 209.8 | 190.7 | 198.5 | 170.0 | 178.0 | 183.1 | 165.7 | 132.2 | 139.7 | **7,688.7** |
| DAY | 1971 | 24.0 | 24.0 | 28.0 | 20.0 | 22.0 | 27.0 | 29.0 | 29.0 | 24.0 | 29.0 | 30.0 | 30.0 | **669.0** |
| OIL | 1971 | 205.9 | 212.6 | 231.4 | 165.2 | 181.9 | 231.7 | 233.5 | 216.6 | 183.1 | 185.8 | 160.6 | 238.4 | **5,464.2** |
| DAY | 1970 | 27.0 | 20.0 | 28.0 | 16.0 | 19.0 | 29.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | **353.0** |
| OIL | 1970 | 227.4 | 168.4 | 231.4 | 148.7 | 166.0 | 253.5 | 244.7 | 247.9 | 238.4 | 263.8 | 262.2 | 257.5 | **3,017.5** |
| DAY | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 31.0 | **34.0** |

# Manitoba Production
## 1950 To 1975

Licence ***2435*** Well Name ***Tundra et al Waskada*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.11-19-001-25W1.00*** Field Name ***Waskada*** Pool Name ***Mission Canyon 3b A*** Field Code ***3*** Pool Code ***42A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | **0.7** |
| OIL | 1969 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.5 | 282.1 | **307.6** |

Licence ***2456*** Well Name ***Tundra et al Waskada SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-19-001-25W1.00*** Field Name ***Waskada*** Pool Name ***Mission Canyon 3b A*** Field Code ***3*** Pool Code ***42A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 6.0 | 11.0 | 9.0 | 0.0 | **40.0** |
| H2O | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 61.1 | 82.4 | 56.9 | 70.3 | 0.0 | **270.7** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 36.2 | 24.8 | 24.5 | 4.3 | 0.0 | **89.8** |

Licence ***2458*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.14-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,762.0** |
| H2O | 1975 | 143.0 | 131.6 | 146.5 | 142.2 | 147.3 | 141.0 | 141.3 | 136.5 | 137.1 | 147.2 | 147.6 | 150.3 | **3,898.8** |
| OIL | 1975 | 143.8 | 127.7 | 140.3 | 133.0 | 135.5 | 131.9 | 135.5 | 133.4 | 132.2 | 136.6 | 132.2 | 134.4 | **7,412.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | **1,397.0** |
| H2O | 1974 | 49.2 | 45.6 | 51.0 | 49.5 | 51.3 | 51.5 | 52.1 | 47.8 | 84.2 | 133.3 | 142.2 | 142.1 | **2,187.2** |
| OIL | 1974 | 133.9 | 116.8 | 133.6 | 127.4 | 132.5 | 128.2 | 132.2 | 131.5 | 194.3 | 137.4 | 140.3 | 144.7 | **5,795.7** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,034.0** |
| H2O | 1973 | 76.6 | 73.4 | 78.8 | 73.2 | 79.6 | 76.6 | 51.3 | 55.3 | 54.2 | 53.0 | 50.8 | 49.2 | **1,287.4** |
| OIL | 1973 | 61.3 | 54.0 | 59.4 | 54.1 | 60.6 | 58.7 | 131.2 | 140.4 | 133.8 | 132.5 | 128.5 | 130.3 | **4,142.9** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 27.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **671.0** |
| H2O | 1972 | 12.5 | 12.0 | 13.4 | 0.0 | 0.0 | 0.0 | 84.2 | 93.1 | 42.0 | 44.1 | 24.7 | 76.7 | **515.4** |
| OIL | 1972 | 121.2 | 113.1 | 113.7 | 96.4 | 101.8 | 97.4 | 26.1 | 31.2 | 43.0 | 43.6 | 136.5 | 61.7 | **2,998.1** |
| DAY | 1971 | 3.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 18.0 | 18.0 | 30.0 | 30.0 | 31.0 | **310.0** |
| H2O | 1971 | 0.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 49.3 | 49.3 | 13.4 | **112.7** |
| OIL | 1971 | 31.7 | 262.9 | 291.0 | 222.8 | 188.0 | 186.1 | 184.2 | 108.3 | 110.6 | 153.0 | 150.5 | 123.3 | **2,012.4** |

Licence ***2460*** Well Name ***Enerplus Virden*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.15-26-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 13.0 | 12.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,634.0** |
| H2O | 1975 | 99.7 | 95.2 | 104.1 | 41.5 | 36.9 | 111.9 | 104.5 | 100.8 | 94.9 | 97.0 | 95.9 | 101.9 | **3,794.7** |
| OIL | 1975 | 55.8 | 41.7 | 55.6 | 22.1 | 21.0 | 53.9 | 55.8 | 59.0 | 54.5 | 56.3 | 51.8 | 52.6 | **3,202.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 28.0 | 0.0 | 30.0 | 31.0 | 30.0 | 30.0 | 21.0 | 24.0 | 28.0 | **1,305.0** |
| H2O | 1974 | 85.4 | 70.9 | 83.3 | 73.6 | 0.0 | 86.0 | 86.6 | 81.7 | 81.1 | 58.3 | 80.8 | 99.5 | **2,710.4** |
| OIL | 1974 | 54.9 | 47.2 | 52.3 | 46.6 | 0.0 | 50.6 | 53.3 | 47.2 | 49.0 | 32.0 | 36.2 | 48.8 | **2,621.9** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 29.0 | 31.0 | 31.0 | 30.0 | 21.0 | 29.0 | 31.0 | **993.0** |
| H2O | 1973 | 90.5 | 68.2 | 93.5 | 80.9 | 81.9 | 84.9 | 81.9 | 83.9 | 79.2 | 69.8 | 81.6 | 87.8 | **1,823.2** |
| OIL | 1973 | 63.5 | 55.1 | 59.4 | 58.9 | 59.7 | 56.6 | 57.1 | 56.9 | 53.3 | 43.4 | 54.7 | 54.4 | **2,103.8** |
| DAY | 1972 | 24.0 | 29.0 | 30.0 | 17.0 | 8.0 | 28.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 16.0 | **640.0** |
| H2O | 1972 | 26.7 | 46.4 | 40.5 | 23.1 | 12.2 | 65.5 | 81.7 | 82.4 | 80.9 | 81.7 | 79.5 | 55.0 | **839.1** |
| OIL | 1972 | 60.0 | 71.0 | 68.9 | 41.2 | 21.4 | 67.5 | 62.9 | 62.5 | 60.3 | 59.5 | 57.3 | 36.8 | **1,430.8** |
| DAY | 1971 | 18.0 | 25.0 | 31.0 | 30.0 | 24.0 | 30.0 | 30.0 | 27.0 | 23.0 | 26.0 | 26.0 | 28.0 | **336.0** |
| H2O | 1971 | 0.0 | 7.1 | 8.5 | 8.2 | 7.2 | 6.0 | 9.9 | 10.8 | 11.0 | 29.1 | 32.0 | 33.7 | **163.5** |
| OIL | 1971 | 76.1 | 73.0 | 57.8 | 49.2 | 39.5 | 24.1 | 57.8 | 43.5 | 43.5 | 73.0 | 64.0 | 71.9 | **761.5** |
| DAY | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18.0 | **18.0** |
| OIL | 1970 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 88.1 | **88.1** |

# Manitoba Production
## 1950 To 1975

Licence ***2470*** Well Name ***Oakland N. Pierson*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.08-24-003-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a B*** Field Code ***7*** Pool Code ***43B*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 21.0 | 31.0 | 30.0 | 29.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 26.0 | **1,638.0** |
| H2O | 1975 | 82.2 | 53.4 | 71.1 | 91.6 | 80.9 | 81.9 | 81.1 | 72.7 | 90.6 | 80.8 | 75.5 | 68.2 | **4,880.1** |
| OIL | 1975 | 63.9 | 45.5 | 84.6 | 37.0 | 45.6 | 78.9 | 44.5 | 55.8 | 43.9 | 41.7 | 38.6 | 34.2 | **4,351.2** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,287.0** |
| H2O | 1974 | 97.0 | 83.3 | 87.4 | 92.2 | 79.8 | 65.7 | 81.9 | 83.8 | 84.7 | 75.7 | 79.0 | 90.1 | **3,950.1** |
| OIL | 1974 | 78.4 | 69.8 | 76.6 | 73.0 | 67.9 | 70.9 | 66.8 | 72.7 | 70.6 | 47.4 | 58.3 | 76.0 | **3,737.0** |
| DAY | 1973 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 28.0 | 15.0 | 0.0 | 19.0 | 31.0 | 30.0 | 31.0 | **922.0** |
| H2O | 1973 | 100.0 | 90.5 | 105.6 | 62.5 | 95.4 | 102.9 | 57.6 | 0.0 | 63.6 | 125.4 | 99.4 | 97.3 | **2,949.5** |
| OIL | 1973 | 105.3 | 85.6 | 96.0 | 68.7 | 90.8 | 90.0 | 50.9 | 0.0 | 46.3 | 99.2 | 82.0 | 78.1 | **2,908.6** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **617.0** |
| H2O | 1972 | 110.3 | 101.4 | 103.5 | 100.2 | 78.9 | 78.4 | 107.5 | 112.4 | 101.3 | 111.0 | 100.6 | 118.8 | **1,949.3** |
| OIL | 1972 | 108.0 | 86.5 | 83.1 | 91.0 | 83.5 | 81.1 | 94.5 | 95.9 | 92.0 | 94.3 | 91.3 | 93.9 | **2,015.7** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 6.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **251.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.2 | 40.1 | 57.1 | 80.8 | 135.0 | 115.6 | 93.0 | 92.4 | 110.8 | **725.0** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 24.1 | 154.4 | 123.6 | 101.2 | 106.7 | 117.6 | 101.3 | 86.4 | 105.3 | **920.6** |

Licence ***2478*** Well Name ***Daly Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.14-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 3027.2 | 2816.2 | 3917.5 | 3210.2 | 3674.7 | 3249.1 | 2361.2 | 2788.0 | 2690.3 | 2222.8 | 3245.3 | 2450.5 | **124,594.8** |
| WIN | 1974 | 2873.9 | 2500.3 | 2694.4 | 2968.2 | 2575.3 | 2413.3 | 1862.9 | 1748.7 | 2387.6 | 1766.5 | 3330.0 | 3694.5 | **88,941.8** |
| WIN | 1973 | 3907.2 | 3404.9 | 3494.0 | 3618.8 | 3612.1 | 3620.5 | 2724.5 | 2792.8 | 3153.1 | 2839.7 | 2668.0 | 2922.1 | **58,126.2** |
| WIN | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1262.9 | 3422.3 | 2814.3 | 3212.9 | 4887.7 | 3768.4 | **19,368.5** |

Licence ***2479*** Well Name ***Daly Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.08-05-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 4512.8 | 3861.6 | 4932.9 | 4350.2 | 4728.6 | 4586.1 | 4460.8 | 4479.4 | 4292.9 | 3930.1 | 4594.9 | 3822.7 | **192,037.6** |
| WIN | 1974 | 4263.4 | 3913.4 | 4339.4 | 4446.9 | 4562.1 | 4312.7 | 3068.6 | 4135.5 | 4632.4 | 4352.4 | 4386.9 | 4520.1 | **139,484.6** |
| WIN | 1973 | 4252.9 | 3930.3 | 4204.9 | 4091.8 | 4093.7 | 3946.2 | 3544.4 | 3710.1 | 3998.7 | 3958.4 | 4050.3 | 4355.1 | **88,550.8** |
| WIN | 1972 | 638.8 | 1508.8 | 1951.6 | 1935.4 | 1885.6 | 3038.8 | 6089.5 | 4459.9 | 4567.0 | 5216.2 | 4397.9 | 4221.6 | **40,414.0** |
| WIN | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 502.9 | **502.9** |

Licence ***2480*** Well Name ***Daly Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***103.12-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 4611.5 | 3680.7 | 5276.2 | 5826.7 | 6427.9 | 6048.4 | 5811.0 | 6566.4 | 6377.9 | 5137.6 | 3781.2 | 4245.3 | **209,777.5** |
| WIN | 1974 | 4643.1 | 4233.3 | 4650.6 | 4815.0 | 4605.5 | 4349.1 | 3967.8 | 3786.4 | 4302.8 | 4712.1 | 5150.1 | 4783.7 | **145,986.7** |
| WIN | 1973 | 4317.9 | 3938.6 | 3721.1 | 4063.4 | 4060.2 | 4005.8 | 3370.7 | 3571.6 | 4059.2 | 4987.7 | 3791.5 | 4740.4 | **91,987.2** |
| WIN | 1972 | 2723.3 | 1701.9 | 1796.8 | 1975.6 | 2695.6 | 3205.0 | 5073.5 | 5382.9 | 5272.4 | 5698.1 | 3005.8 | 4324.3 | **43,359.1** |
| WIN | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 503.9 | **503.9** |

Licence ***2484*** Well Name ***Daly Unit No. 1 WIW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.13-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 3875.4 | 3357.9 | 4137.1 | 3653.7 | 4442.2 | 4133.9 | 4099.6 | 4472.7 | 4167.6 | 3988.9 | 4388.4 | 4092.2 | **162,392.4** |
| WIN | 1974 | 3769.5 | 4821.5 | 4336.5 | 4429.8 | 4183.2 | 3873.6 | 3335.3 | 3208.4 | 3702.9 | 3255.5 | 4504.8 | 4128.8 | **113,582.8** |
| WIN | 1973 | 3744.2 | 3647.5 | 3886.2 | 3474.9 | 4007.0 | 3726.9 | 4161.6 | 4754.1 | 5512.5 | 5323.8 | 4736.3 | 3162.2 | **66,033.0** |
| WIN | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1252.2 | 3362.0 | 2428.3 | 2756.9 | 2515.2 | 3581.2 | **15,895.8** |

# Manitoba Production
## 1950 To 1975

Licence ***2485*** Well Name ***Daly Unit No. 1 Prov. WIW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***102.15-04-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 5045.5 | 4398.9 | 4428.2 | 3482.6 | 4277.0 | 4192.6 | 4120.0 | 4262.8 | 3864.0 | 3552.7 | 4096.9 | 4006.8 | **162,297.0** |
| WIN | 1974 | 3586.9 | 3126.8 | 3302.8 | 3315.0 | 3446.5 | 3227.9 | 3417.7 | 4018.5 | 5135.5 | 5141.7 | 3522.2 | 5018.8 | **112,569.0** |
| WIN | 1973 | 4348.1 | 3869.4 | 4068.9 | 3890.4 | 4140.0 | 4208.3 | 3378.9 | 3339.0 | 3961.8 | 4117.7 | 4207.8 | 4606.4 | **66,308.7** |
| WIN | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 79.5 | 489.1 | 3694.7 | 5274.8 | 4407.8 | 4226.1 | **18,172.0** |

Licence ***2487*** Well Name ***Virden Roselea Unit No. 2*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.06-07-011-25W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***2***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 30.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,469.0** |
| H2O | 1975 | 164.7 | 146.7 | 163.4 | 132.6 | 179.3 | 149.3 | 100.6 | 122.9 | 114.3 | 133.9 | 137.0 | 137.4 | **8,419.3** |
| OIL | 1975 | 68.8 | 61.2 | 71.4 | 66.6 | 71.8 | 67.7 | 79.6 | 83.6 | 80.9 | 80.6 | 82.3 | 83.9 | **4,786.0** |
| DAY | 1974 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **1,105.0** |
| H2O | 1974 | 137.8 | 125.0 | 120.5 | 135.8 | 136.9 | 126.7 | 161.8 | 948.8 | 143.1 | 126.9 | 154.4 | 172.8 | **6,737.2** |
| OIL | 1974 | 73.1 | 64.7 | 69.1 | 66.9 | 82.5 | 85.2 | 80.4 | 8.1 | 71.7 | 76.3 | 75.8 | 72.1 | **3,887.6** |
| DAY | 1973 | 31.0 | 28.0 | 12.0 | 23.0 | 31.0 | 30.0 | 31.0 | 31.0 | 29.0 | 31.0 | 30.0 | 31.0 | **740.0** |
| H2O | 1973 | 200.3 | 152.6 | 70.0 | 165.3 | 184.7 | 211.4 | 176.5 | 190.8 | 166.9 | 184.1 | 161.8 | 145.9 | **4,246.7** |
| OIL | 1973 | 99.2 | 90.4 | 40.0 | 82.8 | 100.1 | 89.5 | 92.5 | 80.6 | 78.0 | 77.2 | 78.7 | 74.7 | **3,061.7** |
| DAY | 1972 | 31.0 | 29.0 | 31.0 | 13.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 28.0 | 30.0 | 29.0 | **402.0** |
| H2O | 1972 | 126.9 | 182.8 | 162.2 | 53.7 | 251.2 | 164.4 | 181.2 | 205.1 | 208.3 | 154.2 | 213.0 | 178.1 | **2,236.4** |
| OIL | 1972 | 214.4 | 180.7 | 167.7 | 71.0 | 157.2 | 136.3 | 133.0 | 124.3 | 112.7 | 104.9 | 109.2 | 105.4 | **2,078.0** |
| DAY | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.0 | 31.0 | **58.0** |
| H2O | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 33.2 | 122.1 | **155.3** |
| OIL | 1971 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 225.1 | 236.1 | **461.2** |

Licence ***2498*** Well Name ***Tundra Daly WSW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***103.07-31-009-29W1.00*** Field Name ***Daly*** Pool Name ***Devonian Undifferentiated*** Field Code ***1*** Pool Code ***78*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1974 | 200.9 | 200.9 | 201.1 | 586.2 | 586.2 | 586.2 | 384.4 | 384.4 | 384.4 | 34.4 | 0.0 | 0.0 | **8,938.7** |
| H2O | 1973 | 164.3 | 164.3 | 164.4 | 202.6 | 202.6 | 202.7 | 542.6 | 542.6 | 542.4 | 423.8 | 423.8 | 423.8 | **5,389.6** |
| H2O | 1972 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 183.2 | 143.7 | 517.1 | 545.7 | **1,389.7** |

Licence ***2499*** Well Name ***Enerplus Whitewater WSW*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.11-16-003-21W1.00*** Field Name ***Whitewater*** Pool Name ***Swan River*** Field Code ***6*** Pool Code ***15*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1975 | 1395.0 | 1008.0 | 1116.0 | 975.0 | 930.0 | 960.0 | 1240.0 | 1271.0 | 1350.0 | 1333.0 | 1290.0 | 1395.0 | **47,187.5** |
| H2O | 1974 | 1612.0 | 1344.0 | 1395.0 | 1320.0 | 1364.0 | 1200.0 | 1162.5 | 1085.0 | 1410.0 | 1395.0 | 1350.0 | 1395.0 | **32,924.5** |
| H2O | 1973 | 775.0 | 1540.0 | 1395.0 | 1500.0 | 1472.5 | 1350.0 | 1333.0 | 1317.5 | 1425.0 | 1674.0 | 1560.0 | 1550.0 | **16,892.0** |

Licence ***2519*** Well Name ***Virden Roselea Unit No. 3*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.12-13-010-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole B*** Field Code ***5*** Pool Code ***59B*** Unit ***3***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 30.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 30.0 | 30.0 | 31.0 | **671.0** |
| H2O | 1975 | 706.8 | 643.2 | 694.9 | 696.8 | 760.7 | 701.9 | 754.2 | 719.5 | 768.4 | 776.3 | 764.5 | 817.6 | **15,446.1** |
| OIL | 1975 | 147.3 | 134.8 | 151.1 | 143.8 | 119.3 | 115.5 | 117.9 | 115.7 | 114.4 | 112.5 | 111.2 | 112.7 | **3,033.7** |
| DAY | 1974 | 0.0 | 9.0 | 28.0 | 30.0 | 27.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **308.0** |
| H2O | 1974 | 0.0 | 135.1 | 387.0 | 662.5 | 576.1 | 712.5 | 685.4 | 692.7 | 679.2 | 696.3 | 694.3 | 720.2 | **6,641.3** |
| OIL | 1974 | 0.0 | 30.5 | 98.7 | 169.2 | 149.1 | 190.2 | 147.9 | 145.4 | 151.1 | 153.2 | 150.0 | 152.2 | **1,537.5** |

Licence ***2521*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

# Manitoba Production
## 1950 To 1975

Licence ***2521*** Well Name ***Daly Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.15-05-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **577.0** |
| OIL | 1975 | 25.4 | 22.6 | 22.7 | 22.1 | 21.1 | 20.4 | 19.9 | 19.7 | 16.1 | 19.2 | 18.3 | 18.4 | **510.7** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 19.0 | 28.0 | 11.0 | 14.0 | 18.0 | 30.0 | 31.0 | 30.0 | 31.0 | **212.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 6.7 | 5.6 | 7.2 | 6.8 | 7.0 | 0.0 | 0.0 | 0.0 | **33.3** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 47.1 | 35.7 | 12.0 | 23.4 | 31.3 | 27.0 | 37.4 | 27.5 | 23.4 | **264.8** |

Licence ***2524*** Well Name ***North Virden Scallion Unit No. 1*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***102.04-27-011-26W1.00*** Field Name ***Virden*** Pool Name ***Lodgepole A*** Field Code ***5*** Pool Code ***59A*** Unit ***1***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 31.0 | 28.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **518.0** |
| H2O | 1975 | 9.5 | 8.7 | 40.1 | 38.8 | 40.2 | 38.5 | 38.6 | 38.0 | 37.5 | 40.2 | 40.2 | 41.0 | **448.8** |
| OIL | 1975 | 399.0 | 354.5 | 512.3 | 486.1 | 495.2 | 481.3 | 495.2 | 497.5 | 482.6 | 499.3 | 482.8 | 490.6 | **7,689.2** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **153.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.1 | 9.5 | 9.4 | 9.5 | **37.5** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 425.7 | 387.6 | 408.1 | 389.5 | 401.9 | **2,012.8** |

Licence ***2527*** Well Name ***Tundra Pierson COM SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.05-15-003-29W1.02*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a A*** Field Code ***7*** Pool Code ***43A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 28.0 | 27.0 | 9.0 | 13.0 | 31.0 | 30.0 | 17.0 | 30.0 | 30.0 | 31.0 | 29.0 | 31.0 | **425.0** |
| H2O | 1975 | 382.8 | 52.3 | 161.8 | 392.4 | 360.6 | 328.6 | 160.3 | 271.4 | 238.0 | 226.1 | 194.4 | 189.2 | **4,271.9** |
| OIL | 1975 | 80.8 | 89.1 | 23.4 | 63.1 | 73.5 | 74.7 | 33.7 | 59.9 | 72.8 | 88.9 | 81.6 | 63.4 | **1,339.6** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 26.0 | 27.0 | 28.0 | 27.0 | **119.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 108.4 | 286.0 | 321.5 | 301.1 | 297.0 | **1,314.0** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 60.5 | 99.0 | 113.9 | 117.6 | 143.7 | **534.7** |

UWI ***100.05-15-003-29W1.03*** Field Name ***Pierson*** Pool Name ***Mission Canyon 1*** Field Code ***7*** Pool Code ***44*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 0.0 | 0.0 | 404.0 | 564.4 | 603.4 | 543.7 | 405.3 | 507.3 | 612.3 | 622.9 | 576.2 | 571.9 | **5,411.4** |

Licence ***2533*** Well Name ***Kiwi Daly SWD*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.01-03-010-28W1.00*** Field Name ***Daly*** Pool Name ***Lodgepole A*** Field Code ***1*** Pool Code ***59A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WIN | 1975 | 0.0 | 445.2 | 501.1 | 1374.7 | 664.7 | 1748.9 | 1949.0 | 2750.0 | 2591.7 | 2842.9 | 2775.3 | 2922.0 | **20,565.5** |

Licence ***2535*** Well Name ***Berry Pierson Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***102.08-16-003-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a A*** Field Code ***7*** Pool Code ***43A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 29.0 | 28.0 | 30.0 | 30.0 | 30.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **427.0** |
| H2O | 1975 | 49.8 | 46.4 | 67.9 | 49.4 | 53.3 | 39.4 | 60.3 | 88.9 | 45.6 | 52.5 | 47.5 | 47.9 | **835.4** |
| OIL | 1975 | 172.6 | 190.5 | 160.8 | 130.0 | 153.3 | 116.0 | 115.0 | 118.0 | 91.6 | 111.2 | 107.4 | 91.6 | **2,006.9** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.0 | 23.0 | 29.0 | **66.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.5 | 17.4 | 157.6 | **186.5** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 89.3 | 148.9 | 210.7 | **448.9** |

Licence ***2537*** Well Name ***Berry Pierson Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-16-003-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a A*** Field Code ***7*** Pool Code ***43A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 27.0 | 25.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | 31.0 | 30.0 | 31.0 | 30.0 | 31.0 | **389.0** |

# Manitoba Production
## 1950 To 1975

Licence ***2537*** Well Name ***Berry Pierson Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.07-16-003-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a A*** Field Code ***7*** Pool Code ***43A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1975 | 154.6 | 103.9 | 174.3 | 122.6 | 132.3 | 175.7 | 184.7 | 147.1 | 223.2 | 205.6 | 191.6 | 201.1 | **2,095.5** |
| OIL | 1975 | 168.1 | 180.4 | 174.2 | 136.3 | 160.8 | 152.2 | 163.3 | 171.9 | 156.0 | 147.4 | 146.5 | 130.4 | **2,106.6** |
| DAY | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.0 | 19.0 | **31.0** |
| H2O | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 64.6 | 14.2 | **78.8** |
| OIL | 1974 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 69.4 | 149.7 | **219.1** |

Licence ***2543*** Well Name ***Penn West Waskada Prov. WSW*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.11-29-001-25W1.00*** Field Name ***Waskada*** Pool Name ***Swan River*** Field Code ***3*** Pool Code ***15*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H2O | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1856.6 | 1857.2 | 1857.2 | **5,571.0** |

Licence ***2544*** Well Name ***Tundra Pierson Prov.*** Dev ***V*** Mineral Rights ***CROWN***

UWI ***100.09-16-003-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a A*** Field Code ***7*** Pool Code ***43A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 1.0 | 23.0 | 31.0 | **66.0** |
| H2O | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15.6 | 21.3 | **36.9** |
| OIL | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.7 | 0.7 | 116.9 | 135.5 | **260.8** |

Licence ***2545*** Well Name ***Tundra Pierson*** Dev ***V*** Mineral Rights ***FREEHOLD***

UWI ***100.12-15-003-29W1.00*** Field Name ***Pierson*** Pool Name ***Mission Canyon 3a A*** Field Code ***7*** Pool Code ***43A*** Unit ***0***

| Fluid | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cumulative |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.0 | 30.0 | 28.0 | 31.0 | **111.0** |
| H2O | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 105.3 | 138.7 | 126.9 | 112.4 | **483.3** |
| OIL | 1975 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 85.0 | 57.3 | 55.9 | 70.8 | **269.0** |