

## WEEKLY WELL ACTIVITY REPORT

### PETROLEUM INDUSTRY ACTIVITY REPORT

(January 1/11 – October 11/11)

<b><u>DRILLING ACTIVITY</u></b>	To October 11/11	To October 12/10	2010 Total
Drilling Licences Issued	490	479	632
Licences Cancelled	25	0	4
Vertical Wells Drilled	29	63	79
Horizontal Wells Drilled	342	317	436
Stratigraphic Test Holes Drilled	0	1	1
Wells Drilled - Total	371	381	516
No. of Metres Drilled	684 421	706 134	946 576
Wells Re-entered	4	0	0
Wells Being Drilled	16	13	1
No. of Active Rigs	19	18	1
Wells Licenced but Not Spudded	218	129	108
Wells Completed as Potential Oil Wells	356	336	460
Wells Abandoned Dry	8	12	19
Wells Drilled but Not Completed	0	1	0
Other Completions	6	32	37
New Wells on Production	163	140	359
<b><u>GEOPHYSICAL ACTIVITY</u></b>			
Geophysical Programs Licenced	16	14	23
Licences Cancelled	0	0	0
Kilometers Licenced	2 496	1899	2 249
Kilometers Run	1383	537	2 020
	2011	2010	
<b><u>OIL PRICES (Average)</u></b>	\$/m3 (\$/bbl)	\$/m3 (\$/bbl)	
Month of August	530.14 (84.24)	476.33 (75.69)	
Month of September	556.76 (88.47)	460.52 (73.18)	
<b><u>OIL PRODUCTION (M3)</u></b>	2010	2009	
Month of December	190 933.3	148 610.3	
Cumulative Thru December 31	1 872 425.1	1 520 621.3	

## WEEKLY WELL ACTIVITY REPORT

11 October 2011

Lic. No.: 7337      EOG Waskada HZNTL B10-17-1-25 (WPM)  
 UWI: 104.10-17-001-25W1.00

Main Hole Commenced: 04-Oct-2011  
 Intermediate Casing: 139.7 mm @ 1696.00 m with 41.0 t  
 Finished Drilling: 06-Oct-2011  
 Total Depth: 1696.00 m  
 Rig Released: 08-Oct-2011  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 08-Oct-2011

Lic. No.: 7408      Tundra Daly Sinclair Prov. HZNTL 13-24-8-29 (WPM)  
 UWI: 100.13-24-008-29W1.00

Revision to Report of: 15-Jun-2010  
 Contractor: Trinidad Drilling Ltd. – Rig# 12

Spud Date: 06-Oct-2011  
 K.B. Elevation: 517.13 m  
 Surface Casing: 244.50 mm @ 139.00 m with 15.1 t  
 Status: Drilling Ahead (DR)  
 Drilling Ahead: 11-Oct-2011

Lic. No.: 7570      Waskada Unit No. 18 Prov. HZNTL 14-16-1-25 (WPM)  
 UWI: 102.14-16-001-25W1.00

Intermediate Casing: 139.7 mm @ 1770.00 m with 42.6 t  
 Rig Released: 04-Oct-2011  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 04-Oct-2011

Lic. No.: 7678      CNRL Pierson Prov. 10-29-2-29 (WPM)  
 UWI: 100.10-29-002-29W1.00

Revision to Report of: 25-Oct-2010  
 Contractor: Champion Drilling Ltd. – Rig# 51

Spud Date: 06-Oct-2011  
 K.B. Elevation: 480.12 m  
 Surface Casing: 219.10 mm @ 112.00 m with 11.0 t  
 Intermediate Casing: 114.3 mm @ 1068.00 m with 31.0 t  
 Finished Drilling: 09-Oct-2011  
 Total Depth: 1068.00 m  
 Rig Released: 10-Oct-2011  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 10-Oct-2011

Lic. No.: 7735            EOG Waskada HZNTL 1-16-1-25 (WPM)  
 UWI: 102.01-16-001-25W1.00

Status: Completing (COMP)  
 Completing: 04-Oct-2011

Lic. No.: 7736            EOG WASKADA HZNTL A1-16-1-25 (WPM)  
 UWI: 103.01-16-001-25W1.00

Status: Completing (COMP)  
 Completing: 02-Oct-2011

Lic. No.: 7737            EOG Waskada HZNTL B1-16-1-25 (WPM)  
 UWI: 104.01-16-001-25W1.00

Status: Completing (COMP)  
 Completing: 01-Oct-2011

Lic. No.: 7768            EOG Waskada HZNTL 7-6-1-24 (WPM)  
 UWI: 100.07-06-001-24W1.00

Main Hole Commenced: 09-Oct-2011  
 K.B. Elevation: 487.27 m  
 Status: Drilling Ahead (DR)  
 Drilling Ahead: 11-Oct-2011

Lic. No.: 7770            EOG Waskada HZNTL A11-8-1-24 (WPM)  
 UWI: 102.11-08-001-24W1.00

Status: Completing (COMP)  
 Completing: 08-Oct-2011

Lic. No.: 7771            EOG Waskada HZNTL B11-8-1-24 (WPM)  
 UWI: 103.11-08-001-24W1.00

Status: Completing (COMP)  
 Completing: 12-Oct-2011

Lic. No.: 7772            EOG Waskada HZNTL 14-8-1-24 (WPM)  
 UWI: 102.14-08-001-24W1.00

Revision to Report of: 06-Dec-2010  
 Contractor: Precision Drilling – Rig# 156

Main Hole Commenced: 03-Oct-2011  
 K.B. Elevation: 479.70 m  
 Intermediate Casing: 139.7 mm @ 1656.00 m with 42.0 t  
 Finished Drilling: 05-Oct-2011  
 Total Depth: 1656.00 m  
 Rig Released: 06-Oct-2011  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 06-Oct-2011

Lic. No.: 7818      ARC Waskada 7-4-1-24 (WPM)  
 UWI: 102.07-04-001-24W1.00

Please note revised well name and location  
 (Licenced as a horizontal well 5-4-1-24)

Revision to Report of: 04-Jan-2011  
 Contractor: Quintera Drilling – Rig# 7

Spud Date: 07-Oct-2011  
 K.B. Elevation: 507.89 m  
 Finished Drilling: 08-Oct-2011  
 Total Depth: 161.00 m  
 Rig Released: 09-Oct-2011  
 Status: Junked and abandoned (ABD J)  
 Junked and abandoned: 09-Oct-2011

Lic. No.: 7884      EOG Waskada Prov. HZNTL 4-10-1-25 (WPM)  
 UWI: 100.04-10-001-25W1.00

Status: Completing (COMP)  
 Completing: 09-Oct-2011

Lic. No.: 7914      Penn West Waskada HZNTL 14-22-1-25 (WPM)  
 UWI: 100.14-22-001-25W1.00

Intermediate Casing: 139.7 mm @ 1798.00 m with 43.3 t  
 Finished Drilling: 04-Oct-2011  
 Total Depth: 1789.00 m  
 Rig Released: 06-Oct-2011  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 06-Oct-2011

Lic. No.: 7980      Waskada Unit No. 5 HZNTL 15-35-1-26 (WPM)  
 UWI: 102.15-35-001-26W1.00

Revision to Report of: 09-May-2011  
 Contractor: CanElson Drilling Inc. – Rig# 12

Spud Date: 07-Oct-2011  
 K.B. Elevation: 470.50 m  
 Surface Casing: 219.70 mm @ 251.00 m with 17.0 t  
 Status: Drilling Ahead (DR)  
 Drilling Ahead: 11-Oct-2011

Lic. No.: 7981      Waskada Unit No. 5 HZNTL A15-35-1-26 (WPM)  
 UWI: 103.15-35-001-26W1.00

Intermediate Casing: 139.7 mm @ 1767.00 m with 52.0 t  
 Finished Drilling: 05-Oct-2011  
 Total Depth: 1767.00 m  
 Rig Released: 06-Oct-2011  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 06-Oct-2011

Lic. No.: 7986 CNRL Pierson Prov. HZNTL 1-20-2-29 (WPM)  
 UWI: 100.01-20-002-29W1.00

Status: Moving In Rotary Tools (MIRT)  
 Moving In Rotary Tools: 11-Oct-2011

Lic. No.: 7995 ARC Waskada Prov. HZNTL B12-6-1-24 (WPM)  
 UWI: 103.12-06-001-24W1.00

Surface Casing: 219.10 mm @ 162.00 m with 14.0 t  
 Intermediate Casing: 139.7 mm @ 1667.00 m with 43.5 t  
 Finished Drilling: 05-Oct-2011  
 Total Depth: 1667.00 m  
 Rig Released: 07-Oct-2011  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 07-Oct-2011

Lic. No.: 8003 Legacy Coulter Prov. HZNTL 9-29-1-27 (WPM)  
 UWI: 100.09-29-001-27W1.00

Main Hole Commenced: 02-Oct-2011  
 Intermediate Casing: 139.7 mm @ 2305.5 m with 63.0 t  
 Finished Drilling: 07-Oct-2011  
 Total Depth: 2314.00 m  
 Rig Released: 09-Oct-2011  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 09-Oct-2011

Lic. No.: 8006 EOG Pierson HZNTL 15-28-1-28 (WPM)  
 UWI: 100.15-28-001-28W1.00

Spud Date: 05-Oct-2011  
 Surface Casing: 219.11 mm @ 154.00 m with 10.0 t  
 Status: Surface Casing Set (SCS)  
 Surface Casing Set: 05-Oct-2011

Lic. No.: 8007 EOG Pierson Prov. HZNTL 10-26-1-28 (WPM)  
 UWI: 100.10-26-001-28W1.00

Spud Date: 06-Oct-2011  
 Surface Casing: 219.11 mm @ 156.00 m with 10.0 t  
 Status: Surface Casing Set (SCS)  
 Surface Casing Set: 06-Oct-2011

Lic. No.: 8022            EOG Pierson HZNTL 13-33-1-28 (WPM)  
 UWI: 100.15-33-001-28W1.00 – Stratigraphic Test Hole

Revision to Report of: 24-May-2011  
 Contractor: Precision Drilling – Rig# 156

Spud Date: 08-Oct-2011  
 K.B. Elevation: 465.40 m  
 Surface Casing: 219.10 mm @ 154.00 m with 10.0 t  
 Finished Drilling: 10-Oct-2011  
 Total Depth: 1100.00 m  
 Status: Logging (LOG)  
 Logging: 11-Oct-2011

Lic. No.: 8024            EOG Pierson Prov. HZNTL 6-34-1-28 (WPM)  
 UWI: 100.06-34-001-28W1.00

Spud Date: 05-Oct-2011  
 Surface Casing: 219.11 mm @ 150.00 m with 10.0 t  
 Status: Surface Casing Set (SCS)  
 Surface Casing Set: 06-Oct-2011

Lic. No.: 8025            EOG Pierson HZNTL 15-34-1-28 (WPM)  
 UWI: 100.13-35-001-28W1.00 – Stratigraphic Test Hole

Spud Date: 07-Oct-2011  
 Surface Casing: 219.11 mm @ 156.00 m with 10.0 t  
 Status: Surface Casing Set (SCS)  
 Surface Casing Set: 07-Oct-2011

Lic. No.: 8028            EOG Pierson HZNTL 4-9-2-28 (WPM)  
 UWI: 100.02-09-002-28W1.00 – Stratigraphic Test Hole

Spud Date: 04-Oct-2011  
 Surface Casing: 219.11 mm @ 150.00 m with 10.0 t  
 Status: Surface Casing Set (SCS)  
 Surface Casing Set: 04-Oct-2011

Lic. No.: 8048            South Pierson Unit No. 2 HZNTL 5-19-2-29 (WPM)  
 UWI: 102.05-19-002-29W1.00

Status: Completing (COMP)  
 Completing: 08-Oct-2011

Lic. No.: 8049            South Pierson Unit No. 2 7-19-2-29 (WPM)  
 UWI: 100.07-19-002-29W1.00

Status: Completing (COMP)  
 Completing: 06-Oct-2011

Lic. No.: 8050            South Pierson Unit No. 2 HZNTL 3-20-2-29 (WPM)  
 UWI: 102.03-20-002-29W1.00

Intermediate Casing: 139.7 mm @ 2125.00 m with 57.0 t

Finished Drilling: 05-Oct-2011  
 Total Depth: 2125.00 m  
 Rig Released: 06-Oct-2011  
 Status: Completing (COMP)  
 Completing: 08-Oct-2011

Lic. No.: 8051      South Pierson Unit No. 2 HZNTL 6-20-2-29 (WPM)  
 UWI: 102.06-20-002-29W1.00

Status: Completing (COMP)  
 Completing: 08-Oct-2011

Lic. No.: 8053      Waskada Unit No. 15 HZNTL 4-3-2-26 (WPM)  
 UWI: 102.04-03-002-26W1.00

Intermediate Casing: 139.7 mm @ 2154.00 m with 58.6 t  
 Finished Drilling: 06-Oct-2011  
 Total Depth: 2154.00 m  
 Rig Released: 07-Oct-2011  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 07-Oct-2011

Lic. No.: 8054      Waskada Unit No. 15 HZNTL A4-3-2-26 (WPM)  
 UWI: 103.04-03-002-26W1.00

Revision to Report of: 14-Jun-2011  
 Contractor: Champion Drilling Ltd. – Rig# 41

Spud Date: 08-Oct-2011  
 K.B. Elevation: 462.70 m  
 Surface Casing: 219.10 mm @ 165.00 m with 8.0 t  
 Status: Drilling Ahead (DR)  
 Drilling Ahead: 11-Oct-2011

Lic. No.: 8068      Sinclair Unit No. 2 HZNTL 1-31-7-28 (WPM)  
 UWI: 102.01-31-007-28W1.00

Intermediate Casing: 177.8 mm @ 1064.5 m with 14.6 t  
 Finished Drilling: 06-Oct-2011  
 Total Depth: 2051.00 m  
 Rig Released: 07-Oct-2011  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 07-Oct-2011

Lic. No.: 8078      Waskada Unit No. 3 HZNTL 4-5-2-25 (WPM)  
 UWI: 102.04-05-002-25W1.00

Revision to Report of: 27-Jun-2011  
 Contractor: CanElson Drilling Inc. – Rig# 12

Spud Date: 06-Oct-2011  
 K.B. Elevation: 476.94 m  
 Surface Casing: 219.10 mm @ 256.00 m with 17.0 t

Status: Waiting On Orders (WOO)  
Waiting On Orders: 11-Oct-2011

Lic. No.: 8099      Tundra Daly Sinclair HZNTL 12-35-10-29 (WPM)  
UWI: 100.12-35-010-29W1.00

Intermediate Casing: 139.7 mm @ 920.30 m with 20.62 t  
Finished Drilling: 06-Oct-2011  
Total Depth: 2220.00 m  
Rig Released: 08-Oct-2011  
Status: Waiting On Service Rig (WOSR)  
Waiting On Service Rig: 08-Oct-2011

Lic. No.: 8101      Sinclair Unit No. 2 HZNTL 15-25-7-29 (WPM)  
UWI: 102.15-25-007-29W1.00

Spud Date: 07-Oct-2011  
K.B. Elevation: 495.94 m  
Surface Casing: 244.50 mm @ 141.50 m with 13.0 t  
Status: Fishing (FISH)  
Fishing: 11-Oct-2011

Lic. No.: 8108      Tundra Birdtail HZNTL 16-30-16-27 (WPM)  
UWI: 100.16-30-016-27W1.00

Status: Completing (COMP)  
Completing: 12-Oct-2011

Lic. No.: 8131      Cosens Daly Sinclair A14-25-9-29 (WPM)  
UWI: 102.14-25-009-29W1.00

Surface Casing: 219.10 mm @ 128.00 m with 11.0 t  
Production Casing: 137.7 mm @ 913.5 m with 19.0 t  
Finished Drilling: 05-Oct-2011  
Total Depth: 914.00 m  
Rig Released: 06-Oct-2011  
Status: Waiting On Service Rig (WOSR)  
Waiting On Service Rig: 06-Oct-2011

Lic. No.: 8152      Tundra Daly Sinclair HZNTL 1-21-7-28 (WPM)  
UWI: 100.01-21-007-28W1.00

Status: Completing (COMP)  
Completing: 09-Oct-2011

Lic. No.: 8153      Tundra St. Lazare HZNTL 9-25-16-28 (WPM)  
UWI: 100.09-25-016-28W1.00

Status: Completing (COMP)  
Completing: 07-Oct-2011

Lic. No.: 8155            EOG Waskada HZNTL 4-8-1-25 (WPM)  
 UWI: 102.04-08-001-25W1.00

Status: Completing (COMP)  
 Completing: 06-Oct-2011

Lic. No.: 8159            Legacy Coulter Prov. HZNTL 13-34-1-27 (WPM)  
 UWI: 100.13-34-001-27W1.00

Status: Moving In Rotary Tools (MIRT)  
 Moving In Rotary Tools: 11-Oct-2011

Lic. No.: 8163            Tundra Daly Sinclair Prov. HZNTL A16-32-8-29 (WPM)  
 UWI: 102.16-32-008-29W1.00

Status: Completing (COMP)  
 Completing: 04-Oct-2011

Lic. No.: 8167            Tundra Daly Sinclair HZNTL 16-21-10-28 (WPM)  
 UWI: 100.16-21-010-28W1.00

Status: Completing (COMP)  
 Completing: 04-Oct-2011

Lic. No.: 8170            Tundra Birdtail HZNTL 14-30-16-27 (WPM)  
 UWI: 100.14-30-016-27W1.00

Status: Completing (COMP)  
 Completing: 04-Oct-2011

Lic. No.: 8177            Tundra Daly Sinclair HZNTL A1-20-9-29 (WPM)  
 UWI: 103.01-20-009-29W1.00

Spud Date: 05-Oct-2011  
 K.B. Elevation: 537.88 m  
 Surface Casing: 244.50 mm @ 137.00 m with 12.8 t  
 Status: Drilling Ahead (DR)  
 Drilling Ahead: 11-Oct-2011

Lic. No.: 8182            Tundra Daly Sinclair Prov. HZNTL A5-36-8-29 (WPM)  
 UWI: 102.05-36-008-29W1.00

Finished Drilling: 04-Oct-2011  
 Total Depth: 2320.00 m  
 Rig Released: 06-Oct-2011  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 06-Oct-2011

- Lic. No.: 8184      Tundra Daly Sinclair Prov. HZNTL A13-36-8-29 (WPM)  
UWI: 103.13-36-008-29W1.00
- Status: Completing (COMP)  
Completing: 04-Oct-2011
- Lic. No.: 8195      Tundra Daly Sinclair HZNTL A16-35-8-29 (WPM)  
UWI: 103.16-35-008-29W1.00
- Rig Released: 05-Oct-2011  
Status: Waiting On Service Rig (WOSR)  
Waiting On Service Rig: 05-Oct-2011
- Lic. No.: 8197      Reliable East Manson HZNTL 11-17-13-28 (WPM)  
UWI: 100.11-17-013-28W1.00
- Status: Completing (COMP)  
Completing: 07-Oct-2011
- Lic. No.: 8199      ARC Waskada Prov. HZNTL A8-4-1-24 (WPM)  
UWI: 103.08-04-001-24W1.00
- Revision to Report of: 29-Aug-2011  
Contractor: Quintera Drilling – Rig# 7
- Spud Date: 09-Oct-2011  
K.B. Elevation: 504.28 m  
Status: Drilling Ahead (DR)  
Drilling Ahead: 11-Oct-2011
- Lic. No.: 8203      Interwest Daly Sinclair Prov. 14-32-9-29 (WPM)  
UWI: 100.14-32-009-29W1.00
- Status: Completing (COMP)  
Completing: 05-Oct-2011
- Lic. No.: 8209      Sinclair Unit No. 6 HZNTL 1-27-8-29 (WPM)  
UWI: 102.01-27-008-29W1.00
- Revision to Report of: 06-Sep-2011  
Contractor: Trinidad Drilling Ltd. – Rig# 10
- Spud Date: 07-Oct-2011  
K.B. Elevation: 530.35 m  
Surface Casing: 244.50 mm @ 141.00 m with 13.0 t  
Intermediate Casing: 177.80 mm @ 1066.00 m with 13.2 t  
Status: Drilling Ahead (DR)  
Drilling Ahead: 11-Oct-2011

- Lic. No.: 8210      Sinclair Unit No. 6 HZNTL 4-28-8-29 (WPM)  
 UWI: 102.04-28-008-29W1.00
- Intermediate Casing: 177.8 mm @ 1064.00 m with 13.9 t  
 Finished Drilling: 05-Oct-2011  
 Total Depth: 2270.00 m  
 Rig Released: 06-Oct-2011  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 06-Oct-2011
- Lic. No.: 8216      Magellan South Pipestone Prov. DIR 13-14-6-26 (WPM)  
 100.13-14-006-26W1.00
- Please note revised well name and location  
 (Licenced as a horizontal well 10-15-9-26)
- Spud Date: 05-Oct-2011  
 K.B. Elevation: 437.26 m  
 Surface Casing: 244.50 mm @ 150.00 m with 12.5 t  
 Finished Drilling: 08-Oct-2011  
 Total Depth: 831.00 m  
 Rig Released: 10-Oct-2011  
 Status: Abandoned Dry (ABD D)  
 Abandoned Dry: 10-Oct-2011
- Lic. No.: 8219      Fort Calgary East Manson Prov. HZNTL 10-30-13-28 (WPM)  
 UWI: 100.10-30-013-28W1.02 – Horizontal Section
- Intermediate Casing: 177.8 mm @ 759.0 m 17.0 t  
 Finished Drilling: 06-Oct-2011  
 Total Depth: 1384 m  
 Rig Released: 07-Oct-2011  
 Status: Completing (COMP)  
 Completing: 09-Oct-2011
- Lic. No.: 8222      Reliable East Manson HZNTL 6-17-13-28 (WPM)  
 UWI: 100.06-17-013-28W1.00
- Spud Date: 09-Oct-2011  
 K.B. Elevation: 496.93 m  
 Surface Casing: 244.50 mm @ 142.00 m with 10.5 t  
 Status: Drilling Ahead (DR)  
 Drilling Ahead: 11-Oct-2011

- Lic. No.: 8229      Tundra Regent Prov. HZNTL 15-35-3-22 (WPM)  
 UWI: 100.15-35-003-22W1.00 – Leg #1
- Finished Drilling: 03-Oct-2011  
 Total Depth: 2522 m
- UWI: 100.01-02-004-22W1.02 - Leg #2
- Kick-Off Date: 06-Oct-2011  
 Kick-Off Point: 993 m  
 Status: Drilling Ahead (DR)  
 Drilling Ahead: 11-Oct-2011
- Lic. No.: 8230      Petrobakken Daly Sinclair HZNTL 13-3-9-28 (WPM)  
 UWI: 100.13-03-009-28W1.00
- Finished Drilling: 04-Oct-2011  
 Total Depth: 2433.00 m  
 Rig Released: 05-Oct-2011  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 05-Oct-2011
- Lic. No.: 8231      Petrobakken Daly Sinclair HZNTL 14-3-9-28 (WPM)  
 UWI: 100.14-03-009-28W1.00
- Spud Date: 06-Oct-2011  
 K.B. Elevation: 474.81 m  
 Surface Casing: 244.50 mm @ 155.00 m with 13.0 t  
 Intermediate Casing: 177.80 mm @ 1003.00 m with 16.3 t  
 Status: Drilling Ahead (DR)  
 Drilling Ahead: 11-Oct-2011
- Lic. No.: 8235      Magellan et al Daly Sinclair HZNTL 1-7-7-29 (WPM)  
 UWI: 100.01-07-007-29W1.00
- Rig Released: 04-Oct-2011  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 04-Oct-2011
- Lic. No.: 8242      Fort Calgary East Manson Prov. HZNTL 5-29-13-28 (WPM)  
 UWI: 100.05-29-013-28W1.00
- Spud Date: 09-Oct-2011  
 K.B. Elevation: 493.34 m  
 Surface Casing: 244.50 mm @ 140.00 m with 14.5 t  
 Status: Drilling Ahead (DR)  
 Drilling Ahead: 11-Oct-2011

- Lic. No.: 8245      Reliable East Manson HZNTL 8-16-13-28 (WPM)  
 UWI: 100.08-16-013-28W1.00
- Intermediate Casing: 177.8 mm @ 817.00 m with 16.2 t  
 Finished Drilling: 06-Oct-2011  
 Total Depth: 1673.00 m  
 Rig Released: 07-Oct-2011  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 07-Oct-2011
- Lic. No.: 8247      Atikwa Pierson HZNTL 13-23-1-28 (WPM)  
 UWI: 100.13-23-001-28W1.00
- Revision to Report of: 19-Sep-2011  
 Contractor: CanElson Drilling Inc. – Rig# 21
- Spud Date: 04-Oct-2011  
 K.B. Elevation: 459.71 m  
 Surface Casing: 219.10 mm @ 155.50 m with 10.0 t  
 Status: Drilling Ahead (DR)  
 Drilling Ahead: 11-Oct-2011
- Lic. No.: 8251      EOG Waskada HZNTL 10-9-1-25 (WPM)  
 UWI: 100.10-09-001-25W1.00
- Spud Date: 07-Oct-2011  
 Surface Casing: 219.11 mm @ 156.70 m with 10.0 t  
 Status: Surface Casing Set (SCS)  
 Surface Casing Set: 08-Oct-2011
- Lic. No.: 8252      EOG Waskada HZNTL A10-9-1-25 (WPM)  
 UWI: 102.10-09-001-25W1.00
- Spud Date: 08-Oct-2011  
 Surface Casing: 219.11 mm @ 152.95 m with 10.0 t  
 Status: Surface Casing Set (SCS)  
 Surface Casing Set: 08-Oct-2011
- Lic. No.: 8253      EOG Waskada HZNTL B10-9-1-25 (WPM)  
 UWI: 103.10-09-001-25W1.00
- Spud Date: 08-Oct-2011  
 Surface Casing: 219.11 mm @ 155.78 m with 10.0 t  
 Status: Surface Casing Set (SCS)  
 Surface Casing Set: 09-Oct-2011
- Lic. No.: 8260      EOG Waskada HZNTL 15-9-1-25 (WPM)  
 UWI: 100.15-09-001-25W1.00
- Spud Date: 09-Oct-2011  
 Surface Casing: 219.11 mm @ 154.28 m with 11.0 t

Status: Surface Casing Set (SCS)  
Surface Casing Set: 10-Oct-2011

- Lic. No.: 8261      EOG Waskada HZNTL A15-9-1-25 (WPM)  
UWI: 102.15-09-001-25W1.00
- Spud Date: 10-Oct-2011  
Surface Casing: 219.11 mm @ 155.55 m with 10.0 t  
Status: Surface Casing Set (SCS)  
Surface Casing Set: 10-Oct-2011
- Lic. No.: 8262      EOG Waskada HZNTL B15-9-1-25 (WPM)  
UWI: 103.15-09-001-25W1.00
- Spud Date: 10-Oct-2011  
Surface Casing: 219.11 mm @ 154.90 m with 10.0 t  
Status: Surface Casing Set (SCS)  
Surface Casing Set: 11-Oct-2011
- Lic. No.: 8263      618555 Pierson HZNTL 10-35-1-28 (WPM)  
UWI: 100.10-35-001-28W1.00
- Intermediate Casing: 177.8 mm @ 1105.5 m with 19.9 t  
Finished Drilling: 08-Oct-2011  
Total Depth: 1690.00 m  
Rig Released: 09-Oct-2011  
Status: Waiting On Service Rig (WOSR)  
Waiting On Service Rig: 09-Oct-2011
- Lic. No.: 8271      Antler River Daly Sinclair HZNTL 7-10-7-29 (WPM)  
UWI: 100.07-10-007-29W1.00
- Spud Date: 05-Oct-2011  
K.B. Elevation: 517.27 m  
Surface Casing: 245.00 mm @ 154.00 m with 12.5 t  
Status: Drilling Ahead (DR)  
Drilling Ahead: 11-Oct-2011
- Lic. No.: 8273      Sinclair Unit No. 6 Prov. HZNTL 16-34-8-29 (WPM)  
UWI: 102.16-34-008-29W1.00
- Licence Issued: 04-Oct-2011  
Licensee: Tundra Oil & Gas Partnership  
Mineral Rights: Tundra Oil & Gas Partnership  
Contractor: Trinidad Drilling Ltd. - Rig# 12  
Surface Location: 04B-03-09-29  
Co-ords: 60.00m (N) of (S) boundary of Sec. 3  
          60.00m (E) of (W) boundary of Sec. 3  
Grd Elev: 526.88 m  
Proj. TD: 2331.3 m (Mississippian)  
Field: Daly Sinclair  
Classification: DEVELOPMENT (NON CONFIDENTIAL)  
Status: Location(LOC)

- Lic. No.: 8274                    EOG Waskada HZNTL 11-35-1-25 (WPM)  
 UWI: 100.11-35-001-25W1.00
- Licence Issued: 04-Oct-2011  
 Licensee: EOG RESOURCES CANADA INC.  
 Mineral Rights: EOG RESOURCES CANADA INC.  
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195  
 Surface Location: 09C-34-01-25  
 Co-ords: 482.31m (S) of (N) boundary of Sec. 34  
           201.24m (W) of (E) boundary of Sec. 34  
 Grd Elev: 474.04 m  
 Proj. TD: 1576 m (Triassic)  
 Field: Waskada  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)
- Lic. No.: 8275                    EOG Waskada HZNTL A11-35-1-25 (WPM)  
 UWI: 102.11-35-001-25W1.00
- Licence Issued: 04-Oct-2011  
 Licensee: EOG RESOURCES CANADA INC.  
 Mineral Rights: EOG RESOURCES CANADA INC.  
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195  
 Surface Location: 09C-34-01-25  
 Co-ords: 467.31m (S) of (N) boundary of Sec. 34  
           201.24m (W) of (E) boundary of Sec. 34  
 Grd Elev: 474.14 m  
 Proj. TD: 1576 m (Triassic)  
 Field: Waskada  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)
- Lic. No.: 8276                    EOG Waskada HZNTL A14-35-1-25 (WPM)  
 UWI: 102.14-35-001-25W1.00
- Licence Issued: 04-Oct-2011  
 Licensee: EOG RESOURCES CANADA INC.  
 Mineral Rights: EOG RESOURCES CANADA INC.  
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195  
 Surface Location: 09C-34-01-25  
 Co-ords: 452.32m (S) of (N) boundary of Sec. 34  
           201.24m (W) of (E) boundary of Sec. 34  
 Grd Elev: 474.00 m  
 Proj. TD: 1576 m (Triassic)  
 Field: Waskada  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)

- Lic. No.: 8277      EOG Waskada HZNTL B11-35-1-25 (WPM)  
 UWI: 103.11-35-001-25W1.00
- Licence Issued: 04-Oct-2011  
 Licensee: EOG RESOURCES CANADA INC.  
 Mineral Rights: EOG RESOURCES CANADA INC.  
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195  
 Surface Location: 09C-34-01-25  
 Co-ords: 482.31m (S) of (N) boundary of Sec. 34  
           201.24m (W) of (E) boundary of Sec. 34  
 Grd Elev: 474.04 m  
 Proj. TD: 1576 m (Triassic)  
 Field: Waskada  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)
- Lic. No.: 8278      EOG Waskada HZNTL B14-35-1-25 (WPM)  
 UWI: 103.14-35-001-25W1.00
- Licence Issued: 04-Oct-2011  
 Licensee: EOG RESOURCES CANADA INC.  
 Mineral Rights: EOG RESOURCES CANADA INC.  
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195  
 Surface Location: 09C-34-01-25  
 Co-ords: 467.31m (S) of (N) boundary of Sec. 34  
           201.24m (W) of (E) boundary of Sec. 34  
 Grd Elev: 474.14 m  
 Proj. TD: 1576 m (Triassic)  
 Field: Waskada  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)
- Lic. No.: 8279      Tundra Daly Sinclair Prov. HZNTL A16-12-9-29 (WPM)  
 UWI: 102.16-12-009-29W1.00
- Licence Issued: 05-Oct-2011  
 Licensee: Tundra Oil & Gas Partnership  
 Mineral Rights: Tundra Oil & Gas Partnership  
 Contractor: Trinidad Drilling Ltd. - Rig# 14  
 Surface Location: 16D-11-09-29  
 Co-ords: 184.91m (S) of (N) boundary of Sec. 11  
           60.00m (W) of (E) boundary of Sec. 11  
 Grd Elev: 520.07 m  
 Proj. TD: 2338.4 m (Mississippian)  
 Field: Daly Sinclair  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)

- Lic. No.: 8280      North Virden Scallion Unit No. 1 Prov. HZNTL 11-24-11-26 (WPM)  
 UWI: 102.11-24-011-26W1.00
- Licence Issued: 05-Oct-2011  
 Licensee: ENERPLUS  
 Mineral Rights: ENERPLUS  
 Contractor: Precision Drilling - Rig# 388  
 Surface Location: 06A-25-11-26  
 Co-ords: 545.00m (N) of (S) boundary of Sec. 25  
           699.94m (E) of (W) boundary of Sec. 25  
 Grd Elev: 449.26 m  
 Proj. TD: 1775 m (Mississippian)  
 Field: Virden  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)
- Lic. No.: 8281      Sinclair Unit No. 6 HZNTL 1-3-9-29 (WPM)  
 UWI: 102.01-03-009-29W1.00
- Licence Issued: 05-Oct-2011  
 Licensee: Tundra Oil & Gas Partnership  
 Mineral Rights: Tundra Oil & Gas Partnership  
 Contractor: Trinidad Drilling Ltd. - Rig# 12  
 Surface Location: 04C-03-09-29  
 Co-ords: 383.31m (N) of (S) boundary of Sec. 3  
           60.00m (E) of (W) boundary of Sec. 3  
 Grd Elev: 526.62 m  
 Proj. TD: 2319.3 m (Mississippian)  
 Field: Daly Sinclair  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)
- Lic. No.: 8282      Waskada Unit No. 2 HZNTL 11-26-1-26 (WPM)  
 UWI: 103.11-26-001-26W1.00
- Licence Issued: 06-Oct-2011  
 Licensee: Penn West Petroleum Ltd.  
 Mineral Rights: Penn West Petroleum Ltd.  
 Contractor: CanElson Drilling Inc. - Rig# 12  
 Surface Location: 09C-27-01-26  
 Co-ords: 580.30m (S) of (N) boundary of Sec. 27  
           201.20m (W) of (E) boundary of Sec. 27  
 Grd Elev: 463.52 m  
 Proj. TD: 1754 m (Triassic)  
 Field: Waskada  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)

- Lic. No.: 8283      Waskada Unit No. 2 HZNTL A11-26-1-26 (WPM)  
 UWI: 104.11-26-001-26W1.00
- Licence Issued: 06-Oct-2011  
 Licensee: Penn West Petroleum Ltd.  
 Mineral Rights: Penn West Petroleum Ltd.  
 Contractor: CanElson Drilling Inc. - Rig# 12  
 Surface Location: 09B-27-01-26  
 Co-ords: 657.53m (S) of (N) boundary of Sec. 27  
           201.20m (W) of (E) boundary of Sec. 27  
 Grd Elev: 463.31 m  
 Proj. TD: 1730 m (Triassic)  
 Field: Waskada  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)
- Lic. No.: 8284      Waskada Unit No. 2 HZNTL B11-26-1-26 (WPM)  
 UWI: 105.11-26-001-26W1.00
- Licence Issued: 06-Oct-2011  
 Licensee: Penn West Petroleum Ltd.  
 Mineral Rights: Penn West Petroleum Ltd.  
 Contractor: CanElson Drilling Inc. - Rig# 12  
 Surface Location: 09B-27-01-26  
 Co-ords: 642.53m (S) of (N) boundary of Sec. 27  
           201.20m (W) of (E) boundary of Sec. 27  
 Grd Elev: 463.36 m  
 Proj. TD: 1730 m (Triassic)  
 Field: Waskada  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)
- Lic. No.: 8285      Waskada Unit No. 2 HZNTL C11-26-1-26 (WPM)  
 UWI: 106.11-26-001-26W1.00
- Licence Issued: 06-Oct-2011  
 Licensee: Penn West Petroleum Ltd.  
 Mineral Rights: Penn West Petroleum Ltd.  
 Contractor: CanElson Drilling Inc. - Rig# 12  
 Surface Location: 09B-27-01-26  
 Co-ords: 627.53m (S) of (N) boundary of Sec. 27  
           201.20m (W) of (E) boundary of Sec. 27  
 Grd Elev: 463.33 m  
 Proj. TD: 1731 m (Triassic)  
 Field: Waskada  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)

- Lic. No.: 8286      Waskada Unit No. 2 HZNTL A6-26-1-26 (WPM)  
 UWI: 103.06-26-001-26W1.00
- Licence Issued: 06-Oct-2011  
 Licensee: Penn West Petroleum Ltd.  
 Mineral Rights: Penn West Petroleum Ltd.  
 Contractor: CanElson Drilling Inc. - Rig# 12  
 Surface Location: 09B-27-01-26  
 Co-ords: 672.53m (S) of (N) boundary of Sec. 27  
           201.20m (W) of (E) boundary of Sec. 27  
 Grd Elev: 463.31 m  
 Proj. TD: 1760 m (Triassic)  
 Field: Waskada  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)
- Lic. No.: 8287      Waskada Unit No. 2 HZNTL B6-26-1-26 (WPM)  
 UWI: 104.06-26-001-26W1.00
- Licence Issued: 06-Oct-2011  
 Licensee: Penn West Petroleum Ltd.  
 Mineral Rights: Penn West Petroleum Ltd.  
 Contractor: CanElson Drilling Inc. - Rig# 12  
 Surface Location: 09B-27-01-26  
 Co-ords: 687.53m (S) of (N) boundary of Sec. 27  
           201.20m (W) of (E) boundary of Sec. 27  
 Grd Elev: 463.41 m  
 Proj. TD: 1810 m (Triassic)  
 Field: Waskada  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)
- Lic. No.: 8288      Magellan North Hargrave Prov. 1-34-12-27 (WPM)  
 UWI: 100.01-34-012-27W1.00
- Licence Issued: 06-Oct-2011  
 Licensee: Magellan Resources Ltd.  
 Mineral Rights: Magellan Resources Ltd.  
 Contractor: Ensign Drilling Inc. - Rig# 12  
 Surface Location: 01-34-12-27  
 Co-ords: 120.00m (N) of (S) boundary of Sec. 34  
           300.00m (W) of (E) boundary of Sec. 34  
 Grd Elev: 474.91 m  
 Proj. TD: 688 m (Devonian)  
 Area: North Hargrave  
 Classification: EXPLORATORY (NEW FIELD WILDCAT)  
 Status: Location(LOC)

- Lic. No.: 8289      EOG Pierson HZNTL 2-22-2-28 (WPM)  
 UWI: 103.01-22-002-28W1.00  
 UWI: 100.02-22-002-28W1.02
- Licence Issued: 06-Oct-2011  
 Licensee: EOG RESOURCES CANADA INC.  
 Mineral Rights: EOG RESOURCES CANADA INC.  
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195  
 Surface Location: 04B-23-02-28  
 Co-ords: 131.97m (N) of (S) boundary of Sec. 23  
           104.86m (E) of (W) boundary of Sec. 23  
 Grd Elev: 457.18 m  
 Proj. TD: 1698 m (Triassic)  
 Field: Pierson  
 Classification: EXPLORATORY (NEW FIELD WILDCAT)  
 Status: Location(LOC)
- Lic. No.: 8290      Tundra et al Daly Sinclair HZNTL 8-12-10-29 (WPM)  
 UWI: 100.08-12-010-29W1.00
- Licence Issued: 06-Oct-2011  
 Licensee: Tundra Oil & Gas Partnership  
 Mineral Rights: Tundra Oil & Gas Partnership  
 Contractor: Trinidad Drilling Ltd. - Rig# 14  
 Surface Location: 08A-11-10-29  
 Co-ords: 549.82m (N) of (S) boundary of Sec. 11  
           60.00m (W) of (E) boundary of Sec. 11  
 Grd Elev: 523.12 m  
 Proj. TD: 2387.2 m (Mississippian)  
 Field: Daly Sinclair  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)
- Lic. No.: 8291      CNRL Pierson HZNTL 13-7-2-29 (WPM)  
 UWI: 100.13-07-002-29W1.00
- Licence Issued: 06-Oct-2011  
 Licensee: Canadian Natural Resources  
 Mineral Rights: Canadian Natural Resources  
 Contractor: To Be Determined - Rig# 0  
 Surface Location: 15B-07-02-29  
 Co-ords: 280.00m (S) of (N) boundary of Sec. 7  
           689.00m (W) of (E) boundary of Sec. 7  
 Grd Elev: 477.54 m  
 Proj. TD: 1726 m (Triassic)  
 Field: Pierson  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)

- Lic. No.: 8292      Atikwa Pierson HZNTL 6-24-2-29 (WPM)  
 UWI: 100.06-24-002-29W1.00
- Licence Issued: 07-Oct-2011  
 Licensee: Atikwa Resources Inc  
 Mineral Rights: Atikwa Resources Inc  
 Contractor: To Be Determined - Rig# 0  
 Surface Location: 01D-23-02-29  
 Co-ords: 360.00m (N) of (S) boundary of Sec. 23  
           75.00m (W) of (E) boundary of Sec. 23  
 Grd Elev: 464.95 m  
 Proj. TD: 1708 m (Triassic)  
 Field: Pierson  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)
- Lic. No.: 8293      Waskada Unit No. 2 HZNTL 14-26-1-26 (WPM)  
 UWI: 102.14-26-001-26W1.00
- Licence Issued: 07-Oct-2011  
 Licensee: Penn West Petroleum Ltd.  
 Mineral Rights: Penn West Petroleum Ltd.  
 Contractor: Big Sky Drilling - Rig# 37  
 Surface Location: 16A-27-01-26  
 Co-ords: 275.88m (S) of (N) boundary of Sec. 27  
           201.14m (W) of (E) boundary of Sec. 27  
 Grd Elev: 463.62 m  
 Proj. TD: 1758 m (Triassic)  
 Field: Waskada  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)
- Lic. No.: 8294      Tundra Daly Sinclair Prov. OBS 10-29-7-28 (WPM)  
 UWI: 100.10-29-007-28W1.00
- Licence Issued: 07-Oct-2011  
 Licensee: Tundra Oil & Gas Partnership  
 Mineral Rights: Tundra Oil & Gas Partnership  
 Contractor: Trinidad Drilling Ltd. - Rig# 9  
 Surface Location: 10B-29-07-28  
 Co-ords: 706.37m (S) of (N) boundary of Sec. 29  
           741.53m (W) of (E) boundary of Sec. 29  
 Grd Elev: 490.13 m  
 Proj. TD: 978.9 m (Devonian)  
 Field: Daly Sinclair  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)

- Lic. No.: 8295      Tundra Daly Sinclair HZNTL 1-9-9-28 (WPM)  
 UWI: 100.01-09-009-28W1.00
- Licence Issued: 07-Oct-2011  
 Licensee: Tundra Oil & Gas Partnership  
 Mineral Rights: Tundra Oil & Gas Partnership  
 Contractor: Trinidad Drilling Ltd. - Rig# 12  
 Surface Location: 16D-09-09-28  
 Co-ords: 60.00m (S) of (N) boundary of Sec. 9  
           110.00m (W) of (E) boundary of Sec. 9  
 Grd Elev: 482.12 m  
 Proj. TD: 2225 m (Mississippian)  
 Field: Daly Sinclair  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)
- Lic. No.: 8296      T. Bird South Kirkella HZNTL 13-21-11-29 (WPM)  
 UWI: 100.13-21-011-29W1.00
- Licence Issued: 07-Oct-2011  
 Licensee: T. Bird Oil Ltd.  
 Mineral Rights: T. Bird Oil Ltd.  
 Contractor: To Be Determined - Rig# 0  
 Surface Location: 04B-21-11-29  
 Co-ords: 80.00m (N) of (S) boundary of Sec. 21  
           80.00m (E) of (W) boundary of Sec. 21  
 Grd Elev: 532.05 m  
 Proj. TD: 2167 m (Devonian)  
 Area:  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)
- Lic. No.: 8297      618555 Pierson HZNTL 7-5-2-28 (WPM)  
 UWI: 100.07-05-002-28W1.00
- Licence Issued: 07-Oct-2011  
 Licensee: 618555 Saskatchewan Ltd.  
 Mineral Rights: 618555 Saskatchewan Ltd.  
 Contractor: Precision Drilling (1987) Ltd. - Rig# 219  
 Surface Location: 04C-04-02-28  
 Co-ords: 391.77m (N) of (S) boundary of Sec. 4  
           60.00m (E) of (W) boundary of Sec. 4  
 Grd Elev: 455.28 m  
 Proj. TD: 1725 m (Mississippian)  
 Field: Pierson  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Moving In Rotary Tools (MIRT)  
 Moving In Rotary Tools: 11-Oct-2011

**WELL NAME CHANGES**

Lic. No.: 7818            From:    ARC Waskada HZNTL 5-4-1-24(WPM)  
                                 To:        ARC Waskada 7-4-1-24(WPM)

Lic. No.: 8216            From:    Magellan South Pipestone Prov. HZNTL 10-15-6-26(WPM)  
                                 To:        Magellan South Pipestone Prov. DIR 13-14-6-26(WPM)