

WEEKLY WELL ACTIVITY REPORT

PETROLEUM INDUSTRY ACTIVITY REPORT

(January 1/11 – November 28/11)

<u>DRILLING ACTIVITY</u>	To November 28/11	To November 29/10	2010 Total
Drilling Licences Issued	604	583	632
Licences Cancelled	35	0	4
Vertical Wells Drilled	35	69	79
Horizontal Wells Drilled	469	402	436
Stratigraphic Test Holes Drilled	0	1	1
Wells Drilled - Total	504	472	516
No. of Metres Drilled	932 040	873 593	946 576
Wells Re-entered	7	0	0
Wells Being Drilled	12	11	1
No. of Active Rigs	22	13	1
Wells Licenced but Not Spudded	194	125	108
Wells Completed as Potential Oil Wells	486	420	460
Wells Abandoned Dry	10	12	19
Wells Drilled but Not Completed	4	2	0
Other Completions	6	37	37
New Wells on Production	177	190	360
<u>GEOPHYSICAL ACTIVITY</u>			
Geophysical Programs Licenced	16	14	23
Licences Cancelled	0	0	0
Kilometers Licenced	2 496	1899	2 249
Kilometers Run	1383	537	2 020
	2011	2010	
<u>OIL PRICES (Average)</u>	\$/m3 (\$/bbl)	\$/m3 (\$/bbl)	
Month of September	556.76 (88.47)	460.52 (73.18)	
Month of October	558.90 (88.81)	449.85 (71.49)	
<u>OIL PRODUCTION (M3)</u>	2011	2010	
Month of February	183 625.6	135 441.2	
Cumulative Thru February 28	386 090.7	281 890.5	

WEEKLY WELL ACTIVITY REPORT**28 November 2011**

Lic. No.: 7666 Ka-Bert Virden A15-26-9-26 (WPM)
UWI: 102.15-26-009-26W1.00

Status: Capable Of Oil Production (COOP)
Capable Of Oil Production: 24-Jul-2011
Field/Pool Code: 5 59E

Lic. No.: 7692 Tundra Daly Sinclair HZNTL 1-12-9-29 (WPM)
UWI: 102.01-12-009-29W1.00

Intermediate Casing: 114.30 mm @ 2283.50 m with 43.78 t
Finished Drilling: 25-Nov-2011
Total Depth: 2284.00 m
Rig Released: 26-Nov-2011
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 26-Nov-2010

Lic. No.: 7696 Red Beds Pierson HZNTL 16-14-2-29 (WPM)
UWI: 100.16-14-002-29W1.02

Status: Capable Of Oil Production (COOP)
Capable Of Oil Production: 30-Aug-2011
Field/Pool Code: 7 29B

Lic. No.: 7872 Red Beds Waskada HZNTL 12-15-1-25 (WPM)
UWI: 100.12-15-001-25W1.00

Status: Capable Of Oil Production (COOP)
Capable Of Oil Production: 11-Jun-2011
Field/Pool Code: 3 29A

Lic. No.: 7873 Red Beds Waskada HZNTL A12-15-1-25 (WPM)
UWI: 102.12-15-001-25W1.00

Status: Capable Of Oil Production (COOP)
Capable Of Oil Production: 05-Jun-2011
Field/Pool Code: 3 29A

Lic. No.: 7956 Waskada Unit No. 15 HZNTL 9-4-2-26 (WPM)
UWI: 102.09-04-002-26W1.00

Intermediate Casing: 139.7 mm @ 1792.00 m with 41.5 t
Finished Drilling: 24-Nov-2011
Total Depth: 1792.00 m
Rig Released: 25-Nov-2011
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 25-Nov-2011

- Lic. No.: 7957 Waskada Unit No. 15 HZNTL A9-4-2-26 (WPM)
 UWI: 103.09-04-002-26W1.00
- Revision to Report of: 28-Feb-2011
 Contractor: Champion Drilling Ltd. – Rig# 41
- Spud Date: 26-Nov-2011
 K.B. Elevation: 464.94 m
 Surface Casing: 219.10 mm @ 167.00 m with 8.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 28-Nov-2011
- Lic. No.: 7984 Penn West Waskada HZNTL C5-3-1-24 (WPM)
 UWI: 104.05-03-001-24W1.00
- Revision to Report of: 09-May-2011
 Contractor: Bonanza Drilling Inc. – Rig# 2
- Spud Date: 21-Nov-2011
 K.B. Elevation: 528.01 m
 Surface Casing: 219.10 mm @ 250.00 m with 17.5 t
 Intermediate Casing: 139.70 mm @ 1672.00 m with 52.0 t
 Finished Drilling: 24-Nov-2011
 Total Depth: 1672.00 m
 Rig Released: 25-Nov-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 25-Nov-2011
- Lic. No.: 7990 Penn West Waskada HZNTL B12-33-1-25 (WPM)
 UWI: 104.12-33-001-25W1.00
- Surface Casing: 219.10 mm @ 254.00 m with 17.5 t
 Intermediate Casing: 139.70 mm @ 1654.00 m with 54.0 t
 Finished Drilling: 25-Nov-2011
 Total Depth: 1654.00 m
 Rig Released: 27-Nov-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 27-Nov-2011
- Lic. No.: 7992 Penn West Waskada A15-33-1-25 (WPM)
 UWI: 102.15-33-001-25W1.00
- Please note UWI and well name change
 (Licenced as B13-33 horizontal drilled as A15-33-1-25 vertical)
- Lic. No.: 8028 EOG Pierson HZNTL 4-9-2-28 (WPM)
 UWI: 100.04-09-002-28W1.02 – Horizontal Section
- Intermediate Casing: 139.7 mm @ 1703.00 m with 47.6 t
 Rig Released: 22-Nov-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 22-Nov-2011

- Lic. No.: 8029 Legacy Pierson HZNTL 13-26-2-29 (WPM)
UWI: 100.13-26-002-29W1.00
- Status: Moving In Rotary Tools (MIRT)
Moving In Rotary Tools: 28-Nov-2011
- Lic. No.: 8033 EOG Pierson HZNTL 8-16-2-28 (WPM)
UWI: 100.06-16-002-28W1.00 – Stratigraphic Test Hole
- Revision to Report of: 30-May-2011
Contractor: Precision Drilling – Rig# 156
- Main Hole Commenced: 22-Nov-2011
K.B. Elevation: 460.60 m
Finished Drilling: 24-Nov-2011
Total Depth: 1100.00 m
Status: Abandoned Stratigraphic Test Hole (ABD STH)
Abd Stratigraphic Test Hole: 24-Nov-2011
- UWI: 100.08-16-002-28W1.02 – Horizontal Section
- Status: Drilling Ahead (DR)
Drilling Ahead: 28-Nov-2011
- Lic. No.: 8080 Waskada Unit No. 3 HZNTL B4-5-2-25 (WPM)
UWI: 104.04-05-002-25W1.00
- Revision to Report of: 27-Jun-2011
Contractor: Precision Drilling – Rig# 157
- Spud Date: 25-Nov-2011
K.B. Elevation: 476.14 m
Surface Casing: 219.10 mm @ 252.00 m with 15.0 t
Finished Drilling: 27-Nov-2011
Total Depth: 1750.00 m
Status: Preparing To Run Casing (PREP CSG)
Preparing To Run Casing: 28-Nov-2011
- Lic. No.: 8094 Reliable South Kirkella HZNTL 8-22-11-29 (WPM)
UWI: 100.08-22-011-29W1.00
- Status: Completing (COMP)
Completing: 19-Nov-2011
- Lic. No.: 8138 Legacy Pierson HZNTL 13-19-1-28 (WPM)
UWI: 100.13-19-001-28W1.00
- Intermediate Casing: 139.00 mm @ 2422.48 m with 63.0 t
Finished Drilling: 24-Nov-2011
Total Depth: 2428.00 m
Rig Released: 27-Nov-2011
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 27-Nov-2011

Lic. No.: 8143 Magellan et al Daly Sinclair Prov. HZNTL 12-10-9-28 (WPM)
 UWI: 100.12-10-009-28W1.00

Intermediate Casing: 139.70 mm @ 967.00 m with 55.0 t
 Finished Drilling: 25-Nov-2011
 Total Depth: 2416.00 m
 Rig Released: 27-Nov-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 27-Nov-2011

Lic. No.: 8156 EOG Waskada HZNTL 16-15-1-25 (WPM)
 UWI: 102.16-15-001-25W1.00

Status: Moving In Rotary Tools (MIRT)
 Moving In Rotary Tools: 28-Nov-2011

Lic. No.: 8168 Tundra Daly Sinclair Prov. HZNTL 12-29-7-28 (WPM)
 UWI: 100.12-29-007-28W1.00

Finished Drilling: 21-Nov-2011
 Total Depth: 2448.00m
 Rig Released: 22-Nov-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 22-Nov-2011

Lic. No.: 8176 Red Beds Waskada HZNTL 12-25-1-25 (WPM)
 UWI: 100.12-25-001-25W1.00

Spud Date: 22-Nov-2011
 K.B. Elevation: 478.63 m
 Surface Casing: 219.10 mm @ 175.00 m with 15.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 28-Nov-2011

Lic. No.: 8188 North Virden Scallion Unit No. 1 HZNTL 5-27-11-26 (WPM)
 UWI: 102.05-27-011-26W1.00

Status: Completing (COMP)
 Completing: 23-Nov-2011

Lic. No.: 8195 Tundra Daly Sinclair HZNTL A16-35-8-29 (WPM)
 UWI: 103.16-35-008-29W1.00

Status: Completing (COMP)
 Completing: 08-Nov-2011

Lic. No.: 8223 Waskada Unit No. 14 HZNTL 1-32-1-25 (WPM)
 UWI: 102.01-32-001-25W1.00

Spud Date: 23-Nov-2011
 K.B. Elevation: 476.22 m
 Surface Casing: 219.10 mm @ 250.00 m with 17.0 t
 Finished Drilling: 27-Nov-2011
 Total Depth: 1737.00 m

Status: Preparing To Run Casing (PREP CSG)
 Preparing To Run Casing: 28-Nov-2011

- Lic. No.: 8226 Tundra Daly Sinclair HZNTL 13-17-10-29 (WPM)
 UWI: 100.13-17-010-29W1.00
- Spud Date: 26-Nov-2011
 K.B. Elevation: 538.85 m
 Surface Casing: 244.50 mm @ 141.00 m with 14.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 28-Nov-2011
- Lic. No.: 8244 Black Gold Daly Sinclair HZNTL 8-15-7-28 (WPM)
 UWI: 100.08-15-007-28W1.00
- Revision to Report of: 19-Sep-2011
 Contractor: Ensign Drilling Inc. – Rig# 12
- Status: Moving In Rotary Tools (MIRT)
 Moving In Rotary Tools: 28-Nov-2011
- Lic. No.: 8249 Waskada Unit No. 14 HZNTL A8-32-1-25 (WPM)
 UWI: 103.08-32-001-25W1.00
- Intermediate Casing: 139.70 mm @ 1760.00 m with 53.0 t
 Finished Drilling: 20-Nov-2011
 Total Depth: 1760.00 m
 Rig Released: 22-Nov-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 22-Nov-2011
- Lic. No.: 8250 Waskada Unit No. 3 HZNTL 13-32-1-25 (WPM)
 UWI: 102.13-32-001-25W1.00
- Intermediate Casing: 139.70 mm @ 1820.00 m with 50.8 t
 Finished Drilling: 23-Nov-2011
 Total Depth: 1820.00 m
 Rig Released: 25-Nov-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 25-Nov-2011
- Lic. No.: 8254 EOG Waskada HZNTL 11-9-1-25 (WPM)
 UWI: 100.11-09-001-25W1.00
- Intermediate Casing: 139.70 mm @ 1704.00 m with 45.0 t
 Rig Released: 22-Nov-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 22-Nov-2011

- Lic. No.: 8256 EOG Waskada HZNTL B11-9-1-25 (WPM)
 UWI: 103.11-09-001-25W1.00
- Main Hole Commenced: 25-Nov-2011
 K.B. Elevation: 472.56 m
 Intermediate Casing: 139.70 mm @ 1717.00 m with 44.0 t
 Finished Drilling: 27-Nov-2011
 Total Depth: 1717.00 m
 Rig Released: 28-Nov-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 28-Nov-2011
- Lic. No.: 8265 Waskada LAm Unit No. 1 HZNTL 9-24-1-26 (WPM)
 UWI: 102.09-24-001-26W1.00
- Spud Date: 24-Nov-2011
 K.B. Elevation: 471.41 m
 Surface Casing: 219.10 mm @ 263.00 m with 17.0 t
 Finished Drilling: 28-Nov-2011
 Total Depth: 1729.00 m
 Status: Preparing To Run Casing (PREP CSG)
 Preparing To Run Casing: 28-Nov-2011
- Lic. No.: 8268 Waskada LAm Unit No. 1 HZNTL 10-24-1-26 (WPM)
 UWI: 102.10-24-001-26W1.00
- Intermediate Casing: 139.70 mm @ 1758.00 m with 48.3 t
 Finished Drilling: 22-Nov-2011
 Total Depth: 1758.00 m
 Rig Released: 24-Nov-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 24-Nov-2011
- Lic. No.: 8280 North Virden Scallion Unit No. 1 Prov. HZNTL 11-24-11-26 (WPM)
 UWI: 102.11-24-011-26W1.00
- Finished Drilling: 19-Nov-2011
 Total Depth: 601.00 m
 Rig Released: 27-Nov-2011
 Status: Junked and abandoned (ABD J)
 Junked and abandoned: 27-Nov-2011
- Lic. No.: 8286 Waskada Unit No. 2 HZNTL A6-26-1-26 (WPM)
 UWI: 103.06-26-001-26W1.00
- Status: Moving In Rotary Tools (MIRT)
 Moving In Rotary Tools: 28-Nov-2011
- Lic. No.: 8287 Waskada Unit No. 2 HZNTL B6-26-1-26 (WPM)
 UWI: 104.06-26-001-26W1.00
- Surface Casing: 219.10 mm @ 250.00 m with 18.0 t
 Intermediate Casing: 137.90 mm @ 1803.00 m with 52.3 t
 Finished Drilling: 25-Nov-2011
 Total Depth: 1803.00 m
 Rig Released: 27-Nov-2011

Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 27-Nov-2011

- Lic. No.: 8294 Tundra Daly Sinclair Prov. OBS 10-29-7-28 (WPM)
UWI: 100.10-29-007-28W1.00
- Revision to Report of: 03-Oct-2011
Contractor: Trinidad Drilling Ltd. – Rig# 10
- Spud Date: 24-Nov-2011
K.B. Elevation: 494.00 m
Surface Casing: 244.50 mm @ 139.00 m with 13.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 28-Nov-2011
- Lic. No.: 8334 EOG Waskada HZNTL 6-5-1-24 (WPM)
UWI: 102.06-05-001-24W1.00
- Spud Date: 28-Nov-2011
Surface Casing: 219.11 mm @ 160.65 m with 10.0 t
Status: Surface Casing Set (SCS)
Surface Casing Set: 28-Nov-2011
- Lic. No.: 8338 CNRL Pierson Prov. HZNTL 1-14-2-29 (WPM)
UWI: 100.01-14-002-29W1.00
- Intermediate Casing: 139.70 mm @ 1758.00 m with 48.0 t
Rig Released: 21-Nov-2011
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 21-Nov-2011
- Lic. No.: 8340 CNRL Pierson Prov. HZNTL 8-14-2-29 (WPM)
UWI: 102.08-14-002-29W1.00
- Spud Date: 22-Nov-2011
K.B. Elevation: 471.25 m
Surface Casing: 244.50 mm @ 170.00 m with 22.0 t
Finished Drilling: 28-Nov-2011
Total Depth: 2344.00 m
Status: Preparing To Run Casing (PREP CSG)
Preparing To Run Casing: 28-Nov-2011
- Lic. No.: 8345 ARC Waskada Prov. HZNTL A3-11-1-24 (WPM)
UWI: 102.03-11-001-24W1.00
- Intermediate Casing: 219.10 mm @ 1647.00 m with 46.5 t
Rig Released: 22-Nov-2011
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 22-Nov-2011

- Lic. No.: 8346 Tundra South Kirkella HZNTL 5-4-11-29 (WPM)
UWI: 100.05-04-011-29W1.00
- Revision to Report of: 24-Oct-2011
Contractor: CanElson Drilling Inc. – Rig# 28
- Surface Casing: 244.50 mm @ 141.00 m with 14.0 t
Intermediate Casing: 139.70 mm @ 997.00 m with 44.3 t
Finished Drilling: 25-Nov-2011
Total Depth: 2231.00 m
Rig Released: 26-Nov-2011
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 26-Nov-2011
- Lic. No.: 8353 Fort Calgary East Manson Prov. HZNTL 15-20-13-28 (WPM)
UWI: 102.15-20-013-28W1.00
- Intermediate Casing: Run
Finished Drilling: 26-Nov-2011
Total Depth: 1375.00 m
Rig Released: 27-Nov-2011
Status: Completing (COMP)
Completing: 28-Nov-2011
- Lic. No.: 8356 Fort Calgary East Manson Prov. HZNTL 10-20-13-28 (WPM)
UWI: 100.10-20-013-28W1.00
- Spud Date: 28-Nov-2011
K.B. Elevation: 495.40 m
Surface Casing: 244.50 mm @ 144.00 m with 14.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 28-Nov-2011
- Lic. No.: 8358 North Virden Scallion Unit No. 1 HZNTL 13-23-11-26 (WPM)
UWI: 103.13-23-011-26W1.00
- Status: Moving In Rotary Tools (MIRT)
Moving In Rotary Tools: 28-Nov-2011
- Lic. No.: 8364 Tundra Daly Sinclair HZNTL 5-9-9-29 (WPM)
UWI: 100.05-09-009-29W1.00
- Status: Drilling Ahead (DR)
Drilling Ahead: 28-Nov-2011
- Lic. No.: 8367 T. Bird et al Daly Sinclair Prov. HZNTL 4-30-9-29 (WPM)
UWI: 100.04-30-009-29W1.00
- Intermediate Casing: 139.70 mm @ 2293.00 m with 59.0 t
Rig Released: 22-Nov-2011
Status: Completing (COMP)
Completing: 24-Nov-2011

Lic. No.: 8370 Waskada Unit No. 6 HZNTL 3-12-1-26 (WPM)
 UWI: 102.03-12-001-26W1.00

Spud Date: 23-Nov-2011
 K.B. Elevation: 467.22 m
 Surface Casing: 219.10 mm @ 135.00 m with 12.0 t
 Intermediate Casing: 139.70 mm @ 2088.00 m with 35.4 t
 Finished Drilling: 26-Nov-2011
 Total Depth: 2088.00 m
 Rig Released: 27-Nov-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 27-Nov-2011

Lic. No.: 8371 Waskada Unit No. 6 HZNTL A3-12-1-26 (WPM)
 UWI: 103.03-12-001-26W1.00

Spud Date: 27-Nov-2011
 K.B. Elevation: 469.80 m
 Surface Casing: 219.10 mm @ 135.00 m with 12.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 28-Nov-2011

Lic. No.: 8372 Waskada Unit No. 6 HZNTL A15-1-1-26 (WPM)
 UWI: 103.15-01-001-26W1.00

Intermediate Casing: 139.70 mm @ 1718.00 m with 30.8 t
 Finished Drilling: 22-Nov-2011
 Total Depth: 1718.00 m
 Rig Released: 22-Nov-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 22-Nov-2011

Lic. No.: 8376 Penn West Waskada HZNTL 2-6-2-25 (WPM)
 UWI: 102.02-06-002-25W1.00

Spud Date: 26-Nov-2011
 K.B. Elevation: 475.07 m
 Surface Casing: 219.10 mm @ 256.00 m with 17.5 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 28-Nov-2011

Lic. No.: 8377 Tundra Daly Sinclair Prov. HZNTL 11-2-8-28 (WPM)
 UWI: 100.11-02-008-28W1.00

Spud Date: 24-Nov-2011
 K.B. Elevation: 493.29 m
 Surface Casing: 244.50 mm @ 138.00 m with 13.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 28-Nov-2011

Lic. No.: 8381 Sinclair Unit No. 7 Prov. HZNTL 16-14-8-29 (WPM)
 UWI: 102.16-14-008-29W1.00

Spud Date: 26-Nov-2011
 K.B. Elevation: 516.23 m
 Surface Casing: 244.50 mm @ 139.50 m with 15.0 t

Status: Drilling Ahead (DR)
 Drilling Ahead: 28-Nov-2011

Lic. No.: 8383 Tundra Daly Sinclair Prov. HZNTL A16-16-8-28 (WPM)
 UWI: 102.16-16-008-28W1.00

Revision to Report of: 14-Nov-2011
 Contractor: Trinidad Drilling Ltd. – Rig# 65

Spud Date: 21-Nov-2011
 K.B. Elevation: 500.75 m
 Surface Casing: 244.50 mm @ 139.50 m with 15.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 28-Nov-2011

Lic. No.: 8388 EOG Waskada HZNTL 11-14-1-25 (WPM)
 UWI: 100.11-14-001-25W1.00

Licence Issued: 22-Nov-2011
 Licensee: EOG RESOURCES CANADA INC.
 Mineral Rights: EOG RESOURCES CANADA INC.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 09A-15-01-25
 Co-ords: 676.64m (S) of (N) boundary of Sec. 15
 125.00m (W) of (E) boundary of Sec. 15
 Grd Elev: 469.32 m
 Proj. TD: 1650 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 8389 EOG Waskada HZNTL A11-14-1-25 (WPM)
 UWI: 102.11-14-001-25W1.00

Licence Issued: 22-Nov-2011
 Licensee: EOG RESOURCES CANADA INC.
 Mineral Rights: EOG RESOURCES CANADA INC.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 09A-15-01-25
 Co-ords: 661.64m (S) of (N) boundary of Sec. 15
 125.00m (W) of (E) boundary of Sec. 15
 Grd Elev: 469.08 m
 Proj. TD: 1645 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

- Lic. No.: 8390 EOG Waskada HZNTL B11-14-1-25 (WPM)
 UWI: 103.11-14-001-25W1.00
- Licence Issued: 22-Nov-2011
 Licensee: EOG RESOURCES CANADA INC.
 Mineral Rights: EOG RESOURCES CANADA INC.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 09A-15-01-25
 Co-ords: 646.62m (S) of (N) boundary of Sec. 15
 125.00m (W) of (E) boundary of Sec. 15
 Grd Elev: 469.05 m
 Proj. TD: 1645 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)
- Lic. No.: 8391 EOG Waskada HZNTL 14-14-1-25 (WPM)
 UWI: 100.14-14-001-25W1.00
- Licence Issued: 22-Nov-2011
 Licensee: EOG RESOURCES CANADA INC.
 Mineral Rights: EOG RESOURCES CANADA INC.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 16A-15-01-25
 Co-ords: 229.58m (S) of (N) boundary of Sec. 15
 125.00m (W) of (E) boundary of Sec. 15
 Grd Elev: 469.28 m
 Proj. TD: 1645 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)
- Lic. No.: 8392 Tundra Daly Sinclair Prov. HZNTL A5-29-8-28 (WPM)
 UWI: 103.05-29-008-28W1.00
- Licence Issued: 23-Nov-2011
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Tundra Oil & Gas Partnership
 Contractor: Trinidad Drilling Ltd. - Rig# 14
 Surface Location: 04C-28-08-28
 Co-ords: 378.52m (N) of (S) boundary of Sec. 28
 72.41m (E) of (W) boundary of Sec. 28
 Grd Elev: 496.28 m
 Proj. TD: 2429.4 m (Mississippian)
 Field: Daly Sinclair
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

- Lic. No.: 8393 Waskada Unit No. 15 HZNTL A12-4-2-26 (WPM)
 UWI: 103.12-04-002-26W1.00
- Licence Issued: 23-Nov-2011
 Licensee: Surge Energy Inc.
 Mineral Rights: Surge Energy Inc.
 Contractor: Champion Drilling Ltd. - Rig# 41
 Surface Location: 10D-04-02-26
 Co-ords: 573.67m (S) of (N) boundary of Sec. 4
 555.50m (W) of (E) boundary of Sec. 4
 Grd Elev: 459.07 m
 Proj. TD: 1870 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)
- Lic. No.: 8394 EOG Waskada HZNTL 3-35-1-25 (WPM)
 UWI: 100.03-35-001-25W1.00
- Licence Issued: 23-Nov-2011
 Licensee: EOG RESOURCES CANADA INC.
 Mineral Rights: EOG RESOURCES CANADA INC.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 01D-34-01-25
 Co-ords: 225.62m (N) of (S) boundary of Sec. 34
 201.16m (W) of (E) boundary of Sec. 34
 Grd Elev: 473.17 m
 Proj. TD: 1645 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)
- Lic. No.: 8395 EOG Waskada HZNTL A3-35-1-25 (WPM)
 UWI: 102.03-35-001-25W1.00
- Licence Issued: 23-Nov-2011
 Licensee: EOG RESOURCES CANADA INC.
 Mineral Rights: EOG RESOURCES CANADA INC.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 01C-34-01-25
 Co-ords: 240.62m (N) of (S) boundary of Sec. 34
 201.17m (W) of (E) boundary of Sec. 34
 Grd Elev: 473.32 m
 Proj. TD: 1645 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 8396 EOG Waskada HZNTL B3-35-1-25 (WPM)
 UWI: 103.03-35-001-25W1.00

Licence Issued: 23-Nov-2011
 Licensee: EOG RESOURCES CANADA INC.
 Mineral Rights: EOG RESOURCES CANADA INC.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 01C-34-01-25
 Co-ords: 255.62m (N) of (S) boundary of Sec. 34
 201.17m (W) of (E) boundary of Sec. 34
 Grd Elev: 473.32 m
 Proj. TD: 1645 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 8397 EOG Waskada HZNTL A13-10-1-25 (WPM)
 UWI: 103.13-10-001-25W1.00

Licence Issued: 23-Nov-2011
 Licensee: EOG RESOURCES CANADA INC.
 Mineral Rights: EOG RESOURCES CANADA INC.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 15B-10-01-25
 Co-ords: 214.92m (S) of (N) boundary of Sec. 10
 666.89m (W) of (E) boundary of Sec. 10
 Grd Elev: 468.59 m
 Proj. TD: 1645 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 8398 EOG Waskada HZNTL B13-10-1-25 (WPM)
 UWI: 104.13-10-001-25W1.00

Licence Issued: 23-Nov-2011
 Licensee: EOG RESOURCES CANADA INC.
 Mineral Rights: EOG RESOURCES CANADA INC.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 15B-10-01-25
 Co-ords: 229.92m (S) of (N) boundary of Sec. 10
 666.88m (W) of (E) boundary of Sec. 10
 Grd Elev: 468.68 m
 Proj. TD: 1645 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

- Lic. No.: 8399 EOG Waskada Prov. HZNTL A4-10-1-25 (WPM)
 UWI: 102.04-10-001-25W1.00
- Licence Issued: 23-Nov-2011
 Licensee: EOG RESOURCES CANADA INC.
 Mineral Rights: EOG RESOURCES CANADA INC.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 02C-10-01-25
 Co-ords: 214.88m (N) of (S) boundary of Sec. 10
 666.10m (W) of (E) boundary of Sec. 10
 Grd Elev: 467.82 m
 Proj. TD: 1645 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)
- Lic. No.: 8400 EOG Waskada Prov. HZNTL B4-10-1-25 (WPM)
 UWI: 103.04-10-001-25W1.00
- Licence Issued: 23-Nov-2011
 Licensee: EOG RESOURCES CANADA INC.
 Mineral Rights: EOG RESOURCES CANADA INC.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 02C-10-01-25
 Co-ords: 229.88m (N) of (S) boundary of Sec. 10
 666.08m (W) of (E) boundary of Sec. 10
 Grd Elev: 467.54 m
 Proj. TD: 1645 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)
- Lic. No.: 8401 Tundra Daly Sinclair Prov. HZNTL A12-29-8-28 (WPM)
 UWI: 102.12-29-008-28W1.00
- Licence Issued: 23-Nov-2011
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Tundra Oil & Gas Partnership
 Contractor: Trinidad Drilling Ltd. - Rig# 65
 Surface Location: 13C-28-08-28
 Co-ords: 200.00m (S) of (N) boundary of Sec. 28
 72.41m (E) of (W) boundary of Sec. 28
 Grd Elev: 496.63 m
 Proj. TD: 2444.1 m (Mississippian)
 Field: Daly Sinclair
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 8402 Tundra Daly Sinclair Prov. HZNTL B12-29-8-28 (WPM)
UWI: 103.12-29-008-28W1.00

Licence Issued: 23-Nov-2011
Licensee: Tundra Oil & Gas Partnership
Mineral Rights: Tundra Oil & Gas Partnership
Contractor: Trinidad Drilling Ltd. - Rig# 65
Surface Location: 05C-28-08-28
Co-ords: 798.43m (N) of (S) boundary of Sec. 28
72.41m (E) of (W) boundary of Sec. 28
Grd Elev: 495.13 m
Proj. TD: 2430.5 m (Mississippian)
Field: Daly Sinclair
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8403 EOG Waskada HZNTL 5-7-2-25 (WPM)
UWI: 100.05-07-002-25W1.00

Licence Issued: 24-Nov-2011
Licensee: EOG RESOURCES CANADA INC.
Mineral Rights: EOG RESOURCES CANADA INC.
Contractor: Precision Drilling (1987) Ltd. - Rig# 195
Surface Location: 10B-07-02-25
Co-ords: 745.03m (S) of (N) boundary of Sec. 7
669.40m (W) of (E) boundary of Sec. 7
Grd Elev: 470.62 m
Proj. TD: 1645 m (Triassic)
Field: Waskada
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8404 EOG Waskada HZNTL 6-26-1-25 (WPM)
UWI: 100.06-26-001-25W1.00

Licence Issued: 25-Nov-2011
Licensee: EOG RESOURCES CANADA INC.
Mineral Rights: EOG RESOURCES CANADA INC.
Contractor: Precision Drilling (1987) Ltd. - Rig# 195
Surface Location: 08B-27-01-25
Co-ords: 488.04m (N) of (S) boundary of Sec. 27
202.19m (W) of (E) boundary of Sec. 27
Grd Elev: 471.99 m
Proj. TD: 1645 m (Triassic)
Field: Waskada
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

- Lic. No.: 8405 Renegade et al Waskada Prov. 11-14-1-26 (WPM)
 UWI: 100.11-14-001-26W1.00
- Licence Issued: 25-Nov-2011
 Licensee: Renegade Petroleum Ltd.
 Mineral Rights: Renegade Petroleum Ltd.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 219
 Surface Location: 11-14-01-26
 Co-ords: 527.66m (S) of (N) boundary of Sec. 14
 527.31m (E) of (W) boundary of Sec. 14
 Grd Elev: 462.72 m
 Proj. TD: 1000 m (Mississippian)
 Field: Waskada
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)
- Lic. No.: 8406 Clampett Tilston Prov. 14-6-6-29 (WPM)
 UWI: 100.14-06-006-29W1.00
- Licence Issued: 25-Nov-2011
 Licensee: Clampett Energy Ltd
 Mineral Rights: Clampett Energy Ltd
 Contractor: CanElson Drilling Inc. - Rig# 11
 Surface Location: 14-06-06-29
 Co-ords: 135.02m (S) of (N) boundary of Sec. 32
 599.91m (E) of (W) boundary of Sec. 32
 Grd Elev: 510.58 m
 Proj. TD: 1173 m (Devonian)
 Field: Tilston
 Classification: EXPLORATORY (OUTPOST)
 Status: Location(LOC)
- Lic. No.: 8407 EOG Pierson HZNTL 10-8-2-28 (WPM)
 UWI: 100.10-08-002-28W1.00
- Licence Issued: 25-Nov-2011
 Licensee: EOG RESOURCES CANADA INC.
 Mineral Rights: EOG RESOURCES CANADA INC.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 12B-09-02-28
 Co-ords: 626.93m (S) of (N) boundary of Sec. 9
 60.00m (E) of (W) boundary of Sec. 9
 Grd Elev: 459.95 m
 Proj. TD: 1645 m (Triassic)
 Field: Pierson
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 8408 EOG Pierson HZNTL 11-8-2-28 (WPM)
 UWI: 100.11-08-002-28W1.00

Licence Issued: 25-Nov-2011
 Licensee: EOG RESOURCES CANADA INC.
 Mineral Rights: EOG RESOURCES CANADA INC.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 09D-07-02-28
 Co-ords: 584.19m (S) of (N) boundary of Sec. 7
 60.00m (W) of (E) boundary of Sec. 7
 Grd Elev: 460.19 m
 Proj. TD: 1645 m (Triassic)
 Field: Pierson
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 8409 EOG Pierson HZNTL 11-4-2-28 (WPM)
 UWI: 100.11-04-002-28W1.00

Licence Issued: 25-Nov-2011
 Licensee: EOG RESOURCES CANADA INC.
 Mineral Rights: EOG RESOURCES CANADA INC.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 09D-05-02-28
 Co-ords: 489.72m (S) of (N) boundary of Sec. 5
 125.03m (W) of (E) boundary of Sec. 5
 Grd Elev: 459.28 m
 Proj. TD: 1645 m (Triassic)
 Field: Pierson
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 8410 Penn West Waskada HZNTL B13-33-1-25 (WPM)
 UWI: 104.13-33-001-25W1.00

Licence Issued: 25-Nov-2011
 Licensee: Penn West Petroleum Ltd.
 Mineral Rights: Penn West Petroleum Ltd.
 Contractor: Big Sky Drilling/Ensign - Rig# 40
 Surface Location: 15A-33-01-25
 Co-ords: 250.01m (S) of (N) boundary of Sec. 33
 583.43m (W) of (E) boundary of Sec. 33
 Grd Elev: 473.50 m
 Proj. TD: 1641 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Moving In Rotary Tools (MIRT)
 Moving In Rotary Tools: 28-Nov-2011

Lic. No.: 8411

Tundra Daly Sinclair HZNTL 1-13-9-29 (WPM)
UWI: 102.01-13-009-29W1.00

Licence Issued: 25-Nov-2011
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Tundra Oil & Gas Partnership
 Contractor: Trinidad Drilling Ltd. - Rig# 9
 Surface Location: 04C-13-09-29
 Co-ords: 246.53m (N) of (S) boundary of Sec. 13
 60.00m (E) of (W) boundary of Sec. 13
 Grd Elev: 518.87 m
 Proj. TD: 2297.2 m (Mississippian)
 Field: Daly Sinclair
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 8412

Tundra Daly Sinclair HZNTL 8-13-9-29 (WPM)
UWI: 100.08-13-009-29W1.00

Licence Issued: 25-Nov-2011
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Tundra Oil & Gas Partnership
 Contractor: Trinidad Drilling Ltd. - Rig# 9
 Surface Location: 05C-13-09-29
 Co-ords: 635.16m (N) of (S) boundary of Sec. 13
 60.00m (E) of (W) boundary of Sec. 13
 Grd Elev: 521.73 m
 Proj. TD: 2289.8 m (Mississippian)
 Field: Daly Sinclair
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

WELL NAME CHANGES

Lic. No. 7992

From: Penn West Waskada HZNTL B13-33-1-25 (WPM)
 To: Penn West Waskada A15-33-1-25 (WPM)