

WEEKLY WELL ACTIVITY REPORT

PETROLEUM INDUSTRY ACTIVITY REPORT

(January 1/11 – December 12/11)

<u>DRILLING ACTIVITY</u>	To December 12/11	To December 13/10	2010 Total
Drilling Licences Issued	637	609	632
Licences Cancelled	35	0	4
Vertical Wells Drilled	40	75	79
Horizontal Wells Drilled	509	425	436
Stratigraphic Test Holes Drilled	0	1	1
Wells Drilled - Total	549	501	516
No. of Metres Drilled	1 015 133	920 856	946 576
Wells Re-entered	7	0	0
Wells Being Drilled	15	10	1
No. of Active Rigs	23	15	1
Wells Licenced but Not Spudded	180	112	108
Wells Completed as Potential Oil Wells	530	444	460
Wells Abandoned Dry	11	15	19
Wells Drilled but Not Completed	3	5	0
Other Completions	7	37	37
New Wells on Production	242	190	360
<u>GEOPHYSICAL ACTIVITY</u>			
Geophysical Programs Licenced	19	14	23
Licences Cancelled	0	0	0
Kilometers Licenced	4 815	1899	2 249
Kilometers Run	1 422	537	2 020
	2011	2010	
<u>OIL PRICES (Average)</u>	\$/m3 (\$/bbl)	\$/m3 (\$/bbl)	
Month of October	558.90 (88.81)	449.85 (71.49)	
Month of November	616.95 (98.04)	506.57 (80.50)	
	2011	2010	
<u>OIL PRODUCTION (M3)</u>			
Month of February	183 625.6	135 441.2	
Cumulative Thru February 28	386 090.7	281 890.5	

WEEKLY WELL ACTIVITY REPORT**12 December 2011**

Lic. No.: 7176 Tundra Sinclair HZNTL 4-26-7-28 (WPM)
UWI: 100.04-26-007-28W1.00

Status: Abandoned Producer (ABD P)
Abandoned Producer: 30-Nov-2011

Lic. No.: 7608 CNRL Pierson HZNTL 4-23-2-29 (WPM)
UWI: 102.04-23-002-29W1.00

Revision to Report of: 13-Sep-2010
Contractor: Champion Drilling Ltd. – Rig# 51

Status: Moving In Rotary Tools (MIRT)
Moving In Rotary Tools: 12-Dec-2011

Lic. No.: 7809 Penn West Waskada HZNTL A7-4-2-25 (WPM)
UWI: 103.07-04-002-25W1.00

Intermediate Casing: 139.70 mm @ 1637.00 m with 52.0 t
Finished Drilling: 06-Dec-2011
Total Depth: 1637.00 m
Rig Released: 08-Dec-2011
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 08-Dec-2011

Lic. No.: 7810 Penn West Waskada HZNTL B7-4-2-25 (WPM)
UWI: 104.07-04-002-25W1.00

Revision to Report of: 04-Jan-2011
Contractor: Bonanza Drilling Inc. – Rig# 2

Spud Date: 09-Dec-2011
K.B. Elevation: 476.93 m
Surface Casing: 219.10 mm @ 251.00 m with 18.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 12-Dec-2011

Lic. No.: 7887 Tundra Daly Sinclair HZNTL 9-8-9-29 (WPM)
UWI: 100.09-08-009-29W1.00

Status: Completing (COMP)
Completing: 29-Aug-2011

Lic. No.: 7983 Penn West Waskada HZNTL B5-3-1-24 (WPM)
UWI: 103.05-03-001-24W1.00

Status: Completing (COMP)
Completing: 04-Dec-2011

Lic. No.: 7984 Penn West Waskada HZNTL C5-3-1-24 (WPM)
UWI: 104.05-03-001-24W1.00

Status: Completing (COMP)
Completing: 04-Dec-2011

Lic. No.: 7989 Penn West Waskada HZNTL A12-33-1-25 (WPM)
UWI: 103.12-33-001-25W1.00

Revision to Report of: 09-May-2011
Contractor: Precision Drilling – Rig# 157

Spud Date: 11-Dec-2011
K.B. Elevation: 477.50 m
Surface Casing: 219.10 mm @ 254.00 m with 15.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 12-Dec-2011

Lic. No.: 7990 Penn West Waskada HZNTL B12-33-1-25 (WPM)
UWI: 104.12-33-001-25W1.00

Status: Completing (COMP)
Completing: 03-Dec-2011

Lic. No.: 8000 EOG Pierson HZNTL 13-6-2-28 (WPM)
UWI: 100.13-06-002-28W1.00

Spud Date: 05-Dec-2011
Surface Casing: 219.11 mm @ 161.11 m with 10.0 t
Status: Surface Casing Set (SCS)
Surface Casing Set: 06-Dec-2011

Lic. No.: 8001 EOG Pierson HZNTL 15-6-2-28 (WPM)
UWI: 100.15-06-002-28W1.00

Spud Date: 06-Dec-2011
Surface Casing: 219.11 mm @ 161.27 m with 10.0 t
Status: Surface Casing Set (SCS)
Surface Casing Set: 06-Dec-2011

Lic. No.: 8006 EOG Pierson HZNTL 15-28-1-28 (WPM)
 UWI: 100.15-28-001-28W1.00

Status: Completing (COMP)
 Completing: 01-Nov-2011

Lic. No.: 8023 EOG Pierson HZNTL 16-33-1-28 (WPM)
 UWI: 100.16-33-001-28W1.00

Spud Date: 06-Dec-2011
 Surface Casing: 219.11 mm @ 161.27 m with 10.0 t
 Status: Surface Casing Set (SCS)
 Surface Casing Set: 07-Dec-2011

Lic. No.: 8029 Legacy Pierson HZNTL 13-26-2-29 (WPM)
 UWI: 100.13-26-002-29W1.00

Revision to Report of: 24-May-2011
 Contractor: CanElson Drilling Inc. – Rig# 14

Rig Released: 06-Dec-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 06-Dec-2011

Lic. No.: 8035 Penn West Waskada HZNTL 9-15-2-25 (WPM)
 UWI: 102.09-15-002-25W1.00

Revision to Report of: 30-May-2011
 Contractor: Precision Drilling – Rig# 205

Spud Date: 06-Dec-2011
 K.B. Elevation: 477.67 m
 Surface Casing: 219.10 mm @ 240.64 m with 17.0 t
 Intermediate Casing: 139.70 mm @ 1684.00 with 46.3 t
 Finished Drilling: 09-Dec-2011
 Total Depth: 1684.00 m
 Rig Released: 11-Dec-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 11-Dec-2011

Lic. No.: 8044 Sinclair Unit No. 2 Prov. HZNTL 15-6-7-28 (WPM)
 UWI: 102.15-06-007-28W1.00

Status: Completing (COMP)
 Completing: 13-Aug-2011

Lic. No.: 8077 ARC Waskada HZNTL 8-22-1-24 (WPM)
 UWI: 100.08-22-001-24W1.00

Status: Completing (COMP)
 Completing: 07-Dec-2011

Lic. No.: 8078 Waskada Unit No. 3 HZNTL 4-5-2-25 (WPM)
 UWI: 102.04-05-002-25W1.00

Contractor: Precision Drilling Ltd. – Rig #157

Resumed Drilling: 05-Dec-2011
 Intermediate Casing: 139.70 mm @ 1588.00 m with 42.8 t
 Finished Drilling: 08-Dec-2011
 Previous Total Depth: 251 m
 New Total Depth: 1619.00 m
 Rig Released: 11-Dec-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 11-Dec-2011

Lic. No.: 8083 Tundra St. Lazare HZNTL 3-36-16-28 (WPM)
 UWI: 100.03-36-016-28W1.00

Status: Completing (COMP)
 Completing: 27-Nov-2011

Lic. No.: 8089 Tundra Birdtail HZNTL 7-31-16-27 (WPM)
 UWI: 100.07-31-016-27W1.00

Status: Completing (COMP)
 Completing: 30-Sep-2011

Lic. No.: 8111 EOG Waskada Prov. HZNTL 6-16-1-24 (WPM)
 UWI: 102.06-16-001-24W1.00

Main Hole Commenced: 09-Dec-2011
 K.B. Elevation: 497.83 m
 Intermediate Casing: 139.70 mm @ 1669.00 m with 41.5 t
 Finished Drilling: 12-Dec-2011
 Total Depth: 1669.00 m
 Status: Waiting On Orders (WOO)
 Waiting On Orders: 12-Dec-2011

Lic. No.: 8120 Sinclair Unit No. 2 HZNTL 5-7-7-28 (WPM)
 UWI: 102.05-07-007-28W1.00

Revision to Report of: 11-Jul-2011
 Contractor: Trinidad Drilling Ltd. – Rig# 9

Spud Date: 09-Dec-2011
 K.B. Elevation: 500.45 m
 Surface Casing: 244.50 mm @ 142.00 m with 13.0 t

Status: Drilling Ahead (DR)
Drilling Ahead: 12-Dec-2011

Lic. No.: 8122 Tundra Daly Sinclair HZNTL 13-22-10-29 (WPM)
 UWI: 100.13-22-010-29W1.00

Status: Completing (COMP)
 Completing: 07-Sep-2011

Lic. No.: 8124 ARC Waskada HZNTL 11-7-1-24 (WPM)
 UWI: 100.11-07-001-24W1.00

Status: Completing (COMP)
 Completing: 06-Dec-2011

Lic. No.: 8130 Sinclair Unit No. 2 HZNTL A8-8-7-28 (WPM)
 UWI: 103.08-08-007-28W1.00

Finished Drilling: 06-Dec-2011
 Total Depth: 2505.00 m
 Rig Released: 08-Dec-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 08-Dec-2011

Lic. No.: 8132 EOG Pierson HZNTL 9-36-1-28 (WPM)
 UWI: 100.10-36-001-28W1.00 – Stratigraphic Testhole

Revision to Report of: 18-Jul-2011
 Contractor: Precision Drilling – Rig# 156

Main Hole Commenced: 01-Dec-2011
 K.B. Elevation: 460.55 m
 Finished Drilling: 12-Dec-2011
 Total Depth: 1145.00 m
 Status: Logging (LOG)
 Logging: 12-Dec-2011

Lic. No.: 8143 Magellan et al Daly Sinclair Prov. HZNTL 12-10-9-28 (WPM)
 UWI: 100.12-10-009-28W1.00

Status: Completing (COMP)
 Completing: 11-Dec-2011

Lic. No.: 8158 EOG Waskada HZNTL B16-15-1-25 (WPM)
 UWI: 104.16-15-001-25W1.00

Main Hole Commenced: 06-Dec-2011
 K.B Elevation: 471.40 mm
 Intermediate Casing: 139.70 mm @ 1676.00 m with 44.0 t
 Finished Drilling: 08-Dec-2011
 Total Depth: 1676.00 m
 Rig Released: 09-Dec-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 09-Dec-2011

Lic. No.: 8164 Tundra Daly Sinclair HZNTL 15-21-7-29 (WPM)
UWI: 102.15-21-007-29W1.00

Status: Completing (COMP)
Completing: 26-Sep-2011

Lic. No.: 8169 Tundra Daly Sinclair Prov. HZNTL A12-29-7-28 (WPM)
UWI: 102.12-29-007-28W1.00

Status: Completing (COMP)
Completing: 12-Dec-2011

Lic. No.: 8177 Tundra Daly Sinclair HZNTL A1-20-9-29 (WPM)
UWI: 103.01-20-009-29W1.00

Status: Completing (COMP)
Completing: 18-Oct-2011

Lic. No.: 8208 ARC Waskada Prov. HZNTL 1-4-1-24 (WPM)
UWI: 102.01-04-001-24W1.00

Status: Completing (COMP)
Completing: 04-Dec-2011

Lic. No.: 8227 Tundra et al South Kirkella HZNTL 16-9-11-29 (WPM)
UWI: 100.16-09-011-29W1.00

Status: Completing (COMP)
Completing: 28-Oct-2011

Lic. No.: 8244 Black Gold Daly Sinclair HZNTL 8-15-7-28 (WPM)
UWI: 100.08-15-007-28W1.00

Finished Drilling: 06-Dec-2011
Total Depth: 2472.00 m
Rig Released: 07-Dec-2011
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 07-Dec-2011

Lic. No.: 8273 Sinclair Unit No. 6 Prov. HZNTL 16-34-8-29 (WPM)
UWI: 102.16-34-008-29W1.00

Status: Completing (COMP)
Completing: 08-Dec-2011

Lic. No.: 8281 Sinclair Unit No. 6 HZNTL 1-3-9-29 (WPM)
UWI: 102.01-03-009-29W1.00

Status: Completing (COMP)
Completing: 30-Nov-2011

- Lic. No.: 8283 Waskada Unit No. 2 HZNTL A11-26-1-26 (WPM)
 UWI: 104.11-26-001-26W1.00
- Revision to Report of: 03-Oct-2011
 Contractor: Patterson UTI Drilling Canada Ltd. – Rig# 18
- Spud Date: 08-Dec-2011
 K.B. Elevation: 468.41 m
 Surface Casing: 219.10 mm @ 261.00 m with 16.5 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 12-Dec-2011
- Lic. No.: 8286 Waskada Unit No. 2 HZNTL A6-26-1-26 (WPM)
 UWI: 103.06-26-001-26W1.00
- Intermediate Casing: 139.70 mm @ 1760.00 m with 47.0 t
 Rig Released: 06-Dec-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 06-Dec-2011
- Lic. No.: 8289 EOG Pierson HZNTL 2-22-2-28 (WPM)
 UWI: 103.01-22-002-28W1.00 – Stratigraphic Test Hole
- Status: Abandoned Stratigraphic Test Hole (ABD STH)
 Abandoned Stratigraphic Test Hole: 05-Dec-2011
- UWI: 100.02-22-002-28W1.02 – Horizontal Section
- Kick-Off Date: 06-Dec-2011
 Kick-Off Point: 683.00 m
 Intermediate Casing: Run
 Finished Drilling: 09-Dec-2011
 Total Depth: 1687.00 m
 Rig Released: 10-Dec-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 10-Dec-2011
- Lic. No.: 8303 Penn West Waskada HZNTL 7-35-1-26 (WPM)
 UWI: 102.07-35-001-26W1.00
- Status: Completing (COMP)
 Completing: 02-Dec-2011
- Lic. No.: 8309 CNRL et al Pierson HZNTL 13-30-2-28 (WPM)
 UWI: 100.13-30-002-28W1.00
- Spud Date: 06-Dec-2011
 K.B. Elevation: 466.45 m
 Surface Casing: 244.50 mm @ 167.00 m with 22.0 t
 Intermediate Casing: 139.70 mm @ 1710.00 m with 44.0 t
 Finished Drilling: 10-Dec-2011
 Total Depth: 1710.00 m
 Rig Released: 11-Dec-2011

Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 11-Dec-2011

- Lic. No.: 8317 Red Beds Waskada HZNTL 16-12-1-26 (WPM)
UWI: 103.16-12-001-26W1.00
- Intermediate Casing: 177.80 mm @ 1052.00 m with 21.0 t
Finished Drilling: 09-Dec-2011
Total Depth: 1634.00 m
Rig Released: 10-Dec-2011
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 10-Dec-2011
- Lic. No.: 8322 Sinclair Unit No. 6 Prov. HZNTL 9-34-8-29 (WPM)
UWI: 102.09-34-008-29W1.00
- Status: Completing (COMP)
Completing: 12-Dec-2011
- Lic. No.: 8342 Waskada Unit No. 2 HZNTL A14-26-1-26 (WPM)
UWI: 103.14-26-001-26W1.00
- Spud Date: 07-Dec-2011
K.B. Elevation: 468.12 m
Surface Casing: 219.10 mm @ 253.00 m with 16.0 t
Finished Drilling: 11-Dec-2011
Total Depth: 1728.00 m
Status: Reaming (REAM)
Reaming: 12-Dec-2011
- Lic. No.: 8343 Waskada Unit No. 2 HZNTL B14-26-1-26 (WPM)
UWI: 104.14-26-001-26W1.00
- Intermediate Casing: 139.70 mm @ 1719.00 m with 51.0 t
Rig Released: 06-Dec-2011
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 06-Dec-2011
- Lic. No.: 8347 Waskada Unit No. 7 HZNTL 13-20-1-25 (WPM)
UWI: 102.13-20-001-25W1.00
- Surface Casing: 219.10 mm @ 254.00 m with 18.0 t
Intermediate Casing: 139.70 mm @ 1712.00 m with 45.3 t
Finished Drilling: 10-Dec-2011
Total Depth: 1712.00 m
Rig Released: 12-Dec-2011
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 12-Dec-2011

- Lic. No.: 8348 Waskada Unit No. 7 HZNTL A13-20-1-25 (WPM)
 UWI: 103.13-20-001-25W1.00
- Status: Moving In Rotary Tools (MIRT)
 Moving In Rotary Tools: 12-Dec-2011
- Lic. No.: 8355 Waskada Unit No. 15 HZNTL 12-4-2-26 (WPM)
 UWI: 102.12-04-002-26W1.00
- Spud Date: 09-Dec-2011
 K.B. Elevation: 462.68 m
 Surface Casing: 219.10 mm @ 162.00 m with 8.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 12-Dec-2011
- Lic. No.: 8356 Fort Calgary East Manson Prov. HZNTL 10-20-13-28 (WPM)
 UWI: 100.10-20-013-28W1.00
- Finished Drilling: 05-Dec-2011
 Total Depth: 1415.00 m
 Rig Released: 07-Dec-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 08-Dec-2011
- Lic. No.: 8358 North Virden Scallion Unit No. 1 HZNTL 13-23-11-26 (WPM)
 UWI: 103.13-23-011-26W1.00
- Intermediate Casing: 177.80 mm @ 769.50 m with 19.2 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 12-Dec-2011
- Lic. No.: 8360 Legacy Coulter HZNTL 5-33-1-27 (WPM)
 UWI: 100.05-33-001-27W1.00
- Status: Drilling Ahead (DR)
 Drilling Ahead: 12-Dec-2011
- Lic. No.: 8362 Atikwa Pierson HZNTL 7-34-1-28 (WPM)
 UWI: 100.07-34-001-28W1.00
- Revision to Report of: 07-Nov-2011
 Contractor: CanElson Drilling Inc. – Rig# 14
- Spud Date: 08-Dec-2011
 K.B. Elevation: 461.54 m
 Status: Drilling Ahead (DR)
 Drilling Ahead: 12-Dec-2011

Lic. No.: 8364 Tundra Daly Sinclair HZNTL 5-9-9-29 (WPM)
UWI: 100.05-09-009-29W1.00

Revisions to Report of: 05-Dec-2011

Finished Drilling: **25-Nov-2011**
Original Total Depth: 2443.00 m
Revised Total Depth: **2251.00** m
Rig Released: **26-Nov-2011**
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: **26-Nov-2011**

Lic. No.: 8366 EOG Coulter HZNTL 14-21-1-27 (WPM)
UWI: 100.14-21-001-27W1.00

Spud Date: 07-Dec-2011
Surface Casing: 219.11 mm @ 161.39 m with 10.0 t
Status: Surface Casing Set (SCS)
Surface Casing Set: 03-Dec-2011

Lic. No.: 8369 Tundra Hartney 13-14-6-23 (WPM)
UWI: 100.13-14-006-23W1.00

Please note revised well name and location
(Licenced as a horizontal well to 16-14 with a stratigraphic
testhole – drilled vertical portion only)

Finished Drilling: 05-Dec-2011
Total Depth: 723.00 m
Rig Released: 07-Dec-2011
Status: Abandoned Dry (ABD D)
Abandoned Dry: 07-Dec-2011

- Lic. No.: 8374 Tundra Daly Sinclair HZNTL 13-9-9-29 (WPM)
UWI: 102.13-09-009-29W1.00
- Revisions to Report of: 05-Dec-2011
Incorrectly Reported as Lic. No. 8364
- Spud Date: 26-Nov-2011**
K.B. Elevation: 535.88 m
Surface Casing: 219.10 mm @ 141.50 m with 13.0 t
Intermediate Casing: 139.70 mm @ 2442.00 with 45.0 t
Finished Drilling: 03-Dec-2011
Total Depth: 2443.00 m
Rig Released: 04-Dec-2011
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 04-Dec-2011
- Lic. No.: 8378 Penn West Waskada HZNTL 7-20-1-25 (WPM)
UWI: 102.07-20-001-25W1.00
- Status: Moving In Rotary Tools (MIRT)
Moving In Rotary Tools: 12-Dec-2011
- Lic. No.: 8382 Sinclair Unit No. 7 HZNTL 1-23-8-29 (WPM)
UWI: 102.01-23-008-29W1.00
- Surface Casing: 244.50 mm @ 139.50 m with 15.0 t
Intermediate Casing: 114.30 mm @ 2262.00 with 43.4 t
Finished Drilling: 10-Dec-2011
Total Depth: 2262.00 m
Rig Released: 11-Dec-2011
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 11-Dec-2011
- Lic. No.: 8385 Renegade Border Waskada 2-28-1-26 (WPM)
UWI: 100.02-28-001-26W1.00
- Revision to Report of: 14-Nov-2011
Contractor: Tempco Drilling Company Inc. – Rig# 3
- Spud Date: 06-Dec-2011
K.B. Elevation: 463.11 m
Surface Casing: 219.00 mm @ 141.00 m with 10.0 t
Production Casing: 139.70 mm @ 1001.00 m with 21.0 t
Finished Drilling: 10-Dec-2011
Total Depth: 1001.00 m
Rig Released: 11-Dec-2011
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 11-Dec-2011

Lic. No.: 8386 Renegade et al Waskada Prov. 5-2-1-26 (WPM)
 UWI: 100.05-02-001-26W1.00

Production Casing: Run
 Rig Released: 06-Dec-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 06-Dec-2011

Lic. No.: 8387 Paradise Daly Sinclair HZNTL 7-23-9-29 (WPM)
 UWI: 102.07-23-009-29W1.00

Spud Date: 08-Dec-2011
 K.B. Elevation: 517.43 m
 Surface Casing: 244.50 mm @ 154.00 m with 14.5 t
 Status: Running Casing (CSG)
 Running Casing: 12-Dec-2011

Lic. No.: 8392 Tundra Daly Sinclair Prov. HZNTL A5-29-8-28 (WPM)
 UWI: 103.05-29-008-28W1.00

Intermediate Casing: 139.70 mm @ 2427.00 m with 49.0 t
 Finished Drilling: 06-Dec-2011
 Total Depth: 2427.00 m
 Rig Released: 07-Dec-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 07-Dec-2011

Lic. No.: 8393 Waskada Unit No. 15 HZNTL A12-4-2-26 (WPM)
 UWI: 103.12-04-002-26W1.00

Intermediate Casing: 139.70 mm @ 1863.00 m with 45.0 t
 Finished Drilling: 07-Dec-2011
 Total Depth: 1863.00 m
 Rig Released: 08-Dec-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 08-Dec-2011

Lic. No.: 8394 EOG Waskada HZNTL 3-35-1-25 (WPM)
 UWI: 100.03-35-001-25W1.00

Spud Date: 10-Dec-2011
 Surface Casing: 219.11 mm @ 160.95 m with 10.0 t
 Status: Surface Casing Set (SCS)
 Surface Casing Set: 10-Dec-2011

- Lic. No.: 8395 EOG Waskada HZNTL A3-35-1-25 (WPM)
 UWI: 102.03-35-001-25W1.00
- Spud Date: 11-Dec-2011
 Surface Casing: 219.11 mm @ 161.17 m with 10.0 t
 Status: Surface Casing Set (SCS)
 Surface Casing Set: 11-Dec-2011
- Lic. No.: 8396 EOG Waskada HZNTL B3-35-1-25 (WPM)
 UWI: 103.03-35-001-25W1.00
- Spud Date: 11-Dec-2011
 Surface Casing: 219.11 mm @ 161.11 m with 10.0 t
 Status: Surface Casing Set (SCS)
 Surface Casing Set: 12-Dec-2011
- Lic. No.: 8401 Tundra Daly Sinclair Prov. HZNTL A12-29-8-28 (WPM)
 UWI: 102.12-29-008-28W1.00
- Spud Date: 11-Dec-2011
 K.B. Elevation: 501.13 m
 Surface Casing: 244.50 mm @ 141.50 m with 15.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 12-Dec-2011
- Lic. No.: 8402 Tundra Daly Sinclair Prov. HZNTL B12-29-8-28 (WPM)
 UWI: 103.12-29-008-28W1.00
- Intermediate Casing: 177.80 mm @ 1007.50 m with 12.4 t
 Finished Drilling: 09-Dec-2011
 Total Depth: 2419.00 m
 Rig Released: 10-Dec-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 10-Dec-2011
- Lic. No.: 8405 Renegade et al Waskada Prov. 11-14-1-26 (WPM)
 UWI: 100.11-14-001-26W1.00
- Status: Moving In Rotary Tools (MIRT)
 Moving In Rotary Tools: 12-Dec-2011
- Lic. No.: 8411 Tundra Daly Sinclair HZNTL 1-13-9-29 (WPM)
 UWI: 102.01-13-009-29W1.00
- Intermediate Casing: 139.70 mm @ 2285.50 m with 48.0 t
 Finished Drilling: 10-Dec-2011
 Total Depth: 2286.00 m
 Rig Released: 11-Dec-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 11-Dec-2011

- Lic. No.: 8412 Tundra Daly Sinclair HZNTL 8-13-9-29 (WPM)
UWI: 100.08-13-009-29W1.00
- Revision to Report of: 21-Nov-2011
Contractor: Crusader Drilling Corp. – Rig# 1
- Spud Date: 11-Dec-2011
K.B. Elevation: 526.99 m
Surface Casing: 244.50 mm @ 141.50 m with 13.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 12-Dec-2011
- Lic. No.: 8419 EOG Pierson Prov. HZNTL 6-29-2-29 (WPM)
UWI: 102.06-29-002-29W1.00
- Spud Date: 09-Dec-2011
Surface Casing: 219.11 mm @ 161.02 m with 10.0 t
Status: Surface Casing Set (SCS)
Surface Casing Set: 10-Dec-2011
- Lic. No.: 8421 Tundra et al Daly Sinclair HZNTL 12-2-10-29 (WPM)
UWI: 102.12-02-010-29W1.00
- Intermediate Casing: 139.70 mm @ 981.03 m with 20.1 t
Finished Drilling: 10-Dec-2011
Total Depth: 2336.00 m
Rig Released: 11-Dec-2011
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 11-Dec-2011
- Lic. No.: 8422 Fort Calgary East Manson Prov. HZNTL 1-28-13-28 (WPM)
UWI: 100.01-28-013-28W1.00
- Spud Date: 08-Dec-2011
K.B. Elevation: 492.90 m
Surface Casing: 137.80 mm @ 137.80 m with 14.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 12-Dec-2011
- Lic. No.: 8426 Tundra et al Daly Sinclair HZNTL 9-1-10-29 (WPM)
UWI: 100.09-01-010-29W1.00
- Spud Date: 11-Dec-2011
K.B. Elevation: 526.01 m
Surface Casing: 244.50 mm @ 139.50 m with 15.0 t
Status: Waiting On Cement (WOC)
Waiting On Cement: 12-Dec-2011
- Lic. No.: 8427 Tundra East Manson HZNTL 10-9-13-28 (WPM)
UWI: 100.10-09-013-28W1.00
- Spud Date: 08-Dec-2011
K.B. Elevation: 494.95 m
Surface Casing: 244.50 mm @ 137.00 m with 13.0 t
Intermediate Casing: 177.80 mm @ 772.00 m with 10.0 t

Status: Drilling Ahead (DR)
Drilling Ahead: 12-Dec-2011

- Lic. No.: 8434 Tundra Whitewater 2-7-3-21 (WPM)
UWI: 100.02-07-003-21W1.00
- Spud Date: 08-Dec-2011
K.B. Elevation: 494.00 m
Surface Casing: 219.10 mm @ 135.00 m with 12.0 t
Finished Drilling: 11-Dec-2011
Total Depth: 880.00 m
Status: Abandoning (ABDG)
Abandoning: 12-Dec-2011
- Lic. No.: 8435 Tundra et al Daly Sinclair HZNTL 16-28-8-28 (WPM)
UWI: 100.16-28-008-28W1.00
- Licence Issued: 07-Dec-2011
Licensee: Tundra Oil & Gas Partnership
Mineral Rights: Tundra Oil & Gas Partnership
Contractor: Trinidad Drilling Ltd. - Rig# 65
Surface Location: 13C-28-08-28
Co-ords: 170.00m (S) of (N) boundary of Sec. 28
 72.41m (E) of (W) boundary of Sec. 28
Grd Elev: 497.24 m
Proj. TD: 2248.50 m (Mississippian)
Field: Daly Sinclair
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)
- Lic. No.: 8436 Tundra Daly Sinclair HZNTL 9-13-8-29 (WPM)
UWI: 102.09-13-008-29W1.00
- Licence Issued: 07-Dec-2011
Licensee: Tundra Oil & Gas Partnership
Mineral Rights: Tundra Oil & Gas Partnership
Contractor: Trinidad Drilling Ltd. - Rig# 12
Surface Location: 09A-14-08-29
Co-ords: 700.00m (S) of (N) boundary of Sec. 14
 60.00m (W) of (E) boundary of Sec. 14
Grd Elev: 507.73 m
Proj. TD: 2500.7 m (Mississippian)
Field: Daly Sinclair
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Spud Date: 11-Dec-2011
K.B. Elevation: 511.93 m
Surface Casing: 244.50 mm @ 135.00 m with 15.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 12-Dec-2011

Lic. No.: 8437

Tundra Elkhorn HZNTL 5-5-11-28 (WPM)
UWI: 100.05-05-011-28W1.00

Licence Issued: 07-Dec-2011
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Tundra Oil & Gas Partnership
 Contractor: CanElson Drilling Inc. - Rig# 28
 Surface Location: 08D-05-11-28
 Co-ords: 768.48m (N) of (S) boundary of Sec. 5
 60.00m (W) of (E) boundary of Sec. 5
 Grd Elev: 515.99 m
 Proj. TD: 2231.2 m (Mississippian)
 Area: Elkhorn
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 8438

EOG Coulter HZNTL A14-21-1-27 (WPM)
UWI: 102.14-21-001-27W1.00

Licence Issued: 07-Dec-2011
 Licensee: EOG RESOURCES CANADA INC.
 Mineral Rights: EOG RESOURCES CANADA INC.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 16A-20-01-27
 Co-ords: 242.24m (S) of (N) boundary of Sec. 20
 124.91m (W) of (E) boundary of Sec. 20
 Grd Elev: 445.06 m
 Proj. TD: 1645 m (Triassic)
 Field: Coulter
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Spud Date: 08-Dec-2011
 Surface Casing: 219.11 mm @ 161.39 m with 10.0 t
 Status: Surface Casing Set (SCS)
 Surface Casing Set: 08-Dec-2011

Lic. No.: 8439

EOG Coulter HZNTL B14-21-1-27 (WPM)
UWI: 103.14-21-001-27W1.00

Licence Issued: 07-Dec-2011
 Licensee: EOG RESOURCES CANADA INC.
 Mineral Rights: EOG RESOURCES CANADA INC.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 16A-20-01-27
 Co-ords: 257.24m (S) of (N) boundary of Sec. 20
 124.91m (W) of (E) boundary of Sec. 20
 Grd Elev: 445.39 m
 Proj. TD: 1645 m (Triassic)
 Field: Coulter
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)
 Spud Date: 08-Dec-2011
 Surface Casing: 219.11 mm @ 161.07 m with 10.0 t
 Status: Surface Casing Set (SCS)
 Surface Casing Set: 09-Dec-2011

- Lic. No.: 8440 Waskada LAm Unit No. 1 HZNTL A10-25-1-26 (WPM)
 UWI: 103.10-25-001-26W1.00
- Licence Issued: 07-Dec-2011
 Licensee: Penn West Petroleum Ltd.
 Mineral Rights: Penn West Petroleum Ltd.
 Contractor: Big Sky Drilling - Rig# 37
 Surface Location: 02A-25-01-26
 Co-ords: 75.00m (N) of (S) boundary of Sec. 25
 584.86m (W) of (E) boundary of Sec. 25
 Grd Elev: 466.53 m
 Proj. TD: 1860 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)
- Lic. No.: 8441 Waskada Unit No. 7 Prov. HZNTL 3-20-1-25 (WPM)
 UWI: 102.03-20-001-25W1.00
- Licence Issued: 08-Dec-2011
 Licensee: Penn West Petroleum Ltd.
 Mineral Rights: Penn West Petroleum Ltd.
 Contractor: Big Sky Drilling/Ensign - Rig# 89
 Surface Location: 15B-20-01-25
 Co-ords: 214.55m (S) of (N) boundary of Sec. 20
 628.50m (W) of (E) boundary of Sec. 20
 Grd Elev: 470.72 m
 Proj. TD: 2124 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)
- Lic. No.: 8442 EOG Waskada HZNTL A6-26-1-25 (WPM)
 UWI: 102.06-26-001-25W1.00
- Licence Issued: 08-Dec-2011
 Licensee: EOG RESOURCES CANADA INC.
 Mineral Rights: EOG RESOURCES CANADA INC.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 08B-27-01-25
 Co-ords: 503.04m (N) of (S) boundary of Sec. 27
 202.15m (W) of (E) boundary of Sec. 27
 Grd Elev: 472.03 m
 Proj. TD: 1645 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 8443 EOG Waskada HZNTL B6-26-1-25 (WPM)
 UWI: 103.06-26-001-25W1.00

Licence Issued: 08-Dec-2011
 Licensee: EOG RESOURCES CANADA INC.
 Mineral Rights: EOG RESOURCES CANADA INC.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 08B-27-01-25
 Co-ords: 518.04m (N) of (S) boundary of Sec. 27
 202.11m (W) of (E) boundary of Sec. 27
 Grd Elev: 472.12 m
 Proj. TD: 1645 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 8444 Tundra Daly Sinclair HZNTL 12-27-10-29 (WPM)
 UWI: 100.12-27-010-29W1.00

Licence Issued: 09-Dec-2011
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Tundra Oil & Gas Partnership
 Contractor: CanElson Drilling Inc. - Rig# 28
 Surface Location: 12B-26-10-29
 Co-ords: 604.42m (S) of (N) boundary of Sec. 26
 60.00m (E) of (W) boundary of Sec. 26
 Grd Elev: 523.42 m
 Proj. TD: 2370.8 m (Mississippian)
 Field: Daly Sinclair
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 8445 Tundra Daly Sinclair HZNTL 13-27-10-29 (WPM)
 UWI: 102.13-27-010-29W1.00

Licence Issued: 09-Dec-2011
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Tundra Oil & Gas Partnership
 Contractor: CanElson Drilling Inc. - Rig# 28
 Surface Location: 13B-26-10-29
 Co-ords: 300.00m (S) of (N) boundary of Sec. 26
 60.00m (E) of (W) boundary of Sec. 26
 Grd Elev: 523.38 m
 Proj. TD: 2380.0 m (Mississippian)
 Field: Daly Sinclair
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

WELL NAME CHANGES

Lic. No. 8369 From: Tundra Hartney HZNTL 16-14-6-23 (WPM)
 To: Tundra Hartney 13-14-6-23 (WPM)

