

WEEKLY WELL ACTIVITY REPORT

PETROLEUM INDUSTRY ACTIVITY REPORT

(January 1/11 – December 19/11)

DRILLING ACTIVITY

	To December 19/11	To December 20/10	2010 Total
Drilling Licences Issued	652	620	632
Licences Cancelled	35	4	4
Vertical Wells Drilled	42	78	79
Horizontal Wells Drilled	532	435	436
Stratigraphic Test Holes Drilled	0	1	1
Wells Drilled - Total	574	514	516
No. of Metres Drilled	1 061 117	944 100	946 576
Wells Re-entered	7	0	0
Wells Being Drilled	5	2	1
No. of Active Rigs	11	4	1
Wells Licenced but Not Spudded	150	98	108
Wells Completed as Potential Oil Wells	552	457	460
Wells Abandoned Dry	12	19	19
Wells Drilled but Not Completed	5	1	0
Other Completions	7	37	37
New Wells on Production	244	211	360

GEOPHYSICAL ACTIVITY

Geophysical Programs Licenced	19	14	23
Licences Cancelled	0	0	0
Kilometers Licenced	4 815	1899	2 249
Kilometers Run	1 422	537	2 020

OIL PRICES (Average)

	2011 \$/m3 (\$/bbl)	2010 \$/m3 (\$/bbl)
Month of October	558.90 (88.81)	449.85 (71.49)
Month of November	616.95 (98.04)	506.57 (80.50)

OIL PRODUCTION (M3)

	2011	2010
Month of February	183 625.6	135 441.2
Cumulative Thru February 28	386 090.7	281 890.5

WEEKLY WELL ACTIVITY REPORT**19 December 2011**

Lic. No.: 2675 CNRL Pierson COM 12-30-2-28 (WPM)
UWI: 100.12-30-002-28W1.00
UWI: 100.12-30-002-28W1.02

Status: Abandoned Producer (ABD P)
Abandoned Producer: 16-Dec-2011

Lic. No.: 4048 618555 SK Pierson 3-24-2-29 (WPM)
UWI: 100.03-24-002-29W1.00

Status: Abandoned Producer (ABD P)
Abandoned Producer: 15-Nov-2011

Lic. No.: 5732 Connaught Tilston Prov. 4-4-6-29 (WPM)
UWI: 100.04-04-006-29W1.00

Status: Abandoned Dry (ABD D)
Abandoned Dry: 12-Dec-2011

Lic. No.: 6265 Connaught South Linklater Prov. 13-10-6-28 (WPM)
UWI: 100.13-10-006-28W1.00

Status: Abandoned Dry (ABD D)
Abandoned Dry: 12-Dec-2011

Lic. No.: 7155 Connaught Pierson 5-21-3-29 (WPM)
UWI: 100.05-21-003-29W1.00

Status: Abandoned Producer (ABD P)
Abandoned Producer: 13-Dec-2011

Lic. No.: 7266 Connaught Pierson Prov. 8-20-3-29 (WPM)
UWI: 100.08-20-003-29W1.00

Status: Abandoned Dry (ABD D)
Abandoned Dry: 13-Dec-2011

Lic. No.: 7408 Tundra Daly Sinclair Prov. HZNTL 13-24-8-29 (WPM)
UWI: 100.13-24-008-29W1.00

Status: Completing (COMP)
Completing: 14-Dec-2011

Lic. No.: 7417 Tundra Virden HZNTL 12-13-10-27 (WPM)
 UWI: 100.12-13-010-27W1.00

Status: Abandoned Dry (ABD D)
 Abandoned Dry: 19-Dec-2011

Lic. No.: 7608 CNRL Pierson HZNTL 4-23-2-29 (WPM)
 UWI: 102.04-23-002-29W1.00

Spud Date: 12-Dec-2011
 K.B. Elevation: 472.34 m
 Surface Casing: 244.50 mm @ 160.00 m with 22.0 t
 Intermediate Casing: 139.70 mm @ 1630.00 m with 40.4 t
 Finished Drilling: 15-Dec-2011
 Total Depth: 1630.00 m
 Rig Released: 16-Dec-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 16-Dec-2011

Lic. No.: 7809 Penn West Waskada HZNTL A7-4-2-25 (WPM)
 UWI: 103.07-04-002-25W1.00

Status: Completing (COMP)
 Completing: 17-Dec-2011

Lic. No.: 7810 Penn West Waskada HZNTL B7-4-2-25 (WPM)
 UWI: 104.07-04-002-25W1.00

Intermediate Casing: 139.70 mm @ 1602.00 m with 50.0 t
 Finished Drilling: 13-Dec-2011
 Total Depth: 1602.00 m
 Rig Released: 14-Dec-2011
 Status: Completing (COMP)
 Completing: 17-Dec-2011

Lic. No.: 7956 Waskada Unit No. 15 HZNTL 9-4-2-26 (WPM)
 UWI: 102.09-04-002-26W1.00

Status: Completing (COMP)
 Completing: 15-Dec-2011

Lic. No.: 7957 Waskada Unit No. 15 HZNTL A9-4-2-26 (WPM)
 UWI: 103.09-04-002-26W1.00

Status: Completing (COMP)
 Completing: 12-Dec-2011

Lic. No.: 7982 Penn West Waskada HZNTL A5-3-1-24 (WPM)
 UWI: 102.05-03-001-24W1.00

Status: Completing (COMP)
 Completing: 03-Dec-2011

- Lic. No.: 7989 Penn West Waskada HZNTL A12-33-1-25 (WPM)
UWI: 103.12-33-001-25W1.00
- Intermediate Casing: 139.70 mm @ 1700.00 m with 47.3 t
Finished Drilling: 13-Dec-2011
Total Depth: 1700.00 m
Rig Released: 15-Dec-2011
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 15-Dec-2011
- Lic. No.: 7994 ARC Waskada Prov. HZNTL A12-6-1-24 (WPM)
UWI: 102.12-06-001-24W1.00
- Status: Completing (COMP)
Completing: 19-Dec-2011
- Lic. No.: 7995 ARC Waskada Prov. HZNTL B12-6-1-24 (WPM)
UWI: 103.12-06-001-24W1.00
- Status: Completing (COMP)
Completing: 17-Dec-2011
- Lic. No.: 7996 Tundra Elkhorn HZNTL 1-3-11-28 (WPM)
UWI: 100.01-03-011-28W1.00
- Status: Moving In Rotary Tools (MIRT)
Moving In Rotary Tools: 19-Dec-2011
- Lic. No.: 8007 EOG Pierson Prov. HZNTL 10-26-1-28 (WPM)
UWI: 100.10-26-001-28W1.00
- Revision to Report of: 16-May-2011
Contractor: Precision Drilling – Rig# 156
- Main Hole Commenced: 27-Oct-2011
K.B. Elevation: 458.94 m
Intermediate Casing: 139.70 m @ 1710.00 m with 44.0 t
Finished Drilling: 29-Oct-2011
Total Depth: 1710.00 m
Rig Released: 31-Oct-2011
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 31-Oct-2011
- Lic. No.: 8027 Tundra Daly Sinclair HZNTL 10-24-10-29 (WPM)
UWI: 100.10-24-010-29W1.00
- Revision to Report of: 24-May-2011
Contractor: Trinidad Drilling Ltd. – Rig# 14
- Spud Date: 14-Dec-2011
K.B. Elevation: 520.45 m
Surface Casing: 244.50 mm @ 136.00 m with 12.0 t
Intermediate Casing: 139.70 mm @ 2255.00 m with 43.5 t
Finished Drilling: 18-Dec-2011
Total Depth: 2295.00 m
Rig Released: 19-Dec-2011

Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 19-Dec-2011

- Lic. No.: 8035 Penn West Waskada HZNTL 9-15-2-25 (WPM)
UWI: 102.09-15-002-25W1.00
- Status: Completing (COMP)
Completing: 16-Dec-2011
- Lic. No.: 8036 Penn West Waskada HZNTL 12-15-2-25 (WPM)
UWI: 100.12-15-002-25W1.00
- Status: Completing (COMP)
Completing: 16-Dec-2011
- Lic. No.: 8057 EOG Waskada Prov. HZNTL 7-2-2-25 (WPM)
UWI: 102.07-02-002-25W1.00
- Main Hole Commenced: 13-Dec-2011
K.B. Elevation: 478.82 m
Intermediate Casing: 139.70 mm @ 1623.00 m with 41.1 t
Finished Drilling: 16-Dec-2011
Total Depth: 1623.00 m
Rig Released: 17-Dec-2011
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 17-Dec-2011
- Lic. No.: 8073 Reliable East Manson HZNTL 4-16-13-28 (WPM)
UWI: 102.04-16-013-28W1.00
- Status: Capable Of Oil Production (COOP)
Capable Of Oil Production: 03-Aug-2011
Field/Pool Code: 99 62W
- Lic. No.: 8078 Waskada Unit No. 3 HZNTL 4-5-2-25 (WPM)
UWI: 102.04-05-002-25W1.00
- Status: Completing (COMP)
Completing: 14-Dec-2011
- Lic. No.: 8079 Waskada Unit No. 3 HZNTL A4-5-2-25 (WPM)
UWI: 103.04-05-002-25W1.00
- Status: Completing (COMP)
Completing: 14-Dec-2011
- Lic. No.: 8080 Waskada Unit No. 3 HZNTL B4-5-2-25 (WPM)
UWI: 104.04-05-002-25W1.00
- Status: Completing (COMP)
Completing: 15-Dec-2011

- Lic. No.: 8088 Tundra Elkhorn HZNTL 13-5-11-28 (WPM)
 UWI: 100.13-05-011-28W1.00
- Status: Capable Of Oil Production (COOP)
 Capable Of Oil Production: 26-Sep-2011
 Field/Pool Code: 1 62FF
- Lic. No.: 8106 South Pierson Unit No. 2 HZNTL A8-30-2-29 (WPM)
 UWI: 103.08-30-002-29W1.00
- Revision to Report of: 04-Jul-2011
 Contractor: Champion Drilling Ltd. – Rig# 51
- Spud Date: 17-Dec-2011
 K.B. Elevation: 485.48 m
 Surface Casing: 244.50 mm @ 168.00 m with 22.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 19-Dec-2011
- Lic. No.: 8111 EOG Waskada Prov. HZNTL 6-16-1-24 (WPM)
 UWI: 102.06-16-001-24W1.00
- Rig Released: 13-Dec-2011
 Status: Completing (COMP)
 Completing: 17-Dec-2011
- Lic. No.: 8118 ARC Waskada HZNTL 15-18-1-24 (WPM)
 UWI: 100.15-18-001-24W1.00
- Status: Completing (COMP)
 Completing: 09-Dec-2011
- Lic. No.: 8120 Sinclair Unit No. 2 HZNTL 5-7-7-28 (WPM)
 UWI: 102.05-07-007-28W1.00
- Intermediate Casing: 177.80 mm @ 1117.00 m with 14.6 t
 Finished Drilling: 14-Dec-2011
 Total Depth: 2374.00 m
 Status: Shut Down For Christmas (SDFC)
 Shut Down For Christmas: 12-Dec-2011
- Lic. No.: 8132 EOG Pierson HZNTL 9-36-1-28 (WPM)
 UWI: 100.10-36-001-28W1.00 – Stratigraphic Test Hole
- Revision to Report of: 12-Dec-2011
Main Hole Commenced: 10-Dec-2011
- Status: Abandoned Stratigraphic Test Hole (ABD STH)
 Abd Stratigraphic Test Hole: 13-Dec-2011
- UWI: 100.09-36-001-28W1.02 – Horizontal Section

Kick-Off Date: 14-Dec-2011
 Kick-Off Point: 487
 Intermediate Casing: Run
 Finished Drilling: 14-Dec-2011
 Total Depth: 1700.00 m
 Rig Released: 18-Dec-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 18-Dec-2011

Lic. No.: 8138	<p>Legacy Pierson HZNTL 13-19-1-28 (WPM) UWI: 100.13-19-001-28W1.00</p> <p>Status: Completing (COMP) Completing: 05-Dec-2011</p>
Lic. No.: 8156	<p>EOG Waskada HZNTL 16-15-1-25 (WPM) UWI: 102.16-15-001-25W1.00</p> <p>Status: Completing (COMP) Completing: 13-Dec-2011</p>
Lic. No.: 8157	<p>EOG Waskada HZNTL A16-15-1-25 (WPM) UWI: 103.16-15-001-25W1.00</p> <p>Status: Completing (COMP) Completing: 14-Dec-2011</p>
Lic. No.: 8158	<p>EOG Waskada HZNTL B16-15-1-25 (WPM) UWI: 104.16-15-001-25W1.00</p> <p>Status: Completing (COMP) Completing: 16-Dec-2011</p>
Lic. No.: 8176	<p>Red Beds Waskada HZNTL 12-25-1-25 (WPM) UWI: 100.12-25-001-25W1.00</p> <p>Status: Completing (COMP) Completing: 19-Dec-2011</p>
Lic. No.: 8223	<p>Waskada Unit No. 14 HZNTL 1-32-1-25 (WPM) UWI: 102.01-32-001-25W1.00</p> <p>Status: Completing (COMP) Completing: 09-Dec-2011</p>
Lic. No.: 8228	<p>Waskada Unit No. 14 HZNTL B1-32-1-25 (WPM) UWI: 104.01-32-001-25W1.00</p> <p>Status: Completing (COMP) Completing: 07-Dec-2011</p>

Lic. No.: 8229 Tundra Regent Prov. HZNTL 15-35-3-22 (WPM)
 UWI: 100.15-35-003-22W1.00 – Leg# 1
 UWI: 100.01-02-004-22W1.02 – Leg# 2

Status: Completing (COMP)
 Completing: 19-Dec-2011

Lic. No.: 8240 Tundra Daly Sinclair Prov. SWD RE11-30-10-28 (WPM)
 UWI: 100.11-30-010-28W1.02

Status: Salt Water Disposal (SWD)
 Salt Water Disposal: 28-Oct-2011
 Field/Pool Code: 1 59

Lic. No.: 8248 Waskada Unit No. 14 HZNTL 8-32-1-25 (WPM)
 UWI: 102.08-32-001-25W1.00

Status: Completing (COMP)
 Completing: 08-Dec-2011

Lic. No.: 8249 Waskada Unit No. 14 HZNTL A8-32-1-25 (WPM)
 UWI: 103.08-32-001-25W1.00

Status: Completing (COMP)
 Completing: 09-Dec-2011

Lic. No.: 8250 Waskada Unit No. 3 HZNTL 13-32-1-25 (WPM)
 UWI: 102.13-32-001-25W1.00

Status: Completing (COMP)
 Completing: 15-Dec-2011

Lic. No.: 8254 EOG Waskada HZNTL 11-9-1-25 (WPM)
 UWI: 100.11-09-001-25W1.00

Status: Completing (COMP)
 Completing: 15-Dec-2011

Lic. No.: 8255 EOG Waskada HZNTL A11-9-1-25 (WPM)
 UWI: 102.11-09-001-25W1.00

Main Hole Commenced: 22-Nov-2011
 K.B. Elevation: 472.59 m
 Intermediate Casing: 139.70 m @ 1703.00 m with 44.0t
 Finished Drilling: 24-Nov-2011
 Total Depth: 1703.00 m
 Rig Released: 25-Nov-2011
 Status: Completing (COMP)
 Completing: 02-Dec-2011

Lic. No.: 8256 EOG Waskada HZNTL B11-9-1-25 (WPM)
 UWI: 103.11-09-001-25W1.00

Status: Completing (COMP)
 Completing: 06-Dec-2011

Lic. No.: 8258 EOG Waskada HZNTL A14-9-1-25 (WPM)
 UWI: 102.14-09-001-25W1.00

Status: Completing (COMP)
 Completing: 12-Dec-2011

Lic. No.: 8265 Waskada LAm Unit No. 1 HZNTL 9-24-1-26 (WPM)
 UWI: 102.09-24-001-26W1.00

Status: Completing (COMP)
 Completing: 10-Dec-2011

Lic. No.: 8266 Waskada LAm Unit No. 1 HZNTL A9-24-1-26 (WPM)
 UWI: 103.09-24-001-26W1.00

Status: Completing (COMP)
 Completing: 13-Dec-2011

Lic. No.: 8267 Waskada LAm Unit No. 1 HZNTL B9-24-1-26 (WPM)
 UWI: 104.09-24-001-26W1.00

Status: Completing (COMP)
 Completing: 11-Dec-2011

Lic. No.: 8268 Waskada LAm Unit No. 1 HZNTL 10-24-1-26 (WPM)
 UWI: 102.10-24-001-26W1.00

Status: Completing (COMP)
 Completing: 10-Dec-2011

Lic. No.: 8269 Waskada LAm Unit No. 1 HZNTL A10-24-1-26 (WPM)
 UWI: 103.10-24-001-26W1.00

Status: Completing (COMP)
 Completing: 11-Dec-2011

Lic. No.: 8283 Waskada Unit No. 2 HZNTL A11-26-1-26 (WPM)
 UWI: 104.11-26-001-26W1.00

Finished Drilling: 13-Dec-2011
 Total Depth: 1734.00 m
 Rig Released: 14-Dec-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 14-Dec-2011

- Lic. No.: 8284 Waskada Unit No. 2 HZNTL B11-26-1-26 (WPM)
 UWI: 105.11-26-001-26W1.00
- Revision to Report of: 03-Oct-2011
 Contractor: Patterson UTI Drilling Canada Ltd. – Rig# 18
- Spud Date: 16-Dec-2011
 K.B. Elevation: 467.66 m
 Surface Casing: 219.10 mm @ 249.00 m with 16.5 t
 Status: Shut Down For Christmas (SDFC)
 Shut Down For Christmas: 19-Dec-2011
- Lic. No.: 8289 EOG Pierson HZNTL 2-22-2-28 (WPM)
 UWI: 103.01-22-002-28W1.00
- Status: Completing (COMP)
 Completing: 15-Dec-2011
- Lic. No.: 8291 CNRL Pierson HZNTL 13-7-2-29 (WPM)
 UWI: 100.13-07-002-29W1.00
- Status: Completing (COMP)
 Completing: 16-Dec-2011
- Lic. No.: 8293 Waskada Unit No. 2 HZNTL 14-26-1-26 (WPM)
 UWI: 102.14-26-001-26W1.00
- Spud Date: 14-Dec-2011
 K.B. Elevation: 467.92 m
 Surface Casing: 219.70 mm @ 251.97 m with 16.0 t
 Finished Drilling: 19-Dec-2011
 Total Depth: 1752.00 m
 Status: Reaming (REAM)
 Reaming: 19-Dec-2011
- Lic. No.: 8309 CNRL et al Pierson HZNTL 13-30-2-28 (WPM)
 UWI: 100.13-30-002-28W1.00
- Status: Completing (COMP)
 Completing: 14-Dec-2011
- Lic. No.: 8311 Tundra Daly Sinclair Prov. HZNTL 11-34-9-29 (WPM)
 UWI: 102.11-34-009-29W1.00
- Status: Completing (COMP)
 Completing: 11-Dec-2011
- Lic. No.: 8313 Tundra Daly Sinclair HZNTL 15-35-9-29 (WPM)
 UWI: 100.15-35-009-29W1.00
- Status: Completing (COMP)
 Completing: 13-Dec-2011

- Lic. No.: 8315 Fort Calgary East Manson 8-19-13-28 (WPM)
UWI: 100.08-19-013-28W1.00
- Revision to Report of: 17-Oct-2011
Contractor: Trinidad Drilling Ltd. – Rig# 4
- Spud Date: 15-Dec-2011
K.B. Elevation: 497.63 m
Surface Casing: 177.80 mm @ 146.00 m with 8.0 t
Finished Drilling: 18-Dec-2011
Total Depth: 711.00 m
Status: Running Casing (CSG)
Running Casing: 19-Dec-2011
- Lic. No.: 8317 Red Beds Waskada HZNTL 16-12-1-26 (WPM)
UWI: 103.16-12-001-26W1.00
- Status: Completing (COMP)
Completing: 14-Dec-2011
- Lic. No.: 8339 CNRL Pierson HZNTL 1-7-2-29 (WPM)
UWI: 100.01-07-002-29W1.00
- Status: Completing (COMP)
Completing: 18-Dec-2011
- Lic. No.: 8342 Waskada Unit No. 2 HZNTL A14-26-1-26 (WPM)
UWI: 103.14-26-001-26W1.00
- Intermediate Casing: 139.70 mm @ 1728.00 m with 50.0 t
Rig Released: 13-Dec-2011
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 13-Dec-2011
- Lic. No.: 8348 Waskada Unit No. 7 HZNTL A13-20-1-25 (WPM)
UWI: 103.13-20-001-25W1.00
- Revision to Report of: 31-Oct-2011
Contractor: Big Sky Drilling – Rig# 89
- Spud Date: 14-Dec-2011
K.B. Elevation: 475.74 m
Surface Casing: 219.10 mm @ 252.00 m with 18.0 t
Finished Drilling: 19-Dec-2011
Total Depth: 1720.00 m
Status: Reaming (REAM)
Reaming: 19-Dec-2011
- Lic. No.: 8352 Waskada Unit No. 16 HZNTL 2-9-2-25 (WPM)
UWI: 102.02-09-002-25W1.00
- Main Hole Commenced: 17-Dec-2011
K.B. Elevation: 472.84 m

Status: Drilling Ahead (DR)
Drilling Ahead: 19-Dec-2011

- Lic. No.: 8355 Waskada Unit No. 15 HZNTL 12-4-2-26 (WPM)
UWI: 102.12-04-002-26W1.00
- Intermediate Casing: 139.70 mm @ 1856.00 m with 45.0 t
Finished Drilling: 14-Dec-2011
Total Depth: 1856.00 m
Rig Released: 16-Dec-2011
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 16-Dec-2011
- Lic. No.: 8358 North Virden Scallion Unit No. 1 HZNTL 13-23-11-26 (WPM)
UWI: 103.13-23-011-26W1.00
- Finished Drilling: 12-Dec-2011
Total Depth: 1784.00 m
Rig Released: 16-Dec-2011
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 16-Dec-2011
- Lic. No.: 8360 Legacy Coulter HZNTL 5-33-1-27 (WPM)
UWI: 100.05-33-001-27W1.00
- Intermediate Casing: 139.70 mm @ 2486.92 m with 63.0 t
Finished Drilling: 15-Dec-2011
Total Depth: 2488.00 m
Rig Released: 17-Dec-2011
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 17-Dec-2011
- Lic. No.: 8362 Atikwa Pierson HZNTL 7-34-1-28 (WPM)
UWI: 100.07-34-001-28W1.00
- Surface Casing: 219.10 mm @ 150.00 m with 10.0 t
Intermediate Casing: 139.70 mm @ 1708.00 m with 47.3 t
Finished Drilling: 15-Dec-2011
Total Depth: 1708.00 m
Rig Released: 16-Dec-2011
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 16-Dec-2011
- Lic. No.: 8366 EOG Coulter HZNTL 14-21-1-27 (WPM)
UWI: 100.14-21-001-27W1.00
- Revision to Report of: 12-Dec-2011
- Spud Date: 06-Dec-2011**
Surface Casing Set: 08-Dec-2011

Lic. No.: 8378

Penn West Waskada HZNTL 7-20-1-25 (WPM)
UWI: 102.07-20-001-25W1.00

Revision to Report of: 14-Nov-2011
Contractor: Precision Drilling – Rig# 205

Spud Date: 12-Dec-2011
K.B. Elevation: 475.52 m
Surface Casing: 219.10 mm @ 251.00 m with 17.0 t
Intermediate Casing: 139.70 mm @ 1708.00 m with 46.3 t
Finished Drilling: 15-Dec-2011
Total Depth: 1708.00 m
Rig Released: 17-Dec-2011
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 17-Dec-2011

Lic. No.: 8387

Paradise Daly Sinclair HZNTL 7-23-9-29 (WPM)
UWI: 102.07-23-009-29W1.00

Intermediate Casing: 177.80 mm @ 999.00 m with 21.0 t
Finished Drilling: 14-Dec-2011
Total Depth: 2030.00 m
Rig Released: 17-Dec-2011
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 17-Dec-2011

- Lic. No.: 8401 Tundra Daly Sinclair Prov. HZNTL A12-29-8-28 (WPM)
UWI: 102.12-29-008-28W1.00
- Intermediate Casing: 177.80 mm @ 1025.00 m with 13.0 t
Finished Drilling: 16-Dec-2011
Total Depth: 2442.00 m
Rig Released: 18-Dec-2011
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 18-Dec-2011
- Lic. No.: 8404 EOG Waskada HZNTL 6-26-1-25 (WPM)
UWI: 100.06-26-001-25W1.00
- Spud Date: 13-Dec-2011
Surface Casing: 219.11 mm @ 161.21 m with 10.5 t
Status: Surface Casing Set (SCS)
Surface Casing Set: 14-Dec-2011
- Lic. No.: 8405 Renegade et al Waskada Prov. 11-14-1-26 (WPM)
UWI: 100.11-14-001-26W1.00
- Revision to Report of: 21-Nov-2011
Contractor: Tempco Drilling Company Inc. – Rig# 3
- Spud Date: 12-Dec-2011
K.B. Elevation: 466.92 m
Surface Casing: 219.10 mm @ 142.00 m with 10.0 t
Intermediate Casing: 139.70 mm @ 1006.00 m with 21.0 t
Finished Drilling: 17-Dec-2011
Total Depth: 1007.00 m
Rig Released: 18-Dec-2011
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 18-Dec-2011
- Lic. No.: 8406 Clampett Tilston Prov. 14-6-6-29 (WPM)
UWI: 100.14-06-006-29W1.00
- Spud Date: 18-Dec-2011
K.B. Elevation: 514.68 m
Status: Drilling Ahead (DR)
Drilling Ahead: 19-Dec-2011
- Lic. No.: 8407 EOG Pierson HZNTL 10-8-2-28 (WPM)
UWI: 100.10-08-002-28W1.00
- Spud Date: 15-Dec-2011
Surface Casing: 219.11 mm @ 161.27 m with 10.5 t
Status: Surface Casing Set (SCS)
Surface Casing Set: 16-Dec-2011

Lic. No.: 8409 EOG Pierson HZNTL 11-4-2-28 (WPM)
 UWI: 100.11-04-002-28W1.00

Spud Date: 16-Dec-2011
 Surface Casing: 219.11 mm @ 161.29 m with 10.5 t
 Status: Surface Casing Set (SCS)
 Surface Casing Set: 16-Dec-2011

Lic. No.: 8412 Tundra Daly Sinclair HZNTL 8-13-9-29 (WPM)
 UWI: 100.08-13-009-29W1.00

Intermediate Casing: 139.70 mm @ 2288.00 m with 45.0 t
 Finished Drilling: 17-Dec-2011
 Total Depth: 2289.00 m
 Rig Released: 18-Dec-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 18-Dec-2011

Lic. No.: 8415 EOG Waskada HZNTL A13-28-1-25 (WPM)
 UWI: 102.13-28-001-25W1.00

Spud Date: 14-Dec-2011
 Surface Casing: 219.11 mm @ 161.24 m with 10.5 t
 Status: Surface Casing Set (SCS)
 Surface Casing Set: 15-Dec-2011

Lic. No.: 8416 EOG Waskada HZNTL B13-28-1-25 (WPM)
 UWI: 103.13-28-001-25W1.00

Spud Date: 14-Dec-2011
 Surface Casing: 219.11 mm @ 161.33 m with 10.5 t
 Status: Surface Casing Set (SCS)
 Surface Casing Set: 14-Dec-2011

Lic. No.: 8422 Fort Calgary East Manson Prov. HZNTL 1-28-13-28 (WPM)
 UWI: 100.01-28-013-28W1.00

Intermediate Casing: 177.80 mm @ 781.10 m with 18.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 19-Dec-2011

Lic. No.: 8426 Tundra et al Daly Sinclair HZNTL 9-1-10-29 (WPM)
 UWI: 100.09-01-010-29W1.00

Intermediate Casing: 139.70 mm @ 980.02 m with 8.8 t
 Finished Drilling: 16-Dec-2011
 Total Depth: 2393.00 m
 Rig Released: 18-Dec-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 18-Dec-2011

Lic. No.: 8427 Tundra East Manson HZNTL 10-9-13-28 (WPM)
 UWI: 100.10-09-013-28W1.00

Finished Drilling: 13-Dec-2011
 Total Depth: 2025.00 m
 Rig Released: 14-Dec-2011
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 14-Dec-2011

Lic. No.: 8428 Tundra East Manson HZNTL 15-9-13-28 (WPM)
 UWI: 100.15-09-013-28W1.00

Spud Date: 14-Dec-2011
 K.B. Elevation: 494.17 m
 Surface Casing: 244.50 mm @ 140.00 m with 13.0 t
 Intermediate Casing: 177.80 mm @ 767.00 m with 10.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 19-Dec-2011

Lic. No.: 8434 Tundra Whitewater 2-7-3-21 (WPM)
 UWI: 100.02-07-003-21W1.00

Status: Abandoned Dry (ABD D)
 Abandoned Dry: 13-Dec-2011

Lic. No.: 8435 Tundra et al Daly Sinclair HZNTL 16-28-8-28 (WPM)
 UWI: 100.16-28-008-28W1.00

Status: Moving In Rotary Tools (MIRT)
 Moving In Rotary Tools: 19-Dec-2011

Lic. No.: 8436 Tundra Daly Sinclair HZNTL 9-13-8-29 (WPM)
 UWI: 102.09-13-008-29W1.00

Finished Drilling: 18-Dec-2011
 Total Depth: 2487.00 m
 Status: Setting Liner (SETTING LINER)
 Setting Liner: 19-Dec-2011

Lic. No.: 8442 EOG Waskada HZNTL A6-26-1-25 (WPM)
 UWI: 102.06-26-001-25W1.00

Spud Date: 12-Dec-2011
 Surface Casing: 219.11 mm @ 161.16 m with 10.5 t
 Status: Surface Casing Set (SCS)
 Surface Casing Set: 13-Dec-2011

Lic. No.: 8443 EOG Waskada HZNTL B6-26-1-25 (WPM)
UWI: 103.06-26-001-25W1.00

Spud Date: 12-Dec-2011
Surface Casing: 219.11 mm @ 161.24 m with 10.5 t
Status: Surface Casing Set (SCS)
Surface Casing Set: 12-Dec-2011

Lic. No.: 8447 EOG Coulter HZNTL 11-21-1-27 (WPM)
UWI: 102.11-21-001-27W1.00

Spud Date: 17-Dec-2011
Surface Casing: 219.11 mm @ 161.13 m with 10.0 t
Status: Surface Casing Set (SCS)
Surface Casing Set: 18-Dec-2011

Lic. No.: 8448 EOG Coulter HZNTL A11-21-1-27 (WPM)
UWI: 103.11-21-001-27W1.00

Spud Date: 17-Dec-2011
Surface Casing: 219.11 mm @ 161.17 m with 10.0 t
Status: Surface Casing Set (SCS)
Surface Casing Set: 17-Dec-2011

Lic. No.: 8449 EOG Coulter HZNTL B11-21-1-27 (WPM)
UWI: 104.11-21-001-27W1.00

Spud Date: 16-Dec-2011
Surface Casing: 219.11 mm @ 161.29 m with 10.0 t
Status: Surface Casing Set (SCS)
Surface Casing Set: 17-Dec-2011

Lic. No.: 8450 EOG Pierson Prov. HZNTL 11-20-2-29 (WPM)
UWI: 100.11-20-002-29W1.00

Spud Date: 18-Dec-2011
Surface Casing: 219.11 mm @ 161.27 m with 10.0 t
Status: Surface Casing Set (SCS)
Surface Casing Set: 18-Dec-2011

Lic. No.: 8446 EOG Coulter HZNTL 12-31-1-27 (WPM)
 UWI: 100.12-31-001-27W1.00

Licence Issued: 13-Dec-2011
 Licensee: EOG RESOURCES CANADA INC.
 Mineral Rights: EOG RESOURCES CANADA INC.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 10B-31-01-27
 Co-ords: 678.73m (S) of (N) boundary of Sec. 31
 670.67m (W) of (E) boundary of Sec. 31
 Grd Elev: 454.12 m
 Proj. TD: 1645 m (Triassic)
 Field: Coulter
 Classification: DEVELOPMENT (CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 8447 EOG Coulter HZNTL 11-21-1-27 (WPM)
 UWI: 102.11-21-001-27W1.00

Licence Issued: 13-Dec-2011
 Licensee: EOG RESOURCES CANADA INC.
 Mineral Rights: EOG RESOURCES CANADA INC.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 09D-20-01-27
 Co-ords: 560.57m (S) of (N) boundary of Sec. 20
 124.91m (W) of (E) boundary of Sec. 20
 Grd Elev: 451.23 m
 Proj. TD: 1645 m (Triassic)
 Field: Coulter
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 8448 EOG Coulter HZNTL A11-21-1-27 (WPM)
 UWI: 103.11-21-001-27W1.00

Licence Issued: 13-Dec-2011
 Licensee: EOG RESOURCES CANADA INC.
 Mineral Rights: EOG RESOURCES CANADA INC.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 09D-20-01-27
 Co-ords: 575.57m (S) of (N) boundary of Sec. 20
 124.91m (W) of (E) boundary of Sec. 20
 Grd Elev: 451.27 m
 Proj. TD: 1645 m (Triassic)
 Field: Coulter
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

- Lic. No.: 8449 EOG Coulter HZNTL B11-21-1-27 (WPM)
 UWI: 104.11-21-001-27W1.00
- Licence Issued: 13-Dec-2011
 Licensee: EOG RESOURCES CANADA INC.
 Mineral Rights: EOG RESOURCES CANADA INC.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 09D-20-01-27
 Co-ords: 590.57m (S) of (N) boundary of Sec. 20
 124.91m (W) of (E) boundary of Sec. 20
 Grd Elev: 451.33 m
 Proj. TD: 1645 m (Triassic)
 Field: Coulter
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)
- Lic. No.: 8450 EOG Pierson Prov. HZNTL 11-20-2-29 (WPM)
 UWI: 100.11-20-002-29W1.00
- Licence Issued: 13-Dec-2011
 Licensee: EOG RESOURCES CANADA INC.
 Mineral Rights: EOG RESOURCES CANADA INC.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 03B-29-02-29
 Co-ords: 92.55m (N) of (S) boundary of Sec. 29
 578.09m (E) of (W) boundary of Sec. 29
 Grd Elev: 478.41 m
 Proj. TD: 1645 m (Triassic)
 Field: Pierson
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)
- Lic. No.: 8451 Tundra Daly Sinclair HZNTL 1-13-8-29 (WPM)
 UWI: 102.01-13-008-29W1.00
- Licence Issued: 13-Dec-2011
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Tundra Oil & Gas Partnership
 Contractor: Trinidad Drilling Ltd. - Rig# 12
 Surface Location: 01D-14-08-29
 Co-ords: 218.84m (N) of (S) boundary of Sec. 14
 60.00m (W) of (E) boundary of Sec. 14
 Grd Elev: 506.13 m
 Proj. TD: 2483.9 m (Mississippian)
 Field: Daly Sinclair
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

- Lic. No.: 8452 T. Bird South Kirkella HZNTL 8-20-11-29 (WPM)
 UWI: 100.08-20-011-29W1.00
- Licence Issued: 15-Dec-2011
 Licensee: T. Bird Oil Ltd.
 Mineral Rights: T. Bird Oil Ltd.
 Contractor: To Be Determined - Rig# 0
 Surface Location: 08C-17-11-29
 Co-ords: 744.69m (N) of (S) boundary of Sec. 17
 249.97m (W) of (E) boundary of Sec. 17
 Grd Elev: 531.80 m
 Proj. TD: 2404.26 m (Devonian)
 Area: South Kirkella
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)
- Lic. No.: 8453 Sinclair Unit No. 7 Prov. HZNTL 14-14-8-29 (WPM)
 UWI: 102.14-14-008-29W1.00
- Licence Issued: 15-Dec-2011
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Tundra Oil & Gas Partnership
 Contractor: Trinidad Drilling Ltd. - Rig# 9
 Surface Location: 13B-13-08-29
 Co-ords: 215.00m (S) of (N) boundary of Sec. 13
 60.00m (E) of (W) boundary of Sec. 13
 Grd Elev: 508.90 m
 Proj. TD: 2135.4 m (Mississippian)
 Field: Daly Sinclair
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)
- Lic. No.: 8454 Tundra Birdtail HZNTL 11-19-16-27 (WPM)
 UWI: 100.11-19-016-27W1.00
- Licence Issued: 15-Dec-2011
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Tundra Oil & Gas Partnership
 Contractor: Trinidad Drilling Ltd. - Rig# 10
 Surface Location: 03A-30-16-27
 Co-ords: 60.00m (N) of (S) boundary of Sec. 30
 694.42m (E) of (W) boundary of Sec. 30
 Grd Elev: 477.01 m
 Proj. TD: 1223 m (Mississippian)
 Field: Birdtail
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 8455 Fort Calgary East Manson Prov. HZNTL 8-28-13-28 (WPM)
UWI: 100.08-28-013-28W1.00

Licence Issued: 16-Dec-2011
Licensee: Fort Calgary Resources Ltd.
Mineral Rights: Fort Calgary Resources Ltd.
Contractor: Terroco Drilling Ltd. - Rig# 9
Surface Location: 08A-29-13-28
Co-ords: 512.80m (N) of (S) boundary of Sec. 29
110.00m (W) of (E) boundary of Sec. 29
Grd Elev: 486.96 m
Proj. TD: 2181 m (Triassic)
Area: East Manson
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8456 EOG Coulter HZNTL 10-20-1-27 (WPM)
UWI: 100.10-20-001-27W1.00

Licence Issued: 16-Dec-2011
Licensee: EOG RESOURCES CANADA INC.
Mineral Rights: EOG RESOURCES CANADA INC.
Contractor: Precision Drilling (1987) Ltd. - Rig# 195
Surface Location: 12C-21-01-27
Co-ords: 520.51m (S) of (N) boundary of Sec. 21
104.92m (E) of (W) boundary of Sec. 21
Grd Elev: 453.62 m
Proj. TD: 1645 m (Triassic)
Field: Coulter
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8457 EOG Coulter HZNTL A10-20-1-27 (WPM)
UWI: 102.10-20-001-27W1.00

Licence Issued: 16-Dec-2011
Licensee: EOG RESOURCES CANADA INC.
Mineral Rights: EOG RESOURCES CANADA INC.
Contractor: Precision Drilling (1987) Ltd. - Rig# 195
Surface Location: 12C-21-01-27
Co-ords: 535.51m (S) of (N) boundary of Sec. 21
104.92m (E) of (W) boundary of Sec. 21
Grd Elev: 453.85 m
Proj. TD: 1645 m (Triassic)
Field: Coulter
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

- Lic. No.: 8458 EOG Coulter HZNTL 15-20-1-27 (WPM)
 UWI: 100.15-20-001-27W1.00
- Licence Issued: 16-Dec-2011
 Licensee: EOG RESOURCES CANADA INC.
 Mineral Rights: EOG RESOURCES CANADA INC.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 12C-21-01-27
 Co-ords: 505.51m (S) of (N) boundary of Sec. 21
 104.92m (E) of (W) boundary of Sec. 21
 Grd Elev: 453.56 m
 Proj. TD: 1645 m (Triassic)
 Field: Coulter
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)
- Lic. No.: 8459 Reliable East Manson HZNTL 1-3-13-28 (WPM)
 UWI: 100.01-03-013-28W1.00
- Licence Issued: 16-Dec-2011
 Licensee: Reliable Energy Ltd.
 Mineral Rights: Reliable Energy Ltd.
 Contractor: Terroco Drilling Ltd. - Rig# 4
 Surface Location: 16A-03-13-28
 Co-ords: 225.00m (S) of (N) boundary of Sec. 3
 180.00m (W) of (E) boundary of Sec. 3
 Grd Elev: 493.35 m
 Proj. TD: 1854 m (Mississippian)
 Area: East Manson
 Classification: EXPLORATORY (NEW FIELD WILDCAT)
 Status: Location(LOC)
- Lic. No.: 8460 Paradise Daly Sinclair HZNTL 16-2-9-28 (WPM)
 UWI: 100.16-02-009-28W1.00
- Licence Issued: 16-Dec-2011
 Licensee: Paradise Petroleums Ltd
 Mineral Rights: Paradise Petroleums Ltd
 Contractor: Ensign/Big Sky Drilling - Rig# 12
 Surface Location: 16D-03-09-28
 Co-ords: 94.45m (S) of (N) boundary of Sec. 3
 60.00m (W) of (E) boundary of Sec. 3
 Grd Elev: 465.33 m
 Proj. TD: 2346 m (Devonian)
 Field: Daly Sinclair
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)