

WEEKLY WELL ACTIVITY REPORT

PETROLEUM INDUSTRY ACTIVITY REPORT

(January 1/13 – Aug 26/13)

DRILLING ACTIVITY

	To Aug 26/13	To Aug 20/12	2012 Total
Drilling Licences Issued	327	448	720
Licences Cancelled	60	25	27
Vertical Wells Drilled	19	28	43
Horizontal Wells Drilled	331	366	570
Stratigraphic Test Holes Drilled	1	1	3
Wells Drilled - Total	351	395	616
No. of Metres Drilled	669 829	737 406	1 156 002
Wells Re-entered	0	0	0
Wells Being Drilled	8	4	1
No. of Active Rigs	10	13	1
Wells Licenced but Not Spudded	169	193	250
Wells Completed as Potential Oil Wells	346	380	592
Wells Abandoned Dry	3	9	19
Wells Drilled but Not Completed	2	1	0
Other Completions	0	4	4
New Wells on Production	171	175	642

GEOPHYSICAL ACTIVITY

Geophysical Programs Licenced	10	8	19
Licences Cancelled	0	0	1
Kilometers Licenced	676	567	7 429
Kilometers Run	1 246	131	3 405

	2013	2012
<u>OIL PRICES (Average)</u>	\$/m3 (\$/bbl)	\$/m3 (\$/bbl)
Month of June	578.35 (91.91)	503.90 (80.07)
Month of July	663.73 (105.47)	481.95 (76.59)

OIL PRODUCTION (M3)

	2012	2011
Month of Oct	253 293.4	213 030.4
Cumulative Thru Oct 31	2 495 824.5	1 923 884.9

WEEKLY WELL ACTIVITY REPORT

26 August 2013

Lic. No.: 7085 Tundra St. Lazare 4-2-17-28 (WPM)
 UWI: 100.04-02-017-28W1.00

Status: Abandoned Dry (ABD D)
 Abandoned Dry: 23-Aug-2013

Lic. No.: 8766 Waskada Unit No. 19 HZNTL C5-34-1-25 (WPM)
 UWI: 105.05-34-001-25W1.00

Revision to Report of: 25-Jun-2012
 Contractor: Precision Drilling – Rig# 191

Spud Date: 24-Aug-2013
 K.B. Elevation: 476.63 m
 Surface Casing: 219.10 mm @ 155.00 m with 11.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 26-Aug-2013

Lic. No.: 8954 Tundra Daly Sinclair HZNTL 8-21-10-29 (WPM)
 UWI: 100.08-21-010-29W1.00

Revision to Report of: 10-Sep-2012
 Contractor: Trinidad Drilling Ltd. – Rig# 10

Spud Date: 22-Aug-2013
 K.B. Elevation: 536.69 m
 Surface Casing: 244.50 mm @ 138.00 m with 13.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 26-Aug-2013

Lic. No.: 9003 Tundra Daly Sinclair HZNTL 5-18-9-29 (WPM)
 UWI: 100.08-18-009-29W1.00 – Stratigraphic Test Hole

Spud Date: 20-Aug-2013
 K.B. Elevation: 540.62 m
 Surface Casing: 244.50 mm @ 139.00 m with 15.0 t
 Finished Drilling: 23-Aug-2013
 Total Depth: 1037.00 m
 Status: Abandoned Stratigraphic Test Hole (ABD STH)
 Abd Stratigraphic Test Hole: 23-Aug-2013

UWI: 100.05-18-009-29W1.02 – Horizontal Section

Kick-Off Date: 24-Aug-2013
 Kick-Off Point: 650.00 m
 Status: Drilling Ahead (DR)
 Drilling Ahead: 26-Aug-2013

Lic. No.: 9110 Tundra Daly Sinclair HZNTL A11-23-7-29 (WPM)
 UWI: 102.11-23-007-29W1.00

Intermediate Casing: 139.70 mm @ 2412.00 m with 49.8 t
 Rig Released: 20-Aug-2013
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 20-Aug-2013

Lic. No.: 9281 Tundra Daly Sinclair HZNTL 4-9-9-28 (WPM)
 UWI: 100.04-09-009-28W1.00

Surface Casing: 244.50 mm @ 151.00 m with 45.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 26-Aug-2013

Lic. No.: 9332 Tundra Daly Sinclair HZNTL A9-10-9-29 (WPM)
 UWI: 103.09-10-009-29W1.00

Intermediate Casing: 139.70 mm @ 2220.00 m with 45.0 t
 Finished Drilling: 19-Aug-2013
 Total Depth: 2220.00 m
 Rig Released: 20-Aug-2013
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 20-Aug-2013

Lic. No.: 9372 South Pierson Unit No. 1 HZNTL 5-9-2-29 (WPM)
 UWI: 104.05-09-002-29W1.00

Status: Completing (COMP)
 Completing: 20-Aug-2013

Lic. No.: 9387 Legacy Pierson HZNTL A8-36-1-28 (WPM)
 UWI: 102.08-36-001-28W1.00

Spud Date: 19-Aug-2013
 K.B. Elevation: 461.27 m
 Surface Casing: 219.10 mm @ 156.00 m with 11.0 t
 Intermediate Casing: 139.70 mm @ 2488.00 m with 54.5 t
 Finished Drilling: 24-Aug-2013
 Total Depth: 2488.00 m
 Rig Released: 25-Aug-2013
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 25-Aug-2013

Lic. No.: 9403 Waskada Unit No. 19 HZNTL C4-34-1-25 (WPM)
 UWI: 105.04-34-001-25W1.00

Intermediate Casing: 139.70 mm @ 1684.00 m with 45.0 t
 Finished Drilling: 19-Aug-2013
 Total Depth: 1684.00 m
 Rig Released: 20-Aug-2013
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 20-Aug-2013

Lic. No.: 9439 Corex Daly Sinclair Prov. HZNTL 9-4-11-28 (WPM)
 UWI: 100.09-04-011-28W1.00

Revision to Report of: 15-Jul-2013
 Contractor: Precision Drilling – Rig# 205

Spud Date: 20-Aug-2013
 K.B. Elevation: 520.41 m
 Surface Casing: 244.50 mm @ 147.00 m with 12.0 t
 Finished Drilling: 25-Aug-2013
 Total Depth: 2457.00 m
 Status: Cementing Casing (CMT CSG)
 Cementing Casing: 26-Aug-2013

Lic. No.: 9446 EOG Pierson HZNTL A5-31-1-28 (WPM)
 UWI: 102.05-31-001-28W1.00

Status: Completing (COMP)
 Completing: 20-Aug-2013

Lic. No.: 9449 Corval Daly Sinclair HZNTL 16-23-8-28 (WPM)
 UWI: 100.16-23-008-28W1.00

Spud Date: 24-Aug-2013
 K.B. Elevation: 482.42 m
 Surface Casing: 244.50 mm @ 138.00 m with 14.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 26-Aug-2013

Lic. No.: 9454 Melita Pierson HZNTL A11-17-2-28 (WPM)
 UWI: 102.11-17-002-28W1.00

Status: Completing (COMP)
 Completing: 21-Aug-2013

Lic. No.: 9459 Tundra Daly Sinclair HZNTL 5-27-8-29 (WPM)
 UWI: 102.05-27-008-29W1.00

Status: Completing (COMP)
 Completing: 25-Aug-2013

Lic. No.: 9461 Waskada Unit No.6 HZNTL 7-1-1-26 (WPM)
 UWI: 102.07-01-001-26W1.00

Spud Date: 20-Aug-2013
 K.B. Elevation: 467.00 m
 Surface Casing: 219.00 mm @ 139.00 m with 12.0 t
 Intermediate Casing: 139.70 mm @ 1027.00 m with 3.8 t
 Finished Drilling: 23-Aug-2013
 Total Depth: 1629.00 m
 Rig Released: 23-Aug-2013
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 23-Aug-2013

Lic. No.: 9462 Waskada Unit No.6 HZNTL A7-1-1-26 (WPM)
 UWI: 103.07-01-001-26W1.00

Intermediate Casing: 114.30 mm @ 1636.00 m with 23.5 t
 Rig Released: 19-Aug-2013
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 19-Aug-2013

Lic. No.: 9465 EOG Pierson Prov. HZNTL 14-12-2-29 (WPM)
 UWI: 100.14-12-002-29W1.00

Status: Completing (COMP)
 Completing: 24-Aug-2013

Lic. No.: 9466 EOG Pierson Prov. HZNTL A14-12-2-29 (WPM)
 UWI: 102.14-12-002-29W1.00

Status: Completing (COMP)
 Completing: 26-Aug-2013

Lic. No.: 9467 EOG Pierson Prov. HZNTL A11-12-2-29 (WPM)
 UWI: 102.11-12-002-29W1.00

Status: Completing (COMP)
 Completing: 22-Aug-2013

Lic. No.: 9470 EOG Waskada HZNTL 13-23-1-25 (WPM)
 UWI: 100.13-23-001-25W1.00

Intermediate Casing: 139.70 mm @ 1787.00 m with 46.0 t
 Finished Drilling: 20-Aug-2013
 Total Depth: 1787.00 m
 Rig Released: 21-Aug-2013
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 21-Aug-2013

Lic. No.: 9471 EOG Waskada HZNTL A13-23-1-25 (WPM)
 UWI: 102.13-23-001-25W1.00

Revision to Report of: 29-Jul-2013
 Contractor: Precision Drilling – Rig# 156

Spud Date: 21-Aug-2013
 K.B. Elevation: 476.45 m
 Surface Casing: 219.10 mm @ 155.00 m with 11.0 t
 Intermediate Casing: 139.70 mm @ 1715.00 m with 45.0 t
 Finished Drilling: 23-Aug-2013
 Total Depth: 1715.00 m
 Rig Released: 24-Aug-2013
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 24-Aug-2013

- Lic. No.: 9473 EOG Waskada HZNTL C13-23-1-25 (WPM)
 UWI: 104.13-23-001-25W1.00
- Revision to Report of: 29-Jul-2013
 Contractor: Precision Drilling – Rig# 156
- Spud Date: 24-Aug-2013
 K.B. Elevation: 476.21 m
 Surface Casing: 219.10 mm @ 155.00 m with 11.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 26-Aug-2013
- Lic. No.: 9474 Melita Pierson HZNTL 5-7-2-29 (WPM)
 UWI: 100.05-07-002-29W1.00
- Status: Completing (COMP)
 Completing: 23-Aug-2013
- Lic. No.: 9478 Waskada Unit No. 19 HZNTL E5-34-1-25 (WPM)
 UWI: 107.05-34-001-25W1.00
- Revision to Report of: 29-Jul-2013
 Contractor: Precision Drilling – Rig# 191
- Spud Date: 20-Aug-2013
 K.B. Elevation: 476.51 m
 Surface Casing: 219.10 mm @ 155.00 m with 11.0 t
 Intermediate Casing: 139.70 mm @ 1606.00 m with 45.0 t
 Finished Drilling: 22-Aug-2013
 Total Depth: 1606.00 m
 Rig Released: 23-Aug-2013
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 23-Aug-2013
- Lic. No.: 9483 Tundra et al Daly Sinclair HZNTL 13-1-10-29 (WPM)
 UWI: 102.13-01-010-29W1.00
- Revision to Report of: 06-Aug-2013
 Contractor: Trinidad Drilling Ltd. – Rig# 12
- Spud Date: 20-Aug-2013
 K.B. Elevation: 524.63 m
 Surface Casing: 244.50 mm @ 138.00 m with 13.0 t
 Finished Drilling: 25-Aug-2013
 Total Depth: 2379.00 m
 Status: Running Casing (CSG)
 Running Casing: 26-Aug-2013
- Lic. No.: 9487 CPEC North Hargrave HZNTL 8-31-12-27 (WPM)
 UWI: 100.08-31-012-27W1.00
- Spud Date: 21-Aug-2013
 K.B. Elevation: 494.44 m
 Surface Casing: 244.50 mm @ 165.00 m with 15.0 t

Status: Drilling Ahead (DR)
Drilling Ahead: 26-Aug-2013

Lic. No.: 9493 Tundra Daly Sinclair Prov. HZNTL A16-4-9-28 (WPM)
UWI: 102.16-04-009-28W1.00

Intermediate Casing: 114.30 mm @ 2113.00 m with 32.8 t
Finished Drilling: 19-Aug-2013
Total Depth: 2113.00 m
Rig Released: 21-Aug-2013
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 21-Aug-2013

Lic. No.: 9494 Corval Daly Sinclair HZNTL B12-22-8-28 (WPM)
UWI: 104.12-22-008-28W1.00

Intermediate Casing: 139.70 mm @ 2264.00 m with 47.0 t
Finished Drilling: 21-Aug-2013
Total Depth: 2264.00 m
Rig Released: 22-Aug-2013
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 22-Aug-2013

Lic. No.: 9495 Interwest Daly Sinclair 1-27-9-29 (WPM)
UWI: 100.01-27-009-29W1.00

Spud Date: 22-Aug-2013
K.B. Elevation: 534.01 m
Surface Casing: 219.10 mm @ 133.00 m with 10.0 t
Production Casing: 114.30 mm @ 941.00 m with 23.0 t
Finished Drilling: 24-Aug-2013
Total Depth: 941.00 m
Rig Released: 25-Aug-2013
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 25-Aug-2013

Lic. No.: 9497 Interwest Daly Sinclair 7-27-9-29 (WPM)
UWI: 100.07-27-009-29W1.00

Production Casing: 114.30 mm @ 944.50 m with 23.0 t
Finished Drilling: 20-Aug-2013
Total Depth: 945.00 m
Rig Released: 21-Aug-2013
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 21-Aug-2013

Lic. No.: 9504 Red Beds Waskada HZNTL 1-33-1-24 (WPM)
UWI: 100.01-33-001-24W1.00

Spud Date: 24-Aug-2013
K.B. Elevation: 496.70 m
Surface Casing: 244.50 mm @ 138.00 m with 15.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 26-Aug-2013

Lic. No.: 9505 EOG Waskada HZNTL 1-17-1-25 (WPM)
 UWI: 100.01-17-001-25W1.00

Licence Issued: 21-Aug-2013
 Licensee: EOG Resources Canada Inc.
 Mineral Rights: EOG Resources Canada Inc.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 12B-16-01-25
 Co-ords: 745.10m (S) of (N) boundary of Sec. 16
 45.00m (E) of (W) boundary of Sec. 16
 Grd Elev: 469.59 m
 Proj. TD: 1660 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 9506 EOG Waskada HZNTL A4-22-1-25 (WPM)
 UWI: 103.04-22-001-25W1.00

Licence Issued: 21-Aug-2013
 Licensee: EOG Resources Canada Inc
 Mineral Rights: EOG Resources Canada Inc
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 07B-22-01-25
 Co-ords: 439.79m (N) of (S) boundary of Sec. 22
 667.93m (W) of (E) boundary of Sec. 22
 Grd Elev: 471.97 m
 Proj. TD: 1660 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 9507 EOG Waskada HZNTL 5-22-1-25 (WPM)
 UWI: 102.05-22-001-25W1.00

Licence Issued: 21-Aug-2013
 Licensee: EOG Resources Canada Inc
 Mineral Rights: EOG Resources Canada Inc
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 07B-22-01-25
 Co-ords: 454.79m (N) of (S) boundary of Sec. 22
 667.92m (W) of (E) boundary of Sec. 22
 Grd Elev: 472.14 m
 Proj. TD: 1660 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 9508 EOG Waskada HZNTL A5-22-1-25 (WPM)
 UWI: 103.05-22-001-25W1.00

Licence Issued: 21-Aug-2013
 Licensee: EOG Resources Canada Inc
 Mineral Rights: EOG Resources Canada Inc
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 07B-22-01-25
 Co-ords: 469.79m (N) of (S) boundary of Sec. 22
 667.91m (W) of (E) boundary of Sec. 22
 Grd Elev: 472.27 m
 Proj. TD: 1660 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 9509 EOG Waskada HZNTL B5-22-1-25 (WPM)
 UWI: 104.05-22-001-25W1.00

Licence Issued: 21-Aug-2013
 Licensee: EOG Resources Canada Inc
 Mineral Rights: EOG Resources Canada Inc
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 07B-22-01-25
 Co-ords: 484.79m (N) of (S) boundary of Sec. 22
 667.90m (W) of (E) boundary of Sec. 22
 Grd Elev: 472.38 m
 Proj. TD: 1660 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 9510 Sinclair Unit No. 10 HZNTL 4-6-8-29 (WPM)
 UWI: 100.04-06-008-29W1.00

Licence Issued: 21-Aug-2013
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Tundra Oil & Gas Partnership
 Contractor: Trinidad Drilling Ltd. - Rig# 12
 Surface Location: 04C-05-08-29
 Co-ords: 370.00m (N) of (S) boundary of Sec. 5
 60.00m (E) of (W) boundary of Sec. 5
 Grd Elev: 526.32 m
 Proj. TD: 2567.9 m (Mississippian)
 Field: Daly Sinclair
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 9511 Sinclair Unit No. 10 HZNTL 5-6-8-29 (WPM)
UWI: 102.05-06-008-29W1.00

Licence Issued: 21-Aug-2013
Licensee: Tundra Oil & Gas Partnership
Mineral Rights: Tundra Oil & Gas Partnership
Contractor: Trinidad Drilling Ltd. - Rig# 12
Surface Location: 12B-05-08-29
Co-ords: 662.73m (S) of (N) boundary of Sec. 5
 60.00m (E) of (W) boundary of Sec. 5
Grd Elev: 526.65 m
Proj. TD: 2567.8 m (Mississippian)
Field: Daly Sinclair
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 9512 Sinclair Unit No. 10 HZNTL 12-6-8-29 (WPM)
UWI: 102.12-06-008-29W1.00

Licence Issued: 21-Aug-2013
Licensee: Tundra Oil & Gas Partnership
Mineral Rights: Tundra Oil & Gas Partnership
Contractor: Trinidad Drilling Ltd. - Rig# 12
Surface Location: 13B-05-08-29
Co-ords: 365.00m (S) of (N) boundary of Sec. 5
 60.00m (E) of (W) boundary of Sec. 5
Grd Elev: 525.71 m
Proj. TD: 2555.9 m (Mississippian)
Field: Daly Sinclair
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 9513 Sinclair Unit No. 10 HZNTL 13-6-8-29 (WPM)
UWI: 102.13-06-008-29W1.00

Licence Issued: 21-Aug-2013
Licensee: Tundra Oil & Gas Partnership
Mineral Rights: Tundra Oil & Gas Partnership
Contractor: Trinidad Drilling Ltd. - Rig# 12
Surface Location: 13C-05-08-29
Co-ords: 134.44m (S) of (N) boundary of Sec. 5
 60.00m (E) of (W) boundary of Sec. 5
Grd Elev: 525.49 m
Proj. TD: 2557.5 m (Mississippian)
Field: Daly Sinclair
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 9514 Sinclair Unit No. 10 HZNTL 4-7-8-29 (WPM)
 UWI: 102.04-07-008-29W1.00

Licence Issued: 21-Aug-2013
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Tundra Oil & Gas Partnership
 Contractor: Trinidad Drilling Ltd. - Rig# 12
 Surface Location: 04C-08-08-29
 Co-ords: 353.00m (N) of (S) boundary of Sec. 8
 60.00m (E) of (W) boundary of Sec. 8
 Grd Elev: 524.96 m
 Proj. TD: 2540.6 m (Mississippian)
 Field: Daly Sinclair
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 9515 Sinclair Unit No. 10 HZNTL 5-7-8-29 (WPM)
 UWI: 102.05-07-008-29W1.00

Licence Issued: 21-Aug-2013
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Tundra Oil & Gas Partnership
 Contractor: Trinidad Drilling Ltd. - Rig# 12
 Surface Location: 05C-08-08-29
 Co-ords: 682.00m (N) of (S) boundary of Sec. 8
 60.00m (E) of (W) boundary of Sec. 8
 Grd Elev: 524.68 m
 Proj. TD: 2554.2 m (Mississippian)
 Field: Daly Sinclair
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 9516 Sinclair Unit No. 10 Prov. HZNTL 2-18-8-29 (WPM)
 UWI: 102.02-18-008-29W1.00

Licence Issued: 21-Aug-2013
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Tundra Oil & Gas Partnership
 Contractor: Trinidad Drilling Ltd. - Rig# 12
 Surface Location: 02A-19-08-29
 Co-ords: 60.00m (N) of (S) boundary of Sec. 19
 433.00m (W) of (E) boundary of Sec. 19
 Grd Elev: 536.74 m
 Proj. TD: 2533.4 m (Mississippian)
 Field: Daly Sinclair
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

- Lic. No.: 9517 Sinclair Unit No. 10 Prov. HZNTL 3-18-8-29 (WPM)
 UWI: 100.03-18-008-29W1.00
- Licence Issued: 21-Aug-2013
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Tundra Oil & Gas Partnership
 Contractor: Trinidad Drilling Ltd. - Rig# 12
 Surface Location: 04A-19-08-29
 Co-ords: 60.00m (N) of (S) boundary of Sec. 19
 268.00m (E) of (W) boundary of Sec. 19
 Grd Elev: 530.22 m
 Proj. TD: 2544.2 m (Mississippian)
 Field: Daly Sinclair
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)
- Lic. No.: 9518 Sinclair Unit No. 10 Prov. HZNTL A3-18-8-29 (WPM)
 UWI: 102.03-18-008-29W1.00
- Licence Issued: 21-Aug-2013
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Tundra Oil & Gas Partnership
 Contractor: Trinidad Drilling Ltd. - Rig# 12
 Surface Location: 03A-19-08-29
 Co-ords: 60.00m (N) of (S) boundary of Sec. 19
 701.88m (E) of (W) boundary of Sec. 19
 Grd Elev: 531.30 m
 Proj. TD: 2530.5 m (Mississippian)
 Field: Daly Sinclair
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)
- Lic. No.: 9519 Tundra Daly Sinclair HZNTL 9-7-10-28 (WPM)
 UWI: 102.09-07-010-28W1.00
- Licence Issued: 21-Aug-2013
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Tundra Oil & Gas Partnership
 Contractor: Trinidad Drilling Ltd. - Rig# 65
 Surface Location: 09D-12-10-29
 Co-ords: 585.00m (S) of (N) boundary of Sec. 12
 60.00m (W) of (E) boundary of Sec. 12
 Grd Elev: 518.05 m
 Proj. TD: 2347.5 m (Mississippian)
 Field: Daly Sinclair
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 9520 Sinclair Unit No. 10 HZNTL 13-7-8-29 (WPM)
 UWI: 102.13-07-008-29W1.00

Licence Issued: 22-Aug-2013
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Tundra Oil & Gas Partnership
 Contractor: Trinidad Drilling Ltd. - Rig# 12
 Surface Location: 12C-08-08-29
 Co-ords: 411.00m (S) of (N) boundary of Sec. 8
 118.00m (E) of (W) boundary of Sec. 8
 Grd Elev: 526.76 m
 Proj. TD: 2567.9 m (Mississippian)
 Field: Daly Sinclair
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 9521 Corex Virden HZNTL 15-4-10-26 (WPM)
 UWI: 100.15-04-010-26W1.00

Licence Issued: 22-Aug-2013
 Licensee: Corex Resources Ltd.
 Mineral Rights: Corex Resources Ltd.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 13D-03-10-26
 Co-ords: 109.18m (S) of (N) boundary of Sec. 3
 264.78m (E) of (W) boundary of Sec. 3
 Grd Elev: 436.29 m
 Proj. TD: 1424 m (Mississippian)
 Field: Virden
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 9522 EOG Waskada HZNTL 15-35-1-25 (WPM)
 UWI: 102.15-35-001-25W1.00

Licence Issued: 22-Aug-2013
 Licensee: EOG Resources Canada Inc
 Mineral Rights: EOG Resources Canada Inc
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 04B-01-02-25
 Co-ords: 179.88m (N) of (S) boundary of Sec. 1
 124.89m (E) of (W) boundary of Sec. 1
 Grd Elev: 475.19 m
 Proj. TD: 1660 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 9523 EOG Waskada HZNTL 7-9-1-25 (WPM)
 UWI: 100.07-09-001-25W1.00

Licence Issued: 22-Aug-2013
 Licensee: EOG Resources Canada Inc
 Mineral Rights: EOG Resources Canada Inc
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 12B-10-01-25
 Co-ords: 610.15m (S) of (N) boundary of Sec. 10
 130.00m (E) of (W) boundary of Sec. 10
 Grd Elev: 468.62 m
 Proj. TD: 1660 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 9524 EOG Waskada HZNTL 16-9-1-25 (WPM)
 UWI: 100.16-09-001-25W1.00

Licence Issued: 23-Aug-2013
 Licensee: EOG RESOURCES CANADA INC.
 Mineral Rights: EOG RESOURCES CANADA INC.
 Contractor: Precision Drilling - Rig# 156
 Surface Location: 03D-16-01-25
 Co-ords: 209.12m (N) of (S) boundary of Sec. 16
 665.08m (E) of (W) boundary of Sec. 16
 Grd Elev: 468.52 m
 Proj. TD: 1660 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 9525 EOG Waskada Prov. HZNTL A1-28-1-25 (WPM)
 UWI: 103.01-28-001-25W1.00

Licence Issued: 23-Aug-2013
 Licensee: EOG Resources Canada Inc
 Mineral Rights: EOG Resources Canada Inc
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 09A-28-01-25
 Co-ords: 623.90m (S) of (N) boundary of Sec. 28
 201.11m (W) of (E) boundary of Sec. 28
 Grd Elev: 472.48 m
 Proj. TD: 1660 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 9526

EOG Waskada HZNTL B1-21-1-25 (WPM)
UWI: 104.01-21-001-25W1.00

Licence Issued: 23-Aug-2013
Licensee: EOG Resources Canada Inc
Mineral Rights: EOG Resources Canada Inc
Contractor: Precision Drilling (1987) Ltd. - Rig# 195
Surface Location: 09C-21-01-25
Co-ords: 599.25m (S) of (N) boundary of Sec. 21
 231.17m (W) of (E) boundary of Sec. 21
Grd Elev: 471.00 m
Proj. TD: 1660 m (Triassic)
Field: Waskada
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 9527

Legacy Pierson HZNTL 13-28-1-27 (WPM)
UWI: 100.13-28-001-27W1.00

Licence Issued: 23-Aug-2013
Licensee: LEGACY OIL + GAS INC.
Mineral Rights: LEGACY OIL + GAS INC.
Contractor: Ensign Canadian/Big Sky Drilling - Rig# 650
Surface Location: 13C-27-01-27
Co-ords: 166.00m (S) of (N) boundary of Sec. 27
 110.00m (E) of (W) boundary of Sec. 27
Grd Elev: 452.66 m
Proj. TD: 2467 m (Triassic)
Field: Pierson
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

NEW UNIT APPROVALS**RE: Ewart Unit No. 2 Project Approval**

The effective date for Ewart Unit No. 2 is August 1, 2013 covering all of Section 29-7-28 in the Daly Sinclair field. Field pool code 01 62B.

RE: Ewart Unit No. 3 Project Approval

The effective date for Ewart Unit No. 3 is August 1, 2013 covering all of Section 29-8-28 in the Daly Sinclair field. Field pool code 01 62B.

RE: Ewart Unit No. 4 Project Approval

The effective date for Ewart Unit No. 3 is August 1, 2013 covering all of Section 36-8-29 in the Daly Sinclair field. Field pool code 01 62B.

RE: Sinclair Unit No. 10 Project Approval

The effective date for Sinclair Unit No. 10 is August 1, 2013 covering all of Sections 6, 7 and 18 of 8-29 in the Daly Sinclair field. Field pool code 01 62B.