

Sustainable Development Environmental Stewardship Division Environmental Approvals Branch 1007 Century Street, Winnipeg MB R3H 0W4 T 204 945-8321 F 204 945-5229 www.gov.mb.ca/sd

CLIENT FILE NO.: 4052.00

April 25, 2019

Mr. Brent Manning SJ Agronomy Box 63 Arnaud, MB R0A 0B0 bmanning@gjchemical.ca

Dear Mr. Manning:

#### Re: Rescind Licence – Viterra - Miami – Licence No. 2102 RR

Environment Act Licence No. 2102 RR issued May 14, 2008 was issued to legacy company Viterra for the operation of a crop protection products warehouse on SW ¼ 8-5-6 WPM in the Rural Municipality of Thompson. As per the recommendation of our Compliance and Enforcement officials, this letter is to formally notify that Environment Act Licence No. 2102 is hereby rescinded. All activities on this property are being regulated under the new Environment Act Licence No. 3212, which rescinds and replaces Licence No. 2102 RR.

If you have any questions on this matter, please contact Krystal Penner of this office at (204) 945-7107. For any operational issues please contact Environment Officer, Tyler Kneeshaw at (204) 239-3608.

Sincerely,

Juney Graun

Tracey Braun, M.Sc. Director Environmental Approvals Branch

c: Scott Davies/Yvonne Hawryliuk/Tyler Kneeshaw, Environmental Compliance and Enforcement Public Registries



**Conservation** Environmental Stewardship Division Environmental Assessment and Licensing Branch 123 Main Street, Suite 160, Winnipeg, Manitoba R3C 1A5 T 204 945-7100 F 204 945-5229 www.gov.mb.ca/conservation/eal

CLIENT FILE NO.: 4052.00

May 14, 2008

Dwayne Blatt Viterra 201 Portage Avenue Winnipeg MB R3B 3K6

Dear Mr. Blatt:

Our records have been updated to reflect the transfer of Agricore united Environment Act Licence No. 2102 R to Viterra. Enclosed is Revised Environment Act Licence No. 2102 RR dated May 14, 2008 re-issued in the name of Viterra.

In addition to the enclosed Revised Licence requirements, please be informed that all other applicable federal, provincial and municipal regulations and by-law must be complied with.

For further information on the administration and application of the Licence, please feel free to contact the Winker Conservation Office at (204) 325 1750.

Please ensure that the original or copy of the revised Licence and covering letter are available on site.



Yours truly,

There Bran

Tracey Braun, M. Sc. Director Environment Act

Enc.

c: B. Gillespie, Regional Director, Central Region, Conservation

- c: Winkler Conservation Office
- c: R.M. of Thompson
- NOTE: Confirmation of Receipt of this Licence No. 2102 RR (by the Licencee only) is required by the Director of Approvals. Please acknowledge receipt by signing in the space provided below and faxing a copy back to the Department by May 30, 2008.

On behalf of Agricore United

Date

\*\*A COPY OF THE LICENCE MUST BE KEPT ON SITE AT THE DEVELOPMENT AT ALL TIMES\*\*



THE ENVIRONMENT ACT LOI SUR L'ENVIRONNEMENT



Manitoba 🐆

May 14, 2008

Licence No. / Licence nº		2102 RR
Issue Date / Date de délivrance		September 1, 1995
	<b>REVISED</b> :	July 26, 2004

**REVISED**:

In accordance with The Environment Act (C.C.S.M. c. E125) / Conformément à la Loi sur l'environnement (C.P.L.M. c. E125)

Pursuant to Section 10(1) / Conformément au Paragraphe 10(1)

THIS LICENCE IS ISSUED TO : / CETTE LICENCE EST DONNER

VITERRA – MIAMI; "the Ligans"

for the construction and operation of the Development bung a prop protection products warehouse and distribution facilities to be located on land leased from the Cana Jan National Railway on the SW 1/4 8-5-6 WPM in the Rural Municipality of Thompson, subject to the following specifications, limits, terms and conditions:



In this Licence,

"ambient concentration" means the measurement of a substance contained in an air sample (corrected to a temperature of 25 ° C and to corressure of 101.3 kilopascals) which has been collected from any point beyond the property like which bevelopment;

"chemical" includes, but is not limited, to petroleum products, fertilizers and pesticides;

"Director" means an employee so designated pursuant to The Environment Act;

"4 minute period(s) in the aggregate" means any 16 readings, not necessarily contiguous, taken at 15 second intervals within a 1 hour sampling period;

"**opacity**" means the degree to which emissions reduce the transmission of light and obscure the view of an object in the background;

"particulate matter" means any finely divided liquid or solid matter other than water droplets;

"particulate residue" means that part or portion of an atmospheric emission which is deposited onto a surface;

\*\*A COPY OF THE LICENCE MUST BE KEPT ON SITE AT THE DEVELOPMENT AT ALL TIMES\*\*

Viterra Licence No. 2102 RR Page 2 of 5

"**pesticide storage structure(s)**" means any building(s) where agricultural crop protection products are stored for either commercial or retail purposes;

"**point source**" means any point of emission from a Development where pollutants are ducted into the atmosphere;

"sewage" means human body, toilet, liquid, waterborne culinary, sink or laundry waste.

### **GENERAL SPECIFICATIONS**

- 1. The Licencee shall comply with the current edition of the Crop Contection Institute of Canada's warehousing standards regarding the handling and storage of cop projection chemicals, and with all applicable federal and provincial regulations.
- 2. The Licencee shall install and maintain, for any structure used for the storage of crop protection chemicals, an automatic system(s) for fire detection and security.
- 3. The Licencee shall, at all times during the operation of the Development, ensure that a high standard of equipment maintenance and good housekeeping and operational practices are implemented.
- 4. The Licencee shall reduce the production and dissemination of wastes by initiating and maintaining waste reduction and waste recording programs.

# LIM FOR DRMS AND CONDITIONS



- 5. The Licencee shall of emit particulate matter from the Development such that:
  - i) particulate mater:
    - a) exceeds 0.23 grams per dry standard cubic metre calculated at 25 degrees Celsius and 760 millimetres of mercury, corrected to 12 percent carbon dioxide for processes involving combustion from any point source of the Development;
    - b) exhibits a visible plume with an opacity of greater than 5 percent at any point beyond the property line of the Development; or
    - c) results in the deposition of visible particulate residue at any time beyond the property line of the Development; or
  - ii) opacity from any point source of the Development equals or exceeds:
    - a) 20 percent for a four minute period(s) in the aggregate in any one hour; or
    - b) 40 percent at any time.

Viterra Licence No. 2102 RR Page 3 of 5

#### **II - LIQUID EMISSIONS**

- 6. The Licencee shall not direct any spillage, contaminated run-off or pollutant, other than sewage, to an approved sewage disposal system.
- 7. The Licencee shall contain and clean up immediately any chemical spills in order to prevent soil, surface water or ground water contamination.
- 8. The Licencee shall ensure that the Development is adequately diked and that control culverts are installed at the low end of the dyked area and those control culverts remain in the closed position. The Regional Office of Manitoba Environment in Winkler shall be contacted for approval to open the control culverts to permit land drainage.
- 9. The Licencee shall ensure that the surface of the containment area is aspected semiannually for desiccation cracks, and that the containment area's continenty mandained.

# III - REMEDIAL ACTION

10. The Licencee, subject to obtaining approval from an Invironment Officer, shall immediately dispose of any contaminated material in accordance with the approval.

## IV - EMERGENCI COLTINGENCY PLAN

11. The Licencee shall submit, within innety (10) days of the issuance of this Licence, an emergency response contingency plan to be approved by the Director. This plan shall include, but not be limited to, items which till a lress: measures implemented for spill prevention and containment; security; provine limiter ning; fire, floods and other response arrangements.



- 12. The Licencee shall construct and maintain the concrete floors and curbs of all pesticide storage structure(s) so as to prevent spilled liquids from leaking into the soil.
- 13. The Licencee shall create and maintain a current duplicate inventory of all pesticides stored at the Development, with one copy stored at the premises of the Development, and the other copy stored at a location off-site from the Development.

Viterra Licence No. 2102 RR Page 4 of 5

- 14. The Licencee shall store only pesticides registered under the Pest Control Products Act of Canada at the Development.
- 15. The Licencee shall contain on the Development:
  - i) any on-site pesticide spill;
  - ii) wastewater generated from any response action due to an on-site release of pesticides; and
  - iii) contaminated water resulting from the extinguishing of any fire involving pesticides.
- 16. The Licencee shall locate the pesticide storage structure(s) a minimum distance of:
  - i) 100 metres from any property zoned residential; and
  - ii) 100 metres from single residences

unless a written consent form is obtained from the owner s).

# VI - SAMPLING AND

- 17. The Licencee, at the request of the Director, still conduct soil, air (stack and/or ambient), ground water, surface water or noise monitoring to radjacent to the Development.
- 18. The Licencee shall have each soil, air or vate sample collected pursuant to Clause 17 analyzed by a laboratory approved by the Director, using methods approved by the Director for any of the following analytes as may be specified by the Director:
  - i) Particulate Matter (in 17); and
  - ii) Pesticides.
- 19. The Licencee shall supply accopy of the sampling report complete with analytical results as specified pursuant of Crusses 17 and 18, to the Director within 60 days of the completion of the sampling program.

### VII - SITE DECOMMISSIONING

- 20. The Licencee shall submit within one (1) year prior to closure of the facility, for the approval of the Director, a formal detailed Decommissioning Plan for the facility.
- 21. The Licencee shall implement, on closure of the facility, the approved Decommissioning Plan.

Viterra Licence No. 2102 RR Page 5 of 5

### **REVOCATION**

- A. This Licence replaces Licence No. 2102 R which is hereby rescinded.
- B. If in the opinion of the Director the Licencee has exceeded or is exceeding the limits, or has not or is not complying with the specifications, terms or conditions set out herein, the Director may revoke, temporarily or permanently, this Licence.

