

Table 3

Manitoba Ambient Air Quality Data - 1996 Annual Pollutant Summary –
Continuous Monitoring

POLLUTANT Conc. Units	STATION NUMBER & LOCATION		ANNUAL MEAN	MAXIMUM DATA VALUES 1-HR 24-HR		# OF SAMPLES ABOVE M.D.L. 1-HR 24-HR		# OF SAMPLES ABOVE M.A.L. 1-HR 24-HR		# OF SAMPLES ABOVE M.T.L. 1-HR 24-HR	
CARBON MONOXIDE (CO) ppm	9118 WINNIPEG, SCOTIA & JEFFERSON 9119 WINNIPEG, 65 ELLEN STREET		0.38 0.62	5.4 8	2.7 2.7	0 0	0 ⁺ 0 ⁺	0 0	0 ⁺ 0 ⁺	-- --	0 ⁺ 0 ⁺
NITROGEN DIOXIDE (NO ₂) pphm	5131 BRANDON, ASSIN. COMMUN. COLLEGE 9118 WINNIPEG, SCOTIA & JEFFERSON 9119 WINNIPEG, 65 ELLEN STREET		- 1.3 1.82	- 9 8	- 6.2 4.9	-- -- --	-- 0 0	0 0	0 0	-- --	
NITRIC OXIDE (NO) pphm	5131 BRANDON, ASSIN. COMMUN. COLLEGE 9118 WINNIPEG, SCOTIA & JEFFERSON 9119 WINNIPEG, 65 ELLEN STREET		- 0.65 1.27	- 34.8 35.8	- 11.4 8.6	-- -- --	-- -- --	-- -- --	-- -- --	-- -- --	
NITROGEN OXIDES (NOX) pphm	5131 BRANDON, ASSIN. COMMUN. COLLEGE 9118 WINNIPEG, SCOTIA & JEFFERSON 9119 WINNIPEG, 65 ELLEN STREET		- 1.87 3.08	- 42.3 42.1	- 15 13	-- -- --	-- -- --	-- -- --	-- -- --	-- -- --	
SULPHUR DIOXIDE (SO ₂) ppm	7251 FLIN FLON, 143 MAIN STREET 7271 FLIN FLON, AQUA CENTRE 7281 FLIN FLON, HBM&S STAFFHOUSE 7291 CREIGHTON, SASK. CITY HALL 7301 FLIN FLON, HAPNOT COLLEGiate 7351 THOMPSON, WATER TREATMENT PLANT		0.02 0 0.01 0 0 0	1.42 0.7 0.93 0.71 0.53 1	0.37 0.12 0.33 0.12 0.06 0.09	287 31 211 30 28 11	850 46 615 24 0 23	113 11 81 6 8 4	461 13 214 2 0 0	-- -- -- -- -- --	15 0 2 0 0 0
OXIDANTS OZONE (O ₃) pphm	5131 BRANDON, ASSIN. COMMUN. COLLEGE 9118 WINNIPEG, SCOTIA & JEFFERSON 9119 WINNIPEG, 65 ELLEN STREET		3.02 1.7 1.55	7.8 5.4 5.8	5.7 4.1 4.2	377 6 28	8238 5279 4184	0 0 0	6104 888 889	0 0 0	-- -- --
AMMONIA (NH ₃) ppm	5131 BRANDON, ASSIN. COMMUN. COLLEGE		0.03	4.9	1	--	--	8	--	--	--
SOILING INDEX (COH) COH Units	9118 WINNIPEG, SCOTIA & JEFFERSON 9119 WINNIPEG, 65 ELLEN STREET		0 0.1	2.1 0.8	0.2 0.2	-- --	0 0	-- --	0 0	-- --	-- --

Δ averaged over 8 hours

* denotes company supplied data

-- no guideline or objective

~ numerous exceedences of the 24 hour MDL and MAL which are currently under review

Table 4a

**Manitoba Ambient Air Quality Data - 1996 Annual Pollutant Summary –
Particulate Matter Monitoring (PM₁₀)**

POLLUTANT	STATION NUMBER & LOCATION	ANNUAL ARITH/GEO MEAN	MAXIMUM DATA VALUES 24/1-HR	# OF SAMPLES ABOVE M.D.L. 1-HR 24-HR	# OF SAMPLES ABOVE M.A.L. 1-HR 24-HR	# OF SAMPLES ABOVE M.T.L. 1-HR 24-HR
INHALABLE PARTICULATE (PM₁₀)	7251 ¹ FLIN FLON, 143 MAIN STREET	30 / 23	122 / -	-- --	-- --	-- --
	7284 ¹ FLIN FLON, RUTH BETTS	11 / 10	31 / -	-- --	-- --	-- --
	7285 ¹ FLIN FLON, SEWAGE PLANT	9 / 7	43 / -	-- --	-- --	-- --
	9118 ⁴ WINNIPEG, SCOTIA & JEFFERSON	17.4 / -	68.8 / 185.3	-- --	-- --	-- --
	9119 ⁴ WINNIPEG, 65 ELLEN STREET	22.0 / -	91.3 / 355.8	-- --	-- --	-- --
LEAD (Pb)	9119 ¹ WINNIPEG, 65 ELLEN STREET	16.8 / 14.4	46.5 / -	-- --	-- --	-- --
	7251 ¹ FLIN FLON, 143 MAIN STREET	0.45 / 0.12	5.46 / -	-- --	1	-- --
	7284 ¹ FLIN FLON, RUTH BETTS	0.20 / 0.07	1.91 / -	-- --	0	-- --
SULFATES (SO₄²⁻)	7285 ¹ FLIN FLON, SEWAGE PLANT	0.10 / 0.05	0.66 / -	-- --	0	-- --
	7251 ¹ FLIN FLON, 143 MAIN STREET	2.90 / 1.93	17.81 / -	-- --	-- --	-- --
	7284 ¹ FLIN FLON, RUTH BETTS	1.64 / 1.26	4.15 / -	-- --	-- --	-- --
NITRATES (NO₃⁻)	7285 ¹ FLIN FLON, SEWAGE PLANT	1.36 / 1.14	3.74 / -	-- --	-- --	-- --
	7251 ¹ FLIN FLON, 143 MAIN STREET	0.10 / 0.06	0.54 / -	-- --	-- --	-- --
	7284 ¹ FLIN FLON, RUTH BETTS					
ARSENIC (As)	7285 ¹ FLIN FLON, SEWAGE PLANT					
	7251 ¹ FLIN FLON, 143 MAIN STREET	0.048 / 0.014	0.497 / -	-- --	-- 1	-- --
	7284 ¹ FLIN FLON, RUTH BETTS	0.011 / 0.007	0.116 / -	-- --	-- --	-- --
	7285 ¹ FLIN FLON, SEWAGE PLANT	0.006 / 0.003	0.070 / -	-- --	-- --	-- --

Notes:All Concentration units for the above Table 4a are in ug/m³.^a - ARITHMETIC MEAN^g - GEOMETRIC MEAN

-- no guideline or objective

1 - 24 Hour sample collected every six days according to NAPS schedule

2 - 24 Hour sample collected every three days, synchronized with the NAPS schedule

3 - 3 additional samples collected every NAPS cycle

4 - real-time continuous monitoring

Table 4b

**Manitoba Ambient Air Quality Data - 1996 Annual Pollutant Summary –
Particulate Matter Monitoring (TSP)**

POLLUTANT	STATION NUMBER & LOCATION	ANNUAL ARITH/GEO MEAN	MAXIMUM DATA VALUES 24-HR	# OF SAMPLES ABOVE M.D.L. 1-HR	# OF SAMPLES ABOVE M.D.L. 24-HR	# OF SAMPLES ABOVE M.A.L. 1-HR	# OF SAMPLES ABOVE M.A.L. 24-HR	# OF SAMPLES ABOVE M.T.L. 1-HR	# OF SAMPLES ABOVE M.T.L. 24-HR
TOTAL SUSPENDED PARTICULATE (TSP)	7251 ² FLIN FLON, 143 MAIN STREET	52 / 36	267 / -	--	--	--	9	--	0
	7284 ¹ , FLIN FLON, RUTH BETTS	24 / 19	80 / -	--	--	--	0	--	0
	7285 ¹ FLIN FLON, SEWAGE PLANT	16 / 13	65 / -	--	--	--	0	--	0
	9118 ² WINNIPEG, 299 SCOTIA STREET	29 / 25	83 / -	--	--	--	0	--	0
	9119 ³ WINNIPEG, 65 ELLEN STREET	49 / 39	158 / -	--	--	--	10	--	0
LEAD (Pb)	9201 ¹ BRANDON, 1104 PRINCESS AVENUE	43 / 34	138 / -	--	--	--	1	--	0
	7251 ² FLIN FLON, 143 MAIN STREET	0.54 / 0.13	6.29 / -	--	--	--	2	--	--
	7284 ¹ , FLIN FLON, RUTH BETTS	0.15 / 0.06	1.85 / -	--	--	--	0	--	--
	7285 ¹ FLIN FLON, SEWAGE PLANT	0.08 / 0.04	0.77 / -	--	--	--	0	--	--
	9118 ² WINNIPEG, 299 SCOTIA STREET	0.03 / 0.03	0.04 / -	--	--	--	0	--	--
SULFATES (SO ₄ =)	9119 ³ WINNIPEG, 65 ELLEN STREET	0.04 / 0.03	0.13 / -	--	--	--	0	--	--
	9201 ¹ BRANDON, 1104 PRINCESS AVENUE	0.03 / 0.03	0.04 / -	--	--	--	0	--	--
	7251 ² FLIN FLON, 143 MAIN STREET	3.90 / 2.39	24.75 / -	--	--	--	--	--	--
	9118 ² WINNIPEG, 299 SCOTIA STREET	1.55 / 1.25	5.30 / -	--	--	--	--	--	--
NITRATES (NO ₃ -)	9119 ³ WINNIPEG, 65 ELLEN STREET	1.32 / 1.13	3.77 / -	--	--	--	--	--	--
	9201 ¹ BRANDON, 1104 PRINCESS AVENUE	1.73 / 1.42	4.68 / -	--	--	--	--	--	--
	7251 ² FLIN FLON, 143 MAIN STREET	1.86 / 1.59	4.95 / -	--	--	--	--	--	--
ARSENIC (As)	9118 ² WINNIPEG, 299 SCOTIA STREET	1.52 / 1.27	6.17 / -	--	--	--	--	--	--
	9119 ³ WINNIPEG, 65 ELLEN STREET	0.13 / 0.07	2.02 / -	--	--	--	--	--	--
	9201 ¹ BRANDON, 1104 PRINCESS AVENUE	0.77 / 0.49	3.65 / -	--	--	--	--	--	--
CADMIUM (Cd)	7251 ² FLIN FLON, 143 MAIN STREET	0.09 / 0.69	5.10 / -	--	--	--	--	--	--
	7284 ¹ , FLIN FLON, RUTH BETTS	0.94 / 0.63	5.39 / -	--	--	--	--	--	--
	7285 ¹ FLIN FLON, SEWAGE PLANT	0.051 / 0.016	0.318 / -	--	--	--	--	--	--
COPPER (Cu)	7251 ² FLIN FLON, 143 MAIN STREET	0.011 / 0.005	0.109 / -	--	--	--	--	--	--
	7284 ¹ , FLIN FLON, RUTH BETTS	0.010 / 0.005	0.131 / -	--	--	--	--	--	--
	7285 ¹ FLIN FLON, SEWAGE PLANT	0.044 / 0.011	0.454 / -	--	--	--	--	--	--
ZINC (Zn)	7251 ² FLIN FLON, 143 MAIN STREET	0.012 / 0.005	0.133 / -	--	--	--	--	--	--
	7284 ¹ , FLIN FLON, RUTH BETTS	0.009 / 0.004	0.104 / -	--	--	--	--	--	--
	7285 ¹ FLIN FLON, SEWAGE PLANT	1.015 / 0.465	7.721 / -	--	--	--	--	--	--

Notes:All Concentration units for the above Table 4a are in ug/m³.^a - ARITHMETIC MEAN^g - GEOMETRIC MEAN

-- no guideline or objective

1 - 24 Hour sample collected every six days according to NAPS schedule

2 - 24 Hour sample collected every three days, synchronized with the NAPS schedule

3 - 3 additional samples collected every NAPS cycle

4 - real-time continuous monitoring