

Manitoba Ambient Air Quality Data - 2004 Annual Pollutant Summary –
Continuous Monitoring (revised August 2007)

POLLUTANT Conc. Units	STATION NUMBER & LOCATION	ANNUAL MEAN	MAXIMUM DATA VALUES		# OF SAMPLES ABOVE M.D.L. 1-HR 24-HR		# OF SAMPLES ABOVE M.A.L. 1-HR 24-HR		# OF SAMPLES ABOVE M.T.L. 1-HR 24-HR	
			1-HR	24-HR	1-HR	24-HR	1-HR	24-HR	1-HR	24-HR
CARBON MONOXIDE (CO) ppm	9118 WINNIPEG, SCOTIA & JEFFERSON 9119 WINNIPEG, 65 ELLEN STREET	0.24 0.36	2.6 3.5	1.47 ^Δ 1.38 ^Δ	0 0	0 ^Δ 0 ^Δ	0 0	0 ^Δ 0 ^Δ	-- --	0 ^Δ 0 ^Δ
NITROGEN DIOXIDE (NO ₂) pphm	5131 BRANDON, ASSIN. COMM.COLLEGE 9118 WINNIPEG, SCOTIA & JEFFERSON 9119 WINNIPEG, 65 ELLEN STREET	0.54 0.86 1.33	6.6 5.6 9.9	3.05 [°] 3.25 [°] 4.50 [°]	-- -- --	-- -- --	0 0 0	0 0 0	0 0 0	-- -- --
NITRIC OXIDE (NO) pphm	5131 BRANDON, ASSIN. COMM.COLLEGE 9118 WINNIPEG, SCOTIA & JEFFERSON 9119 WINNIPEG, 65 ELLEN STREET	0.41 0.45 0.93	13.2 24.2 28.2	3.44 [°] 7.09 [°] 9.53 [°]	-- -- --	-- -- --	-- -- --	-- -- --	-- -- --	-- -- --
NITROGEN OXIDES (NO _x) pphm	5131 BRANDON, ASSIN. COMM.COLLEGE 9118 WINNIPEG, SCOTIA & JEFFERSON 9119 WINNIPEG, 65 ELLEN STREET	0.94 1.28 2.26	19.6 28.0 31.7	6.48 [°] 8.98 [°] 13.35 [°]	-- -- --	-- -- --	-- -- --	-- -- --	-- -- --	-- -- --
SULPHUR DIOXIDE (SO ₂) ppm	7251 FLIN FLON, 143 MAIN STREET 7271 ⁺ FLIN FLON, AQUA CENTRE 7281 ⁺ FLIN FLON, HBM&S STAFFHOUSE 7291 ⁺ CREIGHTON, SASK. CITY HALL 7301 ⁺ FLIN FLON, HAPNOT COLLEGiate 7351 ⁺ THOMPSON, WATER TREAT. PLANT 7361 ⁺ THOMPSON, EASTWOOD SCHOOL 7371 ⁺ THOMPSON, RIVERSIDE SCHOOL	0.01 0.00 0.00 0.01 0.00 0.00 0.00 0.00	0.65 0.39 0.39 0.68 0.32 0.34 0.61 0.59	0.15 [°] 0.11 [°] 0.08 [°] 0.11 [°] 0.03 [°] 0.08 [°] 0.09 [°] 0.15 [°]	63 15 24 30 4 15 43 45	78 [°] 33 [°] 43 [°] 81 [°] 0 [°] 19 [°] 54 [°] 103 [°]	8 2 1 7 0 0 7 11	15 [°] 0 [°] 0 [°] 0 [°] 0 [°] 0 [°] 0 [°] 9 [°]	-- -- -- -- -- -- -- --	0 [°] 0 [°] 0 [°] 0 [°] 0 [°] 0 [°] 0 [°] 0 [°]
OXIDANTS OZONE (O ₃) pphm	5131 BRANDON, ASSIN. COMM.COLLEGE 9118 WINNIPEG, SCOTIA & JEFFERSON 9119 WINNIPEG, 65 ELLEN STREET	2.22 1.99 1.74	5.3 5.7 5.3	4.5 [°] 4.2 [°] 3.8 [°]	4 6 7	~ ~ ~	0 0 0	~ ~ ~	0 0 0	-- -- --
AMMONIA (NH ₃) ppm	5131 BRANDON, ASSIN. COMM.COLLEGE	0.00	2.3	0.2 [°]	--	--	1	--	--	--

Notes:

- ^Δ averaged over 8 hours
- ⁺ denotes company supplied data
- [°] using 24-hour moving average
- ~ numerous exceedences of the 24 hour MDL and MAL which are currently under review
- no guideline or objective

Manitoba Ambient Air Quality Data - 2004 Annual Pollutant Summary –
Particulate Matter Monitoring (PM₁₀) (revised August 2007)

POLLUTANT	STATION NUMBER & LOCATION	ANNUAL ARITH/GEO MEAN	MAXIMUM DATA VALUES 24/1-HR	# OF SAMPLES ABOVE M.D.L.		# OF SAMPLES ABOVE M.A.L.		# OF SAMPLES ABOVE M.T.L.	
				1-HR	24-HR	1-HR	24-HR	1-HR	24-HR
INHALABLE PARTICULATE (PM ₁₀)	7251 ⁵ FLIN FLON, 143 MAIN STREET	16.3/-	66.7/245.1	--	--	--	10 ⁶	--	--
	7283 ^{4,8} FLIN FLON, CREIGHTON SCHOOL	20.0/17.0	103.8/-	--	--	--	7 ⁶	--	--
	7284 ¹ FLIN FLON, RUTH BETTS	12.0/9.7	35.2/-	--	--	--	0 ⁶	--	--
	7381 ^{5,10} THOMPSON, WESTWOOD	8.5/-	32.1/159.5	--	--	--	0 ⁶	--	--
	9119 ⁵ WINNIPEG, 65 ELLEN STREET	17.3/-	104.4/248.6	--	--	--	3 ⁶	--	--
	9119 ¹ WINNIPEG, 65 ELLEN STREET	15.9/13.4	45.7/-	--	--	--	0 ⁶	--	--
	5131 ⁵ BRANDON, ASSIN. COMM.COLLEGE	20.8/-	156.6/496.9	--	--	--	27 ⁶	--	--
LEAD (Pb)	7283 ^{4,8,9} FLIN FLON, CREIGHTON SCHOOL	0.4/0.421	0.845/-	--	--	--	0	--	--
	7284 ¹ FLIN FLON, RUTH BETTS	0.0/0.0323	0.1517/-	--	--	--	0	--	--
SULPHATES (SO ₄ ²⁻)	7284 ¹ FLIN FLON, RUTH BETTS	1.70/1.21	3.51/-	--	--	--	--	--	--
ARSENIC (As)	7283 ^{4,8,9} FLIN FLON, CREIGHTON SCHOOL	0.01/0.004	0.225/-	--	--	--	0 ⁶	--	--
	7284 ¹ FLIN FLON, RUTH BETTS	0.01/0.005	0.0765/-	--	--	--	0 ⁶	--	--
CADMIUM (Cd)	7283 ^{4,8,9} FLIN FLON, CREIGHTON SCHOOL	0.044/0.044	0.119/-	--	--	--	0 ⁶	--	--
	7284 ¹ FLIN FLON, RUTH BETTS	0.0/0.0067	0.0238/-	--	--	--	0 ⁶	--	--
COPPER (Cu)	7283 ^{4,8,9} FLIN FLON, CREIGHTON SCHOOL	0.1/0.1114	0.781/-	--	--	--	0 ⁶	--	--
	7284 ¹ FLIN FLON, RUTH BETTS	0.1/0.0647	1.147/-	--	--	--	0 ⁶	--	--
ZINC (Zn)	7283 ^{4,8,9} FLIN FLON, CREIGHTON SCHOOL	0.23/0.208	1.859/-	--	--	--	0 ⁶	--	--
	7284 ¹ FLIN FLON, RUTH BETTS	0.76/0.1905	4.1654/-	--	--	--	0 ⁶	--	--

Notes:

All Concentration units for the above Table 4a are in ug/m³.

-- No guideline or objective

- No data available

¹ - 24 Hour sample collected every six days according to NAPS schedule

⁴ - 24 Hour sample collected daily

⁵ - Real-time continuous monitoring

⁶ - Ontario 24-hour guideline

⁸ - Station instrument changed from hivol to dichotomous in May 2003

⁹ - Majority of data at or below detection limit

¹⁰

- New station established August, 2004

Manitoba Ambient Air Quality Data - 2004 Annual Pollutant Summary –
Particulate Matter Monitoring (PM_{2.5}) (revised August 2007)

POLLUTANT	STATION NUMBER & LOCATION	ANNUAL ARITH/GEO	MAXIMUM DATA VALUES	# OF SAMPLES		# OF SAMPLES		# OF SAMPLES	
				MEAN	24/1-HR	1-HR	24-HR	1-HR	24-HR
INHALABLE PARTICULATE (PM _{2.5})	9118 ⁵ WINNIPEG, SCOTIA & JEFFERSON	4.5/-	18.1/67.8	--	--	--	--	--	--
	9119 ¹ WINNIPEG, 65 ELLEN STREET	8.0/6.5	26.5/-	--	--	--	--	--	--
	9119 ⁵ WINNIPEG, 65 ELLEN STREET	4.2/-	19.6/86.9	--	--	--	--	--	--
	5131 ⁵ BRANDON, ASSIN. COMM.COLLEGE	5.0/-	22.9/109.3	--	--	--	--	--	--
	7251 ⁵ FLIN FLON, 143 MAIN STREET	4.2/-	15.6/82.2	--	--	--	--	--	--
	7381 ^{5,10} THOMPSON, WESTWOOD	3.7/-	15.7/63.5	--	--	--	--	--	--

Notes:

All Concentration units for the above Table 4b are in ug/m³.

-- No guideline or objective

- No data available

¹ - 24 Hour sample collected every six days according to NAPS schedule

⁵ - Real-time continuous monitoring

¹⁰ - New station established August, 2004

Manitoba Ambient Air Quality Data - 2004 Annual Pollutant Summary –
Particulate Matter Monitoring (TSP) (revised August 2007)

POLLUTANT	STATION NUMBER & LOCATION	ANNUAL ARITH/GEO MEAN	MAXIMUM DATA VALUES 24-HR	# OF SAMPLES ABOVE M.D.L. 1-HR 24-HR		# OF SAMPLES ABOVE M.A.L. 1-HR 24-HR		# OF SAMPLES ABOVE M.T.L. 1-HR 24-HR	
				1-HR	24-HR	1-HR	24-HR	1-HR	24-HR
TOTAL SUSPENDED PARTICULATE (TSP)	7251 ² FLIN FLON, 143 MAIN STREET	41/28	423	--	--	--	2	--	1
	7283 ³⁺ CREIGHTON, SCHOOL	32/24	545	--	--	--	2	--	1
	7284 ²⁺ FLIN FLON, RUTH BETTS	23/18	97	--	--	--	0	--	0
LEAD (Pb)	7251 ² FLIN FLON, 143 MAIN STREET	0.11/0.07	0.77	--	--	--	0	--	--
	7283 ³⁺ CREIGHTON, SCHOOL	0.03/0.03	0.42	--	--	--	0	--	--
	7284 ²⁺ FLIN FLON, RUTH BETTS	0.04/0.03	0.22	--	--	--	0	--	--
SULPHATES (SO4=)	7251 ² FLIN FLON, 143 MAIN STREET	2.40/1.81	29.27	--	--	--	--	--	--
	7283 ³⁺ CREIGHTON, SCHOOL	1.51/1.12	9.84	--	--	--	--	--	--
	7284 ²⁺ FLIN FLON, RUTH BETTS	1.88/1.58	3.56	--	--	--	--	--	--
NITRATES (NO3-)	7251 ² FLIN FLON, 143 MAIN STREET	0.08/0.07	0.65	--	--	--	--	--	--
ARSENIC (As)	7251 ² FLIN FLON, 143 MAIN STREET	0.038/0.017	0.344	--	--	--	1 ⁶	--	--
	7283 ³⁺ CREIGHTON, SCHOOL	0.006/0.003	0.130	--	--	--	0 ⁶	--	--
	7284 ²⁺ FLIN FLON, RUTH BETTS	0.016/0.005	0.184	--	--	--	0 ⁶	--	--
CADMIUM (Cd)	7251 ² FLIN FLON, 143 MAIN STREET	0.015/0.008	0.087	--	--	--	0 ⁶	--	--
	7283 ^{3,9+} CREIGHTON, SCHOOL	0.003/0.003	0.025	--	--	--	0 ⁶	--	--
	7284 ²⁺ FLIN FLON, RUTH BETTS	0.006/0.004	0.042	--	--	--	0 ⁶	--	--
COPPER (Cu)	7251 ² FLIN FLON, 143 MAIN STREET	0.980/0.575	5.299	--	--	--	0 ⁶	--	--
	7283 ³⁺ CREIGHTON, SCHOOL	0.495/0.394	1.743	--	--	--	0 ⁶	--	--
	7284 ²⁺ FLIN FLON, RUTH BETTS	0.576/0.412	3.022	--	--	--	0 ⁶	--	--
ZINC (Zn)	7251 ² FLIN FLON, 143 MAIN STREET	2.457/1.741	8.670	--	--	--	0 ⁶	--	--
	7283 ³⁺ CREIGHTON, SCHOOL	0.470/0.050	3.314	--	--	--	0 ⁶	--	--
	7284 ²⁺ FLIN FLON, RUTH BETTS	0.898/0.165	4.713	--	--	--	0 ⁶	--	--

Notes:

All Concentration units for the above Table 4c are in ug/m³.

-- No guideline or objective

+ Company supplied data

² - 24 Hour sample collected every three days, synchronized with the NAPS schedule (with numerous exceptions)

³ - 24 Hour sample collected every second day

⁶ - Ontario 24-hour guideline

⁹ - Majority of data at or below detection limit