



Winnipeg Regional Health Authority  
 Office régional de la santé de Winnipeg  
*Caring for Health À l'écoute de notre santé*

490 Hargrave Street  
 Winnipeg, Manitoba  
 R3A 0X7 CANADA

490, rue Hargrave  
 Winnipeg (Manitoba)  
 R3A 0X7 CANADA

[www.wrha.mb.ca](http://www.wrha.mb.ca)

[www.wrha.mb.ca](http://www.wrha.mb.ca)

October 31, 2020

Glenlawn Collegiate  
 770 St. Mary's Rd  
 Winnipeg MB R2M 3N7

Dear Parent/Guardian of Students at Glenlawn Collegiate,

Manitoba public health officials advised Glenlawn Collegiate today of three confirmed cases of COVID-19 in the school on October 22 when the individuals may have been infectious.

Glenlawn Collegiate is working closely with public health officials and following their recommendations. Based on the public health investigation, this exposure was assessed to be low risk overall for the school community.

Classroom contacts are being advised to monitor for symptoms and seek testing if symptoms develop, effective today. No close contacts in the school have been identified.

Please note: the school is not permitted to release the name or any identifying information about the confirmed case of COVID-19 to any member of the school, community or media.

If you have not been contacted by a separate letter, your child(ren) have not been identified as being exposed to COVID-19 from this case. However, if your child develops a new onset or worsening of any one symptom listed in Column A or any two or more symptoms listed in Column B (see table below), even if they are mild, immediately isolate them from others. It is recommended your child get tested for COVID-19 as soon as symptoms appear. Call Health Links—Info Santé at 204-788-8200 or toll-free at 1-888-315-9257 for information on testing and isolation.

A	B
Fever/Chills	Runny nose
Cough	Muscle aches
Sore throat/hoarse voice	Fatigue

Shortness of breath/difficulty breathing	Pink eye (conjunctivitis)
Loss of taste or smell	Headache
Vomiting or diarrhea for more than 24 hours	Skin rash of unknown cause
	Nausea or loss of appetite
	Poor feeding (if an infant)

Please note: individuals with symptoms outlined in columns A and B, who choose not to be tested, must isolate for a minimum of 10 days following the start of symptoms. Isolation can be stopped at day 10 if the individual has been symptom-free for 24 hours.

For more public health information about COVID-19, please visit <https://manitoba.ca/covid19/updates/resources.html>.

Sincerely,

*Shilpa Loewen*

Dr. Shilpa Loewen MD CCFP for,  
 Dr. Lisa Richards MD MSc FRCPC  
 Medical Officer of Health  
 Winnipeg Regional Health Authority