



Winnipeg Regional Health Authority  
*Caring for Health*    Office régional de la santé de Winnipeg  
*À l'écoute de notre santé*

490 Hargrave Street  
 Winnipeg, Manitoba  
 R3A 0X7 CANADA

490, rue Hargrave  
 Winnipeg (Manitoba)  
 R3A 0X7 CANADA

[www.wrha.mb.ca](http://www.wrha.mb.ca)

[www.wrha.mb.ca](http://www.wrha.mb.ca)

November 15, 2020

Winnipeg Adult Education Centre  
 310 Vaughn St.  
 Winnipeg, MB

Dear Students at Winnipeg Adult Education Centre,

Manitoba public health officials advised Winnipeg Adult Education Centre today of a confirmed case of COVID-19 present in the school on November 3, 2020 when the individual may have been infectious.

Winnipeg Adult Education Centre is working closely with public health officials and following their recommendations. Based on the public health investigation, these exposures were assessed to be low risk for the school community. Classroom contacts have been advised to monitor for symptoms, and seek testing immediately if symptoms develop.

Please note: the school is not permitted to release the name or any identifying information about the confirmed case of COVID-19 to any member of the school, community or media.

If you develop a new onset or worsening of any one symptom listed in Column A or any two or more symptoms listed in Column B (see table below), even if they are mild, immediately isolate from others. It is recommended you get tested for COVID-19 as soon as symptoms appear. You may go directly to the nearest COVID-19 testing location during their open hours. For the testing site nearest you, please visit [gov.mb.ca/covid19/locations.html](http://gov.mb.ca/covid19/locations.html), or call Health Links-Info Santé at 204-788-8200 or toll-free at 1-888-315-9257.

<b>A</b>	<b>B</b>
Fever/Chills	Runny nose
Cough	Muscle aches
Sore throat/hoarse voice	Fatigue
Shortness of breath/difficulty breathing	Pink eye (conjunctivitis)
Loss of taste or smell	Headache
Vomiting or diarrhea for more than 24 hours	Skin rash of unknown cause

	Nausea or loss of appetite
	Poor feeding (if an infant)

Please note: individuals with symptoms outlined in columns A and B, who choose not to be tested, must isolate for a minimum of 10 days following the start of symptoms. Isolation can be stopped at day 10 if the individual has been symptom-free for 24 hours.

For more public health information about COVID-19, please visit <https://manitoba.ca/covid19/updates/resources.html>.

Sincerely,



Dr. Lisa Richards MD MSc FRCPC  
Medical Officer of Health  
Winnipeg Regional Health Authority