

## WEEKLY WELL ACTIVITY REPORT

### PETROLEUM INDUSTRY ACTIVITY REPORT

(January 1/13 – January 14/13)

#### DRILLING ACTIVITY

	To Jan. 14/13	To Jan. 16/12	2012 Total
Drilling Licences Issued	5	45	720
Licences Cancelled	0	1	27
Vertical Wells Drilled	0	2	41
Horizontal Wells Drilled	28	36	570
Stratigraphic Test Holes Drilled	0	0	3
Wells Drilled - Total	28	38	614
No. of Metres Drilled	55 213	70 799	1 156 857
Wells Re-entered	0	0	0
Wells Being Drilled	15	13	1
No. of Active Rigs	21	19	1
Wells Licenced but Not Spudded	233	146	250
Wells Completed as Potential Oil Wells	25	34	592
Wells Abandoned Dry	0	0	17
Wells Drilled but Not Completed	3	4	0
Other Completions	0	0	4
New Wells on Production	0	0	401

#### GEOPHYSICAL ACTIVITY

Geophysical Programs Licenced	0	5	18
Licences Cancelled	0	0	1
Kilometers Licenced	0	249	7 486
Kilometers Run	0	0	2 243

	2012	2011
<u>OIL PRICES (Average)</u>	\$/m3 (\$/bbl)	\$/m3 (\$/bbl)
Month of November	532.76 (84.66)	616.95 (98.04)
Month of December	452.89 (71.97)	616.95 (98.04)

	2012	2011
<u>OIL PRODUCTION (M3)</u>		
Month of June	230 627.7	162 677.0
Cumulative Thru June 30	1 489 928.8	1 140 739.6

## WEEKLY WELL ACTIVITY REPORT

14 January 2013

Lic. No.: 8615	<p>Tundra Elkhorn HZNTL 1-7-11-28 (WPM) UWI: 100.01-07-011-28W1.00</p> <p>Status: Capable Of Oil Production (COOP) Capable Of Oil Production: 17-Aug-2012 Field/Pool Code: 1 62Y</p>
Lic. No.: 8658	<p>EOG Pierson HZNTL 11-25-1-28 (WPM) UWI: 100.11-25-001-28W1.00</p> <p>Status: Moving In Rotary Tools (MIRT) Moving In Rotary Tools: 14-Jan-2013</p>
Lic. No.: 8720	<p>Sinclair Unit No. 8 HZNTL 12-28-7-29 (WPM) UWI: 102.12-28-007-29W1.00</p> <p>Status: Completing (COMP) Completing: 14-Jan-2013</p>
Lic. No.: 8753	<p>EOG Waskada HZNTL A3-5-1-24 (WPM) UWI: 103.03-05-001-24W1.00</p> <p>Status: Completing (COMP) Completing: 14-Jan-2013</p>
Lic. No.: 8831	<p>Waskada Unit No. 3 HZNTL B8-31-1-25 (WPM) UWI: 104.08-31-001-25W1.00</p> <p>Status: Completing (COMP) Completing: 08-Jan-2013</p>
Lic. No.: 8874	<p>Waskada LAm Unit No. 1 HZNTL 6-25-1-26 (WPM) UWI: 102.06-25-001-26W1.00</p> <p>Spud Date: 07-Jan-2013 K.B. Elevation: 472.86 m Surface Casing: 219.10 mm @ 165.00 m with 12.0 t Intermediate Casing: 139.70 mm @ 1751.00 m with 52.6 t Finished Drilling: 10-Jan-2013 Total Depth: 1751.00 m Rig Released: 11-Jan-2013 Status: Waiting On Service Rig (WOSR) Waiting On Service Rig: 11-Jan-2013</p>

Lic. No.: 8887      Waskada Unit No. 3 HZNTL B16-31-1-25 (WPM)  
 UWI: 104.16-31-001-25W1.00

Revision to Report of: 07-Aug-2012  
 Contractor: Trinidad Drilling Ltd. – Rig# 4

Spud Date: 07-Jan-2013  
 K.B. Elevation: 475.40 m  
 Surface Casing: 219.00 mm @ 177.00 m with 12.0 t  
 Intermediate Casing: 139.70 mm @ 1849.00 m with 48.0 t  
 Finished Drilling: 08-Jan-2013  
 Total Depth: 1849.00 m  
 Rig Released: 14-Jan-2013  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 14-Jan-2013

Lic. No.: 8894      EOG Pierson Prov. HZNTL 3-34-1-28 (WPM)  
 UWI: 102.03-34-001-28W1.00

Status: Capable of Oil Production (COOP)  
 Capable of Oil Production: 30-Sep-2012  
 Field/Pool Code: 7 29B

Lic. No.: 8895      EOG Pierson Prov. HZNTL B3-34-1-28 (WPM)  
 UWI: 103.03-34-001-28W1.00

Status: Capable Of Oil Production (COOP)  
 Capable Of Oil Production: 01-Oct-2012  
 Field/Pool Code: 7 29B

Lic. No.: 8897      EOG Pierson Prov. HZNTL 13-29-1-28 (WPM)  
 UWI: 102.13-29-001-28W1.00

Status: Completing (COMP)  
 Completing: 11-Jan-2013

Lic. No.: 8906      Legacy Pierson Prov. HZNTL 1-29-1-28 (WPM)  
 UWI: 100.01-29-001-28W1.00

Status: Capable Of Oil Production (COOP)  
 Capable Of Oil Production: 19-Oct-2012  
 Field/Pool Code: 7 29B

Lic. No.: 8915      Legacy Coulter HZNTL A4-19-1-27 (WPM)  
 UWI: 102.04-19-001-27W1.00

Status: Capable Of Oil Production (COOP)  
 Capable Of Oil Production: 27-Sep-2012  
 Field/Pool Code: 7 29P

Lic. No.: 8922 CNRL Pierson Prov. HZNTL 3-11-2-29 (WPM)  
 UWI: 102.03-11-002-29W1.00

Status: Capable Of Oil Production (COOP)  
 Capable Of Oil Production: 26-Sep-2012  
 Field/Pool Code: 7 29B

Lic. No.: 8924 EOG Pierson Prov. HZNTL 3-29-2-29 (WPM)  
 UWI: 100.03-29-002-29W1.00

Status: Completing (COMP)  
 Completing: 10-Jan-2013

Lic. No.: 8934 Tundra Daly Sinclair HZNTL 12-14-09-29 (WPM)  
 UWI: 102.12-14-009-29W1.00

Please note UWI and well name change  
 (Licensed as 13-14-9-29 drilled as 12-14-9-29)

Lic. No.: 8936 Waskada LAm Unit No. 1 HZNTL A9-25-1-26 (WPM)  
 UWI: 103.09-25-001-26W1.00

Revision to Report of: 04-Sep-2012  
 Contractor: Precision Drilling – Rig# 205

Spud Date: 12-Jan-2013  
 K.B. Elevation: 471.65 m  
 Surface Casing: 219.10 mm @ 164.00 m with 12.0 t  
 Status: Drilling Ahead (DR)  
 Drilling Ahead: 14-Jan-2013

Lic. No.: 8937 Waskada Unit No. 6 HZNTL 10-1-1-26 (WPM)  
 UWI: 102.10-01-001-26W1.00

Status: Capable Of Oil Production (COOP)  
 Capable Of Oil Production: 25-Nov-2012  
 Field/Pool Code: 3 29A

Lic. No.: 8938 Waskada Unit No. 6 HZNTL A10-1-1-26 (WPM)  
 UWI: 103.10-01-001-26W1.00

Status: Capable Of Oil Production (COOP)  
 Capable Of Oil Production: 28-Nov-2012  
 Field/Pool Code: 3 29A

Lic. No.: 8943 Fort Calgary Manson HZNTL 5-1-14-29 (WPM)  
 UWI: 100.05-01-014-29W1.00

Finished Drilling: 11-Jan-2013  
 Total Depth: 2021.00 m  
 Rig Released: 12-Jan-2013  
 Status: Completing (COMP)  
 Completing: 13-Jan-2013

Lic. No.: 8945      Legacy Coulter HZNTL 1-32-1-27 (WPM)  
 UWI: 100.01-32-001-27W1.00

Status: Capable Of Oil Production (COOP)  
 Capable Of Oil Production: 11-Oct-2012  
 Field/Pool Code: 7 29Q

Lic. No.: 8946      EOG Pierson HZNTL 9-4-2-28 (WPM)  
 UWI: 100.09-04-002-28W1.00

Status: Completing (COMP)  
 Completing: 12-Jan-2013

Lic. No.: 8958      Legacy Coulter HZNTL 8-20-1-27 (WPM)  
 UWI: 100.08-20-001-27W1.00

Status: Capable Of Oil Production (COOP)  
 Capable Of Oil Production: 14-Oct-2012  
 Field/Pool Code: 7 29Q

Lic. No.: 8974      Tundra Daly Sinclair HZNTL 12-7-8-28 (WPM)  
 UWI: 102.12-07-008-28W1.00

Status: Completing (COMP)  
 Completing: 11-Jan-2013

Lic. No.: 8991      Tundra Daly Sinclair HZNTL 12-9-9-28 (WPM)  
 UWI: 100.12-09-009-28W1.00

Status: Completing (COMP)  
 Completing: 11-Jan-2013

Lic. No.: 9006      EOG Pierson HZNTL B10-34-1-28 (WPM)  
 UWI: 103.10-34-001-28W1.00

Status: Completing (COMP)  
 Completing: 14-Jan-2013

Lic. No.: 9012      Tundra Daly Sinclair HZNTL 16-27-7-28 (WPM)  
 UWI: 100.16-27-007-28W1.00

Revision to Report of: 09-Oct-2012  
 Contractor: Trinidad Drilling Ltd. – Rig# 14

Spud Date: 10-Jan-2013  
 K.B. Elevation: 496.00 m  
 Surface Casing: 244.50 mm @ 136.00 m with 13.0 t

Status: Drilling Ahead (DR)  
Drilling Ahead: 14-Jan-2012

Lic. No.: 9014      EOG Pierson HZNTL 1-33-1-28 (WPM)  
UWI: 100.01-33-001-28W1.00

Status: Completing (COMP)  
Completing: 13-Jan-2013

Lic. No.: 9027      Red Beds Goodlands HZNTL 5-9-2-24 (WPM)  
UWI: 100.05-09-002-24W1.00

Status: Capable Of Oil Production (COOP)  
Capable Of Oil Production: 30-Nov-2012  
Field/Pool Code: 3 290

Lic. No.: 9028      EOG Pierson HZNTL 6-15-2-28 (WPM)  
UWI: 100.06-15-002-28W1.00

Status: Completing (COMP)  
Completing: 09-Jan-2013

Lic. No.: 9029      EOG Pierson HZNTL 11-15-2-28 (WPM)  
UWI: 100.11-15-002-28W1.00

Status: Completing (COMP)  
Completing: 13-Jan-2013

Lic. No.: 9033      Penn West Waskada HZNTL 10-26-1-26 (WPM)  
UWI: 102.10-26-001-26W1.00

Status: Completing (COMP)  
Completing: 08-Jan-2013

Lic. No.: 9034      Penn West Waskada HZNTL A10-26-1-26 (WPM)  
UWI: 103.10-26-001-26W1.00

Status: Completing (COMP)  
Completing: 08-Jan-2013

Lic. No.: 9035      Penn West Waskada HZNTL B10-26-1-26 (WPM)  
UWI: 104.10-26-001-26W1.00

Status: Completing (COMP)  
Completing: 08-Jan-2013

Lic. No.: 9036      Penn West Waskada HZNTL C10-26-1-26 (WPM)  
UWI: 105.10-26-001-26W1.00

Status: Completing (COMP)  
Completing: 14-Jan-2013

Lic. No.: 9038            EOG Pierson HZNTL 7-9-2-28 (WPM)  
 UWI: 100.07-09-002-28W1.00

Status: Completing (COMP)  
 Completing: 13-Jan-2013

Lic. No.: 9041            Tundra Daly Sinclair Prov. HZNTL 5-4-9-29 (WPM)  
 UWI: 100.05-04-009-29W1.00

Intermediate Casing: 139.70 mm @ 2449.00 m with 51.9 t  
 Finished Drilling: 08-Jan-2013  
 Total Depth: 2449.00 m  
 Rig Released: 10-Jan-2013  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 10-Jan-2013

Lic. No.: 9046            Tundra Daly Sinclair HZNTL 5-3-10-29 (WPM)  
 UWI: 100.05-03-010-29W1.00

Status: Completing (COMP)  
 Completing: 10-Jan-2013

Lic. No.: 9054            Legacy Pierson HZNTL A4-24-1-28 (WPM)  
 UWI: 102.04-24-001-28W1.00

Status: Moving In Rotary Tools (MIRT)  
 Moving In Rotary Tools: 14-Jan-2013

Lic. No.: 9055            ARC Waskada HZNTL 14-15-1-24 (WPM)  
 UWI: 100.14-15-001-24W1.00

Intermediate Casing: 139.70 mm @ 2027.00 m with 47.5 t  
 Finished Drilling: 08-Jan-2013  
 Total Depth: 2039.00 m  
 Rig Released: 10-Jan-2013  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 10-Jan-2013

Lic. No.: 9060            Legacy Coulter HZNTL A3-19-1-27 (WPM)  
 UWI: 102.03-19-001-27W1.00

Status: Completing (COMP)  
 Completing: 08-Jan-2013

Lic. No.: 9063            Legacy Pierson HZNTL A13-19-1-28 (WPM)  
 UWI: 102.13-19-001-28W1.00

Intermediate Casing: 139.70 mm @ 2577.00 m with 57.0 t  
 Finished Drilling: 12-Jan-2013  
 Total Depth: 2577.00 m  
 Rig Released: 13-Jan-2013  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 13-Jan-2013

- Lic. No.: 9068 Penn West Waskada HZNTL B3-17-1-25 (WPM)  
UWI: 103.03-17-001-25W1.00
- Revision to Report of: 12-Nov-2012  
Contractor: Precision Drilling – Rig# 146
- Spud Date: 09-Jan-2013  
K.B. Elevation: 473.69 m  
Surface Casing: 219.10 mm @ 167.00 m with 11.0 t  
Finished Drilling: 13-Jan-2013  
Total Depth: 1684.00 m  
Status: Running Casing (CSG)  
Running Casing: 14-Jan-2012
- Lic. No.: 9069 ARC Waskada HZNTL 12-10-1-24 (WPM)  
UWI: 102.12-10-001-24W1.00
- Revision to Report of: 12-Nov-2012  
Contractor: Precision Drilling – Rig# 149
- Spud Date: 11-Jan-2013  
K.B. Elevation: 523.29 m  
Surface Casing: 219.10 mm @ 180.00 m with 14.0 t  
Status: Drilling Ahead (DR)  
Drilling Ahead: 14-Jan-2012
- Lic. No.: 9073 Tundra Daly Sinclair HZNTL 3-8-10-28 (WPM)  
UWI: 100.03-08-010-28W1.00
- Intermediate Casing: 139.700 mm @ 935.53 m with 9.0 t  
Finished Drilling: 09-Jan-2013  
Total Depth: 2356.00 m  
Rig Released: 10-Jan-2013  
Status: Waiting On Service Rig (WOSR)  
Waiting On Service Rig: 10-Jan-2013
- Lic. No.: 9075 Waskada Unit No. 7 HZNTL 1-18-1-25 (WPM)  
UWI: 102.01-18-001-25W1.00
- Status: Moving In Rotary Tools (MIRT)  
Moving In Rotary Tools: 14-Jan-2013
- Lic. No.: 9081 Penn West Waskada HZNTL B4-17-1-25 (WPM)  
UWI: 103.04-17-001-25W1.00
- Revision to Report of: 19-Nov-2012  
Contractor: Precision Drilling – Rig# 146
- Intermediate Casing: 139.70 mm @ 1624.00 m with 43.4 t  
Finished Drilling: 06-Jan-2013  
Total Depth: 1656.00 m  
Rig Released: 09-Jan-2013  
Status: Waiting On Service Rig (WOSR)  
Waiting On Service Rig: 09-Jan-2013



Lic. No.: 9082 Penn West Waskada HZNTL 2-22-1-25 (WPM)  
 UWI: 102.02-22-001-25W1.00

Status: Completing (COMP)  
 Completing: 12-Jan-2013

Lic. No.: 9091 CPEC East Manson HZNTL 12-4-13-28 (WPM)  
 UWI: 100.12-04-013-28W1.00

Revision to Report of: 19-Nov-2012  
 Contractor: Red Dog Drilling Inc. – Rig# 2

Spud Date: 11-Jan-2013  
 K.B. Elevation: 501.09 m  
 Surface Casing: 244.50 mm @ 165.00 m with 15.0 t  
 Status: Drilling Ahead (DR)  
 Drilling Ahead: 14-Jan-2013

Lic. No.: 9092 CPEC East Manson HZNTL 12-8-13-28 (WPM)  
 UWI: 100.12-08-013-28W1.00

Intermediate Casing: 177.80 mm @ 906.00 m with 20.0 t  
 Finished Drilling: 10-Jan-2013  
 Total Depth: 1488.00 m  
 Rig Released: 10-Jan-2013  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 10-Jan-2013

Lic. No.: 9097 EOG Waskada Prov. HZNTL A2-2-2-25 (WPM)  
 UWI: 102.02-02-002-25W1.00

Spud Date: 13-Jan-2013  
 K.B. Elevation: 479.10 m  
 Surface Casing: 219.11 mm @ 154.00 m with 11.0 t  
 Intermediate Casing: 139.70 mm @ 1689.00 m with 39.6 t  
 Status: Drilling Ahead (DR)  
 Drilling Ahead: 14-Jan-2013

Lic. No.: 9101 EOG Waskada Prov. HZNTL A7-2-2-25 (WPM)  
 UWI: 103.07-02-002-25W1.00

Rig Released: 07-Jan-2013  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 07-Jan-2013

Lic. No.: 9102 EOG Waskada Prov. HZNTL B7-2-2-25 (WPM)  
 UWI: 104.07-02-002-25W1.00

Spud Date: 08-Jan-2013  
 K.B. Elevation: 478.93 m  
 Surface Casing: 219.11 mm @ 152.00 m with 11.0 t  
 Intermediate Casing: 139.70 mm @ 1689.00 m with 39.6 t  
 Finished Drilling: 11-Jan-2013  
 Total Depth: 1689.00 m  
 Rig Released: 12-Jan-2013

Status: Waiting On Service Rig (WOSR)  
Waiting On Service Rig: 12-Jan-2013

- Lic. No.: 9103 Penn West Waskada HZNTL A9-33-1-25 (WPM)  
UWI: 102.09-33-001-25W1.00
- Status: Completing (COMP)  
Completing: 13-Jan-2013
- Lic. No.: 9104 Penn West Waskada HZNTL B9-33-1-25 (WPM)  
UWI: 103.09-33-001-25W1.00
- Status: Completing (COMP)  
Completing: 10-Jan-2013
- Lic. No.: 9114 Corval Daly Sinclair HZNTL 4-33-8-28 (WPM)  
UWI: 102.04-33-008-28W1.00
- Status: Drilling Ahead (DR)  
Drilling Ahead: 14-Jan-2013
- Lic. No.: 9121 Penn West Waskada HZNTL B7-22-1-25 (WPM)  
UWI: 103.07-22-001-25W1.00
- Spud Date: 12-Jan-2013  
K.B. Elevation: 476.07 m  
Surface Casing: 219.00 mm @ 175.00 m with 12.0 t  
Status: Drilling Ahead (DR)  
Drilling Ahead: 14-Jan-2013
- Lic. No.: 9128 Penn West Waskada HZNTL 1-20-1-25 (WPM)  
UWI: 102.01-20-001-25W1.00
- Surface Casing: 219.10 mm @ 166.50 m with 12.0 t  
Intermediate Casing: 139.70 mm @ 1648.00 m with 46.3 t  
Finished Drilling: 08-Jan-2013  
Total Depth: 1648.00 m  
Rig Released: 11-Jan-2013  
Status: Completing (COMP)  
Completing: 14-Jan-2013
- Lic. No.: 9129 Penn West Waskada HZNTL A1-20-1-25 (WPM)  
UWI: 103.01-20-001-25W1.00
- Status: Completing (COMP)  
Completing: 14-Jan-2013
- Lic. No.: 9130 Tundra Daly Sinclair Prov. HZNTL A9-32-8-29 (WPM)  
UWI: 102.09-32-008-29W1.00
- Intermediate Casing: 114.30 mm @ 2253.00 m with 27.5 t  
Finished Drilling: 08-Jan-2013  
Total Depth: 2253.00 m  
Rig Released: 09-Jan-2013

Status: Waiting On Service Rig (WOSR)  
Waiting On Service Rig: 09-Jan-2013

- Lic. No.: 9131 Penn West Waskada HZNTL C8-20-1-25 (WPM)  
UWI: 105.08-20-001-25W1.00
- Status: Completing (COMP)  
Completing: 14-Jan-2013
- Lic. No.: 9137 Tundra North Birdtail Prov. HZNTL 8-6-17-27 (WPM)  
UWI: 100.08-06-017-27W1.00
- Finished Drilling: 08-Jan-2013  
Total Depth: 1734.00 m  
Rig Released: 09-Jan-2013  
Status: Waiting On Service Rig (WOSR)  
Waiting On Service Rig: 09-Jan-2013
- Lic. No.: 9138 Waskada Unit No. 3 HZNTL B16-36-1-26 (WPM)  
UWI: 104.16-36-001-26W1.00
- Spud Date: 07-Jan-2013  
K.B. Elevation: 469.54 m  
Surface Casing: 219.10 mm @ 169.00 m with 11.0 t  
Intermediate Casing: 139.70 mm @ 1831.00 m with 48.3 t  
Finished Drilling: 10-Jan-2013  
Total Depth: 1831.00 m  
Rig Released: 11-Jan-2013  
Status: Waiting On Service Rig (WOSR)  
Waiting On Service Rig: 11-Jan-2013
- Lic. No.: 9142 EOG Pierson HZNTL 14-4-2-28 (WPM)  
UWI: 100.14-04-002-28W1.00
- Intermediate Casing: 139.70 mm @ 1743.00 m with 46.0 t  
Finished Drilling: 09-Jan-2013  
Total Depth: 1743.00 m  
Rig Released: 10-Jan-2013  
Status: Waiting On Service Rig (WOSR)  
Waiting On Service Rig: 10-Jan-2013
- Lic. No.: 9143 EOG Pierson HZNTL A14-4-2-28 (WPM)  
UWI: 102.14-04-002-28W1.00
- Spud Date: 10-Jan-2013  
K.B. Elevation: 467.27 m  
Surface Casing: 219.10 mm @ 152.00 m with 11.0 t  
Intermediate Casing: 139.70 mm @ 1721.00 m with 46.0 t  
Finished Drilling: 13-Jan-2013  
Total Depth: 1721.00 m  
Status: Waiting On Cement (WOC)  
Waiting On Cement: 14-Jan-2013

- Lic. No.: 9146 Fort Calgary East Manson Prov. HZNTL A1-28-13-28 (WPM)  
UWI: 102.01-28-013-28W1.00
- Status: Completing (COMP)  
Completing: 14-Jan-2013
- Lic. No.: 9151 Tundra St. Lazare HZNTL 12-36-16-28 (WPM)  
UWI: 100.10-36-016-28W1.00 – Stratigraphic Test Hole
- Spud Date: 09-Jan-2013  
K.B. Elevation: 488.86 m  
Surface Casing: 244.50 mm @ 140.00 m with 13.0 t  
Finished Drilling: 11-Jan-2013  
Total Depth: 580.00 m  
Status: Abandoned Stratigraphic Test Hole (ABD STH)  
Abd Stratigraphic Test Hole: 13-Jan-2013
- UWI: 100.12-36-016-28W1.02 – Horizontal Section
- Status: Drilling Ahead (DR)  
Drilling Ahead: 14-Jan-2013
- Lic. No.: 9156 EOG Pierson HZNTL A5-17-2-28 (WPM)  
UWI: 102.05-17-002-28W1.00
- Revision to Report of: 17-Dec-2012  
Contractor: Precision Drilling – Rig# 156
- Spud Date: 04-Jan-2013  
K.B. Elevation: 463.33 m  
Surface Casing: 219.11 mm @ 154.00 m with 11.0 t  
Intermediate Casing: 139.70 mm @ 1856.00 m with 43.6 t  
Finished Drilling: 07-Jan-2013  
Total Depth: 1856.00 m  
Rig Released: 09-Jan-2013  
Status: Waiting On Service Rig (WOSR)  
Waiting On Service Rig: 09-Jan-2013
- Lic. No.: 9157 EOG Pierson HZNTL B5-17-2-28 (WPM)  
UWI: 103.05-17-002-28W1.00
- Revision to Report of: 17-Dec-2012  
Contractor: Precision Drilling – Rig# 156
- Spud Date: 09-Jan-2013  
K.B. Elevation: 463.40 m  
Surface Casing: 219.11 mm @ 153.00 m with 11.0 t  
Intermediate Casing: 139.70 mm @ 1886.00 m with 44.6 t  
Finished Drilling: 12-Jan-2013  
Total Depth: 1886.00 m  
Rig Released: 14-Jan-2013

Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 14-Jan-2013

- Lic. No.: 9164      Tundra Daly Sinclair HZNTL 5-33-8-29 (WPM)  
 UWI: 100.05-33-008-29W1.00
- Finished Drilling: 09-Jan-2013  
 Total Depth: 2435.00 m  
 Rig Released: 11-Jan-2013  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 11-Jan-2013
- Lic. No.: 9165      Sinclair Unit No. 4 Prov. HZNTL 14-14-7-29 (WPM)  
 UWI: 100.14-14-007-29W1.00
- Spud Date: 14-Jan-2013  
 K.B. Elevation: 517.50 m  
 Status: Drilling Ahead (DR)  
 Drilling Ahead: 14-Jan-2013
- Lic. No.: 9166      South Pierson Unit No. 2 Prov. HZNTL 12-18-2-29 (WPM)  
 UWI: 100.12-18-002-29W1.00
- Intermediate Casing: 139.70 mm @ 2122.00 m with 53.0 t  
 Finished Drilling: 07-Jan-2013  
 Total Depth: 2122.00 m  
 Rig Released: 09-Jan-2013  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 09-Jan-2013
- Lic. No.: 9167      South Pierson Unit No. 2 Prov. HZNTL A12-18-2-29 (WPM)  
 UWI: 102.12-18-002-29W1.00
- Revision to Report of: 17-Dec-2012  
 Contractor: Ensign Drilling Inc. – Rig# 351
- Spud Date: 09-Jan-2013  
 K.B. Elevation: 481.80 m  
 Surface Casing: 244.50 mm @ 167.00 m with 21.0 t  
 Finished Drilling: 13-Jan-2013  
 Total Depth: 2096.00 m  
 Status: Running Casing (CSG)  
 Running Casing: 14-Jan-2013

- Lic. No.: 9169      Tundra Daly Sinclair Prov. HZNTL C12-29-8-28 (WPM)  
 UWI: 102.12-28-008-28W1.00 – Stratigraphic Test Hole
- Finished Drilling: 07-Jan-2013  
 Total Depth: 916.00 m  
 Status: Abandoned Stratigraphic Test Hole (ABD STH)  
 Abd Stratigraphic Test Hole: 08-Jan-2013
- UWI: 104.12-29-008-28W1.02 – Horizontal Section
- Kick-Off Date: 08-Jan-2013  
 Kick-Off Point: 496.00 m  
 Status: Drilling Ahead (DR)  
 Drilling Ahead: 14-Jan-2013
- Lic. No.: 9175      Penn West Waskada Prov. HZNTL A7-34-1-26 (WPM)  
 UWI: 103.07-34-001-26W1.00
- Spud Date: 12-Jan-2013  
 K.B. Elevation: 467.45 m  
 Surface Casing: 219.10 mm @ 171.00 m with 11.0 t  
 Status: Drilling Ahead (DR)  
 Drilling Ahead: 14-Jan-2013
- Lic. No.: 9188      Tundra Daly Sinclair Prov. HZNTL A5-4-9-29 (WPM)  
 UWI: 102.05-04-009-29W1.00
- Spud Date: 10-Jan-2013  
 K.B. Elevation: 532.09 m  
 Surface Casing: 219.10 mm @ 135.00 m with 11.8 t  
 Status: Drilling Ahead (DR)  
 Drilling Ahead: 14-Jan-2013
- Lic. No.: 9192      Tundra Daly Sinclair Prov. HZNTL A8-32-10-28 (WPM)  
 UWI: 102.08-32-010-28W1.00
- Spud Date: 11-Jan-2013  
 K.B. Elevation: 520.09 m  
 Surface Casing: 244.50 mm @ 139.90 m with 13.0 t  
 Status: Drilling Ahead (DR)  
 Drilling Ahead: 14-Jan-2013
- Lic. No.: 9195      Tundra Daly Sinclair Prov. HZNTL 13-18-10-29 (WPM)  
 UWI: 100.13-18-010-29W1.00
- Spud Date: 10-Jan-2013  
 K.B. Elevation: 512.92 m  
 Surface Casing: 219.10 mm @ 144.00 m with 11.0 t  
 Status: Drilling Ahead (DR)  
 Drilling Ahead: 14-Jan-2013

- Lic. No.: 9198      Corex Daly Sinclair HZNTL 8-36-9-29 (WPM)  
 UWI: 102.08-36-009-29W1.00
- Spud Date: 08-Jan-2013  
 K.B. Elevation: 529.52 m  
 Surface Casing: 244.50 mm @ 140.00 m with 14.0 t  
 Status: Drilling Ahead (DR)  
 Drilling Ahead: 14-Jan-2013
- Lic. No.: 9201      ARC Waskada HZNTL B12-10-1-24 (WPM)  
 UWI: 104.12-10-001-24W1.00
- Licence Issued: 14-Jan-2013  
 Licensee: ARC Resources Ltd.  
 Mineral Rights: ARC Resources Ltd.  
 Contractor: Precision Drilling Ltd. - Rig# 157  
 Surface Location: 10B-10-01-24  
 Co-ords: 623.00m (S) of (N) boundary of Sec. 10  
           660.00m (W) of (E) boundary of Sec. 10  
 Grd Elev: 518.87 m  
 Proj. TD: 1671 m (Triassic)  
 Field: Waskada  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)
- Lic. No.: 9202      ARC Waskada Prov. HZNTL C8-4-1-24 (WPM)  
 UWI: 105.08-04-001-24W1.00
- Licence Issued: 14-Jan-2013  
 Licensee: ARC Resources Ltd.  
 Mineral Rights: ARC Resources Ltd.  
 Contractor: Precision Drilling Ltd. - Rig# 157  
 Surface Location: 06A-04-01-24  
 Co-ords: 459.88m (N) of (S) boundary of Sec. 4  
           683.00m (E) of (W) boundary of Sec. 4  
 Grd Elev: 498.43 m  
 Proj. TD: 1641 m (Triassic)  
 Field: Waskada  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)
- Lic. No.: 9203      Black Gold Virden RE10-1-11-27 (WPM)  
 UWI: 100.10-01-011-27W1.02
- Licence Issued: 14-Jan-2013  
 Licensee: Black Gold Energy Ltd.  
 Mineral Rights: Black Gold Energy Ltd.  
 Contractor: Precision Drilling - Rig# 418  
 Surface Location: 10C-01-11-27  
 Co-ords: 560.69m (S) of (N) boundary of Sec. 1  
           611.44m (W) of (E) boundary of Sec. 1  
 Grd Elev: 472.19 m  
 Proj. TD: 710 m (Mississippian)  
 Field: Virden  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)

Lic. No.: 9204 Tundra Daly Sinclair Prov. HZNTL A13-29-7-29 (WPM)  
 UWI: 102.13-29-007-29W1.00

Licence Issued: 14-Jan-2013  
 Licensee: Tundra Oil & Gas Partnership  
 Mineral Rights: Tundra Oil & Gas Partnership  
 Contractor: Trinidad Drilling Ltd. - Rig# 14  
 Surface Location: 13D-20-07-29  
 Co-ords: 60.00m (S) of (N) boundary of Sec. 20  
 210.88m (E) of (W) boundary of Sec. 20  
 Grd Elev: 525.58 m  
 Proj. TD: 2558.5 m (Mississippian)  
 Field: Daly Sinclair  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)

Lic. No.: 9205 Black Gold Virden HZNTL 8-17-10-26 (WPM)  
 UWI: 102.08-17-010-26W1.00

Licence Issued: 14-Jan-2013  
 Licensee: Black Gold Energy Ltd.  
 Mineral Rights: Black Gold Energy Ltd.  
 Contractor: Precision Drilling - Rig# 418  
 Surface Location: 16C-08-10-26  
 Co-ords: 45.00m (S) of (N) boundary of Sec. 8  
 262.40m (W) of (E) boundary of Sec. 8  
 Grd Elev: 445.73 m  
 Proj. TD: 1386 m (Mississippian)  
 Field: Virden  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)

#### **WELL NAME CHANGES**

Lic. No.: 8934 From: Tundra Daly Sinclair HZNTL 13-14-9-29 (WPM)  
 To: Tundra Daly Sinclair HZNTL 12-14-9-29 (WPM)