



Vegetable Plant Pics The Basics of Vegetable Growing in Manitoba





Printed February 2007



Vegetable Plant Pix

The Basics of Vegetable Growing in Manitoba

Growing your own vegetables can be a fun, relaxing and economical way to eat nutritiously all year round. With a little bit of planning, knowledge and effort, you can enjoy the satisfaction of a successful garden and the healthy goodness that only homegrown vegetables can provide.

This guide offers some basic growing guidelines, including planting instructions and harvest expectations, about some garden vegetable favourites to help you get growing. Enjoy!









Bean

Plant Bean Seeds:

2-3" apart

1 1/2-2" deep

Days to emergence: 7-10

Days from seeding to harvest: 52-70

Approximate yield per 50 foot row: 30-50 qt.











Beet

Plant Beet Seeds:

1– 3" apart

1/2 " deep

Days to emergence: 4-10

Days from seeding to harvest: 55-70

Approximate yield per 50 foot row: 250 beets





Broccoli

Plant Broccoli Transplants: 18" apart

Approximate yield per 50 foot row: 30-40 qt.







Cabbage

Plant Cabbage Transplants: 18" apart

Approximate yield per 50 foot row: 30 heads









Carrot

Plant Carrot Seeds: 1-2" apart

1/2" deep

Days to emergence: 6-18

Days from seeding to harvest: 60-75

Approximate yield per 50 foot row: 30-75 lbs.





Cauliflower

Plant Cauliflower Transplants:

18" apart

Approximate yield per 50 foot row: 30 heads





Corn

Plant Corn Seeds:

2 1/2—3 inches apart 1-2" deep

Days to emergence: 5-8

Days from seeding to harvest: 70-100

Approximate yield per 50 foot row: 45-75 ears







Cucumber

Plant Cucumber Seeds:

: 12-24" apart 1/2—1" deep

Days to emergence: 6-10
Days from seeding to harvest: 65-75
Approximate yield per 50 foot row:
100 –150 cucumbers







Lettuce

Plant Lettuce Seeds: 6" apart (leaf), 12" apart (head) 1/4" deep

Days to emergence: 6-8

Days from seeding to harvest: 40-50

Approximate yield per 50 foot row: 100 leaves or 50 heads







Onion

Plant Onion Sets/Bulbs:

3" apart

1/2—2" deep

Approximate yield per 50 foot row: 50-75 lbs.







Parsnip

Plant Parsnip Seeds: 2-4" apart 1/2" deep

Days to emergence: 14

Days from seeding to harvest: 120-150

Approximate yield per 50 foot row: 150—300 parsnips







Peas

Plant Pea Seeds:

2" apart 1 1/2-2" deep

Days to emergence: 6-10# Days from seeding to harvest: 60-80Approximate yield per 50 foot row:20-40 qt. pods







Pepper

Plant Pepper Transplants: 18-24" apart









Potato

Plant Seed Potato Pieces: 12" apart

12" apart 2—3" deep

Harvest when potatoes have reached desired size







Pumpkin

Plant Pumpkin Seeds: 36-48" apart

1" deep

Days to emergence: 4-10

Days from seeding to harvest: 110-130

Approximate yield per 50 foot row: 30—50 fruits







Radish

Plant Radish Seeds: 1" apart 1/4" deep

Days to emergence: 4-10

Days from seeding to harvest: 25-35

Approximate yield per 50 foot row: 30-100 bunches







Spinach

Plant Spinach Seeds: 4-6" apart 1/2" deep

Days to emergence: 5-12# Days from seeding to harvest: 40-45Approximate yield per 50 foot row: 1-2 bu.







Swiss Chard

Plant Swiss Chard Seeds: 4" apart 1/2" deep # Days to emergence: 7-10

Days from seeding to harvest: 50-60







Tomato

Plant Tomato Transplants: 18-24" apart

Approximate yield per 50 foot row: 150—300 tomatoes











Turnip

Plant Turnip Seeds: 3-4" apart 1/4" deep

Days to emergence: 3-8

Days from seeding to harvest: 50-70

Approximate yield per 50 foot row: 150 turnip



Watermelon

Plant Watermelon: 12-24" apart

1" deep

Days to emergence: 4-8

Days from seeding to harvest: 90-100

Approximate yield per 50 foot row: 75-100 fruits

