

1a - Pigs

Operation Name:		Woodford Feeders			
Operation Type	Storage Type	Volatilization	Animal Numbers (Places)	N Excreted Per Herd Adjusted for Storage N Loss (lb/yr/herd)	P2O5 Excreted Per Herd Per Year (lb/yr/herd)
Gilts (Purchased)	Liquid Uncovered Earthen	30%		0	0
Boars	Liquid Uncovered Earthen	30%		0	0
Weanlings/Nursery	Liquid Covered	10%		0	0
Growers/Finishers	Liquid Covered	10%	10000	316020	135061
Sows, farrow to 6.2 kg	Liquid Uncovered Earthen	30%		0	0
Sows, farrow to 28 kg	Liquid Uncovered Earthen	30%		0	0
Sows, farrow to finish	Liquid Uncovered Earthen	30%		0	0

Last Revised February 12, 2020

2 - Crop Rotation										
Operation Name: Woodford Feeders										
Crop	Removal		Uptake		Yield	Units	Acreage	Removal		Uptake
	P2O5	N	N	Units				P2O5 (lb)	N (lb)	N (lb)
Alfalfa	13.8	58	58	lb/ton		ton/ac		-	-	-
Barley Grain	0.42	0.97	1.39	lb/bu		bu/ac		-	-	-
Barley Silage	11.8	34.4	34.4	lb/ton		ton/ac		-	-	-
Canola	1.04	1.93	3.19	lb/bu	38.7	bu/ac	1200	48298	89629	148144
Corn Grain	0.44	0.97	1.53	lb/bu	95.7	bu/ac	800	33686	74263	117137
Corn Silage	12.7	31.2	31.2	lb/ton		tons/ac		-	-	-
Dry Edible Beans	1.39	4.17		lb/cwt		cwt/ac		-	-	-
Fababeans	1.79	5.02	8.4	lb/cwt		cwt/ac		-	-	-
Flax	0.65	2.13	2.88	lb/bu		bu/ac		-	-	-
Grass Hay	10	34.2	34.2	lb/ton		tons/ac		-	-	-
Lentils	1.03	3.39	5.08	lb/cwt		cwt/ac		-	-	-
Oats	0.26	0.62	1.07	lb/bu		bu/ac		-	-	-
Pasture (grazed)	10	34.2	34.2	lb/ton	0.5	ton/ac		-	-	-
Peas	0.69	2.34	3.06	lb/bu		bu/ac		-	-	-
Potatoes	0.09	0.32	0.57	lb/cwt		cwt/ac		-	-	-
Rye	0.45	1.06	1.67	lb/bu		bu/ac		-	-	-
Soybeans	0.84	3.87	5.2	lb/bu	34.8	bu/ac	325	9500	43770	58812
Sunflower	1.1	2.8		lb/cwt		cwt/ac		-	-	-
Wheat - Spring	0.59	1.5	2.11	lb/bu	54	bu/ac	1000	31860	81000	113940
Wheat - Winter	0.51	1.04	1.35	lb/bu		bu/ac		-	-	-
<b>Total Acres</b>							3325	123344	288662	438032
<b>Estimated Average Removal/Uptake (lb/ac)</b>								37.1	86.8	131.7
<b>Acres in Hanover and La Broquerie</b>										
<b>Proportion in Hanover or La Broquerie</b>								0%		
<b>Additional Acres</b>										
<b>Crop Planned on Additional Acres</b>										
<b>Total Acreage</b>							3325			
<b>*Notes:</b>	Enter the number of acres that are in the RM's of Hanover or La Broquerie in cell H26. Additional acres include acres for which crop removal or soil data is limited or unavailable.									

Last revised December 18, 2017

### 3 - Farm Excretion

Operation Name: **Woodford Feeders**

Species	Animal Category/Operation type	N (lb/year)	P2O5 (lb/year)
<b>Pigs</b>	Boars	0	0
	Weanlings/Nursery	0	0
	Growers/Finishers	316020	135061
	Sows, farrow to 5 kg	0	0
	Sows, farrow to 23 kg	0	0
	Sows, farrow to finish	0	0
<b>Beef</b>	Mature Cows and Bred Heifers, plus associated livestock	0	0
	Feedlot Cattle - long keep	0	0
	Feedlot Cattle - short keep	0	0
	Backgrounders - pasture	0	0
	Backgrounders - confined	0	0
<b>Dairy</b>	Lactating cow	0	0
	Lactating First Calf Heifer	0	0
	Dry cow	0	0
	Calf, 0-3 months	0	0
	Calf, 4-13 months	0	0
	Replacements, >13 months	0	0
	Mature Cows, plus assoc livestock	0	0
<b>Sheep</b>	Ewes	0	0
	Replacement Ewes	0	0
	Rams	0	0
	Lambs	0	0
	Ewes, plus assoc livestock	0	0
	Feeder	0	0
<b>Chickens</b>	Light Broilers	0	0
	Broilers	0	0
	Broiler Breeder Pullets	0	0
	Broiler Breeder Hens	0	0
<b>Layers</b>	White Layer Pullets	0	0
	White Layer Hens	0	0
	White Breeder Pullets	0	0
	White Breeder Hens	0	0
	Brown Layer Pullets	0	0
	Brown Layer Hens	0	0
	Brown Breeder Pullets	0	0
	Brown Breeder Hens	0	0
<b>Turkeys</b>	Broiler Turkey (0-9 wks)	0	0
	Hen Turkey (0-11 wks)	0	0
	Heavy Hens (0-14 wks)	0	0
	Toms (0-14 wks)	0	0
	Breeding Hen Growers (0-30 wks)	0	0
	Breeding Hens (31-End of Lay)	0	0
	Breeding Tom Grower (0-17 wks)	0	0

Breeding Tom Grower (17-30 wks)	0	0
Breeding Tom (31-End of Lay)	0	0
<b>Total</b>	<b>316020</b>	<b>135061</b>

**Note:** Be sure all livestock species on your farm are represented in this table, not just the livestock in the proposed expansion.

Last revised November 26, 2019

**4 - Land Base Summary****Operation Name:** Woodford Feeders

<b>Nutrients Excreted</b>	<b>lbs</b>
Nitrogen	316020
Phosphorus (P2O5)	135061
<b>Crop Nutrient Use</b>	
	<b>lb/ac</b>
Average Crop N Uptake	131.7
Average Crop Phosphorus (P2O5) Removal	37.1
Operation-specific Phosphorus (P2O5) Allowance	74.2
<b>Land Available</b>	<b>3325</b>
<b>Land Base Required</b>	
	<b>acres</b>
Acres for Nitrogen	<b>2399</b>
Acres for Phosphorus (P2O5)	<b>1820</b>
<b>Phosphorus Balance</b>	
	<b>acres</b>
Acres for Phosphorus Balance (1X)	<b>3641</b>

**Note: For lands located in Hanover and/or La Broquerie, the acres required for phosphorus are based on phosphorus balance (1X). For other lands, the acres required for phosphorus are based on twice crop phosphorus removal (2X). Land requirements for operations with lands inside and outside Hanover and/or La Broquerie are based on a weighted average.**

Last revised November 26, 2019