

**NOTICE OF PUBLIC HEARING
BY THE MUNICIPAL BOARD OF MANITOBA**

**RE: MUNICIPALITY OF WESTLAKE-GLADSTONE BY-LAW NO. 2019-02
MUNICIPAL BOARD FILE NO. 19E9-0048**

PUBLIC NOTICE is hereby given, under the provisions of *The Municipal Act*, S.M. 1996, c.58 and *The Municipal Board Act*, R.S.M. 1987, c. M240, that The Municipal Board will hold a public hearing for the purpose of hearing any presentations in objections to or in support of the proposed By-law. The public hearing will take place on **Wednesday, November 6, 2019 at 7:00 p.m. at the Gladstone District Community Centre, 79 – 5th Street, Gladstone, Manitoba.**

The By-law proposes to establish a rate for a Ditch Maintenance Program as a Special Service for the years 2019 – 2021 inclusive.

The estimated cost for these services will be recovered through a combination of per parcel rates and a mill rate on portioned assessment as follows:

- a) a per parcel rate of \$67.00 in 2019, \$68.67 in 2020 and \$70.39 in 2021 to be levied on all Class 30 (farm land only) and Class 10 (rural residential land only) within the Municipality of Westlake-Gladstone as described in Schedule “B” to the By-law.**
- b) a special mill rate levy, up to a maximum annual levy of \$44,467.00 in 2019, \$45,524.75 in 2020 and \$46,652.75 in 2011 on all Class 30 (farm land only) and Class 10 (rural residential land only) within the Municipality of Westlake-Gladstone.**

A copy of the By-law is available for review at the Municipal Office and at The Municipal Board.

In addition, the Board requires that any party who intends to submit as evidence at the hearing any written material or other documents, shall file four (4) copies of that material with the Board and one (1) copy with the Municipality for public review, at least 10 working days prior to the hearing.

If a party wishes to have service in French, or requires assistance because of a disability, they must notify this office 15 days prior to the hearing.

Dated at _____, in Manitoba, this _____ day of _____, 2019.