

#### Conservation

Environmental Stewardship Division
Environmental Assessment and Licensing Branch
123 Main Street, Suite 160, Winnipeg, Manitoba R3C 1A5
T 204 945-7100 F 204 945-5229
www.gov.mb.ca/conservation/envapprovals

**FAXED** 

**CLIENT FILE NO.: 4586.00** 

February 14, 2008

Mary Ann Sareault Keystone Vegetable Producers Association Inc. PO Box 545, 2401 Saskatchewan Ave., NW Portage la Prairie MB R1N 3B9

Dear Ms. Sareault:

Enclosed is Environment Act Licence No. 2803 dated February 14, 2008 issued in accordance with The Environment Act to Central Manitoba Resource Management Ltd. for the construction and operation of the Development being an irrigation system (Jeffrey Farms Irrigation Project) in the Rural Municipality of Victoria, with two water intakes on the Assiniboine River, in accordance with the Proposal filed under The Environment Act dated November 6, 2000 and addendums dated January 2005 and December 2005.

In addition to the enclosed Licence requirements, please be informed that all other applicable federal, provincial and municipal regulations and by-laws must be complied with.

For further information on the administration and application of the Licence, please feel free to contact Raymond Reichelt, Environment Officer at (204) 239-3608.

Pursuant to Section 27 of The Environment Act, this licencing decision may be appealed by any person who is affected by the issuance of this Licence to the Minister of Conservation within 30 days of the date of the Licence.

Yours truly.

Tracey Braun, M. Sc.

havey Baun

Director

**Environment Act** 

Enc.

 c: B. Gillespie, Regional Director, Central Region Raymond Reichelt, Environment Officer Millennium Public Library/Manitoba Eco-Network Portage la Prairie City Library R.M. of Victoria Betty Bullied/Brian Bullied/Robert & Arlene Zeghers

NOTE:

Confirmation of Receipt of this Licence No. 2803 (by the Licencee only) is required by the Director of Environmental Assessment and Licensing. Please acknowledge receipt by signing in the space provided below and faxing a copy (letter only) to the Department by February 20, 2008.

On behalf of Central MB Resource Mgmt. Ltd.

Date

\*\*A COPY OF THE LICENCE MUST BE KEPT ON SITE AT THE DEVELOPMENT AT ALL TIMES\*\*



# THE ENVIRONMENT ACT LOI SUR L'ENVIRONNEMENT



# LICENCE

Licence No. / Licence nº	2803
Issue Date / Date de délivrance	February 14, 2008

In accordance with The Environment Act (C.C.S.M. c. E125) / Conformément à la Loi sur l'environnement (C.P.L.M. c. E125)

Pursuant to Section 11(1) / Conformément au Paragraphe 11(1)

THIS LICENCE IS ISSUED TO: / CETTE LICENCE EST DONNÉÉ À:

# CENTRAL MANITOBA RESOURCE MANAGEMENT LTD.; "the Licencee"

for the construction and operation of the Development being an irrigation system (Jeffrey Farms Irrigation Project) in the Rural Municipality of Victoria, with two water intakes on the Assiniboine River, in accordance with the Proposal filed under The Environment Act dated November 6, 2000 and addendums dated January 2005 and December 2005, and subject to the following specifications, limits, terms and conditions:

### **GENERAL TERMS AND CONDITIONS**

This Section of the Licence contains requirements intended to provide guidance to the Licencee in implementing practices to ensure that the environment is maintained in such a manner as to sustain a high quality of life, including social and economic development, recreation and leisure for present and future Manitobans.

- 1. The Licencee shall collect and dispose of all used oil products and other regulated hazardous wastes generated by the machinery used in the construction and operation of the Development in accordance with applicable Manitoba Conservation and legislation requirements.
- 2. The Licencee shall revegetate areas disturbed by the construction of the Development with a mixture of native or introduced grasses or legumes. These areas shall be revegetated as quickly as possible following construction to prevent soil erosion and the establishment of noxious weeds. Native species shall be used to revegetate areas where native species existed prior to construction.

\*\*A COPY OF THE LICENCE MUST BE KEPT ON SITE AT THE DEVELOPMENT AT ALL TIMES\*\*

Central Manitoba Resource Management Ltd. Licence No. 2803 Page 2 of 5

- 3. The Licencee shall:
  - (a) prepare "As Constructed" drawings for the Development and shall label the drawings "As Constructed"; and
  - (b) provide to the Director, within three months of the completion of construction of the Development, two sets of "As Constructed" drawings.

## SPECIFICATIONS, LIMITS, TERMS AND CONDITIONS

### **Project Scope**

4. The Licencee shall, unless otherwise approved by the Director in writing, construct the water diversion and management works and irrigate the lands as described on Figure 1, attached to this Licence. Proposed amendments to this project must be submitted to the Director for approval with an accompanying discussion of the nature and purpose of the amendments.

# Construction

- 5. The Licencee shall, not less than two weeks prior to beginning construction of the Development, provide notification to the Environment Officer responsible for the administration of this Licence of the intended starting date of construction and the name of the contractor responsible for the construction.
- 6. The Licencee shall establish any fuel storage areas required for the construction and operation of the Development:
  - (a) a minimum distance of 100 metres from any waterbody; and
  - (b) in compliance with the requirements of *Manitoba Regulation 188/2001*, or any future amendment thereof, respecting *Storage and Handling of Petroleum Products and Allied Products*.
- 7. The Licencee shall, during construction and operation of the Development:
  - (a) immediately report any reportable spills to Manitoba Conservation's Accident Reporting Line at (204) 944-4888; and
  - (b) provide a follow-up report to the Director on a reportable environmental accident outlining the cause(s) and proposing corrective action to prevent reoccurrence.
- 8. The Licencee shall not remove, destroy or disturb species listed as rare, endangered, or of special concern, or their habitats. These species are listed in *Manitoba Regulation 25/98*, or any future amendment thereof, respecting *Threatened, Endangered and Extirpated Species* and in the federal Species at Risk Act.

Central Manitoba Resource Management Ltd. Licence No. 2803 Page 3 of 5

- 9. The Licencee shall, during construction of the Development, take all appropriate measures to prevent erosion and the deposition of sediment into the Assiniboine River.
- 10. The Licencee shall not undertake instream construction activities in connection with the Development between April 1 and June 30 of any year.
- 11. The Licencee shall not undertake instream construction activities in connection with the Development during periods of high streamflow.
- 12. The Licencee shall, during construction of water intake works in connection with the Development, minimize the extent of clearing of riparian vegetation adjacent to the Assiniboine River.
- 13. The Licencee shall install buried pipelines on cultivated land or land in its natural state in accordance with the methodology illustrated in Figures 2 to 4, attached to this Licence. These procedures do not apply when a plough or a continuous trencher is used to install a pipeline.

# Operation - Matters Respecting Water Management and Water Quality Protection

- 14. The Licencee shall install and maintain instream water diversion works associated with the Development in accordance with the requirements of the Department of Fisheries and Oceans.
- 15. The Licencee shall screen the pump intakes associated with the Development in accordance with the Department of Fisheries and Oceans publication "Freshwater Intake End-of-Pipe Fish Screen Guideline" (March, 1995). Final screen designs shall be approved by the Department of Fisheries and Oceans prior to the operation of the Development.
- 16. The Licencee shall alter the screens on the pump intakes associated with the Development if future research indicates that different design criteria are appropriate with respect to water withdrawals prior to July 1 of any year.
- 17. The Licencee shall maintain a minimum instream flow below the diversion points of the Development on the Assiniboine River at all times while water is being diverted into the Development. The minimum instream flow at the diversion points shall be as determined by Manitoba Water Stewardship and in accordance with the provisions of a Water Rights Licence issued for the Development.
- 18. The Licencee shall immediately cease diverting water from the Assiniboine River or reduce the diversion rate if the minimum instream flow provided for in Clause 17 of this Licence is not equalled or exceeded.

Central Manitoba Resource Management Ltd. Licence No. 2803 Page 4 of 5

- 19. The Licencee shall limit the pumping rate at the water diversion points of the Development on the Assiniboine River to 153 litres per second or as specified in a Water Rights Licence issued for the Development by Manitoba Water Stewardship.
- 20. The Licencee shall, on a daily basis while irrigation is occurring from the Development, record volumes of water pumped, and durations of pumping. A report on this information shall be provided, by February 1 of the following year, to the Environment Officer responsible for the administration of this Licence and the Environmental Assessment and Licensing Branch. The report shall be provided in the format shown in Table 1, attached to this Licence.
- 21. The Licencee shall install backflow prevention devices and maintain them in operational condition at all times if fertilizer or crop protection products are applied through the irrigation systems of the Development.
- 22. The Licencee shall, if fertilizer or crop protection products are applied through the irrigation systems of the Development, not allow irrigation water containing these materials to be applied to or drain to surface water bodies.

# Operation - Matters Respecting Land Management and Soil Quality Protection

- 23. The Licencee shall not, with water diverted by the Development, irrigate any land parcel other than a land parcel identified in Figure 1 attached to this Licence.
- 24. The Licencee shall implement agronomic practices described in the following documents:
  - (a) Sections 3 and 4 of the report "Central Manitoba Resource Managment Ltd. Environmental Act Proposal Irrigation Projects 2000 Jeffrey Farms Irrigation Project" prepared by PFRA, November, 2000;
  - (b) Section 4 of the report "Jeffrey Brothers Land-Use and Agronomic Assessment Addendum" prepared by Tone Ag Consulting Ltd., December, 2005; and
  - (c) "Draft Best Management Practices Manual 1999" by the Central Manitoba Irrigators Association and Central Manitoba Resource Management Ltd., concerning general agronomic practices, or future versions thereof.
- 25. The Licencee shall manage phosphorus as well as nitrogen in all nutrient management plans developed pursuant to Clause 24 of this Licence.

#### **Monitoring**

- 26. The Licencee shall, upon the request of the Director:
  - (a) sample, monitor, analyze or investigate specific areas of concern regarding groundwater, surface water and soil for such duration and at such frequencies as may be specified;

Central Manitoba Resource Management Ltd. Licence No. 2803 Page 5 of 5

- (b) determine the environmental impact associated with the specific areas of concern; and
- (c) provide the Director, within such time as may be specified, with such reports, drawings, specifications, analytical data, descriptions of sampling and analytical procedures being used, and such other information as may from time to time be requested.
- 27. The Licencee shall, prior to the commencement of operation of the Development, meet with the Environment Officer responsible for the administration of this Licence and the contact person for the Environmental Assessment and Licensing Branch of Manitoba Conservation to review the monitoring and reporting requirements of this Licence.

# **REVIEW AND REVOCATION**


- A. If, in the opinion of the Director, the Licencee has exceeded or is exceeding or has or is failing to meet the specifications, limits, terms, or conditions set out in this Licence, the Director may, temporarily or permanently, revoke this Licence.
- B. If construction of the development has not commenced within three years of the date of this Licence, the Licence is revoked.
- C. If, in the opinion of the Director, new evidence warrants a change in the specifications, limits, terms or conditions of this Licence, the Director may require the filing of a new proposal pursuant to Section 11 of The Environment Act.

Tracey Braun, M. Sc.

Director


**Environment Act** 

**Client File: 4586.00** 







### I. TOPSOIL STRIPPED



### 2. TRENCH EXCAVATED




### 3. TRENCH BACKFILLED



4. TOPSOIL REPLACED


# SEQUENCE OF TOPSOIL HANDLING

Figure 2



COMPACTION OF BACKFILL

Figure 3



ROACHING THE TRENCH

Figure 4

Pursuant to Th	ater Use Repo	ort for 20	160-123 Ma	ntal Assessment & L ain Street IB R3C 1A5	icensing Branch	Man	itoba ¶	
	Report Type	PUMPING FROM	A STREAM, WEL	L OR RESERVOI	R [] <b>OR</b> FILLING	A RESERVOIR F	ROM A STREAM	
	Project Name		gation Project, Intal				COMPLETE ONE	"ANNUAL
Contact:	Name					ONE FOR FILLIN APPLICABLE) FO FORWARD THE I	G OF EACH RESE R EACH CALEND	ERVOIR IF DAR YEAR AND
	Address Phone No.					ENVIRONMENTA	L ASSESSMENT ABOVE ADDRES	& LICENSING SS <b>NOT LATER</b>
Licence Num	pers: Env. Act					ENVIRONMENT	ACT LICENCE	• · · · · · · · · · · · · · · · · · · ·
	Water Rights							
		Rese	ervoir	Pump (Wa	ter Source)			
	Location Capacity	dam	<sup>3</sup> [ ] or acre-feet [ ]		m³/s [] <b>or</b> cfs []			
Minimum								1
wimimum inst	ream flow (MIF):			m³/s		<u>.</u>		
	Monitor Location			111 /3		<u>.</u>		i
					!	1		) 1 1
					i di bumbilu la		1	
		AP	RIL		] or pumping ra	M	ΑΥ	
DAY OF MON	TH d/s Q (1)			Vol Pumped (3)	d/s Q (1)			Vol Pumped (
1 2	TH d/s Q (1)	AP	RIL			M	ΑΥ	Vol Pumped (
1	TH d/s Q (1)	AP	RIL			M	ΑΥ	Vol Pumped (
1 2 3 4 5	TH d/s Q (1)	AP	RIL			M	ΑΥ	Vol Pumped (
1 2 3 4	TH d/s Q (1)	AP	RIL			M	ΑΥ	Vol Pumped (
1 2 3 4 5 6	TH d/s Q (1)	AP	RIL			M	ΑΥ	Vol Pumped (
1 2 3 4 5 6 7 8 9	TH d/s Q (1)	AP	RIL			M	ΑΥ	Vol Pumped (
1 2 3 4 5 6 7 8	TH d/s Q (1)	AP	RIL			M	ΑΥ	Vol Pumped (
1 2 3 4 5 6 7 8 9 10 11 12 13	TH d/s Q (1)	AP	RIL			M	ΑΥ	Vol Pumped (
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	TH d/s Q (1)	AP	RIL			M	ΑΥ	Vol Pumped (
1 2 3 4 5 6 7 8 9 10 11 12 13 14	TH d/s Q (1)	AP	RIL			M	ΑΥ	Vol Pumped (
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	TH	AP	RIL			M	ΑΥ	Vol Pumped (
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	TH d/s Q (1)	AP	RIL			M	ΑΥ	Vol Pumped (
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	TH	AP	RIL			M	ΑΥ	Vol Pumped (
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	TH	AP	RIL			M	ΑΥ	Vol Pumped (
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24	TH	AP	RIL			M	ΑΥ	Vol Pumped (
1 2 3 4 5 6 7 8 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26	TH d/s Q (1)	AP	RIL			M	ΑΥ	Vol Pumped (
1 2 3 4 5 6 7 8 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25	TH d/s Q (1)	AP	RIL			M	ΑΥ	Vol Pumped (
1 2 3 4 5 6 7 8 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29	TH d/s Q (1)	AP	RIL			M	ΑΥ	Vol Pumped (
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28	TH	AP	RIL			M	ΑΥ	Vol Pumped (

DAY OF MONTH	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1								
22					<b>-</b>		-	
3								
5								
6		-						
7								
8								
9 10								
10								
11								
12 13				·		-		
14								
15								
16								
17								
14 15 16 17 18								
19								
20		<u>.</u> :						
20 21 22								
23								
24								
24 25 26 27 28			-					
26								
27								
28								
29 30								
31								
TOTAL				1.		Manager and the second second second second		
	Design to a first angular and a second a second and a second a second and a second	e for the control of	:	:	Zarak da Shiri da kaza da karakar ing karakar karakar 1985 da Sasar	The Property of the Control of the C		
DAY OF MONTH			SUST	7			MBER	,
DAY OF MONTH	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1 2	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1 2 3 4 5	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1 2 3 4 5	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1 2 3 4 5 6	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1 2 3 4 5 6 7 8	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1 2 3 4 5 6 7 8	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1 2 3 4 5 6 7 8 9	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1 2 3 4 5 6 7 8 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1 2 3 4 5 6 7 8 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29	d/s Q (1)	Elevation (2)				Elevation (2)	Hours Pumped	Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	d/s Q (1)	Elevation (2)		ME PUMPED FO		Elevation (2)	Hours Pumped	Vol Pumped (3)

....

	ater Use Repo	ort for 20	Environme 160-123 M	Conservation ntal Assessment & L ain Street MB R3C 1A5	icensing Branch	Man	itoba ¶	
	Report Type	DI MADING EDOM	A CYDE AM MEL			A DECEDIOID E	DOM A CTREAM I	
		PUMPING FROM	A STREAM, WEL	L OR RESERVOIR	R OR FILLING	A RESERVOIR F	ROMASTREAM	
	Project Name	Jeffrey Farms Irrig	ation Project, Inta	ke 2		LICENSEE MUST	ORT" FOR EACH	PUMP (AND
Contact:	Name					ONE FOR FILLING APPLICABLE) FO		
	Address					FORWARD THE I		& LICENSING
	Phone No.		<u> </u>			BRANCH AT THE		
Licence Numb	pers:					ENVIRONMENT		
	Env. Act			<u> </u>				
	Water Rights							
	Lasakian	Rese	ervoir	Pump (Wa	ter Source)		·   =- 	
	Location	dam	<sup>3</sup> [_] <b>or</b> acre-feet [_]		m³/s [_] or cfs [_]			
Minimum instr	eam flow (MIF):	<u> </u>				<u>.</u>		
Willimitally illight	MIF			m³/s				
	Monitor Location							
	DTES	!			:	·		
	<ol> <li>d/s Q - Flo</li> <li>Elevation</li> </ol>	ow measured at dov - reservoir elevation umped - as measur	n (Geodetic - metre red by change in re	es)		te x time pumped [		
DAY OF MONT	TH d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	AY Hours Pumped	Vol Pumped (3
1								
3								
5								
6								
8								
9 10								
11 12					<u>.</u>			·
13 14								
15								
16 17								
18 19		-						
20								
21 22								
23 24							,	
25 26								
27								
28 29								
30 31					I			
					· 1	1	1	

DAY OF MONTH	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
2								
3								
4								
5								
6 7								
8								
9								
10	ver een o							
11 12 13						-		
13								
14								
14 15 16								
16						'		
17								
18 19				+ +				
20						-		
20 21 22 23								
22								
24								
25								
24 25 26 27								
27 28								
29								
29 30								
31						77.5		
TOTAL		24 - 127 - Arek - Gregoria de Selection de la			k e baden de l'or l'announce bade de l'announce de l'announce de l'announce de l'announce de l'announce de l'a			
		AUG	UST			SEPTE	MBER	
DAY OF MONTH	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)
1	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)			Vol Pumped (3)
	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)			Vol Pumped (3)
1 2	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)			Vol Pumped (3)
1 2 3 4 5	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)			Vol Pumped (3)
1 2 3 4	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)			Vol Pumped (3)
1 2 3 4 5	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)			Vol Pumped (3)
1 2 3 4 5 6 7 8	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)			Vol Pumped (3)
1 2 3 4 5 6 7 8 9	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)			Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)			Vol Pumped (3)
1 2 3 4 5 6 7 8 9	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)			Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)			Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)			Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)			Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)			Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)			Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)			Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)			Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)			Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)			Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)			Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)			Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)			Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)			Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)			Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	d/s Q (1)	Elevation (2)	Hours Pumped	Vol Pumped (3)	d/s Q (1)			Vol Pumped (3)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30	d/s Q (1)	Elevation (2)		Vol Pumped (3)				Vol Pumped (3)