Environment Act Licence Manitoba Environment and Workplace Safety and Health



Licence No.	1292
Issue Date	AUGUST 2, 1989

In accordance with the Manitoba Environment Act (C.C.S.M. c. E125) THIS LICENCE IS ISSUED TO:

## CUSTOM ASPHALT PAVING - A DIVISION OF COJEF LTD.; APPLICANT

The following limits terms and conditions shall be complied with in connection with the operation of an asphalt batch plant at or near 525 Stevens Avenue in the City of Portage la Prairie, Manitoba:

- The Applicant shall not cause or permit the emission of particulate matter from any point of emission of the operation in excess of 0.23 grams per dry standard cubic metre calculated at 25 degrees Celsius and 760 millimetres of mercury, corrected to 12 percent carbon dioxide for processes involving combustion.
- 2. The Applicant shall not cause or permit visible emissions from any point of emission of the operation that exhibit an opacity equal to or greater than:
  - a) 20 percent for more than 4 minutes in the aggregate in any one hour;
  - b) 40 percent at any time.
- 3. The Applicant shall limit the emission of particulate matter from the operation to such an extent that airborne particulate matter from any part or process of the operation does not at any time exhibit an opacity in excess of 5% past the property line of the operation.

..../2

MG-15492

CUSTOM ASPHALT PAVING - Page 2 -

- 4. The Applicant shall not cause or permit the emission of sound from any part of the operation which, when measured in accordance with Clause 6, in a residential area, exceeds the following hourly equivalent continuous sound level limits:
  - a) subject to b)
    - (i) 60 dBA during the daytime hours of 7:00 a.m. to 10:00 p.m., local time;
    - (ii) 50 dBA during the nighttime hours of 10:00 p.m. to 7:00 a.m., local time;
  - b) when subjective evaluation or measurements indicate the intermittent or continuous noise has a significant impulsive character or predominant discrete tone
    - (i) 55 dBA during the daytime hours of 7:00 a.m. to 10:00 p.m., local time;
    - (ii) 45 dBA during the nighttime hours of 10:00 p.m. to 7:00 a.m., local time;
- 5. The Applicant shall not cause or permit the emission of sound from any part of the operation which, when measured in accordance with Clause 6, in an industrial area or commercial area, is in excess of an  $L_{eq}(1)$  of 70 dBA.
- 6. Noise level determinations, pursuant to Clauses 4 and 5 shall be based on measurements made as follows:
  - a) beyond the property line of Custom Asphalt Paving a division of Cojef - Ltd.;
  - b) excluding any significant interfering sounds from other sources;
  - c) in terms of the equivalent continuous sound level averaged over a l-hour period (60 minutes), using a sound level monitoring device which equals or surpasses the requirements of Canadian Standards Association Standard Z 107.1 - 1973 (or the equivalent) for Type 2 sound level meters, operated on the "A-weighting network" and "slow" meter response.

..../3

CUSTOM ASPHALT PAVING - Page 3 -

- 7. The Applicant shall maintain at all times a high standard of equipment maintenance and good housekeeping practices consistent with meeting the requirements of this Licence.
- 8. The Applicant shall at the request of the Director:
  - a) conduct emission testing for the emissions referred to in Clause 1 and 4 of this Licence within 60 days of the Director's request in a manner satisfactory to the Director; and,
  - b) submit a report containing the emission testing data and all other related data to the Director within 90 days after completion of the emission testing.
- 9. Environment Act Licence No. 1180 is hereby rescinded.

C.B. Orcutt Director Environmental Control Services

File: 2813.10