

Conservation

Environmental Stewardship Division
Environmental Assessment and Licensing Branch
123 Main Street, Suite 160, Winnipeg, Manitoba R3C 1A5
T 204 945-7100 F 204 945-5229
www.gov.mb.ca/conservation/eal

FAXED

CLIENT FILE NO.: 5459.00

Joanne Gugin Stericycle Inc. 10905 - 48th Street SE Unit 124 Calgary AB T2C 1G8 May 19, 2010

Dear Ms. Gugin:

Enclosed is **Dangerous Goods Handling and Transports on Act I tence No. 252 HW** dated May 19, 2010 issued in accordance with The Dangerous ods Radling and Transportation Act to **Stericycle Inc.**, for the operation of a Medical Waste Transfer Facility (the cility) located at Units 7 and 8, 2310 Logan Avenue, in the City of Winnipeg, Manika parda, with the Application filed under the Dangerous Goods Handling and Transportation Act of October 24, 1990 and the additional information received on January 11, 2010.

In addition to the enclosed revise Licence requirements, please be informed that all other applicable federal, provincial and municipal regula ons and by-laws must be complied with.

For further information on the Uninistratical and application of the Licence, please feel free to contact Adrian Jackson, Environment Offic. 1945-7108.

Yours truly,

Tracey Braun, M.Sc.

Director

Dangerous Goods Handling

Janey Braun

& Transportation Act

Enc.

c: D. Laboss re, Director, Regional Operations

Public registries

NOTE: Confirmation of Receipt of this Licence No. 252 HW R (by the Licencee only) is required by the Director of Environmental Assessment & Licensing Branch. Please acknowledge receipt by signing in the space provided below and faxing a copy (cover letter only) back to the Department by June 3, 2010.

On behalf of Stericycle Inc.

Date

THE DANGEROUS GOODS HANDLING and TRANSPORTATION ACT LOI SUR LA MANUTENTION ET LE TRANSPORT DES MARCHANDISES DANGEREUSES



LICENCE

Licence No./Licence n°	252 HW
Issue Date/Date de délivrance :	May 19 2010

In accordance with The Dangerous Goods Handling and Transportation Ar. (C.C.S.M. DV).

Conformément à la Loi sur la manutention et le transport des marchandies dans reuses ...P.L.M. c. D12)

THIS LICENCE IS ISSUED TO:/CETTE LICENCE EST DONNÉE

STERICYCLE INC. "the Lice cee"

for the operation of a Medical Waste Transfer Facility (the factory) local at Units 7 and 8, 2310 Logan Avenue, in the City of Winnipeg, Manitoba in accordance to Application filed under the Dangerous Goods Handling and Transportation Act on October 24, 1990 and the additional information received on January 11, 2010 and subject to the following specifications, waits, terms and conditions:

DEFINITIONS

In this Licence,

"accredited laboratory" mean an adjutic facility accredited by the Standard Council of Canada (SCC), or accredited by another accrediting agency recognized by Manitoba Conservation to be equivalent to the SCC, or be able to demonstrate upon request that the quality assurance/quality control (QA/QC) procedures in place equivalent to a reditation based on the international standard ISO/IEC 17025, or otherwise approved by the Director;

- "contaminant" means any state, liquid, gas, waste, radiation or any combination thereof that is foreign to or in excess of the nature of the environment and:
 - a) that are sthe natural, physical, chemical or biological quality of the environment; or
 - b) that is or likely to be injurious or damaging to the health or safety of a person;
- "Director" means an employee of the department who has been designated or appointed by the Minister;
- "licensed carrier" means a person who has a valid licence to transport hazardous waste pursuant to Manitoba Regulation 175/87 under The Dangerous Goods Handling and Transportation Act (C.C.S.M. c. D12);

"medical waste" means the materials listed in Schedule A of this licence;

AND RECOGNICATED BY THE RESIDENCE OF THE

Stericycle Inc. - Medical Waste Transfer Facility

Licence No. 252 HW

Page 2 of 4

"permanently closed" means that the facility has not been operated for a period of 6 months or more; and

"registered generator" means a person who is registered as a hazardous waste generator pursuant to Manitoba Regulation 175/87 under The Dangerous Goods Handling and Transportation Act (C.C.S.M. c. D12).

GENERAL TERMS AND CONDITIONS

This Section of the Licence contains requirements intended to provide guidally to the I bencee in implementing practices to ensure that the environment is maintained in such amanner to surain a high quality of life, including social and economic development, recreation are leisure for plant and future Manitobans.

- 1. The Licencee shall implement a high standard of equipment tanne need dood housekeeping and operational practices with respect to the facility, at all times.
- 2. The Licencee shall, upon the request of the Director and in addition to any of the specifications, limits, terms or conditions specified in this Licence:
 - a) sample, monitor, analyze and/or investigat specific as as of concern regarding any segment, component or aspect of contaminant storage, contamined attention, handling, disposal or emission systems, for such contaminants or ambient quarty, aquatic toxicity, leachate characteristics and discharge or emission rates, for such duration, d at such frequencies as may be specified;
 - b) determine the environmental import associated with the release of any contaminants from the said facility; or
 - c) provide the Director, within such time as may be specified, with such reports, drawings, specifications, analytical data, description of sandling and alalytical procedures being used, bioassay data, flow rate measurements and such other informations may from time to time be requested.
- 3. The Licencee shall, yeless the wise specified in this Licence:
 - a) carry out all scapling of, and procervation and analyses on, water, soil or air samples in accordance with method logies a proved in writing by the Director;
 - b) use an accret ed boratory for all analytical determinations; and
 - c) report to result to the farector within 60 days of the samples being taken, or within another time france, as specified with Director.
- 4. The Day e shan provide to the Director, upon request, all information required under this Licence, in writing a pin such form and content (including number of copies), as may be specified by the Director.

SPECIFICATIONS, LIMITS, TERMS AND CONDITIONS

- 5. The Licencee shall, whenever transferring securely packaged medical waste to the facility, place it in a refrigerated trailer which is locked and enclosed in the facility building.
- 6. The Licencee shall store medical waste only temporarily at the facility with a maximum on-site storage not exceeding 30 days duration.

Stericycle Inc. – Medical Waste Transfer Facility Licence No. 252 HW Page 3 of 4

- 7. The Licencee shall only collect and transfer to the facility for storage those types of medical wastes listed in Schedule A of this Licence.
- 8. The Licencee shall provide training for all persons who will be assigned duties at the facility in:
 - a) Transportation of Dangerous Goods Regulations;
 - b) procedures pertaining to the operation of the facility;
 - c) appropriate personal health and safety procedures; and
 - d) procedures pertaining to spill clean up at the facility.
- 9. The Licencee shall only pick up medical wastes from registered generators who are mined wit respect to sound practices for identifying, segregating, labelling, storing, transporting and disposite of medical wastes.
- 10. The Licencee shall only accept medical wastes that are packaged in igid to k free containers and liquid medical wastes that are sealed in watertight containers.
- 11. The Licencee shall only accept pathological wastes and onima carcasses hat are sealed in 3 mil plastic bags.
- 12. The Licencee shall only accept sharps that we have been sectly into approved impervious rigid, puncture resistant containers.
- 13. The Licencee shall screen all medical lastes pour to ollection and uncovered containers, leaking containers and containers with waste laterial protruct. from them are not to be collected.
- 14. The Licencee shall not accept wastes wing a possive reading on a Geiger counter.
- 15. The Licencee shall secure attach to a collected containers of waste an identification label indicating the numerical code for the containers.
- 16. The Licencee sharponly accept that has a manifest completed so that the location, time and date of collection are is attified
- 17. The Lies see hall the sport of licensed carriers all hazardous wastes being shipped to the facility.
- 18. The scence consequences by licensed carriers all hazardous wastes being shipped from the facility directly receivers approved in the jurisdiction where the receiver is located.
- 19. The Licence shall inspect all storage trailers daily to determine that they are secure and that no waste containers are damaged or leaking.
- 20. The Licencee shall at no time store any waste materials outside the refrigerated trailer.
- 21. The Licencee shall submit to the Director for approval, within 30 days of the date of this Licence, a contingency plan, in accordance with the Manitoba Industrial Accidents Council (MIAC) *Industrial Emergency Response Planning Guide*, outlining procedures to be used in the event of a leak, spill, fire, or other hazardous condition at the facility.

Stericycle Inc. - Medical Waste Transfer Facility

Licence No. 252 HW

Page 4 of 4

- 22. The Licencee shall, within 30 days of receipt of this Licence, post a Performance Bond, or an irrevocable letter of credit, or other security with the Manitoba Department of the Conservation to the satisfaction of the Director in the amount of \$20,000.00, and the financial assurance shall remain in place at all times during the operation of the facility. The Director may order forfeiture of the financial assurance either in whole or in part by giving written notice to that effect to the person liable on the documents, upon the Director being satisfied that the facility is in breach of any of the terms of this Licence.
- 23. The Licencee shall, in the event that the facility is to be permanently closed as medical wate transfer facility, or is offered for sale, conduct an investigation, to the satisfaction of the frector, to it entify any contamination that may have resulted from the operation of the facility.
- 24. The Licencee shall, where the investigation referred to in Clause 23 of his Licence shows that contamination of the environment has occurred, submit a remediation proposal to the Director and, upon approval of this proposal by the Director, the required remediation is the best side of the byte Licencee.

REVIEW AND REVECATE N

- A. This Licence replaces Licence No. 7 HW RR which is hereby scind. ..
- B. If, in the opinion of the Director, the Licence has exceeded or is exceeding or has failed or is failing to meet the specifications, limits, terms, or conditions set by in this Licence, the Director may, temporarily or permanently, revoke this Licence.
- C. If, in the opinion of the Director, now evidence arrants a change in the specifications, limits, terms or conditions of this Licence, the Director may equire the filing of a new proposal pursuant to The Dangerous Goods Handling and Transportion et.

Tracey Braun, M. Sc.

Director

Dangerous Goods Handling

& Transportation Act

Client File No.: 5459.00

Consignor Registration No. MB G 07469 Consignee Registration No. MB R 07471

SCHEDULE A

The types of medical wastes that Stericycle Inc. will manage shall be limited to the materials defined below:

- * Surgical waste, including materials discarded from surgical procedures or autopsies (such as disposable gowns, dressings, sponges, casts, lavage tubes, drainage sets, underpads, and surgical gloves)
- * Pathological waste, including human tissues and anatomical parts from surgery, objectrical produces, and autopsy and laboratory activities, exclusive of formaldehyde and other preservative at the surgery.
- * Biological waste, including excretions, exudates, secretions, suctionings, an other body it discharged to a municipal sewer system
- * Isolation wastes, including waste generated from the care or treatment of path t in any type of isolation or precaution except reverse (protective) isolation
- * Solid and liquid wastes from renal dialysis activities
- * Expired and unused serums, vaccines, and other spent pharmace. cals
- * Laboratory waste that has come in contact with a tential pathogenic organisms, including such materials as culture dishes; devices used to transfer, inoculate, and in cultures; or paper and cloth that has come in contact with specimens or cultures
- * Animal carcasses exposed to pathogens in research, eir bedding, and other wastes from such animals
- * Sharps, i.e., all potentially in ethous arther could puncture or cut, including such items as needles, intravenous tubing with needles attacked scalpel blades, broken glass, and syringes that may have come in contact with infectious agent along use a patient care or in research or have been removed from original sterile containers
- * Trace contaminate chere, therapy waste, i.e. nonhazardous, non-radioactive disposable materials that have come in contact with a totoxic atineoplastic agents during the preparation, handling, or administration of such agents, inc. ding a terit is such as masks, gloves, gowns, empty intravenous tubing, vials, syringes, and other contaminated materials.