

**Webb, Bruce (CWS)**

---

**To:** Steele, Tania (CWS)  
**Subject:** Village of Waskada - Wastewater Treatment Lagoon File: 124.10

The attached information can be placed in the public registries for the above project:

**Additional Information:** No additional information was required for the project.

**Public Comments on the Environment Act Proposal:** No public comments were received.

**Technical Advisory Committee Comments on the Environment Act Proposal:** (12 pages)

Manitoba Conservation and Water Stewardship – Environmental Programs and Strategies Branch, Air Quality Section, October 24, 2014

Manitoba Conservation and Water Stewardship – Lands Branch, October 21, 2014

Manitoba Conservation and Water Stewardship – Lands Branch, Western Region, September 24, 2014

Manitoba Conservation and Water Stewardship – Parks and Protected Spaces Branch, October 14, 2014

Manitoba Conservation and Water Stewardship – Water Science and Management Branch, Water Quality Management Section, October 14, 2014

Manitoba Conservation and Water Stewardship – Office of Drinking Water, October 28, 2014

Manitoba Conservation and Water Stewardship – Water Use Licensing Section, September 24, 2014

Manitoba Conservation and Water Stewardship – Water Control Works and Drainage Licensing Section, September 25, 2014

Manitoba Infrastructure and Transportation – Highway Planning and Design Branch, Environmental Services Section, October 3, 2014

Manitoba Municipal Government – Community and Regional Planning Branch, October 23, 2014

Manitoba Agriculture, Food and Rural Development – Crops Branch, October 24, 2014

Office of the Fires Commissioner, September 26, 2014

Bruce.

DATE: 24 October, 2014

TO: Bruce Webb *BW*  
Environmental Approvals  
Conservation and Water  
Stewardship  
160-123 Main Street, Winnipeg

FROM: Muntaseer Ibn Azkar  
Air Quality-Environmental Programs  
& Strategies  
Conservation and Water Stewardship  
1007 Century Street, Winnipeg

**SUBJECT: Village of Waskada Waste Water Treatment Lagoon (File 124.10)**

Air Quality Section has reviewed the above proposal and provides the following comments:

- The proposal is not expected to have a significant impact on air quality.
- The odour clause is suggested to be included in the License.

**Webb, Bruce (CWS)**

---

**From:** Frias, Winifred (CWS)  
**Sent:** October-21-14 2:52 PM BW  
**To:** Webb, Bruce (CWS)  
**Subject:** Request for review/comment - EAP Waskada Lagoon File: 124.10 Due Date October 24, 2014

Hello Bruce,

Good afternoon

The Lands Branch has no concerns as there are no Crown lands impacted by the proposal.

Thank you for the opportunity to review.

Kind regards

**Winifred Frias**

Crown Land Programs Administrator  
Lands Branch  
Manitoba Conservation and Water Stewardship  
200 Saulteaux Crescent, Box 25  
Winnipeg, Manitoba R3J 3W3 CANADA  
Phone: (204) 945-4524  
Facsimile: (204) 948-2197

**Webb, Bruce (CWS)**

---

**Subject:** FW: Request for review/comment - EAP Waskada Lagoon File: 124.10

---

**From:** Misanchuk, Lorne (CWS)

**Sent:** September-24-14 11:58 AM

**To:** Webb, Bruce (CWS)

**Subject:** Re: Request for review/comment - EAP Waskada Lagoon File: 124.10

No concerns with the proposed development.

Sent from my BlackBerry 10 smartphone.

**Webb, Bruce (CWS)**

---

**Subject:** FW: Request for review/comment - EAP Waskada Lagoon File: 124.10

---

**From:** Kelly, Jason (CWS)  
**Sent:** October-14-14 11:52 AM *BW*  
**To:** Webb, Bruce (CWS)  
**Subject:** RE: Request for review/comment - EAP Waskada Lagoon File: 124.10

Parks and Protected Spaces Branch has reviewed the proposals filed pursuant to the *Environment Act* for Request for review/comment - EAP Waskada Lagoon File: 124.10. The Branch has no comments or concerns to offer as it does not affect any provincial parks, park reserves, ecological reserves, areas of special interest, or proposed protected areas.

Jason Kelly, M.N.R.M.  
Ecological Reserves and Protected Areas Specialist  
Parks and Protected Spaces Branch  
Conservation and Water Stewardship  
Box 53, 200 Saulteaux Cres  
Winnipeg, MB R3J 3W3

Phone: 204-945-4148  
Cell:  
Fax: 204-945-0012

Email: [Jason.Kelly@gov.mb.ca](mailto:Jason.Kelly@gov.mb.ca)



DATE: October 14, 2014

## Memorandum

TO: Bruce Webb <sup>BW</sup>  
Environmental Approvals Branch  
160-123 Main Street, Winnipeg,  
MB  
R3C 1A5

FROM: Joy Kennedy  
Water Quality Management Section  
Water Science and Management Branch  
160-123 Main Street, Winnipeg, MB  
R3C 1A5

Cc David Hay

TELEPHONE: 945-7908  
FACSIMILE: 948-2357  
EMAIL: joy.kennedy@gov.mb.ca

**SUBJECT: ENVIRONMENT ACT PROPOSAL FILE: 124.10 VILLAGE OF  
WASKADA WASTEWATER TREATMENT LAGOON**

---

- The Proponent has proposed additional monitoring for ammonia and phosphorus for a two (2) year period to determine if additional mitigation measures are needed to reduce the effects of the discharge. The Water Quality Management Section recommends that during the discharge period the monitoring program include daily grab samples for ammonia, pH, temperature (field) and total phosphorus of the effluent discharge, Waskada Creek upstream of the mixing zone in, and Waskada Creek downstream of the mixing zone. The Water Quality Management Section would like the opportunity to review the monitoring program.
- The Water Quality Management Section is concerned with any discharges that have the potential to impact the aquatic environment and/or restrict present and future uses of the water. Therefore it is recommended that the license require the proponent to actively participate in any future watershed based management study, plan/or nutrient reduction program, approved by the Director.

Joy Kennedy

## **Webb, Bruce (CWS)**

---

**From:** Stibbard, James (CWS)  
**Sent:** October-28-14 3:12 PM BW  
**To:** Webb, Bruce (CWS)  
**Subject:** Re: 124.10 Waskada Lagoon EAP

Bruce,

I reviewed the above noted EAP and found no cause for concern with it from Office of Drinking Water. I realise this is a bit late, but, as noted in previous messages, I have been away from the office for some time. However, since it was only two days late, I thought I would review it and send it anyway.

My apologies for any inconvenience. As noted, no concerns from ODW.

Regards,

**James Stibbard P. Eng.**

Approvals Engineer

Office of Drinking Water

1007 Century Street

Winnipeg MB R3H 0W4

phone: (204) 945-5949

fax: (204) 945-1365

email: [James.Stibbard@gov.mb.ca](mailto:James.Stibbard@gov.mb.ca)

website: [www.manitoba.ca/drinkingwater](http://www.manitoba.ca/drinkingwater)

**Confidentiality Notice:** This message, including any attachments, is confidential and may also be privileged and all rights to privilege are expressly claimed and not waived. Any use, dissemination, distribution, copying or disclosure of this message, or any attachments, in whole or in part, by anyone other than the intended recipient, is strictly prohibited.

**Webb, Bruce (CWS)**

---

**Subject:** FW: Request for review/comment - EAP Waskada Lagoon File: 124.10

---

**From:** Matthews, Rob (CWS)

**Sent:** September-24-14 11:58 AM *BW*

**To:** Webb, Bruce (CWS)

**Subject:** RE: Request for review/comment - EAP Waskada Lagoon File: 124.10

No concerns.

Rob Matthews, WULS, CWS.

**Webb, Bruce (CWS)**

---

**From:** Roberts, Dan (CWS)  
**Sent:** September-25-14 9:21 AM *BW*  
**To:** Webb, Bruce (CWS)  
**Subject:** Request for review/comment - EAP Waskada Lagoon File: 124.10

Any water control works (drains, culverts, dykes, dams, etc.) associated with this project will require licensing under the *Water Rights Act* – an application is attached for the proponent's convenience. Any inquiries in this regard may be directed to the local *Water Resource Officer*. Their contact information may be found at:

[http://www.gov.mb.ca/conservation/waterstewardship/licensing/pdf/areas\\_of\\_focus\\_jan\\_23\\_12.pdf](http://www.gov.mb.ca/conservation/waterstewardship/licensing/pdf/areas_of_focus_jan_23_12.pdf)

Sincerely,

**Dan Roberts**  
Water Resource Officer  
Water Control Works and Drainage Licensing Section  
Conservation and Water Stewardship  
Box 6000, Building #1180, 75 - 7th Avenue,  
Gimli, MB R0C 1B0  
Cell: (204) 281-2122

# Manitoba



Infrastructure and Transportation  
Highway Planning and Design Branch  
Environmental Services Section  
1420 - 215 Garry St., Winnipeg, MB R3C 3P3  
T (204) 819-4359 F (204) 945-0593

October 3, 2014

Tracey Braun, M. Sc. *BW*  
Director, Environmental Approvals Branch  
Manitoba Conservation and Water Stewardship  
123 Main St., Suite 160  
Winnipeg, MB R3C 1A5

RE: Village of Waskada - WWTL  
Client File No. 124.10

Dear Ms. Braun:

MIT has reviewed the proposal under the Environment Act noted above and we would like to remind the Proponent that, under *The Highways and Transportation Act*, permits are required from MIT for:

- o any new, modified or relocated access to a Provincial Road or Access Road;
- o any structures (including advertising signs, wells, septic fields, etc.) on, under or above the ground within the 38.1 meter (125 ft) Controlled Area adjacent to Provincial Roads;
- o discharging of water or other liquid materials into a ditch of a Limited Access Highway, Provincial Road or Access Road; or
- o placing any trees or plantings within 15.2 metres (50 feet) of the edge of right-of-way of a Limited Access Highway, Provincial Road or Access Road.

For information on permit application, please contact Ashley Beck at (204) 726-7000 or at [Ashley.Beck@gov.mb.ca](mailto:Ashley.Beck@gov.mb.ca).

Thank you very much for providing us the opportunity to review the proposal.

Sincerely,

*C. Churchward for*

Ryan Coulter, M. Sc., P. Eng.  
Manager of Environmental Services

**Manitoba**  
spirited energy

**Webb, Bruce (CWS)**

---

**Subject:** FW: Request for review/comment - EAP Waskada Lagoon File: 124.10

---

**From:** Sumner, Kevan (MMG)  
**Sent:** October-23-14 3:16 PM BW  
**To:** Webb, Bruce (CWS)  
**Subject:** FW: Request for review/comment - EAP Waskada Lagoon File: 124.10

I have reviewed EAP Waskada Lagoon File 124.10 on behalf of the Community and Regional Planning Branch of Manitoba Municipal Government. As no change or expansion in use is being proposed, we have no concerns.

If any structures are being proposed as part of the truck dumping facility, we advise that the applicant should contact the RM of Waskada regarding any permits that may be required.

Kevan Sumner

**Kevan W. Sumner**  
Regional Manager  
Community and Regional Planning - Brandon Regional Office  
Ph: (204) 726-6271  
Email: [kevan.sumner@gov.mb.ca](mailto:kevan.sumner@gov.mb.ca)

**Webb, Bruce (CWS)**

---

**Subject:** FW: Request for review/comment - EAP Waskada Lagoon File: 124.10

---

**From:** Wilson, Brian (MAFRD)  
**Sent:** October-24-14 10:13 AM *BW*  
**To:** Webb, Bruce (CWS)  
**Subject:** RE: Request for review/comment - EAP Waskada Lagoon File: 124.10

No comment.

Brian Wilson  
[Brian.Wilson@gov.mb.ca](mailto:Brian.Wilson@gov.mb.ca)  
Soils Suitability Specialist  
Crops Branch  
Manitoba Agriculture, Food and Rural Development  
Box 1149 #65 - 3rd Avenue NE  
Carman, Manitoba R0G 0J0  
(204) 750-3180  
FAX (204) 745-5690

**Webb, Bruce (CWS)**

---

**Subject:** FW: Request for review/comment - EAP Waskada Lagoon File: 124.10

---

**From:** Kubish, Cheryl (OFC)

**Sent:** September-26-14 9:06 AM

**To:** Webb, Bruce (CWS)

**Subject:** RE: Request for review/comment - EAP Waskada Lagoon File: 124.10

The Office of the Fire Commissioner has no concerns or comments.

Cheryl Kubish  
Administrative Assistant  
Office of the Fire Commissioner  
508-401 York Avenue  
Winnipeg MB R3C 0P8  
Phone: 945-3328  
Fax: 948-2089

E-Mail address: [Cheryl.Kubish@gov.mb.ca](mailto:Cheryl.Kubish@gov.mb.ca)