



DATE: January 6, 2015

TO: Tania Steele

FROM: Bereket Assefa, Ph.D., P.Eng.  
Environmental Engineer  
Municipal and Industrial Section  
160 - 123 Main Street  
Winnipeg, MB R3C 1A5  
Ph: 204-945-5081

SUBJECT: **Frontier School Division - Jack River School WWTP Replacement – Information for Public Registries**

Tania,

Please find the attached TAC correspondence related to Frontier School Division – Jack River School Wastewater Treatment Plant Replacement proposal file (263.10) for distribution to the public registries. The documents included are:

- July 16, 2014 email from Adara Kaita, 1 page
- July 15, 2014 email from Rommel Molod, 2 pages
- July 8, 2014 memo from Muntaseer Ibn Azkar, 1 page
- July 15, 2014 email from James Stibbard, 1 page
- July 8, 2014 email from David Hastman, 2 pages
- July 8, 2014 email from Cheryl Kubish, 2 pages
- July 2, 2014 email from Grace Ruth S. Quintana, 1 page
- July 2, 2014 letter from Ryan Coulter, 1 page
- June 18, 2014 email from Dan Roberts, 1 page
- June 18, 2014 email from Don Labossiere, 2 page
- June 18, 2014 email from Cheryl Kubish, 2 page
- June 17, 2014 email from Brian Wilson, 1 page
- June 17, 2014 email from Rob Matthews, 2 pages

19 pages total

A two-page “Response to Information Request” is also attached for distribution to the public registries. The item posted on the online registry on August 7, 2014 as “TAC Comments” should be renamed “Additional Information Requested”.

In addition, the “Advertisement” and “Acknowledgement Letter” postings are shown as posted on June 11, 2014 whereas the actual advertisement and acknowledgement letter are dated June 17, 2014. The posting date should be updated to reflect a date on or after June 17, 2014.

Thank you.

---

Bereket Assefa, Ph.D., P. Eng.

## **Chowdhury, Rafiqul (CWS)**

---

**From:** Kaita, Adara (CWS) on behalf of +WPG1212 - Conservation\_Circulars (CWS)  
**Sent:** July-16-14 12:40 PM  
**To:** Chowdhury, Rafiqul (CWS)  
**Cc:** Sobkowich, Dale (CWS)  
**Subject:** EA Proposal - EAP -Jack River S.D. Wastewater Treatment Plant - File: 263.10

Hello Rafiqul,

The Lands Branch has no concerns with the proposal.

Thank you for the opportunity to review.

**Adara Kaita**

Crown Land Programs and Policy Manager  
Lands Branch | Conservation and Water Stewardship  
Box 25, 200 Saulteaux Crescent | Winnipeg, MB R3J 3W3  
Cell: (204) 945-6301 | F: (204) 948-2197



## **Chowdhury, Rafiqul (CWS)**

---

**From:** Molod, Rommel (CWS)  
**Sent:** July-15-14 2:38 PM  
**To:** Chowdhury, Rafiqul (CWS)  
**Cc:** Streich, Laurie (CWS); Ibn Azkar, Muntaseer (CWS)  
**Subject:** FW: Request for review/comment - EAP -Jack River S.D. Wastewater Treatment Plant File: 263.10  
**Attachments:** Frontier School Division-Jack River School WWTP (File. 263.10 ).docx

Rafiqul, Air Quality has reviewed the proposal and provides the attached comment.

Thanks,  
Rommel

---

**From:** Ibn Azkar, Muntaseer (CWS)  
**Sent:** July-08-14 9:19 AM  
**To:** Molod, Rommel (CWS)  
**Subject:** RE: Request for review/comment - EAP -Jack River S.D. Wastewater Treatment Plant File: 263.10

Attached is the comment on the above proposal.

Thank you,  
Muntaseer

---

**From:** Molod, Rommel (CWS)  
**Sent:** June-18-14 12:41 PM  
**To:** Ibn Azkar, Muntaseer (CWS)  
**Subject:** FW: Request for review/comment - EAP -Jack River S.D. Wastewater Treatment Plant File: 263.10

For your review and comments.

Thanks,  
Rommel

---

**From:** Steele, Tania (CWS)  
**Sent:** June-17-14 1:50 PM  
**To:** Wilson, Brian (MAFRD); Kaita, Adara (CWS); Labossiere, Don (CWS); Molod, Rommel (CWS); Streich, Laurie (CWS); Firlotte, Nicole (CWS); Boissonneault, Caroline (CWS); Kelly, Jason (CWS); Keenan, Phil (CWS); Missyabit, Ron (CWS); Page, Elaine (CWS); Phipps, Graham (CWS); Janusz, Lauren R (CWS); Stibbard, James (CWS); Matthews, Rob (CWS); Reimer, Geoff P (CWS); +WPG574 - HRB (TCHSCP); Cunningham, Neil (CWS); Roberecki, Susan (HHLS); Peck, Angela (HHLS); +WPG969 - MIT Environmental Services Section (MIT); Allum, Brad (MIT); Kubish, Cheryl (OFC); Schafer, Dave (OFC); +THO407 - Thompson CRP (MMG); Roberts, Pierce (CWS); Hastman, David (CWS)  
**Cc:** Chowdhury, Rafiqul (CWS)  
**Subject:** Request for review/comment - EAP -Jack River S.D. Wastewater Treatment Plant File: 263.10

Your review and comments would be appreciated for the attached Proposal submitted pursuant to *The Environment Act*.

**Please respond to the contact person assigned to co-ordinate review and assessment of the Proposal:**  
[rafiquel.chowdhury@gov.mb.ca](mailto:rafiquel.chowdhury@gov.mb.ca)

Email replies are programmed to automatically deliver to **Rafiquel Chowdhury**.

Please indicate to the contact person if you are unable to review the proposal. A non-reply will be considered as indicating your department has reviewed the proposal and has no concerns.

Any comments you have on the Proposal should be emailed **by JULY 16, 2014**

**\*\*No hard copies will be provided\*\***

Thank you.

*Sent on behalf of:*

**Rafiquel Chowdhury, M.Eng., P.Eng.**  
Environmental Engineer  
Mines and Wastewater Section  
Environmental Approvals Branch  
Environmental Stewardship Division  
Manitoba Conservation and Water Stewardship  
Government of Manitoba, Canada

160 -123 Main Street, Winnipeg, Manitoba R3C 1A5  
Phone: (204) 945-2614, Fax: (204) 945-5229  
Email: [rafiquel.chowdhury@gov.mb.ca](mailto:rafiquel.chowdhury@gov.mb.ca)



DATE: 08 July, 2014

TO: Rafiqul Chowdhury  
Environmental Approvals  
Conservation and Water  
Stewardship  
160-123 Main Street, Winnipeg

FROM: Muntaseer Ibn Azkar  
Air Quality–Environmental Programs  
& Strategies  
Conservation and Water Stewardship  
1007 Century Street, Winnipeg

**SUBJECT: Frontier School Division – Jack River School Wastewater Treatment  
Plant (File. 263.10)**

---

Air Quality Section has reviewed the above proposal and provides the following comments:

- The proposal is not expected to have a significant impact on air quality provided that the measures cited are implemented.
- The odour clause is suggested to be included in the License.
- The noise clause is suggested to be included in the License.



## **Chowdhury, Rafiqul (CWS)**

---

**From:** Stibbard, James (CWS)  
**Sent:** July-15-14 9:04 AM  
**To:** Chowdhury, Rafiqul (CWS)  
**Subject:** Re: 263.10 Jack River School Wastewater Treatment Plant Replacement EAP

Mr. Chowdhury,

I reviewed the above noted EAP. The EAP notes the point of return of treated effluent to the environment will be the existing WWTP discharge pipe into the Jack River. The EAP does not note how far the treated effluent discharge point is from the water treatment plant raw water intake and whether the raw water plant intake is upstream or downstream of the wastewater treatment plant discharge outfall. I am concerned about this and would like to know the relative locations of the water plant intake and wastewater plant discharge points and which is upstream from the other. Apart from this point, Office of Drinking Water has no other concerns with this EAP or the proposed development. If you have any questions, please call.

Regards

**James Stibbard P. Eng.**  
Approvals Engineer  
Office of Drinking Water  
1007 Century Street  
Winnipeg MB R3H 0W4  
phone: (204) 945-5949  
fax: (204) 945-1365  
email: [James.Stibbard@gov.mb.ca](mailto:James.Stibbard@gov.mb.ca)  
website: [www.manitoba.ca/drinkingwater](http://www.manitoba.ca/drinkingwater)

**Confidentiality Notice:** This message, including any attachments, is confidential and may also be privileged and all rights to privilege are expressly claimed and not waived. Any use, dissemination, distribution, copying or disclosure of this message, or any attachments, in whole or in part, by anyone other than the intended recipient, is strictly prohibited.



## Chowdhury, Rafiqul (CWS)

---

**From:** Hastman, David (CWS)  
**Sent:** July-08-14 10:24 AM  
**To:** Chowdhury, Rafiqul (CWS); +WPG1212 - Conservation\_Circulars (CWS)  
**Cc:** Roberts, Pierce (CWS)  
**Subject:** RE: Request for review/comment - EAP -Jack River S.D. Wastewater Treatment Plant File: 263.10

The NE IRMT has reviewed the EAP and responds with no concerns.

*David Hastman*

| RLM (NE) | Lands Branch | Conservation and Water Stewardship | Box 28, 59 Elizabeth Dr. | Thompson, Manitoba | R8N 1X4 |  
| ☎204-679-0987 | 📠204-677-6359 | ✉[David.Hastman@gov.mb.ca](mailto:David.Hastman@gov.mb.ca) | [www.gov.mb.ca/conservation/lands\\_branch](http://www.gov.mb.ca/conservation/lands_branch)

---

**From:** Steele, Tania (CWS)  
**Sent:** June-17-14 1:50 PM  
**To:** Wilson, Brian (MAFRD); Kaita, Adara (CWS); Labossiere, Don (CWS); Molod, Rommel (CWS); Streich, Laurie (CWS); Firlotte, Nicole (CWS); Boissonneault, Caroline (CWS); Kelly, Jason (CWS); Keenan, Phil (CWS); Missyabit, Ron (CWS); Page, Elaine (CWS); Phipps, Graham (CWS); Janusz, Lauren R (CWS); Stibbard, James (CWS); Matthews, Rob (CWS); Reimer, Geoff P (CWS); +WPG574 - HRB (TCHSCP); Cunningham, Neil (CWS); Roberecki, Susan (HHLS); Peck, Angela (HHLS); +WPG969 - MIT Environmental Services Section (MIT); Allum, Brad (MIT); Kubish, Cheryl (OFC); Schafer, Dave (OFC); +THO407 - Thompson CRP (MMG); Roberts, Pierce (CWS); Hastman, David (CWS)  
**Cc:** Chowdhury, Rafiqul (CWS)  
**Subject:** Request for review/comment - EAP -Jack River S.D. Wastewater Treatment Plant File: 263.10

Your review and comments would be appreciated for the attached Proposal submitted pursuant to *The Environment Act*.

<http://www.gov.mb.ca/conservation/eal/registries/263.1frontierjackriverrafichowd/index.html>

**Please respond to the contact person assigned to co-ordinate review and assessment of the Proposal:**  
[rafiqul.chowdhury@gov.mb.ca](mailto:rafiqul.chowdhury@gov.mb.ca)

Email replies are programmed to automatically deliver to **Rafiqul Chowdhury**.

Please indicate to the contact person if you are unable to review the proposal. A non-reply will be considered as indicating your department has reviewed the proposal and has no concerns.

Any comments you have on the Proposal should be emailed **by JULY 16, 2014**

**\*\*No hard copies will be provided\*\***

Thank you.

*Sent on behalf of:*

**Rafiqul Chowdhury, M.Eng., P.Eng.**  
Environmental Engineer  
Mines and Wastewater Section  
Environmental Approvals Branch  
Environmental Stewardship Division  
Manitoba Conservation and Water Stewardship

Government of Manitoba, Canada

160 -123 Main Street, Winnipeg, Manitoba R3C 1A5  
Phone: (204) 945-2614, Fax: (204) 945-5229  
Email: [rafiqul.chowdhury@gov.mb.ca](mailto:rafiqul.chowdhury@gov.mb.ca)

## Chowdhury, Rafiqul (CWS)

---

**From:** Kubish, Cheryl (OFC)  
**Sent:** July-08-14 10:14 AM  
**To:** Chowdhury, Rafiqul (CWS)  
**Subject:** RE: Request for review/comment - EAP -Jack River S.D. Wastewater Treatment Plant File: 263.10

At this time, the Office of the Fire Commissioner (OFC) will require the proponent to obtain a valid building permit from the Building Code authority, the OFC. Prior to any use of the completed facility, the proponent shall obtain a valid occupancy permit from the Building Code authority, the OFC.

Cheryl Kubish  
Administrative Assistant  
Office of the Fire Commissioner  
508-401 York Avenue  
Winnipeg MB R3C 0P8  
Phone: 945-3328  
Fax: 948-2089

E-Mail address: [Cheryl.Kubish@gov.mb.ca](mailto:Cheryl.Kubish@gov.mb.ca)

---

**From:** Steele, Tania (CWS)  
**Sent:** June-17-14 1:50 PM  
**To:** Wilson, Brian (MAFRD); Kaita, Adara (CWS); Labossiere, Don (CWS); Molod, Rommel (CWS); Streich, Laurie (CWS); Firlotte, Nicole (CWS); Boissonneault, Caroline (CWS); Kelly, Jason (CWS); Keenan, Phil (CWS); Missyabit, Ron (CWS); Page, Elaine (CWS); Phipps, Graham (CWS); Janusz, Lauren R (CWS); Stibbard, James (CWS); Matthews, Rob (CWS); Reimer, Geoff P (CWS); +WPG574 - HRB (TCHSCP); Cunningham, Neil (CWS); Roberecki, Susan (HHLS); Peck, Angela (HHLS); +WPG969 - MIT Environmental Services Section (MIT); Allum, Brad (MIT); Kubish, Cheryl (OFC); Schafer, Dave (OFC); +THO407 - Thompson CRP (MMG); Roberts, Pierce (CWS); Hastman, David (CWS)  
**Cc:** Chowdhury, Rafiqul (CWS)  
**Subject:** Request for review/comment - EAP -Jack River S.D. Wastewater Treatment Plant File: 263.10

Your review and comments would be appreciated for the attached Proposal submitted pursuant to *The Environment Act*.

<http://www.gov.mb.ca/conservation/eal/registries/263.1frontierjackriverrafichowd/index.html>

**Please respond to the contact person assigned to co-ordinate review and assessment of the Proposal:**  
[rafiqul.chowdhury@gov.mb.ca](mailto:rafiqul.chowdhury@gov.mb.ca)

Email replies are programmed to automatically deliver to **Rafiqul Chowdhury**.

Please indicate to the contact person if you are unable to review the proposal. A non-reply will be considered as indicating your department has reviewed the proposal and has no concerns.

Any comments you have on the Proposal should be emailed **by JULY 16, 2014**

**\*\*No hard copies will be provided\*\***

Thank you.

*Sent on behalf of:*

**Rafiqul Chowdhury, M.Eng., P.Eng.**

Environmental Engineer  
Mines and Wastewater Section  
Environmental Approvals Branch  
Environmental Stewardship Division  
Manitoba Conservation and Water Stewardship  
Government of Manitoba, Canada

160 -123 Main Street, Winnipeg, Manitoba R3C 1A5  
Phone: (204) 945-2614, Fax: (204) 945-5229  
Email: [rafiqui.chowdhury@gov.mb.ca](mailto:rafiqui.chowdhury@gov.mb.ca)

**Chowdhury, Rafiqul (CWS)**

---

**From:** +WPG969 - MIT Environmental Services Section (MIT)  
**Sent:** July-02-14 3:03 PM  
**To:** Braun, Tracey (CWS)  
**Cc:** Chowdhury, Rafiqul (CWS); Webb, Bruce (CWS)  
**Subject:** Jack River S.D. WWTP and WTP File #'s: 263.10 and 5715.00  
**Attachments:** Jack River School Division - WTP & WWTP.pdf

Please find attached response for the above subject proposals.

I hope you find the document in order.

Thank you very much.

Regards,  
Grace

**Grace Ruth S. Quintana**  
Environmental Screening Technician  
Manitoba Infrastructure and Transportation  
Highway Planning and Design Branch  
14th Floor - 215 Garry Street  
Winnipeg, MB R3C 3P3

Phone: (204) 945-7109  
Fax: (204) 945-0593  
Email: [Grace.Quintana@gov.mb.ca](mailto:Grace.Quintana@gov.mb.ca)



**Manitoba**



**Infrastructure and Transportation**

Highway Planning and Design Branch  
Environmental Services Section  
1420 - 215 Garry St., Winnipeg, MB R3C 3P3  
T (204) 619-4359 F (204) 945-0593

July 2, 2014

Tracey Braun, M. Sc.  
Director, Environmental Approvals Branch  
Manitoba Conservation and Water Stewardship  
123 Main St., Suite 160  
Winnipeg, MB R3C 1A5

RE: Frontier School Division - Jack River School WWTP and WTP  
Client File No. 263.10 and 5715.00

Dear Ms. Braun:

MIT has reviewed the two proposals under the Environment Act noted above and we do not have any concern.

Thank you very much for providing us the opportunity to review the proposal.

Sincerely,

A handwritten signature in blue ink, appearing to read "R. Coulter".

Ryan Coulter, M. Sc., P. Eng.  
Manager of Environmental Services



## **Chowdhury, Rafiqul (CWS)**

---

**From:** Roberts, Dan (CWS)  
**Sent:** June-18-14 11:29 AM  
**To:** Chowdhury, Rafiqul (CWS)  
**Subject:** Request for review/comment - EAP -Jack River S.D. Wastewater Treatment Plant File: 263.10

On behalf of the *Water Control Works and Drainage Licensing Section*, there are no concerns.

## **Dan Roberts**

Water Resource Officer

Water Control Works and Drainage Licensing Section

Conservation and Water Stewardship

Box 640, 201 Fourth Ave. S., Swan River, MB R0L 1Z0

Cell: (204) 281-2122, Fax: 734-3733



## **Chowdhury, Rafiqul (CWS)**

---

**From:** Labossiere, Don (CWS)  
**Sent:** June-18-14 10:35 AM  
**To:** Chowdhury, Rafiqul (CWS)  
**Subject:** FW: Request for review/comment - EAP -Jack River S.D. Wastewater Treatment Plant File: 263.10

Raffi-comments from Jeff.

Don Labossiere  
Director, Environmental Compliance and Enforcement  
Manitoba Conservation and Water Stewardship  
123 Main St.  
Winnipeg MB R3C 1A5  
(204) 945-7005

---

**From:** Fountain, Jeff (CWS)  
**Sent:** June-18-14 10:32 AM  
**To:** Labossiere, Don (CWS)  
**Subject:** RE: Request for review/comment - EAP -Jack River S.D. Wastewater Treatment Plant File: 263.10

The region welcomes this needed development. However, concerns exist about the sludge disposal method and location. Sludge has posed a problem in many communities in the region and it is the understanding of the region that the community Lagoon (which is the assumed receiver of the sludge) was having difficulty managing sludge within that lagoon. While an alternate location exists on First Nation, it would be helpful to know whether an agreement exists for disposal there and for the proponent to consider that option.

Jeff Fountain  
Regional Supervisor  
Northeast Region  
Environmental Compliance and Enforcement Branch  
28-59 Elizabeth Dr.  
Thompson MB R8N 1X4  
P: (204) 677-6703  
F: (204) 677-6888  
E: [Jeff.Fountain@gov.mb.ca](mailto:Jeff.Fountain@gov.mb.ca)

**To report an environmental emergency please call the Manitoba Environmental Emergency Hotline tollfree at 1-855-944-4888**

---

**From:** Labossiere, Don (CWS)  
**Sent:** June-18-14 9:40 AM  
**To:** Fountain, Jeff (CWS)  
**Subject:** FW: Request for review/comment - EAP -Jack River S.D. Wastewater Treatment Plant File: 263.10

Jeff,

For review and comment.

Don Labossiere  
Director, Environmental Compliance and Enforcement  
Manitoba Conservation and Water Stewardship

123 Main St.  
Winnipeg MB R3C 1A5  
(204) 945-7005

**From:** Steele, Tania (CWS)

**Sent:** June-17-14 1:50 PM

**To:** Wilson, Brian (MAFRD); Kaita, Adara (CWS); Labossiere, Don (CWS); Molod, Rommel (CWS); Streich, Laurie (CWS); Firlotte, Nicole (CWS); Boissonneault, Caroline (CWS); Kelly, Jason (CWS); Keenan, Phil (CWS); Missyabit, Ron (CWS); Page, Elaine (CWS); Phipps, Graham (CWS); Janusz, Lauren R (CWS); Stibbard, James (CWS); Matthews, Rob (CWS); Reimer, Geoff P (CWS); +WPG574 - HRB (TCHSCP); Cunningham, Neil (CWS); Roberecki, Susan (HHLS); Peck, Angela (HHLS); +WPG969 - MIT Environmental Services Section (MIT); Allum, Brad (MIT); Kubish, Cheryl (OFC); Schafer, Dave (OFC); +THO407 - Thompson CRP (MMG); Roberts, Pierce (CWS); Hastman, David (CWS)

**Cc:** Chowdhury, Rafiquel (CWS)

**Subject:** Request for review/comment - EAP -Jack River S.D. Wastewater Treatment Plant File: 263.10

Your review and comments would be appreciated for the attached Proposal submitted pursuant to *The Environment Act*.

<http://www.gov.mb.ca/conservation/eal/registries/263.1frontierjackriverrafichowd/index.html>

**Please respond to the contact person assigned to co-ordinate review and assessment of the Proposal:**

[rafiquel.chowdhury@gov.mb.ca](mailto:rafiquel.chowdhury@gov.mb.ca)

Email replies are programmed to automatically deliver to **Rafiquel Chowdhury**.

Please indicate to the contact person if you are unable to review the proposal. A non-reply will be considered as indicating your department has reviewed the proposal and has no concerns.

Any comments you have on the Proposal should be emailed **by JULY 16, 2014**

**\*\*No hard copies will be provided\*\***

Thank you.

*Sent on behalf of:*

**Rafiquel Chowdhury, M.Eng., P.Eng.**

Environmental Engineer

Mines and Wastewater Section

Environmental Approvals Branch

Environmental Stewardship Division

Manitoba Conservation and Water Stewardship

Government of Manitoba, Canada

160 -123 Main Street, Winnipeg, Manitoba R3C 1A5

Phone: (204) 945-2614, Fax: (204) 945-5229

Email: [rafiquel.chowdhury@gov.mb.ca](mailto:rafiquel.chowdhury@gov.mb.ca)

## Chowdhury, Rafiqul (CWS)

---

**From:** Kubish, Cheryl (OFC)  
**Sent:** June-18-14 8:30 AM  
**To:** Chowdhury, Rafiqul (CWS)  
**Subject:** RE: Request for review/comment - EAP - Wabowden Lagoon Expansion - File: 16.20

The OFC has no concerns, at this time, with this expansion of the Wabowden Wastewater Lagoon.

Cheryl Kubish  
Administrative Assistant  
Office of the Fire Commissioner  
508-401 York Avenue  
Winnipeg MB R3C 0P8  
Phone: 945-3328  
Fax: 948-2089

E-Mail address: [Cheryl.Kubish@gov.mb.ca](mailto:Cheryl.Kubish@gov.mb.ca)

---

**From:** Steele, Tania (CWS)  
**Sent:** May-29-14 3:26 PM  
**To:** Schindler, Dennis (MAFRI); Salvano, Esther (MAFRI); Kaita, Adara (CWS); Labossiere, Don (CWS); Molod, Rommel (CWS); Streich, Laurie (CWS); Firlotte, Nicole (CWS); Boissonneault, Caroline (CWS); Kelly, Jason (CWS); Keenan, Phil (CWS); Missyabit, Ron (CWS); Page, Elaine (CWS); Phipps, Graham (CWS); Janusz, Laureen R (CWS); Stibbard, James (CWS); Matthews, Rob (CWS); Reimer, Geoff P (CWS); +WPG574 - HRB (TCHSCP); Cunningham, Neil (CWS); Roberecki, Susan (HHLS); Peck, Angela (HHLS); +WPG969 - MIT Environmental Services Section (MIT); Allum, Brad (MIT); Kubish, Cheryl (OFC); Schafer, Dave (OFC); +THO407 - Thompson CRP (MMG); Roberts, Wayne (CWS); Armstrong, Mike (CWS)  
**Cc:** Chowdhury, Rafiqul (CWS)  
**Subject:** Request for review/comment - EAP - Wabowden Lagoon Expansion - File: 16.20

Your review and comments would be appreciated for the attached Proposal submitted pursuant to *The Environment Act*.

<http://www.gov.mb.ca/conservation/eal/registries/16.2wabowden/index.html>

**Please respond to the contact person assigned to co-ordinate review and assessment of the Proposal:**  
[rafiqul.chowdhury@gov.mb.ca](mailto:rafiqul.chowdhury@gov.mb.ca)

Email replies are programmed to automatically deliver to **Rafiqul Chowdhury**.

Please indicate to the contact person if you are unable to review the proposal. A non-reply will be considered as indicating your department has reviewed the proposal and has no concerns.

Any comments you have on the Proposal should be emailed **by JUNE 20, 2014**

**\*\*No hard copies will be provided\*\***

Thank you.

*Sent on behalf of:*

**Rafiqul Chowdhury, M.Eng., P.Eng.**  
Environmental Engineer  
Mines and Wastewater Section

Environmental Approvals Branch  
Environmental Stewardship Division  
Manitoba Conservation and Water Stewardship  
Government of Manitoba, Canada

160 -123 Main Street, Winnipeg, Manitoba R3C 1A5  
Phone: (204) 945-2614, Fax: (204) 945-5229  
Email: [rafiquel.chowdhury@gov.mb.ca](mailto:rafiquel.chowdhury@gov.mb.ca)

## **Chowdhury, Rafiqui (CWS)**

---

**From:** Wilson, Brian (MAFRD)  
**Sent:** June-17-14 3:38 PM  
**To:** Chowdhury, Rafiqui (CWS)  
**Subject:** Request for review/comment - EAP -Jack River S.D. Wastewater Treatment Plant File: 263.10

There will be "no comment" on this project from MAFRD

Brian Wilson  
[Brian.Wilson@gov.mb.ca](mailto:Brian.Wilson@gov.mb.ca)  
Soils Suitability Specialist  
Crops Branch  
Manitoba Agriculture, Food and Rural Development  
Box 1149 #65 - 3rd Avenue NE  
Carman, Manitoba R0G 0J0  
(204) 750-3180  
FAX (204) 745-5690



## **Chowdhury, Rafiqul (CWS)**

---

**From:** Matthews, Rob (CWS)  
**Sent:** June-17-14 2:58 PM  
**To:** Chowdhury, Rafiqul (CWS)  
**Subject:** RE: Request for review/comment - EAP -Jack River S.D. Wastewater Treatment Plant File: 263.10

No concerns.

Rob Matthews, Manager, Water Use Licensing Section, CWS

---

**From:** Steele, Tania (CWS)  
**Sent:** June-17-14 1:50 PM  
**To:** Wilson, Brian (MAFRD); Kaita, Adara (CWS); Labossiere, Don (CWS); Molod, Rommel (CWS); Streich, Laurie (CWS); Firlotte, Nicole (CWS); Boissonneault, Caroline (CWS); Kelly, Jason (CWS); Keenan, Phil (CWS); Missyabit, Ron (CWS); Page, Elaine (CWS); Phipps, Graham (CWS); Janusz, Lauren R (CWS); Stibbard, James (CWS); Matthews, Rob (CWS); Reimer, Geoff P (CWS); +WPG574 - HRB (TCHSCP); Cunningham, Neil (CWS); Roberecki, Susan (HHLS); Peck, Angela (HHLS); +WPG969 - MIT Environmental Services Section (MIT); Allum, Brad (MIT); Kubish, Cheryl (OFC); Schafer, Dave (OFC); +THO407 - Thompson CRP (MMG); Roberts, Pierce (CWS); Hastman, David (CWS)  
**Cc:** Chowdhury, Rafiqul (CWS)  
**Subject:** Request for review/comment - EAP -Jack River S.D. Wastewater Treatment Plant File: 263.10

Your review and comments would be appreciated for the attached Proposal submitted pursuant to *The Environment Act*.

<http://www.gov.mb.ca/conservation/eal/registries/263.1frontierjackriverrafichowd/index.html>

**Please respond to the contact person assigned to co-ordinate review and assessment of the Proposal:**  
[rafiqul.chowdhury@gov.mb.ca](mailto:rafiqul.chowdhury@gov.mb.ca)

Email replies are programmed to automatically deliver to **Rafiqul Chowdhury**.

Please indicate to the contact person if you are unable to review the proposal. A non-reply will be considered as indicating your department has reviewed the proposal and has no concerns.

Any comments you have on the Proposal should be emailed **by JULY 16, 2014**

**\*\*No hard copies will be provided\*\***

Thank you.

*Sent on behalf of:*

**Rafiqul Chowdhury, M.Eng., P.Eng.**  
Environmental Engineer  
Mines and Wastewater Section  
Environmental Approvals Branch  
Environmental Stewardship Division  
Manitoba Conservation and Water Stewardship  
Government of Manitoba, Canada

160 -123 Main Street, Winnipeg, Manitoba R3C 1A5  
Phone: (204) 945-2614, Fax: (204) 945-5229  
Email: [rafiquel.chowdhury@gov.mb.ca](mailto:rafiquel.chowdhury@gov.mb.ca)