



Appendix B
Odour Determination
Methodology - PROPRIETARY



Appendix C

Model Output Summary

Summary of Modeling Output from ISCST3

```
**
*****
**
** ISCST3 Input Produced by:
** ISC-AERMOD View Ver. 3.4
** Lakes Environmental Software Inc.
** Date: 8/3/2006
** File: C:\Documents and Settings\stephen.biswanger\Desktop\olywest\91511\02a-CAD\olypm25.INP
**
*****
**
**
*****
** ISC Control Pathway
*****
**
**
CO STARTING
  TITLEONE Olywest EA PM2.5 modeling
  MODELOPT DFAULT CONC  URBAN
  AVERTIME 24
  POLLUTID PM2.5
  TERRHGTS FLAT
  FLAGPOLE 1.50
  RUNORNOT RUN
CO FINISHED
**
*****
** ISC Source Pathway
*****
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
  LOCATION STCK1 POINT 640443.230 5526391.880
  LOCATION STCK2 POINT 640444.480 5526382.720
  LOCATION BOILER POINT 640432.750 5526414.500
** Source Parameters **
  SRCPARAM STCK1 0 15.200 301.250 18.200 1.676
```

```
SRCPARAM STCK2 0 15.200 301.250 18.170 1.676
SRCPARAM BOILER 0.045 11.100 440.000 10.000 0.800
** Building Downwash **
BUILDHGT STCK1 9.10 9.10 9.10 9.10 9.10 9.10
BUILDHGT STCK1 9.10 9.10 9.10 9.10 9.10 9.10
BUILDHGT STCK1 9.10 9.10 9.10 9.10 9.10 9.10
BUILDHGT STCK1 9.10 9.10 9.10 9.10 9.10 9.10
BUILDHGT STCK1 9.10 9.10 9.10 9.10 9.10 9.10
BUILDHGT STCK1 9.10 9.10 9.10 9.10 9.10 9.10
BUILDHGT STCK1 9.10 9.10 9.10 9.10 9.10 9.10
BUILDHGT STCK2 9.10 9.10 9.10 9.10 9.10 9.10
BUILDHGT STCK2 9.10 9.10 9.10 9.10 9.10 9.10
BUILDHGT STCK2 9.10 9.10 9.10 9.10 9.10 9.10
BUILDHGT STCK2 9.10 9.10 9.10 9.10 9.10 9.10
BUILDHGT STCK2 9.10 9.10 9.10 9.10 9.10 9.10
BUILDHGT STCK2 9.10 9.10 9.10 9.10 9.10 9.10
BUILDWID STCK1 64.61 63.26 66.07 70.93 74.88 76.55
BUILDWID STCK1 75.89 72.93 67.75 60.51 51.44 55.88
BUILDWID STCK1 61.81 65.86 67.91 67.90 65.83 64.00
BUILDWID STCK1 64.61 63.26 66.07 70.93 74.88 76.55
BUILDWID STCK1 75.89 72.93 67.75 60.51 51.44 55.88
BUILDWID STCK1 61.81 65.86 67.91 67.90 65.83 64.00
BUILDWID STCK2 64.61 63.26 66.07 70.93 74.88 76.55
BUILDWID STCK2 75.89 72.93 67.75 60.51 51.44 55.88
BUILDWID STCK2 61.81 65.86 67.91 67.90 65.83 64.00
BUILDWID STCK2 64.61 63.26 66.07 70.93 74.88 76.55
BUILDWID STCK2 75.89 72.93 67.75 60.51 51.44 55.88
BUILDWID STCK2 61.81 65.86 67.91 67.90 65.83 64.00
** Source Group **
SRCGROUP ALL
SO FINISHED
```

PM 2.5 Summary of Modeling

```

*** ISCST3 - VERSION 00101 ***      *** Olywest EA PM2.5 modeling      ***      08/03/06
***                                     ***                                     ***      20:10:01
**MODELOPTs:                          ***                                     ***      PAGE 33
CONC          URBAN  FLAT  FLGPOL DFAULT

```

*** THE SUMMARY OF HIGHEST 24-HR RESULTS ***

** CONC OF PM2.5 IN MICROGRAMS/M**3 **

GROUP ID	AVERAGE CONC	DATE (YYMMDDHH)	RECEPTOR (XR, YR, ZELEV, ZFLAG)	OF TYPE	NETWORK GRID-ID
ALL	HIGH 1ST HIGH VALUE IS 2.33802	ON 99113024	AT (640435.25, 5526497.00, 0.00, 1.50)	DC	NA

```

*** RECEPTOR TYPES:  GC = GRIDCART
                       GP = GRIDPOLR
                       DC = DISCCART
                       DP = DISCPOLR
                       BD = BOUNDARY

```

```

*** ISCST3 - VERSION 00101 ***      *** Olywest EA PM2.5 modeling      ***      08/03/06
***                                     ***                                     ***      20:10:01
**MODELOPTs:                          ***                                     ***      PAGE 34
CONC          URBAN  FLAT  FLGPOL DFAULT

```

*** Message Summary : ISCST3 Model Execution ***

----- Summary of Total Messages -----

```

A Total of          0 Fatal Error Message(s)
A Total of          2 Warning Message(s)
A Total of         920 Informational Message(s)

```

A Total of 920 Calm Hours Identified

***** FATAL ERROR MESSAGES *****
*** NONE ***

***** WARNING MESSAGES *****
SO W320 61 PPARM :Input Parameter May Be Out-of-Range for Parameter QS
SO W320 62 PPARM :Input Parameter May Be Out-of-Range for Parameter QS

*** ISCST3 Finishes Successfully ***

PM 10 Summary of Modeling

```

*** ISCST3 - VERSION 00101 ***      *** Olywest EA PM10 modeling      ***      08/04/06
***                                     ***                                     ***      13:23:29
**MODELOPTs:                          **                                     **      PAGE 47
CONC          URBAN  FLAT  FLGPOL DFAULT          MULTYR

```

*** THE SUMMARY OF HIGHEST 24-HR RESULTS ***

** CONC OF PM-10 IN MICROGRAMS/M**3 **

GROUP ID	AVERAGE CONC	DATE (YYMMDDHH)	RECEPTOR (XR, YR, ZELEV, ZFLAG)	OF TYPE	NETWORK GRID-ID
ALL	HIGH 1ST HIGH VALUE IS 15.24905	ON 99113024	AT (640435.25, 5526497.00, 0.00, 1.50)	DC	NA

```

*** RECEPTOR TYPES:  GC = GRIDCART
                       GP = GRIDPOLR
                       DC = DISCCART
                       DP = DISCPOLR
                       BD = BOUNDARY

```

```

*** ISCST3 - VERSION 00101 ***      *** Olywest EA PM10 modeling      ***      08/04/06
***                                     ***                                     ***      13:23:29
**MODELOPTs:                          **                                     **      PAGE 48
CONC          URBAN  FLAT  FLGPOL DFAULT          MULTYR

```

*** Message Summary : ISCST3 Model Execution ***

----- Summary of Total Messages -----

```

A Total of          0 Fatal Error Message(s)
A Total of          1 Warning Message(s)
A Total of         920 Informational Message(s)

```

A Total of 920 Calm Hours Identified

***** FATAL ERROR MESSAGES *****
*** NONE ***

***** WARNING MESSAGES *****
CO W353 26 MYEAR :MULTIYEAR Card for PM10 Processing Applies Only for PRE-1997

*** ISCST3 Finishes Successfully ***

NO₂ Summary of Modeling: Annual

*** ISCST3 - VERSION 00101 *** *** Olywest EA NOx modeling as NO2 *** 08/03/06
 *** *** *** *** 19:32:12
 MODELOPTs: URBAN FLAT FLGPOL DFAULT * PAGE 59
 CONC

*** THE SUMMARY OF MAXIMUM ANNUAL (5 YRS) RESULTS ***

** CONC OF NOX IN MICROGRAMS/M**3 **

GROUP ID	AVERAGE CONC	RECEPTOR (XR, YR, ZELEV, ZFLAG)	OF TYPE	NETWORK GRID-ID
ALL	2.53787	AT (640435.25, 5526497.00, 0.00, 1.50)	DC	NA
1ST HIGHEST VALUE IS	2.53787	AT (640435.25, 5526497.00, 0.00, 1.50)	DC	NA
2ND HIGHEST VALUE IS	2.49005	AT (640435.25, 5526597.00, 0.00, 1.50)	DC	NA
3RD HIGHEST VALUE IS	1.92955	AT (640411.31, 5526638.50, 0.00, 1.50)	DC	NA
4TH HIGHEST VALUE IS	1.92955	AT (640411.31, 5526638.50, 0.00, 1.50)	DC	NA
5TH HIGHEST VALUE IS	1.74459	AT (640535.25, 5526297.00, 0.00, 1.50)	DC	NA
6TH HIGHEST VALUE IS	1.66256	AT (640435.25, 5526697.00, 0.00, 1.50)	DC	NA
7TH HIGHEST VALUE IS	1.48158	AT (640435.25, 5526297.00, 0.00, 1.50)	DC	NA
8TH HIGHEST VALUE IS	1.31593	AT (640499.88, 5526604.50, 0.00, 1.50)	DC	NA
9TH HIGHEST VALUE IS	1.31593	AT (640499.88, 5526604.50, 0.00, 1.50)	DC	NA
10TH HIGHEST VALUE IS	1.21517	AT (640435.25, 5526797.00, 0.00, 1.50)	DC	NA

*** RECEPTOR TYPES: GC = GRIDCART
 GP = GRIDPOLR
 DC = DISCCART
 DP = DISCPOLR
 BD = BOUNDARY

NO₂ Summary of Modeling: 1 Hour

*** ISCST3 - VERSION 00101 *** *** Olywest EA NOx modeling as NO2 *** 08/03/06
 *** *** *** *** 19:32:12

**MODELOPTs:
CONC

URBAN FLAT FLGPOL DFAULT

*** THE SUMMARY OF HIGHEST 1-HR RESULTS ***

** CONC OF NOX IN MICROGRAMS/M**3 **

GROUP ID	AVERAGE CONC	DATE (YYMMDDHH)	RECEPTOR (XR, YR, ZELEV, ZFLAG)	OF TYPE	NETWORK GRID-ID
----------	--------------	--------------------	---------------------------------	---------	--------------------

ALL	HIGH	1ST HIGH VALUE IS	36.62258 ON 98071110: AT (640435.25, 5526497.00, 0.00, 1.50)	DC	NA
-----	------	-------------------	---	----	----

*** RECEPTOR TYPES: GC = GRIDCART
 GP = GRIDPOLR
 DC = DISCCART
 DP = DISCPOLR

BD = BOUNDARY

NO₂ Summary of Modeling: 24 Hour

*** ISCST3 - VERSION 00101 *** *** Olywest EA NOx modeling as NO2 *** 08/03/06
 *** *** *** 19:32:12
 **MODELOPTs: URBAN FLAT FLGPOL DFAULT PAGE 61

CONC

*** THE SUMMARY OF HIGHEST 24-HR RESULTS ***

** CONC OF NOX IN MICROGRAMS/M**3 **

GROUP ID	AVERAGE CONC	DATE (YYMMDDHH)	RECEPTOR (XR, YR, ZELEV, ZFLAG)	OF TYPE	NETWORK GRID-ID
----------	--------------	--------------------	---------------------------------	---------	--------------------

ALL	HIGH	1ST HIGH VALUE IS	28.23116 ON 99113024: AT (640435.25, 5526497.00, 0.00, 1.50)	DC	NA
-----	------	-------------------	---	----	----

CO Summary of Modeling: 1 Hour

```

*** ISCST3 - VERSION 00101 ***      *** Olywest EA CO modeling ***      *** 08/03/06
***                                     ***                                     *** 19:27:27
**MODELOPTs:                          ***                                     *** PAGE 46
CONC          URBAN  FLAT  FLGPOL DFAULT
  
```

*** THE SUMMARY OF HIGHEST 1-HR RESULTS ***

** CONC OF CO IN MICROGRAMS/M**3 **

GROUP ID	AVERAGE CONC	DATE (YYMMDDHH)	RECEPTOR (XR, YR, ZELEV, ZFLAG)	OF TYPE	NETWORK GRID-ID
ALL	HIGH	1ST HIGH VALUE IS	7.93347 ON 96070312: AT (640435.25, 5526497.00,	0.00, 1.50)	DC NA

```

*** RECEPTOR TYPES:  GC = GRIDCART
                       GP = GRIDPOLR
                       DC = DISCCART
                       DP = DISCPOLR
  
```

BD = BOUNDARY

CO Summary of Modeling: 8 Hour

```

*** ISCST3 - VERSION 00101 ***      *** Olywest EA CO modeling ***      *** 08/03/06
***                                     ***                                     *** 19:27:27
**MODELOPTs:                          ***                                     *** PAGE 47
CONC          URBAN  FLAT  FLGPOL DFAULT
  
```

*** THE SUMMARY OF HIGHEST 8-HR RESULTS ***

** CONC OF CO IN MICROGRAMS/M**3 **

DATE NETWORK

GROUP ID	AVERAGE CONC	(YYMMDDHH)	RECEPTOR	(XR, YR, ZELEV, ZFLAG)	OF TYPE	GRID-ID
ALL	HIGH 1ST HIGH VALUE IS	6.93573	ON 99082516: AT (640435.25, 5526497.00,	0.00, 1.50)	DC NA

*** RECEPTOR TYPES: GC = GRIDCART
 GP = GRIDPOLR
 DC = DISCCART
 DP = DISCPOLR
 BD = BOUNDARY

*** ISCST3 - VERSION 00101 *** *** Olywest EA CO modeling

*** 08/03/06
 *** 19:27:27
 PAGE 48

**MODELOPTs:
 CONC URBAN FLAT FLGPOL DFAULT

*** Message Summary : ISCST3 Model Execution ***

----- Summary of Total Messages -----

A Total of 0 Fatal Error Message(s)
 A Total of 2 Warning Message(s)
 A Total of 920 Informational Message(s)
 A Total of 920 Calm Hours Identified

***** FATAL ERROR MESSAGES *****
 *** NONE ***

***** WARNING MESSAGES *****

SO W320 61 PPARAM :Input Parameter May Be Out-of-Range for Parameter QS
 SO W320 62 PPARAM :Input Parameter May Be Out-of-Range for Parameter QS

 *** ISCST3 Finishes Successfully ***

SO₂ Summary of Modeling: Annual

*** ISCST3 - VERSION 00101 ***

*** Olywest EA SOx modeling as SO2

08/04/06

13:14:18

**MODELOPTs:

PAGE 59

CONC

URBAN FLAT FLGPOL DFAULT

*** THE SUMMARY OF MAXIMUM ANNUAL (5 YRS) RESULTS ***

** CONC OF SO2 IN MICROGRAMS/M**3

**

GROUP ID	AVERAGE CONC	RECEPTOR (XR, YR, ZELEV, ZFLAG)	OF TYPE	NETWORK GRID-ID
ALL	0.00935	AT (640435.25, 5526497.00,	0.00, 1.50)	DC NA
	1ST HIGHEST VALUE IS			
	2ND HIGHEST VALUE IS			
	3RD HIGHEST VALUE IS			
	4TH HIGHEST VALUE IS			
	5TH HIGHEST VALUE IS			
	6TH HIGHEST VALUE IS			
	7TH HIGHEST VALUE IS			
	8TH HIGHEST VALUE IS			
	9TH HIGHEST VALUE IS			
	10TH HIGHEST VALUE IS			

*** RECEPTOR TYPES: GC = GRIDCART
 GP = GRIDPOLR
 DC = DISCCART
 DP = DISCPOLR
 BD = BOUNDARY

SO₂ Summary of Modeling: 1 Hour

*** ISCST3 - VERSION 00101 ***

*** Olywest EA SOx modeling as SO2

08/04/06

13:14:18

**MODELOPTs:

PAGE 60

CONC URBAN FLAT FLGPOL DFAULT

*** THE SUMMARY OF HIGHEST 1-HR RESULTS ***

** CONC OF SO2 IN MICROGRAMS/M**3 **

GROUP ID	AVERAGE CONC	DATE (YYMMDDHH)	RECEPTOR (XR, YR, ZELEV, ZFLAG)	OF TYPE	NETWORK GRID-ID
----------	--------------	--------------------	---------------------------------	---------	--------------------

ALL	HIGH 1ST HIGH VALUE IS	0.13670 ON 96070312:	AT (640435.25, 5526497.00, 0.00, 1.50)	DC	NA
-----	------------------------	----------------------	---	----	----

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR
BD = BOUNDARY

SO₂ Summary of Modeling: 24 Hour

*** ISCST3 - VERSION 00101 *** *** Olywest EA SOx modeling as SO2 *** 08/04/06
*** *** *** 13:14:18
**MODELOPTs: PAGE 61

CONC URBAN FLAT FLGPOL DFAULT

*** THE SUMMARY OF HIGHEST 24-HR RESULTS ***

** CONC OF SO2 IN MICROGRAMS/M**3 **

GROUP ID	AVERAGE CONC	DATE (YYMMDDHH)	RECEPTOR (XR, YR, ZELEV, ZFLAG)	OF TYPE	NETWORK GRID-ID
----------	--------------	--------------------	---------------------------------	---------	--------------------

ALL	HIGH 1ST HIGH VALUE IS	0.10387 ON 99113024:	AT (640435.25, 5526497.00, 0.00, 1.50)	DC	NA
-----	------------------------	----------------------	---	----	----

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR
BD = BOUNDARY

*** ISCST3 - VERSION 00101 *** *** Olywest EA SOx modeling as SO2

*** 08/04/06
*** 13:14:18
PAGE 62

*MODELOPTs:
CONC URBAN FLAT FLGPOL DFAULT

*** Message Summary : ISCST3 Model Execution ***

----- Summary of Total Messages -----

A Total of 0 Fatal Error Message(s)
A Total of 2 Warning Message(s)
A Total of 920 Informational Message(s)

A Total of 920 Calm Hours Identified

***** FATAL ERROR MESSAGES *****
*** NONE ***

***** WARNING MESSAGES *****

SO W320 61 PPARAM :Input Parameter May Be Out-of-Range for Parameter QS
SO W320 62 PPARAM :Input Parameter May Be Out-of-Range for Parameter QS

*** ISCST3 Finishes Successfully ***

Odour

```
**
*****
**
** ISCST3 Input Produced by:
** ISC-AERMOD View Ver. 3.4
** Lakes Environmental Software Inc.
** Date: 8/2/2006
** File: C:\DOCUMENTS AND SETTINGS\STEPHEN.BISWANGER\DESKTOP\OLYWEST\91511\02A-CAD\OLYWFIN.INP
**
*****
**
**
*****
** ISC Control Pathway
*****
**
**
CO STARTING
TITLEONE Olywest EA odour modeling
MODELOPT DFAULT CONC URBAN
AVERTIME 1 PERIOD
POLLUTID ODOUR
TERRHGTS FLAT
FLAGPOLE 1.50
RUNORNOT RUN
CO FINISHED
**
*****
** ISC Source Pathway
*****
**
** Trucks: 4-53 foot trucks lined up on plessis at all times (63 ou/s or
** 5 ou/m^3) multiplied by 2 to overcompensate for longer than required
** sample hold time (126.5 u/s or 10 ou/m^3).
**
** Protein recycling: wkday = 7:30-12:30, sat = 0, sun = 0 (7079 ou/s or
```

** 150 ou/m^3)
**
** Hog Pens: wkday = 6:30am-12:30 am, sat = 0, sun = 9pm-1:00 am. (5
** ou/m^3)
** All hog pens factored based upon air changes reported as 6/hr in
** winter and 60/hr in summer => 10% factor in winter, 50% in spring and
** fall, and 100% in summer.
** Hog pen rates factored based upon air changes, summer as 100% and
** time (ie. half the hour gets half the emission rate and is further
** factored by the air changes).
** Hog pen rates also factored up from 2200 hogs at time of sample
** collection to 2780 hogs full wpg capacity
**
** Truck bedding material/manure storage area: 5 ou/m^3 (3.6 ou/s)
** minimum assumed (measurements indicate should be 0 by subtraction of
** background but 5 assumed for conservativeness)
**

SO STARTING

** Source Location **

** Source ID - Type - X Coord. - Y Coord. **

LOCATION STCK1 POINT 640443.230 5526391.880
LOCATION VE4 POINT 640442.127 5526291.630
LOCATION VE5 POINT 640440.958 5526288.700
LOCATION VE6 POINT 640456.671 5526285.980
LOCATION VE7 POINT 640455.438 5526282.890
LOCATION VE8 POINT 640440.039 5526286.400
LOCATION VE9 POINT 640454.539 5526280.600
LOCATION VE10 POINT 640438.685 5526283.010
LOCATION VE11 POINT 640453.229 5526277.360
LOCATION VE12 POINT 640437.516 5526280.080
LOCATION VE13 POINT 640451.995 5526274.270
LOCATION VE14 POINT 640436.330 5526277.110
LOCATION VE15 POINT 640450.874 5526271.460
LOCATION VE16 POINT 640435.161 5526274.180
LOCATION VE17 POINT 640449.641 5526268.370
LOCATION VE18 POINT 640434.918 5526306.060
LOCATION VE19 POINT 640431.736 5526307.330
LOCATION VE20 POINT 640429.541 5526308.210
LOCATION VE21 POINT 640426.360 5526309.480
LOCATION VE22 POINT 640430.028 5526292.980
LOCATION VE23 POINT 640421.174 5526296.510

LOCATION	VE24	POINT	640418.140	5526297.730
LOCATION	VE26	POINT	640420.405	5526311.750
LOCATION	VE27	POINT	640417.471	5526312.930
LOCATION	VE28	POINT	640414.289	5526314.200
LOCATION	VE29	POINT	640412.094	5526315.070
LOCATION	VE30	POINT	640408.912	5526316.340
LOCATION	VE31	POINT	640405.879	5526317.550
LOCATION	VE32	POINT	640402.969	5526318.720
LOCATION	VE33	POINT	640415.255	5526298.880
LOCATION	VE34	POINT	640409.138	5526301.320
LOCATION	VE35	POINT	640403.762	5526303.470
LOCATION	VE36	POINT	640397.818	5526305.840
LOCATION	VE37	POINT	640396.458	5526321.320
LOCATION	VE38	POINT	640393.547	5526322.480
LOCATION	VE39	POINT	640390.588	5526323.660
LOCATION	VE40	POINT	640387.036	5526325.080
LOCATION	VE41	POINT	640394.858	5526307.020
LOCATION	VE42	POINT	640391.307	5526308.440
LOCATION	VE43	POINT	640385.437	5526310.780
LOCATION	VE44	POINT	640428.694	5526288.850
LOCATION	VE45	POINT	640425.512	5526290.120
LOCATION	VE46	POINT	640423.317	5526291.000
LOCATION	VE47	POINT	640417.102	5526293.480
LOCATION	VE48	POINT	640423.847	5526275.860
LOCATION	VE49	POINT	640420.814	5526277.070
LOCATION	VE50	POINT	640417.928	5526278.220
LOCATION	VE51	POINT	640414.993	5526279.390
LOCATION	VE52	POINT	640411.282	5526295.800
LOCATION	VE53	POINT	640405.905	5526297.950
LOCATION	VE54	POINT	640399.690	5526300.430
LOCATION	VE55	POINT	640409.074	5526281.760
LOCATION	VE56	POINT	640406.139	5526282.930
LOCATION	VE57	POINT	640402.958	5526284.200
LOCATION	VE58	POINT	640400.763	5526285.080
LOCATION	VE59	POINT	640397.581	5526286.350
LOCATION	VE60	POINT	640394.547	5526287.560
LOCATION	VE61	POINT	640391.637	5526288.720
LOCATION	VE62	POINT	640393.820	5526302.770
LOCATION	VE63	POINT	640387.359	5526305.350
LOCATION	VE64	POINT	640384.399	5526306.540
LOCATION	VE65	POINT	640380.847	5526307.950

LOCATION VE66 POINT 640385.126 5526291.320
LOCATION VE67 POINT 640382.216 5526292.480
LOCATION VE68 POINT 640379.256 5526293.660
LOCATION VE69 POINT 640375.705 5526295.080
LOCATION STCK2 POINT 640444.480 5526382.720
LOCATION STCK3 POINT 640438.210 5526304.980

** Line Source represented by Separated Volume Sources

LOCATION L0000001 VOLUME 641767.313 5526164.700
LOCATION L0000002 VOLUME 641767.313 5526159.862
LOCATION L0000003 VOLUME 641767.313 5526155.023
LOCATION L0000004 VOLUME 641767.313 5526150.185
LOCATION L0000005 VOLUME 641767.313 5526145.346
LOCATION L0000006 VOLUME 641767.313 5526140.508
LOCATION L0000007 VOLUME 641767.313 5526135.669
LOCATION L0000008 VOLUME 641767.313 5526130.831
LOCATION L0000009 VOLUME 641767.313 5526125.992
LOCATION L0000010 VOLUME 641767.313 5526121.154
LOCATION L0000011 VOLUME 641767.313 5526116.315
LOCATION L0000012 VOLUME 641767.313 5526111.477
LOCATION L0000013 VOLUME 641767.313 5526106.638
LOCATION L0000014 VOLUME 641767.313 5526101.800

** End of Line Source

** Source Parameters **

SRCPARAM STCK1 6017.3 15.200 301.250 18.200 1.676
SRCPARAM VE4 18.45764998 9.600 298.600 5.630 0.813
SRCPARAM VE5 18.45764998 9.600 298.600 5.630 0.813
SRCPARAM VE6 18.45764998 9.600 298.600 5.630 0.813
SRCPARAM VE7 18.45764998 9.600 298.600 5.630 0.813
SRCPARAM VE8 18.45764998 9.600 298.600 5.630 0.813
SRCPARAM VE9 18.45764998 9.600 298.600 5.630 0.813
SRCPARAM VE10 18.45764998 9.600 298.600 5.630 0.813
SRCPARAM VE11 18.45764998 9.600 298.600 5.630 0.813
SRCPARAM VE12 18.45764998 9.600 298.600 5.630 0.813
SRCPARAM VE13 18.45764998 9.600 298.600 5.630 0.813
SRCPARAM VE14 18.45764998 9.600 298.600 5.630 0.813
SRCPARAM VE15 18.45764998 9.600 298.600 5.630 0.813
SRCPARAM VE16 18.45764998 9.600 298.600 5.630 0.813
SRCPARAM VE17 18.45764998 9.600 298.600 5.630 0.813
SRCPARAM VE18 27.22428826 9.600 298.600 4.600 1.092
SRCPARAM VE19 27.22428826 9.600 298.600 4.600 1.092
SRCPARAM VE20 18.45764998 9.600 298.600 5.630 0.813

SRCPARAM	VE21	27.22428826	9.600	298.600	4.600	1.092
SRCPARAM	VE22	27.22428826	9.600	298.600	4.600	1.092
SRCPARAM	VE23	27.22428826	9.600	298.600	4.600	1.092
SRCPARAM	VE24	27.22428826	9.600	298.600	4.600	1.092
SRCPARAM	VE26	18.45764998	9.600	298.600	5.630	0.813
SRCPARAM	VE27	27.22428826	9.600	298.600	4.600	1.092
SRCPARAM	VE28	27.22428826	9.600	298.600	4.600	1.092
SRCPARAM	VE29	18.45764998	9.600	298.600	5.630	0.813
SRCPARAM	VE30	27.22428826	9.600	298.600	4.600	1.092
SRCPARAM	VE31	27.22428826	9.600	298.600	4.600	1.092
SRCPARAM	VE32	18.45764998	9.600	298.600	5.630	0.813
SRCPARAM	VE33	18.45764998	9.600	298.600	5.630	0.813
SRCPARAM	VE34	27.22428826	9.600	298.600	4.600	1.092
SRCPARAM	VE35	27.22428826	9.600	298.600	4.600	1.092
SRCPARAM	VE36	18.45764998	9.600	298.600	5.630	0.813
SRCPARAM	VE37	27.22428826	9.600	298.600	4.600	1.092
SRCPARAM	VE38	18.45764998	9.600	298.600	5.630	0.813
SRCPARAM	VE39	27.22428826	9.600	298.600	4.600	1.092
SRCPARAM	VE40	27.22428826	9.600	298.600	4.600	1.092
SRCPARAM	VE41	27.22428826	9.600	298.600	4.600	1.092
SRCPARAM	VE42	27.22428826	9.600	298.600	4.600	1.092
SRCPARAM	VE43	27.22428826	9.600	298.600	4.600	1.092
SRCPARAM	VE44	27.22428826	9.600	298.600	4.600	1.092
SRCPARAM	VE45	27.22428826	9.600	298.600	4.600	1.092
SRCPARAM	VE46	18.45764998	9.600	298.600	5.630	0.813
SRCPARAM	VE47	27.22428826	9.600	298.600	4.600	1.092
SRCPARAM	VE48	27.22428826	9.600	298.600	4.600	1.092
SRCPARAM	VE49	27.22428826	9.600	298.600	4.600	1.092
SRCPARAM	VE50	18.45764998	9.600	298.600	5.630	0.813
SRCPARAM	VE51	27.22428826	9.600	298.600	4.600	1.092
SRCPARAM	VE52	27.22428826	9.600	298.600	4.600	1.092
SRCPARAM	VE53	18.45764998	9.600	298.600	5.630	0.813
SRCPARAM	VE54	27.22428826	9.600	298.600	4.600	1.092
SRCPARAM	VE55	18.45764998	9.600	298.600	5.630	0.813
SRCPARAM	VE56	27.22428826	9.600	298.600	4.600	1.092
SRCPARAM	VE57	27.22428826	9.600	298.600	4.600	1.092
SRCPARAM	VE58	18.45764998	9.600	298.600	5.630	0.813
SRCPARAM	VE59	27.22428826	9.600	298.600	4.600	1.092
SRCPARAM	VE60	27.22428826	9.600	298.600	4.600	1.092
SRCPARAM	VE61	18.45764998	9.600	298.600	5.630	0.813
SRCPARAM	VE62	27.22428826	9.600	298.600	4.600	1.092

SRCPARAM VE63 18.45764998 9.600 298.600 5.630 0.813
SRCPARAM VE64 27.22428826 9.600 298.600 4.600 1.092
SRCPARAM VE65 27.22428826 9.600 298.600 4.600 1.092
SRCPARAM VE66 27.22428826 9.600 298.600 4.600 1.092
SRCPARAM VE67 18.45764998 9.600 298.600 5.630 0.813
SRCPARAM VE68 27.22428826 9.600 298.600 4.600 1.092
SRCPARAM VE69 27.22428826 9.600 298.600 4.600 1.092
SRCPARAM STCK2 6017.3 15.200 301.250 18.170 1.676
SRCPARAM STCK3 3.6 8.100 301.600 8.500 0.330
SRCPARAM L0000001 9.035714 0.00 1.21 1.21
SRCPARAM L0000002 9.035714 0.00 1.21 1.21
SRCPARAM L0000003 9.035714 0.00 1.21 1.21
SRCPARAM L0000004 9.035714 0.00 1.21 1.21
SRCPARAM L0000005 9.035714 0.00 1.21 1.21
SRCPARAM L0000006 9.035714 0.00 1.21 1.21
SRCPARAM L0000007 9.035714 0.00 1.21 1.21
SRCPARAM L0000008 9.035714 0.00 1.21 1.21
SRCPARAM L0000009 9.035714 0.00 1.21 1.21
SRCPARAM L0000010 9.035714 0.00 1.21 1.21
SRCPARAM L0000011 9.035714 0.00 1.21 1.21
SRCPARAM L0000012 9.035714 0.00 1.21 1.21
SRCPARAM L0000013 9.035714 0.00 1.21 1.21
SRCPARAM L0000014 9.035714 0.00 1.21 1.21

** Building Downwash **

BUILDHGT STCK1 9.10 9.10 9.10 9.10 9.10 9.10
BUILDHGT STCK1 9.10 9.10 9.10 9.10 9.10 9.10
BUILDHGT STCK1 9.10 9.10 9.10 9.10 9.10 9.10
BUILDHGT STCK1 9.10 9.10 9.10 9.10 9.10 9.10
BUILDHGT STCK1 9.10 9.10 9.10 9.10 9.10 9.10
BUILDHGT STCK1 9.10 9.10 9.10 9.10 9.10 9.10
BUILDHGT VE5 6.10 6.10 6.10 6.10 6.10 6.10
BUILDHGT VE5 6.10 6.10 6.10 6.10 6.10 6.10
BUILDHGT VE5 6.10 6.10 6.10 6.10 6.10 6.10
BUILDHGT VE5 6.10 6.10 6.10 6.10 6.10 6.10
BUILDHGT VE5 6.10 6.10 6.10 6.10 6.10 6.10
BUILDHGT VE5 6.10 6.10 6.10 6.10 6.10 6.10
BUILDHGT VE5 6.10 6.10 6.10 6.10 6.10 6.10
BUILDHGT VE6 6.10 6.10 6.10 6.10 6.10 6.10
BUILDHGT VE6 6.10 6.10 6.10 6.10 6.10 6.10
BUILDHGT VE6 6.10 6.10 6.10 6.10 6.10 6.10
BUILDHGT VE6 6.10 6.10 6.10 6.10 6.10 6.10
BUILDHGT VE6 6.10 6.10 6.10 6.10 6.10 6.10

BUILDHGT	VE28	7.60	7.60	7.60	7.60	7.60	7.60
BUILDHGT	VE28	6.10	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE28	6.10	7.60	7.60	7.60	6.10	6.10
BUILDHGT	VE28	6.10	6.10	7.60	7.60	7.60	7.60
BUILDHGT	VE29	6.10	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE29	6.10	7.60	7.60	7.60	7.60	7.60
BUILDHGT	VE29	7.60	7.60	7.60	7.60	7.60	7.60
BUILDHGT	VE29	6.10	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE29	6.10	7.60	7.60	7.60	6.10	6.10
BUILDHGT	VE29	6.10	6.10	7.60	7.60	7.60	7.60
BUILDHGT	VE30	6.10	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE30	7.60	7.60	7.60	7.60	7.60	7.60
BUILDHGT	VE30	7.60	7.60	7.60	7.60	7.60	7.60
BUILDHGT	VE30	6.10	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE30	7.60	7.60	7.60	7.60	6.10	6.10
BUILDHGT	VE30	6.10	7.60	7.60	7.60	7.60	7.60
BUILDHGT	VE31	6.10	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE31	7.60	7.60	7.60	7.60	7.60	7.60
BUILDHGT	VE31	7.60	7.60	7.60	7.60	7.60	7.60
BUILDHGT	VE31	6.10	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE31	7.60	7.60	7.60	7.60	6.10	6.10
BUILDHGT	VE31	6.10	7.60	7.60	7.60	7.60	7.60
BUILDHGT	VE32	7.60	6.10	6.10	6.10	6.10	7.60
BUILDHGT	VE32	7.60	7.60	7.60	7.60	7.60	7.60
BUILDHGT	VE32	7.60	7.60	7.60	7.60	7.60	7.60
BUILDHGT	VE32	7.60	6.10	6.10	6.10	6.10	7.60
BUILDHGT	VE32	7.60	7.60	7.60	7.60	6.10	6.10
BUILDHGT	VE32	7.60	7.60	7.60	7.60	7.60	7.60
BUILDHGT	VE33	6.10	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE33	6.10	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE33	6.10	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE33	6.10	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE33	6.10	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE33	6.10	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE34	6.10	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE34	6.10	6.10	7.60	7.60	7.60	7.60
BUILDHGT	VE34	7.60	7.60	7.60	7.60	7.60	7.60
BUILDHGT	VE34	6.10	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE34	6.10	6.10	7.60	7.60	6.10	6.10
BUILDHGT	VE34	6.10	6.10	6.10	6.10	7.60	7.60
BUILDHGT	VE35	6.10	6.10	6.10	6.10	6.10	6.10

BUILDHGT	VE62	7.60	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE62	6.10	6.10	7.60	7.60	6.10	6.10
BUILDHGT	VE62	6.10	6.10	7.60	7.60	7.60	7.60
BUILDHGT	VE63	7.60	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE63	6.10	7.60	7.60	7.60	7.60	7.60
BUILDHGT	VE63	7.60	7.60	7.60	7.60	7.60	7.60
BUILDHGT	VE63	7.60	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE63	6.10	7.60	7.60	7.60	7.60	7.60
BUILDHGT	VE63	7.60	7.60	7.60	7.60	7.60	7.60
BUILDHGT	VE64	7.60	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE64	7.60	7.60	7.60	7.60	7.60	7.60
BUILDHGT	VE64	7.60	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE64	7.60	7.60	7.60	7.60	7.60	7.60
BUILDHGT	VE64	7.60	7.60	7.60	7.60	7.60	7.60
BUILDHGT	VE65	7.60	6.10	6.10	6.10	7.60	7.60
BUILDHGT	VE65	7.60	7.60	7.60	7.60	7.60	7.60
BUILDHGT	VE65	7.60	7.60	7.60	7.60	7.60	7.60
BUILDHGT	VE65	7.60	6.10	6.10	6.10	7.60	7.60
BUILDHGT	VE65	7.60	7.60	7.60	7.60	7.60	7.60
BUILDHGT	VE65	7.60	7.60	7.60	7.60	7.60	7.60
BUILDHGT	VE66	7.60	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE66	6.10	6.10	6.10	6.10	6.10	7.60
BUILDHGT	VE66	7.60	7.60	7.60	7.60	7.60	7.60
BUILDHGT	VE66	7.60	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE66	6.10	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE66	6.10	6.10	6.10	6.10	6.10	7.60
BUILDHGT	VE67	7.60	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE67	6.10	6.10	6.10	6.10	6.10	7.60
BUILDHGT	VE67	7.60	7.60	7.60	7.60	7.60	7.60
BUILDHGT	VE67	7.60	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE67	6.10	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE67	6.10	6.10	6.10	7.60	7.60	7.60
BUILDHGT	VE68	7.60	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE68	6.10	6.10	6.10	6.10	6.10	7.60
BUILDHGT	VE68	7.60	7.60	7.60	7.60	7.60	7.60
BUILDHGT	VE68	7.60	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE68	6.10	6.10	6.10	6.10	6.10	7.60
BUILDHGT	VE68	7.60	7.60	7.60	7.60	7.60	7.60
BUILDHGT	VE69	7.60	6.10	6.10	6.10	6.10	6.10
BUILDHGT	VE69	6.10	6.10	6.10	6.10	6.10	7.60

BUILDHGT	VE69	7.60	7.60	7.60	7.60	7.60	7.60	
BUILDHGT	VE69	7.60	6.10	6.10	6.10	6.10	6.10	
BUILDHGT	VE69	6.10	6.10	6.10	6.10	6.10	7.60	
BUILDHGT	VE69	7.60	7.60	7.60	7.60	7.60	7.60	
BUILDHGT	STCK2	9.10	9.10	9.10	9.10	9.10	9.10	
BUILDHGT	STCK2	9.10	9.10	9.10	9.10	9.10	9.10	
BUILDHGT	STCK2	9.10	9.10	9.10	9.10	9.10	9.10	
BUILDHGT	STCK2	9.10	9.10	9.10	9.10	9.10	9.10	
BUILDHGT	STCK2	9.10	9.10	9.10	9.10	9.10	9.10	
BUILDHGT	STCK2	9.10	9.10	9.10	9.10	9.10	9.10	
BUILDHGT	STCK2	9.10	9.10	9.10	9.10	9.10	9.10	
BUILDHGT	STCK3	6.10	6.10	6.10	6.10	6.10	6.10	
BUILDHGT	STCK3	6.10	6.10	6.10	6.10	6.10	6.10	
BUILDHGT	STCK3	6.10	6.10	6.10	6.10	6.10	6.10	
BUILDHGT	STCK3	6.10	6.10	6.10	6.10	6.10	6.10	
BUILDHGT	STCK3	6.10	6.10	6.10	6.10	6.10	6.10	
BUILDHGT	STCK3	6.10	6.10	6.10	6.10	6.10	6.10	
BUILDWID	STCK1	64.61	63.26	66.07	70.93	74.88	76.55	
BUILDWID	STCK1	75.89	72.93	67.75	60.51	51.44	55.88	
BUILDWID	STCK1	61.81	65.86	67.91	67.90	65.83	64.00	
BUILDWID	STCK1	64.61	63.26	66.07	70.93	74.88	76.55	
BUILDWID	STCK1	75.89	72.93	67.75	60.51	51.44	55.88	
BUILDWID	STCK1	61.81	65.86	67.91	67.90	65.83	64.00	
BUILDWID	VE5	96.01	93.35	96.53	98.63	97.74	93.88	
BUILDWID	VE5	87.17	77.81	66.14	53.66	40.35	47.36	
BUILDWID	VE5	59.03	69.56	78.01	86.62	92.60	95.76	
BUILDWID	VE5	96.01	93.35	96.53	98.63	97.74	93.88	
BUILDWID	VE5	87.17	77.81	66.14	53.66	40.35	47.36	
BUILDWID	VE5	59.03	69.56	78.01	86.62	92.60	95.76	
BUILDWID	VE6	96.01	93.35	96.53	98.63	97.74	93.88	
BUILDWID	VE6	87.17	77.81	66.14	53.66	40.35	47.36	
BUILDWID	VE6	59.03	69.56	78.01	86.62	92.60	95.76	
BUILDWID	VE6	96.01	93.35	96.53	98.63	97.74	93.88	
BUILDWID	VE6	87.17	77.81	66.14	53.66	40.35	47.36	
BUILDWID	VE6	59.03	69.56	78.01	86.62	92.60	95.76	
BUILDWID	VE7	96.01	93.35	96.53	98.63	97.74	93.88	
BUILDWID	VE7	87.17	77.81	66.14	53.66	40.35	47.36	
BUILDWID	VE7	59.03	69.56	78.01	86.62	92.60	95.76	
BUILDWID	VE7	96.01	93.35	96.53	98.63	97.74	93.88	
BUILDWID	VE7	87.17	77.81	66.14	53.66	40.35	47.36	
BUILDWID	VE7	59.03	69.56	78.01	86.62	92.60	95.76	
BUILDWID	VE8	96.01	93.35	96.53	98.63	97.74	93.88	

BUILDWID	VE8	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE8	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE8	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE8	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE8	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE9	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE9	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE9	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE9	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE9	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE9	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE10	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE10	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE10	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE10	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE10	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE10	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE11	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE11	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE11	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE11	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE11	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE11	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE12	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE12	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE12	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE12	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE12	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE12	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE13	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE13	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE13	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE13	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE13	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE13	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE14	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE14	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE14	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE14	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE14	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE14	59.03	69.56	78.01	86.62	92.60	95.76

BUILDWID	VE21	59.03	69.56	78.01	86.62	92.60	95.76	
BUILDWID	VE22	96.01	93.35	96.53	98.63	97.74	93.88	
BUILDWID	VE22	87.17	77.81	66.14	53.66	40.35	47.36	
BUILDWID	VE22	59.03	69.56	78.01	86.62	92.60	95.76	
BUILDWID	VE22	96.01	93.35	96.53	98.63	97.74	93.88	
BUILDWID	VE22	87.17	77.81	66.14	53.66	40.35	47.36	
BUILDWID	VE22	59.03	69.56	78.01	86.62	92.60	95.76	
BUILDWID	VE23	96.01	93.35	96.53	98.63	97.74	93.88	
BUILDWID	VE23	87.17	77.81	66.14	53.66	40.35	47.36	
BUILDWID	VE23	59.03	69.56	78.01	86.62	92.60	95.76	
BUILDWID	VE23	96.01	93.35	96.53	98.63	97.74	93.88	
BUILDWID	VE23	87.17	77.81	66.14	53.66	40.35	47.36	
BUILDWID	VE23	59.03	69.56	78.01	86.62	92.60	95.76	
BUILDWID	VE24	96.01	93.35	96.53	98.63	97.74	93.88	
BUILDWID	VE24	87.17	77.81	66.14	53.66	40.35	47.36	
BUILDWID	VE24	59.03	69.56	78.01	86.62	92.60	95.76	
BUILDWID	VE24	96.01	93.35	96.53	98.63	97.74	93.88	
BUILDWID	VE24	87.17	77.81	66.14	53.66	40.35	47.36	
BUILDWID	VE24	59.03	69.56	78.01	86.62	92.60	95.76	
BUILDWID	VE26	96.01	93.35	96.53	98.63	97.74	93.88	
BUILDWID	VE26	87.17	77.81	66.14	53.66	40.35	47.36	
BUILDWID	VE26	59.03	69.56	78.01	86.62	92.60	95.76	
BUILDWID	VE26	96.01	93.35	96.53	98.63	97.74	93.88	
BUILDWID	VE26	87.17	77.81	66.14	53.66	40.35	47.36	
BUILDWID	VE26	59.03	69.56	78.01	86.62	92.60	95.76	
BUILDWID	VE27	96.01	93.35	96.53	98.63	97.74	93.88	
BUILDWID	VE27	87.17	77.81	66.14	53.66	40.35	47.36	
BUILDWID	VE27	59.03	69.56	78.01	86.62	92.60	95.76	
BUILDWID	VE27	96.01	93.35	96.53	98.63	97.74	93.88	
BUILDWID	VE27	87.17	77.81	66.14	53.66	40.35	47.36	
BUILDWID	VE27	59.03	69.56	78.01	86.62	92.60	95.76	
BUILDWID	VE28	96.01	93.35	96.53	98.63	97.74	93.88	
BUILDWID	VE28	87.17	69.33	66.44	61.53	54.74	55.04	
BUILDWID	VE28	55.54	59.17	227.66	232.40	230.08	220.76	
BUILDWID	VE28	96.01	93.35	96.53	98.63	97.74	93.88	
BUILDWID	VE28	87.17	182.62	184.84	181.44	40.35	47.36	
BUILDWID	VE28	59.03	69.56	227.66	232.40	230.08	220.76	
BUILDWID	VE29	96.01	93.35	96.53	98.63	97.74	93.88	
BUILDWID	VE29	87.17	69.33	66.44	61.53	54.74	55.04	
BUILDWID	VE29	55.54	59.17	227.66	232.40	230.08	220.76	
BUILDWID	VE29	96.01	93.35	96.53	98.63	97.74	93.88	

BUILDWID	VE29	87.17	182.62	184.84	181.44	40.35	47.36
BUILDWID	VE29	59.03	69.56	227.66	232.40	230.08	220.76
BUILDWID	VE30	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE30	70.12	69.33	66.44	61.53	54.74	55.04
BUILDWID	VE30	55.54	59.17	227.66	232.40	230.08	220.76
BUILDWID	VE30	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE30	182.11	182.62	184.84	181.44	40.35	47.36
BUILDWID	VE30	59.03	59.17	227.66	232.40	230.08	220.76
BUILDWID	VE31	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE31	70.12	69.33	66.44	61.53	54.74	55.04
BUILDWID	VE31	55.54	59.17	227.66	232.40	230.08	220.76
BUILDWID	VE31	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE31	182.11	182.62	184.84	181.44	40.35	47.36
BUILDWID	VE31	59.03	59.17	227.66	232.40	230.08	220.76
BUILDWID	VE32	204.74	93.35	96.53	98.63	97.74	68.78
BUILDWID	VE32	70.12	69.33	66.44	61.53	54.74	55.04
BUILDWID	VE32	55.54	59.17	227.66	232.40	230.08	220.76
BUILDWID	VE32	204.74	93.35	96.53	98.63	97.74	68.78
BUILDWID	VE32	70.12	182.62	184.84	181.44	40.35	47.36
BUILDWID	VE32	55.54	59.17	227.66	232.40	230.08	220.76
BUILDWID	VE33	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE33	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE33	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE33	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE33	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE33	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE34	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE34	87.17	77.81	66.44	61.53	54.74	55.04
BUILDWID	VE34	55.54	59.17	61.96	232.40	230.08	220.76
BUILDWID	VE34	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE34	87.17	77.81	184.84	181.44	40.35	47.36
BUILDWID	VE34	59.03	69.56	78.01	86.62	230.08	220.76
BUILDWID	VE35	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE35	87.17	77.81	66.44	61.53	54.74	55.04
BUILDWID	VE35	55.54	59.17	61.96	232.40	230.08	220.76
BUILDWID	VE35	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE35	87.17	77.81	184.84	181.44	40.35	47.36
BUILDWID	VE35	59.03	69.56	78.01	232.40	230.08	220.76
BUILDWID	VE36	204.74	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE36	87.17	69.33	66.44	61.53	54.74	55.04
BUILDWID	VE36	55.54	59.17	61.96	232.40	230.08	220.76

BUILDWID VE36 204.74 93.35 96.53 98.63 97.74 93.88
BUILDWID VE36 87.17 182.62 184.84 181.44 40.35 47.36
BUILDWID VE36 59.03 69.56 61.96 232.40 230.08 220.76
BUILDWID VE37 204.74 93.35 96.53 98.63 66.20 68.78
BUILDWID VE37 70.12 69.33 66.44 61.53 54.74 55.04
BUILDWID VE37 55.54 59.17 61.96 232.40 230.08 220.76
BUILDWID VE37 204.74 93.35 96.53 98.63 66.20 68.78
BUILDWID VE37 70.12 182.62 184.84 181.44 40.35 55.04
BUILDWID VE37 55.54 59.17 61.96 232.40 230.08 220.76
BUILDWID VE38 204.74 93.35 96.53 98.63 66.20 68.78
BUILDWID VE38 70.12 69.33 66.44 61.53 54.74 55.04
BUILDWID VE38 55.54 59.17 61.96 232.40 230.08 220.76
BUILDWID VE38 204.74 93.35 96.53 98.63 66.20 68.78
BUILDWID VE38 70.12 69.33 66.44 61.53 54.74 55.04
BUILDWID VE38 55.54 59.17 61.96 232.40 230.08 220.76
BUILDWID VE39 204.74 93.35 96.53 68.42 66.20 68.78
BUILDWID VE39 70.12 69.33 66.44 61.53 54.74 55.04
BUILDWID VE39 55.54 59.17 61.96 232.40 230.08 220.76
BUILDWID VE39 204.74 93.35 96.53 68.42 66.20 68.78
BUILDWID VE39 70.12 69.33 66.44 61.53 54.74 55.04
BUILDWID VE39 55.54 59.17 61.96 232.40 230.08 220.76
BUILDWID VE40 204.74 93.35 68.56 68.42 66.20 68.78
BUILDWID VE40 70.12 69.33 66.44 61.53 54.74 55.04
BUILDWID VE40 55.54 59.17 61.96 62.88 230.08 220.76
BUILDWID VE40 204.74 93.35 68.56 68.42 66.20 68.78
BUILDWID VE40 70.12 69.33 66.44 61.53 54.74 55.04
BUILDWID VE40 55.54 59.17 61.96 62.88 230.08 220.76
BUILDWID VE41 204.74 93.35 96.53 98.63 97.74 93.88
BUILDWID VE41 87.17 69.33 66.44 61.53 54.74 55.04
BUILDWID VE41 55.54 59.17 61.96 62.88 230.08 220.76
BUILDWID VE41 204.74 93.35 96.53 98.63 97.74 93.88
BUILDWID VE41 87.17 69.33 184.84 181.44 40.35 47.36
BUILDWID VE41 59.03 59.17 61.96 62.88 230.08 220.76
BUILDWID VE42 204.74 93.35 96.53 98.63 97.74 93.88
BUILDWID VE42 70.12 69.33 66.44 61.53 54.74 55.04
BUILDWID VE42 55.54 59.17 61.96 62.88 230.08 220.76
BUILDWID VE42 204.74 93.35 96.53 98.63 97.74 93.88
BUILDWID VE42 70.12 69.33 66.44 61.53 40.35 47.36
BUILDWID VE42 55.54 59.17 61.96 62.88 230.08 220.76
BUILDWID VE43 204.74 93.35 96.53 98.63 97.74 68.78
BUILDWID VE43 70.12 69.33 66.44 61.53 54.74 55.04

BUILDWID	VE43	55.54	59.17	61.96	62.88	230.08	220.76
BUILDWID	VE43	204.74	93.35	96.53	98.63	97.74	68.78
BUILDWID	VE43	70.12	69.33	66.44	61.53	54.74	55.04
BUILDWID	VE43	55.54	59.17	61.96	62.88	230.08	220.76
BUILDWID	VE44	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE44	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE44	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE44	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE44	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE44	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE45	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE45	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE45	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE45	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE45	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE45	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE46	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE46	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE46	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE46	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE46	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE46	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE47	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE47	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE47	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE47	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE47	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE47	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE48	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE48	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE48	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE48	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE48	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE48	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE49	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE49	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE49	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE49	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE49	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE49	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE50	96.01	93.35	96.53	98.63	97.74	93.88

BUILDWID	VE50	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE50	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE50	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE50	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE50	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE51	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE51	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE51	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE51	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE51	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE51	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE52	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE52	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE52	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE52	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE52	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE52	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE53	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE53	87.17	77.81	66.14	61.53	54.74	55.04
BUILDWID	VE53	55.54	59.17	61.96	232.40	230.08	220.76
BUILDWID	VE53	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE53	87.17	77.81	66.14	181.44	40.35	47.36
BUILDWID	VE53	59.03	69.56	78.01	86.62	230.08	220.76
BUILDWID	VE54	204.74	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE54	87.17	77.81	66.14	61.53	54.74	55.04
BUILDWID	VE54	55.54	59.17	61.96	232.40	230.08	220.76
BUILDWID	VE54	204.74	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE54	87.17	77.81	66.14	181.44	40.35	47.36
BUILDWID	VE54	59.03	69.56	78.01	232.40	230.08	220.76
BUILDWID	VE55	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE55	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE55	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE55	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE55	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE55	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE56	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE56	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE56	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE56	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE56	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE56	59.03	69.56	78.01	86.62	92.60	95.76

BUILDWID	VE57	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE57	87.17	77.81	66.14	53.66	40.35	55.04
BUILDWID	VE57	55.54	59.17	61.96	62.88	230.08	220.76
BUILDWID	VE57	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE57	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE57	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE58	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE58	87.17	77.81	66.14	53.66	40.35	55.04
BUILDWID	VE58	55.54	59.17	61.96	62.88	230.08	220.76
BUILDWID	VE58	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE58	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE58	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE59	204.74	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE59	87.17	77.81	66.14	53.66	40.35	55.04
BUILDWID	VE59	55.54	59.17	61.96	62.88	230.08	220.76
BUILDWID	VE59	204.74	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE59	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE59	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE60	204.74	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE60	87.17	77.81	66.14	53.66	40.35	55.04
BUILDWID	VE60	55.54	59.17	61.96	62.88	230.08	220.76
BUILDWID	VE60	204.74	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE60	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE60	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE61	204.74	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE61	87.17	77.81	66.14	53.66	40.35	55.04
BUILDWID	VE61	55.54	59.17	61.96	62.88	230.08	220.76
BUILDWID	VE61	204.74	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE61	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE61	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	VE62	204.74	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE62	87.17	77.81	66.44	61.53	54.74	55.04
BUILDWID	VE62	55.54	59.17	61.96	62.88	230.08	220.76
BUILDWID	VE62	204.74	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE62	87.17	77.81	66.44	181.44	40.35	47.36
BUILDWID	VE62	59.03	69.56	61.96	62.88	230.08	220.76
BUILDWID	VE63	204.74	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE63	87.17	69.33	66.44	61.53	54.74	55.04
BUILDWID	VE63	55.54	59.17	61.96	62.88	230.08	220.76
BUILDWID	VE63	204.74	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE63	87.17	69.33	66.44	61.53	54.74	55.04

BUILDWID	VE63	55.54	59.17	61.96	62.88	230.08	220.76
BUILDWID	VE64	204.74	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE64	70.12	69.33	66.44	61.53	54.74	55.04
BUILDWID	VE64	55.54	59.17	61.96	62.88	61.88	220.76
BUILDWID	VE64	204.74	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE64	70.12	69.33	66.44	61.53	54.74	55.04
BUILDWID	VE64	55.54	59.17	61.96	62.88	61.88	220.76
BUILDWID	VE65	204.74	93.35	96.53	98.63	66.20	68.78
BUILDWID	VE65	70.12	69.33	66.44	61.53	54.74	55.04
BUILDWID	VE65	55.54	59.17	61.96	62.88	61.88	65.71
BUILDWID	VE65	204.74	93.35	96.53	98.63	66.20	68.78
BUILDWID	VE65	70.12	69.33	66.44	61.53	54.74	55.04
BUILDWID	VE65	55.54	59.17	61.96	62.88	61.88	65.71
BUILDWID	VE66	204.74	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE66	87.17	77.81	66.14	53.66	40.35	55.04
BUILDWID	VE66	55.54	59.17	61.96	62.88	61.88	220.76
BUILDWID	VE66	204.74	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE66	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE66	59.03	69.56	78.01	86.62	92.60	220.76
BUILDWID	VE67	204.74	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE67	87.17	77.81	66.14	53.66	40.35	55.04
BUILDWID	VE67	55.54	59.17	61.96	62.88	61.88	65.71
BUILDWID	VE67	204.74	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE67	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	VE67	59.03	69.56	78.01	62.88	61.88	65.71
BUILDWID	VE68	204.74	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE68	87.17	77.81	66.14	53.66	40.35	55.04
BUILDWID	VE68	55.54	59.17	61.96	62.88	61.88	65.71
BUILDWID	VE68	204.74	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE68	87.17	77.81	66.14	53.66	40.35	55.04
BUILDWID	VE68	55.54	59.17	61.96	62.88	61.88	65.71
BUILDWID	VE69	67.56	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE69	87.17	77.81	66.14	53.66	40.35	55.04
BUILDWID	VE69	55.54	59.17	61.96	62.88	61.88	65.71
BUILDWID	VE69	67.56	93.35	96.53	98.63	97.74	93.88
BUILDWID	VE69	87.17	77.81	66.14	53.66	40.35	55.04
BUILDWID	VE69	55.54	59.17	61.96	62.88	61.88	65.71
BUILDWID	STCK2	64.61	63.26	66.07	70.93	74.88	76.55
BUILDWID	STCK2	75.89	72.93	67.75	60.51	51.44	55.88
BUILDWID	STCK2	61.81	65.86	67.91	67.90	65.83	64.00
BUILDWID	STCK2	64.61	63.26	66.07	70.93	74.88	76.55

BUILDWID	STCK2	75.89	72.93	67.75	60.51	51.44	55.88
BUILDWID	STCK2	61.81	65.86	67.91	67.90	65.83	64.00
BUILDWID	STCK3	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	STCK3	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	STCK3	59.03	69.56	78.01	86.62	92.60	95.76
BUILDWID	STCK3	96.01	93.35	96.53	98.63	97.74	93.88
BUILDWID	STCK3	87.17	77.81	66.14	53.66	40.35	47.36
BUILDWID	STCK3	59.03	69.56	78.01	86.62	92.60	95.76

** WeekDays:

EMISFACT	VE4-VE69	SHRDOW	0.00	0.00	0.00	0.00	0.00	0.00
EMISFACT	VE4-VE69	SHRDOW	0.05	0.10	0.10	0.10	0.10	0.10
EMISFACT	VE4-VE69	SHRDOW	0.10	0.10	0.10	0.10	0.10	0.10
EMISFACT	VE4-VE69	SHRDOW	0.10	0.10	0.10	0.10	0.10	0.05
EMISFACT	STCK1-STCK2	SHRDOW	0.00	0.00	0.00	0.00	0.00	0.00
EMISFACT	STCK1-STCK2	SHRDOW	0.50	1.00	1.00	1.00	1.00	1.00
EMISFACT	STCK1-STCK2	SHRDOW	1.00	1.00	1.00	1.00	1.00	1.00
EMISFACT	STCK1-STCK2	SHRDOW	1.00	1.00	1.00	1.00	1.00	0.50
EMISFACT	VE4-VE69	SHRDOW	0.00	0.00	0.00	0.00	0.00	0.00
EMISFACT	VE4-VE69	SHRDOW	0.25	0.50	0.50	0.50	0.50	0.50
EMISFACT	VE4-VE69	SHRDOW	0.50	0.50	0.50	0.50	0.50	0.50
EMISFACT	VE4-VE69	SHRDOW	0.50	0.50	0.50	0.50	0.50	0.25
EMISFACT	STCK1-STCK2	SHRDOW	0.00	0.00	0.00	0.00	0.00	0.00
EMISFACT	STCK1-STCK2	SHRDOW	0.50	1.00	1.00	1.00	1.00	1.00
EMISFACT	STCK1-STCK2	SHRDOW	1.00	1.00	1.00	1.00	1.00	1.00
EMISFACT	STCK1-STCK2	SHRDOW	1.00	1.00	1.00	1.00	1.00	0.50
EMISFACT	VE4-VE69	SHRDOW	0.00	0.00	0.00	0.00	0.00	0.00
EMISFACT	VE4-VE69	SHRDOW	0.50	1.00	1.00	1.00	1.00	1.00
EMISFACT	VE4-VE69	SHRDOW	1.00	1.00	1.00	1.00	1.00	1.00
EMISFACT	VE4-VE69	SHRDOW	1.00	1.00	1.00	1.00	1.00	0.50
EMISFACT	STCK1-STCK2	SHRDOW	0.00	0.00	0.00	0.00	0.00	0.00
EMISFACT	STCK1-STCK2	SHRDOW	0.50	1.00	1.00	1.00	1.00	1.00
EMISFACT	STCK1-STCK2	SHRDOW	1.00	1.00	1.00	1.00	1.00	1.00
EMISFACT	STCK1-STCK2	SHRDOW	1.00	1.00	1.00	1.00	1.00	0.50
EMISFACT	VE4-VE69	SHRDOW	0.00	0.00	0.00	0.00	0.00	0.00
EMISFACT	VE4-VE69	SHRDOW	0.25	0.50	0.50	0.50	0.50	0.50
EMISFACT	VE4-VE69	SHRDOW	0.50	0.50	0.50	0.50	0.50	0.50
EMISFACT	VE4-VE69	SHRDOW	0.50	0.50	0.50	0.50	0.50	0.25
EMISFACT	STCK1-STCK2	SHRDOW	0.00	0.00	0.00	0.00	0.00	0.00
EMISFACT	STCK1-STCK2	SHRDOW	0.50	1.00	1.00	1.00	1.00	1.00
EMISFACT	STCK1-STCK2	SHRDOW	1.00	1.00	1.00	1.00	1.00	1.00
EMISFACT	STCK1-STCK2	SHRDOW	1.00	1.00	1.00	1.00	1.00	0.50

EMISFACT STCK1-STCK2 SHRDOWN 0.00 0.00 0.00 0.00 0.00 0.00
 EMISFACT VE4-VE69 SHRDOWN 0.00 0.00 0.00 0.00 0.00 0.00
 EMISFACT VE4-VE69 SHRDOWN 0.00 0.00 0.00 0.00 0.00 0.00
 EMISFACT VE4-VE69 SHRDOWN 0.00 0.00 0.00 0.25 0.50 0.50
 EMISFACT VE4-VE69 SHRDOWN 0.50 0.50 0.50 0.50 0.50 0.50
 EMISFACT STCK1-STCK2 SHRDOWN 0.00 0.00 0.00 0.00 0.00 0.00
 EMISFACT STCK1-STCK2 SHRDOWN 0.00 0.00 0.00 0.00 0.00 0.00
 EMISFACT STCK1-STCK2 SHRDOWN 0.00 0.00 0.00 0.00 0.00 0.00
 EMISFACT STCK1-STCK2 SHRDOWN 0.00 0.00 0.00 0.00 0.00 0.00
 EMISFACT VE4-VE69 SHRDOWN 0.00 0.00 0.00 0.00 0.00 0.00
 EMISFACT VE4-VE69 SHRDOWN 0.00 0.00 0.00 0.00 0.00 0.00
 EMISFACT VE4-VE69 SHRDOWN 0.00 0.00 0.00 0.50 1.00 1.00
 EMISFACT VE4-VE69 SHRDOWN 1.00 1.00 1.00 1.00 1.00 1.00
 EMISFACT STCK1-STCK2 SHRDOWN 0.00 0.00 0.00 0.00 0.00 0.00
 EMISFACT STCK1-STCK2 SHRDOWN 0.00 0.00 0.00 0.00 0.00 0.00
 EMISFACT STCK1-STCK2 SHRDOWN 0.00 0.00 0.00 0.00 0.00 0.00
 EMISFACT STCK1-STCK2 SHRDOWN 0.00 0.00 0.00 0.00 0.00 0.00
 EMISFACT VE4-VE69 SHRDOWN 0.00 0.00 0.00 0.00 0.00 0.00
 EMISFACT VE4-VE69 SHRDOWN 0.00 0.00 0.00 0.00 0.00 0.00
 EMISFACT VE4-VE69 SHRDOWN 0.00 0.00 0.00 0.25 0.50 0.50
 EMISFACT VE4-VE69 SHRDOWN 0.50 0.50 0.50 0.50 0.50 0.50
 EMISFACT STCK1-STCK2 SHRDOWN 0.00 0.00 0.00 0.00 0.00 0.00
 EMISFACT STCK1-STCK2 SHRDOWN 0.00 0.00 0.00 0.00 0.00 0.00
 EMISFACT STCK1-STCK2 SHRDOWN 0.00 0.00 0.00 0.00 0.00 0.00
 EMISFACT STCK1-STCK2 SHRDOWN 0.00 0.00 0.00 0.00 0.00 0.00
 CONCUNIT 7 OU/15-MIN OU/M^3

** Source Group **

SRCGROUP PROTEINR STCK1
 SRCGROUP BARNSTCK VE10 VE11 VE12 VE13 VE14 VE15 VE16 VE17 VE18 VE19 VE20
 SRCGROUP BARNSTCK VE21 VE22 VE23 VE24 VE26 VE27 VE28 VE29 VE30 VE31 VE32
 SRCGROUP BARNSTCK VE33 VE34 VE35 VE36 VE37 VE38 VE39 VE40 VE41 VE42
 SRCGROUP BARNSTCK VE43 VE44 VE45 VE46 VE47 VE48 VE49 VE50 VE51 VE52
 SRCGROUP BARNSTCK VE53 VE54 VE55 VE56 VE57 VE58 VE59 VE60 VE61 VE62
 SRCGROUP BARNSTCK VE63 VE64 VE65 VE66 VE67 VE68 VE69 VE70 VE71 VE72
 SRCGROUP TRUCKS L0000001 L0000002 L0000003 L0000004 L0000005 L0000006
 SRCGROUP TRUCKS L0000007 L0000008 L0000009 L0000010 L0000011 L0000012
 SRCGROUP TRUCKS L0000013 L0000014
 SRCGROUP ALL

SO FINISHED

*** ISCST3 - VERSION 00101 ***

*** Olywest EA odour modeling

08/02/06

**MODELOPTs:
CONC

URBAN FLAT FLGPOL DFAULT

21:26:58
PAGE 202

*** THE SUMMARY OF HIGHEST 1-HR RESULTS ***

** CONC OF ODOUR IN OU/M^3 **

GROUP ID	AVERAGE CONC	DATE (YYMMDDHH)	RECEPTOR (XR, YR, ZELEV, ZFLAG)	OF TYPE	NETWORK GRID-ID
PROTEINR HIGH 1ST HIGH VALUE IS	1.89852	ON 98082523: AT (640335.25, 5526897.00, 0.00,	1.50) DC	NA
BARNSTCK HIGH 1ST HIGH VALUE IS	3.48959	ON 97072513: AT (640335.25, 5526297.00, 0.00,	1.50) DC	NA
TRUCKS HIGH 1ST HIGH VALUE IS	0.67125	ON 96110302: AT (641817.00, 5526352.00, 0.00,	1.50) DC	NA
ALL HIGH 1ST HIGH VALUE IS	4.95799	ON 98080322: AT (640435.25, 5525897.00, 0.00,	1.50) DC	NA

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR
BD = BOUNDARY

