

Conservation and Water Stewardship

Environmental Stewardship Division Environmental Approvals Branch 123 Main Street, Suite 160, Winnipeg, Manitoba R3C 1A5 T 204 945-8321 F 204 945-5229 www.gov.mb.ca/conservation/eal

CLIENT FILE NO.: 5679.00

January 21, 2014

Dan Bartel Barkman Concrete Ltd. 152 Brandt Street Steinbach, MB R5G 0R2

Dear Mr. Bartel :

Enclosed is **Environment Act Licence No. 3086** dated January 21, 2005 is a dro **Barkman Concrete Ltd.** for the continued operation and expansion of the Development being a precast concrete products manufacturing facility at 152 Brandt Street in Steinbach, Manuba, mace related with the Proposal dated September 12, 2013 and additional information provided or December 3, 2013.

In addition to the enclosed Licence requirements, please with model that all other applicable federal, provincial and municipal regulations and by-laws not t be complied with. A Notice of Alteration must be filed with the Director for approval prior to any ateration to the Development as licensed.

For further information on the administration and application of the Licence, please feel free to contact Donna Smiley, Environment Officer at 204, 45-70, 2.

Pursuant to Section 27 of *The Environment vet*, this licensing decision may be appealed by any person who is affected by the issuance of this Lineace to the Minister of Conservation and Water Stewardship within 30 days of the date of the License.

Yours truly,

"original signed by"

Tracey Braun, M.Sc. Director Environment Act

- c: Don Labossiere, Director, Environmental Compliance and Enforcement Stephen J. Biswanger, P.Eng., AECOM (via email) Public Registries
- NOTE: Confirmation of Receipt of this Licence No. 3086 (by the Licencee only) is required by the Director of Environmental Approvals. Please acknowledge receipt by signing in the space provided below and faxing a copy (letter only) to the Department by February 4, 2014.

On behalf of Barkman Concrete Ltd.

Date

THE ENVIRONMENT ACT LOI SUR L'ENVIRONNEMENT





Licence No. / Licence n° 3086

Issue Date / Date de délivrance January 21, 2014

In accordance with *The Environment Act* (C.C.S.M. c. E125) / Conformément à la Loi sur l'environnement (C.P.L.M. c. E125)

Pursuant to Section 10(1) / Conformément au Paragraphe 10(1)

THIS LICENCE IS ISSUED TO : / CETTE LICENCE EST DONNÉE À :

BARKMAN CONCRETE LTD. "the Licencee"

for the continued operation and expansion of the Delo being a precast concrete products manufacturing facility at 152 Brand Street in Steinbach, Manitoba, in accordance with the Proposal dated September 12, 213 dditional information provided on December 3, 2013 and subject to the folloting specifications, limits, terms and conditions:

EFUITIONS

In this Licence,

"accredited laboratory" means analytical facility accredited by the Standard Council of Canada (SCC), or a private by another accrediting agency recognized by Manitoba Conservation and Vater St wardship to be equivalent to the SCC, or be able to demonstrate, upon Neuest, that it has the quality assurance/quality control (QA/QC) procedures in place equivalent to accreditation based on the international standard ISO/IEC 17025, or otherwise approved by the Director;

"affected area" means a geographical area, excluding the property of the Development;

"aggregate" means any crushed stone or slag, crushed or uncrushed gravel, sand or mineral filler;

"approved" means approved by the Director or assigned Environment Officer in writing;

"**Director**" means an employee so designated pursuant to *The Environment Act*;

"Environment Officer" means an employee so designated pursuant to The Environment Act:

A COPY OF THE LICENCE MUST BE KEPT ON SITE AT THE DEVELOPMENT AT ALL TIMES

Barkman Concrete Ltd. Licence No. 3086 Page 2 of 9

- "fugitive emissions" means particulate matter escaping from sources within the development property into the atmosphere other than through any of the emission stacks or vents;
- "noise nuisance" means an unwanted sound, in an affected area, which is annoying, troublesome, or disagreeable to a person:
 - a) residing in an affected area;
 - b) working in an affected area; or
 - c) present at a location in an affected area which is normally open to members of the public;

if the unwanted sound

- d) is the subject of at least 5 written complaints, received by the Director in a form satisfactory to the Director and within a 20-day period, from 5 different persons falling within clauses a), b), or each ho do not live in the same household; or
- e) is the subject of at least one written complaint-received by the Director in a form satisfactory to the Director, from a versa falling within clauses a),
 b) or c) and the Director is of the opin on the fif the unwanted sound had occurred in a more densely populate care, there would have been at least 5 written complaints received within a 90-da operiod, from 5 different persons who do not live in the care block enold;
- "odour nuisance" means a continuous correported odour, smell or aroma, in an affected area, which is offensive, conoxiou, troublesome, annoying, unpleasant or disagreeable to a person:
 - a) residing in an affected
 - b) working in an fferen area; or
 - c) present at a location in an affected area which is normally open to member of depublic;

if the odour, st tell are ha

- d) is the ubject of at least 5 written complaints, received by the Director in a form satisfactory to the Director and within a 90-day period, from 5 different persons falling within clauses a), b) or c), who do not live in the same household; or
- e) is the subject of at least one written complaint, received by the Director in a form satisfactory to the Director, from a person falling within clauses a),
 b), or c) and the Director is of the opinion that if the odour, smell or aroma had occurred in a more densely populated area there would have been at least 5 written complaints received within a 90-day period, from 5 different persons who do not live in the same household;

"**opacity**" means the degree to which emissions reduce the transmission of light and obscure the view of an object in the background;

"**particulate matter**" means any finely divided liquid or solid matter other than water droplets;

Barkman Concrete Ltd. Licence No. 3086 Page 3 of 9

"**particulate residue**" means that part or portion of an atmospheric emission which is deposited onto a surface;

"**point source**" means any point of emission from a Development where pollutants are emitted to the atmosphere by means of a stack;

"QA/QC" means quality assurance/quality control;

"**stack**" means a duct, pipe, chimney, vent, opening or other structure through which pollutants are emitted to the atmosphere;

"Standard Methods for the Examination of Water and Wastewater" means the most recent edition of Standard Methods for the Examination of Water and Wastewater published jointly by the American Public Health Association, the American Waterworks Association and the Water Environment Federation;

"washout water containment cells" means the containment area at the Development where all washout water generated at the Development is contained;

"washout water" means water generated from cluning sidual and/or excess concrete from all equipment used at the development;

"wastewater" means any liquid containing a pollutant as defined in *The Environment Act*, associated with or resulting from the Development which is discharged into the environment.

GENERAL JERMS AND CONDITIONS

This Section of the cice ce contains requirements intended to provide guidance to the Licencee in implementing practices to ensure that the environment is maintained in such a manner as to sustain a high quality of life, including social and economic development, recreation and leisure for present and future Manitobans.

- 1. The Licencee shall implement a high standard of equipment maintenance and good housekeeping and operational practices with respect to the Development, at all times.
- 2. The Licencee shall reduce the production and dissemination of wastes by initiating and maintaining waste reduction and waste recycling programs.
- 3. In addition to any of the limits, terms and conditions specified in this Licence, the Licencee shall, upon the request of the Director:
 - a) sample, monitor, analyze and/or investigate specific areas of concern regarding any segment, component or aspect of pollutant storage, containment, treatment, handling, disposal or emission systems, for such pollutants or ambient quality, aquatic toxicity, leachate characteristics and

discharge or emission rates, for such duration and at such frequencies as may be specified;

- b) determine the environmental impact associated with the release of any pollutant(s) from the Development; or
- c) provide the Director, within such time as may be specified, with such reports, drawings, specifications, analytical data, descriptions of sampling and analytical procedures being used, bioassay data, flow rate measurements and such other information as may from time to time be requested.
- 4. The Licencee shall, unless otherwise specified in this Licence:
 - a) carry out all preservations and analyses on liquid samples in accordance with the methods prescribed in the most current dition of Standard Methods for the Examination of Water and Wastewatthor in accordance with equivalent preservation and analytical methodologies approved by the Director;
 - b) carry out all sampling of, and preservation and analyses on, soil and air samples in accordance with methodologies opposed by the Director;
 - c) have all analytical determinations under aker, by an accredited laboratory; and
 - d) report the results to the Director mawred g and in an electronic form acceptable to the Director, within 0 days of the samples being taken.
- 5. The Licencee shall carry out any remeand measures, modifications, or alterations, as deemed necessary by the Director, in respect to matters authorized under this Licence.
- 6. The Licencee shall submit all imprmation required to be provided to the Director or Environment Officer ander this Licence, in writing, in such form (including number of copies), and of such content as may be specified by the Director or Environment Officer, and each such issues shall be clearly labelled with the Licence Number and Client File Number associated with this Licence.
- 7. The Licencee shall designate an employee, within 60 days of the date of issuance of this Licence, as the Licencee's Environmental Coordinator, whose job description will include assisting the Licencee in complying with the limits, terms and conditions in this Licence and assisting Senior Management of the Licencee to manage environmental issues at the Development. The name of the Environmental Coordinator shall be submitted in writing to the Director within 14 days of appointment.

SPECIFICATIONS, LIMITS, TERMS AND CONDITIONS

Respecting Air Emissions – Limits

- 8. The Licencee shall not emit particulate matter from the Development such that:
 - a) particulate matter:

Barkman Concrete Ltd. Licence No. 3086 Page 5 of 9

- exceeds 0.23 grams per dry standard cubic metre calculated at 25 degrees Celsius and 760 millimetres of mercury, corrected to 12 percent carbon dioxide for processes involving combustion, from any point source of the Development;
- ii) exhibits a visible plume with an opacity of greater than 5 percent at any point beyond the property line of the Development; or
- iii) results in the deposition of visible particulate residue at any time beyond the property line of the Development; or
- b) opacity from any point source of the Development equals or exceeds:
 - i) 20 percent as the average of any 24 consecutive opacity observations taken at 15 second intervals;
 - ii) 20 percent for more than 16 individual opacity observations within any 1 hour period; or
 - iii) 40 percent for any individual opacity observation
- 9. The Licencee shall not cause or permit a noise nuisance to be creat d as a result of the construction, operation or alteration of the Development, and shall take such steps as the Director may require to eliminate or mitigate approximation of energy.
- 10. The Licencee shall not cause or permit an odor nuisance to be created as a result of the construction, operation or alteration or m. Development, and shall take such steps as the Director may require to eliminate a mitigate an odour nuisance.

Respecting Air Pollution Control

11. The Licencee shall preven the extrement of particulate matter into the air at the Development resulting from the peration of vehicles or the transportation, storage or handling of aggregate a other material.

Respecting Air Polatio, Control Equipment

- 12. The Licencee shall lirect all air streams, which contain a pollutant(s) of concern to the Director, to a pollution control device which has been designed for and demonstrated to be capable of reducing, altering, eliminating or otherwise treating the pollutant(s).
- 13. The Licencee shall prepare and maintain, within 60 days of the issuance of this Licence, a standard operating procedural manual and a maintenance schedule for each air emission pollution control device based on the manufacturer's specifications and recommendations and make it available for review by an Environment Officer upon request.
- 14. The Licencee shall not operate any process directing an emission to an air pollution control device at the Development unless
 - a) the operating and maintenance measures and status of the device are in full compliance with the procedures and timetables prepared in accordance with Clause 13 of this Licence;

- b) all emissions from the process are directed to the fully operational air pollution control device;
- c) all discharges of treated emissions from the air pollution control devices are immediately directed to a stack; and
- d) the emissions do not contain concentrations of pollutants which:
 - i) are in violation of any other applicable legal instrument including an Act, Regulation or by-law; or
 - ii) otherwise create a significant negative environmental or health impact in the affected area.
- 15. The Licencee shall maintain a log book of the most recent 24 month period to record any downtime of an air pollution control device due to either the breakdown or maintenance of that air pollution control device. The log took shall be kept at the Development and shall be available upon request for inspect to by an Environment Officer. The log book shall record, at minimum, the following information:
 - a) identification of the air pollution control device and the process(es) it serves;
 - b) time/date of log entry;
 - c) nature of event;
 - d) duration of event;
 - e) the accumulated downtime of this on pullue control device for the events for each calendar year; and
 - f) signature of the Environmental Cool inator.
- 16. The Licencee shall handle, store and lispose of all pollutants collected by the air pollution control equipmer in a conter suitable to their characterization as type of waste or dangerous good.

Respecting Monitorin

- 17. The Licencee, upon written request from the Director, shall provide a stack or stacks including all necessary sampling facilities for the sampling of air emissions at the Development. The stack or stacks shall be provided:
 - a) at a location(s) and within a time frame satisfactory to the Director; and
 - b) to the specifications and in accordance with the most recent version of Manitoba Conservation Guideline, *Guideline for Stack Sampling Facilities*, unless otherwise approved by the Director.
- 18. The Licencee, upon a written request from the Director, shall submit a detailed plan which is acceptable to and approved by the Director, for the sampling and analysis of potential air pollutants, released as stationary point and fugitive emissions, including any compounds determined by the Director. The plan shall identify the rationale for the sampling, the ways and means by which the sampling program will be implemented including any special measures or methods which would be necessitated by influencing factors such as unfavourable weather conditions, the need for large or additional sample volumes, the need for multiple sampling runs, the methods used for the sampling and the analysis for each compound, the detection level to be attained, a

Barkman Concrete Ltd. Licence No. 3086 Page 7 of 9

comprehensive QA/QC program, and other items as may be identified by the Director.

- 19. The Licencee shall perform all stack sampling in accordance with the most recent version of Manitoba Conservation Report No. 96-07, *Interim Stack Sampling Performance Protocol*, unless otherwise approved by the Director.
- 20. The Licencee shall arrange the scheduling of the sampling program submitted pursuant to Clause 18 of this Licence such that a representative of Manitoba Conservation and Water Stewardship is available to monitor and audit the implementation of the sampling program.
- 21. The Licencee shall complete the sampling of emissions according to the approved plan submitted pursuant to Clause 18 of this Licence, with a timeframe to be determined by the Director.
- 22. The Licencee shall submit a report, for the approval of the Director, of the completed sampling and analysis plan approved pursuant to Plaue 18 of this Licence, within 60 days of the receipt of the analytical results of max amping plan. The report shall contain at minimum:
 - a) the raw data collected;
 - b) a discussion of the sampling and analytical portions of the program including any anomalies of sampling and analysis; and
 - c) a discussion of the significance of the data gathered with specific attention to:
 - i) the significance for point al acute and chronic impacts to health or environment for exposure to concentrations of the compounds detected;
 - ii) the need or skrassessment of the impact of emissions;
 - iii) the need to the establishment of ambient air monitoring stations;
 - iv) the need for dispersion modeling of emissions;
 - v) results and conclusions of the QA/QC program; and
 - vi) other issues as may be determined by the Director.
- 23. The Licencee, upon the written request of and in a timeframe stipulated by the Director, shall comply with any air emission or ambient air quality criteria specified by the Director for any pollutant of concern to the Director which has been identified pursuant to Clause 3, 8, 11, 12 or 22 of this Licence.

Respecting Chemical Storage and Spill Containment

24. The Licencee shall provide containment for all vessels containing chemicals and in each area of the development where the chemicals are stored, loaded, transferred, used or otherwise handled, in compliance with the National Fire Code of Canada (2010), or any future amendment thereof, such that any product leakage or spillage and any contaminated liquid generated is contained within the Development and contamination of groundwater and surface water is prevented.

Barkman Concrete Ltd. Licence No. 3086 Page 8 of 9

25. The Licencee shall, in a manner approved by the Director, remove and dispose of all spilled dangerous goods.

Respecting Wastewater

- 26. The Licencee shall develop, within 60 days of the issuance of this Licence, a washout water monitoring plan for the concentration of wastewater constituents and submit to the Director for approval.
- 27. The Licencee shall direct all concrete washout water and any wash water that has come into contact with concrete to the washout water settling pits located at the Development and shall contain all concrete washout water within the containment area until such time that the washout water can be recycled, reused, or discharged of in a manner acceptable to the Director.
- 28. The Licencee shall direct all uncontaminated surface rue of towards a storm water collection basin located at the Development.
- 29. The Licencee shall not discharge any waste vater beyond the boundaries of the Development except any discharge which it directed to the City of Steinbach wastewater collection system.
- 30. The Licencee shall not wash all equipment used to handle concrete at the Development with soaps and/a deterents unless, or until such time that, a wastewater management system appropriate for wastewater from washing tucks in this manner is in place and has been approved by the Director and is in compliance with the requirements of *Locany ronment Act* and all of the regulations thereunder.

Respecting Solid Wast

31. The Licencee scall dispose of all solid waste generated from any activity at the Development, which is not recycled, only at a waste disposal ground operating under the authority of a permit issued pursuant to *Manitoba Regulation 150/91* or any future amendment thereof, or a Licence issued pursuant to *The Environment Act*.

Respecting Emergencies

- 32. The Licencee shall, in the case of physical or mechanical equipment breakdown or process upset where such breakdown or process upset results or may result in the release of a pollutant in an amount or concentration, or at a level or rate of release, that causes or may cause a significant adverse effect, immediately report the event by calling 204-944-4888 (toll-free 1-855-944-4888). The report shall indicate the nature of the event, the time and estimated duration of the event and the reason for the event.
- 33. The Licencee shall, following the reporting of an event pursuant to Clause 32,
 - a) identify the repairs required to the mechanical equipment;

Barkman Concrete Ltd. Licence No. 3086 Page 9 of 9

- b) undertake all repairs to minimize unauthorized discharges of a pollutant;
- c) complete the repairs in accordance with any written instructions of the Director; and
- d) submit a report to the Director about the causes of breakdown and measures taken, within one week of the repairs being done.
- 34. The Licencee shall, within 60 days of the issue date of this licence, prepare and maintain an emergency response contingency plan in accordance with the Canadian Centre for Occupational Health and Safety "Emergency Response Planning Guide" or other emergency planning guidelines acceptable to the Director.

Respecting Site Decommissioning

- 35. The Licencee shall submit, within one (1) year prior to closure of the facility, for the approval of the Director, a formal detailed Decommissioning shap or the facility.
- 36. The Licencee shall implement, on closure of the facility, the approved Decommissioning Plan.

REVIEW AND REVOCATION

- A. If in the opinion of the Director the Licencee has exceeded or is exceeding or has or is failing to meet the specifications, limits, terms or conditions set out in this Licence, the Director may, tempor may or permanently, revoke this Licence.
- B. If, in the opinion on the Director, new evidence warrants a change in the specifications, limits, error or conditions set out in this Licence, the Director may require the filing of a new proposal pursuant to *The Environment Act*.

"original signed by"

Tracey Braun, M.Sc. Director Environment Act

Client File No.: 5658.00