

Yazon, Edwin (CC)

From: Kiss, Brian (ARD)
Sent: April 16, 2021 10:09 AM
To: Yazon, Edwin (CC)
Subject: RE: Request for Review/Comment - DGHTAL 6098 - Roblin WDG Hazardous Waste Depot

No wildlife related concerns.

-Brian Kiss

From: Yazon, Edwin (CC) <Edwin.Yazon@gov.mb.ca>
Sent: April 6, 2021 2:43 PM
To: Kiss, Brian (ARD) <Brian.Kiss@gov.mb.ca>; Janusz, Laureen R (ARD) <Laureen.Janusz@gov.mb.ca>; Porteous, Marianne (ARD) <Marianne.Porteous@gov.mb.ca>; Conrod, Matt (ARD) <Matt.Conrod@gov.mb.ca>; Frias, Winifred (ARD) <Winifred.Frias@gov.mb.ca>; Kopytko, Myles (ARD) <Myles.Kopytko@gov.mb.ca>; Armstrong, Nicole (ARD) <Nicole.Armstrong@gov.mb.ca>; Phipps, Graham (ARD) <Graham.Phipps@gov.mb.ca>; +WPG1195 - Mines BR (ARD) <mines_br@gov.mb.ca>; Mraz, Peter (ARD) <Peter.Mraz@gov.mb.ca>; Molod, Rommel (CC) <Rommel.Molod@gov.mb.ca>; Harman, Kristal (CC) <Kristal.Harman@gov.mb.ca>; Hawryliuk, Yvonne (CC) <Yvonne.Hawryliuk@gov.mb.ca>; Forrestall, Kristy (CC) <Kristy.Forrestall@gov.mb.ca>; Christie, Rhian (CC) <Rhian.Christie@gov.mb.ca>; +WPG530 - Drinking Water - Environmental (CC) <drinkingwater.environmental@gov.mb.ca>; Hay, David (CC) <David.Hay@gov.mb.ca>; Cunningham, Neil (CC) <Neil.Cunningham@gov.mb.ca>; Kelly, Jason (CC) <Jason.Kelly@gov.mb.ca>; +WPG574 - HRB Archaeology (SCH) <HRB.archaeology@gov.mb.ca>; +WPG112 - Technical Services (MR) <TechnicalServices@gov.mb.ca>; Roberecki, Susan (HSAL) <Susan.Roberecki@gov.mb.ca>; Peck, Angela (HSAL) <Angela.Peck@gov.mb.ca>; +WPG969 - MIT Environmental Services Section (MI) <MITEnviServices@gov.mb.ca>; iaac.pnr-rpn.aeic@canada.ca; +WPG112 - FireComm (OFC) <FireComm@gov.mb.ca>; +DAU334 - Dauphin CRP (MR) <DauphinCRP@gov.mb.ca>
Cc: Rathamano, Raj (CC) <Raj.Rathamano@gov.mb.ca>; Kathy Cass <kcass@productcare.org>; cao@roblin.ca
Subject: Request for Review/Comment - DGHTAL 6098 - Roblin WDG Hazardous Waste Depot

Your review and comments would be appreciated for the Application submitted pursuant to The DGHT Act found at the below link:

[Conservation and Climate | Province of Manitoba](#)

I am the contact person assigned to co-ordinate the review and assessment of the Application.

Please reply to me if you are unable to review the Application. A non-reply will be considered as indicating your department has reviewed and has no concerns.

Any comments you have on the Application should be emailed by **May 6, 2021**.

Edwin Yazon, P. Eng.

Environmental Engineer, Environmental Approvals
Manitoba Conservation and Climate
Edwin.Yazon@gov.mb.ca / Cel: 431-335-2554

Yazon, Edwin (CC)

From: Porteous, Marianne (ARD)
Sent: April 6, 2021 3:02 PM
To: Yazon, Edwin (CC)
Subject: RE: Request for Review/Comment - DGHTAL 6098 - Roblin WDG Hazardous Waste Depot

Hello,

No concerns from the Forestry and Peatlands Branch.

Marianne

From: Yazon, Edwin (CC) <Edwin.Yazon@gov.mb.ca>
Sent: April-06-21 2:43 PM
To: Kiss, Brian (ARD) <Brian.Kiss@gov.mb.ca>; Janusz, Laureen R (ARD) <Laureen.Janusz@gov.mb.ca>; Porteous, Marianne (ARD) <Marianne.Porteous@gov.mb.ca>; Conrod, Matt (ARD) <Matt.Conrod@gov.mb.ca>; Frias, Winifred (ARD) <Winifred.Frias@gov.mb.ca>; Kopytko, Myles (ARD) <Myles.Kopytko@gov.mb.ca>; Armstrong, Nicole (ARD) <Nicole.Armstrong@gov.mb.ca>; Phipps, Graham (ARD) <Graham.Phipps@gov.mb.ca>; +WPG1195 - Mines BR (ARD) <mines_br@gov.mb.ca>; Mraz, Peter (ARD) <Peter.Mraz@gov.mb.ca>; Molod, Rommel (CC) <Rommel.Molod@gov.mb.ca>; Harman, Kristal (CC) <Kristal.Harman@gov.mb.ca>; Hawryliuk, Yvonne (CC) <Yvonne.Hawryliuk@gov.mb.ca>; Forrestall, Kristy (CC) <Kristy.Forrestall@gov.mb.ca>; Christie, Rhian (CC) <Rhian.Christie@gov.mb.ca>; +WPG530 - Drinking Water - Environmental (CC) <drinkingwater.environmental@gov.mb.ca>; Hay, David (CC) <David.Hay@gov.mb.ca>; Cunningham, Neil (CC) <Neil.Cunningham@gov.mb.ca>; Kelly, Jason (CC) <Jason.Kelly@gov.mb.ca>; +WPG574 - HRB Archaeology (SCH) <HRB.archaeology@gov.mb.ca>; +WPG112 - Technical Services (MR) <TechnicalServices@gov.mb.ca>; Roberecki, Susan (HSAL) <Susan.Roberecki@gov.mb.ca>; Peck, Angela (HSAL) <Angela.Peck@gov.mb.ca>; +WPG969 - MIT Environmental Services Section (MI) <MITEnviServices@gov.mb.ca>; iaac.pnr-rpn.aeic@canada.ca; +WPG112 - FireComm (OFC) <FireComm@gov.mb.ca>; +DAU334 - Dauphin CRP (MR) <DauphinCRP@gov.mb.ca>
Cc: Rathamano, Raj (CC) <Raj.Rathamano@gov.mb.ca>; Kathy Cass <kcass@productcare.org>; cao@roblin.ca
Subject: Request for Review/Comment - DGHTAL 6098 - Roblin WDG Hazardous Waste Depot

Your review and comments would be appreciated for the Application submitted pursuant to The DGHT Act found at the below link:

[Conservation and Climate | Province of Manitoba](#)

I am the contact person assigned to co-ordinate the review and assessment of the Application.

Please reply to me if you are unable to review the Application. A non-reply will be considered as indicating your department has reviewed and has no concerns.

Any comments you have on the Application should be emailed by **May 6, 2021**.

Edwin Yazon, P. Eng.

Environmental Engineer, Environmental Approvals
Manitoba Conservation and Climate

APRIL 9, 2021

To: **Edwin Yazon, Environmental engineer**
1007 Century St.
Winnipeg MB R3H 0W4
431-335-2554
Fax 204-945-5229

From: **Dave Yunker, C.E.T.**
Environment Officer - Environmental
Compliance and Enforcement
Manitoba Conservation and Climate
27-2nd Ave SW
Dauphin, MB R7N3E5
204-648-4652
email: dave.yunker@gov.mb.ca

SUBJECT: Request for Review/Comment - DGHTAL 6098 - Roblin WDG Hazardous Waste Depot

Manitoba Conservation and Climate, Environmental Compliance and Enforcement Branch has reviewed the information provided for the above noted proposal and has no concerns at this time.

Yazon, Edwin (CC)

From: Rathamano, Raj (CC)
Sent: May 3, 2021 2:03 PM
To: Yazon, Edwin (CC)
Subject: RE: Request for Review/Comment - DGHTAL 6098 - Roblin WDG Hazardous Waste Depot

Hi Edwin,

I have reviewed the application (File: 6098) and noted the following:

- Both the DGHTA application and the hazardous waste registration form are **not signed** by the proponent.
- Site diagram indicates the location of storage of different waste materials. It is not clear if those are covered structures or open storage.
- If the site marked "Eco centre" is for the storage of used oil, used oil filters and empty containers, information related to loading/unloading of used oil, capacity of the storage tank/ double/single walled/ spill containment measures etc. are need to be provided.
- There are currently two records for SE 29-26-28 W, Lot 1, Plan 31679 (Roblin/ RM of Shell River) exist in our system. These is one with the DGHTA licence 278 HW File:5743.00 – cancelled on March 4, 2019. But operating as Shell River-Hillsburg Eco Centre used oil collection facility. Another one is with HW registration only (no licence issued), operating as Roblin Waste Disposal Site. As the new application has to be merged with one of the existing records, the proponent has to indicate the most relevant one.

Thank you.

Raj Rathamano
Environmental Compliance and Enforcement Branch
Manitoba Conservation and Climate
Tel: 204-945-7086

From: Yazon, Edwin (CC) <Edwin.Yazon@gov.mb.ca>
Sent: April 6, 2021 2:43 PM
To: Kiss, Brian (ARD) <Brian.Kiss@gov.mb.ca>; Janusz, Laureen R (ARD) <Laureen.Janusz@gov.mb.ca>; Porteous, Marianne (ARD) <Marianne.Porteous@gov.mb.ca>; Conrod, Matt (ARD) <Matt.Conrod@gov.mb.ca>; Frias, Winifred (ARD) <Winifred.Frias@gov.mb.ca>; Kopytko, Myles (ARD) <Myles.Kopytko@gov.mb.ca>; Armstrong, Nicole (ARD) <Nicole.Armstrong@gov.mb.ca>; Phipps, Graham (ARD) <Graham.Phipps@gov.mb.ca>; +WPG1195 - Mines BR (ARD) <mines_br@gov.mb.ca>; Mraz, Peter (ARD) <Peter.Mraz@gov.mb.ca>; Molod, Rommel (CC) <Rommel.Molod@gov.mb.ca>; Harman, Kristal (CC) <Kristal.Harman@gov.mb.ca>; Hawryliuk, Yvonne (CC) <Yvonne.Hawryliuk@gov.mb.ca>; Forrestall, Kristy (CC) <Kristy.Forrestall@gov.mb.ca>; Christie, Rhian (CC) <Rhian.Christie@gov.mb.ca>; +WPG530 - Drinking Water - Environmental (CC) <drinkingwater.environmental@gov.mb.ca>; Hay, David (CC) <David.Hay@gov.mb.ca>; Cunningham, Neil (CC) <Neil.Cunningham@gov.mb.ca>; Kelly, Jason (CC) <Jason.Kelly@gov.mb.ca>; +WPG574 - HRB Archaeology (SCH) <HRB.archaeology@gov.mb.ca>; +WPG112 - Technical Services (MR) <TechnicalServices@gov.mb.ca>; Roberecki, Susan (HSAL) <Susan.Roberecki@gov.mb.ca>; Peck, Angela (HSAL) <Angela.Peck@gov.mb.ca>; +WPG969 - MIT Environmental Services Section (MI) <MITEnviServices@gov.mb.ca>; iaac.pnr-rpn.aeic@canada.ca; +WPG112 - FireComm (OFC) <FireComm@gov.mb.ca>; +DAU334 - Dauphin CRP (MR) <DauphinCRP@gov.mb.ca>
Cc: Rathamano, Raj (CC) <Raj.Rathamano@gov.mb.ca>; Kathy Cass <kcass@productcare.org>; cao@roblin.ca
Subject: Request for Review/Comment - DGHTAL 6098 - Roblin WDG Hazardous Waste Depot

Yazon, Edwin (CC)

From: Popowich, Matt (CC)
Sent: May 6, 2021 3:49 PM
To: Yazon, Edwin (CC)
Cc: Christie, Rhian (CC)
Subject: RE: Request for Review/Comment - DGHTAL 6098 - Roblin WDG Hazardous Waste Depot

Hello Edwin,

I have reviewed the licence application; the Environmental Programs and Remediation branch has no comments on the application.

Regards,

Matt Popowich

Senior Policy Analyst
Waste Diversion and Recycling Unit
Environmental Programs and Remediation Branch
Manitoba Conservation and Climate
200 Saulteaux Crescent, Winnipeg, MB R3J 3W3
Ph: 204-945-4391
Email: matt.popowich@gov.mb.ca

From: Yazon, Edwin (CC) <Edwin.Yazon@gov.mb.ca>
Sent: April 6, 2021 2:43 PM
To: Kiss, Brian (ARD) <Brian.Kiss@gov.mb.ca>; Janusz, Lauren R (ARD) <Lauren.Janusz@gov.mb.ca>; Porteous, Marianne (ARD) <Marianne.Porteous@gov.mb.ca>; Conrod, Matt (ARD) <Matt.Conrod@gov.mb.ca>; Frias, Winifred (ARD) <Winifred.Frias@gov.mb.ca>; Kopytko, Myles (ARD) <Myles.Kopytko@gov.mb.ca>; Armstrong, Nicole (ARD) <Nicole.Armstrong@gov.mb.ca>; Phipps, Graham (ARD) <Graham.Phipps@gov.mb.ca>; +WPG1195 - Mines BR (ARD) <mines_br@gov.mb.ca>; Mraz, Peter (ARD) <Peter.Mraz@gov.mb.ca>; Molod, Rommel (CC) <Rommel.Molod@gov.mb.ca>; Harman, Kristal (CC) <Kristal.Harman@gov.mb.ca>; Hawryliuk, Yvonne (CC) <Yvonne.Hawryliuk@gov.mb.ca>; Forrestall, Kristy (CC) <Kristy.Forrestall@gov.mb.ca>; Christie, Rhian (CC) <Rhian.Christie@gov.mb.ca>; +WPG530 - Drinking Water - Environmental (CC) <drinkingwater.environmental@gov.mb.ca>; Hay, David (CC) <David.Hay@gov.mb.ca>; Cunningham, Neil (CC) <Neil.Cunningham@gov.mb.ca>; Kelly, Jason (CC) <Jason.Kelly@gov.mb.ca>; +WPG574 - HRB Archaeology (SCH) <HRB.archaeology@gov.mb.ca>; +WPG112 - Technical Services (MR) <TechnicalServices@gov.mb.ca>; Roberecki, Susan (HSAL) <Susan.Roberecki@gov.mb.ca>; Peck, Angela (HSAL) <Angela.Peck@gov.mb.ca>; +WPG969 - MIT Environmental Services Section (MI) <MITEnviServices@gov.mb.ca>; iaac.pnr-rpn.aeic@canada.ca; +WPG112 - FireComm (OFC) <FireComm@gov.mb.ca>; +DAU334 - Dauphin CRP (MR) <DauphinCRP@gov.mb.ca>
Cc: Rathamano, Raj (CC) <Raj.Rathamano@gov.mb.ca>; Kathy Cass <kcass@productcare.org>; cao@roblin.ca
Subject: Request for Review/Comment - DGHTAL 6098 - Roblin WDG Hazardous Waste Depot

Your review and comments would be appreciated for the Application submitted pursuant to The DGHT Act found at the below link:

[Conservation and Climate | Province of Manitoba](#)

I am the contact person assigned to co-ordinate the review and assessment of the Application.

Yazon, Edwin (CC)

From: +WPG530 - Drinking Water - Environmental (CC)
Sent: April 7, 2021 9:30 AM
To: Yazon, Edwin (CC)
Subject: RE: Request for Review/Comment - DGHTAL 6098 - Roblin WDG Hazardous Waste Depot

No concerns.
Office of Drinking Water (ODW)

(Notice: due to COVID, I will be working out-of-office, and expect potential delays in responses and processing times. Thanks.)

Cory Vitt, CMMA M.Eng. P.Eng.

(pronouns: they/them/he/him; please don't use "Mr. Vitt")

Approvals Engineer
Office of Drinking Water
Department of Conservation and Climate
1007 Century Street
Winnipeg, Manitoba R3H 0W4
Phone: 204-806-1363
Fax: 204-945-1365
Email: Cory.Vitt@gov.mb.ca

From: Yazon, Edwin (CC) <Edwin.Yazon@gov.mb.ca>
Sent: April 6, 2021 2:43 PM
To: Kiss, Brian (ARD) <Brian.Kiss@gov.mb.ca>; Janusz, Laureen R (ARD) <Laureen.Janusz@gov.mb.ca>; Porteous, Marianne (ARD) <Marianne.Porteous@gov.mb.ca>; Conrod, Matt (ARD) <Matt.Conrod@gov.mb.ca>; Frias, Winifred (ARD) <Winifred.Frias@gov.mb.ca>; Kopytko, Myles (ARD) <Myles.Kopytko@gov.mb.ca>; Armstrong, Nicole (ARD) <Nicole.Armstrong@gov.mb.ca>; Phipps, Graham (ARD) <Graham.Phipps@gov.mb.ca>; +WPG1195 - Mines BR (ARD) <mines_br@gov.mb.ca>; Mraz, Peter (ARD) <Peter.Mraz@gov.mb.ca>; Molod, Rommel (CC) <Rommel.Molod@gov.mb.ca>; Harman, Kristal (CC) <Kristal.Harman@gov.mb.ca>; Hawryliuk, Yvonne (CC) <Yvonne.Hawryliuk@gov.mb.ca>; Forrestall, Kristy (CC) <Kristy.Forrestall@gov.mb.ca>; Christie, Rhian (CC) <Rhian.Christie@gov.mb.ca>; +WPG530 - Drinking Water - Environmental (CC) <drinkingwater.environmental@gov.mb.ca>; Hay, David (CC) <David.Hay@gov.mb.ca>; Cunningham, Neil (CC) <Neil.Cunningham@gov.mb.ca>; Kelly, Jason (CC) <Jason.Kelly@gov.mb.ca>; +WPG574 - HRB Archaeology (SCH) <HRB.archaeology@gov.mb.ca>; +WPG112 - Technical Services (MR) <TechnicalServices@gov.mb.ca>; Roberecki, Susan (HSAL) <Susan.Roberecki@gov.mb.ca>; Peck, Angela (HSAL) <Angela.Peck@gov.mb.ca>; +WPG969 - MIT Environmental Services Section (MI) <MITEnviServices@gov.mb.ca>; iaac.pnr-rpn.aeic@canada.ca; +WPG112 - FireComm (OFC) <FireComm@gov.mb.ca>; +DAU334 - Dauphin CRP (MR) <DauphinCRP@gov.mb.ca>
Cc: Rathamano, Raj (CC) <Raj.Rathamano@gov.mb.ca>; Kathy Cass <kcass@productcare.org>; cao@roblin.ca
Subject: Request for Review/Comment - DGHTAL 6098 - Roblin WDG Hazardous Waste Depot

Your review and comments would be appreciated for the Application submitted pursuant to The DGHT Act found at the below link:

[Conservation and Climate | Province of Manitoba](#)

I am the contact person assigned to co-ordinate the review and assessment of the Application.

DATE: 2021-04-07

TO: Environmental Approvals Branch
Manitoba Conservation & Climate
1007 Century Street
Winnipeg, MB R3H 0W4

FROM: **Archaeological Assessment
Services Unit**
Historic Resources Branch
Main Floor – 213 Notre Dame Avenue
Winnipeg, Manitoba R3B 1N3

T: (204) 945-2118
F: (204) 948-2384
e: Hrb.archaeology@gov.mb.ca

SUBJECT: **DGHTAL 6098 - Roblin WDG Hazardous Waste Depot
AAS File No. AAS-21-16868**

No concerns at this time.

If at any time, however, heritage resources are encountered in association with these lands during testing and development, the Historic Resources Branch may require that an acceptable heritage resource management strategy be implemented by the developer to mitigate the effects of development on the heritage resources.

If you have any questions or comments, please feel free to contact the Archaeological Assessment Services Unit as above.

Yazon, Edwin (CC)

From: Billedeau, Neil (MR)
Sent: April 8, 2021 2:28 PM
To: Yazon, Edwin (CC)
Cc: Pike, Robert (MR)
Subject: RE: Request for Review/Comment - DGHTAL 6098 - Roblin WDG Hazardous Waste Depot

Good afternoon,

I have no concerns.

Sincerely,

Neil Billedeau
Program Manager - Fire Safety Inspections
Municipal Relations, Government of Manitoba
508-401 York Avenue,
Winnipeg, MB R3C 0P8

Confidentiality Notice

This e-mail and any attachments are confidential and intended solely for the use of the individual to whom they are addressed. If you have received this e-mail in error please notify the sender. This message contains confidential information and is intended only for the individual named. If you are not the named addressee you should not disseminate, distribute, copy, retain, use or modify this e-mail. Please notify the sender immediately by e-mail or by telephone at (204) 945 3322 if you have received this e-mail by mistake and delete this e-mail from your system. E-mail can be intercepted in transit or sent to the wrong address, so use secure means to communicate with us if you are concerned about confidentiality. If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited.

From: +WPG112 - FireComm (OFC) <FireComm@gov.mb.ca>
Sent: April 7, 2021 8:49 AM
To: Pike, Robert (MR) <Robert.Pike@gov.mb.ca>; Billedeau, Neil (MR) <Neil.Billedeau@gov.mb.ca>
Subject: FW: Request for Review/Comment - DGHTAL 6098 - Roblin WDG Hazardous Waste Depot

For review and comment by April 29

Holly

From: Yazon, Edwin (CC) <Edwin.Yazon@gov.mb.ca>
Sent: April 6, 2021 2:43 PM
To: Kiss, Brian (ARD) <Brian.Kiss@gov.mb.ca>; Janusz, Laureen R (ARD) <Laureen.Janusz@gov.mb.ca>; Porteous, Marianne (ARD) <Marianne.Porteous@gov.mb.ca>; Conrod, Matt (ARD) <Matt.Conrod@gov.mb.ca>; Frias, Winifred (ARD) <Winifred.Frias@gov.mb.ca>; Kopytko, Myles (ARD) <Myles.Kopytko@gov.mb.ca>; Armstrong, Nicole (ARD) <Nicole.Armstrong@gov.mb.ca>; Phipps, Graham (ARD) <Graham.Phipps@gov.mb.ca>; +WPG1195 - Mines BR (ARD) <mines_br@gov.mb.ca>; Mraz, Peter (ARD) <Peter.Mraz@gov.mb.ca>; Molod, Rommel (CC) <Rommel.Molod@gov.mb.ca>; Harman, Kristal (CC) <Kristal.Harman@gov.mb.ca>; Hawryliuk, Yvonne (CC) <Yvonne.Hawryliuk@gov.mb.ca>; Forrestall, Kristy (CC) <Kristy.Forrestall@gov.mb.ca>; Christie, Rhian (CC) <Rhian.Christie@gov.mb.ca>; +WPG530 - Drinking Water - Environmental (CC) <drinkingwater.environmental@gov.mb.ca>; Hay, David (CC) <David.Hay@gov.mb.ca>; Cunningham, Neil (CC) <Neil.Cunningham@gov.mb.ca>; Kelly, Jason (CC) <Jason.Kelly@gov.mb.ca>; +WPG574 - HRB Archaeology (SCH) <HRB.archaeology@gov.mb.ca>; +WPG112 - Technical Services (MR) <TechnicalServices@gov.mb.ca>; Roberecki, Susan (HSAL) <Susan.Roberecki@gov.mb.ca>; Peck, Angela (HSAL) <Angela.Peck@gov.mb.ca>; +WPG969 - MIT Environmental Services Section (MI) <MITEnviServices@gov.mb.ca>; iaac.pnr-rpn.aeic@canada.ca; +WPG112 - FireComm (OFC) <FireComm@gov.mb.ca>; +DAU334 - Dauphin CRP (MR) <DauphinCRP@gov.mb.ca>

Yazon, Edwin (CC)

From: +WPG969 - MIT Environmental Services Section (MI)
Sent: May 11, 2021 11:53 AM
To: Yazon, Edwin (CC)
Subject: RE: Request for Review/Comment - DGHTAL 6098 - Roblin WDG Hazardous Waste Depot

No concern

From: Yazon, Edwin (CC) <Edwin.Yazon@gov.mb.ca>
Sent: April 6, 2021 2:43 PM
To: Kiss, Brian (ARD) <Brian.Kiss@gov.mb.ca>; Janusz, Lauren R (ARD) <Lauren.Janusz@gov.mb.ca>; Porteous, Marianne (ARD) <Marianne.Porteous@gov.mb.ca>; Conrod, Matt (ARD) <Matt.Conrod@gov.mb.ca>; Frias, Winifred (ARD) <Winifred.Frias@gov.mb.ca>; Kopytko, Myles (ARD) <Myles.Kopytko@gov.mb.ca>; Armstrong, Nicole (ARD) <Nicole.Armstrong@gov.mb.ca>; Phipps, Graham (ARD) <Graham.Phipps@gov.mb.ca>; +WPG1195 - Mines BR (ARD) <mines_br@gov.mb.ca>; Mraz, Peter (ARD) <Peter.Mraz@gov.mb.ca>; Molod, Rommel (CC) <Rommel.Molod@gov.mb.ca>; Harman, Kristal (CC) <Kristal.Harman@gov.mb.ca>; Hawryliuk, Yvonne (CC) <Yvonne.Hawryliuk@gov.mb.ca>; Forrestall, Kristy (CC) <Kristy.Forrestall@gov.mb.ca>; Christie, Rhian (CC) <Rhian.Christie@gov.mb.ca>; +WPG530 - Drinking Water - Environmental (CC) <drinkingwater.environmental@gov.mb.ca>; Hay, David (CC) <David.Hay@gov.mb.ca>; Cunningham, Neil (CC) <Neil.Cunningham@gov.mb.ca>; Kelly, Jason (CC) <Jason.Kelly@gov.mb.ca>; +WPG574 - HRB Archaeology (SCH) <HRB.archaeology@gov.mb.ca>; +WPG112 - Technical Services (MR) <TechnicalServices@gov.mb.ca>; Roberecki, Susan (HSAL) <Susan.Roberecki@gov.mb.ca>; Peck, Angela (HSAL) <Angela.Peck@gov.mb.ca>; +WPG969 - MIT Environmental Services Section (MI) <MITEnviServices@gov.mb.ca>; iaac.pnr-rpn.aeic@canada.ca; +WPG112 - FireComm (OFC) <FireComm@gov.mb.ca>; +DAU334 - Dauphin CRP (MR) <DauphinCRP@gov.mb.ca>
Cc: Rathamano, Raj (CC) <Raj.Rathamano@gov.mb.ca>; Kathy Cass <kcass@productcare.org>; cao@roblin.ca
Subject: Request for Review/Comment - DGHTAL 6098 - Roblin WDG Hazardous Waste Depot

Your review and comments would be appreciated for the Application submitted pursuant to The DGHT Act found at the below link:

[Conservation and Climate | Province of Manitoba](#)

I am the contact person assigned to co-ordinate the review and assessment of the Application.

Please reply to me if you are unable to review the Application. A non-reply will be considered as indicating your department has reviewed and has no concerns.

Any comments you have on the Application should be emailed by **May 6, 2021**.

Edwin Yazon, P. Eng.

Environmental Engineer, Environmental Approvals

Manitoba Conservation and Climate

Edwin.Yazon@gov.mb.ca / Cel: 431-335-2554

1007 Century St., Winnipeg, MB R3H 0W4